

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 November 2007**

(For the Period 15 October 2007 to 31 October 2007)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER        | DOCUMENT TITLE  | DISTRIBUTION | FSC/AREA |   | MCA  |      | DATE        |
|-------------|------------------------|---|--------------|----------|---|------|------|-------------|
|             |                        |   |              |          |   | PREP | ACTY |             |
| M           | MIL-PRF-71139A         | Cartridge, 25MM; High Explosive Incendiary with Trace (HEI-T), M792 [CUST: AR]  | A            | 1305     |   | AR   |      | 22-OCT-2007 |
| M           | MIL-DTL-60315C         | Charge, Propelling, M67, for 105MM Howitzer Loading, Assembling and Packing [CUST: AR]  | A            | 1315     |   | AR   |      | 02-OCT-2007 |
| N           | MIL-DTL-32264          | Fuze Artillery, Electronic Time, M762A1 and Fuze, Electronic Time, M767A1 Less Booster [CUST: AR]   | A            | 1390     |   | AR   |      | 30-AUG-2007 |
| M           | MIL-DTL-781H(2) SUP 1  | Terminal, Wire Rope Swaging, General Specification for [CUST: CR AS 99 GS5] [REVIEW: 71 AR GL MC MI]  | A            | 1640     |   | GS5  |      | 12-OCT-2007 |
| M           | MIL-DTL-5688E(1) NOT 1 | Wire Rope Assemblies; Aircraft, Proof Testing and Prestretching of [CUST: AV AS 99] [REVIEW: 71 MI]   | A            | 1640     |   | GS5  |      | 12-OCT-2007 |
| M           | MS20667J(2) NOT 1      | Terminal, Wire Rope, Swaging, Fork End [CUST: CR4 AS 99 GS5] [REVIEW: 71 MD]  | A            | 1640     |   | GS5  |      | 12-OCT-2007 |
| M           | MS21252P               | Clevis End, Turnbuckle, Clip Locking [CUST: AS 99 GS5] [REVIEW: 71 MC]  | A            | 1640     |   | GS5  |      | 12-OCT-2007 |
| M           | MS21253S               | Clevis End, Turnbuckle, Clip Locking, (for Bearing) [CUST: AV AS 99 GS5] [REVIEW: 71]   | A            | 1640     |   | GS5  |      | 12-OCT-2007 |
| M           | MS21254V               | Eye End, Turnbuckle, Clip Locking [CUST: AV AS 99 GS5] [REVIEW: 71 MC]  | A            | 1640     |   | GS5  |      | 12-OCT-2007 |
| M           | MS21255U               | Eye End, Turnbuckle, Clip Locking, (for Wire Rope) [CUST: AV AS 99 GS5] [REVIEW: 71]  | A            | 1640     |   | GS5  |      | 12-OCT-2007 |
| M           | MS21259J(1) NOT 1      | Terminal, Wire Rope, Swaging, Stud, Long Thread [CUST: AS 99 GS5] [REVIEW: 71 MC]   | A            | 1640     |   | GS5  |      | 12-OCT-2007 |
| M           | MS21260M(2)            | Terminal, Wire Rope, Swaging Stud [CUST: AR AS 99 GS5] [REVIEW: 71 CR4 MC]  | A            | 1640     |   | GS5  |      | 12-OCT-2007 |
| M           | QPL-8815-36 NOT 1      | Filter and Filter Elements, Fluid Pressure, Hydraulic Line, 15 Micron Absolute and 5 Micron Absolute, Type II System, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information) | A            | 1650     |   | AS   |      | 15-OCT-2007 |
| M           | QPL-21049-24 NOT 2     | Coupling Assemblies, Quick Disconnect, Aircraft Liquid Oxygen Systems (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 1660     |   | AS   |      | 19-OCT-2007 |
| M           | A-A-59144 NOT 2        | Auger, Earth, Portable; Hand-Held Two-Man Gasoline Engine Driven [CUST: YD]   | A            | 3820     | / | IS   |      | 22-OCT-2007 |
| M           | A-A-55527 NOT 2        | Fillers for Rotary Sweeper Brush: for Sweeper, Front Mounted or Towed Type [CUST: CR4 99 CC]  | A            | 3825     | / | IS   |      | 22-OCT-2007 |
| M           | A-A-55630 NOT 2        | Fillers, Continuous, for Rotary Sweeper Brush: for Sweeper, Front Mounted or Towed Type [CUST: AT 99 IS] [REVIEW: 84]   | A            | 3825     | / | IS   |      | 22-OCT-2007 |
| M           | A-A-55632 NOT 2        | Spacers, for Rotary Sweeper Brush: for Sweeper, Front Mounted or Towed Type [CUST: AT 99 IS] [REVIEW: 84]   | A            | 3825     | / | IS   |      | 22-OCT-2007 |
| M           | QPL-5567-38 NOT 1      | Life Rafts, Inflatable, 4 and 7 Man, for Aircraft use (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 4220     |   | AS   |      | 22-OCT-2007 |
| M           | QPL-9131-27 NOT 1      | Life Rafts, Inflatable, Twenty Man (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 4220     |   | AS   |      | 22-OCT-2007 |
| M           | QPL-5515-19 NOT 1      | Pump, Hydraulic Ram, Hand Driven (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 4320     |   | CC   |      | 25-OCT-2007 |
| M           | MIL-DTL-28693A         | Hose, Rubber, Oil and Gasoline Discharge, Smooth Bore, Lightweight Buoyant Type, Longitudinally Reinforced, 6 Inch [CUST: YD CC] [REVIEW: CG MC SA SH]  | A            | 4720     |   | CC   |      | 01-OCT-2007 |
| M           | QPL-52471-17 NOT 1     | Hose and Hose Assemblies, Rubber, Hydraulic, Pressure Type, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 4720     |   | CC   |      | 31-OCT-2007 |
| M           | QPL-8783-15 NOT 1      | Clamp, Hose, Flat Band 500 Deg. F (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 4730     |   | CC   |      | 24-OCT-2007 |
| M           | QPL-24439-12 NOT 1     | Valves, Oxygen, Helium and Helium Oxygen Mixture, High Pressure for Gas Services (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 4820     |   | SH   |      | 31-OCT-2007 |
| M           | MS9952A(1) NOT 4       | Washer, Cup, Lock - Expander Nut Cres, AMS 5846 [CUST: 11 IS]   | A            | 5310     |   | IS   |      | 22-OCT-2007 |
| M           | MS51498(1) NOT 2       | Insert, Screw Thread-Locked in, Ring Locked, Serrated, High Strength, Oversize Replacer [CUST: AR AS 99 IS]   | A            | 5325     |   | IS   |      | 22-OCT-2007 |
| M           | MIL-PRF-49465C         | Resistors, Fixed, Metal Element (Power Type), Very Low Resistance Values, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC MI OS]  | A            | 5905     |   | CC   |      | 15-OCT-2007 |
| M           | MIL-PRF-49465/1C       | Resistors, Fixed, Metal Element (Power Type), Style RLV10 [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC MI OS]  | A            | 5905     |   | CC   |      | 15-OCT-2007 |
| M           | MIL-PRF-49465/6C       | Resistors, Fixed, Metal Element (Power Type), Style RLV30 [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC MI OS]  | A            | 5905     |   | CC   |      | 15-OCT-2007 |
| M           | MIL-PRF-49465/7C       | Resistors, Fixed, Metal Element (Power Type), Style RLV31 [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC MI OS]  | A            | 5905     |   | CC   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/1J(2)    | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0502 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/2J(2)    | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0505 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/3J(2)    | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM1005 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/4J(2)    | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM1505 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/5J(2)    | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM2208 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/6G(2)    | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0705 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/7E(2)    | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM1206 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/8E(2)    | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM2010 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/9E(2)    | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM2512 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/10D(2)   | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM1010 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/11A(2)   | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0402 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/12A(2)   | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0603 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | MIL-PRF-55342/13(2)    | Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0302 [CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]   | A            | 5905     |   | CR   |      | 15-OCT-2007 |
| M           | QPL-19365-26 NOT 1     | Resistors, Adjustable, Wirewound (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 5905     |   | CC   |      | 26-OCT-2007 |
| M           | QPL-39002-13 NOT 1     | Resistors, Variable, Wirewound, Semi-Precision, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 5905     |   | CC   |      | 30-OCT-2007 |

## ACTIVE SECTION

## ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER    | DOCUMENT TITLE   | DISTRIBUTION | FSC/AREA |   | MCA | PREP ACTY | DATE        |
|-------------|--------------------|--|--------------|----------|---|-----|-----------|-------------|
|             |                    |  |              |          |   |     |           |             |
| M           | QPL-39023-22 NOT 1 | Resistors, Variable, Nonwire-Wound, Precision, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 5905     |   | CC  |           | 31-OCT-2007 |
| M           | QPL-11272-31 NOT 1 | Capacitors, Fixed, Glass Dielectric, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 5910     |   | CC  |           | 25-OCT-2007 |
| M           | QPL-18312-43 NOT 1 | Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 5910     |   | CC  |           | 25-OCT-2007 |
| M           | QPL-19978-69 NOT 1 | Capacitors, Fixed, Plastic (or Paper-Plastic), Dielectric (Hermetically Sealed in Metal, Ceramic, or Glass Cases), Established and Non-Established Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 5910     |   | CC  |           | 26-OCT-2007 |
| M           | QPL-23269-22 NOT 1 | Capacitors, Fixed, Glass Dielectric, Established Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 5910     |   | CC  |           | 26-OCT-2007 |
| M           | QPL-49470-23 NOT 1 | Capacitor, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and Temperature Stable), Standard Reliability and High Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 5910     |   | CR  |           | 24-OCT-2007 |
| M           | A-A-55571/1C       | Circuit Breaker, 28 Volts (V) DC, Automatic Reset, Waterproof, 15 Amperes (A) to 30 A [CUST: EC CC]  | A            | 5925     | / | CC  |           | 17-OCT-2007 |
| M           | A-A-55571/2C       | Circuit Breaker, 28 Volts (V) DC, Manual Reset, Waterproof, 15 Amperes (A) to 30 A [CUST: EC CC]   | A            | 5925     | / | CC  |           | 17-OCT-2007 |
| M           | A-A-55571/3C       | Circuit Breaker, 28 Volts (V) DC, Manual Reset, Waterproof, 105 Amperes (A) to 200 A [CUST: EC CC]   | A            | 5925     | / | CC  |           | 17-OCT-2007 |
| M           | A-A-55571/4C       | Circuit Breaker, 28 Volts (V) DC, Manual Reset, Waterproof, 35 Amperes (A) to 150 A [CUST: EC CC]  | A            | 5925     | / | CC  |           | 17-OCT-2007 |
| M           | A-A-55571/5C       | Circuit Breaker, 28 Volts (V) DC, Automatic Reset, Nonwaterproof, 10 Amperes (A) to 35 A [CUST: EC CC]   | A            | 5925     | / | CC  |           | 17-OCT-2007 |
| M           | A-A-55571/6C       | Circuit Breaker, 28 Volts (V) DC, Manual Reset, Nonwaterproof, 10 Amperes (A) to 35 A [CUST: EC CC]  | A            | 5925     | / | CC  |           | 17-OCT-2007 |
| M           | A-A-55571/7C       | Circuit Breaker, 28 Volts (V) DC, Automatic Reset, Nonwaterproof, 35 Amperes (A) to 150 A [CUST: EC CC]  | A            | 5925     | / | CC  |           | 17-OCT-2007 |
| M           | A-A-55571/8C       | Circuit Breaker, 28 Volts (V) DC, Automatic Reset, Nonwaterproof, 150 Amperes (A) to 200 A [CUST: EC CC]   | A            | 5925     | / | CC  |           | 17-OCT-2007 |
| M           | MIL-DTL-15743E     | Switches, Rotary, Enclosed [CUST: SH CC]   | A            | 5930     |   | CC  |           | 25-OCT-2007 |
| M           | QPL-7703-14 NOT 1  | Guard, Switch, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 5930     |   | CC  |           | 24-OCT-2007 |
| M           | QPL-12285-16 NOT 1 | Switches, Thermostatic (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 5930     |   | CC  |           | 25-OCT-2007 |
| M           | QPL-22710-27 NOT 1 | Switches, Code, Indicating Wheel (Printed Circuit), Thumbwheel and Push Button, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 5930     |   | CC  |           | 26-OCT-2007 |
| M           | QPL-28788-11 NOT 1 | Switches, Air and Liquid Flow, Sensing, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 5930     |   | CC  |           | 30-OCT-2007 |
| M           | MIL-DTL-55302/131D | Connectors, Plug, Electrical, Printed Circuit Subassembly and Accessories: Right Angle, Pin Contacts, 64 or 96 Contact Position for Printed Wiring Boards (.100 Spacing) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]   | A            | 5935     |   | CC  |           | 11-OCT-2007 |
| M           | QPL-26518-17 NOT 1 | Connectors, Electrical, Miniature, Rack and Panel, Environment Resisting, 200 Deg. C Ambient Temperature, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 5935     |   | CC  |           | 26-OCT-2007 |
| M           | QPL-27599-13 NOT 1 | Connector, Electrical, Circular, Miniature, High Density, Quick Disconnect, Environment Resistant Solder Contacts (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 5935     |   | CC  |           | 30-OCT-2007 |
| M           | QPL-39024-35 NOT 1 | Jack, Tip (Test Point, Panel or Printed Wiring Type), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A            | 5935     |   | CC  |           | 31-OCT-2007 |
| M           | QPL-55116-15 NOT 1 | Connectors, Miniature Audio, Five-Pin and Six-Pin, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 5935     |   | CC  |           | 31-OCT-2007 |
| M           | QPL-5757-100 NOT 1 | Relays, Electromagnetic, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 5945     |   | CC  |           | 24-OCT-2007 |
| M           | QPL-28776-35 NOT 1 | Relays, Hybrid, Established Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A            | 5945     |   | CC  |           | 30-OCT-2007 |
| M           | MIL-PRF-19500/241K | Semiconductor Device, Diode, Silicon, Low Leakage, Controlled Forward Voltage Types 1N3595-1, 1N3595US, and 1N3595UR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM]  | A            | 5961     |   | CC  |           | 23-OCT-2007 |
| M           | MIL-PRF-19500/366M | Semiconductor Device, Transistor, NPN, Silicon, Amplifier, Types 2N3498, 2N3498L, 2N3498U4, 2N3499, 2N3499L, 2N3499U4, 2N3500, 2N3500L, N3500U4, 2N3501, 2N3501L, 2N3501UB, AND 2N3501U4, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC, JANSM, JANSJ, JANSR, JANSR, JANSF, JANSF, JANSF, JANSF, JANSF, JANSH, JANHCB, JANHCC, JANKCB, JANKCC, JANKCCM, JANKCCD, JANKCCP, JANKCCL, JANKCCR, JANKCCF, JANKCCG, and, JANKCCH [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI SM] | A            | 5961     |   | CC  |           | 22-OCT-2007 |
| M           | MIL-PRF-19500/427L | Semiconductor Device, Diode, Silicon, Power Rectifier, Types 1N5614, 1N5616, 1N5618, 1N5620, 1N5622, 1N5614US, 1N5616US, 1N5618US, 1N5620US, 1N5622US, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM]   | A            | 5961     |   | CC  |           | 15-OCT-2007 |
| M           | MIL-PRF-19500/512H | Semiconductor Device, Transistor, PNP, Silicon, Switching, Types 2N4029, 2N4033, 2N4033UA, 2N4033UB, JAN, JANTX, JANTXV, JANS, JANKC2N4033 and JANHC2N4033 [CUST: CR EC 11 CC] [REVIEW: 19 71 99 AV MI]  | A            | 5961     |   | CC  |           | 15-OCT-2007 |
| M           | MIL-PRF-19500/565E | Semiconductor Device, Field Effect Transistor, P-Channel, Silicon, Types 2N6895, 2N6896, 2N6897, AND 2N6898, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM]   | A            | 5961     |   | CC  |           | 01-NOV-2007 |
| M           | MIL-PRF-19500/647D | Semiconductor Device, Diode, Silicon, Power Rectifier, Ultrafast, Types 1N6778 and 1N6779, JAN, JANTX, JANTXV and JANS [CUST: CR EC 11 CC NA]  | A            | 5961     |   | CC  |           | 05-NOV-2007 |
| M           | MIL-PRF-19500/698C | Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Events Effects) Transistor, N-Channel, Silicon Types 2N7470T1 and 2N7471T1, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 11 CC NA] [REVIEW: 71 AV MI]   | A            | 5961     |   | CC  |           | 22-OCT-2007 |
| M           | MIL-PRF-19500/712B | Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistors, P-Channel, Silicon, Types 2N7545U3, 2N7546U3, 2N7547T3, AND 2N7548T3, JANTXVR, F, G, H and JANSR, F, G, H [CUST: CR EC 11 CC NA] [REVIEW: MI]   | A            | 5961     |   | CC  |           | 25-OCT-2007 |

## ACTIVE SECTION

## ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER             | DOCUMENT TITLE   | DISTRIBUTION | MCA      |           | DATE        |
|-------------|-----------------------------|--|--------------|----------|-----------|-------------|
|             |                             |  |              | FSC/AREA | PREP ACTY |             |
| M           | QML-38534-58 NOT 1          | Hybrid Microcircuits, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A 5962       |          | CC        | 24-OCT-2007 |
| M           | MIL-DTL-62545D              | Module, Standard Electronic Control [CUST: AT CC]  | A 5963       |          | CC        | 25-OCT-2007 |
| M           | A-A-55568B                  | Headset-Microphone, Lightweight, General Requirements for [CUST: EC 11 CC]   | A 5965       | /        | CC        | 28-SEP-2007 |
| M           | A-A-55568/1B                | Headset-Microphone, Monaural, Lightweight, Intra-Aural, Amplified Receiver [CUST: EC 11 CC]  | A 5965       | /        | CC        | 28-SEP-2007 |
| M           | A-A-55568/2B                | Headset-Microphone, Monaural, Lightweight, Intra-Aural, Unamplified Receiver [CUST: EC 11 CC]  | A 5965       | /        | CC        | 28-SEP-2007 |
| M           | A-A-55568/3B                | Headset-Microphone, Monaural, Lightweight, Supra-Aural [CUST: EC 11 CC]  | A 5965       | /        | CC        | 28-SEP-2007 |
| M           | A-A-59590/23A               | Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .500 X .450 Inch Body Size, With Screw Retention [CUST: CR EC 11 CC] [REVIEW: 99]                             | A 5998       | /        | CC        | 17-OCT-2007 |
| M           | A-A-59590/24A               | Holders, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .500 X .450 Inch Body Size, With Visual Lock Indication and Screw Retention [CUST: CR EC 11 CC] [REVIEW: 99] | A 5998       | /        | CC        | 17-OCT-2007 |
| M           | MIL-DTL-24643B SUP 1A NOT 1 | Cables and Cords, Electric, Low Smoke, for Shipboard Use, General Specification for [CUST: MI SH] [REVIEW: AR AV CC CG CR EC]  | A 6145       |          | SH        | 28-JUN-2007 |
| M           | QPL-38359-18 NOT 1          | Cable, Power, Electrical, Airport Lighting, Cross-Linked Polyethylene (XLP) (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)                  | A 6145       |          | CC        | 30-OCT-2007 |
| M           | QPL-6752-18 NOT 1           | Ammeters, Voltmeters, and Loadmeters; Direct Current (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A 6625       |          | AS        | 17-OCT-2007 |
| M           | QPL-83287-24 NOT 1          | Indicators, Fault Locating, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A 6625       |          | CC        | 31-OCT-2007 |
| M           | A-A-52122B                  | Kit, Water Purification, Emergency [CUST: GL MC 68 GS3] [REVIEW: 50 EA MD]   | A 6850       | /        | GS3       | 24-OCT-2007 |
| M           | A-A-52202B                  | Opener, Can, Hand, for Tray Packs and Round Cans [CUST: GL SA 99 SS] [REVIEW: 35 84 MC MD1 QM1]  | A 7330       | /        | SS        | 16-OCT-2007 |
| M           | MIL-DTL-14650/5D            | Streamers, Unit Awards [CUST: IH NU 11] [REVIEW: 99 CT MC]   | A 8345       |          | IH        | 20-OCT-2007 |
| N           | MIL-DTL-11589/618           | Ribbon, Combat Action, Army [CUST: IH] [REVIEW: CT]  | A 8455       |          | IH        | 20-OCT-2007 |
| M           | QPL-32073-5 NOT 1           | Hydraulic Fluid, Biobased (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)  | A 9150       |          | AT        | 16-OCT-2007 |
| M           | QPL-46176-14 NOT 1          | Brake Fluid, Silicone, Automotive, All Weather, Operational and Preservative (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)                 | A 9150       |          | AT        | 22-OCT-2007 |
| N           | MIL-HDBK-510                | Aerospace Fuels Certification [CUST: 11] [REVIEW: 68]  | C 91GP       |          | 11        | 01-OCT-2007 |
| M           | QPL-5425-21 NOT 1           | Plastic Sheet, Acrylic, Heat Resistant (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)   | A 9330       |          | AS        | 18-OCT-2007 |
| N           | MIL-PRF-32269               | Perforated Homogeneous Steel Armor [CUST: MR] [REVIEW: AR AT AV IS MI]   | A 9515       |          | MR        | 18-OCT-2007 |
| N           | MIL-STD-3018                | Parts Management [CUST: MI AS 11 DH] [REVIEW: 13 19 70 71 84 99 AR AT CC CH CR EA EC GS IS MC NW OS SH]  | A SDMP       |          | SO        | 15-OCT-2007 |
| N           | DI-SDMP-81748               | Parts Management Plan [AMSC: D7324]  | A SDMP       |          | SO        | 15-OCT-2007 |

INACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER         | DOCUMENT TITLE   | DISTRIBUTION | MCA      |           | DATE        |
|-------------|-------------------------|--|--------------|----------|-----------|-------------|
|             |                         |  |              | FSC/AREA | PREP ACTY |             |
| N           | MIL-DTL-32267           | Fuze, Point Detonating, M739A1 [CUST: AR]  | A 1315       |          | AR        | 30-SEP-2007 |
| M           | MS9033B(1) NOT 2        | Bolt-Machine, 12 Point Head Heat Resistant, .190 (N0. 10)-32, AMS 5735 [CUST: AS 99 IS]  | A 5305       |          | IS        | 22-OCT-2007 |
| M           | MS35295B NOT 3          | Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Medium Carbon Steel, Plain Finish UNC-2A [CUST: AR SH 99 IS] [REVIEW: AT MC OS SA]   | A 5305       |          | IS        | 22-OCT-2007 |
| M           | MS35302C NOT 3          | Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Alloy Steel, Plain Finish, UNF-2A [CUST: AR SH IS] [REVIEW: AT MC MI OS]   | A 5305       |          | IS        | 22-OCT-2007 |
| M           | MS35461B(1) NOT 1       | Screw, Cap, Socket Head - Hexagon, Steel, Corrosion Resisting, Passivated, UNC-3A [CUST: AR SH 99 IS]  | A 5305       |          | IS        | 22-OCT-2007 |
| M           | MS51482 NOT 3           | Setscrew, Hexagon Socket, Cone Point, Alloy Steel, UNC-3A [CUST: AR SH 99 IS] [REVIEW: 71 AV CR CR4 EA MI NS]  | A 5305       |          | IS        | 22-OCT-2007 |
| M           | MS51483 NOT 3           | Screw, Machine, Drilled Fillister Head, Slotted, Carbon Steel, UNC-2A [CUST: AR SH 99 IS] [REVIEW: 71 AV CR CR4 EA NS OS]  | A 5305       |          | IS        | 22-OCT-2007 |
| M           | MS51487 NOT 3           | Setscrew, Square Head, Cup Point, Carbon Steel, UNC-2A [CUST: AR SH 99 IS] [REVIEW: CR4 EA MC MI NS OS]  | A 5305       |          | IS        | 22-OCT-2007 |
| M           | MIL-W-70336/5 NOT 3     | Washer, Lock, External Tooth (Metric) [CUST: AR OS 99 IS] [REVIEW: 71 AT AV CR MC MI SH]   | A 5310       |          | IS        | 22-OCT-2007 |
| M           | MS14199 NOT 4           | Nut Assembly, Floating, Self-Locking, Rivetless, Attached Retention Element, (A.R.E.), Maintainability and Reliability Design and Usage Limitations for [CUST: AR AS 11 IS] [REVIEW: 99 AV MC MI SH] | A 5310       |          | IS        | 22-OCT-2007 |
| M           | MS35744B NOT 3          | Rivet, Solid-Small Countersunk Head, Steel, Annealed [CUST: AR YD 99 IS] [REVIEW: AT CC CE MC MI]  | A 5320       |          | IS        | 22-OCT-2007 |
| M           | AN240 REV 1 NOT 4       | Eyelet and Lacing [CUST: MI 99 IS] [REVIEW: OS]  | A 5325       |          | IS        | 22-OCT-2007 |
| M           | MS28777C(1) NOT 3       | Washer, Flat, Aircraft Hydraulic Backup [CUST: AV AS 99 IS] [REVIEW: 71]   | A 5330       |          | IS        | 22-OCT-2007 |
| M           | MS28932A NOT 4          | Felt Strip, Packing Gland (ASG) [CUST: AS 99]  | A 5330       |          | IS        | 22-OCT-2007 |
| M           | MS35803A(1) NOT 3       | Washer, Craft Hydraulic Packing Backup [CUST: AV AS 99 IS] [REVIEW: 71 AR AT CR4 MI]   | A 5330       |          | IS        | 22-OCT-2007 |
| M           | AN904 REV 1 NOT 3       | Gasket and Upward Recognition Light Cover [CUST: AS 99] [REVIEW: GS]   | A 5330       |          | IS        | 22-OCT-2007 |
| M           | MS24535A NOT 3          | Fastener-Container Closure [CUST: GL AS 99 IS] [REVIEW: MI]  | A 5340       |          | IS        | 22-OCT-2007 |
| M           | MIL-DTL-23351B(1)       | Waveguides, Single Ridge and Double Ridge, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH]  | A 5985       |          | CC        | 02-NOV-2007 |
| M           | MS24378F NOT 3          | Transmitter, Synchro, Angle of Attack or Sideslip [CUST: 11 CC] [REVIEW: 71 99 GS]   | A 5990       |          | CC        | 28-SEP-2007 |
| M           | MIL-DTL-12216D          | Reflector, Light: Aluminum, and Shield, Light: Telescoping, Aluminum [CUST: CR4 99 IS]   | A 6210       |          | IS        | 24-OCT-2007 |
| M           | MIL-DTL-58085B          | Light, Beacon, Anti-Collision, Aircraft [CUST: AV IS]  | A 6220       |          | IS        | 29-OCT-2007 |
| M           | MIL-DTL-6839D           | Indicator, Position, Landing Gear [CUST: AV AS 99] [REVIEW: 11 MC MI]  | A 6610       |          | GS1       | 30-OCT-2007 |
| M           | MIL-D-3898B SUP 1 NOT 2 | Drafting Machine and Scales General Specification for [CUST: CR4 SH 99 IS] [REVIEW: AT MC]   | A 6675       |          | IS        | 15-OCT-2007 |
| M           | MIL-D-3898/4 NOT 3      | Drafting Machine and Scales Range-Time-Speed Plotting Scale 200 and 1,000 Yards Per Inch [CUST: CR4 SH 99 IS] [REVIEW: AT MC]  | A 6675       |          | IS        | 15-OCT-2007 |
| M           | MIL-D-3898/6 NOT 3      | Drafting Machine and Scales, Range-Time-Speed Plotting Scale 25,000:1 and 50,000:1 Yards Ratio [CUST: CR4 SH 99 IS] [REVIEW: AT MC]  | A 6675       |          | IS        | 15-OCT-2007 |

CANCELED SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER       | DOCUMENT TITLE  | DISTRIBUTION | MCA      |           | DATE        |
|-------------|-----------------------|---|--------------|----------|-----------|-------------|
|             |                       |   |              | FSC/AREA | PREP ACTY |             |
| M           | MIL-F-63518A(6) NOT 2 | Fuze, Point Detonating, M739A1 Less Booster Pellet (S/S by MIL-DTL-32267) [CUST: AR]  | A 1390       |          | AR        | 18-OCT-2007 |
| M           | MIL-F-63519(5) NOT 2  | Fuze, Point Detonating, M739A1 Loading, Assembling and Packing (S/S by MIL-DTL-32267) [CUST: AR]                                | A 1390       |          | AR        | 18-OCT-2007 |
| M           | ASTM-C1107            | Cement Grout (Nonshrink), Hydraulic-Packaged Dry (No S/S Document) [CUST: CR4 YD 99 IS]   | A 5610       |          | IS        | 29-OCT-2007 |
| M           | ASTM-D3017            | Water Content of Soil and Rock in Place by Nuclear Methods (Shallow Depth) (No S/S Document) [CUST: CR4 YD 99 IS]               | A 5610       |          | IS        | 29-OCT-2007 |
| M           | MIL-F-21346B(2) NOT 3 | Fuseholders, Block, and Shroud Type, and Associated Fuse Clips; General Specification for (No S/S Document) [CUST: CR SH 11 CC] | A 5920       |          | CC        | 22-OCT-2007 |
| M           | A-A-266B NOT 4        | Deodorant, General Purpose (Cakes for Urinals and Toilets)(No S/S Document) [CUST: GS3]   | A 6840       | /        | GS3       | 24-OCT-2007 |
| M           | ASTM-D453             | Acids, Tar, in Cresote-Coal Tar Solutions, Standard Test Method for (No S/S Document) [CUST: CR4 YD 99 IS]                      | A 8030       |          | IS        | 29-OCT-2007 |
| M           | ASTM-D1625            | Arsenate, Chromated Copper (No S/S Document) [CUST: CR4 YD 99 IS]   | A 8030       |          | IS        | 29-OCT-2007 |
| M           | MIL-HDBK-512A NOT 1   | Parts Management (S/S by MIL-STD-3018) [CUST: AV AS 10 CC]  | A SDMP       |          | CC        | 15-OCT-2007 |