

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

1 JUNE 2002 / FOR PERIOD 15 MAY 2002 TO 31 MAY 2002 / VOL. 10/ NO. 02

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

<http://astimage.daps.dla.mil>

NOTE

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of "N" (new), or "M" (modified).

"N" indicates that this is a new document that has been entered to our database.

"M" indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-PRF-71229C(1)	MOUNT, GUN 120MM[CUST: AT] [REVIEW: AR]	A	1015		AT	13-MAY-02
N	MIL-S-64045/108	SCALE, GRAPHICAL FIRING, PAD M864, LOW ANGLE, (155-AU-PADM864) CHARGE 8, (P/N 11785434-1 17)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/109	SCALE, GRAPHICAL SITE, PAD M864, LOW ANGLE, (155-AU-PADM864) CHGS 7W AND 8R, (P/N 11785434-1 18)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/110	SCALE, GRAPHICAL FIRING, PAD M864, LOW ANGLE, (155-AU-PADM864) CHGS 7W & 7R, (P/N 11785434-119)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/111	SCALE, GRAPHICAL FIRING, HE M106, (8-Q-L), CHARGE 9, (P/N 11785434-132)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/112	SCALE, GRAPHICAL FIRING, HE M483AL/M825, LOW ANGLE, (155-ADD-Q-O) CHARGE SR, (P/N 11785434-133)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/113	SCALE, GRAPHICAL SITE, HE M483AL/M825, (155-ADD-Q-O) (P/N 11785434-134)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/114	SCALE, GRAPHICAL FIRING, HE M509A1, LOW ANGLE, (8-T-L) CHGS 1 & 2, (P/N 11785434-135)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/115	SCALE, GRAPHICAL FIRING, HE M509A1, LOW ANGLE, (8-T-1) CHGS 3 & 4, (P/N 11785434-136)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/116	SCALE, GRAPHICAL FIRING, HE M509A1, LOW ANGLE, (8-T-1) CHGS 5G & 5W, (P/N 11785434-137)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/117	SCALE, GRAPHICAL FIRING, HE M509A1, LOW ANGLE, (8-T-1) CHGS 6 & 7, (P/N 11785434-138)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/118	SCALE, GRAPHICAL FIRING, HE M509A1, LOW ANGLE, (8-T-L) CHGS 8 & 9, (P/N 11785434-139)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/119	SCALE, GRAPHICAL FIRING, HE M509A1, HIGH ANGLE, (8-T-1) (P/N 11785434-140)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-S-64045/120	SCALE, GRAPHICAL SITE, HE M509A1, (P/N 11785434-141)[CUST: AR]	A	1220		AR	16-OCT-01
N	MIL-DTL-32100	CARTRIDGE CASE, STEEL, 76-MILLIMETER (62-CALIBER)[CUST: OS]	A	1315		OS	08-MAY-02
N	MIL-DTL-32096	CARTRIDGE CASE, STEEL, 5-INCH, MK 9 MOD 3 (54 OR 62 CALIBER)[CUST: OS]	A	1320		OS	06-MAY-02
M	MIL-DTL-82901A	EXPLOSIVE, PLASTIC-BONDED, CAST PBXN-110[CUST: OS]	A	1376		OS	13-MAY-02
N	A-A-59716	STAIRCASE, AIRCRAFT BOARDING CHASSIS MOUNTED, MOTORIZED (MSTA)[CUST: AV 99]	A	1730	/	84	21-MAY-02
M	MIL-S-8512D(2) NOT 2	SUPPORT EQUIPMENT, AERONAUTICAL, SPECIAL, GENERAL SPECIFICATION FOR THE DESIGN OF[CUST: AV AS 99]	A	17GP		AS	13-MAY-02
M	MS500059G NOT 2	HOOK, SWIVEL: TIRE CHAIN (SIZE "B")[CUST: AT]	A	2540		AT	15-MAY-02
M	QPL-6193-10	JOINT, UNIVERSAL, PLAIN, LIGHT AND HEAVY DUTY	A	3010		CC	20-MAY-02
M	QPL-7034-20	PULLEYS, GROOVE, ANTIFRICTION BEARING, GREASE-LUBRICATED, AIRCRAFT, GENERAL SPECIFICATION FOR	A	3020		CC	16-MAY-02
M	QPL-960-27	TRAPS, STEAM, INTERMITTENT DISCHARGE AND CONTINUOUS FLOW, NAVAL SHIPBOARD	A	4730		SH	17-MAY-02
M	A-A-2936A	REAMER, HAND, BURRING, PIPE	A	5110	#	FSS	24-APR-02
M	A-A-2937A	REAMER, HAND, ADJUSTABLE	A	5110	#	FSS	23-APR-02
M	MS9952A NOT 3	WASHER, CUP, LOCK - EXPANDER NUT CRES, AMS 5846[CUST: 11 IS]	A	5310		IS	10-MAY-02
N	ASME-B18.27	TAPERED AND REDUCED CROSS SECTION RETAINING RINGS (INCH SERIES)[CUST: AR SH 99 IS]	A	5325		IS	16-MAY-02
N	SAE-AS13572	SPRINGS, HELICAL, COMPRESSION AND EXTENSION[CUST: AR OS 99 IS]	A	5360		IS	15-MAR-02
M	MIL-PRF-19D(1)	RESISTOR, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	10-MAY-02
M	MIL-PRF-19/2C(1)	RESISTOR, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA20[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	10-MAY-02
M	MIL-PRF-19/3C(1)	RESISTOR, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA30[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	10-MAY-02
M	MIL-PRF-39009D(1)	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 AR AS AV CG CR4 MC MI OS]	A	5905		CR	17-MAY-02
M	MIL-PRF-55514/8G	CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR12 AND CFR16[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS]	A	5910		CR	30-MAY-02
M	MIL-DTL-24646/1A	FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 600, 601, 612, 612.1, 613, 613.1 AND 614[CUST: SH CC]	A	5920		CC	17-MAY-02
M	MIL-DTL-24646/2A	FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 609, 610 AND 611[CUST: SH CC]	A	5920		CC	17-MAY-02
M	MIL-DTL-24646/3A	FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0-30 AMPERE FUSES, SYMBOLS 540, 541 AND 542[CUST: SH CC]	A	5920		CC	17-MAY-02
M	MIL-DTL-24646/4A	FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 450 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 543, 544, 545, 546 AND 547[CUST: SH CC]	A	5920		CC	17-MAY-02
M	MIL-DTL-24646/7A	FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 125 VOLTS, ALTERNATING CURRENT, SINGLE PHASE BUSES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 635.1, 653.1 AND 654.1[CUST: SH CC]	A	5920		CC	17-MAY-02
M	MIL-DTL-24646/8A	FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 125 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES SYMBOLS 646.1 AND 647.1[CUST: SH CC]	A	5920		CC	17-MAY-02
M	MIL-DTL-24646/9A	FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 250 VOLTS, ALTERNATING CURRENT, SINGLE PHASE BUSES, 0-30 AMPERE FUSES, SYMBOLS 555.1, 556.1, 557.1, 558.1, AND 559.1[CUST: SH CC]	A	5920		CC	17-MAY-02
M	MIL-DTL-24646/10A	FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 250 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AMPERE FUSES, SYMBOLS 560.1, 561.1, 562.1, AND 563.1[CUST: SH CC]	A	5920		CC	17-MAY-02
M	MIL-DTL-24646/14A	FUSE BOXES, FEEDER JUNCTION, TOTALLY ENCLOSED, 250 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 680 AND 681.1[CUST: SH CC]	A	5920		CC	17-MAY-02
M	MIL-DTL-24646/15A	FUSE BOXES, FEEDER JUNCTION, SUBMERSIBLE (15 FEET), 250 VOLTS, ALTERNATING CURRENT, FEED THROUGH TWIN CONDUCTORS, SINGLE AND THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 685.1, 686.1, 691.1, AND 692.1[CUST: SH CC]	A	5920		CC	17-MAY-02
M	MIL-DTL-24646/17A	FUSE BOXES, FEEDER JUNCTION, SUBMERSIBLE (15 FEET), 500 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, 0-30 AMPERE FUSES SYMBOLS 693.1[CUST: SH CC]	A	5920		CC	17-MAY-02
M	MIL-DTL-24646/18A	FUSE BOXES, BRANCH JUNCTION, SUBMERSIBLE (15 FEET), 125 VOLTS, TWO CONDUCTORS, 0-30 AMPERE MIDGET FUSES SYMBOLS 671.1[CUST: SH CC]	A	5920		CC	17-MAY-02
N	A-A-59718	FUSE, INCLOSED LINK, BOLT-ON, GENERAL REQUIREMENTS FOR[CUST: EC CC]	A	5920	/	CC	15-MAY-02
N	A-A-59718/1	FUSE, INCLOSED LINK, BOLT-ON, MINIATURE[CUST: EC CC]	A	5920	/	CC	15-MAY-02

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Avia	MCA	Prep. Acty	Date
N A-A-59718/2	FUSE, INCLOSED LINK, BOLT-ON[CUST: EC CC]	A	5920	/	CC	15-MAY-02
M MIL-DTL-5423/1D	BOOTS, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES) STYLE 1 (ONE-HOLE MOUNTING, ENCLOSED) STYLE 1S (RFI-SHIELDED, ONE-HOLE MOUNTING, ENCLOSED)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5930		CC	24-MAY-02
M MIL-DTL-5423/4C	BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 6 (ONE HOLE MOUNTING, MINIATURE, ENCLOSED)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5930		CC	24-MAY-02
M MIL-DTL-5423/5D	BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 7 (ONE HOLE MOUNTING, SUBMINIATURE, ENCLOSED)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930		CC	24-MAY-02
M MIL-DTL-5423/6B	BOOT, DUST AND WATER SEAL, TYPE B (FOR PUSH-BUTTON SWITCHES), STYLE 1 (ONE HOLE MOUNTING, ADAPTER TYPE)[CUST: CR AS 11 CC] [REVIEW: 99 AT CG CR4 EC MC MI OS]	A	5930		CC	24-MAY-02
M MIL-DTL-5423/7E	BOOT, DUST AND WATER SEAL, TYPE B (FOR PUSHBUTTON SWITCHES), STYLE 2 (ONE HOLE MOUNTING, DRILLED PANEL), STYLE 2S (RFI-SHIELDED, ONE HOLE MOUNTING, DRILLED PANEL)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930		CC	24-MAY-02
M MIL-DTL-5423/9D	BOOTS, DUST AND WATER SEAL, TYPE C (FOR USE AS ROTARY-SHAFT SEALS), TYPE CS (FOR USE AS RFI-SHIELDED, ROTARY-SHAFT SEALS)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CG CR4 EA EC MC MI OS]	A	5930		CC	24-MAY-02
M MIL-DTL-5423/10C	BOOTS, DUST AND WATER SEAL, TYPE B (FOR PUSH-BUTTON SWITCHES), STYLE 4 (ONE-HOLE MOUNTING, MINIATURE, DRILLED PANEL)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930		CC	24-MAY-02
M MIL-DTL-5423/11D	BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 8 (ONE-HOLE MOUNTING, SUBMINIATURE, THROUGH)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS]	A	5930		CC	24-MAY-02
M MIL-DTL-5423/13B	BOOT, DUST AND WATER SEAL, TYPE D (FOR LEVER OPERATED CIRCUIT BREAKERS), STYLE 1 (PANEL MOUNTED WITHOUT MOUNTING FRAME)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI]	A	5930		CC	24-MAY-02
M MIL-DTL-5423/14E	BOOT, DUST AND WATER SEAL, TYPE D (FOR LEVER OPERATED CIRCUIT BREAKERS), STYLE 2 (PANEL MOUNTED COMPLETE WITH MOUNTING FRAME)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 MC SH]	A	5930		CC	24-MAY-02
M MIL-DTL-5423/16D	BOOT, DUST AND WATER SEAL, BUSHING SEAL, TYPE A (FOR TOGGLE SWITCH 0.469 DIAMETER) STYLE 10 (PANEL BUSHING SEAL ONLY)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS]	A	5930		CC	24-MAY-02
M QPL-83504-14	SWITCHES, DUAL IN-LINE PACKAGE (DIP), GENERAL SPECIFICATION FOR	A	5930		CC	21-MAY-02
M QPL-25516-13	CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENTAL RESISTANT TYPE, GENERAL SPECIFICATION FOR	A	5935		CC	20-MAY-02
M QPL-31031-2	CONNECTORS, ELECTRICAL, PLUGS AND RECEPTACLES, COAXIAL, RADIOFREQUENCY, HIGH RELIABILITY, FOR FLEXIBLE AND SEMIRIGID CABLES, GENERAL SPECIFICATION FOR	A	5935		CC	24-MAY-02
M QPL-55074-8	CONNECTORS, PLUG AND RECEPTACLE, TELEPHONE, ELECTRICAL, SUBASSEMBLY AND ACCESSORIES AND CONTACT ASSEMBLY, ELECTRICAL, GENERAL SPECIFICATION FOR	A	5935		CC	20-MAY-02
M MIL-PRF-55310/17C(1)	OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), GATED, 250 KHZ THROUGH 50 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL[CUST: CR EC 11] [REVIEW: 1999 AR AS CG MC MI NA SM]	A	5955		CR	21-MAY-02
M MIL-PRF-19500/246G(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N3289, 1N3291, 1N3293, 1N3294, 1N3295, AND R TYPES, JAN, JANTX AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 1999 AR AS MC MI]	A	5961		CC	21-MAY-02
M MIL-PRF-19500/453D(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY TYPE 2N5109, 2N5109UB, JAN, JANTX, JANTXV, AND JANS, JANHC AND JANKC[CUST: CR 11 CC] [REVIEW: 1971 99 MI]	A	5961		CC	09-MAY-02
M MIL-PRF-19500/550B(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST-RECOVERY, HIGH CURRENT TYPES 1N6304, 1N6305, 1N6306, AND R TYPES JAN, JANTX, JANTXV, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	21-MAY-02
M MIL-PRF-19500/702(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7482T3, 2N7483T3 AND 2N7484T3 JANTXVR, F, G AND H AND JANSR, F, G AND H[CUST: CR EC 11 CC NA]	A	5961		CC	21-MAY-02
M QPL-3928-24	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL), GENERAL SPECIFICATION FOR	A	5985		CC	16-MAY-02
N A-A-59590/15	HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .375 X .375 INCH BODY SIZE, WITH SCREW RETENTION[CUST: CR EC 11 CC]	A	5998	/	CC	24-MAY-02
N A-A-59590/16	HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .375 X .375 INCH BODY SIZE, WITH VISUAL LOCK INDICATION AND SCREW RETENTION[CUST: CR EC 11 CC]	A	5998	/	CC	24-MAY-02
M MIL-DTL-24646/6A	FUSE BOXES, FEEDER DISTRIBUTION, WITH SWITCHES, TOTALLY ENCLOSED, 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE AND DOUBLE FEEDER, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES AND SNAP SWITCHES, SYMBOLS 602, 603, 604, 605, 606, 615, 616, 617, 618[CUST: SH CC]	A	6110		CC	17-MAY-02
M MIL-DTL-24646/11A	FUSE BOXES, FEEDER DISTRIBUTION, WITH SWITCHES, WATERTIGHT (3 FEET), 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE AND DOUBLE FEEDERS, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, AND SNAP SWITCHES, SYMBOLS 645, 645.1, 649.1 AND 650.1[CUST: SH CC]	A	6110		CC	17-MAY-02
M QPL-3702-14	CABLE, POWER, ELECTRICAL: IGNITION, HIGH-TENSION	A	6145		CC	22-MAY-02
M QPL-24640-21	CABLES, LIGHTWEIGHT, ELECTRIC, LOW SMOKE, FOR SHIPBOARD USE	A	6145		SH	10-MAY-02
M QPL-7974-40	CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIRCRAFT, GENERAL SPECIFICATION FOR	A	6150		AS	07-MAY-02
M MS17814C(1)	COUPLING, FRANGIBLE, AVIATION GROUND LIGHTS[CUST: AS 99 IS] [REVIEW: 71]	A	6210		IS	21-MAY-02
M AN3146 REV A(1)	LIGHT ASSEMBLY - PASSING[CUST: 99 IS] [REVIEW: 71]	A	6220		IS	30-MAY-02
M AN3147 REV A(1)	LIGHT ASSEMBLY - FIXED LANDING (PAR-46 BULB, FLAT)[CUST: 99 IS]	A	6220		IS	30-MAY-02
M A-A-50177 NOT 2	PAPER, LENS[CUST: MI MS 99 DM] [REVIEW: AR CR4 EA MD OS]	A	6640	/	MI	28-MAY-02
M QPL-AMS-C-22542-1	CLEANING COMPOUND, HIGH PRESSURE CLEANER, LIQUID	A	6850		AS	20-MAY-02
M A-A-2009E	TABLES, OFFICE (CONTEMPORARY STYLE)	A	7110	#	FSS	21-MAR-02
N A-A-3186	FILE CABINETS, VERTICAL, STEEL	A	7110	#	FSS	21-MAR-02
N A-A-3187	FILE CABINETS, LATERAL AND SHELF FILES, STEEL	A	7110	#	FSS	21-MAR-02
N A-A-3188	DESKS, RETURNS AND CREDENZAS (STEEL, CONTEMPORARY STYLE)	A	7110	#	FSS	21-MAR-02
N A-A-3190	DESK, RETURN ATTACHMENT AND CREDENZA (OFFICE, TRADITIONAL STYLE)	A	7110	#	FSS	21-MAR-02
M QPL-24635-15	ENAMEL, SILICONE ALKYD COPOLYMER (METRIC)	A	8010		SH	17-MAY-02
M QPL-24667-19	COATING SYSTEM, NON-SKID, FOR ROLL OR SPRAY APPLICATION (METRIC)	A	8010		SH	31-MAY-02
M QPL-11796-29	CORROSION PREVENTIVE COMPOUND, PETROLATUM HOT APPLICATION	A	8030		AR	28-MAY-02
M QPL-15074-40	CORROSION PREVENTIVE, FINGERPRINT REMOVER	A	8030		AR	28-MAY-02
M V-B-871F NOT 2	BUTTON, SEWING HOLE, AND BUTTON, STAPLE, (PLASTIC)[CUST: GL NU 11 CT] [REVIEW: 82 MC MD]	A	8315	/	CT	17-MAY-02
M QPL-14107-26	LUBRICATING OIL, WEAPONS, LOW TEMPERATURE	A	9150		AR	28-MAY-02
M QPL-46150-16	LUBRICANT, WEAPONS, SEMI-FLUID (HIGH LOAD-CARRYING CAPACITY)	A	9150		AR	28-MAY-02
M MIL-C-43179C NOT 2	CASE, TRANSFER, HUMAN REMAINS[CUST: GL NU 99 MB] [REVIEW: MS]	A	9930		MB	14-MAY-02
M STANAG-3576 ED.5	ELECTRICAL CONNECTOR FOR DISPENSERS AND INTERNAL INTERVALOMETER TYPE ROCKET LAUNCHERS FOR AIRCRAFT	C	ISDF		06	25-OCT-99

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	STANAG-3585 ED.4(1)	20 MM AMMUNITION FOR AIRCRAFT GUNS	C	ISDF	06		25-MAR-99
M	STANAG-3591 ED.5	CRITERIA FOR MAXIMUM ELEVATION FIGURE FOR AERONAUTICAL CHARTS	C	ISDF	06		21-NOV-01
M	STANAG-3595 ED.4(2)	AIRCRAFT FITTING FOR PRESSURE REPLENISHMENT OF GAS TURBINE ENGINES WITH OIL	C	ISDF	06		11-DEC-96
M	STANAG-3596 ED.4(7)	AIR RECONNAISSANCE REQUESTING AND TARGET REPORTING GUIDE	C	ISDF	06		21-APR-80
M	STANAG-3600 ED.3(9)	TOPOGRAPHICAL LAND MAPS AND AERONAUTICAL CHARTS 1:250,000 FOR JOINT OPERATIONS	C	ISDF	06		22-JUN-79
M	STANAG-3605 ED.4(3)	COMPATIBILITY OF ARMING SYSTEMS AND EXPENDABLE AIRCRAFT STORES	C	ISDF	06		09-OCT-98
M	STANAG-3610 ED.2(1)	CHARACTERISTICS OF CONDITIONED BREATHABLE AIR SUPPLIED TO AIRCRAFT ON THE GROUND	C	ISDF	06		05-DEC-97
M	STANAG-3614 ED.4(2)	ELECTROMAGNETIC COMPATIBILITY (EMC) OF AIRCRAFT SYSTEMS AND EQUIPMENT	C	ISDF	06		09-MAR-00
M	STANAG-3619 ED.3(4)	HELIPAD MARKING AND LIGHTING	C	ISDF	06		20-MAY-97
M	STANAG-3625 ED.4(2)	AIRCRAFT LOCKWIRE	C	ISDF	06		19-DEC-95
M	STANAG-3635 ED.4(3)	AIRCRAFT STORES SUSPENSION UNITS WITH GRAVITY RELEASE CAPABILITY	C	ISDF	06		22-FEB-96
M	STANAG-3660 ED.2(8)	AIRCRAFT MAIN BATTERY ELECTRIC PLUG	C	ISDF	06		28-MAR-77
M	STANAG-3671 ED.3(5)	EDITION DESIGNATION SYSTEM FOR LAND MAPS, AERONAUTICAL CHARTS AND MILITARY GEOGRAPHIC DOCUMENTATION	C	ISDF	06		30-NOV-92
M	STANAG-3675 ED.2(2)	SYMBOLS ON LAND MAPS, AERONAUTICAL CHARTS AND SPECIAL NAVAL CHARTS	C	ISDF	06		15-JUN-00
M	STANAG-3676 ED.3(3)	MARGINAL INFORMATION ON LAND MAPS, AERONAUTICAL CHARTS AND PHOTOMAPS	C	ISDF	06		15-MAY-00
M	STANAG-3678 ED.3	METHOD OF ADDING THE MILITARY GRID TO NAUTICAL CHARTS IN THE NATO AREA	C	ISDF	06		06-DEC-01
M	STANAG-3681 ED.3	CRITERIA FOR PRESSURE FUELLING/DEFUELLING OF AIRCRAFT	C	ISDF	06		06-NOV-98
M	STANAG-3688 ED.4(1)	CHARACTERISTICS OF BREATHABLE OXYGEN SUPPLIED BY CHEMICAL SOLID GENERATORS	C	ISDF	06		20-OCT-97
M	STANAG-3689 ED.4(1)	PLACE NAME SPELLING ON MAPS AND CHARTS	C	ISDF	06		15-JUL-98
M	STANAG-3698 ED.1(2)	CONNECTIONS FOR CHECKING AIRCRAFT HYDRAULIC SYSTEMS BY GROUND APPLICATIONS - THREADED TYPE	C	ISDF	06		19-MAR-97
M	STANAG-3700 ED.6	JOINT AIR AND SPACE OPERATIONS DOCTRINE - ATP-33(C) (AJP-3.3)	C	ISDF	06		10-OCT-00
M	STANAG-3703 ED.7(2)	TACTICAL AIR SUPPORT FOR MARITIME OPERATIONS (TASMO) - ATP-34(B)	C	ISDF	06		17-OCT-95
M	STANAG-3710 ED.1(8)	MILITARY CITY MAPS	C	ISDF	06		09-JUN-72
M	STANAG-3712 ED.4	AIRFIELD RESCUE AND FIRE-FIGHTING SERVICES IDENTIFICATION CATEGORIES	C	ISDF	06		15-JUL-99
M	STANAG-3715 ED.2(2)	SPECIFICATIONS FOR FILING AND CHARTING OF NON-SUB-CONTACTS (NSC) INFORMATION	C	ISDF	06		04-JUN-93
M	STANAG-3747 ED.5	GUIDE SPECIFICATIONS (MINIMUM QUALITY STANDARDS) FOR AVIATION TURBINE FUELS (F-34, F-35, F-40 AND F-44)	C	ISDF	06		27-NOV-01
M	STANAG-3748 ED.3(3)	HYDRAULIC FLUID, PETROLEUM (H-515, H-520 AND C-635) AND POLYALPHAOLEFIN (H-537, H-538 AND H-544)	C	ISDF	06		17-OCT-95
M	STANAG-3750 ED.5(4)	REPORTING AND INVESTIGATION OF AIR TRAFFIC INCIDENTS	C	ISDF	06		21-OCT-96
M	STANAG-3752 ED.2(6)	WITNESS (BREAKING) WIRE FOR AIRCRAFT EMERGENCY CONTROLS AND EQUIPMENT	C	ISDF	06		23-MAR-89
M	STANAG-3766 ED.3(1)	GREASE NIPPLES	C	ISDF	06		08-JUL-97
M	STANAG-3786 ED.4(2)	SAFETY DESIGN REQUIREMENTS FOR AIRBORNE DISPENSER WEAPONS	C	ISDF	06		19-OCT-94
M	STANAG-3791 ED.6(1)	INTEROPERABILITY OF NATO AIRCRAFT AND STORES - AOP-11	C	ISDF	06		16-JUN-99
M	STANAG-3800 ED.2(1)	NIGHT VISION IMAGING SYSTEM (NVIS) INTERIOR LIGHTING COMPATIBILITY DESIGN CRITERIA	C	ISDF	06		15-FEB-01
M	STANAG-3805 ED.6	DOCTRINE FOR AIRSPACE CONTROL IN TIMES OF CRISIS AND WAR - ATP-40(C)	C	ISDF	06		14-DEC-01
M	STANAG-3806 ED.2(2)	AIRCRAFT HIGH PRESSURE GASEOUS NITROGEN SYSTEMS REPLENISHMENT CONNECTORS	C	ISDF	06		22-JUL-98
M	STANAG-3812 ED.6(4)	RESPONSIBILITIES FOR AIRCRAFT CROSS-SERVICING GROUND CREW TRAINING	C	ISDF	06		05-JUL-93
M	STANAG-3817 ED.5(1)	STANDARD R/T PHRASEOLOGY TO BE USED BY AIR TRAFFIC CONTROL	C	ISDF	06		16-SEP-99
M	STANAG-3820 ED.2(1)	27 MM X 145 AMMUNITION AND LINKS FOR AIRCRAFT GUNS	C	ISDF	06		31-MAR-98
M	STANAG-3827 ED.3(2)	MINIMUM REQUIREMENTS FOR TRAINING OF AIRCREW IN HIGH SUSTAINED "G" ENVIRONMENT	C	ISDF	06		03-JUL-96
M	STANAG-3833 ED.3(2)	SYMBOLS FOR USE ON MAPS OF TRAINING AREAS FOR LAND FORCES	C	ISDF	06		16-JAN-98
M	STANAG-3837 ED.5	AIRCRAFT STORES ELECTRICAL INTERCONNECTION SYSTEM	C	ISDF	06		12-JUL-01
M	STANAG-3838 ED.2(1)	DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS	C	ISDF	06		17-OCT-97
M	STANAG-3842 ED.3(1)	RAIL LAUNCHED MISSILE/LAUNCHER MECHANICAL INTERFACE	C	ISDF	06		27-APR-00
M	STANAG-3847 ED.1(5)	HELICOPTER IN-FLIGHT REFUELLING (HIFR) EQUIPMENT	C	ISDF	06		19-OCT-84
M	STANAG-3861 ED.3(1)	HELIPORT RESCUE AND FIRE-FIGHTING SERVICES - IDENTIFICATION CATEGORIES	C	ISDF	06		24-MAR-99
M	STANAG-3863 ED.2	MINIMUM FIRE PROTECTION REQUIREMENTS FOR AIRCRAFT GROUND OPERATIONS	C	ISDF	06		16-OCT-01
M	STANAG-3864 ED.1(7)	THE MEASUREMENT OF PROTECTION PROVIDED TO THE RESPIRATORY TRACT AND EYES BY AIRCREW EQUIPMENT ASSEMBLIES AGAINST NBC AGENTS IN PARTICULATE, AEROSOL AND VAPOUR FORM	C	ISDF	06		22-APR-81
M	MIL-PRF-6310C	MANUALS, TECHNICAL: DOD STANDARD GENERATOR SETS[CUST: TM SH 16] [REVIEW: 01 06 08 13 19 22 99 AC1 AR AS AV CG CH CR DH EC GS MC MI OS PT SA TD YD]	A	TMSS		TM	25-APR-02

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-S-64045/70A	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 1 & 2, (P/N 11785434-70)(CUST: AR)	A	1220		AR	15-OCT-01
M	MIL-S-64045/71A	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 3 & 4, (P/N 11785434-71)(CUST: AR)	A	1220		AR	15-OCT-01
M	MIL-S-64045/72A	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 5 & 6, (P/N 11785434-72)(CUST: AR)	A	1220		AR	15-OCT-01
M	MIL-S-64045/73A	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 7 & 8, (P/N 11785434-73)(CUST: AR)	A	1220		AR	15-OCT-01
M	MS17241B(1) NOT 2	HEAT INTERCHANGER, REFRIGERANT-12(CUST: GL YD 99 IS) [REVIEW: 84 CE GS MC MD SH]	A	4130		IS	14-MAY-02
M	MS35827D(1)	HINGE, CONTINUOUS (PIANO) .060 THICKNESS .250 PIN DIA(CUST: AT AS 99 IS) [REVIEW: 71 AV MC]	A	5340		IS	10-MAY-02
M	MS35828D(1)	HINGE, CONTINUOUS, (PIANO) 0.60 THICKNESS .312 AND .375 PIN DIA(CUST: AT AS 99 IS) [REVIEW: 71 AV MC]	A	5340		IS	16-MAY-02
M	MS39085A(1)	BRACKET, ANGLE, CABLE CLAMP SUPPORT(CUST: AR IS)	A	5340		IS	16-MAY-02
M	AN996 REV 2(1)	RING - LOCK(CUST: AV AS 99 IS) [REVIEW: 71]	A	5340		IS	16-MAY-02
M	AN100039 REV 2(1)	COVER-TYPE XIII ENGINE ACCESSORY DRIVE(CUST: AV AS 99 IS) [REVIEW: 71]	A	5340		IS	10-MAY-02
M	QPL-81551-6	SWITCH, TOGGLE, HERMETICALLY SEALED, GENERAL SPECIFICATION FOR	A	5930		CC	22-MAY-02
M	QPL-26482-84	CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR	A	5935		CC	24-MAY-02
M	QPL-27535-9	TRANSFORMER, POWER, ISOLATION: SERIES CIRCUIT AIRPORT LIGHTING, GENERAL SPECIFICATION FOR	A	5950		CC	21-MAY-02
M	MIL-DTL-8971D	ELECTRODES, GRAPHITE, SPECTROMETRIC GRADE(CUST: AV AS 11 GS2) [REVIEW: 99 CR]	A	5977		GS2	21-MAY-02
M	QPL-87104-4	COAXIAL ASSEMBLIES GENERAL SPECIFICATION FOR	A	5985		CC	16-MAY-02
M	QPL-83419-12	ALTIMETER, SERVO CONTROLLED, AUTOMATIC PRESSURE STANDBY	A	6610		71	15-MAY-02
M	MIL-R-1982F NOT 2	ROLLS, CUTLERY, CANVAS(CUST: GL YD 99 SS) [REVIEW: 84 MC MD MS]	A	7360		SS	22-MAY-02

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-S-64045/40 NOT 4	SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AM-1), (P/N 11785434-40) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/41 NOT 3	SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AM-1) CHGS 2 + 3, (P/N 11785434-41) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/42 NOT 3	SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AM-1) CHGS 5 + 7, (P/N 11785434-42) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/43 NOT 3	SCALE, GRAPHICAL SITE, HE M107, (155-AM-1), (P/N 11785434-43) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/56 NOT 3	SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0), CHGS 6WG & 7WG, (P/N 11785434-56) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/57A NOT 2	SCALE, GRAPHICAL FIRING, M712 CLGP, LOW ANGLE, (155-AS-0) CHGS 7WG AND 8, (P/N 11785434-57) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/89 NOT 3	SCALE, GRAPHICAL FIRING, HE M437, LOW ANGLE, (175-A-1) CHG 1 & 2, (P/N 11785434-89) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/90 NOT 3	SCALE, GRAPHICAL FIRING, HE M437, LOW ANGLE & HIGH ANGLE, (175-A-1) CHG 3, (P/N 11785434-90) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/91 NOT 3	SCALE, GRAPHICAL SITE, HE M437, (175-A-1), (P/N 11785434-91) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/94 NOT 2	SCALE, GRAPHICAL FIRING, HE M329A2, HIGH ANGLE, (4-2-K-2), (P/N 11785434-102) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/106 NOT 2	SCALE, GRAPHICAL FIRING, HE M760, LOW ANGLE (105-AS-2), CHARGE 8, (P/N 11785434-115) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	16-OCT-01
M	MIL-S-64045/107 NOT 2	SCALE, GRAPHICAL SITE, HE M760, (105-AS-2), (P/N 11785434-116) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	16-OCT-01
M	MIL-F-45437D(5) NOT 1	FUZES, HAND GRENADE, M213 AND M215 PARTS FOR, LOADING, ASSEMBLING AND PACKING (S/S BY DLT8822131)[CUST: AR]	A	1330		AR	20-NOV-01
M	MIL-F-85421B SUP 1 NOT 3	FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, BEAM SEAL, 3000/4000 PSI, GENERAL SPECIFICATION FOR (S/S BY SAE-AS85421)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	10-MAY-02
M	MIL-PRF-19500/589A NOT 1	SEMICONDUCTOR DEVICE, TRANSISTOR, INSULATED GATE, BIPOLAR N-CHANNEL, SILICON TYPES 2N7367 AND 2N7368, JAN, JANTX, JANTXV, AND JANS (NO S/S DOCUMENT)[CUST: CR EC 11 CC NA] [REVIEW: 19 70 99 TD]	A	5961		CC	23-MAY-02
M	QPL-22542-22(1) NOT 1	CLEANING COMPOUND, HIGH PRESSURE CLEANER, LIQUID (S/S BY QPL-AMS-C-22542)	A	6850		AS	20-MAY-02
M	A-A-50147 NOT 1	DISPENSER, ICE, AUTOMATIC DISPENSING HEAD, MOBILE (NO S/S DOCUMENT)[CUST: GL 99 SS] [REVIEW: 84 MC MD MS]	A	7320	/	SS	22-MAY-02
M	QPL-AMS3276-4 NOT 1	SEALING COMPOUND, INTEGRAL FUEL TANKS AND GENERAL PURPOSE, INTERMITTENT USE TO 360 DEG. F (182 DEG. C) (USERS MAY REFER TO PRI-QPL-AMS3276)	A	8030		11	17-MAY-02
M	QPL-AMS3277-2 NOT 1	SEALING COMPOUND, POLYTHIOETHER INTEGRAL FUEL TANKS AND GENERAL PURPOSE, FAST CURING INTERMITTENT USE TO 360 DEG. F (182 DEG. C) (USERS MAY REFER TO PRI-QPL-AMS3277)	A	8030		11	17-MAY-02
M	ASTM-D2382	HEAT OF COMBUSTION OF HYDROCARBON FUELS BY BOMB CALORIMETER (HIGH-PRECISION METHOD) (NO S/S DOCUMENT)[CUST: AT SH 11]	A	9150		AT	17-MAY-02
M	ASTM-D1660	FUELS, AVIATION TURBINE, THERMAL STABILITY OF (NO S/S DOCUMENT)[CUST: AT SH 11]	A	91GP		AT	17-MAY-02
M	STANAG-3626 ED.4(4)	CIRCULAR DIAL BAROMETRIC ALTIMETERS (IMPERIAL AND METRIC) (NO S/S DOCUMENT)	C	ISDF		06	15-JUN-98
M	STANAG-3636 ED.3(5)	AIRSPEED INDICATORS (IMPERIAL AND METRIC) (NO S/S DOCUMENT)	C	ISDF		06	02-JUN-81
M	STANAG-3637 ED.2(10)	ATTITUDE INDICATORS (SELF-CONTAINED AND REMOTE DRIVEN) (NO S/S DOCUMENT)	C	ISDF		06	24-FEB-72
M	STANAG-3640 ED.4	ATTITUDE DIRECTOR INDICATORS (NO S/S DOCUMENT)	C	ISDF		06	17-JAN-97
M	STANAG-3691 ED.2(7)	CIRCULAR DIAL TACHOMETERS (NON-SERVOED) COMPATIBLE WITH TWO-POLE THREE-PHASE GENERATORS (NO S/S DOCUMENT)	C	ISDF		06	26-MAR-80
M	STANAG-3741 ED.4(4)	HORIZONTAL SITUATION INDICATORS (HSI) (NO S/S DOCUMENT)	C	ISDF		06	04-DEC-84
M	STANAG-3742 ED.1(7)	CIRCULAR DIAL ENGINE TEMPERATURE INDICATORS (NO S/S DOCUMENT)	C	ISDF		06	25-MAY-76
M	STANAG-3746 ED.2(2)	MINIMUM ESSENTIAL FIRST-AID AND SURVIVAL EQUIPMENT IN AIRCRAFT (NO S/S DOCUMENT)	C	ISDF		06	18-OCT-96