

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

15 AUG 2003 / FOR PERIOD 01 AUG 2003 TO 14 AUG 2003 / VOL. 15/ NO. 03

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

<http://assist.daps.dla.mil>

NOTE

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of “N” (new), or “M” (modified).

”N” indicates that this is a new document that has been entered to our database.

“M” indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
N	A-A-59210	TRACTOR, AIRCRAFT TOWING, MB-4[CUST: 99]	A	1740	/	84	11-AUG-03
M	A-A-52572A	CUTTERS; PAPER, GUILLOTINE: FLOOR MODEL, ELECTRIC-MOTOR-DRIVEN[CUST: CE3 GS] [REVIEW: CR]	A	3610	/	CE3	31-JUL-03
N	A-A-59319	DISPOSABLE AIR FILTERS FOR ENVIRONMENTAL CONTROL SYSTEMS[CUST: CR4 SH] [REVIEW: IS YD]	A	4130	/	SH	31-JUL-03
N	NFPA-T2.13.2	FLUID POWER-FIRE RESISTANT FLUIDS-INFORMATION REPORT ON COMPANY TRADE NAMES, HYDRAULIC[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA]	A	4330		CC	30-JUL-03
N	NFPA-T2.30.4	FLUID POWER SYSTEMS-APPLICATION GUIDELINES FOR SELECTION OF FLUID POWER POSITION TRANSDUCERS, RECOMMENDED PRACTICE[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA]	A	4330		CC	30-JUL-03
N	NFPA-T3.12.17	PNEUMATIC FLUID POWER-FILTERS, REGULATORS AND LUBRICATORS-APPLICATION GUIDELINES[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA]	A	4330		CC	30-JUL-03
N	NFPA-T3.19.25	FLUID POWER SYSTEMS-SEALING DEVICES-STORAGE, HANDLING, AND INSTALLATION OF ELASTOMER SEALS AND EXCLUSION DEVICES, INFORMATION REPORT[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA]	A	4330		CC	30-JUL-03
M	QPL-18641-38	DISTILLATION UNITS, WATER: STEAM OR FLASHED VAPOR OPERATED, OR HOT FRESH WATER HEATED, LOW PRESSURE, NAVAL SHIPBOARD, GENERAL SPECIFICATION FOR	A	4620		SH	17-JUL-03
M	MIL-DTL-27516F	HOSE AND HOSE ASSEMBLY, NONMETALLIC, SUCTION AND DISCHARGE[CUST: AT AS 99 CC] [REVIEW: 70 71 AV MC SA]	A	4720		CC	16-JUL-03
M	QPL-27267-18	HOSE, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE	A	4720		CC	07-AUG-03
M	QPL-83298-10	HOSE, TETRAFLUOROETHYLENE, HIGH TEMPERATURE HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC	A	4720		CC	07-AUG-03
M	MIL-S-64052 NOT 2	SPRAY GUN, PAINT, HEAVY DUTY, PRESSURE FEED[CUST: AR 99 CC] [REVIEW: 70 AT]	A	4940		CC	30-JUL-03
N	A-A-59723	DEGREASER[CUST: 99]	A	4940	/	84	04-AUG-03
M	A-A-55617B NOT 1	CASTER, INDUSTRIAL, MEDIUM DUTY[CUST: AR AS 99] [REVIEW: 71 MI]	A	5340	/	IS	08-AUG-03
M	A-A-55619B NOT 1	CASTER, INDUSTRIAL, HEAVY DUTY[CUST: AR AS 99] [REVIEW: 71 MI]	A	5340	/	IS	08-AUG-03
M	QPL-22262-26	ABRASIVE BLASTING MEDIA SHIP HULL BLAST CLEANING	A	5350		SH	30-JUL-03
M	QPL-29-51	RESISTORS, FIXED, METER MULTIPLIER, EXTERNAL (HIGH VOLTAGE, FERRULE TERMINAL TYPE)	A	5905		CC	30-JUL-03
M	QPL-12934-50	RESISTOR, VARIABLE, WIREWOUND, PRECISION, GENERAL SPECIFICATION FOR	A	5905		CC	08-AUG-03
M	QPL-22097-101	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE), GENERAL SPECIFICATION FOR	A	5905		CC	31-JUL-03
M	QPL-49470-14	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	30-JUL-03
M	MIL-PRF-15733/33D	FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL38[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CG MC OS SH]	A	5915		CC	31-JUL-03
M	MIL-PRF-15733/40C	FILTERS, RADIO INTERFERENCE, STYLE FL35[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC OS SH]	A	5915		CC	31-JUL-03
M	MIL-PRF-15733/51F	FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL48[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CG MC SH]	A	5915		CC	31-JUL-03
M	QPL-3786-40	SWITCHES, ROTARY (CIRCUIT SELECTOR, LOW CURRENT CAPACITY), GENERAL SPECIFICATION FOR	A	5930		CC	11-AUG-03
M	QPL-8805-102	SWITCHES AND SWITCH ASSEMBLIES, SENSITIVE, SNAP ACTION (BASIC, LIMIT, PUSH BUTTON AND TOGGLE SWITCHES), GENERAL SPECIFICATION FOR	A	5930		CC	31-JUL-03
M	QPL-21604-28	SWITCHES, ROTARY, MULTIPOLE AND SELECTOR, GENERAL SPECIFICATION FOR	A	5930		CC	29-JUL-03
M	QPL-W-S-896-44	SWITCHES, TOGGLE (TOGGLE AND LOCK), FLUSH MOUNTED (GENERAL SPECIFICATION)	A	5930	/	CC	30-JUL-03
M	MIL-DTL-55074/1B	CONNECTOR, PLUG, TELEPHONE, ELECTRICAL[CUST: CR CC]	A	5935		CC	12-AUG-03
M	MIL-DTL-55074/2B	CONNECTOR, RECEPTACLE, TELEPHONE, ELECTRICAL[CUST: CR CC]	A	5935		CC	12-AUG-03
M	MIL-DTL-55074/3B	CONNECTOR, RECEPTACLE, TELEPHONE, ELECTRICAL[CUST: CR CC]	A	5935		CC	12-AUG-03
M	MIL-DTL-55074/4C	CONTACT ASSEMBLY, ELECTRICAL[CUST: CR CC]	A	5935		CC	12-AUG-03
M	MIL-DTL-83527B SUP 1	CONNECTORS, PLUG AND RECEPTACLE, ELECTRICAL, RECTANGULAR MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99]	A	5935		CC	05-AUG-03
M	MS91604B	CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-154A/U[CUST: CR EC 11 CC]	A	5935		CC	12-AUG-03
M	A-A-55469A	CONNECTORS, ELECTRICAL, PLUGS, TIP (TEST POINT PLUG, BANANA PLUG) GENERAL REQUIREMENTS FOR[CUST: CC]	A	5935	/	CC	01-AUG-03
M	QPL-21617-11	CONNECTORS, PLUG AND RECEPTACLE - ELECTRICAL RECTANGULAR, POLARIZED SHELL, MINIATURE TYPE	A	5935		CC	31-JUL-03
M	QPL-55181-15	CONNECTOR, PLUG AND RECEPTACLE, INTERMEDIATE POWER (ELECTRICAL, WATERPROOF) TYPE MW, GENERAL SPECIFICATION FOR	A	5935		CC	29-JUL-03
M	MIL-PRF-6106L(5)	RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC NA] [REVIEW: 99 EC]	A	5945		CC	29-JUL-03
M	MIL-PRF-39016/37C	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945		CC	05-AUG-03
M	MIL-PRF-39016/38C	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945		CC	05-AUG-03
M	QPL-83536-27	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5945		CC	30-JUL-03
M	MIL-PRF-19500/168F	SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS), SILICON, TYPES 2N1771A, 2N1772A, 2N1774A, 2N1776A, 2N1777A, 2N1778A, 2N2619A, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AV MI]	A	5961		CC	01-AUG-03
M	QPL-12606-16	LOUDSPEAKER, PERMANENT MAGNET (UNENCASED, 3-INCH AND 4-INCH DIAMETER CONE, 2-WATT, FUNGUS-, GUNBLAST-, AND IMMERSION-RESISTANT), TYPE LS-445/U, M12606-01, AND M12606-02	A	5965		CC	07-AUG-03
M	QPL-83531-6	DELAY LINES, PASSIVE, GENERAL SPECIFICATION FOR	A	5999		CC	07-AUG-03
M	QPL-83532-7	DELAY LINES, ACTIVE, GENERAL SPECIFICATION FOR	A	5999		CC	08-AUG-03
M	QPL-915-67	CABLE AND CORD, ELECTRICAL, FOR SHIPBOARD USE	A	6145		SH	30-JUL-03
M	A-A-59176 NOT 1	MARKER LIGHT, PERSONAL DISTRESS[CUST: AS 99 IS] [REVIEW: CR4 GS SH YD]	A	6230	/	IS	08-AUG-03
M	A-A-50727A	GENERATOR, SIGNAL (2 GHZ TO 26 GHZ)[CUST: CR EC 99 CC]	A	6625	/	84	06-AUG-03
M	MIL-DTL-8348J	GAGE ASSEMBLIES, AIR PRESSURE, DIAL INDICATING CHUCK TYPE, SELF-CONTAINED[CUST: AS 99] [REVIEW: 71]	A	6685		GS1	31-JUL-03
M	O-A-445C	AMMONIA, TECHNICAL[CUST: AS 68]	A	6830	/	GS3	06-AUG-03
M	MIL-PRF-680A(1)	DEGREASING SOLVENT[CUST: AT AS 68] [REVIEW: 03 11 50 AV DP DS EA GS GS3 MC MD1 MI MP MR SH SM]	A	6850		AT	08-AUG-03
N	QPL-680-1	DEGREASING SOLVENTS	A	6850		AT	04-AUG-03
M	MIL-PRF-23236C	COATING SYSTEMS FOR SHIP STRUCTURES[CUST: MR SH 99] [REVIEW: 03 84 AS CG]	A	8010		SH	12-AUG-03

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-11195G	ENAMEL, LUSTERLESS, FAST DRY, VOC COMPLIANT, (FOR USE ON AMMUNITION AND OTHER METALS)[CUST: MR SH 99][REVIEW: 84 AR MD1]	A	8010	MR		31-JUL-03
M	QPL-11195-25	ENAMEL, LUSTERLESS, FAST DRY, VOC COMPLIANT, (FOR USE ON AMMUNITION AND OTHER METALS)	A	8010	MR		31-JUL-03
N	MIL-DTL-32130	UNDERWEAR, CHEMICAL PROTECTIVE, TWO PIECE (UNDERSHIRT AND DRAWERS)[CUST: GL]	A	8415	CT		12-AUG-03
M	MIL-PRF-16005F	PROPELLANT, HYDROGEN PEROXIDE[CUST: MI AS 68][REVIEW: 11 99 SA]	A	9135	PS		01-AUG-03
M	QPL-9000-101	LUBRICATING OIL, SHIPBOARD INTERNAL COMBUSTION ENGINE, HIGH OUTPUT DIESEL	A	9150	SH		31-JUL-03
M	QPL-32014-2(1)	GREASE, WATER RESISTANT, HIGH SPEED, AIRCRAFT AND MISSILE	A	9150	11		01-AUG-03
M	MIL-STD-1760D	AIRCRAFT/STORE ELECTRICAL INTERCONNECTION SYSTEM[Interface Standard][CUST: AV AS 11][REVIEW: EC MC OS SH TD]	A	SESS	11		01-AUG-03

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-P-25732C(1) NOT 2	PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, LIMITED SERVICE AT 275 DEG. F (135 DEG. C)[CUST: AV AS 11][REVIEW: 71 99 CR4 IS MR OS SH]	A	5330	11		07-AUG-03
M	MIL-DTL-3922/75C	FLANGES, WAVEGUIDE, REDUCED HEIGHT[CUST: CR EC 11 CC][REVIEW: 99 AS MC MI OS SH]	A	5985	CC		15-AUG-03
M	MIL-DTL-5020D	LIQUID, COMPASS, AIRCRAFT[CUST: AV AS 11 GS3]	A	6810	GS3		31-JUL-03

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-N-27444D NOT 2	NET, CARGO TIEDOWN, PALLETS, HCU-7/E, HCU-15/C, HCU-11/C, AND HCU-16/C (S/S BY SAE-AS27444)[CUST: 99] [REVIEW: GS]	A	1670		84	01-AUG-03
M	MS51016A NOT 1	ADAPTER LEAD, TO TERMINAL, SPARK PLUG CABLE (OTHER THAN AIRCRAFT) (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: MC SA]	A	2920		CC	29-JUL-03
M	MIL-C-62191(2) NOT 2	CONTROL ASSEMBLY, PUSH-PULL, GENERAL SPECIFICATION FOR (S/S BY A-A-52480)[CUST: AT SH 99] [REVIEW: 70 MC SA]	A	2990		CC	29-JUL-03
M	MS500043B NOT 3	CONTROL ASSEMBLY, PUSH-PULL, THROTTLE ENGINE, RATCHET LOCK TYPE (S/S BY A-A-52480)[CUST: AT SH 99 CC] [REVIEW: 84 MC SA]	A	2990		CC	29-JUL-03
M	MS500073B NOT 3	CONTROL ASSEMBLY, PUSH-PULL, FRICTION LOCK TYPE GENERAL PURPOSE (S/S BY A-A-52480)[CUST: AT SH 99 CC] [REVIEW: 84 MC SA]	A	2990		CC	29-JUL-03
M	MS500074B NOT 3	CONTROL ASSEMBLY, PUSH-PULL, RATCHET LOCK TYPE, GENERAL PURPOSE (S/S BY A-A-52480)[CUST: AT SH 99 CC] [REVIEW: 84 MC SA]	A	2990		CC	29-JUL-03
M	MIL-D-82062C NOT 1	DETRICK, BARGE MOUNTING, 100-LONG-TON CAPACITY (NO S/S DOCUMENT)[CUST: SH CC] [REVIEW: MC SA]	A	3950		CC	29-JUL-03
M	A-A-50575 NOT 1	PUMP-ENGINE SYSTEM, CENTRIFUGAL, WATER-GASOLINE-FUEL OIL, SKID-BASE-MOUNTED (NO S/S DOCUMENT)[CUST: SH CC] [REVIEW: MC SA]	A	4320	/	CC	29-JUL-03
M	A-A-50586 NOT 1	PUMP ASSEMBLIES, DEEP-WELL, ELECTRIC-MOTOR-DRIVEN (NO S/S DOCUMENT)[CUST: SH CC] [REVIEW: MC SA]	A	4320	/	CC	29-JUL-03
M	MIL-B-18897F NOT 1	BOILERS, STEAM AND HOT WATER, WATERTUBE (STRAIGHT BARE AND FINNED TUBE), CAST IRON AND FIREBOX, PACKAGED TYPE (40,000 TO 35,000,000 BTU/HR THERMAL OUTPUT CAPACITY) (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 84 CE MC SA]	A	4410		CC	29-JUL-03
M	A-A-50540 NOT 1	COLLECTOR UNIT, DUST, WITH FAN (NO S/S DOCUMENT)[CUST: SH CC] [REVIEW: MC SA]	A	4460	/	CC	29-JUL-03
M	MIL-S-22833C NOT 3	STRAINERS, SEDIMENT, REFRIGERANT 12 (NO S/S DOCUMENT)[CUST: GL SH 99 CC] [REVIEW: 71 AT MC SA SM]	A	4730		CC	29-JUL-03
M	AN2555 REV 1 NOT 2	NOZZLE AND AIRCRAFT FUELING (NO S/S DOCUMENT)[CUST: AS CC] [REVIEW: MC SA]	A	4730		CC	29-JUL-03
M	A-A-50541 NOT 2	VALVES, TANK FLOAT, ANGLE AND GLOBE PATTERN (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: CE MC SA]	A	4820	/	CC	29-JUL-03
M	A-A-55545 NOT 1	FUSE CARTIDGE, CLASS CC, 600 VOLTS (V) AC, GENERAL REQUIREMENTS FOR (NO S/S DOCUMENT)[CUST: EC CC]	A	5920	/	CC	01-AUG-03
M	A-A-55545/1 NOT 1	FUSE CARTIDGE, CLASS CC, 600 VOLTS (V) AC, TIME DELAY, 1/10 AMPERES (A) TO 30A (NO S/S DOCUMENT)[CUST: EC CC]	A	5920	/	CC	01-AUG-03
M	A-A-55545/2 NOT 1	FUSE CARTRIDGE, CLASS CC, 600 VOLTS (V) AC, FAST ACTING, 1/10 AMPERES (A) TO 30A (NO S/S DOCUMENT)[CUST: EC CC]	A	5920	/	CC	01-AUG-03
M	A-A-55546 NOT 1	FUSEHOLDER, BLOCK, CARTRIDGE, CLASS CC, 30 AMPERES (A), 600 VOLTS (V) AC, ONE, TWO, AND THREE POLE (NO S/S DOCUMENT)[CUST: EC CC]	A	5920	/	CC	01-AUG-03
M	MIL-C-85049/14(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/14)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/15(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45 DEG., SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/15)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/16(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREES, SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/16)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/17 NOT 3	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 2B (FOR MIL-C-27599 SERIES I AND II CONNECTORS) (S/S BY SAE-AS85049/17)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/18B(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 2B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/18)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/19A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/19)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/20A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, RFI, EMI, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/20)[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MI]	A	5935		AS	19-JUN-03
M	MIL-C-85049/21A(1) NOT 2	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (S/S BY SAE-AS85049/21)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/23A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/23)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-C-85049/24A NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) (S/S BY SAE-AS85049/24)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	MIL-H-49225 NOT 3	HEADSET MICROPHONE KIT MK-896A/AIC (COMPONENTS OF) (NO S/S DOCUMENT)[CUST: CR CC]	A	5965		CC	12-AUG-03
M	SAE-MAM5598	NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 72NI - 15.5CR - 0.95(CB+TA) - 2.5TI - 0.70AL - 7.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE (NO S/S DOCUMENT)[CUST: MR AS 11 IS]	A	9515		IS	17-JUL-03
M	MIL-H-81200B NOT 1	HEAT TREATMENT OF TITANIUM AND TITANIUM ALLOYS (S/S BY SAE-AMS-H-81200B)[CUST: MR AS 11] [REVIEW: 84 99 AV GL MI SH]	A	95GP		AS	14-JUL-03