

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

15 JUNE 2004 / FOR PERIOD 1 JUNE 2004 TO 14 JUNE 2004 / VOL. 11/ NO. 04

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

<http://assist.daps.dla.mil>

NOTE

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of "N" (new), or "M" (modified).

"N" indicates that this is a new document that has been entered to our database.

"M" indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-11891-22	TRACK SHOE SETS, TRACK SHOE ASSEMBLIES, TRACK SHOE PADS AND TRACK SHOE BUSHINGS, VEHICULAR: ELASTOMERIZED	A	2530		AT	03-JUN-04
M	MIL-DTL-13080E NOT 1	ELECTRODES, WELDING, COVERED: AUSTENITIC STEEL (19-9 MODIFIED) FOR ARMOR APPLICATIONS[CUST: MR SH 11] [REVIEW: 03 84 99 AR AS GS NP]	A	3439		MR	14-JUN-04
M	MIL-PRF-51560A(1)	CANISTERS, CHEMICAL-BIOLOGICAL MASK: C2A1[CUST: EA]	A	4240		EA	26-MAY-04
M	QPL-52525-12	FITTINGS, HOSE, REUSABLE, FIELD-ATTACHABLE AND CLAMP-HALVES, GENERAL SPECIFICATION FOR	A	4730		CC	02-JUN-04
M	MS28050A	VALVE, CHECK, LOW PRESSURE, INTERNAL THREADS[CUST: AS 99 CC] [REVIEW: 70 71 MC SA]	A	4820		CC	21-MAY-04
M	MIL-PRF-83530/1B NOT 1	RESISTORS, VOLTAGE SENSITIVE (VARISTORS) STYLE RVS10[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	14-JUN-04
M	QPL-15109-35	RESISTORS AND RHEOSTATS, NAVAL SHIPBOARD	A	5905		CC	01-JUN-04
M	MIL-PRF-23269/4G(1) NOT 1	CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR30[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A	5910		CC	03-JUN-04
M	MIL-PRF-49464B	CAPACITORS, CHIP, SINGLE LAYER, FIXED, PARALLEL PLATE, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV MC MI]	A	5910		CC	03-JUN-04
M	MIL-PRF-49464/1B	CAPACITORS, CHIP, SINGLE LAYER, FIXED UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CPCR01 (HIGH FREQUENCY)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV MC MI]	A	5910		CC	03-JUN-04
M	QPL-11693-51	CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CC	02-JUN-04
M	QPL-39022-58	CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL OR CERAMIC CASES), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CC	09-JUN-04
M	MS24571G	CIRCUIT BREAKERS, AIRCRAFT, TRIP FREE, 2 1/2 TO 50 AMPERES, 121.1 DEG. C AMBIENT[CUST: 11 CC]	A	5925		CC	28-MAY-04
M	MIL-PRF-22885/80G	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP SOLID MOUNT, RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK RESISTANT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	28-APR-04
M	QPL-7703-13	GUARD, SWITCH, GENERAL SPECIFICATION FOR	A	5930		CC	02-JUN-04
M	MIL-PRF-31031/2A	CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, JAMNUT MOUNT, FOR FLEXIBLE CABLE, PIN CONTACT, HIGH RELIABILITY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	12-APR-04
M	MIL-PRF-31031/11B	CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, FLANGE MOUNT, FOR SEMIRIGID CABLE, SOCKET CONTACT, HIGH RELIABILITY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	12-APR-04
M	MIL-PRF-31031/12A	CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, JAMNUT MOUNT, FOR SEMIRIGID CABLE, PIN CONTACT, HIGH RELIABILITY[CUST: CR EC 11 NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	12-APR-04
M	MIL-PRF-39012/60C	CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY SERIES SMA (UNCABLED, SOCKET CONTACT, FLANGE MOUNTED, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	14-MAY-04
M	MIL-PRF-39012/61C	CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	14-MAY-04
M	MIL-PRF-39012/62C	CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, SOCKET CONTACT, JAM NUT MOUNTED, HERMETIC SEAL, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	14-MAY-04
M	MIL-DTL-28840/8C	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 90 DEG., CABLE SEALING AND SHIELD TERMINATION[CUST: EC]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/9E	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 45 DEG., CABLE SEALING AND SHIELD TERMINATION[CUST: EC CC]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/13D	CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, COVER, RECEPTACLE[CUST: EC CC] [REVIEW: OS SH]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/14E	CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CRIMP CONTACTS, RECEPTACLE, JAM NUT MOUNTING, CLASSES D AND DS[CUST: EC CC] [REVIEW: OS SH]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/15C	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, DUST COVER, PLUG[CUST: EC CC] [REVIEW: OS SH]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/22B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT BUSHING[CUST: EC CC]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/24C	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, SCREW THREADS, CRIMP CONTACTS, GASKET, FLANGE MOUNTING[CUST: EC CC] [REVIEW: NA SH]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/27B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 45, METAL CONDUIT FOR EMI SHIELDING[CUST: EC CC]	A	5935		CC	20-APR-04
M	MIL-DTL-55302/127C	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SINGLE ROW, 2 THROUGH 65 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.062 , .093 , .125) (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99]	A	5935		CC	04-JUN-04
M	MIL-DTL-55302/128D	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DOUBLE ROW, 4 THROUGH 130 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.062 , .093 , .125) (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	04-JUN-04
M	MIL-DTL-83505/1F	SOCKETS (LEAD, ELECTRONIC COMPONENTS) (TYPE I, SOLDERLESS WRAP)[CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	17-MAY-04
M	MIL-DTL-83505/8B	SOCKETS (LEAD, ELECTRONIC COMPONENTS) (TYPE I, SOLDERLESS WRAP) LOW INSERTION FORCE (LIF)[CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	17-MAY-04
M	QPL-9177-12	CONNECTOR, AUDIO, AIRBORNE, GENERAL SPECIFICATION FOR	A	5935		CC	01-JUN-04
M	QPL-83505-28	SOCKETS (LEAD, ELECTRONIC COMPONENTS) GENERAL SPECIFICATION FOR	A	5935		CC	02-JUN-04
M	QPL-83734-35	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, DUAL-IN-LINE (DIPS) AND SINGLE-IN-LINE PACKAGES (SIPS), GENERAL SPECIFICATION FOR	A	5935		CC	09-JUN-04
M	QPL-W-C-596-56	CONNECTOR, ELECTRICAL, POWER, GENERAL SPECIFICATION FOR	A	5935	/	CC	01-JUN-04
M	A-A-59288A	TERMINAL, STUD, FEEDTHRU, SINGLE - DOUBLE[CUST: MI AS 11]	A	5940	/	GS2	27-MAY-04
M	A-A-59289A	TERMINAL, STUD, FEEDTHRU, DOUBLE - DOUBLE[CUST: MI AS 11]	A	5940	/	GS2	27-MAY-04
M	MIL-PRF-83536/1A	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS[CUST: CR EC 11 CC] [REVIEW: 99]	A	5945		CC	07-JUN-04
M	MIL-PRF-83536/3A	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS[CUST: CR EC 11 CC] [REVIEW: 99]	A	5945		CC	07-JUN-04
M	MIL-PRF-83536/4A	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] [REVIEW: 99]	A	5945		CC	07-JUN-04

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-PRF-83536/5A	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS[CUST: CR EC 11 CC] [REVIEW: 99]	A	5945		CC	07-JUN-04
M MIL-PRF-83536/8A	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] [REVIEW: 99]	A	5945		CC	07-JUN-04
M MIL-PRF-83536/9A	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS[CUST: CR EC 11 CC] [REVIEW: 99]	A	5945		CC	07-JUN-04
M MIL-PRF-83536/22B(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] [REVIEW: 99]	A	5945		CC	02-JUN-04
M QPL-15305-95	COILS, FIXED AND VARIABLE, RADIO FREQUENCY, GENERAL SPECIFICATION FOR	A	5950		CC	02-JUN-04
M MIL-PRF-3098/70D	CRYSTAL UNIT, QUARTZ, CR95/U[CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5955		CC	17-MAY-04
M MIL-PRF-3098/71D	CRYSTAL UNIT, QUARTZ, CR96/U[CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5955		CC	17-MAY-04
M MIL-PRF-3098/73D	CRYSTAL UNIT, QUARTZ, CR98/U[CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5955		CC	17-MAY-04
M MIL-PRF-3098/79E	CRYSTAL UNIT, QUARTZ, CR104/U[CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5955		CC	17-MAY-04
M MIL-PRF-3098/85C	CRYSTAL UNIT, QUARTZ, CR109/U[CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5955		CC	17-MAY-04
M MIL-PRF-3098/90B	CRYSTAL UNIT, QUARTZ, CR114/U[CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5955		CC	17-MAY-04
M MIL-PRF-3098/93B	CRYSTAL UNIT, QUARTZ, CR117/U[CUST: 11 CC] [REVIEW: 19]	A	5955		CC	17-MAY-04
M MIL-PRF-3098/102C	CRYSTAL UNIT, QUARTZ, CR125/U[CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5955		CC	17-MAY-04
M MIL-PRF-3098/106C	CRYSTAL UNIT, QUARTZ, CR127/U[CUST: EC 11 CC] [REVIEW: 19 99]	A	5955		CC	17-MAY-04
M MIL-PRF-3098/114C	CRYSTAL UNIT, QUARTZ, CR135/U[CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5955		CC	17-MAY-04
M MIL-PRF-3098/123C	CRYSTAL UNIT, QUARTZ, CR142/U[CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5955		CC	17-MAY-04
M QPL-55310-66	OSCILLATORS, CRYSTAL CONTROLLED, GENERAL SPECIFICATION FOR	A	5955		CR	09-JUN-04
M MIL-PRF-1/299F NOT 1	ELECTRON TUBE, GAS SWITCHING TYPE 5927[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS]	A	5960		CC	14-JUN-04
M MIL-PRF-1/964D NOT 1	ELECTRON TUBE, GAS SWITCHING TYPE 6378[CUST: CR EC 11 CC] [REVIEW: AR]	A	5960		CC	03-JUN-04
M MIL-PRF-1/970E NOT 1	ELECTRON TUBE, GAS SWITCHING TYPE 1B58A[CUST: CR EC 11 CC] [REVIEW: AS CG MC OS SH]	A	5960		CC	03-JUN-04
M MIL-PRF-1/974F NOT 1	ELECTRON TUBE, CATHODE RAY TYPE 3ADP1, 3ADP2, 3ADP7, AND 3ADP11[CUST: CR EC 11 CC] [REVIEW: AS CG CR4 MC OS]	A	5960		CC	03-JUN-04
M MIL-PRF-1/999B NOT 1	ELECTRON TUBE, GAS SWITCHING TYPE 6163[CUST: CR EC 99] [REVIEW: 11 19 AR AS CG MC MI OS SH]	A	5960		CC	03-JUN-04
M MIL-PRF-1/1005D NOT 1	ELECTRON TUBE, CATHODE RAY TYPE 10WP7A[CUST: CR EC 11 CC] [REVIEW: AS CG MC MI OS SH]	A	5960		CC	03-JUN-04
M MIL-PRF-1/1011E NOT 1	ELECTRON TUBE, THYRATRON TYPE 5957[CUST: CR EC 99] [REVIEW: 11 19 AR AS AV CG MC MI SH]	A	5960		CC	03-JUN-04
M MIL-PRF-1/1048C NOT 1	ELECTRON TUBE, CATHODE RAY TYPES 5AFP1 AND 5AFP7[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS]	A	5960		CC	03-JUN-04
M MIL-PRF-1/1105A NOT 1	ELECTRON TUBE, GAS SWITCHING TYPE 6564[CUST: CR 11 CC] [REVIEW: MI]	A	5960		CC	03-JUN-04
M MIL-PRF-1/1112G NOT 1	ELECTRON TUBE, KLYSTRON TYPE 8493[CUST: CR EC 11 CC] [REVIEW: AR AS CG MC OS SH]	A	5960		CC	03-JUN-04
M MIL-PRF-1/1203K NOT 1	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7077[CUST: CR EC 11 CC] [REVIEW: AS CG MC MI OS]	A	5960		CC	03-JUN-04
M MIL-PRF-19500/255T	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N2221A, 2N2221AL, 2N2222A, 2N2222AL, 2N2221AUA, 2N2222AUA, 2N2221AUB, AND 2N2222AUB, JAN, JAN1, JANTX, JANTXV, JANTXVM, JANTXVD, JANTXVR, JANTXVH, JANS, JANSM, JANSJ, JANSR, JANSH, JANHC, JANHCM, JANHCD, JANHCR, JANHCH, JANKC, JANKCM, JANKCD, JANKCR, AND JANKCH[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS MC MI SM]	A	5961		CC	03-JUN-04
M MIL-PRF-19500/375G	SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD-EFFECT, N-CHANNEL, DEPLETION MODE, SILICON, TYPES 2N3821, 2N3821UB, 2N3822, 2N3822UB, 2N3823, AND 2N3823UB, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AV MC SM]	A	5961		CC	21-JUN-04
M MIL-PRF-19500/396J	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING, TYPES 2N3762, 2N3762L, 2N3762U, 2N3762UA, 2N3763, 2N3763L, 2N3763U, 2N3763UA, 2N3764, AND 2N3765, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AS MC MI]	A	5961		CC	10-JUN-04
M MIL-PRF-19500/433F	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER, TYPE 2N4399 AND 2N5745, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AS MC MI SM]	A	5961		CC	07-JUN-04
M MIL-PRF-19500/444H	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N5711-1, 1N5711UR-1, 1N5711UB, 1N5711UBCA, 1N5711UBD, 1N5711UBCC, 1N5712-1, 1N5712UR-1, 1N5712UB, 1N5712UBCA, 1N5712UBD, 1N5712UBCC, 1N6857-1, 1N6857UR-1, 1N6858-1, AND 1N6858UR-1, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	01-JUN-04
M MIL-PRF-19500/477F	SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRAFAST RECOVERY, POWER RECTIFIER, TYPES 1N5802, 1N5804, 1N5806, 1N5807, 1N5809, AND 1N5811, 1N5802US, 1N5804US, 1N5806US, 1N5807US, 1N5809US, AND 1N5811US, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961		CC	07-JUN-04
M MIL-PRF-19500/554B	SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, FAST RECOVERY, TYPE 1N6392, JAN, JANTX, JANTXV, AND JANHC[CUST: 11 CC] [REVIEW: 19 99]	A	5961		CC	10-JUN-04
M MIL-PRF-19500/560F	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N5339 AND 2N5339U3, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR 11 CC] [REVIEW: 19 71 99 MI]	A	5961		CC	27-MAY-04
M MIL-M-38510/109B	MICROCIRCUITS, LINEAR, PRECISION TIMERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	28-MAY-04
M MIL-M-38510/130C	MICROCIRCUITS, MONOLITHIC SILICON, BIPOLAR, INTERFACE, MEMORY CORE DRIVERS[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	02-JUN-04
M MIL-M-38510/172C	MICROCIRCUITS, DIGITAL, CMOS, AND/OR-INVERT, EXCLUSIVE-OR, EXCLUSIVE-NOR GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	04-JUN-04
M MIL-STD-1835D	ELECTRONIC COMPONENT CASE OUTLINES[Interface Standard][CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	01-JUN-04
M MIL-PRF-83532/1B	DELAY LINES, 14-PIN DIP COMPATIBLE, 5 TAP[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH]	A	5999		CC	07-JUN-04
M MIL-PRF-83532/2C	DELAY LINES, 14-PIN DIP COMPATIBLE, 5 TAP[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH]	A	5999		CC	07-JUN-04
M MIL-PRF-83532/3B	DELAY LINES, 14-PIN DIP COMPATIBLE, 10 TAP[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH]	A	5999		CC	07-JUN-04
M MIL-PRF-83532/4B	DELAY LINES, 14-PIN DIP COMPATIBLE, 3 DELAY CIRCUITS PER PACKAGE[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH]	A	5999		CC	07-JUN-04
M QPL-24640-23	CABLES, LIGHT-WEIGHT, ELECTRIC, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR	A	6145		SH	04-JUN-04
M A-A-2804A NOT 2	PAPER, BOND AND WRITING, WHITE AND COLORED	A	7530	#	FSS	22-APR-04
M QPL-18458-32	GREASE, WIRE ROPE-EXPOSED GEAR	A	9150		SH	24-MAY-04
M QPL-27617-8	GREASE, AIRCRAFT, AND INSTRUMENT, FUEL AND OXIDIZER RESISTANT	A	9150	11		26-MAY-04
M MIL-HDBK-1908B NOT 1	DEFINITIONS OF HUMAN FACTORS TERMS[CUST: MI AS 11] [REVIEW: 01 13 19 AR AT AV CR DC2 DH EA EC GL HS MC MD MP MR NS OS PE SE SH TD TE TM]	A	HFAC		MI	08-JUN-04

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-14538D NOT 1	CHROMIUM PLATING, BLACK (ELECTRODEPOSITED)[CUST: MR SH 11][REVIEW: 19 AR AS DH EC MI OS PT]	A	MFFP		MR	14-JUN-04

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MS3377A NOT 2	REBUILT TIRE - AIRCRAFT, LABORATORY QUALITY ASSURANCE REQUIREMENTS[CUST: AS] [REVIEW: CC GS]	A	2620	AS		03-JUN-04
M	MS14147A NOT 3	SERVICE SUITABILITY (FLIGHT) TESTING OF REBUILT NAVY AIRCRAFT TIRES[CUST: AS] [REVIEW: GS]	A	2620	AS		03-JUN-04
M	MS17841D	VALVES, SOLENOID, REFRIGERANT-12[CUST: GL SH 99 CC] [REVIEW: AT CE MC MD MI SA]	A	4810	CC		21-MAY-04
M	MS28066H NOT 3	TRANSMITTER, ANGLE OF ATTACK OR SIDESLIP, LOCAL[CUST: AS] [REVIEW: GS]	A	5821	AS		03-JUN-04
M	MIL-PRF-19500/253H(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N930 AND 2N930UB JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 71 99 AR AS AV MI SM]	A	5961	CC		03-JUN-04
M	MIL-T-81914/1 NOT 2	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, POLYTETRAFLUOROETHYLENE, STANDARD CONVOLUTIONS (FUTURE DESIGN SHOULD REFER TO SAE-AMS-T-81914/1)[CUST: MI AS] [REVIEW: GS]	A	5975	AS		03-JUN-04
M	MIL-T-81914/2 NOT 2	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, POLYTETRAFLUOROETHYLENE CLOSE CONVOLUTION (FUTURE DESIGN SHOULD REFER TO SAE-AMS-T-81914/2)[CUST: AS] [REVIEW: GS]	A	5975	AS		03-JUN-04
M	MIL-T-81914/3 NOT 2	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, FLUORINATED ETHYLENE PROPYLENE, STANDARD CONVOLUTION (FUTURE DESIGN SHOULD REFER TO SAE-AMS-T-81914/3)[CUST: AS] [REVIEW: GS]	A	5975	AS		03-JUN-04
M	MIL-T-81914/6 NOT 2	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, ETHYLENE-TETRAFLUOROETHYLENE, STANDARD CONVOLUTION (FUTURE DESIGN SHOULD REFER TO SAE-AMS-T-81914/6)[CUST: AS] [REVIEW: GS]	A	5975	AS		03-JUN-04
M	MIL-T-81914/7 NOT 4	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, FLUORINATED ETHYLENE PROPYLENE, INTEGRAL BRAID (FUTURE DESIGN SHOULD REFER TO SAE-AMS-T-81914/7)[CUST: AS] [REVIEW: GS]	A	5975	AS		03-JUN-04
M	MIL-B-8565/8 NOT 2	BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 15-AMPERE-HOUR[CUST: AS] [REVIEW: GS]	A	6140	AS		03-JUN-04
M	MIL-B-8565/9 NOT 2	BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 24-AMPERE-HOUR[CUST: AS] [REVIEW: GS]	A	6140	AS		03-JUN-04
M	MIL-B-8565/12 NOT 2	BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 35-AMPERE-HOURS[CUST: AS 99] [REVIEW: GS]	A	6140	AS		03-JUN-04
M	MS23009E NOT 4	ACCELEROMETER-AIRCRAFT, INTEGRALLY LIGHTED ABU-4A/A AND ABU-4B/A[CUST: 99]	A	6610	71		08-JUN-04
M	MIL-I-8974/2B NOT 3	INDICATOR, EVENTS, MINIATURE, DIGITAL, 28 VDC[CUST: AS 99] [REVIEW: 71 GS SH]	A	6620	AS		03-JUN-04
M	MS28008B NOT 4	INDICATOR, TEMPERATURE, MULTI-FUNCTION, ELECTRICAL RESISTANCE, SINGLE, CLAMP MOUNTED, MINUS 50 DEG., TO PLUS 50 DEG. C., 2 INCH SIZE[CUST: AV AS 99] [REVIEW: 11 71 CR GL GS MI SM]	A	6685	AS		03-JUN-04
M	QPL-25861-22	INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI INTEGRALLY LIGHTED	A	6685	71		24-MAY-04
M	MS33639D NOT 2	CASES, INSTRUMENT, CLAMP-MOUNTED, AIRCRAFT[CUST: AV AS 99] [REVIEW: CR4 MI]	A	66GP	AS		03-JUN-04
M	MIL-C-47175A(2) NOT 3	COMPOUND, POLYURETHANE, FOR CONFORMAL COATING OF ELECTRONIC CIRCUITRY[CUST: MI] [REVIEW: GS]	A	9330	MI		08-JUN-04

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-G-14933B(3) NOT 1	GRENADE, HAND, FRAG, DELAY, M67 LOADING, ASSEMBLING AND PACKING (NO S/S DOCUMENT)[CUST: AR]	A	1330		AR	25-MAY-04
M	ASTM-D2235	PIPE AND FITTINGS, PLASTIC, SOLVENT CEMENT FOR ACRYLONITRILE-BUTADIENE-STYRENE (ABS) (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 MC SA]	A	4710		CC	09-APR-04
M	ASTM-D2774	PIPING, THERMOPLASTIC PRESSURE, UNDERGROUND INSTALLATION OF, STANDARD RECOMMENDED PRACTICE FOR (NO S/S DOCUMENT)[CUST: AT SH CC] [REVIEW: 71 MC MR SA]	A	4710		CC	10-JUN-04
M	ASTM-D2837	PIPE MATERIALS, THERMOPLASTIC, OBTAINING HYDROSTATIC DESIGN BASIS FOR, OR PRESSURE DESIGN BASIS FOR THERMOPLASTIC PIPE PRODUCTS (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 MC SA]	A	4710		CC	10-JUN-04
M	ASTM-D2683	PIPE AND TUBING, SOCKET-TYPE POLYETHYLENE FITTINGS FOR OUTSIDE DIAMETER-CONTROLLED POLYETHYLENE (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 CE MC SA]	A	4730		CC	10-JUN-04
M	ASTM-D2729	PIPE AND FITTINGS, SEWER, POLY(VINYL CHLORIDE) (PVC) (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	10-JUN-04
M	MIL-M-5793A NOT 3	MICROPHONE M-3A/A (NO S/S DOCUMENT)[CUST: 11 CC]	A	5965		CC	13-MAY-04
M	MIL-E-17884B NOT 2	EARPHONE (LOW IMPEDANCE), GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR 11 CC]	A	5965		CC	13-MAY-04
M	MIL-E-17884/1 NOT 2	EARPHONE (LOW IMPEDANCE), TYPE NT-49016A (NO S/S DOCUMENT)[CUST: CR 11 CC]	A	5965		CC	13-MAY-04
M	MS25070A NOT 4	MICROPHONE BOOM, MT-521A/U (NO S/S DOCUMENT)[CUST: AS 11 CC]	A	5965		CC	13-MAY-04
M	MS25071 NOT 4	BRACKET, MT-522A/U (NO S/S DOCUMENT)[CUST: AS 11 CC]	A	5965		CC	13-MAY-04
M	MIL-S-23190/2 NOT 2	STRAPS, CLAMPS, PLASTIC AND METAL, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT CLAMP, LOOP, METAL, CUSHIONED, ADJUSTABLE, WIRE SUPPORT, TYPE V, CLASS 1 (S/S BY SAE-AS23190/2)[CUST: CR AS 11] [REVIEW: 99 GS NS]	A	5975		AS	03-JUN-04
M	A-A-52100A NOT 1	SPOT REMOVER (FOR REMOVAL OF OIL AND GREASE FROM CLOTHING) (NO S/S DOCUMENT)[CUST: GL 68]	A	6850	/	GS3	26-MAY-04
M	A-A-50354B NOT 1	COFFEE MAKERS, PERCOLATOR: ELECTRIC (NO S/S DOCUMENT)[CUST: GL YD 99] [REVIEW: 84 CE CG GS MC MD SA]	A	7310	/	SS	27-MAY-04
M	A-A-50496A NOT 1	COFFEE MAKER, PERCOLATOR, ELECTRIC (NO S/S DOCUMENT)[CUST: QM1 YD 99] [REVIEW: 35 84 CG MC MS SA SH]	A	7310	/	SS	27-MAY-04
M	A-A-50497A NOT 1	COFFEE MAKER, ELECTRIC, AUTOMATIC (NO S/S DOCUMENT)[CUST: QM1 YD 99] [REVIEW: 84 CG MC MS SA SH]	A	7310	/	SS	27-MAY-04
M	A-A-55830A NOT 1	RACKS, TRAY BUSSING, MOBILE (NO S/S DOCUMENT)[CUST: GL SA 99 SS] [REVIEW: MC MD1 QM1 YD]	A	7320	/	SS	27-MAY-04