

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

15 MAY 2005 / FOR PERIOD 1 MAY 2005 TO 14 MAY 2005 / VOL. 9 / NO. 05

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.dla.mil/notice.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

<http://assist.daps.dla.mil>

NOTE

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of “N” (new), or “M” (modified).

”N” indicates that this is a new document that has been entered to our database.

“M” indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-83420-13	WIRE ROPE, FLEXIBLE, FOR AIRCRAFT CONTROL	A	1640		GS5	30-APR-05
M	QPL-87161-8	WIRE STRAND, NONFLEXIBLE, FOR AIRCRAFT APPLICATION	A	1640		GS5	30-APR-05
M	MIL-DTL-17901C	BEARING COMPONENTS, BONDED SYNTHETIC RUBBER, WATER LUBRICATED[CUST: SH 99] [REVIEW: 11]	A	3130		SH	10-MAY-05
M	A-A-59285 NOT 1	SAWS, POWER, HACK[CUST: AR SH 99 GS6] [REVIEW: 84 MC OS]	A	3405	/	GS6	11-MAY-05
M	A-A-59286 NOT 1	ELECTRICAL DISCHARGE MACHINE, TOOL DISINTEGRATING[CUST: AR SH 99] [REVIEW: 84 CR4 MC]	A	3410	/	GS6	11-MAY-05
M	A-A-59284 NOT 1	SOLDERING IRON, ELECTRIC[CUST: AR SH 99 GS6] [REVIEW: 84 MC YD]	A	3439	/	GS6	11-MAY-05
M	QPL-3992-29	HOSE AND HOSE ASSEMBLY, RUBBER: AIR AND VACUUM BRAKE, SYSTEMS	A	4720		CC	05-MAY-05
M	QPL-5593-26	HOSE, AIRCRAFT, LOW PRESSURE, FLEXIBLE	A	4720		CC	05-MAY-05
M	QPL-25677-20	ADAPTER, CAP, AND NOZZLE, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT, GENERAL SPECIFICATION FOR	A	4730		CC	05-MAY-05
M	A-A-59440A	COCKS, DRAIN, COCKS, PLUG, AND COCKS, SHUTOFF, SCREW STEM, BRASS, NPTF-1 THREADS, GENERAL REQUIREMENTS FOR[CUST: CR4 SH 99 CC] [REVIEW: 71 CE GL MC MI]	A	4820	/	CC	23-MAY-05
M	A-A-59440/1A	COCKS, DRAIN, CENTER DRAIN, INTERNAL SEAT OR EXTERNAL SEAT, 150 P.S.I., BRASS, NON-FLAMMABLE LIQUID OR GAS, NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: AT AV CR4 GL MC MI]	A	4820	/	CC	23-MAY-05
M	A-A-59440/2A	COCK, DRAIN, WITH HOSE BIB, 150 P.S.I., NON-FLAMMABLE LIQUID OR GAS, NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: AT AV CR4 MC MI]	A	4820	/	CC	23-MAY-05
M	A-A-59440/3A	COCK, DRAIN, SPRING KEY, 50 P.S.I., WATER, OIL, GAS (WOG), NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: AT AV CR4 MC]	A	4820	/	CC	23-MAY-05
M	A-A-59440/4A	COCK, DRAIN, GROUND KEY, 150 P.S.I., BRASS, STEAM PRESSURE, NPTF-1 THREADS[CUST: MI SH 99 CC] [REVIEW: AT AV CR4 MC]	A	4820	/	CC	23-MAY-05
M	A-A-59440/5A	COCK, DRAIN, GROUND KEY, BIB NOZZLE 150 P.S.I. STEAM PRESSURE, BRASS, NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: GL MC MI MS]	A	4820	/	CC	23-MAY-05
M	A-A-59440/7A	COCK, SHUT-OFF, SCREW STEM, THREADED TYPE, 150 P.S.I., BRASS, WATER, OIL, AND GAS (WOG), NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: CR4 GL MC MI]	A	4820	/	CC	23-MAY-05
M	MIL-A-18001K(2)	ANODES, SACRIFICIAL ZINC ALLOY[CUST: AT SH 99] [REVIEW: 71 CE CR4 IS OS YD]	A	5340		SH	02-MAY-05
N	A-A-59769	RESISTOR NETWORKS, BALL GRID ARRAY TERMINATORS GENERAL REQUIREMENTS FOR[CUST: EC CC]	A	5905	/	CC	15-APR-05
N	A-A-59769/1	RESISTOR NETWORKS, BALL GRID ARRAY TERMINATORS THEVENIN TERMINATION[CUST: EC CC]	A	5905	/	CC	15-APR-05
M	QPL-15109-37	RESISTORS AND RHEOSTATS, NAVAL SHIPBOARD	A	5905		CC	05-MAY-05
M	QPL-3965-74	CAPACITOR, FIXED, ELECTROLYTIC, (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR	A	5910		CC	05-MAY-05
M	QPL-49470-19	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	28-APR-05
M	MIL-DTL-83413/3B	CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, TYPE III GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC[CUST: AV AS 11 CC] [REVIEW: 02 13 18 99 AR CR CR4 MC MI]	A	5920		CC	31-MAR-05
M	MIL-DTL-83413/10B	CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, JUMPER CABLE ASSEMBLY, AIRCRAFT TO FUEL NOZZLE, DISCHARGER, ELECTROSTATIC[CUST: AV AS 11 CC] [REVIEW: 02 18 99 AR CR CR4 MC MI]	A	5920		CC	31-MAR-05
M	MIL-PRF-39012E	CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	27-APR-05
M	MIL-PRF-39012/26G(5) NOT 1	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	16-MAY-05
M	MIL-PRF-49142/3F	CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB, PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	18-APR-05
M	MIL-PRF-49142/4H	CONNECTORS, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, UNCABLED, (SERIES TRB, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2) HERMETIC AND NONHERMETIC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	18-APR-05
M	MIL-PRF-49142/5F	CONNECTOR, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	18-APR-05
M	MIL-PRF-49142/6E	CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), SOCKET CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	18-APR-05
M	MIL-PRF-49142/7D	CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	18-APR-05
M	MIL-PRF-49142/8D	CONNECTORS, TRIAXIAL, RADIO FREQUENCY (SERIES TRT (CABLED), PLUG, PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	18-APR-05
M	MIL-PRF-49142/9D	CONNECTOR, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED) RECEPTACLE, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	18-APR-05
M	MIL-PRF-49142/10E	CONNECTORS, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, UNCABLED (SERIES TRT, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2) HERMETIC AND NONHERMETIC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	18-APR-05
M	MIL-PRF-49142/11D	CONNECTORS, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED) RECEPTACLE, SOCKET CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	18-APR-05
M	MIL-PRF-49142/12D	CONNECTORS, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	18-APR-05
M	MIL-DTL-55302/166B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, STRAIGHT-THROUGH, POLARIZED, FOR MULTILAYERED PRINTING WIRING BOARDS (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99]	A	5935		CC	13-MAY-05
M	MIL-DTL-55302/168B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, RIGHT ANGLE, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99]	A	5935		CC	13-MAY-05
M	MIL-DTL-55302/169B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, FEMALE BRUSH, STRAIGHT-THROUGH, POLARIZED, (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99]	A	5935		CC	13-MAY-05
M	MIL-DTL-55302/170B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, FEMALE BRUSH, RIGHT ANGLE, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARD (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99]	A	5935		CC	13-MAY-05
M	MIL-DTL-55302/171B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, CONTACT BRUSH[CUST: 11 CC] [REVIEW: 19 99]	A	5935		CC	13-MAY-05
M	MIL-DTL-83538C	CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS FOR MIL-STD-1760 APPLICATIONS (METRIC), GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	13-MAY-05
M	MIL-DTL-83538/1B	CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, RECEPTACLE, STORE ASSEMBLY, REMOVABLE CRIMP CONTACTS, SOCKETS, FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	13-MAY-05

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-83538/3B	CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, ADAPTER, BUFFER PLUG, NONREMOVABLE PIN CONTACTS, FOR MIL-STD-1760 APPLICATIONS (METRIC)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	13-MAY-05
M	MIL-DTL-83538/4B	CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, RECEPTACLE, LAUNCHER ASSEMBLY, REMOVABLE CRIMP CONTACTS, SOCKETS FOR MIL-STD-1760 APPLICATIONS (METRIC)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	13-MAY-05
M	MIL-DTL-83538/5B	CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, BRACKET, STORE RECEPTACLE ADAPTER FOR MIL-STD-1760 APPLICATIONS (METRIC)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	13-MAY-05
M	MIL-DTL-83538/8B	CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, COVER, PROTECTIVE, LAUNCHER RECEPTACLE, FOR MIL-STD-1760 APPLICATIONS (METRIC)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	13-MAY-05
M	QPL-24368-23	CONNECTOR ASSEMBLIES, PLUGS AND RECEPTACLES, ELECTRIC, POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, GENERAL SPECIFICATION FOR	A	5935		SH	10-MAY-05
M	QPL-38999-94	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR	A	5935		CC	05-MAY-05
M	QPL-81659-16	CONNECTORS, ELECTRICAL, RECTANGULAR CRIMP CONTACTS, GENERAL SPECIFICATION FOR	A	5935		AS	25-APR-05
M	QPL-83513-47	CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR	A	5935		CC	12-MAY-05
M	A-A-59305 NOT 1	THERMINAL, STUD THREADED DOUBLE TURRET[CUST: AS GS2]	A	5940	/	GS2	11-MAY-05
M	MIL-PRF-19500/276G	SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS), SILICON, TYPES 2N2323, 2N2324, 2N2326, 2N2328, 2N2329, AND S AND U4 VERSIONS, 2N2323A, 2N2324A, 2N2326A, 2N2328A, 2N2329A, AND AS AND AU4 VERSIONS, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SM]	A	5961		CC	12-MAY-05
M	MIL-PRF-19500/498E	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6306, 2N6306T1, 2N6306T3, 2N6308, 2N6308T1, 2N6308T3, JAN, JANTX AND JANTXV[CUST: CR 11 CC NA] [REVIEW: 19 MI]	A	5961		CC	12-MAY-05
M	MIL-PRF-19500/510E	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N6249, 2N6249T1, 2N6249T3, 2N6250, 2N6250T1, 2N6250T3, 2N6251, 2N6251T1, 2N6251T3 JAN, JANTX, JANTXV AND JANS, JANHC AND JANKC[CUST: CR 11 CC NA] [REVIEW: 19 99 MI]	A	5961		CC	12-MAY-05
N	MIL-PRF-19500/716	SEMICONDUCTOR DEVICE, DIODE, NON-HERMETIC, EPOXY, SURFACE MOUNT, SILICON, UNIPOLAR TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N5555UEG THROUGH 1N5558UEG, 1N5555UEJ THROUGH 1N5558UEJ, 1N5629AUEG THROUGH 1N5665AUEG, 1N5629AUEJ THROUGH 1N5665AUEJ, 1N5907UEG, 1N5907UEJ JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MI SM]	A	5961		CC	28-APR-05
N	MIL-PRF-19500/717	SEMICONDUCTOR DEVICE, DIODE, NON-HERMETIC, EPOXY, SURFACE MOUNT, SILICON, BIDIRECTIONAL TRANSIENT VOLTAGE SUPPRESSOR, TYPES 1N6036AUEG THROUGH 1N6072AUEG, 1N6036AUEJ THROUGH 1N6072AUEJ, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MI SM]	A	5961		CC	09-MAY-05
M	MIL-M-38510/762B	MICROCIRCUITS, DIGITAL, ADVANCED CMOS, MULTIPLEXERS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	06-MAY-05
N	MIL-DTL-21393/1	MICROPHONE, DYNAMIC M21393/1-01[CUST: AS 84 CC]	A	5965		CC	12-MAY-05
N	MIL-DTL-21393/2	MICROPHONE, DYNAMIC M21393/2-01[CUST: SH 84 CC]	A	5965		CC	12-MAY-05
M	QPL-24391-18	INSULATION TAPE, ELECTRICAL, PLASTIC, PRESSURE-SENSITIVE	A	5970		SH	10-MAY-05
M	QPL-22442-20	CABLE ASSEMBLIES, AIRCRAFT AUDIO, GENERAL SPECIFICATION FOR	A	5995		AS	15-APR-05
M	QPL-49291-13	FIBER, OPTICAL, (METRIC), GENERAL SPECIFICATION FOR	A	6010		CC	12-MAY-05
M	MIL-P-24395 NOT 2	PANEL, GROUND DETECTOR, GENERAL SPECIFICATION FOR[CUST: SH 99] [REVIEW: GS]	A	6110		SH	10-MAY-05
M	MIL-P-24395/1B NOT 2	PANEL, GROUND DETECTOR, 120 VOLTS (SYMBOL 1005.1) AND 450 VOLTS (SYMBOL 1005.2) ALTERNATING CURRENT, THREE PHASE, 60 OR 400 HERTZ, DRIPPROOF[CUST: SH 99] [REVIEW: GS]	A	6110		SH	10-MAY-05
M	QPL-24640-25	CABLES, LIGHT-WEIGHT, ELECTRIC, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR	A	6145		SH	12-MAY-05
M	QPL-24643-25	CABLES AND CORDS, ELECTRIC, LOW SMOKE, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR	A	6145		SH	11-APR-05
M	MIL-F-16377/30A(1) NOT 2	FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING FOR PSYCHIATRIC WARDS 100 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOL 137[CUST: SH 99]	A	6210		SH	10-MAY-05
M	MIL-F-16377/31A(1) NOT 2	FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR SPOT ILLUMINATION 6-25 WATTS, 120 VOLTS, TOTALLY ENCLOSED, SYMBOL 147.2[CUST: SH 99]	A	6210		SH	10-MAY-05
M	MIL-L-24560/1A NOT 3	LIGHT, AIRCRAFT WARNING, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 160.1[CUST: SH]	A	6220		SH	10-MAY-05
M	MIL-L-24560/3A NOT 3	LIGHT, APPROACH (HULL CONTOUR), BLUE, 120 VOLTS, 25 WATTS, ONE LAMP, SYMBOL 164.3[CUST: SH]	A	6220		SH	10-MAY-05
M	MIL-L-24560/4A NOT 2	LIGHT, SIGNAL, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 190.1[CUST: SH]	A	6220		SH	10-MAY-05
M	MIL-L-24560/7A(1) NOT 2	LIGHT, NAVIGATION, RED AND CLEAR SYMBOL 193.1, RED AND GREEN-SYMBOL 194, 120 VOLTS, 180 WATTS, NINE LAMPS[CUST: SH]	A	6220		SH	10-MAY-05
M	MIL-L-24560/8A(1) NOT 2	LIGHTS, NAVIGATION, STERN, CLEAR, BLUE AND YELLOW, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 196.3, 196.4, AND 197.2[CUST: SH]	A	6220		SH	10-MAY-05
M	MIL-L-24560/9B NOT 2	LIGHTS, NAVIGATION, SIDE, RED AND GREEN, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 182.2 AND 183.2[CUST: SH]	A	6220		SH	10-MAY-05
M	MIL-L-24560/10B NOT 2	LIGHT, NAVIGATION, MASTHEAD, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 172.2[CUST: SH]	A	6220		SH	10-MAY-05
M	MIL-L-24560/23 NOT 3	LIGHT, NAVIGATION, ANCHOR AND BOOM, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 161.4[CUST: SH]	A	6220		SH	10-MAY-05
M	MIL-F-16377/56 NOT 2	FIXTURE, LIGHT, INCANDESCENT, 100-WATT, 120-VOLT, MACHINE TOOL, PORTABLE, FLOATING ADJUSTMENT SYMBOL 266.2[CUST: SH 99]	A	6230		SH	10-MAY-05
M	MIL-DTL-17667E	PAPER, WRAPPING, CHEMICALLY NEUTRAL (NON-CORROSIVE)(CUST: SM AS) [REVIEW: AT DS EA GL3 GS MC MI OS SA SH]	A	8135		AS	21-APR-05
M	MIL-DTL-3628/31G	BADGE, QUALIFICATION, SENIOR PARACHUTIST, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	29-APR-05
M	MIL-DTL-3628/105C	BADGE, OCCUPATIONAL, CIVIL ENGINEER, AIR FORCE[CUST: IH 11] [REVIEW: CT]	A	8455		IH	11-MAY-05
M	MIL-DTL-3943/17F	DECORATION, NAVY AND MARINE CORPS MEDAL[CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	11-MAY-05
M	MIL-DTL-3943/266C	DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, INSPECTOR GENERAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT]	A	8455		IH	10-MAY-05
M	MIL-DTL-3943/267C	DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, INSPECTOR GENERAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT]	A	8455		IH	10-MAY-05
M	MIL-DTL-3943/301C	DECORATION, CIVILIAN ACHIEVEMENT MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: CT]	A	8455		IH	10-MAY-05
M	MIL-DTL-11484/263B	LAPEL BUTTON, DISTINGUISHED CIVILIAN SERVICE AWARD, INSPECTOR GENERAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT]	A	8455		IH	10-MAY-05
M	MIL-DTL-11484/264B	LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, INSPECTOR GENERAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT]	A	8455		IH	10-MAY-05
M	MIL-DTL-11484/312A	LAPEL BUTTON, AFGHANISTAN CAMPAIGN MEDAL[CUST: IH NU 11] [REVIEW: CT MC]	A	8455		IH	10-MAY-05
M	MIL-DTL-11484/313A	LAPEL BUTTON, IRAQ CAMPAIGN MEDAL[CUST: IH NU 11] [REVIEW: CT MC]	A	8455		IH	10-MAY-05
M	MIL-DTL-14639/55A	INSIGNIA, CADET RANK, NARROW STRAIGHT BAR, AIR FORCE ACADEMY[CUST: IH] [REVIEW: CT]	A	8455		IH	10-MAY-05

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-14639/56A	INSIGNIA, CADET RANK, NARROW ANGLE BAR, AIR FORCE ACADEMY[CUST: IH] [REVIEW: CT]	A	8455	IH		10-MAY-05
M	MIL-DTL-14639/57A	INSIGNIA, CADET RANK, WIDE ANGLE BAR, AIR FORCE ACADEMY[CUST: IH] [REVIEW: CT]	A	8455	IH		10-MAY-05
M	MIL-DTL-14639/58A	INSIGNIA, CADET RANK, CHEVRON, AIR FORCE ACADEMY[CUST: IH] [REVIEW: CT]	A	8455	IH		10-MAY-05
M	MIL-DTL-14639/59A	INSIGNIA, CADET RANK, CLOUD, AIR FORCE ACADEMY[CUST: IH] [REVIEW: CT]	A	8455	IH		10-MAY-05
M	QPL-6083-23	HYDRAULIC FLUID, PETROLEUM BASE, FOR PRESERVATION AND OPERATION	A	9150	AT		10-MAY-05
M	QPL-46170-12	HYDRAULIC FLUID, RUST-INHIBITED, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE	A	9150	AT		10-MAY-05
M	QPL-AMS-G-4343-2	GREASE, PNEUMATIC SYSTEM	A	9150	AS		15-APR-05
M	QPL-23653-31	PLASTIC TILES, VIBRATION DAMPING	A	9330	SH		10-MAY-05
M	MIL-STD-3014(1)	MISSION DATA EXCHANGE FORMAT[Interface Standard][CUST: MI AS 11] [REVIEW: AC AV CR]	A	MCCR	11		05-MAY-05
N	DI-SESS-81652	REQUEST FOR CONFIRMATION OF NOMENCLATURE [AMSC: N7555]	A	SESS	AS		09-MAY-05
N	DI-SESS-81654	REQUEST FOR ASSIGNMENT OF SERIAL NUMBER PREFIX LETTERS [AMSC: N7556]	A	SESS	AS		09-MAY-05
N	DI-SESS-81655	REQUEST FOR APPROVAL OF IDENTIFICATION PLATE DRAWINGS [AMSC: N7557]	A	SESS	AS		09-MAY-05
N	DI-SESS-81656	SOURCE DATA FOR FORECASTING DIMINISHING MANUFACTURING SOURCES AND MATERIAL SHORTAGES (DMSMS) [AMSC: N7558]	A	SESS	SA		09-MAY-05
M	MIL-HDBK-511 NOT 1	INTEROPERABILITY OF INTERACTIVE ELECTRONIC TECHNICAL MANUALS (IETMS)[CUST: TM SH 16] [REVIEW: 08 11 13 19 22 AR AS AT AV CG CH CR DH EA EC MC MI PT TD]	A	TMSS	TM		04-MAY-05

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MS28700B NOT 3	ACCUMULATOR CYLINDER, 3000 PSI[CUST: AV AS 99] [REVIEW: 11 71 GS MI]	A	1650		GS1	05-MAY-05
M	MIL-T-83454(2) SUP 1A NOT 3	TERMINAL,STUD,BLIND PLATE, FOR ELECTICAL BONDING AND GROUNDING (NONINSULATED)[CUST: 11]	A	5940		GS2	09-MAY-05
M	MIL-T-83454/2D(1) NOT 3	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .138-32 UNJC-3A CURRENT RATING: 25 AMPS[CUST: 11]	A	5940		GS2	05-MAY-05
M	MIL-T-83454/3D(1) NOT 3	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .164-32 UNJC-3A CURRENT RATING: 30 AMPS[CUST: 11]	A	5940		GS2	05-MAY-05
M	MIL-T-83454/4D(1) NOT 3	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .190-32 UNJC-3A CURRENT RATING: 35 AMPS[CUST: 11]	A	5940		GS2	09-MAY-05
M	MIL-T-83454/5D(2) NOT 3	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .250-28 UNJF-3A CURRENT RATING: 43 AMPS[CUST: 11]	A	5940		GS2	09-MAY-05
M	MIL-M-38510/17B	MICROCIRCUITS, DIGITAL, TTL, FLIP-FLOPS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	03-MAY-05
M	MIL-M-38510/30B	MICROCIRCUITS, DIGITAL, DTL NAND GATES MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	03-MAY-05
M	AN3111 NOT 2	RING - BONDING, ELECTRICAL CONNECTOR[CUST: AV AS 11] [REVIEW: 99 MI]	A	5975		GS2	05-MAY-05
M	MIL-B-18/59D NOT 2	BATTERY, DRY, BA-233/U[CUST: CR SH GS2] [REVIEW: AR MC MI]	A	6135		GS2	11-MAY-05
M	MIL-B-18/79C NOT 2	BATTERY, DRY, BA-401/U[CUST: CR SH 99 GS2] [REVIEW: AR MC MI YD]	A	6135		GS2	05-MAY-05
M	MIL-B-18/88D NOT 2	BATTERY, DRY, BA-410/U[CUST: CR SH 99 GS2] [REVIEW: MC MI]	A	6135		GS2	11-MAY-05
M	MIL-B-18/92D NOT 2	BATTERY, DRY, BA-414/U[CUST: CR SH 99 GS2] [REVIEW: MC YD]	A	6135		GS2	11-MAY-05
M	MIL-B-49030(3) SUP 1 NOT 2	BATTERY, DRY (ALKALINE)[CUST: CR GS2]	A	6135		GS2	05-MAY-05
M	MIL-B-49030/5 NOT 4	BATTERY, DRY, BA-3051/U[CUST: CR]	A	6135		GS2	05-MAY-05

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-R-51283C(1) NOT 2	RUBBER FABRICATED PRODUCTS FOR M17A1/M17A2 MASKS (NO S/S DOCUMENT)(CUST: EA)	A	4240	EA		12-MAY-05
M	MS15002A NOT 3	FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, STRAIGHT THREADS, STEEL, TYPE II (S/S BY SAE-AS15002)(CUST: CR4 AS 99 CC)	A	4730	CC	CC	18-APR-05
M	MIL-M-2714A(1) NOT 2	MICROPHONE, CARBON, HAND HELD (S/S BY MIL-DTL-21393)(CUST: CR EC 11 CC) [REVIEW: AS CG]	A	5965	CC		12-MAY-05
M	MIL-C-22325B NOT 1	COLOR, TINTING, FOR INTERIOR NONFLAMING (DRY) PAINTS (METRIC) (S/S BY DOD-E-24607 AND MIL-PRF-24596)(CUST: SH)	A	8010	SH		10-MAY-05
M	MIL-DTL-15665/68 NOT 3	INSIGNIA, SERVICE HAT, WARRANT OFFICERS, ARMY (NO S/S DOCUMENT)(CUST: IH) [REVIEW: CT]	A	8455	IH		06-MAY-05
M	ASTM-F1156	PRODUCT COUNTERFEIT PROTECTION SYSTEMS, STANDARD TERMINOLOGY RELATING TO (NO S/S DOCUMENT)(CUST: SM SH 99)	A	MISC	SO		10-MAY-05