

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

15 MAY 2002 / FOR PERIOD 1 MAY 2002 TO 14 MAY 2002 / VOL. 9/ NO. 02

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

<http://astimage.daps.dla.mil>

NOTE

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of "N" (new), or "M" (modified).

"N" indicates that this is a new document that has been entered to our database.

"M" indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-51353B	FUZES, HAND GRENADE, M201A1 AND M201A1 MOD 2; FUZE, FLOATING SMOKE POT, M207A1, AND FUZE, INCENDIARY, M210[CUST: EA]	D	1330		EA	30-APR-02
N	PIA-PS22019	ADAPTER, PARACHUTE HARNESS REVERSIBLE QUICK FIT[CUST: GL AS 99]	A	1670		AS	18-MAR-02
N	PIA-PS22020	LINK, PARACHUTE HARNESS TRIANGLE[CUST: AS]	A	1670		AS	18-MAR-02
M	MIL-PRF-370J	HOSE AND HOSE ASSEMBLIES, NONMETALLIC: ELASTOMERIC, LIQUID FUEL[CUST: AT SH 99] [REVIEW: 71 CC]	A	4720		AT	07-MAY-02
M	QPL-24135-35	HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES GENERAL SPECIFICATION FOR	A	4720		SH	15-MAY-02
M	QPL-AS1339-13	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED, 3000 PSI, 400 DEG F, LIGHTWEIGHT, HYDRAULIC AND PNEUMATIC	A	4720		CC	06-MAY-02
M	MIL-DTL-83798/5C	FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARELESS, SWIVEL NUT, 45 DEGREES[CUST: AV AS 99 CC] [REVIEW: 11 AT SA]	A	4730		CC	27-APR-02
N	A-A-59617	UNIONS, BRASS OR BRONZE, THREADED PIPE CONNECTIONS AND SOLDER-JOINT TUBE CONNECTIONS[CUST: CE SH 99 CC] [REVIEW: 71 CG MC SA]	A	4730	/	CC	22-APR-02
N	SAE-AS85421/1	FITTING END, STANDARD DIMENSIONS FOR DYNAMIC BEAM SEAL, MALE[CUST: AV AS 99] [REVIEW: 71 CC MC SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/2	FITTING END, STANDARD DIMENSIONS FOR BULKHEAD, DYNAMIC BEAM SEAL, MALE[CUST: AV AS 99] [REVIEW: 71 CC MC SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/3	FITTING, TEE, REDUCER, BEAM SEAL, 3000/4000 PSI, 3 MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/4	FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN, SWIVEL NUT ON BRANCH[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/5	FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN AND BRANCH, SWIVEL NUT ON RUN[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/10	FITTING, ADAPTER, BEAM SEAL, 3000/4000 PSI, MALE TO FLARELESS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/11	FITTING, UNION, BEAM SEAL, 3000/4000 PSI, MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/12	FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO MALE[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/13	FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/14	FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO FEMALE[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/15	FITTING, ELBOW, 45 DEG., BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/16	FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON RUN, MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	03-MAY-02
N	SAE-AS85421/17	FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON BRANCH, MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	03-MAY-02
N	UL252A	COMPRESSED GAS REGULATORS, INCLUDING SUPPLEMENT SA, "OXYGEN AND ACETYLENE WELDING REGULATORS FOR USE UNDER FEDERAL AGENCY REGULATIONS", STANDARD FOR[CUST: AR SH 99 CC] [REVIEW: 71 MC SA]	A	4820		CC	APR 02
M	A-A-3048A	TAPES, MEASURING (STEEL SURVEYORS)	A	5210	#	FSS	09-APR-02
M	MS9951 NOT 2	NUT, SPANNER END SLOTS, CUPWASHER LOCKED, STEEL AMS 6322 MIL-S-8879[CUST: AS 99 IS] [REVIEW: 11]	A	5310		IS	10-MAY-02
M	QPL-23648-25	RESISTOR, THERMAL (THERMISTOR) INSULATED, GENERAL SPECIFICATION FOR	A	5905		CC	09-MAY-02
M	QPL-55342-89	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR	A	5905		CR	07-MAY-02
M	QPL-83421-53	CAPACITORS, FIXED, METALLIZED, PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL OR CERAMIC CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CC	01-MAY-02
M	QPL-19207-43	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOW FUSE INDICATING AND NONINDICATING, GENERAL SPECIFICATION FOR	A	5920		CC	08-MAY-02
M	QPL-5809-45	CIRCUIT BREAKERS, TRIP-FREE, AIRCRAFT, GENERAL SPECIFICATION FOR	A	5925		AS	06-MAY-02
M	QPL-21604-26	SWITCHES, ROTARY, MULTIPOLE AND SELECTOR, GENERAL SPECIFICATION FOR	A	5930		CC	09-MAY-02
M	MIL-PRF-39012/79F(1)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, PIN, CLASS 2, SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/80E(2)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, PIN RIGHT ANGLE, CLASS 2, SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/81F(2)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, SOCKET, CLASS 2, SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/82F(2)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA, (CABLED, SOCKET, FLANGE MOUNTED, CLASS 2, SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/83F(2)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA, (CABLED, SOCKET, JAM NUT MOUNTED, CLASS 2, SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/92C(4)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, CLASS 2, WITHOUT CONTACT, .141 SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/93B(1)	CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, FEMALE, PRINTED CIRCUIT, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/94B(1)	CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, FEMALE, PRINTED CIRCUIT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/95A(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (UNCABLED, MALE, PRINTED CIRCUIT, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/96A(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (UNCABLED, MALE, PRINTED CIRCUIT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/133A(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, PRINTED CIRCUIT BOARD MOUNT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI NA OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/134A(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, PRINTED CIRCUIT BOARD MOUNT, RIGHT ANGLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI NA OS SH]	A	5935		CC	05-APR-02

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-PRF-39012/135B(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SSMB, PRINTED CIRCUIT BOARD MOUNT, RIGHT ANGLE[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT MC MI NA OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/136(1)	CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, FOR SEMIRIGID CABLE, CLASS 2[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/137(1)	CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, RIGHT ANGLE, PIN CONTACT, FOR SEMIRIGID CABLE[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/138(1)	CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES SSMA, SOCKET CONTACT, FOR SEMIRIGID CABLE[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/139(1)	CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, FOR FLEXIBLE CABLE[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/140(1)	CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, RIGHT ANGLE, FOR FLEXIBLE CABLE[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-PRF-39012/141B(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SSMB, PRINTED CIRCUIT BOARD MOUNT, STRAIGHT[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	05-APR-02
M	MIL-DTL-38999K(2)	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC][REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	19-APR-02
M	MIL-DTL-38999/31D	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED PLUG, LANYARD RELEASE, FAIL-SAFE REMOVABLE CRIMP CONTACTS, PINS, SHELL SIZE 25, SERIES III, METRIC[CUST: CR AS 11 CC][REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	19-APR-02
M	QPL-55339-52	ADAPTERS, CONNECTORS, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR	A	5935		CC	01-MAY-02
M	MIL-PRF-6106/38C(1)	RELAY, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 2PDT, HERMETICALLY SEALED[CUST: 11 CC][REVIEW: 99]	A	5945		CC	15-MAY-02
M	MIL-PRF-6106/39D(2)	RELAY, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 4 PDT, HERMETICALLY SEALED[CUST: 11 CC][REVIEW: 99]	A	5945		CC	15-MAY-02
M	MIL-PRF-6106/40C(1)	RELAY, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 10 AMPERES, 3 PDT, HERMETICALLY SEALED[CUST: 11 CC][REVIEW: 99]	A	5945		CC	15-MAY-02
M	MIL-PRF-83536/2A(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC][REVIEW: 71 99]	A	5945		CC	15-MAY-02
M	MIL-PRF-83536/17A(2)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, AC COILS[CUST: CR EC 11 CC]	A	5945		CC	15-MAY-02
M	MIL-PRF-19500/673(2)	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7468U2 AND 2N7469U2 JANTXVR, F, G AND H AND JANSR, F, G AND H[CUST: CR EC 11 CC NA][REVIEW: 71 99]	A	5961		CC	06-MAY-02
M	MIL-PRF-19500/685(2)	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7475T1, 2N7476T1 AND 2N7477T1 (TOTAL DOSE AND SINGLE EVENT EFFECTS) JANTXVR AND JANSR[CUST: CR EC 11 CC NA][REVIEW: 71 99]	A	5961		CC	08-MAY-02
M	MIL-PRF-19500/697(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7478T1 JANTXVR, F, G AND H AND JANSR, F, G AND H[CUST: CR 11 CC][REVIEW: 71 99 MI]	A	5961		CC	07-MAY-02
M	MIL-PRF-19500/703(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7479U3, 2N7480U3 AND 2N7481U3 JANTXVR, F, G AND H AND JANSR, F, G AND H[CUST: CR EC 11 CC NA][REVIEW: 99 AV MI]	A	5961		CC	16-MAY-02
M	QML-19500-14	SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR	A	5961		CC	06-MAY-02
M	MIL-DTL-62545C	MODULE, STANDARD ELECTRONIC CONTROL[CUST: AT CC]	A	5963		CC	26-APR-02
M	MIL-DTL-85/3B(1)	WAVEGUIDES, RIGID, RECTANGULAR (MILLIMETER WAVELENGTH)[CUST: CR EC 11 CC][REVIEW: 19 71 99 AR AS CR 4 MC MI OS SH]	A	5985		CC	01-MAY-02
M	MIL-DTL-5815F	ANTENNA, AIRBORNE, UHF - BAND, GENERAL SPECIFICATION FOR[CUST: CR 11 CC][REVIEW: 99 AV]	A	5985		CC	01-MAY-02
M	MIL-DTL-23971/4A	POWER DIVIDER, 3 PORT QUADRATURE, SOLDER TERMINALS[CUST: CR EC 11 CC][REVIEW: AS MC OS]	A	5985		CC	23-APR-02
M	MIL-DTL-23971/5B	POWER DIVIDERS, N-WAY, 0 DEGREES, FLAT PACK[CUST: CR EC 11 CC][REVIEW: AS MC OS]	A	5985		CC	23-APR-02
M	MIL-DTL-28791A	ISOLATORS AND CIRCULATORS, RADIO FREQUENCY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC][REVIEW: 99 MC OS]	A	5985		CC	17-APR-02
N	A-A-59590/13	HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .375 X .375 INCH BODY SIZE[CUST: CR EC 11 CC]	A	5998	/	CC	10-MAY-02
N	A-A-59590/14	HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .375 X .375 INCH BODY SIZE, WITH VISUAL LOCK INDICATION[CUST: CR EC 11 CC]	A	5998	/	CC	10-MAY-02
M	QPL-5756-29	CABLE, POWER, ELECTRICAL, PORTABLE, GENERAL SPECIFICATION FOR	A	6145		AS	23-APR-02
M	QPL-83419-11	ALTIMETER, SERVO CONTROLLED, AUTOMATIC PRESSURE STANDBY	A	6610		7H	06-MAY-02
M	QPL-16034-58	METERS, ELECTRICAL-INDICATING (SWITCHBOARD AND PORTABLE TYPES)	A	6625		SH	07-MAY-02
M	QPL-3464-77	DESICCANTS, ACTIVATED, BAGGED, PACKAGING USE AND STATIC DEHUMIDIFICATION	A	6850		SH	26-APR-02
M	MIL-PRF-23377H	PRIMER COATINGS: EPOXY, HIGH-SOLIDS[CUST: MR AS 99][REVIEW: 11 84 AR AV CG DS EA FSS MC MI OS SH]	A	8010		AS	30-APR-02
M	QPL-24667-18	COATING SYSTEM, NON-SKID, FOR ROLL OR SPRAY APPLICATION (METRIC)	A	8010		SH	10-MAY-02
M	QPL-TT-P-28-16	PAINT, ALUMINUM, HEAT RESISTING (1200 DEG. F)	A	8010	/	SH	09-MAY-02
M	A-A-2851B	ACCESSORIES, PAINT ROLLER	A	8020	#	FSS	10-APR-02
N	MIL-DTL-32102	JOINT SERVICE LIGHTWEIGHT INTEGRATED SUIT TECHNOLOGY (JSLIST) COAT AND TROUSER, CHEMICAL PROTECTIVE[CUST: GL MC 11 CT]	A	8415		CT	03-APR-02
M	MIL-C-44313 NOT 2	COVER, CHEMICAL PROTECTIVE, PATIENT WRAP[CUST: GL][REVIEW: MD]	A	8415		CT	09-MAY-02
N	MIL-DTL-3628/219	BADGE, QUALIFICATION, COMBATANT DIVER, MARINE CORPS[CUST: IH NU][REVIEW: CT MC]	A	8455		IH	08-MAY-02
M	MIL-DTL-3943/98D	DECORATION, ACHIEVEMENT AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH][REVIEW: CT]	A	8455		IH	25-APR-02
M	MIL-DTL-3943/117C	DECORATION, SURGEON GENERAL'S MEDALLION, U.S. PUBLIC HEALTH SERVICE[CUST: IH][REVIEW: CT]	A	8455		IH	25-APR-02
N	MIL-DTL-3943/299	DECORATION, NEWTON-AZRAK MEDAL FOR HEROISM, U.S. BORDER PATROL[CUST: IH][REVIEW: CT]	A	8455		IH	25-APR-02
N	MIL-DTL-3943/300	DECORATION, CHIEF'S COMMENDATION MEDAL, U.S. BORDER PATROL[CUST: IH][REVIEW: CT]	A	8455		IH	25-APR-02
N	MIL-DTL-3943/302	DECORATION, AWARD FOR VALOR, SECRETARY OF THE ARMY[CUST: IH][REVIEW: CT]	A	8455		IH	08-MAY-02
M	MIL-DTL-11484/30G	LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH 11][REVIEW: 99 CT]	A	8455		IH	09-MAY-02
M	MIL-DTL-11484/280	LAPEL BUTTON, NEWTON-AZARK MEDAL FOR HEROISM, U.S. BORDER PATROL[CUST: IH][REVIEW: CT]	A	8455		IH	25-APR-02
N	MIL-DTL-11484/281	LAPEL BUTTON, CHIEF'S COMMENDATION MEDAL, U.S. BORDER PATROL[CUST: IH][REVIEW: CT]	A	8455		IH	25-APR-02
N	MIL-DTL-11484/283	LAPEL BUTTON, PRESIDENTIAL AWARD FOR DISTINGUISHED SERVICE, DEPARTMENT OF STATE[CUST: IH][REVIEW: CT]	A	8455		IH	29-APR-02
N	MIL-DTL-11484/284	LAPEL BUTTON, PRESIDENTIAL AWARD FOR MERITORIOUS SERVICE, DEPARTMENT OF STATE[CUST: IH][REVIEW: CT]	A	8455		IH	29-APR-02

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
N	MIL-DTL-11484/285	LAPEL BUTTON, AWARD FOR VALOR, SECRETARY OF THE ARMY[CUST: IH] [REVIEW: CT]	A	8455		IH	08-MAY-02
M	MIL-DTL-11589/544A	RIBBON, NEWTON-AZRAK MEDAL FOR HEROISM, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT]	A	8455		IH	25-APR-02
N	MIL-DTL-11589/573	RIBBON, AWARD FOR VALOR, SECRETARY OF THE ARMY[CUST: IH] [REVIEW: CT]	A	8455		IH	08-MAY-02
M	MIL-DTL-41819/45	RIBBON ATTACHMENT, NEWTON-AZRAK MEDAL FOR HEROISM, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT]	A	8455		IH	25-APR-02
N	A-A-20340	CORN DOGS, FULLY COOKED, FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM SS]	A	8905	*	GL	20-MAR-02
N	A-A-20341	FRANKFURTERS (HOT DOGS), FULLY COOKED, FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM SS]	A	8905	*	GL	20-MAR-02
M	A-A-20091D	SALAD OILS, VEGETABLE[CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8945	/	SS	07-MAY-02
M	A-A-20100C	SHORTENING COMPOUNDS[CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8945	/	SS	01-MAY-02
M	MIL-DTL-23549D	GREASE, GENERAL PURPOSE[CUST: AS 11 GS3] [REVIEW: OS SH]	A	9150		AS	10-MAY-02
M	QPL-6083-21	HYDRAULIC FLUID, PETROLEUM BASE, FOR PRESERVATION AND OPERATION	A	9150		AT	06-MAY-02
M	QPL-46167-14	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, ARCTIC	A	9150		AT	02-MAY-02
M	STANAG-3542 ED.4(1)	TECHNICAL CRITERIA FOR THE TRANSPORT OF CARGO BY HELICOPTER	C	ISDA		AI	01-JUN-93
M	STANAG-3300 ED.3(1)	STANDARDIZED AIRCRAFT ARMAMENT TERMINOLOGY	C	ISDF		06	11-DEC-96
M	STANAG-3323 ED.5(7)	PIPE (TUBE) CONNECTIONS TO AIRCRAFT INSTRUMENTS (IMPERIAL AND METRIC)	C	ISDF		06	30-MAY-83
M	STANAG-3347 ED.5(4)	IDENTIFICATION OF AIRCRAFT ELECTRICAL CIRCUITS	C	ISDF		06	27-MAY-92
M	STANAG-3430 ED.9(4)	RESPONSIBILITIES FOR AIRCRAFT CROSS-SERVICING (ACS)	C	ISDF		06	28-FEB-94
M	STANAG-3501 ED.2(4)	PERFORMANCE OF PORTABLE FILTER BLOWERS FOR AIRCREW NBC RESPIRATORS	C	ISDF		06	23-NOV-90
M	STANAG-3516 ED.4	ELECTROMAGNETIC INTERFERENCE, TEST METHODS FOR AIRCRAFT ELECTRICAL AND ELECTRONIC EQUIPMENT	C	ISDF		06	09-MAR-00
M	STANAG-3530 ED.6(1)	RADIO AND/OR NAVIGATIONAL AID FAILURE PROCEDURES FOR OPERATIONAL AIR TRAFFIC (OAT) FLIGHTS	C	ISDF		06	30-JAN-01
M	STANAG-3534 ED.5(1)	AIRFIELD PORTABLE LIGHTING	C	ISDF		06	24-SEP-96
M	STANAG-3543 ED.4	AIR TRANSPORT CARGO/PASSENGER HANDLING SYSTEMS - REQUEST FOR INFORMATION	C	ISDF		06	13-NOV-01
M	STANAG-3545 ED.2(6)	CHARACTERISTICS OF BREATHABLE LIQUID OXYGEN	C	ISDF		06	24-NOV-75
M	MIL-STD-2073/1D(1)	DOD STANDARD PRACTICE FOR MILITARY PACKAGING[Standard Practice][CUST: SM AS 11 DH] [REVIEW: 13 19 99 AR AT AV CC CG CR3 CT DM EA EC GL3 GS IS LS MC MI MT OS SA SH SS YD]	A	PACK		AS	10-MAY-02
M	SD-1	STANDARDIZATION DIRECTORY[CUST: AM NM 01 DH DC1]	A	SDMP		SO	01-MAY-02
M	MIL-STD-1373 NOT 6	SCREW-THREAD, MODIFIED, 60 DEG. STUB, DOUBLE[Military Standard][CUST: ER EC IS]	A	THDS		IS	09-MAY-02

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	AN947 REV A NOT 1	BEARING-ROD END, EXTERNAL THREAD, SELF-ALIGNING, PLAIN, AIRFRAME[CUST: AT 99 GS4] [REVIEW: 84]	A	3120		GS4	09-MAY-02
M	MIL-T-8504B NOT 3	TUBING, STEEL, CORROSION-RESISTANT (304), AEROSPACE VEHICLE HYDRAULIC SYSTEMS, ANNEALED, SEAMLESS AND WELDED[CUST: MR AS 11] [REVIEW: 99]	A	4710		11	10-MAY-02
M	ZZ-H-617C	HOSE, RUBBER, WINDSHIELD WIPER[CUST: AT SH 99 CC] [REVIEW: 71 MC SA]	A	4720	/	CC	10-APR-02
M	MS35340(1) NOT 1	WASHER, LOCK-HELICAL SPRING, EXTRA DUTY (EXTRA-HEAVY) SERIES[CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MI OS SH YD]	A	5310		IS	13-MAY-02
M	MS35824D(1)	HINGE, CONTINUOUS (PIANO) .050 THICKNESS, .187 PIN DIA[CUST: AR AS 99] [REVIEW: 71 AT AV MC]	A	5340		IS	10-MAY-02
M	MIL-DTL-7790A	RESISTOR, THERMOCOUPLE LEAD SPOOL[CUST: CR AS 11] [REVIEW: 99]	A	5905		CC	06-MAY-02
M	QPL-24317-11	SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED AND NON-ILLUMINATED), GENERAL SPECIFICATION FOR	A	5930		CC	07-MAY-02
M	MIL-R-14346A(3) NOT 1	RESOLVER, ELECTRICAL, AC[CUST: AR SH] [REVIEW: CR MI]	A	5990		CC	29-APR-02
M	QPL-13777-36	CABLE, SPECIAL PURPOSE, ELECTRICAL, GENERAL SPECIFICATION FOR	A	6145		CC	08-MAY-02
M	C-F-206G NOT 3	FELT SHEET: CLOTH, FELT, WOOL, PRESSED[CUST: AR NU 99 CT] [REVIEW: 11 82 GL MC MD OS]	A	8305	/	AR	25-APR-02

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-S-64045/12 NOT 3	SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-2) CHGS 4 + 5, (P/N 11785434-12) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/13 NOT 3	SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-2) CHGS 6 + 7, (P/N 11785434-13) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/14 NOT 3	SCALE, GRAPHICAL SITE, HE M1, (105-AS-1), (P/N 11785434-14) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/37 NOT 3	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AM-1) CHGS 2 + 4, (P/N 11785434-37) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/38 NOT 3	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AM-1) CHGS 5 + 6, (P/N 11785434-38) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-S-64045/39 NOT 3	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AM-1) CHGS 7 + 8, (P/N 11785434-39) (NO S/S DOCUMENT)[CUST: AR]	A	1220		AR	15-OCT-01
M	MIL-F-51465A NOT 2	FUZE, FLOATING SMOKE POT, M207A1 (S/S BY MIL-DTL-51353)[CUST: EA]	A	1365		EA	30-APR-02
M	MS22019C NOT 2	ADAPTER, PARACHUTE HARNESS REVERSIBLE QUICK FIT (S/S BY PIA-PS22019)[CUST: GL AS 99]	A	1670		AS	18-MAR-02
M	MS22020B NOT 3	LINK, PARACHUTE HARNESS TRIANGLE (S/S BY PIA-PS22020)[CUST: AS]	A	1670		AS	18-MAR-02
M	MS22003 NOT 2	LINK - LAP SAFETY BELT (S/S BY PIA-PS22003)[CUST: AS 11] [REVIEW: 99]	A	1680		AS	18-MAR-02
M	MIL-F-85421/1 NOT 1	FITTING END, STANDARD DIMENSIONS FOR DYNAMIC BEAM SEAL, MALE (S/S BY SAE-AS85421/1)[CUST: AV AS 99] [REVIEW: 71 CC MC SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/2 NOT 1	FITTING END, STANDARD DIMENSIONS FOR BULKHEAD, DYNAMIC BEAM SEAL, MALE (S/S BY SAE-AS85421/2)[CUST: AV AS 99] [REVIEW: 71 CC MC SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/3 NOT 1	FITTING, TEE, REDUCER, BEAM SEAL, 3000/4000 PSI, 3 MALE ENDS (S/S BY SAE-AS85421/3)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/4 NOT 1	FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN, SWIVEL NUT ON BRANCH (S/S BY SAE-AS85421/4)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/5 NOT 1	FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN AND BRANCH, SWIVEL NUT ON RUN (S/S BY SAE-AS85421/5)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/10 NOT 1	FITTING, ADAPTER, BEAM SEAL, 3000/4000 PSI, MALE TO FLARELESS (S/S BY SAE-AS85421/10)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/11 NOT 1	FITTING, UNION, BEAM SEAL, 3000/4000 PSI, MALE ENDS (S/S BY SAE-AS85421/11)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/12 NOT 1	FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO MALE (S/S BY SAE-AS85421/12)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/13 NOT 1	FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS (S/S BY SAE-AS85421/13)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/14 NOT 1	FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO FEMALE (S/S BY SAE-AS85421/14)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/15 NOT 1	FITTING, ELBOW, 45 DEG., BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS (S/S BY SAE-AS85421/15)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/16 NOT 1	FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON RUN, MALE ENDS (S/S BY SAE-AS85421/16)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	30-APR-02
M	MIL-F-85421/17 NOT 1	FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON BRANCH, MALE ENDS (S/S BY SAE-AS85421/17)[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA]	A	4730		AS	30-APR-02
M	WW-U-516B(1) NOT 2	UNIONS, BRASS OR BRONZE, THREADED PIPE CONNECTIONS AND SOLDER-JOINT TUBE CONNECTIONS (S/S BY A-A-59617)[CUST: CE SH 99 CC] [REVIEW: 71 CG MC SA]	A	4730	/	CC	22-APR-02
M	A-A-55540 NOT 1	REGULATOR, OXYGEN, ACETYLENE, WELDING APPLICATION (S/S BY UL252)[CUST: AR SH 99] [REVIEW: 71 MC SA]	A	4820	/	CC	29-APR-02
M	XX-C-2867 NOT 1	CLEANER, STEAM OR HOT WATER, PRESSURE JET TRAILER-MOUNTED, GASOLINE OR DIESEL ENGINE (NO S/S DOCUMENT)[CUST: SH] [REVIEW: SA]	A	4940	/	CC	21-APR-02
M	GGG-W-686E NOT 1	WRENCH, TORQUE, UNIDIRECTIONAL (S/S BY GGG-W-2843 AND ASME-B107.14M)	A	5120	#	FSS	14-SEP-98
M	MIL-P-5315B(1) NOT 4	PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT (S/S BY SAE-AMS-P-5315)[CUST: AV AS 11] [REVIEW: 82 99 AR EA IS MI]	A	5330	11		28-FEB-02
M	AN5534 REV 2 NOT 1	RESISTOR - THERMOCOUPLE LEAD SPOOL (S/S BY MIL-DTL-7790)[CUST: CR EC 11 CC]	A	5905		CC	06-MAY-02
M	A-A-704G NOT 1	FILE CABINETS, VERTICAL, STEEL (S/S BY A-A-3186)	A	7110	#	FSS	22-MAR-02
M	A-A-1709H NOT 1	FILE CABINETS, LATERAL, STEEL (S/S BY A-A-3187)	A	7110	#	FSS	22-MAR-02
M	A-A-2015D NOT 1	CREDENZA (STEEL, CONTEMPORARY STYLE) (S/S BY A-A-3188)	A	7110	#	FSS	22-MAR-02
M	A-A-2081D NOT 1	CREDENZA (OFFICE, TRADITIONAL STYLE) (S/S BY A-A-3190)	A	7110	#	FSS	22-MAR-02
M	A-A-2086D NOT 1	DESK, (OFFICE, TRADITIONAL STYLE) (S/S BY A-A-3190)	A	7110	#	FSS	22-MAR-02
M	A-A-2087D NOT 1	DESK ATTACHMENT, L-UNIT (OFFICE, TRADITIONAL STYLE) (S/S BY A-A-3190)	A	7110	#	FSS	22-MAR-02
M	A-A-2093D NOT 1	DESK ATTACHMENTS, L-RETURN (STEEL, CONTEMPORARY STYLE) (S/S BY A-A-3188)	A	7110	#	FSS	22-MAR-02
M	A-A-2095D NOT 1	DESK (STEEL, CONTEMPORARY STYLE) (S/S BY A-A-3188)	A	7110	#	FSS	22-MAR-02
M	A-A-2116B NOT 1	FILING CABINETS, SHELF (STEEL, CONTEMPORARY STYLE) (S/S BY A-A-3187)	A	7110	#	FSS	22-MAR-02
M	AA-F-359J NOT 1	FILING CABINETS, STEEL, LEGAL AND LETTER SIZE, VERTICAL (S/S BY A-A-3186)	A	7110	#	FSS	22-MAR-02
M	AA-F-00359K NOT 1	FILLING CABINETS, STEEL, LEGAL AND LETTER SIZE, VERTICAL (S/S BY A-A-3186)	A	7110	#	FSS	22-MAR-02
M	AA-C-1779F NOT 1	FILING CABINET, STEEL LATERAL AND FRONT TO BACK FILING, LEGAL AND LETTER SIZE MATERIAL, GENERAL OFFICE (S/S BY A-A-3187)	A	7110	#	FSS	22-MAR-02
M	AA-C-001779G NOT 1	FILLING CABINET, STEEL, LATERAL AND FRONT TO BACK FILING, LEGAL AND LETTER SIZE MATERIAL, GENERAL OFFICE (S/S BY A-A-3187)	A	7110	#	FSS	22-MAR-02
M	A-A-52145 NOT 1	KETTLES, STEAM JACKETED (STAINLESS STEEL), GAS (S/S BY ASTM-F1602)[CUST: GL SA 99 SS] [REVIEW: 50 84 CG MC MD QM]	A	7310	/	SS	02-MAY-02
M	A-A-52117 NOT 1	TONGS, FOOD SERVICING (NO S/S DOCUMENT)[CUST: GL AS 99 SS] [REVIEW: 50 84 CG MC MD]	A	7330	/	SS	13-MAY-02
M	A-A-1840B NOT 2	MITT, PAINT (S/S BY A-A-2581)	A	8020	#	FSS	09-APR-02
M	A-A-1913B NOT 2	GRID, PAINT ROLLER (S/S BY A-A-2581)	A	8020	#	FSS	09-APR-02
M	A-A-1915B NOT 2	TRAY, PAINT ROLLER (S/S BY A-A-2581)	A	8020	#	FSS	09-APR-02
M	A-A-2121A NOT 2	COVER, PAINT ROLLER (S/S BY A-A-2581)	A	8020	#	FSS	09-APR-02
M	QPL-AMS3281-4 NOT 1	SEALING COMPOUND, POLYSULFIDE (T) SYNTHETIC RUBBER FOR INTEGRAL FUEL TANK AND FUEL CELL CAVITIES LOW DENSITY (1.35 SP GR MAX), FOR INTERMITTENT USE TO 360 DEG. F (182 DEG. C) (USERS MAY REFER TO PRI-QPL-AMS3281)	A	8030	11		17-MAY-02
M	MIL-STD-731A NOT 3	QUALITY OF WOOD MEMBERS FOR CONTAINERS AND PALLETS (S/S BY ASTM-D6199)[Military Standard][CUST: CR4 YD 11] [REVIEW: 13 99 AS CG NP]	A	8115		IS	03-MAY-02
M	STANAG-3330 ED.4(1)	INDICATING ACCELEROMETERS (NO S/S DOCUMENT)	C	ISDF		06	01-JUN-94
M	STANAG-3334 ED.4(1)	DEFUELLING OF AIRCRAFT (NO S/S DOCUMENT)	C	ISDF		06	22-APR-96

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	STANAG-3339 ED.5(1)	FUEL CONTENTS GAUGES (NO S/S DOCUMENT)	C	ISDF		06	05-JUL-90