

**DEPARTMENT OF DEFENSE INDEX OF  
SPECIFICATIONS AND STANDARDS**

---

**DODISS NOTICE**

---

1 JULY 2004 / FOR PERIOD 15 JUNE 2004 TO 30 JUNE 2004 / VOL. 12/ NO. 04

**ATTENTION**

The DODISS NOTICE is published on the 1<sup>st</sup> and 15<sup>th</sup> of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

<http://assist.daps.dla.mil>

**NOTE**

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of "N" (new), or "M" (modified).

"N" indicates that this is a new document that has been entered to our database.

"M" indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-32115(1)	CARTRIDGE, FIRE EXTINGUISHER, AIRCRAFT, CCU-147/A (WB53)[CUST: OS]	A	1377		OS	06-MAY-04
N	MIL-DTL-32108	SPREADER BARS FOR LIFTING SLINGS[CUST: MT 99]	A	3940		MT	11-JUN-04
N	A-A-59579	TEST SET, FUEL CONTROL SYSTEM - AC/DC QUANTITY[CUST: 99]	A	4920	/	84	07-JUN-04
M	QPL-26-152	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), GENERAL SPECIFICATION FOR	A	5905		CC	28-JUN-04
M	QPL-94-99	RESISTORS, VARIABLE, COMPOSITION, GENERAL SPECIFICATION FOR	A	5905		CC	17-JUN-04
M	QPL-39018-71	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CC	16-JUN-04
M	MIL-HDBK-1131A	STORAGE SHELF LIFE AND REFORMING PROCEDURES FOR ALUMINUM ELECTROLYTIC FIXED CAPACITORS[CUST: CR EC 11 CC]	A	5910		CC	14-JUN-04
M	MIL-PRF-19207E SUP 1 NOT 1	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE, INDICATING AND NONINDICATING, GENERAL SPECIFICATION FOR[CUST: CR SH 11] [REVIEW: 19 70 71 84 99 AR AS AT CR4 EC MC MI OS]	A	5920		CC	15-JUN-04
M	W-F-1814/1B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 600 VOLTS, 0-15 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS]	A	5920	/	CC	25-JUN-04
M	W-F-1814/2B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 600 VOLTS, 16-20 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS]	A	5920	/	CC	25-JUN-04
M	W-F-1814/3B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 480 VOLTS, 21-30 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS]	A	5920	/	CC	24-JUN-04
M	W-F-1814/4B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 480 VOLTS, 31-60 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS]	A	5920	/	CC	24-JUN-04
M	MIL-PRF-24236/25C NOT 1	SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 2 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AR AT AV MC MI SH]	A	5930		CC	15-JUN-04
M	QPL-3786-41	SWITCHES, ROTARY (CIRCUIT SELECTOR, LOW-CURRENT CAPACITY), GENERAL SPECIFICATION FOR	A	5930		CC	24-JUN-04
N	MIL-PRF-55339/55	ADAPTER, CONNECTORS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA, CONNECTOR SAVER[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	14-MAY-04
M	MIL-DTL-83513/28A	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935		CC	24-MAY-04
M	MS27472H NOT 1	CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	24-MAY-04
M	MS27473M NOT 1	CONNECTORS, PLUG, ELECTRICAL, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	24-MAY-04
M	MS27474G NOT 1	CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES III[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	24-MAY-04
M	MS27475F NOT 1	CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, SOLDER TYPE, HERMETIC SEAL, SERIES III[CUST: CR AS 11 CC] [REVIEW: 19 80 EC IS MC MI OS]	A	5935		CC	24-MAY-04
M	MS27476F NOT 1	CONNECTOR, RECEPTACLE, ELECTRICAL, BOX MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 EC MC MI OS]	A	5935		CC	24-MAY-04
M	MS27477H NOT 1	CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 80 99 EC MC MI OS]	A	5935		CC	24-MAY-04
M	MS27478F NOT 1	CONNECTORS, RECEPTACLE, ELECTRICAL, SOLDER MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES III[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	24-MAY-04
M	MS27479F NOT 1	CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES III[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	24-MAY-04
M	MS27480G NOT 1	CONNECTORS, PLUG, ELECTRICAL, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	24-MAY-04
M	MS27497N NOT 1	CONNECTORS, RECEPTACLE, ELECTRICAL, BACK PANEL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	24-MAY-04
M	MS27499H NOT 1	CONNECTORS, RECEPTACLE, ELECTRICAL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	24-MAY-04
M	MS27500G NOT 1	CONNECTORS, PLUG, ELECTRICAL, 90 DEGREES ELBOW, CRIMP TYPE, BAYONET COUPLING, SERIES III[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	24-MAY-04
M	MS27504D NOT 1	CONNECTORS, RECEPTACLE, ELECTRICAL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	24-MAY-04
M	MS27508G NOT 1	CONNECTORS, RECEPTACLE, ELECTRICAL, BACK PANEL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES III[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	24-MAY-04
M	MS27513E NOT 1	CONNECTORS, RECEPTACLE, ELECTRICAL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	24-MAY-04
M	QPL-28840-37	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D, GENERAL SPECIFICATION FOR	A	5935		CC	17-JUN-04
M	MS24184M(1)	RELAYS, ELECTROMAGNETIC, 300 AMPERES, 1 PST (N.O.), TYPE I, WITH AUXILIARY CONTACTS, HERMETICALLY SEALED[CUST: CR AS 11 CC] [REVIEW: EC]	A	5945		CC	24-JUN-04
M	MIL-PRF-1/810E NOT 1	ELECTRON TUBE, CATHODE RAY TYPE 5AWP2[CUST: CR EC 11] [REVIEW: 19 99 AS CG CR4 MC OS]	A	5960		CC	24-JUN-04
M	MIL-PRF-1/812D NOT 1	ELECTRON TUBE, POWER TYPE 5D22[CUST: CR EC 11] [REVIEW: 99 AS CG MC OS SH]	A	5960		CC	24-JUN-04
M	MIL-PRF-1/851H NOT 1	ELECTRON TUBE, MAGNETRON JAN 5780[CUST: CR EC 11] [REVIEW: 99 AR AS CG MC MI OS SH]	A	5960		CC	24-JUN-04
M	MIL-PRF-1/866E NOT 1	ELECTRON TUBE, CATHODE RAY TYPES 7ABP7A & 7ABP19A[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI]	A	5960		CC	24-JUN-04
M	MIL-PRF-1/877D NOT 1	ELECTRON TUBE, POWER TYPE 100TH[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH]	A	5960		CC	24-JUN-04
M	MIL-PRF-1/945E NOT 1	ELECTRON TUBE, MAGNETRON TYPES 2I49 AND 2I50[CUST: CR EC 11] [REVIEW: 99 AS AV CG MC OS SH]	A	5960		CC	24-JUN-04
M	MIL-PRF-1/1000B NOT 1	ELECTRON TUBE, GAS SWITCHING TYPE 6164[CUST: CR EC 11] [REVIEW: 99 AR AS CG MC MI OS SH]	A	5960		CC	24-JUN-04
M	MIL-PRF-1/1049H	ELECTRON TUBE, IMAGE CONVERTER TYPE 6914[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC SH]	A	5960		CC	16-JUN-04
M	MIL-PRF-1/1099H	ELECTRON TUBE, THYRATRON TYPES 5948A, 5948B, AND 5948C[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS]	A	5960		CC	16-JUN-04
M	MIL-PRF-19500/397H	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, TYPES 2N3743, 2N3743U4, 2N4930, 2N4930U4, 2N4931, AND 2N4931U4, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 AR AS AV MC MI]	A	5961		CC	17-JUN-04
M	MIL-M-38510/170C	MICROCIRCUITS, DIGITAL, CMOS, AND GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	18-JUN-04
M	MIL-M-38510/351A	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, HEX BUS DRIVERS WITH 3-STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	16-JUN-04
M	MIL-M-38510/352A	MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, NAND BUFFERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	16-JUN-04
M	MIL-STD-883F	MICROCIRCUITS[Test Method Standard][CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD]	A	5962		CC	18-JUN-04

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-24705-7	PENETRATORS, MULTIPLE CABLE FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR	A	5975		SH	10-JUN-04
M	A-A-55541/1A NOT 1	PASSIVE DELAY LINE, 10 TAP, 10 TO 200 NANOSECONDS[CUST: CR EC 11 CC]	A	5999	/	CC	15-JUN-04
M	A-A-59465 NOT 1	DELAY LINE, ACTIVE, GENERAL REQUIREMENTS FOR[CUST: CR EC 11 CC]	A	5999	/	CC	15-JUN-04
M	A-A-59465/1 NOT 1	DELAY LINE, ACTIVE, 14 PIN SURFACE MOUNT, 5 TAP, 5 TO 500 NANOSECONDS[CUST: CR EC 11 CC]	A	5999	/	CC	15-JUN-04
M	QPL-13486-27	CABLES, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR AND MULTIPLE CONDUCTOR, SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR	A	6145		CC	24-JUN-04
M	QPL-25038-34	WIRE, ELECTRICAL, HIGH TEMPERATURE FIRE RESISTANT, AND FLIGHT CRITICAL	A	6145		CC	24-JUN-04
M	QPL-38359-18	CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING, CROSS-LINKED, POLYETHYLENE ( XLP)	A	6145		CC	24-JUN-04
N	SAE-AS5756	CABLE, POWER, ELECTRICAL, PORTABLE GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
N	SAE-AS5756/1	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, NON-OZONE RESISTANT[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
N	SAE-AS5756/2	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, OZONE RESISTANT[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
N	SAE-AS5756/3	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
N	SAE-AS5756/4	CABLE, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR, OZONE RESISTANT[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
N	SAE-AS5756/5	CABLE, 3-PHASE POWER, ELECTRIC, PORTABLE, MULTICONDUCTOR, 90 DEGREES C, 600V, OZONE RESISTANT, SPLIT NEUTRAL[CUST: CR AS 11 CC] [REVIEW: SH]	A	6145		AS	28-JUN-04
N	SAE-AS5756/6	CABLE, 3-PHASE POWER, ELECTRIC, PORTABLE, MULTICONDUCTOR, 90 DEGREES C, 600V, OZONE RESISTANT, SPLIT PHASE[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
M	A-A-59372A	CALIBRATOR, OSCILLOSCOPE[CUST: 99]	A	6625	/	84	25-JUN-04
N	A-A-59578	COMMERCIAL ITEM DESCRIPTION GENERATOR, FUNCTION (0.1 HZ TO 4 MHZ)[CUST: 99]	A	6625	/	84	10-JUN-04
N	A-A-59577	TESTER, FLASH POINT ASTM D93 METHOD A AND B[CUST: 99]	A	6630	/	84	25-JUN-04
N	A-A-59603	TESTING KIT, PETROLEUM, FUEL SYSTEM ICING INHIBITOR[CUST: 99]	A	6630	/	84	22-JUN-04
M	QPL-131-45(1)	BARRIER MATERIALS, WATERVAPORPROOF, GREASEPROOF, FLEXIBLE, HEAT-SEALABLE	A	8135		AS	21-JUN-04
M	MIL-DTL-31008A	JACKET, SECURITY FORCES, COLD WEATHER[CUST: 11]	A	8415		CT	22-JUN-04
M	MIL-DTL-3628/223C	BADGE, QUALIFICATION, PERSONAL WATER CRAFT COURSE (PWC) OPERATOR'S DEVICE, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT]	A	8455		IH	18-JUN-04
M	MIL-DTL-3943/249C	MEDAL, CIVILIAN DESERT SHIELD/DESERT STORM[CUST: IH NU 11] [REVIEW: 99 CT MC]	A	8455		IH	18-JUN-04
M	MIL-DTL-3943/307A	MEDAL, GLOBAL WAR ON TERRORISM EXPEDITIONARY MEDAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT]	A	8455		IH	18-JUN-04
M	MIL-DTL-3943/308A	MEDAL, GLOBAL WAR ON TERRORISM SERVICE MEDAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT]	A	8455		IH	18-JUN-04
N	MIL-DTL-3943/314	DECORATION, 9-11 MEDAL, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT]	A	8455		IH	15-JUN-04
N	MIL-DTL-11484/303	LAPEL BUTTON, 9-11 RIBBON, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT]	A	8455		IH	15-JUN-04
N	MIL-DTL-11484/304	LAPEL BUTTON, 9-11 MEDAL, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT]	A	8455		IH	15-JUN-04
M	MIL-DTL-11589/212F	RIBBON, AFROTC COLLEGE SCHOLARSHIP RECIPIENT AND AFJROTC DISTINGUISHED UNIT AWARD[CUST: IH 11] [REVIEW: CT]	A	8455		IH	18-JUN-04
M	MIL-DTL-11589/213E	RIBBON, AFROTC HONORS AND AFJROTC TOP PERFORMER AWARD[CUST: IH 11] [REVIEW: CT]	A	8455		IH	18-JUN-04
M	MIL-DTL-11589/359E	RIBBON, CIVILIAN DESERT SHIELD/DESERT STORM[CUST: IH NU 11] [REVIEW: 99 CT MC]	A	8455		IH	18-JUN-04
M	MIL-DTL-11589/587B	RIBBON, 9-11 RIBBON, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT]	A	8455		IH	15-JUN-04
N	MIL-DTL-11589/592	RIBBON, 9-11 MEDAL, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT]	A	8455		IH	15-JUN-04
M	A-A-20296A	SANDWICH CRACKERS[CUST: GL SA 35] [REVIEW: MC MD QM]	A	8920	/	SS	16-AUG-04
M	DOD-PRF-85734A	LUBRICATING OIL, HELICOPTER TRANSMISSION SYSTEM, SYNTHETIC BASE[CUST: AT AS 11 GS] [REVIEW: 68 AR AV SH]	A	9150		AS	29-JUN-04
M	QPL-63460-28	LUBRICANT, CLEANER AND PRESERVATIVE FOR WEAPONS AND WEAPONS SYSTEMS (METRIC)	A	9150		AR	17-JUN-04
M	MIL-W-181A NOT 2	WAX (CANDELILLA)[CUST: OS]	A	9160		OS	22-JUN-04
M	QPL-87252-2	COOLANT FLUID, HYDROLYTICALLY STABLE, DIELECTRIC	A	9160		11	09-JUN-04
M	MIL-P-46183(2) NOT 1	PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYETHERETHERKETONE (PEEK)[CUST: MR 11] [REVIEW: 03 84 99 AT AV GL IS MD]	A	9330		MR	28-JUN-04
N	AA-ADM1	ALUMINUM DESIGN MANUAL[CUST: MR YD 11]	A	FACR		YD	12-MAY-04
N	AA-ASD1	ALUMINUM STANDARDS AND DATA[CUST: MR YD 11]	A	FACR		YD	12-MAY-04
N	AA-ASM35	SPECIFICATIONS FOR ALUMINUM SHEET METAL WORK IN BUILDING CONSTRUCTION[CUST: MR YD 11]	A	FACR		YD	12-MAY-04
N	AA-DAF45	DESIGNATION SYSTEM FOR ALUMINUM FINISHES[CUST: MR YD 11]	A	FACR		YD	12-MAY-04
N	AA-PK1	PINK SHEETS: DESIGNATIONS AND CHEMICAL COMPOSITION LIMITS FOR ALUMINUM ALLOYS IN THE FORM OF CASTINGS AND INGOT[CUST: MR YD 11]	A	FACR		YD	12-MAY-04
N	AA-STFA601711	SURFACE TREATMENT AND FINISHING OF ALUMINUM AND ITS ALLOYS[CUST: MR YD 11]	A	FACR		YD	12-MAY-04
N	ABMA7	SHAFT AND HOUSING FITS FOR METRIC RADIAL BALL AND ROLLER BEARINGS (EXCEPT TAPERED ROLLER BEARINGS) CONFORMING TO BASIC BOUNDARY PLAN[CUST: MR YD 11]	A	FACR		YD	25-MAY-04
N	ABMA-MANUAL	ANTI-FRICTION BEARING MAINTENANCE MANUAL[CUST: MR YD 11]	A	FACR		YD	25-MAY-04
N	AGMA6011	SPECIFICATIONS FOR HIGH SPEED HELICAL GEAR UNITS[CUST: MR YD 11]	A	FACR		YD	02-JUN-04
N	AGMA6023	DESIGN MANUAL FOR ENCLOSED EPICYCLIC GEAR DRIVES[CUST: MR YD 11]	A	FACR		YD	02-JUN-04
N	AGMA6025	SOUND FOR ENCLOSED HELICAL, HERRINGBONE AND SPIRAL BEVEL GEAR DRIVES[CUST: MR YD 11]	A	FACR		YD	02-JUN-04
N	AGMA9005	GEAR LUBRICATION, INDUSTRIAL[CUST: MR YD 11]	A	FACR		YD	02-JUN-04
N	AREMA-MANUAL	MANUAL FOR RAILWAY ENGINEERING[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	AREMA-TRACKPLANS	PORTFOLIO OF TRACKWORK PLANS[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	ASCE2	OXYGEN TRANSFER IN CLEAN WATER, MEASUREMENT OF[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	ASCE7	BUILDINGS AND OTHER STRUCTURES, MINIMUM DESIGN LOADS FOR[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	ASCE25	EARTHQUAKE-ACTIVATED AUTOMATIC GAS SHUTOFF DEVICES[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	ASCE-REPORT-NO13	SEWAGE TREATMENT PLANTS, FILTERING MATERIALS FOR[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	BSI4994	VESSELS AND TANKS IN REINFORCED PLASTICS, DESIGN AND CONSTRUCTION OF[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	CTI-STD103	REDWOOD LUMBER SPECIFICATIONS[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	CTI-STD111	GEAR SPEED REDUCERS[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	CTI-STD112	LUMBER, PRESSURE PRESERVATIVE TREATMENT OF[CUST: MR YD 11]	A	FACR		YD	03-JUN-04

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
N	CTI-STD114	DOUGLAS FIR LUMBER SPECIFICATIONS (COAST TYPE)[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	CTI-STD134	PLYWOOD FOR USE IN COOLING TOWERS[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	CTI-STD137	FIBERGLASS PULTRUDED STRUCTURAL PRODUCTS FOR USE IN COOLING TOWERS[CUST: MR YD 11]	A	FACR		YD	03-JUN-04
N	STANAG-4620 ED.1	EXPLOSIVES, NITROCELLULOSE BASED PROPELLANTS, STABILITY TEST PROCEDURES AND REQUIREMENTS USING STABILIZER DEPLETION - IMPLEMENTATION OF AOP-48	C	ISDA		AI	PENDING
M	DI-MISC-81538A	SPECIAL TOOLING (ST) REPORT FOR ELECTRONIC INFORMATIONMANAGEMENT SYSTEM (ETIMS) [AMSC: N7526]	A	MISC		SA	17-MAY-04
M	DI-MISC-81539A	SPECIAL TEST EQUIPMENT (STE) REPORT FOR ELECTRONIC TOOLING INFORMATION MANAGEMENT SYSTEM (ETIMS) [AMSC: N7527]	A	MISC		SA	17-MAY-04
N	DI-SESS-81646	CONFIGURATION AUDIT PLAN [AMSC: N7528]	A	SESS		SA	16-JUN-04
M	MIL-STD-188-164A(2)	INTEROPERABILITY OF SHF SATELLITE COMMUNICATIONS EARTH TERMINALS[Interface Standard][CUST: CR EC 02 NS][REVIEW: 11 13 93 AC CG CM DC5 DH DI IR MC MI MP NC OM PT SE TD US]	C	TCSS		DC1	08-JUN-04
M	MIL-DTL-45210B NOT 1	WELDING, RESISTANCE, SPOT: WELDABLE ALUMINUM ALLOYS[CUST: MR]	A	THJM		MR	28-JUN-04

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MS27380D NOT 2	LANYARD, FLUID TANK CAP[CUST: AV AS 99] [REVIEW: 71]	A	1560		GS1	16-JUN-04
M	MS28889L NOT 2	VALVE, AIR, HIGH PRESSURE CHARGING, 5000 PSI[CUST: AV AS 99]	A	4820		71	18-JUN-04
M	MIL-T-85413/5A NOT 2	TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 5[CUST: AS] [REVIEW: GS]	A	4920		AS	17-JUN-04
M	MIL-T-85413/7A NOT 2	TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 7[CUST: AS] [REVIEW: GS]	A	4920		AS	17-JUN-04
M	MIL-N-85516A NOT 2	NAVIGATION SET, INERTIAL AN/ASN-130A, AIRCRAFT[CUST: AS] [REVIEW: GS]	A	5826		AS	17-JUN-04
M	MIL-R-85693/2 NOT 2	RECEIVER, ADVANCED SONOBUOY COMMUNICATION LINK, AN/ARR-78(V) (2) S-3B CONFIGURATION[CUST: AS]	A	5845		AS	17-JUN-04
M	MIL-C-39018/10A	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE)(POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR92 (INSULATED)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	24-JUN-04
M	MIL-F-18327/46C(1) NOT 2	FILTERS, BAND PASS, TELEMETRY, TYPE FR7RX22ZZ1[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS]	A	5915		CC	15-JUN-04
M	MIL-DTL-13623D	SWITCH, ROTARY, 28 VOLT DC[CUST: AT CC]	A	5930		CC	07-JUN-04
M	MIL-DTL-28788/1C	SWITCHES, LIQUID FLOW, SINGLE POLE, DOUBLE THROW (SPDT), 3 AMPERES, OPERATING TEMPERATURE (32 F TO 185 F)[CUST: CR EC 11 CC]	A	5930		CC	23-JUN-04
M	MIL-S-83504/3A(1) NOT 3	SWITCH, DUAL IN LINE PACKAGE (DIP) SLIDE ACTUATOR, LOW PROFILE, SINGLE THROW STATIONS, SEALED BASE[CUST: CR EC 11 CC]	A	5930		CC	15-JUN-04
M	MS90547D NOT 2	SWITCH ROTARY 28/125 VOLTS[CUST: CR EC 11 CC]	A	5930		CC	15-JUN-04
M	QPL-28827-7	SWITCHES, THERMOSTATIC (VOLATILE LIQUID), HERMETICALLY SEALED, GENERAL SPECIFICATION FOR	A	5930		CC	16-JUN-04
M	MS25251A NOT 2	PLUG, END SEAL, ELECTRIC CONNECTOR[CUST: CR AS 11 CC] [REVIEW: 99 CR4 MI]	A	5935		CC	06-MAY-04
M	QPL-26518-16	CONNECTORS, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTING, 200 DEG. C AMBIENT TEMPERATURE	A	5935		CC	17-JUN-04
M	MIL-M-38510/61C	MICROCIRCUITS, DIGITAL, ECL, FLIP-FLOPS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	15-JUN-04
M	MIL-M-38510/360B	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, PRIORITY ENCODERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	25-JUN-04
M	MIL-B-18/250A NOT 2	BATTERY, DRY, BA-399/U[CUST: CR]	A	6135		GS2	15-JUN-04
M	MIL-B-18/253A NOT 2	BATTERY, DRY, BA-1100/U[CUST: CR SH 99]	A	6135		GS2	15-JUN-04
M	QPL-25950-26	INDICATOR, PRESSURE, OIL, 0-100 PSI	A	6620		71	24-JUN-04
M	QPL-46000-19	LUBRICANT, SEMI-FLUID (AUTOMATIC WEAPONS)	A	9150		AR	16-JUN-04

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-S-24036E NOT 1	SAWS, BAND, CUTOFF, HORIZONTAL, NON-ADJUSTABLE AND ADJUSTABLE CUTTING ANGLE (NO S/S DOCUMENT)[CUST: SM SH 99] [REVIEW: 84 MC]	A	3405		GS6	22-JUN-04
M	A-A-59233 NOT 1	ELECTRICAL DISCHARGE MACHINE, COMPUTER NUMERICAL CONTROL (CNC), WIRE (NO S/S DOCUMENT)[CUST: AR SH 99 GS6] [REVIEW: 84 AV CR4 SA]	A	3410	/	GS6	22-JUN-04
M	ASTM-D2949	DRAIN, PLASTIC, WASTE, AND VENT PIPE AND FITTINGS, 3.25-IN. OUTSIDE DIAMETER POLY(VINYL CHLORIDE) (PVC) (NO S/S DOCUMENT)[CUST: AR SH 99 CC] [REVIEW: 71 MC SA]	A	4710		CC	10-JUN-04
M	ASTM-D2992	PIPE AND FITTINGS, OBTAINING HYDROSTATIC OR PRESSURE DESIGN BASIS FOR "FIBERGLASS" (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 MC SA]	A	4710		CC	10-JUN-04
M	ASTM-D2996	PIPE, FILAMENT-WOUND FIBERGLASS (GLASS-FIBER-REINFORCED THERMOSETTING RESIN) (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 CE MC SA]	A	4710		CC	10-JUN-04
M	ASTM-D2997	PIPE, CENTRIFUGALLY CAST "FIBERGLASS" (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 MC SA]	A	4710		CC	10-JUN-04
M	ASTM-D3000	PIPE, PLASTIC, POLYBUTYLENE (PB), (SDR-PR) BASED ON OUTSIDE DIAMETER (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 MC MR SA]	A	4710		CC	10-JUN-04
M	ASTM-D3035	POLYETHYLENE (PE) PLASTIC PIPE (DR-PR) BASED ON CONTROLLED OUTSIDE DIAMETER (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: CE MC SA]	A	4710		CC	10-JUN-04
M	MIL-C-5756C NOT 1	CABLE, POWER, ELECTRICAL, PORTABLE GENERAL SPECIFICATION FOR (S/S BY SAE-AS5756)[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
M	MIL-C-5756/1 NOT 1	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, NON-OZONE RESISTANT (S/S BY SAE-AS5756/1)[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
M	MIL-C-5756/2(1) NOT 1	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, OZONE RESISTANT (S/S BY SAE-AS5756/2)[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
M	MIL-C-5756/3(1) NOT 1	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR (S/S BY SAE-AS5756/3)[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
M	MIL-C-5756/4(1) NOT 1	CABLE, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR, OZONE RESISTANT (S/S BY SAE-AS5756/4)[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
M	MIL-C-5756/5 NOT 1	CABLE, 3-PHASE POWER, ELECTRIC, PORTABLE, MULTICONDUCTOR, 90 DEG. C, 600V, OZONE RESISTANT, SPLIT NEUTRAL (S/S BY SAE-AS5756/5)[CUST: CR AS 11 CC] [REVIEW: SH]	A	6145		AS	28-JUN-04
M	MIL-C-5756/6 NOT 1	CABLE, 3-PHASE POWER, ELECTRIC, PORTABLE, MULTICONDUCTOR, 90 DEG. C, 600V, OZONE RESISTANT, SPLIT PHASE (S/S BY SAE-AS5756/6)[CUST: CR AS 11 CC]	A	6145		AS	28-JUN-04
M	A-A-59104 NOT 1	INSECT REPELLENT, CLOTHING AND PERSONAL APPLICATION (NO S/S DOCUMENT)[CUST: GL1 SH 68] [REVIEW: MC MD1 MS PM YD]	A	6840	/	GS3	16-JUN-04
M	MIL-C-25107B NOT 4	CARBON REMOVING COMPOUND, ORTHODICHLOROBENZENE, FOR ENGINE PARTS (NO S/S DOCUMENT)[CUST: OS]	A	6850		GS3	16-JUN-04