

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

1 JUNE 2004 / FOR PERIOD 15 MAY 2004 TO 31 MAY 2004 / VOL. 10/ NO. 04

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

<http://assist.daps.dla.mil>

NOTE

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of "N" (new), or "M" (modified).

"N" indicates that this is a new document that has been entered to our database.

"M" indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-60477B(1)	PROJECTILE, 155MM, SMOKE, WP, M110A2, LOADING AND ASSEMBLING[CUST: EA] [REVIEW: AR]	D	1320		EA	13-MAY-04
M	QPL-83178-13	REGULATOR, OXYGEN, DILUTER-DEMAND, AUTOMATIC-PRESSURE-BREATHING, CRU-73A GENERAL SPECIFICATION FOR	A	1660		71	25-MAY-04
M	MS16070F	BELT, AIRCRAFT SAFETY, CREWMAN'S[CUST: AS 11]	A	1680		GS1	19-MAY-04
M	A-A-59210B	TRACTOR, AIRCRAFT TOWING, MB-4[CUST: 99]	A	1740	/	84	26-MAY-04
M	A-A-59599B	BEARING, BALL, ANNULAR, DOUBLE ROW, RADIAL, INTERNAL SELF-ALIGNING, DIMENSION SERIES 22[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI]	A	3110	/	GS4	27-MAY-04
M	A-A-59600B	BEARING, BALL, ANNULAR, DOUBLE ROW, RADIAL, INTERNAL SELF-ALIGNING, DIMENSION SERIES 23[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI]	A	3110	/	GS4	27-MAY-04
M	A-A-59623A	BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 11 THROUGH 22, DIMENSION SERIES 19[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI]	A	3110	/	GS4	27-MAY-04
M	A-A-59624A	BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 11 THROUGH 22, DIMENSION SERIES 10[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI]	A	3110	/	GS4	27-MAY-04
M	A-A-59625A	BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 11 THROUGH 22, DIMENSION SERIES 02[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI]	A	3110	/	GS4	27-MAY-04
M	A-A-59626A	BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 11 THROUGH 22, DIMENSION SERIES 03[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI]	A	3110	/	GS4	27-MAY-04
M	QPL-22200-65	ELECTRODES, WELDING, COVERED, GENERAL SPECIFICATION FOR	A	3439		SH	21-MAY-04
N	SAE-AMS-WW-T-700	TUBE, ALUMINUM AND ALUMINUM ALLOY, DRAWN, SEAMLESS, GENERAL SPECIFICATION FOR[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS]	A	4710		AS	20-MAY-04
N	SAE-AMS-WW-T-700/1	TUBE, ALUMINUM, DRAWN, SEAMLESS, 1100[CUST: MR AS 11 CC] [REVIEW: AR MC MI OS SH]	A	4710		AS	20-MAY-04
N	SAE-AMS-WW-T-700/2	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 3003[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS SH]	A	4710		AS	20-MAY-04
N	SAE-AMS-WW-T-700/3	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 2024[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS]	A	4710		AS	20-MAY-04
N	SAE-AMS-WW-T-700/4	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5052[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS SH]	A	4710		AS	20-MAY-04
N	SAE-AMS-WW-T-700/5	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5086[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS]	A	4710		AS	20-MAY-04
N	SAE-AMS-WW-T-700/6	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 6061[CUST: MR AS 11 CC] [REVIEW: AR CR4 EA MC OS SH]	A	4710		AS	20-MAY-04
N	SAE-AMS-WW-T-700/7	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 7075[CUST: MR AS 11 CC] [REVIEW: 99 AR CR4 MC MI OS]	A	4710		AS	20-MAY-04
M	MIL-DTL-26666F	HOSE ASSEMBLY, PNEUMATIC, HIGH PRESSURE[CUST: AR SH 99 CC] [REVIEW: 70 AS AT MC MI SA]	A	4720		CC	23-APR-04
M	QPL-8794-25	HOSE, ELASTOMERIC - HYDRAULIC FLUID, FUEL, AND OIL RESISTANT	A	4720		CC	26-MAY-04
M	A-A-52524/11 NOT 2	SEAL, PLAIN ENCASED: ONE FELT, PLUS ONE LEATHER OR SYNTHETIC ELASTOMER SEALING MEMBER SPRING LOADED[CUST: AT] [REVIEW: AR]	A	5330	/	AT	17-MAY-04
M	QPL-85670-7	ANTENNA, BROADBAND, AS-3191/A, AS-3792/A, AND AS-3793/A	A	5821		CC	26-MAY-04
M	MIL-PRF-11693D(1)	CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC]	A	5910		CC	18-MAY-04
M	QPL-19207-45	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, GENERAL SPECIFICATION FOR	A	5920		CC	25-MAY-04
M	QPL-3950-24	SWITCHES, TOGGLE, ENVIRONMENTALLY SEALED, GENERAL SPECIFICATION FOR	A	5930		CC	26-JUN-04
M	MIL-PRF-31031/1B	CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, FLANGE MOUNT, FOR FLEXIBLE CABLE, SOCKET CONTACT, HIGH RELIABILITY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	12-APR-04
N	MIL-DTL-28748/15	CONNECTORS, ELECTRICAL, HEXAGONAL, RACK AND PANEL, MINIATURE, PLUG-RECEPTACLE, FEMALE SOLDER CUP OR PRINTED WIRING BOARD SOCKET CONTACTS, SIZE 20[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	12-APR-04
N	MIL-DTL-28748/16	CONNECTORS, ELECTRICAL, HEXAGONAL, RACK AND PANEL, MINIATURE, PLUG-RECEPTACLE, FEMALE SOLDER CUP PIN CONTACTS, SIZE 20[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	12-APR-04
M	MIL-DTL-28840/1D	CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, STRAIGHT, OPEN, FOR ELECTRICAL CONNECTORS[CUST: EC CC] [REVIEW: OS SH YD]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/2D	CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, 90, OPEN, FOR ELECTRICAL CONNECTORS[CUST: EC CC] [REVIEW: OS SH YD]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/3D	CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, 45, OPEN, FOR ELECTRICAL CONNECTORS[CUST: EC CC] [REVIEW: OS SH YD]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/5B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, STRAIGHT, METAL CONDUIT FOR EMI SHIELDING[CUST: EC CC]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/6C	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, STRAIGHT, CABLE SEALING AND SHIELD TERMINATION, CONNECTOR, ELECTRIC[CUST: EC CC] [REVIEW: OS SH]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/23B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, GLAND NUT, WIRING[CUST: EC CC]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/25B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 90, METAL CONDUIT FOR EMI SHIELDING[CUST: EC CC]	A	5935		CC	20-APR-04
M	MIL-DTL-28840/30B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT COUPLING[CUST: EC CC]	A	5935		CC	20-APR-04
M	QPL-31031-3	CONNECTORS, ELECTRICAL, PLUGS AND RECEPTACLES, COAXIAL, RADIO FREQUENCY, HIGH RELIABILITY, FOR FLEXIBLE AND SEMIRIGID CABLES, GENERAL SPECIFICATION FOR	A	5935		CC	17-MAY-04
M	QPL-39024-34	JACK, TIP (TEST POINT, PANEL OR PRINTED WIRING TYPE), GENERAL SPECIFICATION FOR	A	5935		CC	26-JUN-04
M	A-A-59287A	TERMINAL, STUD FEEDTHRU, SINGLE[CUST: MI AS 11] [REVIEW: 99]	A	5940	/	GS2	27-MAY-04
M	MS17981D(1)	SOLENOID, ELECTRICAL, HORN, 24 VOLT DC[CUST: AT CC]	A	5945		CC	28-MAY-04
M	QPL-1-150	ELECTRON TUBES, GENERAL SPECIFICATION FOR	A	5960		CC	26-MAY-04
M	MIL-PRF-19500/393E	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER, TYPES 2N3418, 2N3418S, 2N3418U4, 2N3419, 2N3419S, 2N3419U4, 2N3420, 2N3420U4, 2N3420S, 2N3421, 2N3421S, AND 2N3421U4, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AV MC MI]	A	5961		CC	25-MAY-04
M	MIL-PRF-19500/552C	SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR, TYPES 1N6469 THROUGH 1N6476, 1N6469US THROUGH 1N6476US, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5961		CC	14-MAY-04
M	MIL-M-38510/122C	MICROCIRCUITS, LINEAR, HIGH SLEW RATE OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-MAY-04

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-M-38510/350A	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, QUAD 2-PORT REGISTERS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-MAY-04
M	MIL-HDBK-780D	STANDARD MICROCIRCUIT DRAWINGS[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AR AS CG MC MI SH SM TD]	A	5962		CC	28-MAY-04
M	MIL-DTL-32015A	MICROPHONES, LINEAR, GENERAL SPECIFICATION FOR[CUST: AS]	A	5965		AS	05-MAY-04
M	MIL-DTL-32015/1A	MICROPHONE, LINEAR, BOOM TYPE M-177/AIC[CUST: AS]	A	5965		AS	06-MAY-04
M	MIL-DTL-32015/2B	MICROPHONE, LINEAR, MBU-12, -20P AND 23/P OXYGEN MASKS M-176/AIC[CUST: AS]	A	5965		AS	06-MAY-04
M	MIL-DTL-32015/5	MICROPHONES, LINEAR, CHEMICAL, BIOLOGICAL, RADIOLOGICAL (CBR), NON-OXYGEN MASK[CUST: AS]	A	5965		AS	09-APR-04
M	MIL-DTL-83511/4C	HEADSET - MICROPHONE H-161F/GR[CUST: CR EC 11 CC]	A	5965		CC	11-MAR-04
M	MIL-DTL-15370/11D	COUPLERS, DIRECTIONAL DUAL (COAXIAL, SERIES N CONNECTORS)[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS SH]	A	5985		CC	10-MAY-04
M	MIL-DTL-39030/20C	DUMMY LOADS, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, LOW POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH]	A	5985		CC	09-APR-04
M	QPL-28837-11	MIXER STAGES, RADIO FREQUENCY, GENERAL SPECIFICATION FOR	A	5985		CC	26-MAY-04
N	IPC-TM650.2.1.1	MICROSECTIONING, MANUAL METHOD[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.1.1.2	MICROSECTIONING-SEMI OR AUTOMATIC TECHNIQUE MICROSECTION EQUIPMENT (ALTERNATE)[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.1.8	WORKMANSHIP[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.2.1	MECHANICAL DIMENSIONAL VERIFICATION[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.2.2	OPTICAL DIMENSIONAL VERIFICATION[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.3.4	CHEMICAL RESISTANCE, MARKING PAINTS AND INKS[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.3.15	PURITY, COPPER FOIL OR PLATING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.3.25	SURFACE, IONIZABLE, CONTAMINANTS BY RESISTIVITY OF SOLVENT EXTRACT (ROSE), DETECTION AND MEASUREMENT OF[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.3.38	SURFACE ORGANIC CONTAMINANT DETECTION TEST[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.3.39	SURFACE ORGANIC CONTAMINANT IDENTIFICATION TEST (INFRARED ANALYTICAL METHOD)[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.4.1	ADHESION, TAPE TESTING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.4.1.1	ADHESION, MARKING PAINTS AND INK[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.4.3	FLEXURAL ENDURANCE, FLEXIBLE PRINTED WIRING MATERIALS[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.4.3.1	FLEXURAL FATIGUE AND DUCTILITY, FLEXIBLE PRINTED WIRING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.4.18.1	TENSILE STRENGTH AND ELONGATION, IN-HOUSE PLATING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.4.20	TERMINAL BOND STRENGTH, FLEXIBLE PRINTED WIRING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.4.21	LAND BOND STRENGTH, UNSUPPORTED COMPONENT HOLE[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.4.22	BOW AND TWIST (PERCENTAGE)[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.4.28	ADHESION, SOLDER MASK (NON-MELTING METALS)[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.4.28.1	ADHESION, SOLDER RESIST (MASK) TAPE TEST METHOD[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.4.36	REWORK SIMULATION, PLATED-THROUGH HOLES FOR LEADED COMPONENTS[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.5.7	DIELECTRIC WITHSTANDING VOLTAGE, PCB[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.6.4	OUTGASSING, PRINTED BOARDS[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.6.7	THERMAL SHOCK AND CONTINUITY, PRINTED BOARD[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.6.7.2	THERMAL SHOCK, CONTINUITY AND MICROSECTION, PRINTED BOARD[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.6.8	THERMAL STRESS, PLATED-THROUGH HOLES[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.6.10	X-RAY (RADIOGRAPHY), MULTILAYER PRINTED WIRING PRINTED BOARD TEST METHODS[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
N	IPC-TM650.2.6.26	DC CURRENT INDUCED THERMAL CYCLING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI]	A	5998		CC	24-MAY-04
M	MIL-DTL-17/226A	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .870[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	14-MAY-04
M	QPL-3702-15	CABLE, POWER, ELECTRICAL: IGNITION, HIGH-TENSION	A	6145		CC	14-MAY-04
M	QPL-16034-59	METERS, ELECTRICAL-INDICATING (SWITCHBOARD AND PORTABLE TYPES)	A	6625		SH	14-MAY-04
M	QPL-25017-20	INHIBITOR, CORROSION/LUBRICITY IMPROVER, FUEL SOLUBLE	A	6850		68	31-MAY-04
M	QPL-17331-103(3)	LUBRICATING OIL, STEAM TURBINE AND GEAR, MODERATE SERVICE	A	9150		SH	17-MAY-04

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-7899-19	VALVES, CHECK, AIRCRAFT FUEL SYSTEM	A	4820	71		10-MAY-04
M	QPL-11015-120	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) GENERAL SPECIFICATION FOR	A	5910	CC		25-MAY-04
M	MIL-C-3655/10A NOT 2	CONNECTOR SHIELD, ELECTRICAL (COAXIAL, SERIES TWIN), TYPE MX-1556/U[CUST: CR EC 11 CC] [REVIEW: 19 AS AT MC MI OS SH]	A	5935	CC		18-MAY-04
M	QPL-27535-10	TRANSFORMER, POWER, ISOLATION: SERIES CIRCUIT AIRPORT LIGHTING, GENERAL SPECIFICATION FOR	A	5950	CC		17-MAY-04
M	MIL-M-38510/5D	MICROCIRCUITS, DIGITAL, TTL, AND-OR-INVERT GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		01-JUN-04

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	WW-T-700F(1) NOT 2	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, GENERAL SPECIFICATION FOR (S/S BY SAE-AMS-WW-T-700)[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS]	A	4710	/	AS	20-MAY-04
M	WW-T-700/1E NOT 2	TUBE, ALUMINUM, DRAWN, SEAMLESS, 1100 (S/S BY SAE-AMS-WW-T-700/1)[CUST: MR AS 11 CC] [REVIEW: AR MC MI OS SH]	A	4710	/	AS	20-MAY-04
M	WW-T-700/2E NOT 2	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 3003 (S/S BY SAE-AMS-WW-T-700/2)[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS SH]	A	4710	/	AS	20-MAY-04
M	WW-T-700/3F(1) NOT 2	TUBE, ALUMINUM ALLOY DRAWN, SEAMLESS, 2024 (S/S BY SAE-AMS-WW-T-700/3)[CUST: MR AS 11 CC] [REVIEW: AR CR MC MI OS]	A	4710	/	AS	20-MAY-04
M	WW-T-700/4F(1) NOT 2	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5052 (S/S BY SAE-AMS-WW-T-700/4)[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS SH]	A	4710	/	AS	20-MAY-04
M	WW-T-700/5E NOT 2	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5086 (S/S BY SAE-AMS-WW-T-700/5)[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS]	A	4710	/	AS	20-MAY-04
M	WW-T-700/6F(2) NOT 2	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 6061 (S/S BY SAE-AMS-WW-T-700/6)[CUST: MR AS 11 CC] [REVIEW: AR CR4EA MC OS SH]	A	4710	/	AS	20-MAY-04
M	WW-T-700/7B NOT 2	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 7075 (S/S BY SAE-AMS-WW-T-700/7)[CUST: MR AS 11 CC] [REVIEW: 99 AR CR4 MC MI OS]	A	4710	/	AS	20-MAY-04
M	ASTM-D2447	POLYETHYLENE (PE) PLASTIC PIPE, SCHEDULES 40 AND 80, BASED ON OUTSIDE DIAMETER (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 CE MC SA]	A	4710		CC	09-APR-04
M	ASTM-D2513	GAS, THERMOPLASTIC, PRESSURE PIPE, TUBING, AND FITTINGS (NO S/S DOCUMENT)[CUST: MR SH 99 CC] [REVIEW: 71 MC MD SA]	A	4710		CC	09-APR-04
M	ASTM-D2662	PIPE, POLYBUTYLENE (PB) PLASTIC, (SIDR-PR) BASED ON CONTROLLED INSIDE DIAMETER (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 MC SA]	A	4710		CC	09-APR-04
M	ASTM-D2666	TUBING, POLYBUTYLENE (PB) PLASTIC (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 MC SA]	A	4710		CC	09-APR-04
M	ASTM-D2680	SEWER PIPING, COMPOSITE, ACRYLONITRILE-BUTADIENE-STYRENE (ABS) AND POLY(VINYL CHLORIDE) (PVC) (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 MC SA]	A	4710		CC	09-APR-04
M	ASTM-D2468	ACRYLONITRILE-BUTADIENE-STYRENE (ABS) PLASTIC PIPE FITTINGS, SCHEDULE 40 (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 CE MC SA]	A	4730		CC	09-APR-04
M	MIL-H-26827 NOT 3	HANDSET-HEADSET H-108()/H AND CORD CX-1245()U (7 FT 6 IN) (NO S/S DOCUMENT)[CUST: 11 CC]	A	5965		CC	21-MAY-04
M	A-A-50550 NOT 1	KITCHEN CENTER UNIT - QUICK CONNECT SYSTEM: TO INCLUDE KITCHENETTE-SINK, COUNTERTOP/CABINET, UNDERCOUNTER, REFRIGERATOR, MICROWAVE OVEN, AND BURNER COOKTOPS (NO S/S DOCUMENT)[CUST: GL YD 99] [REVIEW: GS]	A	7360	/	SS	27-MAY-04
M	AND10138 REV 2 NOT 3	ZEE - EQUAL LEG EXTRUDED (S/S BY SAE-AMS10138)[CUST: AV 99]	A	9450		IS	15-APR-04