DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

DODISS NOTICE

15 APRIL 2001 / FOR PERIOD 1 APR 2001 TO 14 APR 2001 / VOL. 7/ NO. 01

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

http://dodssp.daps.mil/dodiss.htm

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents are available after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

As of October 1, 2000, copies of non-government standards adopted by the Department of Defense (DoD) are no longer available from the DoD Single Stock Point. Adoption notices will continue to be used to signify DoD usage of a non-government standard, to identify a responsible DoD point of contact, and to give the standard visibility by including it in the ASSIST database and the DoD Index of Specifications and Standards. On 31 October 2000 we began updating all DOD adoption notices to comply with current DPSO Policy Memo 00-01, dated 15 May 2000, this effort will continue until all adoption notices meet current policy.

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Acty.	Date
M	A-A-58091A	TRAILER, TANK MOUNTED, RECOVERABLE AVIATION TURBINE FUEL (BOWSERS): 200, 400 AND 600 GALLON CAPACITY [CUST: 99]	A 2330	/ 84	16-APR-01
M	SAE-J2162	SPARK PLUG HEAT RATING CLASSIFICATIONS [CUST: AT 99 CC FSS]	A 2920	AT	04-APR-01
M	QPL-25579-28	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE	A 4720	CC	05-APR-01
M	QPL-18546-66 NOT 2	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), GENERAL SPECIFICATION FOR	A 5905	CC	02-APR-01
M	QPL-55182-145	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR	A 5905	CR	04-APR-01
M	QPL-55342-83	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR	A 5905	CR	04-APR-01
M	QPL-23269-19	CAPACITORS, FIXED, GLASS DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	CC	09-APR-01
M	QPL-39003-84	CAPACITORS, FIXED, ELECTROLYTIC (SOLID-ELECTROLYTE) TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	CC	02-APR-01
M	QPL-39014-103	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	CR	04-APR-01
M	QPL-49137-31	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, MOLDED, CONFORMAL COATED AND METAL CASE WITH PLASTIC END FILL, NONHERMETICALLY SEALED, GENERAL SPECIFICATION FOR	A 5910	CR	02-APR-01
M	QPL-55365-63	CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	CR	06-APR-01
M	QPL-55681-105	CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	CR	06-APR-01
M	MIL-PRF-19207/22J	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL33W [CUST: CR SH 11] [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS]	A 5920	CC	30-MAR-01
M	MIL-DTL-23928E SUP 1	PANELS, ELECTRICAL, POWER DISTRIBUTION AND MANUAL TRANSFER, CIRCUIT BREAKER TYPE [CUST: SH CC]	A 5925	CC	30-MAR-01
M	MIL-PRF-22885/110B	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SUNLIGHT READABLE, NIGHT VISION IMAGING SYSTEM COMPATIBLE, EMI/RFI SHIELDED, DRIPPROOF, SNAP ACTION, 4PDT, MOMENTARY, ALTERNATE [CUST: 11 CC]	A 5930	CC	01-MAR-01
M	QPL-83446-33	COILS, RADIO FREQUENCY, CHIP, FIXED OR VARIABLE, GENERAL SPECIFICATION FOR	A 5950	CC	03-APR-01
M	MIL-PRF-19500/357F(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER TYPES 2N3634 THROUGH 2N3637, 2N3634L THROUGH 2N3637L JAN, JANTX, JANTXV, JANS, JANHC AND JANKC [CUST: CR NW 11 CC NA] [REVIEW: 19 AR AS CG MC MI SH SM]	A 5961	CC	30-MAR-01
M	QML-38534-36	CUSTOM HYBRID MICROCIRCUITS, GENERAL REQUIREMENTS FOR	A 5962	CC	30-MAR-01
M	QPL-26542-14	MICROPHONE, AND MICROPHONE ASSEMBLIES, DYNAMIC, GENERAL SPECIFICATION FOR	A 5965	CC	02-APR-01
M	QPL-3933-23	ATTENUATORS, FIXED, GENERAL SPECIFICATION FOR	A 5985	CC	05-APR-01
M	QML-31032-10	PRINTED CIRCUIT BOARDS/PRINTED WIRING BOARDS, GENERAL SPECIFICATION FOR	A 5998	CC	01-MAR-01
M	QPL-15733-105	FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, GENERAL SPECIFICATION FOR	A 59GP	CC	10-APR-01
M	QPL-17-168	CABLE, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR	A 6145	CC	02-APR-01
M	QPL-22759-40	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, COPPER OR COPPER ALLOY, GENERAL SPECIFICATION FOR	A 6145	AS	17-APR-01
M	QPL-11796-27	CORROSION PREVENTIVE COMPOUND, PETROLATUM HOT APPLICATION	A 8030	AR	12-APR-01
M	MIL-D-6055D(1) NOT 2	DRUM, METAL REUSABLE, SHIPPING AND STORAGE (CAP. FROM 88 TO 510 CUBIC INCHES) [CUST: GL SA 11 IS] [REVIEW: 80 84 AR EA OS SH SM]	A 8110	IS	10-APR-01
M	MS24347F NOT 2	DRUMS, METAL, REUSABLE SHIPPING AND STORAGE [CUST: GL SA 11 IS] [REVIEW: 84 AR EA SM]	A 8110	IS	10-APR-01
M	MIL-DTL-43549D	CAP, COLD WEATHER, INSULATING, HELMET LINER [CUST: GL NU 99 CT] [REVIEW: 11 82 MC]	A 8415	CT	18-DEC-00
M	MIL-T-10798L NOT 2	TRUNK LOCKER, BARRACKS [CUST: MC CT]	A 8460	CT	04-APR-01
M	MIL-P-17863C(1) NOT 3	POCKET, AMMUNITION MAGAZINE: MILITARY POLICE [CUST: MC CT]	A 8465	CT	29-MAR-01
M	SD-4	STATUS OF STANDARDIZATION PROJECTS [CUST: AM NM 01 DH SO]	A SDMP	SO	31-MAR-01
M	MIL-PRF-5096F NOT 1	MANUALS, TECHNICAL: INSPECTION AND MAINTENANCE REQUIREMENTS; ACCEPTANCE AND FUNCTIONAL CHECK FLIGHT PROCEDURES AND CHECKLISTS; INSPECTION WORK CARDS; AND CHECKLISTS; PREPARATION OF [CUST: 16] [REVIEW: 01 02 10 11 13 19 70 71 80 82 84]	A TMSS	16	06-APR-01
M	MIL-PRF-5288H NOT 1	MANUALS, TECHNICAL AND CHECKLISTS-PREPARATION OF CARGO AIRCRAFT LOADING AND OFFLOADING [CUST: TM AS 16] [REVIEW: 11 99 AV MT]	A TMSS	16	09-APR-01
M	MIL-PRF-5920F NOT 1	MANUALS, TECHNICAL: SAMPLE BASIC WEIGHT CHECKLISTS AND LOADING DATA [CUST: 16] [REVIEW: 01 10 99]	A TMSS	16	09-APR-01
M	MIL-PRF-9977K NOT 1	MANUALS, TECHNICAL AND CHECKLISTS: MUNITIONS/WEAPONS LOADING PROCEDURES, NONNUCLEAR AND NUCLEAR PACKAGES, STANDARD DATA: MUNITIONS LOADING PROCEDURES, NONNUCLEAR, PREPARATION OF [CUST: 16] [REVIEW: 01 10 11 70 71 80 82 84 99]	A TMSS	16	09-APR-01
M	MIL-PRF-38769D NOT 1	MANUALS, TECHNICAL: WORK UNIT CODE-PREPARATION OF [CUST: 16] [REVIEW: 01 10 11 13 19 70 71 80 82 84 99]	A TMSS	16	10-APR-01
M	MIL-PRF-38807C NOT 1	TECHNICAL MANUALS - ILLUSTRATED PARTS BREAKDOWN [CUST: 16] [REVIEW: 10 11 13 19 68 82 99]	A TMSS	16	05-APR-01
M	MIL-STD-40051A(1)	PREPARATION OF DIGITAL TECHNICAL INFORMATION FOR MULTI-OUTPUT PRESENTATION OF TECHNICAL MANUALS [CUST: TM] [REVIEW: AC1 AR AT AV CR EA MI PT]	A TMSS	TM	15-FEB-01

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Activ.	Date
M	MIL-C-19803F(6) NOT 1	CONVERTER, LIQUID OXYGEN, 10-LITER GCU-24A/A [CUST: AV AS 99] [REVIEW: 71]	A 1660	AS	02-APR-01
M	QPL-19089-7	HARNESSES, INTEGRATED PARACHUTE	A 1670	AS	26-MAR-01
M	MIL-B-22036D(1) NOT 1	BRIDLE AND PENDANT ASSEMBLIES AIRCRAFT LAUNCHING [CUST: AS]	A 1720	AS	26-MAR-01
M	QPL-8942-23	BEARINGS, PLAIN, TFE LINED, SELF ALIGNING	A 3120	AS	09-APR-01
M	QPL-8943-18	BEARINGS, JOURNAL-PLAIN AND FLANGED, TFE LINED	A 3120	AS	26-MAR-01
M	QPL-8948-16	BEARINGS, PLAIN, ROD END, TFE LINED SELF ALIGNING	A 3120	AS	26-MAR-01
M	QPL-81542-21	LIFE RAFT, INFLATABLE, ONE MAN, TYPE LR-1	A 4220	AS	26-MAR-01
M	MIL-M-38510/131(1) NOT 2	MICROCIRCUIT, LINEAR, LOW NOISE OPERATIONAL AMPLIFIERS MONOLITHIC SILICON [CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A 5962	CC	02-APR-01
M	MIL-M-38510/133A(1) NOT 2	MICROCIRCUIT, LINEAR, 10-BIT DIGITAL-TO-ANALOG CONVERTER, MONOLITHIC SILICON [CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A 5962	CC	02-APR-01
M	MIL-M-38510/135B(2) NOT 2	MICROCIRCUITS, LINEAR, LOW OFFSET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON [CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A 5962	CC	02-APR-01
M	MIL-M-38510/137A NOT 2	MICROCIRCUIT, LINEAR, VOLTAGE OUTPUT 12-BIT DIGITAL-TO-ANALOG CONVERTERS, HYBRID AND MONOLITHIC SILICON [CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A 5962	CC	02-APR-01
M	MIL-M-38510/139B(2) NOT 2	MICROCIRCUITS, LINEAR, INTERNALLY TRIMMED ANALOG MULTIPLIER, HYBRID AND MONOLITHIC SILICON [CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A 5962	CC	05-APR-01
M	MIL-M-38510/140 NOT 2	MICROCIRCUITS, LINEAR, MONOLITHIC AND HYBRID SILICON, MICROPROCESSOR COMPATIBLE, 12 BIT ANALOG-TO-DIGITAL CONVERTERS [CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A 5962	CC	05-APR-01
M	MIL-M-38510/141A NOT 2	MICROCIRCUITS, DARLINGTON TRANSISTOR ARRAY, SEVEN AND EIGHT GATE, MONOLITHIC SILICON [CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A 5962	CC	05-APR-01
M	MIL-M-38510/148A(1) NOT 2	MICROCIRCUITS, LINEAR, PRECISION VOLTAGE REFERENCE, SHUNT REGULATOR, MONOLITHIC SILICON [CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A 5962	CC	05-APR-01
M	MIL-M-38510/149 NOT 2	MICROCIRCUITS, LINEAR, PRECISION TIMERS, MONOLITHIC SILICON [CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A 5962	CC	05-APR-01
M	MIL-M-38510/155B NOT 2	MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, AND GATES MONOLITHIC SILICON [CUST: CR NW 11 CC] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A 5962	CC	13-APR-01
M	MIL-M-38510/157A NOT 2	MICROCIRCUITS, DIGITAL, TTL, MULTIPLE PORT REGISTERS, MONOLITHIC SILICON [CUST: CR NW 11 CC] [REVIEW: 03 19 99 AS CG HD MC MI SH SM]	A 5962	CC	13-APR-01
M	MIL-M-38510/158A NOT 1	MICROCIRCUIT, DIGITAL, TTL, DECODERS, MONOLITHIC SILICON [CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A 5962	CC	13-APR-01
M	MIL-M-38510/159B NOT 1	MICROCIRCUITS, DIGITAL, TTL, SHIFT REGISTERS, MONOLITHIC SILICON [CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AR AS CG MC MI SH SM TD]	A 5962	CC	13-APR-01
M	QPL-62346-7	BATTERIES, STORAGE: LEAD ACID (LOW MAINTENANCE)	A 6140	AT	12-APR-01
M	MIL-I-81454(3) NOT 1	INDICATOR, GYROSCOPE, VERTICAL REFERENCE ID-1481(*)/A [CUST: AS]	A 6610	AS	16-APR-01
M	MIL-P-81655(1) NOT 1	PITOT STATIC TUBE, L-SHAPED, COMPENSATED, ELECTRICALLY HEATED, GENERAL SPECIFICATION FOR [CUST: AS]	A 6610	AS	16-APR-01
M	MIL-I-8974A(2) NOT 1	INDICATOR, EVENT COUNTING, GENERAL SPECIFICATION FOR [CUST: AS 99] [REVIEW: 71 SH]	A 6620	AS	02-APR-01
M	QPL-5790-16 NOT 1	TRANSMITTER, PRESSURE, OIL, SYNCHRO, 0-200 PSI 320-DEGREE MOVEMENT, 26V, SINGLE PHASE, 400 CYCLES	A 6620	GS1	09-APR-01
M	QPL-8276-17 NOT 1	INDICATOR, RATE OF FLOW, FUEL, SYNCHRO STYLE, TYPE MA-2	A 6620	GS1	09-APR-01
M	QPL-27188-15 NOT 1	INDICATOR, PRESSURE EGU-2/A, OIL, 0-100 PSI	A 6620	GS1	09-APR-01
M	QPL-7990-14 NOT 1	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, -70 DEG. TO +300 DEG. C	A 6685	GS1	09-APR-01

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	QPL-19803-21 NOT 1	CONVERTER, LIQUID OXYGEN, 10 LITER, GCU-24/A (NO S/S DOCUMENT)	A 1660		AS	02-APR-01
M	QPL-22036-14 NOT 1	BRIDLE AND PENDANT ASSEMBLIES AIRCRAFT LAUNCHING (NO S/S DOCUMENT)	A 1720		AS	26-MAR-01
M	FED-STD-143A NOT 1	SPARK PLUG, HEAT RATING OF, METHOD OF CLASSIFYING (S/S BY SAE-J2162) [CUST: AT YD 99 CC FSS]	A 2920	/	AT	04-APR-01
M	QPL-22518-9 NOT 1	STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AICRAFT ENGINE, SPECIFICATION FOR (NO S/S DOCUMENT)	A 2995		AS	21-FEB-01
M	QPL-22706-19 NOT 1	DUCT AND SCUFF COVER, PNEUMATIC, FLEXIBLE (NO S/S DOCUMENT)	A 4720		AS	30-MAR-01
M	MS3393 NOT 2	PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, HYDRAULIC, MINUS 65 DEG. F. TO PLUS 275 DEG. F. (S/S BY SAE-AS33931) [CUST: AV AS 99] [REVIEW: 71 IS SA]	A 5330		AS	22-MAR-01
M	QPL-18239-11 NOT 1	EARPHONES, H-87B/U (NO S/S DOCUMENT)	A 5965		AS	30-MAR-01
M	MIL-C-28790/1A NOT 2	CIRCULATOR, RADIO FREQUENCY, COAXIAL (SERIES SMA), THREE PORTS (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: MC OS SH]	A 5985		CC	10-APR-01
M	MIL-C-28790/2 NOT 1	CIRCULATOR, RADIO FREQUENCY, COAXIAL, (3 PORTS, FREQUENCY RANGE - .15 TO .18 GHZ) (NO S/S DOCUMENT) [CUST: EC CC]	A 5985		CC	10-APR-01
M	MIL-C-28790/3 NOT 1	CIRCULATOR, RADIO FREQUENCY, COAXIAL, (4 PORTS, FREQUENCY RANGE - .60 TO .80 GHZ) (NO S/S DOCUMENT) [CUST: EC CC]	A 5985		CC	10-APR-01
M	MIL-C-28790/6 NOT 2	CIRCULATORS, RADIO FREQUENCY, WAVEGUIDE, THREE PORTS (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: MC OS]	A 5985		CC	10-APR-01
M	A-A-53697 NOT 1	HYDROCORTISONE ACETATE AND PRAMOXINE HYDROCHLORIDE AEROSOL FOAM (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6505	/	MB	09-MAR-01
M	A-A-53699 NOT 1	HYDROCORTISONE ACETATE AEROSOL (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505	/	MB	09-MAR-01
M	A-A-53705 NOT 1	HYDROCORTISONE CREAM, USP (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6505	/	MB	09-MAR-01
M	A-A-53763 NOT 1	HYDROXYZINE HYDROCHLORIDE INJECTION, USP (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505	/	MB	09-MAR-01
M	A-A-54032 NOT 1	HYDROXYZINE HYDROCHLORIDE SYRUP, USP (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505	/	MB	09-MAR-01
M	A-A-54033 NOT 1	HYDROCORTISONE SODIUM SUCCINATE FOR INJECTION, USP (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505	/	MB	09-MAR-01
M	A-A-54035 NOT 1	HYDROCORTISONE, USP (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505	/	MB	09-MAR-01
M	A-A-54392 NOT 1	HYDROXYPROGESTERONE CAPROATE INJECTION, USP (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505	/	MB	09-MAR-01
M	A-A-30101 NOT 1	TUBE, CONNECTING, GENERAL PURPOSE (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	09-MAR-01
M	A-A-30111F NOT 1	TRACHEOSTOMY CARE KIT (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	"	MB	09-MAR-01
M	A-A-30054C NOT 1	JAR, SCREW CAP, OINTMENT (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6530	/	MB	09-MAR-01
M	A-A-30056E NOT 1	CUP, SPECIMEN (STERILE AND NONSTERILE) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6530	"	MB	09-MAR-01
M	A-A-0053217 NOT 1	TEST KIT, GLUCOSE DETERMINATION (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6550	/	MB	09-MAR-01
M	QPL-81454-4 NOT 1	INDICATOR, GYROSCOPE VERTICAL REFERENCE ID-1481(*)/A (NO S/S DOCUMENT)	A 6610		AS	16-APR-01
M	QPL-81655-5 NOT 1	PITOT STATIC TUBE, L-SHAPED COMPENSATED, ELECTRICALLY HEATED (NO S/S DOCUMENT)	A 6610		AS	16-APR-01
M	QPL-8974-6 NOT 1	INDICATOR, EVENT COUNTING (NO S/S DOCUMENT)	A 6620		AS	02-APR-01
M	A-A-53703 NOT 1	TEST TUBE (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6640	/	MB	09-MAR-01
M	QPL-46117-6 NOT 1	ENAMEL, ALKYD, LUSTRELESS, SOLAR HEAT REFLECTING, OLIVE DRAB (NO S/S DOCUMENT)	A 8010		AV	30-MAR-01
M	FF-N-180A NOT 1	NEEDLES, EXCEPT SURGICAL, HAND (S/S BY A-A-55066) [CUST: GL NU 11 CT] [REVIEW: MC YD]	A 8315	/	CT	12-OCT-00
M	GGG-N-202C NOT 2	NEEDLE, SAILMAKER'S (S/S BY A-A-55306) [CUST: GL NU 11 CT]	A 8315	/	CT	12-OCT-00
M	KK-W-231D NOT 1	WELTING, LEATHER, SHOE (NO S/S DOCUMENT) [CUST: GL NU 11 CT] [REVIEW: 82 MC MD]	A 8330	/	CT	17-OCT-00
M	KK-L-241D(3) NOT 2	LEATHER, CATTLEHIDE, RIGGING (S/S BY MIL-DTL-32069) [CUST: GL NU CT] [REVIEW: EA MD]	A 8330	/	CT	12-OCT-00
M	MIL-DTL-3628/114 NOT 2	BADGE, IDENTIFICATION, RECRUITER, ARMY RESERVE (NO S/S DOCUMENT) [CUST: IH] [REVIEW: CT]	A 8455		IH	03-APR-01
M	SD-8 NOT 1	AN OVERVIEW OF THE DEFENSE STANDARDIZATION AND SPECIFICATION PROGRAM (DSSP) (NO S/S DOCUMENT) [CUST: AM NM 01 DH SO]	A SDMP		SO	13-APR-01