DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

DODISS NOTICE

15 APR 1999 / FOR PERIOD 1 APR 1999 TO 14 APR 1999 / VOL. 07/ NO. 99

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Defense Automated Printing Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated below. DOD documents will not be available for 45 days and non-Government Standards for 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

A digital version of this document in portable document format (PDF) is available at the DODSSP website on the DODISS Notice page: http://www.dodssp.daps.mil/dodiss.htm

List	Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Actv.	Date
	M	MIL-C-82621(1) NOT 2	CABLE, ELECTRIC, MISSILE, 54-CONDUCTOR [CUST: OS]	A 1355		OS	14-AUG-98
	M	MIL-DTL-85097/13B	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR, CANOPY JETTISON, MARK 109 MOD 0 (LOADED ASSEMBLIES) [CUST: OS]	A 1377		OS	01-MAR-99
	M	MIL-A-85097/16	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) ROCKET MOTOR, PARACHUTE DEPLOYMENT, MARK 122 MOD 0 [CUST: OS]	A 1377		OS	05-DEC-94
	M	MIL-A-85097/17	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTORS, UNDERSEAT, GAS INITIATED MK 123 MOD 0 AND MK 124 MOD 0 [CUST: OS]	A 1377		OS	05-DEC-94
	M	MIL-PRF-83870B(1)	FILTER ELEMENT, DISPOSABLE, 20 MICRON ABSOLUTE, CONSTANT SPEED DRIVE, AIRCRAFT [CUST: 99]	A 1650		71	26-MAR-99
	M	QPL-7891-9	FILLER VALVE, AIRCRAFT OXYGEN	A 1660		71	26-MAR-99
	N	MIL-HDBK-83578	CRITERIA FOR EXPLOSIVE SYSTEMS AND DEVICES USED ON SPACE VEHICLES [CUST: 19] [REVIEW: 10 11 17]	A 1820		19	01-JAN-99
	N	TTMA-RP61-98	PERFORMANCE OF MANHOLE AND/OR FILL OPENING ASSEMBLIES ON MC 306, DOT 406, NON-ASME MC 312, AND NON-ASME DOT 412 CARGO TANKS [CUST: AT]	A 2330		AT	01-JUN-98
	M	QPL-7949-23	BEARINGS, BALL, AIRFRAME, ANTIFRICTION	A 3110		AS	23-FEB-99
	M	QPL-8952-7	BEARING, ROLLER, ROD END, ANTIFRICTION SELF-ALIGNING	A 3110		AS	02-MAR-99
	N	A-A-59285	SAWS, POWER, HACK [CUST: AL SH 99 GS] [REVIEW: 84 MC OS]	A 3405	/	GS	17-MAR-99
	N	A-A-59284	SOLDERING IRON, ELECTRIC [CUST: AR SH 99 GS] [REVIEW: 84 MC YD]	A 3439	/	GS	17-MAR-99
	N	A-A-59368	SOLDERING/DESOLDERING, STATION [CUST: AL SH 99 GS] [REVIEW: 84]	A 3439	/	GS	17-MAR-99
	M	MIL-PRF-52348D	PACKING KIT, HOSELINE [CUST: AT YD2] [REVIEW: CC]	A 3835		AT	01-FEB-99
	N	A-A-59359	FUEL SPILL CONTROL KIT [CUST: AT YD2] [REVIEW: CC]	A 3835	/	AT	01-FEB-99
	N	ASME-MH1-97	PALLETS, SLIP SHEETS, AND OTHER BASES FOR UNIT LOADS [CUST: SM SA 99 IS]	A 3990		IS	22-DEC-97
	M	MIL-DTL-24677B	ROPE, FIBROUS - DOUBLE-BRAIDED (POLYESTER) [CUST: GL SH 99 IS] [REVIEW: 82 AS]	A 4020		IS	25-JAN-99
	M	MIL-PRF-53012A	SUSPENSION KIT, COLLAPSIBLE HOSELINE [CUST: AT]	A 4610		AT	01-FEB-99
	M	MIL-PRF-53013B	REPAIR KIT, 6-INCH HOSELINE [CUST: AT] [REVIEW: CC]	A 4610		AT	01-FEB-99
	M	MIL-PRF-53015A	DISPLACEMENT AND EVACUATION KIT, COLLAPSIBLE HOSELINE [CUST: AT YD2 99] [REVIEW: CC]	A 4610		AT	01-FEB-99
	M	MIL-T-23227E(1)	TUBE AND PIPE, NICKEL-CHROMIUM-IRON ALLOY (ISSUE CONTROLLED REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITED VIA THE PREPARING ACTIVITY) [CUST: SH]	F 4710		SH	28-MAY-87
	M	MIL-PRF-370H	HOSES AND HOSE ASSEMBLIES, NONMETALLIC: ELASTOMERIC, LIQUID FUEL [CUST: AT SH 99] [REVIEW: 82 CC]	A 4720		AT	01-FEB-99
	M	MIL-PRF-13789E	STRAINERS, SEDIMENT: PIPELINE, BASKET TYPE [CUST: AT YD2 99] [REVIEW: CC CE CG SH]	A 4730		AT	01-FEB-99
	M	A-A-59377	COUPLING ASSEMBLY, QUICK-DISCONNECT, SEXLESS TYPE [CUST: AT SH 99] [REVIEW: CC]	A 4730	/	AT	01-FEB-99
	N	A-A-59409	LUBRICATING UNIT, POWER-OPERATED [CUST: 99 CC]	A 4930	/	82	22-MAR-99
	M	QPL-81969-16	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, GENERAL SPECIFICATION FOR	A 5120		AS	05-MAR-99
	M	MIL-N-25027/1A(1)	NUT, SELF-LOCKING, HEAVY HEX, (NON-METALLIC INSERT) 250 DEG. AND 450 DEG. F, UNJC-3B, 1/4 THROUGH 2-1/2 INCH NOMINAL DIAMETERS, NICKEL-COPPER ALLOY [CUST: SH IS]	A 5310		IS	31-MAR-99
	N	SAE-AS9842	PIN, STRAIGHT, HEADED, .0937 DIAMETER, AMS 5616 [CUST: AS IS]	A 5315		IS	OCT-98
	N	SAE-AS9843	PIN, STRAIGHT, HEADED, .1249 DIAMETER, AMS 5616 [CUST: AS IS]	A 5315		IS	OCT-98
	N	SAE-AS9845	PIN, STRAIGHT, HEADED, .2499 DIAMETER, AMS 5616 [CUST: AS IS]	A 5315		IS	OCT-98
	N	SAE-AS9846	PIN, STRAIGHT, HEADED, .3124 DIAMETER, AMS 5616 [CUST: AS IS]	A 5315		IS	OCT-98
	N	SAE-AS9847	PIN, STRAIGHT, HEADED, .3749 DIAMETER, AMS 5616 [CUST: AS IS]	A 5315		IS	OCT-98
	N	SAE-AS9848	PIN, STRAIGHT, HEADED, .4999 DIAMETER, AMS 5616 [CUST: AS IS]	A 5315		IS	OCT-98
	N	SAE-AS121651THRUAS121700	PIN, STRAIGHT, HEADED - .187 NOM. [CUST: AR AS 11 IS]	A 5315		IS	OCT-98
	N	SAE-AS121701THRUAS121750	PIN, STRAIGHT, HEADED - .250 NOM. [CUST: AR AS 99 IS]	A 5315		IS	OCT-98
	N	SAE-AS121851THRUAS121925	PIN, STRAIGHT, HEADED - .500 NOM. [CUST: AR AS 99 IS]	A 5315		IS	OCT-98
	N	SAE-AS150301THRUAS150400	PIN-LOCK, BRASS [CUST: AV AS 99 IS]	A 5315		IS	OCT-98
	M	MIL-DTL-27426C(1)	RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) [CUST: AR OS 99] [REVIEW: 11 82 AV MI]	A 5325		IS	31-MAR-99
	N	NASM3498	SCREW ASSEMBLY, PANEL [CUST: AV AS 99 IS]	A 5325		IS	MAY-98
	N	NASM22529	GROMMET, EDGING [CUST: AS 99 IS]	A 5325		IS	APR-99
	N	NASM22529/1	GROMMET, COMPOSITION, EDGING [CUST: AS 99 IS]	A 5325		IS	FEB-99
	N	NASM22529/2	GROMMET, CUSHION, COMPOSITION, EDGING [CUST: AS 99 IS]	A 5325		IS	FEB-99
	N	NASM43770/1	SNAP HOOKS, WIRE BODY, FIXED LOOP EYE, FLAT SPRING CLOSURE, WITH RETAINER [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/2	SNAP HOOKS, WIRE BODY, FIXED LOOP EYE, SIDE RETAINING CLOSURE [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/3	SNAP HOOKS, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/4	SNAP HOOKS, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/5	SNAP HOOKS, CAST BODY, FIXED EYE, SLIDING BOLT CLOSURE [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/6	SNAP HOOKS, CAST BODY, SWIVEL EYE, SLIDING BOLT CLOSURE [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/7	SNAP HOOKS, CAST BODY, LOOP EYE SWIVEL [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/8	SNAP HOOKS, CAST BODY, ROUND EYE SWIVEL [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/9	SNAP HOOKS, CAST BODY, FIXED LOOP EYE, TRIGGER CLOSURE [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/10	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/11	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, LIGHT DUTY [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/12	SNAP HOOKS, CAST BODY, FIXED ROUND EYE W/O ROLLER, FLAT SPRING CLOSURE [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/13	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	NASM43770/14	SNAP HOOKS, CAST BODY, OPEN EYE, SLIDING BOLT CLOSURE [CUST: GL YD2 99 IS]	A 5340		IS	APR-99
	N	ASME-B18.24.3-98	PART IDENTIFYING NUMBER (PIN) CODE SYSTEM STANDARD FOR B18 NONTHREADED PRODUCTS [CUST: AR YD2 99]	A 53GP		AR	17-JUN-98
	M	SAE-J2270	SHIP SYSTEMS AND EQUIPMENT - THREADED FASTENERS - INSPECTION, TEST, AND INSTALLATION REQUIREMENTS [CUST: AR SH]	A 53GP		SH	OCT-98
	N	SAE-J2295	FASTENERS - PART STANDARD - CAP SCREWS, HEX BOLTS, AND HEX NUTS (R) [CUST: AR SH 99]	A 53GP		SH	OCT-98
	M	MIL-PRF-49040F	IMAGE INTENSIFIER ASSEMBLY 25 MILLIMETER, MICROCHANNEL INVERTER MX-9644/UV [CUST: CR EC]	A 5855		CR	04-MAR-99
	M	MIL-PRF-49052G	IMAGE INTENSIFIER ASSEMBLY, 18 MILLIMETER MICROCHANNEL WAFER, MX-9916/UV [CUST: CR AS]	A 5855		CR	04-MAR-99
	M	MIL-PRF-49063E	NIGHT VISION SIGHT, INDIVIDUAL SERVED WEAPON AN/PVS-4 [CUST: CR 99]	A 5855		CR	04-MAR-99
	M	MIL-PRF-49064E	NIGHT VISION SIGHT, CREW SERVED WEAPON AN/TVS-5 [CUST: CR 99]	A 5855		CR	04-MAR-99

List	Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Activ.	Date
M		MIL-PRF-49065F	NIGHT VISION GOGGLES, AN/PVS-5 ( ) [CUST: CR AS 11] [REVIEW: AT]	A 5855	CR	04-MAR-99
M		MIL-PRF-49082E	VIEWER, DRIVER'S, NIGHT VISION, AN/VVS-2(V) [CUST: CR]	A 5855	CR	04-MAR-99
M		MIL-PRF-49147D	LENS ASSEMBLY, EYEPIECE VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) [CUST: CR]	A 5855	CR	04-MAR-99
M		MIL-PRF-49148D	LENS ASSEMBLY, OBJECTIVE VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) [CUST: CR]	A 5855	CR	04-MAR-99
M		MIL-PRF-49149D	ELECTRONIC CONTROL ASSEMBLY VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) [CUST: CR]	A 5855	CR	04-MAR-99
M		MIL-PRF-49150D	ENTRANCE HOUSING ASSEMBLY VIEWER, DRIVER'S, NIGHT VISION, AN/VVS-2(V) [CUST: CR]	A 5855	CR	04-MAR-99
M		MIL-PRF-49151D	POWER ADAPTER ASSEMBLY VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) [CUST: CR]	A 5855	CR	04-MAR-99
M		MIL-PRF-49156B	EYEPIECE ASSEMBLY, FOR NIGHT VISION GOGGLES, AN/PVS-5( ) [CUST: CR 11] [REVIEW: 99 AT]	A 5855	CR	04-MAR-99
M		MIL-PRF-49157B	OBJECTIVE LENS ASSEMBLY, FOR NIGHT VISION GOGGLES, AN/PVS-5( ) [CUST: CR 11] [REVIEW: 99 AT]	A 5855	CR	04-MAR-99
M		MIL-PRF-49366C	LENS ASSEMBLY, OBJECTIVE, 95MM AN/PVS-4 [CUST: CR]	A 5855	CR	04-MAR-99
M		MIL-PRF-49367C	LENS ASSEMBLY, OBJECTIVE, 155MM AN/TVS-5 [CUST: CR]	A 5855	CR	04-MAR-99
M		MIL-PRF-49368C	LENS ASSEMBLY, EYEPIECE, AN/PVS-4 AND AN/TVS-5 [CUST: CR]	A 5855	CR	04-MAR-99
M		MIL-L-49169A(1) NOT 3	LIGHT EMITTING DIODE ARRAY [CUST: CR]	A 5855	CR	25-MAR-99
M		MIL-PRF-39007H(2) SUP 1	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 17 19 80 AR AS CG MC MI OS]	A 5905	CR	23-MAR-99
M		MIL-PRF-55342G(2) SUP 1	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS]	A 5905	CR	23-MAR-99
M		MIL-PRF-55342/9C(3)	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL STYLE RM2512 [CUST: CR EC 85 CC NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS]	A 5905	CR	23-MAR-99
M		MIL-PRF-55681/8B(2)	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLE CDR32, METRIC [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC OS SH]	A 5910	CR	26-FEB-99
M		MIL-PRF-22885/10H	SWITCH, PUSH BUTTON, ILLUMINATED INDICATOR LIGHT FOR, MODULAR, 4-LAMP [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/12F	SWITCH SUBASSEMBLY, COLOR FILTERS (FOR SWITCH, PUSH BUTTON, ILLUMINATED) [CUST: CR EC 17 CC] [REVIEW: 99 AS AT AV CR4 MC MI OS]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/13J	SWITCH SUBASSEMBLY, BOOT, DRIPPROOF PANEL SEAL (FOR ILLUMINATED PUSH BUTTON SWITCH) [CUST: CR EC 85 CC] [REVIEW: 99 AS AT AV CR4 MC MI OS SH]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/54D	SWITCH, PUSHBUTTON, ILLUMINATED, COLOR FILTER FOR, PLANAR DESIGN [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/55F	SWITCH, PUSHBUTTON, ILLUMINATED CAP, COLOR FILTER FOR, LAMP-CAP DESIGN [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/74G	SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, PLUG-IN MODULE (INSERTABLE TYPE TERMINATION) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/80F	SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK RESISTANT [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/90C	SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.750 SQUARE, LOW LEVEL TO 7 AMPERES, (DRIPPROOF, EMI/RFI SHIELDING, NIGHT VISION GOGGLE COMPATIBLE) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/99A	SWITCH, PUSH BUTTON, ILLUMINATED, PUSH BUTTONS FOR (SNAP-IN AND SCREW-IN) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV MC MI OS SH]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/102B	SWITCH, PUSHBUTTON, 4-LAMP, PUSHBUTTON AND LENS ASSEMBLIES FOR, .610 SQUARE (DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED) [CUST: 85 CC]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/103A	SWITCHES, PUSHBUTTON, ILLUMINATED, 2 AMPERES, 2PDT, 4PDT AND INDICATOR, 4 LAMP, SUNLIGHT READABLE (EMI/RFI SHIELDING, MODULAR CONSTRUCTION) [CUST: EC CC]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/105A	SWITCH, PUSHBUTTON, ILLUMINATED, PLUG-IN, SWITCH MODULE FOR, 2PDT, 4PDT [CUST: EC CC]	A 5930	CC	17-MAR-99
M		MIL-PRF-22885/109A(2)	SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, .75 SQUARE, 4PDT AND DPDT, 7 AMPERES, SUNLIGHT READABLE DISPLAY OPTION, NVIS COMPATIBLE OPTION, MOMENTARY AND ALTERNATE HOLDDOWN, LOW TOUCH TEMPERATURE, CONNECTOR MODULE TERMINATION OPTION [CUST: 85 CC]	A 5930	CC	12-MAR-99
M		QPL-5015-39(2)	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, AN TYPE, GENERAL SPECIFICATION FOR	A 5935	AS	11-MAR-99
M		QPL-39029-37	CONTACTS, ELECTRICAL CONNECTOR, GENERAL SPECIFICATION FOR	A 5935	AS	25-FEB-99
M		QPL-81659-14	CONNECTORS, ELECTRICAL, RECTANGULAR CRIMP CONTACTS, GENERAL SPECIFICATION FOR	A 5935	AS	10-MAR-99
M		MIL-PRF-3098/63E(1)	CRYSTAL UNIT, QUARTZ, CR79/U [CUST: CR EC 85] [REVIEW: 11 19 AR AS MC MI SH]	A 5955	CR	23-MAR-99
M		MIL-PRF-1/275D	ELECTRON TUBE, CATHODE RAY TYPE 5LP1A, 5LP5A, 5LP7A, AND 5LP11A [CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS]	A 5960	CC	31-MAR-99
M		MIL-PRF-1/368F	ELECTRON TUBE, GAS SWITCHING TYPE 5865 [CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH]	A 5960	CC	06-APR-99
M		MIL-PRF-1/385C	ELECTRON TUBE, CATHODE RAY TYPES 3DP1A AND 3DP1A PLUS S2 [CUST: CR EC 11] [REVIEW: 99 AS CG MC OS]	A 5960	CC	07-APR-99
M		MIL-PRF-1/507G	ELECTRON TUBE, MAGNETRON, PULSE TYPE 7452A [CUST: CR]	A 5960	CC	27-JAN-99
M		MIL-PRF-1/588B	ELECTRON TUBE, CATHODE RAY TYPE 2AP1A [CUST: CR EC 11] [REVIEW: MC]	A 5960	CC	29-JAN-99
M		MIL-PRF-1/607C	ELECTRON TUBES, GAS SWITCHING TYPES 5921 AND 5922 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC OS SA]	A 5960	CC	31-MAR-99
M		MIL-PRF-1/609F	ELECTRON TUBE, GAS SWITCHING TYPE 1B224A [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC MI OS]	A 5960	CC	31-MAR-99
M		MIL-PRF-19500/6C	SEMICONDUCTOR, DEVICE TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2N43AZ1, 2N43AZ2, 2N44AZ1 AND 2N44AZ2 [CUST: CR EC 85 NA] [REVIEW: 19 AR AS CG MC MI OS SH SM]	A 5961	CC	01-MAR-99
M		MIL-PRF-19500/570B	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON LOGIC-LEVEL, TYPES 2N6901, AND 2N6903 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 AR AS CG MC MI OS SH SM]	A 5961	CC	16-FEB-99
M		QML-38534-28	CUSTOM HYBRID MICROCIRCUITS, GENERAL REQUIREMENTS FOR	A 5962	CC	31-MAR-99
M		UL845-95	MOTOR CONTROL CENTERS [CUST: YD2]	A 5975	YD2	15 FEB 95
M		UL508-99	INDUSTRIAL CONTROL EQUIPMENT [CUST: CR YD2 85] [REVIEW: 99 CC]	A 59GP	YD2	28-JAN-99
M		QPL-22759-38	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, COPPER OR COPPER ALLOY	A 6145	AS	15-MAR-99
M		QPL-25038-29	WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, AND FLIGHT CRITICAL, GENERAL SPECIFICATION FOR	A 6145	CC	15-MAR-99
M		MIL-PRF-3627E(1)	PENETROMETERS, SOIL: DIAL INDICATING AND SPRING INDICATING [CUST: CE3 99 GS] [REVIEW: 82 AT GL MT TM]	A 6635	CE3	15-MAR-99
M		MIL-PRF-52955B(1)	POSITION AND AZIMUTH DETERMINING SYSTEM (PADS): AN/USQ-70 [CUST: CE3 MC GS] [REVIEW: AS]	A 6675	CE3	15-MAR-99
M		MIL-PRF-53136(1)	GUN LAYING AND POSITIONING SYSTEM (GLPS) [CUST: CE3 MC GS] [REVIEW: AS]	A 6675	CE3	15-MAR-99
M		A-A-877A NOT 2	HERBICIDE, DIURON [CUST: FSS]	A 6840	* GS	23-MAR-98
M		QPL-15931-17	PAINT, ANTIFOULING, VINYL (FORMULAS NO. 121, 121A, 129 AND 129A)	A 8010	SH	04-JAN-99
M		QPL-24441-38	PAINT, EPOXY-POLYAMIDE, GENERAL SPECIFICATION FOR	A 8010	SH	04-JAN-99
M		QPL-3316-74	ADHESIVES, FIRE-RESISTANT, THERMAL INSULATION	A 8040	SH	04-NOV-98

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	ASTM-D2257-98	TEXTILES, EXTRACTABLE MATTER IN [CUST: CR4 YD2] [REVIEW: AS DP OS SH]	A 8310		YD2	10-SEP-98
M	MIL-STD-1518B NOT 2	STORAGE, HANDLING, AND SERVICING OF AVIATION FUELS, LUBRICATING OILS AND HYDRAULIC FLUIDS AT CONTRACTOR FACILITIES [CUST: AR AS 68] [REVIEW: AV]	A 9130		68	22-MAR-99
M	QPL-21260-27	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, PRESERVATIVE AND BREAK-IN	A 9150		AT	05-MAR-99
M	MIL-STD-1548C NOT 2	INTO-PLANE SERVICING OF FUELS AT COMMERCIAL AIRPORTS [CUST: 68] [REVIEW: AS AV CD PS SA]	A 91GP		68	22-MAR-99
M	ASTM-D2276A-98	FUEL, AVIATION, BY LINE SAMPLING, PARTICULATE CONTAMINANT IN [CUST: AT SH 11]	A 91GP		AT	10-DEC-98
M	ASTM-D3241-98	OXIDATION, THERMAL, STABILITY OF AVIATION TURBINE FUELS (JFTOT PROCEDURE) [CUST: PS]	A 91GP		PS	10-DEC-98
M	QPL-24041-21	MOLDING AND POTTING COMPOUND, CHEMICALLY CURED, POLYURETHANE	A 9320		SH	04-JAN-99
N	WW-L-2887	TUBE, PHENOLIC, POROUS RETAINER FOR USE IN INSTRUMENT BEARINGS [CUST: MI AS 84] [REVIEW: AT AV CH]	A 9330	/	AS	20-JUL-98
M	QPL-87260-2	FOAM MATERIAL, EXPLOSION SUPPRESSION, INHERENTLY ELECTROSTATICALLY CONDUCTIVE, FOR AIRCRAFT FUEL TANKS	A 9330		11	24-MAR-99
M	ASTM-D3159-98	MATERIALS, MOLDING AND EXTRUSION, MODIFIED ETFE-FLUOROPOLYMER [CUST: MR AS 11 GS] [REVIEW: AV CR4 OS]	A 9330		GS	10-NOV-98
N	SAE-J2333	SHIP SYSTEMS AND EQUIPMENT - HYDRAULIC SYSTEMS - FILTER SELECTION PARAMETERS [CUST: TM2 SH 99]	A GDRQ		SH	MAR-98
M	AIR-STD-25/3B(1)	AIRCRAFT SERVICING, HAZARD, AND EMERGENCY MARKINGS	A ISDF		06	01-FEB-99
N	MIL-STD-188-125-2	HIGH-ALTITUDE ELECTROMAGNETIC PULSE (HEMP) PROTECTION FOR GROUND-BASED C4I FACILITIES PERFORMING CRITICAL, TIME-URGENT MISSIONS - PART 2 - TRANSPORTABLE SYSTEMS [CUST: CR EC 90 DC1] [REVIEW: 02 13 17 19 21 29 33 93 AC CG DC4 DH DI JS MC MP NC NS OM PT SE TD US]	A TCSS		DS	03-MAR-99
M	MIL-DTL-45210B	WELDING, RESISTANCE, SPOT: WELDABLE ALUMINUM ALLOYS [CUST: MR]	A THJM		MR	29-MAR-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Activ.	Date
M	MIL-A-85881 NOT 1	AMPLIFIER, A7 NOSE GEAR STEERING [CUST: AS]	A 1620	CC	22-JAN-99
M	MS90908B NOT 2	FILLER TUBE, FUEL TANK-MILITARY VEHICLES [CUST: AT MC 99] [REVIEW: 82]	A 2910	CC	22-JAN-99
M	MS24466K	BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE VI ANTIFRICTION, INCH (USE MS21439) [CUST: AT AS 99] [REVIEW: 84 GS]	A 3110	AS	21-SEP-98
M	MIL-C-1213E NOT 1	CUP, GREASE [CUST: AR SH 99 CC] [REVIEW: 82 AS AT CR MC]	A 4730	CC	05-APR-99
M	MS35758B NOT 1	CUP, GREASE, MANUAL FEED [CUST: AR SH 99 CC] [REVIEW: 82 AS AT]	A 4730	CC	05-APR-99
M	MS35759B NOT 1	CUP, GREASE, AUTOMATIC FEED [CUST: AR SH 99 CC] [REVIEW: 82]	A 4730	CC	05-APR-99
M	MIL-PRF-22885/81A NOT 2	SWITCHES, PUSH BUTTON, ILLUMINATED, 5 AMPERES, 1 LAMP, DRIPPROOF [CUST: CR EC 85 CC]	A 5930	CC	17-MAR-99
M	MIL-S-9395/24A NOT 3	SWITCH PRESSURE GAGE (TYPE II CLASS 0 C1) SPDT, 3 AMPERES [CUST: CR EC 85 CC]	A 5930	CC	17-MAR-99
M	MIL-M-38510/110B(3) NOT 1	MICROCIRCUITS, LINEAR, QUAD OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON [CUST: CR EC 85 NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM]	A 5962	CC	08-FEB-99
M	MIL-F-3922/69 NOT 1	FLANGE, WAVEGUIDE (CHOKE) (SQUARE, 4 HOLE) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS SH]	A 5985	CC	08-MAY-98
M	MIL-F-3922/75B NOT 1	FLANGE, WAVEGUIDE, REDUCED HEIGHT [CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH]	A 5985	CC	08-MAY-98
M	MIL-A-22641/17A NOT 2	ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 3 - 7/8 INCH) TYPES UG-405/U, UG-522/U, UG-1622/U AND UG-1663/U [CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI]	A 5985	CC	08-MAY-98
M	MIL-A-22641/18 NOT 2	ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 2 - 5/8 INCH), TYPES UG-403/U, UG-404/U, UG-445/U, UG-520/U, UG-521/U, UG-523/U, UG-1647/U THRU UG-1652/U [CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI]	A 5985	CC	08-MAY-98
M	MIL-A-22641/19 NOT 1	ADAPTER, COAXIAL TO WAVEGUIDE (TNC TO WAVEGUIDE - CLASS 4) [CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI OS]	A 5985	CC	08-MAY-98
M	MIL-A-22641/22 NOT 1	ADAPTER, COAXIAL TO WAVEGUIDE (DOUBLE RIDGE) (BANDWIDTH RATIO 2.4 1) (SERIES SMA TO WAVEGUIDE - CLASS 5) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MC MI OS]	A 5985	CC	08-MAY-98
M	MIL-W-23351A NOT 1	WAVEGUIDE, SINGLE RIDGE AND DOUBLE RIDGE, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH]	A 5985	CC	08-MAY-98
M	MIL-W-23351/4B NOT 1	WAVEGUIDE, DOUBLE RIDGED (BANDWIDTH RATIO 2.4.1) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH]	A 5985	CC	08-MAY-98
M	MIL-W-28839 NOT 1	WAVEGUIDES, ELLIPTICAL GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 99 MI OS SH]	A 5985	CC	08-MAY-98
M	MIL-W-28839/1 NOT 1	WAVEGUIDES, ELLIPTICAL, SEMIRIGID [CUST: CR EC 11 CC] [REVIEW: 99 MI OS SH]	A 5985	CC	08-MAY-98
M	MIL-F-39000A NOT 1	FLANGES, WAVEGUIDE, RIDGE GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI OS SH]	A 5985	CC	08-MAY-98
M	MIL-F-39000/1B NOT 1	FLANGES, WAVEGUIDE, SINGLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 2.4 TO 1) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC OS]	A 5985	CC	08-MAY-98
M	MIL-F-39000/2B NOT 1	FLANGES, WAVEGUIDE, SINGLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 3.6 TO 1) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC OS]	A 5985	CC	08-MAY-98
M	MIL-F-39000/3B(1) NOT 1	FLANGES, WAVEGUIDE, DOUBLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 2.4 TO 1) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC OS]	A 5985	CC	08-MAY-98
M	MIL-F-39000/4B NOT 1	FLANGES, WAVEGUIDE, DOUBLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 3.6 TO 1) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC OS SH]	A 5985	CC	08-MAY-98
M	MIL-PRF-55110F(1)	PRINTED WIRING BOARD, RIGID, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 16 17 19 99 AR AS CG MC MI NS OS SH TD]	A 5998	CC	27-NOV-98
M	MIL-P-50884C(5)	PRINTED WIRING BOARD, FLEXIBLE AND RIGID-FLEX, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 16 99 AR AS CG MC MI OS SH TD]	A 5998	CC	27-NOV-98
M	MIL-L-24560/1A NOT 2	LIGHT, AIRCRAFT WARNING, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 160.1 (SEE NOTICE 2 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/2B NOT 2	LIGHTS, NAVIGATION, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 114.1, 115.1, 116.1, 117.1 AND 118.1 (SEE NOTICE 2 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/3A NOT 2	LIGHT, APPROACH (HULL CONTOUR), BLUE, 120 VOLTS, 25 WATTS, ONE LAMP, SYMBOL 164.3 (SEE NOTICE 2 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/4A NOT 1	LIGHT, SIGNAL, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 190.1 (SEE NOTICE 1 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/6B NOT 1	LIGHT, SIGNAL, CLEAR, 120 VOLTS, 45 WATTS, THREE LAMPS, SYMBOL 192.1 (SEE NOTICE 1 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/7A(1) NOT 1	LIGHT, NAVIGATION, RED AND CLEAR SYMBOL 193.1, RED AND GREEN-SYMBOL 194, 120 VOLTS, 135 WATTS, NINE LAMPS (SEE NOTICE 1 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/8A(1) NOT 1	LIGHTS, NAVIGATION, STERN, CLEAR, BLUE AND YELLOW, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 196.3, 196.4, AND 197.2 (SEE NOTICE 1 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/9B NOT 1	LIGHTS, NAVIGATION, SIDE, RED AND GREEN, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 182.2 AND 183.2 (SEE NOTICE 1 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/10B NOT 1	LIGHT, NAVIGATION, MASTHEAD, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 172.2 (SEE NOTICE 1 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/16A NOT 1	LIGHT, LENS, FRESNEL, CLASS 1, CLEAR, RED, AND GREEN [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/17A NOT 1	LIGHT, LENS, CYLINDRICAL, CLASS 2, CLEAR [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/18A NOT 1	LIGHT, LENS, DISK SHAPED, CLASS 2, CLEAR [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/19A NOT 1	LIGHT, LENS, GLOBE, CLASS 2, MASKED, BLUE [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/20A NOT 1	LIGHT, LENS, ROUNDEL, CLASS 2, TRANSPARENT (RED, GREEN, AND YELLOW) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/21 NOT 2	LIGHT, NAVIGATION, TRAFFIC CONTROL (AIRCRAFT CARRIERS), 120 VOLTS, 90 WATTS, SIX LAMPS, RED AND GREEN, SYMBOL 221 (SEE NOTICE 2 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/22 NOT 2	LIGHT, NAVIGATION, TRAFFIC LIGHT (LST'S), 120 VOLTS, 90 WATTS, SIX LAMPS, RED, YELLOW, GREEN, SYMBOL 222 (SEE NOTICE 2 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/23 NOT 2	LIGHT, NAVIGATION, ANCHOR AND BOOM, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 161.4 (SEE NOTICE 2 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/24A NOT 2	LIGHT, NAVIGATION, PORTABLE TOWING, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 206.2 [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/25 NOT 1	LIGHT, TASK, AND SHIELD ASSEMBLY, FOR USE WITH SYMBOL 114.1 AND 115.1 PLASTIC LIGHT FIXTURES (SEE NOTICE 1 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-L-24560/26 NOT 1	LIGHT, TASK, AND SHIELD ASSEMBLY, FOR USE WITH SYMBOL 190.1 AND 192.1 BRASS LIGHT FIXTURES (SEE NOTICE 1 FOR MORE INFORMATION) [CUST: SH]	A 6220	SH	05-FEB-99
M	MIL-DTL-1563/8B NOT 1	INSIGNIA, U.S.M.A., BUTTON, 43 LIGNE WITH TUBE SCREW AND HOOK [CUST: IH] [REVIEW: CT]	A 8455	IH	07-APR-99
M	MIL-DTL-3943E SUP 1	DECORATIONS AND MEDALS, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC]	A 8455	IH	24-MAR-99
N	MIL-DTL-3943/262	DECORATION, CHAIMAN'S AWARD, CHEMICAL SAFETY AND HAZARD INVESTIGATION BOARD[CUST: IH] [REVIEW: CT]	A 8455	IH	11-MAR-99
M	MIL-DTL-11484G SUP 1	LAPEL BUTTONS, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC]	A 8455	IH	04-MAR-99
M	MIL-DTL-11484/95D	LAPEL BUTTON, CONGRESSIONAL SPACE MEDAL OF HONOR [CUST: IH] [REVIEW: CT NA]	A 8455	IH	04-MAR-99
M	MIL-DTL-11484/110E	LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, FEDERAL ENERGY MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT]	A 8455	IH	04-MAR-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Actly.	Date
M	MIL-DTL-11484/202B	LAPEL BUTTON, DISTINGUISHED CAREER SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT]	A 8455		IH	04-MAR-99
M	MIL-DTL-11589/509 NOT 1	RIBBON, RECRUITING TRAINING, NAVY [CUST: IH NU] [REVIEW: CT]	A 8455		IH	07-APR-99
M	MIL-DTL-11589/510 NOT 1	RIBBON, CHAIRMAN'S AWARD, CHEMICAL SAFETY AND HAZARD INVESTIGATION BOARD [CUST: IH] [REVIEW: CT]	A 8455		IH	07-APR-99
M	MIL-DTL-11589/511 NOT 1	RIBBON, 75TH ANNIVERSARY COMMEMORATIVE MEDAL, U.S. BORDER PATROL, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT]	A 8455		IH	07-APR-99
M	MIL-DTL-11589/512 NOT 1	RIBBON, MILITARY TRAINING INSTRUCTOR, AIR FORCE [CUST: IH 45] [REVIEW: CT]	A 8455		IH	07-APR-99
M	MIL-HDBK-1005/8 NOT 1	DOMESTIC WASTEWATER CONTROL [CUST: YD2]	A FACR		YD2	26-MAR-99

Last Action	Document Number	Document Title	Distribution	FSC/Area	MCA	Prep. Actv.	Date
M	MIL-C-13251C(1) NOT 3	CANNON, 8 INCH HOWITZER, M2A2 (NO S/S DOCUMENT) [CUST: AR]	A	1030		AR	10-MAR-99
M	MIL-C-63541 NOT 3	CANNON 8 INCH HOWITZER, M201/M201A1 (NO S/S DOCUMENT) [CUST: AR]	A	1030		AR	10-MAR-99
M	MIL-S-64045/62 NOT 3	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4) CHGS 1 + 3, (P/N 11785434-62) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/63 NOT 3	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4) CHGS 4 AND 5, (P/N 11785434-63) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/64 NOT 3	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4) CHGS 6 AND 7, (P/N 11785434-64) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/65 NOT 3	SCALE, GRAPHICAL FIRING, HE M106, HIGH ANGLE, (8-J-4), (P/N 11785434-65) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/66 NOT 3	SCALE, GRAPHICAL SITE, HE M106, (8-J-3), (P/N 11785434-66) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/74 NOT 3	SCALE, GRAPHICAL FIRING, HE M106, HIGH ANGLE, (8-Q-1), (P/N 11785434-74) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/75 NOT 3	SCALE, GRAPHICAL SITE, HE M106, (8-Q-1), (P/N 11785434-75) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/79 NOT 3	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 1G +2G, (P/N 11785434-79) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/80 NOT 3	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 3G AND 4G, (P/N 11785434-80) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/81 NOT 3	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 5G +5W, (P/N 11785434-81) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/82 NOT 3	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 6W AND 7W, (P/N 11785434-82) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/83 NOT 3	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 8 + 9, (P/N 11785434-83) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/84 NOT 3	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 7WR & 8R, (P/N 11785434-84) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/85 NOT 3	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHG 9R, (P/N 11785434-85) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/86 NOT 3	SCALE, GRAPHICAL FIRING, HE M650, HIGH ANGLE, (8-S-1) CHGS 1 TO 9 (P/N 11785434-86) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/87 NOT 3	SCALE, GRAPHICAL FIRING, HE M650, HIGH ANGLE, (8-S-1), CHGS 7WR, 8R & 9R (P/N 11785434-87) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-S-64045/88 NOT 3	SCALE, GRAPHICAL SITE, HE M650, (8-S-1), (P/N 11785434-88) (NO S/S DOCUMENT) [CUST: AR]	A	1220		AR	10-MAR-99
M	MIL-P-14895E(5) NOT 2	PROJECTILE, 8 INCH, M509A1 METAL PARTS ASSEMBLY (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	09-MAR-99
M	MIL-P-46258C(3) NOT 2	PROJECTILE, 8 INCH, HE, M106 LOADING, ASSEMBLING, AND PACKING (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	09-MAR-99
M	MIL-P-46678B NOT 2	PROJECTILE, 8 INCH, GAS, M426 ASSEMBLING, MARKING AND PACKING (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	09-MAR-99
M	MIL-P-48091G(1) NOT 2	PROJECTILE, 8 INCH: HE: M509A1 LOADING, ASSEMBLING AND PACKING (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	09-MAR-99
M	MIL-P-48092B NOT 3	PROJECTILE, 8 INCH, HE M509A1; HARDWARE METALLIC FOR (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	09-MAR-99
M	MIL-P-48093A(3) NOT 2	PROJECTILE, 8 INCH, HE: M509A1 HARDWARE NON-METALLIC FOR (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	09-MAR-99
M	MIL-P-48094B NOT 3	PROJECTILE, 8 INCH, HE, M509A1 HARDWARE NON METALLIC (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	09-MAR-99
M	MIL-P-48322B(8) NOT 2	PROJECTILE, 8 INCH HE, RA, M650 AFT WARHEAD SECTION AND STRIPPABLE COATING ASSEMBLY (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	09-MAR-99
M	MIL-P-48323C(5) NOT 2	PROJECTILE, 8 INCH, HE, RA, M650 ROCKET MOTOR BODY ASSEMBLY (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	09-MAR-99
M	MIL-P-50257 NOT 3	PROJECTILE, 8 INCH, HE, M404, LOADING, ASSEMBLING AND PACKING (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	09-MAR-99
M	MIL-P-60596B NOT 2	PROJECTILE, HE, 8 INCH M106 METAL PARTS ASSEMBLY (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	09-MAR-99
M	MIL-C-63125 NOT 3	CHARGE, PROPELLING, 8 INCH, M188A1 LOADING, ASSEMBLING, AND PACKING (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	10-MAR-99
M	MIL-P-63137B(2) NOT 4	PROJECTILE, 8-INCH, HE, RA, M650 WARHEAD SECTION, FORWARD (NO S/S DOCUMENT)[CUST: AR]	A	1320		AR	10-MAR-99
M	MIL-P-63138(7) NOT 4	PROJECTILE, 8-INCH HE, RA, M650 PROPELLANT GRAIN FOR (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	10-MAR-99
M	MIL-P-63139A(2) NOT 4	PROJECTILE, 8-INCH, HE, RA, M650 DELAY ASSEMBLY, PARTS FOR (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	10-MAR-99
M	MIL-P-63141B(1) NOT 4	PROJECTILE, 8-INCH, HE, RA, M650 BOOSTER AUXILIARY PA-500 AND BOOSTER ASSEMBLY PA-524 FOR (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	10-MAR-99
M	MIL-P-63142B NOT 4	PROJECTILE, 8 INCH, HE, RA, M650 LOADING, ASSEMBLING AND PACKING (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	10-MAR-99
M	MIL-P-63143A(3) NOT 4	PROJECTILE, 8 INCH, HE, RA, M650 ACCESSORIES FOR (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	10-MAR-99
M	MIL-P-63409 NOT 3	PROJECTILE, 8 INCH: DUMMY, M845 (NO S/S DOCUMENT) [CUST: AR]	A	1320		AR	10-MAR-99
M	MS51314B NOT 1	ENGINE, GASOLINE AIR COOLED, 895 CU IN DISPL, 4 STROKE CYCLE, RECIPROCATING, AUTOMOTIVE (NO S/S DOCUMENT) [CUST: AT MC 99] [REVIEW: AV]	A	2805		AT	25-MAR-99
M	W-S-564C NOT 1	SOLDERING GUNS, ELECTRIC (S/S BY A-A-59307) [CUST: AL SH 99 GS]	A	3439	/	GS	17-MAR-99
M	MIL-F-80069D NOT 1	FLARING, FLANGING, AND BEADING MACHINES, TUBE (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 MC YD]	A	3441		GS	23-MAR-99
M	MIL-P-80276 NOT 1	PRESS BRAKES, HYDRAULICALLY OPERATED, SHEET AND PLATE, COMPUTER NUMERICALLY CONTROLLED (CNC) (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84]	A	3441		GS	23-MAR-99
M	MIL-S-80224A NOT 1	SHEARING MACHINE, METAL NOTCHING, POWER DRIVEN (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84]	A	3445		GS	17-MAR-99
M	MIL-P-80279 NOT 1	PUNCHING, SHEARING, NOTCHING, AND COPING MACHINE, METAL, HYDRAULICALLY DRIVEN, FOUR STATION TYPE (NO S/S DOCUMENT) [CUST: AL SH 99 GS]	A	3445		GS	23-MAR-99
M	MIL-P-80280 NOT 1	PUNCHING, ANGLE AND BAR SHEARING MACHINE, METAL, HYDRAULICALLY DRIVEN, THREE STATION TYPE (NO S/S DOCUMENT) [CUST: AL SH 99 GS]	A	3445		GS	23-MAR-99
M	MIL-M-81593A(2) NOT 1	MARKING FOILS, FOR HOT STAMP PRINTING OF ELECTRICAL INSULATING MATERIALS (NO S/S DOCUMENT) [CUST: GS]	A	3611		GS	17-MAR-99
M	MIL-P-50085B NOT 2	PRECLEANER, AIR PURIFIER, M1A1 (NO S/S DOCUMENT) [CUST: EA 99] [REVIEW: 84 GS]	A	4240		EA	05-MAR-99
M	MIL-P-0050085D(1) NOT 2	PRECLEANER, AIR PURIFIER, M1A1 (NO S/S DOCUMENT) [CUST: EA]	A	4240		EA	05-MAR-99
M	MIL-P-0051070F(1) NOT 2	PURIFIER, AIR, M2A2 (NO S/S DOCUMENT) [CUST: EA]	X	4240		EA	05-MAR-99
M	MS14302 NOT 1	PIPE, COPPER, SEAMLESS, STANDARD SIZES (S/S BY ASTM-B42) [CUST: CR4 11 CC] [REVIEW: 82 AR MC MI]	A	4710		CC	05-MAR-99
M	MIL-H-53073B NOT 1	HOSE ASSEMBLY, ELASTOMERIC: FUEL DISCHARGE, COLLAPSIBLE, LIGHTWEIGHT (S/S BY MIL-PRF-370) [CUST: AT YD2 99] [REVIEW: 82 CC MC SH]	A	4720		AT	15-SEP-98
M	A-A-52554 NOT 1	HOSE AND HOSE ASSEMBLIES, NONMETALLIC: ELASTOMERIC, LIQUID FUEL (S/S BY MIL-PRF-370) [CUST: AT YD2 99] [REVIEW: 82 CC MC SH]	A	4720	/	AT	15-SEP-99
M	MIL-C-53071 NOT 2	COUPLING ASSEMBLIES, QUICK-DISCONNECT, SEXLESS TYPE (S/S BY A-A-59377) [CUST: AT SH 99] [REVIEW: CC]	A	4730		AT	25-JAN-99
M	MS49008B NOT 1	TEE, TUBE, FLARE CONNECTION, REFRIGERATION (S/S BY SAE-J513) [CUST: GL MC 82 CC]	A	4730		CC	01-MAR-99
M	MS9842 NOT 2	PIN, STRAIGHT, HEADED .0937 DIAMETER, AMS5616 (S/S BY SAE-AS9842) [CUST: AS IS]	A	5315		IS	04-FEB-99
M	MS9843 NOT 2	PIN, STRAIGHT, HEADED .1249 DIAMETER, AMS5616 (S/S BY SAE-AS9843) [CUST: AS IS] [REVIEW: 82 85]	A	5315		IS	04-FEB-99
M	MS9845 NOT 2	PIN, STRAIGHT, HEADED .2499 DIAMETER, AMS5616 (S/S BY SAE-AS9845) [CUST: AS IS] [REVIEW: 82 85]	A	5315		IS	04-FEB-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MS9846 NOT 2	PIN, STRAIGHT, HEADED .3124 DIAMETER, AMS5616 (S/S BY SAE-AS9846) [CUST: AS IS] [REVIEW: 82 85]	A 5315		IS	04-FEB-99
M	MS9847 NOT 2	PIN, STRAIGHT, HEADED .3749 DIAMETER, AMS5616 (S/S BY SAE-AS9847) [CUST: AS IS] [REVIEW: 82 85]	A 5315		IS	04-FEB-99
M	MS9848 NOT 1	PIN, STRAIGHT, HEADED .4999 DIAMETER, AMS5616 (S/S BY SAE-AS9848) [CUST: AS IS]	A 5315		IS	04-FEB-99
M	MS17987G NOT 1	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, RING HANDLE (S/S BY NASM17987) [CUST: AV AS 99 IS] [REVIEW: 82 GL]	A 5315		IS	31-DEC-98
M	AN121651THRUAN121700 REV 3 NOT 1	PIN, STRAIGHT, HEADED - .187 NOM. (S/S BY SAE-AS121651THRUAS121700) [CUST: AR AS 11 IS] [REVIEW: 82]	A 5315		IS	04-FEB-99
M	AN121701THRUAN121750 REV 3 NOT 1	PIN, STRAIGHT, HEADED - .250 NOM. (S/S BY SAE-AS121701THRUAS121750) [CUST: AR AS 99 IS] [REVIEW: 82]	A 5315		IS	04-FEB-99
M	AN121851THRUAN121925 REV 3 NOT 2	PIN, STRAIGHT, HEADED - .500 NOM. (S/S BY SAE-AS121851THRUAS121925) [CUST: AR AS 99 IS] [REVIEW: 82]	A 5315		IS	04-FEB-99
M	AN150301THRUAN150400 NOT 2	PIN-LOCK, BRASS (S/S BY SAE-AS150301THRUAS150400) [CUST: AV AS 99 IS]	A 5315		IS	04-FEB-99
M	MIL-DTL-7885/2D NOT 2	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED ALLOY STEEL SPINDLE (TYPE I, STYLE A, CLASS 1) (S/S BY NAS9301) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-R-7885/3C(1) NOT 2	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED ALLOY STEEL SPINDLE (TYPE I, STYLE A, CLASS 2) (S/S BY NAS9302) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-DTL-7885/6D NOT 2	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 1) (S/S BY NAS9304) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-R-7885/7C(1) NOT 2	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 2) (S/S BY NAS9305) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-DTL-7885/11 NOT 2	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE (TYPE I, STYLE A, CLASS 1) (S/S BY NAS9301) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-DTL-7885/12 NOT 2	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, (TYPE I, STYLE A, CLASS 2) (S/S BY NAS9302) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-DTL-7885/13 NOT 2	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH SHEAR HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, (TYPE I, STYLE A, CLASS 3) (S/S BY NAS9303) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-DTL-7885/14 NOT 2	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 1) (S/S BY NAS9304) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-DTL-7885/15 NOT 2	RIVETS, BLIND, STRUCTURAL, 100 DE. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 2) (S/S BY NAS9305) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-DTL-7885/16 NOT 2	RIVETS, BLIND, STRUCTURAL, FLANGED DOME HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 4) (S/S BY NAS9306) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-DTL-7885/27 NOT 2	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH SHEAR HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE, (TYPE I, STYLE A, CLASS 3) (S/S BY NAS9303) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-DTL-7885/28 NOT 2	RIVETS, BLIND, STRUCTURAL, FLANGED DOME HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 4) (S/S BY NAS9306) [CUST: AR AS 99] [REVIEW: 82 AV MC]	A 5320		IS	29-MAR-99
M	MIL-DTL-22529D(2) NOT 1	GROMMET, EDGING (S/S BY NASM22529) [CUST: AS 99 IS] [REVIEW: 82]	A 5325		IS	31-MAR-99
M	MIL-DTL-22529/1C NOT 1	GROMMET, COMPOSITE, EDGING (S/S BY NASM22529/1) [CUST: AS 99 IS] [REVIEW: 82]	A 5325		IS	23-MAR-99
M	MIL-DTL-22529/2B NOT 1	GROMMET, CUSHION, COMPOSITE, EDGING (S/S BY NASM22529/2) [CUST: AS 99 IS] [REVIEW: 82]	A 5325		IS	23-MAR-99
M	MS3498C(1) NOT 2	SCREW ASSEMBLY, PANEL (S/S BY NASM3498) [CUST: AV AS 99 IS]	A 5325		IS	25-NOV-98
M	MIL-DTL-27536C NOT 1	COUPLING, CLAMP, GROOVED, V-BAND (S/S BY SAE-AS5355) [CUST: AS 99 IS] [REVIEW: 11 82]	A 5340		IS	31-MAR-99
M	MIL-DTL-27536/1 NOT 1	COUPLING, CLAMP, GROOVED, V-BAND, 1.750 TO 14.250 FLANGE OD (-65 DEG. TO +800 DEG. F) (S/S BY SAE-AS5355/1) [CUST: AS 99 IS] [REVIEW: 11 82]	A 5340		IS	31-MAR-99
M	MIL-DTL-27536/2 NOT 1	COUPLING, CLAMP, GROOVED, V-BAND, 1.750 TO 6.250 FLANGE OD (-450 DEG. F TO +250 DEG. F) (S/S BY SAE-AS5355/2) [CUST: AS 99 IS] [REVIEW: 11 82]	A 5340		IS	31-MAR-99
M	MIL-DTL-27536/3 NOT 1	COUPLING, CLAMP, GROOVED, V-BAND, 1.750 TO 14.250 FLANGE OD (-320 DEG. TO +1200 DEG. F) (S/S BY SAE-AS5355/3) [CUST: AS 99 IS] [REVIEW: 11 82]	A 5340		IS	31-MAR-99
M	MIL-S-43770/1A NOT 2	SNAP HOOK, WIRE BODY, FIXED LOOP EYE, FLAT SPRING CLOSURE, WITH RETAINER (S/S BY NASM43770/1) [CUST: GL YD2 99 IS] [REVIEW: AR AT AV CG CR4 EA MC SA]	A 5340		IS	31-MAR-99
M	MIL-S-43770/2A NOT 1	SNAP HOOK, WIRE BODY, FIXED LOOP EYE, SIDE RETAINING CLOSURE (S/S BY NASM43770/2) [CUST: GL YD2 99 IS] [REVIEW: AR AS AT AV CG CR4 EA MC SH]	A 5340		IS	31-MAR-99
M	MIL-S-43770/3 NOT 2	SNAP HOOK, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH (S/S BY NASM43770/3) [CUST: GL YD2 99 IS] [REVIEW: AR AT AV CG CR4 MC MI SA]	A 5340		IS	31-MAR-99
M	MIL-S-43770/4 NOT 2	SNAP HOOK, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH (S/S BY NASM43770/4) [CUST: GL YD2 99 IS] [REVIEW: AR AT AV CG CR4 MC MI SA]	A 5340		IS	31-MAR-99
M	MIL-S-43770/5 NOT 2	SNAP HOOK, CAST BODY, FIXED EYE, SLIDING BOLT CLOSURE (S/S BY NASM43770/5) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	31-MAR-99
M	MIL-S-43770/6 NOT 2	SNAP HOOK, CAST BODY, SWIVEL EYE, SLIDING BOLT CLOSURE (S/S BY NASM43770/6)[CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	31-MAR-99
M	MIL-S-43770/7 NOT 2	SNAP HOOK, CAST BODY, LOOP EYE SWIVEL (S/S BY NASM43770/7) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	31-MAR-99
M	MIL-S-43770/8 NOT 2	SNAP HOOK, CAST BODY, ROUND EYE SWIVEL (S/S BY NASM43770/8) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	31-MAR-99
M	MIL-S-43770/9 NOT 2	SNAP HOOK, CAST BODY, FIXED LOOP EYE, TRIGGER CLOSURE (S/S BY NASM43770/9) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	31-MAR-99
M	MIL-S-43770/10 NOT 2	SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH (S/S BY NASM43770/10) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	31-MAR-99
M	MIL-S-43770/11 NOT 2	SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, LIGHT DUTY (S/S BY NASM43770/11) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI]	A 5340		IS	31-MAR-99
M	MIL-S-43770/12A NOT 2	SNAP HOOK, CAST BODY, FIXED ROUND EYE W/O ROLLER, FLAT SPRING CLOSURE (S/S BY NASM43770/12) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI]	A 5340		IS	31-MAR-99
M	MIL-S-43770/13 NOT 2	SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH (S/S BY NASM43770/13) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MI]	A 5340		IS	31-MAR-99
M	MIL-S-43770/14 NOT 2	SNAP HOOK, CAST BODY, OPEN EYE, SLIDING BOLT CLOSURE (S/S BY NASM43770/14) [CUST: GL YD2 99 IS] [REVIEW: CG MC]	A 5340		IS	31-MAR-99
M	MS21314B NOT 1	STRAP, RETAINING, TWO HOLE, FOR PIPE, CONDUIT, AND CABLE (S/S BY NASM21314)[CUST: AR YD2 99 IS] [REVIEW: CR CR4 MC MI]	A 5340		IS	04-FEB-99
M	MS21315A NOT 1	STRAP, RETAINING, TWO HOLE, FOR TUBING (S/S BY NASM21315) [CUST: AR 99 IS] [REVIEW: CR CR4 MC]	A 5340		IS	04-FEB-99
M	MS21322D NOT 1	CLAMP, LOOP-ALUMINUM, PLAIN AND CUSHIONED (S/S BY NASM21322) [CUST: AR YD2 99 IS] [REVIEW: AT CR CR4 MC MI OS]	A 5340		IS	04-FEB-99
M	MS21333F NOT 1	CLAMP, LOOP-STEEL-PLAIN AND CUSHIONED (S/S BY NASM21333) [CUST: AR YD2 99 IS] [REVIEW: AV CR MC MI SA SH]	A 5340		IS	04-FEB-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Actly.	Date
M	MS21334B NOT 1	CLAMP, LOOP-DOUBLE, CABLE OR TUBE, STEEL, PLAIN AND CUSHIONED (S/S BY NASM21334) [CUST: AR YD2 99 IS] [REVIEW: AT AV MC MI OS]	A 5340	IS	04-FEB-99
M	MS27975D NOT 1	CLEVIS, ROD END-ADJUSTING, WIDE AND NARROW FORKS (S/S BY NASM27975) [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MC MI OS SH YD2]	A 5340	IS	04-FEB-99
M	MS35140D NOT 1	STRAP, RETAINING, ONE HOLE, FOR PIPE, RIGID CONDUIT AND CABLE (S/S BY NASM35140) [CUST: AR YD2 99 IS] [REVIEW: CR CR4 GL MC MI]	A 5340	IS	22-FEB-99
M	MS35792B NOT 1	HANDLE, BAIL, CHEST, RECESSED (S/S BY NASM35792) [CUST: AR OS 99 IS] [REVIEW: AV CR4 GL MC MI]	A 5340	IS	04-FEB-99
M	MS35812E NOT 1	CLEVIS, ROD END-ADJUSTABLE AND PLAIN, STEEL (S/S BY NASM35812) [CUST: AR AS 99 IS] [REVIEW: AT CR4 GL MC MI OS YD2]	A 5340	IS	04-FEB-99
M	MS39087F(1) NOT 1	HANDLE, BOW (S/S BY NASM39087) [CUST: AR 99 IS] [REVIEW: 82 AT AV CR CR4 MI]	A 5340	IS	04-FEB-99
M	MS51956A NOT 1	STRAP, RETAINING, ONE HOLE, FOR THIN WALL CONDUIT (EMT) (S/S BY NASM51956) [CUST: AR SH 99 IS] [REVIEW: CR CR4 MC MI]	A 5340	IS	04-FEB-99
M	QPL-27536-6 NOT 1	COUPLING, CLAMP, GROOVED, V-BAND (NO S/S DOCUMENT)	A 5340	IS	31-MAR-99
M	NAS816-69 NOT 2	CAP OR PLUG - PROTECTIVE, PLAIN TUBE OR HOLE (NO S/S DOCUMENT) [CUST: AR AS 99 IS]	A 5340	IS	16-JUN-69
M	MIL-C-20/39C(3) NOT 2	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED AND NONESTABLISHED RELIABILITY STYLES CCR15 AND CC15, CCR19 AND CC19 (S/S BY MIL-PRF-20/35) [CUST: CR EC 85 CC] [REVIEW: 99 AS MC OS SH]	A 5910	CC	31-MAR-99
M	MIL-C-20/40B(2) NOT 3	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR16 AND CC16 (S/S BY MIL-PRF-20/35 AND MIL-PRF-20/36) [CUST: CR EC 11] [REVIEW: AS MC OS SH]	A 5910	CC	31-MAR-99
M	MIL-S-9419/1B NOT 3	SWITCHES, TOGGLE, MOMENTARY, FOUR POSITION ON, CENTER OFF (.623 DIA) (NO S/S DOCUMENT) [CUST: CR 85 CC] [REVIEW: 99 MI]	A 5930	CC	11-MAR-99
M	MIL-I-3930/1 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES) INSULATING COMPOUND, TYPE IP-MEDIUM-LOW TEMPERATURE, POLYVINYLCHLORIDE (PVC) AND POLYVINYLCHLORIDE ACETATE (PVCA) (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/2 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND TYPE IS-MEDIUM-LOW TEMPERATURE, STYRENE-BUTADIENE RUBBER (SBR) (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/3 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND, TYPE IS-L-LOW TEMPERATURE, HEAT RESISTANT, STYRENE BUTADIENE RUBBER (SBR) (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/4 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE IR-LOW TEMPERATURE, NATURAL RUBBER (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/5 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND, TYPE IL-LOW TEMPERATURE, NATURAL RUBBER DEPOSITED FROM A RUBBER LATEX COMPOUND (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/7 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE IL-H-LOW TEMPERATURE, HEAT RESISTANT, NATURAL RUBBER DEPOSITED FROM A RUBBER LATEX COMPOUND (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/11 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE IE-POLYETHYLENE IN ACCORDANCE WITH L-P-390, TYPE II, CLASS L, GRADE 3 OR 4, CATEGORY 5 (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 IS MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/12 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING AND JACKETING COMPOUND, TYPE TPE-S-LOW TEMPERATURE, HEAT AND OZONE RESISTANT, STYRENIC THERMOPLASTIC ELASTOMER (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 IS MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/13 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES) INSULATING AND JACKETING COMPOUND, TYPE TPE-O-LOW TEMPERATURE, WEATHER RESISTANT, OLEFINIC THERMOPLASTIC ELASTOMER (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 IS MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/14 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JP-MEDIUM-LOW TEMPERATURE, POLYVINYLCHLORIDE (PVC) AND POLYVINYLCHLORIDE-ACETATE (PVCA) (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 IS MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/15 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JS-MEDIUM-LOW TEMPERATURE STYRENE-BUTADIENE RUBBER (SBR) (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 IS MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/16 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORS, AND WIRES) JACKETING COMPOUND, TYPE JS-L-LOW TEMPERATURE HEAT-RESISTANT, STYRENE-BUTADIENE RUBBER (SBR) (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 IS MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/17 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JR-LOW TEMPERATURE, NATURAL RUBBER (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 IS MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/18 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JN-MODERATE-LOW TEMPERATURE, CHLOROPRENE RUBBER (CR) (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 IS MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/19 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JN-L-LOW TEMPERATURE, CHLOROPRENE RUBBER (CR) (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 IS MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/20 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JH-LOW TEMPERATURE, HEAT RESISTANT, ETHYLENE-PROPYLENE (EPM) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EPDM) (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 IS MI]	A 5970	CR	23-FEB-99
M	MIL-I-3930/21 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JU-LOW TEMPERATURE, HEAT AND WEATHER RESISTANT, POLYURETHANE THERMOPLASTIC ELASTOMER (NO S/S DOCUMENT) [CUST: CR 85] [REVIEW: AR CR4 IS MI]	A 5970	CR	23-FEB-99
M	MIL-I-49456A NOT 2	INSULATION SHEET, ELECTRICAL, SILICONE RUBBER THERMALLY CONDUCTIVE, FIBERGLASS REINFORCED (NO S/S DOCUMENT) [CUST: CR]	A 5970	CR	23-FEB-99
M	MIL-I-49466 NOT 2	INSULATOR; DISKS, PLATES, AND WASHERS GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR]	A 5970	CR	23-FEB-99
M	MIL-I-49466/1(1) NOT 2	INSULATOR; DISKS, PLATES, AND WASHERS POLYIMIDE .002 OR .005 INCH THICK (NO S/S DOCUMENT) [CUST: CR]	A 5970	CR	23-FEB-99
M	MIL-I-49466/2(1) NOT 2	INSULATOR; DISKS, PLATES, AND WASHERS SILICON RUBBER, FIBERGLASS REINFORCED .010 AND .015 INCH THICK (NO S/S DOCUMENT) [CUST: CR]	A 5970	CR	23-FEB-99
M	MIL-I-49466/3(1) NOT 2	INSULATOR; DISKS, PLATES, AND WASHERS INSULATORS FOR MOUNTING (NO S/S DOCUMENT) [CUST: CR]	A 5970	CR	23-FEB-99
M	MS75076 NOT 2	INSULATOR, STRAIN, WITH CLEVIS (NO S/S DOCUMENT) [CUST: CR]	A 5970	CR	23-FEB-99
M	MS75077 NOT 2	INSULATOR, STRAIN, WITH CLEVIS (NO S/S DOCUMENT) [CUST: CR]	A 5970	CR	23-FEB-99
M	MIL-S-13949H(2) SUP 1 NOT 2	SHEET, PRINTED WIRING BOARD, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998	CC	30-NOV-98
M	MIL-S-13949/4D(1) NOT 2	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GF (WOVEN E-GLASS REINFORCEMENT, MAJORITY DIFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998	CC	30-NOV-98

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Actv.	Date
M	MIL-S-13949/5D NOT 2	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GH (WOVEN E-GLASS REINFORCEMENT, MAJORITY POLYFUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, FLAME RESISTANT, METAL CLAD OR UNCLAD) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/10C NOT 2	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GI (WOVEN E-GLASS REINFORCEMENT, POLYIMIDE RESIN, HEAT RESISTANT, METAL CLAD OR UNCLAD) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/11B NOT 2	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GE (WOVEN E-GLASS REINFORCEMENT, MAJORITY DIFUNCTIONAL EPOXY RESIN) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/12B NOT 2	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GF (WOVEN E-GLASS REINFORCEMENT, MAJORITY DIFUNCTIONAL EPOXY RESIN, FLAME RESISTANT) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/13C NOT 2	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GI (WOVEN E-GLASS REINFORCEMENT, POLYIMIDE RESIN) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/15C NOT 2	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL AF (WOVEN ARAMID REINFORCEMENT, EPOXY RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/16B NOT 2	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL AF (WOVEN ARAMID REINFORCEMENT, EPOXY RESIN, FLAME RESISTANT) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/18A NOT 2	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GH (WOVEN E-GLASS REINFORCEMENT, MAJORITY POLYFUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, FLAME RESISTANT) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/19A NOT 2	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL QI (WOVEN QUARTZ REINFORCEMENT, POLYIMIDE RESIN, HEAT RESISTANT, METAL CLAD OR UNCLAD) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/20A NOT 2	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL QI (WOVEN QUARTZ REINFORCEMENT, POLYIMIDE RESIN) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/22B NOT 2	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL BF (NONWOVEN ARAMID REINFORCEMENT, EPOXY RESIN, METAL CLAD OR UNCLAD) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/23B NOT 2	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL BF (NONWOVEN ARAMID REINFORCEMENT, EPOXY RESIN, FLAME RESISTANT) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/24A NOT 2	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GM (WOVEN E-GLASS REINFORCEMENT, TRIAZINE AND OR BISMALEMIDE MODIFIED EPOXY RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/25B NOT 2	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL CF (NONWOVEN POLYESTER, EPOXY RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/26A NOT 2	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GM (WOVEN E-GLASS REINFORCEMENT, TRIAZINE AND OR BISMALEIMIDE MODIFIED EPOXY RESIN) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/27A NOT 2	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL SC (WOVEN S-2 GLASS FIBER REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/28A NOT 2	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL SC (WOVEN S-2 GLASS FIBER REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/29A NOT 2	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GC (WOVEN E-GLASS REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/30A NOT 2	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GC (WOVEN E-GLASS REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/31 NOT 2	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL BI (NONWOVEN ARAMID REINFORCEMENT, POLYIMIDE RESIN, METAL CLAD OR UNCLAD) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-S-13949/32 NOT 2	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL BI (NONWOVEN ARAMID REINFORCEMENT, POLYIMIDE RESIN, FLAME RESISTANT) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5998		CC	30-NOV-98
M	MIL-STD-1861A NOT 1	ELECTRICAL AND ELECTRONIC ASSEMBLIES, BOARDS, CARDS, AND ASSOCIATED HARDWARE, SELECTION AND USE OF (S/S BY MIL-HDBK-1861) [CUST: CR EC 85 CC] [REVIEW: 17 99 CR4]	A 5998		CC	31-DEC-98
M	MIL-P-13949/6D NOT 3	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5999		CC	30-NOV-98
M	MIL-P-13949/7E NOT 3	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, NONWOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, FOR MICROWAVE APPLICATION, COPPER-CLAD (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5999		CC	30-NOV-98
M	MIL-P-13949/8D NOT 3	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GT, GLASS BASE, WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5999		CC	30-NOV-98
M	MIL-P-13949/9D NOT 3	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GX, GLASS BASE, WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, FOR MICROWAVE APPLICATION, COPPER-CLAD (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5999		CC	30-NOV-98
M	MIL-P-13949/14A NOT 3	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GY, GLASS BASE WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, FOR MICROWAVE APPLICATION, COPPER-CLAD (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 AR AS MI OS SH]	A 5999		CC	30-NOV-98
M	MIL-B-11818D NOT 2	BAROMETER, ANEROID ML-102 (NO S/S DOCUMENT) [CUST: CR 99] [REVIEW: 80]	A 6660		CR	16-FEB-99
M	MIL-C-55571A NOT 3	CASE, MERCURIAL BAROMETER ML-48 ( ) (NO S/S DOCUMENT) [CUST: CR 99]	A 6660		CR	16-FEB-99
M	MIL-P-11879D NOT 1	PYROMETER, OPTICAL (NO S/S DOCUMENT) [CUST: AT 99]	A 6685		GS	25-MAR-99
M	PPP-B-580D NOT 1	BOX, HOUSEHOLD GOODS (S/S BY ASTM-D4169) [CUST: MT SA 11] [REVIEW: 69 71 84 99 SM]	A 8115	/	MT	01-MAR-99
M	MIL-C-14366E NOT 1	CLOTH, COATED, NYLON TWILL (ONE SIDE COATED) (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 11 45 82 MC MD]	A 8305		CT	24-MAR-99
M	C-F-158C(1) NOT 2	FEATHER, LANDFOWL, (WHOLE) AND (CRUSHED) (NO S/S DOCUMENT) [CUST: GL 99 CT] [REVIEW: MD]	A 8320	/	CT	03-FEB-99
M	C-F-160C NOT 2	FEATHER, WATERFOWL, AND DOWN, WATERFOWL (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 45 DM MD]	A 8320	/	CT	03-FEB-99
M	MIL-P-44087B NOT 1	PARKA, NIGHT CAMOUFLAGE, DESERT (S/S BY MIL-C-43455) [CUST: GL NU CT] [REVIEW: MC MD]	A 8415		CT	03-MAR-99
M	MIL-L-35078/1C NOT 2	LOADS, UNIT: TYPE I, CLASS A - PALLETIZED, STRAPPED OR FILM BONDED LOAD (NO S/S DOCUMENT) [CUST: GL SA 35] [REVIEW: 45 MC MD MS]	A PACK		SS	24-MAR-99
M	MIL-L-35078/2C NOT 2	LOADS, UNIT: TYPE I, CLASS B - PALLETIZED, STRAPPED LOAD WITH CAP (NO S/S DOCUMENT) [CUST: GL SA 35] [REVIEW: 45 MC MD MS]	A PACK		SS	24-MAR-99
M	MIL-L-35078/3C NOT 2	LOADS, UNIT: TYPE I, CLASS C - PALLETIZED, STRAPPED LOAD WITH SHEATHING AND CAP (NO S/S DOCUMENT) [CUST: GL SA 35] [REVIEW: 45 MC MD MS]	A PACK		SS	24-MAR-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MIL-L-35078/4C NOT 2	LOADS, UNIT: TYPE I, CLASS D - PALLETIZED, STRAPPED LOAD WITH SHROUD, SHEATHING AND CAP (NO S/S DOCUMENT) [CUST: GL SA 35] [REVIEW: 45 MC MD MS]	A	PACK	SS	24-MAR-99
M	MIL-L-35078/5C NOT 2	LOADS, UNIT: TYPE II, CLASS E - CONTAINERIZED UNIT LOAD, FIBERBOARD BOX ON PALLET WITH CAP, AND NONMETALLIC STRAPPING ONLY (NO S/S DOCUMENT) [CUST: GL SA 35] [REVIEW: MC MD MS]	A	PACK	SS	24-MAR-99
M	MIL-L-35078/6C NOT 2	LOADS, UNIT: TYPE II, CLASS F - CONTAINERIZED UNIT LOAD, WOOD CLEATED OR WIREBOUND PLYWOOD BOXES WITH METALLIC STRAPPING ONLY (NO S/S DOCUMENT) [CUST: GL SA 50] [REVIEW: 45 MC MD MS]	A	PACK	SS	24-MAR-99
M	MIL-L-35078/7D NOT 2	LOADS, UNIT: TYPE III, CLASSES G AND H - COMMERCIAL LOADS, CLASS G, PALLETIZED: CLASS H, LOAD BASE (NO S/S DOCUMENT) [CUST: GL SA 50] [REVIEW: 45 MC MD MS]	A	PACK	SS	24-MAR-99