

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

1 APR 2003 / FOR PERIOD 15 MAR 2003 TO 31 MAR 2003 / VOL. 6/ NO. 03

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

<http://astimage.daps.dla.mil>

NOTE

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of "N" (new), or "M" (modified).

"N" indicates that this is a new document that has been entered to our database.

"M" indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	A-A-59154 NOT 1	LOADER, SCOOP TYPE, FULL TRACKED[CUST: AT YD 99]	A	3805	/	IS	19-MAR-03
M	A-A-59182 NOT 1	HAMMER, PILEDRIVER, SELF-POWERED, DIESEL[CUST: AT YD]	A	3895	/	IS	19-MAR-03
M	A-A-3135 NOT 1	WHEELBARROWS[CUST: 99]	A	3920	/	IS	19-MAR-03
M	A-A-50352C NOT 1	CLAMP, MATERIAL LIFTING (PLATE, VERTICAL LIFT)[CUST: YD 99]	A	3940	/	IS	19-MAR-03
M	A-A-59170 NOT 1	BLOCK AND TACKLE WITH LOAD-LOCKING DEVICE[CUST: 99]	A	3940	/	IS	19-MAR-03
M	MIL-PRF-51191F	HEATER, AIR, ELECTRICAL, FILTER UNIT, M3[CUST: EA]	A	4240		EA	26-MAR-03
M	MIL-PRF-52308J(1)	FILTER-COALESCER ELEMENT, FLUID PRESSURE[CUST: AT AS 11] [REVIEW: 68 99 AV CC MC MI]	A	4330		AT	20-MAR-03
M	WW-H-191E NOT 1	HEATER, FLUID, INDUSTRIAL (INSTANTANEOUS, STEAM, WATER CONVERTOR TYPE)[CUST: YD 99] [REVIEW: 84 CC MS]	A	4520	/	IS	19-MAR-03
M	WW-F-2743A NOT 1	FURNACES, WARM AIR AND HEATERS, UNIT, FORCED AIR CIRCULATION, OIL - AND GAS FIRED[CUST: YD 99] [REVIEW: 84 CC]	A	4520	/	IS	19-MAR-03
N	MIL-PRF-32007	OILY WASTEWATER SEPARATION SYSTEM, 6-7-GALLON PER MINUTE NAVY INTEGRATED MEMBRANE SYSTEM (NIMS)[CUST: AT SH 99] [REVIEW: 03 84 CC GL GL4 YD]	A	4610		SH	06-MAR-03
N	MIL-PRF-32041	ULTRAFILTRATION SYSTEM, 50-GALLON PER MINUTE OILY WASTE MEMBRANE (OWMS-50)[CUST: AT SH 99] [REVIEW: 03 84 CC GL GL4 YD]	A	4610		SH	06-MAR-03
M	QPL-8789-20	FITTING END, ATTACHABLE HYDRAULIC HIGH-PRESSURE (3,000 PSI), GENERAL SPECIFICATION FOR	A	4730		CC	26-MAR-03
M	MS16626B NOT 2	RING, RETAINING, EXTERNAL, INVERTED (TAPERED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: AT AV CR4 GL MC MI]	A	5325		IS	14-MAR-03
M	MS16630B NOT 2	RING, RETAINING, EXTERNAL, BEVELED (TAPERED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: AT AV CR4 GL MC MI]	A	5325		IS	16-FEB-03
M	MS16634B NOT 2	RING, RETAINING, EXTERNAL, BOWED "E" (REDUCED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: 82 AV MI]	A	5325		IS	16-FEB-03
M	A-A-55634 NOT 1	ZIPPERS (FASTENERS, SLIDE INTERLOCKING)[CUST: GL AS 99]	A	5325	/	IS	19-MAR-03
N	SAE-AMS-R-83485	RUBBER, FLUOROCARBON ELASTOMER, IMPROVED PERFORMANCE AT LOW TEMPERATURES[CUST: 11]	A	5330		11	23-OCT-02
M	QPL-22684-74	RESISTORS, FIXED, FILM (INSULATED), GENERAL SPECIFICATION FOR	A	5905		CC	18-MAR-03
M	QPL-55182-151	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR	A	5905		CR	17-MAR-03
M	QPL-55342-91	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR	A	5905		CR	17-MAR-03
M	QPL-39001-47	CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	19-MAR-03
M	QPL-55365-67	CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	20-MAR-03
M	QPL-55681-115	CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	14-MAR-03
M	QPL-19207-44	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, GENERAL SPECIFICATION FOR	A	5920		CC	18-MAR-03
M	MIL-PRF-8805/3K	SWITCHES, PUSH, 10 AMPERES OR LOW LEVEL, DUSTTIGHT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	14-MAR-03
M	QPL-22885-87	SWITCHES, PUSH BUTTON, ILLUMINATED, GENERAL SPECIFICATION FOR	A	5930		CC	31-MAR-03
M	QPL-24236-27	SWITCHES, THERMOSTATIC, (METALLIC AND BIMETALLIC), GENERAL SPECIFICATION FOR	A	5930		CC	19-MAR-03
M	MIL-DTL-55302F	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	5935		CC	13-MAR-03
M	MIL-DTL-55661C(1)	CONNECTOR, PLUG, ELECTRICAL UG-1870() U CONNECTOR, RECEPTACLE, ELECTRICAL UG-1837()U[CUST: EC 11 CC]	A	5935		CC	28-FEB-03
M	MIL-DTL-83513/16C	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	27-FEB-03
M	MIL-DTL-83513/17C	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	27-FEB-03
M	MIL-DTL-83513/18C	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	27-FEB-03
M	MIL-DTL-83513/19C	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935		CC	27-FEB-03
M	MIL-DTL-83513/20C	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	27-FEB-03
M	MIL-DTL-83513/21C	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	27-FEB-03
M	MIL-DTL-83513/22C	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 2 ROW, SOLDER TYPE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935		CC	27-FEB-03
M	MIL-DTL-83513/23C	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 3 ROW, SOLDER TYPE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	27-FEB-03
M	MIL-DTL-83513/24C	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	27-FEB-03
M	MIL-DTL-83513/25C	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	27-FEB-03
M	MIL-DTL-83513/26C	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	27-FEB-03
M	MIL-DTL-83513/27C	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	27-FEB-03
M	QPL-38999-88	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR	A	5935		CC	26-MAR-03
M	QPL-39012-119	CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR	A	5935		CC	26-MAR-03
M	QPL-55339-56	ADAPTERS, CONNECTORS, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR	A	5935		CC	20-MAR-03

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-21038-55	TRANSFORMERS, PULSE, LOW POWER, GENERAL SPECIFICATION FOR	A	5950		CC	18-MAR-03
M	MIL-PRF-1/1701C NOT 1	ELECTRON TUBE, GAS SWITCHING TYPE DOD 004[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS]	A	5960		CC	19-MAR-03
M	MIL-PRF-19500/301G	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN SILICON, LOW-POWER TYPE 2N918 AND 2N918UB JAN, JANTX, JANTXV AND JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC SH]	A	5961		CC	19-MAR-03
M	MIL-PRF-19500/375F	SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD-EFFECT, N-CHANNEL, DEPLETION MODE, SILICON TYPES 2N3821, 2N3821UB, 2N3822, 2N3822UB, 2N3823, AND 2N3823UB JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV MC SM]	A	5961		CC	19-MAR-03
M	MIL-PRF-19500/544E	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N5152, 2N5154, 2N5152L, 2N5154L, 2N5152U3, 2N5154U3 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: EC 11 CC NA] [REVIEW: 19 71 MC]	A	5961		CC	13-MAR-03
M	MIL-PRF-19500/545E	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N5151, 2N5153, 2N5151L, 2N5153L, 2N5151U3, AND 2N5153U3 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: EC 11 CC NA] [REVIEW: MI]	A	5961		CC	13-MAR-03
M	MIL-PRF-19500/663 NOT 1	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7431, 2N7432, AND 2N7433 JANTXVR, F, G, AND H; AND JANSR, F, G, AND H[CUST: CR EC 11 NA]	A	5961		CC	19-MAR-03
M	MIL-HDBK-103P	LIST OF STANDARD MICROCIRCUIT DRAWINGS[CUST: CC]	A	5962		CC	19-MAR-03
M	MIL-W-3795B NOT 4	WIRE, ELECTRICAL (TINSEL)[CUST: CR 11 CC] [REVIEW: 80 AR AV CR4 MI OS SH]	A	6145		CC	21-FEB-03
M	MIL-C-28661A(1) NOT 2	CABLE, POWER, ELECTRICAL, HIGH VOLTAGE[CUST: CR OS 11 CC]	A	6145		CC	18-FEB-03
M	QPL-17-175	CABLES, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR	A	6145		CC	26-MAR-03
M	QPL-25038-31	WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, AND FLIGHT CRITICAL, GENERAL SPECIFICATION FOR	A	6145		CC	18-MAR-03
N	A-A-59164	TESTER, FLASH POINT, ASTM D56 METHOD[CUST: 99]	A	6630	/	84	21-MAR-03
N	FED-STD-832	CONSTRUCTION METHODS AND MATERIALS FOR VAULTS[CUST: AR YD 99 IS]	A	7110	*	YD	01-SEP-02
M	QPL-24667-22	COATING SYSTEM, NON-SKID, FOR ROLL OR SPRAY APPLICATION (METRIC)	A	8010		SH	21-MAR-03
M	QPL-53022-13	PRIMER, EPOXY COATING, CORROSION INHIBITING, LEAD AND CHROMATE FREE	A	8010		MR	14-MAR-03
M	QPL-TT-P-2756-2	POLYURETHANE COATING: SELF-PRIMING TOPCOAT, LOW VOLATILE ORGANIC COMPOUNDS (VOC) CONTENT	A	8010	/	AS	24-MAR-03
M	MIL-C-16310D NOT 2	CYLINDER COMPRESSED GAS (COMPRESSED AIR AND CARBON DIOXIDE, NONSHATTERABLE AND NONMAGNETIC)[CUST: CR4 SH 68] [REVIEW: YD1]	A	8120		SH	20-MAR-03
M	MIL-DTL-3628/82C	BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, COAST GUARD[CUST: IH CG] [REVIEW: CT]	A	8455		IH	20-MAR-03
N	MIL-DTL-11589/579	RIBBON, GLOBAL WAR ON TERRORISM EXPEDITIONARY MEDAL, DOD[CUST: IH] [REVIEW: CT]	A	8455		IH	20-MAR-03
N	MIL-DTL-11589/580	RIBBON, GLOBAL WAR ON TERRORISM SERVICE MEDAL, DOD[CUST: IH] [REVIEW: CT]	A	8455		IH	20-MAR-03
N	MIL-DTL-11589/581	RIBBON, MERITORIOUS UNIT AWARD, AIR FORCE[CUST: IH 11] [REVIEW: CT]	A	8455		IH	20-MAR-03
N	MIL-DTL-11589/582	RIBBON, GALLANT UNIT AWARD, AIR FORCE[CUST: IH 11] [REVIEW: CT]	A	8455		IH	20-MAR-03
N	MIL-DTL-11589/583	RIBBON, EXCEPTIONAL ADMINISTRATIVE ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT]	A	8455		IH	20-MAR-03
N	MIL-DTL-11589/584	RIBBON, EXCEPTIONAL TECHNOLOGY ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT]	A	8455		IH	20-MAR-03
N	A-A-20342	ICE CREAM, SHERBET, FRUIT AND JUICE PRODUCTS, ICES AND NOVELTIES[CUST: GL SA 35] [REVIEW: MC MD QM SS]	A	8910	*	GL	10-FEB-03
M	MIL-STD-2361B	DIGITAL PUBLICATIONS DEVELOPMENT[Interface Standard][CUST: AC1] [REVIEW: AR AT AV CR CR4 GL MI MR TE]	A	IPSC		AC1	31-MAR-03
M	DI-MGMT-80224A	TECHNICAL DIRECTIVE COMPLIANCE REPORTS [AMSC: N7493]	A	MGMT		AS	17-MAR-03
M	DI-MGMT-80771B	TECHNICAL DIRECTIVE KIT SHIPMENT REPORT [AMSC: N7492]	A	MGMT		AS	17-MAR-03
M	MIL-STD-1366D(1)	TRANSPORTABILITY CRITERIA[Interface Standard][CUST: MT SA 11] [REVIEW: 13 AS CC CG CR3 DH GL3 GS NP PT SE SM SP TD TM2]	A	PACK		MT	31-MAR-03
N	ISO15939	SOFTWARE ENGINEERING - SOFTWARE MEASUREMENT PROCESS[CUST: AM AS 10]	A	SESS		SE	19-MAR-03

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-10509-157	RESISTORS, FIXED, FILM (HIGH STABILITY), GENERAL SPECIFICATION FOR	A	5905		CC	17-MAR-03
M	MIL-C-62/3C	CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE31 AND CE34[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS]	A	5910		CC	12-FEB-03
M	MIL-C-62/5C	CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE33 AND CE36[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS]	A	5910		CC	12-FEB-03
M	MIL-C-62/6C	CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE41 AND CE44[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS]	A	5910		CC	12-FEB-03
M	MIL-C-62/7C	CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE42 AND CE45[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS]	A	5910		CC	12-FEB-03
M	MIL-C-62/8D	CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE51 AND CE56[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS]	A	5910		CC	12-FEB-03
M	MIL-C-62/9D	CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE52 AND CE57[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS]	A	5910		CC	12-FEB-03
M	MIL-C-62/10D	CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE53 AND CE58[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS]	A	5910		CC	12-FEB-03
M	MIL-C-62/11D	CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE63 AND CE64[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS]	A	5910		CC	12-FEB-03
M	QPL-11272-29	CAPACITORS, FIXED, GLASS-DIELECTRIC GENERAL SPECIFICATION FOR	A	5910		CC	20-MAR-03
M	QPL-12285-15	SWITCHES, THERMOSTATIC	A	5930		CC	20-MAR-03
M	MS25033C(1)	RELAY, 200 AMP, 1 PST, SEALED, CLASS O[CUST: AS 11 CC] [REVIEW: 99]	A	5945		CC	07-MAR-03
M	MIL-E-1/83G	ELECTRON TUBE, THRYTRON TYPE 5727[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC OS]	A	5960		CC	26-MAR-03
M	MIL-E-1/188H	ELECTRON TUBE, RECEIVING TYPE 6021W 1/ AND 6021WSPL 2/[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC MI OS SH]	A	5960		CC	26-MAR-03
M	MIL-PRF-19500/296D	SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTORS, P-CHANNEL, SILICON TYPES 2N2609, JAN, AND UB[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MC MI OS SH SM]	A	5961		CC	17-MAR-03
M	MIL-M-38510/765(2) NOT 2	MICROCIRCUITS, DIGITAL, ADVANCED CMOS, SHIFT REGISTERS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD]	A	5962		CC	19-MAR-03
M	MIL-DTL-2486D	CABLE, SPECIAL PURPOSE, ELECTRICAL WM-46/U[CUST: CR SH 11 CC] [REVIEW: MI]	A	6145		CC	07-MAR-03

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	ASTM-A603	ZINC-COATED STEEL STRUCTURAL WIRE ROPE (NO S/S DOCUMENT)[CUST: AT SH CC] [REVIEW: SA]	A	4010		CC	04-MAR-03
M	API-SPEC-5CT	CASING AND TUBING, SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: SA]	A	4710		CC	04-MAR-03
M	ASTM-A135	PIPE, STEEL, ELECTRIC-RESISTANCE-WELDED (NO S/S DOCUMENT)[CUST: AT SH CC] [REVIEW: SA]	A	4710		CC	04-MAR-03
M	ASTM-A139	PIPE, STEEL, ELECTRIC-FUSION (ARC)-WELDED (NPS 4 AND OVER) (NO S/S DOCUMENT)[CUST: AT SH CC] [REVIEW: MR SA]	A	4710		CC	04-MAR-03
M	ASTM-A333/A333M	PIPE, STEEL, SEAMLESS AND WELDED, FOR LOW-TEMPERATURE SERVICE (NO S/S DOCUMENT)[CUST: AR SH 99 CC] [REVIEW: SA]	A	4710		CC	04-MAR-03
M	ASTM-A520	STEEL, SEAMLESS AND ELECTRIC-RESISTANCE-WELDED CARBON, TUBULAR PRODUCTS FOR HIGH-TEMPERATURE SERVICE CONFORMING TO ISO RECOMMENDATIONS OR BOILER CONSTRUCTION, SUPPLEMENTARY REQUIREMENTS FOR (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 84 SA]	A	4710		CC	04-MAR-03
M	ASTM-A554	TUBING, MECHANICAL, WELDED STAINLESS STEEL (NO S/S DOCUMENT)[CUST: MR SH CC] [REVIEW: SA]	A	4710		CC	04-MAR-03
M	ASTM-A618	TUBING, STRUCTURAL, HOT-FORMED WELDED AND SEAMLESS HIGH-STRENGTH LOW-ALLOY (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: SA]	A	4710		CC	04-MAR-03
M	ASTM-A760/A760M	PIPE, STEEL, CORRUGATED, METALLIC-COATED FOR SEWERS AND DRAINS (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 CE SA]	A	4710		CC	04-MAR-03
M	ASTM-A762/A762M	STEEL PIPE, CORRUGATED, POLYMER PRECOATED FOR SEWERS AND DRAINS (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 CE SA]	A	4710		CC	04-MAR-03
M	ASTM-A796/A796M	STEEL PIPE CORRUGATED, PIPE-ARCHES, AND ARCHES FOR STORM AND SANITARY SEWERS AND OTHER BURIED APPLICATIONS, STRUCTURAL DESIGN OF (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 SA]	A	4710		CC	04-MAR-03
M	ASTM-A849	SEWER, CORRUGATED STEEL, AND DRAINAGE PIPE, POST-APPLIED COATINGS, PAVINGS, AND LININGS FOR (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 CE]	A	4710		CC	04-MAR-03
M	AWWA-C200	STEEL WATER PIPE--6 IN. AND LARGER (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: CE SA]	A	4710		CC	04-MAR-03
M	AWWA-C206	PIPE, STEEL, WATER, FIELD WELDING (NO S/S DOCUMENT)[CUST: AT SH CC] [REVIEW: SA]	A	4710		CC	04-MAR-03
M	AWWA-C214	TAPE COATING SYSTEMS FOR THE EXTERIOR OF STEEL WATER PIPELINES (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: SA]	A	4710		CC	04-MAR-03
M	AWWA-C110	DUCTILE IRON AND GRAY IRON FITTINGS, 3 INCH THROUGH 48 INCH FOR WATER AND OTHER LIQUIDS (NO S/S DOCUMENT)[CUST: AT SH CC] [REVIEW: 99 CE SA]	A	4730		CC	04-MAR-03
M	AWWA-C153	DUCTILE-IRON COMPACT FITTINGS, 3 IN. THROUGH 16 IN., FOR WATER AND OTHER LIQUIDS (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: 71 SA]	A	4730		CC	04-MAR-03
M	AWWA-C207	STEEL PIPE FLANGES FOR WATERWORKS SERVICE-SIZES 4 INCHES THROUGH 144 INCHES (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: SA]	A	4730		CC	04-MAR-03
M	AWWA-C208	STEEL WATER PIPE FITTINGS, DIMENSIONS FOR FABRICATED (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: SA]	A	4730		CC	04-MAR-03
M	ANSI-A112.26.2	PERFORMANCE REQUIREMENTS FOR WATER PRESSURE REDUCING VALVES FOR DOMESTIC WATER SUPPLY SYSTEMS (NO S/S DOCUMENT)[CUST: AT SH 99 CC] [REVIEW: SA]	A	4820		CC	04-MAR-03
M	AWWA-C508	VALVES, SWING-CHECK, FOR ORDINARY WATERWORKS SERVICE, AWWA STANDARD FOR (NO S/S DOCUMENT)[CUST: AT SH CC] [REVIEW: MR SA]	A	4820		CC	04-MAR-03
M	IPC-FC232	DIELECTRIC FILMS, ADHESIVE COATED, FOR USE AS COVER SHEETS FOR FLEXIBLE PRINTED WIRING AND FLEXIBLE BONDING FILMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/1	DIELECTRIC, FLEXIBLE ADHESIVE COATED, AND FLEXIBLE ADHESIVE BONDING FILMS (ACRYLIC POLYIMIDE) (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/2	DIELECTRIC, FLEXIBLE ADHESIVE COATED AND FLEXIBLE ADHESIVE BONDING FILMS (EPOXY POLYIMIDE) (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/3	DIELECTRIC, FLEXIBLE ADHESIVE COATED (FEP-ACRYLIC) (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/5	DIELECTRIC (POLYIMIDE-FEP), ADHESIVE COATED, FLEXIBLE (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/6	DIELECTRIC (FEP-POLYESTER), ADHESIVE COATED, FLEXIBLE (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/7	DIELECTRIC, FLEXIBLE ADHESIVE COATED, AND FLEXIBLE ADHESIVE BONDING FILMS (POLYESTER-POLYESTER) (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/8	DIELECTRIC (POLYVINYL FLUORIDE-EPOXY), ADHESIVE COATED, FLEXIBLE (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/9	DIELECTRIC (POLYVINYL FLUORIDE-POLYESTER), ADHESIVE COATED, FLEXIBLE (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/10	DIELECTRIC FLEXIBLE ADHESIVE COATED AND FLEXIBLE ADHESIVE BONDING FILMS (ARAMID-ACRYLIC) (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/11	DIELECTRIC (POLYIMIDE-BUTYRAL: PHENOLIC), ADHESIVE COATED, FLEXIBLE (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/12	DIELECTRIC (POLYIMIDE-NITRILE: PHENOLIC), ADHESIVE COATED, FLEXIBLE (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/13	DIELECTRIC (POLYIMIDE-POLYETHERIMIDE), ADHESIVE COATED, FLEXIBLE (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/14	DIELECTRIC (POLYIMIDE-ACRYLIC), ADHESIVE COATED, FLEXIBLE (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/15	DIELECTRIC (POLYIMIDE-BUTYRAL: PHENOLIC), ADHESIVE COATED, FLEXIBLE (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/16	DIELECTRIC COATED FILMS (EPOXY-POLYIMIDE), ADHESIVE BONDING, FLEXIBLE AND FLEXIBLE ADHESIVE (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/17	FILMS (ACRYLIC-GLASS), ADHESIVE BONDING, FLEXIBLE (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	IPC-FC232/18	FILMS (ACRYLIC), ADHESIVE BONDING, FLEXIBLE, UNSUPPORTED (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR EA MI]	A	5998		CC	21-MAR-03
M	A-A-50868 NOT 2	SUPPORT, CERVICAL, MEDIUM SIZE (JAW CUT-OUT) (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	07-MAR-03
M	A-A-51066 NOT 1	IRRIGATION SET, UROLOGICAL, SINGLE PORT, STERILE, DISPOSABLE (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	07-MAR-03
M	A-A-50184 NOT 1	TABLES, FOOD PREPARATION, AND RACKS, TABLE, KITCHEN UTENSILS (NO S/S DOCUMENT)[CUST: GL YD 99 SS] [REVIEW: 84 MC MD SA]	A	7320	/	SS	18-MAR-03
M	TT-E-529G NOT 2	ENAMEL, ALKYD, SEMIGLOSS, LOW VOC CONTENT (S/S BY A-A-2962)[CUST: CR4 YD 99] [REVIEW: 84 AR AT CR EA MI SA]	A	8010	*	CR4	23-JUL-99
M	SAE-AMS4908	TITANIUM ALLOY, SHEET AND STRIP 8MN ANNEALED, 110 KSI (758 MPA) YIELD STRENGTH (NO S/S DOCUMENT)[CUST: CR4 AS 11 IS]	A	95GP		IS	24-MAR-03