DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

DODISS NOTICE

1 MAY 1999 / FOR PERIOD 15 APR 1999 TO 30 APR 1999 / VOL. 08/ NO. 99

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Defense Automated Printing Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated below. DOD documents will not be available for 45 days and non-Government Standards for 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

A digital version of this document in portable document format (PDF) is available at the DODSSP website on the DODISS Notice page: http://www.dodssp.daps.mil/dodiss.htm

Last Action	Document Number	Document Title	Distribution	FSC/Area	MCA	Prep. Activ.	Date
N	MIL-DTL-32040	PROPELLANT, GUN, HIGH ENERGY NITRAMINE [CUST: OS]	A	1376		OS	19-MAR-99
M	MIL-T-82825 NOT 2	TRIPHENYLBISMUTH [CUST: OS]	A	1376		OS	24-MAR-99
N	MIL-PRF-32043	INFLATION DEVICE, AUTOMATIC - FLU-9A/P [CUST: 99] [REVIEW: 11]	A	1377		70	26-APR-99
N	MIL-HDBK-2150	SHIP COMPARTMENT NOMENCLATURE AND SPACEE CLASSIFICATION SYSTEM [CUST: SH]	A	1990		SH	21-JAN-99
N	SAE-AS21431	BEARING, ROLLER, SELF-ALIGNING SINGLE ROW, ANTI-FRICTION, SEALED -65 TO 350 DEG. F, TYPE I [CUST: AT AS 99 GS] [REVIEW: 84]	A	3110		AS	JUL-98
N	SAE-AS21438	BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE V, ANTIFRICTION, INCH [CUST: AT AS 99 GS] [REVIEW: 11]	A	3110		AS	JUL-98
N	SAE-AS21447	BEARING, ROLLER, NEEDLE, TRACK ROLLER, CROWN RADIUSED O.D. INTEGRAL STUD, TYPE VII ANTIFRICTION, INCH [CUST: AT AS 99 GS] [REVIEW: 84]	A	3110		AS	JUL-98
N	SAE-AS39901	BEARINGS, ROLLER, NEEDLE, AIRFRAME, ANTIFRICTION, INCH [CUST: AT AS 99 GS] [REVIEW: 84 AR AV MI]	A	3110		AS	AUG-98
N	A-A-59335	SAW, BAND, CUTOFF, HORIZONTAL, AND COMBINATION HORIZONTAL AND VERTICAL [CUST: AL SH 99 GS] [REVIEW: 84 MC YD2]	A	3405	/	GS	02-APR-99
M	MIL-DTL-13080E	ELECTRODES, WELDING, COVERED: AUSTENITIC STEEL (19-9 MODIFIED) FOR ARMOR APPLICATIONS [CUST: MR SH 11] [REVIEW: 03 84 99 AL AS GS NP]	A	3439		MR	15-APR-99
M	A-A-51128B	TORCH KIT, SOLDERING (PROPANE GAS) [CUST: AL OS 99 GS] [REVIEW: 84]	A	3439	/	GS	02-APR-99
N	A-A-59367	SHEARING MACHINES, METAL SQUARING, MANUALLY OPERATED [CUST: AL SH 99 GS]	A	3445	/	GS	02-APR-99
N	A-A-59424	TRUCK, LIFT, FORK, CONTAINER HANDLER, DIESEL ENGINE-DRIVEN, PNEUMATIC-TIRED, 55000 POUND CAPACITY AT 48 INCH LOAD CENTER [CUST: SA 99 IS]	A	3930	/	84	16-APR-99
M	MIL-C-52404B(1) NOT 2	CONNECTION: HOSE, FIRE AND WATER [CUST: AV YD2 99] [REVIEW: 84]	A	4210		IS	17-DEC-98
M	QPL-25579-23	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE	A	4720		CC	18-MAR-99
M	AN386 REV 3 NOT 3	PIN - THREADED TAPER [CUST: AV AS 99 IS] [REVIEW: 82]	A	5315		IS	05-APR-99
N	NASM8975/1	FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT AND HEAT RESISTANT STEEL AND TITANIUM, DESIGN AND USAGE LIMITATIONS FOR [CUST: AV AS 11 IS]	A	5320		IS	APR-99
N	NASM8975/3	FASTENERS, BLIND, TITANIUM, FLUSH HEAD, TYPE II, CLASS 2 [CUST: AV AS 11 IS]	A	5320		IS	APR-99
N	NASM8975/4	FASTENERS, BLIND, HIGH STRENGTH, CORROSION RESISTANT AND HEAT RESISTANT STEEL, PROTRUDING HEAD, TYPE II, CLASS 1 [CUST: AV AS 11 IS]	A	5320		IS	APR-99
N	NASM8975/5	FASTENERS, BLIND, TITANIUM, PROTRUDING HEAD, TYPE II, CLASS 2 [CUST: AV AS 11 IS]	A	5320		IS	APR-99
N	NASM8975/6	FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, PROTRUDING HEAD, TYPE I, CLASS 2 [CUST: AV AS 11 IS]	A	5320		IS	APR-99
N	NASM8975/7	FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, FLUSH HEAD, TYPE I, CLASS 2[CUST: AV AS 11 IS]	A	5320		IS	APR-99
N	NASM47196	RIVETS, BUCK TYPE, PREPARATION FOR AND INSTALLATION OF [CUST: MI IS]	A	5320		IS	FEB-99
M	MS21313G NOT 2	PADLOCK SETS - INDIVIDUALLY KEYED AND KEYED ALIKE [CUST: AR YD1 99 IS] [REVIEW: 82 AT CE CR4 MC SA]	A	5340		IS	31-MAR-99
M	MS35647E NOT 2	PADLOCKS, KEY OPERATED [CUST: AR YD1 99 IS] [REVIEW: 82 AV CR MC MI SA]	A	5340		IS	31-MAR-99
M	FF-S-2738A	SEALS, ANTIPILFERAGE [CUST: AR YD3 82] [REVIEW: 99 CR4 IS MC SA SH]	A	5340	/	YD3	30-MAR-99
N	NAM14290	CLAMP, LOOP, CUSHIONED, RECTANGULAR, METRIC [CUST: AR 99 IS]	A	5340		IS	APR-99
M	NASM43770/1	SNAP HOOKS, WIRE BODY, FIXED LOOP EYE, FLAT SPRING CLOSURE, WITH RETAINER [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/2	SNAP HOOKS, WIRE BODY, FIXED LOOP EYE, SIDE RETAINING CLOSURE [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/3	SNAP HOOKS, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/4	SNAP HOOKS, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/5	SNAP HOOKS, CAST BODY, FIXED EYE, SLIDING BOLT CLOSURE [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/6	SNAP HOOKS, CAST BODY, SWIVEL EYE, SLIDING BOLT CLOSURE [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/7	SNAP HOOKS, CAST BODY, LOOP EYE SWIVEL [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/8	SNAP HOOKS, CAST BODY, ROUND EYE SWIVEL [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/9	SNAP HOOKS, CAST BODY, FIXED LOOP EYE, TRIGGER CLOSURE [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/10	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/11	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, LIGHT DUTY [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/12	SNAP HOOKS, CAST BODY, FIXED ROUND EYE W/O ROLLER, FLAT SPRING CLOSURE [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/13	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	NASM43770/14	SNAP HOOKS, CAST BODY, OPEN EYE, SLIDING BOLT CLOSURE [CUST: GL YD2 99 IS]	A	5340		IS	APR-99
M	MIL-C-39014/19A NOT 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR83 (STANOFF) [CUST: CR EC 11 CC NA] [REVIEW: AR AS MC OS SH TD]	A	5910		CC	07-APR-99
M	QPL-39019-23	CIRCUIT BREAKERS, MAGNETIC, LOW POWER, SEALED, TRIP FREE, GENERAL SPECIFICATION FOR	A	5925		CR	31-MAR-99
M	MIL-PRF-22885/58G	SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, SOLID MOUNT, 3 AMPERES, UNSEALED [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV MC MI OS]	A	5930		CC	17-MAR-99
M	MIL-PRF-22885/59D	SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, LENS ARRANGEMENTS FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5930		CC	17-MAR-99
M	MIL-S-22710/15G NOT 1	SWITCH, CODE INDICATING WHEEL (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULE, ILLUMINATED OR NONILLUMINATED), (TOP, BOTTOM, OR REAR RELAMPABLE), STYLE SRPC15 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CR4 MC MI OS SM]	A	5930		CC	21-MAY-93
M	MIL-PRF-24308/25G(1)	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SCREW-LOCK ASSEMBLY, MALE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH]	A	5935		CC	23-MAR-99
M	MIL-PRF-83513/2F(1)	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS M, SOLDER TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH]	A	5935		CC	23-MAR-99
M	MIL-PRF-83513/4F(2)	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS M, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH]	A	5935		CC	23-MAR-99
M	MIL-PRF-83513/7D(1)	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS P, SOLDER TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH]	A	5935		CC	23-MAR-99
M	MIL-PRF-83513/9D(1)	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS P, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH]	A	5935		CC	23-MAR-99
M	MIL-PRF-83513/26B(1)	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, 51 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH]	A	5935		CC	23-MAR-99
M	MIL-C-29600/10(1)	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES A) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH]	A	5935		AS	31-MAR-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MIL-C-29600/11(1)	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES A) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH]	A 5935		AS	31-MAR-99
M	MIL-C-29600/12(1)	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES A)[CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH]	A 5935		AS	31-MAR-99
M	MIL-C-29600/20(1)	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES B) [CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH]	A 5935		AS	31-MAR-99
M	MIL-C-29600/21(1)	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES B) [CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH]	A 5935		AS	31-MAR-99
M	MIL-C-29600/22(1)	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES B)[CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH]	A 5935		AS	31-MAR-99
M	MIL-C-85049/44A(2) NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN, RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-83733 CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH]	A 5935		CC	12-JUN-98
M	QPL-38999-77	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR	A 5935		CC	24-MAR-99
N	A-A-59287	TERMINAL, STUD FEEDTHRU, SINGLE [CUST: MI AS 85 GS] [REVIEW: 82 99]	A 5940	/	GS	07-APR-99
N	A-A-59288	TERMINAL, STUD FEEDTHRU, SINGLE - DOUBLE [CUST: MI AS 85 GS]	A 5940	/	GS	07-APR-99
N	A-A-59289	TERMINAL, STUD FEEDTHRU, DOUBLE - DOUBLE [CUST: MI AS 85 GS]	A 5940	/	GS	08-APR-99
M	QPL-5757-95	RELAY, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR	A 5945		CC	18-MAR-99
M	MIL-PRF-3098/109D(1)	CRYSTAL UNIT, QUARTZ CR130/U [CUST: CR EC 11] [REVIEW: 19 84 AR AS MC MI SH SM]	A 5955		CR	12-APR-99
M	MIL-PRF-3098/146B(1)	CRYSTAL UNIT, QUARTZ, CR165/U [CUST: CR]	A 5955		CR	12-APR-99
M	MIL-PRF-1/664E	*ELECTRON TUBE, THYRATRON TYPE 5665 [CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS]*	A 5960		CC	31-MAR-99
M	MIL-PRF-19500/350E	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES: 2N3867, 2N3867S, 2N3868, AND 2N3868S JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM]	A 5961		CC	06-FEB-99
M	MIL-PRF-19500/394D(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING TYPES 2N4150, 2N5237, 2N5238, 2N4150S, 2N5237S, AND 2N5238S JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 MI SM]	A 5961		CC	21-MAR-99
M	MIL-PRF-19500/558C(1)	SEMICONDUCTOR DEVICE, FOUR TRANSISTOR ARRAY, UNITIZED PNP, SILICON, SWITCHING TYPES 2N6987, 2N6987U, AND 2N6988, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC MI SM]	A 5961		CC	21-MAR-99
M	MIL-STD-1835B(3)	MICROCIRCUIT CASE OUTLINES [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM]	A 5962		CC	12-APR-99
M	QPL-85045-6	*CABLES, FIBER OPTICS (METRIC), GENERAL SPECIFICATION FOR*	A 6015		CC	22-DEC-98
M	QPL-85584-5	BATTERY RELAY CONTROL UNIT, AIRCRAFT	A 6140		AS	31-MAR-99
N	A-A-59421	SCALES, DIAL AND BEAM INDICATING, BAKER'S, DOUGH PIECE CHECKING [CUST: GL YD2 GS] [REVIEW: MC MD]	A 6670	/	GS	07-APR-99
M	MS20003C NOT 2	INDICATOR, HUMIDIY, CARD, THREE SPOT, IMPREGNATED AREAS (COBALTOUS CHLORIDE) [CUST: AS]	A 6685		AS	03-MAR-99
M	JAN-L-488 NOT 2	LEAD CHROMATE (FOR USE IN AMMUNITION) [CUST: OS]	A 6810		OS	22-MAR-99
M	A-A-1441A	DISINFECTANT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND) [CUST: GL1 SH 68 GS] [REVIEW: AS MD1]	A 6840	/	GS	07-APR-99
M	QPL-87937-6(1)	CLEANING COMPOUNDS, AEROSPACE EQUIPMENT	A 6850		68	22-MAR-99
M	QPL-2105-27	LUBRICATING OIL, GEAR, MULTIPURPOSE	A 9150		AT	08-APR-99
M	QPL-4343-21	GREASE, PNEUMATIC SYSTEMS	A 9150		AS	12-FEB-99
M	QPL-6032-18	GREASE, PLUG VALVE, GASOLINE AND OIL RESISTANT, NATO CODE NUMBER G-363, METRIC	A 9150		AS	12-FEB-99
M	QPL-21164-24	GREASE, MOLYBDENUM DISULFIDE, FOR LOW & HIGH TEMPERATURE NATO CODE NUMBER G-353	A 9150		AS	12-FEB-99
M	QPL-23549-14	GREASE, GENERAL PURPOSE	A 9150		AS	12-FEB-99
M	QPL-25013-26	GREASE, AIRCRAFT, BALL AND ROLLER BEARING, NATO CODE NUMBER G-372, METRIC	A 9150		AS	12-FEB-99
M	QPL-46000-17	LUBRICANT SEMI-FLUID (AUTOMATIC WEAPONS)	A 9150		AR	02-APR-99
M	QPL-46167-13	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, ARCTIC	A 9150		AT	01-APR-99
M	QPL-63460-23	LUBRICANT, CLEANER AND PRESERVATIVE FOR WEAPONS AND WEAPONS SYSTEMS	A 9150		AR	02-APR-99
M	QPL-81827-11	GREASE, AIRCRAFT, HIGH LOAD CAPACITY, WIDE TEMPERATURE RANGE	A 9150		AS	12-FEB-99
M	QPL-83282-15	HYDRAULIC FLUID, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE, AIRCRAFT NATO CODE NUMBER H-537	A 9150		AS	12-FEB-99
M	QPL-85336-6	LUBRICANT, ALL WEATHER (AUTOMATIC WEAPONS)	A 9150		AS	12-FEB-99
M	AIR-STD-20/17I	MECHANICAL CONNECTORS BETWEEN STORES AND SUSPENSION EQUIPMENT FOR ARMING AND ASSOCIATED FUNCTIONS OF STORES	A ISDF		06	08-SEP-98
M	AIR-STD-20/21C	AIRBORNE STORES GROUND FIT AND COMPATIBILITY CRITERIA	A ISDF		06	08-SEP-98
N	AIR-STD-20/33	TYPE AND LOCATION OF ELECTRICAL CONNECTORS FOR HELICOPTER ROCKET LAUNCHERS (LAUNCHER/HELICOPTER INTERFACE)	A ISDF		06	22-JUL-98
N	AIR-STD-20/34 NOT 1	ENVIRONMENTAL TEST METHODS FOR AIRCRAFT STORES	A ISDF		06	21-OCT-98
N	AIR-STD-45/13	RECONNAISSANCE AND SURVEILLANCE SUPPORT TO COMBINED/JOINT OPERATIONS	A ISDF		06	04-AUG-98
N	AIR-STD-45/14	ELECTRONIC WARFARE	A ISDF		06	04-AUG-98
N	AIR-STD-45/17	TACTICAL AIR SUPPORT FOR MARITIME OPERATIONS (TASMO)	A ISDF		06	01-MAR-99
M	MIL-DTL-83488D	COATING, ALUMINUM, HIGH PURITY [CUST: MR AS 11]	A MFFP		11	01-APR-99
M	MIL-DTL-22202D SUP 1	AIRCRAFT CROSS-SERVICING MANUALS, TECHNICAL, PREPARATION OF [CUST: TM AS 16]	A TMSS		AS	31-MAR-99
M	MIL-DTL-24784A	MANUALS, TECHNICAL: GENERAL ACQUISITION AND DEVELOPMENT REQUIREMENTS [CUST: SH] [REVIEW: EC]	A TMSS		SH	15-MAR-99
M	MIL-DTL-24784/3A	COMBAT SYSTEM TECHNICAL OPERATIONS MANUAL (CSTOM) REQUIREMENTS [CUST: SH] [REVIEW: EC]	A TMSS		SH	15-MAR-99
M	MIL-DTL-24784/4A	COMMERCIAL OFF-THE-SHELF (COTS) EQUIPMENT MANUAL REQUIREMENTS [CUST: SH] [REVIEW: EC]	A TMSS		SH	15-MAR-99
M	MIL-DTL-24784/5A	OPERATIONAL STATIONS BOOK (OSB) REQUIREMENTS FOR DESIGN, CONSTRUCTION, AND MAJOR MODIFICATION [CUST: SH] [REVIEW: EC]	A TMSS		SH	15-MAR-99
M	MIL-DTL-24784/7A	TECHNICAL REPAIR STANDARDS (TRS) FOR HULL, MECHANICAL, AND ELECTRICAL (HM&E) EQUIPMENT, ELECTRONIC EQUIPMENT, AND ORDNANCE EQUIPMENT [CUST: SH] [REVIEW: EC]	A TMSS		SH	15-MAR-99
M	MIL-DTL-24784/10A	TRAINING AID BOOKLET (TAB) REQUIREMENTS FOR NAVAL SHIPS SYSTEMS [CUST: SH] [REVIEW: EC]	A TMSS		SH	15-MAR-99
M	MIL-DTL-24784/11A	SHIP INFORMATION BOOK (SIB) REQUIREMENTS [CUST: SH] [REVIEW: EC]	A TMSS		SH	15-MAR-99
M	MIL-DTL-24784/12A	HULL, MECHANICAL AND ELECTRICAL (HM&E) EQUIPMENT AND SINGLE COMPONENT MANUAL REQUIREMENTS [CUST: SH] [REVIEW: EC]	A TMSS		SH	15-MAR-99
M	MIL-DTL-24784/14A	ELECTRONIC, EXPERIMENTAL ELECTRONIC, SERVICE TEST ELECTRONIC, AND INTERIOR COMMUNICATION (IC) EQUIPMENT MANUAL REQUIREMENTS [CUST: SH] [REVIEW: EC]	A TMSS		SH	15-MAR-99

Last Action	Document Number	Document Title	Distribution	FSC/Area	MCA	Prep. Activ.	Date
M	MIL-DTL-24784/17A	HULL, MECHANICAL, AND ELECTRICAL (HM&E) SYSTEMS AND ELECTRONIC AND INTERIOR COMMUNICATION (IC) SYSTEMS MANUAL REQUIREMENTS [CUST: SH] [REVIEW: EC]	A	TMSS		SH	15-MAR-99
M	MIL-DTL-24784/18A	SURFACE MISSILE SUBSYSTEM OR EQUIPMENT MANUAL REQUIREMENTS [CUST: SH] [REVIEW: EC]	A	TMSS		SH	15-MAR-99
M	MIL-DTL-24784/19A	SURFACE MISSILE SYSTEM MANUAL REQUIREMENTS [CUST: SH] [REVIEW: EC]	A	TMSS		SH	15-MAR-99
M	MIL-DTL-24784/20A	DIGITAL SYSTEMS MANUAL REQUIREMENTS [CUST: SH] [REVIEW: EC] .	A	TMSS		SH	15-MAR-99
M	MIL-DTL-24784/21A	DIGITAL EQUIPMENT MANUAL REQUIREMENTS [CUST: SH] [REVIEW: EC]	A	TMSS		SH	15-MAR-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MIL-D-45495A(2) NOT 2	DETONATOR, ELECTRIC, M84 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR]	A 1330		AR	01-FEB-99
M	MS9195A NOT 1	ELBOW, TUBE - AMS 5646, BOSS, 45 DEG. [CUST: AS CC]	A 4730		CC	02-APR-99
M	MIL-P-45051D(1) NOT 1	PRESS, CONNECTING ROD STRAIGHTENING, HYDRAULIC [CUST: AL CC]	A 4940		CC	26-MAR-99
M	MIL-C-5E(4) SUP 1A NOT 2	CAPACITORS, FIXED, MICA DIELECTRIC, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG CR4 MC MI OS]	A 5910		CC	31-MAR-99
M	MIL-C-5/1F NOT 2	CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM15 [CUST: CR EC 11 CC] [REVIEW: 99 CR4 MI]	A 5910		CC	31-MAR-99
M	MIL-C-5/2G(1) NOT 1	CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 20 [CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-5/4E(1) NOT 1	CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 30 [CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-5/5G(1) NOT 1	CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 35 [CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-5/7F(1) NOT 2	CAPACITORS, FIXED, MICA DIELECTRIC STYLE CM45 [CUST: CR EC 11 CC] [REVIEW: 99 CR4]	A 5910		CC	31-MAR-99
M	MIL-C-5/8G NOT 1	CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM50 [CUST: CR EC 11 CC] [REVIEW: 99 CR4 MI]	A 5910		CC	31-MAR-99
M	MIL-C-5/9F(2) NOT 2	CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM55 [CUST: CR EC 11 CC] [REVIEW: 99]	A 5910		CC	31-MAR-99
M	*MIL-C-5/10G(1) NOT 2*	*CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM60 [CUST: CR EC 11 CC] [REVIEW: 99]*	A 5910		CC	31-MAR-99
M	MIL-C-5/11E(1) NOT 2	CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM65, CM66, AND CM68 [CUST: CR EC 11 CC] [REVIEW: 19 99 CG CR4 MC]	A 5910		CC	31-MAR-99
M	MIL-C-5/12F(2) NOT 1	CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM70, CM71, AND CM73 [CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-5/13E(1) NOT 2	CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM75, CM76, AND CM78 [CUST: CR EC 11 CC] [REVIEW: 19 99 CG CR4 MC]	A 5910		CC	31-MAR-99
M	MIL-C-5/14F(2) NOT 1	CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM80, CM81, AND CM83 [CUST: CR EC 11 CC] [REVIEW: 19 99 CG MC OS]	A 5910		CC	31-MAR-99
M	MIL-C-5/15F(2) NOT 1	CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM85, CM86, AND CM88 [CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-5/16F(2) NOT 2	CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM90, CM91, AND CM93 [CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-92B(2) SUP 1 NOT 2	CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER) GENERAL SPECIFICATION FOR [CUST: CR EC 11] [REVIEW: 19 AS CG MI OS]	A 5910		CC	31-MAR-99
M	MIL-C-92/2B NOT 2	CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT06 [CUST: CR EC 11] [REVIEW: 19 AS CG MI OS]	A 5910		CC	31-MAR-99
M	MIL-C-92/3B NOT 2	CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT12 [CUST: CR EC 11] [REVIEW: 19 AS CG MI OS]	A 5910		CC	31-MAR-99
M	*MIL-C-92/4B NOT 2*	CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT13 [CUST: CR EC 11] [REVIEW: 19 AS CG MI OS]	A 5910		CC	31-MAR-99
M	MIL-C-92/5B NOT 2	CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLES CT14 AND CT15 [CUST: CR EC 11] [REVIEW: 19 AS CG MI OS]	A 5910		CC	31-MAR-99
M	MIL-C-3965F(3) SUP 1 NOT 2	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS SH]	A 5910		CC	07-APR-99
M	MIL-C-10950C(3) SUP 1 NOT 1	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE, GENERAL SPECIFICATION FOR [CUST: CR EC 11] [REVIEW: 99 AR AS CG OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-10950/1E(2) NOT 1	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEED THRU) STYLES CB11, CB13, CB14 [CUST: CR EC 11] [REVIEW: 99 AR AS CG OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-10950/2D(1) NOT 1	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF) STYLE CB21 [CUST: CR EC 11] [REVIEW: 99 AR AS CG OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-10950/3E(1) NOT 1	CAPACITORS, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF) STYLE CB31 [CUST: CR EC 11] [REVIEW: 99 AR AS CG OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-10950/4D(1) NOT 1	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU) STYLE CB50 [CUST: CR EC 11] [REVIEW: 99 AR AS CG OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-10950/7C(1) NOT 1	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU, HERMETIC SEAL) STYLES CB60, CB61, AND CB62 [CUST: CR EC 11] [REVIEW: 99 AR AS CG OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-10950/8C(1) NOT 1	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU, HERMETIC SEAL) STYLES CB55, CB56, AND CB57 [CUST: CR EC 11] [REVIEW: 99 AR AS CG OS SH]	A 5910		CC	31-MAR-99
M	*MIL-C-10950/9C(1) NOT 1*	*CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF, HERMETIC SEAL) STYLES CB65, CB66, AND CB67 [CUST: CR EC 11] [REVIEW: 99 AR AS CG OS SH]*	*A 5910*		*CC*	*31-MAR-99*
M	MIL-C-11015D(9) SUP 1A NOT 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-11015/9E(1) NOT 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK60 [CUST: CR EC 11] [REVIEW: 19 99 AS MI OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-11015/10E(1) NOT 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK61 [CUST: CR EC 11] [REVIEW: 19 99 AS MI OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-11015/11E(1) NOT 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) STYLE CK62 [CUST: CR EC 11] [REVIEW: 19 99 AS MI OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-11015/12E(2) NOT 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK63 [CUST: CR EC 11] [REVIEW: 19 99 AS MI OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-11015/13D NOT 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (FEED-THRU), STYLE CK70 [CUST: CR EC 11] [REVIEW: 19 99 MC MI]	A 5910		CC	31-MAR-99
M	MIL-C-11015/14C NOT 2	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (STAND-OFF), STYLE CK80 [CUST: CR EC 11] [REVIEW: 19 99 MC MI]	A 5910		CC	31-MAR-99
M	MIL-C-11015/21E(1) NOT 1	CAPACITOR, FIXED CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK64, CK65, CK66, CK 67, CK68, AND CK69 [CUST: CR EC 11] [REVIEW: 19 99 AS MI OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-11015/23C NOT 2	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU), STYLE CK72 [CUST: CR EC 11] [REVIEW: 19 99 AS MC MI OS SH]	A 5910		CC	31-MAR-99
M	MIL-C-11015/24E(2) NOT 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK41, CK42, CK43, CK50, CK51, CK52, CK53, CK54 AND CK55 [CUST: CR EC 11] [REVIEW: 19 99 AS MI OS]	A 5910		CC	31-MAR-99
M	MIL-C-11015/29C(1) NOT 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU OR STAND-OFF) STYLES CK74, CK75, CK78, CK79 AND CK85 [CUST: EC 11 CC] [REVIEW: 99]	A 5910		CC	07-APR-99
M	MIL-C-23183B(1) SUP 1 NOT 1	CAPACITOR, FIXED OR VARIABLE, VACUUM OR GAS DIELECTRIC, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS]	A 5910		CC	07-APR-99
M	MIL-C-23183/5A NOT 1	CAPACITOR, VARIABLE, VACUUM OR GAS DIELECTRIC, STYLE CG60 [CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS]	A 5910		CC	07-APR-99
M	MIL-C-23183/7B(1) NOT 1	CAPACITOR, VARIABLE, VACUUM OR GAS DIELECTRIC STYLES CG65 AND CG66 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS]	A 5910		CC	07-APR-99
M	MIL-C-39014/16A NOT 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR75 (FEEDTHROUGH) [CUST: CR EC 11 CC NA] [REVIEW: AS MC OS SH TD]	A 5910		CC	07-APR-99
M	MIL-C-39014/17A NOT 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR82 (STANDOFF) [CUST: CR EC 11 CC NA] [REVIEW: AS MC OS SH]	A 5910		CC	07-APR-99
M	MIL-C-39014/18A NOT 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR76 (FEEDTHROUGH) [CUST: CR EC 11 CC NA] [REVIEW: AS MC MI OS SH]	A 5910		CC	07-APR-99

Lgl	Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Actly.	Date
M		MIL-C-39018/5A(2) NOT 1	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), (STACKED FOIL), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CU81 (INSULATED) AND CUR81 (INSULATED) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CG MC OS SH]	A 5910	CC	31-MAR-99
M		MIL-C-39018/8B NOT 1	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CU01 (INSULATED) AND CUR01 (INSULATED) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS SH]	A 5910	CC	31-MAR-99
M		MIL-C-39018/9B NOT 1	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR02 (INSULATED) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS SH]	A 5910	CC	31-MAR-99
M		MIL-C-39018/10(1) NOT 1	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR92 (INSULATED) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS SH]	A 5910	CC	31-MAR-99
M		MIL-N-8689A NOT 1	NETWORK, PHASE DETECTING, CV-279/ARN [CUST: AS CC]	A 5915	CC	31-MAR-99
M		MIL-F-18327E(3) SUP 1A NOT 1	FILTERS: HIGH PASS, LOW PASS, BAND PASS, BAND SUPPRESSION, AND DUAL FUNCTIONING, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A 5915	CC	31-MAR-99
M		MIL-F-18327/46C(1) NOT 1	FILTERS, BAND PASS, TELEMETRY, TYPE FR7RX22ZZ1 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS]	A 5915	CC	31-MAR-99
M		MIL-N-55372 NOT 2	NETWORK, IMPEDANCE MATCHING CU-1794( )/ARC-114 [CUST: CR CC]	A 5915	CC	31-MAR-99
M		MIL-N-55374 NOT 2	NETWORK, IMPEDANCE MATCHING QUADRATURE HYBRID CU-1796( )/ARC-114 [CUST: CR CC]	A 5915	CC	31-MAR-99
M		MIL-S-55689 NOT 2	SUPPRESSOR, ELECTRICAL TRANSIENT MX-7778( )/GRC [CUST: CR CC]	A 5915	CC	31-MAR-99
M		MIL-F-62201A NOT 1	FILTER ASSEMBLY [CUST: AT CC]	A 5915	CC	31-MAR-99
M		MIL-S-3786F(1) SUP 1 NOT 1	SWITCHES, ROTARY (CIRCUIT SELECTOR, LOW-CURRENT CAPACITY), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-3786/3F(1) NOT 1	SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR03 [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-3786/5F NOT 1	SWITCH, ROTARY, OPEN CONSTRUCTION, .200 AMPERE, STYLE SR05 [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-3786/9D(1) NOT 1	SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR09 [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-3786/10D(1) NOT 1	SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR10 [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-3786/28D(3) NOT 1	SWITCH, ROTARY, CLOSED CONSTRUCTION, 1 AMPERE AND LOW LEVEL STYLE SR28 [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-3786/32B(1) NOT 1	SWITCH, ROTARY, OPEN CONSTRUCTION, 1/5 AMPERE, STYLE SR32 [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-3786/40A(3) NOT 1	SWITCH, ROTARY, OPEN CONSTRUCTION, 5 AMPERE AND LOW LEVEL, STYLE SR40 [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-8805/30B NOT 2	SWITCH, SENSITIVE, SPDT, MOMENTARY, DOUBLE BREAK, DUSTTIGHT [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-8805/85D NOT 1	SWITCH, SENSITIVE, ROTARY (NON SELF RETURN), 4 AMPERES, RESILIENT SEAL [CUST: 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-9395/3B NOT 4	SWITCH, PRESSURE [CUST: CR EC 85 CC]	A 5930	CC	08-MAY-99
M		MIL-S-13484E NOT 1	SWITCH, SENSITIVE: 30 VOLTS DIRECT CURRENT MAXIMUM, WATERPROOF [CUST: AT CC]	A 5930	CC	08-MAR-99
M		MIL-S-13623C NOT 1	SWITCH, ROTARY, 28 VOLT DC [CUST: AT CC]	A 5930	CC	08-MAR-99
M		MIL-S-13623/1 NOT 1	SWITCHES, ROTARY: 28 VOLT DC [CUST: AT CC]	A 5930	CC	08-MAR-99
M		MIL-S-28714B NOT 1	SWITCHES, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), GENERAL SPECIFICATION FOR [CUST: EC CC]	A 5930	CC	08-MAR-99
M		MIL-S-28714/1B NOT 2	SWITCH, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), SWITCH ASSEMBLY [CUST: EC CC]	A 5930	CC	08-MAR-99
M		MIL-S-28714/2C NOT 3	SWITCH, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), DRIVER UNIT [CUST: EC CC]	A 5930	CC	08-MAR-99
M		MIL-S-28714/3B NOT 2	SWITCH, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), SWITCH SECTION ASSEMBLY [CUST: EC CC]	A 5930	CC	08-MAR-99
M		MIL-S-28788A NOT 1	SWITCH, AIR AND LIQUID FLOW, SENSING GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-28788/1B NOT 1	SWITCH, LIQUID FLOW, SINGLE POLE, DOUBLE THROW (SPDT), 3 AMPERES, OPERATING TEMPERATURE (32 DEG. F TO 185 DEG. F) [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-28827A NOT 1	SWITCH, THERMOSTATIC, (VOLATILE LIQUID), HERMETICALLY SEALED GENERAL SPECIFICATION FOR [CUST: CR 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-28827/1A NOT 1	SWITCH, THERMOSTATIC (VOLATILE LIQUID), HERMETIC SEALED, SINGLE POLE DOUBLE THROW (SPDT), MEDIUM RESPONSE TIME [CUST: EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-55433C NOT 2	SWITCHES, REED, GENERAL SPECIFICATION FOR [CUST: CR EC CC]	A 5930	CC	08-MAR-99
M		MIL-S-81551 SUP 1A NOT 1	SWITCH, TOGGLE, HERMETICALLY SEALED, GENERAL SPECIFICATION FOR [CUST: AS CC]	A 5930	CC	08-MAR-99
M		MIL-S-81551/1A NOT 1	SWITCH, TOGGLE, DOUBLE POLE, HERMETICALLY SEALED [CUST: AS CC]	A 5930	CC	08-MAR-99
M		MIL-S-81551/2A NOT 1	SWITCH, TOGGLE, DOUBLE POLE, LEVER LOCK, HERMETICALLY SEALED [CUST: AS CC]	A 5930	CC	08-MAR-99
M		MIL-S-83504/3A(1) NOT 2	SWITCH, DUAL IN LINE PACKAGE (DIP) SLIDE ACTUATOR, LOW PROFILE, SINGLE THROW STATIONS, SEALED BASE [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-S-85242A NOT 1	SWITCH, STEPPING, DIRECT CURRENT, ELECTROMECHANICAL, AIRCRAFT [CUST: AS CC]	A 5930	CC	08-MAR-99
M		MIL-S-85377A NOT 1	SWITCH, STEPPING, DIRECT CURRENT, AIRCRAFT DISPENSER [CUST: AS CC]	A 5930	CC	08-MAR-99
M		MIL-S-85377/1A NOT 2	SWITCH, STEPPING, ONE LEVEL, EIGHT POSITION [CUST: AS CC]	A 5930	CC	08-MAR-99
M		MS39058B NOT 1	SWITCH, SENSITIVE, 24-VOLT DC (WATERPROOF) [CUST: AT CC]	A 5930	CC	08-MAR-99
M		MS75028J NOT 1	SWITCH, TOGGLE, ONE POLE, UNSEALED [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MS75029K NOT 1	SWITCH, TOGGLE, TWO POLE, UNSEALED [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MS75075C NOT 2	SWITCH, TOGGLE, TWO POLE, UNSEALED [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MS90547D NOT 1	SWITCH ROTARY 28/125 VOLTS [CUST: CR EC 85 CC]	A 5930	CC	08-MAR-99
M		MIL-T-9219(2) NOT 3	TRANSFORMERS, POWER, AUTOTRANSFORMERS AND STEP DOWN, 400 CYCLE, GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 11]	A 5950	CC	31-MAR-99
M		MIL-T-27493A NOT 3	TRANSFORMER, VARIABLE, SINGLE PHASE, 400 CYCLES, GENERAL SPECIFICATIONS FOR[CUST: AS 85 CC] [REVIEW: 11 MI]	A 5950	CC	31-MAR-99
M		MIL-T-27535A(2) SUP 1A NOT 3	TRANSFORMER, POWER, ISOLATION: SERIES CIRCUIT, AIRPORT LIGHTING, GENERAL SPECIFICATION FOR [CUST: AS 85 CC] [REVIEW: 11 MI YD2]	A 5950	CC	31-MAR-99
M		MIL-T-28732C NOT 1	TRANSFORMER, IMPEDANCE MATCHING, BALANCE TO UNBALANCE (BALUN) [CUST: EC CC]	A 5950	CC	31-MAR-99
M		MIL-T-55631(2) NOT 1	TRANSFORMER, INTERMEDIATE FREQUENCY, RADIO FREQUENCY, AND DISCRIMINATOR, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS]	A 5950	CC	31-MAR-99
M		MIL-T-83720(1) NOT 3	TRANSFORMERS AND INDUCTORS, NON-EXPLOSIVE, GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 11]	A 5950	CC	31-MAR-99
M		MIL-T-83720/8B NOT 2	TRANSFORMER, POWER STEP-UP [CUST: 85 CC] [REVIEW: 11 80 84]	A 5950	CC	31-MAR-99
M		MIL-T-83720/13 NOT 2	TRANSFORMER, POWER, STEP-UP, STEP-DOWN, GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 11 84 99]	A 5950	CC	31-MAR-99
M		MIL-T-83720/14 NOT 2	TRANSFORMER, PULSE [CUST: 85 CC] [REVIEW: 11 80 84 99]	A 5950	CC	31-MAR-99
M		MIL-T-83721 NOT 2	TRANSFORMERS, VARIABLE, POWER GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AT MC MI]	A 5950	CC	31-MAR-99
M		MIL-T-83721/1 NOT 2	TRANSFORMER, VARIABLE, POWER, 400 HZ, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR MC MI]	A 5950	CC	31-MAR-99
M		MS14047 NOT 1	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K138 TO LT10K142 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR MI OS]	A 5950	CC	31-MAR-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MS14048 NOT 1	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K143 TO LT10K147 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CR4 MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS14049 NOT 1	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K148 TO LT10K152 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CR4 MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS14050 NOT 1	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K153 TO LTU0K157 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS]	A 5950		CC	31-MAR-99
M	MS14052 NOT 1	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K158 TO LT10K168 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS]	A 5950		CC	31-MAR-99
M	MS15012D NOT 1	TRANSFORMER SYNCHRO OVERLOAD, 60 CYCLE AND 400 CYCLE [CUST: CR4 EC CC] [REVIEW: 99 AR AS CR MC OS]	A 5950		CC	31-MAR-99
M	MS27134B NOT 1	TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING, 300W/6.6A/6.6A/5000V, GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 11 99 AS YD2]	A 5950		CC	31-MAR-99
M	MS27286C NOT 1	TRANSFORMER, POWER, ISOLATION: AIRPORT LIGHTING 200W/20A/6.6A/5000V, GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 11 99 AS YD2]	A 5950		CC	31-MAR-99
M	MS27288C NOT 1	TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING, 200W/6.6A/6.6A/5000V, GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 11 99 AS]	A 5950		CC	31-MAR-99
M	MS27289C NOT 1	TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING 30-45W/6.6A/6.6A/5000V. GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 11 99 AS]	A 5950		CC	31-MAR-99
M	MS27302C NOT 1	TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING, 500W/20A/20A/5000V, GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 11 99 YD2]	A 5950		CC	31-MAR-99
M	MS53229A NOT 2	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V001 TO LT11V021, INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS53230A NOT 2	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE CORE), TYPE LT11V022 TO LT11V038, INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS53231A NOT 2	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V039 TO LT11V059, INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS53232A NOT 2	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE-CORE), TYPES LT11V060 TO LT11V076, INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS53233 NOT 2	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V077 TO LT11V097, INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS53234 NOT 2	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE CORE), TYPES LT11V098 TO LT11V114, INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS75052C NOT 2	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K052 AND LT4K053 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS MC MI OS]	A 5950		CC	31-MAR-99
M	MS75103 NOT 2	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K181 TO LT10K190 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS90538B NOT 1	*COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K001 TO LT10K021,* INCLUSIVE [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS90539C NOT 1	COILS, RADIO FREQUENCY, MOLDED, FIXED SUBMINIATURE (IRON CORE) TYPES LT10K022 TO LT10K036 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS CR MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS90540A NOT 2	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K037 TO LT10K049 INCL. [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A 5950		CC	31-MAR-99
M	MS90541A NOT 2	COILS, RADIO FREQUENCY, MOLDED, FIXED SUBMINIATURE (IRON CORE) TYPES LT10K050 TO LT10K060 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS90542B NOT 2	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K315 TO LT4K327 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS]	A 5950		CC	31-MAR-99
M	MS90543A NOT 2	COILS, RADIO FREQUENCY, MOLDED, VARIABLE, POWDERED IRON CORE (PRINTED CIRCUIT MT'G) *TYPES LT12V001 TO LT12V031 INCLUSIVE [CUST: CR EC 85 CC] [REVIEW: 11 17 AR AS CG CR4 MC MI OS SH]*	A 5950		CC	31-MAR-99
M	MS90546A NOT 2	COILS, RADIO FREQUENCY, MOLDED VARIABLE, FERRITE CORE (PRINTED CIRCUIT MT'G) TYPES LT12V032 TO LT12V062, INCLUSIVE [CUST: CR EC 85 CC] [REVIEW: 11 17 AS AT CG CR4 MC MI OS SH]	A 5950		CC	31-MAR-99
M	MS91189D NOT 2	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K002 TO LT4K016 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS MC MI OS]	A 5950		CC	31-MAR-99
M	AN3250 REV 1 NOT 1	COUPLING AND CONDUIT [CUST: AV AS]	A 5975		GS	17-MAR-99
M	MIL-F-3922/67B NOT 2	FLANGE, WAVEGUIDE (CONTACT), (ROUND, 4 HOLE), (MILLIMETER) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS]	A 5985		CC	08-MAY-98
M	MIL-E-81099A NOT 2	ELECTRIC DEVICES, SIMPLE, GENERAL SPECIFICATION FOR [CUST: AS GS]	A 6150		GS	17-MAR-99
M	QPL-81099-10 NOT 1	ELECTRIC DEVICES, SIMPLE, GENERAL SPECIFICATION FOR	A 6150		GS	17-MAR-99
M	*MIL-C-3779E NOT 1*	*CASE, ENGINEER BATTALION, DRAFTING EQUIPMENT, CANVAS [CUST: CE3 MC]*	A 6675		GS	26-MAR-99
M	MIL-L-52430C NOT 1	LIGHTS, SIGNAL, SURVEYING: 2-INCH AND 5-INCH REFLECTORS, BATTERY-POWERED, WITH CASES [CUST: CE MC 99] [REVIEW: 82]	A 6675		GS	29-MAR-99
M	MIL-I-5099B(1) NOT 2	INDICATOR CABIN AIR PRESSURE, 1-7/8 INCH DIAL, TYPE MA-1 [CUST: CG 99] [REVIEW: 82]	A 6685		GS	24-MAR-99
M	MIL-T-6508B(1) NOT 2	THERMOMETER, SELF INDICATING, BIMETALLIC [CUST: AR AS 99] [REVIEW: 82]	A 6685		GS	26-MAR-99
M	MIL-I-6669C(3) NOT 2	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTI-FUNCTION, -70 DEG. TO PLUS 150 DEG. C [CUST: AS 99] [REVIEW: 82]	A 6685		GS	24-MAR-99
M	MIL-I-6856C NOT 1	INDICATOR, PRESSURE, SYNCHRO, 1-1/2 INCH [CUST: MI 99] [REVIEW: 82]	A 6685		GS	24-MAR-99
M	MIL-I-7077B NOT 1	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO +150 DEG. C, 2 INCH SIZE [CUST: CR4 99] [REVIEW: 82]	A 6685		GS	24-MAR-99
M	*MIL-G-7601B NOT 1*	*GAGE, EMERGENCY OXYGEN, TYPE L-2 [CUST: AS 99] [REVIEW: 82]*	A 6685		GS	24-MAR-99
M	MIL-T-7990B(3) NOT 3	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, -70 DEG. TO +300 DEG. C [CUST: AV AS 99] [REVIEW: 82]	A 6685		GS	26-MAR-99
M	MIL-G-8348H(1) NOT 1	GAGE ASSEMBLIES, AIR PRESSURE, DIAL INDICATING CHUCK TYPE, SELF-CONTAINED [CUST: AS 99] [REVIEW: 82]	A 6685		GS	24-MAR-99
M	MIL-I-25026B NOT 1	INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-4 [CUST: 99] [REVIEW: 82]	A 6685		GS	24-MAR-99
M	MIL-T-26963D NOT 1	TESTER, PRESSURE GAGE, HYDRAULIC, PORTABLE, TYPE MP-1 [CUST: 99] [REVIEW: 82]	A 6685		GS	24-MAR-99
M	MIL-I-27190B NOT 1	INDICATOR, PRESSURE AGU-3-A, HYDRAULIC, 0-4,000 PSI [CUST: 99] [REVIEW: 82]	A 6685		GS	24-MAR-99
M	MIL-P-27723E NOT 1	PROBE, TOTAL TEMPERATURE, DEICEABLE [CUST: AS 99] [REVIEW: 82]	A 6685		GS	24-MAR-99
M	MIL-M-55023C NOT 1	MANOMETER, U TUBE AND CURVED TUBE [CUST: AT MS 99] [REVIEW: 82 GL4]	A 6685		GS	24-MAR-99
M	MS24478B NOT 2	*GAGE, SINGLE 1 INCH DIAL, PNEUMATIC PRESSURE [CUST: MI 99 GS] [REVIEW: 82]*	A 6685		GS	26-MAR-99
M	MS24482A NOT 1	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, ARMORED, BAYONET LOCKING TYPE, (50 DEG. TO 300 DEG. C) [CUST: AV 99] [REVIEW: 82]	A 6685		GS	29-MAR-99
M	MS27188 NOT 2	PROBE, TOTAL TEMPERATURE, DEICEABLE [CUST: 99 GS] [REVIEW: 82]	A 6685		GS	26-MAR-99
M	MS28009B NOT 2	INDICATOR - TEMPERATURE, ELECTRICAL RESISTANCE MULTI-FUNCTION, -70 TO +150 C, 2-INCH SIZE [CUST: AV AS 99] [REVIEW: 82 GL4 MI]	A 6685		GS	26-MAR-99
M	MS28028C NOT 2	THERMOMETER SELF-INDICATING, BIMETALLIC [CUST: GL4 AS 99] [REVIEW: 82 CG]	A 6685		GS	26-MAR-99
M	MS28034A NOT 2	BULBS, TEMPERATURE, ELECTRICAL RESISTANCE (-70 DEG. C TO +300 DEG. C) [CUST: CR AS 99] [REVIEW: 82]	A 6685		GS	26-MAR-99

Last Action	Document Number	Document Title	Distribution	FSC/Area	MCA	Prep. Actv.	Date
M	QPL-6856-17 NOT 1	INDICATOR, PRESSURE, SYNCHRO, 1-1/2 INCH	A	6685		GS	24-MAR-99
M	QPL-7077-12 NOT 1	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, MINUS 70 DEG. TO PLUS 150 DEG. C, 2-INCH SIZE	A	6685		GS	24-MAR-99
M	QPL-7990-13 NOT 1	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, -70 DEG. TO +300 DEG. C	A	6685		GS	26-MAR-99
M	QPL-27190-9 NOT 1	INDICATOR, PRESSURE AGU-3/A, HYDRAULIC, 0-4,000 PSI	A	6685		GS	24-MAR-99
M	AN6021 REV 5 NOT 2	GAGE, PANEL MOUNTING LOW PRESSURE OXYGEN [CUST: 99 GS] [REVIEW: 82]	A	6685		GS	26-MAR-99
M	AN6026 REV 4 NOT 1	GAGE, PRESSURE, DIAL INDICATING [CUST: AV AS 99 GS] [REVIEW: 82]	A	6685		GS	26-MAR-99
M	MIL-DTL-3628/153B	BADGE, IDENTIFICATION, RECRUITER, ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	01-APR-99
M	MIL-DTL-3628/163A	BADGE, QUALIFICATION, AVIATION, AIRCRAFT CREWMAN, ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	01-APR-99
M	MIL-DTL-3628/164A	BADGE, QUALIFICATION, AVIATION, AIRCRAFT CREWMAN, SENIOR, ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	01-APR-99
M	MIL-DTL-3628/165A	BADGE, QUALIFICATION, AVIATION, AIRCRAFT CREWMAN, MASTER, ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	01-APR-99
M	MIL-DTL-3943/41F	DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	07-APR-99
M	MIL-DTL-3943/46H	DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	07-APR-99
M	MIL-DTL-3943/48F	DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	07-APR-99
M	MIL-DTL-3943/51F	DECORATION, OUTSTANDING CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	07-APR-99
M	MIL-DTL-3943/92F	DECORATION, COMMANDER'S AWARD FOR CIVILIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	07-APR-99
M	MIL-DTL-3943/106D	DECORATION, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	07-APR-99
M	MIL-DTL-3943/123D	DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	07-APR-99
M	MIL-DTL-3943/124E	DECORATION, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	07-APR-99
M	MIL-DTL-3943/201A	MEDAL, CIVILIAN AWARD FOR HUMANITARIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	07-APR-99
M	MIL-DTL-3943/260A	DECORATION, SECRETARY OF THE ARMY EXCEPTIONAL PUBLIC SERVICE AWARD (NON-CIVIL SERVICE), ARMY [CUST: IH] [REVIEW: CT]	A	8455		IH	07-APR-99
N	MIL-DTL-11484/256	LAPEL BUTTON, SENIOR EXECUTIVE SERVICE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT]	A	8455		IH	08-APR-99
M	MIL-DTL-11589/165H	RIBBON, EXCEPTIONAL SERVICE, DEFENSE THREAT REDUCTION AGENCY [CUST: IH] [REVIEW: CT]	A	8455		IH	27-JAN-99
M	MIL-DTL-11589/166H	RIBBON, MERITORIOUS SERVICE, DEFENSE THREAT REDUCTION AGENCY [CUST: IH] [REVIEW: CT]	A	8455		IH	27-FEB-99
M	MIL-DTL-11589/390B	RIBBON, AERIAL ACHIEVEMENT MEDAL, CIVILIAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT]	A	8455		IH	27-JAN-99
M	MIL-DTL-11589/391B	RIBBON, AIR MEDAL, CIVILIAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99]	A	8455		IH	27-JAN-99
M	MIL-DTL-11589/478A	RIBBON, NORTH ATLANTIC TREATY ORGANIZATION (NATO) MEDAL [CUST: IH] [REVIEW: CT]	A	8455		IH	27-JAN-99
M	MIL-DTL-11589/494A	RIBBON, DISTINGUISHED SERVICE, DEFENSE THREAT REDUCTION AGENCY [CUST: IH] [REVIEW: CT]	A	8455		IH	27-JAN-99
M	MIL-DTL-41819/41A	RIBBON ATTACHMENT, 75TH ANNIVERSARY COMMEMORATIVE MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT]	A	8455		IH	01-APR-99
M	MIL-L-3918A NOT 2	LUBRICATING OIL, INSTRUMENT, JEWEL BEARING [CUST: AR AS 11 GS] [REVIEW: 68 AT AV MI OS SA SH]	A	9150		GS	29-MAR-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MIL-P-50585 NOT 3	PROJECTILE, 8 INCH, HE: M404, HARDWARE FOR (NO S/S DOCUMENT) [CUST: AR]	A 1320		AR	09-MAR-99
M	MIL-G-14934 NOT 1	GRENADE, HAND, FRAG, IMPACT, XM68 LOADING, ASSEMBLING AND PACKING (NO S/S DOCUMENT) [CUST: AR]	A 1330		AR	17-FEB-99
M	MIL-STD-2066 NOT 2	CATAPULTING AND ARRESTING GEAR FORCING FUNCTIONS FOR AIRCRAFT STRUCTURAL DESIGN (S/S BY MIL-HDBK-2066) [CUST: AS]	A 1510		AS	17-MAR-99
M	AFGS-87226A(1) NOT 1	OXYGEN SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR (S/S BY JSSG-2010) [CUST: 11]	D 1660		11	22-MAR-99
M	AFGS-87141B NOT 1	PARACHUTES (S/S BY JSSG-2010) [CUST: GL AS 11] [REVIEW: 99]	D 1670		11	22-MAR-99
M	MIL-STD-2067 NOT 1	AIRCREW AUTOMATED ESCAPE SYSTEMS RELIABILITY AND MAINTAINABILITY (R/M) PROGRAM REQUIREMENTS FOR (S/S BY MIL-HDBK-2067) [CUST: AS]	A 1680		AS	17-MAR-99
M	AFGS-87238 NOT 1	SURVIVAL AND FLOTATION SYSTEMS, AIRBORNE (S/S BY JSSG-2010) [CUST: 11] [REVIEW: GS]	D 1680		11	22-MAR-99
M	MIL-B-39900D(3) NOT 1	BEARINGS, ROLLER, NEEDLE, AIRFRAME, ANTIFRICTION, INCH (S/S BY SAE-AS39901)[CUST: AT AS 99] [REVIEW: 84 IS]	A 3110		AS	05-APR-99
M	MIL-B-6038A NOT 1	BEARING, BALL, BELLCRANK, ANTI FRICTION, AIRFRAME (S/S BY SAE-AS6038) [CUST: AT AS 11] [REVIEW: AR AV IS MI]	A 3110		AS	05-APR-99
M	MS21431A NOT 1	BEARING, ROLLER, SELF-ALIGNING SINGLE ROW ANTI-FRICTION, SEALED -65 TO 350 F, TYPE I (S/S BY SAE-AS21431) [CUST: AT AS 99] [REVIEW: 84 IS]	A 3110		AS	05-APR-99
M	MS21438C NOT 1	BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE V, ANTIFRICTION, INCH (S/S BY SAE-AS21438) [CUST: AT AS 99] [REVIEW: 11 IS]	A 3110		AS	05-APR-99
M	MS21447A NOT 1	BEARING, ROLLER, NEEDLE, TRACK ROLLER CROWN RADIUSED O.D. INTEGRAL STUD, TYPE VII ANTIFRICTION, INCH (S/S BY SAE-AS21447) [CUST: AT AS 84] [REVIEW: 99 IS]	A 3110		AS	05-APR-99
M	MIL-F-80188B NOT 1	FURNACE, HEAT TREATING, ELECTRIC, METAL LINED, BOX DESIGN (NO S/S DOCUMENT)[CUST: AL SH 99 GS] [REVIEW: MC SM]	A 3424		GS	29-MAR-99
M	MIL-G-80236 NOT 2	GENERATOR, AMMONIA DISSOCIATED ATMOSPHERE (NO S/S DOCUMENT) [CUST: SH 99 GS] [REVIEW: 84 AS OS YD2]	A 3424		GS	29-MAR-99
M	MIL-G-26869D NOT 1	GROOVING MACHINE, SHEET METAL, FLOOR MOUNTING TYPE, POWER OPERATED, ELECTRIC MOTOR DRIVEN (NO S/S DOCUMENT) [CUST: AL 99 GS] [REVIEW: 84 AR]	A 3441		GS	29-MAR-99
M	MIL-B-80223A NOT 2	BENDING MACHINES, PIPE AND CONDUIT, HYDRAULIC OR MECHANICAL, BENCH MOUNTING PEDESTAL MOUNTED, OR PORTABLE (NO S/S DOCUMENT) [CUST: AR SH 99 GS] [REVIEW: 84 MC]	A 3441		GS	02-APR-99
M	MIL-P-80054D NOT 1	PUNCHING MACHINE, METAL, TURRET TYPE, COMPUTER NUMERICALLY CONTROLLED (CNC) (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 MC]	A 3445		GS	29-MAR-99
M	MIL-P-80172C NOT 1	PUNCHING MACHINES, METAL, SINGLE END TYPE, COMPUTER NUMERICALLY CONTROLLED (CNC) (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 MC]	A 3445		GS	02-APR-99
M	MIL-S-80271A NOT 1	SHEARING MACHINES, METAL SQUARING, MECHANICAL DRIVE (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AV MC OS SM YD2]	A 3445		GS	29-MAR-99
M	MIL-P-29196B NOT 1	PAVING MACHINES, BITUMINOUS MATERIAL, CRAWLER-OR RUBBER TIRE-MOUNTED, SELF-PROPELLED (NO S/S DOCUMENT) [CUST: AT IS]	A 3895		IS	19-MAR-99
M	MS21343 NOT 1	BOSS SPACING-HYDRAULIC DESIGN STANDARD FOR (NO S/S DOCUMENT) [CUST: AV AS 99 CC] [REVIEW: 82 MI]	A 4730		CC	22-APR-99
M	AN876 REV 2 NOT 1	COLLAR AND TUBING END HOSE CONNECTION (NO S/S DOCUMENT) [CUST: AS 99 CC]	A 4730		CC	05-MAR-99
M	MIL-T-13013E(1) NOT 1	TESTER, INTERNAL-COMBUSTION ENGINE (VACUUM AND PRESSURE) (NO S/S DOCUMENT) [CUST: CC]	A 4910		CC	31-MAR-99
M	MIL-F-8975/1A NOT 2	FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT AND HEAT RESISTANT STEEL AND TITANIUM, DESIGN AND USAGE LIMITATIONS FOR (S/S BY NASM8975/1) [CUST: AV AS 11 IS] [REVIEW: 99 AR]	A 5320		IS	06-APR-99
M	MIL-F-8975/3A NOT 1	FASTENERS, BLIND, TITANIUM, FLUSH HEAD, TYPE II, CLASS 2 (S/S BY NASM8975/3) [CUST: AV AS 11 IS] [REVIEW: 99 AR]	A 5320		IS	06-APR-99
M	MIL-F-8975/4A(1) NOT 1	FASTENERS, BLIND, HIGH STRENGTH, CORROSION RESISTANT AND HEAT RESISTANT STEEL, PROTRUDING HEAD, TYPE II, CLASS 1 (S/S BY NASM8975/4) [CUST: AV AS 11 IS] [REVIEW: 99 AR]	A 5320		IS	06-APR-99
M	MIL-F-8975/5A NOT 1	FASTENER, BLIND, TITANIUM, PROTRUDING HEAD, TYPE II, CLASS 2 (S/S BY NASM8975/5) [CUST: AV AS 11 IS] [REVIEW: 99]	A 5320		IS	06-APR-99
M	MIL-F-8975/6 NOT 1	FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, PROTRUDING HEAD, TYPE I, CLASS 2 (S/S BY NASM8975/6) [CUST: AV AS 11 IS]	A 5320		IS	06-APR-99
M	MIL-F-8975/7 NOT 1	FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, FLUSH HEAD, TYPE I, CLASS 2 (S/S BY NASM8975/7) [CUST: AV AS 11 IS] [REVIEW: 82 AR MI OS SH]	A 5320		IS	06-APR-99
M	MIL-R-47196A(1) NOT 2	RIVETS, BUCK TYPE, PREPARATION FOR AND INSTALLATION OF (S/S BY NASM47196) [CUST: MI IS]	A 5320		IS	06-APR-99
M	MIL-S-43770/1A NOT 3	SNAP HOOK, WIRE BODY, FIXED LOOP EYE, FLAT SPRING CLOSURE, WITH RETAINER (S/S BY NASM43770/1) [CUST: GL YD2 99 IS] [REVIEW: AR AT AV CG CR4 EA MC SA]	A 5340		IS	27-APR-99
M	MIL-S-43770/2A NOT 2	SNAP HOOK, WIRE BODY, FIXED LOOP EYE, SIDE RETAINING CLOSURE (S/S BY NASM43770/2) [CUST: GL YD2 99 IS] [REVIEW: AR AS AT AV CG CR4 EA MC SH]	A 5340		IS	27-APR-99
M	MIL-S-43770/3 NOT 3	SNAP HOOK, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH (S/S BY NASM43770/3) [CUST: GL YD2 99 IS] [REVIEW: AR AT AV CG CR4 MC MI SA]	A 5340		IS	27-APR-99
M	MIL-S-43770/4 NOT 3	SNAP HOOK, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH (S/S BY NASM43770/4) [CUST: GL YD2 99 IS] [REVIEW: AR AT AV CG CR4 MC MI SA]	A 5340		IS	27-APR-99
M	MIL-S-43770/5 NOT 3	SNAP HOOK, CAST BODY, FIXED EYE, SLIDING BOLT CLOSURE (S/S BY NASM43770/5) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	27-APR-99
M	MIL-S-43770/6 NOT 3	SNAP HOOK, CAST BODY, SWIVEL EYE, SLIDING BOLT CLOSURE (S/S BY NASM43770/6)[CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	27-APR-99
M	MIL-S-43770/7 NOT 3	SNAP HOOK, CAST BODY, LOOP EYE SWIVEL (S/S BY NASM43770/7) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	27-APR-99
M	MIL-S-43770/8 NOT 3	SNAP HOOK, CAST BODY, ROUND EYE SWIVEL (S/S BY NASM43770/8) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	27-APR-99
M	MIL-S-43770/9 NOT 3	SNAP HOOK, CAST BODY, FIXED LOOP EYE, TRIGGER CLOSURE (S/S BY NASM43770/9) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	27-APR-99
M	MIL-S-43770/10 NOT 3	SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH (S/S BY NASM43770/10) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI SA]	A 5340		IS	27-APR-99
M	MIL-S-43770/11 NOT 3	SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, LIGHT DUTY (S/S BY NASM43770/11) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI]	A 5340		IS	27-APR-99
M	MIL-S-43770/12A NOT 3	SNAP HOOK, CAST BODY, FIXED ROUND EYE W/O ROLLER, FLAT SPRING CLOSURE (S/S BY NASM43770/12) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MC MI]	A 5340		IS	27-APR-99
M	MIL-S-43770/13 NOT 3	SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH (S/S BY NASM43770/13) [CUST: GL YD2 99 IS] [REVIEW: AT AV CG CR4 MI]	A 5340		IS	27-APR-99
M	MIL-S-43770/14 NOT 3	SNAP HOOK, CAST BODY, OPEN EYE, SLIDING BOLT CLOSURE (S/S BY NASM43770/14) [CUST: GL YD2 99 IS] [REVIEW: CG MC]	A 5340		IS	27-APR-99
M	DS14290 NOT 3	CLAMP, LOOP, CUSHIONED, RECTANGULAR, METRIC (S/S BY NAM14290) [CUST: AR 99 IS] [REVIEW: 82 AL AV CR CR4 EA EC MC MI YD2]	A 5340		IS	27-APR-99
M	MIL-D-23003A(1) NOT 2	DECK COVERING COMPOUND, NONSLIP, ROLLABLE (S/S BY MIL-PRF-24667) [CUST: SH] [REVIEW: YD2]	A 5610		SH	13-APR-99
M	MIL-D-24483A(3) NOT 4	DECK COVERING, SPRAY-ON, NONSLIP (S/S BY MIL-PRF-24667) [CUST: SH]	A 5610		SH	13-APR-99

Lst Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Actly.	Date
M	MIL-C-20/41B(2) NOT 3	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR17 AND CC17 (S/S BY MIL-PRF-20/37) [CUST: CR EC 11] [REVIEW: AS MC OS SH]	A 5910	CC	31-MAR-99
M	MIL-C-20/47J(1) NOT 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR13 AND CC13 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: 99 AS MC OS SH]	A 5910	CC	31-MAR-99
M	MIL-C-20/48F NOT 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY, STYLES CCR14 AND CC14 (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: AS MC OS SH]	A 5910	CC	31-MAR-99
M	MIL-C-25/2E(2) NOT 2	CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 26 CP 27 CP 28 & CP 29 (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 19 99 AR AS MI OS]	A 5910	CC	31-MAR-99
M	MIL-C-25/3E(1) NOT 2	CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 40 & CP 41 (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS]	A 5910	CC	31-MAR-99
M	MIL-C-3965/9H(1) NOT 2	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, PLAIN FOIL) 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL51 (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 19 99 AS MC MI OS SH]	A 5910	CC	31-MAR-99
M	MIL-C-3965/10H(1) NOT 2	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, PLAIN FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL52 (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 19 99 AR AS MC OS SH]	A 5910	CC	31-MAR-99
M	MIL-C-3965/11H(1) NOT 2	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, ETCHED FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL53 (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 19 99 AR AS MC OS SH]	A 5910	CC	31-MAR-99
M	MIL-C-3965/12H(1) NOT 2	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, ETCHED FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL54 (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 19 99 AR AS MC OS SH]	A 5910	CC	31-MAR-99
M	MIL-C-3965/15D(1) NOT 2	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, PLAIN FOIL)-85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL30 AND CL31 (NO SS DOCUMENT) [CUST: CR EC 11] [REVIEW: 19 99 AR AS MC OS SH]	A 5910	CC	31-MAR-99
M	MIL-C-3965/16D NOT 3	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, PLAIN FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), STYLES CL32 AND CL33 (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 99 AR MI SH]	A 5910	CC	31-MAR-99
M	MIL-C-3965/17E NOT 3	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, ETCHED FOIL) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL20 AND CL21 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 99 AR MI SH]	A 5910	CC	31-MAR-99
M	MIL-C-3965/18E NOT 3	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, ETCHED FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), STYLES CL22 AND CL23 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 99 AR MI SH]	A 5910	CC	31-MAR-99
M	MIL-C-3965/22B(1) NOT 3	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, HIGH ETCHED FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), STYLES CL70 AND CL71 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 99 MI SH]	A 5910	CC	31-MAR-99
M	MIL-C-3965/23B(1) NOT 3	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, HIGH ETCHED FOIL) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL72 AND CL73 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 99 AR MI SH]	A 5910	CC	31-MAR-99
M	MIL-C-11015/1D NOT 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK21 (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 19 99 EA MC MI]	A 5910	CC	31-MAR-99
M	MIL-C-11015/15C NOT 2	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (STAND-OFF), STYLE CK81 (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 99 MC MI]	A 5910	CC	31-MAR-99
M	MIL-C-11693/5B NOT 2	CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES), STYLE CZ20 (NO S/S DOCUMENT) [CUST: CR EC 11]	A 5910	CC	31-MAR-99
M	MIL-C-11693/8C NOT 2	CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASE), STYLE CZ25 (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 99]	A 5910	CC	31-MAR-99
M	MIL-C-12889A(3) NOT 2	CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI]	A 5910	CC	07-APR-99
M	MIL-C-12889/1B NOT 3	CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), STYLES CA32, CA33, AND CA34 (NO S/S DOCUMENT) [CUST: CR EC 11 CC]	A 5910	CC	07-APR-99
M	MIL-C-12889/2B NOT 3	CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), STYLES CA36, CA37, AND CA38 (NO S/S DOCUMENT) [CUST: CR EC 11 CC]	A 5910	CC	07-APR-99
M	MIL-C-23269/5E NOT 1	CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR13 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A 5910	CC	07-APR-99
M	MIL-C-23269/6E NOT 1	CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR17 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 17 19 AS CG MC OS SH]	A 5910	CC	07-APR-99
M	MIL-C-23269/7D NOT 1	CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR22 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A 5910	CC	07-APR-99
M	MIL-C-23269/8D NOT 1	CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR32 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A 5910	CC	07-APR-99
M	MIL-C-23269/9C NOT 1	CAPACITORS, FIXED, GLASS DIELECTRIC, (RADIAL OR AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLES CYR41, CYR42, AND CYR43 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A 5910	CC	07-APR-99
M	MIL-C-39018/11 NOT 1	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLES CUR03 (INSULATED) AND CUR04 (INSULATED) (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS SH]	A 5910	CC	07-APR-99
M	MIL-C-39022/4A(4) NOT 2	CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CHR29 (INSULATED) (NO S/S DOCUMENT) [CUST: 11 CC]	A 5910	CC	07-APR-99
M	MIL-C-83421/3(1) NOT 1	CAPACITORS, FIXED, METALLIZED PLASTIC FILM, DIELECTRIC, DC AND AC, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY (INSULATED), STYLES CRS01, CRS02, CRS03, CRS04, AND CRS05 (NO S/S DOCUMENT) [CUST: EC 19 CC NA] [REVIEW: AR AS CG MC OS SH]	A 5910	CC	07-APR-99
M	MIL-C-83421/4A NOT 1	CAPACITORS, FIXED, METALLIZED PLASTIC FILM, DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY (INSULATED), STYLES CRS11, CRS12, AND CRS13 (NO S/S DOCUMENT) [CUST: EC 19 CC NA] [REVIEW: AR AS CG MC OS SH]	A 5910	CC	07-APR-99
M	MIL-F-18327/30B(2) NOT 1	FILTERS, LOW PASS, TYPE FR6RX11YY1 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS]	A 5915	CC	31-MAR-99
M	MIL-F-18327/31B(1) NOT 1	FILTERS, HIGH PASS, TYPE FR6RX33YY1 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS]	A 5915	CC	31-MAR-99
M	MIL-N-23182A(1) NOT 1	NETWORKS, PULSE FORMING, RADAR, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR EC 11 CC]	A 5915	CC	31-MAR-99
M	MIL-C-39012/41A(1) NOT 2	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES SC (UNCABLED-RECEPTACLE, FEMALE, FLANGE, REAR MOUNTED, CLASS 2) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AM AS AT AV CR4 MC MI OS]	A 5935	CC	15-MAR-99

Last Action	Document Number	Document Title	Distribution	FSC/Area	MCA	Prep. Activ.	Date
M	MIL-C-39012/42A(1) NOT 2	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES SC (UNCABLED - RECEPTACLE, FEMALE, JAM NUT MOUNTED, FRONT MOUNTED, CLASS 2) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	15-MAR-99
M	MS17155B NOT 1	TERMINAL, STUD FEEDTHRU, SINGLE (S/S BY A-A-59287) [CUST: MI AS 85 GS] [REVIEW: 82 99]	A	5940		GS	07-APR-99
M	MS17156A NOT 1	TERMINAL, STUD, FEEDTHRU, SINGLE DOUBLE (S/S BY A-A-59288) [CUST: MI AS 85 GS]	A	5940		GS	07-APR-99
M	MS17157A NOT 1	TERMINAL, STUD, FEEDTHRU, DOUBLE - DOUBLE (S/S BY A-A-59289) [CUST: MI AS 85 GS] [REVIEW: CR4]	A	5940		GS	08-APR-99
M	MIL-S-49433 NOT 1	SURFACE ACOUSTIC WAVE DEVICES, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR CC] [REVIEW: AV MI]	A	5999		CC	31-MAR-99
M	MIL-D-0036180A NOT 1	DIAPER, INFANT S, COTTON, BIRDSEYE (NO S/S DOCUMENT) [CUST: DM]	A	6532		DM	16-APR-99
M	MIL-C-10320E NOT 1	COVER, LEVEL ROD, PHILADELPHIA, CANVAS (NO S/S DOCUMENT) [CUST: CE MC]	A	6675		GS	26-MAR-99
M	MIL-T-11372F NOT 1	TRIVETS, SURVEYING INSTRUMENT (NO S/S DOCUMENT) [CUST: CE 99]	A	6675		GS	29-MAR-99
M	MIL-S-14249C NOT 1	STRAIGHTEDGE, RADIAL LINE, SLOTTED TEMPLATE (NO S/S DOCUMENT) [CUST: CE]	A	6675		GS	29-MAR-99
M	MIL-L-52056D(1) NOT 1	LIGHT, SIGNAL, SURVEYING, SELF ILLUMINATED, WITH CARRYING CASE, FOR USE WITH RANGE POLE (NO S/S DOCUMENT) [CUST: CE MC]	A	6675		GS	26-MAR-99
M	MIL-G-13734B NOT 3	GERMICIDE, QUARTERNARY AMMONIUM TYPE (S/S BY A-A-1441) [CUST: GL1 SH 68 GS]	A	6840		GS	07-APR-99
M	QPL-38334-6 NOT 1	CORROSION REMOVING COMPOUND, PREPAINT, FOR AIRCRAFT ALUMINUM SURFACES (NO S/S DOCUMENT)	A	6850		GS	17-MAR-99
M	MIL-V-173C(2) NOT 3	VARNISH, MOISTURE AND FUNGUS RESISTANT (FOR TREATMENT OF COMMUNICATIONS, ELECTRONIC, AND ASSOCIATED EQUIPMENT) (USERS MAY CONSULT ASTM-D3955 AND ASTM-D295) [CUST: CR YD2]	A	8010		CR	05-APR-99
M	MIL-C-29366B NOT 1	CAP, UTILITY: CAMOUFLAGE (S/S BY A-A-53313) [CUST: MC CT] [REVIEW: NU YD]	A	8405		CT	19-APR-99
M	MIL-M-3946D SUP 1B NOT 2	MEDAL, CAMPAIGN AND SERVICE, GENERAL SPECIFICATION FOR (S/S BY MIL-DTL-3943) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC]	A	8455		IH	08-APR-99
M	ZZ-R-765/53 NOT 2	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION (S/S BY A-A-55796) [CUST: MR AS 11 GS] [REVIEW: 82 99 AR CR CR4 DCG GL MD MI NA OS SH SM SSA YD2]	A	9320	/	GS	25-MAR-99
M	MIL-STD-1776A NOT 1	AIRCREW STATION AND PASSENGER ACCOMMODATIONS (S/S BY ISSG-2010) [CUST: 11]	D	GDRQ		11	22-MAR-99
M	MIL-STD-783D NOT 1	LEGENDS FOR USE IN AIRCREW STATIONS AND ON AIRBORNE EQUIPMENT (S/S BY ISSG-2010) [CUST: AV AS 11] [REVIEW: 13 19 24 CR MI]	A	HFAC		11	20-MAR-99
M	MIL-STD-1801 NOT 1	USER/COMPUTER INTERFACE (CONTROLLED DISTRIBUTION) (S/S BY ISSG-2010) [CUST: 11]	B	HFAC		11	22-MAR-99
M	MIL-M-24784/1 NOT 1	MANUAL, TECHNICAL CHANGE PACKAGE REQUIREMENTS (S/S BY MIL-DTL-24784) [CUST: SH] [REVIEW: EC]	A	TMSS		SH	25-FEB-99
M	MIL-M-24784/2 NOT 1	MANUAL, TECHNICAL REVISION REQUIREMENTS (S/S BY MIL-DTL-24784) [CUST: SH] [REVIEW: EC]	A	TMSS		SH	25-FEB-99
M	MIL-M-24784/6 NOT 1	MANUAL, OPERATION STATION BOOK (OSB) REQUIREMENTS FOR CONSTRUCTION AND MAJOR MODIFICATION (S/S BY MIL-DTL-24784/5) [CUST: SH] [REVIEW: EC]	A	TMSS		SH	25-FEB-99
M	MIL-M-24784/8 NOT 1	MANUAL, TECHNICAL REPAIR STANDARDS (TRS) REQUIREMENTS FOR ELECTRONIC EQUIPMENT (S/S BY MIL-DTL-24784/7) [CUST: SH] [REVIEW: EC]	A	TMSS		SH	25-FEB-99
M	MIL-M-24784/9 NOT 1	MANUAL, TECHNICAL REPAIR STANDARDS (TRS) REQUIREMENTS FOR ORDNANCE EQUIPMENT (S/S BY MIL-DTL-24784/7) [CUST: SH] [REVIEW: EC]	A	TMSS		SH	25-FEB-99
M	MIL-M-24784/13 NOT 1	MANUAL, HULL, MECHANICAL AND ELECTRICAL (HM&E) SINGLE COMPONENT REQUIREMENTS (S/S BY MIL-DTL-24784/12) [CUST: SH] [REVIEW: EC]	A	TMSS		SH	25-FEB-99
M	MIL-M-24784/15 NOT 1	MANUAL, SERVICE TEST ELECTRONIC AND INTERIOR COMMUNICATIONS (IC) EQUIPMENT REQUIREMENTS (S/S BY MIL-DTL-24784/14) [CUST: SH] [REVIEW: EC]	A	TMSS		SH	25-FEB-99
M	MIL-M-24784/16 NOT 1	MANUAL, EXPERIMENTAL ELECTRONIC AND INTERIOR COMMUNICATION (IC) EQUIPMENT REQUIREMENTS (S/S BY MIL-DTL-24784/14) [CUST: SH] [REVIEW: EC]	A	TMSS		SH	25-FEB-99