

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

15 DECEMBER 2001 / FOR PERIOD 1 DEC 2001 TO 14 DEC 2001 / VOL. 23/ NO. 01

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at: **<http://astimage.daps.dla.mil>**

Notice

The SD-1 dated 1 September 2001 will be the last time that Non-Government Standards Bodies (NGSBs) are listed in this directory. NGSBs for which DOD employees have registered their participation, or from which Standardization Management Activities have adopted at least one standard, are listed in the Technical Committee Participation database on the Defense Standardization Program Web Site at: **www.dsp.dla.mil**

Since many of the distribution codes associated with each NGSB listed in the SD-1 were determined many years ago, we are finding that some are no longer accurate. Therefore, Standardization Management Activities interested in adopting a Non-Government Standard are advised to contact the respective NGSB to determine if they will provide free copies of standards for Department of Defense coordination review purposes.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-HDBK-5H(1)	METALLIC MATERIALS AND ELEMENTS FOR AEROSPACE VEHICLE STRUCTURES(CUST: AV AS 11) [REVIEW: 84 99 CG MI]	A	1560		11	01-OCT-01
N	SAE-AS50141	INNER TUBE, PNEUMATIC TIRE, AIRCRAFT[CUST: AV AS 99]	A	2620		70	29-NOV-01
N	QPL-AS81934-1	BEARINGS, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING	A	3120		AS	26-NOV-01
M	MIL-PRF-81380D	FILTER/MONITOR, CONTAMINATION, AVIATION FUEL DISPENSING SYSTEM(CUST: AV AS 11 CC) [REVIEW: 68 99 AT MC MI YD]	A	4930		AS	11-DEC-01
N	NASM3926	KNOB, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT)(CUST: CR EC 99 IS)	A	5355		IS	13-DEC-01
N	NASM91528	KNOB-CONTROL, PLASTIC (ROUND, CONCENTRIC, POINTER, SPINNER, SPINNER SLIP-CLUTCH, BAR, TACTILE, KNOB LOCK POINTER, SLIP-CLUTCH, AND KNOB LOCKS)(CUST: CR 11)	A	5355		IS	11-DEC-01
M	QPL-24613-29	DECK COVERING MATERIALS, INTERIOR, COSMETIC POLYMERIC	A	5610		SH	10-DEC-01
M	MIL-PRF-914A(4)	RESISTORS NETWORKS, FIXED, FILM, SURFACE MOUNT, NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR(CUST: CR EC 11) [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS]	A	5905		CR	07-DEC-01
M	QPL-39005-62	RESISTORS, FIXED, WIREWOUND (ACCURATE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5905		CR	28-NOV-01
M	QPL-55342-87	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR	A	5905		CR	28-NOV-01
M	MIL-PRF-39018/1F	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY STYLES CU12 (UNINSULATED), CU13 (INSULATED), AND CUR13 (INSULATED)(CUST: CR EC 11) [REVIEW: 19 AS MC OS SH]	A	5910		CC	12-DEC-01
M	MIL-PRF-39018/3E	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CU16 (UNINSULATED), CU17 (INSULATED), AND CUR17 (INSULATED)(CUST: CR EC 11 CC) [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	12-DEC-01
M	MIL-PRF-39018/4C	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE CU71 (INSULATED) AND CUR71 (INSULATED)(CUST: CR EC 11 CC) [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	12-DEC-01
M	MIL-PRF-39018/7A	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), (FOUR-TERMINAL), ESTABLISHED RELIABILITY, STYLE CUR19 (INSULATED)(CUST: CR EC 11 CC) [REVIEW: 19 AS MC OS SH]	A	5910		CC	12-DEC-01
M	QPL-39014-109	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	29-NOV-01
M	QPL-39018-69	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CC	06-DEC-01
M	QPL-49470-6	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	26-NOV-01
M	QPL-55681-108	CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	29-NOV-01
M	MIL-PRF-19207/29E	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHN45G(CUST: CR SH 11 CC) [REVIEW: 19 99 AS AT CR4 EC MC MI OS]	A	5920		CC	11-DEC-01
M	MIL-PRF-19207/30D	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN46W AND FHN46WB(CUST: CR SH 11 CC) [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS]	A	5920		CC	11-DEC-01
M	MIL-PRF-19207/31D	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN47W AND FHN47WB(CUST: CR SH 11 CC) [REVIEW: 70 71 AR AS AT CR4 MC MI]	A	5920		CC	11-DEC-01
M	A-A-55518A	FUSEHOLDER, BLOCK, GENERAL REQUIREMENTS FOR(CUST: EC CC)	A	5920	/	CC	10-DEC-01
M	A-A-55518/1A	FUSEHOLDER, BLOCK, 2 AMPERES (A), 250 VOLTS (V) AC, 1 THROUGH 12 POLE, ACCOMMODATES 8AG TYPE FUSE CARTRIDGES(CUST: EC CC)	A	5920	/	CC	10-DEC-01
M	A-A-55519A	FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), GENERAL REQUIREMENTS FOR(CUST: EC CC)	A	5920	/	CC	10-DEC-01
M	A-A-55519/4A	FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), TIME DELAY, WITH WRAP AROUND TERMINALS(CUST: EC CC)	A	5920	/	CC	10-DEC-01
M	MS27790D NOT 1	SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED(CUST: CR AS 11 CC) [REVIEW: 99 AV EA EC]	A	5930		CC	12-DEC-01
M	MIL-C-83723/59C NOT 1	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PROTECTIVE COVERS, PLUG (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI]	A	5935		CC	10-DEC-01
M	MIL-C-83723/60D NOT 1	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PROTECTIVE COVERS, RECEPTACLES (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI]	A	5935		CC	10-DEC-01
M	MIL-C-83723/61D NOT 1	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), DUMMY CONNECTOR, RECEPTACLES (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W)(CUST: CR AS 11 CC) [REVIEW: 19 80 99 AR EC MI]	A	5935		CC	10-DEC-01
M	MIL-C-83733/5B(1) NOT 2	CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, BUSHING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C(CUST: 11) [REVIEW: 99]	A	5935		CC	10-DEC-01
M	MIL-C-83733/10B(1) NOT 2	CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED BUSHING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C(CUST: 11) [REVIEW: 99]	A	5935		CC	10-DEC-01
M	MS14054D NOT 2	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 28, CLASS L, 40 AMPS(CUST: CR EC CC) [REVIEW: 11 19 AS AT AV CG CR4 MC MI OS YD]	A	5935		CC	10-DEC-01
M	MS14055G NOT 2	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 44, CLASS L, 100 AMPS(CUST: CR EC 11) [REVIEW: 19 80 AS AT AV CG CR4 MC MI OS YD]	A	5935		CC	10-DEC-01
M	MS90557F NOT 1	CONNECTOR, PLUG, ELECTRICAL, CABLE CONNECTING (WITHOUT COUPLING RING), CLASS L(CUST: CR EC 11 CC) [REVIEW: 13 19 99 AS AT AV CG CR4 MC MI OS SH]	A	5935		CC	10-DEC-01
M	MIL-STD-1554(4) NOT 1	INSERT ARRANGEMENTS FOR MIL-C-83723 SERIES III AND MIL-C-26500 ENVIRONMENT RESISTING, CIRCULAR, ELECTRICAL CONNECTORS[Interface Standard](CUST: CR AS 11) [REVIEW: 19 99 AR AV EC MI]	A	5935		CC	10-DEC-01
M	MIL-STD-1669 NOT 1	INSERT ARRANGEMENTS FOR MIL-C-26482 ENVIRONMENT RESISTING, CIRCULAR, ELECTRICAL CONNECTORS[Interface Standard](CUST: CR AS 11) [REVIEW: AR AV EC MI SH]	A	5935		CC	10-DEC-01
M	W-C-596/158A NOT 1	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ(CUST: CR YD 11 CC) [REVIEW: 99 AS AV CR4 MC SH]	A	5935	/	CC	26-OCT-01
M	W-C-596/159A NOT 1	CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, LOCKING GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ(CUST: CR YD 11 CC) [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	26-OCT-01
M	QPL-21617-10	CONNECTORS, PLUG AND RECEPTACLE - ELECTRICAL RECTANGULAR, POLARIZED SHELL, MINIATURE TYPE	A	5935		CC	06-DEC-01
M	QPL-22992-42	CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, WATERPROOF, QUICK DISCONNECT, HEAVY DUTY TYPE, GENERAL SPECIFICATION FOR	A	5935		CC	30-NOV-01
M	QPL-24308-97	CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR	A	5935		CC	10-DEC-01

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-28840-34	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D, GENERAL SPECIFICATION FOR	A	5935		CC	03-DEC-01
M	QPL-38999-83	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR	A	5935		CC	10-DEC-01
M	QPL-39012-113	CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR	A	5935		CC	03-DEC-01
N	EIA364.01	ACCELERATION TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: AV MI]	A	5935		CC	29-JUN-01
N	EIA364.06	CONTACT RESISTANCE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: AV MI]	A	5935		CC	29-JUN-01
M	MIL-PRF-6106/33D(1)	RELAY, ELECTROMAGNETIC, TYPE I, 400 AMPERES, WITH 5 AMPERE AUXILIARY CONTACTS, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99]	A	5945		CC	15-DEC-01
M	MIL-PRF-6106/48B(1)	RELAY, ELECTROMAGNETIC, 100 AMPERES, SPST (N.O.) WITH SPDT (FORM Z) 5 AMPERES AUXILIARY CONTACTS, HERMETICALLY SEALED, TYPE II[CUST: 11 CC]	A	5945		CC	13-DEC-01
M	MS17981D	SOLENOID, ELECTRICAL, HORN, 24 VOLT DC[CUST: AT CC]	A	5945		CC	15-DEC-01
M	MS24141J(2)	RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC]	A	5945		CC	13-DEC-01
M	MS24171F(3)	RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (N.O.), TYPE II, NON-HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	17-DEC-01
M	MS24182K(2)	RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1 PST, N.O., TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	13-DEC-01
M	MS25024G	RELAY, 10 AMP, 4 PDT, SEALED, CLASS O[CUST: CR AS 11 CC] [REVIEW: 99]	A	5945		CC	15-DEC-01
M	MS27243J	RELAY, 10 AMP, 4PDT, SEALED, CLASS O[CUST: AS 11 CC] [REVIEW: 99]	A	5945		CC	15-DEC-01
M	MS27750G	RELAY, ELECTROMAGNETIC, 50 AMPERES, 3 PDT-NO., CENTER OFF, HERMETICALLY SEALED[CUST: AS 11 CC]	A	5945		CC	15-DEC-01
M	QPL-6106-60	RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR	A	5945		CC	13-DEC-01
M	MIL-PRF-1/770D(2)	ELECTRON TUBE, MAGNETRON TYPES 5586 AND 5657[CUST: CR EC 11 CC]	A	5960		CC	06-DEC-01
M	MIL-PRF-19500/539B(1)	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPES 2N6300, 2N6301 JANTX AND JANTXV[CUST: CREC 11 CC NA] [REVIEW: 19 99]	A	5961		CC	06-DEC-01
N	MIL-PRF-19500/700	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7494U5, 2N7495U5 AND 2N7496U5 JANTXVR, F, G AND H AND JANSR, F, G AND H[CUST: CR NW 11 CC NA] [REVIEW: AV MC MI]	A	5961		CC	06-DEC-01
N	MIL-PRF-19500/701	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7491T2, 2N7492T2 AND 2N7493T2 JANTXVR, F, G AND H AND JANSR, F, G AND H[CUST: CR EC 11 CC NA] [REVIEW: MI]	A	5961		CC	10-DEC-01
M	QPL-631-71	INSULATION, ELECTRICAL, SYNTHETIC-RESIN COMPOSITION, NONRIGID	A	5970		SH	15-NOV-01
M	MIL-DTL-55422A	CLIP, ELECTRICAL, GRID AND ANODE, GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC] [REVIEW: 99 GS MI]	A	5999		CC	15-DEC-01
M	MIL-DTL-55422/1A	CLIP, ELECTRICAL, GRID[CUST: CR SH 11 CC] [REVIEW: 99 GS]	A	5999		CC	15-DEC-01
M	QPL-17-172	CABLES, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR	A	6145		CC	30-NOV-01
M	QPL-81381-16	WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY	A	6145		CC	30-NOV-01
N	A-A-59707	DETECTOR/MONITOR, HYDRAZINE[CUST: EA SH 11 GS 1] [REVIEW: 99 CG]	A	6665	/	11	10-DEC-01
M	MIL-DTL-512C	ALUMINUM POWDER, FLAKED, GRAINED AND ATOMIZED[CUST: EA GS3] [REVIEW: AR]	A	6810		GS3	03-DEC-01
N	A-A-59665	MORPHOLINE, TECHNICAL[CUST: GS3]	A	6810	/	GS3	03-DEC-01
M	A-A-59378A	STOVE, EXPEDITIONARY, MILITARY FUEL[CUST: GL SA 99] [REVIEW: 35 84 IS MC MD 1 QM1]	A	7310	/	GL	13-NOV-01
M	A-A-52206A	OPENERS, CAN, HAND AND MOUNTED[CUST: GL SA 99] [REVIEW: 35 84 CG MC MD 1 QM1 SS]	A	7330	/	GL	28-SEP-01
M	QPL-23377-18	PRIMER COATINGS: EPOXY, HIGH-SOLIDS	A	8010		AS	14-DEC-01
M	QPL-23236-73	PAINT COATING SYSTEMS, FUEL AND SALT WATER BALLAST TANKS (METRIC)	A	8030		SH	16-NOV-01
N	A-A-59692	ADHESIVE, WATER-RESISTANT (FOR CLOSURE OF FIBERBOARD BOXES)[CUST: MR 99 SS] [REVIEW: 84 MI]	A	8040	/	SS	21-NOV-01
M	MIL-DTL-11733E	CYLINDER, COMPRESSED GAS. AMMONIA, WITH VALVE (DOT 4AA480)[CUST: SH 68] [REVIEW: MC]	A	8120		GS3	03-DEC-01
M	MIL-DTL-3943/75G	DECORATION, PRESIDENTIAL CITIZEN'S MEDAL[CUST: IH] [REVIEW: CT]	A	8455		IH	07-DEC-01
M	MIL-PRF-44073F	PACKAGING OF FOOD IN FLEXIBLE POUCHES[CUST: GL SA 35] [REVIEW: MC MD QM SS]	A	89GP		GL	04-SEP-01
M	MIL-STD-107J	PREPARATION AND HANDLING OF INDUSTRIAL PLANT EQUIPMENT (IPE) FOR SHIPMENT AND STORAGE[Standard Practice][CUST: AR SH 11 DH] [REVIEW: 84 99 AV CR MC SM YD]	A	PACK		GS6	03-DEC-01

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-P-48077(1) NOT 2	PRIMER: M104, PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR]	A	1390	AR		25-JUN-01
M	MS19068A(1) NOT 1	NUTS, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARING REGULAR SERIES[CUST: AT OS IS]	A	5310	IS	IS	10-DEC-01
M	MS51496B(1) NOT 1	WASHER, FLAT-NARROW SERIES[CUST: AR 99 IS]	A	5310	IS	IS	15-OCT-01
M	MIL-PRF-18546F(1)	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR MC MI]	A	5905	CC	CC	07-DEC-01
M	MS24055D NOT 2	CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, HEXAGONAL, 9 CONTACTS, FEMALE, 7.5 AMPS[CUST: CR EC 11 CC] [REVIEW: AM AR AS AT CR4 MC MI OS SH]	A	5935	CC	CC	10-DEC-01
M	MS25033C	RELAY, 200 AMP, 1 PST, SEALED, CLASS O[CUST: 11 CC] [REVIEW: 99]	A	5945	CC	CC	15-DEC-01
M	MS25035D	RELAYS, ELECTROMAGNETIC, TYPE I, 25 AMPERES, 1PST, SEALED, CLASS O[CUST: AS 11 CC]	A	5945	CC	CC	15-DEC-01
M	QPL-7793-35	METER, TIME TOTALIZING	A	6645	AS	AS	19-NOV-01

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-I-5014F(4) SUP 1 NOT 2	INNER TUBE, PNEUMATIC TIRE, AIRCRAFT (S/S BY SAE-AS50141)(CUST: AV AS 99)	A	2620		70	29-NOV-01
M	MIL-L-24778 NOT 1	LIFE PRESERVER, UTILITY, AUTO-INFLATABLE, MK 5, MOD 0 (NO S/S DOCUMENT)(CUST: SH)	A	4220		SH	05-DEC-01
M	ASME-B18.27.1	RING, TAPERED AND REDUCED CROSS SECTION RETAINING, (INCH SERIES) EXTERNAL TYPE NA1, INTERNAL TYPE NA2, E-RING TYPE NA3 (NO S/S DOCUMENT)(CUST: AR SH 99 IS)	A	5325		IS	31-OCT-01
M	ASME-B18.27.2	RINGS, TAPERED AND REDUCED CROSS SECTION RETAINING (INCH SERIES) HEAVY DUTY EXTERNAL TPE NA4, REINFORCED E-RING NA5, C-TYPE (NO S/S DOCUMENT)(CUST: AR SH 99 IS)	A	5325		IS	31-OCT-01
M	ASME-B18.27.3	RINGS, TAPERED AND REDUCED CROSS SECTION EXTERNAL RETAINING (INCH SERIES) BOWED EXTERNAL RINGS NA7, BOWED INTERNAL RINGS NA8, BOWED EXTERNAL E-RINGS NA9 (NO S/S DOCUMENT)(CUST: AR SH 99 IS)	A	5325		IS	31-OCT-01
M	ASME-B18.27.4	RINGS, TAPERED AND REDUCED CROSS SECTION RETAINING (INCH SERIES), INVERTED EXTERNAL NA10, INVERTED INTERNAL NA11, BEVELED EXTERNAL NA12, BEVELED INTERNAL NA13 (NO S/S DOCUMENT)(CUST: AR OS 99 IS)	A	5325		IS	31-OCT-01
M	ASME-B18.27.5	EXTERNAL SELF-LOCKING RINGS NA14, EXTERNAL INTERLOCKING RINGS NA15, EXTERNAL BOWED LOCKING PRONGS RINGS NA16 (NO S/S DOCUMENT)(CUST: AR SH 99 IS)	A	5325		IS	31-OCT-01
M	SAE-AMS7262	RINGS, SEALING, ETHYLENE PROPYLENE (EPM) RUBBER PHOSPHATE ESTER HYDRAULIC FLUID RESISTANT 58 - 95 (NO S/S DOCUMENT)(CUST: MR AS 11 IS)	A	5330		IS	31-OCT-01
M	MIL-K-3926B(2) SUP 1B NOT 3	KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT) (S/S BY NASM3926)(CUST: CR EC 99 IS) [REVIEW: 82 AT AV CG CR4 EA MC MI OS]	A	5355		IS	13-DEC-01
M	MS91528J NOT 3	KNOBS-CONTROL, PLASTIC (ROUND, CONCENTRIC, POINTER, SPINNER, SPINNER SLIP-CLUTCH, BAR, TACTILE, KNOB LOCK POINTER, SLIP-CLUTCH, AND KNOB LOCKS) (S/S BY NASM91528)(CUST: CR 11 IS) [REVIEW: AT AV CR4 EA MI]	A	5355		IS	11-DEC-01
M	MIL-S-19500/322B(4) NOT 2	SEMICONDUCTOR DEVICE, DIODE, SILICON MIXER TYPES: 1N23WE, 1N23WEM, 1N23WEMR, 1N23WG, 1N23WGM, AND 1N23WGMR (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	10-DEC-01
M	MIL-S-19500/334A(2) NOT 1	SEMICONDUCTOR DEVICE, DIODE, SILICON MIXER TYPES 1N3655A, 1N3655AM, AND 1N3655AMR (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 70 AR AS MC MI SM]	A	5961		CC	10-DEC-01
M	MIL-S-19500/361(1) NOT 1	TRANSISTOR, PNP, SILICON, DOUBLE-EMITTER TYPE 3N108 (NO S/S DOCUMENT)(CUST: EC CC) [REVIEW: 19 AS MC OS]	A	5961		CC	10-DEC-01
M	MIL-S-19500/389(2) NOT 2	SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH-VOLTAGE RECTIFIER TYPES 1N5181, 1N5182, 1N5183, 1N5184 AND TX1N5181, TX1N5182, TX1N5183, TX1N5184 (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19]	A	5961		CC	10-DEC-01
M	MIL-HDBK-179A(1) NOT 2	MICROCIRCUIT ACQUISITION HANDBOOK (S/S BY SD-18)(CUST: CR NW 11) [REVIEW: 19 99 AR CC MI]	A	5962		NW	12-DEC-01
M	A-A-51462A NOT 1	SULFACETAMIDE SODIUM AND PREDNISOLONE ACETATE OPHTHALMIC SUSPENSION (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	A-A-51658B NOT 1	SODIUM HYALURONATE INJECTION (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	A-A-54531 NOT 1	SULFACETAMIDE SODIUM OPHTHALMIC OINTMENT, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	A-A-54561 NOT 1	SPIRONOLACTONE TABLETS, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	A-A-54562 NOT 1	SODIUM FLUORIDE TABLETS, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	A-A-54564 NOT 1	SPIRONOLACTONE AND HYDROCHLOROTHIAZIDE TABLETS (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	A-A-54566 NOT 1	SULFACETAMIDE SODIUM OPHTHALMIC SOLUTION, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	A-A-54578 NOT 1	SUCCINYLCHOLINE CHLORIDE, STERILE, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	A-A-54582 NOT 1	SPECTINOMYCIN HYDROCHLORIDE, STERILE, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	A-A-54614 NOT 1	SODIUM PHOSPHATES ENEMA, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	A-A-54621 NOT 1	SUCCINYLCHOLINE CHLORIDE INJECTION, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	A-A-54822 NOT 1	SODIUM NITROPRUSSIDE, STERILE, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	16-NOV-01
M	O-M-575A NOT 1	MORPHOLINE, TECHNICAL (S/S BY A-A-59665)	A	6810	/	GS3	03-DEC-01
M	A-A-52098 NOT 1	CLOTH, INTERLINING, ACETATE AND COTTON (NO S/S DOCUMENT)(CUST: GL NU 99 CT) [REVIEW: 82 MD]	A	8305	/	CT	12-DEC-01
M	A-A-55280 NOT 1	CLOTH, COATED: GLASS SILICONE RUBBER (NO S/S DOCUMENT)(CUST: GL CT) [REVIEW: MD]	A	8305	/	CT	12-DEC-01