

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

15 DECEMBER 2003 / FOR PERIOD 1 DEC 2003 TO 14 DEC 2003 / VOL. 23/ NO. 03

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

<http://assist.daps.dla.mil>

NOTE

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of “N” (new), or “M” (modified).

”N” indicates that this is a new document that has been entered to our database.

“M” indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	SAE-ARP1176	QXYGEN SYSTEM AND COMPONENT CLEANING AND PACKAGING[CUST: AV AS 11] [REVIEW: 68 82 84 99]	A	1660		AS	08-DEC-03
M	QPL-24135-36	HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES GENERAL SPECIFICATION FOR	A	4720		SH	03-DEC-03
M	QPL-27267-19	HOSE, POLYTETRAFLUOROETHYLENE, 450 DEG. F, MEDIUM PRESSURE	A	4720		CC	12-DEC-03
M	A-A-3041A	WRENCH, OPEN END, RATCHET (TAC PATTERN) FOR TUBE FITTINGS, ELECTRICAL CABLE TERMINALS, AND STUFFING TUBE GLAND NUTS	A	5120	#	FSS	21-OCT-03
N	MIL-PRF-55365/12	CAPACITORS, CHIP, FIXED, TANTALUM, POLARIZED ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, STYLE CWR15[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5910		CR	03-DEC-03
M	QPL-39006-104	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CC	03-DEC-03
M	MIL-PRF-15733/26C(1)	FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL14[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH]	A	5915		CC	09-DEC-03
M	MIL-PRF-15733/39J(1)	FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL91[CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV CG MC OS SH]	A	5915		CC	09-DEC-03
M	W-F-1814/1A	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 0-15 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS]	A	5920	/	CC	25-NOV-03
M	W-F-1814/2A	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 16-20 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS]	A	5920	/	CC	25-NOV-03
M	W-F-1814/3A	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 21-30 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS]	A	5920	/	CC	25-NOV-03
M	W-F-1814/4A	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 31-60 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS]	A	5920	/	CC	25-NOV-03
M	W-F-1814/5B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS]	A	5920	/	CC	25-NOV-03
M	QPL-23419-45	FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR	A	5920		CC	12-DEC-03
M	MIL-PRF-55629/20D	CIRCUIT BREAKERS, MAGNETIC, PANEL SEAL, TRIP-FREE, SERIES TRIP, SINGLE POLE (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH]	A	5925		CR	05-NOV-03
M	MIL-PRF-55629/21D	CIRCUIT BREAKERS, MAGNETIC, PANEL SEAL, TRIP-FREE, SERIES TRIP, DOUBLE POLE (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH]	A	5925		CR	05-NOV-03
M	MIL-PRF-55629/22D	CIRCUIT BREAKERS, MAGNETIC, PANEL SEAL, TRIP-FREE, SERIES TRIP, THREE POLE (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH]	A	5925		CR	05-NOV-03
M	QPL-39019-25	CIRCUIT BREAKERS, MAGNETIC, LOW POWER, SEALED, TRIP FREE, GENERAL SPECIFICATION FOR	A	5925		CR	25-NOV-03
M	QPL-55629-19	CIRCUIT BREAKERS, MAGNETIC, UNSEALED OR PANEL SEAL, TRIP-FREE, GENERAL SPECIFICATION FOR	A	5925		CR	10-DEC-03
M	MIL-DTL-3786/13F	SWITCH, ROTARY, CLOSED CONSTRUCTION, 500 AMPERE, STYLE SR13[CUST: CR EC 11 CC]	A	5930		CC	07-DEC-03
M	MIL-DTL-9395/2E	SWITCHES, PRESSURE, (GAGE), TYPE II, SPDT, 4 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC]	A	5930		CC	08-DEC-03
M	MIL-DTL-3650B	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES LC[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC MI]	A	5935		CC	25-NOV-03
M	MIL-DTL-55302/23H	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, DECADE INCREMENT 10 THRU 120, 150, 160 AND 180 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING)[CUST: 11 CC] [REVIEW: 19 99]	A	5935		CC	03-DEC-03
M	MIL-DTL-55302/24G	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DECADE INCREMENT 10 THRU 110, CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	03-DEC-03
M	MIL-DTL-55302/26F	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	03-DEC-03
M	MIL-DTL-55302/29B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: GAGE FOR CONTACT SEPARATION FORCE TEST METHOD[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT CR4 MC MI SH]	A	5935		CC	05-DEC-03
M	MIL-DTL-55302/30B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: TEST PROBE FIXTURE FOR RESISTANCE TO TEST PROBE DAMAGE[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI]	A	5935		CC	05-DEC-03
M	QPL-39029-39	CONTACTS, ELECTRICAL CONNECTOR, GENERAL SPECIFICATION FOR	A	5935		AS	18-DEC-03
N	QPL-AS85049-1	CONNECTOR ACCESSORIES, ELECTRICAL, GENERAL SPECIFICATION FOR	A	5935		AS	20-NOV-03
M	MIL-PRF-19500/6C NOT 1	SEMICONDUCTOR, DEVICE TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2N43AZ1, 2N43AZ2, 2N44AZ1 AND 2N44AZ2[CUST: CR EC 11 NA] [REVIEW: 19 AR AS CG MC MI OS SH SM]	A	5961		CC	15-DEC-03
M	MIL-PRF-19500/231H	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N3600, 1N3600UB, 1N3600UBCA, 1N3600UBCC, 1N3600UBD, 1N4150-1, 1N4150UR-1, 1N4150UB, 1N4150UBA, 1N4150UBCC, AND 1N4150UBD, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961		CC	11-DEC-03
M	MIL-PRF-19500/555H	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N6788, 2N6788U, 2N6790, 2N6790U, 2N6792, 2N6792U, 2N6794, AND 2N6794U, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS MC MI SM]	A	5961		CC	08-DEC-03
M	MIL-PRF-19500/565C	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N6895, 2N6896, 2N6897, AND 2N6898, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	10-DEC-03
M	MIL-PRF-19500/609D	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N6639, 1N6640, 1N6641, 1N6639US, 1N6640US, AND 1N6641US, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 71 AR AS MC MI SM]	A	5961		CC	05-DEC-03
M	MIL-PRF-19500/610E	PERFORMANCE SPECIFICATION SHEET SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, SCHOTTKY BARRIER, TYPES 1N6677-1 AND 1N6677UR-1, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI OS SH SM]	A	5961		CC	01-DEC-03
M	MIL-PRF-19500/623B	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, HIGH-POWER TYPE 2N7371 JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MI SM]	A	5961		CC	15-DEC-03
N	MIL-PRF-19500/718	SEMICONDUCTOR DEVICE, DIODE, SILICON, BIPOLAR TRANSIENT VOLTAGE SUPPRESSOR, TYPES 1N6950 THROUGH 1N6986, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 MI]	A	5961		CC	12-DEC-03
M	MIL-M-38510/111A	MICROCIRCUITS, ANALOG SWITCH WITH DRIVER, MONOLITHIC AND MULTI-CHIP SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	10-DEC-03
M	MIL-M-38510/333C	MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	10-DEC-03
M	MIL-M-38510/334C	MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, AND-OR-INVERT GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	10-DEC-03
M	MIL-DTL-3928F	SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE, (COAXIAL), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MC MI OS]	A	5985		CC	19-DEC-03
M	MIL-PRF-15733H SUP 1	FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH YD]	A	59GP		CC	25-NOV-03
M	QPL-7115-30	CONVERTERS, AIRCRAFT, GENERAL SPECIFICATION FOR	A	6130		AS	08-DEC-03
M	MIL-DTL-49055C NOT 1	CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC MI OS SH]	A	6145		CC	26-NOV-03

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-49055/11C NOT 1	CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 150 DEG. [CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC MI OS SH]	A	6145		CC	26-NOV-03
M	MIL-DTL-49055/12C NOT 1	CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 200 DEG. [CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC MI OS SH]	A	6145		CC	26-NOV-03
M	QPL-17-176	CABLES, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR	A	6145		CC	11-DEC-03
M	QPL-28830-11	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, GENERAL SPECIFICATION FOR	A	6145		CC	11-DEC-03
M	MIL-PRF-10436N	COMPASS, MAGNETIC, UNMOUNTED; LENSATIC, LUMINOUS, 5 DEGREE AND 20 MIL GRADUATIONS, WITH CARRYING CASE[CUST: CE3 MC 99] [REVIEW: CR GS SH]	A	6605		CE3	31-OCT-03
M	MIL-DTL-38394D	TRANSMITTER, PRESSURE TRU-81/A, OIL, 0-500 PSI[CUST: 99 GS1] [REVIEW: 11]	A	6620		GS1	05-DEC-03
M	A-A-50734B	MULTIMETER, RUGGEDIZED[CUST: MI SH 84] [REVIEW: CC CR SO]	A	6625	/	84	03-DEC-03
M	A-A-52573A	THEODOLITES, SURVEYING, DIRECTION: THIRD ORDER[CUST: CE MC] [REVIEW: CR GS]	A	6675	/	CE	31-OCT-03
M	A-A-52574A	THEODOLITES, SURVEYING, DIRECTION: SECOND ORDER[CUST: CE MC 99] [REVIEW: 71 CR GS]	A	6675	/	CE	31-OCT-03
M	A-A-52575A	THEODOLITES, SURVEYING, DIRECTION, FIRST-ORDER WITH ACCESSORIES, TRIPOD, AND CASES[CUST: CE3] [REVIEW: CR IS]	A	6675	/	CE3	31-OCT-03
M	MS20003C NOT 3	INDICATOR, HUMIDITY, CARD, THREE SPOT, IMPREGNATED AREAS (COBALTOUS CHLORIDE)[CUST: AS] [REVIEW: GS]	A	6685		AS	15-DEC-03
M	SAE-AS26860	INDICATOR, HUMIDITY, PLUG, COLOR CHANGE[CUST: AS 11] [REVIEW: 99 YD]	A	6685		11	12-NOV-03
M	A-A-52193D	FOOD CONTAINER, INSULATED, WITH INSERTS[CUST: GL SA 99 SS] [REVIEW: 35 84 MC MD]	A	7330	/	SS	10-DEC-03
M	QPL-24456-16	ADHESIVE FOR PLASTIC VIBRATION-DAMPING TILES	A	8040		SH	04-DEC-03
M	MIL-DTL-6279M	PARKA, EXTREME COLD WEATHER, TYPE N-3B[CUST: GL 11 CT] [REVIEW: 82 MD]	A	8415		CT	09-DEC-03
M	A-A-50194B	HOOD, BALACLAVA, EXTENDED COLD WEATHER[CUST: GL NU 11 CT] [REVIEW: 82]	A	8415	/	CT	10-DEC-03
M	QPL-25690-15(1)	PLASTIC, SHEETS AND FORMED PARTS, MODIFIED ACRYLIC BASE, MONOLITHIC, CRACK PROPAGATION RESISTANT	A	9330		AS	12-DEC-03
N	A-A-59752	SHIPBOARD SIGNS, LABELS, AND MARKINGS, PREFORMED, ADHESIVE BACKED, PHOTOLUMINESCENT, AND RETROREFLECTIVE[CUST: GL SH] [REVIEW: AS CG GL4 IS YD]	A	9905	/	SH	04-DEC-03
M	MIL-STD-1472F(1)	HUMAN ENGINEERING[Design Criteria Standard][CUST: MI AS 11] [REVIEW: 01 10 13 19 AR AT AV CG CR DC2 DH EA EC GL HS MC MD MP MR ND NS OS PE PT SE SH TD TE TM]	A	HFAC		MI	05-DEC-03
N	MIL-STD-6040 NOT 1	UNITED STATES MESSAGE TEXT FORMATTING PROGRAM[Interface Standard][CUST: CR 1 NM 93 DI] [REVIEW: MC MP NS]	A	INST		DC2	06-NOV-03
M	SD-10	GUIDE FOR IDENTIFICATION AND DEVELOPMENT OF METRIC STANDARDS[CUST: AM NM 01 DH]	A	SDMP		SO	01-DEC-03

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MS26551 NOT 2	STRAINER, 2-1/2 INCH PRESSURE FUEL SERVICING[CUST: AS]	A	2915	AS		24-NOV-03
M	QPL-904-59	HOISTS, CHAIN, HAND-OPERATED, HOOK AND TROLLEY SUSPENSION	A	3950	SH		04-DEC-03
M	QPL-5-116	CAPACITORS, FIXED, MICA DIELECTRIC, GENERAL SPECIFICATION FOR	A	5910	CC		12-DEC-03
M	MIL-DTL-3643B	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES HN, AND ASSOCIATED FITTINGS, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT MI]	A	5935	CC		25-NOV-03
M	MS25268K	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, POTTED LEAD, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC]	A	5945	CC		27-NOV-03
M	MS25327N	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC]	A	5945	CC		27-NOV-03
M	MS25329M	RELAYS, ELECTROMAGNETIC, 6 PDT, 5 AMPERES, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC]	A	5945	CC		27-NOV-03
M	MS25457H	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		27-NOV-03
M	MS25459H	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		27-NOV-03
M	MS25461J	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		27-NOV-03
M	MS25463J	RELAYS, ELECTROMAGNETIC, 6 PDT, 5 AMPERES, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		27-NOV-03
M	MS27997N	RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST N.O. TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC]	A	5945	CC		27-NOV-03
M	MIL-F-3922/63B(2) NOT 1	FLANGE, WAVEGUIDE (MINIATURE, UNPRESSURIZED CONTACT), (4 HOLE AND 8 HOLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS SH]	A	5985	CC		08-DEC-03
M	MIL-C-28777A SUP 1A NOT 1	CABLE ASSEMBLY, ELECTRONIC TEST EQUIPMENT, (3 WIRES, 125 AND 250 VOLTS AC AND 28 VOLTS DC) GROUNDING PLUG CONNECTOR GENERAL SPECIFICATION FOR[CUST: CR EC 99] [REVIEW: 71 AS MC]	A	6150	GS2		04-DEC-03
M	MIL-C-28777/1C(1) NOT 1	CABLE ASSEMBLY, (TYPE I) ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 13 AMPERES, 50/60 HERTZ), GROUNDING PLUG CONNECTOR AND MIL-C-5015 CONNECTOR WITH CABLE CLAMP[CUST: CR EC 99] [REVIEW: 71 AS MC]	A	6150	GS2		04-DEC-03
M	MIL-C-28777/2B NOT 1	CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND TERMINAL LUGS[CUST: CR EC 99] [REVIEW: 71 AS MC]	A	6150	GS2		04-DEC-03
M	MIL-C-28777/10A NOT 1	CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 10 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND RIGHT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR[CUST: CR EC 99] [REVIEW: 71 AS MC]	A	6150	GS2		04-DEC-03
M	MIL-C-28777/13A NOT 1	CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND TYPE I EQUIPMENT CONNECTOR[CUST: CR EC 99] [REVIEW: 71 AS MC]	A	6150	GS2		04-DEC-03
M	MIL-C-52286C(1) NOT 3	CABLE ASSEMBLIES, POWER, ELECTRICAL (WITH MOLDED ON TERMINATIONS)[CUST: CR4] [REVIEW: AT]	A	6150	GS2		09-DEC-03
M	MIL-C-52286/1B NOT 3	CABLE ASSEMBLY, POWER ELECTRICAL, 2 CONDUCTOR, 100 FEET LONG, OVAL TERMINATIONS WITH 2 POLE CONNECTOR PLUG[CUST: CR4] [REVIEW: AT]	A	6150	GS2		09-DEC-03
M	MIL-C-52286/2B NOT 3	CABLE ASSEMBLY, POWER ELECTRICAL, 2 CONDUCTOR, 20 FEET LONG OVAL TERMINATIONS, WITH THREE - TWO POLE CONNECTORS[CUST: CR4] [REVIEW: AT]	A	6150	GS2		09-DEC-03
M	MIL-C-52286/3B NOT 3	CABLE ASSEMBLIES, POWER ELECTRICAL, LIGHT EXTENSION[CUST: CR4] [REVIEW: AT]	A	6150	GS2		09-DEC-03
M	MIL-C-52286/6 NOT 3	CABLE ASSEMBLY, POWER ELECTRICAL[CUST: CR4] [REVIEW: AT]	A	6150	GS2		09-DEC-03
M	MIL-C-52286/7A NOT 3	CABLE ASSEMBLY, POWER ELECTRICAL[CUST: CR4] [REVIEW: AT]	A	6150	GS2		09-DEC-03
M	MIL-C-52286/18 NOT 3	CABLE ASSEMBLY, POWER ELECTRICAL[CUST: CR4 GS2] [REVIEW: AT]	A	6150	GS2		09-DEC-03
M	MIL-C-52286/21 NOT 3	CABLE ASSEMBLY, POWER, ELECTRICAL, ADAPTER[CUST: CR4 GS2] [REVIEW: AT]	A	6150	GS2		09-DEC-03
M	MIL-C-52286/22 NOT 3	CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER[CUST: CR4] [REVIEW: AT]	A	6150	GS2		09-DEC-03

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-STD-1359B NOT 2	CLEANING METHODS AND PROCEDURES FOR BREATHING OXYGEN EQUIPMENT (S/S BY SAE-ARP1176)[Military Standard][CUST: AV AS 11][REVIEW: 68 82 84 99]	A	1660		AS	08-DEC-03
M	SAE-AS13591	CLEANING METHODS AND PROCEDURES FOR BREATHING OXYGEN EQUIPMENT (NO S/S DOCUMENT)[CUST: AV AS 11][REVIEW: 68 82 84 99]	A	1660		AS	08-DEC-03
M	A-A-50723 NOT 2	MARKING MACHINE, ELECTRICAL WIRE-FLEXIBLE INSULATING SLEEVING (NO S/S DOCUMENT)[CUST: 99 GS6]	A	3611	/	GS6	04-DEC-03
M	DS14289 NOT 2	STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO PIECE, METRIC (S/S BY NASM14289)[CUST: AR AS 99 IS][REVIEW: 11 AT AV EA EC MC SM]	A	5340		IS	01-DEC-03
M	NASM14289	STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO-PIECE, METRIC (NO S/S DOCUMENT)[CUST: AR AS 99 IS]	A	5340		IS	19-DEC-03
M	QPL-85049-17 NOT 1	CONNECTOR ACCESSORIES, ELECTRICAL, GENERAL SPECIFICATION FOR (S/S BY QPL-AS85049)	A	5935		AS	20-NOV-03
M	MIL-T-27493A NOT 4	TRANSFORMER, VARIABLE, SINGLE PHASE, 400 CYCLE GENERAL SPECIFICATIONS FOR (NO S/S DOCUMENT)[CUST: CR AS 11 CC][REVIEW: MI]	A	5950		CC	01-DEC-03
M	MIL-T-83720/14 NOT 3	TRANSFORMER, PULSE (NO S/S DOCUMENT)[CUST: 11 CC][REVIEW: 80 84 99]	A	5950		CC	01-DEC-03
M	MIL-I-26860B(2) NOT 4	INDICATOR, HUMIDITY, PLUG, COLOR CHANGE (S/S SAE-AS26860)[CUST: AS 11][REVIEW: 99 YD]	A	6685		11	12-NOV-03