

DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS

DODISS NOTICE

15 FEBRUARY 2001 / FOR PERIOD 1 FEB 2001 TO 14 FEB 2001 / VOL. 3/ NO. 01

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents will be available within 30 days and non-Government Standards within 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

As of October 1, 2000, copies of non-government standards adopted by the Department of Defense (DoD) are no longer available from the DoD Single Stock Point. Adoption notices will continue to be used to signify DoD usage of a non-government standard, to identify a responsible DoD point of contact, and to give the standard visibility by including it in the ASSIST database and the DoD Index of Specifications and Standards. On 31 October 2000 we began updating all DOD adoption notices to comply with current DPSO Policy Memo 00-01, dated 15 May 2000, this effort will continue until all adoption notices meet current policy.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-C-64037(5)	CARTRIDGE, HE, 60MM, M888 W/FUZE M935 LOADING, ASSEMBLING AND PACKING[CUST: AR]	A	1310	AR		16-JAN-01
M	MIL-C-48448(1) NOT 2	CARTRIDGE, IMPULSE, CCU-28/A ASSEMBLY[CUST: OS]	A	1377	OS		29-JAN-01
M	MIL-PRF-7726J SUP 1	RETREAD TIRES, RIBBED TREAD, PNEUMATIC AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99]	A	2620	70		29-JAN-01
M	QPL-81306-10	TOOL, FORMING, FOR ADJUSTABLE PLASTIC AND METAL CABLE STRAPS	A	5120	AS		05-FEB-01
M	MIL-F-85731(1)	FASTENER, POSITIVE LOCKING, ELECTRONIC EQUIPMENT GENERAL SPECIFICATION FOR[CUST: AV AS] [REVIEW: IS]	A	5340	AS		09-FEB-01
M	MIL-PRF-49462B	RESISTORS, FIXED, FILM, HIGH VOLTAGE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905	CC		12-FEB-01
M	MIL-PRF-49462/3B	RESISTORS, FIXED, FILM, HIGH VOLTAGE, STYLES RHV30, RHV31, RHV32, RHV33, RHV34, RHV35[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905	CC		12-FEB-01
M	MIL-PRF-55182G(5) SUP 1	RESISTORS, FIXED, FILM, NON-ESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905	CR		05-FEB-01
M	MIL-PRF-55182/1N(2)	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR55[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905	CR		05-FEB-01
M	MIL-PRF-55182/3P(1)	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR60[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905	CR		05-FEB-01
M	MIL-PRF-55182/5L(2)	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR65[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905	CR		05-FEB-01
M	MIL-PRF-55182/6N(1)	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR70[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905	CR		05-FEB-01
M	MIL-PRF-55182/7L(1)	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR50[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905	CR		05-FEB-01
M	MIL-PRF-55182/10D(3)	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNC75[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905	CR		05-FEB-01
M	MIL-PRF-55182/13A(1)	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, STYLE RNC77[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905	CR		05-FEB-01
M	MIL-PRF-83421/6A(1)	CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, DC AND AC, HERMETICALLY SEALED IN METAL CASES, ESTABLISHED RELIABILITY STYLES CRH31, CRH32, CRH33, CRH34, AND CRH35[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC OS SH]	A	5910	CC		05-FEB-01
M	QPL-39003-82	CAPACITORS, FIXED, ELECTROLYTIC (SOLID-ELECTROLYTE) TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910	CC		01-FEB-01
M	QPL-39006-98	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY	A	5910	CC		07-FEB-01
M	A-A-55168A	FUSEHOLDER, BLOCK, CLASS H, 30 AMPERES, 250 V AC, ONE, TWO, AND THREE POLE[CUST: EC CC]	A	5920	/	CC	16-FEB-01
M	A-A-55426A	FUSEHOLDER, BLOCK, CLASS H, 60 AMPERES, 600 V AC, ONE, TWO, AND THREE POLE[CUST: EC CC]	A	5920	/	CC	16-FEB-01
M	A-A-55427A	FUSEHOLDER, BLOCK, CLASS H, 60 AMPERES, 250 V AC, ONE, TWO, AND THREE POLE[CUST: EC CC]	A	5920	/	CC	16-FEB-01
M	A-A-55497B	FUSE LINK, ELECTRICAL TYPE K (FAST)[CUST: EC CC]	A	5920	/	CC	05-FEB-01
M	A-A-55498B	FUSE LINK, ELECTRICAL, TYPE T (SLOW)[CUST: EC CC]	A	5920	/	CC	05-FEB-01
M	MIL-DTL-7703E SUP 1	GUARD, SWITCH GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99]	A	5930	CC		07-FEB-01
M	QPL-28840-31	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D, GENERAL SPECIFICATION FOR	A	5935	CC		08-FEB-01
M	QPL-39012-108	CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR	A	5935	CC		08-FEB-01
M	MS24140L(2)	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 1 PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24141J(1)	RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC]	A	5945	CC		14-FEB-01
M	MS24142M(1)	RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC]	A	5945	CC		14-FEB-01
M	MS24143W(3)	RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC]	A	5945	CC		14-FEB-01
M	MS24149D(2) NOT 1	RELAYS, ELECTROMAGNETIC, 2 PDT 10 AMPERES, TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99]	A	5945	CC		14-FEB-01
M	MS24166H(1)	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 1 PST, (N.O.) TYPE II, NONHERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99]	A	5945	CC		14-FEB-01
M	MS24168R(2)	RELAYS, ELECTROMAGNETIC, 100 AMPERES, 3 PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC]	A	5945	CC		14-FEB-01
M	MS24171F(2)	RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (N.O.), TYPE II, NON-HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24172H(1)	RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (N.O.), TYPE III, NON-HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24178G(1)	RELAY, 55 AMP, 2PST, N.O. TYPE II, NON-HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24179M(1)	RELAYS, ELECTROMAGNETIC, 400 AMPERES, 1 PST (N.O.), TYPE III, NON-HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24182K(1)	RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1 PST, N.O., TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24183K(1)	RELAY, ELECTROMAGNETIC, 200 AMPERES, 1PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24184L(2)	RELAYS, ELECTROMAGNETIC, 300 AMPERES, 1 PST, N.O. TYPE I, WITH AUXILIARY CONTACTS, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24185L(1)	RELAYS, ELECTROMAGNETIC, 400 AMPERES, 1 PST, N.O. TYPE II, NON-HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24187M(1)	RELAYS, ELECTROMAGNETIC, 50/25 AMPERES, 1PDT (NO/NC), TYPE II, NONHERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24192N(2)	RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3PST, N.O. TYPE II, NON-HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24193G(1)	RELAY ELECTROMAGNETIC, 50 AMPERES, 3 PST, N.O. TYPE II, NON-HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24376P(1)	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3PST (NO), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS24568J(2) NOT 1	RELAYS, ELECTROMAGNETIC, 10 AMPERS, 4 PDT, TYPE I, HERMETICALLY SEALED[CUST: CR AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01
M	MS25271H(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, SOLDER HOOK HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945	CC		14-FEB-01

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MS25273G(1) NOT 1	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25329L(1) NOT 1	RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25395H(1) NOT 1	RELAYS, ELECTROMAGNETIC, 2 PDT, 5 AMPERES, TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC]	A	5945		CC	14-FEB-01
M	MS27222L(2)	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3 PST, N.O. TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC]	A	5945		CC	14-FEB-01
M	MS27418J(2)	RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3PST-NO, TYPE I, HERMETICALLY SEALED, HOOK AND SCREW TERMINALS, STUD AND BRACKET MOUNTED[CUST: AS 11 CC] [REVIEW: 99]	A	5945		CC	14-FEB-01
M	MS27742D(1)	RELAYS, ELECTROMAGNETIC, TYPE I MAGNETIC LATCH, 25 AMPERES, 3 PDT, ALL WELDED, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99]	A	5945		CC	14-FEB-01
M	MS27749D(1) NOT 1	RELAYS, ELECTROMAGNETIC, 60 AMPERES, 3 PDT, MAGNETIC LATCH, HERMETICALLY SEALED[CUST: CR AS 11 CC] [REVIEW: 99 EC]	A	5945		CC	14-FEB-01
M	MS27750F(2) NOT 1	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3 PDT-NO., CENTER OFF, HERMETICALLY SEALED[CUST: CR AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	QPL-6106-54	RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR	A	5945		CC	01-FEB-01
M	MIL-S-24251B(3) SUP 1	SHIELDS, RETAINERS (BASES), AND ADAPTERS, ELECTRON TUBE, HEAT DISSIPATING GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC]	A	5960		CC	05-FEB-01
M	MIL-S-24251/3A(1)	SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (SPLIT SHELL)[CUST: CR EC 11 CC] [REVIEW: 19 CG MC MI]	A	5960		CC	05-FEB-01
M	MIL-S-24251/5A(2)	SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (OPEN SIDES)[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC MI OS]	A	5960		CC	05-FEB-01
M	MIL-S-24251/6B(2) NOT 1	SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (RETROFIT TYPE ONLY)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS SH]	A	5960		CC	05-FEB-01
M	MIL-PRF-19500/511D	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N4261, 2N4261UB, JAN, JANTX, JANTXV, AND JANS, JANHC AND JANKC[CUST: CR 11 CC] [REVIEW: 13 19 99]	A	5961		CC	19-JAN-01
M	MIL-PRF-19500/557F(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6796, 2N6796U, 2N6798, 2N6798U, 2N6800, 2N6800U, 2N6802, AND 2N6802U JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC] [REVIEW: 19 70 AR AS CG MC MI SM]	A	5961		CC	29-JAN-01
M	QPL-26542-12	MICROPHONE, AND MICROPHONE ASSEMBLIES, DYNAMIC, GENERAL SPECIFICATION FOR	A	5965		CC	07-FEB-01
M	MIL-A-18793 NOT 1	ANTENNA AS-333/AP[CUST: AS CC] [REVIEW: 11]	A	5985		CC	02-FEB-01
M	A-A-59161A	ETHYLENE GLYCOL MONOETHYL ETHER ACETATE, TECHNICAL[CUST: EA AS 68 GS3] [REVIEW: AR MD1]	A	6810	/	GS3	10-JAN-01
M	BB-H-886D	HYDROGEN[CUST: SH 68 GS3]	A	6830	/	GS3	11-JAN-01
M	QPL-24176-32	CEMENT, EPOXY, METAL REPAIR AND HULL SMOOTHING (METRIC)	A	8030		SH	29-DEC-00
M	MIL-DTL-10035L	TENT, HEXAGONAL, LIGHTWEIGHT, M-1950[CUST: GL 11 CT] [REVIEW: MD]	A	8340		CT	01-JAN-01
M	A-A-50369A	CAP, KNIT (WATCH)[CUST: NU CT]	A	8405	/	CT	06-SEP-00
N	A-A-59621	NECKERCHIEF (ACETATE BLACK)[CUST: NU CT]	A	8440	/	CT	18-OCT-00
M	A-A-20124C	SYRUP[CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8925	/	SS	26-JAN-01
M	MIL-PRF-46170C	HYDRAULIC FLUID, RUST INHIBITED, FIRE-RESISTANT, SYNTHETIC HYDROCARBON BASE[CUST: AT AS 68] [REVIEW: 03 AL AR AV GS MC MD MI OS PS SA SH]	A	9150		AT	19-JAN-01
M	MIL-PRF-46176B	BRAKE FLUID, SILICONE, AUTOMOTIVE, ALL-WEATHER, OPERATIONAL AND PRESERVATIVE[CUST: AT AS 68] [REVIEW: 03 11 AR GS MI OS PS SA]	A	9150		AT	10-JAN-01
M	MIL-HDBK-1005/7A(1)	WATER SUPPLY SYSTEMS[CUST: YD 50]	A	FACR		YD	24-JAN-01
N	MIL-STD-3009	LIGHTING, AIRCRAFT, NIGHT VISION IMAGING SYSTEM (NVIS) COMPATIBLE[Interface Standard][CUST: CR 11] [REVIEW: AV]	A	GDRQ		11	02-FEB-01
M	MIL-STD-1787C	AIRCRAFT DISPLAY SYMBOLOGY[Interface Standard][CUST: AV 11] [REVIEW: MI]	D	HFAC		11	05-JAN-01
N	AEP-8 ED.C	PURGING LIQUID OXYGEN STORAGE AND TRANSPORT TANKS AND AIRCRAFT CONVERTERS	A	ISDA		AI	01-MAY-97
N	AEP-33 ED.1	GUIDE TO METHODS OF TEST FOR THE COMPATIBILITY OF MATERIALS USED IN OXYGEN RICH ENVIRONMENTS	A	ISDA		AI	01-FEB-99
N	AGEOP-5	ARC STANDARD RASTER PRODUCT (ASRP)	A	ISDA		AI	01-APR-98
N	AGEOP-6	UTM/UPS STANDARD RASTER PRODUCT (USRP)	A	ISDA		AI	16-JUN-98
N	ATP-40 ED.B	DOCTRINE FOR AIRSPACE CONTROL IN TIMES OF CRISIS AND WAR	A	ISDA		AI	01-MAY-98
N	ATP-42 ED.B	COUNTER AIR OPERATIONS	A	ISDA		AI	01-AUG-92
N	ATP-46 ED.A	AIRDROP SYSTEMS FOR PERSONNEL AND SUPPLY/EQUIPMENT	A	ISDA		AI	17-APR-89
N	ATP-61	RECONNAISSANCE AND SURVEILLANCE SUPPORT TO ALLIED JOINT OPERATIONS	A	ISDA		AI	01-NOV-98
N	QSTAG-1149 ED.1	STANDARD METHODS OF PRESERVATION[CUST: AI]	A	ISDA		AI	20-MAY-96
N	QSTAG-1150 ED.1	GLOSSARY OF PACKAGING TERMS AND DEFINITIONS[CUST: AI]	A	ISDA		AI	06-MAY-96
N	QSTAG-1151 ED.1	LEVELS OF PACKAGING[CUST: AI]	A	ISDA		AI	06-MAY-96
N	QSTAG-1152 ED.1	BAR CODE SYMBOLOGY[CUST: AI]	A	ISDA		AI	06-MAY-96
N	QSTAG-1154 ED.1	STANDARD MARKING FOR SHIPMENT AND STORAGE[CUST: AI]	A	ISDA		AI	24-JAN-97
M	AIR-STD-44/14D(2)	RECOVERY AND RELEASE OF PARACHUTISTS TOWED BEHIND TRANSPORT AIRCRAFT	A	ISDF		06	06-APR-00
N	AIR-STD-45/21	LOCATION AIDS FOR SURVIVORS OF AIRCRAFT ACCIDENTS	A	ISDF		06	18-JUL-91
N	AIR-STD-61/102/18	AIRCRAFT INFLATABLE LIFE PRESERVERS: FLOTATION AND RELATED REQUIREMENTS	A	ISDF		06	09-SEP-75
N	AIR-STD-61/102/19	COLD WATER: PREDICTION OF SURVIVAL TIMES	A	ISDF		06	15-MAY-97
N	AIR-STD-61/102/20	METHODOLOGY FOR THE MEASUREMENT OF INHERENT BUOYANCY OF AIRCREW AND PASSENGER CLOTHING SYSTEMS	A	ISDF		06	10-MAY-89
N	AIR-STD-61/102/21	METHODOLOGY FOR INTEGRATION TESTING OF AIRCREW CLOTHING AND EQUIPMENT	A	ISDF		06	29-APR-96
N	AIR-STD-85/2A(1)	INVESTIGATION OF AIRCRAFT/MISSILE ACCIDENTS/INCIDENTS	A	ISDF		06	03-APR-96

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-C-63989C(4) NOT 1	CARTRIDGE, 5.56MM, BALL, M855[CUST: AR]	A	1305		AR	30-JAN-01
M	MIL-C-48162B(3) NOT 1	CARTRIDGE, IGNITION, M702 LOADING, ASSEMBLING AND PACKING[CUST: AR]	A	1310		AR	12-FEB-01
M	MIL-F-70546(2) NOT 1	FIN ASSEMBLIES, MORTAR CARTRIDGE, 81MM, M28, M29[CUST: AR]	A	1315		AR	25-JAN-01
M	MIL-DTL-19246D	CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A[CUST: AV AS 11]	A	1660		AS	27-DEC-00
M	MIL-I-81387A(3) NOT 1	INDICATOR, LIQUID OXYGEN QUANTITY[CUST: AS]	A	1660		AS	05-FEB-01
M	MIL-I-81388A(2) NOT 1	INDICATOR REPEATERS, LIQUID OXYGEN QUANTITY[CUST: AS]	A	1660		AS	05-FEB-01
M	MIL-R-81553B(1) NOT 1	REGULATOR, CHEST MOUNTED, OXYGEN, POSITIVE PRESSURE, CRU-79/P[CUST: AS]	A	1660		AS	12-FEB-01
M	MIL-DTL-81014B	HOOK, HELICOPTER EXTERNAL CARGO, 20,000 POUND CAPACITY, TYPE C[CUST: AV AS]	A	1670		AS	02-FEB-01
M	MIL-PRF-51193E	FILTER, GAS, 283 L/M, M18A1[CUST: EA]	A	4240		EA	24-NOV-98
M	MIL-PRF-55182/2J(1)	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR57[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CC CG MC OS]	A	5905		CR	05-FEB-01
M	MS24152H(2)	RELAY, ELECTROMAGNETIC, 25 AMPERES, 3 PDT, N.O. TYPE II, NON-HERMETICALLY SEALED (MECHANICALLY INTERLOCKED)[CUST: AS 11 CC]	A	5945		CC	14-FEB-01
M	MS25030M(1)	RELAY, 50 AMP, 2PDT, N.O. TYPE II, NON-HERMETICALLY SEALED, MECHANICALLY INTERLOCKED[CUST: AS 11 CC]	A	5945		CC	14-FEB-01
M	MS25031L(1)	RELAY, ELECTROMAGNETIC, 100 AMPERES, 2PDT, N.O. TYPE II, NON-HERMETICALLY SEALED, MECHANICALLY INTERLOCKED[CUST: AS 11 CC] [REVIEW: 99 EC]	A	5945		CC	14-FEB-01
M	MS25032K(1)	RELAY, ELECTROMAGNETIC, 200 AMPERES, 2 PDT, (N.O.) TYPE II, NONHERMETICALLY SEALED, MECHANICALLY INTERLOCKED[CUST: AS 11 CC]	A	5945		CC	14-FEB-01
M	MS25267G(2)	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, SOLDER HOOK, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC]	A	5945		CC	14-FEB-01
M	MS25268J(1)	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, POTTED LEAD, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC]	A	5945		CC	14-FEB-01
M	MS25269K(1) NOT 1	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 6 PDT, TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25270J(1)	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 6 PDT, TYPE I, POTTED LEAD, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25272H(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, POTTED LEAD, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25321M(1)	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 2 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25323L(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC]	A	5945		CC	14-FEB-01
M	MS25325N(2)	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25327M(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25455G(1)	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25457G(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25459G(1)	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25461H(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25463H(1)	RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25465E(1)	RELAYS, ELECTROMAGNETIC, 2 PDT, 5 AMPERES, TYPE I, MAGNETIC LATCH, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25466E(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, STUD MOUNTED, SOLDER HOOKS, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25467D(1) NOT 2	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, SOLDER TERMINAL, STUD MOUNTED, HERMETICALLY SEALED[CUST: CR AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25469E(2)	RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE I, MAGNETIC LATCH, STUD MOUNTED, SOLDER HOOK TERMINALS, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS25917E	RELAYS, ELECTROMAGNETIC, TYPE I, 3 AMPERES, 4 PDT[CUST: AS 11 CC]	A	5945		CC	14-FEB-01
M	MS25918H	RELAYS, ELECTROMAGNETIC, TYPE I, 3 AMPERES, 6 PDT[CUST: AS 11 CC]	A	5945		CC	14-FEB-01
M	MS25919D	RELAYS, ELECTROMAGNETIC, TYPE I, 10 AMPERES, 4 PDT[CUST: AS 11 CC]	A	5945		CC	14-FEB-01
M	MS27242J(2)	RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1PST, N.O. TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC]	A	5945		CC	14-FEB-01
M	MS27245N(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2PDT, TYPE I, HERMETICALLY SEALED[CUST: EC 11 CC] [REVIEW: AS]	A	5945		CC	14-FEB-01
M	MS27247L(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2PDT, TYPE I, HERMETICALLY SEALED[CUST: EC 11 CC] [REVIEW: AS]	A	5945		CC	14-FEB-01
M	MS27254G(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE I, PLUG-IN, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS27255J(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE I, SOLDER HOOKS HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC]	A	5945		CC	14-FEB-01
M	MS27706G(2)	RELAYS, ELECTROMAGNETIC, 20 AMPERES, 3 PST, MECHANICAL INTERLOCK, (CENTER OFF) LOAD TRANSFER, TYPE I, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99]	A	5945		CC	14-FEB-01
M	MS27709G(1)	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC]	A	5945		CC	14-FEB-01
M	MS27714E(1)	RELAYS, 75 AMPERE, 3PST, N.O. TYPE I, COIL AND CONTACTS INDIVIDUALLY SEALED[CUST: 11 CC]	A	5945		CC	14-FEB-01
M	MS27715B(1)	RELAY, 150 AMP, 3PST, N.O., TYPE I, COIL AND CONTACTS INDIVIDUALLY SEALED[CUST: 11 CC]	A	5945		CC	14-FEB-01
M	MS27997M(2)	RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST, N.O. TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC]	A	5945		CC	14-FEB-01
M	MIL-S-24251/9A(2) NOT 2	SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T11 (SPLIT SHELL)[CUST: CR EC 11 CC] [REVIEW: AR AS CG MC MI]	A	5960		CC	02-FEB-01
M	MIL-S-24251/13A(2) NOT 2	SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE DIAMETER 1.65 INCHES) (SPLIT SHELL)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI]	A	5960		CC	02-FEB-01
M	MIL-T-5683A NOT 1	TERMINAL, TIE ROD, THREADED CLEVIS TYPE, AIRCRAFT[CUST: AS 11 CC] [REVIEW: 99]	A	5985		CC	02-FEB-01
M	TT-R-2918 NOT 1	REMOVER, PAINT, NO HAZARDOUS AIR POLLUTANTS (HAPS)[CUST: AS 11] [REVIEW: 84 99 CG]	A	8010	/	AS	29-DEC-00

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	PPP-C-795D NOT 1	CUSHIONING MATERIAL, PACKAGING (FLEXIBLE CLOSED CELL PLASTIC FILM, FOR LONG DISTRIBUTION CYCLES)[CUST: GL AS 11] [REVIEW: 99 AR AV CG DS MD MI]	A	8135	/	AS	29-DEC-00
M	PPP-C-1120C NOT 1	CUSHIONING MATERIAL, UNCOMPRESSED BOUND FIBER FOR PACKAGING[CUST: GL AS] [REVIEW: AR AV CR4 DS EA MC MD MS SH SM]	A	8135	/	AS	29-DEC-00
M	PPP-C-1797A NOT 1	CUSHIONING MATERIAL, RESILIENT, LOW DENSITY, UNICELLULAR, POLYPROPYLENE FOAM[CUST: SM AS 11] [REVIEW: 99 AR AT CR CR4 GL OS SA SH YD]	A	8135	/	AS	29-DEC-00

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-81387-10 NOT 1	INDICATORS, LIQUID OXYGEN QUANTITY (NO S/S DOCUMENT)	A	1660		AS	05-FEB-01
M	QPL-81388-10 NOT 1	INDICATOR REPEATERS, LIQUID OXYGEN QUANTITY (NO S/S DOCUMENT)	A	1660		AS	05-FEB-01
M	QPL-81553-20 NOT 1	REGULATOR, CHEST MOUNTED, POSITIVE PRESSURE, CRU-79/P (NO S/S DOCUMENT)	A	1660		AS	12-FEB-01
M	QPL-81014-8 NOT 1	HOOK, HELICOPTER EXTERNAL CARGO, 20,000 POUND CAPACITY, TYPE C (NO S/S DOCUMENT)	A	1670		AS	02-FEB-01
M	JSGS-87231A NOT 1	ENGINES, AIRCRAFT, TURBINE (S/S BY JSSG-2007)(CUST: AV AS 11)	A	2840		11	06-FEB-01
M	MIL-C-14370D(1) NOT 2	COMPRESSOR, RECIPROCATING, POWER DRIVEN, OPEN-TYPE, FOR USE WITH REFRIGERANT 12 (NO S/S DOCUMENT)(CUST: GL YD 99 IS) [REVIEW: CR4]	A	4130		IS	16-JAN-01
M	HH-G-101E NOT 1	GASKET, METALLIC-ENCASED (S/S BY SAE-AMS-HH-G-101)(CUST: MR YD 99 IS) [REVIEW: 82 CG EA]	A	5330	/	IS	31-JAN-01
M	QPL-85731-6 NOT 1	FASTNER, POSITIVE LOCKING, ELECTRONIC EQUIPMENT (NO S/S DOCUMENT)	A	5340		AS	09-FEB-01
M	HH-I-1972(1) NOT 2	INSULATION BOARD, THERMAL, FACED, POLYURETHANE OR POLYISOCYANURATE (S/S BY ASTM-C1289)(CUST: CR4 YD 99)	A	5640	/	IS	14-FEB-01
M	MIL-C-92B(2) SUP 1 NOT 3	CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER) GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)(CUST: CR EC 11) [REVIEW: 19 AS CG MI OS]	A	5910		CC	05-FEB-01
M	MIL-C-92/2B NOT 3	CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT06 (NO S/S DOCUMENT)(CUST: CR EC 11) [REVIEW: 19 AS CG MI OS]	A	5910		CC	05-FEB-01
M	MIL-C-92/3B NOT 3	CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT12 (NO S/S DOCUMENT)(CUST: CR EC 11) [REVIEW: 19 AS CG MI OS]	A	5910		CC	05-FEB-01
M	MIL-C-92/5B NOT 3	CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLES CT14 AND CT15 (NO S/S DOCUMENT)(CUST: CR EC 11) [REVIEW: 19 AS CG MI OS]	A	5910		CC	05-FEB-01
M	MIL-S-22224 NOT 3	SENSITIVITY SWITCH MARK 5 MOD 1 (NO S/S DOCUMENT)(CUST: OS CC)	A	5930		CC	07-FEB-01
M	MIL-S-24251/1A(2) NOT 2	SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (CLAM SHELL) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 AS CG MC MI OS]	A	5960		CC	02-FEB-01
M	MIL-S-24251/2A(2) NOT 1	SHIELD, ELECTRON TUBE, RETAINER (BASE) HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 99 AR AS CG MC MI]	A	5960		CC	02-FEB-01
M	MIL-S-24251/7A(2) NOT 2	SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T9 (SPLIT SHELL) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 99 AR AS CG MC MI]	A	5960		CC	02-FEB-01
M	MIL-S-24251/8A(2) NOT 1	RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T9 (NO S/S DOCUMENT)(CUST: CR EC 11 CC)	A	5960		CC	02-FEB-01
M	MIL-S-24251/10A(2) NOT 1	SHIELD, RETAINER (BASE) ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T11 (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 99 AR AS CG MC MI]	A	5960		CC	02-FEB-01
M	MIL-S-24251/11A(2) NOT 2	SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE DIAMETER 1.50 INCHES) (SPLIT SHELL) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 99 AR AS CG MC MI]	A	5960		CC	02-FEB-01
M	MIL-S-24251/12A(2) NOT 2	SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE DIAMETER 1.70 INCHES) (SPLIT SHELL) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 99 AR AS CG MC MI]	A	5960		CC	02-FEB-01
M	MIL-S-24251/14A(2) NOT 2	SHIELD, RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T12 (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 99 AR AS CG MC MI OS]	A	5960		CC	02-FEB-01
M	MIL-S-24251/16A(2) NOT 2	SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T16 (SPLIT SHELL) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 99 AR AS CG MC MI]	A	5960		CC	02-FEB-01
M	MIL-S-24251/17A(2) NOT 2	SHIELD, RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING OCTAL, T14 AND T16 (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 99 AR AS CG MC MI]	A	5960		CC	02-FEB-01
M	A-A-50168 NOT 1	CABINETS, FOOD WARMING, ELECTRICALLY HEATED, DRAWER TYPE (NO S/S DOCUMENT)(CUST: GL SA 99 SS) [REVIEW: 84 MC MD]	A	7310	/	SS	30-JAN-01
M	A-A-50088A NOT 1	MEAT SLICING MACHINES, ELECTRIC (NO S/S DOCUMENT)(CUST: GL SA 99 SS) [REVIEW: 84 CG MD MS]	A	7320	/	SS	30-JAN-01
M	QPL-24685-4 NOT 1	FINISH, DECK, WATER-EMULSION (FOR USE IN CONTROLLED ATMOSPHERE ENVIRONMENTS) (METRIC) (NO S/S DOCUMENT)	A	7930		SH	29-DEC-00
M	KK-L-291G(2) NOT 2	LEATHER, CATTLEHIDE, UPHOLSTERY (S/S BY MIL-DTL-32071)(CUST: GL 99 CT) [REVIEW: MD]	A	8330	/	CT	08-FEB-01
M	MIL-DTL-3943/277 NOT 1	DECORATION, EXCELLENCE IN LAW ENFORCEMENT AWARD, U.S. ATTORNEY GENERAL (NO S/S DOCUMENT)(CUST: IH) [REVIEW: CT]	A	8455		IH	06-FEB-01
M	MIL-DTL-3943/278 NOT 1	DECORATION, DISTINGUISHED SERVICE AWARD, U.S. ATTORNEY GENERAL (NO S/S DOCUMENT)(CUST: IH) [REVIEW: CT]	A	8455		IH	06-FEB-01
M	MIL-DTL-3943/279 NOT 1	DECORATION, EXCEPTIONAL SERVICE AWARD, U.S. ATTORNEY GENERAL (NO S/S DOCUMENT)(CUST: IH) [REVIEW: CT]	A	8455		IH	06-FEB-01
M	MIL-DTL-3943/280 NOT 1	DECORATION, EXCEPTIONAL HEROISM AWARD, U.S. ATTORNEY GENERAL (NO S/S DOCUMENT)(CUST: IH) [REVIEW: CT]	A	8455		IH	06-FEB-01
M	MIL-DTL-11589/535 NOT 1	RIBBON, EXCELLENCE IN LAW ENFORCEMENT AWARD, U.S. ATTORNEY GENERAL (NO S/S DOCUMENT)(CUST: IH) [REVIEW: CT]	A	8455		IH	06-FEB-01
M	MIL-DTL-11589/536 NOT 1	RIBBON, EXCEPTIONAL HEROISM AWARD, U.S. ATTORNEY GENERAL (NO S/S DOCUMENT)(CUST: IH) [REVIEW: CT]	A	8455		IH	06-FEB-01
M	MIL-DTL-11589/537 NOT 1	RIBBON, EXCEPTIONAL SERVICE AWARD, U.S. ATTORNEY GENERAL (NO S/S DOCUMENT)(CUST: IH) [REVIEW: CT]	A	8455		IH	06-FEB-01
M	MIL-DTL-11589/538 NOT 1	RIBBON, DISTINGUISHED SERVICE AWARD, U.S. ATTORNEY GENERAL (NO S/S DOCUMENT)(CUST: IH) [REVIEW: CT]	A	8455		IH	06-FEB-01
M	QQ-S-365D(1) NOT 1	SILVER PLATING, ELECTRODEPOSITED, GENERAL REQUIREMENTS FOR (USERS MAY CONSULT ASTM-B700)(CUST: MR SH GS4) [REVIEW: AR AT EC IH IS MI]	A	MFFP	/	MR	02-FEB-01