DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

DODISS NOTICE

15 FEB 1999 / FOR PERIOD 1 FEB 1999 TO 14 FEB 1999 / VOL. 03/ NO. 99

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Defense Automated Printing Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated below. DOD documents will not be available for 45 days and non-Government Standards for 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

A digital version of this document in portable document format (PDF) is available at the DODSSP website on the DODISS Notice page: http://www.dodssp.daps.mil/dodiss.htm

Last Action	Document Number	Document Title	Distribution	FSC/Area	MCA	Prep. Activ.	Date
M	MIL-P-60295C(2) NOT 1	PROJECTILE, 20MM, HEI, M56A4; METAL PARTS [CUST: AR] [REVIEW: 99]	A	1305		AR	31-JUL-98
M	MIL-C-70781(6)	CARTRIDGE, 60MM: SMOKE, MARKING, M722 ASSEMBLING, MARKING AND PACKING [CUST: AR]	A	1310		AR	01-OCT-98
N	MIL-C-12469K(11)	CRYPTOGRAPHIC EQUIPMENT DESTROYER INCENDIARY, TH4, M1A2 [CUST: AR]	A	1375		AR	13-AUG-98
M	MIL-STD-1316E(1)	FUZE DESIGN, SAFETY CRITERIA FOR [CUST: AR OS 11] [REVIEW: 99 AS MI]	A	13GP		AR	14-JAN-99
N	JSSG-2005	AVIONIC SUBSYSTEM [CUST: AV AS 11]	D	15GP		11	30-OCT-98
N	JSSG-2006	AIRCRAFT STRUCTURES [CUST: AS 11]	A	15GP		AS	30-OCT-98
N	JSSG-2007	ENGINES, AIRCRAFT, TURBINE [CUST: AV AS 11]	A	15GP		11	30-OCT-98
N	JSSG-2008	VEHICLE CONTROL AND MANAGEMENT SYSTEM (VCMS) [CUST: AV AS 11]	D	15GP		11	30-DEC-98
N	JSSG-2009	AIR VEHICLE SUBSYSTEMS [CUST: AV AS 11] [REVIEW: 68 99 AL AM CH EC MI]	A	15GP		11	30-OCT-98
N	JSSG-2010	CREW SYSTEMS [CUST: 11] [REVIEW: 82 99]	D	15GP		11	30-OCT-98
N	JSSG-2010-1	CREW SYSTEMS ENGINEERING HANDBOOK [CUST: AV AS 11] [REVIEW: 82 99]	D	15GP		11	30-OCT-98
N	JSSG-2010-2	CREW SYSTEMS CREW STATION AUTOMATION, INFORMATION AND CONTROL/DISPLAY MANAGEMENT HANDBOOK [CUST: AV AS 11] [REVIEW: 99]	D	15GP		11	30-OCT-98
N	JSSG-2010-3	CREW SYSTEMS COCKPIT/CREW STATION/CABIN HANDBOOK [CUST: AS 11] [REVIEW: 82 99]	D	15GP		11	30-OCT-98
N	JSSG-2010-4	CREW SYSTEMS AIRCRAFT ALERTING HANDBOOK [CUST: AS 11] [REVIEW: 82 99]	D	15GP		11	30-OCT-98
N	JSSG-2010-5	CREW SYSTEMS AIRCRAFT LIGHTING HANDBOOK [CUST: AV AS 11]	A	15GP		11	30-OCT-98
N	JSSG-2010-6	CREW SYSTEMS SUBTENANCE AND WASTE MANAGEMENT HANDBOOK [CUST: AV AS 11] [REVIEW: 82 99]	D	15GP		11	30-OCT-98
N	JSSG-2010-7	CREW SYSTEMS CRASH PROTECTION HANDBOOK [CUST: AV AS 11]	A	15GP		11	30-OCT-98
N	JSSG-2010-8	CREW SYSTEMS ENERGETICS HANDBOOK [CUST: AV AS 11]	D	15GP		11	30-OCT-98
N	JSSG-2010-9	CREW SYSTEMS PERSONAL PROTECTION EQUIPMENT HANDBOOK [CUST: AV AS 11] [REVIEW: 82 99]	D	15GP		11	30-OCT-98
N	JSSG-2010-10	CREW SYSTEMS OXYGEN SYSTEMS HANDBOOK [CUST: AV AS 11] [REVIEW: 82 99]	A	15GP		11	30-OCT-98
N	JSSG-2010-11	CREW SYSTEMS EMERGENCY EGRESS HANDBOOK [CUST: AV AS 11]	D	15GP		11	30-OCT-98
N	JSSG-2010-12	CREW SYSTEMS DEPLOYABLE AERODYNAMIC DECELERATOR (DAD) SYSTEMS HANDBOOK [CUST: AV AS 11] [REVIEW: 82 99]	A	15GP		11	30-OCT-98
N	JSSG-2010-13	CREW SYSTEMS SURVIVAL, SEARCH, AND RESCUE (SSAR) HANDBOOK [CUST: AV AS 11] [REVIEW: 82 99]	D	15GP		11	30-OCT-98
N	JSSG-2010-14	CREW SYSTEMS AIRCRAFT WINDSHIELD/CANOPY SYSTEMS AND TRANSPARENT ENCLOSURES HANDBOOK [CUST: AV AS 11] [REVIEW: 82 99]	D	15GP		11	30-OCT-98
M	QPL-83860-19	FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR	A	1650		71	05-FEB-99
M	QPL-83861-16	FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 AND 15 MICRON ABSOLUTE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR	A	1650		71	05-FEB-99
M	QPL-83870-13	FILTER ELEMENT, FLUID PRESSURE, TRANSMISSION, AIRCRAFT DISPOSABLE, 20 MICRON ABSOLUTE	A	1650		71	05-FEB-99
M	QPL-22200-61	ELECTRODES, WELDING, COVERED; GENERAL SPECIFICATION FOR	A	3439		SH	13-NOV-98
M	QPL-23765-45	ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, GENERAL SPECIFICATION FOR	A	3439		SH	30-NOV-98
M	QPL-24403-30	ELECTRODES-WELDING, FLUX CORED, GENERAL SPECIFICATION FOR	A	3439		SH	06-NOV-98
M	ASTM-A586-98	ZINC-COATED PARALLEL AND HELICAL STEEL WIRE STRUCTURAL STRAND AND ZINC-COATED WIRE FOR SPUN-IN-PLACE STRUCTURAL STRAND [CUST: CR4 YD2] [REVIEW: IS SH]	A	4010		YD2	10-APR-98
M	AR1440-98	FAN-COILS, ROOM [CUST: YD2 99] [REVIEW: CE GS]	A	4130		YD2	1998
M	AR1550/590-98	WATER CHILLING PACKAGES USING THE VAPOR COMPRESSION CYCLE [CUST: CR4 YD2 99] [REVIEW: 82 CE GS MC MS]	A	4130		YD2	1998
M	QPL-24385-31	FIRE EXTINGUISHING AGENT, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE, FOR FRESH AND SEA WATER	A	4210		SH	30-OCT-98
M	QPL-24702-4	FILTER ELEMENTS, HYDRAULIC, DISPOSABLE, GENERAL SPECIFICATION FOR (METRIC)	A	4330		SH	30-NOV-98
M	QPL-3117-21	HEATERS, CONVECTION, STEAM AND HOT WATER	A	4520		SH	30-OCT-98
M	ASTM-A798/A798MA-97	STEEL PIPE, INSTALLING FACTORY-MADE CORRUGATED, FOR SEWERS AND OTHER APPLICATIONS [CUST: MR YD] [REVIEW: CC CE]	A	4710		MR	10-OCT-97
N	SAE-AMS-T-7081	TUBE, ALUMINUM ALLOY, SEAMLESS, ROUND, DRAWN, 6061, AIRCRAFT HYDRAULIC QUALITY [CUST: MR AS 11]	A	4710		11	JAN-99
N	A-A-55543	GUN, AIR BLOW, (BLAST CLEANING) [CUST: AL AS 99] [REVIEW: 82]	A	4940	/	CC	05-FEB-99
M	ASTM-A563M-97	NUTS, CARBON AND ALLOY STEEL (METRIC) [CUST: AR YD2 IS]	A	5310		IS	10-DEC-97
M	QPL-2863-21	PACKING, PREFORMED, CONDENSER-TUBE (SYMBOL 1435)	A	5330		SH	29-OCT-98
M	QPL-24790-2	PACKING MATERIAL, BRAIDED, NON-ASBESTOS	A	5330		SH	30-SEP-98
N	SAE-AS123020THRUAS123119	GASKET - ALUMINUM - NON ASBESTOS, ANNULAR [CUST: AV AS 99]	A	5330		IS	AUG-98
M	ASTM-A740-98	CLOTH, HARDWARE, (WOVEN OR WELDED GALVANIZED STEEL WIRE FABRIC) [CUST: CR4 99] [REVIEW: 84]	A	5335		CR4	10-APR-98
M	QPL-24613-26	DECK COVERING MATERIALS, INTERIOR, COSMETIC POLYMERIC	A	5610		SH	06-NOV-98
M	UL14B-98	DOORS, FIRE, SLIDING HARDWARE FOR STANDARD HORIZONTALLY MOUNTED TIN - CLAD [CUST: YD2 99] [REVIEW: 04 84 CE MC]	A	5670		YD2	22-DEC-98
M	UL14C-99	DOORS, FIRE, TIN-CLAD, MOUNTED SINGLY AND IN PAIRS, SWINGING HARDWARE FOR STANDARD [CUST: YD2 99] [REVIEW: 04 84 CE MC]	A	5670		YD2	25-JAN-99
M	ASTM-A706/A706M-98	STEEL, LOW-ALLOY, DEFORMED AND PLAIN BARS FOR CONCRETE REINFORCEMENT [CUST: CR4 YD2 99] [REVIEW: 84]	A	5680		YD2	10-SEP-98
M	MIL-PRF-12934J SUP 1	RESISTOR, VARIABLE, WIRE-WOUND, PRECISION GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	01-FEB-99
M	MIL-PRF-12934/1C	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR0900 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	01-FEB-99
M	MIL-PRF-12934/2C	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1100 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	01-FEB-99
M	MIL-PRF-12934/4C	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR2000 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	01-FEB-99
M	MIL-PRF-12934/5C	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3000 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	01-FEB-99
M	MIL-PRF-12934/6C	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1000 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	01-FEB-99
M	MIL-PRF-12934/9C	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR2100 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	01-FEB-99
M	MIL-PRF-12934/10D	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3100 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	01-FEB-99
M	MIL-PRF-12934/15D	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3200 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	01-FEB-99
M	MIL-PRF-12934/16E	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3300 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	01-FEB-99

List	Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Activ.	Date
	M	MIL-PRF-12934/17D	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3400 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/18D	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3500 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/20C	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1400 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/27D	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3600 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/28E	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3700 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/29D	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3800 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/30E	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3900 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/31E	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION STYLE RR4000 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/32C	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR4100 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/33B	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION STYLE RR2002 [CUST: EC]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/34B	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION STYLE RR1004 [CUST: EC]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/35B	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE 2RR2104 [CUST: EC]	A 5905	CC	01-FEB-99
	M	MIL-PRF-12934/36B	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION STYLE RR3601 [CUST: EC]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39002A	RESISTORS, VARIABLE, WIREWOUND, SEMI-PRECISION, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39002/1E	RESISTOR, VARIABLE, WIRE-WOUND, SEMI-PRECISION, STYLE RK09 [CUST: CR CC] [REVIEW: AR]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39002/3A	RESISTOR, VARIABLE, WIRE-WOUND SEMI-PRECISION, STYLE RK11 [CUST: CR CC] [REVIEW: AR]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39023B SUP 1	RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 80 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39023/1B	RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ090 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39023/2C	RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION STYLE RQ110 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39023/3B	RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ150 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39023/4B	RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION STYLE RQ200 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39023/5B	RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ300 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39023/6B	RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ100 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39023/7B	RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ160 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39023/8B	RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ210 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39023/9A	RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ091 [CUST: EC 85 CC] [REVIEW: 17 19 AS CG MC OS]	A 5905	CC	01-FEB-99
	M	MIL-PRF-39023/10B	RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ051 [CUST: CR EC CC] [REVIEW: AR AS CG MC MI OS]	A 5905	CC	01-FEB-99
	N	A-A-55564/3	RESISTOR, VOLTAGE, SENSITIVE (VARISTOR), METAL OXIDE, RADIAL LEAD [CUST: EC CC]	A 5905	CC	15-FEB-99
	M	MIL-PRF-19207/22H	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL33W [CUST: CR SH 85] [REVIEW: 11 17 70 71 AR AS AT CR4 EC MC MI OS]	A 5920	CC	29-JAN-99
	M	MIL-PRF-19207/23J	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL34W [CUST: CR SH 85] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS]	A 5920	CC	29-JAN-99
	M	MIL-PRF-55339/53(1)	ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, PIN CONTACT (WITHIN SERIES SMA), RIGHT ANGLE [CUST: CR EC 85 NA] [REVIEW: 11 19 99 AR AS AT MC MI OS SH]	A 5935	CC	21-JAN-99
	M	MIL-DTL-83734G(1)	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, DUAL-IN-LINE (DIPS) AND SINGLE-IN-LINE PACKAGES (SIPS), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH TD]	A 5935	CC	08-JAN-99
	M	QPL-24368-22	CONNECTOR ASSEMBLIES, PLUGS AND RECEPTACLES, ELECTRIC, POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, GENERAL SPECIFICATION FOR	A 5935	SH	30-SEP-98
	M	MIL-PRF-28750D SUP 1	RELAYS, SOLID STATE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 99 MI NA OS]	A 5945	CC	01-FEB-99
	M	MIL-PRF-28750/8C	RELAY, SOLID STATE, HERMETICALLY SEALED, CLASS II, OPTICALLY ISOLATED, 600 MA, 50 V DC, SIGNAL SWITCHING, SPST (N.O.) [CUST: EC 85] [REVIEW: 19 OS]	A 5945	CC	01-FEB-99
	M	MIL-PRF-28750/9C	RELAY, SOLID-STATE, HERMETICALLY SEALED, CLASS II, OPTICALLY ISOLATED, ZERO VOLTAGE TURN- ON, 1 AMPERE (2 AMPERES WITH HEAT SINK), 440 HZ, POWER SWITCHING, SPST (N.O.) [CUST: EC 85]	A 5945	CC	01-FEB-99
	M	MIL-PRF-28750/10C	RELAY, SOLID-STATE, SEALED, CLASS I, OPTICALLY ISOLATED, ZERO VOLTAGE TURN-ON, 25 AMPERES, 250 V MAXIMUM, 440 HZ, POWER SWITCHING, SPST (N.O.) [CUST: EC 85]	A 5945	CC	01-FEB-99
	M	MIL-PRF-1/501C	ELECTRON TUBE, CATHODE RAY TYPE 3KP1 [CUST: CR EC 80 CC] [REVIEW: 11 17 AR AS CG MC OS SH]	A 5960	CC	27-JAN-99
	M	MIL-PRF-19500/116K(3)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N914, IN914UR, 1N4148-1, IN4148UR-1, 1N4148UB, 1N4531, AND 1N4531UR, JAN, JANTX, JANTXV, JANHC, AND JANKC [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI SM]	A 5961	CC	15-JAN-99
	M	MIL-PRF-19500/355F	SEMICONDUCTOR DEVICE, UNITIZED DUAL TRANSISTOR, NPN, SILICON TYPES 2N2919, 2N2920, 2N2919L 2N2920L, 2N2919U, AND 2N2920U, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 17 NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM]	A 5961	CC	11-JAN-99
	M	MIL-PRF-19500/559D	SEMICONDUCTOR DEVICE, UNITIZED, NPN, SILICON, SWITCHING, FOUR TRANSISTOR ARRAY TYPES 2N6989, 2N6989U, AND 2N6990, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC SM]	A 5961	CC	10-AUG-98
	M	MIL-PRF-46846C	RUBBER, SYNTHETIC, HEAT-SHRINKABLE [CUST: MI GS] [REVIEW: CR4 MR]	A 5970	GS	29-DEC-98
	M	UL209-98	METAL, CELLULAR FLOOR RACEWAYS AND FITTINGS [CUST: CR YD2 85] [REVIEW: 99 GS]	A 5975	YD2	22-DEC-98
	M	UL891-98	SWITCHBOARDS, DEAD-FRONT [CUST: CR4 YD2 99] [REVIEW: 80 GS SH]	A 6110	YD2	23-DEC-98
	M	MIL-DTL-17/223(1)	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .405 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI NA OS SH]	A 6145	CC	22-JAN-99
	M	MIL-DTL-17/224(1)	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .500 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI NA OS SH]	A 6145	CC	22-JAN-99
	M	MIL-DTL-17/225(1)	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .590 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI NA OS SH]	A 6145	CC	22-JAN-99
	M	MIL-DTL-17/226(1)	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .870 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI NA OS SH]	A 6145	CC	22-JAN-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MIL-DTL-17/227(1)	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER 1.200 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI NA OS SH]	A 6145		CC	22-JAN-99
M	MIL-DTL-17/228(1)	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER 1.670 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI NA OS SH]	A 6145		CC	22-JAN-99
M	MIL-C-28661A NOT 2	CABLE, POWER, ELECTRICAL, HIGH VOLTAGE [CUST: CR OS 85]	A 6145		CC	26-OCT-98
M	UL544-98	EQUIPMENT,MEDICAL AND DENTAL [CUST: MD YD2 03 MB]	A 65GP		MB	30-DEC-98
M	MIL-PRF-26611E(1)	GENERATOR, TACHOMETER GEU-7/A, MINIATURE [CUST: AV AS 99]	X 6620		71	28-OCT-98
M	QPL-17563-34	IMPREGNANTS FOR CAST OR POWDER METAL COMPONENTS	A 6850		SH	09-OCT-98
M	QPL-24453-13	INHIBITOR, CORROSION, SOLUBLE OIL	A 6850		SH	29-OCT-98
M	QPL-87937-6	CLEANING COMPOUNDS, AEROSPACE EQUIPMENT	A 6850		68	15-JAN-99
M	QPL-24647-5	PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL	A 8010		SH	26-OCT-98
N	QPL-24712-1	COATINGS, POWDER (METRIC)	A 8010		SH	30-OCT-98
M	QPL-23236-68	PAINT COATING SYSTEMS, FUEL AND SALT WATER BALLAST TANKS (METRIC)	A 8030		SH	29-OCT-98
M	QPL-24176-30	CEMENT, EPOXY, METAL REPAIR AND HULL SMOOTHING (METRIC)	A 8030		SH	04-DEC-98
M	MIL-DTL-11732E	CYLINDER, COMPRESSED GAS: CHLORINE, DOT 3A480 OR DOT 3AA480, GENERAL SPECIFICATION FOR [CUST: EA SH 68] [REVIEW: MC YD2]	A 8120		GS	25-JAN-99
M	ASTM-A411-98	ZINC-COATED (GALVANIZED) LOW-CARBON STEEL ARMOR WIRE [CUST: CR AS 99 IS]	A 9505		IS	10-APR-98
M	ASTM-A416/A416M-98	STEEL STRAND, UNCOATED SEVEN-WIRE FOR PRESTRESSED CONCRETE [CUST: YD2 99] [REVIEW: CE MC SH]	A 9505		YD2	10-MAR-98
M	ASTM-A580/A580M-98	STEEL WIRE, STAINLESS [CUST: MR YD2 99] [REVIEW: AR AT DS IS MI OS SH]	A 9505		YD2	10-JUN-98
M	ASTM-A641/A641M-98	STEEL WIRE, ZINC-COATED (GALVANIZED) CARBON [CUST: MR YD2 99] [REVIEW: 84 AR AT CR4 DS IS MC MI]	A 9505		YD2	10-APR-98
M	ASTM-A479/A479MC-97	BARS AND SHAPES, STAINLESS STEEL, FOR USE IN BOILERS AND OTHER PRESSURE VESSELS [CUST: MR YD2] [REVIEW: AT CR4 IS MI OS SH]	A 9510		YD2	10-NOV-97
M	ASTM-A308A-97	STEEL, SHEET, TERNE (LEAD-TIN ALLOY) COATED BY THE HOT-DIP PROCESS [CUST: MR] [REVIEW: IS YD2]	A 9515		MR	10-OCT-97
M	ASTM-A463/A463MA-97	STEEL SHEET, ALUMINUM-COATED, BY THE HOT-DIP PROCESS [CUST: MR YD2 99] [REVIEW: 84 IS SH]	A 9515		YD2	10-OCT-97
M	ASTM-A480/A480MA-97	STEEL PLATE, SHEET AND STRIP, AND STRIP, FLAT-ROLLED STAINLESS AND HEAT-RESISTING [CUST: MR SH 11]	A 9515		MR	10-JUN-97
M	ASTM-A570/A570M-98	STEEL, SHEET AND STRIP, CARBON, HOT-ROLLED, STRUCTURAL [CUST: MR SH] [REVIEW: IS MI YD2]	A 9515		MR	10-JUN-98
M	ASTM-A607-98	STEEL, SHEET AND STRIP, HIGH-STRENGTH, LOW-ALLOY, COLUMBIUM OR VANADIUM, OR BOTH, HOT-ROLLED AND COLD-ROLLED [CUST: MR YD2 99] [REVIEW: IS SH]	A 9515		MR	10-JUN-98
M	ASTM-A623-98	TIN MILL PRODUCTS, GENERAL REQUIREMENTS [CUST: MR SA 99] [REVIEW: 11 IS SH]	A 9515		MR	10-MAR-98
M	ASTM-A623M-98	TIN MILL PRODUCTS, GENERAL REQUIREMENTS (METRIC) [CUST: MR SH 99] [REVIEW: IS]	A 9515		MR	10-MAR-98
M	ASTM-A635/A635M-98	STEEL, SHEET AND STRIP, HEAVY-THICKNESS COILS, CARBON, HOT-ROLLED [CUST: MR SH IS] [REVIEW: 99 AR MI]	A 9515		IS	10-MAY-98
M	ASTM-A682/A682M-98	STEEL, STRIP, HIGH-CARBON, COLD-ROLLED, SPRING QUALITY, GENERAL REQUIREMENTS FOR [CUST: MR SH 11] [REVIEW: AR CR4 GL IS MI YD2]	A 9515		MR	10-JUN-98
M	ASTM-A715-98	STEEL SHEET AND STRIP, HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED, AND STEEL SHEET, COLD-ROLLED, HIGH-STRENGTH, LOW-ALLOY, WITH IMPROVED FORMABILITY [CUST: MR SH 99] [REVIEW: 11 AR AS GL IS YD2]	A 9515		MR	10-MAY-98
M	ASTM-A792/A792MA-97	STEEL SHEET, 55 PERCENT ALUMINUM-ZINC ALLOY-COATED BY THE HOT-DIP PROCESS [CUST: MR YD2 99] [REVIEW: 84 AR AS IS MI SH]	A 9515		YD2	10-OCT-97
M	ASTM-A572/A572M-98	STEEL, HIGH-STRENGTH LOW-ALLOY COLUMBIUM-VANADIUM STRUCTURAL [CUST: MR YD2] [REVIEW: AR IS]	A 9520		MR	10-OCT-98
M	ASTM-A588/A588MA-97	STEEL, STRUCTURAL, HIGH-STRENGTH LOW-ALLOY WITH 50 KSI (345 MPA) MINIMUM YIELD POINT TO 4 IN (100 MM) THICK [CUST: MR YD2 99] [REVIEW: IS OS SH]	A 9520		YD2	10-SEP-97
M	ASTM-A761/A761M-97	STEEL, CORRUGATED, STRUCTURAL PLATE, ZINC-COATED, FOR FIELD-BOLTED PIPE, PIPE-ARCHES, AND ARCHES [CUST: CR4 YD2 99] [REVIEW: 82 CC CE]	A 9520		YD2	10-APR-97
M	ASTM-A564/A564M-97	STEEL, STAINLESS,HOT-ROLLED AND COLD-FINISHED AGE-HARDENING, BARS AND SHAPES [CUST: MR YD2 99]	A 95GP		YD2	10-SEP-97
M	ASTM-A630-98	TIN COATING WEIGHTS FOR ELECTROLYTIC TIN PLATE STANDARD [CUST: MR SH 99] [REVIEW: AR AS GL IS]	A 95GP		MR	10-MAR-98
M	ASTM-A314-97	STAINLESS STEEL BILLETS AND BARS FOR FORGING [CUST: MR SH 11]	A FORG		SH	10-SEP-97
M	ASTM-A350/A350M-98	STEEL, CARBON AND LOW-ALLOY, FORGINGS, REQUIRING NOTCH TOUGHNESS TESTING FOR PIPING COMPONENTS [CUST: AR YD2 11]	A FORG		YD2	10-MAR-98
M	MIL-STD-2301A	COMPUTER GRAPHICS METAFILE (CGM) IMPLEMENTATION STANDARD FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD [CUST: CR OM 02 MP] [REVIEW: 11 13 16 17 19 29 33 90 93 AC AC1 AC2 AS CG CH CR5 DC3 DC4 DH DI DO EC IR MC NC ND PT SE TD TM1 TM3 US]	A IPSC		MP	05-JUN-98
N	MIL-PRF-89049/11	TACTICAL OCEAN DATA LEVEL 1 (TOD1) [CUST: NO MP]	F MCGT		MP	24-NOV-98
M	ASTM-A494/A494M-98	CASTINGS, NICKEL AND NICKEL ALLOY [CUST: MR SH 11]	A MECA		SH	10-SEP-98
M	ASTM-A743/A743M-98	CASTINGS, IRON-CHROMIUM, IRON-CHROMIUM-NICKEL, CORROSION RESISTANT, FOR GENERAL APPLICATION [CUST: MR YD2] [REVIEW: OS SH]	A MECA		MR	10-MAY-98
M	MIL-STD-188/115(1)	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR COMMUNICATIONS TIMING AND SYNCHRONIZATION SUBSYSTEMS [CUST: CR EC 90 DC]	A TCSS		DC1	17-DEC-98
M	MIL-STD-188/182A(2)	INTEROPERABILITY STANDARD FOR 5-KHZ UHF DAMA TERMINAL WAVEFORM [CUST: CR EC 90 DC1] [REVIEW: 02 13 17 21 29 33 93 AC CG DH IR MC MP NC NS OM OST PT TD]	C TCSS		DC1	22-JAN-99
M	MIL-PRF-63002H	MANUALS, TECHNICAL: REQUIREMENTS FOR PREPARATION OF MODIFICATION WORK ORDERS [CUST: TM] [REVIEW: AL AR AT AV CR EA GL MI PT]	A TMSS		TM	05-JAN-99

Last Action	Document Number	Document Title	Distribution	FSC/Area	MCA Prep. Activ.	Date
M	MIL-G-51491A(1) NOT 1	GENERATOR, SMOKE, MECHANICAL PULSE JET, M3A4 [CUST: EA]	A	1040	EA	23-JUN-98
M	MIL-P-1394F(5) NOT 1	PRIMER, ELECTRIC, M52A3B1 [CUST: AR]	A	1305	AR	22-SEP-98
M	MIL-F-46580C(3) NOT 1	FUZE, POINT DETONATION, M505A3 [CUST: AR 70]	A	1305	AR	14-AUG-98
M	MIL-C-48617A(3) NOT 1	CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, M56A4 LOADING, ASSEMBLING AND PACKING [CUST: AR]	A	1305	AR	31-JUL-98
M	MIL-P-50774A(3) NOT 2	PROJECTILE, 20MM, TARGET PRACTICE, M55A3 AND M55A3B1 [CUST: AR]	A	1305	AR	15-AUG-98
M	MIL-P-60608A(4) NOT 1	PROJECTILE, 20MM, TARGET PRACTICE - TRACER, M221, METAL PARTS [CUST: AR 99]	A	1305	AR	31-JUL-98
M	MIL-C-48635(4) NOT 1	CARTRIDGE, 81MM, PRACTICE M879 LOADING, ASSEMBLING AND PACKING [CUST: AR]	A	1315	AR	02-NOV-98
M	MIL-F-60613A(2) NOT 1	FIN ASSEMBLY, M4A1 [CUST: AR]	A	1315	AR	21-JAN-99
M	MIL-DTL-25959D(2) NOT 1	TIE DOWNS, CARGO, AIRCRAFT [CUST: AS 99]	A	1670	82	22-JAN-99
M	AN4052 REV 7 NOT 1	COUPLING, SHAFT, RIGID [CUST: AS 99 CC] [REVIEW: 82]	A	3010	CC	22-JAN-99
M	MIL-R-5757/1 SUP 1	RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 99 AS AT AV CR4 MC MI OS]	A	5945	CC	15-OCT-98
M	MIL-R-5757/1H(4) NOT 1	RELAYS, ELECTRICAL, HERMETICALLY SEALED, 6PDT, LOW LEVEL TO 2 AMPERES [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT AV MI SH]	A	5945	CC	15-OCT-98
M	MIL-R-5757/10K(2) NOT 1	RELAYS, ELECTROMAGNETIC, HERMETICALLY SEALED, DPDT, LOW LEVEL AND 2 AMPERES[CUST: CR EC 85] [REVIEW: 17 19 99 AS AT AV CR4 MC MI NS OS]	A	5945	CC	15-OCT-98
M	MIL-R-5757/13G NOT 1	RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, LOW LEVEL TO 2 AMPERES, (SENSITIVE, 40 MILLIWATT) [CUST: CR EC 85] [REVIEW: 11 19 99 AS AT AV CR4 MC MI OS SH]	A	5945	CC	15-OCT-98
M	MIL-DTL-14656A NOT 1	BUCKLE AND CATCH, CEREMONIAL, ARMY [CUST: IH] [REVIEW: CT GL]	A	8315	IH	03-FEB-99
M	MIL-DTL-1563/15A NOT 1	INSIGNIA, U.S.M.A., BUTTON, CUFF [CUST: IH] [REVIEW: CT]	A	8455	IH	03-FEB-99
M	MIL-DTL-3476/43 NOT 1	BRASSARD, PERSONNEL ASSISTANCE POINTS, TOTAL ARMY PERSONNEL COMMAND [CUST: IH 45] [REVIEW: 32 82 99 CT]	A	8455	IH	03-FEB-99
M	MIL-DTL-3628/52G NOT 1	BADGE, QUALIFICATION, WEAPONS CONTROLLER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT]	A	8455	IH	03-FEB-99
M	MIL-DTL-11589/166G NOT 1	RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE SPECIAL WEAPONS AGENCY [CUST: IH] [REVIEW: CT DS]	A	8455	IH	03-FEB-99

List	Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M		MIL-G-0051066D(1) NOT 2	GENERATOR, SMOKE, MECHANICAL PULSE JET, M3A3 (NO S/S DOCUMENT) [CUST: EA]	A 1040		EA	23-JUN-98
M		MIL-G-46644A NOT 1	GRENADE, HAND, PRACTICE, M30 W/FUZE M205A2, LOADING, ASSEMBLING AND PACKING (NO S/S REPLACEMENT) [CUST: AR]	A 1330		AR	27-JAN-99
M		MIL-A-52363C NOT 2	AIR CLEANERS, INTAKE: DRY-TYPE (FOR INTERNAL-COMBUSTION ENGINE) (NO S/S DOCUMENT) [CUST: CR4 AS] [REVIEW: AT CC MC]	A 2940		CR4	15-JAN-99
M		MIL-F-80207C NOT 1	FURNACES, HEAT TREATING, HORIZONTAL, CAR-BOTTOM DESIGN (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AS CR4 MC OS SM]	A 3424		GS	11-JAN-99
M		A-A-55013 NOT 1	HOLDERS, ELECTRODE, SHIELDED METAL, ARC WELDING, TONG TYPE (S/S BY A-A-51161) [CUST: AL SH 99 GS] [REVIEW: 84 AS MC YD2]	A 3439	/	GS	22-JAN-99
M		MIL-A-11928B NOT 3	AXLE RL-27( ) (FOR LAYING FIELD WIRE) (NO S/S DOCUMENT) [CUST: CR]	A 3895		CR	21-DEC-98
M		MIL-A-52767D NOT 2	AIR CONDITIONERS: VERTICAL AND HORIZONTAL, COMPACT (NO S/S DOCUMENT) [CUST: CR4 99] [REVIEW: 82 GS]	A 4120		CR4	15-JAN-99
M		MIL-A-53089A(1) NOT 2	AIR CONDITIONERS: VERTICAL AND HORIZONTAL, COMPACT, MULTIPLE POWER INPUT (NO S/S DOCUMENT) [CUST: CR4 99] [REVIEW: 82 GS]	A 4120		CR4	15-JAN-99
M		MIL-F-11137C NOT 2	FILTER, GAS, 150 CFM, M10 (NO S/S DOCUMENT) [CUST: EA]	A 4240		EA	28-OCT-98
M		MIL-F-0011137E(1) NOT 2	FILTER, GAS, 150 CFM, M10 (NO S/S DOCUMENT) [CUST: EA]	A 4240		EA	28-OCT-98
M		MIL-F-51079D NOT 2	FILTER MEDIUM, FIRE-RESISTANT, HIGH-EFFICIENCY (S/S BY ASME-AG1) [CUST: EA YD2] [REVIEW: AS CR4 GS MC SH]	A 4240		EA	10-DEC-98
M		QPL-51079-7 NOT 1	FILTER MEDIUM, FIRE-RESISTANT, HIGH-EFFICIENCY (NO S/S DOCUMENT)	A 4240		EA	10-DEC-98
M		MIL-H-4607E NOT 2	HEATER, ENGINE AND SHELTER, GROUND TYPE H-1 (NO S/S DOCUMENT) [CUST: CR4]	A 4520		CR4	15-JAN-99
M		MIL-T-7081D(5) NOT 3	TUBE, ALUMINUM ALLOY, SEAMLESS, ROUND, DRAWN 6061, AIRCRAFT HYDRAULIC QUALITY (S/S BY SAE-AMS-T-7081) [CUST: MR AS 11] [REVIEW: 82 84 OS SH]	A 4710		11	27-JAN-99
M		GGG-G-770B NOT 1	GUN, AIR BLOW, (BLAST CLEANING) (S/S BY A-A-55543) [CUST: AL AS 99] [REVIEW: 82]	A 4940	/	CC	05-FEB-99
M		MIL-DTL-7885/2D NOT 1	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED ALLOY STEEL SPINDLE (TYPE I, STYLE A, CLASS 1) (S/S BY NAS9301) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC]	A 5320		IS	23-DEC-98
M		MIL-DTL-7885/6D NOT 1	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 1) (S/S BY NAS9304) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC]	A 5320		IS	23-DEC-98
M		MIL-DTL-7885/11 NOT 1	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE (TYPE I, STYLE A, CLASS 1) (S/S BY NAS9301) [CUST: AR AS 99 IS] [REVIEW: AR MC]	A 5320		IS	23-DEC-98
M		MIL-DTL-7885/12 NOT 1	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, (TYPE I, STYLE A, CLASS 2) (S/S BY NAS9302) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC]	A 5320		IS	23-DEC-98
M		MIL-DTL-7885/13 NOT 1	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH SHEAR HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, (TYPE I, STYLE A, CLASS 3) (S/S BY NAS9303) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC]	A 5320		IS	23-DEC-98
M		MIL-DTL-7885/14 NOT 1	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 1) (S/S BY NAS9304) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC]	A 5320		IS	23-DEC-98
M		MIL-DTL-7885/15 NOT 1	RIVETS, BLIND, STRUCTURAL, 100 DE. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 2) (S/S BY NAS9305) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC]	A 5320		IS	23-DEC-98
M		MIL-DTL-7885/16 NOT 1	RIVETS, BLIND, STRUCTURAL, FLANGED DOME HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 4) (S/S BY NAS9306) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC]	A 5320		IS	23-DEC-98
M		MIL-DTL-7885/27 NOT 1	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH SHEAR HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE, (TYPE I, STYLE A, CLASS 3) (S/S BY NAS9303) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC]	A 5320		IS	23-DEC-98
M		MIL-DTL-7885/28 NOT 1	RIVETS, BLIND, STRUCTURAL, FLANGED DOME HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 4) (S/S BY NAS9306) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC]	A 5320		IS	23-DEC-98
M		MIL-R-83459/1B NOT 1	RIVET, TITANIUM, BIMETAL, 95 KSI SU, PROTRUDING HEAD, TYPE 1 (S/S BY NASM83459/1) [CUST: AV AS 11] [REVIEW: 82 99]	A 5320		IS	23-DEC-98
M		AN123020THRUAN123119 REV 7 NOT 1	GASKET-ALUMINUM-NON ASBESTOS, ANNULAR (S/S BY SAE-AS123020THRUAS123119) [CUST: AV AS 99] [REVIEW: 11]	A 5330		IS	31-AUG-98
M		MIL-STD-1312/32 NOT 1	FASTENER TEST METHOD, METHOD 32, BARREL NUT TEST (S/S BY NASM1312) [CUST: AV AS 11] [REVIEW: AR IS SH]	A 53GP		AS	22-DEC-98
M		MIL-T-10767F NOT 2	TOWERS (COMPONENTS OF) (NO S/S DOCUMENT) [CUST: CR] [REVIEW: CC]	A 5445		CR	21-DEC-98
M		MIL-T-10767F(11) NOT 1	TOWERS (COMPONENTS OF) (NO S/S DOCUMENT) [CUST: CR]	A 5445		CR	21-DEC-98
M		MIL-S-55616A NOT 3	SHELTER, ELECTRICAL EQUIPMENT S-392( )/TTC-29 (NO S/S DOCUMENT) [CUST: CR]	A 5805		CR	21-DEC-98
M		MIL-C-49246 NOT 3	CODER-DECODER GROUP OX-54/TYC-39(V) (NO S/S DOCUMENT) [CUST: CR]	A 5895		CR	21-DEC-98
M		QPL-19500-143 NOT 1	SEMICONDUCTOR DEVICE, GENERAL SPECIFICATION FOR (S/S BY QML-19500)	A 5961		CC	08-JAN-99
M		MIL-G-52732B SUP 1 NOT 2	GENERATOR SETS, GASOLINE ENGINE DRIVEN, 0.5KW THRU 10KW, 60 HERTZ, 400 HERTZ AND 28 VOLT DIRECT CURRENT, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99
M		MIL-G-52732/1 NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 60 HERTZ, TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99
M		MIL-G-52732/2 NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 400 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99
M		MIL-G-52732/3 NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 28 VOLT DIRECT CURRENT, TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99
M		MIL-G-52732/4A NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 1.5 KW, 60 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99
M		MIL-G-52732/5 NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 1.5 KW, 28 VOLT DIRECT CURRENT, TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99
M		MIL-G-52732/6A NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 60 HERTZ, TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99
M		MIL-G-52732/7 NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 400 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99
M		MIL-G-52732/8 NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 28 VOLT DIRECT CURRENT, TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99
M		MIL-G-52732/9 NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 5 KW, 60 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99
M		MIL-G-52732/10 NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 5 KW, 400 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99
M		MIL-G-52732/11 NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 10 KW, 60 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115		CR4	22-JAN-99

List Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Activ.	Date
M	MIL-G-52732/12A NOT 3	GENERATOR SET, GASOLINE ENGINE DRIVEN 10 KW, 400 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: 80 CR GL GS]	A 6115	CR4	22-JAN-99
M	MIL-G-52880A NOT 3	GENERATOR SET, DIESEL ENGINE, 500 KW 50/60 HERTZ, TACTICAL UTILITY (NO S/S DOCUMENT) [CUST: CR4 99] [REVIEW: 80 GS]	A 6115	CR4	22-JAN-99
M	MIL-G-52884A(2) NOT 3	GENERATOR SETS, DIESEL ENGINE DRIVEN, 15 THRU 200 KILOWATTS 50/60 AND 400 HERTZ, (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/1A(1) NOT 2	GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) (NO S/D DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/2A(1) NOT 2	GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/3A(1) NOT 2	GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/4A(1) NOT 2	GENERATOR SET, DIESEL ENGINE DRIVEN, 30 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/5A(1) NOT 2	GENERATOR SET, DIESEL ENGINE DRIVEN 30 KILOWATT, 50/60 HERTZ, UTILITY, (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/6A(1) NOT 2	GENERATOR SET, DIESEL ENGINE DRIVEN, 30 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/7A NOT 3	GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/8A NOT 4	GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/9A(1) NOT 3	GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 400 HERTZ, PRECISE (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/10 NOT 3	GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/11 NOT 3	GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/12 NOT 3	GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/13(1) NOT 3	GENERATOR SET, DIESEL ENGINE DRIVEN, 200 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52884/14(1) NOT 3	GENERATOR SET, DIESEL ENGINE DRIVEN, 200 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52889C NOT 3	GENERATOR SETS, DIESEL ENGINE DRIVEN, 5 KW, 60 HERTZ AND 10 KW, 60 AND 400 HERTZ TACTICAL, UTILITY, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: CG GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52889/1C NOT 4	GENERATOR SETS, DIESEL ENGINE DRIVEN, 5 KW, 60 HERTZ; TACTICAL, UTILITY (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: CG GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52889/2C NOT 4	GENERATOR SETS, DIESEL ENGINE DRIVEN, 10 KW, 60 HERTZ; TACTICAL, UTILITY (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: CG GS MC]	A 6115	CR4	22-JAN-99
M	MIL-G-52889/3(1) NOT 4	GENERATOR SETS, DIESEL ENGINE DRIVEN, 10 KW, 400 HERTZ; TACTICAL, UTILITY (NO S/S DOCUMENT) [CUST: CR4 YD2 99] [REVIEW: CG GS MC]	A 6115	CR4	22-JAN-99
M	MIL-A-52019C(1) NOT 2	ADAPTER ASSEMBLY, GLIDE ANGLE LIGHT TO STAKE OR CONE (NO S/S DOCUMENT) [CUST: CR4]	A 6210	CR4	15-JAN-99
M	A-A-30029 NOT 1	MINERAL OIL, LANOLATED, WATER DISPERSIBLE (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505 /	MB	04-DEC-98
M	A-A-50885 NOT 1	SULFUR AND POLYOXYETHYLNE LAURYL ETHER CREAM (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505 /	MB	04-DEC-98
M	A-A-51102 NOT 1	RITODRINE HYDROCHLORIDE INJECTION (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505 /	MB	04-DEC-98
M	A-A-51395A NOT 1	OATMEAL, COLLOIDAL CONCENTRATE (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505 /	MB	04-DEC-98
M	A-A-51399A NOT 1	THEOPHYLLINE CAPSULES, MODIFIED (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505 /	MB	04-DEC-98
M	A-A-51401A NOT 1	NORGESTREL AND ETHINYL ESTRADIOL TABLETS, USP (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505 /	MB	04-DEC-98
M	A-A-51402A NOT 1	PENTOXIFYLLINE TABLETS, (SUSTAINED RELEASE) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505 /	MB	04-DEC-98
M	A-A-51572A NOT 1	THIABENDAZOLE TABLETS, USP (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505 /	MB	04-DEC-98
M	A-A-51638A NOT 1	TICARCILLIN DISODIUM, STERILE, USP (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505 /	MB	04-DEC-98
M	A-A-53170 NOT 1	THIOTHIXENE CAPSULES, USP (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505 /	MB	04-DEC-98
M	MIL-S-61B(1) NOT 2	SHUNT, INSTRUMENT, EXTERNAL, 50 MILLIVOLT (LIGHTWEIGHT TYPE) (S/S BY A-A-55524) [CUST: CR SH 99] [REVIEW: AR CC MI]	A 6625	CR	26-JAN-99
M	MS91586B NOT 2	SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT, STYLE MSA (S/S BY A-A-55524/1) [CUST: CR 99 CC] [REVIEW: AR AV CR4 MI]	A 6625	CC	26-JAN-99
M	MS91587A NOT 2	SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT, STYLE MSB (S/S BY A-A-55524/2) [CUST: CR 99 CC] [REVIEW: AR CR4 MI]	A 6625	CC	26-JAN-99
M	MS91588B NOT 2	SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT STYLE MSC (S/S BY A-A-55524/3) [CUST: CR SH CC]	A 6625	CC	26-JAN-99
M	MIL-W-55056C NOT 2	WIND MEASURING SET AN/PMQ-6( ) (UNITS OF) (NO S/S DOCUMENT) [CUST: CR] [REVIEW: 99]	A 6660	CR	21-DEC-98
M	MIL-P-10476C NOT 2	PRINT WASHER, PHOTOGRAPHIC, EK-1 (NO S/S DOCUMENT) [CUST: CR] [REVIEW: GS]	A 6740	CR	21-DEC-98
M	PPP-P-16D NOT 1	PACKAGING OF PHOTOGRAPHIC DRY AND LIQUID CHEMICALS (NO S/S DOCUMENT) [CUST: 99]	A PACK /	70	15-JAN-99