

DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS

DODISS NOTICE

1 JANUARY 2001 / FOR PERIOD 15 DEC 2000 TO 31 DEC 2000 / VOL. 24/ NO. 00

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents will be available within 15 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

As of October 1, 2000, copies of non-government standards adopted by the Department of Defense (DoD) are no longer available from the DoD Single Stock Point. Adoption notices will continue to be used to signify DoD usage of a non-government standard, to identify a responsible DoD point of contact, and to give the standard visibility by including it in the ASSIST database and the DoD Index of Specifications and Standards. On 31 October 2000 we began updating all DOD adoption notices to comply with current DPSO Policy Memo 00-01, dated 15 May 2000, this effort will continue until all adoption notices meet current policy.

Doc Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Acty.	Date
N	QPL-5091-1	TRANSMISSION, POWER, CONSTANT RATIO GENERAL SPECIFICATION (AIRCRAFT USE)	A 1680		AS	20-NOV-00
M	MIL-PRF-51526A	FILTER PARTICULATE, 340 CMH (200 CFM) [CUST: EA]	A 4240		EA	13-MAR-00
M	QPL-3992-20	HOSE AND HOSE ASSEMBLY, RUBBER, AIR AND VACUUM BRAKE AUTOMOTIVE	A 4720		CC	14-DEC-00
M	QPL-8783-12	CLAMP, HOSE, FLAT BAND 500 DEG. F	A 4720		CC	14-DEC-00
M	QPL-8788-16	HOSE, HYDRAULIC, HIGH PRESSURE	A 4720		CC	15-DEC-00
M	QPL-SAE-AS1339-8	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 400 DEG. F, 3000 PSI, HYDRAULIC, LIGHTWEIGHT	A 4720		CC	14-DEC-00
M	MIL-DTL-1222J	STUDS, BOLTS, SCREWS AND NUTS FOR APPLICATIONS WHERE A HIGH DEGREE OF RELIABILITY IS REQUIRED; GENERAL SPECIFICATION FOR [CUST: AR SH 99] [REVIEW: AV CR4 IS MC]	A 53GP		SH	08-DEC-00
M	QPL-15280-27	PLASTIC MATERIAL, UNICELLULAR (SHEETS AND TUBES)	A 5640		SH	03-NOV-00
M	MIL-PRF-914A(3) SUP 1	RESISTORS NETWORKS, FIXED, FILM, SURFACE MOUNT, NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS]	A 5905		CR	15-DEC-00
M	MIL-PRF-914/3A(1)	RESISTOR NETWORK, FIXED FILM, SURFACE MOUNT, 16-PIN, LEADLESS CHIP CARRIER, NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE RNS030 [CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS]	A 5905		CR	15-DEC-00
M	MIL-PRF-914/4A(1)	RESISTOR NETWORK, FIXED, FILM, SURFACE MOUNT, 20-PIN, LEADLESS CHIP CARRIER, NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE RNS040 [CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS]	A 5905		CR	15-DEC-00
M	MIL-PRF-914/5A(1)	RESISTOR NETWORK, FIXED FILM, SURFACE MOUNT, 16-PIN, LEADLESS CHIP CARRIER, NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE RNS050 [CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS]	A 5905		CR	15-DEC-00
M	MIL-PRF-39023B(2) SUP 1	RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 19 80 AR AS AT AV CG CR4 MC MI OS]	A 5905		CC	24-NOV-00
M	MIL-PRF-39022/11C(1)	CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DIRECT-CURRENT, HERMETICALLY SEALED, STYLES CHR20, CHR21, CHR22, CHR23, CHR24, CHR25 [CUST: CR EC CC]	A 5910		CC	05-DEC-00
M	MIL-PRF-49470A(1) SUP 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A 5910		CR	14-DEC-00
M	MIL-PRF-49470/1B	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, UNENCAPSULATED, HORIZONTALLY STACKED, STYLE PS01 [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A 5910		CR	14-DEC-00
M	MIL-PRF-49470/2B	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, ENCAPSULATED, HORIZONTALLY STACKED, STYLE PS02 [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A 5910		CR	14-DEC-00
M	MIL-PRF-49470/3B	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, CONFORMALLY COATED, HORIZONTALLY STACKED, STYLE PS03 [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A 5910		CR	14-DEC-00
M	MIL-PRF-49470/4B	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, UNENCAPSULATED, VERTICALLY STACKED, STYLE PS04 [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A 5910		CR	14-DEC-00
M	MIL-PRF-49470/5B	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, ENCAPSULATED, VERTICALLY STACKED, STYLE PS05 [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A 5910		CR	14-DEC-00
M	MIL-PRF-49470/6B	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, CONFORMALLY COATED, VERTICALLY STACKED, STYLE PS06 [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A 5910		CR	14-DEC-00
M	MS39061C	SWITCH, TOGGLE, SPST, AND SPDT, 24 VOLT DC, 25 AMPERE (WATERPROOF) [CUST: AT CC]	A 5930		CC	01-DEC-00
M	MIL-PRF-6106/15D	RELAYS, ELECTROMAGNETIC, 50 AMPERES, DC, SPDT, HERMETICALLY SEALED [CUST: AS 11 CC] [REVIEW: 99]	A 5945		CC	23-NOV-00
M	MIL-PRF-6106/48B	RELAY, ELECTROMAGNETIC, 100 AMPERES, SPST (N.O.) WITH SPDT (FORM Z) 5 AMPERES AUXILIARY CONTACTS, HERMETICALLY SEALED, TYPE I [CUST: 11 CC] [REVIEW: 99]	A 5945		CC	10-NOV-00
M	MIL-PRF-28750D(2) SUP 1	RELAYS, SOLID STATE, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: MI NA OS]	A 5945		CC	15-DEC-00
M	MIL-PRF-28750/9C(3)	RELAY, SOLID-STATE, HERMETICALLY SEALED, CLASS II, OPTICALLY ISOLATED, ZERO VOLTAGE TURN-ON, 1 AMPERE (2 AMPERES WITH HEAT SINK), 440 HZ, POWER SWITCHING, SPST (N.O.) [CUST: EC 11 CC]	A 5945		CC	15-DEC-00
M	MIL-PRF-28750/10C(3)	RELAY, SOLID-STATE, SEALED, CLASS I, OPTICALLY ISOLATED, ZERO VOLTAGE TURN-ON, 25 AMPERES, 250 V MAXIMUM, 400 HZ, POWER SWITCHING, SPST (N.O.) [CUST: EC 11 CC]	A 5945		CC	15-DEC-00
M	MIL-PRF-83536A(5) SUP 1A	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 99 AS NA]	A 5945		CC	15-DEC-00
M	MIL-PRF-83536/16B(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL [CUST: CR EC 11 CC] [REVIEW: 99]	A 5945		CC	15-DEC-00
M	MIL-R-83725/3E(1) NOT 1	RELAYS, VACUUM, SPDT, DC, 8 AMPERES [CUST: CR AS 11] [REVIEW: OS]	A 5945		CC	22-NOV-00
M	MIL-R-83725/18B(1)	RELAYS, VACUUM, SPST, NC, DC, 8 AMPERES [CUST: 11]	A 5945		CC	22-NOV-00
M	MIL-PRF-1/1361F(1)	ELECTRON TUBE, THYRATRON TYPES 7390 AND 7390A [CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG]	A 5960		CC	20-NOV-00
M	MIL-PRF-19500/590B(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRAFAST RECOVERY, HIGH-VOLTAGE, POWER RECTIFIER, IN6626 THROUGH IN6631 AND U SUFFIX VERSIONS, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 11 CC NA] [REVIEW: 13 19 AR AS CG MC MI SM]	A 5961		CC	03-NOV-00
M	MIL-PRF-83531/4A	DELAY LINES, 10-TAP, DUAL-IN-LINE, 14-PIN, SURFACE MOUNT DEVICE [CUST: CR EC 11 CC] [REVIEW: 99 AS]	A 5999		CC	01-JAN-01
M	MIL-PRF-49471/10A(1)	BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, WATERTIGHT, BA-X112/U [CUST: CR]	A 6135		CR	15-DEC-00
M	MIL-DTL-25038/1E	WIRE, ELECTRICAL, HIGH TEMPERATURE, FIRE RESISTANT, FLIGHT CRITICAL, NORMAL WEIGHT [CUST: CR AS 11 CC] [REVIEW: 99 AR AV MI OS]	A 6145		CC	01-DEC-00
M	ASTM-B263	DETERMINATION OF CROSS-SECTIONAL AREA OF STRANDED CONDUCTORS [CUST: CR AS 11 CC] [REVIEW: 99 AR AV CR4 MI OS]	A 6145		CC	01-DEC-00
M	MIL-DTL-44048H	COATS, CAMOUFLAGE PATTERN, COMBAT [CUST: GL NU 11 CT] [REVIEW: MC MD]	A 8415		CT	30-NOV-00
N	A-A-59593	SOCKS, EXTREME COLD WEATHER [CUST: NU 11]	A 8440		CT	28-AUG-00
M	SAE-AMS-STD-184	IDENTIFICATION MARKING OF ALUMINUM, MAGNESIUM AND TITANIUM [CUST: MR AS 16 IS FSS] [REVIEW: 13 99 AR CR4 MI OS SH YD]	A 95GP		16	01-DEC-00
M	MIL-HDBK-235/1B NOT 1	ELECTROMAGNETIC (RADIATED) ENVIRONMENT CONSIDERATIONS FOR DESIGN AND PROCUREMENT OF ELECTRICAL AND ELECTRONIC EQUIPMENT, SUBSYSTEMS AND SYSTEMS [CUST: CR EC 11 DC5] [REVIEW: 18 19 AR AS AV MC MI SH TE]	A EMCS		DC5	22-DEC-00
M	MIL-STD-1832 NOT 1	DISKETTE MESSAGE FILE FORMATS FOR DEFENSE MESSAGING [CUST: 02 DC3] [REVIEW: 11 93 CR NS OM]	A IPSC		DC3	22-DEC-00
M	MIL-HDBK-28001 NOT 1	DEPARTMENT OF DEFENSE APPLICATION OF MIL-PRF-28001 USING STANDARD GENERALIZED MARKUP LANGUAGE (SGML) [CUST: TM CH 16 DH] [REVIEW: 01 02 11 13 19 68 82 99 AC AL AR AS AT AV CC CG CR CR1 CR4 DI DO DOE EC GL GS IR IS MI MR NA NCS NS OS SA SM TE YD]	A IPSC		DC3	22-DEC-00
M	MIL-STD-188/202 NOT 1	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL DIGITAL TRANSMISSION GROUPS (COAXIAL CABLE) FORTACTICAL COMMUNICATIONS [CUST: CR EC 02 DC] [REVIEW: MC NS]	A TCSS		DC	22-DEC-00
M	MIL-HDBK-421 NOT 1	COMMUNICATIONS TIMING AND SYNCHRONIZATION SUBSYSTEMS [CUST: CR EC 02]	A TCSS		DC	22-DEC-00

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Acty.	Date
M	FF-S-86E(4) NOT 1	SCREW, CAP, SOCKET-HEAD [CUST: AR SH 99 IS] [REVIEW: 82 AT AV EA MC MI]	A 5305	/	IS	04-DEC-00
M	FF-S-111D(1) NOT 1	SCREW, WOOD [CUST: AR YD 99 IS] [REVIEW: 82 CE CR4 EA MC MI OS SH]	A 5305	/	IS	04-DEC-00

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Acty.	Date
M	MIL-PRF-55681/6A NOT 1	CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLES CDR26, CDR27, CDR28, CDR29, AND CDR30 (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH]	A 5910		CR	15-DEC-00
M	MIL-F-5372/1 NOT 3	FUSE, LIMITER TYPE ENCLOSED LINK, 1-60 AMP (NO S/S DOCUMENT) [CUST: CR 11]	A 5920		CC	30-NOV-00
M	MIL-PRF-83532/5A NOT 1	DELAY LINES, ACTIVE, 16-PIN DIP COMPATIBLE, PROGRAMMABLE 3-BIT, TTL COMPATIBLE (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 19 99 AS CG MC SH]	A 5999		CC	22-NOV-00
M	MIL-PRF-83532/6A NOT 1	DELAY LINES, ACTIVE, 16-PIN DIP COMPATIBLE, PROGRAMMABLE 3-BIT, EMITTER-COUPLED LOGIC (NO S/S DOCUMENT) [CUST: CR EC 11] [REVIEW: 19 99 AS CG MC SH]	A 5999		CC	22-NOV-00
M	MIL-H-87111A(3) SUP 1C NOT 2	HEAT SINKS, SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI SH]	A 5999		CC	20-NOV-00
M	A-A-30019A NOT 1	ALUMINUM HYDROXIDE GEL, DRIED, MAGNESIUM HYDROXIDE, AND SIMETHICONE TABLET (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505	/	MB	22-NOV-00
M	A-A-30025A NOT 1	HEMORRHOIDAL SUPPOSITORIES (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505	/	MB	22-NOV-00
M	A-A-30031A NOT 1	PSYLLIUM HYDROPHILIC MUCILLOID WITH DEXTROSE (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6505	/	MB	22-NOV-00
M	A-A-30013A NOT 1	CATHETER, URETHRAL (FOLEY, SILICONE) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	22-NOV-00
M	A-A-30016C NOT 1	APPLICATOR, DISPOSABLE (STERILE AND NONSTERILE) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	*	MB	22-NOV-00
M	A-A-30041A NOT 1	DEPRESSOR, TONGUE, WOOD (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	22-NOV-00
M	A-A-30043C NOT 1	URINAL, MALE PATIENT (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6530	*	MB	22-NOV-00
M	A-A-50863 NOT 1	URINAL, MALE PATIENT, PLASTIC (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6530	/	MB	22-NOV-00
M	A-A-50108 NOT 1	FOOD BLENDER, ELECTRIC (NO S/S DOCUMENT) [CUST: GL YD 99 SS] [REVIEW: 84 MC MD MS]	A 7320	/	SS	12-DEC-00
M	A-A-50110 NOT 1	RACK, BREAD, BAKER S: 10- SHELF, KNOCKDOWN TYPE (NO S/S DOCUMENT) [CUST: GL YD 99 SS] [REVIEW: 84 MD MS SA]	A 7320	/	SS	12-DEC-00
M	MIL-HDBK-829A NOT 1	GUIDELINES FOR DEVELOPMENT DATA COMMUNICATIONS PROTOCOL STANDARDS (NO S/S DOCUMENT) [CUST: CR OM 02 DH] [REVIEW: 11 13 AC CG DI DO EC IR MA MC NS SE]	A DCPS		DC1	22-DEC-00
M	MIL-HDBK-1350/1 NOT 1	VALIDATION OF DATA COMMUNICATIONS PROTOCOL STANDARDS FOR MILITARY APPLICATIONS (NO S/S DOCUMENT) [CUST: CR OM 02 DH] [REVIEW: 11 13 AC CG DI DO EC IR MA MC SE]	A DCPS		DC1	22-DEC-00
M	MIL-HDBK-1350/2 NOT 1	DATA COMMUNICATIONS PROTOCOL CONFORMANCE AND INTEROPERABILITY TEST AND REGISTRATION (NO S/S DOCUMENT) [CUST: CR OM 02 DH] [REVIEW: 11 13 AC CG DI DO EC IR MA MC SE]	A DCPS		DC1	22-DEC-00
M	MIL-HDBK-241B NOT 2	DESIGN GUIDE FOR EMI REDUCTION IN POWER SUPPLIES (NO S/S DOCUMENT) [CUST: CR EC 99 DC5] [REVIEW: 11 13 70 AS NA SA SH]	A EMCS		DC5	22-DEC-00
M	FED-STD-1063 NOT 1	PROCEDURES FOR DOCUMENT FACSIMILE TRANSMISSION (NO S/S DOCUMENT) [CUST: CR EC 02] [REVIEW: NS]	A TELE	/	DC	22-DEC-00