

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

15 JANUARY 2004 / FOR PERIOD 1 JAN 2004 TO 14 JAN 2004 / VOL. 1/ NO. 04

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

<http://assist.daps.dla.mil>

NOTE

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of "N" (new), or "M" (modified).

"N" indicates that this is a new document that has been entered to our database.

"M" indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
N	MIL-DTL-32129	CATAPULT, AIRCRAFT EJECTION SEAT, CKU-7A/A ASSEMBLY[CUST: OS]	A	1377	OS		26-DEC-03
M	MIL-DTL-48568D(1)	CATAPULT, AIRCRAFT EJECTION SEAT, CKU-7/A ASSEMBLY[CUST: OS]	A	1377	OS		17-DEC-03
M	MIL-HDBK-2066 NOT 2	CATAPULTING AND ARRESTING GEAR FORCING FUNCTIONS FOR AIRCRAFT STRUCTURAL DESIGN[CUST: AS]	A	1510	AS		07-JAN-04
M	MIL-HDBK-2067 NOT 1	AIRCREW AUTOMATED ESCAPE SYSTEMS RELIABILITY AND MAINTAINABILITY (R/M) PROGRAM REQUIREMENTS FOR[CUST: AS][REVIEW: GS]	A	1680	AS		07-JAN-04
N	A-A-59398	GASKET MATERIAL, SILICONE GEL WITH MONEL MATRIX OR EQUIVALENT[CUST: SH 99][REVIEW: CC]	A	2090	/	SH	09-JAN-04
M	MIL-PRF-62309F	FILTER ELEMENT, AIR[CUST: AT SH][REVIEW: CC MC MI]	A	2940	AT		12-JAN-04
M	A-A-55600A NOT 1	BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, TWO DIRECTION LOCATING[CUST: AT OS 11][REVIEW: GS MC SH]	A	3110	/	GS4	20-JAN-04
N	ASTM-F2162	BEARING, ROLLER, NEEDLE: DRAWN OUTER RING, FULL COMPLEMENT, WITHOUT INNER RING, OPEN AND CLOSED END, STANDARD TYPE[CUST: AT OS 99][REVIEW: 84 CR4 GL]	A	3110		GS4	09-JAN-04
N	ASTM-F2163	RING, BEARING, INNER: FOR NEEDLE ROLLER BEARING WITH DRAWN OUTER RING[CUST: AT OS 99]	A	3110		GS4	09-JAN-04
N	SAE-AS7413	COUPLING ASSEMBLIES, QUICK DISCONNECT, AUTOMATIC SHUTOFF[CUST: AT 99 CC][REVIEW: 71 82 AV MI]	A	4730	CC		26-SEP-03
M	QPL-18110-29	VALVES, GATE, CAST OR FORGED STEEL AND ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER)	A	4820		SH	19-DEC-03
M	FF-P-110J(1) NOT 1	PADLOCK, CHANGEABLE COMBINATION (RESISTANT TO OPENING BY MANIPULATION AND SURREPTITIOUS ATTACK)[CUST: AV YD 99 IS][REVIEW: 71 CE CG MC OS]	A	5340	/	IS	20-JAN-04
M	QPL-914-5	RESISTOR NETWORKS, FIXED, FILM, SURFACE MOUNT, NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5905	CR		13-JAN-04
M	QPL-39017-81	RESISTORS, FIXED, FILM (INSULATED) NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5905	CR		12-JAN-04
M	QPL-39006-105	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910	CC		13-JAN-04
M	QPL-49470-17	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, GENERAL SPECIFICATION FOR	A	5910	CR		12-JAN-04
M	QPL-55681-119	CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910	CR		12-JAN-04
M	W-F-1814/6B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 31-60 AMPERES[CUST: CR YD 11 CC][REVIEW: AT CR4 NS OS]	A	5920	/	CC	15-DEC-03
M	W-F-1814/7B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES[CUST: CR YD 11 CC][REVIEW: AT CR4 NC NS OS]	A	5920	/	CC	15-DEC-03
M	W-F-1814/9B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 201-400 AMPERES[CUST: CR YD 11 CC][REVIEW: AR AT CR4 NS OS]	A	5920	/	CC	15-DEC-03
M	W-F-1814/56B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES[CUST: CR YD 11 CC][REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	12-JAN-04
M	W-F-1814/57B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 250 VOLTS, 31-60 AMPERES[CUST: CR YD 11 CC][REVIEW: AR AT CR4 NS OS]	A	5920	/	CC	12-JAN-04
M	W-F-1814/59B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 250 VOLTS, 101-200 AMPERES[CUST: CR YD 11 CC][REVIEW: 99 AR AT CR4 OS]	A	5920	/	CC	12-JAN-04
M	W-F-1814/60B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 250 VOLTS, 201-400 AMPERES[CUST: CR YD 11 CC][REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	12-JAN-04
M	W-F-1814/61B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 250 VOLTS, 401-600 AMPERES[CUST: CR YD 11 CC][REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	12-JAN-04
M	W-F-1814/62B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES[CUST: CR YD 11 CC][REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	12-JAN-04
M	W-F-1814/63C	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 31-60 AMPERES[CUST: CR YD 11 CC][REVIEW: 99 AR AT CR4 EA NS OS]	A	5920	/	CC	12-JAN-04
M	W-F-1814/64B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES[CUST: CR YD 11 CC][REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	12-JAN-04
M	W-F-1814/65B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 101-200 AMPERES[CUST: CR YD 11 CC][REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	12-JAN-04
M	W-F-1814/66B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 201-400 AMPERES[CUST: CR YD 99 CC][REVIEW: AR AT CR4 NS OS]	A	5920	/	CC	12-JAN-04
M	W-F-1814/67B	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 401-600 AMPERES[CUST: CR YD 11 CC][REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	12-JAN-04
M	MIL-PRF-8805/98D(1)	SWITCHES, SENSITIVE SWITCH ASSEMBLY, TOGGLE, 7 AMPERES, PANEL SEAL, TOGGLE SEAL[CUST: EC 11 CC]	A	5930	CC		29-DEC-03
M	MIL-PRF-22710/30A(1)	SWITCHES, ROTARY (PRINTED CIRCUIT), PUSHBUTTON BIDIRECTIONAL, SEALED, HIGH SHOCK, RFI SHIELDED, ILLUMINATED OR NONILLUMINATED, LOW LEVEL, STYLE SRPC30[CUST: CR EC 11 CC][REVIEW: 99 AR AS CR4 MC SM]	A	5930	CC		19-DEC-03
M	MIL-DTL-3950G	SWITCHES, TOGGLE, ENVIRONMENTALLY SEALED GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC][REVIEW: 99 AR AT AV MC MI]	A	5930	CC		17-DEC-03
M	QPL-22885-88	SWITCHES, PUSH BUTTON, ILLUMINATED, GENERAL SPECIFICATION FOR	A	5930	CC		05-JAN-04
M	MIL-C-29600/10(1) NOT 1	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES A)[CUST: CR AS 11][REVIEW: 19 AV CC EC MC MI NA SH]	A	5935	AS		07-JAN-04
M	MIL-C-29600/12(1) NOT 1	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES A)[CUST: CR AS 11][REVIEW: 19 AV CC EC MC MI NA SH]	A	5935	AS		07-JAN-04
M	MIL-C-29600/20(1) NOT 1	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES B)[CUST: AS][REVIEW: 19 AV CC EC MC MI NA SH]	A	5935	AS		07-JAN-04
M	MIL-C-29600/22(1) NOT 1	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES B)[CUST: AS][REVIEW: 19 AV CC EC MC MI NA SH]	A	5935	AS		07-JAN-04
M	MIL-DTL-55302/27J	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935	CC		03-DEC-03
M	MIL-DTL-55302/31K	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING ACCESSORIES[CUST: 11 CC][REVIEW: 19 99]	A	5935	CC		09-JAN-04
M	MIL-DTL-55302/52D	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV MC MI OS SH]	A	5935	CC		17-DEC-03

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-55302/53C	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT-ANGLE, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING)(CUST: CR EC 11 CC) [REVIEW: 19 99 AR AS AT AV MC MI OS SH]	A	5935		CC	10-DEC-03
M	MIL-DTL-55302/54C	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING)(CUST: CR EC 11 CC) [REVIEW: 19 99 AR AS AT AV MC MI OS SH]	A	5935		CC	10-DEC-03
M	MIL-DTL-55302/118E	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING)(CUST: CR EC 11 CC) [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	09-JAN-04
M	MIL-DTL-55302/119H	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING)(CUST: 11 CC) [REVIEW: 19]	A	5935		CC	09-JAN-04
M	MIL-DTL-55302/130D	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLES, 90 THROUGH 240 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)(CUST: EC CC)	A	5935		CC	09-JAN-04
M	QPL-55302-100	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, GENERAL SPECIFICATION FOR	A	5935		CC	07-JAN-04
M	QPL-83413-14	CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, GENERAL SPECIFICATION FOR	A	5935		CC	05-JAN-04
M	QPL-83513-43	CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR	A	5935		CC	07-JAN-04
N	MIL-PRF-83446/38	COILS, RADIO FREQUENCY, CHIP, FIXED SURFACE MOUNT(CUST: CR EC 11 CC) [REVIEW: 19 AS MI OS]	A	5950		CC	24-DEC-03
M	QPL-27-168	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR	A	5950		CC	15-JAN-04
M	MIL-PRF-3098/10G	CRYSTAL UNIT, QUARTZ, CR28/U(CUST: CR EC 11 CC) [REVIEW: 19 AR AS MC MI SH]	A	5955		CR	19-DEC-03
M	MIL-PRF-3098/109E	CRYSTAL UNIT, QUARTZ, CR130/U(CUST: CR EC 11 CC) [REVIEW: 19 84 AR AS MC MI SH SM]	A	5955		CR	19-DEC-03
M	MIL-PRF-3098/146C	CRYSTAL UNIT, QUARTZ, CR165/U(CUST: CR CC)	A	5955		CR	19-DEC-03
M	MIL-PRF-1/115L	ELECTRON TUBE, THYRATRON TYPE 5C22(CUST: CR EC 11 CC) [REVIEW: 99 AR AS CG CR4 MC OS SH]	A	5960		CC	14-JAN-04
M	MIL-PRF-19500/117M	SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N962B-1 THROUGH 1N992B-1, AND 1N962BUR-1 THROUGH 1N992BUR-1, 1N962C-1 THROUGH 1N992C-1, AND 1N962CUR-1 THROUGH 1N992CUR-1, AND 1N962D-1 THROUGH 1N992D-1, 1N962DUR-1 THROUGH 1N992DUR-1, JAN, JANTX, JANTXV, AND JANHC(CUST: CR EC 11 CC NA) [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC	13-JAN-04
M	MIL-PRF-19500/455E	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING, TYPES 2N5664, 2N5665, 2N5666, 2N5666S, 2N5666U3, 2N5667, AND 2N5667S, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC(CUST: CR EC 11 CC) [REVIEW: 19 AR AS MC MI]	A	5961		CC	25-DEC-03
M	MIL-PRF-19500/585E	SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRA-FAST RECOVERY, POWER RECTIFIER, 1N6620 THROUGH 1N6625, 1N6620U THROUGH 1N6625U, 1N6620US THROUGH 1N6625US, JAN, JANTX, JANTXV, AND JANS(CUST: CR EC 11 CC NA) [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	09-JAN-04
M	MIL-PRF-19500/590F	SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRAFAST RECOVERY, POWER RECTIFIER, 1N6626 THROUGH 1N6631, 1N6626U THROUGH 1N6631U, 1N6626US THROUGH 1N6631US, JAN, JANTX, JANTXV, AND JANS(CUST: CR EC 11 CC NA) [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	09-JAN-04
M	MIL-M-38510/335C	MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, QUADRUPLE, 2 INPUT OR GATES, MONOLITHIC SILICON(CUST: CR EC 11 CC) [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	09-JAN-03
M	MIL-M-38510/336B	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, SHIFT REGISTERS, CASCADABLE, MONOLITHIC SILICON(CUST: CR EC 11 CC) [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	09-JAN-04
M	QML-38534-47	HYBRID MICROCIRCUITS, GENERAL REQUIREMENTS FOR	A	5962		CC	08-JAN-04
M	QPL-24623-3(1)	SPLICE, FIBER OPTIC CABLE, GENERAL SPECIFICATION FOR (METRIC)	A	6060		SH	22-DEC-03
M	QPL-17-177	CABLES, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR	A	6145		CC	15-JAN-04
M	A-A-58088B	SCALE, WEIGHING SYSTEMS, AIRCRAFT PLATFORM(CUST: 99)	A	6670	/	84	06-JAN-04
N	A-A-59419	CALIBRATOR, THERMOMETER(CUST: 99)	A	6685	/	84	22-DEC-03
M	A-A-19C NOT 1	SCALE REMOVING COMPOUND (POWER, SULFAMIC ACID)(CUST: GS3)	A	6850	/	GS3	20-JAN-04
M	A-A-33A NOT 1	SCALE REMOVING COMPOUND (LIQUID)(CUST: GS3)	A	6850	/	GS3	20-JAN-04
N	MIL-PRF-32142	CLOTH, WATERPROOF AND MOISTURE VAPOR PERMEABLE(CUST: MC)	A	8305		CT	23-DEC-03
M	MIL-I-87097A(11)	INSIGNIA, EMBROIDERED (COAST GUARD)(CUST: CG)	A	8455		CG	21-APR-03
M	A-A-59693A	DIESEL FUEL, BIODIESEL BLEND (B20)(CUST: AT SH 68) [REVIEW: 03 AR EC MC MI PS SA]	A	9140	/	AT	15-JAN-04
M	DI-MISC-81612A	RESEARCH AND DEVELOPMENT (R&D) PROJECT SUMMARY [AMSC: D7517]	A	MISC		SO	15-DEC-03
M	SD-1	STANDARDIZATION DIRECTORY(CUST: AM NM 01 DH DC1) [REVIEW: DA]	A	SDMP		SO	01-JAN-04
M	SD-4	STATUS OF STANDARDIZATION PROJECTS(CUST: AM NM 01 DH SO)	A	SDMP		SO	31-DEC-03
M	MIL-PRF-9977K(1) NOT 1	MANUALS, TECHNICAL AND CHECKLISTS: MUNITIONS/WEAPONS LOADING PROCEDURES, NONNUCLEAR AND NUCLEAR AND PACKAGES, STANDARD DATA: MUNITIONS LOADING PROCEDURES, NONNUCLEAR(CUST: 16) [REVIEW: 01 10 11 70 71 80 82 84 99]	A	TMSS		16	18-DEC-03

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-S-64045/100A	SCALE, GRAPHICAL FIRING, HE M485, ILLUMINATION, (155-AM-2) CHG 2 & 3, (P/N 11785434-108)(CUST: AR)	A	1220		AR	29-SEP-03
M	MIL-S-64045/101A	SCALE, GRAPHICAL FIRING, HE M485, ILLUMINATION, (155-AM-2) CHG 5 & 7, (P/N 11785434-109)(CUST: AR)	A	1220		AR	29-SEP-03
M	MS17130F NOT 2	RING, BEARING, INNER, FOR NEEDLE ROLLER BEARING WITH DRAWN OUTER RING(CUST: AT OS 99 GS4)	A	3110		GS4	09-JAN-04
M	MS17131H NOT 1	BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, FULL COMPLEMENT, WITHOUT INNER RING, OPEN AND CLOSED END, STANDARD TYPE(CUST: AT OS 99 GS4) [REVIEW: 84 CR4 GL]	A	3110		GS4	09-JAN-04
M	MS17133B(1) NOT 1	BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW(CUST: AT 11 GS4)	A	3110		GS4	09-JAN-04
M	MIL-L-2710B NOT 2	LINKS, CHAIN, DETACHABLE, REGULAR AND PEAR-SHAPED(CUST: SH 99 GS5) [REVIEW: YD]	A	4010		GS5	20-JAN-04
M	MS24548J NOT 2	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, OXYGEN(CUST: AV AS 99) [REVIEW: 11 CC]	A	4720		71	14-JAN-04
M	MS21211B NOT 3	VALVE, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS(CUST: AV AS 99)	A	4820		71	14-JAN-04
M	AN6293 REV 3 NOT 4	VALVE, 4-WAY ROTARY SELECTOR, 3,000 PSI, NON-INTERFLOW(CUST: 99)	A	4820		71	08-JAN-04
M	MIL-C-25E	CAPACITORS, FIXED, PAPER OR PLASTIC DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR(CUST: CR EC 11 CC) [REVIEW: 19 99 AR AS MC MI OS]	A	5910		CC	12-JAN-04
M	MIL-C-25/4E	CAPACITORS, FIXED, PAPER OR PLASTIC DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP53, CP54, AND CP55(CUST: CR EC 11 CC) [REVIEW: 99 AR AS MC MI OS]	A	5910		CC	12-JAN-04
M	MIL-C-25/6D	CAPACITORS, FIXED, PAPER OR PLASTIC DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP67 AND CP69(CUST: CR EC 11 CC) [REVIEW: 19 99 AR AS MI OS]	A	5910		CC	12-JAN-04
M	QPL-26500-66	CONNECTORS, GENERAL PURPOSE, ELECTRICAL, MINIATURE, CIRCULAR, ENVIRONMENT RESISTING, GENERAL SPECIFICATION FOR	A	5935		CC	13-JAN-04
M	MIL-DTL-15659J SUP 1	TERMINAL, LUG: SOLDER, COPPER AND PHOSPHOR BRONZE(CUST: AR AS 11 GS2) [REVIEW: AT AV CR CR4 MC MI SH]	A	5940		GS2	15-DEC-03
M	MS39347A NOT 3	TERMINAL, POST, SERVICE AND GROUND(CUST: CR4 MC GS2) [REVIEW: AS SH]	A	5940		GS2	20-JAN-04
M	MIL-I-23264A SUP 1 NOT 3	INSULATORS, CERAMIC, ELECTRICAL AND ELECTRONIC, GENERAL SPECIFICATION FOR(CUST: CR EC 11 GS2) [REVIEW: 99 AR AS CR4 MC MI SH]	A	5970		GS2	20-JAN-04
M	MS24576B NOT 4	INDICATOR, PRESSURE, OIL(CUST: 99) [REVIEW: GS]	A	6620		71	09-JAN-04
M	MIL-S-612B(1) NOT 2	STRONTIUM PEROXIDE(CUST: AR GS3) [REVIEW: MD1 TE]	A	6810		GS3	20-JAN-04
M	MIL-D-4540B(1) NOT 2	DIBROMODIFLUOROMETHANE, TECHNICAL(CUST: 68 GS3) [REVIEW: CR4]	A	6830		GS3	20-JAN-04

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	FF-B-185(4) NOT 2	BEARINGS, ROLLER, CYLINDRICAL; AND BEARINGS, ROLLER, SELF-ALIGNING (S/S BY A-A-55598, A-A-55599, A-A-55600, A-A-55601 AND A-A-55602)(CUST: AR MC 11) [REVIEW: AT CR4 MI OS]	A	3110	/	GS4	09-JAN-04
M	NEMA-MG7	MOTION/POSITION CONTROL MOTORS, CONTROLS, AND FEEDBACK DEVICES (NO S/S DOCUMENT)(CUST: AR SH 99) [REVIEW: 84]	A	34GP		GS6	16-JAN-04
M	AN116961THRUAN117000 REV 2 NOT 3	SCREW - OVAL FILLISTER DRILLED HEAD, .138-32 (S/S BY SAE-AS116961THRUAS117000)(CUST: AV AS 99) [REVIEW: MI]	A	5305		IS	13-JAN-04
M	MS9399 NOT 2	BOLT, TEE HEAD-AMS 6322, CHAMFERED, .3125-24 UNJF-3A, CADMIUM PLATE (S/S BY SAE-AS9399)(CUST: AS IS)	A	5306		IS	13-JAN-04
M	MS9400 NOT 2	BOLT, TEE HEAD AMS 6322, CHAMFERED, .375-24 UNJF-3A, CADMIUM PLATE (S/S BY SAE-AS9400)(CUST: AS IS)	A	5306		IS	13-JAN-04
M	MS9402 NOT 2	BOLT, TEE HEAD AMS 6322, CHAMFERED, .500-20 UNJF-3A, CADMIUM PLATE (S/S BY SAE-AS9402)(CUST: AS IS)	A	5306		IS	13-JAN-04
M	IEEE-C12.1	ELECTRICITY METERING (NO S/S DOCUMENT)(CUST: MI YD 99 CC) [REVIEW: 71 84]	A	6625		CC	17-DEC-03
M	IEEE-C12.4	MECHANICAL DEMAND REGISTERS (NO S/S DOCUMENT)(CUST: MI YD 99 CC) [REVIEW: 71 84]	A	6625		CC	17-DEC-03
M	IEEE-C12.10	METERS, ELECTROMECHANICAL WATTHOUR (NO S/S DOCUMENT)(CUST: MI YD 99 CC) [REVIEW: 71 84]	A	6625		CC	17-DEC-03
M	UL1437	ANALOG, ELECTRICAL, INSTRUMENTS - PANEL BOARD TYPES (NO S/S DOCUMENT)(CUST: MI YD 99 CC) [REVIEW: 71 84]	A	6625		CC	17-DEC-03
M	CCC-C-476H NOT 1	CLOTH, BUNTING, NYLON, AND NYLON AND WOOL (S/S BY A-A-59709)(CUST: GL NU 99 CT) [REVIEW: 11 IH MC OS SH]	A	8305	/	CT	09-JAN-04
M	DOD-S-85694 NOT 1	SPECTROMETRIC OIL STANDARDS (NO S/S DOCUMENT)(CUST: CR4 AS 68) [REVIEW: 11 AM AV GS]	A	9150		AS	12-DEC-03
M	MIL-P-83310 NOT 2	PLASTIC SHEET, POLYCARBONATE, TRANSPARENT (S/S BY SAE-AMS-P-83310)(CUST: 11) [REVIEW: 84]	A	9330		11	20-JAN-04