

# DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

---

## DODISS NOTICE

---

15 JULY 2003 / FOR PERIOD 1 JULY 2003 TO 14 JULY 2003 / VOL. 13/ NO. 03

### **ATTENTION**

The DODISS NOTICE is published on the 1<sup>st</sup> and 15<sup>th</sup> of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

**<http://dodssp.daps.mil/dodiss.htm>**

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at:

**<http://assist.daps.dla.mil>**

### **NOTE**

We are currently adding to our database additional information and documents related to International Standardization Documents. These documents listed in this notice have either an indicator of "N" (new), or "M" (modified).

"N" indicates that this is a new document that has been entered to our database.

"M" indicates that a modification has taken place to our database. This could be a revision to a document, a new amendment, a revised amendment or administrative information.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Acta	MCA	Prep. Acty	Date
N	MIL-DTL-32122	CARTRIDGE, CARTRIDGE ACTUATED JL42, JL43, JL44[CUST: OS]	A	1377		OS	30-JUN-03
M	MS21256G	CLIP, LOCKING, TURNBUCKLE[CUST: CR4 AS 99] [REVIEW: 71]	A	1560		GS5	11-JUL-03
M	MIL-DTL-43021F	BINDER, LOAD, CARGO TIE-DOWN, 10,000 POUND CAPACITY[CUST: GL2 99] [REVIEW: 11]	A	1670		GL2	30-JUN-03
M	MIL-DTL-44036A	TIEDOWN ASSEMBLY, CARGO, AERIAL DELIVERY, LOAD BINDER TYPE[CUST: GL2 99] [REVIEW: 11]	A	1670		GL2	30-JUN-03
M	A-A-58091B	TRAILER, TANK MOUNTED, RECOVERABLE AVIATION TURBINE FUEL (BOWSERS): 200, 400 AND 600 GALLON CAPACTY[CUST: 99]	A	2330	/	84	26-JUN-03
M	MIL-DTL-51194D	FILTER, PARTICULATE, 20 CFM, M19[CUST: EA]	A	4240		EA	08-JUL-03
M	QPL-13444-32	HOSE AND HOSE ASSEMBLIES, RUBBER: FUEL AND OIL	A	4720		CC	27-JUN-03
M	QPL-5070-23	ADAPTER, HOSE TO TUBE, PIPE AND FLANGE, REUSABLE - HYDRAULIC, FUEL AND OIL LINES, GENERAL SPECIFICATION FOR	A	4730		CC	26-JUN-03
N	A-A-59237	COMPOSITE REPAIR SET, AIRCRAFT (DUAL ZONE)[CUST: 99]	A	4920	/	84	13-JUN-03
N	A-A-59240	COMPOSITE REPAIR SET, AIRCRAFT (DUAL ZONE, CLASS 1 DIV 2)[CUST: 99]	A	4920	/	84	13-JUN-03
N	A-A-59268	COMPOSITE REPAIR SET, AIRCRAFT (SINGLE ZONE)[CUST: 84]	A	4920	/	84	13-JUN-03
N	A-A-59271	COMPOSITE REPAIR SET, AIRCRAFT (SINGLE ZONE, CLAS 1 DIV 2)[CUST: 99]	A	4920	/	84	13-JUN-03
M	MS75009H(1)	BRACKET ASSEMBLY, RESISTOR (POWER TYPE)[CUST: CR EC 11 CC] [REVIEW: AR AS MC OS]	A	5905		CC	07-JUL-03
M	QPL-26-151	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), GENERAL SPECIFICATION FOR	A	5905		CC	27-JUN-03
M	QPL-39007-92	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR	A	5905		CR	30-JUN-03
M	QPL-49470-13	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	27-JUN-03
M	QPL-55681-117	CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	26-JUN-03
M	MIL-PRF-8805/4N	SWITCHES, SENSITIVE, SPDT, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	25-JUN-03
M	MIL-PRF-8805/32H	SWITCHES, SENSITIVE, SPDT, 7 AMPERES, WATERTIGHT[CUST: CR EC 11 CC]	A	5930		CC	25-JUN-03
M	MIL-PRF-8805/55H	SWITCH, PUSH, MICROPHONE, DPST, NORMALLY OPEN, FOOT OPERATED, MOMENTARY, UNSEALED AND WATERTIGHT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	25-JUN-03
M	MIL-DTL-21604/1B	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 1 AMPERE, STYLES JF AND JFM[CUST: SH CC]	A	5930		CC	27-JUN-03
M	MIL-DTL-21604/2B	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 5 AMPERE, STYLE JK[CUST: SH CC]	A	5930		CC	27-JUN-03
M	MIL-DTL-21604/3C	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 5 AMPERE, STYLE JL[CUST: SH CC]	A	5930		CC	27-JUN-03
M	MIL-DTL-21604/4B	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 7.5 AMPERE, STYLE JM[CUST: SH CC]	A	5930		CC	27-JUN-03
M	MIL-DTL-21604/5B	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 10 AMPERE, STYLE JR[CUST: SH CC]	A	5930		CC	27-JUN-03
M	MIL-DTL-21604/7B	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 10 AMPERE, STYLES JR 304 AND JRM 300[CUST: SH CC]	A	5930		CC	27-JUN-03
M	MIL-PRF-39012D(4)	CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	10-JUL-03
M	MIL-PRF-55339B(4)	ADAPTERS, CONNECTORS, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	10-JUL-03
M	MIL-DTL-55181D	CONNECTORS, PLUG AND RECEPTACLE, INTERMEDIATE POWER (ELECTRICAL, WATERPROOF), TYPE MW, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	12-JUN-03
M	MIL-C-83517(6) SUP 1	CONNECTOR, COAXIAL, RADIO FREQUENCY FOR COAXIAL, STRIP OR MICROSTRIP TRANSMISSION LINE GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI SH]	A	5935		CC	10-JUL-03
M	QPL-38999-90	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR	A	5935		CC	07-JUL-03
M	QPL-83723-60	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR	A	5935		CC	30-JUN-03
N	SAE-AS85049/48	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-24308 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/49	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4B (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/50	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., CATEGORY 4C (FOR MIL-C-24308 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/51	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/52	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, STRAIGHT, CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/53	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, STRAIGHT, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/54	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45 DEG., CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/55	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/56	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
N	SAE-AS85049/57	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45 DEG., SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
N	SAE-AS85049/58	CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
N	SAE-AS85049/59	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R)[CUST: CR AS 11 CC] [REVIEW: 99]	A	5935		AR	19-JUN-03
N	SAE-AS85049/60	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI]	A	5935		AS	19-JUN-03

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
N	SAE-AS85049/61	CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (FOR MIL-C-27599 CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
N	SAE-AS85049/62	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-38999 SERIES I AND II CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
N	SAE-AS85049/63	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (MIL-C-38999 SERIES I AND II CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
N	SAE-AS85049/64	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, STRAIGHT, CATEGORY 4C (MIL-C-38999 SERIES I AND II CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/65	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, 90 DEG., CATEGORY 4C (MIL-C-38999 SERIES I AND II CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/69	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINKBOOT, CATEGORY 5, (MIL-C-38999 SERIES III AND IV CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
N	SAE-AS85049/74	CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7, (FOR USE WITH MIL-C-85049/61 POTTING BOOT RING)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
N	SAE-AS85049/75	CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7, (FOR USE WITH MIL-C-85049/58 POTTING BOOT RING)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
N	SAE-AS85049/76	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/77	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/78	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/79	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 2B NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI]	A	5935		AS	19-JUN-03
N	SAE-AS85049/80	CONNECTOR ACCESSORIES, ELECTRICAL, DUMMY CONTACT, SIZES 12 AND 8, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99]	A	5935		AS	19-JUN-03
N	SAE-AS85049/81	CONNECTOR ACCESSORIES, ELECTRICAL, SEAL PLUG, SIZE 10, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99]	A	5935		AS	19-JUN-03
N	SAE-AS85049/82	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/83	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/84	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/85	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/86	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/87	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/88	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI) SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/89	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 45 DEGREES, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI) SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/90	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEGREES, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI) SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/91	CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/92	CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, 90 DEGREES, SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/93	CONNECTOR ACCESSORIES, ELECTRICAL, TERMINATION, SHIELD SPLIT SUPPORT RING, COMPOSITE, NONENVIRONMENTAL, STRAIGHT, CATEGORY 7(CUST: CR AS 11 CC) [REVIEW: 19 99 AR EC MC MI OS]	A	5935		AS	19-JUN-03
N	SAE-AS85049/94	CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, FULL MOUNTING PERIMETER DEVICE, TYPE I (HEAVY DUTY)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
N	SAE-AS85049/95	CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, 3/4 MOUNTING PERIMETER DEVICE, TYPE II (MEDIUM DUTY)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
N	SAE-AS85049/96	CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, 1/4 MOUNTING PERIMETER DEVICE, TYPE III (LIGHT DUTY)(CUST: CR AS 11 CC) [REVIEW: 99 AR EC MI SH]	A	5935		AS	19-JUN-03
M	QPL-6106-66	RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR	A	5945		CC	30-JUN-03
N	A-A-59235	COIL, RF, CHIP, FIXED, POWER, MAGNETICALLY SHIELDED, SURFACE MOUNT(CUST: EC)	A	5950	/	CC	03-JUN-03
M	MIL-PRF-19500/463F	SEMICONDUCTOR DEVICE, DIODE, SILICON, CURRENT REGULATOR, TYPES 1N5283-1 THROUGH 1N5314-1, AND 1N5283UR-1 THROUGH 1N5314UR-1 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC(CUST: CR EC 11 CC NA) [REVIEW: 19 99 AR AS MC MI SH]	A	5961		CC	24-JUN-03
M	QML-38534-45	HYBRID MICROCIRCUITS, GENERAL REQUIREMENTS FOR	A	5962		CC	30-JUN-03
M	A-A-50563A	CONDUIT OUTLET BOXES, BODIES, AND ENTRANCE CAPS, ELECTRICAL: CAST METAL(CUST: 99)	A	5975	/	GS2	26-JUN-03
M	QPL-39030-25	DUMMY LOADS, ELECTRICAL, COAXIAL AND STRIPLINE, GENERAL SPECIFICATION FOR	A	5985		CC	09-JUL-03
M	A-A-59590/1A	HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .225 X .260 INCH BODY SIZE, WITH LEVER ACTION LOCKING(CUST: CR EC 11 CC)	A	5998	/	CC	05-JUL-03
M	MIL-DTL-3702C(1)	CABLE, POWER, ELECTRICAL: IGNITION, HIGH-TENSION(CUST: AT AS 11 CC) [REVIEW: AV CR EA MC]	A	6145		CC	03-JUL-03
M	MIL-DTL-13486D(1) SUP 1	CABLES, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR AND MULTIPLE CONDUCTOR, SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR(CUST: AT SH 11 CC) [REVIEW: 71 99 CR EA]	A	6145		CC	03-JUL-03
M	MIL-C-28830C(1) SUP 1 NOT 1	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, GENERAL SPECIFICATION FOR(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC SH]	A	6145		CC	10-JUL-03

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-13486-25	CABLES, SPECIAL PURPOSE, ELECTRICAL; LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR AND MULTIPLE CONDUCTOR, SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR	A	6145		CC	07-JUL-03
M	A-A-59283A	TEST SET, TRANSMISSION LINE[CUST: 99]	A	6625	/	84	01-JUL-03
M	A-A-50226B	SHAKING MACHINE, TESTING SIEVE, LABORATORY, PORTABLE, HAND-OPERATED, CAPACITY 6 FULL-HEIGHT OR 13 HALF-HEIGHT, 8-INCH STANDARD SIEVES[CUST: CE3 GS] [REVIEW: GL]	A	6635	/	CE3	30-JUN-03
M	A-A-52006B	PLOTTER, DIGITAL[CUST: CE3 YD GS]	A	6675	/	CE3	30-JUN-03
M	MIL-DTL-11751F(1)	POTASSIUM HYDROXIDE SOLUTION[CUST: EA 68 GS3] [REVIEW: MD1]	A	6810		GS3	26-JUN-03
M	A-A-59342 NOT 1	ETHYL ALCOHOL (FOR ORDNANCE USE)[CUST: AR OS] [REVIEW: AV EA GS]	A	6810	/	AR	03-JUL-03
N	MIL-PRF-32046	RATION HEATING UNIT, FIELD FEEDING[CUST: GL MC 99] [REVIEW: 84 IS MD1 QM1]	A	7310		GL	01-JUL-03
M	A-A-50225B	CALCULATING MACHINE, HAND-HELD (PROGRAMMABLE)[CUST: CE3 YD] [REVIEW: MC]	A	7420	/	CE3	30-JUN-03
M	MIL-PRF-24635C	ENAMEL, SILICONE ALKYD COPOLYMER[CUST: MI SH 99] [REVIEW: 84 AS CG MR]	A	8010		SH	06-JUN-03
M	A-A-3132A	COATING SYSTEM: EPOXY PRIMER/URETHANE TOPCOAT FOR MINIMALLY PREPARED ATMOSPHERIC STEEL[CUST: CE3 99] [REVIEW: 71 IS]	A	8010	/	CE3	13-JUN-03
M	QPL-85285-7(1)	COATING: POLYURETHANE, AIRCRAFT AND SUPPORT EQUIPMENT	A	8010		AS	07-JUL-03
M	QPL-16173-82	CORROSION PREVENTIVE COMPOUND, SOLVENT CUTBACK, COLD-APPLICATION	A	8030		SH	03-JUL-03
N	A-A-59272	CONTAINER, CARGO END AND SIDE OPENING[CUST: AT AS 99] [REVIEW: 03 11 CG FGI IS MT SA SM]	A	8115	/	AT	18-JUN-03
M	MIL-B-3461G(16)	BUTTON, INSIGNIA, METAL, UNIFORM AND CAP[CUST: IH] [REVIEW: CT]	A	8455		IH	24-JUN-03
M	QPL-32014-2	GREASE, WATER RESISTANT, HIGH SPEED, AIRCRAFT AND MISSILE	A	9150		11	27-JUN-03
M	SD-4	STATUS OF STANDARDIZATION PROJECTS[CUST: AM NM 01 DH SO]	A	SDMP		SO	30-JUN-03

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-M-63221A(1) NOT 2	MORTAR, 60MM: M224 (WITHOUT M64 SIGHT UNIT)(CUST: AR 99) [REVIEW: 84 CC]	A	1010		AR	03-JUL-03
M	MS35465E NOT 2	CUTTING EDGE, MOLDBOARD, GRADER(CUST: AT 99) [REVIEW: 84 MC YD]	A	3830		IS	03-JUL-03
M	MIL-DTL-52011G	FILTER, PARTICULATE, 12 CFM, M13(CUST: EA)	A	4240		EA	08-JUL-03
M	MS9123A(1) NOT 1	SCREW, MACHINE, SLOTTED HEX HEAD, 250-28(CUST: MI AS)	A	5305		IS	08-JUL-03
M	MS9439A(1) NOT 1	SCREW, MACHINE-STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .164-36 UNJF-3A(CUST: AS 11)	A	5305		IS	08-JUL-03
M	MS9287A(1) NOT 1	BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .4375-20 UNJF-3A(CUST: AS IS)	A	5306		IS	08-JUL-03
M	MS9298A(1) NOT 1	BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED 1 HOLE, HEXAGON HEAD, .4375-20 UNJF-3A(CUST: AS IS)	A	5306		IS	08-JUL-03
M	MS9443(1) NOT 1	BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .375-24 UNJF-3A(CUST: AS IS)	A	5306		IS	08-JUL-03
M	MS9445(1) NOT 1	BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .500-20 UNJF-3A(CUST: AS IS)	A	5306		IS	08-JUL-03
M	MS9446(1) NOT 1	BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .5625-18 UNJF-3A(CUST: AS IS)	A	5306		IS	08-JUL-03
M	MS9447(1) NOT 1	BOLT, MACHINE-STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM, PLATED, HEXAGON HEAD, DRILLED, .625-18 UNJF-3A(CUST: AS IS)	A	5306		IS	08-JUL-03
M	MIL-DTL-21604/6B	SWITCH, ASSEMBLIES FOR REMOTE OPERATED SWITCHES, 10 AMPERE, STYLES RJR AND RJRA(CUST: SH CC)	A	5930		CC	27-JUN-03
M	MS3114K	CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, SOLDER TYPE, JAM NUT MOUNTING, BAYONET COUPLING, CLASSES E, F, H, AND P(CUST: CR AS 11 CC) [REVIEW: 99 AR AV EC SH]	A	5935		CC	06-JUN-03
M	MS3120F	CONNECTORS, RECEPTACLE, ELECTRICAL, CRIMP TYPE, WALL MOUNTING, FLANGE, NO 4 HOLES, BAYONET COUPLING CLASSES E, F AND P(CUST: CR 11 CC) [REVIEW: CR4 MI]	A	5935		CC	06-JUN-03
M	MS3121C	CONNECTORS, PLUG, ELECTRICAL, CRIMP TYPE, CABLE-CONNECTING, BAYONET COUPLING, CLASSES E, F AND P(CUST: CR 11 CC) [REVIEW: CR4 MI]	A	5935		CC	06-JUN-03
M	MS3124E	CONNECTORS, RECEPTACLE ELECTRIC, CRIMP TYPE, REAR MOUNTING, JAM NUT, BAYONET COUPLING, CLASSES E, F AND P(CUST: CR 11 CC) [REVIEW: AR MI]	A	5935		CC	06-JUN-03
M	MS3126F	CONNECTORS, PLUG, ELECTRICAL, CRIMP TYPE, STRAIGHT, BAYONET COUPLING(CUST: CR 11 CC) [REVIEW: AR MI SH]	A	5935		CC	06-JUN-03
M	MS3127K	CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, CRIMP TYPE, BOX MOUNTING, FLANGE, NO. 4/6 HOLES, BAYONET COUPLING(CUST: CR AS 11 CC) [REVIEW: 99 AV EC MI SH]	A	5935		CC	06-JUN-03
M	MS3128J	CONNECTOR, RECEPTACLE, ELECTRICAL, CRIMP TYPE, WALL MOUNTING, NO 4/6 HOLES, BAYONET COUPLING, CLASSES E, F AND P(CUST: CR AS 11 CC) [REVIEW: 99 MI]	A	5935		CC	06-JUN-03
M	QPL-26482-88	CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR	A	5935		CC	30-JUN-03
M	QPL-26500-65	CONNECTORS, GENERAL PURPOSE, ELECTRICAL, MINIATURE, CIRCULAR, ENVIRONMENT RESISTING, GENERAL SPECIFICATION FOR	A	5935		CC	30-JUN-03
M	MIL-PRF-19500/199B	SEMICONDUCTOR DEVICE, DIODE, SILICON, FORWARD-VOLTAGE REGULATOR, TYPE JAN1N816(CUST: CR EC 11 CC) [REVIEW: 19 70 99 AR AS AV MC MI OS SH SM]	A	5961		CC	08-JUL-03
M	MIL-M-38510/23D	MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, NAND GATES MONOLITHIC SILICON(CUST: CR EC 11 CC NA) [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	11-JUL-03
M	MIL-M-38510/314C	MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY, TTL, MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON(CUST: CR EC 11 CC) [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	14-JUL-03
M	MIL-M-38510/316E	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, CASCADABLE LATCHES, MONOLITHIC SILICON(CUST: CR EC 11 CC) [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	14-JUL-03
M	MIL-M-38510/319C	MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, 4 BY 4 REGISTER FILE, CASCADABLE, MONOLITHIC SILICON(CUST: CR EC 11 CC) [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	14-JUL-03
M	MIL-M-38510/320D	MICROCIRCUITS, DIGITAL, BIPOLAR LOW-POWER SCHOTTKY TTL, COUNTERS, CASCADABLE, MONOLITHIC SILICON(CUST: CR EC 11 CC) [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	14-JUL-03
M	MIL-M-38510/321C	MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, BUFFERS/DRIVERS, OPEN COLLECTOR OUTPUT, HIGH VOLTAGE, MONOLITHIC SILICON(CUST: CR EC 11 CC) [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	14-JUL-03
M	MIL-M-38510/322C	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, HEX BUS DRIVERS WITH 3 STATE OUTPUTS, MONOLITHIC SILICON(CUST: CR EC 11 CC) [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	14-JUL-03
M	MIL-M-38510/323D	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, QUADRUPLE BUS BUFFER GATES WITH THREE STATE OUTPUTS, MONOLITHIC SILICON(CUST: CR EC 11 CC) [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	14-JUL-03
M	MIL-A-22641/17A NOT 3	ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 3 - 7/8 INCH) TYPES UG-405/U, UG-522/U, UG-1622/U AND UG-1663/U(CUST: CR EC 11 CC) [REVIEW: 99 AS AV MC MI]	A	5985		CC	03-JUL-03
M	MIL-A-22641/18 NOT 3	ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 2 - 5/8 INCH), TYPES UG-403/U, UG-404/U, UG-445/U, UG-520/U, UG-521/U, UG-523/U, UG-1647/U THRU UG-1652/U(CUST: CR EC 11 CC) [REVIEW: 99 AS AV MC MI]	A	5985		CC	03-JUL-03
M	MIL-A-22641/19 NOT 2	ADAPTER, COAXIAL TO WAVEGUIDE (TNC TO WAVEGUIDE - CLASS 4)(CUST: CR EC 11 CC) [REVIEW: 99 AS MC MI OS]	A	5985		CC	03-JUL-03
M	MIL-A-22641/22 NOT 2	ADAPTER, COAXIAL TO WAVEGUIDE (DOUBLE RIDGE) (BANDWIDTH RATIO 2.4 1) (SERIES SMA TO WAVEGUIDE - CLASS 5)(CUST: CR EC 11 CC) [REVIEW: 99 AR AS AV MC MI OS]	A	5985		CC	03-JUL-03
M	MIL-W-23351/4B NOT 2	WAVEGUIDE, DOUBLE RIDGED (BANDWIDTH RATIO 2.4.1)(CUST: CR EC 11 CC) [REVIEW: 19 99 AR AS MC OS SH]	A	5985		CC	03-JUL-03
M	MIL-F-39000/3B(1) NOT 2	FLANGES, WAVEGUIDE, DOUBLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 2.4 TO 1)(CUST: CR EC 11 CC) [REVIEW: 19 99 AR AS AV CG MC OS]	A	5985		CC	03-JUL-03
M	MIL-DTL-13074B	WIRE, ELECTRICAL, ANTENNA, (WIRE W-27 AND WIRE WS-19( )/U)(CUST: CR CC)	A	6145		CC	27-JUN-03
M	MIL-C-13777G(3) SUP 1 NOT 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, GENERAL SPECIFICATION FOR(CUST: AR AS 11 CC) [REVIEW: AT CR CR4 EC MC MI]	A	6145		CC	03-JUL-03
M	MIL-HDBK-335 NOT 3	MANAGEMENT AND DESIGN GUIDANCE ELECTROMAGNETIC RADIATION HARDNESS FOR AIR LAUNCHED ORDNANCE SYSTEMS(CUST: 11)	A	EMCS		11	14-JUL-03

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-I-3930E(1) SUP 1A NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)(CUST: CR 11)(REVIEW: AR YD)	A	5970		GS2	26-JUN-03
M	MIL-I-3930/6 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES) INSULATING COMPOUND, TYPE II-S-MEDIUM-LOW TEMPERATURE INSULATING AND JACKETING, STYRENE-BUTADIENE RUBBER (SBR) (NO S/S DOCUMENT)(CUST: CR 11 GS2)(REVIEW: AR)	A	5970		GS2	26-JUN-03
M	MIL-I-3930/8 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND TYPE II-RN-LOW TEMPERATURE, LAYER OF NATURAL RUBBER LATEX AND A COLOR-CODED OUTER LAYER OF CHLOROPRENE RUBBER (CR) LATEX BONDED TOGETHER (NO S/S DOCUMENT)(CUST: CR 11 GS2)(REVIEW: AR)	A	5970		GS2	26-JUN-03
M	MIL-I-3930/9 NOT 2	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE IH-LOW TEMPERATURE, HEAT AND OZONE RESISTANT, ETHYLENE-PROPYLENE RUBBER (EPM) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EPDM) (NO S/S DOCUMENT)(CUST: CR 11 GS2)(REVIEW: AR)	A	5970		GS2	26-JUN-03
M	MIL-I-3930/10 NOT 2	MILITARY SPECIFICATION SHEET INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE II-H-LOW TEMPERATURE, HEAT AND WEATHER RESISTANT, INSULATING AND JACKETING, ETHYLENE-PROPYLENE RUBBER (EPM) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EPDM) (NO S/S DOCUMENT)(CUST: CR 11 GS2)(REVIEW: AR IS)	A	5970		GS2	26-JUN-03
M	MIL-F-39000/1B NOT 2	FLANGES, WAVEGUIDE, SINGLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 2.4 TO 1) (NO S/S DOCUMENT)(CUST: CR EC 11 CC)(REVIEW: 19 99 AR AS AV CG MC OS)	A	5985		CC	02-JUL-03
M	QPL-16392-41 NOT 1	BRAKES, MAGNET, NAVAL SHIPBOARD	A	6110		GS2	26-JUN-03
M	CC-G-2745 NOT 1	GENERATOR SETS, DIESEL ENGINE, ALTERNATING CURRENT, FOR FACILITIES CONSTRUCTION; 10 KW THROUGH 1000 KW (NOT STOCKED) (NO S/S DOCUMENT)(CUST: YD)	A	6115	/	GS2	26-JUN-03
M	MIL-B-83769D(1) SUP 1 NOT 2	BATTERIES, STORAGE, LEAD-ACID GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)(CUST: CR AS 99 GS2)(REVIEW: 11 71 AV)	A	6140		GS2	26-JUN-03
M	MIL-B-83769/4C NOT 2	BATTERY, STORAGE, LEAD ACID (S/S BY MIL-B-8565/9)(CUST: CR AS 99)(REVIEW: 11 71 AV)	A	6140		GS2	26-JUN-03
M	MIL-B-83769/6C NOT 2	BATTERY, STORAGE, LEAD ACID (S/S BY MIL-PRF-8565/5B)(CUST: CR 99)(REVIEW: 11 71 AV)	A	6140		GS2	26-JUN-03
M	MIL-B-83769/7A NOT 2	BATTERIES, STORAGE, THREADED-POST-CONNECTED, LEAD-ACID (NO S/S DOCUMENT)	A	6140		GS2	26-JUN-03
M	QPL-83769-5 NOT 2	BATTERIES, STORAGE, LEAD ACID, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)	A	6140		GS2	26-JUN-03
M	ASTM-D2801	PAINTS BY DRAWN-DOWN METHOD, STANDARD TEST METHOD FOR LEVELING CHARACTERISTICS OF (NO S/S DOCUMENT)(CUST: MR SH 99)(REVIEW: AS CR4 YD)	A	8010		MR	27-JUN-03
M	ASTM-D3355	FIBER CONTENT OF UNIDIRECTIONAL FIBER-RESIN COMPOSITES BY ELECTRICAL RESISTIVITY, STANDARD TEST METHOD FOR (NO S/S DOCUMENT)(CUST: MR)(REVIEW: AS AV EC GL GS MI SM)	A	CMPS		MR	26-JUN-03
M	MIL-HDBK-248B NOT 1	ACQUISITION STREAMLINING (NO S/S DOCUMENT)(CUST: MI AS 11 DH)(REVIEW: 01 02 04 05 06 10 13 16 19 22 33 40 50 51 68 70 80 82 84 93 94 99 AL AM AR AT AV CC CD CE CG CR CT DA DM DP EA EC GL GS IS LS MC MR MS NC ND NI NM NP NU OS PE PS PT QM SA SH SM SS SY TD TE TM YD)	A	MISC		AS	31-JUL-03