DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

DODISS NOTICE

1 JULY 1999 / FOR PERIOD 15 JUNE 1999 TO 30 JUNE 1999 / VOL. 12/ NO. 99

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Defense Automated Printing Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated below. DOD documents will not be available for 45 days and non-Government Standards for 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

A digital version of this document in portable document format (PDF) is available at the DODSSP website on the DODISS Notice page: http://www.dodssp.daps.mil/dodiss.htm

List	Action	Document Number	Document Title	Distribution	FSC/Area	MCA	Prep. Activ.	Date
	M	MIL-HDBK-5H	METALLIC MATERIALS AND ELEMENTS FOR AEROSPACE VEHICLE STRUCTURES [CUST: AV AS 11] [REVIEW: 80 82 84 99 CG CR4 MI]	A	1560		11	01-DEC-98
	M	A-A-51126B	ANODES, CADMIUM [CUST: SH 99 GS] [REVIEW: 84 OS]	A	3426	/	GS	27-MAY-99
	M	UL710-95	EXHAUST HOODS FOR COMMERCIAL COOKING EQUIPMENT [CUST: YD2]	A	4140		YD2	28-DEC-95
	M	UL19-95	LINED FIRE HOSE AND HOSE ASSEMBLIES [CUST: CR4 YD2] [REVIEW: CC]	A	4210		YD2	15-DEC-95
	M	UL33-93	HEAT RESPONSIVE LINKS, FIRE,PROTECTION SERVICE [CUST: CR4 YD2 99]	A	4210		YD2	18 OCT 93
	M	UL778-96	PUMPS, WATER, MOTOR-OPERATED [CUST: CR4 YD2 99] [REVIEW: 84 CC SH]	A	4320		YD2	26-APR-96
	M	UL726-95	OIL-FIRED BOILER ASSEMBLIES [CUST: YD2 99] [REVIEW: 84 CE MC]	A	4410		YD2	30-NOV-95
	M	SAE-AS4854	ELBOW, 90 DEG., PIPE, INTERNAL AND EXTERNAL THREAD [CUST: 99 CC] [REVIEW: 82]	A	4730		CC	JUL-95
	M	SAE-AS4855	ELBOW, 45 DEG., PIPE, INTERNAL AND EXTERNAL THREAD [CUST: AV 99 CC] [REVIEW: 82]	A	4730		CC	JUL-95
	M	SAE-AS4856	ELBOW, 90 DEG., PIPE, INTERNAL THREAD [CUST: 99 CC] [REVIEW: 82]	A	4730		CC	JUL-95
	M	SAE-AS4857	TEE, PIPE, INTERNAL THREAD [CUST: MI 99 CC] [REVIEW: 82]	A	4730		CC	JUL-95
	M	SAE-AS4858	CROSS, PIPE, INTERNAL THREAD [CUST: AV 99 CC] [REVIEW: 82]	A	4730		CC	JUL-95
	M	SAE-AS4859	COUPLING, PIPE, INTERNAL THREAD [CUST: AV AS 99 CC] [REVIEW: 82 MI]	A	4730		CC	JUL-95
	M	SAE-AS4860	NIPPLE, PIPE, EXTERNAL THREAD [CUST: 99 CC] [REVIEW: 82]	A	4730		CC	JUL-95
	M	SAE-AS4861	BUSHING, PIPE, INTERNAL AND EXTERNAL THREAD [CUST: AV 99 CC] [REVIEW: 82]	A	4730		CC	JUL-95
	M	SAE-AS4862	PLUG, PIPE, EXTERNAL THREAD, HEX HEAD [CUST: 99 CC] [REVIEW: 82]	A	4730		CC	JUL-95
	M	UL45-91	TOOLS, PORTABLE ELECTRIC [CUST: GL YD2 99] [REVIEW: 84 SH]	A	5130		YD2	1-OCT-91
	N	SAE-AS9112	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS5731, .3125-24 UNJF-3A [CUST: AS IS]	A	5306		IS	NOV-98
	N	NASM21044	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 DEG. F, 125 KSI FTU AND 60 KSI FTU [CUST: AR AS 99 IS]	A	5310		IS	OCT-98
	N	NASM21059	NUT - SELF LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT STEEL, 125 KSI FTU 450 DEG. F [CUST: AV AS 11 IS]	A	5310		IS	OCT-98
	N	NASM21079	NUT, SELF-LOCKING, GANG CHANNEL, NON-METALLIC INSERT, 125 KSI FTU, 250 DEG. F [CUST: AV AS 99 IS]	A	5310		IS	OCT-98
	N	NASM21086	NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 11 IS]	A	5310		IS	OCT-98
	M	UL9-94	WINDOW ASSEMBLIES, FIRE TEST OF [CUST: YD2 11] [REVIEW: 84 99 IS]	A	5670		YD2	20-OCT-94
	M	UL10B-93	DOOR ASSEMBLIES, FIRE TESTS OF [CUST: YD2 11] [REVIEW: 84 99 IS]	A	5670		YD2	26-JUL-93
	M	MIL-PRF-83530/1B	RESISTORS, VOLTAGE SENSITIVE (VARISTORS) STYLE RVS10 [CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	04-JUN-99
	M	MIL-PRF-81D SUP 1	CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	25-MAY-99
	M	MIL-PRF-81/1C	CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV11 [CUST: CR EC 11 CC] [REVIEW: 19 AR MI]	A	5910		CC	25-MAY-99
	M	MIL-PRF-81/4D	CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLES CV31 AND CV32 [CUST: CR EC 11 CC] [REVIEW: 19]	A	5910		CC	25-MAY-99
	M	MIL-PRF-81/5C	CAPACITORS, VARIABLE, CERAMIC, DIELECTRIC, STYLE CV34 [CUST: CR EC 11 CC] [REVIEW: 19]	A	5910		CC	25-MAY-99
	M	MIL-PRF-81/6D	CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLES CV35 AND CV36 [CUST: 11 CC] [REVIEW: 19]	A	5910		CC	25-MAY-99
	M	MIL-PRF-81/8A	CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV42 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR MC MI]	A	5910		CC	25-MAY-99
	M	MIL-PRF-81/9C	CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV98 [CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5910		CC	25-MAY-99
	M	MIL-PRF-81/10C	CAPACITORS, VARIABLE, CERAMIC DIELECTRIC STYLE CV99 [CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5910		CC	25-MAY-99
	M	MIL-PRF-19978G SUP 1	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL, CERAMIC, OR GLASS CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 19 99 MC]	A	5910		CC	27-MAY-99
	M	MIL-PRF-19978/1E	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL CASES), STYLES CQ08, CQ09, CQ12, AND CQ13 [CUST: CR EC 11 CC] [REVIEW: 19 99 MC]	A	5910		CC	27-MAY-99
	M	MIL-PRF-19978/2D	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC (HERMETICALLY SEALED IN CERAMIC OR GLASS CASES) STYLE CQ20 [CUST: CR EC 11] [REVIEW: 19 99 MC]	A	5910		CC	27-MAY-99
	M	MIL-PRF-19978/3F	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL CASES), STYLE CQ72 [CUST: CR EC 11] [REVIEW: 19 99 MC]	A	5910		CC	27-MAY-99
	M	MIL-PRF-19978/5B	CAPACITORS, FIXED, PLASTIC DIELECTRIC (HERMETICALLY SEALED IN METAL CASES), STYLES CQ06 AND CQ07 [CUST: CR EC 11] [REVIEW: 19 99 MC]	A	5910		CC	27-MAY-99
	M	MIL-PRF-19978/8A	CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR07 [CUST: CR EC 11] [REVIEW: 19 99 MC]	A	5910		CC	29-MAY-99
	M	MIL-PRF-19978/9C	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR09 [CUST: CR EC 11] [REVIEW: 19 99 MC]	A	5910		CC	27-MAY-99
	M	MIL-PRF-19978/10A	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY STYLE CQR12 [CUST: CR EC 11] [REVIEW: 19 99 MC]	A	5910		CC	27-MAY-99
	M	MIL-PRF-19978/11A	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR13 [CUST: CR EC 11] [REVIEW: 19 99 MC]	A	5910		CC	27-MAY-99
	M	MIL-PRF-19978/13A	CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR29 [CUST: CR EC 11] [REVIEW: 19 99 MC]	A	5910		CC	27-MAY-99
	M	MIL-PRF-19978/14A	CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR32 [CUST: CR EC 11] [REVIEW: 19 99 MC]	A	5910		CC	27-MAY-99
	M	MIL-PRF-19978/15A	CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR33 [CUST: CR EC 11] [REVIEW: 19 99 MC]	A	5910		CC	27-MAY-99
	M	MIL-PRF-83383/1D	CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE, SERIES TRIP, SINGLE POLE, (5 TO 100 AMPERES) [CUST: CR AS 11 CC] [REVIEW: 99 AT AV CR4]	A	5925		CC	28-MAY-99
	M	QPL-12285-11	SWITCH, THERMOSTATIC	A	5930		CC	20-MAY-99
	M	UL20-95	SWITCHES, SNAP, GENERAL USE [CUST: CR4 YD2 11] [REVIEW: 80 AT SH]	A	5930		YD2	25 MAY 95
	M	MIL-PRF-83726/21E	RELAY, SOLID STATE, TIME DELAY (ON OPERATE), TYPE I, CLASS C, SPST, 250 MILLIAMPERES, VARIABLE TIME, .05 TO 500 SECONDS [CUST: 11 CC] [REVIEW: 19]	A	5945		CC	15-JUN-99
	M	MIL-PRF-19500/168E(1)	SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS) SILICON TYPES 2N1771A, 2N1772A, 2N1774A, 2N1776A, 2N1777A, JAN, JANTX, AND JANTXV [CUST: CR EC 11 CC] [REVIEW: 19 99 AV MI]	A	5961		CC	06-MAY-99
	M	MIL-PRF-19500/587A(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N6661, 1N6662, 1N6663, 1N6661US, 1N6662US, AND 1N6663US JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI SM]	A	5961		CC	06-MAY-99

List Action	Document Number	Document Title	Distribution	FSC/Area	MCA	Prep. Activ.	Date
M	MIL-PRF-19500/612A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER, TYPE 2N7372, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR AS CG MC MI SM]	A	5961		CC	14-MAY-99
M	MIL-PRF-19500/613A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPE 2N7373, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR AS CG MC MI SM]	A	5961		CC	14-MAY-99
M	UL1-93	FLEXIBLE METAL CONDUIT [CUST: CR YD2 99] [REVIEW: 11 CR4 GS]	A	5975		YD2	30-JUL-93
M	UL3-94	WIRING, ELECTRIC, FLEXIBLE NONMETALLIC TUBING FOR, [CUST: CR4 11] [REVIEW: 99 EC GS MC]	A	5975		CR4	28-NOV-94
M	UL5-95	METAL, SURFACE, RACEWAYS AND FITTINGS [CUST: CR YD2 11] [REVIEW: 99 CR4 GS SH]	A	5975		YD2	24-MAY-95
M	UL6-93	CONDUIT, RIGID METAL [CUST: CR YD2 11] [REVIEW: 99 CE CR4 GS MC]	A	5975		YD2	31-MAR-93
M	UL50-95	ENCLOSURES FOR ELECTRICAL EQUIPMENT [CUST: CR4 YD2 99] [REVIEW: 80 CR GS]	A	5975		YD2	19-OCT-95
M	UL4-96	CABLE ARMORED [CUST: YD2 11] [REVIEW: 99 IS]	A	6145		YD2	30-JAN-96
M	QPL-7974-38	CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIRCRAFT, GENERAL SPECIFICATION FOR	A	6150		AS	19-FEB-99
M	UL783-93	ELECTRONIC FLASHLIGHTS FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS [CUST: 99 IS] [REVIEW: CG CR]	A	6230		IS	28-JUL-93
M	A-A-59407A	TEST SET GROUP, RADIO [CUST: 99]	A	6625	/	82	14-MAY-99
M	MIL-M-70605(1) NOT 2	2,2' - METHYLENEBIS (4-METHYL-6-TERT-BUTYLPHENOL) [CUST: AR]	A	6810		AR	21-MAY-99
M	UL197-93	COMMERCIAL ELECTRIC COOKING APPLIANCES [CUST: GL YD2 99] [REVIEW: CE MC MD SA]	A	7310		GL	1-JUN-93
M	UL858-93	HOUSEHOLD ELECTRIC RANGES [CUST: GL YD2 99] [REVIEW: MD]	A	7310		GL	1-SEP-93
M	MIL-DTL-24441C SUP 1	PAINT, EPOXY-POLYAMIDE, GENERAL SPECIFICATION FOR [CUST: SH]	A	8010		SH	19-MAY-99
M	QPL-10924-35	GREASE, AUTOMOTIVE AND ARTILLERY	A	9150		AT	30-MAR-99
N	QPL-53131-1	LUBRICATING OIL, PRECISION ROLLING ELEMENT BEARING, POLYALPHOLEFIN BASED	A	9150		AT	30-MAR-99
M	MIL-B-20467A NOT 3	BOXBOARD (FOR USE IN AMMUNITION) [CUST: AR]	A	9310		AR	18-MAY-99
M	MIL-HDBK-1003/7(1)	STEAM POWER PLANTS - FOSSIL FUELED [CUST: YD2]	A	FACR		YD2	15-MAY-99
M	MIL-HDBK-1005/13(2)	HAZARDOUS WASTE STORAGE FACILITIES [CUST: YD2]	A	FACR		YD2	15-MAY-99
M	MIL-HDBK-1032/2(1)	COVERED STORAGE [CUST: YD2]	A	FACR		YD2	15-MAY-99
M	MIL-HDBK-1040(1)	BASIC GUIDELINES FOR CHEMICAL WARFARE HARDENING OF NEW MILITARY FACILITIES [CUST: CE YD2 04]	A	FACR		YD2	15-MAY-99
M	MIL-STD-6011B	TACTICAL DIGITAL INFORMATION LINK (TADIL) A/B MESSAGE STANDARD [CUST: CR OM 02 DC] [REVIEW: 93 MC MI NS]	D	INST		DC	30-APR-99
N	MIL-HDBK-2361	DIGITAL PUBLICATIONS DEVELOPMENT IMPLEMENTATION GUIDE [CUST: AC1] [REVIEW: AC2 AL AR AT AV CR CR4 GL MI MR SCS SM TE TM]	A	IPSC		AC1	20-MAY-99
M	AIR-STD-20/34 NOT 1	ENVIRONMENTAL TEST METHODS FOR AIRCRAFT STORES	A	ISDF		06	08-SEP-98
N	AIR-STD-20/35	RAIL LAUNCHED MISSILE/LAUNCHER MECHANICAL INTERFACE	A	ISDF		06	08-SEP-98
M	STANAG-1245 ED.2(2)	40 MM/L60 GUN AMMUNITION INTERCHANGEABLE WITHIN NTO NAVAL FORCES (ED 2) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731, WASHINGTON DC 20350-2000)	D	ISDN		NI	18-MAY-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Actv.	Date
M	QPL-14055-11 NOT 1	CUP, HYDRAULIC BRAKE ACTUATING CYLINDER, SYNTHETIC RUBBER, GENERAL SPECIFICATION FOR	A 2530		CC	19-MAY-99
M	MIL-H-82127A(4) NOT 1	HOSE ASSEMBLY, RUBBER (SYNTHETIC), FUEL, DISCHARGE, COLLAPSIBLE [CUST: MC]	A 4720		MC	05-APR-99
M	MIL-F-82129B(1) NOT 2	FUEL SYSTEM, AMPHIBIOUS ASSULT AND TACTICAL AIRFIELD DISPENSING, GENERAL SPECIFICATION FOR [CUST: MC]	A 4930		MC	30-APR-99
M	MIL-F-82165B(1) NOT 1	FUEL MONITORS, FRAME MOUNTED 100- & 350- GALLON PER MINUTE CAPACITIES [CUST: MC]	A 4930		MC	30-APR-99
M	MIL-M-82180A NOT 1	METER ASSEMBLY, SKID MOUNTED, PETROLEUM FUELS [CUST: MC]	A 4930		MC	30-APR-99
M	MIL-S-82183A NOT 2	STRAINER ASSEMBLY, PETROLEUM FUELS, 6 INCH, FRAME MOUNTED, 600 GALLONS PER MINUTE [CUST: MC]	A 4930		MC	30-APR-99
M	MIL-R-82184A NOT 2	REGULATOR ASSEMBLY, SKID MOUNTED, 6-INCH [CUST: MC]	A 4930		MC	30-APR-99
M	MIL-F-82191A NOT 2	FUEL HOSE EVACUATION KITS [CUST: MC]	A 4930		MC	30-APR-99
M	MIL-R-24243/8D(1) NOT 1	RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, SNAP HEAD, ALUMINUM ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS]	A 5320		IS	29-APR-99
M	MIL-R-24243/9D(1) NOT 1	RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS]	A 5320		IS	29-APR-99
M	MIL-R-24243/10D(1) NOT 1	RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD, ALUMINUM ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS]	A 5320		IS	29-APR-99
M	MS21382E NOT 1	KNOB-ROUND, ILLUMINATED AND NON-ILLUMINATED, SMALL [CUST: 11 IS] [REVIEW: 82]	A 5355		IS	30-APR-99
M	MIL-C-28914(1) NOT 2	CONTROL UNIT - RECTIFIER, C-7673/PCC-1 [CUST: MC]	A 5805		MC	05-APR-99
M	MIL-T-28916(1) NOT 2	TERMINAL, TELEGRAPH-TELEPHONE: TH-81/GCC [CUST: MC]	A 5805		MC	05-APR-99
M	MIL-C-28917(2) NOT 2	CONTROL, POWER SUPPLY: C-7674/VCC, AND CONTROL, TERMINAL SET: C-7827/VCC [CUST: MC]	A 5805		MC	05-APR-99
M	MIL-S-29354B NOT 2	SWITCHBOARD, TELEPHONE: SB-3614/TT, AUTOMATIC [CUST: MC]	A 5805		MC	05-APR-99
M	MIL-M-29358 NOT 2	MODIFICATION KIT: RADIO RELAY EQUIPMENT AN/GRC-201 [CUST: MC]	A 5820		MC	05-APR-99
M	MIL-C-19978/12A	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED), (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR19 [CUST: CR EC 11] [REVIEW: 17 99 AR AS AT AV CR4 MC MI OS SH TD]	A 5910		CC	16-FEB-95
M	MIL-C-19978/16A(3)	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR39 [CUST: CR EC 11] [REVIEW: 17 99 AR AS AT AV CR4 MC MI OS SH]	A 5910		CC	16-FEB-95
M	QPL-24317-10 NOT 1	SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED AND NON-ILLUMINATED), GENERAL SPECIFICATION FOR	A 5930		CC	21-MAY-99
M	MIL-C-7115/2A NOT 1	CONVERTER, 200 AMPERE, AIRCRAFT, TYPE II, CLASS A [CUST: AS]	A 6130		AS	10-MAY-99
M	MIL-DTL-3628G SUP 1	BADGE, BADGE CLASP, BAR, AND PENDANT, QUALIFICATION, OCCUPATIONAL, AND IDENTIFICATION, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 11 82 99 CG CT MC]	A 8455		IH	28-APR-99

List Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MIL-C-45524D NOT 2	CANNON, 175MM GUN: M113A1 (NO S/S DOCUMENT) [CUST: AR]	A 1025		AR	21-MAY-99
M	MIL-G-80126B NOT 1	GRINDING MACHINE, DISC, HORIZONTAL, DOUBLE END, SINGLE SPINDLE (NO S/S DOCUMENT) [CUST: 99] [REVIEW: 84]	A 3415		GS	04-JUN-99
M	MIL-H-80055B NOT 1	HEATER, INDUCTION, HIGH FREQUENCY, MOTOR GENERATOR TYPE (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 MC]	A 3424		GS	18-MAY-99
M	MIL-F-80056C NOT 1	FURNACES, HEAT TREATING, ELECTRIC, BATH TYPE (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AR AS CR MC OS SM]	A 3424		GS	18-MAY-99
M	MIL-F-80082B NOT 1	FURNACE, HEAT-TREATING AND BRAZING, ELECTRIC, CONTROLLED ATMOSPHERE, PUSHER AND CONVEYOR BELT TYPES (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AR MC]	A 3424		GS	18-MAY-99
M	MIL-F-80089B NOT 1	FURNACE, HEAT TREATING, GAS FIRED, BOX TYPE, DIRECT FIRED AND FULL MUFFLE DESIGN (NO S/S DOCUMENT) [CUST: AL SH GS] [REVIEW: MC OS]	A 3424		GS	18-MAY-99
M	MIL-F-80113D NOT 1	FURNACE, VACUUM, HEAT TREATING AND BRAZING (NO S/S DOCUMENT) [CUST: SH 99 GS] [REVIEW: 84 AS OS]	A 3424		GS	18-MAY-99
M	MIL-F-80133B NOT 1	FURNACE, HEAT TREATING, PIT TYPE, ELECTRIC, FORCED CONVECTION (NO S/S DOCUMENT) [CUST: AV SH 99 GS] [REVIEW: 84 AS OS]	A 3424		GS	18-MAY-99
M	MIL-F-80146A NOT 1	FURNACE, HEAT TREATED, GAS FIRED, PIT TYPE, FORCED CONVECTION (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 MC OS]	A 3424		GS	18-MAY-99
M	A-A-51142A NOT 1	ANODES, NICKEL, CARBONIZED (NO S/S DOCUMENT) [CUST: 99 GS] [REVIEW: 84]	A 3426	/	GS	27-MAY-99
M	A-A-51144 NOT 2	ANODES, COPPER (NO S/S DOCUMENT) [CUST: AR AS 99 GS] [REVIEW: 84 OS SH]	A 3426	/	GS	27-MAY-99
M	A-A-51177 NOT 1	ANODES, NICKEL, DEPOLARIZED (NO S/S DOCUMENT) [CUST: SH 99 GS] [REVIEW: 84]	A 3426	/	GS	27-MAY-99
M	A-A-51178 NOT 1	ANODES, NICKEL, ELECTRO-REFINED (NO S/S DOCUMENT) [CUST: 99 GS] [REVIEW: 84]	A 3426	/	GS	27-MAY-99
M	MIL-T-16343C(1) NOT 3	TUBING, STEEL, CARBON, STRUCTURAL (S/S BY ASTM-A500) [CUST: AV OS 11 CC]	A 4710		GC	13-MAY-99
M	AN827 REV 7 NOT 1	CROSS, FLARED TUBE (S/S BY SAE-AS1036) [CUST: AV AS 99 CC] [REVIEW: 82 MI]	A 4730		CC	22-APR-99
M	MS9112 NOT 2	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS 5731, .3125-24 UNJF-3A (S/S BY SAE-AS9112) [CUST: AS IS]	A 5306		IS	13-MAY-99
M	MS21044H NOT 1	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 DEG. F, 125 KSI FTU AND 60 KSI FTU (S/S BY NASM21044) [CUST: AR AS 99 IS] [REVIEW: 82 AV GL MI SH]	A 5310		IS	12-MAY-99
M	MS21059J NOT 1	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT STEEL, 125 KSI FTU, 450 DEG. F (S/S BY NASM21059) [CUST: AV AS 11 IS] [REVIEW: CR MI]	A 5310		IS	12-MAY-99
M	MS21079F NOT 1	NUT, SELF-LOCKING, GANG CHANNEL, NON-METALLIC INSERT, 125 KSI FTU, 250 DEG. F (S/S BY NASM21079) [CUST: AV AS 99 IS] [REVIEW: CR MI]	A 5310		IS	12-MAY-99
M	MS21086D NOT 1	NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F (S/S BY NASM21086) [CUST: AV AS 11 IS] [REVIEW: 99 CR MI]	A 5310		IS	12-MAY-99
M	QPL-122-17 NOT 1	RESISTOR, FIXED, PRECISION, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR (RECOMMENDED THAT DSCC DRAWINGS 89088, 97009, 97010, AND 97011 BE USED FOR POSSIBLE REPLACEMENT)	A 5905		CC	21-MAY-99
M	QPL-10-112 NOT 1	INSULATING COMPOUND, ELECTRICAL, CERAMIC, CLASS L, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)	A 5970		CC	21-MAY-99
M	A-A-30059A NOT 1	BOTTLE, SPECIMEN COLLECTING (SPUTUM) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	*	MB	27-MAY-99
M	A-A-50985 NOT 1	RULER, SURGICAL (CORROSION-RESISTING STEEL) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	12-MAY-99
M	A-A-50992 NOT 1	OTOSCOPE (BATTERY TYPE) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	21-MAY-99
M	A-A-53179 NOT 1	CHISEL, BONE (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	21-MAY-99
M	A-A-53197 NOT 1	TUBE, FEEDING (ENTERAL, 12 FRENCH) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	21-MAY-99
M	A-A-53203A NOT 1	DIALYSIS PROCEDURAL SET, ACUTE PERITONEAL (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	21-MAY-99
M	A-A-53245A NOT 1	LUMBAR PUNCTURE KIT (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	21-MAY-99
M	A-A-53246 NOT 1	FORCEPS, HYSTERECTOMY (HEANEY-BALLANTINE) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	21-MAY-99
M	A-A-53247A NOT 1	OBTURATOR, CARDIOVASCULAR TOURNIQUET (RUMEL) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	21-MAY-99
M	A-A-53248A NOT 1	PUMP, ENTERAL FEEDING (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	21-MAY-99
M	A-A-53253 NOT 1	RONGER (STRAIGHT, LEMPERT) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	21-MAY-99
M	A-A-53519 NOT 1	HANDLE, BONE CUTTING SAW (GIGLI) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	28-MAY-99
M	A-A-53520 NOT 1	RETRACTOR, RIB (TUFFIER) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	28-MAY-99
M	A-A-53523 NOT 1	SPECULUM, ENDURAL-NASAL (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	28-MAY-99
M	A-A-53532 NOT 1	PAPER, CHART, FETAL-UTERINE MONITOR (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	28-MAY-99
M	A-A-53560 NOT 1	CANNULA, BRONCHIAL (HOLINGER) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	28-MAY-99
M	A-A-53574 NOT 1	CANISTER, SUCTION, SURGICAL (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	28-MAY-99
M	A-A-53605 NOT 1	CHUCK AND KEY, BONE PIN (JACOBS) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	28-MAY-99
M	A-A-53625B NOT 1	RESUSCITATOR, HAND OPERATED (ADULT, SINGLE USE) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	28-MAY-99
M	A-A-53864 NOT 1	REGULATOR, NITROGEN, SINGLE PORT (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	27-MAY-99
M	A-A-53878 NOT 1	MAGNIFIER, SINGLE LENS, FLIP-UP, PLASTIC (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	27-MAY-99
M	A-A-53881 NOT 1	RONGUER, CURVED, 7-1/4 INCH (BEYER) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	27-MAY-99
M	A-A-53882 NOT 1	ELEVATOR, EAR, HEAVY, CURVED BLADE (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	27-MAY-99
M	A-A-53894 NOT 1	ELECTRODE, ELECTROCARDIOGRAPH, INFANT (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	27-MAY-99
M	A-A-53899A NOT 1	STOPCOCK, INTRAVENOUS THERAPY (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	27-MAY-99
M	A-A-53900 NOT 1	CURETTE, ENDOMETRIAL BIOPSY, CURVED, 11-3/4 INCH, DISPOSABLE, 12S (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	27-MAY-99
M	A-A-53928 NOT 1	RETRACTOR, SCAPULAR (DAVIDSON) (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6515	/	MB	27-MAY-99
M	A-A-54276 NOT 1	FORCEPS, ENDOSCOPIC, GLOBULAR OBJECT GRASPING (JACKSON) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	04-JUN-99
M	A-A-54316 NOT 1	DRILL, TWIST, BONE, ROUND SHAFT (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	04-JUN-99
M	A-A-54905 NOT 1	FORCEPS, BONE CUTTING, STRAIGHT (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	04-JUN-99
M	A-A-30036B NOT 1	PUMP UNIT, ALTERNATING PRESSURE POINT PAD, PHYSIOCOTHERAPEUTIC (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 6530	*	MB	27-MAY-99
M	MIL-R-43010B NOT 1	REMOLDING SET, SOIL-COMPACTION (NO S/S DOCUMENT) [CUST: CE]	A 6635		GS	04-JUN-99
M	MIL-S-10987E NOT 1	SCALE, PLOTTING, COORDINATE (PLASTIC, SQUARE, 1:25,000 SCALE AND 1:50,000 SCALE, GRADUATED IN METERS) (S/S BY A-A-52042) [CUST: CE GS]	A 6675		GS	18-MAY-99
M	MIL-T-3618C(2) NOT 1	THERMOMETER, SELF INDICATING, BIMETALLIC (NO S/S DOCUMENT) [CUST: AR MS GS] [REVIEW: YD2]	A 6685		GS	18-MAY-99
M	MIL-I-8505 NOT 1	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, -50 TO PLUS 300 C, (NO S/S DOCUMENT) [CUST: AS]	A 6685		GS	27-MAY-99
M	MIL-C-19729A(2) NOT 2	COMPUTER, AERIAL PHOTOGRAPHIC DATA (NO S/S DOCUMENT) [CUST: AS GS]	A 6760		GS	27-MAY-99
M	MIL-T-82291B NOT 1	TABLECLOTH, NAPKIN, TABLE, TEXTILE AND DOILY, TEXTILE - MOMIE CLOTH (S/S BY ASTM-D4111) [CUST: GL SA 99 CT FSS] [REVIEW: 45 MC MD]	A 7210		FSS	28-OCT-97
M	A-A-52037 NOT 1	STENCIL SET, MARKING: MANILA BOUND: CONSISTING OF LETTERS, NUMBERS, AND TRAFFIC SIGNS (NO S/S DOCUMENT) [CUST: CE YD2 99 GS] [REVIEW: GL MC]	A 7520	/	CE	03-MAY-99

Last Action	Document Number	Document Title	Distribution	FSC/Area	MCA	Prep. Actv.	Date
M	MIL-C-333D(1) NOT 1	CLOTH, TOW TARGET, ACETATE AND RAYON (NO S/S DOCUMENT) [CUST: AS 99 CT] [REVIEW: 11]	A	8305		CT	29-JUN-99
M	MIL-C-7966C NOT 2	CLOTH, COATED, RUBBER, NYLON BASE (NO S/S DOCUMENT) [CUST: AS 99 CT] [REVIEW: 82 NU]	A	8305		CT	29-JUN-99
M	MIL-C-19663D NOT 1	CLOTH, WOVEN ROVING, FOR PLASTIC LAMINATE (NO S/S DOCUMENT) [CUST: SH 99 CT] [REVIEW: AS CG]	A	8305		CT	29-JUN-99
M	MIL-C-24320A NOT 1	CLOTH, ACETATE, FLUORESCENT (NO S/S DOCUMENT) [CUST: SH CT]	A	8305		CT	29-JUN-99
M	MIL-C-29118A NOT 1	CLOTH, TWILL, COTTON (NO S/S DOCUMENT) [CUST: GL NU 11 CT] [REVIEW: 11 99 CG MS OS SH YD2]	A	8305		CT	29-JUN-99
M	MIL-C-43086C NOT 2	CLOTH, COATED, NYLON, VINYL COATED (FOR AIR SUPPORTED SHELTERS) (NO S/S DOCUMENT) [CUST: GL NU CT] [REVIEW: MD]	A	8305		CT	29-JUN-99
M	MIL-C-43656A NOT 2	CLOTH, COATED, POLYESTER, SILICONE RUBBER (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 82 AS MC MD]	A	8305		CT	29-JUN-99
M	MIL-C-43806 NOT 2	CLOTH, FELT, WOOL, PRESSED (JUNIOR R.O.T.C.) (NO S/S DOCUMENT) [CUST: GL CT] [REVIEW: MD]	A	8305		CT	29-JUN-99
M	MIL-C-43808A NOT 2	CLOTH, COATED, NYLON (NO S/S DOCUMENT) [CUST: GL CT] [REVIEW: MD]	A	8305		CT	29-JUN-99
M	MIL-C-44317A NOT 1	CLOTH, LAMINATED, NYLON, WATER REPELLENT TREATED: FOR INDIVIDUAL MULTIPURPOSE SHELTER (IMPS) (NO S/S DOCUMENT) [CUST: GL 99 CT] [REVIEW: 82]	A	8305		CT	29-JUN-99
M	MIL-S-44092B(12) NOT 1	SLACKS, WOMEN'S: CLASSIC DESIGN, POLYESTER/WOOL (NO S/S DOCUMENT) [CUST: CT]	A	8410		CT	06-MAY-99
M	MIL-T-21704F NOT 1	TROUSERS, COLD WEATHER (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: CG]	A	8415		CT	29-JUN-99
M	MIL-M-44128 NOT 1	MASK, FACE, COMBAT VEHICLE CREWMENS FLAME, DUST, WIND & FRAGMENTATION PROTECTIVE (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 82 MC MD]	A	8470		CT	29-JUN-99
M	MIL-L-24479C NOT 1	LUBRICANT, RED LEAD AND GRAPHITE IN MINERAL OIL (NO S/S DOCUMENT) (FOR FUTURE ACQUISITION OF A PRODUCT WITH SIMILAR FUNCTIONAL PERFORMANCE REFER TO A-A-59004) [CUST: SH]	A	9150		SH	03-JUN-98
M	MIL-L-35078M SUP 1 NOT 2	LOADS, UNIT: PREPARATION OF SEMIPERISHABLE SUBSISTENCE ITEMS; CLOTHING, PERSONAL EQUIPMENT AND EQUIPAGE; GENERAL SPECIFICATION FOR (S/S BY DSCP FORM 3507) [CUST: GL SA 35] [REVIEW: 45 MC MD MS]	A	PACK		SS	24-MAR-99