DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

DODISS NOTICE

15 JUNE 1999 / FOR PERIOD 1 JUNE 1999 TO 14 JUNE 1999 / VOL. 11/ NO. 99

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Defense Automated Printing Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated below. DOD documents will not be available for 45 days and non-Government Standards for 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

A digital version of this document in portable document format (PDF) is available at the DODSSP website on the DODISS Notice page: http://www.dodssp.daps.mil/dodiss.htm

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Actty.	Date
M	MIL-F-71149(6)	FUZE, POINT DETONATING, PRACTICE, M779 WITH PYROTECHNIC SIGNATURE CARTRIDGE[CUST: AR]	A 1390		AR	03-FEB-99
M	MIL-HDBK-1783A	ENGINE STRUCTURAL INTEGRITY PROGRAM (ENSIP) [CUST: AV AS 11]	A 15GP		11	22-MAR-99
N	A-A-59403	SEAT COVER CLOTH, POLYESTER OR NYLON, WATER-RESISTANT [CUST: AT NU 99] [REVIEW: 45 82 CT GL MC MI]	A 25GP	/	AT	14-MAY-99
M	A-A-59438	PLAYPIPE: NOZZLE, FIRE HOSE [CUST: AV 99 CC] [REVIEW: 84]	A 4210	/	CC	26-MAY-99
N	A-A-59423	VACUUM INTERFACE VALVE FOR SHIPBOARD USE [CUST: SH]	A 4510	/	SH	21-MAY-99
M	MIL-DTL-27516E	HOSE AND HOSE ASSEMBLY, NONMETALLIC, SUCTION AND DISCHARGE [CUST: CR4 99 CC] [REVIEW: 82 AV GS]	A 4720		CC	01-JUN-99
N	NASM14157	BOLT, WHEEL, TENSION, FLANGED, STEEL, 180 KSI FTU, 450 DEG. F, EXTERNAL SPLINE DRIVE [CUST: AV AS 11 IS]	A 5306		IS	DEC-98
N	NASM16205	BOLTS, MACHINE, REGULAR SEMI-FINISHED HEXAGON HEAD, COPPER-SILICON ALLOY (SILICON BRONZE), UNC-2A, NON-MAGNETIC [CUST: SH IS]	A 5306		IS	APR-99
N	NASM16206	BOLTS, MACHINE, HEXAGON HEAD, REGULAR SEMI-FINISHED, ALUMINUM ALLOY, UNC-2A, NON-MAGNETIC [CUST: SH IS]	A 5306		IS	APR-99
N	NASM20033THRU20046	BOLT, MACHINE, HEXAGON HEAD, 1200 DEG. F [CUST: AR AS 99 IS]	A 5306		IS	FEB-99
N	SAE-AS9217	BOLT, MACHINE- STEEL AMS6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .190-32 UNJF-3A [CUST: AS IS]	A 5306		IS	NOV-98
N	SAE-AS9284	BOLT, MACHINE-STEEL, AMS 6322, BLACK OXIDE, HEXAGON HEAD, .250-28 UNJF-3A [CUST: AS IS]	A 5306		IS	NOV-98
N	SAE-AS9451	BOLT, MACHINE, HEXAGON HEAD, STEEL, .190-32 UNJF-3A [CUST: AS 99 IS]	A 5306		IS	NOV-98
N	SAE-AS9456	BOLT, MACHINE, HEXAGON HEAD, STEEL, .500-20 UNJF-3A [CUST: AS 99 IS]	A 5306		IS	NOV-98
N	NASM3214	NUT, PLAIN, CLINCH-FLUSH [CUST: OS IS]	A 5310		IS	DEC-98
N	NASM21069	NUT, SELF-LOCKING, PLATE, TWO-LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 11 IS]	A 5310		IS	DEC-98
N	NASM21078	NUT, SELF-LOCKING, PLATE, TWO LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F [CUST: AV AS 99 IS]	A 5310		IS	OCT-98
N	NASM21080	NUT, SELF-LOCKING, PLATE, ONE LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F [CUST: AV AS 11 IS]	A 5310		IS	DEC-98
N	SAE-AS9201	NUT, PLAIN, HEX, BOSS CONNECTION, CORROSION RESISTANT STEEL [CUST: AV AS IS]	A 5310		IS	NOV-98
N	SAE-AS9364	NUT, SLOTTED, HEXAGON-SHEAR, A-286 SILVER PLATED, MIL-S-8879 [CUST: AV AS 11 IS]	A 5310		IS	NOV-98
N	SAE-AS9549	WASHER, FLAT - AMS5510 [CUST: AS IS]	A 5310		IS	NOV-98
N	SAE-AS9582	WASHER, KEY-CRES, AMS5510, 270 DEG. LOCKING [CUST: AS 99 IS]	A 5310		IS	NOV-98
N	SAE-AS9882	NUT, PLAIN, HEX-DRILLED - AMS6322 CADMIUM PLATE, MIL-S-8879 [CUST: AV AS 99 IS]	A 5310		IS	NOV-98
N	NASM27384	RIVET, BLIND, DRIVE TYPE [CUST: AR YD2 99 IS]	A 5320		IS	FEB-99
N	NASM47195	RIVETS, BLIND, SELF-PLUGGING PREPARATION FOR AND INSTALLATION OF [CUST: MI IS]	A 5320		IS	FEB-99
N	NASM81177/2	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED SELF-LOCKING, 100 DEG. FLUSH HEAD, 450 DEG. F, ALLOY STEEL 112 KSI FSU [CUST: AV AS 11 IS]	A 5320		IS	FEB-99
N	NASM81177/3	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED, SELF-LOCKING, PROTRUDING HEAD; 450 DEG. F, ALLOY STEEL, 112 KSI, FSU [CUST: AV AS 11 IS]	A 5320		IS	APR-99
M	MIL-PRF-49169B	LIGHT-EMITTING DIODE ARRAY [CUST: CR]	A 5855		CR	06-APR-99
M	MIL-PRF-19D	RESISTOR, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS]	A 5905		CC	11-JUN-99
M	MIL-PRF-19/2C	RESISTOR, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA20 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT CR4 MC MI OS]	A 5905		CC	11-JUN-99
M	MIL-PRF-19/3C	RESISTOR, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA30 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT AV CR4 MC OS]	A 5905		CC	11-JUN-99
N	MIL-HDBK-199	RESISTORS, SELECTION AND USE OF [CUST: CR EC 85 CC] [REVIEW: 17 19 80 AR AS AT AV CG CR4 MC MI OS SH]	A 5905		CC	11-JUN-99
M	MIL-PRF-39022/11C	CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DIRECT-CURRENT, HERMETICALLY SEALED, STYLES CHR20, CHR21, CHR22, CHR23, CHR24, CHR25 [CUST: CR EC CC]	A 5910		CC	24-MAY-99
M	MIL-PRF-55514/4E	CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLES CFR05 AND CFR06 [CUST: CR EC 11 CC] [REVIEW: 17 19 99 AS MC OS]	A 5910		CR	22-MAR-99
M	MIL-PRF-87164A	CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 19 CC] [REVIEW: 11]	A 5910		CC	24-MAY-99
M	MIL-PRF-87164/1A	CAPACITORS, FIXED MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS04 [CUST: CR EC 19 CC] [REVIEW: 11]	A 5910		CC	24-MAY-99
M	MIL-PRF-87164/2A	CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS05 [CUST: CR EC 19 CC] [REVIEW: 11]	A 5910		CC	24-MAY-99
M	MIL-PRF-87164/3A	CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS06 [CUST: CR EC 19 CC] [REVIEW: 11]	A 5910		CC	24-MAY-99
M	MIL-PRF-87164/4A	CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS07 [CUST: CR EC 19 CC] [REVIEW: 11]	A 5910		CC	24-MAY-99
M	MIL-PRF-87164/5A	CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS03 [CUST: CR EC 19 CC] [REVIEW: 11]	A 5910		CC	24-MAY-99
M	MIL-PRF-87217A	CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI NA OS SH]	A 5910		CC	25-MAY-99
M	MIL-PRF-87217/1A	CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, STYLES CHS01, CHS02, AND CHS03 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI NA OS SH]	A 5910		CC	25-MAY-99
M	MIL-PRF-83383D	CIRCUIT BREAKERS, REMOTE CONTROL, THERMAL, TRIP-FREE, GENERAL SPECIFICATION FOR [CUST: CR AS 11 CC] [REVIEW: 99 AT AV CR4 MI]	A 5925		CC	28-MAY-99
M	MIL-PRF-83383/2D	CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE, SERIES TRIP, SINGLE POLE, AUXILIARY CONTACTS (5 TO 100 AMPERES) [CUST: CR AS 11 CC] [REVIEW: 99 AT AV CR4]	A 5925		CC	28-MAY-99
M	MIL-PRF-83383/4D	CIRCUIT BREAKERS, REMOTE CONTROL, AC, THERMAL, TRIP-FREE, SERIES TRIP, TRIPLE POLE, AUXILIARY CONTACTS (5 TO 100 AMPERES) [CUST: CR AS 11 CC]	A 5925		CC	28-MAY-99
M	MIL-DTL-28748/2D	CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET CONTACTS, SIZE 16 [CUST: CR EC 11 CC] [REVIEW: 17 99 AS AT MI SH]	A 5935		CC	11-MAY-99
M	MIL-DTL-28748/4E	CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZES 16 AND 20 [CUST: CR EC 11 CC] [REVIEW: 17 99 AS AT MI SH]	A 5935		CC	11-MAY-99
M	MIL-C-83517/2(2) NOT 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE MOUNTED TAB TERMINAL) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH]	A 5935		CC	14-MAY-99
M	MIL-C-83517/5(2) NOT 2	CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE MOUNTED EXTENDED DIELECTRIC) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH]	A 5935		CC	14-MAY-99

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Acty.	Date
M	MIL-C-83517/7(2) NOT 2	CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, 8 HOLE SURFACE LAUNCH) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH]	A 5935		CC	14-MAY-99
M	MIL-C-83517/11(2) NOT 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE AND MOUNTED) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH]	A 5935		CC	14-MAY-99
N	MIL-PRF-83536/34	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 1PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ALL WELDED, DC COIL [CUST: CR EC 11 CC]	A 5945		CC	15-JUN-99
M	MIL-PRF-83726C SUP 1	RELAYS, HYBRID AND SOLID STATE, TIME DELAY, GENERAL SPECIFICATION FOR [CUST: CR EC 11 CC] [REVIEW: 17 99 TD]	A 5945		CC	15-JUN-99
M	MIL-PRF-83726/20D	RELAY, SOLID-STATE, TIME DELAY (ON OPERATE), TYPE I, CLASS C, SPST, 250 MILLIAMPERES, FIXED TIME, .05 TO 500 SECONDS [CUST: 11 CC] [REVIEW: 19]	A 5945		CC	15-JUN-99
M	MIL-PRF-83726/28D	RELAYS, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, DPDT, 10 AMPERES, FIXED TIME, 0.1 TO 500 SECONDS [CUST: EC 11 CC] [REVIEW: 19 OS]	A 5945		CC	15-JUN-99
M	MIL-PRF-83726/29D	RELAY, HYBRID, TIME DELAY (ON RELEASE), CLASS B, TYPE IIA, HERMETICALLY SEALED, DPDT, 10 AMPERES, FIXED TIME, 0.1 TO 500 SECONDS [CUST: EC 11 CC] [REVIEW: 19 OS]	A 5945		CC	15-JUN-99
M	MIL-PRF-83726/30E	RELAY, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, DPDT, 10 AMPERES, ADJUSTABLE TIME DELAY (EXTERNAL RESISTOR), 0.1 TO 500 SECONDS [CUST: EC 11 CC] [REVIEW: 19 OS]	A 5945		CC	15-JUN-99
M	MIL-PRF-83726/31E	RELAY, HYBRID, TIME DELAY (ON RELEASE), CLASS B, TYPE IIA, HERMETICALLY SEALED, DPDT, 10 AMPERES, ADJUSTABLE TIME DELAY (EXTERNAL RESISTOR), 0.1 TO 500 SECONDS [CUST: EC 11 CC] [REVIEW: 19 OS]	A 5945		CC	15-JUN-99
M	MIL-PRF-19500/452E	SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW LEVEL, VOLTAGE-REFERENCE, TYPES 1N4565A-1 THROUGH 1N4584A-1, AND 1N4565AUR-1 THROUGH 1N4584AUR-1 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC: RADIATION HARDENED (TOTAL DOSE ONLY) TYPES JANTXVM, D, L, R, F, G, H; JANSM, D, L, R, F, G, H; JANHCM, D, L, R, F, G, H; AND JANKCM, D, L, R, F, G, H [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI SM]	A 5961		CC	13-MAY-99
M	MIL-PRF-19500/511C	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N4261 JAN, JANTX, JANTXV, AND JANS [CUST: CR 11] [REVIEW: 13 19 99]	A 5961		CC	15-MAY-99
M	MIL-PRF-19500/565B	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N6895, 2N6896, 2N6897 AND 2N6898 JAN, JANTX, JANTXV AND JANS [CUST: CR EC 11 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM]	A 5961		CC	21-MAY-99
M	MIL-PRF-19500/577A(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, HIGH VOLTAGE TYPES 1N6528 THROUGH 1N6535 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 11 13 19 99 AR AS AV CG MC MI OS SM]	A 5961		CC	14-MAY-99
M	MIL-HDBK-103H	LIST OF STANDARD MICROCIRCUIT DRAWINGS [CUST: CC]	A 5962		CC	26-MAY-99
M	A-A-52041A	CASE, COMPUTER SUPPLIES, CARRYING [CUST: CE3 YD2 99 GS]	A 6675	/	CE3	03-MAY-99
M	A-A-52048A	THERMOMETER, SELF-INDICATING, LIQUID-IN-GLASS POCKET TYPE [CUST: CE GS]	A 6685	/	CE	03-MAY-99
M	ASTM-F483-98	TOTAL IMMERSION CORROSION TEST FOR AIRCRAFT MAINTENANCE CHEMICALS [CUST: MR AS 11]	A 6850		AS	10-OCT-98
M	MIL-DTL-24441/19B	PAINT, EPOXY-POLYAMIDE, ZINC PRIMER, FORMULA 159, TYPE III [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/20A	PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE III [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/21A	PAINT, EPOXY-POLYAMIDE, HAZE GRAY, FORMULA 151, TYPE III [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/22A	PAINT, EPOXY-POLYAMIDE, WHITE, FORMULA 152, TYPE III [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/23A	PAINT, EPOXY-POLYAMIDE, DARK GRAY RO1.8, FORMULA 153, TYPE III [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/24A	PAINT, EPOXY-POLYAMIDE, DARK GRAY RO3.6, FORMULA 154, TYPE III [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/25A	PAINT, EPOXY-POLYAMIDE, DARK GRAY RO6, FORMULA 155, TYPE III [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/26A	PAINT, EPOXY-POLYAMIDE, RED, FORMULA 156, TYPE III [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/27A	PAINT, EPOXY-POLYAMIDE, NO. 50 GRAY, FORMULA 157, TYPE III [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/28A	PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 158, TYPE III [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/29A	PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/30A	PAINT, EPOXY-POLYAMIDE, HAZE GRAY, FORMULA 151, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/31A	PAINT, EPOXY-POLYAMIDE, WHITE, FORMULA 152, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/32A	PAINT, EPOXY-POLYAMIDE, DARK GRAY RO1.8, FORMULA 153, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/33A	PAINT, EPOXY-POLYAMIDE, DARK GRAY RO3.6, FORMULA 154, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/34A	PAINT, EPOXY-POLYAMIDE, DARK GRAY RO6, FORMULA 155, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/35A	PAINT, EPOXY-POLYAMIDE, RED, FORMULA 156, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/36A	PAINT, EPOXY-POLYAMIDE, NO. 50 GRAY, FORMULA 157, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/37A	PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 158, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/38A	PAINT, EPOXY-POLYAMIDE, BLACK, FORMULA 160, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/39A	PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 161, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-DTL-24441/40A	PAINT, EPOXY-POLYAMIDE, RED, FORMULA 162, TYPE IV [CUST: SH]	A 8010		SH	19-MAY-99
M	MIL-HDBK-17/2E	VOLUME 2. POLYMER MATRIX COMPOSITES MATERIALS PROPERTIES [CUST: MR AS 11] [REVIEW: 13 AR AT AV DH IE MI SH TE]	A CMPS		MR	24-MAY-99
M	MIL-DTL-24784A SUP 1	MANUALS, TECHNICAL: GENERAL ACQUISITION AND DEVELOPMENT REQUIREMENTS [CUST: SH] [REVIEW: EC]	A TMSS		SH	15-MAR-99

Lbs	Action	Document Number	Document Title	Distribution	FSC/Area	MCA Prep. Actly.	Date
M		MIL-P-7567B NOT 2	PARACHUTES, PERSONNEL, DETAIL MANUFACTURING INSTRUCTIONS FOR [CUST: GL AS 99] [REVIEW: 11 AV]	A	1670	82	16-APR-99
M		MIL-K-3926B(1) SUP 1B NOT 2	KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT) [CUST: CR EC 11 IS] [REVIEW: 82 AT AV CG CR4 EA MC MI OS]	A	5355	IS	30-APR-99
M		MIL-K-3926/1A NOT 1	KNOBS, CONTROL, BALL [CUST: CR EC 99 IS] [REVIEW: 82]	A	5355	IS	30-APR-99
M		MIL-K-3926/2A NOT 1	KNOBS, CONTROL, OVAL TAPERED [CUST: CR EC 99 IS]	A	5355	IS	30-APR-99
M		MIL-K-3926/3A NOT 1	KNOBS, CONTROL, TAPERED [CUST: CR EC 99 IS]	A	5355	IS	30-APR-99
M		MIL-K-3926/4 NOT 1	KNOBS, CONTROL, ROUND, EDGE LIGHTED AND NON-EDGE LIGHTED [CUST: CR EC 99 IS] [REVIEW: 82 AR AS AT AV CG CR4 EA MC OS SH]	A	5355	IS	30-APR-99
M		MIL-D-28728B NOT 1	DIAL, CONTROL, MULTI-TURN COUNTERS, GENERAL SPECIFICATION FOR [CUST: CR EC 11 IS] [REVIEW: 82 99 AR AS AV CR4 MI OS SH]	A	5355	IS	30-APR-99
M		MIL-D-28728/1B NOT 1	DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.81 DIAMETER [CUST: CR EC 11 IS] [REVIEW: 80 82 99 AS CC CR4 MI OS SH]	A	5355	IS	30-APR-99
M		MIL-D-28728/3A NOT 2	DIAL, CONTROL, MULTITURN COUNTERS 10-TURN COUNTER, CONCENTRIC (1.810-INCH DIAMETER) [CUST: CR EC 11 IS] [REVIEW: 82 99 CC CR4 MI OS]	A	5355	IS	30-APR-99
M		MIL-D-28728/4B NOT 1	DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.16 DIAMETER [CUST: CR EC 11 IS] [REVIEW: 80 82 99 AR AS AV CR4 MI OS SH]	A	5355	IS	30-APR-99
M		MIL-D-28728/5B NOT 1	DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS [CUST: CR EC 11 IS] [REVIEW: 80 82 99 AR AS AV CR4 MI OS SH]	A	5355	IS	30-APR-99
M		MIL-D-28728/6B NOT 1	DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS, ILLUMINATED AND NONILLUMINATED [CUST: CR EC 11 IS] [REVIEW: 80 82 99 AR AS AV CR4 MC MI OS SH]	A	5355	IS	30-APR-99
M		MIL-D-28728/7 NOT 2	DIAL, CONTROL, MULTITURN COUNTERS 100-TURN COUNTERS, 4-DIGIT [CUST: CR EC 11 IS] [REVIEW: 82 99 AS CR4 MC MI OS]	A	5355	IS	30-APR-99
M		MIL-D-28728/8B NOT 1	DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, .88 DIAMETER [CUST: CR EC 11 IS] [REVIEW: 80 82 99 AR AS AV CR4 MC MI OS SH]	A	5355	IS	30-APR-99
M		MS21385E NOT 1	KNOB, TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED [CUST: 11 IS] [REVIEW: 82 MI]	A	5355	IS	30-APR-99
M		MS21387E NOT 1	KNOB ROUND, ILLUMINATED AND NON ILLUMINATED, SMALL [CUST: 11 IS]	A	5355	IS	30-APR-99
M		MIL-C-81883 NOT 1	CONTROL GROUP, ELECTRIC POWER OK-XXX (V)-A, GENERAL SPECIFICATION FOR [CUST: AS]	A	6110	AS	12-MAY-99
M		MIL-C-81883/1 NOT 1	CONTROL GROUP, ELECTRIC POWER OK-XXX (V)/A [CUST: AS]	A	6110	AS	12-MAY-99
M		MIL-I-85071A(1) NOT 1	INVERTERS, AIRCRAFT, DC TO AC, GENERAL SPECIFICATION FOR [CUST: AS]	A	6130	AS	10-MAY-99
M		MIL-I-85071/1 NOT 2	INVERTER, AIRCRAFT, DC TO AC, STATIC, 100VA 3 PHASE AND 100VA 1 PHASE MULTI PURPOSE, CLASS B [CUST: AS]	A	6130	AS	10-MAY-99
M		MIL-I-85071/2 NOT 2	INVERTER, AIRCRAFT, DC TO AC, STATIC, 250VA, 3 PHASE AND 250VA 1-PHASE, MULTIPURPOSE, CLASS B [CUST: AS]	A	6130	AS	10-MAY-99
M		MIL-I-85071/3B(1) NOT 1	INVERTER, AIRCRAFT, DC TO AC, STATIC, 750 VA 3-PHASE, 1000 VA 1-PHASE, AND 1000 VA 3-PHASE, MULTIPURPOSE, CLASS B [CUST: AS]	A	6130	AS	10-MAY-99
M		MIL-DTL-3628/117B	BADGE, IDENTIFICATION, RECRUITING AND RETENTION, MASTER, ARMY NATIONAL GUARD [CUST: IH] [REVIEW: CT]	A	8455	IH	06-MAY-99
M		MIL-DTL-3628/152B	BADGE, IDENTIFICATION, RECRUITING AND RETENTION, ARMY NATIONAL GUARD [CUST: IH] [REVIEW: CT]	A	8455	IH	06-MAY-99
M		MIL-DTL-3943/1F	DECORATION, MEDAL OF HONOR, ARMY [CUST: IH] [REVIEW: CT]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/3F	DECORATION, MEDAL OF HONOR, AIR FORCE [CUST: IH 11] [REVIEW: 82 99 CT]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/6E	DECORATION, AIR FORCE CROSS [CUST: IH 11] [REVIEW: 82 99 CT]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/7H	DECORATION, DISTINGUISHED SERVICE MEDAL, ARMY [CUST: IH] [REVIEW: CT]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/8G	DECORATION, DISTINGUISHED SERVICE MEDAL, NAVY AND MARINE CORPS [CUST: IH NU] [REVIEW: CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/9G	DECORATION, DISTINGUISHED SERVICE MEDAL, AIR FORCE [CUST: IH 11] [REVIEW: 82 99 CT]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/12F	DECORATION, LEGION OF MERIT, CHIEF COMMANDER [CUST: IH NU 11] [REVIEW: 82 99 CG CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/13G	DECORATION, LEGION OF MERIT, OFFICER AND LEGIONNAIRE [CUST: IH NU 11] [REVIEW: 82 99 CG CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/14F	DECORATION, LEGION OF MERIT, COMMANDER [CUST: IH NU 11] [REVIEW: 82 99 CG CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/24G	DECORATION, PURPLE HEART [CUST: IH NU 11] [REVIEW: 82 99 CG CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/26F	DECORATION, JOINT SERVICE COMMENDATION MEDAL [CUST: IH NU 11] [REVIEW: 82 99 CG CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/31F	DECORATION, NATIONAL SECURITY MEDAL [CUST: IH NU 11] [REVIEW: 82 99 CG CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/40G	DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/47F	DECORATION, MEDAL FOR MERIT [CUST: IH NU 11] [REVIEW: 82 99 CG CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/57F	DECORATION, DISTINGUISHED SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/65F	DECORATION, AWARD FOR VALOR, FEDERAL AVIATION ADMINISTRATION [CUST: IH] [REVIEW: ACO CT]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/68H	DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/72E	DECORATION, DEFENSE DISTINGUISHED SERVICE MEDAL [CUST: IH] [REVIEW: CT]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/73F	DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/74E	DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/75F	DECORATION, PRESIDENTIAL CITIZEN'S MEDAL [CUST: IH] [REVIEW: CT]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/76D	DECORATION, CONGRESSIONAL SPACE MEDAL OF HONOR [CUST: IH] [REVIEW: CT NA]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/87D	DECORATION, DEFENSE SUPERIOR SERVICE MEDAL [CUST: IH NU 11] [REVIEW: 82 99 CG CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/89D	DECORATION, NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL [CUST: IH NU 11] [REVIEW: 82 99 CG CT MC]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/146C	DECORATION, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION [CUST: IH] [REVIEW: CT]	A	8455	IH	11-MAY-99
M		MIL-DTL-3943/162B	DECORATION, DISTINGUISHED SERVICE MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS [CUST: IH] [REVIEW: CT]	A	8455	IH	11-MAY-99

List	Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
	M	MIL-W-80062C NOT 1	WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, ADJUSTABLE CONSTANT VOLTAGE (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AS CE MC]	A 3431		GS	03-MAY-99
	M	MIL-W-80102C NOT 1	WELDING SET, ARC, GAS SHIELDED, CONSUMABLE ELECTRODE (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AR AS CE MC OS]	A 3431		GS	03-MAY-99
	M	MIL-W-80214B NOT 1	WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, PULSATING CURRENT (NO S/S DOCUMENT) [CUST: CR4 SH 99 GS] [REVIEW: 84 AL CG MC]	A 3431		GS	03-MAY-99
	M	MIL-W-80232B(1) NOT 1	WELDING MACHINE, ARC, AC/DC, TRANSFORMER RECTIFIER, CONSTANT CURRENT, PROGRAMMED (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AS CR4]	A 3431		GS	03-MAY-99
	M	MIL-W-80243B NOT 1	WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT, PROGRAMMED (NO S/S DOCUMENT) [CUST: AL AS 99 GS] [REVIEW: 84 CG MC]	A 3431		GS	03-MAY-99
	M	MIL-S-80220B NOT 1	SHEARING MACHINES, SHEET METAL, POWER DRIVEN (NO S/S DOCUMENT) [CUST: AL SH 99 GS]	A 3445		GS	24-MAY-99
	M	A-A-55011 NOT 1	WHEEL, POLISHING, FELT (NO S/S DOCUMENT) [CUST: AL 99 GS] [REVIEW: 84]	A 3460	/	GS	03-MAY-99
	M	MIL-P-12164E NOT 1	PLAYPIPE, NOZZLE, FIRE HOSE (S/S BY A-A-59438) [CUST: AV 99 CC] [REVIEW: 84]	A 4210		CC	26-MAY-99
	M	SAE-AMS6390D	STEEL TUBING, MECHANICAL - 0.95CR - 0.20MO - (0.38 - 0.43C) (SAE 4140) (S/S BY SAE-AMS6381) [CUST: MR AS 11]	A 4710		11	19-MAY-99
	M	MS9217 NOT 2	BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .190-32 UNJF-3A (S/S BY SAE-AS9217) [CUST: AS IS]	A 5306		IS	13-MAY-99
	M	MS9451A(1) NOT 1	BOLT, MACHINE, HEXAGON HEAD, STEEL, .190-32 UNJF-3A (S/S BY SAE-AS9451) [CUST: AS 99 IS] [REVIEW: 82]	A 5306		IS	13-MAY-99
	M	MS9456A(1) NOT 1	BOLT, MACHINE, HEXAGON HEAD, STEEL, .500-20 UNJF-3A (S/S BY SAE-AS945) [CUST: AS 99 IS]	A 5306		IS	13-MAY-99
	M	MS14157B NOT 2	BOLT, WHEEL, TENSION, FLANGED STEEL, 180KSI FTU, 450 DEG. F EXTERNAL SPLINE DRIVE (S/S BY NASM14157) [CUST: AV AS 11 IS] [REVIEW: AR AT CR CR4]	A 5306		IS	05-MAY-99
	M	MS16205A NOT 3	BOLTS, MACHINE, REGULAR SEMI-FINISHED HEXAGON HEAD, COPPER-SILICON ALLOY (SILICON BRONZE), UNC-2A, NON-MAGNETIC (S/S BY NASM16205) [CUST: SH IS] [REVIEW: CR4 MI]	A 5306		IS	12-MAY-99
	M	MS20033THRUMS20046C NOT 1	BOLT, MACHINE, HEXAGON HEAD, 1200 DEG. F (S/S BY NASM20033THRU20046) [CUST: AR AS 99 IS] [REVIEW: CR4 MC MI OS]	A 5306		IS	04-MAY-99
	M	MS3214(1) NOT 1	NUT, PLAIN, CLINCH-FLUSH (S/S BY NASM3214) [CUST: OS IS]	A 5310		IS	12-MAY-99
	M	MS21069G NOT 1	NUT, SELF-LOCKING, PLATE, TWO-LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F (S/S BY NASM21069) [CUST: AV AS 11 IS] [REVIEW: 82 CR MI]	A 5310		IS	12-MAY-99
	M	MS21078G(2) NOT 1	NUT, SELF-LOCKING, PLATE, TWO LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F (S/S BY NASM21078) [CUST: AV AS 99 IS]	A 5310		IS	05-MAY-99
	M	MS21080D NOT 1	NUT, SELF-LOCKING, PLATE, ONE LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F (S/S BY NASM21080) [CUST: AV AS 11 IS] [REVIEW: CR MI]	A 5310		IS	12-MAY-99
	M	MIL-R-27384B NOT 1	RIVET, BLIND, DRIVE TYPE (S/S BY NASM27384) [CUST: AR YD2 99 IS] [REVIEW: AT AV CR4 GL MC]	A 5320		IS	04-MAY-99
	M	MIL-R-47195A NOT 2	RIVETS, BLIND, SELF-PLUGGING PREPARATION FOR AND INSTALLATION OF (S/S BY NASM47195) [CUST: MI IS]	A 5320		IS	05-MAY-99
	M	MIL-R-47196A(1) NOT 3	RIVETS, BUCK TYPE, PREPARATION FOR AND INSTALLATION OF (S/S BY NASM47196) [CUST: MI IS]	A 5320		IS	27-APR-99
	M	MIL-F-81177/2 NOT 2	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED, SELF LOCKING, 100 DEG. FLUSH HEAD, 450 DEG. F, ALLOY STEEL 112 KSI FSU (S/S BY NASM81177/2) [CUST: AV AS 11 IS]	A 5320		IS	06-APR-99
	M	MIL-F-81177/3 NOT 2	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED, SELF LOCKING, PROTRUDING HEAD, 450 DEG. F, ALLOY STEEL, 112 KSI, FSU (S/S BY NASM81177/3) [CUST: AV AS 11 IS] [REVIEW: 99 AR MI]	A 5320		IS	12-MAY-99
	M	MM-T-371E NOT 1	TIE, RAILROAD, WOOD (CROSS AND SWITCH) (SUGGESTED REPLACEMENT AMERICAN RAILWAY ENGINEERING ASSOCIATION) [CUST: CR4 IS] [REVIEW: CC CE YD2]	A 5510	/	IS	12-MAY-99
	M	MIL-STD-199E NOT 2	RESISTORS, SELECTION AND USE OF (S/S BY MIL-HDBK-199) [CUST: CR EC 11 CC] [REVIEW: 19 80 AR AS AT AV CG CR4 MC MI OS SH]	A 5905		CC	11-JUN-99
	M	MIL-C-3655/18(1) NOT 2	CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSMC) (NO S/S DOCUMENT) [CUST: CR EC 11 CC]	A 5935		CC	17-MAY-99
	M	MIL-C-3655/19(1) NOT 2	CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSMC) (NO S/S DOCUMENT) [CUST: CR EC 11 CC]	A 5935		CC	17-MAY-99
	M	MIL-C-3655/20(1) NOT 2	CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSMB) (NO S/S DOCUMENT) [CUST: CR EC 11 CC]	A 5935		CC	17-MAY-99
	M	MIL-C-3655/21(1) NOT 2	CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSMB) (NO S/S DOCUMENT) [CUST: CR EC 11 CC]	A 5935		CC	17-MAY-99
	M	MIL-STD-1346C NOT 1	RELAYS, SELECTION AND APPLICATION OF (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH YD]	A 5945		CC	17-MAY-99
	M	MIL-STD-1837B NOT 1	MISCELLANEOUS ELECTRICAL AND ELECTRONIC COMPONENTS, SELECTION GUIDE (NO S/S DOCUMENT) [CUST: CR EC 11 CC] [REVIEW: 99 CR4 MI]	A 5999		CC	17-MAY-99
	M	MIL-R-52002A NOT 4	RACK ASSEMBLY, CONE, AIRPORT MARKER LIGHT (NO S/S DOCUMENT) [CUST: CR4] [REVIEW: AV]	A 6210		CR4	26-MAY-99
	M	MIL-M-52005C NOT 4	MAST SET, AIRPORT MARKER LIGHT (NO S/S DOCUMENT) [CUST: CR4] [REVIEW: GS]	A 6210		CR4	26-MAY-99
	M	A-A-50905 NOT 1	TUBE, SUCTION, SURGICAL, STERILE (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	21-MAY-99
	M	A-A-50996 NOT 1	APPLICATOR, NASAL, LATHBURY (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	21-MAY-99
	M	A-A-51001 NOT 1	CATHETER, CHOLANGIOGRAM, PLASTIC, DISPOSABLE, STERILE (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	21-MAY-99
	M	A-A-51019 NOT 1	ADAPTER, CATHETER TO LUER SYRINGE (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	21-MAY-99
	M	A-A-51025 NOT 1	SWAB, PROCTOSIGMOIDOSCOPIC TIP, (NON-STERILE, 500S) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	21-MAY-99
	M	A-A-51026 NOT 1	NEEDLE, SUTURE, VETERINARY, SURGEONS' (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	21-MAY-99
	M	A-A-51035 NOT 1	GUIDE WIRE, CARDIOVASCULAR CATHETER, DISPOSABLE, MOVEABLE CORE (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	21-MAY-99
	M	A-A-53794 NOT 1	CLAMP, ARTERY, 8 INCH (DEBAKEY) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	19-MAY-99
	M	A-A-53795 NOT 1	DRILL GUIDE, CRANIAL (ADSON) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	19-MAY-99
	M	A-A-53800 NOT 1	ELEVATOR, PERIOSTEAL (JOSEPH STRAIGHT BLADE) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	19-MAY-99
	M	A-A-53804 NOT 1	RASP, NASAL (LEWIS, FINE) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	19-MAY-99
	M	A-A-53806 NOT 1	RETRACTOR, KNEE (BLOUNT) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	19-MAY-99
	M	A-A-53811 NOT 1	CLAMP, VASCULAR (SERREFINE, DIEFFENBACH) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	19-MAY-99
	M	A-A-53821 NOT 1	RETRACTOR, NERVE ROOT, LOVE (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	19-MAY-99
	M	A-A-53827 NOT 1	THERMOMETER, CLINICAL, HUMAN (SUBNORMAL) (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6515	/	MB	19-MAY-99
	M	A-A-51016 NOT 1	TRAY, CATHETER (NO S/S DOCUMENT) [CUST: MD MS 03]	A 6532	/	MB	21-MAY-99
	M	MIL-C-36165B NOT 2	COVER, MATRESS, PLASTIC (NO S/S DOCUMENT) [CUST: MD MS 03 MB] [REVIEW: CT]	A 7210		MB	26-FEB-99
	M	MIL-C-37734 NOT 2	COVER, MATTRESS PAD (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 7210		MB	26-FEB-99
	M	MIL-P-37735 NOT 2	PAD, MATTRESS, HOSPITAL BED (NO S/S DOCUMENT) [CUST: MD MS 03 MB]	A 7210		MB	26-FEB-99
	M	MIL-STD-187/700B NOT 1	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR THE DEFENSE INFORMATION SYSTEM (NO S/S DOCUMENT) [CUST: CR EC 02 DC1] [REVIEW: 11 13 18 19 93 AS CR DH DI IR MC MP NS SH]	A TCSS		DC1	14-MAY-99