

DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS

DODISS NOTICE

1 JUNE 2000 / FOR PERIOD 15 MAY 2000 TO 31 MAY 2000 / VOL. 10/ NO. 00

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents will be available within 30 days and non-Government Standards within 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-C-48397A(5)	CARTRIDGE, IGNITION, M752A1 LOADING, ASSEMBLING AND PACKING[CUST: AR]	A	1315		AR	31-JAN-00
M MIL-F-63446B(1)	FUZES, GENERAL PURPOSE GRENADE: M230 AND M231 (PRACTICE)[CUST: AR]	A	1340		AR	13-JAN-00
M MIL-W-63468A(7)	WARHEAD, 2.75 INCH ROCKET, H.E.: M261[CUST: AR]	A	1340		AR	25-APR-00
M MIL-W-64044(9)	WARHEAD, 2.75 INCH ROCKET, M261 AND M267, PARTS FOR[CUST: AR]	A	1340		AR	25-APR-00
M MIL-A-70625A NOT 2	AUTOMATED ACCEPTANCE INSPECTION EQUIPMENT DESIGN, TESTING AND APPROVAL, OF[CUST: AR]	A	1395		AR	24-APR-00
M QPL-11891-20	TRACK SHOE SETS, TRACK SHOE ASSEMBLIES, TRACK SHOE PADS AND TRACK SHOE BUSHINGS, VEHICULAR: ELASTOMERIZED	A	2530		AT	25-MAY-00
M A-A-50967B	GRINDING MACHINE, BENCH, HAND POWERED[CUST: 99 GS] [REVIEW: 84]	A	3415	/	GS	30-MAY-00
M ASTM-A197/A197M-98	CUPOLA MALLEABLE IRON (METRIC)[CUST: CR4 YD 99]	A	3424		YD	10-NOV-98
M A-A-51153B	CLEANING SETS, OXYGEN AND ACETYLENE, WELDING AND CUTTING TORCH TIPS[CUST: AL SH 99 GS] [REVIEW: 84]	A	3439	/	GS	19-MAY-00
M A-A-51188A	SOCKET, TAPER, EXTENSION[CUST: AL 99 GS] [REVIEW: 84]	A	3460	/	GS	30-MAY-00
M A-A-51189A	SOCKET, TAPER, REDUCING SLEEVE[CUST: AL 99 GS] [REVIEW: 84]	A	3460	/	GS	30-MAY-00
N A-A-59543	SCREEN, HALFTONE, CONTACT, FOR PHOTOLITHOGRAPHY[CUST: CE3 GS]	A	3610	/	CE3	22-MAY-00
M ASTM-C159-98	BLOCKS, VITRIFIED CLAY FILTER[CUST: CR4 YD 99] [REVIEW: SH]	A	4610		CC	10-MAR-98
M ASTM-A333/A333M-99	PIPE, STEEL, SEAMLESS AND WELDED, FOR LOW-TEMPERATURE SERVICE[CUST: AR YD 99]	A	4710		CC	10-JAN-99
M ASTM-C1053-90R95	PIPE, BOROSILICATE GLASS, AND FITTINGS FOR DRAIN, WASTE, AND VENT (DWV) APPLICATIONS[CUST: CR4 YD] [REVIEW: MC]	A	4710		CC	17-OCT-90
M ASTM-F405-97	PIPE AND FITTINGS, CORRUGATED POLYETHYLENE (PE)[CUST: CE YD 99]	A	4730		CC	10-DEC-96
M ASTM-C913-98	CONCRETE WATER, PRECAST, AND WASTEWATER STRUCTURES[CUST: CR4 YD 99]	A	5180		IS	10-DEC-98
M ASTM-C954-98	STEEL DRILL SCREWS FOR THE APPLICATION OF GYPSUM BOARD OR METAL PLASTER BASES TO STEEL STUDS FROM 0.033 IN. (0.84 MM) TO 0.112 IN. (2.84 MM) IN THICKNESS[CUST: AR YD 99 IS]	A	5305		IS	10-MAY-98
M ASTM-C1002-98	STEEL DRILL SCREWS FOR THE APPLICATION OF GYPSUM PANEL PRODUCTS OR METAL PLASTER BASES[CUST: AR YD 99 IS] [REVIEW: 82 SH]	A	5305		IS	10-MAY-98
M ASTM-F880-98	SCREWS, SOCKET-SET, STAINLESS STEEL[CUST: AR YD 99 IS]	A	5305		IS	10-OCT-98
M NASM51106	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A, [CUST: AR SH 99 IS]	A	5305		IS	SEP-99
N NASM8922-1	NUT, SELF-LOCKING, ASSEMBLED WASHER, ALLOY STEEL, 220 KSI FTU, 450 DEG. F (12-SPLINE WRENCHING ELEMENT)[CUST: AV AS 99 IS]	A	5310		IS	DEC-99
N NASM14179	NUT, PLATE, SELF-LOCKING, FLOATING, TWO LUG, REDUCED RIVET SPACING, STEEL, (POLYAMIDE INSERT) 500 CYCLES REUSE, REPLACEMENT NUT, 160 KSI FTU, 450 DEG. F[CUST: AV AS 99 IS]	A	5310		IS	DEC-99
N NASM45595	WASHERS, SHOULDERED, RECESSED, SADDLE, CONCAVE AND CONVEX[CUST: AR YD IS]	A	5310		IS	DEC-99
N NASM45595-1	WASHER, SHOULDERED, POLYAMIDE (NYLON)[CUST: AR 99 IS]	A	5310		IS	DEC-99
N NASM45595-2	WASHER, SHOULDERED, POLYTETRAFLUOROETHYLENE[CUST: AR 99 IS]	A	5310		IS	DEC-99
N NASM45595-3	WASHER, RECESSED, ALUMINUM ALLOY[CUST: AR 99 IS]	A	5310		IS	DEC-99
N NASM45595-6	WASHER, CONVEX, STEEL, ALLOY[CUST: AR 99 IS]	A	5310		IS	DEC-99
N NASM45595-7	WASHER, CONCAVE, STEEL, ALLOY[CUST: AR 99 IS]	A	5310		IS	DEC-99
N NASM45595-8	WASHER, SHOULDERED, PHENOLIC[CUST: AR 99 IS]	A	5310		IS	DEC-99
M NASM45938-11	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (FLOATING, 400 DEG. F)[CUST: AR OS 99 IS]	A	5310		IS	DEC-99
N NASM45938-13	NUT, PLAIN, CLINCH, NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, MINIATURE, FLOATING, 450 DEG. F AND 600 DEG. F)[CUST: AR OS 99 IS]	A	5310		IS	DEC-99
N NASM85353-2	NUT, PRELOAD, LOCKING, EXTENDED WASHER, HEXAGON, REDUCED HEIGHT, CRES, 125 KSL, 450 DEG. F AND 1200 DEG. F[CUST: AV AS 11 IS]	A	5310		IS	DEC-99
M ASTM-C514-96	NAILS FOR THE APPLICATION OF GYPSUMBOARD[CUST: EA YD 99 IS]	A	5315		IS	10-AUG-96
M ASTM-F1667-97	FASTENERS, DRIVEN: NAIL, SPIKES, AND STAPLES[CUST: AR YD 99 IS] [REVIEW: 82]	A	5315		IS	10-OCT-97
M ASME-B18.27.1	RING, TAPERED AND REDUCED CROSS SECTION RETAINING, (INCH SERIES) EXTERNAL TYPE NA1, INTERNAL TYPE NA2, E-RING TYPE NA3[CUST: AR SH 99 IS]	A	5325		IS	30-JUL-99
M ASME-B18.27.2	RINGS, TAPERED AND REDUCED CROSS SECTION RETAINING (INCH SERIES) HEAVY DUTY EXTERNAL TPE NA4, REINFORCED E-RING NA5, C-TYPE[CUST: AR SH 99 IS]	A	5325		IS	30-JUL-99
M ASME-B18.27.3	RINGS, TAPERED AND REDUCED CROSS SECTION EXTERNAL RETAINING (INCH SERIES) BOWED EXTERNAL RINGS NA7, BOWED INTERNAL RINGS NA8, BOWED EXTERNAL E-RINGS NA9[CUST: AR SH 99 IS]	A	5325		IS	30-JUL-99
M ASTM-C864-99	GASKETS, SEAL, SETTING BLOCKS, AND SPACERS, DENSE ELASTOMERIC COMPRESSION[CUST: CR4 YD 99 IS]	A	5330		IS	10-JAN-99
M ASTM-F1182-90R96	ANODES, SACRIFICIAL ZINC ALLOY[CUST: AT SH 99 IS]	A	5340		IS	29-JUN-90
M ASTM-E1925-99	ENGINEERING AND DESIGN CRITERIA FOR RIGID WALL RELOCATABLE STRUCTURES[CUST: GL MC 99] [REVIEW: 84 CC]	A	5411		GL	10-OCT-99
M ASTM-C99-87R93	STONE, MODULUS OF RUPTURE OF DIMENSION[CUST: CE YD 99 IS] [REVIEW: MC]	A	5610		IS	25-SEP-87
M ASTM-C123-98	PARTICLES, LIGHTWEIGHT IN AGGREGATE[CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610		IS	10-MAY-98
M ASTM-C127-88R93	AGGREGATE, COARSE, SPECIFIC GRAVITY AND ABSORPTION OF[CUST: CR4 YD 99 IS] [REVIEW: CE MC]	A	5610		IS	31-OCT-88
M ASTM-C128-97	GRAVITY AND ABSORPTION, SPECIFIC, OF FINE AGGREGATE[CUST: CR4 YD 99 IS] [REVIEW: CE MC]	A	5610		IS	10-NOV-97
M ASTM-C129A-99	MASONRY UNITS, CONCRETE, NONLOADBEARING[CUST: YD 99 IS] [REVIEW: CE CG MC]	A	5610		IS	10-NOV-99
M ASTM-C131-96	AGGREGATE, COARSE, RESISTANCE TO DEGRADATION OF SMALL-SIZE BY ABRASION AND IMPACT IN THE LOS ANGELES MACHINE[CUST: YD 99 IS] [REVIEW: CE MC]	A	5610		IS	10-JUL-96
M ASTM-C138-92R00	WEIGHT, UNIT, YIELD, AND AIR CONTENT (GRAVIMETRIC) OF CONCRETE[CUST: CR4 YD IS] [REVIEW: CE MC]	A	5610		IS	15-DEC-92
M ASTM-C141-97	LIME, HYDRAULIC HYDRATED, FOR STRUCTURAL PURPOSES[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5610		IS	10-NOV-97
M ASTM-C142-97	CLAY LUMPS AND FRIABLE PARTICLES IN AGGREGATES[CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610		IS	10-AUG-97
M ASTM-C143/C143M-98	CONCRETE, CEMENT, HYDRAULIC, SLUMP OF[CUST: CR4 YD IS] [REVIEW: SH]	A	5610		IS	10-NOV-98
M ASTM-C144-99	MORTAR, MASONRY, AGGREGATE FOR[CUST: CR4 YD IS] [REVIEW: SH]	A	5610		IS	10-AUG-99
M ASTM-C150A-99	CEMENT, PORTLAND[CUST: YD 99 IS] [REVIEW: CE SH]	A	5610		IS	10-OCT-99
M ASTM-C156-98	WATER RETENTION BY CONCRETE CURING MATERIALS[CUST: CR4 YD 99 IS] [REVIEW: CE MC]	A	5610		IS	11-NOV-98
M ASTM-C157/C157M-99	MORTAR AND CONCRETE, HARDENED HYDRAULIC-CEMENT, LENGTH CHANGE OF[CUST: CR4 YD IS] [REVIEW: CE MC]	A	5610		IS	10-JUL-99
M ASTM-C172-99	CONCRETE, SAMPLING FRESHLY MIXED[CUST: CR4 YD IS] [REVIEW: SH]	A	5610		IS	10-SEP-99

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	ASTM-C173A-94	AIR CONTENT OF FRESHLY MIXED CONCRETE BY THE VOLUMETRIC METHOD[CUST: CR4 YD IS]	A	5610	IS	IS	15-SEP-94
M	ASTM-C185-99	MORTAR, HYDRAULIC CEMENT, AIR CONTENT OF[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5610	IS	IS	10-JAN-99
M	ASTM-C192/C192M-98	CONCRETE, MAKING AND CURING TEST SPECIMENS IN THE LABORATORY[CUST: YD IS] [REVIEW: 99 CE MC]	A	5610	IS	IS	10-JUL-98
M	ASTM-C206-84R97	LIME, FINISHING HYDRATED[CUST: EA YD 99 IS] [REVIEW: CE MC]	A	5610	IS	IS	25-MAY-84
M	ASTM-C207-91R97	LIME, HYDRATED, FOR MASONRY PURPOSES[CUST: EA YD 99 IS] [REVIEW: CE MC SM]	A	5610	IS	IS	15-SEP-91
M	ASTM-C215-97	CONCRETE SPECIMENS, FUNDAMENTAL TRANSVERSE, LONGITUDINAL, AND TORSIONAL FREQUENCIES OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610	IS	IS	10-AUG-97
M	ASTM-C217-94	SLATE, WEATHER RESISTANCE OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610	IS	IS	15-DEC-94
M	ASTM-C226-96	CEMENT, AIR-ENTRAINING PORTLAND, AIR-ENTRAINING ADDITIONS FOR USE IN THE MANUFACTURE OF[CUST: YD 99 IS] [REVIEW: CE]	A	5610	IS	IS	10-JUL-96
M	ASTM-C227A-97	CEMENT, AGGREGATE COMBINATIONS (MORTAR-BAR METHOD), POTENTIAL ALKALI REACTIVITY OF - 21 JUN 1990[CUST: CR4 YD 99 IS] [REVIEW: 11 CE MC]	A	5610	IS	IS	10-NOV-97
M	ASTM-C231-97	AIR CONTENT OF FRESHLY MIXED CONCRETE BY THE PRESSURE METHOD[CUST: CR4 YD IS] [REVIEW: SH]	A	5610	IS	IS	10-JAN-97
M	ASTM-C232-99	CONCRETE, BLEEDING OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610	IS	IS	10-JUL-99
M	ASTM-C233-00	AIR-ENTRAINING ADMIXTURES FOR CONCRETE[CUST: CR4 YD IS] [REVIEW: CE MC]	A	5610	IS	IS	10-JAN-00
M	ASTM-C260-00	CONCRETE, AIR-ENTRAINING ADMIXTURES FOR[CUST: CR4 YD IS] [REVIEW: SH]	A	5610	IS	IS	10-JAN-00
M	ASTM-C267-97	MORTARS, GROUTS AND MONOLITHIC SURFACINGS AND POLYMER CONCRETES, CHEMICAL RESISTANCE OF[CUST: CR4 YD IS] [REVIEW: CG MC]	A	5610	IS	IS	10-MAR-97
M	ASTM-C289-94	AGGREGATES (CHEMICAL METHOD), POTENTIAL ALKALI-SILICA REACTIVITY OF[CUST: CR4 YD IS] [REVIEW: 99 CE MC]	A	5610	IS	IS	15-APR-94
M	ASTM-C293-94	CONCRETE (USING SIMPLE BEAM WITH CENTER-POINT LOADING) FLEXURAL STRENGTH OF[CUST: YD IS] [REVIEW: CE MC]	A	5610	IS	IS	15-APR-94
M	ASTM-C294-98	CONCRETE AGGREGATES CONSTITUENTS OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610	IS	IS	10-AUG-98
M	ASTM-C295-98	CONCRETE, AGGREGATES FOR, PETROGRAPHIC EXAMINATION OF[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5610	IS	IS	11-NOV-98
M	ASTM-C307-99	MORTAR, CHEMICAL-RESISTANT, GROUTS, AND MONOLITHIC SURFACINGS, TENSILE STRENGTH OF[CUST: CR4 YD IS] [REVIEW: CE MC]	A	5610	IS	IS	10-OCT-99
M	ASTM-C311B-98	CEMENT CONCRETE, PORTLAND, SAMPLING AND TESTING FLY ASH OR NATURAL POZZOLANS FOR USE AS A MINERAL ADMIXTURE IN[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5610	IS	IS	10-MAY-98
M	ASTM-C315-00	CLAY FLUE LININGS[CUST: CE YD 99 IS]	A	5610	IS	IS	10-JAN-00
M	ASTM-C317-98	GYPSUM CONCRETE[CUST: CR4 YD 99 IS] [REVIEW: MI]	A	5610	IS	IS	10-APR-98
M	ASTM-C330-99	AGGREGATES, LIGHTWEIGHT, FOR STRUCTURAL CONCRETE[CUST: CR4 YD 99 IS] [REVIEW: SH]	A	5610	IS	IS	10-MAR-99
M	ASTM-C331-00	CONCRETE MASONRY UNITS, LIGHTWEIGHT AGGREGATES FOR, STANDARD SPECIFICATION FOR[CUST: CE YD 99 IS]	A	5610	IS	IS	10-JAN-00
M	ASTM-C332-99	CONCRETE, INSULATING, FOR LIGHTWEIGHT AGGREGATES[CUST: CE YD 99 IS]	A	5610	IS	IS	10-NOV-99
M	ASTM-C401-91R95	ALUMINA AND ALUMINO-SILICATE, CASTABLE REFRACTORIES[CUST: YD IS] [REVIEW: CE MC]	A	5610	IS	IS	25-JAN-91
M	ASTM-C403/C403M-99	MIXTURES, CONCRETE, BY PENETRATION RESISTANCE, TIME OF SETTING OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610	IS	IS	10-SEP-99
M	ASTM-C404-97	MASONRY GROUT, AGGREGATES FOR[CUST: CE YD 99 IS]	A	5610	IS	IS	10-NOV-97
M	ASTM-C413-96	MORTARS, GROUTS, CHEMICAL-RESISTANT, AND MONOLITHIC SURFACINGS, ABSORPTION OF[CUST: CR4 YD IS] [REVIEW: CE MC SH]	A	5610	IS	IS	10-SEP-96
M	ASTM-C418-98	CONCRETE, ABRASION RESISTANCE OF, BY SANDBLASTING[CUST: CR4 YD IS] [REVIEW: CE MC]	A	5610	IS	IS	10-MAY-98
M	ASTM-C470/C470M-98	MOLDS FOR FORMING CONCRETE TEST CYLINDERS VERTICALLY[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5610	IS	IS	10-JUL-98
M	ASTM-C472-99	GYPSUM, GYPSUM PLASTERS AND GYPSUM CONCRETE, PHYSICAL TESTING OF[CUST: YD IS] [REVIEW: CE]	A	5610	IS	IS	10-MAY-99
M	ASTM-C475-94	COMPOUND, JOINT, AND JOINT TAPE FOR FINISHING GYPSUM BOARD[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5610	IS	IS	15-AUG-94
M	ASTM-C476-99	GROUT FOR MASONRY[CUST: CE YD 99 IS]	A	5610	IS	IS	10-JAN-99
M	ASTM-C495A-99	CONCRETE, LIGHTWEIGHT INSULATING, COMPRESSIVE STRENGTH OF[CUST: CE YD 99 IS]	A	5610	IS	IS	10-FEB-99
M	ASTM-C535-96	AGGREGATE, LARGE SIZE COARSE, RESISTANCE TO DEGRADATION OF, BY ABRASION AND IMPACT IN THE LOS ANGELES MACHINE, STANDARD TEST METHOD FOR[CUST: YD IS] [REVIEW: 99 CE MC]	A	5610	IS	IS	10-MAY-96
M	ASTM-C566-97	AGGREGATE, TOTAL EVAPORABLE MOISTURE CONTENT OF, BY DRYING, STANDARD TEST METHOD FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5610	IS	IS	10-JAN-97
M	ASTM-C567A-99	CONCRETE, STRUCTURAL LIGHTWEIGHT, DENSITY OF[CUST: CR4 YD IS] [REVIEW: SH]	A	5610	IS	IS	10-FEB-99
M	ASTM-C568-99	STONE, LIMESTONE DIMENSION[CUST: YD IS] [REVIEW: CE MC]	A	5610	IS	IS	10-APR-99
M	ASTM-C580-98	FLEXURAL STRENGTH AND MODULUS OF ELASTICITY OF CHEMICAL-RESISTANT MORTARS, GROUTS, AND MONOLITHIC SURFACINGS[CUST: CR4 YD IS] [REVIEW: CE MC]	A	5610	IS	IS	10-NOV-98
M	ASTM-C586-99	ROCKS, CARBONATE, FOR CONCRETE AGGREGATES (ROCK CYLINDER METHOD), POTENTIAL ALKALI REACTIVITY OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5610	IS	IS	10-JUN-99
M	ASTM-C587-97	GYPSUM VENEER PLASTER[CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5610	IS	IS	10-OCT-97
M	ASTM-C588/C588M-99	GYPSUM BASE FOR VENEER PLASTERS[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5610	IS	IS	10-JUN-99
M	ASTM-C597-97	CONCRETE, PULSE VELOCITY THROUGH[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5610	IS	IS	10-JUL-97
M	ASTM-C615-99	GRANITE DIMENSION STONE[CUST: YD IS] [REVIEW: CE MC]	A	5610	IS	IS	10-APR-99
M	ASTM-C616-99	STONE, QUARTZ-BASED DIMENSION[CUST: YD IS] [REVIEW: CE MC]	A	5610	IS	IS	10-APR-99
M	ASTM-C617-98	CONCRETE SPECIMENS, STANDARD PRACTICE FOR CAPPING CYLINDRICAL[CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610	IS	IS	10-AUG-98
M	ASTM-C618-99	COAL FLY ASH AND RAW OR CALCINED NATURAL POZZOLAN FOR USE AS A MINERAL ADMIXTURE IN PORTLAND CEMENT CONCRETE[CUST: CR4 YD 99 IS] [REVIEW: SH]	A	5610	IS	IS	10-JUN-99
M	ASTM-C629-99	STONE, SLATE DIMENSION[CUST: YD IS] [REVIEW: CE MC]	A	5610	IS	IS	10-APR-99
M	ASTM-C637A-98	CONCRETE, RADIATION-SHIELDING, AGGREGATES FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610	IS	IS	10-MAY-98
M	ASTM-C638-92R97	CONCRETE, RADIATION-SHIELDING, CONSTITUENTS OF AGGREGATES FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5610	IS	IS	15-MAR-92
M	ASTM-C658-98	GROUTS, CHEMICAL-RESISTANT RESIN, FOR BRICK OR TILE[CUST: CR4 YD IS] [REVIEW: CE MC]	A	5610	IS	IS	10-SEP-98
M	ASTM-C666-97	CONCRETE, RESISTANCE OF, TO RAPID FREEZING AND THAWING[CUST: CR4 YD 11 IS]	A	5610	IS	IS	10-JUN-97
M	ASTM-C685A-98	CONCRETE MADE BY VOLUMETRIC BATCHING AND CONTINUOUS MIXING[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5610	IS	IS	10-AUG-98
M	ASTM-C702-98	SAMPLES, REDUCING, OF AGGREGATE TO TESTING SIZE[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5610	IS	IS	10-MAY-98

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	ASTM-C778-00	SAND, STANDARD[CUST: YD IS]	A	5610	IS		10-FEB-00
M	ASTM-C805-97	CONCRETE, HARDENED, REBOUND NUMBER OF[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5610	IS		10-NOV-97
M	ASTM-C811-98	CONCRETE, SURFACE PREPARATION OF, FOR APPLICATION OF CHEMICAL-RESISTANT RESIN MONOLITHIC SURFACINGS[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5610	IS		10-JUN-98
M	ASTM-C827A-95R97	MIXTURES, CYLINDRICAL SPECIMENS FROM CEMENTITIOUS, CHANGE IN HEIGHT AT EARLY AGES OF[CUST: CR4 YD IS] [REVIEW: CE MC]	A	5610	IS		15-APR-95
M	ASTM-C873-99	CYLINDERS, CONCRETE, CAST IN PLACE IN CYLINDRICAL MOLDS, COMPRESSIVE STRENGTH OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5610	IS		10-JAN-99
M	ASTM-C881-99	CONCRETE, EPOXY-RESIN-BASE BONDING SYSTEMS[CUST: CR4 YD 99 IS] [REVIEW: CE SH]	A	5610	IS		10-FEB-99
M	ASTM-C882-99	BOND STRENGTH OF EPOXY-RESIN SYSTEMS USED WITH CONCRETE BY SLANT SHEAR[CUST: CR4 YD 99 IS] [REVIEW: 84 CC]	A	5610	IS		10-FEB-99
M	ASTM-C884/C884M-98	CONCRETE AND AN EPOXY-RESIN OVERLAY, THERMAL COMPATIBILITY BETWEEN[CUST: CR4 YD IS] [REVIEW: 84]	A	5610	IS		10-NOV-98
M	ASTM-C923-98	PIPES AND LATERALS, RESILIENT CONNECTORS BETWEEN REINFORCED CONCRETE MANHOLE STRUCTURES[CUST: YD IS]	A	5610	IS		10-JUL-98
M	ASTM-C924-89R97	PIPE SEWER LINES, CONCRETE, BY LOW-PRESSURE AIR TEST METHOD[CUST: YD IS]	A	5610	IS		27-JAN-89
M	ASTM-C932A-98	PLASTERING, EXTERIOR, SURFACE-APPLIED BONDING AGENTS FOR[CUST: CR4 YD 99 IS]	A	5610	IS		10-OCT-98
M	ASTM-C937-97	GROUT FLUIDIFIER FOR PREPLACED-AGGREGATE CONCRETE[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5610	IS		10-AUG-97
M	ASTM-C939-97	GROUT FOR PREPLACED-AGGREGATE CONCRETE (FLOW CONE METHOD), FLOW OF[CUST: CR4 YD 99 IS]	A	5610	IS		10-JUL-97
M	ASTM-C942-99	GROUTS FOR PREPLACED-AGGREGATE CONCRETE IN THE LABORATORY, COMPRESSIVE STRENGTH OF[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5610	IS		10-JAN-99
M	ASTM-C966-98	ASBESTOS-CEMENT, INSTALLING, NONPRESSURE PIPE[CUST: YD IS]	A	5610	IS		10-AUG-98
M	ASTM-C989-99	GROUND GRANULATED BLAST-FURNACE SLAG FOR USE IN CONCRETE AND MORTARS[CUST: CR4 YD 99 IS] [REVIEW: CE]	A	5610	IS		10-JUL-99
M	ASTM-C1017/C1017M-98	CONCRETE, FLOWING, CHEMICAL ADMIXTURES FOR USE IN PRODUCING[CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610	IS		10-NOV-98
M	ASTM-C1018-97	FIBER-REINFORCED CONCRETE (USING BEAM WITH THIRD-POINT LOADING), FLEXURAL TOUGHNESS AND FIRST-CRACK STRENGTH OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5610	IS		10-DEC-97
M	ASTM-C1019-99	GROUT, SAMPLING AND TEST[CUST: CR4 YD 99 IS]	A	5610	IS		10-NOV-99
M	ASTM-C1064/C1064M-99	CONCRETE, TEMPERATURE OF FRESHLY MIXED PORTLAND CEMENT[CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610	IS		10-JUL-99
M	ASTM-C1077-98	CONCRETE AND CONCRETE AGGREGATES FOR USE IN CONSTRUCTION AND CRITERIA FOR LABORATORY EVALUATION, LABORATORIES TESTING[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5610	IS		10-FEB-98
M	ASTM-C1107-99	CEMENT GROUT (NONSHRINK), HYDRAULIC-PACKAGED DRY[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5610	IS		10-JAN-99
M	ASTM-C1116-97	FIBER-REINFORCED CONCRETE AND SHOTCRETE[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5610	IS		10-JUN-97
M	ASTM-C125-00	CONCRETE AND CONCRETE AGGREGATES[CUST: CR4 YD IS] [REVIEW: CE MC]	A	5620	IS		10-JAN-00
M	ASTM-C139-99	CONCRETE MASONRY UNITS FOR CONSTRUCTION OF CATCH BASINS AND MANHOLES[CUST: CR4 YD 99 IS]	A	5620	IS		10-JAN-99
M	ASTM-C140B-99	MASONRY UNITS AND RELATED UNITS, CONCRETE, SAMPLING AND TESTING[CUST: CE YD 99 IS]	A	5620	IS		10-SEP-99
M	ASTM-C158-95	GLASS BY FLEXURE (DETERMINATION OF MODULES OF RUPTURE, STRENGTH OF[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5620	IS		10-SEP-95
M	ASTM-C174/C174M-97	CONCRETE CORES, MEASURING THICKNESS OF CONCRETE ELEMENTS USING DRILLED[CUST: YD IS] [REVIEW: CE MC]	A	5620	IS		10-JAN-97
M	ASTM-C216-99	BRICK, FACING, (SOLID MASONRY UNITS MADE FROM CLAY OR SHALE)[CUST: CR4 YD IS]	A	5620	IS		10-NOV-99
M	ASTM-C318/C318M-96	GYPSUM FORMBOARD[CUST: CR4 YD IS]	A	5620	IS		10-MAY-96
M	ASTM-C426-99	CONCRETE MASONRY UNITS, LINEAR DRYING SHRINKAGE OF[CUST: CR4 YD 99 IS] [REVIEW: CE MC]	A	5620	IS		10-NOV-99
M	ASTM-C499-78R99	CERAMIC WALL AND FLOOR TILE, FLAT, RECTANGULAR, FACIAL DIMENSIONS AND THICKNESS OF[CUST: MR YD 99]	A	5620	MR		29-DEC-78
M	ASTM-C652-00	BRICK, HOLLOW, (HOLLOW MASONRY UNITS MADE FROM CLAY OR SHALE)[CUST: CR4 YD 99 IS]	A	5620	IS		10-JAN-00
M	ASTM-C744-99	MASONRY UNITS, SILICATE, PREFACED CONCRETE AND CALCIUM[CUST: CR4 YD 99 IS] [REVIEW: CE MC]	A	5620	IS		10-JAN-99
M	ASTM-C901A-93	PANELS, MASONRY, PREFABRICATED[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5620	IS		15-OCT-93
M	ASTM-C1036-91R97	GLASS, FLAT[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC]	A	5620	IS		15-NOV-91
M	ASTM-C1072-99	MASONRY FLEXURAL BOND STRENGTH, MEASUREMENT OF[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5620	IS		10-JUN-99
M	ASTM-C1089-97	CONCRETE POLES, PRESTRESSED SPUN CAST[CUST: CR4 YD 99 IS] [REVIEW: 84]	A	5620	IS		10-JAN-97
M	ASTM-C301-98	PIPE, CLAY, VITRIFIED[CUST: YD 99] [REVIEW: 84 MC]	A	5630	IS		10-MAR-98
M	ASTM-C361-99	CONCRETE, REINFORCED, LOW-HEAD PRESSURE PIPE[CUST: YD 99] [REVIEW: MC]	A	5630	IS		10-APR-99
M	ASTM-C361M-99	CONCRETE, REINFORCED, LOW-HEAD PRESSURE PIPE (METRIC)[CUST: YD 99] [REVIEW: MC]	A	5630	IS		10-APR-99
M	ASTM-C412-99	CONCRETE DRAIN TILE[CUST: YD 99] [REVIEW: CE MC]	A	5630	IS		10-AUG-99
M	ASTM-C412M-99	CONCRETE DRAIN TILE, (METRIC)[CUST: YD 99] [REVIEW: CE MC]	A	5630	IS		10-AUG-99
M	ASTM-C425-00	CLAY PIPE AND FITTINGS, VITRIFIED, COMPRESSION JOINTS FOR[CUST: CR4 YD 99] [REVIEW: CE MC]	A	5630	IS		10-JAN-00
M	ASTM-C443-98	JOINTS FOR CIRCULAR CONCRETE SEWER AND CULVERT PIPE, USING RUBBER GASKETS[CUST: YD 99] [REVIEW: CE MC]	A	5630	IS		10-MAY-98
M	ASTM-C443M-98	PIPE, JOINTS FOR CIRCULAR CONCRETE SEWER AND CULVERT, USING RUBBER GASKETS[CUST: CR4 YD] [REVIEW: CE NC]	A	5630	CR4		10-MAY-98
M	ASTM-C478-97	MANHOLE SECTIONS, CONCRETE, PRECAST REINFORCED[CUST: YD 99] [REVIEW: CE MC]	A	5630	IS		10-APR-97
M	ASTM-C478M-97	MANHOLE SECTIONS, CONCRETE, PRECAST REINFORCED (METRIC)[CUST: YD] [REVIEW: CE MC]	A	5630	IS		10-APR-97
M	ASTM-C497-98	CONCRETE PIPE, MANHOLE SECTIONS, OR TILE[CUST: CR4 YD 99] [REVIEW: 84 CE MC]	A	5630	IS		10-JUN-98
M	ASTM-C497M-97	CONCRETE PIPE, MANHOLE SECTIONS, OR TILE, METRIC[CUST: CR4 YD 99] [REVIEW: 84 CE MC]	A	5630	IS		10-MAY-97
M	ASTM-C506-99	CONCRETE ARCH CULVERT, STORM DRAIN, AND SEWER PIPE, REINFORCED[CUST: YD] [REVIEW: CE MC]	A	5630	IS		10-AUG-99
M	ASTM-C506M-99	CONCRETE ARCH CULVERT, REINFORCED, STORM DRAIN, AND SEWER PIPE, METRIC[CUST: YD] [REVIEW: CE MC]	A	5630	IS		10-AUG-99
M	ASTM-C507-99	CONCRETE, REINFORCED, ELLIPTICAL CULVERT, STORM DRAIN, AND SEWER PIPE[CUST: CR4 YD 99] [REVIEW: CE MC]	A	5630	IS		10-AUG-99
M	ASTM-C507M-99	CONCRETE, REINFORCED, ELLIPTICAL CULVERT, STORM DRAIN, AND SEWER PIPE, (METRIC)[CUST: CR4 YD] [REVIEW: MC]	A	5630	IS		10-AUG-99
M	ASTM-C654-99	PIPE, POROUS CONCRETE[CUST: YD] [REVIEW: CE MC]	A	5630	IS		10-AUG-99
M	ASTM-C654M-99	PIPE, POROUS CONCRETE (METRIC)[CUST: YD] [REVIEW: CE MC]	A	5630	IS		10-AUG-99

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M ASTM-C655A-95	CULVERT, STORM DRAIN, AND SEWER PIPE, CONCRETE D-LOAD, REINFORCED[CUST: YD 99] [REVIEW: 84 CE MC]	A	5630		IS	10-OCT-95
M ASTM-C663-98	PIPE, STORM DRAIN, ASBESTOS-CEMENT[CUST: YD 99]	A	5630		IS	10-SEP-98
M ASTM-C700-00	PIPE, CLAY, VITRIFIED, EXTRA STRENGTH, STANDARD STRENGTH, AND PERFORATED[CUST: YD] [REVIEW: CC CE MC]	A	5630		IS	10-JAN-00
M ASTM-C822-98	CONCRETE PIPE AND RELATED PRODUCTS[CUST: YD 99] [REVIEW: CE MC]	A	5630		IS	10-DEC-98
M ASTM-C828-98	PIPE LINES, CLAY, VITRIFIED, LOW-PRESSURE AIR TEST OF[CUST: CR4 YD 99] [REVIEW: 84]	A	5630		IS	10-MAR-98
M ASTM-C969-94	PIPE SEWER LINES, CONCRETE, INSTALLED PRECAST, INFILTRATION AND EXFILTRATION, ACCEPTANCE TESTING OF[CUST: YD 99] [REVIEW: 84]	A	5630		IS	15-JUL-94
M ASTM-C167-98	BLANKET OR BATT THERMAL INSULATIONS, THICKNESS AND DENSITY OF[CUST: CR4 YD 99] [REVIEW: 84 CE CG MC SH]	A	5640		IS	10-AUG-98
M ASTM-C195-95	CEMENT, THERMAL INSULATING, MINERAL FIBER[CUST: YD 99] [REVIEW: EA MI SH]	A	5640		IS	15-AUG-95
M ASTM-C203-99	INSULATION, THERMAL BLOCK-TYPE, BREAKING LOAD AND FLEXURAL PROPERTIES OF[CUST: CR4 YD 99] [REVIEW: 84 CE CG MC SH]	A	5640		IS	10-MAR-99
M ASTM-C208-95	BOARD, INSULATING CELLULOSIC FIBER[CUST: CR4 YD] [REVIEW: CE MC]	A	5640		IS	15-FEB-95
M ASTM-C209-98	FIBER INSULATING BOARD, CELLULOSIC[CUST: CR4 YD] [REVIEW: CE MC SH]	A	5640		IS	10-APR-98
M ASTM-C236-89R93	BUILDING ASSEMBLIES BY MEANS OF A GUARDED HOT BOX, STEADY-STATE THERMAL PERFORMANCE OF[CUST: CR4 YD] [REVIEW: 84]	A	5640		IS	29-SEP-89
M ASTM-C302-95	INSULATION, THERMAL, PREFORMED PIPE-COVERING-TYPE, DENSITY AND DIMENSIONS OF[CUST: CR4 SH 99]	A	5640		SH	15-AUG-95
M ASTM-C303-98	INSULATION, THERMAL, DENSITY OF PREFORMED BLOCK-TYPE AND BOARD-TYPE[CUST: CR4 YD 99] [REVIEW: 84 CE CG MC SH]	A	5640		IS	10-JUN-98
M ASTM-C390-79R95	INSULATION, PREFORMED THERMAL LOTS, SAMPLING AND ACCEPTANCE OF[CUST: CR4 YD 99] [REVIEW: 84 CE CG MC SH]	A	5640		IS	28-DEC-79
M ASTM-C421-95	INSULATION, THERMAL, TUMBLING FRIABILITY OF PREFORMED BLOCK-TYPE[CUST: CR4 SH 99]	A	5640		SH	15-AUG-95
M ASTM-C423A-99	SOUND ABSORPTION AND SOUND ABSORPTION COEFFICIENTS BY THE REVERBERATION ROOM METHOD[CUST: CR4 YD 99] [REVIEW: 11 CE MC]	A	5640		IS	10-MAR-99
M ASTM-C442/C442MA-99	GYPSON BACKING BOARD, GYPSON COREBOARD, AND GYPSON SHAFTLINER BOARD[CUST: CR4 YD 99] [REVIEW: 84]	A	5640		IS	10-OCT-99
M ASTM-C516-80R96	INSULATION, THERMAL, LOOSE FILL, VERMICULITE, STANDARD SPECIFICATION FOR[CUST: YD 99] [REVIEW: CE CR4 MC OS]	A	5640		IS	31-OCT-80
M ASTM-C518-98	HEAT, STEADY-STATE, FLUX MEASUREMENTS AND THERMAL TRANSMISSION PROPERTIES BY MEANS OF THE HEAT FLOW METER APPARATUS[CUST: CR4 YD] [REVIEW: 84 CE SH]	A	5640		IS	10-MAY-98
M ASTM-C520-98	INSULATIONS, GRANULAR LOOSE FILL, DENSITY OF[CUST: GL YD 99]	A	5640		GL	10-AUG-98
M ASTM-C534-99	INSULATION, THERMAL, INSULATION IN SHEET AND TUBULAR FORM, PREFORMED FLEXIBLE ELASTOMERIC CELLULAR[CUST: CR4 YD] [REVIEW: CE MC SH]	A	5640		IS	10-MAR-99
M ASTM-C549-81R95	INSULATION, PERLITE LOOSE FILL - 30 OCT 1981 (REAPPROVED 1986)[CUST: CR4 YD 99] [REVIEW: CE MC]	A	5640		IS	30-OCT-81
M ASTM-C550-95	BLOCK, RIGID THERMAL INSULATION, MEASURING TRUENESS AND SQUARENESS OF, STANDARD PRACTICE FOR[CUST: CR4 YD 99] [REVIEW: 84 CE CG MC SH]	A	5640		IS	15-JAN-95
M ASTM-C552-00	GLASS, CELLULAR, THERMAL INSULATION[CUST: CR4 YD IS] [REVIEW: CE CG SH]	A	5640		IS	10-JAN-00
M ASTM-C591-94	INSULATION, UNFACED PREFORMED RIGID CELLULAR POLYURETHANE THERMAL[CUST: YD] [REVIEW: CE]	A	5640		IS	15-OCT-94
M ASTM-C592-97	MINERAL FIBER BLANKET INSULATION & BLANKET TYPE PIPE INSULATION (METAL MESH COVERED) (INDUSTRIAL TYPE)[CUST: CR4 YD] [REVIEW: CG MC MI]	A	5640		IS	10-JUN-97
M ASTM-C610-99	INSULATION, EXPANDED PERLITE BLOCK AND PIPE THERMAL[CUST: CR4 YD 99] [REVIEW: 84 CE MC]	A	5640		IS	10-DEC-99
M ASTM-C612-00	MINERAL FIBER BLOCK AND BOARD THERMAL INSULATION[CUST: CR4 YD] [REVIEW: CG MC MI]	A	5640		IS	10-JAN-00
M ASTM-C630/C630MA-96	WATER-RESISTANT GYPSON BACKING BOARD[CUST: YD 99] [REVIEW: 84]	A	5640		IS	10-DEC-96
M ASTM-C635-97	CEILINGS, AND ACOUSTICAL TILE AND LAY-IN PANEL, METAL SUSPENSION SYSTEMS FOR[CUST: YD] [REVIEW: CE CR4]	A	5640		IS	10-SEP-97
M ASTM-C645-00	STEEL FRAMING MEMBERS, NONSTRUCTURAL[CUST: CR4 YD 99]	A	5640		IS	10-JAN-00
M ASTM-C665-98	MINERAL-FIBER BLANKET THERMAL INSULATION FOR LIGHT FRAME CONSTRUCTION AND MANUFACTURED HOUSING[CUST: YD 99] [REVIEW: 84 CE MC]	A	5640		IS	15-SEP-94
M ASTM-C725-90R98	SIDING, FIBER, SEMIDENSE MINERAL[CUST: YD] [REVIEW: 99 CE]	A	5640		IS	26-OCT-90
M ASTM-C739-97	FIBER, CELLULOSIC (WOOD-BASE) LOOSE-FILL THERMAL INSULATION[CUST: YD 99] [REVIEW: 84]	A	5640		YD	10-JUN-97
M ASTM-C754A-99	STEEL FRAMING MEMBERS TO RECEIVE SCREW-ATTACHED GYPSON PANEL PRODUCTS, INSTALLATION OF[CUST: YD] [REVIEW: CE]	A	5640		IS	10-OCT-99
M ASTM-C764-99	MINERAL FIBER LOOSE-FILL THERMAL INSULATION[CUST: YD]	A	5640		IS	10-DEC-99
M ASTM-C795-92R98	INSULATION, THERMAL, FOR USE IN CONTACT WITH AUSTENITIC STAINLESS STEEL[CUST: CR4 YD 99] [REVIEW: 13 CE MC MI]	A	5640		IS	15-JUN-92
M ASTM-C840A-99	BOARD, GYPSON, APPLICATION AND FINISHING OF[CUST: YD] [REVIEW: 99 CE CR4]	A	5640		IS	10-DEC-99
M ASTM-C841-99	INSTALLATION OF INTERIOR LATHING AND FURRING[CUST: CR4 YD 99] [REVIEW: CE]	A	5640		IS	10-OCT-99
M ASTM-C843-99	APPLICATION OF GYPSON VENEER PLASTER[CUST: YD] [REVIEW: CE]	A	5640		IS	10-OCT-99
M ASTM-C844-99	APPLICATION OF GYPSON BASE TO RECEIVE GYPSON VENEER PLASTER[CUST: YD] [REVIEW: CE]	A	5640		IS	10-OCT-99
M ASTM-C916-85R96	INSULATION, THERMAL, DUCT, ADHESIVES FOR[CUST: CR4 YD 99] [REVIEW: CE]	A	5640		IS	26-JUL-85
M ASTM-C930-99	INSULATION, THERMAL, POTENTIAL HEALTH AND SAFETY CONCERNS ASSOCIATED WITH MATERIALS AND ACCESSORIES[CUST: CR OS 11]	A	5640		OS	10-FEB-99
M ASTM-C931/C931M-98	GYPSON SOFFIT BOARD, EXTERIOR[CUST: CR4 YD 99]	A	5640		IS	10-APR-98
M ASTM-C960/C960M-97	GYPSON BOARD, PREDECORATED[CUST: CR4 YD 99] [REVIEW: 84]	A	5640		IS	10-JUN-97
M ASTM-C1047-99	ACCESSORIES FOR GYPSON WALLBOARD AND GYPSON VENEER BASE[CUST: YD]	A	5640		IS	10-OCT-99
M ASTM-C1136-95	INSULATION, THERMAL, FLEXIBLE, LOW PERMEANCE VAPOR RETARDERS[CUST: CR4 YD 99] [REVIEW: 84 AV CE MC SH]	A	5640		IS	15-AUG-95
M ASTM-E108-00	FIRE TESTS OF ROOF COVERINGS[CUST: CR4 YD 99 IS] [REVIEW: CE MC]	A	5650		IS	10-JAN-00
M ASTM-A615/A615M-00	STEEL BARS FOR CONCRETE REINFORCEMENT, DEFORMED AND PLAIN BILLET[CUST: CR4 YD 99] [REVIEW: 82]	A	5680		IS	10-MAR-00
M ASTM-A706/A706M-00	STEEL, LOW-ALLOY, DEFORMED AND PLAIN BARS FOR CONCRETE REINFORCEMENT[CUST: CR4 YD 99] [REVIEW: 84]	A	5680		IS	10-MAR-00
M ASTM-C171A-97	SHEET MATERIALS FOR CURING CONCRETE[CUST: CE YD 99]	A	5680		IS	10-JUN-97
M ASTM-C272-91R96	WATER ABSORPTION OF CORE MATERIALS FOR STRUCTURAL SANDWICH CONSTRUCTIONS[CUST: GL AS 99]	A	5680		GL	15-DEC-91
M ASTM-C309A-98	LIQUID MEMBRANE-FORMING COMPOUNDS FOR CURING CONCRETE[CUST: CR4 YD 99]	A	5680		IS	10-NOV-98

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	ASTM-C366-99	MEASUREMENT OF THICKNESS OF SANDWICH CORES[CUST: AS 11]	A	5680	AS		10-OCT-99
M	ASTM-C796-97	AGENTS, FOAMING, FOR USE IN PRODUCING CELLULAR CONCRETE USING PREFORMED FOAM[CUST: CR4 YD 99] [REVIEW: 84 CE MC]	A	5680	IS		10-NOV-97
M	ASTM-C1063-99	PLASTER, INSTALLATION OF LATHING AND FURRING TO RECEIVE INTERIOR AND EXTERIOR PORTLAND CEMENT-BASED[CUST: CR4 YD 99] [REVIEW: CE MC]	A	5680	IS		10-JUN-99
M	MIL-PRF-39017F(2) SUP 1	RESISTORS, FIXED, FILM (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905	CR		16-MAY-00
M	MIL-PRF-55182/10D(2)	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNC75[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905	CR		16-MAY-00
M	QPL-22-66	RESISTOR, VARIABLE (WIREWOUND, POWER-TYPE) GENERAL SPECIFICATION FOR	A	5905	CC		16-MAY-00
M	QPL-18546-66	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), GENERAL SPECIFICATION FOR	A	5905	CC		16-MAY-00
M	QPL-22684-71	RESISTOR, FIXED, FILM, INSULATED, GENERAL SPECIFICATION FOR	A	5905	CC		16-MAY-00
M	QPL-25-71	CAPACITOR, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR	A	5910	CC		31-MAY-00
M	QPL-49470-3	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, GENERAL SPECIFICATION FOR	A	5910	CR		02-MAY-00
N	A-A-59550/3	FUSE, INCLOSED LINK, THIN-FILM, SURFACE MOUNT (SM), 1206 SIZE, TIME DELAY[CUST: CC]	A	5920	CC	/	17-MAY-00
M	MIL-PRF-22710F(1)	SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), THUMBWHEEL AND PUSHBUTTON, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CR4 MC MI OS]	A	5930	CC		16-MAY-00
M	MIL-PRF-83504B(1) SUP 1	SWITCHES, DUAL IN-LINE PACKAGE (DIP), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MI]	A	5930	CC		16-MAY-00
M	MS14001H NOT 1	SWITCH, TOGGLE, POSITIVE BREAK ENVIRONMENTALLY SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 11 99 AR EC MI]	A	5930	CC		03-MAR-00
M	MS14002H NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 11 99 AR EC MI]	A	5930	CC		03-MAR-00
M	MS14003H NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SOLDER LUG, FOUR POLE, .469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 11 99 AR EC MI]	A	5930	CC		03-MAR-00
M	MS16569E NOT 2	SWITCH, TOGGLE, DOUBLE POLE, SINGLE THROW (FOR USE IN LIGHTING FIXTURES)[CUST: SH]	A	5930	CC		03-MAR-00
M	MS16656F NOT 3	SWITCH, TOGGLE, SINGLE POLE, SINGLE THROW[CUST: SH]	A	5930	CC		03-MAR-00
M	MS18150J NOT 2	SWITCH, TOGGLE, 2 CIRCUIT, SEALED TOGGLE[CUST: CR EC 11 CC] [REVIEW: 11 99 AS AV]	A	5930	CC		03-MAR-00
M	MS18151J NOT 1	SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE[CUST: CR EC 11 CC] [REVIEW: 11 99 AS AV]	A	5930	CC		03-MAR-00
M	MS18152J NOT 2	SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE[CUST: CR EC 11 CC] [REVIEW: 11 99 AS AV]	A	5930	CC		03-MAR-00
M	MS21026F NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, --LEVEL LOCK --MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 11 99 AR EC MI]	A	5930	CC		03-MAR-00
M	MS21027P NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING[CUST: AS 11 CC] [REVIEW: 99 EC MI]	A	5930	CC		03-MAR-00
M	MS21346E NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK AND TOGGLE, MINIATURE TOGGLE SEALED, INTEGRATED WIRE TERMINALS, SINGLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI]	A	5930	CC		03-MAR-00
M	MS21347J NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, AND --LEVER LOCK-- MINIATURE, TOGGLE SEALED, INTEGRATED WIRE TERMINALS, DOUBLE POLE, .469 MOUNTING BUSHING[CUST: AS 11 CC] [REVIEW: 19 99 EC]	A	5930	CC		03-MAR-00
M	MS21351F NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, SPECIAL CIRCUIT, MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 11 99 AR MI]	A	5930	CC		03-MAR-00
M	MS21353J NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, SPECIAL CIRCUIT, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 11 99 AR EC MI]	A	5930	CC		03-MAR-00
M	MS21354L NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, SINGLE POLE, .250 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 AR EC]	A	5930	CC		03-MAR-00
M	MS21355J NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, DOUBLE POLE, .250 MOUNTING BUSHING[CUST: AS 11 CC] [REVIEW: 99 EC MI]	A	5930	CC		03-MAR-00
M	MS21356H NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, SINGLE POLE, .469 MOUNTING BUSHING[CUST: AS 11 CC] [REVIEW: 11 99 EC]	A	5930	CC		03-MAR-00
M	MS21357H NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, DOUBLE POLE, .469 MOUNTING BUSHING[CUST: AS 11 CC] [REVIEW: 11 99 EC]	A	5930	CC		03-MAR-00
M	MS21433E NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SINGLE POLE, PRINTED CIRCUIT BOARD TERMINALS, RIGHT ANGLE MOUNT[CUST: AS 11 CC] [REVIEW: 11 99 EC]	A	5930	CC		03-MAR-00
M	MS21434B NOT 2	SWITCHES, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, DOUBLE POLE, PRINTED CIRCUIT BOARD TERMINALS, RIGHT ANGLE MOUNT[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AT AV EC MI]	A	5930	CC		03-MAR-00
M	MS21436B NOT 2	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 11 99 AR EC MI]	A	5930	CC		03-MAR-00
M	MS21437G(1) NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 EC MI]	A	5930	CC		03-MAR-00
M	MS21994E NOT 2	SWITCH, ROTARY, AMMETER SELECTOR, 115/200 VOLTS FOR 1, 2, 4 GENERATOR SYSTEM[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MC MI OS]	A	5930	CC		03-MAR-00
M	MS21995E NOT 2	SWITCH, ROTARY, AMMETER - VOLTMETER SELECTOR, 115/200 VOLTS, FOR 1, 2, OR 4 GENERATOR SYSTEM[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI]	A	5930	CC		03-MAR-00
M	MS24417J NOT 1	GUARD, SWITCH, 2 OR 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99]	A	5930	CC		03-MAR-00
M	MS24523H NOT 2	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930	CC		03-MAR-00
M	MS24524J NOT 2	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930	CC		03-MAR-00
M	MS24525J NOT 2	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930	CC		03-MAR-00
M	MS24570A NOT 3	SWITCH, VEHICULAR IGNITION: WATERPROOF, STARTER AND MAGNETO, WITH DEGASSER CONTROL[CUST: AT MC 11 CC]	A	5930	CC		03-MAR-00
M	MS24612K NOT 1	SWITCH, TOGGLE, POSITIVE BREAK LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 11 99 AR EC MI]	A	5930	CC		03-MAR-00
M	MS24613J NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 11 99 AR EC MI]	A	5930	CC		03-MAR-00
M	MS24614K NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, FOUR POLE, .469 MOUNTING BUSHING 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 11 99 EC MI]	A	5930	CC		03-MAR-00
M	MS24655K NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE TOGGLE SEALED, SINGLE POLE, SOLDER LUG, OR INTEGRATED WIRE TERMINALS, .250 MOUNTING BUSHINGS[CUST: CR AS 11 CC] [REVIEW: 11 99 AV EC MI]	A	5930	CC		03-MAR-00

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MS24656K NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, DOUBLE POLE, SOLDER LUG OR INTEGRATED WIRE TERMINALS, 250 MOUNTING BUSHINGS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MI]	A	5930		CC	03-MAR-00
M	MS24658F NOT 2	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AT AV MC MI]	A	5930		CC	03-MAR-00
M	MS24659F NOT 2	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS24660F NOT 2	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS25002J NOT 2	SWITCH, ROTARY, 28/115 VOLTS[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI OS]	A	5930		CC	03-MAR-00
M	MS25034J NOT 3	GUARD, SWITCH, 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99]	A	5930		CC	03-MAR-00
M	MS25125K NOT 3	SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS25126K NOT 3	SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS25201K NOT 1	SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 11 99 AV EC]	A	5930		CC	03-MAR-00
M	MS25214E NOT 3	GUARD, SWITCH, 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99]	A	5930		CC	03-MAR-00
M	MS25223G NOT 3	GUARD, SWITCH, 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99]	A	5930		CC	03-MAR-00
M	MS25224G NOT 3	GUARD, SWITCH, 2 POSITION[CUST: CR AS 11 CC] [REVIEW: 99 AV]	A	5930		CC	03-MAR-00
M	MS25225G NOT 3	GUARD, SWITCH, 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99]	A	5930		CC	03-MAR-00
M	MS25306J NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, SINGLE POLE, 469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MI]	A	5930		CC	03-MAR-00
M	MS25307K NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, DOUBLE POLE, 469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI]	A	5930		CC	03-MAR-00
M	MS25308K NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, FOUR POLE, 469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 11 99 AR EC MI]	A	5930		CC	03-MAR-00
M	MS25452F NOT 1	GUARD, SWITCH, 2 POSITION, LOCK[CUST: CR AS 11 CC] [REVIEW: 99]	A	5930		CC	03-MAR-00
M	MS27152B NOT 2	SWITCH, PRESSURE-WARNING, LOW AIR PRESSURE, 60 PSI, SPST, WATERPROOF[CUST: AT CC] [REVIEW: 11 99 CR4 MC]	A	5930		CC	03-MAR-00
M	MS27406D NOT 2	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV CR4 EC MI]	A	5930		CC	03-MAR-00
M	MS27407D NOT 2	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27408D NOT 2	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27409D NOT 2	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27708H NOT 1	SWITCH, TOGGLE, FOUR POSITION ON, CENTER OFF[CUST: AV AS 11 CC] [REVIEW: 99]	A	5930		CC	03-MAR-00
M	MS27716D NOT 1	SWITCH, TOGGLE, MINIATURE, SINGLE POLE, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 11 99 AV]	A	5930		CC	03-MAR-00
M	MS27717E NOT 1	SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 99 AV]	A	5930		CC	03-MAR-00
M	MS27718E NOT 1	SWITCH, TOGGLE, MINIATURE SINGLE POLE, TOGGLE SEAL[CUST: CR EC 11 CC] [REVIEW: 99 AV]	A	5930		CC	03-MAR-00
M	MS27719F NOT 1	SWITCH, TOGGLE, MINIATURE DOUBLE POLE, TOGGLE SEAL[CUST: CR EC 11 CC] [REVIEW: 99 AV]	A	5930		CC	03-MAR-00
M	MS27720G NOT 1	SWITCH, TOGGLE, MINIATURE, SINGLE POLE, TOGGLE SEAL, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 99 AV]	A	5930		CC	03-MAR-00
M	MS27721G NOT 1	SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 99 AV]	A	5930		CC	03-MAR-00
M	MS27722C NOT 2	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EA MC MI]	A	5930		CC	03-MAR-00
M	MS27723C NOT 2	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27724D NOT 2	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27734D NOT 2	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27735D NOT 2	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27736D NOT 2	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27737F NOT 1	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER-LOCK, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 11 99 AV EC]	A	5930		CC	03-MAR-00
M	MS27738E NOT 2	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27739E NOT 2	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27740B NOT 1	SWITCH, MIL-S-3950 AND MIL-S-83731, MILITARY STANDARD PART NUMBERING[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI]	A	5930		CC	03-MAR-00
M	MS27752C NOT 3	GUARD, SWITCH, 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99]	A	5930		CC	03-MAR-00
M	MS27753E NOT 1	SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL[CUST: CR AS 11 CC] [REVIEW: 11 99 AV EA EC]	A	5930		CC	03-MAR-00
M	MS27754E NOT 1	SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 99 AV EA EC]	A	5930		CC	03-MAR-00
M	MS27781C NOT 2	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27782C NOT 2	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27783C NOT 2	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27784C NOT 1	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AV EC]	A	5930		CC	03-MAR-00
M	MS27785C NOT 2	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27786C NOT 2	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MS27787C NOT 2	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27788C NOT 2	SWITCH, TOGGLE, TOW POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930		CC	03-MAR-00
M	MS27789C NOT 2	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV CR4 EC MC]	A	5930		CC	03-MAR-00
M	MS35058J NOT 2	SWITCH, TOGGLE ONE POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 11 99 AV EC MI]	A	5930		CC	03-MAR-00
M	MS39061B NOT 2	SWITCH, TOGGLE - SPST, SPDT, 24 VOLT DC, 25 AMP (WATERPROOF)[CUST: AT CC] [REVIEW: AR CR4]	A	5930		CC	03-MAR-00
M	MS53001A NOT 2	SWITCH, BEAM SELECTING, HEADLIGHT-DPDT, NO OFF, 28 VOLT DC[CUST: AT CC] [REVIEW: CR4]	A	5930		CC	03-MAR-00
M	MS75062A NOT 2	SWITCH, PRESSURE-STOPLIGHT, VEHICULAR, AIR BRAKE SYSTEM, 24 VOLT, WATERPROOF[CUST: AT CC] [REVIEW: CR4]	A	5930		CC	03-MAR-00
M	MS75063B NOT 2	SWITCH, PRESSURE-STOPLIGHT, VEHICULAR, HYDRAULIC BRAKE SYSTEM, 24 VOLT, WATERPROOF[CUST: AT CC] [REVIEW: CR4]	A	5930		CC	03-MAR-00
M	MS90310G NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, 469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MI]	A	5930		CC	03-MAR-00
M	MS90311J NOT 1	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, 469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AT AV EC MI]	A	5930		CC	03-MAR-00
M	MS90530E NOT 1	SWITCH, PRESSURE-WARNING, SPST, WATERPROOF, 24 VOLT, DC[CUST: AT CC] [REVIEW: CR4]	A	5930		CC	03-MAR-00
M	A-A-55422 NOT 1	ADAPTER, SWITCH ACTUATOR (FOR MINIATURE BASIC SENSITIVE SWITCHES)[CUST: CC]	A	5930	/	CC	03-MAR-00
M	QPL-83731-16	SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE, GENERAL SPECIFICATION FOR [REVIEW: 80]	A	5930		CC	24-MAY-00
M	QPL-W-S-896-42	SWITCHES, TOGGLE (TOGGLE AND LOCK), FLUSH MOUNTED (GENERAL SPECIFICATION)	A	5930	/	CC	17-MAY-00
M	MIL-DTL-5015H SUP 1	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, AN TYPE, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 99 AR CC EC MI NA]	A	5935		AS	18-MAY-00
M	MIL-PRF-6106/35B	RELAYS, ELECTROMAGNETIC, BUTTON, PLUG MOUNTING TRACK[CUST: 11 CC]	A	5945		CC	01-JUN-00
N	A-A-59546	RELAYS, ELECTROMAGNETIC, RELAY MODULE EXTRACTION TOOL[CUST: 11 CC]	A	5945	/	CC	01-JUN-00
N	A-A-59547	RELAYS, ELECTROMAGNETIC, SOCKET MODULE EXTRACTION TOOL[CUST: 11 CC]	A	5945	/	CC	01-JUN-00
M	QPL-28750-30	RELAY, SOLID STATE, GENERAL SPECIFICATION FOR	A	5945		CC	30-MAY-00
M	QPL-39016-84	RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5945		CC	15-MAY-00
M	QPL-83536-16	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5945		CC	30-MAY-00
M	QPL-55310-62	OSCILLATORS, CRYSTAL CONTROLLED, GENERAL SPECIFICATION FOR	A	5955		CR	24-MAY-00
M	MIL-PRF-19500/343D(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, LOW POWER, TYPES 2N2857 AND 2N2857UB, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR AS CG MC MI SM]	A	5961		CC	10-MAY-00
M	MIL-PRF-19500/375D	SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD-EFFECT, N-CHANNEL, DEPLETION MODE, SILICON TYPES 2N3821, 2N3822, 2N3823, JAN, JANTX, JANTXV AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR AS AV CG MC MI SM]	A	5961		CC	17-MAY-00
M	MIL-PRF-19500/444D(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N5711-1 AND 1N5711UR-1, JAN, JANTX, JANTXV, JANS, JANHC, AND JANK[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI SM]	A	5961		CC	05-MAY-00
M	MIL-PRF-19500/553A(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, FAST RECOVERY, TYPE 1N6391, JAN, JANTX, JANTXV, JANS, AND JANHC[CUST: 11 CC] [REVIEW: 13 19 99]	A	5961		CC	05-MAY-00
M	MIL-PRF-19500/566B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT, N-CHANNEL, SILICON, LOGIC-LEVEL, TYPES 2N6902 AND 2N6904, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR AS CG MC MI OS SM]	A	5961		CC	16-MAY-00
M	MIL-PRF-19500/619B	SEMICONDUCTOR DEVICE, DIODE, SCHOTTKY POWER RECTIFIERS, TYPES 1N6849 1N6856, 1N6849U1-1N6856U1-1N6849U2-1N6856U2 AND 1N6849U3-1N6856U3, JAN, JANTX AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV CG MC MI SM]	A	5961		CC	28-APR-00
N	MIL-PRF-19500/675	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7463T2 AND 2N7464T2 AND U5 SUFFIXES JANTXVR AND JANSR[CUST: CR EC 11 CC NA]	A	5961		CC	22-MAY-00
M	QPL-12606-15	LOUDSPEAKER, PERMANENT MAGNET (UNENCASED, 3-INCH AND 4-INCH DIAMETER CONE, 2-WATT; FUNGUS-, GUNBLAST-, AND IMMERSION-RESISTANT), TYPE LS-445/U, M12606-01, AND M12606-02	A	5965		CC	22-MAY-00
M	QPL-83511-14	HEADSET-MICROPHONE AND HEADSET-ELECTRICAL (MEDIUM NOISE ATTENUATION, HEARING PROTECTIVE), GENERAL SPECIFICATION FOR	A	5965		CC	22-MAY-00
M	ASTM-C408-88R99	CERAMICS, THERMAL CONDUCTIVITY OF WHITEWARE[CUST: CR SH 11] [REVIEW: AR]	A	5970		GS	30-SEP-88
M	QPL-3933-21	ATTENUATORS, FIXED, GENERAL SPECIFICATION FOR	A	5985		CC	22-MAY-00
M	UL506-00	TRANSFORMERS, SPECIALITY[CUST: YD]	A	6120		YD	15-MAY-00
M	QPL-17-165	CABLE, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR	A	6145		CC	18-MAY-00
M	ASTM-B397-85R99	CONDUCTORS, CONCENTRIC-LAY-STRANDED ALUMINUM-ALLOY 5005-H19[CUST: CR YD 11] [REVIEW: 80 99 SH]	A	6145		CC	25-JAN-85
M	A-A-59414	SIRENS, OUTDOOR WARNING, ELECTRONIC AND ELECTRIC-MOTOR-DRIVEN[CUST: CR4 YD 99 GS] [REVIEW: 82 EA MC MI]	A	6350	/	GS	22-MAY-00
M	ASTM-E323-80R96	SIEVES, PERFORATED-PLATE, FOR TESTING PURPOSES[CUST: CR4 YD 99] [REVIEW: AS EA GL GS IS MC MI SM]	A	6635		YD	10-DEC-80
M	ASTM-C169-92R96	CHEMICAL ANALYSIS OF SODA-LIME AND BOROSILICATE GLASS[CUST: EA GS] [REVIEW: CR4 MD SH]	A	6810		GS	15-MAY-92
M	ASTM-C816-85R98	SULFUR IN GRAPHITE BY COMBUSTION-IODOMETRIC TITRATION METHOD[CUST: EA SH 68]	A	6810		SH	26-JUL-85
M	ASTM-C889-99	CHEMICAL AND MASS SPECTROGRAPHIC ANALYSIS OF NUCLEAR-GRADE GADOLINIUM OXIDE (GD203) POWDER[CUST: EA SH 68]	A	6810		SH	10-JAN-99
M	ASTM-D71-94R99	ASPHALT, AND SOLID PITCH (DISPLACEMENT METHOD), RELATIVE DENSITY OF[CUST: EA GS] [REVIEW: MD YD]	A	6810		GS	15-NOV-94
M	ASTM-D848-97	ACID WASH COLOR OF INDUSTRIAL AROMATIC HYDROCARBONS[CUST: EA 68]	A	6810		GS	10-JUN-97
M	ASTM-D1555-95R00	VOLUME AND WEIGHT OF INDUSTRIAL AROMATIC HYDROCARBONS, CALCULATION OF[CUST: EA SH GS] [REVIEW: AS CR4 GL MD]	A	6810		GS	15-SEP-95
M	ASTM-D2109-96	SOLVENTS AND THEIR ADMIXTURES, NONVOLATILE MATTER IN HALOGENATED ORGANIC[CUST: EA SH 68]	A	6810		GS	10-JUN-96
M	ASTM-C494/C494MA-99	CONCRETE, CHEMICAL ADMIXTURES FOR[CUST: CR4 YD] [REVIEW: GS SH]	A	6850		YD	10-OCT-99
M	A-A-2113A	CABINETS, WARDROBE AND STORAGE, CONTEMPORARY STYLE, STEEL GENERAL OFFICE	A	7105	#	FSS	20-JUN-86
M	ASTM-D1335-98	FLOOR COVERINGS, TUFT BIND OF PILE YARN[CUST: CR4 YD] [REVIEW: AS SH]	A	7220		IS	10-MAY-98
M	ASTM-F1700-99	SOLID VINYL FLOOR TILE[CUST: CE YD 99] [REVIEW: CG FSS MC]	A	7220		IS	10-MAR-99
M	ASTM-F1021-95	FEEDERS, DETERGENT, RINSE AGENT, AND SANITIZING AGENT FOR COMMERCIAL DISHWASHING AND GLASSWASHING MACHINES[CUST: GL YD 99] [REVIEW: 50 84 MC MD MS]	A	7320		GL	15-JUN-95
M	ASTM-C149-86R95	CONTAINERS, THERMAL SHOCK TEST OF[CUST: GL SA 99] [REVIEW: 84 GS MD]	A	7350		GL	31-JAN-86

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M ASTM-C225-85R99	GLASS CONTAINERS TO CHEMICAL ATTACK, RESISTANCE OF[CUST: GL SA 99] [REVIEW: 84 GS MD]	A	7350		GL	26-JUL-85
M ASTM-C336-71R95	GLASS BY FIBER ELONGATION, ANNEALING POINT AND STRAIN POINT OF[CUST: GL SA 99] [REVIEW: 84 GS MD]	A	7350		GL	25-OCT-71
M ASTM-C338-93R98	GLASS, SOFTENING POINT OF[CUST: GL SA 99] [REVIEW: 84 GS MD]	A	7350		GL	15-NOV-93
M A-A-113D NOT 2	TAPE, PRESSURE-SENSITIVE ADHESIVE [REVIEW: DS]	A	7510	*	FSS	02-MAY-00
M ASTM-D5486/D5486MA-99	STANDARD SPECIFICATION FOR PRESSURE-SENSITIVE TAPE FOR PACKAGING, BOX CLOSURE, AND SEALING[CUST: SM AS 11 DH] [REVIEW: 71 80 84 99 AR AV CR CR4 DS FSS GL MC MI OS SA SH YD]	A	7510		SM	10-OCT-99
N TT-T-2935	THINNER, PURGING[CUST: AS]	A	8010	/	AS	05-MAY-00
M ASTM-C282-99	PORCELAIN ENAMELS (CITRIC ACID SPOT TEST), ACID RESISTANCE OF[CUST: GL SH 99]	A	8010		GL	10-MAR-99
M ASTM-D609-00	STEEL PANELS FOR TESTING PAINT, VARNISH, CONVERSION COATINGS, AND RELATED COATING PRODUCTS, PREPARATION OF COLD-ROLLED[CUST: CR4 SH 99]	A	8010		SH	10-APR-00
M ASTM-D969-85R98	PAINT, DEGREE OF BLEEDING OF TRAFFIC, LABORATORY DETERMINATION OF[CUST: CR4 SH 99] [REVIEW: 82]	A	8010		84	29-NOV-85
M ASTM-D1186-93	FILM, DRY, THICKNESS OF NONMAGNETIC COATINGS APPLIED TO A FERROUS BASE, NONDESTRUCTIVE MEASUREMENT OF[CUST: MR SH 99] [REVIEW: 84 CR4]	A	8010		MR	15-OCT-93
M ASTM-D1474-98	INDENTATION HARDNESS OR ORGANIC COATINGS[CUST: MR SH 99] [REVIEW: 84]	A	8010		MR	10-DEC-98
M ASTM-D1983-90R95	ACID, FATTY, COMPOSITION BY GAS-LIQUID CHROMATOGRAPHY OF METHYL ESTERS[CUST: MR SH 99]	A	8010		MR	25-MAY-90
M A-A-2542 NOT 2	SEALER, TERRAZO AND CONCRETE FLOORS, WATERBASED[CUST: MR SH]	A	8030	*	FSS	24-MAR-00
M A-A-3110 NOT 1	PLUMBING FIXTURE SETTING COMPOUND	A	8030	#	FSS	02-FEB-00
M ASTM-C570-95	OIL- AND RESIN-BASE CAULKING COMPOUND FOR BUILDING CONSTRUCTION[CUST: MR YD IS] [REVIEW: CE MC]	A	8030		IS	15-APR-95
M ASTM-C603-90R97	SEALANTS, ELASTOMERIC, EXTRUSION RATE AND APPLICATION LIFE OF[CUST: MR YD 99 IS]	A	8030		IS	25-MAY-90
M ASTM-C661-98	SEALANTS BY MEANS OF A DUROMETER, ELASTOMERIC-TYPE, INDENTATION HARDNESS OF[CUST: MR YD 99 IS] [REVIEW: 84 CE MC SH]	A	8030		IS	10-MAY-98
M ASTM-C732-95	SEALANTS, LATEX, ARTIFICIAL WEATHERING ON, AGING EFFECTS OF[CUST: MR YD 99 IS] [REVIEW: 84 CE MC SH]	A	8030		IS	15-JUN-95
M ASTM-C792-93R98	SEALANTS, ELASTOMERIC, EFFECTS OF HEAT AGING ON WEIGHT LOSS, CRACKING, AND CHALKING OF[CUST: YD IS]	A	8030		IS	15-APR-93
M ASTM-C793-91R97	SEALANTS, ELASTOMERIC JOINT, EFFECTS OF ACCELERATED WEATHERING ON[CUST: MR YD 99 IS] [REVIEW: 84 MC SH]	A	8030		IS	15-APR-91
M ASTM-C794-93	SEALANTS, JOINT, ELASTOMERIC, ADHESION-IN-PEEL, TEST METHOD FOR[CUST: MR AS 99]	A	8030		AS	15-NOV-93
M ASTM-C920-98	SEALANTS, ELASTOMERIC JOINT[CUST: MR YD IS]	A	8030		IS	10-MAR-98
M A-A-3139 NOT 1	ADHESIVE, RESILIENT FLOORING, (WATER-BASED)[CUST: 99 FSS] [REVIEW: 84]	A	8040	*	FSS	22-MAR-00
M ASTM-C557-99	ADHESIVES FOR FASTENING GYPSUM WALLBOARD TO WOOD FRAMING[CUST: YD 99 IS]	A	8040		IS	10-APR-99
M ASTM-C633-79R99	ADHESION OR COHESIVE STRENGTH OF FLAME-SPRAYED COATINGS[CUST: MR SH] [REVIEW: AS]	A	8040		SH	28-DEC-79
M ASTM-D1779-98	ADHESIVE FOR ACOUSTICAL MATERIALS[CUST: MR YD IS] [REVIEW: AS CR4 MC]	A	8040		IS	10-MAR-98
M ASTM-F765-93R98	CHAIN, ANCHOR SHIP, WILD CATS[CUST: SH]	A	8040		SH	15-MAR-93
N MIL-DTL-32065	FELT SHEET (HAIR) AND FELT ROLL (HAIR)[CUST: GL NU 99] [REVIEW: 82 MD OS]	A	8305		CT	11-MAY-00
M MIL-C-43637D NOT 2	CLOTH, PLAIN WEAVE, RIPSTOP, NYLON[CUST: GL NU 99 CT]	A	8305		CT	08-MAR-00
M ASTM-D1611-81R98	CORROSION PRODUCED BY LEATHER IN CONTACT WITH METAL[CUST: GL NU 99 CT]	A	83GP		CT	28-AUG-81
M ASTM-D1813-70R94	LEATHER, TEST SPECIMENS, MEASURING THICKNESS OF[CUST: GL NU 99 CT]	A	83GP		CT	13-APR-70
M ASTM-D1815-96	WATER ABSORPTION (STATIC) OF VEGETABLE LEATHER[CUST: GL NU 99 CT]	A	83GP		CT	10-OCT-96
M ASTM-D2096-93R98	COLOR IN THE WASHING OF LEATHER, COLORFASTNESS AND TRANSFER OF[CUST: GL NU 99 CT]	A	83GP		CT	15-JAN-93
M ASTM-D2617-96	LEATHER, TOTAL ASH IN[CUST: GL NU 99 CT]	A	83GP		CT	10-MAY-96
M ASTM-D2868-96	NITROGEN CONTENT (KJELDAHL) AND HIDE SUBSTANCE CONTENT OF LEATHER[CUST: GL NU 99 CT]	A	83GP		CT	10-MAY-96
M ASTM-D4751A-99	GEOTEXTILE, DETERMINING APPARENT OPENING SIZE OF A[CUST: GL YD 99]	A	83GP		YD	10-DEC-99
M ASTM-D6017-97	LEATHER, DETERMINATION OF MAGNESIUM SULFATE (EPSOM SALT) IN[CUST: GL NU 99 CT]	A	83GP		CT	10-OCT-97
M ASTM-D6183-97	LEATHER, TACKINESS OF FINISH ON[CUST: GL NU 99 CT]	A	83GP		CT	10-OCT-97
M A-A-55086A	TROUSERS, MEN'S, WORKING BLUE, POLYESTER/COTTON (CG)[CUST: CG CT]	A	8405	/	CT	04-MAY-00
M MIL-G-635C(2) NOT 3	GOGGLES, SUN, WIND AND DUST[CUST: 99]	A	8465		82	14-MAR-00
M ASTM-D2510-94R98	LUBRICANTS, SOLID FILM, ADHESION OF[CUST: AT SH 11] [REVIEW: OS]	A	91GP		AT	15-FEB-94
M ASTM-C582-95	PLASTIC (RTP) LAMINATES FOR CORROSION RESISTANT EQUIPMENT, CONTACT-MOLDED REINFORCED THERMOSETTING[CUST: MR YD 99] [REVIEW: GS SH]	A	9330		YD	10-OCT-95
M ASTM-D1623-78R95	PLASTICS, RIGID CELLULAR, TENSILE AND TENSILE ADHESION PROPERTIES OF[CUST: CE YD 99]	A	9330		YD	26-MAY-78
M ASTM-D4473A-95	RESINS, THERMOSETTING, USING DYNAMIC MECHANICAL PROCEDURES, MEASURING THE CURE BEHAVIOR OF[CUST: MR AS 99]	A	9330		AS	10-OCT-95
N ASTM-D4801	POLYETHYLENE SHEETING IN THICKNESS OF 0.25MM (0.010 IN.) AND GREATER[CUST: CR4 AS 11 GS] [REVIEW: EA EC MI MR OS]	A	9330		GS	10-NOV-95
M ASTM-C162-99	GLASS AND GLASS PRODUCTS, STANDARD TERMINOLOGY OF[CUST: EA SH 99]	A	9340		MB	10-MAY-99
M ASTM-C133-97	MODULUS OF RUPTURE OF REFRACTORIES AND COLD CRUSHING STRENGTH[CUST: CR4 SH] [REVIEW: GS MC]	A	9350		SH	22-JAN-97
M ASTM-C199-84R94	MORTARS, REFRACTORY, PIER TEST FOR[CUST: AR SH 99]	A	9350		AR	27-JAN-84
M ASTM-C210-95	FIREBRICK, INSULATING, REHEAT CHANGE OF[CUST: CR4 SH 99]	A	9350		SH	15-MAY-95
M ASTM-C414-99	WORKING, SETTING, AND CURING TIMES OF CHEMICALLY SETTING CHEMICAL-RESISTANT SILICATE AND SILICA MORTARS[CUST: MI SH 99] [REVIEW: 84 GS MR]	A	9350		MI	10-JUN-99
M ASTM-C862-91R97	CONCRETE SPECIMENS BY CASTING, PREPARING REFRACTORY[CUST: CR4 SH 99]	A	9350		SH	15-DEC-91
M ASTM-C1161-94	FLEXURAL STRENGTH OF ADVANCED CERAMICS AT AMBIENT TEMPERATURE[CUST: MR AS 11]	A	9390		MR	25-JUL-94
M ASTM-A510-00	WIRE RODS AND COARSE ROUND WIRE, CARBON STEEL, GENERAL REQUIREMENTS FOR[CUST: MR SH]	A	9505		MR	10-MAR-00
M ASTM-A510M-00	WIRE RODS AND COARSE ROUND WIRE, CARBON STEEL (METRIC), GENERAL REQUIREMENTS FOR[CUST: MR SH 11 IS]	A	9505		IS	10-MAR-00
M ASTM-A276-00	STEEL BARS AND SHAPES, STAINLESS[CUST: MR YD 99] [REVIEW: 84 CE IS SH]	A	9510		YD	10-MAR-00
M ASTM-B472-96	NICKEL ALLOY BILLETS AND BARS FOR REFORGING, UNS N08020, UNS N08026, UNS N08024, UNS N08926, AND UNS N08367[CUST: MR AS 99 IS]	A	9510		IS	10-MAY-96
M ASTM-A264A-94R99	STAINLESS CHROMIUM-NICKEL STEEL-CLAD PLATE, SHEET, AND STRIP[CUST: GL SH 99]	A	9515		GL	15-DEC-94

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	ASTM-A568/A568M-00	STEEL, SHEET, CARBON, AND HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED AND COLD-ROLLED, GENERAL REQUIREMENTS FOR[CUST: MR SH 99 IS] [REVIEW: OS YD]	A	9515		IS	10-MAR-00
M	ASTM-A794-97	STEEL SHEET (CARBON 0.16% MAXIMUM TO 0.25% MAXIMUM), COLD-ROLLED, COMMERCIAL QUALITY[CUST: MR SH 99] [REVIEW: AR AS GL YD]	A	9515		MR	10-MAR-97
M	ASTM-B575A-99	LOW-CARBON NICKEL-MOLYBDENUM-CHROMIUM, LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM, LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM-COPPER, LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM-TANTALUM, AND LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM-TUNGSTEN ALLOY PLATE, SHEET, AND STRIP[CUST: MR AS 99 IS]	A	9515		IS	10-OCT-99
M	ASTM-A579-99	STEEL FORGINGS, SUPERSTRENGTH ALLOY[CUST: MR AS 99 IS]	A	9520		IS	10-SEP-99
M	ASTM-B99/B99M-96	COPPER-SILICON ALLOY WIRE FOR GENERAL APPLICATIONS[CUST: MR SH] [REVIEW: CR CR4 EA GL]	A	9525		MR	10-OCT-96
M	ASTM-B206/B206M-97	COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER) WIRE AND COPPER-NICKEL ALLOY WIRE[CUST: MR SH IS] [REVIEW: AV CR CR4 EA GL MC OS SA]	A	9525		IS	10-FEB-97
M	ASTM-B21M-96	ROD, NAVAL BRASS, BAR, AND SHAPES (METRIC), STANDARD SPECIFICATION FOR[CUST: MR SH IS] [REVIEW: AV CR CR4 EA GL]	A	9530		IS	10-APR-96
M	ASTM-C393-00	PROPERTIES, FLEXURAL OF FLAT SANDWICH CONSTRUCTIONS[CUST: MR AS 99]	A	9530		AS	10-JAN-00
M	ASTM-B746/B746M-95	ALUMINUM ALLOY, CORRUGATED, STRUCTURAL PLATE FOR FIELD-BOLTED PIPE, PIPE-ARCHES, AND ARCHES[CUST: YD 99] [REVIEW: 84 CE IS]	A	9535		YD	10-OCT-95
M	ASTM-A428/A428M-95	IRON OR STEEL ARTICLES, STANDARD TEST METHOD FOR WEIGHT OF COATING ON ALUMINUM-COATED[CUST: MR YD 99] [REVIEW: 84 IS SH]	A	95GP		YD	10-OCT-95
M	ASTM-E8-00	MATERIALS, METALLIC, TENSION TESTING OF[CUST: MR AS 99] [REVIEW: AT CR4 IS SH YD]	A	95GP		MR	10-JAN-00
M	ASTM-E8M-00	MATERIALS, METALLIC, TENSION TESTING OF (METRIC)[CUST: MR AS 99] [REVIEW: AT CR4 SH]	A	95GP		MR	10-JAN-99
M	ASTM-E10-00	MATERIALS, METALLIC, BRINELL HARDNESS OF[CUST: MR AS 11]	A	95GP		MR	10-JAN-00
M	ASTM-E34-94R98	ALLOYS, ALUMINUM AND ALUMINUM BASE, CHEMICAL ANALYSIS OF, STANDARD TEST METHOD FOR[CUST: MR YD] [REVIEW: CE EA IS OS SH]	A	95GP		YD	15-JAN-94
M	ASTM-C297-94	CONSTRUCTIONS, SANDWICH, FLATWISE TENSILE STRENGTH OF[CUST: MR AS 11]	A	CMPS		AS	15-NOV-94
M	ASTM-C613/C613M-97	RESIN CONTACT OF CARBON AND GRAPHITE PREPREGS BY SOLVENT EXTRACTION[CUST: MR SH 99] [REVIEW: AR AS AV EC GL MD OS]	A	CMPS		MR	10-SEP-97
M	ASTM-C273-00	CORE MATERIALS, SHEAR PROPERTIES OF SANDWICH[CUST: YD 99] [REVIEW: 82 MC]	A	FACR		YD	10-JAN-00
M	ASTM-C365-00	CORES, SANDWICH, FLATWISE COMPRESSIVE PROPERTIES OF[CUST: GL YD] [REVIEW: CE]	A	FACR		YD	10-MAR-00
M	ASTM-C481-99	CONSTRUCTIONS, SANDWICH, LABORATORY AGING OF[CUST: CR4 YD 99] [REVIEW: 70 71 MC]	A	FACR		YD	10-OCT-99
M	ASTM-A494/A494M-00	CASTINGS, NICKEL AND NICKEL ALLOY[CUST: MR SH 11]	A	MECA		SH	10-MAR-00
M	ASTM-A757/A757M-00	STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE-CONTAINING AND OTHER APPLICATIONS, FOR LOW-TEMPERATURE SERVICE[CUST: MR SH 11]	A	MECA		SH	10-MAR-00
M	ASTM-B30-00	COPPER ALLOYS IN INGOT FORM[CUST: MR YD 99] [REVIEW: SH]	A	MECA		YD	10-MAR-00
M	ASTM-A967-99	CHEMICAL PASSIVATION TREATMENTS FOR STAINLESS STEEL PARTS[CUST: MR SH 99 GS]	A	MFFP		GS	10-SEP-99
M	ASTM-C286-99	PORCELAIN ENAMEL AND CERAMIC-METAL SYSTEMS[CUST: AT YD 99] [REVIEW: 84]	A	MFFP		AT	10-OCT-99
M	ASTM-F1448A-93R99	COUNTERFEITING, PROTECTIN AGAINST, ALTERATION, DIVERSION, DUPLICATION, SIMULATION, AND SUBSTITUTION (CADDSS) OF PRODUCTS OR DOCUMENTS, SELECTION OF SECURITY TECHNOLOGY FOR[CUST: SM SH 99]	A	MISC		SO	15-APR-93
M	ASTM-E1417-99	LIQUID PENETRANT EXAMINATION, STANDARD PRACTICE FOR[CUST: MR AS 11] [REVIEW: 68 82 99 AR EA GS MI OS SH]	A	NDTI		11	10-FEB-99
M	ASTM-E1441-97	IMAGING, COMPUTED TOMOGRAPHY (CT)[CUST: MR AS 11]	A	NDTI		AS	10-DEC-97
M	ASTM-C148-95	POLARISCOPIC EXAMINATION OF GLASS CONTAINERS[CUST: SM AS 11] [REVIEW: 84 99 AR CR4 GL GS MI MR OS SA SH YD]	A	PACK		AS	10-SEP-95
M	ASTM-D1968A-99	STANDARD TERMINOLOGY RELATING TO PAPER AND PAPER PRODUCTS[CUST: SM SA 11 DH] [REVIEW: AR AS AT AV CR DM EA GL GS MC MI SS YD]	A	PACK		SM	10-SEP-99
M	ASTM-D5445A-98	PICTORIAL MARKINGS FOR HANDLING GOODS[CUST: YD 11] [REVIEW: 99 AS DH]	A	PACK		YD	10-NOV-98
M	ASTM-E619-84R95	ODORS IN PAPER PACKAGING, EVALUATING FOREIGN[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH]	A	PACK		AS	30-NOV-84
M	ASTM-E190-92R97	WELDS, GUIDED BEND TEST FOR DUCTILITY OF[CUST: AR SH 11]	A	THJM		AR	15-JAN-92

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-T-46316B(4) NOT 1	TELESCOPE, ELBOW, M118 SERIES AND T176E4[CUST: AR]	A	1240	AR		26-APR-00
M	MIL-P-60377B(2) NOT 3	PROJECTILE, 155MM, HE, M107 LOADING, ASSEMBLING AND PACKING[CUST: AR]	A	1320	AR		20-MAR-00
M	MIL-C-82001E NOT 1	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL, INTERVEHICULAR (24 VOLT TO 12 VOLT REDUCTION)[CUST: YD CC]	A	2590	CC		27-APR-00
M	MIL-S-12511G NOT 1	SPRAYER, INSECTICIDE, FRAME MOUNTED, GASOLINE ENGINE DRIVEN, MIST AND SOLID STREAM, 180 GPH[CUST: MS 99 GS] [REVIEW: 84 MC MD]	A	3740	GS		25-MAY-00
M	MS25068J NOT 2	SWITCH, TOGGLE, FOUR POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 11 99 AV EC]	A	5930	CC		03-MAR-00
M	MS25098J NOT 1	SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 99 AV EC]	A	5930	CC		03-MAR-00
M	MS25100J NOT 1	SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 99 AV EC]	A	5930	CC		03-MAR-00
M	MS25127K NOT 3	SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 11 99 AR AV EC MC MI]	A	5930	CC		03-MAR-00
M	MS25221F NOT 2	GUARD, SWITCH, 2 OR 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99]	A	5930	CC		03-MAR-00
M	MS35059J NOT 2	SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 11 99 AV EC MI]	A	5930	CC		03-MAR-00
M	MIL-M-38510/656(3) NOT 1	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, FLIP-FLOPS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI SH SM]	A	5962	CC		23-MAY-00
M	MIL-M-38510/657(7) NOT 1	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, BUFFER GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI SH SM]	A	5962	CC		23-MAY-00
M	MIL-DTL-14631C SUP 1A NOT 1	PLATE, AUTOMOBILE, INDIVIDUAL; GENERAL SPECIFICATION FOR[CUST: IH] [REVIEW: CT]	A	8345	IH		03-MAY-00
M	MIL-T-152B(2) NOT 2	TREATMENT, MOISTURE AND FUNGUS RESISTANT, OF COMMUNICATIONS, ELECTRONIC AND ASSOCIATED ELECTRICAL EQUIPMENT[CUST: CR AS 11 GS] [REVIEW: AR EA EC MI MR]	A	MISC	GS		24-MAY-00

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-P-5610D(4) NOT 2	PARACHUTE ASSEMBLIES AND MAJOR SUB-ASSEMBLIES, PACKAGING AND PACKING OF (NO S/S DOCUMENT)[CUST: GL AS 99 GS] [REVIEW: 11 82 MC SM]	A	1670		GS	26-MAY-00
M	MIL-G-80180B NOT 2	GRINDING MACHINES, INTERNAL, CHUCKING, HORIZONTAL, ELECTRIC MOTOR DRIVEN (NO S/S DOCUMENT)[CUST: AL SH 99 GS] [REVIEW: 84 AR AS CR MC OS YD]	A	3415		GS	17-MAY-00
M	MIL-P-80052C NOT 2	PRESS BRAKES, POWER OPERATED, HYDRAULIC, SHEET AND PLATE (S/S BY ASME-B5.55M)[CUST: AL SH 99 GS] [REVIEW: 84]	A	3441		GS	08-MAY-00
M	MIL-B-80153B NOT 1	BRAKE MACHINE, SHEET METAL, POWER OPERATED (STANDARD TYPE AND BOX-PAN TYPE) (NO S/S DOCUMENT)[CUST: AL SH 99] [REVIEW: 84 AR AV MC]	A	3441		GS	08-MAY-00
M	MIL-B-80160C NOT 1	BENDING PRESSES, RAM TYPE, HYDRAULICALLY DRIVEN, PIPE, TUBING AND STRUCTURAL SHAPES (NO S/S DOCUMENT)[CUST: AL MC 99 GS] [REVIEW: 84]	A	3441		GS	08-MAY-00
M	MIL-B-80161C NOT 1	BENDING MACHINES, ROTARY HEAD, TUBING, HYDRAULICALLY OPERATED, NUMERICALLY CONTROLLED (NO S/S DOCUMENT)[CUST: AL MC 99] [REVIEW: 84]	A	3441		GS	08-MAY-00
M	MIL-S-80060D NOT 1	SHEARING, NIBBLING, AND FORMING MACHINES; UNIVERSAL (NO S/S DOCUMENT)[CUST: AL SH 99 GS] [REVIEW: 84 SM YD]	A	3445		GS	08-MAY-00
M	A-A-50964A NOT 1	GRINDING MACHINES, TOOL ATTACHMENT, PRECISION (NO S/S DOCUMENT)[CUST: AL SH 99 GS] [REVIEW: 84 MC]	A	3460	/	GS	30-MAY-00
M	MIL-S-40034B(1) NOT 1	SCREEN, HALFTONE, CONTACT, FOR PHOTOLITHOGRAPHY (S/S BY A-A-59543)[CUST: CE GS] [REVIEW: FSS GL]	A	3610		CE	22-MAY-00
M	MIL-T-52062D NOT 1	TRAP, MOSQUITO LIGHT (NO S/S DOCUMENT)[CUST: MD MS 99 GS] [REVIEW: 84 MC]	A	3740		GS	24-MAY-00
M	PPP-P-1660A NOT 1	PALLET, EXPENDABLE (NO S/S DOCUMENT)[CUST: AT SA 99] [REVIEW: EA GS]	A	3990	*	AT	01-MAY-00
M	PPP-P-1660A(11) NOT 1	PALLET, EXPENDABLE (NO S/S DOCUMENT)	A	3990	#	FSS	01-MAY-00
M	A-A-50056 NOT 1	REFRIGERATORS, MECHANICAL, MORTUARY (NO S/S DOCUMENT)[CUST: GL 99 SS] [REVIEW: 34 MD]	A	4110	/	SS	23-MAY-00
M	A-A-52144 NOT 1	ICEMAKER-DISPENSER: WITH WATER DISPENSER ATTACHMENT (NOS/S DOCUMENT)[CUST: GL YD 99 SS] [REVIEW: 50 82 GS MD MS QM SA]	A	4110	/	SS	23-MAY-00
M	MIL-W-28517B NOT 1	WATER SUPPLY SYSTEM, AUTOMATIC (NO S/S DOCUMENT)[CUST: YD CC]	A	4320		CC	27-APR-00
M	A-A-244A NOT 1	VALVE, AIR VENTING, STEAM, THERMOSTATIC (NO S/S DOCUMENT) [REVIEW: CC]	A	4520	%	FSS	22-JUN-99
M	MIL-H-38390C NOT 2	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, PNEUMATIC, HIGH PRESSURE (S/S BY SAE-AS38390)[CUST: 99 CC] [REVIEW: 82]	A	4720		CC	26-APR-00
M	MS21900E NOT 1	ADAPTER, FLARELESS TUBE TO A FLARED TUBE (S/S BY SAE-AS21900)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21902F NOT 2	UNION, FLARELESS TUBE (S/S BY SAE-AS21902)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21904F NOT 1	ELBOW, FLARELESS TUBE, 90 DEG. (S/S BY SAE-AS21904)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21905F NOT 1	TEE, FLARELESS TUBE (S/S BY SAE-AS21905)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21906E NOT 2	CROSS, FLARELESS TUBE (S/S BY SAE-AS21906)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21907G NOT 1	ELBOW, BULKHEAD UNIVERSAL, 45 DEG., FLARELESS TUBE (S/S BY SAE-AS21907)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21908F NOT 2	ELBOW, BULKHEAD UNIVERSAL 90 DEG., FLARELESS TUBE (S/S BY SAE-AS21908)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21909G NOT 1	TEE, BULKHEAD AND UNIVERSAL, FLARELESS TUBE (S/S BY SAE-AS21909)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21910F NOT 2	TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON SIDE (S/S BY SAE-AS21910)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21911H NOT 2	TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON RUN (S/S BY SAE-AS21911)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21912G NOT 1	TEE, FLARELESS TUBE WITH BULKHEAD ON RUN (S/S BY SAE-AS21912)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21913E NOT 2	PLUG, FLARELESS TUBE (S/S BY SAE-AS21913)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21914M NOT 1	CAP, PRESSURE SEAL, FLARELESS TUBE FITTING (S/S BY SAE-AS21914)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21915F NOT 1	ADAPTER, STRAIGHT, TUBE TO BOSS (S/S BY SAE-AS21915)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21916G NOT 1	REDUCER, EXTERNAL THREAD, FLARELESS TUBE (S/S BY SAE-AS21916)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21922F NOT 1	SLEEVE, COUPLING, FLARELESS (S/S BY SAE-AS21922)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21923C NOT 2	ADAPTER, FLARELESS TUBE, BULKHEAD AND UNIVERSAL TO FLARED TUBE (S/S BY SAE-AS21923)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21924C NOT 1	UNION, FLARELESS TUBE, BULKHEAD AND UNIVERSAL (S/S BY SAE-AS21924)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21925B NOT 2	ELBOW, 90 DEGREE UNIVERSAL, FLARELESS TUBE, HIGH PROFILE (ASG) (S/S BY SAE-AS21925)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21926C NOT 1	ELBOW, 90 DEG, UNIVERSAL, FLARELESS TUBE, LOW PROFILE (S/S BY SAE-AS21926)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21937B NOT 2	NUT, CLUSTER FITTING, RETAINER (ASG) (S/S BY SAE-AS21937)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	MS21942D NOT 1	BODY, CLUSTER FITTING, ONE WAY, FLARELESS (S/S BY SAE-AS21942)[CUST: AV AS 99] [REVIEW: 82 CC]	A	4730		AS	15-MAY-00
M	A-A-2586 NOT 1	HOLDER AND GUIDE, DRIVE PIN (NO S/S DOCUMENT)[CUST: GL 99] [REVIEW: 84 CR CR4 MC]	A	5120	*	GL	20-APR-00
M	A-A-3033 NOT 1	IGNITER, FRICTION, OXYACETYLENE-TORCH (NO S/S DOCUMENT)	A	5120	#	FSS	01-JUL-99
M	GGG-F-451D NOT 1	FLARING TOOL, TUBE HAND (NO S/S DOCUMENT)[CUST: GL 99] [REVIEW: 84 AT AV CE CR4 MC YD]	A	5120	*	FSS	30-MAR-98
M	GGG-T-558D NOT 1	TOOL BOX, PORTABLE; GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: GL 99] [REVIEW: 84 AT CR4 MC YD]	A	5140	*	FSS	25-JUN-99
M	GGG-T-558/2C NOT 1	TOOL BOX, PORTABLE (GENERAL TYPE) (NO S/S DOCUMENT)[CUST: GL 99] [REVIEW: AR AT AV MC MD YD]	A	5140	*	FSS	25-JUN-99
M	GGG-T-558/3C NOT 1	TOOL BOX, PORTABLE (SHIPFITTER'S TYPE) (NO S/S DOCUMENT)[CUST: GL 99] [REVIEW: MC MD YD]	A	5140	*	FSS	25-JUN-99
M	GGG-T-558/4C NOT 1	TOOL BOX, PORTABLE (CARPENTER'S TYPE) (NO S/S DOCUMENT)[CUST: GL 99] [REVIEW: MC MD]	A	5140	*	FSS	25-JUN-99
M	GGG-T-558/5B NOT 1	TOOL BOX, PORTABLE (MECHANICS CHEST TYPE) (NO S/S DOCUMENT)[CUST: GL 99] [REVIEW: AR AT AV CR4 MC MD YD]	A	5140	*	FSS	25-JUN-99
M	GGG-T-558/6B NOT 1	TOOL BOX, PORTABLE (GENERAL, TWO-HANDLE TYPE) (NO S/S DOCUMENT)[CUST: GL 99] [REVIEW: AR AT CR4 MC MD YD]	A	5140	*	FSS	25-JUN-99
M	GGG-T-558/7C NOT 1	TOOL BOX, PORTABLE (MACHINISTS', TILL-IN-TOP) (NO S/S DOCUMENT)[CUST: GL 99] [REVIEW: MC MD YD]	A	5140	*	FSS	25-JUN-99
M	GGG-T-558/9C NOT 1	TOOL BOX, PORTABLE (HELICAL THREAD REPAIR) (NO S/S DOCUMENT)[CUST: GL 99] [REVIEW: AR AT AV CR4 MC MD]	A	5140	*	FSS	25-JUN-99

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	GGG-T-330B NOT 1	THREADING SET, SCREW (NO S/S DOCUMENT)(CUST: GL 99) [REVIEW: YD]	A	5180	*	GL	07-JUN-99
M	MS51106C NOT 2	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A (S/S BY NASM51106)(CUST: AR SH 99 IS)	A	5305		IS	12-APR-00
M	MIL-S-63540/5 NOT 1	STUD, SELF-LOCKING, CONCEALED HEAD, HEX CLINCH TYPE (S/S BY NASM63540/5)(CUST: AR MC 99 IS)	A	5307		IS	25-MAY-00
M	MIL-N-8922/1A NOT 1	NUT, SELF-LOCKING, ASSEMBLED WASHER, ALLOY STEEL, 220 KSI FTU, 450 DEG. F, (12-SPLINE WRENCHING ELEMENT) (S/S BY NASM8922/1)(CUST: AV AS 99 IS)	A	5310		IS	28-APR-00
M	MIL-W-45595D NOT 1	WASHERS, SHOULDERED, RECESSED, SADDLE, CONCAVE AND CONVEX (S/S BY NASM45595)(CUST: AR YD IS)	A	5310		IS	28-APR-00
M	MIL-W-45595/1 NOT 1	WASHER, SHOULDERED, POLYAMIDE (NYLON) (S/S BY NASM45595/1)(CUST: AR 99 IS)	A	5310		IS	09-MAY-00
M	MIL-W-45595/2 NOT 1	WASHER, SHOULDERED, POLYTETRAFLUOROETHYLENE (S/S BY NASM45595/2)(CUST: AR 99 IS)	A	5310		IS	09-MAY-00
M	MIL-W-45595/3 NOT 1	WASHER, RECESSED, ALUMINUM ALLOY (S/S BY NASM45595/3)(CUST: AR 99 IS)	A	5310		IS	09-MAY-00
M	MIL-W-45595/6 NOT 1	WASHER, CONVEX, STEEL, ALLOY (S/S BY NASM45595/6)(CUST: AR 99 IS)	A	5310		IS	09-MAY-00
M	MIL-W-45595/7 NOT 1	WASHER, CONCAVE, STEEL, ALLOY (S/S BY NASM45595/7)(CUST: AR 99 IS)	A	5310		IS	09-MAY-00
M	MIL-W-45595/8 NOT 1	WASHER, SHOULDERED, PHENOLIC (S/S BY NASM45595/8)(CUST: AR 99 IS)	A	5310		IS	28-APR-00
M	MIL-N-45938/10(1) NOT 2	NUT, PLAIN, CLINCH AND NUT, SELF LOCKING, CLINCH (SELF CLINCHING) ROUND (S/S BY NASM45938/10)(CUST: AR OS 99 IS)	A	5310		IS	26-APR-00
M	MIL-N-45938/13(1) NOT 2	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, MINIATURE, FLOATING, 450 DEGREE F AND 600 DEGREE F) (S/S BY NASM45938/13)(CUST: AR OS 99 IS)	A	5310		IS	09-MAY-00
M	MIL-N-85353/2A(1) NOT 1	NUT, PRELOAD LOCKING, EXTENDED WASHER, HEXAGON, REDUCED HEIGHT, CRES 125 KSI 450 DEG. F AND 1200 DEG. F (S/S BY NASM85353/2)(CUST: AV AS 11 IS)	A	5310		IS	09-MAY-00
M	MIL-P-20700A NOT 1	PIN, GROOVED, HEADLESS, LONGITUDINAL GROOVE (S/S BY NASM20700)(CUST: AR AS 99 IS) [REVIEW: AV MI OS SH]	A	5315		IS	20-MAR-00
M	A-A-556A NOT 2	STRAP, WEBBING (NO S/S DOCUMENT)	A	5340	#	FSS	01-JUL-99
M	MS14005D NOT 1	INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, .26 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS (S/S BY MIL-DTL-28748/4)(CUST: CR EC 11 CC) [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH YD]	A	5935		CC	17-MAY-00
M	MIL-PRF-6106/32(1) NOT 1	RELAY, ELECTROMAGNETIC, SOCKET MODULE EXTRACTION TOOL (S/S BY A-A-59547)(CUST: 11 CC)	A	5945		CC	01-JUL-00
M	MIL-S-503B NOT 1	SIREN, ELECTRIC, 2 TD5 HP (S/S BY A-A-59414)(CUST: CR4 YD 99 GS) [REVIEW: 82 EA MC MI]	A	6350		GS	22-MAY-00
M	W-L-122C NOT 1	LAMP, PHOTOFLASH (NO S/S DOCUMENT) [REVIEW: CG]	A	6750	%	FSS	02-MAY-00
M	A-A-97 NOT 1	DEODORANT, GENERAL PURPOSE (CONCENTRATED, WICK BOTTLE) (NO S/S DOCUMENT)(CUST: GS)	A	6840	/	GS	15-JUN-99
M	A-A-98 NOT 1	DEODORANT, GENERAL PURPOSE (CONCENTRATED) (NO S/S DOCUMENT)(CUST: GS)	A	6840	/	GS	15-JUN-99
M	A-A-266B NOT 1	DEODORANT, GENERAL PURPOSE (CAKES FOR URINALS AND TOILETS) (NO S/S DOCUMENT)(CUST: GS)	A	6840	/	GS	15-JUN-99
M	A-A-267B NOT 1	DEODORANT, GENERAL PURPOSE (AEROSOL AIR FRESHENER) (NO S/S DOCUMENT)(CUST: GS)	A	6840	/	GS	15-JUN-99
M	A-A-2793 NOT 1	CLEANER-DISINFECTANT (PINE TYPE) (NO S/S DOCUMENT)(CUST: GS)	A	6840	/	GS	15-JUN-99
M	A-A-3149 NOT 1	PENETRATING FLUID (NO S/S DOCUMENT)	A	6850	#	FSS	18-MAY-99
M	A-A-2196 NOT 1	FILING CABINET, STEEL, LEGAL AND LETTER SIZE, INSULATED (NO S/S DOCUMENT)	A	7110	#	FSS	08-JUN-99
M	A-A-2240 NOT 1	TABLES, TASK (OPEN BASE) (NO S/S DOCUMENT)	A	7110	#	FSS	08-JUN-99
M	A-A-2242 NOT 1	PEDESTALS, MOBILE (NO S/S DOCUMENT)	A	7110	#	FSS	08-JUN-99
M	A-A-2112A NOT 1	COSTUMER, METAL (CONTEMPORARY STYLE) (NO S/S DOCUMENT)	A	7195	#	FSS	09-JUN-99
M	MIL-M-87958(1) NOT 1	MARKERS BLANKS, PRESSURE SENSITIVE ADHESIVE WIRE OR CABLE MARKER AND IDENTIFICATION LABEL (NO S/S DOCUMENT)(CUST: 99 GS) [REVIEW: 84]	A	7690		GS	08-MAY-00
M	A-A-162A NOT 1	CLOTH, CLEANING (NONWOVEN) (NO S/S DOCUMENT)	A	7920	#	FSS	24-JUN-99
M	A-A-223A NOT 1	BROOM, UPRIGHT, COARSE FIBER (NO S/S DOCUMENT)	A	7920	#	FSS	24-JUN-99
M	A-A-270A NOT 1	BRUSH, SCRUB, PLASTIC (NO S/S DOCUMENT)(CUST: FSS)	A	7920	#	FSS	29-JUN-99
M	A-A-1430A NOT 1	PADS, SCOURING, PLASTIC SPONGE WITH ABRASIVE BACK (NO S/S DOCUMENT)(CUST: FSS)	A	7920	#	FSS	29-JUN-99
M	A-A-1432A NOT 1	TOWEL, PAPER (INDUSTRIAL WIPING) (NO S/S DOCUMENT)	A	7920	#	FSS	29-JUN-99
M	P-D-220D NOT 1	DETERGENT, GENERAL PURPOSE (NO S/S DOCUMENT) [REVIEW: GL]	A	7930	%	FSS	01-JUL-99
M	P-D-225A NOT 1	DETERGENT, GENERAL PURPOSE, SOLVENT TYPE (NO S/S DOCUMENT)(CUST: GL)	A	7930	%	GL	01-JUL-99
M	P-D-225A(I1) NOT 1	DETERGENT, GENERAL PURPOSE, SOLVENT TYPE (NO S/S DOCUMENT)	A	7930	#	FSS	01-JUL-99
M	TT-S-711C NOT 1	STAIN, OIL TYPE, WOOD, INTERIOR (NO S/S DOCUMENT)(CUST: AV SH) [REVIEW: AR GL MC MD MR YD]	A	8010	*	AV	31-MAY-99
M	TT-P-1565B NOT 1	PAINT, BOOT-TOPPING BLACK (NO S/S DOCUMENT)	A	8010	%	FSS	22-APR-99
M	QPL-46105-8 NOT 1	PRIMER COATING, WELD THROUGH, ZINC-RICH (NO S/S DOCUMENT)	A	8010		MR	19-MAY-00
M	A-A-1491C NOT 1	CLOTH, CHEESECLOTH (COTTON) (NO S/S DOCUMENT)	A	8305	#	FSS	09-JUN-96
M	CCC-C-419G NOT 1	CLOTH, DUCK, UNBLEACHED, PLIED-YARNS, ARMY AND NUMBERED (NO S/S DOCUMENT)(CUST: GL NU 99 CT) [REVIEW: 11 82 AR AT CR4 EA MC MD]	A	8305	/	CT	23-MAY-00
M	CCC-C-428G NOT 1	CLOTH, DUCK, COTTON, FIRE, WATER, WEATHER AND MILDEW RESISTANT (NO S/S DOCUMENT)(CUST: GL NU 99 CT) [REVIEW: 11 82 AR AT CR4 EA MB MC MD SH]	A	8305	/	CT	23-MAY-00
M	A-A-1666B NOT 1	TAPE, MEASURING (DRESSMAKERS) (NO S/S DOCUMENT)(CUST: NU 99) [REVIEW: 11 82 MC]	A	8315	*	FSS	21-JUN-99
M	A-A-719A NOT 1	CAP, PAPER FOOD HANDLERS (NO S/S DOCUMENT)	A	8415	#	FSS	24-MAY-99
M	MIL-S-1049H NOT 1	SOUP, DEHYDRATED, CHICKEN-FLAVORED, WITH NOODLES (S/S BY A-A-20329)(CUST: GL SA 35 SS) [REVIEW: MC MD QM]	A	8935		SS	19-MAY-00
M	MIL-S-3059E NOT 1	SOUP, DEHYDRATED, GREEN PEA, SIMMER TYPE (S/S BY A-A-20329)(CUST: GL SA 35 SS) [REVIEW: MC MD QM]	A	8935		SS	19-MAY-00
M	MIL-S-35046C NOT 2	SOUP, DEHYDRATED, ONION (S/S BY A-A-20329)(CUST: GL SA 35) [REVIEW: MC MD QM]	A	8935		SS	19-MAY-00
M	MIL-S-35051D NOT 1	SOUP, DEHYDRATED, TOMATO-VEGETABLE, WITH NOODLES (S/S BY A-A-20329)(CUST: GL SA 35 SS) [REVIEW: MC MD QM]	A	8935		SS	19-MAY-00
M	MIL-S-43931A NOT 1	SOUP, DEHYDRATED, BEEF FLAVORED, WITH NOODLES AND VEGETABLES (S/S BY A-A-20329)(CUST: GL SA 50 SS) [REVIEW: MC MD QM]	A	8935		SS	19-MAY-00
M	L-P-512C NOT 3	PLASTIC SHEET (SHEETING); POLYETHYLENE (S/S BY ASTM-D2103)(CUST: CR4 AS 11 GS) [REVIEW: EA EC MI MR OS]	A	9330	/	GS	28-APR-00
M	MIL-M-63023A NOT 1	MANUAL, TECHNICAL: TRANSPORT GUIDANCE FOR MILITARY MATERIEL, PREPARATION OF (NO S/S DOCUMENT)(CUST: MT) [REVIEW: AT AV MI TM]	A	TMSS		MT	23-MAY-00