

DEPARTMENT OF DEFENSE INDEX OF  
SPECIFICATIONS AND STANDARDS

---

**DODISS NOTICE**

---

15 OCTOBER 2001 / FOR PERIOD 1 OCT 2001 TO 14 OCT 2001 / VOL. 19/ NO. 01

The DODISS NOTICE is published on the 1<sup>st</sup> and 15<sup>th</sup> of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page.

**ATTENTION  
DODISS NOTICE SUBSCRIBER**

This will be your final paper copy of the DoDISS Notice mailed to you via our paper subscription service. We have discontinued this service but will continue making it available at our web site: <http://dodssp.daps.mil>

If you rely on the DoDISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DoDISS then we encourage you to register for your Assist Online account (there is no charge for this). Once you have your account you can take advantage of the Assist Alert Service. Simply establish your Assist Alert Portal profile, for more information visit our Assist web site at: <http://astimage.daps.dla.mil>

**Notice**

The SD-1 dated 1 September 2001 will be the last time that Non-Government Standards Bodies (NGSBs) are listed in this directory. NGSBs for which DOD employees have registered their participation, or from which Standardization Management Activities have adopted at least one standard, are listed in the Technical Committee Participation database on the Defense Standardization Program Web Site ([www.dsp.dla.mil](http://www.dsp.dla.mil)).

Since many of the distribution codes associated with each NGSB listed in the SD-1 were determined many years ago, we are finding that some are no longer accurate. Therefore, Standardization Management Activities interested in adopting a Non-Government Standard are advised to contact the respective NGSB to determine if they will provide free copies of standards for Department of Defense coordination review purposes.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-25579-31	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, GENERAL REQUIRMENTS FOR	A	4720		CC	02-OCT-01
M	QPL-AS604-5	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED, 3000 PSI, 400 DEG. F, HEAVYWEIGHT, HYDRAULIC	A	4720		CC	02-OCT-01
M	QPL-AS1339-10	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED, 3000 PSI, 400 DEG F, LIGHTWEIGHT, HYDRAULIC AND PNEUMATIC	A	4720		CC	02-OCT-01
M	A-A-59614	COUPLING ASSEMBLY, HOSE (GARDEN, WATER, AND WATER SUCTION)(CUST: AT SH 99 CC) [REVIEW: 71 SA]	A	4730	/	CC	21-AUG-01
N	NASM28728-1	DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.81 DIAMETER(CUST: CR EC 11 IS)	A	5355		IS	25-SEP-01
N	NASM28728-2	DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.75 DIAMETER(CUST: CR EC 11)	A	5355		IS	25-SEP-01
N	NASM28728-3	DIAL, CONTROL, MULTITURN COUNTERS, 10-TURN COUNTER, CONCENTRIC (1.810-INCH DIAMETER)(CUST: CR EC 11)	A	5355		IS	25-SEP-01
N	NASM28728-4	DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.16 DIAMETER(CUST: CR EC 11)	A	5355		IS	25-SEP-01
N	NASM28728-5	DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS(CUST: CR EC 11)	A	5355		IS	25-SEP-01
N	NASM28728-6	DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS, ILLUMINATED AND NONILLUMINATED(CUST: CR EC 11)	A	5355		IS	25-SEP-01
N	NASM28728-7	DIAL, CONTROL, MULTITURN COUNTERS, 100 TURN COUNTERS, 4 DIGIT(CUST: CR EC 11)	A	5355		IS	25-SEP-01
N	NASM28728-8	DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, .88 DIAMETER(CUST: CR EC 11)	A	5355		IS	25-SEP-01
M	HPVA-HP1	AMERICAN NATIONAL STANDARD FOR HARDWOOD AND DECORATIVE PLYWOOD(CUST: CE YD 99 IS) [REVIEW: AS AT CC MC MR]	A	5510		IS	03-OCT-01
M	MIL-PRF-23648/19C	RESISTOR, THERMAL (THERMISTOR), HERMETICALLY SEALED, POSITIVE TEMPERATURE COEFFICIENT STYLE RTH42(CUST: CR EC 11 CC NA) [REVIEW: 19 AR AS AT AV CG MC OS]	A	5905		CC	28-SEP-01
M	MIL-PRF-23648/20C	RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH44(CUST: CR EC 11 CC NA) [REVIEW: 19 AR AS AT AV CG MC OS]	A	5905		CC	28-SEP-01
M	QPL-94-97	RESISTOR, VARIABLE, COMPOSITION, GENERAL SPECIFICATION FOR	A	5905		CC	03-OCT-01
M	MIL-PRF-55514/7B(1)	CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC-AC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR09(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS]	A	5910		CC	02-OCT-01
M	MIL-S-83505B	SOCKETS, (LEAD, ELECTRONIC COMPONENTS) GENERAL SPECIFICATION FOR(CUST: CR EC 11 CC) [REVIEW: 99]	A	5935		CC	25-SEP-01
M	MIL-DTL-83505/6E	SOCKETS, (LEAD, ELECTRONIC COMPONENTS) (TYPE VI, SOLDERLESS SPRING CONTACT)(CUST: CR EC 11 CC) [REVIEW: 99]	A	5935		CC	25-SEP-01
M	MIL-DTL-83734/1E	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 6 PIN DUAL-IN-LINE PACKAGES)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	MIL-DTL-83734/3F	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 14 PIN DUAL-IN-LINE PACKAGES)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	MIL-DTL-83734/4E	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 16 PIN DUAL-IN-LINE PACKAGES)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	MIL-DTL-83734/5E	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 18 PIN DUAL-IN-LINE PACKAGES)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	MIL-DTL-83734/6E	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 22 PIN DUAL-IN-LINE PACKAGES)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	MIL-DTL-83734/7E	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 28 PIN DUAL-IN-LINE PACKAGES)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	MIL-DTL-83734/8E	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 24 PIN DUAL-IN-LINE PACKAGES)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	MIL-DTL-83734/9E	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 36 PIN DUAL-IN-LINE PACKAGES)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	MIL-DTL-83734/13D	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 20 PIN DUAL-IN-LINE PACKAGES)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	MIL-DTL-83734/14D	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 48 PIN DUAL-IN-LINE PACKAGES)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	MIL-DTL-83734/15D	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 64 PIN DUAL-IN-LINE PACKAGE)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	MIL-DTL-83734/17A	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS (FOR 32 PIN, DUAL-IN-LINE PACKAGES)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	24-SEP-01
M	W-C-596/67C	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ(CUST: CR YD 11 CC) [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/68C	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ(CUST: CR YD 11 CC) [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/70C	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ(CUST: CR YD 11 CC) [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/74C	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS AC, 50/60 HERTZ(CUST: CR YD 11 CC) [REVIEW: 19 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/90A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ(CUST: CR YD 11 CC) [REVIEW: AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/91B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ(CUST: CR YD 11 CC) [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/92B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ(CUST: CR YD 11 CC) [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/95B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ(CUST: CR YD 11 CC) [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/96B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ(CUST: CR YD 11 CC) [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/100B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ(CUST: CR YD 11) [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/101C	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ(CUST: CR YD 11 CC) [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/103A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ(CUST: CR YD 11 CC) [REVIEW: AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M W-C-596/104B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M W-C-596/105B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M MIL-PRF-19500/375E	SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD-EFFECT, N-CHANNEL, DEPLETION MODE, SILICON TYPES 2N3821, 2N3822, 2N3823 JAN, JANTX, JANTXV, JANS, AND UB[CUST: CR NW 11 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC	02-OCT-01
M MIL-PRF-19500/511D(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPE 2N4261, 2N4261UB, JAN, JANTX, JANTXV, AND JANS, JANHC AND JANKC[CUST: CR 11 CC] [REVIEW: 19 71 99 MI]	A	5961		CC	04-OCT-01
M MIL-PRF-19500/609C(2)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N6639, 1N6640, 1N6641, 1N6639US, 1N6640US, AND 1N6641US, JAN, JANTX, JANTXV, JANJ, AND JANS[CUST: CR NW 11 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	28-SEP-01
M MIL-PRF-19500/671(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY POWER RECTIFIER, COMMON CATHODE OR ANODE CENTER TAP, TYPES 1N6828, 1N6828R, 1N6833, 1N6833R, 1N6828U3 AND 1N6833U3 JAN, JANTX, JANTXV, JANS[CUST: CR NW 11 CC NA]	A	5961		CC	03-OCT-01
N MIL-PRF-19500/699	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7527U3, 2N7528U3, 2N7529U3 JANTXVD, R AND JANS D, R[CUST: CR NW 11 CC NA] [REVIEW: AV MI]	A	5961		CC	15-SEP-01
M QML-38534-38	CUSTOM HYBRID MICROCIRCUITS, GENERAL REQUIREMENTS FOR	A	5962		CC	28-SEP-01
M MIL-DTL-25708D(1)	ANTENNAS, BLADE, L-BAND, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AV]	A	5985		CC	01-OCT-01
M MIL-DTL-25708/1F	ANTENNA, BLADE, AT-741B/B (HN CONNECTOR)[CUST: CR AS 11 CC] [REVIEW: 70 71 84 99 AV]	A	5985		CC	01-OCT-01
M MIL-DTL-25708/2B(1)	ANTENNA, BLADE, AS-2685/A[CUST: 11 CC] [REVIEW: 99]	A	5985		CC	01-OCT-01
M MIL-DTL-25708/5B(1)	ANTENNA, BLADE, L-BAND (4 HOLE MOUNT, N-CONNECTOR)[CUST: CR AS 11 CC] [REVIEW: 99 AV]	A	5985		CC	01-OCT-01
M A-A-55507A	CLIP, ELECTRICAL, FUZE, GENERAL REQUIREMENTS FOR[CUST: CR SH 11 CC]	A	5999	/	CC	15-OCT-01
M A-A-55507/1A	CLIP, ELECTRICAL, FUSE, 30 AND 60 AMPERE, FOR FUSE DIAMETERS 1/4" THRU 13/16"[CUST: CR SH 11 CC]	A	5999	/	CC	15-OCT-01
N A-A-55507/2	CLIP, ELECTRICAL, FUSE, P.C. BOARD, 15 AND 30 AMPERE, FOR FUSE DIAMETER 1/4"[CUST: CR SH 11 CC]	A	5999	/	CC	15-OCT-01
M QPL-24021-18	ELECTRIC POWER MONITORS, EXTERNAL, AIRCRAFT	A	6110		AS	09-JUL-01
M MIL-PRF-10436M(1)	COMPASS, MAGNETIC, UNMOUNTED: LENSATIC, LUMINOUS, 5 DEGREE AND 20 MIL GRADUATIONS, WITH CARRYING CASE[CUST: CE3 MC 99]	A	6605		CE3	31-JUL-01
M MIL-PRF-87937D	CLEANING COMPOUND, AEROSPACE EQUIPMENT[CUST: AS 68] [REVIEW: 11 GS]	A	6850		68	24-SEP-01
M MIL-I-14651 NOT 2	INSIGNIA, EMBROIDERED, RANK, GRADE AND SERVICE STRIPES, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: 82 99 MC]	A	8455		IH	05-OCT-01
M A-A-697D NOT 2	PAPER, TOILET	A	8540	#	FSS	02-JUL-01
M QSTAG-86 ED.3	BARREL (TUBE) 105MM TANK GUNS, M68, L.7A.1 AND L.7A.3[CUST: AM]	C	ISDA		AM	16-JAN-92
N QSTAG-147 ED.4	AMMUNITION FOR US 105MM TANK GUN, M68 UK 105MM L7A1 AND CA/AS 105MM L7A3[CUST: AM]	C	ISDA		AM	15-JUN-88
M QSTAG-151 ED.3	CARRIER, PERSONNEL, FULL TRACKED, ARMORED, M113A1/A2/A3 AND CARRIER, COMMAND POST, LIGHT TRACKED, M577A1/2[CUST: AM]	C	ISDA		AM	18-FEB-86
M QSTAG-163 ED.3	MILITARY ABBREVIATIONS[CUST: AM]	C	ISDA		AM	30-SEP-90
M QSTAG-165 ED.2(1)	MOVEMENTS PRINCIPLES, POLICIES, AND DUTIES[CUST: AM]	C	ISDA		AM	13-DEC-76
N QSTAG-169 ED.2	SCOPE AND PRESENTATION OF MILITARY GEOGRAPHIC INFORMATION AND DOCUMENTATION (MGID)[CUST: AM]	C	ISDA		AM	24-OCT-91
N QSTAG-170 ED.2	INTERROGATION OF PRISONERS OF WAR (PW)[CUST: AM]	C	ISDA		AM	03-JUN-97
M QSTAG-171 ED.2	PROCEDURES FOR REQUESTING REPAIR AND RECOVERY OF LAND MILITARY TECHNICAL EQUIPMENT[CUST: AM]	C	ISDA		AM	01-JUN-83
N QSTAG-174 ED.2	ROAD AND ROAD STRUCTURES[CUST: AM]	C	ISDA		AM	24-MAR-99
N QSTAG-177 ED.2	INLAND HYDROGRAPHY[CUST: AM]	C	ISDA		AM	19-JAN-00
N QSTAG-179 ED.2	COASTAL AREAS AND LANDING BEACHES[CUST: AM]	C	ISDA		AM	16-JAN-92
M QSTAG-180 ED.4	MILITARY LOAD CLASSIFICATION OF BRIDGES (COMPUTATION OF BRIDGE, FERRY, RAFT AND VEHICLE CLASSIFICATIONS)[CUST: AM]	C	ISDA		AM	11-AUG-86
N QSTAG-183 ED.3	EMERGENCY WARNING SIGNALS AND ALARMS FOR NBC HAZARDS OR ATTACKS (NBC AND AIR ATTACKS ONLY)[CUST: AM]	C	ISDA		AM	12-AUG-91
M QSTAG-187 ED.5	REPORTING NUCLEAR DETONATIONS, BIOLOGICAL AND CHEMICAL ATTACKS AND PREDICTING AND WARNING OF ASSOCIATED HAZARDS AND HAZARD AREAS[CUST: AM]	C	ISDA		AM	21-MAY-98
M QSTAG-189 ED.3	FRIENDLY NUCLEAR STRIKE[CUST: AM]	C	ISDA		AM	12-AUG-91
N QSTAG-190 ED.3	MOVEMENTS AND TRANSPORT DOCUMENTS USED FOR MOVEMENTS BY SHIP (BASED ON STANAG 2166)[CUST: AM]	C	ISDA		AM	28-FEB-90
M QSTAG-220 ED.2	ADOPTION OF A STANDARD CANNON ARTILLERY FIRING TABLE FORMAT[CUST: AM]	C	ISDA		AM	08-DEC-81
M QSTAG-222 ED.3	COMMON CRITICAL MARRYING UP PROCEDURES[CUST: AM]	C	ISDA		AM	27-OCT-97
M QSTAG-245 ED.2	MINIMUM REQUIREMENTS FOR WATER POTABILITY (SHORT AND LONG TERM USE)[CUST: AM]	C	ISDA		AM	10-SEP-85
M QSTAG-248 ED.2	IDENTIFICATION OF MEDICAL MATERIEL TO MEET URGENT NEEDS[CUST: AM]	C	ISDA		AM	27-SEP-88
M QSTAG-284 ED.2	FIFTH WHEEL ATTACHMENTS[CUST: AM]	C	ISDA		AM	17-MAR-98
M QSTAG-289 ED.3	MINIMUM ESSENTIAL CHARACTERISTICS OF BLOOD SHIPPING CONTAINER[CUST: AM]	C	ISDA		AM	12-AUG-91
M QSTAG-327 ED.3	TWELVE POINT ELECTRICAL CONNECTORS BETWEEN MILITARY VEHICLES[CUST: AM]	C	ISDA		AM	15-APR-98
M QSTAG-328 ED.2	SLINGING AND TIEDOWN PROVISIONS FOR LIFTING AND TYING DOWN MILITARY EQUIPMENT[CUST: AM]	C	ISDA		AM	30-OCT-95
N QSTAG-354 ED.1	MEACONING, INTRUSION, JAMMING AND INTERFERENCE OF ELECTROMAGNETIC SYSTEMS REPORT (MIJ REPORT)[CUST: AM]	C	ISDA		AM	17-JUN-87
M QSTAG-435 ED.1	MEDICAL MATERIEL MANAGEMENT DURING PATIENT EVACUATION[CUST: AM]	C	ISDA		AM	18-JAN-78
N QSTAG-465	GUIDELINES FOR COMMANDERS IN COPING WITH OPERATIONAL PROBLEMS ASSOCIATED WITH MIOSIS[CUST: AM]	C	ISDA		AM	05-APR-79
N QSTAG-479 ED.1	WATER QUALITY ANALYSIS SET (ENGINEER AND PREVENTATIVE MEDICINE)[CUST: AM]	C	ISDA		AM	09-NOV-89
N QSTAG-493 ED.1	ELECTRONIC WARFARE MESSAGE FORMATS[CUST: AM]	C	ISDA		AM	17-MAR-86
M QSTAG-514 ED.2	METHOD OF DESCRIBING GROUND LOCATIONS, AREAS AND BOUNDARIES[CUST: AM]	C	ISDA		AM	11-MAR-97
N QSTAG-516 ED.1	ABCA ARMIES PROCEDURES FOR SUPPLY TRANSACTIONS[CUST: AM]	C	ISDA		AM	21-NOV-85
N QSTAG-518 ED.1	LAND MINEFIELD LAYING, RECORDING, REPORTING AND MARKING PROCEDURES[CUST: AM]	C	ISDA		AM	13-DEC-85
N QSTAG-519 ED.1	STRETCHERS[CUST: AM]	C	ISDA		AM	20-NOV-85
N QSTAG-528 ED.1	HANDLING AND REPORTING OF CAPTURED ENEMY EQUIPMENT AND DOCUMENTS[CUST: AM]	C	ISDA		AM	12-AUG-91

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
N	QSTAG-544 ED.2	GEODETIC DATUMS, ELLIPSOIDS, GRIDS AND GRID REFERENCES[CUST: AM]	C	ISDA	AM		04-DEC-93
N	QSTAG-546 ED.1	EVALUATION OF LAND MAPS, AERONAUTICAL CHARTS AND DIGITAL TOPOGRAPHIC DATA[CUST: AM]	C	ISDA	AM		02-APR-91
M	QSTAG-573 ED.3	TACTICAL HAND AND ARM SIGNALS FOR THE CONTROL OF AFVS[CUST: AM]	C	ISDA	AM		17-DEC-96
N	QSTAG-587 ED.1	MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - DATA TRANSMISSION STANDARDS[CUST: AM]	C	ISDA	AM		12-AUG-91
M	QSTAG-608 ED.3	INTEROPERABLE CHEMICAL AGENT DETECTOR KITS[CUST: AM]	C	ISDA	AM		25-AUG-00
M	QSTAG-627 ED.2	MATERIALS HANDLING IN THE FIELD[CUST: AM]	C	ISDA	AM		04-DEC-93
N	QSTAG-628 ED.1	HANDLING AIDS[CUST: AM]	C	ISDA	AM		02-OCT-85
M	QSTAG-642 ED.2	CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF ITEM IDENTIFICATION[CUST: AM]	C	ISDA	AM		21-FEB-92
N	QSTAG-667 ED.1	AIRCRAFT COMMUNICATIONS RADIO SET, UHF-AM[CUST: AM]	C	ISDA	AM		04-SEP-86
M	QSTAG-680 ED.2	CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF SUPPLY CLASSIFICATION[CUST: AM]	C	ISDA	AM		17-JUN-92
N	QSTAG-695 ED.2	OPERATIONAL REQUIREMENTS AND EVALUATION CRITERIA FOR GENERAL SERVICE MASKS[CUST: AM]	C	ISDA	AM		08-OCT-99

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-F-63337(5) NOT 1	FIRING ATTACHMENT, BLANK AMMUNITION: M19[CUST: AR]	A	1005		AR	18-JUL-01
M	MIL-O-52374C(1) NOT 1	OSCILLATOR: HIGH VOLTAGE[CUST: CR OS CC]	A	5855		CC	20-SEP-01
M	MIL-R-93E	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS AV CG MC MI OS]	A	5905		CC	05-OCT-01
M	MIL-R-93/13E	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB55[CUST: CR EC 11] [REVIEW: 99 AR CR4 MC MI]	A	5905		CC	05-OCT-01
M	MIL-R-93/14E	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB56[CUST: CR EC 11] [REVIEW: 19 99 AR AV CR4 MC MI]	A	5905		CC	05-OCT-01
M	MIL-R-93/16C	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB57[CUST: CR EC 11] [REVIEW: 19 99 AR CR4 MC MI]	A	5905		CC	05-OCT-01
M	MIL-R-93/19C	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB70[CUST: CR EC 11] [REVIEW: 19 99 AV CR4 MC MI]	A	5905		CC	05-OCT-01
M	W-C-596/27D	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GENERAL GRADE, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/35D	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, 3 POLE, 3 WIRE, 30 AMPERES, 125/250 VOLTS, 50/50 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01
M	W-C-596/45D	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	24-SEP-01

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-H-28692	NOT 1 HOSE, NONMETALLIC, PORTABLE WATER DISCHARGE, SMOOTH-BORE, LIGHTWEIGHT, 4 INCH, WITH REATTACHABLE COUPLINGS (NO S/S DOCUMENT)[CUST: SH CC][REVIEW: SA]	A	4720		CC	28-SEP-01
M	MIL-D-28728/1B	NOT 2 DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.81 DIAMETER (S/S BY NASM28728-1)[CUST: CR EC 11 IS][REVIEW: 99 AS CC CR4 MI OS SH]	A	5355		IS	25-SEP-01
M	MIL-D-28728/2B	NOT 3 DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.75 DIAMETER (S/S BY NASM28728-2)[CUST: CR EC 11 IS][REVIEW: 71 99 AR AS AV CR4 MI OS SH]	A	5355		IS	25-SEP-01
M	MIL-D-28728/3A	NOT 3 DIAL, CONTROL, MULTITURN COUNTERS 10-TURN COUNTER, CONCENTRIC (1.810-INCH DIAMETER) (S/S BY NASM28728/3)[CUST: CR EC 11 IS][REVIEW: 82 99 CC CR4 MI OS]	A	5355		IS	25-SEP-01
M	MIL-D-28728/4B	NOT 2 DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.16 DIAMETER (S/S BY NASM28728/4)[CUST: CR EC 11 IS][REVIEW: 71 99 AR AS AV CR4 MI OS SH]	A	5355		IS	25-SEP-01
M	MIL-D-28728/5B	NOT 2 DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS (S/S BY NASM28728/5)[CUST: CR EC 11 IS][REVIEW: 71 99 AR AS AV CR4 MI OS SH]	A	5355		IS	25-SEP-01
M	MIL-D-28728/6B	NOT 2 DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS, ILLUMINATED AND NONILLUMINATED (S/S BY NASM28728/6)[CUST: CR EC 11 IS][REVIEW: 71 99 AR AS AV CR4 MI OS SH]	A	5355		IS	25-SEP-01
M	MIL-D-28728/7	NOT 3 DIAL, CONTROL, MULTITURN COUNTERS 100-TURN COUNTERS, 4-DIGIT (S/S BY NASM28728/7)[CUST: CR EC 11 IS][REVIEW: 82 99 AS CR4 MC MI OS]	A	5355		IS	25-SEP-01
M	MIL-D-28728/8B	NOT 2 DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, .88 DIAMETER (S/S BY NASM28728/8)[CUST: CR EC 11 IS][REVIEW: 71 99 AR AS AV CR4 MC MI OS SH]	A	5355		IS	25-SEP-01
M	MS90707B	NOT 2 RING, RETAINING, EXTERNAL GRIP (S/S BY ASME-B18.27.5)[CUST: AR OS 99][REVIEW: 82 AT AV GL MI]	A	5365		GS3	24-SEP-01
M	MS90708C	NOT 2 RING, RETAINING, EXTERNAL INTERLOCKING (S/S BY ASME-B18.24.3)[CUST: AR AS 99 GS3][REVIEW: 82 AT AV CR CR4 MC SH YD]	A	5365		GS3	24-SEP-01
M	HPMA-HP	PLYBOARD, HARDWOOD, STANDARD FOR (S/S BY HPVA-HP-1)[CUST: CE YD 99 IS][REVIEW: AS AT CC MC MR]	A	5510		IS	03-OCT-01
M	MIL-C-3607/4B	NOT 1 CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, PRESSURIZED, TYPE UG-38A/U (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 99 AS MI]	A	5935		CC	29-AUG-01
M	MIL-C-3607/6A	NOT 1 CONNECTOR, PLUG, ELECTRICAL, SERIES PULSE, TYPE UG 174/U (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 99 AR MI]	A	5935		CC	29-AUG-01
M	MIL-C-3607/8B	NOT 1 CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-181A/U (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 99 AR MI]	A	5935		CC	29-AUG-01
M	MIL-C-3607/10A	NOT 1 CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, ADAPTER, TYPE UG-222B/U (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 99 AR MI]	A	5935		CC	29-AUG-01
M	MIL-C-3607/11	NOT 1 CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-264/U (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 99 AR MI]	A	5935		CC	29-AUG-01
M	MIL-C-3607/13A	NOT 1 CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-350/U (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 99 AR MI]	A	5935		CC	29-AUG-01
M	MIL-C-3655/7B	NOT 2 CONNECTOR ADAPTER, CLASS II (COAXIAL, SERIES TWIN), TYPE UG-1058/U (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 19 99 AS AT MC MI OS SH]	A	5935		CC	05-SEP-01
M	MIL-C-3655/12B	NOT 2 CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-1253/U (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 19 99 AS AT MC MI OS SH]	A	5935		CC	05-SEP-01
M	MIL-S-12883/9B	NOT 2 SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 9 CONTACT, RADIAL) (NO S/S DOCUMENT)[CUST: CR SH 11 CC][REVIEW: 19 99 AS AT AV CG CR4 MC MI OS]	A	5935		CC	10-SEP-01
M	MIL-S-12883/22A(1)	NOT 2 SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (SOCKET-RELAY, ELECTRICAL, 20 CONTACT, 5 AMPERES) (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AT AV CG CR4 MC MI OS]	A	5935		CC	10-SEP-01
M	MIL-C-21097/23B	NOT 1 CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (.100) TYPE AD (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	28-SEP-01
M	MIL-C-21097/24A	NOT 2 CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (.125) TYPE AD (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	28-SEP-01
M	MIL-C-21097/25A	NOT 2 CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD, RECEPTACLE, CARD INSERTION, CONTACT SPACING (.500), TYPE AD (NO S/S DOCUMENT)[CUST: EC 11 CC][REVIEW: 99 AR AT AV CR4 MC MI OS]	A	5935		CC	28-SEP-01
M	MIL-A-27434/11	NOT 3 ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-327A/U (NO S/S DOCUMENT)[CUST: CR EC 11][REVIEW: 99 SH]	A	5935		CC	05-SEP-01
M	MIL-A-27434/25A	NOT 3 ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-977C/U (NO S/S DOCUMENT)[CUST: CR EC 11]	A	5935		CC	05-SEP-01
M	MIL-A-27434/26	NOT 3 ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES TYPE UG-1013A/U (NO S/S DOCUMENT)[CUST: CR EC 11]	A	5935		CC	05-SEP-01
M	MIL-C-28731/1F	NOT 1 CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE CONTACTS (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935		CC	10-SEP-01
M	MIL-C-28731/2D	NOT 1 CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE CONTACTS (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935		CC	10-SEP-01
M	MIL-C-28731/5F	NOT 1 CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 130 REMOVABLE CONTACTS (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935		CC	10-SEP-01
M	MIL-C-28731/6E	NOT 1 CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 130 REMOVABLE CONTACTS (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935		CC	10-SEP-01
M	MIL-C-28731/7C	NOT 1 CONNECTOR, ELECTRICAL, SHIELD, RECTANGULAR FOR 75, 100 OR 130 REMOVABLE CONTACTS (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935		CC	10-SEP-01
M	MIL-C-28731/25B	NOT 1 CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, WIRE HOLE REMOVABLE (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC OS]	A	5935		CC	10-SEP-01
M	MIL-C-28731/27B	NOT 1 CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 33 REMOVABLE TYPE CONTACTS (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935		CC	10-SEP-01
M	MIL-C-28731/28B	NOT 1 CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 33 REMOVABLE TYPE CONTACTS (NO S/S DOCUMENT)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935		CC	10-SEP-01
M	MIL-C-38159/1	NOT 1 CONNECTORS, PLUG, ELECTRICAL, SERIES 1, NON-HAZARDOUS (NO S/S DOCUMENT)[CUST: 11 CC][REVIEW: 99]	A	5935		CC	05-SEP-01
M	MIL-C-38159/2	NOT 1 CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, NON-HAZARDOUS (NO S/S DOCUMENT)[CUST: 11 CC][REVIEW: 99]	A	5935		CC	05-SEP-01
M	MIL-C-38159/3	NOT 1 CONNECTORS, PLUG, ELECTRICAL, SERIES 2, HAZARDOUS (NO S/S DOCUMENT)[CUST: 11 CC][REVIEW: 99]	A	5935		CC	05-SEP-01
M	MIL-C-55302/85A	NOT 1 CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING PLUG (NO S/S DOCUMENT)[CUST: 11 CC][REVIEW: 19]	A	5935		CC	18-SEP-01

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-C-55302/89D NOT 3	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT-ANGLE, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) (NO S/S DOCUMENT)(CUST: CR CC) [REVIEW: AR AT AV CR4 MI]	A	5935		CC	18-SEP-01
M	MIL-C-55302/100B NOT 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, HERMAPHRODITIC CONTACT, WRAPPOST, REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) (NO S/S DOCUMENT)(CUST: CR CC) [REVIEW: AR AT AV CR4 MI]	A	5935		CC	17-SEP-01
M	MIL-C-55302/101B NOT 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, WRAPPOST REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) (NO S/S DOCUMENT)(CUST: CR CC) [REVIEW: AR AT AV CR4 MI]	A	5935		CC	17-SEP-01
M	MIL-C-55302/103D NOT 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) (NO S/S DOCUMENT)(CUST: CR CC) [REVIEW: AR AT AV CR4 MI]	A	5935		CC	17-SEP-01
M	MIL-C-55302/104D NOT 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG STRAIGHT-THRU, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) (NO S/S DOCUMENT)(CUST: CR CC) [REVIEW: AR AT AV CR4 MI]	A	5935		CC	17-SEP-01
M	MIL-C-55302/183 NOT 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW RECEPTACLE ASSEMBLIES, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 80 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	17-SEP-01
M	MIL-C-55302/184 NOT 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW RECEPTACLE ASSEMBLIES, 75 THROUGH 225 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 80 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	17-SEP-01
M	MIL-C-55302/185 NOT 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW RECEPTACLE ASSEMBLIES, 100 THROUGH 300 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 80 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	17-SEP-01
M	MIL-C-83413/11B NOT 1	CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: RECEPTACLES, ONE PIECE (NO S/S DOCUMENT)(CUST: AV AS 11 CC) [REVIEW: 02 13 18 82 99 AR CR CR4 MC MI]	A	5935		CC	07-SEP-01
M	MIL-S-83505/3C NOT 1	SOCKET (LEAD, ELECTRONIC COMPONENTS) (TYPE III, SOLDER WIRE TURRET) (NO S/S DOCUMENT)(CUST: CR EC 11) [REVIEW: 80 99]	A	5935		CC	10-SEP-01
M	MIL-M-83521/8 NOT 1	MAINTENANCE KIT, ELECTRICAL CONTACT, CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR MIL-C-22520/7 CRIMPING TOOL AND POSITIONERS (NO S/S DOCUMENT)(CUST: CR AS 11 CC) [REVIEW: 19 99 AR AT AV CL EC MC MI SH]	A	5935		CC	07-SEP-01
M	MIL-S-83734/11D NOT 1	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (RIGHT ANGLE LEADS, FOR 8 PIN DUAL-IN-LINE PACKAGES) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH]	A	5935		CC	10-SEP-01
M	MIL-S-83734/12D NOT 1	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (RIGHT ANGLE LEADS, FOR 14 AND 16 PIN DUAL-IN-LINE PACKAGES) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH]	A	5935		CC	10-SEP-01
M	MIL-S-83734/16 NOT 2	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, SINGLE-IN-LINE, LOW PROFILE (FOR SINGLE-IN-LINE PACKAGES) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	10-SEP-01
M	MS14033B NOT 1	GRID PATTERNS FOR SOLDERLESS WRAPPED ELECTRICAL CONNECTORS (NO S/S DOCUMENT)(CUST: CR EC 11) [REVIEW: 99 AR MC MI]	A	5935		CC	10-SEP-01
M	MS14034 NOT 1	GENERAL CONTACT LAYOUT FOR TYPE III BASE PLATE CONNECTOR (200 GRID) (NO S/S DOCUMENT)(CUST: CR EC 11) [REVIEW: AR AS MC MI OS]	A	5935		CC	10-SEP-01
M	MS14058(2) NOT 1	CONNECTORS, ELECTRIC, RECTANGULAR MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, RECEPTACLE, SOCKET CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES (S/S BY MIL-DTL-24308/23)(CUST: CR EC 11 CC) [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	05-SEP-01
M	MS18173A NOT 2	WASHER, FLAT (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	10-SEP-01
M	MS18233C NOT 1	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED FOR RG-178B/U AND RG-196A/U CABLE (NO S/S DOCUMENT)(CUST: EC CC)	A	5935		CC	10-SEP-01
M	MS18269E(1) NOT 2	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, RECEPTACLE, SOCKET CONTACTS, SOLDER TYPE (S/S BY MIL-DTL-24308/8) OR MIL-DTL-24308/5)(CUST: CR EC 11 CC) [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	05-SEP-01
M	MS18270H(1) NOT 2	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, RECEPTACLE SOCKET CONTACTS, CRIMP TYPE (S/S BY MIL-DTL-24308/2 OR MIL-DTL-24308/6)(CUST: CR EC 11 CC) [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	05-SEP-01
M	MS18271F NOT 1	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, PLUG, PIN CONTACTS, CRIMP TYPE (S/S BY MIL-DTL-24308/4 OR MIL-DTL-24308/8)(CUST: CR EC 11 CC) [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	05-SEP-01
M	MS18272E NOT 2	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, PLUG, HERMETIC PIN CONTACTS, CLASS H (S/S BY MIL-DTL-24308/9)(CUST: CR EC 11 CC) [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	05-SEP-01
M	MS18274F NOT 1	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL, SIZE 2 (S/S BY MIL-DTL-24308 APPENDIX A, FIGURE A-2)(CUST: CR EC 11 CC) [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	05-SEP-01
M	MS18275F NOT 1	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL, SIZE 3 (S/S BY MIL-DTL-24308 APPENDIX 1)(CUST: CR EC 11 CC) [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	05-SEP-01
M	MS18281C NOT 2	CONTACTS PIN AND SOCKET CLASSES G, N, AND H SOLDER TYPE, NON-REMOVABLE (S/S BY MIL-DTL-24308 APPENDIX B, FIGURES B-1 THROUGH B-6)(CUST: CR EC 11 CC) [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	05-SEP-01
M	MS24034C NOT 3	CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, RECTANGULAR, 18 CONTACTS, MALE, 13 AMPS (NO S/S DOCUMENT)(CUST: MI AS 11 CC) [REVIEW: AR CR MC OS SH]	A	5935		CC	10-SEP-01
M	MS24037D NOT 1	CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, HEXAGONAL, 5 CONTACTS, FEMALE, 7.5 AMPS (NO S/S DOCUMENT)(CUST: CR AS 11 CC) [REVIEW: 19 99 CR4 MC MI]	A	5935		CC	04-SEP-01
M	MS24130C NOT 1	HOOD, ELECTRICAL, FOR 3 AMP, CONNECTOR (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 99 AR AS AT CR4 MC MI]	A	5935		CC	10-SEP-01
M	MS24243B NOT 2	COUPLING DIMENSIONS, RECEPTACLE, ELECTRICAL CONNECTOR (NO S/S DOCUMENT)(CUST: 11 CC) [REVIEW: MI]	A	5935		CC	07-SEP-01
M	MS27138A NOT 2	CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-1179/U (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 99 MC]	A	5935		CC	26-SEP-01
M	MS27191B NOT 2	CONNECTOR, PLUG, ELECTRICAL - HIGH VOLTAGE, WATERPROOF (NO S/S DOCUMENT)(CUST: AT 11 CC) [REVIEW: CR CR4 EC MC]	A	5935		CC	05-SEP-01
M	MS27193A NOT 1	DUMMY CONNECTOR, PLUG-HIGH VOLTAGE (NO S/S DOCUMENT)(CUST: AT 11 CC)	A	5935		CC	05-SEP-01
M	MIL-M-38510/32A NOT 2	MICROCIRCUITS, DIGITAL, DTL, MONOSTABLE MULTIVIBRATOR, MONOLITHIC SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 CC) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	02-OCT-01
M	MIL-M-38510/33A NOT 2	MICROCIRCUITS, DIGITAL, DTL, FLIP FLOPS, MONOLITHIC SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 CC) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	02-OCT-01
M	MIL-M-38510/41C NOT 2	MICROCIRCUITS, DIGITAL, TTL, LOW-POWER, AND-OR-INVERT GATES, MONOLITHIC SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 CC) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	02-OCT-01
M	MIL-M-38510/43B NOT 2	MICROCIRCUITS, DIGITAL, TTL, LOW POWER, PRIORITY ENCODERS, MONOLITHIC SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 CC) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	02-OCT-01
M	MIL-M-38510/45B NOT 1	MICROCIRCUITS, DIGITAL, TTL, LOW POWER, BISTABLE LATCHES, MONOLITHIC SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 NA) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	02-OCT-01
M	MIL-M-38510/46B NOT 2	MICROCIRCUITS, DIGITAL, TTL, LOW POWER, DATA SELECTORS/MULTIPLEXERS, MONOLITHIC SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 CC) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	04-OCT-01

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-M-38510/134(1) NOT 2	MICROCIRCUITS, LINEAR, ANALOG-TO-DIGITAL CONVERTERS WITH 3-STATE BUFFERED 10 BIT OUTPUTS, MONOLITHIC SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 CC) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	04-OCT-01
M	MIL-M-38510/136A NOT 2	MICROCIRCUITS, LINEAR, PRECISION VOLTAGE REFERENCES, HYBRID SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 CC) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	04-OCT-01
M	MIL-M-38510/138 NOT 2	MICROCIRCUITS, LINEAR, VOLTAGE-TO-FREQUENCY CONVERTERS, MONOLITHIC SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 CC) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	04-OCT-01
M	MIL-M-38510/142 NOT 2	MICROCIRCUITS, LINEAR, HIGH SPEED TRACK AND HOLD AMPLIFIER, HYBRID, SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 CC) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	04-OCT-01
M	MIL-M-38510/143 NOT 2	MICROCIRCUITS, LINEAR, INSTRUMENTATION AMPLIFIERS, MONOLITHIC SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 CC NA) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	10-OCT-01
M	MIL-M-38510/144 NOT 2	MICROCIRCUITS, LINEAR, MICROPROCESSOR COMPATIBLE 8-BIT DIGITAL-TO-ANALOG CONVERTER, MONOLITHIC SILICON (NO S/S DOCUMENT)(CUST: CR NW 11 CC) [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	10-OCT-01
M	QPL-TT-C-530-3 NOT 1	COATING COMPOUND, RUST INHIBITIVE, FISH OIL BASE (NO S/S DOCUMENT)	A	8030	/	SH	01-OCT-01
M	A-A-59693 NOT 1	DIESEL FUEL, BIODIESEL BLEND (B20) (NO S/S DOCUMENT)(CUST: AT SH 68) [REVIEW: 03 AR EC MC MI PS SA]	A	9140	/	AT	28-SEP-01
M	MIL-Y-83371 NOT 2	YARNS, GRAPHITE, HIGH MODULUS, CONTINUOUS FILAMENT (NO S/S DOCUMENT)(CUST: 11)	A	CMPS		11	12-OCT-01
M	MIL-HDBK-216(10) NOT 11	RF TRANSMISSION LINES AND FITTINGS (INCLUDING CHANGE NOTICE 1 THRU CHANGE NOTICE 10) (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 99 AR AS CR4 MC MI OS SH]	A	MISC		CC	06-SEP-01
M	MIL-STD-410E NOT 2	NONDESTRUCTIVE TESTING PERSONNEL QUALIFICATION AND CERTIFICATION (SEE NAS410 AS A POSSIBLE REPLACEMENT)[Military Standard](CUST: MR AS 11) [REVIEW: AR]	A	NDTI		11	18-SEP-01
M	ASTM-D997	CONTAINERS, LOADED CYLINDRICAL, DROP TEST FOR (NO S/S DOCUMENT)(CUST: SM SH 11)	A	PACK		SM	10-OCT-01