

DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS

DODISS NOTICE

1 SEPT 2000 / FOR PERIOD 15 AUG 2000 TO 31 AUG 2000 / VOL. 16/ NO. 00

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents will be available within 30 days and non-Government Standards within 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

As of October 1, 2000, copies of non-government standards adopted by the Department of Defense (DoD) will not longer be available from the DoD Single Stock Point. Adoption notices will continue to be used to signify DoD usage of a non-government standard, to identify a responsible DoD point of contact, and to give the standard visibility by including it in the ASSIST database and the DoD Index of Specifications and Standards.

The widespread use of the government IMPAC card for micro-purchases makes it easier and more cost effective for DoD users to obtain copies of non-government standards directly from the originating standards developing organizations than in the past. In addition, non-government standards bodies are increasingly refusing to allow the DoDSSP to scan their documents and print them on demand. Many non-government standards bodies are now insisting the DoDSSP purchase paper copies, which are expensive to buy, stock, and distribute. For these reasons, the time has come for the DoDSSP to stop providing copies of non-government standards to DoD users.

There may be some situations, however, where it may make economic sense for the DoDSSP to purchase large quantities of a specific non-government standard for widespread distribution. In this case, the DoD adopting activity should work with the DoDSSP to identify quantity and distribution requirements, and the DoDSSP will negotiate to purchase the needed amounts at reduced prices. In addition, we are exploring the possibility of enterprise wide licensing agreements that would allow DoD users online access to non-government standards issued by a standards developer or provider.

Because most of the adoption notices now indicate that DoD personnel may obtain copies of an adopted non-government standard from the DoDSSP, we will work with the DoDSSP to update automatically all of the adoption notices in the system. We will also be reviewing current policies to determine if any changes are needed for the DoD adoption process.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	AFGS-87233A NOT 1	SUPPORT SYSTEMS AND EQUIPMENT[CUST: 11]	D	15GP		11	21-AUG-00
M	QPL-81995-13	VALVES, STARTER CONTROL, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR	A	2995		AS	07-AUG-00
N	A-A-59581	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, BORE DIAMETERS UNDER 10 MM[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA MI SH]	A	3110	/	GS	07-AUG-00
N	A-A-59582	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, DIMENSION SERIES 19[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA MI SH]	A	3110	/	GS	07-AUG-00
N	A-A-59583	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, DIMENSION SERIES 10[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA MI SH]	A	3110	/	GS	07-AUG-00
N	A-A-59584	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, DIMENSION SERIES 02[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA MI SH]	A	3110	/	GS	07-AUG-00
N	A-A-59585	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, DIMENSION SERIES 03[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA MI SH]	A	3110	/	GS	07-AUG-00
N	A-A-59586	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, DIMENSION SERIES 04[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA MI SH]	A	3110	/	GS	07-AUG-00
N	QPL-SAE-AS8976-1	BEARINGS, PLAIN, SELF-ALIGNING, ALL METAL	A	3120		AS	14-AUG-00
M	ASME-B5.1M-85R98	T-SLOTS, THEIR BOLTS, NUTS, AND TONGUES[CUST: AL SH 99 GS] [REVIEW: AR CR4 GL]	A	34GP		GS	12-DEC-85
M	QPL-13444-24	HOSE AND HOSE ASSEMBLIES, RUBBER: FUEL AND OIL	A	4720		CC	23-AUG-00
M	QPL-83298-9	HOSE, TETRAFLUOROETHYLENE, HIGH TEMPERATURE HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC	A	4720		CC	23-AUG-00
M	QPL-SAE-AS1339-7	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 400 DEG. F, 3000 PSI, HYDRAULIC, LIGHTWEIGHT	A	4720		CC	23-AUG-00
M	MS27635A NOT 1	NIPPLE, FLARELESS, TUBE TO HOSE - SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 82 MC SA]	A	4730		CC	10-JUL-00
M	A-A-59377A	COUPLING ASSEMBLY, QUICK-DISCONNECT, SEXLESS TYPE[CUST: AT SH 99] [REVIEW: CC]	A	4730	/	AT	15-AUG-00
M	QPL-25677-12	ADAPTER, CAP, AND NOZZLE, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT	A	4730		CC	24-AUG-00
N	SAE-AS5181	FITTING, ELBOW, 90 DEG., BULKHEAD, FLARED TO HOSE[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	JAN-00
N	SAE-AS5182	FITTING, ELBOW, 45 DEG., BULKHEAD, FLARED TO HOSE[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	JAN-00
N	SAE-AS5185	FITTING, ELBOW, 90 DEG., PIPE TO HOSE[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	JAN-00
N	SAE-AS5186	FITTING, ELBOW, 45 DEG., PIPE TO HOSE[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	JAN-00
N	SAE-AS5187	FITTING, ELBOW, 45 DEG., BULKHEAD, HOSE[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	JAN-00
N	SAE-AS5188	FITTING, ELBOW, 90 DEG., BULKHEAD, HOSE[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	JAN-00
M	MIL-S-24149C(1) NOT 2	STUDS, WELDING, AND ARC SHIELDS (FERRULES), GENERAL SPECIFICATION FOR[CUST: SH]	A	5307		SH	21-AUG-00
M	MIL-S-24149/1D NOT 2	STUD, WELDING, AND ARC SHIELDS (FERRULES); TYPE I, CLASS 1, 2, 3, AND TYPE II, CLASS 1, 4, 5, 5A, 6, CARBON STEEL, FOR DIRECT ENERGY, ARC WELDING[CUST: SH]	A	5307		SH	21-AUG-00
M	MIL-S-24149/2D NOT 2	STUDS, WELDING, AND ARC SHIELDS (FERRULES); TYPE III, CLASS 1, 2, 3, AND TYPE IV, CLASS 1, 2, 3, 4, 5, 6, ALUMINUM ALLOY, FOR DIRECT ENERGY ARC WELDING[CUST: SH]	A	5307		SH	21-AUG-00
M	MIL-S-24149/3D NOT 2	STUDS, WELDING, & ARC SHIELDS (FERRULES); TYPE V, CLASS 1, 4, 5, 5A, CORROSION-RESISTANT STEEL, FOR DIRECT ENERGY ARC WELDING[CUST: SH]	A	5307		SH	21-AUG-00
M	MIL-S-24149/4C NOT 2	STUDS, WELDING, TYPE VI, CLASS 1, 2, 3, CARBON STEEL, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING[CUST: SH]	A	5307		SH	21-AUG-00
M	MIL-S-24149/5C NOT 2	STUDS, WELDING, TYPE VII, CLASS 1, 2, 3, ALUMINUM ALLOY, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING[CUST: SH]	A	5307		SH	21-AUG-00
M	MIL-S-24149/6C NOT 2	STUDS, WELDING, TYPE VIII, CLASS 1, 2, 3, CORROSION-RESISTANT STEEL FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING[CUST: SH]	A	5307		SH	21-AUG-00
M	SAE-AS4901	ROD END - THREADED, AIRCRAFT[CUST: AV AS 99]	A	5340		AS	MAY-99
M	QPL-85670-3	ANTENNA, BROADBAND, AS-3191/A, AS-3792/A, AND AS-3793/A	A	5821		CC	28-AUG-00
M	MIL-A-23595/3C	AMPLIFIER ASSEMBLY, AUDIO FREQUENCY, AM 7067A/A[CUST: AS]	A	5831		AS	27-JUL-00
M	MIL-PRF-22/1C	RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP06[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/2D	RESISTORS, VARIABLE WIRE-WOUND, POWER TYPE, (ENCLOSED), STYLE RP07[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/3C	RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP10[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/4C	RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED), STYLE RP11[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/5C	RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP15[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/6D	RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (ENCLOSED), STYLE RP16[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/7C	RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP20[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/8C	RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP25[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/9C	RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP30[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/10C	RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP35[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/11C	RESISTORS, VARIABLE, (WIRE-WOUND, POWER TYPE), (UNENCLOSED), STYLE RP40[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/12C	RESISTORS, VARIABLE, (WIRE-WOUND, POWER TYPE), (UNENCLOSED), STYLE RP45[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/13B	RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP50[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/14C	RESISTORS, VARIABLE, (WIRE-WOUND, POWER TYPE), (UNENCLOSED), STYLE RP55[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-22/15B	RESISTORS, VARIABLE (WIRE-WOUND, POWER TYPE) (ENCLOSED), STYLE RP05[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	04-AUG-00
M	MIL-PRF-914A(2) SUP 1	RESISTOR NETWORKS, FIXED, FILM, SURFACE MOUNT, NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS]	A	5905		CR	11-AUG-00
M	QPL-55182-141	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR	A	5905		CR	15-AUG-00

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-55342-80	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5905		CR	15-AUG-00
M	MIL-PRF-39018C(2) SUP 1A	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC][REVIEW: 19 99 AS CG MC MI OS SH]	A	5910		CC	09-AUG-00
M	MIL-D-9129/1B NOT 1	DISCHARGER, ELECTROSTATIC, TRAILING EDGE, INTEGRAL BASE, LESS THAN 300 KNOTS[CUST: CR AS 11 CC][REVIEW: 19 99 CE MC MI]	A	5920		CC	08-AUG-00
M	MIL-D-9129/9(1) NOT 1	HOLDERS, DISCHARGER, ELECTROSTATIC[CUST: CR AS 11 CC][REVIEW: 19 99 CE MC MI]	A	5920		CC	08-AUG-00
M	MIL-C-83413/2A NOT 1	CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE II GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC[CUST: AV AS 11 CC][REVIEW: 02 13 18 82 99 AR CR CR4 MC MI]	A	5920		CC	08-AUG-00
M	MIL-C-83413/3A NOT 1	CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE III GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC[CUST: AV AS 11 CC][REVIEW: 02 13 18 82 99 AR CR CR4 MC MI]	A	5920		CC	08-AUG-00
M	MIL-C-83413/10A NOT 1	CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: JUMPER CABLE ASSEMBLY, AIRCRAFT TO FUEL NOZZLE, DISCHARGER, ELECTROSTATIC[CUST: AV AS 11 CC][REVIEW: 02 13 18 82 99 AR CR CR4 MC MI]	A	5920		CC	08-AUG-00
M	A-A-55561A	FUSE, INCLOSED LINK, DUAL-INLINE PACKAGE (DIP), OR SURFACE MOUNT (SM), GENERAL REQUIREMENTS FOR[CUST: CC]	A	5920	/	CC	25-AUG-00
M	A-A-55561/1A	FUSE, INCLOSED LINK, DUAL-INLINE PACKAGE (DIP), OR SURFACE MOUNT (SM), FAST ACTING[CUST: CC]	A	5920	/	CC	25-AUG-00
M	A-A-55561/2A	FUSE, INCLOSED LINK, DUAL-INLINE PACKAGE (DIP), OR SURFACE MOUNT (SM), SLOW BLOWING[CUST: CC]	A	5920	/	CC	25-AUG-00
M	MIL-P-23928/5A NOT 2	PANEL, ELECTRICAL, MANUAL TRANSFER FOR DOUBLE NQB-A101 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT[CUST: SH CC]	A	5925		CC	08-AUG-00
M	MIL-P-23928/7A NOT 2	PANEL, ELECTRICAL, POWER DISTRIBUTION FOR DOUBLE AOB-A250 AND NQB-A250 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT[CUST: SH CC]	A	5925		CC	08-AUG-00
M	MIL-P-23928/8A NOT 2	PANEL, ELECTRICAL, MANUAL TRANSFER FOR DOUBLE NQB-A250 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT[CUST: SH CC]	A	5925		CC	08-AUG-00
M	QPL-55629-17	CIRCUIT BREAKER, MAGNETIC, UNSEALED OR PANEL SEAL, TRIP-FREE, GENERAL SPECIFICATION FOR	A	5925		CR	14-AUG-00
M	MIL-DTL-24308/7G	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, NONMAGNETIC, CLASS M AND N, SOLDER TYPE[CUST: CR EC 11 CC NA][REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	19-JUL-00
M	QPL-24308-92	CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR	A	5935		CC	16-AUG-00
M	QPL-83733-5	CONNECTOR, ELECTRICAL, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 200 DEGREES C TOTAL CONTINUOUS OPERATING TEMPERATURE	A	5935		CC	16-AUG-00
M	QPL-27-157	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR	A	5950		CC	23-AUG-00
M	QPL-1-139	ELECTRON TUBES, GENERAL SPECIFICATION FOR	A	5960		CC	28-AUG-00
M	MIL-PRF-19500/313E	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N2432, 2N2432A, JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA][REVIEW: 19 AS CG MC MI]	A	5961		CC	18-AUG-00
M	MIL-PRF-19500/350F	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES: 2N3867, 2N3867S, 2N3868, AND 2N3868S JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC][REVIEW: 13 19 99 AR AS AV CG MC MI SM]	A	5961		CC	18-AUG-00
M	MIL-PRF-19500/357F	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER TYPES 2N3634 THROUGH 2N3637, 2N3634L THROUGH 2N3637L JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA][REVIEW: 19 AR AS CG MC MI SH SM]	A	5961		CC	09-JUN-00
M	MIL-PRF-19500/514B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6274 AND 2N6277, JAN, JANTX AND JANTXV[CUST: CR EC 11 CC]	A	5961		CC	15-AUG-00
N	A-A-59301	SLEEVING, TEXTILE, BRAIDED, SYNTHETIC POLYMER, -55 TO +105 DEG. C[CUST: MI GS]	A	5970	/	GS	23-AUG-00
M	QPL-15733-102	FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, GENERAL SPECIFICATION FOR	A	59GP		CC	18-AUG-00
M	QPL-28861-35	FILTER AND CAPACITOR, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION	A	59GP		CC	12-JUN-00
N	MIL-DTL-17/230	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/230-00001[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD]	A	6145		CC	08-AUG-00
N	MIL-DTL-17/231	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/231-00001[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH]	A	6145		CC	08-AUG-00
N	MIL-DTL-17/232	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/232-00001[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD]	A	6145		CC	08-AUG-00
M	MIL-DTL-13486D SUP 1	CABLES, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR AND MULTIPLE CONDUCTOR, SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR[CUST: AT SH 11 CC][REVIEW: 71 80 82 84 99 CR EA]	A	6145		CC	04-AUG-00
M	MIL-DTL-13486/1C	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR, UNSHIELDED[CUST: AT SH 11 CC][REVIEW: 71 82 84 99 AR CR MC]	A	6145		CC	04-AUG-00
M	MIL-C-23806/3C NOT 1	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 3/4 INCH, 50 OHM, JACKETED (RG-360/U) (NO S/S DOCUMENT)[CUST: EC CC]	A	6145		CC	10-JUL-00
M	MIL-DTL-55021/1C	CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP, -40 TO +105 DEG. C[CUST: MI AS 11 CC][REVIEW: AR AT CR CR4]	A	6145		CC	11-AUG-00
M	MIL-DTL-55021/2C	CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP, -65 TO 200 DEG. C[CUST: MI AS 11 CC][REVIEW: CR]	A	6145		CC	11-AUG-00
N	ASTM-B227-98	WIRE, STEEL, HARD-DRAWN COPPER-CLAD[CUST: CR YD 11 CC][REVIEW: AR AT AV CR4 MC MI SH]	A	6145		CC	10-MAR-98
N	A-A-59516	ANALYZER, DIGITAL DATA[CUST: 99 CC]	A	6625	/	84	24-AUG-00
M	QPL-23236-72	PAINT COATING SYSTEMS, FUEL AND SALT WATER BALLAST TANKS (METRIC)	A	8030		SH	20-JUN-00
N	PIA-C-3395B	CLOTH, NETTING; NYLON OR POLYESTER[CUST: GL NU 11 CT]	A	8305		CT	04-SEP-99
N	PIA-C-3953A	CLOTH, DUCK, NYLON[CUST: GL NU 11 CT]	A	8305		CT	01-MAR-98
N	PIA-C-7020B	CLOTH, PARACHUTE, NYLON-RIP STOP AND TWILL WEAVE[CUST: GL AS 99 CT]	A	8305		CT	31-DEC-99
N	PIA-C-44378B	CLOTH, PARACHUTE, NYLON, LOW PERMEABILITY[CUST: GL CT]	A	8305		CT	30-DEC-99
N	PIA-STD-851B	CODING: MANUFACTURER'S COLOR, NYLON PARACHUTE CLOTH[CUST: AS 82 CT]	A	8305		CT	30-NOV-99
M	MIL-DTL-16475/64C	DEVICES, METAL, (BREAST AND COLLAR) OFFICER IN CHARGE ASHORE (U.S. COAST GUARD)[CUST: CG CT]	A	8455		CT	17-AUG-00
M	A-A-55192A	CASE, MAP[CUST: GL MC CT]	A	8460	/	CT	23-AUG-00
N	MIL-STD-3006	SANITATION REQUIREMENTS FOR FOOD ESTABLISHMENTS[Standard Practice][CUST: MD2 SA 03][REVIEW: MC MS SS]	A	89GP		MD2	20-AUG-00
M	MIL-PRF-46010F	LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING[CUST: AT AS 68][REVIEW: 03 11 AL AR AV GS MD MIPS SA SH SM]	A	9150		AT	10-AUG-00
M	STANAG-4337 ED.1(1)	SURFACE LAUNCHED MUNITION APPRAISAL, SAFETY AND ENVIRONMENTAL TESTS	C	ISDA		AI	16-DEC-98
N	STANAG-4432 ED.1	AIR-LAUNCHED GUIDED MUNITIONS: PRINCIPLES FOR SAFE DESIGN	C	ISDA		AI	24-JAN-00

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
N	STANAG-4497 ED.1	HAND-EMPLACED MUNITIONS (HEM), PRINCIPLES FOR SAFE DESIGN	C	ISDA	AI		16-MAR-00
N	STANAG-4506 ED.1	EXPLOSIVE MATERIALS, PHYSICAL/MECHANICAL PROPERTIES UNIAXIAL TENSILE TEST	C	ISDA	AI		29-MAR-00
N	STANAG-4519 ED.1	GAS GENERATORS, DESIGN SAFETY PRINCIPLES AND SAFETY AND SUITABILITY FOR SERVICE ELALUATION	C	ISDA	AI		17-APR-00
N	STANAG-4527 ED.1	EXPLOSIVE, CHEMICAL STABILITY, NITROCELLULOSE BASED PROPELLANTS, PROCEDURE FOR ASSESSMENT OF CHEMICAL LIFE AND TEMPERATURE DEPENDENCE OF STABILISER CONSUMPTION RATES	C	ISDA	AI		29-MAR-00

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-C-1318B(5) NOT 2	CARTRIDGE, CALIBER .50, TRACER, M17[CUST: AR]	A	1305	AR		26-JUL-00
M	MIL-C-3066C(1) NOT 1	CARTRIDGES, CALIBER .50: ARMOR-PIERCING-INCENDIARY, M8; AND ARMOR-PIECING-INCENDIARY-TRACER, M20[CUST: AR]	A	1305	AR		26-JUL-00
M	MIL-C-10190D(4) NOT 1	CARTRIDGE, CALIBER .50, BALL, M33[CUST: AR]	A	1305	AR		29-AUG-97
M	MIL-C-14858A(3) NOT 1	CARTRIDGE, CALIBER .50, REFERENCE[CUST: AR]	A	1305	AR		26-JUL-00
M	MS27566G	CAP ASSEMBLY, LIQUID OXYGEN FILL VALVE[CUST: AS 99] [REVIEW: 11]	A	1660	71		07-JUL-00
M	MIL-PRF-22097/1H	RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ11[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5905	CC		31-AUG-00
M	MIL-PRF-22097/3H	RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ22[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5905	CC		31-AUG-00
M	MIL-PRF-22097/5D	RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ26[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5905	CC		31-AUG-00
M	MIL-PRF-22097/6F	RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, SINGLE TURN), STYLE RJ50[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5905	CC		31-AUG-00
M	MIL-DTL-26518C	CONNECTORS, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTANT, 200 DEGREES C AMBIENT TEMPERATURE, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 99]	A	5935	CC		19-JUL-00
M	MIL-M-38510/150C(2) NOT 1	MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, MAGNITUDE COMPARATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD]	A	5962	CC		18-AUG-00
M	MIL-DTL-49055C	CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC MI OS SH]	A	6145	CC		04-AUG-00
M	QPL-5413-27 NOT 1	GENERATORS, TACHOMETER, FOUR-POLE	A	6620	AS		24-AUG-00
N	MIL-DTL-3943/270	DECORATION, JOINT CIVILIAN SERVICE COMMENDATION AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT]	A	8455	IH		16-AUG-00
N	MIL-DTL-3943/271	DECORATION, JOINT CIVILIAN SERVICE ACHIEVEMENT AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT]	A	8455	IH		16-AUG-00
M	MIL-DTL-11484/267	LAPEL BUTTON, JOINT CIVILIAN SERVICE COMMENDATION AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT]	A	8455	IH		16-AUG-00
M	MIL-DTL-11484/268	LAPEL BUTTON, JOINT CIVILIAN SERVICE ACHIEVEMENT AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT]	A	8455	IH		16-AUG-00
N	MIL-DTL-11589/533	RIBBON, AIR FORCE RECRUITING[CUST: IH 11] [REVIEW: 99 CT]	A	8455	IH		17-AUG-00
N	MIL-DTL-11589/534	STREAMER, U.S. BORDER PATROL COMMISSIONER'S EXCELLENCE IN GROUP ACHIEVEMENT AWARD[CUST: IH] [REVIEW: CT]	A	8455	IH		17-AUG-00

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	QPL-ZZ-T-1083-2 NOT 1	TIRES, PNEUMATIC, LOW SPEED, OFF HIGHWAY (FUTURE PROCUREMENT REFER TO CATL-1923)	A	2610	/	AT	28-JUL-00
M	MIL-S-7886/501C NOT 3	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, DETAILED SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: 99]	A	2925		71	17-AUG-00
M	MIL-S-7886/503C NOT 3	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: AV AS 99]	A	2925		71	17-AUG-00
M	QPL-7886/501-6 NOT 2	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATION FOR (NO S/S DOCUMENT)	A	2925		71	17-AUG-00
M	QPL-7886/503-5 NOT 2	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATION FOR (NO S/S DOCUMENT)	A	2925		71	17-AUG-00
M	FF-B-171/1(2) NOT 1	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 10, 02, 03 UNDER 10 MM BORE, METRIC (S/S BY A-A-59581)[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA MI SH]	A	3110	/	GS	07-AUG-00
M	FF-B-171/2(2) NOT 1	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 19 (S/S BY A-A-59582)[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA GL MI SH]	A	3110	/	GS	07-AUG-00
M	FF-B-171/3(2) NOT 1	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 10 (S/S BY A-A-59583)[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA GL MI SH]	A	3110	/	GS	07-AUG-00
M	FF-B-171/4(2) NOT 1	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 02 (S/S BY A-A-59584)[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA GL MI SH]	A	3110	/	GS	07-AUG-00
M	FF-B-171/5(2) NOT 1	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 03 (S/S BY A-A-59585)[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA GL MI SH]	A	3110	/	GS	07-AUG-00
M	FF-B-171/6(2) NOT 1	BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 04 (S/S BY A-A-59586)[CUST: AT OS 99 GS] [REVIEW: 11 84 AR EA GL MI SH]	A	3110	/	GS	07-AUG-00
M	QPL-8976-10 NOT 1	BEARINGS, PLAIN, SELF- ALIGNING, ALL- METAL (S/S BY QPL-SAE-AS8976)	A	3120		AS	14-AUG-00
M	QPL-81936-9 NOT 1	BEARINGS, PLAIN, SELF-ALIGNING (BE-CU BALL, CRES RACE), GENERAL SPECIFICATION FOR (S/S BY QPL-SAE-AS81936)	A	3120		AS	14-AUG-00
M	ANSI-B5.1-75	T-SLOTS, THEIR BOLTS, NUTS, AND TONGUES (S/S BY ASME-B5.1M)[CUST: AL SH 99 GS] [REVIEW: AR CR4 GL]	A	34GP		GS	12-DEC-78
M	MIL-I-16341G NOT 1	ICE MAKING MACHINE, FLAKE, ELECTRIC, SELF-CONTAINED, 1000-POUND/24 HOURS (NO S/S DOCUMENT)[CUST: GL YD 99 SS] [REVIEW: CR4 MC MD MS]	A	4110		SS	15-AUG-00
M	MIL-R-43592A(1) NOT 1	REFRIGERATOR, MECHANICAL, EXPLOSION-PROOF (NO S/S DOCUMENT)[CUST: GL YD 99 SS] [REVIEW: MC MD MS]	A	4110		SS	15-AUG-00
M	MIL-R-43900B NOT 2	REFRIGERATORS, FREEZERS, PREFABRICATED, MECHANICAL, COMMERCIAL, WALK-IN (NO S/S DOCUMENT)[CUST: GL SA 99 SS] [REVIEW: 82 CR4 MD]	A	4110		SS	22-AUG-00
M	QPL-18280-40 NOT 1	FITTINGS, FLARELESS, TUBE, FLUID CONNECTION (S/S BY QPL-AS18280)	A	4730		AS	31-JUL-00
M	AN838 REV 8 NOT 1	ELBOW, TUBE TO HOSE, 90 DEG. (S/S BY SAE-AS5181)[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	20-JUL-00
M	AN839 REV 7 NOT 1	ELBOW, TUBE TO HOSE, 45 DEG. (S/S BY SAE-AS5182)[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	20-JUL-00
M	AN842 REV 11 NOT 1	ELBOW, PIPE TO HOSE, 90 DEG. (S/S BY SAE-AS5185)[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	20-JUL-00
M	AN844 REV 11 NOT 1	ELBOW, PIPE TO HOSE, 45 DEG. (S/S BY SAE-AS5186)[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	20-JUL-00
M	AN846 REV 7 NOT 1	ELBOW, HOSE, 45 DEG. (S/S BY SAE-AS5187)[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	20-JUL-00
M	AN848 REV 11 NOT 1	ELBOW, HOSE, 90 DEG. (S/S BY SAE-AS5188)[CUST: AV AS 99 CC] [REVIEW: 82 SA]	A	4730		CC	20-JUL-00
M	NASM24149	STUDS, WELDING, AND ARC SHIELDS (FERRULES) (NO S/S DOCUMENT)[CUST: SH IS]	A	5307		IS	MAR-00
M	NASM24149-1	STUD, WELDING, AND ARC SHIELDS (FERRULES); TYPE I, CLASS 1, 2, 3, AND TYPE II, CLASS 1, 4, 5, 5A, 6, CARBON STEEL, FOR DIRECT ENERGY ARC WELDING (NO S/S DOCUMENT)[CUST: SH IS]	A	5307		IS	MAY-00
M	NASM24149-2	STUDS, WELDING, AND ARC SHIELDS (FERRULES); TYPE III, CLASS 1, 2, 3, AND TYPE IV, CLASS 1, 2, 3, 4, 5, 6, ALUMINUM ALLOY, FOR DIRECT ENERGY ARC WELDING (NO S/S DOCUMENT)[CUST: SH IS]	A	5307		IS	MAY-00
M	NASM24149-3	STUDS, WELDING, AND ARC SHIELDS (FERRULES); TYPE V, CLASS 1, 4, 5, 5A, CORROSION-RESISTANT STEEL, FOR DIRECT ENERGY ARC WELDING (NO S/S DOCUMENT)[CUST: SH IS]	A	5307		IS	MAY-00
M	NASM24149-4	STUDS, WELDING, TYPE VI, CLASS 1, 2, 3, CARBON STEEL, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING (NO S/S DOCUMENT)[CUST: SH IS]	A	5307		IS	MAY-00
M	NASM24149-5	STUDS, WELDING, TYPE VII, CLASS 1, 2, 3, ALUMINUM ALLOY, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING (NO S/S DOCUMENT)[CUST: SH IS]	A	5307		IS	MAY-00
M	NASM24149-6	STUDS, WELDING, TYPE VIII, CLASS 1, 2, 3, CORROSION-RESISTANT STEEL FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING (NO S/S DOCUMENT)[CUST: SH IS]	A	5307		IS	MAY-00
M	MIL-PRF-39018/12 NOT 1	CAPACITOR, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE CU72 (INSULATED) AND CUR72 (INSULATED) (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	11-AUG-00
M	MIL-PRF-39018/13 NOT 1	CAPACITOR, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR22 (INSULATED) (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	11-AUG-00
M	MIL-C-25/12B(2) NOT 1	CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP 80 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS]	A	5910		CC	21-AUG-00
M	MIL-C-25/13B(2) NOT 2	CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CP81 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS]	A	5910		CC	21-AUG-00
M	MIL-C-25/14B(2) NOT 2	CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP 82 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS]	A	5910		CC	21-AUG-00
M	MIL-C-27287(3) NOT 2	CAPACITORS, FIXED, PLASTIC DIELECTRIC, DC (NONMETALLIC CASES), GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: 11 CC] [REVIEW: 99 MI]	A	5910		CC	21-AUG-00
M	MIL-C-27287/1(1) NOT 2	CAPACITOR, FIXED, PLASTIC (NON-METALLIC CASE) STYLE CTM- CHARACTERISTIC V (NO S/S DOCUMENT)[CUST: 11 CC] [REVIEW: 99 MI]	A	5910		CC	21-AUG-00
M	MIL-C-13516E NOT 2	CIRCUIT BREAKERS; MANUAL AND AUTOMATIC (28 VOLT) (S/S BY A-A-55571)[CUST: AT MC 11 CC] [REVIEW: 99 AR AV CR ME]	A	5925		CC	15-AUG-00
M	MIL-S-47053A(1) NOT 1	SLEEVEING, TEXTILE, BRAIDED, POLYAMIDE (S/S BY A-A-59301)[CUST: MI GS]	A	5970		GS	23-AUG-00
M	MS35897A NOT 1	PACKING, PREFORMED (S/S BY A-A-55549)[CUST: AR CC] [REVIEW: CR QM]	A	5985		CC	28-AUG-00
M	MIL-W-3795B NOT 3	WIRE, ELECTRICAL (TINSEL) (NO S/S DOCUMENT)[CUST: CR 11 CC] [REVIEW: AR CR4 MI OS]	A	6145		CC	04-AUG-00
M	MIL-C-55021/3A NOT 2	CABLES; TWISTED PAIR, INTERNAL HOOKUP, SHIELDED AND JACKETED, HIGH TEMPERATURE (S/S BY MIL-DTL-55021/2)[CUST: MI 11 CC] [REVIEW: CR CR4]	A	6145		CC	11-AUG-00
M	QQ-W-345B(2) NOT 2	WIRE, ELECTRICAL, STEEL, COPPER-COVERED (S/S BY ASTM-B227)[CUST: CR YD 11 CC] [REVIEW: AR AT AV CR4 MC MI SH]	A	6145	/	CC	04-AUG-00
M	A-A-51755A NOT 1	CROMOLYN SODIUM INHALATION AEROSOL, ORAL (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505	/	MB	11-AUG-00
M	A-A-53548A NOT 1	CIPROFLOXACIN TABLETS, USP (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505	/	MB	11-AUG-00
M	A-A-54175 NOT 1	COAL TAR GEL (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505	/	MB	11-AUG-00
M	A-A-54184 NOT 1	DESOXIMETASONE CREAM, USP (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505	/	MB	11-AUG-00

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	A-A-54227 NOT 1	DIATRIZOATE MEGLUMINE AND DIATRIZOATE SODIUM INJECTION, USP (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505 /	MB		11-AUG-00
M	A-A-54499 NOT 1	CLINDAMYCIN PHOSPHATE TOPICAL SOLUTION, USP (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505 /	MB		11-AUG-00
M	A-A-54654 NOT 1	DEXAMETHASONE SODIUM PHOSPHATE INJECTION, USP (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505 /	MB		11-AUG-00
M	OO-D-450C(2) NOT 1	DISPENSERS, BULK MILK, MECHANICALLY COOLED; AND DISPOSABLE MILK CONTAINERS (S/S BY A-A-59360)[CUST: GL YD 99 SS] [REVIEW: CG QM1 SA SH]	A	7310 /	SS		03-AUG-00
M	MIL-D-40123C NOT 1	DOUGH TROUGH, FERMENTATION, FIELD (NO S/S DOCUMENT)[CUST: GL YD 99 SS] [REVIEW: 84 MD SA]	A	7320	SS		16-AUG-00
M	MIL-D-40167D NOT 1	DOUGH PROOFING BOXES, STEAM HEATED (STEAM, OR STEAM AND WATER, HUMIDIFIED) (NO S/S DOCUMENT)[CUST: GL SA 99 SS] [REVIEW: 84 MC MD]	A	7320	SS		16-AUG-00
M	MIL-F-43569B(1) NOT 2	FOOD CUTTER AND MIXER MACHINES, VERTICAL, HIGH SPEED, ELECTRIC (NO S/S DOCUMENT)[CUST: GL YD 99 SS] [REVIEW: 84 MC MD MS SA]	A	7320	SS		22-AUG-00
M	MIL-C-31003 NOT 1	COVERALLS, UTILITY (S/S BY A-A-55316)[CUST: GL NU 99 CT] [REVIEW: 11 CG MD]	A	8415	CT		05-JUL-00
M	MIL-N-43181B NOT 1	NET, MULTIPURPOSE (S/S BY A-A-59356)[CUST: GL SA 99 CT] [REVIEW: 82 MC MD]	A	8465	CT		02-AUG-00
M	MIL-C-43745B NOT 1	CASE, FIELD, FIRST AID DRESSING-UNMOUNTED MAGNETIC COMPASS, LC-1 (S/S BY A-A-59523)[CUST: GL NU 99 CT] [REVIEW: 82 CR4 MC MD]	A	8465	CT		02-AUG-00
M	MIL-STD-665D NOT 1	LAUNDERING OF CLOTHING AND EQUIPAGE (NO S/S DOCUMENT)[Military Standard][CUST: GL NU 99 CT]	A	84GP	CT		22-AUG-00
M	ASTM-D3229-88	GASOLINE BY WAVELENGTH DISPERSIVE X-RAY SPECTROMETRY, LOW LEVELS OF LEAD IN (NO S/S DOCUMENT)[CUST: AT]	A	91GP	AT		31-OCT-88
M	SAE-AMS3228G	ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL AND COOLANT RESISTANT, LOW SWELL 65 - 75 (NO S/S DOCUMENT)[CUST: MR AS 11] [REVIEW: GS]	A	9320	AS		01-JAN-92
M	SAE-AMS4018B	ALUMINUM ALLOY, SHEET AND PLATE 3.5MG - 0.25CR (554-01) (NO S/S DOCUMENT)[CUST: MR AS 11]	A	9535	AS		1-MAY-69
M	SAE-AMS4301B	BORON-ALUMINUM COMPOSITE SHEET 50 V/O 5.6B, 2024-0, FOR DIFFUSION BONDING (NO S/S DOCUMENT)[CUST: MR AS 11]	A	CMPS	AS		01-APR-91
M	SAE-AMS4109A	ALUMINUM ALLOY HAND FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.24CR (7175-T736) (NO S/S DOCUMENT)[CUST: MR AS 11]	A	FORG	AS		01-APR-81