# Department Of Defense Index of Specifications and Standards

## Alphabetical Listing
## Part I

# DODISS

1 May 2006

**ALPHABETICAL LISTINGS**
**TABLE OF CONTENTS**

Active Section

Inactive Section

Canceled Section

# DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

## FOREWORD

The Department of Defense Index of Specifications and Standards (DODISS) and related standardization documents is comprised of four separate parts as follows:

PART 1 - An alphabetical listing of all current and inactive standardization documents in order by the title of the document, plus all standardization documents canceled since the last basic DODISS.

PART 2 - A numerical listing of all current and inactive standardization documents in order by document identifier number, plus all standardization documents canceled since the last basic DODISS.

PART 3 - A Federal Supply Class (FSC) listing of all current and inactive standardization documents in alphabetical order within each FSC, plus all standardization canceled since the last basic DODISS. FSC's are identified in the Cataloging Handbook H2-1.

PART 4 - A numerical listing of all standardization documents canceled from 1964 to date of the current edition.

The Department of Defense Index of Specifications and Standards (DODISS) is published under authority of the Executive Agent for the Defense Standardization Program.

Comments or suggestions pertaining to the maintenance of this index should be addressed to:

Document Automation & Production Service
Bldg. 4D DPM-DODSSP
700 Robbins Avenue
Philadelphia, PA 19111-5094

"The Department of Defense Index of Specifications and Standards is available as follows:

Military Activities:
DODSSP
Standardization Documents Order Desk
700 Robbins Avenue Bldg. 4D
Philadelphia, PA 19111-5094

Government Civil Agencies and Non-Governmental Activities (subscription basis only):
Superintendent of Documents
U.S. Government Printing Office
Washington, DC 20402

## GENERAL PROVISIONS

1. This publication lists the unclassified Federal and Military specifications, standards, and related standardization documents, and those non-government standards adopted for DOD use.

2. Revisions are indicated by a suffix letter to the basic number, except for Air Force-Navy Aeronautical Standards (Sheet Form) and Qualified Products Lists which indicate revisions by a suffix number.

3. Amendments and change notices are indicated by a suffix number in parenthesis to the basic number. Interim amendments or change notices appear as separate documents after the coordinated document.

4. In the active section under the column headed "DATE" the date listed is that of the latest document issue. In the canceled section under the column headed "DATE" the date listed is normally the date of cancellation or date of DOD withdrawal of a NGS.

5. The following control symbols pertain to Commercial Item Descriptions, Federal Specifications, Standards, and Qualified Products Lists only and appear immediately preceding the "Preparing Activity" column in the parts of this index indicated:

# - The pound symbol (#) identifies Federal Documents for which no official DOD interest has been registered.

* - The asterisk (*) identifies Federal Documents for which DOD has a coordination interest.

% - The percent symbol (%) identifies Federal Documents for which DOD has waived coordination interest.

/ - The slash symbol (/) identifies Federal Documents prepared by a DOD activity.

6. Distribution Statements: Documents listed in this index with other than distribution statement "A" require release approval. To request copies of these documents all request must be submitted via the preparing activity.

7. The codes listed are assigned to identify the activities of the military services and appear in the column 7 headed "Preparing Activity" indicating preparing activities. These codes will also identify custodians or review activities included after the title in the active and inactive sections of the DODISS. Military Coordinating Activity for a Federal document which was prepared outside the Department of Defense is denoted by an asterisk "*" preceding the Preparing Activity column.

8. Federal Standardization Documents are available for reference at General Service Administration Business Service Center and some Federal Government Depository Libraries. Federal Standardization Documents (single copies, priced or otherwise) are available from:

General Services Administration
FSS Products Acquisition Center
Supply Standards Division (FLAS)
2200 Crystal Drive, Bldg CP4
Washington, DC 20406

9. COLUMN 1 ACTION-Indicates the type of computer transaction.
A - Indicates a change since the last published index.
D - Indicates a change/correction to the index.
M - Indicates a modification to an existing document.
N - Indicates a new document being entered.

COLUMN 2 DOCUMENT NUMBER-Contains the document number, revision, amendment number, notice number, supplement number and interim amendment or notice.

COLUMN 3 DOCUMENT TITLE-Contains the document title and identifies any interest for that document.
**CANCELLED DOCUMENTS** will either have a suggested replacement document after the title or the phrase (No S/S Document).

COLUMN 4 DIST STMT-Indicates the distribution statement for that document.

COLUMN 5 FSC/AREA-Contains the Federal Supply Class or Area Assignment for that document.

COLUMN 6 MCA SYMBOL-These symbols identify the degree of interest DOD has in Federal Specifications or Standards.

COLUMN 7 PREPARING ACTY-Identifies the DOD activity which prepared the document.

COLUMN 8 DATE-Contains the document date (DDMMYY).

10. Federal Supply Classes (FSC) (numeric) reflected in this index are listed and described in DOD Handbook H2-1. In addition, the following alpha symbols reflected in this index as an FSC indicate standardization areas (not listed in DOD Handbook H2-1) and are defined as follows:

| SYMBOL | DESCRIPTION |
|---|---|
| ADMN | Administrative Data |
| ATTS | Automatic Test Technology Standards |
| AVCS | Avionics |
| CMPS | Composites Technology |
| DCPS | Data Communications Protocol Standards |
| DRPR | Drawing Practices |
| EDRS | DOD Engineering Data Reproduction Systems |
| EGDS | Engineering Data Systems |
| EMCS | Electromagnetic Compatibility |
| ENVR | Environmental Requirements and Related Test Methods |
| FACR | Facilities Engineering and Design Requirements |
| FNCL | Financial Data |
| FORG | Forgings |
| GINT | Geospatial Intelligence Technology |
| HFAC | Human Factors |
| INST | Information Standards and Technology |
| IPSC | Information Processing Standards for Computers |
| MCCR | Mission Critical Computer Resources |
| MECA | Metal Castings |
| MFFP | Metal Finishes and Finishing Processes and Procedures |
| MGMT | Management |
| MISC | Miscellaneous |
| MSSM | Modeling and Simulation Standards and Methodologies |
| NDTI | Nondestructive Testing and Inspection |
| NUOR | Nuclear Ordnance |
| PACK | Packing, Packaging, Preservation and Transportability |
| QCIC | Quality Control/Assurance and Inspection |
| REPS | Radio-Frequency Exposure to Personnel Safety Standardization |
| SAFT | System Safety |
| SDMP | Standardization and Data Management Programs |
| SESS | Systems Engineering Standards and Specifications |
| SOLD | Soldering |
| TCSP | Technical Support |
| TCSS | Telecommunications System Standards |
| *TELE | Federal Telecommunications Standards |
| THDS | Screw Threads |
| THJM | Thermal Joining of Metals (except soldering) |
| TMSS | Technical Manual Specifications and Standards |

*AREA "TELE" is for indexing purposes only. It is not a DOD AREA Assignment.

11. International Standardization Documents have been included in the DOD Index of Specifications and Standards. They are identified under areas ISDA, ISDN and ISDF (International Standardization Documents sponsored by Army, Navy and Air Force respectively). However, ISDA, ISDN and ISDF are symbols identifying the documents as being other than those in the FSC Classes and Areas reflected in the Standardization Directory (SD-1).

12. Since organization and responsibilities can change, you should obtain the current information for all preparing activities, custodians and reviewers from the ASSIST database at http://assist.daps.dla.mil.

NOTE: Retired Standardization Codes with/without Replacements

Office of Secretary of Defense

SD replaced by SO
IQ replaced by SE
WS replaced by SE
DO replaced by SO
CL replaced by SO

Army

WV replaced by AR
WC replaced by AR or AL
PA replaced by AR
OR replaced by AR
ME replaced by AV or CR4
SC replaced by CR
SC1 replaced by AC2
SC2 replaced by CR5
SC3 replaced by AC1
TR replaced by AV
TS replaced by AV
MU replaced by AV
ET1 replaced by ET
ER replaced by CR
AD replaced by CR
CU replaced by CR
EL replaced by CR
HD replaced by CR
AL replaced by AR
CR5 w/no replacement 5/2001
AC2 w/no replacement
MO replaced by AV
LM replaced by DAU

Navy

WP replaced by OS
YD1 replaced by YD2
YD2 replaced by YD
YD3 replaced by YD

Air Force

AF replaced by 11 or 17
95 replaced by 10
90 replaced by 02
89 replaced by 13
85 replaced by 11
82 replaced by 99
80 replaced by 99
79 replaced by 82
69 replaced by 11
45 replaced by 11
43 replaced by 69
32 replaced by 11
31 replaced by 11
30 replaced by 84
27 replaced by 22
26 replaced by 10
25 replaced by 16
23 replaced by 10
21 replaced by 11
20 replaced by 11
17 replaced by 11
14 replaced by 19
12 w/no replacement

Defense Logistics Agency

CS replaced by CC
ES replaced by CC
IP replaced by GS

Misc. (Other)

CI replaced by MP
JT replaced by DC
DD replaced by DC4
JS replaced by DC5
DC8 replaced by DC5

# HOW TO OBTAIN/ORDER STANDARDIZATION DOCUMENTS

## Obtaining Standardization Documents

1. Most Defense and Federal Standardization documents distributed by the DODSSP are available for viewing online or downloading from the ASSIST, “The Official Repository for these documents”. Most active and inactive documents, as well as some historical documents, are available as (PDF) files and may be viewed or downloaded using either ASSIST-QUICK SEARCH or ASSIST-ONLINE.

For more information about this free service visit the DODSSP website: http://assist.daps.dla.mil

## Ordering AD Hoc Requests

2. All ad hoc standardization document requests are handled through an automated system called the Acquisition Streamlining & Standardization Information System (ASSIST, Customer Accounting Management System (CAMS). ASSIST stores most Standardization documents as digital files in Portable Document Format (PDF). As document requests are received, the appropriate document files are retrieved from the repository and printed, or copied to CD-ROM packaged and then shipped. For special documents (such as color or oversized) are warehouse maintained, ASSIST retains inventory data for efficient management. ASSIST generates status letters to customers if an order cannot be completed as requested. ASSIST retains records of completed orders for customer follow-up for one year. No confirmation of orders received/processed is provided at this time.

All requests shall include the following information:

a. Your assigned customer number or if this is your first order and you do not have a customer number, one will be assigned to you for future orders.

b. Indicate your complete mailing address, including any specific information required to identify and direct the order when received.

c. List each desired specification or standard by document identifier as recorded in the Department of Defense Index of Specifications and Standards (DODISS), e.g., MIL STD, MS, QPL, etc. document titles are also helpful but not required.

## TURNAROUND TIME

Document requests or status letters produced from mail and FAX requests are usually shipped within 1 to 5 days of request receipt. Orders are shipped from the DODSSP by several different carriers, depending on factors such as weight and destination. Be sure to allow 1 to 2 weeks for shipping.

IMPORTANT ORDERING INFORMATION FOR ALL AD HOC REQUESTS

Only the specification requested will be issued. Documents referenced within a specification must be requested individually.

The latest amendment and notice will be automatically issued with the basic specification unless otherwise stated.

When submitting multiple mail requests, place the mailing address on each request form.

If handwritten requests are to be submitted, please use black or dark blue ink only.

Specification sheets, such as MIL-E-1/307 must be individually requested by document number. Specification sheets are not issued as a set.

Do not submit a request for a specification citing a national stock number of an item covered by the specification. DODSSP has no method to cross-reference a national stock number to the applicable specification number.

Non-Government/Industry standards adopted by the DOD and are listed in ASSIST are not available and must be ordered from the preparing technical societies. ASSIST Online provides a web link to most technical societies.

The DODSSP does not maintain a file of Invitations for Bid. Requests for Proposals, contracts, etc., so each individual request must list the document identifier desired.

2. Customers can also order Standardization documents via the World Wide Web using ASSIST Shopping Wizard, managed by the DODSSP, Philadelphia. The ASSIST Shopping Wizard provides public access to standardization documents over the Internet. Users may place orders for documents and request paper, or CD-ROM format by establishing a customer account with the DODSSP.

3. The ASSIST Shopping Wizard is available to all users having registered for an account. User accounts are used to maintain customer profile data including name, organization, address, and other information necessary to process and ship document orders placed through the Shopping Wizard web site. When you receive an account, you will be given a password to access the system.

Reproduction of Specifications and Standards

Firms desiring to reproduce and redistribute unclassified and unrestricted specifications and standards may do so without reference to the Department of Defense since these documents are in the public domain.

The Special Assistance desk is available Monday thru Friday 7:30 A.M. to 4:00 P.M. (Eastern Time) to assist you in matters such as:

- Inquiries about our services;
- Status of orders previously placed;
- Establishing a Customer Account;
- Sources for documents not at the DODSSP;
- Researching special requests, such as obtaining a complete set of documents; and
- Assistance determining documents identifiers.

We are also interested in your comments about the quality of our service, and any suggestions you may have to assist us in making future improvements to serve you better. Comments or suggestions may be forwarded to the following address:

Special Assistance Desk
(215) 697-2179)
(Orders not accepted on these lines)
7:30 A.M. to 4:00 P.M. (Eastern Time)

Or write to:

DODSSP
Special Assistance Desk
700 Robbins Avenue, Bldg. 4D
Philadelphia, PA 19111-5094

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-N-48263(1) NOT 2 | 1-NITRO -2- PROPANOL (NPL)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 27-NOV-96 |
| | STANAG-1250(5) | 100 MM GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES | D | ISDN | | NI | PENDING |
| | STANAG-4383 ED.1 | 12.7 MM (.50) AMMUNITION PACKED AS LINKED BELTS | C | ISDA | | AI | 31-JUL-01 |
| | STANAG-4385 ED.1(1) | 120 MM X 570 AMMUNITION FOR SMOOTH BORE TANK GUNS | C | ISDA | | AI | 31-MAY-94 |
| | STANAG-3179 ED.6(1) | 16 MM AND 35 MM ROLL FILM FOR AERIAL CAMERAS | C | ISDF | | 06 | 18-NOV-93 |
| | NAS370 | 16-24 UNF-3A THREAD, CONTROL ROD & TUBE ASSEMBLY[CUST: AV AS 11] [REVIEW: CR CR4] | A | 3040 | | AS | 14-JUN-74 |
| | ASTM-D3128 | 2-METHOXYETHANOL, STANDARD SPECIFICATION FOR[CUST: EA SH 68 GS3] [REVIEW: MD OS] | A | 6810 | | GS3 | 17-JUL-01 |
| | MIL-N-3399B | 2-NITRODIPHENYLAMINE[CUST: AR OS] [REVIEW: EA GS MC MI] | A | 6810 | | AR | 14-MAY-62 |
| | STANAG-1239 ED.1(5) | 20 MM RH 202 GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (INCLUDING AMENDMENT 5) | C | ISDN | | NI | 30-APR-80 |
| | STANAG-3585 ED.5 | 20 MM X 102 AMMUNITION AND LINKS FOR AIRCRAFT GUNS | C | ISDF | | 06 | 26-MAR-03 |
| | STANAG-1394 ED.1(2) | 20MM CIWS PHALANX GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES | C | ISDN | | NI | PENDING |
| | AIR-STD-20/24C(1) | 20MM X 102 AMMUNITION FOR AIRCRAFT GUNS | C | ISDF | | 06 | 05-MAR-97 |
| | STANAG-3820 ED.2(1) | 27 MM X 145 AMMUNITION AND LINKS FOR AIRCRAFT GUNS | C | ISDF | | 06 | 31-MAR-98 |
| | MIL-DTL-83833 | 3000 GALLON AERIAL BULK FUEL DELIVERY SYSTEM BLADDER, GENERAL SPECIFICATION FOR[CUST: 99] | A | 5430 | | 84 | 01-JUL-96 |
| | EIA494 | 32 BIT BINARY CL (BCL) AND 7 BIT ASCII CL (ACL) EXCHANGE INPUT FORMAT FOR NUMERICALLY CONTROLLED MACHINES[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 34GP | | GS6 | 23-SEP-92 |
| | DI-MISC-80170 | 35MM SLIDE TRANSPARENCIES [AMSC: N3851] | A | MISC | | TD | 16-MAY-86 |
| | A-A-58006 | 4-WHEEL DRIVEN, MULTI-PURPOSE TRACTOR[CUST: 99] | A | 2420 | / | 84 | 10-APR-92 |
| | STANAG-1245 ED.2(2) | 40 MM/L60 GUN AMMUNITION INTERCHANGEABLE WITHIN NTO NAVAL FORCES | D | ISDN | | NI | 18-MAY-99 |
| | MIL-HDBK-1004/5 | 400-HERTZ MEDIUM-VOLTAGE CONVERSION/DISTRIBUTION AND LOW-VOLTAGE UTILIZATION SYSTEMS[CUST: YD] | A | FACR | | YD | 15-JUN-93 |
| | MS27230A | 45 DEG. FLANGE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | MS27229A | 45 DEG. FLANGE NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | MS27226A | 45 DEG. SWIVEL NUT ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | STANAG-1287 ED.1(4) | 5 INCH 54 CALIBRE GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (INLUDING AMENDMENTS 1 THRU 4) | C | ISDN | | NI | 01-JUN-92 |
| | STANAG-4172 ED.2(2) | 5.56 MM AMMUNITION (LINKED OR OTHERWISE) (W/AMENDMENT 2 INCORPORATED) | C | ISDA | | AI | 05-MAY-93 |
| | STANAG-1393 ED.1 | 57 MM DECOY BARRICADE AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES | C | ISDN | | NI | 27-JAN-00 |
| | STANAG-1283 ED.2(2) | 76 MM/62 GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (INCLUDING AMENDMENT 2) | D | ISDN | | NI | 11-JUL-94 |
| | STANAG-2427 ED.1(2) | 81MM MORTAR AMMUNITION INTERCHANGEABILITY FOR MORTAR CREWS | C | ISDA | | AI | 05-MAY-92 |
| | MS27228A | 90 DEG. FLANGE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | MS27227A | 90 DEG. FLANGE NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | MS27223B | 90 DEG. NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | MS27224A | 90 DEG. SWIVEL NUT ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | AIR-STD-15/19 | 9CST ADVANCED HELICOPTER GEAR BOX LUBRICANT | C | ISDF | | 06 | 18-JUL-02 |
| | AIR-STD-61/105/11 | A BASIS FOR COMMON PRACTICES AND GOALS IN THE CONDUCT OF ANTHROPOMETRIC SURVEYS | C | ISDF | | 06 | PENDING |
| | ADV-PUB-61/101/9A | A GLOSSARY OF MOLECULAR SIEVE OXYGEN GENERATION SYSTEM (MSOGS) TERMINOLOGY | C | ISDF | | 06 | 30-JUL-86 |
| | MIL-HDBK-350 | A GUIDE FOR MIL-STD-1520C CORRECTIVE ACTION AND DISPOSITION SYSTEM FOR NONCONFORMING MATERIAL[CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL SA SH TD] | A | QCIC | | 05 | 07-JUN-91 |
| | MIL-HDBK-692B | A GUIDE TO THE SELECTION OF RUBBER O-RINGS[CUST: MR 99] [REVIEW: 71 AR AV EA GL IS MD] | A | 5330 | | MR | 14-OCT-83 |
| | MIL-HDBK-699B | A GUIDE TO THE SPECIFICATION FOR FLEXIBLE RUBBER PRODUCTS[CUST: MR] [REVIEW: AR GL GS MI] | A | 9320 | | MR | 28-FEB-89 |
| | DI-MISC-81415 | A LA CARTE SYSTEM (ALACS) DINING FACILITY SUMMARY REPORT [AMSC: F7055] | A | MISC | | 10 | 14-NOV-94 |
| | INFO-PUB-61/105/15 | A MULTIVARIATE ANTHROPOMETRIC METHOD FOR CREW STATION DESIGNS | C | ISDF | | 06 | 12-SEP-97 |
| | STANAG-4425 ED.2 | A PROCEDURE TO DETERMINE THE DEGREE OF INTERCHANGEABILITY OF NATO INDIRECT FIRE AMMUNITION | C | ISDA | | AI | 14-DEC-98 |
| | STANAG-6021 ED.1 | A SMOKE MUNITIONS EXPENDITURES MODEL ATP-66 | C | ISDA | | AI | 17-FEB-03 |
| | QSTAG-1051 ED.1 | A UNIFIED APPROACH TO ELECTROMAGNETIC PROTECTION[CUST: AI] | C | ISDA | | AI | 06-OCT-98 |
| | A-A-53748 | A-NAPHTHOL REAGENT[CUST: MD MS 03] | A | 6550 | / | MB | 17-OCT-88 |
| | ASME-Y14.38 | ABBREVIATIONS AND ACRONYMS[CUST: AR SA 16 DH] [REVIEW: 02 11 13 19 68 70 71 84 99 AS AT AV CC CG CH CR CR4 EA EC GL GS IE IS MC MI NP NS OS PT SH SM TD TE YD] | A | DRPR | | AR | 23-MAR-99 |
| | QAP-52 ED.3 | ABCA ARMIES AMMUNITION INTEROPERABILITY MATRIX | C | ISDA | | AI | 06-JUN-97 |
| | QAP-26 ED.4 | ABCA ARMIES ARTILLERY AMMUNITION DATA | C | ISDA | | AI | 06-JUN-97 |
| | QSTAG-785 ED.1(1) | ABCA ARMIES MATERIEL ISSUE AND MOVEMENT PRIORITY SYSTEM (ABCAMIMPS) (INCLUDES AMENDMENT 1)[CUST: AI] | C | ISDA | | AI | 15-JUN-88 |
| | QSTAG-516 ED.1 | ABCA ARMIES PROCEDURES FOR SUPPLY TRANSACTIONS[CUST: AI] | C | ISDA | | AI | 21-NOV-85 |
| | QSTAG-973 ED.1 | ABCA LAND FORCE - STANDING OPERATING PROCEDURE, MATERIAL DISPOSAL[CUST: AI] | C | ISDA | | AI | 17-JUN-92 |
| | QSTAG-972 ED.1 | ABCA LAND FORCE - STANDING OPERATING PROCEDURES, SALVAGE[CUST: AI] | C | ISDA | | AI | 21-OCT-91 |
| | QSTAG-2003 ED.1(2) | ABCA REFERENCE PUBLICATION ON NATIONAL INDIVIDUAL NBC PROTECTION[CUST: AI] | C | ISDA | | AI | 03-DEC-99 |
| | QAP-1 ED.2(1) | ABCA TERRAIN DATA CATALOG (W/AMD 1) | C | ISDA | | AI | 04-MAY-88 |
| | ASTM-D968 | ABRASION RESISTANCE OF ORGANIC COATINGS BY FALLING ABRASIVE[CUST: MR SH 99] [REVIEW: YD] | A | 8010 | | MR | 15-SEP-93 |
| | QPL-22262-28 | ABRASIVE BLASTING MEDIA SHIP HULL BLAST CLEANING | A | 5350 | | SH | 22-OCT-04 |
| | MIL-A-22262B(2) | ABRASIVE BLASTING MEDIA SHIP HULL BLAST CLEANING[CUST: SH] [REVIEW: GS] | A | 5350 | | SH | 21-MAR-96 |
| | A-A-59316 NOT 1 | ABRASIVE MATERIALS; FOR BLASTING[CUST: MR AS 99] [REVIEW: AR CR GS MC YD] | A | 5350 | / | AS | 07-NOV-03 |
| | A-A-58054 | ABRASIVE MATS, NON-WOVEN, NON-METALLIC[CUST: MR SH 99] [REVIEW: DS GS] | A | 5350 | / | 84 | 05-APR-96 |
| | A-A-59292 | ABRASIVE WHEELS, NON-WOVEN NYLON, RESIN REINFORCED[CUST: MR AS 99] [REVIEW: 84 GS] | A | 5345 | / | AS | 21-JUL-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ANSI-B7.1 | ABRASIVE WHEELS, USE, CARE & PROTECTION OF, SAFETY CODES FOR THE[CUST: AR SH 99] [REVIEW: CR4 GL] | A | 34GP | | GS6 | 22-MAY-90 |
| | A-A-54426 | ABRASIVE, DENTAL (PASTE, ALUMINUM OXIDE)[CUST: MD MS 03] | A | 6520 | / | MB | 17-JUN-91 |
| | A-A-53654 | ABRASIVE, DENTAL (STICK FORM, SILICON CARBIDE)[CUST: MD MS 03] | A | 6520 | / | MB | 19-AUG-88 |
| | MIL-A-17161D | ABSORBER, RADIO FREQUENCY RADIATION (MICROWAVE ABSORBING MATERIAL), GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: AS] | A | EMCS | | SH | 24-JUN-85 |
| | ANSI-C37.09 | AC HIGH-VOLTAGE CIRCUIT BREAKERS RATED ON A SYMMETRICAL CURRENT BASIS, TEST PROCEDURE FOR[CUST: MR YD 99] | A | 6110 | | YD | 19-APR-84 |
| | A-A-59756 | AC VOLTAGE STANDARD[CUST: 99] | A | 6625 | / | 84 | 08-NOV-04 |
| | EIA364.01 | ACCELERATION TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: AV MI] | A | 5935 | | CC | 29-JUN-01 |
| | SAE-AS22145 | ACCELEROMETER GROUP, COUNTING (MS25447 AND MS25448)[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | JUL-99 |
| | IPC-A610 | ACCEPTABILITY OF ELECTRONIC ASSEMBLIES[CUST: AT AS 11] [REVIEW: AV MI] | A | SOLD | | AT | 12-FEB-02 |
| | MIL-STD-1171A NOT 2 | ACCEPTANCE AND DESCRIPTION SHEETS (FOR PROPELLANTS AND EXPLOSIVES)[Military Standard][CUST: AR] | A | 1376 | | AR | 25-OCT-02 |
| | SAE-AS3071 | ACCEPTANCE CRITERIA - MAGNETIC PARTICLE, FLUORESCENT PENETRANT, AND CONTRAST DYE PENETRANT INSPECTION[CUST: MR AS 99] | A | NDTI | | AS | OCT-94 |
| | DI-QCIC-80553 | ACCEPTANCE TEST PLAN [AMSC: G4363] | A | QCIC | | NS | 25-MAR-88 |
| | ASTM-C1047 | ACCESSORIES FOR GYPSUM WALLBOARD AND GYPSUM VENEER BASE[CUST: YD] | A | 5640 | | IS | 15-FEB-94 |
| A | A-A-2851C | ACCESSORIES, PAINT ROLLER | A | 8020 | # | FSS | 29-JUN-05 |
| | SAE-AS971 | ACCESSORY - DRIVE, 10,000 BC ROUND, QAD, DESIGN STANDARD FOR[CUST: AS] [REVIEW: GS] | A | 6150 | | AS | 27-AUG-93 |
| | MS3336 | ACCESSORY DRIVES AIRCRAFT ENGINE, REFERENCE CHART FOR[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 04-JUN-70 |
| | A-A-52421 | ACCESSORY KIT; WARNING DEVICE, DEMOUNTABLE, FOR EMERGENCY VEHICLES[CUST: AT] [REVIEW: CR4] | A | 6220 | / | AT | 11-JAN-93 |
| | MIL-A-43146B NOT 1 | ACCESSORY SET, PARACHUTE, SCUBA ADAPTING[CUST: GL SH 99] [REVIEW: 71 AV GS] | A | 1670 | | GL | 08-AUG-90 |
| | DI-SAFT-81563 | ACCIDENT/INCIDENT REPORT [AMSC: A7315] | A | SAFT | | AR | 02-JUN-98 |
| | QPL-5498-24 | ACCUMULATORS, AIRCRAFT HYDROPNEUMATIC PRESSURE | A | 1650 | | GS1 | 25-MAY-91 |
| | SAE-ARP763 | ACCUMULATORS, GROUND, HYDROPNEUMATIC PRESSURE[CUST: MI] [REVIEW: GS] | A | 4931 | | MI | 08-APR-86 |
| | ASTM-D4181 | ACETAL (POM) MOLDING AND EXTRUSION MATERIALS[CUST: MR AS 11] [REVIEW: 99 AT AV CR4 EC GL GS MC OS SH] | A | 9330 | | MR | 10-NOV-98 |
| | MIL-A-50424(1) NOT 3 | ACETAL, SHEETING (FOR USE WITH AMMUNITION)[CUST: AR] | A | 1395 | | AR | 10-OCT-96 |
| | ASTM-D871 | ACETATE, CELLULOSE, TESTING, STANDARD TEST METHODS OF[CUST: MI OS 68] [REVIEW: GS] | A | 6810 | | MI | OCT-94 |
| | ASTM-D4615 | ACETATE, N-BUTYL (ALL GRADES)[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | EA | 26-OCT-90 |
| | A-A-54914 | ACETIC ACID OTIC SOLUTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 17-SEP-93 |
| | A-A-55829 NOT 1 | ACETIC ACID, GLACIAL, TECHNICAL[CUST: EA 68 GS3] [REVIEW: AS CR MD1 MI OS] | A | 6810 | / | GS3 | 26-NOV-02 |
| | JAN-A-459 | ACETIC ANHYDRIDE (FOR ORDNANCE USE)[CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 12-MAR-47 |
| | ASTM-D329 | ACETONE[CUST: EA SH 68] [REVIEW: AR AS CR4 DS GL MC MD OS] | A | 6810 | | GS3 | 26-OCT-90 |
| | ASTM-D1950 | ACETONE TOLERANCE OF HEAT-BODIED DRYING OILS[CUST: CR4 SH 99] | A | 8010 | | CR4 | 27-MAR-86 |
| | MIL-A-47059 NOT 2 | ACETYL TRIETHYL CITRATE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 15-AUG-85 |
| | MIL-A-3850 NOT 1 | ACETYLENE BLACK[CUST: AR AS] [REVIEW: GS OS] | A | 6830 | | AR | 10-APR-86 |
| | BB-A-106C | ACETYLENE, TECHNICAL, DISSOLVED[CUST: 68 GS3] | A | 6830 | / | GS3 | 30-JAN-01 |
| | QAP-336 ED.1 | ACHIEVING INTEROPERABLE HEALTH INFORMATION SYSTEMS | C | ISDA | | AI | 14-MAY-03 |
| | ACI-SP66 | ACI DETAILING MANUAL[CUST: YD IS] | A | 5610 | | IS | 03-MAR-89 |
| | ASTM-D974 | ACID AND BASE NUMBER BY COLOR-INDICATOR TITRATION[CUST: AT SH 11] [REVIEW: 68 AR AS OS] | A | 91GP | | AT | 15-DEC-93 |
| | ASTM-D465 | ACID NUMBER OF NAVAL STORES PRODUCTS INCLUDING TALL OIL AND OTHER RELATED PRODUCTS[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | EA | 03-OCT-94 |
| | ASTM-D664 | ACID NUMBER OF PETROLEUM PRODUCTS BY POTENTIOMETRIC TITRATION[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 21-DEC-89 |
| | ASTM-D1980 | ACID VALUE OF FATTY ACIDS AND POLYMERIZED FATTY ACIDS[CUST: AR SH 11] [REVIEW: GS] | A | 6810 | | 11 | 26-JUN-87 |
| | ASTM-D848 | ACID WASH COLOR OF INDUSTRIAL AROMATIC HYDROCARBONS[CUST: EA 68 GS3] | A | 6810 | | GS3 | 15-APR-93 |
| | JAN-A-465 | ACID, ACETIC (FOR ORDNANCE USE)[CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 18-APR-47 |
| | ASTM-D1983 | ACID, FATTY, COMPOSITION BY GAS-LIQUID CHROMATOGRAPHY OF METHYL ESTERS[CUST: MR SH 99] | A | 8010 | | MR | 25-MAY-90 |
| | ASTM-E224 | ACID, HYDROCHLORIC, ANALYSIS OF[CUST: EA 68 GS3] [REVIEW: AR CR4 GL MD SH] | A | 6810 | | GS3 | 10-DEC-96 |
| | MIL-A-24641A | ACID, HYDROFLUORIC: TECHNICAL[CUST: SH] [REVIEW: GS] | A | 6810 | | SH | 27-OCT-86 |
| | SAE-AMS1384 | ACID, INHIBITED PHOSPHORIC AIRCRAFT TURBINE ENGINE COMPONENTS ROOM TEMPERATURE APPLICATION[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A | 6850 | | AS | 01-JUL-91 |
| | MIL-A-50210(1) NOT 1 | ACID, MIXED (FOR USE IN NITRATION OF EXPLOSIVES)[CUST: AR] | A | 1376 | | AR | 30-JAN-87 |
| | ASTM-E1146 | ACID, MURIATIC, (TECHNICAL GRADE HYDROCHLORIC ACID)[CUST: EA SH 68] [REVIEW: MD MI] | A | 6810 | | GS3 | 10-JUL-97 |
| | JAN-A-183(3) NOT 2 | ACID, NITRIC (FOR ORDNANCE USE)[CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 20-APR-04 |
| | ASTM-D1613 | ACIDITY IN VOLATILE SOLVENTS AND CHEMICAL INTERMEDIATES USED IN PAINT, VARNISH, LACQUER, AND RELATED PRODUCTS[CUST: MR SH 99] | A | 8010 | | MR | 22-JUL-91 |
| | ASTM-D2455 | ACIDS, CARBOXYLIC, IN ALKYD RESINS, IDENTIFICATION OF[CUST: CR4 SH 99] | A | 8010 | | CR4 | 28-APR-89 |
| | ASTM-D453 | ACIDS, TAR, IN CRESOTE-COAL TAR SOLUTIONS, STANDARD TEST METHOD FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CC MR SH SM] | A | 8030 | | IS | 09-MAR-89 |
| | INFO-PUB-70/23A | ACOUSTIC TAPE FORMATS | C | ISDF | | 06 | 04-SEP-01 |
| | MIL-A-23054A(1) NOT 1 | ACOUSTICAL ABSORPTIVE BOARD, FIBROUS GLASS PERFORATED FIBROUS GLASS CLOTH FACED[CUST: SH] | A | 5640 | | SH | 24-DEC-90 |
| | MIL-PRF-24699A | ACOUSTICAL TRANSMISSION LOSS BARRIER MATERIAL[CUST: SH] | A | 5640 | | SH | 09-NOV-04 |
| | ASME-Y10.11 | ACOUSTICS, LETTER SYMBOLS AND ABBREVIATIONS FOR QUANTITIES USED IN[CUST: AR SH 11] [REVIEW: AS AV MI OS YD] | A | DRPR | | AR | 10-DEC-84 |
| | MIL-HDBK-502 NOT 1 | ACQUISITION LOGISTICS[CUST: TM2 AS 10] [REVIEW: 11 AT AV CR EC GL LS MC MI PT SH] | A | SESS | | TM2 | 20-JAN-05 |
| | MIL-HDBK-1467 NOT 1 | ACQUISITION OF SOFTWARE ENVIRONMENTS AND SUPPORT SOFTWARE[CUST: AR EC 11 DC1] [REVIEW: 10 AV CR] | A | MCCR | | AR | 19-NOV-02 |
| | MIL-HDBK-2097A | ACQUISITION OF SUPPORT EQUIPMENT AND ASSOCIATED INTEGRATED LOGISTICS SUPPORT[CUST: TM AS 10] | A | SESS | | AS | 25-JUL-97 |
| | DI-MISC-80344 | ACQUISITION STREAMLINING COST BENEFIT ASSESSMENT REPORT [AMSC: D4639] | A | MISC | | SO | 09-FEB-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-MGMT-81607 | ACQUISITION SUPPORT DOCUMENTATION [AMSC: G7427] | A | MGMT | | NS | 15-FEB-01 |
| | SAE-AMS3214 | ACRYLONITRILE BUTADIENE (NBR) RUBBER AROMATIC FUEL RESISTANT 35-45[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-JAN-93 |
| | SAE-AMS3212 | ACRYLONITRILE BUTADIENE (NBR) RUBBER AROMATIC FUEL RESISTANT 55-65[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-93 |
| | SAE-AMS3213 | ACRYLONITRILE BUTADIENE (NBR) RUBBER AROMATIC FUEL RESISTANT 75-85[CUST: MR AS 11 IS] | A | 5330 | | IS | 29-SEP-95 |
| | SAE-AMS3274 | ACRYLONITRILE BUTADIENE (NBR) RUBBER SHEET AND MOLDED SHAPES NYLON CLOTH REINFORCED FUEL RESISTANT[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-APR-91 |
| | SAE-AMS3215 | ACRYLONITRILE BUTADIENE (NBR) RUBBER, AROMATIC FUEL RESISTANT, 65-75[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-JAN-91 |
| | SAE-AMS3226 | ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL AND COOLANT RESISTANT, LOW SWELL, 45-55[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 07-OCT-83 |
| | SAE-AMS3227 | ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL AND COOLANT RESISTANT, LOW SWELL, 55-65[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 07-OCT-83 |
| | ASTM-D2751 | ACRYLONITRILE-BUTADIENE-STYRENE (ABS) SEWER PIPE AND FITTINGS[CUST: CR4 YD 99] | A | 4710 | | CC | 15-MAR-93 |
| | MIL-A-45062E(2) NOT 1 | ACTIVATOR, M2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 23-APR-87 |
| | MIL-HDBK-145C NOT 1 | ACTIVE FUZE CATALOG - COPIES OF THIS HANDBOOK ARE AVAILABLE ONLY ON CD-ROM. APPLICATION FOR A CD-ROM COPY SHOULD BE SENT TO: COMMANDER, US ARMY TACOM-ARDEC, ATTN: AMSTA-AR-QAW-E, PICATINNEY ARSENAL, NJ 07806-5000[CUST: AR OS 99] [REVIEW: 11 AS EA MC MI MT TE] | A | 1390 | | AR | 10-MAR-00 |
| | MIL-A-24780 | ACTUATING ASSEMBLY, SINGLE LINEAR MOTION, FOR THE REMOTE ACTUATION OF QUICK ACTING VALVES, GENERAL SPECIFICATION FOR[CUST: SH] | A | 4820 | | SH | 30-OCT-92 |
| | MIL-A-82950 | ACTUATOR, BELLOWS ATU-117/P[CUST: OS] | A | 1377 | | OS | 09-JUN-95 |
| | MIL-A-85072A | ACTUATOR, ELECTROMECHANICAL, LINEAR[CUST: AS] | A | 1095 | | AS | 01-MAY-87 |
| | MIL-A-85802 | ACTUATOR, ELECTROMECHANICAL, LINEAR[CUST: AS] | A | 1095 | | AS | 10-OCT-86 |
| | MIL-A-85046 | ACTUATOR, LINEAR, ELECTROMECHANICAL[CUST: AS] | A | 1095 | | AS | 07-SEP-76 |
| | MIL-A-48690 NOT 2 | ACTUATOR, PISTON, PA532 LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1345 | | AR | 10-OCT-96 |
| | MIL-A-24533/2 | ACTUATOR, ROTARY, HYDRAULIC 2-POSITION, RACK-AND-PINION TYPE 5,000 TO 92,000 INCH-POUNDS TORQUE 4-BOLT MOUNTING[CUST: SH] | A | 3010 | | SH | 01-APR-93 |
| | MIL-A-24533/1 | ACTUATOR, ROTARY, HYDRAULIC, 2-POSITION, RACK-AND-PINION TYPE 3,000 TO 35,000 INCH-POUNDS TORQUE 2-BOLT MOUNTING[CUST: SH] | A | 3010 | | SH | 01-APR-93 |
| | SAE-ARP1383 | ACTUATORS, HYDRAULIC, VALVES, PRESSURE CONTAINERS AND SIMILAR FLUID SYSTEM COMPONENTS, IMPULSE TESTING OF[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 1650 | | AS | 30-APR-84 |
| | MIL-A-24533B | ACTUATORS, ROTARY, HYDRAULIC, RACK AND PINION[CUST: SH] | A | 3010 | | SH | 01-APR-93 |
| | MIL-PRF-5503F | ACTUATORS: AERONAUTICAL LINEAR UTILITY, HYDRAULIC, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 1650 | | 71 | 26-JUN-98 |
| | QSTAG-2009 ED.1 | AD INTELLIGENCE PREPARATION OF THE BATTLESPACE[CUST: AI] | C | ISDA | | AI | 06-SEP-00 |
| | QAP-232 ED.1 | AD PUBLICATIONS HIERARCHY | C | ISDA | | AI | 27-FEB-01 |
| | STANAG-3912 ED.3(2) | ADA - REAL-TIME HIGH ORDER COMPUTER PROGRAMMING LANGUAGE | C | ISDF | | 06 | 11-SEP-97 |
| | SAE-AS1299 | ADAPTER PORT CONNECTION RING LOCKED TO FLARELESS TUBE END[CUST: AV AS 11] [REVIEW: 71 99 CC CR4] | A | 4730 | | AS | 20-JUL-84 |
| | MS27629A | ADAPTER ASSEMBLY - FLARELESS, STRAIGHT , TUBE TO HOSE - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27056D | ADAPTER ASSEMBLY, 45 DEG. ELBOW, SWIVEL FLANGE TO HOSE[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS27058D | ADAPTER ASSEMBLY, 90 DEG. ELBOW, SWIVEL FLANGE TO HOSE[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27617A | ADAPTER ASSEMBLY, FLARED, 45 DEG. ELBOW, TUBE TO HOSE - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27055D | ADAPTER ASSEMBLY, FLARED, 45 DEG. ELBOW, TUBE TO HOSE - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS27059D | ADAPTER ASSEMBLY, FLARED, 45 DEG. FORGED ELBOW, TUBE TO HOSE- WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27057D | ADAPTER ASSEMBLY, FLARED, 90 DEG. ELBOW, TUBE TO HOSE - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27060D | ADAPTER ASSEMBLY, FLARED, 90 DEG. FORGED ELBOW, TUBE TO HOSE-WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27618A | ADAPTER ASSEMBLY, FLARED, 90 DEGREES ELBOW, TUBE TO HOSE - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27053D | ADAPTER ASSEMBLY, FLARED, STRAIGHT, TUBE TO HOSE - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS27616A | ADAPTER ASSEMBLY, FLARED, STRAIGHT, TUBE TO HOSE - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27630A | ADAPTER ASSEMBLY, FLARELESS, 45 DEG. ELBOW, TUBE TO HOSE-WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27384B | ADAPTER ASSEMBLY, FLARELESS, 45 DEG. FORGED ELBOW, TUBE TO HOSE - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27382B | ADAPTER ASSEMBLY, FLARELESS, 45 DEGREE ELBOW , TUBE TO HOSE-WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS27383B | ADAPTER ASSEMBLY, FLARELESS, 90 DEG. ELBOW, TUBE TO HOSE - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS27631A | ADAPTER ASSEMBLY, FLARELESS, 90 DEG. ELBOW, TUBE TO HOSE-WITH SWIVEL NUT[CUST: AV AS 99] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27385B | ADAPTER ASSEMBLY, FLARELESS, 90 DEG. FORGED ELBOW, TUBE TO HOSE - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27381B | ADAPTER ASSEMBLY, FLARELESS, STRAIGHT, TUBE TO HOSE - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| A | QPL-38726-14 | ADAPTER ASSEMBLY, REUSABLE, FLEXIBLE HOSE, LOW PRESSURE | A | 4730 | | CC | 03-NOV-05 |
| | MIL-DTL-38726A | ADAPTER ASSEMBLY, REUSABLE, FLEXIBLE HOSE, LOW PRESSURE[CUST: AT AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 08-JAN-02 |
| | MS27054D | ADAPTER ASSEMBLY, STRAIGHT, SWIVEL FLANGE TO HOSE[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS39137F | ADAPTER BODY, AUTOMOTIVE AIR BRAKE[CUST: AT 99 CC] [REVIEW: 71 AR EA] | A | 4730 | | CC | 04-JAN-99 |
| | MIL-A-48028A NOT 1 | ADAPTER BOOSTER, BOMB, NOSE, M148E1 PARTS FOR[CUST: AS] | A | 1325 | | AS | 16-APR-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-A-48027A(1) | ADAPTER BOOSTER, BOMB, NOSE, THERMALLY PROTECTED, M148E1, LOADING, ASSEMBLING AND PACKING[CUST: AS] | A | 1325 | | AS | 23-OCT-87 |
| | SAE-MA2046 | ADAPTER FLARELESS METRIC TO INCH[CUST: AV] | A | 4730 | | AV | 15-JUN-87 |
| | MIL-PRF-32023 | ADAPTER KIT - GRAVITY FEED, FOR 5-GALLON MILITARY PLASTIC FUEL CAN[CUST: GL YD 99] [REVIEW: 84 FSS MC MD1] | A | 7240 | | GL | 06-MAY-98 |
| | MIL-A-44264 | ADAPTER KIT, M-1 CAP; FOR CANTEEN, WATER, INSULATED[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8465 | | CT | 17-DEC-86 |
| | MIL-A-23404A NOT 1 | ADAPTER KIT, MARINE MARKER MK 34 MOD 0[CUST: AS] | A | 1370 | | AS | 25-SEP-91 |
| | A-A-59326/15A | ADAPTER, 45 DEG., FEMALE THREAD SWIVEL COLLAR BY MALE (TANK CAR), TYPE XV[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | SAE-AS8091 | ADAPTER, AIRCRAFT, JACKING POINT, DESIGN AND INSTALLATION OF[CUST: AV AS 99] [REVIEW: GS] | A | 1730 | | AS | APR-99 |
| | SAE-AS33559 | ADAPTER, AIRCRAFT, JACKING POINT, DESIGN AND INSTALLATION OF[CUST: AV AS 99] [REVIEW: 11 84 GS] | A | 1730 | | AS | MAY-98 |
| | SAE-AS4099 | ADAPTER, ASSEMBLY - PORT CONNECTION RING LOCKED TO FLARELESS TUBE END[CUST: AV AS 99] [REVIEW: 71 AR AT CC MC MI SH] | A | 4730 | | AS | JAN-94 |
| | A-A-52425A | ADAPTER, BATTERY TERMINAL[CUST: AT MC 11] [REVIEW: 99 CR4 GS MI] | A | 5940 | / | AT | 29-JUL-96 |
| | MIL-A-5034B NOT 1 | ADAPTER, BOMB RACK, 30 INCH, AERO 1A[CUST: AV AS 11] | A | 1095 | | AS | 02-MAR-87 |
| A | QPL-25677-21 | ADAPTER, CAP, AND NOZZLE, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 4730 | | CC | 26-SEP-05 |
| | MIL-DTL-25677D(1) | ADAPTER, CAP, AND NOZZLE, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AS 99 CC] [REVIEW: 06 70 71] | A | 4730 | | CC | 24-JUN-02 |
| | A-A-51861 | ADAPTER, CATHETER TO LUER SYRINGE (URETERAL)[CUST: MD MS 03] | A | 6515 | / | MB | 10-MAR-87 |
| | MIL-DTL-22641D NOT 1 | ADAPTER, COAXIAL TO WAVEGUIDE, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 99 AR AS GL MC MI OS] | A | 5985 | | CC | 08-DEC-04 |
| | MIL-PRF-55339/37A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/38A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/39A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/15A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (WITHIN SERIES BNC), CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/50B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (WITHIN SERIES TNC JACK TO TW0 SERIES TNC JACKS), CLASS 2, "T" JAMNUT MOUNT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/4B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N JACK TO SERIES N JACK, (HERMETIC AND NON-HERMETIC)), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 25-AUG-04 |
| | MIL-PRF-55339/30B NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, "T", (WITHIN SERIES SMA PLUG TO TWO SERIES SMA JACKS), CLASS 2[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-PRF-55339/49A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES N JACK TO SERIES BNC PLUG)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/41A(3) NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (FEMALE) TO SERIES TNC (FEMALE)), CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 12-FEB-02 |
| | MIL-PRF-55339/48A NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO SERIES TNC), CLASS 2, STRAIGHT PLUG[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-PRF-55339/51A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES TNC TO SERIES N), CLASS 2. STRAIGHT PLUG[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/11A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, "T" PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 25-AUG-04 |
| | MIL-PRF-55339/10A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, RIGHT ANGLE PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 25-AUG-04 |
| | MIL-PRF-55339/9A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 25-AUG-04 |
| | MIL-PRF-55339/7A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N), CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 25-AUG-04 |
| | MIL-PRF-55339/6B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N), CLASS 2, T PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI SH] | A | 5935 | | CC | 25-AUG-04 |
| | MIL-PRF-55339/33A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC) CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 17-SEP-04 |
| | MIL-PRF-55339/32A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC) RIGHT ANGLE, MALE TO FEMALE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 17-SEP-04 |
| | MIL-PRF-55339/36B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC), CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/35A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC), CLASS 2, "T" PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/24B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, FLANGE MOUNTED, (WITHIN SERIES BNC PLUG TO SERIES N JACK), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 17-SEP-04 |
| | MIL-PRF-55339/47A(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN LINE, (BETWEEN SERIES SMA PLUG TO SERIES BNC JACK), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 12-FEB-02 |
| | MIL-PRF-55339/28B NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN LINE, JAMNUT MOUNTED, (WITHIN SERIES SMA PLUG TO SERIES SMA PLUG (HERMETIC)), CLASS 2[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT MC MI OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-PRF-55339/44B(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE (BETWEEN SERIES SMA JACK TO SERIES BNC), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI SH] | A | 5935 | | CC | 08-APR-05 |
| | MIL-PRF-55339/18A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES BNC PLUG TO SERIES N PLUG), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI] | A | 5935 | | CC | 17-SEP-04 |
| | MIL-PRF-55339/1B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES BNC JACK TO SERIES N JACK), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 25-AUG-04 |
| | MIL-PRF-55339/22A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES BNC JACK TO SERIES C PLUG), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 17-SEP-04 |
| | MIL-PRF-55339/20A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES BNC JACK TO SERIES N PLUG), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 17-SEP-04 |
| | MIL-PRF-55339/23A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES C JACK TO SERIES BNC PLUG), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 17-SEP-04 |
| | MIL-PRF-55339/21A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES C JACK TO SERIES N PLUG), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 17-SEP-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-55339/19A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES N JACK TO SERIES C PLUG), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 17-SEP-04 |
| | MIL-PRF-55339/45A(2) NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES SMA PLUG TO SERIES BNC PLUG), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI SH] | A | 5935 | | CC | 08-APR-05 |
| | MIL-PRF-55339/46A(1) NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES SMA JACK TO SERIES BNC JACK), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 12-FEB-02 |
| | MIL-PRF-55339/8A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES C JACK TO SERIES C JACK), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 25-AUG-04 |
| | MIL-PRF-55339/5A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES N PLUG TO SERIES N PLUG), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/31A(1) NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES SMA JACK TO SMA SERIES JACK), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 12-FEB-02 |
| | MIL-PRF-55339/29A(1) NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES SMA PLUG TO SMA PLUG), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 11-FEB-02 |
| | MIL-PRF-55339/25C | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMNUT MOUNTED, (BETWEEN SERIES BNC JACK TO SERIES N JACK), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 17-SEP-04 |
| | MIL-PRF-55339/12A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMNUT MOUNTED, (WITHIN SERIES C JACK TO SERIES C JACK (HERMETIC)), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 25-AUG-04 |
| | MIL-PRF-55339/14A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, RIGHT ANGLE (WITHIN SERIES BNC JACK TO SERIES BNC PLUG), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/3A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, RIGHT ANGLE, (WITHIN SERIES N PLUG TO SERIES N JACK), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 25-AUG-04 |
| | MIL-PRF-55339/17B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, T , (WITHIN SERIES BNC JACK TO JACK AND SERIES BNC PLUG TO JACK) CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 17-SEP-04 |
| | MIL-PRF-55339/34A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY. (WITHIN SERIES TNC, (HERMETIC)), CLASS 2, RECEPTACLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/16A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY. IN-LINE, (WITHIN SERIES BNC JACK TO SERIES BNC JACK), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 10-JAN-05 |
| | MIL-PRF-55339/54 NOT 1 | ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO N)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-PRF-55339/52 NOT 1 | ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO N)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-PRF-55339/53(1) NOT 1 | ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, PIN CONTACT (WITHIN SERIES SMA), RIGHT ANGLE[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 24-OCT-03 |
| | A-A-55469/11 | ADAPTER, CONNECTOR, ELECTRICAL, PLUGS, (DUAL BANANA PLUG TO FEMALE BNC) | A | 5935 | / | CC | 19-JAN-00 |
| | MS91618A NOT 2 | ADAPTER, CONNECTOR, SERIES LC, UG-287B/U[CUST: CR EC 11 CC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-PRF-55339/55 | ADAPTER, CONNECTORS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA, CONNECTOR SAVER[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 14-MAY-04 |
| | A-A-51820 | ADAPTER, EAR CANNULA TO TUBING (HOUSE)[CUST: MD MS 03] | A | 6515 | / | MB | 11-FEB-87 |
| | A-A-59326/22 | ADAPTER, FEMALE BY FEMALE, CAM LOCKING TYPE XXII[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | SAE-AS1986 | ADAPTER, FITTING ASSEMBLY, RING LOCKED PORT CONNECTION TO BEAM SEAL 4000 PSI AND 5000 PSI /9/[CUST: 99] [REVIEW: CC] | A | 4730 | | 71 | 21-DEC-88 |
| | SAE-AS21900 | ADAPTER, FLARELESS TUBE TO A FLARED TUBE[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | SAE-AS24405 | ADAPTER, FLARELESS TUBE TO FLARED TUBE, PRECISION TYPE[CUST: AV AS 99] [REVIEW: 11 CC] | A | 4730 | | AS | JUL-99 |
| | SAE-AS21923 | ADAPTER, FLARELESS TUBE, BULKHEAD AND UNIVERSAL TO FLARED TUVBE[CUST: AV AS 99] | A | 4730 | | AS | AUG-98 |
| M | A-A-55474B | ADAPTER, FUSE, TYPE S[CUST: EC CC] | A | 5920 | / | CC | 13-APR-06 |
| A | MIL-DTL-8416C | ADAPTER, HEADSET-MICROPHONE MX- 1646( )/AIC[CUST: 11 CC] [REVIEW: 99] | A | 5965 | | CC | 13-MAY-05 |
| | QPL-5070-24 | ADAPTER, HOSE TO TUBE, PIPE AND FLANGE, REUSABLE - HYDRAULIC, FUEL AND OIL LINES, GENERAL SPECIFICATION FOR | A | 4730 | | CC | 18-NOV-04 |
| | MIL-DTL-5070E SUP 1 | ADAPTER, HOSE TO TUBE, PIPE AND FLANGE, REUSABLE: HYDRAULIC, FUEL AND OIL LINES, GENERAL SPECIFICATION FOR[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC MI SA] | A | 4730 | | CC | 22-SEP-00 |
| | MS27612J | ADAPTER, HYDRAULIC BLEEDER VALVE, AIRCRAFT WHEEL BRAKE[CUST: AV AS 99 CC] [REVIEW: 70 71 AT MC SA] | A | 4730 | | CC | 10-JAN-01 |
| | A-A-30198 | ADAPTER, INJECTION-ASPIRATION SITE (CRITIKON)[CUST: MD MS 03] | A | 6515 | * | MB | 13-OCT-92 |
| | MIL-A-81918(2) | ADAPTER, LAUNCHER, AIRCRAFT, ADU-299A/A[CUST: AS] [REVIEW: GS] | A | 1055 | | AS | 22-SEP-83 |
| | A-A-59326/21A | ADAPTER, MALE BY MALE, CAM LOCKING TYPE, TYPE XXI[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | MIL-A-70788A(2) | ADAPTER, METAL AND WOOD PALLET[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 14-FEB-95 |
| | MIL-A-71180 | ADAPTER, METAL PALLET[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 15-JUN-93 |
| | MIL-A-23685B | ADAPTER, PALLET, STEEL FOR PROJECTILES, ROCKET HEADS, CARTRIDGE CONTAINERS AND BOMB FINS[CUST: OS] | A | 3990 | | OS | 27-MAY-77 |
| | PIA-PS22014 | ADAPTER, PARACHUTE HARNESS ADJUSTING STRAP[CUST: GL2 AS 99] [REVIEW: 71] | A | 1670 | | 11 | 14-FEB-03 |
| | PIA-PS22019 | ADAPTER, PARACHUTE HARNESS REVERSIBLE QUICK FIT[CUST: GL AS 99] [REVIEW: 11 GS] | A | 1670 | | AS | 18-MAR-02 |
| | PIA-PS22047 | ADAPTER, PARACHUTE HARNESS STRAP[CUST: GL2 AS 11] [REVIEW: 71] | A | 1670 | | 11 | 14-FEB-03 |
| | PIA-PS70124 | ADAPTER, PARACHUTE HARNESS WITH TENSIONER AND SPRING[CUST: GL 99 IS] [REVIEW: 11 71 AV] | A | 1670 | | GS1 | 07-JAN-98 |
| | PIA-PS22040 | ADAPTER, PARACHUTE HARNESS, QUICK FIT[CUST: GL2 AS 11] [REVIEW: 71] | A | 1670 | | 11 | 14-FEB-03 |
| | MS17834B | ADAPTER, PNEUMATIC STARTER DUCT NIPPLE AND FLANGE, MALE[CUST: AV AS 99] [REVIEW: 71 AT CC MC SA] | A | 4730 | | AS | 03-DEC-02 |
| | QPL-25896-19 NOT 1 | ADAPTER, PRESSURE FUEL SERVICING, AIRCRAFT, NOMINAL 2.5- INCH DIAMETER | A | 1560 | | AS | 18-AUG-03 |
| | MS24484J NOT 2 | ADAPTER, PRESSURE FUEL SERVICING, NOMINAL 2.5 INCH DIAMETER[CUST: AV AS 99] [REVIEW: 84 CR4 GS] | A | 1560 | | AS | 18-AUG-03 |
| | MIL-A-25896E NOT 3 | ADAPTER, PRESSURE FUEL SERVICING, NOMINAL 2.5-INCH DIAMETER[CUST: AV AS 99] [REVIEW: 84 GS] | A | 1560 | | AS | 18-AUG-03 |
| | MIL-DTL-25677/1(4) | ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT[CUST: AS 99 CC] [REVIEW: 06 71 CG MC SA] | A | 4730 | | CC | 04-NOV-04 |
| | MIL-A-417G NOT 1 | ADAPTER, PRIMING, M1A4[CUST: AR] [REVIEW: CE CR4 MI] | A | 1375 | | AR | 24-OCT-88 |
| | MS22034A NOT 3 | ADAPTER, QUICK DISCONNECT, PASSENGER SEAT TO FLOOR[CUST: AS 99] [REVIEW: 11 71 AV CG GS] | A | 1680 | | AS | 23-AUG-04 |
| | MIL-A-21165A NOT 2 | ADAPTER, QUICK DISCONNECT, PASSENGER SEAT TO FLOOR[CUST: AV AS 99] [REVIEW: CC GS] | A | 1680 | | AS | 23-AUG-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | PIA-PS70114 | ADAPTER, QUICK FIT, PARACHUTE HARNESS[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | PIA-PS70101 | ADAPTER, REVERSIBLE, QUICK FIT, 500 PLB; 1-3/4 INCH[CUST: GL AS 99 IS] | A | 5340 | | IS | 10-SEP-99 |
| | A-A-51643 | ADAPTER, RIGHT ANGLE ELBOW, TRACHEAL ANESTHESIA MASK[CUST: MD MS 03] | A | 6515 | / | MB | 03-SEP-86 |
| A | MS17342C | ADAPTER, STEP - UP, CABLE SEALING[CUST: CR EC 11 CC] [REVIEW: CR4] | A | 5935 | | CC | 26-OCT-05 |
| A | MS90569A | ADAPTER, STEP - UP, CABLE SEALING AND GRIPPING[CUST: CR EC 11 CC] [REVIEW: 19 AS AV CG MC MI OS SH] | A | 5935 | | CC | 26-OCT-05 |
| | A-A-59443 NOT 1 | ADAPTER, STRAIGHT, PIPE THREAD TO TUBE, MALE SOLDER-JOINT, REFRIGERATION[CUST: GL4 SH 99 CC] [REVIEW: CE MC] | A | 4730 | / | CC | 30-MAR-04 |
| | MS39133F | ADAPTER, STRAIGHT, PIPE TO HOSE-AUTOMOTIVE AIR BRAKE HOSE[CUST: AT 99 CC] [REVIEW: 71 AR EA] | A | 4730 | | CC | 04-JAN-99 |
| | A-A-59445 NOT 1 | ADAPTER, STRAIGHT, PIPE TO TUBE, PIPE THREAD TO FEMALE SOLDER-JOINT, REFRIGERATION[CUST: GL4 SH 99 CC] [REVIEW: MC] | A | 4730 | / | CC | 30-MAR-04 |
| | MS27404A | ADAPTER, STRAIGHT, REUSABLE, TUBE TO HOSE, LOW PRESSURE[CUST: MI AS 99 CC] [REVIEW: 71 AV MC SA] | A | 4730 | | CC | 08-JAN-02 |
| | SAE-AS21915 | ADAPTER, STRAIGHT, TUBE TO BOSS[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | MS24587D(1) | ADAPTER, STRAIGHT, TUBE TO HOSE - REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 71 AV SA] | A | 4730 | | CC | 25-JAN-02 |
| | A-A-55422 NOT 1 | ADAPTER, SWITCH ACTUATOR (FOR MINIATURE BASIC SENSITIVE SWITCHES)[CUST: CC] | A | 5930 | / | CC | 03-MAR-00 |
| | A-A-51699 | ADAPTER, SYRINGE[CUST: MD MS 03] | A | 6515 | / | MB | 02-OCT-86 |
| | A-A-51415 | ADAPTER, SYRINGE TO TUBING[CUST: MD MS 03] | A | 6515 | / | MB | 12-SEP-86 |
| | MS14118 | ADAPTER. HYDRAULIC STARTER TO ENGINE, MOUNTING[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 06-JAN-72 |
| | SAE-AS1301 | ADAPTERS - PORT CONNECTION, RING LOCKED DESIGN, INSTALLATION AND REMOVAL OF[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 4730 | | AS | 15-SEP-78 |
| | MIL-DTL-22641/16G NOT 1 | ADAPTERS, COAXIAL TO WAVEGUIDE (SERIES N TO WAVEGUIDE CLASS I)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS GL MI OS] | A | 5985 | | CC | 08-DEC-04 |
| | MIL-DTL-22641/20C NOT 1 | ADAPTERS, COAXIAL TO WAVEGUIDE (SERIES SMA TO WAVEGUIDE - CLASS 5)[CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI OS] | A | 5985 | | CC | 08-DEC-04 |
| | MIL-PRF-55339/40A(2) NOT 2 | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (MALE) TO SERIES TNC (FEMALE)), CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 12-FEB-02 |
| | MIL-PRF-55339/2A(2) NOT 2 | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (SERIES SMA), CLASS 2, RIGHT ANGLE, MALE TO FEMALE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 11-FEB-02 |
| | MIL-PRF-55339/13B | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMNUT MOUNTED, (WITHIN SERIES BNC JACK TO SERIES BNC JACK, (HERMETIC AND NON-HERMETIC)), CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 10-JAN-05 |
| A | QPL-55339-58 | ADAPTERS, CONNECTORS, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR | A | 5935 | | CC | 22-NOV-05 |
| A | MIL-PRF-55339C | ADAPTERS, CONNECTORS, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 03-AUG-05 |
| | A-A-54924 | ADAPTERS, ENDOTRACHEAL ANESTHESIA SET[CUST: MD MS 03] | A | 6515 | / | MB | 08-OCT-93 |
| | MIL-A-70753(2) | ADAPTERS, PALLET, WOODEN, FOR METAL CONTAINER FOR 105MM AND 120MM TANK AMMUNITION[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 26-AUG-94 |
| | A-A-2622A NOT 1 | ADAPTERS, PIPE TO HOSE, STRAIGHT OR REDUCING[CUST: YD 99] [REVIEW: 84] | A | 4730 | / | CC | 20-JUN-03 |
| | MS27147D | ADAPTOR, CONNECTOR-3 WAY NO. 12, 14 AND 16 A.W.G. WATERPROOF[CUST: AT MC 11 CC] [REVIEW: CR CR4] | A | 5935 | | CC | 17-JUN-03 |
| | MIL-A-53009A(1) | ADDITIVE, ANTIFREEZE EXTENDER, LIQUID COOLING SYSTEMS[CUST: AT SH 68] [REVIEW: GS SM] | A | 6850 | | SH | 25-FEB-93 |
| | QPL-24682-2 | ADDITIVE, FUEL OIL STABILIZER | A | 6850 | | SH | 04-MAY-92 |
| | DOD-A-24682 | ADDITIVE, FUEL OIL STABILIZER[CUST: SH] [REVIEW: GS] | A | 6850 | | SH | 18-AUG-87 |
| | ASTM-D2197 | ADHESION OF ORGANIC COATINGS, BY SCRAPE ADHESION[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 21-JAN-92 |
| | ASTM-C633 | ADHESION OR COHESIVE STRENGTH OF THERMAL SPRAY COATINGS[CUST: MR SH] [REVIEW: AS] | A | 8040 | | SH | 17-JAN-83 |
| | SAE-AMS3100 | ADHESION PROMOTER FOR POLYSULFIDE SEALING COMPOUNDS[CUST: MR SH 11] | A | 8030 | | 11 | AUG-94 |
| | IPC-TM650.2.4.1.1 | ADHESION, MARKING PAINTS AND INK[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | IPC-TM650.2.4.28 | ADHESION, SOLDER MASK (NON-MELTING METALS)[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | IPC-TM650.2.4.28.1 | ADHESION, SOLDER RESIST (MASK) TAPE TEST METHOD[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | IPC-TM650.2.4.1 | ADHESION, TAPE TESTING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | A-A-863A NOT 2 | ADHESIVE (RUBBER, FOR PAPER BONDING) | A | 8040 | # | FSS | 21-MAR-00 |
| | A-A-529A NOT 2 | ADHESIVE AND SEALING COMPOUND, CELLULOSE NITRATE BASE (SOLVENT TYPE)[CUST: MR SH 99] | A | 8040 | * | MR | 12-APR-00 |
| | MIL-HDBK-337 | ADHESIVE BONDED AEROSPACE STRUCTURE REPAIR[CUST: AR AS 11] [REVIEW: 99] | A | 8040 | | 11 | 01-DEC-82 |
| | ASTM-D1184 | ADHESIVE BONDED, FLEXURAL STRENGTH OF LAMINATED ASSEMBLIES[CUST: MR SH 11] [REVIEW: 99 CR4 GL MI] | A | 8040 | | MR | 15-JAN-93 |
| | MIL-HDBK-691B | ADHESIVE BONDING[CUST: MR AS 99] [REVIEW: 11 84 AR AT CR4 MI SH YD] | A | 8040 | | MR | 12-MAR-87 |
| | MIL-HDBK-83377 | ADHESIVE BONDING (STRUCTURAL) FOR AEROSPACE AND OTHER SYSTEMS, REQUIREMENTS FOR[CUST: MR AS 11] [REVIEW: OS] | A | 8040 | | 11 | 31-DEC-97 |
| | ASTM-D905 | ADHESIVE BONDS IN SHEAR BY COMPRESSION LOADING, STRENGTH PROPERTIES OF[CUST: MR AS 11] | A | 8040 | | MR | 10-APR-98 |
| | ASTM-D896 | ADHESIVE BONDS TO CHEMICAL REAGENTS, RESISTANCE OF[CUST: MR AS 11] [REVIEW: AR GL OS] | A | 8040 | | MR | 10-MAR-97 |
| | ASTM-D1151 | ADHESIVE BONDS, EFFECT OF MOISTURE AND TEMPERATURE ON[CUST: MR AS 11] [REVIEW: CR4 GL] | A | 8040 | | MR | 10-MAR-00 |
| | ASTM-D903 | ADHESIVE BONDS, PEEL OR STRIPPING STRENGTH OF[CUST: MR SH 11] [REVIEW: 99 AR AS CR4 GL IS MI OS SA] | A | 8040 | | MR | 10-APR-98 |
| | ASTM-D897 | ADHESIVE BONDS, TENSILE PROPERTIES OF[CUST: MR SH 99] [REVIEW: 11 AR CR4 GL] | A | 8040 | | MR | 31-MAR-78 |
| | IPC-4203 | ADHESIVE COATED DIELECTIC FILMS FOR USE AS COVER SHEETS FOR FLEXIBLE PRINTED CIRCUITRY AND FLEXIBLE ADHESIVE BONDING FILMS[CUST: CR EC 11 CC] [REVIEW: MI] | A | 5998 | | CC | 26-FEB-03 |
| | ASTM-D1779 | ADHESIVE FOR ACOUSTICAL MATERIALS[CUST: MR YD IS] [REVIEW: AS CR4 MC] | A | 8040 | | IS | 26-APR-89 |
| | QPL-60091-2 | ADHESIVE FOR BONDING DEMOLITION CHARGES TO STRUCTURAL SURFACES | A | 1375 | | AR | 12-MAR-92 |
| | MIL-A-60091B(1) | ADHESIVE FOR BONDING DEMOLITION CHARGES TO STRUCTURAL SURFACES[CUST: AR] | A | 1375 | | AR | 12-MAR-93 |
| | MIL-A-24456(3) | ADHESIVE FOR PLASTIC VIBRATION-DAMPING TILE[CUST: SH] | A | 8040 | | SH | 15-JUN-79 |
| | QPL-24456-16 | ADHESIVE FOR PLASTIC VIBRATION-DAMPING TILES | A | 8040 | | SH | 04-DEC-03 |
| | A-A-53263 | ADHESIVE LIQUID, SURGICAL (AEROSOL)[CUST: MD MS 03] | A | 6510 | / | MB | 01-MAR-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-A-50926A NOT 1 | ADHESIVE MR-23 (FOR USE IN AMMUNITION)[CUST: AR] | A | 1376 | | AR | 27-APR-87 |
| | A-A-51255 | ADHESIVE PAD, COLOSTOMY-ILEOSTOMY-TRACHEOSTOMY[CUST: MD MS 03] | A | 6510 | / | MB | 19-DEC-85 |
| | ASTM-D4783 | ADHESIVE PREPARATIONS IN CONTAINER TO ATTACK BY BACTERIA, YEAST, AND FUNGI, RESISTANCE OF[CUST: MR SH 99] [REVIEW: 84 AR AS GL] | A | 8040 | | MR | 15-JUL-93 |
| | ASTM-D898 | ADHESIVE SOLIDS, DRIED, APPLIED WEIGHT PER UNIT, AREA OF[CUST: MR AS 11] [REVIEW: 84 CR4 GL MI SH] | A | 8040 | | MR | 30-MAR-90 |
| | A-A-56015A NOT 1 | ADHESIVE SYSTEM, EPOXY, FOR DISSIMILAR METAL BONDING[CUST: MI] [REVIEW: AR MR] | A | 8040 | / | MI | 24-OCT-00 |
| | A-A-30074A | ADHESIVE TAPE, SURGICAL[CUST: MD MS 03] | A | 6510 | / | MB | 29-OCT-84 |
| | A-A-30076C | ADHESIVE TAPE, SURGICAL (PAPER TYPE)[CUST: MD MS 03] | A | 6510 | * | MB | 19-AUG-91 |
| | A-A-54418 | ADHESIVE TAPE, SURGICAL, (1 INCH BY 10 YARDS PERFORATED)[CUST: MD MS 03] | A | 6510 | / | MB | 14-JUN-91 |
| | A-A-51357A | ADHESIVE TAPE, SURGICAL, (PERFORATED)[CUST: MD MS 03] | A | 6510 | / | MB | 25-JUN-90 |
| | A-A-50811 | ADHESIVE TAPE, SURGICAL, 1 INCH BY 1 1/2 YARDS, 1005[CUST: MD MS 03] | A | 6510 | * | MB | 05-AUG-81 |
| | A-A-51233 | ADHESIVE TAPE, SURGICAL, ELASTIC[CUST: MD MS 03] | A | 6510 | / | MB | 22-DEC-85 |
| | A-A-53666A | ADHESIVE TIES, SURGICAL[CUST: MD MS 03] | A | 6510 | / | MB | 02-JUN-89 |
| A | A-A-59786 | ADHESIVE, (STRUCTURAL ADHESIVE)[CUST: AT AS 11] [REVIEW: 03 84 99 CG MI MR] | A | 8040 | / | AT | 09-DEC-05 |
| | SAE-AMS-A-8576 | ADHESIVE, ACRYLIC BASE, FOR ACRYLIC PLASTIC[CUST: MR AS 99] [REVIEW: 84 AT CR CR4 EA FSS MC SH] | A | 8040 | | AS | SEP-97 |
| | A-A-2985A | ADHESIVE, AIR-CURE, SILICONE RUBBER | A | 8040 | # | FSS | 04-APR-01 |
| | A-A-59254 NOT 1 | ADHESIVE, ANIMAL GLUE, DRY FORM[CUST: AR] | A | 8040 | / | AR | 14-FEB-03 |
| | MMM-A-110B(I2) | ADHESIVE, ASPHALT, CUT-BACK TYPE (FOR ASPHALT AND VINYL ASBESTOS TILES) | A | 8040 | # | FSS | 12-JAN-76 |
| | MMM-A-110B(1) NOT 1 | ADHESIVE, ASPHALT, CUT-BACK TYPE (FOR ASPHALT AND VINYL ASBESTOS TILES)[CUST: MR AS 99] [REVIEW: AR] | A | 8040 | * | MR | 10-FEB-87 |
| | MMM-A-121 | ADHESIVE, BONDING VULCANIZED SYNTHETIC RUBBER TO STEEL[CUST: MR SH] [REVIEW: AR AS DS GL MI OS] | A | 8040 | / | SH | 24-JUL-89 |
| | QPL-MMM-A-121-19 | ADHESIVE, BONDING VULCANIZED SYNTHETIC RUBBER TO STEEL | A | 8040 | / | SH | 12-AUG-94 |
| | ASTM-D4689 | ADHESIVE, CASEIN-TYPE[CUST: MR 99] [REVIEW: 84 AR AS GL SH] | A | 8040 | | MR | 30-MAR-90 |
| | MIL-A-52194A NOT 3 | ADHESIVE, EPOXY (FOR BONDING GLASS REINFORCED POLYESTER)[CUST: AR] | A | 8040 | | AR | 07-MAR-97 |
| M | A-A-59109B NOT 1 | ADHESIVE, EPOXY RESIN BASE[CUST: MI] | A | 8040 | / | MI | 10-MAR-06 |
| | A-A-56031 NOT 1 | ADHESIVE, EPOXY, MODIFIED, FLEXIBLE, TWO COMPONENT[CUST: MI] | A | 8040 | / | MI | 23-JUL-02 |
| | MIL-PRF-24792A | ADHESIVE, EPOXY, TWO PART, FIBER OPTICS[CUST: CR SH NA] [REVIEW: 02 11 13 19 33 93 99 AS CC MI] | A | 6070 | | SH | 01-OCT-99 |
| | SAE-AMS-A-25463 | ADHESIVE, FILM FORM, METALLIC STRUCTURAL SANDWICH CONSTRUCTION[CUST: MR AS 99] [REVIEW: 11 AR AT AV CR CR4 OS SH] | A | 8040 | | AS | AUG-99 |
| | QPL-AMS-A-25463-1 | ADHESIVE, FILM FORM, METALLIC STRUCTURAL, SANDWICH CONSTRUCTION | A | 8040 | | AS | 01-AUG-01 |
| | MMM-A-2048 | ADHESIVE, FIRE-RESISTANT, THERMAL INSULATION | A | 8040 | # | FSS | 01-APR-78 |
| | MIL-A-24179A(2) NOT 1 | ADHESIVE, FLEXIBLE UNICELLULAR-PLASTIC THERMAL INSULATION[CUST: SH] | A | 8040 | | SH | 22-JUN-87 |
| M | QPL-24179-25 | ADHESIVE, FLEXIBLE UNICELLULAR-PLASTIC THERMAL INSULATION | A | 8040 | | SH | 22-FEB-06 |
| | SAE-AMS3688 | ADHESIVE, FOAMING, HONEYCOMB CORE SPLICE, STRUCTURAL -55 DEG. C TO +82 DEG. C (-65 DEG. F TO +180 DEG. F)[CUST: MR AS 11] | A | 8040 | | AS | 01-OCT-88 |
| | SAE-AMS3689 | ADHESIVE, FOAMING, HONEYCOMB, CORE SPLICE, STRUCTURAL -54 DEG. TO +177 DEG. C (-65 DEG. TO +350 DEG. F)[CUST: MR AS 11] [REVIEW: 84 99] | A | 8040 | | AS | 01-OCT-88 |
| | MIL-A-21366A | ADHESIVE, FOR BONDING PLASTIC TABLE TOP MATERIAL TO ALUMINUM[CUST: MR SH] [REVIEW: MI] | A | 8040 | | SH | 16-FEB-66 |
| | A-A-53385 | ADHESIVE, IMPRESSION MATERIAL, DENTAL (RUBBER BASE)[CUST: MD MS 03] | A | 6520 | / | MB | 12-FEB-88 |
| | ASTM-D899 | ADHESIVE, LIQUID, APPLIED WEIGHT PER UNIT, AREA OF[CUST: MR SH 11] [REVIEW: AR AS CR4 GL IS MI OS SA YD] | A | 8040 | | MR | 24-FEB-89 |
| | DOD-A-82720(1) NOT 3 | ADHESIVE, MODIFIED-EPOXY, FLEXIBLE, TWO-PART (METRIC)[CUST: OS] | A | 8040 | | OS | 23-NOV-04 |
| | MIL-A-22397 NOT 1 | ADHESIVE, PHENOL AND RESORCINOL RESIN BASE (FOR MARINE SERVICE USE)[CUST: MR SH 99] [REVIEW: 11 AT CR4 MI] | A | 8040 | | SH | 03-OCT-89 |
| | QPL-22397-23 | ADHESIVE, PHENOL AND RESORCINOL RESIN BASE (FOR MARINE SERVICE USE) | A | 8040 | | SH | 21-JUN-94 |
| | MIL-A-22397(I1) | ADHESIVE, PHENOL AND RESORCINOL, RESIN BASE (FOR MARINE SERVICE USE)[CUST: SH] | A | 8040 | | SH | 12-JUN-64 |
| A | QPL-5540-25 | ADHESIVE, POLYCHLOROPRENE | A | 8040 | | AS | 25-JUL-05 |
| | SAE-AMS3686 | ADHESIVE, POLYMIDE RESIN, FILM AND PASTE HIGH TEMPERATURE RESISTANT, 315 DEG. C (599 DEG. F)[CUST: MR AS 11] | A | 8040 | | AS | 01-OCT-91 |
| | A-A-1270 NOT 2 | ADHESIVE, POLYVINYL ACETATE EMULSION, GENERAL PURPOSE[CUST: MR AS 99] [REVIEW: 84 AR AT EA YD] | A | 8040 | * | MR | 25-FEB-00 |
| | MIL-A-21016F | ADHESIVE, RESILIENT DECK COVERING[CUST: MR SH 99] [REVIEW: YD] | A | 8040 | | SH | 21-MAY-90 |
| | A-A-3139 NOT 2 | ADHESIVE, RESILIENT FLOORING, (WATER-BASED)[CUST: 99] [REVIEW: 84] | A | 8040 | * | 99 | 23-MAR-00 |
| | MMM-A-182A NOT 1 | ADHESIVE, RUBBER[CUST: EA FSS] [REVIEW: CR4 MD MI MR SM] | A | 8040 | / | EA | 23-SEP-88 |
| | A-A-342C NOT 1 | ADHESIVE, SEMI- SOLID, STICK FORM, WITH DISPENSER | A | 8040 | # | FSS | 09-NOV-04 |
| | A-A-50535 | ADHESIVE, STARCH[CUST: CR4 MC] | A | 8040 | / | MC | 26-SEP-91 |
| | MMM-A-189C NOT 1 | ADHESIVE, SYNTHETIC-RUBBER, THERMOPLASTIC, GENERAL-PURPOSE[CUST: MR 99] [REVIEW: 84 CR4 MD MI] | A | 8040 | / | MR | 29-MAR-91 |
| | ASTM-D4690 | ADHESIVE, UREA-FORMALDEHYDE RESIN[CUST: MR AS 99] [REVIEW: 11 84 GL MI] | A | 8040 | | MR | 30-MAR-90 |
| | MIL-PRF-24793A | ADHESIVE, UV CURABLE, ONE PART, FIBER OPTICS[CUST: CR SH 11 NA] [REVIEW: 02 19 33 93 99 AS CC EC MI] | A | 6070 | | SH | 27-DEC-01 |
| | A-A-59692 | ADHESIVE, WATER-RESISTANT (FOR CLOSURE OF FIBERBOARD BOXES)[CUST: MR 99 SS] [REVIEW: 84 IS MI] | A | 8040 | / | SS | 21-NOV-01 |
| | MMM-A-260C NOT 1 | ADHESIVE, WATER-RESISTANT, (FOR SEALING WATERPROOFED PAPER)[CUST: MR AS 11] [REVIEW: CR4 DS EA GL MC OS SM SS YD] | A | 8040 | / | MR | 29-MAR-91 |
| | MIL-A-46106B(3) | ADHESIVE-SEALANTS, SILICONE, RTV, ONE-COMPONENT[CUST: MR AS 11] [REVIEW: AR AT CR4 EA MD MI SH SM YD] | A | 8040 | | AS | 26-JUN-92 |
| | SAE-AMS3375 | ADHESIVE/SEALANT, FLUOROSILICONE, AROMATIC FUEL RESISTANT, ONE-PART ROOM TEMPERATURE VULCANIZING[CUST: MR AS 11] [REVIEW: AT CR4 MI SH SM] | A | 8040 | | AS | 01-JUL-93 |
| | MIL-PRF-9117E | ADHESIVE; SEALING, FOR AROMATIC FUEL CELLS AND GENERAL REPAIR[CUST: MR AS 99] [REVIEW: 11 AR MC MD SH] | A | 8040 | | 84 | 31-DEC-96 |
| | ASTM-C557 | ADHESIVES FOR FASTENING GYPSUM WALLBOARD TO WOOD FRAMING[CUST: YD 99 IS] | A | 8040 | | IS | 15-DEC-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D3166 | ADHESIVES IN SHEAR BY TENSION LOADING (METAL/METAL), FATIGUE PROPERTIES OF[CUST: MR AS 99] [REVIEW: 11 84 CR4 GL MI SH] | A | 8040 | | MR | 15-JUL-93 |
| | ASTM-D4562 | ADHESIVES USING PIN-AND-COLLAR SPECIMEN, SHEAR STRENGTH OF[CUST: MR AS] [REVIEW: CR4 MD] | A | 8030 | | MR | 31-AUG-90 |
| | ASTM-D1488 | ADHESIVES, AMYLACEOUS MATTER IN[CUST: MR SH 11] | A | 8040 | | MR | 10-MAR-00 |
| | ASTM-D1489 | ADHESIVES, AQUEOUS, NONVOLATILE CONTENT OF[CUST: MR AS 99] | A | 8040 | | MR | 10-NOV-97 |
| | ASTM-D1781 | ADHESIVES, CLIMBING DRUM PEEL FOR[CUST: MR SH 11] | A | 8040 | | MR | 15-JAN-93 |
| M | A-A-1936A NOT 3 | ADHESIVES, CONTACT, NEOPRENE RUBBER[CUST: 99] [REVIEW: 84 MI YD] | A | 8040 | * | FSS | 23-JAN-06 |
| | A-A-3097 NOT 2 | ADHESIVES, CYANOACRYLATE, RAPID ROOM TEMPERATURE-CURING, SOLVENTLESS | A | 8040 | # | FSS | 07-FEB-00 |
| | ASTM-D4339 | ADHESIVES, DETERMINATION OF THE ODOR OF[CUST: MR SH 11] [REVIEW: AS CR4] | A | 8040 | | MR | 15-MAR-95 |
| | ASTM-D3482 | ADHESIVES, DETERMINING ELECTROLYTIC CORROSION OF COPPER BY[CUST: MR AS 99] [REVIEW: 11 84 CR4 MI SH] | A | 8040 | | MR | 30-MAR-90 |
| | ASTM-D4317 | ADHESIVES, EMULSION, POLYVINYL ACETATE-BASED[CUST: MR AS 99] [REVIEW: 11 84 AR AT CR4 OS YD] | A | 8040 | | MR | 10-APR-98 |
| | A-A-50272 | ADHESIVES, EPOXY[CUST: AR SH] [REVIEW: AS CR CR4] | A | 8040 | / | AR | 28-OCT-97 |
| | QPL-3316-75 | ADHESIVES, FIRE-RESISTANT, THERMAL INSULATION | A | 8040 | | SH | 30-MAY-03 |
| | MIL-A-3316C(2) | ADHESIVES, FIRE-RESISTANT, THERMAL INSULATION[CUST: MR SH] [REVIEW: AS CG OS YD] | A | 8040 | | SH | 23-AUG-90 |
| | MMM-A-132B NOT 2 | ADHESIVES, HEAT RESISTANT, AIRFRAME STRUCTURAL, METAL TO METAL[CUST: MR AS 11] [REVIEW: AR CR4 MC MI NA OS] | A | 8040 | / | AS | 14-FEB-05 |
| | QPL-MMM-A-132-10(4) NOT 2 | ADHESIVES, HEAT RESISTANT, AIRFRAME STRUCTURAL; METAL TO METAL | A | 8040 | / | AS | 14-FEB-05 |
| | ASTM-D1875 | ADHESIVES, IN FLUID FORM, DENSITY OF[CUST: MR AS 11] [REVIEW: 99 CR4 GL MI SH] | A | 8040 | | MR | 30-NOV-93 |
| | ASTM-D906 | ADHESIVES, IN PLYWOOD TYPE CONSTRUCTION IN SHEAR BY TENSION LOADING, STRENGTH PROPERTIES OF[CUST: MR SH 11] [REVIEW: 99 AR AS CR4 GL IS MI OS SA] | A | 8040 | | MR | 10-APR-98 |
| | ASTM-D1338 | ADHESIVES, LIQUID OR PASTE BY CONSISTENCY AND BOND STRENGTH, WORKING LIFE OF[CUST: MR OS 11] | A | 8040 | | 11 | 03-OCT-94 |
| | ASTM-D1780 | ADHESIVES, METAL TO METAL, CONDUCTING CREEP TESTS OF[CUST: MR SH 11] [REVIEW: 99 AR AS CR4 GL IS MI OS SA] | A | 8040 | | MR | 22-JUN-90 |
| | ASTM-D1876 | ADHESIVES, PEEL RESISTANCE OF, (T-PEEL TEST)[CUST: MR AS 11] [REVIEW: 84 CR4 GL MI SH] | A | 8010 | | MR | 15-JAN-93 |
| | MMM-A-181D | ADHESIVES, PHENOL, RESORCINOL OR MELAMINE BASE[CUST: MR YD 99] [REVIEW: AS CR DS GL MC MD MI OS SH] | A | 8040 | / | MR | 02-AUG-89 |
| | ASTM-D1084 | ADHESIVES, VISCOSITY OF[CUST: MR SH 11] [REVIEW: AR AS CR4 GL IS MI OS SA] | A | 8040 | | MR | 26-AUG-88 |
| | ASTM-D4500 | ADHESIVES, WATER-BORNE, DETERMINING GRIT, LUMPS, OR UNDISSOLVED MATTER IN[CUST: MR SH 11] [REVIEW: AS AV CR4] | A | 8040 | | MR | 15-MAR-95 |
| | MIL-A-46146B(3) | ADHESIVES-SEALANTS, SILICONE, RTV, NONCORROSIVE (FOR USE WITH SENSITIVE METALS AND EQUIPMENT)[CUST: MR AS 11] [REVIEW: 99 AR AT CE CR4 EA MI OS SH SM YD] | A | 8040 | | AS | 28-OCT-92 |
| | MIL-HDBK-725 NOT 1 | ADHESIVES: A GUIDE TO THEIR PROPERTIES AND USES AS DESCRIBED BY FEDERAL AND MILITARY SPECIFICATIONS[CUST: MR AS 99] [REVIEW: 11 84 AT CR4 GL MC MI OS SA SH YD] | A | 8040 | | MR | 29-MAR-91 |
| | GGG-A-145A | ADJUSTING TOOL, BRAKE SHOE (SPOON TYPE)[CUST: GL SH 99] [REVIEW: MC YD] | A | 5120 | * | GL | 06-AUG-65 |
| | A-A-2538 NOT 2 | ADJUSTING TOOL, VALVE TAPPET | A | 5120 | # | FSS | 04-SEP-02 |
| | MIL-HDBK-1034 | ADMINISTRATIVE FACILITIES[CUST: YD] | A | FACR | | YD | 30-OCT-87 |
| | STANAG-4082 ED.2 | ADOPTION OF A STANDARD ARTILLERY COMPUTER METEOROLOGICAL MESSAGE | C | ISDA | | AI | 26-APR-00 |
| | STANAG-4044 ED.2(1) | ADOPTION OF A STANDARD ATMOSPHERE (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 10-APR-69 |
| | STANAG-4061 ED.4 | ADOPTION OF A STANDARD BALLISTIC METEOROLOGICAL MESSAGE | C | ISDN | | NI | 03-OCT-00 |
| | STANAG-4119 ED.1(3) | ADOPTION OF A STANDARD CANNON ARTILLERY FIRING TABLE FORMAT | C | ISDA | | AI | 27-MAY-94 |
| | QSTAG-220 ED.2 | ADOPTION OF A STANDARD CANNON ARTILLERY FIRING TABLE FORMAT[CUST: AI] | C | ISDA | | AI | 08-DEC-81 |
| | STANAG-4131 ED.2(2) | ADOPTION OF A STANDARD CHARACTER-BY-CHARACTER METEOROLOGICAL MESSAGE FORMAT (INCLUDING AMENDMENT 2) | C | ISDN | | NI | 17-APR-90 |
| | STANAG-4140 ED.2 | ADOPTION OF A STANDARD TARGET ACQUISITION METEOROLOGICAL MESSAGE | C | ISDA | | AI | 28-MAY-01 |
| | ASTM-F726 | ADSORBENTS, TESTING SORBENT PERFORMANCE OF, STANDARD METHOD OF[CUST: GL YD 99] [REVIEW: 84 AS CE GS] | A | 9330 | | YD | 10-FEB-99 |
| | MIL-HDBK-29612/5 | ADVANCED DISTRIBUTED LEARNING (ADL) PRODUCTS AND SYSTEMS (PART 5 OF 5 PARTS)[CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM] | A | SESS | | AS | 31-AUG-01 |
| | FIPS-PUB-197 | ADVANCED ENCRYPTION STANDARD (AES) | A | IPSC | | DC3 | 01-NOV-01 |
| | MIL-STD-3015 NOT 1 | ADVANCED EXTREMELY HIGH FREQUENCY (AEHF) EXTENDED DATA RATE (XDR) UPLINKS AND DOWNLINKS (U)[CUST: CR EC 02 NS] [REVIEW: 11 13 93 AC CG DC5 IR MC MI NC OM SE US] | A | TCSS | | DC1 | 02-MAR-05 |
| | DI-MISC-80842 | ADVERSARY MISSION ANALYSIS [AMSC: F4733] | A | MISC | | 10 | 05-JUN-89 |
| | DI-EMCS-80219 | ADVERSE TEMPEST IMPACT STATEMENT [AMSC: F3924] | A | EMCS | | 33 | 05-AUG-86 |
| | QSTAG-1036 ED.1 | AERIAL RECOVERY EQUIPMENT AND TECHNIQUES FOR HELICOPTERS[CUST: AI] | C | ISDA | | AI | 08-MAR-94 |
| | STANAG-2970 ED.2(2) | AERIAL RECOVERY EQUIPMENT AND TECHNIQUES FOR HELICOPTERS | C | ISDA | | AI | 29-SEP-92 |
| | STANAG-3447 ED.3(4) | AERIAL REFUELING EQUIPMENT DIMENSIONAL AND FUNCTIONAL CHARACTERISTICS | C | ISDF | | 06 | 25-SEP-90 |
| | MIL-HDBK-1197 | AERO-ACOUSTICS TEST PROGRAMS[CUST: YD] | A | FACR | | YD | 11-MAR-88 |
| | AIR-STD-90/31 | AERODROME CLEARANCE PLANES | C | ISDF | | 06 | 24-AUG-94 |
| | AIR-STD-90/23 | AERODROME ILLUMINATED MARKERS AND SIGNS | C | ISDF | | 06 | 06-JAN-98 |
| | AIR-STD-90/27 | AERODROME LIGHTING | C | ISDF | | 06 | 14-SEP-94 |
| | AIR-STD-90/28 | AERODROME PAVEMENT MARKINGS | C | ISDF | | 06 | 16-JAN-97 |
| | AIAA-S017 | AERODYNAMIC DECELARATOR AND PARACHUTE DRAWINGS, STANDARD FOR[CUST: GL OS 16] [REVIEW: 11 AR AS GS] | A | DRPR | | GL | 03-JAN-92 |
| | ADV-PUB-61/102/9 | AEROMEDICAL ASPECTS OF AIRCRAFT ACCIDENT/INCIDENT INVESTIGATIONS | C | ISDF | | 06 | 11-SEP-84 |
| | STANAG-3318 ED.5 | AEROMEDICAL ASPECTS OF AIRCRAFT ACCIDENTS/INCIDENT INVESTIGATION | C | ISDF | | 06 | 23-JUL-02 |
| | AIR-STD-61/115/19 | AEROMEDICAL EVACUATION | C | ISDF | | 06 | 19-OCT-95 |
| | STANAG-3204 ED.6 | AEROMEDICAL EVACUATION | C | ISDF | | 06 | 15-JUL-99 |
| | ADV-PUB-61/102/17 | AEROMEDICAL STANDARDS AND TEST METHODS FOR FIXED WING TRANSPORT AIRCRAFT SEATING AND RESTRAINT | C | ISDF | | 06 | 11-JUN-98 |
| | STANAG-3497 ED.2(1) | AEROMEDICAL TRAINING OF AIRCREW IN AIRCREW NBC EQUIPMENT AND PROCEDURES | C | ISDF | | 06 | 26-JAN-94 |
| | STANAG-3114 ED.7 | AEROMEDICAL TRAINING OF FLIGHT PERSONNEL | C | ISDF | | 06 | 22-MAY-03 |
| | STANAG-3052 ED.5 | AERONAUTICAL BRIEFING FACILITIES | C | ISDF | | 06 | 14-FEB-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-3412 ED.6 | AERONAUTICAL INFORMATION ON AERONAUTICAL CHARTS | C | ISDF | | 06 | 20-MAY-03 |
| | QSTAG-1146 ED.1 | AERONAUTICAL INFORMATION ON AERONAUTICAL CHARTS[CUST: AI] | C | ISDA | | AI | 17-DEC-96 |
| | ASTM-D3064 | AEROSOL PRODUCTS[CUST: EA SH 68] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 24-NOV-89 |
| | ASTM-D3065 | AEROSOL PRODUCTS, FLAMMABILITY OF[CUST: EA SH 68] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 10-FEB-01 |
| | SAE-AIR1351 | AEROSPACE ELECTRICAL AND ELECTRONIC WIRING DEVICES AND ACCESSORIES, MANUFACTURERS' IDENTIFICATION OF[CUST: CR AS 11 CC] | A | 7510 | | CC | 24-AUG-92 |
| | SAE-ARP598 | AEROSPACE MICROSCOPIC SIZING AND COUNTING OF PARTICULATE CONTAMINATION FOR FLUID POWER SYSTEMS[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 1650 | | AS | 30-APR-84 |
| | SAE-AS9100 | AEROSPACE REQUIREMENTS, QUALITY MANAGEMENT SYSTEMS[CUST: AR OS 05] [REVIEW: 08 10 11 13 19 99 AS AV CC CM CR DH EC GL PT SA SH TD] | A | QCIC | | 05 | 01-MAR-02 |
| | AGA-XR0104 | AGA PLASTIC PIPE MANUAL FOR GAS SERVICE[CUST: YD] | A | FACR | | YD | 27-JUL-04 |
| | ASTM-F895 | AGAR DIFFUSION CELL CULTURE SCREENING FOR CYTOTOXICITY[CUST: MD MS 03] | A | 6515 | | MB | 28-SEP-84 |
| | ASTM-A710/A710M | AGE-HARDENING LOW-CARBON NICKEL-COPPER - CHROMIUM - MOLYBDENUM - COLUMBIUM ALLOY STRUCTURAL STEEL PLATES[CUST: CR4 SH 99] | A | 9640 | | CR4 | 10-SEP-95 |
| | ASTM-E543 | AGENCIES, PERFORMING,NONDESTRUCTIVE TESTING[CUST: MR YD 99] | A | NDTI | | YD | 03-OCT-94 |
| | ASTM-C796 | AGENTS, FOAMING, FOR USE IN PRODUCING CELLULAR CONCRETE USING PREFORMED FOAM[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 5680 | | IS | 27-NOV-87 |
| | ASTM-C131 | AGGREGATE, COARSE, RESISTANCE TO DEGRADATION OF SMALL-SIZE BY ABRASION AND IMPACT IN THE LOS ANGELES MACHINE[CUST: YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 15-JUN-89 |
| | ASTM-D693 | AGGREGATE, CRUSHED, FOR MACADAM PAVEMENTS[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 27-APR-84 |
| | ASTM-C87 | AGGREGATE, FINE, EFFECT OF ORGANIC IMPURITIES IN, ON STRENGTH OF MORTAR, STANDARD TEST METHOD FOR[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 28-OCT-83 |
| | ASTM-D1073 | AGGREGATE, FINE, FOR BITUMINOUS PAVING MIXTURES[CUST: YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 31-JAN-89 |
| | ASTM-C535 | AGGREGATE, LARGE SIZE COARSE, RESISTANCE TO DEGRADATION OF, BY ABRASION AND IMPACT IN THE LOS ANGELES MACHINE, STANDARD TEST METHOD FOR[CUST: YD IS] [REVIEW: 99 CE MC] | A | 5610 | | IS | 09-OCT-89 |
| | ASTM-C566 | AGGREGATE, TOTAL EVAPORABLE MOISTURE CONTENT OF, BY DRYING, STANDARD TEST METHOD FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 10-JAN-97 |
| | ASTM-C289 | AGGREGATES (CHEMICAL METHOD), POTENTIAL ALKALI-SILICA REACTIVITY OF[CUST: CR4 YD IS] [REVIEW: 99 CE MC] | A | 5610 | | IS | 12-APR-88 |
| | AASHTO-T103 | AGGREGATES BY FREEZING AND THAWING, SOUNDNESS OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D75 | AGGREGATES SAMPLING[CUST: YD 99 IS] | A | 5610 | | IS | 10-OCT-97 |
| | ASTM-C136 | AGGREGATES, FINE AND COARSE, SIEVE ANALYSIS OF[CUST: CE YD IS] | A | 5610 | | IS | 15-SEP-93 |
| | ASTM-C330 | AGGREGATES, LIGHTWEIGHT, FOR STRUCTURAL CONCRETE[CUST: CR4 YD 99 IS] [REVIEW: SH] | A | 5610 | | IS | 02-FEB-90 |
| | ACI221R | AGGREGATES. NORMAL WEIGHT IN CONCRETE, GUIDE FOR USE OF[CUST: YD IS] | A | 5610 | | IS | 05-FEB-91 |
| | INFO-PUB-61/115/21 | AGREEMENT TO EXCHANGE AIRCREW MEDICAL STANDARDS BETWEEN ASCC MEMBERS | C | ISDF | | 06 | 12-JUL-99 |
| | MIL-A-14641B NOT 5 | AIGUILLETTE, AF COMMAND BANDS[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-A-13338E(1) NOT 1 | AIMING CIRCLE: M2 AND M2A2[CUST: AR] | A | 1290 | | AR | 24-OCT-88 |
| | MIL-PRF-49434A(1) | AIMING LIGHT, INFRARED, AN/PAQ-4C[CUST: CR] | A | 5855 | | CR | 26-JUN-00 |
| | ASTM-D3249 | AIR ANALYZER PROCEDURES, GENERAL AMBIENT[CUST: EA SH 68] [REVIEW: CR4 MD] | A | 6810 | | GS3 | 29-JUN-90 |
| | SAE-J844 | AIR BRAKE SYSTEM TUBING, NONMETALLIC[CUST: AT 99] [REVIEW: CR4] | A | 4720 | | CC | OCT-90 |
| | MIL-DTL-62337B NOT 1 | AIR CLEANER ASSEMBLY[CUST: AT] | A | 2940 | | AT | 12-APR-04 |
| | SAE-J726 | AIR CLEANER TEST CODE[CUST: AT SH 99] | A | 2940 | | CC | 14-JUN-93 |
| | MIL-PRF-62565B NOT 1 | AIR CLEANER, ENGINE[CUST: AT] | A | 2940 | | AT | 20-APR-04 |
| | MIL-PRF-62048C NOT 1 | AIR CLEANERS, AUTOMOTIVE: HEAVY DUTY, DRY-TYPE (FOR INTERNAL COMBUSTION ENGINES) (METRIC)[CUST: AT CC] | A | 2940 | | AT | 15-APR-04 |
| | UL867 | AIR CLEANERS, ELECTROSTATIC, SAFETY, STANDARD FOR[CUST: YD] | A | 4460 | | CC | 11-JUN-92 |
| | MIL-HDBK-144 | AIR CLEANING FOR CHEMICAL DEMILITARIZATION, ENGINERING DESIGN HANDBOOK[CUST: EA 99] | A | 4240 | | EA | 15-DEC-78 |
| | API-STD-672 | AIR COMPRESSORS FOR GENERAL REFINERY SERVICE, INTEGRALLY GEARED CENTRIFUGAL, PACKAGED[CUST: YD] | A | 4310 | | YD | 01-MAR-91 |
| | A-A-50502 | AIR CONDITIONER, (UNITARY HEAT PUMP), AIR TO AIR (3,000 TO 300,000 BTU)[CUST: YD] [REVIEW: CE GS] | A | 4120 | / | IS | 29-NOV-90 |
| | MIL-PRF-23798D | AIR CONDITIONER, FAN-COIL ASSEMBLY[CUST: SH] | A | 4120 | | SH | 13-DEC-04 |
| | MIL-A-19865C | AIR CONDITIONER, MECHANICALLY REFRIGERATED[CUST: SH] | A | 4120 | | SH | 20-MAR-90 |
| | A-A-55436 NOT 1 | AIR CONDITIONERS, DOUBLE HUNG WINDOW MOUNT[CUST: CR4 YD 99 IS] | A | 4120 | / | IS | 27-MAY-05 |
| | UL484 | AIR CONDITIONERS, ROOM[CUST: CR4 YD 99] | A | 4120 | | IS | 27-APR-93 |
| | NFPA90A | AIR CONDITIONING AND VENTILATING SYSTEMS[CUST: CR4 YD 99] | A | 4120 | | IS | 12-FEB-93 |
| | STANAG-3208 ED.5(4) | AIR CONDITIONING CONNECTIONS | C | ISDF | | 06 | 07-OCT-98 |
| | STANAG-3917 ED.2(4) | AIR CONDITIONING CONNECTIONS, GROUND HALF CONNECTORS | C | ISDF | | 06 | 18-JUN-84 |
| | MIL-PRF-24775A | AIR CONDITIONING FAN COIL UNITS, HORIZONTAL AND VERTICAL TYPES, NAVAL SHIPBOARD[CUST: SH] | A | 4120 | | SH | 31-JAN-05 |
| | A-A-59506 | AIR CONDITIONING UNIT, DIESEL ENGINE DRIVEN, TRAILER MOUNTED[CUST: AV SH 99] | A | 4120 | / | 84 | 02-JUL-04 |
| | A-A-59501 | AIR CONDITIONING UNIT, ELECTRIC DRIVEN, TRAILER MOUNTED[CUST: AV SH 99] | A | 4120 | / | 84 | 02-JUL-04 |
| | ASTM-C231 | AIR CONTENT OF FRESHLY MIXED CONCRETE BY THE PRESSURE METHOD[CUST: CR4 YD IS] [REVIEW: SH] | A | 5610 | | IS | 15-NOV-91 |
| | ASTM-C173/C173M | AIR CONTENT OF FRESHLY MIXED CONCRETE BY THE VOLUMETRIC METHOD[CUST: CR4 YD IS] | A | 5610 | | IS | 15-APR-94 |
| | STANAG-3993 ED.2(1) | AIR CONTROL TERMS AND DEFINITIONS | C | ISDF | | 06 | 20-DEC-94 |
| | NFPA91 | AIR CONVEYING OF MATERIALS, EXHAUST SYSTEMS FOR[CUST: GL YD 99] | A | 4140 | | IS | 10-FEB-92 |
| | ASHRAE25 | AIR COOLERS FOR REFRIGERATION, FORCED CONVECTION AND NATURAL CONVECTION, METHODS OF TESTING[CUST: GL SH 99] | A | 4110 | | GL | 09-JUN-90 |
| | AMCA220 | AIR CURTAIN UNITS TEST METHODS FOR[CUST: CR4 YD] [REVIEW: CE GS] | A | 4140 | | IS | 22-APR-91 |
| | NSF37 | AIR CURTAINS FOR ENTRANCEWAYS IN FOOD SERVICE ESTABLISHMENTS[CUST: GL YD 04] | A | FACR | | GL | JUL-70 |
| | QAP-168 ED.1 | AIR DEFENCE COMMAND AND INFORMATION SYSTEMS (AD CIS) | C | ISDA | | AI | 30-APR-96 |
| | QAP-218 ED.1(2) | AIR DEFENCE RULES OF ENGAGEMENT (INCLUDES AMENDMENT 2) | C | ISDA | | AI | 12-APR-99 |
| | QAP-209 ED.1 | AIR DEFENCE STAFF PLANNING DATA | C | ISDA | | AI | 13-MAR-98 |
| | QSTAG-1055 ED.1 | AIR DEFENSE TERMS AND DEFINITIONS[CUST: AI] | C | ISDA | | AI | 17-DEC-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | INFO-PUB-45/15(2) | AIR DROP RESCUE EQUIPMENT AND MARKERS | C | ISDF | | 06 | 13-NOV-01 |
| | UL181 | AIR DUCTS AND AIR CONNECTORS, FACTORY-MADE[CUST: YD 99] [REVIEW: 84 CE GS MC] | A | 4130 | | IS | 04-APR-96 |
| | SAE-AS5017 | AIR FILLING VALVES[CUST: SM AS 11] [REVIEW: 70 71 84 99 AR AT MI SA] | A | 8145 | | 11 | MAR-97 |
| | UL900 | AIR FILTER UNITS[CUST: CR4 YD 99] [REVIEW: 84] | A | 4130 | | IS | 28-NOV-94 |
| | ANA-BUL-431A NOT 1 | AIR FORCE-NAVY AERONAUTICAL BULLETIN FITTINGS, FLARED, CLASSIFICATION OF DEFECTS OF[CUST: AS 99] | A | 4730 | | 71 | 31-OCT-89 |
| | STANAG-7166 ED.1 | AIR FORCES LOGISTICS DOCTRINE AND PROCEDURES ALP-4.3 (ALP-13) | C | ISDF | | 06 | 16-SEP-02 |
| | ASME-A112.1.2 | AIR GAPS IN PLUMBING SYSTEMS[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ARI430 | AIR HANDLING UNIT, CENTRAL STATION[CUST: CR4 YD 99] [REVIEW: CE GS] | A | 4130 | | IS | 1999 |
| | NFPA90B | AIR HEATING AND AIR CONDITIONING SYSTEMS, WARM[CUST: CR4 YD 99] | A | 4120 | | IS | 12-FEB-93 |
| | STANAG-3884 ED.1(4) | AIR IMAGERY INTERPRETATION ANNOTATION | C | ISDF | | 06 | 13-MAR-81 |
| A | SAE-ARP743 | AIR IN DUST CONTROLLED SPACES BY THE PARTICLE COUNT METHOD, PROCEDURE FOR THE DETERMINATION OF PARTICULATE CONTAMINATION OF[CUST: AV AS 99] [REVIEW: 71 GS] | A | 1650 | | AS | 15-JUL-66 |
| | ATP-27C | AIR INTERDICTION AND CLOSE AIR SUPPORT | C | ISDA | | AI | 30-JUN-99 |
| | STANAG-3736 ED.9 | AIR INTERDICTION AND CLOSE AIR SUPPORT - ATP-27(C) (AJP-3.3.2) | C | ISDF | | 06 | 05-OCT-99 |
| | EIA364.02 | AIR LEAKAGE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | STANAG-3775 ED.3(4) | AIR MOVEMENT AND IN-TRANSIT STORAGE OF CARGO REQUIRING CONTROLLED TEMPERATURE CONDITIONS | C | ISDF | | 06 | 30-OCT-87 |
| | AIR-STD-80/8 | AIR RECONNAISSANCE INTELLIGENCE REPORT FORMS | C | ISDF | | 06 | 27-MAR-92 |
| | STANAG-3377 ED.6 | AIR RECONNAISSANCE INTELLIGENCE REPORT FORMS | C | ISDF | | 06 | 12-NOV-02 |
| | AIR-STD-80/13 | AIR RECONNAISSANCE INTELLIGENCE REPORTING NOMENCLATURE | C | ISDF | | 06 | 27-MAR-92 |
| | ATP-26A(1) | AIR RECONNAISSANCE INTELLIGENCE REPORTING NOMENCLATURE (INCLUDES CHANGE 1) | C | ISDA | | AI | 01-JAN-48 |
| | AIR-STD-80/10 | AIR RECONNAISSANCE REQUEST/TASK FORM | C | ISDF | | 06 | 27-MAR-92 |
| | STANAG-3277 ED.7 | AIR RECONNAISSANCE REQUEST/TASK FORM | C | ISDF | | 06 | 17-MAR-97 |
| | STANAG-3596 ED.4(7) | AIR RECONNAISSANCE REQUESTING AND TARGET REPORTING GUIDE | C | ISDF | | 06 | 21-APR-80 |
| | MIL-A-19736A(2) | AIR REFUELING SYSTEMS, GENERAL SPECIFICATION FOR[CUST: AV AS] [REVIEW: 99 GS] | A | 1680 | | AS | 16-MAR-66 |
| | AIR-STD-25/15C(1) | AIR SUPPLY AND TEST CONNECTIONS | C | ISDF | | 06 | 23-AUG-95 |
| | ANSI-C37.32 | AIR SWITCHES, BUS SUPPORTS, AND SWITCH ACCESSORIES, AMERICAN NATIONAL STANDARD SCHEDULES OF PREFERRED RATINGS, MANUFACTURING SPECIFICATIONS AND APPLICATION GUIDE FOR HIGH VOLTAGE[CUST: CR4 YD 99] [REVIEW: 71 CR GS] | A | 6110 | | YD | 30-NOV-84 |
| | JSSG-2000B | AIR SYSTEM[CUST: AV AS 11] | A | 15GP | | 11 | 21-SEP-04 |
| | MIL-A-89400 | AIR TARGET CHART - SERIES 200 (ATC-200)[CUST: MP] | A | GINT | | MP | 31-JAN-95 |
| | AIR-STD-45/24(1) | AIR TASKING ORDER (ATO) CONTENT | C | ISDF | | 06 | 02-OCT-01 |
| | ARI880 | AIR TERMINALS[CUST: CR4 YD 99] | A | 4130 | | IS | 03-OCT-94 |
| | ATP-56A(1) | AIR TO AIR REFUELLING | C | ISDA | | AI | 01-FEB-99 |
| | MIL-A-49067A | AIR TRAFFIC CONTROL CENTRAL AN/TSW-7A[CUST: CR] [REVIEW: AV] | A | 5895 | | CR | 30-MAR-84 |
| | STANAG-7025 ED.2(1) | AIR TRAFFIC MANAGEMENT AND CONTROL OF MINIMUM OPERATING STRIPS (MOS) OPERATIONS | C | ISDF | | 06 | 05-MAY-95 |
| | INFO-PUB-44/67 | AIR TRANSPORT AND AIR REFUELLING CREW DUTY/REST LIMITATIONS | C | ISDF | | 06 | 26-AUG-98 |
| | STANAG-3770 ED.2(3) | AIR TRANSPORT BAGGAGE TAGS | C | ISDF | | 06 | 27-MAY-86 |
| | AIR-STD-44/43C NOT 1 | AIR TRANSPORT BAGGAGE TAGS | C | ISDF | | 06 | 29-SEP-92 |
| | STANAG-3543 ED.4 | AIR TRANSPORT CARGO/PASSENGER HANDLING SYSTEMS - REQUEST FOR INFORMATION | C | ISDF | | 06 | 13-NOV-01 |
| | DI-PACK-80932 | AIR TRANSPORTABILITY REPORT [AMSC: N4875] | A | PACK | | SA | 26-JAN-90 |
| | JSSG-2001B | AIR VEHICLE[CUST: AV AS 11] | A | 15GP | | AS | 30-APR-04 |
| | JSSG-2009 | AIR VEHICLE SUBSYSTEMS[CUST: AV AS 11] [REVIEW: 68 99 AM AR CH EC MI] | A | 15GP | | 11 | 30-OCT-98 |
| | STANAG-3783 ED.3 | AIR WEAPONS RANGES - IDENTIFICATION OF CONTROL INSTALLATIONS AND SPECTATOR SITES DURING DAYLIGHT OPERATIONS | C | ISDF | | 06 | 01-JUN-94 |
| | CGA-G7.1 | AIR, COMMODITY SPECIFICATION FOR[CUST: CR4 YD 68] [REVIEW: GS] | A | 6830 | | YD | 1989 |
| | ASHRAE52 | AIR-CLEANING DEVICES USED IN GENERAL VENTILATION FOR REMOVING PARTICULATE MATTER[CUST: AV YD] | A | 4130 | | YD | 02-JUN-88 |
| | ASHRAE52.1 | AIR-CLEANING DEVICES USED IN GENERAL VENTILATION FOR REMOVING PARTICULATE MATTER, GRAVIMETRIC AND DUST-SPOT PROCEDURES FOR TESTING[CUST: CR4 YD 99] [REVIEW: CC CE GS] | A | 4130 | | IS | 25-JAN-92 |
| | ARI500 | AIR-CONDITIONERS AND HEAT PUMP APPLICATIONS, UNITS FOR, VARIABLE CAPACITY POSITIVE DISPLACEMENT REFRIGERANT COMPRESSORS AND COMPRESSOR[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | ARI310/380 | AIR-CONDITIONERS AND HEAT PUMPS, PACKAGED TERMINAL[CUST: CR4 YD 99] | A | 4120 | | IS | OCT-93 |
| | ASTM-C233 | AIR-ENTRAINING ADMIXTURES FOR CONCRETE[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 15-SEP-93 |
| | STANAG-4432 ED.1 | AIR-LAUNCHED GUIDED MUNITIONS: PRINCIPLES FOR SAFE DESIGN | C | ISDA | | AI | 24-JAN-00 |
| | STANAG-4325 ED.2 | AIR-LAUNCHED MUNITIONS SAFETY AND SUITABILITY FOR SERVICE EVALUATION | C | ISDA | | AI | 22-AUG-02 |
| | STANAG-3971 ED.4(1) | AIR-TO-AIR REFUELLING - ATP-56(A) | C | ISDF | | 06 | PENDING |
| | MIL-STD-740B NOT 1 | AIRBORNE AND STRUCTUREBORNE NOISE MEASUREMENTS AND ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT[Military Standard][CUST: AV SH] [REVIEW: EC MI] | A | HFAC | | SH | 22-JUN-65 |
| | QSTAG-706 | AIRBORNE COMMUNICATIONS RADIO SET, VHF-AM/FM[CUST: AI] | C | ISDA | | AI | 29-OCT-85 |
| | INFO-PUB-70/20B | AIRBORNE GPS EQUIPMENT | C | ISDF | | 06 | 04-SEP-01 |
| | DI-HFAC-81204 | AIRBORNE NOISE ANALYSIS REPORT [AMSC: N6129] | A | HFAC | | SH | 03-MAY-91 |
| | DI-HFAC-81278 | AIRBORNE NOISE CONTROL/DESIGN HISTORY BOOKLET [AMSC: N6769] | A | HFAC | | SH | 28-JUL-92 |
| | MIL-STD-740-1 | AIRBORNE SOUND MEASUREMENTS AND ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT [Military Standard][CUST: SH] | A | HFAC | | SH | 30-DEC-86 |
| | IEEE85 | AIRBORNE SOUND MEASUREMENTS ON ROTATING ELECTRIC MACHINERY[CUST: CR4 YD 99] [REVIEW: GS SH] | A | HFAC | | YD | 12-DEC-72 |
| | AIR-STD-20/21C(1) | AIRBORNE STORES GROUND FIT AND COMPATIBILITY CRITERIA | C | ISDF | | 06 | 21-APR-99 |
| | MIL-STD-1289D(1) | AIRBORNE STORES, GROUND FIT AND COMPATIBILITY REQUIREMENTS[Standard Practice][CUST: AV AS 22] [REVIEW: 11 99 MI] | A | SESS | | 22 | 23-APR-04 |
| A | MIL-STD-8591 | AIRBORNE STORES, SUSPENSION EQUIPMENT AND AIRCRAFT-STORE INTERFACE (CARRIAGE PHASE)[Design Criteria Standard][CUST: AV AS 11] [REVIEW: 19 22 99] | A | 15GP | | AS | 12-DEC-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ICEA-S85.625 | AIRCORE, POLYOLEFIN INSULATED, COPPER CONDUCTOR TELECOMMUNICATIONS CABLE[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| A | SAWE-RP8 | AIRCRAFT (INCLUDING ROTORCRAFT), WEIGHT AND BALANCE DATA REPORTING FORMS FOR[CUST: AV AS 11] | A | 15GP | | AS | 18-JUL-05 |
| | ISO46 | AIRCRAFT - FUEL NOZZLE GROUNDING PLUGS AND SOCKETS[CUST: AV AS 11] [REVIEW: GS] | A | 2915 | | 11 | 01-JUN-73 |
| | STANAG-3632 ED.5 | AIRCRAFT AND GROUND SUPPORT EQUIPMENT ELECTRICAL CONNECTIONS FOR STATIC GROUNDING | C | ISDF | | 06 | 11-FEB-97 |
| | INFO-PUB-90/32 | AIRCRAFT ARRESTING SYSTEMS DESIGN CRITERIA | C | ISDF | | 06 | 06-MAR-96 |
| | AIR-STD-90/4(1) | AIRCRAFT ARRESTING SYSTEMS INFORMATION FOR FLIPS | C | ISDF | | 06 | 09-NOV-94 |
| | AIR-STD-90/29 | AIRCRAFT ARRESTING SYSTEMS OPERATING PROCEDURES | C | ISDF | | 06 | 24-JAN-96 |
| | STANAG-3315 ED.8(0) | AIRCRAFT CABIN PRESSURIZING TEST CONNECTIONS | C | ISDF | | 06 | 06-OCT-98 |
| | STANAG-3940 ED.2(1) | AIRCRAFT CATHODE RAY TUBE SYSTEMS | C | ISDF | | 06 | 17-DEC-97 |
| | AEP-46 | AIRCRAFT CLASSIFICATION NUMBER (ACN)/PAVEMENT CLASSIFICATION NUMBER (PCN) | C | ISDA | | AI | PENDING |
| | STANAG-7131 ED.1 | AIRCRAFT CLASSIFICATION NUMBER (ACN)/PAVEMENT CLASSIFICATION NUMBER (PCN) - AEP-46 | C | ISDF | | 06 | PENDING |
| | INFO-PUB-90/33 | AIRCRAFT CLASSIFICATION NUMBER SYSTEM | C | ISDF | | 06 | 03-JAN-97 |
| | QSTAG-748(1) | AIRCRAFT COMMUNICATIONS RADIO SET, HF-SSB (INCLUDES AMENDMENT 1)[CUST: AI] | C | ISDA | | AI | 16-SEP-86 |
| | QSTAG-667 ED.1 | AIRCRAFT COMMUNICATIONS RADIO SET, UHF-AM[CUST: AI] | C | ISDA | | AI | 04-SEP-86 |
| | AIR-STD-25/45(1) | AIRCRAFT CROSS SERVICING GUIDES[CUST: 06] | C | ISDF | | 06 | 04-AUG-97 |
| | MIL-DTL-22202D SUP 1 | AIRCRAFT CROSS-SERVICING MANUALS, TECHNICAL, PREPARATION OF[CUST: TM AS 16] | A | TMSS | | AS | 31-MAR-99 |
| | MIL-STD-1787C | AIRCRAFT DISPLAY SYMBOLOGY[Interface Standard][CUST: AV 11] [REVIEW: MI] | D | HFAC | | 11 | 05-JAN-01 |
| | MIL-STD-704F | AIRCRAFT ELECTRIC POWER CHARACTERISTICS[Interface Standard][CUST: AV AS 11] [REVIEW: CR EC MC MI SH TE YD] | A | SESS | | AS | 12-MAR-04 |
| | DI-NUOR-81410 | AIRCRAFT ELECTRICAL COMPATIBILITY DATA (ECD) [AMSC: F7047] | A | NUOR | | 22 | 29-JUL-94 |
| | AEP-24 | AIRCRAFT ELECTRICAL HAZARDS ON THE FLIGHT LINE | C | ISDA | | AI | 31-JAN-98 |
| | STANAG-7009 ED.1(1) | AIRCRAFT ELECTRICAL HAZARDS ON THE FLIGHT LINE - AEP-24 | C | ISDF | | 06 | PENDING |
| | STANAG-3456 ED.6 | AIRCRAFT ELECTRICAL POWER SYSTEM CHARACTERISTICS | C | ISDF | | 06 | 20-OCT-97 |
| | AIR-STD-70/24 | AIRCRAFT ELECTRICAL SYSTEM CHARACTERISTICS | C | ISDF | | 06 | 30-MAR-98 |
| | AIR-STD-44/70(2) | AIRCRAFT EMERGENCY ALARM PROCEDURES | C | ISDF | | 06 | 30-JUL-97 |
| | STANAG-3896 ED.3 | AIRCRAFT EMERGENCY RESCUE INFORMATION (FIRE PROTECTION) | C | ISDF | | 06 | 11-DEC-01 |
| | DI-TMSS-81532 | AIRCRAFT EMERGENCY RESCUE INFORMATION (FIRE PROTECTION) SOURCE DATA [AMSC: F7223] | A | TMSS | | 16 | 24-JAN-97 |
| | STANAG-7139 ED.2 | AIRCRAFT ENGINE CONTROLS, SWITCHES, DISPLAYS, INDICATORS, GAUGES AND ARRANGEMENTS | C | ISDF | | 06 | 27-AUG-01 |
| | SAE-ARP492 | AIRCRAFT ENGINE FUEL PUMP CAVITATION ENDURANCE TEST[CUST: AV AS 99] [REVIEW: GS] | A | 2915 | | AS | OCT-94 |
| | MIL-HDBK-271/103 NOT 1 | AIRCRAFT FASTENER INSTALLATION & REMOVALL METHODS FOR ATTACHED RETENTION ELEMENT (A.R.E.) SELF-LOCKING FLOATING NUT ASSEMBLIES[CUST: AV AS 11 IS] | A | 53GP | | IS | 09-SEP-01 |
| | MIL-HDBK-271/102 NOT 1 | AIRCRAFT FASTENERS INSTALLATION & REMOVAL METHODS FOR MS14218 120 DEG. RIVETS[CUST: AS IS] | A | 5320 | | IS | 27-SEP-01 |
| | MIL-HDBK-271/104 NOT 1 | AIRCRAFT FASTENERS INSTALLATION AND REMOVAL METHODS FOR MIL B 8831 & MIL B 85667 EXPANDABLE STRAIGHT SHANK BOLTS (SLEEVEBOLTS)[CUST: AV AS 11 IS] | A | 53GP | | IS | 09-SEP-01 |
| | MIL-HDBK-271/105 NOT 2 | AIRCRAFT FASTENERS USAGE AND INSTALLATION FOR MIL-S-85069 FASTENER SLEEVES[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 53GP | | IS | 09-SEP-01 |
| | STANAG-3595 ED.4(2) | AIRCRAFT FITTING FOR PRESSURE REPLENISHMENT OF GAS TURBINE ENGINES WITH OIL | C | ISDF | | 06 | 11-DEC-96 |
| | MIL-HDBK-1028/6A | AIRCRAFT FIXED POINT UTILITY SYSTEMS[CUST: YD] | A | FACR | | YD | 31-MAY-96 |
| | STANAG-7140 ED.1 | AIRCRAFT FLIGHT INSTRUMENTS - LAYOUT AND DISPLAY | C | ISDF | | 06 | 15-JUL-99 |
| | STANAG-3294 ED.4(1) | AIRCRAFT FUEL CAPS AND FUEL CAP ACCESS COVERS | C | ISDF | | 06 | 17-FEB-98 |
| | NFPA407 | AIRCRAFT FUEL SERVICING[CUST: CR4 YD 99] [REVIEW: AS CE] | A | 4930 | | IS | 02-FEB-96 |
| | STANAG-7013 ED.2 | AIRCRAFT FUELLING HAZARD ZONES | C | ISDF | | 06 | 28-FEB-01 |
| | SAE-ARP1179 | AIRCRAFT GAS TURBINE ENGINE EXHAUST SMOKE MEASUREMENT[CUST: AV AS 11] [REVIEW: GS] | A | 2840 | | AS | 19-APR-91 |
| | AIR-STD-25/35A(2) | AIRCRAFT GASEOUS AIR/NITROGEN REPLENISHMENT CONNECTIONS | C | ISDF | | 06 | 16-JUN-94 |
| | AIR-STD-25/34A(1) | AIRCRAFT GASEOUS OXYGEN REPLENISHMENT CONNECTIONS | C | ISDF | | 06 | 18-MAY-00 |
| | NFPA409 | AIRCRAFT HANGARS[CUST: CE YD 04] | A | FACR | | YD | 17-AUG-90 |
| | AIR-STD-25/6(1) | AIRCRAFT HYDRAULIC SYSTEM SERVICING | C | ISDF | | 06 | 10-SEP-86 |
| | AIR-STD-61/102/18 | AIRCRAFT INFLATABLE LIFE PRESERVERS: FLOTATION AND RELATED REQUIREMENTS | C | ISDF | | 06 | 05-SEP-75 |
| | AIR-STD-61/113/7D | AIRCRAFT INTERIOR COLOUR SCHEMES | C | ISDF | | 06 | 15-NOV-90 |
| | STANAG-3701 ED.3(2) | AIRCRAFT INTERIOR COLOUR SCHEMES | C | ISDF | | 06 | 31-JUL-92 |
| | DI-ILSS-80379 | AIRCRAFT INVENTORY RECORD (AIR) [AMSC: N4144] | A | SESS | | AS | 23-JUN-87 |
| | STANAG-3098 ED.10(3) | AIRCRAFT JACKING | C | ISDF | | 06 | 28-APR-93 |
| | AIR-STD-25/7(1) | AIRCRAFT JACKING PADS AND CLEARANCES | C | ISDF | | 06 | 11-JUL-95 |
| | ADV-PUB-25/23(1) | AIRCRAFT JACKING REQUIREMENTS | C | ISDF | | 06 | 16-MAY-95 |
| | AIR-STD-25/27B | AIRCRAFT LIQUID OXYGEN REPLENISHMENT CONNECTIONS | C | ISDF | | 06 | 25-SEP-92 |
| | DI-ILSS-80634 | AIRCRAFT LOAD MESSAGE [AMSC: F4469] | A | SESS | | 33 | 29-JUN-88 |
| | STANAG-3625 ED.4(2) | AIRCRAFT LOCKWIRE | C | ISDF | | 06 | 19-DEC-95 |
| | STANAG-3660 ED.2(8) | AIRCRAFT MAIN BATTERY ELECTRIC PLUG | C | ISDF | | 06 | 28-MAR-77 |
| | STANAG-3117 ED.7(1) | AIRCRAFT MARSHALLING SIGNALS | C | ISDF | | 06 | 11-JUN-99 |
| | DI-NUOR-81407 | AIRCRAFT MECHANICAL COMPATIBILITY DATA (MCD) [AMSC: F7044] | A | NUOR | | 22 | 29-JUL-94 |
| | AIR-STD-61/116/9B | AIRCRAFT MOCK-UP INSPECTION TECHNIQUES | C | ISDF | | 06 | 16-NOV-87 |
| | DI-NUOR-81408 | AIRCRAFT MONITOR AND CONTROL (AMAC) DESIGN ANALYSIS REPORT [AMSC: F7045] | A | NUOR | | 22 | 29-JUL-94 |
| | A-A-50742 | AIRCRAFT MOVER, ELECTRICALLY POWERED[CUST: AV AS 99] [REVIEW: GL IS NS] | A | 1740 | / | 84 | 15-OCT-87 |
| | STANAG-3153 ED.8(1) | AIRCRAFT NAVIGATION AND ANTI-COLLISION LIGHTS | C | ISDF | | 06 | 20-OCT-97 |
| | DI-NUOR-81405 | AIRCRAFT NUCLEAR SAFETY ANALYSIS REPORT (NSAR) [AMSC: F7042] | A | NUOR | | 22 | 29-JUL-94 |
| | DI-NUOR-81413 | AIRCRAFT NUCLEAR WEAPON SYSTEM DEFINITION DOCUMENT [AMSC: F7050] | A | NUOR | | 22 | 29-JUL-94 |
| | INFO-PUB-45/19 | AIRCRAFT OPERATIONS USING NIGHT VISION GOGGLES | C | ISDF | | 06 | 13-NOV-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS2300 | AIRCRAFT PREMIUM - QUALITY STEEL CLEANLINESS MAGNETIC PARTICLE INSPECTION PROCEDURE[CUST: MR AS 11 GS2] | A | NDTI | | GS2 | MAY-01 |
| | DI-MISC-81462 | AIRCRAFT PROGRESS REPORT [AMSC: N7116] | A | MISC | | SA | 27-JAN-95 |
| | SAE-ARP755 | AIRCRAFT PROPULSION SYSTEM PERFORMANCE STATION DESIGNATION AND NOMENCLATURE[CUST: AV AS 11] [REVIEW: 99 GS] | A | 2840 | | 11 | OCT-94 |
| | SAE-AMS2303 | AIRCRAFT QUALITY STEEL CLEANLINESS MARTENSITIC CORROSION-RESISTANT STEELS MAGNETIC PARTICLE INSPECTION PROCEDURE[CUST: MR AS 11 GS2] | A | NDTI | | GS2 | 02-JUL-92 |
| | SAE-AMS2301 | AIRCRAFT QUALITY, STEEL CLEANLINESS MAGNETIC PARTICLE INSPECTION PROCEDURE[CUST: MR AS 11 GS2] | A | NDTI | | GS2 | 21-MAR-84 |
| | MIL-HDBK-844A | AIRCRAFT REFUELING HANDBOOK FOR NAVY/MARINE CORPS AIRCRAFT[CUST: AS] | A | 9130 | | AS | 30-DEC-03 |
| | NFPA414 | AIRCRAFT RESCUE AND FIRE FIGHTING VEHICLES[CUST: CR4 YD 99] [REVIEW: 84] | A | 4210 | | IS | 17-AUG-90 |
| | AIR-STD-25/3B(2) | AIRCRAFT SERVICING, HAZARD, AND EMERGENCY MARKINGS | C | ISDF | | 06 | 15-NOV-94 |
| | AIR-STD-20/12H | AIRCRAFT STORE EJECTOR CARTRIDGES | C | ISDF | | 06 | 13-JUN-01 |
| | STANAG-3556 ED.5(1) | AIRCRAFT STORE EJECTOR CARTRIDGES (INCLUDING AMENDMENT 1) | C | ISDF | | 06 | 03-DEC-99 |
| | AIR-STD-20/22C(2) | AIRCRAFT STORE ELECTRICAL INTERCONNECTION SYSTEM | C | ISDF | | 06 | 30-JAN-97 |
| | STANAG-3575 ED.5(2) | AIRCRAFT STORES EJECTOR RACKS | C | ISDF | | 06 | 28-JAN-99 |
| | STANAG-3837 ED.5 | AIRCRAFT STORES ELECTRICAL INTERCONNECTION SYSTEM | C | ISDF | | 06 | 12-JUL-01 |
| | INFO-PUB-20/26B | AIRCRAFT STORES INTERFACE MANUAL | C | ISDF | | 06 | 25-JUL-97 |
| | STANAG-3898 ED.5(1) | AIRCRAFT STORES INTERFACE MANUAL (ASIM) - AOP-12 | C | ISDF | | 06 | PENDING |
| | STANAG-3635 ED.4(3) | AIRCRAFT STORES SUSPENSION UNITS WITH GRAVITY RELEASE CAPABILITY | C | ISDF | | 06 | 22-FEB-96 |
| A | MIL-STD-1530C | AIRCRAFT STRUCTURAL INTEGRITY PROGRAM (ASIP)[Standard Practice][CUST: 11] | A | 15GP | | 11 | 01-NOV-05 |
| | JSSG-2006 | AIRCRAFT STRUCTURES[CUST: AS 11] | A | 15GP | | AS | 30-OCT-98 |
| | MIL-HDBK-2069 | AIRCRAFT SURVIVABILITY[CUST: AV AS 11] | A | 15GP | | AS | 10-APR-97 |
| | MIL-HDBK-2089 | AIRCRAFT SURVIVABILITY TERMS[CUST: AV AS 11] | A | 15GP | | AS | 30-MAY-97 |
| | AIR-STD-25/9A(1) | AIRCRAFT TOWING ATTACHMENTS | C | ISDF | | 06 | 22-MAR-99 |
| | STANAG-3278 ED.8(1) | AIRCRAFT TOWING ATTACHMENTS AND DEVICES | C | ISDF | | 06 | 21-NOV-97 |
| | DI-MISC-81281 | AIRCRAFT TRAINER CRITERIA REPORT [AMSC: N6773] | A | MISC | | SA | 07-AUG-92 |
| | SAE-ARP243 | AIRCRAFT, HYDRAULIC AND PNEUMATIC SYSTEMS, NOMENCLATURE[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 1650 | | AS | 10-JUN-65 |
| A | SAWE-RP7 | AIRCRAFT, MILITARY, MASS PROPERTIES MANAGEMENT AND CONTROL FOR[CUST: AV AS 11] | A | 15GP | | AS | 18-JUL-05 |
| | ASTM-F502 | AIRCRAFT, PAINTED SURFACES, EFFECTS OF CLEANING AND CHEMICAL MAINTENANCE MATERIALS ON[CUST: MR AS 11] [REVIEW: GS] | A | 6850 | | AS | 29-DEC-86 |
| | STANAG-7132 ED.1 | AIRCRAFT, RESCUE AND FIRE-FIGHTING - MINIMUM LEVELS OF CRASH FIRE RESCUE (CFR) EQUIPMENT | C | ISDF | | 06 | 07-NOV-01 |
| | SAE-AS1182 | AIRCRAFT- QUALITY AND PREMIUM AIRCRAFT- QUALITY STEEL BARS AND MECHANICAL TUBING, STANDARD MACHINING ALLOWANCE[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | MIL-STD-1760D | AIRCRAFT/STORE ELECTRICAL INTERCONNECTION SYSTEM[Interface Standard][CUST: AV AS 11] [REVIEW: EC MC OS SH TD] | A | SESS | | 11 | 01-AUG-03 |
| | MIL-HDBK-1760A | AIRCRAFT/STORE ELECTRICAL INTERCONNECTION SYSTEM[CUST: AV AS 11] [REVIEW: 22 EC OS TD] | A | SESS | | 11 | 10-MAR-04 |
| | STANAG-7068 ED.2(1) | AIRCRAFT/STORES CERTIFICATION PROCEDURES | C | ISDF | | 06 | 12-JUL-01 |
| | MIL-HDBK-1763 | AIRCRAFT/STORES COMPATIBILITY: SYSTEMS ENGINEERING DATA REQUIREMENTS AND TEST PROCEDURES[CUST: AV AS 22] [REVIEW: 11 99] | A | MISC | | 22 | 15-JUN-98 |
| | INFO-PUB-20/30 | AIRCRAFT/STORES ELECTROMAGNETIC COMPATIBILITY/ELECTROMAGNETIC INTERFERENCE AND HAZARDS OF ELECTROMAGNETIC RADIATION TO ORDNANCE | C | ISDF | | 06 | 19-JUN-97 |
| | MIL-HDBK-2067 NOT 1 | AIRCREW AUTOMATED ESCAPE SYSTEMS RELIABILITY AND MAINTAINABILITY (R/M) PROGRAM REQUIREMENTS FOR[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 07-JAN-04 |
| | ADV-PUB-61/113/18 | AIRCREW COLOUR VISION AND TEST METHODS | C | ISDF | | 06 | 12-APR-01 |
| M | MIL-A-85097/8B(2) NOT 2 | AIRCREW ESCAPE PROPULSION SYS (AEPS); ROCKET MOTORS, UNDER SEAT, GAS INITIATED (MARK 74 MOD 0, MARK 75 MOD 0, MARK 76 MOD 0, MARK 77 MOD 0, MARK 86 MOD 0, MARK 87 MOD 0, MARK 88 MOD 0, MARK 92 MOD 0, MARK 100 MOD 0, & MARK 101 MOD 0) (LOADED ASSEMBLIES)[CUST: OS] | A | 1377 | | OS | 16-MAR-06 |
| | MIL-DTL-85097/14D | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) ROCKET CATAPULT MARK 1 MOD 1 (LOADED ASSEMBLY)[CUST: OS] | A | 1377 | | OS | 12-JUN-97 |
| | MIL-DTL-85097/2F | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) CATAPULT CARTRIDGES, MK 205 MODS 1 AND 2[CUST: OS] | A | 1377 | | OS | 14-APR-03 |
| | MIL-DTL-85097/3D | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) ROCKET MOTOR (LOADED ASSEMBLY) MARK 79 MODS 1 & 2[CUST: OS] | A | 1377 | | OS | 20-MAR-01 |
| | MIL-DTL-85097/13C | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) ROCKET MOTOR, CANOPY JETTISON, MARK 109 MODS 0 AND 1 (LOADED ASSEMBLIES)[CUST: OS] | A | 1377 | | OS | 20-APR-00 |
| | MIL-A-85097/16 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) ROCKET MOTOR, PARACHUTE DEPLOYMENT, MARK 122 MOD 0[CUST: OS] | A | 1377 | | OS | 05-DEC-94 |
| | MIL-A-85097/9A(1) NOT 2 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 12 MOD 1 (LOADED ASSEMBLY)[CUST: OS] | A | 1377 | | OS | 29-DEC-99 |
| | MIL-DTL-85097/1B | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 16 MOD 1 (LOADED ASSEMBLY)[CUST: OS] | A | 1377 | | OS | 27-JUL-98 |
| | MIL-A-85097/12(1) NOT 3 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 18 MOD 0 (LOADED ASSEMBLY)[CUST: OS] | A | 1377 | | OS | 29-DEC-99 |
| M | MIL-A-85097/6A NOT 2 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTORS MARK 83 MODS AND MARK 85 MODS (LOADED ASSEMBLIES)[CUST: OS] | A | 1377 | | OS | 16-MAR-06 |
| | MIL-DTL-85097/11D | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR ASSEMBLY, MARK 113 MODS[CUST: OS] | A | 1377 | | OS | 13-SEP-00 |
| | MIL-DTL-85097/7D | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR MARK 84 MODS 1 AND 2[CUST: OS] | A | 1377 | | OS | 01-MAY-96 |
| A | MIL-DTL-85097/15A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR, MARK 121 MOD 0[CUST: OS] | A | 1377 | | OS | 28-NOV-05 |
| | MIL-DTL-85097/5B | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTORS, MK 82 MODS 0 AND 1 (MAN/SEAT SEPARATOR, LEFT) AND MK 90 MODS 0 AND 1 (MAN/SEAT SEPARATOR, RIGHT) (LOADED ASSEMBLIES)[CUST: OS] | A | 1377 | | OS | 31-JAN-96 |
| | MIL-A-85097/17 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTORS, UNDERSEAT, GAS INITIATED MK 123 MOD 0 AND MK 124 MOD 0[CUST: OS] | A | 1377 | | OS | 05-DEC-94 |
| | MIL-STD-2102A NOT 2 | AIRCREW ESCAPE PROPULSION SYSTEMS; VIBRATION AND SHOCK TESTS FOR[Test Method Standard][CUST: OS] [REVIEW: AS] | A | 1377 | | OS | 14-AUG-91 |
| | STANAG-3527 ED.2(1) | AIRCREW FLYING TIME AND REST PERIODS | C | ISDF | | 06 | 03-JUL-96 |
| | INFO-PUB-61/115/6D | AIRCREW MALARIA PROPHYLAXIS | C | ISDF | | 06 | 03-NOV-99 |
| | STANAG-3830 ED.1(7) | AIRCREW NUCLEAR FLASH BLINDNESS PROTECTION | C | ISDF | | 06 | 11-JUL-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ADV-PUB-61/113/12 | AIRCREW SPECTACLES | C | ISDF | | 06 | 02-FEB-94 |
| | MIL-STD-411F | AIRCREW STATION ALERTING SYSTEMS[Military Standard][CUST: AV AS 11] | A | 15GP | | AS | 10-MAR-97 |
| | STANAG-3869 ED.1(4) | AIRCREW STATION CONTROL PANELS (INCLUDING AMENDMENTS 1 THRU 4) | C | ISDF | | 06 | PENDING |
| | MIL-STD-203G | AIRCREW STATION CONTROLS AND DISPLAYS: LOCATION, ARRANGEMENT AND ACTUATION OF, FOR FIXED WING AIRCRAFT[Military Standard][CUST: AV AS 11] | A | 1510 | | AS | 01-MAR-91 |
| | STANAG-3639 ED.4(2) | AIRCREW STATION DIMENSIONAL DESIGN FACTORS | C | ISDF | | 06 | 02-APR-92 |
| | STANAG-3224 ED.6(1) | AIRCREW STATION LIGHTING (NON-NIGHT VISION GOGGLE (NVG)) | C | ISDF | | 06 | 26-NOV-99 |
| | AIR-STD-61/116/5M | AIRCREW STATION WARNING, CAUTIONARY AND ADVISORY SIGNALS | C | ISDF | | 06 | 30-APR-96 |
| | STANAG-3370 ED.5(2) | AIRCREW STATION WARNING, CAUTIONARY AND ADVISORY SIGNALS | C | ISDF | | 06 | 22-APR-91 |
| | AIR-STD-44/27D(2) | AIRDROP OF DOOR BUNDLES WITH STICKS OF PARACHUTISTS | C | ISDF | | 06 | 01-FEB-83 |
| | ITOP-7.2.509.1 | AIRDROP OF EQUIPMENT | D | ISDA | | TE | 27-MAY-94 |
| | ITOP-7.2.507 | AIRDROP OF PERSONNEL WITH RAM AIR PARACHUTES | D | ISDA | | TE | 17-SEP-98 |
| | STANAG-3922 ED.3(2) | AIRDROP SYSTEM FOR PERSONNEL AND SUPPLY/EQUIPMENT - ATP-46(A) | C | ISDF | | 06 | 17-JAN-97 |
| | ATP-46A(1) | AIRDROP SYSTEMS FOR PERSONNEL AND SUPPLY/EQUIPMENT (INCLUDES CHANGE 1) | C | ISDA | | AI | 17-APR-89 |
| | STANAG-7104 ED.1(2) | AIRFIELD AIRCRAFT ARRESTING SYSTEM OPERATING PROCEDURES | C | ISDF | | 06 | PENDING |
| | STANAG-3697 ED.5 | AIRFIELD AIRCRAFT ARRESTING SYSTEMS | C | ISDF | | 06 | 24-JAN-03 |
| | DI-MISC-80434 | AIRFIELD CONSTRUCTION CLOSURE REPORT [AMSC: F4207] | A | MISC | | 33 | 02-SEP-87 |
| | MIL-HDBK-1021/1(1) | AIRFIELD GEOMETRIC DESIGN[CUST: YD] | A | FACR | | YD | 31-AUG-92 |
| | STANAG-3316 ED.9(3) | AIRFIELD LIGHTING | C | ISDF | | 06 | 18-SEP-96 |
| | MIL-HDBK-1023/1(1) | AIRFIELD LIGHTING[CUST: YD] | A | FACR | | YD | 15-OCT-90 |
| | AIR-STD-90/22 | AIRFIELD MARKING AND LIGHTING COLOR STANDARDS | C | ISDF | | 06 | 29-NOV-96 |
| | AIR-STD-65/14B | AIRFIELD MARKING AND LIGHTING COLOR STANDARDS[CUST: 06] | C | ISDF | | 06 | PENDING |
| | STANAG-3711 ED.3(2) | AIRFIELD MARKING AND LIGHTING COLOUR STANDARDS | C | ISDF | | 06 | 29-APR-94 |
| | STANAG-3111 ED.2 | AIRFIELD MARKING TONE- DOWN | C | ISDF | | 06 | 20-OCT-97 |
| | MIL-HDBK-1021/6 | AIRFIELD PAVEMENT DESIGN FOR FROST CONDITIONS AND SUBSURFACE DRAINAGE[CUST: YD] | A | FACR | | YD | 15-APR-00 |
| | STANAG-3534 ED.5(1) | AIRFIELD PORTABLE LIGHTING | C | ISDF | | 06 | 24-SEP-96 |
| | STANAG-3685 ED.3 | AIRFIELD PORTABLE MARKING | C | ISDF | | 06 | 20-MAR-97 |
| | STANAG-3712 ED.5 | AIRFIELD RESCUE AND FIRE-FIGHTING SERVICES IDENTIFICATION CATEGORIES | C | ISDF | | 06 | 05-JUN-03 |
| | AIR-STD-90/26 | AIRFIELD RUNWAY & TAXIWAY PORTABLE MARKERS | C | ISDF | | 06 | 11-OCT-95 |
| | A-A-50624 | AIRFLOW MONITORING EQUIPMENT[CUST: CR4 SH 99] [REVIEW: AS CR GS MC] | A | 6680 | / | SH | 09-JUN-94 |
| | DI-ILSS-80223 | AIRFRAME AND ENGINE TRACKED COMPONENTS AND RELATED EQUIPMENT TRACKING DATA [AMSC: N3938] | A | SESS | | AS | 25-AUG-86 |
| | DI-MISC-81387 | AIRFRAME RIGIDITY TEST REPORT [AMSC: F6999] | A | MISC | | 11 | 11-FEB-94 |
| | DI-SAFT-80901 | AIRFRAME/SYSTEMS ENGINEERING DATA [AMSC: N4830] | A | SAFT | | AS | 13-SEP-89 |
| | QSTAG-665 | AIRMOBILE OPERATIONS (ABCA 665) | C | ISDA | | AI | 05-JUN-81 |
| | MIL-A-8861B(1) | AIRPLANE STRENGTH AND RIGIDITY FLIGHT LOADS[CUST: AS] | A | 1510 | | AS | 05-DEC-94 |
| | MIL-A-8863C | AIRPLANE STRENGTH AND RIGIDITY GROUND LOADS FOR NAVY ACQUIRED AIRPLANES[CUST: AS] | A | 1510 | | AS | 19-JUL-93 |
| | MIL-A-8867C(1) NOT 1 | AIRPLANE STRENGTH AND RIGIDITY GROUND TESTS[CUST: AS] | A | 1510 | | AS | 03-OCT-94 |
| | MIL-A-8865B | AIRPLANE STRENGTH AND RIGIDITY MISCELLANEOUS LOADS[CUST: AS] | A | 1510 | | AS | 20-MAY-87 |
| | MIL-A-8869B NOT 1 | AIRPLANE STRENGTH AND RIGIDITY NUCLEAR WEAPONS EFFECTS[CUST: AS] | A | 1510 | | AS | 20-JUN-94 |
| | MIL-A-8866C NOT 1 | AIRPLANE STRENGTH AND RIGIDITY RELIABILITY REQUIREMENTS, REPEATED LOADS, FATIGUE AND DAMAGE TOLERANCE[CUST: AS] | A | 1510 | | AS | 03-OCT-94 |
| | MIL-A-8870C | AIRPLANE STRENGTH AND RIGIDITY VIBRATION, FLUTTER, AND DIVERGENCE[CUST: AS] | A | 1510 | | AS | 25-MAR-93 |
| | MIL-A-8860B | AIRPLANE STRENGTH AND RIGIDITY, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: MT] | A | 1510 | | AS | 20-MAY-87 |
| | API-BULL-1542 | AIRPORT EQUIPMENT, FUEL IDENTIFICATION, MARKING FOR[CUST: AV AS 68] | A | 91GP | | 68 | 03-OCT-94 |
| | AIR-STD-45/6C | AIRSPACE CONTROL IN TIMES OF CRISIS AND WAR | C | ISDF | | 06 | 27-APR-98 |
| | A-A-54933 | AIRWAY, NASOPHARYNGEAL[CUST: MD MS 03] | A | 6515 | / | MB | 07-JAN-94 |
| | A-A-54324 | AIRWAY, NASOPHARYNGEAL (ARGYLE)[CUST: MD MS 03] | A | 6515 | / | MB | 18-MAR-91 |
| | A-A-54198A | AIRWAY, PHARYNGEAL (BERMAN)[CUST: MD MS 03] | A | 6515 | / | MB | 27-MAR-92 |
| | A-A-51552A | AIRWAY, PHARYNGEAL (GUEDEL)[CUST: MD MS 03] | A | 6515 | / | MB | 15-JAN-93 |
| | A-A-54945 | AIRWAY, PHARYNGEAL, GUEDEL[CUST: MD MS 03] | A | 6515 | / | MB | 15-MAR-94 |
| | A-A-54325 | AIRWAY, PHARYNGEAL, RUBBER (GUEDEL)[CUST: MD MS 03] | A | 6515 | / | MB | 18-JAN-91 |
| A | MIL-HDBK-516B | AIRWORTHINESS CERTIFICATION CRITERIA[CUST: AV AS 11] | A | SESS | | 11 | 26-SEP-05 |
| | DI-MISC-81241 | AIRWORTHINESS DIRECTIVES/SERVICE BULLETINS/ADVISORY DATA [AMSC: F6682] | A | MISC | | 10 | 11-OCT-91 |
| | A-A-50623 | ALARM SWITCHBOARD TYPE IC/SM[CUST: SH] | A | 6320 | / | SH | 16-SEP-94 |
| | QPL-17196-36 | ALARM SWITCHBOARDS, ALARM PANELS, REMOTE SENTRY ALARM SWITCH, SIGNAL UNITS, AND SPECIAL ALARM CONNECTION BOX, NAVAL SWITCHBOARD | A | 6320 | | SH | 10-SEP-04 |
| | MIL-A-17196E | ALARM SWITCHBOARDS, ALARM PANELS, REMOTE SENTRY ALARM SWITCH, SIGNAL UNITS, AND SPECIAL ALARM CONNECTION BOX, NAVAL SWITCHBOARD[CUST: SH] [REVIEW: CC MI] | A | 6320 | | SH | 07-OCT-77 |
| | UL1076 | ALARM UNITS AND SYSTEMS, BURGLAR, PROPRIETARY, STANDARD FOR[CUST: YD] | A | 6350 | | IS | 09-APR-92 |
| | UL636 | ALARM UNITS AND SYSTEMS, HOLDUP, STANDARD FOR[CUST: YD] | A | 6350 | | IS | 09-APR-92 |
| | SAE-J994 | ALARM-BACKUP-ELECTRIC-LABORATORY PERFORMANCE TESTING[CUST: CR4 YD 99] | A | 6350 | | 84 | 03-AUG-93 |
| | A-A-51834A | ALBUMIN HUMAN, USP, HEAT TREATED[CUST: MD MS 03] | A | 6505 | / | MB | 30-MAY-89 |
| | MIL-A-36561A NOT 1 | ALBUMIN, NORMAL HUMAN SERUM, WITH INJECTION APPARATUS[CUST: MD MS 03] | A | 6505 | | MB | 26-FEB-88 |
| | ASTM-D4815 | ALCOHOL AND C1 TO C4 ALCOHOLS IN GASOLINE BY GAS CHROMATOGRAPHY, DETERMINATION OF MTBE, ETBE, TAME, DIPE, TERTIARY-AMYL[CUST: AT] | A | 9130 | | AT | 16-OCT-91 |
| | ASTM-D3545 | ALCOHOL CONTENT AND PURITY OF ACETATE ESTERS BY GAS CHROMATOGRAPHY[CUST: EA 68] [REVIEW: AS CR4 GL MC MD SH] | A | 6810 | | GS3 | 30-NOV-90 |
| | A-A-51693A | ALCOHOL, DEHYDRATED, USP[CUST: MD MS 03] | A | 6505 | / | MB | 28-JUL-89 |
| | ASTM-D304 | ALCOHOL, N-BUTYL (BUTANOL)[CUST: EA 68] [REVIEW: AS CR4 GL MC MD] | A | 6810 | | GS3 | 25-MAY-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-53616A | ALFENTANIL HYDROCHLORIDE INJECTION[CUST: MD MS 03] | A | 6505 | / | MB | 13-NOV-92 |
| | A-A-53563 | ALGINATE COMPOUND SOLUTION, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUL-88 |
| | GG-A-440C | ALIDADE, SURVEYING, TELESCOPE | A | 6675 | # | FSS | 18-NOV-81 |
| | A-A-50216A NOT 1 | ALIDADES, SURVEYING: TELESCOPE, WITH CASE[CUST: CE YD 99 IS] [REVIEW: 71] | A | 6675 | / | IS | 25-SEP-01 |
| M | MIL-A-48449A(4) NOT 1 | ALIGNMENT DEVICE, OPTICAL, GUN BORE[CUST: AR] | A | 4931 | | AR | 23-FEB-06 |
| | GGG-A-450A | ALIGNMENT TOOL, ELECTRONIC EQUIPMENT[CUST: GL 99] [REVIEW: 84] | A | 5120 | * | GL | 10-DEC-93 |
| | ASTM-D1614 | ALKALINITY IN ACETONE[CUST: EA 68] [REVIEW: AS CR4 MD SH] | A | 6810 | | GS3 | 15-MAY-91 |
| | ASTM-D1398 | ALKYD RESINS AND ALKYD RESIN SOLUTIONS, FATTY ACID CONTENT OF[CUST: MR SH 99] | A | 8010 | | MR | 31-AUG-84 |
| | ASTM-D1397 | ALKYD RESINS AND RESIN SOLUTIONS, UNSAPONIFIABLE MATTER IN[CUST: MR SH 11] | A | 8010 | | MR | 15-APR-93 |
| | ABS-LAS3 | ALKYL BENZENE SULFONATE AND LINEAR ALKYLATE SULFONATE, A PROCEDURE AND STANDARDS FOR THE DETERMINATION OF THE BIODEGRADABILITY OF[CUST: GL SH 99] [REVIEW: AR MD] | A | 7930 | | GL | FEB-67 |
| | QSTAG-1061 ED.1 | ALL ARMS AIR DEFENCE[CUST: AI] | C | ISDA | | AI | 22-MAR-00 |
| | QSTAG-970 | ALL ARMS AIR DEFENSE TRAINING[CUST: AI] | C | ISDA | | AI | PENDING |
| | STANAG-1152 ED.20 | ALLIED ANTI-SUBMARINE WARFARE MANUAL - ATP-28(A) | C | ISDN | | NI | 01-FEB-02 |
| | STANAG-4244 ED.2 | ALLIED FORACS PUBLICATIONS | C | ISDF | | 06 | 18-NOV-91 |
| | STANAG-1432 ED.2 | ALLIED GUIDE TO DIVING MEDICAL DISORDERS - ADIVP-2(A)/MDIVP-2(A) | C | ISDN | | NI | 01-FEB-01 |
| | STANAG-1372 ED.6 | ALLIED GUIDE TO DIVING OPERATIONS - ADIVP-1(A)/MDIVP-1(A) | C | ISDN | | NI | 01-FEB-01 |
| | STANAG-1318 ED.12 | ALLIED GUIDE TO MASTERS - ATP-2 VOLUME II | C | ISDN | | NI | 14-MAY-98 |
| | AJP-1B | ALLIED JOINT DOCTRINE | C | ISDF | | 06 | 01-DEC-02 |
| | STANAG-2437 ED.5 | ALLIED JOINT DOCTRINE - AJP-01(B) | C | ISDA | | AI | 18-DEC-02 |
| | STANAG-6018 ED.1 | ALLIED JOINT ELECTRONIC WARFARE DOCTRINE - AJP-3.6 | C | ISDA | | AI | 07-NOV-01 |
| | STANAG-2234 ED.1 | ALLIED JOINT HOST NATION SUPPORT DOCTRINE AND PROCEDURES - AJP-4.5 | C | ISDA | | AI | 11-DEC-01 |
| | STANAG-2182 ED.1 | ALLIED JOINT LOGISTIC DOCTRINE - AJP-4 | C | ISDA | | AI | 13-MAR-00 |
| | STANAG-2228 ED.1 | ALLIED JOINT MEDICAL SUPPORT DOCTRINE - AJP-4.10 | C | ISDA | | AI | 28-FEB-02 |
| | STANAG-2506 ED.1 | ALLIED JOINT MOVEMENT AND TRANSPORTATION DOCTRINE - AJP-4.4 | C | ISDA | | AI | 28-FEB-02 |
| | AJP-3 | ALLIED JOINT OPERATIONS | C | ISDF | | 06 | 10-SEP-02 |
| | STANAG-2490 ED.1 | ALLIED JOINT OPERATIONS - AJP-3 | C | ISDA | | AI | 09-SEP-02 |
| | STANAG-1075 ED.13 | ALLIED MANUAL OF SUBMARINE OPERATIONS - ATP-18(D) | C | ISDN | | NI | 26-APR-01 |
| | STANAG-1068 ED.18 | ALLIED MARITIME ABOVE WATER WARFARE EXERCISE MANUAL - AXP-2(B) | C | ISDN | | NI | 20-NOV-00 |
| | STANAG-1173 ED.16 | ALLIED MARITIME TACTICAL INSTRUCTIONS AND PROCEDURES-ATP-1(D) VOLUME 1 | C | ISDN | | NI | 27-MAY-02 |
| | STANAG-1174 ED.16 | ALLIED MARITIME TACTICAL SIGNAL AND MANOEUVERING BOOK ATP-1(D) VOLUME II | C | ISDN | | NI | 20-JUL-03 |
| | STANAG-1175 ED.16 | ALLIED MARITIME VOICE REPORTING PROCEDURES - APP-1(A) | C | ISDN | | NI | 31-MAY-01 |
| | STANAG-1063 ED.17 | ALLIED NAVAL COMMUNICATIONS EXERCISES - AXP-3(C) | C | ISDN | | NI | 20-MAY-03 |
| | STANAG-1313 ED.7 | ALLIED NAVAL CONTROL OF SHIPPING MANUAL - MERCHANT SHIP REPORTING AND CONTROL (MERCO) SYSTEM ATP-2 VOL 1 SUPP-1 | C | ISDN | | NI | 16-OCT-96 |
| | STANAG-1040 ED.22 | ALLIED NAVAL CONTROL OF SHIPPING MANUAL ATP2(A) VOLUME 1 | C | ISDN | | NI | 06-JAN-99 |
| | STANAG-1034 ED.15 | ALLIED NAVAL GUNFIRE SUPPORT - ATP-4(E) | C | ISDN | | NI | 02-JUL-01 |
| | DI-MISC-81511 | ALLIED ORDANCE PUBLICATION (AOP-12) AIRCRAFT STORES INTERFACE MANUAL (ASIM) [AMSC: N7185] | A | MISC | | CH | 13-JUL-96 |
| | DI-MISC-81512 | ALLIED ORDNANCE PUBLICATION (AOP-11) INTEROPERABILITY OF NORTH ATLANTIC TREATY ORGANIZATION (NATO AIRCRAFT AND STORES MANUAL) [AMSC: N7186] | A | MISC | | CH | 13-JUL-96 |
| | STANAG-4174 ED.1(1) | ALLIED RELIABILITY AND MAINTAINABILITY PUBLICATIONS | C | ISDA | | AI | PENDING |
| | STANAG-1052 ED.29 | ALLIED SUBMARINE AND ANTI- SUBMARINE EXERCISE MANUAL - AXP-1(D) | C | ISDN | | NI | 04-SEP-02 |
| | STANAG-7033 ED.2(1) | ALLIED TACTICAL AIR MESSAGES (FORMATTED AND STRUCTURED) - APP-8(A) | C | ISDF | | 06 | 10-OCT-00 |
| | STANAG-4357 ED.1(1) | ALLIED VEHICLE TESTING PUBLICATIONS (AVTPS) | C | ISDA | | AI | 31-MAY-94 |
| | AIR-STD-15/4K(1) | ALLOWABLE DETERIORATION LIMITS FOR FUELS, LUBRICANTS AND ALLIED PRODUCTS | C | ISDF | | 06 | 14-FEB-95 |
| | STANAG-1110 ED.7(5) | ALLOWABLE DETERIORATION LIMITS FOR NATO ARMED FORCES FUELS, LUBRICANTS AND ASSOCIATED PRODUCTS | C | ISDF | | 06 | 16-JUN-99 |
| | DI-ILSS-80960 | ALLOWANCE SHORTAGE LISTS [AMSC: N4910] | A | SESS | | SH | 27-FEB-90 |
| | DI-TMSS-81641 | ALLOWANCE STANDARD CODE (ASC) UPDATE PACKAGE [AMSC: 7513] | A | TMSS | | 84 | 03-OCT-03 |
| | ASTM-A506 | ALLOY AND STRUCTURAL ALLOY STEEL, SHEET AND STRIP, HOT-ROLLED AND COLD-ROLLED[CUST: MR SH IS] | A | 9515 | | IS | 16-SEP-93 |
| | MIL-HDBK-305 NOT 1 | ALLOY AND TEMPER DESIGNATION SYSTEM FOR MAGNESIUM BASE ALLOYS[CUST: MR AS 11] [REVIEW: AR AT AV MI SH] | A | 96GP | | 11 | 12-AUG-02 |
| | SAE-AMS5746 | ALLOY BARS AND FORGINGS, CORROSION AND HEAT RESISTANT 15CR - 45NI - 4.1MO - 4.1W - 3.0TI - 1.0A1 - 31FE CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-JUL-89 |
| | SAE-AMS5387 | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 60 CO -29CR - 4.5W AS CAST[CUST: MR AS 11] | A | MECA | | 11 | JUN-01 |
| M | SAE-AMS5405 | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 64NI - 8.0CR - 10CO - 6.0MO - 1.0TI - 4.2TA - 6.0AL - 0.015B - 0.08ZR VACUUM MELTED, VACUUM CAST AS CAST[CUST: MR AS 11] | A | MECA | | 11 | 28-MAR-06 |
| | SAE-AMS4892 | ALLOY CASTINGS, SAND AND CENTRIFUGAL, CORROSION AND HEAT RESISTANT 66NI - 29CU - 4.0SI AS CAST[CUST: MR SH 11] | A | MECA | | SH | 01-JUL-85 |
| | ADA1 | ALLOY FOR DENTAL AMALGAM (W/ADDENDUM)[CUST: MD MS 03 MB] | A | 6520 | | MB | SEPT 77 |
| | ASTM-B333 | ALLOY PLATE, SHEET, AND STRIP, NICKEL-MOLYBDENUM[CUST: MR SH 99] | A | 9535 | | SH | 03-OCT-94 |
| | ASTM-B557M | ALLOY PRODUCTS (METRIC), WROUGHT AND CAST ALUMINUM-AND MAGNESIUM-, TENSION TESTING[CUST: MR YD] [REVIEW: IS] | A | 95GP | | MR | 03-AUG-84 |
| | ASTM-B557 | ALLOY PRODUCTS, WROUGHT AND CAST ALUMINUM-AND MAGNESIUM-, TENSION TESTING[CUST: MR YD 99] [REVIEW: IS] | A | 95GP | | MR | 24-FEB-84 |
| | ASTM-B335 | ALLOY ROD, NICKEL-MOLYBDENUM[CUST: MR SH 99] | A | 9530 | | SH | 03-OCT-94 |
| | SAE-AMS5596 | ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 52.5NI - 19CR - 3.0MO - 5.1(CB + TA) - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1750 DEG. F (955 DEG. C) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-APR-87 |
| A | ASTM-F835 | ALLOY STEEL SOCKET BUTTON AND FLAT COUNTERSUNK HEAD CAP SCREWS[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR CR4 EA MC OS SH] | A | 5305 | | IS | 15-FEB-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-F912 | ALLOY STEEL SOCKET SET SCREWS[CUST: AR YD 99] | A | 5305 | | IS | JUN-90 |
| | ASTM-F912M | ALLOY STEEL SOCKET SET SCREWS (METRIC)[CUST: AR YD 99] | A | 5305 | | IS | 10-MAY-99 |
| | MS18308 NOT 1 | ALLOY STEEL SOCKET WELDING FLANGES AND FLANGED NIPPLES, 1/4 INCH AND 3/8 INCH, 600 POUNDS PER SQUARE INCH AT 850 DEG. F (MAXIMUM)[CUST: SH] | A | 4730 | | SH | 19-APR-91 |
| | ASTM-A574M | ALLOY STEEL SOCKET-HEAD CAP SCREWS (METRIC)[CUST: AR AS 99 IS] | A | 5305 | | IS | 10-OCT-98 |
| | SAE-AMS5225 | ALLOY STRIP 49FE - 5.3CR - 42NI - 2.5TI - 0.55A1 SOLUTION HEATED TREATED, COLD ROLLED, 50% REDUCTION[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-OCT-88 |
| | SAE-AMS5221 | ALLOY STRIP, IRON-NICKEL, 49FE - 5.3CR - 42NI - 2.5TI - 0.55AL SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | JUN-01 |
| | SAE-AMS5798 | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-JAN-91 |
| | SAE-AMS5789 | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 54CO - 25.5CR - 10.5NI - 7.5W[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-OCT-87 |
| | ASTM-E1793 | ALLOY, ALUMINUM, FOR BONDING IN FOAM AND BEAM TYPE TRANSPORTABLE SHELTERS, PREPARATION OF[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | ASTM-E127 | ALLOY, ALUMINUM, ULTRASONIC STANDARD REFERENCE BLOCKS, FABRICATING AND CHECKING[CUST: AT AS 11] | A | NDTI | | AS | OCT-94 |
| | SAE-AMS5766 | ALLOY, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 21CR - 32.5NI - 0.38TI - 0.38AL - 45FE SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 17-MAR-89 |
| | SAE-AMS5846 | ALLOY, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 53NI - 15CR - 18.5CO - 5.0MO - 3.2TI - 4.2AL - 0.03B DOUBLE VACUUM MELTED SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-JUL-91 |
| | SAE-AMS5768 | ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0CB - 0.15N - 31FE SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 17-MAR-89 |
| | SAE-AMS5871 | ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP AND PLATE 21CR - 32.5NI - 0.38TI - 0.38AL - 45FE SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | JAN-01 |
| | SAE-AMS5552 | ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 46FE - 20.5CR - 32NI - 1.1TI ANEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | APR-95 |
| | SAE-AMS5585 | ALLOY, CORROSION AND HEAT RESISTANT, WELDED TUBING 32FE - 21CR - 20NI -20CO - 3MO - 2.5W - 1.0CB - 0.15N SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 31-AUG-95 |
| | SAE-AMS5831 | ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 29FE - 22CR - 21NI - 18.5CO - 3.2MO - 2.8W - 0.78TA 0.30AL - 0.05ZR - 0.05LA - 0.20N[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 20-DEC-91 |
| | SAE-AMS5800 | ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 54NI - 19CR - 11CO - 10MO 3.2TI - 1.5A1 - 0.006B[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-JAN-92 |
| M | SAE-AMS5940 | ALLOY, CORROSION AND HEAT-RESISTANT, BARS, FORGINGS, AND RINGS 34CO - 3.0CR - 28NI - 3.0CB(NB) - 5.5AL - 0.008B - 25.5FE MULTIPLE MELTED, HIGH TEMPERATURE, OXIDATION-RESISTANT, LOW EXPANSION SOLUTION HEAT TREATED, PRECIPITATION-HARDENABLE[CUST: MR AS 11] | A | 9510 | | 11 | 28-MAR-06 |
| | SAE-AMS5844 | ALLOY, CORROSION RESISTANT, BARS 20CR - 35NI - 35CO - 10MO VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED AND WORK STRENGTHENED[CUST: MR AS 11 IS] | A | 9530 | | IS | 15-AUG-90 |
| | SAE-AMS5845 | ALLOY, CORROSION RESISTANT, ROUND BARS 20CR - 35NI - 35CO - 10MO VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED, WORK STRENGTHENED, AND AGED[CUST: MR AS 11 IS] | A | 9530 | | IS | 15-AUG-90 |
| | SAE-AMS5758 | ALLOY, CORROSION-RESISTANT, BARS 20CR - 35NI - 35CO - 10 MO VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED FOR WORK STRENGTHENING[CUST: MR AS 11 IS] | A | 9530 | | IS | 15-AUG-90 |
| | ASTM-B596 | ALLOY, ELECTRICAL CONTACT MATERIAL, GOLD-COPPER[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 14-JUL-93 |
| | ASTM-B780 | ALLOY, ELECTRICAL CONTACT, 75 PERCENT SILVER, 24.5 PERCENT COPPER, 0.5 PERCENT NICKEL[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 15-APR-93 |
| | ASTM-B541 | ALLOY, ELECTRICAL CONTACT, GOLD[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 29-SEP-89 |
| | ASTM-B477 | ALLOY, ELECTRICAL CONTACT, GOLD-SILVER-NICKEL[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 19-MAY-92 |
| | ASTM-B522 | ALLOY, ELECTRICAL CONTACT, GOLD-SILVER-PLATINUM[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 14-JUL-93 |
| | ASTM-B563 | ALLOY, ELECTRICAL CONTACT, PALLADIUM-SILVER-COPPER[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 15-AUG-95 |
| | SAE-AMS5396 | ALLOY, NICKEL, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 65NI - 28MO - 5.5FE - 0.40V (N-12MV) AS CAST[CUST: MR AS 11] | A | MECA | | 11 | JUL-77 |
| | ASTM-B540 | ALLOY, PALLADIUM ELECTRICAL CONTACT[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 10-DEC-97 |
| | ASTM-B579 | ALLOY, TIN-LEAD (SOLDER PLATE) ELECTRODEPOSITED COATINGS OF[CUST: MR AS 11] | A | MFFP | | AS | 12-APR-86 |
| | ASTM-B344 | ALLOYS FOR ELECTRICAL HEATING ELEMENTS, NICKEL-CHROMIUM AND NICKEL-CHROMIUM-IRON, DRAWN OR ROLLED[CUST: GL SH 99] | A | 95GP | | SH | 03-OCT-94 |
| | ASTM-E34 | ALLOYS, ALUMINUM AND ALUMINUM BASE, CHEMICAL ANALYSIS OF, STANDARD TEST METHOD FOR[CUST: MR YD] [REVIEW: CE EA IS OS SH] | A | 95GP | | YD | 15-JAN-94 |
| | ASTM-G34 | ALLOYS, ALUMINUM, EXFOLIATION CORROSION SUSCEPTIBILITY IN 2XXX AND 7XXX SERIES, (EXCO TEST)[CUST: MR AS 11] [REVIEW: IS MI SH] | A | 95GP | | AS | 30-MAR-90 |
| | ASTM-B645 | ALLOYS, ALUMINUM, PLANE-STRAIN FRACTURE TOUGHNESS TESTING OF[CUST: MR YD 99] [REVIEW: IS] | A | 95GP | | YD | 21-FEB-91 |
| | ASTM-E1826 | ALLOYS, ALUMINUM, TO BE ADHESIVELY BONDED, LOW VOLATILE ORGANIC COMPOUND (VOC) CORROSION-INHIBITING ADHESIVE PRIMER FOR[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | ADA5 | ALLOYS, CASTING, DENTAL[CUST: MD MS 03 MB] | A | 6520 | | MB | 14-DEC-88 |
| | ASTM-E478 | ALLOYS, COPPER, CHEMICAL ANALYSIS OF[CUST: MR SH 99] | A | 95GP | | SH | 27-OCT-89 |
| | ASTM-G28 | ALLOYS, NICKEL-RICH, CHROMIUM-BEARING, DETECTING SUSCEPTIBILITY TO INTERGRANULAR CORROSION IN WROUGHT[CUST: CR4 SH 99] [REVIEW: CC] | A | 9530 | | SH | 25-FEB-93 |
| | ASTM-B200 | ALLOYS, STEEL AND FERROUS, LEAD AND LEAD-TIN ALLOYS ON, ELECTRODEPOSITED COATINGS OF[CUST: MR SH 11] | A | MFFP | | 11 | 29-MAR-85 |
| | ASTM-F945 | ALLOYS, TITANIUM, BY AIRCRAFT ENGINE CLEANING MATERIALS, STRESS-CORROSION OF, STANDARD TEST METHOD FOR[CUST: AS 11] [REVIEW: SH] | A | MFFP | | AS | 27-NOV-02 |
| | ASTM-D1943 | ALPHA PARTICLE RADIOACTIVITY OF WATER[CUST: EA GS3] [REVIEW: CR4 MD OS] | A | 6810 | | GS3 | 30-MAR-90 |
| | A-A-51038B | ALPRAZOLAM TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 11-JUN-87 |
| | SAE-AS1376 | ALTERNATE DIMENSIONS, CENTER BODY SECTION, SHAPE FLUID FITTINGS, DESIGN STANDARD[CUST: CR4 AS 99] [REVIEW: OS] | A | 4730 | | 71 | APR-94 |
| | MIL-A-63991(1) NOT 2 | ALTERNATOR, TURBINE (AIR DRIVEN)[CUST: AR] | A | 1390 | | AR | 10-SEP-97 |
| | MIL-A-70952(1) NOT 2 | ALTERNATOR, TURBINE (AIR DRIVEN)[CUST: AR] | A | 1390 | | AR | 10-SEP-97 |
| | QPL-81851-8 | ALTIMETER AAU-31/A | A | 6610 | | AS | 15-OCT-95 |
| | QPL-81852-9 | ALTIMETER ENCODER AAU-32/A | A | 6610 | | AS | 15-OCT-95 |
| | QPL-25933-12 | ALTIMETER, PRESSURIZED COMPARTMENT, INTEGRALLY LIGHTED, 0-50,000 FEET, 1-7/8 INCH DIAL | A | 6685 | | 71 | 21-SEP-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-83419-12 | ALTIMETER, SERVO CONTROLLED, AUTOMATIC PRESSURE STANDBY | A | 6610 | | 71 | 15-MAY-02 |
| | A-A-52005 NOT 2 | ALTIMETER/BAROMETER, POCKET SIZE, WITH CASE[CUST: CE YD 99 IS] [REVIEW: 84 MC] | A | 6675 | / | IS | 27-SEP-01 |
| | EIA364.03 | ALTITUDE IMMERSION TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | ASTM-C401 | ALUMINA AND ALUMINO-SILICATE, CASTABLE REFRACTORIES[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 24-OCT-91 |
| | SAE-AS3220 | ALUMINUM - SLEEVE, FLARED, TUBE FITTING[CUST: AV AS 99 CC] [REVIEW: 70 71 GL MI SA] | A | 4730 | | CC | 30-MAR-01 |
| | AWS-D1.2 | ALUMINUM - STRUCTURAL WELDING CODE, STANDARD FOR[CUST: CE YD 04] | A | THJM | | YD | 08-FEB-90 |
| | SAE-AMS-QQ-A-250/1 | ALUMINUM 1100, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | ASTM-B230/B230M | ALUMINUM 1350-H19 WIRE FOR ELECTRICAL PURPOSES[CUST: CR YD 11] [REVIEW: 99 SH] | A | 6145 | | CC | 10-APR-99 |
| | A-A-53833 | ALUMINUM ACETATE SOLUTION TABLETS EFFERVESCENT[CUST: MD MS 03] | A | 6505 | / | MB | 28-FEB-89 |
| | SAE-AMS-QQ-A-200/2 | ALUMINUM ALLOY 2014, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-200/3 | ALUMINUM ALLOY 2024, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-250/4 | ALUMINUM ALLOY 2024, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/29 | ALUMINUM ALLOY 2124, PLATE[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/30 | ALUMINUM ALLOY 2219, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-200/1 | ALUMINUM ALLOY 3003, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-250/2 | ALUMINUM ALLOY 3003, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-225/7 | ALUMINUM ALLOY 5052, BAR, ROD, AND WIRE; ROLLED, DRAWN, OR COLD FINISHED[CUST: MR AS 11 IS] | A | 9525 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-250/8 | ALUMINUM ALLOY 5052, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-200/4 | ALUMINUM ALLOY 5083, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-250/6 | ALUMINUM ALLOY 5083, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-200/5 | ALUMINUM ALLOY 5086, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-250/7 | ALUMINUM ALLOY 5086, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/19 | ALUMINUM ALLOY 5086, PLATE AND SHEET FOR SEA WATER APPLICATIONS[CUST: MR AS 11 IS] | A | 9535 | | IS | JUN-98 |
| | SAE-AMS-QQ-A-200/6 | ALUMINUM ALLOY 5454, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-250/10 | ALUMINUM ALLOY 5454, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-200/7 | ALUMINUM ALLOY 5456, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-250/9 | ALUMINUM ALLOY 5456, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/20 | ALUMINUM ALLOY 5456, PLATE AND SHEET, FOR SEA WATER APPLICATIONS[CUST: MR AS 11 IS] | A | 9535 | | IS | JUN-98 |
| | SAE-AMS-QQ-A-200/8 | ALUMINUM ALLOY 6061, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-225/8 | ALUMINUM ALLOY 6061, BAR, ROD, WIRE, AND SPECIAL SHAPES; ROLLED, DRAWN, OR COLD FINISHED[CUST: MR AS 11 IS] | A | 9525 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-250/11 | ALUMINUM ALLOY 6061, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-200/9 | ALUMINUM ALLOY 6063, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-200/10 | ALUMINUM ALLOY 6066, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-200/17 | ALUMINUM ALLOY 6162, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-225/10 | ALUMINUM ALLOY 6262, BAR, ROD, AND WIRE; ROLLED, DRAWN, OR COLD FINISHED[CUST: MR AS 11 IS] | A | 9525 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-200/11 | ALUMINUM ALLOY 7075, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-225/9 | ALUMINUM ALLOY 7075, BAR, ROD, WIRE, AND SPECIAL SHAPES; ROLLED, DRAWN, OR COLD FINISHED[CUST: MR AS 11 IS] | A | 9525 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-250/12 | ALUMINUM ALLOY 7075, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-200/13 | ALUMINUM ALLOY 7178, BAR, ROD, SHAPES, TUBE, AND WIRE, EXTRUDED[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-250/14 | ALUMINUM ALLOY 7178, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/3 | ALUMINUM ALLOY ALCLAD 2014, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/5 | ALUMINUM ALLOY ALCLAD 2024, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/13 | ALUMINUM ALLOY ALCLAD 7075, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/15 | ALUMINUM ALLOY ALCLAD 7178, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | MIL-DTL-46192C(1) | ALUMINUM ALLOY ARMOR ROLLED PLATE (1/2 TO 4 INCHES THICK), WELDABLE (ALLOY 2519)[CUST: MR] [REVIEW: AR AT IS TE] | A | 9535 | | MR | 07-FEB-00 |
| | MIL-DTL-46118E | ALUMINUM ALLOY ARMOR, 2219, ROLLED PLATE AND DIE FORGED SHAPES[CUST: MR] [REVIEW: AT IS TE] | A | 9535 | | MR | 26-AUG-98 |
| | MIL-DTL-46083D | ALUMINUM ALLOY ARMOR, EXTRUDED, WELDABLE[CUST: MR] [REVIEW: AR AT TE] | A | FORG | | MR | 30-SEP-98 |
| | MIL-DTL-45225F | ALUMINUM ALLOY ARMOR, FORGED[CUST: MR] [REVIEW: AR AT TE] | A | FORG | | MR | 22-APR-98 |
| | SAE-AMS-QQ-A-200/15 | ALUMINUM ALLOY BAR, ROD, AND SHAPES, EXTRUDED, 7075-T76 IMPROVED EXFOLIATION RESISTANCE[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS4121 | ALUMINUM ALLOY BARS, RODS, AND WIRE, ROLLED OR COLD FINISHED 4.5CU - 0.85SI - 0.80MN - 0.50MG (2014-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 99 IS] | A | 95GP | | IS | OCT 94 |
| | SAE-AMS4186 | ALUMINUM ALLOY BARS, RODS, AND WIRE, ROLLED OR COLD FINISHED 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-F) AS FABRICATED[CUST: MR AS 11] [REVIEW: IS] | A | 9530 | | AS | 01-APR-89 |
| | SAE-AMS4236 | ALUMINUM ALLOY CASTINGS 4.6CU - 0.35MN - 0.25MG - 0.22TI (A206.0-T4) SOLUTION HEAT TREATED AND NATURALLY AGED[CUST: MR AS 11] | A | MECA | | AS | 01-JAN-87 |
| | SAE-AMS4235 | ALUMINUM ALLOY CASTINGS, 4.6CU - 0.35MN - 0.25MG - 0.22TI (A206.0-T71) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | MECA | | AS | 01-JAN-87 |
| | SAE-ARP1947 | ALUMINUM ALLOY CASTINGS, DENDRITE ARM SPACING OF STRUCTURAL AIRCRAFT QUALITY D357, DETERMINATION AND ACCEPTANCE OF[CUST: MR AS 11] | A | MECA | | 11 | 01-OCT-89 |
| | SAE-AMS4229 | ALUMINUM ALLOY CASTINGS, HIGH STRENGTH 4.5CU - 0.70AG - 0.30MN - 0.25MG - 0.25TI (A201.0-T7) SOLUTION HEAT TREATED AND OVERAGED[CUST: MR AS 11] | A | MECA | | AS | 01-JAN-90 |
| | SAE-AMS4261 | ALUMINUM ALLOY CASTINGS, INVESTMENT 7.0SI - 0.32MG (356.0-T51) PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | MECA | | AS | 01-JUL-91 |
| | SAE-AMS4281 | ALUMINUM ALLOY CASTINGS, PERMANENT MOLD 5.0SI - 1.2CU - 0.50MG (355.0-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | MECA | | AS | FEB-01 |
| | SAE-AMS4212 | ALUMINUM ALLOY CASTINGS, SAND 5.0SI - 1.2CU - 0.50MG (355.0-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | MECA | | AS | MAR 96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS4132 | ALUMINUM ALLOY DIE AND HAND FORGINGS, ROLLED RINGS, AND FORGING STOCK 2.3CU - 1.6MG - 1.1FE - 1.0NI - 0.18SI - 0.07TI (2618-T61) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 01-JAN-90 |
| | SAE-AMS4140 | ALUMINUM ALLOY DIE FORGINGS 4.0CU - 2.0NI - 0.68MG (2018-T61) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | JUN-01 |
| | SAE-AMS4130 | ALUMINUM ALLOY DIE FORGINGS 4.4CR - 0.85SI - 0.80MN (2025-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 01-APR-91 |
| | SAE-AMS4134 | ALUMINUM ALLOY DIE FORGINGS 4.4CU - 0.85SI - 0.80MN - 0.50MG (2014-T4) SOLUTION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 01-JAN-84 |
| | SAE-AMS4141 | ALUMINUM ALLOY DIE FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T73) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 01-JUL-90 |
| | SAE-AMS4148 | ALUMINUM ALLOY DIE FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7175-T66) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 01-JAN-93 |
| | SAE-AMS4107 | ALUMINUM ALLOY DIE FORGINGS 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T74) SOLUTION HEAT TREATED AND OVERAGED[CUST: MR AS 11] [REVIEW: SH] | A | FORG | | AS | 01-APR-92 |
| | SAE-AMS4125 | ALUMINUM ALLOY DIE FORGINGS, AND ROLLED OR FORGED RINGS 0.90SI - 0.62MG - 0.25CR (6151-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | MAY-01 |
| | SAE-AMS4071 | ALUMINUM ALLOY DRAWN, ROUND, SEAMLESS HYDRAULIC TUBING 2.5MG - 0.25CR (5052-0) ANNEALED[CUST: CR4 AS 99] | A | 4710 | | AS | 03-OCT-94 |
| | SAE-AMS4341 | ALUMINUM ALLOY EXTRUSIONS 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T73511) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED[CUST: MR AS 11] [REVIEW: IS] | A | 9525 | | AS | 01-OCT-91 |
| | SAE-AMS4342 | ALUMINUM ALLOY EXTRUSIONS 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T74511) FORMERLY -T736511) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED[CUST: MR AS 11] [REVIEW: IS] | A | 9525 | | AS | 01-OCT-91 |
| | SAE-AMS4340 | ALUMINUM ALLOY EXTRUSIONS 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T76511) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED[CUST: MR AS 11] [REVIEW: IS] | A | 9525 | | AS | 01-APR-89 |
| | SAE-AMS4162 | ALUMINUM ALLOY EXTRUSIONS 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.06TI (2219-T8511), SOLUTION TREATED, STRESS RELIEF STRETCHED, STRAIGHTENED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | 9540 | | AS | 02-JUL-79 |
| | SAE-AMS4163 | ALUMINUM ALLOY EXTRUSIONS 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.60TI (2219-T3511) SOLUTION HEAT TREATED AND STRESS-RELIEVED BY STRETCHING, AND STRAIGHTENED[CUST: MR AS 11] | A | 9540 | | AS | 2-JUL-79 |
| | SAE-AMS4159 | ALUMINUM ALLOY EXTRUSIONS 7.7ZN - 2.45MG - 1.6CU - 0.16CR (7049-T76511) SOLUTION HEAT TREATED, STRESS RELIEVED, STRAIGHTENED, AND OVERAGED[CUST: MR AS 11] [REVIEW: IS] | A | 9525 | | AS | 15-JAN-79 |
| | SAE-AMS4157 | ALUMINUM ALLOY EXTRUSIONS 7.7ZN - 2.4MG - 1.6CU - 0.16CR (7049-T73511) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED[CUST: MR AS 11] [REVIEW: IS] | A | 9525 | | AS | MAY-94 |
| | SAE-AMS4343 | ALUMINUM ALLOY EXTRUSIONS 7.7ZN - 2.4MG - 1.6CU - 0.16CR (7149-T73511) SOLUTION HEAT TREATED, STRESS RELIEVED BY STRETCHING, AND OVERAGED[CUST: MR AS 11] [REVIEW: IS] | A | 9525 | | AS | MAY 96 |
| | SAE-AMS-QQ-A-367 | ALUMINUM ALLOY FORGINGS[CUST: MR AS 11] | A | FORG | | 11 | 22-FEB-01 |
| | SAE-AMS4126 | ALUMINUM ALLOY FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 25-APR-88 |
| | SAE-AMS4147 | ALUMINUM ALLOY FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T7352) SOLUTION HEAT TREATED, STRESS RELIEVED BY COMPRESSION, AND OVERAGED[CUST: MR AS 11] [REVIEW: SH] | A | FORG | | AS | 01-JUL-92 |
| | SAE-AMS4131 | ALUMINUM ALLOY FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T74) SOLUTION HEAT TREATED AND AGED[CUST: MR AS 11] | A | FORG | | AS | 01-APR-86 |
| | SAE-AMS4179 | ALUMINUM ALLOY FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7175-T7452) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 25-APR-88 |
| | SAE-AMS4321 | ALUMINUM ALLOY FORGINGS 7.7ZN - 2.5MG - 1.5CU - 0.16CR (7049-01) HIGH TEMPERATURE ANNEALED[CUST: MR AS 11] | A | FORG | | AS | 01-JAN-93 |
| | SAE-AMS4320 | ALUMINUM ALLOY FORGINGS 7.7ZN - 2.5MG - 1.5CU - 0.16CR (7149-T73) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 06-SEP-82 |
| | SAE-AMS4111 | ALUMINUM ALLOY FORGINGS 7.7ZN - 2.5MG - 1.5CU - O.16CR (7049-T73) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 01-JUL-84 |
| | SAE-AMS4127 | ALUMINUM ALLOY FORGINGS AND ROLLED OR FORGED RINGS (6061-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 25-APR-88 |
| | SAE-AMS4143 | ALUMINUM ALLOY FORGINGS AND ROLLED OR FORGED RINGS 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.60TI (2219-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 01-JUL-91 |
| | SAE-AMS4133 | ALUMINUM ALLOY FORGINGS AND ROLLED RINGS 4.4CU - 0.85SI - 0.80MN - 0.50MG (2014-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 01-JUL-90 |
| | SAE-AMS-A-22771 | ALUMINUM ALLOY FORGINGS, HEAT TREATED[CUST: MR AS 11] [REVIEW: MI OS] | A | FORG | | AS | JUN-99 |
| | SAE-AMS4108 | ALUMINUM ALLOY HAND FORGINGS 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T7452) SOLUTION HEAT TREATED, COMPRESSION STRESS-RELIEVED, AND OVERAGED[CUST: MR AS 11] [REVIEW: SH] | A | FORG | | AS | JAN-79 |
| | SAE-AMS4248 | ALUMINUM ALLOY HAND FORGINGS AND ROLLED RINGS 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T652) SOLUTION HEAT TREATED, STRESS RELIEF COMPRESSED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 01-APR-93 |
| | SAE-AMS4144 | ALUMINUM ALLOY HAND FORGINGS AND ROLLED RINGS 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.06TI (2219-T852/T851) SOLUTION HEAT TREATED,MECHANICALY STRESS RELIEVED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | JUL 95 |
| | SAE-ARP1575 | ALUMINUM ALLOY PARTS FOR HIGH DURABILITY STRUCTURAL ADHESIVE BONDING HAND APPLIED PHOSPHORIC ACID ANODIZING, SURFACE PREPARATION AND PRIMING OF[CUST: MR AS 11] | A | 8040 | | 11 | 01-JUL-90 |
| | SAE-ARP1524 | ALUMINUM ALLOY PARTS FOR HIGH DURABILITY STRUCTURAL ADHESIVE BONDING, SURFACE PREPARATION AND PRIMING OF[CUST: MR AS 11] | A | 8040 | | 11 | 21-DEC-91 |
| | SAE-AMS2658 | ALUMINUM ALLOY PARTS, WROUGHT, HARDNESS AND CONDUCTIVITY INSPECTION OF[CUST: MR AS 11] | A | 95GP | | MR | 01-JAN-91 |
| | SAE-AMS4090 | ALUMINUM ALLOY PLATE 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T651) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | 9535 | | AS | 01-APR-86 |
| | SAE-AMS4202 | ALUMINUM ALLOY PLATE 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T7351) SOLUTION HEAT TREATED, STRESS RELIEVED BY STRETCHING, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | 06-SEP-82 |
| | SAE-AMS4089 | ALUMINUM ALLOY PLATE 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7479-T7651) SOLUTION HEAT TREATED, STRESS RELIEVED BY STRETCHING, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | 9535 | | AS | 13-AUG-82 |
| | SAE-AMS4203 | ALUMINUM ALLOY PLATE 6.2ZN - 1.8CU - 2.4MG - 0.13ZR (7010-T7351) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | 9535 | | AS | JUN-83 |
| | SAE-AMS4205 | ALUMINUM ALLOY PLATE 6.2ZN - 1.8CU - 2.4MG - 0.13ZR (7010-T73651) OR (7010-T7451) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | 01-JUN-83 |
| | SAE-AMS4204 | ALUMINUM ALLOY PLATE 6.2ZN - 1.8CU - 2.4MG - 0.13ZR (7010-T7651) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | 01-JUN-83 |
| | SAE-AMS4201 | ALUMINUM ALLOY PLATE 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7075-T7651) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | 01-JUL-92 |
| | SAE-AMS4050 | ALUMINUM ALLOY PLATE 6.2ZN - 2.3CU - 2.2MG - 0.12ZR - (7050-T7451) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | 15-JAN-79 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS4200 | ALUMINUM ALLOY PLATE 7.7ZN - 2.4MG - 1.6CU - 0.16CR (7049-T7351) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | AUG-82 |
| | ASTM-G47 | ALUMINUM ALLOY PRODUCTS, DETERMINING SUSCEPTIBILITY TO STRESS CORROSION CRACKING OF 2XXX AND 7XXX[CUST: MR AS 11] [REVIEW: IS] | A | 95GP | | AS | 10-APR-98 |
| | SAE-AMS4314 | ALUMINUM ALLOY RINGS, ROLLED OR FORGED 4.5CU - 0.85SI - 0.80MN - 0.50MG (2014-T651, 2014-T652) SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 01-JAN-87 |
| | SAE-AMS4084 | ALUMINUM ALLOY SHEET 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T61) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | SEP-86 |
| | SAE-AMS4085 | ALUMINUM ALLOY SHEET 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T761) SOLUTION HEAT TREATED AND OVERAGED[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | 01-JAN-86 |
| | SAE-AMS4026 | ALUMINUM ALLOY SHEET AND PLATE 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061; -T4 SHEET, -T451 PLATE) SOLUTION HEAT TREATED AND NATURALLY AGED[CUST: AT AS 99 IS] | A | 9535 | | IS | 03-OCT-94 |
| | SAE-AMS4037 | ALUMINUM ALLOY SHEET AND PLATE 4.4CU - 1.5MG - 0.60MN (2024;-T3 FLAT SHEET, -T351 PLATE) SOLUTION HEAT TREATED[CUST: MR AS 99] | A | 9535 | | AS | 08-JUL-03 |
| | SAE-AMS4029 | ALUMINUM ALLOY SHEET AND PLATE 4.5CU - 0.85SI - 0.80MN - 0.50MG (2014; -T6 SHEET, -T651 PLATE) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | 9535 | | AS | 01-JAN-92 |
| | SAE-AMS4045 | ALUMINUM ALLOY SHEET AND PLATE, 5.6ZN - 2.5MG - 1.6CU - 0.23CR, 7075; (-T6 SHEET, - T651 PLATE) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 99] [REVIEW: 84] | A | 9535 | | AS | 20-SEP-02 |
| | SAE-AMS4049 | ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 5.6ZN - 2.5MG - 1.6CR - 0.23CR (ALCLAD 7075; -T6 SHEET - T651 PLATE) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9535 | | IS | 03-OCT-94 |
| | SAE-AMS4036 | ALUMINUM ALLOY SHEET AND PLATE, ALCLAD ONE SIDE 4.4CU - 1.5MG - 0.60MN ALCLAD ONE SIDE 2024 AND 1-1/2% ALCLAD ONE SIDE 2024-T3 SHEET; 1-1/2% ALCLAD ONE SIDE 2024-T351 PLATE[CUST: MR AS 11 IS] | A | 9535 | | IS | 01-OCT-93 |
| | SAE-AMS4207 | ALUMINUM ALLOY SHEET, ALCLAD 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T61) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | 01-APR-89 |
| | SAE-AMS4100 | ALUMINUM ALLOY SHEET, ALCLAD 5.7ZN - 2.2MG - 1.6CU - 0.22CR (ALC 7475-T761) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | 01-APR-93 |
| | SAE-AMS4064 | ALUMINUM ALLOY SHEET, CLAD TWO SIDES 1.25MN - 0.12CU (NO. 12-0 BRAZING SHEET) ANNEALED[CUST: MR AS] | A | 9535 | | AS | NOV 95 |
| | SAE-AS1990 | ALUMINUM ALLOY TEMPERS[CUST: MR AS 11] | A | 95GP | | 11 | 15-AUG-90 |
| | SAE-ARP891 | ALUMINUM ALLOY TEMPERS THROUGH ELECTRICAL CONDUCTIVITY MEASUREMENT (EDDY CURRENT), DETERMINATION OF[CUST: AV AS 99] | A | 4730 | | AS | 03-AUG-83 |
| | SAE-AMS4081 | ALUMINUM ALLOY TUBING, HYDRAULIC, SEAMLESS, DRAWN, ROUND 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T4) SOLUTION HEAT TREATED AND NATURALLY AGED[CUST: AV AS 11 CC] [REVIEW: 70 71 99 CR4 IS MI] | A | 4710 | | CC | 01-JAN-93 |
| | SAE-AMS4083 | ALUMINUM ALLOY TUBING, HYDRAULIC, SEAMLESS, DRAWN, ROUND 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: AV AS 11 CC] [REVIEW: 70 71 99 AR CR4 IS MI] | A | 4710 | | CC | 01-JAN-93 |
| | SAE-AMS4188 | ALUMINUM ALLOY WELDING WIRE[CUST: MR AS 11] [REVIEW: IS] | A | 9525 | | AS | 01-OCT-86 |
| | SAE-AMS4233 | ALUMINUM ALLOY WELDING WIRE 4.5CU - 0.70AG - 0.30MN - 0.25MG - 0.25TI (201)[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 29-APR-88 |
| | SAE-AMS4244 | ALUMINUM ALLOY WELDING WIRE 4.6CU - 0.35MN - 0.25MG - 0.22TI FOR WELDING 206 TYPE ALLOYS[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-JAN-87 |
| | SAE-AMS4245 | ALUMINUM ALLOY WELDING WIRE 5.0SI - 1.2CU - 0.50MG (355)[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 29-APR-88 |
| | SAE-AMS4190 | ALUMINUM ALLOY WELDING WIRE 5.2SI (4043)[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 08-NOV-82 |
| | SAE-AMS4181 | ALUMINUM ALLOY WELDING WIRE 7.0SI - 0.38MG - 0.10TI (4008 OR 356)[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 29-APR-88 |
| | SAE-AMS4246 | ALUMINUM ALLOY WELDING WIRE 7.0SI - 0.52MG (357)[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 29-APR-88 |
| | ASTM-B594 | ALUMINUM ALLOY WROUGHT PRODUCTS FOR AEROSPACE APPLICATIONS, ULTRASONIC INSPECTION OF[CUST: MR AS 11] [REVIEW: 71 99 AV MI OS SH] | A | NDTI | | AS | 23-FEB-90 |
| | SAE-AMS-QQ-A-225/4 | ALUMINUM ALLOY, 2014, BAR, ROD, WIRE AND SPECIAL SHAPES, ROLLED, DRAWN, OR COLD FINISHED[CUST: MR AS 11 IS] | A | 9525 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-225/5 | ALUMINUM ALLOY, 2017, BAR, ROD, AND WIRE ROLLED, DRAWN, OR COLD FINISHED[CUST: MR AS 11 IS] | A | 9525 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-225/6 | ALUMINUM ALLOY, 2024, BAR, ROD, AND WIRE; ROLLED, DRAWN, OR COLD FINISHED[CUST: MR AS 11 IS] | A | 9525 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-250/28 | ALUMINUM ALLOY, 7011 ALCLAD 7178 PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/26 | ALUMINUM ALLOY, 7011 ALCLAD, 7075 PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/24 | ALUMINUM ALLOY, 7075, PLATE AND SHEET (IMPROVED EXFLOIATION RESISTANT)[CUST: MR AS 11 IS] | A | 9535 | | IS | JUN-98 |
| | SAE-AMS-QQ-A-250/22 | ALUMINUM ALLOY, 7178-T76, ALCLAD PLATE AND SHEET, IMPROVED EXFOLIATION RESISTANT[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/21 | ALUMINUM ALLOY, 7178-T76, PLATE AND SHEET IMPROVED EXFOLIATION RESISTANT[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/25 | ALUMINUM ALLOY, ALCLAD 7075 PLATE AND SHEET IMPROVED EXFOLIATION RESISTANT[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS-QQ-A-250/18 | ALUMINUM ALLOY, ALCLAD ONE SIDE 7075, PLATE AND SHEET[CUST: MR AS 11 IS] | A | 9535 | | IS | AUG-97 |
| | SAE-AMS4270 | ALUMINUM ALLOY, ALCLAD SHEET 4.1CU - 1.4MG - 0.45MN ALCLAD 2424-T3 FLAT SHEET SOLUTION HEAT TREATED AND COLD WORKED[CUST: MR AS 11] [REVIEW: 99] | A | 9535 | | 11 | MAY-95 |
| | SAE-AMS-QQ-A-225/1 | ALUMINUM ALLOY, BAR, ROD, AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 1100[CUST: MR AS 11 IS] | A | 9525 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-225/3 | ALUMINUM ALLOY, BAR, ROD, AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 2011[CUST: MR AS 11 IS] | A | 9525 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-225/2 | ALUMINUM ALLOY, BAR, ROD, AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 3003[CUST: MR AS 11 IS] | A | 9525 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-200/14 | ALUMINUM ALLOY, BAR, ROD, SHAPES, AND WIRE, EXTRUDED, 7178-T76 IMPROVED EXFOLIATION RESISTANCE[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS-QQ-A-200 | ALUMINUM ALLOY, BAR, ROD, SHAPES, STRUCTURAL SHAPES, TUBE, AND WIRE, EXTRUDED: GENERAL SPECIFICATION FOR[CUST: MR AS 11 IS] | A | 9530 | | IS | JUN-98 |
| | SAE-AMS4215 | ALUMINUM ALLOY, CASTINGS 5.0SI - 1.2CU - 0.5MG (C355.0-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | MECA | | 11 | DEC-94 |
| | ASTM-B746/B746M | ALUMINUM ALLOY, CORRUGATED, STRUCTURAL PLATE FOR FIELD-BOLTED PIPE, PIPE-ARCHES, AND ARCHES[CUST: YD 99] [REVIEW: 84 CE IS] | A | 9535 | | YD | 15-FEB-93 |
| | SAE-AMS4149 | ALUMINUM ALLOY, DIE AND HAND FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7175-T74) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: SH] | A | FORG | | AS | 29-MAR-82 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS4066 | ALUMINUM ALLOY, DRAWN, ROUND SEAMLESS TUBING 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.06TI - (2219-T8511) SOLUTION HEAT TREATED, STRESS RELIEVED BY STRETCHING, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | 4710 | | 11 | JAN-94 |
| | SAE-AMS4167 | ALUMINUM ALLOY, EXTRUSIONS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T73511) SOLUTION HEAT TREATED, STRESS RELIEVED BY STRETCHING, AND OVERAGED[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | AUG-95 |
| | SAE-AMS4174 | ALUMINUM ALLOY, FLASH WELDED RINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T73) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: GS IS] | A | 5365 | | AS | DEC-94 |
| | SAE-AMS4247 | ALUMINUM ALLOY, HAND FORGINGS 7.7ZN - 2.4MG - 1.6CU - 0.16CR (7049-T7352) SOLUTION HEAT TREATED, STRESS RELIEVED BY COMPRESSION, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | MAY-94 |
| | SAE-AMS4120 | ALUMINUM ALLOY, ROLLED OR COLD FINISHED BARS, RODS, AND WIRE 4.4CU - 1.5MG - 0.60MN (2024) SOLUTION HEAT TREATED AND NATURALLY AGED (T4) SOLUTION HEAT TREATED, COLD WORKED, AND NATURALLY AGED (T351)[CUST: MR AS 99 IS] | A | 95GP | | IS | 03-OCT-94 |
| | SAE-AMS4312 | ALUMINUM ALLOY, ROLLED OR FORGED RINGS 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T651, 6061-T652) SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | MAR-94 |
| | SAE-AMS4311 | ALUMINUM ALLOY, ROLLED OR FORGED RINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T7351, 7075-T7352) SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: GS] | A | 5365 | | AS | AUG-92 |
| | SAE-AMS4310 | ALUMINUM ALLOY, ROLLED OR FORGED RINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T651, 7075-T652) SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | AS | 25-APR-88 |
| | SAE-AMS4313 | ALUMINUM ALLOY, ROLLED OR FORGED RINGS 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.06TI (2219-T351, 2219-T352) SOLUTION HEAT TREATED AND MECHANICALLY STRESS RELIEVED[CUST: MR AS 11] | A | FORG | | AS | MAY-94 |
| | SAE-AMS4082 | ALUMINUM ALLOY, SEAMLESS DRAWN TUBING 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | 4710 | | 11 | DEC-94 |
| | SAE-AMS4027 | ALUMINUM ALLOY, SHEET AND PLATE, 1.0MG - 0.60SI - 0.28CU - 0.20CR, (6061; -T6 SHEET, -T651 PLATE) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 99 IS] [REVIEW: 84] | A | 9535 | | AS | 20-SEP-02 |
| | SAE-AMS-QQ-A-200/16 | ALUMINUM ALLOY, STRUCTURAL SHAPES, EXTRUDED, 6061[CUST: MR AS 11 IS] | A | 9530 | | IS | JUL-97 |
| | SAE-AMS4188/1 | ALUMINUM ALLOY, WELDING, WIRE, 4.5 CU-0.70AG-0.30MN-0.25MG-0.25TI (A201.0)[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 28-SEP-83 |
| | SAE-AMS4188/2 | ALUMINUM ALLOY, WELDING, WIRE, 4.6 CU-0.35MN-0.25MG-0.22TI(A206.0)[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 28-SEP-83 |
| | SAE-AMS4188/3 | ALUMINUM ALLOY, WELDING, WIRE, 5.0SI-1.2CU- 0.50MG(C355.0)[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 28-SEP-83 |
| | SAE-AMS4188/4 | ALUMINUM ALLOY, WELDING, WIRE, 7.0SI-0.30 MG(A356.0)[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 28-SEP-83 |
| | SAE-AMS4188/5 | ALUMINUM ALLOY, WELDING, WIRE, 7.0SI-0.52MG (357.0)[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 28-SEP-83 |
| | SAE-AMS4182 | ALUMINUM ALLOY, WIRE 5.0MG - 0.12MN - 0.12CR (5056-0) ANNEALED[CUST: MI AS] | A | 9525 | | AS | MAY-01 |
| | SAE-AMS2470 | ALUMINUM ALLOYS CHROMIC ACID PROCESS, ANODIC TREATMENT OF[CUST: AR AS 11] | A | MFFP | | AS | NOV-95 |
| | ASTM-B253 | ALUMINUM ALLOYS FOR ELECTROPLATING, PREPARATION OF[CUST: MI SH 11] | A | MFFP | | 11 | 29-MAY-87 |
| | ASTM-B179 | ALUMINUM ALLOYS IN INGOT AND MOLTEN FORMS FOR CASTINGS FROM ALL CASTING PROCESSES[CUST: MR 99] [REVIEW: 84 AR IS OS SH YD] | A | 9650 | | MR | 15-MAY-92 |
| | SAE-AMS2472 | ALUMINUM ALLOYS SULFURIC ACID PROCESS, DYED COATING, ANODIC TREATMENT OF[CUST: MR SH 11] | A | MFFP | | 11 | NOV-95 |
| | SAE-AMS2471 | ALUMINUM ALLOYS SULFURIC ACID PROCESS, UNDYED COATING, ANODIC TREATMENT OF[CUST: MR AS 11] | A | MFFP | | AS | NOV-95 |
| | ASTM-E864 | ALUMINUM ALLOYS TO BE ADHESIVELY BONDED IN HONEYCOMB SHELTER PANELS, SURFACE PREPARATION OF[CUST: GL 11] [REVIEW: MR] | A | MFFP | | GL | 15-APR-92 |
| | ASTM-B646 | ALUMINUM ALLOYS, FRACTURE TOUGHNESS TESTING OF[CUST: MR YD 99] | A | 95GP | | YD | 1-JUN-87 |
| | SAE-AMS4003 | ALUMINUM ALOY, SHEET AND PLATE 0.12 CU (1100-H14) STRAIN HARDENED[CUST: AR AS 99 IS] | A | 9535 | | IS | SEP 95 |
| | AWS-A5.3 | ALUMINUM AND ALUMINUM ALLOY FOR SHIELDED METAL ARC WELDING[CUST: MR YD 99] [REVIEW: AR AT GL GS] | A | 3439 | | MR | 24-JUL-92 |
| | SAE-AMS-QQ-A-225 | ALUMINUM AND ALUMINUM ALLOY, BAR, ROD, WIRE, OR SPECIAL SHAPES; ROLLED, DRAWN, OR COLD FINISHED; GENERAL SPECIFICATION FOR[CUST: MR AS 11 IS] | A | 9525 | | IS | JUN-98 |
| | SAE-AMS-QQ-A-250 | ALUMINUM AND ALUMINUM ALLOY, PLATE AND SHEET[CUST: MR AS 11] | A | 9535 | | IS | JUN-98 |
| | DIN-EN1706 | ALUMINUM AND ALUMINUM ALLOYS - CASTINGS (CHEMICAL COMPOSITION AND MECHANICAL PROPERTIES)[CUST: AT AS 99] [REVIEW: 16 84 IS MI MR] | A | 9540 | | AT | 29-SEP-04 |
| | ASTM-E1251 | ALUMINUM AND ALUMINUM ALLOYS BY THE ARGON ATMOSPHERE, POINT-TO-PLANE, UNIPOLAR SELF-INITIATING CAPACITOR DISCHARGE, OPTICAL EMISSION SPECTROMETRIC ANALYSIS OF[CUST: MR AS 11] | A | NDTI | | AS | OCT-94 |
| | ASTM-E227 | ALUMINUM AND ALUMINUM ALLOYS BY THE POINT-TO-PLANE TECHNIQUE, OPTICAL EMISSION SPECTROMETRIC ANALYSIS OF[CUST: MR AS 11] | A | NDTI | | AS | 26-JAN-90 |
| | SAE-AMS2469 | ALUMINUM AND ALUMINUM ALLOYS PROCESSING AND PERFORMANCE REQUIREMENTS, HARD ANODIIC COATING TREATMENT OF[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | APR-91 |
| | AWS-A5.10 | ALUMINUM AND ALUMINUM, BARE, WELDING ELECTRODES AND RODS, SPECIFICATION FOR[CUST: AR SH 99] [REVIEW: 84 AS GS MR] | A | 3439 | | SH | 10-MAY-93 |
| | ASTM-B211 | ALUMINUM AND ALUMINUM-ALLOY BAR, ROD, AND WIRE[CUST: MR YD 99 IS] [REVIEW: AR AT MC OS SH] | A | 9530 | | IS | 15-NOV-93 |
| | ASTM-B211M | ALUMINUM AND ALUMINUM-ALLOY BAR, ROD, AND WIRE (METRIC)[CUST: MR YD 99] [REVIEW: AS IS MC SH] | A | 9530 | | YD | 30-MAY-90 |
| | ASTM-B247M | ALUMINUM AND ALUMINUM-ALLOY DIE FORGINGS, HAND FORGINGS, AND ROLLED RING FORGINGS (METRIC)[CUST: MR YD] [REVIEW: AR AT OS SH] | A | FORG | | MR | 15-FEB-95 |
| | ASTM-B247 | ALUMINUM AND ALUMINUM-ALLOY DIE FORGINGS, HAND FORGINGS, AND ROLLED RING FORGINGS[CUST: MR YD] [REVIEW: AR AT OS SH] | A | FORG | | MR | 15-MAY-95 |
| | ASTM-B210 | ALUMINUM AND ALUMINUM-ALLOY DRAWN SEAMLESS TUBES[CUST: MR YD] [REVIEW: SH] | A | 4710 | | CC | 15-NOV-93 |
| | ASTM-B221 | ALUMINUM AND ALUMINUM-ALLOY EXTRUDED BARS, RODS, WIRE, PROFILES, AND TUBES[CUST: MR YD 99] | A | 9530 | | IS | 15-NOV-93 |
| | ASTM-B221M | ALUMINUM AND ALUMINUM-ALLOY EXTRUDED BARS, RODS, WIRE, PROFILES, AND TUBES (METRIC)[CUST: MR YD 99] [REVIEW: IS] | A | 9530 | | YD | 15-NOV-93 |
| | ASTM-B316/B316M | ALUMINUM AND ALUMINUM-ALLOY RIVET AND COLD-HEADING WIRE AND RODS[CUST: MR OS 99] [REVIEW: 11 AR AS AT CR4 IS SH] | A | 9525 | | MR | 15-MAY-95 |
| | ASTM-B565 | ALUMINUM AND ALUMINUM-ALLOY RIVETS AND COLD-HEADING WIRE AND RODS, SHEAR TESTING OF[CUST: MR YD 99] | A | 95GP | | YD | 30-OCT-87 |
| | ASTM-B241/B241M | ALUMINUM AND ALUMINUM-ALLOY SEAMLESS PIPE AND SEAMLESS EXTRUDED TUBE[CUST: CR4 YD 99] [REVIEW: CE] | A | 4710 | | CC | 15-NOV-93 |
| | ASTM-B209 | ALUMINUM AND ALUMINUM-ALLOY SHEET AND PLATE[CUST: MR YD 99] [REVIEW: AR IS MC OS SH] | A | 9535 | | YD | 15-NOV-93 |
| | ASTM-B209M | ALUMINUM AND ALUMINUM-ALLOY SHEET AND PLATE (METRIC)[CUST: MR YD 99] [REVIEW: AR IS MC OS SH] | A | 9535 | | YD | 15-NOV-93 |
| | ASTM-B666/B666M | ALUMINUM AND MAGNESIUM PRODUCTS, IDENTIFICATION MARKING OF[CUST: MR YD 16] [REVIEW: 99 IS MI SH] | A | 95GP | | YD | 15-MAY-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AAMA101 | ALUMINUM AND POLY (VINYL CHLORIDE) (PVC) PRIME WINDOWS AND GLASS DOORS[CUST: AR YD 99 IS] [REVIEW: 11 84 CC CR MI] | A | 5670 | | IS | 18-AUG-93 |
| | ASTM-B236 | ALUMINUM BARS FOR ELECTRICAL PURPOSES (BUS BARS)[CUST: MR OS] [REVIEW: 99 AR AS CR4 IS] | A | 9530 | | MR | 15-MAY-92 |
| | ASTM-B236M | ALUMINUM BARS FOR ELECTRICAL PURPOSES (BUS BARS) (METRIC)[CUST: MR OS] [REVIEW: 99 AR AS CR4 IS] | A | 9530 | | MR | 15-MAY-95 |
| | AWS-C3.7 | ALUMINUM BRAZING, SPECIFICATION FOR[CUST: MR] [REVIEW: AR AT] | A | THJM | | MR | 07-MAY-93 |
| M | SAE-AMS4880 | ALUMINUM BRONZE ALLOY, CENTRIFUGAL AND CONTINUOUS-CAST CASTINGS 81.5CU - 10.3AL - 5.0NI - 2.8FE QUENCH HARDENED AND TEMPER ANNEALED (TQ50)[CUST: MR AS 11] [REVIEW: 99] | A | MECA | | 11 | 28-MAR-06 |
| | SAE-AMS4640 | ALUMINUM BRONZE BARS, RODS, SHAPES, TUBES, AND FORGINGS 81.5CU - 10.0AL - 4.8NI - 3.0FE DRAWN AND STRESS RELIEVED (HR50) OR TEMPER ANNEALED (TQ50)[CUST: AT AS 99 IS] [REVIEW: 84] | A | 95GP | | IS | MAR 96 |
| | NAS4006 | ALUMINUM COATING[CUST: AV AS 11] | A | MFFP | | AS | 30-JUL-82 |
| | AAMA1002.9 | ALUMINUM COMBINATION STORM WINDOWS FOR EXTERNAL APPLICATION, VOLUNTARY SPECIFICATION FOR[CUST: AV YD 99] [REVIEW: CE] | A | 5670 | | YD | 08-FEB-79 |
| | ASTM-B788/B788M | ALUMINUM CULVERTS AND STORM SEWER PIPE, CORRUGATED, INSTALLING FACTORY-MADE, STANDARD PRACTICE FOR[CUST: YD 99] [REVIEW: 84] | A | 5630 | | IS | 10-MAY-99 |
| | AA-ADM1 | ALUMINUM DESIGN MANUAL[CUST: YD] | A | FACR | | YD | 12-MAY-04 |
| | AAMA610.1 | ALUMINUM EXTRUSIONS AND CURTAIN WALL PANELS, PAINTED, VOLUNTARY GUIDE SPECIFICATION FOR CLEANING AND MAINTENANCE OF[CUST: MR YD 11] | A | MFFP | | YD | 1979 |
| | AAMA605.2 | ALUMINUM EXTRUSIONS AND PANELS, ARCHITECTURAL, HIGH PERFORMANCE ORGANIC COATINGS ON[CUST: CR4 YD 99] | A | MFFP | | YD | 1992 |
| | ASTM-E874 | ALUMINUM FACINGS TO NONMETALLIC HONEYCOMB CORE FOR SHELTER PANELS, ADHESIVE BONDING OF[CUST: GL SA 99] [REVIEW: 84 AS MR] | A | 8040 | | GL | AUG-93 |
| | QQ-A-1876 NOT 1 | ALUMINUM FOIL[CUST: MR AS 99] [REVIEW: 84 EA GS IS MC MD SA SH SM SS YD] | A | 8135 | / | MR | 16-AUG-90 |
| | ASTM-B373 | ALUMINUM FOIL FOR CAPACITORS[CUST: MR 99] [REVIEW: AS IS MD] | A | 9535 | | MR | 15-MAY-92 |
| | SAE-AMS-A-81596 | ALUMINUM FOIL FOR SANDWICH CONSTRUCTION[CUST: MR AS 11] [REVIEW: AV MI OS SH] | A | 9535 | | AS | JUL-98 |
| | SAE-AMS2420 | ALUMINUM FOR SOLDERABILITY, ZINC IMMERSION PRE-TREATMENT PROCESS, PLATING OF[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | MAR-96 |
| | A-A-50903 | ALUMINUM HYDROXIDE GEL, MAGNESIUM HYDROXIDE, AND SIMETHICONE SUSPENSION[CUST: MD MS 03] | A | 6505 | / | MB | 23-SEP-86 |
| | ANSI-H35.2 | ALUMINUM MILL PRODUCTS, DIMENSIONAL TOLERANCES FOR[CUST: MR AS 11] [REVIEW: 84 99 AR IS OS SH YD] | A | 95GP | | AS | 15-MAR-88 |
| | ANSI-H35.2M | ALUMINUM MILL PRODUCTS, DIMENSIONAL TOLERANCES FOR[CUST: MR AS 11] [REVIEW: 84 99 AR AV IS OS SH YD] | A | 95GP | | AS | 15-MAR-88 |
| | A-A-59139 | ALUMINUM POWDER, ATOMIZED (FOR USE IN EXPLOSIVES)[CUST: OS] [REVIEW: GS] | A | 6810 | / | OS | 25-SEP-98 |
| | MIL-A-82654(1) NOT 2 | ALUMINUM POWDER, ATOMIZED, TECHNICAL[CUST: OS] [REVIEW: AS GS] | A | 6810 | | OS | 11-APR-01 |
| | MIL-DTL-512C | ALUMINUM POWDER, FLAKED, GRAINED AND ATOMIZED[CUST: EA GS3] [REVIEW: AR] | A | 6810 | | GS3 | 03-DEC-01 |
| A | MIL-PRF-23950B(1) | ALUMINUM POWDER, SPHERICAL[CUST: AS] | A | 1336 | | AS | 11-JUL-05 |
| | ASTM-D480 | ALUMINUM POWDERS AND PASTES, FLAKED, SAMPLING AND TESTING OF[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 29-JUL-88 |
| | SAE-AS7220 | ALUMINUM RIVETS, UNS A91100, 99AL (1100-H14)[CUST: AR AS 99 IS] | A | 5320 | | IS | 01-NOV-95 |
| | SAE-AS7222 | ALUMINUM RIVETS, UNS A92117 2.5CU - 0.3MG (2117-T4), PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] | A | 5320 | | IS | 1-NOV-95 |
| | AA35 | ALUMINUM SHEET METAL WORK IN BUILDING CONSTRUCTION[CUST: MR YD 99] [REVIEW: 84 IS] | A | 9535 | | YD | 31-AUG-80 |
| | AA1 | ALUMINUM STANDARDS AND DATA[CUST: MR YD 11] | A | MFFP | | YD | 30-NOV-90 |
| | AA-ASD1 | ALUMINUM STANDARDS AND DATA[CUST: YD] | A | FACR | | YD | 12-MAY-04 |
| | AAMA1102.7 | ALUMINUM STORM DOORS FOR VOLUNTARY SPECIFICATIONS[CUST: CR4 YD 99] | A | 5670 | | IS | 03-MAR-89 |
| | MIL-HDBK-1002/6(1) | ALUMINUM STRUCTURES, COMPOSITE STRUCTURES, STRUCTURAL PLASTICS, AND FIBER-REINFORCED COMPOSITES[CUST: YD] | A | FACR | | YD | 08-SEP-97 |
| | AA30 | ALUMINUM STRUCTURES, SPECIFICATIONS FOR[CUST: MR YD 99] [REVIEW: 84 IS] | A | 9540 | | YD | 31-DEC-86 |
| | SAE-ARP1675 | ALUMINUM STRUCTURES, STRUCTURAL WELDBONDING OF[CUST: MR AS 11] | A | THJM | | 11 | 01-OCT-90 |
| | A-A-55823 NOT 1 | ALUMINUM SULFATE, TECHNICAL[CUST: EA SH 68 GS3] [REVIEW: MC MD SA YD] | A | 6810 | / | GS3 | 26-NOV-02 |
| | ANSI-H35.1M | ALUMINUM, ALLOY AND TEMPER DESIGNATION SYSTEMAMERICAN NATIONAL STANDARD FOR[CUST: MR AS 11] | A | 95GP | | AS | 15-MAR-88 |
| | ANSI-H35.1 | ALUMINUM, ALLOY AND TEMPER DESIGNATION SYSTEMS FOR ALUMINUM[CUST: MR AS 11] [REVIEW: 84 99 AR AV GL IS MI OS SH YD] | A | 95GP | | AS | 22-OCT-85 |
| | ASTM-B580 | ALUMINUM, ANODIC OXIDE COATINGS ON[CUST: MR 99 GS4] [REVIEW: AR AT MI YD] | A | MFFP | | GS4 | 25-MAY-79 |
| | AA46 | ALUMINUM, ANODIZED ARCHITECTURAL[CUST: MR YD 11] | A | MFFP | | YD | 31-OCT-78 |
| | AAMA609.1 | ALUMINUM, ARCHITECTURAL ANODIZED, CLEANING AND MAINTENANCE OF[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5670 | | IS | 31-DEC-85 |
| | AAMA607.1 | ALUMINUM, ARCHITECTURAL, CLEAR ANODIC FINISHES FOR, INSPECTION METHODS FOR[CUST: CR4 YD 99 IS] | A | 8010 | | IS | 1977 |
| | AAMA608.1 | ALUMINUM, ARCHITECTURAL, ELECTROLYTICALLY DEPOSITED COLOR ANODIC FINISHES FOR, VOLUNTARY GUIDE SPECIFICATION AND INSPECTION METHODS FOR[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 8010 | | IS | 1977 |
| | AAMA-CW10 | ALUMINUM, ARCHITECTURAL, FROM SHOP TO SITE, CARE AND HANDLING OF[CUST: CR4 YD 99 IS] | A | 5670 | | IS | 1982 |
| | AAMA606.1 | ALUMINUM, ARCHITECTURAL, VOLUNTARY GUIDE SPECIFICATIONS AND INSPECTION METHODS FOR INTEGRAL COLOR ANODIC FINISHES FOR[CUST: CR4 YD 99 IS] | A | 8010 | | IS | 1976 |
| | SAE-AMS4300 | ALUMINUM, BORON, COMPOSITE SHEET 50 V/O 5.6B, 6061-0 FOR DIFFUSION BONDING[CUST: MR AS 11] [REVIEW: GS] | A | CMPS | | AS | 01-JUL-90 |
| | SAE-AMS2672 | ALUMINUM, BRAZING TORCH OR FURNACE[CUST: MR SH 99] | A | THJM | | 84 | OCT-95 |
| | AWS-D1.2A | ALUMINUM, COMMENTARY ON STRUCTURAL WELDING CODE[CUST: AR YD 99] [REVIEW: GS] | A | FACR | | YD | 21-OCT-85 |
| | AASHTO-M219 | ALUMINUM, CORRUGATED, ALLOY STRUCTURAL PLATE FOR FIELD BOLTED PIPE, PIPE-ARCHES AND ARCHES[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | AAMA603.8 | ALUMINUM, EXTRUDED, PIGMENTED ORGANIC COATINGS ON[CUST: CR4 YD 99] | A | MFFP | | YD | 1992 |
| | ASTM-B136 | ALUMINUM, MEASUREMENT OF STAIN RESISTANCE OF ANODIC COATINGS ON[CUST: MR YD] [REVIEW: CC IS OS SH] | A | 9535 | | YD | 30-AUG-84 |
| | ASTM-B308/B308M | ALUMINUM-ALLOY 6061-T6 STANDARD STRUCTURAL SHAPES[CUST: OS 99 IS] [REVIEW: 11 84 AR CR4 SH YD] | A | 9540 | | IS | 15-MAY-92 |
| | ASTM-B85 | ALUMINUM-ALLOY DIE CASTINGS[CUST: MR AS 11] [REVIEW: AR AT CR CR4 IS MI SH YD] | A | MECA | | MR | 28-OCT-92 |
| | ASTM-B317 | ALUMINUM-ALLOY EXTRUDED BAR, ROD, TUBE, PIPE, AND STRUCTURAL PROFILES FOR ELECTRICAL PURPOSES (BUS CONDUCTOR)[CUST: MR OS 99] [REVIEW: AR AS CR4 IS YD] | A | 9530 | | MR | 15-MAY-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-B429 | ALUMINUM-ALLOY EXTRUDED STRUCTURAL PIPE AND TUBE[CUST: CR4 YD 99] | A | 4710 | | CC | 15-MAY-92 |
| | ASTM-B618 | ALUMINUM-ALLOY INVESTMENT CASTINGS[CUST: MR 11] [REVIEW: AR AT CR4 MI OS SH YD] | A | MECA | | MR | 26-JUN-92 |
| | ASTM-B108 | ALUMINUM-ALLOY PERMANENT MOLD CASTINGS[CUST: MR 11] [REVIEW: AR AT CR4 MI OS SH YD] | A | MECA | | MR | 15-MAY-92 |
| | ASTM-B632/B632M | ALUMINUM-ALLOY ROLLED TREAD PLATE[CUST: MR SH 11] [REVIEW: AR MC] | A | 9535 | | SH | 15-MAY-93 |
| | ASTM-B26/B26M | ALUMINUM-ALLOY SAND CASTINGS[CUST: MR 11] [REVIEW: 99 AR CR4 MD MI SH YD] | A | MECA | | MR | 15-MAY-92 |
| | SAE-AMS7913 | ALUMINUM-BERYLLIUM ALLOY, SHEET AND PLATE 38A1-62BE[CUST: MR AS 11] | A | 9535 | | 11 | MAY- 01 |
| | ASTM-B148 | ALUMINUM-BRONZE SAND CASTINGS[CUST: MR SH 11] | A | MECA | | SH | 15-DEC-93 |
| | ASTM-D2824 | ALUMINUM-PIGMENTED ASPHALT ROOF COATINGS, NONFIBERED, ASBESTOS FIBERED, AND FIBERED WITHOUT ASBESTOS, STANDARD SPECIFICATIONS FOR[CUST: YD 99 IS] [REVIEW: CE CR4] | A | 8030 | | IS | 26-APR-85 |
| | DI-SDMP-81264 | AMENDMENT TO FEDERAL SPECIFICATION [AMSC: A6732] | A | SDMP | | AM | 28-APR-92 |
| | HPVA-HP1 | AMERICAN NATIONAL STANDARD FOR HARDWOOD AND DECORATIVE PLYWOOD[CUST: CE YD 99 IS] [REVIEW: AS AT CC MC MR] | A | 5510 | | IS | 03-OCT-01 |
| | HFS100 | AMERICAN NATIONAL STANDARD FOR HUMAN FACTORS ENGINEERING OF VISUAL DISPLAY TERMINAL WORKSTATIONS[CUST: MI AS 11] [REVIEW: 13 19 AR AT AV CR CR4 EA EC GL MC MD MS OS PE SH TD TE TM YD] | A | HFAC | | MI | 04-FEB-88 |
| | QAP-82 ED.1 | AMERICAN, BRITISH, CANADIAN, AND AUSTRALIAN ARMIES MEDICAL INTEROPERABILITY HANDBOOK | C | ISDA | | AI | 12-MAR-98 |
| | QAP-289 ED.1 | AMERICAN, BRITISH, CANADIAN, AUSTRALIAN ARMIES STANDARDIZATION PROGRAM | C | ISDA | | AI | 10-JUN-03 |
| | MIL-A-70604(2) | AMINE BONDING AGENT[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 01-MAR-96 |
| | A-A-51416A | AMINOCAPROIC ACID TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 16-SEP-86 |
| | MIL-M-16034/18 | AMMETER, DC, SWITCHBOARD, 8-3/4 INCH, 250 DEGREE SCALE[CUST: SH] | A | 6625 | | SH | 19-SEP-66 |
| | QPL-6752-18 | AMMETERS, VOLTMETERS, AND LOADMETERS; DIRECT CURRENT | A | 6625 | | AS | 27-MAR-92 |
| | MIL-A-6752A(3) NOT 2 | AMMETERS, VOLTMETERS, AND LOADMETERS; DIRECT CURRENT[CUST: AS] [REVIEW: MI] | A | 6625 | | AS | 01-MAR-78 |
| | ARI510 | AMMONIA COMPRESSOR UNITS[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | ASTM-D1426 | AMMONIA NITROGEN IN WATER[CUST: EA 68] [REVIEW: 50 CR4 GL MD OS SH] | A | 6810 | | GS3 | 15-SEP-93 |
| | O-A-445C | AMMONIA, TECHNICAL[CUST: AS 68] | A | 6830 | / | GS3 | 06-AUG-03 |
| | A-A-52092A | AMMONIUM CHLORIDE, TECHNICAL[CUST: GL 68 GS3] [REVIEW: AR MD1 SM] | A | 6810 | / | GS3 | 11-JAN-01 |
| | O-A-498B NOT 1 | AMMONIUM DICHROMATE, PHOTOGRAPHIC, (AMMONIUM BICHROMATE)[CUST: OS] | A | 6750 | / | OS | 11-JUL-85 |
| | A-A-59370 | AMMONIUM HYDROXIDE, TECHNICAL[CUST: GS3] | A | 6810 | / | GS3 | 20-JUL-00 |
| A | STANAG-4024 ED.3 | AMMONIUM NITRATE (AN) (FOR USE IN EXPLOSIVES), PHYSICAL AND CHEMICAL REQUIREMENTS, SPECIFICATION | C | ISDA | | AI | 03-DEC-04 |
| | MIL-A-50460A NOT 1 | AMMONIUM NITRATE, PRILLED (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 13-JUL-89 |
| | A-A-59476 | AMMONIUM NITRATE, TECHNICAL[CUST: OS 68] [REVIEW: SH] | A | 6810 | / | GS3 | 26-APR-00 |
| | MIL-A-192B NOT 2 | AMMONIUM PERCHLORATE[CUST: AR OS 19] [REVIEW: 68 EA GS] | A | 6810 | | AR | 18-AUG-99 |
| | MIL-A-82667/2(3) NOT 2 | AMMONIUM PERCHLORATE, CONDITIONED[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 11-APR-01 |
| | MIL-A-82667A(1) | AMMONIUM PERCHLORATE, GENERAL SPECIFICATION FOR[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 23-SEP-85 |
| | MIL-A-166C NOT 2 | AMMONIUM PICRATE (EXPLOSIVE D)[CUST: AR OS 99] | A | 1376 | | AR | 13-JUL-99 |
| | STANAG-4173 ED.1(6) | AMMUNITION 25 MM X 137 (WITH AMD.6) | C | ISDA | | AI | PENDING |
| | MIL-STD-709C NOT 2 | AMMUNITION COLOR CODING[Standard Practice][CUST: AR OS 02] [REVIEW: 70 EA MC MI] | A | 1395 | | AR | 28-SEP-84 |
| | DI-MISC-80043A | AMMUNITION DATA CARD [AMSC: A7312] | A | MISC | | AR | 22-MAY-98 |
| | DI-SAFT-81640 | AMMUNITION DEMILITARIZATION AND DISPOSITION PLAN [AMSC: F7512] | A | SAFT | | 70 | 21-JUL-03 |
| | STANAG-4458 ED.1 | AMMUNITION FOR RIFLED TANK GUNS 105MM | C | ISDA | | AI | 25-MAR-98 |
| | QSTAG-147 ED.4 | AMMUNITION FOR US 105MM TANK GUN, M68 UK 105MM L7A1 AND CA/AS 105MM L7A3[CUST: AI] | C | ISDA | | AI | 15-JUN-88 |
| A | MIL-STD-1168B | AMMUNITION LOT NUMBERING AND AMMUNITION DATA CARD[Standard Practice][CUST: AR OS 99] [REVIEW: 70 EA MC MI] | A | 1395 | | AR | 10-JUN-98 |
| | MIL-HDBK-1461A NOT 1 | AMMUNITION MANUFACTURERS AND THEIR SYMBOLS[CUST: AR OS 99] [REVIEW: MC MI] | A | 13GP | | AR | 20-APR-04 |
| | DI-MGMT-80773 | AMMUNITION PECULIAR EQUIPMENT (APE) REQUIREMENTS DATA [AMSC: A4669] | A | MGMT | | AM | 24-FEB-89 |
| | DI-MISC-80060 | AMMUNITION TEST EXPENDITURE REPORT [AMSC: A3687] | A | MISC | | AM | 01-NOV-85 |
| | DI-MGMT-80321 | AMMUNITION TRANSACTION REPORT [AMSC: N4069] | A | MGMT | | SA | 20-FEB-87 |
| | ATP-39A(4) | AMPHIBIOUS EMBARKATION (INCLUDING CHANGE 4) | C | ISDA | | AI | 01-APR-89 |
| | STANAG-1195 ED.6 | AMPHIBIOUS EMBARKATION - ATP-39(A) | C | ISDN | | NI | 14-JAN-98 |
| | ATP-36 | AMPHIBIOUS OPERATIONS - SHIP TO SHORE MOVEMENT - ATP-36(A) | C | ISDA | | AI | 16-MAR-95 |
| | STANAG-1180 ED.10 | AMPHIBIOUS OPERATIONS - SHIP TO SHORE MOVEMENT - ATP-36(A) | C | ISDN | | NI | 10-MAR-98 |
| | ATP-38 | AMPHIBIOUS RECONNAISSANCE | C | ISDA | | AI | 01-AUG-77 |
| | STANAG-1191 ED.2(1) | AMPHIBIOUS RECONNAISSANCE - ATP-38 (INCLUDING AMENDMENT 1) | C | ISDN | | NI | 22-DEC-87 |
| | A-A-59003/6 | AMPLIFIER ASSEMBLY AM-2316/SIA[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | MIL-A-23595/3C NOT 1 | AMPLIFIER ASSEMBLY, AUDIO FREQUENCY, AM 7067A/A[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 28-APR-05 |
| | MIL-A-23595D(1) | AMPLIFIER, AUDIO FREQUENCY[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 25-FEB-00 |
| | QPL-23595-16 | AMPLIFIER, AUDIO FREQUENCY | A | 5831 | | AS | 31-MAR-05 |
| | MIL-PRF-62488A | AMPLIFIER, AUDIO FREQUENCY[CUST: AT] | A | 5820 | | AT | 25-JUL-97 |
| | A-A-59003/10 | AMPLIFIER, AUDIO FREQUENCY - EMERGENCY REPORT SYSTEM[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | MIL-A-23595/2A(3) NOT 1 | AMPLIFIER, AUDIO FREQUENCY, AM 4326B/A[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 04-MAR-05 |
| | MIL-A-23595/1A(3) NOT 1 | AMPLIFIER, AUDIO FREQUENCY, AM-3597C/A[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 04-MAR-05 |
| | MIL-A-16749E(2) | AMPLIFIER, AUDIO FREQUENCY, SOUND POWERED TELEPHONE SYSTEM[CUST: SH] | A | 5805 | | SH | 17-JUN-68 |
| | MIL-A-85672 | AMPLIFIER, RADIO FREQUENCY AM-7177A/ARC[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 07-JUL-87 |
| | MIL-DTL-28875/1A NOT 1 | AMPLIFIER, RADIO FREQUENCY AND MICROWAVE, SOLID-STATE, NARROWBAND, DIP CONFIGURATION[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5996 | | CC | 17-JUN-05 |
| | MIL-A-81307 | AMPLIFIER, SERVOMOTOR, GENERAL SPECIFICATION[CUST: AS] [REVIEW: CC] | A | 5990 | | AS | 20-AUG-65 |
| | MIL-A-15344J(2) | AMPLIFIER, SYNCHRO SIGNAL[CUST: SH] [REVIEW: CC EC] | A | 5990 | | SH | 02-NOV-90 |
| | A-A-59003/2 | AMPLIFIER-CONTROL GROUP AN/SIA-115[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59003/7 | AMPLIFIER-CONTROL GROUP AN/SIA-119[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59003/8 | AMPLIFIER-CONTROL GROUP AN/SIA-120[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59003/9 | AMPLIFIER-CONTROL GROUP AN/SIA-122[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59003/3 | AMPLIFIER-CONTROL GROUP, AN/SIA-116[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59003/1 | AMPLIFIER-OSCILLATOR GROUP AN/SIA-114[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59003/4 | AMPLIFIER-OSCILLATOR GROUP AN/SIA-117[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59003/5 | AMPLIFIER-OSCILLATOR GROUP AN/SIA-118[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59003 | AMPLIFIERS, AUDIO FREQUENCY; AND AMPLIFIER-CONTROL GROUPS-SHIPBOARD ANNOUNCING[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59003/11 | AMPLIFIERS, AUDIO FREQUENCY; BOOSTER AMPLIFIER - AUDIO - 20 WATT SHIPBOARD ANNOUNCING[CUST: SH] | A | 6320 | / | SH | 11-MAY-95 |
| M | MIL-DTL-28875B SUP 1 | AMPLIFIERS, RADIO- FREQUENCY AND MICROWAVE, SOLID- STATE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH] | A | 5996 | | CC | 30-MAR-06 |
| | MIL-DTL-28875/8A NOT 1 | AMPLIFIERS, RADIO-FREQUENCY & MICROWAVE, SOLID- STATE, POWER, WIDEBAND, TO CONFIGURATION[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH] | A | 5996 | | CC | 17-JUN-05 |
| | MIL-DTL-28875/10A NOT 1 | AMPLIFIERS, RADIO-FREQUENCY AND MICROWAVE, SOLID-STATE, WIDEBAND, TO CONFIGURATION[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5996 | | CC | 17-JUN-05 |
| | MIL-DTL-28875/6A NOT 1 | AMPLIFIERS, RADIO-FREQUENCY AND MICROWAVE, SOLID-STATE, LOW NOISE, WIDEBAND, COAXIAL CONFIGURATION[CUST: CR EC 11 CC] [REVIEW: 19 99 AV MC MI OS SH] | A | 5996 | | CC | 17-JUN-05 |
| | MIL-DTL-28875/5A NOT 1 | AMPLIFIERS, RADIO-FREQUENCY AND MICROWAVE, SOLID-STATE, LOW NOISE, WIDEBAND, TO CONFIGURATION[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC OS SH] | A | 5996 | | CC | 17-JUN-05 |
| | MIL-DTL-28875/12A NOT 1 | AMPLIFIERS, RADIO-FREQUENCY AND MICROWAVE, SOLID-STATE, WIDEBAND, LOW PROFILE, TO CONFIGURATION[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5996 | | CC | 17-JUN-05 |
| | SAE-AMS5598 | AMS5598C, NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 72NI-15.5CR-0.95(CB&TA)-2.5TI-0.70A1-7.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: 11] [REVIEW: 99 AS MR] | A | 9515 | | 11 | 01-JUL-93 |
| | A-A-59132 NOT 1 | AMYL ACETATE, TECHNICAL[CUST: EA AS 68 GS3] [REVIEW: MD1 OS] | A | 6810 | / | GS3 | 15-NOV-02 |
| | QSTAG-1042 ED.2 | AN OPERATIONAL CONCEPT FOR NBC DEFENCE[CUST: AI] | C | ISDA | | AI | 06-OCT-98 |
| | ASTM-D5363 | ANAEROBIC SINGLE-COMPONENT ADHESIVES (AN)[CUST: MR AS 11] [REVIEW: 84 99 CR CR4 DS MD MI OS SH] | A | 8030 | | 11 | 21-JAN-04 |
| | ITOP-6.2.242(1) | ANALOG COMMUNICATION TRANSMITTER AND RECEIVER TEST PROCEDURES | D | ISDA | | TE | 20-NOV-95 |
| | MIL-STD-3005 | ANALOG-TO-DIGITAL CONVERSION OF VOICE BY 2,400 BIT/SECOND MIXED EXCITATION LINEAR PREDICTION (MELP)[Military Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 19 93 AM DC1 MC NC TD] | A | TCSS | | NS | 20-DEC-99 |
| | STANAG-3350 ED.4(1) | ANALOGUE VIDEO STANDARD FOR AIRCRAFT SYSTEM APPLICATIONS | C | ISDF | | 06 | 30-OCT-95 |
| | ASTM-D3269 | ANALYSIS FOR FLUORIDE CONTENT OF ATMOSPHERE AND PLANT TISSUES (MANUAL PROCEDURES)[CUST: EA SH] | A | 6810 | | GS3 | 10-APR-96 |
| | ASTM-D2268 | ANALYSIS OF HIGH-PURITY N-HEPTANE AND ISOOCTANE BY CAPILLARY GAS CHROMATOGRAPHY[CUST: AT SH 68] | A | 9130 | | AT | 15-FEB-93 |
| | ASTM-D128 | ANALYSIS OF LUBRICATING GREASE[CUST: AT SH 11] [REVIEW: 68 AR AS YD] | A | 91GP | | AT | 10-NOV-98 |
| | ASTM-E223 | ANALYSIS OF SULFURIC ACID[CUST: EA SH 68 GS3] [REVIEW: AR CR4 MD] | A | 6810 | | GS3 | 10-DEC-96 |
| | ASTM-D3280 | ANALYSIS OF WHITE ZINC PIGMENTS[CUST: EA GS3] [REVIEW: AS CR4 MC MD OS SH] | A | 6810 | | GS3 | 25-OCT-85 |
| | ASTM-D126 | ANALYSIS OF YELLOW, ORANGE, AND GREEN PIGMENTS CONTAINING LEAD CHROMATE AND CHROMIUM OXIDE GREEN[CUST: MR SH 99] | A | 8010 | | MR | 29-MAY-87 |
| | DI-ENVR-81030 | ANALYSIS REPORT, DYNAMIC SHOCK [AMSC: N4988] | A | ENVR | | SH | 26-SEP-90 |
| | ASTM-E168 | ANALYSIS, INFRARED QUANTITATIVE, GENERAL TECHNIQUES OF[CUST: AR AS 11] | A | NDTI | | AR | 10-OCT-99 |
| | DI-MISC-81391 | ANALYTICAL CONDITION INSPECTION REPORT [AMSC: F7004] | A | MISC | | 10 | 30-MAR-94 |
| | A-A-54504 | ANALYZER, BLOOD GAS[CUST: MD MS 03] | A | 6630 | / | MB | 18-OCT-91 |
| | A-A-53254A | ANALYZER, CARBON DIOXIDE (MICRO CO2, SERUM)[CUST: MD MS 03] | A | 6630 | / | MB | 02-MAY-88 |
| | A-A-53267A | ANALYZER, CENTRIFUGAL, HEMATOLOGY[CUST: MD MS 03] | A | 6630 | / | MB | 20-APR-90 |
| | A-A-54778 | ANALYZER, CLINICAL CHEMISTRY, DRY[CUST: MD MS 03] | A | 6630 | / | MB | 15-JAN-93 |
| | A-A-53007 | ANALYZER, DEFIBRALLATOR[CUST: MD MS 03] | A | 6625 | / | MB | 26-JUN-87 |
| | A-A-59516 | ANALYZER, DIGITAL DATA[CUST: 99 CC] | A | 6625 | / | 84 | 24-AUG-00 |
| | A-A-58042A | ANALYZER, DIGITAL DATA, ELECTRONIC TEST[CUST: CR AS 99 CC] | A | 6625 | / | 84 | 22-JAN-96 |
| | A-A-58023 | ANALYZER, GASOLINE ENGINE EXHAUST[CUST: 99] | A | 4910 | / | 84 | 30-MAR-94 |
| | A-A-54141 | ANALYZER, INTRAVENOUS INFUSION PUMP[CUST: MD MS 03] | A | 6515 | / | MB | 20-APR-90 |
| | A-A-54925 | ANALYZER, MIDDLE EAR[CUST: MD MS 03] | A | 6625 | / | MB | 15-OCT-93 |
| | A-A-59130 | ANALYZER, SPECTRUM 10 KHZ TO 50 GHZ[CUST: MI 99] [REVIEW: CC] | A | 6625 | / | 84 | 17-OCT-97 |
| | A-A-59751 | ANALYZER, SPECTRUM, 2.9 GHZ RF WITH INTERNAL TRACKING GENERATOR[CUST: 99] | A | 6625 | / | 84 | 19-OCT-04 |
| | A-A-50767 NOT 2 | ANALYZER, SURFACE FINISH[CUST: 99 IS] | A | 5220 | / | IS | 21-AUG-01 |
| | A-A-50504 | ANALYZERS, FLUE-GAS, ORSAT-TYPE, PORTABLE[CUST: YD 99] [REVIEW: 84] | A | 6630 | / | YD | 28-FEB-92 |
| | A-A-53195A | ANALYZING KIT, MEAT FAT CONTENT[CUST: MD MS 03] [REVIEW: GS] | A | 6695 | / | MB | 12-FEB-90 |
| | PIA-PS22010 | ANCHOR - LAP SAFETY BELT[CUST: GL AS 99] [REVIEW: GS] | A | 1680 | | AS | 18-MAR-02 |
| | DI-MISC-80350A | ANCHOR STOMP TASKING REPORT [AMSC: F4513] | A | MISC | | 33 | 05-AUG-88 |
| | MIL-A-3962E | ANCHOR, GROUND, ARROWHEAD WITH DRIVING EQUIPMENT[CUST: GL 99 CC] [REVIEW: EA IS MD] | A | 4030 | | CC | 19-MAY-86 |
| | A-A-55606 | ANCHOR, GUY, AND RODS, ANCHOR[CUST: CR YD 99 CC] [REVIEW: AV SA] | A | 4030 | / | CC | 21-AUG-95 |
| | MIL-A-24280A | ANCHOR, MARINE FLUKED, LIGHT WEIGHT TYPE (LWT), (30 DEGREES AND 50 DEGREES FLUKE ANGLES WITH WEDGE BLOCK ADAPTERS), HIGH STRENGTH CAST STEEL[CUST: SH] | A | 2040 | | SH | 11-DEC-72 |
| | DOD-A-24581 NOT 1 | ANCHOR, NAVY STOCKLESS TYPE (METRIC)[CUST: SH] [REVIEW: YD] | A | 2040 | | SH | 21-MAR-91 |
| | DOD-A-17254A | ANCHOR, NAVY, LIGHTWEIGHT (HADFIELD MANGANESE CAST STEEL LOW MAGNETIC PERMEABILITY) (METRIC)[CUST: SH] | A | 2040 | | SH | 23-AUG-85 |
| | A-A-50119A | ANCHOR, SNOW, WIRED[CUST: GL 99 CT] [REVIEW: MC] | A | 8465 | / | CT | 21-FEB-90 |
| | DOD-A-24582 NOT 1 | ANCHOR, TWO-FLUKE, BALANCED FLUKE (METRIC)[CUST: SH] | A | 2040 | | SH | 21-MAR-91 |
| | ASTM-E488 | ANCHORS IN CONCRETE AND MASONRY ELEMENTS, STRENGTH OF[CUST: AR YD 99 IS] | A | 56GP | | AR | 27-JUL-90 |
| | DOD-A-15707D(2) | ANCHORS, NAVY, LIGHTWEIGHT TYPE (METRIC)[CUST: SH] [REVIEW: YD] | A | 2040 | | SH | 25-JAN-89 |
| | MIL-DTL-28619D | ANCHORS, STATO MOORING, 200 TO 15,000 POUNDS[CUST: YD] [REVIEW: SH] | A | 2040 | | YD | 20-OCT-97 |
| | MIL-A-37953 | ANESTHESIA APPARATUS, GAS, NITROUS OXIDE[CUST: MD MS 03] | A | 6515 | | MB | 15-APR-83 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-54004 | ANESTHESIA BLOCK SET, PARACERVICAL-PUDENDAL[CUST: MD MS 03] | A | 6515 | / | MB | 13-NOV-89 |
| | A-A-54672 | ANESTHESIA KIT, LARYNGOTHRACHEAL, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 15-JUN-92 |
| | A-A-54382 | ANESTHESIA SET SPINAL (SADDLE BLOCK, DISPOSABLE)[CUST: MD MS 03] | A | 6515 | / | MB | 22-APR-91 |
| | A-A-51530B | ANESTHESIA SET, SPINAL[CUST: MD MS 03] | A | 6515 | / | MB | 21-DEC-89 |
| | SAE-AMS10135 | ANGLE, BULB SECTION EXTRUDED[CUST: 99] | A | 9540 | | 84 | 24-FEB-04 |
| | SAE-AMS10133 | ANGLE, EQUAL LEG EXTRUDED[CUST: 99] | A | 9540 | | 84 | 24-FEB-04 |
| | SAE-AMS10134 | ANGLE, UNEQUAL LEG EXTRUDED[CUST: 99] | A | 9540 | | 84 | 24-FEB-04 |
| | ASTM-D611 | ANILINE POINT AND MIXED ANILINE POINT OF PETROLEUM PRODUCTS AND HYDROCARBON SOLVENTS[CUST: AT SH 11] [REVIEW: 68 GS OS] | A | 9150 | | AT | 27-AUG-82 |
| | DI-MISC-81056A | ANNUAL LIBRARY REPORT [AMSC: F7190] | A | MISC | | 10 | 13-JUL-96 |
| | ISA-S18.1 | ANNUNCIATOR SEQUENCES AND SPECIFICATIONS[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | MIL-A-19521B | ANODE RETAINING SUPPORT PLUGS AND ANODE SELECTION AND INSTALLATION DESIGN CRITERIA FOR SHIPBOARD CONDENSERS AND HEAT EXCHANGERS[CUST: SH] | A | 5340 | | SH | 04-MAY-92 |
| | A-A-51126B NOT 1 | ANODES, CADMIUM[CUST: SH 99 GS6] [REVIEW: 84 OS] | A | 3426 | / | GS6 | 20-JAN-05 |
| | ASTM-B418 | ANODES, CAST AND WROUGHT GALVANIC ZINC[CUST: AR YD 99 IS] [REVIEW: SH] | A | 5340 | | IS | 26-FEB-88 |
| | MIL-A-24779 | ANODES, SACRIFICIAL ALUMINUM ALLOY[CUST: SH] | A | 3426 | | SH | 15-DEC-92 |
| | QPL-24779-2 | ANODES, SACRIFICIAL ALUMINUM ALLOY | A | 3426 | | SH | 09-SEP-04 |
| | MIL-A-18001K(2) | ANODES, SACRIFICIAL ZINC ALLOY[CUST: AT SH 99] [REVIEW: 71 CE CR4 IS OS YD] | A | 5340 | | SH | 02-MAY-05 |
| | ASTM-F1182 | ANODES, SACRIFICIAL ZINC ALLOY[CUST: AT SH 99 IS] | A | 5340 | | IS | 03-MAR-97 |
| | MIL-A-8625F(1) | ANODIC COATINGS FOR ALUMINUM AND ALUMINUM ALLOYS[CUST: MR AS 11] [REVIEW: 70 71 99 AR AT AV CR CR4 MI OS SH] | A | MFFP | | AS | 15-SEP-03 |
| | A-A-51413 | ANOSCOPE, HIRSCHMAN[CUST: MD 03] | A | 6515 | / | MB | 08-MAY-86 |
| | MIL-PRF-55359A | ANTENNA AS-1304( )/ARN-30[CUST: CR] [REVIEW: GS] | A | 5826 | | CR | 09-JUN-97 |
| | MIL-DTL-4946C(1) | ANTENNA ASSEMBLY AT-197( )/GR[CUST: CR 11 CC] [REVIEW: 99] | A | 5985 | | CC | 10-DEC-04 |
| | MIL-DTL-7879C | ANTENNA AT-141A/ARC[CUST: AS CC] | A | 5985 | | CC | 27-OCT-04 |
| | MIL-A-25895(1) NOT 1 | ANTENNA AT-505/AP[CUST: 11 CC] | A | 5985 | | CC | 01-NOV-01 |
| | MIL-DTL-22354B | ANTENNA AT-948/U[CUST: AS CC] | A | 5985 | | CC | 18-AUG-03 |
| A | MIL-DTL-7965F | ANTENNA COMPONENTS: ANTIPRECIPITATION STATIC[CUST: AV AS 11 CC] [REVIEW: 99] | A | 5985 | | CC | 22-JUN-05 |
| | MIL-PRF-49204B | ANTENNA GROUP OE-254/GRC[CUST: CR] | A | 5985 | | CR | 19-MAY-97 |
| | MIL-DTL-49295A | ANTENNA GROUP OE-303( )/GRC[CUST: CR CC] | A | 5985 | | CC | 14-JAN-02 |
| | ITOP-6.2.532 | ANTENNA SCAN RATE TEST | D | ISDA | | TE | 10-MAR-97 |
| | MIL-DTL-29563A | ANTENNA SYSTEM, AIMS SHIPBOARD, ELECTRONICALLY STEERED OE-120/UPX[CUST: AS CC] [REVIEW: EC] | A | 5985 | | CC | 13-NOV-03 |
| | MIL-DTL-5815F | ANTENNA, AIRBORNE, UHF - BAND, GENERAL SPECIFICATION FOR[CUST: CR 11 CC] [REVIEW: 99 AV] | A | 5985 | | CC | 01-MAY-02 |
| | MIL-DTL-25708/2B(3) | ANTENNA, BLADE, AS-2685/A[CUST: AV 11 CC] [REVIEW: 99] | A | 5985 | | CC | 21-JAN-03 |
| | MIL-DTL-25708/3C(1) | ANTENNA, BLADE, AS-2686/A (HN CONNECTOR)[CUST: CR AS 11 CC] [REVIEW: AV] | A | 5985 | | CC | 21-JAN-03 |
| | MIL-DTL-25708/1F(1) | ANTENNA, BLADE, AT-741B/B (HN CONNECTOR)[CUST: CR AS 11 CC] [REVIEW: 70 71 84 99 AV] | A | 5985 | | CC | 21-JAN-03 |
| | MIL-DTL-25708/5B(2) | ANTENNA, BLADE, L-BAND (4 HOLE MOUNT, N-CONNECTOR)[CUST: CR AS 11 CC] [REVIEW: 99 AV] | A | 5985 | | CC | 21-JAN-03 |
| | MIL-DTL-5815/1A | ANTENNA, BLADE, UHF, AT-256A/ARC (SERIES N CONNECTOR)[CUST: 11 CC] [REVIEW: 99 AV] | A | 5985 | | CC | 18-JUN-03 |
| | MIL-DTL-85670B | ANTENNA, BROADBAND AS-3191/A, AS-3792/A, AND AS-3793/A[CUST: AS CC] [REVIEW: GS] | A | 5821 | | CC | 30-OCT-01 |
| | QPL-85670-8 | ANTENNA, BROADBAND, AS-3191/A, AS-3792/A, AND AS-3793/A | A | 5821 | | CC | 08-FEB-05 |
| | MIL-DTL-25707/2B NOT 1 | ANTENNA, FLUSH MOUNT (RADIUS OF CURVATURE - 14.90 INCHES)[CUST: 11] | A | 5985 | | CC | 11-MAY-04 |
| | MIL-A-25707/3A NOT 2 | ANTENNA, FLUSH MOUNT (RADIUS OF CURVATURE - 66.50 INCHES)[CUST: 11] [REVIEW: 99] | A | 5985 | | CC | 20-JUL-01 |
| | MIL-DTL-25707E(1) | ANTENNA, FLUSH MOUNT, L-BAND, GENERAL SPECIFICATION FOR[CUST: 11 CC] | A | 5985 | | CC | 07-MAY-03 |
| | MIL-DTL-25707/1B NOT 1 | ANTENNA, FLUSH MOUNT, TYPE AT-740/A[CUST: 11] | A | 5985 | | CC | 11-MAY-04 |
| | MIL-A-28737A(1) | ANTENNA, IFF, AS-1288( ) (3 METERS) (10 FEET), AS.2189 (1.8 METERS )6 FEET()[CUST: AS] [REVIEW: CC] | A | 5985 | | AS | 16-DEC-77 |
| | MIL-DTL-25708D(1) | ANTENNAS, BLADE, L-BAND, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AV] | A | 5985 | | CC | 01-OCT-01 |
| | EIA329 | ANTENNAS, COMMUNICATION, PART I BASE STATION ANTENNAS, MINIMUM STANDARDS FOR[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | IEEE145 | ANTENNAS, DEFINITIONS OF TERMS[CUST: 11 CC] [REVIEW: 99] | A | 5985 | | CC | 30-SEP-85 |
| | INFO-PUB-61/105/19 | ANTHROPOMETRIC ACCOMMODATION IN AIRCRAFT COCKPITS: A METHODOLOGY FOR EXAMINATION | C | ISDF | | 06 | 13-NOV-00 |
| | INFO-PUB-61/105/7A(4) | ANTHROPOMETRIC DATA OF MALE AIRCREW POPULATIONS | C | ISDF | | 06 | 15-MAY-97 |
| | ADV-PUB-61/105/13 | ANTHROPOMETRIC LIMITATIONS FOR AIRCRAFT CREW STATIONS | C | ISDF | | 06 | 13-APR-95 |
| | INFO-PUB-61/105/4C | ANTHROPOMETRIC LIMITATIONS FOR THE SELECTION OF AIRCREW IN THE ASCC NATIONS | C | ISDF | | 06 | 05-NOV-97 |
| | DOD-HDBK-743A | ANTHROPOMETRY OF U.S. MILITARY PERSONNEL (METRIC)[CUST: GL AS 11] [REVIEW: AT AV CR MD MI NU] | A | HFAC | | GL | 13-FEB-91 |
| | MIL-STD-188-148B NOT 1 | ANTI JAM (AJ) COMMUNICATIONS IN THE HIGH FREQUENCY (2-30 MHZ) BAND (U)[CUST: CR OM 02] [REVIEW: 13 84 93 AM DH DI DS MC NC NS SO TD] | A | TCSS | | DC1 | 22-JUL-04 |
| | ABMA-MANUAL | ANTI-FRICTION BEARING MAINTENANCE MANUAL[CUST: YD] | A | FACR | | YD | 25-MAY-04 |
| A | MIL-DTL-81905E | ANTI-G GARMENT, CSU-15A/P[CUST: AS] | A | 8475 | | AS | 21-DEC-05 |
| A | QPL-81905-8 | ANTI-G GARMENT, CSU-15A/P | A | 8475 | | AS | 21-DEC-05 |
| | QPL-83406-7 | ANTI-G GARMENT, CUTAWAY, CSU-13B/P | A | 8475 | | 11 | 21-APR-03 |
| M | MIL-DTL-83406C | ANTI-G GARMENT, CUTAWAY, CSU-13B/P[CUST: AS 11] | A | 8475 | | 11 | 24-MAR-06 |
| | A-A-59004A | ANTI-GALLING COMPOUND, THREAD LUBRICATING, SEIZING RESISTANT, AND CALCIUM HYDROXIDE CONTAINING[CUST: SH] [REVIEW: GS] | A | 9150 | / | SH | 07-SEP-95 |
| | STANAG-1041 ED.16 | ANTI-SUBMARINE EVASIVE STEERING - ATP-3(B) | C | ISDN | | NI | 29-MAR-01 |
| | A-A-52624A | ANTIFREEZE, MULTI ENGINE TYPE[CUST: AT SH 68] [REVIEW: EA GS] | A | 6850 | / | AT | 06-SEP-01 |
| | ASTM-D2350 | ANTIMONY OXIDE IN WHITE PIGMENT SEPARATED FROM SOLVENT-REDUCIBLE PAINTS[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 21-AUG-90 |
| | MIL-A-159D NOT 1 | ANTIMONY SULFIDE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: EA GS MD] | A | 6810 | | AR | 14-JUL-99 |
| | MIL-A-85501 | ANTIOXIDANT N-PHENYL-N,-CYCLOHEXYL-P-PHENYLENE DIAMINE[CUST: AS] [REVIEW: GS MR] | A | 6810 | | AS | 06-OCT-81 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-A-85495(1) | ANTIOXIDANT, T-BUTYLPHENOL TYPE, 2, 2,-METHYLENEBIS (4-METHYL-6-T-BUTYLPHENOL)[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 30-JUN-95 |
| A | QPL-907-46 | ANTISEIZE THREAD COMPOUND, HIGH TEMPERATURE | A | 8030 | | SH | 14-FEB-06 |
| | MIL-PRF-907F | ANTISEIZE THREAD COMPOUND, HIGH TEMPERATURE[CUST: MR SH 99] [REVIEW: 84 AR AS AT EA GL MC MI OS YD] | A | 8030 | | SH | 17-NOV-04 |
| | A-A-0051674 | ANTISEPTIC-ANESTHETIC LOZENGES, PHENOLATED[CUST: MD MS 03] | A | 6505 | / | MB | 20-JAN-87 |
| | A-A-53874 | ANTIVENIN, CROTALIDAE, POLYVALENT, USP[CUST: MD MS 03] | A | 6505 | / | MB | 31-MAR-89 |
| | A-A-53590 | ANVIL, OPTICIAN'S, RIVETING[CUST: MD MS 03] | A | 6540 | / | MB | 22-JUL-88 |
| | A-A-53879 | ANYL NITRITE INHALANT, USP[CUST: MD MS 03] | A | 6505 | / | MB | 31-MAR-89 |
| | DI-EDRS-80907A | APERTURE CARDS [AMSC: A6683] | A | EDRS | | AM | 11-OCT-91 |
| | STANAG-3237 ED.3(5) | APERTURE OF TERMINAL RING OR LINK OF AIRCRAFT LIFTING SLINGS | C | ISDF | | 06 | 25-NOV-82 |
| | ASTM-E191 | APPARATUS FOR MICRODETERMINATION OF CARBON AND HYDROGEN IN ORGANIC AND ORGANO-METALLIC COMPOUNDS[CUST: EA OS 68] [REVIEW: GL] | A | 6810 | | GS3 | 15-JUN-64 |
| | ASTM-E50 | APPARATUS, REAGENTS, AND SAFETY CONSIDERATIONS FOR CHEMICAL ANALYSIS OF METALS, ORES, AND RELATED MATERIALS[CUST: EA SH 68] [REVIEW: AR GL MD] | A | 6810 | | GS3 | 01-NOV-90 |
| | ASTM-D3941 | APPARATUS, WITH A CLOSED-CUP, FLASH POINT BY THE EQUILIBRIUM METHOD[CUST: CR4 YD 99] | A | 91GP | | 71 | 25-MAY-90 |
| | UL499 | APPLIANCES, ELECTRIC HEATING[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 26-MAR-97 |
| | UL923 | APPLIANCES, MICROWAVE COOKING, SAFETY, STANDARD FOR[CUST: GL YD 99] [REVIEW: 84] | A | 7310 | | SS | 18-JUN-92 |
| | UL73 | APPLIANCES, MOTOR OPERATED[CUST: GL 99] [REVIEW: MD] | A | 73GP | | GL | 16-APR-93 |
| | ARI-GUIDELINE-D | APPLICATION AND INSTALLATION OF CENTRAL STATION AIR-HANDLING UNITS[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | IEEE1220 | APPLICATION AND MANAGEMENT OF THE SYSTEMS ENGINEERING PROCESS, STANDARD FOR[CUST: AM AS 10 SE] | A | SESS | | SE | 20-AUG-02 |
| | AMCA501 | APPLICATION MANUAL FOR AIR LOUVERS[CUST: CR4 YD] [REVIEW: CE GS] | A | 4140 | | IS | 03-SEP-93 |
| | ASTM-C844 | APPLICATION OF GYPSUM BASE TO RECEIVE GYPSUM VENEER PLASTER[CUST: YD] [REVIEW: CE] | A | 5640 | | IS | 27-AUG-85 |
| | ASTM-C843 | APPLICATION OF GYPSUM VENEER PLASTER[CUST: YD] [REVIEW: CE] | A | 5640 | | IS | 28-FEB-91 |
| | STANAG-3994 ED.2(1) | APPLICATION OF HUMAN ENGINEERING TO ADVANCED AIRCREW SYSTEMS | C | ISDF | | 06 | 25-FEB-00 |
| | ASTM-E668 | APPLICATION OF THERMOLUMINESCENCE-DOSIMETRY (TLD) SYSTEMS FOR DETERMINING ABSORBED DOSE IN RADIATION-HARDNESS TESTING OF ELECTRONIC DEVICES[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH] | A | 59GP | | CC | 15-APR-93 |
| | ADV-PUB-61/105/9 | APPLICATION ORIENTED SELECTION OF ANTHROPOMETRIC DIMENSIONS | C | ISDF | | 06 | 20-SEP-90 |
| | ASME-PTC19.5 | APPLICATION, PART II OF FLUID METERS: INTERIM SUPPLEMENT ON INSTRUMENTS AND APPARATUS[CUST: YD] [REVIEW: GS] | A | 6680 | | YD | 11-SEP-92 |
| | API-STD-614 | APPLICATIONS, SPECIAL-PURPOSE FOR LUBRICATION, SHAFT-SEALING, AND CONTROL-OIL SYSTEMS[CUST: CR4 YD 99] [REVIEW: CC] | A | 4930 | | IS | 31-AUG-92 |
| | DI-ALSS-81221A | APPLICATIONS/PROGRAMS/INDENTURE (API) DATA [AMSC: F7219] | A | SESS | | 10 | 24-JAN-97 |
| | A-A-53907 | APPLICATOR SET, PIN RETENTION, DENTAL, SPIRAL, CEMENT[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | A-A-51967A | APPLICATOR, ACETONE-ALCOHOL IMPREGNATED[CUST: MD MS 03] | A | 6510 | / | MB | 01-APR-88 |
| | A-A-50538 | APPLICATOR, BAIT, INSECTICIDE[CUST: MD YD 99] [REVIEW: CC GS MS] | A | 3740 | / | YD | 14-SEP-92 |
| | A-A-53101 | APPLICATOR, DISPOSABLE, (WOOD OR PLASTIC, COTTON OR POLYESTER TIPPED END)[CUST: MD MS 03] | A | 6515 | / | MB | 28-JUL-87 |
| | A-A-54446 | APPLICATOR, POVIDONE-IODINE IMPREGNATED[CUST: MD MS 03] | A | 6510 | / | MB | 12-JUL-91 |
| | A-A-50423 | APPLICATOR, SELF-PRESSURIZED CAN, BRUSH-TYPE, FOR USE WITH ISOPROPYL ALCOHOL SOLVENT (AEROSOL BRUSH APPLICATOR FOR ISOPROPYL ALCOHOL)[CUST: EA AS 68] [REVIEW: GS] | A | 6850 | / | AS | 20-FEB-95 |
| | IESNA-LM44 | APPROVED METHOD FOR TOTAL AND DIFFUSE REFLECTOMETRY[CUST: YD] | A | FACR | | YD | 07-SEP-04 |
| | AIR-STD-90/24 | APRON FLOODLIGHTING | C | ISDF | | 06 | 31-MAR-97 |
| | DDD-A-1466C | APRON, CONSTRUCTION WORKER'S[CUST: GL NU 99 CT] [REVIEW: 11 MD YD] | A | 8415 | / | CT | 10-JAN-91 |
| | A-A-55240 | APRON, CONSTRUCTION WORKER'S[CUST: GL NU 99 CT] [REVIEW: 11 YD] | A | 8415 | / | CT | 01-NOV-93 |
| | A-A-55268 | APRON, CONSTRUCTION WORKER'S, LEATHER[CUST: GL NU 99 CT] [REVIEW: 11] | A | 8415 | / | CT | 28-FEB-95 |
| | A-A-51564 | APRON, DENTAL (PLASTIX, DISPOSABLE)[CUST: MD MS 03] | A | 6532 | / | MB | 28-JUL-86 |
| | A-A-50068 | APRON, LABORATORY, PLASTIC[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | / | CT | 27-MAY-87 |
| | A-A-55065 | APRON, MEAT CUTTER'S[CUST: GL 99 CT] [REVIEW: MD] | A | 8415 | / | CT | 13-JUL-92 |
| | MIL-A-2334J | APRON, TOXICOLOGICAL AGENTS PROTECTIVE, M-2[CUST: GL NU 99 CT] [REVIEW: 11 AS MC MD YD] | A | 8415 | | CT | 15-MAR-91 |
| | A-A-55121 | APRON, UTILITY, DISPOSABLE[CUST: NU CT] [REVIEW: OS SH] | A | 8415 | / | CT | 25-JAN-93 |
| | A-A-55063 | APRON, UTILITY, IMPERMEABLE, RUBBER COATED FABRIC (GENERAL PURPOSE)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8415 | / | CT | 13-AUG-92 |
| | A-A-51985 | APRON, X-RAY PROTECTIVE[CUST: MD MS 03] | A | 6532 | | MB | 26-JUN-87 |
| | A-A-51953 | APRON, X-RAY PROTECTIVE (DENTAL PATIENT)[CUST: MD MS 03] | A | 6532 | | MB | 29-MAY-87 |
| | A-A-51563 | ARBOR AND BAND SET, DENTAL HANDPIECE[CUST: MD MS 03] | A | 6520 | / | MB | 28-JUL-86 |
| | A-A-50970 NOT 2 | ARBORS, DRILL CHUCK, TAPER SHANK WITH TANG[CUST: 99 GS6] [REVIEW: 84] | A | 3460 | / | GS6 | 27-OCT-99 |
| | STANAG-7108 ED.1(2) | ARC DIGITIZED RASTER GRAPHICS (ADRG) | C | ISDF | | 06 | PENDING |
| | IPC-TM650.2.5.1 | ARC RESISTANCE OF PRINTED WIRING MATERIAL[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | AGEOP-5 | ARC STANDARD RASTER PRODUCT (ASRP) | C | ISDA | | AI | 01-APR-98 |
| | A-A-53947 | ARCH BOARD FILE AND BOX, PRESCRIPTION FILING[CUST: MD MS 03] | A | 7520 | / | MB | 28-JUL-89 |
| | A-A-54883 | ARCH SUPPORT[CUST: MD MS 03] | A | 6515 | / | MB | 18-JUN-93 |
| | A-A-51639A | ARCH SUPPORTS[CUST: MD MS 03] | A | 6515 | / | MB | 30-JAN-87 |
| | ACI303R | ARCHITECTURAL CONCRETE PRACTICE, GUIDE TO CAST-IN-PLACE[CUST: YD IS] | A | 5610 | | IS | 05-FEB-91 |
| | MIL-A-18455C NOT 1 | ARGON, TECHNICAL[CUST: MI SH 68] [REVIEW: AS CR4 GS MC YD] | A | 6830 | | SH | 07-JUN-91 |
| | A-A-54077 | ARM, PHOROPTER, REFRACTOR[CUST: MD MS 03] | A | 6540 | / | MB | 30-JAN-90 |
| | A-A-59606/3 | ARM, WINDSHIELD WIPER, ADJUSTABLE, HEAVY DUTY (CLASS B)[CUST: AT MC 99 CC] [REVIEW: 84 SA] | A | 2540 | / | CC | 23-AUG-02 |
| | A-A-59606/2 | ARM, WINDSHIELD WIPER, ADJUSTABLE, LIGHT DUTY (CLASS A)[CUST: AT MC 99 CC] [REVIEW: 84 SA] | A | 2540 | / | CC | 23-AUG-02 |
| | A-A-59606 | ARM, WINDSHIELD WIPER: BLADE, WINDSHIELD WIPER: AND BLADE REFILL, WINDSHIELD WIPER[CUST: AT MC 99 CC] [REVIEW: 84 SA] | A | 2540 | / | CC | 23-AUG-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QAP-187 ED.1 | ARMIES POLICIES AND COUNTRIES LEGISLATION WITH RESPECT TO HAZARDS TO PERSONNEL AND THE ENVIRONMENT | C | ISDA | | AI | 29-MAY-99 |
| | ITOP-4.2.806 | ARMING DISTANCE AND IMPACT SENSITIVITY OF FUZES | D | ISDA | | TE | 06-SEP-99 |
| | MIL-A-85481 | ARMING WIRE ASSEMBLIES[CUST: AS] | A | 1325 | | AS | 21-AUG-81 |
| | MIL-HDBK-789 | ARMOR FOR DEFENSE AGAINST KINETIC ENERGY PROJECTILE ATTACK (REQUEST OTHER THAN DOD SUBMIT REQUEST VIA THE PREPARING ACTIVITY)[CUST: AR] [REVIEW: AT] | B | MECA | | MR | 12-SEP-91 |
| | DI-MISC-80073 | ARMOR MATERIAL TEST REPORTS [AMSC: A3720] | A | MISC | | MR | 09-DEC-85 |
| | MIL-DTL-46063H(2) | ARMOR PLATE, ALUMINUM ALLOY, 7039[CUST: MR AS 11 IS] | A | 9535 | | MR | 12-JUN-00 |
| | MIL-DTL-46027J | ARMOR PLATE, ALUMINUM ALLOY, WELDABLE 5083 AND 5456[CUST: MR] [REVIEW: AT IS TE] | A | 9535 | | MR | 04-SEP-98 |
| | MIL-DTL-46193A | ARMOR PLATE, CONTROL ROLLED, STEEL, WROUGHT, HIGH STRENGTH, HIGH QUALITY[CUST: MR] [REVIEW: IS MI] | A | 9515 | | MR | 09-OCT-98 |
| | MIL-A-46099C | ARMOR PLATE, STEEL, ROLL-BONDED, DNAL HARDNESS (0.187 INCHES TO 0.700 INCHES INCLUSIVE[CUST: MR 99] [REVIEW: 11 84 AS AT AV IS] | A | 9515 | | MR | 14-SEP-87 |
| | MIL-A-46186 | ARMOR PLATE, STEEL, WROUGHT, HIGH STRENGTH, HIGH QUALITY[CUST: MR] | A | 9515 | | MR | 11-JUN-84 |
| A | MIL-A-12560H(3) | ARMOR PLATE, STEEL, WROUGHT, HOMOGENEOUS (FOR USE IN COMBAT-VEHICLES AND FOR AMMUNITION TESTING)[CUST: MR] [REVIEW: AR AT AV EA IS TE] | A | 9515 | | MR | 27-SEP-00 |
| | MIL-DTL-46077F NOT 1 | ARMOR PLATE, TITANIUM ALLOY, WELDABLE[CUST: MR OS 11] [REVIEW: 03 16 AS IS TE] | A | 9535 | | MR | 07-NOV-03 |
| | MIL-A-46100D(1) | ARMOR, PLATE, STEEL, WROUGHT, HIGH-HARDNESS[CUST: MR] [REVIEW: AR AT IS TE] | A | 9515 | | MR | 29-JUN-90 |
| | MIL-DTL-46177C | ARMOR, STEEL PLATE AND SHEET, WROUGHT, HOMOGENEOUS (1/8 TO LESS THAN 1/4 INCH THICK)[CUST: MR] [REVIEW: IS MI] | A | 9515 | | MR | 24-OCT-98 |
| | MIL-A-11356F | ARMOR, STEEL, CAST, HOMOGENEOUS, COMBAT-VEHICLE TYPE (1/4 TO 8 INCHES, INCLUSIVE)[CUST: MR] [REVIEW: AR AT CR4 IS] | A | MECA | | MR | 22-MAY-87 |
| | MIL-PRF-46103E | ARMOR: LIGHTWEIGHT, COMPOSITE[CUST: MR AS 11] [REVIEW: AR AT AV DH IE SH TE] | A | CMPS | | MR | 06-JAN-98 |
| | MIL-PRF-46108C NOT 1 | ARMOR: TRANSPARENT[CUST: MR AS 11] [REVIEW: 03 84 99 AR AT CG GL GS SH] | A | 9340 | | MR | 22-APR-04 |
| | AIR-STD-61/102/14A | ARMOUR PROTECTION FOR AIRCREWS | C | ISDF | | 06 | 27-SEP-95 |
| | MIL-HDBK-2361B | ARMY DIGITAL PUBLICATIONS DEVELOPMENT IMPLEMENTATION GUIDE[CUST: AC1] [REVIEW: AC3 AR AT AV CR CR4 GL MI MR TE TM1] | A | IPSC | | AC1 | 15-OCT-04 |
| | MIL-STD-1464A | ARMY NOMENCLATURE SYSTEM[Standard Practice][CUST: AR] [REVIEW: AT CR4 EA GL MI] | A | SESS | | AR | 15-MAY-87 |
| | MIL-STD-6013A | ARMY TACTICAL DATA LINK-1 (ATDL-1) MESSAGE STANDARD, DEPARTMENT OF DEFESNE INTERFACE STANDARD[Interface Standard][CUST: CR3 OM 02 DC2] [REVIEW: 93 MC MI NS] | D | INST | | DC2 | 01-MAR-97 |
| | MIL-A-22681C(1) SUP 1A | ARRESTER, FLASH, MAIN STORAGE BATTERY, (SUBMARINE USE), GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 01-DEC-89 |
| | QPL-22681-17 | ARRESTER, FLASH, MAIN STORAGE BATTERY, (SUBMARINE USE), GENERAL SPECIFICATION FOR | A | 6140 | | SH | 26-OCT-04 |
| | MIL-A-22681/1C NOT 1 | ARRESTER, FLASH, SUBMARINE MAIN STORAGE BATTERY, TYPE I[CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 02-OCT-89 |
| | MIL-A-22681/2C NOT 1 | ARRESTER, FLASH, SUBMARINE MAIN STORAGE BATTERY, TYPE II[CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 02-OCT-89 |
| | ASSE1010 | ARRESTERS, WATER HAMMER[CUST: YD] | A | 4510 | | IS | 01-MAR-91 |
| | MIL-A-18717C | ARRESTING HOOK INSTALLATION, AIRCRAFT[CUST: AS] | A | 1710 | | AS | 20-SEP-93 |
| | A-A-52046 NOT 1 | ARROW SETS, SURVEYING[CUST: CE YD 99 IS] [REVIEW: MC] | A | 6675 | / | IS | 27-SEP-01 |
| | ASTM-D1625 | ARSENATE, CHROMATED COPPER[CUST: CR4 YD 99 IS] | A | 8030 | | IS | 17-AUG-87 |
| | A-A-54622 | ARTHROGRAM KIT, DISPOSABLE, 10S[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAR-92 |
| | A-A-54620 | ARTHROSCOPIC SYSTEM, SURGICAL, 4 MM[CUST: MD MS 03] | A | 6515 | / | MB | 21-AUG-92 |
| | DI-TMSS-81396 | ARTICLE FOR PUBLICATION REPORT [AMSC: N7010] | A | TMSS | | SH | 31-MAR-94 |
| | A-A-53381 | ARTICULATOR, DENTAL (PLAIN LINE, LINGUAL ACCESS DESIGN)[CUST: MD MS 03] | A | 6520 | * | MB | 22-FEB-88 |
| | A-A-53271 | ARTICULATOR, DENTAL (SEMI-ADJUSTABLE, ARCON STYLE) AND PLATE, MOUNTING, DENTAL ARTICULATOR[CUST: MD MS 03] | A | 6520 | / | MB | 30-NOV-87 |
| | A-A-53985 | ARTICULATOR, DENTAL, GALETTI TYPE[CUST: MD MS 03] | A | 6520 | / | MB | 23-FEB-90 |
| | A-A-54180 | ARTIFICIAL TEARS SOLUTION[CUST: MD MS 03] | A | 6505 | / | MB | 07-JUN-90 |
| | ITOP-3.2.506.1 | ARTILLERY (SELF-PROPELLED AND TOWED) | D | ISDA | | TE | 16-OCT-95 |
| | STANAG-2934 ED.1(7) | ARTILLERY PROCEDURES - AARTYP-1 | C | ISDA | | AI | 20-JUN-89 |
| | ITOP-4.2.014 | ARTILLERY SUBMUNITION (BOMBLET) TEST | D | ISDA | | TE | 09-APR-97 |
| | QAP-20 ED.2(1) | ARTILLERY TRAINING DEVICES (W/AMD 1) | C | ISDA | | AI | 01-AUG-88 |
| | DI-CMAN-81516 | AS BUILT CONFIGURATION LIST (ABCL) [AMSC: N7192] | A | SESS | | AS | 15-JUL-96 |
| | DI-MISC-81276 | AS-DESIGNED PARTS, MATERIALS, AND PROCESSES LIST (ADPMPL) [AMSC: F6767] | A | MISC | | 10 | 27-JUL-92 |
| | MIL-A-24058A(1) | ASBESTOS PACKING & GASKETING MATERIAL, IMPREGNATED (CONTROLLED DISTRIBUTION)[CUST: SH] [REVIEW: CC IS] | F | 5330 | | SH | 19-APR-85 |
| | AWWA-C401 | ASBESTOS-CEMENT DISTRIBUTION PIPE, 4 INCH THROUGH 16 INCH (100 MM THROUGH 400 MM), FOR WATER AND OTHER LIQUIDS, STANDARD PRACTICE FOR[CUST: YD 99] | A | 5630 | | YD | 30-JAN-83 |
| | AWWA-C402 | ASBESTOS-CEMENT TRANSMISSION PIPE, 18 IN. THROUGH 42 IN. (450 MM THROUGH 1,050 MM), FOR WATER SUPPLY SERVICE[CUST: CR4 YD 99] [REVIEW: MC] | A | 5630 | | IS | 01-JAN-95 |
| | AWWA-C403 | ASBESTOS-CEMENT TRANSMISSION PIPE, SIZES 18 IN. THROUGH 42 IN. (450 MM THROUGH 1,050 MM), FOR WATER SUPPLY SERVICE, THE SELECTION OF[CUST: YD] [REVIEW: MC] | A | 5630 | | IS | 17-JUN-95 |
| | ASTM-C966 | ASBESTOS-CEMENT, INSTALLING, NONPRESSURE PIPE[CUST: YD IS] | A | 5610 | | IS | 15-OCT-92 |
| | A-A-50127A | ASCENDERS, CAM ACTION[CUST: GL NU 99 CT] [REVIEW: MC] | A | 8465 | / | CT | 21-FEB-90 |
| | ASTM-D5040 | ASH CONTENT OF ADHESIVES[CUST: MR SH 11] [REVIEW: AR AV CR4 GL MI] | A | 8040 | | MR | 30-MAR-90 |
| | ASTM-D1119 | ASH CONTENT, PERCENT, OF ENGINE COOLANTS[CUST: CR4 SH 68] [REVIEW: GS] | A | 6850 | | CR4 | 25-JAN-85 |
| | ASTM-D482 | ASH FROM PETROLEUM PRODUCTS[CUST: CR4 AS 11] | A | 91GP | | CR4 | 03-OCT-94 |
| | ASTM-C561 | ASH IN A GRAPHITE SAMPLE[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | SH | 03-OCT-94 |
| | ASTM-D3174 | ASH IN THE ANALYSIS SAMPLE OF COAL AND COKE FROM COAL[CUST: PS] | A | 9110 | | PS | SEP-93 |
| | ASTM-D874 | ASH, SULFATED, FROM LUBRICATING OILS AND ADDITIVES[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 10-JAN-00 |
| | ASTM-D946 | ASPHALT CEMENT FOR USE IN PAVEMENT CONSTRUCTION, PENETRATION-GRADED[CUST: CR4 YD 99 IS] [REVIEW: CE] | A | 5610 | | IS | 05-FEB-82 |
| | AASHTO-M226 | ASPHALT CEMENT, VISCOSITY GRADED[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D2042 | ASPHALT MATERIALS IN TRICHLOROETHYLENE, SOLUBILITY OF[CUST: AR YD 99] | A | 56GP | | AR | 03-OCT-94 |
| | ASTM-D517 | ASPHALT PLANK[CUST: CR4 YD IS] | A | 5610 | | IS | 10-JUL-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D41 | ASPHALT PRIMER USED IN ROOFING, DAMPPROOFING, & WATERPROOFING, STANDARD SPECIFICATION FOR[CUST: CR4 YD IS] [REVIEW: CE] | A | 5610 | | IS | 25-JUL-91 |
| | ASTM-D3909 | ASPHALT ROLL ROOFING (GLASS FELT) SURFACED WITH MINERAL GRANULES[CUST: YD] | A | 5650 | | IS | 03-AUG-92 |
| | ASTM-D2822 | ASPHALT ROOF CEMENT[CUST: CR4 YD 99 IS] [REVIEW: CE] | A | 5610 | | IS | 08-JAN-91 |
| | ASTM-D4586 | ASPHALT ROOF CEMENT, ASBESTOS-FREE[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 15-JAN-93 |
| | ASTM-D2823 | ASPHALT ROOF COATINGS[CUST: CR4 YD IS] [REVIEW: CE] | A | 5610 | | IS | 29-JUN-90 |
| | ASTM-D4479 | ASPHALT ROOF COATINGS - ASBESTOS-FREE[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 15-JAN-93 |
| | ASTM-D225 | ASPHALT SHINGLES (ORGANIC FELT) SURFACED WITH MINERAL GRANULES[CUST: CR4 YD] [REVIEW: CE MC] | A | 5650 | | IS | 22-MAR-88 |
| | ASTM-D3462 | ASPHALT SHINGLES MADE FROM GLASS FELT AND SURFACED WITH MINERAL GRANULES[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 5650 | | IS | 15-NOV-93 |
| | ASTM-D449 | ASPHALT USED IN DAMPPROOFING AND WATERPROOFING[CUST: YD 99 IS] [REVIEW: CE] | A | 5610 | | IS | 28-APR-89 |
| | ASTM-D312 | ASPHALT USED IN ROOFING[CUST: YD 99 IS] [REVIEW: CE] | A | 5610 | | IS | 15-MAY-95 |
| | ASTM-D71 | ASPHALT, AND SOLID PITCH (DISPLACEMENT METHOD), RELATIVE DENSITY OF[CUST: EA GS3] [REVIEW: MD YD] | A | 6810 | | GS3 | 05-JAN-84 |
| | AASHTO-T308 | ASPHALT, HOT-MIX, (HMA) BY THE IGNITION METHOD, DETERMINING THE ASPHALT BINDER CONTENT OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | AASHTO-M208 | ASPHALT, CATIONIC EMULSIFIED[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D2397 | ASPHALT, CATIONIC EMULSIFIED[CUST: CE YD 99 IS] | A | 5610 | | IS | 25-JUL-91 |
| | ASTM-D2027 | ASPHALT, CUTBACK (MEDIUM-CURING TYPE)[CUST: CR4 YD IS] | A | 5610 | | IS | 10-AUG-97 |
| | ASTM-D2028 | ASPHALT, CUTBACK (RAPID-CURING TYPE)[CUST: CR4 YD IS] | A | 5610 | | IS | 10-AUG-97 |
| | ASTM-D2026 | ASPHALT, CUTBACK, (SLOW-CURING TYPE)[CUST: CR4 YD IS] [REVIEW: CE CG MC] | A | 5610 | | IS | 10-AUG-97 |
| | AASHTO-M140 | ASPHALT, EMULSIFIED[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D977 | ASPHALT, EMULSIFIED[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 11-MAR-91 |
| | SS-A-671C | ASPHALT, LIQUID, SLOW CURING, MEDIUM CURING, AND RAPID CURING | A | 5610 | # | FSS | 08-SEP-66 |
| | SS-A-666D NOT 1 | ASPHALT, PETROLEUM (BUILT-UP ROOFING, WATER-PROOFING AND DAMPPROOFING)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5610 | % | FSS | 24-JUL-69 |
| | SS-A-701B | ASPHALT, PETROLEUM (PRIMER, ROOFING, AND WATERPROOFING) | A | 5610 | # | FSS | 15-JUL-74 |
| | ASTM-D4601 | ASPHALT-COATED GLASS FIBER BASE SHEET USED IN ROOFING[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 5650 | | IS | 15-MAY-91 |
| | ASTM-D4897 | ASPHALT-COATED GLASS-FIBER VENTING BASE SHEET USED IN ROOFING[CUST: CR4 YD 99] | A | 5660 | | IS | 03-OCT-94 |
| | ASTM-D2626 | ASPHALT-SATURATED AND COATED ORGANIC FELT BASE SHEET USED IN ROOFING[CUST: CR4 YD 99] [REVIEW: CE EA MC] | A | 5650 | | IS | AUG-86 |
| | ASTM-D226 | ASPHALT-SATURATED ORGANIC FELT USED IN ROOFING AND WATERPROOFING[CUST: YD 99] | A | 5650 | | IS | 10-FEB-97 |
| | ASTM-D4402 | ASPHALTS AT ELEVATED TEMPERATURES USING A ROTATIONAL VISCOMETER, VISCOSITY DETERMINATION OF[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 23-JUL-93 |
| | ASTM-D244 | ASPHALTS, EMULSIFIED[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 15-MAR-93 |
| | A-A-51443A | ASPIRIN ALUMINUM HYDROXIDE GEL, DRIED, & MAGNESION OXIDE TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 11-SEP-86 |
| | STANAG-1343 ED.1(3) | ASROC SYSTEM INTERCHANGEABLE WITHIN NATO NAVAL FORCES | D | ISDN | | NI | PENDING |
| | MIL-A-28870A | ASSEMBLIES, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR[CUST: CR NW 11] [REVIEW: AS CC CG MC OS] | A | 5998 | | NW | 19-JAN-90 |
| | QML-28870-9 | ASSEMBLIES, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR | A | 5998 | | AS | 24-AUG-98 |
| | MIL-A-24741 | ASSEMBLIES, METAL ELECTRICAL BACKPLANE, ONE AND TWO LAYER, GENERAL SPECIFICATION FOR[CUST: CR SH 11] | A | 5998 | | SH | 19-JAN-90 |
| | DI-QCIC-80562 | ASSEMBLY AND SUBASSEMBLY MANUFACTURING QUALITY REPORT [AMSC: N4375] | A | QCIC | | SA | 08-APR-88 |
| | SAE-AS1895 | ASSEMBLY COUPLING, V-RETAINER, HIGH PRESSURE, HIGH TEMPERATURE, PNEUMATIC TUBE[CUST: AS 99 IS] [REVIEW: 71 NA] | A | 5340 | | IS | 1-JUN-92 |
| | MIL-DTL-22442/25B | ASSEMBLY, AIRCRAFT AUDIO, MOLDED RUBBER CONNECTOR MECHANICAL GAUGES[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 05-JAN-98 |
| | EIA554 | ASSESSMENT OF OUTGOING NONCONFORMING LEVELS IN PARTS PER MILLION (PPM)[CUST: CR EC 11] | A | 59GP | | CR | 14-OCT-88 |
| | STANAG-7146 ED.1 | ASSIGNMENT OF NATO CODE NUMBERS TO GASES USED IN AIRCRAFT CROSS-SERVICING | C | ISDF | | 06 | 17-APR-02 |
| | STANAG-1438 ED.1 | ASTERN REFUELLING USING THE 2,5 INCH (65 MM) HOSE | C | ISDN | | NI | 13-OCT-00 |
| | A-A-54971 | ATOMIZER, MEDICINAL[CUST: MD MS 03] | A | 6515 | / | MB | 31-AUG-94 |
| | A-A-54930 | ATTACHMENT, HEAD, HANDPIECE DENTAL, (PROPHYLAXIS, RIGHT ANGLE, ROUND SLEEVE, AUTOCLAVABLE)[CUST: MD MS 03] | A | 6520 | / | MB | 31-JAN-94 |
| | MIL-DTL-3933/10D(1) | ATTENUATORS, FIXED COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 18 GHZ, CLASS III, MEDIUM POWER[CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI SH] | A | 5985 | | CC | 13-JAN-03 |
| | MIL-DTL-3933H SUP 1 | ATTENUATORS, FIXED GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 71 99 AS MC MI NA SH] | A | 5985 | | CC | 04-OCT-04 |
| | MIL-DTL-3933/19B | ATTENUATORS, FIXED, COAXIAL LINE (BNC CONNECTORS), FREQUENCY RANGE: DC TO 4.5 GHZ, LOW POWER[CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI SH] | A | 5985 | | CC | 07-NOV-02 |
| | MIL-DTL-3933/14D | ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 18 GHZ, MEDIUM POWER[CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI] | A | 5985 | | CC | 07-NOV-02 |
| | MIL-DTL-3933/18F | ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 12.4 GHZ, & DC TO 18 GHZ, LOW POWER[CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI SH] | A | 5985 | | CC | 07-NOV-02 |
| | MIL-A-3933/16C(3) | ATTENUATORS, FIXED, COAXIAL LINE (SMA CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, CLASS IV, LOW POWER[CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI] | A | 5985 | | CC | 12-FEB-03 |
| | MIL-DTL-3933/28 | ATTENUATORS, FIXED, COAXIAL LINE (SMP CONNECTORS - SMP FULL DETENT MALE TO SMP FULL DETENT MALE), 0 DB, FREQUENCY RANGE: DC TO 18 GHZ[CUST: CR EC 11 CC] | A | 5985 | | CC | 22-DEC-04 |
| | MIL-DTL-3933/27 | ATTENUATORS, FIXED, COAXIAL LINE (SMP CONNECTORS - SMP FULL DETENT MALE TO SMP FULL DETENT MALE), FREQUENCY RANGE: DC TO 18 GHZ[CUST: CR EC 11 CC] | A | 5985 | | CC | 22-DEC-04 |
| | MIL-DTL-3933/17B(1) | ATTENUATORS, FIXED, COAXIAL LINE (TNC CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, LOW POWER[CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI SH] | A | 5985 | | CC | 01-JUL-04 |
| A | QPL-3933-27 | ATTENUATORS, FIXED, GENERAL SPECIFICATION FOR | A | 5985 | | CC | 24-OCT-05 |
| | MIL-DTL-3933/25B | ATTENUATORS, FIXED, MINATURE, COAXIAL LINE (SMA CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, LOW POWER[CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI SH] | A | 5985 | | CC | 07-NOV-02 |
| | MIL-DTL-24215B | ATTENUATORS, VARIABLE (COAXIAL AND WAVEGUIDE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CG MC MI OS] | A | 5985 | | CC | 07-JUN-02 |
| | MIL-DTL-24215/9C | ATTENUATORS, VARIABLE (COAXIAL), CLASS 5 (SMA)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC MI OS SM] | A | 5985 | | CC | 07-JUN-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-24215/10A | ATTENUATORS, VARIABLE (STEP) COAXIAL, CLASS 7 (BNC)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC MI OS SH] | A | 5985 | | CC | 07-JUN-02 |
| | MIL-DTL-24215/8A | ATTENUATORS, VARIABLE COAXIAL, FREQUENCY RANGE DC TO 2 GHZ (SMA)[CUST: CR EC 11 CC] [REVIEW: 99 AR MI] | A | 5985 | | CC | 07-JUN-02 |
| | QPL-15303-48 | AUDIBLE SIGNALS: ALARMS, BELLS, BUZZERS, HORNS, SIRENS, AND ELECTRONIC SHIPBOARD | A | 6350 | | SH | 03-NOV-00 |
| | MIL-A-15303P | AUDIBLE SIGNALS: ALARMS, BELL, BUZZERS, HORNS, SIRENS, AND ELECTRONIC SHIPBOARD[CUST: SH] [REVIEW: MI] | A | 6350 | | SH | 19-NOV-86 |
| | A-A-50601 | AUDIO ENTERTAINMENT DISTRIBUTION EQUIPMENT[CUST: SH] | A | 5830 | / | SH | 14-JAN-93 |
| | MIL-HDBK-173A NOT 2 | AUDIO EQUIPMENT[CUST: CR SH 11] [REVIEW: 99 AR CC EC MI] | A | 5965 | | CR | 24-OCT-00 |
| | IEEE152 | AUDIO PROGRAM LEVEL MEASUREMENT[CUST: CR SH 99] | A | 5830 | | CR | 05-DEC-91 |
| | A-A-54576 | AUDIOMETER[CUST: MD MS 03] | A | 6515 | / | MB | 24-JAN-92 |
| | A-A-53815 | AUDIOMETER[CUST: MD MS 03] | A | 6515 | / | MB | 31-JAN-89 |
| | A-A-51649 | AUDIOMETER (DUAL CHANNEL)[CUST: MD MS 03] | A | 6515 | / | MB | 19-SEP-86 |
| | A-A-53814 | AUDIOMETER, AUTOMATIC, PORTABLE[CUST: MD MS 03] | A | 6515 | / | MB | 31-JAN-89 |
| | A-A-53777 | AUDIOMETER, MANUALLY OPERATED, PORTABLE, 110/220 VOLT, 50/60 HZ, AC[CUST: MD MS 03] | A | 6515 | / | MB | 10-DEC-88 |
| | A-A-52305 NOT 1 | AUGER, EARTH, BOOM MOUNTED[CUST: AT] | A | 3820 | / | AT | 13-APR-04 |
| | A-A-59144 NOT 1 | AUGER, EARTH, PORTABLE; HAND-HELD TWO-MAN GASOLINE ENGINE DRIVEN[CUST: YD] | A | 3820 | / | IS | 09-DEC-02 |
| | MIL-PRF-52470A NOT 1 | AUGER, EARTH, TRUCK-MOUNTED, 91 CENTIMETER (36 INCH) DIAMETER HOLE, 18 METER (60 FOOT) MAX DEPTH (METRIC)[CUST: AT] | A | 3820 | | AT | 15-APR-04 |
| | A-A-59219 NOT 1 | AUGERS, POSTHOLE, HAND[CUST: GL YD 99] [REVIEW: 84 CE GS MC] | A | 5120 | / | IS | 30-OCT-03 |
| | SAE-AS23899 | AURAL PROTECTOR, SOUND[CUST: EA AS 99] | A | 4240 | | AS | MAY-99 |
| | QPL-AS23899-1 | AURAL PROTECTOR, SOUND | A | 4240 | | AS | 16-JUL-01 |
| | MIL-A-70625A NOT 2 | AUTOMATED ACCEPTANCE INSPECTION EQUIPMENT DESIGN, TESTING AND APPROVAL, OF[CUST: AR] | A | 1395 | | AR | 24-APR-00 |
| | DI-MISC-81454A | AUTOMATED COMPUTER PROGRAM IDENTIFICATION NUMBER (ACPIN) DATA AND CONTROL RECORD [AMSC: F7246] | A | MISC | | 71 | 10-MAR-97 |
| | MIL-PRF-32029(1) | AUTOMATED CONFIGURATION MANAGEMENT SYSTEM (ACMS)[CUST: MI] [REVIEW: AR AT CR GL IE PT SY TE] | A | 7030 | | MI | 14-DEC-98 |
| | STANAG-7011 ED.2 | AUTOMATED FUEL SYSTEM MONITORING AND CONTROL EQUIPMENT | C | ISDF | | 06 | 18-JUN-99 |
| A | MIL-STD-1840C | AUTOMATED INTERCHANGE OF TECHNICAL INFORMATION[Interface Standard][CUST: CR OM 16] [REVIEW: 02 13 19 33 93 AC AC1 AR AS AT CG CH CR4 DC1 DC4 DI EC IR MC ND NM NS PT SE TD TM TM1 US] | A | IPSC | | DC3 | 26-JUN-97 |
| | STANAG-4554 ED.1 | AUTOMATED MISSION PLANNING SYSTEM (AMPS) FOR BATTLEFIELD HELICOPTERS | C | ISDA | | AI | 04-SEP-02 |
| | QSTAG-2035 ED.1 | AUTOMATED MISSION PLANNING SYSTEMS (AMPS) AND PROCEDURES[CUST: AI] | C | ISDA | | AI | 12-OCT-01 |
| | STANAG-4450 ED.1 | AUTOMATED TESTING OF ELECTRONIC SUBASSEMBLIES BY NATO REPAIR DEPOTS | C | ISDA | | AI | 27-MAR-01 |
| | ITOP-3.2.051 | AUTOMATIC LOADERS FOR TANK SYSTEMS | D | ISDA | | TE | 11-OCT-96 |
| | MIL-A-82450B | AUTOMATIC PILOT TEST SET (FOR TORPEDO MK 46 MOD 0 AND MOD 1)[CUST: OS] | A | 4921 | | OS | 25-APR-72 |
| | ASTM-F1793 | AUTOMATIC SHUT-OFF VALVES (ALSO KNOWN AS EXCESS FLOW VALVES, EFV) FOR AIR OR NITROGEN SERVICE[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 10-APR-97 |
| | QSTAG-941 ED.1 | AUTOMATIC TARGETS FOR DIRECT FIRE AMMUNITION[CUST: AI] | C | ISDA | | AI | 29-JUL-93 |
| | NFPA30A | AUTOMOBILE AND MARINE SERVICE STATION CODE[CUST: CE YD 04] | A | FACR | | YD | 20-AUG-94 |
| | A-A-52162A | AUTOMOBILE, HEARSE: COMMERCIAL[CUST: AT] | A | 2310 | / | AT | 08-JUL-96 |
| | SAE-J1292 | AUTOMOBILE, TRUCK, TRUCK-TRACTOR, TRAILER, AND MOTOR COACH WIRING (EDITORIAL CHANGE 10/81)[CUST: AT] [REVIEW: CC YD] | A | 2920 | | AT | 01-JUN-80 |
| A | FED-STD-122AX | AUTOMOBILES: SEDANS & STATION WAGONS GASOLINE AND ALTERNATIVE FUEL POWERED[CUST: FSS] [REVIEW: 84 99 AT CE MC YD] | A | 2310 | % | FSS | 31-OCT-05 |
| | SAE-J1402 | AUTOMOTIVE AIR BRAKE HOSE AND HOSE ASSEMBLIES[CUST: AT 99] | A | 4720 | | AT | SEP-81 |
| | SAE-J318 | AUTOMOTIVE AIR BRAKE LINE COUPLERS (GLADHANDS)[CUST: AT 99] [REVIEW: YD] | A | 2530 | | CC | 30-SEP-81 |
| | SAE-J10 | AUTOMOTIVE AND OFF-HIGHWAY AIR BRAKE RESERVOIR PERFORMANCE AND IDENTIFICATION REQUIREMENTS[CUST: AT YD 99] | A | 2530 | | AT | OCT-94 |
| | SAE-J531 | AUTOMOTIVE PIPE, FILLER, AND DRAIN PLUGS[CUST: AT CC] [REVIEW: MC SH] | A | 4730 | | CC | MAY-95 |
| | SAE-J512 | AUTOMOTIVE TUBE FITTINGS[CUST: CR4 99 CC] [REVIEW: AT SH YD] | A | 4730 | | CC | JAN-96 |
| | DI-ILSS-80482 | AUTOSONDE RECONCILIATION REPORT [AMSC: F4263] | A | SESS | | 33 | 28-OCT-87 |
| | MIL-PRF-49167B | AUXILIARY CONTROL, VIDEO PL-1402/UA[CUST: CR] | A | 5855 | | CR | 09-JUN-97 |
| | MIL-DTL-53135 | AUXILIARY POWER UNIT, 10 KW, 120/240 VAC, 60 HZ[CUST: CR4] [REVIEW: CR GL GS MI] | A | 6115 | | CR4 | 09-SEP-96 |
| A | MIL-A-87229(2) NOT 2 | AUXILLARY POWER SYSTEMS, AIRBORNE[CUST: 11] | D | 2835 | | 11 | 21-NOV-05 |
| | STANAG-4074 ED.2 | AUXILLIARY POWER UNIT CONNECTIONS FOR STARTING TACTICAL LAND VEHICLES | C | ISDA | | AI | 31-MAY-96 |
| | STANAG-3462 ED.4 | AVAILABILITY OF WEIGHT AND BALANCE REQUIREMENTS AND LOADING CRITERIA FOR TRANSPORT AIRCRAFT | C | ISDF | | 06 | PENDING |
| | ASTM-D4306 | AVIATION FUEL SAMPLE CONTAINERS FOR TESTS AFFECTED BY TRACE CONTAMINATION[CUST: GL SA 11] [REVIEW: 84 99 AS AT SH] | A | 8115 | | GL | 15-MAY-91 |
| | AIR-STD-61/101/8A | AVIATION MEDICINE /PHYSIOLOGICAL TRAINING OF HIGH ALTITUDE PARACHUTISTS (WITH CHANGE 1) | C | ISDF | | 06 | 19-NOV-92 |
| | AIR-STD-61/101/3 | AVIATION MEDICINE/PHYSIOLOGICAL TRAINING OF AIRCREW (WITH CHANGE 2) | C | ISDF | | 06 | 01-MAY-90 |
| | AIR-STD-61/117/1 | AVIATION MEDICINE/PHYSIOLOGICAL TRAINING OF AIRCREW IN SPATIAL ORIENTATION | C | ISDF | | 06 | 17-JUL-97 |
| | STANAG-7160 ED.1 | AVIATION SAFETY - AFSP-1 | C | ISDF | | 06 | 29-JUN-01 |
| | MIL-HDBK-1027/4 | AVIATION TRAINING FACILITIES[CUST: YD] | A | FACR | | YD | 31-DEC-93 |
| | ASTM-D1655 | AVIATION TURBINE FUELS[CUST: CR4 AS 11] | A | 9130 | | AS | 03-OCT-94 |
| | JSSG-2005 | AVIONIC SUBSYSTEM[CUST: AV AS 11] | D | 15GP | | 11 | 30-OCT-98 |
| | MIL-HDBK-2222 | AVIONIC SYSTEMS, HANDBOOK FOR INTERFACE CONTROL DOCUMENTATION[CUST: AS] | A | SESS | | AS | 29-SEP-97 |
| | STANAG-3839 ED.1(1) | AVIONICS SOFTWARE ENGINEERING - AAVSP-1 (INCLUDING AMENDMENT 1) | C | ISDF | | 06 | 22-JUL-98 |
| | DI-MISC-81319 | AVIONICS SYSTEMS INSTALLATION, INTERFACE, AND TEST SPECIFICATIONS [AMSC: N6896] | A | MISC | | AS | 23-FEB-93 |
| | STANAG-7142 ED.1 | AVIONICS VERSA MODULE EUROCARD (VME) BACKPLANE BUS | C | ISDF | | 06 | 25-OCT-02 |
| | MIL-HDBK-87244 | AVIONICS/ELECTRONICS INTEGRITY[CUST: 11] | A | 15GP | | 11 | 30-JAN-95 |
| | A-A-54299 | AWL, ORAL SURGERY, WIRE PASSING[CUST: MD MS 03] | A | 6520 | / | MB | 18-DEC-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-53851 | AZATHIOPRINE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 14-MAR-89 |
| | MIL-DTL-82743A | AZIRIDINE, SUBSTITUTED (METRIC)[CUST: OS] [REVIEW: GS] | D | 6810 | | OS | 27-OCT-95 |
| | DOD-STD-2188 | BABBITTING OF BEARING SHELLS (METRIC)[Design Criteria Standard][CUST: SH] [REVIEW: GS] | A | 3120 | | SH | 01-APR-87 |
| | MIL-HDBK-1036A | BACHELOR HOUSING[CUST: YD] [REVIEW: MC] | A | FACR | | YD | 06-AUG-97 |
| | MIL-B-36120 | BACK REST, LITTER, NONADJUSTABLE[CUST: MD MS 03] | A | 6530 | | MB | 08-MAY-62 |
| | ASSE1012 | BACKFLOW PREVENTER WITH INTERMEDIATE ATMOSPHERIC VENT[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | AGA-REPORT-NO3PART4 | BACKGROUND, DEVELOPMENT IMPLEMENTATION PROCEDURE[CUST: YD] | A | FACR | | YD | 27-JUL-04 |
| | MIL-B-43049D NOT 3 | BACKING PLATES, INSIGNIA, BRANCH OF SERVICE AND CAP, INFANTRY, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | DI-MISC-81062 | BACKPLANE ASSEMBLY IMPLEMENTATION PLAN [AMSC: N5025] | A | MISC | | SH | 12-OCT-90 |
| | DI-MISC-81063 | BACKPLANE COMPONENT IMPLEMENTATION PLAN [AMSC: N5026] | A | MISC | | SH | 12-OCT-90 |
| | SAE-AS9395 | BACKPLATE, RETAINING STRAP AMS 5510[CUST: AV AS 99 IS] | A | 5340 | | IS | JUN-98 |
| M | A-A-20081E | BACON, PRECOOKED, SLICED, IN FLEXIBLE POUCHES[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8905 | / | SS | 07-APR-06 |
| | ASTM-G22 | BACTERIA, DETERMINING RESISTANCE OF PLASTICS TO[CUST: AR AS 99] | A | 9330 | | AR | 26-NOV-76 |
| A | A-A-51237A | BACTERIOLOGICAL SPECIMEN COLLECTION AND TRANSPORTATION SYSTEM (ANAEROBIC BACTERIA, COLLECTING AND TRANSPORTING)[CUST: MD MS 03] [REVIEW: GS] | A | 6550 | / | MB | 18-SEP-89 |
| | MIL-DTL-3628/186 NOT 2 | BADGE QUALIFICATION, AVIATION, OFFICER AIRCREW MEMBER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628G SUP 1 NOT 1 | BADGE, BADGE CLASP, BAR, AND PENDANT, QUALIFICATION, OCCUPATIONAL, AND IDENTIFICATION, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 30-MAY-01 |
| N | MIL-DTL-3628/240 | BADGE, BERET, SPECIAL TACTICS OFFICER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-APR-06 |
| | MIL-B-24947 | BADGE, BREAST, IDENTIFICATION (U.S. COAST GUARD[CUST: CT] [REVIEW: CG] | A | 8455 | | CT | 14-JUN-88 |
| | MIL-DTL-3628/140 NOT 2 | BADGE, IDENTIFICATION AND INSIGNIA, SERVICE CAP, CIVILIAN POLICE AND CIVILIAN GUARD, DEPARTMENT OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/147 NOT 2 | BADGE, IDENTIFICATION CHIEF OF PARTY, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/206 NOT 1 | BADGE, IDENTIFICATION SECRETARY OF TRANSPORTATION STAFF, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/156A NOT 2 | BADGE, IDENTIFICATION, ARMY STAFF, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| M | MIL-DTL-3628/151C | BADGE, IDENTIFICATION, CAREER COUNSELOR, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-APR-06 |
| | MIL-DTL-3628/127A NOT 1 | BADGE, IDENTIFICATION, CAREER COUNSELOR, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/214 | BADGE, IDENTIFICATION, CHAPLAINCY PROGRAM, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 05-SEP-01 |
| | MIL-DTL-3628/204 NOT 1 | BADGE, IDENTIFICATION, COIN, CHEMICAL SAFETY AND HAZARD INVESTIGATION BOARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/227 | BADGE, IDENTIFICATION, COMBAT RESCUE OFFICER, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 18-DEC-02 |
| | MIL-DTL-3628/134 NOT 2 | BADGE, IDENTIFICATION, COMMANDANT'S STAFF, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/115 NOT 2 | BADGE, IDENTIFICATION, CONTINUING EDUCATION SYSTEM PERSONNEL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/131 NOT 2 | BADGE, IDENTIFICATION, COXSWAIN, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/132 NOT 2 | BADGE, IDENTIFICATION, CUTTERMAN, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/200A NOT 2 | BADGE, IDENTIFICATION, DEFENSE FINANCE AND ACCOUNTING SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/198A NOT 2 | BADGE, IDENTIFICATION, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 31-JUL-01 |
| | MIL-DTL-3628/145 NOT 2 | BADGE, IDENTIFICATION, DELIVERY SERVICES EMPLOYEES, U.S. POSTAL SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/113 NOT 2 | BADGE, IDENTIFICATION, DEPUTY SURGEON GENERAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| M | MIL-DTL-3628/154A | BADGE, IDENTIFICATION, DRILL SERGEANT, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAR-06 |
| | MIL-DTL-3628/124 NOT 2 | BADGE, IDENTIFICATION, FIRE PROTECTION, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/119 NOT 2 | BADGE, IDENTIFICATION, FOREIGN MILITARY STUDENT, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/144 NOT 2 | BADGE, IDENTIFICATION, FOREST SERVICE VOLUNTEER[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/226A | BADGE, IDENTIFICATION, GUARD, DEPARTMENT OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-APR-05 |
| | MIL-DTL-3628/228 | BADGE, IDENTIFICATION, HONOR GUARD, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 05-FEB-03 |
| | MIL-DTL-3628/133 NOT 2 | BADGE, IDENTIFICATION, HONOR GUARD, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| M | MIL-DTL-3628/155A | BADGE, IDENTIFICATION, HONOR GUARD, TOMB OF THE UNKNOWN SOLDIER, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 03-APR-06 |
| | MIL-DTL-3628/207 NOT 1 | BADGE, IDENTIFICATION, HONOR GUARD, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/123 NOT 2 | BADGE, IDENTIFICATION, INSTRUCTOR AND MASTER INSTRUCTOR, AIR EDUCATION AND TRAINING COMMAND, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/143 NOT 2 | BADGE, IDENTIFICATION, JOINT CHIEFS OF STAFF[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/125 NOT 2 | BADGE, IDENTIFICATION, JUNIOR ROTC INSTRUCTOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/150 NOT 2 | BADGE, IDENTIFICATION, MILITARY POLICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/202 NOT 2 | BADGE, IDENTIFICATION, MILITARY POSTAL SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/205 NOT 1 | BADGE, IDENTIFICATION, NATIONAL IMAGERY AND MAPPING AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/116 NOT 2 | BADGE, IDENTIFICATION, NURSE CADET PROGRAM, ARMY ROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/139B NOT 1 | BADGE, IDENTIFICATION, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/146 NOT 2 | BADGE, IDENTIFICATION, OFFICER IN CHARGE, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/149 NOT 2 | BADGE, IDENTIFICATION, OUTDOOR RECREATION SERVICES, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/122 NOT 2 | BADGE, IDENTIFICATION, PERMANENT PROFESSOR, U.S AIR FORCE ACADEMY[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | A-A-55072 | BADGE, IDENTIFICATION, PERSONNEL[CUST: 11 CT] [REVIEW: 99] | A | 8455 | / | CT | 03-AUG-92 |
| | MIL-DTL-3628/138A NOT 1 | BADGE, IDENTIFICATION, POLICE, CAP, DEFENSE PROTECTIVE SERVICE, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/137A NOT 1 | BADGE, IDENTIFICATION, POLICE, DEFENSE PROTECTIVE SERVICE, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3628/225A | BADGE, IDENTIFICATION, POLICE, DEPARTMENT OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-APR-05 |
| | MIL-DTL-3628/221 | BADGE, IDENTIFICATION, POLICE, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 27-AUG-02 |
| | MIL-DTL-3628/141A NOT 2 | BADGE, IDENTIFICATION, PRESIDENTIAL SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/201 NOT 2 | BADGE, IDENTIFICATION, PROFESSIONAL MILITARY EDUCATION, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/128 NOT 2 | BADGE, IDENTIFICATION, RECRUIT COMPANY COMMANDER, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/126 NOT 2 | BADGE, IDENTIFICATION, RECRUITER, AIR NATIONAL GUARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/153B NOT 1 | BADGE, IDENTIFICATION, RECRUITER, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/118 NOT 2 | BADGE, IDENTIFICATION, RECRUITER, MEDICAL DEPARTMENT, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| M | MIL-DTL-3628/152C | BADGE, IDENTIFICATION, RECRUITING AND RETENTION, ARMY NATIONAL GUARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 03-APR-06 |
| M | MIL-DTL-3628/117C | BADGE, IDENTIFICATION, RECRUITING AND RETENTION, MASTER, ARMY NATIONAL GUARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-APR-06 |
| | MIL-DTL-3628/120 NOT 2 | BADGE, IDENTIFICATION, RECRUITING SERVICE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/129 NOT 2 | BADGE, IDENTIFICATION, RECRUITING SERVICE, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/135 NOT 2 | BADGE, IDENTIFICATION, RECRUITING, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/148 NOT 2 | BADGE, IDENTIFICATION, REFUGE OFFICER, U.S. FISH AND WILDLIFE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/208A NOT 1 | BADGE, IDENTIFICATION, SECRETARY, DEPARTMENT OF HEALTH AND HUMAN SERVICES[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/121 NOT 2 | BADGE, IDENTIFICATION, SECURITY POLICE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/130 NOT 2 | BADGE, IDENTIFICATION, SENIOR ENLISTED ADVISOR, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/112 NOT 2 | BADGE, IDENTIFICATION, SURGEON GENERAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/215 | BADGE, IDENTIFICATION, TACTICAL UNIT (BORTAC), U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-SEP-01 |
| | MIL-DTL-3628/222A | BADGE, IDENTIFICATION, U.S. NORTHERN COMMAND[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 28-MAY-03 |
| | MIL-DTL-3628/199 NOT 2 | BADGE, IDENTIFICATION, U.S. SPACE COMMAND[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/136A | BADGE, IDENTIFICATION, U.S. STRATEGIC COMMAND[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 30-OCT-02 |
| | MIL-DTL-3628/142A NOT 2 | BADGE, IDENTIFICATION, VICE PRESIDENTIAL SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/220 | BADGE, INSIGNIA, COMMANDER'S, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 23-AUG-02 |
| | MIL-DTL-3628/89B | BADGE, OCCUPATIONAL, ACQUISITIONS AND FINANCIAL MANAGEMENT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 23-JAN-02 |
| | MIL-DTL-3628/57G NOT 1 | BADGE, OCCUPATIONAL, AIR TRAFFIC CONTROLLER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/233 | BADGE, OCCUPATIONAL, AVIATION, AIR CREW, U.S. COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-FEB-04 |
| | MIL-DTL-3628/103B | BADGE, OCCUPATIONAL, BAND, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-SEP-01 |
| | MIL-DTL-3628/110 NOT 2 | BADGE, OCCUPATIONAL, BIOMEDICAL SCIENCES OFFICER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/104B | BADGE, OCCUPATIONAL, CHAPLAIN SERVICE SUPPORT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-NOV-01 |
| | MIL-DTL-3628/105C | BADGE, OCCUPATIONAL, CIVIL ENGINEER, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 11-MAY-05 |
| | MIL-DTL-3628/90B | BADGE, OCCUPATIONAL, COMMAND AND CONTROL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-3628/100B | BADGE, OCCUPATIONAL, COMMUNICATIONS, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 23-JAN-02 |
| | MIL-DTL-3628/108 NOT 2 | BADGE, OCCUPATIONAL, DENTIST, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/111A | BADGE, OCCUPATIONAL, DEPARTMENT OF THE JUDGE ADVOCATE GENERAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 23-JAN-02 |
| | MIL-DTL-3628/93B | BADGE, OCCUPATIONAL, FORCE PROTECTION, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 23-JAN-02 |
| | MIL-DTL-3628/91B | BADGE, OCCUPATIONAL, HISTORIAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-SEP-01 |
| | MIL-DTL-3628/76E | BADGE, OCCUPATIONAL, INFORMATION MANAGER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-SEP-01 |
| | MIL-DTL-3628/92B | BADGE, OCCUPATIONAL, INTELLIGENCE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/230 | BADGE, OCCUPATIONAL, LOGISTICS READINESS, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 29-OCT-03 |
| | MIL-DTL-3628/94B | BADGE, OCCUPATIONAL, LOGISTICS, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 25-MAY-02 |
| | MIL-DTL-3628/68H | BADGE, OCCUPATIONAL, MAINTENANCE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-NOV-01 |
| | MIL-DTL-3628/95B NOT 1 | BADGE, OCCUPATIONAL, MANPOWER AND PERSONNEL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-3628/109 NOT 2 | BADGE, OCCUPATIONAL, MEDICAL SERVICE OFFICER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/71E | BADGE, OCCUPATIONAL, MEDICAL TECHNICIAN, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 26-NOV-02 |
| | MIL-DTL-3628/74E | BADGE, OCCUPATIONAL, METEOROLOGIST, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-DEC-01 |
| | MIL-DTL-3628/72E NOT 2 | BADGE, OCCUPATIONAL, MISSILE WITH OPERATIONS CREW DESIGNATOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/28J NOT 2 | BADGE, OCCUPATIONAL, MISSILEMAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/106 NOT 2 | BADGE, OCCUPATIONAL, NURSE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/102B | BADGE, OCCUPATIONAL, OPERATIONS SUPPORT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 25-MAR-02 |
| | MIL-DTL-3628/96B | BADGE, OCCUPATIONAL, PARALEGAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-NOV-01 |
| | MIL-DTL-3628/107 NOT 2 | BADGE, OCCUPATIONAL, PHYSICIAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/97B | BADGE, OCCUPATIONAL, PUBLIC AFFAIRS, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-NOV-01 |
| M | MIL-DTL-3628/98C | BADGE, OCCUPATIONAL, SERVICES, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 23-FEB-06 |
| | MIL-DTL-3628/64G | BADGE, OCCUPATIONAL, SPACE OPERATIONS, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| N | MIL-DTL-3628/238 | BADGE, OCCUPATIONAL, SPACE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 23-FEB-06 |
| | MIL-DTL-3628/101B | BADGE, OCCUPATIONAL, SUPPLY-FUELS, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 25-MAR-02 |
| | MIL-DTL-3628/99B | BADGE, OCCUPATIONAL, TRANSPORTATION, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-DEC-01 |
| | MIL-DTL-3628/52H | BADGE, OCCUPATIONAL, WEAPONS CONTROLLER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 08-NOV-01 |
| | MIL-DTL-11132/48 NOT 2 | BADGE, QUALIFICATION, ACADEMIC ACHIEVEMENT WREATH, ADDITIONAL AWARDS, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/43 NOT 2 | BADGE, QUALIFICATION, ACADEMIC ACHIEVEMENT WREATH, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-3628/63F NOT 2 | BADGE, QUALIFICATION, AIR ASSAULT, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3628/44E NOT 2 | BADGE, QUALIFICATION, ANNUAL RIFLE SQUAD COMBAT PRACTICE COMPETITION, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/163B NOT 1 | BADGE, QUALIFICATION, AVIATION, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/165B NOT 1 | BADGE, QUALIFICATION, AVIATION, MASTER, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/164B NOT 1 | BADGE, QUALIFICATION, AVIATION, SENIOR, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/213 NOT 1 | BADGE, QUALIFICATION, AVIATION, AIR BATTLE MANAGER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/211 NOT 1 | BADGE, QUALIFICATION, AVIATION, AIR BATTLE MANAGER, CHIEF, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/212 NOT 1 | BADGE, QUALIFICATION, AVIATION, AIR BATTLE MANAGER, SENIOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/191 NOT 2 | BADGE, QUALIFICATION, AVIATION, AIR CREW, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/232A | BADGE, QUALIFICATION, AVIATION, AIR WING, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-DEC-04 |
| | MIL-DTL-3628/166 NOT 2 | BADGE, QUALIFICATION, AVIATION, ASTRONAUT DEVICE FOR AVIATOR, FLIGHT SURGEON AND AIRCRAFT CREWMAN, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/157A NOT 2 | BADGE, QUALIFICATION, AVIATION, AVIATOR, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/159A NOT 2 | BADGE, QUALIFICATION, AVIATION, AVIATOR, MASTER, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/158A NOT 2 | BADGE, QUALIFICATION, AVIATION, AVIATOR, SENIOR, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/193 NOT 2 | BADGE, QUALIFICATION, AVIATION, COMBAT AIRCREW MEMBER, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/168 NOT 2 | BADGE, QUALIFICATION, AVIATION, ENLISTED AIRCREW MEMBER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/170 NOT 2 | BADGE, QUALIFICATION, AVIATION, ENLISTED AIRCREW MEMBER, CHIEF, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/169 NOT 2 | BADGE, QUALIFICATION, AVIATION, ENLISTED AIRCREW MEMBER, SENIOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/190A | BADGE, QUALIFICATION, AVIATION, EXPERIMENTAL PSYCHOLOGIST AND PHYSIOLOGIST, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 19-APR-05 |
| | MIL-DTL-3628/180 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT NURSE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/182 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT NURSE, CHIEF, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/181 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT NURSE, SENIOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/189 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT OFFICER, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/177 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/160A NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-3628/179 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, CHIEF, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/162 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, MASTER, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/192 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/178 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, SENIOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/161 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, SENIOR, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-JUN-01 |
| | MIL-DTL-11132/46 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT TRAINING GRADUATE, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/47 NOT 2 | BADGE, QUALIFICATION, AVIATION, FLIGHT TRAINING STUDENT, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-3628/167 NOT 2 | BADGE, QUALIFICATION, AVIATION, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/195 NOT 2 | BADGE, QUALIFICATION, AVIATION, NAVAL AVIATION OBSERVER AND FLIGHT METEOROLOGIST, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/194 NOT 2 | BADGE, QUALIFICATION, AVIATION, NAVAL AVIATOR, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/171 NOT 2 | BADGE, QUALIFICATION, AVIATION, NAVIGATOR OR AIRCRAFT OBSERVER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/173 NOT 2 | BADGE, QUALIFICATION, AVIATION, NAVIGATOR OR AIRCRAFT OBSERVER, MASTER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/172 NOT 2 | BADGE, QUALIFICATION, AVIATION, NAVIGATOR OR AIRCRAFT OBSERVER, SENIOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/188 NOT 2 | BADGE, QUALIFICATION, AVIATION, OFFICER AIRCREW MEMBER, CHIEF, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/187 NOT 2 | BADGE, QUALIFICATION, AVIATION, OFFICER AIRCREW MEMBER, SENIOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/183 NOT 2 | BADGE, QUALIFICATION, AVIATION, PILOT ASTRONAUT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/185 NOT 2 | BADGE, QUALIFICATION, AVIATION, PILOT ASTRONAUT, COMMAND, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/184 NOT 2 | BADGE, QUALIFICATION, AVIATION, PILOT ASTRONAUT, SENIOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/174 NOT 2 | BADGE, QUALIFICATION, AVIATION, PILOT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/176 NOT 2 | BADGE, QUALIFICATION, AVIATION, PILOT, COMMAND, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/175 NOT 2 | BADGE, QUALIFICATION, AVIATION, PILOT, SENIOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/21G NOT 2 | BADGE, QUALIFICATION, BASIC, DRIVER AND MECHANIC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/229 | BADGE, QUALIFICATION, BERET, COMBAT WEATHER TEAM, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 08-APR-03 |
| | MIL-DTL-3628/231 | BADGE, QUALIFICATION, BERET, SURVIVAL, EVASION, RESISTANCE AND ESCAPE, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 28-JAN-04 |
| | MIL-DTL-3628/88B NOT 2 | BADGE, QUALIFICATION, BRONZE EXCELLENCE IN COMPETITION, PISTOL SHOT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/87B NOT 2 | BADGE, QUALIFICATION, BRONZE EXCELLENCE IN COMPETITION, RIFLEMAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/22G NOT 2 | BADGE, QUALIFICATION, CLASPS, BASIC, DRIVER AND MECHANIC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/18L NOT 2 | BADGE, QUALIFICATION, CLASPS, EXPERT RIFLE AND PISTOL, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| A | MIL-DTL-3628/237 | BADGE, QUALIFICATION, COMBAT ACTION, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-FEB-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3628/69C NOT 2 | BADGE, QUALIFICATION, COMBAT AND SPECIAL SKILL, RIGGER, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/32J NOT 2 | BADGE, QUALIFICATION, COMBAT CREW MEMBER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/24H NOT 2 | BADGE, QUALIFICATION, COMBAT INFANTRYMAN, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/27H NOT 2 | BADGE, QUALIFICATION, COMBAT MEDICAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/65G | BADGE, QUALIFICATION, COMBAT PARACHUTIST, ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 23-MAY-05 |
| | MIL-DTL-3628/219 | BADGE, QUALIFICATION, COMBATANT DIVER, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 08-MAY-02 |
| | MIL-DTL-3628/62D NOT 2 | BADGE, QUALIFICATION, COMMAND ASHORE, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/197 NOT 2 | BADGE, QUALIFICATION, COMMAND-AT-SEA, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/235 | BADGE, QUALIFICATION, CUTTERMAN, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-DEC-04 |
| | MIL-DTL-3628/210 | BADGE, QUALIFICATION, DECK OFFICER, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-01 |
| | MIL-DTL-3628/81B NOT 2 | BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/35E NOT 2 | BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/3F NOT 2 | BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, NAVY; PENDANT AND SUSPENSION BAR[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-11132/50 NOT 2 | BADGE, QUALIFICATION, DISTINGUISHED MILITARY STUDENT, ROTC ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-3628/84B NOT 2 | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/2G | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, ARMY; PENDANT AND SUSPENSION BAR[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-AUG-02 |
| | MIL-DTL-3628/6F NOT 2 | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, CIVILIAN AWARD, ARMY; PENDANT AND SUSPENSION BAR[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/82C | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 20-MAR-03 |
| | MIL-DTL-3628/36E NOT 2 | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/4G NOT 2 | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/83B NOT 2 | BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/1G | BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, ARMY; PENDANT AND SUSPENSION BAR[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-AUG-02 |
| | MIL-DTL-3628/5F NOT 2 | BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, CIVILIAN AWARD, ARMY; PENDANT AND SUSPENSION BAR[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/26J NOT 2 | BADGE, QUALIFICATION, DIVER[CUST: IH NU 11] [REVIEW: CG CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/59D NOT 2 | BADGE, QUALIFICATION, DIVER, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/80B NOT 2 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT NATIONAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/86B NOT 2 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/78B NOT 2 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/13F NOT 2 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLE AND PISTOL, ARMY; PENDANT, SUSPENSION BAR AND SUSPENSION DEVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/79B NOT 2 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN NATIONAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/85B NOT 2 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/77B NOT 2 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/33H NOT 2 | BADGE, QUALIFICATION, EXPERT FIELD MEDICAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/23G NOT 2 | BADGE, QUALIFICATION, EXPERT INFANTRYMAN, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/54D NOT 2 | BADGE, QUALIFICATION, EXPERT PISTOL SHOT, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/61D NOT 2 | BADGE, QUALIFICATION, EXPERT PISTOL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/60C NOT 2 | BADGE, QUALIFICATION, EXPERT RIFLEMAN, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/55E NOT 2 | BADGE, QUALIFICATION, EXPERT RIFLEMAN, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/217 | BADGE, QUALIFICATION, EXPLOSIVE ORDNANCE DISPOSAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-DEC-01 |
| | MIL-DTL-3628/216 | BADGE, QUALIFICATION, EXPLOSIVE ORDNANCE DISPOSAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-DEC-01 |
| | MIL-DTL-3628/218 | BADGE, QUALIFICATION, EXPLOSIVE ORDNANCE DISPOSAL, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 27-DEC-01 |
| | MIL-DTL-3628/11F NOT 2 | BADGE, QUALIFICATION, FLEET PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/8F NOT 2 | BADGE, QUALIFICATION, FLEET RIFLEMAN, NAVY; PENDANT AND SUSPENSION BAR[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/203 NOT 2 | BADGE, QUALIFICATION, FMF COMBAT INFANTRY TROPHY, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/49G NOT 2 | BADGE, QUALIFICATION, GLIDER, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/46E NOT 2 | BADGE, QUALIFICATION, INTER-DIVISION PISTOL TEAM, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/45E NOT 2 | BADGE, QUALIFICATION, INTER-DIVISION RIFLE TEAM, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/37E NOT 2 | BADGE, QUALIFICATION, LAUCHHEIMER TROPHY, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/39F NOT 2 | BADGE, QUALIFICATION, MARINE CORPS PISTOL CHAMPIONSHIP (WALSH TROPHY)[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/38E NOT 2 | BADGE, QUALIFICATION, MARINE CORPS RIFLE CHAMPIONSHIP (MCDOUGAL TROPHY)[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/40E NOT 2 | BADGE, QUALIFICATION, MARINE CORPS RIFLE COMPETITION[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/43E NOT 2 | BADGE, QUALIFICATION, MARINE CORPS, DIVISION PISTOL COMPETITION[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/42E NOT 2 | BADGE, QUALIFICATION, MARINE CORPS, DIVISION RIFLE COMPETITION[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3628/41E NOT 2 | BADGE, QUALIFICATION, MARINE CORPS, PISTOL COMPETITION[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/224 | BADGE, QUALIFICATION, MARINE SAFETY DEVICE, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 23-OCT-02 |
| | MIL-DTL-3628/14M NOT 2 | BADGE, QUALIFICATION, MARKSMANSHIP - EXPERT, SHARPSHOOTER AND MARKSMAN, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/15L NOT 1 | BADGE, QUALIFICATION, MARKSMANSHIP CLASPS - EXPERT, SHARPSHOOTER AND MARKSMAN, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-11132/56A | BADGE, QUALIFICATION, MARKSMANSHIP, EXPERT, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-APR-04 |
| | MIL-DTL-11132/54A | BADGE, QUALIFICATION, MARKSMANSHIP, MARKSMAN, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-APR-04 |
| | MIL-DTL-11132/55A | BADGE, QUALIFICATION, MARKSMANSHIP, SHARPSHOOTER, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-APR-04 |
| | MIL-DTL-11132/49A NOT 2 | BADGE, QUALIFICATION, MISSILEMAN, ROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/51 NOT 2 | BADGE, QUALIFICATION, MODEL ROCKETRY, JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-3628/10F NOT 2 | BADGE, QUALIFICATION, NATIONAL PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/7G NOT 2 | BADGE, QUALIFICATION, NATIONAL RIFLEMAN, NAVY; PENDANT AND SUSPENSION BAR[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/34K NOT 2 | BADGE, QUALIFICATION, NUCLEAR REACTOR OPERATORS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-11132/53 NOT 2 | BADGE, QUALIFICATION, NURSE, AFROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-3628/56E NOT 2 | BADGE, QUALIFICATION, OFFICER IN CHARGE (AFLOAT), ENLISTED PERSONNEL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/30L NOT 1 | BADGE, QUALIFICATION, PARACHUTIST, ARMY, NAVY, MARINE CORPS AND AIR FORCE; SENIOR AND MASTER PARACHUTIST, ARMY AND AIR FORCE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-3628/50E NOT 2 | BADGE, QUALIFICATION, PARARESCUE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/51G NOT 2 | BADGE, QUALIFICATION, PATHFINDER, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/223C | BADGE, QUALIFICATION, PERSONAL WATER CRAFT COURSE (PWC) OPERATOR'S DEVICE, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-04 |
| | MIL-DTL-3628/12F NOT 2 | BADGE, QUALIFICATION, PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/48G NOT 2 | BADGE, QUALIFICATION, PISTOL TEAM MATCHES, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/17H NOT 2 | BADGE, QUALIFICATION, PISTOL, MARINE CORPS; PENDANT AND SUSPENSION BAR[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-11132/52 NOT 2 | BADGE, QUALIFICATION, PRE-HEALTH, AFROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-3628/66D NOT 2 | BADGE, QUALIFICATION, RANGER TAB, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-11132/45 NOT 2 | BADGE, QUALIFICATION, RECONDO, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-3628/47E NOT 2 | BADGE, QUALIFICATION, RIFLE TEAM MATCHES, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/16J NOT 2 | BADGE, QUALIFICATION, RIFLE, MARINE CORPS; PENDANT AND SUSPENSION BAR[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/9G NOT 2 | BADGE, QUALIFICATION, RIFLEMAN, NAVY; PENDANT AND SUSPENSION BAR[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3628/234 | BADGE, QUALIFICATION, SAPPER TAB, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-NOV-04 |
| | MIL-DTL-3628/53F NOT 2 | BADGE, QUALIFICATION, SCUBA DIVER[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-DTL-3628/31G | BADGE, QUALIFICATION, SENIOR PARACHUTIST, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 29-APR-05 |
| | MIL-DTL-3628/196 NOT 2 | BADGE, QUALIFICATION, SMALL-CRAFT-COMMAND, NATIONAL OCEANIC AND ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3628/67D NOT 2 | BADGE, QUALIFICATION, SPECIAL FORCES TAB, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-JUN-01 |
| N | MIL-DTL-3628/236 | BADGE, QUALIFICATION, SPECIAL OPERATIONS DIVER & SPECIAL OPERATIONS DIVING SUPERVISOR, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-APR-06 |
| | MIL-DTL-11132/44B | BADGE, QUALIFICATION, STAR, HONOR UNITS, ROTC AND NDCC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-OCT-01 |
| | MIL-DTL-3628/70D NOT 2 | BADGE, QUALIFICATION, TACTICAL AIR CONTROL PARTY, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 04-JUN-01 |
| | MIL-B-21117E | BADGE, RATING AND QUALIFICATION, DUNGAREE UNIFORM[CUST: NU CT] | A | 8455 | | CT | 18-SEP-90 |
| N | MIL-DTL-3628/242 | BADGE, RECREATIONAL BOATING SAFETY DEVICE, US. COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-APR-06 |
| N | MIL-DTL-3628/241 | BADGE, REGULAR AND MINIATURE SIZE, DEPARTMENT OF HOMELAND SECURITY STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-APR-06 |
| | MIL-DTL-83054C | BAFFLE AND INERTING MATERIAL, AIRCRAFT FUEL TANK[CUST: 99 IS] | A | 9330 | | 84 | 20-OCT-03 |
| | QPL-83054-7 | BAFFLE AND INERTING MATERIAL, AIRCRAFT FUEL TANK | A | 9330 | | 84 | 20-OCT-03 |
| | A-A-59521 | BAG, AMMUNITION[CUST: GL CT] [REVIEW: MD] | A | 8465 | / | CT | 02-DEC-99 |
| | A-A-55105 | BAG, BARRACKS[CUST: CT] [REVIEW: GL] | A | 8465 | / | CT | 17-DEC-92 |
| | A-A-51466A | BAG, BIOHAZARD DISPOSAL[CUST: MD MS 03] [REVIEW: SS] | A | 6530 | / | MB | 29-APR-88 |
| | A-A-53484 | BAG, BIOHAZARD DISPOSAL[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-88 |
| | A-A-53973B | BAG, BLOOD COLLECTING-DISPENSING-SYSTEM[CUST: MD MS 03] | A | 6515 | / | MB | 16-DEC-93 |
| | A-A-53423 | BAG, BLOOD WARMING (DISPOSABLE)[CUST: MD MS 03] | A | 6515 | / | MB | 23-MAR-88 |
| | A-A-54291 | BAG, BUCKSHOT[CUST: MD MS 03] | A | 6530 | / | MB | 23-NOV-90 |
| | MIL-B-44168A | BAG, CARRYING, PROTECTIVE ENSEMBLE, NUCLEAR, BIOLOGICAL, CHEMICAL (NBC)[CUST: GL NU CT] [REVIEW: MD] | A | 8465 | | CT | 04-MAY-88 |
| | MIL-B-43587C | BAG, CHEMICAL PROTECTIVE CLOTHING OUTFIT[CUST: GL NU 99 CT] [REVIEW: AS MC MD MS YD] | A | 8465 | | CT | 16-JAN-87 |
| | A-A-55092 | BAG, CLOTHING, WATERPROOF[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8465 | / | CT | 16-NOV-92 |
| | A-A-54191 | BAG, COMPRESSION, SPHYGMOMANOMETER[CUST: MD MS 03] | A | 6515 | / | MB | 19-JUN-90 |
| | MIL-B-82647A NOT 2 | BAG, CONDUCTIVE PLASTIC, HEAT-SEALABLE, FLEXIBLE[CUST: OS] | A | 8105 | | OS | 19-APR-01 |
| | A-A-3124 | BAG, COTTON DUCK (SOIL AND GRAIN)[CUST: FSS] | A | 8105 | # | FSS | 13-AUG-97 |
| | A-A-53934 | BAG, DENTAL PROSTHESIS (PLASTIC)[CUST: MD MS 03] | A | 6520 | / | MB | 24-JUL-89 |
| | A-A-55077A | BAG, DUFFEL[CUST: GL NU 99 CT] [REVIEW: MC] | A | 8465 | / | CT | 05-JAN-00 |
| | A-A-50374 | BAG, FIREMAN'S UTILITY[CUST: NU CT] [REVIEW: AS CG MC SH] | A | 8460 | / | CT | 11-DEC-89 |
| | A-A-55112A | BAG, FLYER'S HELMET[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8415 | / | CT | 19-JUN-95 |
| | MIL-B-36039B | BAG, GUN CREW FIRST AID KIT[CUST: MD MS 03] | A | 6545 | | MB | 30-JUN-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-32176 | BAG, HOT BEVERAGE[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8970 | | GL | 22-OCT-04 |
| | A-A-51294A | BAG, HOT WATER-ICE[CUST: MD MS 03] | A | 6530 | / | MB | 31-JAN-89 |
| | A-A-50982A | BAG, ICE[CUST: MD MS 03] | A | 6530 | / | MB | 31-JAN-89 |
| | A-A-55176 | BAG, LAUNDRY, NYLON[CUST: SA CT] | A | 8465 | / | CT | 05-MAR-93 |
| | A-A-59524 | BAG, LAUNDRY, SUBMARINE[CUST: NU] | A | 8465 | / | CT | 13-DEC-99 |
| | A-A-50547 NOT 1 | BAG, LINEMAN'S GLOVE[CUST: YD] | A | 4240 | / | IS | 27-SEP-01 |
| | A-A-55179 | BAG, MONEY[CUST: NU CT] [REVIEW: MC] | A | 8460 | / | CT | 03-MAR-93 |
| | A-A-50136A | BAG, MONEY[CUST: GL NU 99 CT] [REVIEW: 11] | A | 8460 | / | CT | 12-FEB-92 |
| | MIL-B-71190 NOT 2 | BAG, MULTIWALL PASTED VALVE[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 10-OCT-96 |
| A | MIL-PRF-29597C(1) | BAG, ODOR BARRIER, FLEXIBLE - FOR FOOD CONTAMINATED PLASTIC WASTE[CUST: AS] [REVIEW: SA] | A | 8105 | | AS | 15-FEB-06 |
| | A-A-53434 | BAG, OSTOMY[CUST: MD MS 03] | A | 6515 | / | MB | 29-APR-88 |
| | A-A-54957 | BAG, OSTOMY[CUST: MD MS 03] | A | 6515 | / | MB | 10-JUN-94 |
| | A-A-1669A NOT 2 | BAG, PAPER (BURN BAG)[CUST: GL] | A | 8105 | # | FSS | 10-MAR-00 |
| | UU-B-36J(3) | BAG, PAPER (GROCERS)[CUST: GL SA 11] [REVIEW: 99 EA MD SM] | A | 8105 | * | GL | 08-FEB-74 |
| | UU-B-39E | BAG, PAPER, MERCHANDISE | A | 8105 | # | FSS | 21-MAR-76 |
| | A-A-55205 | BAG, PERSONAL EFFECTS[CUST: GL NU CT] [REVIEW: MC] | A | 8465 | / | CT | 18-MAY-93 |
| | MIL-B-37829 | BAG, PERSONAL EFFECTS[CUST: MD MS 03] | A | 8465 | | MB | 19-JUN-89 |
| | A-A-54429 | BAG, PLASTIC[CUST: MD MS 03] | A | 8105 | / | MB | 29-JUL-88 |
| | A-A-50083 | BAG, PLASTIC, FOLDED GARMET[CUST: GL SA 11] [REVIEW: NU] | A | 8105 | / | CT | 30-SEP-86 |
| | MIL-B-87258 | BAG, SLEEPING, ARCTIC SURVIVAL, PRESSURE/VACUUM PACKED[CUST: 99 CT] [REVIEW: 11] | A | 8465 | | CT | 02-AUG-91 |
| | A-A-55114 | BAG, SOILED CLOTHES[CUST: GL MS CT] [REVIEW: MC] | A | 8465 | / | MS | 06-JAN-93 |
| | A-A-54577 | BAG, SPECIMEN[CUST: MD MS 03] | A | 6530 | / | MB | 20-JAN-92 |
| | A-A-54556 | BAG, SPECIMEN[CUST: MD MS 03] | A | 6530 | / | MB | 20-DEC-91 |
| | A-A-30180 | BAG, SPECIMEN, (TRANSPORT HANDLING)[CUST: MD MS 03] | A | 6530 | * | MB | 28-MAY-92 |
| | A-A-53299B | BAG, STERILIZATION-BIOHAZARD[CUST: MD MS 03] | A | 6530 | / | MB | 31-JAN-94 |
| | MIL-B-8571D(1) NOT 1 | BAG, STORAGE, DRINKING WATER[CUST: GL AS 99 CT] [REVIEW: 11 MD] | A | 8465 | | CT | 21-AUG-86 |
| | MIL-B-44306B | BAG, STUFF, SLEEPING SYSTEM[CUST: GL 99 CT] [REVIEW: 11 MC MD] | A | 8465 | | CT | 30-SEP-91 |
| | A-A-54078 | BAG, TISSUE SPECIMEN[CUST: MD MS 03] | A | 6640 | / | MB | 31-JAN-90 |
| | A-A-30046B | BAG, TUBE FEEDING[CUST: MD MS 03] | A | 6515 | * | MB | 27-NOV-91 |
| | A-A-51082 | BAG, TUBE FEEDING STERILE[CUST: MD MS 03] | A | 6515 | / | MB | 06-DEC-85 |
| | A-A-54716 | BAG, TUBE FITTING[CUST: MD MS 03] | A | 6515 | / | MB | 10-SEP-92 |
| | A-A-30082B | BAG, URINE COLLECTION[CUST: MD MS 03] | A | 6530 | * | MB | 26-JUL-89 |
| | A-A-51480A | BAG, URINE COLLECTION, PEDIATRIC[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAY-89 |
| | A-A-51435 | BAG, URINE COLLECTION, PEDIATRIC[CUST: MD MS 03] | A | 6530 | | MB | 20-MAY-86 |
| | A-A-51752 | BAG, WATER SAMPLE (POLYETHYLENE, STERILE)[CUST: MD MS 03] | A | 6640 | / | MB | 17-NOV-86 |
| A | MIL-DTL-51170G | BAG, WATERPROOF, CHEMICAL- BIOLOGICAL MASK, MI[CUST: EA] | A | 4240 | | EA | 29-NOV-05 |
| | A-A-55070 | BAG, WET WEATHER CLOTHING: (PARKA AND TROUSERS)[CUST: GL 99 CT] [REVIEW: 11] | A | 8465 | / | CT | 31-JUL-92 |
| | MIL-DTL-117H | BAGS, HEAT-SEALABLE[CUST: SM AS 11 DH] [REVIEW: AT AV EA GL3 MC MI OS SA SH] | A | 8105 | | AS | 30-APR-01 |
| | A-A-52140A NOT 1 | BAGS, SAND, ACRYLIC[CUST: MD1 MC 99] [REVIEW: 84] | A | 8105 | / | IS | 13-AUG-04 |
| | A-A-52141 | BAGS, SAND; BURLAP AND COTTON[CUST: GL 99] [REVIEW: 84 MC MD] | A | 8105 | / | IS | 03-JAN-94 |
| | A-A-52142 | BAGS, SAND; POLYPROPYLENE[CUST: GL 99] [REVIEW: 84 CR4 MC MD] | A | 8105 | / | IS | 03-JAN-94 |
| | MIL-B-22020D | BAGS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORROSION INHIBITOR TREATED[CUST: GL AS 11] [REVIEW: 71 84 AT CC CR4 MC MI OS SA SH SM YD] | A | 8105 | | AS | 02-MAY-90 |
| | A-A-53504B | BAGS, URINE COLLECTION - MEASURING DEVICE[CUST: MD MS 03] | A | 6530 | / | MB | 09-DEC-94 |
| | A-A-51895A | BAGS, WASTE RECEPTACLE[CUST: MD MS 03] | A | 8105 | / | MB | 24-JUL-92 |
| | MIL-DTL-6060E | BAGS, WATERVAPORPROOF, HEAT-SEALABLE, COMPLEX[CUST: SM AS 11 DH] [REVIEW: AT AV EA GL3 MC MI OS SA SH] | A | 8105 | | AS | 12-AUG-04 |
| | A-A-54764 | BAGS, WET DRESSING[CUST: MD MS 03] | A | 6515 | / | MB | 24-OCT-92 |
| | STANAG-3726 ED.5(2) | BAIL (PORTAL) LUGS FOR THE SUSPENSION OF AIRCRAFT STORES | C | ISDF | | 06 | 11-DEC-96 |
| | A-A-20181A | BAKERY, MIXES, PREPARED | A | 8920 | # | FSS | 16-DEC-96 |
| | A-A-20254 | BAKING MIX, ALL PURPOSE, LOWFAT, WITH FRUIT-BASED FAT REPLACERS[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8920 | * | GL | 08-JUL-97 |
| | ITOP-6.3.030 | BALANCED MAGNETIC SWITCH SENSORS FOR INTERIOR APPLICATION (U) | D | ISDA | | TE | 30-MAR-89 |
| | A-A-50060B | BALANCES, TRIP, LABORATORY[CUST: GL MS 03 GS1] [REVIEW: 71 99 MD YD] | A | 6670 | / | GS1 | 17-JUL-01 |
| | A-A-50094 NOT 3 | BALER, AUTOMATIC, VERTICAL[CUST: YD] | A | 3540 | / | IS | 25-SEP-01 |
| | ASTM-D1478 | BALL BEARING GREASES, LOW TEMPERATURE TORQUE OF, STANDARD TEST METHOD FOR[CUST: AT SH 11] [REVIEW: 68 AS OS] | A | 91GP | | AT | 17-JUN-85 |
| | ABMA26.2 | BALL BEARINGS, THIN SECTION, INCH DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | ASTM-D3787 | BALL BURST TEST, BURSTING STRENGTH OF KNITTED GOODS-CONSTANT-RATE-OF-TRAVERSE (CRT)[CUST: GL NU 99 CT] [REVIEW: 11] | A | 83GP | | CT | 29-SEP-89 |
| | MS20663F NOT 1 | BALL END, WIRE ROPE, SWAGING, DOUBLE SHANK[CUST: CR4 AS 99 GS5] [REVIEW: 71 AR MC MD] | A | 1640 | | GS5 | 01-APR-05 |
| | MS20664G NOT 1 | BALL END, WIRE ROPE, SWAGING, SINGLE SHANK[CUST: CR4 AS 99 GS5] [REVIEW: 71 MI] | A | 1640 | | GS5 | 01-APR-05 |
| | MIL-B-48387(1) NOT 1 | BALL POWDER, IGNITER (BPI) (SPHEROIDAL PROPELLANT IGNITER (SPI))[CUST: AR] | A | 1376 | | AR | 02-FEB-89 |
| | MIL-DTL-62542C | BALL SCREW LINEAR ACTUATOR (BSLA)[CUST: AT MC] | A | 5945 | | AT | 15-MAY-98 |
| | MSS-SP110 | BALL VALVES THREADED, SOCKET-WELDING, SOLDER JOINT, GROOVED AND FLARED ENDS[CUST: YD] | A | 4820 | | CC | 26-SEP-96 |
| | A-A-50813A | BALL, ABSORBENT, COTTON OR RAYON[CUST: MD MS 03] | A | 6510 | * | MB | 14-FEB-83 |
| | SAE-AS17107 | BALL, BEARING, ANNULAR, PRIMARILY FOR AIRCRAFT MOTOR-GENERATORS TYPE I[CUST: AT AS 99] [REVIEW: GS] | A | 3110 | | AS | AUG-97 |
| | UL935 | BALLASTS, FLUORESCENT-LAMP[CUST: CR4 YD 99] [REVIEW: 71 GS MC MD MS] | A | 6250 | | YD | 01-APR-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ANSI-C82.4 | BALLASTS, FOR HIGH-INTENSITY-DISCHARGE, AND LOW-PRESSURE SODIUM LAMPS (MULTIPLE SUPPLY TYPE), STANDARD FOR[CUST: YD 99] [REVIEW: 71 GS] | A | 6250 | | YD | 13-JAN-92 |
| | DI-MISC-80246 | BALLISTIC ACCEPTANCE TEST REPORT [AMSC: A3976] | A | MISC | | AM | 15-OCT-86 |
| | DOD-STD-1469 | BALLISTIC ACCEPTANCE TEST REQUIREMENTS FOR SOLID PROPELLANT FOR CANNON[Test Method Standard][CUST: AR] [REVIEW: TE] | A | 1376 | | AR | 08-AUG-85 |
| | MIL-B-85735(1) | BALLISTIC MODIFIER LC-12-15[CUST: AR AS] [REVIEW: 19 GS MI OS] | A | 6810 | | AS | 15-SEP-99 |
| | MIL-STD-376A | BALLISTIC PERFORMANCE RANKING OF CERAMIC ARMOR PLATES AGAINST HIGH DENSITY PENETRATORS[Test Method Standard][CUST: MR AS 99] [REVIEW: 84 AT CG GS SH TE] | A | 9350 | | MR | 21-AUG-98 |
| | ITOP-4.2.828 | BALLISTIC SHOCK TESTING | D | ISDA | | TE | 05-JAN-00 |
| | STANAG-2920 ED.1 | BALLISTIC TEST METHOD FOR PERSONAL ARMOURS | C | ISDA | | AI | 17-DEC-96 |
| | ITOP-2.2.713 | BALLISTIC TESTING OF ARMOR | D | ISDA | | TE | 20-NOV-02 |
| | MIL-B-85252 | BALLONET, CARTRIDGE ACTIVATED (MXU-695/B)[CUST: OS] | A | 1377 | | OS | 13-JUN-81 |
| A | ASTM-F2215 | BALLS, BEARINGS, FERROUS AND NONFERROUS FOR USE IN BEARINGS, VALVES, AND BEARING APPLICATIONS, STANDARD SPECIFICATION FOR[CUST: AT OS 99] [REVIEW: 84 AR EA MI SH] | A | 3110 | | GS4 | 23-NOV-05 |
| | SAE-AMS7445 | BALLS, STEEL, CORROSION RESISTANT 17CR HARDENED[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 15-AUG-95 |
| | A-A-52615 NOT 1 | BALLS, WRECKING[CUST: AT] [REVIEW: CC] | A | 3815 | / | AT | 19-APR-04 |
| | A-A-54675 | BAND AND BAND SET, MATRIX, DENTAL, TOFFLEMIRE[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-92 |
| | ASME-B94.51M | BAND SAW BLADES (METAL CUTTING)[CUST: AR SH 99 GS6] | A | 3455 | | GS6 | 02-SEP-86 |
| | A-A-53919 | BAND, ABRASIVE (SILICON CARBIDE)[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | A-A-51733A | BAND, ALLERGY IDENTIFICATION[CUST: MS 03] | A | 6240 | / | MB | 31-MAR-87 |
| | A-A-51800 | BAND, CIRCLING (SILICONE)[CUST: MD MS 03] | A | 6515 | / | MB | 23-JAN-87 |
| | A-A-50987 | BAND, COPPER, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 02-AUG-85 |
| | SAE-AS7365/6 | BAND, FEMALE COUPLING, 12 INCH AIR DUCT[CUST: AT MC 99 CC] [REVIEW: 71 CR4 GL MD] | A | 4730 | | CC | 10-FEB-05 |
| | SAE-AS7365/8 | BAND, FEMALE COUPLING, 6 INCH AIR DUCT[CUST: AT MC 99 CC] [REVIEW: 71 CR4 GL MD] | A | 4730 | | CC | 10-FEB-05 |
| | MIL-B-81205 NOT 1 | BAND, HANDLING, MK 84 MOD 0[CUST: 99] | A | 1450 | | 70 | 15-APR-87 |
| | MIL-B-1851F NOT 1 | BAND, HELMET, CAMOUFLAGE[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8415 | | CT | 27-FEB-87 |
| | SAE-AS7365/7 | BAND, MALE COUPLING, 12 INCH AIR DUCT[CUST: AT MC 99 CC] [REVIEW: 71 CR4 GL MD] | A | 4730 | | CC | 10-FEB-05 |
| | SAE-AS7365/9 | BAND, MALE COUPLING, 6 INCH AIR DUCT[CUST: AT MC 99 CC] [REVIEW: 71 CR4 GL MD] | A | 4730 | | CC | 10-FEB-05 |
| | A-A-51750 | BAND, MATRIX, DENTAL (CONTOURED)[CUST: MD MS 03] | A | 6520 | | MB | 02-JUN-87 |
| | MIL-B-18907A | BAND, PROJECTILE ROTATING[CUST: OS] | A | 1320 | | OS | 29-APR-88 |
| | PIA-PS70105 | BAND, SPRING, PARACHUTE PACK OPENING[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | W-B-001573B(1) | BAND, WRAPAROUND TAPE REEL (FOR COMPUTER TAPE STORAGE) | A | 7045 | # | FSS | 05-MAR-80 |
| | A-A-53401 | BANDAGE ELASTIC[CUST: MD MS 03] | A | 6510 | / | MB | 01-APR-88 |
| | A-A-51832 | BANDAGE, ADHESIVE[CUST: MD MS 03] | A | 6510 | / | MB | 13-MAY-87 |
| | A-A-53186 | BANDAGE, CAST, FIBERGLASS RESIN IMPREGNATED[CUST: MD MS 03] | A | 6510 | / | MB | 21-SEP-87 |
| | A-A-54309 | BANDAGE, CAST, POLYESTER FABRIC, RESIN IMPREGNATED[CUST: MD MS 03] | A | 6510 | / | MB | 31-DEC-90 |
| | A-A-53668A | BANDAGE, ELASTIC (RUBBER WARP THREADS-SELF-ADHERING)[CUST: MD MS 03] | A | 6510 | / | MB | 17-AUG-89 |
| | A-A-54874 | BANDAGE, ELASTIC, RUBBER WARP THREADS[CUST: MD MS 03] | A | 6510 | / | MB | 21-MAY-93 |
| | A-A-54756 | BANDAGE, FELT, ORTHOPEDIC (COTTON)[CUST: MD MS 03] | A | 6510 | / | MB | 30-SEP-92 |
| | A-A-54747 | BANDAGE, FELT, ORTHOPEDIC, (RAYON)[CUST: MD MS 03] | A | 6510 | / | MB | 15-SEP-92 |
| | A-A-51394A | BANDAGE, GAUZE (TWO-PLY)[CUST: MD MS 03] | A | 6510 | / | MB | 01-JUN-88 |
| | A-A-51729A | BANDAGE, GAUZE, (COTTON, ELASTIC, SPUN RAYON, AND POLYESTER)[CUST: MD MS 03] | A | 6510 | / | MB | 15-JUN-91 |
| | A-A-51111 | BANDAGE, GAUZE, (FINE MESH)[CUST: MD MS 03] | A | 6510 | / | MB | 26-NOV-85 |
| | A-A-30129A | BANDAGE, GAUZE, CALAMINE-GELATIN-GLYCERIN-ZINC OXIDE IMPREGNATED[CUST: MD MS 03] | A | 6510 | * | MB | 28-FEB-92 |
| | A-A-54755 | BANDAGE, GAUZE, SIX-PLY, 4-1/2 INCHES WIDE BY 4 YARDS[CUST: MD MS 03] | A | 6510 | / | MB | 30-SEP-92 |
| | A-A-54599 | BANDS, PERSONAL IDENTIFICATION[CUST: MD MS 03] | A | 6530 | / | MB | 06-MAR-92 |
| | DI-MGMT-80177A | BAR CODE IDENTIFICATION REPORT [AMSC: G3942] | A | MGMT | | NS | 26-AUG-86 |
| | QSTAG-1152 ED.1 | BAR CODE SYMBOLOGY[CUST: AI] | C | ISDA | | AI | 06-MAY-96 |
| | MIL-STD-2414A NOT 1 | BAR CODING FOR GEOSPATIAL PRODUCTS[Standard Practice][CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-B-11595E(1) | BAR, METAL AND BLANKS, STEEL (UNDER 2 INCHES IN DIAMETER) FOR BARRELS OF SMALL ARMS WEAPONS[CUST: AR] | A | 9510 | | AR | 26-JUL-04 |
| | MIL-B-12504E(1) | BAR, METAL AND WIRE (NONELECTRICAL), CARBON AND ALLOY STEEL, COLD DRAWN FOR AP BULLET CORES AND SHOT[CUST: MR] | A | 9510 | | AR | 16-AUG-90 |
| M | MS500106 NOT 2 | BAR, METAL, ROUND, STEEL, CARBON 1018[CUST: MR AS IS] [REVIEW: 99 AR AT CR4 MI] | A | 9510 | | IS | 15-MAR-06 |
| | ASTM-E23 | BAR, NOTCHED, IMPACT TESTING OF METALLIC MATERIALS[CUST: MR SH 11] [REVIEW: AR AT GL IS YD] | A | 95GP | | MR | 15-APR-94 |
| | MIL-DTL-85110B | BAR, REPEATABLE RELEASE HOLDBACK (RRHB), AIRCRAFT LAUNCHING, GENERAL REQUIREMENTS FOR[CUST: AS] | A | 1720 | | AS | 22-SEP-97 |
| | GGG-B-121B | BAR, SINE, PLATE SINE (AND FIXTURES)[CUST: AR AS 99] | A | 5220 | * | AR | 04-JUN-64 |
| | A-A-2566A | BAR, WRECKING | A | 5120 | # | FSS | 16-MAY-02 |
| | A-A-20335 | BARBECUE SAUCE[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8950 | / | SS | 20-NOV-00 |
| | A-A-55522A | BARBED TAPE, CONCERTINA[CUST: 99 IS] | A | 5660 | / | IS | 30-NOV-01 |
| | MIL-PRF-32038/19 | BARBER BACK BAR[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | IPC-D356 | BARE BOARD ELECTRICAL TEST INFORMATION IN DIGITAL FORM[CUST: CR EC 11] [REVIEW: 99 MI NW] | A | 5998 | | CC | 06-AUG-92 |
| | MIL-B-624A | BARIUM CARBONATE (FOR USE IN AMMUNITION)[CUST: AR OS] | A | 1375 | | AR | 28-APR-69 |
| A | MIL-B-550A NOT 3 | BARIUM CHROMATE[CUST: AR] [REVIEW: EA] | A | 6810 | | AR | 10-OCT-96 |
| | JAN-B-660 | BARIUM OXALATE (FOR USE IN AMMUNITION)[CUST: AR OS] [REVIEW: GS IS MR SA] | A | 6810 | | AR | 05-AUG-48 |
| | MIL-B-153A(1) NOT 3 | BARIUM PEROXIDE[CUST: AR AS] [REVIEW: GS OS] | A | 6810 | | AR | 10-OCT-96 |
| | ASTM-D4628 | BARIUM, CALCIUM, MAGNESIUM, AND ZINC IN UNUSED LUBRICATING OILS BY ATOMIC ABSORPTION SPECTROMETRY, ANALYSIS OF[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 31-OCT-86 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QSTAG-86 ED.3 | BARREL (TUBE) 105MM TANK GUNS, M68, L.7A.1 AND L.7A.3[CUST: AI] | C | ISDA | | AI | 16-JAN-92 |
| | MIL-B-81744A(1) | BARRIER COATING SOLUTION, LUBRICANT MIGRATION DETERRING[CUST: AR AS 11] [REVIEW: 99 AV GS MI OS SH] | A | 6850 | | AS | 23-DEC-76 |
| A | MIL-PRF-81705D(1) | BARRIER MATERIALS, FLEXIBLE, ELECTROSTATIC PROTECTIVE, HEAT- SEALABLE[CUST: GL AS 11 CC] [REVIEW: 70 84 CR EA OS SA SH SM] | A | 8135 | | AS | 14-JUL-04 |
| | QPL-81705-15 | BARRIER MATERIALS, FLEXIBLE, ELECTROSTATIC PROTECTIVE, HEAT-SEALABLE | A | 8135 | | AS | 30-APR-03 |
| | MIL-PRF-121G | BARRIER MATERIALS, GREASEPROOF, WATERPROOF, FLEXIBLE, HEAT-SEALABLE[CUST: SM AS 11 GS] [REVIEW: AT CR DS EA GL3 MC MI OS SA SH] | A | 8135 | | AS | 30-APR-01 |
| | MIL-PRF-85036B | BARRIER MATERIALS, HEAVY DUTY, FOR FLEXIBLE ENGINE CONTAINERS[CUST: AS] | A | 8135 | | AS | 26-FEB-99 |
| | QPL-22191-31(1) | BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, HEAT SEALABLE | A | 8135 | | AS | 27-NOV-95 |
| | MIL-PRF-22191E(1) | BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, HEAT-SEALABLE[CUST: GL AS 11] [REVIEW: AT CC CR4 EA MC MI OS SA SH SM SS YD] | A | 8135 | | AS | 14-JUL-04 |
| A | QPL-22019-20 | BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORRISON INHIBITOR TREATED | A | 8135 | | AS | 17-JAN-06 |
| | MIL-PRF-22019D(1) | BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORROSION INHIBITOR TREATED[CUST: GL AS 11] [REVIEW: 84 99 AT CC CR CR4 EA MC MI OS SA SH SM SS YD] | A | 8135 | | AS | 14-JUL-04 |
| A | MIL-PRF-131K | BARRIER MATERIALS, WATERVAPORPROOF, GREASEPROOF, FLEXIBLE, HEAT-SEALABLE[CUST: GL AS 11] [REVIEW: AT CC CR EA MI OS SA SH SM SS] | A | 8135 | | AS | 18-AUG-05 |
| M | QPL-131-46 | BARRIER MATERIALS, WATERVAPORPROOF, GREASEPROOF, FLEXIBLE, HEAT-SEALABLE | A | 8135 | | AS | 24-APR-06 |
| | ASTM-B348 | BARS AND BILLETS, TITANIUM AND TITANIUM ALLOY[CUST: MR AS 99] | A | 9510 | | IS | 11-JUL-96 |
| | SAE-AMS7705 | BARS AND FORGINGS, NICKEL-IRON MAGNETIC ALLOY[CUST: MR AS 11 IS] [REVIEW: CE EA] | A | 9535 | | IS | 01-OCT-93 |
| | ASTM-A479/A479M | BARS AND SHAPES, STAINLESS STEEL, FOR USE IN BOILERS AND OTHER PRESSURE VESSELS[CUST: MR YD] [REVIEW: AT CR4 IS MI OS SH] | A | 9510 | | YD | 15-JAN-94 |
| | ASTM-E381 | BARS STEEL MACROETCH TESTING, BILLETS, BLOOMS, AND FORGINGS[CUST: MR SH 11] [REVIEW: 99 AR AT OS SA YD] | A | 9640 | | MR | 10-APR-01 |
| | SAE-AMS5769 | BARS, ALLOY, CORROSION AND HEAT-RESISTANT, FORGINGS, AND RINGS, 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0 (CB +TA) - 0.15N - 32FE SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | MAR-89 |
| | ASTM-A617/A617M | BARS, AXLE-STEEL DEFORMED AND PLAIN, FOR CONCRETE REINFORCEMENT[CUST: CE YD 99] [REVIEW: 84 IS] | A | 9510 | | YD | 15-JUL-83 |
| | A-A-52123 | BARS, BUCKING, RIVET[CUST: GL 99] [REVIEW: 84 CR CR4 MC OS YD] | A | 5120 | * | GL | 24-MAR-93 |
| | A-A-59007 | BARS, FLINDERS[CUST: AV SH] [REVIEW: GS] | A | 6605 | / | SH | 01-JUL-97 |
| | ASTM-B637 | BARS, FORGINGS, AND FORGING STOCK FOR HIGH-TEMPERATURE SERVICE, PRECIPITATION-HARDENING NICKEL ALLOY[CUST: MR SH 11] | A | FORG | | SH | 03-OCT-94 |
| | ASTM-A582/A582M | BARS, FREE-MACHINING STAINLESS STEEL[CUST: MR SH 11] [REVIEW: AR IS MI OS] | A | 9510 | | MR | 16-MAR-93 |
| | ASTM-F446 | BARS, GRAB, AND ACCESSORIES INSTALLED IN THE BATHING AREA[CUST: YD] | A | 4510 | | IS | 23-AUG-85 |
| | ASTM-A616/A616M | BARS, RAIL-STEEL DEFORMED AND PLAIN, FOR CONCRETE REINFORCEMENT[CUST: CE YD 99] [REVIEW: 84] | A | 9510 | | YD | 15-JUL-93 |
| | SAE-AMS7903 | BARS, RODS, TUBING, AND SHAPES, BERYLLIUM, 4.25BEO - 94BE, HIGH MICRO-YIELD STRENGTH[CUST: MR AS 11 IS] | A | 9530 | | IS | 20-DEC-91 |
| | SAE-AMS7907 | BARS, RODS, TUBING, AND SHAPES, BERYLLIUM, INSTRUMENT GRADE[CUST: MR AS 11 IS] | A | 9530 | | IS | 20-DEC-91 |
| | SAE-AMS7905 | BARS, RODS, TUBING, AND SHAPES, BERYLLIUM, OPTICAL GRADE[CUST: MR AS 11 IS] | A | 9530 | | IS | 20-DEC-91 |
| | SAE-AMS7906 | BARS, RODS, TUBING, AND SHAPES, BERYLLIUM, STANDARD GRADE[CUST: MR AS 11 IS] | A | 9530 | | IS | 20-DEC-91 |
| | SAE-AMS6490 | BARS, STEEL, FORGINGS, AND TUBING 4.0CR - 4.2MO - 1.0V - (0.77 - 0.85C) PREMIUM AIRCRAFT QUALITY FOR BEARING APPLICATIONS CONSUMABLE ELECTRODE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | ASTM-A400 | BARS, STEEL, SELECTION GUIDE, COMPOSITION, AND MECHANICAL PROPERTIES[CUST: MR SH 11] [REVIEW: AT AV CR4 GL IS MI OS YD] | A | 9520 | | MR | 19-JUN-72 |
| | ASTM-A767/A767M | BARS, STEEL, ZINC-COATED (GALVANIZED), FOR CONCRETE REINFORCEMENT[CUST: MR YD 99] | A | 9510 | | YD | 3-OCT-94 |
| | SAE-AMS4981 | BARS, TITANIUM ALLOY WIRE AND FORGINGS, 6.0A1 - 2.0SN - 4.0ZR - 6.OMO, SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | 01-JAN-90 |
| | SAE-AMS4931 | BARS, TITANIUM ALLOY, FORGINGS, AND RINGS, 6A1 - 4V, EXTRA LOW INTERSTITIAL (ELI), DUPLEX ANNEALED, FRACTURE TOUGHNESS[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | 01-APR-93 |
| | SAE-AMS4972 | BARS, TITANIUM ALLOY, WIRE AND RINGS, 8A1 - 1MO - 1V, SOLUTION HEAT TREATED AND STABILIZED[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | 01-JAN-90 |
| | SAE-AMS4975 | BARS, TITANIUM ALLOY, WIRE, AND RINGS, 6.0A1 - 2.0SN - 4.0ZR - 2.0MO - 0.08SI SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | 10-JAN-88 |
| | SAE-AMS4971 | BARS, WIRE, FORGINGS, AND RINGS, TITANIUM ALLOY, 6A1 - 6V - 2SN, ANNEALED HEAT TREATABLE[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | 01-OCT-91 |
| | JAN-B-366 NOT 3 | BARTIUM STEARATE[CUST: AR OS] [REVIEW: EA GS] | A | 6810 | | AR | 25-NOV-02 |
| | MIL-B-8954B(1) | BASE AND ACCESSORIES, AIRPORT MARKER LIGHTS GENERAL SPECIFICATION FOR (ASG)[CUST: AS 99 IS] | A | 6210 | | IS | 04-AUG-78 |
| | QPL-8954-7 | BASE AND ACCESSORIES, AIRPORT MARKER LIGHTS, GENERAL SPECIFICATION FOR | A | 6210 | | IS | 22-AUG-83 |
| | DI-MISC-80419A | BASE COMMUNICATIONS-COMPUTER SYSTEMS (C-CS) ASSESSMENT [AMSC: F4703] | A | MISC | | 33 | 05-DEC-89 |
| | DI-MISC-81506 | BASE ELECTRONIC SYSTEM ENGINEERING PLAN (BESEP) [AMSC: N7176] | A | MISC | | EC | 07-JAN-96 |
| | MS24345G NOT 1 | BASE PLATE ASSEMBLY, RUNWAY MARKER LAMP[CUST: AS 99 IS] | A | 6210 | | IS | 10-SEP-02 |
| | MIL-B-48600A(3) | BASE PLUG ASSEMBLY[CUST: AR] | A | 1315 | | AR | 15-JUN-91 |
| | MS24526D NOT 3 | BASE, AIRPORT MARKER LIGHT[CUST: AS 99 IS] [REVIEW: YD] | A | 6210 | | IS | 14-SEP-01 |
| | IPC-4202 | BASE, FLEXIBLE, DIELECTRICSFOR USE IN FLEXIBLE PRINTED CIRCUITRY[CUST: CR EC 11 CC] [REVIEW: MI] | A | 5998 | | CC | 26-FEB-03 |
| | MIL-B-70792A(2) | BASE, MINE DISPENSER: LAUNCHER RACK, FOR THE M139 SYSTEM[CUST: AR] | D | 1095 | | AR | 31-MAR-03 |
| | QAP-227 ED.1 | BASELINE COMBAT IDENTIFICATION SYSTEMS | C | ISDA | | AI | 28-MAY-98 |
| | DI-CMAN-81121 | BASELINE DESCRIPTION DOCUMENT [AMSC: N6019] | A | SESS | | EC | 01-FEB-91 |
| | ASTM-D2162 | BASIC CALIBRATION OF MASTER VISCOMETERS AND VISCOSITY OIL STANDARDS[CUST: EA MS 99] | A | 6630 | | MB | 10-JUN-99 |
| | DI-MISC-80537A | BASIC DAILY FOOD ALLOWANCE (BDFA) COMPUTATION WORKSHEET [AMSC: F7056] | A | MISC | | 10 | 14-NOV-94 |
| | ABCA-STD-59 | BASIC ELEMENTS OF A CALIBRATION PROGRAMMI (PREPARED UNDER PROJECT Z-52) | C | ISDN | | SH | 24-APR-74 |
| | MIL-HDBK-1040(1) | BASIC GUIDELINES FOR CHEMICAL WARFARE HARDENING OF NEW MILITARY FACILITIES[CUST: CE YD 04] | A | FACR | | YD | 15-MAY-99 |
| | STANAG-2348 ED.3(1) | BASIC MILITARY HOSPITAL (CLINICAL) RECORDS (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 10-MAR-98 |
| | QSTAG-591 | BASIC MILITARY ROAD TRAFFIC REGULATIONS (ABCA 591)[CUST: AI] | C | ISDA | | AI | 06-MAR-81 |
| | EIA215 | BASIC REQUIREMENTS FOR BROADCAST MICROPHONE CABLES[CUST: CE YD 99] | A | 5995 | | YD | 09-OCT-81 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-3455 ED.3(3) | BASIC SYMBOLS FOR AIRCRAFT ELECTRICAL CIRCUITS | C | ISDF | | 06 | 19-DEC-90 |
| | SSPC-PAINT27 | BASIC ZINC CHROMATE-VINYL BUTYRAL WASH PRIMER PAINT SPECIFICATION NO. 27[CUST: CR4 YD IS] [REVIEW: CC MC OS SH] | A | 8010 | | IS | 30-AUG-89 |
| | A-A-30060A | BASIN, EMESIS (DISPOSABLE, SINGLE-PATIENT USE)[CUST: MD MS 03] | A | 6530 | * | MB | 11-MAR-83 |
| | A-A-51473 | BASIN, SITZ BATH[CUST: MD MS 03] | A | 6530 | / | MB | 16-JUN-86 |
| | A-A-53485 | BASIN, WASH[CUST: MD MS 03] | A | 7240 | / | MB | 17-JUN-88 |
| | K-B-100C | BASKET, FRAME MOUNTED, REMOVABLE CLOTH OR PLASTIC LINERS AND NONREMOVABLE CLOTH LINERS[CUST: GL YD 99] [REVIEW: SA] | A | 7240 | * | GL | 24-JUL-67 |
| | A-A-53700 | BASKET, PIPET[CUST: MD MS 03] | A | 6640 | / | MB | 16-SEP-88 |
| | SAE-AS3548 | BASKET, REMOVABLE SELF-LOCKING NUT, UNS S66286[CUST: AR SH 99 IS] | A | 5310 | | IS | MAY-95 |
| | A-A-51799 | BASKET, TEST TUBE[CUST: MD MS 03] | A | 6640 | / | MB | 21-JAN-87 |
| | A-A-50873A | BASSINET AND DRESSING TABLE COMBINATION, HOSPITAL[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAY-89 |
| | A-A-52213 | BATH UNIT, PORTABLE, FOUR SHOWERHEADS[CUST: GL YD 99] [REVIEW: 03 84 AV CC MC MD1] | A | 4510 | / | GL | 10-JAN-97 |
| | A-A-54345 | BATH, WATER, DENTAL IMPRESSION COMPOUND[CUST: MD MS 03] | A | 6520 | / | MB | 15-FEB-91 |
| | A-A-53237 | BATH, WATER, DENTAL IMPRESSION MATERIAL, LOW TEMPERATJRE[CUST: MD MS 03] | A | 6520 | / | MB | 29-SEP-87 |
| | A-A-51362A | BATH, WHIRLPOOL ARM[CUST: MD MS 03] | A | 6530 | / | MB | 24-MAR-89 |
| | A-A-51623A | BATH, WHIRLPOOL LEG[CUST: MD MS 03] | A | 6530 | / | MB | 24-MAR-89 |
| | A-A-59001 | BATTERBOARD, SYNTHETIC[CUST: SH] | A | 2040 | / | SH | 30-MAR-95 |
| | MIL-B-29595(1) | BATTERIES AND CELLS, LITHIUM, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 6135 | | AS | 29-JUN-00 |
| | QPL-81757-16 | BATTERIES AND CELLS, STORAGE NICKEL-CADMIUM, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 6140 | | AS | 31-JAN-95 |
| | MIL-PRF-81757D(1) SUP 1 NOT 1 | BATTERIES AND CELLS, STORAGE, NICKEL-CADMIUM, AIRCRAFT GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 80 99 AV] | A | 6140 | | AS | 18-FEB-05 |
| | ANSI-C18.1M | BATTERIES AND DRY CELLS SPECIFICATIONS[CUST: EA SA 99 MB] [REVIEW: 84] | A | 4240 | | MB | 1992 |
| | MIL-HDBK-1860 | BATTERIES, NON-RECHARGEABLE SELECTION AND USE OF[CUST: CR SH] [REVIEW: 11 AR AT CR4 EC GS] | A | 6135 | | CR | 20-FEB-98 |
| | MIL-PRF-49471B(1) SUP 1 | BATTERIES, NON-RECHARGEABLE, HIGH PERFORMANCE[CUST: CR AS 99] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-32052(1) SUP 1 | BATTERIES, RECHARGEABLE, SEALED, GENERAL SPECIFICATION FOR[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 06-OCT-00 |
| | QPL-8565-27 | BATTERIES, STORAGE, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 6140 | | AS | 19-FEB-04 |
| | SAE-J538 | BATTERIES, STORAGE, GROUNDING OF[CUST: CR4 AS 99] [REVIEW: GS] | A | 6140 | | CR4 | DEC-55 |
| | PPP-B-140C | BATTERIES, STORAGE, INDUSTRIAL, AUTOMOTIVE, AIRCRAFT AND NAVY PORTABLE: PACKAGING OF[CUST: SM SA 99] [REVIEW: AS AT CR CR4 EC GS MC SH YD] | A | PACK | / | SA | 01-MAR-93 |
| | QPL-62346-7 | BATTERIES, STORAGE: LEAD ACID (LOW MAINTENANCE) | A | 6140 | | AT | 12-APR-01 |
| | MIL-B-11188H NOT 2 | BATTERIES, STORAGE: LEAD-ACID, GENERAL SPECIFICATION FOR (METRIC)[CUST: AT AS 99] [REVIEW: 71 CR GS MC MI] | A | 6140 | | AT | 11-OCT-00 |
| | MIL-PRF-32143(2) | BATTERIES, STORAGE: AUTOMOTIVE, VALVE REGULATED LEAD ACID (VRLA)[CUST: AT] | A | 6140 | | AT | 23-JUN-05 |
| | SAE-J1127 | BATTERY CABLE[CUST: AT SA 11] | A | 6145 | | AT | 03-OCT-94 |
| | MIL-PRF-49450/12 | BATTERY CELL, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-475/A[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 10-MAR-00 |
| | MIL-PRF-49450/10 | BATTERY CELL, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-599A/A[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 10-MAR-00 |
| | MIL-PRF-49450/14 | BATTERY CELL, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-648A/A[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 10-MAR-00 |
| | QPL-24541-12 | BATTERY CELLS AND ELEMENTS, LEAD- ACID, MAIN STORAGE, SUBMARINE; GENERAL SPECIFICATION FOR (METRIC) | A | 6140 | | SH | 16-NOV-04 |
| | DOD-B-24541A(2) | BATTERY CELLS AND ELEMENTS, LEAD-ACID, MAIN STORAGE, SUBMARINE; GENERAL SPECIFICATION FOR (METRIC)[CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 05-NOV-97 |
| | A-A-1741 | BATTERY CHARGER (FOR 6/12/18/24 VOLTS) | A | 6130 | # | FSS | 17-APR-81 |
| | A-A-605 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 6 CELL INDUSTRIAL STORAGE BATTERIES | A | 6130 | # | FSS | 31-OCT-79 |
| | UL1236 | BATTERY CHARGERS FOR CHARGING ENGINE-STARTER BATTERIES[CUST: CR YD 99] [REVIEW: AT CE GS SM] | A | 6130 | | YD | 18-SEP-92 |
| | MIL-B-71003 | BATTERY ELIMINATOR ASSY: 12934455[CUST: AR] [REVIEW: GS] | A | 6130 | | AR | 10-JUN-91 |
| | A-A-2175 | BATTERY FILLER, GRAVITY | A | 6140 | # | FSS | 11-OCT-83 |
| | SAE-J1495 | BATTERY FLAME RETARDANT VENTING SYSTEMS, TEST PROCEDURE FOR[CUST: AT AS 99 CT] [REVIEW: GS] | A | 6140 | | AT | 03-OCT-94 |
| | MIL-B-18855D(1) NOT 1 | BATTERY MK 53 MOD O SECONDARY TYPE, SILVER-ZINC-ALKALI[CUST: OS] [REVIEW: GS] | A | 6140 | | OS | 19-AUG-87 |
| | MIL-B-85584B | BATTERY RELAY CONTROL UNIT, AIRCRAFT[CUST: AS] | A | 5945 | | AS | 27-MAR-95 |
| | QPL-85584-5 | BATTERY RELAY CONTROL UNIT, AIRCRAFT | A | 6140 | | AS | 31-MAR-99 |
| | DI-MGMT-80772 | BATTERY SELECTION PROGRAM REPORT [AMSC: N4668] | A | MGMT | | AS | 21-FEB-89 |
| M | MIL-PRF-8565K NOT 1 | BATTERY STORAGE, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: CR AS 99] [REVIEW: 11 71 AV GS] | A | 6140 | | AS | 19-APR-06 |
| | A-A-51356 | BATTERY SUPPORT SYSTEM[CUST: MS] | A | 6625 | | MB | 07-MAR-86 |
| | O-B-41G | BATTERY WATER[CUST: EA YD 68 GS3] [REVIEW: AT] | A | 6810 | / | GS3 | 31-MAY-05 |
| M | A-A-59264A | BATTERY, DRY, +1.5 VDC[CUST: SH GS2] [REVIEW: MC] | A | 6135 | / | GS2 | 12-APR-06 |
| M | A-A-59265A | BATTERY, DRY, +45 VDC[CUST: SH GS2] [REVIEW: MC] | A | 6135 | / | GS2 | 12-APR-06 |
| | A-A-59262 | BATTERY, DRY, BA-2[CUST: CR SH] [REVIEW: MC] | A | 6135 | / | GS2 | 18-NOV-99 |
| | A-A-59352 | BATTERY, DRY, BA-223/U[CUST: CR SH] [REVIEW: AR MC YD] | A | 6135 | / | GS2 | 12-OCT-00 |
| | A-A-59263 | BATTERY, DRY, BA-53[CUST: CR SH 99 GS2] [REVIEW: MC] | A | 6135 | / | GS2 | 18-NOV-99 |
| | A-A-59499 | BATTERY, DRY, BA-59[CUST: CR SH GS2] [REVIEW: AV MC] | A | 6135 | / | GS2 | 18-NOV-99 |
| | MIL-B-63524A(1) NOT 2 | BATTERY, HED, SINGLE CELL, PRIMARY RESERVE[CUST: AR] | A | 1345 | | AR | 10-OCT-96 |
| | MIL-B-70824A NOT 2 | BATTERY, LITHIUM THIONYL CHLORIDE, SINGLE CELL RESERVE[CUST: AR] [REVIEW: GS] | A | 6135 | | AR | 15-JAN-98 |
| | MIL-PRF-49471/12A(1) | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X093/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-49471/6A(1) | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X557/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-49471/4A | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X567/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 30-NOV-00 |
| | MIL-PRF-49471/7A(1) | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X588/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-49471/3A(1) | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X590/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-49471/2A(1) | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X598/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-49471/1A(1) | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X599/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-49471/8A(1) | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X600/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-49471/11A(1) | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X800/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-49471/10A(2) | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, WATERTIGHT, BA-X112/U[CUST: CR AS 99] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-49471/15B | BATTERY, NON-RECHARGEABLE, LITHIUM MANGANESE DIOXIDE, HIGH PERFORMANCE, BA-5347/U OR BA-7847/U[CUST: CR] | A | 6135 | | CR | 16-DEC-02 |
| | MIL-PRF-49471/13A(3) | BATTERY, NON-RECHARGEABLE, LITHIUM MANGANESE DIOXIDE, HIGH PERFORMANCE, BA-5368/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-49471/9A(1) | BATTERY, NON-RECHARGEABLE, LITHIUM MANGANESE DIOXIDE, HIGH PERFORMANCE, BA-5372/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-49471/14A(1) | BATTERY, NON-RECHARGEABLE, LITHIUM MANGANESE DIOXIDE, HIGH PERFORMANCE, BA-5374/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | MIL-PRF-49471/5A(1) | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE, HIGH PERFORMANCE, BA-5847A/U[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-02 |
| | A-A-53963 | BATTERY, NONRECHARGEABLE, HEARING AID[CUST: MD MS 03] [REVIEW: GS] | A | 6135 | / | MB | 30-AUG-89 |
| | MIL-PRF-32052/8 | BATTERY, RECHARGEABLE, NICKEL CADMIUM, SEALED, BB-586/U[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 07-DEC-99 |
| | MIL-PRF-49450/13 | BATTERY, RECHARGEABLE, NICKEL-CADIUM, VENTED, AIRCRAFT, BB-649A/A[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 10-MAR-00 |
| | MIL-PRF-49450/2B | BATTERY, RECHARGEABLE, NICKEL-CADIUM, VENTED, AIRCRAFT, BB-716/A , DIODE ASSEMBLY[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 09-OCT-97 |
| | MIL-PRF-49450/4A | BATTERY, RECHARGEABLE, NICKEL-CADIUM, VENTED, AIRCRAFT, BB-716/A, CELL VENT ASSEMBLY[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 09-OCT-97 |
| | MIL-PRF-49450/1B | BATTERY, RECHARGEABLE, NICKEL-CADIUM, VENTED, AIRCRAFT, BB-716/A, INTERCELL CONNECTORS[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 09-OCT-97 |
| | MIL-PRF-49450B(1) | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 06-MAR-02 |
| | MIL-PRF-49450/5B | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT BB-716/A, HARNESS ASSEMBLY[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 09-OCT-97 |
| | MIL-PRF-49450/9 | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-432B/A[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 10-MAR-00 |
| | MIL-PRF-49450/11 | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-476/A[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 10-MAR-00 |
| | MIL-PRF-49450/15 | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-664/A[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 10-MAR-00 |
| | MIL-PRF-49450/8A | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 09-OCT-97 |
| | MIL-PRF-49450/3A | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, BELLEVILLE SPRING[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 09-OCT-97 |
| | MIL-PRF-49450/7B | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, CELL[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 09-OCT-97 |
| | MIL-PRF-49450/6B | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, LOW CAPACITY CELL[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 09-OCT-97 |
| | MIL-PRF-32052/4(1) | BATTERY, RECHARGEABLE, SEALED BB-XX47/U AND BB-X847/U[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 06-OCT-00 |
| | MIL-PRF-32052/5 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM, BB-503/TAS[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 07-DEC-99 |
| | MIL-PRF-32052/10 | BATTERY, RECHARGEABLE, SEALED, BB-X112/U[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 07-DEC-99 |
| | MIL-PRF-32052/6(1) | BATTERY, RECHARGEABLE, SEALED, BB-XX16/U[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 06-OCT-00 |
| | MIL-PRF-32052/7(1) | BATTERY, RECHARGEABLE, SEALED, BB-XX57/U[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 06-OCT-00 |
| | MIL-PRF-32052/2(1) | BATTERY, RECHARGEABLE, SEALED, BB-XX60/U[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 06-OCT-00 |
| | MIL-PRF-32052/11 | BATTERY, RECHARGEABLE, SEALED, BB-XX68/U[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 26-SEP-00 |
| | MIL-PRF-32052/3(1) | BATTERY, RECHARGEABLE, SEALED, BB-XX80/U[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 06-OCT-00 |
| | MIL-PRF-32052/9(1) | BATTERY, RECHARGEABLE, SEALED, BB-XX88/U AND BB-388/U[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 06-OCT-00 |
| | MIL-PRF-32052/1(1) | BATTERY, RECHARGEABLE, SEALED, BB-XX90/U, BB-X590, AND BB-390B/U[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 06-OCT-00 |
| | MIL-B-48761(4) NOT 2 | BATTERY, SINGLE CELL, PRIMARY RESERVE[CUST: AR] | A | 1345 | | AR | 10-OCT-96 |
| | A-A-50609 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 12 VOLT, 15 AMPERE-HOUR, TYPE 12V-S-15 AH[CUST: CR SH 99] [REVIEW: 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | A-A-50616 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 12 VOLT, 130 AMPERE-HOUR, TYPE 12V-S-130 AH[CUST: CR SH 99] [REVIEW: 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | A-A-50614 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 12 VOLT, 100 AMPERE-HOUR, TYPE 12V-S-100 AH[CUST: CR SH 99] [REVIEW: 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | A-A-50612 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 12 VOLT, 50 AMPERE-HOUR, TYPE 12V-S-50 AH[CUST: CR SH 99] [REVIEW: 11 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | A-A-50608 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 2 VOLT, 10 AMPERE-HOUR, TYPE 2V-S-10 AH[CUST: CR SH 99] [REVIEW: 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | A-A-50610 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 2 VOLT, 20 AMPERE-HOUR, TYPE 2V-S-20 AH[CUST: CR SH 99] [REVIEW: 11 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | A-A-50613 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 100 AMPERE-HOUR, TYPE 6V-S-100 AH[CUST: CR SH 99] [REVIEW: 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | A-A-50615 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 130 AMPERE-HOUR, TYPE 6V-S-130 AH[CUST: CR SH 99] [REVIEW: 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | A-A-50617 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 200 AMPERE-HOUR, TYPE 6V-S-200 AH[CUST: CR SH 99] [REVIEW: 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | A-A-50618 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 300 AMPERE-HOUR TYPE 6V-S-300 AH[CUST: CR SH 99] [REVIEW: 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | A-A-50611 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 50 AMPERE-HOUR, TYPE 6V-S-50 AH[CUST: CR SH 99] [REVIEW: 11 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | A-A-50619 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 780 AMPERE-HOUR, TYPE 6V-S-780 AH[CUST: CR SH 99] [REVIEW: 71 AS AT AV GS MI] | A | 6140 | / | SH | 03-DEC-93 |
| | W-B-137C | BATTERY, STORAGE, (NICKEL-ALKALINE, INDUSTRIAL, FLOATING SERVICE) | A | 6140 | # | FSS | 04-APR-73 |
| M | MIL-PRF-8565/6A NOT 1 | BATTERY, STORAGE, AIRCRAFT, MAINTENANCE-FREE, 24-VOLT, 1.5-AMPERE-HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 19-APR-06 |
| | MIL-PRF-8565/1A | BATTERY, STORAGE, AIRCRAFT, MAINTENANCE-FREE, 24-VOLT, 1.5-AMPERE-HOUR, WITH 115 VAC, 400 HZ INTEGRAL CHARGER[CUST: AS] | A | 6140 | | AS | 28-JAN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| M | MIL-PRF-8565/7A NOT 1 | BATTERY, STORAGE, AIRCRAFT, MAINTENANCE-FREE, 24-VOLT, 24-AMPERE-HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 19-APR-06 |
| M | MIL-PRF-8565/5B NOT 1 | BATTERY, STORAGE, AIRCRAFT, MAINTENANCE-FREE, 24-VOLT, 30-AMPERE-HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 19-APR-06 |
| M | MIL-PRF-8565/4D NOT 1 | BATTERY, STORAGE, AIRCRAFT, MAINTENANCE-FREE, 24-VOLT, 7.5-AMPERE-HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 19-APR-06 |
| M | MIL-PRF-8565/14 NOT 1 | BATTERY, STORAGE, AIRCRAFT, MEDIUM RATE, MAINTENANCE-FREE, 24-VOLT, 15-AMPERE-HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 19-APR-06 |
| | MIL-PRF-81757/1D NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL CADIUM, CELL[CUST: CR AS 11] [REVIEW: 71 99 AV GS] | A | 6140 | | AS | 01-DEC-03 |
| | MIL-PRF-81757/11E NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM 24-VOLT, 20-AMPERE-HOUR (LOW-FREQUENCY-VIBRATION)[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 01-DEC-03 |
| | MIL-PRF-81757/14A | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, 24-VOLT, 5.5-AMPERE-HOUR, LOW-MAINTENANCE, VENTED[CUST: AS] | A | 6140 | | AS | 09-OCT-03 |
| | MIL-PRF-81757/15(1) | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, HIGH RATE, 24-VOLT, 25-AMPERE-HOUR, LOW-MAINTENANCE, VENTED[CUST: AS] | A | 6140 | | AS | 18-APR-03 |
| | MIL-PRF-81757/16 NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, HIGH RATE, 24-VOLT, 35-AMPERE-HOUR, LOW-MAINTENANCE, VENTED[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 01-DEC-03 |
| | MIL-PRF-81757/2C | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, VENTED FILLER CAP[CUST: CR AS 11] [REVIEW: 71 99 AV GS] | A | 6140 | | AS | 01-MAR-99 |
| | QPL-26026-7 | BATTERY, STORAGE, AIRCRAFT, TYPE MA-2 | A | 6140 | | 84 | 16-JAN-87 |
| | MIL-B-11188/2A NOT 2 | BATTERY, STORAGE, LEAD - ACID, WATERPROOF 24 VOLT (4HN)[CUST: AT] [REVIEW: GS] | A | 6140 | | AT | 11-OCT-00 |
| | W-B-133E | BATTERY, STORAGE, LEAD-ACID (INDUSTRIAL MOTIVE POWER SERVICE)[CUST: GS2] | A | 6140 | / | GS2 | 24-FEB-05 |
| | MIL-B-18013/1 | BATTERY, STORAGE, SUPPORT EQUIPMENT[CUST: AS 99] [REVIEW: 11 71 AV GS] | A | 6140 | | AS | 22-DEC-94 |
| | MIL-B-18013B | BATTERY, STORAGE, SUPPORT EQUIPMENT, GENERAL SPECIFICATION FOR[CUST: AS 99] [REVIEW: 11 71 AV GS] | A | 6140 | | AS | 22-DEC-94 |
| | A-A-55439 NOT 1 | BATTERY, STORAGE, VEHICULAR IGNITION, LIGHTING, AND STARTING[CUST: GS2] [REVIEW: 71] | A | 6140 | / | GS2 | 19-OCT-04 |
| | A-A-52417 | BATTERY, STORAGE: ALKALINE, NICKEL-CADMIUM[CUST: AT 99] [REVIEW: 71 CR CR4 GS] | A | 6140 | / | AT | 07-JAN-93 |
| | MIL-DTL-82909A | BATTERY, THERMAL, MXU-792A/A[CUST: OS] | A | 6135 | | OS | 13-MAR-03 |
| | A-A-54099 | BATTERY-CHARGER, MEDICAL ANALYZER[CUST: MD MS 03] | A | 6625 | / | MB | 30-MAR-90 |
| | MIL-B-81813B(2) NOT 3 | BATTING, ARAMID OR NOVOLOID FIBER, QUILTED[CUST: GL AS 11 CT] [REVIEW: MD SA] | A | 8320 | | CT | 19-AUG-99 |
| | A-A-50165 | BATTING, COTTON, NONABSORBENT, UNBLEACHED[CUST: GL CT] [REVIEW: DS MD] | A | 8320 | / | CT | 21-APR-88 |
| | MIL-B-44346 NOT 2 | BATTING, SYNTHETIC FIBER, MEDIUM DENSITY[CUST: GL CT] | A | 8320 | | CT | 23-OCT-01 |
| | A-A-55127 | BATTING, SYNTHETIC FIBERS, POLYESTER (UNQUILTED AND QUILTED)[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8320 | / | CT | 17-FEB-93 |
| | MIL-B-87002C | BATTING, SYNTHETIC FIBERS, QUILTED, ARAMID[CUST: NU 99 CT] [REVIEW: 11 MC SH] | A | 8320 | | CT | 10-DEC-93 |
| | STANAG-2418 ED.1(3) | BATTLE DAMAGE REPAIR POLICY (INCLUDING AMENDMENTS 2 & 3) | C | ISDA | | AI | 28-JUN-94 |
| | STANAG-2399 ED.1(2) | BATTLEFIELD RECOVERY/EVACUATION OPERATIONS | C | ISDA | | AI | 06-APR-92 |
| | AEP-17 ED.1 | BATTLEFIELD VEHICLE RECOVERY (W/CHGS 1 & 2) | C | ISDA | | AI | 31-DEC-93 |
| | STANAG-2375 ED.1(2) | BATTLEFIELD VEHICLE RECOVERY AND EVACUATION GUIDE - AEP-13 | C | ISDA | | AI | 17-JAN-96 |
| | STANAG-2400 ED.2 | BATTLEFIELD VEHICLE RECOVERY USER HANDBOOK - AEP-17(A) | C | ISDA | | AI | 16-JUL-96 |
| | MIL-B-1309E(1) NOT 3 | BAYONET-KNIVES[CUST: AR] [REVIEW: MC] | A | 1005 | | AR | 27-APR-05 |
| | MIL-B-81856(1) NOT 1 | BEACON SET, RADAR AN/APN-202[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 21-DEC-92 |
| | MIL-B-23431B | BEACON, RADAR AN/APN-154(V)[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 30-APR-93 |
| | A-A-59706 | BEAD BREAKER, PNEUMATIC TIRE[CUST: 99] [REVIEW: CC] | A | 4910 | / | 84 | 13-FEB-02 |
| | A-A-53474 | BEAD, GLASS, LABORATORY, (PLASTIC SPECTACLE FRAME WARMER)[CUST: MD MS 03] | A | 6640 | / | MB | 29-APR-88 |
| | A-A-53020 | BEAD, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 19-JUN-87 |
| | TT-B-1325C NOT 3 | BEADS (GLASS SPHERES) RETRO-REFLECTIVE[CUST: MI 99] [REVIEW: 50] | A | 8010 | / | 84 | 11-MAY-00 |
| | A-A-51272 | BEAKER, LABORATORY, CORROSION-RESISTING , 600ML[CUST: MD MS 03] | A | 6640 | / | MB | 20-DEC-85 |
| | A-A-51101B | BEAKER, LABORATORY (BOROSILICATE GLASS)[CUST: MD MS 03] | A | 6640 | / | MB | 13-MAY-91 |
| | A-A-51326 | BEAKER, LABORATORY, (POLYPROPYLENE)[CUST: MD MS 03] | A | 6640 | / | MB | 23-JAN-86 |
| | A-A-54559 | BEAKER, WATER[CUST: MD MS 03] | A | 6530 | / | MB | 24-JAN-92 |
| | A-A-51339 | BEAKER-FLASK, LABORATORY, (BOROSILICATE GLASS)[CUST: MD MS 03] | A | 6640 | / | MB | 22-APR-86 |
| | A-A-20042B | BEAN SPROUTS, CANNED[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8915 | * | FV | 12-MAR-01 |
| | A-A-20134B | BEANS, DRIED; PORK AND BEANS; AND BAKED BEANS; CANNED[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8915 | / | SS | 01-AUG-01 |
| | A-A-20337 | BEANS, PRECOOKED, DEHYDRATED[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | * | FV | 14-JUN-02 |
| | A-A-20257A | BEANS, REFRIED, CANNED OR DEHYDRATED[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8940 | % | FV | 23-DEC-98 |
| | A-A-20274A | BEANS, WESTERN STYLE, CANNED[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8915 | / | SS | 24-JUN-99 |
| | A-A-20272 | BEANS, WITH JALAPENO PEPPERS, CANNED, INCLUDING PRODUCT FLAVORED WITH SLAB BACON[CUST: FV] | A | 8915 | # | FV | 24-SEP-97 |
| | MIL-DTL-17901C | BEARING COMPONENTS, BONDED SYNTHETIC RUBBER, WATER LUBRICATED[CUST: SH 99] [REVIEW: 11] | A | 3130 | | SH | 10-MAY-05 |
| | QPL-17901-35(1) | BEARING COMPONENTS, BONDED SYNTHETIC RUBBER, WATER LUBRICATED | A | 3130 | | SH | 31-AUG-04 |
| | NAS659 | BEARING ROD END, EXTERNAL THREAD, SELF ALIGNING, ANTI-FRICTION[CUST: AV AS 11] [REVIEW: CR4 GS IS] | A | 3110 | | AS | 05-DEC-80 |
| | DOD-B-24668(1) | BEARING UNIT, MAIN THRUST, SUBMARINE PROPULSION SYSTEM[CUST: SH] [REVIEW: GS] | A | 3130 | | SH | 29-JAN-97 |
| | NAS661 | BEARING, BALL AND ROLLER, ROD END, ANTI FRICTION, AIRFRAME[CUST: AV AS 11] [REVIEW: CR4 GS IS] | A | 3110 | | AS | 05-DEC-80 |
| | SAE-AS27644 | BEARING, BALL, AIRFRAME, ANTI-FRICTION, DOUBLE ROW, HEAVY DUTY[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | APR-98 |
| | SAE-AS27648 | BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTERNAL SELF-ALIGNING, EXTRA LIGHT DUTY[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | APR-98 |
| | SAE-AS27646 | BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | APR-98 |
| | SAE-AS21428 | BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY, PRECISION[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | JUL-98 |
| | SAE-AS27647 | BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA WIDE, DOUBLE ROW, INTERMEDIATE DUTY[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS27640 | BEARING, BALL, AIRFRAME, ANTI-FRICTION, HEAVY DUTY[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | 23-JUL-98 |
| | SAE-AS27649 | BEARING, BALL, AIRFRAME, ANTI-FRICTION, INTERMEDIATE DUTY[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | APR-98 |
| | SAE-AS27641 | BEARING, BALL, AIRFRAME, ANTI-FRICTION, INTERMEDIATE DUTY[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | APR-98 |
| | SAE-AS21443 | BEARING, BALL, AIRFRAME, ANTI-FRICTION, PULLEY[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | APR-98 |
| | SAE-AS27643 | BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, DOUBLE ROW, HEAVY DUTY[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | APR-98 |
| | SAE-AS27645 | BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, LIGHT AND HEAVY DUTY[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | 23-JUL-98 |
| | SAE-AS27642 | BEARING, BALL, AIRFRAME, EXTRA LIGHT DUTY[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | APR-98 |
| | A-A-59641 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, DIMENSION SERIES 33[CUST: AT OS 99] [REVIEW: 11 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| | A-A-59639 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, FILLING SLOT, VERTEX OF CONTACT ANGLES INSIDE BEARING, DIMENSION SERIES 33[CUST: AT OS 99] [REVIEW: 11 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| | A-A-59640 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, DIMENSION SERIES 32[CUST: AT OS 99] [REVIEW: 11 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| | A-A-59638 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, NON-FILLING SLOT, VERTEX OF CONTACT ANGLES INSIDE BEARING, DIMENSION SERIES 32[CUST: AT OS 99] [REVIEW: 11 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| | A-A-59637 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, NON-FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, DIMENSION SERIES 33[CUST: AT OS 99] [REVIEW: 11 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| | A-A-59636 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, NON-FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, DIMENSION SERIES 32[CUST: AT OS 99] [REVIEW: 11 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| | A-A-59599B | BEARING, BALL, ANNULAR, DOUBLE ROW, RADIAL, INTERNAL SELF-ALIGNING, DIMENSION SERIES 22[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI] | A | 3110 | / | GS4 | 27-MAY-04 |
| | A-A-59598B | BEARING, BALL, ANNULAR, DOUBLE ROW, RADIAL, INTERNAL SELF-ALIGNING, DIMENSION SERIES 03[CUST: AT OS 99 GS4] [REVIEW: 11 84 GL MI] | A | 3110 | / | GS4 | 15-DEC-03 |
| | A-A-59600B | BEARING, BALL, ANNULAR, DOUBLE ROW, RADIAL, INTERNAL SELF-ALIGNING, DIMENSION SERIES 23[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI] | A | 3110 | / | GS4 | 27-MAY-04 |
| | A-A-59597B | BEARING, BALL, ANNULAR, DOUBLE ROW, RADIAL, INTERNAL SELF-ALIGNING, DIMENSION SERIES 02[CUST: AT OS 99 GS4] [REVIEW: 11 84 GL MI] | A | 3110 | / | GS4 | 15-DEC-03 |
| | MIL-B-81793/19(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISI0N ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CORROSION RESISTANT STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-913/5(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/1(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/16(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-913/10 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 05-MAR-93 |
| | MIL-B-913/3 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 5P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 05-MAR-93 |
| | MIL-B-913/6(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/27(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-913/9 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 05-MAR-93 |
| | MIL-B-913/11 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 05-MAR-93 |
| | MIL-B-81793/7(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION RESISTANT STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/25(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-913/8(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION-RESISTANT STEEL, ABEC 7P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/28(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/34(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/9(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/15(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/22(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CHROMIUM-ALLOY STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-913/1 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 05-MAR-93 |
| | MIL-B-81793/11(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/3(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-913/16 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 05-MAR-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-B-81793/23(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CORROSION RESISTANT STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/33(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-913/7(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION-RESISTANT STEEL, ABEC 5P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/18(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CHROMIUM-ALLOY STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/2(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/21(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CHROMIUM-ALLOY STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/10(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-913/4(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 7P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/31(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/29(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/8(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION RESISTANT STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-913/13 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 05-MAR-93 |
| | MIL-B-913/12 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 05-MAR-93 |
| | MIL-B-913/2 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 05-MAR-93 |
| | MIL-B-81793/35(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/30(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-913/14 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 05-MAR-93 |
| | MIL-B-81793/20(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/12(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/5(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/32(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-913/15 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC)[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 05-MAR-93 |
| | MIL-B-81793/13(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/17(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CHROMIUM-ALLOY STEEL, ABEC 5P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/36(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/4(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/24(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CORROSION RESISTANT STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/26(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-81793/6(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MS17108A NOT 1 | BEARING, BALL, ANNULAR, PRIMARILY FOR AIRCRAFT GENERATORS, TYPE II[CUST: AT AS] [REVIEW: GS] | A | 3110 | | AS | 04-OCT-91 |
| | A-A-59627A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 11 DEG. THROUGH 22 DEG., DIMENSION SERIES 04[CUST: AT OS 99 GS4] [REVIEW: 84 GL MI] | A | 3110 | / | GS4 | 06-AUG-04 |
| | A-A-59626A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 11 THROUGH 22 , DIMENSION SERIES 03[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI] | A | 3110 | / | GS4 | 27-MAY-04 |
| | A-A-59623A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 11 THROUGH 22 , DIMENSION SERIES 19[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI] | A | 3110 | / | GS4 | 27-MAY-04 |
| | A-A-59625A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 11 THROUGH 22 , DIMENSION SERIES 02[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI] | A | 3110 | / | GS4 | 27-MAY-04 |
| | A-A-59624A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 11 THROUGH 22 , DIMENSION SERIES 10[CUST: AT OS 99] [REVIEW: 11 84 EA GL MI] | A | 3110 | / | GS4 | 27-MAY-04 |
| | A-A-59631A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 23 DEG. THROUGH 32 DEG., DIMENSION SERIES 04[CUST: AT OS 99 GS4] [REVIEW: 84 GL MI] | A | 3110 | / | GS4 | 06-AUG-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59630A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 23 DEG. THROUGH 32 DEG., DIMENSION SERIES 03[CUST: AT OS 99 GS4] [REVIEW: 84 GL MI] | A | 3110 | / | GS4 | 06-AUG-04 |
| | A-A-59628A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 23 DEG. THROUGH 32 DEG., DIMENSION SERIES 10[CUST: AT OS 99 GS4] [REVIEW: 84 GL MI] | A | 3110 | / | GS4 | 06-AUG-04 |
| | A-A-59629A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 23 DEG. THROUGH 32 DEG., DIMENSION SERIES 02[CUST: AT OS 99 GS4] [REVIEW: 84 GL MI] | A | 3110 | / | GS4 | 06-AUG-04 |
| | A-A-59634A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 33 DEG. THROUGH 45 DEG., DIMENSION SERIES 03[CUST: AT OS 99 GS4] [REVIEW: 84 GL MI] | A | 3110 | / | GS4 | 06-AUG-04 |
| | A-A-59633A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 33 DEG. THROUGH 45 DEG., DIMENSION SERIES 02[CUST: AT OS 99 GS4] [REVIEW: 84 GL MI] | A | 3110 | / | GS4 | 06-AUG-04 |
| | A-A-59632A | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 33 DEG. THROUGH 45 DEG., DIMENSION SERIES 10[CUST: AT OS 99 GS4] [REVIEW: 84 GL MI] | A | 3110 | / | GS4 | 06-AUG-04 |
| | A-A-59635 | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, CONTACT ANGLE 33 DEGREES THROUGH 45 DEGREES DIMENSION SERIES 04[CUST: AT OS 99] [REVIEW: 11 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| | A-A-59589B | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, FILLING SLOT, DIMENSION SERIES 03[CUST: AT OS 99 GS4] [REVIEW: 11 84 GL MI] | A | 3110 | / | GS4 | 15-DEC-03 |
| | A-A-59587B | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, FILLING SLOT, DIMENSION SERIES 02[CUST: AT OS 99 GS4] [REVIEW: 11 84 GL MI] | A | 3110 | / | GS4 | 15-DEC-03 |
| | A-A-59581B | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, BORE DIAMETERS UNDER 10 MM[CUST: AT OS 99 GS4] [REVIEW: 11 84 MI SH] | A | 3110 | / | GS4 | 23-SEP-03 |
| | A-A-59596B | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, CARTRIDGE TYPE WITHOUT GREASE PLUG, DIMENSION SERIES 33[CUST: AT OS 99 GS4] [REVIEW: 11 84 GL MI] | A | 3110 | / | GS4 | 15-DEC-03 |
| | A-A-59595B | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, CARTRIDGE TYPE WITHOUT GREASE PLUG, DIMENSION SERIES 32[CUST: AT OS 99 GS4] [REVIEW: 11 84 GL MI] | A | 3110 | / | GS4 | 15-DEC-03 |
| | A-A-59586B | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, DIMENSION SERIES 04[CUST: AT OS 99 GS4] [REVIEW: 11 84 GL MI SH] | A | 3110 | / | GS4 | 23-SEP-03 |
| | A-A-59585B | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, DIMENSION SERIES 03[CUST: AT OS 99 GS4] [REVIEW: 11 84 EA GL MI SH] | A | 3110 | / | GS4 | 23-SEP-03 |
| | A-A-59584B | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, DIMENSION SERIES 02[CUST: AT OS 99 GS4] [REVIEW: 11 84 GL MI SH] | A | 3110 | / | GS4 | 23-SEP-03 |
| | A-A-59583B | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, DIMENSION SERIES 10[CUST: AT OS 99 GS4] [REVIEW: 11 84 GL MI SH] | A | 3110 | / | GS4 | 23-SEP-03 |
| | A-A-59582B | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, DIMENSION SERIES 19[CUST: AT OS 99 GS4] [REVIEW: 11 84 MI SH] | A | 3110 | / | GS4 | 23-SEP-03 |
| | A-A-59645 | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, EXTRA LIGHT SERIES (R-SERIES) (LARGER THAN 0.7500 BORE)[CUST: OS 99] [REVIEW: 11 84] | A | 3110 | / | GS4 | 30-OCT-01 |
| | A-A-59646 | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, EXTRA LIGHT SERIES (XLS - SERIES)[CUST: OS 99] [REVIEW: 11 84] | A | 3110 | / | GS4 | 30-OCT-01 |
| | A-A-59647 | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, LIGHT SERIES (LS - SERIES)[CUST: OS 99 GS4] [REVIEW: 11 84] | A | 3110 | / | GS4 | 30-OCT-01 |
| | A-A-59648 | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, MEDIUM SERIES (MS - SERIES)[CUST: OS 99] [REVIEW: 11 84] | A | 3110 | / | GS4 | 30-OCT-01 |
| | A-A-59643 | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, MINIATURE SIZE, INSTRUMENT TYPE[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR CR4 EA GL MI] | A | 3110 | / | GS4 | 06-FEB-01 |
| | SAE-AS20218 | BEARING, BALL, ANTI-FRICTION, AIRFRAME[CUST: AT AS 99] [REVIEW: 84 AR AV GS MI] | A | 3110 | | AS | MAY-98 |
| | SAE-AS21151 | BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, EXTERNAL THREAD, SELF-ALIGNING, AIRFRAME, TYPE II, -65 DEG. TO 300 DEG. F[CUST: AV AS 99 GS4] | A | 3110 | | GS4 | 03-MAR-99 |
| | SAE-AS21152 | BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, HOLLOW SHANK, SELF-ALIGNING, AIRFRAME, TYPE III, -65 DEG TO 300 DEG. F[CUST: AV AS 99] | A | 3110 | | GS4 | 03-MAR-99 |
| | SAE-AS21153 | BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, INTERNAL THREAD, SELF-ALIGNING, AIRFRAME, TYPE IV, -65 DEG. TO 300 DEG. F[CUST: AV AS 99 GS4] | A | 3110 | | GS4 | 03-MAR-99 |
| | SAE-AS21150 | BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, SOLID SHANK, SELF-ALIGNING, AIRFRAME, TYPE I, -65 DEG. TO 300 DEG. F[CUST: AV AS 99 GS4] | A | 3110 | | GS4 | 03-MAR-99 |
| | A-A-52491 NOT 1 | BEARING, BALL, THRUST: INCH AND METRIC SIZES, GROOVED RACE SURFACE RIGID OR FLAT SEAT TYPE[CUST: AT 99] [REVIEW: 84 AR GS IS MC MI] | A | 3110 | / | AT | 14-APR-04 |
| | MIL-B-85560/2(1) NOT 1 | BEARING, FIBER REINFORCED PLASTIC, SLEEVE, FLANGED, SELF-LUBRICATING, +250 DEG. F[CUST: AV AS 11] [REVIEW: 99 AR GS IS SH] | A | 3120 | | AS | 05-SEP-91 |
| | MIL-B-85560/1(1) NOT 1 | BEARING, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN, SELF-LUBRICATING, +250 DEG. F[CUST: AV AS 11] [REVIEW: 99 AR GS IS SH] | A | 3120 | | AS | 05-SEP-91 |
| | SAE-AS81935/4 | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, NARROW, EXTERNALLY THREADED, -65 DEG F TO +325 DEG F[CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A | 3120 | | AS | MAR-98 |
| | SAE-AS81935/5 | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, NARROW, INTERNALLY THREADED, -65 DEG F TO +325 DEG F[CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A | 3120 | | AS | MAR-98 |
| | SAE-AS81935/2 | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, WIDE, INTERNALLY THREADED, -65 DEG F TO +325 DEG F[CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A | 3120 | | AS | MAR-98 |
| | NA0248 | BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, NARROW, CHAMFERED OUTER RING, -54 DEG. C TO 163 DEG. C, METRIC[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 06-DEC-91 |
| | NA0247 | BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, NARROW, GROOVED OUTER RING, -54 DEG. C TO 163 DEG. C METRIC[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 06-DEC-91 |
| | NA0250 | BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, WIDE, CHAMFERED OUTER RING, -54 DEG. C TO 163 DEG. C METRIC[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 16-MAR-90 |
| | NA0249 | BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, WIDE, GROOVED OUTER RING, -54 DEG.C TO 163 DEG. C METRIC[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 16-MAR-90 |
| | SAE-AS81936/1 | BEARING, PLAIN, SELF-ALIGNING, BE CU BALL, CRES RACE, (WITH STACKING GROOVE) -65 DEG F TO +350 DEG F[CUST: AV AS 99] [REVIEW: 84 AR GS MI SH] | A | 3120 | | AS | MAY-98 |
| | SAE-AS81936/2 | BEARING, PLAIN, SELF-ALIGNING, BE CU BALL, CRES RACE, -65 DEG F TO +350 DEG F[CUST: AV AS 99] [REVIEW: 84 AR GS MI SH] | A | 3120 | | AS | MAY-98 |
| | SAE-AS21155 | BEARING, PLAIN, SELF-ALIGNING, CHAMFERED, OUTER RING[CUST: AV AS 99] [REVIEW: GS] | A | 3120 | | AS | AUG-99 |
| | SAE-AS21232 | BEARING, PLAIN, SELF-ALIGNING, GROOVE OUTER RING, TFE LINED, NARROW[CUST: AT AS 99 GS] [REVIEW: 84 AR AV CR4] | A | 3120 | | AS | JUL-98 |
| | SAE-AS21154 | BEARING, PLAIN, SELF-ALIGNING, GROOVED OUTER RING[CUST: AV AS 99 GS] [REVIEW: 84 AR SH] | A | 3120 | | AS | SEP-98 |
| | SAE-AS21230 | BEARING, PLAIN, SELF-ALIGNING, GROOVED OUTER RING TFE LINED, WIDE[CUST: AT AS 99 GS] [REVIEW: 84 AR AV CR4] | A | 3120 | | AS | JUL-98 |
| | SAE-AS81820/1 | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, NARROW, GROOVED RACE, -65 DEG. TO 325 DEG. F[CUST: AV AS 99] [REVIEW: 84 AR GS SH] | A | 3120 | | AS | JUL-98 |
| | SAE-AS81820/4 | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, NARROW, CHAMFERED RACE, -65 DEG. TO 325 DEG. F[CUST: AV AS 99] [REVIEW: 84 AR GS SH] | A | 3120 | | AS | JUL-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS81820/3 | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, WIDE, GROOVED RACE, -65 DEG. TO 325 DEG. F[CUST: AV AS 99] [REVIEW: 84 AR GS SH] | A | 3120 | | AS | JUL-98 |
| | SAE-AS81820/2 | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, WIDE, CHAMFERED RACE, -65 DEG. TO 325 DEG. F[CUST: AV AS 99] [REVIEW: 84 AR GS SH] | A | 3120 | | AS | APR-98 |
| | SAE-AS21233 | BEARING, PLAIN, SELF-ALIGNING, TFE LINED, NARROW[CUST: AT AS 99 GS] [REVIEW: 84 AR AV CR4] | A | 3120 | | AS | JUL-98 |
| | SAE-AS21231 | BEARING, PLAIN, SELF-ALIGNING, TFE LINED, WIDE[CUST: AT AS 99 GS] [REVIEW: 84 AR AV CR4] | A | 3120 | | AS | JUL-98 |
| | SAE-AS14104 | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, NARROW, CHAMFERED OUTER RING, -65 DEGREES F TO 325 DEGREES F[CUST: AV AS 99] [REVIEW: GS] | A | 3120 | | AS | AUG-97 |
| | SAE-AS14101 | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, NARROW, GROOVED OUTER RING, -65 DEGREES TO 325 DEGREES F[CUST: AV AS 99 GS] [REVIEW: 84 AR AT CR4] | A | 3120 | | AS | JUL-98 |
| | SAE-AS14102 | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, CHAMFERED OUTER RING, -65 DEGREES F TO 325 DEGREES F[CUST: AV AS 99] [REVIEW: GS] | A | 3120 | | AS | AUG-97 |
| | SAE-AS14103 | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, GROOVED OUTER RING, -65 DEGREES F TO 325 DEGREES F[CUST: AV AS 99] [REVIEW: GS] | A | 3120 | | AS | AUG-97 |
| | MIL-B-18558B | BEARING, PROPULSION LINE SHAFT, OIL DISC LUBRICATED[CUST: SH] | A | 2010 | | SH | 24-FEB-88 |
| | MS21429B | BEARING, ROLLER, ANTIFRICTION, ROD END, EXTERNAL THREAD, SELF-ALIGNING, AIR FRAME, -67 DEG. F, TO 350 DEG. F TYPE 1, HEAVY DUTY, SEALED[CUST: AS 11] [REVIEW: 84 AT GS IS] | A | 3110 | | AS | 29-SEP-97 |
| | SAE-AS24462 | BEARING, ROLLER, NEEDLE -SINGLE ROW, THIN SHELL, TYPE II, ANTIFRICTION[CUST: AT AS 99] [REVIEW: GS] | A | 3110 | | AS | 09-SEP-02 |
| | SAE-AS21439 | BEARING, ROLLER, NEEDLE, DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE VI, INCH[CUST: AT AS 99 GS] [REVIEW: 11 84] | A | 3110 | | AS | 30-AUG-99 |
| | SAE-AS21438 | BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE V, ANTIFRICTION, INCH[CUST: AT AS 99 GS] [REVIEW: 11] | A | 3110 | | AS | APR-99 |
| | SAE-AS24461 | BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TYPE I, ANTIFRICTION, INCH[CUST: AT AS 99] [REVIEW: GS] | A | 3110 | | AS | 09-SEP-02 |
| | SAE-AS21447 | BEARING, ROLLER, NEEDLE, TRACK ROLLER, CROWN RADIUSED O.D. INTEGRAL STUD, TYPE VII ANTIFRICTION, INCH[CUST: AT AS 99 GS] [REVIEW: 84] | A | 3110 | | AS | JUL-98 |
| | SAE-AS21441 | BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL HEAVY STUD, TYPE IX, ANTIFRICTION, INCH[CUST: AV AS 99] [REVIEW: GS] | A | 3110 | | AS | DEC-99 |
| | SAE-AS21440 | BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL STUD, SEALED, TYPE VIII, ANTIFRICTION, INCH[CUST: AT AS 99] [REVIEW: GS] | A | 3110 | | AS | 09-SEP-02 |
| | SAE-AS21442 | BEARING, ROLLER, NEEDLE, TRACK ROLLER, SEALED, TYPE X, ANTIFRICTION, INCH[CUST: AT AS 99] [REVIEW: GS] | A | 3110 | | AS | SEP-99 |
| | SAE-AS24464 | BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, SELF-ALIGNING, TYPE IV, ANTI-FRICTION, INCH[CUST: AT AS 99] [REVIEW: GS] | A | 3110 | | AS | APR-98 |
| | SAE-AS24463 | BEARING, ROLLER, NEEDLE-SINGLE ROW, HEAVY DUTY, SELF-ALIGNING, TYPE III, ANTI-FRICTION, INCH[CUST: AT AS 99] [REVIEW: 11 AR AV GS MI SH] | A | 3110 | | AS | JUL-98 |
| N | ASTM-F2430 | BEARING, ROLLER, NEEDLE: ASSEMBLY (THICK OUTER RACE)[CUST: AT OS] | A | 3110 | | GS4 | 19-APR-06 |
| | ASTM-F2162 | BEARING, ROLLER, NEEDLE: DRAWN OUTER RING, FULL COMPLEMENT, WITHOUT INNER RING, OPEN AND CLOSED END, STANDARD TYPE[CUST: AT OS 99] [REVIEW: 84 CR4 GL] | A | 3110 | | GS4 | 09-JAN-04 |
| N | ASTM-F2246 | BEARING, ROLLER, NEEDLE: THICK OUTER RING WITH ROLLERS AND CAGE[CUST: AT OS 99] | A | 3110 | | GS4 | 19-APR-06 |
| | QPL-AS8952-1 | BEARING, ROLLER, ROD END, ANTIFRICTION SELF-ALIGNING | A | 3110 | | AS | 28-FEB-00 |
| | SAE-AS21221 | BEARING, ROLLER, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE I, -67 DEG TO 350 DEG F, SEALED[CUST: AT AS 99] [REVIEW: 84 AR AV GS MI] | A | 3110 | | AS | AUG-98 |
| | SAE-AS21223 | BEARING, ROLLER, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE I, -67 DEG TO 350 DEG F, SEALED[CUST: AT AS 99] [REVIEW: 84 AR AV GS MI] | A | 3110 | | AS | MAY-98 |
| | SAE-AS21220 | BEARING, ROLLER, ROD END, INTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE II, -67 DEG TO 350 DEG F, SEALED[CUST: AT AS 99] [REVIEW: 84 AR AV GS MI] | A | 3110 | | AS | AUG-98 |
| | SAE-AS21431 | BEARING, ROLLER, SELF-ALIGNING SINGLE ROW, ANTI-FRICTION, SEALED -65 TO 350 DEG. F, TYPE I[CUST: AT AS 99 GS] [REVIEW: 84] | A | 3110 | | AS | 05-APR-99 |
| | SAE-AS8914 | BEARING, ROLLER, SELF-ALIGNING, AIRFRAME, ANTIFRICTION[CUST: AT AS 99] [REVIEW: GS] | A | 3110 | | AS | AUG-99 |
| | QPL-AS8914-2 | BEARING, ROLLER, SELF-ALIGNING, AIRFRAME, ANTIFRICTION | A | 3110 | | AS | 19-JUL-01 |
| | SAE-AS28913 | BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW AIRFRAME, ANTI-FRICTION, SEALED, TYPE II[CUST: AT AS 99 GS] [REVIEW: 84 AR AV MI] | A | 3110 | | AS | 02-SEP-98 |
| | SAE-AS28914 | BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW AIRFRAME, ANTI-FRICTION, SEALED, TYPE III[CUST: AT AS 99 GS] [REVIEW: 84 AR AV MI] | A | 3110 | | AS | JUN-98 |
| | SAE-AS28915 | BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW TORQUE TUBE, AIRFRAME, ANTI-FRICTION, SEALED, TYPE IV[CUST: AT AS 99 GS] [REVIEW: 84 AR AV MI] | A | 3110 | | AS | JUN-98 |
| | A-A-59654 | BEARING, ROLLER, TAPERED, DOUBLE ROW, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP (TYPE TDO)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS] | A | 3110 | / | GS4 | 31-AUG-01 |
| | A-A-59656 | BEARING, ROLLER, TAPERED, DOUBLE ROW, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NONADJUSTABLE (TYPE TNA)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS] | A | 3110 | / | GS4 | 31-AUG-01 |
| | A-A-59653 | BEARING, ROLLER, TAPERED, DOUBLE ROW, ONE DOUBLE CONE, TWO SINGLE CUPS (TYPES TDI AND TDIS)[CUST: AR YD 99] [REVIEW: 84 MC OS] | A | 3110 | / | GS4 | 31-AUG-01 |
| | A-A-59655 | BEARING, ROLLER, TAPERED, DOUBLE ROW, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP (TYPE TDOS)[CUST: AR YD 99] [REVIEW: 84 MC OS] | A | 3110 | / | GS4 | 31-AUG-01 |
| | A-A-59657 | BEARING, ROLLER, TAPERED, DOUBLE ROW, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NONADJUSTABLE (TYPE TNAS)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS] | A | 3110 | / | GS4 | 31-AUG-01 |
| | A-A-59658 | BEARING, ROLLER, TAPERED, DOUBLE ROW, STRAIGHT BORE, TWO SINGLE CONES WITH CONTACTING FRONT FACES SLOTTED AND CHAMFERED FOR LUBRICATION, ONE DOUBLE CUP WITH LUBRICATION HOLES AND GROOVE (TYPE TNASW)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS] | A | 3110 | / | GS4 | 31-AUG-01 |
| | A-A-59659 | BEARING, ROLLER, TAPERED, DOUBLE ROW, STRAIGHT BORE, TWO SINGLE CONES, CONE BACK FACE RIB GROUND ON THE OUTER DIAMETER FOR SEALING PURPOSES, ONE DOUBLE CUP WITH LUBRICATION HOLES AND GROOVE (TYPE TNASWE)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS] | A | 3110 | / | GS4 | 31-AUG-01 |
| | A-A-59650 | BEARING, ROLLER, TAPERED, SINGLE ROW, NORMAL ANGLE, FLANGED CUP (TYPE TSF)[CUST: AR YD 99] [REVIEW: 84 MC OS] | A | 3110 | / | GS4 | 31-AUG-01 |
| | A-A-59651 | BEARING, ROLLER, TAPERED, SINGLE ROW, STEEP ANGLE (TYPE TSS)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS] | A | 3110 | / | GS4 | 31-AUG-01 |
| | A-A-59652 | BEARING, ROLLER, TAPERED, SINGLE ROW, STEEP ANGLE, FLANGED CUP (TYPE TSSF)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS] | A | 3110 | / | GS4 | 31-AUG-01 |
| A | A-A-52414A | BEARING, ROLLER, THRUST[CUST: AT OS 99] [REVIEW: 84 AR AS GS IS MC SH] | A | 3110 | / | AT | 02-AUG-05 |
| | A-A-52401 | BEARING, SLEEVE (STEEL-BACKED)[CUST: AT OS 99] [REVIEW: 84 GS IS MC MI SH] | A | 3120 | / | AT | 10-JUL-92 |
| | SAE-AS81934/2 | BEARING, SLEEVE, FLANGED, SELF-LUBRICATING, 325 DEG. F[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3120 | | AS | APR-98 |
| | SAE-AS81934/1 | BEARING, SLEEVE, PLAIN, SELF-LUBRICATING, 325 DEG. F[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3120 | | AS | APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ABMA20 | BEARINGS OF BALL, RADIAL, CYLINDRICAL ROLLER AND SPHERICAL ROLLER TYPES, METRIC DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | ABMA24.2 | BEARINGS OF BALL, THRUST AND CYLINDRICAL ROLLER TYPES - INCH DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | ABMA24.1 | BEARINGS OF BALL, THRUST, CYLINDRICAL ROLLER AND SPHERICAL ROLLER TYPES - METRIC DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | ISO1224 | BEARINGS ROLLING - INSTRUMENT PRECISION BEARINGS[CUST: AT AS 99 GS4] | A | 31GP | | GS4 | 01-NOV-84 |
| | SAE-AMS4800 | BEARINGS, BABBITT 91SN - 4.5SB - 4.5CU[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 01-APR-92 |
| | QPL-AS7949-3 | BEARINGS, BALL, AIRFRAME, ANTIFRICTION | A | 3110 | | AS | 05-AUG-02 |
| | SAE-AS7949 | BEARINGS, BALL, AIRFRAME, ANTIFRICTION[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3110 | | AS | JUL-98 |
| | MIL-B-81793D(1) SUP 1 | BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 21-MAR-94 |
| | MIL-B-913(1) SUP 1 | BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS (METRIC), GENERAL SPECIFICATION FOR[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 21-MAR-94 |
| | MIL-B-17931E(2) | BEARINGS, BALL, ANNULAR, FOR QUIET OPERATION[CUST: AV SH 99] [REVIEW: 84 AT GS IS] | A | 3110 | | SH | 22-MAY-95 |
| M | A-A-59644A | BEARINGS, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, EXTRA LIGHT SERIES (R - SERIES)[CUST: OS 99] [REVIEW: 11 84] | A | 3110 | / | GS4 | 12-APR-06 |
| | SAE-AS6038 | BEARINGS, BALL, BELLCRANK, ANTIFRICTION, AIRFRAME[CUST: AT AS 99 GS] [REVIEW: 84 AR AV MI] | A | 3110 | | AS | AUG-98 |
| | QPL-AS6039-1 | BEARINGS, BALL, ROD END, DOUBLE ROW, SELF-ALIGNING | A | 3110 | | GS4 | 22-MAR-04 |
| | SAE-AS6039 | BEARINGS, BALL, ROD END, DOUBLE ROW, SELF-ALIGNING[CUST: AV AS 99 GS4] | A | 3110 | | GS4 | OCT-97 |
| | MIL-HDBK-1599A(1) | BEARINGS, CONTROL SYSTEM COMPONENTS, AND ASSOCIATED HARDWARE USED IN THE DESIGN AND CONSTRUCTION OF AEROSPACE MECHANICAL SYSTEMS AND SUBSYSTEMS[CUST: AT AS 99] [REVIEW: AV GS SH] | A | 31GP | | 84 | 12-MAR-99 |
| | QPL-85560-3 | BEARINGS, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN AND FLANGED, SELF LUBRICATION, GENERAL SPECIFICATION FOR | A | 3120 | | AS | 12-OCT-01 |
| | MIL-B-85560(1) NOT 1 | BEARINGS, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING; GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: 99 AR GS IS SH] | A | 3120 | | AS | 05-SEP-91 |
| | ASTM-B439 | BEARINGS, IRON-BASE SINTERED (OIL IMPREGNATED)[CUST: AT YD 99] [REVIEW: 84 GS IS OS SH] | A | 3110 | | YD | 25-MAR-83 |
| | QPL-8943-18 | BEARINGS, JOURNAL-PLAIN AND FLANGED, TFE LINED | A | 3120 | | AS | 26-MAR-01 |
| | SAE-AMS4827 | BEARINGS, LEADED BRONZE 80CU - 10PB - 10SN STEEL BACK[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 01-JAN-90 |
| | SAE-AMS4820 | BEARINGS, LEADED COPPER 70CU - 28.5PB STEEL BACK[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 01-OCT-89 |
| | ABMA18.2 | BEARINGS, NEEDLE ROLLER RADIAL, INCH DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | QPL-AS81935-1 | BEARINGS, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING | A | 3120 | | AS | 21-OCT-02 |
| | SAE-AS81935 | BEARINGS, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A | 3120 | | AS | APR-98 |
| | SAE-AS81935/1 | BEARINGS, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, WIDE, EXTERNALLY THREADED, -65 TO +325 DEG F[CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A | 3120 | | AS | MAR-98 |
| | QPL-8948-16 | BEARINGS, PLAIN, ROD END, TFE LINED SELF ALIGNING | A | 3120 | | AS | 26-MAR-01 |
| | QPL-AS81936-1 | BEARINGS, PLAIN, SELF-ALIGNING, (BE-CU BALL, CRES RACE), GENERAL SPECIFICATION FOR | A | 3120 | | AS | 14-AUG-00 |
| | SAE-AS81936 | BEARINGS, PLAIN, SELF-ALIGNING, (BECU BALL, CRES RACE), GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 84 AR GS SH] | A | 3120 | | AS | MAY-98 |
| | SAE-AS8976 | BEARINGS, PLAIN, SELF-ALIGNING, ALL METAL[CUST: AV AS 99] [REVIEW: GS] | A | 3120 | | AS | AUG-99 |
| | QPL-AS81820-1 | BEARINGS, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LOW SPEED OSCILLATION | A | 3120 | | AS | 27-AUG-01 |
| | SAE-AS81820 | BEARINGS, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LOW SPEED OSCILLATION, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 84 AR GS SH] | A | 3120 | | AS | JUL-98 |
| | QPL-8942-23 | BEARINGS, PLAIN, TFE LINED, SELF ALIGNING | A | 3120 | | AS | 09-APR-01 |
| | MIL-B-87146(1) NOT 1 | BEARINGS, PULLEYS, AND CABLES[CUST: 11] | D | 31GP | | 11 | 15-APR-86 |
| | A-A-55601A NOT 1 | BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, CYLINDRICAL INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, NON - LOCATING[CUST: AT OS 11 GS4] [REVIEW: MC SH] | A | 3110 | / | GS4 | 27-JUN-02 |
| | A-A-55599A NOT 1 | BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, ONE ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, ONE DIRECTION LOCATING[CUST: AT OS 11 GS4] [REVIEW: MC SH] | A | 3110 | / | GS4 | 27-JUN-02 |
| | A-A-55600A NOT 1 | BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, TWO DIRECTION LOCATING[CUST: AT OS 11] [REVIEW: GS MC SH] | A | 3110 | / | GS4 | 20-JAN-04 |
| | A-A-55602A NOT 1 | BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, CYLINDRICAL OUTER RING, NON - LOCATING[CUST: AT OS 11 GS4] [REVIEW: MC SH] | A | 3110 | / | GS4 | 27-JUN-02 |
| | A-A-55598A NOT 1 | BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLERS RETAINING RIBS ON INNER RING, ONE ROLLER RETAINING RIB ON OUTER RING, ONE DIRECTION LOCATING[CUST: AT OS 11 GS4] [REVIEW: MC SH] | A | 3110 | / | GS4 | 27-JUN-02 |
| | SAE-AS39901 | BEARINGS, ROLLER, NEEDLE, AIRFRAME, ANTIFRICTION, INCH[CUST: AT AS 99 GS] [REVIEW: 84 AR AV MI] | A | 3110 | | AS | 05-APR-99 |
| | QPL-AS39901-2 | BEARINGS, ROLLER, NEEDLE, AIRFRAME, ANTIFRICTION, INCH | A | 3110 | | AS | 21-OCT-02 |
| | SAE-AS8952 | BEARINGS, ROLLER, ROD END, ANTIFRICTION SELF-ALIGNING[CUST: AV AS 99] [REVIEW: GS] | A | 3110 | | AS | AUG-99 |
| | ABMA19.2 | BEARINGS, ROLLER, TAPERED - RADIAL INCH DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | ABMA19.1 | BEARINGS, ROLLER, TAPERED RADIAL METRIC DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| D | A-A-59649B | BEARINGS, ROLLER, TAPERED, SINGLE ROW, NORMAL ANGLE (TYPE TS)[CUST: AR MC 99] [REVIEW: 11 84 OS] | A | 3110 | / | GS4 | 28-SEP-05 |
| | ISO3290 | BEARINGS, ROLLING - BALLS - DIMENSIONS AND TOLERANCES[CUST: AT AS 99 GS4] | A | 31GP | | GS4 | 1998 |
| | ABMA25.2 | BEARINGS, ROLLING, LINEAR MOTION RECIRCULATING BALL, SLEEVE TYPE INCH SERIES[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | SAE-AMS4816 | BEARINGS, SILVER-CLAD STEEL STRIP[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 01-APR-87 |
| | ASTM-B438/B438M | BEARINGS, SINTERED BRONZE (OIL-IMPREGNATED)[CUST: AV AS 11 GS4] | A | 31GP | | GS4 | 15-AUG-85 |
| | SAE-AMS4805 | BEARINGS, SINTERED METAL POWDER 89CU - 10SN OIL IMPREGNATED[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 01-OCT-86 |
| | QPL-AS81934-1 | BEARINGS, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING | A | 3120 | | AS | 26-NOV-01 |
| | SAE-AS81934 | BEARINGS, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 84 AR AT GS MI SH] | A | 3120 | | AS | APR-98 |
| | ABMA22.2 | BEARINGS, SPHERICAL PLAIN RADIAL JOINT TYPE, INCH DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | ABMA22.1 | BEARINGS, SPHERICAL PLAIN RADIAL JOINT TYPE, METRIC DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | ABMA23.2 | BEARINGS, THRUST, OF TAPERED ROLLER TYPE - INCH DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-AS8976-2 | BEARINGS. PLAIN, SELF-ALIGNING, ALL METAL | A | 3120 | | AS | 21-OCT-02 |
| | MIL-PRF-32038/16 | BED, TYPES, 1 AND 2[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | A-A-51354 | BEDPAN[CUST: MD MS 03] | A | 6530 | | MB | 14-MAR-86 |
| | A-A-53222 | BEDPAN[CUST: MD MS 03] | A | 6530 | / | MB | 29-SEP-87 |
| | A-A-51760 | BEDPAN[CUST: MD MS 03] | A | 6530 | / | MB | 30-JAN-87 |
| | A-A-30058F | BEDPANS (PLASTIC)[CUST: MD MS 03] | A | 6530 | * | MB | 15-JUL-92 |
| | MIL-B-36558B | BEDS, ADJUSTABLE[CUST: MD MS 03] [REVIEW: 50 TM YD] | A | 6530 | | MB | 24-JAN-92 |
| | A-A-50864A | BEDSPREAD, COTTON, POLYESTER, COTTON/RAYON, COTTON/POLYESTER, OR POLYESTER/RAYON[CUST: MD NU 99 CT] [REVIEW: 84] | A | 7210 | / | CT | 22-APR-96 |
| A | A-A-20343 | BEEF CHUNKS, CANNED OR IN FLEXIBLE POUCHES[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8905 | / | SS | 13-OCT-05 |
| | A-A-20256 | BEEF PATTY PRODUCTS, FULLY COOKED, INDIVIDUALLY QUICK FROZEN[CUST: FV] | A | 8905 | # | FV | 16-JUL-97 |
| | A-A-20298A | BEEF SNACKS, CURED[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8940 | / | SS | 21-DEC-04 |
| | A-A-20148A | BEEF STEW, CANNED[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | * | GL | 26-SEP-96 |
| | ASTM-E136 | BEHAVIOR OF MATERIALS IN A VERTICAL TUBE FURNACE AT 750 DEG. C[CUST: CR4 YD] [REVIEW: CE OS SH] | A | FACR | | YD | 10-OCT-99 |
| | A-A-50627 | BELL, ELECTRICAL, SHIPBOARD[CUST: SH] | A | 6350 | / | SH | 09-FEB-95 |
| | DOD-B-24673 | BELLS, SHIPS AND SMALL CRAFT[CUST: CR4 SH] | A | 6350 | | SH | 31-JUL-86 |
| A | MS16070F(1) | BELT, AIRCRAFT SAFETY, CREWMAN'S[CUST: AS 11] | A | 1680 | | GS1 | 10-NOV-05 |
| | MIL-B-83787(1) | BELT, AIRCRAFT SAFETY, LAP, TROOP, TYPES MD-1 AND MD-2[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 25-AUG-78 |
| | A-A-55212 | BELT, ALL-WEATHER COAT, WOMEN'S[CUST: GL CT] [REVIEW: MC] | A | 8410 | / | CT | 14-JUN-93 |
| | A-A-55207 | BELT, ALL-WEATHER, COAT, MEN'S[CUST: GL CT] [REVIEW: MC] | A | 8405 | / | CT | 19-MAY-93 |
| | MIL-B-18184C | BELT, COAT, MAN S, WEBBING, COTTON, WH1TE[CUST: MC CT] [REVIEW: 11] | A | 8440 | | CT | 31-OCT-89 |
| | MIL-B-1462F | BELT, GENERAL OFFICER[CUST: GL CT] [REVIEW: 11 MD] | A | 8440 | | CT | 06-JAN-88 |
| | MIL-B-1107G | BELT, INDIVIDUAL EQUIPMENT, M-1936[CUST: MI MC 99 CT] [REVIEW: 11 CG MD SA] | A | 8465 | | CT | 27-NOV-86 |
| | MIL-B-43826C | BELT, INDIVIDUAL, EQUIPMENT[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8465 | | CT | 06-SEP-89 |
| | KK-B-151H(2) | BELT, LINEMAN'S, AND STRAP, POLE LINEMAN'S TYPE | A | 4240 | # | FSS | 04-JUN-82 |
| | A-A-55222 | BELT, MAN'S COAT[CUST: MC CT] | A | 8405 | / | CT | 06-JUL-93 |
| | A-A-55197 | BELT, MAN'S, WAIST, BLUE 334 (ARMY BAND UNIFORM)[CUST: GL CT] | A | 8405 | / | CT | 08-APR-93 |
| | MIL-B-29378A | BELT, MAN'S: CEREMONIAL, OFFICERS[CUST: MC] | A | 8440 | | MC | 28-FEB-94 |
| | A-A-55173 | BELT, MILITARY POLICE, 1-3/4 INCH WIDE, MAN'S[CUST: 99 CT] [REVIEW: 11 GL MC] | A | 8465 | / | CT | 08-FEB-93 |
| | A-A-51644 | BELT, ROUND, (ENGINE)[CUST: MD MS 03] | A | 3030 | | MB | 09-MAR-87 |
| | QPL-JJ-B-185-6 | BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE | A | 2540 | # | FSS | 11-DEC-63 |
| | A-A-52151A NOT 1 | BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE, COMMERCIAL VEHICLES[CUST: AT] [REVIEW: CC] | A | 2540 | / | AT | 19-APR-04 |
| | MIL-B-83475(1) NOT 1 | BELT, SECURITY POLICE, 2 1/4 INCH WIDE[CUST: 11 CT] [REVIEW: 99] | A | 8465 | | CT | 26-FEB-88 |
| | MIL-B-833G | BELT, TROUSERS, COTTON WEBBING, WITH CLIP[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8440 | | CT | 27-MAY-88 |
| A | QPL-11040-14 | BELT, V, ENGINE ACCESSORY DRIVE | A | 3030 | | IS | 12-OCT-05 |
| | MIL-B-11040E(1) | BELT, V: ENGINE ACCESSORY DRIVE[CUST: AT YD 99] [REVIEW: AR MC MI SM] | A | 3030 | | IS | 07-JUL-92 |
| | MS51065D NOT 2 | BELT, V: ENGINE ACCESSORY DRIVE (0.380 INCH NOMINAL WIDTH)[CUST: AT 99] [REVIEW: MC SH] | A | 3030 | | IS | 10-JUN-05 |
| | A-A-50635 | BELT, WEB, WHITE; SWORD CARRYING[CUST: MC] | A | 8465 | / | MC | 25-AUG-94 |
| | MIL-B-87167 NOT 2 | BELT,AIRCRAFT SAFETY, HBU-12/A[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 16-JUN-97 |
| | MIL-B-21154C | BELTS, MILITARY POLICE: COTTON WEBBING; WHITE[CUST: GL MC 11 CT] | A | 8465 | | CT | 08-FEB-91 |
| | A-A-52422 NOT 1 | BELTS, V: INDUSTRIAL DRIVE, NARROW TYPE[CUST: CR4 99] [REVIEW: 71 CR MC] | A | 3030 | / | AT | 13-APR-04 |
| | A-A-52490A NOT 1 | BELTS, V: LIGHT-DUTY OR FRACTIONAL-HORSEPOWER[CUST: AT YD] [REVIEW: AV CC MC] | A | 3030 | / | AT | 16-APR-04 |
| | MS51066D NOT 2 | BELTS, V: ENGINE ACCESSORY DRIVE (0.500 INCH NOMINAL WIDTH)[CUST: AT 99] [REVIEW: MC MI SH] | A | 3030 | | IS | 10-JUN-05 |
| | MS51070D NOT 2 | BELTS, V: ENGINE ACCESSORY DRIVE (1 INCH NOMINAL WIDTH)[CUST: AT 99] [REVIEW: GL MC] | A | 3030 | | IS | 10-JUN-05 |
| | MS51067D NOT 2 | BELTS, V: ENGINE ACCESSORY DRIVE (11/16 INCH NOMINAL WIDTH)[CUST: AT 99] [REVIEW: MC SH] | A | 3030 | | IS | 10-JUN-05 |
| | MS51068D NOT 2 | BELTS, V: ENGINE ACCESSORY DRIVE (3/4 INCH NOMINAL WIDTH)[CUST: AT 99] [REVIEW: MC MI SH] | A | 3030 | | IS | 10-JUN-05 |
| | MS51069D NOT 2 | BELTS, V: ENGINE ACCESSORY DRIVE (7/8 INCH NOMINAL WIDTH)[CUST: AT 99] [REVIEW: MC] | A | 3030 | | IS | 10-JUN-05 |
| | MIL-PRF-32038/20 | BENCHES, WITH STOWAGE UNDER, TYPES 1 AND 2[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | ASTM-E290 | BEND TESTING OF MATERIAL FOR DUCTILITY[CUST: MR AS 11 IS] | A | 95GP | | IS | 10-DEC-97 |
| | A-A-53233 | BENDER, THREAD-FORMING PIN, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 29-SEP-87 |
| | MIL-STD-1627C | BENDING OF PIPE OR TUBE FOR SHIP PIPING SYSTEMS[Design Criteria Standard][CUST: SH] | A | 4710 | | SH | 30-SEP-94 |
| | MIL-B-45451B(5) | BENITE STRANDS[CUST: AR] | A | 1375 | | AR | 23-SEP-98 |
| | MIL-B-3137(1) | BENZENE, NITRATION GRADE[CUST: AR OS] [REVIEW: GS PS] | A | 6810 | | AR | 27-APR-50 |
| | ASTM-D847 | BENZENE, TOLUENE, XYLENES, SOLVENT NAPTHAS, AND SIMILAR INDUSTRIAL AROMATIC HYDROCARBONS, ACIDITY OF[CUST: MR SH 99] | A | 8010 | | MR | OCT-97 |
| | MIL-B-81793/14(1) | BERAING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 7P[CUST: AT AS 99] [REVIEW: 84 GS IS MC SH] | A | 3110 | | AS | 31-OCT-94 |
| | MIL-B-43172E | BERET, MAN S WOOL[CUST: GL 11 CT] [REVIEW: 99 MD] | A | 8405 | | CT | 21-SEP-87 |
| | A-A-55184 | BERET, MAN'S, WOOL[CUST: GL 11 CT] [REVIEW: 99] | A | 8405 | / | CT | 10-MAR-93 |
| | MIL-PRF-32038/11 | BERTHS AND SPRING UNITS, OFFICER, TYPES 1-4[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | SAE-AMS7904 | BERYLLIUM BARS, RODS, TUBING, AND SHAPES HIGH DUCTILITY GRADE[CUST: MR AS 11 IS] | A | 9530 | | IS | 20-DEC-91 |
| | SAE-AMS-B-8964 | BERYLLIUM SHEET AND PLATE, GENERAL REQUIREMENTS FOR[CUST: AS 11] [REVIEW: 99] | A | 9535 | | AS | JUN-99 |
| | ASTM-D1890 | BETA PARTICLE RADIOACTIVITY OF WATER[CUST: EA GS3] [REVIEW: CR4 MD OS] | A | 6810 | | GS3 | 30-MAR-90 |
| | A-A-53868 | BETAMETHASONE BENZOATE GEL, USP[CUST: MD MS 05] | A | 6505 | / | MB | 24-MAR-89 |
| | A-A-54498 | BETAMETHASONE DIPROPIONATE CREAM, USP[CUST: MD MS 03] | A | 6505 | / | MB | 30-SEP-91 |
| | A-A-53550A | BETAXOLOL HYDROCHLORIDE OPHTHALMIC SOLUTION[CUST: MD MS 03] | A | 6505 | / | MB | 13-NOV-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51762A | BETHANECHOL CHLORIDE TABLETS, USP[CUST: MD MS 03] | A | 6505 | | MB | 02-JUL-87 |
| | AGMA2009.01 | BEVEL GEAR CLASSIFICATION, TOLERANCES AND MEASURING METHODS[CUST: YD] | A | FACR | | YD | 02-JUN-04 |
| | GGG-B-211B(1) | BEVEL, SLIDING T, UNIVERSAL AND SHIP CARPENTERS | A | 5210 | # | FSS | 05-APR-67 |
| | PFI-ES35 | BEVELS AND JOINT CONFIGURATIONS FOR BUTT WELDS, NONSYMETRICAL[CUST: YD] | A | FACR | | YD | 08-JUL-04 |
| | A-A-2532A | BEVELS, SLIDING T | A | 5210 | # | FSS | 16-MAY-02 |
| | MIL-B-44135B | BEVERAGE BASE, POWDER, ORANGE, FORTIFIED (OPERATIONAL RATION COMPONENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8960 | | GL | 02-SEP-93 |
| | A-A-20098C | BEVERAGE BASES (POWDERED)[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8960 | / | SS | 01-APR-04 |
| | ASTM-F918 | BEVERAGE DISPENSER, (VISIBLE PRODUCT), NONCARBONATED MECHANICALLY REFRIGERATED[CUST: GL YD 99] [REVIEW: 84 GS] | A | 7310 | | SS | 14-JUN-85 |
| | MIL-PRF-49404A | BIAS VOLTAGE REGULATOR, CN-1559/UA[CUST: CR] | A | 5855 | | CR | 19-MAY-97 |
| | STANAG-3731 ED.3(3) | BIBLIOGRAPHY ON ELECTROMAGNETIC COMPATIBILITY (EMC) (INCLUDING AMENDMENT 3) | C | ISDF | | 06 | 03-DEC-98 |
| | ICAC-EP10 | BID SPECIFICATION INFORMATION REQUIREMENTS AND BID EVALUATION FORM FOR ELECTROSTATIC PRECIPITATORS[CUST: AT SH 99 CC] [REVIEW: 84 SA] | A | 4460 | | CC | 07-SEP-00 |
| | AAMI-BSV | BIER/STEAM VESSELS[CUST: MD MS 03] | A | 6530 | | MB | 20-JUN-91 |
| | MIL-B-70838(1) | BILLET, DEPLETED URANIUM[CUST: AR] | A | 9650 | | AR | 15-AUG-91 |
| | A-A-51493 | BIN, STORAGE[CUST: MD MS 03] | A | 7125 | | MB | 20-JUN-86 |
| | GGG-B-351B | BIN, STORAGE AND DISPLAY, ROTARY | A | 7125 | # | FSS | 18-OCT-63 |
| | MIL-PRF-13587F NOT 1 | BIN, STORAGE, AGGREGATE, PORTABLE, 60-TON[CUST: AT] [REVIEW: MT] | A | 3895 | | AT | 15-APR-04 |
| | ISA-S5.2 | BINARY LOGIC DIAGRAMS FOR PROCESS OPERATIONS[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | A-A-2651 | BINDER, AWARD CERTIFICATE[CUST: GL SA 99] | A | 7510 | * | GL | 14-FEB-91 |
| | GGG-B-325B | BINDER, LOAD[CUST: AT SA] [REVIEW: GS SH YD] | A | 3990 | * | AT | 18-JUL-80 |
| | MIL-DTL-43021F | BINDER, LOAD, CARGO TIE-DOWN, 10,000 POUND CAPACITY[CUST: GL2 99] [REVIEW: 11] | A | 1670 | | GL2 | 30-JUN-03 |
| | UU-B-00366B(2) | BINDER, LOOSE LEAF, SECTIONAL POST TYPE | A | 7510 | # | FSS | 15-OCT-72 |
| | UU-B-342A(1) | BINDER, LOOSE-LEAF, RING, ENGINEER S FIELD BOOK | A | 7510 | # | FSS | 07-SEP-65 |
| | UU-B-00342C(1) | BINDER, LOOSE-LEAF, RING, ENGINEER S FIELD BOOK | A | 7510 | # | FSS | 31-OCT-75 |
| | MIL-B-44374 | BINDING ASSEMBLY, SNOWSHOE, SNOW AND ICE TRAVERSING EQUIPMENT (SITE)[CUST: GL NU 99 CT] [REVIEW: 11 CC MC MD] | A | 8465 | | CT | 06-SEP-89 |
| | A-A-50092B | BINDING, ASSEMBLY, SKI, DOWNHILL AND CROSS COUNTRY[CUST: GL 99 CT] [REVIEW: 11 82] | A | 8465 | / | CT | 29-APR-96 |
| | A-A-52051 | BINDING, SKI, ALPINE AND CROSS COUNTRY, SNOW AND ICE TRAVERSING EQUIPMENT (SITE)[CUST: GL 99 CT] [REVIEW: 11] | A | 8465 | / | CT | 12-OCT-89 |
| | A-A-52067 | BINDING, TEXTILE, COTTON, BIAS-CUT[CUST: GL NU CT] [REVIEW: MD] | A | 8315 | / | CT | 13-MAR-90 |
| | DI-ILSS-80949 | BINNED MATERIAL LIST [AMSC: N4899] | A | SESS | | SH | 27-FEB-90 |
| | SAE-AS8568 | BINOCULARS, PRISMATIC, HAND-HELD (FOR AERONAUTICAL USE) (7 X 50 AND 6 X 42 (WIDE FIELD)[CUST: AS 99] [REVIEW: 11 GS SH] | A | 6650 | | AS | JUL-99 |
| | QAP-114 ED.1 | BIOLOGICAL AGENT DETECTION | C | ISDA | | AI | 30-APR-97 |
| | STANAG-3879 ED.5 | BIRDSTRIKE RISK/WARNING PROCEDURES (EUROPE) | C | ISDF | | 06 | 25-OCT-02 |
| | A-A-51407A | BISACODYL SUPPOSITORIES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 16-SEP-86 |
| | A-A-52596 NOT 1 | BIT, BUTTON, ROCK DRILL, FOR DRIFTER DRILLS[CUST: AT MC 99] [REVIEW: 84 CC] | A | 3820 | / | AT | 19-APR-04 |
| | NASM85643-5 | BIT, SCREWDRIVER, INSERT TYPE, RIBBED, OFFSET CRUCIFORM, EXTERNAL HEXAGON SHANK, MANUALLY DRIVEN[CUST: AS] [REVIEW: GS] | A | 5120 | | AS | 30-JUN-98 |
| | A-A-3153A NOT 2 | BIT, SCREWDRIVER, MALE SHANK, HEXAGON TIP | A | 5120 | # | FSS | 30-JUL-02 |
| | NAS7101 | BIT, SCREWDRIVER, PHILLIPS, SPECIFICATION FOR[CUST: AV AS] [REVIEW: CR4 GS IS] | A | 5120 | | AS | 30-JUL-82 |
| | NASM85643-1 | BIT, SCREWDRIVER, RIBBED CRUCIFORM, INSERT TYPE, EXTERNAL HEXAGON SHANK, MANUALLY DRIVEN[CUST: AS] [REVIEW: GS] | A | 5120 | | AS | 30-JUN-98 |
| | NASM85643-2 | BIT, SCREWDRIVER, RIBBED, CRUCIFORM, LONG SHANK, EXTERNAL HEXAGON SHANK, POWER DRIVEN[CUST: AS] [REVIEW: GS] | A | 5120 | | AS | 30-JUN-98 |
| | NASM85643-3 | BIT, SCREWDRIVER, RIBBED, OFFSET CRUCIFORM, EXTERNAL HEXAGON SHANK, POWER DRIVEN[CUST: AS] [REVIEW: GS] | A | 5120 | | AS | 30-JUN-98 |
| | NASM85643-4 | BIT, SCREWDRIVER, RIBBED, OFFSET CRUCIFORM, LONG SHANK, EXTERNAL HEXAGON SHANK, POWER DRIVEN[CUST: AS] [REVIEW: GS] | A | 5120 | | AS | 30-JUN-98 |
| | A-A-52595 NOT 1 | BIT, STAR, ROCK DRILL, X-TYPE, FOR DRIFTER DRILLS[CUST: AT MC 99] [REVIEW: 84] | A | 3820 | / | AT | 19-APR-04 |
| | NASM85643 | BITS, SCREWDRIVER, RIBBED[CUST: AS] [REVIEW: GS] | A | 5120 | | AS | 30-JUN-98 |
| | ASTM-D4 | BITUMEN CONTENT[CUST: GL SA 99] | A | 5610 | | GL | OCT-94 |
| | ASTM-D36 | BITUMEN, (RING-AND-BALL APPARATUS), SOFTENING POINT OF[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 10-FEB-86 |
| | AASHTO-M118 | BITUMEN, COAL-TAR, USED IN ROOFING, DAMP-PROOFING, AND WATERPROOFING[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D173 | BITUMEN-SATURATED COTTON FABRICS USED IN ROOFING AND WATERPROOFING[CUST: CR4 YD 99] [REVIEW: CE] | A | 5650 | | IS | 09-MAR-92 |
| | ASTM-D1327 | BITUMEN-SATURATED WOVEN BURLAP FABRICS USED IN ROOFING AND WATERPROOFING[CUST: YD 99] [REVIEW: CE] | A | 5650 | | IS | 29-AUG-86 |
| | ASTM-D2939 | BITUMENS, EMULSIFIED, USED AS PROTECTIVE COATINGS[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 16-SEP-91 |
| | ASTM-D2995 | BITUMINOUS DISTRIBUTORS, DETERMINING APPLICATION RATE OF, STANDARD PRACTICE FOR[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 10-JUN-99 |
| | ASTM-D1188 | BITUMINOUS MIXTURES, COMPACTED, BULK SPECIFIC GRAVITY AND DENSITY OF, USING PARAFFIN-COATED SPECIMENS[CUST: CR4 YD IS] [REVIEW: MC] | A | 5610 | | IS | 10-AUG-96 |
| | AASHTO-T166 | BITUMINOUS MIXTURES, COMPACTED, USING SATURATED SURFACE-DRY SPECIMENS, BULK SPECIFIC GRAVITY OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D692 | BITUMINOUS PAVING MIXTURES, COARSE AGGREGATE, STANDARD SPECIFICATION FOR[CUST: YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 26-FEB-88 |
| | ASTM-D979 | BITUMINOUS PAVING MIXTURES, STANDARD PRACTICE FOR SAMPLING[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 20-OCT-89 |
| | ASTM-D1369 | BITUMINOUS SURFACE TREATMENTS, QUANTITIES OF MATERIALS FOR, STANDARD PRACTICE FOR[CUST: CR4 YD 99 IS] [REVIEW: MC] | A | 5610 | | IS | 30-MAR-84 |
| | ANSI-PH2.2 | BLACK AND WHITE CONTINUOUS TONE PAPER DETERMINATION OF ISO SPEED AND RANGE FOR PRINTING[CUST: CR AS 99] [REVIEW: 70] | A | 6750 | | AS | 20-FEB-84 |
| | AA-B-450B(1) | BLACKBOARD, PORTABLE | A | 7110 | # | FSS | 30-MAY-75 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-4381 ED.1 | BLACKOUT LIGHTING SYSTEMS FOR TACTICAL LAND VEHICLES | C | ISDA | | AI | 08-JUL-94 |
| | A-A-51483 | BLADE & FRAME, DENTAL LABORATORY SAW (PLASTIC & SYPSUM MATERIALS)[CUST: MD MS 03] | A | 6520 | | MB | 23-JUN-86 |
| | A-A-51524 | BLADE AND FRAME, DENTAL LABORATORY SAW (DIE MATERIALS)[CUST: MD MS 03] | A | 6520 | / | MB | 07-JUL-86 |
| | GGG-B-471B | BLADE, COPING SAW, AND BLADE, JEWELERS SAW[CUST: GL 99] [REVIEW: AR MC YD] | A | 5110 | * | GL | 03-SEP-64 |
| | A-A-53755 | BLADE, GAG, RING RETRACTOR[CUST: MD MS 03] | A | 6515 | / | MB | 11-NOV-88 |
| | MIL-B-53090 | BLADE, MINE CLEARING[CUST: AT] [REVIEW: CC] | A | 2590 | | AT | 28-MAR-89 |
| | A-A-54260 | BLADE, ORTHOPEDIC CAST CUTTER[CUST: MD MS 03] | A | 6515 | / | MB | 15-OCT-90 |
| | A-A-59606/4 | BLADE, WINDSHIELD WIPER, HEAVY DUTY (CLASS B)[CUST: AT MC 99 CC] [REVIEW: 84 SA] | A | 2540 | / | CC | 23-AUG-02 |
| | A-A-59606/1 | BLADE, WINDSHIELD WIPER, LIGHT DUTY (CLASS A)[CUST: AT MC 99 CC] [REVIEW: 84 SA] | A | 2540 | / | CC | 23-AUG-02 |
| | MIL-B-36162C | BLADES, LARYNGOSCOPE, MILLER[CUST: MD MS 03] | A | 6515 | | MB | 03-NOV-87 |
| M | A-A-59500 NOT 1 | BLADES, SHEARING MACHINE, METAL SQUARING[CUST: AR 99 GS6] [REVIEW: 84] | A | 3455 | / | GS6 | 20-MAR-06 |
| | MIL-B-28850(7) | BLANKERS, INTERFERENCE, MX-8757/UPX, MX-8758/UPX, AND MX-8758A/UPX[CUST: AS] | A | 5840 | | AS | 15-SEP-86 |
| | ASTM-C167 | BLANKET OR BATT THERMAL INSULATIONS, THICKNESS AND DENSITY OF[CUST: CR4 YD 99] [REVIEW: 84 CE CG MC SH] | A | 5640 | | IS | 10-JAN-89 |
| | A-A-54143 | BLANKET, BED (COTTON, THERMAL WEAVE)[CUST: MD MS 03] | A | 7210 | / | MB | 15-JUN-90 |
| | A-A-54629 | BLANKET, BURN RELIEF[CUST: MD MS 03] | A | 6532 | / | MB | 30-APR-92 |
| | A-A-54409 | BLANKET, BURN, (WATER-GEL TYPE, 6 BY 5 FEET)[CUST: MD MS 03] | A | 6510 | / | MB | 14-JUN-91 |
| | A-A-50820 | BLANKET, CASUALTY, LIGHTWEIGHT, WATERPROOF, ALUMINIZED PLASTIC[CUST: MD MS 03] | A | 7210 | / | MB | 27-JUL-82 |
| | MIL-B-36964B | BLANKET, COMBAT, CASUALTY LIGHTWEIGHT, WATERPROOF, ALUMINIZED PLASTIC[CUST: MD MS 03] [REVIEW: CT] | A | 7210 | | MB | 27-AUG-73 |
| | A-A-50230 NOT 1 | BLANKET, FIRE (WOOL, WITH CASE)[CUST: AV 99] [REVIEW: 84 CC MC MD] | A | 4210 | / | AV | 24-OCT-00 |
| | A-A-55188A | BLANKETS, BED, WOOL, SHRINK RESISTANT AND MOTHPROOFED[CUST: GL NU 99 CT] [REVIEW: 03 11 84 MB MC MD MS] | A | 7210 | / | CT | 15-MAR-95 |
| | MIL-PRF-83756D | BLAST CLEANING MACHINES[CUST: AV 99] [REVIEW: AR] | A | 4940 | | 84 | 28-SEP-98 |
| | MIL-PRF-32037 | BLAST CLEANING ROOM[CUST: 99] | A | 4940 | | 84 | 12-FEB-99 |
| | QAP-311 ED.1 | BLAST MUNITIONS | C | ISDA | | AI | 04-DEC-00 |
| | MIL-B-50474(1) NOT 1 | BLASTING AGENT - TNT[CUST: AR] | A | 1375 | | AR | 08-APR-86 |
| | MIL-DTL-46789C | BLASTING MACHINE, AUXILIARY FIRING, EMERGENCY[CUST: AT] | A | 2590 | | AT | 04-SEP-98 |
| | A-A-53435 | BLEEDER, HIGH VOLTAGE, X-RAY GENERATOR SERVICING[CUST: MD MS 03] | A | 6525 | / | MB | 29-APR-88 |
| | A-A-51637A | BLEOMYCIN SULFATE STERILE, USP, 15 UNITS OF BLEOMYCIN[CUST: MD MS 03] | A | 6505 | / | MB | 22-JAN-93 |
| | A-A-53436 | BLISTER SHEET, UNIT DOSE[CUST: MD MS 03] | A | 6530 | / | MB | 29-APR-88 |
| | A-A-59170 NOT 1 | BLOCK AND TACKLE WITH LOAD-LOCKING DEVICE[CUST: 99] | A | 3940 | / | IS | 19-MAR-03 |
| | A-A-53095 | BLOCK SET, RADIOGRAPHIC POSITIONING[CUST: MD MS 03] | A | 6525 | / | MB | 31-AUG-87 |
| | A-A-53983 | BLOCK, INSECT FIXATION (DOUBLE MOUNT)[CUST: MD MS 03] [REVIEW: 70] | A | 6640 | / | MB | 01-SEP-89 |
| | ASTM-C550 | BLOCK, RIGID AND BOARD THERMAL INSULATION, MEASURING TRUENESS AND SQUARENESS OF, STANDARD TEST METHOD FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CE CG MC SH] | A | 5640 | | IS | 15-JAN-95 |
| | A-A-51536 | BLOCK, SOLDERING, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 21-JUL-86 |
| | GGG-B-461A | BLOCK, STEP, MACHINISTS[CUST: AR 99] [REVIEW: GS] | A | 5220 | * | AR | 17-AUG-66 |
| | GGG-B-500C | BLOCK, TACKLE, (WIRE-ROPE)[CUST: CR4 YD 99] [REVIEW: 84 SM] | A | 3940 | / | IS | 11-OCT-83 |
| | MIL-DTL-11352H | BLOCK, VISION: BULLET-RESISTANT (METRIC)[CUST: AT] | A | 25GP | | AT | 09-SEP-98 |
| | A-A-51434 | BLOCKER SET, X-RAY FILM IDENTIFICATION[CUST: MD MS 03] | A | 6525 | | MB | 30-MAY-86 |
| | ASTM-D6116 | BLOCKING[CUST: GL NU 99 CT] | A | 83GP | | CT | 19-APR-99 |
| | MIL-HDBK-701C | BLOCKING, BRACING AND SKIDDING OF INDUSTRIAL PLANT EQUIPMENT FOR SHIPMENT AND STORAGE[CUST: AR SH 99 GS6] [REVIEW: DH MC SA SM YD] | A | PACK | | GS6 | 30-SEP-89 |
| | GGG-B-490F | BLOCKS, TACKLE (MANILA AND NYLON ROPE)[CUST: CR4 99] [REVIEW: 84 SH YD] | A | 3940 | / | IS | 13-APR-92 |
| | MIL-B-24220A | BLOCKS, TACKLE, SYNTHETIC ROPE[CUST: SH] | A | 3940 | | SH | 09-NOV-90 |
| | A-A-59390 | BLOCKS, TACKLE, WIRE ROPE[CUST: AT SH 99] [REVIEW: 84 CR MC YD] | A | 3940 | / | IS | 27-AUG-99 |
| | MIL-B-24141A | BLOCKS, TACKLE, WIRE ROPE[CUST: SH] | A | 3940 | | SH | 09-NOV-90 |
| | A-A-54825 | BLOOD COLLECTING-DISPENSING BAG, INDIRECT TRANSFUSION, PLASTIC DISPOSABLE TYPE[CUST: MD MS 03] | A | 6515 | / | MB | 05-MAR-93 |
| | A-A-54872 | BLOOD EXCHANGE-TRANSFUSION KIT, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 01-JUN-93 |
| | A-A-54889 | BLOOD FLUID WARMER AND PRESSURE INFUSION SYSTEM[CUST: MD MS 03] | A | 6515 | / | MB | 23-JUL-93 |
| | A-A-51330 | BLOOD PLATELET ADMINISTRATION-POOLING SET[CUST: MD MS 03] | A | 6515 | | MB | 14-MAR-86 |
| | AAMI-BP22 | BLOOD PRESSURE TRANSDUCERS, GENERAL[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | AAMI-BP23 | BLOOD PRESSURE TRANSDUCERS, INTERCHANGEABILITY AND PERFORMANCE OF RESISTIVE BRIDGE TYPE[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | A-A-51551A | BLOOD RECIPIENT SET, INDIRECT TRANSFUSION[CUST: MD MS 03] | A | 6515 | / | MB | 20-FEB-87 |
| | A-A-54089A | BLOOD RECIPIENT SET, INDIRECT TRANSFUSION (DISPOSABLE)[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUN-92 |
| | A-A-53399A | BLOOD RECOVERY DELIVERY SYSTEM[CUST: MD MS 03] | A | 6515 | / | MB | 18-AUG-88 |
| | QSTAG-815 ED.1 | BLOOD SUPPLY IN THE AREA OF OPERATIONS[CUST: AI] | C | ISDA | | AI | PENDING |
| | QSTAG-850 ED.3 | BLOOD, BLOOD DONOR AND TRANSFUSION EQUIPMENT REQUIREMENTS[CUST: AI] | C | ISDA | | AI | 20-JUN-01 |
| | MIL-PRF-62284A | BLOWER ASSEMBLY, AIR CLEANER[CUST: AT] | A | 2940 | | AT | 18-DEC-97 |
| | MIL-DTL-62062D | BLOWER, GENERATOR COOLING: 28 VOLT DC[CUST: AT] [REVIEW: CC] | A | 2920 | | AT | 04-SEP-98 |
| | MIL-B-1947A(5) | BLOWER, SOOT (SHIPBOARD USE)[CUST: SH] | A | 4410 | | SH | 11-JUL-66 |
| A | MIL-B-23071C(3) NOT 1 | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT GENERAL SPECIFICATION FOR[CUST: CR4 EC 99] [REVIEW: CC MC MI OS SH] | A | 4140 | | IS | 08-MAY-01 |
| M | MIL-B-23071/8C(1) NOT 2 | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBE AXIAL (69 AND 60 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 70 84 SH] | A | 4140 | | IS | 19-APR-06 |
| | QPL-23071-24 | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR | A | 4140 | | IS | 02-JUN-97 |
| M | MIL-B-23071/3B NOT 3 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (50 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 84 MI] | A | 4140 | | IS | 19-APR-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-B-23071/2B NOT 2 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (105 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 84 MI] | A | 4140 | | IS | 21-AUG-01 |
| | MIL-B-23071/9E NOT 2 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (138 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 84 SH] | A | 4140 | | IS | 21-AUG-01 |
| | MIL-B-23071/7C NOT 2 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (14, 40, 17 AND 39 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 84 MI OS SH] | A | 4140 | | IS | 21-AUG-01 |
| | MIL-B-23071/25 NOT 2 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (6.3, 19, 12, 12/23, 6.5/19, 16, AND 13 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 CR] | A | 4140 | | IS | 21-AUG-01 |
| A | MIL-B-23071/1D(1) NOT 2 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT, TUBE AXIAL (26 AND 35 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 MI] | A | 4140 | | IS | 08-AUG-05 |
| | GG-B-511 | BLOWPIPE OUTFIT, ACETYLENE | A | 6520 | # | FSS | 31-JUL-52 |
| | A-A-53846 | BLOWPIPE, SOLDERING, DENTAL LABORATORY[CUST: MD MS 03] | A | 6520 | / | MB | 13-MAR-89 |
| | A-A-51431 | BLOWTORCH, ALCOHOL[CUST: MD MS 03] | A | 6520 | / | MB | 08-MAY-86 |
| | FED-STD-595/15125 | BLUE [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15092 | BLUE [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15044 | BLUE GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15042 | BLUE GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15045 | BLUE GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15050 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15055 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/15182 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15107 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15123 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15048 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/15187 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15109 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/15056 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15526 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15180 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15080 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15177 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15095 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/15102 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15193 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15200 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15090 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15450 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/15052 | BLUE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/35260 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/35109 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35164 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35450 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35466 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35352 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35414 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35526 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35042 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35193 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35095 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/35240 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35180 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35190 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35052 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/35177 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35299 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35550 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35189 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35622 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35630 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35488 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35045 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35056 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35275 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35237 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35231 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35250 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35044 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35183 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/35048 | BLUE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | FED-STD-595/25048 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/25053 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25190 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25051 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25414 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25109 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25189 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25488 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25550 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25185 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/25045 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25183 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25530 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/25299 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25177 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25052 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/25440 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/25102 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25526 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25237 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25622 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25630 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25042 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25200 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/25352 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25056 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25230 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/25193 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25240 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/25095 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/25184 | BLUE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | ASTM-C1289 | BOARD, FACED RIGID CELLULAR POLYISOCYANURATE THERMAL INSULATION[CUST: CR4 YD 99] | A | 5640 | | IS | 14-FEB-01 |
| | ASTM-C840 | BOARD, GYPSUM, APPLICATION AND FINISHING OF[CUST: YD] [REVIEW: 99 CE CR4] | A | 5640 | | IS | 15-FEB-94 |
| | ASTM-C208 | BOARD, INSULATING CELLULOSIC FIBER[CUST: CR4 YD] [REVIEW: CE MC] | A | 5640 | | IS | 14-JUN-82 |
| | A-A-1253B | BOARD, PREPACKING (PAPERBOARD & MOLDED PULP TRAYS) | A | 8135 | # | FSS | 19-JUN-83 |
| | IPC-D350 | BOARD, PRINTED, DESCRIPTION IN DIGITAL FORM[CUST: CR EC 11 CC] [REVIEW: MI NW] | A | 5998 | | CC | JUL-92 |
| | ASTM-C728 | BOARD, THERMAL INSULATION, PERLITE[CUST: CR4 YD] | A | 5640 | | IS | 11-SEP-92 |
| | IPC-DW425 | BOARDS, DESIGN AND END PRODUCT REQUIREMENTS FOR DISCRETE WIRING[CUST: CR EC 11] [REVIEW: MI OS SH] | A | 5998 | | CC | MAY-90 |
| | ASTM-F707/F707M | BOARDS, MODULAR GAGE[CUST: SH 99] [REVIEW: GS] | A | 6685 | | SH | 15-AUG-94 |
| | IPC-SM840 | BOARDS, PRINTED, PERMANENT POLYMER COATING (SOLDER MARK) FOR[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA MI] | A | 5999 | | CR | MAY-88 |
| | UL796 | BOARDS, PRINTED-WIRING[CUST: CR YD 11] | A | 5998 | | CC | 20-JAN-95 |
| | MIL-DTL-32019 | BOAT CLOAK - MENS' DRESS (OFFICER'S)[CUST: MC] | A | 8405 | | MC | 13-JAN-98 |
| | MIL-B-2873D | BOAT CLOTH[CUST: NU CT] | A | 7210 | | CT | 12-MAR-85 |
| | MIL-B-2883D | BOATSWAIN'S PIPE[CUST: NU CT] [REVIEW: CG] | A | 8465 | | CT | 17-OCT-88 |
| | MIL-B-44315(1) | BODY ARMOR, CHEST PLATE AND FACE SHIELD, EXPLOSIVE ORDNANCE DISPOSAL[CUST: GL CT] | A | 8470 | | CT | 28-OCT-88 |
| | MIL-B-44155B | BODY ARMOR, COAT, FOR EXPLOSIVE ORDNANCE DISPOSAL (EOD) SYSTEM[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8470 | | CT | 15-JAN-91 |
| | MIL-B-44053A(1) | BODY ARMOR, FRAGMENTATION PROTECTIVE VEST, GROUND TROOPS[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8470 | | CT | 22-JUN-90 |
| | MIL-B-43366C | BODY ARMOR, FRAGMENTATION PROTECTIVE, GROIN[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8470 | | CT | 06-MAR-90 |
| | MIL-B-44194A | BODY ARMOR, FRAGMENTATION PROTECTIVE, UNDERGARMENT, COMBAT VEHICLE CREWMEN'S[CUST: GL MC 99 CT] [REVIEW: 11 MD] | A | 8470 | | CT | 04-APR-90 |
| | MIL-B-44134 | BODY ARMOR, SMALL ARMS (HAND GUN) PROTECTIVE, UNDERGARMENT, MP-1[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8470 | | CT | 13-AUG-84 |
| | MIL-B-44421 NOT 2 | BODY ARMOR, SMALL ARMS PROTECTIVE, AIRCREW, SURVIVAL[CUST: GL CT] [REVIEW: MD] | A | 8470 | | CT | 07-SEP-00 |
| | MIL-B-44314 | BODY ARMOR, SMALL ARMS PROTECTIVE, AIRCREWMAN[CUST: GL 99 CT] [REVIEW: 11] | A | 8470 | | CT | 30-DEC-87 |
| | MIL-B-44266B | BODY ARMOR, TROUSERS, EXPLOSIVE ORDNANCE DISPOSAL (EOD) SYSTEM[CUST: GL 99 CT] [REVIEW: MD] | A | 8470 | | CT | 10-JAN-91 |
| | MIL-B-71132(2) | BODY ASSEMBLY, 81MM, FOR CARTRIDGE, PRACTICE, M880[CUST: AR] | A | 1315 | | AR | 05-DEC-95 |
| | SAE-AS1718 | BODY COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS[CUST: AV 99] [REVIEW: CC] | A | 4730 | | 71 | SEP-95 |
| | A-A-59536 | BODY SHIELD, BALLISTIC[CUST: GL CT] | A | 8470 | / | CT | 01-FEB-00 |
| | A-A-59539 | BODY SHIELD, NON-BALLISTIC[CUST: GL CT] | A | 8465 | / | CT | 01-FEB-00 |
| | MIL-B-71154(3) | BODY, 60MM, FOR CARTRIDGE, PRACTICE, M766[CUST: AR] | A | 1315 | | AR | 05-MAY-00 |
| | MS21953B NOT 1 | BODY, CLUSTER FITTING ONE -WAY, FLARE[CUST: AS 99 CC] [REVIEW: 71 MI] | A | 4730 | | CC | 07-APR-05 |
| | SAE-AS21942 | BODY, CLUSTER FITTING, ONE WAY, FLARELESS[CUST: AV AS 99] | A | 4730 | | AS | AUG-98 |
| | MS21946D NOT 1 | BODY, CLUSTER FITTING, ONE WAY, INTERNAL BOSS[CUST: AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | 07-APR-05 |
| | SAE-AS21945 | BODY, CLUSTER FITTING, THREE-WAY, FLARELESS[CUST: AV AS 99] [REVIEW: 71 CC] | A | 4730 | | AS | MAY-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS21960C NOT 1 | BODY, CLUSTER FITTING, THREE-WAY, INTERNAL BOSS[CUST: AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | 07-APR-05 |
| | MS21955B NOT 1 | BODY, CLUSTER FITTING, TWO WAY 180 DEG., FLARE[CUST: AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | 07-APR-05 |
| | SAE-AS21943 | BODY, CLUSTER FITTING, TWO WAY, 90 DEG., FLARELESS[CUST: AV AS 99] [REVIEW: CC MC SA] | A | 4730 | | AS | 14-SEP-00 |
| | MS21959C | BODY, CLUSTER FITTING, TWO WAY, 90 DEG., INTERNAL BOSS[CUST: AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | 15-JUN-00 |
| | MS21954B NOT 1 | BODY, CLUSTER FITTING, TWO-WAY 90 DEG., FLARE[CUST: AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | 07-APR-05 |
| | MS21958C | BODY, CLUSTER FITTING, TWO-WAY, 180 DEG., INTERNAL BOSS[CUST: AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | 15-JUN-00 |
| | STANAG-1361 ED.1 | BOFORS GUN 57MM L/70 AMMUNITION INTERCHANGEABILITY WITHIN NATO NAVAL FORCES | C | ISDN | | NI | 19-JUN-98 |
| | ASTM-D6823 | BOILER FUELS, COMMERCIAL, WITH USED LUBRICATING OILS[CUST: AT SA 68] [REVIEW: MI SH] | A | 9140 | | PS | 01-APR-05 |
| | MIL-B-24155B | BOILER SCALE REMOVING COMPOUND[CUST: SH] [REVIEW: GS] | A | 6850 | | SH | 27-OCT-86 |
| | ABC-STD-6F | BOILER WATER TREATMENT CHEMICALS | C | ISDN | | SH | 22-SEP-83 |
| | ASTM-A213/A213M | BOILER, ALLOY-STEEL, SEAMLESS FERRITIC AND AUSTENITIC, SUPERHEATER, AND HEAT-EXCHANGER TUBES[CUST: SH] | A | 4710 | | SH | 15-JUL-92 |
| | MIL-B-18381D | BOILER, STEAM, HIGH PRESSURE, NAVAL SHIP PROPULSION[CUST: SH] | A | 4410 | | SH | 23-SEP-75 |
| | MIL-B-16747C | BOILER, STEAM, HIGH PRESSURE, WATER TUBE TYPE, AUXILIARY NAVY SHIPBOARD[CUST: SH] | A | 4410 | | SH | 22-APR-63 |
| | ASME-CSD1 | BOILERS, AUTOMATICALLY FIRED, CONTROLS AND SAFETY DEVICES FOR[CUST: CR4 YD 99] | A | 4410 | | CC | 15-JUN-92 |
| | ANSI-Z21.22 | BOILERS, HOT WATER, GAS-FIRED, LOW-PRESSURE STEAM (ALSO INCLUDES ADDENDA ANSI-Z21.13A-72)[CUST: CR4 YD 99] [REVIEW: 71 CE MC SH] | A | 4820 | | CC | 20-MAR-92 |
| | ASME-BPVC1 | BOILERS, POWER, RULES FOR CONSTRUCTION OF[CUST: YD] [REVIEW: CE MC] | A | 4410 | | CC | 01-JUL-92 |
| | NAS333THRUNAS340 | BOLT - 100 DEG CLOSE TOLERANCE HIGH STRENGTH[CUST: AS 11 IS] | A | 5305 | | IS | 30-JAN-84 |
| | NASM21THRU37 | BOLT - CLEVIS[CUST: AV 99 IS] | A | 5306 | | IS | SEP-99 |
| | NAS563THRUNAS572 | BOLT - FULL THREADED, 160 KSI STEEL, DRILLED HEAD[CUST: AR AS 99 IS] | A | 5306 | | IS | 13-MAR-90 |
| | NAS467 | BOLT - HEX HEAD, BRASS, ELECTRICAL[CUST: AR AS 99 IS] | A | 5306 | | IS | 30-JUN-92 |
| | NAS2705THRUNAS2712 | BOLT - LOCK, SHEAR, 100 DEG. HEAD, STUMP TYPE TITANIUM ALLOY[CUST: AV AS 11 IS] | A | 5320 | | IS | 11-FEB-87 |
| | NAS2125THRUNAS2132 | BOLT - LOCK, TENSION, 100 DEG CROWN HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY[CUST: AV AS 11 IS] | A | 5320 | | IS | DEC-73 |
| | NASM3THRU20 | BOLT - MACHINE, AIRCRAFT[CUST: AV AS 99] | A | 5306 | | IS | SEP-99 |
| | NAS624THRUNAS644 | BOLT - TWELVE POINT EXTERNAL WRENCHING[CUST: AR AS 99 IS] | A | 5306 | | IS | 9-SEP-99 |
| | NAS3103THRUNAS3110 | BOLT - U[CUST: AR AS 99 IS] | A | 5306 | | IS | 25-JUN-91 |
| | NAS3303THRUNAS3305 | BOLT - U, STRAP TYPE[CUST: AR AS 99 IS] | A | 5306 | | IS | 25-JUN-91 |
| | NAS2605THRUNAS2612 | BOLT LOCK, SHEAR, PROTRUDING HEAD STUMP-TYPE, TITANIUM ALLOY[CUST: AR AS 99 IS] | A | 5320 | | IS | 09-MAR-89 |
| | NAS2406THRUNAS2412 | BOLT LOCK, SHEAR, PROTRUDING HEAD, STANDARD AND OVERSIZE, PULL TYPE, TITANIUM ALLOY[CUST: AV AS 11 IS] | A | 5320 | | IS | 15-SEP-78 |
| | NAS1003THRUNAS1020 | BOLT MACHINE, HEXAGON HEAD, NON MAGNETIC & HEAT RESISTANT[CUST: AS 11 IS] | A | 5306 | | IS | 30-JAN-84 |
| | NAS464 | BOLT SHEAR, CLOSE TOLERANCE[CUST: AR AS 99 IS] | A | 5306 | | IS | 09-MAR-89 |
| | NAS2852THRUNAS2860 | BOLT, 100 DEG CROWN REDUCED HEAD, TORQ SET (R) & HI TORQUE, (R) 108 KSI SHEAR[CUST: AS 11 IS] | A | 5306 | | IS | 30-JAN-84 |
| | NAS1603THRUNAS1610 | BOLT, 100 DEG FLUSH HEAS, 0312 OVERSIZE, ALLOY STEEL, 160,000 PSI[CUST: AS 11 IS] | A | 5306 | | IS | 17-OCT-84 |
| | NAS7103THRUNAS7116 | BOLT, 100 DEG HEAD, CRUCIFORM RECESS, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, SELF-LOCKING AND NONLOCKING[CUST: AS 11 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NAS7203THRUNAS7216 | BOLT, 100 DEG HEAD, PHILLIPS RECESS, CLOSE TOLERANCE, A286 CRES, LONG THREAD, SELF-LOCKING & NONLOCKING[CUST: AS 11 IS] | A | 5306 | | IS | 17-OCT-84 |
| | NAS1581 | BOLT, 100 DEG, FLUSH REDUCED HEAD[CUST: AS 11 IS] | A | 5306 | | IS | 20-MAY-83 |
| | NAS1202THRUNAS1210 | BOLT, 100 DEG. CLOSE TOLERANCE HEAD AND SHANK, 160,000 PSI SHORT THREAD[CUST: AR AS 99 IS] | A | 5306 | | IS | 29-MAR-96 |
| | NAS2832THRUNAS2840 | BOLT, 100 DEG. FLAT HEAD, OFFSET CRUCIFORM AND SLOTTED DOVETAIL, 180 KSI[CUST: AR AS 99 IS] | A | 5306 | | IS | 30-JUL-93 |
| | NAS1703THRUNAS1710 | BOLT, 100 DEG. FLUSH HEAD .0156 OVERSIZE ALLOY STEEL, 160,000 PSI[CUST: AR AS 99 IS] | A | 5306 | | IS | 19-SEP-88 |
| | NAS1790 | BOLT, 100 DEG. FLUSH HEAD 160,000 PSI UTS[CUST: AR AS 99 IS] | A | 5306 | | IS | 05-DEC 96 |
| | NAS583THRUNAS590 | BOLT, 100 DEG. FLUSH HEAD, ALLOY STEEL, 160,000 PSI[CUST: AS 11 IS] | A | 5305 | | IS | 29-MAY-86 |
| | NAS1221 | BOLT, 100 DEG. FLUSH HEAD, SELF-LOCKING OPTIONAL[CUST: AS 11 IS] | A | 5305 | | IS | 05-DEC-96 |
| | NAS1580 | BOLT, 100 DEG. FLUSH REDUCED HEAD[CUST: AV AS 11 IS] | A | 5306 | | IS | 20-MAY-83 |
| | NAS7303THRUNAS7316 | BOLT, 100 DEG. HEAD, CRUCIFORM RECESS CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, LONG THREAD, SELF-LOCKING AND NONLOCKING[CUST: AR AS 99 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NAS7400THRUNAS7416 | BOLT, 100 DEG. HEAD, CRUCIFORM RECESS CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD, SELF-LOCKING AND NONLOCKING[CUST: AR AS 99 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NAS7600THRUNAS7616 | BOLT, 100 DEG. HEAD, CRUCIFORM RECESS, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD, SELF-LOCKING AND NONLOCKING[CUST: AR AS 99 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NAS7500THRUNAS7516 | BOLT, 100 DEG. HEAD, CRUCIFORM RECESS, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, SELF-LOCKING AND NONLOCKING[CUST: AR AS 99 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NAS2803THRUNAS2810 | BOLT, 100 DEG. HEAD, OFFSET CRUCIFORM, CLOSE TOLERANCE, 180,000 PSI[CUST: AR AS 99 IS] | A | 5306 | | IS | 15-JUL-94 |
| | NAS8802THRUNAS8816 | BOLT, 100 DEG. REDUCED HEAD, PHILLIPS RECESS, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD[CUST: AR AS 99 IS] | A | 5306 | | IS | APR-82 |
| | NAS8602THRUNAS8616 | BOLT, 100 DEG. REDUCED HEAD, PHILLIPS RECESS, CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD[CUST: AR AS 99 IS] | A | 5306 | | IS | APR-82 |
| | NA0126 | BOLT, ADJUSTING, CROWN HEXAGON HEAD, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC[CUST: AR AS 99 IS] | A | 5306 | | IS | MAR-89 |
| | NA0071 | BOLT, ALLOY STEEL 1550 MPA TENSILE, PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] | A | 5306 | | IS | 25-JUN-91 |
| | NA0072 | BOLT, ALLOY STEEL 1800 MPA TENSILE, PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] | A | 5306 | | IS | 25-JUN-91 |
| | NA0062 | BOLT, ALLOY STEEL, 1550 MPA TENSILE, SPLINE DRIVE, METRIC[CUST: AR AS 99 IS] [REVIEW: AV] | A | 5310 | | IS | MAR-80 |
| | NA0063 | BOLT, ALLOY STEEL, 1800 MPA TENSILE, SPLINE DRIVE, METRIC[CUST: AR AS 99 IS] [REVIEW: AV] | A | 5306 | | IS | MAR-80 |
| | NASM8906 | BOLT, ALLOY STEEL, SHEAR AND TENSILE (132 KSI MIN FSU AND 220 KSI MIN FTU), 450 DEGREES F, SPLINE DRIVE, GENERAL SPECIFICATION FOR[CUST: AV AS 99] | A | 5306 | | IS | JUN-99 |
| | NASM8907 | BOLT, ALLOY STEEL, SHEAR AND TENSILE (156 KSI FSU AND 260 KSI FTU, 450 DEGREE F) EXTERNAL WRENCHING, FLANGED HEAD[CUST: AV AS 11 IS] | A | 5306 | | IS | DEC 98 |
| | NA0163 | BOLT, BLIND, DESIGN ELEMENTS, METRIC[CUST: AV AS 11 IS] | A | 5320 | | IS | SEP-83 |
| | NAS1982THRUNAS1990 | BOLT, BRAZIER HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT[CUST: AR AS 99 IS] | A | 5306 | | IS | 05-DEC-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NAS2842THRUNAS2850 | BOLT, BRAZIER HEAD, OFFSET CRUCIFORM AND SLOTTED DOVETAIL, 180 KSI[CUST: AR AS 99 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NA0155 | BOLT, CLEVIS, 660 MPA SHEAR, METRIC[CUST: AR AS 99 IS] [REVIEW: AV] | A | 5306 | | IS | MAY-82 |
| | NAS673THRUNAS678 | BOLT, CLOSE TOLERANCE - HEXAGON HEAD, TITANIUM, .190 TO .500[CUST: AS 11 IS] | A | 5306 | | IS | 30-JAN-84 |
| | NAS653THRUNAS658 | BOLT, CLOSE TOLERANCE - HEXAGON HEAD, TITANIUM, SHORT THREAD, .190 TO .500[CUST: AR AS 99 IS] | A | 5306 | | IS | 31-MAR-98 |
| | NAS1767 | BOLT, CLOSE TOLERANCE, 100 DEG. REDUCED HEAD, ,HI TORQUE, RECESS[CUST: AV AS 11] [REVIEW: CR4] | A | 5305 | | IS | 05-DEC-80 |
| | NA45 | BOLT, CLOSE TOLERANCE, HEX HEAD, A-286 CRES, 1100 MPA TENSILE, METRIC[CUST: AR AS 99] [REVIEW: AV] | A | 5306 | | IS | 22-MAY-86 |
| | NA0036 | BOLT, CLOSE TOLERANCE, HEXAGON HEAD ALLOY STEEL 1100 MPA METRIC[CUST: AR AS 11] [REVIEW: AV CR4 IS] | A | 5306 | | AR | 28-FEB-97 |
| | NA0045 | BOLT, CLOSE TOLERANCE, HEXAGON HEAD, A-286 CRES 1100 MPA METRIC[CUST: AR AS 99 IS] [REVIEW: AV] | A | 5306 | | IS | 29-MAR-96 |
| | NA0037 | BOLT, CLOSE TOLERANCE, HEXAGON HEAD, TITANIUM ALLOY 1100 MPA METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5306 | | IS | 29-MAR-96 |
| | NA0059 | BOLT, CLOSE TOLERANCE, SPLINE DRIVE, A286 CRES, 1250 MPA METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5306 | | IS | 29-MAR-96 |
| | NA0058 | BOLT, CLOSE TOLERANCE, SPLINE DRIVE, ALLOY STEEL, 1250 MPA, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5306 | | IS | 29-MAR-96 |
| | MS21950B NOT 1 | BOLT, CLUSTER FITTING SINGLE PORT THROUGH-FLARE[CUST: AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | 07-APR-05 |
| | MS21949B | BOLT, CLUSTER FITTING SINGLE PORT, FLARE[CUST: AS CC] [REVIEW: SA] | A | 4730 | | CC | 20-SEP-00 |
| | SAE-AS21940 | BOLT, CLUSTER FITTING, DOUBLE PORT, FLARELESS[CUST: AV AS 99] [REVIEW: CC MC SA] | A | 4730 | | AS | 14-SEP-00 |
| | SAE-AS21941 | BOLT, CLUSTER FITTING, DOUBLE PORT, THROUGH, FLARELESS[CUST: AV AS 99] [REVIEW: CC MC SA] | A | 4730 | | AS | SEP-00 |
| | SAE-AS21938 | BOLT, CLUSTER FITTING, SINGLE PORT FLARELESS[CUST: AV AS 99] [REVIEW: 71 CC] | A | 4730 | | AS | MAY-98 |
| | SAE-AS21939 | BOLT, CLUSTER FITTING, SINGLE PORT, THROUGH, FLARELESS[CUST: AV AS 99] [REVIEW: CC MC SA] | A | 4730 | | AS | SEP-00 |
| | SAE-AS21944 | BOLT, CLUSTER FITTING, TWO WAY, 180 DEG., FLARELESS[CUST: AV AS 99] [REVIEW: CC MC SA] | A | 4730 | | AS | SEP-00 |
| | MIL-B-82921 | BOLT, EXPLOSIVE, MK 7 MOD 0, PERFORMANCE SPECIFICATION FOR[CUST: OS] | D | 1377 | | OS | 29-DEC-94 |
| | NAS1785 | BOLT, EXTERNAL WRENCHING, 220 KSI MIN TENSILE, 132 KSI MIN SHEAR H-11 STEEL, 900 DEG. F[CUST: AR AS 99 IS] | A | 5306 | | IS | 31-OCT-85 |
| | NASM42THRU49 | BOLT, EYE[CUST: AV AS 99 IS] | A | 5306 | | IS | FEB-99 |
| | NA0153 | BOLT, EYE A286 CRES, 1100 MPA, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5306 | | IS | DEC-81 |
| | NA0152 | BOLT, EYE, ALLOY STEEL, 1100 MPA, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5306 | | IS | DEC-81 |
| | NAS1053 | BOLT, EYE, ASSEMBLY - FORGED CARBON STEEL[CUST: AR AS 99 IS] | A | 5306 | | IS | 28-JAN-94 |
| | NASM45908 | BOLT, EYE, GENERAL SPECIFICATION FOR[CUST: AR 99 IS] | A | 5306 | | IS | 21-JUL-00 |
| | MIL-B-15382C(1) NOT 1 | BOLT, FIREBRICK ANCHOR[CUST: SH IS] [REVIEW: MI] | A | 5306 | | IS | 10-JUN-94 |
| | NAS1578 | BOLT, FLAT PAN HEAD[CUST: AV AS 11 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NAS1972THRUNAS1980 | BOLT, FLAT, 100 DEG. HEAD, TORQ-SET AND HI-TORQUE, 180 KSI SHEAR[CUST: AR AS 99 IS] | A | 5306 | | IS | 30-JUN-86 |
| | NAS1992THRUNAS2000 | BOLT, FLAT, 100 DEG. REDUCED HEAD, TORQ-SET AND HI-TORQUE, 108 KSI SHEAR[CUST: AR AS 99 IS] | A | 5306 | | IS | 30-JUN-86 |
| | NAS6203THRUNAS6220 | BOLT, HEX HEAD, CLOSE TOLERANCE ALLOY STEEL, LONG THREAD SELF LOCKING AND NON LOCKING[CUST: AV AS 11 IS] | A | 5306 | | IS | 14-JUN-75 |
| | NAS6803THRUNAS6820 | BOLT, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, LONG THREAD, SELF- LOCKING AND NONLOCKING[CUST: AV AS 11 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NAS6403THRUNAS6420 | BOLT, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SELF-LOCKING AND NONLOCKING[CUST: AR AS 99 IS] | A | 5305 | | IS | 09-MAR-89 |
| | NAS6303THRUNAS6320 | BOLT, HEX HEAD, CLOSE TOLERANCE, A-286, SHORT THREAD, SELF LOCKING AND NON LOCKING (W/DOD EXCEPTION)[CUST: AV AS 11] [REVIEW: CR4] | A | 5306 | | IS | 05-DEC-80 |
| | NAS6703THRUNAS6720 | BOLT, HEX HEAD, CLOSE TOLERANCE, A286 CRES, LONG THREADS, SELF LOCKING AND NONLOCKING[CUST: AV AS 11 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NAS1261THRUNAS1265 | BOLT, HEX HEAD, CLOSE TOLERANCE, SHORT THREAD, TITAN IUM ALLOY[CUST: AV AS 99 IS] | A | 5306 | | IS | 17-NOV-88 |
| | NAS1266THRUNAS1270 | BOLT, HEX HEAD, CLOSE TOLERANCE, TITANIUM ALLOY[CUST: AR AS 99 IS] | A | 5306 | | IS | 17-NOV-88 |
| | NASM27953 | BOLT, HOOK - TURNBUCKLE (GENERAL PURPOSE)[CUST: SH 71] | A | 5306 | | IS | SEP-99 |
| | NAS2506THRUNAS2512 | BOLT, LOCK, SHEAR, 100 DEG. HEAD, STANDARD & OVER SIZE, PULL TYPE, TITANIUM ALLOY[CUST: AV AS 11 IS] | A | 5320 | | IS | 15-SEP-78 |
| | NAS2105THRUNAS2112 | BOLT, LOCK, TENSION, 100 DEG. HEAD (MS24694), PULL TYPE, TITANIUM ALLOY[CUST: AV AS 11 IS] | A | 5320 | | IS | 15-SEP-78 |
| | NAS2005THRUNAS2012 | BOLT, LOCK, TENSION, PROTRUDING HEAD, STANDARD AND OVERSIZED, PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS[CUST: AV AS 11 IS] | A | 5320 | | IS | 15-SEP-78 |
| | NAS428 | BOLT, MACHINE - CROWNED HEXAGON HEAD, ADJUSTING[CUST: AS 11 IS] | A | 5306 | | IS | 03-JUN-94 |
| | SAE-AS3175 | BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CL TOL SHANK, AMS 5643, .250-28 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-MAR-76 |
| | SAE-AS3174 | BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CL TOL SHANK, AMS 5643, .190-32 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-MAR-76 |
| | SAE-AS9557 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .250-28 UNJF-3A[CUST: AV AS 99] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9895 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS 5616, .250-28 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9944 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, FULL SHANK, STEEL AMS 6322, CADMIUM PLATED, .375-24 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9579 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, AMS 5731, SILVER PLATED, .500-20 UNJF-3A[CUST: AV AS 99] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9565 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .1900-32 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9566 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .2500-28 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9576 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .3125-24 UNJF-3A[CUST: AV AS IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9577 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .375-24 UNJF-3A[CUST: AV AS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9575 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .250-28 UNJF-3A[CUST: AV AS] | A | 5306 | | IS | DEC-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS9928 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .500-20 UNJF-3A[CUST: AS 11] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9759 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A[CUST: AS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9761 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .3125-24 UNJF-3A[CUST: AS] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9760 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .250-28 UNJF-3A[CUST: AS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9732 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .190-32 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9677 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9918 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .4375-20 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9751 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, TITANIUM AMS 4967, .250-28 UNJF-3A[CUST: AS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9750 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A[CUST: AS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9697 | BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS N07001, 165 KSI MIN, .2500-28 UNJF-3A[CUST: AV AS 99] | A | 5306 | | IS | JUN-99 |
| | SAE-AS9678 | BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9679 | BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .375-24 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | AUG-00 |
| | SAE-MA3365 | BOLT, MACHINE - HEX HEAD, DRILLED, FULL SHANK, LONG THREAD, AMS 5731, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | 24-APR-89 |
| | SAE-AS3400 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS 5708, .190-32 UNJF-3A[CUST: AV AS 99] [REVIEW: AR IS] | A | 5306 | | 71 | AUG-85 |
| | SAE-AS3401 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS 5708, .250-28 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 03-AUG-87 |
| | SAE-AS3403 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS 5708, .375 -24 UNJF-3A[CUST: AV AS 99 IS] [REVIEW: AR] | A | 5306 | | IS | AUG-85 |
| | SAE-AS3402 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS5708, .3125-24 UNJF-3A[CUST: AV AS 99] [REVIEW: AR IS] | A | 5306 | | 71 | 03-AUG-87 |
| | SAE-AS3404 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .190-32 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 03-AUG-87 |
| | SAE-AS3405 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .250-28 UNJF-3A[CUST: AV AS 99] [REVIEW: AR IS] | A | 5306 | | 71 | AUG-85 |
| | SAE-AS3406 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .3125-24 UNJF-3A[CUST: AV AS 99 IS] [REVIEW: AR] | A | 5306 | | IS | AUG-85 |
| | SAE-AS3407 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .375-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 03-AUG-87 |
| | SAE-AS9686 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, DIFFUSED NICKEL CADMIUM PLATE, .250-28 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | NOV-98 |
| | SAE-AS9685 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, DIFFUSED NICKEL CADMIUM PLATE, .190-32 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9583 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .190-32 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9584 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .250-28 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9587 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .4375-20 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9489 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK AMS 5731, .190-32 UNJF-3A[CUST: AV AS 99] | A | 5306 | | IS | DEC-99 |
| | SAE-AS3303 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .190-32 UNJF-3A[CUST: AV AS 99 IS] [REVIEW: AR] | A | 5306 | | IS | AUG-85 |
| | SAE-AS3307 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .250-28 UNJF-3A[CUST: AV AS 99 IS] [REVIEW: AR] | A | 5306 | | IS | AUG-85 |
| | SAE-AS3308 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .3125-24 UNJF-3A[CUST: AV AS 99 IS] [REVIEW: AR] | A | 5306 | | IS | AUG-85 |
| | SAE-AS3309 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .375-24 UNJF-3A[CUST: AV AS 99 IS] [REVIEW: AR] | A | 5306 | | IS | AUG-85 |
| | SAE-AS9638 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .500-20 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | SAE-MA3366 | BOLT, MACHINE - SPLINE DRIVE EXTENDED WASHER, DRILLED HEAD, FULL SHANK, LONG THREAD, AMS 5662, METRIC[CUST: AR AS 99 IS] [REVIEW: AV SH] | A | 5306 | | IS | 19-DEC-90 |
| | SAE-MA3343 | BOLT, MACHINE - SPLINE DRIVE EXTENDED WASHER, FULL SHANK, LONG THREAD, AMS 5662, METRIC[CUST: AR 99 IS] [REVIEW: 71 SH] | A | 5306 | | IS | 15-SEP-88 |
| | SAE-MA3447 | BOLT, MACHINE - SPLINE DRIVE HD, CLOSE TOL FULL SHANK, AMS 5662, METRIC[CUST: AR AS 99 IS] [REVIEW: AV SH] | A | 5306 | | IS | 14-FEB-90 |
| | SAE-AS9219 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, .3125-24 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9208 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .190-32 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9212 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .4375-20 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9210 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .3125-24 UNJF-3A[CUST: AS] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9209 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .250-28 UNJF-3A[CUST: AS] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9442 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .3125-24 UNJF-3A (ASG)[CUST: AS 99 IS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9294 | BOLT, MACHINE - STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .190-32 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9529 | BOLT, MACHINE - STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .190-32 UNJF-3A[CUST: AV AS 99] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9523 | BOLT, MACHINE - STEEL, ADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .5000-20 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9218 | BOLT, MACHINE - STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .250-28 UNJF-3A[CUST: AS] | A | 5306 | | IS | DEC-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS9297 | BOLT, MACHINE - STEEL, AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .375-24 UNJF-3A[CUST: AS] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9286 | BOLT, MACHINE - STEEL, AMS 6322, BLACK OXIDE, HEXAGON HEAD, .375-24 UNJF-3A[CUST: AS] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9680 | BOLT, MACHINE - STEEL, AMS 6322, CADMIUM PLATED, DOUBLE HEXAGON, EXTENDED WASHER HEAD, CUP WASHER LOCKED, .190-32 UNJF-3A[CUST: AS 99] | A | 5305 | | IS | AUG-00 |
| | SAE-AS9681 | BOLT, MACHINE - STEEL, AMS 6322, CADMIUM PLATED, DOUBLE HEXAGON, EXTENDED WASHER HEAD, CUP WASHER LOCKED, .250-28 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9521 | BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .3750-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9525 | BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .6250-18 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9520 | BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .3125-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9526 | BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .7500-16 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9518 | BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9458 | BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .6250-18 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | 23-SEP-98 |
| | SAE-AS9453 | BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .3125-24 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9455 | BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .4375-20 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | 22-JUN-99 |
| | SAE-AS9456 | BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .5000-20 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | 13-MAY-99 |
| | SAE-AS9452 | BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K4675, 195 KSI MIN, .2500 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-MA3446 | BOLT, MACHINE - TEE HEAD, CHAMFERED CLASSIFICATION: 1210 MPA/730 DEG C CLOSE TOL SHANK, UNS N07001, METRIC[CUST: AR AS 99 IS] [REVIEW: AV SH] | A | 5306 | | IS | JUL-94 |
| | SAE-AS9490 | BOLT, MACHINE -HEXAGON HEAD, FULL SHANK AMS 5731, .250-28 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | OCT-99 |
| | SAE-AS9496 | BOLT, MACHINE -HEXAGON HEAD, FULL-SHANK, AMS5731, .625-18 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | NASM7874 | BOLT, MACHINE, 1200 DEG. F[CUST: AV AS 99] | A | 5306 | | IS | MAR-00 |
| | NASM20074 | BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, COARSE THREAD[CUST: AV AS 99 IS] | A | 5306 | | IS | NOV-99 |
| | NASM20073 | BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, FINE THREAD[CUST: AV AS 99 IS] | A | 5306 | | IS | NOV 99 |
| | SAE-MA3286 | BOLT, MACHINE, HEX HEAD - PD SHANK - MJ THREAD, AMS 5731, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AS] | A | 5306 | | IS | 31-MAY-78 |
| | NAM51417 | BOLT, MACHINE, HEX HEAD, FULLY THREADED, FINE THREAD, METRIC[CUST: IS] | A | 5306 | | IS | SEP-99 |
| | NASM51417 | BOLT, MACHINE, HEX HEAD, FULLY THREADED, FINE THREAD, METRIC[CUST: IS] | A | 5306 | | IS | SEP-99 |
| | NASM20033THRU20046 | BOLT, MACHINE, HEXAGON HEAD, 1200 DEG. F[CUST: AR AS 99 IS] | A | 5306 | | IS | FEB-99 |
| | SAE-AS9964 | BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .625-18 UNJF-3A[CUST: AV AS 11] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9958 | BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .250-28 UNJF-3A[CUST: AV AS 11] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9454 | BOLT, MACHINE, HEXAGON HEAD, STEEL, .375-24 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9457 | BOLT, MACHINE, HEXAGON HEAD, STEEL, .5625-18 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9519 | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .250-28 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9522 | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .4375-20 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9524 | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .5625-18 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9451 | BOLT, MACHINE, STEEL, DIFFUSED NICKEL-CADMIUM LATED, HEXGON HEAD, UNS K14675, 195 KSI MIN, .1900-32 UNUJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | 13-MAY-99 |
| | SAE-AS9676 | BOLT, MACHINE- DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUPWASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .190-32 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | OCT-99 |
| | SAE-AS9217 | BOLT, MACHINE- STEEL AMS6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .190-32 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | NOV-98 |
| | SAE-AS3580 | BOLT, MACHINE-DOUBLE HEX HEAD, PD SHANK, UNS N07718 - 185 KSI[CUST: AS 99 IS] | A | 5306 | | IS | MAY-96 |
| | SAE-AS91101 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A[CUST: AS] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9887 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .3125-24 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9885 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS5616, .190-32 UNJF-3A[CUST: AV AS 99] | A | 5306 | | IS | JUN-99 |
| | SAE-AS9890 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS5616, .500-20 UNJF-3A[CUST: AS 11 IS] | A | 5306 | | IS | MAY-98 |
| | SAE-AS9724 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS N07001, 165 KSI MIN, .2500-28 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 23-SEP-98 |
| | SAE-AS91111 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286, 130 KSI MIN, . 2500 UNJF-3A[CUST: AS] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9112 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286, 130 KSI, .3125-24 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 13-MAY-99 |
| | SAE-AS9894 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS 5616, .19032 UNJA-3A[CUST: AS 99 IS] | A | 5306 | | IS | MAY-99 |
| | SAE-AS9568 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .375-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 23-SEP-98 |
| | SAE-AS9567 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .3125-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 23-SEP-98 |
| | SAE-AS9742 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S17400, 140 KSI MIN .2500-28 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | OCT-99 |
| | SAE-AS9947 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, FULL SHANK, STEEL AMS 6322, CADMIUM PLATED, .5625-18 UNJF-3A[CUST: AS 11 IS] | A | 5306 | | IS | MAY-98 |
| | SAE-AS9933 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, FULL SHANK, STEEL AMS6322, CADMIUM PLATED, .250-28 UNJF-3A[CUST: AS 11 IS] | A | 5306 | | IS | MAY-98 |
| | SAE-AS9914 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .190-32 UNJF-3A[CUST: AS 11 IS] | A | 5306 | | IS | MAY-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS9923 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .190-32 UNJF-3A[CUST: AS 11 IS] | A | 5306 | | IS | MAY-98 |
| | SAE-AS9917 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .375-24 UNJF-3A[CUST: AS 11 IS] | A | 5306 | | IS | MAY-98 |
| | SAE-AS9924 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL, AMS 6322, CADMIUM PLATED, .250-28 UNJF-3A[CUST: AS 11 IS] | A | 5306 | | IS | MAY-98 |
| | MS9062C(1) | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, DRILLED, .3125-24 NS[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 22-AUG-02 |
| | SAE-AS9556 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL,UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9559 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9558 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS9705 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .190-32 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9741 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S17400, 140 MIN .1900-32 UNJF-3A[CUST: AS] | A | 5306 | | IS | JUN-99 |
| | SAE-AS9574 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .190-32 UNJF-3A[CUST: AV AS IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9716 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | OCT-98 |
| | SAE-AS9714 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .190-32 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9715 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .250-28 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | OCT-98 |
| | SAE-AS9696 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS N07001, 165 KSI MIN, .1900-32 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | OCT-99 |
| | SAE-AS9698 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS N07001, 165 KSI MIN, .3125-24 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | OCT-99 |
| | SAE-AS9699 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS N07001, 165 KSI MIN, .375-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | OCT-99 |
| | SAE-AS9734 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5634, .3125-24 UNJF-3A[CUST: AS] | A | 5306 | | IS | NOV-98 |
| | SAE-AS9733 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .250-28 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | NOV-98 |
| | SAE-AS9916 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, STEEL AMS6322, CADMIUM PLATED, .3125-24 UNJF-3A[CUST: AS 11 IS] | A | 5306 | | IS | MAY-98 |
| | SAE-MA3369 | BOLT, MACHINE-HEX HEAD, DRILLED, PD SHANK, LONG THREAD, AMS 5662, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | 19-MAY-89 |
| | SAE-MA3338 | BOLT, MACHINE-HEX HEAD, PD SHANK, LONG THREAD, AMS 5662, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | FEB-87 |
| | SAE-MA3398 | BOLT, MACHINE-HEX HEAD-DRILLED, PD SHANK, LONG THREAD, AMS 5731, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | JUL-87 |
| | SAE-MA3347 | BOLT, MACHINE-HEX HEAD-FULL SHANK, LONG THREAD, AMS 5731, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | 24-APR-89 |
| | SAE-MA3289 | BOLT, MACHINE-HEX HEAD-PD SHANK MJ THREAD, AMS 6322, CADMIUM PLATE, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 24-APR-89 |
| | SAE-AS9796 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5643, .3125-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | SAE-AS9500 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .190-32 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9505 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .500-20 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9816 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, AMD 5643, .190-32 UNJF-3A[CUST: AS 11 IS] | A | 5306 | | IS | MAY-98 |
| | SAE-AS9821 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, AMS5643, .500-20 UNJF-3A[CUST: AS 11 IS] | A | 5306 | | IS | MAY-98 |
| | SAE-AS9687 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, DIFFUSED NICKEL CADMIUM PLATE, .3125-24 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | SAE-AS9585 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .3125-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | SAE-AS9586 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .375-24 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9588 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .500-20 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | NOV-98 |
| | SAE-AS9589 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .5625-18 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9491 | BOLT, MACHINE-HEXAGON HEAD, FULL SHANK AMS 5731, .3125-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | OCT-99 |
| | SAE-AS9783 | BOLT, MACHINE-HEXAGON HEAD, FULL SHANK, AMS 5643, .190-32 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9784 | BOLT, MACHINE-HEXAGON HEAD, FULL SHANK, AMS 5643, .250-28 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9785 | BOLT, MACHINE-HEXAGON HEAD, FULL SHANK, AMS 5643, .3125-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9786 | BOLT, MACHINE-HEXAGON HEAD, FULL SHANK, AMS 5643, .375-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9788 | BOLT, MACHINE-HEXAGON HEAD, FULL SHANK, AMS 5643, .500-20 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9790 | BOLT, MACHINE-HEXAGON HEAD, FULL SHANK, AMS 5643, .625-18 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9494 | BOLT, MACHINE-HEXAGON HEAD, FULL SHANK, AMS 5731, .500-20 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | OCT-99 |
| | SAE-AS9493 | BOLT, MACHINE-HEXAGON HEAD, FULL SHANK, AMS 5731,, .4375-20 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9492 | BOLT, MACHINE-HEXAGON HEAD, FULL SHANK, AMS5731, .375-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9805 | BOLT, MACHINE-HEXAGON HEAD, PD SHANK, AMS 5643, .190-32 UNJF-3A[CUST: AV AS 99] | A | 5306 | | IS | NOV-98 |
| | SAE-AS9806 | BOLT, MACHINE-HEXAGON HEAD, PD SHANK, AMS 5643, .250-28 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | SAE-AS9808 | BOLT, MACHINE-HEXAGON HEAD, PD SHANK, AMS 5643, .375-24 UNJF-3A[CUST: AV AS 99] | A | 5306 | | IS | NOV-98 |
| | SAE-AS9633 | BOLT, MACHINE-HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | SAE-MA3476 | BOLT, MACHINE-SPLINE EXTENDED WASHER, FULL HEAD, PD SHANK, LONG THREAD, AMS 5662, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 06-NOV-91 |
| | SAE-MA3342 | BOLT, MACHINE-SPLINE EXTENDED WASHER, FULL SHANK, DRILLED, LONG THREAD, AMS 5731, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | 19-MAY-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-MA3341 | BOLT, MACHINE-SPLINE EXTENDED WASHER, FULL SHANK, LONG THREAD, AMS 5731 METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | JUN-87 |
| | SAE-MA3287 | BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK LONG THREAD, AMS 5731, METRIC[CUST: AV 99 IS] [REVIEW: 71 AR] | A | 5306 | | IS | 25-AUG-88 |
| | SAE-MA3340 | BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, AMS 5662, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 06-MAR-91 |
| | SAE-MA3368 | BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, DRILLED, AMS5662, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 12-MAY-89 |
| | SAE-MA3339 | BOLT, MACHINE-SPLINE, EXTENDED WASHER, PD SHANK, LONG THREAD, AMS 6322, CADMIUM PLATED, METRIC[CUST: AV 99 IS] [REVIEW: 71 AR] | A | 5306 | | IS | AUG-87 |
| | SAE-AS9532 | BOLT, MACHINE-STEEL AMS 322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .375-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | SAE-AS9440 | BOLT, MACHINE-STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .190-32 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9534 | BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .500-20 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | SAE-AS9296 | BOLT, MACHINE-STEEL AMS5322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .3125024 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9441 | BOLT, MACHINE-STEEL AMS6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .250-28 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9285 | BOLT, MACHINE-STEEL AMS6322, BLACK OXIDE, HEXAGON HEAD, .3125-24 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | OCT-99 |
| | SAE-AS9530 | BOLT, MACHINE-STEEL AMS6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .250-28 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | SAE-AS91601 | BOLT, MACHINE-STEEL, 12-POINT HEAD .375-24, BLACK OXIDE[CUST: AS] | A | 5306 | | IS | DEC-99 |
| | SAE-AS9444 | BOLT, MACHINE-STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .4375-20 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9284 | BOLT, MACHINE-STEEL, AMS 6322, BLACK OXIDE, HEXAGON HEAD, .250-28 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | NOV-98 |
| | SAE-AS9533 | BOLT, MACHINE-STEEL, AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .4375029 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | SAE-AS9283 | BOLT, MACHINE-STEEL, AMS6322, BLACK OXIDE, HEXAGON HEAD, ,190032 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS9531 | BOLT, MACHINE-STEEL, AMS6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .3125-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-98 |
| | SAE-AS9502 | BOLT, MACHINED-HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .3125-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9503 | BOLT, MACHINED-HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .375-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9501 | BOLT, MACHNINE-HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .250-28 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | AUG-99 |
| | SAE-AS9459 | BOLT, MACHNINE-STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED HEXAGON HEAD, .750-16 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | AUG-99 |
| | NASM85604 | BOLT, NICKEL ALLOY 718, TENSION, HIGH STRENGTH, (125 KSI FTU AND 220 KSI FTU), HIGH TEMPERATURE, SPLINE DRIVE GENERAL SPECIFICATION FOR[CUST: AV AS 11] | A | 5306 | | IS | MAR-00 |
| | NAS7800THRUNAS7806 | BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, CRUCIFORM RECESS, A286 CRES, SELF-LOCKING AND NONLOCKING[CUST: AR AS 99 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NAS7700THRUNAS7706 | BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, CRUCIFORM RECESS, ALLOY STEEL, SELF-LOCKING AND NONLOCKING[CUST: AR AS 99 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NAS7900THRUNAS7906 | BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, CRUCIFORM RECESS, TITANIUM ALLOY 6AL-4V, SELF-LOCKING AND NONLOCKING[CUST: AR AS 99 IS] | A | 5306 | | IS | 05-DEC-96 |
| | NAS1218 | BOLT, PAN HEAD, SELF-LOCKING OPTIONAL[CUST: AS 11 IS] | A | 5305 | | IS | 05-DEC-96 |
| | NAS1251 | BOLT, RING - SWIVEL[CUST: AR AS 99 IS] | A | 5306 | | IS | 30-SEP-72 |
| | NASM21098 | BOLT, SELF LOCKING, STEEL, 160 KSI FTU 250 DEG. F, 12 POINT, EXTERNAL WRENCHING (EXTERNALLY WRENCHING CAP SCREWS)[CUST: AS 99 IS] | A | 5306 | | IS | 20-JUL-00 |
| | NASM21097 | BOLT, SELF-LOCKING, 250 DEG. F, CRES, 48 KSI FSU, 80 KSI FTU PAN HEAD, CROSS RECESSED[CUST: AV AS 99 IS] | A | 5306 | | IS | SEP-99 |
| | NASM21095 | BOLT, SELF-LOCKING, 250 DEG. F., CRES, 48 KSI KSU, 80 KSI FTU, HEX HEAD[CUST: AV AS 99 IS] | A | 5306 | | IS | SEP-99 |
| | NASM21094 | BOLT, SELF-LOCKING, 250 DEG. F., STEEL, 75 KSI FSU, 125 KSI FTU, HEX HEAD[CUST: AS 99 IS] | A | 5306 | | IS | FEB-99 |
| | NASM21096 | BOLT, SELF-LOCKING, 75 KSI FSU, 125 KSI FTU PAN HEAD, CROSS RECESSED[CUST: AV AS 99 IS] | A | 5306 | | IS | SEP-99 |
| | MIL-B-45912A(1) | BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL[CUST: AR 99] [REVIEW: MI] | A | 5306 | | IS | 24-MAY-91 |
| | NASM83050 | BOLT, SELF-RETAINING, IMPEDANCE TYPE[CUST: AV 99] | A | 5306 | | IS | MAR-00 |
| | NASM27576 | BOLT, SELF-RETAINING, IMPEDANCE TYPE, 95 KSI FSU, HEX HEAD, 450 DEG. F.[CUST: AV AS 99 IS] | A | 5306 | | IS | FEB-99 |
| | NASM23964 | BOLT, SELF-RETAINING, POSITIVE LOCKING[CUST: AS 99 IS] | A | 5306 | | IS | MAR-00 |
| | NASM21125 | BOLT, SELF-RETAINING, POSITIVE LOCKING, CRES, 90 KSI FSU, 63 KSI FTU, PAN HEAD, 450 DEG. F AND 650 DEG. F[CUST: AV AS 11 IS] | A | 5306 | | IS | APR-99 |
| | NAS2813THRUNAS2830 | BOLT, SHEAR, HEXAGON HEAD, 180 KSI[CUST: AR AS 99 IS] | A | 5306 | | IS | 31-MAR-98 |
| | NAS1223THRUNAS1235 | BOLT, SHEAR, HEXAGON HEAD, SELF LOCKING[CUST: AV AS 11] [REVIEW: CR4] | A | 5306 | | IS | 15-SEP-78 |
| | SAE-AS3574 | BOLT, SHEAR-DOUBLE HEX HEAD, UNS N07718 - 185 KSI[CUST: AS 99 IS] | A | 5306 | | IS | 18-JUN-96 |
| | NAS1297 | BOLT, SHOULDER - HEXAGON HEAD[CUST: AS 11 IS] | A | 5306 | | IS | 31-MAR-98 |
| | NAS1160 | BOLT, SHOULDER, HEX HEAD, CLOSE TOLERANCE, CRES-A286[CUST: AR AS 99 IS] | A | 5306 | | IS | 31-MAR-98 |
| | NA0252 | BOLT, SHOULDER, HEXAGON HEAD A286 CRES 1100 MPA TENSILE METRIC[CUST: AR AS 99 IS] | A | 5306 | | IS | NOV-89 |
| | NA0253 | BOLT, SHOULDER, HEXAGON HEAD ALLOY STEEL 1100 MPA TENSILE METRIC[CUST: AR AS 99 IS] | A | 5306 | | IS | NOV-89 |
| | MIL-B-85667A(2) SUP 1 | BOLT, SLEEVE, STRAIGHT SHANK, PROTRUDING AND FLUSH HEAD, GENERAL SPECIFICATION FOR[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-JUN-98 |
| | SAE-MA3371 | BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, DRILLED, PD SHANK, LONG THREAD, AMS 5708, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 01-MAR-93 |
| | SAE-MA3348 | BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, PD SHANK, LONG THREAD, AMS 5708, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 14-JUL-93 |
| | SAE-MA3449 | BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, REDUCED HEAD, RETAINER LOCKED, PD SHANK, AMS 5708, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 23-MAY-91 |
| | SAE-MA3448 | BOLT, SPLINE DRIVE SPECIAL EXTENDED WASHER HEAD, REDUCED HEAD, PD SHANK, AMS 5708, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 23-MAY-91 |
| | NASM35751 | BOLT, SQUARE NECK, ROUND HEAD (CARRIAGE), STEEL, CADMIUM OR ZINC PLATED, UNC-2A[CUST: AV 99] | A | 5306 | | IS | APR-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NAS501 | BOLT, STABILIZED NON-MAGNETIC, CRES[CUST: AV AS 11 IS] | A | 5306 | | IS | 31-MAR-98 |
| | MS18116H(1) NOT 1 | BOLT, STUD, AND SOCKET CAP HEAD SCREW, NICKEL-COPPER-ALUMINUM ALLOY[CUST: SH IS] | A | 5307 | | IS | 15-AUG-02 |
| | SAE-AS9399 | BOLT, TEE HEAD CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .3125-24 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 17-OCT-03 |
| | SAE-AS9433 | BOLT, TEE HEAD - CHAMFERED - CRES, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A[CUST: AS 99] | A | 5306 | | IS | DEC-99 |
| | SAE-AS3232 | BOLT, TEE HEAD - AMS 5708, CHAMFERED, .1900-32 UNJF-3A[CUST: AS 11 IS] | A | 5306 | | IS | 01-JUL-80 |
| | SAE-AS9402 | BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .5000-20 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 22-OCT-03 |
| | SAE-AS9397 | BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .1900-32 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9400 | BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .3750-24 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 22-OCT-03 |
| | SAE-AS9398 | BOLT, TEE HEAD - CHAMFERED - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | AUG-00 |
| | SAE-AS9432 | BOLT, TEE HEAD - CHAMFERED - CRES, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS3235 | BOLT, TEE HEAD - CRES, UNS N07001, 165 KSI MIN, CHAMFERED, .3750-24 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | 11-JUL-84 |
| | SAE-ARP1902 | BOLT, TEE HEAD, INTERFACE SURFACE, DIMENSIONS FOR[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 01-NOV-85 |
| | SAE-AS9434 | BOLT, TEE HEAD- CHAMFERED - CRES, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A[CUST: AS 99 IS] | A | 5306 | | IS | 15-OCT-99 |
| | SAE-AS3233 | BOLT, TEE HEAD-AMS 5708, CHAMFERED, .2500-28 UNJF-3A - 1[CUST: AS 99 IS] | A | 5306 | | IS | 11-JUL-84 |
| | NASM21134 | BOLT, TENSION, STEEL, 180 KSI FTU, 450 DEG. F. EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED[CUST: AV AS 99 IS] | A | 5306 | | IS | APR-99 |
| | NASM21297 | BOLT, TENSION, STEEL, 220 KSI FTU, 450 DEGREES F EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD[CUST: AV AS 11] | A | 5306 | | IS | NOV-99 |
| | NASM21296 | BOLT, TENSION, STEEL, 260 KSI FTU, 450 DEG. F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD[CUST: AV AS 99] | A | 5306 | | IS | APR-99 |
| | NASM21250 | BOLT, TENSION, STEEL, EXTERNAL WRENCHING, FLANGED, 12-POINT, 180 KSI FTU, 450 DEGREES[CUST: AV AS 99] | A | 5306 | | IS | JUN-99 |
| | NASM14181 | BOLT, TENSION; NICKEL ALLOY 718; 220 KSI FTU; EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD[CUST: AV AS 99] | A | 5306 | | IS | NOV-99 |
| | NAS1271THRUNAS1280 | BOLT, TWELVE POINT, EXTERNAL WRENCHING, TITANIUM ALLOY[CUST: AV AS 11 IS] | A | 5306 | | IS | 01-MAR-82 |
| | NASM14490 | BOLT, WHEEL, NICKEL, ALLOY 718, 220 KSI FTU, 132 KSI FSU, 450 DEG. F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD[CUST: AV AS 99 IS] | A | 5306 | | IS | SEP-99 |
| | NASM14157 | BOLT, WHEEL, TENSION, FLANGED, STEEL, 180 KSI FTU, 450 DEG. F, EXTERNAL SPLINE DRIVE[CUST: AV AS 11 IS] | A | 5306 | | IS | DEC-98 |
| | NAS2205THRUNAS2212 | BOLT- LOCK, TENSION, PROTRUDING HEAD, STRUP TYPE, TITANIUM ALLOY[CUST: AV AS 11 IS] | A | 5320 | | IS | 11-FEB-87 |
| | NAS3203THRUNAS3210 | BOLT-HOOK[CUST: AR AS 99 IS] | A | 5306 | | IS | 15-JUN-90 |
| | NAS2306THRUNAS2312 | BOLT-LOCK, TENSION, 100 DEG HEAD (MS 24694)STUMP TYPE, TITANIUM ALLOY[CUST: AV AS 11 IS] | A | 5306 | | IS | 11-FEB-87 |
| | NAS2115THRUNAS2122 | BOLT-LOCK, TENSION, 100 DEG. HEAD (MS20426), STANDARD AND OVERSIZE, PULL-TYPE TITANIUM ALLOY[CUST: AV AS 11 IS] | A | 5320 | | IS | DEC-73 |
| | SAE-MA3304 | BOLT-MACHINE, HEX HEAD, DRILLED, PD SHANK, MJ THREAD, AMS 6322, CADMIUM PLATE, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | DEC-87 |
| | SAE-AS9158 | BOLT-MACHINE, STEEL, 12 POINT HEAD, .250-28. BLACK OXIDE[CUST: AS IS] | A | 5306 | | IS | APR-99 |
| | SAE-AS91691 | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .190 (NO.10)-32, BLACK OXIDE[CUST: AS] | A | 5306 | | IS | DEC-99 |
| | SAE-AS91701 | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .250-28, BLACK OXIDE[CUST: AS] | A | 5306 | | IS | DEC-99 |
| | SAE-AS91711 | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .3125-24, BLACK OXIDE[CUST: AS 11] | A | 5306 | | IS | DEC-99 |
| | SAE-AS91721 | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .375-24, BLACK OXIDE[CUST: AS 11] | A | 5306 | | IS | DEC-99 |
| | NAS551 | BOLT-UNIVERSAL FITTING[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | 29-NOV-95 |
| | ASME-B18.10 | BOLTS & NUTS, TRACK[CUST: AR SH 99 IS] [REVIEW: CR4] | A | 53GP | | IS | 15-MAY-83 |
| | ASTM-A183 | BOLTS AND NUTS, CARBON STEEL TRACK[CUST: CR4 YD 99 IS] | A | 53GP | | IS | 11-OCT-85 |
| | ASME-B18.2.1 | BOLTS AND SCREWS INCH SERIES, SQUARE AND HEX (WITH ADDENDA)[CUST: AR YD 99 IS] | A | 53GP | | IS | OCT-94 |
| | SAE-AS7473 | BOLTS AND SCREWS ROLL THREADED[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | AUG-93 |
| | SAE-AS4877 | BOLTS AND SCREWS, NICKEL ALLOY UNS N07718, CLASSIFICATION: 185 KSI/1200 DEG. F PROCUREMENT SPECIFICATION[CUST: AS 99 IS] | A | 5306 | | IS | SEP-96 |
| | SAE-AS7471 | BOLTS AND SCREWS, NICKEL ALLOY, UNS N07001 TENSILE STRENGTH 165 KSI, CORROSION AND HEAT RESISTANT PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | 03-JUL-92 |
| | SAE-AS7466 | BOLTS AND SCREWS, NICKEL ALLOY, UNS N07718 TENSILE STRENGTH 185 KSI FATIGUE RATED PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | 03-JUL-92 |
| | SAE-AS7467 | BOLTS AND SCREWS, NICKEL ALLOY, UNS N07718 TENSILE STRENGTH 185 KSI STRESS RUPTURE RATED PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | 03-JUL-92 |
| | SAE-MA3377 | BOLTS AND SCREWS, NICKEL ALOY UNS N07718, TENSILE STRENGTH 1275 MPA PROCUREMENT SPECIFICATION, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 53GP | | IS | 22-JUN-87 |
| | SAE-AS1177 | BOLTS AND SCREWS, NONDESTRUCTIVE INSPECTION STANDARDS FOR[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 03-FEB-94 |
| | SAE-AS7459 | BOLTS AND SCREWS, STEEL UNS K14675 TENSILE STRENGTH 195 KSI FATIGUE AND STRESS-RAPTURE RATED PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 09-AUG-93 |
| | SAE-AS7470 | BOLTS AND SCREWS, STEEL, CORROSION AND MODERATE HEAT RESISTANT, HEAT TREATED, ROLL THREADED[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 09-AUG-93 |
| | SAE-AS7472 | BOLTS AND SCREWS, STEEL, CORROSION RESISTANT 125 000 PSI TENSILE STRENGTH ROLL THREADED[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | 03-JUL-92 |
| | SAE-AS7474 | BOLTS AND SCREWS, STEEL, CORROSION RESISTANT, UNS S17400 TENSILE STRENGTH 140 KSI PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 09-AUG-93 |
| | SAE-AS7452 | BOLTS AND SCREWS, STEEL, LOW ALLOY HEAT TREATED, ROLL THREADED[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | AUG-93 |
| | SAE-AS7454 | BOLTS AND SCREWS, STEEL, LOW ALLOY, HEAT RESISTANT, 135 000 PSI TENSILE STRENGTH, NORMALIZED AND TEMPERED, ROLL THREADED[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 09-AUG-93 |
| | SAE-AS7455 | BOLTS AND SCREWS, STEEL, LOW ALLOY, HEAT RESISTANT, HARDENED AND TEMPERED, ROLL THREADED[CUST: AR AS 99] [REVIEW: 71 AV] | A | 5306 | | IS | 09-AUG-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS7478 | BOLTS AND SCREWS, STEEL, UNS S66286 CLASSIFICATION: 130 KSI/1200 DEG F 1800 DEG F SOLUTION HEAT TREATED, AGED AFTER ROLL THREADED[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | 03-JUL-92 |
| | SAE-AS7477 | BOLTS AND SCREWS, STEEL, UNS S66286 TENSILE STRENGTH 130 KSI, PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | FEB-94 |
| | SAE-AS4506 | BOLTS AND SCREWS, STEEL, UNS S66286 TENSILE STRENGTH 160 KSI, PROCUREMNT SPECIFICATION[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | AUG-93 |
| | SAE-AS7479 | BOLTS AND SCREWS, STEEL, UNS S66286, 1650 DEG. F SOLUTION HEAT TREATED, PRECIPITATION HEAT TREATED BEFORE ROLL THREADED[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | MAY-01 |
| | SAE-AS7460 | BOLTS AND SCREWS, TITANIUM ALLOY 6A1-4V, PROCUREMENT SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 10-JUN-92 |
| | SAE-AS7461 | BOLTS AND SCREWS, TITANIUM ALLOY 6AI - 4V, UNS R56400 FATIGUE-RATED, PROCUREMENT SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 09-AUG-93 |
| | SAE-MA3376 | BOLTS AND SCREWS, UNS G87400 860 MPA, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC[CUST: AV 11 IS] [REVIEW: 99 AR] | A | 53GP | | IS | 31-OCT-86 |
| | SAE-MA3378 | BOLTS AND SCREWS, UNS N07001, TENSILE STRENGTH 1210 MPA, THREAD AND FILLET RADIUS ROLLED BEFORE AGING, PROCUREMENT SPECIFICATION, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 14-JUL-93 |
| | SAE-AS7469 | BOLTS AND SCREWS, UNS N07041 NICKEL ALLOY, CORROSION AND HEAT RESISTANT, 155 KSI, PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | FEB-94 |
| | SAE-MA3374 | BOLTS AND SCREWS, UNS S66286, CORROSION AND HEAT RESISTANT STEEL, PROCUREMENT SPECIFICATION, METRIC[CUST: AV 11 IS] [REVIEW: 71 99 AR] | A | 5306 | | IS | 31-OCT-86 |
| | SAE-AS7475 | BOLTS AND SCREWS, WORK-STRENGTHENED ALLOY CORROSION AND HEAT RESISTANT, FORGED HEAD, ROLL THREADED AFTER AGING[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | 17-JAN-91 |
| | ASTM-A307 | BOLTS AND STUDS, CARBON STEEL, 60,000 PSI TENSILE STRENGTH[CUST: AR YD IS] | A | 53GP | | IS | 15-FEB-94 |
| | ASTM-A449 | BOLTS AND STUDS, STEEL, QUENCHED AND TEMPERED[CUST: AR YD 99 IS] | A | 53GP | | IS | 15-FEB-93 |
| | NASM6812 | BOLTS, AIRCRAFT[CUST: AR AS 99 IS] | A | 5306 | | IS | FEB-99 |
| | SAE-AS7468 | BOLTS, COBALT-CHROMIUM-NICKEL ALLOYUNS R30035, TENSILE STRENGTH 260 KSI, PROCUREMENT SPECIFICAITON[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5306 | | IS | JUL-92 |
| | NASM20004THRU20024 | BOLTS, INTERAL WRENCHING, 160 KSI FTU AND 96 KSI FSU[CUST: AR AS 99] | A | 5306 | | IS | APR-99 |
| | NASM16206 | BOLTS, MACHINE, HEXAGON HEAD, REGULAR SEMI-FINISHED, ALUMINUM ALLOY, UNC-2A, NON-MAGNETIC[CUST: SH IS] | A | 5306 | | IS | APR-99 |
| | NASM16208 | BOLTS, MACHINE, HEXAGON HEAD, SEMIFINISHED CORROSION RESISTING STEEL UNC-2A, NONMAGNETIC[CUST: IS] | A | 5306 | | IS | MAR-00 |
| | NASM16205 | BOLTS, MACHINE, REGULAR SEMI-FINISHED HEXAGON HEAD, COPPER-SILICON ALLOY (SILICON BRONZE), UNC-2A, NON-MAGNETIC[CUST: SH IS] | A | 5306 | | IS | APR-99 |
| | ASME-B18.2.3.7M | BOLTS, METRIC HEAVY HEX STRUCTURAL[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASME-B18.2.3.8M | BOLTS, METRIC HEAVY HEX STRUCTURAL[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASTM-F468M | BOLTS, NONFERROUS, HEX CAP SCREW, AND STUDS, (METRIC)[CUST: AR AS 99] | A | 53GP | | IS | 09-JUL-93 |
| | ASTM-F468 | BOLTS, NONFERROUS, HEX CAP SCREWS, AND STUDS FOR GENERAL USE[CUST: AR AS 99] | A | 53GP | | IS | 15-FEB-93 |
| | SAE-AS1132 | BOLTS, SCREWS AND NUTS - EXTERNAL WRENCHING UNJ THREAD, INCH - DESIGN STANDARD[CUST: AV 99] | A | 53GP | | IS | SEP-78 |
| | SAE-AS3062 | BOLTS, SCREWS AND STUDS, SCREW THREAD REQUIREMENTS[CUST: AR AS 11 IS] | A | THDS | | IS | 03-OCT-94 |
| | SAE-J123 | BOLTS, SCREWS, AND STUDS IN FATIGUE APPLICATIONS, SURFACE DISCONTINUITIES ON[CUST: AR SH 99 IS] | A | 53GP | | IS | 22-MAR-94 |
| | ASTM-F738 | BOLTS, SCREWS, AND STUDS, STAINLESS STEEL METRIC[CUST: AR YD 99] | A | 53GP | | IS | 23-FEB-90 |
| | NASM33602 | BOLTS, SELF-RETAINING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY, DESIGN AND USAGE REQUIREMENTS FOR[CUST: AV AS 99 IS] | A | 5306 | | IS | SEP-99 |
| | NASM3369 | BOLTS, SELF-RETAINING, POSITIVE LOCKING, CRES 90 KSI FSU, 63 KSI FTU, HEXAGON SLOTTED HEAD, 450 DEG. F AND 650 DEG. F[CUST: AV AS 99 IS] | A | 5306 | | IS | SEP-99 |
| | NASM21130 | BOLTS, SELF-RETAINING, POSITIVE LOCKING, CRES 90 KSI FTU, .63 KSI, 100 DEGREES FLUSH HEAD, 450 DEGREES F AND 650 DEGREES F[CUST: AV AS 99] | A | 5306 | | IS | APR-99 |
| | NASM8906-2 | BOLTS, SHEAR, STEEL, 132 KSI FSU, 450 DEG. F[CUST: AV AS 11] | A | 5306 | | IS | SEP-99 |
| | ASME-B18.5.2.2M | BOLTS, SQUARE NECK, ROUND HEAD, METRIC[CUST: AR YD 99 IS] | A | 5306 | | IS | 30-NOV-82 |
| | ASTM-F593 | BOLTS, STAINLESS STEEL, HEX CAP SCREWS, AND STUDS[CUST: AR YD 99 IS] | A | 5305 | | IS | 22-FEB-91 |
| | ASTM-A325 | BOLTS, STEEL, STRUCTURAL, HEAT TREATED, 120/105 KSI MINIMUM TENSILE STRENGTH[CUST: AR YD 99 IS] [REVIEW: CE] | A | 5306 | | IS | 14-SEP-94 |
| | ASTM-A490 | BOLTS, STRUCTURAL, ALLOY STEEL, HEAT TREATED, 150 KSI MINIMUM TENSILE STRENGTH[CUST: AR YD 99 IS] | A | 5306 | | IS | 15-FEB-93 |
| | ASTM-A354 | BOLTS, STUDS, AND OTHER EXTERNALLY THREADED FASTENERS, QUENCHED AND TEMPERED ALLOY STEEL[CUST: AR YD 99 IS] | A | 53GP | | IS | 15-APR-94 |
| | MIL-B-19906A(1) | BOMB RACK AND ROCKET LAUNCHER, COMBINATION, AERO 15 SERIES[CUST: AS] | A | 1095 | | AS | 15-OCT-68 |
| | MIL-STD-2088A(1) | BOMB RACK UNIT (BRU), AIRCRAFT, GENERAL DESIGN CRITERIA FOR[Design Criteria Standard][CUST: AV AS 22] [REVIEW: 11] | A | 1095 | | AS | 05-MAY-97 |
| | MIL-B-85251 | BOMB, BINARY CHEMICAL, EMPTY (BLU-80/B)[CUST: AS] | A | 1325 | | AS | 13-JUN-81 |
| | MIL-B-81006B NOT 1 | BOMB, FREE FALL, DEMONSTRATION OF DISPERSION REQUIREMENTS FOR[CUST: AS 19] | A | 1325 | | AS | 16-APR-87 |
| | MIL-B-82548A | BOMB, GENERAL PURPOSE, MARK 82, 500 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING[CUST: AS 99] [REVIEW: 18] | A | 1325 | | AS | 31-MAY-89 |
| | MIL-B-82549A | BOMB, GENERAL PURPOSE, MARK 83, 1000 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING[CUST: AS 99] [REVIEW: 18] | A | 1325 | | AS | 31-MAY-89 |
| | MIL-B-82572A | BOMB, GENERAL PURPOSE, MARK 84, 2000 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING[CUST: AR AS 99] | A | 1325 | | AS | 31-MAY-89 |
| | MIL-B-23360B NOT 1 | BOMB, INCENDIARY, TH3, 4-POUND, M126[CUST: AR AS 99] | A | 1325 | | AS | 25-SEP-91 |
| | ASTM-C321 | BOND STRENGTH OF CHEMICAL-RESISTANT MORTARS[CUST: MI 99] | A | 5610 | | MI | 15-JUL-94 |
| | ASTM-D2519 | BOND STRENGTH OF ELECTRICAL INSULATING VARNISHES BY THE HELICAL COIL TEST[CUST: CR SH 11] [REVIEW: GS] | A | 5970 | | SH | 03-OCT-94 |
| | ASTM-C882 | BOND STRENGTH OF EPOXY-RESIN SYSTEMS USED WITH CONCRETE BY SLANT SHEAR[CUST: CR4 YD 99 IS] [REVIEW: 84 CC] | A | 5610 | | IS | 15-MAR-91 |
| | DOD-STD-2183 NOT 1 | BOND TESTING, BABBITT-LINED BEARINGS[Test Method Standard][CUST: SH] [REVIEW: GS] | A | 3120 | | SH | 26-MAR-91 |
| | ASTM-D1062 | BONDS, ADHESIVE, CLEAVAGE STRENGTH OF METAL-TO-METAL[CUST: MR AS 11] | A | 8040 | | MR | 15-JUL-92 |
| | ASTM-D950 | BONDS, ADHESIVE, IMPACT STRENGTH OF[CUST: MR SH 99] | A | 8040 | | MR | 20-MAR-91 |
| | A-A-51474 | BONE PLATE, BROAD, ORTHOPEDIC IMPLANT, SELF-COMPRESSING HOLES[CUST: MD MS 03] | A | 6515 | | MB | 11-JUN-86 |
| | A-A-54649 | BONE PLATE, NARROW[CUST: MD MS 03] | A | 6515 | / | MB | 15-MAY-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-F543 | BONE SCREWS, METALLIC MEDICAL[CUST: MD MS 03] | A | 6515 | | MB | 15-AUG-85 |
| | MIL-PRF-32038/13 | BOOK AND MAGAZINE STOWAGES, TYPES 1-8[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | A-A-1817D | BOOKCASE (STEEL, CONTEMPORARY STYLE) | A | 7110 | # | FSS | 03-DEC-93 |
| | AA-B-001596A | BOOKCASE, WOOD, GENERAL OFFICE | A | 7110 | # | FSS | 29-MAR-74 |
| | MIL-B-85685 | BOOSTER, FULE, MARK 60 MOD 3[CUST: AS] | A | 1336 | | AS | 26-FEB-88 |
| | MIL-B-85464 | BOOSTER, FUZE, MARK 38 MOD 2[CUST: AS] | A | 1336 | | AS | 17-NOV-81 |
| | MIL-B-85349(1) | BOOSTER, FUZE, MARK 60 MOD 1[CUST: AS] | A | 1336 | | AS | 19-JAN-81 |
| | MIL-B-85599(1) | BOOSTER, FUZE, MARK 60MOD 2[CUST: AS] | A | 1336 | | AS | 09-OCT-86 |
| | MIL-B-44418 | BOOT WALL, FABRIC ASSEMBLIES, STANDARDIZED INTEGRATED COMMAND POST SYSTEM (SICPS)[CUST: GL CT] [REVIEW: MD] | A | 8340 | | CT | 28-JUN-91 |
| | A-A-52410 NOT 1 | BOOT, DUST AND MOISTURE SEAL: HYDRAULIC BRAKE CYLINDER, SYNTHETIC RUBBER[CUST: AT] [REVIEW: CC MI] | A | 2530 | / | AT | 13-APR-04 |
| | MIL-DTL-5423/16D(1) | BOOT, DUST AND WATER SEAL, BUSHING SEAL, TYPE A (FOR TOGGLE SWITCH 0.469 DIAMETER) STYLE 10 (PANEL BUSHING SEAL ONLY)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS] | A | 5930 | | CC | 12-MAY-03 |
| | MIL-DTL-5423/2D | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 3 (ONE-HOLE MOUNTING, THROUGH)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS] | A | 5930 | | CC | 24-MAY-02 |
| | MIL-DTL-5423/4C | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 6 (ONE HOLE MOUNTING, MINIATURE, ENCLOSED)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS] | A | 5930 | | CC | 24-MAY-02 |
| | MIL-DTL-5423/5D | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 7 (ONE HOLE MOUNTING, SUBMINIATURE, ENCLOSED)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS] | A | 5930 | | CC | 24-MAY-02 |
| | MIL-DTL-5423/11D | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 8 (ONE-HOLE MOUNTING, SUBMINIATURE, THROUGH)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS] | A | 5930 | | CC | 24-MAY-02 |
| | MIL-B-5423/12B NOT 3 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 9 (FIVE-HOLE MOUNTING, THROUGH)[CUST: CR AS 11 CC] [REVIEW: 99 AR MC SH] | A | 5930 | | CC | 11-OCT-02 |
| | MIL-DTL-5423/6B | BOOT, DUST AND WATER SEAL, TYPE B (FOR PUSH-BUTTON SWITCHES), STYLE 1 (ONE HOLE MOUNTING, ADAPTER TYPE)[CUST: CR AS 11 CC] [REVIEW: 99 AT CG CR4 EC MC MI OS] | A | 5930 | | CC | 24-MAY-02 |
| | MIL-DTL-5423/7E(1) | BOOT, DUST AND WATER SEAL, TYPE B (FOR PUSHBUTTON SWITCHES), STYLE 2 (ONE HOLE MOUNTING, DRILLED PANEL), STYLE 2S (RFI-SHIELDED, ONE HOLE MOUNTING, DRILLED PANEL)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS] | A | 5930 | | CC | 10-MAR-04 |
| | MIL-DTL-5423/15F | BOOT, DUST AND WATER SEAL, TYPE B (FOR TOGGLE AND PUSHBUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY-ACTUATED PARTS) (FOR HANDSET SWITCHES), STYLE 5[CUST: CR AS 11 CC] | A | 5930 | | CC | 12-MAY-04 |
| | MIL-DTL-5423/13B | BOOT, DUST AND WATER SEAL, TYPE D (FOR LEVER OPERATED CIRCUIT BREAKERS), STYLE 1 (PANEL MOUNTED WITHOUT MOUNTING FRAME)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI] | A | 5930 | | CC | 24-MAY-02 |
| | MIL-DTL-5423/14E(1) | BOOT, DUST AND WATER SEAL, TYPE D (FOR LEVER OPERATED CIRCUIT BREAKERS), STYLE 2 (PANEL MOUNTED COMPLETE WITH MOUNTING FRAME)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 MC SH] | A | 5930 | | CC | 16-JAN-04 |
| | MIL-B-87068(1) | BOOT, SAFETY (NONSPARKING)[CUST: NU 99 CT] [REVIEW: 11 AS CG MS OS YD] | A | 8430 | | CT | 18-FEB-82 |
| | A-A-59530A | BOOT, SAFETY, (8 INCH)[CUST: NU 99 CT] | A | 8430 | / | CT | 22-MAY-00 |
| | MIL-B-43739A | BOOT, SKI-MOUNTAIN[CUST: GL NU 99 CT] [REVIEW: 11 AS MD] | A | 8430 | | CT | 03-MAR-87 |
| | MIL-PRF-83831A | BOOTH, CLEANING, WATER BASE SOLVENT SPRAY-ELECTRONIC MEASURING INSTRUMENTS[CUST: AR 99] | A | 4940 | | 84 | 12-JUL-97 |
| | A-A-50651A | BOOTS, CLIMBER'S[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8430 | / | CT | 25-MAR-98 |
| | MIL-B-41816H | BOOTS, COLD WEATHER, INSULATED, RUBBER (WET-COLD: DRY-EXTREME COLD)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8430 | | CT | 03-APR-90 |
| | MIL-B-44152C(1) | BOOTS, COMBAT; MILDEW AND WATER RESISTANT, DMS[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8430 | | CT | 14-OCT-94 |
| | MIL-PRF-32138 | BOOTS, CONNECTOR CORROSION PROTECTION, GEL-ENCLOSED[CUST: SH 99] [REVIEW: 71 CC] | A | 2090 | | SH | 20-NOV-03 |
| M | QPL-5423-33 | BOOTS, DUST AND MOISTURE SEAL (FOR TOGGLE AND PUSHBUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY-ACTUATED PARTS) GENERAL SPECIFICATION FOR | A | 5930 | | CC | 09-MAR-06 |
| A | MIL-DTL-5423D SUP 1 | BOOTS, DUST AND MOISTURE SEAL (FOR TOGGLE AND PUSH-BUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY-ACTUATED PARTS), GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CG EA MC MI SH] | A | 5930 | | CC | 11-OCT-02 |
| | MIL-DTL-5423/1D | BOOTS, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES) STYLE 1 (ONE-HOLE MOUNTING, ENCLOSED) STYLE 1S (RFI-SHIELDED, ONE-HOLE MOUNTING, ENCLOSED)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS] | A | 5930 | | CC | 24-MAY-02 |
| | MIL-DTL-5423/10C(1) | BOOTS, DUST AND WATER SEAL, TYPE B (FOR PUSH-BUTTON SWITCHES), STYLE 4 (ONE-HOLE MOUNTING, MINIATURE, DRILLED PANEL)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CG CR4 EC MC MI OS] | A | 5930 | | CC | 16-JAN-04 |
| | MIL-DTL-5423/9D(2) | BOOTS, DUST AND WATER SEAL, TYPE C (FOR USE AS ROTARY-SHAFT SEALS), TYPE CS (FOR USE AS RFI-SHIELDED, ROTARY-SHAFT SEALS)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CG CR4 EA EC MC MI OS] | A | 5930 | | CC | 07-JAN-03 |
| | MIL-B-6362F(1) | BOOTS, EXTREME COLD WEATHER, N-1B[CUST: 99 CT] [REVIEW: 11] | A | 8430 | | CT | 07-JUN-78 |
| | A-A-50371B | BOOTS, FIREMEN'S[CUST: NU CT] [REVIEW: MD] | A | 8430 | / | CT | 28-JUL-01 |
| | MIL-B-83277A(1) | BOOTS, FLYERS FWU-8/P[CUST: 99 CT] [REVIEW: 11] | A | 8430 | | CT | 30-NOV-78 |
| | MIL-B-27486C | BOOTS, FLYING, FWU-3/P[CUST: GL 99 CT] [REVIEW: 11] | A | 8430 | | CT | 04-OCT-85 |
| | SAE-AS31091 | BOOTS, HEAT-SHRINKABLE, STRAIN-REFIEF, STRAIGHT[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | OCT-97 |
| | SAE-AS31171 | BOOTS, HEAT-SHRINKABLE, STRAIN-RELIEF, RIGHT ANGLE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | OCT-97 |
| | MIL-B-44426B | BOOTS, INTERMEDIATE COLD/WET[CUST: GL NU CT] [REVIEW: MC MD] | A | 8430 | | CT | 22-FEB-95 |
| | A-A-50063B | BOOTS, KNEE AND HIP (RUBBER)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8430 | / | CT | 14-JAN-91 |
| | A-A-50200 | BOOTS, SKI-MOUNTAIN, PLASTIC SHELL[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8430 | / | CT | 07-FEB-90 |
| | MIL-B-51176F | BOOTS, TOXICOLOGICAL AGENTS PROTECTIVE, M2A1[CUST: GL NU CT] [REVIEW: AR EA MD] | A | 8430 | | CT | 05-OCT-88 |
| | ASTM-D929 | BORAX[CUST: AT SH 68] [REVIEW: GS] | A | 6810 | | AT | 31-MAY-85 |
| | AGMA9002 | BORES AND KEYWAYS FOR FLEXIBLE COUPLINGS (INCH SERIES)[CUST: AR YD 99] [REVIEW: GS] | A | 3411 | | YD | MAR-86 |
| | ITOP-3.2.604 | BORESIGHT RETENTION | D | ISDA | | TE | 14-OCT-83 |
| | A-A-50314 | BORING MACHINES, ENGINE CYLINDER (PORTABLE)[CUST: AR YD 99] [REVIEW: 84 CR MC SH SM] | A | 4910 | / | AR | 07-FEB-97 |
| | SAE-AMS3867 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED[CUST: 11 GS] [REVIEW: 84 99] | A | 9330 | | IS | 11-FEB-93 |
| | SAE-AMS3867/4 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B4.0-E180 (TYPE B0.102-E82)[CUST: 11 GS] [REVIEW: 84 99] | A | 9330 | | IS | 11-FEB-93 |
| | SAE-AMS3867/1 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B4.0-E374 (TYPE BO.102-E191)[CUST: 11 GS] [REVIEW: 84 99] | A | 9330 | | IS | 11-FEB-93 |
| | SAE-AMS3867/5 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B5.6-E180 (TYPE BO.142-E82)[CUST: 11 GS] [REVIEW: 84 99] | A | 9330 | | IS | 11-FEB-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS3867/2 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B5.6-E374 (TYPE BO.142-E190)[CUST: 11 GS] [REVIEW: 84 99] | A | 9330 | | IS | 11-FEB-93 |
| | SAE-AMS3867/6 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B8.0-E180 (TYPE BO.203-E82)[CUST: 11 GS] [REVIEW: 84 99] | A | 9330 | | IS | 11-FEB-93 |
| | SAE-AMS3867/3 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B8.0-E374 (TYPE B0.203-E190)[CUST: 11 GS] [REVIEW: 84 99] | A | 9330 | | IS | 11-FEB-93 |
| | AND10071 REV 5 | BOSS & INSTALLATIONS, AIR CONNECTION (AN 6287)[CUST: AS 99] [REVIEW: CR4 MI] | A | 4730 | | 71 | 14-DEC-66 |
| | AND10050 REV 21 | BOSSES, STANDARD DIMENSIONS FOR GASKET SEAL STRAIGHT THREAD[CUST: 99 CC] [REVIEW: 06 71] | A | 4730 | | CC | 30-MAR-05 |
| | A-A-53437 | BOTTLE AND TUMBLER SET[CUST: MD MS 03] | A | 7360 | / | MB | 29-APR-88 |
| | A-A-51260 | BOTTLE, SCREW CAP, (GLASS, WIDE MOUTH, ROUND)[CUST: MD MS 03] | A | 6640 | / | MB | 04-DEC-85 |
| | A-A-54880 | BOTTLE, ASPIRATOR (5 GALLON)[CUST: MD MS 03] | A | 6640 | / | MB | 04-JUN-93 |
| | A-A-51329 | BOTTLE, BALSAM, GROUND GLASS CAP[CUST: MD MS 03] | A | 6640 | / | MB | 03-SEP-96 |
| | A-A-51374 | BOTTLE, DROPPING[CUST: EA MS 99] | A | 6640 | / | DM | 25-MAR-86 |
| | A-A-53005 | BOTTLE, NEBULIZER[CUST: MD MS 03] | A | 6515 | / | MB | 26-JUN-87 |
| | MIL-B-44054B | BOTTLE, OIL SAMPLE, WITH CONTAINER[CUST: GL] [REVIEW: MD] | A | 8125 | | IS | 18-JUN-85 |
| | A-A-30065B | BOTTLE, SAFETY CAP (CONTROLLED SUBSTANCE)[CUST: MD MS 03] | A | 6530 | * | MB | 28-FEB-92 |
| | A-A-50986A | BOTTLE, SAFETY CAP (GLASS, LIGHT-RESISTANT, TABLET AND CAPSULE)[CUST: MD MS 03] | A | 6530 | / | MB | 03-SEP-87 |
| | A-A-53460A | BOTTLE, SAFETY CAP (PLASTIC, LIGHT-RESISTANT, LIQUID PRESCRIPTION)[CUST: MD MS 03] | A | 6530 | / | MB | 13-SEP-88 |
| | A-A-51772 | BOTTLE, SAFETY CAP (TABLET AND CAPSULE)[CUST: MD MS 03] | A | 6530 | / | MB | 16-DEC-86 |
| | A-A-30012C | BOTTLE, SAFETY CAP (TABLETS AND CAPSULES)[CUST: MD MS 03] | A | 6530 | / | MB | 15-OCT-93 |
| | A-A-50983A | BOTTLE, SAFETY CAP, GLASS, LIGHT RESISTANT, LIQUID PRESCRIPTION[CUST: MD MS 03] | A | 6530 | / | MB | 03-SEP-87 |
| | A-A-53066 | BOTTLE, SCREW CAP[CUST: MD MS 03] | A | 6640 | | MB | 20-JUL-87 |
| | A-A-53828 | BOTTLE, SCREW CAP[CUST: MD MS 03] | A | 6640 | / | MB | 17-FEB-89 |
| | A-A-54278 | BOTTLE, SCREW CAP[CUST: MD MS 03] | A | 6640 | / | MB | 31-OCT-90 |
| | A-A-54073 | BOTTLE, SCREW CAP[CUST: MD MS 03] | A | 6640 | / | MB | 22-JAN-90 |
| | A-A-53659 | BOTTLE, SCREW CAP[CUST: MD MS 03] | A | 6640 | / | MB | 26-AUG-88 |
| | A-A-50998 | BOTTLE, SCREW CAP (NARROW MOUTH, RECTANGULAR)[CUST: MD MS 03] | A | 6640 | / | MB | 06-AUG-85 |
| | A-A-53147A | BOTTLE, SCREW CAP (SWIVEL LOCK DISPENSING)[CUST: MD MS 03] | A | 6640 | / | MB | 14-AUG-88 |
| | A-A-51770 | BOTTLE, SCREW CAP, (PLASTIC)[CUST: MD MS 03] | A | 6530 | / | MB | 15-DEC-86 |
| | A-A-53342 | BOTTLE, SCREW CAP, CPLASTIC SQUARE)[CUST: MD MS 03] | A | 6530 | * | MB | 15-JAN-88 |
| | A-A-51842 | BOTTLE, SCREWCAP[CUST: MD MS 03] | A | 6640 | / | MB | 02-MAR-87 |
| | A-A-53543 | BOTTLE, SCREWCAP[CUST: MD MS 03] | A | 6640 | / | MB | 30-JUN-88 |
| | A-A-51333A | BOTTLE, STERILE FLUID STORAGE[CUST: MD MS 03] | A | 6530 | / | MB | 30-JUL-86 |
| | DD-B-599A | BOTTLE, STOPPER, VACCINE, ROUND AND STOPPER, BOTTLE, RUBBER | A | 6530 | # | FSS | 01-DEC-61 |
| | A-A-30045A | BOTTLE, URINE SPECIMEN[CUST: MD MS 03] | A | 6530 | * | MB | 31-MAY-91 |
| | A-A-51018 | BOTTLE, URINE SPECIMEN & CAP, SNAP ON[CUST: MD MS 03] | A | 6530 | | MB | 10-OCT-85 |
| | A-A-50806C | BOTTLE, URINE SPECIMEN, SHIPPING[CUST: MD MS 03] | A | 6640 | / | MB | 15-AUG-93 |
| | A-A-51250 | BOTTLE, WEIGHTED[CUST: MD MS 03] | A | 6640 | / | MB | 25-NOV-86 |
| | A-A-30049B | BOTTLES, SAFETY CAP (LIQUID) | A | 6530 | # | FSS | 15-MAR-85 |
| | A-A-58030 NOT 1 | BOTTLES, SHIPPING, STORAGE, NON-HAZARDOUS[CUST: GL SA 11 IS] [REVIEW: 99 AR MC MD SM] | A | 8125 | / | IS | 27-SEP-01 |
| | A-A-51398 | BOUGIE, URETHRAL, OTIS[CUST: MD MS 03] | A | 6515 | | MB | 14-APR-86 |
| | A-A-20202A | BOUILLON (SOUP AND GRAVY BASES)[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8935 | / | SS | 30-AUG-04 |
| | MIL-B-81366 | BOUNDARY LAYER CONTROL SYSTEM, PRESSURE[CUST: AS] | A | 16GP | | AS | 04-APR-66 |
| | IPC-TM650.2.4.22 | BOW AND TWIST (PERCENTAGE)[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | A-A-50176 | BOWL, BAPTISMAL[CUST: GL PE 28] | A | 9925 | / | CT | 07-OCT-88 |
| | A-A-50908 | BOWL, PLASTER OF PARIS MIXING[CUST: MD MS 03] | A | 6520 | | MB | 14-JUN-85 |
| | A-A-50822B | BOWL, SURGICAL SPONGE METAL[CUST: MD MS 03] | A | 6530 | / | MB | 24-MAR-89 |
| | A-A-51014A | BOWLS, SURGICAL SPONGE (PLASTIC)[CUST: MD MS 03] | A | 6530 | / | MB | 17-MAY-92 |
| | MIL-B-233D | BOX REPAIR, PART, STORAGE[CUST: SH] [REVIEW: AS CC EC OS SA] | A | 8115 | | SH | 10-JUL-87 |
| A | MIL-B-2427G(9) | BOX, AMMUNITION PACKING: WOOD, NAILED[CUST: AR] [REVIEW: EA GS] | A | 8140 | | AR | 21-MAY-02 |
| | MIL-B-36970A | BOX, BLOOD PRODUCTS SHIPPING[CUST: MD MS 03] [REVIEW: GL] | A | 8115 | | MB | 29-OCT-91 |
| | RR-C-00140A | BOX, CASH, STEEL | A | 7520 | # | FSS | 29-DEC-69 |
| | AA-B-605A | BOX, FILING, STEEL | A | 7520 | # | FSS | 23-MAY-73 |
| | A-A-51506A | BOX, FOLDING (SPECTACLE MAILING)[CUST: MD MS 03] | A | 8115 | / | MB | 18-JUN-93 |
| | A-A-54804 | BOX, INSECT, SPECIMEN[CUST: MD MS 03] | A | 6640 | / | MB | 18-JAN-93 |
| | A-A-59525 | BOX, MATCH, WATERPROOF[CUST: GL 99 IS] [REVIEW: 11] | A | 8465 | / | CT | 14-DEC-99 |
| | A-A-53683 | BOX, MICROSCOPE SLIDE[CUST: MD MS 03] | A | 6640 | / | MB | 16-SEP-88 |
| | A-A-54674 | BOX, PATHOLOGICAL SPECIMEN SHIPPING, INSULATED[CUST: MD MS 03] | A | 8115 | / | MB | 22-JUN-92 |
| | A-A-54836 | BOX, PATHOLOGICAL SPECIMEN, SHIPPING[CUST: MD MS 03] | A | 8115 | / | MB | 26-MAR-93 |
| | MIL-PRF-5806H | BOX, SHIPPING AND STORAGE, HELICOPTER BLADE[CUST: AV AS 11] [REVIEW: 71 84 99 MC OS SA SH] | A | 8145 | | AV | 21-OCT-02 |
| | A-A-52608 NOT 1 | BOX, STOWAGE, VEHICULAR ACCESSORIES[CUST: AT] [REVIEW: CC MI] | A | 2540 | / | AT | 19-APR-04 |
| | A-A-51685 | BOX,MICROSCOPE SLIDE (CHIPBOARD)[CUST: MD MS 03] | A | 6640 | / | MB | 10-OCT-86 |
| | MIL-B-20467A NOT 3 | BOXBOARD (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 9310 | | AR | 18-MAY-99 |
| A | MIL-B-46506D(7) | BOXES, AMMUNITION PACKING, WOOD, WIREBOUND[CUST: AR OS] [REVIEW: EA GS] | A | 8140 | | AR | 21-MAY-02 |
| | PPP-B-650B(2) | BOXES, CORRUGATED FIBERBOARD, SPECIAL PURPOSE (RECORDS RETIRING) | A | 8115 | # | FSS | 25-JUN-76 |
| | ASTM-D5118/D5118M | BOXES, FIBERBOARD SHIPPING, FABRICATION OF[CUST: SM YD 11 DH] [REVIEW: 70 71 84 AR AS CR4 DS GL MI OS SH] | A | 8115 | | SM | MAR-94 |
| | PPP-B-566E(3) NOT 1 | BOXES, FOLDING, PAPERBOARD[CUST: GL SA 11] [REVIEW: 99 AR CR4 DS EA MC MD SH SM] | A | 8115 | / | GL | 25-JAN-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | UL38 | BOXES, MANUALLY ACTUATED SIGNALING, FOR USE WITH FIRE-PROTECTIVE SIGNALING SYSTEMS[CUST: YD] | A | 6350 | | IS | 26-MAR-99 |
| | UL514A | BOXES, METALLIC OUTLET[CUST: CR YD 11] [REVIEW: CR4 GS MC MI] | A | 5975 | | YD | 23-MAY-90 |
| | A-A-54873 | BOXES, MICROSCOPE SLIDE, PLASTIC[CUST: MD MS 03] | A | 6640 | / | MB | 21-MAY-93 |
| | NEMA-OS2 | BOXES, NONMETALLIC OUTLET, DEVICE BOXES, COVERS AND BOX SUPPORTS[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | UL514C | BOXES, NONMETALLIC OUTLET, FLUSH DEVICE BOXES, & COVERS[CUST: CR YD 11] [REVIEW: GS MC MI] | A | 5975 | | YD | 31-OCT-88 |
| | MIL-B-50856A(3) | BOXES, SET-UP, PACKING, AMMUNITION, INNER AND OUTER FOR SMALL EXPLOSIVE COMPONENTS[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 19-APR-90 |
| | PPP-B-676E | BOXES, SETUP[CUST: GL SA 11] [REVIEW: 71 AR AS CC CR DS EA MC MI MS OS SH SM] | A | 8115 | * | GL | 31-DEC-92 |
| | A-A-54793 | BOXES, SETUP (MAILING, DENTAL)[CUST: MD MS 03] | A | 8115 | / | MB | 08-JAN-93 |
| | PPP-B-1672D(1) | BOXES, SHIPPING, REUSABLE WITH CUSHIONING[CUST: SM AS 11] [REVIEW: 70 71 84 99 CR GL SA] | A | 8115 | / | 11 | 05-AUG-96 |
| | A-A-59736 | BOXES, SHIPPING, REUSABLE WITH CUSHIONING[CUST: SM AS 11] [REVIEW: 70 71 84 99 CR SA] | A | 8115 | / | 11 | 22-JAN-03 |
| A | MIL-B-3060E(4) | BOXES, SMALL ARMS AMMUNITION: M19A1 AND M2A1[CUST: AR] [REVIEW: EA GS] | A | 8140 | | AR | 05-MAR-92 |
| | MIL-B-42079 | BRACE ASSEMBLY ADJUSTABLE BED[CUST: MD MS 03] | A | 6530 | | MB | 31-MAY-94 |
| | A-A-52195 | BRACE, ANKLE, PARACHUTISTS[CUST: GL AS 99] [REVIEW: AV MC] | A | 8465 | / | CT | 30-DEC-94 |
| | A-A-54897 | BRACE, BIT, BONE, CRANIAL, HUDSON, AND BURS, DRILL AND EXTENSION[CUST: MD MS 03] | A | 6515 | / | MB | 23-JUL-93 |
| | GGG-B-671F | BRACE, BIT, RATCHET, BRACE, CORNER, AND EXTENSIONS, BIT[CUST: GL 99] [REVIEW: AV CR4 YD] | A | 5110 | * | GL | 11-FEB-76 |
| | A-A-53572 | BRACE, KNEE[CUST: MD MS 03] | A | 6515 | / | MB | 29-JUL-88 |
| | A-A-51771 | BRACE, KNEE DRESSING[CUST: MD MS 03] | A | 6515 | / | MB | 30-JAN-87 |
| | A-A-52513 NOT 1 | BRACKET ASSEMBLY, LIQUID CONTAINER, FIVE GALLON[CUST: AT] [REVIEW: CC CR4] | A | 2590 | / | AT | 14-APR-04 |
| | MS75009J | BRACKET ASSEMBLY, RESISTOR (POWER TYPE)[CUST: CR EC 11 CC] [REVIEW: AR AS MC OS] | A | 5905 | | CC | 16-MAY-05 |
| | NA0119ANDNA0120 | BRACKET, 90 DEGREE ANGLE, 2-BOLT ATTACH, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | NOV-80 |
| | NA0121ANDNA0122 | BRACKET, 90 DEGREE ANGLE, 2-RIVET ATTACH, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 30-NOV-80 |
| | MS9104C | BRACKET, ANGLE, .0 DEG. .190 X 375 BOLT[CUST: AR AS 99] [REVIEW: 71 IS] | A | 5340 | | AS | 18-JUN-87 |
| | SAE-AS9228 | BRACKET, ANGLE, 90 DEG, 0.190 BOLT[CUST: AR AS 99] | A | 5340 | | AS | 27-OCT-03 |
| | SAE-AS9231 | BRACKET, ANGLE, 90 DEG, 0.190 X 0.375 BOLT[CUST: AR AS 99] | A | 5340 | | AS | 27-OCT-03 |
| | SAE-AS9600 | BRACKET, ANGLE, 90 DEG, CRES .190 BOLT[CUST: 11 IS] | A | 5340 | | IS | JAN-98 |
| | SAE-AS9603 | BRACKET, ANGLE, 90 DEG, CRES .190 X .375 BOLT[CUST: 11 IS] | A | 5340 | | IS | JAN-98 |
| | SAE-AS9593 | BRACKET, ANGLE, 90 DEG, CRES AMS 5510, .190 X .250 BOLT[CUST: AV AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS9597 | BRACKET, ANGLE, 90 DEG., CADMIUM PLATED, .190 X .250 BOLT[CUST: AV AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS9598 | BRACKET, ANGLE, 90 DEG., CADMIUM PLATED, .190 X .312 BOLT[CUST: AV AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS9599 | BRACKET, ANGLE, 90 DEG., CADMIUM PLATED, .190 X .375 BOLT[CUST: AV AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS9592 | BRACKET, ANGLE, 90 DEG., CRES .190 BOLT[CUST: AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS9601 | BRACKET, ANGLE, 90 DEG., CRES .190 X .250 BOLT[CUST: AS 11 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS9602 | BRACKET, ANGLE, 90 DEG., CRES .190 X .312 BOLT[CUST: AS 11 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS9594 | BRACKET, ANGLE, 90 DEG., CRES, .190 X .312 BOLT[CUST: AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS9595 | BRACKET, ANGLE, 90 DEG., CRES, .190 X .375 BOLT[CUST: AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS9596 | BRACKET, ANGLE, 90 DEG., STEEL, .190 BOLT[CUST: AV AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS9230 | BRACKET, ANGLE, 90 DEGREE .190 X .312 BOLT[CUST: AR AS 99] [REVIEW: 71] | A | 5340 | | AS | SEP-98 |
| | A-A-54033 | BRACKET, CONTAINER, HYPODERMIC NEEDLE AND SYRINGE[CUST: MD MS 03] | A | 6530 | / | MB | 24-NOV-89 |
| | A-A-52528 NOT 1 | BRACKET, EXHAUST, MUFFLER AND TAILPIPE (METRIC)[CUST: AT] [REVIEW: CC] | A | 2990 | / | AT | 16-APR-04 |
| | SAE-AS9551 | BRACKET, FLAT, STEEL, AMS 6350, CAD, PLATE[CUST: AV AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS7431 | BRACKET, SUPPORT CLAMP[CUST: AS] | A | 5340 | | AS | JUL-98 |
| | A-A-55187 | BRAID, TEXTILE (FLAT)[CUST: NU 11 CT] [REVIEW: 99 GL MC] | A | 8315 | / | CT | 17-MAR-93 |
| | MIL-B-13466E | BRAID, TEXTILE AND LACE, VELLUM, WOVEN, TEXTILE (FOR BLUE DRESS UNIFORM)[CUST: GL CT] [REVIEW: MD] | A | 8315 | | CT | 16-SEP-88 |
| | MIL-B-40092D | BRAID, TEXTILE, CORD EDGE, POLYESTER[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8315 | | CT | 27-MAR-87 |
| | A-A-55264 | BRAID, TEXTILE, CORD-EDGE[CUST: GL 11 CT] [REVIEW: 01 MD SO] | A | 8315 | / | CT | 24-FEB-95 |
| | MIL-B-371F | BRAID, TEXTILE, TUBULAR[CUST: GL NU CT] [REVIEW: EA MC MD] | A | 8315 | | CT | 15-MAY-87 |
| | A-A-59569A | BRAID, WIRE (COPPER, TIN-COATED OR SILVER-COATED, OR NICKEL COATED, TUBULAR OR FLAT)[CUST: CR AS 11 CC] [REVIEW: AR AT AV DS MC MI NS OS SH] | A | 6145 | / | CC | 31-OCT-02 |
| | MIL-B-60225(1) NOT 2 | BRAIDED FUZE MATERIAL[CUST: AR] | A | 1390 | | AR | 10-OCT-96 |
| | STANAG-4395 ED.2 | BRAKE ANTI-LOCK DEVICE CONNECTORS FOR TACTICAL LAND VEHICLES AND TRAILERS FITTED WITH ANTI-LOCK BRAKING SYSTEMS | C | ISDA | | AI | 10-MAY-01 |
| | MIL-B-8075D(1) | BRAKE CONTROL SYSTEMS, ANTISKID, AIRCRAFT WHEELS, INSTRUCTIONS FOR PREPARATION OF SPECIFICATIONS FOR[CUST: AV AS 99] [REVIEW: 70 GS] | A | 1630 | | AS | 10-MAR-77 |
| | SAE-J1703 | BRAKE FLUID, MOTOR VEHICLE (R)[CUST: AT SH 99] | A | 2530 | | AT | 03-OCT-94 |
| A | QPL-46176-13 | BRAKE FLUID, SILICONE, AUTOMOTIVE, ALL WEATHER, OPERATIONAL AND PRESERVATIVE | A | 9150 | | AT | 26-JUL-05 |
| | MIL-PRF-46176B | BRAKE FLUID, SILICONE, AUTOMOTIVE, ALL-WEATHER, OPERATIONAL AND PRESERVATIVE[CUST: AT AS 68] [REVIEW: 03 11 AR GS MI OS PS SA] | A | 9150 | | AT | 10-JAN-01 |
| | SAE-J379 | BRAKE LINING, GOGAN HARDNESS OF[CUST: AT 99] [REVIEW: YD] | A | 2530 | | AT | MAY-72 |
| | SAE-J661 | BRAKE LININGS QUALITY, CONTROL TEST PROCEDURE[CUST: AT CC] [REVIEW: 99 YD] | A | 2530 | | CC | AUG-87 |
| | A-A-59484 | BRAKE MACHINES, SHEET METAL, MANUALLY OPERATED STANDARD AND BOX-PAN TYPE[CUST: AR SH 99] [REVIEW: 84] | A | 3441 | / | GS5 | 14-MAR-01 |
| | SAE-J840 | BRAKE SHOE AND LINING ADHESIVES AND BONDS, TEST PROCEDURES FOR[CUST: AT YD 99] | A | 2530 | | AT | AUG-82 |
| | SAE-J992 | BRAKE SYSTEM PERFORMANCE REQUIREMENTS, TRUCK, BUS, AND COMBINATION OF VEHICLES[CUST: AT 99] [REVIEW: YD] | A | 2530 | | AT | JUL-67 |
| | SAE-J843 | BRAKE SYSTEM ROAD TEST CODE - PASSENGER CAR AND LIGHT-DUTY TRUCK[CUST: AT 99] [REVIEW: YD] | A | 2530 | | AT | JAN-63 |
| | SAE-J786 | BRAKE SYSTEM ROAD TEST CODE - TRUCK, BUS, AND COMBINATION OF VEHICLES[CUST: AT 99] [REVIEW: YD] | A | 2530 | | AT | MAY-71 |
| | MIL-B-8584C(1) | BRAKE SYSTEMS, WHEEL, AIRCRAFT, DESIGN OF[CUST: AV AS 99] [REVIEW: 70 GS] | A | 1630 | | AS | 28-OCT-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-62364B NOT 1 | BRAKE, ELECTROMAGNETIC, NORMALLY ENGAGED[CUST: AT CC] | A | 2530 | | AT | 20-APR-04 |
| | MIL-B-12253E | BRAKES, MUZZLE, CANNON, STEEL CASTINGS FOR[CUST: AR] | A | MECA | | AR | 03-NOV-88 |
| | QSTAG-310(1) | BRAKING SYSTEMS BETWEEN TOWING AND TOWED UNITS OF EQUIPMENT COMBINATIONS FOR MILITARY USE (ABCA 310)[CUST: AI] | C | ISDA | | AI | 30-OCT-74 |
| | STANAG-2604 ED.3(2) | BRAKING SYSTEMS BETWEEN TRACTOR, DRAW BAR TRAILER & SEMI-TRAILER EQUIPMENT COMBINATIONS FOR MILITARY USE | C | ISDA | | AI | 27-NOV-86 |
| | ASTM-F681 | BRANCH CONNECTIONS[CUST: SH] | A | 4730 | | SH | MAR-83 |
| | MIL-B-11839D NOT 1 | BRAOMETER, ANEROID ML-434()/PM[CUST: CR 99] [REVIEW: GS] | A | 6660 | | CR | 27-APR-88 |
| | QQ-B-639B(1) NOT 1 | BRASS, NAVAL: FLAT PRODUCTS (PLATE, BAR, SHEET, AND STRIP)[CUST: MR SH 99 IS] [REVIEW: 84 AS AT MC MI OS YD] | A | 9530 | / | IS | 06-AUG-02 |
| | MIL-DTL-3476/1C NOT 2 | BRASSARD, AIRDROME OFFICER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/37B NOT 2 | BRASSARD, AMVER BOARDING OFFICER, COAST GUARD[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/36D NOT 2 | BRASSARD, ARMY COMMUNITY SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/3C NOT 2 | BRASSARD, BOARDING OFFICER, COAST GUARD[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/4C NOT 2 | BRASSARD, BOMB DISPOSAL PERSONNEL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/5C NOT 2 | BRASSARD, CAPTAIN OF THE PORT, COAST GUARD[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/6B NOT 2 | BRASSARD, CAREER APPRAISAL, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/39B NOT 2 | BRASSARD, CRIMINAL INVESTIGATIONS DIVISION SPECIAL AGENT, ARMY SUBDUED AND DESERT[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/40B NOT 2 | BRASSARD, CRIMINAL INVESTIGATIONS DIVISION SPECIAL AGENT, ARMY, FULL COLOR[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/7D NOT 2 | BRASSARD, DAMAGE CONTROL, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/8C NOT 2 | BRASSARD, FIRE TRUCK AND HOSE COMPANY, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/9C NOT 2 | BRASSARD, GAS PERSONNEL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476J SUP 1 NOT 2 | BRASSARD, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/10C NOT 2 | BRASSARD, JUNIOR OFFICER OF THE DECK, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/11C NOT 2 | BRASSARD, MASTER AT ARMS, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/12C NOT 2 | BRASSARD, MEDICAL SERVICE, GENEVA CONVENTION[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/13C NOT 2 | BRASSARD, MEDICAL SERVICE, VETERINARY CORPS[CUST: IH NU 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/42B NOT 2 | BRASSARD, MILITARY POLICE IN GARRISON, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/14C NOT 2 | BRASSARD, MILITARY POLICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/38B NOT 2 | BRASSARD, MILITARY POLICE, ARMY, SUBDUED[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/15D NOT 2 | BRASSARD, MILITARY POLICE, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/41A NOT 2 | BRASSARD, MILITARY POLICE, MARINE CORPS, SUBDUED[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/16D NOT 2 | BRASSARD, MOURNING[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/17C NOT 2 | BRASSARD, MOVEMENT CONTROL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/18C NOT 2 | BRASSARD, OFFICER OF THE DAY, AIR FORCE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/19C NOT 2 | BRASSARD, OFFICER OF THE DAY, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/20D NOT 2 | BRASSARD, OFFICER OF THE DECK, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/21D NOT 2 | BRASSARD, OFFICER OF THE GUARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/22C NOT 2 | BRASSARD, OFFICER OF THE GUARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/43 NOT 2 | BRASSARD, PERSONNEL ASSISTANCE POINTS, TOTAL ARMY PERSONNEL COMMAND[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/23C NOT 2 | BRASSARD, PHOTOGRAPHER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/24C NOT 2 | BRASSARD, PHOTOGRAPHER, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/25B NOT 2 | BRASSARD, PORT PERSONNEL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/26D NOT 2 | BRASSARD, SECURITY POLICE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/27C NOT 2 | BRASSARD, SHORE PATROL, NAVY[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/28C NOT 2 | BRASSARD, TRAINEES IN LEADERSHIP COURSES, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/30C NOT 2 | BRASSARD, TRAINEES OR CANDIDATES ACTING AS NON-COMMISSIONED OFFICER AT TRAINING SCHOOL OR CENTER, SERGEANT, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/29C NOT 2 | BRASSARD, TRAINEES OR CANDIDATES ACTING AS NON-COMMISSIONED OFFICER AT TRAINING SCHOOL OR CENTER, CORPORAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/32C NOT 2 | BRASSARD, TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, FIRST LIEUTENANT, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/33C NOT 2 | BRASSARD, TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, SECOND LIEUTENANT, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/31C NOT 2 | BRASSARD, TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, CAPTAIN, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/35C NOT 2 | BRASSARD, U.S. ARMY CLAIMS SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3476/34C NOT 2 | BRASSARD, UNIT POLICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-MAY-01 |
| | A-A-53938 | BRAZING ALLOY, SILVER[CUST: MD MS 03] | A | 6520 | / | MB | 28-JUL-89 |
| | QQ-B-654A(1) NOT 1 | BRAZING ALLOYS, SILVER[CUST: AR SH] [REVIEW: 99 CR4 GS MC MD YD] | A | 3439 | / | SH | 07-FEB-91 |
| | A-A-51138A | BRAZING AND SOLDERING SET (ACETYLENE GAS)[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 3433 | / | GS6 | 25-JUL-01 |
| | MSS-SP73 | BRAZING JOINTS FOR COPPER AND COPPER ALLOY PRESSURE FITTINGS[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | SAE-AMS-B-20148 | BRAZING SHEET, ALUMINUM ALLOY[CUST: MR AS 11] [REVIEW: AR AV CR4 EA GS] | A | 3439 | | AS | JUL-98 |
| | AWS-C3.5 | BRAZING, INDUCTION[CUST: MR AS 11] | A | THJM | | MR | 16-MAR-90 |
| | MIL-B-12673(1) | BRAZING, OXYACETYLENE, OF BUILT-UP METAL STRUCTURES.[CUST: AR] [REVIEW: MI] | A | THJM | | AR | 13-JAN-61 |
| | A-A-20052B | BREAD, FRESH OR FROZEN | A | 8920 | # | FSS | 11-MAY-98 |
| | A-A-20287 | BREAD, PITA, FRESH OR FROZEN[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8920 | * | FV | 11-MAY-98 |
| | MIL-DTL-44360B | BREAD, SHELF STABLE, FOR OPERATIONAL RATIONS[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8920 | | GL | 14-FEB-03 |
| | MIL-B-43866C(1) | BREAD-SLICING MACHINE, ELECTRIC-OPERATED, MULTIPLE KNIFE[CUST: SA 99] [REVIEW: GS MC SH] | A | 7320 | | SA | 30-DEC-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-QCIC-80202 | BREAKDOWN DIAGRAM [AMSC: N3907] | A | QCIC | | OS | 04-AUG-86 |
| | A-A-52558 | BREAKERS, PAVING, PNEUMATIC-POWERED; (0.875 INCH HEXAGON BY 3.25 INCH CHUCK)[CUST: AT 99] [REVIEW: 84 CC] | A | 3820 | / | AT | 20-FEB-96 |
| | A-A-52599 NOT 1 | BREAKERS, PAVING: PNEUMATIC (METRIC)[CUST: AT YD 99] [REVIEW: 84 CC MC] | A | 3820 | / | AT | 19-APR-04 |
| | A-A-20034A | BREAKFAST COCOA; COCOA, COCOA, LOWFAT; AND COCOA, FAT FREE | A | 8955 | # | FSS | 03-JUN-97 |
| | A-A-20279 | BREAKFAST PIZZA, PREPARED, FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8940 | * | GL | 21-SEP-01 |
| | A-A-59774 | BREATHING AIR COMPRESSOR (BAC), PORTABLE, DIESEL[CUST: AT SH 03] [REVIEW: 84 99 CC] | A | 4310 | / | SH | 10-MAY-05 |
| | MIL-B-24692A | BREATHING APPARATUS, OXYGEN GENERATING, TYPE A-4 (METRIC)[CUST: EA SH 99] [REVIEW: 84 GS] | A | 4240 | | SH | 06-AUG-93 |
| | A-A-54879 | BREATHING CIRCUIT, ANESTHESIA[CUST: MD MS 03] | A | 6515 | / | MB | 16-JUL-93 |
| | AIR-STD-15/14A | BREATHING OXYGEN CHARACTERISTICS (INCLUDING SUPPLY PRESSURE AND HOSES) | C | ISDF | | 06 | 25-JUL-00 |
| | ASTM-C67 | BRICK AND STRUCTURAL CLAY TILE, SAMPLING AND TESTING[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 15-DEC-93 |
| | ASTM-C62 | BRICK, BUILDING (SOLID MASONRY UNITS MADE FROM CLAY OR SHALE)[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 15-NOV-92 |
| | ASTM-C55 | BRICK, CONCRETE[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 15-MAR-94 |
| | ASTM-C216 | BRICK, FACING, (SOLID MASONRY UNITS MADE FROM CLAY OR SHALE)[CUST: CR4 YD IS] | A | 5620 | | IS | 15-JUN-94 |
| | ASTM-C652 | BRICK, HOLLOW, (HOLLOW MASONRY UNITS MADE FROM CLAY OR SHALE)[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 15-JUN-94 |
| | ASTM-F1312 | BRICK, INSULATING, HIGH TEMPERATURE, FIRE CLAY[CUST: CR4 SH 99] | A | 9350 | | SH | 31-AUG-90 |
| | MIL-B-16008C(2) NOT 1 | BRICK, INSULATION, HIGH TEMPERATURE, FIRE CLAY[CUST: CR4 SH 99] [REVIEW: 84 GS] | A | 9350 | | SH | 26-MAR-90 |
| | MIL-B-15606H | BRICK, REFRACTORY, & BURNER TILE, NAVAL BOILER FURNACE LINING QUALITY[CUST: SH 99] [REVIEW: GS MC] | A | 9350 | | SH | 30-JUN-83 |
| | MIL-B-16305B NOT 1 | BRICK, REFRACTORY, INSULATING[CUST: SH 99] [REVIEW: GS MR] | A | 9350 | | SH | 25-JUL-89 |
| | QPL-16305-32 | BRICK, REFRACTORY, INSULATING | A | 9350 | | SH | 22-JUN-98 |
| | ASTM-C113 | BRICK, REFRACTORY, REHEAT CHANGE OF[CUST: CR4 SH] [REVIEW: GS MC] | A | 9350 | | SH | 15-MAR-93 |
| | ASTM-C32 | BRICK, SEWER AND MANHOLE (MADE FROM CLAY OR SHALE)[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 23-NOV-90 |
| | QPL-15606-51 | BRICKS, REFRACTORY, AND BURNER TILE, NAVAL BOILER FURNACE LINING QUALITY | A | 9350 | | SH | 23-MAR-01 |
| | QSTAG-504(2) | BRIDGE CLASSIFICATION MARKINGS[CUST: AI] | C | ISDA | | AI | 24-MAR-80 |
| A | MIL-DTL-62749 | BRIDGE, FIXED: ALUMINUM, HIGHWAY, UNITED KINGDOM, MEDIUM GIRDER AND ERECTION, AND TRANSPORTATION EQUIPMENT, FULLY COMPETITIVE COMPONENTS FOR[CUST: AT MC 99] [REVIEW: CC CR] | A | 5420 | | AT | 28-AUG-95 |
| | DI-MGMT-81605 | BRIEFING MATERIAL [AMSC: G7425] | A | MGMT | | NS | 15-FEB-01 |
| | MIL-HDBK-1037/4 | BRIGS AND DETENTION FACILITIES[CUST: YD] | A | FACR | | YD | 15-JUL-89 |
| | A-A-54322 | BROACH, PULP CANAL, BARBET, STERILE[CUST: MD MS 03] | A | 6520 | / | MB | 04-FEB-91 |
| | A-A-20290 | BROCCOLI, FRESH CUT | A | 8915 | # | FV | 08-JAN-99 |
| | MIL-B-43878 NOT 4 | BROILER, SELF-CLEANING, ELECTRIC; COUNTER MODEL[CUST: SA] [REVIEW: GS MC] | A | 7310 | | SA | 26-FEB-93 |
| | ASTM-D1246 | BROMINE ION IN WATER[CUST: EA 68] [REVIEW: 50 CR4 GL MD SH] | A | 6810 | | GS3 | 14-NOV-90 |
| | MIL-DTL-38741A NOT 1 | BROMOCHLORODIFLUOROMETHANE, TECHNICAL[CUST: 68] | A | 6830 | | GS3 | 24-MAY-05 |
| | A-A-54178 | BROMOCRIPTINE MESYLATE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 07-JUN-90 |
| | A-A-51971A | BROMPHENIRAMINE MALEATE AND PHENYLPROPANOLAMINE HYDROCHLORIDE TABLETS, EXTENDED RELEASE[CUST: MD MS 03] | A | 6505 | / | MB | 18-DEC-92 |
| | A-A-54864 | BRONCHOSCOPE, FLEXIBLE, FIBER OPTIC, TRANSNASAL OR TRANSORAL[CUST: MD MS 03] | A | 6515 | / | MB | 15-MAY-93 |
| | MSS-SP80 | BRONZE GATE, GLOBE, ANGLE AND CHECK VALVES[CUST: CR4 YD 99] [REVIEW: CE EA MC SA] | A | 4820 | | CC | 02-OCT-87 |
| | MIL-B-24480A NOT 1 | BRONZE, NICKEL-ALUMINUM (UNS NO. C95800) CASTINGS FOR SEAWATER SERVICE[CUST: SH] | A | MECA | | SH | 26-MAR-91 |
| | FED-STD-595/10080 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10219 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10045 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10324 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10070 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/10233 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10115 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10032 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10075 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10266 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10059 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/10371 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10260 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10076 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10091 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/10049 | BROWN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30166 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30257 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30099 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30252 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30279 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30215 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30313 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30117 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30340 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/30450 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30227 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30140 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | FED-STD-595/30324 | BROWN, LUSTERLESS [REVIEW: SS] | A | 2010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30206 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30111 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30160 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30045 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30108 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30118 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30219 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30059 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/30277 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30051 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/30318 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30372 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30233 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30109 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30480 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/30475 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/30266 | BROWN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31090 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33245 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33303 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30145 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36415 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30315 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33522 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33070 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33440 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30040 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33105 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/30097 | BROWN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20266 | BROWN, SEMI-GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20233 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20040 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20140 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20062 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20475 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/20117 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20206 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20460 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/20122 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20219 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20152 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20227 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20252 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20318 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20045 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20372 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20400 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20061 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20260 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20100 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20109 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20313 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20450 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20059 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/20095 | BROWN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | MIL-DTL-22342E | BROWS, ALUMINUM, BEAM AND TRUSS[CUST: YD] [REVIEW: CR4] | A | 2090 | | YD | 07-JUL-95 |
| | MIL-STD-2197 | BRUSH ELECTROPLATING ON MARINE MACHINERY[Design Criteria Standard][CUST: SH] | A | MFFP | | SH | 28-MAR-89 |
| | A-A-53438 | BRUSH SET, INSTRUMENT CLEANING[CUST: MD MS 03] | A | 6515 | / | MB | 29-APR-88 |
| | A-A-54030 | BRUSH, BRISTLE, DENTAL HANDPIECE (MANDREL MOUNTED)[CUST: MD MS 03] | A | 6520 | / | MB | 16-NOV-89 |
| | MIL-B-23958A(1) | BRUSH, CLEANING, AIRCRAFT, METAL BRIGHTENING[CUST: GL AS 99] | A | 7920 | | AS | 12-NOV-75 |
| | A-A-53006 | BRUSH, CLEANING, COLONOSCOPE[CUST: MD MS 03] [REVIEW: GS] | A | 1615 | / | MB | 26-JUN-87 |
| | A-A-51485 | BRUSH, CLEANING, DENTAL SUCTION APPARATUS TIP[CUST: MD MS 03] | A | 6520 | | MB | 23-JUN-86 |
| | A-A-51215 | BRUSH, DENTURE[CUST: MD MS 03] | A | 6520 | / | MB | 20-NOV-85 |
| | A-A-51027 | BRUSH, FIBER, ROTARY WHEEL (DENTAL)[CUST: MD MS 03] | A | 6520 | / | MB | 14-OCT-85 |
| | A-A-2075 | BRUSH, PLATER'S (HAND)[CUST: GL SA 99] | A | 7920 | * | GL | 02-MAY-83 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-53111 | BRUSH, POLISHING, DENTAL HANDPIECE (SCREW STEM)[CUST: MD MS 03] | A | 6520 | / | MB | 17-AUG-87 |
| | A-A-51003 | BRUSH, SCRATCH, DENTAL[CUST: MS 03 MB] | A | 6520 | / | MB | 30-AUG-85 |
| | H-B-531C | BRUSH, SCRUB, DECK | A | 7920 | # | FSS | 16-NOV-62 |
| | H-B-00555B | BRUSH, SCRUB, VEGETABLE | A | 7920 | # | FSS | 28-JAN-71 |
| | H-B-00571B | BRUSH, SHAVING | A | 8530 | # | FSS | 02-JUN-69 |
| | H-B-581(1) | BRUSH, SHOE | A | 7920 | # | FSS | 31-JUL-50 |
| | H-B-00621G | BRUSH, STENCIL | A | 7520 | # | FSS | 07-OCT-70 |
| | A-A-54917 | BRUSH, SURGICAL SCRUB[CUST: MD MS 03] | A | 6530 | / | MB | 19-NOV-93 |
| | H-B-178/1 | BRUSH, WIRE & PLATER, CURVED HANDLE, 4 ROW BRUSHES[CUST: GL SA 99] [REVIEW: 84] | A | 7920 | * | GL | 10-MAY-76 |
| | H-B-178D | BRUSH, WIRE AND PLATERS GENERAL SPECIFICATION FOR[CUST: GL SA 99] [REVIEW: 84 CE CG MC SH] | A | 7920 | * | GL | 10-MAY-76 |
| | H-B-178/5 | BRUSH, WIRE AND PLATERS, CURVED BLOCK BRUSH[CUST: GL SA 99] [REVIEW: 84] | A | 7920 | * | GL | 10-MAY-76 |
| | H-B-178/3 | BRUSH, WIRE AND PLATERS, SHOE HANDLE BRUSHES[CUST: GL SA 99] [REVIEW: 84] | A | 7920 | * | GL | 10-MAY-76 |
| | H-B-178/2 | BRUSH, WIRE AND PLATERS. CURVED HANDLE, 3 ROW BRUSHES[CUST: GL SA 99] [REVIEW: 84] | A | 7920 | * | GL | 10-MAY-76 |
| | H-B-178/4 | BRUSH, WIRE AND PLATERS. STRAIGHT BLOCK BRUSHES[CUST: GL SA 99] [REVIEW: 84] | A | 7920 | * | GL | 10-MAY-76 |
| | SSPC-SP7 | BRUSH-OFF BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 7[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MR MS OS SH] | A | 8010 | | IS | 03-AUG-87 |
| | A-A-51425A | BRUSH-SPONGE, SURGICAL SCRUB[CUST: MD MS 03] | A | 6530 | / | MB | 19-SEP-86 |
| | A-A-51614A | BRUSH-SPONGE, SURGICAL SCRUB[CUST: MD MS 03] | A | 6530 | / | MB | 26-FEB-93 |
| | A-A-53573A | BRUSH-SPONGE, SURGICAL SCRUB[CUST: MD MS 03] | A | 6530 | / | MB | 30-APR-92 |
| | A-A-3192 | BRUSHES, PAINT | A | 8020 | # | FSS | 09-MAY-03 |
| | A-A-3193 | BRUSHES, PAINT, SASH, AND TRIM | A | 8020 | # | FSS | 16-JUN-03 |
| | A-A-3077 | BRUSHES, TYPEWRITER[CUST: FSS] | A | 7510 | # | FSS | 01-MAY-97 |
| | A-A-59193 | BRUSHES, WIRE, BOILER TUBE, EXPANDING TYPE FOR USE WITH ELECTRIC AND AIR MOTOR DRIVEN BOILER TUBE CLEANING OUTFITS[CUST: SH 99] [REVIEW: GS] | A | 5120 | / | SH | 20-MAY-98 |
| | A-A-2511A | BRUSHES, WIRE, ROTARY, CUP, CRIMPED WIRE | A | 5130 | # | FSS | 16-MAY-02 |
| | A-A-2512A | BRUSHES, WIRE, ROTARY, CUP, TWISTED TUFT | A | 5130 | # | FSS | 16-MAY-02 |
| | A-A-2514A | BRUSHES, WIRE, ROTARY, END ATACHMENT, CIRCULAR, SIDE FLARE | A | 5130 | # | FSS | 16-MAY-02 |
| | A-A-2515A | BRUSHES, WIRE, ROTARY, END ATTACHMENT, PILOT BONDING | A | 5130 | # | FSS | 16-MAY-02 |
| | A-A-2513A | BRUSHES, WIRE, ROTARY, END ATTACHMENT, SOLID WIRE FILLED | A | 5130 | # | FSS | 16-MAY-02 |
| | A-A-2516A | BRUSHES, WIRE, ROTARY, WHEEL, CRIMPED WIRE | A | 5130 | # | FSS | 16-MAY-02 |
| | A-A-2517A | BRUSHES, WIRE, ROTARY, WHEEL, TWISTED TUFT | A | 5130 | # | FSS | 16-MAY-02 |
| | A-A-3191 | BRUSHES: ARTISTS | A | 8020 | # | FSS | 01-MAY-02 |
| | A-A-50222 NOT 1 | BUCKET, HELICOPTER, FIRE FIGHTING[CUST: AV] | A | 4210 | / | AV | 24-OCT-00 |
| | NAS1284 | BUCKLE - WEB STRAP, LIGHT DUTY[CUST: AR AS 99 IS] | A | 5340 | | IS | 30-SEP-72 |
| | MIL-DTL-14656B | BUCKLE AND CATCH, CEREMONIAL, ARMY[CUST: IH] [REVIEW: CT GL] | A | 8315 | | IH | 28-APR-03 |
| | ASTM-D4831 | BUCKLE TEAR STRENGTH OF LEATHER[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | MIL-B-40006D NOT 3 | BUCKLE, GENERAL OFFICERS' BELT, GOLD PLATED[CUST: IH] [REVIEW: CT GL] | A | 8315 | | IH | 21-JUL-01 |
| | MIL-B-1860E NOT 1 | BUCKLE, SLIDE, PLASTIC[CUST: GL NU 99 CT] [REVIEW: 11 CG MC] | A | 8315 | | CT | 21-JUN-77 |
| | NASM51929 | BUCKLE, SPRING ACTION[CUST: AR IS] | A | 5340 | | IS | 25-SEP-01 |
| | A-A-55284 | BUCKLES, BRASS[CUST: GL MC CT] [REVIEW: MD] | A | 8315 | / | CT | 26-SEP-95 |
| | MIL-B-20269E | BUCKLES: INSIGNIA AND PLAIN[CUST: MC CT] | A | 8315 | | CT | 26-NOV-90 |
| | MIL-B-1963J(1) | BUCKLES; AND CLIPS, END, STRAP (FOR BELT, TROUSERS)[CUST: GL NU 11 CT] [REVIEW: 99 CG MC MD] | A | 8315 | | CT | 01-AUG-90 |
| | A-A-53826 | BUFFER SOLUTION (STANDARD)[CUST: MD MS 03] | A | 6550 | / | MB | 13-FEB-89 |
| | A-A-51411 | BUFFER SOLUTION, STANDARD[CUST: MD MS 03] | A | 6550 | / | MB | 14-APR-86 |
| | A-A-53206 | BUFFER SOLUTION, STANDARD (PH 6.833 TO 6.843)[CUST: MD MS 03] | A | 6550 | / | MB | 30-SEP-87 |
| | A-A-53018 | BUFFER SOLUTION, STANDARD (PH)[CUST: MD MS 03] | A | 6550 | / | MB | 22-JUN-87 |
| A | MIL-DTL-70953A | BUFFER, RECOIL MECHANISM ASSEMBLY, M119A1/A2 HOWITZER, LIGHT, TOWED:105MM[CUST: AR] | C | 1015 | | AR | 25-OCT-05 |
| | A-A-59297 | BUFFING AND POLISHING COMPOUNDS[CUST: AS 99] [REVIEW: GS] | A | 5350 | / | AS | 31-JUL-98 |
| | FM-P7825C | BUILDING MATERIALS, APPROVAL GUIDE[CUST: YD] | A | FACR | | YD | 14-JUN-04 |
| | UU-B-790A NOT 2 | BUILDING PAPER VEGETABLE FIBER: (KRAFT, WATERPROOFED, WATER REPELLENT AND FIRE RESISTANT) | A | 5640 | # | FSS | 24-APR-92 |
| | UU-B-790A(I1) NOT 2 | BUILDING PAPER, VEGETABLE FIBER: (KRAFT, WATERPROOFED, WATER REPELLENT AND FIRE RESISTANT) | A | 5640 | # | FSS | 24-APR-92 |
| | ASTM-E577 | BUILDING PARTS AND SYSTEMS, RECTILINEAR, COORDINATION OF[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | FACR | | YD | 27-DEC-85 |
| | ASME-B31.9 | BUILDING SERVICES PIPING (ALSO INCLUDES ADDENDA ASME-B31.9A-1991)[CUST: YD] | A | FACR | | YD | 22-JAN-93 |
| | ANSI-A117.1 | BUILDINGS AND FACILITIES, ACCESSIBLE AND USABLE[CUST: CE YD 04] | A | FACR | | YD | 15-DEC-92 |
| | ASCE7 | BUILDINGS AND OTHER STRUCTURES, MINIMUM DESIGN LOADS FOR[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| | ASHRAE90.1 | BUILDINGS, ENERGY EFFICIENT DESIGN OF NEW BUILDINGS EXCEPT LOW-RISE RESIDENTIAL[CUST: CE YD 04] | A | FACR | | YD | 24-JUN-89 |
| | AISC-S335 | BUILDINGS, STRUCTURAL STEEL, ALLOWABLE STRESS DESIGN AND PLASTIC DESIGN[CUST: CE YD 04] | A | FACR | | YD | 01-JUN-89 |
| | A-A-53702 | BULB, DROPPING PIPET[CUST: MD MS 03] | A | 6640 | / | MB | 20-SEP-88 |
| | A-A-51968A | BULB, PIPET, BACTERIOLOGICAL (RUBBER)[CUST: MD MS 03] | A | 6640 | / | MB | 14-SEP-87 |
| | A-A-53904 | BULB, PIPET, DROPPING[CUST: MD MS 03] | A | 6640 | / | MB | 04-MAY-89 |
| | ASTM-C29/C29M | BULK DENSITY (UNIT WEIGHT) AND VOIDS IN AGGREGATE[CUST: CR4 YD IS] | A | 5610 | | IS | 15-DEC-91 |
| | QSTAG-2028 ED.1 | BULK WATER SUPPLY ON EXTENDED OPERATIONS[CUST: AI] | C | ISDA | | AI | 03-JUN-97 |
| | DI-SAFT-81132 | BULLET IMPACT TEST DATA [AMSC: N6032] | A | SAFT | | OS | 08-MAR-91 |
| | STANAG-4241 ED.2 | BULLET IMPACT, MUNITION TEST PROCEDURES | C | ISDA | | AI | PENDING |
| | UL752 | BULLET-RESISTING EQUIPMENT[CUST: AT YD 04] | A | 5670 | | IS | 28-JAN-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-63034B(1) | BULLETINS, TECHNICAL: WARRANTY, PREPARATION OF[CUST: TM] [REVIEW: AR AT MI TE] | A | TMSS | | TM | 15-NOV-01 |
| | A-A-53596A | BUMETANIDE INJECTION[CUST: MD MS 03] | A | 6505 | / | MB | 13-NOV-92 |
| | A-A-53597A | BUMETANIDE TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 18-DEC-92 |
| | MIL-PRF-29163C | BUOYS, MARKER (METRIC)[CUST: YD 99] [REVIEW: AS CG] | A | 2050 | | YD | 15-SEP-97 |
| | A-A-53849 | BUPIVACAINE HYDROCHLORIDE AND EPINEPHRIN INJECTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 14-MAR-89 |
| | A-A-54229 | BUPIVACAINE HYDROCHLORIDE INJECTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 31-JUL-90 |
| | A-A-53407A | BUPRENORPHINE HYDROCHLORIDE INJECTION[CUST: MD MS 03] | A | 6505 | / | MB | 13-NOV-92 |
| A | A-A-53974 | BUR KIT, DENTAL FINISHING (TUNGSTEN CARBIDE)[CUST: MD MS 03] [REVIEW: 19 99 AT AV CC CR4 MI] | A | 6520 | / | MB | 11-SEP-89 |
| | A-A-53916 | BUR, BONE (WIRE PASS DRILL)[CUST: MD MS 03] | A | 6515 | / | MB | 26-JUN-89 |
| | A-A-53470/4 | BUR, BONE SURGERY (DIAMOND, 2 MM, RHINOPLASTIC HEAD, LONG SHANK)[CUST: MD MS 03] | A | 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/1 | BUR, BONE SURGERY (DIAMOND, 2MM, ROUND HEAD, LONG SHANK)[CUST: MD MS 03] | A | 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/2 | BUR, BONE SURGERY (DIAMOND, 3 MM, ROUND HEAD, LONG SHANK)[CUST: MD MS 03] | A | 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/6 | BUR, BONE SURGERY (DIAMOND, 4 MM, OVAL HEAD, LONG SHANK)[CUST: MD MS 03] | A | 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/5 | BUR, BONE SURGERY (DIAMOND, 4 MM, ROUND HEAD, LONG SHANK)[CUST: MD MS 03] | A | 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/7 | BUR, BONE SURGERY (DIAMOND, 4MM, DERMABRADER HEAD, MEDIUM SHANK)[CUST: MD MS 03] | A | 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/3 | BUR, BONE SURGERY (DIAMOND, 5 MM, ROUND HEAD, LONG SHANK)[CUST: MD MS 03] | A | 6515 | / | MB | 22-AUG-88 |
| | A-A-53417 | BUR, BONE SURGERY (SWANSON REAMER)[CUST: MD MS 03] | A | 6515 | / | MB | 28-MAR-88 |
| | A-A-54165 | BUR, BONE, TUNGSTEN CARBIDE GENERAL SPECIFICATION FOR[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/15 | BUR, BONE, TUNGSTEN CARBIDE, BARREL CUTTING, LONG SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/14 | BUR, BONE, TUNGSTEN CARBIDE, BARREL CUTTING, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/12 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 10 MM CUTTING LENGTH, LONG SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/10 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 10 MM CUTTING LENGTH, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/11 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 8 MM CUTTING LENGTH, LONG SHANK [CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/9 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 8 MM CUTTING LENGTH, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/2 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 1.5 MM HEAD DIAMETER, LONG SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/7 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 1.5 MM HEAD DIAMETER, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/3 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 2 MM HEAD DIAMETER, LONG SHANK [CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/4 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 2 MM HEAD DIAMETER, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/16 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 3 MM HEAD DIAMETER, LONG SHANK [CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/19 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 4.0 MM HEAD DIAMETER, LONG SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/20 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 4.0 MM HEAD DIAMETER, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/18 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 5 MM HEAD DIAMETER, LONG SHANK [CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/17 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 5 MM HEAD DIAMETER, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/22 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 10 MM CUTTING LENGTH, TAPERED, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/23 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 12 MM CUTTING LENGTH, TAPERED, LONG SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/6 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 19 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/1 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 19 MM CUTTING LENGTH, TAPERED, LONG SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/21 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 4.5 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/13 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 5 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/8 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 7.5 MM CUTTING LENGTH, TAPERED, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54165/5 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 7.5MM CUTTING LENGTH, TAPERED, MEDIUM SHANK[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-91 |
| | A-A-54341 | BUR, DENTAL, EXCAVATING EXTRA LONG SHANK (STEEL)[CUST: MD MS 03] | A | 6520 | / | MB | 12-FEB-91 |
| | A-A-53823 | BUR, DENTAL, FINISHING (STEEL)[CUST: MD MS 03] | A | 6520 | / | MB | 20-FEB-89 |
| | A-A-51061 | BUR, DENTURE TRIMMING (STRAIGHT HANDPIECE, TUNGSTEN CARBIDE)[CUST: MD MS 03] | A | 6520 | / | MB | 21-OCT-85 |
| | A-A-53954 | BUR, DENTURE TRIMMING (STRAIGHT HANDPIECE, TUNGSTEN CARBIDE, STAGGERED-TOOTH)[CUST: MD MS 03] [REVIEW: CC] | A | 6520 | / | MB | 31-AUG-89 |
| | A-A-51206 | BUR, DENTURE TRIMMING, (HIGH SPEED TOOL STEEL)[CUST: MD MS 03] | A | 6520 | / | MB | 20-NOV-85 |
| | MIL-B-36341A NOT 1 | BURET, GAS, 100 ML[CUST: MD MS 03] | A | 6630 | | MB | 02-NOV-92 |
| | A-A-51247 | BURET, LABORATORY (MICRO)[CUST: MD MS 03] | A | 6640 | / | MB | 06-DEC-86 |
| | A-A-51248 | BURET, LABORATORY, (STRAIGHT)[CUST: MD MS 03] | A | 6640 | / | MB | 05-DEC-85 |
| | A-A-51246 | BURET, LABORATORY, (STRAIGHT, AUTOMATIC 50 ML)[CUST: MD MS 03] | A | 6640 | / | MB | 21-JAN-86 |
| | UL1610 | BURGLAR-ALARM UNITS, CENTRAL STATION[CUST: CR4 YD 99] | A | 6350 | | IS | 26-OCT-98 |
| | MIL-PRF-44485 | BURNER UNIT, FIELD FEEDING[CUST: GL 99] [REVIEW: 35 84 AV MD1 QM1 SS] | A | 7310 | | GL | 04-NOV-96 |
| | A-A-51962 | BURNER, ALCOHOL (DENTAL)[CUST: MD MS 03] | A | 6640 | / | MB | 11-MAY-87 |
| | MIL-B-24535A | BURNER, CARBON MONOXIDE AND HYDROGEN, CATALYTIC TYPE (MARK V)[CUST: SH] | A | 4460 | | SH | 22-MAR-89 |
| | A-A-51259 | BURNER, GAS, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 27-NOV-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51680 | BURNER, GAS, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 31-MAR-87 |
| | A-A-51242 | BURNER, GAS, LABORATORY, (BUNSEN, AUTOMATIC)[CUST: MD MS 03] | A | 6640 | / | MB | 22-NOV-85 |
| | MIL-B-2128D | BURNERS, STEAM AND OIL PRESSURE, ATOMIZING[CUST: SH] | A | 4530 | | SH | 07-MAY-91 |
| | A-A-54458 | BURNISHER, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 31-JUL-91 |
| | A-A-20292 | BURRITOS, PREPARED, FROZEN | A | 8940 | # | FV | 01-OCT-02 |
| | A-A-54508 | BURS, BONE SURGERY ("J" NOTCHED)[CUST: MD MS 03] | A | 6515 | / | MB | 08-NOV-91 |
| | ADA23 | BURS, DENTAL EXCAVATING[CUST: MD MS 03 MB] | A | 6520 | | MB | 21-MAR-84 |
| | A-A-54292 | BURS, DENTAL EXCAVATING (TUNGSTEN CARBIDE)[CUST: MD MS 03] | A | 6520 | / | MB | 30-NOV-90 |
| | A-A-53845 | BURS, DENTAL, FINISHING (TUNGSTEN CARBIDE)[CUST: MD MS 03] | A | 6520 | / | MB | 10-APR-89 |
| | MIL-B-71056(1) | BURSTER, PROJECTILE, XM86 LOADING, ASSEMBLING AND PACKING[CUST: AR] | D | 1315 | | AR | 30-AUG-96 |
| | A-A-59125/28 | BUS (JUMPER) CONNECTORS STYLES TBJA, TBJB, TBJC, TBJD, TBJE, TBJF, TBJG, TBJH AND TBJI[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | MS17831C NOT 1 | BUS DISCONNECT, QUICK OPENING SYMBOL 1484[CUST: SH] [REVIEW: GS] | A | 6150 | | SH | 18-JUN-86 |
| | A-A-50631 | BUS FAILURE ALARM, ELECTRICAL, SHIPBOARD[CUST: SH] | A | 6350 | / | SH | 09-FEB-95 |
| | A-A-59194 | BUS TRANSFER SWITCHES, ELECTRIC POWER, AUTOMATIC SHIPBOARD (NON-NUCLEAR APPLICATIONS)[CUST: CR SH 11] | A | 5930 | / | SH | 05-MAY-98 |
| | A-A-50766 | BUS, MOTOR, 16 PASSENGER[CUST: AT YD 99] | A | 2310 | / | 84 | 12-MAR-84 |
| | SAE-AS4710 | BUS-PI[CUST: AS 11] | A | MCCR | | 11 | 10-MAY-93 |
| A | A-A-52612 | BUSES, MOTOR: COMPACT, FORWARD CONTROL 8600 TO 13 500 POUNDS GVW, 12, 16 AND 20 PASSENGER, 4X2[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2310 | / | AT | 31-JUL-96 |
| | NAS74 | BUSHING, CLAMP UP, BRONZE[CUST: AV AS 11] [REVIEW: GS IS] | A | 3120 | | AS | 20-MAY-83 |
| | NAS72 | BUSHING, CLAMP UP, STEEL, CHROME PLATED[CUST: AV AS 11] [REVIEW: GS] | A | 3120 | | AS | 14-JUN-74 |
| | NAS73 | BUSHING, CLAMP-UP, STEEL, CADMIUM PLATED[CUST: AS 11] [REVIEW: GS IS] | A | 3120 | | AS | OCT-80 |
| | NAS77 | BUSHING, FLANGED, PRESS FIT, STEEL, BRONZE & COPPER[CUST: AV AS 11] [REVIEW: GS IS] | A | 3120 | | AS | 28-FEB-97 |
| | NAS538 | BUSHING, FLANGED, PRESS FIT, UNDERSIZE INSIDE DIAMETER[CUST: AV AS 11] [REVIEW: GS] | A | 3120 | | AS | 30-NOV-94 |
| | SAE-AS4861 | BUSHING, PIPE, INTERNAL AND EXTERNAL THREAD[CUST: AV 99 CC] [REVIEW: 71] | A | 4730 | | CC | JUL-95 |
| | NAS76 | BUSHING, PLAIN, PRESS FIT, COPPER & BRONZE[CUST: AS 11] [REVIEW: GS IS] | A | 3120 | | AS | 30-JAN-84 |
| | NAS75 | BUSHING, PLAIN, PRESS FIT, STEEL[CUST: AS 11] [REVIEW: GS IS] | A | 3120 | | AS | 07-OCT-84 |
| | SAE-MA2037 | BUSHING, SCREW THREAD EXPANDER FLARELESS TUBE METRIC[CUST: AV] | A | 4730 | | AV | 7-DEC-92 |
| | SAE-AS14238 | BUSHING, SLEEVE FLANGED, PRESS FIT, REAM TYPE[CUST: AV AS 99] [REVIEW: GS] | A | 3120 | | AS | AUG-97 |
| | SAE-AS14237 | BUSHING, SLEEVE PLAIN, PRESS FIT, REAM TYPE[CUST: AV AS 99] [REVIEW: GS] | A | 3120 | | AS | AUG-97 |
| | NAS537 | BUSHING, SLEEVE, PRESS FIT, UNDERSIZE INSIDE DIAMETER[CUST: AV AS 11] [REVIEW: GS IS] | A | 3120 | | AS | 20-MAY-83 |
| | MS14315B NOT 2 | BUSHINGS, PIPE, BRASS OR BRONZE, THREADED (OUTSIDE HEAD, INSIDE HEAD, AND FACE), CLASSES 250 AND 125[CUST: AT MC 99] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 14-JAN-00 |
| | NEMA-BU1 | BUSWAYS[CUST: YD] [REVIEW: GS] | A | 5975 | | YD | 19-APR-93 |
| | UL857 | BUSWAYS AND ASSOCIATED FITTINGS[CUST: YD] [REVIEW: GS] | A | 5975 | | YD | 3-APR-90 |
| | SAE-AMS-P-5315 | BUTADIENE - ACRYLONITRILE (NBR) RUBBER FOR FUEL-RESISTANT SEALS 60 TO 70[CUST: AV AS 11] | A | 5330 | | 11 | 20-DEC-02 |
| | A-A-51956A | BUTALBITAL, ASPIRIN AND CAFFEINE CAPSULES[CUST: MD MS 03] | A | 6505 | / | MB | 18-DEC-92 |
| | A-A-51927A | BUTOCONAZOLE NITRATE CREAM, VAGINAL[CUST: MD MS 03] | A | 6505 | / | MB | 18-DEC-92 |
| | ASTM-D330 | BUTOXYETHANOL-2[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | EA | 15-SEP-93 |
| | MIL-B-17143G | BUTTON, INSIGNIA (ANCHOR, PLASTIC, BLACK)[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 19-OCT-88 |
| | MIL-B-3461G(4) NOT 2 | BUTTON, INSIGNIA, METAL, UNIFORM AND CAP[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-B-3461G(I6) | BUTTON, INSIGNIA, METAL, UNIFORM AND CAP[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 24-JUN-03 |
| | V-B-871F NOT 2 | BUTTON, SEWING HOLE, AND BUTTON, STAPLE, (PLASTIC)[CUST: GL NU 11 CT] [REVIEW: 82 MC MD] | A | 8315 | / | CT | 17-MAY-02 |
| | MIL-B-286D | BUTTON, TACK. AND TACK, BUTTON[CUST: GL NU 99 CT] [REVIEW: 11] | A | 8315 | | CT | 05-MAY-69 |
| | MIL-B-1563C SUP 1 NOT 2 | BUTTONS, INSIGNIA AND FINDINGS (U.S.M.A.), GENERAL SPECIFICATION FOR[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-MAY-01 |
| | MIL-B-20289D | BUTTONS, INSIGNIA, PLASTIC[CUST: MC CT] | A | 8455 | | CT | 10-SEP-90 |
| | BHMA-A156.1 | BUTTS AND HINGES[CUST: AR YD 99 IS] [REVIEW: 71 MC] | A | 5340 | | IS | 31-JUL-89 |
| | SAE-AMS3237 | BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT 34-45[CUST: MR AS 11] | A | 9320 | | AS | 01-APR-91 |
| | SAE-AMS3239 | BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT 85-95[CUST: MR AS 11] | A | 9320 | | AS | 01-JAN-93 |
| | SAE-AMS3238 | BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT, 65-75[CUST: MR AS 11] | A | 9320 | | AS | 01-OCT-90 |
| | DOD-B-82669 | BUTYL SEBACATE, DI-NORMAL[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 19-JAN-79 |
| | MIL-B-21465A | BUTYL STEARATE, NORMAL[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 24-FEB-94 |
| | A-A-50628 | BUZZER, ELECTRICAL, SHIPBOARD[CUST: SH] | A | 6350 | / | SH | 09-FEB-95 |
| | STANAG-3957 ED.3(1) | C/ATLAS HOL FOR APPLICATION IN AVIONICS TEST SYSTEMS | C | ISDF | | 06 | 13-OCT-97 |
| | A-A-20152B | CABBAGE, READY-TO-USE, SHREDDED, FRESH[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8915 | * | GL | 15-OCT-01 |
| | A-A-20266 | CABBAGE, STUFFED WITH MEAT, IN SAUCE, FROZEN[CUST: FV] | A | 8940 | # | FV | 31-JUL-97 |
| | BHMA-A156.11 | CABINET LOCKS, AMERICAN NATIONAL STANDARD FOR[CUST: AR YD 99 IS] [REVIEW: CR4] | A | 5340 | | IS | 09-OCT-91 |
| | A-A-51845 | CABINET, ELECTROCARDIOGRAPH[CUST: MD MS 03] | A | 6530 | | MB | 31-MAR-87 |
| | MIL-C-23880D | CABINET, FOOD WARMING, ELECTRIC, PASS-THROUGH AND REACH-IN[CUST: GL SA 99] [REVIEW: CE GS MC MD MS] | A | 7310 | | SA | 23-DEC-83 |
| | A-A-2547 | CABINET, KEY AND IDENTIFICATION SYSTEMS | A | 7125 | # | FSS | 20-JAN-88 |
| | AA-C-30D | CABINET, KEY, (BOXES AND RACKS METAL & IDENTIFICATION SYSTEMS) [REVIEW: GL] | A | 7125 | % | FSS | 21-JUL-60 |
| N | QPL-AA-C-2786-1 | CABINET, SECURITY, ELECTRONIC DEVICE STORAGE | A | 7110 | # | FSS | 01-OCT-05 |
| | AA-C-2786 | CABINET, SECURITY, INFORMATION PROCESSING SYSTEM STORAGE, CLASS 5 | A | 7110 | # | FSS | 07-SEP-04 |
| | QPL-AA-C-2859-2 | CABINET, SECURITY, WEAPONS STORAGE | A | 7110 | # | FSS | 14-MAY-00 |
| | AA-C-2859 | CABINET, SECURITY, WEAPONS STORAGE[CUST: AR YD 99] [REVIEW: IS] | A | 7110 | * | YD | 28-NOV-94 |
| | A-A-54100 | CABINET, STORAGE, FLAMMABLE LIQUID[CUST: MD MS 03] | A | 7125 | / | MB | 09-MAR-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AA-C-31E | CABINET, STORAGE, METAL[CUST: GL YD 99] | A | 7125 | * | GL | 01-JUN-72 |
| | A-A-51511B | CABINET, STORAGE, X-RAY FILM[CUST: MD MS 03] | A | 6525 | / | MB | 24-MAR-89 |
| | A-A-50565 | CABINET, STORAGE; WARDROBE, THREE DRAWER[CUST: YD 99] [REVIEW: 84] | A | 7105 | / | IS | 17-JAN-97 |
| | A-A-53854 | CABINET, TOOTH ASSORTMENT, COMPARTMENTED[CUST: MD MS 03] | A | 6520 | / | MB | 20-MAR-89 |
| | MIL-C-37999 | CABINETRY SYSTEM, MEDICAL AND PHARMACUTICAL, DEPLOYABLE[CUST: MD MS 03] | A | 6530 | | MB | 15-JUN-87 |
| | BHMA-A156.9 | CABINETS HARDWARE, STANDARD FOR[CUST: AR YD 99 IS] | A | 5340 | | IS | 31-JUL-90 |
| | MIL-PRF-32038/1 | CABINETS, FILE, TYPES 1-9[CUST: AV SH 99] | A | 2090 | | SH | 11-MAR-99 |
| | A-A-59470 | CABINETS, MODULAR DRAWER STORAGE (NAVAL SHIPBOARD)[CUST: GL SH] | A | 7125 | / | SH | 23-JUN-99 |
| | MIL-PRF-32038/8 | CABINETS, PLAN, TYPES 1-5[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | EIA310 | CABINETS, RACKS, PANELS, AND ASSOCIATED EQUIPMENT[CUST: CR SH 11] [REVIEW: AS CG EC GS YD] | A | 5975 | | SH | 23-JUN-93 |
| | MIL-PRF-32038/17 | CABINETS, STATIONARY STOWAGE, TYPES 1 AND 2[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | A-A-2113A | CABINETS, WARDROBE AND STORAGE, CONTEMPORARY STYLE, STEEL GENERAL OFFICE | A | 7105 | # | FSS | 20-JUN-86 |
| | MIL-C-17694/1 | CABLE AND CABLE ASSEMBLIES, SPECIAL PURPOSE, ELECTRICAL MAGNETIC MINESWEEPING, QUAD CABLE AND QUAD CABLE ASSEMBLIES[CUST: SH] | A | 1075 | | SH | 19-OCT-90 |
| | MIL-C-17694H | CABLE AND CABLE ASSEMBLIES, SPECIAL PURPOSE, ELECTRICAL, MAGNETIC MINESWEEPING GENERAL SPECIFICATION FOR[CUST: SH] | A | 1075 | | SH | 19-OCT-90 |
| | A-A-52500 NOT 1 | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-LOOP TYPE, BUTTON END FITTING (METRIC)[CUST: AT] [REVIEW: CC] | A | 2530 | / | AT | 14-APR-04 |
| | A-A-52477 NOT 1 | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-LOOP TYPE, EYE END FITTING (METRIC)[CUST: AT] [REVIEW: CC] | A | 2530 | / | AT | 14-APR-04 |
| | A-A-52168A | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-STRAIGHT TYPE, BUTTON AND THREADED FITTINGS[CUST: AT CC] | A | 2530 | / | CC | 22-SEP-93 |
| | MIL-STD-686C NOT 1 | CABLE AND CORD, ELECTRICAL; IDENTIFICATION MARKING AND COLOR CODING OF[Standard Practice][CUST: CR AS 11 CC] [REVIEW: 99 EC MC MI SH] | A | 6145 | | CC | 26-OCT-01 |
| N | SAE-AS24208 | CABLE AND PLUG ASSEMBLY, EXTERNAL POWER 115/200 VOLTS 3 PHASE, SINGLE POINT REFUELING[CUST: AS 11 GS] | A | 6150 | | AS | 20-FEB-06 |
| | A-A-59544 | CABLE AND WIRE, ELECTRICAL (POWER, FIXED INSTALLATION)[CUST: CR AS 11 CC] [REVIEW: 99 AR CR4 EA MC MI] | A | 6145 | / | CC | 10-JUL-00 |
| | FED-STD-228(5) | CABLE AND WIRE, INSULATED; METHODS OF TESTING[CUST: CR AS 11 CC] [REVIEW: 19 71 99 AR AT EC MC] | A | 6145 | / | CC | 01-DEC-00 |
| | UL4 | CABLE ARMORED[CUST: YD 11] [REVIEW: 99] | A | 6145 | | CC | 14-JUN-95 |
| | DOD-STD-2133(1) NOT 1 | CABLE ARRANGEMENT FOR MINIMUM STRAY MAGNETIC FIELD (METRIC)[Design Criteria Standard][CUST: SH] [REVIEW: CR] | A | 6145 | | SH | 22-AUG-88 |
| N | SAE-AS7974 | CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: 99 AR CC CR GS MI SH YD] | A | 6150 | | AS | 20-FEB-06 |
| N | QPL-AS7974-1 | CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIRCRAFT, GENERAL SPECIFICATION | A | 6150 | | AS | 20-FEB-06 |
| | MIL-DTL-22442/33B(1) NOT 1 | CABLE ASSEMBLIES, AIRCRAFT AUDIO, CX-4707C/AIC[CUST: CR AS 11] [REVIEW: 99 CC GS] | A | 5995 | | AS | 10-JAN-05 |
| | QPL-22442-20 | CABLE ASSEMBLIES, AIRCRAFT AUDIO, GENERAL SPECIFICATION FOR | A | 5995 | | AS | 15-APR-05 |
| | MIL-DTL-22442F SUP 1 NOT 1 | CABLE ASSEMBLIES, AIRCRAFT AUDIO, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 99 CC GS] | A | 5995 | | AS | 07-JAN-05 |
| | MIL-DTL-22442/1C(1) NOT 1 | CABLE ASSEMBLIES, AIRCRAFT AUDIO, SWITCH ASSEMBLY[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 07-JAN-05 |
| | SAE-AS25481 | CABLE ASSEMBLIES, ELECTRIC POWER, FOR PORTABLE GROUND SUPPORT TEST EQUIPMENT[CUST: AS] [REVIEW: GS] | A | 6150 | | AS | AUG-97 |
| | NAS3426 | CABLE ASSEMBLIES, ELECTRICAL HARNESS, PACKAGING OF[CUST: CR EC 99] | A | PACK | | CR | 01-MAR-71 |
| | MIL-PRF-21479B NOT 1 | CABLE ASSEMBLIES, GENERAL SPECIFICATION FOR (ORDNANCE)[CUST: OS] | A | 1135 | | OS | 08-JAN-92 |
| | MIL-C-24524(1) | CABLE ASSEMBLIES, MAGNETIC MINESWEEPING, TYPE CL2B[CUST: SH] | A | 1075 | | SH | 10-APR-95 |
| | MIL-PRF-21402A NOT 1 | CABLE ASSEMBLIES, NON-MAGNETIC (ORDNANCE)[CUST: OS] | A | 1075 | | OS | 18-MAR-92 |
| M | MIL-DTL-49292/4B | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC[CUST: CR SH 11 CC] | A | 6020 | | CC | 30-MAR-06 |
| M | MIL-DTL-49292B | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC] [REVIEW: 99 AR AS AV CG EC MC MI] | A | 6020 | | CC | 30-MAR-06 |
| M | MIL-DTL-49292/7B | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, TEST, METRIC[CUST: CR SH 11 CC] [REVIEW: 99 AR AS AV CG EC MC MI] | A | 6020 | | CC | 30-MAR-06 |
| | A-A-59204 | CABLE ASSEMBLIES, POWER, ELECTRICAL[CUST: CR4 GS2] | A | 6150 | / | GS2 | 30-MAY-01 |
| | MIL-C-15987F(1) | CABLE ASSEMBLIES, POWER, ELECTRICAL (WITH GROUNDING, FOR 440-VOLT PORTABLE EQUIPMENT)[CUST: CR SH] [REVIEW: CR4 GS OS] | A | 6110 | | SH | 12-APR-91 |
| N | SAE-AS90328 | CABLE ASSEMBLY EXTERNAL ELECTRIC POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ[CUST: CR AS 11 GS] [REVIEW: 99 CR4 SH] | A | 6150 | | AS | 20-FEB-06 |
| | NAS302THRUNAS310 | CABLE ASSEMBLY SWAGED TYPE I TERMINALS[CUST: AS 11] [REVIEW: GS IS] | A | 4010 | | AS | 30-JAN-84 |
| | NAS312THRUNAS320 | CABLE ASSEMBLY SWAGED TYPE TYPE I AND TYPE II TERMINALS[CUST: AV AS 11] [REVIEW: GS] | A | 4010 | | AS | 26-APR-82 |
| | NAS322THRUNAS330 | CABLE ASSEMBLY SWAGED TYPE TYPE II TERMINALS[CUST: AS 11] [REVIEW: GS IS] | A | 4010 | | AS | 26-APR-82 |
| | MIL-DTL-22442/29B(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-13154/A[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 10-JAN-05 |
| A | A-A-55812 NOT 1 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR[CUST: CR4 SH 99 GS2] [REVIEW: CC] | A | 6150 | / | GS2 | 30-JAN-02 |
| A | A-A-55815 NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 10 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND STRAIGHT MOLDED TYPE II EQUIPMENT CONNECTOR[CUST: CR4 SH 99 GS2] [REVIEW: CC] | A | 6150 | / | GS2 | 30-JAN-02 |
| A | A-A-55813 NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 10 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND LEFT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR[CUST: CR4 SH 99 GS2] [REVIEW: CC] | A | 6150 | / | GS2 | 30-JAN-02 |
| A | A-A-55814 NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 10 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND RIGHT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR[CUST: CR4 SH 99 GS2] [REVIEW: CC] | A | 6150 | / | GS2 | 30-JAN-02 |
| A | A-A-55817 NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 10 AMPERES, 50 AND 60 HERTZ), GROUNDING PLUG CONNECTOR, AND STRAIGHT MOLDED TYPE II EQUIPMENT CONNECTOR[CUST: CR4 SH 99 GS2] [REVIEW: CC] | A | 6150 | / | GS2 | 30-JAN-02 |
| A | A-A-55816 NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 10 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND LEFT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR[CUST: CR4 SH 99 GS2] [REVIEW: CC] | A | 6150 | / | GS2 | 30-JAN-02 |
| | MIL-DTL-22442/61B NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 10-JAN-05 |
| | MIL-DTL-22442/38B(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO[CUST: CR AS 11] [REVIEW: 99 CC GS] | A | 5995 | | AS | 10-JAN-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-22442/36B(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 10-JAN-05 |
| | MIL-DTL-22442/31B(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 10-JAN-05 |
| | MIL-DTL-22442/40A | CABLE ASSEMBLY, AIRCRAFT AUDIO[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 05-JAN-98 |
| | MIL-DTL-22442/41B | CABLE ASSEMBLY, AIRCRAFT AUDIO, ADAPTER, SURVIVAL RADIO[CUST: AS] | A | 5995 | | AS | 15-SEP-03 |
| | MIL-DTL-22442/32C | CABLE ASSEMBLY, AIRCRAFT AUDIO, ASSOCIATED PARTS[CUST: CR AS 11] | A | 5995 | | AS | 28-FEB-05 |
| | MIL-DTL-22442/35B(1) | CABLE ASSEMBLY, AIRCRAFT AUDIO, CABLE[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 01-APR-00 |
| | MIL-DTL-22442/3B(1) | CABLE ASSEMBLY, AIRCRAFT AUDIO, CABLE (RETRACTILE)[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 01-APR-00 |
| | MIL-DTL-22442/8B(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CLOTHING CLIP[CUST: CR AS 11] [REVIEW: 99 CC GS] | A | 5995 | | AS | 07-JAN-05 |
| | MIL-DTL-22442/5B | CABLE ASSEMBLY, AIRCRAFT AUDIO, CONNECTOR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 05-JAN-98 |
| | MIL-DTL-22442/4C(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CONNECTOR (U-61/U)[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 07-JAN-05 |
| | MIL-DTL-22442/7 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CONNECTOR TJ-106[CUST: AS] | A | 5995 | | AS | 09-APR-04 |
| | MIL-DTL-22442/19D(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-12972/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 07-JAN-05 |
| | MIL-DTL-22442/20C(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-12973/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 07-JAN-05 |
| | MIL-DTL-22442/21C(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-12974/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 07-JAN-05 |
| | MIL-DTL-22442/22C(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-12987/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 07-JAN-05 |
| | MIL-DTL-22442/23C(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-12988/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 07-JAN-05 |
| | MIL-DTL-22442/24C(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-13017/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 07-JAN-05 |
| | MIL-DTL-22442/26E(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-13126A/A[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 10-JAN-05 |
| | MIL-DTL-22442/27C(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-13127/A[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 10-JAN-05 |
| | MIL-DTL-22442/30B(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-13155/A AND CX-13164/A[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 10-JAN-05 |
| | MIL-DTL-22442/57B NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-13165/A AH-1T AND AH-1W[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 10-JAN-05 |
| | MIL-DTL-22442/12C(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-4622/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 07-JAN-05 |
| | MIL-DTL-22442/37B(1) NOT 1 | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-4708A/AIC[CUST: CR AS 11] [REVIEW: 99 CC GS] | A | 5995 | | AS | 10-JAN-05 |
| | MIL-DTL-22442/6A | CABLE ASSEMBLY, AIRCRAFT AUDIO, QUALIFICATION BY SIMILARITY[CUST: CR AS 11] [REVIEW: 99 CC GS] | A | 5995 | | AS | 05-JAN-98 |
| | MIL-DTL-22442/42A NOT 2 | CABLE ASSEMBLY, AIRCRAFT AUDIO, S-3A CABLE ADAPTER[CUST: AS] | A | 5995 | | AS | 20-AUG-04 |
| | MIL-DTL-32180 | CABLE ASSEMBLY, AIRCRAFT ELECTRICAL SERVICE[CUST: CR SH 99] [REVIEW: 84 AS BC CC CG EC NA] | A | 6145 | | SH | 17-NOV-04 |
| N | SAE-AS90347 | CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT 28 VOLT DC OPERATING POWER[CUST: CR AS 11 GS] [REVIEW: 99 CR4 SH] | A | 6150 | | AS | 20-FEB-06 |
| | SAE-AS25019 | CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING[CUST: CR4 AS 99] [REVIEW: AT AV GS MC SH] | A | 6150 | | AS | JUL-99 |
| N | SAE-AS7974/4 | CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, SINGLE-JACKETED 115/200 VOLT, 400 HERTZ[CUST: AV AS 11] [REVIEW: 99 CR4 GS SH YD] | A | 6150 | | AS | 20-FEB-06 |
| M | SAE-AS7974/2 | CABLE ASSEMBLY, EXTERNAL POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ POWER DISTRIBUTION FLIGHT LINE (FOR A/E 24A-166A)[CUST: AV AS 11] [REVIEW: GS] | A | 6150 | | AS | 20-FEB-06 |
| | MIL-C-14242B(3) NOT 1 | CABLE ASSEMBLY, FUZE CONTROL[CUST: AS] | A | 1325 | | AS | 19-MAR-87 |
| | MIL-PRF-62122D | CABLE ASSEMBLY, INTER-VEHICLE POWER: PLUG, RECEPTACLE, AND ADAPTER[CUST: AT CC] [REVIEW: CR4] | A | 2920 | | AT | 17-JUL-97 |
| | MIL-C-81953 | CABLE ASSEMBLY, MAGNETIC SWEEP MARK 17 MOD 1[CUST: AS] | A | 1075 | | AS | 24-OCT-73 |
| | A-A-59507 | CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER[CUST: CR4] [REVIEW: AT] | A | 6150 | / | GS2 | 30-MAY-01 |
| | J-C-1270B | CABLE ASSEMBLY, POWER, ELECTRICAL | A | 6150 | # | FSS | 05-OCT-73 |
| | MIL-HDBK-299(1) | CABLE COMPARISON HANDBOOK DATA PERTAINING TO ELECTRIC SHIPBOARD CABLE[CUST: SH] | A | 6145 | | SH | 15-OCT-91 |
| | EIA-RS297 | CABLE CONNECTORS FOR AUDIO FACILITIES FOR RADIO BROADCASTING[CUST: CR AS 11] | A | 5935 | | CC | JUN-70 |
| | EIA455.170 | CABLE CUTOFF WAVELENGTH OF SINGLE-MODE FIBER BY TRANSMITTED POWER[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC MI SH TE] | A | 60GP | | CR | 18-JAN-91 |
| | ICEA-S90.661 | CABLE FOR USE IN GENERAL PURPOSE AND LAN COMMUNICATIONS WIRING SYSTEMS, CATEGORY 3, 5, & 5E INDIVIDUALLY UNSHIELDED TWISTED PAIR INDOOR[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | MIL-R-8592/1(1) NOT 1 | CABLE GRIP, RESCUE EQUIPMENT HELICOPTER[CUST: AS 99] [REVIEW: 11] | A | 4220 | | AS | 24-OCT-91 |
| | EIA455.6 | CABLE RETENTION TEST PROCEDURE FOR FIBER OPTIC CABLE INTERCONNECTING DEVICES[CUST: CR AS 11 CC] | A | 60GP | | CC | 24-JAN-92 |
| | EIA455.83 | CABLE TO INTERCONNECTING DEVICE AXIAL COMPRESSIVE LOADING[CUST: MR AS] [REVIEW: 11 AR AT CR4 EC IS MC MI SH] | A | 60GP | | CR | 15-DEC-88 |
| | NEMA-VE1 | CABLE TRAY SYSTEMS, METAL[CUST: YD] [REVIEW: GS] | A | 5975 | | YD | 19-APR-93 |
| | SAE-AS5756/5 | CABLE, 3-PHASE POWER, ELECTRIC, PORTABLE, MULTICONDUCTOR, 90 DEGREES C, 600V, OZONE RESISTANT, SPLIT NEUTRAL[CUST: CR AS 11 CC] [REVIEW: SH] | A | 6145 | | AS | 28-JUN-04 |
| | SAE-AS5756/6 | CABLE, 3-PHASE POWER, ELECTRIC, PORTABLE, MULTICONDUCTOR, 90 DEGREES C. 600V, OZONE RESISTANT, SPLIT PHASE[CUST: CR AS 11 CC] | A | 6145 | | AS | 28-JUN-04 |
| | NEMA-WC27500 | CABLE, AEROSPACE AND INDUSTRIAL ELECTRIC, STANDARD FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR MI] | A | 6145 | | CC | 16-APR-01 |
| | A-A-59610 | CABLE, COMMUNICATIONS, SPECIAL PURPOSE[CUST: MI SH] [REVIEW: CC CG CR EC IS] | A | 6145 | / | SH | 02-JUN-04 |
| | MIL-DTL-12000J | CABLE, CORD, AND WIRE, ELECTRIC; PACKAGING OF[CUST: SM YD 11 DH] [REVIEW: 99 AR AS AT CC CR3 IS MC MI OS SA SH] | A | PACK | | SM | 29-SEP-04 |
| | MIL-DTL-24640/10D | CABLE, ELECTRIC, 600 VOLTS, LIGHT- WEIGHT, MULTI-CONDUCTOR, AWG 16, TYPE MXSO[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/23D | CABLE, ELECTRIC, 600 VOLTS, LIGHT- WEIGHT, MULTI-CONDUCTOR, AWG 18, TYPE MXCW (INCLUDING VARIATION TYPE MXCOW)[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/8D | CABLE, ELECTRIC, 600 VOLTS, LIGHT- WEIGHT, MULTI-CONDUCTOR, AWG 20, TYPE MXO[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/7D | CABLE, ELECTRIC, 600 VOLTS, LIGHT- WEIGHT, MULTI-CONDUCTOR, AWG 22, TYPE 1XMSO[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/5D | CABLE, ELECTRIC, 600 VOLTS, LIGHT- WEIGHT, MULTI-PAIR AWG 20, TYPE TTXS (INCLUDING VARIATION TYPE TTXSO)[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/15D | CABLE, ELECTRIC, 600 VOLTS, LIGHT- WEIGHT, MULTI-PAIR, AWG 22, TYPE 2XSAW (INCLUDING VARIATION TYPE 2XSAOW)[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/17D | CABLE, ELECTRIC, 600 VOLTS, LIGHT- WEIGHT, MULTI-PAIR, AWG 26, TYPE 2XOW[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-24640/20D | CABLE, ELECTRIC, 600 VOLTS, LIGHT- WEIGHT, THREE- CONDUCTOR, LOW POWER, TYPE TXW (INCLUDING VARIATION TYPE TXOW)[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/21D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, FOUR- CONDUCTOR, LOW POWER, TYPE FXW (INCLUDING VARIATION TYPE FXOW)[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/3D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, FOUR-CONDUCTOR, LOW POWER, TYPE FX[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/14D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, MULTI-CONDUCTOR, AWG 22, TYPE 1XSOW[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/16D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, MULTI-PAIR, AWG 18, TYPE 2XSW (INCLUDING VARIATION TYPE 2XSOW)[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/4D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, MULTI-PAIR, AWG 20, TYPE TTX[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/6D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, MULTI-PAIR, AWG 22, TYPE 2XAO[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/9D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, MULTI-PAIR, AWG 22, TYPE 2XS (INCLUDING VARIATION TYPE 2XSO)[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/24D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, MULTI-PAIR, AWG 22, TYPE TTXW (INCLUDING VARIATION TYPE TTXOW)[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/12D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, MULTI-PAIR, AWG 26, TYPE 2XO[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/13D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, MULTI-PAIR, AWG 26, TYPE 2XSXO[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/11D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, MULTI-TRIAD, AWG 18, TYPE 3XS[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/18D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, MULTI-TRIAD, AWG 18, TYPE 3XSW (INCLUDING VARIATION TYPE 3XSOW)[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/22D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, SEVEN- CONDUCTOR, LOW POWER, TYPE 7XW[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/2D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, THREE-CONDUCTOR, LOW POWER, TYPE TX[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/19D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, TWO- CONDUCTOR, POWER, TYPE DXW (INCLUDING VARIATION TYPE DXOW)[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24640/1D | CABLE, ELECTRIC, 600 VOLTS, LIGHT-WEIGHT, TWO-CONDUCTOR, LOW POWER, TYPE DX[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC IS] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-C-85485/6(1) | CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT[CUST: AS 11] [REVIEW: 99 CC] | A | 6145 | | AS | 31-JAN-84 |
| | MIL-C-85485/10A | CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVER-COATED HIGH-STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG C, 600 VOLT[CUST: AS 11] [REVIEW: 19] | A | 6145 | | AS | 20-JUN-86 |
| | MIL-C-85485/5 | CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, TIN-COATED COPPER CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C 600-VOLT[CUST: AS 11] [REVIEW: 19] | A | 6145 | | AS | 10-MAY-83 |
| | MIL-C-85485/9A | CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, TIN-COATED COPPER CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT[CUST: AS 11] [REVIEW: 19] | A | 6145 | | AS | 20-JUN-86 |
| | QPL-85485-7 | CABLE, ELECTRIC, FILTER LINE, RADIO FREQUENCY ABSORPTIVE | A | 6145 | | AS | 21-JUN-02 |
| | MIL-C-85485A(1) SUP 1 | CABLE, ELECTRIC, FILTER LINE, RADIO FREQUENCY ABSORPTIVE[CUST: AS 11] [REVIEW: 19] | A | 6145 | | AS | 15-MAR-94 |
| | MIL-C-85485/8 | CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT[CUST: AS 11] [REVIEW: 19] | A | 6145 | | AS | 10-MAY-83 |
| | MIL-C-85485/12 | CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600 VOLT[CUST: AS 11] [REVIEW: 19] | A | 6145 | | AS | 25-APR-86 |
| | MIL-C-85485/11 | CABLE, ELECTRIC, FILTER LINE, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 DEG C, 600 VOLT[CUST: AS 11] [REVIEW: 19] | A | 6145 | | AS | 25-APR-86 |
| | MIL-C-85485/7 | CABLE, ELECTRIC, FILTER LINE, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT[CUST: AS 11] [REVIEW: 19] | A | 6145 | | AS | 10-MAY-83 |
| | MIL-C-82621(1) NOT 2 | CABLE, ELECTRIC, MISSILE, 54-CONDUCTOR[CUST: OS] | A | 1355 | | OS | 14-AUG-98 |
| | MIL-DTL-24643/50D | CABLE, ELECTRICAL, 1000 VOLTS, FOUR CONDUCTOR, TYPE LSFNW[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/51E | CABLE, ELECTRICAL, 1000 VOLTS, MULTICONDUCTOR, TYPE LSMNW[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/49E | CABLE, ELECTRICAL, 1000 VOLTS, THREE CONDUCTOR, TYPE LSTNW[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/48E | CABLE, ELECTRICAL, 1000 VOLTS, TWO CONDUCTOR TYPE LSDNW[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/19E | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LS6SGU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/20E | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LS7SGU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/15E | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSDSGU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/17E | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSFSGU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/18E | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSMSCU (INCLUDING VARIATION LSMSCS)[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/14E | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSSSGU (INCLUDING VARIATION LSSSGA)[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/16E | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSTSGU (INCLUDING VARIATION LSTSGA)[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/34E | CABLE, ELECTRICAL, 300 VOLTS TYPE LSMS[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/29D | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSMU (INCLUDING VARIATION LSMUS)[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/52E | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTPNW[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/12E | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTOP[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/13D | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTRS[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/23F | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTSU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/53E | CABLE, ELECTRICAL, 3000 VOLTS, TYPES LSSRW, LSDRW, AND LSTRW[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/22D | CABLE, ELECTRICAL, 5000 VOLTS, TYPE LS5KVTSGU (INCLUDING VARIATION LS5KVTSGA)[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/44E | CABLE, ELECTRICAL, 600 VOLT, TYPE LS3SF[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-24643/43E | CABLE, ELECTRICAL, 600 VOLTS TYPES, LS2SJ, LS3SJ, AND LS4SJ[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | SAE-AS5756/4 | CABLE, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR, OZONE RESISTANT[CUST: CR AS 11 CC] | A | 6145 | | AS | 28-JUN-04 |
| | MIL-DTL-24643/27E | CABLE, ELECTRICAL, 600 VOLTS, TYPE LS2AU (INCLUDING VARIATION LS2AUS)[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/38E | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSECM[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/5F | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSMDU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/7E | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSMHOF[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/11D | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSSSF[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/26E | CABLE, ELECTRICAL, 600 VOLTS, TYPES LSDPS, LSFPS, LSTPS AND LS7PS[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/3D | CABLE, ELECTRICAL, 600 VOLTS, TYPES LSSHOF, LSDHOF, LSTHOF, AND LSFHOF[CUST: MI SH] [REVIEW: AR AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-915G SUP 1 | CABLE, ELECTRICAL, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| A | QPL-915-68 | CABLE, ELECTRICAL, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR | A | 6145 | | SH | 01-NOV-05 |
| | MIL-DTL-915/81A | CABLE, ELECTRICAL, ONE TWISTED PAIR AWG-20, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1PR-A20E[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-55021/1C NOT 1 | CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP, -40 TO +105 DEG. C[CUST: MI AS 11 CC] [REVIEW: AR AT CR CR4] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-55021C(1) | CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP, GENERAL SPECIFICATION FOR[CUST: MI AS 11 CC] [REVIEW: AR CR] | A | 6145 | | CC | 03-JUL-02 |
| | MIL-DTL-55021/2C NOT 1 | CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP, -65 TO 200 DEG. C[CUST: MI AS 11 CC] [REVIEW: CR] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-28781C | CABLE, ELECTRICAL, SPECIAL PURPOSE, SHORE USE[CUST: AV EC CC] | A | 6145 | | CC | 10-NOV-00 |
| | MIL-DTL-24643/28E | CABLE, ELECTRICAL, TYPE LS1S5OMU (INCLUDING VARIATION LS1S5OMUS)[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/39E | CABLE, ELECTRICAL, TYPE LS1S75MU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/41C | CABLE, ELECTRICAL, TYPE LS1SAU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/40E | CABLE, ELECTRICAL, TYPE LS1SMU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/47C | CABLE, ELECTRICAL, TYPE LS1SMWU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/42C | CABLE, ELECTRICAL, TYPE LS1SU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/30E | CABLE, ELECTRICAL, TYPE LS1SWU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/58E | CABLE, ELECTRICAL, TYPE LS2CS[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/31E(1) | CABLE, ELECTRICAL, TYPE LS2SU (INCLUDING VARIATION LS2SUS)[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 03-JUN-05 |
| | MIL-DTL-24643/32E | CABLE, ELECTRICAL, TYPE LS2SWAU[CUST: MI SH] [REVIEW: AR AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/56E | CABLE, ELECTRICAL, TYPE LS2SWL-7[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/33E | CABLE, ELECTRICAL, TYPE LS2SWU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/45E | CABLE, ELECTRICAL, TYPE LS2U[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/57E | CABLE, ELECTRICAL, TYPE LS2UW-42 (INCLUDING VARIATION LS2UWS-42)[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/46E | CABLE, ELECTRICAL, TYPE LS2WAU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/35C | CABLE, ELECTRICAL, TYPE LS3SU (INCLUDING VARIATION LS3SUS)[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/36E | CABLE, ELECTRICAL, TYPE LS3SWU (INCLUDING VARIATION LS3SWUS)[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/37E | CABLE, ELECTRICAL, TYPE LS3U[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/55E | CABLE, ELECTRICAL, TYPE LS4NW8[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/54E | CABLE, ELECTRICAL, TYPE LS8NW6[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| A | MIL-DTL-24643/60 | CABLE, ELECTRICAL, TYPE LSC5 AND LSC5W[CUST: MI SH] [REVIEW: AR AV CG CR EC IS] | A | 6145 | | SH | 09-SEP-05 |
| A | MIL-DTL-24643/59 | CABLE, ELECTRICAL, TYPE LSC5FS (INCLUDING VARIATIONS LSC5FSW, LSC5OS, AND LSC5OSW)[CUST: MI SH] [REVIEW: AR AV CG CR EC IS] | A | 6145 | | SH | 09-SEP-05 |
| A | MIL-DTL-24643/61 | CABLE, ELECTRICAL, TYPE LSC5P, LSC5POS A ND LSC5POSR[CUST: MI SH] [REVIEW: AR AV CG CR EC IS] | A | 6145 | | SH | 09-SEP-05 |
| | MIL-DTL-24643/10C | CABLE, ELECTRICAL, TYPE LSPBTMU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/25E | CABLE, ELECTRICAL, TYPE LSPI[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/21E | CABLE, ELECTRICAL, TYPES LSTCJU AND LSTCTU[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/24B | CABLE, ELECTRICAL, TYPES LSTCJX, LSTCKX AND LSTCTX[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-PRF-85045/13C | CABLE, FIBER OPTIC, EIGHT FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 AR AV CC EC MI YD] | A | 6015 | | SH | 16-SEP-99 |
| | MIL-PRF-85045/17B | CABLE, FIBER OPTIC, EIGHT FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 AR AV CC EC MI YD] | A | 6015 | | SH | 16-SEP-99 |
| | MIL-PRF-85045/21 | CABLE, FIBER OPTIC, EIGHT FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), CABLE CLASS SM AND MM, (METRIC)[CUST: SH] [REVIEW: CC] | A | 6015 | | SH | 26-JUL-99 |
| | MIL-PRF-85045/22 | CABLE, FIBER OPTIC, EIGHTEEN FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: SH] [REVIEW: CC] | A | 6015 | | SH | 26-JUL-99 |
| | MIL-PRF-85045/23 | CABLE, FIBER OPTIC, EIGHTEEN FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), CABLE CLASS SM AND MM, (METRIC)[CUST: SH] [REVIEW: CC] | A | 6015 | | SH | 26-JUL-99 |
| | MIL-PRF-85045/15B | CABLE, FIBER OPTIC, FOUR FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 AR AV CC EC MI YD] | A | 6015 | | SH | 16-SEP-99 |
| | MIL-PRF-85045/18B | CABLE, FIBER OPTIC, FOUR FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 AR AV CC EC MI YD] | A | 6015 | | SH | 16-SEP-99 |
| | MIL-PRF-85045/24 | CABLE, FIBER OPTIC, NINETY FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: SH] [REVIEW: CC] | A | 6015 | | SH | 26-JUL-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-85045/14C | CABLE, FIBER OPTIC, ONE FIBER, CABLE CONFIGURATION TYPE 1 (BUFFERED FIBER), LOOSE TUBE, CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 AR AV CC EC MI YD] | A | 6015 | | SH | 16-SEP-99 |
| | MIL-PRF-85045/16B | CABLE, FIBER OPTIC, ONE FIBER, CABLE CONFIGURATION TYPE 1 (BUFFERED FIBER), TIGHT BUFFER, CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 AR AV CC EC MI YD] | A | 6015 | | SH | 16-SEP-99 |
| | MIL-PRF-85045/26 | CABLE, FIBER OPTIC, ONE TUBE, BLOWN OPTICAL FIBER, STANDARD AND ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 5 (TUBE), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 AR AV CC EC MI YD] | A | 6015 | | SH | 18-MAY-01 |
| | MIL-PRF-85045/8A | CABLE, FIBER OPTIC, RADIATION, CABLE CONFIGURATION TYPE 1 (BUFFERED FIBER), APPLICATION E (GROUND TACTICAL), CABLE CLASS MM, (METRIC)[CUST: CR SH 11 CC] [REVIEW: 13 19 33 AS DI] | A | 6015 | | CC | 28-JAN-03 |
| | MIL-PRF-85045/25 | CABLE, FIBER OPTIC, SEVEN TUBE, BLOWN OPTICAL FIBER, STANDARD AND ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 5 (TUBE), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 AR AV CC EC MI YD] | A | 6015 | | SH | 18-MAY-01 |
| | MIL-PRF-85045/27 | CABLE, FIBER OPTIC, SIX-FIBER BUNDLE, BLOWN OPTICAL FIBER, CABLE CONFIGURATION TYPE 1 (BUFFERED FIBER), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 AR AV CC EC MI YD] | A | 6015 | | SH | 18-MAY-01 |
| | MIL-PRF-85045/19A | CABLE, FIBER OPTIC, TWENTY-FOUR, THIRTY-THREE, AND THIRTY-SIX FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 AR AV CC EC MI YD] | A | 6015 | | SH | 16-SEP-99 |
| | MIL-PRF-85045/20A | CABLE, FIBER OPTIC, TWENTY-FOUR, THIRTY-THREE, AND THIRTY-SIX FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 AR AV CC EC MI YD] | A | 6015 | | SH | 16-SEP-99 |
| | A-A-59612 | CABLE, INSTRUMENTATION AND COMMUNICATION, ELECTRONIC[CUST: MI SH] [REVIEW: CC CG CR EC IS] | A | 6145 | / | SH | 01-JUL-04 |
| | MIL-DTL-87218D NOT 1 | CABLE, LOCKCLAD, FOR AIRCRAFT CONTROL[CUST: AV AS 99] [REVIEW: 71 SH] | A | 1640 | | GS5 | 01-APR-05 |
| | QPL-87218-4 | CABLE, LOCKCLAD, FOR AIRCRAFT CONTROL | A | 1640 | | GS5 | 01-APR-05 |
| | MS18297 NOT 1 | CABLE, NAVY, INSULATION RESISTANCE[CUST: SH] | A | 6145 | | SH | 10-JUL-91 |
| | A-A-59608 | CABLE, POWER AND WELDING, SPECIAL PURPOSE[CUST: MI SH] [REVIEW: CC CG CR EC IS] | A | 6145 | / | SH | 13-MAY-04 |
| | MIL-DTL-915/9F | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE JAS[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-915/10F | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MCSF-4[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-915/58F | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MWF[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-915/6K | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE THOF[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-915/8H | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPES DSS, TSS, FSS AND 7SS[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-915/7G | CABLE, POWER ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE DSWS[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | QPL-AS5756-1 | CABLE, POWER ELECTRICAL, PORTABLE, GENERAL SPECIFICATION FOR | A | 6145 | | AS | 29-JUL-04 |
| | MIL-DTL-27072C SUP 1 | CABLE, POWER, ELECTRICAL AND CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR AND SINGLE SHIELDED, GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC] [REVIEW: MI] | A | 6145 | | CC | 08-DEC-00 |
| | J-C-145C | CABLE, POWER, ELECTRICAL AND WIRE, ELECTRICAL, (WEATHER-RESISTANT) | A | 6145 | # | FSS | 25-MAR-83 |
| | SAE-AS5756/3 | CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR[CUST: CR AS 11 CC] | A | 6145 | | AS | 28-JUN-04 |
| | SAE-AS5756/1 | CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, NON-OZONE RESISTANT[CUST: CR AS 11 CC] | A | 6145 | | AS | 28-JUN-04 |
| | SAE-AS5756/2 | CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, OZONE RESISTANT[CUST: CR AS 11 CC] | A | 6145 | | AS | 28-JUN-04 |
| | QPL-38359-18 | CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING, CROSS-LINKED, POLYETHYLENE ( XLP) | A | 6145 | | CC | 24-JUN-04 |
| A | MIL-DTL-38359C | CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING, CROSS-LINKED, POLYETHYLENE (XLP)[CUST: 11 CC] [REVIEW: 99] | A | 6145 | | CC | 18-AUG-05 |
| | MIL-C-28661A(1) NOT 2 | CABLE, POWER, ELECTRICAL, HIGH VOLTAGE[CUST: CR OS 11 CC] | A | 6145 | | CC | 18-FEB-03 |
| | SAE-AS5756 | CABLE, POWER, ELECTRICAL, PORTABLE GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] | A | 6145 | | AS | 28-JUN-04 |
| | QPL-3702-15 | CABLE, POWER, ELECTRICAL: IGNITION, HIGH-TENSION | A | 6145 | | CC | 14-MAY-04 |
| | MIL-DTL-3702C(1) | CABLE, POWER, ELECTRICAL: IGNITION, HIGH-TENSION[CUST: AT AS 11 CC] [REVIEW: AV CR EA MC] | A | 6145 | | CC | 03-JUL-03 |
| | SAE-J1128 | CABLE, PRIMARY, LOW TENSION[CUST: AT SH 99 CT] [REVIEW: 84] | A | 2520 | | AT | JAN-95 |
| | MIL-C-17/112A(1) NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS H17/112 RG304[CUST: CR SH 11] [REVIEW: 19 99 AR AT CR4 IS MI] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/127C(2) NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/127 RG393 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 MI MS OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/152A NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/152 00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/169A NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/169-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/170A NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/170-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/172A NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/172-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/175B NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/175-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/75F(1) NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/75-RG214 AND M17/75-RG365[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 16-APR-03 |
| | MIL-C-17/94F NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/094 RGG179[CUST: CR EC 11] [REVIEW: 19 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/110D NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/110 RG302[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/62C(1) NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/62 RG144[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/97C NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 93 OHMS M17/97 RG210[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/95E NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 95 OHMS M17/095 RG180[CUST: CR SH 11] [REVIEW: 19 AR AS AT CR4 MC MI OS] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/195B(1) NOT 1 | CABLE, RADIO FREQUENCY, COAXIAL, 93 OHMS, M17/195-00001[CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 16-JUL-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-DTL-28830D | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC SH] | A | 6145 | | CC | 18-JUL-05 |
| | QPL-28830-12 | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, GENERAL SPECIFICATION FOR | A | 6145 | | CC | 18-NOV-04 |
| | MIL-C-17/138A(1) NOT 2 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/138-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/86B(1) NOT 3 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/86-00001 AND M17/86-00002 (ARMORED)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/87A NOT 3 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/87-00001[CUST: CR EC 11] [REVIEW: 19 99 AS IS MC OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/92D NOT 2 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/92-RG115, M17/92-00001[CUST: CR EC 11 CC] | A | 6145 | | CC | 23-OCT-00 |
| | MIL-C-17/136B NOT 3 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/136-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/180B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/180-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/184B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/184-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/137 NOT 4 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 95 OHMS, M17/137-00001[CUST: CR EC 11] [REVIEW: 19 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/139C NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 95 OHMS, M17/139-00001[CUST: CR EC 11] [REVIEW: 19 71 AS AT CR4 IS MC MI SH] | A | 6145 | | CC | 06-JUN-01 |
| A | MIL-DTL-17/224A | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .500[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 6145 | | CC | 12-JAN-06 |
| | MIL-DTL-17/226A | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .870[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 14-MAY-04 |
| | MIL-DTL-17/228(5) | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER 1.670[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 6145 | | CC | 17-DEC-02 |
| | MIL-DTL-17/220(3) | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .195[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 6145 | | CC | 17-DEC-02 |
| | MIL-DTL-17/223(4) | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .405[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 6145 | | CC | 17-DEC-02 |
| | MIL-DTL-17/221(3) | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .242[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 6145 | | CC | 17-DEC-02 |
| | MIL-DTL-17/222(3) | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .300[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 6145 | | CC | 17-DEC-02 |
| | MIL-DTL-17/225(4) | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER .590[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 6145 | | CC | 17-DEC-02 |
| | MIL-DTL-17/227(5) | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, LOW SMOKE, LOW LOSS DIAMETER 1.200[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 6145 | | CC | 17-DEC-02 |
| | MIL-C-17/113C(2) NOT 3 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/113-RG316[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-DTL-17/128B(2) NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/128-RG400[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 25-FEB-05 |
| | MIL-C-17/183B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/183-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/187B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/187-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/188B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/188-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/190B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/190-00001[CUST: CR EC 11] [REVIEW: 19 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/192C NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/192-00001 AND M17/192-00002[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/194B(1) | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/194-00001[CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 11-MAY-01 |
| | MIL-C-17/196B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/196-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/197B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/197-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/198B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/198-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/199B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/199-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/200B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/200-00001[CUST: CR EC 11] [REVIEW: 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/205 NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/205-00018 AND M17/205-00050[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/206A NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/206-00018 AND M17/206-00030[CUST: CR EC 11] [REVIEW: 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-DTL-17/229(2) | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 75 OHMS, LOW SMOKE, LOW LOSS DIAMETER .242[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI NA OS SH] | A | 6145 | | CC | 17-DEC-02 |
| | MIL-C-17/191B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 75 OHMS, M17/191-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/186B NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, TWIN, 78 OHMS, M17/186-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-22931/11A NOT 1 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .875 TO 1.005 INCHES OUTSIDE DIAMETER, 50 OHMS[CUST: CR EC 11] [REVIEW: 19 AR AS AT CR4 MC MI OS] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-22931/13A NOT 1 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 1.625 TO 1.830 INCHES OUTSIDE DIAMETER, 50 OHMS[CUST: CR EC 11] [REVIEW: 19 AS AT CR4 MC MI OS] | A | 6145 | | CC | 01-MAY-03 |
| | MIL-DTL-17/134D | CABLE, RADIO FREQUENCY, TRIAXIAL, .245 INCH, 50 OHM, WATER BLOCKED, NON-WATER BLOCKED AND CROSSLINKED, LOW SMOKE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH TD] | A | 6145 | | CC | 20-MAY-04 |
| | MIL-C-22931/9 NOT 1 | CABLE, RADIO FREQUENCYSEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .500 AND .530 INCH OUTSIDE DIAMETER, 50 OHMS[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CR4 MC OS] | A | 6145 | | CC | 01-MAY-03 |
| | SAE-AS3511 | CABLE, SAFETY, KIT - CORROSION RESISTANT STEEL, UNS S30400[CUST: AV 99] [REVIEW: 71 AR AS] | A | 5340 | | AV | NOV-95 |
| | SAE-AS3510 | CABLE, SAFETY, KIT - CORROSION, AND HEAT RESISTANT STEEL, UNS S32100[CUST: AV 99] [REVIEW: 71 AR AS] | A | 5340 | | AV | NOV-95 |
| | SAE-J1067 | CABLE, SEVEN CONDUCTOR JACKETED, FOR TRUCK TRAILER CONNECTIONS[CUST: AT YD 99] | A | 2520 | | CC | OCT-73 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-915/22J | CABLE, SPECIAL PURPOSE ELECTRICAL, 300 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE TSP (INCLUDING VARIATION TYPE TPSA)[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-915/67D | CABLE, SPECIAL PURPOSE ELECTRICAL, 59-CONDUCTOR, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MSP[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-C-22667B NOT 1 | CABLE, SPECIAL PURPOSE, BUOYANT, ELECTRICAL, TYPE RG-298/U (SUBMARINE USE)[CUST: SH] [REVIEW: IS] | A | 6145 | | SH | 19-APR-91 |
| | MIL-C-16839E | CABLE, SPECIAL PURPOSE, ELECTRICAL (UNDERWATER USE)[CUST: OS] [REVIEW: IS] | A | 6145 | | OS | 25-OCT-90 |
| M | QPL-13777-38 | CABLE, SPECIAL PURPOSE, ELECTRICAL, GENERAL SPECIFICATION FOR | A | 6145 | | CC | 28-FEB-06 |
| | MIL-DTL-915/66D | CABLE, SPECIAL PURPOSE, ELECTRICAL, 59-CONDUCTOR, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MSPW[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-915/47D | CABLE, SPECIAL PURPOSE, ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1SWF[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-915/48D | CABLE, SPECIAL PURPOSE, ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 2SWF[CUST: MI SH] [REVIEW: AR CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-27072/44B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (2 CONDUCTORS) AND SINGLE SHIELDED, M27072/44MAAA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/28C | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (2 CONDUCTORS) AND SINGLE SHIELDED M27072/28KACA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/25C | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (2 CONDUCTORS) AND SINGLE SHIELDED M27072/25JDDA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/33B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (2 CONDUCTORS) AND SINGLE SHIELDED, M27072/33KBCA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/61B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (3 CONDUCTORS) AND SINGLE SHIELDED, M27072/61GEDD*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/48B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (3 CONDUCTORS) AND SINGLE SHIELDED, M27072/48JDDD*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/1C | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (3 CONDUCTORS), M27072/1FAAA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/42B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (4 CONDUCTORS) AND SINGLE SHIELDED, M27072/42JBCA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/76B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (1 SHIELDED PAIR AND 8 WIRES UNDER A DOUBLE SHIELD) M27072/76SACA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/65B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (10 CONDUCTORS) AND SINGLE SHIELDED M27072/65MACA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/29B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (12 CONDUCTORS) AND SINGLE SHIELDED M27072/29MACA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/7C | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED, M27072/7MDDD*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/68B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (21 CONDUCTORS) AND SINGLE SHIELDED M27072/68KACA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/24B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SINGLE SHIELDED M27072/24FBCA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/16C | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) M27072/16DBAA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/9C | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) & SINGLE SHIELDED, M27072/9HBKB*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/83B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) AND SINGLE SHIELDED M27072/83MACA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/66C | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) AND SINGLE SHIELDED M27072/66LEDD*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/79B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) M27072/79KAAA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/70A | CABLE, SPECIAL PURPOSE, ELECTRICAL, SHIELDED; TYPE I, STYLE 1, 4 CONDUCTORS, M27072/70MACA*[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-13486/5B NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED[CUST: SH 11 CC] [REVIEW: 71 99] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-13486/9B NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED[CUST: SH 11 CC] [REVIEW: 71 99] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-13486/12B NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED[CUST: SH 11 CC] [REVIEW: 71 99] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-13486/13C NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, SHIELDED[CUST: SH 11 CC] [REVIEW: 71 99] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-13486/1C NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR, UNSHIELDED[CUST: AT SH 11 CC] [REVIEW: 71 84 99 AR CR MC] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-13486/15B NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR, UNSHIELDED[CUST: SH 11 CC] [REVIEW: 71 99 AR CR MC OS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-13486/2C NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE-CONDUCTOR, SHIELDED[CUST: SH 11 CC] [REVIEW: 71 99] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-13486/10B(1) | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED[CUST: SH 11 CC] [REVIEW: 71 99] | A | 6145 | | CC | 20-MAY-03 |
| | A-A-59615 | CABLE, SPECIALTY COMMUNICATIONS[CUST: MI SH] [REVIEW: CC CG CR EC IS] | A | 6145 | / | SH | 01-JUL-04 |
| | A-A-59609 | CABLE, WELDING, SPECIAL PURPOSE[CUST: MI SH] [REVIEW: CC CG CR EC IS] | A | 6145 | / | SH | 13-MAY-04 |
| | NAS3417 | CABLE-CORD-WIRE, PACKAGING OF ELECTRICAL[CUST: CR EC 99] | A | PACK | | CR | 30-AUG-96 |
| | MIL-DTL-24643B SUP 1 | CABLES AND CORDS, ELECTRIC, LOW SMOKE, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR[CUST: MI SH] [REVIEW: AR AV CG CR EC IS] | A | 6145 | | SH | 22-AUG-02 |
| M | QPL-24643-28 | CABLES AND CORDS, ELECTRIC, LOW SMOKE, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR | A | 6145 | | SH | 24-MAR-06 |
| | SAE-J917 | CABLES CONTROL, MARINE PUSH-PULL[CUST: AV SA 99] [REVIEW: 84] | A | 2040 | | AV | OCT-94 |
| | NEMA-WC66 | CABLES TWISTED PAIR CATEGORY 6 AND CATEGORY 7 100 OHM SHIELDED AND UNSHIELDED[CUST: CC] | A | 6145 | | CC | 1999 |
| A | MIL-DTL-3432H | CABLES, (POWER AND SPECIAL PURPOSE) AND WIRE, ELECTRICAL (300 AND 600 VOLTS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EA MC MI SH] | A | 6145 | | CC | 23-JAN-06 |
| A | QPL-85045-17 | CABLES, FIBER OPTICS (METRIC), GENERAL SPECIFICATION FOR | A | 6015 | | SH | 29-DEC-05 |
| | MIL-PRF-85045F | CABLES, FIBER OPTICS, (METRIC), GENERAL SPECIFICATION FOR[CUST: CR SH 11] [REVIEW: 02 13 19 70 99 AR AV EC MI NA OS] | A | 6015 | | SH | 12-AUG-99 |
| M | QPL-24640-27 | CABLES, LIGHT-WEIGHT, ELECTRIC, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR | A | 6145 | | SH | 01-MAR-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-24640B(1) SUP 1 | CABLES, LIGHT-WEIGHT, ELECTRIC, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR[CUST: MI SH] [REVIEW: AR AV CG CR CR4 EC] | A | 6145 | | SH | 16-DEC-04 |
| | UL1569 | CABLES, METAL-CLAD, STANDARD FOR[CUST: YD] | A | 6145 | | CC | 31-AUG-99 |
| | UL719 | CABLES, NONMETALLIC SHEATHED, STANDARD FOR[CUST: CR YD] [REVIEW: SH] | A | 6145 | | CC | 21-JUL-89 |
| M | QPL-49055-24 | CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR | A | 6145 | | CC | 15-MAR-06 |
| | MIL-C-22931/17 NOT 3 | CABLES, RADIO FREQUENCY SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .495 INCH OUTSIDE DIAMETER, 50 OHMS[CUST: 11 CC] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/154(4) NOT 2 | CABLES, RADIO FREQUENCY, COAXIAL, 0.034 INCH DIAMETER, SEMIRIGID, 50 OHMS, M17/154-00001 AND M17/154-00002[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 23-MAY-02 |
| | MIL-C-17/151(4) | CABLES, RADIO FREQUENCY, COAXIAL, 0.047 INCH DIAMETER, SEMIRIGID, 50 OHMS, M17/151-00001 AND M17/151-00002[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 23-MAY-02 |
| | MIL-C-17/133D(3) | CABLES, RADIO FREQUENCY, COAXIAL, 0.0865 INCH (2.20 MM) DIAMETER, SEMIRIGID, 50 OHMS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 19-OCT-00 |
| | MIL-C-17/130E(3) | CABLES, RADIO FREQUENCY, COAXIAL, 0.141 INCH (3.58 MM) DIAMETER, SEMIRIGID, 50 OHMS[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 19-OCT-00 |
| | MIL-C-17/129D(1) | CABLES, RADIO FREQUENCY, COAXIAL, 0.250 (6.35 MM) DIAMETER, SEMIRIGID, 50 OHMS, M17/129-RG401 AND M17/129-00001[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 23-MAY-02 |
| | MIL-C-17/90A(1) NOT 2 | CABLES, RADIO FREQUENCY, COAXIAL, 93 OHMS, M17/90-RG71[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/132B NOT 1 | CABLES, RADIO FREQUENCY, COAXIAL, LOW NOISE, 50 OHMS, M17/132-000 01[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-28830/3C NOT 1 | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/2 INCH NOMINAL, 50 OHMS[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-28830/5C NOT 1 | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1-5/8 INCH NOMINAL, 50 OHMS[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC SH] | A | 6145 | | CC | 30-OCT-01 |
| | MIL-C-28830/4C NOT 1 | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 7/8 INCH NOMINAL, 50 OHMS[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC SH] | A | 6145 | | CC | 09-JUN-01 |
| A | MIL-DTL-17H | CABLES, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 6145 | | CC | 19-AUG-05 |
| A | QPL-17-185 | CABLES, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR | A | 6145 | | CC | 22-NOV-05 |
| | MIL-C-17/218 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 125 OHMS, M17/218-00001, UNARMORED, M17/218-00002, ARMORED[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/156 NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/156-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/210 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/210-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/212 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/212-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/213 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/213-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/214 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/214-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/215 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/215-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/216 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/216-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/217 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/217-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/52B NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/52-00001, M17/52-RG119, UNARMORED, M17/52-RG120, ARMORED[CUST: CR EC 99] [REVIEW: 11 19 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/65B(2) NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, UNARMORED M17/65-RG165, AND ARMORED, M17/65-RG166[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/181B NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/181-00001 UNARMORED, M17/181-00002 ARMORED[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/209 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/209-00001, UNARMORED, M17/209-00002, ARMORED[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/211 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, LOW NOISE, 72 OHMS, M17/211-00001 (UNARMORED), M17/211-00002 (ARMORED)[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/179A(2) NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 75 OHMS, M17/179-00001[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 23-MAY-02 |
| | MIL-C-17/177A NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 95 OHMS, M17/177-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/178A(1) NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 95 OHMS, M17/178-00001[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 23-MAY-02 |
| | MIL-C-17/208 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 185 OHMS, M17/208-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-DTL-17/111D | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/111-RG303[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 11-FEB-05 |
| | MIL-DTL-17/158B | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/158-00001[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 11-FEB-05 |
| | MIL-C-17/159(1) NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/159-00001[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 07-NOV-01 |
| | MIL-C-17/164(1) NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/164-00001 AND M17/164-00002[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 04-DEC-00 |
| | MIL-C-17/168A NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/168-00001 AND M17/168-00002[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/171A NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/171-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/174A NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/174-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/189B NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/189-00001 UNARMORED, M17/189-00002 ARMORED[CUST: CR EC 11] [REVIEW: 71 84 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/193B NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/193-00001 UNARMORED, M17/193-00002 ARMORED[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-DTL-17/60D | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/60-RG142[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 04-JAN-06 |
| | MIL-C-17/93G NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/93-RG178 AND M17/93-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 09-JUN-01 |
| | MIL-C-17/185B NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 93 OHMS, M17/185-00001[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/131B NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, TRIAXIAL, 50 OHMS, M17/131-RG403[CUST: CR EC 11] [REVIEW: 19 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/116C(1) NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, TRIAXIAL, 75 OHMS, M17/116-RG307[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/182B NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 95 OHMS, M17/182-00001 UNARMORED, M17/182-00002 ARMORED[CUST: CR EC 11] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/176D NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, M17/176-00002 AND M17/176-00003[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-C-17/202(1) | CABLES, RADIO FREQUENCY, FLEXIBLE, TWINAXIAL, DOUBLE SHIELD, DATA BUS, 77 OHMS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH TD] | A | 6145 | | CC | 23-MAY-02 |
| | MIL-C-17/203(1) | CABLES, RADIO FREQUENCY, FLEXIBLE, TWINAXIAL, EMP HARDENED, DOUBLE SHIELD, DATA BUS, 77 OHMS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH TD] | A | 6145 | | CC | 23-MAY-02 |
| | MIL-C-17/201 NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, TWINAXIAL, SINGLE SHIELD, DATA BUS, 77 OHMS[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH TD] | A | 6145 | | CC | 06-JUN-01 |
| | MIL-DTL-22931C | CABLES, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 6145 | | CC | 21-NOV-03 |
| | MIL-C-17/135C(1) NOT 1 | CABLES, RADIO FREQUENCY, TRIAXIAL, .500 INCH, 50 OHM, WATERBLOCKED, NON-WATER BLOCKED AND CROSSLINKED, LOW SMOKE[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH TD] | A | 6145 | | CC | 06-JUN-01 |
| | UL854 | CABLES, SERVICE-ENTRANCE[CUST: YD 11] [REVIEW: GS] | A | 6150 | | YD | 29-MAY-96 |
| | MIL-DTL-49055/12C NOT 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 200 DEG. C[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC MI OS SH] | A | 6145 | | CC | 26-NOV-03 |
| | MIL-DTL-49055/11C NOT 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 150 DEG. C[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC MI OS SH] | A | 6145 | | CC | 26-NOV-03 |
| M | QPL-13486-29 | CABLES, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR AND MULTIPLE CONDUCTOR, SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR | A | 6145 | | CC | 28-FEB-06 |
| | MIL-DTL-13486D(1) SUP 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR AND MULTIPLE CONDUCTOR, SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR[CUST: AT SH 11 CC] [REVIEW: 71 99 CR EA] | A | 6145 | | CC | 03-JUL-03 |
| | MIL-DTL-49055/18 | CABLES, SPECIAL PURPOSE, FLEXIBLE, FLAT, UNSHIELDED, 28 AWG STRANDED, ROUND CONDUCTOR 200 C (1 MM PITCH)[CUST: CR AS 11 CC] | A | 6145 | | CC | 14-SEP-04 |
| | MIL-DTL-49055/19 | CABLES, SPECIAL PURPOSE, FLEXIBLE, FLAT, UNSHIELDED, 30 AWG SOLID, ROUND CONDUCTOR 200 C (.025 INCH PITCH)[CUST: CR AS 11 CC] | A | 6145 | | CC | 14-SEP-04 |
| | MIL-DTL-49055/20 | CABLES, SPECIAL PURPOSE, FLEXIBLE, FLAT, UNSHIELDED, 30 AWG STRANDED, ROUND CONDUCTOR 200 DEG. C (.025 INCH PITCH)[CUST: CR AS 11 CC] | A | 6145 | | CC | 14-SEP-04 |
| | MIL-DTL-49055/21 | CABLES, SPECIAL PURPOSE, FLEXIBLE, FLAT, UNSHIELDED, 32 AWG STRANDED, ROUND CONDUCTOR 200 DEG. C (.025 INCH PITCH)[CUST: CR AS 11 CC] | A | 6145 | | CC | 14-SEP-04 |
| | ASME-B30.9 | CABLEWAYS, CRANES, DERRICKS, HOISTS, HOOKS, JACKS, AND SLINGS, SAFETY STANDARD FOR (WITH ADDENDA A,, B, AND C)[CUST: AT YD 99 IS] [REVIEW: MT] | A | 3940 | | IS | 29-NOV-96 |
| | A-A-50800A NOT 1 | CADMIUM OXIDE[CUST: AS 68 GS3] | A | 6810 | / | GS3 | 24-FEB-04 |
| | ASTM-B766 | CADMIUM, ELECTRODEPOSITED COATINGS OF[CUST: MR YD 11] [REVIEW: OS SH] | A | MFFP | | YD | 26-SEP-86 |
| | A-A-54692 | CAGE, ANIMAL[CUST: MD MS 03] | A | 3770 | / | MB | 24-JUL-92 |
| | A-A-20055B | CAKES, FRESH OR FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8920 | * | GL | 28-MAR-05 |
| | ASTM-D511 | CALCIUM AND MAGNESIUM IN WATER[CUST: EA GS3] [REVIEW: CR4 MD SH] | A | 6810 | | GS3 | 15-APR-93 |
| | MIL-C-293B NOT 1 | CALCIUM CARBONATE[CUST: AR] [REVIEW: EA GS MI] | A | 6810 | | AR | 10-APR-86 |
| | ASTM-D1199 | CALCIUM CARBONATE PIGMENTS[CUST: CR4 SH 99] | A | 8010 | | SH | 27-JUN-86 |
| | ASTM-D98 | CALCIUM CHLORIDE[CUST: EA YD 68] [REVIEW: GS] | A | 6810 | | YD | 15-APR-93 |
| | ASTM-D345 | CALCIUM CHLORIDE FOR ROADS AND STRUCTURAL APPLICATIONS, SAMPLING AND TESTING[CUST: AT] [REVIEW: GS] | A | 6810 | | AT | 30-MAR-90 |
| | ASTM-E449 | CALCIUM CHLORIDE, ANALYSIS OF[CUST: EA 68] [REVIEW: AR AS CR4 MD SH] | A | 6810 | | GS3 | 10-DEC-96 |
| | MIL-C-48038 NOT 3 | CALCIUM CHROMATE, TECHNICAL[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 11-OCT-96 |
| | A-A-55821 NOT 1 | CALCIUM HYDROXIDE, TECHNICAL[CUST: EA SH 68 GS3] [REVIEW: MC MI SA YD] | A | 6810 | / | GS3 | 26-NOV-02 |
| | JAN-C-628 | CALCIUM OXALATE (FOR USE IN AMMUNITION)[CUST: AR AS] | A | 1370 | | AR | 30-JUN-48 |
| | MIL-C-20470A(1) NOT 1 | CALCIUM RESINATE[CUST: AR AS GS] [REVIEW: EA] | A | 6810 | | AR | 22-JAN-91 |
| | ASTM-C533 | CALCIUM SILICATE BLOCK AND PIPE THERMAL INSULATION[CUST: CR4 YD] [REVIEW: CG MR] | A | 5640 | | IS | 15-MAY-87 |
| | ASTM-C73 | CALCIUM SILICATE BRICK (SAND-LIME BRICK)[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5620 | | IS | 29-MAR-85 |
| | MIL-C-51077(3) | CALCIUM SILICATE, TECHNICAL[CUST: AR] [REVIEW: EA GS] | A | 6810 | | AR | 21-JUN-90 |
| | MIL-C-324C NOT 3 | CALCIUM SILICIDE, TECHNICAL[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 13-JUN-97 |
| | A-A-53967 | CALCIUM THIOGYCOLLATE, TRIHYDRATE, CREAM[CUST: MD MS 03] | A | 6505 | / | MB | 30-OCT-89 |
| | DI-GDRQ-81235A | CALCULATED WEIGHT AND BALANCE REPORT - MASS PROPERTIES DATA FOR MISSILES [AMSC: N6675] | A | SESS | | AS | 24-OCT-96 |
| | A-A-1778 | CALCULATING MACHINE (CALCULATOR, DESK TOP, NON-PROGRAMMABLE, DISPLAY ONLY, 10 DIGIT) | A | 7420 | # | FSS | 04-MAR-81 |
| | A-A-2373 | CALCULATING MACHINE (DESK TOP, 1 OR MORE MEMORIES, DISPLAY ONLY) (SOLAR POWER) | A | 7420 | # | FSS | 18-DEC-84 |
| | A-A-1595A | CALCULATING MACHINE (DESK TOP, 10 DIGIT DISPLAY/THERMAL PRINT)[CUST: GL SA 99] [REVIEW: 84 AT MI] | A | 7420 | % | FSS | 31-JAN-83 |
| | A-A-2266 | CALCULATING MACHINE (DESK TOP, 10 DIGIT, 0 MEMORY, PRINT ONLY) (TWO COLOR PRINT) | A | 7420 | # | FSS | 09-MAR-84 |
| | A-A-2256 | CALCULATING MACHINE (DESK TOP, 10 DIGIT, 1 MEMORY, PRINT/DISPLAY, TWO-COLOR PRINT) | A | 7420 | # | FSS | 09-MAR-84 |
| | A-A-2264 | CALCULATING MACHINE (DESK TOP, 10 DIGIT, 1 OR MORE MEMORIES, DISPLAY ONLY | A | 7420 | # | FSS | 09-MAR-84 |
| | A-A-1593A | CALCULATING MACHINE (DESK TOP, 10 DIGIT, DISPLAY ONLY, BATTERY POWERED WITH AC ADAPTER)[CUST: GL SA 99] [REVIEW: 84 AT MI] | A | 7420 | % | FSS | 31-JAN-83 |
| | A-A-1779A | CALCULATING MACHINE (DESK TOP, 10-DIGIT THERMAL PRINT ONLY)[CUST: GL SA 99] [REVIEW: 84 AT MI] | A | 7420 | % | FSS | 31-JAN-83 |
| | A-A-1592A | CALCULATING MACHINE (DESK TOP, 12 DIGIT DISPLAY/PRINT) | A | 7420 | # | FSS | 31-JAN-83 |
| | A-A-2259 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 MEMORY, PRINT/DISPLAY) (SINGLE-COLOR PRINT) | A | 7420 | # | FSS | 09-MAR-84 |
| | A-A-2265 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 OR MORE MEMORIES, DISPLAY ONLY) | A | 7420 | # | FSS | 09-MAR-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-2268 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 OR MORE MEMORIES, PRINT ONLY) (TWO COLOR PRINT) | A | 7420 | # | FSS | 09-MAR-84 |
| | A-A-2261 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 2 OR MORE MEMORIES, PRINT/DISPLAY) (SINGLE-COLOR PRINT) | A | 7420 | # | FSS | 09-MAR-84 |
| | A-A-2267 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, O MEMORY, PRINT ONLY) (TWO COLOR PRINT) | A | 7420 | # | FSS | 09-MAR-84 |
| | A-A-1594A | CALCULATING MACHINE (DESK TOP, 12-DIGIT DISPLAY ONLY)[CUST: GL SA 99] [REVIEW: 84 AT MI] | A | 7420 | % | FSS | 31-JAN-83 |
| | A-A-1596A | CALCULATING MACHINE (DESK TOP, 12-DIGIT PRINT ONLY)[CUST: GL SA 99] [REVIEW: 84 AT MI] | A | 7420 | % | FSS | 31-JAN-83 |
| | A-A-2371 | CALCULATING MACHINE (HANDHELD, BUSINESS/FINANCIAL) | A | 7420 | # | FSS | 19-FEB-85 |
| | A-A-2291 | CALCULATING MACHINE (HANDHELD, PROFESSIONAL SCIENTIFIC) | A | 7420 | # | FSS | 15-MAY-84 |
| | MIL-HDBK-404 NOT 1 | CALCULATION AND DESIGN OF MASTER GEARS[CUST: AT] | A | QCIC | | AT | 12-APR-04 |
| | ASTM-D6020 | CALCULATION OF (NON-MINERAL) COMBINED TANNING AGENTS AND DEGREE OF TANNAGE[CUST: GL NU 99 CT] | A | 83GP | | CT | 19-APR-99 |
| | STANAG-4350 ED.1 | CALCULATION OF MINIMUM RESOLVABLE TEMPERATURE DIFFERENCE (MRTD) FOR THERMAL IMAGING SYSTEMS | C | ISDA | | AI | 18-JUL-95 |
| | ANSI-S3.5 | CALCULATION OF THE ARTICULATION INDEX, METHODS FOR THE[CUST: MI AS 11] [REVIEW: 19 AR AT MD TE TM] | A | QCIC | | MI | 14-DEC-92 |
| | A-A-2941 | CALENDAR PAD STANDS (METAL AND PLASTIC) | A | 7520 | # | FSS | 16-OCT-96 |
| | A-A-2924 | CALENDAR PADS | A | 7510 | # | FSS | 13-SEP-96 |
| | NEMA-FI3 | CALENDERED ARAMID PAPERS USED FOR ELECTRICAL INSULATION[CUST: SH] [REVIEW: GS] | A | 5970 | | SH | 09-AUG-02 |
| | MIL-PRF-7024E | CALIBRATING FLUIDS, AIRCRAFT FUEL SYSTEM COMPONENTS[CUST: AV AS 68] [REVIEW: 11 EA GS MD] | A | 6850 | | 68 | 01-OCT-97 |
| | A-A-54199 | CALIBRATING GAS MIXTURE[CUST: MD MS 03] [REVIEW: GS] | A | 6830 | / | MB | 25-JUN-90 |
| | MIL-HDBK-1839A | CALIBRATION AND MEASUREMENT REQUIREMENTS[CUST: MI OS 84] [REVIEW: 11 13 16 19 AR AS AT AV CR EC MC NM SH TD TM] | A | QCIC | | 84 | 27-NOV-00 |
| | DI-QCIC-80278A | CALIBRATION AND MEASUREMENT REQUIREMENTS SUMMARY (CMRS) [AMSC: F4563] | A | QCIC | | 30 | 28-OCT-88 |
| | A-A-53420A | CALIBRATION AND VERIFICATION SYSTEM[CUST: MD MS 03] | A | 6625 | / | MB | 31-JAN-89 |
| | DI-QCIC-80798B | CALIBRATION CERTIFICATE [AMSC: F7554] | A | QCIC | | 10 | 28-MAR-05 |
| | ASTM-E74 | CALIBRATION OF FORCE-MEASURING INSTRUMENTS FOR VERIFYING THE FORCE INDICATION OF TESTING MACHINES[CUST: MR YD 99 GS1] | A | 6670 | | GS1 | 25-JAN-91 |
| | ASTM-D2168 | CALIBRATION OF LABORATORY MECHANICAL-RAMMER SOIL COMPACTORS[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 29-JUN-90 |
| | ANSI-S1.10 | CALIBRATION OF MICROPHONES, METHOD FOR THE[CUST: MI AS 11] [REVIEW: 19 AR AT MD TE TM] | A | QCIC | | MI | 14-DEC-92 |
| | DI-QCIC-80906 | CALIBRATION SYSTEM DESCRIPTION [AMSC: A4839] | A | QCIC | | AM | 06-OCT-89 |
| | A-A-59372A | CALIBRATOR, OSCILLOSCOPE[CUST: 99] | A | 6625 | / | 84 | 25-JUN-04 |
| | A-A-59419A | CALIBRATOR, THERMOMETER[CUST: 99] | A | 6685 | / | 84 | 04-MAR-05 |
| | A-A-53098 | CALIBRATOR, TIMER[CUST: MD MS 03] | A | 6625 | / | MB | 31-AUG-87 |
| | A-A-50750 | CALIBRATOR, VOLTAGE[CUST: EC 99 CC] [REVIEW: CR] | A | 6625 | / | 84 | 15-MAY-87 |
| | A-A-53898 | CALIBRATOR, X-RAY GENERATOR[CUST: MD MS 03] | A | 6625 | / | MB | 28-APR-89 |
| | ANSI-S1.40 | CALIBRATORS, ACOUSTICAL, SPECIFICATION FOR[CUST: MI AS 11] [REVIEW: AM AT CR4 MD OS TE YD] | A | HFAC | | MI | 23-MAR-84 |
| | A-A-54694 | CALIPER, DENTAL, METAL THICKNESS[CUST: MD MS 03] | A | 6520 | / | MB | 22-JUN-92 |
| | A-A-53540 | CALIPER, EYE, CASTROVIEJO[CUST: MD MS 03] | A | 6540 | / | MB | 27-JUN-88 |
| | A-A-51429 | CALIPER, WAX THICKNESS MEASURING, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 12-MAY-86 |
| | TT-C-00598C(1) | CALKING COMPOUND, OIL AND RESIN BASE TYPE (FOR BUILDING CONSTRUCTION) | A | 8030 | # | FSS | 18-MAR-71 |
| | TT-C-598B(2) NOT 1 | CALKING COMPOUND, OIL AND RESIN BASE TYPE (FOR MASONRY AND OTHER STRUCTURES)[CUST: MR YD 99] [REVIEW: EA MI SA] | A | 8030 | * | MR | 10-FEB-87 |
| | QQ-C-40(2) NOT 1 | CALKING, LEAD WOOL AND LEAD PIG[CUST: MR SH 99] [REVIEW: 71] | A | 5330 | / | SH | 16-JUL-90 |
| | DI-MISC-81365 | CALL DIRECTOR REPORT [AMSC: F6961] | A | MISC | | 10 | 01-SEP-93 |
| | MIL-C-15306/1 | CALL SIGNAL STATIONS IC/D, SELECTIVE CALL, COMMON TALK[CUST: SH] | A | 5805 | | SH | 28-JUN-93 |
| | MIL-C-15306/2 | CALL SIGNAL STATIONS TA-974/WTC2, SIDE CRANK[CUST: SH] | A | 5805 | | SH | 28-JUN-93 |
| | MIL-C-15306G | CALL SIGNAL STATIONS, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: MC] | A | 5805 | | SH | 28-JUN-93 |
| | NAS562 | CAM FOLLOWER, NEEDLE BEARING, HIGH STRENGTH STUD -[CUST: AV AS 11] [REVIEW: CR4 GS IS] | A | 3110 | | AS | 29-AUG-97 |
| | MIL-DTL-28628D | CAMEL, WOOD, MARINE; SINGLE LOG CONFIGURATION, UNTREATED AND TREATED[CUST: MT YD 99] | A | 1945 | | YD | 25-NOV-97 |
| | ANSI-PH3.30 | CAMERA ACCESSORY SHOES WITH & WITHOUT ELECTRICAL CONTACTS FOR PHOTOFLASH UNITS, DIMENSIONS FOR[CUST: CR AS 99] | A | 6720 | | AS | 25-AUG-87 |
| | MIL-C-85248A | CAMERA, STILL PICTURE, PANORAMIC, KA-99A[CUST: AS] | A | 6720 | | AS | 28-NOV-84 |
| | ANSI-PH3.48 | CAMERAS, STILL-PICTURE, SHUTTER TESTS FOR[CUST: CR AS 99] | A | 6720 | | AS | 03-OCT-94 |
| | DI-MISC-80176A | CAMOUFLAGE LINE ART DATA [AMSC: A3864] | A | MISC | | AM | 12-DEC-97 |
| | A-A-59592 NOT 1 | CAN, FUEL, MILITARY: 20-LITER CAPACITY[CUST: AT 99] [REVIEW: 84 GL] | A | 7240 | / | AT | 06-JUN-05 |
| | A-A-53920 | CAN, PETRI CULTURE DISH[CUST: MD MS 03] | A | 6640 | / | MB | 20-JUL-89 |
| | ANSI-MH3.4 | CAN, ROUND COMPOSITE MOTOR OIL[CUST: GL SA 11] | A | 8110 | | SA | 31-MAR-81 |
| | ANSI-MH3.1 | CAN, ROUND METAL MOTOR OIL, REQUIREMENTS FOR[CUST: GL SA 11] | A | 8110 | | SA | 31-MAR-81 |
| | MIL-C-43613D | CAN, WATER, MILITARY: PLASTIC, 5-GALLON CAPACITY[CUST: GL SA 99 IS] [REVIEW: 84 CG MC MD YD] | A | 7240 | | IS | 08-DEC-93 |
| | A-A-50159 | CANDELABRA, CHAPEL[CUST: GL PE 28] | A | 9925 | / | CT | 22-MAR-88 |
| | A-A-50173 | CANDLE BURNER[CUST: GL PE 28] | A | 9925 | / | CT | 05-OCT-88 |
| | MIL-C-25539B | CANDLE, ILLUMINATING, SORVIVAL, HIGH MELITING POINT[CUST: 99 IS] [REVIEW: GL] | A | 6260 | | IS | 21-JUL-76 |
| | A-A-50174 | CANDLELIGHTER AND SNUFFER[CUST: GL PE 28] | A | 9925 | / | CT | 05-OCT-88 |
| | A-A-50191 | CANDLELIGHTER, TAPER[CUST: GL PE 28 IS] | A | 9925 | / | CT | 10-FEB-89 |
| | A-A-51669 | CANDLER, EGG[CUST: MD MS 03] | A | 6695 | / | MB | 19-SEP-86 |
| | A-A-50192 | CANDLES, ALTAR[CUST: GL PE 28] | A | 9925 | / | CT | 17-FEB-89 |
| | A-A-50158 | CANDLESTICK, ALTAR[CUST: GL PE 28] | A | 9925 | / | CT | 22-MAR-88 |
| | A-A-20177C | CANDY AND CHOCOLATE CONFECTIONS[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8925 | / | SS | 25-MAR-04 |
| | A-A-30090A | CANE, WALKING (WOOD)[CUST: MD MS 03] | A | 6515 | * | MB | 10-AUG-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-54759 | CANISTER AND TIMER SYSTEM (OROPHARYNGEAL SUCTION APPARATUS)[CUST: MD MS 03] | A | 6515 | / | MB | 15-OCT-92 |
| | A-A-51743A | CANISTER ASSEMBLE, SUCTION, SURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 26-FEB-88 |
| | A-A-51602B | CANISTER ASSEMBLY, SUCTION, SURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 05-AUG-94 |
| | A-A-54366 | CANISTER ASSEMBLY, SUCTION, SURGICAL (ONE CANISTER WITH FIFTY LINERS)[CUST: MD MS 03] | A | 6515 | / | MB | 15-APR-91 |
| | MIL-C-71090(3) | CANISTER SMOKE, ASSEMBLY FOR PROJECTILE, PRACTICE, 155MM, M804E1[CUST: AR] | A | 1320 | | AR | 09-MAY-95 |
| A | MIL-PRF-51560C | CANISTER, CHEMICAL-BIOLOGICAL MASK: C2A1[CUST: EA] | X | 4240 | | EA | 29-SEP-05 |
| | MIL-C-21004B(2) | CANISTER, LITHIUM HYDROXIDE, SCREENED ENDS, FRICTION TYPE COVERS[CUST: SH] | A | 8110 | | SH | 06-DEC-91 |
| | MIL-C-17671F | CANISTER, OXYGEN BREATHING APPARATUS, FOR TYPE A-4[CUST: EA SH 99] [REVIEW: 84 GS] | A | 4240 | | SH | 11-MAY-89 |
| | MIL-C-24382A(1) | CANISTER, OXYGEN BREATHING APPARATUS, TYPE A-4 TRAINING KIT[CUST: SH] | A | 4240 | | SH | 17-MAY-90 |
| | STANAG-4516 ED.1 | CANNON (GREATER THAN 12.7MM), DESIGN SAFETY REQUIREMENTS AND SAFETY AND SUITABILITY FOR SERVICE EVALUATION OF THE WEAPON/MUNITION COMBINATION | C | ISDA | | AI | 08-OCT-01 |
| | STANAG-4423 ED.1 | CANNON AMMUNITION (12.7 TO 40 MM), SAFETY AND SUITABILITY FOR SERVICE EVALUATION | C | ISDA | | AI | PENDING |
| | ITOP-3.2.829 | CANNON SAFETY TEST (U) | D | ISDA | | TE | 23-OCT-92 |
| | MIL-C-70796 NOT 4 | CANNON, 105MM HOWITZER: M20[CUST: AR] | B | 1015 | | AR | 21-APR-05 |
| | MIL-C-10888D NOT 4 | CANNON, 4.2 INCH MORTAR: M30 AND MOUNT, 4.2 INCH MORTAR: M24A1[CUST: AR] | A | 1015 | | AR | 10-OCT-96 |
| | MIL-C-10049A(1) NOT 3 | CANNON, 76MM GUN, M32[CUST: AR] | A | 1015 | | AR | 10-OCT-96 |
| | MIL-DTL-13931J | CANNON: GENERAL SPECIFICATION FOR[CUST: AR AS] [REVIEW: MC OS] | A | 10GP | | AR | 16-AUG-99 |
| | A-A-54908 | CANNULA, BRAIN, (FRAZIER)[CUST: MD MS 03] | A | 6515 | / | MB | 31-AUG-93 |
| | A-A-51414 | CANNULA, BRAIN, HAYNES, 13 GAGE[CUST: MD MS 03] | A | 6515 | | MB | 17-APR-86 |
| | A-A-54896 | CANNULA, BRONCHIAL, JACKSON, OPEN END[CUST: MD MS 03] | A | 6515 | / | MB | 20-AUG-93 |
| | A-A-51763 | CANNULA, EAR ( ROSEN)[CUST: MD MS 03] | A | 6515 | / | MB | 02-DEC-86 |
| | A-A-51365A | CANNULA, EAR (HOUSE, SUCTION-IRRIGATOR)[CUST: MD MS 03] | A | 6515 | / | MB | 22-SEP-87 |
| | A-A-51758 | CANNULA, EAR, (BARON)[CUST: MD MS 03] | A | 6515 | / | MB | 24-NOV-86 |
| | A-A-54998 | CANNULA, HEART, VASCULAR, SUMP, COOLEY[CUST: MD MS 03] | A | 6515 | / | MB | 15-FEB-95 |
| | A-A-30157 | CANNULA, NASAL, OXYGEN[CUST: MD MS 03] | A | 6515 | / | MB | 28-FEB-92 |
| | A-A-53957A | CANNULA, NASAL, OXYGEN (PLASTIC, DISPOSABLE)[CUST: MD MS 03] | A | 6515 | / | MB | 24-OCT-90 |
| | A-A-53194 | CANNULA, SUCTION, SURGICAL (ADSON)[CUST: MD MS 03] | A | 6515 | / | MB | 06-OCT-87 |
| | A-A-54271 | CANNULA, TRACHEOSTOMY, MODIFIED, JACKSON[CUST: MD MS 03] | A | 6515 | / | MB | 07-NOV-90 |
| | A-A-54978 | CANNULA, TRACHEOSTOMY, NYLON[CUST: MD MS 03] | A | 6515 | / | MB | 31-AUG-94 |
| | A-A-54491 | CANNULA, TRACHEOTOMY, UNIVERSITY OF KANSAS DESIGN[CUST: MD MS 03] | A | 6515 | / | MB | 30-SEP-91 |
| | MIL-DTL-9401C | CANOPY, PARACHUTE, RING SLOT, GENERAL SPECIFICATION FOR CONSTRUCTION OF[CUST: GL2 AS] | A | 1670 | | GL2 | 12-MAY-03 |
| | ASTM-D3061 | CANS, AEROSOL, THREE-PIECE AND TINPLATE STRAIGHT-WALL AND NECKED-IN[CUST: EA SH 68] [REVIEW: GL MD] | A | 6810 | | GS3 | 10-SEP-97 |
| | MIL-C-10464F NOT 2 | CANS, HERMETIC SEALING, METAL, LIGHT GAGE, TEAR-STRIP TYPE[CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-APR-99 |
| | UL32 | CANS, METAL WASTE[CUST: GL YD 99] | A | 7240 | | GL | 14-AUG-81 |
| | PPP-C-96E | CANS, METAL, 28 GAGE AND LIGHTER[CUST: GL SA 11 IS] [REVIEW: 68 70 99 AS AT AV CR CR4 DP MC MI SH YD] | A | 8110 | / | IS | 31-DEC-92 |
| | MIL-C-44348 | CANTEEN, WATER, COLD WEATHER, CRS[CUST: GL CT] | A | 8465 | | CT | 13-DEC-88 |
| | MIL-C-43603B(1) | CANTEEN, WATER, COLLAPSIBLE, 2 QUART CAPACITY[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8465 | | CT | 16-AUG-82 |
| | MIL-C-44216A | CANTEEN, WATER, COLLAPSIBLE, 5-QUART CAPACITY[CUST: GL NU CT] | A | 8465 | | CT | 30-JUN-89 |
| | MIL-C-43103D | CANTEEN, WATER, PLASTIC, WITH SCREW CAP[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8465 | | CT | 15-AUG-88 |
| | NAS839 | CAP - BEADED HOSE CONNECTION, PLASTIC, PROTECTIVE[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | NAS813 | CAP - PROTECTIVE, ELECTRICAL CONNECTOR[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-MAR-71 |
| | NAS814 | CAP - PROTECTIVE, FLARED FITTING[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-JUN-69 |
| | NAS817 | CAP - PROTECTIVE, FLARED FITTING[CUST: AR AS 99 IS] | A | 5340 | | IS | 17-MAR-78 |
| | NAS844 | CAP - TUBING, PROTECTIVE, DUST AND MOISTURE SEAL[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-MA2036 | CAP ASSEMBLY, PRESSURE SEAL, FLARELESS TUBE, METRIC[CUST: AV] | A | 4730 | | AV | 7-DEC-92 |
| | MS9315B | CAP ASSEMBLY, TUBE & AMS 5646, SILVER PLATED NUT (ASG)[CUST: AS 11] [REVIEW: MC] | A | 4730 | | CC | 20-DEC-66 |
| | MS9314B | CAP ASSEMBLY, TUBE, & AMS 5646 (ASG)[CUST: AS 11] [REVIEW: MI] | A | 4730 | | CC | 20-DEC-66 |
| | AN929 REV 11 | CAP ASSEMBLY, TUBE, PRESSURE SEAL[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | 23-MAR-83 |
| | MIL-C-50494(1) | CAP BLASTING, PRACTICE M10 PARTS FOR, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 22-MAR-93 |
| | A-A-59733 | CAP LUBRICATION FITTING[CUST: AV AS CC] [REVIEW: OS SA] | A | 4730 | / | CC | 05-DEC-02 |
| | NAS834 | CAP OR PLUG - PROTECTIVE, PLAIN TUBE OR HOLE[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | NASM5501-32 | CAP, 'D' TYPE, ESD PROTECTIVE, ELECTRICAL CONNECTOR[CUST: SH 11 IS] | A | 5340 | | 11 | 13-JUL-01 |
| | MIL-C-45468E(1) NOT 2 | CAP, BLASTING, ELECTRIC, M6 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 10-SEP-97 |
| | MIL-C-45469E(1) NOT 2 | CAP, BLASTING, NON-ELECTRIC: M7 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 10-SEP-97 |
| | A-A-55312 | CAP, CAMOUFLAGE PATTERN[CUST: GL MC 99 CT] [REVIEW: 11 MD] | A | 8415 | / | CT | 25-AUG-97 |
| | NASM5501-31 | CAP, CIRCULAR, ESD, PROTECTIVE, ELECTRICAL CONNECTOR[CUST: SH 11 IS] | A | 5340 | | 11 | 13-JUL-01 |
| | MIL-DTL-43549D | CAP, COLD WEATHER, INSULATING, HELMET LINER[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8415 | | CT | 18-DEC-00 |
| | MIL-C-24937A | CAP, COMBINATION, MAN'S, (CG)[CUST: CT] | A | 8405 | | CT | 02-JUN-93 |
| | MIL-C-29386A | CAP, DRESS, WOMEN'S[CUST: MC CT] | A | 8410 | | CT | 23-OCT-87 |
| | SAE-AS90376 | CAP, DUST, PLASTIC, ELECTRIC CONNECTOR[CUST: CR AS 99 IS] | A | 5340 | | AS | MAR-00 |
| | SAE-AS25274 | CAP, ELECTRICAL (WIRE END, CRIMP STYLE, TYPE II, CLASS 1) FOR 105 DEG. C TOTAL CONDUCTOR TEMPERATURE[CUST: CR AS 11] [REVIEW: 99 EC GS MC SH] | A | 5940 | | AS | 18-AUG-04 |
| | A-A-50464B NOT 1 | CAP, FLUE, CYLINDRICAL[CUST: YD] [REVIEW: CC MC] | A | 4520 | / | IS | 19-SEP-03 |
| | A-A-59529 | CAP, FOOD HANDLER'S[CUST: NU] | A | 8415 | / | CT | 13-DEC-99 |
| | MIL-C-17614F | CAP, GARRISON, MAN S[CUST: NU CT] [REVIEW: CG] | A | 8405 | | CT | 14-AUG-87 |
| | MIL-C-31002 | CAP, GARRISON, MAN'S (COAST GUARD)[CUST: CG CT] | A | 8405 | | CT | 30-MAR-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-3261F | CAP, GARRISON, MAN'S, AIR FORCE, BLUE[CUST: 11 CT] [REVIEW: 99] | A | 8405 | | CT | 22-SEP-89 |
| | MIL-C-43419E | CAP, GARRISON, MEN'S POLYESTER/WOOL, ARMY GREEN 344[CUST: GL CT] [REVIEW: 11 MD] | A | 8405 | | CT | 12-APR-89 |
| | MIL-C-15507L | CAP, GARRISON, WOMAN S (NAVY)[CUST: NU CT] | A | 8410 | | CT | 25-APR-86 |
| | MIL-C-87014B | CAP, GARRISON, WOMAN'S (COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8410 | | CT | 21-MAY-90 |
| | MIL-C-44130C | CAP, GARRISON, WOMEN'S, POLYESTER/WOOL, AG-344[CUST: GL CT] [REVIEW: MD] | A | 8410 | | CT | 11-JAN-91 |
| | A-A-55294A | CAP, HOT WEATHER[CUST: GL CT] | A | 8415 | / | CT | 21-AUG-97 |
| | A-A-50369A | CAP, KNIT (WATCH)[CUST: NU CT] | A | 8405 | / | CT | 06-SEP-00 |
| | MIL-DTL-25677/2(2) | CAP, LUBRICATING FITTING, PROTECTIVE, PRESSURE SERVICING ADAPTER[CUST: AS 99 CC] [REVIEW: 06 71 MC SA] | A | 4730 | | CC | 04-NOV-04 |
| | A-A-54433 | CAP, OPERATING, SURGICAL[CUST: MD MS 03] | A | 6532 | / | MB | 25-JUN-91 |
| | A-A-30156 | CAP, OPERATING, SURGICAL (WOMEN'S)[CUST: MD MS 03] | A | 6532 | * | MB | 24-JUL-91 |
| | NAS846 | CAP, PIPE THREAD, PROTECTIVE, DUST AND MOISTURE SEAL[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | QPL-8605-20 | CAP, PRESSURE FUEL SERVICING | A | 1560 | | AS | 02-OCT-00 |
| | SAE-AS21914 | CAP, PRESSURE SEAL, FLARELESS TUBE FITTING[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | A-A-53989 | CAP, SCREW, BOTTLE AND JAR[CUST: MD MS 03] | A | 6640 | / | MB | 18-SEP-89 |
| | A-A-53810 | CAP, SCREW, BOTTLE AND JAR[CUST: MD MS 03] | A | 6640 | / | MB | 01-FEB-89 |
| | MIL-C-3095G | CAP, SERVICE, MAN'S, AIR FORCE[CUST: 11 CT] [REVIEW: 99] | A | 8405 | | CT | 25-NOV-88 |
| | MIL-DTL-43415D | CAP, SERVICE, MILITARY POLICE, WHITE[CUST: GL 11 CT] | A | 8405 | | CT | 04-SEP-03 |
| | A-A-59453 | CAP, SYNTHETIC MICROFLEECE[CUST: MC] | A | 8415 | / | CT | 16-JAN-04 |
| | MS9313A | CAP, TUBE - AMS 5646[CUST: AS 11] | A | 4730 | | CC | 12-AUG-64 |
| | A-A-55313 | CAP, UTILITY: CAMOUFLAGE[CUST: MC CT] [REVIEW: NU YD] | A | 8405 | / | CT | 25-AUG-97 |
| | A-A-59229 | CAP, VENT, FILLER, BATTERY[CUST: AT] [REVIEW: GS] | A | 6140 | / | AT | 20-MAY-98 |
| | MIL-C-44217A | CAP, WATER CANTEEN, 5-QUART, COLLAPSIBLE[CUST: GL NU CT] [REVIEW: MC MD YD] | A | 8465 | | CT | 15-NOV-89 |
| | MIL-C-51278D(1) | CAP, WATER CANTEEN, FIELD, 1 QUART AND 2 QUART CANTEENS[CUST: GL NU 99 CT] [REVIEW: 11 EA MC MD] | A | 8465 | | CT | 21-MAY-91 |
| | MS27272 NOT 3 | CAP-PLUG, PROTECTIVE DUST & MOISTURE SEAL - PLUG CONNECTOR, RAMP POWER, 416/240 VOLTS[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 26-OCT-01 |
| | MS29526E | CAP-PRESSURE FUEL SERVICING, NOMINAL 2 1/2 INCH DIAMETER NON-FLUSH TYPE[CUST: AV AS 11] [REVIEW: GS] | A | 1560 | | AS | 15-JAN-91 |
| | MS29525F | CAP-PRESSURE FUEL SERVICING, NOMINAL 2 1/2 INCH DIAMETER, FLUSH TYPE[CUST: AV AS 99] [REVIEW: GS] | A | 1560 | | AS | 15-JAN-91 |
| | NAS947 | CAP-PROTECTIVE, BEADED TUBE ASSEMBLY[CUST: AR AS 99 IS] | A | 5340 | | IS | JAN-61 |
| | NAS831 | CAP-PROTECTIVE, ELECTRICAL CONNECTOR[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | NAS835 | CAP-PROTECTIVE, FLARED FITTING (METAL)[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | NAS832 | CAP-PROTECTIVE, FLARED FITTING (PLASTIC)[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | MIL-C-5500D | CAP: HIGH PRESSURE AIR VALVE[CUST: AV AS 99] [REVIEW: GS] | A | 1650 | | 71 | 05-AUG-92 |
| | MIL-C-8605B | CAP; PRESSURE FUEL SERVICING[CUST: AV AS 11] [REVIEW: GS] | A | 1560 | | AS | 31-OCT-90 |
| | ITOP-6.3.035 | CAPACITANCE PROXIMITY SENSORS (CPS) FOR INTERIOR APPLICATIONS (U) | D | ISDA | | TE | 04-OCT-90 |
| | MIL-PRF-49467/1C | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 1,000 V DC, STYLE HV01[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AV MC MI] | A | 5910 | | CR | 22-APR-05 |
| | MIL-PRF-49467/2C | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 2,000 V DC, STYLE HV02[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AV MC MI] | A | 5910 | | CR | 22-APR-05 |
| | MIL-PRF-49467/3C | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 3,000 V DC, STYLE HV03[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AV MC MI] | A | 5910 | | CR | 22-APR-05 |
| | MIL-PRF-49467/4C | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 4,000 V DC, STYLE HV04[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AV MC MI] | A | 5910 | | CR | 22-APR-05 |
| | MIL-PRF-49467/5C | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 5,000 V DC, STYLE HV05[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AV MC MI] | A | 5910 | | CR | 22-APR-05 |
| | MIL-PRF-49467/7A | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 600 V DC, STYLE HV07[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AT AV CR4 MC MI] | A | 5910 | | CR | 12-JUN-01 |
| | MIL-PRF-55681F SUP 1 | CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH] | A | 5910 | | CR | 03-SEP-04 |
| M | QPL-55681-121 | CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CR | 30-MAR-06 |
| M | QPL-39014-113 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CR | 30-MAR-06 |
| A | MIL-PRF-39014G SUP 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT AV EA MC MI] | A | 5910 | | CR | 16-JUN-05 |
| M | QPL-20-136 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 08-MAR-06 |
| | MIL-PRF-20K SUP 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH] | A | 5910 | | CC | 14-NOV-03 |
| | MIL-PRF-49470/2B | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, ENCAPSULATED, HORIZONTALLY STACKED, STYLE PS02[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI] | A | 5910 | | CR | 14-DEC-00 |
| A | QPL-49470-21 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CR | 27-JAN-06 |
| | MIL-PRF-49470B SUP 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV MC MI] | A | 5910 | | CR | 13-JAN-03 |
| | MIL-PRF-49470/4B | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, UNENCAPSULATED, VERTICALLY STACKED, STYLE PS04[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI] | A | 5910 | | CR | 14-DEC-00 |
| | MIL-PRF-49470/6B | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, CONFORMALLY COATED, VERTICALLY STACKED, STYLE PS06[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI] | A | 5910 | | CR | 14-DEC-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-49470/1B | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, UNENCAPSULATED, HORIZONTALLY STACKED, STYLE PS01[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI] | A | 5910 | | CR | 14-DEC-00 |
| | MIL-PRF-49470/3B | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, CONFORMALLY COATED, HORIZONTALLY STACKED, STYLE PS03[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI] | A | 5910 | | CR | 14-DEC-00 |
| | MIL-PRF-49470/5B | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, ENCAPSULATED, VERTICALLY STACKED, STYLE PS05[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI] | A | 5910 | | CR | 14-DEC-00 |
| | MIL-PRF-49467C SUP 1 | CAPACITOR, FIXED, CERAMIC, MULTILAYER, HIGH VOLTAGE (GENERAL PURPOSE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AV MC MI] | A | 5910 | | CR | 12-MAY-05 |
| M | QPL-49467-6 | CAPACITOR, FIXED, CERAMIC, MULTILAYER, HIGH VOLTAGE (GENERAL PURPOSE), GENERAL SPECIFICATION FOR | A | 5910 | | CR | 08-MAR-06 |
| | MIL-PRF-39006F SUP 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC OS SH] | A | 5910 | | CC | 20-AUG-04 |
| M | QPL-39006-115 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 30-MAR-06 |
| | MIL-PRF-39003/2G | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR09[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CC | 16-DEC-03 |
| | MIL-PRF-39003/6D | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR33[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CC | 16-DEC-03 |
| | MIL-PRF-39003/9E | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG), HIGH FREQUENCY, ESTABLISHED RELIABILITY, STYLE CSR21[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CC | 16-DEC-03 |
| A | MIL-PRF-39003/1J | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR13[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CC | 06-OCT-05 |
| | MIL-PRF-55365F | CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH] | A | 5910 | | CR | 16-APR-04 |
| A | QPL-55365-78 | CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CR | 12-JAN-06 |
| A | QPL-3965-75 | CAPACITOR, FIXED, ELECTROLYTIC, (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 15-DEC-05 |
| | MIL-PRF-14409/14J | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC27, PC28, AND PC29[CUST: CR EC 11] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-55681/3D | CAPACITORS CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY STYLE CDR06[CUST: CR EC 11] [REVIEW: 19 99 AS CC MC OS SH] | A | 5910 | | CR | 03-JUL-97 |
| | EIA469 | CAPACITORS, CERAMIC MONOLYTHIC, DESTRUCTIVE PHYSICAL ANALYSIS OF HIGH RELIABILITY, TEST METHOD FOR[CUST: CC NA] [REVIEW: 19 99 AS SH] | A | 5910 | | CC | MAR-81 |
| | MIL-PRF-55365/4F | CAPACITORS, CHIP, FIXED, TANTALUM, POLARIZED ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, STYLES CWR06 AND CWR09[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH] | A | 5910 | | CR | 28-FEB-03 |
| | MIL-PRF-55365/13 | CAPACITORS, CHIP, FIXED, TANTALUM, POLARIZED ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, STYLE CWR16[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5910 | | CR | 09-MAR-05 |
| | MIL-PRF-55365/8E | CAPACITORS, CHIP, FIXED, TANTALUM, POLARIZED ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, STYLE CWR11 (METRIC)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH] | A | 5910 | | CR | 28-FEB-03 |
| | MIL-PRF-55365/11A | CAPACITORS, CHIP, FIXED, TANTALUM, POLARIZED ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, STYLES CWR19 AND CWR29[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI NA OS SH] | A | 5910 | | CR | 03-NOV-03 |
| A | MIL-PRF-55365/12B | CAPACITORS, CHIP, FIXED, TANTALUM, POLARIZED ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, STYLE CWR15[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5910 | | CR | 23-AUG-05 |
| | MIL-PRF-55681/1E | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLES CDR01, CDR02, CDR03, AND CDR04[CUST: CR EC 11] [REVIEW: 19 99 AS CC MC MI OS SH] | A | 5910 | | CR | 17-FEB-00 |
| | MIL-PRF-55681/8B(2) | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLE CDR32, METRIC[CUST: CR EC 11] [REVIEW: 19 99 AS CC MC OS SH] | A | 5910 | | CR | 26-FEB-99 |
| | MIL-PRF-55681/9B | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLE CDR33, METRIC[CUST: CR EC 11] [REVIEW: 19 99 AS CC MC OS SH] | A | 5910 | | CR | 03-JUL-97 |
| | MIL-PRF-55681/10B | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND ON-ESTABLISHED RELIABILITY, STYLE CDR34, METRIC[CUST: CR EC 11] [REVIEW: 19 99 AS CC MC OS SH] | A | 5910 | | CR | 03-JUL-97 |
| | MIL-PRF-55681/5D | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLES CDR21, CDR22, CDR23, CDR24, AND CDR25 (HIGH FREQUENCY)[CUST: CR EC 11] [REVIEW: 19 99 AS CC MC OS SH] | A | 5910 | | CR | 03-JUL-97 |
| | MIL-PRF-55681/11B | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLE CDR35, METRIC[CUST: CR EC 11] [REVIEW: 19 99 AS CC MC OS SH] | A | 5910 | | CR | 03-JUL-97 |
| | MIL-PRF-55681/4F | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLES CDR11, CDR12, CDR13, AND CDR14 (HIGH FREQUENCY)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CR | 15-JUN-05 |
| | MIL-PRF-55681/7B | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLE CDR31, METRIC[CUST: CR EC 11] [REVIEW: 19 99 AS CC MC OS SH] | A | 5910 | | CR | 03-JUL-97 |
| | MIL-PRF-55681/2C | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY STYLE CDR05[CUST: CR EC 11] [REVIEW: 19 99 AS CC MC OS SH] | A | 5910 | | CR | 03-JUL-97 |
| | MIL-PRF-49464/1B | CAPACITORS, CHIP, SINGLE LAYER, FIXED UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CPCR01 (HIGH FREQUENCY)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV MC MI] | A | 5910 | | CC | 03-JUN-04 |
| | MIL-PRF-49464B | CAPACITORS, CHIP, SINGLE LAYER, FIXED, PARALLEL PLATE, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV MC MI] | A | 5910 | | CC | 03-JUN-04 |
| | QPL-11693-51 | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 02-JUN-04 |
| | MIL-PRF-11693/7E | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED AND NON-ESTABLISHED RELIABILITY STYLES CZ23, CZ24, CZR23 AND CZR24[CUST: CR EC 11 CC] [REVIEW: EA MI] | A | 5910 | | CC | 09-AUG-01 |
| | MIL-PRF-11693D(1) | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] | A | 5910 | | CC | 18-MAY-04 |
| A | QPL-11015-121 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) GENERAL SPECIFICATION FOR | A | 5910 | | CC | 26-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-39014/22D(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR22, CKR23, AND CKR24[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AT AV CR4 MC MI] | A | 5910 | | CR | 18-NOV-98 |
| | MIL-PRF-39014/2L | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, STYLE CKR06, NATO TYPE DESIGNATION NCC62[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT AV MC MI TD] | A | 5910 | | CR | 27-APR-04 |
| A | MIL-PRF-39014/20E | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR08[CUST: CR EC 11 CC] [REVIEW: AS MC OS SH TD] | A | 5910 | | CC | 03-NOV-05 |
| | MIL-PRF-39014/5F(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLES CKR11, CKR12, CKR14, CKR15 AND CKR16[CUST: CR EC 11 NA] [REVIEW: 19 AR AT AV CC CR4 MC MI] | A | 5910 | | CR | 17-FEB-00 |
| | MIL-PRF-39014/21A | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLES CKR31 AND CKR32[CUST: 11 CC] [REVIEW: 99] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-PRF-39014/23A | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR04[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AT AV CC CR4 MC MI] | A | 5910 | | CR | 16-SEP-97 |
| | MIL-PRF-39014/1H | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, STYLE CKR05, NATO TYPE DESIGNATION NCC61[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT AV MC MI TD] | A | 5910 | | CR | 27-APR-04 |
| | MIL-PRF-20/38B | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCRO8 AND CCO8[CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH] | A | 5910 | | CC | 21-JUN-01 |
| | MIL-PRF-20/35J | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR05, CC05, CCR09, AND CC09[CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH] | A | 5910 | | CC | 21-JUN-01 |
| | MIL-PRF-20/37E | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR07 AND CC07[CUST: CR EC 11 CC] [REVIEW: AS AV MC OS SH] | A | 5910 | | CC | 21-JUN-01 |
| | MIL-PRF-20/31B | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR79 AND CC79[CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH] | A | 5910 | | CC | 21-JUN-01 |
| | MIL-PRF-20/27F | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR75 AND CC75[CUST: CR EC 11 CC] [REVIEW: AS MC OS SH] | A | 5910 | | CC | 21-JUN-01 |
| | MIL-PRF-20/30C | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR78 AND CC78[CUST: CR EC 11 CC] [REVIEW: AS MC OS SH] | A | 5910 | | CC | 21-JUN-01 |
| | MIL-PRF-20/29D | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR77 AND CC77[CUST: CR EC 11 CC] [REVIEW: AS MC OS SH] | A | 5910 | | CC | 21-JUN-01 |
| | MIL-PRF-20/36F | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR06 AND CC06[CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH] | A | 5910 | | CC | 21-JUN-01 |
| | MIL-PRF-20/28C | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR76 AND CC76[CUST: CR EC 11 CC] [REVIEW: AS AV MC MI OS] | A | 5910 | | CC | 21-JUN-01 |
| M | QPL-123-38 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE STABLE AND GENERAL PURPOSE) HIGH RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 15-MAR-06 |
| | MIL-PRF-123/18A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS24[CUST: EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 18-JUN-01 |
| M | MIL-PRF-123/11E | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS52[CUST: EC 19 CC NA] | A | 5910 | | CC | 03-MAR-06 |
| | MIL-PRF-123/8B | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS16[CUST: EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-PRF-123/13C | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS54[CUST: EC 19 CC NA] | A | 5910 | | CC | 18-JUN-01 |
| M | MIL-PRF-123D(1) SUP 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, GENERAL SPECIFICATION FOR[CUST: EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 17-MAR-06 |
| | MIL-PRF-123/1C | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, STYLE CKS05[CUST: EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-PRF-123/5B | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS12[CUST: EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-PRF-123/7C | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS15[CUST: EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 18-JUN-01 |
| M | MIL-PRF-123/23B | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS57[CUST: EC 19 CC NA] | A | 5910 | | CC | 03-MAR-06 |
| | MIL-PRF-123/6C | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS14[CUST: EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 18-JUN-01 |
| M | MIL-PRF-123/10D | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS51[CUST: EC 19 CC NA] | A | 5910 | | CC | 03-MAR-06 |
| | MIL-PRF-123/16A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS22[CUST: EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-PRF-123/17A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS23[CUST: CR EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 30-OCT-02 |
| | MIL-PRF-123/2D | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS06[CUST: CR EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 30-OCT-02 |
| | MIL-PRF-123/4C | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS11[CUST: EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 18-JUN-01 |
| M | MIL-PRF-123/22C | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS56[CUST: EC 19 CC NA] | A | 5910 | | CC | 03-MAR-06 |
| M | MIL-PRF-123/12D | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS53[CUST: EC 19 CC NA] | A | 5910 | | CC | 03-MAR-06 |
| M | MIL-PRF-123/21C | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS55[CUST: EC 19 CC NA] | A | 5910 | | CC | 03-MAR-06 |
| | MIL-PRF-123/3D | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS07[CUST: EC 19 CC NA] [REVIEW: 11] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-PRF-31033A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, HIGH RELIABILITY, DISCOIDAL, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV MC MI OS SH] | A | 5910 | | CC | 03-NOV-03 |
| | MIL-PRF-39018/2D | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (NONPOLARIZED), STYLES CU14 (UNINSULATED) AND CU15 (INSULATED)[CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI OS SH] | A | 5910 | | CC | 12-DEC-01 |
| | MIL-PRF-39018/7A | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), (FOUR-TERMINAL), ESTABLISHED RELIABILITY, STYLE CUR19 (INSULATED)[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS SH] | A | 5910 | | CC | 12-DEC-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-39018/6B | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR91 (INSULATED)[CUST: CR EC 11] [REVIEW: 19 AS MC OS SH] | A | 5910 | | CC | 12-DEC-01 |
| | MIL-PRF-39018/3E | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CU16 (UNINSULATED), CU17 (INSULATED), AND CUR17 (INSULATED)[CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI OS SH] | A | 5910 | | CC | 12-DEC-01 |
| | MIL-PRF-39018/1F | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY STYLES CU12 (UNINSULATED), CU13 (INSULATED), AND CUR13 (INSULATED)[CUST: CR EC 11] [REVIEW: 19 AS MC OS SH] | A | 5910 | | CC | 12-DEC-01 |
| | MIL-PRF-39018/4C | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE CU71 (INSULATED) AND CUR71 (INSULATED)[CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI OS SH] | A | 5910 | | CC | 12-DEC-01 |
| | QPL-39018-71 | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 16-JUN-04 |
| M | MIL-PRF-39018F | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI OS SH] | A | 5910 | | CC | 22-MAR-06 |
| A | QPL-62-86 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED), GENERAL SPECIFICATION FOR | A | 5910 | | CC | 13-FEB-06 |
| A | MIL-PRF-39006/25C | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), (EXTENDED RANGE) 85 C (VOLTAGE DERATED TO 125 C), ESTABLISHED RELIABILITY, STYLE CLR81[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS] | A | 5910 | | CC | 20-OCT-05 |
| A | MIL-PRF-39006/30B | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 C (VOLTAGE DERATED TO 125 C), ESTABLISHED RELIABILITY, STYLE CLR90[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS] | A | 5910 | | CC | 20-OCT-05 |
| | MIL-PRF-39006/22G | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR79[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS] | A | 5910 | | CC | 20-AUG-04 |
| A | MIL-PRF-39006/31B | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), (EXTENDED RANGE), 85 C (VOLTAGE DERATED TO 125 C), ESTABLISHED RELIABILITY, STYLE CLR91[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS] | A | 5910 | | CC | 20-OCT-05 |
| M | MIL-PRF-39003/10C | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLES CSS13 AND CSS33 (HIGH RELIABILITY APPLICATIONS)[CUST: CR EC 19 CC NA] [REVIEW: 11 99 AS MC OS SH] | A | 5910 | | CC | 27-MAR-06 |
| | MIL-PRF-39003/3G | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR23[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CC | 22-JUL-04 |
| A | MIL-PRF-39003K | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CC | 12-DEC-05 |
| M | QPL-39003-91 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 30-MAR-06 |
| | MIL-PRF-49137C | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, MOLDED, CONFORMAL COATED AND METAL CASED WITH PLASTIC END-FILL, NONHERMETICALLY SEALED, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH] | A | 5910 | | CR | 22-APR-04 |
| A | QPL-49137-36 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, MOLDED, CONFORMAL COATED AND METAL CASED WITH PLASTIC END-FILL, NONHERMETICALLY SEALED, GENERAL SPECIFICATION FOR | A | 5910 | | CR | 26-JUL-05 |
| | MIL-PRF-49137/2C | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, CONFORMAL COATED, NONHERMETICALLY SEALED, STYLES CX02 AND CX12[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CR | 22-APR-04 |
| | MIL-PRF-49137/5B | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, MOLDED, NONHERMETICALLY SEALED, STYLE CX05[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CR | 22-APR-04 |
| | MIL-PRF-49137/1C | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, MOLDED, NONHERMETICALLY SEALED, STYLE CX01[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CR | 22-APR-04 |
| | MIL-PRF-49137/6D | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, NONHERMETICALLY SEALED, STYLES CX06 AND CX16[CUST: CR EC CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CR | 22-APR-04 |
| | MIL-PRF-23269/1G NOT 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR10[CUST: CR EC 11] [REVIEW: 19 AS CG MC OS SH] | A | 5910 | | CC | 30-MAR-04 |
| | MIL-PRF-23269/2G NOT 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR15[CUST: CR EC 11] [REVIEW: 19 AS CG MC OS SH] | A | 5910 | | CC | 30-MAR-04 |
| | MIL-PRF-23269/10C(1) | CAPACITORS, FIXED, GLASS DIELECTRIC, (RADIAL OR AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLES CYR51, CYR52, AND CYR53[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS SH] | A | 5910 | | CC | 25-MAR-04 |
| | MIL-PRF-23269F(1) | CAPACITORS, FIXED, GLASS DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS SH] | A | 5910 | | CC | 22-AUG-03 |
| | QPL-23269-22 | CAPACITORS, FIXED, GLASS DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 27-JAN-05 |
| | QPL-11272-31 | CAPACITORS, FIXED, GLASS DIELECTRIC, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 27-JAN-05 |
| | MIL-PRF-55514/13 | CAPACITORS, FIXED, METALIZED PLASTIC DIELECTRIC, DC-AC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR30[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS] | A | 5910 | | CC | 16-JUL-01 |
| | QPL-18312-43 | CAPACITORS, FIXED, METALLIZED (PAPER-PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR | A | 5910 | | CC | 30-MAR-05 |
| A | MIL-PRF-55514/9B | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR13 AND CFR14[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS] | A | 5910 | | CR | 18-OCT-05 |
| A | MIL-PRF-55514/12D | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR29[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS] | A | 5910 | | CR | 18-OCT-05 |
| | MIL-PRF-55514/4F | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLES CFR05 AND CFR06[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS] | A | 5910 | | CR | 22-MAR-02 |
| | MIL-PRF-55514/8G | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR12 AND CFR16[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS] | A | 5910 | | CR | 30-MAY-02 |
| | MIL-PRF-55514/11C(1) | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLES CFR26 AND CFR27[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS] | A | 5910 | | CR | 15-AUG-02 |
| | MIL-PRF-55514/7B(1) | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC-AC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR09[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS] | A | 5910 | | CC | 02-OCT-01 |
| | MIL-PRF-39022/11C(2) | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DIRECT-CURRENT, HERMETICALLY SEALED, STYLES CHR20, CHR21, CHR22, CHR23, CHR24, CHR25[CUST: CR EC CC] | A | 5910 | | CC | 15-NOV-02 |
| | MIL-PRF-39022/14 | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DIRECT-CURRENT, HERMETICALLY SEALED, STYLES CHR30, CHR31, CHR32, CHR33, CHR34, AND CHR35[CUST: CR EC CC] | A | 5910 | | CC | 04-JAN-02 |
| A | MIL-PRF-83421/2C | CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL CASES, ESTABLISHED RELIABILITY STYLES CRH11, CRH12, AND CRH13 (INSULATED)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC OS SH] | A | 5910 | | CC | 24-JAN-06 |
| | MIL-PRF-39022/12 | CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, ALTERNATING CURRENT (RMS) (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY, STYLE CHR26 (UNINSULATED)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS SH] | A | 5910 | | CC | 16-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-PRF-83421/6C | CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, DC AND AC, HERMETICALLY SEALED IN METAL CASES, ESTABLISHED RELIABILITY, STYLES CRH31, CRH32, CRH33, CRH34, AND CRH35[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5910 | | CC | 24-JAN-06 |
| A | MIL-PRF-83421/1C | CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, DC AND AC, HERMETICALLY SEALED IN METAL CASES, ESTABLISHED RELIABILITY STYLES CRH01, CRH02, CRH03, CRH04, CRH05, CRH06, CRH07, CRH08, CRH09, AND CRH00[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC OS SH] | A | 5910 | | CC | 24-JAN-06 |
| | MIL-PRF-39022/13 | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY, STYLE CHR27 (INSULATED)[CUST: EC 11 CC] | A | 5910 | | CC | 16-JUL-01 |
| | MIL-PRF-39022/8D(1) | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY, STYLE CHR12 (UNINSULATED)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5910 | | CC | 02-DEC-02 |
| | MIL-PRF-39022/2E | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CHR19 (INSULATED)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC OS SH] | A | 5910 | | CC | 25-MAY-01 |
| | MIL-PRF-39022G SUP 1 | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL OR CERAMIC CASES), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS SH] | A | 5910 | | CC | 25-FEB-02 |
| | MIL-PRF-39022/1E | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CHR09 (INSULATED)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC OS SH] | A | 5910 | | CC | 25-MAY-01 |
| A | QPL-39022-61 | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL OR CERAMIC CASES), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 13-JUL-05 |
| | MIL-PRF-83421C(1) | CAPACITORS, FIXED, METALLIZED, PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL CASES OR CERAMIC CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC OS SH] | A | 5910 | | CC | 01-OCT-02 |
| A | QPL-83421-58 | CAPACITORS, FIXED, METALLIZED, PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL CASES OR CERAMIC CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 20-SEP-05 |
| | MIL-PRF-39001D | CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19] | A | 5910 | | CR | 02-MAR-04 |
| | QPL-39001-49 | CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CR | 28-JAN-05 |
| | MIL-PRF-39001/5D(2) | CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY, STYLES CMR03, CMR04, CMR05, CMR06, CMR07 AND CMR08[CUST: CR EC 11 CC] [REVIEW: 19 AV MC MI] | A | 5910 | | CR | 22-JAN-02 |
| | QPL-5-117 | CAPACITORS, FIXED, MICA DIELECTRIC, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 27-JAN-05 |
| | QPL-25-74 | CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR | A | 5910 | | CC | 02-AUG-04 |
| | QPL-55514-44 | CAPACITORS, FIXED, PLASTIC (OR METALLIZED PLASTIC) DIELECTRIC, DC OR DC-AC, IN NONMETAL CASES, NON-ESTABLISHED AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CR | 05-JAN-05 |
| A | MIL-PRF-55514F SUP 1 | CAPACITORS, FIXED, PLASTIC (OR METALLIZED PLASTIC) DIELECTRIC, DC OR DC-AC, IN NONMETAL CASES, NON-ESTABLISHED AND ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS] | A | 5910 | | CR | 15-DEC-05 |
| | MIL-PRF-19978J SUP 1 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC (HERMETICALLY SEALED IN METAL, CERAMIC OR GLASS CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 71 99 MC] | A | 5910 | | CC | 25-MAR-03 |
| | MIL-PRF-19978/2D NOT 1 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC (HERMETICALLY SEALED IN CERAMIC OR GLASS CASES) STYLE CQ20[CUST: CR EC 11] [REVIEW: 19 99 MC] | A | 5910 | | CC | 01-MAR-04 |
| | MIL-PRF-19978/3G(1) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL CASES), STYLE CQ72[CUST: CR EC 11 CC] [REVIEW: 19 99 MC] | A | 5910 | | CC | 18-DEC-02 |
| | MIL-PRF-19978/1E NOT 1 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL CASES), STYLES CQ08, CQ09, CQ12, AND CQ13[CUST: CR EC 11 CC] [REVIEW: 19 99 MC] | A | 5910 | | CC | 01-MAR-04 |
| | MIL-PRF-19978/10B(1) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR12[CUST: CR EC 11] [REVIEW: 19 99 MC] | A | 5910 | | CC | 25-MAR-04 |
| | MIL-PRF-19978/9C(1) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR09[CUST: CR EC 11 CC] [REVIEW: 19 99 MC] | A | 5910 | | CC | 11-MAR-04 |
| | MIL-PRF-19978/11B | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE THREADED-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR13[CUST: CR EC 11] [REVIEW: 19 99 MC] | A | 5910 | | CC | 06-SEP-02 |
| | QPL-19978-69 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC), DIELECTRIC (HERMETICALLY SEALED IN METAL, CERAMIC, OR GLASS CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 25-AUG-04 |
| | MIL-PRF-19978/14A(1) | CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR32[CUST: CR EC 11 CC] [REVIEW: 19 99 MC] | A | 5910 | | CC | 11-MAR-04 |
| | MIL-PRF-19978/15A(1) | CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR33[CUST: CR EC 11] [REVIEW: 19 99 MC] | A | 5910 | | CC | 11-MAR-04 |
| | MIL-PRF-19978/13A(1) | CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR29[CUST: CR EC 11 CC] [REVIEW: 19 99 MC] | A | 5910 | | CC | 26-APR-01 |
| | MIL-PRF-19978/22A | CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR44[CUST: CR EC 11 CC] [REVIEW: 19 99 MC] | A | 5910 | | CC | 28-JAN-03 |
| | MIL-PRF-55514/1C | CAPACITORS, FIXED, PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR02[CUST: CR EC 11 CC] [REVIEW: 19 71 AS MC OS] | A | 5910 | | CR | 21-FEB-02 |
| A | MIL-PRF-55514/10D | CAPACITORS, FIXED, PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR15[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS] | A | 5910 | | CR | 18-OCT-05 |
| | MIL-DTL-39028D | CAPACITORS, PACKAGING OF[CUST: CR EC 99 CC] [REVIEW: 11 AR AS SH SM] | A | PACK | | CC | 15-AUG-01 |
| | MIL-HDBK-198A | CAPACITORS, SELECTION AND USE OF[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5910 | | CC | 18-NOV-04 |
| A | MIL-PRF-14409F SUP 1 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: MC] | A | 5910 | | CC | 27-JUL-05 |
| A | QPL-14409-55 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), GENERAL SPECIFICATION FOR | A | 5910 | | CC | 20-SEP-05 |
| | MIL-PRF-14409/17A | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC17[CUST: CR EC 11] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-14409/13L | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC26[CUST: CR EC 11] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-14409/5E | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC39[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5910 | | CC | 15-OCT-01 |
| | MIL-PRF-14409/9F | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC43[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-14409/18C | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC18 AND PC46[CUST: CR EC 11] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-14409/19C | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC19 AND PC47[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-14409/16E | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC21, PC22, PC23, PC24[CUST: 11] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-14409/12G | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC25 AND PC31[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-14409/15G | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC30, PC32, PC34[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-14409/4C | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC38 AND PC48[CUST: CR EC 11] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-14409/6B | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC40 AND PC50[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-14409/7C | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC41 AND PC51[CUST: CR EC 11] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-14409/8B | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC42 AND PC52[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| A | MIL-PRF-81E | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CC | 15-DEC-05 |
| A | QPL-81-40 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, GENERAL SPECIFICATION FOR | A | 5910 | | CC | 20-SEP-05 |
| A | MIL-PRF-81/1D | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV11[CUST: CR EC 11 CC] [REVIEW: 19 AR MI] | A | 5910 | | CC | 09-NOV-05 |
| M | MIL-PRF-81/4E | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLES CV31 AND CV32[CUST: CR EC 11 CC] [REVIEW: 19] | A | 5910 | | CC | 21-APR-06 |
| M | MIL-PRF-81/6E | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLES CV35 AND CV36[CUST: 11 CC] [REVIEW: 19] | A | 5910 | | CC | 21-APR-06 |
| | MIL-DTL-82125B | CAPE, WOMAN'S - EVENING DRESS (OFFICER'S)[CUST: MC] | A | 8410 | | MC | 16-OCT-97 |
| | NAS847 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | MIL-C-29433 | CAPS, GARRISON: MEN'S[CUST: MC] | A | 8405 | | MC | 08-JUN-87 |
| | MIL-C-29431 | CAPS, GARRISON: WOMEN'S[CUST: MC] | A | 8410 | | MC | 04-JUN-87 |
| | A-A-54870 | CAPS, OPERATING, SURGICAL (WOMAN'S)[CUST: MD MS 03] | A | 6532 | / | MB | 17-MAY-93 |
| | MS14310B NOT 2 | CAPS, PIPE, BRASS OR BRONZE, THREADED, CLASS 125[CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 14-JAN-00 |
| | NAS841 | CAPS, PROTECTIVE, DUST AND MOISTURE SEAL FOR BEAM SEAL FITTINGS[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | A-A-52424A | CAPS, RADIATOR: PRESSURE RELIEVING (METRIC)[CUST: AT MC 99] [REVIEW: 70 CC CR4] | A | 2930 | / | AT | 21-OCT-94 |
| | MIL-C-29454 | CAPS, SERVICE: WOMEN S, POLYESTER/WOOL, WOOL[CUST: MC CT] | A | 8410 | | CT | 19-FEB-88 |
| | QPL-5500-17 | CAPS: AIR PRESSURE AIR VALVE | A | 1650 | | 71 | 24-APR-98 |
| | MIL-C-17944A | CAPSTANS, ELECTRIC (FOR SHIPBOARD USE)[CUST: SH] | A | 3950 | | SH | 27-JAN-92 |
| | ASTM-B67 | CAR AND TENDER JOURNAL BEARINGS, LINED[CUST: YD 99] [REVIEW: GS SH] | A | 3130 | | YD | 15-FEB-93 |
| | A-A-53305A | CARBAMAZEPINE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 22-JUL-88 |
| | MIL-C-13613 NOT 2 | CARBAZOLE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 10-OCT-96 |
| | ASTM-B276 | CARBIDES, CEMENTED, APPARENT POROSITY IN[CUST: GL OS 99] | A | 9650 | | GL | 15-AUG-91 |
| | ASTM-B406 | CARBIDES, CEMENTED, TRANSVERSE RUPTURE STRENGTH OF[CUST: AR YD 99 GS6] | A | 3455 | | GS6 | 10-SEP-96 |
| | SAE-AMS3894/6 | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 15,000,000 (103) MODULUS, 175 (347)[CUST: MR AS 11] | A | 9330 | | AS | 01-JAN-89 |
| | SAE-AMS3894/4 | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 150,000 (1034) TENSILE, 15,000,000 (103) MODULUS, 80 (176)[CUST: MR AS 11] | A | 9330 | | AS | 01-JAN-89 |
| | ASTM-A304 | CARBON AND ALLOY STEEL BARS SUBJECT TO END-QUENCH HARDENABILITY REQUIREMENTS[CUST: MR SH 11] [REVIEW: 99 AR CR4 IS YD] | A | 9510 | | MR | 09-APR-90 |
| | ASTM-C651 | CARBON AND GRAPHITE ARTICLES, MANUFACTURED, USING FOUR-POINT LOADING AT ROOM TEMPERATURE, FLEXURAL STRENGTH OF[CUST: MI YD 99] | A | 9390 | | YD | 03-OCT-94 |
| | ASTM-D4018 | CARBON AND GRAPHITE FIBER TOWS, PROPERTIES OF CONTINUOUS FILAMENT[CUST: MR] [REVIEW: AV GL GS] | A | CMPS | | MR | FEB-93 |
| | ASTM-C695 | CARBON AND GRAPHITE, COMPRESSIVE STRENGTH OF[CUST: MI YD 99] | A | 9390 | | MI | 03-OCT-94 |
| | MIL-C-85496 | CARBON BLACK[CUST: AS] [REVIEW: GS MR] | A | 6810 | | AS | 06-OCT-81 |
| | DOD-C-82656(2) | CARBON BLACK[CUST: OS] [REVIEW: AS GS] | A | 6810 | | OS | 15-NOV-78 |
| | MIL-C-82665(1) | CARBON BLACK[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 15-NOV-78 |
| | ASTM-D1506 | CARBON BLACK - ASH CONTENT[CUST: EA OS 68 GS3] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 10-JUL-99 |
| | ASTM-D1512 | CARBON BLACK - PH VALUE[CUST: EA OS] [REVIEW: GL MD] | A | 6810 | | GS3 | 15-MAR-93 |
| | ASTM-D1619 | CARBON BLACK - SULFUR CONTENT[CUST: EA GS3] [REVIEW: GL MD OS] | A | 6810 | | GS3 | 15-APR-94 |
| | ASTM-D1603 | CARBON BLACK IN OLEFIN PLASTICS[CUST: CR SH 68] [REVIEW: GS] | A | 6810 | | CR | 03-OCT-94 |
| | ASTM-D1513 | CARBON BLACK, PELLETED-POUR DENSITY[CUST: AR OS 68] [REVIEW: GS] | A | 6810 | | AR | 03-OCT-94 |
| | A-A-59317 NOT 1 | CARBON BLACK, POWDERED, DRY[CUST: AR] [REVIEW: EA GS MI] | A | 6810 | / | AR | 30-MAY-03 |
| | ASTM-D2414 | CARBON BLACK- OIL ABSORPTION NUMBER (OAN)[CUST: AR SH 68] [REVIEW: GS] | A | 6810 | | AR | 03-OCT-94 |
| | ASTM-D1509 | CARBON BLACK-HEATING LOSS[CUST: EA GS3] [REVIEW: CR4 GL MD OS] | A | 6810 | | GS3 | 15-SEP-93 |
| | ASTM-D1510 | CARBON BLACK-IODINE ADSORPTION NUMBER[CUST: AR SH 68] [REVIEW: GS] | A | 6810 | | AR | 03-OCT-94 |
| | ASTM-D1799 | CARBON BLACK-SAMPLING PACKAGED SHIPMENTS[CUST: AR SH 68] [REVIEW: GS] | A | 6810 | | AR | 03-OCT-94 |
| | ASTM-D1765 | CARBON BLACKS USED IN RUBBER PRODUCTS[CUST: AT SH 68] [REVIEW: GS] | A | 6810 | | AT | 03-OCT-94 |
| | BB-C-101C | CARBON DIOXIDE (CO2): TECHNICAL AND USP[CUST: AV SH 68 GS3] [REVIEW: AS MS] | A | 6830 | / | GS3 | 21-JAN-04 |
| | SAE-AMS3894/11 | CARBON FIBER TAPE AND SHEET EPOXY RESIN IMPREGNATED G 200,000 (1379) TENSILE, 18,000,000 (124) MODULUS, 80 (176)[CUST: MR AS 11] [REVIEW: GS] | A | CMPS | | AS | 01-JAN-89 |
| | SAE-AMS3894/10 | CARBON FIBER TAPE AND SHEET EPOXY RESIN IMPREGNATED G 210,000 (1448) TENSILE, 20,000,000 (138) MODULUS, 175 (347)[CUST: MR AS 11] [REVIEW: GS] | A | CMPS | | AS | 01-JAN-89 |
| | SAE-AMS3894/9 | CARBON FIBER TAPE AND SHEET EPOXY RESIN IMPREGNATED G 70,000 (483) TENSILE, 36,000,000 (248) MODULUS, 175 (347)[CUST: MR AS 11] | A | 9330 | | AS | 01-JAN-89 |
| | SAE-AMS3894/8 | CARBON FIBER TAPE AND SHEET EPOXY RESIN IMPREGNATED G 70,000 (483) TENSILE, 36,000,000 (248) MODULUS, 80 (176)[CUST: MR AS 11] | A | 9330 | | AS | 01-JAN-89 |
| | SAE-AMS3894 | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED[CUST: MR AS 11] [REVIEW: GS] | A | CMPS | | AS | 01-JAN-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS3894/3 | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 19,000,000 (131) MODULUS, 80 (176)[CUST: MR AS 11] | A | 9330 | | AS | 01-JAN-89 |
| | SAE-AMS3894/2 | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 20,000,000 (138) MODULUS, 175 (347)[CUST: MR AS 11] | A | 9330 | | AS | 01-JAN-89 |
| | SAE-AMS3894/5 | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 110,000 (758) TENSILE, 27,000,000 (186) MODULUS, 80 (176)[CUST: MR AS 11] | A | 9330 | | AS | 01-JAN-89 |
| | SAE-AMS3894/1 | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 110,000 (758) TENSILE, 27,000,000 (186) MODULUS, 175 (347)[CUST: MR AS 11] | A | 9330 | | AS | 01-JAN-89 |
| | SAE-AMS3894/7 | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 90,000 (621) TENSILE, 40,000,000 (276) MODULUS, 80 (176)[CUST: MR AS 11] | A | 9330 | | AS | 01-JAN-89 |
| | ASTM-D3162 | CARBON MONOXIDE IN THE ATMOSPHERE (CONTINUOUS MEASUREMENT BY NONDISPERSIVE INFRARED SPECTROMETRY)[CUST: EA 68] [REVIEW: CR4 GS MD OS SH] | A | 5810 | | EA | 15-JUN-94 |
| | QPL-AMS-C-19853-1 | CARBON REMOVING COMPOUND (FOR USE IN AGITATED TANK) | A | 6850 | | AS | 19-JUL-01 |
| | SAE-AMS-C-19853 | CARBON REMOVING COUMPOUND (FOR USE IN AGITIATED TANK)[CUST: AS 11] [REVIEW: GS MS] | A | 6850 | | AS | JUL-98 |
| | ASTM-D4530 | CARBON RESIDUE, DETERMINATION OF (MICRO METHOD)[CUST: CR4 AS 99] | A | 91GP | | AS | 03-OCT-94 |
| | ASTM-A413/A413M | CARBON STEEL CHAIN[CUST: CR4 SH 99 GS5] | A | 4010 | | GS5 | 03-OCT-94 |
| | ASTM-A759 | CARBON STEEL CRANE RAILS, STANDARD SPECIFICATION FOR[CUST: MR YD 99] [REVIEW: AR CR4] | A | 2250 | | MR | 30-AUG-85 |
| | ASTM-A105/A105M | CARBON STEEL FORGINGS FOR PIPING APPLICATIONS[CUST: MR YD] [REVIEW: SH] | A | FORG | | YD | 15-JAN-94 |
| | ASTM-A181/A181M | CARBON STEEL FORGINGS, FOR GENERAL-PURPOSE PIPING[CUST: YD 99] [REVIEW: CG CR4 MC SH] | A | 4730 | | CC | 15-JUN-93 |
| | ASTM-A2 | CARBON STEEL GIRDER RAILS OF PLAIN, GROOVED, AND GUARD TYPES, STANDARD SPECIFICATION FOR[CUST: MR YD 99] [REVIEW: AR CR4] | A | 2250 | | MR | 03-AUG-93 |
| | ASTM-A489 | CARBON STEEL LIFTING EYES[CUST: AR YD 99 IS] | A | 5306 | | IS | AUG-93 |
| | ASTM-A512 | CARBON STEEL MECHANICAL TUBING, COLD-DRAWN BUTTWELD[CUST: MR SH 11] [REVIEW: AR AT AV CC CR4 OS YD] | A | 4710 | | MR | 09-MAR-92 |
| | ASTM-A1 | CARBON STEEL TEE RAILS[CUST: CR4 YD 99] [REVIEW: CG MC] | A | 2250 | | IS | 09-JUL-84 |
| | ASTM-A589 | CARBON STEEL WATER-WELL PIPE, SEAMLESS AND WELDED[CUST: MR SH 99] | A | 4710 | | MR | 03-OCT-94 |
| | ASTM-D2854 | CARBON, ACTIVATED, APPARENT DENSITY OF[CUST: EA SH 68 CT] [REVIEW: GS] | A | 6810 | | CT | 03-OCT-94 |
| | MIL-DTL-32101 | CARBON, ACTIVATED, IMPREGNATED, COPPER---SILVER---ZINC---MOLYBDENUM--- TRIETHYLENEDIAMINE (ASZM---TEDA)[CUST: EA SH 68] [REVIEW: 99 GS] | A | 6850 | | EA | 19-SEP-02 |
| | ASTM-D2867 | CARBON, ACTIVATED, MOISTURE IN[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | EA | OCT-94 |
| | ASTM-A530/A530M | CARBON, AND ALLOY STEEL PIPE, SPECIALIZED[CUST: CR4 SH 99] [REVIEW: 71 MC MR YD] | A | 4710 | | SH | 15-OCT-92 |
| | ASTM-A450/A450M | CARBON, FERRITIC ALLOY, AND AUSTENITIC ALLOY STEEL TUBES[CUST: MR SH CC] [REVIEW: YD] | A | 4710 | | CC | 15-OCT-92 |
| | ASTM-D2862 | CARBON, GRANULAR ACTIVATED, PARTICLE SIZE DISTRIBUTION OF[CUST: EA SH 68 CT] [REVIEW: GS] | A | 6810 | | CT | OCT-94 |
| | ASTM-E1019 | CARBON, SULFUR, NITROGEN, AND OXYGEN IN STEEL AND IN IRON, NICKEL, AND COBALT ALLOYS, DETERMINATION OF[CUST: MR YD 99] [REVIEW: IS] | A | 9510 | | YD | 12-JUN-92 |
| | UL154 | CARBON-DIOXIDE FIRE EXTINGUISHERS[CUST: CR4 SH 99] | A | 4210 | | CR4 | 02-AUG-90 |
| | SAE-AMS2759/7 | CARBURIZING AND HEAT TREATMENT OF CARBURIZING GRADE STEEL PARTS[CUST: MR AS 11] [REVIEW: 99] | A | MISC | | 11 | 13-JAN-95 |
| | A-A-53575 | CARD, IDENTIFICATION[CUST: MD MS 03] | A | 7530 | / | MB | 29-JUL-88 |
| | A-A-1611A | CARD, INDEX | A | 7530 | # | FSS | 04-APR-94 |
| | SAE-AS5823 | CARD-COMPASS CORRECTION[CUST: AV AS 11] [REVIEW: GS] | A | 6610 | | AS | FEB-98 |
| | A-A-52065 | CARDBOARD AND PAPER, EMBOSSING, TOP[CUST: GL SA 99 IS] [REVIEW: 84 GS MC] | A | 9310 | / | IS | 23-FEB-90 |
| | AAMI-EC13 | CARDIAC MONITORS, HEART RATE METERS AND ALARMS[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| D | ANSI-X3.11 | CARDS FOR INFORMATION PROCESSING[CUST: CR OM] | A | IPSC | | DC3 | 01-OCT-69 |
| | ISO7811-2 | CARDS, IDENTIFICATION - RECORDING TECHNIQUE - PART 2: MAGNETIC STRIPE - LOW COERCIVITY[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | MIL-HDBK-291 | CARGO TANK CLEANING[CUST: SH] | A | 5430 | | SH | 26-SEP-86 |
| | SAE-AS6480 | CARGO, TIE DOWN, AIRCRAFT, TYPE C-2[CUST: GL AS 99] [REVIEW: GS] | A | 1670 | | AS | AUG-97 |
| | MIL-STD-1325-163 NOT 1 | CARLOADING BOMB GUIDANCE KIT KMU-351A/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-162 NOT 1 | CARLOADING BOMB GUIDANCE KIT KMU-388/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-164(1) NOT 2 | CARLOADING CARTRIDGE 5 INCH/54 IN TANK MK 14, MK 14 MOD 1, MK 21 MOD O OR REDUCED MK 14 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-152 NOT 1 | CARLOADING CARTRIDGE, 3 INCH/50, IN TANK MK 5 AND MODS DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-165 NOT 1 | CARLOADING CARTRIDGE, 6 INCH/47, IN CARTRIDGE TANK MK 4 FLEET UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-149 NOT 1 | CARLOADING GUIDED WEAPON MK 5 & MODS (WALLEYE) IN CONTAINER CNU-154 A/E OR CNU-154 B/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 23-FEB-89 |
| | MIL-STD-1325-158 NOT 1 | CARLOADING LAUNCHER, ROCKET, LAU-69/A DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-92 NOT 1 | CARLOADING PROJECTILE, 16 INCH, AP MK 8 AND MODS IN HANDLING BAND MK 85 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-13 NOT 1 | CARLOADING PROJECTILE, 5 INCH/38 MKS 35 OR 49 AND MODS IN ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-81 NOT 1 | CARLOADING PROJECTILE, 8 INCH MK 21, AND MODS IN ADAPTER MK 74 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-80 NOT 1 | CARLOADING PROJECTILE, 8 INCH MK 24, 25 AND MODS IN ADAPTER MK 74 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-161 NOT 1 | CARLOADING PROPULSION SECTION, (PHOENIX) IN CONTAINER CNU-159/E DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-160 NOT 1 | CARLOADING STANDARD ARM MISSILE AGM-78 IN CONTAINER CNU-183/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | FED-STD-265 | CARPET AND RUGS | A | 7220 | # | FSS | 28-JUN-68 |
| | DDD-C-001630 | CARPETS AND RUGS, EXTRA HEAVY PILE WEIGHT, WOVEN, TUFTED AND CUSTOM TUFTED SPECIAL PURPOSE | A | 7220 | # | FSS | 20-AUG-73 |
| | MIL-C-70797 | CARRIAGE, 105MM HOWITZER: H12591201[CUST: AR] | C | 1015 | | AR | 22-OCT-90 |
| | MIL-C-44218 | CARRIER AND CANTEEN/COLLAPSIBLE, 5-QUART CAPACITY[CUST: GL CT] | A | 8465 | | CT | 28-JAN-86 |
| | MIL-C-44219 | CARRIER CANTEEN, COLLAPSIBLE, 5-QUART CAPACITY[CUST: GL CT] | A | 8465 | | CT | 28-JAN-86 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51720A | CARRIER, AMALGAM[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | MIL-C-44083A | CARRIER, AN/PRC-68 OR AN/PRC-68A, RADIO SET[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8465 | | CT | 25-APR-85 |
| | MIL-C-44417 | CARRIER, BODY ARMOR, SMALL ARMS PROTECTIVE, AIRCREW, SURVIVAL[CUST: GL CT] [REVIEW: MD] | A | 8470 | | CT | 21-FEB-91 |
| | A-A-53658 | CARRIER, BRONCHOSCOPIC SPONGE (JACKSON EXTRA HEAVY)[CUST: MD MS 03] | A | 6515 | * | MB | 24-AUG-88 |
| | MIL-C-20267C NOT 1 | CARRIER, CLUB, POLICEMAN S, COTTON WEBBING, OLIVE DRAB W/DOUBLE HOOKS[CUST: MC CT] [REVIEW: 11] | A | 8465 | | CT | 25-JUN-87 |
| | MIL-C-17841B(2) NOT 1 | CARRIER, CLUB, POLICEMAN S, COTTON WEBBING, WHITE[CUST: MC CT] [REVIEW: 11] | A | 8465 | | CT | 23-OCT-87 |
| | MIL-C-43831B | CARRIER, INTRENCHING TOOL, HAND, FOLDING, LIGHTWEIGHT, PLASTIC, LC-1[CUST: GL NU 99] [REVIEW: 11 MC MD YD] | A | 8465 | | CT | 26-FEB-88 |
| | MIL-C-42066 | CARRIER, LITTER, WHEELED[CUST: MD MS 03] [REVIEW: MC] | A | 6530 | | MB | 15-JUN-89 |
| | QSTAG-151 ED.3 | CARRIER, PERSONNEL, FULL TRACKED, ARMORED, M113A1/A2/A3 AND CARRIER, COMMAND POST, LIGHT TRACKED, M577A1/2[CUST: AI] | C | ISDA | | AI | 18-FEB-86 |
| | MIL-C-17864C NOT 1 | CARRIER, PISTOL HOLSTER, COTTON, DUCK, WHITE (MP)[CUST: GL MC CT] | A | 8465 | | CT | 23-OCT-87 |
| | A-A-55059 | CARRIER, POLICEMAN'S CLUB, WITH GROMMET[CUST: GL 99 CT] [REVIEW: 11] | A | 8465 | / | CT | 04-JUN-92 |
| | A-A-50460B NOT 1 | CARRIER, STORAGE BATTERY, HAND[CUST: GL YD 99] [REVIEW: 84 CR4 GS] | A | 5120 | / | IS | 19-SEP-03 |
| | A-A-51724 | CARRIER, SUTURE WIRE (RUSH)[CUST: MD MS 03] | A | 6515 | / | MB | 27-OCT-86 |
| | MIL-C-44347 | CARRIER, WATER CANTEEN, COLD WEATHER, CRS[CUST: GL CT] [REVIEW: MD] | A | 8465 | | CT | 17-NOV-88 |
| | A-A-59518 | CARRIER: SWORD SCABBARD[CUST: MC] | A | 8465 | / | CT | 17-NOV-99 |
| | MIL-DTL-62013E | CARRIERS, FULL-TRACKED: M548A1 AND M730A1[CUST: AT] | A | 2350 | | AT | 30-SEP-98 |
| | MIL-C-45360H | CARRIERS, PERSONNEL, FULL-TRACKED, ARMORED: M113A2, AND M113A3; MORTARS, SELF-PROPELLED: M106A2 (107MM), M125A2 (81MM) AND M1064, M1064A3 (120MM); SMOKE GENERATORS: M1059, M1059A3 AND M58; PROCESSING FOR STORAGE AND SHIPMENT OF[CUST: AT] | A | 2350 | | AT | 31-MAR-97 |
| | A-A-20191B | CARROTS, FRESH, READY-TO-USE[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | GL | 12-DEC-01 |
| | MIL-C-85361 NOT 1 | CARRYING CASE ASSEMBLIES, INFLATABLE LIFE RAFT[CUST: AS] | A | 4220 | | IS | 06-NOV-87 |
| | SAE-J986 | CARS, PASSENGER, AND LIGHT TRUCKS, SOUND LEVEL FOR[CUST: MI AS 11] [REVIEW: 19 AR AT MD TE TM] | A | HFAC | | MI | AUG-94 |
| | A-A-54101 | CART, ANESTHESIOLOGY EQUIPMENT (CORROSION-RESISTING STEEL)[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAR-90 |
| | A-A-53003A | CART, CARDIAC RESUSCITATION KIT MOBILE[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAY-89 |
| | A-A-50578 | CART, CONCRETE[CUST: YD] [REVIEW: AT CC] | A | 3895 | / | IS | 15-APR-97 |
| | A-A-51759 | CART, MEDICINE[CUST: MD MS 03] | A | 6530 | / | MB | 30-JAN-87 |
| | A-A-51293 | CART, MEDICINE[CUST: MD MS 03] | A | 6530 | / | MB | 12-DEC-85 |
| | A-A-53107 | CART, PLASTER CAST MATERIALS[CUST: MD MS 03] | A | 6530 | / | MB | 31-AUG-87 |
| | A-A-54219 | CART, SURGICAL DRESSING (CORROSION-RESISTING STEEL)[CUST: MD MS 03] | A | 6530 | / | MB | 31-JUL-90 |
| | MIL-DTL-32005 | CARTIDGE, IMPULSE, CCU-143/A[CUST: OS] | A | 1377 | | OS | 23-OCT-97 |
| | MIL-DTL-32112 | CARTRDGE, IMPULSE, CCU-146/A[CUST: OS] | A | 1377 | | OS | 09-SEP-03 |
| | MIL-C-83124 NOT 1 | CARTRIDGE ACTUATED DEVICES/PROPELLANT ACTUATED DEVICES GENERAL DESIGN SPECIFICATION FOR[CUST: AR OS 11] [REVIEW: AV] | A | 1377 | | OS | 14-AUG-91 |
| | ASTM-B19 | CARTRIDGE BRASS SHEET, STRIP, PLATE, BAR, AND DISKS (BLANKS)[CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL] | A | 9535 | | IS | 07-MAY-86 |
| | MIL-C-18759B | CARTRIDGE CASE, STEEL, 20 MILLIMETER MK 5 AND MODS (FOR 20 MM A/C GUNS)[CUST: AS] | A | 1305 | | AS | 19-JUN-68 |
| | MIL-C-18757/4C NOT 2 | CARTRIDGE CASE, STEEL, 5-INCH, MARK 9 MODS 0 AND 1 (54 CALIBER)[CUST: OS] | A | 1395 | | OS | 19-APR-01 |
| | MIL-DTL-32096A | CARTRIDGE CASE, STEEL, 5-INCH, MK 9 MOD 3 (54 OR 62 CALIBER)[CUST: OS] | A | 1320 | | OS | 29-OCT-02 |
| | MIL-DTL-32100 | CARTRIDGE CASE, STEEL, 76-MILLIMETER (62-CALIBER)[CUST: OS] | A | 1315 | | OS | 08-MAY-02 |
| | MIL-C-18757/5A NOT 2 | CARTRIDGE CASE, STEEL, 76-MILLIMETER (62-CALIBER)[CUST: OS] | A | 1395 | | OS | 22-JUN-01 |
| | MIL-C-18757D | CARTRIDGE CASES, STEEL (OTHER THAN SMALL ARMS) GENERAL SPECIFICATION FOR[CUST: OS] | A | 1395 | | OS | 19-JUN-91 |
| | A-A-51811A | CARTRIDGE EXTRACTION ASSEMBLY, SAMPLE PROCESSOR[CUST: MD MS 03] | A | 6630 | | MB | 19-AUG-87 |
| | NEMA-FU1 | CARTRIDGE FUSES, LOW VOLTAGE[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | MIL-DTL-32045 | CARTRIDGE SET, REDUCED CHARGE PRIMARY[CUST: OS] | A | 1377 | | OS | 22-NOV-00 |
| | MIL-PRF-32056 | CARTRIDGE, 10 GAUGE SHOTSHELL, BLANK[CUST: AR] | A | 1305 | | AR | 20-DEC-99 |
| | MIL-C-71184(1) | CARTRIDGE, 120MM INERT, XM929 WITH INERT FUZE M745 LOADING, ASSEMBLING AND PACKING[CUST: AR] | D | 1315 | | AR | 30-AUG-96 |
| | MIL-C-71177(2) | CARTRIDGE, 120MM, INERT M934 W/INERT FUZE M734/M745 LOADING, ASSEMBLING AND PACKING[CUST: AR] | D | 1315 | | AR | 17-FEB-01 |
| | MIL-C-50902A(4) | CARTRIDGE, 152MM, TP-T, M411A3, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 28-JUL-76 |
| | MIL-C-18835C | CARTRIDGE, 20 MM, FOR AIRCRAFT GUNS MK 11 AND MK 12[CUST: AS] | A | 1305 | | AS | 19-AUG-68 |
| | MIL-C-85122 NOT 1 | CARTRIDGE, 20MM MARK 100 SERIES[CUST: AS] | A | 1305 | | AS | 10-APR-87 |
| | MIL-C-46578D(1) NOT 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, M56A3 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1305 | | AR | 31-OCT-96 |
| | MIL-C-85624 NOT 1 | CARTRIDGE, 25 MILLIMETER, PGU-20/U (API)[CUST: AS] | A | 1305 | | AS | 02-OCT-91 |
| | MIL-C-85656 NOT 1 | CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY (M5) PGU-25/U[CUST: AS] | A | 1305 | | AS | 02-OCT-91 |
| | MIL-C-85625 NOT 1 | CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY SELF-DESTRUCT, PGU-22/ U[CUST: AS] | A | 1305 | | AS | 02-OCT-91 |
| | MIL-C-85655 NOT 1 | CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY-TRACER MARK 210 MOD 0[CUST: AS] | A | 1305 | | AS | 02-OCT-91 |
| | MIL-C-85623(1) NOT 1 | CARTRIDGE, 25 MM, TARGET PRACTICE PGU-23/U[CUST: AS] | A | 1305 | | AS | 12-AUG-94 |
| | MIL-C-48669(5) NOT 2 | CARTRIDGE, 40MM, M918TP, ESCAPEMENT ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 05-SEP-00 |
| | MIL-DTL-63239C | CARTRIDGE, 4OMM: PRACTICE, M781[CUST: AR] | A | 1310 | | AR | 02-JUL-03 |
| | MIL-PRF-71208 | CARTRIDGE, 5.56MM, ARMOR PIERCING, M995[CUST: AR] | A | 1305 | | AR | 09-APR-01 |
| | MIL-C-70724 | CARTRIDGE, 5.56MM, BLANK, M200A1 PERFORMANCE SPECIFICATION FOR[CUST: AR] | A | 1305 | | AR | 22-OCT-92 |
| | MIL-C-70725A | CARTRIDGE, 5.56MM, M862 SHORT RANGE TRAINING AMMUNITION PERFORMANCE SPECIFICATION FOR[CUST: AR] | A | 1305 | | AR | 08-DEC-93 |
| | MIL-C-71150(5) | CARTRIDGE, 60MM PRACTICE, SHORT RANGE, M766 LOADING, ASSEMBLING AND PACKAGING[CUST: AR] | A | 1315 | | AR | 11-FEB-00 |
| | MIL-C-60317D(1) | CARTRIDGE, 60MM, SMOKE, WP, M302A1 ASSEMBLING, MARKING AND PACKING[CUST: AR] | A | 1310 | | AR | 26-JAN-90 |
| | MIL-C-70781(6) | CARTRIDGE, 60MM: SMOKE, MARKING, M722 ASSEMBLING, MARKING AND PACKING[CUST: AR] | A | 1310 | | AR | 01-OCT-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-46932A(3) NOT 3 | CARTRIDGE, 7.62MM, NATO, BALL, FRANGIBLE, M160[CUST: AR] | A | 1305 | | AR | 11-OCT-96 |
| | MIL-PRF-71167A | CARTRIDGE, 7.62MM, XM973 BALL SHORT RANGE TRAINING AMMUNITION[CUST: AR] | A | 1305 | | AR | 14-APR-00 |
| | MIL-PRF-71168A | CARTRIDGE, 7.62MM, XM974 TRACER SHORT RANGE TRAINING AMMUNITION[CUST: AR] | A | 1305 | | AR | 14-APR-00 |
| | MIL-C-71128(4) | CARTRIDGE, 81MM, PRACTICE, SHORT RANGE M880 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 17-DEC-96 |
| | MIL-DTL-32122B | CARTRIDGE, AIRCRAFT FIRE EXTINGUISER JL42, JL43, JL44[CUST: OS] | A | 1377 | | OS | 29-MAR-05 |
| | MIL-DTL-82946(1) | CARTRIDGE, AIRCRAFT FIRE EXTINGUISHER, CCU-121/A[CUST: OS] | A | 1377 | | OS | 17-MAY-01 |
| | MIL-C-38979A NOT 2 | CARTRIDGE, BOMB EJECTION CCU-1/B[CUST: 99] | A | 1377 | | 70 | 26-JUL-93 |
| | MIL-C-70663B | CARTRIDGE, CALIBER .50 SLAP BALL AND TRACER (SABOTED LIGHT ARMOR PENETRATOR) - M903 AND M962[CUST: AR] | A | 1305 | | AR | 04-JAN-94 |
| | MIL-C-70726A | CARTRIDGE, CALIBER .50, BLANK, XM928, PERFORMANCE SPECIFICATION FOR[CUST: AR] | A | 1305 | | AR | 06-DEC-93 |
| | MIL-C-70723 | CARTRIDGE, CALIBER .50, M-858 BALL AND M-860 TRACER SHORT RANGE TRAINING AMMUNITION[CUST: AR] | A | 1305 | | AR | 19-APR-93 |
| | MIL-C-16385E(1) | CARTRIDGE, CARBON DIOXIDE, INFLATABLE LIFE PRESERVER USE[CUST: SH] [REVIEW: CC CR4] | A | 4220 | | SH | 16-JUN-88 |
| | MIL-DTL-60247B | CARTRIDGE, DELAY, M155 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 19-DEC-95 |
| M | MIL-C-46273B(1) NOT 1 | CARTRIDGE, DELAY, M70, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 27-MAR-06 |
| | MIL-DTL-60553D | CARTRIDGE, DELAY, M90 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 03-MAR-05 |
| | MIL-C-23024A(4) | CARTRIDGE, DELAY, MARK 36 MOD 0[CUST: OS] | A | 1377 | | OS | 20-MAR-78 |
| | MIL-C-81788(1) | CARTRIDGE, DELAY, MARK 4 MOD 2, MARK 5 MOD 2 AND MARK 6 MOD 2[CUST: OS] | A | 1377 | | OS | 06-JAN-72 |
| | MIL-C-22625 | CARTRIDGE, DUMPER VALVE, MARK 22 MOD 0[CUST: AS] | A | 1375 | | AS | 31-AUG-60 |
| | MIL-C-27505B(2) NOT 2 | CARTRIDGE, ENGINE STARTER MXU-41A[CUST: 99] | A | 1377 | | 70 | 26-JUL-93 |
| | MIL-DTL-32115(1) | CARTRIDGE, FIRE EXTINGUISHER, AIRCRAFT, CCU-147/A (WB53)[CUST: OS] | A | 1377 | | OS | 06-MAY-04 |
| | MIL-DTL-32083A | CARTRIDGE, FIRE EXTINGUISHER, MK 272 MOD 0[CUST: OS] | A | 1377 | | OS | 14-SEP-04 |
| | MIL-C-24224B NOT 1 | CARTRIDGE, GAS PRESSURE, FOR PRESSURIZING DRY CHEMICAL FIRE EXTINGUISHERS[CUST: SH] [REVIEW: CC] | A | 4210 | | SH | 10-DEC-90 |
| | QPL-AMS-C-22587-1 | CARTRIDGE, GREASE, 14 OUNCE (FOR CARTRIDGE TYPE GREASE GUN) | A | 4930 | | AS | 02-SEP-03 |
| | MIL-C-71134(2) NOT 2 | CARTRIDGE, HE, 120MM, M933 W/FUZE M745 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 26-FEB-01 |
| | MIL-C-71040(4) NOT 2 | CARTRIDGE, HE, 120MM, M934 W/FUZE M734 LOADING, ASSEMBLING AND PACKING[CUST: AR] | D | 1315 | | AR | 16-APR-01 |
| | MIL-C-48368A(6) | CARTRIDGE, HE, 60MM, M720 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 23-JUL-99 |
| | MIL-C-64037(6) | CARTRIDGE, HE, 60MM, M888 W/FUZE M935 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 16-SEP-02 |
| | MIL-C-48397A(6) | CARTRIDGE, IGNITION, M752A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 16-FEB-01 |
| | MIL-C-48396A(4) | CARTRIDGE, IGNITION, M752A1 PARTS FOR[CUST: AR] | A | 1315 | | AR | 16-FEB-01 |
| | MIL-C-71036(3) | CARTRIDGE, IGNITION, M981 PARTS FOR[CUST: AR] | D | 1315 | | AR | 17-JAN-97 |
| | MIL-C-71133(2) | CARTRIDGE, IGNITION, M985 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 05-JUN-98 |
| | MIL-C-71155(3) | CARTRIDGE, IGNITION, M987 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 31-JUL-96 |
| | MIL-C-48156(6) NOT 1 | CARTRIDGE, IGNITION, XM299 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 19-SEP-96 |
| | MIL-C-48155(5) NOT 1 | CARTRIDGE, IGNITION, XM299 PARTS FOR[CUST: AR] | A | 1395 | | AR | 14-SEP-95 |
| | MIL-C-82920 | CARTRIDGE, IMPULSE, ASSEMBLY/CABLE, MK 236 MOD 0, PERFORMANCE SPECIFICATION FOR[CUST: OS] | D | 1377 | | OS | 29-DEC-94 |
| | MIL-DTL-32048A | CARTRIDGE, IMPULSE, CCU-107/B[CUST: OS] | A | 1377 | | OS | 14-JUL-03 |
| | MIL-C-82942A | CARTRIDGE, IMPULSE, CCU-114/M, PERFORMANCE SPECIFICATION FOR[CUST: OS] | D | 1377 | | OS | 09-DEC-94 |
| | MIL-DTL-82922A | CARTRIDGE, IMPULSE, CCU-123/E (EARTH ANCHOR CARTRIDGE)[CUST: OS] | A | 1377 | | OS | 19-DEC-95 |
| | MIL-C-85256 | CARTRIDGE, IMPULSE, CCU-13/B[CUST: OS] | A | 1377 | | OS | 13-JUN-81 |
| | MIL-DTL-82935 | CARTRIDGE, IMPULSE, CCU-132/A[CUST: OS] | A | 1377 | | OS | 29-JAN-96 |
| A | MIL-DTL-32099 | CARTRIDGE, IMPULSE, CCU-145/A[CUST: OS] | A | 1377 | | OS | 16-JUN-05 |
| | MIL-C-82733A(2) | CARTRIDGE, IMPULSE, CCU-22/A/A ASSEMBLY[CUST: OS] | A | 1377 | | OS | 12-JUN-01 |
| | MIL-C-48448(1) NOT 2 | CARTRIDGE, IMPULSE, CCU-28/A ASSEMBLY[CUST: OS] | A | 1377 | | OS | 29-JAN-01 |
| | MIL-DTL-82724A | CARTRIDGE, IMPULSE, CCU-44/B[CUST: OS 99] [REVIEW: 70 AS] | A | 1377 | | OS | 18-SEP-03 |
| | MIL-DTL-82884A | CARTRIDGE, IMPULSE, CCU-69A/A[CUST: OS] | A | 1377 | | OS | 22-AUG-96 |
| | MIL-DTL-32025 | CARTRIDGE, IMPULSE, CCU-96/B[CUST: OS] | A | 1377 | | OS | 11-JUN-98 |
| | MIL-DTL-32024 | CARTRIDGE, IMPULSE, CU-33/A[CUST: OS] | A | 1377 | | OS | 14-MAY-98 |
| | MIL-C-60643A NOT 2 | CARTRIDGE, IMPULSE, M127 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 17-APR-03 |
| | MIL-C-14814B(3) NOT 1 | CARTRIDGE, IMPULSE, M270[CUST: OS] | A | 1377 | | OS | 14-AUG-91 |
| A | MIL-DTL-46200C | CARTRIDGE, IMPULSE, M42A1 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 02-AUG-05 |
| | MIL-C-60235B(2) NOT 2 | CARTRIDGE, IMPULSE, M91 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 15-MAR-01 |
| | MIL-DTL-81984C | CARTRIDGE, IMPULSE, MARK 107 MOD 1[CUST: OS] | A | 1377 | | OS | 24-APR-00 |
| | MIL-C-81805(1) | CARTRIDGE, IMPULSE, MARK 125 MOD 0[CUST: OS] | A | 1377 | | OS | 29-NOV-77 |
| | MIL-C-82891 | CARTRIDGE, IMPULSE, MARK 14 MOD 1[CUST: OS] | A | 1377 | | OS | 02-SEP-93 |
| | MIL-DTL-0022362E | CARTRIDGE, IMPULSE, MARK 18 MOD O[CUST: OS] | A | 1377 | | OS | 07-DEC-95 |
| | MIL-DTL-22653D | CARTRIDGE, IMPULSE, MARK 19 MOD 0[CUST: OS] | A | 1377 | | OS | 13-SEP-00 |
| | MIL-DTL-22244E | CARTRIDGE, IMPULSE, MARK 23 MOD O[CUST: OS] | A | 1377 | | OS | 27-MAY-97 |
| | MIL-DTL-0023933C | CARTRIDGE, IMPULSE, MARK 44 MOD 0[CUST: OS] | A | 1377 | | OS | 28-NOV-95 |
| | MIL-DTL-23661B | CARTRIDGE, IMPULSE, MARK 45 MOD 0[CUST: OS] | A | 1377 | | OS | 27-MAY-97 |
| | MIL-C-23935A(1) NOT 2 | CARTRIDGE, IMPULSE, MARK 47 MOD O[CUST: OS] | A | 1377 | | OS | 22-JUN-00 |
| | MIL-DTL-32050 | CARTRIDGE, IMPULSE, P/N 839AS100[CUST: OS] | A | 1377 | | OS | 25-APR-00 |
| | MIL-C-63108B | CARTRIDGE, IMPULSE: M796[CUST: AR] | A | 1377 | | AR | 27-FEB-95 |
| | MIL-PRF-25369D | CARTRIDGE, INFLATOR, FLOTATION GEAR, (CARBON DIOXIDE), (FOR THE INFLATION OF PNEUMATIC LIFE PRESERVERS)[CUST: AV SH 99] [REVIEW: 84 AS CC] | A | 4220 | | 11 | 01-MAY-98 |
| | A-A-51676 | CARTRIDGE, LABORATORY GAS BURNER[CUST: MD MS 03] | A | 6640 | | MB | 30-JUN-87 |
| | QPL-4952-9 | CARTRIDGE, OXYGEN PURIFIER, TYPE MA-1 | A | 4440 | | 84 | 13-MAR-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-71057(2) NOT 2 | CARTRIDGE, SMOKE, XM929 WITH FUZE M745 LOADING, ASSEMBLING AND PACKING[CUST: AR] | D | 1315 | | AR | 30-AUG-96 |
| | A-A-54687 | CARTRIDGE, WATER DEMINERALIZER[CUST: MD MS 03] | A | 4610 | / | MB | 22-JUN-92 |
| | A-A-51440 | CARTRIDGE, WATER DEMINERALIZER[CUST: MD MS 03] | A | 4610 | / | MB | 03-SEP-86 |
| | MIL-C-83125 NOT 1 | CARTRIDGES FOR CARTRIDGE ACTUATED/PROPELLANT ACTUATED DEVICES, GENERAL DESIGN SPECIFICATION FOR[CUST: AR OS 11] [REVIEW: 99 AV CR4] | A | 1377 | | OS | 14-AUG-91 |
| | SAE-AMS-C-22587 | CARTRIDGES, GREASE, 14 OUNCE (FOR CARTRIDGE-TYPE GREASE GUN)[CUST: CR4 AS 99] | A | 4930 | | AS | JUN-99 |
| A | MIL-DTL-82962E | CARTRIDGES, IMPULSE, CCU-136/A, CCU-138/A, AND CCU-136A/A[CUST: OS] | A | 1377 | | OS | 23-NOV-05 |
| | A-A-53911 | CARVER, DENTAL (AMALGAM AND WAX)[CUST: MD MS 03] | A | 6520 | / | MB | 10-OCT-89 |
| | A-A-54133 | CARVER, DENTAL (BINANGLE, THARP NO. 1)[CUST: MD MS 03] | A | 6520 | / | MB | 30-APR-90 |
| | A-A-54211 | CARVER, DENTAL, (BINANGLE, CLEOID-DISCOID, NO. UWD-5)[CUST: MD MS 03] | A | 6520 | / | MB | 13-JUL-90 |
| | A-A-53643 | CARVER, DENTAL, INTERPROXIMAL[CUST: MD MS 03] | A | 6520 | / | MB | 17-APR-89 |
| | A-A-54012 | CARVERS, DENTAL (PKT)[CUST: MD MS 03] | A | 6520 | / | MB | 14-FEB-90 |
| | ITOP-5.2.621 | CASE BURST TESTING OF SOLID PROPELLANT ROCKET MOTORS | D | ISDA | | TE | 22-MAR-02 |
| | SAE-J423 | CASE DEPTH, METHODS OF MEASURING[CUST: MR YD 11] [REVIEW: AS] | A | NDTI | | YD | DEC-83 |
| A | MIL-DTL-4710E | CASE SET, TRANSPORT AND STORAGE[CUST: GL SA 11] [REVIEW: 80 84 99 CR CR4 MC OS SM] | A | 8115 | | IS | 26-JAN-06 |
| | A-A-54102 | CASE, BONE NAIL AND INSTRUMENT STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 09-MAR-90 |
| | A-A-54852 | CASE, BRONCHOSCOPIC, INSTRUMENTS STERILIZING AND STORAGE, EMPTY[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-93 |
| | MIL-PRF-32062 | CASE, CARRYING FOR M198/M119 FIRE CONTROL OPTICS[CUST: AR] | A | 1240 | | AR | 15-MAR-00 |
| | MIL-C-60021A NOT 1 | CASE, CARRYING, M85, ASSEMBLY FOR KIT, DEMOLITION, M37[CUST: AR] | A | 1375 | | AR | 22-JUN-99 |
| | MIL-C-71145 | CASE, CARTRIDGE, 105MM W/CHARGE M67/M200 AND PRIMER M28B2[CUST: AR] | A | 1315 | | AR | 12-MAY-93 |
| | MIL-C-20367G | CASE, CARTRIDGE, 20MM, M21A1[CUST: AR] | A | 1305 | | AR | 23-JAN-86 |
| | MIL-C-63267 NOT 1 | CASE, CARTRIDGE, BLANK 105MM, M15B2[CUST: AR] | A | 1315 | | AR | 15-OCT-90 |
| | MIL-PRF-82537A | CASE, CARTRIDGE, STEEL, SPIRAL WRAPPED 40 MILLIMETER (MM) AND LARGER CALIBERS, GENERAL SPECIFICATION FOR[CUST: OS] | A | 1310 | | OS | 25-APR-88 |
| | MIL-C-14640B NOT 3 | CASE, DECORATION, MEDALLION, PRESENTATION[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-C-36031 NOT 1 | CASE, DENTAL INSTRUMENT AND SUPPLY SET, EMPTY[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | A-A-54321 | CASE, DENTAL INSTRUMENTS (STERILIZING AND STORAGE)[CUST: MD MS 03] | A | 6520 | / | MB | 21-JAN-91 |
| | A-A-54312 | CASE, DENTAL INSTRUMENTS (STERILIZING AND STORAGE)[CUST: MD MS 03] | A | 6520 | / | MB | 21-JAN-91 |
| | MIL-C-37117A | CASE, EAR PLUG[CUST: MD MS 03] | A | 6515 | | MB | 07-NOV-85 |
| | A-A-55238 | CASE, FIELD, FIRST AID DRESSING, LEATHER (MILITARY POLICE)[CUST: GL 99] [REVIEW: 11 MD] | A | 8465 | / | CT | 29-SEP-93 |
| | A-A-59523 | CASE, FIELD, FIRST AID DRESSING-UNMOUNTED MAGNETIC COMPASS, LC-1[CUST: GL NU 99 CT] | A | 8465 | / | CT | 09-DEC-99 |
| | A-A-2794 | CASE, FILING, TRANSFER | A | 7520 | # | FSS | 18-JUN-92 |
| | UU-C-00250B | CASE, FILING, TRANSFER, COLLAPSIBLE | A | 7520 | # | FSS | 12-APR-71 |
| | MIL-C-14637A NOT 4 | CASE, FLAG, INTERMENT[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8345 | | IH | 20-JUL-01 |
| | A-A-55231 | CASE, HANDCUFFS, LEATHER, BLACK[CUST: GL NU CT] [REVIEW: MC] | A | 8465 | / | CT | 01-SEP-93 |
| | MIL-C-16489C NOT 1 | CASE, HOSPITAL LINENS, SMALL[CUST: MD MS 03] | A | 6545 | | MB | 15-MAR-91 |
| | MIL-C-43681A NOT 1 | CASE, MAINTENANCE EQUIPMENT, SMALL ARMS, M14A1[CUST: GL CT] [REVIEW: AR MD] | A | 8465 | | CT | 25-JAN-88 |
| | MIL-C-43737B NOT 1 | CASE, MAINTENANCE EQUIPMENT, SMALL ARMS, M16A1[CUST: GL MC 99 CT] [REVIEW: 11 MD] | A | 8465 | | CT | 01-JAN-88 |
| | A-A-55192A | CASE, MAP[CUST: GL MC CT] | A | 8460 | / | CT | 23-AUG-00 |
| | MIL-C-12316E | CASE, MAP AND PHOTOGRAPH, COTTON DUCK[CUST: GL NU 99 CT] [REVIEW: 11 MC SA] | A | 8460 | | CT | 10-AUG-84 |
| | MIL-C-303C | CASE, MEDICAL INSTRUMENT & SUPPLY SET, NYLON, NON RIGID, NR 2[CUST: MD MS 03] | A | 6545 | | MB | 08-MAR-79 |
| | MIL-C-36020 NOT 1 | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NONRIGID, NO. 5, EMPTY[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | MIL-C-37183(1) | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NON-RIGID, NO. 8[CUST: MD MS 03] | A | 6545 | | MB | 22-OCT-86 |
| | MIL-C-36856(1) | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 3[CUST: MD MS 03] | A | 6545 | | MB | 12-DEC-86 |
| | MIL-C-37066 NOT 1 | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 6[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | MIL-C-36036B NOT 1 | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 7[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | MIL-C-36961A NOT 1 | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, PLASTIC, RIGID[CUST: MD MS 03] | A | 6545 | | MB | 28-JUL-89 |
| | MIL-C-37106 NOT 1 | CASE, MEDICAL LABORATORY EQUIPMENT SET[CUST: MD MS 03] | A | 6545 | | MB | 28-JUL-89 |
| | A-A-53218A | CASE, MEDULLARY PIN STERILIZATION (DACRON)[CUST: MD MS 03] | A | 6530 | / | MB | 06-MAR-92 |
| | MIL-PRF-11430F | CASE, MILITARY WATER CAN, INSULATED[CUST: GL YD 99] [REVIEW: 84 GS MC MD1] | A | 7240 | | GL | 24-FEB-97 |
| | A-A-51692 | CASE, NEEDLE & BLADE[CUST: MD MS 03] | A | 6515 | / | MB | 26-SEP-86 |
| | MIL-C-10922G | CASE, PARACHUTISTS, INDIVIDUAL WEAPONS M-1950, ADJUSTABLE.[CUST: GL NU 99 CT] [REVIEW: 11 AS AV MC] | A | 8465 | | CT | 20-FEB-85 |
| | A-A-59522 | CASE, SHOTGUN AMMUNITION, COTTON DUCK[CUST: GL 99 CT] [REVIEW: 11 AR] | A | 8465 | / | CT | 09-DEC-99 |
| | MIL-C-43827D | CASE, SMALL ARMS AMMUNITION, 30-ROUND MAGAZINE (M-16 RIFLE), LC-1[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8465 | | CT | 30-MAR-90 |
| | MIL-C-44082A | CASE, SMALL ARMS, AMMUNITION, 200-ROUND MAGAZINE[CUST: GL MC CT] [REVIEW: MD] | A | 8465 | | CT | 16-FEB-90 |
| | MIL-C-42074 | CASE, SPECTACLE FITTING AND ADJUSTMENT SET[CUST: MD MS 03] | A | 6540 | | MB | 15-FEB-91 |
| | MIL-C-36332B NOT 1 | CASE, SPECTACLE, ENVELOPE TYPE[CUST: MD MS 03] | A | 6540 | | MB | 30-AUG-90 |
| | MIL-C-36828A NOT 1 | CASE, SPECTACLE, ENVELOPE TYPE, SOFT FABRIC LINING[CUST: MD MS 03] | A | 6540 | | MB | 30-AUG-90 |
| | MIL-DTL-3372G | CASE, TENTAGE REPAIR KIT[CUST: GL MC 99] [REVIEW: 11 MD] | A | 8340 | | CT | 04-FEB-00 |
| | MIL-C-43179C NOT 2 | CASE, TRANSFER, HUMAN REMAINS[CUST: GL NU 99 MB] [REVIEW: MS] | A | 9930 | | MB | 14-MAY-02 |
| | MIL-C-3653A | CASE, VETERINARY EGG INSPECTION SET[CUST: MD MS 03] [REVIEW: GS] | A | 6545 | | MB | 18-JUN-75 |
| | MIL-C-36493 NOT 1 | CASE, VETERINARY FOOD INSPECTION SET[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | MIL-C-14633D NOT 3 | CASES, DECORATION, PRESENTATION[CUST: IH NU 11] [REVIEW: CG CT MC] | A | 8455 | | IH | 02-AUG-04 |
| | MIL-C-3680C NOT 3 | CASES, FLAGS AND GUIDONS, COTTON DUCK[CUST: IH 11] [REVIEW: 99 CT] | A | 8345 | | IH | 12-JUN-01 |
| | MIL-C-29240 NOT 1 | CASEWORK, MOVEABLE AND MODULAR, FOR HOSPITAL LABORATORIES AND PHARMACIES, PERFORMANCE SPECIFICATIONS FOR[CUST: MD YD 03] | A | 6530 | | YD | 01-APR-91 |
| | DI-MISC-80062 | CASH AND HEADCOUNT CONTROLS [AMSC: F3689] | A | MISC | | 10 | 01-NOV-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-FNCL-80542 | CASH COLLECTION VOUCHER [AMSC: F4352] | A | FNCL | | 35 | 03-MAR-88 |
| | API-STD-5B | CASING, TUBING, & LINE PIPE THREADS, THREADING, GAGING, & THREAD INSPECTION OF[CUST: YD 99] [REVIEW: 71 CC CR4] | A | 4710 | | YD | 30-JAN-89 |
| | A-A-54739 | CASSEROLE, LABORATORY (PORCELAIN)[CUST: MD MS 03] | A | 6640 | / | MB | 01-SEP-92 |
| | ANSI-PH5.22 | CASSETT, DOUBLE CORE (B-1 AXIAL), DIMENSIONS & OPERATIONAL CONSTRAINTS FOR, FOR 16MM PROCESSED MICROFILM[CUST: CR AS 99] | A | 6760 | | CR | 17-AUG-76 |
| | A-A-51249B | CASSETTE, RADIOGRAPHIC FILM[CUST: MD MS 03] | A | 6525 | / | MB | 29-JUL-88 |
| | A-A-53576 | CASSETTE, RADIOGRAPHIC FILM[CUST: MD MS 03] | A | 6525 | / | MB | 29-JUL-88 |
| | A-A-51938A | CASSETTE, RADIOGRAPHIC FILM (LIGHTWEIGHT)[CUST: MD MS 03] | A | 6525 | / | MB | 10-SEP-90 |
| | A-A-53852 | CASSETTE, RADIOGRAPHIC FILM LIGHTWEIGHT[CUST: MD MS 03] | A | 6525 | / | MB | 24-MAR-89 |
| | A-A-51667 | CASSETTE, X-RAY TUBE CALIBRATION TEST[CUST: MD MS 03] | A | 6525 | | MB | 26-JUN-87 |
| | W-C-1684 | CASSETTES, MAGNETIC TAPE, AUDIO RECORDING (TWIN-HUB, COPLANAR) | A | 5835 | # | FSS | 04-APR-77 |
| | W-C-1684(I1) | CASSETTES, MAGNETIC TAPE, AUDIO RECORDING (TWIN-HUB, COPLANAR) | A | 5835 | # | FSS | 12-JAN-78 |
| | A-A-53327A | CASSETTES, RADIOGRAPHIC FILM (HEAVY DUTY TYPE)[CUST: MD MS 03] | A | 6525 | / | MB | 12-JUL-91 |
| | ASME-B16.26 | CAST COPPER ALLOY FITTINGS FOR FLARED COPPER TUBES[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASME-B16.18 | CAST COPPER ALLOY SOLDER JOINT PRESSURE FITTINGS[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | MSS-SP85 | CAST IRON GLOBE & ANGLE VALVES , FLANGED AND THREADED ENDS[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | ASTM-A74 | CAST IRON SOIL PIPE AND FITTINGS[CUST: CR4 YD 99] [REVIEW: CE MC MR] | A | 4710 | | CC | 15-AUG-93 |
| | ASME-B16.12 | CAST IRON THREADED DRAINAGE FITTINGS[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASTM-A327 | CAST IRONS, IMPACT TESTING OF[CUST: AR SH 99] | A | MECA | | 99 | 15-APR-91 |
| | ASTM-D702 | CAST METHACRYLATE PLASTIC SHEETS, RODS, TUBES, AND SHAPES[CUST: MR YD 99] [REVIEW: 84 GS SH] | A | 9330 | | YD | 26-JUN-81 |
| | ASTM-D5436 | CAST POLY (METHYL METHACRYLATE) PLASTIC RODS, TUBES, AND SHAPES[CUST: MR SH 11 IS] [REVIEW: AR AS CR GL MI OS YD] | A | 9330 | | IS | 15-JUL-93 |
| | MIL-C-24449A NOT 1 | CAST POLYMETHYL METHACRYLATE FOR SHEET STOCK, CUSTOM CASTINGS, AND FINISHED WINDOWS[CUST: SH] [REVIEW: GS MR] | A | 9330 | | SH | 20-DEC-88 |
| | NAS823 | CAST SURFACE COMPARISON STANDARD[CUST: AS] [REVIEW: AV] | A | 5220 | | AS | 30-APR-83 |
| | MIL-C-717F | CASTABLE MIX, REFRACTORY, HIGH-TEMPERATURE HYDRAULIC SETTING[CUST: CR4 SH 99] [REVIEW: MR] | A | 9350 | | SH | 12-NOV-87 |
| | MIL-C-19794B NOT 1 | CASTABLE MIX, REFRACTORY, THERMAL INSULATING[CUST: SH] [REVIEW: GS] | A | 9350 | | SH | 25-JUL-89 |
| | ASTM-C860 | CASTABLE, REFRACTORY, USING THE BALL-IN-HAND TEST, DETERMINING THE CONSISTENCY OF[CUST: CR4 SH 99] | A | 9350 | | SH | 10-APR-00 |
| | A-A-55619B NOT 1 | CASTER, INDUSTRIAL, HEAVY DUTY[CUST: AR AS 99] [REVIEW: 71 MI] | A | 5340 | / | IS | 08-AUG-03 |
| | A-A-55617B NOT 1 | CASTER, INDUSTRIAL, MEDIUM DUTY[CUST: AR AS 99] [REVIEW: 71 MI] | A | 5340 | / | IS | 08-AUG-03 |
| | NAS1349 | CASTER, LIGHT DUTY, RIGID AND SWIVEL[CUST: AR AS 99 IS] | A | 5340 | | IS | 28-FEB-97 |
| | A-A-1011 | CASTER, SWIVEL (CHAIR) [REVIEW: IS] | A | 5340 | % | FSS | 06-JAN-83 |
| | A-A-55618D | CASTER, SWIVEL, KINGPINLESS INDUSTRIAL, HEAVY DUTY WITH TOWING APPLICATION[CUST: AS 99 IS] [REVIEW: 71] | A | 5340 | / | IS | 25-NOV-03 |
| | NASM24374 | CASTERS, RIGID AND SWIVEL - PRECISION SPRING MOUNTED[CUST: CR4 YD 99 IS] | A | 5340 | | IS | APR-98 |
| | NASM4751 | CASTERS, RIGID AND SWIVEL, PRECISION HEAVY DUTY, AND SHOCK ABSORBING[CUST: AS 99 IS] | A | 5340 | | IS | 31-JAN-02 |
| | NASM24373 | CASTERS, RIGID AND SWIVEL, PRECISION PNEUMATIC TIRED[CUST: CR4 SA 99 IS] | A | 5340 | | IS | APR-98 |
| | MIL-C-13609B NOT 3 | CASTING SOLVENTS FOR OIO, OGK AND AHH PROPELLANTS[CUST: AR] | A | 1376 | | AR | 10-OCT-96 |
| | SAE-AMS2175 | CASTING, CLASSIFICATION AND INSPECTION OF[CUST: MR AS 11 IS] [REVIEW: 70 71 84 99 AR CR4 EA MI OS SH] | A | NDTI | | AS | 15-NOV-04 |
| A | ASME-Y14.8M | CASTINGS AND FORGINGS[CUST: AR OS 16] [REVIEW: 99 AT AV CR4 GL] | A | DRPR | | AR | 15-SEP-89 |
| | ASTM-A351/A351M | CASTINGS, AUSTENITIC, AUSTENITIC-FERRITIC (DUPLEX), FOR PRESSURE-CONTAINING PARTS[CUST: MR YD] [REVIEW: SH] | A | MECA | | YD | 15-DEC-93 |
| | ASTM-B22 | CASTINGS, BRONZE, FOR BRIDGES AND TURNTABLES[CUST: MR YD 11] [REVIEW: SH] | A | MECA | | YD | 15-FEB-93 |
| | ASTM-B66 | CASTINGS, BRONZE, FOR STEAM LOCOMOTIVE WEARING PARTS[CUST: MR YD 11] [REVIEW: SH] | A | MECA | | YD | 15-FEB-93 |
| | ASTM-A609/A609M | CASTINGS, CARBON, LOW-ALLOY, AND MARTENSITIC STAINLESS STEEL, ULTRASONIC EXAMINATION THEREOF[CUST: MR SH 11] | A | MECA | | MR | 15-DEC-91 |
| | ASTM-B584 | CASTINGS, COPPER ALLOY SAND, FOR GENERAL APPLICATIONS[CUST: MR YD] [REVIEW: 99 SH] | A | MECA | | YD | 15-DEC-93 |
| | ASTM-B505/B505M | CASTINGS, COPPER-BASE ALLOY, CONTINUOUS[CUST: MR YD] [REVIEW: SH] | A | MECA | | YD | 15-DEC-93 |
| | MIL-C-24707/5 | CASTINGS, DUCTILE IRON AND AUSTENITIC DUCTILE IRON[CUST: MR SH 11] [REVIEW: 84 AR AS MC MI OS] | A | MECA | | SH | 27-JAN-89 |
| | MIL-C-48147 NOT 2 | CASTINGS, FERRITIC MALLEABLE IRON FOR M151 WARHEAD[CUST: AR] | A | 1340 | | AR | 08-FEB-00 |
| | MIL-C-24707/4 | CASTINGS, FERROUS, AUSTENITIC MANGANESE (HADFIELD MANGANESE), (LOW MAGNETIC PERMEABILITY AND/OR WEAR RESISTANT)[CUST: MR SH 11] [REVIEW: 84 AR AS CR4 MC MI OS] | A | MECA | | SH | 27-JAN-89 |
| | MIL-C-24707/6 | CASTINGS, FERROUS, CHROMIUM STEEL, FOR PRESSURE-CONTAINING PARTS SUITABLE FOR HIGH-TEMPERATURE SERVICE[CUST: MR SH 11] [REVIEW: 84 AR AS CR4 MC MI OS] | A | MECA | | SH | 27-JAN-89 |
| | MIL-C-24707/3 | CASTINGS, FERROUS, CORROSION-RESISTANT, AUSTENITIC, CHROMIUM-NICKEL[CUST: MR SH 11] [REVIEW: 84 AR AS CR4 MC MI OS] | A | MECA | | SH | 27-JAN-89 |
| | MIL-C-24707/1 | CASTINGS, FERROUS, FOR MACHINERY AND STRUCTURAL APPLICATIONS[CUST: MR SH 11] [REVIEW: CR4] | A | MECA | | SH | 27-JAN-89 |
| | MIL-C-24707 SUP 1 | CASTINGS, FERROUS, GENERAL SPECIFICATION FOR[CUST: MR SH 11] [REVIEW: CR4] | A | MECA | | SH | 27-JAN-89 |
| | MIL-C-24707/2 | CASTINGS, FOR PRESSURE CONTAINING PARTS SUITABLE FOR HIGH TEMPERATURE SERVICE[CUST: MR SH 11] [REVIEW: 84 AR AS CR4 MC MI OS] | A | MECA | | SH | 27-JAN-89 |
| | ASTM-B427 | CASTINGS, GEAR BRONZE ALLOY[CUST: MR YD 11] | A | MECA | | YD | 15-FEB-93 |
| | ASTM-A48/A48M | CASTINGS, GRAY IRON[CUST: MR YD 99] | A | MECA | | MR | 15-JAN-93 |
| | ASTM-A436 | CASTINGS, GRAY IRON, AUSTENITIC[CUST: MR YD] | A | MECA | | YD | 27-JAN-84 |
| | ASTM-A47/A47M | CASTINGS, IRON, FERRITIC MALLEABLE[CUST: MR YD 99] [REVIEW: CG CR4 MC MI] | A | MECA | | YD | DEC-92 |
| | ASTM-A743/A743M | CASTINGS, IRON-CHROMIUM, IRON-CHROMIUM-NICKEL, CORROSION RESISTANT, FOR GENERAL APPLICATION[CUST: MR YD] [REVIEW: OS SH] | A | MECA | | MR | 15-DEC-93 |
| | ASTM-A744/A744M | CASTINGS, IRON-CHROMIUM-NICKEL, CORROSION RESISTANT, FOR SEVERE SERVICE[CUST: MR YD] [REVIEW: OS SH] | A | MECA | | MR | 15-JUN-94 |
| | SAE-AMS4842 | CASTINGS, LEADED BRONZE, SAND AND CENTRIFUGAL 80CU - 10SN - 9.5PB AS CAST[CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A | MECA | | MR | SEP-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-B403 | CASTINGS, MAGNESIUM-ALLOY INVESTMENT[CUST: MR AS 11] [REVIEW: AT CR CR4 IS MD OS] | A | MECA | | MR | 31-AUG-90 |
| | ASTM-E125 | CASTINGS, MAGNETIC PARTICLE INDICATIONS ON FERROUS[CUST: MR SH 11] [REVIEW: 99 AR AS AT MI] | A | NDTI | | MR | 30-SEP-63 |
| | ASTM-A494/A494M | CASTINGS, NICKEL AND NICKEL ALLOY[CUST: MR SH 11] | A | MECA | | SH | 03-OCT-94 |
| | MIL-C-24615A | CASTINGS, NICKEL-CHROMIUM-MOLYBDENUM-COLUMBIUM ALLOY[CUST: SH] | A | MECA | | SH | 14-OCT-88 |
| | MIL-C-24723 | CASTINGS, NICKEL-COPPER ALLOY[CUST: MR SH 11] [REVIEW: 99 AR CR CR4 GL IS MC] | A | MECA | | SH | 07-JUN-89 |
| | ASTM-B61 | CASTINGS, STEAM OR VALVE BRONZE[CUST: MR YD] | A | MECA | | YD | 15-FEB-93 |
| | MIL-C-24637(1) | CASTINGS, STEEL, MARTENSITIC, CORROSION-RESISTANT[CUST: SH] | F | MECA | | SH | 24-FEB-88 |
| | ASTM-B367 | CASTINGS, TITANIUM AND TITANIUM ALLOY[CUST: MR SH 11] | A | MECA | | SH | 15-AUG-93 |
| | MIL-PRF-63013E(1) | CATALOGS, SUPPLY: SETS, KITS, AND OUTFITS[CUST: TM] [REVIEW: AT CR EA MI] | A | TMSS | | TM | 25-NOV-02 |
| | STANAG-2928 ED.4(2) | CATALOGUE OF AMMUNITIONS HELD BY NATIONS THAT SATISFY INTERCHANGEABILITY CRITERIA OF FORM, FIT AND FUNCTION ONLY - AOP-6 | C | ISDA | | AI | 30-JUN-97 |
| | STANAG-1164 ED.2(3) | CATALOGUE OF MINE WARFARE COMPUTER PROGRAMS AMP-12 (NAVY) | C | ISDN | | NI | 11-NOV-81 |
| | MIL-C-85493 | CATALYST, BURN RATE 2, 2 BIS (ETHYLFERROCENYL) PROPANE[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 06-OCT-81 |
| | MIL-C-82734A(1) | CATAPULT, AIRCRAFT EJECTION SEAT CKU-5/A/A ASSEMBLY[CUST: OS] | A | 1377 | | OS | 14-MAY-90 |
| | MIL-DTL-82945A | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-10/A AND CKU-11/A ASSEMBLIES[CUST: OS] | A | 1377 | | OS | 21-JAN-97 |
| | MIL-C-82662(4) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-5/A ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 29-MAR-87 |
| | MIL-DTL-82876A(2) | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-5B/A ASSEMBLY[CUST: OS] | A | 1377 | | OS | 14-JUN-01 |
| A | MIL-DTL-32127A | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-5C/A ASSEMBLY[CUST: OS] | A | 1377 | | OS | 03-AUG-05 |
| | MIL-DTL-48568D(1) | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-7/A ASSEMBLY[CUST: OS] | A | 1377 | | OS | 17-DEC-03 |
| | MIL-DTL-32129 | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-7A/A ASSEMBLY[CUST: OS] | A | 1377 | | OS | 26-NOV-03 |
| | MIL-C-46395(4) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT, M9 ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 14-AUG-91 |
| | MIL-DTL-32183 | CATAPULT, AIRCRAFT EJECTION SEAT: CKU-5C/A REWORK ASSEMBLY[CUST: OS] | A | 1377 | | OS | 21-DEC-04 |
| | MIL-C-14884(3) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT: M37 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 14-AUG-91 |
| | MIL-HDBK-2066 NOT 2 | CATAPULTING AND ARRESTING GEAR FORCING FUNCTIONS FOR AIRCRAFT STRUCTURAL DESIGN[CUST: AS] | A | 1510 | | AS | 07-JAN-04 |
| | SAE-AS38386/4 | CATCH ASSEMBLY, AIR DUCT HOSE, GROUND COOLING[CUST: AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 16-DEC-99 |
| | A-A-30177 | CATHETER & NEEDLE UNIT, INTRAVENOUS (CRITIKON)[CUST: MD MS 03] | A | 6515 | * | MB | 28-MAY-92 |
| | A-A-51766 | CATHETER & NEEDLE UNIT, INTRAVENOUS, (18 GAGE CATHETER)[CUST: MD MS 03] | A | 6515 | / | MB | 04-DEC-86 |
| | A-A-50997 | CATHETER & NEEDLE UNIT, INTRAVENOUS, STERILE[CUST: MD MS 03] | A | 6515 | / | MB | 04-SEP-85 |
| | A-A-51513B | CATHETER AND CONNECTOR, SUCTION, TRACHEAL[CUST: MD MS 03] | A | 6515 | / | MB | 03-AUG-90 |
| | A-A-53010 | CATHETER AND NEEDLE UNIT, INTRAVENOUS (16 GAGE BY 24 INCH CATHETER, RADIOPAQUE, DISPOSABLE)[CUST: MD MS 03] | A | 6515 | / | MB | 08-JUN-87 |
| | A-A-54884 | CATHETER AND NEEDLE UNIT, INTRAVENOUS (CATHETER INTO NEEDLE)[CUST: MD MS 03] | A | 6515 | / | MB | 18-JUN-93 |
| | A-A-54737 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, 16 GAUGE, RADIOPAQUE, DISPOSABLE (CATHERER INTO NEEDLE)[CUST: MD MS 03] | A | 6515 | / | MB | 16-OCT-92 |
| | A-A-51469 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, 22 GAGE CATHETER, RADIOPAQUE, DISPOSABLE, 50S[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUN-86 |
| | A-A-53780/1 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 14 GAGE CATHETER, 50S[CUST: MD MS 03] | A | 6515 | / | MB | 18-APR-90 |
| | A-A-53780/2 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 16 GAGE CATHETER, 50S[CUST: MD MS 03] | A | 6515 | / | MB | 18-APR-90 |
| | A-A-53780/3 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 18 GAGE CATHETER, 50S[CUST: MD MS 03] | A | 6515 | / | MB | 18-APR-90 |
| | A-A-53780/4 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 20 GAGE CATHETER, 50S[CUST: MD MS 03] | A | 6515 | / | MB | 18-APR-90 |
| | A-A-53780/5 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 22 GAGE CATHETER, 50S[CUST: MD MS 03] | A | 6515 | / | MB | 18-APR-90 |
| | A-A-53780/6 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 24 GAGE CATHETER, 50S[CUST: MD MS 03] | A | 6515 | / | MB | 18-APR-90 |
| | A-A-53780 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 50S[CUST: MD MS 03] | A | 6515 | / | MB | 18-APR-90 |
| | A-A-54154 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, RADIOPAQUE, DISPOSABLE 50S (CATHETER INTO NEEDLE)[CUST: MD MS 03] | A | 6515 | / | MB | 17-MAY-90 |
| | A-A-53515 | CATHETER KIT, PACING, TRANSVENOUS (BIPOLAR)[CUST: MD MS 03] | A | 6515 | / | MB | 02-JUN-88 |
| | A-A-54232 | CATHETER, CARDIOVASCULAR (ARTERIAL EMBOLECTOMY)[CUST: MD MS 03] | A | 6515 | / | MB | 05-SEP-90 |
| | A-A-54206 | CATHETER, CARDIOVASCULAR (OCCLUSION)[CUST: MD MS 03] | A | 6515 | / | MB | 31-AUG-90 |
| | A-A-54207 | CATHETER, CARDIOVASCULAR (VENOUS THROMBECTOMY)[CUST: MD MS 03] | A | 6515 | / | MB | 10-SEP-90 |
| | A-A-54829 | CATHETER, CARDIOVASCULAR, FLOW DIRECTED, THERMODILUTION[CUST: MD MS 03] | A | 6515 | / | MB | 19-MAR-93 |
| | A-A-51884 | CATHETER, CHOLANGIOGRAM (PLASTIC)[CUST: MD MS 03] | A | 6515 | / | MB | 23-MAR-87 |
| | ASTM-F623 | CATHETER, FOLEY[CUST: MD MS 03 MB] | A | 6515 | | MB | 10-OCT-99 |
| | A-A-54954 | CATHETER, URETHAL (METAL, LEFORT)[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-94 |
| | A-A-53634 | CATHETER, URETHRAL (FOLEY, CARSON TYPE)[CUST: MD MS 03] | A | 6515 | / | MB | 12-AUG-88 |
| | A-A-53422 | CATHETER, URETHRAL (RUBBER, WHISTLE TIP)[CUST: MD MS 03 MB] | A | 6515 | / | MB | 22-MAR-88 |
| | A-A-30117A | CATHETER, URETHRAL (TEFLON COATED)[CUST: MD MS 03] | A | 6515 | * | MB | 27-NOV-91 |
| | A-A-50994B | CATHETER, URETHRAL, (FOLEY-TYPE)[CUST: MD MS 03] | A | 6515 | / | MB | 10-JUL-90 |
| | A-A-50995 | CATHETER, URETHRAL, PLASTIC, DISPOSABLE ROUND TIP, ROBINSON-NELATON TYPE[CUST: MD MS 03] | A | 6515 | / | MB | 04-OCT-85 |
| | A-A-51489A | CATHETER, URETHRAL, RUBBER, FOLEY[CUST: MD MS 03] | A | 6515 | / | MB | 25-SEP-86 |
| | A-A-54652 | CATHETER, URETHRAL, X-RAY, WHISTLE TIP[CUST: MD MS 03] | A | 6515 | / | MB | 30-MAY-92 |
| | A-A-53534 | CATHETER-SPECIMEN COLLECTING UNIT, ENDOTRACHEAL (LUKENS)[CUST: MD MS 03] | A | 6515 | / | MB | 13-JUN-88 |
| | A-A-0051722 | CATHETERIZATION PACK, URETHRAL, DISPOSABLE, WITH BOTTOM OUTLET DRAINAGE BAG[CUST: MD MS 03] | A | 6515 | / | MB | 16-OCT-86 |
| | A-A-54633 | CATHETERIZATION SET, CARDIOVASCULAR[CUST: MD MS 03] | A | 6515 | / | MB | 30-MAY-92 |
| | A-A-55000 | CATHETERIZATION SET, CARDIOVASCULAR, RADIAL ARTERY[CUST: MD MS 03] | A | 6515 | / | MB | 15-FEB-95 |
| | A-A-51778A | CATHETERIZATION SET, URETHRAL[CUST: MD MS 03] | A | 6515 | / | MB | 10-APR-89 |
| | A-A-30099D | CATHETERIZATION SET, URETHRAL[CUST: MD MS 03] | A | 6515 | * | MB | 20-APR-93 |
| | A-A-54315 | CATHETERS, UMBILICAL[CUST: MD MS 03] | A | 6515 | / | MB | 11-JAN-91 |
| | STANAG-3504 ED.2 | CATHODE RAY TUBE HEAD-DOWN DISPLAYS (MONOCHROME) | C | ISDF | | 06 | 18-SEP-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-20346 | CATSUP (KETCHUP, CATCHUP), FLAVORED[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8950 | / | SS | 13-AUG-04 |
| | A-A-20291 | CAULIFLOWER FLORETS, FRESH CUT | A | 8915 | # | FV | 08-JAN-99 |
| M | A-A-272B | CAULKING COMPOUNDS[CUST: MR SH 99] | A | 8030 | * | MR | 22-NOV-05 |
| | ASTM-E1456 | CAUSTIC POTASH; SOLID (POTASSIUM HYDROXIDE; SOLID)[CUST: EA 68] [REVIEW: GS MD] | A | 6810 | | EA | 10-JUL-97 |
| | A-A-51008 | CAUTERY, BATTERY OPERATED[CUST: MD MS 03] | A | 6515 | / | MB | 10-OCT-85 |
| | A-A-51009 | CAUTERY, OPHTHALMIC, BATTERY OPERATED, LOW TEMPERATURE[CUST: MD MS 03] | A | 6515 | / | MB | 10-OCT-85 |
| | A-A-54398 | CAVITY LINING AND THINNER SET, DENTAL NITROCELLULOSE BASE[CUST: MD MS 03] | A | 6520 | / | MB | 30-APR-91 |
| | MIL-HDBK-753 | CB COLLECTIVE PROTECTION OF MOBILE VEHICLES, VANS AND SHELTERS[CUST: EA YD 99] [REVIEW: AS CE GS MC MD MI] | A | 4240 | | EA | 31-AUG-71 |
| | A-A-51423A | CEFOTAXIME SODIUM, STERILE, USP[CUST: MD MS 03] | A | 6505 | / | MB | 16-SEP-86 |
| | ASTM-E1264 | CEILING PRODUCTS, ACOUSTICAL[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 5640 | | IS | 29-JUL-88 |
| | ASTM-E580 | CEILING SUSPENSION SYSTEMS FOR ACOUSTICAL TILE AND LAY-IN PANELS IN AREAS REQUIRING SEISMIC RESTRAINT, APPLICATION OF[CUST: YD IS] [REVIEW: CE] | A | 5640 | | IS | JUL-91 |
| | ASTM-C635 | CEILINGS, ACOUSTICAL TILE AND LAY-IN PANEL, METAL SUSPENSION SYSTEMS FOR, STANDARD SPECIFICAITON FOR THE MANUFACTURE, PERFORMANCE, AND TESTING OF[CUST: YD] [REVIEW: CE CR4] | A | 5640 | | IS | 20-SEP-91 |
| | A-A-54334 | CELL WASHING SYSTEM[CUST: MD MS 03] | A | 6640 | / | MB | 04-FEB-91 |
| | MIL-PRF-32016A | CELL, GAS PHASE, ADSORBER[CUST: EA] | A | 4240 | | EA | 22-APR-02 |
| | ASTM-D707 | CELLULOSE ACETATE BUTYRATE MOLDING AND EXTRUSION COMPOUNDS[CUST: MR AS 11 GS] [REVIEW: AV CR EA MD MI OS] | A | 9330 | | IS | 27-JUL-84 |
| | ASTM-D1562 | CELLULOSE ACETATE PROPIONATE MOLDING AND EXTRUSION COMPOUNDS[CUST: MR 11 GS] [REVIEW: 99 GL MD] | A | 9330 | | IS | 20-MAY-91 |
| | ASTM-D1720 | CELLULOSE NITRATE SOLUTIONS, DILUTION RATIO OF ACTIVE SOLVENTS IN[CUST: MR SH 11] | A | 8010 | | MR | 15-MAY-93 |
| | MIL-C-48061 NOT 1 | CELLULOSE NITRATE, PLASTIC SHEETS[CUST: AR] | A | 1376 | | AR | 29-AUG-91 |
| | MIL-C-206A NOT 1 | CELLULOSE, COTTON (FOR USE IN EXPLOSIVES)[CUST: AR OS 99] [REVIEW: MR] | A | 1376 | | AR | 09-JUN-88 |
| | ASTM-D1348 | CELLULOSE, MOISTURE IN[CUST: EA OS 68] [REVIEW: GS] | A | 6810 | | OS | 15-OCT-94 |
| | A-A-54820 | CELLULOSE, OXIDIZED, REGENERATED, USP[CUST: MD MS 03] | A | 6510 | / | MB | 16-APR-93 |
| | JAN-C-677(2) | CELLULOSE, REGENERATED, STRIP (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 11-DEC-51 |
| | A-A-59225 NOT 1 | CELLULOSE, WOODPULP[CUST: AR] | A | 1320 | / | AR | 14-FEB-03 |
| | MIL-C-20330A(1) NOT 1 | CELLULOSE, WOODPULP (SULFATE)[CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 12-FEB-87 |
| | MIL-C-216B NOT 1 | CELLULOSE, WOODPULP (SULFITE)[CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 15-DEC-99 |
| | ASTM-C311 | CEMENT CONCRETE, IN PORTLAND, SAMPLING AND TESTING FLY ASH OR NATURAL POZZOLANS FOR USE AS A MINERAL ADMIXTURE[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 03-OCT-94 |
| | ASTM-C1107 | CEMENT GROUT (NONSHRINK), HYDRAULIC-PACKAGED DRY[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 03-OCT-94 |
| | AWWA-C205 | CEMENT MORTAR PROTECTIVE LINING & COATING FOR STEEL WATER PIPE - 4 INCH & LARGER - SHOP APPLIED[CUST: YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 27-APR-87 |
| | ASTM-C109/C109M | CEMENT MORTARS, COMPRESSIVE STRENGTH OF HYDRAULIC (USING 2-IN.) OR (50-MM) CUBE SPECIMENS)[CUST: CE YD 99 IS] | A | 5610 | | IS | 15-SEP-94 |
| | A-A-53653 | CEMENT POWDER, ZINC OXIDE, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 19-AUG-88 |
| | ASTM-C227 | CEMENT, AGGREGATE COMBINATIONS (MORTAR-BAR METHOD), POTENTIAL ALKALI REACTIVITY OF[CUST: CR4 YD 99 IS] [REVIEW: 11 CE MC] | A | 5610 | | IS | 28-JUN-91 |
| | ASTM-C226 | CEMENT, AIR-ENTRAINING PORTLAND, AIR-ENTRAINING ADDITIONS FOR USE IN THE MANUFACTURE OF[CUST: YD 99 IS] [REVIEW: CE] | A | 5610 | | IS | 10-JUL-96 |
| | SS-C-153C | CEMENT, BITUMINOUS, PLASTIC[CUST: YD] [REVIEW: CE CR4] | A | 5610 | % | FSS | 13-DEC-74 |
| | ASTM-D4022 | CEMENT, COAL TAR ROOF, STANDARD SPECIFICATION FOR[CUST: CR4 YD 99 IS] [REVIEW: CE EA] | A | 5610 | | IS | 09-MAR-92 |
| | ADA8 | CEMENT, DENTAL ZINC - PHOSPHATE[CUST: MD MS 03 MB] | A | 6520 | | MB | 15-SEP-77 |
| | MIL-PRF-24176C | CEMENT, EPOXY, METAL REPAIR AND HULL SMOOTHING (METRIC)[CUST: CR4 SH] | A | 8030 | | SH | 14-OCT-04 |
| | QPL-24176-33 | CEMENT, EPOXY, METAL REPAIR AND HULL SMOOTHING (METRIC) | A | 8030 | | SH | 09-AUG-01 |
| | ASTM-C61/C61M | CEMENT, GYPSUM KEENE'S[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 15-AUG-93 |
| | ASTM-C188 | CEMENT, HYDRAULIC, DENSITY OF[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 27-OCT-89 |
| | ASTM-C183 | CEMENT, HYDRAULIC, SAMPLING AND THE AMOUNT OF TESTING OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC SH] | A | 5610 | | IS | 26-NOV-88 |
| | MIL-C-2861E | CEMENT, INSULATION, HIGH TEMPERATURE[CUST: CR4 SH 99] [REVIEW: MI] | A | 5640 | | SH | 05-AUG-88 |
| | ASTM-C91 | CEMENT, MASONRY[CUST: CE YD 99 IS] | A | 5610 | | IS | 15-APR-93 |
| | SS-C-1960/1A | CEMENT, MASONRY | A | 5610 | # | FSS | 24-MAY-77 |
| | AWWA-C104 | CEMENT, MORTAR LINING FOR DUCTILE IRON PIPE AND FITTINGS FOR WATER[CUST: CR4 YD 99 IS] [REVIEW: MC] | A | 5610 | | IS | 22-JAN-95 |
| | JAN-C-99(1) NOT 2 | CEMENT, PETTMAN[CUST: AR OS] [REVIEW: EA] | A | 1395 | | AR | 21-MAY-97 |
| | ASTM-C196 | CEMENT, THERMAL INSULATING, EXPANDED OR EXFOLIATED VERMICULITE[CUST: YD 99 IS] [REVIEW: MC] | A | 5640 | | IS | 15-JUL-93 |
| | ASTM-C195 | CEMENT, THERMAL INSULATING, MINERAL FIBER[CUST: YD 99] [REVIEW: EA MI SH] | A | 5640 | | IS | 19-OCT-90 |
| | A-A-52469 | CEMENT, TREAD, RUBBER (METRIC)[CUST: AT] | A | 2640 | / | AT | 28-JUL-93 |
| | A-A-54115 | CEMENT, ZINC OXIDE AND EUGENOL, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 21-MAR-90 |
| | A-A-53384A | CEMENT, ZINC OXIDE AND EUGENOL, DENTAL (ENCAPSULATED)[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | A-A-54273 | CEMENT, ZINC OXIDE AND EUGENOL, DENTAL (INTERMEDIATE RESTORATIVE MATERIAL) [CUST: MD MS 03] | A | 6520 | / | MB | 31-OCT-90 |
| | A-A-53123 | CEMENT, ZINC OXIDE AND EUGENOL, DENTAL (TEMPORARY)[CUST: MD MS 03] | A | 6520 | / | MB | 17-AUG-87 |
| | A-A-50981 | CEMENT, ZINC PHOSPHATE, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUL-85 |
| | A-A-54441 | CEMENT, ZINC POLYCARBOXYLATE, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUL-91 |
| | ASTM-C595 | CEMENTS, BLENDED HYDRAULIC[CUST: CR4 YD 99 IS] [REVIEW: CE SH] | A | 5610 | | IS | 15-FEB-94 |
| | ASTM-D2564 | CEMENTS, SOLVENT, FOR POLY(VINYL CHLORIDE) (PVC) PLASTIC PIPING SYSTEMS[CUST: MR SH 99] [REVIEW: 84 AS CR4 EA MD MI] | A | 8040 | | SH | 15-APR-93 |
| | ASTM-D3138 | CEMENTS, SOLVENT, FOR TRANSITION JOINTS BETWEEN ACRYLONITRILE-BUTADIENE-STYRENE (ABS) AND POLY(VINYL CHLORIDE) (PVC) NON-PRESSURE PIPING COMPONENTS[CUST: CR4 YD 99] [REVIEW: SH] | A | 4710 | | CC | 15-MAR-93 |
| | DI-FNCL-80540A | CENTRAL FOOD PREPARATION FACILITY MONETARY RECORD [AMSC: F7053] | A | FNCL | | 10 | 14-NOV-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-1003/6 | CENTRAL HEATING PLANTS[CUST: YD] | A | FACR | | YD | 15-JAN-91 |
| | ARI610 | CENTRAL SYSTEM HUMIDIFIERS FOR RESIDENTIAL APPLICATIONS[CUST: CR4 YD 99] [REVIEW: GS] | A | 4130 | | IS | 11-JUL-91 |
| | A-A-51420 | CENTRIFUGE, LABORATORY[CUST: EA MS 99] | A | 6640 | / | MB | 18-APR-86 |
| | A-A-53317 | CENTRIFUGE, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 28-DEC-87 |
| | A-A-54473 | CENTRIFUGE, LABORATORY (HEMATOLOGY)[CUST: MD MS 03] | A | 6640 | / | MB | 19-AUG-91 |
| | A-A-51351 | CENTRIFUGE, LABORATORY (MICROHEMATOCRIT, BATTERY POWERED)[CUST: MD MS 03] | A | 6640 | / | MB | 28-FEB-86 |
| | A-A-51525A | CENTRIFUGE, LABORATORY (SMALL)[CUST: MD MS 03] | A | 6640 | / | MB | 18-JUN-90 |
| | A-A-54783 | CENTRIFUGE, LABORATORY GENERAL PURPOSE[CUST: MD MS 03] | A | 6640 | / | MB | 25-JAN-94 |
| | A-A-53200 | CENTRIFUGE, LABORATORY(HAND HELD)[CUST: MD MS 03] | A | 6640 | / | MB | 21-SEP-87 |
| | A-A-54080 | CENTRIFUGE, LABORATORY, MICRO-HEMATOCRIT[CUST: MD MS 03] | A | 6640 | / | MB | 30-JAN-90 |
| | ASTM-D116 | CERAMIC MATERIALS VITRIFIED FOR ELECTRICAL APPLICATIONS[CUST: CR SH 11] | A | 5970 | | GS2 | 31-OCT-86 |
| | ASTM-C499 | CERAMIC WALL AND FLOOR TILE, FLAT, RECTANGULAR, FACIAL DIMENSIONS AND THICKNESS OF[CUST: MR YD 99] | A | 5620 | | MR | 03-OCT-94 |
| | ASTM-C408 | CERAMICS, THERMAL CONDUCTIVITY OF WHITEWARE[CUST: CR SH 11] [REVIEW: AR] | A | 5970 | | GS2 | 30-SEP-88 |
| A | A-A-20022C | CEREAL FOR BABIES, INSTANT | A | 8920 | # | FV | 13-JUN-05 |
| | A-A-20301A | CEREAL TREATS, MARSHMALLOW | A | 8920 | # | FSS | 21-DEC-04 |
| | A-A-20000B | CEREAL, PREPARED, READY-TO-EAT[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8920 | * | GL | 14-MAR-95 |
| | A-A-20090C | CEREALS, ROLLED OATS[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8920 | / | SS | 09-FEB-04 |
| M | A-A-20108B | CEREALS, WHEAT, QUICK-COOKING AND INSTANT[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8920 | * | GL | 07-NOV-05 |
| | DI-MISC-81356 | CERTIFICATE OF COMPLIANCE [AMSC: N6949] | A | MISC | | SH | 20-JUL-93 |
| | DI-MGMT-81327 | CERTIFICATE OF DELETION [AMSC: F6907] | A | MGMT | | 10 | 17-MAR-93 |
| | DI-MGMT-80855 | CERTIFICATE OF MOBILE DEPOT MAINTENANCE ACCOMPLISHED [AMSC: F4751] | A | MGMT | | 33 | 13-JUN-89 |
| | DI-MGMT-80910 | CERTIFICATE OF SERVICES TECHNICAL ASSISTANCE ACTIVITY REPORT [AMSC: A4843] | A | MGMT | | AM | 06-OCT-89 |
| | SAE-J690 | CERTIFICATES OF MAXIMUM NET HORSEPOWER FOR MOTOR TRUCKS AND TRUCK TRACTORS[CUST: AT YD 99] | A | 2320 | | 84 | JAN-41 |
| | DI-MISC-81020 | CERTIFICATION DATA FOR NON-NUCLEAR LEVEL I MATERIAL [AMSC: N4960] | A | MISC | | SH | 11-JUN-90 |
| | DI-RELI-80323 | CERTIFICATION DEMONSTRATION PROCEDURES [AMSC: N4071] | A | SESS | | SA | 20-FEB-87 |
| | DI-MISC-80678 | CERTIFICATION/DATA REPORT [AMSC: N4533] | A | MISC | | SH | 12-SEP-88 |
| | AMCA511 | CERTIFIED RATINGS PROGRAM FOR AIR CONTROL DEVICES[CUST: YD] | A | 4140 | | IS | 01-JUN-92 |
| | MIL-C-85003B(1) | CHAFF CARTRIDGE (TYPE RR-( )/AL), GENERAL SPECIFICATION FOR[CUST: AS] | A | 5865 | | AS | 21-OCT-86 |
| | MIL-C-85003/129 NOT 1 | CHAFF CARTRIDGE (TYPE RR-129/ALE)[CUST: AS] | A | 5865 | | AS | 17-OCT-91 |
| | MIL-C-85001B NOT 1 | CHAFF ROLL (TYPE RR-( )/AL), GENERAL SPECIFICATION FOR[CUST: AS 99] | A | 5865 | | AS | 17-OCT-91 |
| | MIL-C-85001/171 NOT 1 | CHAFF ROLL (TYPE RR-171/ALE)[CUST: AS] | A | 5865 | | AS | 17-OCT-91 |
| | MIL-C-85001/172 NOT 1 | CHAFF ROLL (TYPE RR-172/ALE)[CUST: AS] | A | 5865 | | AS | 17-OCT-91 |
| | MIL-C-85691 | CHAFF ROVING BUNDLE (TYPE RR-( )/AL), GENERAL SPECIFICATION FOR[CUST: AS] | A | 5865 | | AS | 12-NOV-86 |
| | MIL-C-85691/1 | CHAFF ROVING BUNDLE (TYPE RR-179/AL)[CUST: AS] | A | 5865 | | AS | 12-NOV-86 |
| | MIL-C-85728 | CHAFF, COUNTERMEASURES ( TYPE RR-()/AL), GENERAL SPECIFICATION FOR[CUST: AS] | A | 5865 | | AS | 18-MAR-87 |
| | MIL-C-85699 | CHAFF, COUNTERMEASURES, AIR LAUNCH, TYPE RR-( )/AL GENERAL SPECIFICATION FOR[CUST: AS] | A | 5865 | | AS | 13-OCT-87 |
| | NAS1201 | CHAIN - BEAD COMPONENTS AND ASSEMBLY[CUST: AV AS 11] [REVIEW: GS IS] | A | 4010 | | AS | 20-MAY-83 |
| | MIL-DTL-6458E | CHAIN ASSEMBLIES, SINGLE LEG, AIRCRAFT CARGO TIE DOWN[CUST: AV AS 99] [REVIEW: 71] | A | 1670 | | GS1 | 14-FEB-03 |
| | A-A-52507 NOT 1 | CHAIN ASSEMBLY AND CROSS CHAIN, TIRE: FOR MILITARY VEHICLES[CUST: AT 99] [REVIEW: 84 CC] | A | 2540 | / | AT | 14-APR-04 |
| | QPL-8703-4 | CHAIN ASSEMBLY, SINGLE LEG, 10,000-LB CAPACITY, FOR USE WITH TYPE MC-1 CARGO TIE DOWN | A | 1670 | | 11 | 02-DEC-81 |
| | ASME-HST1 | CHAIN HOISTS, ELECTRIC[CUST: AV SH 99] [REVIEW: 84 CC MC MP OS SA] | A | 3950 | | SH | 18-FEB-03 |
| | ASME-HST3 | CHAIN HOISTS, MANUALLY LEVER OPERATED[CUST: SH 99] [REVIEW: 84 CC CG MC MP SA YD] | A | 3950 | | SH | 18-FEB-03 |
| | ASTM-F552 | CHAIN LINK FENCING[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 5660 | | IS | 25-OCT-89 |
| | A-A-59663 | CHAIN SAW (PORTABLE, GASOLINE-ENGINE-DRIVEN)[CUST: AT YD 99 GS6] [REVIEW: CR GL MC MD] | A | 3695 | / | GS6 | 05-JUN-01 |
| | A-A-59662 | CHAIN SAW (PORTABLE, PNEUMATIC-MOTOR-DRIVEN)[CUST: AT YD 99] [REVIEW: CR GL MC MD] | A | 3695 | / | GS6 | 05-JUN-01 |
| | ASTM-F765 | CHAIN, ANCHOR SHIP, WILDCATS[CUST: SH] | A | 8040 | | SH | 15-MAR-93 |
| | SAE-J697 | CHAIN, SAFETY, OF FULL TRAILERS OR CONVERTER DOLLIES[CUST: AT 99] [REVIEW: YD] | A | 2330 | | AT | MAY-88 |
| | MIL-C-24774 | CHAIN, STUD LINK, ANCHOR, FLASH BUTT WELDED, NONMAGNETIC[CUST: SH] [REVIEW: GS] | A | 4010 | | SH | 07-JUL-92 |
| | ASTM-A466/A466M | CHAIN, WELDLESS[CUST: AT SH 99] [REVIEW: GS] | A | 4010 | | SH | 03-OCT-94 |
| | NAS1455 | CHAIN, WELDLESS FLAT TYPE LINK[CUST: CR4 SH 99 GS5] | A | 4010 | | GS5 | APR-61 |
| | NAS1396 | CHAIN-WELDED TWIST LINK, SHORT LINK PATTERN[CUST: CR4 SH 99 GS5] | A | 4010 | | GS5 | MAY-61 |
| | RR-C-271D(1) | CHAINS AND ATTACHMENTS, WELDED AND WELDLESS[CUST: SH 99 GS] [REVIEW: 71 DS] | A | 4010 | / | SH | 29-NOV-95 |
| | MIL-DTL-18295F | CHAINS AND FITTINGS FOR FLEET MOORING[CUST: CR4 YD] [REVIEW: CG GS IS SH] | A | 4010 | | YD | 30-JAN-98 |
| | ASME-B29.1M | CHAINS, ATTACHMENTS, AND SPROCKETS, PRECISION POWER TRANSMISSION ROLLER[CUST: CR4 YD 99] | A | 3020 | | CC | 30-DEC-93 |
| | MIL-C-36570 NOT 1 | CHAIR[CUST: MD MS 03] | A | 6530 | | MB | 15-JUN-89 |
| | MIL-C-37021 | CHAIR AND STOOL UNIT, DENTAL OPERATING, PORTABLE, IN CARRYING CASE[CUST: MD MS 03] | A | 6520 | | MB | 07-JAN-74 |
| | A-A-30193 | CHAIR, BATHTUB AND SHOWER[CUST: MD MS 03] | A | 6530 | * | MB | 08-JAN-93 |
| | A-A-54284 | CHAIR, HOSPITAL WARD METAL[CUST: MD MS 03] | A | 6530 | / | MB | 23-NOV-90 |
| | AA-C-00295A(2) | CHAIR, ROTARY, STEEL, TUBULAR SPECIAL PURPOSE | A | 7110 | # | FSS | 07-AUG-69 |
| | A-A-701A | CHAIR, SHELL, ROTARY, LOW BACK | A | 7110 | # | FSS | 23-FEB-83 |
| | A-A-703A | CHAIR, SHELL, ROTARY, SECRETARIAL | A | 7110 | # | FSS | 23-FEB-83 |
| | A-A-702A | CHAIR, SHELL, ROTARY, SIDE | A | 7110 | # | FSS | 23-FEB-83 |
| | A-A-53896 | CHAIR, SITZ BATH[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAY-89 |
| | A-A-53091 | CHAIR, WHIRLPOOL BATH[CUST: MD MS 03] | A | 6530 | / | MB | 31-AUG-87 |
| | AA-C-300A(1) | CHAIR, WOOD, EXECUTIVE OFFICE | A | 7110 | # | FSS | 10-DEC-53 |
| | A-A-700A | CHAIR,SHELL, ROTARY, HIGH BACK | A | 7110 | # | FSS | 23-FEB-83 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ADA46 | CHAIRS, DENTAL[CUST: MD MS 03 MB] | A | 6520 | | MB | 06-JUL-82 |
| | A-A-710 | CHAIRS, EASY (RECLINERS) | A | 7105 | # | FSS | 07-MAY-81 |
| | A-A-3083 | CHAIRS, FOLDING (STEEL) | A | 7105 | # | FSS | 26-APR-00 |
| | A-A-3180 | CHAIRS, ROTARY AND STRAIGHT (STEEL, GENERAL OFFICE) | A | 7110 | # | FSS | 20-AUG-99 |
| | AA-C-293C | CHAIRS, ROTARY AND STRAIGHT, (STEEL, GENERAL OFFICE) | A | 7110 | # | FSS | 29-JAN-90 |
| | A-A-3113 | CHAIRS, ROTARY, STEEL, TUBULAR, SPECIAL PURPOSE | A | 7105 | # | FSS | 06-JAN-97 |
| | AA-C-00300F | CHAIRS, WOOD, EXECUTIVE OFFICE, TRADITIONAL | A | 7110 | # | FSS | 10-JUL-90 |
| | A-A-2525A | CHALK LINE AND REEL (SELF-CHALKING) | A | 5210 | # | FSS | 16-MAY-02 |
| | GGG-C-291A | CHALK LINE AND REEL (SELF-CHALKING) | A | 5210 | # | FSS | 01-MAR-63 |
| | SS-C-00255A | CHALK, CARPENTER S AND RAILROAD | A | 7510 | # | FSS | 10-JAN-69 |
| | SS-C-255 | CHALK, CARPENTERS AND RAILROAD | A | 7510 | # | FSS | 30-AUG-49 |
| | SS-C-266F | CHALK, MARKING, WHITE AND COLORED | A | 7510 | # | FSS | 20-AUG-73 |
| | A-A-50825 | CHAMBER, COUNTING, BLOOD CELLS, HEMACYTOMETER[CUST: MD MS 03] | A | 6630 | * | MB | 02-DEC-81 |
| | A-A-53439 | CHAMBER, X-RAY FILM PROCESSING[CUST: MD MS 03] | A | 6525 | / | MB | 29-APR-88 |
| | KK-C-300C(2) NOT 1 | CHAMOIS, LEATHER, SHEEPSKIN, OIL TANNED[CUST: GL NU 99] [REVIEW: AV EA MC MD MI] | A | 8330 | / | CT | 22-APR-89 |
| | DI-SDMP-81266 | CHANGE NOTICE TO FEDERAL STANDARD [AMSC: A6734] | A | SDMP | | AM | 28-APR-92 |
| | DI-MGMT-81326 | CHANGES TO THE EJ/FJ STOCK RECORD ACCOUNT NUMBER (SRAN) DIRECTORY [AMSC: F6906] | A | MGMT | | 10 | 17-MAR-93 |
| | SAE-AMS10137 | CHANNEL EXTRUDED[CUST: 99] | A | 9540 | | 84 | 24-FEB-04 |
| | MIL-DTL-29469A | CHAPLAIN'S KIT - COMBAT[CUST: MC] | A | 9925 | | MC | 02-APR-98 |
| | API-MPMS-CH-11.1.13 | CHAPTER 11.1, VOLUME XIII, JANUARY 1982; REAFFIRMED AUGUST 1987 (ANSI/ASTM-D1250) (IP-200) (API-STD-2540)[CUST: AV SH 11] | A | 9150 | | PS | 31-JAN-92 |
| | API-MPMS-CH-11.1.14 | CHAPTER 11.1, VOLUME XIV, JANUARY 1982; REAFFIRMED AUGUST 1987 (ANSI/ASTM-D1250) (IP200) (API-STD2540)[CUST: AV SH 11] | A | 9150 | | PS | 31-JAN-92 |
| | API-MPMS-CH-11.1.77 | CHAPTER 11.1.77, EXTRAPOLATED TABLE 6 DEGREE TO -50 DEGREE F, VOLUME REDUCTION FACTORS (FORMERLY CHAPTER 11.1.6A), 1976; REAFFIRMED AUGUST 1987[CUST: AV SH 11] | A | 91GP | | PS | 31-JAN-92 |
| | IPC-TM650.2.5.5.7 | CHARACTERISTIC IMPEDANCE OF LINES ON PRINTED BOARDS BY TDR[CUST: CR EC 11 CC] [REVIEW: 71 99 NA] | A | 5998 | | CC | 22-MAR-05 |
| | STANAG-4285 ED.1(2) | CHARACTERISTICS OF 1200/2400/3600 BITS PER SECOND SINGLE TONE MODULATORS/DEMODUTATIONS FOR HF RADIO LINKS (INCLUDING AMENDMENTS 1 AND 2) | C | ISDA | | AI | 16-FEB-89 |
| | MIL-STD-1275B NOT 1 | CHARACTERISTICS OF 28 VOLT DC ELECTRICAL SYSTEMS IN MILITARY VEHICLES[Interface Standard][CUST: AT] [REVIEW: CC CR TE] | A | 2920 | | AT | 20-APR-04 |
| | QSTAG-900 ED.1 | CHARACTERISTICS OF A FUTURE MULTI-ROLE MORTAR FUSE[CUST: AI] | C | ISDA | | AI | 29-JAN-93 |
| | STANAG-4415 ED.1 | CHARACTERISTICS OF A ROBUST, NON-HOPPING, SERIAL TONE MODULATOR/DEMODULATOR FOR SEVERELY DEGRADED HF RADIO LINKS | C | ISDA | | AI | 20-MAY-98 |
| | STANAG-3467 ED.2(1) | CHARACTERISTICS OF AIR TRANSPORT (AIRLANDED) PALLETS FOR CARRIAGE INTERNALLY | C | ISDF | | 06 | 15-MAY-95 |
| | STANAG-7029 ED.1 | CHARACTERISTICS OF AIRCRAFT FUELLING HOSES AND COUPLINGS | C | ISDF | | 06 | 23-MAR-01 |
| | STANAG-3367 ED.1(2) | CHARACTERISTICS OF BREATHING GAS SUPPLIED BY MOLECULAR SIEVE OXYGEN CONCENTRATING SYSTEMS (MSOCS) AND SUPPLY EQUIPMENT | C | ISDF | | 06 | PENDING |
| | STANAG-3610 ED.2(1) | CHARACTERISTICS OF CONDITIONED BREATHABLE AIR SUPPLIED TO AIRCRAFT ON THE GROUND | C | ISDF | | 06 | 05-DEC-97 |
| | STANAG-7106 ED.1 | CHARACTERISTICS OF GASEOUS BREATHING OXYGEN, LIQUID BREATHING OXYGEN AND SUPPLY PRESSURES AND HOSES | C | ISDF | | 06 | 19-DEC-02 |
| | STANAG-7127 ED.2(1) | CHARACTERISTICS OF HIGH QUALITY GASEOUS AND LIQUID ARGON FOR ALL APPLICATIONS | C | ISDF | | 06 | PENDING |
| | STANAG-4168 ED.1(4) | CHARACTERISTICS OF HYDROGEN GENERATING EQUIPMENT (INCLUDING AMENDMENT 4) | C | ISDA | | AI | 02-SEP-85 |
| | STANAG-1314 ED.1(1) | CHARACTERISTICS OF NATO EXERCISE AND TRAINING MINES - AMP-13 VOLUME III (INCLUDING AMENDMENT 1) | C | ISDN | | NI | 03-JUN-87 |
| | STANAG-1312 ED.2(2) | CHARACTERISTICS OF NATO SEA MINES - AMP-13 VOLUME II (INCLUDING AMENDMENT 2) | C | ISDN | | NI | 12-JUL-94 |
| | STANAG-3624 ED.3 | CHARACTERISTICS OF OIL-FREE COMPRESSED NITROGEN, SUPPLY PRESSURE AND HOSES | C | ISDF | | 06 | 11-MAY-98 |
| | STANAG-1008 ED.8(1) | CHARACTERISTICS OF SHIPBOARD ELECTRICAL POWER SYSTEMS IN WARSHIPS OF THE NORTH ATLANTIC TREATY NAVIES | D | ISDN | | NI | 03-AUG-94 |
| | STANAG-4529 ED.1 | CHARACTERISTICS OF SINGLE TONE MODULATORS/DEMODULATORS FOR MARITIME HF RADIO LINKS WITH 1240 HZ BANDWIDTH | C | ISDN | | NI | 20-JAN-98 |
| | STANAG-3499 ED.2(3) | CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID OXYGEN | C | ISDF | | 06 | 16-OCT-97 |
| | A-A-59138 | CHARCOAL (FOR USE IN AMMUNITION)[CUST: AR OS] [REVIEW: GS] | A | 6810 | / | OS | 25-SEP-98 |
| | MIL-C-24496A | CHARCOAL, ACTIVATED, HIGH PURITY (U) (ISSUE CONTROLLED)[CUST: SH] [REVIEW: GS] | F | 6810 | | SH | 31-AUG-90 |
| | MIL-C-17605C(1) NOT 1 | CHARCOAL, ACTIVATED, UNIMPREGNATED[CUST: SH] [REVIEW: DS GS] | A | 6810 | | SH | 22-MAR-89 |
| | LLL-C-251A | CHARCOAL, WOOD | A | 9110 | # | FSS | 26-AUG-69 |
| | MIL-C-48670(4) | CHARGE ASSEMBLY FOR M207E5 OR M207E6 WARHEADS INERT PARTS, FOR[CUST: AR] | A | 1336 | | AR | 29-MAY-92 |
| | MIL-C-50525 NOT 1 | CHARGE ASSEMBLY, DEMOLITION, M183 WITH CHARGE, DEMOLITION M112, PARTS FOR, LOADING, ASSEMBLY, AND PACKING[CUST: AR] | A | 1375 | | AR | 01-JUL-99 |
| | MIL-C-60327A(2) | CHARGE ASSEMBLY, EXPELLING, FOR CARTRIDGE, 105MM, ILLUMINATING, M314A2E1[CUST: AR] | A | 1315 | | AR | 20-APR-90 |
| | MIL-C-70729 | CHARGE PROOF, 155MM, PXR-6297A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 31-MAR-89 |
| | MIL-C-70462C(8) | CHARGE PROPELLING, 155MM, M203A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 08-DEC-93 |
| | MIL-C-60996A NOT 1 | CHARGE, DEMOLITION ROLL, M186 PARTS, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 09-MAY-86 |
| | MIL-C-12918C NOT 2 | CHARGE, DEMOLITION, BLOCK, M5A1, ASSEMBLY PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-APR-96 |
| | MIL-C-46501C NOT 1 | CHARGE, DEMOLITION, LINEAR, M96 AND M58 LOADING AND ASSEMBLING[CUST: AR] | A | 1375 | | AR | 20-APR-90 |
| | MIL-C-50523(3) NOT 3 | CHARGE, DEMOLITION, M112 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 13-AUG-96 |
| | MIL-C-50850B | CHARGE, DEMOLITION, M118 PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 05-JAN-84 |
| | MIL-C-2156C NOT 1 | CHARGE, DEMOLITION, SHAPED, 15 LB. PRACTICE, M2A3 AND HE, M2A4 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 27-AUG-90 |
| | MIL-C-46594B(2) NOT 1 | CHARGE, DEMOLITION, SHAPED, 40 LB., M3A1 AND M3 PRACTICE, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 14-JUN-91 |
| | MIL-C-46550C(1) | CHARGE, DEMOLITION, SHAPED, 40LB., M3A1 AND M3 PRACTICE METAL PARTS ASSEMBLY[CUST: AR] | A | 1375 | | AR | 14-JUL-89 |
| | O-C-230(4) | CHARGE, FIRE EXTINGUISHER, FOAM[CUST: YD] [REVIEW: CC] | A | 4210 | * | YD | 12-SEP-61 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-85254 | CHARGE, LINEAR SHAPED[CUST: OS] | A | 1377 | | OS | 13-JUN-81 |
| | MIL-C-63405(4) | CHARGE, PROPELLING, 155MM, M119A2 LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1320 | | AR | 01-SEP-92 |
| | MIL-C-60418B(6) | CHARGE, PROPELLING, 155MM, M3A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 28-APR-93 |
| | MIL-C-60395C(3) | CHARGE, PROPELLING, 155MM, M4A2, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 01-SEP-92 |
| | MIL-C-48882D(3) | CHARGE, PROPELLING, 81MM PARTS AND CONTAINER ASSEMBLY[CUST: AR] | A | 1315 | | AR | 01-FEB-01 |
| | MIL-C-46679A(1) NOT 1 | CHARGE, PROPELLING, DUMMY, M4[CUST: AR] | A | 1320 | | AR | 18-APR-88 |
| | MIL-C-48360(5) | CHARGE, PROPELLING, M200, FOR 105MM HOWITZER, M119 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 30-SEP-98 |
| | MIL-C-48867B(4) | CHARGE, PROPELLING, M204 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 18-APR-94 |
| | MIL-C-48868E(3) | CHARGE, PROPELLING, M204 PARTS AND CONTAINER ASSEMBLY[CUST: AR] | A | 1310 | | AR | 30-JAN-01 |
| | MIL-C-48881B(3) | CHARGE, PROPELLING, M205 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 25-SEP-92 |
| | MIL-C-70545(2) | CHARGE, PROPELLING, M218/219/220 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 01-OCT-02 |
| | MIL-C-71144 | CHARGE, PROPELLING, M229, FOR 105MM HOWITZER LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 27-SEP-94 |
| | MIL-C-71035(2) | CHARGE, PROPELLING, M230 LOADING, ASSEMBLING AND PACKING[CUST: AR] | D | 1315 | | AR | 30-AUG-96 |
| | MIL-C-71034(2) | CHARGE, PROPELLING, M230 PARTS AND CONTAINER ASSEMBLY[CUST: AR] | D | 1315 | | AR | 30-AUG-96 |
| | MIL-C-60315B(4) | CHARGE, PROPELLING, M67 FOR 105MM HOWITZER LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 31-OCT-96 |
| | MIL-C-48097B NOT 3 | CHARGE, SPOTTING, PROJECTILE, CUP FOR[CUST: AR] | A | 1320 | | AR | 11-OCT-96 |
| | A-A-50799 NOT 1 | CHARGER ANALYZER FOR VENTED CELL NICKEL CADMIUM BATTERIES[CUST: 99 GS2] [REVIEW: 71] | A | 6130 | / | GS2 | 19-OCT-04 |
| | MIL-C-24095B(2) | CHARGER, BATTERY, AUTOMATIC, PORTABLE, RECTIFIER TYPE[CUST: SH] [REVIEW: GS] | A | 6130 | | SH | 18-MAR-86 |
| | NEMA-PE5 | CHARGERS, BATTERY, UTILITY TYPE[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | DOD-C-24529(6) | CHARGES, BATTERY, LIFT TRUCK AND PALLET TRANSPORTER BATTERY SERVICE (METRIC)[CUST: SH] [REVIEW: GS] | A | 6130 | | SH | 14-JAN-88 |
| | MIL-C-48254A(1) NOT 1 | CHARGES, EXPELLING, FOR PROJECTILE, 155MM, ILLUMINATING, M485A2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 22-MAY-91 |
| | MIL-C-52155C | CHARGES, FIRE EXTINGUISHER, ANTIFREEZE, CALCIUM LITHIUM CHLORIDE BASE AND LITHIUM CHLORIDE BASE[CUST: AV YD 99] [REVIEW: MC] | A | 4210 | | IS | 20-AUG-80 |
| | A-A-54336 | CHART SET, ANATOMICAL[CUST: MD MS 03] | A | 6910 | / | MB | 14-FEB-91 |
| | A-A-54885 | CHART SET, VISION ACUITY TESTING, CLINICAL AND SCREENING, DISTANT VISION[CUST: MD MS 03] | A | 6540 | / | MB | 13-AUG-93 |
| | A-A-51324 | CHART, VISION ACUITY TESTING, ASTIGMATIC AND ILLITERATE "E"[CUST: MD MS 03] | A | 6540 | / | MB | 26-DEC-85 |
| | A-A-51217 | CHART, VISION ACUITY TESTING, ASTIGMATIC DIAL, GREEN[CUST: MD MS 03] | A | 6540 | / | MB | 20-NOV-85 |
| | ASME-Y14.32.1M | CHASSIS FRAMES - PASSENGER CAR AND LIGHT TRUCK - GROUND VEHICLE PRACTICES[CUST: AR SA 16] [REVIEW: 99 AT CE MC NS OS] | A | DRPR | | AR | 08-FEB-95 |
| | MIL-DTL-62270B | CHASSIS, TANK: ARMORED VEHICLE, BRIDGE LAUNCHER, M48A5[CUST: AT] | A | 2350 | | AT | 21-AUG-98 |
| | MIL-DTL-45150L | CHASSIS, TRAILER, 2-WHEEL CART TYPE 1/4 TO 3 1/2 TON[CUST: AT MC] [REVIEW: CG CR4] | A | 2330 | | AT | 30-SEP-98 |
| | MIL-DTL-62267B | CHASSIS,TANK: ARMORED VEHICLE, BRIDGE LAUNCHER, M60A1[CUST: AT] | A | 2350 | | AT | 04-SEP-98 |
| | UL312 | CHECK VALVES FOR FIRE-PROTECTION SERVICE[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 4820 | | CC | 16-DEC-91 |
| | ASME-A17.2.1 | CHECKLIST FOR INSPECTION AND TEST OF ELECTRIC ELEVATORS[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASME-A17.2.2 | CHECKLIST FOR INSPECTION OF HYDRAULIC ELEVATORS[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | MIL-C-81222C(1) | CHECKLIST, FLIGHT CREW, PREPARATION OF[CUST: AS] | A | TMSS | | AS | 22-FEB-78 |
| | A-A-20096 | CHEESE BLEND, PIZZA | A | 8910 | # | FSS | 16-JUL-93 |
| A | A-A-20208A | CHEESE, CHEDDAR, REDUCED FAT | A | 8910 | # | FV | 07-SEP-05 |
| A | A-A-20248A | CHEESE, MOZZARELLA, LITE | A | 8910 | # | FV | 07-SEP-05 |
| | A-A-20347 | CHEESE, QUESO BLANCO | A | 8910 | # | FV | 20-DEC-04 |
| | A-A-20093A | CHEESECAKE, FROZEN AND MIX, NO BAKE[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8920 | * | GL | 28-MAR-05 |
| | DI-SAFT-80975 | CHEMICAL ACCIDENT OR INCIDENT REPORT [AMSC: A4928] | A | SAFT | | AM | 04-MAY-90 |
| | QSTAG-837 ED.2 | CHEMICAL AGENT MONITOR[CUST: AI] | C | ISDA | | AI | 22-MAR-00 |
| | MIL-DTL-53072C | CHEMICAL AGENT RESISTANT COATING (CARC) SYSTEM APPLICATION PROCEDURES AND QUALITY CONTROL INSPECTION[CUST: MR SH] [REVIEW: AR AT AV CG EA MC MD1 MI] | A | 8010 | | MR | 06-JUN-03 |
| | ASTM-E350 | CHEMICAL ANALYSIS OF CARBON STEEL, LOW-ALLOY STEEL, SILICON ELECTRICAL STEEL, INGOT IRON, WROUGHT IRON[CUST: MR YD 99] [REVIEW: 84 AS IS OS SH] | A | 95GP | | YD | 06-JUL-92 |
| | ASTM-E351 | CHEMICAL ANALYSIS OF CAST IRON-ALL TYPES[CUST: MR YD 99] [REVIEW: 84 AS IS] | A | 95GP | | YD | 15-JUL-93 |
| | ASTM-E62 | CHEMICAL ANALYSIS OF COPPER AND COPPER ALLOYS (PHOTOMETRIC METHODS), STANDARD METHODS FOR[CUST: MR YD 99] [REVIEW: 84 AS IS OS SH] | A | 95GP | | YD | JUN-92 |
| | ASTM-D283 | CHEMICAL ANALYSIS OF CUPROUS OXIDE AND COPPER PIGMENTS[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 26-OCT-84 |
| | ASTM-E354 | CHEMICAL ANALYSIS OF HIGH-TEMPERATURE, ELECTRICAL, MAGNETIC, AND OTHER SIMILAR IRON, NICKEL AND COBALT ALLOYS[CUST: MR YD 99] [REVIEW: 84 AS IS SH] | A | 95GP | | YD | 15-JUL-93 |
| | ASTM-D800 | CHEMICAL ANALYSIS OF INDUSTRIAL METAL CLEANING COMPOSITIONS[CUST: GL SH 68] [REVIEW: GS] | A | 6850 | | GL | 15-JUL-91 |
| | ASTM-C25 | CHEMICAL ANALYSIS OF LIMESTONE, QUICKLIME, AND HYDRATED LIME[CUST: EA 99] [REVIEW: 84 CE CR4 MC YD] | A | 5610 | | EA | 15-APR-93 |
| | ASTM-E76 | CHEMICAL ANALYSIS OF NICKEL-COPPER ALLOYS[CUST: MR YD 99] [REVIEW: 84 AS IS SH] | A | 95GP | | YD | 30-DEC-88 |
| | ASTM-C575 | CHEMICAL ANALYSIS OF SILICA REFRACTORIES[CUST: CR4 YD 99] | A | 9350 | | YD | 28-DEC-81 |
| | ASTM-C169 | CHEMICAL ANALYSIS OF SODA-LIME AND BOROSILICATE GLASS[CUST: EA GS3] [REVIEW: CR4 MD SH] | A | 6810 | | GS3 | 15-MAY-92 |
| | ASTM-E30 | CHEMICAL ANALYSIS OF STEEL, CAST IRON, OPEN-HEARTH IRON, AND WROUGHT IRON[CUST: MR YD 99] [REVIEW: 84 AS IS OS SH] | A | 95GP | | YD | 28-APR-89 |
| | ASTM-D1845 | CHEMICAL ANALYSIS OF STRONTIUM CHROMATE PIGMENT[CUST: MI AS 99] | A | 8010 | | AS | 25-APR-86 |
| | ASTM-E120 | CHEMICAL ANALYSIS OF TITANIUM AND TITANIUM ALLOYS[CUST: MR AS] [REVIEW: AT AV GS MI OS] | A | 3439 | | AS | 10-JAN-96 |
| | ASTM-D1301 | CHEMICAL ANALYSIS OF WHITE LEAD PIGMENTS[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 22-FEB-91 |
| | ASTM-D1394 | CHEMICAL ANALYSIS OF WHITE TITANIUM PIGMENTS, STANDARD TEST METHOD FOR[CUST: MR SH] [REVIEW: AS CG CR CR4 OS YD] | A | 8010 | | MR | 25-JUN-76 |
| | ASTM-E200 | CHEMICAL ANALYSIS, PREPARATION, STANDARDIZATION, AND STORAGE OF STANDARD AND REAGENT SOLUTIONS FOR[CUST: AR OS 68] [REVIEW: GS] | A | 6810 | | AR | 15-AUG-91 |
| | MIL-HDBK-1200 | CHEMICAL AND BIOLOGICAL (CB) AGENTS DETECTION AND MONITORING SYSTEMS[CUST: EA] [REVIEW: GS] | A | 6665 | | EA | 16-NOV-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-783 | CHEMICAL AND BIOLOGICAL (CB) CONTAMINATION AVOIDANCE AND DECONTAMINATION[CUST: EA] | A | 4230 | | EA | 15-OCT-90 |
| | ASTM-C889 | CHEMICAL AND MASS SPECTROGRAPHIC ANALYSIS OF NUCLEAR-GRADE GADOLINIUM OXIDE (GD203) POWDER[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | SH | 03-OCT-94 |
| | DI-FORG-81196 | CHEMICAL AND PHYSICAL PROPERTIES FOR FORGING OR CASTING ANALYSIS REPORT [AMSC: A6120] | A | FORG | | MR | 02-MAY-91 |
| | ASTM-D2022 | CHEMICAL AND SAMPLING ANALYSIS OF CHLORINE-CONTAINING BLEACHES[CUST: EA 68 GS3] [REVIEW: CR4 GL MD SH] | A | 6810 | | GS3 | 26-MAY-89 |
| | SAE-AMS2248 | CHEMICAL CHECK ANALYSIS LIMITS CORROSION AND HEAT RESISTANT STEELS AND ALLOYS, MARAGING AND OTHER HIGHLY-ALLOYED STEELS, AND IRON ALLOYS[CUST: MR AS 11] | A | 95GP | | MR | 01-OCT-93 |
| | SAE-AMS2269 | CHEMICAL CHECK ANALYSIS LIMITS NICKEL, NICKEL ALLOYS, AND COBALT ALLOYS[CUST: MR AS 11] | A | 95GP | | MR | AUG-94 |
| | SAE-AMS2249 | CHEMICAL CHECK ANALYSIS LIMITS TITANIUM AND TITANIUM ALLOYS[CUST: MR AS 11] | A | 95GP | | MR | 01-APR-92 |
| | MIL-STD-796A | CHEMICAL CLEANING OF MAIN AND AUXILIARY BOILERS (HYDROCHLORIC ACID METHOD[Standard Practice][CUST: SH] | A | MISC | | SH | 16-MAR-88 |
| | IPC-TM650.2.3.1.1 | CHEMICAL CLEANING OF METAL CLAD LAMINATE[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | DOD-STD-2187 | CHEMICAL CLEANING OF SALT WATER PIPING SYSTEMS (METRIC)[Standard Practice][CUST: SH] | A | 4710 | | SH | 20-AUG-87 |
| | AIR-STD-84/6 | CHEMICAL COLLECTIVE PROTECTION DESIGN CRITERIA | C | ISDF | | 06 | 16-FEB-83 |
| | STANAG-4147 ED.2 | CHEMICAL COMPATIBILITY OF AMMUNITION COMPONENTS WITH EXPLOSIVES (NON NUCLEAR APPLICATIONS) | C | ISDA | | AI | 05-JUN-01 |
| | ASTM-E55 | CHEMICAL COMPOSITION, SAMPLING WROUGHT NONFERROUS METALS AND ALLOYS FOR DETERMINATION OF[CUST: MR YD 99] [REVIEW: 84 AS IS OS SH] | A | 95GP | | YD | 15-SEP-91 |
| | SAE-J404 | CHEMICAL COMPOSITIONS OF SAE ALLOY STEELS[CUST: AT OS 99] [REVIEW: MR] | A | 9630 | | AT | NOV-80 |
| | SAE-J403 | CHEMICAL COMPOSITIONS OF SAE CARBON STEELS[CUST: MR YD 99] [REVIEW: IS] | A | 95GP | | YD | 27-JAN-95 |
| | AASHTO-T219 | CHEMICAL CONSTITUENTS AND PARTICLE SIZES, TESTING LIME FOR[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | TT-C-490E | CHEMICAL CONVERSION COATINGS AND PRETREATMENTS FOR FERROUS SURFACES (BASE FOR ORGANIC COATINGS)[CUST: MR YD 11 FSS] [REVIEW: 80 AR AT AV CR EA MC MD1 MI OS SH] | A | MFFP | / | MR | 22-JUL-02 |
| | MIL-C-5541E | CHEMICAL CONVERSION COATINGS ON ALUMINUM AND ALUMINUM ALLOYS[CUST: MR AS 11] [REVIEW: 71 99 AR AV CR CR4 MI OS SH YD] | A | MFFP | | AS | 30-NOV-90 |
| | QPL-81706-16(2) | CHEMICAL CONVERSION MATERIALS FOR COATING ALUMINUM AND ALUMINUM ALLOYS | A | MFFP | | AS | 05-APR-02 |
| | MIL-DTL-81706B | CHEMICAL CONVERSION MATERIALS FOR COATING ALUMINUM AND ALUMINUM ALLOYS[CUST: MR AS 99] [REVIEW: 11 84 AT MI OS SH] | A | MFFP | | AS | 25-OCT-04 |
| | A-A-51063A | CHEMICAL COOLING PAD[CUST: MD MS 03] | A | 6530 | / | MB | 29-APR-88 |
| | QSTAG-833 ED.2 | CHEMICAL DEFENSE TRAINING AGENTS (U)[CUST: AI] | C | ISDA | | AI | 27-OCT-97 |
| | QSTAG-832 ED.1 | CHEMICAL DEFENSE TRIALING SIMULANTS[CUST: AI] | C | ISDA | | AI | 25-JUN-87 |
| | AIR-STD-84/3A | CHEMICAL DETECTION AND ALARM SYSTEM FOR AIRFIELDS | C | ISDF | | 06 | 16-JUL-87 |
| | STANAG-2048 ED.3 | CHEMICAL METHODS OF INSECT AND RODENT CONTROL -AMEDP-3 | C | ISDA | | AI | 30-MAY-01 |
| | ASTM-A967 | CHEMICAL PASSIVATION TREATMENTS FOR STAINLESS STEEL PARTS[CUST: MR SH 99 GS4] | A | MFFP | | GS4 | 31-MAR-97 |
| | QSTAG-650 ED.1 | CHEMICAL PROOF CASUALTY EVACUATION BAG/WRAP[CUST: AI] | C | ISDA | | AI | 20-JUN-01 |
| | IPC-TM650.2.3.4.3 | CHEMICAL RESISTANCE OF CORE MATERIALS TO METHYLENE CHLORIDE[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | IPC-TM650.2.3.4.2 | CHEMICAL RESISTANCE OF LAMINATES, PREPREG, AND COATED FOIL PRODUCTS, BY SOLVENT EXPOSURE[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | ASTM-C581 | CHEMICAL RESISTANCE OF THERMOSETTING RESINS USED IN GLASS-FIBER-REINFORCED STRUCTURES INTENDED FOR LIQUID SERVICE[CUST: MI SH 68] | A | 9330 | | MI | 15-MAR-94 |
| | IPC-TM650.2.3.4 | CHEMICAL RESISTANCE, MARKING PAINTS AND INKS[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | DI-SAFT-80848 | CHEMICAL SAFETY PROGRAM PLAN [AMSC: A4743] | A | SAFT | | AM | 08-JUN-89 |
| | DI-MISC-80380A | CHEMICAL SURETY MATERIAL CONSUMPTION AND USAGE REPORT [AMSC: A4931] | A | MISC | | AM | 04-MAY-90 |
| | SAE-ARP1331 | CHEMICAL, THE MILLING PROCESS[CUST: MR AS 11] | A | 95GP | | 11 | 01-OCT-89 |
| | NFPA17A | CHEMICAL, WET, EXTINGUISHING SYSTEMS[CUST: CR4 YD 99] | A | 4210 | | IS | 05-AUG-94 |
| | ASTM-F925 | CHEMICALS OF RESILIENT SHEET FLOORING, RESISTANCE TO[CUST: YD] | A | 7220 | | IS | 21-SEP-92 |
| | A-A-59282 NOT 1 | CHEMICALS, ANALYTICAL; GENERAL SPECIFICATION FOR[CUST: AR YD 68 GS3] [REVIEW: MD1 MI MS OS SM] | A | 6810 | / | GS3 | 30-MAR-05 |
| | ANSI-Z129.1 | CHEMICALS, HAZARDOUS INDUSTRIAL, PRECAUTIONARY LABELING OF[CUST: SM SA 11] [REVIEW: 99 AR AS CR4 GL MC MI MR OS SH YD] | A | PACK | | GS3 | 23-SEP-85 |
| | ASTM-E324 | CHEMICALS, ORGANIC, RELATIVE INITIAL AND FINAL MELTING POINTS AND THE MELTING RANGE OF[CUST: EA 99] [REVIEW: CR4 DP MD] | A | 6630 | | EA | 15-JUN-94 |
| | O-C-275C | CHEMICALS, PHOTOGRAPHIC (SINGLE SUBSTANCE) GENERAL SPECIFICATION FOR[CUST: CR AS 99 IS] [REVIEW: CR4] | A | 6750 | / | IS | 30-JUN-69 |
| | ASTM-E537 | CHEMICALS, THE THERMAL STABILITY OF, BY DIFFERENTIAL SCANNING CALORIMETRY[CUST: MR SH 68] [REVIEW: GS] | A | 6810 | | MR | 03-OCT-94 |
| | A-A-20293 | CHERRIES, RED TART, DRIED[CUST: FV] | A | 8915 | # | FV | 12-JUN-98 |
| | MIL-C-81808 | CHEST, COLLAPSIBLE[CUST: AS CT] [REVIEW: 11] | A | 8460 | | CT | 21-DEC-70 |
| | A-A-52218A | CHEST, ICE STORAGE[CUST: GL 99 SS] [REVIEW: 71 MC MD1] | A | 4110 | / | SS | 25-APR-02 |
| | A-A-59151 | CHEST, MEDICAL EQUIPMENT MAINTENANCE AND REPAIR TOOL KIT[CUST: GL] [REVIEW: MD] | A | 5140 | * | GL | 06-JAN-98 |
| | MIL-C-42068 | CHEST, MEDICAL INSTRUMENT AND SUPPLY SET[CUST: MD MS 03] | A | 6545 | | MB | 25-JUN-89 |
| | MIL-C-36033A NOT 1 | CHEST, MEDICAL INSTRUMENT AND SUPPLY SET, RIGID, EMPTY[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | A-A-50537 | CHEST, TOOL: CARPENTER OR COMPANY[CUST: MC 99] [REVIEW: 84 GS] | A | 5140 | / | MC | 21-SEP-92 |
| | A-A-51304A | CHEST, X-RAY FILM PROTECTIVE (STEEL)[CUST: MD MS 03] | A | 6525 | / | MB | 14-FEB-91 |
| | MIL-C-16775D | CHESTS, FIELD, ALUMINUM, EMPTY[CUST: MD MS 03 MB] | A | 6545 | | MB | 12-JUN-89 |
| | A-A-55822 NOT 1 | CHESTS, PLYWOOD[CUST: 99] [REVIEW: 01 MC SO] | A | 8145 | / | IS | 27-MAY-05 |
| | A-A-20175B | CHEWING GUM[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8925 | / | SS | 23-MAY-03 |
| | A-A-20270 | CHICKEN A' LA KING, FROZEN[CUST: FV] | A | 8940 | # | FV | 31-JUL-97 |
| | A-A-20271 | CHICKEN CHOW MEIN, FROZEN[CUST: FV] | A | 8940 | # | FV | 31-JUL-97 |
| | A-A-20276A | CHICKEN NUGGETS, FINGERS, STRIPS, FRITTERS, AND PATTIES, FULLY COOKED, INDIVIDUALLY FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8905 | * | GL | 08-JAN-01 |
| | A-A-20150A | CHICKEN PARTS, FROZEN, FULLY COOKED, BREADED AND UNBREADED[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8905 | * | GL | 23-MAY-03 |
| | A-A-51925A | CHIGGER REPELLENT AND ANTIPRURITIC LOTION[CUST: MD MS 03] | A | 6505 | / | MB | 26-SEP-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-1037/2 | CHILD DEVELOPMENT CENTERS[CUST: CE YD 04] | A | FACR | | YD | 31-JAN-89 |
| | A-A-20273 | CHILI WITH BEANS, CANNED[CUST: FV] | A | 8940 | # | FV | 24-SEP-97 |
| | UL103 | CHIMNEYS, FACTORY-BUILT, FOR RESIDENTIAL TYPE AND BUILDING HEATING APPLIANCES[CUST: YD] | A | 4520 | | IS | 16-SEP-91 |
| | NFPA211 | CHIMNEYS, FIREPLACES, VENTS, AND SOLID FUEL BURNING APPLIANCES[CUST: CR4 YD 99] | A | 4530 | | IS | 14-AUG-92 |
| | ASTM-D496 | CHIP SOAP[CUST: GL 99] | A | 7930 | | GL | 28-NOV-74 |
| | A-A-1507A NOT 2 | CHIPBOARD[CUST: AR] [REVIEW: SS] | A | 8135 | / | AR | 02-FEB-00 |
| | A-A-59202 NOT 1 | CHIPBOARD, WAD MATERIAL[CUST: AR] [REVIEW: GS] | A | 8140 | / | AR | 08-JAN-03 |
| | A-A-54319 | CHISEL, BONE, FREER, STRAIGHT, 3/16 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 15-JAN-91 |
| | A-A-51587A | CHISEL, DENTAL, (RHODES NO. 36 AND 37)[CUST: MS 03 MB] | A | 6520 | / | MB | 15-FEB-88 |
| | A-A-53981 | CHISEL, DENTAL, BONE, SURGICAL[CUST: MD MS 03] [REVIEW: AT CC] | A | 6520 | / | MB | 10-OCT-89 |
| | A-A-54941 | CHISEL, PERIODONTAL (DOUBLE-ENDED)[CUST: MD MS 03] | A | 6520 | / | MB | 31-JAN-94 |
| | A-A-53913 | CHISELS, DENTAL (CARBON STEEL)[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | A-A-53202 | CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 17-SEP-87 |
| | AASHTO-T260 | CHLORIDE ION IN CONCRETE AND CONCRETE RAW MATERIALS, SAMPLING AND TESTING FOR[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D512 | CHLORIDE ION IN WATER[CUST: EA SH] [REVIEW: GS] | A | 6810 | | SH | 02-OCT-89 |
| | ASTM-D1726 | CHLORINE HYDROLYZABLE CONTENT OF LIQUID EPOXY RESINS[CUST: MI OS 68] [REVIEW: GS] | A | 6810 | | MI | 03-OCT-94 |
| | ASTM-D808 | CHLORINE IN NEW AND USED PETROLEUM PRODUCTS (BOMB METHOD)[CUST: AT SH 11] [REVIEW: 68] | A | 91GP | | AT | 10-JAN-00 |
| | ASTM-E256 | CHLORINE IN ORGANIC COMPOUNDS BY SODIUM PEROXIDE BOMB IGNITION[CUST: EA 68] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 10-SEP-98 |
| | ASTM-D1253 | CHLORINE IN WATER RESIDUAL[CUST: EA 68] [REVIEW: CR4 GL MD OS SH] | A | 6810 | | GS3 | 28-FEB-86 |
| | A-A-53955 | CHLORINE TEST TABLETS (DPD METHOD NO. 1)[CUST: MD MS 03] [REVIEW: GS] | A | 6810 | / | MB | 15-AUG-89 |
| | A-A-54091 | CHLORINE TEST TABLETS (DPD METHOD NO. 4)[CUST: MD MS 03] [REVIEW: GS] | A | 6810 | / | MB | 20-FEB-90 |
| | AWWA-B301 | CHLORINE, LIQUID, STANDARD FOR - 25 JAN 87[CUST: AR YD 99] [REVIEW: CG CR4 GS MD] | A | 6810 | | YD | 11-NOV-88 |
| | SAE-AMS3270 | CHLOROPRENE (CR) RUBBER SHEET, COTTON FABRIC REINFORCED, WEATHER RESISTANT[CUST: MR AS] [REVIEW: GS] | A | 9320 | | AS | 01-APR-91 |
| | SAE-AMS3273 | CHLOROPRENE (CR) RUBBER SHEET, NYLON CLOTH REINFORCED WEATHER RESISTANT[CUST: MR AS 11] | A | 9320 | | AS | 01-APR-91 |
| | SAE-AMS3207 | CHLOROPRENE (CR) RUBBER WEATHER RESISTANT 25-35[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-93 |
| | SAE-AMS3208 | CHLOROPRENE (CR) RUBBER WEATHER RESISTANT 45-55[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-93 |
| | SAE-AMS3209 | CHLOROPRENE (CR) RUBBER WEATHER RESISTANT 65-75[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-93 |
| | SAE-AMS3243 | CHLOROPRENE (CR) RUBBER, FLAME RESISTANT 55-65[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-91 |
| | SAE-AMS3244 | CHLOROPRENE (CR) RUBBER, FLAME RESISTANT 65-75[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-91 |
| | SAE-AMS3240 | CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT 35-45[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-OCT-93 |
| | SAE-AMS3241 | CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT 55-65[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-OCT-93 |
| | A-A-54022 | CHLOROQUINE PHOSPHATE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 30-OCT-89 |
| | A-A-51683 | CHLORPHENIRAMINE MALEATE AND PHENYLPROPANOLAMINE HYDROCHLORIDE CAPSULES[CUST: MD MS 03] | A | 6505 | / | MB | 22-SEP-86 |
| | A-A-52475A | CHOCK, WHEEL[CUST: AT SH CC] [REVIEW: SA] | A | 2540 | / | CC | 08-OCT-03 |
| | MIL-PRF-32058 | CHOCK, WHEEL-TRACK-AVIATION, ADJUSTABLE ROPE TYPE[CUST: 99] | A | 1730 | | 84 | 18-JUN-03 |
| | A-A-59744 | CHOKE, COMMON MODE, SURFACE MOUNT[CUST: EC CC] | A | 5950 | / | CC | 23-SEP-02 |
| | MIL-DTL-83729/2C | CHOPPERS, ELECTROMECHANICAL, DUST TIGHT, SINGLE POLE, DOUBLE THROW, MAKE BEFORE BREAK[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS] | A | 5945 | | CC | 14-JUN-02 |
| | MIL-DTL-83729B | CHOPPERS, ELECTROMECHANICAL, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5945 | | CC | 14-JUN-02 |
| | MIL-DTL-83729/6B | CHOPPERS, ELECTROMECHANICAL, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV MC MI OS] | A | 5945 | | CC | 14-JUN-02 |
| | MIL-DTL-83729/3B | CHOPPERS, ELECTROMECHANICAL, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE, BRACKET MOUNT[CUST: EC CC] | A | 5945 | | CC | 14-JUN-02 |
| | MIL-DTL-83729/4B | CHOPPERS, ELECTROMECHANICAL, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS] | A | 5945 | | CC | 14-JUN-02 |
| | MIL-DTL-83729/1D | CHOPPERS, ELECTROMECHANICAL, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS] | A | 5945 | | CC | 14-JUN-02 |
| | SAE-ARP1820 | CHORD METHOD OF EVALUATING SURFACE MICROSTRUCTURAL CHARACTERISTICS[CUST: MR AS 11] | A | 95GP | | 11 | 17-MAR-89 |
| | ASTM-B449 | CHROMATES ON ALUMINUM[CUST: MR SH 11 CT] | A | MFFP | | CT | 03-OCT-94 |
| | ASTM-D2807 | CHROMIC OXIDE IN LEATHER (PERCHLORIC ACID OXIDATION)[CUST: GL NU 99 CT] | A | 83GP | | CT | 15-JAN-93 |
| | DOD-C-82660(1) | CHROMIUM 2 ETHYL HEXOATE, TECHNICAL[CUST: OS] [REVIEW: AS GS] | A | 6810 | | OS | 01-MAR-78 |
| | MIL-C-82660 | CHROMIUM 2-ETHYL HEXOATE[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 31-JAN-77 |
| | ASTM-D1687 | CHROMIUM IN WATER[CUST: EA GS3] [REVIEW: CR4 MD] | A | 6810 | | GS3 | 15-MAY-92 |
| | MIL-DTL-24527C | CHROMIUM NICKEL ALLOY STEEL BARS, AND FORGINGS, CORROSION RESISTANT (PRECIPITATION HARDENING) (UNS S17400)[CUST: SH] | F | 9530 | | SH | 20-JAN-97 |
| | SAE-AMS-QQ-C-320 | CHROMIUM PLATING (ELECTRODEPOSITED)[CUST: MR AS 11 IS] [REVIEW: 99 AR GL] | A | MFFP | | AS | 2001 |
| | MIL-DTL-14538D NOT 1 | CHROMIUM PLATING, BLACK (ELECTRODEPOSITED)[CUST: MR SH 11] [REVIEW: 19 AR AS DH EC MI OS PT] | A | MFFP | | MR | 14-JUN-04 |
| | MIL-DTL-23422F | CHROMIUM PLATING, ELECTRODEPOSITED[CUST: SH] | F | MFFP | | SH | 18-JUN-97 |
| | MIL-C-20218F NOT 1 | CHROMIUM PLATING, ELECTRODEPOSITED, POROUS[CUST: CR4 SH] [REVIEW: AT MR YD] | A | MFFP | | SH | 05-FEB-91 |
| | MIL-STD-1501D | CHROMIUM PLATING, LOW EMBRITTLEMENT, ELECTRO-DEPOSITION[Standard Practice][CUST: 99] | A | MFFP | | 70 | 01-MAR-05 |
| | A-A-55827A NOT 1 | CHROMIUM TRIOXIDE, TECHNICAL[CUST: EA AS 68] [REVIEW: AR CR MD1 MI OS] | A | 6810 | / | GS3 | 25-MAR-04 |
| | SAE-AMS2406 | CHROMIUM, PLATING HARD DEPOSIT[CUST: AT AS GS4] | A | MFFP | | GS4 | 17-JUL-85 |
| | ASTM-A231/A231M | CHROMIUM-VANADIUM ALLOY STEEL SPRING WIRE[CUST: MR SH 99 CT] | A | 9505 | | SH | OCT-94 |
| | ASTM-A232/A232M | CHROMIUM-VANADIUM ALLOY STEEL VALVE SPRING QUALITY[CUST: MR SH 99] | A | 9505 | | SH | 03-OCT-94 |
| | ANSI-B5.8 | CHUCKS & CHUCK JAWS[CUST: AR SH 99] [REVIEW: CR4 GL] | A | 34GP | | GS6 | 12-DEC-78 |
| | A-A-51140B | CHUCKS, DRILL, KEY TYPE, THREE-JAW, GEARED[CUST: AR 99 GS6] [REVIEW: 84] | A | 3460 | / | GS6 | 25-SEP-00 |
| | SAE-AS14153 | CIRCUIT BREAKER - AIRCRAFT, TRIP -FREE, PUSH-PULL 3 PHASE, 1 THRU 35 AMP, TYPE 1[CUST: CR AS 11] | A | 5925 | | AS | AUG-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS14154 | CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL, 3 PHASE, 1 THRU 20 AMP, TYPE 1[CUST: CR AS 11] | A | 5925 | | AS | AUG-97 |
| | SAE-AS24510 | CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL, 5 THRU 15 AMP, TYPE I[CUST: CR AS 11] | A | 5925 | | AS | JUL-99 |
| | SAE-AS24509 | CIRCUIT BREAKER - ARICRAFT, TRIP-FREE, TOGGLE, 5 THRU 15 AMP, TYPE I[CUST: CR AS 11] | A | 5925 | | AS | JUL-99 |
| | IEEE-C37.9 | CIRCUIT BREAKER AC HIGH VOLT RATED ON A SYMMETRICAL CURRENT BASIS, STANDARD TEST PROCEDURE FOR - 15 OCT 79 - CHG NOTICE 1 DATED 22 FEB 85[CUST: CR4 YD 99] [REVIEW: 71 GS] | A | 6110 | | YD | 04-DEC-84 |
| A | A-A-55571/8B | CIRCUIT BREAKER, 28 VOLTS (V) DC, AUTOMATIC RESET, NON-WATERPROOF, 150 AMPERES (A) TO 200 A[CUST: EC CC] | A | 5925 | / | CC | 09-JAN-06 |
| A | A-A-55571/5B | CIRCUIT BREAKER, 28 VOLTS (V) DC, AUTOMATIC RESET, NONWATERPROOF, 10 AMPERES (A) TO 35 A[CUST: EC CC] | A | 5925 | / | CC | 09-JAN-06 |
| A | A-A-55571/7B | CIRCUIT BREAKER, 28 VOLTS (V) DC, AUTOMATIC RESET, NONWATERPROOF, 35 AMPERES (A) TO 150 A[CUST: EC CC] | A | 5925 | / | CC | 09-JAN-06 |
| A | A-A-55571/1B | CIRCUIT BREAKER, 28 VOLTS (V) DC, AUTOMATIC RESET, WATERPROOF, 15 AMPERES (A) TO 30 A[CUST: EC CC] | A | 5925 | / | CC | 09-JAN-06 |
| A | A-A-55571B | CIRCUIT BREAKER, 28 VOLTS (V) DC, MANUAL AND AUTOMATIC RESET, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5925 | / | CC | 09-JAN-06 |
| A | A-A-55571/3B | CIRCUIT BREAKER, 28 VOLTS (V) DC, MANUAL RESET WATERPROOF, 105 AMPERES (A) TO 200 A[CUST: EC CC] | A | 5925 | / | CC | 09-JAN-06 |
| A | A-A-55571/6B | CIRCUIT BREAKER, 28 VOLTS (V) DC, MANUAL RESET, NONWATERPROOF, 10 AMPERES (A) TO 35 A[CUST: EC CC] | A | 5925 | / | CC | 09-JAN-06 |
| A | A-A-55571/2B | CIRCUIT BREAKER, 28 VOLTS (V) DC, MANUAL RESET, WATERPROOF, 15 AMPERES (A) TO 30 A[CUST: EC CC] | A | 5925 | / | CC | 09-JAN-06 |
| A | A-A-55571/4B | CIRCUIT BREAKER, 28 VOLTS (V) DC, MANUAL RESET, WATERPROOF, 35 AMPERES (A) TO 150 A[CUST: EC CC] | A | 5925 | / | CC | 09-JAN-06 |
| | ANSI-C37.6 | CIRCUIT BREAKER, AC HIGH VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS, PREFERRED RATINGS & RELATED REQUIRED CAPABILITIES FOR[CUST: CR4 YD 99] [REVIEW: 71 GS] | A | 6110 | | YD | 11-APR-88 |
| | SAE-AS58091/1 | CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE PUSH PULL, TYPE I, DUAL SAFETY, -55 THRU +121 DEGREE C[CUST: CR AS 11] | A | 5925 | | AS | JUL-99 |
| | SAE-AS25337 | CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, TOGGLE, 5-50 AMP[CUST: CR AS 11] [REVIEW: CC CR4 MI] | A | 5925 | | AS | 17-MAR-05 |
| | NEMA-SG4 | CIRCUIT BREAKER, ALTERNATING-CURRENT HIGH- VOLTAGE[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| M | A-A-59542A | CIRCUIT BREAKER, AUTOMOTIVE BLADE TYPE, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5925 | / | CC | 15-MAR-06 |
| M | A-A-59542/3A | CIRCUIT BREAKER, AUTOMOTIVE BLADE TYPE, LARGE SIZE, AUTOMATIC OR MODIFIED RESET, 10 AMPERES (A) TO 50A[CUST: EC CC] | A | 5925 | / | CC | 15-MAR-06 |
| M | A-A-59542/4A | CIRCUIT BREAKER, AUTOMOTIVE BLADE TYPE, LARGE SIZE, MANUAL RESET, 10 AMPERES (A) TO 30A[CUST: EC CC] | A | 5925 | / | CC | 15-MAR-06 |
| M | A-A-59542/2A | CIRCUIT BREAKER, AUTOMOTIVE BLADE TYPE, MINIATURE, AUTOMATIC OR MODIFIED RESET, 7.5 AMPERES (A) TO 30A[CUST: EC CC] | A | 5925 | / | CC | 15-MAR-06 |
| M | A-A-59542/1A | CIRCUIT BREAKER, AUTOMOTIVE BLADE TYPE, STANDARD SIZE, AUTOMATIC OR MODIFIED RESET, 7.5 AMPERES (A) TO 30A[CUST: EC CC] | A | 5925 | / | CC | 15-MAR-06 |
| | A-A-55490A | CIRCUIT BREAKER, AUTOMOTIVE TYPE[CUST: EC CC] | A | 5925 | / | CC | 28-JAN-05 |
| | A-A-55491A | CIRCUIT BREAKER, AUTOMOTIVE TYPE, SEALED[CUST: EC CC] | A | 5925 | / | CC | 28-JAN-05 |
| | NEMA-SG3 | CIRCUIT BREAKER, LOW VOLTAGE POWER[CUST: CR4 YD] [REVIEW: GS SH] | A | 6110 | | YD | 1981 |
| | ANSI-C37.16 | CIRCUIT BREAKER, POWER & AC POWER CIRCUIT PROTECTORS, PREFERRED RATINGS & RELATED REQUIREMENTS & APPLICATION RECOMMENDATIONS FOR LOW VOLTAGE[CUST: CR4 YD 99] [REVIEW: 71 GS OS SH] | A | 6110 | | YD | 04-MAY-88 |
| | SAE-AS22074 | CIRCUIT BREAKER, RECYCLING TRIP-FREE, PUSH-PULL, 1/2 THRU 5 AMPERE, TYPE I[CUST: AS 11] | A | 5925 | | AS | 17-MAR-05 |
| | QPL-27715-7 | CIRCUIT BREAKER, TRIP FREE, HIGH TEMPERATURE, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 5925 | | CC | 24-JUN-05 |
| | MIL-DTL-27715A | CIRCUIT BREAKER, TRIP-FREE, HIGH TEMPERATURE, AIRCRAFT GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99 MI] | A | 5925 | | CC | 05-APR-01 |
| | SAE-AS22073 | CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I[CUST: CR AS 11] [REVIEW: CC] | A | 5925 | | AS | 17-MAR-05 |
| | SAE-AS26574 | CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I[CUST: CR AS 11] [REVIEW: AR AT AV CC] | A | 5925 | | AS | 17-MAR-05 |
| | SAE-AS25244 | CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 5 THRU 50 AMP, TYPE I[CUST: CR AS 11] [REVIEW: CC] | A | 5925 | | AS | 17-MAR-05 |
| | SAE-AS14105 | CIRCUIT BREAKER- AIRCRAFT, TRIP-FREE, PUSH PULL, 25 THRU 35 AMPS, TYPE I -55 TO +121 DEGREES C[CUST: CR AS 11] | A | 5925 | | AS | AUG-97 |
| | SAE-AS33201 | CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH PULL, 1/2 THRU 20 AMPS, TYPE 1 -55 THRU +121 DEG. C[CUST: CR AS 11 CC] | A | 5925 | | AS | APR-99 |
| | SAE-AS21984 | CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH-PULL, 3-PHASE, 5 THRU 60 AMP, TYPE I[CUST: CR AS 11 CC] [REVIEW: 99 CR4 MI] | A | 5925 | | AS | 17-MAR-05 |
| | SAE-AS25361 | CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH-PULL, 50 THRU 100 AMP, TYPE 1[CUST: CR AS 11] [REVIEW: CC MI] | A | 5925 | | AS | 17-MAR-05 |
| | SAE-J553 | CIRCUIT BREAKERS[CUST: AT 99 CC] [REVIEW: 11 AR YD] | A | 5925 | | CC | APR-96 |
| | QPL-17588-26 | CIRCUIT BREAKERS (AUTOMATIC - ALB-1) AND SWITCH, TOGGLE (CIRCUIT BREAKER, NON-AUTOMATIC - NLB-1) AIR, INSULATED HOUSING, 125 VOLTS AND BELOW, A.C. AND D.C., (NAVAL SHIPBOARD USE) | A | 5925 | | SH | 12-AUG-94 |
| | MIL-C-17588E(5) | CIRCUIT BREAKERS (AUTOMATIC - ALB-1) AND SWITCH, TOGGLE (CIRCUIT BREAKER, NON-AUTOMATIC - NLB-1) AIR, INSULATED HOUSING, 125 VOLTS AND BELOW, A.C. AND D.C., (NAVAL SHIPBOARD USE)[CUST: SH] | A | 5925 | | SH | 24-JUN-93 |
| | W-C-375/14A | CIRCUIT BREAKERS , MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (15 THRU 125 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | ANSI-C37.12 | CIRCUIT BREAKERS, AC HIGH-VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS[CUST: CR4 YD 99] [REVIEW: GS SH] | A | 6110 | | YD | 22-MAY-91 |
| | MIL-C-17361/10A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LL400 QS[CUST: SH] | A | 5925 | | SH | 17-AUG-94 |
| | MIL-C-17361/16 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF226 (FOR REPLACEMENT ONLY OF A225 AND LF225)[CUST: SH] | A | 5925 | | SH | 13-MAR-95 |
| | MIL-C-17361/11A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF400 AND AQB - LF402[CUST: SH] | A | 5925 | | SH | 13-MAR-95 |
| | MIL-C-17361/6A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A250, AQB-A252, AND NQB - A250[CUST: SH] | A | 5925 | | SH | 13-MAR-95 |
| | MIL-C-17361/9A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - L400 QF, QM[CUST: SH] | A | 5925 | | SH | 17-AUG-94 |
| | MIL-C-17361/12A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A800, AQB - A800Y, AQB - A802, AND NQB - A800[CUST: SH] | A | 5925 | | SH | 13-MAR-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-17361/13A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1600, AQB - A1604, AND NQB - A1600[CUST: SH] | A | 5925 | | SH | 13-MAR-95 |
| | MIL-C-17361/8A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A400, AQB - A402, AND NQB - A400[CUST: SH] | A | 5925 | | SH | 13-MAR-95 |
| | MIL-C-17361/5 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - L200 QF, QM, QS[CUST: SH] | A | 5925 | | SH | 10-MAR-89 |
| | MIL-C-17361/1A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A50, AQB - A50D, AQB - A51, AND NQB A50[CUST: SH] | A | 5925 | | SH | 13-MAR-95 |
| | MIL-C-17361/7A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF250 AND AQB - LF252[CUST: SH] | A | 5925 | | SH | 13-MAR-95 |
| | MIL-C-17361/4A(1) | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A101, AQB - A101D, AQB - A102, AQB - A103, AND NQB - A101[CUST: SH] | A | 5925 | | SH | 08-FEB-99 |
| | MIL-C-17361/14 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1601 AND NQB - A1601[CUST: SH] | A | 5925 | | SH | 10-MAR-89 |
| | MIL-C-17361/15B | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1602 AND NQB - A1602[CUST: SH] | A | 5925 | | SH | 01-MAR-94 |
| | MIL-C-17361F(2) SUP 1 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE), GENERAL SPECIFICATION FOR[CUST: SH] | A | 5925 | | SH | 21-APR-92 |
| | MS24571G | CIRCUIT BREAKERS, AIRCRAFT, TRIP FREE, 2 1/2 TO 50 AMPERES, 121.1 DEG. C AMBIENT[CUST: 11 CC] | A | 5925 | | CC | 28-MAY-04 |
| | ANSI-C37.11 | CIRCUIT BREAKERS, HIGH VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS OR A TOTAL CURRENT BASIS, REQUIREMENTS FOR[CUST: CR4 YD 99] [REVIEW: GS SH] | A | 6110 | | YD | 19-APR-88 |
| M | QPL-17587-34 | CIRCUIT BREAKERS, LOW VOLTAGE, ELECTRIC POWER, AIR OPEN FRAME, REMOVABLE CONSTRUCTION | A | 5925 | | SH | 13-MAR-06 |
| | MIL-C-17587B(4) | CIRCUIT BREAKERS, LOW VOLTAGE, ELECTRIC POWER, AIR, OPEN FRAME, REMOVABLE CONSTRUCTION[CUST: SH] | A | 5925 | | SH | 02-AUG-94 |
| A | QPL-39019-26 | CIRCUIT BREAKERS, MAGNETIC, LOW POWER, SEALED, TRIP FREE, GENERAL SPECIFICATION FOR | A | 5925 | | CR | 15-NOV-05 |
| | MIL-PRF-39019D SUP 1 | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER SEALED, TRIP-FREE, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV CC MC MI NA] | A | 5925 | | CR | 27-AUG-97 |
| A | MIL-PRF-55629/7D | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER UNSEALED, TRIP-FREE, SERIES TRIP, SINGLE POLE (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH] | A | 5925 | | CR | 12-JUL-05 |
| | MIL-PRF-39019/1G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE ONE-POLE[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV CC MC MI] | A | 5925 | | CR | 27-AUG-97 |
| | MIL-PRF-39019/2G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE ONE-POLE, AUXILIARY CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV CC MC MI] | A | 5925 | | CR | 27-AUG-97 |
| | MIL-PRF-39019/5G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE THREE-POLE[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV CC MC MI] | A | 5925 | | CR | 27-AUG-97 |
| | MIL-PRF-39019/6G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE THREE-POLE, AUXILIARY CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV CC MC MI] | A | 5925 | | CR | 27-AUG-97 |
| | MIL-PRF-39019/3G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE TWO-POLE[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV CC MC MI] | A | 5925 | | CR | 27-AUG-97 |
| | MIL-PRF-39019/4G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE TWO-POLE, AUXILIARY CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV CC MC MI] | A | 5925 | | CR | 27-AUG-97 |
| A | MIL-PRF-55629/11D | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, UNSEALED TRIP-FREE, SERIES TRIP, THREE POLE (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH] | A | 5925 | | CR | 12-JUL-05 |
| A | MIL-PRF-55629/9D | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, UNSEALED, TRIP-FREE, SERIES TRIP, DOUBLE POLE (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH] | A | 5925 | | CR | 12-JUL-05 |
| A | MIL-PRF-55629/10D | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, UNSEALED, TRIP-FREE, SERIES TRIP, DOUBLE POLE, AUXILIARY CONTACTS (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH] | A | 5925 | | CR | 12-JUL-05 |
| A | MIL-PRF-55629/8E | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, UNSEALED, TRIP-FREE, SERIES TRIP, SINGLE POLE, AUXILIARY CONTACTS (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH] | A | 5925 | | CR | 12-JUL-05 |
| A | MIL-PRF-55629/12E | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, UNSEALED, TRIP-FREE, SERIES TRIP, THREE POLE, AUXILIARY CONTACTS (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH] | A | 5925 | | CR | 12-JUL-05 |
| A | MIL-PRF-55629/21F | CIRCUIT BREAKERS, MAGNETIC, PANEL SEAL, TRIP-FREE, SERIES TRIP, DOUBLE POLE (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH] | A | 5925 | | CR | 21-SEP-05 |
| A | MIL-PRF-55629/20F | CIRCUIT BREAKERS, MAGNETIC, PANEL SEAL, TRIP-FREE, SERIES TRIP, SINGLE POLE (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS SH] | A | 5925 | | CR | 21-SEP-05 |
| A | MIL-PRF-55629/22F | CIRCUIT BREAKERS, MAGNETIC, PANEL SEAL, TRIP-FREE, SERIES TRIP, THREE POLE (0.2 TO 30 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS] | A | 5925 | | CR | 21-SEP-05 |
| A | MIL-PRF-55629C SUP 1 | CIRCUIT BREAKERS, MAGNETIC, UNSEALED OR PANEL SEAL, TRIP-FREE, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AR AS AV CC CR4 EA MC MI OS] | A | 5925 | | CR | 09-OCT-97 |
| A | QPL-55629-21 | CIRCUIT BREAKERS, MAGNETIC, UNSEALED OR PANEL SEAL, TRIP-FREE, GENERAL SPECIFICATION FOR | A | 5925 | | CR | 26-SEP-05 |
| A | MIL-PRF-55629/3F | CIRCUIT BREAKERS, MAGNETIC, UNSEALED TRIP-FREE, DOUBLE POLE (0.2 TO 50 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS] | A | 5925 | | CR | 21-SEP-05 |
| A | MIL-PRF-55629/4F | CIRCUIT BREAKERS, MAGNETIC, UNSEALED TRIP-FREE, DOUBLE POLE, AUXILARY CONTACTS (0.2 TO 50 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS] | A | 5925 | | CR | 21-SEP-05 |
| A | MIL-PRF-55629/2F | CIRCUIT BREAKERS, MAGNETIC, UNSEALED TRIP-FREE, SINGLE POLE, AUXILIARY CONTACTS (0.2 TO 50 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC OS] | A | 5925 | | CR | 21-SEP-05 |
| A | MIL-PRF-55629/5F | CIRCUIT BREAKERS, MAGNETIC, UNSEALED TRIP-FREE, THREE POLE (0.2 TO 50 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS] | A | 5925 | | CR | 21-SEP-05 |
| A | MIL-PRF-55629/1F | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, SINGLE POLE (0.2 TO 100 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS] | A | 5925 | | CR | 21-SEP-05 |
| A | MIL-PRF-55629/6F | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, THREE POLE, AUXILARY CONTACTS (0.2 TO 50 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS] | A | 5925 | | CR | 21-SEP-05 |
| | W-C-375/6C | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (15 THROUGH 125 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS SH] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/16B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (10 THRU 100 AMPERES)[CUST: YD 11 CC] [REVIEW: MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/5B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (15 THROUGH 50 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS SH] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/15A | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (15 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/10B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (15 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/17B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (10 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: MC OS] | A | 5925 | / | CC | 04-AUG-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | W-C-375/11B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (15 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/3C | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (10 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/1B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (10 THROUGH 70 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/12B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE[CUST: YD 11 CC] [REVIEW: 99 MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/2B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (10 THROUGH 125 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/18B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I,SERIES TRIP, THREE POLE (10 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| M | QPL-W-C-375-22 | CIRCUIT BREAKERS, MOLDED CASE: BRANCH CIRCUIT AND SERVICE | A | 5925 | / | CC | 28-FEB-06 |
| M | W-C-375D | CIRCUIT BREAKERS, MOLDED CASE; BRANCH CIRCUIT AND SERVICE[CUST: YD 11 CC] [REVIEW: MC OS] | A | 5925 | / | CC | 03-APR-06 |
| | NEMA-AB1 | CIRCUIT BREAKERS, MOLDED- CASE, MOLDED CASE SWITCHES, AND CIRCUIT-BREAKER ENCLOSURES[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | NEMA-AB3 | CIRCUIT BREAKERS, MOLDED-CASE, AND THEIR APPLICATION[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | MIL-PRF-83383/1E | CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE, SERIES TRIP, SINGLE POLE, (5 TO 100 AMPERES)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CR4] | A | 5925 | | CC | 08-DEC-04 |
| | MIL-PRF-83383/2E | CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE, SERIES TRIP, SINGLE POLE, AUXILIARY CONTACTS (5 TO 100 AMPERES)[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CR4] | A | 5925 | | CC | 08-DEC-04 |
| | MIL-PRF-83383/4E | CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE, SERIES TRIP, TRIPLE POLE, AUXILIARY CONTACTS (5 TO 100 AMPERES)[CUST: CR AS 11 CC] | A | 5925 | | CC | 08-DEC-04 |
| | MIL-PRF-83383E | CIRCUIT BREAKERS, REMOTE CONTROL, THERMAL, TRIP FREE GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CR4 MI] | A | 5925 | | CC | 08-DEC-04 |
| A | QPL-83383-16 | CIRCUIT BREAKERS, REMOTE CONTROL, THERMAL, TRIP FREE, GENERAL SPECIFICATON FOR | A | 5925 | | CC | 22-NOV-05 |
| | SAE-AS58091 | CIRCUIT BREAKERS, TRIP-FREE, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: AR AT AV MI] | A | 5925 | | AS | 17-MAR-05 |
| | QPL-AS58091-1 | CIRCUIT BREAKERS, TRIP-FREE, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 5925 | | AS | 17-MAR-05 |
| | MIL-C-48483C NOT 4 | CIRCUIT CARD ASSEMBLY - COMPARATOR, TYPE I[CUST: AR] | A | 1240 | | AR | 10-APR-00 |
| | MIL-C-48481C NOT 2 | CIRCUIT CARD ASSEMBLY - FTS INPUT SIMULATOR AND DL TEST[CUST: AR] | A | 1240 | | AR | 16-FEB-00 |
| | MIL-C-48478C NOT 2 | CIRCUIT CARD ASSEMBLY - INVERTER AND +15 VOLT REGULATOR[CUST: AR] | A | 1240 | | AR | 06-MAR-00 |
| | MIL-C-48480C NOT 2 | CIRCUIT CARD ASSEMBLY - LOGIC AND REFERENCE[CUST: AR] | A | 1240 | | AR | 09-MAR-00 |
| | MIL-C-50652/10 NOT 2 | CIRCUIT CARD ASSEMBLY, 10548012 (COUNTER B, RANGE RATE)[CUST: AR] | A | 1285 | | AR | 29-OCT-96 |
| | MIL-C-70618B | CIRCUIT CARD ASSEMBLY, GUNFIRE SIMULATOR: 12725086[CUST: AR] | A | 6920 | | AR | 30-SEP-93 |
| | MIL-C-71042(2) | CIRCUIT CARD ASSEMBLY, LOGIC: 11784523[CUST: AR] | A | 5998 | | AR | 27-MAR-98 |
| | MIL-C-50652/4A(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 10548046 (COUNTER, RANGE)[CUST: AR] | A | 1285 | | AR | 29-OCT-96 |
| | SAE-J931 | CIRCUIT FILTRATION, HYDRAULIC POWER[CUST: CR4 YD 99] [REVIEW: 84 SH] | A | 4330 | | CC | JUL-65 |
| | AIR-STD-25/42 | CIRCUIT IDENTIFICATION | C | ISDF | | 06 | 04-OCT-95 |
| | DI-MISC-80420A | CIRCUIT ORDER IN-EFFECT/EXCEPTION/DELAYED SERVICE REPORT [AMSC: F6008] | A | MISC | | 33 | 19-DEC-90 |
| | MIL-C-48853B(1) | CIRCUIT, DEMOLITION, FOR DEMOLITION KIT, CRATERING, M180 ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 05-JAN-84 |
| | IPC-T50 | CIRCUIT, INTERCONNECTING & PACKAGING ELECTRONIC, TERMS & DEFINITIONS[CUST: MI AS 11 CC] [REVIEW: 19 AR AV CR DH MR] | A | SOLD | | CC | 29-MAR-85 |
| M | QPL-17361-40 | CIRCUIT-BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) | A | 5925 | | SH | 31-JAN-06 |
| | SAE-J541 | CIRCUITS, STARTING MOTOR, VOLTAGE DROP FOR[CUST: CR4 SA 99] [REVIEW: GS] | A | 6105 | | CR4 | OCT-96 |
| | MS14169C NOT 1 | CIRCULAR SPLINE AND ADAPTER DETAILS ENGINE DRIVEN ACCESSORIES[CUST: AS] [REVIEW: 11 GS] | A | 6115 | | AS | 31-DEC-87 |
| | QSTAG-1123 ED.1(1) | CIS PLANNING CHECKLIST (WITH AMENDMENT 1)[CUST: AI] | C | ISDA | | AI | 08-DEC-98 |
| | A-A-59147 NOT 1 | CITRIC ACID, TECHNICAL[CUST: MD1 68 GS3] | A | 6810 | / | GS3 | 15-NOV-02 |
| | MIL-C-89303 | CITY GRAPHICS | A | GINT | | MP | 30-NOV-90 |
| | SAE-AS122900THRUAS122939 | CLAMP - LOOP TYPE SUPPORT (HEAT RESISTANT) .204 HOLE[CUST: AV AS 99] | A | 5340 | | IS | AUG-00 |
| | MS9025A NOT 1 | CLAMP - LOOP TYPE SUPPORT (HEAT RESISTANT) .265 HOLE[CUST: AV AS 11] [REVIEW: 71] | A | 5340 | | AS | 03-OCT-91 |
| | NAS397 | CLAMP - RATCHET, ONE PIECE[CUST: CR4 SH 99 CC] [REVIEW: MI] | A | 4730 | | CC | 25-FEB-94 |
| | SAE-MA3399 | CLAMP - TUBE SUPPORT, SPRING CLIPS AND PTFE CUSHION PROCUREMENT SPECIFICATION FOR[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | 22-MAR-91 |
| | SAE-MA2151 | CLAMP ASSEMBLIES, SADDLE OR OMEGA STYLE TWO POINT MOUNT, MULTIPLE SHAPES, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | MAR-94 |
| | NAS573 | CLAMP ASSEMBLY - ELECTRONIC EQUIPMENT[CUST: AR AS 99 IS] | A | 5340 | | IS | 30-JUN-92 |
| | A-A-52415 | CLAMP ASSEMBLY - EXHAUST MUFFLER AND TAILPIPE[CUST: AT] | A | 2990 | / | AT | 18-JAN-93 |
| | MS27037B NOT 1 | CLAMP ASSEMBLY - MEDIUM INTENSITY RUNWAY LIGHT[CUST: CR4 AS 99 IS] | A | 6210 | | IS | 10-SEP-88 |
| | SAE-MA14298 | CLAMP ASSEMBLY, CUSHIONED SADDLE, METRIC[CUST: AR 99 IS] | A | 5340 | | IS | 10-MAY-01 |
| | NASM85449 | CLAMP ASSEMBLY, SADDLE-TYPE, CUSHION, GENERAL SPECIFICATION FOR[CUST: AS] | A | 5340 | | AS | 25-SEP-98 |
| | NASM85449-2 | CLAMP ASSEMBLY, SADDLE-TYPE, CUSHIONED, EPR RUBBER, 321 CRES, 275 DEGREES F[CUST: AS] | A | 5340 | | AS | 25-SEP-98 |
| | NASM85449-1 | CLAMP ASSEMBLY, SADDLE-TYPE, CUSHIONED, NBR RUBBER, 321 CRES, 275 DEGREES F, FUEL RESISTANT[CUST: AS] | A | 5340 | | AS | 25-SEP-98 |
| | NASM85449-4 | CLAMP ASSEMBLY, SADDLE-TYPE, CUSHIONED, PTFE, 321 CRES, -320 DEGREES F TO 450 DEGREES F[CUST: AS] | A | 5340 | | AS | 25-SEP-98 |
| | NASM85449-3 | CLAMP ASSEMBLY, SADDLE-TYPE, CUSHIONED, SILICONE FABRIC, REINFORCED 321 CRES, 500 DEGREES F[CUST: AS] | A | 5340 | | AS | 25-SEP-98 |
| | MIL-DTL-85052/4A | CLAMP SUPPORT - LOOP CLAMP[CUST: AV AS 99] [REVIEW: 11 71 IS MC SA SH] | A | 5340 | | AS | 30-MAR-05 |
| | SAE-MA2150/4 | CLAMP SUPPORT, LOOP CLAMP, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | A-A-53853 | CLAMP, ARTERY, AORTIC ANEURYSM (DEBAKEY)[CUST: MD MS 03] | A | 6515 | / | MB | 08-MAR-89 |
| | A-A-54159 | CLAMP, ARTERY, BULLDOG (DEBAKEY)[CUST: MD MS 03] | A | 6515 | / | MB | 24-MAY-90 |
| | A-A-54449 | CLAMP, ARTERY, BULLDOG, GLOVER[CUST: MD MS 03] | A | 6515 | / | MB | 26-JUL-91 |
| | A-A-54921 | CLAMP, ARTERY, COOLEY[CUST: MD MS 03] | A | 6515 | / | MB | 30-SEP-93 |
| | A-A-54220 | CLAMP, ARTERY, DEBAKEY, ANGULAR JAWS, 7 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 20-JUL-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-54028 | CLAMP, ARTERY, INFANT, PARTIAL OCCLUDING (CASTANEDA)[CUST: MD MS 03] | A | 6515 | / | MB | 07-AUG-90 |
| | A-A-54412 | CLAMP, BONE AND PLATE HOLDING, LOWMAN'S MODIFIED[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-91 |
| | MS17815B(1) | CLAMP, CABLE, AVIATION GROUND LIGHTS[CUST: AS 99 IS] [REVIEW: 71 YD] | A | 6210 | | IS | 05-SEP-02 |
| | SAE-MA2152/1 | CLAMP, CENTER MOUNT, BARE METAL, ALUMINUM, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2152/2 | CLAMP, CENTER MOUNT, BARE METAL, STAINLESS STEEL, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2156/3 | CLAMP, CENTER MOUNT, CUSHIONED, HIGH TEMPERATURE, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2156/1 | CLAMP, CENTER MOUNT, CUSHIONED, HYDROCARBON FLUID RESISTANT, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2156/2 | CLAMP, CENTER MOUNT, CUSHIONED, PHOSPHATE ESTER FLUID RESISTANT, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | A-A-53931 | CLAMP, COARCTATION, (GLOVER)[CUST: MD MS 03] | A | 6515 | / | MB | 05-JUL-89 |
| | A-A-55603 | CLAMP, GUY (POLE LINE)[CUST: CR YD 99 CC] [REVIEW: 71 CR4 MC] | A | 4030 | / | CC | 02-MAY-95 |
| | SAE-AS782 | CLAMP, HALF TUBE SUPPORT[CUST: AR AS 99 IS] | A | 5340 | | IS | 30-MAR-82 |
| | NAS1925 | CLAMP, HOSE[CUST: AV AS 99] | A | 4730 | | 71 | 15-MAY-96 |
| | NAS1922 | CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT[CUST: AV AS] | A | 4730 | | AS | 25-MAY-84 |
| | NAS1923 | CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT[CUST: AV AS] | A | 4730 | | AS | 25-MAY-84 |
| | QPL-8783-15 | CLAMP, HOSE, FLAT BAND 500 DEG. F | A | 4730 | | CC | 31-MAY-05 |
| | MIL-DTL-8783/1 NOT 1 | CLAMP, HOSE, FLAT BAND 500 DEG. F[CUST: AT 99 CC] [REVIEW: 71 AV MI] | A | 4730 | | CC | 06-OCT-03 |
| | MIL-DTL-8783C | CLAMP, HOSE, FLAT BAND 500 DEG. F, GENERAL SPECIFICATION FOR[CUST: AT 99 CC] [REVIEW: 71 AV MI] | A | 4730 | | CC | 30-JUL-99 |
| | NASM28042 | CLAMP, INSTRUMENT MOUNTING, AIRCRAFT[CUST: AV AS 99 IS] | A | 5340 | | IS | APR-98 |
| | A-A-54233 | CLAMP, KIDNEY VESSEL, 8-1/2 INCH (OCKERBLAD)[CUST: MD MS 03] | A | 6515 | / | MB | 16-AUG-90 |
| | A-A-51105 | CLAMP, LABORATORY, SUPPORT ROD[CUST: MD MS 03] | A | 6640 | / | MB | 20-NOV-85 |
| | SAE-AS9353 | CLAMP, LOOP - ALUMINUM, .204 HOLE[CUST: AS IS] | A | 5340 | | IS | JAN-98 |
| | SAE-AS9354 | CLAMP, LOOP - ALUMINUM, .265 HOLE[CUST: AS IS] | A | 5340 | | IS | JUN-98 |
| | SAE-AS9391 | CLAMP, LOOP - MULTIPLE TUBE, DETACHABLE CUSHION, AMS 5510[CUST: AV AS 99 IS] | A | 5340 | | IS | JAN-98 |
| | SAE-MA2150/1 | CLAMP, LOOP STYLE, CUSHIONED, WITH WEDGE, HYDROCARBON FLUID RESISTANT, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2150/2 | CLAMP, LOOP STYLE, CUSHIONED, WITH WEDGE, PHOSPHATE ESTER FLUID RESISTANT, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2150/7 | CLAMP, LOOP STYLE, WITH INSERT, HIGH TEMPERATURE, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2150/5 | CLAMP, LOOP STYLE, WITH INSERT, HYDROCARBON FLUID RESISTANT, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2150/6 | CLAMP, LOOP STYLE, WITH INSERT, PHOSPHATE ESTER FLUID RESISTANT, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-AS7351 | CLAMP, LOOP TYPE BONDING[CUST: AS 99] | A | 5340 | | AS | MAY-98 |
| | SAE-MA2153/1 | CLAMP, LOOP TYPE, BARE METAL, ALUMINUM, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2153/2 | CLAMP, LOOP TYPE, BARE METAL, STAINLESS STEEL, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-AS21919 | CLAMP, LOOP TYPE, CUSHIONED SUPPORT[CUST: AS 99 IS] | A | 5340 | | IS | 10-OCT-00 |
| | SAE-MA14241 | CLAMP, LOOP TYPE, CUSHIONED SUPPORT, METRIC[CUST: AV 99 IS] | A | 5340 | | IS | 10-MAY-01 |
| | MIL-DTL-85052B | CLAMP, LOOP, CUSHION, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 11 71 IS MC SA SH] | A | 5340 | | AS | 30-MAR-05 |
| M | QPL-85052-9 | CLAMP, LOOP, CUSHION, GENERAL SPECIFICATION FOR | A | 5340 | | AS | 14-APR-06 |
| | SAE-MA14242 | CLAMP, LOOP, CUSHIONED, CENTER MOUNTING, METRIC[CUST: AS 99 IS] | A | 5340 | | IS | 07-MAY-01 |
| | SAE-MA14272 | CLAMP, LOOP, CUSHIONED, ELONGATED, METRIC[CUST: AV 99 IS] | A | 5340 | | IS | 09-MAY-01 |
| | SAE-AS9349 | CLAMP, LOOP, CUSHIONED, JOGGLED, CRES, 0.204 HOLE[CUST: AS 11] | A | 5340 | | AS | 27-OCT-03 |
| | NAM14290 | CLAMP, LOOP, CUSHIONED, RECTANGULAR, METRIC[CUST: AR 99 IS] | A | 5340 | | IS | APR-99 |
| | SAE-MA14489 | CLAMP, LOOP, METAL, PLAIN, SUPPORT, AIRCRAFT, METRIC[CUST: AR 99 IS] | A | 5340 | | IS | 2001 |
| | A-A-52406A | CLAMP, LOOP, MUFFLER[CUST: AT 99] [REVIEW: 71 IS] | A | 5340 | / | AT | 12-MAY-98 |
| | SAE-AS14243 | CLAMP, LOOP, NYLON, METRIC[CUST: AV AS] | A | 5340 | | AS | AUG-99 |
| | SAE-AS5587 | CLAMP, LOOP, PLAIN, SUPPORT AIRCRAFT[CUST: AS 99] | A | 5340 | | IS | 10-OCT-00 |
| | SAE-AS25281 | CLAMP, LOOP, PLASTIC, WIRE SUPPORT[CUST: AR AS 99] | A | 5340 | | AS | JUL-98 |
| | SAE-AS14487 | CLAMP, LOOP, PLASTIC, WIRE SUPPORT, METRIC[CUST: AR AS 99] | A | 5340 | | AS | JUL-99 |
| | SAE-AS14488 | CLAMP, LOOP, PLASTIC, WIRE SUPPORT, RIBBED INNER DIAMETER, METRIC[CUST: AR AS 99] | A | 5340 | | AS | AUG-99 |
| | MIL-DTL-85052/2C | CLAMP, LOOP, TUBE -17-7 PH CRES, 275 DEG. F, PHOSPHATE ESTER FLUID RESISTANT[CUST: AV AS 99] [REVIEW: 11 71 IS MC SA SH] | A | 5340 | | AS | 30-MAR-05 |
| | MIL-DTL-85052/1C | CLAMP, LOOP, TUBE 17-7 PH CRES, 275 DEG. F, FUEL AND PETROLEUM BASED HYDRAULIC FLUID RESISTANT[CUST: AV AS 99] [REVIEW: 11 71 IS MC SA SH] | A | 5340 | | AS | 30-MAR-05 |
| | MIL-DTL-85052/3C | CLAMP, LOOP, TUBE 17-7 PH CRES, 500 DEG. F[CUST: AV AS 99] [REVIEW: 11 71 IS MC SA SH] | A | 5340 | | AS | 30-MAR-05 |
| | SAE-AS14244 | CLAMP, LOOP, TYPE, BONDING, METRIC[CUST: AR AS] | A | 5340 | | AS | AUG-99 |
| | NASM21322 | CLAMP, LOOP-ALUMINUM, PLAIN AND CUSHIONED[CUST: AR YD 99 IS] | A | 5340 | | IS | DEC-98 |
| | NAS1715 | CLAMP, LOOP-CUSHIONED[CUST: AR AS 99 IS] | A | 5340 | | IS | 29-AUG-97 |
| | NAS1713 | CLAMP, LOOP-CUSHIONED, CENTER MOUNTING[CUST: AV AS 11] [REVIEW: CR4 IS] | A | 5340 | | AS | 29-AUG-97 |
| | SAE-AS3257 | CLAMP, LOOP-CUSHIONED, CRES, HIGH TEMP., .204 HOLE[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-SEP-80 |
| | NAS1714 | CLAMP, LOOP-CUSHIONED, ELONGATED[CUST: AR AS 99 IS] | A | 5340 | | IS | 29-AUG-97 |
| | NAS1712 | CLAMP, LOOP-CUSHIONED, RECTANGULAR[CUST: AV AS 11] [REVIEW: CR4 IS] | A | 5340 | | AS | 29-AUG-97 |
| | NAS1716 | CLAMP, LOOP-CUSHIONED, SADDLE[CUST: AR AS 99 IS] | A | 5340 | | IS | 29-AUG-97 |
| | NASM21334 | CLAMP, LOOP-DOUBLE, CABLE OR TUBE, STEEL, PLAIN AND CUSHIONED[CUST: AR YD 99 IS] | A | 5340 | | IS | DEC-98 |
| | NASM21333 | CLAMP, LOOP-STEEL, PLAIN AND CUSHIONED[CUST: AR YD 99 IS] | A | 5340 | | IS | DEC-98 |
| | A-A-50352C NOT 1 | CLAMP, MATERIAL LIFTING (PLATE, VERTICAL LIFT)[CUST: YD 99] | A | 3940 | / | IS | 19-MAR-03 |
| | A-A-54132 | CLAMP, PYLORUS (PAYR)[CUST: MD MS 03] | A | 6515 | / | MB | 18-APR-90 |
| | SAE-MA2155/5 | CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, HIGH TEMPERATURE, STAINLESS STEEL, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-MA2155/2 | CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, HYDROCARBON FLUID RESISTANT, STAINLESS STEEL, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2155/1 | CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, HYDROCARBON FLUID RESISTANT, ALUMINUM, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2155/3 | CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, PHOSPHATE ESTER FLUID RESISTANT, ALUMINUM, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2155/4 | CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, PHOSPHATE ESTER, FLUID RESISTANT, STAINLESS STEEL, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2154/3 | CLAMP, RECTANGULAR, 2 PIECE, CUSHIONED, WITH WEDGES, HIGH TEMPERATURE, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2154/1 | CLAMP, RECTANGULAR, 2 PIECE, CUSHIONED, WITH WEDGES, HYDROCARBON FLUID RESISTANT, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2154/2 | CLAMP, RECTANGULAR, 2 PIECE, CUSHIONED, WITH WEDGES, PHOSPHATE ESTER FLUID RESISTANT, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | MIL-C-12386E | CLAMP, REPAIR, PIPE, WITH GASOLINE-RESISTANT GASKET, GENERAL SPECIFICATION FOR[CUST: AT 99] [REVIEW: CC MC] | A | 4730 | | AT | 31-MAR-87 |
| | SAE-MA2151/3 | CLAMP, SADDLE TYPE, CUSHIONED, HIGH TEMPERATURE, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2151/1 | CLAMP, SADDLE TYPE, CUSHIONED, HYDROCARBON FLUID RESISTANT, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | SAE-MA2151/2 | CLAMP, SADDLE TYPE, CUSHIONED, PHOSPHATE ESTER FLUID RESISTANT, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-APR-91 |
| | A-A-51116 | CLAMP, TEST TUBE[CUST: MD MS 03] | A | 6640 | / | MB | 20-NOV-85 |
| | NAS1787 | CLAMP, TUBE MOUNTING[CUST: AR AS 99 IS] | A | 5340 | | IS | DEC-74 |
| | A-A-54451 | CLAMP, VENA CAVA, SATINSKY, LARGE, 10 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 26-JUL-91 |
| | FF-C-450D(1) | CLAMP, WIRE ROPE[CUST: AR SH 99 CC] [REVIEW: AT AV CR4 GL MC YD] | A | 4030 | / | CC | 14-MAY-74 |
| | GGG-C-414A | CLAMP, WIRE SPLICING | A | 5120 | # | FSS | 27-APR-65 |
| | NAS1397 | CLAMP-LOOP, NYLON[CUST: AR AS 99 IS] | A | 5340 | | IS | 31-OCT-97 |
| | NAS398 | CLAMP-RATCHET, THREE PIECE[CUST: AS CC] [REVIEW: 99] | A | 4730 | | CC | 25-FEB-94 |
| | MIL-C-6390B NOT 1 | CLAMPS AND INSTRUMENTS, AIRCRAFT, INSTALLATION OF[CUST: AV AS 99] [REVIEW: AR GL IS] | A | 5340 | | AS | 18-SEP-91 |
| | A-A-54425 | CLAMPS, ARTERY, DEBAKEY, SHALLOW "U" JAWS[CUST: MD MS 03] | A | 6515 | / | MB | 14-JUN-91 |
| A | A-A-52506B NOT 1 | CLAMPS, HOSE[CUST: AT YD 99] [REVIEW: 71 84 AR AV CC CG CR4 GL MC MI OS SH] | A | 4730 | / | AT | 19-APR-04 |
| | NASM6818 | CLAMPS, INSTRUMENT MOUNTING, AIRCRAFT[CUST: AV AS 99 IS] | A | 5340 | | IS | APR-98 |
| | SAE-MA2150 | CLAMPS, LOOP OR P STYLE, SINGLE POINT MOUNT, MULTIPLE SHAPES, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 03-FEB-93 |
| | STANAG-3492 ED.5(5) | CLAMPS, MOUNTING (IMPERIAL AND METRIC) FOR AIRCRAFT INSTRUMENTS | C | ISDF | | 06 | 25-FEB-83 |
| | MIL-C-19677C | CLASP, NECKTIE: METAL; GOLD COLOR[CUST: MC CT] | A | 8455 | | CT | 14-NOV-90 |
| | EIA492CAAA | CLASS IVA DISPERSION-UNSHIFTED SINGLE-MODE OPTICAL FIBERS[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | STANAG-2961 ED.2 | CLASSES OF SUPPLY OF NATO LAND FORCES | C | ISDA | | AI | 19-SEP-01 |
| | STANAG-2175 ED.3(2) | CLASSIFICATION AND DESIGNATION OF FLAT WAGONS SUITABLE FOR TRANSPORTING MILITARY EQUIPMENT | C | ISDA | | AI | PENDING |
| | DOD-STD-2101 | CLASSIFICATION OF CHARACTERISTICS[Standard Practice][CUST: OS] | A | QCIC | | OS | 10-MAY-79 |
| | MIL-STD-1666B | CLASSIFICATION OF DEFECTS FOR EVALUATING QUALITY OF ALUMINIZED FIREMEN'S CLOTHING[Military Standard][CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8415 | | CT | 10-OCT-88 |
| | MIL-HDBK-1655 | CLASSIFICATION OF DEFECTS OF FLARELESS AND BEAM SEAL FITTINGS[CUST: AV AS 99] [REVIEW: 71 CC MC] | A | 4730 | | AS | 17-MAR-97 |
| | AASHTO-M145 | CLASSIFICATION OF SOILS AND SOIL-AGGREGATE MIXTURES FOR HIGHWAY CONSTRUCTION PURPOSES[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | MIL-HDBK-252 | CLASSIFICATION OF VISUAL AND MECHANICAL DEFECTS EQUIPMENT, ELECTRONIC, WIRED, AND OTHER DEVICES[CUST: CR] [REVIEW: AR AT AV CR4 MI] | A | MISC | | CR | 23-FEB-98 |
| | ABCA-STD-62 | CLASSIFICATION SYSTEM FOR VULCANIZED RUBBER | C | ISDN | | SH | 24-SEP-76 |
| | FED-STD-148A(2) | CLASSIFICATION, IDENTIFICATION AND TESTING OF FEATHER FILLING MATERIAL[CUST: GL CT] | A | 8320 | / | CT | 10-DEC-64 |
| | DI-ADMN-80222 | CLASSIFIED PROCESSING EQUIPMENT INVENTORY [AMSC: F3927] | A | ADMN | | 33 | 05-AUG-86 |
| | GGG-C-415A | CLAW, TACK | A | 5120 | # | FSS | 08-JUN-65 |
| | ASTM-E835/E835M | CLAY AND CONCRETE MASONRY UNITS, MODULAR COORDINATION OF[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | FACR | | YD | 15-FEB-93 |
| | ASTM-C315 | CLAY FLUE LINERS[CUST: CE YD 99 IS] | A | 5610 | | IS | 28-OCT-91 |
| | ASTM-C142 | CLAY LUMPS AND FRIABLE PARTICLES IN AGGREGATES[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 22-DEC-89 |
| | ASTM-C425 | CLAY PIPE AND FITTINGS, VITRIFIED, COMPRESSION JOINTS FOR[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 5630 | | IS | 21-OCT-91 |
| | A-A-51006A | CLAY, MODELING (DENTAL)[CUST: MD MS 03] | A | 6520 | / | MB | 25-NOV-85 |
| | SAE-AMS1526 | CLEANER FOR AIRCRAFT EXTERIOR SURFACES WATER-MISCIBLE, PRESSURE-SPRAYING TYPE[CUST: AV AS 68] [REVIEW: GS] | A | 6850 | | AS | 01-APR-90 |
| | SAE-AMS1534 | CLEANER, AIRCRAFT, GLASS WINDOW[CUST: MR AS 11] [REVIEW: GS] | A | 6850 | | AS | 15-SEP-79 |
| | SAE-AMS1537 | CLEANER, ALKALINE HOT-TANK TYPE[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A | 6850 | | AS | 01-OCT-92 |
| M | SAE-AMS1547 | CLEANER, ANODIC, ELECTROLYTIC, ALKALINE FOR STEEL, TANK TYPE[CUST: AV SH 11] [REVIEW: 68 99 AS GS MR] | A | 6850 | | 11 | 28-MAR-06 |
| | A-A-51592A | CLEANER, AUTOMATIC FILM PROCESSOR (TWO PART CLEANER)[CUST: MD MS 03] | A | 6525 | / | MB | 31-JUL-90 |
| A | A-A-50438 | CLEANER, BLOWER AND VACUUM, PORTABLE, INDUSTRIAL[CUST: GL SH 99] [REVIEW: 84 CR CR4 YD] | A | 7910 | / | SH | 26-MAR-91 |
| | SAE-AMS1631 | CLEANER, CARPET WATER EXTRACTION TYPE[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A | 6850 | | AS | 15-SEP-89 |
| | A-A-59618 | CLEANER, PRESSURE, HOT-WATER, SKID-MOUNTED[CUST: SH CC] [REVIEW: SA] | A | 4940 | / | CC | 03-SEP-02 |
| | MIL-PRF-32032A | CLEANER, STEAM, PRESSURE JET, DIESEL POWERED, TRAILER-MOUNTED[CUST: AR YD 99] [REVIEW: CC] | A | 4940 | | 84 | 26-FEB-03 |
| | SAE-AMS1535 | CLEANER, TRANSPARENT PLASTIC[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A | 6850 | | AS | 15-SEP-89 |
| | A-A-53953 | CLEANER, ULTRASONIC[CUST: MD MS 03] | A | 6530 | / | MB | 21-AUG-89 |
| | A-A-50744B | CLEANER, ULTRASONIC, NINE GALLON CAPACITY, AEROSPACE MAINTENANCE[CUST: AR 99 CC] | A | 4940 | / | 84 | 10-APR-02 |
| | A-A-58011 | CLEANER, ULTRASONIC, SIX GALLON[CUST: 99] | A | 4940 | / | 84 | 30-JAN-93 |
| | A-A-50743A | CLEANER, ULTRASONIC, WITH RINSE AND DRY, 5.5 GALLON[CUST: 99] | A | 4940 | / | 84 | 29-SEP-89 |
| | A-A-54943 | CLEANER, VACUUM, ELECTRIC PORTABLE, WET/DRY, INFECTIOUS WASTE[CUST: MD MS 03 MB] | A | 7910 | / | MB | 10-FEB-94 |
| | GGG-C-430A | CLEANER, VALVE, STEM GUIDE | A | 5110 | # | FSS | 24-MAR-67 |
| | A-A-2793 NOT 2 | CLEANER-DISINFECTANT (PINE TYPE)[CUST: GS3] | A | 6840 | / | GS3 | 02-NOV-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-29608(1) | CLEANING AND CLEANING-LUBRICATING COMPOUNDS, ELECTRICAL CONTACT, LOW OZONE DEPLETION POTENTIAL (ODP)[CUST: AS] [REVIEW: GS] | A | 6850 | | AS | 25-NOV-97 |
| | MIL-STD-419D | CLEANING AND PROTECTING PIPING, TUBING, AND FITTINGS FOR HYDRAULIC POWER TRANSMISSION EQUIPMENT[Standard Practice][CUST: CR4 SH] [REVIEW: MC MI MS OS] | A | MISC | | SH | 13-JUL-87 |
| | FED-STD-236A NOT 2 | CLEANING AND RENOVATING OF COTTON FELTED MATTRESSES[CUST: GL YD 99] [REVIEW: MC MD SM] | A | 7210 | / | CT | 04-JAN-93 |
| | MIL-HDBK-509 | CLEANING AND TREATMENT OF ALUMINUM PARTS PRIOR TO PAINTING[CUST: AT] | A | MFFP | | AT | 07-DEC-98 |
| | MIL-DTL-24800 | CLEANING COMPOUND - AQUEOUS - OXYGEN SYSTEMS COMPONENTS[CUST: EA SH 68] [REVIEW: AS GS MI] | A | 6850 | | SH | 30-SEP-96 |
| | A-A-59743 | CLEANING COMPOUND SOLVENT, DICHLOROPENTAFLUOROPROPANE (HCFC-225)[CUST: EA AS] [REVIEW: SH] | A | 6850 | / | AS | 30-JUN-03 |
| | MIL-PRF-87937D | CLEANING COMPOUND, AEROSPACE EQUIPMENT[CUST: AS 68] [REVIEW: 11 GS] | A | 6850 | | 68 | 24-SEP-01 |
| A | QPL-87937-13 | CLEANING COMPOUND, AEROSPACE EQUIPMENT | A | 6850 | | 68 | 20-JAN-06 |
| | QPL-43616-16 | CLEANING COMPOUND, AIRCRAFT SURFACE | A | 6850 | | AS | 15-JAN-03 |
| | A-A-59146A | CLEANING COMPOUND, ALKALI, BOILING VAT (SOAK) OR HYDROSTEAM[CUST: MR SH 68 GS3] [REVIEW: CR4 MC MI] | A | 6850 | / | GS3 | 30-AUG-04 |
| | MIL-PRF-29607(1) | CLEANING COMPOUND, AVIONICS COMPONENTS, NON-OZONE DEPLETING[CUST: AS] [REVIEW: GS] | A | 6850 | | AS | 25-NOV-97 |
| | MIL-PRF-7907B | CLEANING COMPOUND, DECONTAMINATING (FOR SOILED AND RADIOACTIVE CONTAMINATED SURFACES)[CUST: AS] | A | 6850 | | GS3 | 10-JAN-00 |
| | MIL-PRF-11090H | CLEANING COMPOUND, DEGREASING AND DEPRESERVING SOLVENT[CUST: MR OS GS3] [REVIEW: AR CR4 GL1 MC MD1] | A | 6850 | | GS3 | 07-APR-05 |
| | A-A-51459 | CLEANING COMPOUND, DENTAL TRAY[CUST: MD MS 03] | A | 6520 | / | MB | 18-AUG-86 |
| | A-A-53764 | CLEANING COMPOUND, DENTAL VACUUM SYSTEM[CUST: MD MS 03] | A | 6520 | / | MB | 18-NOV-88 |
| | MIL-PRF-32177 | CLEANING COMPOUND, FLIGHT DECK[CUST: EA SH 68] [REVIEW: 50 AS GS MR] | A | 7930 | | SH | 27-SEP-04 |
| A | QPL-32177-1 | CLEANING COMPOUND, FLIGHT DECK | A | 7930 | | SH | 12-DEC-05 |
| | MIL-C-22230B(2) | CLEANING COMPOUND, FUEL TANK AND BILGE[CUST: SH] [REVIEW: GS] | A | 6850 | | SH | 24-MAR-95 |
| | A-A-51640 | CLEANING COMPOUND, GENERAL PURPOSE, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 08-SEP-86 |
| | A-A-50425 | CLEANING COMPOUND, HALOGENATED HYDROCARBON, FOR OXYGEN SYSTEM COMPONENTS, AEROSOL (SPOT CLEANER)[CUST: EA AS 68] [REVIEW: GS] | A | 6850 | / | AS | 26-JUN-96 |
| | A-A-59133A | CLEANING COMPOUND, HIGH PRESSURE (STEAM) CLEANER[CUST: MR SH 68] [REVIEW: AR AS MC OS] | A | 6850 | / | GS3 | 09-NOV-04 |
| | QPL-AMS-C-22542-1 | CLEANING COMPOUND, HIGH PRESSURE CLEANER, LIQUID | A | 6850 | | AS | 20-MAY-02 |
| | SAE-AMS-C-22542 | CLEANING COMPOUND, HIGH PRESSURE CLEANER, LIQUID[CUST: AS] [REVIEW: GS] | A | 6850 | | AS | SEP-98 |
| | A-A-59199 NOT 1 | CLEANING COMPOUND, OPTICAL LENS (READY TO USE) | A | 6850 | / | GS3 | 24-FEB-04 |
| | P-C-1891(I1) | CLEANING COMPOUND, PORCELAIN AND CERAMIC TILE | A | 7930 | # | FSS | 03-JUN-77 |
| | P-C-1891 | CLEANING COMPOUND, PORCELAIN AND CERAMIC TILE[CUST: GL] | A | 7930 | * | GL | 27-SEP-76 |
| | QPL-372-26 | CLEANING COMPOUND, SOLVENT (FOR BORE OF SMALL ARMS AND AUTOMATIC AIRCRAFT WEAPONS) | A | 6850 | | AR | 18-MAY-05 |
| | MIL-PRF-372D NOT 1 | CLEANING COMPOUND, SOLVENT (FOR BORE OF SMALL ARMS AND AUTOMATIC AIRCRAFT WEAPONS)[CUST: AR AS 68 GS] [REVIEW: CR4 MC OS PS SM] | A | 6850 | | AR | 15-APR-03 |
| | A-A-59281 | CLEANING COMPOUND, SOLVENT MIXTURES[CUST: 68 GS3] | A | 6850 | / | GS3 | 08-MAR-99 |
| | QPL-P-C-444-15 | CLEANING COMPOUND, SOLVENT SOLUBLE, GREASE EMULSIFYING | A | 6850 | / | AS | 28-APR-03 |
| | A-A-50427 | CLEANING COMPOUND, SOLVENT, 1,1 -DICHLORO-1-FLUOROETHANE, HCFC-141B, FOR OXYGEN SYSTEMS[CUST: EA AS 68] [REVIEW: GS] | A | 6850 | / | AS | 26-JUN-96 |
| | A-A-59150A NOT 1 | CLEANING COMPOUND, SOLVENT, HYDROFLUOROETHER (HFE)[CUST: EA AS 68] [REVIEW: GS NA SH] | A | 6850 | / | AS | 14-FEB-03 |
| | MIL-PRF-6864E | CLEANING COMPOUND, SOLVENT, OIL COOLER[CUST: EA AS 11 GS3] | A | 6850 | | GS3 | 18-MAY-05 |
| | MIL-C-81302D(1) NOT 1 | CLEANING COMPOUND, SOLVENT, TRICHLOROTRIFLUOROETHANE[CUST: MI AS 68] [REVIEW: CR GS OS SH SM] | A | 6850 | | AS | 28-OCT-91 |
| | QPL-85704-8 | CLEANING COMPOUND, TURBINE ENGINE GAS PATH | A | 6850 | | AS | 21-AUG-98 |
| | MIL-PRF-85704C | CLEANING COMPOUND, TURBINE ENGINE GAS PATH[CUST: AV AS 68] [REVIEW: GS MD MR] | A | 6850 | | AS | 15-JUL-98 |
| | A-A-59664A | CLEANING COMPOUND, WINDSHIELD (SOLVENT AND ANTI-FREEZE)[CUST: GS3] | A | 6850 | / | GS3 | 30-AUG-01 |
| | MIL-C-43616C(2) NOT 1 | CLEANING COMPOUNDS, AIRCRAFT SURFACE[CUST: GL AS 68 FSS] [REVIEW: AV EA GS MD MR] | A | 6850 | | AS | 28-OCT-91 |
| M | MIL-PRF-85570D(1) | CLEANING COMPOUNDS, AIRCRAFT, EXTERIOR[CUST: MR AS 68] | A | 6850 | | AS | 20-MAR-06 |
| | QPL-85570-11 | CLEANING COMPOUNDS, AIRCRAFT, EXTERIOR | A | 6850 | | AS | 08-MAR-04 |
| | SAE-AMS-C-29602 | CLEANING COMPOUNDS, FOR PARTS WASHERS AND SPRAY CABINETS[CUST: EA AS 68] [REVIEW: 03 11 AT GS MP MR SH] | A | 6850 | | AS | AUG-99 |
| | QPL-29602-2 | CLEANING COMPOUNDS, PARTS WASHER AND SPRAY CABINET | A | 6850 | | AS | 18-APR-05 |
| | MIL-PRF-29602A | CLEANING COMPOUNDS, PARTS WASHER AND SPRAY CABINET[CUST: EA AS 68] [REVIEW: 03 GS MR] | A | 6850 | | AS | 31-JAN-05 |
| | A-A-55520 NOT 1 | CLEANING KIT, AUTOMATIC DATA PROCESSING EQUIPMENT, DISK DRIVE[CUST: IS] | A | 7035 | / | IS | 27-SEP-01 |
| | A-A-55520/2 NOT 1 | CLEANING KIT, AUTOMATIC DATA PROCESSING EQUIPMENT, DISK DRIVE, 130 MILLIMETERS (MM) (5.25 INCHES)[CUST: IS] | A | 7035 | / | IS | 27-SEP-01 |
| | A-A-55520/3 NOT 1 | CLEANING KIT, AUTOMATIC DATA PROCESSING EQUIPMENT, DISK DRIVE, 203.20 MILLIMETERS (MM) (8 INCHES)[CUST: IS] | A | 7035 | / | IS | 27-SEP-01 |
| | A-A-55520/1 NOT 1 | CLEANING KIT, AUTOMATIC DATA PROCESSING EQUIPMENT, DISK DRIVE, 90 MILLIMETERS (MM) (3.5 INCHES)[CUST: IS] | A | 7035 | / | IS | 27-SEP-01 |
| | MIL-STD-1622B | CLEANING OF SHIPBOARD COMPRESSED AIR SYSTEMS[Standard Practice][CUST: SH] | A | 4310 | | SH | 17-FEB-99 |
| | A-A-51153B | CLEANING SETS, OXYGEN AND ACETYLENE, WELDING AND CUTTING TORCH TIPS[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 3439 | / | GS6 | 19-MAY-00 |
| M | MIL-C-46487 NOT 2 | CLEANING, PREPARATION AND ORGANIC COATING OF STEEL CARTRIDGE CASES[CUST: AR] [REVIEW: OS] | A | 1395 | | AR | 03-APR-06 |
| | ASME-A112.36.2M | CLEANOUTS[CUST: CR4 YD 99] [REVIEW: CC CE MC] | A | 4510 | | IS | 17-JUL-92 |
| | UL511 | CLEAT, KNOBS & TUBES, STANDARD FOR PORCELAIN[CUST: CR4 11] [REVIEW: 99 EC GS MC SH] | A | 5970 | | CR4 | 25-JUN-85 |
| | ASTM-E2004 | CLEAVAGE, FACING, OF SANDWICH PANELS[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | MS21252N NOT 1 | CLEVIS END, TURNBUCKLE, CLIP LOCKING[CUST: AS 99] [REVIEW: 71 MC] | A | 1640 | | GS5 | 01-APR-05 |
| | MS21253R NOT 1 | CLEVIS END, TURNBUCKLE, CLIP LOCKING, (FOR BEARING)[CUST: AV AS 99] [REVIEW: 71] | A | 1640 | | GS5 | 01-APR-05 |
| | NAS170 | CLEVIS ENGINE CONTROL ROD, ADJUSTABLE[CUST: AS 11] [REVIEW: CR4 IS] | A | 5340 | | AS | 06-MAY-83 |
| | PIA-PS70086 | CLEVIS, RISER, AIR DELIVERY TYPE III[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | NASM27120 | CLEVIS, ROD END TURNBUCKLE (GENERAL PURPOSE)[CUST: AR IS] | A | 5340 | | IS | 2001 |
| | NASM35812 | CLEVIS, ROD END-ADJUSTABLE AND PLAIN, STEEL[CUST: AR AS 99 IS] | A | 5340 | | IS | DEC-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM27975 | CLEVIS, ROD END-ADJUSTING, WIDE AND NARROW FORKS[CUST: AR AS 99 IS] | A | 5340 | | IS | DEC-98 |
| | NASM27976 | CLEVIS, ROD END-PLAIN, WIDE AND NARROW FORKS[CUST: AR AS 11] | A | 5340 | | IS | 25-SEP-01 |
| | PIA-PS70085 | CLEVIS, TIEDOWN, AIR DELIVERY TYPE II[CUST: GL MC 99 IS] [REVIEW: 11 71 AV] | A | 1670 | | GS1 | 07-JAN-98 |
| N | PIA-DTL-40137 | CLEVISES, RIGGING, AIR DELIVERY TYPE: GENERAL SPECIFICATION FOR[CUST: GL AS 11] [REVIEW: 71 99 AV MC] | A | 1670 | | GS1 | 22-FEB-06 |
| | PIA-PS70087 | CLEVISSES, SUSPENSION, AIR DELIVERY-TYPE 1[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | QSTAG-360 | CLIMATIC ENVIRONMENTAL CONDITIONS AFFECTING THE DESIGN OF MILITARY MATERIEL (ABCA 360) | C | ISDA | | AI | 16-OCT-79 |
| | AECTP-300 ED.1 | CLIMATIC ENVIRONMENTAL TESTS | C | ISDA | | AI | 16-JUN-93 |
| | MIL-C-44380(1) | CLIMBERS' EQUIPMENT SET, SPECIAL OPERATIONS FORCES MOUNTAINEERING EQUIPMENT (SOFME)[CUST: GL CT] | A | 8465 | | CT | 23-FEB-90 |
| | MIL-C-41824C | CLIMBERS, SKI, SNOW AND ICE TRAVERSING EQUIPMENT (SITE)[CUST: GL NU CT] [REVIEW: 11] | A | 8465 | | CT | 28-NOV-89 |
| | A-A-59308 NOT 1 | CLINOMETERS, SHIP, AND ACCESSORIES[CUST: SH 99 GS1] | A | 6605 | / | GS1 | 12-MAY-04 |
| | SAE-MA3295 | CLIP - SPRING, TENSION, INNER 5.5 MM BOLT HOLE, AMS 5525, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | 15-NOV-90 |
| | SAE-MA3394 | CLIP - SPRING, TENSION, INNER 6.7 MM BOLT HOLE, AMS 5525, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | 15-NOV-90 |
| | SAE-MA3294 | CLIP - SPRING, TENSION, OUTER 5.5MM BOLT HOLE, AMS 5525, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | 15-NOV-90 |
| | NAS1795 | CLIP RETAINING REPLACEABLE NUT PLATE[CUST: AS 11 IS] | A | 5310 | | IS | 17-OCT-84 |
| | NASM24066-4 | CLIP, DOUBLE SLOT, SPRING TENSION[CUST: EC IS] | A | 5340 | | IS | DEC-98 |
| | A-A-55507/1B | CLIP, ELECTRICAL, FUSE, 30 AND 60 AMPERE, FOR FUSE DIAMETERS 1/4 INCH THRU 13/16 INCH[CUST: CR SH 11 CC] | A | 5999 | / | CC | 02-FEB-04 |
| | A-A-55507/2A | CLIP, ELECTRICAL, FUSE, P.C. BOARD, 15 AND 30 AMPERE, FOR FUSE DIAMETER 1/4 INCH[CUST: CR SH 11 CC] | A | 5999 | / | CC | 02-FEB-04 |
| | A-A-55507/3 | CLIP, ELECTRICAL, FUSE, P.C. BOARD, UP TO 15 AMPERE, FOR FUSE DIAMETER 5 MM[CUST: CR SH 11 CC] | A | 5999 | / | CC | 02-FEB-04 |
| | A-A-55507A | CLIP, ELECTRICAL, FUZE, GENERAL REQUIREMENTS FOR[CUST: CR SH 11 CC] | A | 5999 | / | CC | 15-OCT-01 |
| | MIL-DTL-55422/1A | CLIP, ELECTRICAL, GRID[CUST: CR SH 11 CC] [REVIEW: 99 GS] | A | 5999 | | CC | 15-DEC-01 |
| | MIL-DTL-55422A | CLIP, ELECTRICAL, GRID AND ANODE, GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC] [REVIEW: 99 GS MI] | A | 5999 | | CC | 15-DEC-01 |
| | A-A-53645 | CLIP, HEMOSTATIC (MEDIUM)[CUST: MD MS 03] | A | 6515 | / | MB | 15-AUG-88 |
| | A-A-53636 | CLIP, HEMOSTATIC, LARGE[CUST: MD MS 03] | A | 6515 | / | MB | 10-AUG-88 |
| | A-A-54163 | CLIP, HEMOSTATIC, SILVER (MCKENZIE)[CUST: MD MS 03] | A | 6515 | / | MB | 08-JUN-90 |
| | A-A-51615A | CLIP, HEMOSTATIC, SMALL[CUST: MD MS 03] | A | 6515 | / | MB | 06-FEB-89 |
| | MS21256G NOT 1 | CLIP, LOCKING, TURNBUCKLE[CUST: CR4 AS 99] [REVIEW: 71] | A | 1640 | | GS5 | 01-APR-05 |
| | FF-C-00431B | CLIP, PAPER (BINDER) | A | 7510 | # | FSS | 06-OCT-70 |
| | FF-C-431A(2) | CLIP, PAPER (BINDER) | A | 7510 | # | FSS | 28-OCT-55 |
| | A-A-2601 | CLIP, PAPER, WIRE | A | 7510 | # | FSS | 19-DEC-88 |
| | MIL-C-50245A NOT 1 | CLIP, SAFETY, FOR HAND GRENADES[CUST: AR] | A | 1330 | | AR | 30-MAR-88 |
| | NASM24066-3 | CLIP, SINGLE SLOT, SPRING TENSION[CUST: EC] | A | 5340 | | IS | NOV-99 |
| | NASM24066-2 | CLIP, SOLID, SPRING TENSION[CUST: EC] | A | 5340 | | IS | NOV-99 |
| | NAS1464 | CLIP, SPRING TENSION[CUST: AS 11] | A | 5340 | | AS | 20-MAY-83 |
| | NAS1463 | CLIP, SPRING TENSION[CUST: AV AS 11] | A | 5340 | | AS | 28-FEB-00 |
| | GG-C-439B(1) | CLIP, SUTURE (METAL) | A | 6515 | # | FSS | 22-OCT-57 |
| | SAE-MA3393 | CLIP-SPRING, TENSION, OUTER 6.7MM BOLT HOLE, AMS 5525, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | 11-OCT-91 |
| | MIL-C-23157D | CLIPBOARD, PILOT'S, MXU-163/P, AND MARK 2A[CUST: AS 99 CT] [REVIEW: 11 AV] | A | 8465 | | CT | 23-JUL-79 |
| | A-A-51227A | CLIPER; X-RAY TECHNIQUE[CUST: MD MS 03] | A | 6525 | / | MB | 23-NOV-90 |
| | A-A-54598 | CLIPPER, HAIR, AND BLADE SETS (SMALL ANIMAL)[CUST: MD MS 03] [REVIEW: CC] | A | 3770 | / | MB | 06-MAR-92 |
| | GGG-C-475B NOT 2 | CLIPPERS, HAIR, HAND[CUST: MR AS 11] [REVIEW: CG MC MD MS] | A | 3590 | / | IS | 08-MAY-01 |
| | SAE-MA1806 | CLIPS AND SPRING CUSHIONS SELECTION FOR METAL TUBE SUPPORT, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | 11-OCT-91 |
| A | A-A-59466B | CLIPS, ELECTRICAL, GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC] [REVIEW: 99 CR4 EA MI] | A | 5999 | / | CC | 06-JAN-06 |
| | MIL-PRF-32144 | CLOCK, AIRCRAFT, ELECTRONIC[CUST: AV 99] [REVIEW: GS] | A | 6645 | | 71 | 09-MAR-04 |
| | MIL-C-27298B NOT 1 | CLOCK, AIRCRAFT, MECHANICAL ABU&9-A[CUST: AS] [REVIEW: GS] | A | 6645 | | AS | 19-JUN-87 |
| | QPL-38207-9 | CLOCK, AIRCRAFT, MECHANICAL ABU-11/A | A | 6645 | | 71 | 29-FEB-00 |
| | GG-C-00466E(1) | CLOCKS, WALL (SYNCHRONOUS MOTOR)(S/S BY A-A-1509) | A | 6645 | # | FSS | 18-JUN-68 |
| | A-A-53969 | CLOMIPHENE CITRATE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 30-OCT-89 |
| | A-A-53211A | CLORAZEPATE DIPOTASSIUM TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 15-JAN-91 |
| | A-A-58062 | CLOSED CIRCUIT IMPACT CRUSHER AND SCREENING PLANT[CUST: 99] | A | 3820 | / | 84 | 15-JUN-96 |
| | QSTAG-461 ED.1 | CLOSED CIRCUIT REFUELING[CUST: AI] | C | ISDA | | AI | 26-APR-84 |
| | EIA330 | CLOSED CIRCUIT TELEVISION CAMERA 525/60 , ELECTRICAL PERFORMANCE STANDARD FOR[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | BHMA-A156.15 | CLOSER HOLDER RELEASE DEVICES, AMERICAN NATIONAL STANDARD FOR[CUST: AR YD 99 IS] [REVIEW: CE MC SH] | A | 5340 | | IS | 04-OCT-91 |
| | MIL-PRF-32152 | CLOSURE, HVAC, BUTTERFLY TYPE, SHIPBOARD SERVICE[CUST: SH] | A | 4820 | | SH | 11-APR-05 |
| | A-A-55308 | CLOTH AND STRIP, LAMINATED OR COATED, VINYL NYLON OR POLYESTER, HIGH STRENGTH, FLEXIBLE[CUST: GL NU 99 CT] [REVIEW: 11 AT] | A | 8305 | / | CT | 13-MAY-97 |
| | MIL-C-43665C | CLOTH WOOL, MOTHPROOFING TREATMENT OF[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8305 | | CT | 14-NOV-86 |
| A | MIL-PRF-20696F | CLOTH, WATERPROOF, WEATHER RESISTANT[CUST: GL NU 99 CT] [REVIEW: 11 AT CC CR4 EA MC MI] | A | 8305 | | CT | 02-SEP-97 |
| | MIL-C-12800A(2) NOT 2 | CLOTH, ACRYLIC (FOR CARTRIDGE BAGS)[CUST: AR] | A | 8305 | | AR | 06-FEB-03 |
| | MIL-C-5646F(2) NOT 1 | CLOTH, AIRPLANE[CUST: GL AS 99 CT] [REVIEW: 11 CR4 MD] | A | 8305 | | CT | 24-OCT-91 |
| | MIL-C-44050A | CLOTH, BALLISTIC, ARAMID[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | | CT | 18-AUG-87 |
| | MIL-C-12369F(1) NOT 1 | CLOTH, BALLISTIC, NYLON[CUST: GL CT] [REVIEW: EA MD] | A | 8305 | | CT | 22-APR-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-44043B | CLOTH, BALLISTIC, NYLON, LIGHTWEIGHT, WATER-REPELLENT TREATED[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8305 | | CT | 19-DEC-90 |
| | MIL-C-332H | CLOTH, BALLOON, COTTON[CUST: GL NU 11 CT] [REVIEW: MC MD] | A | 8305 | | CT | 17-OCT-86 |
| | MIL-C-606F | CLOTH, BANNER, RAYON[CUST: GL NU 99 CT] [REVIEW: 11 IH MC] | A | 8305 | | CT | 05-MAY-70 |
| | A-A-50185 | CLOTH, BATISTE, COTTON, POLISHING[CUST: GL CT] | A | 8305 | / | CT | 15-NOV-88 |
| | MIL-C-21318C NOT 1 | CLOTH, BEDFORD, CORD[CUST: AS CT] [REVIEW: NU] | A | 8305 | | CT | 24-OCT-91 |
| | MIL-C-17566E | CLOTH, BILLIARD[CUST: NU 99 CT] [REVIEW: 11] | A | 8305 | | CT | 31-MAY-88 |
| | A-A-55081 | CLOTH, BRATTICE; COTTON, FIRE RESISTANT[CUST: NU CT] | A | 8305 | / | CT | 05-OCT-92 |
| | A-A-55115 | CLOTH, BROADCLOTH, POLYESTER AND COTTON[CUST: GL NU CT] [REVIEW: MC] | A | 8305 | / | CT | 31-AUG-93 |
| | MIL-DTL-43992C | CLOTH, BROADCLOTH, POLYESTER/COTTON, DURABLE PRESS[CUST: GL 11 CT] [REVIEW: CG MC] | A | 8305 | | CT | 23-SEP-02 |
| | MIL-C-82252D | CLOTH, BROADCLOTH, WOOL, AND WOOL-SYNTHETIC (MOTH-PROOFED)[CUST: GL NU 11 CT] [REVIEW: 99 CG IH MC MD] | A | 8305 | | CT | 04-APR-83 |
| | MIL-C-29405 | CLOTH, BROADCLOTH: WOOL AND WOOL/NYLON[CUST: MC CT] | A | 8305 | | CT | 01-MAR-85 |
| | A-A-50186 | CLOTH, BUCKRAM, WOVEN AND NONWOVEN[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | / | CT | 18-NOV-88 |
| | MIL-C-22775D | CLOTH, BUNTING, ACRYLIC[CUST: GL NU CT] [REVIEW: CG IH OS SH] | A | 8305 | | CT | 06-JAN-84 |
| | A-A-59591 | CLOTH, BUNTING, COTTON, MERCERIZED[CUST: GL NU 99] [REVIEW: 11 IH MC MD] | A | 8305 | / | CT | 24-MAY-00 |
| | A-A-59709 | CLOTH, BUNTING, NYLON; AND NYLON AND WOOL[CUST: GL NU 99 CT] [REVIEW: 11 IH MC OS SH] | A | 8305 | / | CT | 11-DEC-01 |
| | AASHTO-M182 | CLOTH, BURLAP, MADE FROM JUTE OR KENAF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | MIL-DTL-44436A | CLOTH, CAMOFLAGE PATTERN, WIND RESISTANT POPLIN, NYLON/COTTON BLEND[CUST: GL] [REVIEW: MD] | A | 8305 | | CT | 19-APR-05 |
| | MIL-C-44014 | CLOTH, CAMOUFLAGE PATTERN, DUCK, COTTON[CUST: GL CT] [REVIEW: MD] | A | 8305 | | CT | 17-SEP-79 |
| | MIL-C-43468H | CLOTH, CAMOUFLAGE PATTERN, WIND RESISTANT POPLIN, COTTON[CUST: GL NU 99 CT] [REVIEW: 11 GS MC MD] | A | 8305 | | CT | 31-MAR-92 |
| | MIL-C-44031D | CLOTH, CAMOUFLAGE PATTERN: WOODLAND, COTTON AND NYLON[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | | CT | 22-AUG-89 |
| | MIL-C-43153(3) | CLOTH, CARTRIDGE, POLYESTER&VISCOSE RAYON (FOR CARTRIDGE BAGS)[CUST: AR] | A | 8305 | | AR | 31-JAN-75 |
| | MIL-C-87065A | CLOTH, CHAMBRAY, POLYESTER AND COTTON[CUST: NU CT] | A | 8305 | | CT | 13-FEB-86 |
| | CCC-C-440E NOT 1 | CLOTH, CHEESECLOTH, COTTON, BLEACHED AND UNBLEACHED[CUST: GL NU 99 CT] [REVIEW: 11 AV CG CR4 DS EA MC MD SM YD] | A | 8305 | * | CT | 12-NOV-87 |
| | MIL-C-43285C | CLOTH, COATED (CHLOROPRENE BASE COATED, CHLOROSULPHONATED POLYETHYLENE TOP COATED)[CUST: GL 99 CT] [REVIEW: 11 CR4 MD] | A | 8305 | | CT | 15-SEP-86 |
| | MIL-C-19699E | CLOTH, COATED (NYLON TAFFETA)[CUST: NU CT] | A | 8305 | | CT | 21-APR-92 |
| | A-A-59511 | CLOTH, COATED OR CLOTH, LAMINATED, REFLECTIVE[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8305 | / | CT | 21-OCT-99 |
| | A-A-59517 | CLOTH, COATED OR LAMINATED, POLYVINYLCHLORIDE (ARTIFICIAL LEATHER)[CUST: GL NU 99] [REVIEW: 11 CG MC MD SH] | A | 8305 | / | CT | 17-NOV-99 |
| A | MIL-C-19002D NOT 1 | CLOTH, COATED, AND STRIP, COATED CLOTH - POLYCHLOROPRENE ON NYLON[CUST: CR4 AS 99 CT] [REVIEW: 11 EA NU SH] | A | 8305 | | CT | 24-OCT-91 |
| A | MIL-C-17415F | CLOTH, COATED, AND WEBBING, INFLATABLE BOAT AND MISCELLANEOUS USE[CUST: CR4 SH] [REVIEW: CE CG EA MC] | A | 8305 | | SH | 31-MAY-89 |
| | MIL-C-43062D | CLOTH, COATED, COTTON, RESIN MODIFIED BUTYL COATED, ACID AND FUEL RESISTANT[CUST: GL NU 99 CT] [REVIEW: 11 CR4 MD SH] | A | 8305 | | CT | 14-MAR-88 |
| | MIL-C-10799H NOT 1 | CLOTH, COATED, COTTON, VINYL COATED, FIRE AND MILDEW RESISTANT[CUST: GL AS 99 CT] [REVIEW: 11 CR4 MC MD MI OS] | A | 8305 | | CT | 22-APR-89 |
| | MIL-C-15104F | CLOTH, COATED, FLAME RESISTANT, BERTH AND BEDDING COVER[CUST: NU CT] [REVIEW: SH] | A | 8305 | | CT | 30-APR-91 |
| | A-A-59510 | CLOTH, COATED, FOR HEAT SEAL PATCHING[CUST: GL CT] [REVIEW: MD] | A | 8305 | / | CT | 21-OCT-99 |
| | MIL-C-22787D | CLOTH, COATED, FUEL AND FLAME RESISTANT[CUST: NU 99 CT] [REVIEW: 11] | A | 8305 | | CT | 08-DEC-87 |
| | MIL-C-70991A(1) | CLOTH, COATED, KEVLAR-29, POLYURETHANE COATED[CUST: AR] | A | 1330 | | AR | 17-JUN-94 |
| | MIL-C-43808A NOT 3 | CLOTH, COATED, NYLON[CUST: GL CT] [REVIEW: MD] | A | 8305 | | CT | 20-OCT-99 |
| | MIL-C-26712B | CLOTH, COATED, NYLON, CHLOROPRENE COATED[CUST: AS 11 CT] [REVIEW: 99] | A | 8305 | | CT | 26-FEB-82 |
| | MIL-C-83489 NOT 2 | CLOTH, COATED, NYLON, POLYURETHANE COATED[CUST: AS] | A | 8305 | | AS | 11-MAY-90 |
| | MIL-C-21109C | CLOTH, COATED, NYLON, RAFT BOTTOM[CUST: AS] | A | 8305 | | AS | 20-OCT-88 |
| | MIL-C-44304A | CLOTH, COATED: CLOTH, LAMINATED, CHEMICAL PROTECTIVE[CUST: MD NU 99 CT] [REVIEW: 11 EA GL] | A | 8305 | | CT | 28-MAY-93 |
| | MIL-C-12189H | CLOTH, COATED: BUTYL COATED, TOXICOLOGICAL AGENTS PROTECTIVE[CUST: GL NU 99 CT] [REVIEW: 11 EA MC MD] | A | 8305 | | CT | 30-JUN-88 |
| | MIL-C-51251A(1) | CLOTH, COATED; CBR PROTECTIVE[CUST: EA] [REVIEW: CT] | A | 8305 | | EA | 08-FEB-89 |
| | CCC-C-422 | CLOTH, COTTEN, MUSLIN (MERCERIZED) | A | 8305 | # | FSS | 10-MAY-53 |
| | A-A-59708 | CLOTH, COTTON, AFTERTREATED WATER-REPELLANT, WATER-REPELLENT, AND MILDEW RESISTANT, MILDEW RESISTANT[CUST: GL NU CT] [REVIEW: AV MC MD YD] | A | 8305 | / | CT | 12-DEC-01 |
| | MIL-C-20313(2) | CLOTH, COTTON, CARTRIDGE[CUST: AR] | A | 1395 | | AR | 21-NOV-51 |
| | A-A-50161 | CLOTH, DENIM, COTTON[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8305 | / | CT | 01-APR-88 |
| | MIL-C-24915A | CLOTH, DENIM, COTTON (FLAME RETARDANT TREATED)[CUST: NU CT] [REVIEW: MD] | A | 8305 | | CT | 06-FEB-91 |
| | MIL-C-87064B | CLOTH, DENIM, COTTON/POLYESTER[CUST: NU CT] | A | 8305 | | CT | 19-MAY-92 |
| | MIL-C-24500A | CLOTH, DRAPERY, BUNK CURTAIN, SLIPCOVERS, AND LABELS, FIRE RETARDANT[CUST: SH CT] | A | 8305 | | SH | 26-MAR-90 |
| | A-A-52085 | CLOTH, DRILL, COTTON[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | / | CT | 02-JAN-91 |
| | MIL-C-882E | CLOTH, DUCK, COTTON OR COTTON-POLYESTER BLEND, SYNTHETIC RUBBER, IMPREGNATED, AND LAMINATED, OIL RESISTANT[CUST: GL SH 99 CT] [REVIEW: AS CR4 MI MR] | A | 8305 | | CT | 27-JAN-89 |
| | MIL-C-43627D | CLOTH, DUCK, COTTON, PLIED YARNS, FIRE, WATER, WEATHER AND MILDEW RESISTANT TREATED, LIGHTDRY FINISH[CUST: GL NU 99] [REVIEW: 11 MC MD] | A | 8305 | | CT | 07-NOV-90 |
| | MIL-C-7219F(2) | CLOTH, DUCK, NYLON[CUST: GL AS 99 CT] [REVIEW: 11 AR MD MI] | A | 8305 | | CT | 02-APR-90 |
| | PIA-C-3953 | CLOTH, DUCK, NYLON[CUST: GL NU 11 CT] | A | 8305 | | CT | 01-MAR-98 |
| | MIL-C-43375E | CLOTH, DUCK, NYLON, 12.5 OUNCE[CUST: GL CT] [REVIEW: CR4 MD] | A | 8305 | | CT | 18-SEP-90 |
| M | MIL-DTL-43734E NOT 1 | CLOTH, DUCK, TEXTURED NYLON[CUST: GL NU 11] | A | 8305 | | CT | 24-MAR-06 |
| | A-A-55250 | CLOTH, ELASTIQUE, POLYESTER/WOOL[CUST: CG CT] | A | 8305 | / | CT | 29-AUG-94 |
| | MIL-DTL-3738L | CLOTH, ELASTIQUE, WOOL[CUST: GL NU 11] | A | 8305 | | CT | 14-APR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-29137A | CLOTH, FELT FABRIC COMPOSITE, UNDERCOLLAR[CUST: GL NU 11 CT] [REVIEW: 99 CG MC MD] | A | 8305 | | CT | 06-MAR-79 |
| | MIL-C-24757 | CLOTH, FIBERGLASS, COATED[CUST: SH] | A | 4210 | | SH | 09-NOV-90 |
| | MIL-PRF-44103D | CLOTH, FIRE, WATER AND WEATHER RESISTANT[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8305 | | CT | 19-NOV-96 |
| | MIL-PRF-44423A | CLOTH, FLAME RESISTANT, LIGHT WEIGHT, REVERSIBLE[CUST: GL CT] | A | 8305 | | CT | 02-SEP-97 |
| | MIL-C-24933 | CLOTH, FLANNEL, COTTON(FLAME RETARDANT TREATED)[CUST: 99 CT] [REVIEW: 11 MD] | A | 8305 | | CT | 23-JUN-87 |
| | A-A-50129A | CLOTH, FLANNEL, LIGHTWEIGHT[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8305 | / | CT | 07-MAR-96 |
| | A-A-50067A | CLOTH, FLANNEL, WOOL[CUST: GL NU CT] [REVIEW: MC MD] | A | 8305 | / | CT | 27-FEB-95 |
| | MIL-C-44296A NOT 2 | CLOTH, FUSIBLES[CUST: GL NU 11 CT] [REVIEW: 99 CG MC MD] | A | 8305 | | CT | 16-SEP-99 |
| | MIL-C-41820D NOT 1 | CLOTH, GABARDINE, POLYESTER AND RAYON[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | | CT | 12-NOV-87 |
| | MIL-DTL-10176K | CLOTH, GABARDINE: WOOL, POLYESTER AND WOOL[CUST: GL NU 11 CT] [REVIEW: 99 MC] | A | 8305 | | CT | 20-MAY-05 |
| | SAE-AMS3824 | CLOTH, GLASS FINISHED FOR RESIN LAMINATES[CUST: AS 11] [REVIEW: CT] | A | CMPS | | AS | 20-NOV-85 |
| | SAE-AMS-C-9084 | CLOTH, GLASS, FINISHED, FOR RESIN LAMINATES[CUST: CR AS 11 CT] [REVIEW: 99 CR4 DS EA MC MI MR SH] | A | 8305 | | AS | JUN-99 |
| | MIL-C-20079H | CLOTH, GLASS; TAPE, TEXTILE GLASS; & THREAD, GLASS & WIRE-REINFORCED GLASS[CUST: CR4 SH 99 CT] [REVIEW: 11 AR AS MI YD] | A | 8305 | | CT | 10-JUL-87 |
| | ASTM-A740 | CLOTH, HARDWARE, (WOVEN OR WELDED GALVANIZED STEEL WIRE FABRIC)[CUST: CR4 99] [REVIEW: 84] | A | 5335 | | CR4 | 27-MAR-86 |
| | MIL-C-17564 | CLOTH, HOLLAND[CUST: NU 99 CT] | A | 8305 | | CT | 20-MAY-53 |
| | MIL-C-13814(4) NOT 1 | CLOTH, IGNITER[CUST: AR] [REVIEW: CT] | A | 1395 | | AR | 09-MAY-89 |
| | MIL-C-44154B NOT 2 | CLOTH, INSULATION, MULTIPLE LAYER COMPOSITE, QUILTED, FLAME RESISTANT[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8305 | | CT | 15-OCT-99 |
| | A-A-52108 | CLOTH, INTERLINING, COTTON AND SYNTHETIC, OR SYNTHETIC[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | / | CT | 28-JUN-91 |
| | A-A-52105 | CLOTH, INTERLINING, COTTON OR SYNTHETIC WARP, AND SPUN HAIR-WOOL OR RAYON FILLING[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8305 | / | CT | 07-MAY-91 |
| | A-A-52086 | CLOTH, INTERLINING, COTTON WARP, RAYON FILLING[CUST: GL CT] [REVIEW: MD] | A | 8305 | / | CT | 10-JAN-91 |
| | A-A-50135 | CLOTH, INTERLINING, POLYESTER[CUST: GL NU 11] [REVIEW: MC MD] | A | 8305 | / | CT | 05-OCT-87 |
| | A-A-50128A | CLOTH, INTERLINING: NONWOVEN[CUST: GL NU 11 CT] [REVIEW: 01 MD] | A | 8305 | / | CT | 28-MAR-95 |
| | A-A-50162 | CLOTH, JEAN, COTTON[CUST: GL NU 99 CT] [REVIEW: 11 EA MC MD MI] | A | 8305 | / | CT | 01-APR-88 |
| | MIL-C-85636(1) NOT 2 | CLOTH, KNIT, JERSEY, ARAMID[CUST: AS CT] | A | 8305 | | CT | 06-JAN-00 |
| | MIL-C-87263 | CLOTH, KNIT, JERSEY, POLYBENZIMIDAZOLE/ARAMID BLEND[CUST: 99 CT] [REVIEW: 11] | A | 8305 | | CT | 11-FEB-92 |
| | MIL-C-44236 NOT 2 | CLOTH, KNITTED, ARAMID, BI-PLY[CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A | 8305 | | CT | 12-MAR-04 |
| | MIL-C-85038(1) | CLOTH, KNITTED, ARAMID, HIGH TEMPERATURE RESISTANT[CUST: AS 99 CT] [REVIEW: 11 SA] | A | 8305 | | CT | 26-SEP-85 |
| | MIL-C-40004C | CLOTH, KNITTED, COTTON, SIMPLEX[CUST: GL NU 11 CT] [REVIEW: MC MD SA] | A | 8305 | | CT | 26-APR-90 |
| | MIL-C-24932 | CLOTH, KNITTED, FLAME RESISTANT RAYON/WOOL PILE[CUST: NU 99 CT] [REVIEW: 11 MC] | A | 8305 | | CT | 16-JUL-87 |
| | A-A-55234A | CLOTH, KNITTED, NYLON, FLEECE[CUST: GL NU CT] [REVIEW: EA] | A | 8305 | / | CT | 07-NOV-94 |
| | MIL-C-87059A | CLOTH, KNITTED, NYLON, TRICOT[CUST: NU CT] | A | 8305 | | CT | 06-FEB-89 |
| | MIL-C-43247B(1) NOT 1 | CLOTH, KNITTED, NYLON, TUBULAR, STRETCH TYPE[CUST: GL NU 11 CT] [REVIEW: 99 MD SH] | A | 8305 | | CT | 22-APR-89 |
| | MIL-C-43358B NOT 2 | CLOTH, KNITTED, NYLON/ACETATE, TRICOT, CAMOUFLAGE GREEN 483[CUST: GL NU 11 CT] | A | 8305 | | CT | 05-MAR-03 |
| | MIL-C-81393B | CLOTH, KNITTED, POLYAMIDE, HIGH TEMPERATURE RESISTANT, SIMPLEX, JERSEY[CUST: GL AS CT] [REVIEW: MC MD] | A | 8305 | | CT | 17-MAR-88 |
| | MIL-C-43989A | CLOTH, KNITTED, RASCHEL, ARAMID[CUST: GL CT] [REVIEW: 11 MD] | A | 8305 | | CT | 19-SEP-86 |
| | MIL-C-44161A | CLOTH, KNITTED, TERRY, SYNTHETIC FIBERS[CUST: GL NU CT] [REVIEW: MC MD] | A | 8305 | | CT | 09-DEC-87 |
| | MIL-C-23070B(1) | CLOTH, LAMINATED, AND TAPE, COATED CLOTH, POLYISOPRENE, NATURAL OR SYNTHETIC, RUBBER ON NYLON[CUST: GL AS 99 CT] [REVIEW: 11] | A | 8305 | | CT | 13-NOV-95 |
| | MIL-C-85637A NOT 2 | CLOTH, LAMINATED, FIRE RESISTANT, WATERPROOF AND MOISTURE VAPOR PERMEABLE[CUST: AS CT] | A | 8305 | | CT | 18-MAR-98 |
| | MIL-C-43858B | CLOTH, LAMINATED, NYLON TRICOT KNIT, POLYURETHANE FOAM LAMINATE, CHEMICAL PROTECTIVE & FLAME RESISTANT[CUST: GL CT] [REVIEW: MD] | A | 8305 | | CT | 16-JAN-86 |
| | MIL-C-87261 | CLOTH, LAMINATED, POLYBENZIMIDAZOLE/ARAMID SUBSTRATE, ACTIVATED CARBON SPHERE, FIRE RESISTANT AND CHEMICAL PROTECTIVE[CUST: 99 CT] [REVIEW: 11] | A | 8305 | | CT | 11-FEB-92 |
| | MIL-C-29462 | CLOTH, LAMINATED, POLYESTER, TRICOT KNIT, ACTIVATED CARBON SPHERE, CHEMICAL PROTECTIVE[CUST: MC CT] | A | 8305 | | CT | 15-APR-92 |
| | MIL-C-9074C NOT 1 | CLOTH, LAMINATED, SATEEN, RUBBERIZED[CUST: GL CT] [REVIEW: CR4] | A | 8305 | | CT | 12-NOV-87 |
| | MIL-C-29567 | CLOTH, LAMINATED, STRETCHABLE, WATERPROOF AND MOISTURE VAPOR PERMEABLE[CUST: AS 99 CT] [REVIEW: 11] | A | 8305 | | AS | 30-MAR-89 |
| | MIL-C-44187C | CLOTH, LAMINATED, WATERPROOF AND MOISTURE VAPOR PERMEABLE[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8305 | | CT | 22-NOV-93 |
| | MIL-C-44263 NOT 2 | CLOTH, LAMINATED, WATERPROOF, MOISTURE VAPOR PERMEABLE AND FLAME RESISTANT (WT. 3.4 OZ)[CUST: GL NU 11 CT] [REVIEW: MC MD] | A | 8305 | | CT | 12-MAR-04 |
| | MIL-C-44273 | CLOTH, LAMINATED, WATERPROOF, MOISTURE VAPOR PERMEABLE, AND FLAME RESISTANT (4.6 OZ)[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | | CT | 01-JUN-87 |
| | MIL-C-11390C NOT 1 | CLOTH, LAMINATED. COTTON BALLOON, 3 PLY AIR RETAINING, CHLOROPRENE[CUST: GL CT] [REVIEW: MD] | A | 8305 | | CT | 12-NOV-87 |
| | MIL-DTL-24671C | CLOTH, LINT-FREE, FLUSHING AND CLEANING[CUST: SH] | A | 8305 | | SH | 18-MAR-02 |
| | A-A-55198 | CLOTH, MELTON WOOL (MOTH PROOFED)[CUST: NU CT] | A | 8305 | / | CT | 17-FEB-94 |
| | MIL-C-83450A(1) NOT 2 | CLOTH, META-ARAMID WARP, META-ARAMID/PARA-ARAMID FILLING, META-ARAMID/NOVOLOID FILLING, NAPPED[CUST: 99 CT] [REVIEW: 11] | A | 8305 | | CT | 15-APR-91 |
| | A-A-50155 | CLOTH, MUSLIN, COTTON[CUST: GL NU 11 CT] [REVIEW: 99 IH MC MD] | A | 8305 | * | CT | 21-MAR-88 |
| | MIL-C-82289B NOT 2 | CLOTH, NAINSOOK, COTTON[CUST: NU CT] | A | 8305 | | CT | 28-AUG-01 |
| | MIL-C-87025 | CLOTH, NETTING, COTTON AND POLYESTER[CUST: NU CT] | A | 8305 | | CT | 20-SEP-76 |
| | MIL-C-43352D | CLOTH, NETTING, NYLON, TULLE, TRICOT[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8305 | | CT | 30-JUN-88 |
| | A-A-55183 | CLOTH, NETTING, PARACHUTE SKIRT EXTENSION, NYLON, RASCHEL KNIT[CUST: GL CT] | A | 8305 | / | CT | 08-MAR-93 |
| | PIA-C-3395 | CLOTH, NETTING; NYLON OR POLYESTER[CUST: GL NU 11 CT] | A | 8305 | | CT | 04-SEP-99 |
| | MIL-C-87019A | CLOTH, NONWOVEN, DISPOSABLE, SPUNBONDED OLEFIN (COATED AND UNCOATED)[CUST: NU CT] [REVIEW: 11 SH] | A | 8305 | | CT | 06-MAY-82 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-41831B | CLOTH, NYLON, KNITTED, RASCHEL[CUST: GL NU CT] [REVIEW: MD] | A | 8305 | | CT | 15-MAR-85 |
| | MIL-C-14505D(1) | CLOTH, NYLON, POLYCHLOROPRENE-COATED (FOR PNEUMATIC FLOATING EQUIPMENT)[CUST: AV 11 CT] [REVIEW: GL MD] | A | 8305 | | CT | 29-APR-92 |
| | SAE-AMS3272 | CLOTH, NYLON, POLYURETHANE COATED THERMALLY, RADIO FREQUENCY, OR ULTRASONICALLY SEALABLE[CUST: GL SH 99] | A | 8305 | | SH | 01-JUL-90 |
| | MIL-C-21108C NOT 1 | CLOTH, NYLON, RAFT BOTTOM[CUST: AS] | A | 8305 | | AS | 24-OCT-91 |
| | MIL-C-8061 NOT 4 | CLOTH, NYLON, RASCHEL KNIT[CUST: GL CT] | A | 8305 | | CT | 01-SEP-93 |
| | MIL-PRF-43906D | CLOTH, NYLON, WATERPROOF[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8305 | | CT | 30-SEP-96 |
| | SAE-AMS3903 | CLOTH, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS EPOXY RESIN IMPREGNATED[CUST: MR AS 11] [REVIEW: CT] | A | CMPS | | AS | 01-OCT-85 |
| | SAE-AMS3902 | CLOTH, ORGANIC FIBER, (PARA-ARAMID) HIGH MODULUS FOR STRUCTURAL COMPOSITES[CUST: AS 11] | A | CMPS | | AS | MAY 95 |
| | SAE-AMS3903/1 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 120, 175 (350)[CUST: MR AS 11] [REVIEW: CT] | A | CMPS | | AS | 01-JAN-88 |
| | SAE-AMS3903/5 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 120, 80 (180)[CUST: MR AS] | A | CMPS | | AS | 01-JAN-88 |
| | SAE-AMS3903/2 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 181, 175 (350)[CUST: MR AS 11] | A | CMPS | | AS | 01-JAN-88 |
| | SAE-AMS3903/6 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 181, 80 (180)[CUST: MR AS 11] [REVIEW: CT] | A | CMPS | | AS | 01-JAN-88 |
| | SAE-AMS3903/3 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 281, 175 (350)[CUST: MR AS] | A | CMPS | | AS | 01-JAN-88 |
| | SAE-AMS3903/7 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 281, 80 (180)[CUST: MR AS] | A | CMPS | | AS | 01-JAN-88 |
| | SAE-AMS3903/4 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 328, 175 (350)[CUST: MR AS] | A | CMPS | | AS | 01-JAN-88 |
| | SAE-AMS3903/8 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 328, 80 (180)[CUST: MR AS] | A | CMPS | | AS | 01-JAN-88 |
| | MIL-C-43842C | CLOTH, OXFORD, ARAMID[CUST: GL NU 99 CT] [REVIEW: 11 AS MC MD] | A | 8305 | | CT | 11-JUN-92 |
| | MIL-C-3924J | CLOTH, OXFORD, COTTON WARP AND NYLON FILLING, QUARPEL TREATED[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8305 | | CT | 11-DEC-91 |
| | MIL-C-10859J | CLOTH, OXFORD, COTTON, (PERMEABLE)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8305 | | CT | 24-SEP-90 |
| A | MIL-DTL-508K | CLOTH, OXFORD, NYLON, 3 OUNCE[CUST: GL NU 99 CT] [REVIEW: 11 82 AS MC MD] | A | 8305 | | CT | 07-OCT-05 |
| | MIL-C-87156 NOT 1 | CLOTH, PARACHUTE, ARAMID, INTERMEDIATE MODULUS[CUST: GL AS 11] [REVIEW: 99] | A | 8305 | | CT | 27-MAR-87 |
| | SAE-AMS3801/3 | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 12.0 (407) WEIGHT, SPECIAL WEAVE[CUST: GL AS 11] [REVIEW: CT] | A | 8305 | | AS | 01-JUL-90 |
| | SAE-AMS3801/5 | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 18.0 (610) WEIGHT, BASKET WEAVE, RESIN TREATED[CUST: GL AS 11] | A | 8305 | | AS | 01-JUL-90 |
| | SAE-AMS3801/4 | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 7.0 (237) WEIGHT, PLAIN WEAVE[CUST: GL AS 11] [REVIEW: CT] | A | 8305 | | AS | 01-JUL-90 |
| | SAE-AMS3801/1 | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS, 4.7 (159) WEIGHT, TWILL[CUST: GL AS 11] [REVIEW: CT] | A | 8305 | | AS | 1-JUL-90 |
| | SAE-AMS3801 | CLOTH, PARACHUTE, META-ARMID, LOW MODULUS[CUST: GL AS 11] [REVIEW: CT] | A | 8305 | | AS | APR-86 |
| | SAE-AMS3801/2 | CLOTH, PARACHUTE, META-ARMID, LOW MODULUS, 6.5 (220) WEIGHT, SPECIAL WEAVE[CUST: GL AS 11] [REVIEW: CT] | A | 8305 | | AS | 1-JUL-90 |
| | MIL-C-7350G | CLOTH, PARACHUTE, NYLON[CUST: GL AS 99 CT] [REVIEW: 11 AV DP] | A | 8305 | | CT | 17-APR-92 |
| A | MIL-C-38351A(1) NOT 2 | CLOTH, PARACHUTE, NYLON, AROMATIC, NONMELTING[CUST: 99] | A | 8305 | | 11 | 31-OCT-91 |
| | MIL-C-8021D(3) | CLOTH, PARACHUTE, NYLON, CARGO AND DECELERATION[CUST: GL AS 99 CT] [REVIEW: 11] | A | 8305 | | CT | 18-APR-95 |
| | PIA-C-44378 | CLOTH, PARACHUTE, NYLON, LOW PERMEABILITY[CUST: GL CT] | A | 8305 | | CT | 30-DEC-99 |
| | MIL-C-44378 | CLOTH, PARACHUTE, NYLON, LOW PERMEABILITY[CUST: GL CT] | A | 8305 | | CT | 30-JUN-89 |
| | PIA-C-7020 | CLOTH, PARACHUTE, NYLON-RIP STOP AND TWILL WEAVE[CUST: GL AS 99 CT] | A | 8305 | | CT | 31-DEC-99 |
| | MIL-C-7020H | CLOTH, PARACHUTE, NYLON-RIP STOP AND TWILL WEAVE[CUST: GL AS 99 CT] [REVIEW: 11 AV] | A | 8305 | | CT | 16-MAR-92 |
| | MIL-C-498E | CLOTH, PARACHUTE, SYNTHETIC FIBER (FOR AMMUNITION PARACHUTES)[CUST: GL AS CT] [REVIEW: MD] | A | 8305 | | CT | 27-MAR-87 |
| | CCC-C-447C | CLOTH, PERCALE, COTTON | A | 8305 | # | FSS | 19-FEB-68 |
| | CCC-C-447C(I1) | CLOTH, PERCALE, COTTON | A | 8305 | # | FSS | 17-JUL-70 |
| | MIL-C-6590C | CLOTH, PILE (SYNTHETIC MOUTON, KNITTED)[CUST: AS 99 CT] | A | 8305 | | CT | 22-JAN-85 |
| | A-A-52107 | CLOTH, PILE, SYNTHETIC FIBER PILE[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8305 | / | CT | 28-JUN-91 |
| | MIL-C-83429B | CLOTH, PLAIN AND BASKET WEAVE, ARAMID[CUST: GL NU 99 CT] [REVIEW: 11 AS MD] | A | 8305 | | CT | 26-SEP-90 |
| | MIL-C-43774C | CLOTH, PLAIN OR PAJAMA CHECK WEAVE, ARAMID[CUST: GL NU 11 CT] [REVIEW: MD] | A | 8305 | | CT | 20-APR-89 |
| | A-A-55272 | CLOTH, PLAIN WEAVE (BASKET VARIATION) POLYESTER AND COTTON (CREASE RESISTANT FINISH)[CUST: CG CT] | A | 8305 | / | CT | 30-MAY-95 |
| | MIL-C-24931 | CLOTH, PLAIN WEAVE, ARAMID, WATER REPELLENT[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8305 | | CT | 15-JUL-87 |
| | A-A-55295 | CLOTH, PLAIN WEAVE, NYLON AND CLOTH, PLAIN WEAVE, POLYESTER[CUST: GL NU 99 CT] [REVIEW: 11 AT CR4] | A | 8305 | / | CT | 22-MAR-96 |
| | MIL-DTL-44431B | CLOTH, PLAIN WEAVE, NYLON FILAMENT, LIGHTWEIGHT[CUST: GL CT] | A | 8305 | | CT | 07-NOV-03 |
| | MIL-C-43128C | CLOTH, PLAIN WEAVE, NYLON: WATER REPELLENT, OG-106[CUST: GL NU CT] [REVIEW: MC MD] | A | 8305 | | CT | 10-SEP-86 |
| | MIL-C-87262 | CLOTH, PLAIN WEAVE, POLYBENZIMIDAZOLE/ARAMID BLEND[CUST: 99 CT] [REVIEW: 11 NU] | A | 8305 | | CT | 11-FEB-92 |
| | MIL-C-29147A | CLOTH, PLAIN WEAVE, POLYESTER AND RAYON, CREASE-RESISTANT FINISH[CUST: NU CT] | A | 8305 | | CG | 03-JUL-86 |
| | MIL-C-44162A | CLOTH, PLAIN WEAVE, POLYESTER/COTTON[CUST: GL NU 99 CT] [REVIEW: 11 CG MC MD] | A | 8305 | | CT | 20-SEP-89 |
| | A-A-52110 | CLOTH, PLAIN WEAVE, POLYESTER/COTTON FOR POCKETS (WATER REPELLENT)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8305 | / | CT | 23-AUG-91 |
| | MIL-C-43843A(1) | CLOTH, PLAIN WEAVE, POLYESTER/COTTON, PRECURED, DURABLE PRESS[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | | CT | 24-JUN-87 |
| | MIL-C-43637D NOT 2 | CLOTH, PLAIN WEAVE, RIPSTOP, NYLON[CUST: GL NU 99 CT] | A | 8305 | | CT | 08-MAR-00 |
| | MIL-C-44270 | CLOTH, POLYESTER/ COTTON, FOR HOSPITAL DUTY UNIFORM (HDU)[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8305 | | CT | 16-MAR-87 |
| | MIL-C-43482D | CLOTH, POPLIN, COTTON & POLYESTER (WATER REPELLENT)[CUST: GL NU 99 CT] [REVIEW: 11 CG MC MD] | A | 8305 | | CT | 20-AUG-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-55292 | CLOTH, POPLIN, POLYESTER AND COTTON[CUST: GL NU 99 CT] [REVIEW: 11 CG MC MD] | A | 8305 | / | CT | 02-FEB-96 |
| | A-A-50531 | CLOTH, POPLIN; POLYESTER AND COTTON (WATER REPELLENT)[CUST: GL MC CT] | A | 8305 | / | CT | 14-JUN-90 |
| | MIL-C-44303 | CLOTH, POROUS, LAMINATED FABRIC SYSTEM[CUST: MD] [REVIEW: CT EA] | A | 8305 | | MB | 30-JUN-88 |
| | SAE-AMS3847 | CLOTH, QUARTZ, "B" STAGE POLYIMIDE RESIN IMPREGNATED, STYLE 581 FABRIC, 315 DEG. C (599 DEG. F)[CUST: MR AS 11] [REVIEW: GS] | A | CMPS | | AS | JUN-94 |
| | SAE-AMS3846 | CLOTH, QUARTZ, FINISHED FOR RESIN LAMINATES[CUST: MR AS 11] [REVIEW: CT] | A | CMPS | | AS | JUL 95 |
| | MIL-C-24939 | CLOTH, RIPSTOP, PARA-ARAMID/PBI, WATER REPELLENT[CUST: NU 99 CT] [REVIEW: 11 50 AS MC SH] | A | 8305 | | CT | 30-SEP-88 |
| | MIL-C-10296J | CLOTH, SATEEN, COTTON[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | | CT | 12-SEP-86 |
| | MIL-C-43122G | CLOTH, SATEEN, COTTON, FLAME RETARDANT TREATED[CUST: GL NU 99 CT] [REVIEW: 11 CR4 MD OS] | A | 8305 | | CT | 16-SEP-88 |
| | A-A-52074 | CLOTH, SATIN, LINING MATERIAL[CUST: GL NU 11 CT] [REVIEW: 99 CG MD] | A | 8305 | / | CT | 02-JUL-90 |
| | MIL-C-368J | CLOTH, SATIN, RAYON AND CLOTH, TWILL, RAYON[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | | CT | 04-MAY-89 |
| | MIL-C-29374(1) NOT 1 | CLOTH, SERGE, POLYESTER/WOOL[CUST: MC CT] [REVIEW: 11 CG GL SA] | A | 8305 | | CT | 23-OCT-87 |
| | MIL-DTL-823L | CLOTH, SERGE, WOOL, WOOL AND NYLON, POLYESTER AND WOOL[CUST: GL NU 11] [REVIEW: CG MC] | A | 8305 | | CT | 13-APR-05 |
| | A-A-50532 | CLOTH, SERGE: POLYESTER/WOOL[CUST: MC] | A | 8305 | / | MC | 19-SEP-90 |
| | CCC-C-430F NOT 1 | CLOTH, SHEETING, COTTON AND POLYESTER AND COTTON[CUST: GL NU 99 CT] [REVIEW: 11 EA MD MS SH] | A | 8305 | / | CT | 11-AUG-89 |
| | A-A-50145 | CLOTH, SHEETING, COTTON, AND POLYESTER/COTTON, WHITE[CUST: GL NU 99 CT] [REVIEW: 11 EA MC MD MS SH] | A | 8305 | / | CT | 20-APR-88 |
| | MIL-C-8104C NOT 1 | CLOTH, SHEETING, COTTON, TREATED[CUST: AS CT] | A | 8305 | | CT | 24-OCT-91 |
| | MIL-C-24576A(1) | CLOTH, SILICA GLASS, CLOTH, COATED, GLASS, SILICONE RUBBER COATED[CUST: SH CT] | A | 8305 | | CT | 13-JAN-88 |
| | MIL-C-43204C | CLOTH, SPACER (OLEFIN)[CUST: GL CT] [REVIEW: EA MD] | A | 8305 | | CT | 31-DEC-85 |
| | MIL-C-43157(4) | CLOTH, SPUN VISCOSE RAYON, RESIN IMPREGNATED[CUST: AR] | A | 8305 | | CT | 02-MAR-90 |
| | A-A-51290 | CLOTH, SQUEEZE, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 18-DEC-85 |
| | MIL-C-43824A(1) NOT 1 | CLOTH, SYNTHETIC FUR, KNITTED[CUST: GL CT] [REVIEW: MD] | A | 8305 | | CT | 30-JUL-90 |
| | MIL-C-21852F | CLOTH, TAFFETA, NYLON[CUST: GL NU 11 CT] [REVIEW: 99 CG MC MD] | A | 8305 | | CT | 06-FEB-89 |
| | MIL-C-1164G | CLOTH, TERRY, COTTON, COTTON AND POLYESTER[CUST: NU 99 CT] [REVIEW: 11] | A | 8305 | | CT | 26-OCT-84 |
| | CCC-C-436E | CLOTH, TICKING TWILL, COTTON[CUST: GL NU 99 CT] [REVIEW: 11 MB MC MD] | A | 8305 | / | CT | 14-FEB-86 |
| | CCC-C-531E | CLOTH, TRACING | A | 7510 | # | FSS | 20-FEB-63 |
| | CCC-C-00531F | CLOTH, TRACING | A | 7510 | # | FSS | 06-JAN-71 |
| | MIL-C-29404B NOT 2 | CLOTH, TROPICAL: POLYESTER AND WOOL[CUST: MC CT] | A | 8305 | | CT | 10-FEB-04 |
| | MIL-C-24910B NOT 2 | CLOTH, TROPICAL: POLYESTER AND WOOL (BLUE 3346)[CUST: GL NU CT] [REVIEW: MC] | A | 8305 | | CT | 10-FEB-04 |
| | MIL-DTL-21115L | CLOTH, TROPICAL: WOOL, POLYESTER/WOOL[CUST: GL NU 11 CT] [REVIEW: 99 MC] | A | 8305 | | CT | 24-JUN-05 |
| | A-A-52106 | CLOTH, TWILL OR PLAIN WEAVE, POLYESTER AND POLYESTER BLEND[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | / | CT | 28-JUN-91 |
| | MIL-C-87074B | CLOTH, TWILL, ACETATE[CUST: NU CT] | A | 8305 | | CT | 20-MAR-91 |
| | MIL-C-81814C(1) | CLOTH, TWILL, ARAMID, HIGH TEMPERATURE RESISTANT[CUST: AS 11 CT] [REVIEW: NU] | A | 8305 | | AS | 29-AUG-03 |
| | MIL-C-44034D | CLOTH, TWILL, CAMOUFLAGE PATTERN, COTTON AND NYLON FOR DESERT UNIFORM[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | | CT | 31-MAR-92 |
| | MIL-C-29118A NOT 2 | CLOTH, TWILL, COTTON[CUST: GL NU 11 CT] [REVIEW: 99 CG MS OS YD] | A | 8305 | | CT | 10-NOV-99 |
| | MIL-C-24946 | CLOTH, TWILL, COTTON (FLAME RETARDANT TREATED)[CUST: GL NU CT] [REVIEW: CG MC MD] | A | 8305 | | CT | 13-JUN-88 |
| | MIL-C-43892A NOT 1 | CLOTH, TWILL, COTTON AND NYLON, WATER REPELLENT TREATED[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | | CT | 30-JUL-90 |
| | A-A-55296 NOT 2 | CLOTH, TWILL, COTTON, 10.0 OUNCES (339 G)[CUST: GL NU 11 CT] | A | 8305 | / | CT | 15-APR-03 |
| | MIL-C-18387F(2) | CLOTH, TWILL, COTTON, FIRE RETARDANT TREATED[CUST: GL AS 11 CT] [REVIEW: 99] | A | 8305 | | CT | 10-NOV-88 |
| A | MIL-C-19377C NOT 1 | CLOTH, TWILL, NYLON[CUST: GL AS 99 CT] [REVIEW: 11 EA SH] | A | 8305 | | CT | 03-JUN-87 |
| | MIL-C-4294A(1) NOT 2 | CLOTH, TWILL, NYLON[CUST: 99 CT] | A | 8305 | | CT | 01-MAR-89 |
| | MIL-C-19256F NOT 2 | CLOTH, TWILL, NYLON (LOW COUNT, 3.5 OUNCE)[CUST: NU CT] | A | 8305 | | CT | 01-MAR-00 |
| | MIL-C-44396 | CLOTH, TWILL, PARA-ARAMID[CUST: GL CT] [REVIEW: MD] | A | 8305 | | CT | 06-FEB-90 |
| | MIL-C-21851E | CLOTH, TWILL, POLYESTER AND COTTON[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | | CT | 04-MAY-88 |
| | MIL-C-87052B | CLOTH, TWILL, POLYESTER, WHITE[CUST: NU CT] | A | 8305 | | CT | 14-MAY-90 |
| | MIL-C-29127A NOT 1 | CLOTH, TWILL, POLYESTER/COTTON (CREASE RESISTANT FINISH)[CUST: NU CT] [REVIEW: 11] | A | 8305 | | CT | 03-JUL-86 |
| | MIL-C-24927A | CLOTH, TWILL, POLYESTER/COTTON (DURABLE PRESS)[CUST: NU CT] [REVIEW: MC] | A | 8305 | | CT | 01-OCT-91 |
| | MIL-C-43791B(1) NOT 1 | CLOTH, TWILL, POLYESTER/COTTON (DURABLE PRESS)[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8305 | | CT | 30-NOV-87 |
| | CCC-C-461C(1) NOT 1 | CLOTH, TWILL, UNIFORM COTTON[CUST: GL NU 99 CT] [REVIEW: 11 EA MC MD] | A | 8305 | / | CT | 12-NOV-87 |
| | SAE-AMS3837 | CLOTH, TYPE, "S" GLASS 181 STYLE FABRIC, FINISH NO. HTS-904[CUST: MR AS 11] | A | CMPS | | AS | JUN-94 |
| | MIL-C-85101 | CLOTH, WARP KNIT, ARAMID, HIGH TEMPERATURE RESISTANT[CUST: AS CT] | A | 8305 | | CT | 16-NOV-79 |
| | MIL-PRF-43473G | CLOTH, WATERPROOF[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8305 | | CT | 02-DEC-97 |
| | MIL-PRF-40039E | CLOTH, WATERPROOF[CUST: GL NU CT] [REVIEW: MC] | A | 8305 | | CT | 02-SEP-97 |
| | MIL-PRF-19759F | CLOTH, WATERPROOF[CUST: NU 99 CT] [REVIEW: 11] | A | 8305 | | CT | 02-SEP-97 |
| | MIL-PRF-32142 | CLOTH, WATERPROOF AND MOISTURE VAPOR PERMEABLE[CUST: MC] | A | 8305 | | CT | 23-DEC-03 |
| | MIL-DTL-31011B | CLOTH, WATERPROOF AND MOISTURE VAPOR PERMEABLE[CUST: GL NU 99] | A | 8305 | | CT | 10-FEB-05 |
| | MIL-DTL-32149 | CLOTH, WATERPROOF, FLAME RESISTANT, MOISTURE VAPOR PERMEABLE[CUST: AS CT] [REVIEW: NU] | A | 8305 | | AS | 28-APR-04 |
| | A-A-52097 | CLOTH, WIGAN, COTTON[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8305 | / | CT | 26-MAR-91 |
| M | MIL-DTL-484J | CLOTH, WIND RESISTANT OXFORD, COTTON, WATER REPELLENT TREATED[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8305 | | CT | 06-FEB-06 |
| | MIL-DTL-43191J | CLOTH, WIND RESISTANT SATEEN, COTTON AND NYLON[CUST: GL NU 99 CT] [REVIEW: 82 MD] | A | 8305 | | CT | 16-MAY-05 |
| | MIL-C-43876A(1) NOT 1 | CLOTH, WIND RESISTANT, OXFORD, NYLON AND COTTON, QUARPEL TREATED[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8305 | | CT | 11-AUG-89 |
| | MIL-C-12095G NOT 1 | CLOTH, WIND-RESISTANT SATEEN, COTTON, FIRE AND WATER RESISTANT[CUST: GL NU 99 CT] [REVIEW: 11 CR MC MD] | A | 8305 | | CT | 12-NOV-87 |
| | MIL-C-363A(1) NOT 1 | CLOTH, WOOL, KNITTED[CUST: 99 CT] | A | 8305 | | CT | 31-OCT-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS3827 | CLOTH-TYPE "E" GLASS, "B" STAGE POLYESTER-RESIN IMPREGNATED 7781 STYLE FABRIC, FLAME RESISTANT[CUST: MR YD 11] | A | 8305 | | YD | 01-APR-91 |
| | MIL-HDBK-150B | CLOTHING COMPONENTS FOR MILITARY UNIFORMS[CUST: GL SA 99 CT] | A | 8315 | | CT | 28-FEB-79 |
| | A-A-55098 | CLOTHING, LEATHER, (APRONS, SLEEVES, AND JACKETS)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | / | CT | 04-DEC-92 |
| | SAE-AMS3819 | CLOTHS, CLEANING, FOR AIRCRAFT PRIMARY AND SECONDARY STRUCTURAL SURFACES[CUST: GL SA 99] | A | 7920 | | 11 | JAN-01 |
| | A-A-59323A | CLOTHS, CLEANING, LOW-LINT[CUST: GL AS] [REVIEW: MC] | A | 7920 | / | AS | 24-MAR-05 |
| | ASTM-D2024 | CLOUD POINT OF NONIONIC SURFACTANTS[CUST: GL SH 99] | A | 7930 | | GL | 31-AUG-65 |
| | ASTM-F339 | CLOVERLEAF INTRAMEDULLARY PINS[CUST: MD MS 03] | A | 6515 | | MB | 26-NOV-71 |
| | A-A-53569 | CLOXACILLIN SODIUM CAPSULES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 22-JUN-88 |
| | A-A-55058 | CLUB, POLICEMAN'S[CUST: NU 99 CT] [REVIEW: 11 CG GL MC] | A | 8465 | / | CT | 27-MAY-92 |
| | MIL-C-18087A | CLUTCHES FOR PROPULSION UNITS AND AUXILIARY MACHINERY, NAVAL SHIPBOARD[CUST: SH] | A | 3010 | | SH | 15-AUG-91 |
| | ASTM-D2015 | COAL AND COKE BY THE ADIABATIC BOMB CALORIMETER, GROSS CALORIFIC VALUE OF[CUST: PS] | A | 9110 | | PS | 10-APR-00 |
| | ASTM-D3286 | COAL AND COKE BY THE ISOPERIBOL BOMB CALORIMETER, GROSS CALORIFIC VALUE OF[CUST: PS] | A | 9110 | | PS | 10-JUL-96 |
| | ASTM-D3177 | COAL AND COKE, TOTAL SULFUR IN THE ANALYSIS SAMPLE OF[CUST: CR4 YD 68] [REVIEW: PS] | A | 9110 | | IS | 06-AUG-93 |
| | ASTM-D3175 | COAL AND COKE, VOLATILE MATTER IN THE ANALYSIS SAMPLE OF[CUST: CR4 YD 68] [REVIEW: PS] | A | 9110 | | IS | 24-NOV-89 |
| | ASTM-D409 | COAL BY THE HARDGROVE-MACHINE METHOD, GRINDABILITY OF[CUST: PS] | A | 9110 | | PS | 10-NOV-97 |
| | ASTM-C618 | COAL FLY ASH AND RAW OR CALCINED NATURAL POZZOLAN FOR USE IN CONCRETE[CUST: CR4 YD 99 IS] [REVIEW: SH] | A | 5610 | | IS | 15-MAY-94 |
| | ASTM-D2013 | COAL SAMPLES FOR, PREPARING, ANALYSIS[CUST: PS] | A | 9110 | | PS | 29-AUG-86 |
| | R-C-1424A | COAL TAR, (FOR USE IN ROAD CONSTRUCTION)[CUST: CR4 99] | A | 5610 | # | FSS | 10-MAY-74 |
| | ASTM-D2492 | COAL, FORMS OF SULFUR IN[CUST: CR4 YD 68] [REVIEW: PS] | A | 9110 | | IS | 30-MAR-90 |
| | ASTM-D720 | COAL, FREE-SWELLING, INDEX OF[CUST: PS] | A | 9110 | | PS | 15-SEP-91 |
| | ASTM-D390 | COAL-TAR CREOSOTE FOR THE PRESERVATIVE TREATMENT OF PILES, POLES, AND TIMBERS FOR MARINE, LAND, AND FRESHWATER USE[CUST: CR4 YD 68] [REVIEW: 99 EA GS SH] | A | 6810 | | YD | 15-JUL-92 |
| | ASTM-D450 | COAL-TAR PITCH USED IN ROOFING, DAMPPROOFING AND WATERPROOFING[CUST: YD IS] [REVIEW: CE] | A | 5610 | | IS | 10-AUG-96 |
| | ASTM-D227 | COAL-TAR-SATURATED ORGANIC FELT USED IN ROOFING AND WATERPROOFING[CUST: CR4 YD 99] [REVIEW: CE] | A | 5650 | | IS | 02-MAR-92 |
| | QAP-287 ED.1 | COALITION AIRSPACE CONTROL MANUAL (CASCM) | C | ISDA | | AI | 27-FEB-01 |
| | QSTAG-2020 ED.1 | COALITION LOGISTICS PLANNING GUIDE (CLPG)[CUST: AI] | C | ISDA | | AI | 19-JAN-00 |
| | QSTAG-179 ED.2 | COASTAL AREAS AND LANDING BEACHES[CUST: AI] | C | ISDA | | AI | 16-JAN-92 |
| | MIL-DTL-82114C | COAT FRONT - FOR COATS, MUSICIANS[CUST: MC] | A | 8315 | | MC | 09-OCT-97 |
| | MIL-C-15065J NOT 2 | COAT FRONTS[CUST: GL NU CT] [REVIEW: CG MC MD] | A | 8315 | | CT | 20-AUG-99 |
| | A-A-3155 | COAT RACK, WALL MOUNTED, WOOD, EXECUTIVE TYPE[CUST: FSS] | A | 7195 | # | FSS | 03-DEC-97 |
| | MIL-C-44371A | COAT, AIRCREW, COMBAT[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 30-SEP-91 |
| | MIL-C-29381C | COAT, ALL WEATHER, WOMEN'S[CUST: GL MC CT] | A | 8410 | | CT | 10-SEP-90 |
| | A-A-55110A | COAT, ALL-WEATHER, MAN'S, W/REMOVABLE LINER[CUST: CG 99 CT] [REVIEW: 11] | A | 8405 | / | CT | 18-NOV-93 |
| | A-A-55260 | COAT, ALL-WEATHER, MEN'S[CUST: GL CT] [REVIEW: MC] | A | 8405 | / | CT | 12-OCT-94 |
| | A-A-55111A | COAT, ALL-WEATHER, WOMAN'S, W/REMOVABLE LINER[CUST: CG 99 CT] [REVIEW: 11] | A | 8410 | / | CT | 18-NOV-93 |
| | MIL-C-43455J | COAT, COLD WEATHER, FIELD[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 21-AUG-91 |
| | MIL-C-10750J | COAT, FIREMEN S[CUST: GL NU 99 CT] [REVIEW: 11 AS MD OS] | A | 8415 | | CT | 17-JUN-88 |
| | MIL-C-29106B | COAT, MAN S, WOOL, WINTER[CUST: NU CT] | A | 8405 | | CT | 01-MAR-82 |
| | MIL-C-31006 | COAT, MAN'S[CUST: 11 CT] [REVIEW: 99] | A | 8405 | | CT | 18-FEB-94 |
| | MIL-DTL-82149C | COAT, MAN'S - FULL DRESS, SCARLET, U. S. MARINE BAND, MUSICIAN'S[CUST: MC] | A | 8405 | | MC | 16-OCT-97 |
| | MIL-DTL-82189C | COAT, MAN'S - FULL DRESS, U.S. MARINE BAND, OFFICER'S[CUST: MC] | A | 8405 | | MC | 30-OCT-97 |
| | MIL-DTL-82156D | COAT, MAN'S - SCARLET, DRUM AND BUGLE CORPS, MUSICIANS[CUST: MC] | A | 8405 | | MC | 21-OCT-97 |
| | MIL-DTL-21083E | COAT, MAN'S - SERVICE, OFFICER'S, USMC[CUST: MC] | A | 8405 | | MC | 28-JUL-97 |
| | MIL-DTL-82145C | COAT, MAN'S - SPECIAL FULL DRESS, SCARLET, U.S. MARINE BAND, MUSICIAN'S[CUST: MC] | A | 8405 | | MC | 16-OCT-97 |
| | MIL-DTL-28950C | COAT, MAN'S - DRESS; BLUE (OFFICER'S)[CUST: MC] | A | 8405 | | MC | 08-OCT-97 |
| | MIL-DTL-82168C | COAT, MAN'S - FULL DRESS, SUMMER AND WINTER, SCARLET, U.S. MARINE BAND, DRUM MAJOR[CUST: MC] | A | 8405 | | MC | 09-OCT-97 |
| | MIL-DTL-82172D | COAT, MAN'S - SUMMER AND WINTER, SCARLET, DRUM AND BUGLE CORPS, DRUM MAJOR AND DIRECTOR[CUST: MC] | A | 8405 | | MC | 08-OCT-97 |
| | A-A-50367A | COAT, MAN'S, ALL WEATHER, WITH REMOVABLE LINER[CUST: NU CT] | A | 8405 | / | CT | 16-DEC-91 |
| | MIL-C-29107C | COAT, MAN'S, POLYESTER/WOOL[CUST: NU CT] | A | 8405 | | CT | 07-JUN-89 |
| | MIL-C-87026A | COAT, MAN'S, POLYESTER/WOOL, SERGE (COAST GUARD)[CUST: NU CT] | A | 8405 | | CT | 25-JUL-88 |
| | MIL-C-29632 | COAT, MAN'S, POLYESTER/WOOL, SERGE, FUSIBLE (COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8405 | | CT | 20-MAR-90 |
| | MIL-C-29424A(1) | COAT, MAN'S: POLYESTER/WOOL, GABARDINE, GREEN (WITH BELT)[CUST: MC CT] | A | 8405 | | CT | 06-JAN-92 |
| | MIL-C-19516G(1) | COAT, MAN'S: POLYESTER/WOOL, GABARDINE; BLUE[CUST: MC CT] | A | 8405 | | CT | 04-MAY-92 |
| | MIL-C-21088D | COAT, MAN'S: WHITE, DRESS (OFFICER'S)[CUST: MC] | A | 8405 | | MC | 22-FEB-95 |
| | MIL-C-44111B | COAT, MATERNITY, UTILITY WORK UNIFORM[CUST: GL 11 CT] [REVIEW: 99 MD] | A | 8410 | | CT | 28-DEC-90 |
| | MIL-DTL-32182 | COAT, OPERATIONAL DRESS UNIFORM (COAST GUARD)[CUST: CT] [REVIEW: CG] | A | 8415 | | CT | 12-JAN-05 |
| | A-A-50528A | COAT, SHOOTER'S, GREEN[CUST: MC CT] | A | 8415 | / | CT | 20-NOV-92 |
| | MIL-C-29124D | COAT, WOMAN S, BLUE, DRESS[CUST: NU CT] | A | 8410 | | CT | 08-JAN-88 |
| | MIL-C-87160A NOT 1 | COAT, WOMAN'S (PANTS SUIT)[CUST: 11 CT] [REVIEW: 99] | A | 8410 | | 11 | 18-MAR-88 |
| | MIL-DTL-29478A | COAT, WOMAN'S - FULL DRESS, SCARLET, U. S. MARINE BAND, MUSICIAN, MATERNITY[CUST: MC] | A | 8410 | | MC | 16-OCT-97 |
| | A-A-50368A | COAT, WOMAN'S, ALL WEATHER, WITH REMOVABLE LINER[CUST: NU CT] | A | 8410 | / | CT | 16-DEC-91 |
| | MIL-C-29628(I1) | COAT, WOMAN'S, BLUE, DRESS[CUST: NU CT] | A | 8410 | | CT | 09-FEB-98 |
| | MIL-C-29628 | COAT, WOMAN'S, BLUE, DRESS[CUST: NU CT] | A | 8410 | | CT | 02-JUL-91 |
| | MIL-C-87010D | COAT, WOMAN'S, DRESS, (COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8410 | | CT | 10-SEP-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-29453B | COAT, WOMAN'S: POLYESTER/WOOL; GABARDINE, BLUE[CUST: MC CT] | A | 8410 | | CT | 03-OCT-94 |
| | MIL-C-29391A | COAT, WOMAN'S: WOOL GABARDINE; DRESS BLUE CEREMONIAL[CUST: MC] | A | 8410 | | MC | 06-DEC-90 |
| | MIL-DTL-29393B | COAT, WOMEN'S - FULL DRESS, SCARLET, U. S. MARINE BAND, MUSICIAN[CUST: MC] | A | 8410 | | MC | 16-OCT-97 |
| | MIL-C-31005 | COAT, WOMEN'S, SERVICE, POLYESTER/WOOL SERGE, BLUE 1620[CUST: 99 CT] [REVIEW: 11] | A | 8410 | | CT | 05-OCT-94 |
| A | MIL-C-17504B(2) | COATING COMPOUND, ACRYLIC, CLEAR[CUST: AR] [REVIEW: CR4 EA MI] | A | 8010 | | AR | 16-APR-64 |
| | QPL-450-19 | COATING COMPOUND, BITUMINOUS SOLVENT TYPE, BLACK (FOR AMMUNITION) | A | 8030 | | OS | 09-AUG-85 |
| | TT-C-498C | COATING COMPOUND, BITUMINOUS, FILLERS, SOLVENT TYPE, ALUMINUM PIGMENTED | A | 8030 | # | FSS | 10-MAR-80 |
| | MIL-C-18480B NOT 1 | COATING COMPOUND, BITUMINOUS, SOLVENT, COAL-TAR BASE[CUST: MR YD 99 IS] [REVIEW: CE SH] | A | 8030 | | IS | 15-JUN-87 |
| | MIL-C-8514C(1) | COATING COMPOUND, METAL PRETREATMENT, RESIN-ACID (ASG)[CUST: MR AS 99] [REVIEW: 84 DS EA MI OS] | A | 8030 | | AS | 20-OCT-99 |
| | A-A-59166 | COATING COMPOUND, NONSLIP (FOR WALKWAYS)[CUST: AV AS 99] [REVIEW: MI SH] | A | 8010 | / | 84 | 16-MAR-98 |
| | TT-C-492C(1) | COATING COMPOUND, PAINT ANTISWEAT[CUST: SH 99] | A | 8010 | * | SH | 23-JUN-77 |
| | MIL-C-16555D | COATING COMPOUND, STRIPPABLE, SPRAYABLE[CUST: MR OS 11] [REVIEW: 99 AS CR4 SA SM] | A | 8030 | | OS | 24-FEB-75 |
| | QPL-81904-5 | COATING COMPOUND, THERMAL INSULATION, ABLATIVE | A | 8010 | | AS | 11-JUN-90 |
| | QPL-19565-26 | COATING COMPOUND, THERMAL INSULATION, FIRE- AND WATER-RESISTANT, VAPOR-BARRIER | A | 8030 | | SH | 29-MAY-98 |
| | MIL-C-81904B(1) | COATING COMPOUND, THERMAL-INSULATION, ABLATIVE[CUST: AS] | A | 8030 | | AS | 24-AUG-92 |
| | MIL-PRF-24596A | COATING COMPOUNDS, NONFLAMING, FIRE PROTECTIVE (METRIC)[CUST: SH] | A | 8010 | | SH | 14-JUL-99 |
| M | QPL-24596-19 | COATING COMPOUNDS, NONFLAMING, FIRE PROTECTIVE (METRIC) | A | 8010 | | SH | 14-FEB-06 |
| | MIL-PRF-19565C(1) | COATING COMPOUNDS, THERMAL INSULATION, FIRE AND WATER RESISTANT, VAPOR BARRIER[CUST: SH 99] [REVIEW: AS CE CR4 YD] | A | 8030 | | SH | 08-APR-88 |
| | MIL-C-81945B | COATING COMPOUNDS, WEAPON INSULATION, INTUMESCENT[CUST: AS] | A | 8010 | | AS | 10-MAR-89 |
| | QPL-81945-7 | COATING COMPOUNDS, WEAPON INSULATION, INTUMESCENT | A | 8030 | | AS | 26-JUL-93 |
| A | QPL-4556-28(1) | COATING KIT, EPOXY, FOR INTERIOR OF STEEL FUEL TANKS | A | 8010 | | MR | 17-FEB-06 |
| | MIL-PRF-4556F(1) | COATING KIT, EPOXY, FOR INTERIOR OF STEEL FUEL TANKS[CUST: MR YD] [REVIEW: AS CG MI SH] | A | 8010 | | MR | 16-FEB-99 |
| | SAE-AMS3136 | COATING MATERIAL, PHENOLIC RESIN, PTFE FILLED PIGMENTED, 150 DEG. C (302 DEG. F) CURE[CUST: MR AS 11] [REVIEW: GS] | A | 8030 | | AS | APR-95 |
| | MIL-C-675C(3) NOT 2 | COATING OF GLASS OPTICAL ELEMENTS (ANTI-REFLECTION)[CUST: AR 99] [REVIEW: AV CR4 GS MI] | A | 6650 | | AR | 10-OCT-96 |
| M | QPL-24667-30 | COATING SYSTEM, NON-SKID, FOR ROLL OR SPRAY APPLICATION | A | 8010 | | SH | 16-MAR-06 |
| | MIL-PRF-24667B | COATING SYSTEM, NON-SKID, FOR ROLL OR SPRAY APPLICATION[CUST: SH] [REVIEW: 99] | A | 8010 | | SH | 03-JUN-05 |
| | SAE-AMS-C-83445 | COATING SYSTEM, POLYURETHANE, NONYELLOWING, WHITE, RAIN EROSION RESISTANT THERMALLY REFLECTIVE[CUST: MR AS 11] | A | 8010 | | 11 | 24-SEP-99 |
| | A-A-50542A | COATING SYSTEM: REFLECTIVE, SLIP-RESISTANT, CHEMICAL-RESISTANT URETHANE FOR MAINTENANCE FACILITY FLOORS[CUST: CR4 YD 99] [REVIEW: 84 AS CE MC SH] | A | 8010 | / | IS | 13-MAY-94 |
| | A-A-3132A | COATING SYSTEM: EPOXY PRIMER/URETHANE TOPCOAT FOR MINIMALLY PREPARED ATMOSPHERIC STEEL[CUST: CE3 99] [REVIEW: 71 IS] | A | 8010 | / | CE3 | 13-JUN-03 |
| | MIL-PRF-23236C | COATING SYSTEMS FOR SHIP STRUCTURES[CUST: MR SH 99] [REVIEW: 03 84 AS CG] | A | 8010 | | SH | 12-AUG-03 |
| A | QPL-23236-75 | COATING SYSTEMS FOR SHIP STRUCTURES | A | 8010 | | SH | 30-DEC-05 |
| | MIL-DTL-53039B | COATING, ALIPHATIC POLYURETHANE, SINGLE COMPONENT, CHEMICAL AGENT RESISTANT[CUST: MR AS 99] [REVIEW: 11 84 AR AT CG CR EA MD1 MI SH] | A | 8010 | | MR | 08-JUN-05 |
| | QPL-53039-22 | COATING, ALIPHATIC POLYURETHANE, SINGLE COMPONENT, CHEMICAL AGENT RESISTANT | A | 8010 | | MR | 07-DEC-04 |
| | MIL-HDBK-341 | COATING, ALUMINUM AND SILICON DIFFUSION, PROCESS FOR[CUST: AT] | A | 8030 | | AT | 27-FEB-98 |
| | SAE-AMS2436 | COATING, ALUMINUM OXIDE DETONATION DEPOSITION[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | 30-MAR-88 |
| | MIL-DTL-83488D | COATING, ALUMINUM, HIGH PURITY[CUST: MR AS 11] | A | MFFP | | 11 | 01-APR-99 |
| | SAE-AMS2485 | COATING, BLACK OXIDE[CUST: MR AS 99] | A | MFFP | | AS | 03-OCT-94 |
| | SAE-AMS-C-8837 | COATING, CADMIUM (VACUUM DEPOSITED)[CUST: MR AS 11] [REVIEW: 99 AR AT CR IS MI OS SH] | A | MFFP | | AS | JUN-99 |
| | SAE-AMS-C-27725 | COATING, CORROSION PREVENTATIVE, POLYURETHANE FOR AIRCRAFT INTEGRAL FUEL TANKS FOR USE TO 250 DEG. F. (121 DEG. C.)[CUST: MR AS 11] | A | 8030 | | 11 | OCT-99 |
| | QPL-85322-3 | COATING, ELASTOMERIC, POLYURETHANE, RAIN-EROSION | A | 8010 | | AS | 17-DEC-93 |
| | MIL-C-85322B(2) | COATING, ELASTOMETRIC, POLYURETHANE, RAIN-EROSION[CUST: MR AS 11] [REVIEW: AV MC] | A | 8010 | | AS | 30-SEP-99 |
| | QPL-22750-6 | COATING, EPOXY, HIGH-SOLIDS | A | 8010 | | AS | 05-APR-02 |
| | MIL-PRF-22750F | COATING, EPOXY, HIGH-SOLIDS[CUST: CR4 AS 99] [REVIEW: 11 84 AR AV CG CR DS EA MC MI MR OS SH] | A | 8010 | | AS | 31-MAY-94 |
| A | MIL-DTL-13924D NOT 1 | COATING, OXIDE, BLACK, FOR FERROUS METALS[CUST: MR OS 11] [REVIEW: 99 AS DH EA EC MI PT SH] | A | MFFP | | MR | 22-DEC-03 |
| | MIL-HDBK-1884 | COATING, PLASMA SPRAY DEPOSITION[CUST: AT] | A | MFFP | | AT | 14-MAR-98 |
| | MIL-C-24782 | COATING, POWERED FLUOROPOLYMER FOR USE ON HIGH PRESSURE GAS FLASK INTERIORS[CUST: SH 99] [REVIEW: 68 84 AS] | A | 8010 | | SH | 23-JUL-93 |
| | STANAG-3643 ED.2(10) | COATING, REFLECTION REDUCING FOR GLASS ELEMENTS USED IN AIRCREW STATION DISPLAYS | C | ISDF | | 06 | 26-FEB-73 |
| | MIL-C-29475 NOT 2 | COATING, WATER BORNE POLYURETHANE CAMOUFLAGE[CUST: MC] [REVIEW: AS] | A | 8010 | | MC | 01-AUG-96 |
| | QPL-29475-2 | COATING, WATER BORNE POLYURETHANE CAMOUFLAGE | A | 8010 | | MC | 15-MAY-97 |
| A | QPL-64159-10 | COATING, WATER DISPERSIBLE ALIPHATIC POLYURETHANE, CHEMICAL AGENT RESISTANT | A | 8010 | | MR | 18-JAN-06 |
| | MIL-DTL-64159 | COATING, WATER DISPERSIBLE ALIPHATIC POLYURETHANE, CHEMICAL AGENT RESISTANT[CUST: MR SH 11] [REVIEW: AR AT AV CG EA MC MD1 MI] | A | 8010 | | MR | 30-JAN-02 |
| | MIL-C-450C NOT 2 | COATING-COMPOUND, BITUMINOUS SOLVENT TYPE, BLACK (FOR AMMUNITION)[CUST: AR OS 99] [REVIEW: 84 AS MR] | A | 8030 | | OS | 28-MAR-01 |
| | QPL-85285-7(1) | COATING: POLYURETHANE, AIRCRAFT AND SUPPORT EQUIPMENT | A | 8010 | | AS | 07-JUL-03 |
| | MIL-PRF-85285D | COATING: POLYURETHANE, AIRCRAFT AND SUPPORT EQUIPMENT[CUST: MR AS 99] [REVIEW: 11 84 AR AV CG DS MC SH] | A | 8010 | | AS | 28-JUN-02 |
| | ASTM-D1400 | COATINGS APPLIED TO A NONFERROUS METAL BASE, DRY FILM THICKNESS OF, NONCONDUCTIVE, NONDESTRUCTIVE MEASUREMENT OF[CUST: AR SH 11] | A | NDTI | | SH | 15-AUG-94 |
| | ASTM-B696 | COATINGS OF CADMIUM MECHANICALLY DEPOSITED[CUST: MR OS 11] | A | MFFP | | OS | OCT-94 |
| | MIL-PRF-81352C | COATINGS, AIRCRAFT TOUCH-UP[CUST: MR AS 11 FSS] [REVIEW: 70 CG MD1] | A | 8010 | | AS | 16-JUN-05 |
| | ASTM-B244 | COATINGS, ANODIC, ON ALUMINUM AND OF OTHER NONCONDUCTIVE COATINGS ON NONMAGNETIC BASIS METALS WITH EDDY-CURRENT INSTRUMENTS, MEASUREMENT OF THICKNESS[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | 10-APR-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-B607 | COATINGS, AUTOCATALYTIC NICKEL BORON, FOR ENGINEERING USE[CUST: MR AS 11] [REVIEW: 99] | A | MFFP | | 11 | 22-FEB-91 |
| | SAE-AMS-C-81562 | COATINGS, CADMIUM, TIN-CADMIUM AND ZINC (MECHANICALLY DEPOSITED)[CUST: MR AS 11] [REVIEW: 70 71 84 99 AR AT AV CR4 MD MI OS SH] | A | MFFP | | AS | AUG-98 |
| | ASTM-D3170 | COATINGS, CHIPPING RESISTANCE OF[CUST: MR AS 99] [REVIEW: SH YD] | A | 8010 | | MR | 22-JUL-91 |
| | MIL-C-17711B | COATINGS, CHROMATE, FOR ZINC ALLOY CASTINGS AND HOT DIP GALVANIZED SURFACES[CUST: OS] [REVIEW: EA MI] | A | MFFP | | OS | 14-MAY-74 |
| | SAE-AMS-C-26074 | COATINGS, ELECTROLESS NICKEL, REQUIREMENTS FOR[CUST: SH] | A | MFFP | | SH | 04-FEB-03 |
| | MIL-DTL-32119 | COATINGS, ELECTROLESS NICKEL, SPECIAL APPLICATIONS[CUST: SH] | F | MFFP | | SH | 26-FEB-03 |
| | ASTM-B578 | COATINGS, ELECTROPLATED, MICROHARDNESS OF[CUST: MR AS 11] | A | MFFP | | 11 | 30-JAN-87 |
| | ASTM-A780 | COATINGS, GALVANIZED, DAMAGED AND UNCOATED AREAS OF HOT-DIP, REPAIR OF[CUST: MR YD 11] [REVIEW: SH] | A | MFFP | | YD | 15-SEP-93 |
| | ASTM-D3450 | COATINGS, INTERIOR ARCHITECTURAL, WASHABILITY PROPERTIES OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE SH] | A | 8010 | | IS | 15-SEP-94 |
| | ASTM-B571 | COATINGS, METALLIC, QUALITATIVE ADHESION TESTING OF[CUST: GL AS 11] | A | MFFP | | GL | 03-OCT-94 |
| | ASTM-D4060 | COATINGS, ORGANIC, BY THE TABER ABRASER, ABRASION RESISTANCE OF[CUST: AT SH 99] | A | 8010 | | SH | 03-OCT-94 |
| | ASTM-D2370 | COATINGS, ORGANIC, TENSILE PROPERTIES OF[CUST: MR SH 99] | A | 8010 | | MR | 10-DEC-98 |
| | SAE-AMS-C-83231 | COATINGS, POLYURETHANE, RAIN EROSION RESISTANT FOR EXTERIOR AIRCRAFT AND MISSILE PLASTIC PARTS[CUST: MR AS 11] | A | 8010 | | 11 | 24-SEP-99 |
| | MIL-PRF-24712A(1) | COATINGS, POWDER (METRIC)[CUST: CR4 SH 99] [REVIEW: 84 AS CG MC MR] | A | 8010 | | SH | 19-MAR-97 |
| | MIL-PRF-6799K | COATINGS, SPRAYABLE, STRIPPABLE, PROTECTIVE, WATER EMULSION[CUST: MR AS 11] [REVIEW: 99 AV] | A | 8030 | | AS | 14-SEP-98 |
| | QPL-6799-18 | COATINGS, SPRAYABLE, STRIPPLE, PROTECTIVE WATER EMULSION | A | 8030 | | AS | 23-FEB-90 |
| | ASTM-D3732 | COATINGS, ULTRAVIOLET-CURED, REPORTING CURE TIMES OF[CUST: YD] | A | 8010 | | IS | 29-OCT-82 |
| | MIL-C-83409(1) NOT 3 | COATINGS, VISOR, POLYCARBONATE, FLYING HELMET[CUST: 11 CT] [REVIEW: 99] | A | 8415 | | CT | 03-AUG-99 |
| | ASTM-D2369 | COATINGS, VOLATILE CONTENT OF[CUST: MR SH 99] [REVIEW: 84 YD] | A | 8010 | | MR | 15-DEC-93 |
| | MIL-DTL-44048H | COATS, CAMOUFLAGE PATTERN, COMBAT[CUST: GL NU 11 CT] [REVIEW: MC MD] | A | 8415 | | CT | 30-NOV-00 |
| | MIL-C-44211B | COATS, MEN'S; SERGE, POLYESTER/WOOL, ARMY GREEN 489, FUSIBLE, AND POLYESTER AND WOOL, BLUE 450 (MDW) AND BLUE 150 (MDW), FUSIBLE[CUST: GL CT] [REVIEW: MD] | A | 8405 | | CT | 04-JAN-95 |
| | MIL-C-44379(1) | COATS, WOMAN'S, CLASSIC DESIGN, POLYESTER/WOOL, ARMY GREEN 489, FUSIBLE[CUST: GL CT] [REVIEW: MD] | A | 8410 | | CT | 05-OCT-90 |
| | MIL-C-29427B NOT 2 | COATS, WOMEN'S[CUST: MC CT] | A | 8410 | | CT | 20-AUG-99 |
| | MIL-C-29480 | COATS, WOMEN'S, OFFICER'S[CUST: MC] | A | 8410 | | MC | 28-JUL-95 |
| | MIL-C-24689B | COBALT ALLOY CASTINGS, WEAR AND CORROSION RESISTANT[CUST: MR SH 11] [REVIEW: AR AS CR4 IS MI] | A | MECA | | SH | 23-APR-92 |
| | MIL-C-24248B(1) NOT 1 | COBALT ALLOY CASTINGS, WEAR AND CORROSION RESISTANT[CUST: SH] | F | MECA | | SH | 30-OCT-90 |
| | SAE-AMS4783 | COBALT ALLOY HIGH TEMPERATURE BRAZING FILLER METAL 50CO - 8.0SI - 19CR - 17NI - 4.0W - 0.80B 2050 TO 2100 DEG. F (1121 TO 1149 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | DEC 95 |
| | SAE-AMS5772 | COBALT ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 40CO - 22CR -22NI - 14.5W - 0.07LA SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9530 | | IS | 15-AUG-90 |
| | SAE-AMS5759 | COBALT ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 52CO - 20CR - 10NI - 15W SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 27-FEB-81 |
| | SAE-AMS5788 | COBALT ALLOY, CORROSION AND HEAT RESISTANT, HARD FACING RODS AND WIRE 62CO - 29CR - 4.5W[CUST: MR AS 11] | A | MFFP | | IS | DEC-94 |
| M | SAE-AMS5380 | COBALT ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 50.5CO - 26CR - 15NI - 6.0MO AS CAST[CUST: MR AS 11] | A | MECA | | 11 | 28-MAR-06 |
| | SAE-AMS5382 | COBALT ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 54CO - 25.5CR - 10.5NI - 7.5W AS CAST[CUST: MR AS 11] | A | MECA | | 11 | 01-APR-93 |
| M | SAE-AMS5385 | COBALT ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 62CO - 27CR - 2.8NI - 5.5MO AS CAST[CUST: MR AS 11] | A | MECA | | 11 | 28-MAR-06 |
| | SAE-AMS5833 | COBALT ALLOY, CORROSION AND HEAT RESISTANT, ROUND WIRE 20CR - 15NI -40CO - 7.0MO - 16FE SOLUTION HEAT TREATED AND COLD DRAWN[CUST: MR AS 99 IS] | A | 9505 | | IS | 01-APR-93 |
| | SAE-AMS5608 | COBALT ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 40CO - 22CR - 22NI - 14.5W - 0.07LA SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 17-MAR-89 |
| | SAE-AMS5801 | COBALT ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 39CO - 22CR - 22NI 14.5W - 0.07LA[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | AUG-94 |
| | SAE-AMS5796 | COBALT ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 52CO - 20CR - 10NI - 15W[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-JUL-92 |
| | SAE-AMS5814 | COBALT ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 52CO - 20CR - 20 NI - 7.5TA VACUUM MELTED[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | AUG 94 |
| | SAE-AMS5791 | COBALT ALLOY, POWDER, PLASMA SPRAY 56.5CO - 25.5CR - 10.5NI - 7.5W[CUST: MR AS 11] | A | 8030 | | 11 | AUG-86 |
| | SAE-AMS5537 | COBALT ALLOY,CORROSION AND HEAT-RESISTANT, SHEET, STRIP, FOIL, AND PLATE 52CO - 20CR - 10NI - 15W SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | MIL-HDBK-62624 NOT 1 | COBALT BASE ALLOY INVESTMENT CASTINGS[CUST: AT] | A | MECA | | AT | 20-APR-04 |
| | MIL-C-24252D | COBALT-CHROMIUM-TUNGSTEN-NICKEL AND COBALT-CHROMIUM-TUNGSTEN ALLOY BARS AND FORGINGS[CUST: SH] | F | 9530 | | SH | 19-MAY-92 |
| M | SAE-AMS5843 | COBALT-NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS 19CR - 36CO - 25NI - 7.0MO - 0.50CB - 2.9TI - 0.20AL - 9.0FE VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, WORK STRENGTHENED, AND AGED[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | 28-MAR-06 |
| | SAE-AMS5842 | COBALT-NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS 19CR - 36CO - 25NI - 7.0MO - 0.50CB - 2.9TI - 0.20AL - 9.0FE VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED AND WORK STRENGTHENED[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | 31-AUG-94 |
| M | SAE-AMS5841 | COBALT-NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS 19CR - 36CO - 25NI - 7.0MO - 0.50CB - 2.9TI - 0.20AL - 9.0FE VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED FOR WORK STRENGTHENING[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | 28-MAR-06 |
| | A-A-59440/4A | COCK, DRAIN, GROUND KEY, 150 P.S.I., BRASS, STEAM PRESSURE, NPTF-1 THREADS[CUST: MI SH 99 CC] [REVIEW: AT AV CR4 MC] | A | 4820 | / | CC | 23-MAY-05 |
| | A-A-59440/5A | COCK, DRAIN, GROUND KEY, BIB NOZZLE 150 P.S.I. STEAM PRESSURE, BRASS, NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: GL MC MI MS] | A | 4820 | / | CC | 23-MAY-05 |
| | A-A-59440/3A | COCK, DRAIN, SPRING KEY, 50 P.S.I., WATER, OIL, GAS (WOG), NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: AT AV CR4 MC] | A | 4820 | / | CC | 23-MAY-05 |
| | A-A-59440/2A | COCK, DRAIN, WITH HOSE BIB, 150 P.S.I., NON-FLAMMABLE LIQUID OR GAS, NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: AT AV CR4 MC MI] | A | 4820 | / | CC | 23-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59440/9A | COCK, PLUG, GROUND KEY, THREADED TYPE, BRASS, 125 P.S.I. STEAM, NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: AT CR4 GL MC MI] | A | 4820 | / | CC | 23-MAY-05 |
| | A-A-59440/6A | COCK, PLUG, THREE- WAY, THREADED TYPE, BRASS, 125 P.S.I., NPTF-1 THREADS, WATER, OIL, AND GAS (WOG)[CUST: AR SH 99 CC] [REVIEW: AT CR4 GL MC] | A | 4820 | / | CC | 23-MAY-05 |
| | A-A-52448 | COCK, PLUG: AIR SUPPLY, VEHICULAR, AIR BRAKE SYSTEM[CUST: AT 99] [REVIEW: CC MC] | A | 2530 | / | AT | 07-MAY-93 |
| | MS29571D | COCK, POPPET DRAIN[CUST: 99] | A | 2915 | | 71 | 09-JAN-99 |
| | A-A-59440/7A | COCK, SHUT-OFF, SCREW STEM, THREADED TYPE, 150 P.S.I., BRASS, WATER, OIL, AND GAS (WOG), NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: CR4 GL MC MI] | A | 4820 | / | CC | 23-MAY-05 |
| | A-A-59440/8A | COCK, SHUT-OFF, SCREW STEM, THREADED TYPE, 50 P.S.I., BRASS, WATER, OIL, AND GAS (WOG), NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: AT CR4 GL MC MI] | A | 4820 | / | CC | 23-MAY-05 |
| | MIL-C-81590(3) | COCKPIT CANOPY SYSTEM, FIXED WING SINGLE AND MULTI-PLACE, FIGHTER, ATTACK, AND TRAINER AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 1560 | | AS | 22-NOV-74 |
| | ADV-PUB-61/101/19 | COCKPIT HEAT STRESS: PREDICTIONS AND LIMITATIONS OF EFFECTS | C | ISDF | | 06 | 21-SEP-81 |
| | A-A-59440/1A | COCKS, DRAIN, CENTER DRAIN, INTERNAL SEAT OR EXTERNAL SEAT, 150 P.S.I., BRASS, NON-FLAMMABLE LIQUID OR GAS, NPTF-1 THREADS[CUST: AR SH 99 CC] [REVIEW: AT AV CR4 GL MC MI] | A | 4820 | / | CC | 23-MAY-05 |
| A | A-A-59440B | COCKS, DRAIN, COCKS, PLUG, AND COCKS, SHUTOFF, SCREW STEM, BRASS, NPTF-1 THREADS, GENERAL REQUIREMENTS FOR[CUST: CR4 SH 99 CC] [REVIEW: 71 CE GL MC MI] | A | 4820 | / | CC | 31-JAN-06 |
| | MIL-C-3031J(1) | COCOA BEVERAGE POWDER[CUST: GL SA 50] [REVIEW: MC MD MS] | A | 8960 | | GL | 01-DEC-87 |
| | A-A-20189A | COCOA BEVERAGE POWDER[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8960 | / | SS | 31-MAR-00 |
| | STANAG-1120 ED.2(7) | CODE DESIGNATION SYSTEM FOR SPECIAL NAVAL CHARTS | C | ISDF | | 06 | 15-DEC-76 |
| | ASME-AG1 | CODE ON NUCLEAR AIR AND GAS TREATMENT[CUST: EA] [REVIEW: AT] | A | 4240 | | EA | 15-AUG-01 |
| | ASME-B18.24.2 | CODE SYSTEM STANDARD FOR B18 INTERNALLY THREADED PRODUCTS, PART IDENTIFYING NUMBER (PIN)[CUST: AR AS 99] | A | 53GP | | AR | 14-OCT-98 |
| | MIL-C-85253 | CODE, DETONATING[CUST: OS] | A | 1377 | | OS | 13-JUN-81 |
| | NFPA54 | CODE, NATIONAL FUEL GAS - FOURTH EDITION[CUST: CR YD 11] [REVIEW: 99 CE MC] | A | 4530 | | IS | 27-JUN-89 |
| | MIL-HDBK-223 NOT 2 | CODED LIST OF MATERIALS[CUST: AR SA 11] | A | DRPR | | SA | 14-DEC-82 |
| | A-A-51078 | CODEINE PHOSPHATE AND ACETAMINOPHEN ELIXIR[CUST: MD MS 03] | A | 6505 | / | MB | 21-NOV-85 |
| | A-A-51067 | CODEINE PHOSPHATE AND ASPIRIN TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 26-NOV-85 |
| | A-A-54049 | CODEINE SULFATE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 30-NOV-89 |
| | STANAG-4177 ED.3 | CODIFICATION - UNIFORM SYSTEM OF DATA ACQUISITION | C | ISDA | | AI | 13-FEB-95 |
| | STANAG-4199 ED.3 | CODIFICATION - UNIFORM SYSTEM OF EXCHANGE OF MATERIEL MANAGEMENT DATA | C | ISDF | | 06 | 13-FEB-95 |
| | STANAG-3151 ED.8(1) | CODIFICATION - UNIFORM SYSTEM OF ITEM IDENTIFICATION | C | ISDF | | 06 | PENDING |
| | STANAG-3150 ED.7(1) | CODIFICATION - UNIFORM SYSTEM OF SUPPLY CLASSIFICATION | C | ISDF | | 06 | PENDING |
| | STANAG-4438 ED.1(1) | CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF DISSEMINATION OF DATA ASSOCIATED WITH NATO STOCK NUMBERS | C | ISDA | | AI | 31-MAY-94 |
| | QSTAG-642 ED.2 | CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF ITEM IDENTIFICATION[CUST: AI] | C | ISDA | | AI | 21-FEB-92 |
| | QSTAG-680 ED.2 | CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF SUPPLY CLASSIFICATION[CUST: AI] | C | ISDA | | AI | 17-JUN-92 |
| | STANAG-2386 ED.1 | CODIFICATION OF EQUIPMENT ESTABLISHING COMMON USER ITEM LISTS AND MATRICES | C | ISDA | | AI | PENDING |
| | MIL-STD-851A(2) | CODING, MANUFACTURER S COLOR, NYLON PARACHUTE CLOTH[Military Standard][CUST: AS CT] | A | 8305 | | CT | 15-APR-75 |
| | PIA-STD-851 | CODING: MANUFACTURER'S COLOR, NYLON PARACHUTE CLOTH[CUST: AS 82 CT] [REVIEW: 11] | A | 8305 | | CT | 30-NOV-99 |
| | IPC-TM650.2.4.41 | COEFFICIENT OF LINEAR THERMAL EXPANSION OF ELECTRICAL INSULATING MATERIALS[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | ASTM-D3386 | COEFFICIENT OF LINEAR THERMAL EXPANSION OF ELECTRICAL INSULATING MATERIALS, STANADRD TEST METHOD FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD] | A | 5962 | | CC | 30-OCT-00 |
| | IPC-TM650.2.4.41.1 | COEFFICIENT OF THERMAL EXPANSION BY THE VITREOUS SILICA (QUARTZ) DILATOMETER METHOD[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | A-A-20213B | COFFEE[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8955 | * | GL | 17-AUG-04 |
| | A-A-20184A | COFFEE, INSTANT[CUST: GL SA 50] [REVIEW: MC MD QM] | A | 8955 | / | SS | 27-MAR-02 |
| | A-A-20116B | COFFEE, ROASTED, GROUND, HIGH EXTRACTION | A | 8955 | # | FV | 16-APR-97 |
| | A-A-20336 | COFFEES, FLAVORED, INSTANT[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8955 | / | SS | 20-DEC-00 |
| | NAS1130 | COIL, HELICAL, INSERT, SCREW THREAD, FREE RUNNING AND SELF LOCKING, TANGLESS[CUST: AV 99] [REVIEW: AR EA IS MI] | A | 5340 | | 71 | 29-NOV-95 |
| | MIL-PRF-83446/4C(1) NOT 2 | COIL, RADIO FREQUENCY, CHIP, FIXED[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-83446/24 NOT 1 | COIL, RADIO FREQUENCY, CHIP, FIXED, IRON CORE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MS21367F NOT 3 | COIL, RADIO FREQUENCY, ENCAPSULATED, FIXED, MICRO MINIATURE, SHIELDED (IRON CORE), TYPES LT10K354 TO LT10K383, INCL[CUST: 11 CC] | A | 5950 | | CC | 24-SEP-01 |
| | QPL-39010-45 | COIL, RADIO FREQUENCY, FIXED, MOLDED, ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5950 | | CR | 24-SEP-04 |
| | MIL-PRF-39010E SUP 1 | COIL, RADIO FREQUENCY, FIXED, MOLDED, ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AR AS CC CG CR4 MC MI NA OS] | A | 5950 | | CR | 27-AUG-97 |
| | A-A-59740 | COIL, RF, CHIP, FIXED, CERAMIC, SURFACE MOUNT[CUST: EC] | A | 5950 | / | CC | 25-OCT-02 |
| | A-A-59408 | COIL, RF, CHIP, FIXED, HIGH CURRENT, SURFACE MOUNT[CUST: EC CC] | A | 5950 | / | CC | 18-FEB-04 |
| | A-A-59697 | COIL, RF, CHIP, FIXED, HIGH FREQUENCY[CUST: EC] | A | 5950 | / | CC | 01-OCT-01 |
| | A-A-59700 | COIL, RF, CHIP, FIXED, HIGH FREQUENCY, MINIATURE, SURFACE MOUNT[CUST: EC] | A | 5950 | / | CC | 01-OCT-01 |
| | A-A-59699 | COIL, RF, CHIP, FIXED, HIGH INDUCTANCE, SURFACE MOUNT[CUST: EC] | A | 5950 | / | CC | 01-OCT-01 |
| | A-A-59739 | COIL, RF, CHIP, FIXED, HIGH Q, MINIATURE, SURFACE MOUNT[CUST: EC] | A | 5950 | / | CC | 25-OCT-02 |
| | A-A-59698 | COIL, RF, CHIP, FIXED, LOW DCR, SURFACE MOUNT[CUST: EC] | A | 5950 | / | CC | 01-OCT-01 |
| | A-A-59696 | COIL, RF, CHIP, FIXED, LOW PROFILE, SURFACE MOUNT[CUST: EC] | A | 5950 | / | CC | 01-OCT-01 |
| | A-A-59235 | COIL, RF, CHIP, FIXED, POWER, MAGNETICALLY SHIELDED, SURFACE MOUNT[CUST: EC] | A | 5950 | / | CC | 03-JUN-03 |
| | ARI410 | COILS, AIR COOLING AND AIR HEATING, FORCED CIRCULATION[CUST: YD 99] [REVIEW: CE CR4 GS] | A | 4130 | | IS | 15-JUL-91 |
| | ASHRAE33 | COILS, AIR COOLING AND AIR HEATING, FORCED CIRCULATION, METHODS OF TESTING[CUST: GL YD 99] | A | 41GP | | YD | FEB-78 |
| | MIL-PRF-83446/12(1) NOT 2 | COILS, CHIP, RADIO FREQUENCY, FIXED[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 21-FEB-03 |
| | MIL-PRF-83446/15(1) NOT 2 | COILS, CHIP, RADIO FREQUENCY, FIXED[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 21-FEB-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-83446/14(1) NOT 2 | COILS, CHIP, RADIO FREQUENCY, FIXED[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 21-FEB-03 |
| | MIL-PRF-83446/16(1) NOT 2 | COILS, CHIP, RADIO FREQUENCY, VARIABLE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 21-FEB-03 |
| | MIL-PRF-83446/17(1) NOT 2 | COILS, CHIP, RADIO FREQUENCY, VARIABLE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 21-FEB-03 |
| | MIL-PRF-83446/18(1) NOT 2 | COILS, CHIP, RADIO FREQUENCY, VARIABLE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 21-FEB-03 |
| | QPL-15305-95 | COILS, FIXED AND VARIABLE, RADIO FREQUENCY, GENERAL SPECIFICATION FOR | A | 5950 | | CC | 02-JUN-04 |
| A | MIL-PRF-15305E(7) SUP 1B NOT 1 | COILS, FIXED AND VARIABLE, RADIO FREQUENCY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG CR4 MI OS SH] | A | 5950 | | CC | 05-DEC-05 |
| | MIL-PRF-39010/9C | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE (IRON CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| | MIL-PRF-39010/6E | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE (PHENOLIC CORE), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| | MIL-PRF-39010/8C | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE (PHENOLIC CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| | MIL-PRF-39010/7E | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE (POWDERED IRON CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| | MIL-PRF-39010/10C | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE, (FERRITE CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| | MIL-PRF-39010/3E | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE, MAGNETICALLY SHIELDED (FERRITE CORE-FERRITE SLEEVE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| | MIL-PRF-39010/2E | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE, MAGNETICALLY SHIELDED (IRON CORE-IRON SLEEVE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| | MIL-PRF-39010/1E | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE, MAGNETICALLY SHIELDED (PHENOLIC CORE-IRON SLEEVE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| | MIL-PRF-39010/4E | COILS, FIXED, RADIO FREQUENCY, MOLDED, SUBMINIATURE (PHENOLIC CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| | MIL-PRF-39010/5E | COILS, FIXED, RADIO FREQUENCY, MOLDED, SUBMINIATURE (POWDERED IRON CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| | MIL-PRF-83446/10B NOT 2 | COILS, RADIO FREQUENCY, CHIP, FIXED[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-83446/13A NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-83446/6D NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-PRF-83446/8D NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-83446/5D NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| A | MIL-PRF-83446C SUP 1 | COILS, RADIO FREQUENCY, CHIP, FIXED OR VARIABLE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH] | A | 5950 | | CC | 08-NOV-04 |
| A | QPL-83446-37 | COILS, RADIO FREQUENCY, CHIP, FIXED OR VARIABLE, GENERAL SPECIFICATION FOR | A | 5950 | | CC | 08-SEP-05 |
| | MIL-PRF-83446/38 | COILS, RADIO FREQUENCY, CHIP, FIXED SURFACE MOUNT[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-DEC-03 |
| A | MIL-PRF-83446/30A | COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 08-SEP-05 |
| A | MIL-PRF-83446/33A | COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 08-SEP-05 |
| | MIL-PRF-83446/22 NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-83446/25 NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| A | MIL-PRF-83446/29A | COILS, RADIO FREQUENCY, CHIP, FIXED, IRON CORE[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 08-SEP-05 |
| A | MIL-PRF-83446/32A | COILS, RADIO FREQUENCY, CHIP, FIXED, IRON CORE[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 08-SEP-05 |
| | MIL-PRF-83446/21 NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED, IRON CORE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| A | MIL-PRF-83446/35A | COILS, RADIO FREQUENCY, CHIP, FIXED, MAGNETICALLY SHIELDED, (FERRITE CORE-FERRITE SLEEVE)[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 08-SEP-05 |
| | MIL-PRF-83446/27 NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED, MAGNETICALLY SHIELDED, (FERRITE, CORE-FERRITE SLEEVE)[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-83446/26A NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED, MAGNETICALLY SHIELDED, IRON CORE-IRON SLEEVE AND IRON CORE-FERRITE SLEEVE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| A | MIL-PRF-83446/31A | COILS, RADIO FREQUENCY, CHIP, FIXED, PHENOLIC CORE[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 08-SEP-05 |
| | MIL-PRF-83446/23 NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED, PHENOLIC CORE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-83446/20 NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED, PHENOLIC CORE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| A | MIL-PRF-83446/28A | COILS, RADIO FREQUENCY, CHIP, FIXED, PHENOLIC CORE[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 08-SEP-05 |
| | MIL-PRF-83446/40 | COILS, RADIO FREQUENCY, CHIP, FIXED, SHIELDED, MOLDED, SURFACE MOUNT[CUST: CR EC 11] [REVIEW: 19 AS OS] | A | 5950 | | CC | 11-AUG-04 |
| | MIL-PRF-83446/39 | COILS, RADIO FREQUENCY, CHIP, FIXED, UNSHIELDED, MOLDED, SURFACE MOUNT[CUST: CR EC 11] [REVIEW: 19 AS OS] | A | 5950 | | CC | 11-AUG-04 |
| A | MIL-PRF-83446/34A | COILS, RADIO FREQUENCY, CHIP, MAGNETICALLY SHIELDED, IRON CORE-IRON SLEEVE, AND IRON CORE-FERRITE SLEEVE[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 08-SEP-05 |
| | MIL-PRF-83446/36 | COILS, RADIO FREQUENCY, CHIP, OPEN CONSTRUCTION, SURFACE MOUNT[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 06-JUN-03 |
| | MIL-PRF-83446/37 | COILS, RADIO FREQUENCY, CHIP, OPEN CONSTRUCTION, SURFACE MOUNT[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 06-JUN-03 |
| | MIL-PRF-83446/11B NOT 2 | COILS, RADIO FREQUENCY, CHIP, SHIELDED, FIXED[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-83446/9D NOT 1 | COILS, RADIO FREQUENCY, CHIP, VARIABLE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-83446/19A NOT 3 | COILS, RADIO FREQUENCY, CHIP, VARIABLE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-83446/7C NOT 1 | COILS, RADIO FREQUENCY, CHIP, VARIABLE[CUST: CR EC 11] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MS21363A NOT 3 | COILS, RADIO FREQUENCY, MOLDED FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED, (FERRITE CORE-FERRIT SLEEVE) TYPES LT10K307 TO LT10K35E INCL.[CUST: CR EC 11] [REVIEW: 19] | A | 5950 | | CC | 05-JUN-03 |
| | MS21426B NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE MAGNETICALLY SHIELDED, (IRON CORE-IRON SLEEVE) TYPE LT10K[CUST: EC 11] [REVIEW: 19] | A | 5950 | | CC | 13-NOV-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS21427B NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (FERRITE CORE-FERRITE SLEEVE) TYPE LT10K[CUST: CR EC 11] [REVIEW: 19] | A | 5950 | | CC | 13-NOV-01 |
| | MS21424C NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE TYPES LTAK546 TO LT4K570 INC.[CUST: CR EC 11] [REVIEW: 19] | A | 5950 | | CC | 13-NOV-01 |
| | MS21422C NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, TYPES LT4K496 TO LT4K520 INCL.[CUST: CR EC 11] [REVIEW: 19] | A | 5950 | | CC | 13-NOV-01 |
| | MS21423C NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, TYPES LT4K521 TO LT4K545 INCL.[CUST: CR EC 11] [REVIEW: 19] | A | 5950 | | CC | 13-NOV-01 |
| | ASTM-B617 | COIN SILVER ELECTRICAL CONTACT ALLOY[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 25-MAR-83 |
| | MIL-DTL-3628/209A | COIN, DEFENSE CONTRACTING COMMAND-WASHINGTON[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-MAY-02 |
| | QAP-121 ED.1 | COINCIDENCE IN AIR AND GROUND BOUNDARIES FOR IFF PROCEDURES | C | ISDA | | AI | 22-SEP-94 |
| | Q-C-571C | COKE (COAL) | A | 9110 | # | FSS | 12-AUG-69 |
| | A-A-469B | COLANDER[CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A | 7330 | * | GL | 25-JUL-96 |
| | A-A-59190 | COLD FOOD COUNTER, MECHANICALLY REFRIGERATED (NAVAL SHIPBOARD)[CUST: GL SH] | A | 7310 | / | SH | 12-MAY-98 |
| | ANSI-B11.7 | COLD HEADERS & COLD FORMERS, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF[CUST: AR SH 99] [REVIEW: 84] | A | 3446 | | GS6 | 21-MAY-85 |
| | A-A-53135 | COLD PACK AND WRAPPER, CRYOTHERAPY[CUST: MD MS 03] | A | 6530 | / | MB | 31-AUG-87 |
| | AIR-STD-61/102/19 | COLD WATER: PREDICTION OF SURVIVAL TIMES | C | ISDF | | 06 | 15-MAY-97 |
| | A-A-0051584 | COLLAGEN IMPLANT[CUST: MD MS 03] | A | 6505 | / | MB | 22-JUL-86 |
| | A-A-52527A NOT 1 | COLLAPSIBLE TRACK FOR MAINLINE PUMPS (METRIC)[CUST: AT] [REVIEW: SM] | A | 8115 | / | AT | 16-APR-04 |
| | NAS2013 | COLLAR, GROOVED, PIN-RIVET, TITANIUM, (COMPOSITE APPLICATIONS)[CUST: AV AS 11 IS] | A | 5320 | | IS | JUN-91 |
| | NAS1585 | COLLAR, HI-SHEAR RIVET, 1200 DEGREES F[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5320 | | IS | 14-JUN-74 |
| | MIL-C-87165 NOT 1 | COLLAR, JACKET, DETACHABLE CWU-63/P[CUST: 11 CT] [REVIEW: 99] | A | 8315 | | CT | 30-SEP-88 |
| | NAS1080 | COLLAR, SWAGE LOCKING, FOR PULL-TYPE AND STUMP-TYPE LOCKBOLTS[CUST: AR AS 99 IS] | A | 5320 | | IS | 09-MAR-89 |
| | DI-MISC-81312 | COLLATERAL PERSONNEL RECRUITMENT LITERATURE [AMSC: G6888] | A | MISC | | NS | 25-JAN-93 |
| | A-A-53787 | COLLECTING TUBING SET, UTERINE, PLASTIC, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 15-DEC-88 |
| | AIR-STD-61/102/5A | COLLECTION OF DATA FOR EVALUATION OF AIRCREW HELMETS DAMAGED DURING AIRCRAFT ACCIDENTS AND INCIDENTS | C | ISDF | | 06 | 10-MAY-89 |
| | A-A-50172 | COLLECTION PLATE[CUST: GL PE 28] | A | 9925 | / | CT | 03-OCT-88 |
| | ASTM-D387 | COLOR & STRENGTH OF COLOR PIGMENTS WITH A MECHANICAL MULLER[CUST: MR SH 99] | A | 8010 | | MR | 06-JUN-00 |
| | MIL-HDBK-1473A | COLOR AND MARKING OF ARMY MATERIEL[CUST: MI] [REVIEW: AR AT CR GL GS MD MR PT TE TM] | A | HFAC | | MI | 29-AUG-97 |
| | MIL-STD-101B | COLOR CODE FOR PIPELINES & FOR COMPRESSED GAS CYLINDERS[Standard Practice][CUST: EA SH 68] [REVIEW: 11 19 99 AS AV CC CG CR4 GS MC MI MS YD] | A | 8120 | | EA | 03-DEC-70 |
| | MIL-STD-1480D | COLOR CODES FOR WEBBING, TEXTILE; MANUFACTURERS' IDENTIFICATION[Military Standard][CUST: GL NU 99 CT] [REVIEW: 11 AS AT MC MI OS SH] | A | 8305 | | CT | 21-DEC-88 |
| | PFI-ES22 | COLOR CODING OF PIPING MATERIALS[CUST: YD] | A | FACR | | YD | 08-JUL-04 |
| | ASTM-D2244 | COLOR COORDINATES, CALCULATION OF COLOR TOLERANCES AND COLOR DIFFERENCES FROM INSTRUMENTALLY MEASURED[CUST: MR SH 11] [REVIEW: YD] | A | 8010 | | MR | 15-SEP-93 |
| | DI-MISC-81123 | COLOR COORDINATION MANUAL (S) FOR HABITABILITY SPACES [AMSC: N6023] | A | MISC | | SH | 20-FEB-91 |
| | EIA359 | COLOR IDENTIFICATION AND CODING, EIA STANDARD COLORS FOR[CUST: CR EC 11] | A | 59GP | | CR | 10-JAN-89 |
| | ASTM-D2096 | COLOR IN THE WASHING OF LEATHER, COLORFASTNESS AND TRANSFER OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | ASTM-D1209 | COLOR OF CLEAR LIQUIDS (PLATINUM-COBALT SCALE)[CUST: MR] | A | 8010 | | MR | 15-SEP-93 |
| | DI-MISC-80192A | COLOR PHOTOGRAPH PRINTS [AMSC: A3876] | A | MISC | | AM | 12-DEC-97 |
| | SAE-J578 | COLOR SPECIFICATION[CUST: AT IS] | A | 6220 | | IS | 21-JUN-90 |
| | FED-STD-3(1) | COLOR, AERONAUTICAL LIGHTING[CUST: AV AS 11] [REVIEW: MC MI MS] | A | 7650 | * | AS | 27-AUG-51 |
| | ASTM-D1535 | COLOR, SPECIFYING BY THE MUNSELL SYSTEM[CUST: GL YD 99] | A | 8010 | | IS | 03-OCT-94 |
| | EIA-RS359 | COLORS FOR COLOR IDENTIFICATION AND CODING EIA STANDARD[CUST: CR EC 11] | A | 59GP | | CC | 10-JAN-89 |
| | FED-STD-595B(1) | COLORS USED IN GOVERNMENT PROCUREMENT[CUST: AS 11] [REVIEW: SS] | A | 8010 | * | SO | 11-JAN-94 |
| | SAE-AS25050 | COLORS, AERONAUTICAL LIGHTS AND LIGHTING EQUIPMENT, GENERAL REQUIREMENTS FOR[CUST: AV AS 11] [REVIEW: 99 IS MI] | A | 6220 | | AS | AUG-98 |
| | MIL-C-8779E(1) | COLORS, INTERIOR, AIRCRAFT, REQUIREMENTS FOR[CUST: AV AS] | A | 15GP | | AS | 15-MAR-89 |
| | STANAG-3436 ED.4(4) | COLOURS AND MARKINGS USED TO DENOTE OPERATING RANGES OF AIRCRAFT INSTRUMENTS | C | ISDF | | 06 | 18-APR-85 |
| | AIR-STD-44/28A(1) | COLOURS FOR THE IDENTIFICATION OF AIRDROPPED SUPPLIES | C | ISDF | | 06 | 22-MAY-73 |
| | L-C-566C | COMB, HAIR (PLASTIC) | A | 8530 | # | FSS | 17-SEP-57 |
| | MIL-C-89202A NOT 1 | COMBAT CHARTS[CUST: MP] | A | GINT | | MP | 31-MAR-04 |
| | STANAG-1022 ED.5 | COMBAT CHARTS, AMPHIBIOUS CHARTS AND COMBAT/LANDING CHARTS | C | ISDF | | 06 | 15-DEC-78 |
| | QSTAG-963 ED.1 | COMBAT CHARTS, AMPHIBIOUS CHARTS AND COMBAT/LANDING CHARTS (BASED ON STANAG 1022)[CUST: AI] | C | ISDA | | AI | 25-MAY-93 |
| | QAP-229 ED.1 | COMBAT IDENTIFICATION SYSTEMS EVALUATION METHODOLOGIES AND MEASURES OF EFFECTIVENESS | C | ISDA | | AI | 28-MAY-99 |
| | AIR-STD-45/20 | COMBAT SEARCH AND RESCUE | C | ISDF | | 06 | 16-NOV-99 |
| | STANAG-7030 ED.3 | COMBAT SEARCH AND RESCUE (CSAR)-ATP-62 | C | ISDF | | 06 | 20-NOV-00 |
| | QAP-222 ED.1 | COMBAT SIMULATION SYSTEMS AND COMMON CRITICAL COMBAT GAMING TECHNIQUES | C | ISDA | | AI | 12-JUN-98 |
| | MIL-DTL-24784/3B | COMBAT SYSTEM TECHNICAL OPERATIONS MANUAL (CSTOM) REQUIREMENTS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | ITOP-3.2.836.1.3.2.3 | COMBAT VEHICLE FIRE CONTROL SYSTEM GUN/TURRET DRIVE SYSTEMS - FREQUENCY RESPONSE | D | ISDA | | TE | 08-APR-02 |
| | ITOP-3.2.836.1.3.2.4 | COMBAT VEHICLE FIRE CONTROL SYSTEM GUN/TURRET DRIVE SYSTEMS - TRANSIENT RESPONSE TO STEP COMMANDS | D | ISDA | | TE | 08-APR-02 |
| | ITOP-3.2.836.1.1.1.3 | COMBAT VEHICLE FIRE CONTROL SYSTEMS - ANGULAR VELOCITY | D | ISDA | | TE | 16-OCT-00 |
| | ITOP-3.2.836.1.1.1.8.1 | COMBAT VEHICLE FIRE CONTROL SYSTEMS - MUZZLE REFERENCE SYSTEM - STATIC (MRS) | D | ISDA | | TE | 07-OCT-02 |
| | ITOP-3.2.836.1.1.1.4 | COMBAT VEHICLE FIRE CONTROL SYSTEMS ANGLE OF PITCH AND ROLL (CANT) | D | ISDA | | TE | 08-APR-02 |
| | ITOP-3.2.836.2.4.2 | COMBAT VEHICLE FIRE CONTROL SYSTEMS AUXILIARY SIGHT ACCURACY | D | ISDA | | TE | 13-OCT-97 |
| | ITOP-3.2.836.1.1.2.1 | COMBAT VEHICLE FIRE CONTROL SYSTEMS EXTERIOR BALLISTIC SENSORS - AIR TEMPERATURE | D | ISDA | | TE | 25-OCT-99 |
| | ITOP-3.2.836.1.1.2.2 | COMBAT VEHICLE FIRE CONTROL SYSTEMS EXTERIOR BALLISTIC SENSORS - ATMOSPHERIC PRESSURE | D | ISDA | | TE | 25-OCT-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ITOP-3.2.836.1.1.2.3 | COMBAT VEHICLE FIRE CONTROL SYSTEMS EXTERIOR BALLISTIC SENSORS - CROSSWIND | D | ISDA | | TE | 25-OCT-99 |
| | ITOP-3.2.836.1.3.2.1 | COMBAT VEHICLE FIRE CONTROL SYSTEMS GUN/TURRET DRIVE SYSTEMS - DRIFT | D | ISDA | | TE | 10-APR-00 |
| | ITOP-3.2.836.1.3.2.2 | COMBAT VEHICLE FIRE CONTROL SYSTEMS GUN/TURRET DRIVE SYSTEMS - STABILIZATION | D | ISDA | | TE | 16-OCT-00 |
| | ITOP-3.2.836.0 | COMBAT VEHICLE FIRE CONTROL SYSTEMS OVERVIEW DOCUMENT | D | ISDA | | TE | 16-OCT-00 |
| | ITOP-3.2.836.2.5.2.2 | COMBAT VEHICLE FIRE CONTROL SYSTEMS REAL FIRING FIELD TESTS | D | ISDA | | TE | 14-MAR-96 |
| | ITOP-3.2.836.2.5.1.2 | COMBAT VEHICLE FIRE CONTROL SYSTEMS SIMULATED FIRING - FIELD | D | ISDA | | TE | 08-APR-97 |
| | ITOP-3.2.836.2.5.1.1 | COMBAT VEHICLE FIRE CONTROL SYSTEMS SIMULATED FIRING, LABORATORY | D | ISDA | | TE | 13-OCT-97 |
| | ITOP-3.2.836.2.3.4 | COMBAT VEHICLE FIRE CONTROL SYSTEMS TARGET ENGAGEMENT TIMES | D | ISDA | | TE | 26-OCT-99 |
| | ITOP-3.2.836.2.3.5 | COMBAT VEHICLE FIRE CONTROL SYSTEMS TARGET TRACKING | D | ISDA | | TE | 10-APR-00 |
| | FF-L-2937 | COMBINATION LOCK, MECHANICAL[CUST: AR 99 IS] | A | 5340 | * | IS | 31-JAN-05 |
| | MIL-HDBK-1013/8 | COMBINATION LOCKS[CUST: YD] | A | FACR | | YD | 31-DEC-89 |
| | A-A-59713A | COMBINATION OVEN, ELECTRIC[CUST: GL SA] [REVIEW: MD1 SH SS] | A | 7310 | / | GL | 10-MAR-04 |
| | AIR-STD-44/41C(1) | COMBINED AIR TERMINAL OPERATIONS | C | ISDF | | 06 | 23-JUL-87 |
| | STANAG-3739 ED.4(1) | COMBINED AIR TERMINAL OPERATIONS | C | ISDF | | 06 | 15-MAY-95 |
| | STANAG-1179 ED.2(6) | COMBINED INVESTIGATION OF MARITIME INCIDENTS | A | ISDN | | NI | 11-AUG-93 |
| | AJP-3.3.7 | COMBINED JOINT FORCE AIR COMPONENT COMMAND DOCTRINE | C | ISDF | | 06 | 01-SEP-02 |
| | STANAG-7156 ED.1 | COMBINED JOINT FORCE AIR COMPONENT COMMAND DOCTRINE (JFACC) AJP-3.3.7 | C | ISDF | | 06 | 25-MAR-03 |
| | MIL-C-70461D(3) | COMBUSTIBLE CARTRIDGE CASE ASSEMBLY PARTS FOR CHARGE, PROPELLING, 155MM, M203A1[CUST: AR] | A | 1320 | | AR | 15-FEB-94 |
| | MIL-C-70810 | COMBUSTIBLE CARTRIDGE CASE ASSEMBLY PARTS NITROCELLULOSE PAPER PROCESS, FOR CHARGE, PROPELLING, 155MM, M203A1[CUST: AR] | A | 1320 | | AR | 28-MAY-91 |
| | AIR-STD-45/12(2) | COMMAND & CONTROL FOR JOINT AIR OPERATIONS | C | ISDF | | 06 | 05-SEP-00 |
| | QSTAG-2029 ED.1 | COMMAND AND CONTROL OF CONSTRUCTION TASKS IN REAR AREAS[CUST: AI] | C | ISDA | | AI | 02-DEC-97 |
| | QSTAG-567 | COMMAND AND CONTROL OF INFANTRY BATTALION ANTIARMOR WEAPONS (ABCA 567)[CUST: AI] | C | ISDA | | AI | 24-MAR-80 |
| | DI-MISC-80159C | COMMAND STATUS REPORT [AMSC: F5083] | A | MISC | | 10 | 03-DEC-90 |
| | STANAG-7155 ED.1 | COMMAND/RESPONSE MULTIPLEX DATA BUS | C | ISDF | | 06 | 24-OCT-00 |
| | AIR-STD-84/2A(1) | COMMANDER S GUIDE ON THE EFFECTS OF PENETRATING IONIZING RADIATION (WITH CHANGE 1) | C | ISDF | | 06 | 29-JUL-81 |
| | STANAG-2909 ED.1 | COMMANDERS GUIDANCE ON DEFENSIVE MEASURES AGAINST TOXIC INDUSTRIAL CHEMICALS (TIC) | C | ISDA | | AI | 11-FEB-02 |
| | QSTAG-1295 ED.1 | COMMANDERS GUIDE ON LOW LEVEL RADIATION (LLR) EXPOSURE IN MILITARY OPERATIONS[CUST: AI] | C | ISDA | | AI | 12-OCT-01 |
| | STANAG-2473 ED.1 | COMMANDERS GUIDE ON LOW LEVEL RADIATION (LLR) EXPOSURE IN MILITARY OPERATIONS | C | ISDA | | AI | 03-MAY-00 |
| | STANAG-2083 ED.5(4) | COMMANDERS' GUIDE ON NUCLEAR RADIATION EXPOSURE OF GROUPS | C | ISDA | | AI | 19-SEP-86 |
| | DI-MGMT-81634 | COMMERCIAL ASSET VISIBILITY II (CAV II) REPORT [AMSC: F7479] | A | MGMT | | 10 | 03-SEP-02 |
| | SSPC-SP6 | COMMERCIAL BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 6[CUST: CR4 YD 11 IS] [REVIEW: CE MC MR MS OS] | A | 8010 | | IS | 03-AUG-87 |
| | EIA607 | COMMERCIAL BUILDING GROUNDING (EARTHING) AND BONDING REQUIREMENTS FOR TELECOMMUNICATIONS[CUST: YD] | A | FACR | | YD | 02-SEP-04 |
| | EIA568 | COMMERCIAL BUILDING TELECOMMUNICATIONS WIRING STANDARD 3 PARTS[CUST: YD] | A | FACR | | YD | 02-SEP-04 |
| | NSF20 | COMMERCIAL BULK MILK DISPENSING EQUIPMENT[CUST: GL YD 99] [REVIEW: 84 CG GS MC MD MS SA] | A | 7310 | | SS | 27-NOV-91 |
| | DI-SESS-81003C | COMMERCIAL DRAWINGS/MODELS AND ASSOCIATED LISTS [AMSC: A7535] | A | SESS | | AR | 10-SEP-04 |
| | UL197 | COMMERCIAL ELECTRIC COOKING APPLIANCES[CUST: GL YD 99] [REVIEW: CE MC MD SA] | A | 7310 | | GL | 29-JAN-86 |
| | UL921 | COMMERCIAL ELECTRIC DISHWASHERS[CUST: GL YD 99] [REVIEW: CE MC MD SA] | A | 7320 | | GL | 07-MAY-76 |
| | DI-SDMP-81261 | COMMERCIAL ITEM DESCRIPTION (CID) [AMSC: A6729] | A | SDMP | | AM | 28-APR-92 |
| | A-A-51328 | COMMERCIAL ITEM DESCRIPTION CANNULA, LARYNEGAL[CUST: MD MS 03] | A | 6515 | / | MB | 21-FEB-86 |
| | A-A-59578 | COMMERCIAL ITEM DESCRIPTION GENERATOR, FUNCTION (0.1 HZ TO 4 MHZ)[CUST: 99] | A | 6625 | / | 84 | 10-JUN-04 |
| | A-A-59418 | COMMERCIAL ITEM DESCRIPTION METER, MODULATION (150 KHZ TO 1.3 GHZ)[CUST: 99] | A | 6625 | / | 84 | 19-DEC-03 |
| | ANSI-Z8.1 | COMMERCIAL LAUNDRY AND DRYCLEANING OPERATIONS - SAFETY REQUIREMENTS, AMERICAN NATIONAL STANDARD FOR[CUST: YD] | A | 3510 | | IS | 19-APR-93 |
| | MIL-DTL-24784/4B | COMMERCIAL OFF-THE-SHELF (COTS) EQUIPMENT MANUAL REQUIREMENTS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | DI-TMSS-80527A | COMMERCIAL OFF-THE-SHELF (COTS) MANUAL AND ASSOCIATED SUPPLEMENTAL DATA [AMSC: A7233] | A | TMSS | | TM | 21-MAY-97 |
| | UL471 | COMMERCIAL REFRIGERATION & FREEZERS[CUST: GL YD 99] [REVIEW: CE GS MC MD SA] | A | 4110 | | GL | 27-NOV-95 |
| | ASTM-A794 | COMMERCIAL STEEL (CS), SHEET, CARBON (0.16 PERCENT MAXIMUM TO 0.25 PERCENT MAXIMUM), COLD-ROLLED[CUST: MR SH 99] [REVIEW: AR AS GL YD] | A | 9515 | | MR | 10-MAR-97 |
| | DI-MISC-80557 | COMMERCIAL SUPPORT DOCUMENTATION (CSD) [AMSC: S4367] | A | MISC | | DH | 01-APR-88 |
| | DI-ADMN-81331 | COMMERCIAL TRAVEL OFFICE (CTO) BACKUP BILLING INPUT FILE [AMSC: S6911] | A | ADMN | | DH | 22-MAR-93 |
| | DI-ADMN-81330 | COMMERCIAL TRAVEL OFFICE (CTO) BACKUP BILLING REPORT [AMSC: S6910] | A | ADMN | | DH | 22-MAR-93 |
| | DI-ADMN-81332 | COMMERCIAL TRAVEL OFFICE (CTO) OBLIGATION INPUT FILE [AMSC: S6912] | A | ADMN | | DH | 22-MAR-93 |
| | DI-ILSS-80835 | COMMERCIALLY REWORKED END ITEMS, MONTHLY STATUS REPORT [AMSC: N4723] | A | SESS | | SA | 31-MAY-89 |
| | MIL-C-20534B | COMMODE[CUST: MD MS 03] | A | 4510 | | MB | 25-JUN-89 |
| | CGA-G6.2 | COMMODITY SPECIFICATION FOR CARBON DIOXIDE[CUST: SH 68 GS3] | A | 6830 | | GS3 | 28-MAR-02 |
| | QSTAG-1073 ED.1 | COMMON CRITICAL ALERT AND WEAPON STATES FOR DIRECT FIRE WEAPON SYSTEMS[CUST: AI] | C | ISDA | | AI | 06-OCT-98 |
| | QSTAG-1080 ED.1 | COMMON CRITICAL CONCEPTS FOR AIRBORNE OPERATIONS[CUST: AI] | C | ISDA | | AI | 26-AUG-97 |
| | QSTAG-1229 ED.1 | COMMON CRITICAL CONVOY DRILLS[CUST: AI] | C | ISDA | | AI | 31-MAY-00 |
| | QSTAG-1075 ED.1 | COMMON CRITICAL CONVOY ESCORT PLANNING PROCEDURES[CUST: AI] | C | ISDA | | AI | 26-AUG-97 |
| | QSTAG-222 ED.3 | COMMON CRITICAL MARRYING UP PROCEDURES[CUST: AI] | C | ISDA | | AI | 27-OCT-97 |
| | QSTAG-1225 ED.1 | COMMON CRITICAL PLANNING PROCEDURES FOR THE EMPLOYMENT OF DIRECT FIRE WEAPON SYSTEMS[CUST: AI] | C | ISDA | | AI | 16-AUG-01 |
| | QSTAG-1226 ED.1 | COMMON CRITICAL PROCEDURES FOR CHECKING FRIENDLY FIRE[CUST: AI] | C | ISDA | | AI | 16-AUG-01 |
| | QSTAG-1228 ED.1 | COMMON CRITICAL PROCEDURES FOR THE DESIGNATION OF FIELDS OF FIRE, TARGET AREAS AND TARGETS[CUST: AI] | C | ISDA | | AI | 31-MAY-00 |
| | QSTAG-2019 ED.1 | COMMON CRITICAL PROCEDURES FOR THE STORAGE OF MATERIEL[CUST: AI] | C | ISDA | | AI | 31-MAY-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QAP-252 ED.1 | COMMON CRITICAL PROCEDURES FOR THE TRANSPORTATION OF HAZARDOUS MATERIALS AND DANGEROUS GOODS | C | ISDA | | AI | 16-JUN-00 |
| | QSTAG-1167 ED.1 | COMMON CRITICAL TARGETING PROCEDURES FOR FIRE SUPPORT[CUST: AI] | C | ISDA | | AI | 06-SEP-00 |
| | QSTAG-1289 ED.1 | COMMON DEFENCE TERMS AND DEFINITIONS[CUST: AI] | C | ISDA | | AI | 22-MAR-00 |
| | QSTAG-1077 ED.1 | COMMON DIRECT FIRE SUPPORT REQUEST FORMAT[CUST: AI] | C | ISDA | | AI | 17-MAR-98 |
| | QSTAG-1086 ED.1 | COMMON EMBARKATION DOCUMENTATION REQUIREMENTS AND FORMATS AND KEY APPOINTMENT REQUIREMENTS AND RESPONSIBILITIES FOR TROOPS CONDUCTING COMBINED AIRBORNE OPERATIONS AND TRAINING[CUST: AI] | C | ISDA | | AI | 17-MAR-98 |
| | QSTAG-1078 ED.1 | COMMON FORMAT FOR THE REPORTING OF THE EFFECTS OF DIRECT FIRE SUPPORT[CUST: AI] | C | ISDA | | AI | 17-MAR-98 |
| | QSTAG-1045 ED.1 | COMMON LEVELS OF PROTECTION/DRESS STATES IN USE BY ARMIES[CUST: AI] | C | ISDA | | AI | 13-DEC-00 |
| | QSTAG-1085 ED.1 | COMMON MINIMUM STANDARDS FOR PRE OPERATIONAL PARACHUTE TRAINING[CUST: AI] | C | ISDA | | AI | 26-AUG-97 |
| | QSTAG-1278 ED.1 | COMMON OBSTACLE CROSSING DOCTRINE AT BRIGADE AND DIVISIONAL LEVEL[CUST: AI] | C | ISDA | | AI | 06-SEP-00 |
| | QSTAG-1263 ED.1 | COMMON PRINCIPLES AND PROCEDURES FOR CRITICAL ASPECTS OF THE MEDICAL AND DENTAL TREATMENT OF PERSONNEL[CUST: AI] | C | ISDA | | AI | 10-APR-01 |
| | QSTAG-2042 ED.1 | COMMON PRINCIPLES FOR DEPLOYMENT HEALTH SURVEILLANCE[CUST: AI] | C | ISDA | | AI | 13-DEC-00 |
| | STANAG-4154 ED.3 | COMMON PROCEDURES FOR SEAKEEPING IN THE SHIP DESIGN PROCESS | D | ISDN | | NI | PENDING |
| | QSTAG-1059 ED.1 | COMMON SETTING UP DATA (SUD)[CUST: AI] | C | ISDA | | AI | 17-DEC-96 |
| | QSTAG-1206 ED.1 | COMMON STANDARDS FOR SCREENING BLOOD AND BLOOD PRODUCTS[CUST: AI] | C | ISDA | | AI | 20-JUN-01 |
| | STANAG-2467 ED.1 | COMMON SUBJECTS FOR FORMATION STANDING OPERATING PROCEDURES | C | ISDA | | AI | 04-JUL-03 |
| | QSTAG-1136 ED.1 | COMMON TARGET ACQUISITION MODEL LIBRARY TO BE USED BY ABCA COUNTRIES[CUST: AI] | C | ISDA | | AI | 16-AUG-01 |
| | QSTAG-1079 ED.1 | COMMON VEHICLE MARKING AND IDENTIFICATION[CUST: AI] | C | ISDA | | AI | 29-JUL-97 |
| D | MIL-STD-2525B(1) | COMMON WARFIGHTING SYMBOLOGY[Interface Standard][CUST: AC OM 02 MP] [REVIEW: 09 10 11 13 16 19 33 93 AC1 AR AS CE CG CH DC1 DH EC HS IE IR MC MD1 MI NC ND NO NP NS PT SA SE SO TI TM US] | A | IPSC | | DC3 | 01-JUL-05 |
| | DI-MCCR-80339 | COMMUNICATION SECURITY EQUIPMENT DESCRIPTION [AMSC: G4095] | A | MCCR | | NS | 15-APR-87 |
| | DI-MCCR-80340 | COMMUNICATION SECURITY SYSTEM DESCRIPTION [AMSC: G4096] | A | MCCR | | NS | 15-APR-87 |
| | QAP-79 ED.2 | COMMUNICATIONS AND NAVIGATION FACILITIES FOR MULTI-NATIONAL AIRMOBILE OPERATIONS | C | ISDA | | AI | 21-MAY-91 |
| | MIL-C-85642 NOT 1 | COMMUNICATIONS CENTRAL AN/ASC-26[CUST: AS] | A | 5810 | | AS | 17-OCT-91 |
| | DI-MISC-80421 | COMMUNICATIONS OUTAGE REPORTS [AMSC: F4193] | A | MISC | | 33 | 17-AUG-87 |
| | DI-MGMT-80625A | COMMUNICATIONS SECURITY CUSTODIANS REPORT [AMSC: F6689] | A | MGMT | | 33 | 20-DEC-91 |
| | MIL-HDBK-421 NOT 1 | COMMUNICATIONS TIMING AND SYNCHRONIZATION SUBSYSTEMS[CUST: CR EC 02] | A | TCSS | | DC1 | 22-DEC-00 |
| | ICEA-S80.576 | COMMUNICATIONS WIRE AND CABLE FOR WIRING OF PREMISES[CUST: CR YD 11] | A | 6145 | | CC | 08-JUN-94 |
| | DI-DRPR-80151A | COMMUNICATIONS-COMPUTER SYSTEMS INSTALLATION RECORDS (CSIRS) [AMSC: F6984] | A | DRPR | | 10 | 25-JAN-94 |
| | A-A-50164 | COMMUNION SET, INDIVIDUAL CUP TYPE[CUST: GL PE 28] [REVIEW: GS] | A | 9925 | / | GL | 15-APR-88 |
| | A-A-58013 | COMPACT LOADER/BACKHOE[CUST: 99] | A | 3805 | / | 84 | 24-FEB-93 |
| | MIL-HDBK-1916 NOT 1 | COMPANION DOCUMENT TO MIL-STD-1916[CUST: AR OS 05 DH] [REVIEW: 10 11 13 19 70 71 84 AS AT AV CC CH CR EA EC GL MI MR NM NW SA SH YD] | A | QCIC | | AR | 20-APR-04 |
| | ADV-PUB-61/105/2A | COMPARATIVE ANTHROPOMETRY OF ASCC PERSONNEL FOR PERSONAL PROTECTIVE CLOTHING AND DESIGN: FLIGHT GARMENTS | C | ISDF | | 06 | 03-SEP-91 |
| | ADV-PUB-61/105/6A | COMPARATIVE ANTHROPOMETRY OF ASCC PERSONNEL FOR PERSONAL PROTECTIVE CLOTHING AND EQUIPMENT DESIGN: HELMETS | C | ISDF | | 06 | 03-SEP-91 |
| | ABC-STD-44 | COMPARATIVE COMPILATION OF ALUMINUM ALLOYS FOR INTERCHANGEABILITY/EQUIVALENCY | C | ISDN | | SH | 05-JAN-68 |
| | ABC-STD-51 | COMPARATIVE COMPILATION OF COPPER ALLOYS FOR INTERCHANGEABILITY/EQUIVALENCY | C | ISDN | | SH | 25-JUN-70 |
| | A-A-50817A | COMPARATOR SET, COLOR CHLORINE-BROMINE AND PH DETERMINATION[CUST: MD MS 03] | A | 6630 | / | MB | 07-SEP-88 |
| | A-A-51338 | COMPARATOR SET, COLOR RESIDUAL CHLORINE AND PH DETERMINATION[CUST: MD MS 03] | A | 6630 | / | MB | 27-JAN-86 |
| | A-A-53140A | COMPARATOR SET, COLOR, (FREE RESIDUAL CHLORINE AND PH DETERMINATION)[CUST: MD MS 03] | A | 6630 | / | MB | 25-JAN-88 |
| | A-A-58089 | COMPARATOR, BENCH TYPE, ELECTRONICALLY AMPLIFIED[CUST: AR AS 99] [REVIEW: AT AV CR4 MI] | A | 5220 | / | 84 | 10-DEC-96 |
| | A-A-54877 | COMPARATOR, VISCOSITY, OIL[CUST: MD MS 03] | A | 6630 | / | MB | 20-MAY-93 |
| | ABCA-STD-32C | COMPARISON OF METHODS OF TESTING FERROUS METALLIC MATERIALS | C | ISDN | | SH | 23-AUG-73 |
| | MIL-STD-765A NOT 4 | COMPASS SWINGING, AIRCRAFT, GENERAL REQUIREMENTS FOR[Military Standard][CUST: AV AS 11] [REVIEW: GS] | A | 6605 | | AS | 27-DEC-96 |
| | A-A-50203A NOT 1 | COMPASS, DRAFTING, BEAM[CUST: CE 99 IS] [REVIEW: MC] | A | 6675 | / | IS | 25-SEP-01 |
| | A-A-50201A NOT 1 | COMPASS, DRAFTING, PIVOT, DROP SPRING BOW, PEN & PENCIL, WITH CASE[CUST: CE IS] | A | 6675 | / | IS | 25-SEP-01 |
| | QPL-38214-6 | COMPASS, MAGNETIC, MOUNTED | A | 6605 | | 71 | 15-SEP-03 |
| | MIL-PRF-38214C | COMPASS, MAGNETIC, MOUNTED[CUST: AV AS 99] [REVIEW: GS MI] | A | 6605 | | 71 | 02-AUG-01 |
| | SAE-AS17983 | COMPASS, MAGNETIC, PILOT'S STANDBY[CUST: AV AS 11] [REVIEW: 99 GS MC] | A | 6605 | | AS | JUL-99 |
| | MIL-PRF-17850B | COMPASS, MAGNETIC, POCKET[CUST: GL SH 99 GS1] [REVIEW: 71 AV] | A | 6605 | | GS1 | 08-FEB-00 |
| | A-A-54848 | COMPASS, MAGNETIC, UNMOUNTED[CUST: MD MS 03] [REVIEW: GS] | A | 6605 | / | MB | 16-APR-93 |
| | MIL-C-58052C(1) | COMPASS, MAGNETIC, UNMOUNTED, M2 (NONMAINTAINABLE)[CUST: AR] | A | 1290 | | AR | 25-APR-86 |
| | MIL-PRF-10436N | COMPASS, MAGNETIC, UNMOUNTED: LENSATIC, LUMINOUS, 5 DEGREE AND 20 MIL GRADUATIONS, WITH CARRYING CASE[CUST: CE3 MC 99] [REVIEW: CR GS SH] | A | 6605 | | CE3 | 31-OCT-03 |
| | A-A-52024 NOT 1 | COMPASS, MAGNETIC: SURVEYOR'S AND TRANSIT, POCKET; WITH OPTIONAL BALL AND SOCKET JOINT OR BALL AND SOCKET HEAD, AND JACOB'S STAFF[CUST: CE 99 IS] [REVIEW: 71] | A | 6675 | / | IS | 27-SEP-01 |
| | SAE-AS5604 | COMPASS; MAGNETIC, PILOT'S STANDBY[CUST: AV AS 99] [REVIEW: 11 CE3 GS MC MI] | A | 6605 | | AS | APR-99 |
| | STANAG-3605 ED.4(3) | COMPATIBILITY OF ARMING SYSTEMS AND EXPENDABLE AIRCRAFT STORES | C | ISDF | | 06 | 09-OCT-98 |
| | QSTAG-1174 ED.1 | COMPATIBLE ENGINEER DOCTRINE FOR ENGINEER SUPPORT TO FORCE PROJECTION AND SUSTAINMENT[CUST: AI] | C | ISDA | | AI | 30-JUL-96 |
| | MIL-C-81461E | COMPENSATOR GROUP, MAGNETIC AN/ASA-65(V)[CUST: AS] | A | 5845 | | AS | 23-FEB-84 |
| | DI-ADMN-80426 | COMPETITIVE SUBCONTRACTS REPORT (CSR) [AMSC: S4199] | A | ADMN | | AM | 28-AUG-87 |
| | J-STD-002 | COMPONENT LEADS, TERMINATIONS, LUGS, TERMINALS AND WIRES, SOLDERABILITY TESTS FOR[CUST: CR EC 11 CC] | A | 59GP | | CC | APR-92 |
| | MIL-C-50409(2) NOT 2 | COMPONENT, METAL, FOR FIBER CONTAINER M105[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 15-JUL-97 |
| | SAE-AS81765/4 | COMPONENTS INSULATING, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROELASTOMER, FLEXIBLE, CROSSLINKED[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 13-APR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS81765/7 | COMPONENTS INSULATING, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER COMPOSITE, SEMI-RIGID, CROSSLINKED[CUST: MR AS 11] [REVIEW: GS] | A | 5970 | | AS | 13-APR-04 |
| | SAE-AS81765/6 | COMPONENTS INSULATING, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER, SEMI-RIGID, CROSSLINKED[CUST: MR AS 11] [REVIEW: GS] | A | 5970 | | AS | 13-APR-04 |
| | SAE-AS81765/3 | COMPONENTS INSULATING, MOLDED, ELECTRICAL, HEAT SHRINKABLE SILICONE RUBBER, FLEXIBLE, CROSSLINKED[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 13-APR-04 |
| | NSF61 | COMPONENTS, DRINKING WATER SYSTEM - HEALTH EFFECT[CUST: CE YD] | A | FACR | | YD | 19-SEP-90 |
| | SAE-AS81765/2 | COMPONENTS, INSULATING, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYCHLOROPRENE, FLEXIBLE, CROSSLINKED[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 13-APR-04 |
| | SAE-AS81765 | COMPONENTS, INSULATING, MOLDED, ELECTRICAL, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 13-APR-04 |
| | EIA557.1 | COMPONENTS, PASSIVE, GUIDANCE FOR THE SELECTION OF CRITICAL MANUFACTURING OPERATIONS FOR USE IN IMPLEMENTING AN SPC SYSTEM FOR[CUST: CR EC 11] | A | 59GP | | CR | 23-APR-91 |
| | ADV-PUB-25/41 | COMPOSITE AIRCRAFT MISHAP SAFETY AND HEALTH GUIDELINES | C | ISDF | | 06 | 25-FEB-94 |
| | MS52126A NOT 1 | COMPOSITE LIGHT FRONT, TURN, PARK AND MARKER[CUST: AT IS] | A | 6220 | | IS | 19-SEP-01 |
| | MS52125B(1) | COMPOSITE LIGHT, TAIL STOP, TURN AND MARKER[CUST: AT IS] [REVIEW: CR4] | A | 6220 | | IS | 27-NOV-02 |
| | ASTM-D3878 | COMPOSITE MATERIALS[CUST: MR AS 11] | A | CMPS | | MR | 15-MAY-94 |
| | MIL-PRF-62419A | COMPOSITE MATERIALS FOR MILITARY VEHICLES[CUST: AT 99] [REVIEW: CC] | A | 2510 | | AT | 22-JAN-96 |
| | MIL-HDBK-17/2F | COMPOSITE MATERIALS HANDBOOK - VOLUME 2 POLYMER MATRIX COMPOSITES MATERIALS PROPERTIES[CUST: MR AS 11] [REVIEW: 13 AR AT AV IS MI SH] | A | CMPS | | MR | 17-JUN-02 |
| | MIL-HDBK-17/4A | COMPOSITE MATERIALS HANDBOOK - VOLUME 4 METAL MATRIX COMPOSITES[CUST: MR AS 11] [REVIEW: 13 AR AT AV IS MI SH] | A | CMPS | | MR | 17-JUN-02 |
| | MIL-HDBK-17/1F | COMPOSITE MATERIALS HANDBOOK VOLUME 1 - POLYMER MATRIX COMPOSITES GUIDELINES FOR CHARACTERIZATION OF STRUCTURAL MATERIALS[CUST: MR AS 11] [REVIEW: 13 AR AT AV IS MI SH] | A | CMPS | | MR | 17-JUN-02 |
| | MIL-HDBK-17/3F | COMPOSITE MATERIALS HANDBOOK VOLUME 3. POLYMER MATRIX COMPOSITES MATERIALS USAGE, DESIGN, AND ANALYSIS[CUST: MR AS 11] [REVIEW: 13 AR AT AV IS MI SH] | A | CMPS | | MR | 17-JUN-02 |
| | MIL-HDBK-17/5 | COMPOSITE MATERIALS HANDBOOK VOLUME 5 CERAMIC MATRIX COMPOSITES[CUST: MR AS 11] [REVIEW: 13 AR AT AV IS MI SH] | A | CMPS | | MR | 17-JUN-02 |
| | A-A-59237 | COMPOSITE REPAIR SET, AIRCRAFT (DUAL ZONE)[CUST: 99] | A | 4920 | / | 84 | 13-JUN-03 |
| | A-A-59240 | COMPOSITE REPAIR SET, AIRCRAFT (DUAL ZONE, CLASS 1 DIV 2)[CUST: 99] | A | 4920 | / | 84 | 13-JUN-03 |
| | A-A-59268 | COMPOSITE REPAIR SET, AIRCRAFT (SINGLE ZONE)[CUST: 84] | A | 4920 | / | 84 | 13-JUN-03 |
| | A-A-59271 | COMPOSITE REPAIR SET, AIRCRAFT (SINGLE ZONE, CLAS 1 DIV 2)[CUST: 99] | A | 4920 | / | 84 | 13-JUN-03 |
| | AWS-A5.21 | COMPOSITE SURFACING WELDING RODS & ELECTRODES[CUST: MR 11 GS6] | A | 3439 | | GS6 | 23-FEB-88 |
| | ASTM-D4255/D4255M | COMPOSITE, POLYMER MATRIX, MATERIALS BY THE RAIL SHEAR METHOD, IN-PLANE SHEAR PORPERTIES OF[CUST: MR] [REVIEW: AS AV CC EC GL MI SM] | A | CMPS | | MR | 27-MAY-83 |
| | ASTM-D3553 | COMPOSITE, REINFORCED METAL MATRIX, FIBER COUTENT BY DIGESTION OF[CUST: MR AS 11] | A | CMPS | | MR | 27-APR-89 |
| | ASTM-D3479 | COMPOSITES, RESIN MATRIX, TENSION-TENSION FATIGUE OF ORIENTED FIBER[CUST: MR SH 11] | A | 9330 | | MR | NOV-93 |
| | MIL-C-60051(1) NOT 1 | COMPOSITION 86/14 RDX/WAX[CUST: AR] | A | 1375 | | AR | 30-JAN-87 |
| | MIL-C-63217(2) | COMPOSITION A-3, TYPE II (WITH POLYETHYLENE)[CUST: AR] | A | 1376 | | AR | 22-JAN-92 |
| | MIL-C-401E NOT 1 | COMPOSITION B[CUST: AR OS 99] [REVIEW: EA] | A | 1376 | | AR | 10-APR-86 |
| | MIL-C-45113B(1) | COMPOSITION B-3[CUST: AR] | A | 1376 | | AR | 22-JAN-92 |
| | MIL-C-46652(2) NOT 1 | COMPOSITION B4[CUST: AR] [REVIEW: EA] | A | 1376 | | AR | 29-AUG-91 |
| | MIL-C-45010A(6) NOT 2 | COMPOSITION C-4[CUST: AR OS] | A | 1376 | | AR | 24-OCT-03 |
| | MIL-C-21723B | COMPOSITION CH-6[CUST: AR OS] | A | 1376 | | OS | 08-FEB-94 |
| | MIL-C-18164A(1) NOT 1 | COMPOSITION D-2[CUST: OS] [REVIEW: GS] | A | 1376 | | OS | 23-JUL-86 |
| | MIL-C-13739A(1) NOT 1 | COMPOSITION, DELAY[CUST: AR] [REVIEW: EA] | A | 1375 | | AR | 08-APR-86 |
| | MIL-C-48141(2) NOT 1 | COMPOSITION, TUNGSTEN, DELAY[CUST: AR] | A | 1376 | | AR | 16-APR-90 |
| | MIL-C-440C(1) NOT 2 | COMPOSITIONS A-3 AND A-4[CUST: AR] [REVIEW: EA] | A | 1376 | | AR | 24-OCT-03 |
| | SAE-AMS1379 | COMPOUND, ALKALINE RUST REMOVER AIRCRAFT TURBINE ENGINE COMPONENTS[CUST: AV AS] [REVIEW: GS] | A | 6850 | | AS | 01-APR-92 |
| | QPL-82604-2 | COMPOUND, ASPHALTIC, HIGH MELTING HOT-MELT (CAVITY LINING) | A | 8030 | | OS | 24-JUL-75 |
| | MIL-C-3301C(2) NOT 2 | COMPOUND, ASPHALTIC, HOT MELT (CAVITY LINING)[CUST: AR OS 99] [REVIEW: 84 AS MR] | A | 8030 | | OS | 28-MAR-01 |
| | QPL-3301-17 | COMPOUND, ASPHALTIC, HOT&MELT (CAVITY LINING) | A | 8030 | | OS | 30-SEP-76 |
| | DOD-C-2687B(1) NOT 1 | COMPOUND, BATTERY SEALING (METRIC)[CUST: SH] | A | 8030 | | SH | 02-JUN-87 |
| | SAE-AMS1640 | COMPOUND, CORROSION REMOVING FOR AIRCRAFT SURFACES[CUST: EA AS 68] [REVIEW: SH] | A | 6850 | | AS | 27-NOV-02 |
| | MIL-C-22395B NOT 1 | COMPOUND, END SEALING, THERMAL INSULATION PIPE COVERING-FIRE-, WATER-, AND WEATHER-RESISTANT[CUST: CR4 SH] [REVIEW: MR] | A | 8030 | | SH | 25-JUL-89 |
| | MIL-PRF-47257E | COMPOUND, EPOXY, FILAMENT WINDING[CUST: MI] [REVIEW: 11 GS MR] | A | CMPS | | MI | 01-APR-04 |
| | MIL-PRF-18487A | COMPOUND, GUN SLUSHING[CUST: OS] | A | 8030 | | OS | 07-APR-72 |
| | MIL-DTL-47113D | COMPOUND, HEAT SINK, SILICONE AND/OR NON-SILICONE[CUST: SH 68 GS3] | A | 6850 | | GS3 | 25-SEP-01 |
| | SAE-AMS1385 | COMPOUND, HOT CARBON AND PAINT REMOVER AIRCRAFT TURBINE ENGINE COMPONENTS[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A | 6850 | | AS | SEP-89 |
| | MIL-PRF-87895A | COMPOUND, POLYMERIC BASED, HOT-MELT (CAVITY LINING), (FOR INTERNAL USE IN AMMUNITION)[CUST: 22] [REVIEW: 70 99] | A | 1325 | | 22 | 10-APR-98 |
| | MIL-C-82633 NOT 2 | COMPOUND, POLYMERIC ELASTOMER, THERMOSETTING (FOR USE AS BOMB TAIL PAD)[CUST: OS] [REVIEW: 99] | A | 8030 | | OS | 28-MAR-01 |
| | QPL-82633-2 | COMPOUND, POLYMERIC ELASTOMER, THERMOSETTING (FOR USE AS BOMB TAIL PAD) | A | 8030 | | OS | 22-JAN-76 |
| | SAE-AMS1386 | COMPOUND, SILICONE RUBBER REMOVER AIRCRAFT TURBINE ENGINE COMPONENTS ROOM TEMPERATURE APPLICATION[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A | 6850 | | AS | SEP-89 |
| | MIL-PRF-47009C | COMPOUND, SILICONE, HEAT SINK[CUST: MI GS3] [REVIEW: AR] | A | 6850 | | GS3 | 21-JAN-00 |
| | MIL-C-21567A | COMPOUND, SILICONE, SOFT FILM[CUST: OS] [REVIEW: CR4 EA GS MI] | A | 6850 | | OS | 26-OCT-73 |
| | QPL-21567-4 | COMPOUND, SILICONE, SOFT FILM | A | 6850 | | OS | 25-AUG-75 |
| | SAE-AMS1431 | COMPOUND, SOLID DEICING/ANTI-ICING RUNAWAYS AND TAXIWAYS[CUST: EA OS 11] [REVIEW: GS MD] | A | 6850 | | 11 | 01-JAN-92 |
| | ASTM-D1784 | COMPOUNDS AND CHLORINATED POLY(VINYL CHLORIDE) (CPVC) COMPOUNDS, RIGID POLY(VINYL CHLORIDE) (PVC)[CUST: MR YD] [REVIEW: AS CR4 EA GS MD OS SH] | A | 9330 | | YD | 15-OCT-92 |
| | ASTM-D706 | COMPOUNDS, CELLULOSE ACETATE MOLDING & EXTRUSION[CUST: MR GS] [REVIEW: AR AS CR4 GL SM] | A | 9330 | | IS | 19-FEB-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D3013 | COMPOUNDS, EPOXY MOLDING[CUST: MR SH 11 GS] [REVIEW: AV MD SM] | A | 9330 | | IS | 22-JUN-90 |
| | ASTM-D788 | COMPOUNDS, MOLDING AND EXTRUSION, POLY(METHYL METHACRYLATE) (PMMA)[CUST: MD MS 03] | A | 6640 | | MB | 15-FEB-93 |
| | ASTM-D5948 | COMPOUNDS, MOLDING, THERMOSETTING[CUST: CR4 SH 11] | A | 9330 | | SH | 11-OCT-96 |
| | DI-MGMT-81324 | COMPREHENSIVE ENGINE MANAGEMENT SYSTEM (CEMS) REPORTING [AMSC: F6904] | A | MGMT | | 10 | 17-MAR-93 |
| | MIL-PRF-89038(2) NOT 1 | COMPRESSED ARC DIGITIZED RASTER GRAPHICS (CADRG)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | STANAG-7098 ED.1(1) | COMPRESSED ARC DIGITIZED RASTER GRAPHICS (CADRG) | C | ISDF | | 06 | 15-FEB-99 |
| | AIR-STD-15/10(1) | COMPRESSED NITROGEN CHARACTERISTICS FOR OIL TOLERANT USE (INCLUDING SUPPLY PRESSURE AND HOSES) | C | ISDF | | 06 | 14-FEB-95 |
| | ASTM-F36 | COMPRESSIBILITY AND RECOVERY OF GASKET MATERIALS[CUST: MR SH 99] [REVIEW: AT AV CR4 IS YD] | A | 5330 | | MR | 10-APR-99 |
| | SAE-J1638 | COMPRESSION SET OF HOSES OR SOLID DISCS[CUST: AT SH 99 CC] [REVIEW: 71 MC SA] | A | 4720 | | CC | 30-SEP-02 |
| | MIL-C-22520/36C(2) | COMPRESSION TOOL, HAND, TYPE 2 FOR SEMIRIGID COAXIAL CABLE (CATEGORY F CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AV EC GS MI TD] | A | 5120 | | AS | 14-JAN-00 |
| | A-A-54717 | COMPRESSOR AND OXYGEN BLENDER, VENTILATOR (PORTABLE, BATTERY AND LINE POWERED)[CUST: MD MS 03] | A | 6530 | / | MB | 10-SEP-92 |
| | MIL-DTL-45334E | COMPRESSOR ASSEMBLIES, AIRBRAKE SYSTEM, WHEELED VEHICLE[CUST: AT YD 99] [REVIEW: CC MC MI] | A | 2530 | | AT | 30-SEP-98 |
| | A-A-52017A | COMPRESSOR UNIT: DIESEL-ENGINE-DRIVEN, 450-650 CFM, 350 PSI, WHEEL-MOUNTED[CUST: AT] | A | 4310 | / | AT | 04-NOV-02 |
| | A-A-59611 | COMPRESSOR, AIR, DIESEL-ENGINE DRIVEN, PORTABLE, WHEEL-MOUNTED[CUST: AT SH 99 CC] [REVIEW: 71 84 SA] | A | 4310 | / | CC | 24-AUG-01 |
| | A-A-50587 | COMPRESSOR, AIR, HIGH PRESSURE[CUST: YD] | A | 4310 | / | CC | 24-JUN-97 |
| | API-STD-617 | COMPRESSOR, AIR, INTEGRALLY GEARED, FOR GENERAL REFINERY SERVICES[CUST: YD] | A | 4310 | | CC | 01-MAR-91 |
| | API-STD-619 | COMPRESSOR, DISPLACEMENT, ROTARY-TYPE, FOR GENERAL REFINERY SERVICES[CUST: YD] | A | 4310 | | CC | 01-MAR-91 |
| | API-STD-618 | COMPRESSOR, RECIPROCATING FOR GENERAL REFINERY SERVICES[CUST: YD] | A | 4310 | | CC | 01-MAR-91 |
| | MIL-C-42028 | COMPRESSOR-DEHYDRATOR, DENTAL EQUIPMENT, PORTABLE, 115 VOLTS, 60 HZ, AC[CUST: MD MS 03] | A | 6520 | | MB | 06-OCT-86 |
| | ASHRAE23 | COMPRESSORS AND CONDENSING UNITS, RATING POSITIVE DISPLACEMENT REFRIGERANT, METHODS OF TESTING FOR[CUST: GL SH 99] [REVIEW: 84] | A | 4130 | | GL | 27-JAN-93 |
| | ASME-PTC10 | COMPRESSORS AND EXHAUSTERS[CUST: CR4 YD 99] | A | 4310 | | CR4 | 04-APR-64 |
| | DI-MCCR-80500 | COMPUTER AIDED CELL DEVELOPMENT DATA [AMSC: G4280] | A | MCCR | | NS | 09-DEC-87 |
| | DI-MCCR-80499 | COMPUTER AIDED CHIP DEVELOPMENT DATA [AMSC: G4279] | A | MCCR | | NS | 09-DEC-87 |
| | QAP-91 ED.1 | COMPUTER GRAPHIC REQUIREMENTS FOR TERRAIN ANALYSIS | C | ISDA | | AI | 21-MAR-90 |
| A | MIL-STD-2301A NOT 1 | COMPUTER GRAPHICS METAFILE (CGM) IMPLEMENTATION STANDARD FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD[Interface Standard][CUST: CR OM 02] [REVIEW: 11 13 16 19 33 93 AC AC1 AS CG CH DC3 DC4 DH DI EC IR MC NC ND PT SE TD TM1 TM3 US] | A | GINT | | MP | 31-MAR-04 |
| | ASME-B5.54 | COMPUTER NUMERICALLY CONTROLLED MACHINING CENTERS, PERFORMANCE EVALUATION OF, METHODS FOR[CUST: AR 99] [REVIEW: 84] | A | 3408 | | GS6 | 22-AUG-92 |
| | DI-IPSC-81446A | COMPUTER OPERATION MANUAL (COM) [AMSC: N7368] | A | IPSC | | EC | 15-DEC-99 |
| | DI-IPSC-80590A | COMPUTER PROGRAM END ITEM DOCUMENTATION [AMSC: G6981] | A | IPSC | | NS | 12-JAN-94 |
| | DI-IPSC-81447A | COMPUTER PROGRAMMING MANUAL (CPM) [AMSC: N7369] | A | IPSC | | EC | 15-DEC-99 |
| | DI-MCCR-80491 | COMPUTER SOFTWARE FLOWCHART [AMSC: G4271] | A | MCCR | | NS | 23-NOV-87 |
| | DI-IPSC-81488 | COMPUTER SOFTWARE PRODUCT [AMSC: A7150] | A | IPSC | | AM | 31-JUL-95 |
| | DI-MCCR-80700 | COMPUTER SOFTWARE PRODUCT END ITEMS [AMSC: A4561] | A | MCCR | | AM | 26-OCT-88 |
| | DI-IPSC-80942 | COMPUTER SOFTWARE SYSTEM DOCUMENT [AMSC: A4885] | A | IPSC | | AM | 08-FEB-90 |
| | MIL-C-85301 NOT 1 | COMPUTER, SONAR DATA, CP-1323/AQS-13E AND MOUNTING BASE, MT-4948/AQS-13E[CUST: AS] | A | 5845 | | AS | 15-APR-88 |
| | DI-IPSC-81353 | COMPUTER-AIDED ACQUISITION AND LOGISTIC SUPPORT IMPLEMENTATION PLAN (CALSIP) [AMSC: D6944] | A | IPSC | | SO | 16-JUL-93 |
| | DI-MISC-81108 | COMPUTERIZED TARGET DESCRIPTION [AMSC: F5082] | A | MISC | | 10 | 04-NOV-90 |
| | ASTM-D2194 | CONCENTRATION OF FORMALDEHYDE SOLUTIONS[CUST: GL MS 03] | A | 6505 | | GL | 10-JUN-99 |
| | A-A-54986 | CONCENTRATOR, OXYGEN[CUST: MD MS 03] | A | 6515 | / | MB | 16-DEC-94 |
| | STANAG-2873 ED.3 | CONCEPT OF OPERATIONS OF MEDICAL SUPPORT IN NUCLEAR, BIOLOGICAL AND CHEMICAL ENVIRONMENTS -AMEDP-7(C) | C | ISDA | | AI | 16-OCT-96 |
| | QAP-273 ED.1 | CONCEPTS FOR URBAN OPERATIONS | C | ISDA | | AI | 14-NOV-00 |
| | DI-SESS-81001C | CONCEPTUAL DESIGN DRAWINGS/MODELS [AMSC: A7533] | A | SESS | | AR | 10-SEP-04 |
| | ASTM-C293 | CONCRETE (USING SIMPLE BEAM WITH CENTER-POINT LOADING) FLEXURAL STRENGTH OF[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 24-SEP-82 |
| | ASTM-C811 | CONCRETE , FOR APPLICATION OF CHEMICAL-RESISTANT RESIN MONOLITHIC SURFACINGS, SURFACE PREPARATION OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 25-JAN-91 |
| | ASTM-C33 | CONCRETE AGGREGATES[CUST: CR4 YD IS] [REVIEW: MC] | A | 5610 | | IS | 15-OCT-93 |
| | ASTM-C294 | CONCRETE AGGREGATES CONSITITUENTS OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 31-JUL-91 |
| | ASTM-C884/C884M | CONCRETE AND AN EPOXY-RESIN OVERLAY, THERMAL COMPATIBILITY BETWEEN[CUST: CR4 YD IS] [REVIEW: 84] | A | 5610 | | IS | 15-NOV-92 |
| | ASTM-C125 | CONCRETE AND CONCRETE AGGREGATES[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5620 | | IS | 15-SEP-93 |
| | ASTM-C1077 | CONCRETE AND CONCRETE AGGREGATES FOR USE IN CONSTRUCTION AND CRITERIA FOR LABORATORY EVALUATION, LABORATORIES TESTING[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 03-OCT-94 |
| | ASTM-C506M | CONCRETE ARCH CULVERT, REINFORCED, STORM DRAIN, AND SEWER PIPE, METRIC[CUST: YD] [REVIEW: CE MC] | A | 5630 | | IS | 15-JUL-94 |
| | ASTM-C506 | CONCRETE ARCH CULVERT, STORM DRAIN, AND SEWER PIPE, REINFORCED[CUST: YD] [REVIEW: CE MC] | A | 5630 | | IS | 15-JUL-94 |
| | ASTM-D4263 | CONCRETE BY THE PLASTIC SHEET METHOD, INDICATING MOISTURE IN[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 17-AUG-83 |
| | ASTM-D545 | CONCRETE CONSTRUCTION (NONEXTRUDING AND RESILIENT TYPES), PREFORMED EXPANSION JOINT FILLERS FOR[CUST: YD IS] [REVIEW: CE] | A | 5610 | | IS | 01-MAR-84 |
| | ASTM-C174/C174M | CONCRETE CORES, MEASURING THICKNESS OF CONCRETE ELEMENTS USING DRILLED[CUST: YD IS] [REVIEW: CE MC] | A | 5620 | | IS | 31-MAR-92 |
| | ASTM-C412 | CONCRETE DRAIN TILE[CUST: YD 99] [REVIEW: CE MC] | A | 5630 | | IS | 12-FEB-91 |
| | ASTM-C412M | CONCRETE DRAIN TILE, (METRIC)[CUST: YD 99] [REVIEW: CE MC] | A | 5630 | | IS | 12-FEB-91 |
| | ACI544.1R | CONCRETE FIBER REINFORCED, STATE OF THE ART REPORT[CUST: YD IS] | A | 5610 | | IS | 11-NOV-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-C78 | CONCRETE FLEXURAL STRENGTH OF (USING SIMPLE BEAM WITH THIRD POINT LOADING[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 25-NOV-88 |
| | ACI302.1R | CONCRETE FLOOR AND SLAB CONSTRUCTION[CUST: YD IS] | A | 5610 | | IS | 14-AUG-90 |
| | ACI210R | CONCRETE IN HYDRAULIC STRUCTURES, EROSION OF[CUST: YD IS] | A | 5610 | | IS | 11-OCT-88 |
| | ACI201.1R | CONCRETE IN SERVICE, GUIDE FOR MAKING A CONDITION SURVEY OF[CUST: YD IS] | A | 5610 | | IS | 11-OCT-88 |
| | ACI311.4R | CONCRETE INSPECTION, GUIDE FOR[CUST: YD IS] | A | 5610 | | IS | 06-FEB-91 |
| | ASTM-C685/C685M | CONCRETE MADE BY VOLUMETRIC BATCHING AND CONTINUOUS MIXING[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 15-MAR-94 |
| | ASTM-C139 | CONCRETE MASONRY UNITS FOR CONSTRUCTION OF CATCH BASINS AND MANHOLES[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 27-APR-93 |
| | ASTM-C331 | CONCRETE MASONRY UNITS, LIGHTWEIGHT AGGREGATES FOR, STANDARD SPECIFICATION FOR[CUST: CE YD 99 IS] | A | 5610 | | IS | 24-AUG-90 |
| | ASTM-C426 | CONCRETE MASONRY UNITS, LINEAR DRYING SHRINKAGE OF[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5620 | | IS | 27-FEB-70 |
| | ASTM-C90 | CONCRETE MASONRY UNITS, LOADBEARING[CUST: YD 99 IS] [REVIEW: CE CG MC] | A | 5610 | | IS | 28-JUN-94 |
| | ASTM-C40 | CONCRETE ORGANIC IMPURITIES IN FINE AGGREGATES FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 26-OCT-84 |
| | MIL-HDBK-1102/7 | CONCRETE PAVEMENT REPAIR[CUST: YD] | A | FACR | | YD | 10-NOV-94 |
| | ASTM-C822 | CONCRETE PIPE AND RELATED PRODUCTS[CUST: YD 99] [REVIEW: CE MC] | A | 5630 | | IS | 15-AUG-93 |
| | ASTM-C497 | CONCRETE PIPE, MANHOLE SECTIONS, OR TILE[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 5630 | | IS | 10-JUL-92 |
| | ASTM-C497M | CONCRETE PIPE, MANHOLE SECTIONS, OR TILE, METRIC[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 5630 | | IS | 10-JUL-92 |
| | ASTM-C1089 | CONCRETE POLES, PRESTRESSED SPUN CAST[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5620 | | IS | 25-JUN-93 |
| | AWWA-C301 | CONCRETE PRESSURE PIPE, PRESTRESSED, STEEL CYLINDER TYPE, FOR WATER AND OTHER LIQUIDS[CUST: YD] [REVIEW: CE MC] | A | 5630 | | IS | 29-JAN-90 |
| | AWWA-C300 | CONCRETE PRESSURE PIPE, REINFORCED, STEEL CYLINDER TYPE, FOR WATER & OTHER LIQUIDS[CUST: YD] [REVIEW: CE MC] | A | 5630 | | IS | 21-MAR-90 |
| | ACI318/318R | CONCRETE REINFORCED, BUILDING CODE REQUIREMENTS FOR[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 1992 |
| | ASTM-C14 | CONCRETE SEWER, STORM DRAIN AND CULVERT PIPE[CUST: YD 99] [REVIEW: CE MC] | A | 5630 | | IS | 10-JUL-92 |
| | ASTM-C14M | CONCRETE SEWER, STORM DRAIN, AND CULVERT PIPE (METRIC)[CUST: YD 99] [REVIEW: CE MC] | A | 5630 | | IS | 10-JUL-92 |
| | ASTM-C862 | CONCRETE SPECIMENS BY CASTING, PREPARING REFRACTORY[CUST: CR4 SH 99] | A | 9350 | | SH | 03-OCT-94 |
| | ASTM-C39/C39M | CONCRETE SPECIMENS, CYLINDRICAL, COMPRESSIVE STRENGTH OF[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 15-OCT-93 |
| | ASTM-C865 | CONCRETE SPECIMENS, FIRING REFRACTORY[CUST: CR4 SH 99] | A | 9350 | | SH | 03-OCT-94 |
| | ASTM-C215 | CONCRETE SPECIMENS, FUNDAMENTAL TRANSVERSE, LONGITUDINAL, AND TORSIONAL FREQUENCIES OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 15-OCT-91 |
| | ASTM-C617 | CONCRETE SPECIMENS, STANDARD PRACTICE FOR CAPPING CYLINDRICAL[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 22-DEC-89 |
| | ACI224R | CONCRETE STRUCTURES, CRACKING IN, CONTROL OF[CUST: YD IS] | A | 5610 | | IS | 28-JAN-91 |
| | ASTM-C31/C31M | CONCRETE TEST, MAKING AND CURING, SPECIMENS IN THE FIELD[CUST: CR4 YD] | A | 5610 | | YD | 13-JAN-92 |
| | AASHTO-T259 | CONCRETE TO CHLORIDE ION PENETRATION, RESISTANCE OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-C913 | CONCRETE WATER, PRECAST, AND WASTEWATER STRUCTURES[CUST: CR4 YD 99] [REVIEW: GS] | A | 5180 | | IS | 30-JUN-89 |
| | ACI515.1R | CONCRETE, A GUIDE TO THE USE OF WATERPROOFING, DAMPPROOFING, PROTECTIVE & DECORATIVE BARRIER SYSTEMS FOR CONCRETE[CUST: YD IS] | A | 5610 | | IS | 21-SEP-88 |
| | ASTM-C418 | CONCRETE, ABRASION RESISTANCE OF, BY SANDBLASTING[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 30-MAY-91 |
| | ACI517.2R | CONCRETE, ACCELERATED CURING OF AT ATMOSPHERIC PRESSURE -STATE OF THE ART[CUST: YD IS] | A | 5610 | | IS | 11-NOV-88 |
| | ASTM-C295 | CONCRETE, AGGREGATES FOR, PETROGRAPHIC EXAMINATION OF[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 08-MAR-93 |
| | ASTM-C260 | CONCRETE, AIR-ENTRAINING ADMIXTURES FOR[CUST: CR4 YD IS] [REVIEW: SH] | A | 5610 | | IS | 31-JUL-87 |
| | ASTM-C232 | CONCRETE, BLEEDING OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 16-MAR-90 |
| | ASTM-C143/C143M | CONCRETE, CEMENT, HYDRAULIC, SLUMP OF[CUST: CR4 YD IS] [REVIEW: SH] | A | 5610 | | IS | 20-JUN-91 |
| | ASTM-C494/C494M | CONCRETE, CHEMICAL ADMIXTURES FOR[CUST: CR4 YD] [REVIEW: GS SH] | A | 6850 | | YD | 15-JUN-92 |
| | ACI201.2R | CONCRETE, DURABLE, GUIDE TO[CUST: YD IS] | A | 5610 | | IS | 14-OCT-87 |
| | ACI544.2R | CONCRETE, FIBER REINFORCED, PROPERTIES OF, MEASUREMENT OF[CUST: YD IS] | A | 5610 | | IS | 30-MAR-89 |
| | ASTM-C1017/C1017M | CONCRETE, FLOWING, CHEMICAL ADMIXTURES FOR USE IN PRODUCING[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 15-JUN-92 |
| | ACI347R | CONCRETE, GUIDE TO FORMWORK FOR[CUST: YD IS] | A | 5610 | | IS | 01-NOV-89 |
| | ASTM-C805 | CONCRETE, HARDENED, REBOUND NUMBER OF[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 23-MAY-94 |
| | ACI304.3R | CONCRETE, HEAVYWEIGHT: MEASURING, MIXING, TRANSPORTING, AND PLACING[CUST: YD IS] | A | 5610 | | IS | 18-JUL-90 |
| | ASTM-C332 | CONCRETE, INSULATING, FOR LIGHTWEIGHT AGGREGATES[CUST: CE YD 99 IS] | A | 5610 | | IS | 31-MAR-92 |
| | ACI304.5R | CONCRETE, LIGHTWEIGHT BATCHING,MIXING & JOB CONTROL OF[CUST: YD IS] | A | 5610 | | IS | 30-MAR-89 |
| | ASTM-C495 | CONCRETE, LIGHTWEIGHT INSULATING, COMPRESSIVE STRENGTH OF[CUST: CE YD 99 IS] | A | 5610 | | IS | 15-NOV-91 |
| | ASTM-C192/C192M | CONCRETE, MAKING AND CURING TEST SPECIMENS IN THE LABORATORY[CUST: YD IS] [REVIEW: 99 CE MC] | A | 5610 | | IS | 20-JUN-91 |
| | ACI207.1R | CONCRETE, MASS[CUST: YD IS] | A | 5610 | | IS | 22-SEP-88 |
| | ACI207.4R | CONCRETE, MASS, COOLING & INSULATING SYSTEMS FOR[CUST: YD IS] | A | 5610 | | IS | 11-OCT-88 |
| | ACI207.2R | CONCRETE, MASSIVE, EFFECT OF RESTRAINT, VOLUME CHANGE, & REINFORCEMENT ON CRACKING OF[CUST: YD IS] | A | 5610 | | IS | 11-OCT-88 |
| | ACI304R | CONCRETE, MEASURING, MIXING, TRANSPORTING AND PLACING[CUST: YD IS] | A | 5610 | | IS | 14-AUG-90 |
| | ASTM-C42/C42M | CONCRETE, OBTAINING AND TESTING DRILLED CORES AND SAWED BEAMS OF[CUST: CR4 YD IS] [REVIEW: SH] | A | 5610 | | IS | 20-JUN-91 |
| | ACI304.2R | CONCRETE, PLACING BY PUMPING METHODS[CUST: YD IS] | A | 5610 | | IS | 01-FEB-91 |
| | ASTM-D994 | CONCRETE, PREFORMED EXPANSION JOINT FILLER FOR (BITUMINOUS TYPE)[CUST: YD IS] | A | 5610 | | IS | 10-JUL-98 |
| | ASTM-C597 | CONCRETE, PULSE VELOCITY THROUGH[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 23-MAY-94 |
| | ASTM-C638 | CONCRETE, RADIATION-SHIELDING, CONSTITUENTS OF AGGREGATES FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 15-MAR-92 |
| | ASTM-C94/C94M | CONCRETE, READY-MIXED[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 15-MAR-93 |
| | ASTM-C507 | CONCRETE, REINFORCED, ELLIPTICAL CULVERT, STORM DRAIN, AND SEWER PIPE[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5630 | | IS | 12-FEB-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-C507M | CONCRETE, REINFORCED, ELLIPTICAL CULVERT, STORM DRAIN, AND SEWER PIPE, (METRIC)[CUST: CR4 YD] [REVIEW: MC] | A | 5630 | | IS | 12-FEB-91 |
| | ASTM-C361 | CONCRETE, REINFORCED, LOW-HEAD PRESSURE PIPE[CUST: YD 99] [REVIEW: MC] | A | 5630 | | IS | 27-JUL-92 |
| | ASTM-C361M | CONCRETE, REINFORCED, LOW-HEAD PRESSURE PIPE (METRIC)[CUST: YD 99] [REVIEW: MC] | A | 5630 | | IS | 27-JUL-92 |
| | ASTM-C666/C666M | CONCRETE, RESISTANCE OF , TO RAPID FREEZING AND THAWING[CUST: CR4 YD 11 IS] | A | 5610 | | IS | 15-SEP-92 |
| | ASTM-C172 | CONCRETE, SAMPLING FRESHLY MIXED[CUST: CR4 YD IS] [REVIEW: SH] | A | 5610 | | IS | 03-AUG-90 |
| | ACI211.1 | CONCRETE, SELECTING PROPORTIONS FOR NARMAL, HEAVYWEIGHT, AND MASS[CUST: YD IS] | A | 5610 | | IS | 20-JUL-90 |
| | ACI223 | CONCRETE, SHRINKING-COMPENSATING, USE OF[CUST: YD IS] | A | 5610 | | IS | 28-JAN-91 |
| | ACI309R | CONCRETE, STANDARD PRACTICE FOR CONSOLIDATION[CUST: YD IS] | A | 5610 | | IS | 26-APR-89 |
| | ACI213R | CONCRETE, STRUCTURAL LIGHTWEIGHT AGGREGATE, GUIDE FOR[CUST: YD IS] | A | 5610 | | IS | 28-JAN-91 |
| | ASTM-C567 | CONCRETE, STRUCTURAL LIGHTWEIGHT, DENSITY OF[CUST: CR4 YD IS] [REVIEW: SH] | A | 5610 | | IS | 31-JUL-91 |
| | SAE-HRP4382 | CONCRETE, STRUCTURAL LIGHTWEIGHT, UNIT WEIGHT OF[CUST: CR4 SH] | A | DRPR | | SH | 06-AUG-91 |
| | ASTM-C1064/C1064M | CONCRETE, TEMPERATURE OF FRESHLY MIXED HYDRAULIC- CEMENT[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 17-JUL-86 |
| | ASTM-C531 | CONCRETES, MORTARS, GROUTS, MONOLITHIC SURFACINGS, AND POLYMER, CHEMICAL-RESISTANT, LINEAR SHRINKAGE AND COEFFICIENT OF THERMAL EXPANSION OF[CUST: CR4 YD 99 IS] [REVIEW: CE MC SH] | A | 5610 | | IS | 09-OCT-92 |
| | ACI305R | CONCRETING HOT WEATHER[CUST: YD IS] | A | 5610 | | IS | 02-OCT-89 |
| | ACI306.1 | CONCRETING, COLD WEATHER[CUST: YD IS] | A | 5610 | | IS | 01-FEB-91 |
| | ACI306R | CONCRETING, RECOMMENDED PRACTICE FOR COLD WEATHER[CUST: YD IS] | A | 5610 | | IS | 08-JUN-89 |
| | ASHRAE20 | CONDENSER, RATING REMOTE MECHANICAL DRAFT AIR COOLED REFRIGENT[CUST: YD] [REVIEW: CE GS MC MS] | A | 4130 | | IS | 20-JUL-88 |
| | ARI460 | CONDENSERS, REMOTE MECHANICAL-DRAFT, AIR-COOLED, REFRIGERANT, STANDARD FOR[CUST: CR4 YD 99] [REVIEW: 84 CE GS MC MS] | A | 4130 | | IS | 06-JUL-92 |
| | MIL-C-15430J(4) | CONDENSERS, STEAM, NAVAL SHIPBOARD[CUST: SH] | A | 4420 | | SH | 24-APR-89 |
| | DI-MGMT-81648 | CONDITION FOUND REPORT [AMSC: N7531] | A | MGMT | | SH | 09-AUG-04 |
| | QSTAG-639(1) | CONDITIONED DEPHASE MODULATION (ABCA 639)[CUST: AI] | C | ISDA | | AI | 01-FEB-84 |
| | MIL-C-24526A | CONDITIONER SOLID STATE (NAVAL SHIPBOARD) (U) (CONTROLLED DISTRIBUTION)[CUST: SH] [REVIEW: GS] | B | 6110 | | SH | 17-JUL-91 |
| | A-A-53641 | CONDOM (PROPHYLACTIC, NATURAL RUBBER)[CUST: MD MS 03] | A | 6515 | / | MB | 14-NOV-88 |
| | A-A-50972 | CONDOM, PROPHYLACTIC[CUST: MD MS 03] | A | 6515 | / | MB | 05-JUN-85 |
| | STANAG-1445 ED.1(1) | CONDUCT OF MARITIME NVG CROSS OPERATIONS (INCLUDING AMENDMENT 1) | C | ISDN | | NI | 26-JUL-00 |
| | ASTM-B193 | CONDUCTOR MATERIALS, ELECTRICAL, RESISTIVITY OF[CUST: MR AS 11] [REVIEW: IS] | A | 95GP | | MR | 05-FEB-88 |
| | ASTM-B231/B231M | CONDUCTORS, ALUMINUM 1350, CONCENTRIC-LAY-STRANDED[CUST: CR YD 11] [REVIEW: 71 99 SH] | A | 6145 | | CC | 10-APR-99 |
| | ASTM-B8 | CONDUCTORS, COPPER, CONCENTRIC-LAY-STRANDED, HARD, MEDIUM-HARD, OR SOFT[CUST: CR4 YD 99] [REVIEW: 71 CE] | A | 6145 | | CC | 15-OCT-93 |
| | W-C-571C | CONDUIT & FITTINGS, NONMETAL, RIGID, (ASBESTOS CEMENT OR FIRE CLAY CEMENT), (FOR ELECTRICAL PURPOSES) | A | 5975 | # | FSS | 15-JAN-81 |
| | W-C-575B | CONDUIT & FITTINGS, NONMETALLIC, RIGID, BITUMINIZED FIBER, LAMINATED WALL | A | 5975 | # | FSS | 16-JAN-81 |
| | UL651A | CONDUIT & HOPE CONDUIT, TYPE EB & A RIGID PVC, STANDARD FOR[CUST: CR YD 11] [REVIEW: 99 GS] | A | 5975 | | YD | 30-SEP-88 |
| | MS25067A | CONDUIT ASSEMBLY, FLEXIBLE, RADIO FREQUENCY SHIELDING[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 01-JUL-89 |
| | A-A-50563A | CONDUIT OUTLET BOXES, BODIES, AND ENTRANCE CAPS, ELECTRICAL: CAST METAL[CUST: 99] | A | 5975 | / | GS2 | 26-JUN-03 |
| | MIL-PRF-24758A | CONDUIT SYSTEMS, FLEXIBLE, WEATHERPROOF[CUST: SH] | A | 5975 | | SH | 24-SEP-04 |
| | ANSI-C80.5 | CONDUIT, ALUMINUM, RIGID, AMERICAN NATIONAL STANDARD FOR[CUST: CR4 YD 11] [REVIEW: 99 CE GS MC] | A | 5975 | | YD | 14-JUL-92 |
| | SAE-AS6136 | CONDUIT, ELECTRICAL, FLEXIBLE, SHIELDED, ALUMINUM ALLOY FOR AIRCRAFT INSTALLATIONS[CUST: CR AS 11] [REVIEW: GS] | A | 5975 | | AS | AUG-98 |
| | SAE-AS25064 | CONDUIT, FLEXIBLE, RADIO FREQUENCY SHIELDING[CUST: CR AS 11] [REVIEW: GS] | A | 5975 | | AS | JUL-97 |
| | A-A-55810 NOT 1 | CONDUIT, METAL, FLEXIBLE[CUST: AR SH 99 GS2] [REVIEW: 84 YD] | A | 5975 | / | GS2 | 30-OCT-01 |
| | A-A-52440A NOT 1 | CONDUIT, METAL, FLEXIBLE: ELECTRICAL SHIELDED[CUST: AT AS 11] [REVIEW: 99 AR GS] | A | 5975 | / | AT | 14-APR-04 |
| | WW-C-540A | CONDUIT, METAL, RIGID, (ELECTRICAL, ALUMINUM) | A | 5975 | # | FSS | 02-NOV-60 |
| | UL6 | CONDUIT, RIGID METAL[CUST: CR YD 11] [REVIEW: 99 CE CR4 GS MC] | A | 5975 | | YD | 31-MAR-93 |
| | ANSI-C80.1 | CONDUIT, RIGID STEEL, ZINC COATED, STANDARD FOR[CUST: CR YD 11] [REVIEW: 99 GS] | A | 5975 | | YD | 30-MAY-86 |
| | UL651 | CONDUIT, SCHEDULE 40 & 80 RIGID PVC, FOURTH EDITION[CUST: CR YD 11] [REVIEW: 99 GS] | A | 5975 | | YD | 29-OCT-88 |
| | UL360 | CONDUIT, STEEL, LIQUID-TIGHT FLEXIBLE[CUST: CR YD 11] [REVIEW: 99 CR4 GS] | A | 5975 | | YD | 18-AUG-86 |
| | UL514B | CONDUIT, TUBING, AND CABLE FITTINGS[CUST: CR YD 11] [REVIEW: 99 GS MC] | A | 5975 | | YD | 3-NOV-97 |
| | ASTM-D217 | CONE PENETRATION OF LUBRICATING GREASE[CUST: AT AS 11] | A | 91GP | | AT | 15-APR-94 |
| | ASTM-D1403 | CONE PENETRATION OF LUBRICATING GREASE USING ONE-QUARTER AND ONE-HALF SCALE CONE EQUIPMENT[CUST: CR4 AS 68] [REVIEW: 11 GS] | A | 9150 | | AS | 15-SEP-91 |
| | ASTM-D937 | CONE PENETRATION OF PETROLATUM[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 15-AUG-92 |
| | A-A-51979 | CONE, FELT (DENTAL GRINDING AND POLISHING MACHINE)[CUST: MD MS 03] | A | 6520 | | MB | 09-JUN-87 |
| | MIL-C-20356 | CONE, GLASS[CUST: AR] | A | 1375 | | AR | 27-NOV-51 |
| | PIA-PS27763 | CONE, RELEASING, PARACHUTE PACK[CUST: GL2 AS 11] [REVIEW: 71] | A | 1670 | | 11 | 14-FEB-03 |
| | DI-ADMN-81249A | CONFERENCE AGENDA [AMSC: F6968] | A | ADMN | | 13 | 01-OCT-93 |
| | DI-ADMN-81250A | CONFERENCE MINUTES [AMSC: F6969] | A | ADMN | | 10 | 01-OCT-93 |
| | DI-ADMN-81308 | CONFERENCE REPORT [AMSC: G6884] | A | ADMN | | NS | 25-JAN-93 |
| | STANAG-1431 ED.2 | CONFIDENTIAL SUPPLEMENT TO STANDARDS FOR MINE WARFARE ACOUSTIC MEASUREMENTS - AMP-15 CONF SUPP | C | ISDN | | NI | 25-FEB-02 |
| | DI-SESS-81646 | CONFIGURATION AUDIT PLAN [AMSC: N7528] | A | SESS | | SA | 16-JUN-04 |
| | DI-CMAN-81022C | CONFIGURATION AUDIT SUMMARY REPORT [AMSC: D7393] | A | SESS | | SE | 30-SEP-00 |
| | DI-CMAN-80874 | CONFIGURATION DATA LISTS (CDLS) [AMSC: N4781] | A | SESS | | SH | 30-JUN-89 |
| | DI-CMAN-81588A | CONFIGURATION MANAGEMENT DATA INTERFACE TRANSACTIONS DATA INFORMATION PACKETS (DIPS) [AMSC: A7424] | A | SESS | | SO | 13-FEB-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-61A | CONFIGURATION MANAGEMENT GUIDANCE | A | SESS | | SE | 07-FEB-01 |
| | DI-MISC-81481 | CONFIGURATION MARRIAGE RECORD [AMSC: F7154] | A | MISC | | 10 | 31-JUL-95 |
| | DI-CMAN-81253A | CONFIGURATION STATUS ACCOUNTING INFORMATION [AMSC: D7396] | A | SESS | | SE | 30-SEP-00 |
| | SAE-AS870 | CONFIGURATION, WRENCHING, BI- HEXAGONAL (12 POINT), DRIVE, DESIGN STANDARD FOR[CUST: AV AS 99] | A | 53GP | | IS | 30-AUG-77 |
| | MIL-C-24231/29 | CONNECOTR, PREFORM MOLDED INSERTS, FOR MOLDED PLUGS, TYPE I[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/13D | CONNECOTRS, RECEPTACLE, MULTI-PIN, TYPE V, SEVEN- AND NINE-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24404 SUP 1 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (NAVAL SHIPBOARD USE) GENERAL SPECIFICATION FOR[CUST: SH] | A | 1075 | | SH | 01-SEP-71 |
| | MIL-C-24404/2 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 478.2, 478.3, 478.4)[CUST: SH] | A | 1075 | | SH | 01-SEP-71 |
| | MIL-C-24404/1 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 477.1 AND 477.2)[CUST: SH] | A | 1075 | | SH | 01-SEP-71 |
| | MIL-C-24404/3 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 479.1 AND 479.2)[CUST: SH] | A | 1075 | | SH | 01-SEP-71 |
| | MIL-C-24404/4 NOT 2 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 480.3, 480.4, 480.5, 480.6, 480.7)[CUST: SH] | A | 1075 | | SH | 06-JAN-03 |
| | MS33561B NOT 1 | CONNECTION, AIRCRAFT GROUND AIR CONDITIONING, 5 INCH[CUST: AS 99] [REVIEW: 71 MC] | A | 4730 | | CC | 07-APR-05 |
| | MS33562D NOT 1 | CONNECTION, AIRCRAFT GROUND AIR CONDITIONING, 8 INCH[CUST: AS 99 CC] [REVIEW: 71 MC] | A | 4730 | | CC | 07-APR-05 |
| | MIL-C-52404B(1) NOT 2 | CONNECTION: HOSE, FIRE AND WATER[CUST: AV YD 99] [REVIEW: 84] | A | 4210 | | IS | 17-DEC-98 |
| A | MIL-STD-2045-47001D | CONNECTIONLESS DATA TRANSFER APPLICATION LAYER STANDARD[Interface Standard][CUST: CR1 OM 02 DC2] [REVIEW: 11 13 33 99 AC AV CG CH CM CR DI EC IE IR MC MI MP ND NS PT SE TM1 TM3 US] | A | DCPS | | CR1 | 29-SEP-05 |
| | SAE-J2244/1 | CONNECTIONS FOR FLUID POWER AND GENERAL USE - PORTS AND STUD ENDS WITH ISO 261 THREADS AND O-RING SEALING PART 1: PORT WITH O-RING SEAL IN TRUNCATED HOUSING[CUST: AV SH 99] | A | 4730 | | SH | DEC 91 |
| | SAE-J2244/2 | CONNECTIONS FOR FLUID POWER AND GENERAL USE - PORTS AND STUD ENDS WITH ISO 261 THREADS AND O-RING SEALING PART 2: HEAVY-DUTY (S SERIES) STUD ENDS - DIMENSIONS, DESIGN, TEST METHODS, AND REQUIREMENTS[CUST: AV SH 99] | A | 4730 | | SH | DEC 91 |
| | SAE-J1926/1 | CONNECTIONS FOR GENERAL USE AND FLUID - PORTS AND STUD ENDS WITH ISO725 THREADS AND O-RING SEALING - PART 1: THREADED PORT WITH O-RING SEAL IN TRUNCATED HOUSING[CUST: SH 99] [REVIEW: 71 CC] | A | 4730 | | SH | MAR-93 |
| | SAE-J1926/2 | CONNECTIONS FOR GENERAL USE AND FLUID POWER - PORTS AND STUD ENDS WITH ISO725 THREADS AND O-RING SEALING - PART 2: HEAVY-DUTY (S SERIES) STUD ENDS[CUST: SH 99] [REVIEW: 71 82 CC] | A | 4730 | | SH | AUG-95 |
| | SAE-J1926/3 | CONNECTIONS FOR GENERAL USE AND FLUID POWER - PORTS AND STUD ENDS WITH ISO725 THREADS AND O-RING SEALING - PART 3: LIGHT-DUTY (L SERIES) STUD ENDS[CUST: SH 99] [REVIEW: 71 CC] | A | 4730 | | SH | MAR-93 |
| | UL486C | CONNECTIONS, SPLICING WIRE[CUST: YD 11] [REVIEW: 99 GS] | A | 5940 | | YD | 28-JAN-92 |
| | SAE-AS85049/92 | CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, 90 DEGREES , SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/91 | CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/5 | CONNECTOR ACCESSORIES, ELECTRIAL, BACKSHELL, CABLE SEALING, STRAIGHT, STEP-DOWN, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R).[CUST: CR AS 11 CC NA] [REVIEW: 99 AR MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/89 | CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 45 DEGREES, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI) SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/114 | CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 90 DEGREE, SELF LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/111 | CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 90 DEGREE, SELF LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, MIL-DTL-5015 (SERIES I & II), AS81703 SERIES III, AND MIL-C-26482 SERIES II CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/117 | CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 90 DEGREE, SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/109 | CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, NON-SELF LOCKING AND SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, MIL-DTL-5015 (SERIES I & II), AS81703 SERIES III, AND MIL-C-26482 SERIES II CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/115 | CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, SELF LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/112 | CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, SELF LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049 | CONNECTOR ACCESSORIES, ELECTRICAL GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/59 | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R)[CUST: CR AS 11 CC] [REVIEW: AR] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/62 | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/60 | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/69 | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINKBOOT, CATEGORY 5, (MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/86 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/83 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD, BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/87 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS85049/84 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/90 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEGREES, SELF-LOCKING, SHIELD BAND, TERMINATION, (RFI/EMI) SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/3 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R).[CUST: CR AS 11 CC NA] [REVIEW: 99 AR MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/4 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, STEP-UP, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R).[CUST: CR AS 11 CC NA] [REVIEW: 99 AR MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/78 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/77 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/79 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 2B NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/76 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, GROUNDING (WITHOUT STRAIN RELIEF), CATEGORY 1C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C, OR K CONNECTORS).[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/2 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1 (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS).[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/10 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS).[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/7 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45", CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS).[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/6 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45", SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS).[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/8 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90", SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS).[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/9 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90", CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/11 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS).[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/18 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 2B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/17 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 2B, (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/23 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 45 , SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/32 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90 , SHIELDED TERMINATION, CATEGORY 3C (FOR MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/24 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90 , SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/37 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, SPLIT 90 DEG., EMI/RFI SHIELDED TERMINATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/21 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/30 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, INDIVIDUAL SHIELDED WIRE TERMINATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/31 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/19 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 3B (FOR MIL-C-38999 SERIES IIl AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/28 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-83733 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/26 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/36 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/29 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I, AND MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/25 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/27 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS85049/33 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELDED TERMINATION, CATEGORY 3C (FOR MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/34 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, THREADED ADAPTER, CATEGORY 3C (FOR MIL-C-26482 SERIES I JAM NUT RECEPTACLE CONNECTOR)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/20 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, RFI/EMI CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AV EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/14 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/85 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/82 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/88 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI) SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/127 | CONNECTOR ACCESSORIES, ELECTRICAL, BUSHING STRIP CATEGORY 7 (FOR USE WITH SAE-AS85049/118, /120, /121, /123, /124, /126)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | MIL-DTL-28840/13D | CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, COVER, RECEPTACLE[CUST: EC CC] [REVIEW: OS SH] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/3D | CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, 45, OPEN, FOR ELECTRICAL CONNECTORS[CUST: EC CC] [REVIEW: OS SH YD] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/2D | CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, 90, OPEN, FOR ELECTRICAL CONNECTORS[CUST: EC CC] [REVIEW: OS SH YD] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/1D | CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, STRAIGHT, OPEN, FOR ELECTRICAL CONNECTORS[CUST: EC CC] [REVIEW: OS SH YD] | A | 5935 | | CC | 20-APR-04 |
| | SAE-AS85049/80 | CONNECTOR ACCESSORIES, ELECTRICAL, DUMMY CONTACT, SIZES 12 AND 8, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99] | A | 5935 | | AS | 19-JUN-03 |
| A | QPL-AS85049-2 | CONNECTOR ACCESSORIES, ELECTRICAL, GENERAL SPECIFICATION FOR | A | 5935 | | AS | 15-JUL-05 |
| | SAE-AS85049/96 | CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, 1/4 MOUNTING PERIMETER DEVICE, TYPE III (LIGHT DUTY)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/95 | CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, 3/4 MOUNTING PERIMETER DEVICE, TYPE II (MEDIUM DUTY)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/94 | CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, FULL MOUNTING PERIMETER DEVICE, TYPE I (HEAVY DUTY)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/41 | CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/42 | CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4A (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/74 | CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7, (FOR USE WITH MIL-C-85049/61 POTTING BOOT RING)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/75 | CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7, (FOR USE WITH MIL-C-85049/58 POTTING BOOT RING)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN03 |
| | SAE-AS85049/61 | CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (FOR MIL-C-27599 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/58 | CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/81 | CONNECTOR ACCESSORIES, ELECTRICAL, SEAL PLUG, SIZE 10, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/15 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45 , SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/57 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45 DEG., SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/16 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 , SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/50 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., CATEGORY 4C (FOR MIL-C-24308 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/46 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., NONMETALLIC, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/39 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AV EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/47 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4B (FOR MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/63 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/126 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/123 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 SELF-LOCKING, AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/54 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45 DEG., CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/43 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45 DEG., CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/55 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS85049/51 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/52 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, STRAIGHT, CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/53 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, STRAIGHT, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/65 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, 90 DEG., CATEGORY 4C (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/64 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, STRAIGHT, CATEGORY 4C (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/124 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/118 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF LOCKING, NON-SELF-LOCKING, CATEGORY 4B (FOR MIL-DTL-5015 CRIMP, MIL-C-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/121 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING, AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/48 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-24308 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/44 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-83733 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/56 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI SH] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/45 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, NONMETALLIC, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/49 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4B (MIL-C-38999 SERIES I AND II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/38 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 99] | A | 5935 | | AS | 19-JUN-03 |
| | SAE-AS85049/93 | CONNECTOR ACCESSORIES, ELECTRICAL, TERMINATION, SHIELD SPLIT SUPPORT RING, COMPOSITE, NONENVIRONMENTAL, STRAIGHT, CATEGORY 7[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | AS | 19-JUN-03 |
| | MIL-C-81582/4B NOT 1 | CONNECTOR ADAPTER, RFI SHIELDED, CABLE TO ELECTRIC CONNECTOR[CUST: CR AS 99] [REVIEW: 11 19 AR CC EC SH] | A | 5935 | | AS | 17-OCT-91 |
| | MIL-C-81582/5A | CONNECTOR ADAPTER, RIGHT ANGLE, RFI SHIELDED, ELECTRIC CONNECTOR TO ELECTRIC CONNECTOR[CUST: CR AS 99] [REVIEW: 11 19 AR CC EC SH] | A | 5935 | | AS | 05-NOV-75 |
| | UL634 | CONNECTOR AND SWITCHES FOR USE WITH BURGULAR-ALARM SYSTEMS[CUST: YD] | A | 6350 | | IS | 23-FEB-00 |
| | MIL-C-81842A | CONNECTOR ASSEMBLIES FOR BOMB RACK ELECTRIC FUZING PROVISIONS[CUST: AS] | A | 1095 | | AS | 01-SEP-76 |
| | QPL-24368-23 | CONNECTOR ASSEMBLIES, PLUGS AND RECEPTACLES, ELECTRIC, POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, GENERAL SPECIFICATION FOR | A | 5935 | | SH | 10-MAY-05 |
| | MIL-C-24368/6 | CONNECTOR ASSEMBLIES; DUAL PURPOSE, SUBMARINE SHORE POWER TRANSFER (AC) AND DSRV BATTERY CHARGING (DC), 500 VOLTS, 400 AMPERES, 60 HERTZ, THREE-PHASE, SYMBOLS 1150 AND 1150.1[CUST: SH] [REVIEW: EC] | A | 5935 | | SH | 25-MAR-87 |
| | MIL-C-24368/1B | CONNECTOR ASSEMBLIES; PLUG, POWER TRANSFER, SHORE TO SHIP AND SHIPTO SHIP, 500 VOLTS, 500 AMPERES, 60 HERTZ, SYMBOL NUMBER 1160[CUST: SH] [REVIEW: EC] | A | 5935 | | SH | 25-MAR-87 |
| | MIL-C-24368/5 | CONNECTOR ASSEMBLIES; PLUG, SUBMARINE SHORE POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, 500 VOLTS, 400 AMPERES, 60 HERTZ, THREE-PHASE, SYMBOL NUMBER 1149[CUST: SH] [REVIEW: EC YD] | A | 5935 | | SH | 25-MAR-87 |
| | MIL-C-24368/4A | CONNECTOR ASSEMBLIES; PLUGS & RECEPTACLES, ELECTRIC, POWER TRANSFER, SHORE TO SHIP & SHIP TO SHIP, 500 VOLTS, 500 AMPERES, 60 HERTZ, SYMBOL NUMBERS 1162.1, 1162.2 & 1162.3[CUST: YD] [REVIEW: EC] | A | 5935 | | SH | 25-MAR-87 |
| | MIL-C-24368B SUP 1 | CONNECTOR ASSEMBLIES; PLUGS AND RECEPTACLES, ELECTRIC POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: EC] | A | 5935 | | SH | 25-MAR-87 |
| | MIL-C-24368/2B | CONNECTOR ASSEMBLIES; RECEPTACLE, AND RECEPTACLE - CABLED, POWER TRANSFER, SHORE TO SHIPAND SHIP TO SHIP, 500 VOLTS, 500 AMPERES, 60HERTZ, SYMBOL NUMBER 1161[CUST: SH] [REVIEW: EC] | A | 5935 | | SH | 25-MAR-87 |
| | AN5537 REV 1 NOT 2 | CONNECTOR ASSEMBLY - THERMOCOUPLE LEAD[CUST: AS 11] | A | 5935 | | CC | 26-JAN-93 |
| | A-A-50505 | CONNECTOR ASSEMBLY, ELECTRICAL, IN-LINE[CUST: YD] | A | 5935 | / | CC | 08-NOV-91 |
| | QPL-28859-10 | CONNECTOR COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, GENERAL SPECIFICATION FOR | A | 5935 | | AS | 24-AUG-98 |
| | MIL-C-28859B | CONNECTOR COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR[CUST: CR NW 11] [REVIEW: CC MC] | A | 5935 | | NW | 19-JAN-90 |
| | SAE-AS39029/70 | CONNECTOR CONTACT, ELECTRICAL PIN, CRIMP REMOVABLE, FOR MIL-C-85028(AS) CONNECTORS[CUST: AS CC] [REVIEW: EC] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/69 | CONNECTOR CONTACT, ELECTRICAL SOCKET, CRIMP REMOVABLE, FOR MIL-C-85028(AS) CONNECTORS[CUST: AS CC] [REVIEW: EC] | A | 5935 | | AS | 29-APR-05 |
| | MIL-DTL-28731/23G | CONNECTOR ELECTRICIAL, CONTACT, FORK TYPE, REMOVABLE, DOUBLE WIRE CRIMP[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 15-MAR-04 |
| | MIL-C-83522/18B | CONNECTOR FIBER OPTIC, SINGLE TERMINUS, RECEPTACLE, BAYONET COUPLING (ST STYLE), 2.5 MILLIMETER DIAMETER FERRULE, PC MOUNTING[CUST: CR SH 11 NA] [REVIEW: 02 19 70 99 EC] | A | 6060 | | CC | 11-MAY-95 |
| | MIL-C-22249B SUP 1 | CONNECTOR SETS, ELECTRICAL, HERMETICALLY SEALED, SUBMARINE GENERAL SPECIFICATION FOR[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/38A | CONNECTOR SETS, HEADER ASSEMBLY, 12-PIN[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/37B | CONNECTOR SETS, HEADER ASSEMBLY, 12-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/18A | CONNECTOR SETS, HEADER ASSEMBLY, 138-PIN[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/3A | CONNECTOR SETS, HEADER ASSEMBLY, 15-PIN[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/21A | CONNECTOR SETS, HEADER ASSEMBLY, 175-PIN[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/35A | CONNECTOR SETS, HEADER ASSEMBLY, 19-PIN[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/28C | CONNECTOR SETS, HEADER ASSEMBLY, 208-PIN (310 DEG. ORIENTATION)[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/27B | CONNECTOR SETS, HEADER ASSEMBLY, 208-PIN (45 DEG. ORIENTATION)[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/32B | CONNECTOR SETS, HEADER ASSEMBLY, 3-PIN[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-22249/6A | CONNECTOR SETS, HEADER ASSEMBLY, 44-PIN[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/41A | CONNECTOR SETS, HEADER ASSEMBLY, 6-PIN[CUST: SH] [REVIEW: CC] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/13A | CONNECTOR SETS, HEADER ASSEMBLY, 72-PIN[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/39B | CONNECTOR SETS, PLUG ASSEMBLY, 12-PIN, MISSILE SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/49 | CONNECTOR SETS, PLUG ASSEMBLY, 12-PIN, MISSILE SIDE, RIGHT ANGLE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/14A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/15A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/16A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, MISSILE SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/17A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, MISSILE SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/1A | CONNECTOR SETS, PLUG ASSEMBLY, 15-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/2A | CONNECTOR SETS, PLUG ASSEMBLY, 15-PIN, MISSILE SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/19A | CONNECTOR SETS, PLUG ASSEMBLY, 175-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/20A | CONNECTOR SETS, PLUG ASSEMBLY, 175-PIN, MISSILE SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/34C | CONNECTOR SETS, PLUG ASSEMBLY, 19-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/36C | CONNECTOR SETS, PLUG ASSEMBLY, 19-PIN, MISSILE SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/26B | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/50 | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE, FIVE CABLE TYPE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/47 | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE, THREE-CABLE TYPE [CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/29B | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, MISSILE SIDE (45 DEG. ORIENTATION) [CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/30B | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, MISSILE SIDE, (310 DEG. ORIENTATION)[CUST: SH] [REVIEW: CC] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/31B | CONNECTOR SETS, PLUG ASSEMBLY, 3-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/33B | CONNECTOR SETS, PLUG ASSEMBLY, 3-PIN, MISSILE SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/4A | CONNECTOR SETS, PLUG ASSEMBLY, 44-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/5A | CONNECTOR SETS, PLUG ASSEMBLY, 44-PIN, MISSILE SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/40B | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, COMPARTMENT SIDE[CUST: SH] [REVIEW: CC] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/42B | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE[CUST: SH] [REVIEW: CC] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/48 | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE, RIGHT ANGLE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/43A | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE, RIGHT ANGLE[CUST: SH] [REVIEW: CC] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/7B | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/9A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/8A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/11A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/10A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/12A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/24A | CONNECTOR SETS, SPANNER WRENCH ASSEMBLY FOR 138- AND 175-PIN UMBILICAL PLUG COUPLING NUTS[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/23A | CONNECTOR SETS, SPANNER WRENCH ASSEMBLY FOR 44- AND 72-PIN UMBILICAL PLUG COUPLING NUTS[CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/44A | CONNECTOR SETS, SPANNER WRENCH FOR 208-PIN PLUG[CUST: SH] [REVIEW: CC] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/45C | CONNECTOR SETS, SPANNER WRENCH, FOR 3-, 6-, 12-, AND 19-PIN PLUG, MISSILE SIDE[CUST: SH] [REVIEW: CC] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/46B | CONNECTOR SETS, WATERTIGHT COVER ASSEMBLY, 208-PIN, HEADER ASSEMBLY[CUST: SH] [REVIEW: CC] | A | 5935 | | SH | 29-SEP-89 |
| | MIL-C-22249/25A | CONNECTOR SETS, WATERTIGHT HEADER COVER ASSEMBLY FOR 15-PIN UMBILICAL PLUG [CUST: SH] | A | 5935 | | SH | 29-SEP-89 |
| | IEEE386 | CONNECTOR SYSTEM, SEPARABLE INSULATED, FOR POWER DISTRIBUTION SYSTEMS ABOVE 600V - 22 MAR 85[CUST: CR4 YD] [REVIEW: GS] | A | 6150 | | YD | 23-NOV-87 |
| | MS24241B NOT 2 | CONNECTOR&RECEPTACLE, ELECTRICAL, HERMETIC, JAM NUT, FRONT MOUNTING[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 12-JUN-01 |
| | MS24240B NOT 2 | CONNECTOR&RECEPTACLE, ELECTRICAL, HERMETIC, JAM NUT, REAR MOUNTING[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-C-81582/8B | CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE[CUST: AS] [REVIEW: CC EC SH] | A | 5935 | | AS | 05-NOV-75 |
| | MIL-C-81582/6A | CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE[CUST: CR AS 99] [REVIEW: 11 19 AR CC EC SH] | A | 5935 | | AS | 05-NOV-76 |
| | MIL-C-81582/7A | CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE[CUST: CR AS 99] [REVIEW: 11 19 AR CC EC SH] | A | 5935 | | AS | 05-NOV-75 |
| | MIL-C-24231/17D | CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, NINE-CONDUCTOR[CUST: EC] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/16D | CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, SEVEN-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/15D | CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, THREE- AND FOUR-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | SAE-AS38386/2 | CONNECTOR, AIR DUCT HOSE, GROUND COOLING, FEMALE[CUST: AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | JUL-99 |
| | SAE-AS38386/1 | CONNECTOR, AIR DUCT HOSE, GROUND COOLING, MALE[CUST: AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | JUL-99 |
| | MIL-C-9177B(3) SUP 1 NOT 1 | CONNECTOR, AUDIO, AIRBORNE, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 24-JAN-00 |
| | QPL-9177-12 | CONNECTOR, AUDIO, AIRBORNE, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 01-JUN-04 |
| | MIL-DTL-9177/3C | CONNECTOR, AUDIO, AIRBORNE, JACK, CABLE, 4 CONTACT[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 25-NOV-02 |
| | MIL-DTL-9177/4C | CONNECTOR, AUDIO, AIRBORNE, JACK, PANEL MOUNT, 4 CONTACT[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 25-NOV-02 |
| | MIL-DTL-9177/5C | CONNECTOR, AUDIO, AIRBORNE, JACK, SWITCH, 4 CONTACT[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 25-NOV-02 |
| | MIL-DTL-9177/1C | CONNECTOR, AUDIO, AIRBORNE, PLUG, 4 CONTACT[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 25-NOV-02 |
| | MIL-DTL-9177/2C | CONNECTOR, AUDIO, AIRBORNE, PLUG, MINIATURE, 4 CONTACT[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 25-NOV-02 |
| | W-C-596/18C | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | W-C-596/67C | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/70C | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/74C | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS AC, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/14D | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, HOSPITAL GRADE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AR AS AV EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/156A NOT 1 | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE[CUST: CR YD 11] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 26-OCT-01 |
| | W-C-596/159A NOT 1 | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, LOCKING GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 26-OCT-01 |
| | W-C-596/79C | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/150A NOT 1 | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT[CUST: CR YD 11] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 26-OCT-01 |
| | W-C-596/153A NOT 1 | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC SH] | A | 5935 | / | CC | 26-OCT-01 |
| | QPL-83517-17 | CONNECTOR, COAXIAL, RADIO FREQUENCY FOR COAXIAL, STRIP OR MICROSTRIP TRANSMISSION LINE, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 24-JUN-05 |
| A | MIL-DTL-83517A | CONNECTOR, COAXIAL, RADIO FREQUENCY FOR COAXIAL, STRIP OR MICROSTRIP TRANSMISSION LINE GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI SH] | A | 5935 | | CC | 27-OCT-05 |
| | MIL-C-39012/9C NOT 1 | CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES C (CABLED RECEPTACLE, FEMALE, JAM NUT, FRONT MOUNTED, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-DTL-3650B | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES LC[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC MI] | A | 5935 | | CC | 25-NOV-03 |
| | MIL-PRF-39012/71A(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES SMB (UNCABLED RECEPTACLE, MALE, JAMNUT MOUNTED, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 15-DEC-99 |
| | MIL-C-28859/3D | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, COMPLIANT, CONTACT, FEED-THROUGH[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28859/4E | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, COMPLIANT CONTACT, FEED-TO[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28859/2D | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, HOUSING[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28859/5A | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, LOW INSERTION FORCE (LIF), COMPLIANT CONTACT[CUST: CR NW 11] [REVIEW: AS CC MC] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28859/1C | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, STANDARD INSERTION FORCE, COMPLIANT CONTACT[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | A-A-51346 | CONNECTOR, ELASTIC TUBING[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUL-86 |
| | A-A-51348A | CONNECTOR, ELASTIC TUBING, BRANCHED, PLASTIC, T-SHAPED[CUST: MD MS 03] | A | 6515 | / | MB | 20-MAR-92 |
| | MIL-DTL-83723/72C | CONNECTOR, ELECTRIC, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, CRIMP PIN CONTACT) (SERIES III, CLASSES A, G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 AR EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-DTL-83723/73E | CONNECTOR, ELECTRIC, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AV EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-C-83723/16B(1) NOT 2 | CONNECTOR, ELECTRIC, BACKSHELL, WITH HEAT-SHRINKABLE STRAIN-RELIEF, BOOT (STRAIGHT OR RIGHT ANGLE), BAYONET-COUPLING SERIES[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-81582/1C | CONNECTOR, ELECTRIC, BAYONET COUPLING, UMBILICAL RECEPTACLE, JAM NUT MOUNTING, RFI SHIELDED, CRIMP CONTACT, CLASS E[CUST: CR AS 99] [REVIEW: 11 19 AR CC EC MI SH] | A | 5935 | | AS | 05-NOV-75 |
| | QPL-81703-11 | CONNECTOR, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING | A | 5935 | | AS | 29-JUN-01 |
| | MIL-C-85028/2 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER HARDWARE, RECEPTACLE, CRIMP REMOVABLE SOCKET CONTACTS, CLASS E[CUST: AS] [REVIEW: EC] | A | 5935 | | AS | 25-OCT-77 |
| | MIL-C-85028/3 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER JACKSCREW, INTERFACIAL SEAL, SIZE 16, CRIMP CONTACTS[CUST: AS] [REVIEW: EC] | A | 5935 | | AS | 25-OCT-77 |
| | MIL-C-85028/1 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER JACKSCREW, PLUG, CRIMP REMOVABLE PIN CONTACTS, CLASS E[CUST: AS] [REVIEW: EC] | A | 5935 | | AS | 25-OCT-77 |
| | MIL-C-85028/4 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER JACKSCREW, SEALING PLUG, SIZE 16, CRIMP REMOVABLE CONTACTS[CUST: AS] [REVIEW: EC] | A | 5935 | | AS | 25-OCT-77 |
| | MIL-C-85028/5 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER JACKSCREW, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS[CUST: AS] [REVIEW: EC] | A | 5935 | | AS | 25-OCT-77 |
| | MIL-C-85028/6 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER JACKSCREW, REPLACEMENT TOOL, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS[CUST: AS] [REVIEW: EC] | A | 5935 | | AS | 25-OCT-77 |
| | MIL-DTL-38999/51 | CONNECTOR, ELECTRICAL CIRCULAR, COVER, PROTECTIVE, PLUG, MIL-DTL-38999 SERIES IV[CUST: CR AS 11 CC] [REVIEW: 19 99 EC MC MI OS] | A | 5935 | | CC | 22-MAY-03 |
| | MIL-DTL-38999/33C(1) | CONNECTOR, ELECTRICAL CIRCULAR, COVER, PROTECTIVE, RECEPTACLE, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 EC MC MI OS] | A | 5935 | | CC | 07-FEB-03 |
| | MIL-C-81659/57A NOT 1 | CONNECTOR, ELECTRICAL RECTANGULAR, PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL DESIGNATOR B[CUST: AS] [REVIEW: CC EC] | A | 5935 | | AS | 16-DEC-71 |
| | MIL-C-81582/9 | CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UMBILICAL, CAPS, PROTECTIVE[CUST: CR AS] [REVIEW: AR CC EC SH] | A | 5935 | | AS | 11-JUN-76 |
| | MIL-C-81582/10 | CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UMBILICAL, DUMMY STOWAGE RECEPTACLE[CUST: CR AS] [REVIEW: AR CC EC SH] | A | 5935 | | AS | 11-JUN-76 |
| | MIL-C-81582B(1) SUP 1 | CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENTAL RESISTING, UMBILICAL, GENERAL SPECIFICATION FOR[CUST: CR AS 99] [REVIEW: 11 19 AR CC EC SH] | A | 5935 | | AS | 29-MAY-81 |
| | MIL-C-29600/2 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL, SHIELD TERMINATING, (SERIES A AND B)[CUST: CR AS 11] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 22-FEB-90 |
| | MIL-C-29600/1 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, SEALING PLUG, SIZE 8, (SERIES A)[CUST: CR AS 11] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 22-FEB-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-29600/3 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL 90 DEG., SELF LOCKING (SERIES A AND B)[CUST: CR AS 11] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 22-FEB-90 |
| | MIL-C-29600/4 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL 45 DEG., SELF LOCKING (SERIES A AND B)[CUST: CR AS 11] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 22-FEB-90 |
| | QPL-27599-13 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTANT SOLDER CONTACTS | A | 5935 | | CC | 18-FEB-05 |
| | MIL-C-28840/18B NOT 1 | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASSEMBLY, OPEN WIRE, 90 DEG., CLASSED D AND DS[CUST: EC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28840/20E NOT 1 | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, WALL MOUNTING, ASSEMBLY, STRAIGHT CLASSES DJ & DJS[CUST: EC CC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28840/29D NOT 1 | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD,CRIMP CONTACTS, PLUG, ASSEMBLY, 45 DEG., CLASSES DJ AND DJS[CUST: EC CC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28840/16A NOT 1 | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, CLASSES D AND DS[CUST: EC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28840/21D NOT 1 | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, CABLE CONNECTING ASSEMBLY, STRAIGHT CLASSES DJ & DJS[CUST: EC CC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28840/26B NOT 1 | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD,CRIMP CONTACTS, PLUG ASSEMBLY, STRAIGHT CLASSES DJ AND DJS[CUST: EC CC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28840/19B NOT 1 | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASSEMBLY, OPEN WIRE 45 DEG., CLASSES D AND DS[CUST: EC CC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28840/17B NOT 1 | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, PLUG, ASSEMBLY OPEN WIRE CLASSES D AND DS[CUST: EC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28840/28D NOT 1 | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASEMBLY, 90 DEG., CLASSES DJ AND DJS[CUST: EC CC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/25A | CONNECTOR, ELECTRICAL, CIRCULAR, THREADED, RECEPTACLE, SOLDER MOUNTING, HERMETIC, HERMETIC SOLDER CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28731/35B NOT 1 | CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, CRIMP REMOVABLE (5.0 AMPERES)[CUST: CR EC 11] [REVIEW: 19 99 AM AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/20D NOT 1 | CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, CRIMP REMOVABLE (8.5 AMPERES)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-DTL-28731/36C | CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, WRAPPOST REMOVABLE (3.0 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS] | A | 5935 | | CC | 15-MAR-04 |
| | MIL-DTL-83503/7E | CONNECTOR, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL PLUG WITH DUAL POLARIZATION, ROUND CONDUCTOR, INSULATION DISPLACING NON-REMOVABLE SOCKET CONTACTS (.100 X .100 SPACING)[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 21-JUL-04 |
| | MS27741A | CONNECTOR, ELECTRICAL, INDIVIDUAL SHIELD TERMINATION[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 09-JUL-04 |
| | MIL-C-28731/16E(1) NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 90 REMOVABLE CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/14E NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 56 REMOVABLE CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/32B NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 117 REMOVABLE TYPE CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/4E NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 100 REMOVABLE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/18E(1) NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 120 REMOVABLE CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/30B NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE TYPE CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/10F NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 20 REMOVABLE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-DTL-28731/34C | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 165 REMOVABLE TYPE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS] | A | 5935 | | CC | 15-MAR-04 |
| | MIL-C-28731/12E NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 38 REMOVABLE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/11E NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 38 REMOVABLE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/9F NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 20 REMOVABLE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/17E NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 120 REMOVABLE CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/15E NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 90 REMOVABLE CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/3F NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 100 REMOVABLE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/13F NOT 1 | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 56 REMOVABLE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-25516/16C NOT 2 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PRESSURIZED RECEPTACLE, SERIES IV, CLASS G, TYPE 4[CUST: EC 11] [REVIEW: SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-C-25516/20C(2) NOT 2 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL, PLUG, SERIES I, CLASS G, TYPE 1[CUST: EC 11] [REVIEW: 99 AS] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-C-25516/19C(1) NOT 2 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PRESSURIZED RECEPTACLE, SERIES I, CLASS G, TYPE 1[CUST: EC 11] [REVIEW: 99 AS] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-C-28754/52A(1) NOT 1 | CONNECTOR, ELECTRICAL, MODULAR, HOUSING, CONNECTOR ASSEMBLY, STYLE I[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 17-AUG-90 |
| | MIL-C-28754/53A(1) NOT 1 | CONNECTOR, ELECTRICAL, MODULAR, HOUSING, CONNECTOR ASSEMBLY, STYLE II[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 17-AUG-90 |
| | MIL-C-28754/6C(1) | CONNECTOR, ELECTRICAL, MODULAR, TYPE IV 40 PIN, STRAIGHT THROUGH[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 11-MAY-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-83733/6C(1) NOT 1 | CONNECTOR, ELECTRICAL, PLUG, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, CLINCH NUT MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-C-83733/2D(1) NOT 2 | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE PINS AND SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-C-83733/7D(1) NOT 1 | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE SOCKETS AND SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-C-83733/12C(1) NOT 1 | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-C-83733/4C(1) NOT 1 | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH CAPTIVE SPRINGS, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| A | QPL-W-C-596-58 | CONNECTOR, ELECTRICAL, POWER, GENERAL SPECIFICATION FOR | A | 5935 | / | CC | 21-JUL-05 |
| | W-C-596G(2) | CONNECTOR, ELECTRICAL, POWER, GENERAL SPECIFICATION FOR[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 03-OCT-01 |
| | MIL-C-83733/1C NOT 1 | CONNECTOR, ELECTRICAL, RECEPTACLE, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STANDARD HOLE MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-C-83733/9B(1) NOT 2 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED STANDARD HOLE MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 84] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-C-83733/5B(1) NOT 2 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, BUSHING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 10-DEC-01 |
| | MIL-C-83733/8B(1) NOT 2 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE PINS, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-C-83733/10B(1) NOT 2 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED BUSHING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 10-DEC-01 |
| | MIL-C-83733/11B(1) NOT 1 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED CLINCH NUT MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-C-83733/3B(1) NOT 1 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE SOCKETS, ENVIRONMENT RESISTING, 200 DEG. C[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-C-81659/41B | CONNECTOR, ELECTRICAL, RECTANGULAR PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL SIZE A[CUST: CR AS 11] [REVIEW: 99 CC EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-DTL-28731/24D | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR 120 REMOVABLE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 15-MAR-04 |
| | MIL-DTL-28731/19E | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR 20, 38, 56, 90 OR 120 REMOVABLE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 15-MAR-04 |
| | MIL-DTL-28731/37A | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR FEMALE RECTANGULAR 165 REMOVABLE TYPE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 99 AR AT AV CR4 MC OS] | A | 5935 | | CC | 15-MAR-04 |
| | MIL-DTL-28731/38A | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR USE WITH MIL-C-28731/32[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS] | A | 5935 | | CC | 15-MAR-04 |
| | QPL-85028-4 | CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER TACKSCREW, GENERAL SPECIFICATION FOR | A | 5935 | | AS | 01-DEC-93 |
| | MIL-C-85028 SUP 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER TACKSCREW, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: EC MI] | A | 5935 | | AS | 25-OCT-77 |
| | MIL-C-81659/33B | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE II, CLASS 1 )-65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: 99 CC EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/69 | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: 99 EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/65 | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C( SERIES 2, SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: 99 EC MI OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/29B | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (SINGLE INSERT, TYPE 2, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG, C), SERIES 2, SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: 99 CC EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/37B | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (TRIPLE INSERT, TYPE II, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: 99 CC EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/58A NOT 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 2 (MINUS 65 DEG. TO PLUS 200 DEG. C), SERIES 2, SHELL DESIGNATOR B[CUST: AS] [REVIEW: CC EC] | A | 5935 | | AS | 16-DEC-71 |
| | MIL-DTL-28748/4F | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZES 16 AND 20[CUST: CR EC 11 CC] [REVIEW: 99 AS AT MI SH] | A | 5935 | | CC | 09-SEP-04 |
| | MIL-C-28748/14(1) NOT 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZE 22[CUST: CR EC 11] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-C-81659/71 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1 )-65 DEG. C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNT)[CUST: CR AS 11] [REVIEW: 99 EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/70 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: 99 EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/62 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE III, CLASS 1 SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: 99 EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/72 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1 )-65 DEG. C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING)[CUST: CR AS 11] [REVIEW: 99 EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/64 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE III, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: MI] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/43B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE II, CLASS 1 )-65 DEG C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: CC EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/68 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING)[CUST: CR AS 11] [REVIEW: 99 EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/66 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1, )-65 DEG. C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: 99 EC OS] | A | 5935 | | AS | 02-AUG-76 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-81659/61 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE III, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/67 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1 )-65 DEG. C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNTING)[CUST: CR AS 11] [REVIEW: 99 EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/63 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (TRIPLE INSERT, TYPE III, CLASS 1 )-65 DEG. C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A)[CUST: CR AS 11] [REVIEW: 99 EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/31B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, SINGLE INSERT, TYPE 2, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG. C), SERIES 2, SHELL DESIGNATOR A[CUST: CR AS] [REVIEW: 11 99 CC EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/9B NOT 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, DOUBLE INSERT, TYPE 2 CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 1, SHELL DESIGNATOR A[CUST: AS] [REVIEW: CC EC] | A | 5935 | | AS | 08-SEP-87 |
| | MIL-C-81659/39B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL SIZE A[CUST: CR AS 11] [REVIEW: 99 CC EC OS] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/35B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, DUAL INSERT, TYPE II, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG. C), SERIES 2, SHELL SIZE A[CUST: CR AS 11] [REVIEW: 99 CC EC] | A | 5935 | | AS | 02-AUG-76 |
| | MIL-C-81659/56A NOT 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 2 (MINUS 65 DEG. TO PLUS 200 DEG. C), SERIES 2, SHELL DESIGNATOR B[CUST: AS] [REVIEW: EC] | A | 5935 | | AS | 16-DEC-71 |
| | MIL-DTL-21617/7 | CONNECTOR, FEMALE PLUG ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, SOCKET CONTACTS (STYLE 013A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/4 | CONNECTOR, FEMALE PLUG ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, SOCKET CONTACTS (STYLE 008A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/1 | CONNECTOR, FEMALE PLUG ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, SOCKET CONTACTS (STYLE 004A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/25 | CONNECTOR, FEMALE PLUG ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, SOCKET COAXIAL CONTACTS (STYLE 007C)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/16 | CONNECTOR, FEMALE PLUG ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, SOCKET CONTACTS (STYLE 026A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/19 | CONNECTOR, FEMALE PLUG ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, SOCKET CONTACTS (STYLE 032A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/13 | CONNECTOR, FEMALE PLUG ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, SOCKET CONTACTS (STYLE 023A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/10 | CONNECTOR, FEMALE PLUG ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, SOCKET CONTACTS (STYLE 017A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/27 | CONNECTOR, FEMALE PLUG ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, MIXED SOCKET CONTACTS (STYLE 016C)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/22 | CONNECTOR, FEMALE PLUG ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, SOCKET CONTACTS (STYLE 040A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| A | MIL-C-83522/17B(1) | CONNECTOR, FIBER OPTIC, SINGLE TERMINUS, ADAPTER, BAYONET COUPLING (ST STYLE), 2.5 MILLIMETER DIAMETER FERRULE, BULKHEAD PANEL MOUNT[CUST: CR SH 11 CC NA] [REVIEW: 13 19 93 99 AS] | A | 6060 | | CC | 26-MAY-05 |
| | MIL-C-83522/16B(1) | CONNECTOR, FIBER OPTIC, SINGLE TERMINUS, PLUG, BAYONET COUPLING (ST STYLE), 2.5 MILLIMETERS DIAMETER FERRULE, EPOXY[CUST: CR SH 11 CC NA] [REVIEW: 13 19 93 99 AS DI] | A | 6060 | | CC | 17-AUG-04 |
| | MS20760C | CONNECTOR, FIXED FLANGE, TO FLARED TUBE[CUST: AS 99 CC] [REVIEW: 71 AV CR4] | A | 4730 | | CC | 16-JUN-78 |
| | MS20757B | CONNECTOR, FIXED FLANGE, TO HOSE[CUST: AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 24-JUL-75 |
| | MS27755A | CONNECTOR, HOSE QUICK DISCOUNNECT, FEMALE, ANTI ,G, SUIT[CUST: AS 99] [REVIEW: MC] | A | 4730 | | 71 | 18-JUL-75 |
| | MIL-C-24231/25D(1) | CONNECTOR, HULL INSERTS, TYPE VII[CUST: SH] | A | 5935 | | SH | 02-APR-93 |
| | MIL-DTL-21617/5 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS (STYLE 008A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/3 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS, PRESSURIZED (STYLE 004A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/18 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS, PRESSURIZED (STYLE 026A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/15 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS, PRESSURIZED (STYLE 023A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/14 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS (STYLE 023A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/21 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS, PRESSURIZED (STYLE 032A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/6 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS, PRESSURIZED (STYLE 008A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/23 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS (STYLE 040A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/9 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS, PRESSURIZED (STYLE 013A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/2 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS (STYLE 004A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/24 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS, PRESSURIZED (STYLE 040A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/17 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS (STYLE 026A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/11 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS (STYLE 017A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/28 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, MIXED PIN CONTACTS (STYLE 016C)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/20 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS (STYLE 032A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/8 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS (STYLE 013A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/26 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN COAXIAL CONTACTS (STYLE 007C)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MIL-DTL-21617/12 | CONNECTOR, MALE RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, PIN CONTACTS, PRESSURIZED TYPE (STYLE 017A)[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS3186E | CONNECTOR, MOUNTING TO CONNECTORS, MOUNTING NUTS, PLAIN HEXAGON[CUST: CR AS 11 CC] [REVIEW: CR4 EC MI OS] | A | 5935 | | CC | 09-JUL-04 |
| | MIL-C-24231/11D | CONNECTOR, MULTIPLE CABLE[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MS22058D | CONNECTOR, OXYGEN HOSE TO REGULATOR[CUST: AV AS 99] [REVIEW: 11 71 GL GS] | A | 1660 | | AS | 21-MAR-05 |
| | MIL-PRF-83867C | CONNECTOR, OXYGEN MASK HOSE, NON-EJECTION TYPE[CUST: 99] [REVIEW: GS] | A | 1660 | | 11 | 10-AUG-98 |
| | QPL-83867-3 | CONNECTOR, OXYGEN MASK HOSE-NON-EJECTION TYPE | A | 1660 | | 11 | 09-SEP-98 |
| | MIL-C-38271B | CONNECTOR, OXYGEN MASK TO REGULATOR CRU-60/F[CUST: 99] [REVIEW: GS] | A | 1660 | | 11 | 04-NOV-94 |
| | QPL-38271-10 | CONNECTOR, OXYGEN MASK TO REGULATOR CRU-60/P | A | 1660 | | 11 | 24-APR-85 |
| | MIL-DTL-3655D SUP 1 | CONNECTOR, PLUG AND RECEPTACLE, ELECTRICAL (COAXIAL, SERIES TWIN), AND ASSOCIATED FITTINGS, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 02-JUL-04 |
| A | QPL-28748-68 | CONNECTOR, PLUG AND RECEPTACLE, RECTANGULAR, RACK AND PANEL SOLDER TYPE AND CRIMP TYPE CONTACTS GENERAL SPECIFICATION FOR | A | 5935 | | CC | 27-JAN-06 |
| | MIL-DTL-28748D | CONNECTOR, PLUG AND RECEPTACLE, RECTANGULAR, RACK AND PANEL SOLDER TYPE AND CRIMP TYPE CONTACTS GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 11-JUN-01 |
| N | SAE-AS7974/1 | CONNECTOR, PLUG, AIRCRAFT EXTERNAL POWER[CUST: AV AS 11] | A | 5935 | | AS | 20-FEB-06 |
| M | SAE-AS25486 | CONNECTOR, PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ[CUST: CR AS 11 CC] [REVIEW: AT AV MC SH] | A | 5935 | | AS | 20-FEB-06 |
| N | SAE-AS25488 | CONNECTOR, PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, OPERATING POWER[CUST: CR AS 11] [REVIEW: AT AV MC SH] | A | 5935 | | AS | 20-FEB-06 |
| N | SAE-AS25487 | CONNECTOR, PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING[CUST: CR AS 11] [REVIEW: AT AV MC SH] | A | 5935 | | AS | 20-FEB-06 |
| N | SAE-AS7974/3 | CONNECTOR, PLUG, ATTACHABLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, SINGLE-JACKETED CABLE ASSEMBLIES, 115/200 VOLT, 400 HERTZ[CUST: AV AS 11] [REVIEW: 99 CC CR4 SH] | A | 5935 | | AS | 20-FEB-06 |
| | W-C-596/87B | CONNECTOR, PLUG, ELECTICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | MS3408D | CONNECTOR, PLUG, ELECTRIC, 90 DEGREE ASSEMBLY, CRIMP CONTACT, AN TYPE[CUST: AS CC] [REVIEW: OS] | A | 5935 | | AS | 09-APR-79 |
| | MIL-C-81582/2C | CONNECTOR, PLUG, ELECTRIC, BAYONET COUPLING, LANYARD RELEASE, RFI SHIELDED, CRIMP TYPE CONTACTS, CLASS E[CUST: CR AS 99] [REVIEW: 11 19 AR CC EC SH] | A | 5935 | | AS | 15-MAR-83 |
| | MS3507A | CONNECTOR, PLUG, ELECTRIC, SOLDER CONTACT, QUICK DISCONNECT, UTILITY[CUST: AS CC] [REVIEW: EC] | A | 5935 | | AS | 07-OCT-74 |
| | SAE-AS31371 | CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, PUSH-PULL COUPLING SERIES 1 (CLASS E, P AND J)[CUST: CR AS 11] | A | 5935 | | AS | JAN-98 |
| | MIL-C-55181/5C NOT 1 | CONNECTOR, PLUG, ELECTRICAL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 07-SEP-01 |
| | MS27265A NOT 2 | CONNECTOR, PLUG, ELECTRICAL - RAMP POWER, 416/240 VOLTS, MALE[CUST: 11 CC] | A | 5935 | | CC | 26-OCT-01 |
| | MIL-DTL-55661C(1) | CONNECTOR, PLUG, ELECTRICAL UG-1870( )/U CONNECTOR, RECEPTACLE, ELECTRICAL UG-1837( )/U[CUST: EC 11 CC] | A | 5935 | | CC | 28-FEB-03 |
| | MS24237B NOT 3 | CONNECTOR, PLUG, ELECTRICAL, 90 DEGREES[CUST: 11 CC] | A | 5935 | | CC | 12-JUN-01 |
| A | MS90557G | CONNECTOR, PLUG, ELECTRICAL, CABLE CONNECTING, (WITHOUT COUPLING RING), CLASS L[CUST: CR EC 11 CC] [REVIEW: 13 19 99 AS AT AV CG CR4 MC MI OS SH] | A | 5935 | | CC | 26-OCT-05 |
| A | MS17345E | CONNECTOR, PLUG, ELECTRICAL, CABLE CONNECTING, FEMALE[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI OS YD] | A | 5935 | | CC | 26-OCT-05 |
| | MS24235B NOT 3 | CONNECTOR, PLUG, ELECTRICAL, CABLE MOUNTING[CUST: 11 CC] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-DTL-3655/15B(1) | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWBNC)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 01-NOV-99 |
| | MIL-DTL-3655/14B | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 04-OCT-99 |
| | MIL-DTL-3655/17A | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC, RIGHT ANGLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 04-OCT-99 |
| | W-C-596/143B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/17E | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, GENERAL GRADE, 2 POLE, 3 WIRE,15 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/42D | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, HOSPITAL GRADE, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/13D | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, HOSPITAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | MS27145C | CONNECTOR, PLUG, ELECTRICAL, NO. 14 AWG, DOUBLE CONTACT, WATERPROOF[CUST: AT YD CC] [REVIEW: CR4 MC MI] | A | 5935 | | CC | 17-JUN-03 |
| | MIL-DTL-83527/1C | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150...C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 2[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-JAN-04 |
| | MIL-C-83527/7 NOT 1 | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, MULTIPLE INSERTS[CUST: CR AS 11] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 30-OCT-01 |
| | SAE-AS34591 | CONNECTOR, PLUG, ELECTRICAL, SELF-LOCKING, COUPLING NUT, REAR RELEASE, CRIMP CONTACT, AN TYPE[CUST: CR AS 11] | A | 5935 | | AS | JAN-98 |
| | MS3459D | CONNECTOR, PLUG, ELECTRICAL, SELF-LOCKING, COUPLING NUT, REAR RELEASE, CRIMP CONTACT, AN TYPE[CUST: CR AS 11] [REVIEW: AR AV CR4 EC MI] | A | 5935 | | AS | 04-NOV-94 |
| | MS91604B | CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-154A/U[CUST: CR EC 11 CC] | A | 5935 | | CC | 12-AUG-03 |
| | MIL-C-3607/7A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES PULSE, TYPE UG-180A/U[CUST: CR EC 11] [REVIEW: 99] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-C-3607/1A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES PULSE, TYPE UG-34/U[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-C-3607/2A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES PULSE, TYPE UG-36/U[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/139(1) | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, FOR FLEXIBLE CABLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/136(1) | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, FOR SEMIRIGID CABLE, CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/140(1) | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, RIGHT ANGLE, FOR FLEXIBLE CABLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/137(1) | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, RIGHT ANGLE, PIN CONTACT, FOR SEMIRIGID CABLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MS27143C | CONNECTOR, PLUG, ELECTRICAL, SOCKET CONTACT, NO. 12 AWG, WATERPROOF[CUST: AT YD 11 CC] [REVIEW: CR CR4 MC] | A | 5935 | | CC | 17-JUN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS27144C | CONNECTOR, PLUG, ELECTRICAL, SOCKET CONTACT, NO. 14 AND 16 AWG, WATERPROOF[CUST: AT MC 11 CC] [REVIEW: CR CR4] | A | 5935 | | CC | 17-JUN-03 |
| | W-C-596/101C | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/88C | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/114B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/118B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/138C | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/83C | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/122B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/92B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/130B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/109B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/105B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/126B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/96B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/134B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/133A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/95B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/100B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60HERTZ[CUST: CR YD 11] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/82B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/91B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/104B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/108B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/113B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/129B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 3 POLE, 4 WIRE, 30 AMPERES 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/78C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AS AV EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/149A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 26-OCT-01 |
| | W-C-596/152A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE[CUST: CR YD 11] | A | 5935 | / | CC | 26-OCT-01 |
| | W-C-596/155A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE A[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC SH] | A | 5935 | / | CC | 26-OCT-01 |
| | W-C-596/158A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 MC SH] | A | 5935 | / | CC | 26-OCT-01 |
| A | MS17344F | CONNECTOR, PLUG, ELECTRICAL, STRAIGHT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH YD] | A | 5935 | | CC | 26-OCT-05 |
| | MS24236B NOT 3 | CONNECTOR, PLUG, ELECTRICAL, STRAIGHT[CUST: 11 CC] | A | 5935 | | CC | 12-JUN-01 |
| | MS90556G | CONNECTOR, PLUG, ELECTRICAL, STRAIGHT, CLASS L[CUST: CR EC 11 CC] [REVIEW: 13 19 AS AT AV CG CR4 MC MI OS SH] | A | 5935 | | CC | 03-JAN-03 |
| | MIL-PRF-49142/6E | CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), SOCKET CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 18-APR-05 |
| | MIL-PRF-49142/7D | CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 18-APR-05 |
| | MIL-PRF-49142/3F | CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB, PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 18-APR-05 |
| | MS75020E NOT 2 | CONNECTOR, PLUG, ELECTRICAL- 12 CONTACT, INTERVEHICULAR, 24 VOLT, WATERPROOF[CUST: AT YD 11 CC] [REVIEW: 99 MC MI SH] | A | 5935 | | CC | 12-JUN-01 |
| | MS27142D | CONNECTOR, PLUG, ELECTRICAL-PIN CONTACT, NO. 12, 14, 16 AWG, WATERPROOF[CUST: AT MC 99 CC] [REVIEW: 11 CR4] | A | 5935 | | CC | 17-JUN-03 |
| | MS27285B | CONNECTOR, PLUG, ELECTRICAL-RAMP POWER, 416/240 VOLTS, FEMALE[CUST: 11 CC] | A | 5935 | | CC | 17-JUN-03 |
| | MIL-DTL-55116/5B | CONNECTOR, PLUG, FIVE PIN AUDIO, CRIMP SLEEVE TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-55116/1B | CONNECTOR, PLUG, FIVE PIN AUDIO, CRIMP SLEEVE TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |
| | MIL-DTL-55116/7B | CONNECTOR, PLUG, FIVE PIN AUDIO, SOLDER CUP TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |
| | MIL-DTL-55116/3B | CONNECTOR, PLUG, FIVE PIN AUDIO, SOLDER CUP TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |
| | MIL-C-24231/28B | CONNECTOR, PLUG, FOR HULL INSERTS, TYPE VI[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/30 | CONNECTOR, PLUG, GLASS REINFORCED POLYMER, TYPE I MOLDED, THREE- AND FOUR-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 18-FEB-92 |
| | MIL-C-55181/7C NOT 1 | CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, PIN CONTACT, 18 TERMINAL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 07-SEP-01 |
| | MIL-C-55181/3C NOT 1 | CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, PIN CONTACT, 4 TERMINAL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 07-SEP-01 |
| | MIL-C-55181/1C NOT 1 | CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF), TYPE MW, SOCKET CONTACT, 4 TERMINAL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 07-SEP-01 |
| | MIL-DTL-55116/6B | CONNECTOR, PLUG, SIX PIN AUDIO, CRIMP SLEEVE TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |
| | MIL-DTL-55116/2B | CONNECTOR, PLUG, SIX PIN AUDIO, CRIMP SLEEVE TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |
| | MIL-DTL-55116/8B | CONNECTOR, PLUG, SIX PIN AUDIO, SOLDER CUP TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |
| | MIL-DTL-55116/4B | CONNECTOR, PLUG, SIX PIN AUDIO, SOLDER CUP TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |
| | MIL-DTL-55074/1B | CONNECTOR, PLUG, TELEPHONE, ELECTRICAL[CUST: CR CC] | A | 5935 | | CC | 12-AUG-03 |
| | MIL-C-24231/2D | CONNECTOR, PLUG, TYPE[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/4D | CONNECTOR, PLUG, TYPE I, MOLDED, 14-, 24-, 30-, OR 40-CONDUCTOR (STRIAGHT & 90 DEGREES)[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/18D | CONNECTOR, PLUG, TYPE I, MOLDED, 65-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/21D | CONNECTOR, PLUG, TYPE I, MOLDED, 80-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/3D | CONNECTOR, PLUG, TYPE I, MOLDED, SEVEN- & NINE-CONDUCTOR (STRAIGHT & 90 DEGREES)[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/1D | CONNECTOR, PLUG, TYPE I, MOLDED, THREE-, FOUR-, & FIVE-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/23F | CONNECTOR, PLUG, TYPE I, MOLDED, THREE-CONDUCTOR, FOR THOF-9 CABLE[CUST: SH] | A | 5935 | | SH | 20-FEB-92 |
| | MIL-DTL-83527/3C | CONNECTOR, PLUS, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 3[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-JAN-04 |
| | MIL-DTL-83527/5C | CONNECTOR, PLUS, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-JAN-04 |
| | MS17835F | CONNECTOR, PNEUMATIC STARTER DUCT, FLANGE, FEMALE[CUST: AV AS 99] [REVIEW: 71 AT CC MC SA] | A | 4730 | | AS | 03-DEC-02 |
| | MS17833F | CONNECTOR, PNEUMATIC STARTER DUCT, FLANGED, MALE[CUST: AV AS 99] [REVIEW: 71 AT CC MC SA] | A | 4730 | | AS | 03-DEC-02 |
| | MIL-C-83733/17(1) NOT 1 | CONNECTOR, RACK AND PANEL, SPRING LOADED MOUNTING ASSEMBLY[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-DTL-21617/29 | CONNECTOR, RECEPTACLE ELECTRICAL, RECTANGLAR, POLARIZED SHELL, MINIATURE TYPE, BACK SHELLS[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 24-JUL-03 |
| | MS25018G | CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC JET STARTING[CUST: CR AS 11] | A | 5935 | | AS | 30-DEC-92 |
| | SAE-AS35061 | CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC OPERATING POWER[CUST: CR AS 11] | A | 5935 | | AS | JAN-98 |
| A | MS18062C | CONNECTOR, RECEPTACLE, DUMMY STOWAGE[CUST: CR EC 11 CC] [REVIEW: 19 AS AV CG MI MS OS SH] | A | 5935 | | CC | 26-OCT-05 |
| | SAE-AS34021 | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE WITH[CUST: CR AS 11] | A | 5935 | | AS | JAN-98 |
| | MS3452D | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE WITH[CUST: CR AS 11] [REVIEW: 99 AR AT CR4 EC MI] | A | 5935 | | AS | 15-FEB-93 |
| | MS33678A | CONNECTOR, RECEPTACLE, ELECTRIC, INTEGRAL MOUNTING[CUST: CR AS 11 CC] [REVIEW: 99 MI] | A | 5935 | | AS | 09-JUL-04 |
| | MS27481F NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS3450E | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE[CUST: CR AS 11] [REVIEW: 99 AR AT AV CC CR4 EC MI] | A | 5935 | | AS | 23-MAR-76 |
| | MIL-C-55181/4C NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 07-SEP-01 |
| | MIL-C-55181/6C NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 07-SEP-01 |
| | MS75021D NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL - 12 CONTACT, INTERVEHICULAR, 28 VOLT, WATERPROOF[CUST: AT CC] [REVIEW: 11 99 CR CR4 MC MI SH] | A | 5935 | | CC | 12-JUN-01 |
| A | MS17346E | CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI OS YD] | A | 5935 | | CC | 26-OCT-05 |
| | MS27468J | CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | W-C-596/154A NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL SPECIFIC PURPOSE, SINGLE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE[CUST: CR YD 11] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 26-OCT-01 |
| | MS27476F NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, BOX MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 EC MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MIL-DTL-3655/16B(1) NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWBNC)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 15-APR-05 |
| | MIL-DTL-3655/13B | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC, JAM NUT MOUNTED)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 04-OCT-99 |
| | MIL-DTL-3655/23B NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I, (COAXIAL, SERIES TWIN, TWBNC, BULKHEAD)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 15-APR-05 |
| | MIL-DTL-3655/22B NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I, (COAXIAL, SERIES TWIN, TWTNC, BULKHEAD)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 15-APR-05 |
| A | MIL-DTL-83517/13 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA, (SOCKET CONTACT) FEEDTHROUGH, HERMETIC[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 02-SEP-05 |
| | MIL-DTL-83517/3A | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED SLOTTED TAB TERMINAL)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-83517/4A | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED EXTENDED DIELECTRIC)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-MAY-05 |
| | MIL-DTL-83517/1A | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED TAB TERMINAL)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-MAY-05 |
| | MIL-DTL-83517/2A | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE MOUNTED TAB TERMINAL)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-MAY-05 |
| A | MIL-DTL-83517/12 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIPLINE, SERIES BMA (PIN CONTACT), FLANGE MOUNTED, EXTENDED DIELECTRIC[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 02-SEP-05 |
| | MS27146C | CONNECTOR, RECEPTACLE, ELECTRICAL, DOUBLE CONTACT, WATERPROOF[CUST: AT MC 99 CC] [REVIEW: 11 AR CR CR4 GL YD] | A | 5935 | | CC | 17-JUN-03 |
| | W-C-596/15E | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PUPPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/40D | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE AND HOSPITAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ, BOX MOUNT AND SNAP-IN MOUNT[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI SH] | A | 5935 | / | CC | 30-AUG-00 |
| | W-C-596/12F | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE AND HOSPITAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/16D | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/65D | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/212A | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GROUNDING, HOSPITAL GRADE, GROUND FAULT CIRCUIT INTERRUPTING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/11D | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/64D | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/68C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/81B | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/196A | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/41D | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, HOSPITAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | MS17347E | CONNECTOR, RECEPTACLE, ELECTRICAL, JAMNUT[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI OS YD] | A | 5935 | | CC | 20-DEC-02 |
| | MS17348F | CONNECTOR, RECEPTACLE, ELECTRICAL, JAMNUT (BOX)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH YD] | A | 5935 | | CC | 03-JAN-03 |
| | W-C-596/144C | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/142C | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/140C | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/141C | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/131B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/135B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE Y[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/127B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/139B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/119B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/97B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/106B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/102C | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/80B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/110B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | W-C-596/84B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/89C | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/93B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/115C | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/123B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | MS33800E | CONNECTOR, RECEPTACLE, ELECTRICAL, PIN CONTACT NO. 8, 12, 14 AND 16 AWG, WATERPROOF[CUST: AT AS 11 CC] [REVIEW: AR CR CR4 GL MC] | A | 5935 | | CC | 09-JUL-04 |
| | MIL-PRF-31031/11B | CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, FLANGE MOUNT, FOR SEMIRIGID CABLE, SOCKET CONTACT, HIGH RELIABILITY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 12-APR-04 |
| | MIL-PRF-31031/1B | CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, FLANGE MOUNT, FOR FLEXIBLE CABLE, SOCKET CONTACT, HIGH RELIABILITY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 12-APR-04 |
| | MIL-PRF-31031/2A | CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, JAMNUT MOUNT, FOR FLEXIBLE CABLE, PIN CONTACT, HIGH RELIABILITY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 12-APR-04 |
| | MIL-PRF-31031/12A | CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, JAMNUT MOUNT, FOR SEMIRIGID CABLE, PIN CONTACT, HIGH RELIABILITY[CUST: CR EC 11 NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 12-APR-04 |
| | MIL-DTL-83527/2C | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE RACK TO PANEL, ENVIRONMENT RESISTING, 150...C CONTINUIOS OPERATING TEMPERATURE, SHELL SIZE 2[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-JAN-04 |
| | MIL-DTL-83527/4C | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 3[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-JAN-04 |
| | MIL-DTL-83527/6C | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-JAN-04 |
| | MIL-C-83527/8 NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, MULTIPLE INSERTS[CUST: CR AS 11] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 30-OCT-01 |
| | MS91610B NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES LC, UG-352B/U[CUST: CR EC 11 CC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-3607/9A NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES PULSE, TYPE UG-182A/U[CUST: CR EC 11] [REVIEW: 99] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-C-3607/3B NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES PULSE, TYPE UG-37A/U[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/138(1) | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES SSMA, SOCKET CONTACT, FOR SEMIRIGID CABLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | W-C-596/112A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/99B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/86B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/145A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, HOSPITAL GRADE, ISOLATED GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | W-C-596/103A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/111A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/90A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/98B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/85B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/107A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/77C | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/151B NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE[CUST: CR YD 11] [REVIEW: 99 AS AV CR4 EC MC SH] | A | 5935 | / | CC | 26-OCT-01 |
| | W-C-596/148A NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING POLE, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT[CUST: CR YD 11] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 26-OCT-01 |
| | W-C-596/157A NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, LOCKING GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ[CUST: CR YD 11] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 26-OCT-01 |
| | MIL-PRF-49142/5F | CONNECTOR, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 18-APR-05 |
| | A-A-55558 NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, UTILITY POWER, 15 AMP, 125 VOLT, 50/60 HERTZ WITH COVER[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | MS24234B NOT 3 | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTED[CUST: 11 CC] | A | 5935 | | CC | 12-JUN-01 |
| A | MS17343F | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH YD] | A | 5935 | | CC | 26-OCT-05 |
| | MS27479F NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 24-MAY-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS90558E | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING, (WITH COUPLING RING) CLASS L, (EQUIPMENT RECEPTACLE)[CUST: CR EC 11 CC] [REVIEW: 19 80 AR AS CG MC MI OS] | A | 5935 | | CC | 03-JAN-03 |
| | MS90555E | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING, CLASS L (POWER SOURCE RECEPTACLE)[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC MI OS] | A | 5935 | | CC | 03-JAN-03 |
| | MS90362C | CONNECTOR, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ[CUST: CR AS 11] [REVIEW: 99 AV] | A | 5935 | | AS | 27-FEB-76 |
| | MIL-DTL-55116/11B | CONNECTOR, RECEPTACLE, FIVE PIN AUDIO, CRIMP SLEEVE SPRING TERMINALS, WIRE STRAIN RELIEF, U-228 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |
| | MIL-DTL-55116/13B | CONNECTOR, RECEPTACLE, FIVE PIN AUDIO, SOLDER CUP SPRING TERMINALS, WIRE STRAIN RELIEF, U-228 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |
| | MIL-DTL-55116/9B | CONNECTOR, RECEPTACLE, FIVE-PIN AUDIO, SOLDER CUP SPRING TERMINALS, PANEL MOUNT, U-183 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 11-DEC-00 |
| | MIL-C-55181/8C NOT 1 | CONNECTOR, RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, SOCKET CONTACT, 18 TERMINAL[CUST: CR EC 11] [REVIEW: 99] | A | 5935 | | CC | 07-SEP-01 |
| | MIL-C-55181/2C NOT 1 | CONNECTOR, RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF), TYPE MW, PIN CONTACT, 4 TERMINAL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 07-SEP-01 |
| | MIL-C-24231/20D | CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, 65-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/27E | CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, FOR TYPE 2SWF CABLES[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/12D(1) | CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, THREE-, FOUR-, AND FIVE-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 02-MAR-92 |
| | MIL-DTL-55116/12B | CONNECTOR, RECEPTACLE, SIX PIN AUDIO, CRIMP SLEEVE SPRING TERMINALS, WIRE STRAIN RELIEF, U-228 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |
| | MIL-DTL-55116/14B | CONNECTOR, RECEPTACLE, SIX PIN AUDIO, SOLDER CUP SPRING TERMINALS, WIRE STRAIN RELIEF, U-228 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 22-MAR-04 |
| | MIL-DTL-55116/10B | CONNECTOR, RECEPTACLE, SIX-PIN AUDIO, SOLDER CUP SPRING TERMINALS, PANEL MOUNT, U-183 TYPE[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 11-DEC-00 |
| | MIL-DTL-55074/2B | CONNECTOR, RECEPTACLE, TELEPHONE, ELECTRICAL[CUST: CR CC] | A | 5935 | | CC | 12-AUG-03 |
| | MIL-DTL-55074/3B | CONNECTOR, RECEPTACLE, TELEPHONE, ELECTRICAL[CUST: CR CC] | A | 5935 | | CC | 12-AUG-03 |
| | MIL-C-24231/22D | CONNECTOR, RECEPTACLE, TYPE IV, 80-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-DTL-83517/10A | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-MAY-05 |
| | MIL-DTL-83517/11A | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE MOUNTED)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-MAY-05 |
| | MIL-DTL-83517/5A | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE MOUNTED EXTENDED DIELECTRIC)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-MAY-05 |
| | MIL-DTL-83517/8A | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, 8 HOLE SURFACE LAUNCH RIGHT ANGLE)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-MAY-05 |
| | MIL-DTL-83517/7A | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, 8 HOLE SURFACE LAUNCH)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-MAY-05 |
| | MIL-DTL-83517/6A | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, 8 HOLE SURFACE LAUNCH)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-MAY-05 |
| | MIL-DTL-83517/9A | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, END LAUNCH)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-MAY-05 |
| | MS90335D | CONNECTOR, RECEPTACLES, PLUGS, ADAPTER, EL, EMBEDDED, PRINTED CIRCUIT BOARD LAMP LIGHTING PANELS[CUST: AV AS 11] [REVIEW: MC SH] | A | 5935 | | AS | 05-JAN-96 |
| | SAE-J560 | CONNECTOR, SEVEN-CONDUCTOR ELECTRICAL, FOR TRUCK-TRAILER JUMPER CABLE, PRIMARY AND AUXILIARY[CUST: AT CC] [REVIEW: YD] | A | 2920 | | CC | MAY-87 |
| | MIL-C-24231/19D | CONNECTOR, SINGLE CABLE, TYPE III, 65-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/6E | CONNECTOR, SINGLE CABLE, TYPE III, FOR DSS-3 CABLE[CUST: EC] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/26D | CONNECTOR, SINGLE CABLE, TYPE III, FOR TYPE 2SWF CABLES[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/9D | CONNECTOR, SINGLE CABLE, TYPE III, SEVEN- & NINE-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/8D | CONNECTOR, SINGLE CABLE, TYPE III, SEVEN-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/7E | CONNECTOR, SINGLE CABLE, TYPE III, SEVEN-SONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/5D | CONNECTOR, SINGLE CABLE, TYPE III, THREE-, FOUR- OR FIVE-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | MIL-C-24231/24D | CONNECTOR, SINGLE CABLE, TYPE III, THREE-CONDUCTOR, FOR THOF-9 CABLE[CUST: SH] | A | 5935 | | SH | 15-MAY-87 |
| | A-A-51327 | CONNECTOR, SURGICAL TUBING STRAIGHT, PLASTIC[CUST: MD MS 03] | A | 6515 | / | MB | 31-DEC-85 |
| | A-A-53635 | CONNECTOR, TRACHEAL TUBE (ACUTE ANGLED)[CUST: MD MS 03] | A | 6515 | / | MB | 12-AUG-88 |
| | MIL-PRF-49142/9D | CONNECTOR, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED) RECEPTACLE, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 18-APR-05 |
| | MIL-PRF-49142B | CONNECTOR, TRIAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 27-OCT-04 |
| | QPL-49142-17 | CONNECTOR, TRIAXIAL, RADIOFREQUENCY, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 18-MAR-05 |
| | MIL-STD-1672 NOT 2 | CONNECTOR, UMBILICAL, INSERT ARRANGEMENTS[Interface Standard][CUST: CR AS 99] [REVIEW: 11 19 AR SH] | A | 5935 | | CC | 26-OCT-01 |
| | MS27796D NOT 1 | CONNECTOR-BAYONET, THREE PIN, OXYGEN MASK[CUST: AS 99] [REVIEW: AV GS] | A | 1660 | | 11 | 06-NOV-89 |
| | MS24238B NOT 3 | CONNECTOR-PLUG, ELECTRICAL, 45 DEG.[CUST: 11] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-DTL-83538/9A NOT 1 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, ADAPTER, ACCESSORY, LAUNCHER RECEPTACLE FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 06-OCT-03 |
| A | MIL-DTL-83538/11A | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, ADAPTER, BUFFER PLUG, NON-REMOVABLE PIN CONTACTS, FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 08-JUL-05 |
| | MIL-DTL-83538/3B | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, ADAPTER, BUFFER PLUG, NONREMOVABLE PIN CONTACTS, FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-83538/5B | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, BRACKET, STORE RECEPTACLE ADAPTER FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-83538/10A NOT 1 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, BUSHING, CABLE, LAUNCHER RECEPTACLE FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 06-OCT-03 |
| | MIL-DTL-83538/7A NOT 1 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, COVER, PROTECTIVE, STORE RECEPTACLE, FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 06-OCT-03 |
| | MIL-DTL-83538/8B | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, COVER, PROTECTIVE, LAUNCHER RECEPTACLE, FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-83538C | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS FOR MIL-STD-1760 APPLICATIONS (METRIC), GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-83538/6A NOT 1 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, NUT, HEXAGON, STORE RECEPTACLE CONNECTOR MOUNTING, FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 06-OCT-03 |
| | MIL-DTL-83538/12 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, PROTECTIVE CAP, INSTALLATION AND REMOVAL TOOL, FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 27-JAN-04 |
| | MIL-DTL-83538/4B | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, RECEPTACLE, LAUNCHER ASSEMBLY, REMOVABLE CRIMP CONTACTS, SOCKETS FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-83538/1B | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, RECEPTACLE, STORE ASSEMBLY, REMOVABLE CRIMP CONTACTS, SOCKETS, FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-83538/13 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, TEST PLUG, REMOVABLE CRIMP CONTACTS, PINS, FOR MIL-STD-1760 APPLICATIONS (METRIC)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 13-MAY-05 |
| A | MIL-DTL-83413B | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, GENERAL SPECIFICATION FOR[CUST: AV AS 11 CC] [REVIEW: 02 13 18 99 AR CR CR4 MC MI] | A | 5935 | | CC | 22-SEP-05 |
| A | QPL-83413-15 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 13-DEC-05 |
| | MIL-DTL-83413/3B | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, TYPE III GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC[CUST: AV AS 11 CC] [REVIEW: 02 13 18 99 AR CR CR4 MC MI] | A | 5920 | | CC | 31-MAR-05 |
| | MIL-C-83413/9 NOT 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: DECALCOMANIA FOR GROUNDING RECEPTACLE IDENTIFICATION, DECAL[CUST: AV AS 11] [REVIEW: 02 18 84 99 AR CR CR4 GS MC MI] | A | 7690 | | IS | 06-FEB-92 |
| | MIL-C-83413/4A(1) | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: PLUGS, FOR TYPES I AND II GROUNDING ASSEMBLIES[CUST: AV AS 11 CC] [REVIEW: 02 99 AR CR CR4 MC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-C-83413/8A(1) | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE IV JUMPER CABLE ASSEMBLY, LEAD, ELECTRICAL[CUST: AV AS 11 CC] [REVIEW: 02 71 99 AR CR CR4 GS MC MI] | A | 6150 | | CC | 20-OCT-00 |
| | MIL-DTL-83413/7C | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: GROUNDING CLAMP CONNECTOR FOR TYPES I AND III GROUNDING ASSEMBLIES, CLIP, ELECTRICAL[CUST: AV AS 11 CC] [REVIEW: 02 13 18 82 99 AR CR CR4 MC MI] | A | 5999 | | CC | 24-NOV-03 |
| | MIL-DTL-83413/10B | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: JUMPER CABLE ASSEMBLY, AIRCRAFT TO FUEL NOZZLE, DISCHARGER, ELECTROSTATIC[CUST: AV AS 11 CC] [REVIEW: 02 18 99 AR CR CR4 MC MI] | A | 5920 | | CC | 31-MAR-05 |
| | MIL-DTL-83413/6B | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: RECEPTACLES, TWO PIECE, WITH INSERTS AND HOUSINGS[CUST: AV AS 11 CC] [REVIEW: 02 13 18 82 99 AR CR CR4 MC MI] | A | 5935 | | CC | 24-NOV-03 |
| | MIL-DTL-83413/1C | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE I GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC[CUST: AV AS 11 CC] [REVIEW: 02 13 18 99 AR CR CR4 MC MI] | A | 5920 | | CC | 31-MAR-05 |
| | MIL-DTL-83413/2B | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE II GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC[CUST: AV AS 11 CC] [REVIEW: 02 13 18 99 AR CR CR4 MC MI] | A | 5920 | | CC | 31-MAR-05 |
| | EIA364.09 | CONNECTORS AND CONTACTS, ELECTRICAL, DURABILITY TEST PROCEDURE FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | MIL-STD-1683B | CONNECTORS AND JACKETED CABLE, ELECTRIC, SELECTION STANDARD FOR SHIPBOARD USE[Design Criteria Standard][CUST: SH] | A | 5935 | | SH | 31-MAR-89 |
| | EIA364.31 | CONNECTORS AND SOCKETS, ELECTRICAL, HUMIDITY TEST PROCEDURE FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | EIA364.71 | CONNECTORS AND SOCKETS, ELECTRICAL, SOLDER WICKING (WAVE SOLDER TECHNIQUE) TEST PROCEDURE FOR[CUST: CR AS 11] | A | 5935 | | CC | APR-99 |
| | EIA364.32 | CONNECTORS AND SOCKETS, ELECTRICAL, THERMAL SHOCK (TEMPERATURE CYCLING) TEST PROCEDURE FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | EIA364.28 | CONNECTORS AND SOCKETS, ELECTRICAL, VIBRATION TEST PROCEDURE FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | MIL-C-28754/8C | CONNECTORS ELECTRICAL, MODULAR, TYPE IV, 40 CONTACT, RIGHT ANGLE (FOR DIE CAST FRAME)[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 01-OCT-90 |
| | AIR-STD-25/19A | CONNECTORS FOR 115/200 VOLT 400HZ 3-PHASE AC SERVICING POWER | C | ISDF | | 06 | 02-MAR-92 |
| | AIR-STD-25/18A | CONNECTORS FOR 28 VOLT DC SERVICING POWER | C | ISDF | | 06 | 10-SEP-86 |
| | STANAG-7073 ED.1(2) | CONNECTORS FOR AIRCRAFT ELECTRICAL SERVICING POWER | C | ISDF | | 06 | 12-SEP-97 |
| | MIL-DTL-38999/32C(1) | CONNECTORS, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, PLUG SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 EC MC MI OS] | A | 5935 | | CC | 07-FEB-03 |
| | SAE-AS85049/104 | CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, 45 , SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/105 | CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, 90 , SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | SAE-AS85049/103 | CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)[CUST: CR AS 11 CC] | A | 5935 | | AS | 29-AUG-03 |
| | MS27489E | CONNECTORS, ADAPTER, ELECTRICAL, REDUCER, EMR HARDWARE, SERIES I AND II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MS27487E | CONNECTORS, ADAPTER, ELECTRICAL, THREADED, KIT, STRAIGHT AND 90 DEGREES, EMR HARDWARE, SERIES I AND II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MIL-PRF-39012/21A(1) NOT 2 | CONNECTORS, COAXIAL, RADIO FREQUENCY (SERIES BNC (UNCABLED) - RECEPTACLES, FEMALE, JAM NUT MOUNTED, CLASS II)[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CR4 MI NA OS] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/4D(1) NOT 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY (SERIES N (UNCABLED) - RECEPTACLES - JAM NUT AND FLANGE MOUNTED, SOCKET CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 31-JAN-03 |
| | MIL-PRF-39012/32A(3) NOT 2 | CONNECTORS, COAXIAL, RADIO FREQUENCY SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, FLANGE MOUNTED, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MI NA OS] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/34A(3) NOT 2 | CONNECTORS, COAXIAL, RADIO FREQUENCY SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, HERMETIC SEALED, JAM NUT MOUNTED, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 19-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-39012/22A(2) NOT 2 | CONNECTORS, COAXIAL, RADIO FREQUENCY, (SERIES BNC (UNCABLED) - RECEPTACLES, FEMALE, FLANGE MOUNTED, CLASS II)[CUST: CR EC 11] [REVIEW: 19 99 AM AS AT CR4 MC MI NA OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/23A(1) NOT 2 | CONNECTORS, COAXIAL, RADIO FREQUENCY, (SERIES BNC (UNCABLED) - RECEPTACLES, FEMALE, RIGHT ANGLE, CLASS II)[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CR4 MI NA OS] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012E | CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 27-APR-05 |
| A | QPL-39012-128 | CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 29-DEC-05 |
| | MIL-PRF-39012/12B(1) NOT 2 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, FLANGE MOUNTED, REAR MOUNTED, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AM AS AT CR4 MC MI OS] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/13B NOT 2 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, JAM NUT MOUNTED, FRONT MOUNTED, PRESSURIZED, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/14B(1) NOT 2 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, JAM NUT MOUNTED, HERMETIC SEAL, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AM AS AT CR4 MC MI OS] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-DTL-3607B | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES PULSE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR MI] | A | 5935 | | CC | 13-DEC-02 |
| | MIL-PRF-39012/33A(2) NOT 2 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-PRF-39012/31B(1) NOT 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TNC (UNCABLED-RECEPTACLE, SOCKET, JAM NUT MOUNTED, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AM AS AT CR4 MC MI NA OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-DTL-55235A | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TPS, GENERAL SPECIFICATION[CUST: CR 11 CC] | A | 5935 | | CC | 14-JAN-03 |
| | MIL-C-39012/25E(1) | CONNECTORS, COAXIAL, RADIOFREQUENCY (HARDWARE FOR RADIOFREQUENCY COAXIAL CONNECTORS)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 23-OCT-00 |
| | EIA364.26 | CONNECTORS, CONTACTS AND SOCKETS, ELECTRICAL, SALT SPRAY TEST PROCEDURE FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | EIA364.54 | CONNECTORS, CONTACTS, AND SOCKETS, ELECTRICAL, MAGNETIC PERMEABILITY TEST PROCEDURE FOR[CUST: CR AS 11] | A | 5935 | | CC | MAY-99 |
| | AAMI-ECGC | CONNECTORS, ECG[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | MIL-DTL-83723/65D | CONNECTORS, ELECTRIC, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, PIN CONTACT), (SERIES III, CLASS H)[CUST: CR AS 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-DTL-83723/74E(1) | CONNECTORS, ELECTRIC, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AV EC MI] | A | 5935 | | CC | 15-DEC-00 |
| | SAE-AS81703 | CONNECTORS, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING[CUST: AS] | A | 5935 | | AS | JUL-98 |
| | MIL-DTL-38159C SUP 1 | CONNECTORS, ELECTRIC, RAMP POWER. 480/277 VOLTS, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 27-JAN-04 |
| | MIL-DTL-24308/3G(1) | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, GENERAL PURPOSE, CLASS D AND G, SOLDER TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 26-JUN-02 |
| | MIL-DTL-24308/1H NOT 1 | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, GENERAL PURPOSE, CLASS D AND G, SOLDER TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 13-AUG-04 |
| | MIL-DTL-24308/9G | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PLUG, PIN CONTACTS, HERMETIC, CLASSES H AND K[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 19-JUL-00 |
| | MIL-DTL-24308/28C | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, INSULATION DISPLACEMENT, SOCKET CONTACTS, NONENVIRONMENTAL, CLASS G[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 19-JUL-00 |
| | MIL-DTL-24308/27C | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, INSULATION DISPLACEMENT, SOCKET CONTACTS, NONENVIRONMENTAL[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 19-JUL-00 |
| | MIL-DTL-24308/5K(1) | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, NONMAGNETIC, CLASS M AND N, SOLDER TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 24-DEC-02 |
| | MIL-DTL-24308/6M | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE PIN CONTACTS, NONMAGNETIC, CLASSES M AND N, CRIMP TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 19-JUL-00 |
| | MIL-DTL-24308/7G | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, NONMAGNETIC, CLASS M AND N, SOLDER TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 19-JUL-00 |
| | MIL-DTL-24308/8M | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, NONMAGNETIC, CLASS M AND N, CRIMP TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 19-JUL-00 |
| | MIL-DTL-24308/26J | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SCREW-LOCK ASSEMBLY, FEMALE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 19-JUL-00 |
| A | MIL-DTL-24308/25J | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SCREW-LOCK ASSEMBLY, MALE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 13-JAN-06 |
| | MIL-DTL-24308/4M(1) | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, GENERAL PURPOSE, CLASS D AND G, CRIMP TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 07-NOV-01 |
| | MIL-DTL-24308/2R(1) | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, GENERAL PURPOSE, CLASS D AND G, CRIMP TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 12-DEC-02 |
| A | QPL-24308-104 | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 30-DEC-05 |
| | MIL-DTL-24308/24F(1) | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS PRINTED WIRING BOARD TERMINATION TYPES[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 05-DEC-02 |
| A | MIL-DTL-24308E(1) SUP 1 | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 EA MC MI SH] | A | 5935 | | CC | 07-NOV-01 |
| | MIL-DTL-24308/23E(1) | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SOCKET CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A | 5935 | | CC | 05-DEC-02 |
| | MIL-DTL-55330C | CONNECTORS, ELECTRICAL AND FIBER OPTIC, PACKAGING OF[CUST: CR EC 99 CC] [REVIEW: 11 SM] | A | PACK | | CC | 08-JUN-01 |
| | MIL-DTL-83733D | CONNECTORS, ELECTRICAL MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 200 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 23-FEB-00 |
| | MIL-C-81659B(2) SUP 1 | CONNECTORS, ELECTRICAL RECTANGULAR, CRIMP CONTACTS, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 99 CC EC OS] | A | 5935 | | AS | 01-OCT-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-28748/5E | CONNECTORS, ELECTRICAL RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 20[CUST: CR EC 11 CC] [REVIEW: 99 AS AT MI SH] | A | 5935 | | CC | 09-SEP-04 |
| | MIL-DTL-28748/6E | CONNECTORS, ELECTRICAL RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET TYPE CONTACTS, SIZE 20[CUST: CR EC 11 CC] [REVIEW: 99 AS AT MI SH] | A | 5935 | | CC | 09-SEP-04 |
| | MIL-DTL-83723/61E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), DUMMY CONNECTOR, RECEPTACLES (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 20-SEP-02 |
| | MIL-DTL-83723/76C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (BAYONET COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 AR EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-DTL-83723/75C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 AR EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-DTL-83723/77C(1) | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 AR EC MI] | A | 5935 | | CC | 15-DEC-00 |
| | MIL-DTL-83723/78C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, BAYONET COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 AR EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-C-83723/91C NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-83723/92C NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-83723/87D NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-83723/96E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-C-83723/86D NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-83723/98B(1) | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, R.F.I. GROUNDING, CRIMP PIN CONTACTS), (SERIES III, CLASSES N AND S FIREWALL)[CUST: CR AS 11] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 14-AUG-98 |
| | MIL-C-83723/97B(1) | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, R.F.I GROUNDING, CRIMP SOCKET CONTACTS), (SERIES III, CLASSES N AND S FIREWALL)[CUST: CR AS 11] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 14-AUG-98 |
| | MIL-DTL-83723/95E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-C-83723/68A NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITH LANYARD), CRIMP PIN CONTACT, SERIES III, CLASS A, G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 70] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-83723/69A NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITH LANYARD), CRIMP SOCKET CONTACT, SERIES III, CLASSES A, G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 70] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-83723/67A NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITHOUT LANYARD), CRIMP SOCKET CONTACT, SERIES III, CLASS A, G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 70] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-83723/66A NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITHOUT LANYARD), CRIMP PIN CONTACT, SERIES III, CLASS A, G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 70] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-83723/59C NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PROTECTIVE COVERS, PLUG (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 10-DEC-01 |
| | MIL-C-83723/60D NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PROTECTIVE COVERS, RECEPTACLES, (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 10-DEC-01 |
| | MIL-C-83723/70A NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE ADAPTER (PUSH-PULL), QUICK-DISCONNECT SERIES III, CLASSES A, G, R, AND W)[CUST: CR AS 11 CC] [REVIEW: 70] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-83723/82D NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W)[CUST: CR AS 11] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-83723/88D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 23-MAY-03 |
| | MIL-C-83723/83D NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-83723/71B NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, CRIMP SOCKET CONTACT) SERIES III, CLASSES A, G, R, AND W[CUST: CR AS 11 CC] [REVIEW: 19 AR EC MI] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-83723/79D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-DTL-83723/85F | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-DTL-83723/89E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AV EC MI] | A | 5935 | | CC | 23-MAY-03 |
| | MIL-C-83723/84E NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-83723/94E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, STRAIGHT PIN CONTACT), (SERIES III, CLASSES H, AND Y)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AV EC MI] | A | 5935 | | CC | 23-MAY-03 |
| | MIL-DTL-83723/81E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AV EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-DTL-83723/93C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SOLDER FLANGE MOUNT, BAYONET COUPLING, STRAIGHT PIN CONTACT), (SERIES III, CLASSES H, AND Y)[CUST: CR AS 11 CC] [REVIEW: 19 80 AR EC MI] | A | 5935 | | CC | 23-MAY-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-83723/80C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SOLDER FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-DTL-83723/90D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SOLDER FLANGE MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-DTL-83723F(1) SUP 1A | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AV EC MI OS] | A | 5935 | | CC | 20-SEP-02 |
| M | QPL-83723-65 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 29-MAR-06 |
| M | QPL-26482-96 | CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 22-MAR-06 |
| | EIA364.105 | CONNECTORS, ELECTRICAL, ALTITUDE - LOW TEMPERATURE TEST PROCEDURE FOR[CUST: CR AS 11] | A | 5935 | | CC | APR-99 |
| | QPL-81582-3 | CONNECTORS, ELECTRICAL, BAYONET COUPLING, ENVIRONMENTAL RESISTING, UMBILICAL, GENERAL SPECIFICATION FOR | A | 5935 | | AS | 01-DEC-93 |
| | EIA364.41 | CONNECTORS, ELECTRICAL, CABLE FLEXING TEST PROCEDURES FOR[CUST: CR AS 11] | A | 5935 | | CC | JUN-99 |
| | EIA364.38 | CONNECTORS, ELECTRICAL, CABLE PULL-OUT TEST PROCEDURES FOR[CUST: CR AS 11] | A | 5935 | | CC | JUL-99 |
| A | QPL-5015-42 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, AN TYPE, GENERAL SPECIFICATION FOR | A | 5935 | | AS | 06-SEP-05 |
| A | MIL-DTL-5015H SUP 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, AN TYPE, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 99 AR CC EA EC MI NA] | A | 5935 | | AS | 18-MAY-00 |
| | MIL-C-28840A(6) SUP 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D, GENERAL SPECIFICATION FOR[CUST: EC CC] [REVIEW: OS SH YD] | A | 5935 | | CC | 05-MAY-00 |
| M | QPL-28840-40 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 22-MAR-06 |
| | MIL-C-28840/4 NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT FOR EMI SHIELDING[CUST: EC CC] | A | 5935 | | CC | 11-JUN-01 |
| | MS27501G | CONNECTORS, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, PLUG, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MS27502J | CONNECTORS, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, RECEPTACLE, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MIL-DTL-38999/52 | CONNECTORS, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, RECEPTACLE, MIL-DTL-38999 SERIES IV[CUST: CR AS 11 CC] [REVIEW: 19 99 EC MC MI OS] | A | 5935 | | CC | 22-MAY-03 |
| | QPL-81511-9 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, GENERAL SPECIFICATION FOR | A | 5935 | | AS | 16-DEC-98 |
| | MIL-C-29600/5 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, SELF LOCKING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, DUST COVER (SERIES A)[CUST: CR AS 11] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 22-FEB-90 |
| | QPL-29600-2 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, ASSOCIATED HARDWARE, GENERAL SPECIFICATION FOR | A | 5935 | | AS | 01-MAY-94 |
| | MIL-C-29600/20(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES B)[CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 07-JAN-04 |
| | MIL-C-29600/7 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, THREADED, ENVIRONMENT, RESISTANT, REMOVABLE CRIMP CONTACTS, NUT, HEXAGON, CONNECTOR MOUNTING[CUST: CR AS 11] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 22-FEB-90 |
| | MIL-C-29600/10(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES A)[CUST: CR AS 11] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 07-JAN-04 |
| | MIL-C-29600/6 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, STOWAGE RECEPTACLE (SERIES B)[CUST: CR AS 11] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 22-FEB-90 |
| | MIL-C-29600/11(1) | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES A)[CUST: CR AS 11] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 31-MAR-99 |
| | MIL-C-29600/21(1) | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES B)[CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 31-MAR-99 |
| | MIL-C-29600/22(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES B)[CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 07-JAN-04 |
| | MIL-C-29600/12(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES A)[CUST: CR AS 11] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 07-JAN-04 |
| | MIL-C-29600/23 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, CONTACTS, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-29600 SERIES B)[CUST: AS] | A | 5935 | | AS | 22-FEB-90 |
| | MIL-C-29600(3) SUP 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, ASSOCIATED HARDWARE GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 19 AV CC EC MC MI NA SH] | A | 5935 | | AS | 06-AUG-99 |
| | MIL-C-29600/24 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, CONTACTS, PIN, CRIMP REMOVABLE, (SERIES B)[CUST: AS] | A | 5935 | | AS | 22-FEB-90 |
| M | QPL-38999-98 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 22-MAR-06 |
| | MIL-DTL-38999K(3) SUP 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 22-AUG-03 |
| A | MS27512G NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, NUT, HEXAGON, CONNECTOR MOUNTING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 10-JUN-05 |
| | MIL-DTL-38999/28F(1) | CONNECTORS, ELECTRICAL, CIRCULAR, NUT, HEXAGON, CONNECTOR MOUNTING, SERIES III AND IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI SH] | A | 5935 | | CC | 07-FEB-03 |
| | MIL-DTL-38999/46A | CONNECTORS, ELECTRICAL, CIRCULAR, PLUG, BREECH COUPLING, EMI GROUNDING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/47A(1) | CONNECTORS, ELECTRICAL, CIRCULAR, PLUG, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 26-NOV-02 |
| | MIL-DTL-38999/42A | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, BOX MOUNTING FLANGE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/41A | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, BOX MOUNTING FLANGE, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 11-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-38999/10A | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, DUMMY STOWAGE, BAYONET COUPLING, (MIL-C-27599, SERIES II AND MIL-DTL-38999, SERIES II)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MIL-DTL-38999/9A | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, DUMMY STOWAGE, BAYONET COUPLING, (MIL-C-27599 SERIES I AND MIL-DTL-38999 SERIES I)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MIL-DTL-38999/50B(1) | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, DUMMY STOWAGE, BREECH COUPLING, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 EC MC MI OS] | A | 5935 | | CC | 30-MAY-02 |
| | MIL-DTL-38999/49A | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, IN LINE CABLE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI MS OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/43A | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, JAM NUT MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/44C | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, JAM-NUT MOUNTING, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 14-JUL-04 |
| | MIL-DTL-38999/45A | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, SOLDER MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI MS OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/22E | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, THREADED, DUMMY STOWAGE, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 11-MAR-05 |
| M | MIL-DTL-38999/24G | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, THREADED, JAM-NUT MOUNTING, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 10-MAR-06 |
| | MIL-DTL-38999/61 | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, THREADED, WALL MOUNTING FLANGE, REMOVABLE CRIMP CONTACTS, FIBER OPTIC TERMINI, TIGHT TOLERANCE, SERIES III, SHELL SIZE 25, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 15-DEC-04 |
| | MIL-DTL-38999/20E(1) | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, THREADED, WALL MOUNTING FLANGE, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 29-JUN-02 |
| | MIL-DTL-38999/40A | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, WALL MOUNTING FLANGE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/48A | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, WELD MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLER CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28840/10B(1) NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD CRIMP CONTACTS RECEPTACLE, WALL MOUNTING, CLASSES D AND DS[CUST: EC] [REVIEW: OS SH] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28840/11A NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, RECEPTACLE, CABLE CONNECTING, CLASSES D AND DS[CUST: EC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-28840/14E | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CRIMP CONTACTS, RECEPTACLE, JAM NUT MOUNTING, CLASSES D AND DS[CUST: EC CC] [REVIEW: OS SH] | A | 5935 | | CC | 20-APR-04 |
| | MIL-C-28840/7B NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CRIMP CONTACTS DUMMY RECEPTACLE, WALL MOUNTING[CUST: EC] [REVIEW: OS SH] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/31D | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED PLUG, LANYARD RELEASE, FAIL-SAFE REMOVABLE CRIMP CONTACTS, PINS, SHELL SIZE 25, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 19-APR-02 |
| | MIL-DTL-38999/21B | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, RECEPTACLE, BOX MOUNTING FLANGE, HERMETIC, HERMETIC SOLDER CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-28840/15C | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, DUST COVER, PLUG[CUST: EC CC] [REVIEW: OS SH] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/25B | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 90, METAL CONDUIT FOR EMI SHIELDING[CUST: EC CC] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/27B | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 45, METAL CONDUIT FOR EMI SHIELDING[CUST: EC CC] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/24C | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, SCREW THREADS, CRIMP CONTACTS, GASKET, FLANGE MOUNTING[CUST: EC CC] [REVIEW: NA SH] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/9E | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 45 DEG., CABLE SEALING AND SHIELD TERMINATION[CUST: EC CC] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/30B | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT COUPLING[CUST: EC CC] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/8C | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 90 DEG., CABLE SEALING AND SHIELD TERMINATION[CUST: EC] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/5B | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, STRAIGHT, METAL CONDUIT FOR EMI SHIELDING[CUST: EC CC] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/23B | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, GLAND NUT, WIRING[CUST: EC CC] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/22B | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT BUSHING[CUST: EC CC] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-28840/6C | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, STRAIGHT, CABLE SEALING AND SHIELD TERMINATION, CONNECTOR, ELECTRIC[CUST: EC CC] [REVIEW: OS SH] | A | 5935 | | CC | 20-APR-04 |
| | MIL-DTL-38999/29B | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, PLUG, LANYARD RELEASE, FAIL-SAFE, REMOVABLE CRIMP CONTACTS, PINS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/30B | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, PLUG, LANYARD RELEASE, FAIL-SAFE, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/23B | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, RECEPTACLE, JAM-NUT MOUNTING, HERMETIC, HERMETIC SOLDER CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/27B | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, RECEPTACLE, WELD MOUNTING, HERMETIC, HERMETIC SOLDER CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-28731/26C | CONNECTORS, ELECTRICAL, CONTACT, FORK TYPE, WRAPPOST, REMOVABLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 15-MAR-04 |
| | MIL-C-24217A(1) SUP 1 | CONNECTORS, ELECTRICAL, DEEP SUBMERGENCE, SUBMARINE[CUST: SH] [REVIEW: CC] | A | 5935 | | SH | 17-JAN-89 |
| A | QPL-25955-8 | CONNECTORS, ELECTRICAL, ENVIRONMENTAL RESISTING, MINIATURE, WITH SNAP-IN CONTACTS | A | 5935 | | CC | 19-JAN-06 |
| | EIA364.104 | CONNECTORS, ELECTRICAL, FLAMMABILITY TEST PROCEDURE FOR[CUST: CR AS 11] | A | 5935 | | CC | APR-99 |
| A | MIL-DTL-83503C | CONNECTORS, ELECTRICAL, FLAT CABLE, AND/OR PRINTED WIRING BOARD, NONENVIRONMENTAL GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 01-SEP-05 |
| | QPL-83503-34 | CONNECTORS, ELECTRICAL, FLAT CABLE, AND/OR PRINTED WIRING BOARD, NONENVIRONMENTAL, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 28-APR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-83503/6D NOT 1 | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL DUAL-IN-LINE PLUG FOR TERMINATING ROUND CONDUCTORS ON .050 CENTERS FOR MATING WITH STANDARD DIP SOCKETS, .100 X .300 CONTACT SPACING .100 X .400 CONTACT SPACING AND .100 X .600 CONTACT SPACING[CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 24-APR-03 |
| | MIL-DTL-83503/24C | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL FOUR WALL HEADER, RIGHT ANGLE (.100 SPACING) WITH POLARIZING FEATURE SOLDERLESS WRAPPOST OR PWB TERMINATION[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 21-JUL-04 |
| | MIL-DTL-83503/25C | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL FOUR WALL HEADER, STRAIGHT THRU (.100 SPACING) WITH POLARIZING FEATURE, SOLDERLESS WRAPPOST OR PWB TERMINATION[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 21-JUL-04 |
| | MIL-DTL-83503/20D | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL HEADER, RIGHT ANGLE (.100 SPACING) WITH POLARIZING FEATURE SOLDERLESS WRAPPOST OR PWB TERMINATION[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 21-JUL-04 |
| | MIL-DTL-83503/23C | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL PRINTED WIRING BOARD SOLDER TRANSITION FOR TERMINATING ROUND CONDUCTORS ON .050 INCH CENTERS[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 21-JUL-04 |
| | MIL-DTL-83503/21D | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, HEADER, STRAIGHT THRU (.100 INCH SPACING) WITH POLARIZING FEATURE SOLDERLESS WRAPPOST OR PWB TERMINATION[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 21-JUL-04 |
| | MIL-DTL-83503/22C NOT 1 | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, SOCKET INSULATION DISPLACEMENT[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 24-APR-03 |
| | EIA364.99 | CONNECTORS, ELECTRICAL, GAGE LOCATION AND RETENTION TEST PROCEDURE FOR[CUST: CR AS 11] | A | 5935 | | CC | JUN-99 |
| | MIL-DTL-28748/16 | CONNECTORS, ELECTRICAL, HEXAGONAL, RACK AND PANEL, MINIATURE, PLUG-RECEPTACLE, FEMALE SOLDER CUP PIN CONTACTS, SIZE 20[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 12-APR-04 |
| | MIL-DTL-28748/15 | CONNECTORS, ELECTRICAL, HEXAGONAL, RACK AND PANEL, MINIATURE, PLUG-RECEPTACLE, FEMALE SOLDER CUP OR PRINTED WIRING BOARD SOCKET CONTACTS, SIZE 20[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 12-APR-04 |
| | A-A-55145 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, SHIELDED, 24 POSITION, RIGHT ANGLE, PRINTED CIRCUIT BOARD TERMINATING, SCREW LOCKING[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55138 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, 24 POSITION, CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW OR BAIL LOCKING, THICK FLANGE[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55144 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, SHIELDED, 24 POSITION, VERTICAL MOUNT, PRINTED CIRCUIT BOARD TERMINATING, SCREW LOCKING[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55094 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG, 24 POSITION, DISCRETE WIRE CABLE TERMINATING, BAIL LOCKING[CUST: CC] | A | 5935 | / | CC | 30-OCT-01 |
| | A-A-55150 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, METRIC SCREW LOCKING AND MOUNTING HARDWARE KIT[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55514 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG, 24 POSITION, CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING, THICK FLANGE[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55149 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, METRIC SCREW LOCKING HARDWARE KIT[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55153 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, METRIC JACKSCREW[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55139 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, 24 POSITION, CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW OR BAIL LOCKING, THIN FLANGE[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55140 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, SHIELDED, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING, PREASSEMBLED CONSTRUCTION[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55154 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECTANGULAR, LOW PROFILE, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55141 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, LOW PROFILE, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, PANEL MOUNT[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55513 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG, 24 POSITION, EMI SHIELDED, CABLE TERMINATING, SCREW LOCKING[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55142 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG, LOW PROFILE, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55146 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, SHIELDED, 24 POSITION, RIGHT ANGLE, PRINTED CIRCUIT BOARD TERMINATING, BAIL LOCKING[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55515 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, SNAP ON COVERS, HARDWARE KIT[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55151 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, BAIL LOCKING HARDWARE KIT[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55148 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, 24 POSITION, BACK TO BACK INTERFACE BUS, CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55147 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG, LOW PROFILE, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55155 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, SHIELDED, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING, LOOSE PIECE CONSTRUCTION[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55152 NOT 1 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, METRIC SCREW LOCKING HARDWARE[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | MIL-C-28731/29B NOT 1 | CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE TYPE CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/33C NOT 1 | CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 165 REMOVABLE TYPE CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-28731/31B NOT 1 | CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 117 REMOVABLE TYPE CONTACTS[CUST: CR EC 11] [REVIEW: 19 99 AM AR AS AT AV MC MI OS] | A | 5935 | | CC | 13-JUN-01 |
| | EIA364.35 | CONNECTORS, ELECTRICAL, INSERT RETENTION TEST PROCEDURE FOR[CUST: CR AS 11] | A | 5935 | | CC | DEC-98 |
| | EIA364.27 | CONNECTORS, ELECTRICAL, MECHANICAL SHOCK (SPECIFIED PULSE) TEST PROCEDURE FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | MIL-DTL-25516F | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, GENERAL SPECIFICATION FOR[CUST: EC 11 CC] [REVIEW: 99 AS] | A | 5935 | | CC | 04-NOV-04 |
| | QPL-25516-14 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENTAL RESISTANT TYPE, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 03-MAY-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-26518-17 | CONNECTORS, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTING, 200 DEG. C AMBIENT TEMPERATURE, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 08-OCT-04 |
| | QPL-83733-8 | CONNECTORS, ELECTRICAL, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 200 DEGREES C TOTAL CONTINOUS OPERATING TEMPERATURE | A | 5935 | | CC | 27-SEP-04 |
| | MIL-C-28754D SUP 1 | CONNECTORS, ELECTRICAL, MODULAR, AND COMPONENT PARTS GENERAL SPECIFICATION FOR[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 21-APR-89 |
| | QPL-28754-33 | CONNECTORS, ELECTRICAL, MODULAR, AND COMPONENT PARTS, GENERAL SPECIFICATION FOR | A | 5935 | | SH | 13-APR-93 |
| | MIL-C-28754/16C NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, BLOCK, 40 PIN, TYPE V, STRAIGHT THROUGH[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 17-AUG-90 |
| | MIL-C-28754/73A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, DIP[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 26-JUL-91 |
| | MIL-C-28754/75A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, OFFSET[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 26-JUL-91 |
| | MIL-C-28754/74A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, CENTER[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 26-JUL-91 |
| | MIL-C-28754/43B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 PIN, DOUBLE SPAN CONTACT TAILS ON .050 CENTERS[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/78A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, DUAL INLINE PACKAGE (DIP)[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 26-JUL-91 |
| | MIL-C-28754/77A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, OFFSET[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 26-JUL-91 |
| | MIL-C-28754/76A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, CENTER[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 26-JUL-91 |
| | MIL-C-28754/23F | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 29-NOV-91 |
| | MIL-C-28754/12F | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN (FOR SOLID OR DIP FRAME)[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 26-JUL-91 |
| | MIL-C-28754/31C(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, 40-PIN, TWO PIECE INSERT, AND 20-PIN, ONE HALF, ONE PIECE INSERT[CUST: CR NW 11] [REVIEW: 99 AR CC MC MI YD] | A | 5935 | | NW | 30-SEP-92 |
| | MIL-C-28754/55 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, CABLE CONNECTOR, 100 PIN, CONTACTS ON .100 CENTERS[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 28-APR-93 |
| | MIL-DTL-28754/17D | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE I, CONTACT TAILS ON .100 CENTERS[CUST: CR NW 11 CC] [REVIEW: 19 AR AS MC MI YD] | A | 5935 | | NW | 15-OCT-01 |
| | MIL-C-28754/32D(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE I, SLIP LOCK COVER PLATE[CUST: CR NW 11] [REVIEW: 99 AR CC MC MI YD] | A | 5935 | | NW | 30-SEP-92 |
| | MIL-C-28754/33D(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE III SLIP LOCK COVER PLATE[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI OS YD] | A | 5935 | | NW | 30-SEP-92 |
| | MIL-C-28754/87 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 21-APR-89 |
| | MIL-C-28754/90 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.4 PITCH, FORMAT C[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 31-OCT-89 |
| | MIL-C-28754/96 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.4 PITCH, FORMAT C AND E[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 31-OCT-89 |
| | MIL-C-28754/91 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.5 PITCH, FORMAT C AND E[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 31-OCT-89 |
| | MIL-C-28754/92 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.6 PITCH, FORMAT C AND E[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 31-OCT-89 |
| | MIL-C-28754/93 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DIP, 0.3 PITCH, FORMAT C[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 31-OCT-89 |
| | MIL-C-28754/94 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DIP, 0.4 PITCH, FORMAT C, D AND E[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 31-OCT-89 |
| | MIL-C-28754/67 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN, CENTER[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/69 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN, OFFSET[CUST: NW] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/68 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN, T-DIP[CUST: NW] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/86A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DUAL INLINE PACKAGE (DIP)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/95 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET FIN, 0.3 PITCH, FORMAT C[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 31-OCT-89 |
| | MIL-C-28754/88A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET, (0.050 THICKNESS)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/89A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET, (0.071 THICKNESS)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/70 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLE SPAN, CENTER[CUST: NW] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/71 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLE SPAN, OFFSET[CUST: NW] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/72 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLE SPAN, T-DIP[CUST: NW] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/38D | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, CONTACT, GROUNDING, WRAPPOST[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/36D | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, FEMALE CONTACT AND GROUNDING BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/34D | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, FEMALE CONTACT AND INSULATOR BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/37D | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, FEMALE CONTACT AND POLARIZING BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/39C | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, KEYING PEGS[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/35E | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, MALE CONTACT AND INSULATOR BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/14C | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE IV, 20 CONTACT, RIGHT ANGLE (FOR DIE CAST FRAME)[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 01-OCT-90 |
| | MIL-C-28754/10C(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE IV, 40 PIN, CONTACT TAILS ON 0.050 CENTERS[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/15A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CRIMP, CONTACT, TYPE V[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/54B | CONNECTORS, ELECTRICAL, MODULAR, EXTRACTOR, MODULE, SINGLE AND DOUBLE SPAN, STYLES I AND II[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 23-MAR-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-28754/21E | CONNECTORS, ELECTRICAL, MODULAR, FRAME, CASTING, TYPE IV, DOUBLE SPAN[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 29-NOV-91 |
| | MIL-C-28754/22G | CONNECTORS, ELECTRICAL, MODULAR, FRAME, CASTING, TYPE IV, SINGLE SPAN[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 29-NOV-91 |
| | MIL-C-28754/49(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, HOUSING[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/51A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, INSERT, BOTTOM[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/50A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, INSERT, TOP[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/24B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, PIN, KEYING[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/20A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, DOUBLE SPAN[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 17-AUG-90 |
| | MIL-C-28754/19A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, SINGLE SPAN[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 03-DEC-91 |
| | MIL-C-28754/18A(2) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, SINGLE SPAN[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 19-NOV-91 |
| | MIL-C-28754/80A | CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND GROUNDING BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/79A | CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND INSULATOR BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/81A | CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND POLARIZING BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/11E | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, 40 CONTACT, RIGHT ANGLE (FOR SOLID OR DIP FRAME)[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 01-OCT-90 |
| | MIL-C-28754/82 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, FASTENER[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 21-APR-89 |
| | MIL-C-28754/40B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SCREW[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/41B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SCREW, INSERT[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/48B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SINGLE SPAN[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/85(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.3 PITCH, 100 CONTACT, DUAL INLINE PACKAGE (DIP)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/84(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.3 PITCH, 100 CONTACT, OFFSET[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/83(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.6 PITCH, 250 CONTACT, CENTER[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/101(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.6 PITCH, 250 CONTACT, CENTER[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/59 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CONTACT TAILS ON .100 CENTERS (CERAMIC COMPATIBLE)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/61 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER, CROSSOVER, CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/56 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/42C NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS[CUST: NW] [REVIEW: AS MC] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/47B NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, RIGHT ANGLE CONTACT TAILS ON .100 CENTERS[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/98(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, CENTER, CONTACT TAILS ON 0.100 CENTERS[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/99(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, OFFSET[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/97 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, RIGHT ANGLE, CONTACT TAILS ON 0.100 CENTERS[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 31-OCT-89 |
| | MIL-C-28754/100(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 200 CONTACT, CENTER[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 23-MAR-94 |
| | MIL-C-28754/65 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, CENTER CONTACT TAILS ON .100 CENTERS (CERAMIC COMPATIBLE)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/66 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, CROSSOVER, CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 28-APR-93 |
| | MIL-C-28754/9D | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, DOUBLE SPAN, CONNECTOR ASSEMBLY, (DIP FRAME)[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 26-JUL-91 |
| | MIL-C-28754/7C(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, SINGLE SPAN, CONNECTOR ASSEMBLY[CUST: CR SH 11] [REVIEW: 99 AR AS CC MC MI YD] | A | 5935 | | SH | 12-JAN-90 |
| | MIL-DTL-38999/60 | CONNECTORS, ELECTRICAL, PLUG, CIRCULAR, THREADED, STRAIGHT, REMOVABLE CRIMP CONTACTS, FIBER OPTIC TERMINI, TIGHT TOLERANCE, SERIES III, SHELL SIZE 25, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 15-DEC-04 |
| | MIL-DTL-38999/26E | CONNECTORS, ELECTRICAL, PLUG, CIRCULAR, THREADED, STRAIGHT, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 11-JUN-01 |
| A | MIL-PRF-31031B | CONNECTORS, ELECTRICAL, PLUGS AND RECEPTACLES, COAXIAL, RADIO FREQUENCY, HIGH RELIABILITY, FOR FLEXIBLE AND SEMIRIGID CABLES, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 18-AUG-05 |
| | QPL-31031-3 | CONNECTORS, ELECTRICAL, PLUGS AND RECEPTACLES, COAXIAL, RADIO FREQUENCY, HIGH RELIABILITY, FOR FLEXIBLE AND SEMIRIGID CABLES, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 17-MAY-04 |
| | A-A-55469A | CONNECTORS, ELECTRICAL, PLUGS, TIP (TEST POINT PLUG, BANANA PLUG) GENERAL REQUIREMENTS FOR[CUST: CC] | A | 5935 | / | CC | 01-AUG-03 |
| | A-A-55469/3B | CONNECTORS, ELECTRICAL, PLUGS, TIP, DUAL (BANANA PLUG)[CUST: CC] | A | 5935 | / | CC | 01-AUG-03 |
| | A-A-55469/2A | CONNECTORS, ELECTRICAL, PLUGS, TIP, DUAL (BANANA PLUG)[CUST: CC] | A | 5935 | / | CC | 17-JUL-02 |
| | A-A-55469/10A NOT 1 | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE (BANANA JACK TO TEST POINT PLUG)[CUST: CC] | A | 5935 | / | CC | 06-JUN-01 |
| | A-A-55469/1B NOT 2 | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE (BANANA PLUG)[CUST: CC] | A | 5935 | / | CC | 08-APR-05 |
| | A-A-55469/4A | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE RIGHT ANGLE (BANANA PLUG)[CUST: CC] | A | 5935 | / | CC | 01-AUG-03 |
| | A-A-55469/6A | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE RIGHT ANGLE, TEST POINT, .080[CUST: CC] | A | 5935 | / | CC | 01-AUG-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-55469/7A | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE TEST POINT PLUG, .080 SOLDERLESS[CUST: CC] | A | 5935 | / | CC | 01-AUG-03 |
| | A-A-55469/5 NOT 1 | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE, MINIATURE, TEST POINT PLUG, .080[CUST: CC] | A | 5935 | / | CC | 06-JUN-01 |
| | A-A-55466A NOT 1 | CONNECTORS, ELECTRICAL, POWER, CRIMP TO WIRE SOCKETS[CUST: CC] | A | 5935 | / | CC | 07-SEP-01 |
| | A-A-55468A NOT 1 | CONNECTORS, ELECTRICAL, POWER, CRIMP TO WIRE, SOLID PIN[CUST: CC] | A | 5935 | / | CC | 07-SEP-01 |
| | A-A-55467A NOT 1 | CONNECTORS, ELECTRICAL, POWER, CRIMP TO WIRE, SPLIT PIN[CUST: CC] | A | 5935 | / | CC | 07-SEP-01 |
| | A-A-55464A NOT 1 | CONNECTORS, ELECTRICAL, POWER, PLUG HOUSINGS, POLARIZED[CUST: CC] | A | 5935 | / | CC | 07-SEP-01 |
| | A-A-55463A NOT 1 | CONNECTORS, ELECTRICAL, POWER, RECEPTACLE HOUSINGS, POLARIZED[CUST: CC] | A | 5935 | / | CC | 07-SEP-01 |
| | A-A-55465A NOT 1 | CONNECTORS, ELECTRICAL, POWER, SAFETY SHIELD, CLAM SHELL[CUST: CC] | A | 5935 | / | CC | 07-SEP-01 |
| A | MIL-DTL-21097/19D | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD BLADE SIMULATOR FOR MEASURING ENGAGEMENT AND SEPARATION FORCES FOR TYPE CR CONTACTS[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-AUG-05 |
| A | MIL-DTL-21097/13C | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD COMPOSITE, RECEPTACLE, CONTACT SPACING: 0.200, ALTERNATE DUAL ROW, TYPE CR, REMOVABLE CONTACT[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-AUG-05 |
| A | MIL-DTL-21097/4F | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD COMPOSITE, RECEPTACLE, CONTACT SPACING (.200) ALTERNATE DUAL ROW, TYPE CR[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-AUG-05 |
| A | MIL-DTL-21097/16F | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD CONTACT, CRIMP, REMOVABLE, TYPE CR[CUST: CR EC 11 CC] [REVIEW: AR AS AT CR4 MC MI OS] | A | 5935 | | CC | 18-AUG-05 |
| A | MIL-DTL-21097/17E | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD CONTACT, SOLDER, REMOVABLE, TYPE CR[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 18-AUG-05 |
| A | MIL-DTL-21097/11J | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD KEYS, POLARIZING[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-AUG-05 |
| A | MIL-DTL-21097/5F | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD MALE ADAPTER, CONTACT SPACING (.200) ALTERNATE DUAL ROW, TYPE CS[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-AUG-05 |
| A | MIL-DTL-21097/14F | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD MALE ADAPTER, CONTACT SPACING: 0.200, ALTERNATE DUAL ROW, TYPE CS, BLADE CONTACT (MOUNTING PROVISION A)[CUST: CR EC 11 CC] [REVIEW: AR AS AT CR4 MC MI OS] | A | 5935 | | CC | 18-AUG-05 |
| A | MIL-DTL-21097/15G | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD MALE ADAPTER, CONTACT SPACING: 0.200, ALTERNATE DUAL ROW, TYPE CS, BLADE CONTACT (NO MOUNTING PROVISION)[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-AUG-05 |
| A | MIL-DTL-21097/21B | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (.156), TYPES A AND AD[CUST: CR EC 11 CC] [REVIEW: AR AT CR4 MC MI OS SH] | A | 5935 | | CC | 18-AUG-05 |
| A | MIL-DTL-21097/18D | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD TOOL, CONTACT, REMOVAL, FOR TYPE CR CONNECTOR CONTACTS[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-AUG-05 |
| A | QPL-21097-49 | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD, GENERAL PURPOSE GENERAL SPECIFICATION FOR | A | 5935 | | CC | 27-JAN-06 |
| A | MIL-DTL-21097F | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD, GENERAL PURPOSE GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: AR AT AV CR4 MC MI] | A | 5935 | | CC | 18-AUG-05 |
| | QPL-81659-16 | CONNECTORS, ELECTRICAL, RECTANGULAR CRIMP CONTACTS, GENERAL SPECIFICATION FOR | A | 5935 | | AS | 25-APR-05 |
| | MIL-DTL-83513/5G(1) | CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, MOUNTING HARDWARE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 24-DEC-02 |
| M | QPL-83513-52 | CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 19-APR-06 |
| | MIL-DTL-83513E | CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A | 5935 | | CC | 29-MAY-02 |
| | MIL-DTL-32139/3(1) | CONNECTORS, ELECTRICAL, RECTANGULAR, NANOMINIATURE, DUAL ROW, PLUG, POLARIZED SHELL, PIN CONTACTS, CRIMP TYPE[CUST: CR EC 11 CC] | A | 5935 | | CC | 21-JUL-04 |
| | MIL-DTL-32139/4(1) | CONNECTORS, ELECTRICAL, RECTANGULAR, NANOMINIATURE, DUAL ROW, RECEPTACLE, POLARIZED SHELL, SOCKET CONTACTS, CRIMP TYPE[CUST: CR EC 11 CC] | A | 5935 | | CC | 21-JUL-04 |
| | MIL-DTL-32139(1) | CONNECTORS, ELECTRICAL, RECTANGULAR, NANOMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] | A | 5935 | | CC | 21-JUL-04 |
| | MIL-DTL-32139/1(1) | CONNECTORS, ELECTRICAL, RECTANGULAR, NANOMINIATURE, SINGLE ROW, PLUG, POLARIZED SHELL, PIN CONTACTS, CRIMP TYPE[CUST: CR EC 11 CC] | A | 5935 | | CC | 21-JUL-04 |
| | MIL-DTL-32139/2(1) | CONNECTORS, ELECTRICAL, RECTANGULAR, NANOMINIATURE, SINGLE ROW, RECEPTACLE, POLARIZED SHELL, SOCKET CONTACTS, CRIMP TYPE[CUST: CR EC 11 CC] | A | 5935 | | CC | 21-JUL-04 |
| A | QPL-32139-1 | CONNECTORS, ELECTRICAL, RECTANGULAR, NONMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 30-JAN-06 |
| | MIL-C-81659/53A NOT 2 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 1 (-65 DEG. C TO +125 DEG. C), SERIES 2, SHELL DESIGNATOR B[CUST: AS] [REVIEW: EC OS] | A | 5935 | | AS | 17-OCT-91 |
| | MIL-DTL-83513/1G | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS M, SOLDER TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 25-JUN-02 |
| | MIL-DTL-83513/23C | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 3 ROW, SOLDER TYPE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/30A | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A | 5935 | | CC | 24-MAY-04 |
| | MIL-DTL-83513/8E | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS P, CRIMP TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 25-JUN-02 |
| | MIL-DTL-83513/22C | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 2 ROW, SOLDER TYPE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/16C | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/29A | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A | 5935 | | CC | 24-MAY-04 |
| | MIL-DTL-83513/18C | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/17C | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/6E | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS P, SOLDER TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 25-JUN-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-83513/24C | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/3G | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS M, CRIMP TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 25-JUN-02 |
| | MIL-DTL-83513/10C | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 2 ROW, SOLDER TYPE, NARROW PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 20-SEP-02 |
| | MIL-DTL-83513/11C | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 3 ROW, SOLDER TYPE, NARROW PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 20-SEP-02 |
| | MIL-DTL-83513/28A | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A | 5935 | | CC | 24-MAY-04 |
| | MIL-DTL-83513/12C | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 4 ROW, SOLDER TYPE, NARROW PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 20-SEP-02 |
| | MIL-DTL-28748/3F | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE PIN CONTACTS, SIZES 16 AND 20[CUST: CR EC 11 CC] [REVIEW: 99 AS AT MI SH] | A | 5935 | | CC | 09-SEP-04 |
| | MIL-DTL-28748/17 | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, HARDWARE FOR SIZES 16 AND 20[CUST: CR EC 11 CC] [REVIEW: 99 AS AT MI SH] | A | 5935 | | CC | 09-SEP-04 |
| | MIL-DTL-28748/10G | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, POLARIZED CENTER JACKSCREW OR GUIDEPIN STYLE CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZE 16[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 10-OCT-01 |
| | MIL-DTL-28748/9G | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, POLARIZED CENTER JACKSCREW OR GUIDEPIN STYLE CRIMP TYPE REMOVABLE PIN CONTACTS, SIZE 16[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 10-OCT-01 |
| | MIL-DTL-28748/18 | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, PRINTED WIRING BOARD (PWB) MOUNT, STRAIGHT THROUGH, PIN CONTACTS, SIZE 22[CUST: CR EC 11 CC] | A | 5935 | | CC | 11-MAR-05 |
| | MIL-DTL-28748/20 | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, PRINTED WIRING BOARD (PWB) MOUNT, RIGHT ANGLE, PIN CONTACTS, SIZE 22[CUST: CR EC 11 CC] | A | 5935 | | CC | 11-MAR-05 |
| | MIL-DTL-28748/21 | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, PRINTED WIRING BOARD (PWB) MOUNT, RIGHT ANGLE, SOCKET CONTACTS, SIZE 22[CUST: CR EC 11 CC] | A | 5935 | | CC | 11-MAR-05 |
| | MIL-DTL-28748/19 | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, PRINTED WIRING BOARD (PWB) MOUNT, STRAIGHT THROUGH, SOCKET CONTACTS, SIZE 22[CUST: CR EC 11 CC] | A | 5935 | | CC | 11-MAR-05 |
| | MIL-DTL-28748/1E | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 16[CUST: CR EC 11 CC] [REVIEW: 99 AS AT MI SH] | A | 5935 | | CC | 09-SEP-04 |
| | MIL-C-28748/7E(3) | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 22[CUST: CR EC 11 CC] [REVIEW: 84 AM AR MC] | A | 5935 | | CC | 12-JUN-00 |
| | MIL-DTL-28748/2E | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET CONTACTS, SIZE 16[CUST: CR EC 11 CC] [REVIEW: 99 AS AT MI SH] | A | 5935 | | CC | 09-SEP-04 |
| | MIL-C-28748/8E(3) | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET CONTACTS, SIZE 22[CUST: CR EC 11 CC] [REVIEW: 84 AM AR MC] | A | 5935 | | CC | 12-JUN-00 |
| | MIL-DTL-83513/27C | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/15D | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKETS CONTACTS, 4 ROW, SOLDER TYPE, NARROW PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 14-JUL-04 |
| | MIL-DTL-83513/19C | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/9E | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS P, CRIMP TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 25-JUN-02 |
| | MIL-DTL-83513/20C | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/14C | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, NARROW PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 20-SEP-02 |
| | MIL-DTL-83513/7E | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS P, SOLDER TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 25-JUN-02 |
| | MIL-DTL-83513/25C | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 2 ROW , SOLDER TYPE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/13C | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, NARROW PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 20-SEP-02 |
| A | MIL-DTL-83513/2G(1) | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS M, SOLDER TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 13-JAN-06 |
| | MIL-DTL-83513/4G | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS M, CRIMP TYPE[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 25-JUN-02 |
| | MIL-DTL-83513/31A | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A | 5935 | | CC | 24-MAY-04 |
| | MIL-DTL-83513/32A | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A | 5935 | | CC | 24-MAY-04 |
| | MIL-DTL-83513/21C | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/26C | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, 51 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 27-FEB-03 |
| | MIL-DTL-83513/33A | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A | 5935 | | CC | 24-MAY-04 |
| | MIL-DTL-28731E | CONNECTORS, ELECTRICAL, RECTANGULAR, REMOVABLE CONTACT, FORMED BLADE, FORK TYPE (FOR RACK AND PANEL AND OTHER APPLICATIONS)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT MI OS SH] | A | 5935 | | CC | 11-OCT-00 |
| | EIA364.11 | CONNECTORS, ELECTRICAL, RESISTANCE TO SOLVENTS, TEST PROCEDURE FOR[CUST: CR EC 11 CC] | A | 5935 | | CC | 25-SEP-87 |
| | MIL-C-28840/12C(1) NOT 1 | CONNECTORS, ELECTRICAL, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, BOX MOUNTING, CLASSES D AND DS[CUST: EC] | A | 5935 | | CC | 30-OCT-01 |
| | A-A-55164 NOT 1 | CONNECTORS, ELECTRICAL, SOCKETS SINGLE IN LINE MEMORY MODULE, SINGLE AND DUAL, ANGLED LOW PROFILE TYPE, 30 OR 60 CONTACTS[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-55162 NOT 1 | CONNECTORS, ELECTRICAL, SOCKETS SINGLE IN LINE MEMORY MODULE, SINGLE AND DUAL VERTICAL TYPE, 30 OR 60 CONTACTS[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | A-A-55165 NOT 1 | CONNECTORS, ELECTRICAL, SOCKETS SINGLE IN LINE MEMORY MODULE, SINGLE VERTICAL TYPE, 64 CONTACTS[CUST: CC] | A | 5935 | / | CC | 29-OCT-01 |
| | EIA364.56 | CONNECTORS, ELECTRICAL, SOLDERING HEAT TEST PROCEDURE FOR, RESISTANCE TO[CUST: CR EC 11 CC] | A | 5935 | | CC | 05-APR-91 |
| | MIL-C-39024/5C NOT 1 | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (HOLE MOUNTING, PUSH-FIT), LOW VOLTAGE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-DTL-39024/12E | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (HOLE MOUNTING, PUSH-FIT), LOW VOLTAGE[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-39024/2D | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (THREADED), HIGH VOLTAGE[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-39024/1D | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (THREADED), LOW VOLTAGE[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-39024/14B | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT SUBMINIATURE (PUSH-IN), LOW VOLTAGE, .080[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-39024/18E | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE; MICRO-MINIATURE, SINGLE TEST POINT (2-LEG MOUNTING), LOW VOLTAGE, .080 INCH[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG CR4 MC MI] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-39024/13B | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE; SINGLE TEST POINT (RIGHT ANGLE, 2-LEG MOUNTING), LOW VOLTAGE, .080[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-39024/15B | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE; SINGLE TEST POINT, LOW VOLTAGE, .080[CUST: CR EC 11 CC] [REVIEW: MI] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-39024/4D | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE; SINGLE TEST POINT (RIGHT ANGLE, 3-LEG MOUNTING), LOW VOLTAGE[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-C-39024/3B NOT 1 | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING; SINGLE TEST POINT (RIGHT ANGLE, 2-LEG MOUNTING), LOW VOLTAGE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-C-83526B | CONNECTORS, FIBER OPTIC, CIRCULAR, ENVIRONMENTAL RESISTANT, HERMAPHRODITIC, GENERAL SPECIFICATION FOR[CUST: CR EC 11 NA] [REVIEW: 19 70 99 MI] | A | 6060 | | CC | 14-OCT-93 |
| | MIL-PRF-28876/29E | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, 90 BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/26D | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH SHORT BACKSHELL, NON-ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/30 | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, LIGHT DUTY BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NI] | A | 6060 | | SH | 04-OCT-04 |
| M | QPL-28876-28 | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, GENERAL SPECIFICATION FOR | A | 6060 | | SH | 24-APR-06 |
| | MIL-PRF-28876/28D | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, 45 BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876E | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, GENERAL SPECIFICATION FOR[CUST: CR SH 11] [REVIEW: 13 19 93 99 AS CC DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/27D | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, STRAIGHT BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/6E | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITHOUT BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/8E | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH 45 BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/7E | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH STRAIGHT BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/10F | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, DUST COVER, SCREW THREADS, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/9E | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH 90 BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/3E | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH 45 BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/4E | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH 90 BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/11E | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING, WITHOUT BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/12E | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING WITH STRAIGHT BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/15E | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, DUST COVER, SCREW THREADS, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 02 03 13 19 33 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/31 | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, EMI RETENTION NUT[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/5E | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH STRAIGHT BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/1E | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITHOUT BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/2E | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH STRAIGHT BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/14E | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING, WITH 90 BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| | MIL-PRF-28876/13E | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING WITH 45 DEG. BACKSHELL, ENVIRONMENT RESISTING[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | SH | 04-OCT-04 |
| A | QPL-83522-22 | CONNECTORS, FIBER OPTIC, SINGLE TERMINUS, GENERAL SPECIFICATION FOR | A | 6060 | | CC | 24-OCT-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-83522D(1) | CONNECTORS, FIBER OPTIC, SINGLE TERMINUS, GENERAL SPECIFICATION FOR[CUST: CR SH 11 NA] [REVIEW: 02 13 19 70 99 AS EC MI] | A | 6060 | | CC | 11-MAY-95 |
| A | QPL-26500-70 | CONNECTORS, GENERAL PURPOSE, ELECTRICAL, MINIATURE, CIRCULAR, ENVIRONMENT RESISTING, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 20-DEC-05 |
| | QPL-55116-15 | CONNECTORS, MINIATURE AUDIO, FIVE-PIN AND SIX-PIN, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 29-NOV-04 |
| | MIL-C-19064B(2) NOT 3 | CONNECTORS, OXYGEN HOSE TO REGULATOR[CUST: AV AS 99] | A | 1660 | | AS | 21-MAR-05 |
| | A-A-55480A | CONNECTORS, PIN AND RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK AND PANEL, DUST COVER[CUST: EC CC] | A | 5935 | / | CC | 08-AUG-02 |
| A | MIL-DTL-28804/9E | CONNECTORS, PIN CONTACT, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SIZE 22, CRIMP REMOVABLE[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A | 5935 | | CC | 28-OCT-05 |
| | A-A-55479A | CONNECTORS, PIN, ELECTRICAL, RECTANGULAR, RACK AND PANEL, PIN PROTECTOR[CUST: EC CC] | A | 5935 | / | CC | 08-AUG-02 |
| | MIL-DTL-28804D(1) | CONNECTORS, PLUG AND RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZATION CENTER JACKSCREW, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AS AT MC MI] | A | 5935 | | CC | 07-DEC-99 |
| A | QPL-28804-15 | CONNECTORS, PLUG AND RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 29-AUG-05 |
| | MIL-DTL-83527B SUP 1 | CONNECTORS, PLUG AND RECEPTACLE, ELECTRICAL, RECTANGULAR MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5935 | | CC | 05-AUG-03 |
| | MIL-DTL-21617A SUP 1 | CONNECTORS, PLUG AND RECEPTACLE, ELECTRICAL, RECTANGULAR, POLARIZED SHELL, MINIATURE TYPE GENERAL SPECIFICATION FOR[CUST: CR EC CC] [REVIEW: AV MI] | A | 5935 | | CC | 27-AUG-03 |
| A | QPL-55181-16 | CONNECTORS, PLUG AND RECEPTACLE, INTERMEDIATE POWER (ELECTRICAL, WATERPROOF) TYPE MW, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 13-JUL-05 |
| | MIL-DTL-55181D | CONNECTORS, PLUG AND RECEPTACLE, INTERMEDIATE POWER (ELECTRICAL, WATERPROOF), TYPE MW, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 12-JUN-03 |
| | MIL-C-55074F(3) SUP 1 | CONNECTORS, PLUG AND RECEPTACLE, TELEPHONE, ELECTRICAL, SUBASSEMBLY AND ACCESSORIES AND CONTACT ASSEMBLY, ELECTRICAL, GENERAL SPECIFICATION FOR[CUST: CR CC] | A | 5935 | | CC | 24-JAN-00 |
| | QPL-55074-9 | CONNECTORS, PLUG AND RECEPTACLE, TELEPHONE, ELECTRICAL, SUBASSEMBLY AND ACCESSORIES AND CONTACT ASSEMBLY, ELECTRICAL, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 03-MAY-04 |
| | MS3409B NOT 1 | CONNECTORS, PLUG, ELECTRIC, 45 DEGREES ASSEMBLY, CRIMP CONTACT, AN TYPE[CUST: AS CC] | A | 5935 | | AS | 23-OCT-91 |
| | MIL-C-28804/6D NOT 1 | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS P[CUST: CR EC 11] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-C-28804/2D NOT 1 | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS G[CUST: CR EC 11] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-C-28804/8D NOT 1 | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SOLDER PIN CONTACTS, CLASS S[CUST: CR EC 11] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-C-28804/11D NOT 1 | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, INTERFACIAL SEAL, SOLDER PIN CONTACTS, CLASS SE[CUST: CR EC 11] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-C-28804/4D NOT 1 | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS E[CUST: CR EC 11] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A | 5935 | | CC | 30-OCT-01 |
| | MS27500G NOT 1 | CONNECTORS, PLUG, ELECTRICAL, 90 DEGREES ELBOW, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MIL-PRF-39012/35G(1) NOT 1 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES SC (CABLED), PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 17-JUN-02 |
| | MIL-PRF-39012/20G NOT 1 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/16G(1) NOT 1 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 31-JAN-03 |
| | MIL-PRF-39012/17G NOT 1 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC, (CABLED), SOCKET CONTACT, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/7D(1) NOT 1 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C (CABLED), FEMALE, CLASS 2 )[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-C-39012/15D NOT 1 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED) MALE, CLASS 2 )[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/10D(2) NOT 1 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED), MALE, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 14-MAY-03 |
| | MIL-PRF-39012/6D(1) NOT 1 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED), MALE, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 14-MAY-03 |
| | MIL-PRF-39012/5G(3) NOT 1 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES N (CABLED), RIGHT ANGLE, PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 08-APR-05 |
| | MIL-PRF-39012/1G(3) NOT 1 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES N (CABLED), PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 08-APR-05 |
| | MIL-PRF-39012/26G(5) NOT 1 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 16-MAY-05 |
| | MIL-PRF-39012/81F(2) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, SOCKET, CLASS 2, SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/80E(2) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, PIN RIGHT ANGLE, CLASS 2, SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/92C(4) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, CLASS 2, WITHOUT CONTACT, .141 SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/79F(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, PIN, CLASS 2, SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MS27661E | CONNECTORS, PLUG, ELECTRICAL, CRIMP TYPE, LANYARD RELEASE, FAIL-SAFE, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | W-C-596/73D | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/66D | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/69C | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | MIL-DTL-55302/131C | CONNECTORS, PLUG, ELECTRICAL, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RIGHT ANGLE, PIN CONTACTS, 64 OR 96 CONTACT POSITION FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-FEB-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-55302/133C | CONNECTORS, PLUG, ELECTRICAL, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RIGHT ANGLE, PIN CONTACTS, 32 OR 64 CONTACT POSITION FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-FEB-05 |
| | MS3456D | CONNECTORS, PLUG, ELECTRICAL, REAR RELEASE, CRIMP CONTACT, AN TYPE[CUST: AS 11] [REVIEW: 99 AR AT AV CC CR4 EC MI] | A | 5935 | | AS | 23-MAR-76 |
| | MIL-C-28748/13B NOT 1 | CONNECTORS, PLUG, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE PIN CONTACTS, SIZE 22[CUST: CR EC 11] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 30-OCT-01 |
| | W-C-596/125A | CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/121A | CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/117A | CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/137A | CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | MS27484M NOT 1 | CONNECTORS, PLUG, ELECTRICAL, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, EMI, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI] | A | 5935 | | CC | 24-MAY-04 |
| | MS27467L(1) | CONNECTORS, PLUG, ELECTRICAL, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 21-AUG-03 |
| | MS27473M NOT 1 | CONNECTORS, PLUG, ELECTRICAL, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS27480G NOT 1 | CONNECTORS, PLUG, ELECTRICAL, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MIL-PRF-49142/12D | CONNECTORS, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 18-APR-05 |
| | MIL-PRF-39012/2G(2) | CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES N (CABLED), FLANGE MOUNTED, SOCKET CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 12-OCT-99 |
| A | QPL-22992-48 | CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, WATERPROOF, QUICK DISCONNECT, HEAVY DUTY TYPE, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 30-JAN-06 |
| A | MIL-DTL-22992F SUP 1 | CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, WATERPROOF, QUICK DISCONNECT, HEAVY DUTY TYPE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH YD] | A | 5935 | | CC | 26-OCT-05 |
| A | MIL-PRF-39012/55G | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES SMA (CABLED) - PLUG, PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 06-JAN-06 |
| A | MIL-PRF-39012/56F | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES SMA (CABLED) - PLUG, PIN CONTACT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 06-JAN-06 |
| | MIL-PRF-39012/57F(3) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 11-JAN-00 |
| | MIL-PRF-39012/27G(2) NOT 1 | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), SOCKET CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 08-APR-05 |
| | MIL-PRF-39012/69B(2) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED, SOCKET CONTACT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 15-DEC-99 |
| | MIL-PRF-39012/67B(2) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED, SOCKET CONTACT, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 15-DEC-99 |
| | MIL-PRF-39012/68B(2) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 15-DEC-99 |
| | MIL-PRF-39012/75B(2) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC (CABLED, SOCKET CONTACT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 15-DEC-99 |
| | MIL-PRF-39012/74B(2) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, (CABLED, PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 15-DEC-99 |
| | MIL-PRF-39012/73B(2) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, (CABLED, SOCKET CONTACT, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 15-DEC-99 |
| | MIL-C-24231D(2) SUP 1 | CONNECTORS, PLUGS, RECEPTACLES, ADAPTERS, HULL INSERTS, AND HULL INSERT PLUGS, PRESSURE-PROOF, GENERAL SPECIFICATION FOR[CUST: SH] | A | 5935 | | SH | 07-AUG-89 |
| | MIL-DTL-55302/146C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 2.717 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH] | A | 5935 | | CC | 22-MAR-05 |
| A | MIL-DTL-55302F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 EA MC MI OS] | A | 5935 | | CC | 13-MAR-03 |
| M | QPL-55302-105 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES | A | 5935 | | CC | 24-APR-06 |
| | MIL-DTL-55302/143C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE WITH SOCKET CONTACTS, 3 KEYING GUIDES, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 07-MAR-05 |
| | MIL-DTL-55302/155B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, HOOD FOR PRINTED WIRING BOARDS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 09-MAR-05 |
| | MIL-DTL-55302/154C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, MOUNTING HARDWARE FOR PRINTED WIRING BOARDS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH] | A | 5935 | | CC | 09-MAR-05 |
| | MIL-DTL-55302/164D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG AND/OR RECEPTACLE, 160 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 08-JUL-04 |
| | MIL-DTL-55302/141C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG WITH PIN CONTACTS, 3 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 07-MAR-05 |
| | MIL-DTL-55302/162D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, 17, 29, 33, 41, 53, AND 65 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 08-JUL-04 |
| | MIL-DTL-55302/163D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, 72, 84, 96, AND 120 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 08-JUL-04 |
| | MIL-DTL-55302/144C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 1.516 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 22-MAR-05 |
| | MIL-DTL-55302/145C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 2.114 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 22-MAR-05 |
| | MIL-DTL-55302/147C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 3.315 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 22-MAR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-55302/148C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 3.917 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH] | A | 5935 | | CC | 22-MAR-05 |
| | MIL-DTL-55302/142C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE WITH SOCKET CONTACTS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH] | A | 5935 | | CC | 07-MAR-05 |
| | MIL-DTL-55302/161D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, 160 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 08-JUL-04 |
| | MIL-DTL-55302/159D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, 17, 29, 33, 41, 53, AND 65 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 08-JUL-04 |
| | MIL-DTL-55302/160D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, 72, 84, 96, AND 120 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 08-JUL-04 |
| | MIL-DTL-55302/173B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2 ROW, PIN ASSEMBLIES, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI] | A | 5935 | | CC | 13-SEP-02 |
| | MIL-DTL-55302/175B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2 ROW, PIN ASSEMBLIES, RIGHT ANGLE, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC] | A | 5935 | | CC | 13-SEP-02 |
| | MIL-DTL-55302/174B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2 ROW, RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI] | A | 5935 | | CC | 13-SEP-02 |
| | MIL-DTL-55302/178B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3 ROW, PIN ASSEMBLIES, RIGHT ANGLE, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5935 | | CC | 13-SEP-02 |
| | MIL-DTL-55302/176B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3 ROW, PIN ASSEMBLIES, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5935 | | CC | 13-SEP-02 |
| | MIL-DTL-55302/180B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4 ROW, RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5935 | | CC | 13-SEP-02 |
| | MIL-DTL-55302/182B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: GUIDE PINS, JACKCREWS AND MOUNTING EARS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5935 | | CC | 13-SEP-02 |
| | MIL-C-55302/124 NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING ACCESSORIES[CUST: 11] [REVIEW: 19 99] | A | 5935 | | CC | 02-OCT-92 |
| | MIL-DTL-55302/170B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, FEMALE BRUSH, RIGHT ANGLE, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARD (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-55302/168B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, RIGHT ANGLE, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-55302/171B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, CONTACT BRUSH[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-55302/169B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, FEMALE BRUSH, STRAIGHT-THROUGH, POLARIZED, (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-55302/16C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PIN, RIGHT-ANGLE, FOR PRINTED WIRING BOARDS (.200 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV MC MI] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-DTL-55302/149C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 1.516 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-FEB-05 |
| | MIL-DTL-55302/152C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 3.315 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-FEB-05 |
| | MIL-DTL-55302/153C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 3.917 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-FEB-05 |
| | MIL-DTL-55302/151C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 2.717 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-FEB-05 |
| A | MIL-DTL-55302/193A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 122 AND 152 POSITION, PRINTED WIRING BOARD (.075 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 20-JAN-06 |
| | MIL-DTL-55302/19E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS RIGHT-ANGLE, 41 COMPOSITE CONTACT, FOR PRINTED WIRING BOARDS (.150 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 AS AT CR4 MC MI] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-DTL-55302/122B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 184 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 06-DEC-04 |
| | MIL-DTL-55302/21F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACT, RIGHT-ANGLE, 92 COMPOSITE CONTACT, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-DTL-55302/120B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 06-DEC-04 |
| | MIL-C-55302/110G(1) | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, 30 THROUGH 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID)[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 16-JUN-00 |
| | MIL-DTL-55302/156E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, DECADE INCREMENTS 10 THROUGH 120, 150, 160 AND 180 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 09-MAR-05 |
| | MIL-C-55302/129D NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, 90 THROUGH 240 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: EC CC] | A | 5935 | | CC | 06-JUN-01 |
| | MIL-C-55302/113E(1) | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, 30 THROUGH 110 CONTACT POSITIONS, CRIMP REMOVABLE CONTACTS (.100 SQUARE GRID)[CUST: 11] [REVIEW: 19 99] | A | 5935 | | CC | 16-JUN-00 |
| | MIL-DTL-55302/157B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRIAGHT THRU CONTACTS, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 09-MAR-05 |
| | MIL-C-55302/89D NOT 4 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG,RIGHT-ANGLE, HERMAPHRODITIC CONTACTS (.100 INCH SPACING)[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 25-MAR-05 |
| | MIL-DTL-55302/158C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE SOCKET CONTACTS, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 09-MAR-05 |
| | MIL-C-55302/132B(1) | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE SOCKET CONTACTS, STRAIGHT THRU, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 11-JAN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-55302/134B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE SOCKET CONTACTS, STRAIGHT THRU 32 OR 64 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 18-FEB-05 |
| | MIL-DTL-55302/119H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING)[CUST: 11 CC] [REVIEW: 19] | A | 5935 | | CC | 09-JAN-04 |
| | MIL-DTL-55302/22F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI NS OS SH] | A | 5935 | | CC | 24-MAR-04 |
| A | MIL-DTL-55302/190A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, 100 POSITIONS, PRINTED WIRING BOARD (.075 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 20-JAN-06 |
| | MIL-DTL-55302/121B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 06-DEC-04 |
| | MIL-DTL-55302/65H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD] | A | 5935 | | CC | 03-FEB-04 |
| | MIL-DTL-55302/66G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD] | A | 5935 | | CC | 03-FEB-04 |
| A | MIL-DTL-55302/192A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, 122 AND 152 POSITIONS, PRINTED WIRING BOARD (.075 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 20-JAN-06 |
| | MIL-DTL-55302/20E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.150 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-DTL-55302/64H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 03-FEB-04 |
| | MIL-DTL-55302/123B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, 184 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 06-DEC-04 |
| | MIL-DTL-55302/130D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLES, 90 THROUGH 240 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: EC CC] | A | 5935 | | CC | 09-JAN-04 |
| | MIL-DTL-55302/177B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3 ROW, RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI] | A | 5935 | | CC | 13-SEP-02 |
| | MIL-DTL-55302/181B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4 ROW PIN ASSEMBLIES, RIGHT ANGLE, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5935 | | CC | 13-SEP-02 |
| | MIL-DTL-55302/179B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4ROW PIN ASSEMBLIES, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5935 | | CC | 13-SEP-02 |
| | MIL-DTL-55302/98D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACT, WRAPPOST REMOVABLE TYPE[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 17-NOV-04 |
| | MIL-DTL-55302/97D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS, HERMAPHRODITIC, CRIMP REMOVABLE FOR WIRE (STRANDED)[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 17-NOV-04 |
| | MIL-DTL-55302/32G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS, SOLDER EYELET AND WRAPPOST REMOVABLE TYPES[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-DTL-55302/29B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: GAGE FOR CONTACT SEPARATION FORCE TEST METHOD[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT CR4 MC MI SH] | A | 5935 | | CC | 05-DEC-03 |
| | MIL-DTL-55302/78D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEY, POLARIZING, CONNECTORS, ELECTRICAL PRINTED WIRING BOARDS[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 12-NOV-04 |
| | MIL-DTL-55302/31K | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING ACCESSORIES[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 09-JAN-04 |
| | MIL-DTL-55302/167B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, STRAIGHT-THROUGH, POLARIZED, WITH WRAPPOST TERMINATION (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-55302/166B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, STRAIGHT-THROUGH, POLARIZED, FOR MULTILAYERED PRINTING WIRING BOARDS (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-55302/18B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PIN, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.200 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 AS AT CR4 MC MI] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-DTL-55302/140C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH PIN CONTACTS, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH] | A | 5935 | | CC | 07-MAR-05 |
| | MIL-DTL-55302/150C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 2.114 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH] | A | 5935 | | CC | 18-FEB-05 |
| | MIL-DTL-55302/26F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 03-DEC-03 |
| | MIL-DTL-55302/125D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, 80 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 18-FEB-05 |
| | MIL-DTL-55302/95E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, COMPOSITE WRAPPOST, HERMAPHRODITIC CONTACTS (.100 INCH SPACING)[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 17-NOV-04 |
| | MIL-DTL-55302/118E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 09-JAN-04 |
| | MIL-DTL-55302/23H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, DECADE INCREMENT 10 THRU 120, 150, 160 AND 180 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 03-DEC-03 |
| | MIL-DTL-55302/93E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, INSERT (INSULATOR), RECTANGULAR, POLARIZED, REMOVABLE CRIMP TYPE, HERMAPHRODITIC CONTACTS (.100 INCH SPACING)[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 18-FEB-05 |
| A | MIL-DTL-55302/191A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 100 POSITIONS, PRINTED WIRING BOARD (.075 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 20-JAN-06 |
| | MIL-DTL-55302/1D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, FOR PRINTED WIRING BOARDS (.150 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS] | A | 5935 | | CC | 03-FEB-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-55302/4E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC OS SH] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-55302/59H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, DECADE INCREMENTS 90, 100 AND 120 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD] | A | 5935 | | CC | 03-FEB-04 |
| | MIL-DTL-55302/61G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, AND 66 FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5935 | | CC | 03-FEB-04 |
| | MIL-DTL-55302/63G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD] | A | 5935 | | CC | 03-FEB-04 |
| | MIL-DTL-55302/7D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC OS SH] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-55302/57H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD] | A | 5935 | | CC | 03-FEB-04 |
| | MIL-DTL-55302/5E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC OS] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-55302/138C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN, 160 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-DTL-55302/117E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 09-JAN-04 |
| | MIL-DTL-55302/53C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT-ANGLE, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH] | A | 5935 | | CC | 10-DEC-03 |
| | MIL-DTL-55302/55G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACTPOSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD] | A | 5935 | | CC | 03-FEB-04 |
| | MIL-DTL-55302/54C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACT FORPRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH] | A | 5935 | | CC | 10-DEC-03 |
| | MIL-DTL-55302/91E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACTS (.100 INCH SPACING)[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 18-FEB-05 |
| | MIL-DTL-55302/25F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 120, 150, 160, AND 180 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 10-DEC-03 |
| | MIL-DTL-55302/27J | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 03-DEC-03 |
| | MIL-DTL-55302/126D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 80 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 18-FEB-05 |
| | MIL-DTL-55302/24G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DECADE INCREMENT 10 THRU 110, CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 03-DEC-03 |
| | MIL-DTL-55302/128D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DOUBLE ROW, 4 THROUGH 130 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.062 , .093 , .125 ) (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 04-JUN-04 |
| | MIL-DTL-55302/94E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, INSERT (INSULATOR), RECTANGULAR, POLARIZED, REMOVABLE, CRIMP TYPE HERMAPHRODITIC CONTACTS (.100 INCH SPACING)[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 17-NOV-04 |
| | MIL-DTL-55302/56H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD] | A | 5935 | | CC | 03-FEB-04 |
| | MIL-DTL-55302/90E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, RIGHT ANGLE, HERMAPHRODITIC CONTACT (.100 INCH SPACING)[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 18-FEB-05 |
| | MIL-DTL-55302/127C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SINGLE ROW, 2 THROUGH 65 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.062 , .093 , .125 ) (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 04-JUN-04 |
| | MIL-DTL-55302/6J | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH] | A | 5935 | | CC | 06-APR-05 |
| | MIL-DTL-55302/2E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.150 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-55302/58J | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD] | A | 5935 | | CC | 03-FEB-04 |
| | MIL-C-55302/111A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS, (.100 SPACING)[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV MC MI OS] | A | 5935 | | CC | 07-SEP-88 |
| | MIL-DTL-55302/60J | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 90, 100 AND 120 CONTACTPOSITIONS (.100 SPACING)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 03-FEB-04 |
| | MIL-DTL-55302/8E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC OS SH] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-DTL-55302/62H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5935 | | CC | 03-FEB-04 |
| | MIL-DTL-55302/92E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACTS (.100 INCH SPACING)[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 18-FEB-05 |
| | MIL-DTL-55302/52D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH] | A | 5935 | | CC | 17-DEC-03 |
| | MIL-DTL-55302/96E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, WRAPPOST (REMOVABLE) HERMAPHRODITIC CONTACTS (.100 INCH SPACING)[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 17-NOV-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-55302/139C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLES, 90 THROUGH 240 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-DTL-55302/17B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: SOCKET, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.200 SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT CR4 MC MI] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-DTL-55302/30B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: TEST PROBE FIXTURE FOR RESISTANCE TO TEST PROBE DAMAGE[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI] | A | 5935 | | CC | 05-DEC-03 |
| | MIL-C-28804/5D NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS P[CUST: CR EC 11] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A | 5935 | | CC | 30-OCT-01 |
| A | MIL-DTL-28804/7E | CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SOLDER SOCKET CONTACTS, CLASS S[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A | 5935 | | CC | 28-OCT-05 |
| A | MIL-DTL-28804/1E | CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS G[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A | 5935 | | CC | 28-OCT-05 |
| | MIL-C-28804/3D NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS E[CUST: CR EC 11] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A | 5935 | | CC | 30-OCT-01 |
| | MS3412D NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE-WITH ACCESSORY THREADS[CUST: AS] | A | 5935 | | AS | 23-OCT-91 |
| | SAE-AS34121 | CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE - WITH ACCESSORY THREADS[CUST: AS] | A | 5935 | | AS | JAN-98 |
| | SAE-AS34001 | CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE[CUST: AS] | A | 5935 | | AS | OCT-97 |
| | MIL-PRF-39012/128B NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL COAXIAL, RADIO FREQUENCY (SERIES BNC, SOLDER POCKET, SOCKET CONTACT JAM NUT MOUNTED, ISOLATED, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 MI MS OS SH] | A | 5935 | | CC | 24-SEP-01 |
| | MS27508G NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, BACK PANEL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS27505G | CONNECTORS, RECEPTACLE, ELECTRICAL, BACK PANEL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MS27497N NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, BACK PANEL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS27656D | CONNECTORS, RECEPTACLE, ELECTRICAL, BACK PANEL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MS27513E NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS27504D NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS27499H NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS27496G | CONNECTORS, RECEPTACLE, ELECTRICAL, BOX MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MIL-DTL-38999/34B | CONNECTORS, RECEPTACLE, ELECTRICAL, CIRCULAR, BREAKAWAY JAMNUT MOUNTING, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, SHELL SIZE 25, METRIC[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-38999/35B | CONNECTORS, RECEPTACLE, ELECTRICAL, CIRCULAR, BREAKAWAY WALL MOUNTING FLANGE, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, SHELL SIZE 25, METRIC[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-PRF-39012/39G(1) NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES SC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 17-JUL-03 |
| | MIL-PRF-39012/28G(2) NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 08-APR-05 |
| | MIL-PRF-39012/30G(2) NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 08-APR-05 |
| | MIL-PRF-39012/18G(1) NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 31-JAN-03 |
| | MIL-PRF-39012/19G NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/24C(1) NOT 2 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (UNCABLED) - FEMALE, HERMETIC SEALED, JAM NUT MOUNTED, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CR4 MI NA OS] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/8D(1) NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED), FEMALE, FLANGE MOUNTED, REAR MOUNTED, CLASS 2 )[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/11D NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLE) FEMALE, JAM NUT, REAR MOUNTED, PRESSURIZED, CLASS 2 )[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/38G NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, REAR MOUNTED, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/40G NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), SOCKET CONTACT, JAM NUT, REAR MOUNTED, CLASS 2)[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-PRF-39012/58F(3) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, FLANGE MOUNTED, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 11-JAN-00 |
| | MIL-PRF-39012/29G(2) NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 08-APR-05 |
| | MIL-PRF-39012/82F(2) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA, (CABLED, SOCKET, FLANGE MOUNTED, CLASS 2, SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/83F(2) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA, (CABLED, SOCKET, JAM NUT MOUNTED, CLASS 2, SEMIRIGID CABLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/95A(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (UNCABLED, MALE, PRINTED CIRCUIT, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AT CR4 MC MI] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/96A(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (UNCABLED, MALE, PRINTED CIRCUIT, RIGHT ANGLE, CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT AV CR4 MC MI] | A | 5935 | | CC | 05-APR-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-39012/70B(2) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB, (CABLED, PIN CONTACT, JAM NUT MOUNTED, REAR MOUNTED, CLASS 2 )[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 15-DEC-99 |
| | MIL-PRF-39012/77A(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC (UNCABLED, MALE, JAM NUT MOUNTED, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 15-DEC-99 |
| | MIL-PRF-39012/133A(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, PRINTED CIRCUIT BOARD MOUNT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI NA OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/134A(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, PRINTED CIRCUIT BOARD MOUNT, RIGHT ANGLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI NA OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/76B(2) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC,(CABLED, PIN CONTACT, JAM NUT MOUNTED, REAR MOUNTED, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 15-DEC-99 |
| | MIL-PRF-39012/141B(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SSMB, PRINTED CIRCUIT BOARD MOUNT, STRAIGHT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/135B(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SSMB, PRINTED CIRCUIT BOARD MOUNT, RIGHT ANGLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI NA OS SH] | A | 5935 | | CC | 05-APR-02 |
| | W-C-596/200A | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | MS27474G NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS3454C NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, REAR RELEASE CRIMP CONTACT, AN TYPE[CUST: CR AS 11] [REVIEW: AR AT AV CR4 EC MI] | A | 5935 | | AS | 23-OCT-91 |
| | SAE-AS34541 | CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, REAR RELEASE CRIMP CONTACT, AN TYPE[CUST: CR AS 11] | A | 5935 | | AS | JAN-98 |
| | MS27477H NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 80 99 EC MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS27470G | CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MS27478F NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, SOLDER MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS27471F | CONNECTORS, RECEPTACLE, ELECTRICAL, SOLDER MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | W-C-596/94B | CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/116A | CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/120A | CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/128A | CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3 PHASE[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/124A | CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/132A | CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 08-AUG-01 |
| | W-C-596/136A | CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y[CUST: CR YD 11 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 07-DEC-01 |
| | MS27662E | CONNECTORS, RECEPTACLE, ELECTRICAL, THRU-BULKHEAD MOUNTING, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MIL-PRF-49142/10E | CONNECTORS, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, UNCABLED (SERIES TRT, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2) HERMETIC AND NONHERMETIC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 18-APR-05 |
| | MIL-PRF-49142/4H | CONNECTORS, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, UNCABLED, (SERIES TRB, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2) HERMETIC AND NONHERMETIC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 18-APR-05 |
| | MS27472H NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS27466J | CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MS27475F NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, SOLDER TYPE, HERMETIC SEAL, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 80 EC IS MC MI OS] | A | 5935 | | CC | 24-MAY-04 |
| | MS27469G | CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, SOLDER TYPE, HERMETIC SEAL, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MIL-C-81790A(1) SUP 1 | CONNECTORS, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 99 AV] | A | 5935 | | AS | 30-DEC-92 |
| | QPL-81790-8 | CONNECTORS, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 5935 | | AS | 18-NOV-98 |
| | MIL-C-24231/14D | CONNECTORS, RECEPTACLE, MULTI-PIN, TYPE V, 14-, 24-, 30-, AND 40-CONDUCTOR [CUST: SH] [REVIEW: CC] | A | 5935 | | SH | 15-MAY-87 |
| A | MIL-PRF-39012/60C(1) | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY SERIES SMA (UNCABLED, SOCKET CONTACT, FLANGE MOUNTED, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 30-DEC-05 |
| | MIL-PRF-39012/3G(2) NOT 1 | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES N (CABLED) JAM NUT MOUNTED, SOCKET CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 08-APR-05 |
| | MIL-PRF-39012/59F(3) | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 11-JAN-00 |
| A | MIL-PRF-39012/62C(1) | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, SOCKET CONTACT, JAM NUT MOUNTED, HERMETIC SEAL, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 30-DEC-05 |
| | MIL-PRF-39012/94B(1) | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, FEMALE, PRINTED CIRCUIT, RIGHT ANGLE, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |
| | MIL-PRF-39012/93B(1) | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, FEMALE, PRINTED CIRCUIT, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 05-APR-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-PRF-39012/61C(1) | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 30-DEC-05 |
| | MIL-C-24231/10D(1) | CONNECTORS, SINGLE CABLE, TYPE III, 14-, 24-, 30-, OR 40-CONDUCTOR[CUST: SH] | A | 5935 | | SH | 02-MAR-92 |
| A | MIL-DTL-28804/10E | CONNECTORS, SOCKET CONTACT, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SIZE 22, CRIMP REMOVABLE[CUST: CR EC 11 CC] [REVIEW: 99 AS AT MC MI] | A | 5935 | | CC | 28-OCT-05 |
| | EIA364.20 | CONNECTORS, SOCKETS AND COAXIAL CONTACTS, ELECTRICAL, WITHSTANDING VOLTAGE TEST PROCEDURES FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | A-A-55528 NOT 1 | CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE RACK AND PANEL, SOLDER CONTACT, SCREWLOCK[CUST: CC] | A | 5935 | / | CC | 10-OCT-02 |
| | A-A-55530 NOT 1 | CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE RACK AND PANEL, SOLDER CONTACT, SIDE ENTRY SHIELD, SCREWLOCK[CUST: CC] | A | 5935 | / | CC | 10-OCT-02 |
| | A-A-55531 NOT 1 | CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, RECEPTACLE, FEMALE RACK AND PANEL, SOLDER CONTACT, SIDE ENTRY COVER, SCREWLOCK[CUST: CC] | A | 5935 | / | CC | 10-OCT-02 |
| | MIL-PRF-49142/8D | CONNECTORS, TRIAXIAL, RADIO FREQUENCY (SERIES TRT (CABLED), PLUG, PIN CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 18-APR-05 |
| | MIL-PRF-49142/11D | CONNECTORS, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED) RECEPTACLE, SOCKET CONTACT, CLASS 2)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 18-APR-05 |
| | UL486B | CONNECTORS, WIRE, FOR USE WITH ALUMINUM CONDUCTORS[CUST: CR YD] [REVIEW: 11 CR4 GS] | A | 5940 | | YD | 08-OCT-91 |
| | MIL-C-55302/172 NOT 1 | CONNECTORS,PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: HARDWARE, COUPLING AND LOCKING[CUST: 11] [REVIEW: 19 99] | A | 5935 | | CC | 06-JUN-01 |
| | MIL-DTL-55116C SUP 1 | CONNECTORS: MINIATURE AUDIO, FIVE-PIN AND SIX-PIN GENERAL SPECIFICATION FOR[CUST: CR CC] | A | 5935 | | CC | 22-MAR-04 |
| | QSTAG-1031 ED.1 | CONSISTENT SETS OF NUCLEAR HARDENING CRITERIA FOR CLASSES OF EQUIPMENT (U) VOLUMES 1 & 2[CUST: AI] | C | ISDA | | AI | 05-SEP-96 |
| | ASTM-D3171 | CONSTITUENT CONTENT OF COMPOSITE MATERIALS[CUST: MR GS] [REVIEW: AV CR4 EA MD] | A | 9320 | | IS | OCT-76 |
| | SAE-J209 | CONSTRUCTION AND INDUSTRIAL EQUIPMENT, INSTRUMENT FACE DESIGN AND LOCATION FOR[CUST: CR4 SA 99] [REVIEW: 84] | A | HFAC | | CR4 | MAR-71 |
| | MIL-STD-1691F | CONSTRUCTION AND MATERIAL SCHEDULE FOR MILITARY MEDICAL AND DENTAL FACILITIES[Military Standard][CUST: MD YD 03] | A | 6530 | | YD | 01-JUN-94 |
| | FED-STD-832 | CONSTRUCTION METHODS AND MATERIALS FOR VAULTS[CUST: AR YD 99 IS] | A | 7110 | * | YD | 01-SEP-02 |
| | CSI-MP2.2 | CONSTRUCTION SPECIFICATION SECTIONS, A RECOMMENDED FORMAT FOR[CUST: CR4 YD 99] [REVIEW: CE MC] | A | FACR | | YD | 31-JAN-85 |
| | CSI-MP2.3 | CONSTRUCTION SPECIFICATIONS, A RECOMMENDED PAGE FORMAT FOR[CUST: CR4 YD 99] [REVIEW: CE MC] | A | FACR | | YD | 31-JAN-92 |
| | ASTM-C297 | CONSTRUCTIONS, SANDWICH, IN FLATWISE PLANE, TENSILE STRENGTH OF[CUST: MR AS 11] | A | CMPS | | AS | 03-OCT-94 |
| | ASTM-C481 | CONSTRUCTIONS, SANDWICH, LABORATORY AGING OF[CUST: CR4 YD 99] [REVIEW: 70 71 MC] | A | FACR | | YD | 26-SEP-88 |
| | DI-ILSS-80834 | CONSUMABLE PARTS BONDROOM/INVENTORY AND PARTS USAGE REPORT [AMSC: N4722] | A | SESS | | SA | 31-MAY-89 |
| | ANSI-B71.1 | CONSUMER TURF CARE EQUIPMENT - WALK-BEHIND MOWERS AND RIDE-ON MACHINES WITH MOWERS, SAFETY SPECIFICATIONS[CUST: CR4 YD 99] | A | 3750 | | CR4 | 07-DEC-90 |
| | MIL-DTL-55074/4C | CONTACT ASSEMBLY, ELECTRICAL[CUST: CR CC] | A | 5935 | | CC | 12-AUG-03 |
| | EIA364.7 | CONTACT AXIAL CONCENTRICITY TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11] | A | 5935 | | AS | 05-FEB-98 |
| | SAE-AS33481 | CONTACT BUSHING, ELECTRIC, WIRE BARREL[CUST: CR AS 11] | A | 5935 | | AS | SEP-97 |
| | EIA364.37 | CONTACT ENGAGEMENT AND SEPARATION FORCE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11] | A | 5935 | | AS | 05-FEB-98 |
| | EIA364.5 | CONTACT INSERTION, RELEASE AND REMOVAL FORCE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11] | A | 5935 | | AS | 05-FEB-98 |
| | EIA364.06 | CONTACT RESISTANCE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: AV MI] | A | 5935 | | CC | 29-JUN-01 |
| | EIA364.29 | CONTACT RETENTION TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11] | A | 5935 | | AS | 05-FEB-98 |
| | MS3190G | CONTACT, WIRE BARREL, CRIMP TYPE[CUST: CR AS 11 CC] [REVIEW: 19 AR CR4 MC MI] | A | 5935 | | CC | 09-JUL-04 |
| | SAE-AS39029/90 | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8[CUST: CR AS 11 CC] [REVIEW: EC MC SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/91 | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8[CUST: CR AS 11 CC] [REVIEW: 16 EC MC SH] | A | 5935 | | AS | 29-APR-05 |
| | A-A-52536 NOT 1 | CONTACT, ELECTRICAL NO. 12, 14, AND 16 A.W.G.[CUST: AT YD] [REVIEW: AR CC MC] | A | 5999 | / | AT | 16-APR-04 |
| | MS27283B NOT 3 | CONTACT, ELECTRICAL-PLUG CONNECTOR, RAMP POWER, 416/240 VOLTS, LARGE, FEMALE[CUST: 11 CC] | A | 5935 | | CC | 26-OCT-01 |
| | MIL-DTL-2212H | CONTACTORS AND CONTROLLERS, ELECTRIC MOTOR AC OR DC, AND ASSOCIETED SWITCHING DEVICES[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 10-FEB-97 |
| | MS14056A | CONTACTS, ELECTRIC CONNECTOR, SHIELDED CABLE APPLICATIONS, SIZE 8[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MI OS SH] | A | 5935 | | CC | 03-JAN-03 |
| | SAE-AS39029/104 | CONTACTS, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SHIELDED, SIZE 8 (FOR MIL-C-28840)[CUST: CR AS 11 CC] [REVIEW: EC MC OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/105 | CONTACTS, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8 (FOR MIL-C-28840)[CUST: CR AS 11 CC] [REVIEW: EC MC OS] | A | 5935 | | AS | 29-APR-05 |
| | QPL-AS39029-1 | CONTACTS, ELECTRICAL CONNECTOR, GENERAL SPECIFICATION FOR | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029 | CONTACTS, ELECTRICAL CONNECTOR, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: AR EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/93 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR DOD-C-83527 CONNECTOR)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/48 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-22992 CLASS L CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AT EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/64 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-24308 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR AT AV CR4 EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/58 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-24308, MIL-C-38999 SERIES I, II, III, AND IV, AND MIL-C-55302/69 AND MIL-C-83733 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 AR AT EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/4 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES I AND III, AND MIL-C-83733 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/34 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-28748/3 AND MIL-C-28748/13 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR AT AV CR4 MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/36 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-28748/9 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AT AV CG CR4 EC MI OS SH] | A | 5935 | | AS | 29-APR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS39029/83 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-28840 CONNECTORS)[CUST: AS CC] [REVIEW: EC OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/44 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-5015 SERIES MS3400 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/47 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC OS SH TD] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/33 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC OS SH TD] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/31 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-26482 SERIES 1, MIL-C-26500 AND MIL-C-26518 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/107 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, III, AND IV AND MIL-C-29600 SERIES A CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 AV EC MC MI SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/29 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-5015 SERIES MS3450 AND MIL-C-83723 SERIES 2 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR EC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/18 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS)[CUST: AS CC] [REVIEW: EC MC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/2 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 1 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/11 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 2 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-T-81714 TERMINAL JUNCTION SYSTEM)[CUST: CR AS 11 CC] [REVIEW: AR AV EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/97 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 1 (FOR DOD-C-83527 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AT EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/102 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES I, II, III, AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 AV EC MC OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/99 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 5 (FOR DOD-C-83527 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AT EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/54 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-26500(USAF) AND MIL-C-26518(USAF) CONNECTORS)[CUST: AS 11 CC] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/7 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-26482 SERIES 2 AND MIL-C-81703 SERIES 3 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/79 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-28748/9 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AV MC MI OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/50 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-83733 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/23 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/6 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/19 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS)[CUST: AS CC] [REVIEW: EC MC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/25 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/28 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-38999 SERIES I, II, III, AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 EC MC OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/76 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-C-38999 SERIES I, II, III, IV AND MIL-C-24308 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/60 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-C-38999 SERIES I, III AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 AT EC MC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/109 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SOCKET, MULTIPLE WIRES[CUST: AT AS CC] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/108 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SOCKET, SINGLE WIRE[CUST: AT AS CC] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/87 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-38999 SERIES I, II, III, AND IV, MIL-C-24308, AND MIL-C-83733)[CUST: CR AS 11 CC] [REVIEW: EC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/85 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 EC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/9 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES 3, AND MIL-C-83733 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/71 | CONTACTS, ELECTRICAL CONNECTOR, PIN, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-C-38999 SERIES I, II, III AND IV, MIL-C-24308, MIL-C-83733, AND MIL-C-55302/69 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/49 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-22992 CLASS L CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AT EC MC MI OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/63 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-24308 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR AT EC MI NA] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/5 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES I AND III, AND MIL-C-83733 CONNECTORS AND MIL-S-12883/40 AND /41 RELAY SOCKETS)[CUST: CR AS 11 CC] [REVIEW: AR EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/37 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-28748/10 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AT AV CR4 EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/35 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-28748/4 AND MIL-C-28748/14 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR AT AV CG CR4 MI OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/84 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-28840 CONNECTORS)[CUST: AS CC] [REVIEW: EC OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/56 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 AR AT EC MC MI NA OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/45 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-5015 SERIES MS3400 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/46 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-81511 SERIES 2 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC OS SH TD] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/92 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-R-6106 AND MIL-S-12883/40 AND /41 RELAY SOCKETS)[CUST: CR AS 11 CC] [REVIEW: AR AT AV CR4 EC MI] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/101 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-S-12883/44, MIL-S-12883/45, MIL-S-12883/46, AND MIL-R-6106/23 RELAY)[CUST: CR AS 11 CC] [REVIEW: 19 AT AV CR4 EC MC OS SH] | A | 5935 | | AS | 29-APR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS39029/22 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-T-81714 TERMINAL JUNCTION SYSTEM SERIES II AND MIL-C-81511 SERIES 3 AND 4 CLASS L CONNECTORS)[CUST: CR AS CC] [REVIEW: AR EC MC OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/89 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (THERMOCOUPLE FOR MIL-C-38999 SERIES II, MIL-C-83733, AND MIL-C-24308 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/94 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR DOD-C-83527 CONNECTOR)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/32 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-26482 SERIES 1, MIL-C-26500 AND MIL-C-26518 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/106 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, III, AND IV AND MIL-C-29600 SERIES A CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 AV EC MC MI SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/30 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR AV EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/17 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 3 CONNECTORS)[CUST: AS CC] [REVIEW: EC MC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/16 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 4 CONNECTORS)[CUST: AS CC] [REVIEW: EC MC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/12 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 2 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/3 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 1 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/98 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 1 (FOR DOD-C-83527 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AT EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/103 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 AV EC MC OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/100 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 5 (FOR DOD-C-83527 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AT EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/80 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-28748/10 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AV EC MC MI OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/51 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-83733 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/20 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-81511 SERIES 3 CONNECTORS)[CUST: AS CC] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/55 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-26500(USAF) AND MIL-C-26518(USAF) CONNECTORS)[CUST: AS 11 CC] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/26 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/21 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 4 CONNECTORS)[CUST: AS CC] [REVIEW: EC MC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/14 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 2 CONNECTORS)[CUST: AS CC] [REVIEW: EC MC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/8 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 2 AND MIL-C-81703 SERIES 3 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/24 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/13 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 1 CONNECTORS)[CUST: AS CC] [REVIEW: EC MC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/27 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-38999 SERIES II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/75 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 EC MC OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/78 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-C-38999 SERIES II AND MIL-C-24308 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/77 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: AR EC MC MI OS] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/59 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 AR AT EC MC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/86 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES II CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/88 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-38999 SERIES I, II, III, IV CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/10 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES 3, AND MIL-C-83733 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/72 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-C-38999 SERIES I, II, III, AND IV, MIL-C-24308, AND MIL-C-55302/68, /71, AND /75 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 80 EC MC MI OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/74 | CONTACTS, ELECTRICAL CONNECTORS, PIN, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-83723 SERIES III, MIL-C-26482 SERIES 2, MIL-C-83733 AND DOD-C-83527 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/57 | CONTACTS, ELECTRICAL CONNECTORS, SOCKET CRIMP REMOVABLE (FOR MIL-C-24308, MIL-C-38999 SERIES II, MIL-C-55302/68, /71, /72, /75 AND MIL-C-83733 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: 19 AR AT EC MC MI NA OS SH] | A | 5935 | | AS | 29-APR-05 |
| | SAE-AS39029/73 | CONTACTS, ELECTRICAL CONNECTORS, SOCKET, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-83723 SERIES III, MIL-C-26482 SERIES 2, MIL-C-83733, AND DOD-C-83527 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: EC MC MI SH] | A | 5935 | | AS | 29-APR-05 |
| | MS33695A | CONTACTS, VIDEO COAXIAL CONNECTOR[CUST: CR AS 11 CC] | A | 5935 | | AS | 09-JUL-04 |
| | MIL-C-70472(2) | CONTAINER AND CUSHION ASSEMBLY, AMMUNITION, METAL, FOR CARTRIDGE, 120MM, TANK AMMUNITION[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 03-AUG-89 |
| | UL644 | CONTAINER ASSEMBLIES FOR LP-GAS[CUST: CR4 YD 68] [REVIEW: GS SH] | A | 8120 | | YD | 18-FEB-00 |
| | MIL-C-81543B(1) NOT 1 | CONTAINER ASSEMBLIES, INFLATABLE LIFE RAFT[CUST: AS] | A | 4220 | | IS | 23-JUN-87 |
| | DI-PACK-80684A | CONTAINER DESIGN RETRIEVAL SYSTEM (CDRS) DATA INPUT [AMSC: F7148] | A | PACK | | 11 | 31-JUL-95 |
| | DI-PACK-80683A | CONTAINER DESIGN RETRIEVAL SYSTEM (CDRS) SEARCH REQUEST [AMSC: F7147] | A | PACK | | 11 | 31-JUL-95 |
| | MIL-DTL-7554G | CONTAINER KITS, AIRDROP[CUST: GL2 99] [REVIEW: 11] | A | 1670 | | GL2 | 22-JUN-03 |
| | MIL-DTL-44477A NOT 1 | CONTAINER, AERIAL DELIVERY, GENERAL PURPOSE, INDIVIDUAL EQUIPMENT[CUST: GL2] [REVIEW: GS] | A | 1670 | | GL2 | 11-JUN-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-44476A NOT 1 | CONTAINER, AERIAL DELIVERY, WEAPONS AND EQUIPMENT, ADJUSTABLE[CUST: GL2] [REVIEW: GS] | A | 1670 | | GL2 | 11-JUN-02 |
| A | MIL-C-2439E(7) | CONTAINER, AMMUNITION, FIBER, SPIRALLY WOUND[CUST: AR] [REVIEW: EA GS] | A | 8140 | | AR | 26-MAR-01 |
| | MIL-C-70740 | CONTAINER, AMMUNITION, LIGHTWEIGHT METAL FOR 155MM PROPELLING CHARGE[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 15-JUL-91 |
| | MIL-C-71165(1) | CONTAINER, AMMUNITION, LIGHTWEIGHT METAL FOR TOW 2A GUIDED MISSILE, SURFACE ATTACH: BGM - 71E - 5B WEAPON SYSTEM[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 23-OCT-96 |
| | MIL-C-63461(9) | CONTAINER, AMMUNITION, METAL, FOR PROPELLING CHARGES AND CARTRIDGES[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 05-FEB-93 |
| | MIL-C-70630(5) | CONTAINER, AMMUNITION, METAL, PA117, FOR CARTRIDGE 105MM TANK AMMUNITION[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 31-OCT-95 |
| | MIL-C-70628(1) | CONTAINER, AMMUNITION, PA108 ASSEMBLY[CUST: AR] | A | 1305 | | AR | 23-FEB-90 |
| | MIL-DTL-70759A | CONTAINER, AMMUNITION: HAND-HELD PYROTECHNIC SIGNAL SERIES, PA142[CUST: AR] | A | 8140 | | AR | 12-SEP-04 |
| | A-A-59272 | CONTAINER, CARGO END AND SIDE OPENING[CUST: AT AS 99] [REVIEW: 03 11 CG FGI IS MT SA SM] | A | 8115 | / | AT | 18-JUN-03 |
| | A-A-52032B | CONTAINER, CARGO, END OPENING[CUST: AT AS 99] [REVIEW: 03 11 CG DH FGI MT SA SM] | A | 8115 | / | AT | 19-MAY-03 |
| | A-A-52033A | CONTAINER, CARGO, OPEN-TOP, HALF HEIGHT[CUST: AT AS 99] [REVIEW: 03 11 CG DH FGI MP MT SA SM] | A | 8115 | / | AT | 14-MAY-03 |
| | A-A-52029 NOT 1 | CONTAINER, CARGO, SIDE OPENING[CUST: AT] | A | 8115 | / | AT | 12-APR-04 |
| | MIL-C-37964 | CONTAINER, ENVIRONMENTAL PROTECTION MEDICAL SUPPLIES[CUST: MB] | A | 6530 | | MB | 25-OCT-85 |
| | A-A-50486A NOT 1 | CONTAINER, INSULATED, SHIPPING[CUST: GL YD IS] [REVIEW: MD] | A | 8145 | / | IS | 27-SEP-01 |
| | MIL-C-24458 | CONTAINER, METAL REUSABLE, SHIPPING, INSPECTION AND REFURBISHMENT OF (CONTROLLED DISTRIBUTION)[CUST: SH] [REVIEW: GL] | B | 8115 | | SH | 01-FEB-72 |
| | MIL-C-71045(1) | CONTAINER, METAL SHIPPING AND STORAGE, CARTRIDGE, 120MM MORTAR, PA154, GENERAL SPECIFICATION FOR[CUST: AR] | D | 1315 | | AR | 30-MAR-93 |
| | MIL-C-70741(1) | CONTAINER, METAL, PA117[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 15-FEB-93 |
| | A-A-53461 | CONTAINER, MOUTHRINSE, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 29-JUN-88 |
| | MIL-C-85123 NOT 1 | CONTAINER, SHIPPING AND STORAGE GUIDED MISSILE CNU-159/E[CUST: AS] [REVIEW: GS] | A | 8140 | | AS | 29-OCT-91 |
| | MIL-C-85124 NOT 1 | CONTAINER, SHIPPING AND STORAGE GUIDED MISSILE CNU-163/E[CUST: AS] [REVIEW: GS] | A | 8140 | | AS | 29-OCT-91 |
| | MIL-C-81289 NOT 1 | CONTAINER, SHIPPING AND STORAGE MK 309 MOD 0[CUST: 99] [REVIEW: GS] | A | 8140 | | 70 | 25-SEP-91 |
| | MIL-C-81204A NOT 1 | CONTAINER, SHIPPING AND STORAGE MK 311 MOD 1[CUST: 99] [REVIEW: GS] | A | 8140 | | 70 | 25-SEP-91 |
| | MIL-C-85659 | CONTAINER, SHIPPING AND STORAGE, ALL UP ROUND CNU-398/E[CUST: AS] [REVIEW: GS] | A | 8140 | | AS | 21-NOV-84 |
| | MIL-C-70998(3) | CONTAINER, SHIPPING AND STORAGE, CARTRIDGE, 25MM, PA125, GENERAL SPECIFICATION FOR[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 08-OCT-97 |
| | MIL-C-70842 | CONTAINER, SHIPPING AND STORAGE, CARTRIDGE, 40MM, PA120, GENERAL SPECIFICATION FOR[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 15-AUG-94 |
| | MIL-C-71083(2) | CONTAINER, SHIPPING AND STORAGE, CARTRIDGE, 81MM, PA156 AND PA157, GENERAL SPECIFICATION FOR[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 14-SEP-95 |
| | MIL-C-44192A NOT 2 | CONTAINER, SHIPPING AND STORAGE, COAT (HANGER PACK)[CUST: GL NU 11] | A | 8115 | | CT | 05-APR-05 |
| | MIL-C-24457A(1) | CONTAINER, SHIPPING AND STORAGE, METAL REUSABLE (CONTROLLED DISTRIBUTION)[CUST: SH] | B | 8115 | | SH | 27-MAY-87 |
| | MIL-C-63392A | CONTAINER, SHIPPING AND STORAGE, MINE[CUST: AR] | A | 1345 | | AR | 03-FEB-87 |
| | A-A-51465 | CONTAINER, URINE SPECIMEN[CUST: MD MS 03] | A | 6530 | / | MB | 16-JUN-86 |
| | MIL-PRF-32026 | CONTAINERIZED KITCHEN[CUST: GL] [REVIEW: MD1 QM1] | A | 7360 | | GL | 03-JUN-98 |
| | ASTM-D4169 | CONTAINERS AND SYSTEMS, SHIPPING, PERFORMANCE TESTING OF[CUST: SM AS 11 DH] [REVIEW: 99 AR AT AV CR CR4 EC GS MC MI SA] | A | PACK | | SM | 15-NOV-93 |
| | ARI-GUIDELINE-K | CONTAINERS FOR RECOVERED FLUOROCARBON REFRIGERANTS[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | ASTM-D5168 | CONTAINERS, FABRICATION AND CLOSURE OF TRIPLE- WALL CORRUGATED FIBERBOARD[CUST: SM YD 11] [REVIEW: 70 71 84 AR AS CR4 GL MI OS SH] | A | 8115 | | SM | 10-OCT-98 |
| | A-A-59564 | CONTAINERS, FLUID, FOR PAINT SPRAY EQUIPMENT[CUST: AR SH 99 CC] [REVIEW: 84 MC SA] | A | 4940 | / | CC | 18-JUL-01 |
| | PPP-C-186C NOT 1 | CONTAINERS, PACKAGING AND PACKING FOR DRUGS, CHEMICALS, AND PHARMACEUTICALS[CUST: MD MS 03] [REVIEW: SM] | A | PACK | / | MB | 15-DEC-88 |
| | ISO1161 | CONTAINERS, SERIES 1 FREIGHT - CORNER FITTINGS - SPECIFICATION[CUST: CR4 MC 11] | A | 8115 | | MC | 15-DEC-84 |
| | ISO1496-1 | CONTAINERS, SERIES 1 FREIGHT - SPECIFICATION AND TESTING - PART 1: GENERAL CARGO CONTAINERS FOR GENERAL PURPOSES[CUST: CR4 MC 11] | A | 8115 | | MC | 01-MAR-93 |
| | ISO1496-2 | CONTAINERS, SERIES 1 FREIGHT - SPECIFICATION AND TESTING - PART 2: THERMAL CONTAINERS[CUST: CR4 MC 11] | A | 8115 | | MC | 01-OCT-96 |
| | ISO1496-3 | CONTAINERS, SERIES 1 FREIGHT - SPECIFICATION AND TESTING - PART 3: TANK CONTAINERS FOR LIQUIDS, GASES AND PRESSURIZED DRY BULK[CUST: SM MC 11] | A | 8115 | | MC | 01-MAR-95 |
| | ISO668 | CONTAINERS, SERIES 1 FREIGHT, CLASSIFICATION, DIMENSIONS AND RATINGS[CUST: CR4 MC 99] [REVIEW: 84] | A | 8115 | | MC | 15-DEC-95 |
| | MIL-C-24465B | CONTAINERS, SHIPPING AND STORAGE, METAL REUSEABLE (CONTROLLED DISTRIBUTION)[CUST: SH] | F | 8115 | | SH | 25-MAR-94 |
| | MIL-C-70768(2) | CONTAINERS, SHIPPING AND STORAGE, PA140 FOR THE M139 MINE DISPENSER SYSTEM[CUST: AR] [REVIEW: GS] | F | 8140 | | AR | 17-JAN-95 |
| M | SAE-ARP1967 | CONTAINERS, SHIPPING AND STORAGE, REUSABLE[CUST: SM AS 11] [REVIEW: 70 71 84 99 AR AT MI SA] | A | 8145 | | 11 | 28-MAR-06 |
| | MIL-DTL-28689C | CONTAINERS, SHIPPING AND STORAGE, STEEL WALL (WITH AND WITHOUT CABINETRY)[CUST: GL YD IS] [REVIEW: OS] | A | 8145 | | IS | 17-JAN-97 |
| | A-A-52462 | CONTAINERS, SHIPPING AND STORAGE: METAL, REUSABLE; FOR ENGINES, TRANSMISSIONS, DIFFERENTIALS, TRANSFERS, AND SIMILAR ASSEMBLIES (METRIC)[CUST: AT YD 99] [REVIEW: 84 CR4 GL MC SM] | A | 8145 | / | AT | 28-APR-93 |
| | MIL-C-70769(2) | CONTAINERS, SHIPPING AND STORAGE: PA 134, PA 135, AND PA 136, FOR THE M139 MINE DISPENSER SYSTEM[CUST: AR] [REVIEW: GS] | F | 8140 | | AR | 17-JAN-95 |
| | MIL-C-70770(3) | CONTAINERS, SHIPPING AND STORAGE: PA 137, PA 138 AND PA 141, FOR THE M139 MINE DISPENSER SYSTEM[CUST: AR] | A | 1095 | | AR | 06-SEP-96 |
| | MIL-C-71016(2) | CONTAINERS, SHIPPING AND STORAGE: PA 146, PA 147, PA 148, AND PA 152, FOR THE M139 MINE DISPENSER SYSTEM[CUST: AR] [REVIEW: GS] | F | 8140 | | AR | 17-JAN-95 |
| | MIL-C-70767(2) | CONTAINERS, SHIPPING AND STORAGE: PA 139, FOR THE M139 MINE DISPENSER SYSTEM[CUST: AR] [REVIEW: GS] | F | 8140 | | AR | 17-JAN-95 |
| | ASTM-D642 | CONTAINERS, SHIPPING, COMPONENTS, AND UNIT LOADS, DETERMINING COMPRESSIVE RESISTANCE OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD] | A | PACK | | AS | 15-JUN-94 |
| | ASTM-D782 | CONTAINERS, SHIPPING, IN REVOLVING HEXAGONALDRUM, STANDARD METHOD OF[CUST: SM AS 99] [REVIEW: 11 84 AR AT AV MC] | A | PACK | | SM | 08-JUN-88 |
| | ASTM-C149 | CONTAINERS, THERMAL SHOCK TEST OF[CUST: GL SA 99] [REVIEW: 84 GS MD] | A | 7350 | | GL | 15-MAR-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-11264E | CONTAINERS: SHIPPING, REUSABLE-FOR TANK AUTOMOTIVE ENGINES, TRANSMISSIONS, DIFFERENTIALS, TRANSFERS, FINAL DRIVES, DRIVE AXLES, AND SIMILAR ASSEMBLIES[CUST: AT MC 11] [REVIEW: 84 99 SA SM] | A | 8145 | | AT | 10-NOV-95 |
| | QSTAG-501 ED.2 | CONTAMINATED OR DANGEROUS LAND AREAS, COMPLETE EQUIPMENTS, SUPPLIES & STORES, WARNING SIGNS FOR THE MARKING OF(ABCA EDITION 2) (BASED ON NATO STAG 2002) | C | ISDA | | AI | 11-MAY-82 |
| | MIL-HDBK-406(2) | CONTAMINATION CONTROL TECHNOLOGY CLEANING MATERIALS FOR PRECISION PRECLEANING AND USE IN CLEAN ROOMS AND CLEAN WORK STATIONS[CUST: MI AS 99] [REVIEW: 19 84 AT AV GS OS SH] | A | 3694 | | MI | 25-AUG-94 |
| | MIL-HDBK-407(1) | CONTAMINATION CONTROL TECHNOLOGY PRECISION CLEANING METHODS AND PROCEDURES[CUST: MI AS 99] [REVIEW: GS SH] | A | 3694 | | MI | 20-JAN-84 |
| | STANAG-3970 ED.3 | CONTENT AND FORMAT OF FLIGHT INFORMATION PUBLICATION (FLIP) TERMINAL HIGH/LOW INSTRUMENT APPROACH PROCEDURES, INSTRUMENT DEPARTURE PROCEDURES, AND AERODROME DIAGRAMS/LAYOUTS | C | ISDF | | 06 | 17-NOV-97 |
| | ASTM-D3492 | CONTRACEPTIVES, RUBBER ( MALE CONDOMS)[CUST: MD MS 03] | A | 6515 | | MB | 15-AUG-93 |
| | DI-ADMN-81401A | CONTRACT CHANGE PROPOSALS (CCPS) [AMSC: F7233] | A | ADMN | | 11 | 24-JAN-97 |
| | DI-MGMT-81297 | CONTRACT DOCUMENT CHANGE NOTICE (CDCN) [AMSC: F6850] | A | MGMT | | 11 | 29-DEC-92 |
| | DI-MGMT-81238 | CONTRACT FIELD SERVICE REPORT [AMSC: N6688] | A | MGMT | | AS | 13-AUG-91 |
| | DI-MGMT-81468 | CONTRACT FUNDS STATUS REPORT (CFSR) [AMSC: D7122] | A | MGMT | | SA | 19-OCT-95 |
| | DI-MGMT-81651 | CONTRACT INVOICING AND PAYMENT REPORT [AMSC: A7545] | A | MGMT | | AR | 14-JAN-05 |
| | DI-MGMT-81466A | CONTRACT PERFORMANCE REPORT (CPR) [AMSC: D7549] | A | MGMT | | SO | 30-MAR-05 |
| | DI-MISC-81360 | CONTRACT SHIPMENT REPORT [AMSC: F6955] | A | MISC | | 10 | 20-AUG-93 |
| | DI-MGMT-80606A | CONTRACT SIMULATOR INSTRUCTION (CSI) SUMMARY REPORT [AMSC: N4957] | A | MGMT | | SA | 06-JUN-90 |
| | DI-ADMN-80447 | CONTRACT SUMMARY REPORT [AMSC: G4223] | A | ADMN | | NS | 28-SEP-87 |
| | DI-MGMT-81334B | CONTRACT WORK BREAKDOWN STRUCTURE (CWBS) [AMSC: D7548] | A | MGMT | | SO | 01-FEB-05 |
| | DI-ILSS-81042 | CONTRACTOR DATA COLLECTION (CDC) CODE MANUAL [AMSC: N5000] | A | SESS | | AS | 26-SEP-90 |
| | DI-ILSS-81043 | CONTRACTOR DATA COLLECTION (CDC) PROGRAM DOCUMENTATION [AMSC: N5001] | A | SESS | | AS | 26-SEP-90 |
| | DI-ILSS-80191D | CONTRACTOR DEVICE PERFORMANCE REPORT [AMSC: N6697] | A | SESS | | SA | 10-FEB-94 |
| | DI-ILSS-80954 | CONTRACTOR FURNISHED (CF) OPERATING SPACE ITEM (OSI) REQUIREMENTS REPORT [AMSC: N4904] | A | SESS | | SH | 27-FEB-90 |
| | DI-SESS-81625 | CONTRACTOR INTEGRATED TECHNICAL INFORMATION SYSTEM IMPLEMENTATION PLAN (CITIS -IP) [AMSC: N7455] | A | SESS | | SA | 01-AUG-01 |
| | DI-MISC-81392 | CONTRACTOR OPERATION AND MAINTENANCE OF SIMULATORS/EQUIPMENT MANAGEMENT STATUS REPORT [AMSC: N7005] | A | MISC | | TD | 28-MAR-94 |
| | DI-MGMT-81596 | CONTRACTOR ROSTER [AMSC: G7415] | A | MGMT | | NS | 02-FEB-01 |
| A | MIL-STD-789C | CONTRACTOR TECHNICAL INFORMATION CODING OF REPLENISHMENT PARTS[Military Standard][CUST: AV AS 99] [REVIEW: EC MI OS SA SH TM YD] | A | MISC | | AS | 14-OCT-83 |
| | DI-MISC-80759A | CONTRACTOR VALIDATION PLAN [AMSC: A6735] | A | MISC | | AM | 28-APR-92 |
| | DI-CMAN-80858B | CONTRACTOR'S CONFIGURATION MANAGEMENT PLAN [AMSC: D7392] | A | SESS | | SE | 30-SEP-00 |
| | DI-MGMT-80501 | CONTRACTOR'S CORRECTIVE ACTION PLAN [AMSC: A4282] | A | MGMT | | AM | 30-DEC-87 |
| | DI-MGMT-80227 | CONTRACTOR'S PROGRESS, STATUS AND MANAGEMENT REPORT [AMSC: N3947] | A | MGMT | | EC | 05-SEP-86 |
| | DI-MGMT-81580 | CONTRACTOR'S STANDARD OPERATING PROCEDURES [AMSC: N7350] | A | MGMT | | SA | 09-AUG-99 |
| | QPL-2212-53 | CONTRACTORS AND CONTROLLERS, ELECTRIC MOTOR AC OR DC, AND ASSOCIATED SWITCHING DEVICES | A | 6110 | | SH | 29-MAY-99 |
| | NEMA-ICS3.1 | CONTRACTORS, AC GENERAL-PURPOSE MEDIUM VOLTAGE, AND CLASS E CONTROLLERS, 50 AND 60 HERTZ , INDUSTRIAL CONTROL AND SYSTEMS: HANDLING, STORAGE AND INSTALLATION GUIDE FOR[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | FM-P9513 | CONTRACTORS, ROOFING, SPECIALIST DATA BOOK SET FOR[CUST: YD] | A | FACR | | YD | 14-JUN-04 |
| | MIL-C-24174/3A | CONTROL (BLINKER) KEY, NAVIGATOR LIGHTS SYMBOL NO. 978.2[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 02-OCT-87 |
| | MIL-C-23200F | CONTROL AND INSTRUMENTATION EQUIPMENT, GENERAL SPECIFICATION FOR[CUST: SH] | F | 4470 | | SH | 19-AUG-92 |
| | STANAG-2067 ED.5(2) | CONTROL AND RETURN OF STRAGGLERS | C | ISDA | | AI | 10-JUN-87 |
| | MIL-C-18244A(1) | CONTROL AND STABILIZATION SYSTEMS: AUTOMATIC, PILOTED AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: AV GS] | A | 1680 | | AS | 18-AUG-93 |
| | MIL-C-23742(3) | CONTROL CENTERS, ALTERNATING CURRENT NAVAL SHIPBOARD[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 08-JUL-66 |
| | A-A-50755 | CONTROL HEAD ASSEMBLY TEST FIXTURE[CUST: EC 99] | A | 6625 | / | 84 | 15-OCT-86 |
| | MIL-STD-2041D | CONTROL OF DETRIMENTAL MATERIALS[CUST: SH] | F | 20GP | | SH | 05-AUG-99 |
| | NACE-RP0619 | CONTROL OF EXTERNAL CORROSION ON UNDERGROUND OR SUBMERGED METALLIC PIPING SYSTEMS[CUST: YD] | A | FACR | | YD | 29-JUL-04 |
| | SAE-AMS2375 | CONTROL OF FORGINGS REQUIRING FIRST ARTICLE APPROVAL[CUST: AR SH 11] | A | FORG | | AR | 03-OCT-94 |
| | MIL-STD-767E | CONTROL OF HARDWARE CLEANLINESS[CUST: SH] | F | 20GP | | SH | 11-JUL-97 |
| | MIL-STD-1684D | CONTROL OF HEAT TREATMENT[CUST: SH] | F | 96GP | | SH | 14-MAR-97 |
| | STANAG-7134 ED.1 | CONTROL OF LIGHTING AT AIRFIELDS DURING NVG OPERATIONS | C | ISDF | | 06 | 05-JUN-03 |
| | MIL-C-81774A(1) | CONTROL PANEL, AIRCRAFT, GENERAL REQUIREMENTS FOR[CUST: AV AS 11] [REVIEW: GS] | A | 1680 | | AS | 11-DEC-76 |
| | MIL-C-6781B(2) NOT 1 | CONTROL PANEL: AIRCRAFT EQUIPMENT, RACK OR CONSOLE MOUNTED[CUST: AV AS 11] [REVIEW: 99 GS] | A | 1680 | | AS | 15-DEC-99 |
| | STANAG-3774 ED.3(3) | CONTROL PROCEDURES FOR PALLETS AND ASSOCIATED RESTRAINT EQUIPMENT USED IN COMBINED AIR TRANSPORT OPERATIONS | C | ISDF | | 06 | 22-APR-87 |
| | MIL-C-85144C | CONTROL SECTION, GUIDED MISSILE FOR AIM/RIM-7M, GUIDED MISSILE[CUST: AS] | A | 1420 | | AS | 22-OCT-86 |
| | MIL-C-23866A(1) NOT 1 | CONTROL SET, APPROACH POWER AN/ASN-54 (V)[CUST: AS] | A | 5825 | | AS | 26-JUL-91 |
| | AIR-STD-61/116/7C | CONTROL SHAPES | C | ISDF | | 06 | 16-NOV-87 |
| | A-A-51256 | CONTROL SOLUTION SET, BLOOD GAS ANALYZER[CUST: MD MS 03] | A | 6550 | / | MB | 28-NOV-85 |
| | A-A-53428 | CONTROL STRIP, REAGENT SUITABILITY[CUST: MD MS 03] | A | 6550 | / | MB | 31-MAR-88 |
| | A-A-53293A | CONTROL STRIPS, VISUAL URINALYSIS[CUST: MD MS 03] | A | 6550 | / | MB | 22-JUL-88 |
| | MIL-C-23771A(1) | CONTROL UNIT (FOR MK-7 RETRACTABLE DECK SHEAVE)[CUST: AS] | A | 1710 | | AS | 13-MAR-00 |
| | MIL-PRF-58111A | CONTROL UNIT, COMMUNICATION SYSTEM C-11746(V)( )/ARC[CUST: CR] | A | 5895 | | CR | 09-OCT-97 |
| | MIL-C-6026B | CONTROL UNIT, PRESSURE GENERATING, MANUALLY OPERATED, AIRCRAFT HYDRAULIC BRAKE SYSTEM[CUST: AV AS] [REVIEW: 99 CR4 GS] | A | 1630 | | AS | 09-OCT-59 |
| | UL864 | CONTROL UNITS AND ACCESSORIES FOR FIRE ALARM SYSTEMS[CUST: YD] | A | 6530 | | YD | 01-APR-92 |
| | MIL-C-85674 | CONTROL UNITS C-11628/ARC, C-10777A/ARC AND C-11132/ARC C-10320/ARC AND C-10777/ARC[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 07-JUL-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51396A | CONTROL URINE CHEMISTRY, NORMAL[CUST: MD MS 03] | A | MISC | / | MB | 17-SEP-86 |
| | NAS528 | CONTROL, COLLAR ASSEMBLY, STEEL, WITH FLASH WELDED CLEVIS & THREADED ROD ENDS[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5320 | | IS | 14-JUN-74 |
| | MIL-DTL-62069F | CONTROL, DIRECTIONAL SIGNAL LIGHT, AUTOMOTIVE: 24 VOLT DC, SOLID STATE[CUST: AT] | A | 2590 | | AT | 31-AUG-98 |
| | MIL-C-70629A(2) | CONTROL, MINE DISPENSER FOR THE UNIVERSAL MINE DISPENSER SYSTEM, M139[CUST: AR] | D | 1095 | | AR | 13-OCT-95 |
| | MIL-C-24174A | CONTROL, NAVIGATION LIGHTS, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 02-OCT-87 |
| | NAS363THRUNAS369 | CONTROL, ROD & TUBE ASSEMBLY, 5/16-24 UNF-3A THREAD[CUST: AS] | A | MISC | | AS | 14-JUN-74 |
| | MIL-C-81925 NOT 1 | CONTROL, TEST HARNESS C-9154/APM[CUST: AS] | A | 6625 | | AS | 21-MAR-88 |
| | MIL-DTL-62421 | CONTROL, UNIT, ELECTRONIC, DIGITAL[CUST: AT] | A | 5963 | | AT | 16-AUG-02 |
| | MIL-C-85629A(1) | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-13[CUST: AS] | D | 1430 | | AS | 03-NOV-95 |
| | MIL-C-85283B | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-9B, P/N 1064AS4100[CUST: AS] | A | 1430 | | AS | 01-SEP-94 |
| | MIL-PRF-89041A NOT 1 | CONTROLLED IMAGE BASE (CIB)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | STANAG-7099 ED.1(1) | CONTROLLED IMAGERY BASE (CIB) | C | ISDF | | 06 | PENDING |
| A | A-A-52480A | CONTROLLER ASSEMBLY, PUSH-PULL[CUST: AT MC 99] [REVIEW: 70 CC CR4] | A | 2990 | / | AT | 29-JUL-02 |
| | A-A-51684A | CONTROLLER, DROP RATE,INTRAVENOUS INJECTION[CUST: MD MS 03] | A | 6515 | / | MB | 21-DEC-87 |
| | IEC61131-3 | CONTROLLERS, PROGRAMMABLE PART 3: PROGRAMMING LANGUAGES[CUST: YD] | A | FACR | | YD | 29-JUN-04 |
| | MIL-C-24174/4A | CONTROLS, PULSATOR, SUBMARINE IDENTIFICATTON LIGHT, A.C. 125 VOLTS, SYMBOL NO. 932[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 02-OCT-87 |
| | SAE-AMS2486 | CONVERSION COATING OF TITANIUM ALLOYS FLUORIDE-PHOSPHATE TYPE[CUST: MR AS 99] | A | MFFP | | AS | 03-OCT-94 |
| | MIL-HDBK-210A NOT 1 | CONVERSION FACTORS AND LOGISTICS DATA FOR PETROLEUM PLANNING[CUST: MR YD 68] [REVIEW: CG CR4 EA MC PS SH SM] | A | 9130 | | YD | 09-MAR-90 |
| | MIL-C-81343C | CONVERTER GROUP, RADAR SCAN AN/ASA-69(*)[CUST: AS] | A | 5895 | | AS | 01-MAR-70 |
| | MIL-C-7115/3B | CONVERTER, AIRCRAFT, 150 AMPERE TYPE II, BLAST COOLED, CLASS C[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 26-AUG-91 |
| | QPL-19328-17 | CONVERTER, LIQUID OXYGEN, 5 LITER, MB-5A | A | 1660 | | 71 | 11-MAY-04 |
| | QPL-25666-4 | CONVERTER, LIQUID OXYGEN, CAPACITANCE TYPE GAUGING, GENERAL SPECIFICATION | A | 1660 | | 71 | 12-MAY-04 |
| | MIL-C-85872 | CONVERTER-DISPLAY CV-3252/A[CUST: AS] | A | 5836 | | AS | 22-FEB-88 |
| | QPL-7115-30 | CONVERTERS, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 6130 | | AS | 08-DEC-03 |
| | MIL-C-7115F(1) SUP 1 | CONVERTERS, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: CR AS 99 GS] [REVIEW: 71] | A | 6130 | | AS | 14-MAR-94 |
| | MIL-C-24105/93 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE M1E[CUST: SH] [REVIEW: GS OS] | A | 6125 | | SH | 25-MAY-95 |
| | MIL-C-24105D SUP 1 NOT 2 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED), GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS OS] | A | 6125 | | SH | 11-DEC-00 |
| | ACI304.4R | CONVEYOR, BELT, PLACING CONCRETE WITH[CUST: YD IS] | A | 5610 | | IS | 26-OCT-90 |
| | MIL-C-43528A NOT 1 | CONVEYOR, ROLLER, GRAVITY, 1000 LB/FT[CUST: GL CC] [REVIEW: CR4 MD] | A | 3910 | | IS | 27-MAR-92 |
| | MIL-C-23218C | CONVEYOR, VERTICAL, TRAY TYPE, 100 POUND PACKAGE TRAY CAPACITY (SHIPBOARD USE)[CUST: SH] | A | 3910 | | SH | 13-NOV-85 |
| | MIL-C-23842B | CONVEYOR, VERTICAL, TRAY TYPE, FOR 3000 POUND PALLETIZED LOADS (SHIPBOARD USE)[CUST: SH] [REVIEW: CC] | A | 3910 | | SH | 14-JUL-93 |
| | ASME-B20.1 | CONVEYORS AND RELATED EQUIPMENT, SAFETY STANDARD FOR[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASTM-F1217 | COOKER, STEAM[CUST: GL YD 99] [REVIEW: 84 CG GS MC MD SH] | A | 7310 | | SS | 15-MAR-92 |
| | A-A-59749 | COOKER, STEAM, PRESSURELESS (NAVAL SHIPBOARD)[CUST: GL SA] [REVIEW: MD1 SH SS] | A | 7310 | / | GL | 25-FEB-03 |
| | A-A-50031A | COOKIE CUTTING MACHINE, ELECTRIC[CUST: GL YD SS] [REVIEW: MC MD SA] | A | 7320 | * | SS | 18-JUN-86 |
| | MIL-C-40602B NOT 2 | COOKIE CUTTING MACHINE, ELECTRIC[CUST: SA] [REVIEW: GS YD] | A | 7320 | | SA | 22-OCT-79 |
| | A-A-20295B | COOKIES[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8920 | / | SS | 09-FEB-04 |
| | A-A-53648 | COOLANT AND CUTTING FLUID, LENS PREPARATION[CUST: MD MS 03] | A | 6540 | / | MB | 19-AUG-88 |
| | MIL-PRF-87252C(1) | COOLANT FLUID, HYDROLYTICALLY STABLE, DIELECTRIC[CUST: CR4 AS 11] [REVIEW: 68 GS MI SH] | A | 9150 | | 11 | 29-DEC-04 |
| | QPL-87252-2(2) | COOLANT FLUID, HYDROLYTICALLY STABLE, DIELECTRIC | A | 9150 | | 11 | 06-JAN-05 |
| | SAE-J20/1 | COOLANT HOSE[CUST: AT SH 99 CC] [REVIEW: 71 MC MI SA] | A | 4720 | | CC | 25-JUN-02 |
| | SAE-J20/2 | COOLANT HOSE - NORMAL SERVICE TYPE CONVOLUTED, WIRE SUPPORT HOSE[CUST: AT SH 99 CC] [REVIEW: 71 MC SA] | A | 4720 | | CC | 25-JUN-02 |
| | MIL-PRF-49175C | COOLER, CRYOGENIC, MECHANICAL HD-1033B/UA AND HD-1033C/UA[CUST: CR] | A | 5855 | | CR | 09-OCT-97 |
| | MIL-C-24166B(1) | COOLER, DRINKING WATER, MECHANICALLY REFRIGERATED, SELF-CONTAINED, NAVAL SHIPBOARD[CUST: SH] [REVIEW: GS] | A | 4110 | | SH | 08-JUL-97 |
| | MIL-DTL-62006C | COOLER, OIL: TRANSMISSION AND ENGINE[CUST: AT] | A | 2930 | | AT | 01-JUL-98 |
| | MIL-PRF-49307A | COOLER-DEWAR GROUP, OR-332/A, OR-333/A[CUST: CR] | A | 5855 | | CR | 03-JUL-97 |
| | MIL-PRF-49308A | COOLER-DEWAR GROUP, OR-334/V, OR-335/V[CUST: CR] | A | 5855 | | CR | 03-JUL-97 |
| | UL399 | COOLERS, DRINKING-WATER[CUST: GL SH 99 MB] | A | 4110 | | MB | 25-JUN-93 |
| | MIL-C-19713B | COOLERS, FLUID, BLEED AIR, GAS TURBINE, NAVAL SHIPBOARD[CUST: SH] | A | 4420 | | SH | 14-FEB-92 |
| | MIL-C-19836B(1) | COOLERS, FLUID, INDUSTRIAL, AIR, MOTOR AND GENERATOR, NAVAL SHIPBOARD[CUST: SH] [REVIEW: YD] | A | 4420 | | SH | 19-DEC-88 |
| | MIL-C-17557E | COOLERS, FLUID, INDUSTRIAL, NAVAL SHIPBOARD (SAMPLE WATER COOLERS)[CUST: SH] | A | 4420 | | SH | 09-SEP-88 |
| | MIL-C-15730M(1) | COOLERS, FLUID, NAVAL SHIPBOARD: LUBRICATING OIL, HYDRAULIC OIL, AND FRESH WATER[CUST: SH] | A | 4420 | | SH | 28-MAR-97 |
| | MIL-PRF-25478C | COOLERS, LUBRICATING OIL, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 2935 | | 71 | 29-DEC-97 |
| | UL412 | COOLERS, REFRIGERATION UNIT, STANDARD FOR[CUST: YD] | A | 4110 | | SS | 09-APR-92 |
| | MIL-C-24746(1) | COOLERS, UNIT FORCED AIR FOR SHIP'S REFRIGERATED STORES[CUST: SH] | A | 4110 | | SH | 08-NOV-96 |
| | MIL-HDBK-1011/2 | COOLING BUILDINGS BY NATURAL VENTILATION[CUST: YD] | A | FACR | | YD | 31-JAN-90 |
| | MIL-PRF-2939G | COOLING COILS, AIR, DUCT TYPE AND GRAVITY TYPE, NAVAL SHIPBOARD ENVIRONMENTAL CONTROL SYSTEMS[CUST: SH] [REVIEW: IS] | A | 4130 | | SH | 20-JUL-01 |
| | DI-GDRQ-81320 | COOLING DESIGN DATA [AMSC: N6897] | A | SESS | | AS | 23-FEB-93 |
| | A-A-59223 NOT 1 | COOLING TOWERS, LIQUID[CUST: YD 99] [REVIEW: 84 GS] | A | 4130 | / | IS | 11-JUN-03 |
| | STANAG-4391 ED.1(1) | COOLING WATER FOR SUBMARINE MAIN LEAD ACID BATTERIES | D | ISDN | | NI | 03-AUG-94 |
| | ASTM-B140/B140M | COOPER-ZINC-LEAD (RED BRASS OR HARDWARE BRONZE) ROD, BARS, AND SHAPES[CUST: MR AS 11] [REVIEW: IS] | A | 9530 | | AS | 15-JUN-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AIR-STD-15/17 | COOPERATIVE ACTIVITY RELATING TO THE TASKS INVOLVING TRI-SERVICE MULTIPURPOSE GREASES | C | ISDF | | 06 | 18-JUL-02 |
| | DI-ILSS-80959 | COORDINATED SHIPBOARD ALLOWANCE LIST (COSAL) BASELINE ASSET FILE-STOREROOM (BAF-SRI) RECONCILIATION REPORT [AMSC: N4909] | A | SESS | | SH | 27-FEB-90 |
| | DI-MGMT-80937 | COORDINATED TEST PLAN [AMSC: A4880] | A | MGMT | | AM | 06-FEB-90 |
| | DI-MGMT-80724A | COPIER COST PRODUCTION REPORT [AMSC: F7178] | A | MGMT | | 10 | 09-FEB-96 |
| | ASTM-B768 | COPPER - COBALT - BERYLLIUM ALLOY AND COPPER - NICKEL - BERYLLIUM ALLOY STRIP AND SHEET[CUST: CR AS 11 IS] | A | 9535 | | IS | 10-SEP-99 |
| | ASTM-B441 | COPPER - COBALT - BERYLLIUM AND COPPER - NICKEL - BERYLLIUM ROD AND BAR(UNS NOS. 17500 AND C17510)[CUST: MR AS IS] [REVIEW: AR AT CR MI] | A | 9530 | | IS | 15-FEB-93 |
| M | SAE-AMS4505 | COPPER ALLOY (BRASS), SHEET, STRIP, AND PLATE 70CU - 30ZN ANNEALED (OS035)[CUST: MR AS 11] [REVIEW: 99] | A | 9535 | | 11 | 28-MAR-06 |
| | SAE-AMS4507 | COPPER ALLOY (BRASS), SHEET, STRIP, AND PLATE 70CU - 30ZN HALF HARD (H02)[CUST: MR AS 11] [REVIEW: 99] | A | 9535 | | 11 | JUL-95 |
| | ASTM-B644 | COPPER ALLOY ADDITION AGENTS[CUST: MR YD] [REVIEW: IS OS] | A | 9630 | | YD | 29-JUL-88 |
| | SAE-AMS4764 | COPPER ALLOY BRAZING FILLER METAL 52.5CU - 38MN - 9.5NI 1615 TO 1700 DEG. F (879 TO 927 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-APR-92 |
| | ASTM-B824 | COPPER ALLOY CASINGS, STANDARD SPECIFICATION FOR GENERAL REQUIREMENTS[CUST: MR SH 11] | A | MECA | | SH | 15-FEB-92 |
| | ASTM-B806 | COPPER ALLOY PERMANENT MOLD CASTINGS FOR GENERAL APPLICATIONS[CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A | MECA | | MR | 15-FEB-93 |
| | ASTM-B763 | COPPER ALLOY SAND CASTINGS FOR VALVE APPLICATION[CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A | MECA | | MR | 15-FEB-93 |
| | ASTM-B208 | COPPER ALLOY SAND, PERMANENT MOLD, CENTRIFUGAL, AND CONTINUOUS CASTINGS, PREPARING TENSION TEST SPECIMENS FOR[CUST: MR SH 11] | A | MECA | | SH | 25-JAN-91 |
| | ASTM-B105 | COPPER ALLOY WIRES, HARD-DRAWN FOR ELECTRIC CONDUCTORS, STANDARD SPECIFICATION FOR[CUST: MR] | A | 9540 | | MR | 10-APR-00 |
| | ASTM-B30 | COPPER ALLOYS IN INGOT FORM[CUST: MR YD 99] [REVIEW: SH] | A | MECA | | YD | 15-DEC-93 |
| | ASTM-B598 | COPPER ALLOYS, DETERMINING OFFSET YIELD STRENGTH IN TENSION FOR[CUST: MR AS] [REVIEW: IS] | A | 95GP | | MR | 10-OCT-98 |
| | ASTM-B124/B124M | COPPER AND COPPER ALLOY FORGING ROD, BAR, AND SHAPES[CUST: MR SH] [REVIEW: AR CR CR4 EA GL MC MI OS SA YD] | A | 9530 | | IS | 10-APR-00 |
| | ASTM-B428 | COPPER AND COPPER ALLOY TUBE, ANGLE OF TWIST IN RECTANGULAR AND SQUARE[CUST: MR] [REVIEW: AT CC] | A | 4710 | | MR | 31-JUL-87 |
| | ASTM-B395 | COPPER AND COPPER ALLOY, U-BEND SEAMLESS, HEAT EXCHANGER AND CONDENSER TUBES[CUST: CR4 YD 99] [REVIEW: SH] | A | 4710 | | CC | 15-JAN-93 |
| | MIL-HDBK-698A NOT 1 | COPPER AND COPPER ALLOYS[CUST: MR AS 99] [REVIEW: IS] | A | 95GP | | MR | 20-JUL-90 |
| | ASTM-B601 | COPPER AND COPPER ALLOYS - WROUGHT AND CAST, TEMPER DESIGNATIONS FOR[CUST: MR YD 99] [REVIEW: 84 AS IS SH] | A | 95GP | | YD | 15-FEB-94 |
| | ASTM-B154 | COPPER AND COPPER ALLOYS, MERCUROUS NITRATE TEST FOR[CUST: MR AS 99] [REVIEW: 11 IS] | A | 95GP | | MR | 15-JAN-92 |
| | ASTM-B283 | COPPER AND COPPER-ALLOY DIE FORGINGS (HOT PRESSED)[CUST: MR SH] [REVIEW: AR AT CR4 EA GL IS] | A | FORG | | MR | 10-OCT-99 |
| | ASTM-B359 | COPPER AND COPPER-ALLOY SEAMLESS CONDENSER AND HEAT EXCHANGER TUBES WITH INTEGRAL FINS[CUST: CR4 SH 99] [REVIEW: CC] | A | 4710 | | SH | 15-JUL-94 |
| | ASTM-B111/B111M | COPPER AND COPPER-ALLOY SEAMLESS CONDENSER TUBES AND FERRULE STOCK[CUST: CR4 YD 99] [REVIEW: MC MR OS SH] | A | 4710 | | CC | 15-JAN-93 |
| | ASTM-E243 | COPPER AND COPPER-ALLOY TUBES, ELECTROMAGNETIC (EDDY-CURRENT) EXAMINATION OF,[CUST: CR4 YD] [REVIEW: SH] | A | 4710 | | CC | 9-FEB-90 |
| | ASTM-B372 | COPPER AND COPPER-ALLOY, SEAMLESS, RECTANGULAR WAVEGUIDE TUBE[CUST: CR EC 11 CC] | A | 5985 | | CC | 03-OCT-94 |
| | ASTM-B249/B249M | COPPER AND COPPER-ALLOY, WROUGHT, ROD, BAR SHAPES AND FORGINGS, GENERAL REQUIREMENTS FOR[CUST: MR AS 11] [REVIEW: 84 99 IS OS SH] | A | 9530 | | MR | 15-AUG-94 |
| | MIL-C-3993C(I1) NOT 2 | COPPER AND COPPER-BASE ALLOY MILL PRODUCTS; PACKAGING OF[CUST: SH] | A | PACK | | SH | 20-SEP-99 |
| | MIL-C-3993C | COPPER AND COPPER-BASE ALLOY MILL PRODUCTS; PACKAGING OF[CUST: AR SH 99] [REVIEW: AS CR GL IS MC OS SM] | A | PACK | | SH | 14-SEP-62 |
| | ASTM-B281 | COPPER AND COPPER-BASE ALLOYS FOR ELECTROPLATING AND CONVERSION COATINGS, PREPARATION OF[CUST: GL SH 11] | A | MFFP | | GL | 25-MAR-88 |
| | SAE-AMS4651 | COPPER BERYLLIUM ALLOY BARS AND RODS 98CU - 1.9BE (CDA 172) HARD TEMPER (TD04)[CUST: MR AS 11] [REVIEW: IS] | A | 9530 | | AS | 06-NOV-78 |
| | ASTM-B188 | COPPER BUS PIPE AND TUBE, SEAMLESS[CUST: MR GS2] [REVIEW: AR CR4 MC MI] | A | 6150 | | GS2 | 26-FEB-88 |
| | ASTM-B286 | COPPER CONDUCTORS FOR USE IN HOOKUP WIRE FOR ELECTRONIC EQUIPMENT[CUST: CR SH 11 CC] [REVIEW: 99 AR AS CG MC MI] | A | 6145 | | CC | 28-JUL-89 |
| | ASTM-B174 | COPPER CONDUCTORS, BUNCH-STRANDED FOR ELECTRICAL CONDUCTORS[CUST: CR SH 11 CC] [REVIEW: 99 AR AS CG MC MI] | A | 6145 | | CC | 27-JUL-90 |
| | ASTM-D4048 | COPPER CORROSION FROM LUBRICATING GREASE, DETECTION OF[CUST: AT 68] [REVIEW: AS GS] | A | 9150 | | AT | 15-SEP-91 |
| | ITOP-3.2.810.2 | COPPER CRUSHER MEASUREMENT OF WEAPON CHAMBER PRESSURE | D | ISDA | | TE | 12-MAY-04 |
| | MIL-C-49514 NOT 1 | COPPER CRUSHER SPHERES FOR CANNON AND MORTAR PRESSURE GAUGES, GENERAL SPECIFICATION FOR[CUST: TE MC 99] [REVIEW: AR OS] | A | 1090 | | TE | 04-OCT-00 |
| | ASTM-B306 | COPPER DRAINAGE TUBE (DWV)[CUST: CR4 YD 99] [REVIEW: SH] | A | 4710 | | CC | 15-AUG-92 |
| | ASTM-B272 | COPPER FLAT PRODUCTS WITH FINISHED (ROLLED OR DRAWN) EDGES (FLAT WIRE AND STRIP)[CUST: MR SH] [REVIEW: AR CR CR4 EA] | A | 9535 | | MR | 15-SEP-93 |
| | ASTM-E53 | COPPER IN UNALLOYED COPPER BY GRAVIMETRY, DETERMINATION OF[CUST: MR YD 99] [REVIEW: 84 AS IS OS SH] | A | 95GP | | YD | 24-JUL-92 |
| | ASTM-D1688 | COPPER IN WATER[CUST: EA 68] [REVIEW: 50 CR4 GL GS MD OS SH] | A | 6810 | | EA | 14-NOV-90 |
| | SAE-AMS2418 | COPPER PLATING[CUST: MR 11 GS4] | A | MFFP | | GS4 | FEB-95 |
| | ASTM-B456 | COPPER PLUS NICKEL PLUS CHROMIUM AND NICKEL PLUS CHROMIUM, ELECTRODEPOSITED COATING OF[CUST: GL YD 11] | A | MFFP | | YD | 03-OCT-94 |
| | MIL-C-20109(1) NOT 2 | COPPER PRESSURE CYLINDERS AND COPPER PRESSURE SPHERES, CANNON (MAJOR AND MEDIUM), CANNON (MINOR), SMALL ARMS, AND PISTOL AND REVOLVER[CUST: AR] [REVIEW: AV] | A | 1090 | | AR | 11-OCT-96 |
| | ASTM-B5 | COPPER REFINERY SHAPES, HIGH CONDUCTIVITY TOUGH-PITCH[CUST: EA SH 99] | A | 95GP | | EA | 10-SEP-95 |
| | ASTM-B49 | COPPER ROD DRAWING STOCK FOR ELECTRICAL PURPOSES[CUST: CR AS 11 CC] [REVIEW: 99 AR MC SH] | A | 6145 | | CC | 10-MAR-98 |
| | ASTM-B133 | COPPER ROD, BAR AND SHAPES (METRIC)[CUST: MR SH 99] [REVIEW: 84 AR CR CR4 EA GL IS MC OS SA] | A | 9530 | | MR | 15-DEC-93 |
| | ASTM-B301/B301M | COPPER ROD, BAR, WIRE, AND SHAPES, FREE-CUTTING[CUST: CR SH 11] | A | 9530 | | SH | 10-SEP-99 |
| | ASTM-B370 | COPPER SHEET AND STRIP FOR BUILDING CONSTRUCTION[CUST: CR4 YD 99] [REVIEW: IS] | A | 9535 | | YD | 15-NOV-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-B152/B152M | COPPER SHEET, STRIP, PLATE, AND ROLLED BAR[CUST: MR SH] [REVIEW: AR CR CR4 EA IS MC MI OS SA YD] | A | 9535 | | MR | 15-AUG-93 |
| | ASTM-D849 | COPPER STRIP CORROSION BY INDUSTRIAL AROMATIC HYDROCARBONS[CUST: EA 68 GS3] [REVIEW: AS CR4 GL MC MD SH] | A | 6810 | | GS3 | 15-APR-93 |
| | ASTM-B68 | COPPER TUBE, SEAMLESS, BRIGHT ANNEALED, SEAMLESS[CUST: MC 99] [REVIEW: CC CR4 SH] | A | 4710 | | MC | 15-AUG-92 |
| | ASTM-B732 | COPPER TUBING SYSTEMS, EVALUATING THE CORROSIVITY OF SOLDER FLUXES FOR[CUST: MR AS 11] [REVIEW: 71 AT CC] | A | 4710 | | MR | 22-FEB-91 |
| | ASTM-B3 | COPPER WIRE, SOFT OR ANNEALED[CUST: CR SH 11 CC] [REVIEW: 99 AR AS CG MC MI YD] | A | 6145 | | CC | 27-JUL-90 |
| | ASTM-B246 | COPPER WIRE, TINNED HARD-DRAWN AND MEDIUM-HARD-DRAWN FOR ELECTRICAL PURPOSES[CUST: CR SH 11 CC] [REVIEW: 99 AR AS CG MC MI] | A | 6145 | | CC | 10-APR-00 |
| | ASTM-B453/B453M | COPPER ZINC LEAD ALLOY (LEADED BRASS) ROD, BAR, AND SHAPES[CUST: MR SH] [REVIEW: AR CR CR4 EA MC OS SA] | A | 9530 | | MR | 17-AUG-88 |
| | ASTM-B187/B187M | COPPER, BUS BAR, ROD, AND SHAPES AND GENERAL PURPOSE ROD, BAR, AND SHAPES[CUST: CR4 YD 99] [REVIEW: GS MC SH] | A | 6150 | | YD | DEC-92 |
| | ASTM-D130 | COPPER, CORROSIVENESS TO, FROM PETROLEUM PRODUCTS BY COPPER STRIP TEST, STANDARD TEST METHOD FOR[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 15-FEB-94 |
| | ASTM-B101 | COPPER, LEAD-COATED, SHEET AND STRIP FOR BUILDING CONSTRUCTION[CUST: MR YD 99] [REVIEW: IS] | A | 9535 | | YD | 15-NOV-92 |
| | SAE-AMS4500 | COPPER, SHEET, STRIP, AND PLATE SOFT ANNEALED[CUST: AR SH 99 IS] | A | 9535 | | IS | APR-94 |
| | ASTM-B248 | COPPER, WROUGHT AND COPPER-ALLOY PLATE, SHEET, STRIP, AND ROLLED BAR, GENERAL REQUIREMENTS FOR[CUST: MR SH 11] [REVIEW: 99 AS IS OS] | A | 9530 | | MR | 15-JUL-94 |
| | MSS-SP104 | COPPER, WROUGHT, SOLDER JOINT PRESSURE FITTINGS[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | ASTM-B368 | COPPER-ACCELERATED ACETIC ACID-SALT SPRAY (FOG) TESTING (CASS TEST)[CUST: MR 11 GS4] [REVIEW: OS] | A | MFFP | | GS4 | 10-OCT-97 |
| | ASTM-B593 | COPPER-ALLOY SPRING MATERIALS, BENDING FATIGUE TESTING FOR[CUST: MR AS] | A | 95GP | | MR | 11-MAR-86 |
| | ASTM-B508 | COPPER-ALLOY STRIP FOR FLEXIBLE METAL HOSE[CUST: AR AS 99] [REVIEW: IS MR OS SH] | A | 9535 | | AR | 27-MAR-87 |
| | QQ-C-450A(2) NOT 1 | COPPER-ALUMINUM ALLOY (ALUMINUM BRONZE) PLATE, SHEET, STRIP, AND BAR (COPPER ALLOY NUMBERS 606, 610, 613, 614, AND 630)[CUST: AR SH IS] [REVIEW: AS MI] | A | 9530 | / | IS | 06-AUG-02 |
| | QQ-C-450A(I1) NOT 2 | COPPER-ALUMINUM ALLOY (ALUMINUM BRONZE) PLATE, SHEET, STRIP, AND BAR (COPPER ALLOY NUMBERS 606, 610, 613, 614, AND 630)[CUST: SH] | A | 9530 | / | SH | 01-OCT-99 |
| | ASTM-B422 | COPPER-ALUMINUM-SILICON-COBALT ALLOY, COPPER-NICKEL-SILICON-MAGNESIUM ALLOY COPPER-NICKEL-SILICON ALLOY, COPPER-NICKEL-ALUMINUM-MAGNESIUM ALLOY, AND COPPER-NICKEL-TIN ALLOY SHEET AND STRIP[CUST: MR] [REVIEW: 99 AS CR CR4 IS MC SA] | A | 9535 | | MR | 15-JAN-93 |
| | ASTM-B271 | COPPER-BASE ALLOY CENTRIFUGAL CASTINGS[CUST: MR SH 11] [REVIEW: CR4 OS] | A | MECA | | SH | 15-DEC-93 |
| | ASTM-E272 | COPPER-BASE AND NICKEL-COPPER ALLOY CASTINGS, HIGH-STRENGTH[CUST: MR AS 11] | A | NDTI | | AS | 15-OCT-91 |
| | SAE-AS81021 | COPPER-BERYLLIUM ALLOY (COPPER ALLOY NUMBERS C17500 AND C17510), STRIP[CUST: MR AS 11] [REVIEW: CR4 IS SH] | A | 9535 | | AS | 10-FEB-05 |
| | SAE-AMS4511 | COPPER-BERYLLIUM ALLOY CASTINGS 97CU - 2.1BE - 0.52(CO + NI) - 0.28SI SOLUTION AND PRECIPITATION HEAT TREATED (TF00)[CUST: 11] | A | MECA | | 11 | 31-MAY-05 |
| | SAE-AMS4890 | COPPER-BERYLLIUM ALLOY CASTINGS 97CU - 2.1BE - 0.52CO - 0.28SI SOLUTION HEAT TREATED (TBOO)[CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A | MECA | | MR | SEP-93 |
| | ASTM-B194 | COPPER-BERYLLIUM ALLOY PLATE, SHEET, STRIP, AND ROLLED BAR[CUST: MR SH] [REVIEW: 99 AR AS CR CR4 EA IS MC MI OS SA] | A | 9535 | | MR | 15-NOV-92 |
| | ASTM-B770 | COPPER-BERYLLIUM ALLOY SAND CASTINGS FOR GENERAL APPLICATIONS[CUST: MR YD] [REVIEW: SH] | A | MECA | | YD | 15-FEB-93 |
| | SAE-AMS4535 | COPPER-BERYLLIUM ALLOY, MECHANICAL TUBING 98CU - 1.9BE SOLUTION AND PRECIPITATION HEAT TREATED (TF00, FORMERLY AT)[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | 11-OCT-95 |
| | ASTM-A254 | COPPER-BRAZED STEEL TUBING[CUST: CR4 99 CC] [REVIEW: 71 AR MC] | A | 4710 | | CC | 15-JUN-91 |
| | ASTM-B506 | COPPER-CLAD STAINLESS STEEL SHEET AND STRIP FOR BUILDING CONSTRUCTION[CUST: MR YD] [REVIEW: 99 AR IS] | A | 9515 | | YD | 27-FEB-81 |
| | ASTM-B369 | COPPER-NICKEL ALLOY CASTINGS[CUST: MR SH 11] | A | MECA | | SH | 15-FEB-93 |
| | MIL-C-24679 | COPPER-NICKEL ALLOY FORGINGS AND FORGING STDCL<[CUST: SH] | A | FORG | | SH | 06-MAY-88 |
| | MIL-C-15726F(1) | COPPER-NICKEL ALLOY, SHEET, PLATE, STRIP, BAR, ROD AND WIRE[CUST: MR SH] [REVIEW: CR4 IS MC MI] | A | 9525 | | SH | 08-OCT-91 |
| | ASTM-E75 | COPPER-NICKEL AND COPPER-NICKEL-ZINC ALLOYS, CHEMICAL ANALYSIS OF[CUST: MR SH 99] | A | 95GP | | SH | OCT-94 |
| | ASTM-B411/B411M | COPPER-NICKEL-SILICON ALLOY ROD AND BAR[CUST: MR SH IS] [REVIEW: 99 CR CR4 EA GL] | A | 9530 | | IS | 15-AUG-92 |
| | ASTM-B412 | COPPER-NICKEL-SILICON ALLOY WIRE[CUST: MR SH] [REVIEW: CR CR4 EA GL IS OS] | A | 9525 | | MR | 15-AUG-93 |
| | ASTM-B122/B122M | COPPER-NICKEL-TIN ALLOY, COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER), AND COPPER-NICKEL ALLOY PLATE, SHEET, STRIP, AND ROLLED BAR[CUST: MR SH] [REVIEW: 99 AS CR CR4 EA GL IS MC MI OS SA YD] | A | 9535 | | MR | 15-NOV-92 |
| | ASTM-B740 | COPPER-NICKEL-TIN SPINODAL ALLOY STRIP[CUST: MR 99 IS] [REVIEW: 84] | A | 9535 | | IS | 04-SEP-91 |
| | ASTM-B206/B206M | COPPER-NICKEL-ZINC (NICKEL SILVER) WIRE AND COPPER-NICKEL ALLOY WIRE[CUST: MR SH IS] [REVIEW: AV CR CR4 EA GL MC OS SA] | A | 9525 | | IS | 10-FEB-97 |
| | ASTM-B96/B96M | COPPER-SILICON ALLOY PLATE, SHEET, STRIP, AND ROLLED BAR FOR GENERAL PURPOSES AND PRESSURE VESSELS[CUST: MR SH] [REVIEW: AR IS MC OS] | A | 9535 | | SH | 15-MAR-93 |
| | ASTM-B98/B98M | COPPER-SILICON ALLOY ROD, BAR, AND SHAPES[CUST: MR SH] [REVIEW: 99 CR CR4 EA GL MC OS] | A | 9530 | | IS | 01-DEC-92 |
| | ASTM-B99/B99M | COPPER-SILICON ALLOY WIRE FOR GENERAL APPLICATIONS[CUST: MR SH] [REVIEW: CR CR4 EA GL] | A | 9525 | | MR | 15-AUG-93 |
| | ASTM-B591 | COPPER-ZINC-TIN AND COPPER-ZINC-TIN-IRON-NICKEL ALLOYS PLATE, SHEET, STRIP, AND ROLLED BAR[CUST: AR AS 99] [REVIEW: IS MR OS SH] | A | 9535 | | AR | 15-JUL-93 |
| | GG-C-00590B | COPYHOLDER, TYPIST'S | A | 7520 | # | FSS | 18-MAY-70 |
| | A-A-2306A | COPYING MACHINE, INDIRECT ELECTROSTATIC PROCESS (PLAIN PAPER) | A | 3610 | # | FSS | 09-NOV-84 |
| | A-A-2305A | COPYING MACHINE, INDIRECT ELECTROSTATIC PROCESS (PLAIN PAPER) | A | 3610 | # | FSS | 09-NOV-84 |
| | A-A-2302A | COPYING MACHINE, INDIRECT ELECTROSTATIC PROCESS (PLAIN PAPER) | A | 3610 | # | FSS | 26-SEP-84 |
| | A-A-2560 | COPYING MACHINE, INDIRECT ELECTROSTATIC PROCESS (PORTABLE; PLAIN PAPER) | A | 3610 | # | FSS | 01-MAR-88 |
| | MIL-C-85257 | CORD ASSEMBLY, DETONATING[CUST: OS] | A | 1377 | | OS | 13-JUN-81 |
| | MIL-DTL-32154 | CORD ASSEMBLY, DETONATING, SHIELDED MILD[CUST: OS] | A | 1377 | | OS | 08-SEP-04 |
| | MIL-DTL-32018 | CORD ASSEMBLY, MILD DETONATION, CANOPY PERIPHERY, P/N 837AS118[CUST: OS] | A | 1377 | | OS | 13-MAR-01 |
| | UL817 | CORD SETS AND POWER-SUPPLY CORDS[CUST: GL YD 11] [REVIEW: GS] | A | 5995 | | YD | 22-DEC-86 |
| | MIL-C-40088A(1) | CORD, ACRYLIC, LACING[CUST: AR] | A | 4020 | | IS | 08-MAR-84 |
| | A-A-55622B NOT 1 | CORD, COTTON, SASH VENETIAN BLIND SPECIAL, AND GENERAL PURPOSE[CUST: GL] [REVIEW: AR EA MD1] | A | 4020 | / | IS | 14-APR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-32028 | CORD, DETONATING ASSEMBLY[CUST: OS] | A | 1377 | | OS | 03-NOV-98 |
| | MIL-C-43303C | CORD, ELASTIC, COTTON[CUST: GL NU CT] [REVIEW: MC MD OS] | A | 8305 | | CT | 22-MAY-90 |
| | MIL-C-5651D NOT 1 | CORD, ELASTIC, EXERCISER AND SHOCK ABSORBER, FOR AERONAUTICAL USE[CUST: CR4 AS CT] [REVIEW: AR AV DS MC MI] | A | 8305 | | AS | 24-OCT-91 |
| | MIL-C-43701B | CORD, ELASTIC, NYLON OR POLYESTER[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8305 | | CT | 30-JUL-90 |
| | MIL-DTL-13273A | CORD, ELECTRICAL (RETRACTILE, 2, 3 AND 4 CONDUCTOR, WD-9/U, WT-2/U, WF-4/U)[CUST: CR 11 CC] [REVIEW: MI] | A | 6145 | | CC | 25-OCT-02 |
| | MIL-DTL-24643/8D | CORD, ELECTRICAL, 300 VOLTS, TYPE LSMMOP[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/2E | CORD, ELECTRICAL, 300 VOLTS, TYPES LSDCOP AND LSTCOP[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/4D | CORD, ELECTRICAL, 600 VOLTS, TYPE LSMCOS[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| | MIL-DTL-24643/9E | CORD, ELECTRICAL, TYPE LSMRI[CUST: MI SH] [REVIEW: AV CC CG CR EC] | A | 6145 | | SH | 22-AUG-02 |
| A | MIL-DTL-55668C | CORD, ELECTRICAL; AUDIO, SUBMINIATURE (RETRACTILE AND STRAIGHT)[CUST: CR CC] | A | 6145 | | CC | 09-SEP-05 |
| | MIL-C-17183B | CORD, NYLON BRAIDED, TUBULAR, SPLICEABLE[CUST: AS] [REVIEW: AR EA MI] | A | 4020 | | AS | 03-DEC-69 |
| | PIA-C-5040 | CORD, NYLON, FIBROUS[CUST: GL AS 11] | A | 8315 | | CT | 16-JAN-03 |
| A | QPL-18266-12 | CORD, P/O H-87B/U | A | 5965 | | CC | 13-FEB-06 |
| | A-A-52070A | CORD, PLUMB BOB[CUST: GL MC IS] [REVIEW: MD] | A | 4020 | / | IS | 19-AUG-03 |
| | MIL-C-81104A(1) NOT 1 | CORD, POLYAMIDE, HIGH TEMPERATURE RESISTANT[CUST: AS] | A | 4020 | | AS | 28-OCT-91 |
| | MIL-C-572G(1) | CORD, YARNS AND MONOFILAMENTS ORGANIC SYNTHETIC FIBER[CUST: CR 99] [REVIEW: AV MI SH YD] | A | 4020 | | IS | 22-NOV-72 |
| | MIL-C-3131F | CORDAGE; PACKAGING OF[CUST: GL SH] [REVIEW: IS MC SA SM YD] | A | PACK | | SH | 06-JAN-95 |
| | MIL-C-3636C NOT 3 | CORDS AND TASSELS, FLAG[CUST: IH 11] [REVIEW: 99 CT] | A | 8345 | | IH | 12-JUN-01 |
| A | MIL-DTL-5898F | CORDS, ELECTRICAL (WF-5/U, WF-14/U, WD-34/U, WM-53/U, WM-85/U)[CUST: 11 CC] | A | 6145 | | CC | 29-AUG-05 |
| | EIA492AAAA | CORE DIAMETER/125-UM CLADDING DIAMETER CLASS IA GRADED-INDEX MULTIMODE OPTICAL FIBERS , 62.5-UM[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | MIL-C-7438G(1) | CORE MATERIAL, ALUMINUM, FOR SANDWICH CONSTRUCTION[CUST: CR4 AS 11] [REVIEW: 99 AV MI MR OS] | A | 1560 | | AS | 26-FEB-86 |
| | ASTM-C273 | CORE MATERIALS, SHEAR PROPERTIES OF SANDWICH[CUST: YD 99] [REVIEW: MC] | A | FACR | | YD | 26-SEP-88 |
| | ASTM-C365 | CORES, SANDWICH, FLATWISE COMPRESSIVE PROPERTIES OF[CUST: GL YD] [REVIEW: CE] | A | FACR | | YD | 26-SEP-88 |
| | MIL-C-782B(1) NOT 3 | CORES, STEEL; FOR USE IN BALL TYPES OF SMALL ARMS AMMUNITION[CUST: AR] | A | 1305 | | AR | 17-NOV-98 |
| | SAE-AMS-C-6183 | CORK AND RUBBER COMPOSITION SHEET; FOR AROMATIC FUEL AND OIL RESISTANT GASKETS[CUST: AS] | A | 5330 | | AS | JUL-98 |
| | A-A-20340 | CORN DOGS, FULLY COOKED, FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8905 | * | GL | 20-MAR-02 |
| | A-A-20066A | CORN MEAL, (WHITE OR YELLOW)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8920 | * | FV | 14-AUG-02 |
| | TT-C-621B | CORRECTION FLUID, DUPLICATING MACHINE STENCIL | A | 7510 | # | FSS | 31-MAY-73 |
| | DI-RELI-80254 | CORRECTIVE ACTION PLAN [AMSC: N3986] | A | SESS | | SA | 17-OCT-86 |
| | MIL-HDBK-729 NOT 1 | CORROSION & CORROSION PREVENTION METALS[CUST: MR SH 11] | A | MFFP | | MR | 26-JUL-89 |
| | IPC-TM650.2.3.32 | CORROSION (COPPER MIRROR METHOD), FLUX INDUCED[CUST: CR EC 11] [REVIEW: 84 99 GS MI SH] | A | 3439 | | CR | 06-AUG-89 |
| | ASTM-G15 | CORROSION AND CORROSION TESTING, STANDARD TERMINOLOGY RELATING TO[CUST: MR SH] [REVIEW: AR AT CR4 EA IS MI] | A | MFFP | | MR | 05-MAY-93 |
| | SAE-ARP1512 | CORROSION OF ALUMINUM ALLOYS BY AIRCRAFT MAINTENANCE CHEMICALS, SANDWICH TEST[CUST: MR AS 68] | A | 95GP | | AS | 01-OCT-91 |
| | ASTM-F1111 | CORROSION OF LOW-EMBRITTLING CADMIUM PLATE BY AIRCRAFT MAINTENANCE CHEMICALS, STANDARD TEST METHOD FOR[CUST: MR AS 99 IS] | A | 95GP | | AS | 27-NOV-02 |
| | DI-MFFP-81403 | CORROSION PREVENTION AND CONTROL PLAN [AMSC: F7035] | A | MFFP | | 11 | 06-JUN-94 |
| | MIL-DTL-85054C | CORROSION PREVENTIVE COMPOUND, CLEAR (AMLGUARD)[CUST: AS] | A | 8030 | | AS | 20-MAY-02 |
| | QPL-11796-31 | CORROSION PREVENTIVE COMPOUND, PETROLATUM HOT APPLICATION | A | 8030 | | AR | 02-MAR-05 |
| | MIL-C-11796C | CORROSION PREVENTIVE COMPOUND, PETROLATUM, HOT APPLICATION[CUST: AR SH 99] [REVIEW: AS EA GL MI MS OS SA] | A | 8030 | | AR | 04-NOV-86 |
| | QPL-16173-84 | CORROSION PREVENTIVE COMPOUND, SOLVENT CUTBACK, COLD-APPLICATION | A | 8030 | | SH | 09-JUN-05 |
| A | MIL-PRF-16173E | CORROSION PREVENTIVE COMPOUND, SOLVENT CUTBACK, COLD-APPLICATION[CUST: MR SH 11] [REVIEW: AR AS DS EA MC OS YD] | A | 8030 | | SH | 06-JAN-93 |
| | MIL-C-40084C NOT 2 | CORROSION PREVENTIVE COMPOUND, WATER-EMULSIFIABLE, OIL TYPE[CUST: AR AS 11] [REVIEW: 84 SH] | A | 8030 | | AR | 22-APR-99 |
| | A-A-59295 | CORROSION PREVENTIVE COMPOUNDS, COLD APPLICATION (FOR NEW AND FIELDED MOTOR VEHICLES AND TRAILERS)[CUST: AT YD 99] [REVIEW: 84 AR CR4 MR] | A | 8030 | / | AT | 09-SEP-98 |
| | QPL-81309-22(3) | CORROSION PREVENTIVE COMPOUNDS, WATER DISPLACING, ULTRA-THIN FILM | A | 8030 | | AS | 22-JUL-95 |
| | MIL-PRF-81309F | CORROSION PREVENTIVE COMPOUNDS, WATER DISPLACING, ULTRA-THIN FILM[CUST: EA AS 99] [REVIEW: 84 AT CG DS MR OS] | A | 8030 | | AS | 16-MAY-05 |
| | MIL-C-15074E | CORROSION PREVENTIVE, FINGERPRINT REMOVER[CUST: AR SH 99] [REVIEW: AS CR4 EA MC MD MI OS SA SM] | A | 8030 | | AR | 30-JAN-91 |
| | QPL-15074-41 | CORROSION PREVENTIVE, FINGERPRINT REMOVER | A | 8030 | | AR | 02-MAR-05 |
| | ASTM-D1611 | CORROSION PRODUCED BY LEATHER IN CONTACT WITH METAL[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | A-A-59260 NOT 1 | CORROSION REMOVING COMPOUND, SODIUM HYDROXIDE BASE; FOR ELECTROLYTIC OR IMMERSION APPLICATION[CUST: MR AS 68] [REVIEW: 11 CR4 MI SA SH] | A | 6850 | / | GS3 | 12-MAR-04 |
| | A-A-59261 NOT 1 | CORROSION REMOVING COMPOUND, SODIUM HYDROXIDE BASE; FOR IMMERSION APPLICATION[CUST: MR SH 68] [REVIEW: AR] | A | 6850 | / | GS3 | 12-MAR-04 |
| | A-A-54723 | CORROSION TEST STRIP, COPPER, 3 BY 1/2 INCH[CUST: MD MS 03] | A | 6640 | / | MB | 10-AUG-92 |
| | ASTM-E866 | CORROSION-INHIBITING ADHESIVE PRIMER FOR ALUMINUM ALLOYS TO BE ADHESIVELY BONDED IN HONEYCOMB SHELTER PANELS[CUST: GL SA 99] [REVIEW: 84 AS MR] | A | 8040 | | GL | 15-JUN-92 |
| | QPL-8188-19 | CORROSION-PREVENTIVE OIL, GAS TURBINE ENGINE AIRCRAFT SYNTHETIC BASE | A | 6850 | | 11 | 30-AUG-99 |
| | MIL-PRF-8188D | CORROSION-PREVENTIVE, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE[CUST: CR4 AS 11] [REVIEW: 68 AV GS PS SH] | A | 6850 | | 11 | 10-DEC-97 |
| | ASTM-A263 | CORROSION-RESISTING CHROMIUM STEEL CLAD PLATE[CUST: GL SH 99] | A | 9515 | | GL | 03-OCT-94 |
| | A-A-59554 | CORRUGATED COLLAPSIBLE REUSABLE BULK PACKING SYSTEM[CUST: AV SA 99] [REVIEW: 84] | A | 3990 | / | IS | 21-DEC-04 |
| | AASHTO-M294 | CORRUGATED POLYETHYLENE PIPE, 300- TO 1200-MM DIAMETER[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | AASHTO-MP7 | CORRUGATED POLYETHYLENE PIPE, SPECIFICATION FOR[CUST: YD] | A | FACR | | YD | 03-SEP-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AASHTO-M167 | CORRUGATED STEEL STRUCTURAL PLATE, ZINC-COATED, FOR FIELD-BOLTED PIPE, PIPE-ARCHES AND ARCHES[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | DI-MISC-81362 | COST AVOIDANCE REPORT [AMSC: F6958] | A | MISC | | 10 | 01-SEP-93 |
| | DI-FNCL-80166B | COST BREAKDOWN STRUCTURE (CBS) DETAIL REPORT (DI-FNCL-80166B) [AMSC: N7546] | A | FNCL | | NS | 03-FEB-05 |
| | DI-FNCL-80165 | COST BREAKDOWN STRUCTURE SUMMARY REPORT [AMSC: G3830] | A | FNCL | | NS | 07-MAY-86 |
| | DI-FNCL-81565A | COST DATA SUMMARY REPORT (DD FORM 1921) [AMSC: D7514] | A | FNCL | | SO | 31-OCT-03 |
| | MIL-HDBK-1010A | COST ENGINEERING: POLICY AND PROCEDURES[CUST: YD] | A | FACR | | YD | 01-AUG-92 |
| | AA-C-001870 | COSTUMER, METAL, CONTEMPORARY STYLE | A | 7110 | # | FSS | 24-JUN-74 |
| | A-A-3136 | COSTUMER, WOOD, GENERAL OFFICE[CUST: FSS] | A | 7195 | # | FSS | 15-JUN-98 |
| | AA-C-571H | COT, FOLDING[CUST: GL YD 99] [REVIEW: 84 MC MD] | A | 7105 | / | IS | 20-SEP-93 |
| | MIL-C-36465A | COT, FOLDING, HOSPITAL ALUMINUM[CUST: MD MS 03] | A | 6530 | | MB | 25-JUN-89 |
| | ASTM-D3772 | COTS, NATURAL RUBBER FINGER[CUST: MD MS 03] | A | 6515 | | MB | 27-MAR-86 |
| | A-A-20154A | COTTAGE CHEESE[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8910 | * | GL | 30-JUN-94 |
| | ASTM-D295 | COTTON FABRICS, VARNISHED, USED FOR ELECTRICAL INSULATION[CUST: CR SH 11] | A | 2520 | | SH | 3-OCT-94 |
| | ASTM-D1448 | COTTON FIBERS, MICRONAIRE READING OF[CUST: GL SH 99 CT] | A | 8310 | | SH | 03-OCT-94 |
| | AIR-STD-45/4C(1) | COUNTER AIR OPERATIONS | C | ISDF | | 06 | 14-APR-98 |
| | ATP-42B(1) | COUNTER AIR OPERATIONS (INCLUDES CHANGE 1) | C | ISDA | | AI | 01-AUG-92 |
| | STANAG-3880 ED.3(1) | COUNTER AIR OPERATIONS - ATP-42(B) | C | ISDF | | 06 | 15-NOV-95 |
| | A-A-50802A | COUNTER, BLOOD CELLS, DIFFERENTIAL[CUST: MD MS 03] | A | 6640 | / | MB | 22-JUN-92 |
| | MIL-C-41814F | COUNTER, FOOTWEAR[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8335 | | CT | 02-DEC-86 |
| | STANAG-2192 ED.1 | COUNTER-INTELLIGENCE AND SECURITY PROCEDURES - AJP-2.2 | C | ISDA | | AI | 06-DEC-01 |
| | MIL-C-85578 | COUNTERMEASURES SET AN/DLQ-5(V)[CUST: AS] | A | 5865 | | AS | 16-NOV-82 |
| | MIL-C-85579 | COUNTERMEASURES SET, B-BAND[CUST: AS] | A | 5865 | | AS | 26-MAY-83 |
| | MIL-PRF-49136C | COUNTERMEASURES TEST SET, AN/ALM-178( )[CUST: CR] | A | 6625 | | CR | 26-SEP-00 |
| | STANAG-2485 ED.1 | COUNTERMINE OPERATIONS | C | ISDA | | AI | 14-DEC-01 |
| | SAE-J740 | COUNTERSUNK, SQUARE HOLES FOR CUTTING EDGES AND END BITS[CUST: CR4 YD 99] [REVIEW: 84] | A | 3805 | | CR4 | JUL-86 |
| | A-A-53663 | COUNTING APPARATUS, BACTERIAL COLONY[CUST: MD MS 03] | A | 6640 | / | MB | 01-SEP-88 |
| | ANSI-S3.13 | COUPLER MECHANICAL, BONE VIBRATORS FOR MEASUREMENTS OF[CUST: MD MS 11] | A | 6515 | | 03 | 03-OCT-94 |
| | MIL-C-24219A(1) NOT 1 | COUPLER, ANTENNA, AN/SRA-33, FOUR CHANNEL, AUTOMATICALLY TUNED[CUST: EC] | A | 5985 | | EC | 27-OCT-87 |
| | A-A-52484 NOT 1 | COUPLER, AUTOMOTIVE AIR BRAKE LINE: QUICK-DISCONNECT[CUST: AT 99] [REVIEW: 71 CC CR4 MC MI] | A | 4730 | / | AT | 14-APR-04 |
| | A-A-52464B NOT 1 | COUPLER, DRAWBAR, RING: LIGHT DUTY, 60,000 LB GVW; OFFSET (TAPER SHANK), 60,000 LB GVW; AND HEAVY DUTY 120,000 LB GVW[CUST: AT MC 99 CC] [REVIEW: 84 CR4] | A | 2540 | / | CC | 15-APR-05 |
| | MIL-DTL-62478B | COUPLER, OPTICAL[CUST: AT] | A | 1240 | | AT | 09-SEP-98 |
| A | MIL-PRF-19500/486F | COUPLER, OPTO ELECTRONIC, SEMICONDUCTOR DEVICE, SOLID STATE, TYPES 4N22, 4N22A, 4N23, 4N23A, 4N24, 4N24A, 4N22U, 4N23U, AND 4N24U, JAN, JANTX, JANTXV, AND JANS[CUST: 11 CC NA] [REVIEW: 19] | A | 5980 | | CC | 15-SEP-05 |
| A | MIL-PRF-19500/548F | COUPLER, OPTO ELECTRONIC, SEMICONDUCTOR DEVICE, SOLID STATE, TYPES 4N47, 4N48, 4N49, 4N47A, 4N48A, 4N49A, 4N47U, 4N48U, 4N49U, 4N47BU, 4N48BU, AND 4N49BU, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI OS SH SM] | A | 5980 | | CC | 15-SEP-05 |
| | MIL-DTL-15370/3D | COUPLERS, DIRECTIONAL (COAXIAL, SERIES N CONNECTORS)[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS SH] | A | 5985 | | CC | 20-JUN-03 |
| | MIL-DTL-15370/10C | COUPLERS, DIRECTIONAL (COAXIAL, SMA CONNECTORS) (.50 TO 18 GHZ)[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5985 | | CC | 18-JUN-03 |
| | MIL-DTL-15370/9F | COUPLERS, DIRECTIONAL (COAXIAL, SMA CONNECTORS) (1 TO 26.5 GHZ)[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS] | A | 5985 | | CC | 18-JUN-03 |
| | MIL-DTL-15370/6D | COUPLERS, DIRECTIONAL (WAVEGUIDE, COAXIAL OUTPUT)[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS SH] | A | 5985 | | CC | 20-JUN-03 |
| | MIL-DTL-15370/5D | COUPLERS, DIRECTIONAL (WAVEGUIDE-CROSSGUIDE)[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5985 | | CC | 24-JAN-02 |
| | MIL-DTL-15370/4D | COUPLERS, DIRECTIONAL (WAVEGUIDE-MULTIHOLE)[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5985 | | CC | 24-JAN-02 |
| | MIL-DTL-15370/11D | COUPLERS, DIRECTIONAL DUAL (COAXIAL, SERIES N CONNECTORS)[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS SH] | A | 5985 | | CC | 10-MAY-04 |
| | MIL-DTL-15370/18B | COUPLERS, DIRECTIONAL, (PIN PLUG-IN TERMINATION)[CUST: CR EC 11 CC] [REVIEW: AS CG MC OS SH] | A | 5985 | | CC | 18-JUN-03 |
| | MIL-DTL-15370/16B | COUPLERS, DIRECTIONAL, (COAXIAL, SMA CONNECTORS) (2 TO 1000 MHZ)[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS SH] | A | 5985 | | CC | 18-JUN-03 |
| | MIL-DTL-15370G(1) SUP 1 | COUPLERS, DIRECTIONAL, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS SH] | A | 5985 | | CC | 01-JUL-04 |
| | SAE-AS976 | COUPLING - CLAMP, GROOVE V-BAND, 6.400, 9.400, 11.400 FLANGE OD[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-FEB-70 |
| | SAE-AS977 | COUPLING - CLAMP, GROOVE V-BAND, FORGED 6.400, 9.400, 11.400 FLANGE OD[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-OCT-71 |
| | NAS424 | COUPLING - TUBE FLARED FITTING, FEMALE THREAD[CUST: CR4 SH 99] [REVIEW: 71] | A | 4730 | | CC | 11-MAR-92 |
| | A-A-2921A | COUPLING ASSEMBLIES AND MENDERS, HOSE[CUST: 99 CC] [REVIEW: 71] | A | 4730 | / | CC | 17-DEC-02 |
| | SAE-AS7413 | COUPLING ASSEMBLIES, QUICK DISCONNECT, AUTOMATIC SHUTOFF[CUST: AT 99 CC] [REVIEW: 71 82 AV MI] | A | 4730 | | CC | 26-SEP-03 |
| | MIL-C-11053F | COUPLING ASSEMBLY, HOSE (CHEMICAL, 3/4- AND 1-INCH)[CUST: AV YD] [REVIEW: AR] | A | 4210 | | IS | 28-DEC-83 |
| | A-A-59614 | COUPLING ASSEMBLY, HOSE (GARDEN, WATER, AND WATER SUCTION)[CUST: AT SH 99 CC] [REVIEW: 71 SA] | A | 4730 | / | CC | 21-AUG-01 |
| | MIL-C-85829 | COUPLING ASSEMBLY, HOSE, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE[CUST: AS] | A | 4240 | | AS | 06-NOV-89 |
| | A-A-59227A | COUPLING ASSEMBLY, HOSE, FIRE FIGHTING[CUST: YD 99] [REVIEW: 84 CC SH] | A | 4210 | / | IS | 01-DEC-04 |
| | SAE-AS24334 | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, FLARELESS FITTING TO INTERNAL THREAD BOSS[CUST: AV AS 99] | A | 4730 | | AS | SEP-98 |
| | SAE-AS25427 | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK DISCONNECT[CUST: AV AS 99] [REVIEW: 11 71 AT CC CG MC SA SH] | A | 4730 | | AS | 16-MAY-05 |
| | SAE-AS24333 | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK DISCONNECT, FLARED FITTING TO INTERNAL THREAD BOSS[CUST: AV AS 99] | A | 4730 | | AS | SEP-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-AS25427-1 | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK-DISCONNECT | A | 4730 | | AS | 16-MAY-05 |
| | A-A-59377A NOT 1 | COUPLING ASSEMBLY, QUICK-DISCONNECT, SEXLESS TYPE[CUST: AT SH 99] [REVIEW: CC] | A | 4730 | / | AT | 31-MAY-05 |
| | MIL-C-24788 | COUPLING ASSEMBLY, SEMI-DRY-BREAK QUICK-DISCONNECT, FUEL WITH OR WITHOUT CONTINUITY SWITCH[CUST: CR4 SH 99] [REVIEW: 71] | A | 4730 | | SH | 09-SEP-93 |
| | SAE-AS1960 | COUPLING ASSEMBLY, V-BAND, SHEET METAL FLANGE, PNEUMATIC TUBE[CUST: 99] [REVIEW: IS] | A | 5340 | | 71 | 260AUG-91 |
| | MS21391B | COUPLING END, 1-INCH, DRINKING WATER, SERVICE, AIRCRAFT, STANDARD DIMENSIONS FOR[CUST: AV AS 99] [REVIEW: AR GS] | A | 1680 | | 71 | 23-JUN-98 |
| | CISPI310 | COUPLING FOR USE IN CONNECTION WITH HUBLESS CAST IRON SOIL PIPE AND FITTINGS FOR SANITARY AND STORM DRAIN, WASTE, AND VENT PIPING APPLICATIONS, SPECIFICATION FOR[CUST: CR4 YD 99] [REVIEW: CE SH] | A | 4730 | | CC | 04-MAR-91 |
| | SAE-AS1713 | COUPLING HALF SUBASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS[CUST: AV AS 99] [REVIEW: AR AT CC CR4 MI] | A | 4730 | | 71 | 15-JUL-92 |
| | A-A-59326/10A | COUPLING HALF, CAP, DUST, TYPE IX[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | A-A-59326/7A | COUPLING HALF, FEMALE BY EXTERNAL PIPE THREAD, TYPE VII[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | A-A-59326/16A | COUPLING HALF, FEMALE BY EXTERNAL STRAIGHT THREADS, TYPE XVI (FOR USE WITH NATO EQUIPMENT)[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | A-A-59326/9A | COUPLING HALF, FEMALE BY FLANGE, HEXAGON, TYPE VIIIA, (FOR D-1 NOZZLE)[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | A-A-59326/8A | COUPLING HALF, FEMALE BY FLANGE, TYPE VIII (TTMA)[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| A | A-A-59326/6B | COUPLING HALF, FEMALE BY HOSE SHANK, TYPE VI[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 12-SEP-05 |
| | A-A-59326/5A | COUPLING HALF, FEMALE BY INTERNAL PIPE THREAD, TYPE V[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | A-A-59326/18A | COUPLING HALF, FEMALE REDUCER BY INTERNAL PIPE THREAD, TYPE XVIII[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | A-A-59326/3A | COUPLING HALF, MALE BY EXTERNAL PIPE THREAD, TYPE III[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | A-A-59326/4A | COUPLING HALF, MALE BY FLANGE, TYPE IV (TTMA)[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| A | A-A-59326/2B | COUPLING HALF, MALE BY HOSE SHANK, TYPE II[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 12-SEP-05 |
| | A-A-59326/1A | COUPLING HALF, MALE BY INTERNAL PIPE THREAD, TYPE I[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | A-A-59326/17A | COUPLING HALF, MALE BY INTERNAL STRAIGHT THREADS, TYPE XVII (FOR USE WITH NATO EQUIPMENT)[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | A-A-59326/19A | COUPLING HALF, NIPPLE ADAPTER, MALE BY EXTERNAL GROOVED PIPE, TYPE XIX[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | A-A-59326/11A | COUPLING HALF, PLUG, DUST, TYPE X[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | QPL-25531-20 | COUPLING HALF, QUICK DISCONNECT, PNEUMATIC STARTER, EXTERNAL, LOW PRESSURE | A | 4730 | | 71 | 14-AUG-02 |
| | A-A-59553 | COUPLING HALVES, CAP AND WYE; QUICK DISCONNECT PNEUMATIC HOSE, TWO-LUG UNIVERSAL TYPE[CUST: AT SH CC] [REVIEW: AR MC OS SA] | A | 4730 | / | CC | 28-JUN-01 |
| | A-A-59439 | COUPLING HALVES, QUICK-DISCONNECT[CUST: AT AS 99 CC] [REVIEW: 71 AR] | A | 4730 | / | CC | 30-DEC-99 |
| A | A-A-59326B | COUPLING HALVES, QUICK-DISCONNECT, CAM-LOCKING TYPE[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 12-SEP-05 |
| | SAE-AS10380 | COUPLING INSTALLATIONS, STANDARD CONDUIT, ELECTRICAL[CUST: CR1 AS 11] [REVIEW: GS] | A | 5975 | | AS | MAR-98 |
| | SAE-AS1712 | COUPLING SUBASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS[CUST: AV AS 99] [REVIEW: AR AT CC CR4] | A | 4730 | | 71 | 15-JUL-92 |
| | MS14304A NOT 4 | COUPLING, CAPS, PLUGS, & BUSHINGS, PIPE THREADED, PRESSURE CLASS 3000 & 6000[CUST: AT MC 99] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 15-APR-05 |
| | MIL-C-43859A NOT 1 | COUPLING, EXTRACTION FORCE TRANSFER, AIRDROP[CUST: GL] [REVIEW: AV GS] | A | 1670 | | GL | 08-AUG-90 |
| | SAE-AS7365/2 | COUPLING, FEMALE, 12 INCH AIR DUCT[CUST: AT MC 99 CC] [REVIEW: 71 CR4 GL MD] | A | 4730 | | CC | 10-FEB-05 |
| | SAE-AS7365/4 | COUPLING, FEMALE, 6 INCH AIR DUCT[CUST: AT MC 99 CC] [REVIEW: 71 CR4 GL MD] | A | 4730 | | CC | 10-FEB-05 |
| | NAS521 | COUPLING, FLEXIBLE, LOW PRESSURE[CUST: 99 CC] | A | 4720 | | CC | 19-MAY-93 |
| | NAS522 | COUPLING, FLEXIBLE, LOW PRESSURE AIR LINE[CUST: 99 CC] | A | 4720 | | CC | 05-DEC-96 |
| | NAS520 | COUPLING, FLEXIBLE, LOW PRESSURE, 450 DEG. AIR LINE[CUST: 99 CC] [REVIEW: 71] | A | 4720 | | CC | 19-MAY-93 |
| | SAE-AS1711 | COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE ENDS, ENVELOPE DIMENSIONS DESIGN STANDARD[CUST: AV AS 99] [REVIEW: 71 AR AT CR4 MI] | A | 4730 | | CC | 15-JUL-92 |
| | MS17814C(1) | COUPLING, FRANGIBLE, AVIATION GROUND LIGHTS[CUST: AS 99 IS] [REVIEW: 71] | A | 6210 | | IS | 21-MAY-02 |
| | SAE-AS5356 | COUPLING, FUEL LINE, FLEXIBLE, 125 PSI, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 11 71 CC SA] | A | 4730 | | AS | 27-AUG-99 |
| | SAE-AS1710 | COUPLING, FUEL, FLEXIBLE, VARIABLE CAVITY THREADED TYPE WITH FERRULES[CUST: AV AS 99] [REVIEW: AR AT CC CR4 MI] | A | 4730 | | 71 | OCT-88 |
| | MS16051F | COUPLING, GROUND COOLING, COMBAT TYPE AIRCRAFT[CUST: AS] [REVIEW: CC] | A | 4730 | | AS | 16-JAN-87 |
| | SAE-AS7365/3 | COUPLING, MALE, 12 INCH AIR DUCT[CUST: AT MC 99 CC] [REVIEW: 71 CR4 GL MD] | A | 4730 | | CC | 10-FEB-05 |
| | SAE-AS7365/5 | COUPLING, MALE, 6 INCH AIR DUCT[CUST: AT MC 99 CC] [REVIEW: 71 CR4 GL MD] | A | 4730 | | CC | 10-FEB-05 |
| | MS39233C NOT 3 | COUPLING, PIPE STRAIGHT (150 & 300 POUNDS)[CUST: AR MC 99] [REVIEW: 71 AT AV] | A | 4730 | | CC | 08-APR-05 |
| | MIL-C-24706 | COUPLING, PIPE, HEAT-RECOVERABLE[CUST: SH] | A | 4730 | | SH | 13-JUL-88 |
| | SAE-AS4859 | COUPLING, PIPE, INTERNAL THREAD[CUST: AV AS 99 CC] [REVIEW: 71 MI] | A | 4730 | | CC | JUL-95 |
| | QPL-25162-16 | COUPLING, RECEPTION, FLIGHT PRESSURE REFUELING TYPE MA-2 | A | 1680 | | AS | 18-MAR-02 |
| | MIL-C-81975B(2) NOT 2 | COUPLING, REGULATED, AERIAL PRESSURE REFUELING TYPE MA-3[CUST: AS 99] [REVIEW: GS] | A | 1680 | | AS | 31-OCT-00 |
| | NAS652 | COUPLING, RIGID TUBE BULKHEAD CONNECTOR[CUST: AV AS 99] [REVIEW: AR CR4 IS] | A | 4730 | | AS | 05-FEB-88 |
| | NAS591 | COUPLING, RIGID TUBE CONNECTOR, ALUMINUM[CUST: AV AS 99] [REVIEW: AR CR4 IS] | A | 4730 | | AS | 05-FEB-88 |
| | NAS594 | COUPLING, RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL[CUST: AV AS 99] [REVIEW: AR CR4 IS] | A | 4730 | | AS | 05-FEB-88 |
| | MIL-C-24356A(2) | COUPLING, SEGMENTED, & SPLIT CLAMPS REATTACHABLE, 2-1/2-, 4-, 6- & 7- INCH, FOR REFUELING-AT-SEA HOSE[CUST: SH] [REVIEW: YD] | A | 4730 | | SH | 01-MAR-88 |
| | SAE-AS1960/2 | COUPLING, SHEET METAL, 40 DEG. V-BAND, QUICK RELEASE (OPTIONAL SAFETY) LATCH[CUST: 99] [REVIEW: IS] | A | 5340 | | 71 | 30-JUN-86 |
| | SAE-AS1960/1 | COUPLING, SHEET METAL, 40 DEG. V-BAND, STANDARD LATCH[CUST: 99] [REVIEW: IS] | A | 5340 | | 71 | 30-JUN-86 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-F682 | COUPLING, SLEEVE TYPE, WROUGHT CARBON STEEL[CUST: SH] | A | 4730 | | SH | 06-MAY-83 |
| | A-A-59449 NOT 1 | COUPLING, TUBE, WITH STOP, SOLDER-JOINT, REFRIGERATION[CUST: GL4 SH 99 CC] [REVIEW: MC] | A | 4730 | / | CC | 30-MAR-04 |
| | SAE-AS1895/22 | COUPLING, V-RETAINER, DOUBLE LATCH, TYPE I STANDARD PROFILE[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-JUN-92 |
| | SAE-AS1895/20 | COUPLING, V-RETAINER, DOUBLE LATCH, TYPE II LOW PROFILE[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-JUN-92 |
| | SAE-AS1895/1 | COUPLING, V-RETAINER, SINGLE LATCH, TYPE I STANDARD PROFILE[CUST: AS 99 IS] [REVIEW: 71 NA] | A | 5340 | | IS | MAY-96 |
| | SAE-AS1895/4 | COUPLING, V-RETAINER, SINGLE LATCH, TYPE II LOW PROFILE[CUST: AS 99 IS] [REVIEW: 71 NA] | A | 5340 | | IS | MAY-96 |
| | A-A-50431A | COUPLINGS - QUICK DISCONNECT, BOWES TYPE (AIR HOSES AND PIPING)[CUST: AR SH] [REVIEW: YD] | A | 4730 | / | SH | 07-NOV-91 |
| | MIL-C-23233A | COUPLINGS FOR PROPULSION UNITS, AUXILIARY TURBINES AND LINE SHAFTS, NAVAL SHIPBOARD[CUST: SH] | A | 2010 | | SH | 25-NOV-92 |
| | SAE-AS5355 | COUPLINGS, CLAMP, GROOVED, V-BAND[CUST: AS 99 GS1] | A | 5342 | | GS1 | OCT-98 |
| | SAE-AS5355/3 | COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 14.25 FLANGE OD (-65 TO 1200 DEG. F)[CUST: AS 99 GS1] | A | 5342 | | GS1 | SEP-98 |
| | SAE-AS5355/1 | COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 14.25 FLANGE OD (-65 TO 800 DEG. F)[CUST: AS 99 GS1] | A | 5342 | | GS1 | SEP-98 |
| | SAE-AS5355/2 | COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 6.25 FLANGE OD (-65 TO 250 DEG. F)[CUST: AS 99 GS1] | A | 5342 | | GS1 | SEP-98 |
| | A-A-52598 NOT 1 | COUPLINGS, CLAMP, PIPE; WITH BOLTS AND SYNTHETIC-RUBBER GASKETS FOR GROOVED-END PIPE[CUST: AT MC 99] [REVIEW: 71 CC CE1] | A | 4730 | / | AT | 19-APR-04 |
| | SAE-AS38404 | COUPLINGS, HOSE, REATTACHABLE SCREW-ON[CUST: AV 99 CC] [REVIEW: 71] | A | 4730 | | CC | OCT-99 |
| | DI-SESS-81522B | COURSE CONDUCT INFORMATION PACKAGE [AMSC: N7468] | A | SESS | | AS | 30-AUG-01 |
| | MS9948 | COVER - ACCESSORY DRIVE, 10,000 BC ROUND, QAD[CUST: AV AS 11] [REVIEW: GS] | A | 2995 | | AS | 04-MAY-70 |
| | MS9950 | COVER - ACCESSORY DRIVE, 5,000 BC ROUND, QAD[CUST: AV AS 11] [REVIEW: GS] | A | 2995 | | AS | 04-MAY-70 |
| | MS9949 | COVER - ACCESSORY DRIVE, 8,000 BC ROUND, QAD[CUST: AV AS 11] [REVIEW: GS] | A | 2995 | | AS | 04-MAY-70 |
| | MS18029E | COVER ASSEMBLY, ELECTRICAL, FOR MS 27212 TERMINAL BOARD ASSEMBLY[CUST: CR AS 11 GS] [REVIEW: 99 CR4 MC MI] | A | 5940 | | AS | 14-MAY-71 |
| | SAE-AS35051 | COVER FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLE[CUST: CR AS 11] | A | 5935 | | AS | JAN-98 |
| A | MS28105D | COVER GLASS, AIRCRAFT INSTRUMENT DIAL[CUST: GL AS 11] [REVIEW: 84] | A | 5355 | | IS | 23-JAN-06 |
| | A-A-51271 | COVER GLASS, MICROSCOPE SLIDE[CUST: MD MS 03] | A | 6640 | / | MB | 10-DEC-85 |
| | MIL-PRF-32002C NOT 1 | COVER MATERIAL,VEHICLE, COATED TACTICAL AND COMBAT, HEAVY-DUTY, WATERPROOF[CUST: AT 99] [REVIEW: 84 CC] | A | 25GP | | AT | 06-JUN-05 |
| A | MIL-DTL-32200 | COVER, ADVANCED COMBAT HELMET[CUST: GL NU 11] [REVIEW: MD] | A | 8415 | | CT | 14-DEC-05 |
| | MIL-C-17774A(1) NOT 1 | COVER, BAYONET SCABBARD, COTTON DUCK, WHITE (WITH LEATHER TIP)[CUST: MC CT] [REVIEW: 11] | A | 8465 | | CT | 25-JUN-87 |
| | MIL-C-37827 NOT 1 | COVER, BED FRAME[CUST: MD MS 03] | A | 7210 | | MB | 19-JUN-89 |
| | A-A-55174 | COVER, BEDDING, FLAME RESISTANT[CUST: NU CT] [REVIEW: SH] | A | 7210 | / | CT | 01-MAR-93 |
| | A-A-51522A | COVER, BEDPAN (PAPER)[CUST: MD MS 03] | A | 6530 | / | MB | 15-JUN-90 |
| | MIL-C-44124B | COVER, BODY ARMOR, FRAGMENTATION PROTECTIVE[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8470 | | CT | 30-SEP-91 |
| | MIL-R-8592/4(1) NOT 1 | COVER, CABLE WEIGHT, RESCUE EQUIPMENT HELICOPTER[CUST: AS 99] | A | 4240 | | AS | 24-OCT-91 |
| | MIL-C-44313 NOT 2 | COVER, CHEMICAL PROTECTIVE, PATIENT WRAP[CUST: GL] [REVIEW: MD] | A | 8415 | | CT | 09-MAY-02 |
| | A-A-53486 | COVER, DUST, SURGICAL[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-88 |
| | A-A-59201 | COVER, ELECTRICAL[CUST: CR4] | A | 6150 | / | GS2 | 30-MAY-01 |
| A | MS90564F | COVER, ELECTRICAL CONNECTOR, PLUG, CLASS L[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CG MC MI OS] | A | 5935 | | CC | 26-OCT-05 |
| A | MS90563F | COVER, ELECTRICAL CONNECTOR, RECEPTACLE, CLASS L[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC MI OS] | A | 5935 | | CC | 26-OCT-05 |
| | MS25042K NOT 1 | COVER, ELECTRICAL CONNECTOR; PLUG, AN TYPE[CUST: CR AS 11] [REVIEW: 99 AR AV CC MI] | A | 5935 | | AS | 24-OCT-91 |
| | MS25043K NOT 1 | COVER, ELECTRICAL, CONNECTOR, RECEPTACLE, AN TYPE[CUST: CR AS 11] [REVIEW: 99 AR AV CC MI] | A | 5935 | | AS | 24-OCT-91 |
| | MIL-C-43830B | COVER, FIELD PACK, CAMOUFLAGE, L&C-1[CUST: GL NU CT] [REVIEW: 11 MC MD YD] | A | 8465 | | CT | 12-FEB-85 |
| | MIL-C-44107C | COVER, GROUND TROOPS-PARACHUTISTS HELMET[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 25-NOV-91 |
| | A-A-51535 | COVER, HEADREST (PLASTIC, DISPOSABLE)[CUST: MD MS 03] | A | 7290 | / | MB | 21-JUL-86 |
| | MIL-C-44001B | COVER, HELMET, CHEMICAL PROTECTIVE[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 30-MAR-90 |
| | MIL-C-44358A | COVER, INDIVIDUAL, CAMOUFLAGE[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8415 | | CT | 07-MAY-91 |
| | MS23006 NOT 2 | COVER, LIGHT, NAVIGATIONAL AND WARNING, AIRCRAFT[CUST: AS 99 IS] [REVIEW: 71] | A | 6220 | | IS | 12-MAR-02 |
| A | DDD-C-628F NOT 1 | COVER, MATTRESS[CUST: GL NU 99 CT] [REVIEW: CG DM MB MC MD MS YD] | A | 7210 | / | CT | 31-DEC-87 |
| | MIL-C-82141B | COVER, MUSIC CARRYING POUCH: EMBROIDERED[CUST: MC] | A | 7720 | | MC | 22-FEB-95 |
| | MIL-C-44413 | COVER, NUCLEAR, BIOLOGICAL, AND CHEMICAL PROTECTIVE (NBC-CP)[CUST: GL NU 99 CT] [REVIEW: 11 MD SH] | A | 8340 | | CT | 09-AUG-90 |
| | A-A-55182 | COVER, PERSONNEL IDENTIFICATION TAG[CUST: GL NU 99 CT] [REVIEW: 11 MC MD MS SM] | A | 8465 | / | CT | 26-APR-93 |
| | A-A-54103 | COVER, PILLOW[CUST: MD MS 03] | A | 7210 | / | MB | 30-MAR-90 |
| | A-A-55279 | COVER, PISTOL HOLSTER AND FLAP, 9MM[CUST: MC CT] | A | 8465 | / | CT | 12-MAY-95 |
| | A-A-55437 | COVER, POLYETHYLENE, PALLET, CARGO HCU-6/E AND HCU-12/E[CUST: 99] | A | 3990 | / | 84 | 13-JUN-94 |
| A | MS17350D | COVER, PROTECTIVE, CONNECTOR, PLUG[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS] | A | 5935 | | CC | 26-OCT-05 |
| A | MS17349D | COVER, PROTECTIVE, ELECTRICAL CONNECTOR, RECEPTACLE[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS] | A | 5935 | | CC | 26-OCT-05 |
| | A-A-51624 | COVER, PROTECTIVE, HEAT PAD[CUST: MD MS 03] | A | 6530 | | MB | 22-AUG-86 |
| | MIL-C-82111A | COVER, PURSE; WOMEN'S (OFFICER'S)[CUST: MC] | A | 8445 | | MC | 31-OCT-90 |
| | MIL-DTL-32160 | COVER, REVERSIBLE, ADVANCED COMBAT HELMET[CUST: GL NU 11] [REVIEW: MD] | A | 8415 | | CT | 05-MAY-04 |
| | A-A-30164 | COVER, STERILITY MAINTENANCE[CUST: MD MS 03] | A | 6530 | * | MB | 28-MAY-92 |
| | A-A-54104 | COVER, SURGICAL INSTRUMENT AND DRESSING TRAY (ALUMINUM)[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAR-90 |
| | A-A-51424B | COVER, SURGICAL INSTRUMENT STAND[CUST: MD MS 03] | A | 6530 | / | MB | 24-NOV-89 |
| | MIL-C-36398A | COVER, SURGICAL INSTRUMENT STAND (BAG TYPE)[CUST: MD MS 03] | A | 6530 | | MB | 15-JUN-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-12226H | COVER, TOXICOLOGICAL AGENTS PROTECTIVE GAS MASK HOOD, COOLING[CUST: NU 99 CT] [REVIEW: 11 MC OS] | A | 8415 | | CT | 25-AUG-93 |
| | MIL-C-43689C | COVER, WATER CANTEEN, 2 QUART, COLLAPSIBLE (WITH PILE LINING)[CUST: GL NU CT] [REVIEW: MC MD] | A | 8465 | | CT | 31-MAR-87 |
| | MIL-C-40131C | COVER, WATER CANTEEN, INSULATED, COTTON DUCK[CUST: GL SA 99 CT] [REVIEW: 11 MC MD] | A | 8465 | | CT | 15-SEP-86 |
| | MIL-C-43742B | COVER, WATER CANTEEN, LC-2[CUST: GL NU CT] [REVIEW: AS MC MD] | A | 8465 | | CT | 03-MAR-81 |
| | A-A-55080A | COVER, WATERPROOF, MULTIPURPOSE[CUST: GL NU CT] [REVIEW: MC] | A | 8465 | / | CT | 24-AUG-00 |
| | A-A-51075B | COVER, X-RAY CASSETTE[CUST: MD MS 03] | A | 6525 | | MB | 26-FEB-88 |
| | MIL-C-24945 | COVERALIS, FLAME RESISTANT (COTTON FRT)[CUST: NU CT] | A | 8415 | | CT | 15-JUN-88 |
| | MIL-C-41833E | COVERALL, MECHANIC'S, COLD WEATHER[CUST: GL CT] [REVIEW: MD] | A | 8415 | | CT | 30-MAR-90 |
| | A-A-55278A | COVERALLS, ANTI-EXPOSURE[CUST: NU CT] [REVIEW: SH] | A | 8415 | / | CT | 02-JAN-01 |
| | MIL-C-0044077C NOT 2 | COVERALLS, COMBAT VEHICLE CREWMEN'S[CUST: GL] | A | 8415 | | CT | 18-APR-05 |
| | MIL-C-44077B | COVERALLS, COMBAT VEHICLE CREWMEN'S[CUST: GL NU CT] [REVIEW: MC MD] | A | 8415 | | CT | 03-NOV-88 |
| | A-A-55196A | COVERALLS, DISPOSABLE[CUST: NU CT] [REVIEW: SH] | A | 8415 | / | CT | 26-JUL-00 |
| | A-A-50358C | COVERALLS, DISPOSABLE, GENERAL PURPOSE[CUST: NU CT] [REVIEW: SH] | A | 8415 | / | CT | 05-DEC-00 |
| | MIL-DTL-14610H | COVERALLS, EXPLOSIVE HANDLER'S[CUST: GL NU 99 CT] [REVIEW: 11 AS CG MD] | A | 8415 | | CT | 15-AUG-00 |
| | MIL-C-24935 | COVERALLS, FIREMEN'S[CUST: NU CT] [REVIEW: CG] | A | 8415 | | CT | 22-DEC-88 |
| | MIL-C-83141A(3) | COVERALLS, FLYER S SUMMER, FIRE RESISTANT[CUST: GL AS 99 CT] [REVIEW: 11] | A | 8415 | | CT | 31-JUL-79 |
| | MIL-C-87230A | COVERALLS, FLYER'S, CWU-64/P[CUST: NU 11 CT] [REVIEW: 99] | A | 8415 | | CT | 31-OCT-89 |
| | MIL-DTL-85633C | COVERALLS, FLYERS , ANTI-EXPOSURE, CWU-62B/P, CWU-74/P, CWU-62C/P, CWU-86/P, AND CWU-87/P[CUST: AV AS 99 CT] [REVIEW: NU] | A | 8475 | | AS | 15-JAN-05 |
| A | QPL-85633-5 | COVERALLS, FLYERS, ANTI-EXPOSURE, CWU-62B/P, CWU-74/P, CWU-62C/P CWU-86/P AND CWU-87/P | A | 8475 | | AS | 22-SEP-05 |
| | MIL-DTL-32082 | COVERALLS, MECHANICS, COLD WEATHER[CUST: GL] [REVIEW: MD] | A | 8415 | | CT | 01-MAY-01 |
| | A-A-55178 | COVERALLS, MEN'S, COTTON, SATEEN[CUST: GL CT] [REVIEW: MC] | A | 8405 | / | CT | 09-MAR-93 |
| | MIL-C-2202H | COVERALLS, MEN'S, COTTON, SATEEN[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8405 | | CT | 20-MAR-90 |
| | MIL-C-82243F | COVERALLS, RADIOACTIVE CONTAMINANTS, PROTECTIVE[CUST: NU 99 CT] [REVIEW: 11 AS OS SH] | A | 8415 | | CT | 08-APR-93 |
| | MIL-C-43063F | COVERALLS, ROCKET FUEL HANDLER'S, IMPERMEABLE, FULL PROTECTION[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8415 | | CT | 14-JAN-91 |
| | MIL-C-2181M | COVERALLS, TOXICOLOGICAL AGENTS PROTECTIVE, M-3[CUST: GL NU 99 CT] [REVIEW: 11 CG EA MC MD OS] | A | 8415 | | CT | 27-SEP-90 |
| | A-A-55316 | COVERALLS, UTILITY[CUST: GL NU 99 CT] [REVIEW: 11 CG MC MD] | A | 8415 | / | CT | 02-MAR-98 |
| | A-A-55095A | COVERALLS, UTILITY[CUST: NU CT] [REVIEW: CG] | A | 8405 | / | CT | 12-JAN-04 |
| | MIL-HDBK-1032/2(1) | COVERED STORAGE[CUST: YD] | A | FACR | | YD | 15-MAY-99 |
| | SAE-AS5778 | COVERS, AIRCRAFT COMPONENTS[CUST: AV AS 99] [REVIEW: GS] | A | 1730 | | AS | AUG-97 |
| | MIL-C-21082B | COVERS, AUTOMOBILE DISTINGUISHING PLATE, COMMANDANT AND GENERAL OFFICERS (USMC)[CUST: MC CT] | A | 8345 | | CT | 14-MAR-90 |
| | MIL-C-71010 | COVERS, CAMOUFLAGE FOR TILES, ARMOR, FOR THE M2A2/M3A2 BRADLEY FIGHTING VEHICLE SYSTEMS (BFVS)[CUST: AR] | A | 2350 | | AR | 11-MAR-94 |
| | A-A-50861A | COVERS, DENTAL BRACKET TABLE, PAPER[CUST: MD MS 03] | A | 6520 | / | MB | 27-OCT-89 |
| A | MS27511K NOT 1 | COVERS, PROCTECTIVE, ELECTRICAL, CONNECTOR RECEPTACLEPLUG, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 10-JUN-05 |
| | MIL-C-43800A NOT 1 | COVERS, PROTECTIVE, AIRDROP HARDWARE AND EQUIPMENT, GENERAL SPECIFICATION FOR[CUST: GL AS 11] [REVIEW: 71 99 AV GS] | A | 1670 | | GL | 27-MAR-92 |
| A | MS27510G NOT 1 | COVERS, PROTECTIVE, ELECTRICAL, CONNECTOR PLUG, BAYONET COUPLING, SERIES II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS] | A | 5935 | | CC | 10-JUN-05 |
| | ASTM-E822 | COVERS, SOLAR COLLECTOR, TO HAIL BY IMPACT WITH PROPELLED ICE BALLS, DETERMINING RESISTANCE OF[CUST: YD] | A | FACR | | YD | 15-SEP-92 |
| | DI-MISC-81345 | COVERT CHANNEL ANALYSIS REPORT [AMSC: G6935] | A | MISC | | NS | 02-JUL-93 |
| | A-A-20286 | CRACKERS[CUST: FV] | A | 8920 | # | FV | 15-JUN-98 |
| | ASTM-D6075 | CRACKING RESISTANCE OF LEATHER[CUST: GL NU 99 CT] | A | 83GP | | CT | 10-FEB-97 |
| | MIL-C-81313(1) | CRADLES, AIR LAUNCHED WEAPONS[CUST: AS] | A | 1740 | | AS | 01-JUN-87 |
| | MIL-C-42078 | CRADLES, HOSPITAL BED CLOTHING[CUST: MD MS 03] [REVIEW: 50 TM YD] | A | 6530 | | MB | 30-APR-92 |
| | MIL-C-81585 NOT 1 | CRADLES, WEAPON, SHIPPING AND STORAGE, MK 12, MK 13, MK 14, MK 15, MK 16 AND MK 18[CUST: AS] [REVIEW: GS] | A | 8140 | | AS | 29-OCT-91 |
| | DI-MISC-81630 | CRAFT ACCEPTANCE TEST INDEX [AMSC: N7460] | A | MISC | | SA | 01-AUG-01 |
| | DI-MISC-81614 | CRAFT ACCEPTANCE TEST SCHEDULE [AMSC: N7444] | A | MISC | | SA | 01-AUG-01 |
| | DI-MISC-81623 | CRAFT CONSTRUCTION SCHEDULES [AMSC: N7453] | A | MISC | | SA | 01-AUG-01 |
| | DI-MISC-81620 | CRAFT TEST STATUS REPORT [AMSC: N7450] | A | MISC | | SA | 01-AUG-01 |
| | DI-MISC-81615 | CRAFT TRIAL REPORT [AMSC: N7445] | A | MISC | | SA | 01-AUG-01 |
| | A-A-50117B | CRAMPONS, HINGED[CUST: GL NU 11 CT] [REVIEW: MC] | A | 8465 | / | CT | 10-OCT-00 |
| | A-A-20121A | CRANBERRY JUICE COCKTAIL, (SINGLE STRENGTH AND CONCENTRATE)[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8915 | * | GL | 20-SEP-01 |
| | A-A-20327 | CRANBERRY JUICE, BLENDS, ONE HUNDRED PERCENT[CUST: FV] | A | 8915 | # | FV | 17-JUN-99 |
| | SAE-J820 | CRANE HOIST LINE SPEED AND POWER TEST CODE[CUST: CR4 YD 99] | A | 3810 | | 84 | MAR-69 |
| | SAE-J765 | CRANE LOAD STABILITY TEST CODE[CUST: CR4 YD 99] | A | 3810 | | 84 | 25-OCT-90 |
| | SAE-J1063 | CRANE STRUCTURES, CANTILEVERED BOOM, METHOD OF TEST[CUST: AT 99] | A | 3950 | | AT | 18-NOV-93 |
| | A-A-59757 | CRANE TRUCK, WAREHOUSE, PNEUMATIC RUBBER TIRES[CUST: MI 99] | A | 3950 | / | 84 | 09-NOV-04 |
| | A-A-50797 | CRANE, FLOOR, PORTABLE[CUST: YD 99] [REVIEW: 84] | A | 3950 | / | CC | 16-APR-82 |
| | SAE-J959 | CRANE, LIFTING, WIRE-ROPE STRENGTH FACTORS[CUST: CR4 YD 99] | A | 3810 | | 84 | 01-MAY-91 |
| | MIL-PRF-32009 | CRANE, PORTABLE, FOLDING, 6000 LB CAPACITY, AIRCRAFT ENGINE AND PROPELLER; GENERAL SPECIFICATION FOR[CUST: AT SH 99] | A | 3950 | | 84 | 10-JUL-97 |
| | ANSI-MH27.1 | CRANE, UNDERHUNG AND MONORAIL SYSTEMS[CUST: YD] | A | 3950 | | CC | 23-NOV-89 |
| | ASME-B30.22 | CRANES, BOOM, ARTICULATING[CUST: YD] | A | FACR | | YD | 06-OCT-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASME-B30.8 | CRANES, FLOATING, AND FLOATING DERRICKS[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | A-A-59218 | CRANES, HYDRAULIC, CARRIER MOUNTED[CUST: AT YD 99] [REVIEW: 84 CC MC] | A | 3810 | / | IS | 18-MAY-98 |
| | MIL-C-82017C | CRANES, JIB, WITH ACCESSORIES[CUST: YD] | A | 3950 | | CC | 15-JUN-92 |
| | SAE-J987 | CRANES, LATTICE BOOM - METHOD OF TEST[CUST: CR4 YD 99] [REVIEW: 84 CC] | A | 3810 | | IS | 30-APR-85 |
| | ASME-B30.5 | CRANES, MOBILE AND LOCOMOTIVE[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASME-B30.11 | CRANES, MONORAILS AND UNDERHUNG[CUST: CR4 YD 99] | A | 3950 | | CC | 15-FEB-94 |
| | ASME-B30.17 | CRANES, OVERHEAD AND GANTRY, (TOP RUNNING BRIDGE, SINGLE GIRDER, UNDERHUNG HOISTS)[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | AWS-D14.1 | CRANES, WELDING OF INDUSTRIAL AND MILL, AND OTHER MATERIAL HANDLING EQUIPMENT, SPECIFICATION FOR[CUST: YD] [REVIEW: 11 MR SH] | A | THJM | | YD | 29-JUL-82 |
| | A-A-54650 | CRANIOTOME SET, NEUROSURGICAL AIR POWERED[CUST: MD MS 03] | A | 6515 | / | MB | 15-MAY-92 |
| | MIL-C-21215A(1) NOT 1 | CRATES, PALLETS, AMMUNITION[CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | ASTM-D6039/D6039M | CRATES, WOOD, OPEN AND COVERED[CUST: CR4 YD 11 IS] [REVIEW: AR AT CR EA GL MC SA SM] | A | 8115 | | IS | 10-OCT-96 |
| | MIL-C-104C(1) | CRATES, WOOD: LUMBER AND PLYWOOD SHEATHED, NAILED, AND BOLTED[CUST: CR4 YD 11 IS] [REVIEW: 99 AR AS AT CR EA GL MC SA SM] | A | 8115 | | IS | 24-JUN-93 |
| | MIL-C-3774B | CRATES, WOOD; OPEN 12,000- AND 16,000-POUND CAPACITY[CUST: CR4 YD IS] [REVIEW: AR AS AT GL MC SM] | A | 8115 | | IS | 14-JUN-91 |
| | SS-C-635B | CRAYON ASSORTMENT, DRAWING, COLORED | A | 7510 | # | FSS | 07-DEC-66 |
| | SS-C-661A | CRAYON, MARKING | A | 7510 | # | FSS | 11-JAN-74 |
| | SS-C-646B(2) | CRAYON, MARKING, LUMBER | A | 7510 | # | FSS | 31-OCT-63 |
| | A-A-20253 | CREAM CHEESE, NEUFCHATEL CHEESE, AND RELATED PRODUCTS[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8910 | * | GL | 04-SEP-97 |
| | A-A-20251 | CREAM, EGGNOG, HALF-AND-HALF, AND SOUR CREAM[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8910 | * | GL | 18-JAN-02 |
| | FFF-C-641D | CREAM, SHAVING AND SOAP, SHAVING | A | 8520 | # | FSS | 17-APR-75 |
| A | A-A-20350 | CREAMED SAUCE WITH BEEF, CANNED OR IN FLEXIBLE POUCHES[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8940 | / | SS | 13-OCT-05 |
| | A-A-20043B | CREAMER, NON-DAIRY, DRY[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8940 | / | SS | 26-MAR-04 |
| | A-A-20049C | CREAMER, NONDAIRY, FOR RECONSTITUTION[CUST: FV] | A | 8940 | # | FV | 24-JUN-99 |
| | A-A-50313 | CREEPER, MECHANIC'S[CUST: AR] [REVIEW: AV] | A | 4910 | / | CC | 15-APR-94 |
| | A-A-55124A | CREEPERS, ICE[CUST: GL 99 CT] | A | 8465 | / | CT | 17-OCT-94 |
| | AWPA-P2 | CREOSOTE & CREOSOTE SOLUTIONS, STANDARD FOR[CUST: MR 99] | A | 8030 | | MR | 10-DEC-87 |
| | AWPA-A1 | CREOSOTE & OIL-TYPE PRESERVATIVES,STANDARD METHODS FOR ANALYSIS[CUST: MR 99] | A | 8030 | | MR | 09-DEC-87 |
| | AWPA-P13 | CREOSOTE COAL TAR TO BE USED IN THE TREATMENT OF MARINE (COASTAL WATERS) PILES & TIMBERS STANDARD FOR[CUST: MR 99] | A | 8030 | | MR | 10-DEC-87 |
| | AWPA-A8 | CREOSOTE OR CREOSOTE-COAL TAR SOLUTION FROM FRESHLY TREATED PILES, POLES, OR TIMBER (SQUEEZE METHOD) QUALITATIVE RECOVERY OF[CUST: MR 99] [REVIEW: 84 CC CR4] | A | 8030 | | MR | 09-DEC-87 |
| | AWPA-P4 | CREOSOTE, PETROLEUM OIL FOR BLENDING WITH, STANDARD FOR[CUST: MR 99] | A | 8030 | | MR | 10-DEC-87 |
| | AWPA-F1 | CREOSOTE-COAL TAR SOLUTION (UP TO 50% TAR) &COAL TAR (COKE OVEN TAR) VOLUME & SPECIFIC GRAVITY CORRECTION TABLES FOR CREOSOTE[CUST: MR 99] | A | 8030 | | MR | 10-DEC-87 |
| | AWPA-P12 | CREOSOTE-COAL TAR SOLUTION TO BE USED IN THE TREATMENT OF MARINE (COSTAL WATERS) PILES AND TIMBERS, STANDARD FOR[CUST: MR 99] | A | 8030 | | MR | 10-DEC-87 |
| | ASTM-D391 | CREOSOTE-COAL TAR SOLUTION, STANDARD SPECIFICATION FOR[CUST: CR4 YD 68 IS] [REVIEW: GS] | A | 8030 | | IS | 09-MAR-92 |
| | AWPA-P11 | CREOSOTE-PENTACHCOROPHENOL WOOD PRESERVATIVE SOLUTION, STANDARD FOR[CUST: MR 99] [REVIEW: 11 84 CC CR4 SH] | A | 8030 | | MR | 10-DEC-87 |
| | AWPA-F4 | CRESOTE-PETROLEUM SOLUTIONS, STANDARD VOLUME CORRECTION TABLE FOR[CUST: MR 99] [REVIEW: 11 84 CC CR4] | A | 8030 | | MR | 10-DEC-87 |
| | ADV-PUB-61/116/12 | CREW PERFORMANCE MEASUREMENT | C | ISDF | | 06 | 30-APR-96 |
| | JSSG-2010 | CREW SYSTEMS[CUST: 11] [REVIEW: 99] | D | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-4 | CREW SYSTEMS AIRCRAFT ALERTING HANDBOOK[CUST: AS 11] [REVIEW: 99] | D | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-5 | CREW SYSTEMS AIRCRAFT LIGHTING HANDBOOK[CUST: AV AS 11] | A | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-14 | CREW SYSTEMS AIRCRAFT WINDSHIELD/CANOPY SYSTEMS AND TRANSPARENT ENCLOSURES HANDBOOK[CUST: AV AS 11] [REVIEW: 99] | D | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-3 | CREW SYSTEMS COCKPIT/CREW STATION/CABIN HANDBOOK[CUST: AS 11] [REVIEW: 99] | D | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-7 | CREW SYSTEMS CRASH PROTECTION HANDBOOK[CUST: AV AS 11] | A | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-2 | CREW SYSTEMS CREW STATION AUTOMATION, INFORMATION AND CONTROL/DISPLAY MANAGEMENT HANDBOOK[CUST: AV AS 11] [REVIEW: 99] | D | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-12 | CREW SYSTEMS DEPLOYABLE AERODYNAMIC DECELERATOR (DAD) SYSTEMS HANDBOOK[CUST: AV AS 11] [REVIEW: 99] | A | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-11 | CREW SYSTEMS EMERGENCY EGRESS HANDBOOK[CUST: AV AS 11] | D | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-8 | CREW SYSTEMS ENERGETICS HANDBOOK[CUST: AV AS 11] | D | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-10 | CREW SYSTEMS OXYGEN SYSTEMS HANDBOOK[CUST: AV AS 11] [REVIEW: 99] | A | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-9 | CREW SYSTEMS PERSONAL PROTECTION EQUIPMENT HANDBOOK[CUST: AV AS 11] [REVIEW: 99] | D | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-6 | CREW SYSTEMS SUBTENANCE AND WASTE MANAGEMENT HANDBOOK[CUST: AV AS 11] [REVIEW: 99] | D | 15GP | | 11 | 30-OCT-98 |
| | JSSG-2010-13 | CREW SYSTEMS SURVIVAL, SEARCH, AND RESCUE (SSAR) HANDBOOK[CUST: AV AS 11] [REVIEW: 99] | D | 15GP | | 11 | 30-OCT-98 |
| | ASME-B1.9 | CREW THREADS, BUTTRESS INCH - W/ERRATA[CUST: AR AS 11] [REVIEW: 19 99 AT AV EC MI] | A | THDS | | IS | 31-MAY-90 |
| | A-A-51757 | CRICOTHYROTOMY KIT[CUST: MD MS 03] | A | 6515 | / | MB | 25-NOV-86 |
| | EIA364.8 | CRIMP TENSILE STRENGTH TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11] | A | 5935 | | AS | 05-FEB-98 |
| | MIL-C-22520/22 | CRIMP TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (SHIELDED CRIMP SLEEVE)[CUST: CR AS 11] [REVIEW: 70 84 AR AT AV CC CR4 EC GS MI OS SH] | A | 5120 | | AS | 19-MAR-76 |
| | MIL-C-22520/21 | CRIMP TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (OUTER CONTACT)[CUST: CR AS 11] [REVIEW: 19 99 AR AV CC CR4 EC GS MC MI OS SH] | A | 5120 | | AS | 19-MAR-76 |
| | MIL-C-43438D NOT 1 | CRIMPER, BLASTING CAP, M2, PLIER TYPE, W/FUSE CUTTER[CUST: GL OS 99] [REVIEW: AR GS YD] | A | 5120 | | OS | 13-OCT-87 |
| | A-A-51159B | CRIMPING AND BEADING MACHINES, SHEET METAL, MANUALLY OPERATED, ROTARY TYPE, DEEP THROAT STYLE[CUST: AR 99 GS6] [REVIEW: 84] | A | 3441 | / | GS6 | 25-SEP-00 |
| | MIL-C-22520/4A | CRIMPING TOOL, CONTACT, ELECTRIC, HAND FOR SHIELDED OUTER CONTACTS[CUST: AR AS 11] [REVIEW: GS] | A | 5120 | | AS | 19-MAR-76 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-22520/37 | CRIMPING TOOL, ELECTRICAL, WIRE SPLICING, HAND ACTUATED, TYPE II, FOR ENVVIRONMENTAL SPLICES, WIRE RANGE 26-12 AWG[CUST: CR AS 11] [REVIEW: 99 AR AV CC EC GS MI OS SH] | A | 5120 | | AS | 12-SEP-97 |
| | MIL-DTL-22520/38 | CRIMPING TOOL, TERMINAL, HAND ACTUATED, WIRE TERMINATION, TYPE II, FOR EXTERNAL POWER PLUG SOCKET CONTACTS AND LUG TERMINAL SIZES 12-10[CUST: CR AS 11] [REVIEW: CC EC GS OS SH] | A | 5120 | | AS | 12-SEP-97 |
| | MIL-DTL-22520/39 | CRIMPING TOOL, TERMINAL, HAND, ACTUATED, WIRE TERMINATION, IN-SERVICE INSPECTION GAGE FOR[CUST: CR AS 11] [REVIEW: 99 AR AV CC EC MI OS SH] | A | 5220 | | AS | 12-SEP-97 |
| | MIL-C-22520/31 | CRIMPING TOOL, TERMINAL, HAND, FOR SHIELDED SIZE 12 OUTER CONTACTS[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CC CR4 EC GS MC MI OS SH] | A | 5120 | | AS | 28-NOV-80 |
| | MIL-C-22520/19 | CRIMPING TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 16 SHIELDED CONTACTS (OUTER CONTACT)[CUST: CR AS 11] [REVIEW: 70 84 AR AV CC CR4 EC GS MC MI OS SH] | A | 5120 | | AS | 19-MAR-76 |
| | MIL-C-22520/10D | CRIMPING TOOL, TERMINAL, HAND, WIRE TERMINATION, LARGE FOR COAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CR4 EC GS MI OS SH] | A | 5120 | | AS | 18-JUN-86 |
| | MIL-C-22520/30 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, ACCESSORY HARDWARE FOR MIL-C-22520/28 AND MIL-C-22520/29 TOOLS[CUST: CR AS 11] [REVIEW: GS] | A | 5130 | | AS | 10-NOV-77 |
| | MIL-C-22520/28 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 20 THROUGH 28[CUST: CR AS 11] [REVIEW: 19 99 AR AV EC GL GS MC MI OS SH] | A | 5130 | | AS | 10-NOV-77 |
| | MIL-C-22520/29 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 12 THROUGH 20[CUST: CR AS 11] [REVIEW: 19 99 AR AV EC GL GS MC MI OS SH] | A | 5130 | | AS | 10-NOV-77 |
| | MIL-C-22520/23 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 0000 THROUGH 8[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV EC GL GS MC MI OS SH] | A | 5130 | | AS | 02-JAN-79 |
| | MIL-C-22520/24A | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION. TOOL, FOR LUG TERMINAL AND EXTERNAL POWER PLUG SOCKET CONTACTS, SIZE 22-10[CUST: AS] [REVIEW: CC EC GS MC OS SH] | A | 5120 | | AS | 09-AUG-85 |
| | MIL-C-22520/32(1) NOT 2 | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR CONNECTORS, ELECTRICAL, FLAT CABLE (TYPE 2)[CUST: AS 11 CC] [REVIEW: 19 84 99 GS] | A | 5120 | | AS | 19-OCT-04 |
| | MIL-C-22520/17B | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR CRIMP TYPE REMOVABLE CONTACTS, ELECTRIC CONNECTORS[CUST: CR AS 11] [REVIEW: EC GS] | A | 5120 | | AS | 25-APR-90 |
| | MIL-C-22520/20 | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 16 SHIELDED CONTACTS (SHIELD CRIMP SLEEVE)[CUST: CR AS 11] [REVIEW: GS] | A | 5120 | | AS | 19-MAR-76 |
| | MIL-C-22520/1C(2) | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 12 THROUGH 20[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CR4 EC GS MC MI OS SH] | A | 5120 | | AS | 06-JUL-81 |
| | MIL-C-22520/7B | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 16, 20 AND 22[CUST: CR AS 11] [REVIEW: EC GS] | A | 5120 | | AS | 19-MAR-76 |
| | MIL-C-22520/2C(1) | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 20 THROUGH 28[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CR4 EC GS MC MI OS SH] | A | 5120 | | AS | 28-NOV-80 |
| | MIL-C-22520/18A | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION IN-SERVICE INSPECTION GAGE FOR MIL-C-22520/17 CRIMPING TOOL[CUST: AS] [REVIEW: EC] | A | 5220 | | AS | 19-MAR-76 |
| | MIL-C-22520/34B(1) NOT 1 | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, FOR CRIMP TYPE REMOVABLE CONTACTS FOR MIL-C-28840 CONNECTORS[CUST: AS CC] [REVIEW: EC GS MC OS SH] | A | 5120 | | AS | 19-OCT-04 |
| | MIL-C-22520/3D | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, IN-SERVICE INSPECTION GAGES[CUST: CR AS 11] [REVIEW: 19 99 AR AV CC CR4 EC GL MC MI OS SH] | A | 5220 | | AS | 06-FEB-81 |
| | MIL-C-22520/6B | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, IN-SERVICE INSPECTION GAGES FOR[CUST: AS] [REVIEW: 11 99 EC] | A | 5220 | | AS | 06-FEB-81 |
| | MIL-C-22520/5D | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, LARGE FOR COAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CR4 EC GS MI OS SH] | A | 5120 | | AS | 31-MAY-83 |
| | MIL-C-22520/35C(1) | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN- SERVICE INSPECTION GAUGES FOR MIL-C-22520/34 CRIMP TOOLS[CUST: AS CC] [REVIEW: CG EC SH] | A | 5220 | | AS | 14-JAN-00 |
| A | QPL-22520-31 | CRIMPING TOOLS, WIRE TERMINATION, GENERAL SPECIFICATION FOR | A | 5120 | | AS | 13-FEB-06 |
| | MIL-DTL-22520G SUP 1 | CRIMPING TOOLS, WIRE TERMINATION, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 19 AV CC EC GS MI SH] | A | 5120 | | AS | 12-SEP-97 |
| | STANAG-4139 ED.1(5) | CRITERIA FOR BALANCING OF SHIPBOARD ROTATING MACHINERY | D | ISDN | | SH | PENDING |
| | STANAG-3875 ED.1 | CRITERIA FOR CATEGORIZATION OF LASER DESIGNATOR SYSTEMS | C | ISDA | | AI | 15-JAN-82 |
| | MIL-HDBK-83578 | CRITERIA FOR EXPLOSIVE SYSTEMS AND DEVICES USED ON SPACE VEHICLES[CUST: 19] [REVIEW: 11 GS] | A | 1820 | | 19 | 01-JAN-99 |
| | STANAG-3591 ED.5 | CRITERIA FOR MAXIMUM ELEVATION FIGURE FOR AERONAUTICAL CHARTS | C | ISDF | | 06 | 21-NOV-01 |
| | STANAG-2902 ED.1(3) | CRITERIA FOR NATO COMBAT HELMET | C | ISDA | | AI | PENDING |
| | MIL-HDBK-400(1) NOT 2 | CRITERIA FOR PREPARATION OF GEAR AND SPLINE ENGINEERING DRAWINGS[CUST: AT 99] [REVIEW: CR4] | A | 3020 | | AT | 12-APR-04 |
| | STANAG-3681 ED.3 | CRITERIA FOR PRESSURE FUELLING/DEFUELLING OF AIRCRAFT | C | ISDF | | 06 | 06-NOV-98 |
| | AIR-STD-61/101/17 | CRITERIA FOR REPORTING THE NATURE OF CLOTHING MATERIALS ON ASSEMBLIES SUBJECTED TO PHYSICAL AND OPERATIONAL TESTING | C | ISDF | | 06 | 30-JUL-86 |
| | AIR-STD-44/37C(1) | CRITERIA FOR SELECTION AND MARKING OF LANDING ZONES FOR FIXED WING AIRCRAFT | C | ISDF | | 06 | 23-JUL-87 |
| | STANAG-3601 ED.3(6) | CRITERIA FOR SELECTION AND MARKING OF LANDING ZONES FOR FIXED WING TRANSPORT AIRCRAFT (INCLUDING AMENDMENT 6) | C | ISDF | | 06 | 26-MAR-86 |
| | STANAG-2445 ED.1 | CRITERIA FOR THE CLEARANCE OF UNDERSLUNG LOADS AND HELICOPTER UNDERSLUNG LOAD EQUIPMENT (HUSLE) | C | ISDA | | AI | 17-SEP-99 |
| | AIR-STD-25/59 | CRITERIA FOR THE DESIGN OF EQUIPMENT REQUIRED TO BE AIR TRANSPORTED OR AIRDROPPED FROM FIXED WING AND ROTARY WING TRANSPORT AIRCRAFT | C | ISDF | | 06 | 30-APR-91 |
| | APATC-1A | CRITERIA FOR THE PREPARATION OF INSTRUMENT APPROACH AND DEPARTURE PROCEDURES | C | ISDF | | 06 | 31-OCT-96 |
| | STANAG-3759 ED.5 | CRITERIA FOR THE PREPARATION OF INSTRUMENT APPROACH AND DEPARTURE PROCEDURES - APATC-1(A) | C | ISDF | | 06 | 26-MAY-97 |
| | AIR-STD-61/115/8A | CRITERIA FOR THE RETURN TO FLYING STATUS FOLLOWING HEAD INJURY | C | ISDF | | 06 | 06-MAR-02 |
| | QAP-130 ED.1 | CRITICAL ELEMENTS OF BCA TACTICAL DOCTRINE WHICH ARE INCOMPATIBLE WITH US ARMY DOCTRINE | C | ISDA | | AI | 31-OCT-96 |
| | DI-ILSS-80498 | CRITICAL ITEM RECOMMENDATION [AMSC: F4278] | A | SESS | | 33 | 08-DEC-87 |
| | DI-RELI-80685 | CRITICAL ITEMS LIST [AMSC: F4543] | A | SESS | | 19 | 30-SEP-88 |
| | DI-SAFT-80970A | CRITICAL SAFETY ITEM, CHARACTERISTIC AND CRITICAL DEFECT REPORT [AMSC: A7314] | A | SAFT | | AR | 02-JUN-98 |
| | DI-HFAC-81399A | CRITICAL TASK ANALYSIS REPORT [AMSC: A7322] | A | HFAC | | AM | 08-JUL-98 |
| | QAP-41 ED.2 | CROSS SERVICING INFORMATION FOR BATTLEFIELD AIRCRAFT | C | ISDA | | AI | 11-SEP-90 |
| | STANAG-2121 ED.2(5) | CROSS SERVICING OF MEDICAL GAS CYLINDERS | C | ISDA | | AI | 07-SEP-79 |
| D | SAE-AS1006 | CROSS, FITTING, STANDARD AND REDUCER, FLARELESS[CUST: AV AS 99] [REVIEW: 11 71 CC] | A | 4730 | | AS | 16-AUG-87 |
| | SAE-AS1036 | CROSS, FITTING, STANDARD AND REDUCER, FLARED[CUST: AV AS 99 IS] [REVIEW: 11 71 CC CR4] | A | 4730 | | AS | 20-JUL-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS21906 | CROSS, FLARELESS TUBE[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | SAE-AS4858 | CROSS, PIPE, INTERNAL THREAD[CUST: AV 99 CC] [REVIEW: 71] | A | 4730 | | CC | JUL-95 |
| | A-A-58207 | CROSSARMS, WOOD[CUST: CR4 YD 99] [REVIEW: CC CE] | A | 5510 | / | 84 | 05-JUL-94 |
| | AWPA-C6 | CROSSTIES AND SWITCH TIES - PRESERVATIVE TREATMENT BY PRESSURE PROCESS[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 20-JAN-93 |
| | GGG-C-001507B | CROWFOOT ATTACHMENT, SOCKET WRENCH | A | 5120 | # | FSS | 01-OCT-92 |
| | GGG-C-1507A | CROWFOOT ATTACHMENT, SOCKET WRENCH | A | 5120 | # | FSS | 05-SEP-73 |
| | MIL-C-17620F | CROWN, SERVICE CAP (MAN'S)[CUST: NU CT] | A | 8405 | | CT | 28-MAR-90 |
| | MIL-C-18186D(1) | CROWNS, SERVICE CAP[CUST: MC CT] | A | 8405 | | CT | 19-MAY-88 |
| | A-A-51583A | CRUCIBLE, CASTING MACHINE, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 30-JUN-87 |
| | A-A-51686 | CRUCIBLE, FILTERING AND IGNITION, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 10-OCT-86 |
| | A-A-54740 | CRUCIBLE, FILTERING, LABORATORY (GOOCH, LOW FORM)[CUST: MD MS 03] | A | 6640 | / | MB | 01-SEP-92 |
| | A-A-50163 | CRUETS, COMMUNION[CUST: GL PE 28] | A | 9925 | / | CT | 20-APR-88 |
| | EIA364.40 | CRUSH TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11] | A | 5935 | | AS | 05-FEB-98 |
| | A-A-59129 | CRUSHER, CAN[CUST: GL SA 99] [REVIEW: 35 84 CG MC MD1 QM1 SS YD] | A | 7330 | * | GL | 03-OCT-97 |
| | A-A-30071D | CRUTCH (ADJUSTABLE, WOOD)[CUST: MD MS 03] | A | 6515 | * | MB | 08-JAN-93 |
| | A-A-30092C | CRUTCH (CANE TYPE, FOREARM AND ELBOW)[CUST: MD MS 03] | A | 6515 | * | MB | 18-SEP-92 |
| | A-A-54658 | CRUTCH, ALUMINUM, CAN TYPE, ADJUSTABLE[CUST: MD MS 03] | A | 6515 | / | MB | 30-MAY-92 |
| | MIL-C-12469K NOT 1 | CRYPTOGRAPHIC EQUIPMENT DESTROYER INCENDIARY, TH4, M1A2[CUST: AR OS 99] [REVIEW: 70 EA] | A | 1375 | | AR | 13-OCT-88 |
| | MIL-C-10244G(1) NOT 1 | CRYPTOGRAPHIC EQUIPMENT DESTROYER, INCENDIARY, TH4, M2A1[CUST: EA OS 99] [REVIEW: MC] | A | 1375 | | AR | 23-JUN-99 |
| | MIL-PRF-3098/109E | CRYSTAL UNIT, QUARTZ, CR130/U[CUST: CR EC 11 CC] [REVIEW: 19 84 AR AS MC MI SH SM] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/50D | CRYSTAL UNIT, QUARTZ, CR-72/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH TD] | A | 5955 | | CR | 09-DEC-04 |
| | MIL-PRF-3098/76E | CRYSTAL UNIT, QUARTZ, CR1/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/103E | CRYSTAL UNIT, QUARTZ, CR101/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 19-DEC-03 |
| A | MIL-PRF-3098/104E | CRYSTAL UNIT, QUARTZ, CR102/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 16-JAN-06 |
| A | MIL-PRF-3098/105G | CRYSTAL UNIT, QUARTZ, CR103/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 16-JAN-06 |
| | MIL-PRF-3098/79E | CRYSTAL UNIT, QUARTZ, CR104/U[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 17-MAY-04 |
| A | MIL-PRF-3098/80F | CRYSTAL UNIT, QUARTZ, CR105/U[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5955 | | CR | 16-JAN-06 |
| A | MIL-PRF-3098/82D | CRYSTAL UNIT, QUARTZ, CR106/U[CUST: CR EC 11 CC] [REVIEW: 19] | A | 5955 | | CR | 16-JAN-06 |
| A | MIL-PRF-3098/83F | CRYSTAL UNIT, QUARTZ, CR107/U[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5955 | | CR | 16-JAN-06 |
| A | MIL-PRF-3098/84E | CRYSTAL UNIT, QUARTZ, CR108/U[CUST: CR 11 CC] [REVIEW: 99] | A | 5955 | | CR | 16-JAN-06 |
| | MIL-PRF-3098/85C | CRYSTAL UNIT, QUARTZ, CR109/U[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 17-MAY-04 |
| A | MIL-PRF-3098/86E | CRYSTAL UNIT, QUARTZ, CR110/U[CUST: CR EC 11 CC] [REVIEW: 84] | A | 5955 | | CR | 16-JAN-06 |
| A | MIL-PRF-3098/87F | CRYSTAL UNIT, QUARTZ, CR111/U[CUST: CR EC 11 CC] | A | 5955 | | CR | 16-JAN-06 |
| A | MIL-PRF-3098/88G | CRYSTAL UNIT, QUARTZ, CR112/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 16-JAN-06 |
| A | MIL-PRF-3098/89D | CRYSTAL UNIT, QUARTZ, CR113/U[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5955 | | CR | 16-JAN-06 |
| | MIL-PRF-3098/90B | CRYSTAL UNIT, QUARTZ, CR114/U[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 17-MAY-04 |
| A | MIL-PRF-3098/92E | CRYSTAL UNIT, QUARTZ, CR116/U[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5955 | | CR | 16-JAN-06 |
| | MIL-PRF-3098/93B | CRYSTAL UNIT, QUARTZ, CR117/U[CUST: 11 CC] [REVIEW: 19] | A | 5955 | | CC | 17-MAY-04 |
| | MIL-PRF-3098/95E | CRYSTAL UNIT, QUARTZ, CR119/U[CUST: CR EC 11 CC] [REVIEW: 19 84 AR AS MC MI SH SM] | A | 5955 | | CR | 19-DEC-03 |
| A | MIL-PRF-3098/99D | CRYSTAL UNIT, QUARTZ, CR122/U[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5955 | | CR | 16-JAN-06 |
| A | MIL-PRF-3098/100D | CRYSTAL UNIT, QUARTZ, CR123/U[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5955 | | CR | 16-JAN-06 |
| A | MIL-PRF-3098/101C | CRYSTAL UNIT, QUARTZ, CR124/U[CUST: CR EC 11 CC] [REVIEW: 19] | A | 5955 | | CR | 16-JAN-06 |
| | MIL-PRF-3098/102C | CRYSTAL UNIT, QUARTZ, CR125/U[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 17-MAY-04 |
| | MIL-PRF-3098/106C | CRYSTAL UNIT, QUARTZ, CR127/U[CUST: EC 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 17-MAY-04 |
| A | MIL-PRF-3098/108D | CRYSTAL UNIT, QUARTZ, CR128/U[CUST: CR EC 11 CC] [REVIEW: 19 84] | A | 5955 | | CR | 16-JAN-06 |
| A | MIL-PRF-3098/110D | CRYSTAL UNIT, QUARTZ, CR129/U[CUST: CR EC 11 CC] [REVIEW: 19 84] | A | 5955 | | CR | 27-JUL-05 |
| A | MIL-PRF-3098/120D | CRYSTAL UNIT, QUARTZ, CR131/U[CUST: CR CC] [REVIEW: AR MI] | A | 5955 | | CR | 27-JUL-05 |
| A | MIL-PRF-3098/113D | CRYSTAL UNIT, QUARTZ, CR134/U[CUST: CR EC 11 CC] [REVIEW: 84] | A | 5955 | | CR | 27-JUL-05 |
| | MIL-PRF-3098/114C | CRYSTAL UNIT, QUARTZ, CR135/U[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 17-MAY-04 |
| A | MIL-PRF-3098/115D | CRYSTAL UNIT, QUARTZ, CR136/U[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5955 | | CR | 27-JUL-05 |
| A | MIL-PRF-3098/116D | CRYSTAL UNIT, QUARTZ, CR137/U[CUST: CR EC 11 CC] [REVIEW: 19] | A | 5955 | | CR | 27-JUL-05 |
| A | MIL-PRF-3098/118D | CRYSTAL UNIT, QUARTZ, CR139/U[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5955 | | CR | 27-JUL-05 |
| A | MIL-PRF-3098/122D | CRYSTAL UNIT, QUARTZ, CR141/U[CUST: CR EC 11 CC] | A | 5955 | | CR | 27-JUL-05 |
| | MIL-PRF-3098/123C | CRYSTAL UNIT, QUARTZ, CR142/U[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 17-MAY-04 |
| | MIL-PRF-3098/129C | CRYSTAL UNIT, QUARTZ, CR148/U[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 17-MAY-04 |
| A | MIL-PRF-3098/130D | CRYSTAL UNIT, QUARTZ, CR149/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 27-JUL-05 |
| A | MIL-PRF-3098/131E | CRYSTAL UNIT, QUARTZ, CR150/U[CUST: CR EC CC] [REVIEW: AR MI] | A | 5955 | | CR | 27-JUL-05 |
| A | MIL-PRF-3098/132D | CRYSTAL UNIT, QUARTZ, CR151/U[CUST: CR EC 11 CC] [REVIEW: 19] | A | 5955 | | CR | 27-JUL-05 |
| A | MIL-PRF-3098/133E | CRYSTAL UNIT, QUARTZ, CR152/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 27-JUL-05 |
| A | MIL-PRF-3098/134E | CRYSTAL UNIT, QUARTZ, CR153/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 27-JUL-05 |
| A | MIL-PRF-3098/137C | CRYSTAL UNIT, QUARTZ, CR157/U[CUST: CR EC 11 CC] [REVIEW: 19 84 AR AS MC MI SH SM] | A | 5955 | | CR | 27-JUL-05 |
| A | MIL-PRF-3098/140G | CRYSTAL UNIT, QUARTZ, CR159/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 27-JUL-05 |
| | MIL-PRF-3098/146C | CRYSTAL UNIT, QUARTZ, CR165/U[CUST: CR CC] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/3F | CRYSTAL UNIT, QUARTZ, CR18/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/4F | CRYSTAL UNIT, QUARTZ, CR19/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/7H | CRYSTAL UNIT, QUARTZ, CR25/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-3098/8F | CRYSTAL UNIT, QUARTZ, CR26/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/9G | CRYSTAL UNIT, QUARTZ, CR27/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/10G | CRYSTAL UNIT, QUARTZ, CR28/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/14F | CRYSTAL UNIT, QUARTZ, CR33/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/15G | CRYSTAL UNIT, QUARTZ, CR35/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/16H | CRYSTAL UNIT, QUARTZ, CR36/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/17F | CRYSTAL UNIT, QUARTZ, CR37/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/21G | CRYSTAL UNIT, QUARTZ, CR42/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/24E | CRYSTAL UNIT, QUARTZ, CR45/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 09-DEC-04 |
| | MIL-PRF-3098/25F | CRYSTAL UNIT, QUARTZ, CR46/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/26G | CRYSTAL UNIT, QUARTZ, CR47/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/77E | CRYSTAL UNIT, QUARTZ, CR5/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/30F | CRYSTAL UNIT, QUARTZ, CR52/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/32F | CRYSTAL UNIT, QUARTZ, CR54/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/33J | CRYSTAL UNIT, QUARTZ, CR55/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/34H | CRYSTAL UNIT, QUARTZ, CR56/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 09-DEC-04 |
| | MIL-PRF-3098/36E | CRYSTAL UNIT, QUARTZ, CR58/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/37J | CRYSTAL UNIT, QUARTZ, CR59/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/78E | CRYSTAL UNIT, QUARTZ, CR6/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/38G | CRYSTAL UNIT, QUARTZ, CR60/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/39G | CRYSTAL UNIT, QUARTZ, CR61/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 09-DEC-04 |
| | MIL-PRF-3098/40F | CRYSTAL UNIT, QUARTZ, CR62/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 09-DEC-04 |
| | MIL-PRF-3098/41H | CRYSTAL UNIT, QUARTZ, CR63/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/42J | CRYSTAL UNIT, QUARTZ, CR64/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 09-DEC-04 |
| | MIL-PRF-3098/43G | CRYSTAL UNIT, QUARTZ, CR65/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 09-DEC-04 |
| | MIL-PRF-3098/45J | CRYSTAL UNIT, QUARTZ, CR67/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/47J | CRYSTAL UNIT, QUARTZ, CR69/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 19-DEC-03 |
| | MIL-PRF-3098/54F | CRYSTAL UNIT, QUARTZ, CR73/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 09-DEC-04 |
| | MIL-PRF-3098/51H | CRYSTAL UNIT, QUARTZ, CR74/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 09-DEC-04 |
| | MIL-PRF-3098/52G | CRYSTAL UNIT, QUARTZ, CR75/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH SM] | A | 5955 | | CR | 09-DEC-04 |
| | MIL-PRF-3098/53L | CRYSTAL UNIT, QUARTZ, CR76/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 09-DEC-04 |
| | MIL-PRF-3098/55F | CRYSTAL UNIT, QUARTZ, CR77/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/62F | CRYSTAL UNIT, QUARTZ, CR78/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/63F | CRYSTAL UNIT, QUARTZ, CR79/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 19-DEC-03 |
| A | MIL-PRF-3098/111D | CRYSTAL UNIT, QUARTZ, CR8/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MD MI SH SM] | A | 5955 | | CR | 27-JUL-05 |
| | MIL-PRF-3098/57H | CRYSTAL UNIT, QUARTZ, CR80/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/58H | CRYSTAL UNIT, QUARTZ, CR81/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/59F | CRYSTAL UNIT, QUARTZ, CR82/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/60G | CRYSTAL UNIT, QUARTZ, CR83/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/61J | CRYSTAL UNIT, QUARTZ, CR84/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/56G | CRYSTAL UNIT, QUARTZ, CR85/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/67E | CRYSTAL UNIT, QUARTZ, CR89/U[CUST: CR EC CC] [REVIEW: MI] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/68F | CRYSTAL UNIT, QUARTZ, CR91/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/70D | CRYSTAL UNIT, QUARTZ, CR95/U[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 17-MAY-04 |
| | MIL-PRF-3098/71D | CRYSTAL UNIT, QUARTZ, CR96/U[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 17-MAY-04 |
| | MIL-PRF-3098/72E | CRYSTAL UNIT, QUARTZ, CR97/U[CUST: CR EC 11 CC] [REVIEW: 19 84] | A | 5955 | | CR | 12-JAN-05 |
| | MIL-PRF-3098/73D | CRYSTAL UNIT, QUARTZ, CR98/U[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 17-MAY-04 |
| | QPL-3098-89 | CRYSTAL UNITS, QUARTZ, GENERAL SPECIFICATION FOR | A | 5955 | | CR | 29-JUN-05 |
| | MIL-PRF-3098H(2) SUP 1A | CRYSTALS UNITS, QUARTZ, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5955 | | CR | 08-AUG-02 |
| | A-A-53971 | CUFF, BLOOD WARMER[CUST: MD MS 03] | A | 6515 | / | MB | 07-NOV-89 |
| | A-A-53116 | CUFF, TOURNIQUET, EXTREMITY, SYNTHETIC RUBBER[CUST: MD MS 03] | A | 6515 | / | MB | 07-AUG-87 |
| | MIL-C-3735E | CUFFS, KNIT, WRIST AND ANKLE, AND CLOTH, KNITTED[CUST: GL NU 99 CT] [REVIEW: 11 AS MC MD] | A | 8315 | | CT | 30-NOV-88 |
| | DI-MISC-81122 | CULTURAL INFORMATION AND SHOPPING TRIP TRANSPORTATION SUMMARY REPORT [AMSC: F6022] | A | MISC | | 10 | 11-FEB-91 |
| | ASTM-C655 | CULVERT, STORM DRAIN, AND SEWER PIPE, CONCRETE D-LOAD, REINFORCED[CUST: YD 99] [REVIEW: 84 CE MC] | A | 5630 | | IS | 21-OCT-91 |
| | ASTM-C655M | CULVERT, STORM DRAIN, AND SEWER PIPE, CONCRETE D-LOAD, REINFORCED (METRIC)[CUST: YD 99] [REVIEW: 84 CE MC] | A | 5630 | | IS | 21-OCT-91 |
| | ASTM-C76 | CULVERT, STORM DRAIN, AND SEWER PIPE, REINFORCED CONCRETE[CUST: YD 99] [REVIEW: CR4 MC] | A | 5630 | | IS | 12-FEB-91 |
| | ASTM-C76M | CULVERT, STORM DRAIN, AND SEWER PIPE, REINFORCED CONCRETE (METRIC)[CUST: YD 99] [REVIEW: CR4 MC] | A | 5630 | | IS | 12-FEB-91 |
| | MIL-DTL-19688D | CUMMERBUND, MAN'S - BLACK[CUST: MC] | A | 8405 | | MC | 16-OCT-97 |
| | MIL-DTL-82162D | CUMMERBUND, MAN'S - SCARLET (OFFICER'S)[CUST: MC] | A | 8405 | | MC | 16-OCT-97 |
| | MIL-DTL-82121C | CUMMERBUND, WOMAN'S - EVENING AND MESS DRESS (OFFICER'S)[CUST: MC] | A | 8410 | | MC | 16-OCT-97 |
| | ASTM-D93 | CUP TESTER, CLOSED, FLASH POINT BY PENSKY-MARTENS[CUST: AT SH 11] [REVIEW: GS OS] | A | 9150 | | AT | 26-OCT-90 |
| | A-A-50175 | CUP, COMMUNION, PLASTIC[CUST: GL PE 28] | A | 9925 | / | CT | 05-OCT-88 |
| | A-A-51538 | CUP, DENTAL AMALGAM[CUST: MD MS 03] | A | 6520 | / | MB | 31-JUL-86 |
| | A-A-2577A | CUP, DISPOABLE: LID, DISPOSABLE CUP[CUST: GL SA 99] [REVIEW: 84 MD MS] | A | 7350 | / | SS | 31-JAN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-2595A | CUP, DISPOSABLE (FOAM POLYSTYRENE) | A | 7350 | # | FSS | 09-MAY-96 |
| | A-A-54524 | CUP, EARPHONE, AUDIOMETER[CUST: MD MS 03] | A | 6515 | / | MB | 23-NOV-91 |
| | DD-C-00791D | CUP, GLASS, PIN, CLIP, AND SPONGE | A | 7510 | # | FSS | 24-OCT-63 |
| A | QPL-14055-13 | CUP, HYDRAULIC BRAKE ACTUATING CYLINDER. SYNTHETIC RUBBER, GENERAL SPECIFICATION FOR | A | 2530 | | CC | 15-NOV-05 |
| | A-A-50857A | CUP, MEDICINE, PLASTIC[CUST: MD MS 03] | A | 6530 | / | MB | 29-JUL-88 |
| | A-A-51629A | CUP, MICRO SAMPLE, AUTOMATED ANALYSIS (CONICAL, POLYSTYRENE, DISPOSABLE)[CUST: MD MS 03] | A | 6630 | / | MB | 26-JAN-87 |
| | A-A-51015 | CUP, SPECIMEN[CUST: MD MS 03] | A | 6530 | / | MB | 20-SEP-85 |
| | ASTM-D1200 | CUP, VISCOSITY BY FORD VISCOSITY[CUST: MR SH 99] | A | 8010 | | MR | 31-OCT-88 |
| | MIL-C-44349 | CUP, WATER CANTEEN, COLD WEATHER, CRS[CUST: GL CT] | A | 8465 | | CT | 09-DEC-88 |
| | MIL-C-43761C | CUP, WATER CANTEEN, W/WIRE HANDLE, CORROSION RESISTING STEEL[CUST: GL NU 99 CT] [REVIEW: 11 CG MC MD] | A | 8465 | | CT | 25-MAR-88 |
| | ASTM-A197/A197M | CUPOLA MALLEABLE IRON[CUST: CR4 YD 99] [REVIEW: GS] | A | 3424 | | YD | 10-MAY-00 |
| | IPC-TM650.2.3.7.1 | CUPRIC CHLORIDE ETCHING METHOD[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | A-A-59122 NOT 1 | CUPRIC OXIDE, TECHNICAL[CUST: AR GS3] | A | 6810 | / | GS3 | 25-MAR-04 |
| | MIL-C-37458 | CUPRIC SULFATE, NF[CUST: MD MS 03] | A | 6505 | | MB | 01-SEP-76 |
| | SAE-J689 | CURBSTONE CLEARANCE, APPROACH, DEPARTURE, AND RAMP BREAKOVER ANGLES - PASSENGER CAR AND LIGHT TRUCK[CUST: AT YD 99] | A | 2510 | | AT | JUN-96 |
| | A-A-53994 | CURETTE, ALVEOLAR, MILLER[CUST: MD MS 03] [REVIEW: AT CC] | A | 6520 | / | MB | 10-OCT-89 |
| | A-A-51954A | CURETTE, BONE (BRUN)[CUST: MD MS 03] | A | 6515 | / | MB | 06-FEB-89 |
| | A-A-53824 | CURETTE, BONE (SCOVILLE)[CUST: MD MS 03] | A | 6515 | / | MB | 14-FEB-89 |
| | A-A-54618 | CURETTE, CHALAZION, MEYHOEFER[CUST: MD MS 03] | A | 6515 | / | MB | 19-JUN-92 |
| | A-A-53465 | CURETTE, EAR (HOUSE, LIGHT, ANGLE)[CUST: MD MS 03] | A | 6515 | / | MB | 29-JUL-88 |
| | A-A-54980 | CURETTE, EAR, BILLEAU[CUST: MD MS 03] | A | 6515 | / | MB | 30-SEP-94 |
| | A-A-54344 | CURETTE, ENDOMETRIAL BIOPSY (STRAIGHT, PLASTIC)[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-91 |
| | A-A-54909 | CURETTE, MASTOID, SPRATT[CUST: MD MS 03] | A | 6515 | / | MB | 03-SEP-93 |
| | A-A-54596 | CURETTE, PERIODONTAL (COLUMBIA)[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-92 |
| | A-A-51279 | CURETTE, SUCTION, UTERINE, STERILE[CUST: MD MS 03] | A | 6515 | / | MB | 24-FEB-86 |
| | A-A-54394 | CURETTE, UTERINE, BLUNT, THOMAS[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-91 |
| | A-A-54411 | CURETTE, UTERINE, MALLEABLE, SHARP, SIMS[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-91 |
| | A-A-53917 | CURETTES, ALVEOLAR, MOLT[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | A-A-54396 | CURETTES, PERIODONTAL (MCCALL)[CUST: MD MS 03] | A | 6520 | / | MB | 30-APR-91 |
| | A-A-53366 | CURETTES, PERIODONTAL, (GRACEY)[CUST: MD MS 03] | A | 6520 | * | MB | 15-FEB-88 |
| | A-A-54234 | CURETTES, PERIODONTAL, DOUBLE-ENDED[CUST: MD MS 03] | A | 6520 | / | MB | 30-AUG-90 |
| | MIL-C-85498(1) | CURING AGENTS, DIMERYL-DI-ISOCYANATE & ISOPHORONE DI-ISOCYANATE[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 15-SEP-99 |
| | A-A-54657 | CURING SYSTEM, DENTAL, VISIBLE LIGHT[CUST: MD MS 03] | A | 6520 | / | MB | 29-MAY-92 |
| | A-A-54374 | CURING UNIT, DENTURE, ONE STAGE[CUST: MD MS 03] | A | 6520 | / | MB | 12-APR-91 |
| | A-A-54391 | CURING UNIT, DENTURE, TWO STAGE[CUST: MD MS 03] | A | 6520 | / | MB | 30-APR-91 |
| | A-A-50749 | CURRENT-VOLTAGE STANDARD[CUST: EC 99 CC] [REVIEW: CR] | A | 6625 | / | 84 | 12-MAY-87 |
| | A-A-54534 | CURRET, EYE, KNAPP, 5 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 25-NOV-91 |
| | DDD-C-641B | CURTAIN, AIR-PORT, CURTAIN, DOORWAY, AND CURTAIN FIXTURES | A | 7230 | # | FSS | 30-JUN-64 |
| | A-A-54997 | CURTAIN, BEDSIDE SCREEN[CUST: MD MS 03] | A | 6530 | / | MB | 20-JAN-95 |
| | A-A-59473 | CURTAIN, TRACK, AND SUSPENSION SYSTEM, BERTH (NAVAL SHIPBOARD)[CUST: SH] | A | 7230 | / | SH | 23-JUN-99 |
| | A-A-50213A NOT 1 | CURVES, DRAFTING, REGULAR AND IRREGULAR: CURVE SETS, DRAFTING, REGULAR AND IRREGULAR; FRENCH, MECHANICAL ENGINEERS, RAILROAD, AND SHIPS[CUST: CE YD 99 IS] [REVIEW: 71 CR MC] | A | 6675 | / | IS | 25-SEP-01 |
| | SAE-MA3296 | CUSHION - TUBE CLAMP SUPPORT, PTFE, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | 15-NOV-90 |
| | MIL-C-70733(4) | CUSHION AND SUPPORT COMPONENTS FOR METAL CONTAINER FOR VOLCANO MINE CANISTER[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 25-JUL-03 |
| | A-A-52433 NOT 1 | CUSHION ASSEMBLIES (METRIC)[CUST: AT] | A | 2540 | / | AT | 13-APR-04 |
| | MIL-C-70957 | CUSHION COMPONENTS FOR METAL CONTAINER FOR 105MM HOWITZER AMMUNITION[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 27-FEB-92 |
| | MIL-C-70473(4) | CUSHION COMPONENTS FOR METAL CONTAINER FOR CARTRIDGE 120MM TANK AMMUNITION[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 30-MAR-92 |
| | ZZ-C-00811B | CUSHION, CARPET AND RUG, CELLULAR RUBBER | A | 7220 | # | FSS | 02-JAN-63 |
| | A-A-30078A | CUSHION, CRUTCH[CUST: MD MS 03] | A | 6515 | * | MB | 15-MAR-90 |
| | A-A-53487 | CUSHION, HEEL/ELBOW[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-88 |
| | SAE-AS9393 | CUSHION, LOOP CLAMP - MULTIPLE, 2-TUBE, AMS 3303[CUST: AS IS] | A | 5340 | | IS | JUN-98 |
| | SAE-AS9392 | CUSHION, LOOP CLAMP - MULTIPLE, 3-TUBE, AMS 3303[CUST: AS IS] | A | 5340 | | IS | JUN-98 |
| | MS9515(2) | CUSHION, LOOP CLAMP-MULTIPLE, 2-TUBE, AMS3839[CUST: AS 11 IS] | A | 5340 | | IS | 15-OCT-99 |
| | MS9514(2) | CUSHION, LOOP CLAMP-MULTIPLE, 3-TUBE, AMS3839[CUST: AS 11 IS] | A | 5340 | | IS | 15-OCT-99 |
| | A-A-30048 | CUSHION, RING, INFLATABLE (DONUT) | A | 6530 | # | FSS | 22-SEP-82 |
| | A-A-30170 | CUSHION, WHEELCHAIR SEAT (RUBBER AIR CELLS)[CUST: MD MS 03] | A | 6530 | * | MB | 28-FEB-92 |
| | A-A-1898C NOT 2 | CUSHIONING MATERIAL, CELLULOSIC, PACKAGING[CUST: AR AS 99] [REVIEW: AT CR4 DS GL MI SM SS] | A | 8135 | / | AR | 02-FEB-00 |
| | PPP-C-1683A | CUSHIONING MATERIAL, EXPANDED POLYSTYRENE LOOSE-FILL BULK (FOR PACKAGING APPLICATION)[CUST: GL SA 11] [REVIEW: 99 AS] | A | 8135 | * | 11 | 05-DEC-88 |
| | MIL-C-17435C NOT 5 | CUSHIONING MATERIAL, FIBROUS GLASS[CUST: AR SA] | A | 8135 | | AR | 11-OCT-96 |
| | A-A-3129A | CUSHIONING MATERIAL, FLEXIBLE OPEN CELL PLASTIC FILM (FOR PACKAGING APPLICATIONS)[CUST: SM SA 11] [REVIEW: 99 AR AS AV CR4] | A | 8135 | / | SM | 28-MAR-03 |
| | PPP-C-795D NOT 2 | CUSHIONING MATERIAL, PACKAGING (FLEXIBLE CLOSED CELL PLASTIC FILM, FOR LONG DISTRIBUTION CYCLES)[CUST: SM AS 11] [REVIEW: 99 AR AV CG DS GL MD MI] | A | 8135 | / | AS | 23-JAN-04 |
| | A-A-59136 | CUSHIONING MATERIAL, PACKAGING, CLOSED CELL FOAM PLANK[CUST: SM AS 11 CC] [REVIEW: 70 71 84 99 AR AT GL MI OS SA SH YD] | A | 8135 | / | 11 | 28-OCT-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | PPP-C-1797A NOT 2 | CUSHIONING MATERIAL, RESILIENT, LOW DENSITY, UNICELLULAR, POLYPROPYLENE FOAM[CUST: SM AS 11] [REVIEW: 99 AR AT CR CR4 GL MR OS SA SH] | A | 8135 | / | AS | 07-SEP-05 |
| | MIL-HDBK-339 NOT 1 | CUSTOM LARGE SCALE INTEGRATED CIRCUIT DEVELOPMENT & ACQUISITION FOR SPACE VEHICLES[CUST: 19] [REVIEW: GS] | A | 1820 | | 19 | 04-SEP-92 |
| | DI-QCIC-80886A | CUSTOM MICROCIRCUIT CHARACTERIZATION PLAN [AMSC: G6953] | A | QCIC | | NS | 21-JUL-93 |
| | DI-QCIC-80887 | CUSTOM MICROCIRCUIT CHARACTERIZATION REPORT [AMSC: G4797] | A | QCIC | | NS | 03-AUG-89 |
| | EIA758 | CUSTOMER-OWNED OUTSIDE PLANT TELECOMMUNICATIONS CABLING STANDARD, INCLUDING ADDENDUM NO. 1[CUST: YD] | A | FACR | | YD | 02-SEP-04 |
| | AASHTO-M82 | CUT-BACK ASPHALT (MEDIUM-CURING TYPE)[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | AASHTO-M81 | CUT-BACK ASPHALT (RAPID-CURING TYPE)[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | A-A-2733 | CUTLERY, GALLEY AND KITCHEN (CLEAVER, FORKS, KNIVES, SPATULAS, STEEL AND SERVER)[CUST: GL SA 99] | A | 7330 | / | GL | 07-DEC-95 |
| | A-A-59344 NOT 1 | CUTOFF MACHINE, ABRASIVE DISK, CHOP-STROKE[CUST: AR SH 99 GS6] [REVIEW: 84 SM] | A | 3405 | / | GS6 | 31-MAY-05 |
| | ANSI-B5.53M | CUTTER & TOOL GRINDING MACHINES[CUST: AR SH 99] [REVIEW: 84] | A | 3415 | | GS6 | 06-JAN-84 |
| | A-A-51130B | CUTTER BIT BLANKS AND CUT-OFF BLADES[CUST: AR 99 GS6] [REVIEW: 84] | A | 3455 | / | GS6 | 21-AUG-01 |
| | A-A-52207 | CUTTER, BARBED WIRE, INSULATED HANDLES, HAND OPERATED[CUST: GL AS 99] [REVIEW: 03 84 CG MC] | A | 5110 | * | GL | 12-AUG-96 |
| | A-A-3047 NOT 2 | CUTTER, BOLT | A | 5110 | # | FSS | 30-NOV-01 |
| | A-A-53788 | CUTTER, BONE PIN (6 INCHES)[CUST: MD MS 03] | A | 6515 | / | MB | 15-DEC-88 |
| | A-A-54800 | CUTTER, BONE PIN, 18 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 16-APR-93 |
| | A-A-52208 | CUTTER, CABLE, HAND OPERATED, WITH GROPING HOOK GUIDE[CUST: GL AS 99] [REVIEW: 03 84 CG MC] | A | 5110 | * | GL | 27-AUG-96 |
| | A-A-58076 | CUTTER, COUNTERSINKS[CUST: GL 99 GS] [REVIEW: AV] | A | 5133 | / | 84 | 02-AUG-96 |
| | MIL-DTL-46992D | CUTTER, DELAY, PROPELLANT ACTUATED, M21 (2 SEC) AND M22 (10 SEC)[CUST: OS] | A | 1377 | | OS | 08-SEP-03 |
| | MIL-DTL-82762B | CUTTER, DELAY, PROPELLANT ACTUATED, MLU-58/B[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 21-SEP-04 |
| | MIL-DTL-82968 | CUTTER, EXPLOSIVE ACTUATED, MK 33 MOD 0[CUST: OS] | A | 1377 | | OS | 23-SEP-98 |
| | A-A-54625 | CUTTER, ORTHOPEDIC CAST, STRYKER, 110 VOLT, AC-DC[CUST: MD MS 03] | A | 6515 | / | MB | 15-APR-92 |
| | A-A-50694 | CUTTER, TILE, ASPHALT, PLASTIC, RUBBER[CUST: 99] [REVIEW: GS] | A | 5110 | / | 84 | 31-DEC-90 |
| | A-A-3029 NOT 2 | CUTTER, WIRE ROPE, HAND-OPERATED, HYDRAULIC, HORIZONTAL CUTTING | A | 5110 | # | FSS | 29-JUN-04 |
| | A-A-54162 | CUTTER-VACUUM, ORTHOPEDIC CAST (110/230 V, 50/60 HZ, AC)[CUST: MD MS 03] | A | 6515 | / | MB | 07-JUN-90 |
| | A-A-52008 NOT 1 | CUTTING EDGES, MOLDBOARD, GRADER[CUST: AT IS] | A | 3805 | / | IS | 26-MAY-05 |
| A | VV-C-846C | CUTTING FLUIDS: EMULSIFIABLE OILS[CUST: AT AS 68] [REVIEW: MI SA SH] | A | 9150 | / | GS3 | 19-AUG-05 |
| | ANSI-B11.11 | CUTTING MACHINES, GEAR, SAFETY REQUIREMENTS FOR THE CONSTRUCTION CARE & USE[CUST: AR SH 99] [REVIEW: 84] | A | 3414 | | GS6 | 09-NOV-84 |
| | ANSI-B212.1 | CUTTING TOOLS - CARBIDE BLANKS AND BRAZED AND SOLID SINGLE POINT TOOLS[CUST: AR 99 GS6] [REVIEW: 84] | A | 3455 | | GS6 | 30-MAR-83 |
| | A-A-53391 | CUVETTE, BLOOD COAGULATION (POLYSTYRENE, DISPOSABLE[CUST: MD MS 03] | A | 6640 | / | MB | 26-FEB-88 |
| | O-C-940B | CYCLOHEXYLAMINE, TECHNICAL | A | 6810 | # | FSS | 12-JUN-75 |
| | MIL-C-13477C | CYCLOTOL[CUST: AR] | A | 1375 | | AR | 09-JUL-75 |
| | MIL-C-16310D NOT 2 | CYLINDER COMPRESSED GAS (COMPRESSED AIR AND CARBON DIOXIDE, NONSHATTERABLE AND NONMAGNETIC)[CUST: CR4 SH 68] [REVIEW: YD1] | A | 8120 | | SH | 20-MAR-03 |
| | MIL-DTL-11733E | CYLINDER, COMPRESSED GAS. AMMONIA, WITH VALVE (DOT 4AA480)[CUST: SH 68 GS7] [REVIEW: MC] | A | 8120 | | GS7 | 03-DEC-01 |
| | A-A-59666A | CYLINDER, COMPRESSED GAS: DOT SPECIFICATIONS 4B, 4BA, 4BW, AND 4E[CUST: CE SH 68 GS7] [REVIEW: 11 CG MC MS] | A | 8120 | / | GS7 | 24-FEB-05 |
| | A-A-51822A | CYLINDER, GRADUATED, LABORATORY[CUST: EA MS 99] | A | 6640 | / | MB | 20-JUL-87 |
| | A-A-50807 | CYLINDER, GRADUATED, LABORATORY, GLASS[CUST: MD MS 03] | A | 6640 | / | MB | 17-APR-81 |
| | A-A-50999 | CYLINDER, GRADUATED, LABORATORY, POLYPROPYLENE[CUST: MD MS 03] | A | 6640 | / | MB | 14-AUG-85 |
| | MIL-C-7979B | CYLINDER, HYDRAULIC BRAKE, MASTER, POWER ASSISTED[CUST: AV AS 11] [REVIEW: 99 GS MI] | A | 1630 | | AS | 21-OCT-59 |
| A | MIL-DTL-71172B | CYLINDER, RECUPERATOR, RECOIL, M119A1/A2 HOWITZER LIGHT, TOWED: 105MM[CUST: AR] | C | 1015 | | AR | 25-OCT-05 |
| | SAE-AS6011 | CYLINDERS, CARBON DIOXIDE FILLED, TECHNICAL[CUST: CR4 AS 99] | A | 4220 | | AS | APR-99 |
| | ASTM-A667/A667M | CYLINDERS, CENTRIFUGALLY CAST DUAL METAL (GRAY AND WHITE CAST IRON)[CUST: CR4 YD] | A | MECA | | YD | 30-OCT-87 |
| | MIL-DTL-3701C | CYLINDERS, COMPRESSED GAS: DOT- 8 AND DOT- 8AL ACETYLENE, WITH VALVES[CUST: SH GS7] [REVIEW: MC YD] | A | 8120 | | GS7 | 21-DEC-98 |
| | RR-C-901D | CYLINDERS, COMPRESSED GAS: SEAMLESS SHATTERPROOF, HIGH PRESSURE DOT 3AA STEEL, AND 3AL ALUMINUM[CUST: EA AS 68 GS7] [REVIEW: AI MC MS OS PS] | A | 8120 | / | GS7 | 21-FEB-03 |
| | ASTM-C873 | CYLINDERS, CONCRETE, CAST IN PLACE IN CYLINDRICAL MOLDS, COMPRESSIVE STRENGTH OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 15-MAR-94 |
| | ASTM-D2586 | CYLINDERS, GLASS-REINFORCED PLASTIC, HYDROSTATIC COMPRESSIVE STRENGTH OF[CUST: MR YD 99] [REVIEW: 84 GS SH] | A | CMPS | | YD | 09-SEP-68 |
| | SAE-AMS2633 | CYLINDERS, STEEL TUBULAR, CENTRIFUGALLY-CAST, CORROSION-RESISTANT, ULTRASONIC INSPECTION[CUST: AV SH 11] [REVIEW: 68 99 AS MR] | A | NDTI | | 11 | APR-95 |
| | QPL-7905-52 NOT 2 | CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE SEAMLESS, 1800 PSI AND 2100 PSI | A | 1660 | | AS | 27-MAY-03 |
| | MIL-DTL-7905H | CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE, SEAMLESS, 1800 PSI AND 2100 PSI[CUST: AV AS 11] [REVIEW: 71] | A | 1660 | | AS | 06-OCT-03 |
| | ISO54 | CYLINDRICAL GEARS FOR GENERAL ENGINEERING AND FOR HEAVY ENGINEERING-MODULES[CUST: AR SH 99 GS6] | A | 34GP | | GS6 | 15-DEC-96 |
| | API-STD-2550 | CYLINDRICAL TANK, UPRIGHT, STANDARD METHOD FOR MEASUREMENT & CALIBRATION OF[CUST: MR YD 99] | A | NDTI | | YD | 25-AUG-88 |
| | AGMA2011 | CYLINDRICAL WORMGEARING TOLERANCE AND INSPECTION METHODS[CUST: YD] | A | FACR | | YD | 02-JUN-04 |
| | DI-MGMT-80721 | DAILY SITE ACTIVITY SCHEDULE [AMSC: F4591] | A | MGMT | | 33 | 06-DEC-88 |
| | DI-TMSS-81513 | DAMAGE CONTROL BOOKS AND DIAGRAMS FOR ILS NAVY SURFACE SHIPS [AMSC: N7187] | A | TMSS | | SH | 13-JUL-96 |
| | DI-MISC-81487 | DAMAGE TOLERANCE ANALYSIS REPORT [AMSC: F7162] | A | MISC | | 10 | 31-JUL-95 |
| | DI-ILSS-80833 | DAMAGED RETROGRADE SCREENING REPORT [AMSC: N4721] | A | SESS | | SA | 31-MAY-89 |
| | STANAG-2402 ED.2 | DANGER AREAS FOR LAND LAUNCHED UNMANNED AERIAL VEHICLES FOR USE BY NAT0 FORCES OPERATING IN A GROUND ENVIRONMENT ON MILITARY RANGES | C | ISDA | | AI | 17-JAN-97 |
| | DI-MGMT-81453 | DATA ACCESSION LIST (DAL) [AMSC: F7106] | A | MGMT | | 11 | 23-JAN-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-D-81347C NOT 1 | DATA ANALYSIS PROGRAMMING GROUP AN/AYA-8(*)[CUST: AS] | A | 5895 | | AS | 15-APR-88 |
| | MIL-PRF-87269A NOT 1 | DATA BASE, REVISABLE: INTERACTIVE ELECTRONIC TECHNICAL MANUALS, FOR THE SUPPORT OF[CUST: TM OS 16] [REVIEW: 11 13 19 70 71 99 AR AS AT AV CR EA EC MC PT SA TD YD] | A | TMSS | | 16 | 15-AUG-00 |
| | ITU-V32BIS | DATA COMMUNICATION OVER THE TELEPHONE NETWORK: A DUPLEX MODEM OPERATING AT DATA SIGNALING RATES OF UP TO 14 400 BIT(S) FOR USE ON THE GENERAL SWITCHED TELEPHONE NETWORK AND ON LEASED POINT-TO-POINT TWO-WIRE TELEPHONE-TYPE CIRCUITS[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | ITU-V34 | DATA COMMUNICATION OVER THE TELEPHONE NETWORK: A MODEM OPERATING AT DATA SIGNALING RATES OF UP TO 33,000 BIT(S) FOR USE ON THE GENERAL SWITCHED TELEPHONE NETWORK AND ON LEASED POINT-TO-POINT TWO-WIRE TELEPHONE-TYPE CIRCUITS[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | ITU-V42BIS | DATA COMMUNICATION OVER THE TELEPHONE NETWORK: DATA COMPRESSION PROCEDURES FOR DATA CIRCUIT TERMINATING EQUIPMENT (DCE) USING ERROR CORRECTION PROCEDURES[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | ITU-V42 | DATA COMMUNICATION OVER THE TELEPHONE NETWORK: ERROR-CORRECTING PROCEDURES FOR DCES USING ASYNCHRONOUS-SYNCHRONOUS CONVERSION[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| D | FIPS-PUB-46-2 | DATA ENCRYPTION STANDARD (DES)[CUST: CR OM] | A | IPSC | | DC3 | 30-DEC-93 |
| | AIR-STD-44/10E | DATA FOR PLANNING AIR MOVEMENTS | C | ISDF | | 06 | 01-FEB-83 |
| | DI-ILSS-81329 | DATA FOR THE DEPOT MAINTENANCE ACTIVATION TRACKING SYSTEM FOR PERSONAL COMPUTERS (DMATS-PC) [AMSC: F6909] | A | SESS | | 10 | 17-MAR-93 |
| | STANAG-2495 ED.1(1) | DATA FORMATS FOR ASSET TRACKING | C | ISDA | | AI | 16-OCT-00 |
| | MIL-STD-6020 | DATA FORWARDING BETWEEN TACTICAL DATA LINKS (TDLS)[Interface Standard][CUST: CR OM 02] [REVIEW: 93 MC MI NS] | D | INST | | DC2 | 31-MAR-04 |
| | MIL-STD-963B | DATA ITEM DESCRIPTIONS (DIDS)[Standard Practice][CUST: MI SH 10 DH SO] [REVIEW: 01 16 AM AR AS AT AV CR DS EA EC GL GS IS MC NM NS OM OS SA SM TD TM YD] | A | SDMP | | SO | 31-AUG-97 |
| | DI-MISC-80000B | DATA ITEM DESCRIPTIONS (DIDS) [AMSC: D7286] | A | MISC | | SO | 31-AUG-97 |
| | DI-MISC-80504 | DATA LOAD WORKSHEET [AMSC: G4287] | A | MISC | | NS | 15-JAN-88 |
| | EIA-RS232 | DATA TERMINAL EQUIPMENT & DATA COMMUNICATION EQUIPMENT, INTERFACE BETWEEN, EMPLOYING SERIAL BINARY DATA INTERCHANGE[CUST: AR SH 99] [REVIEW: AV CR4 GS MI] | A | 34GP | | DC1 | 09-MAR-79 |
| | QSTAG-432 ED.2(1) | DATA TRANSMISSION CODES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM) ABCA 432[CUST: AI] | C | ISDA | | AI | 12-AUG-91 |
| | MIL-PRF-5480G | DATA, ENGINEERING AND TECHNICAL: REPRODUCTION[CUST: AR AS 16] [REVIEW: 11 68 71 99 CC MC OS SA SH YD] | A | DRPR | | 16 | 01-JUL-98 |
| | ASME-Y14.26M | DATA, PRODUCT DEFINITION, DIGITAL REPRESENTATION FOR COMMUNICATION OF[CUST: AR SH 02] [REVIEW: 16 AT CR CR4 EC MI ND NS OM OS] | A | IPSC | | AR | 27-NOV-89 |
| | STANAG-3345 ED.5(4) | DATA/FORMS FOR PLANNING AIR MOVEMENTS | C | ISDF | | 06 | 05-FEB-88 |
| | DI-IPSC-81437A | DATABASE DESIGN DESCRIPTION (DBDD) [AMSC: N7362] | A | IPSC | | SA | 15-DEC-99 |
| D | FIPS-PUB-127-1 | DATABASE LANGUAGE SQL[CUST: AC OM] | A | IPSC | | DC2 | 02-FEB-90 |
| | STANAG-3158 ED.7 | DAY MARKING OF AIRFIELD RUNWAYS AND TAXIWAYS | C | ISDF | | 06 | 05-JUN-03 |
| | IPC-TM650.2.6.26 | DC CURRENT INDUCED THERMAL CYCLING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | SAE-ARP892 | DC STARTER-GENERATOR, ENGINE[CUST: YD] | A | FACR | | YD | 22-JUL-04 |
| | MIL-D-2759E | DEAD RECKONING TRACER (DRT) (NAVAL SHIPBOARD)[CUST: SH] [REVIEW: GS] | A | 6605 | | SH | 18-DEC-87 |
| | A-A-59374 NOT 1 | DECALS (HEAT TRANSFER): USMC[CUST: MC IS] | A | 7690 | / | IS | 22-JUN-05 |
| | SAE-J121M | DECARBURIZATION IN HARDENED AND TEMPERED METRIC THREADED FASTENERS[CUST: AR SH 11] | A | THDS | | SH | 26-MAY-94 |
| | SAE-J121 | DECARBURIZATION IN HARDENED AND TEMPERED UNIFIED THREADED FASTENERS[CUST: AR SH 11] | A | THDS | | SH | AUG-96 |
| | MIL-D-70430(5) | DECELERATOR, RAM AIR PARTS AND CONTAINER ASSEMBLY[CUST: AR] | A | 1330 | | AR | 24-SEP-96 |
| | MIL-PRF-32171 | DECK COATINGS, HIGH DURABILITY, GENERAL SPECIFICATION FOR[CUST: MI SH 11] [REVIEW: 84 99 AS CG MR] | A | 8010 | | SH | 12-AUG-04 |
| | MIL-D-18873B(3) | DECK COVERING MAGNESIA AGGREGATE MIXTURE[CUST: SH] | A | 5610 | | SH | 15-JUL-82 |
| | MIL-D-3134J(1) | DECK COVERING MATERIALS[CUST: SH] [REVIEW: CG YD] | A | 5610 | | SH | 12-SEP-89 |
| | QPL-3134-85 | DECK COVERING MATERIALS | A | 5610 | | SH | 29-MAY-98 |
| | MIL-PRF-24613(2) NOT 1 | DECK COVERING MATERIALS, INTERIOR, COSMETIC POLYMERIC[CUST: SH] | A | 5610 | | SH | 26-DEC-90 |
| | QPL-24613-30(1) | DECK COVERING MATERIALS, INTERIOR, COSMETIC POLYMERIC | A | 5610 | | SH | 31-OCT-03 |
| M | QPL-3135-71 | DECK COVERING UNDERLAY MATERIALS | A | 5610 | | SH | 24-FEB-06 |
| | MIL-PRF-3135G(4) | DECK COVERING UNDERLAY MATERIALS[CUST: SH 99] [REVIEW: CC CG] | A | 5610 | | SH | 14-NOV-86 |
| | QPL-21631-36 | DECK COVERING, LATEX CONCRETE | A | 5610 | | SH | 26-JUN-98 |
| | MIL-D-21631A(1) NOT 1 | DECK COVERING, LATEX CONCRETE[CUST: SH] | A | 5610 | | SH | 26-DEC-90 |
| | MIL-PRF-17951E(2) | DECK COVERING, LIGHTWEIGHT, NONSLIP, ABRASIVE PARTICLE COATED FABRIC, FILM, OR COMPOSITE, AND SEALING COMPOUND[CUST: SH] | A | 7220 | | SH | 17-SEP-92 |
| | DI-GDRQ-81029 | DECK STRENGTH LIMITATION DATA REPORT [AMSC: N4985] | A | SESS | | AS | 18-SEP-90 |
| | MIL-PRF-32170 | DECK TILES, WEAR-RESISTANT[CUST: GL SH 03 IS] [REVIEW: 84 CG] | A | 7220 | | SH | 12-AUG-04 |
| | A-A-59488 | DECKING, SYNTHETIC[CUST: SH] | A | 2040 | / | SH | 31-AUG-99 |
| | MIL-DTL-12468D NOT 1 | DECONTAMINATING AGENT, STB[CUST: EA 68 GS3] [REVIEW: MD1] | A | 6850 | | GS3 | 20-APR-04 |
| | QSTAG-1054 ED.1 | DECONTAMINATION DOCTRINE FOR PERSONNEL, MATERIAL AND TERRAIN[CUST: AI] | C | ISDA | | AI | 30-JUN-97 |
| | MIL-DTL-3943/102C NOT 2 | DECORATION, ACHIEVEMENT MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/261 NOT 1 | DECORATION, 75TH ANNIVERSARY COMMEMORATIVE MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| A | MIL-DTL-3943/314B | DECORATION, 9-11 MEDAL, DEPARTMENT OF TRANSPORTATION[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 16-FEB-06 |
| | MIL-DTL-3943/168A NOT 2 | DECORATION, ACHIEVEMENT AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/98D | DECORATION, ACHIEVEMENT AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 25-APR-02 |
| | MIL-DTL-3943/124F NOT 1 | DECORATION, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/100C NOT 2 | DECORATION, ACHIEVEMENT MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/67E | DECORATION, ACHIEVEMENT MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 22-FEB-05 |
| A | MIL-DTL-3943/53H | DECORATION, ACHIEVEMENT MEDAL, NAVY AND MARINE COPRS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-OCT-05 |
| | MIL-DTL-3943/115C NOT 2 | DECORATION, ACHIEVEMENT MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/110D NOT 2 | DECORATION, ADMINISTRATION'S AWARD, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3943/125C NOT 2 | DECORATION, AERIAL ACHIEVEMENT MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/166B NOT 2 | DECORATION, AERIAL ACHIEVEMENT MEDAL, CIVILIAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/6E NOT 1 | DECORATION, AIR FORCE CROSS[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/23D NOT 2 | DECORATION, AIR MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/165B NOT 2 | DECORATION, AIR MEDAL, CIVILIAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/18D NOT 2 | DECORATION, AIRMAN'S MEDAL[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/273 NOT 1 | DECORATION, AUXILIARY OPERATIONS SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/274 NOT 1 | DECORATION, AUXILIARY PUBLIC EDUCATION SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/275 NOT 1 | DECORATION, AUXILIARY RECRUITING SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/276 NOT 1 | DECORATION, AUXILIARY VESSEL EXAMINATIONS/MARINE DEALER VISITATION SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/38D NOT 2 | DECORATION, AWARD FOR DISTINGUISHED ACHIEVEMENT IN SCIENCE, NAVY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/69E NOT 2 | DECORATION, AWARD FOR VALOR, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/65F NOT 2 | DECORATION, AWARD FOR VALOR, FEDERAL AVIATION ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/302A | DECORATION, AWARD FOR VALOR, SECRETARY OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-APR-03 |
| | MIL-DTL-3943/185 NOT 2 | DECORATION, BICENTENNIAL UNIT COMMENDATION, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/159A NOT 2 | DECORATION, BRONZE AWARD, DEPARTMENT OF COMMERCE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/22D NOT 2 | DECORATION, BRONZE STAR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/35D NOT 2 | DECORATION, CAPTAIN ROBERT DEXTER CONRAD AWARD FOR SCIENTIFIC ACHIEVEMENT, NAVY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/262 NOT 1 | DECORATION, CHAIMAN'S AWARD, CHEMICAL SAFETY AND HAZARD INVESTIGATION BOARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/300 | DECORATION, CHIEF'S COMMENDATION MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 25-APR-02 |
| | MIL-DTL-3943/254 NOT 2 | DECORATION, CITATION, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/301C | DECORATION, CIVILIAN ACHIEVEMENT MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 10-MAY-05 |
| | MIL-DTL-3943/292 | DECORATION, CIVILIAN ACHIEVEMENT MEDAL, DEFENSE ACQUISITON UNIVERSITY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-OCT-01 |
| | MIL-DTL-3943/36D NOT 2 | DECORATION, CIVILIAN AWARD FOR VALOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/142B NOT 2 | DECORATION, CIVILIAN CAREER SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/296 | DECORATION, CIVILIAN CAREER SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-APR-02 |
| | MIL-DTL-3943/19D NOT 2 | DECORATION, COAST GUARD MEDAL[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/37E NOT 2 | DECORATION, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/272 NOT 1 | DECORATION, COMMANDANT'S LETTER OF APPRECIATION, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| A | MIL-DTL-3943/321 | DECORATION, COMMANDER S PUBLIC SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 07-DEC-05 |
| | MIL-DTL-3943/92F NOT 1 | DECORATION, COMMANDER'S AWARD FOR CIVILIAN SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/106D NOT 1 | DECORATION, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/82C NOT 2 | DECORATION, COMMENDABLE SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/103C NOT 2 | DECORATION, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/29D NOT 2 | DECORATION, COMMENDATION MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/27E NOT 2 | DECORATION, COMMENDATION MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/30F | DECORATION, COMMENDATION MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 22-FEB-05 |
| | MIL-DTL-3943/148C | DECORATION, COMMENDATION MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-SEP-01 |
| A | MIL-DTL-3943/28G | DECORATION, COMMENDATION MEDAL, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 18-OCT-05 |
| | MIL-DTL-3943/113C NOT 2 | DECORATION, COMMENDATION MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/163A NOT 2 | DECORATION, COMMISSIONED OFFICERS ASSOCIATION, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/289 | DECORATION, COMMISSIONER'S DISTINGUISHED CAREER SERVICE AWARD, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-OCT-01 |
| | MIL-DTL-3943/281 NOT 1 | DECORATION, COMMISSIONER'S EXCELLENCE IN GROUP ACHIEVEMENT AWARD, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-3943/285 | DECORATION, COMMISSIONER'S EXCEPTIONAL SERVICE AWARD, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-MAY-01 |
| | MIL-DTL-3943/293 | DECORATION, COMMISSIONER'S MERITORIOUS SERVICE OR MERITORIOUS ACHIEVEMENT AWARD, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-NOV-01 |
| M | MIL-DTL-3943/76E | DECORATION, CONGRESSIONAL SPACE MEDAL OF HONOR[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 17-APR-06 |
| | MIL-DTL-3943/156A NOT 2 | DECORATION, CORPS COMMENDATION MEDAL, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/155B NOT 2 | DECORATION, CRISIS RESPONSE SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/72E NOT 1 | DECORATION, DEFENSE DISTINGUISHED SERVICE MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/116B NOT 2 | DECORATION, DEFENSE INTELLIGENCE DIRECTOR'S AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/93C NOT 2 | DECORATION, DEFENSE MERITORIOUS SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/87D NOT 1 | DECORATION, DEFENSE SUPERIOR SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/169A NOT 2 | DECORATION, DIRECTOR'S AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/91C NOT 2 | DECORATION, DISTINGUISHED CAREER SERVICE AWARD, AGENCY FOR INTERNATIONAL DEVELOPMENT, DEPARTMENT OF STATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3943/127C NOT 2 | DECORATION, DISTINGUISHED CAREER SERVICE AWARD, DEFENSE LOGISTICS AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/83C NOT 2 | DECORATION, DISTINGUISHED CAREER SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/303 | DECORATION, DISTINGUISHED CIVILIAN MEDAL FOR VALOR, DEPARTMENT OF THE NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-02 |
| | MIL-DTL-3943/41F NOT 1 | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/141B NOT 2 | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/39D NOT 2 | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/266C | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, INSPECTOR GENERAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-MAY-05 |
| | MIL-DTL-3943/255 NOT 2 | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, NATIONAL IMAGERY AND MAPPING AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/40H NOT 1 | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/295 | DECORATION, DISTINGUISHED CIVILIAN SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-APR-02 |
| | MIL-DTL-3943/15E NOT 2 | DECORATION, DISTINGUISHED FLYING CROSS[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/88E NOT 2 | DECORATION, DISTINGUISHED PUBLIC SERVICE AWARD, COAST GUARD[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/43F NOT 1 | DECORATION, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/42F | DECORATION, DISTINGUISHED PUBLIC SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-NOV-02 |
| | MIL-DTL-3943/61E NOT 2 | DECORATION, DISTINGUISHED PUBLIC SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/176 | DECORATION, DISTINGUISHED PUBLIC SERVICE, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-OCT-95 |
| | MIL-DTL-3943/132B NOT 2 | DECORATION, DISTINGUISHED SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/55D NOT 2 | DECORATION, DISTINGUISHED SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/4D NOT 2 | DECORATION, DISTINGUISHED SERVICE CROSS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/9G NOT 1 | DECORATION, DISTINGUISHED SERVICE MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/7H NOT 1 | DECORATION, DISTINGUISHED SERVICE MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/162B NOT 1 | DECORATION, DISTINGUISHED SERVICE MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/10D NOT 2 | DECORATION, DISTINGUISHED SERVICE MEDAL, COAST GUARD[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/146C NOT 1 | DECORATION, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/150C | DECORATION, DISTINGUISHED SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-SEP-01 |
| | MIL-DTL-3943/85E NOT 2 | DECORATION, DISTINGUISHED SERVICE MEDAL, FEDERAL EMERGENCY MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/120C NOT 2 | DECORATION, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/57F NOT 1 | DECORATION, DISTINGUISHED SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/8G NOT 1 | DECORATION, DISTINGUISHED SERVICE MEDAL, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/111C NOT 2 | DECORATION, DISTINGUISHED SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/95C NOT 2 | DECORATION, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/184A NOT 1 | DECORATION, DISTINGUISHED SERVICE, DEFENSE THREAT REDUCTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/128B NOT 2 | DECORATION, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/138C | DECORATION, EXCEPTIONAL ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3943/312 | DECORATION, EXCEPTIONAL ADMINISTRATIVE ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-OCT-03 |
| | MIL-DTL-3943/62F | DECORATION, EXCEPTIONAL BRAVERY MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-FEB-04 |
| | MIL-DTL-3943/44D NOT 2 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/46H NOT 1 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/181 NOT 2 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/144B NOT 2 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY[CUST: IH DC] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/73F NOT 1 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/134B NOT 2 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/77F NOT 2 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/45D NOT 2 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, NATIONAL SECURITY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/99E | DECORATION, EXCEPTIONAL CIVILIAN SERVICE MEDAL, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 23-JAN-02 |
| | MIL-DTL-3943/298 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-APR-02 |
| | MIL-DTL-3943/129B NOT 2 | DECORATION, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/263 NOT 1 | DECORATION, EXCEPTIONAL PUBLIC SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/59D NOT 2 | DECORATION, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/172A NOT 2 | DECORATION, EXCEPTIONAL SERVICE AWARD, DEPARTMENT OF ENERGY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/80C NOT 2 | DECORATION, EXCEPTIONAL SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/60E NOT 2 | DECORATION, EXCEPTIONAL SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3943/96C NOT 2 | DECORATION, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/182A NOT 1 | DECORATION, EXCEPTIONAL SERVICE, DEFENSE THREAT REDUCTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/313 | DECORATION, EXCEPTIONAL TECHNOLOGY ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-OCT-03 |
| | MIL-DTL-3943/140B NOT 2 | DECORATION, EXEMPLARY CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/101D NOT 2 | DECORATION, FOREIGN SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-D-3052E NOT 4 | DECORATION, FOURRAGERE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 30-MAY-01 |
| | MIL-DTL-3943/118B NOT 2 | DECORATION, GOLD AWARD, DEPARTMENT OF COMMERCE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/20D NOT 2 | DECORATION, GOLD LIFE-SAVING MEDAL AND BAR, COAST GUARD[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/161A NOT 2 | DECORATION, GOLD STAR MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/152A NOT 2 | DECORATION, HAZARDOUS DUTY AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/315 | DECORATION, INSTRUCTOR'S AWARD, BRONZE, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-AUG-04 |
| | MIL-DTL-3943/316 | DECORATION, INSTRUCTOR'S AWARD, GOLD, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-AUG-04 |
| | MIL-DTL-3943/317 | DECORATION, INSTRUCTOR'S AWARD, SILVER, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-AUG-04 |
| | MIL-DTL-3943/154A NOT 2 | DECORATION, ISOLATED/HARDSHIP AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/271 NOT 1 | DECORATION, JOINT CIVILIAN SERVICE ACHIEVEMENT AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/270 NOT 1 | DECORATION, JOINT CIVILIAN SERVICE COMMENDATION AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/178 NOT 2 | DECORATION, JOINT DISTINGUISHED CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/177 NOT 2 | DECORATION, JOINT MERITORIOUS CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/108C NOT 2 | DECORATION, JOINT SERVICE ACHIEVEMENT MEDAL, DEPARTMENT OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/26F NOT 1 | DECORATION, JOINT SERVICE COMMENDATION MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/253 NOT 2 | DECORATION, LEADERSHIP AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/12F NOT 1 | DECORATION, LEGION OF MERIT, CHIEF COMMANDER[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/14F NOT 1 | DECORATION, LEGION OF MERIT, COMMANDER[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/13G NOT 1 | DECORATION, LEGION OF MERIT, OFFICER AND LEGIONNAIRE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUN-01 |
| N | MIL-DTL-3943/325 | DECORATION, LEGION OF MERIT, U.S. COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-APR-06 |
| | MIL-DTL-3943/171A NOT 2 | DECORATION, LIFESAVING MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/286 | DECORATION, LONG SERVICE MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUL-01 |
| | MIL-DTL-3943/54D NOT 2 | DECORATION, MEDAL FOR HEROISM, ROTC AND NDCC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/47F NOT 1 | DECORATION, MEDAL FOR MERIT[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/294 | DECORATION, MEDAL FOR VALOR, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-NOV-01 |
| | MIL-DTL-3943/3F NOT 1 | DECORATION, MEDAL OF HONOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/1F NOT 1 | DECORATION, MEDAL OF HONOR, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/2F NOT 2 | DECORATION, MEDAL OF HONOR, NAVY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/164A NOT 2 | DECORATION, MEDAL OF VALOR, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/114D NOT 2 | DECORATION, MEDAL OF VALOR, CHAPLAIN, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/70F NOT 2 | DECORATION, MERITORIOUS ACHIEVEMENT AWARD (SILVER MEDAL), SECRETARY OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/49E NOT 2 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/48F NOT 1 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/180 NOT 2 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/143C NOT 2 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/145C NOT 2 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY[CUST: IH DC] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/74E NOT 1 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/133B NOT 2 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/78F NOT 2 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/268B | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, INSPECTOR GENERAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-FEB-05 |
| | MIL-DTL-3943/256 NOT 2 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, NATIONAL IMAGERY AND MAPPING AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/94F NOT 1 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/50D NOT 2 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/297 | DECORATION, MERITORIOUS CIVILIAN SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-APR-02 |
| | MIL-DTL-3943/151C NOT 2 | DECORATION, MERITORIOUS PUBLIC SERVICE AWARD, COAST GUARD[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/265 NOT 1 | DECORATION, MERITORIOUS PUBLIC SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/56D NOT 2 | DECORATION, MERITORIOUS SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/174A NOT 2 | DECORATION, MERITORIOUS SERVICE AWARD, DEPARTMENT OF ENERGY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/66D NOT 2 | DECORATION, MERITORIOUS SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/149C | DECORATION, MERITORIOUS SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-SEP-01 |
| | MIL-DTL-3943/121C NOT 2 | DECORATION, MERITORIOUS SERVICE MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3943/112C NOT 2 | DECORATION, MERITORIOUS SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/183A NOT 1 | DECORATION, MERITORIOUS SERVICE, DEFENSE THREAT REDUCTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/160B NOT 2 | DECORATION, MILITARY OUTSTANDING VOLUNTEER SERVICE MEDAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/139B NOT 2 | DECORATION, NATIONAL COMMUNICATIONS SYSTEM MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/135C NOT 2 | DECORATION, NATIONAL EMERGENCY PREPAREDNESS AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/89D NOT 1 | DECORATION, NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/90C NOT 2 | DECORATION, NATIONAL INTELLIGENCE MEDAL OF ACHIEVEMENT[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/31F NOT 1 | DECORATION, NATIONAL SECURITY MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/17F | DECORATION, NAVY AND MARINE CORPS MEDAL[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 11-MAY-05 |
| | MIL-DTL-3943/5E NOT 2 | DECORATION, NAVY CROSS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-D-10254C NOT 5 | DECORATION, NETHERLANDS ORANGE LANYARD[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-3943/299 | DECORATION, NEWTON-AZRAK MEDAL FOR HEROISM, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 25-APR-02 |
| | MIL-DTL-3943/109D NOT 2 | DECORATION, NOAA ASSOCIATION OF COMMISSIONED OFFICERS AWARDS, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/71F NOT 2 | DECORATION, OUTSTANDING ACHIEVEMENT AWARD (GOLD MEDAL), SECRETARY OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/309A | DECORATION, OUTSTANDING ACHIEVEMENT, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-FEB-05 |
| | MIL-DTL-3943/105C NOT 2 | DECORATION, OUTSTANDING CAREER ACHIEVEMENT AWARD, AGENCY FOR INTERNATIONAL DEVELOPMENT, DEPARTMENT OF STATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/107D NOT 2 | DECORATION, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/179 NOT 2 | DECORATION, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/51F NOT 1 | DECORATION, OUTSTANDING CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/58D NOT 2 | DECORATION, OUTSTANDING LEADERSHIP MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/86E | DECORATION, OUTSTANDING PUBLIC SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-NOV-02 |
| | MIL-DTL-3943/175 | DECORATION, OUTSTANDING PUBLIC SERVICE, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-OCT-95 |
| | MIL-DTL-3943/97C NOT 2 | DECORATION, OUTSTANDING SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/104C NOT 2 | DECORATION, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/52F | DECORATION, PRESIDENT'S AWARD FOR DISTINGUISHED FEDERAL CIVILIAN SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JAN-02 |
| | MIL-DTL-3943/290 | DECORATION, PRESIDENT'S MEDAL, DEFENSE ACQUISITION UNIVERSITY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-OCT-01 |
| | MIL-DTL-3943/75H | DECORATION, PRESIDENTIAL CITIZEN'S MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JAN-02 |
| | MIL-DTL-3943/305 | DECORATION, PUBLIC SAFETY OFFICER'S MEDAL OF VALOR, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-AUG-02 |
| | MIL-DTL-3943/131B NOT 2 | DECORATION, PUBLIC SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/284 NOT 1 | DECORATION, PURPLE CROSS WOUND MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 31-JUL-01 |
| | MIL-DTL-3943/24G NOT 1 | DECORATION, PURPLE HEART[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/119B NOT 2 | DECORATION, RECRUITING COMMAND AWARD FOR JROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/79C NOT 2 | DECORATION, REGIONAL AND STATE SCIENCE AND ENGINEERING FAIR AWARDS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/288 | DECORATION, SECRETARY OF DEFENSE MEDAL FOR THE DEFENSE OF FREEDOM, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-OCT-01 |
| | MIL-DTL-3943/260B NOT 1 | DECORATION, SECRETARY OF THE ARMY PUBLIC SERVICE AWARD (NON-CIVIL SERVICE), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/173A NOT 2 | DECORATION, SECRETARY'S AWARD, DEPARTMENT OF ENERGY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/167A NOT 2 | DECORATION, SERVICE AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/158A NOT 2 | DECORATION, SILVER AWARD, DEPARTMENT OF COMMERCE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/21D NOT 2 | DECORATION, SILVER LIFE-SAVING MEDAL AND BAR, COAST GUARD[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/11E | DECORATION, SILVER STAR[CUST: IH NU 11] [REVIEW: CG CT MC] | A | 8455 | | IH | 06-AUG-04 |
| | MIL-DTL-3943/16D NOT 2 | DECORATION, SOLDIER'S MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/130D | DECORATION, SPACE FLIGHT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-3943/157A NOT 2 | DECORATION, SPECIAL ACHIEVEMENT AWARD, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/153A NOT 2 | DECORATION, SPECIAL ASSIGNMENT AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/287 | DECORATION, SPECIAL COMMENDATION MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 05-SEP-01 |
| | MIL-DTL-3943/306 | DECORATION, STAR MEDAL, DEPARTMENT OF STATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-SEP-02 |
| | MIL-DTL-3943/84E NOT 2 | DECORATION, SUPERIOR ACHIEVEMENT AWARD (BRONZE MEDAL), DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/34F NOT 2 | DECORATION, SUPERIOR CADET AWARD, ROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/304 | DECORATION, SUPERIOR CIVILIAN MEDAL FOR VALOR, DEPARTMENT OF THE NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-02 |
| | MIL-DTL-3943/123E NOT 1 | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/147B NOT 2 | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/126D NOT 2 | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/267C | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, INSPECTOR GENERAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3943/257 NOT 2 | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, NATIONAL IMAGERY AND MAPPING AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/68J NOT 1 | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/291 | DECORATION, SUPERIOR CIVILIAN SERVICE MEDAL, DEFENSE ACQUISITION UNIVERSITY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-OCT-01 |
| | MIL-DTL-3943/264 NOT 1 | DECORATION, SUPERIOR PUBLIC SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/81C NOT 2 | DECORATION, SUPERIOR SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUN-01 |
| | MIL-DTL-3943/122B NOT 2 | DECORATION, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JUN-01 |
| | MIL-DTL-3943/117C | DECORATION, SURGEON GENERAL'S MEDALLION, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 25-APR-02 |
| | MIL-DTL-3943/32H NOT 2 | DECORATION, UNIT AWARDS AND CITATIONS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/33F NOT 2 | DECORATION, UNIT AWARDS AND CITATIONS, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-DTL-3943/170A NOT 2 | DECORATION, VALOR MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943E SUP 1 NOT 1 | DECORATIONS AND MEDALS, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUN-01 |
| | MIL-D-14644 NOT 3 | DECORATIONS PRESIDENTIAL MEDAL OF FREEDOM WITH DISTINCTION AND PRESIDENTIAL MEDAL OF FREEDOM[CUST: IH] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-STD-961E | DEFENSE AND PROGRAM-UNIQUE SPECIFICATIONS FORMAT AND CONTENT[Standard Practice][CUST: AR SH 11 DH] [REVIEW: 16 19 22 68 70 71 84 99 AS AT AV CC CE CG CR CT DC DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU NW OS PS PT SA SM SS TD TE TM YD] | A | SDMP | | SO | 01-AUG-03 |
| | MIL-STD-967 | DEFENSE HANDBOOKS FORMAT AND CONTENT[Standard Practice][CUST: AR SH 11 DH] [REVIEW: 16 19 22 68 70 71 84 99 AS AT AV CC CE CG CH CR CT DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU NW OS PS PT SA SM SS TD TE TM YD] | A | SDMP | | SO | 01-AUG-03 |
| | MIL-STD-962D | DEFENSE STANDARDS FORMAT AND CONTENT[Standard Practice][CUST: AR SH 11 DH] [REVIEW: 16 19 22 68 70 71 84 99 AS AT AV CC CE CG CH CR CT DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU NW OS PS PT SA SM SS TD TE TM YD] | A | SDMP | | SO | 01-AUG-03 |
| | A-A-54368 | DEFIBRILLATOR AND CARDIOSCOPE (THREE LEAD, PORTABLE, WITH CHARGER)[CUST: MD MS 03] | A | 6515 | / | MB | 15-APR-91 |
| | AAMI-DF2 | DEFIBRILLATOR, CARDIAC DEVICES[CUST: MD MS 03] | A | 6515 | | MB | 26-MAY-89 |
| | A-A-54643 | DEFIBRILLATOR/ECG MONITOR-RECORDER (WITH EXTERNAL NON-INVASIVE CARDIAC PACING CASSETTE)[CUST: MD MS 03] | A | 6515 | / | MB | 17-MAY-92 |
| | DI-ALSS-81535 | DEFICIENCY REPORT (DR) [AMSC: F7227] | A | SESS | | 10 | 24-JAN-97 |
| | STANAG-4115 ED.2 | DEFINITION AND DETERMINATION OF BALLISTIC PROPERTIES OF GUN PROPELLANTS | C | ISDA | | AI | 30-JUN-97 |
| | STANAG-4347 ED.1(1) | DEFINITION OF NOMINAL STATIC RANGE PERFORMANCE FOR THERMAL IMAGING SYSTEMS (WITH AMD.1) | C | ISDA | | AI | 01-JUL-96 |
| | STANAG-4110 ED.3 | DEFINITION OF PRESSURE TERMS AND THEIR INTERRELATIONSHIP FOR USE IN THE DESIGN AND PROOF OF CANNONS OR MORTARS AND AMMUNITION | C | ISDA | | AI | 08-MAY-98 |
| | AIR-STD-70/14(1) | DEFINITION OF SEA STATE FOR USE IN CONNECTION WITH DOPPLER NAVIGATION | C | ISDF | | 06 | 19-NOV-91 |
| | QSTAG-1216 ED.1 | DEFINITION OF TERMS AND MINIMUM ESSENTIAL INFORMATION RELATING TO EXHANGE OF RELIABILITY, AVAILABILITY, MAINTAINABILITY AND DURABILITY (RAM-D) DATA[CUST: AI] | C | ISDA | | AI | 13-DEC-00 |
| | ABCA-STD-21A | DEFINITIONS AND BASIC REQUIREMENTS FOR ELECTRIC AND ELECTRONIC EQUIPMENT ENCLOSURES | C | ISDN | | SH | 09-OCT-74 |
| | MIL-HDBK-2141 | DEFINITIONS AND SYSTEMS OF UNITS, MAGNETIC SILENCING (METRIC)[CUST: SH] | A | 1905 | | SH | 01-JUN-83 |
| | AIR-STD-70/17(3) | DEFINITIONS OF AIRCRAFT ATTITUDE AND HEADING ANGLES | C | ISDF | | 06 | 13-JUN-01 |
| | MIL-STD-108E(1) NOT 2 | DEFINITIONS OF AND BASIC REQUIREMENTS FOR ENCLOSURES FOR ELECTRIC AND ELECTRONIC EQUIPMENT[Military Standard][CUST: TE SH] | A | ENVR | | SH | 08-AUG-90 |
| | MIL-HDBK-1908B NOT 1 | DEFINITIONS OF HUMAN FACTORS TERMS[CUST: MI AS 11] [REVIEW: 01 13 19 AR AT AV CR DC2 DH EA EC GL HS MC MD MP MR NS OS PE SE SH TD TE TM] | A | HFAC | | MI | 08-JUN-04 |
| | MIL-HDBK-505 NOT 1 | DEFINITIONS OF ITEM LEVELS, ITEM EXCHANGEABILITY, MODELS, AND RELATED TERMS[CUST: CR AS 99] | A | MISC | | CR | 12-FEB-98 |
| | MIL-STD-1332B NOT 2 | DEFINITIONS OF TACTICAL, PRIME, PRECISE, AND UTILITY TERMINOLOGIES FOR CLASSIFICATION OF THE DOD MOBILE ELECTRIC POWER ENGINE GENERATOR SET FAMILY[Military Standard][CUST: CR4 YD 99] [REVIEW: 71 AR CE GS MC MI] | A | 6115 | | CR4 | 10-JUL-01 |
| | MIL-STD-1309D | DEFINITIONS OF TERMS FOR TESTING, MEASUREMENT AND DIAGNOSTICS[Military Standard][CUST: CR SH 99] [REVIEW: 11 AS CG CR4 MC MI OS YD] | A | ATTS | | SH | 12-FEB-92 |
| | IEEE686 | DEFINITIONS, IEEE STANDARD RADAR[CUST: CR 99] [REVIEW: 11 84 AR] | A | 58GP | | 99 | 19-MAY-89 |
| | ASTM-D2794 | DEFORMATION, RAPID, RESISTANCE OF ORGANIC COATINGS TO THE EFFECTS OF (IMPACT)[CUST: CR4 YD 99] | A | 8010 | | CR4 | 15-SEP-93 |
| | STANAG-1203 ED.4 | DEGAUSSING AND ACOUSTIC RANGING INFORMATION CONCERNING NATO MINE SWEEPERS AND MINEHUNTERS - AMP-4 | C | ISDN | | NI | 04-APR-02 |
| | A-A-59723 | DEGREASER[CUST: 99] | A | 4940 | / | 84 | 04-AUG-03 |
| | MIL-PRF-680A(1) | DEGREASING SOLVENT[CUST: AT AS 68] [REVIEW: 03 11 50 AV DP DS EA GS GS3 MC MD1 MI MP MR SH SM] | A | 6850 | | AT | 08-AUG-03 |
| A | QPL-680-2 | DEGREASING SOLVENT | A | 6850 | | AT | 30-JUN-05 |
| | ASTM-D610 | DEGREE OF RUSTING ON EVALUATING PAINTED STEEL SURFACES[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 25-OCT-85 |
| | ASTM-D3274 | DEGREE, EVALUATING, OF SURFACE DISFIGUREMENT OF PAINT FILMS BY MICROBIAL (FUNGAL OF ALGAL) GROWTH OR SOIL AND DIRT ACCUMULATION[CUST: CR4 YD] [REVIEW: MR SH] | A | 8010 | | IS | 15-APR-95 |
| | A-A-50746 NOT 1 | DEHUMIDIFIER, SPACE[CUST: 99] [REVIEW: CR4 YD] | A | 4440 | / | 84 | 11-JAN-96 |
| | UL474 | DEHUMIDIFIERS, STANDARD FOR[CUST: CR4 YD] [REVIEW: CE MC] | A | 4440 | | CC | 03-JUN-93 |
| | ADV-PUB-61/114/17 | DEHYDRATION AVOIDANCE AND WATER REQUIREMENTS FOR AIRCREW DURING SUSTAINED OPERATIONS | C | ISDF | | 06 | 02-FEB-94 |
| | MIL-D-17847E | DEHYDRATOR, DESICCANT, SEMI-AUTOMATIC, HIGH PRESSURE AIR[CUST: SH] | A | 4460 | | SH | 29-SEP-87 |
| | MIL-D-23523D(2) | DEHYDRATOR, LOW PRESSURE AIR, FOR SPECIAL APPLICATIONS[CUST: SH] | A | 4460 | | SH | 23-FEB-96 |
| | MIL-D-85866 NOT 2 | DELAY COMPOSITION, Z-1[CUST: OS] | A | 1377 | | OS | 08-SEP-03 |
| | MIL-DTL-60567C | DELAY ELEMENT, CARTRIDGE, M14 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 03-MAR-05 |
| M | MIL-D-46634B(1) NOT 1 | DELAY ELEMENT, CARTRIDGE, M5 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 27-MAR-06 |
| A | MIL-D-46606B(1) NOT 2 | DELAY ELEMENT, CARTRIDGE, M8 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 31-JAN-06 |
| | A-A-59465/1A | DELAY LINE, ACTIVE, 14 PIN SURFACE MOUNT, 5 TAP, 5 TO 500 NANOSECONDS[CUST: CR EC 11 CC] | A | 5999 | / | CC | 29-NOV-04 |
| | A-A-55541A | DELAY LINE, PASSIVE, GENERAL REQUIREMENTS FOR[CUST: CR EC 11 CC] | A | 5999 | / | CC | 27-DEC-04 |
| | MIL-PRF-83531/1B NOT 1 | DELAY LINES, 10-TAP, DUAL-IN-LINE, 14-PIN[CUST: CR EC 11] [REVIEW: 19 99 AS CG MC SH] | A | 5999 | | CC | 24-OCT-03 |
| A | MIL-PRF-83531/4A(1) | DELAY LINES, 10-TAP, DUAL-IN-LINE, 14-PIN, SURFACE MOUNT DEVICE[CUST: CR EC 11 CC] [REVIEW: 99 AS] | A | 5999 | | CC | 22-NOV-05 |
| | MIL-PRF-83532/3B | DELAY LINES, 14-PIN DIP COMPATIBLE, 10 TAP[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH] | A | 5999 | | CC | 07-JUN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-83532/4B | DELAY LINES, 14-PIN DIP COMPATIBLE, 3 DELAY CIRCUITS PER PACKAGE[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH] | A | 5999 | | CC | 07-JUN-04 |
| | MIL-PRF-83532/2C | DELAY LINES, 14-PIN DIP COMPATIBLE, 5 TAP[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH] | A | 5999 | | CC | 07-JUN-04 |
| | MIL-PRF-83532/1B | DELAY LINES, 14-PIN DIP COMPATIBLE, 5 TAP[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH] | A | 5999 | | CC | 07-JUN-04 |
| M | MIL-PRF-83532/7B | DELAY LINES, ACTIVE, 16-PIN DIP COMPATIBLE, PROGRAMMABLE 3-BIT, TTL COMPATIBLE, WITH INPUT BUFFER[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH] | A | 5999 | | CC | 14-MAR-06 |
| | A-A-59465A | DELAY LINES, ACTIVE, GENERAL REQUIREMENTS FOR[CUST: CR EC 11 CC] | A | 5999 | / | CC | 29-NOV-04 |
| | MIL-PRF-83532B(2) SUP 1 | DELAY LINES, ACTIVE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH] | A | 5999 | | CC | 18-MAY-01 |
| A | QPL-83532-8 | DELAY LINES, ACTIVE, GENERAL SPECIFICATION FOR | A | 5999 | | CC | 02-AUG-05 |
| | MIL-PRF-83531B NOT 1 | DELAY LINES, PASSIVE, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AS CG MC SH] | A | 5999 | | CC | 24-OCT-03 |
| A | QPL-83531-7 | DELAY LINES, PASSIVE, GENERAL SPECIFICATION FOR | A | 5999 | | CC | 02-AUG-05 |
| | ASTM-D3069 | DELIVERY RATE OF AEROSOL PRODUCTS[CUST: EA SH 68] [REVIEW: GL MD] | A | 6810 | | GS3 | 23-FEB-79 |
| | MIL-PRF-32090 | DELIVERY SYSTEM, FUEL, BULK, AERIAL, GENERAL REQUIREMENTS FOR[CUST: AT YD 99] [REVIEW: CC] | A | 4930 | | 84 | 15-OCT-01 |
| | A-A-51367 | DEMINERALIZER, WATER, ION EXCHANGE[CUST: MD MS 03] | A | 4610 | / | MB | 14-MAR-86 |
| | A-A-54703 | DEMINERALIZER, WATER, ION EXCHANGE, HAND OPERATED[CUST: MD MS 03] | A | 4610 | / | MB | 20-JUL-92 |
| | AOP-32 ED.1 | DEMOLITION MATERIEL: ASSESSMENT AND TESTING OF SAFETY AND SUITABILITY FOR SERVICE | C | ISDA | | AI | 01-MAY-02 |
| | AOP-31 ED.1 | DEMOLITION MATERIEL: DESIGN PRINCIPLES | C | ISDA | | AI | 01-MAY-02 |
| | STANAG-2818 ED.2 | DEMOLITION MATERIEL: DESIGN, TESTING AND ASSESSMENTS | C | ISDA | | AI | 24-MAY-02 |
| | ANSI-A10.6 | DEMOLITION, OPERATIONS, SAFETY REQUIREMENTS FOR[CUST: CE YD 04] | A | FACR | | YD | 11-SEP-92 |
| | MIL-D-23222A(1) | DEMONSTRATION REQUIREMENTS FOR HELICOPTERS[CUST: AS] | A | 1520 | | AS | 30-JUN-83 |
| | MIL-D-8708C | DEMONSTRATION: AIRCRAFT WEAPON SYSTEMS, GENERAL SPECIFICATION FOR[CUST: AS] | A | 1510 | | AS | 12-AUG-91 |
| | STANAG-2413 ED.2 | DEMOUNTABLE LOAD CARRYING PLATFORMS (DLCP/FLATRACKS) | C | ISDA | | AI | 26-NOV-99 |
| | STANAG-2113 ED.6 | DENIAL OF A UNIT'S MILITARY EQUIPMENT AND SUPPLIES TO AN ENEMY | C | ISDA | | AI | 10-OCT-95 |
| | A-A-51668A | DENSITOMETER[CUST: MD MS 03] | A | 6525 | / | MB | 31-AUG-87 |
| | ASTM-D4052 | DENSITY AND RELATIVE DENSITY OF LIQUIDS BY DIGITAL DENSITY METER[CUST: PS] | A | 91GP | | PS | 10-APR-96 |
| | ASTM-D792 | DENSITY AND SPECIFIC GRAVITY (RELATIVE DENSITY) OF PLASTICS BY DISPLACEMENT[CUST: MR SH 11 GS] [REVIEW: YD] | A | 9330 | | IS | 10-DEC-00 |
| | ASTM-D1556 | DENSITY AND UNIT WEIGHT OF SOIL IN PLACE BY THE SAND-CONE METHOD[CUST: CE YD 99 IS] [REVIEW: 71 84 MC] | A | 5610 | | IS | 10-MAR-00 |
| | ISO5-4 | DENSITY MEASUREMENTS - GEOMETRIC CONDITIONS FOR REFLECTION DENSITY, FOR PHOTOGRAPHY (SENSITOMETRY)[CUST: AS 99] [REVIEW: 70 GS] | A | 6750 | | AS | 1983 |
| | ASTM-D1505 | DENSITY OF PLASTICS BY THE DENSITY-GRADIENT TECHNIQUE[CUST: MR SH 11] [REVIEW: AR AS AV CR CR4 OS YD] | A | 9330 | | IS | 04-OCT-91 |
| | ASTM-D3505 | DENSITY OR RELATIVE DENSITY OF PURE LIQUID CHEMICALS, STANDARD TEST METHOD FOR[CUST: EA 68] | A | 6810 | | GS3 | 10-JAN-96 |
| | ASTM-B328 | DENSITY, OIL CONTENT, AND INTERCONNECTED POROSITY OF SINTERED METAL STRUCTURAL PARTS AND OIL-IMPREGNATED BEARINGS[CUST: AT SH 99] [REVIEW: GS IS MC MI MR OS] | A | 3120 | | AT | 15-JAN-92 |
| | ASTM-C127 | DENSITY, RELATIVE DENSITY (SPECIFIC GRAVITY), AND ABSORPTION OF COARSE AGGREGATE[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 25-APR-89 |
| | STANAG-2466 ED.1 | DENTAL FITNESS STANDARDS FOR MILITARY PERSONNEL AND A DENTAL FITNESS CLASSIFICATION SYSTEM | C | ISDA | | AI | 24-JUL-98 |
| | A-A-51484 | DENTAL WAX SOLVENT[CUST: MD MS 03] | A | 6520 | / | MB | 23-JUN-86 |
| | ADA30 | DENTAL ZINC OXIDE - EUGENOL CEMENTS AND ZINC OXIDE NON-EUGENOL CEMENTS, AMERICAN NATIONAL STANDARD FOR[CUST: MD MS 03 MB] | A | 6520 | | MB | 06-MAR-90 |
| | FFF-D-191D | DENTIFRICE | A | 8520 | # | FSS | 16-APR-75 |
| | ADA12 | DENTURE BASE POLYMERS[CUST: MD MS 03 MB] | A | 6520 | | MB | DEC-73 |
| | SAE-AMS1476 | DEODORANT, AIRCRAFT TOILET[CUST: AS] [REVIEW: GS] | A | 6850 | | AS | DEC-87 |
| M | A-A-267B NOT 3 | DEODORANT, GENERAL PURPOSE (AEROSOL AIR FRESHENER)[CUST: GS3] | A | 6840 | / | GS3 | 20-MAR-06 |
| M | A-A-266B NOT 3 | DEODORANT, GENERAL PURPOSE (CAKES FOR URINALS AND TOILETS)[CUST: GS3] | A | 6840 | / | GS3 | 20-MAR-06 |
| M | A-A-98 NOT 3 | DEODORANT, GENERAL PURPOSE (CONCENTRATED)[CUST: GS3] | A | 6840 | / | GS3 | 20-MAR-06 |
| M | A-A-97 NOT 3 | DEODORANT, GENERAL PURPOSE (CONCENTRATED, WICK BOTTLE)[CUST: GS3] | A | 6840 | / | GS3 | 20-MAR-06 |
| | SAE-AMS1538 | DEOXIDER, ACIDIC, FOR MAGNESIUM ALLOYS[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A | 6850 | | AS | 01-JAN-92 |
| | DI-SDMP-81472A | DEPARTMENT OF DEFENSE (DOD) DESIGN CRITERIA STANDARD DOCUMENTS [AMSC: D7507] | A | SDMP | | SO | 01-AUG-03 |
| | DI-SDMP-81471A | DEPARTMENT OF DEFENSE (DOD) HANDBOOK DOCUMENTS [AMSC: D7506] | A | SDMP | | SO | 01-AUG-03 |
| | DI-SDMP-81470A | DEPARTMENT OF DEFENSE (DOD) INTERFACE STANDARD DOCUMENTS [AMSC: D7505] | A | SDMP | | SO | 01-AUG-03 |
| | DI-SDMP-81476A | DEPARTMENT OF DEFENSE (DOD) MANUFACTURING PROCESS STANDARD DOCUMENTS [AMSC: D7510] | A | SDMP | | SO | 01-AUG-03 |
| | DI-SDMP-81474A | DEPARTMENT OF DEFENSE (DOD) STANDARD PRACTICE STANDARD DOCUMENTS [AMSC: D7508] | A | SDMP | | SO | 01-AUG-03 |
| | DI-SDMP-81475A | DEPARTMENT OF DEFENSE (DOD) TEST METHOD STANDARD DOCUMENTS [AMSC: D7509] | A | SDMP | | SO | 01-AUG-03 |
| | MIL-HDBK-28001 NOT 1 | DEPARTMENT OF DEFENSE APPLICATION OF MIL-PRF-28001 USING STANDARD GENERALIZED MARKUP LANGUAGE (SGML)[CUST: TM CH 16 DH] [REVIEW: 01 02 11 13 19 68 99 AC AR AS AT AV CC CG CR CR1 CR4 DI DOE EC GL GS IR IS MI MR NA NCS NS OS SA SM TE YD] | A | IPSC | | DC3 | 22-DEC-00 |
| | MIL-HDBK-1191 | DEPARTMENT OF DEFENSE MEDICAL AND DENTAL TREATMENT FACILITIES DESIGN AND CONSTRUCTION CRITERIA[CUST: CE YD 04] | A | FACR | | YD | 15-OCT-91 |
| | MIL-STD-2401 NOT 1 | DEPARTMENT OF DEFENSE WORLD GEODETIC SYSTEM (WGS)[Standard Practice][CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-D-42048 | DEPLOYABLE MEDICAL SYSTEMS, GENERAL REQUIREMENTS FOR[CUST: MD MS 03] | A | 65GP | | MB | 26-JUN-87 |
| | QAP-253 ED.1 | DEPLOYMENT HEALTH SURVEILLANCE SYSTEMS | C | ISDA | | AI | 10-FEB-00 |
| | DI-FNCL-80462 | DEPOT MAINTENANCE COST REPORT [AMSC: A4243] | A | FNCL | | AM | 15-OCT-87 |
| | DI-ALSS-80728A | DEPOT MAINTENANCE PRODUCTION REPORT [AMSC: F7225] | A | SESS | | 10 | 24-JAN-97 |
| | DI-ILSS-80739 | DEPOT MAINTENANCE STUDY [AMSC: A4609] | A | SESS | | MI | 17-JAN-89 |
| | MIL-STD-2177 | DEPOT REWORK SPECIFICATION, AIR-LAUNCHED WEAPONS, ARMAMENT, ORDNANCE, MISSILE LAUNCHERS, & PECULIAR SUPPORT EQUIPMENT, PREPARATION OF[Military Standard] | A | SDMP | | AS | 07-FEB-89 |
| | FED-STD-793A | DEPOT STORAGE STANDARDS[CUST: SO] | A | MISC | # | FSS | 15-OCT-98 |
| | DI-PACK-80712 | DEPRESERVATION AND REACTIVATION INSTRUCTIONS [AMSC: N4580] | A | PACK | | SH | 02-DEC-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-54858 | DEPRESSOR, TONGUE, METAL, WEDER[CUST: MD MS 03] | A | 6515 | / | MB | 16-APR-93 |
| | A-A-53942 | DEPTH PERCEPTION APPARATUS, OPHTHALMIC, VERHOEFF[CUST: MD MS 03] | A | 6540 | / | MB | 28-JUL-89 |
| | STANAG-4400 ED.1(1) | DERIVATION OF THERMOCHEMICAL VALUES FOR INTERIOR BALLISTIC CALCULATION (WITH AMD.1) | C | ISDA | | AI | PENDING |
| D | FIPS-PUB-81(1) | DES MODES OF OPERATION[CUST: OM] | A | IPSC | | DC3 | 20-NOV-81 |
| | A-A-50125B | DESCENDER, FIGURE-8[CUST: GL NU CT] [REVIEW: MC] | A | 8465 | / | CT | 21-FEB-90 |
| | DI-MISC-81342 | DESCRIPTIVE TOP LEVEL SPECIFICATION [AMSC: G6932] | A | MISC | | NS | 02-JUL-93 |
| | MIL-D-3263B | DESICCANT CONTAINER, DEHUMIDIFIER[CUST: CR4 SH] [REVIEW: AS EA OS SA YD] | A | 4440 | | SH | 20-JUL-87 |
| | SAE-AS5135 | DESICCANT PORT AND DESICCANT HOLDER[CUST: SM AS 11] [REVIEW: 70 71 84 99 AR AT MI SA] | A | 8145 | | 11 | 25-NOV-97 |
| | MIL-DTL-87934A | DESICCANT, MOLECULAR SIEVE (IMPREGNATED)[CUST: SH 68 GS3] [REVIEW: 11 AS MC OS] | A | 6850 | | GS3 | 21-FEB-01 |
| | MIL-D-3716B(I1) | DESICCANTS, ACTIVATED FOR DYNAMIC DEHUMIDIFICATION[CUST: SH] | A | 6850 | | SH | 14-MAR-88 |
| | MIL-D-3716B | DESICCANTS, ACTIVATED FOR DYNAMIC DEHUMIDIFICATION[CUST: MR SH 11] [REVIEW: AS AT CR DS GS MI OS] | A | 6850 | | SH | 28-SEP-87 |
| A | QPL-3464-81 | DESICCANTS, ACTIVATED, BAGGED, PACKAGING USE AND STATIC DEHUMIDIFICATION | A | 6850 | | SH | 03-NOV-05 |
| | MIL-D-3464E | DESICCANTS, ACTIVATED, BAGGED, PACKAGING USE AND STATIC DEHUMIDIFICATION[CUST: EA SH 68] [REVIEW: AR AS AT CG CR4 DS GS MI OS SA SM] | A | 6850 | | SH | 21-APR-87 |
| | MIL-D-23615C(1) | DESIGN AND EVALUATION OF CARTRIDGE ACTUATED DEVICES[CUST: OS] | A | 1377 | | OS | 17-MAY-95 |
| | MIL-D-21625G | DESIGN AND EVALUATION OF CARTRIDGES FOR CARTRIDGE ACTUATED DEVICES[CUST: OS] | A | 1377 | | OS | 30-NOV-93 |
| | MIL-D-81303A(1) | DESIGN AND EVALUATION OF CARTRIDGES FOR STORES SUSPENSION EQUIPMENT[CUST: AV OS] [REVIEW: AR] | A | 1377 | | OS | 10-MAY-67 |
| | MIL-D-81980(1) | DESIGN AND EVALUATION OF SIGNAL TRANSMISSION SUBSYSTEMS, GENERAL SPECIFICATION FOR[CUST: OS] | A | 1377 | | OS | 14-AUG-75 |
| | MIL-D-85520(1) | DESIGN AND INSTALLATION OF ON BOARD OXYGEN GENERATING SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 16-JAN-91 |
| | STANAG-3967 ED.1(2) | DESIGN AND PERFORMANCE REQUIREMENTS FOR AVIATION FUEL FILTER SEPARATOR VESSELS AND COALESCER AND SEPARATOR ELEMENTS | C | ISDF | | 06 | 26-MAR-93 |
| | SAE-HIR1514 | DESIGN AND SPECIFICATION GUIDE FOR HYDRAULIC PUMPS USED ON ADVANCED SURFACE CRAFT AND SUBMERSIBLE VEHICLES[CUST: CR4 SH 99] [REVIEW: 84 CC MC SA] | A | 4320 | | SH | 16-AUG-89 |
| | MIL-STD-1904A | DESIGN AND TEST REQUIREMENTS FOR LEVEL A AMMUNITION PACKAGING[Test Method Standard][CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 01-APR-92 |
| | MIL-STD-1905A | DESIGN AND TEST REQUIREMENTS FOR LEVEL B AND LEVEL C AMMUNITION PACKAGING[Test Method Standard][CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 01-APR-92 |
| | AOP-22 ED.1 | DESIGN CRITERIA AND TEST METHODS FOR INDUCTIVE SETTING OF ELECTRONIC PROJECTILE FUZES | C | ISDA | | AI | PENDING |
| | STANAG-4365 ED.1 | DESIGN CRITERIA FOR A LIGHTWEIGHT HAND ENTRENCHING TOOL AND CARRIER | C | ISDA | | AI | 07-DEC-92 |
| A | MIL-STD-1660(1) NOT 2 | DESIGN CRITERIA FOR AMMUNITION UNIT LOADS[Design Criteria Standard][CUST: AR OS 11] [REVIEW: AS CR4 EA GS MC MI SH SM] | A | 8140 | | OS | 13-MAR-91 |
| | STANAG-2911 ED.2 | DESIGN CRITERIA FOR FRAGMENTATION PROTECTIVE BODY ARMOUR | C | ISDA | | AI | 25-AUG-89 |
| | QSTAG-1296 ED.1 | DESIGN CRITERIA FOR RADIAC EQUIPMENT FOR OPERATIONS IN A LOW LEVEL RADIATION ENVIRONMENT[CUST: AI] | C | ISDA | | AI | 12-OCT-01 |
| | STANAG-1310 ED.3 | DESIGN CRITERIA FOR REPLENISHMENT ASPECTS OF NEW CONSTRUCTION NAVAL VESSELS | D | ISDN | | NI | PENDING |
| A | MIL-STD-648C | DESIGN CRITERIA FOR SPECIALIZED SHIPPING CONTAINERS[Design Criteria Standard][CUST: SM OS 11] [REVIEW: 99 AR AS AT AV CR CR3 EA GL3 MC MI MT SA SH TE TM2 YD] | A | PACK | | OS | 11-FEB-99 |
| | AIR-STD-25/61 | DESIGN CRITERIA FOR THE 10,000 LB (4,545 KG) AIR TRANSPORT PALLET | C | ISDF | | 06 | 29-SEP-92 |
| | DI-GDRQ-80650 | DESIGN DATA AND CALCULATIONS [AMSC: N4493] | A | SESS | | SH | 18-JUL-88 |
| | MIL-HDBK-767 NOT 1 | DESIGN GUIDANCE FOR INTERIOR NOISE REDUCTION IN LIGHT-ARMORED TRACKED VEHICLES[CUST: AT] [REVIEW: MD] | A | HFAC | | AT | 13-APR-04 |
| | MIL-HDBK-727 NOT 1 | DESIGN GUIDANCE FOR PRODUCIBILITY[CUST: MR AS 11] | A | MISC | | MR | 13-FEB-90 |
| | MIL-HDBK-118 NOT 1 | DESIGN GUIDE FOR MILITARY APPLICATIONS OF HYDRAULIC FLUIDS[CUST: AT AS 11] [REVIEW: 68 84 AR AV CG CH GS MC MI MR OS SA SH TE YD] | A | 9150 | | AT | 13-APR-04 |
| | MIL-HDBK-1013/1A | DESIGN GUIDELINES FOR PHYSICAL SECURITY OF FACILITIES[CUST: YD] | A | FACR | | YD | 15-DEC-93 |
| | MIL-HDBK-1013/10 | DESIGN GUIDELINES FOR SECURITY FENCING, GATES, BARRIERS, AND GUARD FACILITIES[CUST: YD] | A | FACR | | YD | 14-MAY-93 |
| | MIL-HDBK-415A NOT 1 | DESIGN HANDBOOK FOR FIBER OPTIC COMMUNICATIONS SYSTEMS[CUST: CR EC 02] [REVIEW: 13 NS OM YD] | A | TCSS | | CR | 24-OCT-00 |
| | MIL-HDBK-413 NOT 1 | DESIGN HANDBOOK FOR HIGH FREQUENCY RADIO COMMUNICATIONS SYSTEMS[CUST: CR EC 02] [REVIEW: 11 13 AC MC NC OM TD YD] | A | TCSS | | CR | 24-OCT-00 |
| | AGMA6023 | DESIGN MANUAL FOR ENCLOSED EPICYCLIC GEAR DRIVES[CUST: YD] | A | FACR | | YD | 02-JUN-04 |
| | MIL-HDBK-2189 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS[CUST: SH] | A | 1990 | | SH | 11-MAR-99 |
| | MIL-HDBK-2189/243-1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS PROPULSION SHAFTING[CUST: SH] | A | SESS | | SH | 30-AUG-94 |
| | MIL-HDBK-2189/562-2 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 562-2 CONTROL SURFACE STRUCTURE DESIGN[CUST: SH] | D | 1990 | | SH | 02-JUN-92 |
| | MIL-HDBK-2189/672-1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 672-1 CALCULATION OF STOREROOM CAPACITIES.[CUST: SH] | A | 1990 | | SH | 24-DEC-87 |
| M | MIL-HDBK-762 NOT 2 | DESIGN OF AERODYNAMICALLY STABILIZED FREE ROCKETS[CUST: MI] [REVIEW: AR] | A | SESS | | MI | 08-MAR-06 |
| | AIR-STD-20/13G | DESIGN OF AIRCRAFT STORES | C | ISDF | | 06 | 24-JAN-95 |
| | STANAG-3441 ED.7(1) | DESIGN OF AIRCRAFT STORES | C | ISDF | | 06 | 19-FEB-96 |
| | NFPA1931.1 | DESIGN OF AND DESIGN VERIFICATION TESTS FOR FIRE DEPARTMENT GROUND LADDERS[CUST: AV YD 99] [REVIEW: 84 CC CE MC] | A | 4210 | | AV | 21-FEB-92 |
| | MIL-HDBK-684 NOT 1 | DESIGN OF COMBAT VEHICLES FOR FIRE SURVIVABILITY[CUST: AT] | A | 12GP | | AT | 20-APR-04 |
| | MIL-HDBK-802 | DESIGN OF ELECTRICAL EQUIPMENT WITH SMALL STRAY MAGNETIC FIELDS (METRIC)[CUST: SH] | A | 1905 | | SH | 02-JUL-90 |
| | MIL-HDBK-204A | DESIGN OF INSPECTION EQUIPMENT FOR DIMENSIONAL CHARACTERISTICS[CUST: AR] [REVIEW: AT AV CR MR] | A | 5220 | | AR | 30-NOV-90 |
| | MIL-HDBK-1226 | DESIGN OF PROJECTILES FOR TERMINAL BALLISTIC EFFECTS[CUST: AR] | D | 13GP | | AR | 31-MAY-97 |
| | MIL-HDBK-785 | DESIGN OF TOWED ARTILLERY WEAPON SYSTEMS[CUST: AR] | A | 10GP | | AR | 30-MAR-90 |
| | MIL-HDBK-1003/19 | DESIGN PROCEDURES FOR PASSIVE SOLAR BUILDINGS[CUST: CE YD 04] | A | FACR | | YD | 03-MAY-87 |
| | STANAG-4369 ED.1(2) | DESIGN REQUIREMENTS FOR INDUCTIVE SETTING OF LARGE CALIBRE PROJECTILE FUZES (INCLUDES AMENDMENT 2) | C | ISDA | | AI | 28-OCT-96 |
| | MIL-STD-2198 | DESIGN REQUIREMENTS FOR METAL ELECTRICAL BACKPLANE ASSEMBLIES[Design Criteria Standard][CUST: CR NW 11] [REVIEW: CC] | A | 5998 | | NW | 26-FEB-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-2119A | DESIGN REQUIREMENTS FOR PRINTED-WIRING ELECTRICAL BACKPLANE ASSEMBLIES[Design Criteria Standard][CUST: CR NW 11] [REVIEW: AS CC CG MC OS] | A | 5998 | | NW | 19-FEB-90 |
| | AIR-STD-20/9G | DESIGN SAFETY PRINCIPLES FOR AIRCRAFT STORES FUZING | C | ISDF | | 06 | 01-NOV-01 |
| | DI-MCCR-81344 | DESIGN SPECIFICATION [AMSC: G6934] | A | MCCR | | NS | 02-JUL-93 |
| | IPC-D275 | DESIGN STANDARD FOR RIGID PRINTED BOARDS AND RIGID PRINTED BOARD ASSEMBLIES[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA MI] | A | 5998 | | CC | 30-SEP-91 |
| | FM-DS128 | DESIGN WIND LOADS[CUST: YD] | A | FACR | | YD | 14-JUN-04 |
| | DOD-HDBK-343 NOT 1 | DESIGN, CONSTRUCTION, AND TESTING REQUIREMENTS FOR ONE OF A KIND SPACE EQUIPMENT[CUST: 19] | A | 1810 | | 19 | 04-SEP-92 |
| | NACE-RP0572 | DESIGN, INSTALLATION, OPERATION AND MAINTENANCE OF IMPRESSED CURRENT DEEP GROUNDBEDS[CUST: YD] | A | FACR | | YD | 29-JUL-04 |
| | MIL-STD-981B(4) | DESIGN, MANUFACTURING AND QUALITY STANDARDS FOR CUSTOM ELECTROMAGNETIC DEVICES FOR SPACE APPLICATIONS[Design Criteria Standard][CUST: 19 CC NA] | A | 5950 | | CC | 13-JUN-00 |
| | DI-FNCL-80449 | DESIGN-TO-COST/LIFE CYCLE COST AND VARIANCE ANALYSIS REPORT [AMSC: F4225] | A | FNCL | | 10 | 30-SEP-87 |
| | STANAG-3236 ED.9 | DESIGNATION SYSTEM FOR AIRCRAFT AND DESIGNATION OF ROLE CODES OF AIRCRAFT | C | ISDA | | AI | 25-SEP-00 |
| | AA-DAF45 | DESIGNATION SYSTEM FOR ALUMINUM FINISHES[CUST: YD] | A | FACR | | YD | 12-MAY-04 |
| | MIL-HDBK-470A | DESIGNING AND DEVELOPING MAINTAINABLE PRODUCTS AND SYSTEMS, VOLUME I AND VOLUME II[CUST: SY AS 11 DH] [REVIEW: 08 13 19 33 CG DI EC HS IE MA MC MI NP NS PT SA TD TM2 US] | A | SESS | | 11 | 04-AUG-97 |
| | MIL-HDBK-1791(2) | DESIGNING FOR INTERNAL AERIAL DELIVERY IN FIXED WING AIRCRAFT[CUST: 11] | A | 1510 | | 11 | 14-FEB-97 |
| | MIL-D-36572A NOT 1 | DESK, FLAT TOP[CUST: MD MS 03] | A | 6530 | | MB | 04-AUG-89 |
| | A-A-50897A | DESK, FLAT TOP CORROSION-RESISTING STEEL[CUST: MD MS 03] | A | 6530 | / | MB | 24-MAR-89 |
| | AA-D-195B(I3) | DESK, FLAT TOP, STEEL, CONFERENCE-TYPE | A | 7110 | # | FSS | 29-JAN-63 |
| | AA-D-195B | DESK, FLAT TOP, STEEL, CONFERENCE-TYPE | A | 7110 | # | FSS | 02-MAR-61 |
| | A-A-3190 | DESK, RETURN ATTACHMENT AND CREDENZA (OFFICE, TRADITIONAL STYLE) | A | 7110 | # | FSS | 21-MAR-02 |
| | MIL-PRF-32038/3 | DESKS, LOG, TYPES 1-4[CUST: AV SH 99] | A | 2090 | | SH | 11-MAR-99 |
| | A-A-3188 | DESKS, RETURNS AND CREDENZAS (STEEL, CONTEMPORARY STYLE) | A | 7110 | # | FSS | 21-MAR-02 |
| | MIL-PRF-32038/2 | DESKS, TYPES 1-4[CUST: AV SH 99] | A | 2090 | | SH | 11-MAR-99 |
| | SAE-AMS1626 | DESMUTTER, ALUMINUM LIQUID[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A | 6850 | | AS | 01-JUL-89 |
| | SAE-AMS1625 | DESMUTTER, ALUMINUM, POWDERED[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A | 6850 | | AS | 01-JUL-89 |
| | A-A-20170A | DESSERT POWDER (GELATIN) AND GELATIN, PLAIN, EDIBLE[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | * | GL | 14-JAN-03 |
| | A-A-20344 | DESSERT POWDER, PUDDING[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | * | GL | 14-JAN-03 |
| | MIL-DTL-35033F | DESSERT POWDER, PUDDING, INSTANT[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8940 | | SS | 14-APR-00 |
| | MIL-STD-1580B(1) | DESTRUCTIVE PHYSICAL ANALYSIS FOR ELECTRONIC, ELECTROMAGNETIC, AND ELECTROMECHANICAL PARTS[Test Method Standard][CUST: 19 CC NA] | A | 59GP | | CC | 23-APR-03 |
| | DI-GDRQ-81112A | DETAIL OR INTERMEDIATE ACTUAL WEIGHT AND BALANCE REPORT - MASS PROPERTIES DATA FOR MISSILES [AMSC: N5089] | A | SESS | | AS | 24-OCT-96 |
| | DI-SDMP-81464A | DETAIL SPECIFICATION DOCUMENTS [AMSC: D7502] | A | SDMP | | SO | 01-AUG-03 |
| | MIL-D-81622A NOT 1 | DETECTING RANGING SET, SONAR AN/AQS-13A[CUST: AS] | A | 5845 | | AS | 15-APR-88 |
| | MIL-D-81609C(1) | DETECTING SET, MAGNETIC AN/ASQ-81 (V)[CUST: AS] | A | 5895 | | AS | 10-SEP-86 |
| | MIL-D-85445 | DETECTING, RANGING SET AN/AAS-33A[CUST: AS] | A | 5855 | | AS | 01-JUN-82 |
| | MIL-D-81873 | DETECTING-RANGING SET, SONAR AN/AQS-13B[CUST: AS] | A | 5845 | | AS | 17-DEC-75 |
| | ASTM-D1868 | DETECTION AND MEASUREMENT OF PARTIAL DISCHARGE (CORONA) PULSES IN EVALUATION OF INSULATION SYSTEMS[CUST: MI AS 11] [REVIEW: GS] | A | 5970 | | MI | 15-JUN-93 |
| | UL639 | DETECTION UNITS, INTRUSION[CUST: CR4 YD 99] | A | 6530 | | YD | 29-JUL-93 |
| | MIL-STD-904B | DETECTION, IDENTIFICATION, AND PREVENTION OF PEST INFESTATION OF SUBSISTENCE[Standard Practice][CUST: MD2 SA 03] [REVIEW: MC MS SS] | A | 89GP | | MD2 | 10-MAR-00 |
| | MIL-PRF-49172B | DETECTOR DEWAR DT-594/UA[CUST: CR] | A | 5855 | | CR | 09-JUN-97 |
| | MIL-DTL-51490B | DETECTOR KIT, CHEMICAL AGENT: M256A1[CUST: EA SH] | X | 6665 | | EA | 29-MAR-05 |
| | MIL-D-81227B | DETECTOR KIT, WATER, AUTOMOTIVE - AVIATION FUEL[CUST: AV AS 99] [REVIEW: 68 71 CR4 MR] | A | 6640 | | AS | 15-DEC-76 |
| M | MIL-DTL-81248C | DETECTOR PAD, FREE WATER[CUST: AT AS 99] [REVIEW: 68 84 AR AV MA PS] | A | 6640 | | AS | 31-MAR-06 |
| | MIL-D-22612C(1) | DETECTOR, CONTAMINATED FUEL[CUST: AS] | A | 6630 | | AS | 26-SEP-83 |
| | SAE-AS8181 | DETECTOR, ICE, AIR INTAKE DUCT, AIRCRAFT ENGINES AND AIRFRAME SYSTEMS[CUST: AV AS 11] [REVIEW: GS] | A | 6340 | | AS | AUG-97 |
| | A-A-59165 | DETECTOR, LEAK, HELIUM MASS SPECTROMETER[CUST: 99] | A | 6635 | / | 84 | 16-APR-03 |
| | MIL-D-38134A(2) | DETECTOR, MAGNETIC AZIMUTH DSU-4/A, HIGH TEMPERATURE[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 18-SEP-72 |
| | A-A-59131A | DETECTOR, METAL FLAW, ELECTRONIC[CUST: GL AS 99 GS] | A | 6635 | / | 51 | 19-MAR-04 |
| | MIL-D-70487(1) | DETECTOR, WIND DIRECTION, SPEED, AND TEMPERATURE, FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 13-AUG-90 |
| | MIL-PRF-49446B | DETECTOR-DEWAR, DT-591A/UA[CUST: CR] | A | 5855 | | CR | 03-JUL-97 |
| | MIL-PRF-49319A | DETECTOR-DEWAR, DT-591B/UA[CUST: CR] | A | 5855 | | CR | 03-JUL-97 |
| | A-A-59707 | DETECTOR/MONITOR, HYDRAZINE[CUST: EA SH 11 GS1] [REVIEW: 99 CG GS] | A | 6665 | / | 11 | 10-DEC-01 |
| | MIL-D-24557/2A | DETECTOR: TYPES PS600A001, PS1000D001, PS1200D001, PS75E001, PS600F001, PS1100F001[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |
| | MIL-D-24446C | DETECTORS, DIFFERENTIAL PRESSURE FOR STEAM GENERATOR WATER LEVEL CONTROL GENERAL SPECIFICATION FOR (U)[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |
| | MIL-D-24446/3A | DETECTORS, DIFFERENTIAL PRESSURE WITH OVERRANGE CAPABILITY: TYPES DPS70WM001 AND DPS70WM002 (U)[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |
| | MIL-D-24446/7C | DETECTORS, DIFFERENTIAL PRESSURE, WITH OVERRANGE CAPABILITY: TYPE DPS30WM001 (U)[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |
| | MIL-D-24557B | DETECTORS, PRESSURE, FOR STEAM GENERATOR WATER LEVEL CONTROL, GENERAL SPECIFICATION FOR (U)[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |
| | MIL-D-24446/6D | DETECTORS: TYPE DPS480WW001 (U)[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |
| | MIL-D-24557/1B | DETECTORS: TYPE PS1100J001, PS700J001, PS1000J001, PS1000J002 (U)[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |
| | MIL-D-24557/4D | DETECTORS: TYPE PS1100K001 (U)[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |
| | MIL-D-24557/3B | DETECTORS: TYPE PS750J001, PS750J002, PS750J003 (U)[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-D-23231/3C | DETECTORS: TYPES DP15PAA001, DP22PAA001, DP220PAA001, DP15PAA002, DP22PAA002, DP220PAA002 (U)[CUST: SH] | F | 4470 | | SH | 24-NOV-92 |
| | MIL-D-23231/2C | DETECTORS: TYPES DP60WAA001, DP80WAA001, DP90WAA001, DP10PAA001, DP60WAA002, DP80WAA002, DP90WAA002 AND DP10PAA002[CUST: SH] | F | 4470 | | SH | 24-NOV-92 |
| | MIL-D-23231/6C | DETECTORS: TYPES DP60WAA003, DP60WAA004, DP80WAA003, DP90WAA003, DP200WAA003, DP200WAA004, DP10PAA003, DP300WAA004, DP339WAA003, DP15PAA004, DP50PAA004, DP100PAA004, DP120PAA004, DP220PAA003, DP220PAA004, DP300PAA004, DP90WAA103, DP10PAA103, DP220PAA104, DP400WDA005, DP339WAA103, DP220PGA003, DP10PGA003, AND DP100PAA104[CUST: SH] | F | 4470 | | SH | 24-NOV-92 |
| | MIL-D-23231/1D | DETECTORS: TYPES DP90WBA001, DP140WBA001, DP200WBA001, DP400WBA001, DP400WBA003, DP64WBB004, DP64WBB006, DP140WBB001, DP200WBB005, DP400WBB008, DP1385WBB004, DP10PBA001, DP220PBA001, DP90WHA001, DP10PHA001, DP220PHA001, AND DP22OPBB002 (U)[CUST: SH] | F | 4470 | | SH | 24-NOV-92 |
| | MIL-D-23231/5B | DETECTORS: TYPES DP90WVA001, DP10PVA001, DP220PVA001, DP220PGA001 AND DP52WMA001[CUST: SH] | F | 4470 | | SH | 24-NOV-92 |
| | MIL-D-24446/1C | DETECTORS: TYPES DPS30WH001, DPS36WA001, DPS56WT001, DPS82WB001, DPS85WS001, DPS85WC001, DPS100WD001, DPS100WE001, DPS100WJ001, DPS100WR001, DPS200WD001, DPS200WF001, DPS200WG001, DPS300WN001, DPS60WN001, DPS85WN001, DPS100WN001, DPS200WN001, DPS1600WN001, DPS850WP001, DPS1600WP001 (U)[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |
| | MIL-D-24446/2B | DETECTORS: TYPES DPS59WK001, DPS66WM001, DPS200WK001, AND DPS200WM001, DPS200WM002, DPS66WM002, DPS90WM002, DPS280WM002, DPS15PM002 (U)[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |
| | MIL-D-24446/4B | DETECTORS: TYPES DPS90WM003, DPS15PM003, DPS480WM001, DPS52WM001, DPS200WM002, DPS400WM001 (U)[CUST: SH] | F | 4470 | | SH | 28-JAN-94 |
| | ASTM-D2248 | DETERGENT RESISTANCE OF ORGANIC FINISHES[CUST: CR4 SH 99] | A | 8010 | | SH | 10-JAN-01 |
| | P-D-245F(1) | DETERGENT, GENERAL PURPOSE, LAUNDRY AND HAND DISHWASHING (GRANULAR)[CUST: GL YD 99] [REVIEW: 84 MC MD MS SH] | A | 7930 | * | GL | 11-OCT-91 |
| | A-A-50153 | DETERGENT, LAUNDRY, NONIONIC, LIQUID[CUST: GL 99] | A | 7930 | * | GL | 01-FEB-88 |
| | NSF29 | DETERGENT/CHEMICAL FEEDERS FOR COMMERCIAL SPRAY-TYPE DISHWASHING MACHINES[CUST: GL YD 99] [REVIEW: 84 CG GS MC MD MS SA] | A | 7320 | | SS | 27-NOV-91 |
| | MIL-D-16791G(1) | DETERGENTS, GENERAL PURPOSE (LIQUID, NONIONIC)[CUST: GL SH 99] [REVIEW: 84 CR4 EA MC SM YD] | A | 7930 | | SH | 15-JAN-93 |
| | STANAG-2474 ED.1 | DETERMINATION AND RECORDING OF IONISING RADIATION EXPOSURE FOR MEDICAL PURPOSES | C | ISDA | | AI | 21-MAY-03 |
| | ASTM-B263 | DETERMINATION OF CROSS-SECTIONAL AREA OF STRANDED CONDUCTORS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV CR4 MI OS] | A | 6145 | | CC | 01-DEC-00 |
| | SAE-AMS2315 | DETERMINATION OF DELTA FERRITE CONTENT[CUST: MR AS 11] | A | 95GP | | MR | MAR-95 |
| | STANAG-3713 ED.3(2) | DETERMINATION OF PARTICULATE MATTER IN AEROSPACE HYDRAULIC FLUIDS USING A PARTICLE SIZE ANALYSER | C | ISDF | | 06 | 01-AUG-90 |
| | ADV-PUB-61/115/15(1) | DETERMINATION OF SPACE REQUIREMENTS FOR MEDICAL TASKS ON AEROMEDICAL EVACUATION AIRCRAFT | C | ISDF | | 06 | 07-NOV-91 |
| | STANAG-4123 ED.3(1) | DETERMINATION OF THE CLASSIFICATION OF MILITARY AMMUNITION AND EXPLOSIVES | C | ISDA | | AI | 03-MAY-95 |
| | ASTM-F1080 | DETERMINING THE CONSISTENCY OF VISCOUS LIQUIDS USING A CONSISTOMETER[CUST: AS 11] | A | NDTI | | AS | 20-SEP-02 |
| | AWPA-E6 | DETERMINING THE EQUILIBRIUM MOISTURE CONTENT OF FIRE-RETARDANT TREATED WOOD, STANDARD METHOD FOR[CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM] | A | 5510 | | IS | 20-JAN-93 |
| | AWPA-E11 | DETERMINING THE LEACHABILITY OF WOOD PRESERVATIVES, STANDARD METHOD OF[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 20-JAN-93 |
| | AASHTO-T89 | DETERMINING THE LIQUID LIMIT OF SORTS[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | MIL-DTL-82889A | DETONATING CORD ASSEMBLY (DCA)[CUST: OS] | A | 1377 | | OS | 25-MAR-04 |
| | MIL-HDBK-1886 | DETONATION PROCESS FOR TUNGTEN CARBIDE-COBALT COATING[CUST: AT] | A | MFFP | | AT | 27-MAR-98 |
| | MIL-D-20505D(2) | DETONATION SIMULATOR, EXPLOSIVE, M80 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 16-AUG-95 |
| | MIL-D-70436(4) | DETONATOR ASSEMBLY FOR FUZE, POINT DETONATING, M759[CUST: AR] | A | 1305 | | AR | 04-MAY-98 |
| | MIL-D-13684D(1) NOT 3 | DETONATOR, ELECTRIC, M48 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR 99] | A | 1375 | | AR | 12-MAY-87 |
| | MIL-D-48865(1) NOT 3 | DETONATOR, ELECTRIC, PA500 PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 12-AUG-96 |
| | IEEE32 | DEVCES, NEUTRAL, GROUNDING, REQUIREMENTS FOR TERMNOLOGY, AND TEST PROCEDURE FOR[CUST: YD] [REVIEW: CC CE GS] | A | 6110 | | YD | 25-MAR-88 |
| | MIL-HDBK-29612/3A | DEVELOPMENT OF INTERACTIVE MULTIMEDIA INSTRUCTION (IMI) (PART 3 OF 5 PARTS)[CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM] | A | SESS | | AS | 31-AUG-01 |
| | ITOP-1.1.050 | DEVELOPMENT OF LABORATORY VIBRATION TEST SCHEDULES | D | ISDA | | TE | 04-MAR-87 |
| | DOD-STD-2106 | DEVELOPMENT OF SHIPBOARD INDUSTRIAL TEST PROCEDURES[Design Criteria Standard][CUST: SH] | A | QCIC | | SH | 31-JUL-86 |
| | AIR-STD-61/101/2B | DEVELOPMENT TEST AND EVALUATION OF AIRCRAFT OXYGEN DELIVERY SYSTEMS | C | ISDF | | 06 | 18-AUG-82 |
| | DI-SESS-81002D | DEVELOPMENTAL DESIGN DRAWINGS/MODELS AND ASSOCIATED LISTS [AMSC: A7547] | A | SESS | | AR | 05-FEB-05 |
| | MIL-D-16475D SUP 1 | DEVICE, METAL, BREAST AND COLLAR, GENERAL SPECIFICATION FOR[CUST: NU] [REVIEW: CG] | A | 8455 | | CT | 13-SEP-82 |
| | MIL-D-85465B | DEVICE, SAFETY & ARMING, FUZE FSU-10/A[CUST: AS] | A | 1336 | | AS | 28-FEB-88 |
| | MIL-D-85580B | DEVICE, SAFETY AND ARMING, FUZE, DUMMY, FSU-10(D-1)/A AND DEVICE, SAFETY AND ARMING, FUZE, TRAINING, FSU-10(T-1)/A[CUST: AS] | A | 1336 | | AS | 28-MAR-88 |
| | SAE-J845 | DEVICES, 360 DEGREE WARNING, FOR AUTHORIZED EMERGENCY, MAINTENANCE, AND SERVICE VEHICLES[CUST: AT IS] | A | 6220 | | IS | 20-MAR-92 |
| | ANSI-A92.2 | DEVICES, AERIAL, VEHICLE MOUNTED ELEVATING AND ROTATING[CUST: AT YD 99] | A | 2590 | | AT | 08-FEB-90 |
| | SAE-ARP1199 | DEVICES, ELECTRIC OVERCURRENT PROTECTIVE, SELECTION, APPLICATION, AND INSPECTION OF[CUST: CR AS 11 CC] [REVIEW: 99 AR AT CR4 EC MI] | A | 5925 | | CC | MAR-84 |
| | BHMA-A156.3 | DEVICES, EXIT, AMERICAN NATIONAL STANDARD FOR[CUST: AR YD 99 IS] | A | 5340 | | IS | 12-JUL-90 |
| | MIL-D-16475/55A | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY AUXOP, QUALIFICATION (U.S. COAST GUARD)[CUST: NU CT] [REVIEW: 11 CG] | A | 8455 | | CT | 23-SEP-88 |
| | MIL-D-16475/79 | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY, AVIATOR (U.S. COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 16-OCT-90 |
| | MIL-DTL-16475/51B | DEVICES, METAL, (BREAST AND COLLAR) CHIEF PETTY OFFICERS (U.S. COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 17-FEB-98 |
| | MIL-D-16475/50A | DEVICES, METAL, (BREAST AND COLLAR) COMMAND AT SEA (U.S. COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 23-SEP-88 |
| | MIL-D-16475/70A | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED PERSONNEL (PETTY OFFICER 1, 2, & 3)[CUST: NU CT] | A | 8455 | | CT | 11-JAN-89 |
| | MIL-D-16475/54C | DEVICES, METAL, (BREAST AND COLLAR) GROUP RATE SEAMAN/APPRENTICE NJROTC[CUST: NU CT] | A | 8455 | | CT | 05-JAN-95 |
| | MIL-DTL-16475/64C | DEVICES, METAL, (BREAST AND COLLAR) OFFICER IN CHARGE ASHORE (U.S. COAST GUARD)[CUST: CG CT] | A | 8455 | | CT | 17-AUG-00 |
| | MIL-D-16475/63A | DEVICES, METAL, (BREAST AND COLLAR) RELIGIOUS PROGRAM SPECIALIST[CUST: NU CT] [REVIEW: MC] | A | 8455 | | CT | 11-JAN-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-16475/61C | DEVICES, METAL, (BREAST AND COLLAR) SECURITY PERSONNEL[CUST: NU CT] | A | 8455 | | CT | 06-OCT-97 |
| | MIL-D-16475/68D | DEVICES, METAL, BREAST AND COLLAR COMMAND ENLISTED ADVISOR (U.S. COAST GUARD)[CUST: CT] | A | 8455 | | CT | 06-JAN-92 |
| | ASTM-F993 | DEVICES, VALVE LOCKING[CUST: CR4 SH 99] [REVIEW: CC MC] | A | 4810 | | SH | 27-MAR-86 |
| | A-A-53025A | DEXAMETHASONE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 15-DEC-89 |
| | A-A-51704A | DEXBROMPHENIRAMINE MALEATE & PSEUDOEPHEDRINE SULFATE TABLETS (SUSTAINED-RELEASE)[CUST: MD MS 03] | A | 6505 | / | MB | 31-JUL-87 |
| | DOD-D-23443B(2) | DI-(2 - ETHYLHEXYL) ADIPATE, TECHNICAL (METRIC)[CUST: AR OS 68] [REVIEW: GS MI] | A | 6810 | | OS | 27-OCT-95 |
| | MIL-D-10692 NOT 2 | DI-(2 ETHYL-HEXYL) SEBACATE[CUST: AR] | A | 1365 | | AR | 13-NOV-01 |
| | MIL-D-13383(1) NOT 1 | DI-(2-ETHYLHEXYL)-APIDATE[CUST: AR] | A | 1376 | | AR | 27-JAN-87 |
| | MIL-D-22346B | DI-NORMAL-PROPYL ADIPATE (DNPA)[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 19-MAR-73 |
| | ANSI-Y32.10 | DIAGRAMS, FLUID POWER, GRAPHIC SYMBOLS FOR[CUST: AR SH] [REVIEW: AT MI] | A | DRPR | | AR | 01-AUG-79 |
| A | ASME-Y14.40.10 | DIAGRAMS, GRAPHICAL SYMBOLS FOR - PART 10: FLUID POWER CONVERTERS[CUST: AR SA 16 DH] [REVIEW: 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| A | ASME-Y14.40.12 | DIAGRAMS, GRAPHICAL SYMBOLS FOR - PART 12: DEVICES FOR SEPARATING[CUST: AR SA 16 DH] [REVIEW: 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| A | ASME-Y14.40.11 | DIAGRAMS, GRAPHICAL SYMBOLS FOR, PART 11: DEVICES FOR HEAT TRANSFER AND HEAT ENGINES[CUST: AR SA 16 DH] [REVIEW: 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| A | ASME-Y14.40.15 | DIAGRAMS, GRAPHICAL SYMBOLS FOR, PART 15: INSTALLATION DIAGRAMS AND NETWORK MAPS[CUST: AR SA 16 DH] [REVIEW: 13 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 13-FEB-03 |
| A | ASME-Y14.40.1 | DIAGRAMS, GRAPHICAL SYMBOLS FOR, PART 1: GENERAL INFORMATION AND INDEXES[CUST: AR SA 16 DH] [REVIEW: 13 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| A | ASME-Y14.40.6 | DIAGRAMS, GRAPHICAL SYMBOLS FOR, PART 6: MEASUREMENT AND CONTROL FUNCTIONS[CUST: AR SA 16 DH] [REVIEW: 13 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| A | IEEE991 | DIAGRAMS, IEEE STANDARD LOGIC CIRCUIT[CUST: AR SH 13] [REVIEW: 19 AM AS AT AV CR MC MI OS] | A | DRPR | | AR | 27-JUN-86 |
| | NASM28728-3 | DIAL, CONTROL, MULTITURN COUNTERS, 10-TURN COUNTER, CONCENTRIC (1.810-INCH DIAMETER)[CUST: CR EC 11] | A | 5355 | | IS | 25-SEP-01 |
| | NASM28728 | DIAL, CONTROL, MULTI-TURN COUNTERS GENERAL SPECIFICATION FOR[CUST: CR EC 11 IS] | A | 5355 | | IS | 25-SEP-01 |
| | NASM28728-7 | DIAL, CONTROL, MULTITURN COUNTERS, 100 TURN COUNTERS, 4 DIGIT[CUST: CR EC 11] | A | 5355 | | IS | 25-SEP-01 |
| | NASM28728-5 | DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS[CUST: CR EC 11] | A | 5355 | | IS | 25-SEP-01 |
| | NASM28728-6 | DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS, ILLUMINATED AND NONILLUMINATED[CUST: CR EC 11] | A | 5355 | | IS | 25-SEP-01 |
| | NASM28728-8 | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, .88 DIAMETER[CUST: CR EC 11] | A | 5355 | | IS | 25-SEP-01 |
| | NASM28728-4 | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.16 DIAMETER[CUST: CR EC 11] | A | 5355 | | IS | 25-SEP-01 |
| | NASM28728-2 | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.75 DIAMETER[CUST: CR EC 11] | A | 5355 | | IS | 25-SEP-01 |
| | NASM28728-1 | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.81 DIAMETER[CUST: CR EC 11 IS] | A | 5355 | | IS | 25-SEP-01 |
| | ASTM-D2130 | DIAMETER OF WOOL AND OTHER ANIMAL FIBERS BY MICROPROJECTION[CUST: GL NU 99 CT] | A | 83GP | | CT | 26-JAN-90 |
| | CGA-V5 | DIAMETER-INDEX SAFETY SYSTEM (NON-INTERCHANGEABLE LOW PRESSURE CONNECTIONS FOR MEDICAL GAS APPLICATIONS[CUST: CR4 YD 03 MB] | A | SAFT | | MB | 1989 |
| | AIR-STD-25/11B | DIAMETERS FOR AIRCRAFT GRAVITY FILLING ORIFICES | C | ISDF | | 06 | 23-JUN-95 |
| | STANAG-3212 ED.6(1) | DIAMETERS FOR GRAVITY FILLING ORIFICES | C | ISDF | | 06 | 20-NOV-98 |
| | ANSI-B74.3 | DIAMOND GRINDING WHEELS, HAND HONES, & MOUNTED WHEELS, SHAPE & SIZES OF, SPECIFICATIONS FOR[CUST: AR SH 99] [REVIEW: CR4] | A | 34GP | | GS6 | 12-DEC-78 |
| | A-A-30083A | DIAPER, ADULT'S[CUST: MD MS 03] | A | 6532 | * | MB | 18-SEP-92 |
| | A-A-51976A | DIAPER, INFANT'S[CUST: MD MS 03] | A | 6532 | / | MB | 15-OCT-92 |
| | A-A-51922A | DIAPHRAGM, VAGINAL (ARCING)[CUST: MD MS 03] | A | 6515 | / | MB | 06-APR-92 |
| | A-A-59239 NOT 1 | DIATOMACEOUS EARTH[CUST: AR 99 IS] [REVIEW: 84] | A | 9390 | / | IS | 19-FEB-03 |
| | A-A-0051441 | DIAZEPAM INJECTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 01-MAY-86 |
| | A-A-54054 | DIAZEPAM TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 15-DEC-89 |
| | JAN-D-552(1) NOT 2 | DIAZODINITROPHENOL (TABULAR)[CUST: AR AS] | A | 1376 | | AR | 10-OCT-96 |
| | FED-STD-00131E | DIAZOTYPE PAPER SHEET AND ROOL SIZES | A | 6750 | # | FSS | 05-MAR-76 |
| A | FED-STD-131C NOT 1 | DIAZOTYPE PAPER SHEET SIZES[CUST: EA AS 99] [REVIEW: 70 AR CR4 MC] | A | 6750 | / | AS | 19-OCT-92 |
| | DOD-D-82727 | DIBUTYLTIN DILAURATE[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 10-AUG-83 |
| | A-A-51738 | DICHLORODIFLUOROMETHANE, TECHNICAL[CUST: MD MS 03] [REVIEW: GS] | A | 6830 | / | MB | 29-NOV-86 |
| | A-A-51616A | DICLOXACILLIN SODIUM CAPSULES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 15-DEC-89 |
| | IEEE-C63.14 | DICTIONARY FOR TECHNOLOGIES OF ELECTROMAGNETIC COMPATIBILITY (EMC), ELECTROMAGNETIC PULSE (EMP), AND ELECTROSTATIC DISCHARGE (ESD)[CUST: CR SH 11] [REVIEW: 13 19 AS MC MI OS YD] | A | EMCS | | CR | 21-APR-92 |
| | ASTM-B176 | DIE CASTINGS, COPPER-ALLOY[CUST: CR4 YD 99] | A | MECA | | YD | 15-FEB-93 |
| A | A-A-410 NOT 2 | DIE, THREAD CUTTING (ROUND, SPLIT, INCH SERIES) | A | 5136 | # | FSS | 09-AUG-05 |
| | IPC-TM650.2.5.6 | DIELECTRIC BREAKDOWN OF RIGID PRINTED WIRING MATERIAL[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | ASTM-D149 | DIELECTRIC BREAKDOWN VOLTAGE AND DIELECTRIC STRENGTH OF SOLID ELECTRICAL INSULATING MATERIALS AT COMMERCIAL POWER FREQUENCIES[CUST: MR SH 11] [REVIEW: 84 99 AS AV CR CR4 GS OS YD] | A | 5970 | | MR | 29-JUN-90 |
| | EIA472DAAA | DIELECTRIC FIBER OPTIC COMMUNICATIONS CABLE FOR OUTSIDE PLANT USE CONTAINING CLASS 1A 62.5 UM CORE DIAMETER/125 UM CLADDING DIAMETER/250 UM COATING DIAMETER FIBER(S)[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | IPC-TM650.2.5.7 | DIELECTRIC WITHSTANDING VOLTAGE, PCB[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| A | MS90485E | DIES, CRIMPING TOOL, FOR USE WITH MS20659 UNINSULATED WIRE TERMINALS (FOR WIRE SIZES 8 THROUGH 4/ 0)[CUST: CR AS 99] [REVIEW: EC GL GS MC OS SH] | A | 5136 | | AS | 30-AUG-74 |
| | A-A-50695 | DIES, THREADING DIE HEAD[CUST: 99] [REVIEW: GS] | A | 5136 | / | 84 | 27-MAR-92 |
| | A-A-58038 | DIESEL ENGINE FUEL INJECTOR CLEANER[CUST: 99 CC] | A | 4910 | / | 84 | 04-DEC-94 |
| | UL1247 | DIESEL ENGINES FOR DRIVING CENTRIFUGAL FIRE PUMPS[CUST: CR4 YD 99] | A | 2815 | | CR4 | 02-AUG-89 |
| | A-A-59693A | DIESEL FUEL, BIODIESEL BLEND (B20)[CUST: AT SH 68] [REVIEW: 03 AR EC MC MI PS SA] | A | 9140 | / | AT | 15-JAN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-1003/11 | DIESEL-ELECTRIC GENERATING PLANTS[CUST: YD] | A | FACR | | YD | 13-OCT-87 |
| | A-A-58024 | DIESEL-ENGINE-DRIVEN PNEUMATIC TIRED TRENCHERS[CUST: 99] | A | 3805 | / | 84 | 29-JUL-94 |
| | DOD-D-82659(1) | DIETHYLENE GLYCOL DIBUTYL ETHER, TECHNICAL[CUST: OS] [REVIEW: AS GS] | A | 6810 | | OS | 01-MAR-78 |
| | A-A-59162 NOT 1 | DIETHYLENETRIAMINE, TECHNICAL[CUST: MD 68] [REVIEW: EA] | A | 6810 | / | GS3 | 25-MAR-04 |
| | A-A-59314 NOT 1 | DIETHYLPHTHALATE (FOR USE IN EXPLOSIVES)[CUST: AR OS] [REVIEW: GS] | A | 6810 | / | AR | 30-MAY-03 |
| | QPL-24304-14 | DIFFERENTIAL PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) (NAVAL SHIPBOARD USE) | A | 6685 | | SH | 06-JUL-01 |
| | A-A-54256 | DIFFERENTIATION DISKS, MICROORGANISM[CUST: MD MS 03] | A | 6550 | / | MB | 28-SEP-90 |
| | GGG-D-326C | DIGGER, POSTHOLE, HINGED[CUST: GL SH 99] [REVIEW: YD] | A | 5120 | * | GL | 26-MAR-64 |
| | MIL-PRF-32030 NOT 1 | DIGITAL BATHYMETRIC DATA BASE - VARIABLE RESOLUTION (DBDB-V)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-D-89029 NOT 1 | DIGITAL BATHYMETRIC DATA BASE 0.1 MINUTE (DBDB-0.1) AND DIGITAL BATHYMETRIC DATA BASE 0.5 MINUTE (DBDB-0.5)[CUST: NO] [REVIEW: MC] | A | GINT | | MP | 31-MAR-04 |
| | ITOP-6.2.246 | DIGITAL COMMUNICATION TRANSMITTER AND RECEIVER TEST PROCEDURES | D | ISDA | | TE | 12-OCT-95 |
| | MIL-DTL-24784/21B | DIGITAL EQUIPMENT MANUAL REQUIREMENTS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | STANAG-7123 ED.1 | DIGITAL GEOGRAPHIC INFORMATION (DGI) ON CD-ROM AND CD-R | C | ISDF | | 06 | 01-OCT-02 |
| | QSTAG-2032 ED.1 | DIGITAL GEOGRAPHIC INFORMATION EXCHANGE STANDARD[CUST: AI] | C | ISDA | | AI | PENDING |
| | STANAG-7074 ED.2(3) | DIGITAL GEOGRAPHIC INFORMATION EXCHANGE STANDARD (DIGEST) | C | ISDF | | 06 | 24-JUL-98 |
| | DI-MISC-81579 | DIGITAL IMAGING [AMSC: N7337] | A | MISC | | SH | 07-JUL-99 |
| A | MIL-STD-188-220D | DIGITAL MESSAGE TRANSFER DEVICE SUBSYSTEMS[Interface Standard][CUST: CR1 OM 02 DC2] [REVIEW: 11 13 93 99 AC CG CM CR DC5 DI EC IR MC MI MP NC NS PT SE US] | A | TCSS | | CR1 | 29-SEP-05 |
| | MIL-STD-3012 | DIGITAL MICROWAVE RADIOS AND MULTIPLEXERS[Interface Standard][CUST: CR EC 02] [REVIEW: 93 AC DC5 DH DI IR MC MP NS SE] | C | TCSS | | DC1 | 27-NOV-02 |
| | MIL-PRF-89023(1) NOT 1 | DIGITAL NAUTICAL CHART (DNC)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-PRF-89034(1) NOT 1 | DIGITAL POINT POSITIONING DATA BASE (DPPDB)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-STD-2361C | DIGITAL PUBLICATIONS DEVELOPMENT[Interface Standard][CUST: AC1 MC] [REVIEW: AR AT AV CR EA MI PT TM] | A | IPSC | | AC1 | 15-OCT-04 |
| A | MIL-PRF-28003B | DIGITAL REPRESENTATION FOR COMMUNICATION OF ILLUSTRATION DATA: CGM APPLICATION PROFILE[CUST: CR OM 16 DC3] [REVIEW: 02 13 19 33 93 AC AC1 AR AS AT CG CH DC1 DC4 DH DI DOE EC GPO IR MC MI NCS ND NS PT TD TM TM1 US] | A | IPSC | | DC3 | 30-APR-00 |
| A | MIL-PRF-28000B | DIGITAL REPRESENTATION FOR COMMUNICATION OF PRODUCT DATA: IGES APPLICATION SUBSETS AND IGES APPLICATION PROTOCOLS[CUST: CR OM 16] [REVIEW: 02 13 19 33 93 99 AC AC1 AR AS AT CG CH DC1 DC4 DH DI DOE EC GPO IR MC MI NCS ND NS PT TD TM TM1 US] | A | IPSC | | DC3 | 30-SEP-99 |
| | STANAG-7150 ED.1 | DIGITAL REPRODUCTION MATERIAL EXCHANGE STANDARD | C | ISDA | | AI | 24-JAN-03 |
| D | FIPS-PUB-186 | DIGITAL SIGNATURE STANDARD (DSS)[CUST: CR OM] | A | IPSC | | DC3 | 19-MAY-94 |
| | MIL-DTL-24784/20B | DIGITAL SYSTEMS MANUAL REQUIREMENTS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| M | MIL-STD-3001-3 NOT 1 | DIGITAL TECHNICAL INFORMATION FOR MULTI-OUTPUT PRESENTATION OF TECHNICAL MANUALS, TESTING AND TROUBLESHOOTING PROCEDURES (PART 3 OF 8 PARTS)[Standard Practice][CUST: AS] | A | TMSS | | AS | 08-MAR-06 |
| M | MIL-STD-3001-4 NOT 1 | DIGITAL TECHNICAL INFORMATION FOR MULTI-OUTPUT PRESENTATION OF TECHNICAL MANUALS MAINTENANCE INFORMATION WITH ILLUSTRATED PARTS BREAKDOWN (IPB) (PART 4 OF 8 PARTS)[Standard Practice][CUST: AS] | A | TMSS | | AS | 08-MAR-06 |
| M | MIL-STD-3001-8 NOT 1 | DIGITAL TECHNICAL INFORMATION FOR MULTI-OUTPUT PRESENTATION OF TECHNICAL MANUALS ILLUSTRATED PARTS BREAKDOWN (IPB) (PART 8 OF 8 PARTS)[Standard Practice][CUST: AS] | A | TMSS | | AS | 08-MAR-06 |
| M | MIL-STD-3001-2 NOT 1 | DIGITAL TECHNICAL INFORMATION FOR MULTI-OUTPUT PRESENTATION OF TECHNICAL MANUALS DESCRIPTION, PRINCIPLES OF OPERATION AND OPERATION DATA (PART 2 OF 8 PARTS)[Standard Practice][CUST: AS] | A | TMSS | | AS | 08-MAR-06 |
| M | MIL-STD-3001-5 NOT 1 | DIGITAL TECHNICAL INFORMATION FOR MULTI-OUTPUT PRESENTATION OF TECHNICAL MANUALS AIRCRAFT WIRING INFORMATION (PART 5 OF 8 PARTS)[Standard Practice][CUST: AS] | A | TMSS | | AS | 08-MAR-06 |
| M | MIL-STD-3001-6 NOT 1 | DIGITAL TECHNICAL INFORMATION FOR MULTI-OUTPUT PRESENTATION OF TECHNICAL MANUALS STRUCTURAL REPAIR INFORMATION (PART 6 OF 8 PARTS)[Standard Practice][CUST: AS] | A | TMSS | | AS | 08-MAR-06 |
| M | MIL-STD-3001-7 NOT 1 | DIGITAL TECHNICAL INFORMATION FOR MULTI-OUTPUT PRESENTATION OF TECHNICAL MANUALS PERIODIC MAINTENANCE REQUIREMENTS (PART 7 OF 8 PARTS)[Standard Practice][CUST: AS] | A | TMSS | | AS | 08-MAR-06 |
| | MIL-PRF-89020B NOT 1 | DIGITAL TERRAIN ELEVATION DATA (DTED)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | STANAG-3809 ED.3(1) | DIGITAL TERRAIN ELEVATION DATA EXCHANGE FORMAT | C | ISDF | | 06 | 17-NOV-95 |
| | QSTAG-945 ED.1 | DIGITAL TERRAIN ELEVATION DATA EXCHANGE FORMAT (INCLUDING AMEND 1)[CUST: AI] | C | ISDA | | AI | 27-SEP-88 |
| | STANAG-3838 ED.3 | DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS | C | ISDF | | 06 | 04-JUL-03 |
| A | MIL-STD-001553B(5) | DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS[Interface Standard][CUST: 11] | D | MCCR | | 11 | 08-FEB-06 |
| | MIL-STD-1553B(4) NOT 3 | DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS[Interface Standard][CUST: CR AS 11] | A | MCCR | | 11 | 15-JAN-96 |
| | MIL-PRF-89037A NOT 1 | DIGITAL TOPOGRAPHIC DATA (DTOP)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | ASTM-E228 | DILATOMETER, VITREOUS SILICA, RIGID SOLIDS, WITH A THERMAL EXPANSION OF, STANDARD TEST METHOD FOR[CUST: GL SA 99] [REVIEW: 84 GS MD] | A | 7350 | | GL | 19-NOV-71 |
| | A-A-53531 | DILATOR - CATHETER (WALTHER, FEMALE)[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUN-88 |
| | A-A-51549 | DILATOR SET (BAKES)[CUST: MD MS 03] | A | 6515 | / | MB | 15-JUL-86 |
| | A-A-53328 | DILATOR SET, UTERINE, HANK[CUST: MD MS 03] | A | 6515 | / | MB | 18-DEC-87 |
| | ASTM-C170 | DIMENSION STONE, COMPRESSIVE STRENGTH OF[CUST: CE YD 99] [REVIEW: 84 MC] | A | 5610 | | CE | 28-SEP-90 |
| | STANAG-2832 ED.3(1) | DIMENSIONAL RESTRICTIONS FOR THE TRANSPORT OF MILITARY EQUIPMENT BY RAIL ON EUROPEAN RAILWAYS (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 15-MAR-94 |
| | IPC-TM650.2.4.39 | DIMENSIONAL STABILITY, GLASS REINFORCED THIN LAMINATES[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | ASME-Y14.5M | DIMENSIONING AND TOLERANCING[CUST: AR SA 10 DH] [REVIEW: 11 13 19 68 70 71 80 84 99 AS AT AV CE CH CR EA EC GL GS IS MC MI NS OS SCS SH TD TE YD] | A | DRPR | | SA | 13-MAR-94 |
| | MIL-STD-1913(1) NOT 1 | DIMENSIONING OF ACCESSORY MOUNTING RAIL FOR SMALL ARMS WEAPONS[Interface Standard][CUST: AR] | A | 1005 | | AR | 20-APR-04 |
| | ANSI-PH1.39 | DIMENSIONS FOR 70MM FILM MAGAZINES & FILM FOR STILL PICTURE CAMERAS[CUST: CR AS 99] | A | 6750 | | AS | 12-MAY-87 |
| | STANAG-3319 ED.6(6) | DIMENSIONS FOR CASES OF CONTROL BOXES, INSTRUMENTS AND PANEL MOUNTED EQUIPMENT | C | ISDF | | 06 | 30-JUN-83 |
| | AIR-STD-80/3(1) | DIMENSIONS, TOLERANCES AND CHARACTERISTICS OF 70MM, 126MM AND 240MM ROLLED FILM FOR AIR PHOTOGRAPHY | C | ISDF | | 06 | 25-JUN-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-53729A | DIMETHYL SULFOXIDE IRRIGATION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 01-APR-93 |
| | GEB1 | DIMINISHING MANUFACTURING SOURCES AND MATERIAL SHORTAGES (DMSMS) MANAGEMENT PRACTICES | A | MISC | | SP | 14-DEC-00 |
| | A-A-59479 NOT 1 | DIMMER, LAMP, MEDIUM SCREW BASE AND SOCKET, IN-LINE SOCKET[CUST: CR4 IS] | A | 6250 | / | IS | 08-DEC-04 |
| | MS17850 NOT 2 | DIMMER-SBM15 FOR BLINKER SIGNALING LIGHT SYMBOL 960[CUST: SH] | A | 5950 | | SH | 09-SEP-93 |
| | A-A-59411 | DIMPLING MACHINE, HOT AND COLD PROCESS, PORTABLE[CUST: SH 99 GS6] [REVIEW: 84 AS MC OS] | A | 3448 | / | GS6 | 11-FEB-00 |
| | A-A-3012 | DINING PACKETS[CUST: GL SA 35] [REVIEW: 84 99 MD1 QM1] | A | 7360 | / | SS | 15-JUN-98 |
| | JAN-D-666 | DINITROCHLORBENZENE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 20-AUG-48 |
| | JAN-D-664 | DINITROMETHYLANILINE IN SULFURIC ACID[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 27-AUG-48 |
| | A-A-59256 NOT 1 | DINITROTOLUENE, (FOR USE IN EXPLOSIVES)[CUST: AR OS] [REVIEW: MC] | A | 1375 | / | AR | 14-FEB-03 |
| | NSF36 | DINNERWARE[CUST: GL YD 99] [REVIEW: 84 GS MD] | A | 7350 | | GL | 19-FEB-85 |
| | MIL-D-85494 | DIOCTYL ADIPATE[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 06-OCT-81 |
| | A-A-54057 | DIPHENHYDRAMINE HYDROCHLORIDE SYRUP[CUST: MD MS 03] | A | 6505 | / | MB | 29-DEC-89 |
| | A-A-54428 | DIPHTHERIA AND TETANUS TOXOIDS AND PERTUSSIS VACCINE, ADSORBED, USP[CUST: MD MS 03] | A | 6505 | / | MB | 28-JUN-91 |
| | A-A-1752B | DIPPER, KITCHEN[CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A | 7330 | / | GL | 30-JUL-96 |
| | A-A-53300 | DIPPER,ENTOMOLOGICAL[CUST: MD MS 03] | A | 6640 | / | MB | 21-DEC-87 |
| | DOD-STD-2146 NOT 1 | DIRECT CURRENT GENERATORS AND MOTORS, LOW STRAY MAGNETIC FIELD, DESIGN OF (METRIC)[Design Criteria Standard][CUST: SH] [REVIEW: GS] | A | 6115 | | SH | 16-FEB-89 |
| | ITOP-3.2.817 | DIRECT FIRE JUMP (U) | D | ISDA | | TE | 06-DEC-91 |
| | EIA412 | DIRECT VIEW HIGH RESOLUTION MONOCHROME CLOSED CIRCUIT TELEVISION MONITORS[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | ITOP-3.2.838 | DIRECT VIEW OPTICS | D | ISDA | | TE | 13-NOV-00 |
| | MIL-D-81992B | DIRECTIVES, TECHNICAL; PREPARATION OF[CUST: AS] | A | TMSS | | AS | 27-JUL-94 |
| | A-A-51691A | DIRECTOR AND TONGUE TIE[CUST: MD MS 03] | A | 6515 | / | MB | 21-APR-87 |
| | ARI-DCAACP | DIRECTORY OF CERTIFIED APPLIED AIR-CONDITIONING PRODUCTS[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | ARI-DCUP | DIRECTORY OF CERTIFIED UNITARY PRODUCTS[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | MS27639A | DISASSEMBLY TOOL[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | DI-MISC-80394 | DISASTER PREPAREDNESS EXERCISE EVALUATION REPORT [AMSC: F4160] | A | MISC | | 33 | 30-JUL-87 |
| | SAE-J694 | DISC WHEEL/HUB OR DRUM INTERFACE DIMENSIONS - COMMERCIAL VEHICLES[CUST: AT YD 99] [REVIEW: 84] | A | 2530 | | CC | SEP-88 |
| | ICEA-T24.380 | DISCHARGE TEST PROCEDURE, PARTIAL[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 11-AUG-00 |
| | MIL-D-9129/9(1) NOT 3 | DISCHARGER, ELECTROSTATIC, HOLDERS[CUST: CR AS 11 CC] [REVIEW: 19 99 CE MC MI] | A | 5920 | | CC | 12-DEC-00 |
| | MIL-DTL-9129E | DISCHARGES, ELECTROSTATIC GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 19 99 CE MC MI] | A | 5920 | | CC | 12-APR-01 |
| | DOD-STD-2145 NOT 1 | DISCONNECT SWITCH BOXES, CONTACTOR PANELS AND SWITCHBOARDS, LOW MAGNETIC FIELD DESIGN OF (METRIC)[Design Criteria Standard][CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 03-OCT-89 |
| | NACE-RP0188 | DISCONTINUITY (HOLIDAY) TESTING OF NEW PROTECTIVE COATINGS ON CONDUCTIVE SUBSTRATES[CUST: YD] | A | FACR | | YD | 29-JUL-04 |
| | STANAG-3909 ED.3(2) | DISCRETE SIGNAL INTERFACES | C | ISDF | | 06 | 12-NOV-98 |
| | ANSI-B5.35 | DISCS, ABRASIVE & PLATE MOUNTED WHEELS, MACHINE MOUNTING SPECIFICATIONS FOR[CUST: AR SH 99] [REVIEW: CR4 GL] | A | 34GP | | GS6 | 12-DEC-78 |
| | A-A-1440 | DISENFECTANT-DETERGENT, GENERAL PURPOSE (IODOPHOR)[CUST: GL 68] [REVIEW: GS MD] | A | 6840 | * | GL | 22-MAY-81 |
| | A-A-54751 | DISH, BIOLOGICAL PREPARATION (STENDER DESIGN)[CUST: MD MS 03] | A | 6640 | / | MB | 21-SEP-92 |
| | A-A-53817 | DISH, BIOLOGICAL STAINING (WITH TRAY)[CUST: MD MS 03] | A | 6640 | / | MB | 01-FEB-89 |
| | A-A-51307 | DISH, CULTURE, PETRI[CUST: MD MS 03] | A | 6640 | / | MB | 20-DEC-85 |
| | A-A-54775 | DISH, CULTURE, PETRI (BOROSILICATE GLASS)[CUST: MD MS 03] | A | 6640 | / | MB | 30-NOV-92 |
| | A-A-51234 | DISH, CULTURE, PETRI, (STERILE, DISPOSABLE)[CUST: MD MS 03] | A | 6640 | / | MB | 22-NOV-85 |
| | A-A-50853 | DISH, CULTURE, PETRI, STERILE, PLASTIC, DISPOSABLE[CUST: MD MS 03] | A | 6640 | * | MB | 14-OCT-82 |
| | A-A-51072 | DISH, MEDICAMENT, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 16-OCT-85 |
| | A-A-51645 | DISH, MOISTURE DETERMINATION, (ALUMINUM)[CUST: MD MS 03] | A | 6640 | / | MB | 10-SEP-86 |
| | ASTM-E786 | DISHES, EVAPORATING, PLATINUM[CUST: EA MS] | A | 6640 | | EA | 21-NOV-00 |
| | NSF3 | DISHWASHENG MACHINE, COMMERCIAL SPRAY TYPE[CUST: GL YD 99] [REVIEW: CG GS MC MD MS SA] | A | 7320 | | SS | 16-AUG-85 |
| | UL749 | DISHWASHERS, HOUSEHOLD[CUST: GL YD 99] [REVIEW: 35 84 GS] | A | 7320 | | SS | 03-JAN-94 |
| | P-D-410C(I1) | DISHWASHING COMPOUND, HAND (SYNTHETIC DETERGENT, SOLID AND LIQUID FORM) | A | 7930 | # | FSS | 24-AUG-83 |
| | P-D-410C | DISHWASHING COMPOUND, HAND, (SYNTHETIC DETERGENT, SOLID AND LIQUID FORM)[CUST: GL SH 99] [REVIEW: 03 84 MD MS OS] | A | 7930 | * | GL | 18-MAY-77 |
| | OO-D-1388B(1) | DISHWASHING MACHINES, COMMERCIAL (RACKLESS CONVEYOR)[CUST: GL SA 99] [REVIEW: 84 CE CG MC MD MS] | A | 7320 | / | SA | 14-JUL-92 |
| | MIL-DTL-11309H | DISINFECTANT, FOOD SERVICE[CUST: GL MC 68] [REVIEW: 03 MD MS] | A | 6840 | | GS3 | 30-NOV-04 |
| | A-A-1438A NOT 1 | DISINFECTANT, GENERAL PURPOSE (LIQUID PENOLIC TYPE)[CUST: GL1 MS 68 GS3] [REVIEW: MD1] | A | 6840 | / | GS3 | 28-FEB-03 |
| A | A-A-1441B | DISINFECTANT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND)[CUST: MD1 SH 68] [REVIEW: AS] | A | 6840 | / | GS3 | 23-NOV-05 |
| | A-A-1439A NOT 1 | DISINFECTANT-DETERGENT, GENERAL PURPOSE (PHENOLIC TYPE)[CUST: GL GS3] [REVIEW: MD1] | A | 6840 | / | GS3 | 15-APR-04 |
| | A-A-1443A NOT 1 | DISINFECTANT-DETERGENT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND)[CUST: GL YD 68 GS3] [REVIEW: MC MD1 MS] | A | 6840 | / | GS3 | 19-OCT-04 |
| | ANSI-X3.52 | DISK CARTRIDGE, UNRECORDED SINGLE, (FRONT LOADING 2200 BPI) GENERAL, PHYSICAL AND MAGNETIC REQUIREMENTS[CUST: CR OM 02] | A | IPSC | | 02 | 01-SEP-76 |
| | A-A-55001/2B NOT 1 | DISK DRIVE UNIT, DUAL DRIVE, SMALL COMPUTER SYSTEM INTERFACE (SCSI), HALF HEIGHT, EXTERNAL, CD-ROM, AND OTHER ACCESSORIES[CUST: IS] | A | 7025 | / | IS | 26-MAY-05 |
| | A-A-55001/4B NOT 1 | DISK DRIVE UNIT, FOUR DRIVE, SMALL COMPUTER SYSTEM INTERFACE (SCSI), HALF HEIGHT, EXTERNAL, CD-ROM, AND OTHER ACCESSORIES[CUST: IS] | A | 7025 | / | IS | 26-MAY-05 |
| | A-A-55001C NOT 1 | DISK DRIVE UNIT, HALF HEIGHT, CD-ROM, SMALL COMPUTER SYSTEM INTERFACE (SCSI), AND OTHER ACCESSORIES, GENERAL REQUIREMENTS FOR[CUST: EC IS] | A | 7025 | / | IS | 26-MAY-05 |
| | A-A-55001/5B NOT 1 | DISK DRIVE UNIT, SEVEN DRIVE, SMALL COMPUTER SYSTEM INTERFACE (SCSI), HALF HEIGHT, EXTERNAL, CD-ROM, AND OTHER ACCESSORIES[CUST: IS] | A | 7025 | / | IS | 26-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-55001/3B NOT 1 | DISK DRIVE UNIT, SINGLE DRIVE, SMALL COMPUTER SYSTEM INTERFACE (SCSI), HALF HEIGHT, INTERNAL, CD-ROM WITH CONTROLLER CARD, CABLES, HOLDER CARTRIDGE, SOFTWARE PROGRAM AND OTHER ACCESSORIES[CUST: IS] | A | 7025 | / | IS | 26-MAY-05 |
| | A-A-55001/1B NOT 1 | DISK DRIVE UNIT, SINGLE DRIVE, SMALL COMPUTER SYSTEM INTERFACE (SCSI), HALF HEIGHT, EXTERNAL, CD-ROM AND OTHER ACCESSORIES[CUST: IS] | A | 7025 | / | IS | 26-MAY-05 |
| | W-D-001663(1) | DISK PACK, FOR DATA STORAGE (MAGNETIC RECORDING, 14 INCH, 11 DISKS) | A | 7045 | # | FSS | 28-MAY-76 |
| | ANSI-X3.58 | DISK PACK, UNRECORDED ELEVEN, GENERAL, PHYSICAL & MAGNETIC REQUIREMENTS[CUST: CR OM 02] | A | IPSC | | 02 | 19-DEC-77 |
| | A-A-51700 | DISK, ABRASIVE (SILICON CARBIDE)[CUST: MD MS 03] | A | 6520 | | MB | 27-OCT-86 |
| | A-A-54727 | DISK, COLOR STANDARDS, ANTI-ICING ADDITIVE[CUST: MD MS 03] | A | 6630 | / | MB | 10-AUG-92 |
| | A-A-54752 | DISK, FILTERING, MICROPOROUS[CUST: MD MS 03] | A | 6640 | / | MB | 21-SEP-92 |
| | A-A-55456A NOT 1 | DISK, FLEXIBLE, TWO-SIDED, DOUBLE-DENSITY, 1.9 TRACKS PER MILLIMETER (TPMM) (48 TRACKS PER INCH (TPI)), 130 MILLIMETERS (MM) (5.25 INCHES))[CUST: IS] | A | 7045 | / | IS | 27-SEP-01 |
| | A-A-55462A NOT 1 | DISK, FLEXIBLE, TWO-SIDED, DOUBLE-DENSITY, 3.8 TRACKS PER MILLIMETER (TPMM) (96 TRACKS PER INCH (TPI)), 130 MILLIMETERS (MM) (5.25 INCHES)[CUST: IS] | A | 7045 | / | IS | 27-SEP-01 |
| | A-A-55457A NOT 1 | DISK, FLEXIBLE, TWO-SIDED, DOUBLE-DENSITY, 5.3 TRACKS PER MILLIMETER (TPMM) (135 TRACKS PER INCH (TPI)), 90 MILLIMETERS (MM) (3.5 INCH)[CUST: IS] | A | 7045 | / | IS | 27-SEP-01 |
| | A-A-55560 NOT 1 | DISK, FLEXIBLE, TWO-SIDED, EXTRA HIGH-DENSITY, 5.3 TRACKS PER MILLIMETER (TPMM) (135 TRACKS PER INCH (TPI)), 90 MILLIMETERS (MM) (3.5 INCHES)[CUST: IS] | A | 7045 | / | IS | 27-SEP-01 |
| | A-A-55430A NOT 1 | DISK, FLEXIBLE, TWO-SIDED, HIGH-DENSITY, 3.8 TRACKS PER MILLIMETER (TPMM) (96 TRACKS PER INCH (TPI)), 130 MILLIMETERS (MM) (5.25 INCHES)[CUST: IS] | A | 7045 | / | IS | 27-SEP-01 |
| | A-A-55431A NOT 1 | DISK, FLEXIBLE, TWO-SIDED, HIGH-DENSITY, 5.3 TRACKS PER MILLIMETERS (TPMM) (135 TRACKS PER INCH (TPI)), 90 MILLIMETERS (MM) (3.5 INCHES)[CUST: IS] | A | 7045 | / | IS | 27-SEP-01 |
| | MIL-D-17650B | DISK, VALVE, RUBBER; INSERT TYPE[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 02-DEC-88 |
| | QIC-80-MC | DISK-FLEXIBLE-CONTROLLER-COMPATIBLE RECORDING FORMAT FOR INFORMATION INTERCHANGE 0.250 IN. (6.35MM) TAPE 28 TRACKS, DATA DENSITY: 14,700 BPI (579 BPMM) MFM ENCODED FORMATTED CAPACITY: 120 MBYTES (WITH DC2120 OR EQUIVALENT MINICARTRIDGE) 80 MBYTES (WITH DC2080 OR EQUIVALENT MINICARTRIG[CUST: CC] | A | 8455 | | CC | 02-SEP-92 |
| A | MIL-STD-1832 NOT 1 | DISKETTE MESSAGE FILE FORMATS FOR DEFENSE MESSAGING[Interface Standard][CUST: 02 DC3] [REVIEW: 93 CR NS OM] | A | IPSC | | DC3 | 22-DEC-00 |
| | A-A-55547 NOT 1 | DISKETTE-LIBRARY BOX[CUST: EC IS] | A | 7045 | / | IS | 27-MAY-05 |
| | MIL-HDBK-1455 | DISPENSER AND SUB-MUNITION, AIR DELIVERED, SAFETY DESIGN AND SAFETY QUALIFICATION CRITERIA FOR[CUST: AR AS 11] | A | 1345 | | 11 | 14-FEB-87 |
| | GG-D-1958 | DISPENSER GUMMED TAPE (ELECTRICALLY OPERATED) | A | 7520 | # | FSS | 01-SEP-75 |
| | A-A-59404 | DISPENSER UNIT, HYDRAULIC FLUID, PORTABLE[CUST: AT AS 99] [REVIEW: 11] | A | 4930 | / | 84 | 17-FEB-99 |
| | A-A-50005A | DISPENSER, BREAD, FRONT AND REAR LOADING, 5 COMPARTMENT[CUST: GL YD 99 SS] [REVIEW: 84 MD SA] | A | 7320 | * | SS | 20-JUN-86 |
| | A-A-59360 | DISPENSER, BULK MILK, MECHANICALLY REFRIGERATED (NAVAL SHIPBOARD)[CUST: GL SH] [REVIEW: CG GS QM1 SA] | A | 7310 | / | SH | 21-JAN-99 |
| | MIL-D-43738B(1) | DISPENSER, CARBONATED BEVERAGE, MECHANICALLY REFRIGERATED[CUST: SA] [REVIEW: GS MC MS SH] | A | 7310 | | SA | 01-FEB-88 |
| | A-A-59184 | DISPENSER, CARBONATED BEVERAGE, MECHANICALLY REFRIGERATED (NAVAL SHIPBOARD)[CUST: SH] | A | 7310 | / | SH | 27-MAY-98 |
| | A-A-50007 | DISPENSER, CONDIMENT, LEVER TYPE PUMP, MANUALLY OPERATED[CUST: GL YD 99 SS] [REVIEW: MD] | A | 7320 | * | SS | 24-AUG-81 |
| | A-A-51537 | DISPENSER, COTTON PELLET, DENTAL[CUST: MD MS 03] | A | 6520 | | MB | 21-AUG-86 |
| | A-A-52061 | DISPENSER, CUPS, CUP LIDS, AND DRINKING STRAWS[CUST: GL SA 99 IS] [REVIEW: 50 84 CE MC MD] | A | 4510 | / | IS | 22-JAN-90 |
| | A-A-51214 | DISPENSER, DENTAL ACRYLIC RESIN[CUST: MD MS 03] | A | 6520 | / | MB | 09-DEC-85 |
| | A-A-51539 | DISPENSER, DENTAL FLOSS[CUST: MD MS 03] | A | 6520 | | MB | 21-JUL-86 |
| | A-A-50895A | DISPENSER, DENTAL X-RAY FILM[CUST: MD MS 03] | A | 6525 | / | MB | 30-MAY-89 |
| | RR-D-1131C | DISPENSER, DRINKING WATER, NONMECHANICALLY COOLED (TO BE USED ONLY WHEN PRESSURE TYPE DISPENSERS ARE IMPRACTICABLE) | A | 4110 | # | FSS | 02-MAR-79 |
| | A-A-54246 | DISPENSER, FILTERING SOLVENT[CUST: MD 99] | A | 6640 | / | MB | 27-AUG-90 |
| | GG-D-00450A(1) | DISPENSER, GUMMED TAPE | A | 7520 | # | FSS | 24-FEB-71 |
| | A-A-52190A | DISPENSER, LIQUID, INSULATED[CUST: GL SA 99 SS] [REVIEW: 35 84 AV MC MD QM] | A | 7320 | / | SS | 28-APR-03 |
| | GG-D-00458C(2) | DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE | A | 7520 | # | FSS | 21-MAY-73 |
| | A-A-54630 | DISPENSER, SCRUB BRUSH[CUST: MD MS 03] | A | 7920 | / | MB | 30-APR-92 |
| | A-A-51633A | DISPENSER, SENSITIVITY DISCS[CUST: MD MS 03] | A | 6640 | / | MB | 26-JAN-87 |
| | A-A-54128 | DISPENSER, STRIP, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 16-MAY-90 |
| | A-A-54105 | DISPENSER, SURGICAL DETERGENT (FREE-STANDING)[CUST: MD MS 03] | A | 6530 | / | MB | 09-MAR-90 |
| | A-A-50034 | DISPENSERS, BREAD, SELF-LEVELING, DROP-IN[CUST: GL SA SS] [REVIEW: MD MS YD] | A | 7320 | * | SS | 27-SEP-82 |
| | ASTM-F1023 | DISPENSERS, POWDERED ICED TEA[CUST: GL YD 99 SS] [REVIEW: 84 MD] | A | 7310 | | SS | SEP-86 |
| | NSF18 | DISPENSING EQUIPMENT, MANUAL, FOOD & BEVERAGE[CUST: GL YD 99] [REVIEW: 84 GS MD SA] | A | 73GP | | GL | 19-FEB-85 |
| | XX-D-370D | DISPENSING PUMP, HAND DRIVEN, DRUM, 1 QUART OIL, (FOR 15- TO 55 GALLON DRUMS)[CUST: AT 99] [REVIEW: CC CG MC] | A | 4930 | / | AT | 24-OCT-83 |
| | XX-D-385E | DISPENSING PUMP, HAND DRIVEN, LIQUID PETROLEUM FUEL[CUST: AT YD 99] [REVIEW: CC CE CG MC] | A | 4930 | / | AT | 28-OCT-82 |
| | MIL-D-81694(5) | DISPENSING SET, COUNTERMEASURES & CHAFF AN/ALE-39[CUST: AS] | A | 5895 | | AS | 25-JAN-84 |
| | MIL-D-81893A | DISPENSING SET, COUNTERMEASURES CHAFF AN/ALE-41[CUST: AS] | A | 5865 | | AS | 18-DEC-78 |
| | A-A-59156A | DISPERSER AND RIOT CONTROL AGENT, MANUALLY CARRIED[CUST: EA MC] | A | 1040 | / | EA | 20-JAN-05 |
| | MIL-PRF-53015A | DISPLACEMENT AND EVACUATION KIT, COLLAPSIBLE HOSELINE[CUST: AT YD 99] [REVIEW: CC] | A | 4610 | | AT | 01-FEB-99 |
| | MIL-D-81607(1) NOT 1 | DISPLAY UNIT, TELETYPEWRITER TT-581/AG AND MOUNTING MT-4088/AG[CUST: AS] | A | 5815 | | AS | 17-OCT-91 |
| | MIL-D-28803/3C(2) NOT 1 | DISPLAY, OPTOELECTRONIC, INDICATOR, DIGITAL, INCANDESCENT (STYLE I ), SEGMENTED, DOT PATTERN AND BAR PATTERN, RFI SHIELDED, MOISTURE SEALED, TYPE RO3[CUST: CR EC 11] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5980 | | CC | 26-SEP-02 |
| | MIL-D-28803/4C NOT 1 | DISPLAY, OPTOELECTRONIC, INDICATOR, DIGITAL, INCANDESCENT (STYLE I), SEGMENTED, DOT PATTERN AND BAR PATTERN, TYPE RO4 (REPLACEMENT PARTS FOR TYPE RO3 DISPLAY ASSEMBLY)[CUST: EC 11] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5980 | | CC | 20-AUG-01 |
| A | QPL-28803-10 | DISPLAY, OPTOELECTRONIC, READOUTS, BACK LIGHTED SEGMENTED, GENERAL SPECIFICATION FOR | A | 5980 | | CC | 23-AUG-05 |
| | MIL-DTL-28803B | DISPLAY, OPTOELECTRONIC, READOUTS, BACK LIGHTED SEGMENTED, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5980 | | CC | 15-JAN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-D-28803/1D NOT 1 | DISPLAY, OPTOELECTRONIC, SEGMENTED READOUT, BACKLIGHTED, STYLE II (LIGHT EMITTING DIODES), RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK, TYPE R01[CUST: CR EC 11] [REVIEW: 99 AR AS AT AV CR4 MC MI OS] | A | 5980 | | CC | 20-AUG-01 |
| | MIL-D-28803/2A NOT 1 | DISPLAY, OPTOELECTRONIC, SEGMENTED READOUT, SEGMENTED, STYLE I (RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK) TYPE RO2[CUST: CR 11 GS] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5980 | | CC | 20-AUG-01 |
| | MIL-D-22531A(2) | DISPLAY-PLOTTING BOARD GROUP OA-1768/ASA-13[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 01-JUN-64 |
| | MIL-STD-334B(1) | DISPLAYED MESSAGES FOR AUTOMATIC TEST EQUIPMENT[Standard Practice][CUST: TM] [REVIEW: AR AV CR MI SM] | A | TMSS | | TM | 08-FEB-02 |
| | MIL-PRF-19500/708 | DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, RED, NUMERIC AND HEXADECIMAL, WITH ON BOARD DECODER/DRIVER TYPES 4N51, 4N52, 4N53 AND 4N54 JAN AND JANTX[CUST: CR 11] [REVIEW: 13 70 SM] | A | 5980 | | CC | 01-APR-03 |
| | A-A-59319 | DISPOSABLE AIR FILTERS FOR ENVIRONMENTAL CONTROL SYSTEMS[CUST: CR4 SH] [REVIEW: IS YD] | A | 4130 | / | SH | 31-JUL-03 |
| | A-A-51625C | DISPOSAL CONTAINER, HYPODERMIC NEEDLE AND SYRINGE[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-94 |
| | A-A-54034A | DISPOSAL CONTAINER, HYPODERMIC NEEDLE AND SYRINGE (WITH NEEDLE REMOVER)[CUST: MD MS 03] | A | 6530 | / | MB | 18-MAR-94 |
| | UL430 | DISPOSERS, WASTE[CUST: YD 99] [REVIEW: CC MC] | A | 4540 | | IS | 02-DEC-86 |
| | DI-MISC-81482 | DISPOSITION SLIP [AMSC: F7155] | A | MISC | | 10 | 31-JUL-95 |
| | A-A-54655 | DISSECTOR, SURGICAL (KITTNER)[CUST: MD MS 03] | A | 6510 | / | MB | 15-MAY-92 |
| | A-A-54129 | DISSECTORS, GENERAL SURGICAL (CURVED, PENFIELD)[CUST: MD MS 03] | A | 6515 | / | MB | 11-APR-90 |
| | AIR-STD-80/19 | DISSEMINATION OF VIDEO IMAGERY AND ASSOCIATED DOCUMENTATION | C | ISDF | | 06 | 29-APR-96 |
| | MIL-STD-889B(3) NOT 2 | DISSIMILAR METALS[Military Standard][CUST: AS 11] [REVIEW: 99 EC OS] | A | MFFP | | 19 | 17-MAY-93 |
| | ASTM-D4625 | DISTILLATE FUEL STORAGE STABILITY AT 43 DEG. C (100 DEG. F)[CUST: CR4 SH 99] | A | 91GP | | CR4 | OCT-94 |
| | ASTM-D850 | DISTILLATION OF INDUSTRIAL AROMATIC HYDROCARBONS AND RELATED MATERIALS[CUST: EA 68] [REVIEW: CR4 GL MD SH] | A | 6810 | | GS3 | 15-APR-93 |
| | ASTM-D1160 | DISTILLATION OF PETROLEUM PRODUCTS AT REDUCED PRESSURE[CUST: EA SH GS3] [REVIEW: AR CR4 GL MD] | A | 6810 | | GS3 | 15-AUG-93 |
| | ASTM-D1078 | DISTILLATION RANGE OF VOLATILE ORGANIC LIQUIDS[CUST: MR 11] [REVIEW: 99 AS CR4 EA OS SH] | A | 8010 | | MR | 15-MAY-93 |
| | QPL-18641-38 | DISTILLATION UNITS, WATER: STEAM OR FLASHED VAPOR OPERATED, OR HOT FRESH WATER HEATED, LOW PRESSURE, NAVAL SHIPBOARD, GENERAL SPECIFICATION FOR | A | 4620 | | SH | 17-JUL-03 |
| | MIL-D-18641F | DISTILLATION UNITS, WATER: STEAM, OR FLASHED VAPOR OPERATED, OR HOT FRESH WATER HEATED, LOW PRESSURE, NAVAL SHIPBOARD[CUST: SH] | A | 4620 | | SH | 05-APR-93 |
| A | QPL-24577-14 | DISTILLER SCALE PREVENTIVE TREATMENT FORMULATIONS (METRIC) | A | 6850 | | GS3 | 28-SEP-05 |
| | ABCA-STD-49A | DISTILLING UNITS CLEANING, FEED TREATMENT | C | ISDN | | SH | 15-OCT-82 |
| | STANAG-1059 ED.7(3) | DISTINGUISHING LETTERS FOR GEOGRAPHICAL ENTITIES FOR USE IN NATO (INCLUDING AMENDMENT 3) | C | ISDA | | AI | 17-APR-00 |
| | MIL-D-24709 | DISTRIBUTED ISOLATION MATERIAL TYPE R-50-21/64[CUST: SH] | A | 5330 | | SH | 04-NOV-88 |
| | MIL-PRF-62560B NOT 1 | DISTRIBUTION BOX, ELECTRICAL[CUST: AT] [REVIEW: GS] | A | 6110 | | AT | 20-APR-04 |
| | MIL-PRF-62559A NOT 1 | DISTRIBUTION BOX, VEHICLE[CUST: AT] [REVIEW: GS] | A | 6110 | | AT | 20-APR-04 |
| | ANSI-C37.42 | DISTRIBUTION CUTOUT & FUSE LINK, SPECIFICATIONS FOR[CUST: CR4 YD 11] | A | 5920 | | CC | 04-MAY-88 |
| A | ANSI-C37.44 | DISTRIBUTION OIL CUTOUTS AND FUSE LINKS, STANDARD SPECIFICATION FOR[CUST: CR YD 99] [REVIEW: 71 CR4 GS] | A | 6110 | | YD | 07-OCT-83 |
| | MIL-D-13791F | DISTRIBUTOR, IGNITION SYSTEM: INTEGRAL COIL, WATERPROOF 24 VOLT[CUST: AT CC] [REVIEW: CR CR4 MC] | A | 2920 | | CC | 10-JUN-88 |
| | A-A-59241 | DISTRIBUTORS, WATER TANK, TRUCK MOUNTED FRONT AND REAR SPRAY[CUST: AT YD 99] [REVIEW: 84 MT] | A | 3825 | / | IS | 16-JUN-98 |
| | A-A-59216 | DITCHING MACHINES, BOOM TYPE; CRAWLER-MOUNTED, DED[CUST: AT YD 99] [REVIEW: 84 CC] | A | 3805 | / | IS | 18-MAY-98 |
| | A-A-59217 NOT 1 | DITCHING MACHINES, LADDER-TYPE, LIGHT DUTY, 4-WHEEL-DRIVE, PNEUMATIC-TIRED, DED[CUST: AT YD 99] [REVIEW: 84 CC] | A | 3805 | / | IS | 11-JUN-03 |
| | A-A-50204A NOT 1 | DIVIDER, DRAFTING, PROPORTIONAL[CUST: CE 99 IS] [REVIEW: 71 MC] | A | 6675 | / | IS | 25-SEP-01 |
| | A-A-50741 | DIVIDER, POWER, RADIO FREQUENCY[CUST: 99] | A | 6625 | / | 84 | 30-OCT-87 |
| | MIL-D-36259A NOT 1 | DIVIDERS, TRAY CHEST[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | MIL-STD-600011 NOT 1 | DMA SINGLE COLOR OVERPRINT LIMITED REVISION UPDATES (SCO)[Standard Practice][CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | A-A-59410 NOT 1 | DMDNB (2,3-DIMETHYL-2,3-DINITROBUTANE)[CUST: AR] [REVIEW: EA GS] | A | 6810 | / | AR | 20-APR-04 |
| | STANAG-1148 ED.2(3) | DOCKING IN DRY DOCK OR FLOATING DOCK - ALP-5 (A) (NAVY) (INCLUDING AMENDMENT 3) | C | ISDN | | NI | 18-MAY-78 |
| | MIL-HDBK-1025/2 | DOCKSIDE UTILITIES FOR SHIP SERVICE[CUST: YD] | A | FACR | | YD | 01-MAY-88 |
| | ATP-40B | DOCTRINE FOR AIRSPACE CONTROL IN TIMES OF CRISIS AND WAR | C | ISDA | | AI | 01-MAY-98 |
| | STANAG-3805 ED.6 | DOCTRINE FOR AIRSPACE CONTROL IN TIMES OF CRISIS AND WAR - ATP-40(C) | C | ISDF | | 06 | 14-DEC-01 |
| | ATP-8A | DOCTRINE FOR AMPHIBIOUS OPERATIONS (ST1149) | C | ISDA | | AI | 01-MAR-89 |
| | STANAG-1149 ED.18 | DOCTRINE FOR AMPHIBIOUS OPERATIONS - ATP-8(A) | C | ISDN | | NI | 28-FEB-02 |
| | STANAG-2451 ED.2 | DOCTRINE FOR THE NBC DEFENCE OF NATO FORCES - ATP-59(A) | C | ISDA | | AI | 23-OCT-98 |
| | QSTAG-1186 ED.1 | DOCTRINE TO ENPLACING OBSTACLES, INCLUDING OBSTACLE INTENT GRAPHICS[CUST: AI] | C | ISDA | | AI | 17-DEC-96 |
| | DI-MISC-80358 | DOCUMENT CHANGES [AMSC: A4115] | A | MISC | | AM | 08-MAY-87 |
| | MIL-Z-99999 | DOCUMENT CREATED AS A DUMMY, FOR TESTING PURPOSES ONLY.[CUST: SH] | A | 9915 | | SH | 06-APR-06 |
| D | EIA-RS466 | DOCUMENT FACSIMILE TRANSMISSION[CUST: CR EC] [REVIEW: NS] | A | TCSS | | DC1 | 03-APR-81 |
| | MIL-STD-2002 | DOCUMENT INTERCHANGE FORMAT[Military Standard][CUST: CR OM 02] [REVIEW: 11 MT NC SA] | A | IPSC | | OM | 31-OCT-87 |
| D | EIA-RS465 | DOCUMENT TRANSMISSION, GROUP 3 FACSIMILE APPARATUS FOR[CUST: CR EC] | A | TCSS | | DC1 | 03-APR-81 |
| | MIL-HDBK-62(1) | DOCUMENTATION OF DIGITAL ELECTRONIC SYSTEMS WITH VHDL[CUST: CR EC 11 DH] [REVIEW: 19] | A | 5962 | | CC | 26-SEP-02 |
| | STANAG-2132 ED.2 | DOCUMENTATION RELATIVE TO MEDICAL EVACUATION, TREATMENT AND CAUSE OF DEATH OF PATIENTS | C | ISDA | | AI | 07-AUG-74 |
| | QSTAG-470 ED.1 | DOCUMENTATION RELATIVE TO MEDICAL EVACUTATION, TREATMENT AND CAUSE OF DEATH OF PATIENTS[CUST: AI] | C | ISDA | | AI | 23-FEB-79 |
| | MIL-HDBK-800 | DOCUMENTATION STREAMLINING[CUST: AS] | A | SDMP | | AS | 30-MAY-89 |
| | DI-MGMT-81644 | DOD ARCHITECTURE FRAMEWORK DOCUMENTATION [AMSC: 7523] | A | MGMT | | NS | 22-MAR-04 |
| | SD-9 | DOD GUIDANCE ON PARTICIPATION IN THE DEVELOPMENT AND USE OF NON-GOVERNMENT STANDARDS[CUST: AM NM 01 DH] | A | SDMP | | SO | 09-MAR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1916 | DOD PREFERRED METHODS FOR ACCEPTANCE OF PRODUCT[Test Method Standard][CUST: AR OS 05 DH] [REVIEW: 10 11 13 19 70 71 84 AS AT AV CC CH CR CR4 EA EC GL MI MR NM NW SA SH YD] | A | QCIC | | AR | 01-APR-96 |
| | MIL-HDBK-9660B | DOD PRODUCED CD-ROM PRODUCTS[CUST: AC NM 02 DH DC3] [REVIEW: 11 13 16 19 33 93 AC1 AM AS CG CH DC1 DI EC IR MC MP NC ND NS OM TD TM1 TM3 US] | A | IPSC | | DC3 | 01-SEP-97 |
| | DI-MISC-80093 | DOD PROPERTY RECORD (PARTIAL) [AMSC: S3743] | A | MISC | | DH | 11-DEC-85 |
| | MIL-STD-2073-1D(1) | DOD STANDARD PRACTICE FOR MILITARY PACKAGING[Standard Practice][CUST: SM AS 11 DH] [REVIEW: 13 19 99 AR AT AV CC CG CR3 CT DM EA EC GL3 GS IS LS MC MI MT OS SA SH SS YD] | A | PACK | | AS | 10-MAY-02 |
| A | A-A-50961B | DOG, LATHE[CUST: SH 99 GS6] [REVIEW: 84 MC] | A | 3460 | / | GS6 | 02-AUG-05 |
| | A-A-53593 | DOLL, TRAINING, NURSING TECHNIQUE[CUST: MD MS 03] | A | 6910 | / | MB | 22-JUL-88 |
| | MIL-DTL-62027K | DOLLY SETS, LIFT, TRANSPORTABLE SHELTER: 2.72-METRIC TON TO 4.76-METRIC TON[CUST: AT YD] | A | 2330 | | AT | 04-SEP-98 |
| | MIL-DTL-45322H | DOLLY, TRAILER CONVERTORS, M197A1, M198A1, AND M354[CUST: AT MC] | A | 2330 | | AT | 04-SEP-98 |
| | A-A-53440 | DOME, TRANSDUCER, PHYSIOLOGICAL PRESSURE[CUST: MD MS 03] | A | 6515 | / | MB | 29-APR-88 |
| | SDI116 | DOOR & FRAME ASSEMBLIES, STEEL, STANDARD TEST PROCEDURE & ACCEPTANCE CRITERIA FOR RATE OF AIR FLOW THROUGH CLOSED[CUST: CR4 YD] [REVIEW: CE] | A | 5670 | | IS | 11-APR-88 |
| | SDI114 | DOOR & FRAME ASSEMBLIES, STEEL, TEST PROCEDURE & ACCEPTANCE CRITERIA FOR ACOUSTICAL PERFORMANCE FOR[CUST: CR4 YD] [REVIEW: CE] | A | 5670 | | IS | 11-APR-88 |
| | UL10B | DOOR ASSEMBLIES, FIRE TESTS OF[CUST: YD 11] [REVIEW: 84 99] | A | 5670 | | IS | 26-JUL-93 |
| | ASTM-E152 | DOOR ASSEMBLIES, FIRE TESTS OF, STANDARD METHODS OF[CUST: CE YD 11] | A | FACR | | YD | 10-NOV-81 |
| | UL228 | DOOR CLOSERS-HOLDERS, WITH OR WITHOUT INTEGRAL SMOKE DETECTORS[CUST: CR4 YD 99] [REVIEW: 71] | A | 6350 | | IS | 29-APR-93 |
| | BHMA-A156.4 | DOOR CONTROLS - CLOSERS, AMERICAN NATIONAL STANDARD FOR[CUST: AR YD 99 IS] [REVIEW: CE CR4 MC SH] | A | 5340 | | IS | 04-OCT-91 |
| | BHMA-A156.8 | DOOR CONTROLS-OVERHEADHOLDERS, STANDARD FOR[CUST: AR YD 99 IS] [REVIEW: CE] | A | 5340 | | IS | 31-JUL-89 |
| | BHMA-A156.6 | DOOR TRIM, ARCHITECTURAL, AMERICAN NATIONAL STANDARD FOR[CUST: AR YD 99 IS] [REVIEW: CE CR4 MC SH] | A | 5340 | | IS | 04-OCT-91 |
| | UL325 | DOOR, DRAPERY, GATE, LOUVER, AND WINDOW OPERATORS AND SYSTEMS[CUST: YD 99 IS] [REVIEW: 71] | A | 5340 | | IS | 21-JAN-92 |
| | ASTM-F842 | DOOR, SLIDING, ASSEMBLIES, EXCLUDING GLAZING IMPACT, MEASURING THE FORCED ENTRY RESISTANCE OF[CUST: CR4 YD 99] [REVIEW: 84] | A | 5670 | | IS | 10-APR-97 |
| | SDI113 | DOOR, STEEL, & FRAME ASSEMBLIES, APPARENT THERMAL PERFORMANCE OF, TEST PROCEDURE & ACCEPTANCE CRITERIA FOR[CUST: CR4 YD] [REVIEW: CE] | A | 5670 | | IS | 11-APR-88 |
| | QPL-AA-D-600-7 | DOOR, VAULT, SECURITY | A | 7110 | # | FSS | 14-MAY-00 |
| | AA-D-600D(1) | DOOR, VAULT, SECURITY[CUST: AR YD 99] [REVIEW: IS] | A | 7110 | * | YD | 25-MAY-01 |
| | NWWDA-TM6 | DOORS ADHESIVE BONDS ACCELERATED AGING CONDITIONS TEST METHODS FOR DETERMINING THE PERFORMANCE OF THE[CUST: CR4 YD 99 IS] [REVIEW: 84 CC] | A | 5520 | | IS | OCT-89 |
| | MIL-DTL-44285A | DOORS, DOUBLE BUMP THROUGH[CUST: GL NU 99 CT] [REVIEW: 11 MC MD MS] | A | 8340 | | CT | 09-MAR-00 |
| | UL14B | DOORS, FIRE, SLIDING HARDWARE FOR STANDARD HORIZONTALLY MOUNTED TIN - CLAD[CUST: YD 99] [REVIEW: 04 84 CE MC] | A | 5670 | | IS | 22-DEC-98 |
| | UL10A | DOORS, FIRE, TIN CLAD[CUST: YD 99] [REVIEW: 04 84 CE MC] | A | 5670 | | IS | 25-FEB-98 |
| | UL14C | DOORS, FIRE, TIN-CLAD, MOUNTED SINGLY AND IN PAIRS, SWINGING HARDWARE FOR STANDARD[CUST: YD 99] [REVIEW: 04 84 CE MC] | A | 5670 | | IS | 25-JAN-99 |
| | ASTM-F782 | DOORS, FURNITURE, MARINE[CUST: SH] | A | 2040 | | SH | 15-FEB-95 |
| | BHMA-A156.10 | DOORS, PEDESTRIAN, POWER OPERATED, AMERICAN NATIONAL STANDARD FOR[CUST: CR4 YD] [REVIEW: CC] | A | 5670 | | IS | 20-MAY-92 |
| | MIL-D-24151A | DOORS, ROLLING, CURTAIN, AND THEIR OPERATING EQUIPMENT[CUST: SH] | A | 2040 | | SH | 10-MAY-90 |
| | SDI111A | DOORS, STEEL, FRAMES, DETAILS, RECOMMENDED STANDARD[CUST: YD] [REVIEW: 99 CE] | A | 5670 | | IS | 31-AUG-88 |
| | SDI107 | DOORS, STEEL, HARDWARE ON (REINFORCEMENT-APPLICATION)[CUST: YD] [REVIEW: 84] | A | 5670 | | IS | 27-JUN-89 |
| | NWWDA-I.S.1 | DOORS, WOOD FLUSH, STANDARD FOR[CUST: YD IS] [REVIEW: 99 CC CR4 SH] | A | 5520 | | IS | NOV-88 |
| | MIL-HDBK-815(1) | DOSE-RATE HARDNESS ASSURANCE GUIDELINES[CUST: CR EC 19 CC] [REVIEW: 11 99 AR AS CG DS MC NA OS SH SM] | A | 59GP | | CC | 10-JAN-02 |
| | ASSE1015 | DOUBLE CHECK BACKFLOW PREVENTION ASSEMBLIES AND DOUBLE CHECK FIRE PROTECTION BACKFLOW PREVENTION ASSEMBLIES[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | MIL-D-3886F NOT 1 | DOUGH DIVIDER, ROLL, HAND OPERATED, 36-PART AND DOUGH DIVIDER AND ROUNDING MACHINE, ROLL, 36-PART[CUST: SA 99] [REVIEW: 84 GS MC MD] | A | 7320 | | SA | 18-DEC-92 |
| | A-A-59361 | DOUGH MIXING MACHINE (NAVAL SHIPBOARD)[CUST: GL SH] | A | 7320 | / | SH | 21-JAN-99 |
| | MIL-D-2477C(1) | DOUGH MOLDING MACHINE, LOAF[CUST: SH 99] [REVIEW: GS MC SA] | A | 7320 | | SH | 17-JUN-81 |
| | A-A-50036 | DOUGH TROUGHS[CUST: GL YD 99 SS] [REVIEW: MC MD MS SA] | A | 7320 | * | SS | 30-SEP-82 |
| | A-A-20307 | DOUGH, COOKIE, UNBAKED, REFRIGERATED OR FROZEN | A | 8935 | # | FV | 20-NOV-00 |
| | A-A-59366 | DOUGHNUT MACHINE, CUTTING AND FRYING (NAVAL SHIPBOARD)[CUST: SH] | A | 7320 | / | SH | 21-JAN-99 |
| | CTI-STD114 | DOUGLAS FIR LUMBER SPECIFICATIONS (COAST TYPE)[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| | A-A-1975B | DOWEL, WOOD[CUST: 99] [REVIEW: 84] | A | 5510 | * | 99 | 24-APR-97 |
| | A-A-53599 | DOXEPIN HYDROCHLORIDE CAPSULES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 22-JUL-88 |
| | A-A-52034A NOT 1 | DRAFTING INSTRUMENT SETS AND DRAFTING INSTRUMENTS[CUST: CE 99 IS] [REVIEW: MC YD] | A | 6675 | / | IS | 27-SEP-01 |
| | SAE-J532 | DRAIN PLUGS AND THREAD FILLER, AUTOMOTIVE STRAIGHT[CUST: AT] [REVIEW: GS] | A | 5365 | | AT | 04-JUN-93 |
| | MSS-SP45 | DRAIN, BYPASS AND, CONNECTIONS[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 4730 | | CC | 26-APR-89 |
| | A-A-51546A | DRAIN, CLOSED SUCTION (JACKSON-PRATT STYLE)[CUST: MD MS 03] | A | 6515 | / | MB | 03-FEB-87 |
| | A-A-52028 NOT 1 | DRAIN, FLOOR, CAST-IRON[CUST: AT 99] [REVIEW: 84 CC] | A | 4510 | / | AT | 12-APR-04 |
| | ASME-A112.21.2M | DRAIN, ROOF[CUST: CR4 YD 99] [REVIEW: CC CE MC] | A | 4510 | | IS | 06-NOV-87 |
| | A-A-51885 | DRAIN, SURGICAL (RUBBER, MUSHROOM TIP, PEZZER)[CUST: MD MS 03] | A | 6515 | | MB | 23-MAR-87 |
| | A-A-51363A | DRAIN, SURGICAL, RUBBER, T-TYPE, STERILE[CUST: MD MS 03] | A | 6515 | / | MB | 15-JUN-92 |
| | A-A-54673 | DRAIN, SURGICAL, RUBBER, WHISTLE TIP, RIGHT ANGLE, 13 INCHES LONG, 3-1/2 INCH LEG[CUST: MD MS 03] | A | 6515 | / | MB | 15-JUN-92 |
| | A-A-51871 | DRAINAGE SET, BLADDER, (SUPRAPUBIC, REIF, 8 FR)[CUST: MD MS 03] | A | 6515 | / | MB | 02-MAY-88 |
| | AASHTO-M306 | DRAINAGE STRUCTURE CASTINGS[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | A-A-51438B | DRAINAGE UNIT, PLEURAL CAVITY[CUST: MD MS 03] | A | 6515 | / | MB | 11-JUN-93 |
| | A-A-53745A | DRAINAGE UNIT, PLEURAL CAVITY[CUST: MD MS 03] | A | 6530 | / | MB | 24-NOV-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-54575 | DRAINING KIT, CLOSED SUCTION JACKSON-PRATT[CUST: MD MS 03] | A | 6515 | / | MB | 24-JAN-92 |
| | A-A-54434 | DRAPE, OPERATING MICROSCOPE[CUST: MD MS 03] | A | 6530 | / | MB | 25-JUN-91 |
| | A-A-54718 | DRAPE, SURGICAL[CUST: MD MS 03] | A | 6350 | / | MB | 10-AUG-92 |
| | A-A-30116A | DRAPE, SURGICAL (ANTIMICROBIAL)[CUST: MD MS 03] | A | 6530 | * | MB | 08-SEP-89 |
| | A-A-54289 | DRAPE, SURGICAL (BREAST)[CUST: MD MS 03] | A | 6530 | / | MB | 23-NOV-90 |
| | A-A-54370 | DRAPE, SURGICAL PLASTIC, DISPOSABLE[CUST: MD MS 03] | A | 6530 | / | MB | 15-APR-91 |
| | A-A-53662 | DRAPE, SURGICAL, SPLIT SHEET, NONWOVEN FABRIC[CUST: MD MS 03] | A | 6530 | / | MB | 26-AUG-88 |
| | A-A-51370C | DRAPES, SURGICAL (SELF-ADHERING)[CUST: MD MS 03] | A | 6530 | / | MB | 25-JAN-93 |
| | MIL-D-36917(1) | DRAPES, SURGICAL, DISPOSABLE, NONWOVEN FABRIC[CUST: MD MS 03] | A | 6530 | | MB | 23-OCT-75 |
| | MIL-DTL-85040D | DRAWERS AND UNDERSHIRTS, FLYERS , ANTI-EXPOSURE, ARAMID, HIGH TEMPERATURE RESISTANT, CWU-43/P AND CWU-44/P[CUST: AS 11] [REVIEW: NU] | A | 8415 | | CT | 14-OCT-04 |
| | A-A-55246 | DRAWERS, COLD WEATHER; UNDERSHIRT, COLD WEATHER: POLYPROPYLENE[CUST: GL NU CT] [REVIEW: MC] | A | 8415 | / | CT | 22-NOV-93 |
| | A-A-50378B | DRAWERS, EXTREME COLD WEATHER, MEN'S AND WOMEN'S[CUST: NU 99 CT] [REVIEW: 11 CG] | A | 8415 | / | CT | 04-NOV-99 |
| | A-A-153A | DRAWERS, MEN'S[CUST: GL NU CT] [REVIEW: MC MD] | A | 8420 | / | CT | 23-JAN-95 |
| | A-A-50003C | DRAWERS, MEN'S (BRIEF TYPE)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8420 | / | CT | 12-JUL-00 |
| | A-A-59327 | DRAWERS, MID WEIGHT, SPEAR SYSTEM, LIGHTWEIGHT ENVIRONMENTAL PROTECTION (LEP), LAYER-2[CUST: GL MC] | A | 8415 | / | CT | 27-AUG-03 |
| | A-A-59329 | DRAWERS, SILK WEIGHT SPEAR SYSTEM, LIGHTWEIGHT ENVIRONMENTAL PROTECTION (LEP), LAYER-1[CUST: GL MC] | A | 8415 | / | CT | 27-AUG-03 |
| | ASTM-A507 | DRAWING ALLOY STEEL, SHEET AND STRIP, HOT-ROLLED AND COLD-ROLLED[CUST: MR SH 11 IS] | A | 9515 | | IS | 10-MAY-00 |
| | A-A-52301 NOT 1 | DRAWING BOARD AND DRAWING BOARD TRESTLES[CUST: CE 99 IS] [REVIEW: 71 GL MC YD] | A | 6675 | / | IS | 27-SEP-01 |
| | A-A-52031 NOT 1 | DRAWING BOARD, ILLUMINATED, PORTABLE[CUST: CE IS] [REVIEW: MC] | A | 6675 | / | IS | 27-SEP-01 |
| | DI-SESS-81011C | DRAWING NUMBER ASSIGNMENT REPORT [AMSC: A7539] | A | SESS | | AR | 10-SEP-04 |
| | ASME-Y14.1 | DRAWING SHEET SIZE AND FORMAT, DECIMAL-INCH[CUST: AR SA 16 DH] [REVIEW: 13 AS CG CH CM CR DC2 EC IE MP NP NS PT TD TM2 YD] | A | DRPR | | AR | APR-94 |
| | ASME-Y14.1M | DRAWING SHEET, SIZE AND FORMAT, METRIC[CUST: AR SA 16 DH] [REVIEW: 13 AS CG CH CM CR DC2 EC IE MP NP NS PT TD TM2 YD] | A | DRPR | | AR | 10-MAR-95 |
| | ASME-Y14.24M | DRAWING, ENGINEERING, TYPES AND APPLICATIONS OF[CUST: AR OS 16] [REVIEW: 11 13 18 19] | A | DRPR | | AR | 30-MAR-90 |
| A | ASME-Y14.4M | DRAWING, PICTORIAL[CUST: AR OS 16] [REVIEW: 99 AT AV CR CR4 MI] | A | DRPR | | AR | 15-SEP-89 |
| A | ASME-Y14.24 | DRAWINGS TYPES AND APPLICATIONS OF ENGINEERING DRAWINGS[CUST: AR SA 16 DH] [REVIEW: 02 13 19 68 70 71 84 99 AS AT AV CC CG CH CR EA EC GL GS IE IS MC MI NP NS OS PT SH SM TD TE YD] | A | DRPR | | AR | 03-NOV-89 |
| A | ASME-Y14.35M | DRAWINGS, ENGINEERING, AND ASSOCIATED DOCUMENTS, REVISION OF[CUST: AR SA 16 DH] [REVIEW: 02 13 19 68 70 71 84 99 AS AT AV CC CE CH CR CR4 EA EC GL GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 08-DEC-97 |
| | MIL-D-23140D | DRAWINGS, INSTALLATION CONTROL, FOR ELECTRONIC EQUIPMENT[CUST: SH] | A | DRPR | | SH | 30-APR-92 |
| A | ASME-Y14.3M | DRAWINGS, MULTIVIEW AND SECTIONAL VIEW[CUST: AR SA 16 DH] [REVIEW: 02 13 18 19 68 70 71 84 99 AS AT AV CC CE CR CR4 EA EC GL GS IS MC MI OS SH SM TD TE YD] | A | DRPR | | AR | 03-FEB-94 |
| | MIL-D-3018D(2) NOT 1 | DRESS, FOOD HANDLER'S, WOMAN'S[CUST: 99 CT] [REVIEW: 11 MC MD MS] | A | 8415 | | CT | 08-NOV-89 |
| | MIL-D-43732F | DRESS, WOMAN'S, HOSPITAL DUTY UNIFORM (HDU)[CUST: GL 11 CT] [REVIEW: 99 MD] | A | 8410 | | CT | 30-MAR-90 |
| | A-A-51393A | DRESSING, BURN[CUST: MD MS 03] | A | 6510 | / | MB | 11-SEP-87 |
| | MIL-D-15141B | DRESSING, FIRST AID AND INDIVIDUAL TROOP, CAMOUFLAGED[CUST: MD MS 03] | A | 6510 | | MB | 10-NOV-58 |
| | MIL-D-37165(2) | DRESSING, FIRST AID, FIELD, INDIVIDUAL TROOP[CUST: MD MS 03] | A | 6510 | | MB | 19-MAR-76 |
| | A-A-53610A | DRESSING, HYDROCOLLOID (OCCLUSIVE)[CUST: MD MS 03] | A | 6510 | / | MB | 06-JUL-89 |
| | A-A-30155 | DRESSING, OCCLUSIVE, ADHESIVE[CUST: MD MS 03] | A | 6510 | / | MB | 28-FEB-92 |
| | MIL-D-36449A NOT 1 | DRIER, X-RAY FILM, PORTABLE[CUST: MD MS 03 MB] | A | 6525 | | MB | 31-OCT-88 |
| | A-A-52594 NOT 1 | DRILL ROD SECTION, ROCK DRILL FOR DRIFTER DRILLS[CUST: AT YD 99] [REVIEW: 84 MC] | A | 3820 | / | AT | 19-APR-04 |
| | A-A-51742A | DRILL, HAND, BONE (BUNNELL)[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-54833 | DRILL, HAND, BONE, SMEDBERG[CUST: MD MS 03] | A | 6515 | / | MB | 19-APR-93 |
| | A-A-2556 NOT 2 | DRILL, MASONRY, HAND (TWIST-FLUTE DRILL) | A | 5110 | # | FSS | 02-AUG-04 |
| | GGG-D-694A(I3) | DRILL, MASONRY, ROTARY DRIVEN | A | 5130 | # | FSS | 15-OCT-69 |
| | GGG-D-694A(2) | DRILL, MASONRY, ROTARY DRIVEN[CUST: GL SH 99] [REVIEW: YD] | A | 5130 | * | GL | 18-NOV-63 |
| | GGG-D-650B | DRILL, MASONRY, ROTARY DRIVEN (CORELESS) | A | 5130 | # | FSS | 31-AUG-67 |
| | A-A-53998 | DRILL, PIN HOLE, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 10-OCT-89 |
| | A-A-59244 | DRILL, PNEUMATIC DRIFTER, SELF-PROPELLED, CRAWLER MOUNTED (TRACK DRILL)[CUST: AT YD 99 IS] [REVIEW: 84 MC MT] | A | 3820 | / | IS | 16-JUN-98 |
| | A-A-59642 | DRILL, PNEUMATIC, PORTABLE[CUST: 99] | A | 5130 | / | 84 | 01-SEP-04 |
| | OO-D-691F | DRILL, PNEUMATIC, PORTABLE: AND BORER, WOOD, PNEUMATIC[CUST: GL SH 99] [REVIEW: AV CE CR4 MC YD] | A | 5130 | * | GL | 17-AUG-95 |
| | A-A-52535 NOT 1 | DRILL, PNEUMATIC, SINKER, ROCK[CUST: AT YD] [REVIEW: CC CE MC] | A | 3820 | / | AT | 16-APR-04 |
| | A-A-53909 | DRILL, PULP CANAL, DENTAL (GATES GLIDDEN)[CUST: MD MS 03] | A | 6520 | / | MB | 26-JUN-89 |
| | A-A-53910 | DRILL, PULP CANAL, DENTAL (PEESO)[CUST: MD MS 03] | A | 6520 | / | MB | 26-JUN-89 |
| | A-A-2558A | DRILL, RATCHET (REVERSIBLE) | A | 5110 | # | FSS | 22-JUL-03 |
| A | A-A-2518 NOT 2 | DRILL, TWIST (CARBIDE TIP) | A | 5133 | # | FSS | 24-AUG-05 |
| | A-A-53808 | DRILL, TWIST, BONE[CUST: MD MS 03] | A | 6515 | / | MB | 19-JAN-89 |
| | A-A-54327 | DRILL, TWIST, BONE (JACOBS CHUCK)[CUST: MD MS 03] | A | 6515 | / | MB | 05-FEB-91 |
| | A-A-54239 | DRILL, WIRE-PASS, BONE[CUST: MD MS 03] | A | 6515 | / | MB | 27-AUG-90 |
| | IPC-NC349 | DRILLERS & ROUTERS, COMPUTER NUMERICAL CONTROL FORMATTING FOR[CUST: CR EC 11] [REVIEW: AR AS MI OS SH] | A | 5998 | | CC | 24-OCT-85 |
| | A-A-59376 | DRILLING MACHINE, RADIAL, BENCH-MOUNTED, SLIDING ARM AND SWIVEL-HEAD, HAND-FEED[CUST: AR SH 99 GS] [REVIEW: 84 AV OS SM] | A | 3413 | / | GL | 30-SEP-99 |
| | A-A-59395 | DRILLING MACHINE, RADIAL, FLOOR-MOUNTED[CUST: AR SH 99] [REVIEW: 84 MC SM] | A | 3413 | / | GS6 | 22-JUN-00 |
| | A-A-59457A | DRILLING MACHINE, ROUND COLUMN, BENCH- AND FLOOR-MOUNTED[CUST: AR SH 99] [REVIEW: 84 SM YD] | A | 3413 | / | GS6 | 20-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59455 | DRILLING MACHINE, UPRIGHT, FLOOR-MOUNTED, ROUND AND BOX COLUMN, POWER-FEED[CUST: AR SH 99 GS6] [REVIEW: 84 MC OS SM YD] | A | 3413 | / | GS6 | 26-AUG-99 |
| | W-D-1114B | DRILLS, ELECTRIC, PORTABLE, DOUBLE-INSULATED (DIELECTRIC HOUSING)[CUST: GL SH 99] [REVIEW: 84 CE CR4 YD] | A | 5130 | * | GL | 14-SEP-95 |
| | DI-QCIC-80609 | DRINKING WATER ANALYSIS REPORT [AMSC: F4441] | A | QCIC | | 33 | 08-JUN-88 |
| | ARI1010 | DRINKING-FOUNTAINS AND SELF-CONTAINED, MECHANICALLY-REFRIGERATED DRINKING-WATER COOLERS, STANDARD FOR[CUST: CR4 YD 99] [REVIEW: 84 CE GS MC MS] | A | 4110 | | SS | 20-MAR-92 |
| | SAE-AS959 | DRIVE - STUDDED, ACCESSORY, 2.653 BC SQUARE, DESIGN STANDARD FOR[CUST: AT AS 99] | A | 28GP | | AS | 15-MAY-74 |
| | MS3329A NOT 1 | DRIVE PAD - ACCESSORY, 10,000 BC ROUND, DESIGN STANDARD FOR[CUST: AV AS] [REVIEW: GS] | A | 2995 | | AS | 25-AUG-87 |
| | MS3327A | DRIVE PAD - ACCESSORY, 5,000 BC ROUND, DESIGN STANDARD FOR[CUST: AV AS] [REVIEW: GS] | A | 2995 | | AS | 20-NOV-69 |
| | MS3326 NOT 1 | DRIVE PAD - ACCESSORY, 5,000 BC SQUARE, DESIGN STANDARD FOR[CUST: AV AS] [REVIEW: GS] | A | 2995 | | AS | 25-AUG-87 |
| | MS3328A | DRIVE PAD - ACCESSORY, 8,000 BC ROUND, DESIGN STANDARD FOR[CUST: AV AS] [REVIEW: GS] | A | 2995 | | AS | 20-NOV-69 |
| | MS3325 NOT 1 | DRIVE PAD-ACCESSORY, 2.653 BC SQUARE, DESIGN STANDARD FOR[CUST: AV AS] [REVIEW: GS] | A | 2995 | | AS | 25-AUG-87 |
| | MIL-D-19403(1) NOT 1 | DRIVE, ANTENNA, VERTICAL STABILIZATION, FOR AS-473/ASB-1 (BUORD DRAWINGS 776405, 776463, VERTICAL STABILIZATION SERVO CLUTCH, FOR ASB-1; 864390, 1444082 FOR ASB-1A)[CUST: AS CC] | A | 5985 | | CC | 01-NOV-01 |
| | A-A-59247A | DRIVE, POWER, PORTABLE; FOR PIPE AND BOLT THREADING, ELECTRIC (WITH ACCESSORIES)[CUST: AR YD 99] [REVIEW: 84] | A | 3450 | / | GS6 | 14-SEP-04 |
| | SAE-AS970 | DRIVE-ACCESSORY, (203.2) 8.000 BC ROUND, QAD, DESIGN STANDARD FOR[CUST: AS] [REVIEW: GS] | A | 6150 | | AS | 27-AUG-93 |
| | QPL-GGG-D-777-15 | DRIVER, PROJECTILE UNIT, POWER ACTUATED (HIGH VELOCITY) (ABOVE WATER ONLY), PIN, DRIVE, POWER ACTUATED, AND CARTRIDGE, POWER ACTUATED TOOL | A | 5130 | / | SH | 09-JUN-80 |
| | A-A-53640 | DRIVER-BENDER-EXTRACTOR, BONE PIN (MCNUTT, 13 INCHES)[CUST: MD MS 03] | A | 6515 | / | MB | 12-AUG-88 |
| | RMA-IP22 | DRIVES USING NARROW V-BELTS AND SHEAVES, SPECIFICATION FOR[CUST: YD 99] [REVIEW: 71 CE MC] | A | 3030 | | CC | 21-SEP-93 |
| | MIL-D-38024B(1) NOT 1 | DROGUE, PARACHUTE STATIC LINE[CUST: GL 99] [REVIEW: CC CE GS] | A | 1670 | | GL | 31-AUG-92 |
| | ASTM-D127 | DROP MELTING POINT OF PETROLATUM WAX INCLUDING PETROLATUM[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 30-OCT-87 |
| | ITOP-4.2.810 | DROP TESTS FOR MUNITIONS | D | ISDA | | TE | 13-MAY-04 |
| | ITOP-4.2.601 | DROP TESTS FOR MUNITIONS | D | ISDA | | TE | 13-MAY-04 |
| | STANAG-3570 ED.3(6) | DROP ZONES AND EXTRACTION ZONES - CRITERIA AND MARKINGS | C | ISDF | | 06 | 26-MAR-86 |
| | AIR-STD-44/35G(1) | DROP ZONES AND EXTRACTION ZONES: CRITERIA, MARKINGS AND INFORMATION CHECK LISTS | C | ISDF | | 06 | 29-SEP-92 |
| | A-A-59402 NOT 1 | DRUM (FOR BULK PROPELLANT)[CUST: AR] [REVIEW: GS] | A | 8140 | / | AR | 07-NOV-03 |
| | MIL-D-6054F(1) | DRUM, METAL-SHIPPING AND STORAGE[CUST: GL AS 11 IS] [REVIEW: 99 AR AV CG MI MS SA SM] | A | 8110 | | IS | 30-JUN-89 |
| | MS27684C NOT 2 | DRUM, METAL-SHIPPING AND STORAGE - 3 TO 12 GALLONS[CUST: GL AS 11 IS] [REVIEW: 99 AV CG EA MC MI MS OS SA SM] | A | 8110 | | IS | 07-MAR-02 |
| | MS27683C NOT 2 | DRUM, METAL-SHIPPING AND STORAGE 16 TO 80 GALLONS[CUST: GL AS 11 IS] [REVIEW: 99 AV CG EA MC MI] | A | 8110 | | IS | 07-MAR-02 |
| | MIL-D-43703C | DRUM, SHIPPING AND STORAGE, MOLDED POLYETHYLENE[CUST: GL SA 11 IS] [REVIEW: 99 AR AS CR4 MD SM] | A | 8110 | | IS | 03-JAN-94 |
| | PPP-D-705E | DRUM, SHIPPING AND STORAGE: STEEL, 16 AND 30 GALLON CAPACITY[CUST: GL SA 11 IS] [REVIEW: 84 AR AS CR EA MC MI SH YD] | A | 8110 | / | IS | 03-JAN-94 |
| | PPP-D-729E(1) | DRUMS, SHIPPING AND STORAGE, STEEL, 55 GALLON (208 LITERS)[CUST: GL SA 11 IS] [REVIEW: 99 AR AS AT EA GS MC MI MS PS SH SS] | A | 8110 | / | IS | 30-DEC-83 |
| | A-A-58020A NOT 1 | DRUMS, SHIPPING, STEEL WITH POLYETHYLENE INSERT[CUST: GL SA 11 IS] [REVIEW: 70 71 84 99 AS EA MI OS SH SM] | A | 8110 | / | IS | 27-SEP-01 |
| | O-D-1407 | DRY CHEMICAL, FIRE EXTINGUISHING, POTASSIUM BICARBONATE | A | 4210 | # | FSS | 09-AUG-72 |
| | O-D-1407(I1) | DRY CHEMICAL, FIRE EXTINGUISHING, POTASSIUM BICARBONATE | A | 4210 | # | FSS | 03-MAY-76 |
| | A-A-59601B | DRY CLEANING AND DEGREASING SOLVENT, PD680[CUST: 68 GS3] [REVIEW: AS] | A | 6850 | / | GS3 | 04-APR-03 |
| | MIL-STD-666B NOT 1 | DRY CLEANING OF CLOTHING AND EQUIPAGE[Military Standard][CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 84GP | | CT | 22-APR-89 |
| | A-A-59471 | DRY CLEANING PRESSES AND FINISHING EQUIPMENT (NAVAL SHIPBOARD)[CUST: SH] | A | 3510 | / | SH | 23-JUN-99 |
| | A-A-50047A NOT 1 | DRY CLEANING UNIT ASSEMBLY, DRY TO DRY, PERCHLOROETHYLENE SOLVENT[CUST: GL 99 IS] [REVIEW: 50 CE MD] | A | 3510 | / | IS | 25-SEP-01 |
| | A-A-59362 | DRY CLEANING UNIT ASSEMBLY, FULLY AUTOMATIC, SYNTHETIC SOLVENT, PERCHLOROETHYLENE TYPE, 20-25 POUNDS CAPACITY (NAVAL SHIPBOARD)[CUST: SH] | A | 3510 | / | SH | 21-JAN-99 |
| | AASHTO-T87 | DRY PREPARATION OF DISTURBED SOIL AND SOIL AGGREGATE SAMPLES FOR TEST[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | OO-D-735C(1) | DRYCLEANING FINISHING EQUIPMENT, MISCELLANEOUS[CUST: GL 99 IS] [REVIEW: 50 MD SH] | A | 3510 | / | IS | 23-FEB-77 |
| | OO-D-738C | DRYCLEANING PRESSES AND PUFF IRONS[CUST: GL YD 99 IS] [REVIEW: CE MD] | A | 3510 | / | IS | 10-FEB-78 |
| | MIL-HDBK-1029/3 | DRYDOCKING FACILITIES CHARACTERISTICS[CUST: YD] | A | FACR | | YD | 30-SEP-88 |
| | MIL-HDBK-826 | DRYDOCKING TIMBERS AND BLOCKS STRENGTH PROPERTIES OF[CUST: SH] | A | 1950 | | SH | 11-OCT-91 |
| | A-A-50026A NOT 1 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY[CUST: GL 99 IS] [REVIEW: 50 CR4] | A | 3510 | / | IS | 25-SEP-01 |
| | OO-D-1297B | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL, GENERAL SPECIFICATION FOR[CUST: GL YD 99 IS] [REVIEW: CE CR4 MC] | A | 3510 | / | IS | 05-APR-74 |
| | OO-D-1297/4 NOT 2 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL, PASS THROUGH TYPE, END LOADING STYLE, REVERSIBLE[CUST: GL YD 99 IS] [REVIEW: 84 CE CR4 MC] | A | 3510 | / | IS | 27-SEP-01 |
| | OO-D-1297/3(1) NOT 2 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL: ONE DOOR TYPE, END LOADING STYLE, REVERSIBLE[CUST: GL 99 IS] [REVIEW: CE CR4 MC] | A | 3510 | / | IS | 27-SEP-01 |
| | OO-D-1297/5(1) NOT 2 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL: ROLL OVER TYPE, END LOADING STYLE, REVERSIBLE[CUST: GL 99 IS] [REVIEW: CE CR4 MC] | A | 3510 | / | IS | 27-SEP-01 |
| | A-A-52317A | DUAL TRANSMISSION MEDIA DATA COMMUNICATION SYSTEM (DTMDCS)[CUST: CR4 SH 99] [REVIEW: CC GS] | A | 6350 | / | CR4 | 30-OCT-98 |
| | MIL-DTL-22706G(1) NOT 1 | DUCT AND SCUFF COVER, PNEUMATIC, FLEXIBLE[CUST: AV AS 99] [REVIEW: 71 CC MC SA] | A | 4720 | | AS | 06-JUN-05 |
| | SAE-AS38386 | DUCT ASSEMBLY, GROUND, CONDITIONED AIR, INSULATED, FLEXIBLE[CUST: AS 99 CC] | A | 4720 | | CC | DEC-99 |
| | SAE-AS7365 | DUCT ASSEMBLY, GROUND, CONDITIONED, METALLIC REINFORCED, LOW PRESSURE, 350 DEGREES F[CUST: AT MC 99 CC] [REVIEW: 71 CR4 GL MD] | A | 4720 | | CC | 10-FEB-05 |
| | NAS1369 | DUCT, AIR, FLEXIBLE AND SEMI-RIGID[CUST: CC] [REVIEW: AV] | A | 4720 | | CC | 15-JUN-90 |
| | NAS1370THRUNAS1379 | DUCT, AIR, FLEXIBLE, HELIX WIRE SUPPORTED[CUST: CC] [REVIEW: AV] | A | 4720 | | CC | 19-MAY-93 |
| | ASTM-D3464 | DUCT, IN A AVERAGE VELOCITY USING A THERMAL ANEMOMETER[CUST: EA SH 68] [REVIEW: CR4 MD] | A | 6810 | | GS3 | 15-MAR-91 |
| | NEMA-TC7 | DUCT, PLASTIC, SMOOTH-WALL COILABLE POLYETHYLENE ELECTRICAL[CUST: YD] | A | FACR | | YD | 09-SEP-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASME-B16.42 | DUCTILE IRON PIPE FLANGES AND FLANGED FITTINGS, CLASSES 150 AND 300[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | DI-MGMT-80465 | DUE-IN-FROM MAINTENANCE (DIFM) STATUS REPORT [AMSC: F4246] | A | MGMT | | 33 | 26-OCT-87 |
| | A-A-51517 | DUMBBELL SET, PHYSICALTHERAPY[CUST: MD MS 03] | A | 6530 | / | MB | 03-JUL-86 |
| | MS27568 NOT 2 | DUMMY CONNECTOR, ELECTRICAL, FEMALE[CUST: 11 CC] | A | 5935 | | CC | 12-JUN-01 |
| | MS27567 NOT 1 | DUMMY CONNECTOR, ELECTRICAL, MALE[CUST: 11 CC] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-PRF-26392D | DUMMY CONVERTERS, LIQUID OXYGEN INDICATOR SYSTEM, 10 LITER CRU-23/A AND 25 LITER CRU-24/A[CUST: 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 26-DEC-96 |
| | MIL-D-81976(1) NOT 1 | DUMMY LOAD, ELECTRICAL DA-662/UPQ-5[CUST: AS CC] | A | 5985 | | CC | 01-NOV-01 |
| | MIL-DTL-39030/8A | DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE IV (TNC), MEDIUM POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 14-APR-03 |
| | MIL-DTL-39030/11A | DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE V (N), HIGH POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 14-APR-03 |
| | MIL-DTL-39030/16B | DUMMY LOAD, ELECTRICAL, TYPE XIV (BIFURCATED CONTACT), STRIPLINE, LOW POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 14-APR-03 |
| | MIL-DTL-39030/14B | DUMMY LOAD, ELECTRICAL, TYPE XIV (BIFURCATED CONTACT), STRIPLINE, LOW POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 14-APR-03 |
| | MIL-DTL-39030/13B | DUMMY LOAD, ELECTRICAL, TYPE XIV (SOCKET CONTACT), STRIPLINE, LOW POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 14-APR-03 |
| | MIL-D-39030/22(1) | DUMMY LOAD, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, HIGH POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 06-AUG-97 |
| A | QPL-39030-27 | DUMMY LOADS, ELECTRICAL, COAXIAL AND STRIPLINE, GENERAL SPECIFICATION FOR | A | 5985 | | CC | 24-OCT-05 |
| A | MIL-DTL-39030E | DUMMY LOADS, ELECTRICAL, COAXIAL AND STRIPLINE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5985 | | CC | 02-DEC-05 |
| | MIL-DTL-39030/4A | DUMMY LOADS, ELECTRICAL, COAXIAL TYPE I (SMA), MEDIUM POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 14-APR-03 |
| | MIL-DTL-39030/3D | DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE I (SMA), LOW POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 09-APR-04 |
| | MIL-DTL-39030/7A | DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE III (BNC), LOW POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 14-APR-03 |
| | MIL-DTL-39030/5C | DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE IV (TNC), LOW POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 14-APR-03 |
| | MIL-DTL-39030/6B | DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE V (N), LOW POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 14-APR-03 |
| | MIL-DTL-39030/20C | DUMMY LOADS, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, LOW POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 09-APR-04 |
| | MIL-DTL-39030/21A | DUMMY LOADS, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, MEDIUM POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MI OS SH] | A | 5985 | | CC | 14-APR-03 |
| | MIL-D-3954/17A(1) NOT 1 | DUMMY LOADS, ELECTRICAL, WAVEGUIDE (FREQUENCY RANGE 3.95 TO 5.85 GIGAHERTZ)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5985 | | CC | 18-APR-03 |
| | MIL-D-3954/11A(1) NOT 1 | DUMMY LOADS, ELECTRICAL, WAVEGUIDE (FREQUENCY RANGE 7.05 TO 10.0 GIGAHERTZ)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH] | A | 5985 | | CC | 18-APR-03 |
| | MIL-D-3954/15A(1) NOT 1 | DUMMY LOADS, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 1.12 TO 1.70 GIGAHERTZ)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH] | A | 5985 | | CC | 18-APR-03 |
| | MIL-D-3954/13A(1) NOT 1 | DUMMY LOADS, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 12.4 TO 18.0 GIGAHERTZ)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH] | A | 5985 | | CC | 18-APR-03 |
| | MIL-D-3954/18A(1) NOT 1 | DUMMY LOADS, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 2.6 TO 3.95 GIGAHERTZ)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR CG MC MI OS] | A | 5985 | | CC | 18-APR-03 |
| | MIL-D-3954/16A(1) NOT 1 | DUMMY LOADS, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 5.85 TO 8.20 GIGAHERTZ)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH] | A | 5985 | | CC | 18-APR-03 |
| | MIL-D-3954/19A(1) NOT 1 | DUMMY LOADS, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 8.2 TO 12.4 GIGAHERTZ)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH] | A | 5985 | | CC | 18-APR-03 |
| | MIL-D-3954C(3) SUP 1A | DUMMY LOADS, ELECTRICAL, WAVEGUIDE, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC MI OS SH] | A | 5985 | | CC | 28-MAR-02 |
| | O-D-825C | DUPLICATING FLUID, DIRECT PROCESS (SPIRIT TYPE) | A | 7510 | # | FSS | 01-OCT-73 |
| | DI-MISC-81486 | DURABILITY ANALYSIS REPORT [AMSC: F7161] | A | MISC | | 10 | 31-JUL-95 |
| | DI-MISC-81485 | DURABILITY AND DAMAGE TOLERANCE TEST RESULTS REPORT [AMSC: F7160] | A | MISC | | 10 | 31-JUL-95 |
| | A-A-53488 | DUST COVER, PLASTIC, SURGICAL[CUST: MD MS 03 MB] | A | 6530 | / | MB | 17-JUN-88 |
| | A-A-55555A | DUSTER, MANUALLY-OPERATED TUBULAR-PUMP MANUALLY CARRIED[CUST: MD MC 99 GS7] [REVIEW: 84 MS PM] | A | 3740 | / | GS7 | 05-JUN-00 |
| | T-D-00568B | DUSTER, VENETIAN BLIND | A | 7920 | # | FSS | 01-JUN-70 |
| | MIL-D-3668D NOT 2 | DYE, 1,4-DIAMINO-2,3-DIHYDROANTHRAQUINONE (BLUE)[CUST: EA] | A | 6820 | | EA | 18-MAY-05 |
| | MIL-D-3284E NOT 2 | DYE, DISPERSE RED 9[CUST: EA] | A | 6820 | | EA | 18-MAY-05 |
| | MIL-D-3277E NOT 2 | DYE, SOLVENT GREEN 3[CUST: EA] | A | 6820 | | EA | 18-MAY-05 |
| | STANAG-4144 ED.1(2) | DYNAMIC FIRING TECHNIQUES TO DETERMINE BALLISTIC DATA FOR CANNON ARTILLERY FIRING TABLES AND ASSOCIATED FIRE CONTROL EQUIPMENT | C | ISDA | | AI | 27-MAY-94 |
| | MIL-D-9415A NOT 1 | DYNAMIC LOUDSPEAKER LS-184A/AIC-10[CUST: 11] [REVIEW: 99] | A | 5965 | | CC | 27-FEB-87 |
| | MIL-PRF-71185 | DYNAMIC REFERENCE UNIT HYBRID (DRUH)[CUST: AR] | A | 1220 | | AR | 30-JUL-99 |
| | DI-ENVR-81279 | DYNAMIC SHOCK ANALYSIS EXTENSION REQUEST [AMSC: N6770] | A | ENVR | | SH | 28-JUL-92 |
| | ASTM-D2098 | DYNAMIC WATER RESISTANCE OF SHOE UPPER LEATHER BY THE DOW CORNING LEATHER TESTER[CUST: GL YD 99 CT] | A | 8330 | | CT | 25-JAN-91 |
| | ASTM-D2099 | DYNAMIC WATER RESISTANCE OF SHOE UPPER LEATHER BY THE MAESER WATER PENETRATION TESTER[CUST: GL NU 99] | A | 8330 | | CT | 03-OCT-94 |
| | A-A-51467 | DYNAMOMETER, HAND, HYDRAULIC[CUST: MD MS 03] | A | 6530 | / | MB | 16-JUN-86 |
| A | A-A-59784 | E-GLASS CLOTH REINFORCEMENT[CUST: AT AS 11 CT] [REVIEW: 03 CG GL GL1 IH] | A | 8305 | / | AT | 09-DEC-05 |
| | DI-CMAN-81019 | EAM CARDS FOR ENGINEERING DOCUMENTATION [AMSC: G4835] | A | SESS | | NS | 27-SEP-89 |
| | MIL-E-83425(1) NOT 1 | EARCUP,SOUND PROTECTIVE MX-8376/AR GENERALSPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99] | A | 5965 | | CC | 27-FEB-87 |
| | QAP-124 ED.1 | EARLY WARNING SYSTEMS | C | ISDA | | AI | 31-AUG-95 |
| | EIA748 | EARNED VALUE MANAGEMENT SYSTEMS[CUST: MI NW 10] | A | MISC | | WB | 19-MAY-98 |
| | MIL-PRF-25670/5(1) | EARPHONE ELEMENT, 1000 OHM GROUND LEVEL, WATER-IMMERSIBLE, M25670/5-01[CUST: CR 11 CC] | A | 5965 | | CC | 23-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-25670/2C(1) | EARPHONE ELEMENT, HIGH- AND LOW-ALTITUDE, H-143/AIC, AND LOW-ALTITUDE, WATER-IMMERSIBLE, H-143A/AIC[CUST: CR 11 CC] [REVIEW: 99] | A | 5965 | | CC | 19-JUL-02 |
| | MIL-PRF-25670B(1) | EARPHONE ELEMENTS, GENERAL SPECIFICATION FOR[CUST: CR 11 CC] [REVIEW: 99] | A | 5965 | | CC | 19-JUL-02 |
| A | QPL-25670-19 | EARPHONE ELEMENTS, GENERAL SPECIFICATION FOR | A | 5965 | | CC | 23-AUG-05 |
| A | MIL-DTL-18239E NOT 1 | EARPHONE H-87B/U[CUST: AS] | A | 5965 | | AS | 08-AUG-05 |
| | MIL-DTL-5589E | EARPHONE, (EXTENDED RANGE), H-301/U[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5965 | | CC | 30-MAR-99 |
| | ANSI-S3.7 | EARPHONES, METHOD FOR COUPLER CALIBRATION OF[CUST: CR AS 11] | A | 5965 | | CR | 03-OCT-94 |
| | IEEE81 | EARTH RESISTIVITY, MEASURING, GROUND IMPEDANCE, AND EARTH SURFACE POTENTIALS OF A GROUND SYSTEM[CUST: CR YD 19] | A | EMCS | | YD | 17-SEP-81 |
| | ISO3471 | EARTH-MOVING MACHINERY-ROLL-OVER PROTECTIVE STRUCTURES, LABORATORY TESTS AND PERFORMANCE REQUIREMENTS[CUST: AT SH 99 CC] [REVIEW: 84 MC SA] | A | 2510 | | CC | 27-AUG-03 |
| | AIR-STD-25/26(1) | EARTHING/GROUNDING PLUG AND SOCKET | C | ISDF | | 06 | 02-MAY-97 |
| | ASCE25 | EARTHQUAKE-ACTIVATED AUTOMATIC GAS SHUTOFF DEVICES[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| | MIL-STD-2032 | EDDY CURRENT INSPECTION OF HEAT EXCHANGER TUBING ON SHIPS OF THE UNITED STATES NAVY[Test Method Standard][CUST: SH] | A | NDTI | | SH | 14-SEP-90 |
| | DI-QCIC-80452 | EDDY CURRENT INSPECTION RECORD FOR BEARING BALLS [AMSC: N4229] | A | QCIC | | OS | 05-OCT-87 |
| | MIL-HDBK-728/2 NOT 1 | EDDY CURRENT TESTING[CUST: MR AS 11] [REVIEW: AR OS] | A | NDTI | | MR | 01-JUL-92 |
| | ASTM-E309 | EDDY-CURRENT EXAMINATION OF STEEL TUBULAR PRODUCTS USING MAGNETIC SATURATION[CUST: CR4 YD 99] [REVIEW: SH] | A | 4710 | | CC | 15-SEP-93 |
| | STANAG-3599 ED.2(2) | EDGE NUMBERING OF FILMS USED FOR AIR RECONNAISSANCE | C | ISDF | | 06 | 13-JUN-89 |
| | A-A-51317 | EDGER, HAND, OPHTHAMIC LENS[CUST: MD MS 03] | A | 6540 | / | MB | 26-DEC-85 |
| | STANAG-3671 ED.3(5) | EDITION DESIGNATION SYSTEM FOR LAND MAPS, AERONAUTICAL CHARTS AND MILITARY GEOGRAPHIC DOCUMENTATION | C | ISDF | | 06 | 30-NOV-92 |
| | QSTAG-944 ED.1 | EDITION DESIGNATION SYSTEM FOR LAND MAPS, AERONAUTICAL CHARTS, AND MILITARY GEOGRAPHIC DOCUMENTATION[CUST: AI] | C | ISDA | | AI | 12-NOV-91 |
| | ANMC | EDITORIAL GUIDE, METRIC[CUST: MR SH 11] | A | MISC | | SH | 16-JAN-78 |
| | MIL-E-24617A | EDTA HARDNESS TESTING REAGENTS, BOILER FEEDWATER, SHIPBOARD USE[CUST: SH] [REVIEW: GS] | A | 6810 | | SH | 01-JUN-95 |
| | A-A-2294 | EDUCTOR (BY PASS & INLINE) | A | 4210 | # | FSS | 21-NOV-84 |
| | MIL-E-24759(1) | EDUCTOR ASSEMBLY, IN-LINE, 90 GALLONS PER MINUTE, PORTABLE AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE[CUST: SH] | A | 4210 | | SH | 21-MAR-94 |
| | EIA-RS483 | EFFECTIVE SERIES RESISTANCE (ESR) & CAPACITANCE OF MULTILAYER CERAMIC CAPACITORS AT HIGH FREQUENCIES[CUST: CR EC 11] [REVIEW: 19 99 AS MC SH] | A | 5910 | | CC | 01-JUN-83 |
| | MIL-STD-1377 | EFFECTIVENESS OF CABLE, CONNECTOR, AND WEAPON ENCLOSURE SHIELDING AND FILTERS IN PRECLUDING HAZARDS OF ELECTROMAGNETIC RADIATION TO ORDNANCE, MEASUREMENT OF[Test Method Standard][CUST: OS 11] [REVIEW: AS EC MC MI] | A | EMCS | | OS | 20-AUG-71 |
| | A-A-394A NOT 1 | EGG WHIP[CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A | 7330 | / | GL | 26-JUL-00 |
| | AIR-STD-61/102/1B | EJECTION ACCELERATION LIMITS | C | ISDF | | 06 | 18-AUG-88 |
| | INFO-PUB-61/102/7B | EJECTION SEAT INITIATING DEVICES | C | ISDF | | 06 | 07-NOV-00 |
| | QPL-15465-26 | EJECTOR ASSEMBLIES, AIR | A | 4320 | | SH | 29-FEB-00 |
| | MIL-E-15465H | EJECTOR ASSEMBLIES, AIR[CUST: SH] | A | 4320 | | SH | 24-MAY-93 |
| | AIR-STD-20/10L(1) | EJECTOR RELEASE UNITS FOR AIRCRAFT STORES | C | ISDF | | 06 | 14-JUN-94 |
| | SAE-AMS-R-6855 | ELASTOMER, SYNTHETIC, SHEETS, STRIPS, MOLDED OR EXTRUDED SHAPES[CUST: AS] [REVIEW: DS] | A | 9320 | | AS | FEB-98 |
| | ASTM-F477 | ELASTOMERIC SEALS (GASKETS) FOR JOINING PLASTIC PIPE[CUST: MR YD 99 IS] [REVIEW: 71] | A | 5330 | | IS | 15-MAR-93 |
| | SAE-AS897 | ELBOW ,FITTING, 90 DEG., STANDARD AND REDUCER, FLARELESS TUBE TO PIPE, EXTERNAL THREAD[CUST: AV AS 99] [REVIEW: 11 AR AT CC CR4 MI] | A | 4730 | | 71 | DEC-95 |
| | NAS1237 | ELBOW - UNIVERSAL 90 DEG. - FLARELESS[CUST: CC] | A | 4730 | | CC | 30-AUG-69 |
| | SAE-AS21925 | ELBOW 90 DEG. UNIVERSAL, FLARELESS TUBE, HIGH PROFILE[CUST: AV AS 99] | A | 4730 | | AS | JUL-98 |
| | NAS1762 | ELBOW REDUCER, 90 DEG., FLARELESS TUBE TO SWIVEL[CUST: AV AS] | A | 4730 | | AS | 25-MAY-84 |
| | MS27620A | ELBOW SUB ASSEMBLY, FLARED, 45 DEGREE, SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27621A | ELBOW SUB ASSEMBLY, FLARED, 90 DEG., SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27633A | ELBOW SUB ASSEMBLY, FLARELESS, 45 DEGREES, SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27634A | ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG. SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27067C | ELBOW SUBASSEMBLY, FLARED, 45 DEG. FORGED, SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27063E | ELBOW SUBASSEMBLY, FLARED, 45 DEG., SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27068C | ELBOW SUBASSEMBLY, FLARED, 90 DEG. FORGED, SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27065E | ELBOW SUBASSEMBLY, FLARED, 90 DEG., SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27389B | ELBOW SUBASSEMBLY, FLARELESS, 45 DEG. FORGED, SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27387C | ELBOW SUBASSEMBLY, FLARELESS, 45 DEG., SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27390B | ELBOW SUBASSEMBLY, FLARELESS, 90 DEG., FORGED, SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27388C | ELBOW SUBASSEMBLY, FLARELESS, 90 DEG., SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27064D | ELBOW SUBASSEMBLY, SWIVEL FLANGE, 45 DEG.[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27066E | ELBOW SUBASSEMBLY, SWIVEL FLANGE, 90 DEG.[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27235C(1) | ELBOW TUBE, 45 DEG (USED ON MS27226 AND MS27230 HOSE TO TUBE ADAPTERS)[CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA] | A | 4730 | | CC | 06-APR-01 |
| | MS27234B(1) | ELBOW TUBE, 90 DEG. (USED ON MS27224 AND MS27228 HOSE TO TUBE ADAPTERS)[CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA] | A | 4730 | | CC | 06-APR-01 |
| D | SAE-AS1010 | ELBOW, 45 DEG., FITTING, STANDARD AND REDUCER, FLARELESS[CUST: AV AS 99] [REVIEW: 11 71 CC] | A | 4730 | | AS | 16-AUG-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS4855 | ELBOW, 45 DEG., PIPE, INTERNAL AND EXTERNAL THREAD[CUST: AV 99 CC] [REVIEW: 71] | A | 4730 | | CC | JUL-95 |
| D | SAE-AS1004 | ELBOW, 90 DEG., FITTING, STANDARD AND REDUCER FLARELESS[CUST: AV AS 99] [REVIEW: 11 71 CC] | A | 4730 | | AS | 16-AUG-87 |
| D | SAE-AS1008 | ELBOW, 90 DEG., FITTING, STANDARD AND REDUCER, BULKHEAD, FLARELESS[CUST: AV AS 99] [REVIEW: 11 71 CC] | A | 4730 | | AS | 16-AUG-87 |
| | SAE-AS4854 | ELBOW, 90 DEG., PIPE, INTERNAL AND EXTERNAL THREAD[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | JUL-95 |
| | SAE-AS4856 | ELBOW, 90 DEG., PIPE, INTERNAL THREAD[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | JUL-95 |
| | SAE-AS21926 | ELBOW, 90 DEGREES UNIVERSAL, FLARELESS TUBE, LOW PROFILE[CUST: AV AS 99] | A | 4730 | | AS | JUL-98 |
| | SAE-AS21907 | ELBOW, BULKHEAD UNIVERSAL, 45 DEG. FLARELESS TUBE[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | SAE-AS21908 | ELBOW, BULKHEAD UNIVERSAL, 90 DEG. FLARELESS TUBE[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | SAE-AS1040 | ELBOW, FITTING, 45 DEG. STANDARD AND REDUCER, BULKHEAD, FLARED[CUST: AV AS 99] [REVIEW: 71 AR IS] | A | 4730 | | AS | FEB-84 |
| | SAE-AS1034 | ELBOW, FITTING, 90 DEG., STANDARD AND REDUCER, FLARED[CUST: AV AS 99] [REVIEW: 11 71 CC CR4] | A | 4730 | | AS | 20-JUL-84 |
| | MS20762A | ELBOW, FLARED TUBE, FLANGED, SWIVEL 90 DEGREE[CUST: AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 11-DEC-70 |
| | MS20761A | ELBOW, FLARED TUBE, FLANGED, SWIVEL, 45 DEGREE[CUST: AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 11-DEC-70 |
| | MS27627A | ELBOW, FLARED, TUBE TO HOSE - 90 DEGREES, SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27628A | ELBOW, FLARED, TUBE TO HOSE-45 DEG,. SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS21904 | ELBOW, FLARELESS TUBE, 90 DEG.[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | MS27395B | ELBOW, FLARELESS, TUBE TO HOSE - 45 DEG. SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27637B | ELBOW, FLARELESS, TUBE TO HOSE - 45 DEGREES SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27394B | ELBOW, FLARELESS, TUBE TO HOSE - 90 DEG. SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27636A | ELBOW, FLARELESS, TUBE TO HOSE-90 DEG., SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS20759B | ELBOW, HOSE, FLANGED SWIVEL, 90 DEG.[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | 14-APR-94 |
| | MS20758A | ELBOW, HOSE, FLANGED, SWIVEL, 45 DEGREE[CUST: AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 10-AUG-82 |
| | MS25055A NOT 2 | ELBOW, LEAD-THROUGH INSULATOR, ANTENNA[CUST: AS 11] | A | 5985 | | AS | 30-SEP-91 |
| | MS27087C | ELBOW, NIPPLE END, FLARED, TUBE TO HOSE - 45 DEG. SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS27086C | ELBOW, NIPPLE END, FLARED, TUBE TO HOSE-90 DEGREES SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS27084C | ELBOW, NIPPLE END, SWIVEL FLANGE TO HOSE - 45 DEG.[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS27082D | ELBOW, NIPPLE END, SWIVEL FLANGE TO HOSE-90 DEGREES[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS39231B NOT 4 | ELBOW, PIPE STREET, 45 DEG., (150 & 300 POUNDS)[CUST: AR MC 99] [REVIEW: 71 AT AV] | A | 4730 | | CC | 08-APR-05 |
| | MS39230B NOT 4 | ELBOW, PIPE-STREET, 90 DEG (150 AND 300 LBS)[CUST: AR MC 99 CC] [REVIEW: 71 AT AV] | A | 4730 | | CC | 08-APR-05 |
| | NAS1761 | ELBOW, REDUCER, 45 DEG., FLARELESS TUBE TO SWIVEL[CUST: AV AS CC] | A | 4730 | | CC | 18-APR-90 |
| | SAE-AS24654 | ELBOW, TUBE - 45 DEG., BULKHEAD, FLARELESS TUBE, UNIVERSAL TO FLARED TUBE[CUST: AV AS 99] [REVIEW: 11 71 CC] | A | 4730 | | AS | JUL-99 |
| | SAE-AS24652 | ELBOW, TUBE - 90 DEG., BULKHEAD, FLARED TUBE, UNIVERSAL TO FLARELESS TUBE[CUST: AV AS 99] [REVIEW: 11 CC] | A | 4730 | | AS | JUL-99 |
| | SAE-AS24651 | ELBOW, TUBE - 90 DEG., BULKHEAD, FLARELESS TUBE UNIVERSAL TO FLARED TUBE[CUST: AV AS 99] [REVIEW: 11 CC] | A | 4730 | | AS | JUL-99 |
| | A-A-59446 NOT 1 | ELBOW, TUBE, 90 DEGREE, REDUCING, SOLDER-POINT, REFRIGERATION[CUST: GL4 SH 99 CC] [REVIEW: MC] | A | 4730 | / | CC | 30-MAR-04 |
| | NAS553 | ELBOW-UNIVERSAL 15 DEGREES[CUST: 99] [REVIEW: AT CR4 IS MC OS] | A | 4730 | | 99 | 15-APR-93 |
| | MS14307B NOT 2 | ELBOWS, PIPE, BRASS OR BRONZE, THREADED, 45-DEG., STREET, CLASS 125[CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 14-JAN-00 |
| | MS14308B NOT 2 | ELBOWS, PIPE, BRASS OR BRONZE, THREADED, 90-DEG., REDUCING, CLASS 125[CUST: AT MC 99] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 14-JAN-00 |
| | MS14312B NOT 2 | ELBOWS, PIPE, BRASS OR BRONZE, THREADED, 90-DEG., REDUCING, CLASS 250[CUST: AT MC 99] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 14-JAN-00 |
| | MS51845C NOT 3 | ELBOWS, PIPE, BRASS OR BRONZE, THREADED, 90-DEG., STRAIGHT, CLASS 125[CUST: AR MC 99] [REVIEW: 71 AT AV] | A | 4730 | | CC | 11-APR-05 |
| | A-A-59442 NOT 1 | ELBOWS, TUBE, 90 AND 45 DEGREE, SOLDER-JOINT, REFRIGERATION[CUST: GL4 SH 99 CC] [REVIEW: CE MC MD1] | A | 4730 | / | CC | 30-MAR-04 |
| | A-A-59450 NOT 1 | ELBOWS, TUBE, STREET, 90 AND 45 DEGREE, SOLDER-JOINT, REFRIGERATION[CUST: GL4 SH 99 CC] [REVIEW: CE MC] | A | 4730 | / | CC | 30-MAR-04 |
| | MS39207F | ELBOWS, TUBE- SAFETY SLEEVE COMPRESSION TYPE, 90 DEGREE[CUST: AT CC] | A | 4730 | | CC | 29-MAR-05 |
| | STANAG-4368 ED.2 | ELECTRIC AND LASER IGNITION SYSTEMS FOR ROCKETS AND GUIDED MISSILE MOTORS SAFETY DESIGN REQUIREMENTS | C | ISDA | | AI | 25-FEB-02 |
| | UL1042 | ELECTRIC BASEBOARD HEATING EQUIPMENT, STANDARD FOR[CUST: YD 99] [REVIEW: 84 CC] | A | 4520 | | IS | 10-MAR-92 |
| | ANSI-C119.1 | ELECTRIC CONNECTORS - SEALED INSULATED UNDERGROUND CONNECTOR SYSTEMS RATED 600 VOLTS[CUST: YD] | A | 5935 | | CC | 23-JUN-86 |
| | QPL-23001-1 | ELECTRIC GENERATOR SYSTEMS, AIRCRAFT, VSCF, 20KVA, 115/200 VOLT, 3 PHASE, 400 HZ | A | 6115 | | AS | 25-JAN-88 |
| | UL130 | ELECTRIC HEATING PADS[CUST: MD MS 03] | A | 6530 | | MB | 31-OCT-88 |
| | IEEE45 | ELECTRIC INSTALLATION ON SHIPBOARD[CUST: CR4 SH 99] | A | 91GP | | SH | 10-JUN-82 |
| | ANSI-C78.1342 | ELECTRIC LAMPS - 160-WATT 120-VOLT B87 SELF-BALLASTED MERCURY LAMPS[CUST: CR4 YD 99] [REVIEW: 71 GS] | A | 6240 | | YD | 01-OCT-91 |
| | ANSI-C78.1341 | ELECTRIC LAMPS - 750-WATT, 120-VOLT SELF-BALLASTED MERCURY LAMPS[CUST: CR4 YD 99] [REVIEW: 71 GS] | A | 6240 | | YD | 01-OCT-91 |
| | ANSI-C78.1404 | ELECTRIC LAMPS - DNF PROJECTION LAMP[CUST: CR4 YD 99] [REVIEW: AS GS] | A | 6240 | | YD | 01-OCT-91 |
| | ANSI-C78.1405 | ELECTRIC LAMPS - ELH PROJECTION LAMP[CUST: CR4 YD 99] [REVIEW: AS GS MC] | A | 6240 | | YD | 01-OCT-91 |
| | ANSI-C78.1416 | ELECTRIC LAMPS - FHS PROJECTION LAMP[CUST: CR4 YD 99] [REVIEW: 71 GS] | A | 6240 | | YD | 01-OCT-91 |
| | ANSI-C78.41 | ELECTRIC LAMPS - LOW-PRESSURE SODIUM LAMPS, AMERICAN NATIONAL STANDARD FOR[CUST: YD 99] [REVIEW: 71 GS SH] | A | 6240 | | YD | 02-APR-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ANSI-C78.1358 | ELECTRIC LAMPS, 35-WATT S76 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS, AMERICAN STANDARD FOR[CUST: YD 99] [REVIEW: 71 GS SH] | A | 6240 | | YD | 07-APR-92 |
| | UL153 | ELECTRIC LAMPS, PORTABLE[CUST: GL AS 99] [REVIEW: GS] | A | 6230 | | MB | 24-MAY-94 |
| | UL781 | ELECTRIC LIGHTING UNITS PORTABLE FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS[CUST: CR4 SH 99] [REVIEW: GS] | A | 6230 | | SH | 28-JUL-93 |
| | MIL-E-7016F(1) NOT 1 | ELECTRIC LOAD AND POWER SOURCE CAPACITY, AIRCRAFT, ANALYSIS OF[CUST: AV AS 11] [REVIEW: GS] | A | 1680 | | AS | 15-APR-88 |
| | MIL-E-16298D | ELECTRIC MACHINES HAVING ROTATING PARTS, ACCESSORIES AND ASSOCIATED SUPPORT ITEMS: PACKAGING OF[CUST: AV SH 11] [REVIEW: AT CR4 EA EC SM YD] | A | PACK | | SH | 07-MAR-89 |
| | UL1004 | ELECTRIC MOTORS[CUST: GL SH 99] [REVIEW: GS] | A | 6105 | | GL | 03-JUN-94 |
| | UL574 | ELECTRIC OIL HEATERS[CUST: CR4 YD 99] [REVIEW: CC CE MC] | A | 4520 | | IS | 03-OCT-94 |
| | DOD-STD-2003-5(1) | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES (CONNECTORS) SECTION 5 OF 5 SECTIONS[Standard Practice][CUST: SH] | A | SESS | | SH | 17-DEC-90 |
| | DOD-STD-2003(1) | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES[Standard Practice][CUST: SH] | A | SESS | | SH | 17-DEC-90 |
| | DOD-STD-2003-3(1) | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES (PENETRATIONS) SECTION 3 OF 5 SECTIONS[Standard Practice][CUST: SH] | A | SESS | | SH | 17-DEC-90 |
| | DOD-STD-2003-4(1) | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS & SUBMARINES (CABLEWAYS) SEC 4 OF 5[Standard Practice][CUST: SH] | A | SESS | | SH | 17-DEC-90 |
| | DOD-STD-2003-2(1) | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS AND SUBMARINES (EQUIPMENT) SECTIONS 2 OF 5 SECTIONS[Standard Practice][CUST: SH] | A | SESS | | SH | 17-DEC-90 |
| | DOD-STD-2003-1(1) | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS AND SUBMARINES (CABLE) SECTION 1 OF 5 SECTIONS[Standard Practice][CUST: SH] | A | SESS | | SH | 17-DEC-90 |
| | MIL-E-917E | ELECTRIC POWER EQUIPMENT BASIC REQUIREMENTS[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 06-AUG-93 |
| | MIL-E-85583/2 | ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, 12,450 TO26,250 RPM, ALTERNATING CURRENT, 400 HZ, 40 KVA, AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 07-NOV-86 |
| | MIL-E-85583/1 | ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, 2390 TO 8560 RPM, ALTERNATING CURRENT, 400 HZ, 12.5 KVA, AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 13-MAR-87 |
| | MIL-E-85583A | ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, ALTERNATING CURRENT, 400 HZ, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AS] | A | 6115 | | AS | 20-FEB-87 |
| | MIL-PRF-24021K | ELECTRIC POWER MONITORS, EXTERNAL, AIRCRAFT[CUST: AV AS] [REVIEW: GS] | A | 6110 | | AS | 08-JUL-98 |
| | QPL-24021-18 | ELECTRIC POWER MONITORS, EXTERNAL, AIRCRAFT | A | 6110 | | AS | 09-JUL-01 |
| | IPC-TM650.2.5.6.2 | ELECTRIC STRENGTH OF PRINTED WIRING MATERIAL[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | IEEE602 | ELECTRIC SYSTEMS IN HEALTH CARE FACILITIES[CUST: TE YD] [REVIEW: CE] | A | FACR | | YD | 21-MAR-85 |
| | ASTM-A513 | ELECTRIC-RESISTANCE-WELDED CARBON AND ALLOY STEEL MECHANICAL TUBING[CUST: MR 99 CC] [REVIEW: 71 AR AT AV CR4 GL MI OS SH YD] | A | 4710 | | CC | 10-MAR-93 |
| | ASTM-A214/A214M | ELECTRIC-RESISTANCE-WELDED CARBON STEEL HEAT-EXCHANGER AND CONDENSER TUBES[CUST: CR4 YD 99] | A | 4710 | | CC | 03-OCT-94 |
| | ANSI-Y14.15 | ELECTRICAL & ELECTRONICS DIAGRAMS[CUST: AR SH 16] | A | DRPR | | AR | 15-MAY-67 |
| | ANSI-C39.1 | ELECTRICAL ANALOG INDICATING INSTRUMENTS, REQUIREMENTS FOR[CUST: YD] | A | 6625 | | CC | 21-OCT-91 |
| | NEMA-HP4 | ELECTRICAL AND ELECTRONIC FEP (FLUORINATED ETHYLENE PROPYLENE) INSULATED HIGH TEMPERATURE HOOK-UP WIRE, TYPES KT (250 VOLT), K (600 VOLT), AND KK (1000 VOLT)[CUST: SH 99 CC] [REVIEW: AS] | A | 6145 | | CC | 1997 |
| | UL1244 | ELECTRICAL AND ELECTRONIC MEASURING AND TESTING EQUIPMENT[CUST: MI SH 99 MB] | A | 6625 | | MB | 30-NOV-93 |
| | NEMA-HP3 | ELECTRICAL AND ELECTRONIC PTFE (POLYTETRAFLUOROETHYLENE) INSULATED HIGH TEMPERATURE HOOK-UP WIRE; TYPES ET (250 VOLTS), E (600 VOLTS) AND EE (1000 VOLTS)[CUST: SH 99 CC] [REVIEW: AS] | A | 6145 | | CC | 1997 |
| | IEEE945 | ELECTRICAL AND ELECTRONICS, SCIENCE AND TECHNOLOGY IEEE RECOMMENDED PRACTICE FOR PREFERRED METRIC UNITS FOR USE IN[CUST: AR SH 11] | A | MISC | | AR | 25-SEP-84 |
| | STANAG-3659 ED.4 | ELECTRICAL BONDING REQUIREMENTS FOR METALLIC AIRCRAFT SYSTEMS | C | ISDF | | 06 | 16-MAY-02 |
| | MIL-STD-188-114A(1) | ELECTRICAL CHARACTERISTICS OF DIGITAL INTERFACE CIRCUITS[Interface Standard][CUST: CR EC 11] [REVIEW: 01 13 71 99 AC AS AV CG MC MI SH TE] | A | TCSS | | CR | 13-DEC-91 |
| | QSTAG-594 | ELECTRICAL CHARACTERISTICS OF DIGITAL INTERFACE CIRCUITS (ABCA 594)[CUST: AI] | C | ISDA | | AI | 25-MAR-81 |
| | EIA485 | ELECTRICAL CHARACTERISTICS OF GENERATORS AND RECEIVERS FOR USE IN BALANCED DIGITAL MULTIPOINT SYSTEM[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | STANAG-4134 ED.2(2) | ELECTRICAL CHARACTERISTICS OF ROTATING 28-VOLT DC GENERATING SETS (W/AMENDMENT 2 INCORPORATED) | C | ISDA | | AI | PENDING |
| | STANAG-4135 ED.2(1) | ELECTRICAL CHARACTERISTICS OF ROTATING ALTERNATING CURRENT GENERATING SETS (W/AMENDMENT 1 INCORPORATED) | C | ISDA | | AI | 05-NOV-92 |
| | MIL-HDBK-1184 | ELECTRICAL COMPONENTS FOR AUTOMOTIVE VEHICLES; WATERPROOFNESS TESTS[CUST: AT] [REVIEW: CC CR4] | A | 2920 | | AT | 14-APR-98 |
| | ASTM-D1125 | ELECTRICAL CONDUCTIVITY AND RESISTIVITY OF WATER[CUST: EA SH 68] [REVIEW: CR4 GL GS MD PS] | A | 6810 | | SH | 15-JUN-91 |
| | MIL-STD-1537C | ELECTRICAL CONDUCTIVITY TEST FOR VERIFICATION OF HEAT TREATMENT OF ALUMINUM ALLOYS, EDDY CURRENT METHOD[Test Method Standard][CUST: MR AS 11] [REVIEW: 84 99] | A | NDTI | | 11 | 25-JUN-02 |
| | ASTM-E1004 | ELECTRICAL CONDUCTIVITY, USING THE ELECTROMAGNETIC (EDDY-CURRENT)METHOD, DETERMINING[CUST: AR SH 99] | A | EMCS | | AR | 03-OCT-94 |
| | STANAG-4007 ED.2 | ELECTRICAL CONNECTOR BETWEEN PRIME MOVERS, TRAILERS AND TOWED ARTILLERY | C | ISDA | | AI | PENDING |
| | AIR-STD-20/27(1) | ELECTRICAL CONNECTOR FOR DISPENSERS AND INTERNAL INTERVALOMETER TYPE ROCKET LAUNCHERS FOR AIRCRAFT | C | ISDF | | 06 | 06-JAN-93 |
| | STANAG-3576 ED.5 | ELECTRICAL CONNECTOR FOR DISPENSERS AND INTERNAL INTERVALOMETER TYPE ROCKET LAUNCHERS FOR AIRCRAFT | C | ISDF | | 06 | 25-OCT-99 |
| | EIA364 | ELECTRICAL CONNECTOR/SOCKET TEST PROCEDURES INCLUDING ENVIRONMENTAL CLASSIFICATIONS[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | EIA364.66 | ELECTRICAL CONNECTORS, EMI SHIELDING EFFECTIVENESS TEST PROCEDURE FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | ASTM-B731 | ELECTRICAL CONTACT MATERIAL, 60 PERCENT PALLADIUM-40 PERCENT SILVER[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 14-JUL-93 |
| | A-A-59286 NOT 1 | ELECTRICAL DISCHARGE MACHINE, TOOL DISINTEGRATING[CUST: AR SH 99] [REVIEW: 84 CR4 MC] | A | 3410 | / | GS6 | 11-MAY-05 |
| | MIL-DTL-44258B NOT 1 | ELECTRICAL DISTRIBUTION ASSEMBLIES FOR TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER)[CUST: GL 99] [REVIEW: 71] | A | 6150 | | GS2 | 23-JAN-04 |
| | MIL-HDBK-1004/10 | ELECTRICAL ENGINEERING CATHODIC PROTECTION[CUST: YD] | A | FACR | | YD | 31-JAN-90 |
| | MIL-HDBK-1004/1 | ELECTRICAL ENGINEERING PRELIMINARY DESIGN CONSIDERATIONS[CUST: YD] | A | FACR | | YD | 30-MAY-88 |
| | MIL-HDBK-274(1) | ELECTRICAL GROUNDING FOR AIRCRAFT SAFETY[CUST: AS] | A | EMCS | | AS | 29-JUN-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ITOP-3.2.810.1 | ELECTRICAL MEASUREMENT OF WEAPON CHAMBER PRESSURE | D | ISDA | | TE | 19-APR-02 |
| | NEMA-TC13 | ELECTRICAL NONMETALLIC TUBING (ENT)[CUST: YD] [REVIEW: GS] | A | 5975 | | YD | 19-APR-93 |
| | NEMA-TC2 | ELECTRICAL POLYVINYL CHLORIDE (PVC) TUBING AND CONDUIT[CUST: YD 11] [REVIEW: 99 GS] | A | 5975 | | YD | 27-AUG-91 |
| | STANAG-4334 ED.1(1) | ELECTRICAL POWER CONDITIONERS, SOLID STATE, GENERAL PURPOSE FOR INTEROPERABILITY (W/AMENDMENT INCORPORATED) | C | ISDA | | AI | 18-FEB-92 |
| | MIL-E-81910A(1) | ELECTRICAL POWER GENERATING AND CONTROL EQUIPMENT, AIRCRAFT, GENERAL SPECIFICATIONS FOR[CUST: AS] [REVIEW: GS] | A | 6110 | | AS | 23-JUN-78 |
| | ANSI-C84.1 | ELECTRICAL POWER SYSTEMS AND EQUIPMENT, VOLTAGE RATINGS (60 HERTZ)[CUST: CR4 YD 99] [REVIEW: GS SH] | A | 6110 | | YD | 19-OCT-88 |
| | AFGS-87219A NOT 1 | ELECTRICAL POWER SYSTEMS, AIRCRAFT[CUST: 11] | A | 61GP | | 11 | 31-JUL-96 |
| | ANSI-C2 | ELECTRICAL SAFETY CODE, NATIONAL[CUST: CR YD 11] [REVIEW: 99 CR4 GS MC SH] | A | 5975 | | YD | 15-JUL-83 |
| | AIR-STD-25/25 | ELECTRICAL SAFETY INTERCONNECTIONS BETWEEN AIRCRAFT, SUPPORT EQUIPMENT AND EARTH | C | ISDF | | 06 | 10-SEP-86 |
| | IEEE280 | ELECTRICAL SCIENCE & ELECTRICAL ENGINEERING, IEEE STANDARD LETTER SYMBOLS FOR QUANTITIES USED IN[CUST: AR SH 11] [REVIEW: AS AT CR4 MC MI OS YD] | A | DRPR | | AR | 12-DEC-84 |
| | MIL-HDBK-1004/4(1) | ELECTRICAL UTILIZATION SYSTEMS[CUST: YD] | A | FACR | | YD | 15-FEB-91 |
| | AOP-43 ED.1 | ELECTRO-EXPLOSIVE DEVICES ASSESSMENT AND TEST METHODS FOR CHARACTERIZATION | C | ISDA | | AI | PENDING |
| | STANAG-4560 ED.1 | ELECTRO-EXPLOSIVE DEVICES, ASSESSMENT AND TEST METHODS FOR CHARACTERIZATION | C | ISDA | | AI | PENDING |
| | STANAG-4436 ED.1 | ELECTRO-MAGNETIC COMPATIBILITY TESTING PROCEDURE AND REQUIREMENTS FOR NAVAL ELECTRICAL AND ELECTRONIC EQUIPMENT (SURFACE SHIP, NON-METALLIC HULL) | C | ISDN | | NM | 02-MAR-93 |
| | A-A-51945 | ELECTROCARDIOGRAPH (ECG)[CUST: MD MS 03] | A | 6515 | / | MB | 31-JUL-90 |
| | A-A-54015 | ELECTROCARDIOGRAPH AUTOMATIC, SOLID STATE, PORTABLE[CUST: MD MS 03] | A | 6515 | / | MB | 25-OCT-89 |
| | A-A-53905A | ELECTROCARDIOGRAPH, AUTOMATIC[CUST: MD MS 03] | A | 6515 | / | MB | 07-SEP-90 |
| | A-A-53692 | ELECTROCARDIOGRAPH, GENERATOR/CALIBRATOR[CUST: MD MS 03] | A | 6515 | / | MB | 16-SEP-88 |
| | A-A-53816 | ELECTROCARDIOGRAPH, SINGLE CHANNEL[CUST: MD MS 03] | A | 6515 | / | MB | 31-JAN-89 |
| | AAMI-EC11 | ELECTROCARDIOGRAPHIC DEVICES, DIAGNOSTIC[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | A-A-52474A | ELECTROCOATING PRIMER[CUST: AT] | A | 8010 | / | AT | 04-DEC-96 |
| | AWS-A5.17 | ELECTRODE & FLUXES, CARBON STEEL, FOR SUBMERGED ARC WELDING[CUST: MR 11 GS6] | A | 3439 | | GS6 | 08-APR-91 |
| | A-A-54881 | ELECTRODE ASSEMBLY, FETAL[CUST: MD MS 03] | A | 6515 | / | MB | 04-JUN-93 |
| | A-A-53805 | ELECTRODE SET, ELECTROCARDIOGRAPH[CUST: MD MS 03] | A | 6515 | / | MB | 13-JAN-89 |
| | MIL-E-23765/3A | ELECTRODE, AND RODS - WELDING, BARE, SOLID COPPER ALLOY[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 11-MAR-86 |
| | AWS-A5.5 | ELECTRODE, ARC WELDING, LOW ALLOY STEEL COVERED[CUST: AR YD 99] [REVIEW: GS SH] | A | 3439 | | YD | 15-JUN-87 |
| | AWS-A5.20 | ELECTRODE, CARBON STEEL, FOR FLUX CORED ARC WELDING[CUST: MR 11 GS6] | A | 3439 | | GS6 | 23-FEB-88 |
| | A-A-51597A | ELECTRODE, ELECTROCARDIOGRAPH[CUST: MD MS 03] | A | 6515 | / | MB | 15-JUN-90 |
| | A-A-51320 | ELECTRODE, ELECTROCARDIOGRAPH[CUST: MD MS 03] | A | 6515 | / | MB | 27-DEC-85 |
| | A-A-54831 | ELECTRODE, ELECTROCARDIOGRAPH[CUST: MD MS 03] | A | 6515 | / | MB | 19-MAR-93 |
| | A-A-50877A | ELECTRODE, ELECTROSURGICAL APPARATUS[CUST: MD MS 03] | A | 6515 | / | MB | 29-APR-88 |
| | AWS-A5.22 | ELECTRODE, FLUX CORED CORROSION RESISTING CHROMIUM & CHROMIUM NICKEL STEEL[CUST: MR 11 GS6] | A | 3439 | | GS6 | 23-FEB-88 |
| | A-A-54849 | ELECTRODE, GROUNDING, ELECTROSURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 16-APR-93 |
| | AWS-A5.23 | ELECTRODE, LOW ALLOY STEEL, & FLUXES FOR SUBMERGED ARC WELDING[CUST: MR 11 GS6] | A | 3439 | | GS6 | 25-FEB-88 |
| | AWS-A5.29 | ELECTRODE, LOW ALLOY STEEL, FOR FLUX CORED ARC WELDING[CUST: MR 11 GS6] | A | 3439 | | GS6 | 25-FEB-88 |
| | ASTM-E70 | ELECTRODE, PH OF AQUEOUS SOLUTIONS WITH THE GLASS[CUST: EA MS 99] [REVIEW: AR CR4 DP MD] | A | 6630 | | EA | 26-JAN-90 |
| | A-A-50620 | ELECTRODE, PH, COMBINATION SEALED[CUST: SH 99] [REVIEW: 11 84 AS AV CG CR4] | A | 6630 | / | SH | 28-JAN-94 |
| | AWS-A5.4 | ELECTRODE, STEEL WELDING, CHROMIUM & CHROMIUM NICKEL, CORROSION RESISTING[CUST: AR YD 99] [REVIEW: GS SH] | A | 3439 | | YD | 19-JUL-89 |
| | MIL-E-22200/2D | ELECTRODE, WELDING COVERED (AUSTENITIC CHROMIUM-NICKEL STEEL, FOR CORROSIVE AND HIGH TEMPERATURE SERVICES)[CUST: AR SH 11] [REVIEW: GS MC OS YD] | A | 3439 | | SH | 19-SEP-86 |
| | MIL-E-22200/5C | ELECTRODE, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN, HIGHTENSILE LOW ALLOY STEEL-HEAT-TREATABLE ONLY[CUST: AR SH 11] [REVIEW: AT GS] | A | 3439 | | SH | 01-MAR-84 |
| | MIL-E-22200/9B(1) | ELECTRODE, WELDING, MINERAL COVERED, LOW HYDROGEN, NICKEL MAGANESE CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING HY-130 WELDMENTS FOR AS WELDED APPLICATION[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 26-MAR-87 |
| | MIL-E-19141D | ELECTRODE, WELDING, SURFACING, IRON BASE ALLOY[CUST: AR SH 11] [REVIEW: 99 AS AT GS MC] | A | 3439 | | SH | 21-MAY-84 |
| | MIL-E-23765/4 | ELECTRODES - WELDING, BARE, SOLID; AND FLUXES, SUBMERGED ARC WELDING, CARBON AND LOW ALLOY STEELS[CUST: SH] [REVIEW: 11 99 AR GS IS] | A | 3439 | | SH | 15-SEP-89 |
| | MIL-E-24403A(1) | ELECTRODES - WELDING, FLUX CORED GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 30-AUG-83 |
| | MIL-E-24403/2C | ELECTRODES - WELDING, FLUX CORED, LOW-ALLOY STEEL[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 07-JUL-89 |
| | MIL-E-24403/1D | ELECTRODES - WELDING, FLUX CORED, ORDINARY STRENGTH & LOW ALLOY STEEL[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 14-NOV-85 |
| | QPL-19933-66 | ELECTRODES AND RODS - WELDING, BARE, CHROMIUM AND CHROMIUM-NICKEL STEELS | A | 3439 | | SH | 22-MAY-98 |
| | MIL-E-19933E(1) | ELECTRODES AND RODS - WELDING, BARE, CHROMIUM AND CHROMIUM-NICKEL STEELS[CUST: SH] [REVIEW: GS YD] | A | 3439 | | SH | 29-SEP-82 |
| A | QPL-23765-52 | ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, GENERAL SPECIFICATION FOR | A | 3439 | | SH | 14-SEP-05 |
| | MIL-E-23765B(1) SUP 1A | ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: EA GS MI] | A | 3439 | | SH | 15-SEP-89 |
| | MIL-E-23765/1E(1) | ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, ORDINARY STRENGTH AND LOW ALLOY STEEL[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 15-SEP-89 |
| | MIL-E-23765/2E | ELECTRODES AND RODS - WELDING, BARE, SOLID, OR ALLOY CORED; AND FLUXES, LOW ALLOY STEEL[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 22-APR-94 |
| | MIL-DTL-23765/5B | ELECTRODES AND RODS - WELDING, BARE, SOLID; HIGH YIELD STRENGTH LOW ALLOY STEEL,STRESS-RELIEVED WELD APPLICATIONS[CUST: SH] [REVIEW: GS] | F | 3439 | | SH | 24-MAR-98 |
| | QPL-21562-44 | ELECTRODES AND RODS-WELDING, BARE, NICKEL ALLOY | A | 3439 | | SH | 12-JUN-98 |
| | MIL-E-21562E | ELECTRODES AND RODS-WELDING, BARE, NICKEL ALLOY[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 24-MAR-89 |
| A | AWS-A5.7 | ELECTRODES, COPPER & COPPER ALLOY BARE WELDING RODS[CUST: AR YD 99] [REVIEW: 11 GS SH] | A | 3439 | | YD | 12-FEB-85 |
| | MIL-E-17777D(1) | ELECTRODES, CUTTING AND WELDING, CARBON-GRAPHITE, UNCOATED AND COPPER-COATED[CUST: SH 11] [REVIEW: 99 AT GS MC YD] | A | 3439 | | SH | 24-JUL-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-8971-10 | ELECTRODES, GRAPHITE, SPECTROMETRIC GRADE | A | 5977 | | GS2 | 05-AUG-04 |
| | AAMI-EC12 | ELECTRODES, PREGELLED ECG DISPOSABLE[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | MIL-E-23919A NOT 1 | ELECTRODES, REFERENCE, CIRCULAR, CORROSION PREVENTIVE, (FLUSH TYPE): SILVER-SILVER CHLORIDE[CUST: SH] | A | 2090 | | SH | 22-MAR-90 |
| | MIL-E-24355B(1) | ELECTRODES, WELDING, BARE, SOLID NICKEL MANGANESE CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING HY 130 WELDMENTS FOR ASWELDED APPLICATIONS[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 26-MAR-87 |
| | QPL-24355-8 | ELECTRODES, WELDING, BARE, SOLID, NICKEL-MANGANESE-CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING HY-130 WELDMENTS FOR AS-WELDED APPLICATIONS | A | 3439 | | SH | 30-MAY-96 |
| | MIL-E-22200/4D | ELECTRODES, WELDING, COVERED, COPPER-NICKEL ALLOY[CUST: AR SH 99] [REVIEW: AT GS MC MR OS] | A | 3439 | | SH | 29-AUG-91 |
| | MIL-E-22200/8B(1) | ELECTRODES, WELDING, COVERED, LOW - HYDROGEN, & IRON - POWDER LOW - HYDROGEN, CHROMIUM - MOLYBDENUM ALLOY STEEL & CORROSION RESISTING STEEL[CUST: AR SH 11] [REVIEW: AT EA GS MC MR OS YD] | A | 3439 | | SH | 20-JUN-84 |
| | MIL-E-22200/3F | ELECTRODES, WELDING, COVERED, NICKEL BASE ALLOY, AND COBALT BASE ALLOY[CUST: MR SH 11] [REVIEW: GS MC OS YD] | A | 3439 | | SH | 19-SEP-86 |
| | MIL-DTL-13080E NOT 1 | ELECTRODES, WELDING, COVERED: AUSTENITIC STEEL (19-9 MODIFIED) FOR ARMOR APPLICATIONS[CUST: MR SH 11] [REVIEW: 03 84 99 AR AS GS NP] | A | 3439 | | MR | 14-JUN-04 |
| | MIL-E-22200G SUP 1A | ELECTRODES, WELDING, COVERED: GENERAL SPECIFICATION FOR[CUST: AR SH 99] [REVIEW: 84 AT EA GS MC MR OS YD] | A | 3439 | | SH | 03-MAY-89 |
| | QPL-22200-65 | ELECTRODES, WELDING, COVERED; GENERAL SPECIFICATION FOR | A | 3439 | | SH | 21-MAY-04 |
| | MIL-E-22200/1G NOT 1 | ELECTRODES, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN MEDIUM AND HIGH TENSILE STEEL, AS WELDED OR STRESS-RELIEVED WELD APPLICATION[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 28-OCT-03 |
| | MIL-E-22200/10C(1) | ELECTRODES, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN MEDIUM, HIGH TENSILE AND HIGHER-STRENGTH LOW ALLOY STEELS[CUST: SH] | A | 3439 | | SH | 27-MAR-03 |
| | MIL-E-22200/11A | ELECTRODES, WELDING, MINERAL-COVERED, IRON-POWER, LOW-HYDROGEN, FOR PRODUCING HY-130 WELDMENTS TO BE HEAT-TREATED[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 25-APR-89 |
| | QPL-24403-36 | ELECTRODES-WELDING, FLUX CORED, GENERAL SPECIFICATION FOR | A | 3439 | | SH | 28-APR-05 |
| | MIL-HDBK-1512 | ELECTROEXPLOSIVE SUBSYSTEMS, ELECTRICALLY INITIATED, DESIGN REQUIREMENTS AND TEST METHODS[CUST: 22] [REVIEW: 13 19 70 99] | A | EMCS | | 22 | 30-SEP-97 |
| | MIL-STD-1576 NOT 1 | ELECTROEXPLOSIVE SUBSYTEM SAFETY REQUIREMENTS AND TEST METHODS FOR SPACE SYSTEMS[Military Standard][CUST: 19] | A | SAFT | | 19 | 04-SEP-92 |
| | SAE-ARP490 | ELECTROHYDRAULIC SERVOVALVES[CUST: CR4 SH 99] | A | 4810 | | SH | 16-SEP-93 |
| | STANAG-4287 ED.1(4) | ELECTROLYTE FOR MAIN LEAD ACID BATTERIES OF SUBMARINES (INCLUDES AMENDMENTS 1 THRU 4) | D | ISDN | | NI | 03-AUG-94 |
| | MIL-HDBK-235/1B NOT 1 | ELECTROMAGNETIC (RADIATED) ENVIRONMENT CONSIDERATIONS FOR DESIGN AND PROCUREMENT OF ELECTRICAL AND ELECTRONIC EQUIPMENT, SUBSYSTEMS AND SYSTEMS[CUST: CR EC 11 DC5] [REVIEW: 18 19 AR AS AV MC MI SH TE] | A | EMCS | | DC5 | 22-DEC-00 |
| | IEC6100-4-5 | ELECTROMAGNETIC COMPATIBILITY (EMC) PART 4-5: TESTING AND MEASUREMENT TECHNIQUES; SURGE IMMUNITY TEST[CUST: YD] | A | FACR | | YD | 29-JUN-04 |
| | MIL-STD-1542B | ELECTROMAGNETIC COMPATIBILITY AND GROUNDING REQUIREMENTS FOR SPACE SYSTEM FACILITIES[Military Standard][CUST: 19] | A | EMCS | | 19 | 15-NOV-91 |
| | DI-EMCS-81528 | ELECTROMAGNETIC COMPATIBILITY PROGRAM PROCEDURES [AMSC: N7212] | A | EMCS | | SA | 14-NOV-96 |
| | MIL-STD-1541A | ELECTROMAGNETIC COMPATIBILITY REQUIREMENTS FOR SPACE SYSTEMS[Military Standard][CUST: 19] | A | EMCS | | 19 | 30-DEC-87 |
| | STANAG-4437 ED.1 | ELECTROMAGNETIC COMPATIBILITY TESTING PROCEDURE AND REQUIREMENTS FOR NAVAL ELECTRICAL AND ELECTRONIC EQUIPMENT (SUBMARINES) | C | ISDN | | NI | 29-JUN-94 |
| | STANAG-4435 ED.1 | ELECTROMAGNETIC COMPATIBILITY TESTING PROCEDURE AND REQUIREMENTS FOR NAVAL ELECTRICAL AND ELECTRONIC EQUIPMENT (SURFACE SHIP, METALLIC HULL) | C | ISDN | | NM | 02-MAR-93 |
| | DI-EMCS-81295A | ELECTROMAGNETIC EFFECTS VERIFICATION PROCEDURES (EMEVP) [AMSC: F7159] | A | EMCS | | 10 | 31-JUL-95 |
| | MIL-STD-464A | ELECTROMAGNETIC ENVIRONMENTAL EFFECTS REQUIREMENTS FOR SYSTEMS[Interface Standard][CUST: SY AS 11] [REVIEW: 13 19 22 84 99 AC AM AR AT AV CE CG CR EC GL MC MD MI OS PT SH TE YD] | A | EMCS | | 11 | 19-DEC-02 |
| | DI-EMCS-81540A | ELECTROMAGNETIC ENVIRONMENTAL EFFECTS (E3) INTEGRATION AND ANALYSIS REPORT (E31AR) [AMSC: F7486] | A | EMCS | | 11 | 19-DEC-02 |
| | DI-EMCS-81541A | ELECTROMAGNETIC ENVIRONMENTAL EFFECTS (E3) VERIFICATION PROCEDURES (E3VP) [AMSC: F7487] | A | EMCS | | 11 | 19-DEC-02 |
| | DI-EMCS-81542A | ELECTROMAGNETIC ENVIRONMENTAL EFFECTS (E3) VERIFICATION REPORT (E3VR) [AMSC: F7488] | A | EMCS | | 11 | 19-DEC-02 |
| | MIL-HDBK-237D | ELECTROMAGNETIC ENVIRONMENTAL EFFECTS AND SPECTRUM SUPPORTABILITY GUIDANCE FOR THE ACQUISITION PROCESS[CUST: CR EC 11 DC5] | A | EMCS | | DC5 | 20-MAY-05 |
| | STANAG-3614 ED.5 | ELECTROMAGNETIC ENVIRONMENTAL EFFECTS REQUIREMENTS FOR AIRCRAFT SYSTEMS AND EQUIPMENT | C | ISDF | | 06 | 08-JUL-02 |
| | DI-EMCS-80199B | ELECTROMAGNETIC INTERFERENCE CONTROL PROCEDURES (EMICP) [AMSC: F7353] | A | EMCS | | 11 | 20-AUG-99 |
| | DI-EMCS-80201B | ELECTROMAGNETIC INTERFERENCE TEST PROCEDURES (EMITP) [AMSC: F7355] | A | EMCS | | 11 | 20-AUG-99 |
| | DI-EMCS-80200B | ELECTROMAGNETIC INTERFERENCE TEST REPORT (EMITR) [AMSC: F7354] | A | EMCS | | EC | 20-AUG-99 |
| | STANAG-3516 ED.5 | ELECTROMAGNETIC INTERFERENCE, TEST METHODS FOR AIRCRAFT ELECTRICAL AND ELECTRONIC EQUIPMENT | C | ISDF | | 06 | 27-JAN-03 |
| | STANAG-4234 ED.1 | ELECTROMAGNETIC RADIATION (RADIO FREQUENCY) - 200KHZ TO 40 GHZ ENVIRONMENT - AFFECTING THE DESIGN OF MATERIEL FOR USE BY NATO FORCES | C | ISDA | | AI | 07-JUL-92 |
| | STANAG-4324 ED.1(1) | ELECTROMAGNETIC RADIATION (RADIOFREQUENCY) TEST INFORMATION TO DETERMINE THE SAFETY AND SUITABILITY FOR SERVICE OF ELECTRO-EXPLOSIVE DEVICES AND ASSOCIATED ELECTRONIC SYSTEMS IN MUNITIONS AND WEAPON SYSTEMS (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 25-JUN-91 |
| | AAMI-ES1 | ELECTROMEDICAL APPARATUS, SAFE CURRENT LIMITS FOR[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | AAMI-ST31 | ELECTRON BEAM RADIATION STERILIZATION OF MEDICAL DEVICES, GUIDELINE FOR[CUST: MD MS 03] | A | 6515 | | MB | 30-SEP-91 |
| | MIL-PRF-1/296D NOT 1 | ELECTRON TUBE REFERENCE CAVITY TYPES 1Q22, 1Q23, 1Q24, 5846, 6040, 6041[CUST: CR EC 11 CC] [REVIEW: AR SH] | A | 5960 | | CC | 10-JUN-03 |
| | MIL-PRF-1/747E NOT 1 | ELECTRON TUBE, CATHODE RAY JAN 3XP1[CUST: CR EC 11 CC] [REVIEW: 99 CG MC MI OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1297C NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 10AKP7[CUST: EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1635B NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 10ALP19[CUST: CR CC] [REVIEW: AV CR4] | A | 5960 | | CC | 27-JUN-03 |
| | MIL-PRF-1/1389F NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 10ANP7[CUST: EC CC] [REVIEW: AS CG MC OS SH] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1162D NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 10KP7A[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS] | A | 5960 | | CC | 31-MAR-04 |
| | MIL-PRF-1/1005D NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 10WP7A[CUST: CR EC 11 CC] [REVIEW: AS CG MC MI OS SH] | A | 5960 | | CC | 03-JUN-04 |
| | MIL-PRF-1/1400C NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 12ATP28[CUST: EC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 30-MAR-04 |
| | MIL-PRF-1/1222D | ELECTRON TUBE, CATHODE RAY TYPE 12DP7C[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC OS SH] | A | 5960 | | CC | 02-JUL-04 |
| | MIL-PRF-1/1056E NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 12SP7D[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1204H | ELECTRON TUBE, CATHODE RAY TYPE 1DP1[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 02-JUL-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-1/1342C NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 1EP1[CUST: CR EC 11 CC] [REVIEW: AR AS CG MC OS SH] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/588B NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 2AP1A[CUST: CR EC 11] [REVIEW: MC] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/272E NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 2BP1 AND 2BP11[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS] | A | 5960 | | CC | 10-JUN-03 |
| | MIL-PRF-1/974F NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 3ADP1, 3ADP2, 3ADP7, AND 3ADP11[CUST: CR EC 11 CC] [REVIEW: AS CG CR4 MC OS] | A | 5960 | | CC | 03-JUN-04 |
| | MIL-PRF-1/594B NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 3BP1A[CUST: CR EC 11] [REVIEW: 99 MC MI] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/590B NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 3FP7A[CUST: CR EC 11] [REVIEW: 19 99 AS CG CR4 MC OS SH] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/501C NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 3KP1[CUST: CR EC 99] [REVIEW: 11 AR AS CG MC OS SH] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/1006E NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 4DP7[CUST: CR EC 11 CC] [REVIEW: 99 AS CG CR4 MC OS] | A | 5960 | | CC | 10-DEC-02 |
| | MIL-PRF-1/1296F NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 4MP1[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS SH] | A | 5960 | | CC | 10-DEC-02 |
| | MIL-PRF-1/1339D | ELECTRON TUBE, CATHODE RAY TYPE 5AMP1A[CUST: CR EC CC] [REVIEW: AS CG MC MI OS SA] | A | 5960 | | CC | 02-MAY-03 |
| | MIL-PRF-1/810E NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 5AWP2[CUST: CR EC 11] [REVIEW: 19 99 AS CG CR4 MC OS] | A | 5960 | | CC | 24-JUN-04 |
| | MIL-PRF-1/1065F NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 5BCP7[CUST: CR EC 11 CC] [REVIEW: 99 AS CG CR4 OS SH] | A | 5960 | | CC | 30-MAR-04 |
| | MIL-PRF-1/592B NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 5BP1A AND 5HP1A[CUST: CR EC 11] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/1178E NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 7AGP19[CUST: CR EC CC] [REVIEW: AS CG MC MI OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/66C NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 7BP7A[CUST: CR EC 11 CC] [REVIEW: 99 AS CG CR4 MC OS SH] | A | 5960 | | CC | 11-MAY-04 |
| | MIL-PRF-1/1072G NOT 1 | ELECTRON TUBE, CATHODE RAY TYPES 22CP7A AND 22CP25A[CUST: EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 30-MAR-04 |
| | MIL-PRF-1/311K NOT 1 | ELECTRON TUBE, CATHODE RAY TYPES 3ACP1A, 3ACP2, 3ACP7A[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CG CR4 MC OS] | A | 5960 | | CC | 27-JUN-03 |
| | MIL-PRF-1/385C NOT 1 | ELECTRON TUBE, CATHODE RAY TYPES 3DP1A AND 3DP1A PLUS S2[CUST: CR EC 11] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/1048C NOT 1 | ELECTRON TUBE, CATHODE RAY TYPES 5AFP1 AND 5AFP7[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS] | A | 5960 | | CC | 03-JUN-04 |
| | MIL-PRF-1/275E | ELECTRON TUBE, CATHODE RAY TYPES 5LP1A, 5LP5A, 5LP7A, AND 5LP11A[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS] | A | 5960 | | CC | 06-AUG-04 |
| | MIL-PRF-1/866E NOT 1 | ELECTRON TUBE, CATHODE RAY TYPES 7ABP7A & 7ABP19A[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI] | A | 5960 | | CC | 24-JUN-04 |
| | MIL-PRF-1/422J | ELECTRON TUBE, CATHODE RAY TYPES 7YP1, 7YP2, AND 7YP7[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CG CR4 MC OS] | A | 5960 | | CC | 02-JUL-04 |
| | MIL-PRF-1/26E | ELECTRON TUBE, GAS SWITCHING TYPE 1B63A[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC] | A | 5960 | | CC | 16-JUN-03 |
| | MIL-PRF-1/609F NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 1B224A[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC MI OS] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/208G NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 1B27[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC SH] | A | 5960 | | CC | 10-JUN-03 |
| | MIL-PRF-1/22J NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 1B35A, 1B37A, 6162 AND 5864[CUST: CR EC 11] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | | CC | 08-APR-03 |
| | MIL-PRF-1/970E NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 1B58A[CUST: CR EC 11 CC] [REVIEW: AS CG MC OS SH] | A | 5960 | | CC | 03-JUN-04 |
| | MIL-PRF-1/368F NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 5865[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/299F NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 5927[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS] | A | 5960 | | CC | 14-JUN-04 |
| | MIL-PRF-1/796C NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6024[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/999B NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6163[CUST: CR EC 99] [REVIEW: 11 19 AR AS CG MC MI OS SH] | A | 5960 | | CC | 03-JUN-04 |
| | MIL-PRF-1/1000B NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6164[CUST: CR EC 11] [REVIEW: 99 AR AS CG MC MI OS SH] | A | 5960 | | CC | 24-JUN-04 |
| | MIL-PRF-1/964D NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6378[CUST: CR EC 11 CC] [REVIEW: AR] | A | 5960 | | CC | 03-JUN-04 |
| | MIL-PRF-1/1105A NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6564[CUST: CR 11 CC] [REVIEW: MI] | A | 5960 | | CC | 03-JUN-04 |
| | MIL-PRF-1/1071C NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6962[CUST: CR CC] [REVIEW: MI] | A | 5960 | | CC | 30-MAR-04 |
| | MIL-PRF-1/1232D NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 7166[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH] | A | 5960 | | CC | 11-MAY-04 |
| | MIL-PRF-1/1254E | ELECTRON TUBE, GAS SWITCHING TYPE 7381[CUST: CR EC 11 CC] | A | 5960 | | CC | 02-JUL-04 |
| | MIL-PRF-1/1709B NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 8919[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1701C NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE DOD 004[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 19-MAR-03 |
| | MIL-PRF-1/505H | ELECTRON TUBE, GAS TYPE 5962[CUST: CR EC 11 CC] [REVIEW: 99 AS CG CR4 MC OS] | A | 5960 | | CC | 06-AUG-04 |
| | MIL-PRF-1/1612A NOT 1 | ELECTRON TUBE, GAS TYPE 7620[CUST: EC CC] [REVIEW: CG MC] | A | 5960 | | CC | 20-JUN-03 |
| | MIL-PRF-1/1049H | ELECTRON TUBE, IMAGE CONVERTER TYPE 6914[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC SH] | A | 5960 | | CC | 16-JUN-04 |
| | MIL-PRF-1/1583B NOT 1 | ELECTRON TUBE, IMAGE CONVERTER TYPE 6929[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/374E NOT 1 | ELECTRON TUBE, KLYSTRON TYPE 2K48[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/745H NOT 1 | ELECTRON TUBE, KLYSTRON TYPE 6BL6[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG CR4 MC OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/744H NOT 1 | ELECTRON TUBE, KLYSTRON TYPE 6BM6[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/746H NOT 1 | ELECTRON TUBE, KLYSTRON TYPE 6BM6A[CUST: CR EC 11 CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1622B NOT 1 | ELECTRON TUBE, KLYSTRON TYPE 7829A[CUST: 11 CC] [REVIEW: 99] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/1589D NOT 1 | ELECTRON TUBE, KLYSTRON TYPE 8237[CUST: EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1112G NOT 1 | ELECTRON TUBE, KLYSTRON TYPE 8493[CUST: CR EC 11 CC] [REVIEW: AR AS CG MC OS SH] | A | 5960 | | CC | 03-JUN-04 |
| | MIL-PRF-1/1677A(1) | ELECTRON TUBE, KLYSTRON TYPE 8759[CUST: CR CC] | A | 5960 | | CC | 02-MAY-03 |
| | MIL-PRF-1/851H NOT 1 | ELECTRON TUBE, MAGNETRON JAN 5780[CUST: CR EC 11] [REVIEW: 99 AR AS CG MC MI OS SH] | A | 5960 | | CC | 24-JUN-04 |
| | MIL-PRF-1/846K(1) | ELECTRON TUBE, MAGNETRON TYPE 2J51A[CUST: CR EC 11 CC] | A | 5960 | | CC | 04-FEB-03 |
| | MIL-PRF-1/297D(1) NOT 1 | ELECTRON TUBE, MAGNETRON TYPE 2J55[CUST: CR EC 11 CC] [REVIEW: 99 AS CG OS SH] | A | 5960 | | CC | 20-JUN-03 |
| M | MIL-PRF-1/383E | ELECTRON TUBE, MAGNETRON TYPE 6344A[CUST: EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 24-MAR-06 |
| | MIL-PRF-1/665E(1) | ELECTRON TUBE, MAGNETRON TYPE 6410A[CUST: CR EC 99 CC] [REVIEW: 11 AR AS CG MC OS SH] | A | 5960 | | CC | 10-AUG-01 |
| | MIL-PRF-1/849G NOT 1 | ELECTRON TUBE, MAGNETRON TYPE 6543[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 20-DEC-02 |
| | MIL-PRF-1/1461F NOT 1 | ELECTRON TUBE, MAGNETRON TYPE 7006[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 02-MAR-05 |
| | MIL-PRF-1/1588A NOT 1 | ELECTRON TUBE, MAGNETRON TYPE 7417[CUST: EC CC] [REVIEW: AS CG MC] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1688B NOT 1 | ELECTRON TUBE, MAGNETRON TYPE 8798[CUST: 11 CC] [REVIEW: 99] | A | 5960 | | CC | 30-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-1/1640D | ELECTRON TUBE, MAGNETRON TYPE 8855[CUST: CR EC 11 CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 18-OCT-02 |
| | MIL-PRF-1/1705C | ELECTRON TUBE, MAGNETRON TYPE 8896[CUST: 11] [REVIEW: 99] | A | 5960 | | CC | 17-AUG-04 |
| | MIL-PRF-1/1738D | ELECTRON TUBE, MAGNETRON TYPE 8939[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC OS] | A | 5960 | | CC | 17-AUG-04 |
| | MIL-PRF-1/1734B NOT 1 | ELECTRON TUBE, MAGNETRON TYPE 8943[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 20-DEC-02 |
| | MIL-PRF-1/1753B(1) | ELECTRON TUBE, MAGNETRON TYPE DOD- 031[CUST: CR EC 11 CC] [REVIEW: AS OS] | A | 5960 | | CC | 18-OCT-02 |
| | MIL-PRF-1/1754B(1) | ELECTRON TUBE, MAGNETRON TYPE DOD- 032[CUST: EC CC] [REVIEW: AS OS] | A | 5960 | | CC | 18-OCT-02 |
| | MIL-PRF-1/1755B(1) | ELECTRON TUBE, MAGNETRON TYPE DOD- 033[CUST: CR EC 11 CC] [REVIEW: AS OS] | A | 5960 | | CC | 18-OCT-02 |
| | MIL-PRF-1/1719B | ELECTRON TUBE, MAGNETRON TYPE DOD-011[CUST: CR EC CC] [REVIEW: AR AS CG MC OS] | A | 5960 | | CC | 17-AUG-04 |
| | MIL-PRF-1/1773B NOT 1 | ELECTRON TUBE, MAGNETRON TYPE DOD-042[CUST: CR EC 11] [REVIEW: 84 99 AS CG CR4 OS SH] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/945E NOT 1 | ELECTRON TUBE, MAGNETRON TYPES 2J49 AND 2J50[CUST: CR EC 11] [REVIEW: 99 AS AV CG MC OS SH] | A | 5960 | | CC | 24-JUN-04 |
| | MIL-PRF-1/770D(3) | ELECTRON TUBE, MAGNETRON TYPES 5586 AND 5657[CUST: CR EC 11 CC] | A | 5960 | | CC | 28-AUG-03 |
| | MIL-PRF-1/507H | ELECTRON TUBE, MAGNETRON, PULSE TYPE 7452A[CUST: CR CC] | A | 5960 | | CC | 27-FEB-04 |
| | MIL-PRF-1/1329A NOT 1 | ELECTRON TUBE, MAGNETRON, PULSE TYPE 7521[CUST: CR 11 CC] [REVIEW: 99 MI] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1570D NOT 1 | ELECTRON TUBE, MAGNETRON, TYPE 7156A[CUST: EC CC] [REVIEW: AS CG MC OS SH] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1055F | ELECTRON TUBE, MICROWAVE (NEGATIVE GRID) TYPE 6442[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS] | A | 5960 | | CC | 16-DEC-02 |
| | MIL-PRF-1/1470D NOT 1 | ELECTRON TUBE, MICROWAVE (NEGATIVE GRID) TYPE 7698[CUST: EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 30-MAR-04 |
| | MIL-PRF-1/1726B(1) | ELECTRON TUBE, MICROWAVE (NEGATIVE GRID) TYPE 8533W[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 04-FEB-03 |
| | MIL-PRF-1/1147B NOT 1 | ELECTRON TUBE, MICROWAVE NOISE SOURCE TYPE 6782[CUST: CR CC] [REVIEW: MI] | A | 5960 | | CC | 31-MAR-04 |
| | MIL-PRF-1/1660C | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 8403[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 SH] | A | 5960 | | CC | 01-OCT-03 |
| | MIL-PRF-1/1727A(1) | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE DOD-018[CUST: EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 04-FEB-03 |
| | MIL-PRF-1/1766B | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE ) TYPE 8980[CUST: EC CC] | A | 5960 | | CC | 18-OCT-02 |
| | MIL-PRF-1/1037E NOT 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6897[CUST: CR EC 99] [REVIEW: 19 AR AS CG CR4 MC OS SH] | A | 5960 | | CC | 20-DEC-02 |
| | MIL-PRF-1/1203K NOT 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7077[CUST: CR EC 11 CC] [REVIEW: AS CG MC MI OS] | A | 5960 | | CC | 03-JUN-04 |
| | MIL-PRF-1/1633B | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7211[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG CR4 MC OS] | A | 5960 | | CC | 01-OCT-03 |
| | MIL-PRF-1/1120G | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7289[CUST: CR EC 99 CC] [REVIEW: 11 19 AR AS CG CR4 MC OS SH] | A | 5960 | | CC | 02-JUL-04 |
| | MIL-PRF-1/1335H | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7462[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 09-JUL-04 |
| | MIL-PRF-1/1330G | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7486[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 09-JUL-04 |
| | MIL-PRF-1/1325F | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7554[CUST: CR EC 11 CC] [REVIEW: 99 AR CG MC] | A | 5960 | | CC | 09-JUL-04 |
| | MIL-PRF-1/1429J | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7815[CUST: EC 11 CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 16-JUL-04 |
| | MIL-PRF-1/1657D | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8727[CUST: EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 01-OCT-03 |
| | MIL-PRF-1/1702C | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8745[CUST: EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 02-MAY-03 |
| | MIL-PRF-1/1717C | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8906[CUST: CR EC 11 CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 01-OCT-03 |
| | MIL-PRF-1/1756B | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8964 1/[CUST: EC CC] [REVIEW: AS CG OS SH] | A | 5960 | | CC | 18-OCT-02 |
| | MIL-PRF-1/1757B | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8965[CUST: EC CC] [REVIEW: AS CG OS SH] | A | 5960 | | CC | 18-OCT-02 |
| | MIL-PRF-1/1729C(1) | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPES 8538B[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | | CC | 04-FEB-03 |
| | MIL-PRF-1/1394C NOT 1 | ELECTRON TUBE, NOISE SOURCE TYPE 6357[CUST: 11 CC] [REVIEW: 99] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/943D NOT 1 | ELECTRON TUBE, PHOTOMULTIPLIER TYPE 5819[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/597E NOT 1 | ELECTRON TUBE, PHOTOMULTIPLIER TYPE 931VA[CUST: CR EC 11] [REVIEW: 99 CG MC OS] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/1298D NOT 1 | ELECTRON TUBE, PHOTOTUBE TYPE CE-75V[CUST: CR EC 11 CC] [REVIEW: 99 AS CG CR4 MC OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/877D NOT 1 | ELECTRON TUBE, POWER TYPE 100TH[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | | CC | 24-JUN-04 |
| | MIL-PRF-1/1383C NOT 1 | ELECTRON TUBE, POWER TYPE 2041[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 11-MAY-04 |
| | MIL-PRF-1/878F NOT 1 | ELECTRON TUBE, POWER TYPE 250TH[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC OS SH] | A | 5960 | | CC | 30-NOV-04 |
| | MIL-PRF-1/884G | ELECTRON TUBE, POWER TYPE 304TH[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS] | A | 5960 | | CC | 06-AUG-04 |
| | MIL-PRF-1/211G | ELECTRON TUBE, POWER TYPE 3C24[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | | CC | 16-JUN-03 |
| A | MIL-PRF-1/776F | ELECTRON TUBE, POWER TYPE 4D21[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC OS] | A | 5960 | | CC | 01-DEC-05 |
| | MIL-PRF-1/812D NOT 1 | ELECTRON TUBE, POWER TYPE 5D22[CUST: CR EC 11] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 24-JUN-04 |
| A | MIL-PRF-1/1174G | ELECTRON TUBE, POWER TYPE 6303[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC MI OS] | A | 5960 | | CC | 03-OCT-05 |
| | MIL-PRF-1/1509F | ELECTRON TUBE, POWER TYPE 6696A, 6697A AND 6697AW[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CG CR4 OS] | A | 5960 | | CC | 16-JUL-04 |
| | MIL-PRF-1/160N | ELECTRON TUBE, POWER TYPE 7034[CUST: CR EC 99 CC] [REVIEW: 11 AR AS CG MC OS SH] | A | 5960 | | CC | 16-JUN-03 |
| | MIL-PRF-1/911E | ELECTRON TUBE, POWER TYPE 719A[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS] | A | 5960 | | CC | 06-AUG-04 |
| | MIL-PRF-1/1542B NOT 1 | ELECTRON TUBE, POWER TYPE 7402[CUST: 11] [REVIEW: 99] | A | 5960 | | CC | 30-MAR-04 |
| | MIL-PRF-1/1331F | ELECTRON TUBE, POWER TYPE 7609[CUST: CR EC 11 CC] [REVIEW: 19] | A | 5960 | | CC | 09-JUL-04 |
| | MIL-PRF-1/1553D | ELECTRON TUBE, POWER TYPE 7651[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 24-SEP-04 |
| | MIL-PRF-1/1457E NOT 1 | ELECTRON TUBE, POWER TYPE 7843[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC OS SH] | A | 5960 | | CC | 30-MAR-04 |
| | MIL-PRF-1/1596B NOT 1 | ELECTRON TUBE, POWER TYPE 8116[CUST: EC] [REVIEW: AS CG MC OS SH] | A | 5960 | | CC | 27-JUN-03 |
| | MIL-PRF-1/876G NOT 1 | ELECTRON TUBE, POWER TYPE 8165[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG CR4 MC MI OS] | A | 5960 | | CC | 02-MAR-05 |
| | MIL-PRF-1/37E | ELECTRON TUBE, POWER TYPE 8166[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CG MC OS SH] | A | 5960 | | CC | 18-OCT-02 |
| | MIL-PRF-1/1313F | ELECTRON TUBE, POWER TYPE 8167[CUST: CR EC 11 CC] [REVIEW: 99 AS CG CR4 MC OS] | A | 5960 | | CC | 09-JUL-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-1/1569D | ELECTRON TUBE, POWER TYPE 8168[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CE CG MC MI OS SM] | A | 5960 | | CC | 17-AUG-04 |
| | MIL-PRF-1/1725A NOT 1 | ELECTRON TUBE, POWER TYPE 8169[CUST: CR 99] [REVIEW: 11 AR] | A | 5960 | | CC | 09-DEC-02 |
| | MIL-PRF-1/1427G | ELECTRON TUBE, POWER TYPE 8170W[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 16-JUL-04 |
| | MIL-PRF-1/1716B | ELECTRON TUBE, POWER TYPE 8171[CUST: CR 99 CC] [REVIEW: 11 19 AR] | A | 5960 | | CC | 01-OCT-03 |
| | MIL-PRF-1/302P | ELECTRON TUBE, POWER TYPE 8172[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC OS SH] | A | 5960 | | CC | 27-FEB-04 |
| | MIL-PRF-1/1472E | ELECTRON TUBE, POWER TYPE 8188[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 16-JUL-04 |
| | MIL-PRF-1/1473E NOT 1 | ELECTRON TUBE, POWER TYPE 8189[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 02-MAR-05 |
| | MIL-PRF-1/1506D NOT 1 | ELECTRON TUBE, POWER TYPE 8245[CUST: CR EC 11] [REVIEW: 99 AS CG CR4 MC OS SH] | A | 5960 | | CC | 30-MAR-04 |
| M | MIL-PRF-1/1679B(1) NOT 1 | ELECTRON TUBE, POWER TYPE 8252W[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG CR4 MC MI OS SH] | A | 5960 | | CC | 28-APR-06 |
| | MIL-PRF-1/1767D | ELECTRON TUBE, POWER TYPE 8281[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS] | A | 5960 | | CC | 16-DEC-02 |
| | MIL-PRF-1/1350F | ELECTRON TUBE, POWER TYPE 8295A[CUST: CR EC 11 CC] [REVIEW: 99 AS CG CR4 MC OS] | A | 5960 | | CC | 16-JUL-04 |
| | MIL-PRF-1/887D NOT 1 | ELECTRON TUBE, POWER TYPE 8438[CUST: CR EC 99 CC] [REVIEW: 11 19 AR AS AV CG MC OS SH] | A | 5960 | | CC | 30-NOV-04 |
| | MIL-PRF-1/1541F | ELECTRON TUBE, POWER TYPE 8561[CUST: 11 CC] [REVIEW: 99] | A | 5960 | | CC | 17-AUG-04 |
| | MIL-PRF-1/1670C NOT 1 | ELECTRON TUBE, POWER TYPE 8590[CUST: 11 CC] [REVIEW: 99] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/1587D NOT 1 | ELECTRON TUBE, POWER TYPE 8596[CUST: 11 CC] [REVIEW: 99] | A | 5960 | | CC | 11-MAY-04 |
| | MIL-PRF-1/1580D | ELECTRON TUBE, POWER TYPE 8621[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS SH] | A | 5960 | | CC | 17-AUG-04 |
| | MIL-PRF-1/1648C NOT 1 | ELECTRON TUBE, POWER TYPE 8660[CUST: EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 20-JUN-03 |
| | MIL-PRF-1/1728B(1) | ELECTRON TUBE, POWER TYPE 8904[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CE CG CR4 MC MI OS SM] | A | 5960 | | CC | 04-FEB-03 |
| | MIL-PRF-1/1314D | ELECTRON TUBE, POWER TYPES 6283 AND 8500[CUST: CR EC 11 CC] | A | 5960 | | CC | 07-FEB-05 |
| | MIL-PRF-1/1239E NOT 1 | ELECTRON TUBE, POWER TYPES 6816 AND 6884[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC OS] | A | 5960 | | CC | 11-MAY-04 |
| | MIL-PRF-1/889H | ELECTRON TUBE, POWER TYPES 7203 AND 7203A[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG CR4 MC OS SM] | A | 5960 | | CC | 16-DEC-02 |
| | MIL-PRF-1/1385J | ELECTRON TUBE, POWER TYPES 7580W AND 8930[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 16-JUL-04 |
| | MIL-PRF-1/1619C NOT 1 | ELECTRON TUBE, POWER TYPES 8161 AND 8251[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC SH] | A | 5960 | | CC | 30-OCT-03 |
| | MIL-PRF-1/1634E | ELECTRON TUBE, POWER TYPES 8321, 8321A, AND 8322[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CE CG CR4 MC MI OS SM] | A | 5960 | | CC | 16-DEC-02 |
| | MIL-PRF-1/1424C | ELECTRON TUBE, POWER, TYPE 6303A[CUST: EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 16-JUL-04 |
| | MIL-PRF-1/1336G | ELECTRON TUBE, PULSE MODULATOR TYPE 3D21WB[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5960 | | CC | 09-JUL-04 |
| | MIL-PRF-1/906E | ELECTRON TUBE, RADIATION COUNTER TYPE 5979[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 07-MAY-04 |
| | MIL-PRF-1/986J | ELECTRON TUBE, RADIATION COUNTER TYPE 7616[CUST: CR EC 11 CC] [REVIEW: AR AS CR4 MC OS] | A | 5960 | | CC | 07-MAY-04 |
| | MIL-PRF-1/1647D | ELECTRON TUBE, RADIATION COUNTER TYPE 8767[CUST: CR EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 27-FEB-04 |
| | MIL-PRF-1/973E | ELECTRON TUBE, RADIATION COUNTER TYPES 5980 AND 5980A[CUST: CR EC 11 CC] [REVIEW: 99 AS CG CR4 MC MI OS] | A | 5960 | | CC | 07-MAY-04 |
| | MIL-PRF-1/1698D | ELECTRON TUBE, RADIATION COUNTER, TYPE 7301[CUST: EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 07-MAY-04 |
| | MIL-PRF-1/1388E(1) | ELECTRON TUBE, RADIATION COUNTER, TYPE 7840[CUST: EC CC] [REVIEW: AS MC OS] | A | 5960 | | CC | 25-FEB-05 |
| | MIL-PRF-1/29E | ELECTRON TUBE, RECEIVING TYPE 1Z2[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG CR4 OS] | A | 5960 | | CC | 07-OCT-02 |
| | MIL-PRF-1/334C | ELECTRON TUBE, RECEIVING TYPE 2C53[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC MI OS] | A | 5960 | | CC | 01-OCT-03 |
| | MIL-PRF-1/1404E | ELECTRON TUBE, RECEIVING TYPE 2DF4[CUST: CR EC 99 CC] [REVIEW: 11 AR AS CG MC OS SH] | A | 5960 | | CC | 16-JUL-04 |
| | MIL-PRF-1/1617C NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5847A[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS SH] | A | 5960 | | CC | 09-DEC-02 |
| | MIL-PRF-1/1308D NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6360[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1225E | ELECTRON TUBE, RECEIVING TYPE 6688[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC MI OS] | A | 5960 | | CC | 02-JUL-04 |
| | MIL-PRF-1/1508B NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6754[CUST: CR EC 11] [REVIEW: 19 AS CG OS SH] | A | 5960 | | CC | 30-MAR-04 |
| | MIL-PRF-1/1295F | ELECTRON TUBE, RECEIVING TYPE 6842[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5960 | | CC | 09-JUL-04 |
| | MIL-PRF-1/1221D | ELECTRON TUBE, RECEIVING TYPE 6939[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI] | A | 5960 | | CC | 02-JUL-04 |
| | MIL-PRF-1/1458D NOT 1 | ELECTRON TUBE, RECEIVING TYPE 7788[CUST: CR EC 11 CC] [REVIEW: AS CG MC MI OS SH] | A | 5960 | | CC | 30-MAR-04 |
| | MIL-PRF-1/1593D | ELECTRON TUBE, RECEIVING TYPE 8233[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG CR4 MC OS SH] | A | 5960 | | CC | 17-AUG-04 |
| | MIL-PRF-1/193E | ELECTRON TUBE, RECEIVING TYPES OC3A AND OC3W[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5960 | | CC | 16-JUN-03 |
| | MIL-PRF-1/806H | ELECTRON TUBE, THYRATRON TYPE 4C35A[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | | CC | 06-AUG-04 |
| | MIL-PRF-1/664F | ELECTRON TUBE, THYRATRON TYPE 5665[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS] | A | 5960 | | CC | 06-AUG-04 |
| | MIL-PRF-1/1100G | ELECTRON TUBE, THYRATRON TYPE 5949A AND 5949A-1[CUST: CR EC 11 CC] [REVIEW: AR AS CG MC OS SH] | A | 5960 | | CC | 25-FEB-05 |
| | MIL-PRF-1/1011E NOT 1 | ELECTRON TUBE, THYRATRON TYPE 5957[CUST: CR EC 99] [REVIEW: 11 19 AR AS AV CG MC MI SH] | A | 5960 | | CC | 03-JUN-04 |
| | MIL-PRF-1/115L | ELECTRON TUBE, THYRATRON TYPE 5C22[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC OS SH] | A | 5960 | | CC | 14-JAN-04 |
| | MIL-PRF-1/111F | ELECTRON TUBE, THYRATRON TYPE 6130[CUST: CR EC 11 CC] [REVIEW: AR AS CG MC OS SH] | A | 5960 | | CC | 19-DEC-02 |
| | MIL-PRF-1/1371H | ELECTRON TUBE, THYRATRON TYPE 7322[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 16-JUL-04 |
| | MIL-PRF-1/1291G NOT 1 | ELECTRON TUBE, THYRATRON TYPE 7410[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/1428G | ELECTRON TUBE, THYRATRON TYPE 7621[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 16-JUL-04 |
| | MIL-PRF-1/1485E(1) | ELECTRON TUBE, THYRATRON TYPE 7665 AND 7665A[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MI OS SH] | A | 5960 | | CC | 20-MAR-02 |
| | MIL-PRF-1/1636C | ELECTRON TUBE, THYRATRON TYPE 7782[CUST: EC CC] [REVIEW: CG MC] | A | 5960 | | CC | 01-OCT-03 |
| | MIL-PRF-1/1426D NOT 1 | ELECTRON TUBE, THYRATRON TYPE 8354 (NAVY)[CUST: CR EC] [REVIEW: AS CG MC MI OS SH] | A | 5960 | | CC | 30-MAR-04 |
| | MIL-PRF-1/1590D | ELECTRON TUBE, THYRATRON TYPE 8613[CUST: CR EC 11 CC] [REVIEW: 99 AS CG CR4 MC OS] | A | 5960 | | CC | 17-AUG-04 |
| | MIL-PRF-1/1661C | ELECTRON TUBE, THYRATRON TYPE 8765[CUST: CR EC 11 CC] [REVIEW: 99 AS CG CR4 MI OS] | A | 5960 | | CC | 01-OCT-03 |
| | MIL-PRF-1/1658C | ELECTRON TUBE, THYRATRON TYPE 8789[CUST: 11 CC] [REVIEW: 99] | A | 5960 | | CC | 16-JUN-03 |
| | MIL-PRF-1/1099H | ELECTRON TUBE, THYRATRON TYPES 5948A, 5948B, AND 5948C[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS] | A | 5960 | | CC | 16-JUN-04 |
| | MIL-PRF-1/1260J | ELECTRON TUBE, THYRATRON TYPES 7190 AND 7191[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | | CC | 02-JUL-04 |
| A | MIL-PRF-1/1361G | ELECTRON TUBE, THYRATRON TYPES 7390 AND 7390A[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG] | A | 5960 | | CC | 01-DEC-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-1/338H NOT 1 | ELECTRON TUBE, TRANSMITTING TYPE 2E26[CUST: CR EC 11 CC] [REVIEW: AR AS CG MC OS] | A | 5960 | | CC | 27-JUN-03 |
| | MIL-PRF-1/1405D NOT 1 | ELECTRON TUBE, TRAVELING WAVE TYPE 7640[CUST: CR EC 11] [REVIEW: 99 AR AS CG GS MC OS SH] | A | 5960 | | CC | 30-MAR-04 |
| | MIL-PRF-1/1605C | ELECTRON TUBE, TRAVELING WAVE TYPE 8128[CUST: EC CC] [REVIEW: AS CG MC OS SH] | A | 5960 | | CC | 17-AUG-04 |
| | MIL-PRF-1/1712D | ELECTRON TUBE, TRAVELING WAVE TYPE D0D-039[CUST: CR EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 16-JUN-03 |
| | MIL-PRF-1/988H | ELECTRON TUBE, VOLTAGE REGULATOR TYPE 7615[CUST: CR EC 11 CC] [REVIEW: AR AS CG MC OS] | A | 5960 | | CC | 16-DEC-02 |
| | MIL-PRF-1/1609C | ELECTRON TUBE, VOLTAGE REGULATOR TYPE 8515[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC] | A | 5960 | | CC | 17-AUG-04 |
| | MIL-PRF-1/1392D NOT 1 | ELECTRON TUBES, CATHODE RAY TYPE 5FP7A, 5FP14A, AND 5FP25[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG OS] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/480D NOT 1 | ELECTRON TUBES, CATHODE RAY TYPE 5SP1A, 5SP7A, AND 5SP11A (1/)[CUST: CR EC 11] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 03-FEB-04 |
| | MIL-PRF-1/1261G NOT 1 | ELECTRON TUBES, CATHODE RAY TYPES 12ABP1A, 12ABP7A, AND 12ABP19A[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5960 | | CC | 10-MAY-04 |
| | MIL-PRF-1/36G | ELECTRON TUBES, CATHODE RAY TYPES 3JP1, 3JP2, 3JP7, 3JP11, AND 3JP12[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CG CR4 OS] | A | 5960 | | CC | 16-DEC-02 |
| | MIL-PRF-1/689F NOT 1 | ELECTRON TUBES, CATHODE RAY TYPES 5ADP1, 5ADP2, 5ADP7, AND 5ADP14[CUST: CR EC 99] [REVIEW: 11 AR AS CE CG MC OS] | A | 5960 | | CC | 11-MAY-04 |
| | MIL-PRF-1/273K | ELECTRON TUBES, CATHODE RAY TYPES 5CP1A , 5CP1B , AND 5CP12[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5960 | | CC | 16-JUN-03 |
| | MIL-PRF-1/607C NOT 1 | ELECTRON TUBES, GAS SWITCHING TYPES 5921 AND 5922[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS SA] | A | 5960 | | CC | 03-FEB-04 |
| A | QPL-1-155 | ELECTRON TUBES, GENERAL SPECIFICATION FOR | A | 5960 | | CC | 13-OCT-05 |
| M | MIL-PRF-1M(2) SUP 1A | ELECTRON TUBES, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI OS SH SM] | A | 5960 | | CC | 10-MAR-06 |
| | MIL-DTL-75J | ELECTRON TUBES, PACKAGING OF[CUST: CR EC 11 CC] [REVIEW: AR AS CG MC MI OS SH SM] | A | 5960 | | CC | 20-MAR-02 |
| | MIL-PRF-1/195D | ELECTRON TUBES, RECEIVING TYPE OB3[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS] | A | 5960 | | CC | 16-JUN-03 |
| | SAE-AMS2681 | ELECTRON-BEAM WELDING[CUST: MR AS 11] | A | THJM | | MR | 01-JAN-92 |
| A | MIL-STD-202G(1) | ELECTRONIC AND ELECTRICAL COMPONENT PARTS[Test Method Standard][CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 EA MI NS OS SH SM TE] | A | 59GP | | CC | 18-JUL-03 |
| | MIL-E-17555H(2) | ELECTRONIC AND ELECTRICAL EQUIPMENT, ACCESSORIES, AND PROVISIONED ITEMS (REPAIR PARTS): PACKAGING OF[CUST: CR SH 11] [REVIEW: 99 AS CC CR4 EC GS MC MI OS SA SM] | A | PACK | | SH | 02-NOV-92 |
| | ADV-PUB-61/113/10(1) | ELECTRONIC COLOUR DISPLAY SYSTEMS ( WITH CHANGE 1) | C | ISDF | | 06 | 06-FEB-96 |
| | STANAG-4553 ED.1 | ELECTRONIC COMMERCE | C | ISDA | | AI | 12-NOV-99 |
| | MIL-STD-1835D | ELECTRONIC COMPONENT CASE OUTLINES[Interface Standard][CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 01-JUN-04 |
| | MIL-PRF-49149D | ELECTRONIC CONTROL ASSEMBLY VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V)[CUST: CR] | A | 5855 | | CR | 04-MAR-99 |
| | MIL-HDBK-294 | ELECTRONIC COUNTER-COUNTERMEASURES CONSIDERATIONS IN NAVAL COMMUNICATION SYSTEMS[CUST: EC] [REVIEW: OS] | A | EMCS | | EC | 31-DEC-86 |
| | MIL-HDBK-293 | ELECTRONIC COUNTER-COUNTERMEASURES CONSIDERATIONS IN RADAR SYSTEMS ACQUISITION[CUST: EC] [REVIEW: AS OS] | A | EMCS | | EC | 05-JUN-87 |
| | IPC-D351 | ELECTRONIC DESIGN DATA DESCRIPTION FOR PRINTED WIRING BOARDS IN DIGITAL FORM[CUST: CR EC 11 CC] [REVIEW: AR AS MI OS SH] | A | 5998 | | CC | 18-SEP-85 |
| | ASTM-E801 | ELECTRONIC DEVICES, CONTROLLING QUALITY OF RADIOLOGICAL EXAMINATION OF[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A | 5962 | | CC | 15-OCT-91 |
| | MIL-HDBK-2036 | ELECTRONIC EQUIPMENT SPECIFICATIONS, PREPARATION OF[CUST: CR SH 11] [REVIEW: 19 AR AV CC CG CR4 EC MC MI NA OS TE] | A | SESS | | SH | 01-NOV-99 |
| | DOD-E-8983C NOT 1 | ELECTRONIC EQUIPMENT, AEROSPACE, EXTENDED SPACE ENVIRONMENT, GENERAL SPECIFICATION FOR[CUST: 19] | A | MISC | | 19 | 04-SEP-92 |
| | MIL-HDBK-5400 | ELECTRONIC EQUIPMENT, AIRBORNE GENERAL GUIDELINES FOR[CUST: CR AS 11] [REVIEW: 99 AR AV CC EC MI] | A | SESS | | AS | 30-NOV-95 |
| | MIL-HDBK-1012/1 | ELECTRONIC FACILITIES ENGINEERING[CUST: YD] | A | FACR | | YD | 15-MAY-89 |
| | UL783 | ELECTRONIC FLASHLIGHTS AND LANTERNS FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS[CUST: 99] [REVIEW: CG CR GS] | A | 6230 | | IS | 28-JUL-93 |
| | J-STD-006 | ELECTRONIC GRADE SOLDER ALLOYS AND FLUXED AND NON-FLUXED SOLID SOLDERS FOR ELECTRONIC SOLDERING APPLICATIONS REQUIREMENTS FOR[CUST: CR EC 99] [REVIEW: GS] | A | 3439 | | CR | JAN-95 |
| | ITOP-4.2.822 | ELECTRONIC MEASUREMENT OF AIRBLAST OVERPRESSURE AND IMPULSE NOISE | D | ISDA | | TE | 25-SEP-00 |
| | MIL-HDBK-1547A | ELECTRONIC PARTS, MATERIALS, AND PROCESSES FOR SPACE AND LAUNCH VEHICLES[CUST: MI AS 19] [REVIEW: 33 99 CG GS NA US] | A | 1820 | | 19 | 06-JUL-98 |
| | MIL-HDBK-338B | ELECTRONIC RELIABILITY DESIGN[CUST: SY EC 11 DH] [REVIEW: 02 08 13 19 33 AS CC CG CH CR HS IE MA MC PT SA TD TM2] | A | SESS | | 11 | 01-OCT-98 |
| | DI-ATTS-81268 | ELECTRONIC TEST EQUIPMENT CAPABILITY REQUIREMENTS SUMMARY [AMSC: N6739] | A | ATTS | | SH | 04-JUN-92 |
| | MIL-PRF-1/1735A NOT 1 | ELECTRONIC TUBE, THYRATRON TYPE 8951[CUST: EC CC] [REVIEW: AS CG MC OS SH] | A | 5960 | | CC | 20-DEC-02 |
| | AIR-STD-45/14 | ELECTRONIC WARFARE | C | ISDF | | 06 | 04-AUG-98 |
| | DI-MISC-81460 | ELECTRONIC WARFARE (EW) TRAINING EQUIPMENT REPORT [AMSC: N7114] | A | MISC | | SA | 27-JAN-95 |
| | STANAG-3873 ED.5 | ELECTRONIC WARFARE (EW) IN AIR OPERATIONS - ATP-44(C) | C | ISDF | | 06 | 29-MAR-00 |
| | QAP-110 ED.1 | ELECTRONIC WARFARE EQUIPMENT AND ORGANIZATION HANDBOOK | C | ISDA | | AI | 18-AUG-94 |
| | QSTAG-493 ED.1 | ELECTRONIC WARFARE MESSAGE FORMATS[CUST: AI] | C | ISDA | | AI | 17-MAR-86 |
| | MIL-DTL-24784/14B | ELECTRONIC, EXPERIMENTAL ELECTRONIC, SERVICE TEST ELECTRONIC, AND INTERIOR COMMUNICATION (IC) EQUIPMENT MANUAL REQUIREMENTS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | AIR-STD-61/116/16 | ELECTRONICALLY AND OPTICALLY GENERATED DISPLAY FORMATS AND SYMBOLOGY FOR FIXED WING AIRCRAFT | C | ISDF | | 06 | 15-NOV-90 |
| | MIL-HDBK-87213A | ELECTRONICALLY/OPTICALLY GENERATED AIRBORNE DISPLAYS[CUST: 11] | A | 15GP | | 11 | 08-FEB-05 |
| | MIL-PRF-55585G | ELECTRONICS EQUIPMENT AND PARTS, PACKAGING OF[CUST: CR] [REVIEW: SM] | A | PACK | | CR | 09-OCT-97 |
| | ASTM-E722 | ELECTRONICS, CHARACTERIZING NEUTRON ENERGY FLUENCE SPECTRA IN TERMS OF AN EQUIVALENT MONOENERGETIC NEUTRON FLUENCE FOR RADIATION-HARDNESS TESTING OF[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A | 5962 | | CC | 15-MAY-93 |
| | ASTM-E721 | ELECTRONICS, DETERMINING NEUTRON ENERGY SPECTRA FROM NEUTRON SENSORS FOR RADIATION-HARDNESS TESTING OF[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A | 5962 | | CC | 15-APR-93 |
| | DI-RELI-80669A | ELECTROSTATIC DISCHARGE (ESD) CONTROL PROGRAM FLAG [AMSC: N6779] | A | SESS | | SH | 28-AUG-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-263B | ELECTROSTATIC DISCHARGE CONTROL HANDBOOK FOR PROTECTION OF ELECTRICAL AND ELECTRONIC PARTS, ASSEMBLIES AND EQUIPMENT (EXCLUDING ELECTRICALLY INITIATED EXPLOSIVE DEVICES) (METRIC)[CUST: CR SH 11] [REVIEW: 19 99 AR AS AT EC GL MC MI OS SA SM] | A | SESS | | SH | 31-JUL-94 |
| | MIL-STD-1686C | ELECTROSTATIC DISCHARGE CONTROL PROGRAM FOR PROTECTION OF ELECTRICAL AND ELECTRONIC PARTS, ASSEMBLIES AND EQUIPMENT (EXCLUDING ELECTRICALLY INITIATED EXPLOSIVE DEVICES)[Standard Practice][CUST: CR SH 11] [REVIEW: 19 99 AS AT EC MI OS SA SM] | A | SESS | | SH | 25-OCT-95 |
| A | MIL-HDBK-773A | ELECTROSTATIC DISCHARGE PROTECTIVE PACKAGING[CUST: SM AS 11 DH] [REVIEW: 70 71 84 99 AR AT CR CR3 GL3 MC MI OS SA SH YD] | A | PACK | | SM | 30-JUN-05 |
| | AOP-24 ED.1 | ELECTROSTATIC DISCHARGE, MUNITION ASSESSMENT AND TEST PROCEDURES | C | ISDA | | AI | 01-MAR-98 |
| | STANAG-4239 ED.1 | ELECTROSTATIC DISCHARGE, MUNITIONS TEST PROCEDURES | C | ISDA | | AI | 13-OCT-97 |
| | STANAG-4235 ED.1 | ELECTROSTATIC ENVIRONMENT CONDITIONS AFFECTING THE DESIGN OF MATERIEL FOR USE BY NATO FORCES | C | ISDA | | AI | 29-JAN-93 |
| | STANAG-3682 ED.5(2) | ELECTROSTATIC SAFETY CONNECTION PROCEDURES FOR AVIATION FUEL HANDLING AND LIQUID FUEL LOADING/UNLOADING OPERATIONS DURING GROUND TRANSFER AND AIRCRAFT FUELLING/DEFUELLING | C | ISDF | | 06 | 27-JUL-95 |
| | A-A-54779 | ELECTROSURGICAL APPARATUS[CUST: MD MS 03] | A | 6515 | / | MB | 15-JAN-93 |
| | A-A-53647 | ELECTROSURGICAL APPARATUS[CUST: MD MS 03] | A | 6515 | / | MB | 19-AUG-88 |
| | A-A-53837 | ELECTROSURGICAL APPARATUS[CUST: MD MS 03] | A | 6515 | / | MB | 30-MAY-89 |
| | A-A-51867A | ELECTROSURGICAL APPARATUS[CUST: MD MS 03] | A | 6515 | / | MB | 12-JUL-91 |
| | A-A-53577 | ELECTROSURGICAL APPARATUS (PORTABLE, UNBLENDED CURRENT)[CUST: MD MS 03] | A | 6515 | / | MB | 29-JUL-88 |
| | A-A-51656 | ELECTROSURGICAL APPARATUS, (PORTABLE)[CUST: MD MS 03] | A | 6515 | / | MB | 19-SEP-86 |
| | AAMI-HF18 | ELECTROSURGICAL DEVICES[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | ASTM-D5185 | ELEMENTS, DETERMINATION OF ADDITIVE, WEAR METALS, AND CONTAMINANTS IN USED LUBRICATING OILS AND DETERMINATION OF SELECTED ELEMENTS IN BASE OILS BY INDUCTIVELY COUPLED PLASMA ATOMIC EMISSION SPECTROMETRY (ICP-AES)[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 03-OCT-94 |
| | SAE-AMS2361 | ELEVATED TEMPERATURE TENSILE PROPERTIES OF CASTINGS[CUST: MR AS 11] | A | MECA | | MR | 01-OCT-90 |
| | A-A-51849A | ELEVATOR AND RETRACTOR, BONE (BENNETT DESIGN)[CUST: MD MS 03] | A | 6515 | / | MB | 08-MAR-89 |
| | A-A-51943A | ELEVATOR, EAR (SMALL, LEMPERT)[CUST: MD MS 03] | A | 6515 | / | MB | 16-FEB-89 |
| | A-A-53466 | ELEVATOR, EAR (STAPES, ANGLED)[CUST: MD MS 03] | A | 6515 | / | MB | 20-MAY-88 |
| | A-A-54270/9 | ELEVATOR, MALAR, IVY[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-92 |
| | A-A-53672 | ELEVATOR, MUSCLE (CHANDLER)[CUST: MD MS 03] | A | 6515 | / | MB | 06-SEP-88 |
| | A-A-54270/8 | ELEVATOR, PERIOSTEAL[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-92 |
| | A-A-53547A | ELEVATOR, PERIOSTEAL (KEY)[CUST: MD MS 03] | A | 6515 | / | MB | 16-SEP-91 |
| | A-A-53473 | ELEVATOR, PERIOSTEAL (MATSON)[CUST: MD MS 03] | A | 6515 | / | MB | 26-APR-88 |
| | A-A-54270/6 | ELEVATOR, ROOT[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-92 |
| | A-A-54270/5 | ELEVATOR, ROOT[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-92 |
| | A-A-54270/1 | ELEVATOR, ROOT[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-92 |
| | A-A-54270/3 | ELEVATOR, ROOT[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-92 |
| | A-A-54270/7 | ELEVATOR, ROOT[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-92 |
| | A-A-54270/4 | ELEVATOR, ROOT[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-92 |
| | A-A-54270/2 | ELEVATOR, ROOT[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-92 |
| | A-A-53629 | ELEVATOR, SEPTUM (COTTLE, DOUBLE-ENDED, GRADUATED)[CUST: MD MS 03] | A | 6515 | / | MB | 11-AUG-88 |
| | MIL-E-17807C NOT 2 | ELEVATOR, WEAPON AND CARGO, ELECTROMECHANICAL (SHIPBOARD)[CUST: SH] | A | 20GP | | SH | 05-DEC-00 |
| | A-A-53458 | ELEVATOR-RETRACTOR, PERIOSTEAL (CREGO)[CUST: MD MS 03] | A | 6515 | / | MB | 20-APR-88 |
| | ASME-A17.1 | ELEVATORS AND ESCALATORS, SAFETY CODE FOR[CUST: CR4 YD 99] | A | 3960 | | CC | 31-DEC-93 |
| | A-A-54270 | ELEVATORS, DENTAL, SURGICAL, GENERAL REQUIREMENTS FOR[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-92 |
| | A-A-53536 | EMBEDDING COMPOUND, LABORATORY (PARAFFIN AND PLASTIC POLYMERS)[CUST: MD MS 03] | A | 6640 | / | MB | 24-JUN-88 |
| | MIL-E-17568C | EMBROIDERY MATERIALS, METALLIC AND SYNTHETIC METALLIC[CUST: NU CT] [REVIEW: 11 CG] | A | 8315 | | CT | 24-JAN-80 |
| | STANAG-2047 ED.7(1) | EMERGENCY ALARMS OF HAZARD OR ATTACK (NBC AND AIR ATTACK ONLY) | C | ISDA | | AI | 24-JUL-98 |
| | A-A-59763 | EMERGENCY ESCAPE BREATHING DEVICE (EEBD)[CUST: EA SH 03] [REVIEW: 11 84 99 AS] | A | 4240 | / | SH | 03-FEB-05 |
| | AIR-STD-61/113/9A | EMERGENCY ESCAPE/EVACUATION ILLUMINATION | C | ISDF | | 06 | 16-NOV-87 |
| | STANAG-3870 ED.2(1) | EMERGENCY ESCAPE/EVACUATION LIGHTING | C | ISDF | | 06 | 07-JAN-99 |
| | UL924 | EMERGENCY LIGHTING AND POWER EQUIPMENT FOR[CUST: CR4 YD 99] [REVIEW: GS SH] | A | 6210 | | YD | 29-NOV-90 |
| | STANAG-3230 ED.6(2) | EMERGENCY MARKINGS ON AIRCRAFT | C | ISDF | | 06 | 27-MAR-98 |
| | STANAG-1103 ED.3 | EMERGENCY PUBLICATION OF NAUTICAL AND SPECIAL NAVAL CHARTS | C | ISDF | | 06 | 27-FEB-91 |
| | STANAG-1382 ED.2 | EMERGENCY SONAR BEACONS TO AID THE DETECTION AND LOCALIZATION OF DISTRESSED SUBMARINES AND THE HOMING ONTO THEM OF SUBMERGED RESCUE CRAFT | D | ISDN | | NI | 23-FEB-01 |
| | STANAG-2885 ED.3(3) | EMERGENCY SUPPLY OF WATER IN WAR | C | ISDA | | AI | 13-MAY-96 |
| | QSTAG-659 ED.2 | EMERGENCY TOWING AND RECOVERY FACILITIES FOR TACTICAL LAND VEHICLES[CUST: AI] | C | ISDA | | AI | PENDING |
| | STANAG-4019 ED.2 | EMERGENCY TOWING FACILITIES | C | ISDN | | NI | PENDING |
| | ADV-PUB-61/102/23 | EMERGENCY UNDERWATER BREATHING DEVICE (EUBD) | C | ISDF | | 06 | 27-FEB-02 |
| | STANAG-2070 ED.4 | EMERGENCY WAR BURIAL PROCEDURES | C | ISDA | | AI | 06-APR-99 |
| | STANAG-2068 ED.4(3) | EMERGENCY WAR SURGERY | C | ISDA | | AI | 28-OCT-86 |
| | QSTAG-322 ED.1(1) | EMERGENCY WAR SURGERY (WITH AMENDMENT 1)[CUST: AI] | C | ISDA | | AI | 19-NOV-73 |
| | QSTAG-183 ED.3 | EMERGENCY WARNING SIGNALS AND ALARMS FOR NBC HAZARDS OR ATTACKS (NBC AND AIR ATTACKS ONLY)[CUST: AI] | C | ISDA | | AI | 12-AUG-91 |
| | QSTAG-1102 ED.1 | EMISSION CONTROL[CUST: AI] | C | ISDA | | AI | 11-MAR-97 |
| | A-A-50888A | EMOLLIENT LOTION[CUST: MD MS 03] | A | 6508 | / | MB | 29-JUN-90 |
| | AEP-20 | EMP DESIGN AND TEST GUIDELINES FOR SYSTEMS IN MOBILE SHELTERS | C | ISDA | | AI | 28-FEB-94 |
| | AIR-STD-45/28 | EMPLANING AND DEPLANING AT THE HIGH HOVER | C | ISDF | | 06 | 18-JUL-91 |
| | ASTM-D1227 | EMULSIFIED ASPHALT USED AS A PROTECTIVE COATING FOR ROOFING, STANDARD SPECIFICATION FOR[CUST: CR4 YD 99] [REVIEW: CE] | A | 5650 | | IS | 24-APR-87 |
| | ASTM-D5727 | EMULSIFIED REFINED COAL TAR (MINERAL COLLOID TYPE)[CUST: YD IS] | A | 5610 | | IS | 16-JUN-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-E-63218(2) NOT 1 | EMULSION, POLYETHYLENE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 16-FEB-95 |
| | A-A-2787 NOT 1 | ENAMEL, (AEROSOL, LOW VOC) | A | 8010 | # | FSS | 16-OCT-04 |
| | TT-E-506K(1) | ENAMEL, ALKYD, GLOSS, TINTS AND WHITE (FOR INTERIOR USE) | A | 8010 | # | FSS | 18-MAY-84 |
| | MIL-DTL-700B | ENAMEL, DECK, INTERIOR, GRAY (FORMULA NO. 20L) (METRIC)[CUST: AV SH] | A | 8010 | | SH | 30-JUN-98 |
| A | MIL-E-22118B | ENAMEL, ELECTRICAL-INSULATING[CUST: SH] [REVIEW: DS MI OS] | A | 8010 | | SH | 09-JUL-74 |
| | MIL-E-24763A | ENAMEL, EMULSION TYPE, FOR SHIPBOARD USE[CUST: SH] | A | 8010 | | SH | 25-AUG-93 |
| | QPL-24763-3 | ENAMEL, EMULSION TYPE, FOR SHIPBOARD USE | A | 8010 | | SH | 01-SEP-04 |
| | MIL-DTL-15090D | ENAMEL, EQUIPMENT, LIGHT GRAY, (NAVY FORMULA NO. 111)[CUST: CR4 SH 99] [REVIEW: DS] | A | 8010 | | SH | 06-NOV-96 |
| | MIL-E-1115D | ENAMEL, INTERIOR AND EXTERIOR, ALKYD, WHITE (FORMULA NO. 30)[CUST: SH 99] [REVIEW: MC SA] | A | 8010 | | SH | 01-JUN-95 |
| | DOD-E-24607A | ENAMEL, INTERIOR, NONFLAMING (DRY), CHLORINATED ALKYD RESIN, SEMIGLOSS (METRIC)[CUST: CR4 SH 99] [REVIEW: CG MC MR OS YD] | A | 8010 | | SH | 31-JUL-87 |
| A | QPL-11195-30 | ENAMEL, LUSTERLESS, FAST DRY, VOC COMPLIANT (FOR USE ON AMMUNITION AND OTHER METALS) | A | 8010 | | MR | 08-FEB-06 |
| D | MIL-DTL-11195G | ENAMEL, LUSTERLESS, FAST DRY, VOC COMPLIANT, (FOR USE ON AMMUNITION AND OTHER METALS)[CUST: MR SH 99] [REVIEW: 84 AR EA MD1] | A | 8010 | | MR | 31-JUL-03 |
| | QPL-52891-15 | ENAMEL, LUSTRELESS, ZINC PHOSPHATE, STYRENATED, ALKYD TYPE | A | 8010 | | MR | 25-SEP-95 |
| | A-A-50574 | ENAMEL, ODORLESS, ALKYD, INTERIOR, SEMIGLOSS, WHITE AND TINTS[CUST: CR4 YD 99] [REVIEW: 84 CE MC MD MR] | A | 8010 | / | IS | 28-FEB-97 |
| | MIL-E-16663A(1) NOT 2 | ENAMEL, SEMI-GLOSS (FOR METAL SURFACES OF AMMUNITION AND AMMUNITION CONTAINERS)[CUST: OS] | A | 8010 | | OS | 16-DEC-02 |
| | QPL-24635-17 | ENAMEL, SILICONE ALKYD COPOLYMER | A | 8010 | | SH | 11-JAN-05 |
| | MIL-PRF-24635C | ENAMEL, SILICONE ALKYD COPOLYMER[CUST: MI SH 99] [REVIEW: 84 AS CG MR] | A | 8010 | | SH | 06-JUN-03 |
| | ASTM-C347 | ENAMEL, WHITE PORCELAIN, REFLECTIVITY AND COEFFICIENT OF, SCATTER OF[CUST: AV YD 99] [REVIEW: 84] | A | MFFP | | AV | 30-SEP-57 |
| | ASME-A112.19.1M | ENAMELED CAST IRON PLUMBING FIXTURES, AMERICAN NATIONAL STANDARD FOR[CUST: CR4 YD 99] [REVIEW: 84 CC CE] | A | 4510 | | IS | 13-JAN-89 |
| | AWWA-C105 | ENCASEMENT, POLYETHYLENE, FOR DUCTILE-IRON PIPING FOR WATER AND OTHER LIQUIDS - 01 SEP 88[CUST: AR YD 99] [REVIEW: 84 GS MD SH] | A | 9330 | | YD | 07-JUL-89 |
| | NEMA-KS1 | ENCLOSED AND MISCELLANEOUS DISTRIBUTION EQUIPMENT SWITCHES (600 VOLTS MAXIMUM)[CUST: CR4 YD 11] [REVIEW: CE MC] | A | 5930 | | CC | 02-DEC-91 |
| | MIL-E-2036D NOT 2 | ENCLOSURE FOR ELECTRIC AND ELECTRONIC EQUIPMENT, NAVAL SHIPBOARD[CUST: SH CC] [REVIEW: CR4] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-E-24142/10B NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES SUBMERSIBLE (15-FOOT), SIZE 2-1/8 BY 4-1/2[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142B(1) SUP 1 NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: 99 GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/9B NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE (15-FOOT), SIZE 2-1/8 BY 3[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/2C NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE (15-FOOT), SIZE 3 BY 5[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/5C(1) NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, (15-FOOT), SIZES 3R, 4R AND 5R[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/1C NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, SIZE 4 BY 4 (15-FOOT)[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/3C NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, SIZE 6 BY 9 (15-FOOT)[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | DI-MISC-81061 | ENCLOSURE SYSTEM IMPLEMENTATION PLAN [AMSC: N5024] | A | MISC | | SH | 12-OCT-90 |
| | MIL-E-24142/17A NOT 1 | ENCLOSURE WITH FUSE COVER, SIZES 10 BY 14 THROUGH 12 BY 20, TOTALLY ENCLOSED, NONWATERTIGHT[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/14A NOT 1 | ENCLOSURE, SINGLE COVER, SIZES 10 BY 10 THROUGH 12 BY 12, TOTALLY ENCLOSED, NONWATERTIGHT[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/16A NOT 1 | ENCLOSURE, SINGLE COVER, SIZES 10 BY 14 THROUGH 12 BY 20, TOTALLY ENCLOSED, NONWATERTIGHT[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-PRF-85726B | ENCLOSURE, STANDARD AVIONICS, FORCED AIR-COOLED, SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 15-JUL-98 |
| | MIL-E-24142/4C NOT 1 | ENCLOSURE, SUBMERSIBLE (15-FOOT) SIZE 4 BY 7[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/6G NOT 1 | ENCLOSURE, SUBMERSIBLE (15-FOOT), SIZES 8 BY 10 AND THROUGH 14 BY 26[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/8C NOT 1 | ENCLOSURE, TOTALLY ENCLOSED, SIZE 2-1/4 BY 2-7/8 (OCTAGON), NONWATERTIGHT[CUST: SH] [REVIEW: GS MI] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/19A NOT 1 | ENCLOSURE, WITH FUSE COVER, SIZE 10 BY 20 THROUGH 12 BY 22, TOTALLY ENCLOSED, NONWATERTIGHT[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/15A NOT 1 | ENCLOSURE, WITH FUSE COVER, SIZES 10 BY 10 THROUGH 12 BY 12, TOTALLY ENCLOSED, NONWATERTIGHT[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | UL50 | ENCLOSURES FOR ELECTRICAL EQUIPMENT[CUST: CR4 YD 99] [REVIEW: 11 CR GS] | A | 5975 | | YD | 19-OCT-95 |
| | MIL-E-24762 | ENCLOSURES FOR ELECTRONIC EQUIPMENT, SURVIVABLE, NAVAL SHIPBOARD USE[CUST: SH] | A | 59GP | | SH | 28-MAY-91 |
| | NEMA-ICS6 | ENCLOSURES FOR INDUSTRIAL CONTROLS AND SYSTEMS[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 30-MAY-90 |
| | ASTM-F330 | ENCLOSURES, AEROSPACE TRANSPARENT, BIRD IMPACT TESTING OF[CUST: MR GS] [REVIEW: AV SH] | A | 9330 | | IS | 24-FEB-89 |
| | ASTM-F320 | ENCLOSURES, AEROSPACE TRANSPARENT, HAIL IMPACT RESISTANCE OF[CUST: MR GS] [REVIEW: 11 MI] | A | 9330 | | IS | 24-FEB-89 |
| | IEEE299 | ENCLOSURES, ELECTROMAGNETIC SHIELDING, MEASURING THE EFFECTIVENESS OF[CUST: CR] | A | EMCS | | CR | 11-MAR-91 |
| | NEMA250 | ENCLOSURES, EQUIPMENT, ELECTRICAL (1000 VOLTS MAXIMUM), STANDARDFOR[CUST: CR4 YD 99] [REVIEW: 71 CC CE GS SH] | A | 6110 | | YD | 23-OCT-87 |
| | MIL-E-24142/18A NOT 1 | ENCLOSURES, SINGLE COVER, SIZES 10 BY 20 THROUGH 18 BY 22, TOTALLY ENCLOSED, NONWATERTIGHT[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/7E NOT 1 | ENCLOSURES, SUBMERSIBLE (15-FOOT), SIZE 20 BY 24[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/20A NOT 1 | ENCLOSURES, WITH FUSE COVER, SIZE 10 BY 20, THROUGH 12 BY 22, TOTALLY ENCLOSED, NONWATERTIGHT[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-24142/11 NOT 1 | ENCLOSURES-PLASTIC, SUBMERSIBLE, (15-FOOT) 3 AND 4 - INCHES ROUND, GROUNDE D[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-E-85082/4 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ABSOLUTE TYPE 11KCL13R08A [CUST: AR AS 11] [REVIEW: CC] | A | 5990 | | AS | 16-NOV-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-E-85082/5 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ABSOLUTE TYPE 11KPL13R08A [CUST: AR AS 11] [REVIEW: CC] | A | 5990 | | AS | 16-NOV-92 |
| | MIL-E-85082/2 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ALTITUDE REPORTING TYPE 11KUK1267R80A[CUST: AR AS 11] [REVIEW: CC] | A | 5990 | | AS | 16-NOV-92 |
| | MIL-E-85082/1 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ALTITUDE REPORTING TYPE 11KUL1267R80A[CUST: AR AS 11] [REVIEW: CC] | A | 5990 | | AS | 16-NOV-92 |
| | MIL-E-85082/6 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT, ABSOLUTE TYPE 11KCJ10S05A[CUST: AR AS 11] [REVIEW: CC] | A | 5990 | | AS | 16-NOV-92 |
| | MIL-E-85082/3 | ENCODER, SHAFT POSITION TO DIGITAL OPTICAL INCREMENTAL TYPE 11SKL05S05A[CUST: AR AS 11] [REVIEW: CC] | A | 5990 | | AS | 16-NOV-92 |
| | MIL-E-85082/7 | ENCODER, SHAFT POSITION TO DIGITAL OPTICAL INCREMENTAL, HOLLOW SHAFT TYPE 40SWM2880R1/8A[CUST: AR AS 11] [REVIEW: CC] | A | 5990 | | AS | 16-NOV-92 |
| | MIL-HDBK-231A | ENCODERS SHAFT ANGLE TO DIGITAL[CUST: AR AS 11] | A | 5990 | | AS | 30-SEP-91 |
| | MIL-E-85082A | ENCODERS, SHAFT ANGLE TO DIGITAL, GENERAL SPECIFICATION FOR[CUST: AR AS 11] [REVIEW: CC] | A | 5990 | | AS | 16-NOV-92 |
| | SAE-AS1719 | END FITTING, HALF-COUPLING, FLEXIBLE VARIABLE CAVITY THREADED, FERRULE TYPE DESIGN STANDARD[CUST: AV 99] [REVIEW: CC] | A | 4730 | | 71 | 15-JUL-92 |
| | DI-ALSS-81220A | END ITEM (EI) PRODUCTION AND COMPONENT ITEM (C/I) CONSUMPTION REPAIR [AMSC: F7220] | A | SESS | | 10 | 24-JAN-97 |
| | DI-QCIC-81068 | END ITEM FINAL INSPECTION RECORD (FIR) [AMSC: A5038] | A | QCIC | | AR | 27-NOV-90 |
| | ISO2858 | END SUCTION CENTRIFUGAL PUMPS (RATING 16 BAR) DESIGNATION NOMINAL DUTY POINT AND DIMENSIONS[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | ASME-B16.25 | END, BUTTWELDING[CUST: CR4 YD] [REVIEW: SH] | A | 4730 | | CC | 30-MAY-89 |
| | SAE-AS1895/15 | END, FLANGE, FEMALE, TYPE II (LOW PROFILE) DESIGN STANDARD[CUST: AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | MAY-96 |
| | A-A-51090 | ENDOSCOPIC INSTRUMENT, FIBER OPTIC, FLEXIBLE[CUST: MD MS 03] | A | 6515 | / | MB | 25-OCT-85 |
| | DI-MISC-80852 | ENDURANCE FUEL CALCULATIONS (NON-NUCLEAR SHIPS) [AMSC: N4748] | A | MISC | | SH | 14-JUN-89 |
| | A-A-30055C | ENEMA ADMINISTRATION SETS[CUST: MD MS 03] | A | 6530 | * | MB | 24-JUL-91 |
| | DI-MISC-80215 | ENERGY INFORMATION REPORT [AMSC: F3920] | A | MISC | | 33 | 05-AUG-86 |
| | UL916 | ENERGY MANAGEMENT EQUIPMENT[CUST: YD 01] | A | MISC | | YD | 25-APR-94 |
| | NEMA-MG10 | ENERGY MANAGEMENT GUIDE FOR SELECTION AND USE OF POLYPHASE MOTORS[CUST: CR4 YD 99] [REVIEW: GS] | A | 6105 | | YD | 03-OCT-94 |
| | DI-ATTS-80366A | ENERGY MONITORING AND CONTROL SYSTEMS (EMCS) ENDURANCE TEST FAILURE REPORTS [AMSC: N6996] | A | ATTS | | YD | 10-FEB-94 |
| | DI-ATTS-80360A | ENERGY MONITORING AND CONTROL SYSTEMS (EMCS) FACTORY TEST PLAN [AMSC: N6989] | A | ATTS | | YD | 10-FEB-94 |
| | DI-ATTS-80361A | ENERGY MONITORING AND CONTROL SYSTEMS (EMCS) FACTORY TEST PROCEDURES [AMSC: N6990] | A | ATTS | | YD | 10-FEB-94 |
| | DI-ATTS-80362A | ENERGY MONITORING AND CONTROL SYSTEMS (EMCS) FACTORY TEST REPORTS [AMSC: N6991] | A | ATTS | | YD | 10-FEB-94 |
| | DI-ATTS-80364A | ENERGY MONITORING AND CONTROL SYSTEMS (EMCS) PERFORAMANCE VERFICATION AND ENDURANCE TEST PROCEDURES [AMSC: N6994] | A | ATTS | | YD | 10-FEB-94 |
| | DI-ATTS-80365A | ENERGY MONITORING AND CONTROL SYSTEMS (EMCS) PERFORMANCE VERIFICATION AND ENDURANCE TEST REPORTS [AMSC: N6955] | A | ATTS | | YD | 10-FEB-94 |
| | DI-ATTS-80363A | ENERGY MONITORING AND CONTROL SYSTEMS (EMCS) PERFORMANCE VERIFICATION AND ENDURANCE TEST PLAN [AMSC: N6993] | A | ATTS | | YD | 10-FEB-94 |
| | MIL-STD-2202A | ENERGY MONITORING AND CONTROL SYSTEMS, FACTORY TESTS[Military Standard][CUST: CE YD 04] | A | ATTS | | YD | 10-JUN-94 |
| | MIL-STD-2203A | ENERGY MONITORING AND CONTROL SYSTEMS, PERFORMANCE VERIFICATION AND ENDURANCE TESTS[Military Standard][CUST: CE YD 04] | A | ATTS | | YD | 10-JUN-94 |
| | NEMA-WC74 | ENERGY, ELECTRICAL, 5-46 KV SHIELDED POWER CABLE FOR USE IN THE TRANSMISSION AND DISTRIBUTION OF[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | NEMA-WC71 | ENERGY, ELECTRICAL, NON-SHIELDED CABLES RATED 2001-5000 VOLTS FOR USE IN THE DISTRIBUTION OF[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | A-A-52155B | ENGINE ACCESSORY DRIVE V-BELTS[CUST: AT SH 99] [REVIEW: 71 IS MC] | A | 3030 | / | AT | 20-SEP-02 |
| | MIL-E-8970 | ENGINE AND RELATED PROPULSION AND POWER EQUIPMENT, AIRCRAFT, ACCEPTANCE TESTS OF, SAMPLING PLAN FOR, STATISTICAL[CUST: AS 11] | A | MISC | | AS | 09-OCT-67 |
| | SAE-J614 | ENGINE AND TRANSMISSION DIPSTICK MARKING[CUST: CR4 99] [REVIEW: 84] | A | 29GP | | CR4 | AUG-77 |
| | ASTM-D4985 | ENGINE COOLANT, LOW SILICATE ETHYLENE GLYCOL BASE, FOR HEAVY DUTY ENGINES REQUIRING A PRE-CHARGE OF SUPPLEMENTAL COOLANT ADDITIVE (SCA)[CUST: AT SH 68] [REVIEW: GS] | A | 6850 | | AT | 03-OCT-94 |
| | ASTM-D1122 | ENGINE COOLANTS CONCENTRATES AND ENGINE COOLANTS BY THE HYDROMETER, DENSITY OR RELATIVE DENSITY OF[CUST: CR4 SH 68] [REVIEW: GS] | A | 6850 | | CR4 | 10-JUL-91 |
| | ASTM-D1881 | ENGINE COOLANTS IN GLASSWARE, FOAMING TENDENCIES OF[CUST: CR4 SH 68] [REVIEW: GS] | A | 6850 | | CR4 | 10-MAY-97 |
| | ASTM-D1176 | ENGINE COOLANTS OR ANTIRUSTS, FOR TESTING PURPOSES, SOLUTIONS OF , SAMPLING AND PREPARING AQUEOUS[CUST: CR4 SH 68] [REVIEW: GS] | A | 6850 | | CR4 | 10-APR-98 |
| | ASTM-D6107 | ENGINE COOLANTS USED IN LIGHT DUTY SERVICE, STOP-LEAK ADDITIVE FOR[CUST: AT 68] [REVIEW: AR EA GS SM] | A | 6850 | | AT | 10-APR-97 |
| | ASTM-D1177 | ENGINE COOLANTS, AQUEOUS, FREEZING POINT OF[CUST: CR4 SH 68] [REVIEW: GS] | A | 6850 | | CR4 | 15-JUL-94 |
| | ASTM-D1120 | ENGINE COOLANTS, BOILING POINT OF[CUST: CR4 SH 68] [REVIEW: GS] | A | 6850 | | CR4 | 15-JUL-94 |
| | ASTM-D3147 | ENGINE COOLANTS, STOP-LEAK ADDITIVES FOR[CUST: CR4] [REVIEW: AT GS MC SH SM] | A | 6850 | | CR4 | 15-DEC-94 |
| | ASTM-D3634 | ENGINE COOLANTS, TRACE CHLORIDE ION IN[CUST: CR4 SH 68] [REVIEW: GS] | A | 6850 | | CR4 | 10-MAY-99 |
| | ASTM-D2700 | ENGINE FUEL, MOTOR OCTANE NUMBER OF SPARK-IGNITION[CUST: PS] | A | 91GP | | PS | 26-OCT-84 |
| | ASTM-D2699 | ENGINE FUEL, RESEARCH OCTANE NUMBER OF SPARK-IGNITION[CUST: PS] | A | 91GP | | PS | 26-OCT-84 |
| | ASTM-D4863 | ENGINE LUBRICANTS, GASOLINE, LUBRICITY OF TWO-STROKE-CYCLE, DETERMINATION OF[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 31-OCT-88 |
| | SAE-J183 | ENGINE OIL PERFORMANCE AND ENGINE SERVICE CLASSIFICATION (OTHER THAN "ENERGY CONSERVING")[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 03-OCT-94 |
| | SAE-J300 | ENGINE OIL VISCOSITY CLASSIFICATION[CUST: AT YD 99] [REVIEW: GS] | A | 9150 | | AT | 03-OCT-94 |
| | ASTM-D4684 | ENGINE OILS AT LOW TEMPERATURE, DETERMINATION OF YIELD STRESS AND APPARENT VISCOSITY OF[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 11-JUN-91 |
| | ASTM-D5119 | ENGINE OILS, AUTOMOTIVE, IN THE CRC L-38 SPARK-IGNITION ENGINE, EVALUATION OF[CUST: CR4 AS 68] [REVIEW: GS] | A | 9150 | | CR4 | 10-JUN-99 |
| | ASTM-D1287 | ENGINE PH OF COOLANTS AND ANTIRUSTS[CUST: CR4] [REVIEW: GS] | A | 6850 | | CR4 | 15-JUN-91 |
| | SAE-J1995 | ENGINE POWER TEST CODE[CUST: YD] | A | FACR | | YD | 22-JUL-04 |
| | SAE-J1349 | ENGINE POWER TEST CODE - SPARK IGNITION AND COMPRESSION IGNITION - NET POWER RATING[CUST: AT 99] | A | 2990 | | AT | MAY-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-J1174 | ENGINE POWERED EQUIPMENT, SMALL, OPERATOR EAR SOUND LEVEL MEASUREMENT PROCEDURE FOR[CUST: MI AS 99] | A | HFAC | | 84 | OCT-77 |
| | STANAG-7110 ED.1(1) | ENGINE RUNNING ONLOADS/OFFLOADS (EROS) | C | ISDF | | 06 | 28-JUN-02 |
| | SAE-J1074 | ENGINE SOUND LEVEL MEASUREMENT PROCEDURE[CUST: MI AS 11] [REVIEW: 19 AR AT MD TE TM] | A | HFAC | | MI | JUL-74 |
| | MIL-HDBK-1783B(2) | ENGINE STRUCTURAL INTEGRITY PROGRAM (ENSIP)[CUST: AV AS 11] | A | 15GP | | 11 | 22-SEP-04 |
| | SAE-J607 | ENGINE TEST CODE, SMALL SPARK IGNITION[CUST: AT YD 99] | A | 2805 | | AT | OCT-94 |
| | MIL-DTL-62483A | ENGINE, DIESEL, 6 CYLINDER, IN-LINE, LIQUID COOLED, 210 HP[CUST: AT] | A | 2815 | | AT | 25-SEP-98 |
| | MIL-PRF-62541A NOT 1 | ENGINE, DIESEL, 6 CYLINDER, V-TYPE, 275 H.P., TURBOCHARGER[CUST: AT] [REVIEW: CC] | A | 2815 | | AT | 20-APR-04 |
| | MIL-DTL-62462D | ENGINE, DIESEL, LIQUID-COOLED, 8 CYLINDER; 4 CYCLE, V-TYPE, 220 KW (295 HP)[CUST: AT] | A | 2815 | | AT | 30-SEP-98 |
| | MIL-E-24455 | ENGINE, DIESEL, PROPULSION AND AUXILIARY, HIGH SPEED, NAVAL SHIPBOARD[CUST: SH] [REVIEW: CC] | A | 2815 | | SH | 24-SEP-71 |
| | MIL-DTL-62177E | ENGINE, DIESEL; 12-CYLINDER, 90 DEG. V-TYPE, 750 H.P. AVDS1790-2, AVDS1790-2A, AVDS1790-2C, AVDS1790-2D, AVDS1790-2DR, AVDS1790-2CA, AND AVDS1790-2DA[CUST: AT] [REVIEW: CC] | A | 2815 | | AT | 17-SEP-98 |
| | MIL-DTL-46796C | ENGINE, DIESEL: 8-CYLINDER, V-TYPE 390 H.P.[CUST: AT] [REVIEW: CC] | A | 2815 | | AT | 30-SEP-98 |
| | MIL-PRF-62140B(1) | ENGINE, DIESEL: LIQUID-COOLED, V-TYPE, 6-CYLINDER, 210 H.P.[CUST: AT CC] | A | 2815 | | AT | 10-JUN-97 |
| | SAE-ARP1210 | ENGINE, GAS TURBINE, INTERFACE TEST DATA REDUCTION COMPUTER PROGRAMS[CUST: AV AS 11] [REVIEW: 99 GS] | A | 2840 | | 11 | 20-NOV-90 |
| | MIL-E-17341C | ENGINE, GAS TURBINE, PROPULSION AND AUXILIARY NAVAL SHIPBOARD[CUST: SH] [REVIEW: GS] | A | 2835 | | SH | 09-APR-70 |
| | SAE-ARP1211 | ENGINE, GAS TURBINE, STATUS PERFORMANCE PRESENTATION FOR DIGITAL COMPUTER PROGRAMS[CUST: AV AS 11] [REVIEW: 99 GS] | A | 2840 | | 11 | 09-AUG-77 |
| | SAE-J335 | ENGINE, MULTIPOSITION SMALL, EXHAUST SYSTEM FIRE IGNITION SUPPRESSION[CUST: CR4 YD 99] | A | 4210 | | CR4 | JUN-95 |
| | ASTM-STP509 | ENGINE, SINGLE CYLINDER, TEST FOR EVALUATING THE PERFORMANCE OF CRANKCASE LUBRICANTS[CUST: CR4 AS 99] | A | 28GP | | CR4 | MAR 79 |
| | SAE-AS8581 | ENGINE; ROCKET, SOLID PROPELLANT 5 SECOND DURATION, 4500 POUNDS THRUST[CUST: AS] [REVIEW: GS] | A | 2845 | | AS | MAR-00 |
| | DI-MGMT-80688 | ENGINEER DESIGN TEST PLAN [AMSC: A4547] | A | MGMT | | AM | 06-OCT-88 |
| | QAP-29 ED.1 | ENGINEER LOGISTIC OPERATIONS | C | ISDA | | AI | 20-SEP-85 |
| | EIA632 | ENGINEERING A SYSTEM, PROCESSES FOR[CUST: AM AS 10 SE] | A | SESS | | SE | 09-AUG-02 |
| | ASTM-E1925 | ENGINEERING AND DESIGN CRITERIA FOR RIGID WALL RELOCATABLE STRUCTURES[CUST: GL MC 99] [REVIEW: 84 CC] | A | 5411 | | GL | 10-DEC-97 |
| | DI-MGMT-80061A | ENGINEERING AND TECHNICAL SERVICES ACCOMPLISHMENT REPORT [AMSC: A6091] | A | MGMT | | AM | 28-MAR-91 |
| | DI-CMAN-80400 | ENGINEERING CHANGE PROPOSAL [AMSC: A4166] | A | SESS | | AR | 04-AUG-87 |
| | DI-CMAN-80639C | ENGINEERING CHANGE PROPOSAL (ECP) [AMSC: D7388] | A | SESS | | SE | 30-SEP-00 |
| | DI-SAFT-80103B | ENGINEERING CHANGE PROPOSAL SYSTEM SAFETY REPORT (ECPSSR) [AMSC: F7140] | A | SAFT | | 10 | 31-JUL-95 |
| | ASTM-B177 | ENGINEERING CHROMIUM ELECTROPLATING[CUST: MR YD 11] | A | MFFP | | 11 | 03-OCT-94 |
| | DI-NDTI-81323 | ENGINEERING DATA ON EQUIPMENT SUBMITTED FOR TESTING [AMSC: N6900] | A | NDTI | | AS | 23-FEB-93 |
| | DI-DRPR-80341 | ENGINEERING DOCUMENT ACCOUNTABILITY LIST (EDAL) [AMSC: A4097] | A | DRPR | | AM | 15-APR-87 |
| | STANAG-4457 ED.1 | ENGINEERING DOCUMENTATION IN MULTINATIONAL JOINT PROJECTS (AEDP-1) | C | ISDA | | AI | 13-MAR-98 |
| | DI-EDRS-80410 | ENGINEERING DOCUMENTATION INFORMATION [AMSC: G4179] | A | EDRS | | NS | 11-AUG-87 |
| | ASME-Y14.100 | ENGINEERING DRAWING AND RELATED DOCUMENTATION PRACTICES[CUST: AR SA 16 DH] [REVIEW: 13 99 AS AT CH CR EC MC MI NS TD] | A | DRPR | | AR | 1998 |
| | DI-DRPR-80651 | ENGINEERING DRAWINGS [AMSC: N4494] | A | DRPR | | SH | 18-JUL-88 |
| | DI-NUOR-81411 | ENGINEERING EVALUATION REPORT [AMSC: F7048] | A | NUOR | | 22 | 29-JUL-94 |
| | MIL-HDBK-702 NOT 2 | ENGINEERING PRACTICES PRODUCTIVITY ENHANCEMENT OF INDUSTRIAL PLANT EQUIPMENT AND PRODUCTION SUPPORT SYSTEMS[CUST: AR SH 99 GS6] [REVIEW: 84 AS AV SM YD] | A | 34GP | | GS6 | 21-JAN-05 |
| | DI-CMAN-80463C | ENGINEERING RELEASE RECORD (ERR) [AMSC: D7397] | A | SESS | | SE | 30-SEP-00 |
| | DI-MISC-80748 | ENGINEERING SERVICES MEMORANDUM (ESM) [AMSC: A4619] | A | MISC | | AM | 23-JAN-89 |
| | DI-ATTS-80285B | ENGINEERING SUPPORT DATA (ESD) [AMSC: N7239] | A | ATTS | | SA | 11-FEB-97 |
| | SAE-AS25109 | ENGINES, AIRCRAFT, RECIPROCATING, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 2810 | | AS | SEP-99 |
| | JSSG-2007A | ENGINES, AIRCRAFT, TURBINE[CUST: AV AS 11] | A | 15GP | | 11 | 29-JAN-04 |
| | MIL-E-23457B(1) | ENGINES, DIESEL MARINE, PROPULSION AND AUXILIARY, MEDIUM SPEED[CUST: SH] [REVIEW: CC] | A | 2815 | | SH | 16-OCT-90 |
| | MIL-STD-1400C | ENGINES, GASOLINE AND DIESEL, METHODS OF TEST[Test Method Standard][CUST: CR4 99] [REVIEW: 70 AR MC YD] | A | 2805 | | CR4 | 30-JUL-90 |
| | ASTM-D4857 | ENGINES, GASOLINE, OTHER THAN OUTBOARDS, ABILITY OF LUBRICANTS TO MINIMIZE RING STICKING AND PISTON DEPOSITS IN TWO-STROKE-CYCLE, DETERMINATION OF THE,[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 31-OCT-88 |
| | ASTM-D4858 | ENGINES, GASOLINE, TWO-STROKE-CYCLE, TENDENCY OF LUBRICANTS TO PRO MOTE PREIGNITION IN,[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 06-JUL-90 |
| | SAE-J350 | ENGINES, MEDIUM SIZE, SPARK ARRESTER TEST PROCEDURE FOR[CUST: AT YD 99] | A | 2990 | | AT | 01-SEP-91 |
| | AFGS-87271 | ENGINES, UNMANNED AIR VEHICLE, AIRBREATHING GAS TURBINE, EXPENDABLE[CUST: AV AS 11] [REVIEW: GS] | D | 2840 | | 11 | 18-JUN-93 |
| | ASTM-D4859 | ENGINES-TC, GASOLINE, TWO-STROKE-CYCLE SPARK-IGNITION, LUBRICANTS FOR[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 31-OCT-88 |
| | DI-MISC-80751 | ENGLISH LANGUAGE TEST DESIGN DOCUMENT (ELTD) [AMSC: A4622] | A | MISC | | AM | 23-JAN-89 |
| | ANSI-PH3.31 | ENLARGERS, PHOTOGRAPHIC, METHODS FOR TESTING[CUST: CR AS 99] | A | 6740 | | AS | 25-AUG-87 |
| | MIL-HDBK-1036/4 | ENLISTED DINING FACILITIES[CUST: YD] | A | FACR | | YD | 15-AUG-90 |
| | A-A-59764 | ENSEMBLE, STEAM SUIT, SUBMARINE[CUST: SH 03] [REVIEW: 11 84 99 AS IS] | A | 4220 | / | SH | 01-FEB-05 |
| | ASTM-D3417 | ENTHALPIES OF FUSION AND CRYSTALLIZATION OF POLYMERS BY DIFFERENTIAL SCANNING CALORIMETRY (DSC)[CUST: MR 11] [REVIEW: 19 AV CR4 GL MC MD] | A | 9330 | | IS | 10-APR-99 |
| | MIL-PRF-49150D | ENTRANCE HOUSING ASSEMBLY VIEWER, DRIVER'S, NIGHT VISION, AN/VVS-2(V)[CUST: CR] | A | 5855 | | CR | 04-MAR-99 |
| | MS29520H | ENVELOPE DIMENSIONS NOZZLE, PRESSURE FUEL SERVICING LOCKING AIRCRAFT, TYPE D-1, D-1R, D-2 AND D-2R[CUST: CR4 AS 11] | A | 4930 | | AS | 09-SEP-92 |
| | A-A-54106 | ENVELOPE, DRUG DISPENSING (POLYETHYLENE)[CUST: MD MS 03] | A | 8105 | / | MB | 09-MAR-90 |
| | MIL-E-37579 | ENVELOPE, DRUG DISPENSING, 100S[CUST: MD MS 03] | A | 8105 | | MB | 17-JAN-77 |
| | A-A-1616 | ENVELOPE, MAILING | A | 7530 | # | FSS | 17-MAR-81 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-1616(I1) | ENVELOPE, MAILING | A | 7530 | # | FSS | 20-APR-89 |
| | A-A-54939 | ENVELOPE, PHOTOGRAPHIC NEGATIVE[CUST: MD MS 03] | A | 7530 | / | MB | 28-FEB-94 |
| | A-A-54886 | ENVELOPE, RADIOGRAPHIC FILM MOUNT, DENTAL[CUST: MD MS 03] | A | 7530 | / | MB | 30-JUN-93 |
| | A-A-51844 | ENVELOPE, STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 31-MAR-87 |
| | A-A-53325A | ENVELOPE, STERILIZATION (HEAT SEAL)[CUST: MD MS 03] | A | 6530 | / | MB | 30-APR-93 |
| | A-A-53441B | ENVELOPE, STERILIZATION (SELF SEALING)[CUST: MD MS 03] | A | 6530 | / | MB | 30-APR-93 |
| | A-A-53238 | ENVELOPE, STERILIZATTON[CUST: MD MS 03] | A | 6530 | / | MB | 29-SEP-87 |
| | A-A-53326 | ENVELOPE, STERLIZIATION[CUST: MD MS 03] | A | 6530 | / | MB | 26-FEB-88 |
| | A-A-2748A | ENVELOPE, TRANSLUCENT | A | 7530 | # | FSS | 29-JUN-92 |
| | L-E-530A | ENVELOPE, TRANSPARENT | A | 7510 | # | FSS | 27-APR-66 |
| | A-A-30084A | ENVELOPES, STERILIZATION | A | 6530 | # | FSS | 10-JUN-83 |
| | A-A-54893 | ENVELOPES, STERILIZATION PAPER, SELF-SEALING[CUST: MD MS 03] | A | 6530 | / | MB | 23-JUL-93 |
| | DI-ENVR-81377 | ENVIRONMENTAL CLEANUP PLAN [AMSC: F6976] | A | ENVR | | 10 | 16-DEC-93 |
| | DI-MISC-81361 | ENVIRONMENTAL COMMUNITY RELATIONS PLAN [AMSC: F6957] | A | MISC | | 10 | 26-AUG-93 |
| | DI-MGMT-80898 | ENVIRONMENTAL COMPLIANCE ASSESSMENT AND MANAGEMENT PROGRAM (ECAMP) ACTION PLAN REPORT [AMSC: F4812] | A | MGMT | | 33 | 07-SEP-89 |
| | AECTP-200 ED.1 | ENVIRONMENTAL CONDITIONS | C | ISDA | | AI | 05-FEB-97 |
| | MIL-HDBK-1028/5A | ENVIRONMENTAL CONTROL - DESIGN OF CLEAN ROOMS[CUST: YD] | A | FACR | | YD | 30-SEP-94 |
| | MIL-HDBK-116 | ENVIRONMENTAL CONTROL OF SMALL SHELTERS[CUST: CR4 SH GS] | A | 4120 | | CR4 | 30-JUN-89 |
| | MIL-E-18927E(2) | ENVIRONMENTAL CONTROL SYSTEMS, AIRCRAFT, GENERAL REQUIREMENTS FOR[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 19-DEC-86 |
| | AFGS-87145A | ENVIRONMENTAL CONTROL, AIRBORNE[CUST: 11] [REVIEW: GS] | D | 1660 | | 11 | 01-OCT-92 |
| | MIL-STD-1670A NOT 1 | ENVIRONMENTAL CRITERIA AND GUIDELINES FOR AIR-LAUNCHED WEAPONS[Military Standard][CUST: AV AS 11] [REVIEW: AR CE EA EC OS] | A | MISC | | AS | 23-OCT-91 |
| | MIL-STD-810F(3) | ENVIRONMENTAL ENGINEERING CONSIDERATIONS AND LABORATORY TESTS[Test Method Standard][CUST: TE AS 11] [REVIEW: 13 19 AR AT AV CE CH CR EA EC GL MC MI MT OS SH SM YD] | A | ENVR | | 11 | 05-MAY-03 |
| | AECTP-100 ED.1 | ENVIRONMENTAL GUIDELINES FOR DEFENCE MATERIEL | C | ISDA | | AI | 05-FEB-97 |
| | DI-ENVR-81375 | ENVIRONMENTAL HEALTH AND SAFETY PLAN (HSP) [AMSC: F6974] | A | ENVR | | 10 | 16-DEC-93 |
| | DI-ENVR-81378 | ENVIRONMENTAL OPERATION AND MAINTENANCE (O&M) PLAN [AMSC: F6977] | A | ENVR | | 10 | 16-DEC-93 |
| | DI-MISC-81274 | ENVIRONMENTAL PERMITS [AMSC: F6760] | A | MISC | | 33 | 24-JUL-92 |
| | STANAG-3890 ED.2 | ENVIRONMENTAL POLLUTION FROM PHOTOGRAPHIC PROCESSING | C | ISDF | | 06 | 10-FEB-99 |
| | DI-ENVR-81376 | ENVIRONMENTAL PROJECT PLANNING SCHEDULE (PPS) [AMSC: F6975] | A | ENVR | | 10 | 16-DEC-93 |
| | MIL-E-82590 | ENVIRONMENTAL REQUIREMENTS AND TESTS (FOR TORPEDO MK 37 COMPONENTS AND ASSEMBLIES)[CUST: OS] | A | 1355 | | OS | 09-SEP-70 |
| | DI-ENVR-81374 | ENVIRONMENTAL SAMPLING AND ANALYSIS PLAN (SAP) [AMSC: F6973] | A | ENVR | | 10 | 16-DEC-93 |
| | MIL-HDBK-344A | ENVIRONMENTAL STRESS SCREENING (ESS) OF ELECTRONIC EQUIPMENT[CUST: CR EC 11] | A | SESS | | 11 | 16-AUG-93 |
| | DI-ENVR-81014 | ENVIRONMENTAL STRESS SCREENING PROCEDURES AND IMPLEMENTATION PLAN [AMSC: A4954] | A | ENVR | | AM | 06-JUN-90 |
| | MIL-HDBK-2164A | ENVIRONMENTAL STRESS SCREENING PROCESS FOR ELECTRONIC EQUIPMENT[CUST: SH 11] [REVIEW: 84 AS CC] | A | SESS | | SH | 19-JUN-96 |
| | ASTM-D1693 | ENVIRONMENTAL STRESS-CRACKING OF ETHYLENE PLASTICS[CUST: MR SH 11 GS] [REVIEW: AR AS AT CR4 EA GL YD] | A | 9330 | | IS | 22-JAN-70 |
| | AIR-STD-20/34(1) | ENVIRONMENTAL TEST METHODS FOR AIRCRAFT STORES | C | ISDF | | 06 | 08-SEP-98 |
| | AIR-STD-20/18C(1) | ENVIRONMENTAL TEST METHODS FOR AIRCRAFT STORES SUSPENSION AND RELEASE EQUIPMENT | C | ISDF | | 06 | 18-MAR-96 |
| | STANAG-4370 ED.1 | ENVIRONMENTAL TESTING | C | ISDA | | AI | 31-MAY-94 |
| | ASTM-D996 | ENVIRONMENTS, PACKAGING AND DISTRIBUTION[CUST: SM SA 11 DH] [REVIEW: AR AS AT AV CR CT EA MB MC SS YD] | A | PACK | | SM | 15-JUN-94 |
| | STANAG-2371 ED.1 | EOD - RADIOGRAPHY - AEODP-4 | C | ISDA | | AI | 20-MAR-90 |
| | SAE-ARP1927 | EPOXY AND ADDITION TYPE POLYIMIDES, APPLICATION OF DIRECT PRESSURE TO RESIN IN CURING OF[CUST: MR AS 11] | A | CMPS | | 11 | 01-JAN-89 |
| A | A-A-59785 | EPOXY COATING KIT (EPOXY RESIN SYSTEM)[CUST: AT AS 11] [REVIEW: 84 99 CG MI MR SH] | A | 8010 | / | AT | 09-DEC-05 |
| | AWWA-C213 | EPOXY COATING, FUSION-BONDED, FOR THE INTERIOR & EXTERIOR OF STEEL WATER PIPELINES, AWWA STANDARD FOR[CUST: CR4 YD 99] [REVIEW: CE MR SH] | A | 8010 | | IS | 24-DEC-86 |
| | ACI503R | EPOXY COMPOUND WITH CONCRETE, USE OF[CUST: YD IS] | A | 5610 | | IS | 14-AUG-90 |
| | ASTM-D3530/D3530M | EPOXY MATRIX PREPREG, VOLATILES CONTENT OF[CUST: MR SH 11 GS] [REVIEW: 99 AR AS AT CR CR4 GL MI OS] | A | 9330 | | IS | 31-AUG-90 |
| | AASHTO-M200 | EPOXY PROTECTIVE COATINGS[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D2517 | EPOXY RESIN, REINFORCED GAS PRESSURE PIPE AND FITTINGS[CUST: CR4 YD] [REVIEW: MR SH] | A | 4710 | | CC | 26-JUN-81 |
| | SSPC-PAINT22 | EPOXY-POLYMIDE PAINTS (PRIMER, INTERMEDIATE, AND TOPCOATED) PAINT SPECIFICATION NO. 22[CUST: CR4 YD IS] [REVIEW: CC MC OS SH] | A | 8010 | | IS | 30-AUG-89 |
| | DI-HFAC-80270 | EQUIPMENT AIRBORNE SOUND MEASUREMENT PLAN [AMSC: N4010] | A | HFAC | | SH | 30-DEC-86 |
| | DI-HFAC-80272 | EQUIPMENT AIRBORNE SOUND MEASUREMENTS TEST REPORT [AMSC: N4012] | A | HFAC | | SH | 30-DEC-86 |
| | UL1067 | EQUIPMENT AND MATERIALS, ELECTRICALLY CONDUCTIVE, FOR USE IN FLAMMABLE ANESTHETIZING LOCATIONS[CUST: MD YD 03] | A | 6515 | | YD | 29-JAN-87 |
| | SAE-J575 | EQUIPMENT AND TEST METHODS FOR LIGHTING DEVICES AND COMPONENTS FOR USE ON VEHICLES LESS THAN 2032 MM IN OVERALL WIDTH[CUST: AT YD 99 IS] [REVIEW: 71] | A | 6220 | | IS | SEP-85 |
| | DI-NDTI-81322 | EQUIPMENT BENCH, PRE-FLIGHT, AND FLIGHT TEST PROCEDURES [AMSC: N6899] | A | NDTI | | AS | 23-FEB-93 |
| | DI-SESS-81638 | EQUIPMENT FACILITY REQUIREMENTS (EFR) PLAN [AMSC: N7485] | A | SESS | | SA | 17-OCT-02 |
| | DI-MISC-80359 | EQUIPMENT FAILURE INFORMATION REPORT (EFIR) [AMSC: F4118] | A | MISC | | 10 | 20-MAY-87 |
| | DI-CMAN-80397 | EQUIPMENT FUNCTIONAL CRITERIA SPECIFICATION [AMSC: A4163] | A | SESS | | AR | 04-AUG-87 |
| | DI-NDTI-81583 | EQUIPMENT INSPECTION AND TESTING REPORT [AMSC: G7398] | A | NDTI | | NS | 05-OCT-00 |
| | DI-MISC-81321 | EQUIPMENT INSTALLATION INSTRUCTIONS [AMSC: N6898] | A | MISC | | AS | 23-FEB-93 |
| | DI-ILSS-81251 | EQUIPMENT INVENTORY RECORDS (EIRS) [AMSC: N6707] | A | SESS | | SA | 02-MAR-92 |
| | DI-MISC-80124 | EQUIPMENT MANAGEMENT COMMAND OBJECTIVES [AMSC: A3779] | A | MISC | | AM | 21-FEB-86 |
| | DI-MISC-81617 | EQUIPMENT OPERATIONAL LOG [AMSC: N7447] | A | MISC | | SA | 01-AUG-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-PACK-81581 | EQUIPMENT PRESERVATION DATA SHEET (EPDS) [AMSC: A7383] | A | PACK | | AT | 14-MAR-00 |
| | UL869 | EQUIPMENT SERVICE STANDARD FOR[CUST: YD 11] [REVIEW: 71 GS SH] | A | 6110 | | YD | 12-APR-90 |
| | DI-HFAC-80274 | EQUIPMENT STRUCTUREBORNE VIBRATION ACCELERATION MEASUREMENTS TEST REPORT [AMSC: N4014] | A | HFAC | | SH | 30-DEC-86 |
| | DI-HFAC-80273 | EQUIPMENT STRUCTUREBORNE VIBRATORY ACCELERATION MEASUREMENT PLAN [AMSC: N4013] | A | HFAC | | SH | 30-DEC-86 |
| | DI-CMAN-80398 | EQUIPMENT TECHNICAL DATA PACKAGE SPECIFICATION [AMSC: A4164] | A | SESS | | AR | 04-AUG-87 |
| | MIL-STD-188-140A | EQUIPMENT TECHNICAL DESIGN STANDARDS FOR COMMON LONG HAUL/TACTICAL RADIO COMMUNICATIONS IN THE LOW FREQUENCY BAND AND LOWER FREQUENCY BANDS[Interface Standard][CUST: CR EC 11 DC1] | A | TCSS | | DC1 | 01-MAY-90 |
| | ASTM-E133 | EQUIPMENT, DISTILLATION[CUST: MI SH 99 MB] | A | 6640 | | MI | 15-AUG-92 |
| | UL378 | EQUIPMENT, DRAFT[CUST: YD 99] [REVIEW: 84 CE GS MC] | A | 4140 | | IS | 04-JUN-93 |
| | ARI260 | EQUIPMENT, DUCTED AIR MOVING AND CONDITIONING, SOUND RATING OF[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | FM-P7825B | EQUIPMENT, ELECTRICAL, APPROVAL GUIDE[CUST: YD] | A | FACR | | YD | 14-JUN-04 |
| | NFPA70B | EQUIPMENT, ELECTRICAL, MAINTENANCE[CUST: CR YD 11] | A | 59GP | | CC | 05-AUG-94 |
| | UL1995 | EQUIPMENT, HEATING AND COOLING[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 4520 | | IS | 29-SEP-95 |
| | UL1559 | EQUIPMENT, INSECT CONTROL, ELECTROCUTION TYPE[CUST: MD 99 GS7] [REVIEW: 50 84] | A | 3740 | | GS7 | 25-FEB-89 |
| | SMACNA-KEFG | EQUIPMENT, KITCHEN, FABRICATION GUIDELINES[CUST: GL YD 99] [REVIEW: 50 84 CE GS] | A | 73GP | | YD | 31-DEC-90 |
| | ARI370 | EQUIPMENT, LARGE OUTDOOR REFRIGERATING AND AIR-CONDITIONING, SOUND RATING OF[CUST: GL YD 99] | A | 4120 | | IS | 1986 |
| | MIL-STD-1441A | EQUIPMENT, LEAK DETECTION, HELIUM, FOR CHEMICAL MUNITIONS[Test Method Standard][CUST: EA] [REVIEW: GS] | A | 4925 | | EA | 28-JUN-94 |
| | ANSI-Z245.1 | EQUIPMENT, MOBILE REFUSE COLLECTION AND COMPACTION, FOR REFUSE COLLECTION, PROCESSING, AND DISPOSAL EQUIPMENT - SAFETY REQUIREMENTS[CUST: AT YD 99] | A | 4540 | | AT | 03-OCT-94 |
| | ARI350 | EQUIPMENT, NON-DUCTED INDOOR AIR-CONDITIONING, SOUND RATING OF[CUST: CR4 YD 99] | A | 4120 | | IS | 2000 |
| | NFPA31 | EQUIPMENT, OIL BURNING, THE INSTALLATION OF[CUST: CR4 YD] [REVIEW: CE MC] | A | 4530 | | IS | 26-JUL-89 |
| | ARI270 | EQUIPMENT, OUTDOOR UNITARY, SOUND RATING OF, STANDARD FOR[CUST: YD 99] [REVIEW: CE CR4 GS MC MS] | A | 4120 | | IS | 15-OCT-90 |
| | ANSI-PH3.704 | EQUIPMENT, PHOTOGRAPHIC STILL PROJECTION, PROJECTED MEDIA TEMPERATURE TEST FOR[CUST: CR AS 99] | A | 6730 | | AS | 25-AUG-87 |
| | ANSI-PH3.69 | EQUIPMENT, PHOTOGRAPHIC, METHOD OF MEASURING TEMPERATURE OF[CUST: CR AS 99] | A | 67GP | | AS | 25-AUG-87 |
| | ISO10012-1 | EQUIPMENT, QUALITY ASSURANCE REQUIREMENTS FOR MEASURING - PART 1: METROLOGICAL CONFIRMATION SYSTEM FOR MEASURING EQUIPMENT[CUST: AR OS 05] [REVIEW: 10 11] | A | QCIC | | 05 | 07-JAN-94 |
| | UL1950 | EQUIPMENT, SAFETY OF INFORMATION TECHNOLOGY[CUST: IS] | A | 7025 | | IS | 28-JUL-95 |
| | ASTM-E215 | EQUIPMENT, STANDARDIZING, FOR ELECTROMAGNETIC EXAMINATION OF SEAMLESS ALUMINUM-ALLOY TUBE[CUST: CR4 AS 11] | A | 4710 | | 11 | OCT-94 |
| | ASHRAE37 | EQUIPMENT, TESTING FOR RATING UNITARY AIR-CONDITIONING AND HEAT PUMP, METHODS OF[CUST: CR4 SH 99] [REVIEW: 84] | A | 4120 | | CR4 | 26-JUN-88 |
| | SAE-AS8090 | EQUIPMENT, TOWED AEROSPACE GROUND, MOBILITY[CUST: AT AS 99] | A | 2420 | | AS | AUG-97 |
| | AWS-D14.3 | EQUIPMENT, WELDING EARTHMOVING AND CONSTRUCTION, SPECIFICATION FOR[CUST: CR4 YD 11] | A | THJM | | CR4 | 11-JUN-93 |
| | UL544 | EQUIPMENT,MEDICAL AND DENTAL[CUST: MD YD 03 MB] | A | 65GP | | MB | 30-DEC-98 |
| | GG-E-651C | ERASER, BLACKBOARD | A | 7510 | # | FSS | 04-JUN-75 |
| | MIL-E-12397B | ERASER, RUBBER-PUMICE (FOR TESTING COATED OPTICAL ELEMENTS)[CUST: AR] [REVIEW: GL MI] | A | 7510 | | AR | 18-NOV-54 |
| | GG-E-671B | ERASER, STEEL | A | 7510 | # | FSS | 22-NOV-72 |
| | A-A-51554A | ERYTHROMYCIN OPHTHALMIC OINTMENT, USP[CUST: MD MS 03] | A | 6505 | / | MB | 07-JUN-90 |
| | MIL-E-23155C | ESCAPE APPLIANCE, HOODED, AIR INFLATABLE, WITH POUCH, SUBMARINE PERSONNEL[CUST: SH] [REVIEW: CC] | A | 4220 | | SH | 10-SEP-86 |
| | QPL-23155-21 | ESCAPE APPLIANCE, HOODED, AIR INFLATABLE, WITH POUCH, SUBMARINE PERSONNEL, GENERAL SPECIFICATION FOR | A | 4220 | | SH | 28-JUN-98 |
| | ADV-PUB-61/102/10 | ESCAPE PATH CLEARANCE - METHODS AND PROBLEMS | C | ISDF | | 06 | 30-JUL-86 |
| | AIR-STD-61/102/4A(1) | ESCAPE PATH CLEARANCE IN EJECTION SEAT AIRCRAFT | C | ISDF | | 06 | 07-NOV-91 |
| | AIR-STD-61/102/3A | ESCAPE SYSTEM TEST METHODS | C | ISDF | | 06 | 30-SEP-76 |
| D | FIPS-PUB-185 | ESCROWED ENCRYPTION STANDARD (EES)[CUST: CR OM] | A | IPSC | | DC3 | 09-FEB-94 |
| | A-A-51996 | ESOPHAGOSCOPE (FIBER OPTIC HOLINGER)[CUST: MD MS 03] | A | 6515 | | MB | 04-JUN-87 |
| | A-A-54915 | ESOPHAGOSCOPE, JESBERG, FIBER OPTIC, OVAL[CUST: MD MS 03] | A | 6515 | / | MB | 08-OCT-93 |
| | STANAG-2979 ED.1(3) | ESSENTIAL CHARACTERISTICS OF ELECTRO-SURGICAL APPARATUS | C | ISDA | | AI | 16-JUN-83 |
| | QSTAG-999 ED.1 | ESSENTIAL CHARACTERISTICS OF INTEROPERABILITY OF FIELD MEDICAL AND DENTAL EQUIPMENT[CUST: AI] | C | ISDA | | AI | 26-AUG-97 |
| | QSTAG-889 ED.1(1) | ESSENTIAL FIELD SANITARY REQUIREMENTS (INCLUDES AMEND. 1)[CUST: AI] | C | ISDA | | AI | 27-SEP-88 |
| | QAP-230 ED.1 | ESSENTIAL INFORMATION PATHS WITHIN AND BETWEEN COALITION FORCES THAT ARE REQUIRED FOR EFFECTIVE OPERATIONS | C | ISDA | | AI | 15-DEC-98 |
| | STANAG-2906 ED.3 | ESSENTIAL PHYSICAL REQUIREMENTS AND PERFORMANCE CHARACTERISTICS OF FIELD TYPE HIGH PRESSURE STEAM STERILIZERS | C | ISDA | | AI | 06-OCT-98 |
| | STANAG-3650 ED.2(4) | ESSENTIAL SAR LOCATION EQUIPMENT AND ASSOCIATED CHARACTERISICS (AIRCRAFT) | C | ISDF | | 06 | 25-MAR-88 |
| | MIL-STD-790F(2) | ESTABLISHED RELIABILITY AND HIGH RELIABILITY QUALIFIED PRODUCTS LIST (QPL) SYSTEMS FOR ELECTRICAL, ELECTRONIC, AND FIBER OPTIC PARTS SPECIFICATIONS[Standard Practice][CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG DH MC MI OS SH] | A | 59GP | | CC | 20-SEP-02 |
| | STANAG-2101 ED.11 | ESTABLISHING LIAISON | C | ISDA | | AI | 15-MAY-01 |
| | ITOP-4.2.606 | ESTABLISHMENT OF MASTER AND REFERENCE CALIBRATION ROUNDS | D | ISDA | | TE | 01-SEP-99 |
| | ASTM-D1617 | ESTER VALUE OF SOLVENTS AND THINNERS[CUST: EA 68] [REVIEW: CR4 GL MC MD OS SH] | A | 6810 | | GS3 | 25-MAY-90 |
| | DI-GDRQ-81234A | ESTIMATED WEIGHT AND BALANCE REPORT - MASS PROPERTIES DATA FOR MISSILES [AMSC: N6674] | A | SESS | | AS | 24-OCT-96 |
| | MIL-HDBK-1133 | ESTIMATING ENERGY AND WATER CONSUMPTION FOR SHORE FACILITIES AND COLD IRON SUPPORT FOR SHIPS[CUST: YD] | A | FACR | | YD | 30-SEP-99 |
| | ASTM-D1405 | ESTIMATION OF NET HEAT OF COMBUSTION OF AVIATION FUELS[CUST: MR SH 11] [REVIEW: 68 AR AS] | A | 91GP | | MR | 10-JAN-01 |
| | ASTM-D3338 | ESTIMATION OF NET HEAT OF COMBUSTION OF AVIATION FUELS[CUST: PS] | A | 91GP | | PS | OCT-92 |
| | A-A-50884 | ESTROGENS, CONJUGATED, CREAM, VAGINAL[CUST: MD MS 03] | A | 6505 | / | MB | 21-NOV-85 |
| | A-A-59252 NOT 1 | ETCHERS, ELECTRIC, PORTABLE, 120-VOLT A.C.[CUST: GL YD 99] [REVIEW: AS GS SH] | A | 5130 | / | IS | 30-OCT-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59231 NOT 1 | ETHANOLAMINES (MONOETHANOLAMINE AND TRIETHANOLAMINE), TECHNICAL[CUST: CR4 68 GS3] [REVIEW: SM] | A | 6810 | / | GS3 | 19-OCT-04 |
| | MIL-E-199A(3) NOT 1 | ETHER, DIETHYL, TECHNICAL[CUST: AR AS] [REVIEW: CR4 GS OS] | A | 6810 | | AR | 13-JUL-89 |
| | O-E-751C | ETHER, PETROLEUM, TECHNICAL-GRADE[CUST: EA] | A | 6810 | / | GS3 | 10-JAN-03 |
| | ASTM-D331 | ETHOXYETHANOL-2[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | EA | 03-OCT-94 |
| | TT-E-751C | ETHYL ACETATE, TECHNICAL[CUST: GL SH 68] [REVIEW: CR4 EA GS MD MI OS] | A | 6810 | * | GL | 13-APR-67 |
| | A-A-59342 NOT 1 | ETHYL ALCOHOL (FOR ORDNANCE USE)[CUST: AR OS] [REVIEW: AV EA GS] | A | 6810 | / | AR | 03-JUL-03 |
| | ASTM-D787 | ETHYL CELLULOSE MOLDING & EXTRUSION COMPOUNDS[CUST: MR SH 11 GS] [REVIEW: AR CR EA MD] | A | 9330 | | IS | 08-FEB-89 |
| A | MIL-E-255A(1) NOT 1 | ETHYL CENTRALITE (CARBAMITE)[CUST: AR OS GS] [REVIEW: EA] | A | 6810 | | AR | 11-JAN-00 |
| | ASTM-D914 | ETHYLCELLULOSE[CUST: EA SH] [REVIEW: AR CR4 GL MD] | A | 6810 | | GS3 | 01-MAY-72 |
| | A-A-50193A NOT 1 | ETHYLENE ABSORBER/SHELF-LIFE EXTENDER, FOR FRESH FRUITS AND VEGETABLES[CUST: GL1 MC 68 GS3] [REVIEW: MD1 SH SS] | A | 6850 | / | GS3 | 28-FEB-03 |
| | MIL-E-48225 NOT 1 | ETHYLENE GLYCOL DINITRATE (EGDN)[CUST: AR] | A | 1376 | | AR | 08-APR-86 |
| | A-A-59161A | ETHYLENE GLYCOL MONOETHYL ETHER ACETATE, TECHNICAL[CUST: EA AS 68 GS3] [REVIEW: AR MD1] | A | 6810 | / | GS3 | 10-JAN-01 |
| | A-A-59106 NOT 1 | ETHYLENE GLYCOL MONOETHYL ETHER, TECHNICAL[CUST: EA 68 GS3] [REVIEW: MD1] | A | 6810 | / | GS3 | 23-JAN-04 |
| | ASTM-E202 | ETHYLENE GLYCOLS AND PROPYLENE GLYCOLS, ANALYSIS OF[CUST: EA 68 GS3] [REVIEW: CR4 GL MD SH] | A | 6810 | | GS3 | 26-FEB-88 |
| | SAE-AMS3248 | ETHYLENE PROPYLENE (EPM) RUBBER PHOSPHATE ESTER RESISTANT 55 - 65[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-OCT-90 |
| | SAE-AMS3249 | ETHYLENE PROPYLENE, (EPDM) RUBBER, HYDRAZINE-BASE-FLUID RESISTANT 75-85[CUST: MR AS 11] | A | 5330 | | AS | 01-OCT-93 |
| | MIL-E-11450C | EVACUATION BAG, CASUALTY, INSULATED (WITH LINER AND CARRYING BAG)[CUST: MD MS 03] [REVIEW: 50 GL MC] | A | 6530 | | MB | 23-NOV-91 |
| | DI-SAFT-80817 | EVACUATION PLAN [AMSC: F4700] | A | SAFT | | 10 | 24-MAY-89 |
| | A-A-53546 | EVACUATOR, SURGICAL WOUND[CUST: MD MS 03] | A | 6515 | / | MB | 28-JUN-88 |
| | NFPA412 | EVALUATING AIRCRAFT RESCUE AND FIRE FIGHTING FOAM EQUIPMENT[CUST: CR4 YD 99] [REVIEW: 84 CC] | A | 4210 | | IS | 05-MAR-93 |
| | AWS-C3.2 | EVALUATING THE STRENGTH OF BRAZED JOINTS IN SHEAR, STANDARD METHOD FOR[CUST: MR AS 11] | A | THJM | | GS2 | 02-JUL-92 |
| | STANAG-3606 ED.5 | EVALUATION AND CONTROL OF LASER HAZARDS ON MILITARY RANGES | C | ISDA | | AI | 18-NOV-91 |
| | STANAG-2345 ED.3 | EVALUATION AND CONTROL OF PERSONNEL EXPOSURE TO RADIO FREQUENCY FIELDS - 3KHZ TO 300 GHZ | C | ISDA | | AI | 13-FEB-03 |
| | MIL-HDBK-1013/12 | EVALUATION AND SELECTION ANALYSIS OF SECURITY GLAZING FOR PROTECTION AGAINST BALLISTIC, BOMB, AND FORCED ENTRY TACTICS[CUST: YD] | A | FACR | | YD | 10-MAR-97 |
| | DI-TMSS-81394 | EVALUATION FIELD CHANGE REPORT [AMSC: N7008] | A | TMSS | | SH | 31-MAR-94 |
| | STANAG-3929 ED.3 | EVALUATION GUIDE FOR NATO CRASH/FIRE/ RESCUE SERVICES | C | ISDF | | 06 | 05-JUN-03 |
| | MIL-HDBK-1221(3) | EVALUATION OF COMMERCIAL OFF-THE-SHELF (COTS) MANUALS[CUST: TM OS 16 CC] [REVIEW: 01 10 11 13 19 70 71 84 99 AR AS AT AV CG CR CT EC GS MC MD MI OM SA SH TD] | A | TMSS | | TM | 15-AUG-02 |
| | STANAG-2215 ED.6 | EVALUATION OF LAND MAPS, AERONAUTICAL CHARTS AND DIGITAL TOPOGRAPHIC DATA | C | ISDF | | 06 | 01-OCT-02 |
| | QSTAG-546 ED.1 | EVALUATION OF LAND MAPS, AERONAUTICAL CHARTS AND DIGITAL TOPOGRAPHIC DATA[CUST: AI] | C | ISDA | | AI | 02-APR-91 |
| | STANAG-2353 ED.5(1) | EVALUATION OF NBC DEFENCE CAPABILITY (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 06-MAR-00 |
| | ASTM-D2010/D2010M | EVALUATION OF TOTAL SULFATION ACTIVITY IN THE ATMOSPHERE BY THE LEAD DIOXIDE TECHNIQUE[CUST: EA] | A | 6810 | | GS3 | 15-JUL-93 |
| | AIR-STD-61/102/8 | EVALUATION PROCEDURES FOR FLIGHT HELMETS | C | ISDF | | 06 | 24-MAY-83 |
| | API-PUBL-2517 | EVAPORATION LOSS FROM EXTERNAL FLOATING-ROOF TANKS[CUST: CR4 SH 68] [REVIEW: AM AS CE MC NM YD] | A | 91GP | | CR4 | 09-DEC-91 |
| | API-BULL-2518 | EVAPORATION LOSS FROM FIXED-ROOF TANKS[CUST: AT SH 68] [REVIEW: AM AS CE MC NM YD] | A | 91GP | | AT | 09-DEC-91 |
| | API-PUBL-2519 | EVAPORATION LOSS FROM INTERNAL FLOATING-ROOF TANKS[CUST: CR4 SH 68] [REVIEW: AM AS CE MC NM YD] | A | 91GP | | CR4 | 09-DEC-91 |
| | API-BULL-2516 | EVAPORATION LOSS FROM LOW-PRESSURE TANKS[CUST: AT SH 68] [REVIEW: AM AS CE MC NM YD] | A | 91GP | | AT | 09-DEC-91 |
| | A-A-52431 | EVAPORATOR, ALCOHOL - AIR BRAKE SYSTEM[CUST: AT] [REVIEW: CC CR4] | A | 2530 | / | AT | 18-FEB-93 |
| | ASTM-C823 | EXAMINATION AND SAMPLING OF HARDENED CONCRETE IN CONSTRUCTIONS[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 10-NOV-95 |
| | ASTM-E1570 | EXAMINATION, COMPUTED TOMOGRAPHIC (CT)[CUST: MR AS 11] | A | NDTI | | AS | 10-DEC-95 |
| | A-A-53601 | EXCAVATOR, DENTAL (CARBON STEEL, BLACK'S FORMULA)[CUST: MD MS 03] | A | 6520 | / | MB | 18-AUG-88 |
| | SAE-J1177 | EXCAVATOR, HYDRAULIC, OPERATOR CONTROLS[CUST: CR4 YD 99] | A | 3805 | | IS | APR-78 |
| | SAE-J296 | EXCAVATOR, MINI-EXCAVATOR, AND BACKHOE HOE BUCKET VOLUMETRIC RATING[CUST: CR4 MC 99] | A | 8115 | | MC | OCT-94 |
| | A-A-59250 | EXCAVATOR, MULTIPURPOSE, TRUCK MOUNTED, TWO CABS[CUST: AT YD 99] [REVIEW: 84 CC MT] | A | 3805 | / | IS | 16-JUN-98 |
| | A-A-59251 | EXCAVATOR, MULTIPURPOSE, WHEEL-UNDERCARRIAGE DIESEL-ENGINE-DRIVEN[CUST: AT YD 99] [REVIEW: 84 MT] | A | 3805 | / | IS | 16-JUN-98 |
| | A-A-59242 | EXCAVATORS, CRAWLER MOUNTED, DED, HYDRAULICALLY OPERATED[CUST: AT YD] [REVIEW: CC MT] | A | 3805 | / | IS | 16-JUN-98 |
| | STANAG-3767 ED.2 | EXCHANGE OF DATA ON LOAD CAPABILITIES OF TRANSPORT AIRCRAFT | C | ISDF | | 06 | 08-AUG-02 |
| | STANAG-7057 ED.1(2) | EXCHANGE OF DATA ON THE MULTI-MODAL DOCUMENTATION OF CARGO | C | ISDF | | 06 | 09-JUL-96 |
| | STANAG-7005 ED.4 | EXCHANGE OF FLIGHT INFORMATION PUBLICATION (FLIP) DATA | C | ISDF | | 06 | 11-APR-03 |
| | STANAG-3764 ED.4 | EXCHANGE OF IMAGERY | C | ISDF | | 06 | 16-DEC-02 |
| | AIR-STD-44/16H(1) | EXCHANGE OF INFORMATION - TRANSPORT AIRCRAFT LOADING DATA | C | ISDF | | 06 | PENDING |
| | STANAG-3428 ED.4(4) | EXCHANGE OF INFORMATION ON AERIAL DELIVERY SYSTEMS | C | ISDF | | 06 | 29-MAR-88 |
| | STANAG-3572 ED.3 | EXCHANGE OF INFORMATION ON TACTICAL AIR TRANSPORT OPERATIONS | C | ISDF | | 06 | 13-NOV-01 |
| | STANAG-3101 ED.12 | EXCHANGE OF SAFETY INFORMATION CONCERNING AIRCRAFT AND MISSILES | C | ISDF | | 06 | 09-JUL-03 |
| | IEEE421.1 | EXCITATION SYSTEMS FOR SYNCHRONOUS MACHINES[CUST: CR4 YD 99] [REVIEW: GS SH] | A | 6110 | | YD | 13-JUN-85 |
| | A-A-30178 | EXERCISER, LUNG INHALATION THERAPY[CUST: MD MS 03] | A | 6530 | * | MB | 28-MAY-92 |
| | UL710 | EXHAUST HOODS FOR COMMERCIAL COOKING EQUIPMENT[CUST: YD] | A | 4140 | | IS | 28-DEC-95 |
| | A-A-50437 | EXOTHERMIC CUTTING RODS FOR USE IN PORTABLE EXOTHERMIC CUTTING UNIT (PECU) [CUST: CR4 SH] [REVIEW: YD] | A | 4240 | / | SH | 20-MAR-91 |
| | MIL-E-15809D | EXPANDER, TUBE, CONDENSER AND HEAT EXCHANGERS[CUST: SH] [REVIEW: GS YD] | A | 3441 | | SH | 19-MAY-92 |
| | MIL-E-17624B | EXPANDER, TUBE, ROLLER, BOILER TUBE[CUST: SH] [REVIEW: GS] | A | 3441 | | SH | 11-AUG-87 |
| | A-A-50604 | EXPANSION JOINT, SLEEVED, (NON-FLANGED), FIRE-RETARDANT, WITH RETAINING CLAMPS[CUST: SH] | A | 4730 | / | SH | 10-AUG-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-50605 | EXPANSION JOINT, TFE FLUOROCARBON RESIN, CORRUGATED WITH DUCTILE IRON FLANGES[CUST: SH] | A | 4730 | / | SH | 10-AUG-93 |
| | MIL-DTL-17813G | EXPANSION JOINTS, PIPE, METALLIC BELLOWS[CUST: AT SH 99 CC] [REVIEW: 71 CE MC SA] | A | 4730 | | CC | 20-FEB-04 |
| | IPC-TM650.2.4.41.2 | EXPANSION, THERMAL, COEFFICIENT OF - STRAIN GAGE METHOD[CUST: CR EC 11 CC] [REVIEW: 71 99 NA] | A | 5998 | | CC | 22-MAR-05 |
| | MIL-STD-322B NOT 1 | EXPLOSIVE COMPONENTS, ELECTRICALLY INITIATED, BASIC EVALUATION TESTS FOR[Test Method Standard][CUST: AR OS 99] [REVIEW: MC] | A | 1390 | | AR | 22-JUN-89 |
| | MIL-DTL-14970D | EXPLOSIVE COMPOSITION A-5[CUST: AR OS 99] [REVIEW: 70 AS NP] | A | 1376 | | AR | 25-NOV-03 |
| | MIL-E-46495A(4) | EXPLOSIVE COMPOSITION HTA-3[CUST: AR] | A | 1375 | | AR | 08-FEB-90 |
| | MIL-E-22267A NOT 1 | EXPLOSIVE COMPOSITION, HBX TYPE[CUST: AR OS] [REVIEW: 99 MC MI] | A | 1376 | | AR | 22-APR-88 |
| | DI-SAFT-81299B | EXPLOSIVE HAZARD CLASSIFICATION DATA [AMSC: F7144] | A | SAFT | | 10 | 11-APR-03 |
| | MIL-DTL-32189A | EXPLOSIVE MATERIAL, COATED, CXM-10[CUST: OS] | D | 1376 | | OS | 07-JUN-05 |
| | MIL-E-82907 | EXPLOSIVE MATERIAL, COATED, CXM-7[CUST: OS] | D | 1376 | | OS | 30-DEC-94 |
| | MIL-E-82908 | EXPLOSIVE MATERIAL, COATED, CXM-8[CUST: OS] | D | 1376 | | OS | 30-DEC-94 |
| M | MIL-DTL-82897A | EXPLOSIVE MATERIAL, COATED; CXM-3[CUST: OS] [REVIEW: AS] | D | 1376 | | OS | 27-MAR-06 |
| | MIL-E-82915(1) | EXPLOSIVE MATERIAL, COATED; CXM-6[CUST: OS] | D | 1376 | | OS | 27-MAR-96 |
| | MIL-E-82895(1) | EXPLOSIVE MATERIAL, COATED; CXM-9[CUST: OS] | D | 1376 | | OS | 17-SEP-04 |
| | STANAG-4506 ED.1(1) | EXPLOSIVE MATERIALS, PHYSICAL/MECHANICAL PROPERTIES UNIAXIAL TENSILE TEST | C | ISDA | | AI | 03-SEP-98 |
| | DI-SAFT-80931B | EXPLOSIVE ORDNANCE DISPOSAL DATA [AMSC: N7498] | A | SAFT | | SA | 15-MAY-03 |
| | STANAG-2391 ED.1(2) | EXPLOSIVE ORDNANCE DISPOSAL RECOVERY OPERATIONS ON FIXED INSTALLATIONS - AEODP-5 (INCLUDES AMENDMENT 2) | C | ISDA | | AI | 19-OCT-87 |
| | STANAG-2221 ED.1 | EXPLOSIVE ORDNANCE DISPOSAL REPORTS AND MESSAGES - AEODP-6 | C | ISDA | | AI | 01-JUN-01 |
| | STANAG-2143 ED.4(3) | EXPLOSIVE ORDNANCE RECONNAISSANCE/EXPLOSIVE ORDNANCE DISPOSAL (EOR/EOD) | C | ISDA | | AI | 11-JAN-93 |
| | QSTAG-744 ED.1(1) | EXPLOSIVE ORDNANCE RECONNAISSANCE/EXPLOSIVE ORDNANCE DISPOSAL (EOR/EOD) (INCLUDES AMENDMENT 1)[CUST: AI] | C | ISDA | | AI | 07-SEP-89 |
| | MIL-DTL-32186 | EXPLOSIVE SEQUENCE CONTROL[CUST: OS] | A | 1377 | | OS | 14-FEB-05 |
| | STANAG-4527 ED.1(1) | EXPLOSIVE, CHEMICAL STABILITY, NITROCELLULOSE BASED PROPELLANTS, PROCEDURE FOR ASSESSMENT OF CHEMICAL LIFE AND TEMPERATURE DEPENDENCE OF STABILISER CONSUMPTION RATES | C | ISDA | | AI | 03-SEP-98 |
| | MIL-E-46676A(2) NOT 1 | EXPLOSIVE, FLEXIBLE[CUST: AR] | A | 1375 | | AR | 14-MAR-97 |
| | QPL-46676-13 | EXPLOSIVE, FLEXIBLE | A | 1375 | | AR | 01-FEB-02 |
| N | MIL-DTL-32202 | EXPLOSIVE, MELT CASTABLE: PAX-21[CUST: AR] | D | 1376 | | AR | 04-APR-06 |
| | MIL-E-82738 | EXPLOSIVE, PLASTIC BONDED MOLDING POWDER (PBXN-3) (CONTROLLED DISTRIBUTION)[CUST: OS] | D | 1376 | | OS | 14-AUG-85 |
| | MIL-E-82746 | EXPLOSIVE, PLASTIC-BONDED EXTRUDABLE POWDER, PBXN-202 (CONTROLLED DISTRIBUTION)[CUST: OS] | B | 1376 | | OS | 01-JUL-87 |
| | MIL-E-81111B | EXPLOSIVE, PLASTIC-BONDED MOLDING POWDER (PBXN-5)[CUST: AR OS] [REVIEW: MI] | A | 1376 | | OS | 23-OCT-85 |
| A | MIL-DTL-32091A | EXPLOSIVE, PLASTIC-BONDED PBXN-113[CUST: OS] | D | 1376 | | OS | 09-FEB-06 |
| | MIL-DTL-32103 | EXPLOSIVE, PLASTIC-BONDED, CAST AFX-757[CUST: 22] [REVIEW: 70 99] | D | 1376 | | 22 | 30-APR-02 |
| | MIL-E-82756(1) | EXPLOSIVE, PLASTIC-BONDED, CAST PBXN-103[CUST: OS] | A | 1376 | | OS | 14-MAR-95 |
| | MIL-E-82886(1) | EXPLOSIVE, PLASTIC-BONDED, CAST PBXN-109[CUST: OS] | A | 1376 | | OS | 05-JAN-95 |
| | MIL-DTL-82901A | EXPLOSIVE, PLASTIC-BONDED, CAST PBXN-110[CUST: OS] | A | 1376 | | OS | 13-MAY-02 |
| | MIL-E-82902(1) | EXPLOSIVE, PLASTIC-BONDED, CAST PBXN-111[CUST: OS] | A | 1376 | | OS | 03-MAR-04 |
| | MIL-DTL-82919(1) | EXPLOSIVE, PLASTIC-BONDED, CAST PBXN-112[CUST: OS] | D | 1376 | | OS | 17-SEP-04 |
| | MIL-E-82917(2) | EXPLOSIVE, PLASTIC-BONDED, CAST, PBXN-105[CUST: OS] | D | 1376 | | OS | 27-MAR-97 |
| | MIL-E-82918 | EXPLOSIVE, PLASTIC-BONDED, CAST, PBXN-106[CUST: OS] | D | 1376 | | OS | 05-JAN-95 |
| M | MIL-DTL-82896A | EXPLOSIVE, PLASTIC-BONDED, CAST, PBXN-107[CUST: OS] [REVIEW: AS] | D | 1376 | | OS | 27-MAR-06 |
| A | MIL-E-82740 NOT 2 | EXPLOSIVE, PLASTIC-BONDED, INJECTION MOLDABLE (PBXN-301)[CUST: OS] | D | 1376 | | OS | 13-SEP-05 |
| | MIL-DTL-32156 | EXPLOSIVE, PLASTIC-BONDED, PRESSED, PBXIH-18[CUST: OS] | D | 1376 | | OS | 10-DEC-04 |
| | MIL-DTL-32057B | EXPLOSIVE, PLASTIC-BONDED, PRESSED, PBXN-10[CUST: OS] | D | 1376 | | OS | 06-APR-05 |
| M | MIL-DTL-82874B | EXPLOSIVE, PLASTIC-BONDED, PRESSED, PBXN-7[CUST: AR OS] | D | 1376 | | OS | 03-MAR-06 |
| M | MIL-DTL-82875A | EXPLOSIVE, PLASTIC-BONDED, PRESSED, PBXN-9[CUST: AR OS] | D | 1376 | | OS | 03-MAR-06 |
| | MIL-DTL-32064(3) | EXPLOSIVE, PLATIC-BONDED, PRESSED, PBXN-11[CUST: OS] | D | 1376 | | OS | 30-SEP-04 |
| | MIL-STD-650(6) | EXPLOSIVE; SAMPLING, INSPECTION AND TESTING[Test Method Standard][CUST: AR OS] [REVIEW: EA YD] | A | 1376 | | AR | 30-OCT-96 |
| | STANAG-4443 ED.1 | EXPLOSIVES UNIAXIAL COMPRESSIVE TEST | C | ISDA | | AI | PENDING |
| A | STANAG-4581 ED.1 | EXPLOSIVES, ASSESSMENT OF AGEING CHARACTERISTICS OF COMPOSITE PROPELLANTS CONTAINING AN INERT BINDER | C | ISDA | | AI | 09-DEC-04 |
| | STANAG-4490 ED.1 | EXPLOSIVES, ELECTROSTATIC DISCHARGE SENSITIVITY TEST(S) | C | ISDF | | 06 | 19-FEB-01 |
| | STANAG-4487 ED.1 | EXPLOSIVES, FRICTION SENSITIVITY TESTS | C | ISDA | | AI | 22-AUG-02 |
| | MIL-E-82903(1) | EXPLOSIVES, HNS-IV AND HNS-V[CUST: OS] | A | 1376 | | OS | 21-APR-99 |
| | STANAG-4489 ED.1 | EXPLOSIVES, IMPACT SENSITIVITY TESTS | C | ISDN | | NM | 28-JUL-98 |
| | STANAG-4541 ED.1 | EXPLOSIVES, NITROCELLULOSE BASED PROPELLANTS CONTAINING NITROGLYCERIN AND STABILIZED WITH DIPHENYLAMINE, STABILITY TEST PROCEDURES AND REQUIREMENTS | C | ISDA | | AI | PENDING |
| A | STANAG-4582 ED.1 | EXPLOSIVES, NITROCELLULOSE BASED PROPELLANTS, STABILITY TEST PROCEDURE AND REQUIREMENTS USING HEAT FLOW CALORIMETRY | C | ISDA | | AI | 09-DEC-04 |
| | AOP-48 ED.1 | EXPLOSIVES, NITROCELLULOSE BASED PROPELLANTS, STABILITY TEST PROCEDURES AND REQUIREMENTS USING STABILIZER DEPLETION | C | ISDA | | AI | 12-NOV-02 |
| | STANAG-4620 ED.1 | EXPLOSIVES, NITROCELLULOSE BASED PROPELLANTS, STABILITY TEST PROCEDURES AND REQUIREMENTS USING STABILIZER DEPLETION - IMPLEMENTATION OF AOP-48 | C | ISDA | | AI | PENDING |
| | STANAG-4507 ED.1 | EXPLOSIVES, PHYSICAL/MECHANICAL PROPERTIES STRESS RELAXATION TEST IN TENSION | C | ISDA | | AI | PENDING |
| | STANAG-4525 ED.1 | EXPLOSIVES, PHYSICAL/MECHANICAL PROPERTIES, THERMOMECHANICAL ANALYSIS FOR DETERMINING THE COEFFICIENT OF LINEAR THERMAL EXPANSION (TMA) | C | ISDA | | AI | 25-OCT-01 |
| | STANAG-4540 ED.1 | EXPLOSIVES, PROCEDURES FOR DYNAMIC MECHANICAL ANALYSIS (DMA) AND DETERMINATION OF GLASS TRANSITION TEMPERATURE | C | ISDA | | AI | 23-AUG-02 |
| | STANAG-4488 ED.1 | EXPLOSIVES, SHOCK SENSITIVITY TESTS | C | ISDA | | AI | 12-SEP-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-4230 ED.1 | EXPLOSIVES, SPECIFICATION FOR HNS (HEXANITROSTILBENE) FOR DELIVERIES FRMM ONE NATO NATION TO ANOTHER | C | ISDA | | AI | 29-APR-02 |
| | STANAG-4543 ED.1 | EXPLOSIVES, SPECIFICATION FOR NTO (3-NITRO-1, 2, 4-TRIAZOL-5-ONE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C | ISDA | | AI | 26-AUG-02 |
| | STANAG-4491 ED.1 | EXPLOSIVES, THERMAL SENSITIVENESS AND EXPLOSIVENESS TESTS | C | ISDA | | AI | 28-AUG-02 |
| | STANAG-4515 ED.1 | EXPLOSIVES: THERMAL CHARACTERIZATION BY DIFFERENTIAL THERMAL ANALYSIS, DIFFERENTIAL SCANNING CALORIMETRY AND THERMOGRAVIMETRIC ANALYSIS | C | ISDA | | AI | 23-AUG-02 |
| | STANAG-4556 ED.1(1) | EXPLOSIVES: VACUUM STABILITY TEST | C | ISDN | | NM | 22-NOV-99 |
| | A-A-50224 NOT 1 | EXPOSURE CONTROL, PHOTOLITHOGRAPHIC, LIGHT-INTEGRATING[CUST: CE 99 IS] [REVIEW: 70] | A | 6760 | / | IS | 27-SEP-01 |
| | MIL-E-14719A NOT 1 | EXTENSION, FUZE, BOMB, M1A1 (M1E1), PARTS FOR[CUST: AS] | A | 1325 | | AS | 02-MAR-87 |
| | MIL-HDBK-1003/8A(2) | EXTERIOR DISTRIBUTION OF STEAM, HIGH TEMPERATURE WATER, CHILLED WATER, NATURAL GAS, AND COMPRESSED AIR[CUST: YD] | A | FACR | | YD | 30-DEC-91 |
| | NACE-RP0193 | EXTERNAL CATHODIC PROTECTION OF ON-GRADE CARBON STEEL STORAGE TANK BOTTOMS[CUST: YD] | A | FACR | | YD | 29-JUL-04 |
| | STANAG-2469 ED.1 | EXTERNAL FIXATION DEVICES FOR BONE INJURIES | C | ISDA | | AI | 05-DEC-00 |
| | NACE-RP0190 | EXTERNAL PROTECTIVE COATINGS FOR JOINTS, FITTINGS, AND VALVES ON METALLIC UNDERGROUND OR SUBMERGED PIPELINES AND PIPING SYSTEMS[CUST: YD] | A | FACR | | YD | 29-JUL-04 |
| | AIR-STD-61/113/5G | EXTERNAL VISION FROM AIRCREW STATIONS | C | ISDF | | 06 | 09-SEP-88 |
| | MIL-E-24652(1) | EXTINGUISHER, FIRE, AQUEOUS FILM FORMING FOAM, (AFFF), 2-1/2 GALLON[CUST: SH] | A | 4210 | | SH | 25-SEP-86 |
| | MIL-E-24572B | EXTINGUISHER, FIRE, BROMOTRIFLUOROMETHANE (HALON 1301) SYSTEM COMPONENTS (FIXED PIPE, PNEUMATICALLY ACTUATED, NAVAL SHIPBOARD USE)[CUST: SH] | A | 4210 | | SH | 17-MAR-92 |
| | QPL-24572-16 | EXTINGUISHER, FIRE, BROMOTRIFLUROMETHANE (HALON 1301) SYSTEM COMPONENTS (FIXED, PIPE, PNEUMATICALLY ACTUATED, NAVAL SHIPBOARD USE) | A | 4210 | | SH | 28-JAN-04 |
| | BB-E-2879A(1) | EXTINGUISHER, FIRE, CARBON DIOXIDE (CO2), PORTABLE, WITH MOUNTING BRACKET, FOR AVIATION USE[CUST: AV AS] [REVIEW: CC] | A | 4210 | / | AS | 01-OCT-01 |
| | MIL-E-2185C(1) NOT 1 | EXTINGUISHER, FIRE, CARBON DIOXIDE (HOSE REEL) SYSTEM (NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: CC] | A | 4210 | | SH | 08-AUG-86 |
| | MIL-E-24269B(1) | EXTINGUISHER, FIRE, CARBON DIOXIDE, 15 POUND, PORTABLE, PERMANENT SHUTOFF, NAVY SHIPBOARD USE[CUST: SH] [REVIEW: CC] | A | 4210 | | SH | 08-OCT-90 |
| | A-A-52471D NOT 1 | EXTINGUISHER, FIRE, CO2 2-1/2-POUND, WITH BRACKET[CUST: AT 99] | A | 4210 | / | AT | 14-APR-04 |
| | A-A-393A NOT 1 | EXTINGUISHER, FIRE, DRY CHEMICAL (HAND PORTABLE) | A | 4210 | / | IS | 08-SEP-03 |
| | UL299 | EXTINGUISHERS, FIRE, DRY CHEMICAL[CUST: CR4 YD 99] [REVIEW: 84 CC] | A | 4210 | | IS | 30-MAR-92 |
| M | MIL-DTL-24416C | EXTINGUISHING SYSTEM, FIRE, FIXED, WET CHEMICAL[CUST: SH] | A | 4210 | | SH | 30-MAR-06 |
| | A-A-54402 | EXTRACTOR AND LANCET, COMEDO (SAALFELD)[CUST: MD MS 03] | A | 6515 | / | MB | 17-MAY-91 |
| | GGG-E-00926C | EXTRACTOR, COTTER PIN | A | 5120 | # | FSS | 14-MAR-68 |
| | GGG-E-926B | EXTRACTOR, COTTER-PIN[CUST: GL SH 99] [REVIEW: AR] | A | 5120 | * | GL | 18-SEP-63 |
| | A-A-3021 NOT 2 | EXTRACTOR, SCREW (STUD AND PIPE) | A | 5120 | # | FSS | 07-JAN-03 |
| | AIR-STD-90/21 | EXTRANEOUS LIGHTING IN VICINITY OF AERODROMES | C | ISDF | | 06 | 02-JAN-96 |
| | STANAG-2895 ED.1(1) | EXTREME CLIMATIC CONDITIONS AND DERIVED CONDITIONS FOR USE IN DEFINING DESIGN/TEST CRITERIA FOR NATO FORCES MATERIEL (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 15-FEB-90 |
| | MIL-STD-1582D NOT 1 | EXTREMELY HIGH FREQUENCY (EHF) LOW DATA RATE (LDR) SATELLITE DATA LINK STANDARDS (SDLS) UPLINKS AND DOWNLINKS (U)[CUST: CR OM 02] [REVIEW: 11 13 93 AC AM DH MP NC NS SO TD] | A | TCSS | | DC1 | 26-JUL-04 |
| | ASTM-D1547 | EXTRUDED ACRYLIC PLASTIC SHEET[CUST: MR YD] | A | 9330 | | YD | 20-MAR-89 |
| | NACE-RP0185 | EXTRUDED, POLYOLEFIN RESIN COATING SYSTEMS WITH SOFT ADHESIVES FOR UNDERGROUND OR SUBMERGED PIPE[CUST: YD] | A | FACR | | YD | 29-JUL-04 |
| | MS21254U NOT 1 | EYE END, TURNBUCKLE, CLIP LOCKING[CUST: AV AS 99] [REVIEW: 71 MC] | A | 1640 | | GS5 | 01-APR-05 |
| | MS21255T NOT 1 | EYE END, TURNBUCKLE, CLIP LOCKING, (FOR WIRE ROPE)[CUST: AV AS 99 GS5] [REVIEW: 71] | A | 1640 | | GS5 | 01-APR-05 |
| | STANAG-4296 ED.1 | EYE PROTECTION FOR THE INDIVIDUAL SOLDIER - BALLISTIC PROTECTION | C | ISDA | | AI | 17-JUL-97 |
| | STANAG-4495 ED.1 | EYE PROTECTION FOR THE INDIVIDUAL SOLDIER - LASER PROTECTION | C | ISDA | | AI | 17-DEC-96 |
| | ASME-B18.15 | EYEBOLT, FORGED[CUST: AR SH 99 IS] [REVIEW: 71 AT MC] | A | 5306 | | IS | 30-SEP-85 |
| | ASTM-F541 | EYEBOLTS, ALLOY STEEL[CUST: AR YD 99 IS] | A | 5306 | | IS | FEB-90 |
| | A-A-56028 NOT 1 | EYELET, LACING[CUST: MI OS 99 IS] [REVIEW: 71] | A | 5325 | / | IS | 23-JUN-05 |
| | NAS1453 | EYELET, METALLIC, ELECTRICAL, PRINTED CIRCUIT BOARD, FUNNEL TYPE[CUST: AV AS 11] [REVIEW: CR4] | A | 5325 | | IS | 05-DEC-80 |
| | NASM20652 | EYELETS, METALLIC, AND EYELET WASHERS, METALLIC[CUST: GL NU 99 IS] | A | 5325 | | IS | JUN-99 |
| | NASM20652-1 | EYELETS, METALLIC, ROLLED FLANGE TYPE; AND EYELET WASHER[CUST: GL NU 99] | A | 5325 | | IS | MAY-00 |
| | MIL-PRF-49156B | EYEPIECE ASSEMBLY, FOR NIGHT VISION GOGGLES, AN/PVS-5( )[CUST: CR 11] [REVIEW: 99 AT] | A | 5855 | | CR | 04-MAR-99 |
| | INFO-PUB-20/29A | F/A-18 ARMAMENT RELATED PROJECTS | C | ISDF | | 06 | 01-OCT-01 |
| | DI-MGMT-81328 | F100 ENGINE HISTORY RECORDER (EHR) REPORT [AMSC: F6908] | A | MGMT | | 10 | 17-MAR-93 |
| | ASTM-D3990 | FABRIC DEFECTS, STANDARD TERMINOLOGY RELATING TO[CUST: MR NU 99 CT] | A | 8305 | | MR | 10-SEP-99 |
| | MIL-HDBK-741 NOT 1 | FABRIC DESIGN[CUST: GL CT] [REVIEW: MD] | A | 8305 | | CT | 27-FEB-87 |
| | IPC-SG141 | FABRIC, FINISHED, WOVEN FROM "S" GLASS FOR PRINTED BOARDS[CUST: CR EC 11 CC] [REVIEW: AS MC MI NW OS SH] | A | 5998 | | CC | FEB-92 |
| | IPC-4412 | FABRIC, FINISHED, WOVENFROM E GLASS FOR PRINTED BOARDS[CUST: CR EC 11 CC] [REVIEW: MI] | A | 5998 | | CC | 26-FEB-03 |
| | ASTM-D3776 | FABRIC, MASS PER UNIT AREA (WEIGHT) OF[CUST: GL YD 99 CT] | A | 8305 | | CT | 10-APR-96 |
| | ASTM-D3773 | FABRIC, WOVEN, LENGTH OF[CUST: GL SH 99 CT] | A | 8305 | | CT | 26-JAN-90 |
| | ASTM-D3774 | FABRIC, WOVEN, WIDTH OF[CUST: GL SH 99 CT] | A | 8305 | | CT | 10-APR-96 |
| | ASTM-D3775 | FABRIC, WRAP END COUNT AND FILLING PICK COUNT OF WOVEN[CUST: GL YD 99 CT] | A | 8305 | | CT | 03-OCT-94 |
| | ASTM-D3254 | FABRIC-REINFORCED, VULCANIZED RUBBER SHEETING FOR POND, CANAL, AND RESERVOIR LINING[CUST: MR YD 99] [REVIEW: 84 GS] | A | 9320 | | YD | 24-APR-81 |
| | ASTM-A184/A184M | FABRICATED DEFORMED STEEL BAR MATS FOR CONCRETE REINFORCEMENT[CUST: CR4 YD] | A | 9510 | | YD | 27-APR-90 |
| | ASTM-PS93 | FABRICATED SHAPES AND FINISHED PARTS FABRICATED FROM POLYLMIDE RESINS[CUST: MR AS] | A | 9330 | | MR | 26-JUN-98 |
| | PFI-ES3 | FABRICATING TOLERANCES[CUST: YD] | A | FACR | | YD | 08-JUL-04 |
| | NACE-RP0178 | FABRICATION DETAILS, SURFACE FINISH REQUIREMENTS, AND PROPER DESIGN CONSIDERATIONS FOR TANKS AND VESSELS TO BE LINED FOR IMMERSION SERVICE[CUST: YD] | A | FACR | | YD | 29-JUL-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-660A(1) | FABRICATION OF RIGID WAVEGUIDE ASSEMBLIES (SWEEP BENDS AND TWISTS)[CUST: CR EC 11] | A | 5985 | | CC | 05-SEP-02 |
| | ASTM-D2291 | FABRICATION OF RING TEST SPECIMENS FOR GLASS-RESIN COMPOSITES[CUST: MR AS 11] | A | CMPS | | MR | 03-OCT-94 |
| | MIL-STD-1689A | FABRICATION, WELDING, AND INSPECTION OF SHIPS STRUCTURE[CUST: SH] | A | THJM | | SH | 23-NOV-90 |
| | ASTM-D1424 | FABRICS BY FALLING-PENDULUM TYPE (ELMENDORF) APPARATUS, TEARING STRENGTH OF[CUST: SM AS 99] | A | PACK | | AS | 10-MAY-96 |
| | ASTM-D2724 | FABRICS, APPAREL, BONDED, FUSED, AND LAMINATED[CUST: GL SH 99 CT] | A | 8305 | | SH | 03-OCT-94 |
| | ASTM-D146 | FABRICS, BITUMEN-SATURATED FELTS AND WOVEN, FOR ROOFING AND WATERPROOFING, SAMPLING AND TESTING[CUST: CR4 YD] [REVIEW: CE] | A | 5650 | | IS | 26-JAN-90 |
| | ASTM-D751 | FABRICS, COATED[CUST: MR SH 99 IS] [REVIEW: YD] | A | 9320 | | IS | 28-APR-89 |
| | ASTM-D3389 | FABRICS, COATED, ABRASION RESISTANCE (ROTARY PLATFORM, DOUBLE-HEAD ABRADER)[CUST: CR4 SH 99] | A | 9320 | | CR4 | 03-OCT-94 |
| | ASTM-D2136 | FABRICS, COATED, LOW-TEMPERATURE BEND TEST, STANDARD TEST METHOD FOR[CUST: MR YD 99] [REVIEW: CC SH] | A | 9320 | | YD | 24-FEB-84 |
| | ASTM-D1117 | FABRICS, EVALUATING NONWOVEN[CUST: GL SH 99 CT] [REVIEW: 84] | A | 8305 | | CT | 10-SEP-75 |
| | ASTM-D3887 | FABRICS, KNITTED, TOLERANCES FOR[CUST: GL YD 99 CT] | A | 8305 | | CT | 3-OCT-94 |
| | MIL-F-36901A(2) | FABRICS, NONWOVEN, SURGICAL PACKS, DISPOSABLE[CUST: MD MS 03] | A | 6530 | | MB | 04-AUG-89 |
| | ASTM-D1388 | FABRICS, STIFFNESS OF[CUST: GL NU 99 CT] | A | 8305 | | CT | 10-APR-96 |
| | ASTM-D5034 | FABRICS, TEXTILE (GRAB TEST), BREAKING STRENGTH AND ELONGATION OF[CUST: GL NU 11 CT] [REVIEW: 99 AR AS AT CR4 MD SH TE] | A | 83GP | | CT | 15-MAY-95 |
| | ASTM-D3786 | FABRICS, TEXTILE - DIAPHRAGM BURSTING STRENGTH TESTER METHOD, HYDRAULIC BURSTING STRENGTH OF[CUST: GL NU 99 CT] [REVIEW: 11] | A | 83GP | | CT | 31-JUL-87 |
| | ASTM-D4157 | FABRICS, TEXTILE, ABRASION RESISTANCE OF (OSCILLATORY CYLINDER METHOD)[CUST: GL AS 99 CT] | A | 8305 | | CT | 03-OCT-94 |
| | ASTM-D4158 | FABRICS, TEXTILE, ABRASION RESISTANCE OF (UNIFORM ABRASION METHOD)[CUST: AT AS 99] | A | 8305 | | AS | 10-JUN-01 |
| | ASTM-D2261 | FABRICS, WOVEN, BY THE TONGUE (SINGLE RIP) METHOD (CONSTANT-RATE-OF-EXTENSION TENSILE TESTING MACHINE), TEARING STRENGTH OF[CUST: GL NU 11 CT] [REVIEW: 03 99 AS CG CR4 MC MD MI SH TE] | A | 83GP | | CT | 25-FEB-83 |
| | ASTM-D3691 | FABRICS, WOVEN, LACE, AND KNIT HOUSEHOLD CURTAIN AND DRAPERY[CUST: GL YD 99] | A | 7230 | | IS | 03-OCT-94 |
| | A-A-59537 | FACE SHIELD, BALLISTIC[CUST: GL CT] | A | 8470 | / | CT | 01-FEB-00 |
| | A-A-59540 | FACE SHIELD, NON-BALLISTIC[CUST: GL CT] | A | 8465 | / | CT | 01-FEB-00 |
| | A-A-54383 | FACE-BOW, ARTICULATOR, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 10-JUN-91 |
| | STANAG-3756 ED.3(3) | FACILITIES AND EQUIPMENT FOR RECEIPT AND DELIVERY OF LIQUID FUELS | C | ISDF | | 06 | 27-FEB-90 |
| | DI-MISC-81423 | FACILITIES MAINTENANCE REPORT [AMSC: F7069] | A | MISC | | 10 | 14-NOV-94 |
| | DI-FACR-80976 | FACILITIES PLAN [AMSC: A4929] | A | FACR | | MI | 04-MAY-90 |
| | IPC-QL653 | FACILITIES THAT INSPECT/TEST PRINTED BOARDS, COMPONENTS, AND MATERIALS, QUALIFICATION OF[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 21-JUL-89 |
| | NFPA99 | FACILITIES, HEALTH CARE[CUST: CR4 YD 04] | A | FACR | | MB | 12-FEB-93 |
| | DI-FACR-81451 | FACILITY DESIGN CRITERIA [AMSC: F7104] | A | FACR | | 11 | 23-JAN-95 |
| | DI-TCSP-80717 | FACILITY DISPOSAL REQUEST [AMSC: F4587] | A | TCSP | | 33 | 06-DEC-88 |
| | MIL-HDBK-1190 | FACILITY PLANNING AND DESIGN GUIDE[CUST: CE YD 04] | A | FACR | | YD | 01-SEP-87 |
| | ASTM-E1801 | FACINGS, ALUMINUM, IN FOAM AND BEAM TYPE SHELTERS, ADHESIVE BONDING OF[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | A-A-0051470 | FACTOR IX COMPLEX, USP[CUST: MD MS 03] | A | 6505 | / | MB | 04-JUN-86 |
| | AWPA-F6 | FACTORS & CORRECTION TABLES, MISCELLANEOUS CONVERSION[CUST: MR 99] [REVIEW: 11 84 CC CR4] | A | 8030 | | MR | 10-DEC-87 |
| | DI-RELI-81315 | FAILURE ANALYSIS AND CORRECTIVE ACTION REPORT [AMSC: G6891] | A | SESS | | NS | 25-JAN-93 |
| | DI-RELI-80374 | FAILURE ANALYSIS SUMMARY LIST [AMSC: G4138] | A | SESS | | NS | 19-JUN-87 |
| | DI-QCIC-80131 | FAILURE AND ANALYSIS TRACKING REPORT [AMSC: F3794] | A | QCIC | | 10 | 07-APR-86 |
| | DI-RELI-80807 | FAILURE DATA AND TRACEABILITY RECORD [AMSC: G4690] | A | SESS | | NS | 28-APR-89 |
| | ASTM-D1683 | FAILURE IN SEWN SEAMS OF WOVEN FABRICS[CUST: GL NU 99 CT] | A | 8305 | | CT | 27-JUL-90 |
| | DI-ILSS-81495 | FAILURE MODE EFFECTS, AND CRITICALITY ANALYSIS REPORT [AMSC: N7165] | A | SESS | | AS | 30-OCT-95 |
| | MIL-STD-690D | FAILURE RATE SAMPLING PLANS AND PROCEDURES[Standard Practice][CUST: CR EC 11 CC] [REVIEW: 19 70 AR AS CG MC MI OS SH] | A | SESS | | CC | 10-JUN-05 |
| | DI-MISC-81483 | FAILURE REPORT SERIALIZED CONTROL [AMSC: F7156] | A | MISC | | 10 | 31-JUL-95 |
| | MIL-HDBK-2155 | FAILURE REPORTING, ANALYSIS AND CORRECTIVE ACTION TAKEN[CUST: AS] | A | SESS | | AS | 11-DEC-95 |
| | DI-RELI-80255 | FAILURE SUMMARY AND ANALYSIS REPORT [AMSC: N3987] | A | SESS | | SA | 17-OCT-86 |
| | A-A-50152 | FAIR LINEN, ALTAR[CUST: GL PE 28] | A | 9925 | / | CT | 19-JAN-88 |
| | MIL-F-1611E(1) NOT 1 | FAIRLEAD, TENT LINE, MAGNESIUM[CUST: GL SA 99 CT] [REVIEW: CR4 YD] | A | 8340 | | CT | 27-FEB-87 |
| | MIL-HDBK-1035 | FAMILY HOUSING[CUST: CE YD] | A | FACR | | YD | 15-JUN-89 |
| | DI-MISC-81050 | FAMILY HOUSING INVENTORY AND OCCUPANCY REPORT [AMSC: F5009] | A | MISC | | 10 | 28-SEP-90 |
| | DI-MISC-81049 | FAMILY HOUSING INVENTORY DESIGNATION AND ASSIGNMENT REPORT [AMSC: F5008] | A | MISC | | 10 | 28-SEP-90 |
| A | MIL-PRF-32125(1) | FAN AND FILTER HOUSING, 400 CFM, FIXED SPEED[CUST: EA SH 99] [REVIEW: 84] | C | 4240 | | EA | 17-OCT-05 |
| | MIL-PRF-50084G | FAN, CENTRIFUGAL, 34CMH (20 CFM)[CUST: EA] | D | 4140 | | EA | 16-MAY-03 |
| | MIL-PRF-32001 | FAN, CIRCULATING - HEAT DISTRIBUTION, SELF-POWERED[CUST: GL YD 99] [REVIEW: 84 CC MC MD1 QM1] | A | 4140 | | GL | 25-JUL-97 |
| | FED-STD-50H | FAN, CIRCULATING, BRACKET AND FAN CIRCULATING, DESK (RIGID BLADES) | A | 4140 | # | FSS | 31-MAR-76 |
| | MIL-F-68F(2) NOT 1 | FAN, CIRCULATING, BRACKET NONOSCILLATING, NAVAL SHIPBOARD[CUST: SH] | A | 4140 | | IS | 08-MAY-01 |
| | FED-STD-65C | FAN, CIRCULATING, RADIAL DISCHARGE | A | 4140 | # | FSS | 29-MAR-76 |
| | ASHRAE68 | FAN, IN-DUCT SOUND POWER MEASUREMENT PROCEDURE FOR[CUST: YD] [REVIEW: CE GS MC MS] | A | 4140 | | IS | 1986 |
| | AMCA801 | FAN, POWER PLANT, SPECIFICATION GUIDELINES[CUST: YD] | A | 4140 | | IS | 20-SEP-91 |
| | A-A-50506A NOT 1 | FAN, TUBEAXIAL, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT[CUST: EC 99 IS] | A | 4140 | / | IS | 06-AUG-01 |
| | A-A-50599 | FAN, TUBEAXIAL, PORTABLE, DESMOKING, AND VENTILATING[CUST: SH 99] [REVIEW: 84 GS SA] | A | 4140 | / | SH | 16-JUL-92 |
| | MIL-PRF-62563A | FAN, VENTILATING, VEHICULAR COMPARTMENT[CUST: AT] | A | 4140 | | AT | 06-DEC-95 |
| | ARI440 | FAN-COILS, ROOM[CUST: YD 99] [REVIEW: CE GS] | A | 4130 | | IS | 1998 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AMCA201 | FANS AND SYSTEMS[CUST: CR4 YD 99] [REVIEW: 84 CE GS] | A | 4140 | | IS | 1990 |
| | A-A-59222 NOT 1 | FANS, CENTRIFUGAL, DRAFT, FORCED AND INDUCED[CUST: YD 99] [REVIEW: 84 GS] | A | 4140 | / | IS | 11-JUN-03 |
| | A-A-50548 | FANS, CENTRIFUGAL, INDUSTRIAL[CUST: CR4 YD] [REVIEW: CE MC] | A | 4140 | / | IS | 09-JUN-95 |
| | MIL-PRF-19004B | FANS, CENTRIFUGAL, VENTILATION, NAVAL SHIPBOARD[CUST: SH] [REVIEW: IS] | A | 4140 | | SH | 25-MAY-01 |
| | FED-STD-49D | FANS, CIRCULATING, COLUMN (ELECTRIC, RIGID-BLADES NON-OSCILLATING, NOT FOR MARINE SERVICE) | A | 4140 | # | FSS | 31-MAR-76 |
| | UL507 | FANS, ELECTRIC[CUST: YD] | A | 4140 | | IS | 13-DEC-99 |
| | AMCA802 | FANS, INDUSTRIAL PROCESS/POWER GENERATION, ESTABLISHING PERFORMANCE USING LABORATORY MODELS[CUST: CR4 YD 99] | A | 4140 | | IS | OCT-94 |
| | AMCA300 | FANS, REVERBERANT ROOM METHOD FOR SOUND TESTING OF[CUST: YD] | A | 4140 | | IS | 27-NOV-91 |
| | MIL-PRF-18953C | FANS, VANEAXIAL AND TUBEAXIAL, VENTILATION AND AIR CONDITIONING, NAVAL SHIPBOARD[CUST: SH] | A | 4140 | | SH | 14-FEB-05 |
| | QPL-18953-30 | FANS, VANEAXIAL AND TUBEAXIAL, VENTILATION AND AIR CONDITIONING, NAVAL SHIPBOARD | A | 4140 | | SH | 14-JUN-05 |
| | MIL-PRF-24751A | FANS, VANEAXIAL GAS TURBINE ENCLOSURE COOLING NAVAL SHIPBOARD[CUST: SH] | A | 4140 | | SH | 16-DEC-04 |
| | MIL-F-18602B | FANS, VANEAXIAL, FORCED DRAFT, STEAM TURBINE DRIVEN, NAVAL SHIPBOARD SERVICE[CUST: SH] [REVIEW: GS] | A | 4140 | | SH | 12-FEB-91 |
| | MIL-PRF-24755A | FANS, VANEAXIAL, HIGH PRESSURE, NAVAL SHIPBOARD[CUST: SH] [REVIEW: IS] | A | 4140 | | SH | 31-MAY-01 |
| | DI-SAFT-81130 | FAST COOK-OFF TEST DATA [AMSC: N6030] | A | SAFT | | OS | 08-MAR-91 |
| | NAS1699 | FASTENER - BLIND, INTERNALL THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF LOCKING[CUST: AS 11 IS] | A | 5325 | | IS | 30-JAN-84 |
| | NAS1754 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE LIGHTWEIGHT, FLUSH HEAD, MILLABLE AND NON-MILLABLE, SELF-LOCKING, 1/64" OVERSIZE[CUST: AV AS 11 IS] | A | 5320 | | IS | 25-APR-91 |
| | NAS1750 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, FLUSH HEAD, SELF-LOCKING 1/64" OVERSIZE[CUST: AV AS 11 IS] | A | 5320 | | IS | 25-APR-91 |
| | NAS1670 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, FLUSH HEAD, SELF LOCKING[CUST: AS 11 IS] | A | 5325 | | IS | 30-JAN-84 |
| | NAS1751 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD SELF-LOCKING 1/64" OVERSIZE[CUST: AV AS 11 IS] | A | 5320 | | IS | 25-APR-91 |
| | NAS1752 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, FLUSH HEAD SELF-LOCKING 1/64" OVERSIZE[CUST: AV AS 11 IS] | A | 5320 | | IS | 25-APR-91 |
| | NAS1671 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, PROTRUDING HEAD, SELF LOCKING[CUST: AS 11 IS] | A | 5325 | | IS | 30-JAN-84 |
| | NAS1753 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, PROTRUDING HEAD SELF-LOCKING 1/64" OVERSIZE[CUST: AV AS 11 IS] | A | 5320 | | IS | 25-APR-91 |
| | NAS1674 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, MILLABLE HEAD, SELF LOCKING[CUST: AS 11 IS] | A | 5325 | | IS | 17-OCT-84 |
| | NAS1673 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, PROTRUDING HEAD, SELF LOCKING[CUST: AS 11 IS] | A | 5325 | | IS | 30-JAN-84 |
| | NAS1755 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, PROTRUDING HEAD SELF-LOCKING 1/64" OVERSIZE[CUST: AV AS 11 IS] | A | 5320 | | IS | 25-APR-91 |
| | NAS1730 | FASTENER - TAPER SHANK[CUST: AV AS 11 IS] | A | 5320 | | IS | 01-NOV-95 |
| | NAS1669 | FASTENER BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF LOCKING[CUST: AS 11 IS] | A | 5325 | | IS | 30-JAN-84 |
| | NAS1672 | FASTENER BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, FLUSH HEAD, SELF LOCKING[CUST: AS 11 IS] | A | 5325 | | IS | 30-JAN-84 |
| | MIL-F-8961A(1) NOT 1 | FASTENER ELEMENT, SELF-LOCKING, EXTERNALLY THREADED, 450 DEG. F AND 1,200 DEG. F[CUST: AV AS 99] [REVIEW: EA IS OS] | A | 53GP | | AS | 23-MAR-00 |
| | MIL-DTL-18240F(1) | FASTENER ELEMENT, SELF-LOCKING, THREADED FASTENER, 250 DEG. F MAXIMUM[CUST: AV AS 11] [REVIEW: EA IS MI OS] | A | 53GP | | AS | 13-MAR-00 |
| | QPL-18240-33 | FASTENER ELEMENT, SELF-LOCKING, THREADED FASTENER, 250 DEG. F MAXIMUM | A | 53GP | | AS | 22-JUL-02 |
| | NASM21327 | FASTENER INSTALLATION - SNAPSLIDE[CUST: GL AS 99 IS] | A | 5325 | | IS | AUG-97 |
| | NASM1515 | FASTENER SYSTEMS FOR AEROSPACE APPLICATIONS[CUST: AV AS 11] [REVIEW: 99 AR IS MI] | A | 53GP | | AS | JUN-99 |
| | A-A-55126A | FASTENER TAPES, HOOK AND LOOP, SYNTHETIC[CUST: GL NU 99 CT] [REVIEW: 11 AS MC MD OS] | A | 8315 | / | CT | 23-JUN-99 |
| | NASM1312-32 | FASTENER TEST METHOD, METHOD 32, BARREL NUT TEST[CUST: AV AS 11] | A | 53GP | | IS | OCT-98 |
| | NASM1312 | FASTENER TEST METHODS[CUST: AV AS 11 IS] [REVIEW: AR SH] | A | 53GP | | IS | AUG-97 |
| | NASM1312-1 | FASTENER TEST METHODS METHOD 1 SALT SPRAY[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-10 | FASTENER TEST METHODS METHOD 10 STRESS RUPTURE[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-11 | FASTENER TEST METHODS METHOD 11 TENSION FATIGUE[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-12 | FASTENER TEST METHODS METHOD 12 THICKNESS OF METALLIC COATINGS[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-13 | FASTENER TEST METHODS METHOD 13 DOUBLE SHEAR TEST[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-14 | FASTENER TEST METHODS METHOD 14 STRESS DURABILITY INTERNALLY THREADED FASTENERS[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-15 | FASTENER TEST METHODS METHOD 15 TORQUE - TENSION[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-16 | FASTENER TEST METHODS METHOD 16 CLAMPING FORCE FOR INSTALLATION FORMED FASTENERS[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-17 | FASTENER TEST METHODS METHOD 17 STRESS RELAXATION[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-18 | FASTENER TEST METHODS METHOD 18 ELEVATED TEMPERATURE TENSILE STRENGTH[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-19 | FASTENER TEST METHODS METHOD 19 FASTENER SEALING[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-2 | FASTENER TEST METHODS METHOD 2 INTERACTION[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-20 | FASTENER TEST METHODS METHOD 20 SINGLE SHEAR[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-21 | FASTENER TEST METHODS METHOD 21 SHEAR JOINT FATIGUE CONSTANT AMPLITUDE[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-22 | FASTENER TEST METHODS METHOD 22 RECEPTACLE PUSH-OUT, PANEL FASTENERS[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-23 | FASTENER TEST METHODS METHOD 23 TENSILE STRENGTH OF PANEL FASTENERS[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-24 | FASTENER TEST METHODS METHOD 24 RECEPTACLE TORQUE-OUT, PANEL FASTENERS[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM1312-25 | FASTENER TEST METHODS METHOD 25 DRIVING RECESS TORQUE QUALITY CONFORMANCE TEST[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-26 | FASTENER TEST METHODS METHOD 26 STRUCTURAL PANEL FASTENER LAP JOINT SHEAR[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-27 | FASTENER TEST METHODS METHOD 27, PANEL FASTENER SHEET PULL-UP[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-28 | FASTENER TEST METHODS METHOD 28, ELEVATED TEMPERATURE DOUBLE SHEAR[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-29 | FASTENER TEST METHODS METHOD 29 MEASUREMENT TECHNIQUES FOR DETERMINING SHANK EXPANDING CHARACTERISTICS OF DEFORMABLE FASTENERS[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-3 | FASTENER TEST METHODS METHOD 3 HUMIDITY[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-30 | FASTENER TEST METHODS METHOD 30, SHEET PULL-UP OF BLIND FASTENERS[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-31 | FASTENER TEST METHODS METHOD 31, TORQUE[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-4 | FASTENER TEST METHODS METHOD 4 LAP JOINT SHEAR[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-5 | FASTENER TEST METHODS METHOD 5 STRESS DURABILITY[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-6 | FASTENER TEST METHODS METHOD 6 HARDNESS[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-7 | FASTENER TEST METHODS METHOD 7 VIBRATION[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-8 | FASTENER TEST METHODS METHOD 8 TENSILE STRENGTH[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NASM1312-9 | FASTENER TEST METHODS METHOD 9 STRESS CORROSION[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NAM1312-105 | FASTENER TEST METHODS METRIC METHOD 105 STRESS DURABILITY[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NAM1312-108 | FASTENER TEST METHODS METRIC METHOD 108 TENSILE STRENGTH[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NAM1312-107 | FASTENER TEST METHODS, METRIC METHOD 107 VIBRATION[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NAM1312-109 | FASTENER TEST METHODS, METRIC METHOD 109 STRESS CORROSION[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NAM1312-111 | FASTENER TEST METHODS, METRIC METHOD 111 TENSION FATIGUE[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | NAM1312-113 | FASTENER TEST METHODS, METRIC METHOD 113 DOUBLE SHEAR TEST[CUST: AV AS 11] [REVIEW: AR IS SH] | A | 53GP | | AS | AUG-97 |
| | SAE-AS1310 | FASTENER TORQUE FOR THREADED APPLICATIONS, DEFINITIONS OF[CUST: AV AS 99] | A | 53GP | | IS | 30-AUG-88 |
| | NASM8975 | FASTENER, BLIND, HIGH STRENGHT, INSTALLATION FORMED CORROSION RESISTANT STEEL, HEAT RESISTANT STEEL AND TITANIUM[CUST: AV 99 IS] | A | 5320 | | IS | NOV-99 |
| | NASM81177-2 | FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED SELF-LOCKING, 100 DEG. FLUSH HEAD, 450 DEG. F, ALLOY STEEL 112 KSI FSU[CUST: AV AS 11 IS] | A | 5320 | | IS | FEB-99 |
| | NASM81177-3 | FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED, SELF-LOCKING, PROTRUDING HEAD; 450 DEG. F, ALLOY STEEL, 112 KSI, FSU[CUST: AV AS 11 IS] | A | 5320 | | IS | APR-99 |
| | NASM90353 | FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100 DEG. FLUSH HEAD, ALLOY STEEL, 112 K.S.I. FSU[CUST: AV AS 99] | A | 5320 | | IS | 29-JUN-90 |
| | MS21141J(1) | FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, CORROSION RESISTING STEEL, 95 KSI FSU[CUST: AV AS 99 IS] [REVIEW: 71 MI] | A | 5320 | | IS | 10-AUG-98 |
| | NASM90354 | FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, ALLOY STEEL, 112 K.S.I. FSU[CUST: AV AS 99] | A | 5320 | | IS | MAR-00 |
| | NAS1675 | FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE SELF-LOCKING[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5325 | | IS | 05-DEC-96 |
| | NAS1170 | FASTENER, CHAIN[CUST: CR4 SH 99 CC] | A | 4030 | | CC | 01-OCT-62 |
| | MIL-F-25173A(2) NOT 2 | FASTENER, CONTROL PANEL, AIRCRAFT EQUIPMENT[CUST: AS IS] | A | 5325 | | IS | 10-APR-01 |
| | A-A-1957A NOT 3 | FASTENER, CORRUGATED, WOOD JOINT[CUST: AR YD 99 IS] [REVIEW: AS GS SA SH] | A | 5315 | / | IS | 08-SEP-03 |
| | MIL-F-85731/1B(2) | FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING[CUST: CR AS 99] [REVIEW: AR AV] | A | 5340 | | AS | 26-JUN-95 |
| | MIL-F-85731/2 | FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING, FORCE LIMITING[CUST: CR AS 11] | A | 5340 | | AS | 14-APR-86 |
| | PIA-PS70092 | FASTENER, PARACHUTE PACK[CUST: GL AS 99 IS] [REVIEW: 11 71 AV] | A | 1670 | | GS1 | 07-JAN-98 |
| | A-A-55223 | FASTENER, PLASTIC, FOR EQUIPAGE ITEMS[CUST: GL NU CT] [REVIEW: MC] | A | 8465 | / | CT | 13-JUL-93 |
| | MIL-F-85731(1) | FASTENER, POSITIVE LOCKING, ELECTRONIC EQUIPMENT GENERAL SPECIFICATION FOR[CUST: AV AS] [REVIEW: IS] | A | 5340 | | AS | 09-FEB-01 |
| | NAS618 | FASTENER, RECOMMENDED SHANK, HOLE & HEAD TO SHANK FILLET RADIUS LIMITS FOR[CUST: AV AS 11 IS] | A | 5325 | | IS | 14-JUN-74 |
| | NASM17731 | FASTENER, ROTARY, QUICK - OPERATING, FLUSH HEAD, FLOATING TYPE, 2210 LBS MIN TENSILE STRENGTH[CUST: AV AS 11 IS] | A | 5325 | | IS | DEC-97 |
| | NASM17732 | FASTENER, ROTARY, QUICK - OPERATING, PROTRUDING HEAD FLOATING TYPE, 2210 LBS MIN TENSILE STRENGTH[CUST: AV AS 11 IS] | A | 5325 | | IS | 31-DEC-97 |
| | NASM22978 | FASTENER, ROTARY, QUICK-OPERATING, HIGH-STRENGTH[CUST: AS 99] | A | 5325 | | IS | MAY-00 |
| A | MS27977D NOT 2 | FASTENER, SNAP, STYLE 1 (LARGE CURTAIN TYPE)[CUST: GL AS 99 IS] [REVIEW: 71 AT AV CR CR4 MC MS] | A | 5325 | | IS | 13-OCT-05 |
| | NASM21332 | FASTENER-SNAPSLIDE[CUST: GL AS 99 IS] | A | 5325 | | IS | AUG-97 |
| | NASM229 | FASTENERS - INTERLOCKING SLIDE[CUST: AV AS 99 IS] | A | 5325 | | IS | OCT-98 |
| | ASME-B18.18.4M | FASTENERS FOR HIGHLY SPECIALIZED ENGINEERED APPLICATIONS, INSPECTION & QUALITY ASSURANCE FOR[CUST: AR OS 99] [REVIEW: AT AV CR IS MC MI NS SH YD] | A | QCIC | | AR | 21-APR-87 |
| | SAE-J2295 | FASTENERS PART STANDARD - CAP SCREWS, HEX BOLTS, AND HEX NUTS (INCH DIMENSIONED)[CUST: AR SH 99] | A | 53GP | | SH | OCT-99 |
| | NAS498 | FASTENERS, ALLOY STEEL EXTERNALLY THREADED 95 KSI FSU[CUST: AS 11 IS] | A | 5306 | | IS | 28-FEB-97 |
| | NASM8831 | FASTENERS, ALLOY STEEL, 450 DEG F. EXTERNALLY THREADED, 180 KSI FTU, 108 KSI FSU, FATIGUE RATED[CUST: AV AS 99 IS] | A | 5306 | | IS | 03-APR-00 |
| | A-A-59357 | FASTENERS, BELT; CLIPS, ENDS WITH HOOK: AND KEEPERS, SLIDE[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8315 | / | CT | 03-NOV-98 |
| | NASM8975-2 | FASTENERS, BLIND, HIGH STRENGTH, CORROSION RESISTANT AND HEAT RESISTANT STEEL, FLUSH HEAD, TYPE II, CLASS I[CUST: AV AS 11] | A | 5320 | | IS | DEC-99 |
| | NASM8975-4 | FASTENERS, BLIND, HIGH STRENGTH, CORROSION RESISTANT AND HEAT RESISTANT STEEL, PROTRUDING HEAD, TYPE II, CLASS 1[CUST: AV AS 11 IS] | A | 5320 | | IS | APR-99 |
| | NASM81177 | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL[CUST: AV 99] | A | 5320 | | IS | MAR-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM81177-1 | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL; DESIGN AND USAGE LIMITATIONS FOR[CUST: AV AS IS] | A | 5320 | | IS | FEB-99 |
| | NASM8975-1 | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT AND HEAT RESISTANT STEEL AND TITANIUM, DESIGN AND USAGE LIMITATIONS FOR[CUST: AV AS 11 IS] | A | 5320 | | IS | APR-99 |
| | NASM21140 | FASTENERS, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100 DEG. FLUSH HEAD, CORROSION RESISTING STEEL, 95 KSI FSU[CUST: AV AS 99 IS] | A | 5320 | | IS | FEB-99 |
| | NASM8975-7 | FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, FLUSH HEAD, TYPE I, CLASS 2[CUST: AV AS 11 IS] | A | 5320 | | IS | APR-99 |
| | NASM8975-6 | FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, PROTRUDING HEAD, TYPE I, CLASS 2[CUST: AV AS 11 IS] | A | 5320 | | IS | APR-99 |
| | NASM8975-3 | FASTENERS, BLIND, TITANIUM, FLUSH HEAD, TYPE II, CLASS 2[CUST: AV AS 11 IS] | A | 5320 | | IS | APR-99 |
| | NASM8975-5 | FASTENERS, BLIND, TITANIUM, PROTRUDING HEAD, TYPE II, CLASS 2[CUST: AV AS 11 IS] | A | 5320 | | IS | APR-99 |
| | ASTM-F1667 | FASTENERS, DRIVEN: NAIL, SPIKES, AND STAPLES[CUST: AR YD 99 IS] [REVIEW: 71] | A | 5315 | | IS | 13-SEP-96 |
| | SAE-J429 | FASTENERS, EXTERNALLY THREADED, MECHANICAL AND MATERIAL REQUIREMENTS FOR[CUST: CR4 SH 99 IS] [REVIEW: 84] | A | 53GP | | IS | OCT-94 |
| | NASM15981 | FASTENERS, EXTERNALLY THREADED, SELF-LOCKING DESIGN AND USAGE LIMITATIONS FOR[CUST: MI AS 99] [REVIEW: 71 IS] | A | 5305 | | AS | AUG-98 |
| | ASME-B18.18.1M | FASTENERS, GENERAL PURPOSE, INSPECTION & QUALITY ASSURANCE FOR[CUST: AR OS 99] [REVIEW: AT AV CR IS MC MI NS SH YD] | A | QCIC | | AR | 21-APR-87 |
| | ASME-B18.18.2M | FASTENERS, HIGH VOLUME MACHINE ASSEMBLY, INSPECTION & QUALITY ASSURANCE FOR[CUST: AR OS 99] [REVIEW: AT AV CR IS MC MI NS SH YD] | A | QCIC | | AR | 21-APR-87 |
| | NAS1347 | FASTENERS, IDENTIFICATION OF MALE THREADED[CUST: AV AS 11 IS] | A | 53GP | | IS | 9 NOV 98 |
| | ANSI-B18.12 | FASTENERS, MECHANICAL GLOSSARY & TERMS FOR[CUST: AR SH 99 IS] [REVIEW: AT AV] | A | 53GP | | IS | 07-APR-71 |
| | NA0008 | FASTENERS, METRIC ALLOY STEEL EXTERNALLY THREADED 1100 MPA TENSILE 660 MPA SHEAR[CUST: AR AS 11] [REVIEW: AV CR4 IS] | A | 53GP | | AR | MAR-78 |
| | NA0026 | FASTENERS, METRIC, A-286 CRES EXTERNALLY THREADED 1100 MPA TENSILE 660 MPA SHEAR[CUST: AV 11 IS] [REVIEW: 99] | A | 53GP | | IS | NOV-77 |
| | NA0057 | FASTENERS, METRIC, ALLOY STEEL EXTERNALLY THREADED 1250 MPA TENSILE 750 MPA SHEAR[CUST: AV 11 IS] [REVIEW: 99] | A | 53GP | | IS | JUL-79 |
| | NA8 | FASTENERS, METRIC, ALLOY STEEL, EXTERNALLY THREADED, 1100 MPA TENSILE, 660 MPA SHEAR, PROCUREMENT SPECIFICATIONS[CUST: AR AS 99 IS] [REVIEW: AV CR4] | A | 53GP | | IS | 21-JAN-85 |
| | NA0007 | FASTENERS, METRIC, TITANIUM ALLOY EXTERNALLY THREADED 1100 MPA TENSILE 660 MPA SHEAR[CUST: AV 11 IS] [REVIEW: 99] | A | 53GP | | IS | MAR-78 |
| | SAE-MA1520 | FASTENERS, MJ EXTERNALLY THREADED, AREAS FOR CALCULATING STRESS OR LOAD VALUES FOR (METRIC)[CUST: AR 99 IS] [REVIEW: AV] | A | 53GP | | IS | 17-OCT-88 |
| A | MS51995C | FASTENERS, RING LOCKED INSERTS AND STUDS, INSTALLATION AND REPLACEMENT OF[CUST: AR AS 99] [REVIEW: AT AV CR MC MI NS OS] | A | 53GP | | IS | 12-FEB-88 |
| A | MIL-DTL-10884H | FASTENERS, SNAP[CUST: GL AS 99 IS] [REVIEW: 71 AR AV CR4 CT MI OS] | A | 5325 | | IS | 20-JUL-05 |
| | NASM27980 | FASTENERS, SNAP, STYLE 2 (REGULAR WIRE SPRING CLAMP TYPE)[CUST: AS 99 IS] | A | 5325 | | IS | APR-98 |
| | NASM27981 | FASTENERS, SNAP, STYLE 2A (SMALL WIRE SPRING CLAMP TYPE)[CUST: AS 99 IS] | A | 5325 | | IS | AUG-97 |
| A | A-A-55621 NOT 1 | FASTENERS, SNAP, STYLE 3 PRONGED RING HEAD TYPE (16 LIGNE)[CUST: GL AS 99 IS] [REVIEW: AR MI SA] | A | 5325 | / | IS | 13-OCT-05 |
| | NASM27983 | FASTENERS, SNAP, STYLE 4 (THREE WAY LOCKING TYPE)[CUST: AS 99 IS] [REVIEW: 71] | A | 5325 | | IS | MAR-98 |
| | NASM27984 | FASTENERS, SNAP, STYLE 5 (SCALLOPED BUTTON HEAD TYPE)[CUST: GL AS 99] | A | 5325 | | IS | JUN-99 |
| | NASM27986 | FASTENERS, SNAP, STYLE 7 (RIVET TYPE)[CUST: GL AS 99] | A | 5325 | | IS | AUG-98 |
| | ASME-B18.18.3M | FASTENERS, SPECIAL PURPOSE, INSPECTION & QUALITY ASSURANCE FOR[CUST: AR OS 99] [REVIEW: AT AV CR IS MC MI NS SH YD] | A | QCIC | | AR | 21-APR-87 |
| | NASM25420 | FASTENERS, STRAIGHT, HEADED, SWAGED COLLAR LIMITATIONS FOR USE OF[CUST: GL AS 99 IS] | A | 5325 | | IS | DEC-97 |
| | NAS621 | FASTENERS, TITANIUM ALLOY PROCUREMENT SPECIFICATION[CUST: AV 11] [REVIEW: CR4] | A | 5306 | | IS | 28-FEB-97 |
| | ASTM-F606M | FASTENERS, WASHERS, AND RIVETS, EXTERNALLY AND INTERNALLY THREADED, DETERMINING THE MECHANICAL PROPERTIES OF (METRIC)[CUST: AR YD 99] | A | 53GP | | IS | 15-MAR-91 |
| | ASTM-F606 | FASTENERS, WASHERS, AND RIVETS, EXTERNALLY AND INTERNALLY THREADED, DETERMINING THE MECHANICAL PROPERTIES OF[CUST: AR YD 99] | A | 53GP | | IS | 03-MAR-91 |
| | NASM5591 | FASTENERS; PANEL; NONSTRUCTURAL[CUST: AR AS 99] | A | 5325 | | IS | MAY-00 |
| | NASM17855 | FASTERNERS, SCREW THREADED, DESCRIPTIVE FACTOR SYMBOLS AND ORDER OF NOTES FOR ENIGINEERING DOCUMENTS[CUST: AV AS 99] | A | 53GP | | AS | APR-99 |
| | A-A-59197B | FATTY OIL (FOR METAL-WORKING LUBRICANTS)[CUST: AR GS3] [REVIEW: AV MI] | A | 9150 | / | GS3 | 21-JUN-05 |
| | MIL-F-163G NOT 2 | FAUCET, SINGLE & DOUBLE, COMPRESSION & SELF CLOSING TYPE, NAVAL SHIPBOARD[CUST: SH] [REVIEW: CC YD] | A | 4510 | | SH | 13-DEC-85 |
| | A-A-53442 | FECAL SPECIMEN COLLECTION AND PREPARATION KIT[CUST: MD MS 03] | A | 6550 | / | MB | 29-APR-88 |
| | A-A-51653A | FECAL SPECIMEN COLLECTION AND PREPARATION KIT[CUST: MD MS 03] | A | 6550 | / | MB | 31-AUG-87 |
| | DI-SDMP-81262 | FEDERAL SPECIFICATION [AMSC: A6730] | A | SDMP | | AM | 28-MAR-92 |
| | DI-SDMP-81263 | FEDERAL SPECIFICATION SHEET (SLASH SHEET) [AMSC: A6731] | A | SDMP | | AM | 28-APR-92 |
| | DI-SDMP-81265 | FEDERAL STANDARD [AMSC: A6733] | A | SDMP | | AM | 28-APR-92 |
| | MIL-F-45557B NOT 1 | FEEDER, AUTOMATIC GUN, M3A1[CUST: AR 99] [REVIEW: 84 AS MC] | A | 1005 | | AR | 28-MAY-87 |
| | MIL-F-45598A | FEEDER, DELINKING, AIRCRAFT MACHINE GUN: MAU-56/A[CUST: AR 99] [REVIEW: 84] | A | 1005 | | AR | 20-JAN-94 |
| | ASTM-F1021 | FEEDERS, DETERGENT, RINSE AGENT, AND SANITIZING AGENT FOR COMMERCIAL DISHWASHING AND GLASSWASHING MACHINES[CUST: GL YD 99] [REVIEW: 50 84 MC MD MS] | A | 7320 | | GL | 15-NOV-93 |
| | AWS-C2.25/C2.25M | FEEDSTOCK, THERMAL SPRAY, SOLID AND COMPOSITE WIRE AND CERAMIC RODS[CUST: MR SH 11] [REVIEW: 84 99 AR AS MI] | A | 3439 | | GS6 | 18-NOV-02 |
| | MIL-DTL-32065 | FELT SHEET (HAIR) AND FELT ROLL (HAIR)[CUST: GL NU 99] [REVIEW: 11 MD OS] | A | 8305 | | CT | 11-MAY-00 |
| | MIL-F-43310A NOT 1 | FELT SHEET, NYLON, NON-WOVEN (NEEDLE PUNCHED)[CUST: GL NU 99 CT] [REVIEW: CR4 MD] | A | 8305 | | CT | 30-NOV-87 |
| | MIL-F-44405 NOT 2 | FELT SHEET, POLYESTER, NEEDLE PUNCHED[CUST: GL AS 11 CT] [REVIEW: 82 MC MD OS] | A | 8305 | | CT | 15-JAN-03 |
| | A-A-50823 | FELT SHEET, WOOL, WHITE, SOFT[CUST: MD MS 03] | A | 8305 | / | MB | 31-OCT-88 |
| | MIL-F-2312F | FELT, HAIR OR WOOL: MILDEW RESISTANT AND MOISTURE RESISTANT TREATMENT FOR[CUST: GL NU 99 CT] [REVIEW: 11 AS MD SH] | A | 8305 | | CT | 24-APR-89 |
| | ASTM-D461 | FELT, STANDARD TEST METHODS FOR[CUST: GL NU 11 CT] | A | 8305 | | CT | 15-FEB-93 |
| | ASTM-F537 | FENCES, CONSTRUCTED OF WOOD AND RELATED MATERIALS, DESIGN, FABRICATION, AND INSTALLATION OF[CUST: YD] [REVIEW: CC] | A | 5660 | | IS | 15-MAR-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | RR-F-191K | FENCING, WIRE AND POST METAL (AND GATES, CHAIN-LINK FENCE FABRIC, AND ACCESSORIES) (GENERAL SPECIFICATION)[CUST: CR4 YD 99] [REVIEW: 84 CC CE] | A | 5660 | / | IS | 14-MAY-90 |
| | RR-F-191/1D NOT 1 | FENCING, WIRE AND POST METAL (CHAIN-LINK FENCE FABRIC)[CUST: CR4 YD 99 IS] [REVIEW: 84 CC CE CG MC] | A | 5660 | / | IS | 29-MAY-01 |
| | RR-F-191/4D NOT 1 | FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE ACCESSORIES)[CUST: CR4 YD 99 IS] [REVIEW: CC CE CG MC] | A | 5660 | / | IS | 29-MAY-01 |
| | RR-F-191/2D NOT 1 | FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE GATES)[CUST: CR4 YD 99 IS] [REVIEW: 84 CC CE CG MC] | A | 5660 | / | IS | 29-MAY-01 |
| | RR-F-191/3D NOT 1 | FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE POSTS, TOP RAILS AND BRACES)[CUST: CR4 YD 99 IS] [REVIEW: 84 CC CE CG MC] | A | 5660 | / | IS | 29-MAY-01 |
| | MIL-F-23788A | FENDERS, MARINE, VINYL, AIR FILLED[CUST: SH] | A | 2040 | | SH | 02-JAN-91 |
| | A-A-54139 | FENTANYL CITRATE INJECTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 20-APR-90 |
| | MIL-F-70676 NOT 2 | FERRIC ACETYLACETONATE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 31-OCT-96 |
| | A-A-53747 | FERRIC CHLORIDE SOLUTION[CUST: MD MS 03] | A | 6550 | / | MB | 17-OCT-88 |
| A | A-A-59456 NOT 1 | FERRIC CHLORIDE, ANHYDROUS, CRYSTALLINE, TECHNICAL[CUST: AT YD 68] [REVIEW: MC MD1 MI] | A | 6810 | / | GS3 | 25-OCT-05 |
| | MIL-DTL-23938B | FERRIC OXIDE[CUST: AS] | A | 1336 | | AS | 28-NOV-97 |
| | MIL-DTL-82655A | FERRIC OXIDE, TECHNICAL[CUST: OS] | A | 6810 | | OS | 20-APR-04 |
| A | ASME-B16.14 | FERROUS TYPE PLUGS, BUSHINGS, AND LOCK NUTS WITH PIPE THREADS, STANDARD FOR[CUST: CR YD 99] [REVIEW: AR CR4 EA MC] | A | 4730 | | CC | 20-FEB-91 |
| | SAE-AS1720 | FERRULE END, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE, DESIGN STANDARD[CUST: AV 99] [REVIEW: CC] | A | 4730 | | 71 | 15-JUL-92 |
| | SAE-AS1716 | FERRULE, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE END[CUST: AV 99 CC] [REVIEW: 71] | A | 4730 | | CC | SEP-95 |
| | MS25065B | FERRULE, FLEXIBLE CONDUIT, RADIO FREQUENCY SHIELDING[CUST: CR AS GS] [REVIEW: 99] | A | 5975 | | AS | 25-MAR-91 |
| | SAE-AS21608 | FERRULE, SHIELD TERMINATING, CRIMP STYLE[CUST: CR AS 11] [REVIEW: 99 AV GS MI NS] | A | 5940 | | AS | JUN-99 |
| | QPL-21608-13 | FERRULE, SHIELD TERMINATING, CRIMP STYLE | A | 5940 | | AS | 29-JAN-97 |
| | SAE-AS18121 | FERRULES, OUTER, INSULATED, SHIELD TERMINATING, TYPE II TWO-PIECE, CLASS I, FOR SHIELDING CABLE[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-99 |
| | ASTM-E825 | FEVER THERMOMETER, DISPOSABLE, FOR INTERMITTENT DETERMINATION OF HUMAN TEMPERATURE, PHASE CHANGE-TYPE[CUST: MD MS 03] | A | 6515 | | MB | 10-NOV-97 |
| | AATCC20 | FIBER ANALYSIS: QUALITATIVE[CUST: GL NU 99 CT] [REVIEW: 11 CG] | A | 83GP | | CT | 1990 |
| | ASTM-C209 | FIBER INSULATING BOARD, CELLULOSIC[CUST: CR4 YD] [REVIEW: CE MC SH] | A | 5640 | | IS | 24-JUL-92 |
| | A-A-52167A | FIBER METAL, SHEET, NICKEL BASE, UNBACKED[CUST: AT] | A | 9515 | / | AT | 10-APR-98 |
| | EIA455.88 | FIBER OPTIC CABLE BEND TEST[CUST: MR AS] [REVIEW: 11 AR AT CR4 EC IS MC MI SH] | A | 60GP | | CR | 15-DEC-88 |
| | EIA-TIA455.104 | FIBER OPTIC CABLE CYCLIC FLEXING TEST[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC FSS MC MI SH TE] | A | 60GP | | CR | 14-MAY-93 |
| | EIA455.104 | FIBER OPTIC CABLE CYCLIC FLEXING TEST, FOTP-104[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | EIA455.26 | FIBER OPTIC CABLE INTERCONNECTING DEVICES, CRUSH RESISTANCE OF[CUST: CR AS 11] [REVIEW: 19 99 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-86 |
| | EIA455.87 | FIBER OPTIC CABLE KNOT TEST[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 15-APR-87 |
| | EIA455.94 | FIBER OPTIC CABLE STUPFING TUB COMPRESSION[CUST: CR AS 11] [REVIEW: 13 19 CC TE] | A | 60GP | | CR | 18-DEC-87 |
| | EIA455.33 | FIBER OPTIC CABLE TENSILE LOADING AND BENDING TEST[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-91 |
| | MIL-STD-2042B | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS[Standard Practice][CUST: SH] | A | SESS | | SH | 25-JUL-02 |
| | MIL-STD-2042-1B | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (CABLES) (PART 1 OF 7 PARTS)[Standard Practice][CUST: SH] | A | SESS | | SH | 25-JUL-02 |
| | MIL-STD-2042-5B | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (CONNECTORS AND INTERCONNECTIONS) (PART 5 OF 7 PARTS)[Standard Practice][CUST: SH] | A | SESS | | SH | 25-JUL-02 |
| | MIL-STD-2042-4B | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (CABLEWAYS) (PART 4 OF 7 PARTS)[Standard Practice][CUST: SH] | A | SESS | | SH | 25-JUL-02 |
| | MIL-STD-2042-3B | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (CABLE PENETRATIONS) (PART 3 OF 7 PARTS)[Standard Practice][CUST: SH] | A | SESS | | SH | 25-JUL-02 |
| | MIL-STD-2042-2B | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (EQUIPMENT) (PART 2 OF 7 PARTS)[Standard Practice][CUST: SH] | A | SESS | | SH | 25-JUL-02 |
| | MIL-STD-2042-7 | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (PIERSIDE CONNECTIVITY CABLE ASSEMBLIES AND INTERCONNECTION HARDWARE) (PART 7 OF 7 PARTS)[Standard Practice][CUST: SH] | A | SESS | | SH | 25-JUL-02 |
| | MIL-STD-2042-6B | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (TESTS) (PART 6 OF 7 PARTS)[Standard Practice][CUST: SH] | A | SESS | | SH | 25-JUL-02 |
| | EIA455.91 | FIBER OPTIC CABLE TWIST-BEND TEST[CUST: CR AS 11] [REVIEW: 02 13 19 CC EC MC SH TE] | A | 60GP | | CR | 17-SEP-86 |
| | EIA-TIA455.39 | FIBER OPTIC CABLE WATER WICKING TEST[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 27-MAR-91 |
| | EIA455.84 | FIBER OPTIC CABLE, JACKET SELF-ADHESION (BLOCKING TEST) FOR[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-91 |
| | EIA455.37 | FIBER OPTIC CABLE, LOW OR HIGH TEMPERATURE BEND TEST FOR[CUST: CR AS 11 CC] | A | 60GP | | CC | 09-MAR-93 |
| | EIA-TIA455.25 | FIBER OPTIC CABLES AND CABLE ASSEMBLIES, REPEATED IMPACT TESTING OF[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 27-MAR-91 |
| | EIA455.41 | FIBER OPTIC CABLES, COMPRESSIVE LOADING RESISTANCE OF[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 15-JUL-85 |
| | EIA-TIA455.32 | FIBER OPTIC CIRCUIT DISCONTINUITIES[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | EIA472D000 | FIBER OPTIC COMMUNICATIONS CABLE FOR OUTSIDE PLANT USE[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | EIA455.35 | FIBER OPTIC COMPONENT DUST (FINE SAND) TEST[CUST: CR AS 11 CC] | A | 60GP | | CC | 27-APR-90 |
| | EIA455.23 | FIBER OPTIC COMPONENT SEALS, AIR LEAKAGE OF[CUST: CR AS 11] [REVIEW: 02 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-86 |
| | EIA455.22 | FIBER OPTIC COMPONENTS, AMBIENT LIGHT SUSCEPTIBILITY OF[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-91 |
| | EIA455.13 | FIBER OPTIC COMPONENTS, DEVICES, AND ASSEMBLIES, FOTP-13 VISUAL AND MECHANICAL INSPECTION OF[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | EIA455.5 | FIBER OPTIC COMPONENTS, HUMIDITY TEST PROCEDURE FOR[CUST: CR AS 11 CC] | A | 60GP | | CC | 23-FEB-95 |
| | EIA455.107 | FIBER OPTIC COMPONENTS, RETURN LOSS FOR[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | EIA-TIA455.16 | FIBER OPTIC COMPONENTS, SALT SPRAY (CORROSION), TEST FOR[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC MC SH TE] | A | 60GP | | CR | 09-NOV-92 |
| | EIA604 | FIBER OPTIC CONNECTOR INTERMATEABILITY STANDARDS (FOCIS)[CUST: CR AS 11 CC] [REVIEW: 02 13 19 70 99 EC FSS MC MI SH TE] | A | 6060 | | CC | 02-NOV-93 |
| | EIA455.4 | FIBER OPTIC CONNECTOR/COMPONENT TEMPERATURE LIFE[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 17-SEP-86 |
| | EIA-TIA455.2 | FIBER OPTIC FIBERS, CABLES, TRANSDUCERS, CONNECTING AND TERMINATING DEVICES[CUST: CR AS 11] | A | 60GP | | CR | 03-DEC-85 |
| | EIA455 | FIBER OPTIC FIBERS, CABLES, TRANSDUCERS, SENSORS, CONNECTING AND TERMINATING DEVICES, AND OTHER FIBER OPTIC COMPONENTS[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | EIA-TIA455 | FIBER OPTIC FIBERS, CABLES, TRANSDUCERS, SENSORS, CONNECTING AND TERMINATING DEVICES, AND OTHER FIBER OPTIC COMPONENTS, STANDARD TEST PROCEDURE FOR[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC MC SH TE] | A | 60GP | | CR | 09-NOV-92 |
| | EIA587 | FIBER OPTIC GRAPHIC SYMBOLS[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC DI FSS MC NA SH TE] | A | 60GP | | CR | 02-JUN-93 |
| | EIA-TIA455.184 | FIBER OPTIC INTERCONNECTING DEVICES, COUPLING PROOF OVERLOAD TEST FOR[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC FSS MC MI SH TE] | A | 60GP | | CR | 03-MAY-91 |
| | ICEA-S87.640 | FIBER OPTIC OUTSIDE PLANT COMMUNICATIONS CABLE[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | ICEA-S83.596 | FIBER OPTIC PREMISES DISTRIBUTION CABLE[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | MIL-HDBK-2051 | FIBER OPTIC SHIPBOARD CABLE TOPOLOGY DESIGN GUIDANCE[CUST: SH] | A | SESS | | SH | 22-MAY-96 |
| | MIL-STD-2052A | FIBER OPTIC SYSTEMS DESIGN[Design Criteria Standard][CUST: SH] | A | 60GP | | SH | 10-OCT-97 |
| | EIA440 | FIBER OPTIC TERMINOLOGY[CUST: CR SH 11 CC] | A | 60GP | | CC | 07-DEC-88 |
| | EIA455.21 | FIBER OPTIC, INTERCONNECTING DEVICES, MATING DURABILITY OF[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-91 |
| | EIA455.171 | FIBER OPTICAL CABLE ASSEMBLIES, ATTENUATION BY SUBSTITUTION MEASUREMENT - FOR SHORT-LENGTH MULTIMODE GRADED-INDEX AND SINGLE-MODE[CUST: MR AS] [REVIEW: 11 AR AT EC IS MC MI SH] | A | 60GP | | CR | 21-DEC-88 |
| | EIA-TIA455.176 | FIBER OPTICAL CROSS-SECTIONAL GEOMETRY BY GREY-SCALE ANALYSIS, METHOD FOR MEASURING[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC FSS MC MI SH TE] | A | 60GP | | CR | 26-MAY-93 |
| | EIA455.57 | FIBER OPTICAL, END PREPARATION AND EXAMINATION[CUST: MR AS] [REVIEW: 11 AR AT CR4 EC IS MC MI SH] | A | 60GP | | CR | 15-DEC-88 |
| | EIA455.174 | FIBER OPTICAL, MODE FIELD DIAMETER OF SINGLE-MODE, BY KNIFE-EDGE SCANNING IN THE FAR FIELD[CUST: MR AS] [REVIEW: 11 AR AT EC IS MC MI SH] | A | 60GP | | CR | 17-MAR-89 |
| | MIL-STD-1773(1) | FIBER OPTICS MECHANIZATION OF AN AIRCRAFT INTERNAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS[Military Standard][CUST: AS 11] | A | MCCR | | AS | 02-OCT-89 |
| | DOD-STD-1678(1) | FIBER OPTICS TEST METHODS AND INSTRUMENTATION[Military Standard][CUST: CR AS 11] [REVIEW: 02 13 19 AR AV EC MI OS SH] | A | 60GP | | AS | 26-DEC-84 |
| | EIA455.61 | FIBER OR CABLE ATTENUATION USING AN OTDR, FOTP-61 MEASUREMENT OF[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | EIA-TIA455.60 | FIBER OR CABLE LENGTH USING AN OTDR, MEASUREMENT OF[CUST: CR AS 11] | A | 60GP | | CR | 18-JAN-91 |
| | EIA455.60 | FIBER OR CABLE LENGTH, MEASUREMENT OF, USING AN OTDR[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC MI SH TE] | A | 60GP | | CR | 18-JAN-91 |
| | SAE-AMS3901/6 | FIBER ORGANIC ROVING, (PARA-ARAMID), HIGH MODULUS OY 500 (3447)/23.5 TENSILE STRENGTH, 17.5 (121)/800 TENSILE MODULUS 4560 DENIER, 0.6% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | 8310 | | AS | 01-OCT-92 |
| | A-A-52069 | FIBER ROPE ASSEMBLY, SINGLE LEG[CUST: GL 99] [REVIEW: 71 CR4 SH] | A | 4020 | / | IS | 23-APR-90 |
| | CI1201 | FIBER ROPES[CUST: GL SH 99 IS] | A | 4020 | | IS | SEPT 96 |
| | MIL-F-50809(3) | FIBER, ACRYLIC, FIBRILLATABLE[CUST: AR] | A | 1320 | | AR | 23-AUG-94 |
| | MIL-F-50533(1) | FIBER, ACRYLIC, FIBRILLATED[CUST: AR] | A | 1320 | | AR | 20-MAR-90 |
| | ASTM-C739 | FIBER, CELLULOSIC LOOSE-FILL THERMAL INSULATION[CUST: YD 99] [REVIEW: 84] | A | 5640 | | YD | 15-JUL-91 |
| | EIA455.179 | FIBER, CLEAVED, END FACES BY INTERFEROMETRY, INSPECTION OF[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-91 |
| | EIA455.80 | FIBER, CUTOFF WAVELENGTH OF UNCABLED SINGLE-MODE, BY TRANSMITTED POWER[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-91 |
| | ASTM-D3544 | FIBER, HIGH MODULUS, REPORTING TEST METHODS & RESULTS ON[CUST: MR AS 11] | A | CMPS | | MR | 27-APR-89 |
| | ASTM-C547 | FIBER, MINERAL, PIPE INSULATION[CUST: CR4 YD] [REVIEW: CG MC MI] | A | 5640 | | IS | 29-JUL-77 |
| M | QPL-49291-15 | FIBER, OPTICAL (METRIC), GENERAL SPECIFICATION FOR | A | 6010 | | CC | 22-MAR-06 |
| | EIA-TIA526.14 | FIBER, OPTICAL POWER LOSS MEASUREMENTS OF INSTALLED MULTIMODE CABLE PLANT[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | MIL-PRF-49291C NOT 1 | FIBER, OPTICAL, (METRIC) GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC NA] [REVIEW: 02 13 19 33 93 99 AR AS AV DI YD] | A | 6010 | | CC | 27-FEB-03 |
| | EIA-TIA455.48 | FIBER, OPTICAL, FIBER CLADDING DIAMETER USING LASER-BASED INSTRUMENTS, MEASUREMENT OF[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | EIA-RS50 | FIBER, OPTICAL, LONG LENGTH GRADED INDEX, SPECTRAL ATTENUATION MEASUREMENTS, LIGHT-LAUNCH CONDITIONS FOR[CUST: CR AS 11] | A | 60GP | | CR | 27-MAR-86 |
| | EIA-TIA455.28 | FIBER, OPTICAL, MEASURING DYNAMIC TENSILE STRENGTH OF, METHOD FOR[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC MC SH TE] | A | 60GP | | CR | 09-NOV-92 |
| | EIA-TIA455.173 | FIBER, OPTICAL, SIDE-VIEW METHOD, COATING GEOMETRY, MEASUREMENT FOR[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | EIA455.50 | FIBER, OPTICAL, SPECTRAL ATTENUATION MEASUREMENTS, LIGHT LAUNCH CONDITIONS FOR LONG-LENGTH GRADED-INDEX[CUST: MR AS] [REVIEW: 11 AR AT CR4 EC IS MC MI SH] | A | 60GP | | CR | 15-DEC-88 |
| | MIL-PRF-49291/1B | FIBER, OPTICAL, TYPE I, CLASS I, SIZE III, COMPOSITION A, WAVELENGTH B, RADIATION RESISTANT (METRIC)[CUST: CR SH 11 CC NA] [REVIEW: 13 19 93 99 AS DI] | A | 6010 | | CC | 18-DEC-02 |
| | MIL-PRF-49291/6C | FIBER, OPTICAL, TYPE I, CLASS I, SIZE IV, COMPOSITION A, WAVELENGTH B, RADIATION RESISTANT (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 13 19 33 93 99 AS CC DI] | A | 6010 | | SH | 10-JAN-03 |
| | MIL-PRF-49291/7C | FIBER, OPTICAL, TYPE II, CLASS 5, SIZE II, COMPOSITION A, WAVELENGTH D, RADIATION RESISTANT (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 13 19 33 93 99 AS CC DI] | A | 6010 | | SH | 10-JAN-03 |
| | SAE-AMS3901/5 | FIBER, ROVING, ORGANIC (PARA-ARAMID), HIGH MODULUS OY 450 (3103)/23.0 TENSILE STRENGTH, 17.5 (121)/780 TENSILE MODULUS 7100 DENIER, 0.6% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | 01-OCT-92 |
| | EIA-TIA455.31 | FIBER, TENSILE PROOF TEST METHOD[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | ASTM-D1037 | FIBER, WOOD-BASE, AND PARTICLE PANEL MATERIALS, EVALUATING PROPERTIES OF[CUST: CR4 AS 99] [REVIEW: GL IS OS SA SH] | A | 5530 | | AS | 10-APR-99 |
| | ASTM-C1018 | FIBER-REINFORCED CONCRETE (USING BEAM WITH THIRD-POINT LOADING), FLEXURAL TOUGHNESS AND FIRST-CRACK STRENGTH OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 15-MAR-92 |
| | ASTM-C1116 | FIBER-REINFORCED CONCRETE AND SHOTCRETE[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 23-DEC-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D1974 | FIBERBOARD BOXES, METHODS OF CLOSING, SEALING, AND REINFORCING[CUST: SM YD 11 DH] [REVIEW: 70 71 84 AR AS CR4 DS GL MI OS SH] | A | 8115 | | SM | 10-APR-98 |
| | ASTM-D4727/D4727M | FIBERBOARD SHEET STOCK (CONTAINER GRADE) AND CUT SHAPES, CORRUGATED AND SOLID[CUST: GL SA 11] [REVIEW: 99 AS CR4 MC OS SM YD] | A | 8135 | | GL | 15-AUG-91 |
| | MIL-F-26862B(2) | FIBERBOARD, SOLID, NON-CORROSIVE, FUNGI-RESISTANT FOR INTERIOR BLOCKING APPLICATIONS[CUST: AR] | A | 8135 | | AR | 10-APR-89 |
| | ASTM-D3517 | FIBERGLASS (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) PRESSURE PIPE[CUST: CR4 YD 99] [REVIEW: 71 SH] | A | 4710 | | CC | 15-MAR-91 |
| | CTI-STD137 | FIBERGLASS PULTRUDED STRUCTURAL PRODUCTS FOR USE IN COOLING TOWERS[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| | ASTM-D276 | FIBERS IN TEXTILES, IDENTIFICATION OF[CUST: SM AS 99] [REVIEW: CR4 GL IS OS SA SH YD] | A | PACK | | AS | 31-JUL-87 |
| | EIA455.168 | FIBERS OPTICAL, CHROMATIC DISPERSION MEASUREMENT OF MULTIMODE GRADED-INDEX AND SINGLE-MODE, BY SPECTRAL GROUP DELAY MEASUREMENT IN THE TIME DOMAIN[CUST: MR AS] [REVIEW: 11 AR AT EC IS MC MI SH] | A | 60GP | | CR | 21-DEC-88 |
| | EIA492AAAB | FIBERS, 50-UM CORE DIAMETER/125-UM CLADDING DIAMETER CLASS IA GRADED-INDEX MULTIMODE OPTICAL[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | ASTM-D4102 | FIBERS, CARBON, THERMAL OXIDATIVE RESISTANCE OF[CUST: MR GS] [REVIEW: AS AV EC GL MI SM] | A | 9330 | | IS | 23-MAR-82 |
| | SAE-AMS3892 | FIBERS, CARBON, TOW AND YARN FOR STRUCTURAL COMPOSITES[CUST: MR AS 11] | A | CMPS | | AS | 01-OCT-92 |
| | EIA-RS455.3 | FIBERS, FIBER OPTIC, CABLES, TRANSDUCERS, CONNECTING & TERMINATING DEVICES[CUST: CR AS 11] [REVIEW: 99 CC EC TE] | A | 60GP | | CR | 12-AUG-82 |
| | EIA455.58 | FIBERS, GRADED-INDEX OPTICAL, FOTP-58 CORE DIAMETER MEASUREMENT OF[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | ASTM-D3800 | FIBERS, HIGH MODULUS, DENSITY OF[CUST: MR GS] [REVIEW: CR4 GL MC] | A | 9330 | | IS | MAY-79 |
| | EIA455.53 | FIBERS, OPTICAL, ATTENVATION BY SUBSTITUTION MEASUREMENT FOR MULTIMODE GRADED- INDEX OR FIBER ASSEMBLIES USED IN LONG HAUL COMMUNICATIONS SYSTEMS[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 15-APR-87 |
| | EIA455.78 | FIBERS, OPTICAL, FOTP-78 IEC 60793-1-40, PART 1-40: MEASUREMENT METHODS AND TEST PROCEDURES--ATTENUATION[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | EIA-TIA455.58 | FIBERS, OPTICAL, GRADED-INDEX, CORE DIAMETER, MEASUREMENT OF[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | EIA-TIA455.55 | FIBERS, OPTICAL, MEASURING COATING AND BUFFER GEOMETRY OF, END-VIEW, METHODS FOR[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | EIA-TIA455.178 | FIBERS, OPTICAL, MECHANICALLY REMOVING COATINGS FROM, MEASUREMENTS OF STRIP FORCE, REQUIRED FOR[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | EIA-TIA455.78 | FIBERS, OPTICAL, SINGLE-MODE, SPECTRAL-ATTENUATION CUTBACK, MEASUREMENT FOR[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | EIA-RS46 | FIBERS, OPTICAL, SPECTRAL ATTENUATION MEASUREMENT FOR LONG LENGTH, GRADED-INDEX[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 27-MAR-86 |
| | EIA-TIA455.46 | FIBERS, OPTICAL, SPECTRAL ATTENUATION MEASUREMENT FOR LONG-LENGTH, GRADED-INDEX[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | EIA-TIA455.63 | FIBERS, OPTICAL, TORSION TEST FOR[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | EIA-TIA455.54 | FIBERS, OVERFILLED LAUNCHING CONDITIONS TO MULTIMODE, MODE SCRAMBLER, REQUIREMENTS FOR[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC EC MC MI SH TE] | A | 60GP | | CR | 14-MAY-92 |
| | EIA-TIA455.24 | FIBERS, SINGLE-MODE, WATER PEAK ATTENUATION, MEASUREMENT OF[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC MC SH TE] | A | 60GP | | CR | 09-NOV-92 |
| | ASTM-D5104 | FIBERS, TEXTILE (SINGLE-FIBER TEST), SHRINKAGE OF[CUST: GL NU 99 CT] [REVIEW: 11 CG] | A | 83GP | | CT | 27-JUL-90 |
| | ASTM-D861 | FIBERS, YARN INTERMEDIATES, AND YARNS, USE OF THE TEX SYSTEM TO DESIGNATE LINEAR DENSITY OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 03-OCT-94 |
| | STANAG-3996 ED.1 | FIBRE OPTIC TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS | C | ISDF | | 06 | 23-FEB-98 |
| | A-A-52129 | FID[CUST: GL 99] [REVIEW: 84] | A | 5120 | / | GL | 30-JUN-93 |
| | DI-SAFT-80903 | FIELD ALERTERS [AMSC: A4836] | A | SAFT | | CR1 | 28-SEP-89 |
| | MIL-HDBK-786 NOT 1 | FIELD ASSURANCE OF ACOUSTIC EMISSION SYSTEM OPERATION USING SIMULATED ACOUSTIC EMISSION EVENTS[CUST: MR AS 11] [REVIEW: AT AV] | A | NDTI | | MR | 05-MAY-93 |
| | DI-TMSS-81393 | FIELD CHANGE BULLETIN [AMSC: N7007] | A | TMSS | | SH | 31-MAR-94 |
| | AWPA-P7 | FIELD CUTS, CREOSOTE FOR BRUSH OR SPRAY TREATMENT, STANDARD FOR[CUST: MR 99] | A | 8030 | | MR | 10-DEC-87 |
| | ITOP-6.3.041 | FIELD MEASUREMENT OF DRI RANGES FOR THERMAL IMAGING SYSTEMS (GROUND BASED TARGETS) | D | ISDA | | TE | 09-DEC-03 |
| | ASTM-D4417 | FIELD MEASUREMENT OF SURFACE PROFILE OF BLAST CLEANED STEEL[CUST: MR SH 99] | A | 95GP | | SH | 03-OCT-94 |
| | STANAG-4433 ED.1 | FIELD MORTAR MUNITIONS, DESIGN SAFETY REQUIREMENTS | C | ISDA | | AI | 08-OCT-01 |
| | MIL-F-43832C(1) | FIELD PACK, COMBAT, NYLON, LARGE, LC-1[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8465 | | CT | 28-JUL-87 |
| | MIL-F-43833D | FIELD PACK, COMBAT, NYLON, MEDIUM, LC-2[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8465 | | CT | 14-FEB-90 |
| | MIL-F-44324A | FIELD PACK, LARGE, WITH INTERNAL FRAME: &, PACK, PATROL, COMBAT[CUST: CT] | A | 8465 | | CT | 15-APR-88 |
| | MIL-F-43997A | FIELD PACK, TRAINING[CUST: GL CT] [REVIEW: MD] | A | 8465 | | CT | 30-SEP-86 |
| | AWPA-E8 | FIELD TESTS WITH POSTS, STANDARD METHOD FOR[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 20-JAN-93 |
| | A-A-52542 NOT 1 | FIFTH WHEEL ASSEMBLY -33 INCH NON-UNIVERSAL, DOLLY TRAILER CONVERTER, 19000 LBS. CAPACITY[CUST: AT MC 99] [REVIEW: 84] | A | 2510 | / | AT | 16-APR-04 |
| | A-A-52544 NOT 1 | FIFTH WHEEL ASSEMBLY -33 INCH UNIVERSAL, TRUCK-TRACTOR, 25000 LBS. CAPACITY[CUST: AT MC 99] [REVIEW: 84] | A | 2510 | / | AT | 16-APR-04 |
| | A-A-52543 NOT 1 | FIFTH WHEEL ASSEMBLY -36 INCH UNIVERSAL, TRUCK-TRACTOR, 45000 LBS. CAPACITY[CUST: AT MC 99] | A | 2510 | / | AT | 16-APR-04 |
| | QSTAG-284 ED.2 | FIFTH WHEEL ATTACHMENTS[CUST: AI] | C | ISDA | | AI | 17-MAR-98 |
| | STANAG-4009 1 ED.1(4) | FIFTH WHEEL ATTACHMENTS | C | ISDN | | NI | 29-AUG-67 |
| | STANAG-4009 4 ED.1(5) | FIFTH WHEEL KINGPIN (FOR SEMI-TRAILERS OF A GROSS WEIGHT FROM 22 TO 72 TONS) | C | ISDN | | NI | 29-AUG-67 |
| | A-A-51678 | FILAMENT, COMBUSTIBLE GAS INDICATOR[CUST: MD MS 03] [REVIEW: GS] | A | 6665 | / | MB | 20-OCT-86 |
| | SAE-AMS3865 | FILAMENTS, BORON TUNGSTEN, SUBSTRATE, CONTINUOUS[CUST: 11 GS] [REVIEW: 84 99] | A | 9330 | | IS | 09-JUN-93 |
| | UU-F-00350B | FILE BACKER, PAPER | A | 7510 | # | FSS | 15-JAN-69 |
| | UU-F-350A | FILE BACKER, PAPER | A | 7510 | # | FSS | 14-JUL-59 |
| | A-A-3187 | FILE CABINETS, LATERAL AND SHELF FILES, STEEL | A | 7110 | # | FSS | 21-MAR-02 |
| | A-A-3186 | FILE CABINETS, VERTICAL, STEEL | A | 7110 | # | FSS | 21-MAR-02 |
| | A-A-54377 | FILE, BONE, (DENTAL, DOUBLE-ENDED) SELDIN, NO. 11[CUST: MD MS 03] | A | 6520 | / | MB | 22-APR-91 |
| | A-A-54486 | FILE, BONE, 3-1/2 INCH BLADE[CUST: MD MS 03] | A | 6515 | / | MB | 16-SEP-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-2307A | FILE, HAND (AMERICAN PATTERN), ALUMINUM | A | 5110 | # | FSS | 08-OCT-02 |
| | A-A-2308A | FILE, HAND (AMERICAN PATTERN), BANDSAW BLUNT | A | 5110 | # | FSS | 08-OCT-02 |
| | A-A-2309A | FILE, HAND (AMERICAN PATTERN), CANTSAW | A | 5110 | # | FSS | 08-OCT-02 |
| | A-A-2310A | FILE, HAND (AMERICAN PATTERN), CROSSCUT | A | 5110 | # | FSS | 08-OCT-02 |
| | A-A-2311A | FILE, HAND (AMERICAN PATTERN), FLAT | A | 5110 | # | FSS | 08-OCT-02 |
| | A-A-2312A | FILE, HAND (AMERICAN PATTERN), HALF ROUND | A | 5110 | # | FSS | 08-OCT-02 |
| | A-A-2318 NOT 2 | FILE, HAND (AMERICAN PATTERN), KNIFE | A | 5110 | # | FSS | 20-AUG-04 |
| | A-A-2314A | FILE, HAND (AMERICAN PATTERN), KNIFE | A | 5110 | # | FSS | 08-OCT-02 |
| | A-A-2313A | FILE, HAND (AMERICAN PATTERN), REGULAR | A | 5110 | # | FSS | 08-OCT-02 |
| | A-A-2320 NOT 2 | FILE, HAND (AMERICAN PATTERN), SQUARE | A | 5110 | # | FSS | 01-DEC-04 |
| | A-A-2321A | FILE, HAND (AMERICAN PATTERN), TAPER | A | 5110 | # | FSS | 26-DEC-02 |
| | A-A-2322A | FILE, HAND (AMERICAN PATTERN), THREE SQUARE | A | 5110 | # | FSS | 30-MAY-03 |
| M | A-A-2323 NOT 2 | FILE, HAND (AMERICAN PATTERN), WARDING | A | 5110 | # | FSS | 21-NOV-05 |
| | A-A-54024 | FILES AND REAMERS, PULP CANAL, DENTAL, STANDARDIZED[CUST: MD MS 03] | A | 6520 | / | MB | 13-NOV-89 |
| | A-A-54580 | FILES, PULP CANAL, DENTAL (RHOMBOIDAL)[CUST: MD MS 03] | A | 6520 | / | MB | 20-APR-92 |
| | A-A-54244 | FILES, PULP CANAL, DENTAL, ( HEDSTROM)[CUST: MD MS 03] | A | 6520 | / | MB | 03-SEP-90 |
| | ADA28 | FILES, ROOT CANAL, AND REAMERS, TYPE K, AND NO. 58 FOR ROOT CANAL FILES, TYPE H (HEDSTROM)[CUST: MD MS 03 MB] | A | 6520 | | MB | 30-JUN-88 |
| A | A-A-51171B | FILES, ROTARY, 60 DEG. CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: 99] [REVIEW: 84] | A | 3455 | / | GS6 | 04-NOV-05 |
| | A-A-51167A NOT 1 | FILES, ROTARY, 90 DEG. CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: AR 99 GS6] [REVIEW: 84] | A | 3455 | / | GS6 | 11-DEC-02 |
| A | A-A-51154B | FILES, ROTARY, BALL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: 99] [REVIEW: 84] | A | 3455 | / | GS6 | 18-AUG-05 |
| A | A-A-51176B | FILES, ROTARY, CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: 99] [REVIEW: 84] | A | 3455 | / | GS6 | 04-NOV-05 |
| | A-A-51152A | FILES, ROTARY, CYLINDRICAL SHAPE, BALL NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: SH 99 GS6] [REVIEW: 84] | A | 3455 | / | GS6 | 26-AUG-04 |
| A | A-A-51146C | FILES, ROTARY, CYLINDRICAL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: 99] [REVIEW: 84] | A | 3455 | / | GS6 | 18-AUG-05 |
| A | A-A-51163B | FILES, ROTARY, FLAME SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: 99] [REVIEW: 84] | A | 3455 | / | GS6 | 18-AUG-05 |
| A | A-A-51166C | FILES, ROTARY, INVERTED CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: 99] [REVIEW: 84] | A | 3455 | / | GS6 | 18-AUG-05 |
| A | A-A-51155C | FILES, ROTARY, OVAL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: 99] [REVIEW: 84] | A | 3455 | / | GS6 | 18-AUG-05 |
| A | A-A-51186B | FILES, ROTARY, TAPERED, 14 DEGREE CONE SHAPE, RADIUS NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: 99] [REVIEW: 84] | A | 3455 | / | GS6 | 04-NOV-05 |
| A | A-A-51151C | FILES, ROTARY, TREE SHAPE, RADIUS NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: 99] [REVIEW: 84] | A | 3455 | / | GS6 | 18-AUG-05 |
| | A-A-51162A NOT 1 | FILES, ROTARY, TREE SHAPED, POINTED NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE[CUST: AR 99 GS6] [REVIEW: 84] | A | 3455 | / | GS6 | 11-DEC-02 |
| | A-A-51821 | FILIFORM, URETHRAL[CUST: MD MS 03] | A | 6515 | / | MB | 11-FEB-87 |
| | AA-F-00355B | FILING CABINET STEEL, LEGAL AND LETTER SIZE, INSULATED | A | 7110 | # | FSS | 10-JAN-72 |
| | AA-F-358H(I2) | FILING CABINET, LEGAL AND LETTER SIZE, UNINSULATED, SECURITY | A | 7110 | # | FSS | 10-DEC-01 |
| | AA-F-358H(1) | FILING CABINET, LEGAL AND LETTER SIZE, UNINSULATED, SECURITY[CUST: AR YD 99] [REVIEW: IS] | A | 7110 | * | YD | 25-MAY-01 |
| | MIL-F-43101A(1) | FILING CABINET, LETTER SIZE DESIGN, STEEL, OD, ONE DRAWER HIGH, ONE DRAWER WIDE[CUST: GL IS] | A | 7110 | | IS | 05-DEC-67 |
| | AA-F-363D(1) | FILING CABINET, SECURITY, MAPS AND PLANS, GENERAL FILING, AND STORAGE[CUST: AR YD 99] [REVIEW: IS] | A | 7110 | * | YD | 11-AUG-03 |
| | QPL-AA-F-363-17 | FILING CABINET, SECURITY, STEEL, MAPS AND PLANS, GENERAL FILING AND STORAGE | A | 7110 | # | FSS | 20-DEC-02 |
| | QPL-AA-F-358-10 | FILING CABINET, STEEL, LEGAL AND LETTER SIZE, UNINSULATED, SECURITY | A | 7110 | # | FSS | 20-DEC-02 |
| | AA-F-367 | FILING CABINET, STEEL, TABULATING MACHINE CARD SIZE | A | 7110 | # | FSS | 20-AUG-56 |
| | AA-F-360(I1) | FILING CABINETS, STEEL, MAP AND PLAN (SECTIONAL) | A | 7110 | # | FSS | 30-APR-65 |
| | AA-F-360 | FILING CABINETS, STEEL, MAP AND PLAN (SECTIONAL) | A | 7110 | # | FSS | 14-MAR-56 |
| | AA-F-00360B | FILING CABINETS, STEEL, MAP AND PLAN, (SECTIONAL) | A | 7110 | # | FSS | 26-JUL-02 |
| | MIL-PRF-83766B | FILLER AND PRESSURIZATION UNIT, HYDRAULIC SYSTEM[CUST: AR 99] | A | 4910 | | 84 | 01-AUG-97 |
| | MIL-F-50997A | FILLER ASSEMBLY ALTERNATIVE (FOR USE IN AMMUNITION CONTAINERS)[CUST: AR] [REVIEW: EA GS] | A | 8140 | | AR | 08-JUN-73 |
| | ASTM-D1579 | FILLER CONTENT OF PHENOL, RESORCINOL, AND MELAMINE ADHESIVES[CUST: MR SH 11] | A | 8040 | | MR | 15-JUL-92 |
| | AWS-A5.01 | FILLER METAL PROCUREMENT GUIDELINES[CUST: MR YD 99] [REVIEW: AR AT GL GS] | A | 3439 | | MR | 24-JUL-92 |
| | SAE-AMS4184 | FILLER METAL, ALUMINUM BRAZING, 10SI - 4.0CU (4145)[CUST: MR AS 99] [REVIEW: GS] | A | 3439 | | AS | OCT 94 |
| | SAE-AMS4185 | FILLER METAL, ALUMINUM BRAZING, 12SI (4047)[CUST: MR AS 99] [REVIEW: GS] | A | 3439 | | AS | OCT-94 |
| | A-A-52521 NOT 1 | FILLER NECK: RADIATOR (METRIC)[CUST: AT 99] [REVIEW: 70 CC MC SH] | A | 2930 | / | AT | 16-APR-04 |
| | QPL-7891-9 | FILLER VALVE, AIRCRAFT OXYGEN | A | 1660 | | 71 | 26-MAR-99 |
| | MIL-PRF-7891F(1) | FILLER VALVE, AIRCRAFT OXYGEN[CUST: AV AS 99] [REVIEW: CC GS] | A | 1660 | | 71 | 19-OCT-98 |
| | HH-F-341F(1) | FILLER, EXPANSION JOINT, BITUMINOUS (ASPHALT AND TAR) AND NONBITUMINOUS (PREFORMED FOR CONCRETE) | A | 5610 | # | FSS | 06-JUN-77 |
| | A-A-51803 | FILLER, PIPET (RUBBER)[CUST: MD MS 03] | A | 6640 | / | MB | 17-MAR-87 |
| A | MIL-PRF-50449C | FILLER, SHEET FORM (LAMINATED PAPER, FOR USE IN AMMUNITION CONTAINERS)[CUST: AR] [REVIEW: EA] | A | 1395 | | AR | 17-SEP-97 |
| | A-A-3133 | FILLER, TWO-COMPONENT TYPE (FOR DENTS, CRACKS, SMALL HOLES, AND BLOW HOLES) | A | 8030 | # | FSS | 24-OCT-97 |
| | A-A-59437 NOT 1 | FILLER-BLEEDER, HYDRAULIC BRAKE SYSTEM, AUTOMOTIVE[CUST: AR 99 CC] [REVIEW: 84 AV CR4 MC] | A | 4910 | / | CC | 15-APR-05 |
| | A-A-55527 NOT 1 | FILLERS FOR ROTARY SWEEPER BRUSH: FOR SWEEPER, FRONT MOUNTED OR TOWED TYPE[CUST: CR4 99 CC] | A | 3825 | / | IS | 12-DEC-02 |
| | A-A-55630 NOT 1 | FILLERS, CONTINUOUS, FOR ROTARY SWEEPER BRUSH: FOR SWEEPER, FRONT MOUNTED OR TOWED TYPE[CUST: AT 99 IS] [REVIEW: 84] | A | 3825 | / | IS | 09-DEC-02 |
| | A-A-55631 NOT 1 | FILLERS, STRIP, FOR ROTARY SWEEPER BRUSH: FOR SWEEPER, FRONT MOUNTED OR TOWED TYPE[CUST: AT 99 IS] [REVIEW: 84] | A | 3825 | / | IS | 09-DEC-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1628 | FILLET WELD SIZE, STRENGTH, AND EFFICIENCY DETERMINATION[Test Method Standard][CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 28-JUN-74 |
| | ASTM-E865 | FILM ADHESIVES, STRUCTURAL, FOR HONEYCOMB SANDWICH PANELS[CUST: GL SA 99] [REVIEW: 84 AS MR] | A | 8040 | | GL | 15-APR-92 |
| | ASTM-D2732 | FILM AND SHEETING, PLASTIC, UNRESTRAINED LINEAR THERMAL SHRINKAGE OF[CUST: GL SH 99] | A | 9330 | | GL | 29-JUL-83 |
| | ANSI-PH1.49 | FILM CASSETTES, MEDICAL RADIOGRAPHIC, AMERICAN NATIONAL STANDARD SPECIFICATIONS FOR[CUST: MD MS 03] | A | 6525 | | MB | 13-JUN-86 |
| | STANAG-3418 ED.2(1) | FILM CORES | C | ISDF | | 06 | 02-JUL-91 |
| | ASTM-D3363 | FILM HARDNESS BY PENCIL TEST[CUST: AR SH 99] [REVIEW: 84] | A | 8010 | | SH | 03-OCT-94 |
| | ASTM-D2625 | FILM LUBRICANTS, SOLID, (FALEX PIN AND VEE METHOD), ENDURANCE (WEAR) LIFE AND LOAD-CARRYING CAPACITY OF[CUST: CR4 AS 68] [REVIEW: 11 GS] | A | 9150 | | AS | 27-APR-90 |
| | ANSI-PH1.14 | FILM MAGAZINES,135 SIZE, & FILM FOR 135 SIZE STILL PICTURE CAMERAS, DIMENSIONS FOR - 28 MAY 76[CUST: CR AS 99] | A | 6750 | | AS | 15-MAY-80 |
| | ANSI-PH1.13 | FILM ROLLS, PHOTOGRAPHIC, (PLASTIC, WOOD, OR METAL) DIMENSIONS FOR CORES FOR[CUST: CR AS 99] | A | 6750 | | AS | 12-MAY-87 |
| | FED-STD-365 | FILM SLIDE, PROJECTION, PHOTOGRAPHIC, FORMAT FOR 50 MILLIMETER BY 50 MILLIMETER (2 1NCH BY 2 INCH) [REVIEW: GS] | A | 6750 | % | FSS | 26-NOV-75 |
| | STANAG-3419 ED.3(2) | FILM SPOOLS FOR AERIAL CAMERAS | C | ISDF | | 06 | 02-JUL-91 |
| | ANSI-PH22.109 | FILM, 16MM MOTION PICTURE FILM, PERFORATED 1R, DIMENSIONS FOR[CUST: CR AS 99] | A | 6750 | | AS | 04-MAY-83 |
| | ANSI-PH22.8 | FILM, 16MM MOTION PICTURE, DIMENSIONS OF PROJECTABLE IMAGE AREA ON[CUST: CR AS 99] | A | 6730 | | AS | 04-MAY-83 |
| | ANSI-PH22.110 | FILM, 16MM MOTION PICTURE, PERFORATED 2R, DIMENSIONS FOR[CUST: CR AS 99] | A | 6750 | | AS | 04-MAY-83 |
| | ANSI-PH22.93 | FILM, 35 MM MOTION PICTURE, PERFORATED BH, DIMENSIONS FOR[CUST: CR AS 99] | A | 6750 | | AS | 04-MAY-83 |
| | ANSI-PH22.139 | FILM, 35MM MOTION PICTURE, PERFORATED KS DIMENSIONS FOR[CUST: CR AS 99] | A | 6750 | | AS | 04-MAY-83 |
| | ANSI-PH22.154 | FILM, 8MM TYPES MOTION PICTURE, DIMENSIONS OF PROJECTABLE IMAGE AREA ON[CUST: CR AS 99] | A | 6730 | | AS | 04-MAY-83 |
| | ANSI-PH22.164 | FILM, 8MM TYPES MOTION PICTURE, POSITION, DIMENSIONS & REPRODUCING SPEED OF MAGNETIC SOUND RECORD ON[CUST: CR AS 99] | A | 6730 | | AS | 04-MAY-83 |
| | SAE-AMS3613 | FILM, COPPER CLAD POLYESTER[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-APR-92 |
| | L-F-315C(I1) | FILM, DIAZOTYPE, SENSITIZED (DIRECT IMAGE MICROFORMS) | A | 6750 | # | FSS | 28-OCT-75 |
| | ASTM-D1186 | FILM, DRY, THICKNESS OF NONMAGNETIC COATINGS APPLIED TO A FERROUS BASE, NONDESTRUCTIVE MEASUREMENT OF[CUST: MR SH 99] [REVIEW: 84 CR4] | A | 8010 | | MR | 18-MAY-89 |
| | ASTM-D1005 | FILM, DRY, THICKNESS OF ORGANIC COATINGS USING MICROMETERS, MEASUREMENT OF[CUST: MR SH] [REVIEW: 99 CR4 MC MD YD] | A | 8010 | | MR | 31-AUG-84 |
| | ANSI-PH1.16 | FILM, GRAPHIC ARTS SHEETS AND ROLL, DIMENSIONS FOR[CUST: CR AS 99] | A | 6750 | | AS | 04-MAY-83 |
| | MIL-F-63463(2) NOT 1 | FILM, INHIBITING, ETHYL CELLULOSE[CUST: AR] [REVIEW: MI MR] | A | 9330 | | AR | 11-JAN-99 |
| | ANSI-PH22.37 | FILM, MOTION PICTURE, DIMENSIONS OF RAW STOCK CORES FOR[CUST: CR AS 99] | A | 6750 | | AS | 18-AUG-80 |
| | FED-STD-125D | FILM, PHOTOGRAPHIC AND FILM, PHOTOGRAPHIC, PROCESSED, (FOR PERMANENT RECORD USE)[CUST: CR AS 99] | A | 67GP | * | 99 | 24-JAN-77 |
| | ANSI-PH1.30 | FILM, PHOTOGRAPHIC, IN ROLLS FOR RECORDING INSTRUMENTS & MISCELLANEOUS USES, DIMENSIONS FOR[CUST: CR AS 99] | A | 6750 | | AS | 16-JUN-80 |
| | ANSI-PH1.10 | FILM, PHOTOGRAPHIC, IN ROLLS, INCLUDING LEADERS AND TRAILERS FOR AERIAL AND RELATED USES , DIMENSIONS FOR UNPERFORATED AND PERFORATED[CUST: CR AS 99] | A | 6750 | | AS | 04-MAY-83 |
| | ANSI-PH1.31 | FILM, PHOTOGRAPHIC, METHOD FOR DETERMINING THE BRITTLENESS OF[CUST: CR AS 99] | A | 6750 | | AS | 20-AUG-87 |
| A | L-F-333A | FILM, PHOTOGRAPHIC, MOTION-PICTURE (BLACK AND WHITE)[CUST: CR AS 99 IS] [REVIEW: EC MC MI] | A | 6750 | / | IS | 26-FEB-74 |
| | ASTM-D1894 | FILM, PLASTIC, AND SHEETING, STATIC AND KINETIC COEFFICIENTS OF FRICTION OF[CUST: AT 99 GS] [REVIEW: MR] | A | 9330 | | IS | 15-OCT-93 |
| | ASTM-D2582 | FILM, PLASTIC, AND THIN SHEETING, PUNCTURE-PROPAGATION TEAR RESISTANCE OF[CUST: MR SH 99 CT] | A | 9330 | | CT | 10-APR-00 |
| | SAE-AMS3649 | FILM, POLYCHLOROTRIFLUOROETHYLENE (PCTFE) UNPLASTICIZED[CUST: MR AS 11] [REVIEW: GS SH] | A | 9330 | | AS | 01-JAN-91 |
| | ASTM-D5213 | FILM, POLYMERIC RESIN, FOR ELECTRICAL INSULATION AND DIELECTRIC APPLICATIONS[CUST: MR 99 IS] [REVIEW: 01 11 AV] | A | 9330 | | IS | DEC-99 |
| | SAE-AMS3662 | FILM, POLYTETRAFLUOROETHYLENE, GENERAL PURPOSE GRADE[CUST: MR AS 11] [REVIEW: GS] | A | 5970 | | AS | 01-JUL-91 |
| | MIL-PRF-29598(1) | FILM, PROTECTIVE, LEADING EDGE (PRESSURE-SENSITIVE)[CUST: MR AS 99] [REVIEW: 11 84 AR AV GS SH] | A | 9330 | | AS | 25-NOV-97 |
| | ASTM-D3369 | FILM, RESIN CAST, POLYTETRAFLUOROETHYLENE (PTFE)[CUST: MR] [REVIEW: AR AT CR CR4 EA GS MC MD TE] | A | 9330 | | MR | 27-FEB-92 |
| | ANSI-PH1.21 | FILM, ROLL, BACKING PAPER, AND SPOOLS, DIMENSIONS FOR[CUST: CR AS 99] | A | 6750 | | AS | 04-MAY-83 |
| | L-F-320B | FILM, THERMAL DEVELOPING | A | 6750 | # | FSS | 04-MAY-65 |
| | ANSI-PH1.32 | FILMS & PAPERS, PHOTOGRAPHIC, METHODS FOR DETERMINING THE DIMENSIONAL CHANGE CHARACTERISTICS OF[CUST: CR AS 99] | A | 6750 | | AS | 16-JUN-80 |
| | ASTM-D4300 | FILMS, ADHESIVE, ABILITY OF, TO SUPPORT OR RESIST THE GROWTH OF FUNGI[CUST: MR AS 99] [REVIEW: 84 AR GL] | A | 8040 | | MR | 26-AUG-88 |
| | ASTM-D1583 | FILMS, DRY ADHESIVE, HYDROGEN ION CONCENTRATION OF[CUST: MR SH 11] | A | 8040 | | MR | 10-MAR-01 |
| | ANSI-PH4.29 | FILMS, PHOTOGRAPHIC, PLATES & PAPERS, METHODS FOR MANUAL PROCESSING OF BLACK & WHITE[CUST: CR AS 99] | A | 6740 | | AS | 23-SEP-80 |
| | ASTM-D2457 | FILMS, PLASTIC, AND SOLID PLASTICS, SPECULAR GLOSS OF[CUST: MD MS 03 MB] | A | 9330 | | MB | 10-JAN-97 |
| | ASTM-G29 | FILMS, PLASTIC, DETERMINING ALGAL RESISTANCE OF[CUST: CR4 YD 99] [REVIEW: 84 CC GS MD MR SH] | A | 9330 | | YD | 26-OCT-90 |
| | QPL-81836-7 | FILTER AND DISPOSABLE ELEMENT, FLUID PRESSURE, HYDRAULIC, 3 MICRON ABSOLUTE | A | 4920 | | AS | 24-OCT-03 |
| | MIL-PRF-81836B SUP 1 | FILTER AND DISPOSABLE ELEMENT, FLUID PRESSURE, HYDRAULIC, 3 MICRON ABSOLUTE, GENERAL SPECIFICATION FOR[CUST: AS CC] [REVIEW: GS MC SA SH] | A | 4920 | | AS | 01-OCT-98 |
| | MIL-F-8815D(1) SUP 1 | FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON ABSOLUTE AND 5 MICRON ABSOLUTE, TYPE II SYSTEMS; GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: 71 GS MI] | A | 1650 | | AS | 23-JUN-95 |
| | QPL-8815-36 | FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON ABSOLUTE AND 5 MICRON ABSOLUTE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR | A | 1650 | | AS | 18-APR-02 |
| | MIL-F-20627B(3) | FILTER ASSEMBLY AND FILTER ELEMENTS, FLUID, PRESSURE (FOR ENGINES WITH LIQUID FUEL INJECTION SYSTEMS)[CUST: AR SH 99] [REVIEW: 70 CC CR4 MC] | A | 2910 | | SH | 19-DEC-83 |
| | QPL-20627-29 | FILTER ASSEMBLY AND FILTER ELEMENTS, FLUID, PRESSURE (FOR ENGINES WITH LIQUID FUEL INJECTION SYSTEMS) | A | 2910 | | SH | 28-SEP-98 |
| | MIL-DTL-62265C(1) | FILTER ELEMENT AND RELIEF VALVE, FLUID PRESSURE, HYDRAULIC (M-60 TANK SERIES)[CUST: AT] | A | 4820 | | AT | 17-DEC-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-81836/5B | FILTER ELEMENT, ADAPTER[CUST: AS CC] [REVIEW: GS MC SA SH] | A | 4920 | | AS | 01-OCT-98 |
| | MIL-F-37956 NOT 1 | FILTER ELEMENT, AGENT SAMPLING EXTRACTOR[CUST: EA SH 99 MB] | A | 6640 | | MB | 13-JUL-89 |
| | MIL-PRF-62309F | FILTER ELEMENT, AIR[CUST: AT SH] [REVIEW: CC MC MI] | A | 2940 | | AT | 12-JAN-04 |
| | MIL-PRF-83870B(1) | FILTER ELEMENT, DISPOSABLE, 20 MICRON ABSOLUTE, CONSTANT SPEED DRIVE, AIRCRAFT[CUST: 99] [REVIEW: GS] | A | 1650 | | 71 | 26-MAR-99 |
| | QPL-83870-15 | FILTER ELEMENT, DISPOSABLE, 20 MICRON ABSOLUTE, CONSTANT SPEED DRIVE, AIRCRAFT | A | 1650 | | 71 | 07-NOV-03 |
| | QPL-83861-18 | FILTER ELEMENT, DISPOSABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 AND 15 MICRON ABSOLUTE | A | 1650 | | 71 | 07-NOV-03 |
| | MIL-PRF-81836/4B | FILTER ELEMENT, DISPOSABLE, FLUID, PRESSURE HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE[CUST: AS CC] [REVIEW: GS MC SA SH] | A | 4920 | | AS | 01-OCT-98 |
| | F-F-351/4 | FILTER ELEMENT, FLUID PRESSURE: FOR SENIOR SIZE FILTER[CUST: AT SH 99] [REVIEW: AR AS AV CR4 MC MI] | A | 2940 | / | AT | 15-MAY-98 |
| | MIL-PRF-46736E | FILTER ELEMENT, INTAKE AIR CLEANER: DRY TYPE[CUST: AT CC] | A | 2940 | | AT | 21-AUG-98 |
| | MIL-F-8815/24C | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, F14 AND F-18 AIRCRAFT, 84 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 01-DEC-93 |
| | MIL-F-8815/23 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, MINUS 65 TO PLUS 275 DEG.F, F14 AIRCRAFT, 30 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 30-JAN-81 |
| | MIL-F-8815/22A NOT 1 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, F14 AIRCRAFT, 12 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 24-SEP-91 |
| | MIL-PRF-83861C | FILTER ELEMENTS, DISPOSABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 AND 15 MICRON ABSOLUTE[CUST: 99] [REVIEW: GS] | A | 1650 | | 71 | 31-JAN-98 |
| | QPL-83860-21 | FILTER ELEMENTS, DISPOSABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE | A | 1650 | | 71 | 30-MAY-03 |
| | MIL-PRF-83860C | FILTER ELEMENTS, DISPOSABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE[CUST: 99] [REVIEW: GS] | A | 1650 | | 71 | 31-JAN-98 |
| | F-F-351/7A NOT 1 | FILTER ELEMENTS, FLUID PRESSURE-OIL, FULL FLOW[CUST: AT SH 99] [REVIEW: 70 CC MC] | A | 2940 | / | AT | 31-MAY-05 |
| | MIL-F-24402/4 | FILTER ELEMENTS, HYDRAULIC, DISPOSABLE[CUST: SH] | A | 4330 | | SH | 03-APR-90 |
| | MIL-F-24702/1A | FILTER ELEMENTS, HYDRAULIC, DISPOSABLE[CUST: SH] | A | 4330 | | SH | 05-APR-93 |
| | QPL-24702-6 | FILTER ELEMENTS, HYDRAULIC, DISPOSABLE, GENERAL SPECIFICATION FOR (METRIC) | A | 4330 | | SH | 18-JUL-01 |
| | MIL-F-8815/6B NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F[CUST: AV AS 11] [REVIEW: 71 99 GS MI SH] | A | 1650 | | AS | 24-SEP-91 |
| | MIL-F-8815/7B NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, 0.5 TO 12.0 GPM[CUST: AV AS 11] [REVIEW: 99 GS MI] | A | 1650 | | AS | 24-SEP-91 |
| | ARI850 | FILTER EQUIPMENT, AIR, COMMERCIAL AND INDUSTRIAL[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | MIL-F-24724(2) | FILTER HOUSING (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS, GENERAL SPECIFICATION FOR[CUST: SH] | A | 4330 | | SH | 16-OCT-92 |
| | MIL-F-24724/1(1) | FILTER HOUSINGS (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS (1, 2, 3 ELEMENTS)[CUST: SH] [REVIEW: CC] | A | 4330 | | SH | 02-JUN-92 |
| | MIL-F-24724/2(1) | FILTER HOUSINGS (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS (4 AND 6 ELEMENTS)[CUST: SH] [REVIEW: CC] | A | 4330 | | SH | 02-JUN-92 |
| | MIL-F-24402/2(1) | FILTER HOUSINGS, HYDRAULIC, DUPLEX[CUST: SH 99] [REVIEW: 84 CC] | A | 4330 | | SH | 07-JUL-92 |
| | MIL-F-24402/1(1) | FILTER HOUSINGS, HYDRAULIC, SINGLE ELEMENT[CUST: SH 99] [REVIEW: 84 CC] | A | 4330 | | SH | 07-JUL-92 |
| | MIL-F-24402/3 | FILTER HOUSINGS, HYDRAULIC, THREE ELEMENTS[CUST: SH] | A | 4330 | | SH | 03-APR-90 |
| | MIL-F-24402/5A(1) | FILTER INDICATORS, DIFFERENTIAL PRESSURE, HYDRAULIC[CUST: SH] | A | 4330 | | SH | 10-APR-95 |
| A | MIL-PRF-32148 | FILTER SEPARATOR ELEMENTS, FLUID, PRESSURE, AVIATION AND DISTILLATE FUEL, NAVAL SHIPBOARD[CUST: AS] [REVIEW: SH YD] | A | 4330 | | AS | 25-JUL-05 |
| M | MIL-PRF-51527B | FILTER SET, GAS-PARTICULATE, 200 CFM, M98[CUST: EA SH 99] [REVIEW: IS MR] | A | 4240 | | EA | 27-FEB-06 |
| | A-A-54734 | FILTER UNIT, CONTAMINATION ANALYSIS, GRAVIMETRIC[CUST: MD MS 03] | A | 6630 | / | MB | 11-SEP-92 |
| | A-A-50040 | FILTER UNIT, COOKING GREASE, PRESSURE[CUST: GL SA 99 SS] [REVIEW: CE MC MD MS] | A | 7330 | * | SS | 01-NOV-82 |
| | ASTM-F1040 | FILTER UNITS, AIR CONDITIONING: VISCOUS-IMPINGEMENT AND DRY TYPES, REPLACEABLE[CUST: MI YD] [REVIEW: EA GS] | A | 4130 | | IS | 30-JAN-87 |
| | MIL-STD-282(4) | FILTER UNITS, PROTECTIVE CLOTHING, GAS-MASK COMPONENTS AND RELATED PRODUCTS: PERFORMANCE-TEST METHODS (WITH CHANGES 1 THRU 4)[Test Method Standard][CUST: EA SH] [REVIEW: YD] | A | 4240 | | EA | 12-JAN-95 |
| | MIL-PRF-16552F | FILTER, AIR ENVIRONMENTAL CONTROL SYSTEM, CLEANABLE, IMPINGEMENT (HIGH VELOCITY TYPE)[CUST: SH] [REVIEW: IS] | A | 4130 | | SH | 01-JUN-01 |
| | MIL-F-15919D | FILTER, AIR, ACTIVATED CARBON, SUBMARINE SANITARY TANK VENT AND WATER CLOSET[CUST: SH] | A | 4460 | | SH | 08-NOV-71 |
| | MIL-F-22963B(1) | FILTER, AIR, ELECTROSTATIC (PRECIPITATOR) WITH POWER SUPPLY FOR ENVIRONMENTAL CONTROL SYSTEMS[CUST: SH] [REVIEW: CR4] | A | 4460 | | SH | 08-JUL-85 |
| | A-A-50554 NOT 1 | FILTER, AIR-EXTENDED AREA, INITIAL INSTALLATION[CUST: CR4 YD 99] [REVIEW: GS] | A | 4130 | / | IS | 11-DEC-02 |
| | MIL-PRF-81836/9A | FILTER, ELEMENT, DISPOSABLE, FLUID, PRESSURE HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE[CUST: AS CC] [REVIEW: GS MC SA SH] | A | 4920 | | AS | 01-OCT-98 |
| | A-A-59310 | FILTER, FLUID[CUST: EA 99] [REVIEW: AT] | A | 2910 | / | EA | 25-AUG-98 |
| | F-F-351/2 | FILTER, FLUID PRESSURE: OIL, HEAVY DUTY, BY-PASS TYPE, SENIOR SIZE (BASE MOUNTED)[CUST: AT SH 99] [REVIEW: AR AS AV CR4 MC MI] | A | 2940 | / | AT | 15-MAY-98 |
| | A-A-52470 | FILTER, FLUID, PRESSURE AND FILTER ELEMENT, FLUID, PRESSURE-AUTOMOTIVE FUEL (45 GPH FILTRATION)[CUST: AT YD 99] [REVIEW: 70 CC MC] | A | 2910 | / | AT | 05-AUG-93 |
| | A-A-52472 | FILTER, FLUID, PRESSURE, AUTOMOTIVE FUEL (10 GPH FILTRATION)[CUST: AT YD 99] [REVIEW: 70 AV CC CR4 GL MC MI] | A | 2910 | / | AT | 31-AUG-93 |
| | MIL-F-8815/29 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 1500 PSI, ABSOLUTE 5 MICRON, STYLE A, BYPASS, -65 DEG. TO +275 DEG. F, F/A-18E/F AIRCRAFT, CASE DRAIN[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 31-AUG-93 |
| | MIL-F-8815/4A NOT 1 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 5 MICRON, STYLE A, BYPASS, -65 DEG. TO +275 DEG. F[CUST: AV AS 11] [REVIEW: 71 GS SH] | A | 1650 | | AS | 24-SEP-91 |
| | MIL-F-8815/5A NOT 1 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 5 MICRON, STYLE B, NON BYPASS, -65 DEG. TO +275 DEG. F[CUST: AV AS 11] [REVIEW: 99 GS MI SH] | A | 1650 | | AS | 24-SEP-91 |
| | MIL-PRF-81836/1B | FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, TYPE A, MECHANICAL INDICATOR[CUST: AS CC] [REVIEW: GS MC SA SH] | A | 4920 | | AS | 01-OCT-98 |
| | MIL-PRF-81836/2B | FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, TYPE B, ELECTRICAL INDICATOR[CUST: AS CC] [REVIEW: GS MC SA SH] | A | 4920 | | AS | 01-OCT-98 |
| | MIL-PRF-81836/6A | FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, TYPE A, MECHANICAL INDICATOR[CUST: AS CC] [REVIEW: GS MC SA SH] | A | 4920 | | AS | 01-OCT-98 |
| | MIL-PRF-81836/7A | FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, TYPE B, ELECTRICAL INDICATOR[CUST: AS CC] [REVIEW: GS MC SA SH] | A | 4920 | | AS | 01-OCT-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-52460 NOT 1 | FILTER, FLUID, PRESSURE-AUTOMOTIVE FUEL (21 GPH FILTRATION)[CUST: AT 99] [REVIEW: 70 CC] | A | 2910 | / | AT | 13-APR-04 |
| | MIL-PRF-32137 | FILTER, GAS --- PARTICULATE: NBC, 100 CFM, M48A1[CUST: EA 99] [REVIEW: MR] | A | 4240 | | EA | 01-DEC-04 |
| | MIL-PRF-51525B | FILTER, GAS, 200 CFM, M98[CUST: EA SH 99] [REVIEW: IS MR] | A | 4240 | | EA | 01-DEC-04 |
| | MIL-PRF-51193E NOT 1 | FILTER, GAS, 283 L/M, M18A1[CUST: EA] | A | 4240 | | EA | 27-FEB-01 |
| | MIL-PRF-14512L NOT 1 | FILTER, GAS, 340 L/M, M12A2[CUST: EA] | A | 4240 | | EA | 27-FEB-01 |
| | MIL-DTL-62422C | FILTER, LASER HAZARD PROTECTION[CUST: AT] [REVIEW: GS] | A | 6650 | | AT | 30-SEP-98 |
| | MIL-DTL-13455E | FILTER, LIGHT (FOR BLACKOUT SECURE)[CUST: AT] [REVIEW: CR4 EA GS MI] | A | 6220 | | AT | 28-AUG-98 |
| | MS24489D(1) NOT 2 | FILTER, MARKER LIGHT, AIRPORT APPROACH, GLASS[CUST: AS 99 IS] [REVIEW: 71] | A | 6210 | | IS | 30-MAY-02 |
| | MS24502E(1) NOT 2 | FILTER, MARKER LIGHT, AIRPORT RUNWAY, GLASS[CUST: AS 99 IS] [REVIEW: 71] | A | 6210 | | IS | 30-MAY-02 |
| | MIL-DTL-51194D | FILTER, PARTICULATE, 20 CFM, M19[CUST: EA] | A | 4240 | | EA | 08-JUL-03 |
| M | MIL-PRF-51526B(1) | FILTER, PARTICULATE, 200 CFM[CUST: EA SH 99] [REVIEW: IS MR] | A | 4240 | | EA | 27-FEB-06 |
| | A-A-55166B | FILTER, RADIO FREQUENCY INTERFERENCE[CUST: EC CC] | A | 5915 | / | CC | 17-SEP-01 |
| | A-A-55161B | FILTER, RADIO FREQUENCY INTERFERENCE[CUST: EC CC] | A | 5915 | / | CC | 17-SEP-01 |
| | A-A-55163B | FILTER, RADIO FREQUENCY INTERFERENCE[CUST: EC CC] | A | 5915 | / | CC | 17-SEP-01 |
| | A-A-55170B | FILTER, RADIO FREQUENCY INTERFERENCE[CUST: EC] | A | 5915 | / | CC | 17-SEP-01 |
| | A-A-55171C | FILTER, RADIO FREQUENCY INTERFERENCE[CUST: EC] | A | 5915 | / | CC | 17-SEP-01 |
| | A-A-55167B | FILTER, RADIO FREQUENCY INTERFERENCE[CUST: EC CC] | A | 5915 | / | CC | 17-SEP-01 |
| | A-A-55090A | FILTER, RADIO FREQUENCY INTERFERENCE[CUST: EC CC] | A | 5915 | / | CC | 17-SEP-01 |
| | A-A-55506A | FILTER, RADIO FREQUENCY INTERFERENCE[CUST: EC] | A | 5915 | / | CC | 17-SEP-01 |
| | A-A-55169B | FILTER, RADIO FREQUENCY INTERFERENCE[CUST: EC] | A | 5915 | / | CC | 17-SEP-01 |
| | MIL-PRF-15733/57C | FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL62[CUST: EC 11 CC] | A | 5915 | | CC | 28-MAY-03 |
| | MIL-PRF-15733/55E | FILTER, RADIO INTERFERENCE, HERMETICALLY SEALED, STYLE FL85[CUST: CR EC 11 CC] [REVIEW: 99 SH] | A | 5915 | | CC | 31-MAR-03 |
| | MIL-F-85675 | FILTER, UHF BANDPASS F-1556/ARC[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 07-JUL-87 |
| | AIR-STD-61/112/3(2) | FILTER-BLOWER PERFORMANCE FOR AIRCREW NBC HEADGEAR | C | ISDF | | 06 | 30-JUL-86 |
| A | MIL-PRF-52308J(2) | FILTER-COALESCER ELEMENT, FLUID PRESSURE[CUST: AT AS 11] [REVIEW: 68 99 AV CC MC MI] | A | 4330 | | AT | 23-JUN-05 |
| A | MIL-PRF-15618H | FILTER-SEPARATOR, FLUID, PRESSURE, AVIATION AND DISTILLATE FUEL, NAVAL SHIPBOARD[CUST: SH] | A | 4330 | | SH | 18-JAN-06 |
| | MIL-PRF-83041C | FILTER-SEPARATOR, LIQUID FUEL, SKID MOUNTED FFU-15/E[CUST: AT 99 IS] | A | 4930 | | 84 | 13-JAN-00 |
| | MIL-PRF-53091A | FILTER-SEPARATOR, LIQUID FUEL; FRAME MOUNTED, 200 GAL/MIN CAPACITY, ARCTIC SERVICE[CUST: AT] | A | 4330 | | AT | 15-FEB-96 |
| | MIL-PRF-52666F | FILTER/ SEPARATORS, LIQUID FUEL[CUST: AT AS 99] [REVIEW: 84 AV CC MC SH] | A | 4330 | | AT | 23-SEP-98 |
| | MIL-PRF-81380E | FILTER/MONITOR, CONTAMINATION, AVIATION FUEL DISPENSING SYSTEM[CUST: AV AS 68 CC] [REVIEW: 99 AT MC MI YD] | A | 4930 | | AS | 04-FEB-05 |
| | ASTM-D1499 | FILTERED OPEN-FLAME CARBON-ARC EXPOSURES OF PLASTICS[CUST: MR 11] [REVIEW: AR AS GL GS YD] | A | 9330 | | MR | 15-OCT-92 |
| | MIL-F-24402E(2) | FILTERS (HYDRAULIC), FILTER ELEMENTS (HIGH EFFICIENCY), AND FILTER DIFFERENTIAL PRESSURE INDICATORS, GENERAL SPECIFICATION FOR[CUST: SH] | A | 4330 | | SH | 26-MAY-95 |
| | QPL-24402-35 | FILTERS (HYDRAULIC), FILTER ELEMENTS (HIGH EFFICIENCY), AND FILTER DIFFERENTIAL PRESSURE INDICATORS | A | 4330 | | SH | 17-APR-00 |
| A | QPL-15733-113 | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, GENERAL SPECIFICATION FOR | A | 59GP | | CC | 18-JUL-05 |
| A | MIL-PRF-15733H(2) SUP 1 | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH YD] | A | 59GP | | CC | 16-DEC-05 |
| | MIL-PRF-15733/34P | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL90[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH] | A | 59GP | | CC | 24-MAR-04 |
| A | MIL-PRF-15733/27D(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL15[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC OS SH] | A | 59GP | | CC | 18-NOV-05 |
| | MIL-PRF-15733/49J | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL93[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC OS SH] | A | 59GP | | CC | 10-APR-03 |
| | MIL-PRF-15733/58C | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALY SEALED, STYLE FL63[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH] | A | 59GP | | CC | 23-JAN-04 |
| | MIL-PRF-28861/12E NOT 1 | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS70[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A | 59GP | | CC | 06-FEB-03 |
| | QPL-28861-41 | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, GENERAL SPECIFICATION FOR | A | 59GP | | CC | 06-DEC-04 |
| | MIL-PRF-28861C(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV MC MI OS SH] | A | 59GP | | CC | 22-JUN-05 |
| | MIL-PRF-28861/6D(2) NOT 1 | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, NONHERMETICALLY SEALED, STYLE FS60[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 59GP | | CC | 06-FEB-03 |
| | MIL-PRF-28861/1D(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLES FS10 AND FS11[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 59GP | | CC | 10-MAY-05 |
| | QPL-5504-35 | FILTERS AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC MICRONIC TYPE | A | 1650 | | AS | 16-JAN-02 |
| | F-F-351F NOT 1 | FILTERS AND FILTER ELEMENTS, FLUID PRESSURE: LUBRICATING OIL, BYPASS AND FULL FLOW[CUST: AT SH 99] [REVIEW: 70 CC CR4 MC] | A | 2940 | / | AT | 31-MAY-05 |
| | UL1283 | FILTERS, ELECTROMAGNETIC INTERFERENCE[CUST: CR YD 11] | A | 5915 | | CC | 30-JUN-98 |
| | A-A-59249 NOT 1 | FILTERS, FLUID, PRESSURE, FEEDWATER[CUST: AV YD] | A | 4330 | / | CC | 06-OCT-03 |
| | MIL-F-21424A NOT 1 | FILTERS, POLARIZING (FOR OPTICAL INSTRUMENTS)[CUST: OS] | A | 1240 | | OS | 07-SEP-88 |
| | MIL-PRF-15733/62D | FILTERS, RADIO FREQUENCY INTERFERENCE STYLES FL31 AND FL47[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS] | A | 5915 | | CC | 26-APR-04 |
| | MIL-PRF-15733/56D | FILTERS, RADIO FREQUENCY INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FL61[CUST: EC 11 CC] | A | 5915 | | CC | 28-MAY-03 |
| | MIL-PRF-15733/46C | FILTERS, RADIO FREQUENCY INTERFERENCE SUPPRESSION, STYLE FL41[CUST: EC 11 CC] [REVIEW: 19 99 AS MC OS] | A | 5915 | | CC | 17-JUL-03 |
| | MIL-PRF-15733/25C | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL13[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH] | A | 5915 | | CC | 27-FEB-03 |
| | MIL-PRF-15733/26C(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL14[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH] | A | 5915 | | CC | 09-DEC-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-15733/38K(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL16[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH] | A | 5915 | | CC | 23-JUL-03 |
| | MIL-PRF-15733/72B | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL54[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH] | A | 5915 | | CC | 08-MAY-03 |
| | MIL-PRF-15733/73A | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL55[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH YD] | A | 5915 | | CC | 08-MAY-03 |
| | MIL-PRF-15733/74A | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL56[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH YD] | A | 5915 | | CC | 08-MAY-03 |
| | MIL-PRF-15733/59A | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL64[CUST: EC 11 CC] | A | 5915 | | CC | 23-JAN-04 |
| | MIL-PRF-15733/31F(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL83[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC OS SH] | A | 5915 | | CC | 14-OCT-04 |
| | MIL-PRF-15733/67B | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL88[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC OS SH] | A | 5915 | | CC | 28-MAY-03 |
| A | MIL-PRF-15733/39J(2) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL91[CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV CG MC OS SH] | A | 5915 | | CC | 18-NOV-05 |
| | MIL-PRF-15733/54G | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL94[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS] | A | 5915 | | CC | 28-OCT-03 |
| A | MIL-PRF-15733/75A(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL98[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH] | A | 5915 | | CC | 18-NOV-05 |
| | MIL-PRF-15733/23B(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLES FL10 AND FL11[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH] | A | 5915 | | CC | 18-FEB-05 |
| | MIL-PRF-15733/33D | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL38[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CG MC OS SH] | A | 5915 | | CC | 31-JUL-03 |
| A | MIL-PRF-15733/44F(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL45[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS] | A | 5915 | | CC | 23-NOV-05 |
| | MIL-PRF-15733/51F | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL48[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CG MC SH] | A | 5915 | | CC | 31-JUL-03 |
| | MIL-PRF-15733/66A | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL50[CUST: EC CC] | A | 5915 | | CC | 26-SEP-03 |
| | MIL-PRF-15733/41H(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL84[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS] | A | 5915 | | CC | 14-OCT-04 |
| | MIL-PRF-15733/61E | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLES FL30, FL32, FL34, AND FL43[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS] | A | 5915 | | CC | 16-JUN-05 |
| | MIL-PRF-28861/5C | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS50[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5915 | | CC | 10-FEB-03 |
| | MIL-PRF-28861/2C | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS20[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5915 | | CC | 10-FEB-03 |
| | MIL-PRF-28861/3C | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS30[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5915 | | CC | 10-FEB-03 |
| | MIL-PRF-28861/4C | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS40[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5915 | | CC | 10-FEB-03 |
| | MIL-PRF-15733/40C | FILTERS, RADIO INTERFERENCE, STYLE FL35[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC OS SH] | A | 5915 | | CC | 31-JUL-03 |
| | MIL-PRF-32097A | FILTRATION MODULE, OILY WASTE MEMBRANE TYPE[CUST: AT SH 99 CC] [REVIEW: 03 84] | A | 4610 | | SH | 10-FEB-05 |
| | MIL-F-45400A(2) | FIN ASSEMBLY, BOMB, 4&POUND, M15[CUST: AR AS] | A | 1325 | | AS | 19-MAY-71 |
| | MIL-F-48076A(1) NOT 1 | FIN ASSEMBLY, M158[CUST: AR] | A | 1315 | | AR | 13-DEC-94 |
| | MIL-F-71037(4) NOT 2 | FIN ASSEMBLY, MORTAR CARTRIDGE, 120MM, M31[CUST: AR] | D | 1315 | | AR | 27-MAR-01 |
| | MIL-F-51364(1) | FIN, ASSEMBLY, BOMB, 750 LB CLUSTER, M14E3[CUST: AR AS] | A | 1325 | | AS | 13-JUL-73 |
| | MIL-F-71131 | FIN, MORTAR CARTRIDGE: M32[CUST: AR] | A | 1310 | | AR | 26-MAY-92 |
| | MIL-F-71153(1) | FIN, MORTAR CARTRIDGE: M33[CUST: AR] | A | 1390 | | AR | 31-JUL-96 |
| | MIL-F-85596 | FIN, RETARDER, AIR INFLATABLE BSU-85/B[CUST: AS] | A | 1325 | | AS | 09-MAY-83 |
| | ANSI-X4.13 | FINANCIAL SERVICES - FINANCIAL TRANSACTION CARDS AMERICAN NATIONAL STANDARD FOR[CUST: MD MS 03] | A | 7530 | | MB | 29-JUL-88 |
| | ASTM-B742 | FINE SILVER ELECTRICAL CONTACT FABRICATED MATERIAL[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 14-JUL-93 |
| | ASTM-D1210 | FINENESS OF DISPERSION OF PIGMENT-VEHICLE SYSTEMS BY HEGMAN-TYPE GAGE[CUST: MR SH 11] | A | 8010 | | MR | FEB-91 |
| | A-A-50855A | FINGER COT, SURGICAL, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-93 |
| | DI-MFFP-81402 | FINISH SPECIFICATION REPORT [AMSC: F7034] | A | MFFP | | 11 | 06-JUN-94 |
| | MIL-F-495E(1) NOT 2 | FINISH, CHEMICAL, BLACK, FOR COPPER ALLOYS[CUST: AR 11] [REVIEW: 99 CR4 EA] | A | MFFP | | AR | 19-JAN-01 |
| | MIL-HDBK-808 | FINISH, PROTECTIVE AND CODES FOR FINISHING SCHEMES FOR GROUND AND GROUND SUPPORT EQUIPMENT[CUST: 11] [REVIEW: 99] | A | MFFP | | 11 | 18-JUL-96 |
| | IPC-A142 | FINISHED FABRIC WOVEN FROM ARAMID FOR PRINTED BOARDS, SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA MI] | A | 5998 | | CC | 28-MAR-92 |
| | MIL-F-14072D | FINISHES FOR GROUND BASED ELECTRONIC EQUIPMENT[CUST: CR] [REVIEW: CR4 EA MI MR] | A | MFFP | | CR | 04-OCT-90 |
| | NWWDA-TM9 | FINISHES WOOD DOOR TO DETERMINE THE PERFORMANCE OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CC] | A | 5520 | | IS | OCT-89 |
| | MIL-STD-7179 | FINISHES, COATINGS, AND SEALANTS, FOR THE PROTECTION OF AEROSPACE WEAPONS SYSTEMS[Standard Practice][CUST: MR AS 11] [REVIEW: 71 84 99 AR AV CG MC MI] | A | MFFP | | AS | 30-SEP-97 |
| | SAE-J1545 | FINISHES, EXTERIOR, TEXTILES, AND COLORED TRIM, INSTRUMENTAL COLOR DIFFERENCE MEASUREMENT FOR[CUST: CR4 YD 99] | A | 8010 | | IS | JUN-86 |
| | A-A-50564 NOT 1 | FINISHING MACHINE, CONCRETE ROTARY, GASOLINE ENGINE, HAND CONTROLLED[CUST: YD] | A | 3895 | / | IS | 26-MAY-05 |
| A | MIL-STD-171E(1) | FINISHING OF METAL AND WOOD SURFACES[CUST: AR SH 11] [REVIEW: 99 AS AV CR CR4 EA GL MD MI OS YD] | A | MFFP | | AR | 19-NOV-01 |
| A | MIL-F-87168(2) NOT 2 | FIRE AND EXPLOSION HAZARD PROTECTION SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR (CONTROLLED DISTRIBUTION)[CUST: 11] | D | SAFT | | 11 | 24-OCT-05 |
| | MIL-STD-2031 | FIRE AND TOXICITY TEST METHODS AND QUALIFICATION PROCEDURE FOR COMPOSITE MATERIAL SYSTEMS USED IN HULL, MACHINERY, AND STRUCTURAL APPLICATIONS INSIDE NAVAL SUBMARINES[Test Method Standard][CUST: MR SH] | A | CMPS | | SH | 26-FEB-91 |
| | MIL-F-18870E(1) | FIRE CONTROL EQUIPMENT, NAVAL SHIP AND SHORE, GENERAL SPECIFICATION[CUST: OS] [REVIEW: CC] | A | 12GP | | OS | 23-MAY-86 |
| | QSTAG-1074 ED.1 | FIRE CONTROL PROCEDURES FOR DIRECT FIRE WEAPON SYSTEMS[CUST: AI] | C | ISDA | | AI | 06-OCT-98 |
| | MIL-HDBK-799 | FIRE CONTROL SYSTEMS-GENERAL[CUST: AR] | A | 12GP | | AR | 05-APR-96 |
| | UL555 | FIRE DAMPERS[CUST: CR4 YD 99] [REVIEW: CC CE MC] | A | 4520 | | IS | 1-JUN-99 |
| | NFPA1931 | FIRE DEPARTMENT GROUND LADDERS, DESIGN OF AND DESIGN VERIFICATION TESTS FOR[CUST: CR4 YD 99] [REVIEW: 84] | A | 4210 | | CR4 | 05-AUG-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NFPA1500 | FIRE DEPARTMENT OCCUPATIONAL SAFETY AND HEALTH PROGRAM[CUST: MI AS 99] | A | SAFT | | 84 | 14-AUG-92 |
| | NFPA80 | FIRE DOORS AND WINDOWS[CUST: YD] [REVIEW: 84] | A | 5680 | | IS | 28-SEP-89 |
| | UL92 | FIRE EXTINGUISHER AND BOOSTER HOSE[CUST: CR4 YD 99] | A | 4210 | | 84 | 27-JUL-93 |
| | MIL-DTL-32010(1) | FIRE EXTINGUISHER CARTRIDGE, CCU-90/A (MH92)[CUST: OS] | A | 1377 | | OS | 13-APR-00 |
| | UL1093 | FIRE EXTINGUISHERS, HALOGENATED AGENT[CUST: CR4 YD 99] [REVIEW: 84 CC] | A | 4210 | | IS | 30-NOV-95 |
| | NFPA10 | FIRE EXTINGUISHERS, PORTABLE[CUST: CR4 YD 99] [REVIEW: 84 CC] | A | 4210 | | IS | 05-AUG-94 |
| | UL711 | FIRE EXTINGUISHERS, RATING AND FIRE TESTING OF, STANDARD FOR[CUST: CR4 YD] [REVIEW: CC] | A | 4210 | | IS | 30-MAR-92 |
| | QPL-24385-34 | FIRE EXTINGUISHING AGENT, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE, FOR FRESH AND SEA WATER | A | 4210 | | SH | 05-APR-04 |
| | MIL-F-24385F(1) | FIRE EXTINGUISHING AGENT, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE, FOR FRESH AND SEA WATER[CUST: SH] | A | 4210 | | SH | 05-AUG-94 |
| | DI-MISC-80591 | FIRE HAZARD/DEFICIENC INSPECTION REPORT [AMSC: F4414] | A | MISC | | 33 | 11-MAY-88 |
| | NFPA1961 | FIRE HOSE[CUST: AT YD 99] [REVIEW: 84 CG MC] | A | 4210 | | IS | 05-JUL-91 |
| | AWWA-C502 | FIRE HYDRANTS, DRY-BARREL[CUST: CR4 YD 99] | A | 4210 | | IS | 27-JAN-85 |
| | AWWA-C503 | FIRE HYDRANTS, WET-BARREL[CUST: CR4 YD 99] | A | 4210 | | IS | 23-JUN-88 |
| | DI-MISC-80480 | FIRE INCIDENT REPORTS [AMSC: F4261] | A | MISC | | 33 | 28-OCT-87 |
| | MIL-STD-1623D(1) | FIRE PERFORMANCE REQUIREMENTS AND APPROVED SPECIFICATION FOR INTERIOR FINISH MATERIALS AND FURNISHINGS (NAVAL SHIPBOARD USE)[Design Criteria Standard][CUST: SH] [REVIEW: YD] | A | 19GP | | SH | 03-JUL-85 |
| | MIL-HDBK-221(1) | FIRE PROTECTION DESIGN HANDBOOK FOR U.S. NAVY AIRCRAFT POWERED BY TURBINE ENGINES[CUST: AV AS] | A | MISC | | AS | 27-DEC-95 |
| | MIL-HDBK-1008C | FIRE PROTECTION FOR FACILITIES ENGINEERING, DESIGN, AND CONSTRUCTION[CUST: CE YD 50 DH MP] [REVIEW: MC] | A | FACR | | YD | 10-JUN-97 |
| | NFPA325A | FIRE PROTECTION GUIDE ON HAZARDOUS MATERIALS (NFPA-325A, 325-M, 49, 491M, 704M)[CUST: AR SA 11] | A | MISC | | SA | 15-MAY-70 |
| | FM-P7825A | FIRE PROTECTION, APPROVAL GUIDE[CUST: YD] | A | FACR | | YD | 14-JUN-04 |
| | GA600 | FIRE RESISTANCE DESIGN MANUAL[CUST: YD] | A | FACR | | YD | 29-JUN-04 |
| | UL790 | FIRE RESISTANCE OF ROOF COVERING MATERIALS, STANDARD FOR TESTS FOR[CUST: CR4 YD] [REVIEW: CE MC] | A | 5650 | | IS | 21-MAR-89 |
| | SAE-AS1241 | FIRE RESISTANT PHOSPHATE ESTER HYDRAULIC FLUID FOR AIRCRAFT[CUST: MR AS 68 GS3] [REVIEW: 11] | A | 9150 | | GS3 | 18-FEB-92 |
| | NFPA1221 | FIRE SERVICE COMMUNICATION SYSTEMS, PUBLIC, INSTALLATION, MAINTENANCE, AND USE OF[CUST: CE YD 04] | A | FACR | | YD | 05-AUG-94 |
| | NFPA24 | FIRE SERVICE, PRIVATE, MAINS AND THEIR APPURTENANCES[CUST: CE YD 04] | A | FACR | | YD | 10-FEB-92 |
| | QAP-126 ED.2 | FIRE SUPPORT EQUIPMENT CHARACTERISTICS | C | ISDA | | AI | 10-MAR-97 |
| | QSTAG-1286 ED.1 | FIRE SUPPORT FOR DEEP OPERATIONS[CUST: AI] | C | ISDA | | AI | 06-SEP-00 |
| | QAP-153 ED.1 | FIRE SUPPORT FOR DEEP OPERATIONS | C | ISDA | | AI | 20-FEB-96 |
| | SAE-AIR1377 | FIRE TEST EQUIPMENT FOR FLEXIBLE HOSE AND TUBE ASSEMBLIES[CUST: CR4 AS 99] | A | 4720 | | AS | OCT-94 |
| | ASTM-E119 | FIRE TEST OF BUILDING CONSTRUCTION AND MATERIALS[CUST: YD] [REVIEW: CE OS SH] | A | FACR | | YD | 10-JAN-00 |
| | UL1256 | FIRE TEST OF ROOF DECK CONSTRUCTIONS[CUST: YD] [REVIEW: 84 CE MC] | A | 56GP | | YD | 31-MAR-98 |
| | NFPA252 | FIRE TESTS OF DOOR ASSEMBLIES[CUST: CR4 YD 99] [REVIEW: 84] | A | 5670 | | IS | 17-AUG-90 |
| | ASTM-E108 | FIRE TESTS OF ROOF COVERINGS[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5650 | | IS | 15-JUL-93 |
| | ASTM-E814 | FIRE TESTS OF THROUGH-PENETRATION FIRE STOPS[CUST: CE YD 04] | A | FACR | | YD | 03-OCT-94 |
| | UL1479 | FIRE TESTS OF THROUGH-PENETRATION FIRESTOPS[CUST: CE YD 04] | A | FACR | | YD | 29-JUN-94 |
| | ASTM-C210 | FIREBRICK, INSULATING, REHEAT CHANGE OF[CUST: CR4 SH 99] | A | 9350 | | SH | 03-OCT-94 |
| | ASTM-C27 | FIRECLAY AND HIGH-ALUMINA REFRACTORY BRICK[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5620 | | IS | 30-MAY-89 |
| | STANAG-1169(3) | FIREFIGHTING EQUIPMENT AND PRINCIPLES FOR HARMONIZATION OF PRESENT AND FUTURE EQUIPMENT AND MATERIALS (INCLUDING AMENDMENT 3) | C | ISDN | | NI | 20-DEC-81 |
| | FM-AS4991 | FIRESTOP CONTRACTORS, APPROVAL OF[CUST: YD] | A | FACR | | YD | 14-JUN-04 |
| | EIA364.45 | FIREWALL FLAME TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: AV MI] | A | 5935 | | CC | 29-JUN-01 |
| | MIL-F-63090A(4) | FIRING DEVICE, MULTI-PURPOSE, M142 PARTS, ASSEMBLY, AND PACKING[CUST: AR] | A | 1375 | | AR | 12-FEB-93 |
| | MIL-F-50495A NOT 1 | FIRING DEVICE, PRESSURE RELEASE TYPE, M5 AND M5 INERT ASSEMBLY PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 01-JUL-99 |
| | MIL-F-46524A(1) NOT 1 | FIRING KIT, DEMOLITION, ELECTRICAL XM 147E1[CUST: AR] | A | 1375 | | AR | 20-MAY-88 |
| | ITOP-3.2.601 | FIRING TABLES AND BALLISTIC MATCH TESTS | D | ISDA | | TE | 16-OCT-95 |
| | DI-IPSC-81448A | FIRMWARE SUPPORT MANUAL (FSM) [AMSC: N7370] | A | IPSC | | EC | 15-DEC-99 |
| | MIL-F-36043D | FIRST AID KIT, EYE DRESSING[CUST: MD MS 03 MB] | A | 6545 | | MB | 22-JUN-92 |
| | STANAG-2871 ED.3(2) | FIRST AID MATERIAL FOR CHEMICAL INJURIES | C | ISDA | | AI | 08-MAR-89 |
| | DI-MECA-80961 | FIRST ARTICLE CASTING REPORT [AMSC: N4911] | A | MECA | | SH | 07-MAR-90 |
| | DI-FORG-80962 | FIRST ARTICLE FORGING REPORT [AMSC: N4912] | A | FORG | | SH | 07-MAR-90 |
| | DI-NDTI-81307 | FIRST ARTICLE QUALIFICATION TEST PLAN [AMSC: G6883] | A | NDTI | | NS | 25-JAN-93 |
| | STANAG-2358 ED.3 | FIRST-AID AND HYGIENE TRAINING IN NBC OPERATIONS | C | ISDA | | AI | 12-JUN-96 |
| | STANAG-2126 ED.5(4) | FIRST-AID KITS AND EMERGENCY MEDICAL CARE KITS | C | ISDA | | AI | 27-SEP-83 |
| | A-A-20325 | FISH NUGGETS, PORTIONS, STICKS, STRIPS, BITE-SIZE PIECES, OVEN-READY, BREADED AND/OR BATTERED, FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8905 | * | FV | 12-MAR-01 |
| | ASTM-E729 | FISHES, MACROINVERTEBRATES, AND AMPHIBIANS, CONDUCTING ACUTE TOXICITY TESTS ON TEST MATERIALS WITH[CUST: SH 50] | A | MISC | | SH | 10-MAY-96 |
| | A-A-58025 | FISHING KIT, SURVIVAL[CUST: AS 99] [REVIEW: CC MC] | A | 4220 | / | 84 | 30-MAY-94 |
| | MIL-F-23508E(1) | FITTING & FLANGES, WROUGHT, SEAMLESS, BUTT & SOCKET WELDING, NICKEL CHROMIUM IRON ALLOY (ISSUE CONTROLLED)[CUST: SH] | F | 4730 | | SH | 23-JAN-89 |
| | ASME-B16.29 | FITTING - DWY, WROUGHT COPPER & WROUGHT COPPER ALLOY SOLDER JOINT DRAINAGE[CUST: YD 99] [REVIEW: CR4] | A | 4730 | | CC | 27-APR-88 |
| | MS21344 | FITTING - INSTALLATION OF FLARED TUBE, STRAIGHT THREADED CONNECTORS, DESIGN STANDARD FOR[CUST: AV AS 99] [REVIEW: 71 AR MI] | A | 4730 | | CC | 17-AUG-71 |
| | SAE-J1453 | FITTING - O-RING FACE SEAL[CUST: AT SH 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 10-APR-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-F-24342C | FITTING AND FLANGE, WROUGHT SEAMLESS, BUTT AND SOCKET WELDING, 70-30 COPPER NICKEL ALLOY[CUST: SH] | B | 4730 | | SH | 23-JAN-89 |
| | MIL-F-23467F | FITTING AND FLANGES, WROUGHT, SEAMLESS, BUTT AND SOCKET WELDING, AUSTENITIC CORROSION-RESISTANT STEEL[CUST: SH] [REVIEW: CC] | B | 4730 | | SH | 23-JAN-89 |
| | SAE-AS5132 | FITTING END - HOSE CONNECTION, DESIGN STANDARD[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | JAN-97 |
| | MS28746D | FITTING END - HOSE, SWIVEL, DETACHABLE, FLANGED, 4 BOLT, 45 DEG.[CUST: AT AS 99 CC] [REVIEW: 11 71 AV] | A | 4730 | | CC | 22-SEP-00 |
| | MS28780E | FITTING END, 45 ELBOW, ATTACHABLE, HYDRAULIC, HIGH PRESSURE HOSE (3,000 PSI), FLARED TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A | 4730 | | CC | 06-APR-01 |
| | MS28781D(1) | FITTING END, 90 ELBOW, ATTACHABLE, HYDRAULIC, HIGH PRESSURE HOSE (3,000 PSI), FLARED TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A | 4730 | | CC | 04-NOV-04 |
| | QPL-8789-22 | FITTING END, ATTACHABLE HYDRAULIC HIGH-PRESSURE (3,000 PSI), GENERAL SPECIFICATION FOR | A | 4730 | | CC | 22-JUN-05 |
| | MIL-DTL-8789E | FITTING END, ATTACHABLE, HYDRAULIC, HIGH PRESSURE (3,000 PSI), GENERAL SPECIFICATION FOR[CUST: AV AS 99 CC] [REVIEW: 71 AT MI SA] | A | 4730 | | CC | 06-APR-01 |
| | MS21947B NOT 1 | FITTING END, BOLT CLUSTER FITTING SINGLE PORT THROUGH, FLARE[CUST: AV AS 99 CC] [REVIEW: 11 71] | A | 4730 | | CC | 08-APR-05 |
| | SAE-AS21935 | FITTING END, BOLT CLUSTER FITTING, DOUBLE PORT, THROUGH, FLARELESS[CUST: AV AS 99] [REVIEW: 11 71] | A | 4730 | | AS | JUL-99 |
| | AND10089 REV 7 NOT 1 | FITTING END, DESIGN STANDARD FOR CONE CONNECTION[CUST: AS 99] [REVIEW: 71 MC] | A | 4730 | | CC | 07-APR-05 |
| | SAE-AS5201 | FITTING END, EXTERNAL TAPER PIPE THREAD, DESIGN STANDARD[CUST: AS 99 CC] [REVIEW: 70 71 GS SA] | A | 4730 | | CC | 12-JAN-01 |
| | NAS1760 | FITTING END, FLARELESS ACORN, STANDARDS DIMENSIONS FOR[CUST: AV AS 11] [REVIEW: CC] | A | 4730 | | AS | 29-AUG-97 |
| | SAE-AS1708 | FITTING END, INTERNAL FLARE DISIGN STANDARD[CUST: CR4 AS 99] [REVIEW: CC] | A | 4730 | | 71 | 27-JAN-94 |
| | SAE-AS15000 | FITTING END, LUBRICATION (HYDRAULIC) - DESIGN STANDARD[CUST: AT AS 99 CC] [REVIEW: 11 71 AR AV MC MI OS SA SH] | A | 4730 | | CC | 12-JUL-02 |
| | MS28754C NOT 1 | FITTING END, SELF SEALING FUEL HOSE, SWIVEL, DETACHABLE, FLANGED, 45 DEG.[CUST: 99] [REVIEW: 71] | A | 4730 | | CC | 08-APR-05 |
| | MS28753C NOT 1 | FITTING END, SELF- SEALING FUEL HOSE, SWIVEL DETACHABLE, FLANGED, STRAIGHT[CUST: 99] [REVIEW: 71] | A | 4730 | | CC | 08-APR-05 |
| | MS28755C NOT 1 | FITTING END, SELF- SEALING FUEL HOSE, SWIVEL, DETACHABLE, FLANGED, 90 DEG[CUST: 99] [REVIEW: 71] | A | 4730 | | CC | 08-APR-05 |
| | SAE-AS33515 | FITTING END, STANDARD DIMENSIONS FOR BULKHEAD FLARELESS TUBE CONNECTIONS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | AUG-98 |
| | SAE-AS85421/2 | FITTING END, STANDARD DIMENSIONS FOR BULKHEAD, DYNAMIC BEAM SEAL, MALE[CUST: AV AS 99] [REVIEW: 71 CC MC SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS85421/1 | FITTING END, STANDARD DIMENSIONS FOR DYNAMIC BEAM SEAL, MALE[CUST: AV AS 99] [REVIEW: 71 CC MC SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS33514 | FITTING END, STANDARD DIMENSIONS FOR FLARELESS TUBE CONNECTION AND GASKET SEAL[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | AUG-98 |
| | MS28760D | FITTING END, STRAIGHT, ATTACHABLE, HYDRAULIC AND PNEUMATIC, HIGH PRESSURE HOSE (3,000 PSI), FLARED TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A | 4730 | | CC | 06-APR-01 |
| | MS28761B | FITTING END, STRAIGHT, ATTACHABLE, HYDRAULIC, HIGH PRESSURE HOSE (3,000 PSI), FLARELESS TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A | 4730 | | CC | 06-APR-01 |
| A | A-A-50553A | FITTING FOR CONDUIT, METAL (THICK-WALL (RIGID) AND THIN-WALL (EMT) TYPE)[CUST: CR4 YD 11] [REVIEW: 99 CE] | A | 5975 | / | GS2 | 02-AUG-05 |
| | MS33786A | FITTING INSTALLATION, FLARED TUBE AND HOSE, SWIVEL (ASG)[CUST: AS 99] [REVIEW: 71 CR4] | A | 4730 | | CC | 01-FEB-85 |
| | MIL-STD-1339C | FITTING OUT PROCEDURES-SHIPS[Standard Practice][CUST: SH] | A | SESS | | SH | 27-FEB-90 |
| | SAE-AS85421/10 | FITTING, ADAPTER, BEAM SEAL, 3000/4000 PSI, MALE TO FLARELESS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS5180 | FITTING, ADAPTER, BULKHEAD, FLARED TO HOSE[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | MAR-98 |
| | SAE-AS5184 | FITTING, ADAPTER, FLARED TO HOSE[CUST: AV 99 CC] [REVIEW: 71] | A | 4730 | | CC | MAR-98 |
| | SAE-AS5167 | FITTING, ADAPTER, FLARED, AIR PRESSURE GAGE[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | 18-JAN-02 |
| | SAE-AS5189 | FITTING, ADAPTER, HOSE[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | MAR-98 |
| | SAE-AS5183 | FITTING, ADAPTER, HOSE TO STRAIGHT PIPE[CUST: AV 99 CC] [REVIEW: 71] | A | 4730 | | CC | MAR-98 |
| | SAE-AS5172 | FITTING, ADAPTER, PORT, REDUCER[CUST: AV AS 99 CC] [REVIEW: 71 CR4 MC SA] | A | 4730 | | CC | 26-MAY-00 |
| | SAE-AS5194 | FITTING, ADAPTER, STRAIGHT PIPE TO FLARED[CUST: 99] [REVIEW: 71] | A | 4730 | | CC | MAY-00 |
| | SAE-AS933 | FITTING, ADAPTER, UNION, FLARED TO BOSS[CUST: AV AS 99] [REVIEW: 71 AT MC SA] | A | 4730 | | CC | 17-FEB-00 |
| | SAE-AS5160 | FITTING, BOLT, FLARED[CUST: AV AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | MAR-98 |
| | SAE-AS5161 | FITTING, BOLT, FLUID PASSAGE[CUST: AV AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | MAR-98 |
| | SAE-AS5173 | FITTING, BUSHING, PORT, REDUCER[CUST: AV AS 99 CC] [REVIEW: 71 CR4 MC SA] | A | 4730 | | CC | 26-MAY-00 |
| | MIL-F-24202(1) | FITTING, BUTT WELDING, SEAMLESS OR WELDED, 70-30 COPPER-NICKEL ALLOY 700 PSI, 200 DEG. F.[CUST: SH] [REVIEW: MI] | A | 4730 | | SH | 26-JUL-85 |
| | SAE-AS4214 | FITTING, CAP ASSEMBLY, BEAM SEAL, HYDRAULIC[CUST: AT SH 99 CC] [REVIEW: 71 84 MC SA] | A | 4730 | | CC | 30-JUL-03 |
| | ASME-B16.15 | FITTING, CAST BRONZE THREADED, STANDARD FOR[CUST: CR4 YD] [REVIEW: SH] | A | 4730 | | CC | 24-MAY-88 |
| | ASME-B16.4 | FITTING, CAST IRON THREADED FITTINGS, CLASSES 125, AMERICAN NATIONAL STANDARD[CUST: CR4 YD 99] [REVIEW: AR CE CG MC] | A | 4730 | | CC | 11-MAR-88 |
| | SAE-AS5164 | FITTING, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 45 DEG.[CUST: AV AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS5163 | FITTING, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 75 DEG.[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS5162 | FITTING, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 90 DEG.[CUST: AV AS 99 CC] [REVIEW: 71 MI SA] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS5165 | FITTING, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, TEE[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS5193 | FITTING, CROSS, INTERNAL STRAIGHT THREAD PORT[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS5196 | FITTING, ELBOW 45 DEG., FLARED TO PIPE[CUST: AV AS 99 CC] [REVIEW: 11 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS85421/15 | FITTING, ELBOW, 45 DEG., BEAM SEAL, 3000/4000 PSI, BILKHEAD, MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS5182 | FITTING, ELBOW, 45 DEG., BULKHEAD, FLARED TO HOSE[CUST: AV AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | JAN-00 |
| | SAE-AS5187 | FITTING, ELBOW, 45 DEG., BULKHEAD, HOSE[CUST: AV AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | JAN-00 |
| | SAE-AS5191 | FITTING, ELBOW, 45 DEG., INTERNAL STRAIGHT THREAD PORT[CUST: AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | 29-SEP-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS5186 | FITTING, ELBOW, 45 DEG., PIPE TO HOSE[CUST: AV AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | JAN-00 |
| | SAE-AS85421/13 | FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS85421/14 | FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO FEMALE[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS85421/12 | FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO MALE[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS5181 | FITTING, ELBOW, 90 DEG., BULKHEAD, FLARED TO HOSE[CUST: AV AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | JAN-00 |
| | SAE-AS5188 | FITTING, ELBOW, 90 DEG., BULKHEAD, HOSE[CUST: AV AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | JAN-00 |
| | SAE-AS5195 | FITTING, ELBOW, 90 DEG., FLARED TO PIPE[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS5190 | FITTING, ELBOW, 90 DEG., INTERNAL STRAIGHT THREAD PORT[CUST: AV 99 CC] [REVIEW: 71 AT] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS5185 | FITTING, ELBOW, 90 DEG., PIPE TO HOSE[CUST: AV AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | JAN-00 |
| | SAE-AS1038 | FITTING, ELBOW, 90 DEG., STANDARD AND REDUCER, BULKHEAD, FLARED[CUST: AV AS 99] [REVIEW: 11 71 CC CR4] | A | 4730 | | AS | JUL-84 |
| | MS21345A | FITTING, INSTALLATION OF UNIVERSAL ELBOW[CUST: AV AS 99 CC] [REVIEW: 71 AR MI] | A | 4730 | | CC | 21-SEP-84 |
| | NAS516 | FITTING, LUBRICATION - .1250 INCH DRIVE, FLUSH TYPE[CUST: AV AS 11] [REVIEW: CC] | A | 4730 | | AS | 25-MAR-94 |
| A | SAE-AS15006 | FITTING, LUBRICATION, HYDRAULIC, LEAKPROOF, 1/8 PIPE THREADS, STEEL, TYPE VI[CUST: CR4 AS 99 CC] [REVIEW: 11] | A | 4730 | | CC | 18-APR-05 |
| A | SAE-AS15004 | FITTING, LUBRICATION, HYDRAULIC, SURFACE CHECK, .250-28 TAPER THREADS, NICKEL-COPPER ALLOY, TYPE IV[CUST: AV AS 99 CC] [REVIEW: 11 71 AR AT MI] | A | 4730 | | CC | 18-APR-05 |
| A | SAE-AS15002 | FITTING, LUBRICATION, HYDRAULIC, SURFACE CHECK, STRAIGHT THREADS, STEEL, TYPE II[CUST: CR4 AS 99 CC] [REVIEW: 11] | A | 4730 | | CC | 18-APR-05 |
| | SAE-AS15720 | FITTING, LUBRICATION, HYDRAULIC, THROAT OR SURFACE CHECK, .250-28 TAPER THREADS, CORROSION RESISTANT STEEL, TYPE VII[CUST: CR4 AS 99 CC] [REVIEW: MC] | A | 4730 | | CC | 18-APR-05 |
| A | SAE-AS15005 | FITTING, LUBRICATION, HYDRAULIC, THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, NICKEL-COPPER ALLOY, TYPE V[CUST: AR AS 99 CC] [REVIEW: 11] | A | 4730 | | CC | 18-APR-05 |
| | ASME-B16.3 | FITTING, MALLEABLE IRON THREADED (CLASSES 150 AD 300)[CUST: AR YD 99] [REVIEW: 71 CE CR4 MC] | A | 4730 | | CC | 20-NOV-98 |
| | MIL-F-1183/3A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, COUPLING, PIPE[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 05-MAY-87 |
| | MIL-F-1183J | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, GENERAL SPECIFICATION FOR[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 05-MAY-87 |
| | MIL-F-1183/7A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, PLUG, PIPE[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 05-MAY-87 |
| | MIL-F-1183/8A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, REDUCER, PIPE[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 05-MAY-87 |
| | MIL-F-1183/11A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, UNION ELBOW, PIPE & UNION TEE, PIPE[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 05-MAY-87 |
| | MIL-F-1183/10A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, UNION, PIPE[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 05-MAY-87 |
| | SAE-AS5168 | FITTING, PLUG, TUBE END, FLARED[CUST: AV AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 28-SEP-98 |
| | SAE-AS5169 | FITTING, PORT PLUG AND BLEEDER[CUST: AV AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 28-SEP-99 |
| | NAS597 | FITTING, RIGID TUBE CONNECTOR FLARED TUBE[CUST: AV AS] [REVIEW: CC CR4 IS] | A | 4730 | | AS | 25-MAY-84 |
| | MIL-DTL-83798C(1) SUP 1 | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR[CUST: AV AS 99 CC] [REVIEW: 11 71 AT SA] | A | 4730 | | CC | 14-NOV-00 |
| | SAE-AS5176 | FITTING, SLEEVE, FLARED[CUST: AV AS 99 CC] [REVIEW: 71 GL MI] | A | 4730 | | CC | 28-SEP-99 |
| | SAE-AS5166 | FITTING, TEE, AIR PRESSURE GAGE[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | 18-JAN-02 |
| | SAE-AS85421/17 | FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON BRANCH, MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS85421/16 | FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON RUN, MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS5198 | FITTING, TEE, FLARED TO PIPE ON RUN[CUST: AV AS 99 CC] [REVIEW: 11 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS5197 | FITTING, TEE, FLARED TO PIPE ON SIDE[CUST: AV AS 99 CC] [REVIEW: 11 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS5192 | FITTING, TEE, INTERNAL STRAIGHT THREAD PORT[CUST: 99] [REVIEW: 71] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS85421/4 | FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN, SWIVEL NUT ON BRANCH[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS85421/5 | FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN AND BRANCH, SWIVEL NUT ON RUN[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS85421/3 | FITTING, TEE, REDUCER, BEAM SEAL, 3000/4000 PSI, 3 MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS1039 | FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARED[CUST: AV AS 99] [REVIEW: 11 71 CC CR4] | A | 4730 | | AS | JUL-84 |
| | SAE-AS1035 | FITTING, TEE, STANDARD AND REDUCER, FLARED[CUST: AV AS 99 IS] [REVIEW: 11 71 CC CR4] | A | 4730 | | AS | JUL-84 |
| | NAS1211 | FITTING, TIE DOWN STRAP END[CUST: AV AS 11] [REVIEW: CR4 IS] | A | 5340 | | AS | JUN-61 |
| | NAS1382 | FITTING, TIE DOWN STRAP END (LIGHT DUTY)[CUST: AS 11] [REVIEW: IS] | A | 5340 | | AS | 17-OCT-84 |
| | SAE-AS21235 | FITTING, TIEDOWN, CARGO RING (10,000 LB) AND SEAT STUD, TYPE II[CUST: GL AS 99] [REVIEW: GS] | A | 1670 | | AS | SEP-99 |
| | SAE-AS21234 | FITTING, TIEDOWN, CARGO RING (5,000 LB) AND SEAT STUD, TYPE I[CUST: GL AS 99] [REVIEW: GS] | A | 1670 | | AS | SEP-99 |
| | SAE-AS5174 | FITTING, UNION AND REDUCER, FLARED[CUST: AV AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | MAR-98 |
| | SAE-AS85421/11 | FITTING, UNION, BEAM SEAL, 3000/4000 PSI, MALE ENDS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | 03-MAY-02 |
| | SAE-AS5406 | FITTING, UNION, TUBE, .375 BULKHEAD[CUST: AV AS 99] [REVIEW: 71 AT] | A | 4730 | | CC | 01-FEB-00 |
| | MIL-F-23509F | FITTINGS & FLANGES, WROUGHT, SEAMLESS BUTT & SOCKET WELDING, NICKEL-COPPER ALLOY[CUST: SH] | B | 4730 | | SH | 23-JAN-89 |
| | ASME-B16.23 | FITTINGS - DWV, CAST COPPER ALLOY SOLDER JOINT DRAINAGE[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | 30-JUN-92 |
| | SAE-AS4842 | FITTINGS AND BOSSES, PIPE THREADED, FLUID CONNECTION[CUST: AR AS 99 CC] [REVIEW: 71 AV EA GL MI] | A | 4730 | | CC | 20-DEC-96 |
| | SAE-AS8905 | FITTINGS AND CARGO RINGS, TIE-DOWN, AIRCRAFT FLOOR[CUST: GL AS 99] [REVIEW: GS] | A | 1670 | | AS | JUL-99 |
| | NEMA-TC14 | FITTINGS AND FILAMENT-WOUND REINFORCED THERMOSETTING RESING CONDUIT[CUST: YD] [REVIEW: GS] | A | 5975 | | YD | 19-APR-93 |
| | MIL-F-24227(2) | FITTINGS AND FLANGES, CAST BRONZE, SILVER-BRAZING SUITABLE FOR ULTRASONIC INSPECTION[CUST: SH] | A | 4730 | | SH | 20-MAY-88 |
| | MIL-F-24339C | FITTINGS AND FLANGES, WROUGHT, SEAMLESS, BUTT AND SOCKET WELDING CARBON STEEL[CUST: SH] | B | 4730 | | SH | 22-OCT-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NEMA-TC9 | FITTINGS FOR ABS AND PVC PLASTIC UTILITIES DUCT FOR UNDERGROUND IN- SALLATION[CUST: CR YD 11] [REVIEW: 99 AR CR4 GS] | A | 5975 | | YD | 28-JUN-91 |
| | A-A-50552 NOT 1 | FITTINGS FOR CABLE, POWER, ELECTRICAL AND CONDUIT, METAL, FLEXIBLE[CUST: CR YD 11 GS2] | A | 5975 | / | GS2 | 30-OCT-01 |
| | MIL-DTL-52525/16C NOT 1 | FITTINGS, CLAMP-HALVES, FOR 4-BOLT SPLIT FLANGE[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | SAE-AS18280 | FITTINGS, 24 DEG CONE FLARELESS, FLUID CONNECTION, 3000 PSI[CUST: AV AS 99] [REVIEW: CC MC] | A | 4730 | | AS | JUN-99 |
| | SAE-AS4842/1 | FITTINGS, 37 DEG. FLARED TO PIPE THREADED, FLUID CONNECTION[CUST: AR AS 99 CC] [REVIEW: 71 AV EA GL MI] | A | 4730 | | CC | 20-DEC-96 |
| | SAE-AS4841 | FITTINGS, 37 DEG. FLARED, FLUID CONNECTION[CUST: AR AS 99 CC] [REVIEW: 71 AV EA GL MI] | A | 4730 | | CC | MAY-95 |
| | SAE-AS4843/1 | FITTINGS, BEADED TO 37 DEG. FLARED, FLUID CONNECTION[CUST: AR AS 99 CC] [REVIEW: 71 AV EA GL MI] | A | 4730 | | CC | 20-DEC-96 |
| | SAE-AS4843/2 | FITTINGS, BEADED TO PIPE THREADED, FLUID CONNECTION[CUST: AR AS 99 CC] [REVIEW: 71 AV EA GL MI] | A | 4730 | | CC | 20-DEC-96 |
| | SAE-AS4843 | FITTINGS, BEADED, FLUID CONNECTION[CUST: AR AS 99 CC] [REVIEW: 71 AV EA GL MI] | A | 4730 | | CC | 20-DEC-96 |
| | SAE-AS7092 | FITTINGS, CARGO TIEDOWN, AIRCRAFT[CUST: AV AS 99] [REVIEW: GS] | A | 1670 | | AS | JUL-99 |
| | ANSI-B16.18 | FITTINGS, CAST COPPER ALLOY SOLDER JOINT PRESSURE[CUST: 99 CC] [REVIEW: 71 MC SH] | A | 4730 | | CC | 30-JUL-84 |
| | NEMA-FB1 | FITTINGS, CAST METAL BOXES, AND CONDUIT BODIES FOR CONDUIT AND CABLE ASSEMBLIES[CUST: YD] [REVIEW: GS] | A | 5975 | | YD | 23-SEP-91 |
| | MIL-DTL-52525/17B | FITTINGS, CLAMP-HALVES, FLANGE TO PORT, FOR 4-BOT SPLIT-FLANGE[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 30-JUN-98 |
| | ISO594-2 | FITTINGS, CONICAL WITH A 6% (LUER) TAPER FOR SYRINGES, NEEDLES AND CERTAIN OTHER MEDICAL EQUIPMENT - PART 2: LOCK FITTINGS[CUST: MD MS 03] | A | 6515 | | MB | 01-MAY-91 |
| | ISO594-1 | FITTINGS, CONICAL WITH A 6% (LUER) TAPER FOR SYRINGES, NEEDLES AND CERTAIN OTHER MEDICAL EQUIPMENT - PART 1: GENERAL REQUIREMENTS[CUST: MD MS 03 MB] | A | 6515 | | MB | 15-JUN-86 |
| A | QPL-83296-14 | FITTINGS, CORROSION RESISTANT STEEL, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC | A | 4730 | | CC | 06-JAN-06 |
| | MIL-DTL-83296A SUP 1 | FITTINGS, CORROSION RESISTANT STEEL, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | ANSI-B16.12 | FITTINGS, DRAINAGE, CAST IRON THREADED[CUST: CR4 YD 99] | A | 4730 | | CC | 10-JUL-89 |
| A | QPL-24787-12 | FITTINGS, END, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR | A | 4730 | | SH | 25-OCT-05 |
| | MIL-F-24787 | FITTINGS, END, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR[CUST: SH] | A | 4730 | | SH | 03-SEP-93 |
| | MIL-F-24787/2 | FITTINGS, END, TYPE A, 37 DEG. FLARE, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES[CUST: SH] | A | 4730 | | SH | 03-SEP-93 |
| | MIL-F-24787/5 | FITTINGS, END, TYPE D, HOSE TO HOSE 90 DEG. ELBOW, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES[CUST: SH] | A | 4730 | | SH | 03-SEP-93 |
| | MIL-F-24787/1 | FITTINGS, END, TYPE F, FL, AND FFL, FLANGE, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES[CUST: SH] | A | 4730 | | SH | 03-SEP-93 |
| | MIL-F-24787/6 | FITTINGS, END, TYPE U, 180 DEG. RETURN, HOSE TO HOSE, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES[CUST: SH] | A | 4730 | | SH | 03-SEP-93 |
| | MIL-F-24787/3 | FITTINGS, END, TYPES C AND CL, O-RING SEAL UNION, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES[CUST: SH] | A | 4730 | | SH | 03-SEP-93 |
| | MIL-F-24787/4 | FITTINGS, END, TYPES E AND EL, SPLIT CLAMP, REUSABLE, WITH TYPES SC (SPLIT CLAMP), TF TAILPIECE FEMALE AND TM TAILPIECE MALE FOR FLEXIBLE HOSE ASSEMBLIES[CUST: SH] | A | 4730 | | SH | 03-SEP-93 |
| | SAE-AS4875/2 | FITTINGS, FLANGED TO BEADED, FLUID CONNECTION[CUST: AR AS 99 CC] [REVIEW: 71 AV EA GL MI] | A | 4730 | | CC | 20-DEC-96 |
| | ASME-B16.11 | FITTINGS, FORGED, SOCKET-WELDING AND THREADED[CUST: CR4 YD 99] [REVIEW: AR CE EA MC SH] | A | 4730 | | CC | 15-APR-91 |
| | MIL-DTL-52525/1B NOT 1 | FITTINGS, HOSE , SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100R2[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 09-APR-03 |
| | MIL-DTL-52525/24B NOT 1 | FITTINGS, HOSE, CLAMP-ON TO 4-BOLT SPLIT-FLANGE, 45 DEG. BENT TUBE, TYPE 100R10[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/25B NOT 1 | FITTINGS, HOSE, CLAMP-ON TO 4-BOLT SPLIT-FLANGE, 90 DEG. BENT TUBE, SHORT DROP, TYPE 100R10[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/23B NOT 1 | FITTINGS, HOSE, CLAMP-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, TYPE 100R10[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525E(1) SUP 1 | FITTINGS, HOSE, REUSABLE, FIELD-ATTACHABLE AND CLAMP-HALVES, GENERAL SPECIFICATION FOR[CUST: AT SH 99 CC] [REVIEW: 71 AR MC SA] | A | 4730 | | CC | 25-MAR-04 |
| A | QPL-52525-14 | FITTINGS, HOSE, REUSABLE, FIELD-ATTACHABLE AND CLAMP-HALVES, GENERAL SPECIFICATION FOR | A | 4730 | | CC | 27-JUL-05 |
| | MIL-DTL-52525/38A NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, TYPE 100R12[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/6B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, TYPE 100R1[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 09-APR-03 |
| | MIL-DTL-52525/2B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT-TUBE, TYPE 100R2[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 09-APR-03 |
| | MIL-DTL-52525/7B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, SHORT DROP, TYPE 100R1[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 09-APR-03 |
| | MIL-DTL-52525/8B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, LONG DROP, TYPE 100R1[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 09-APR-03 |
| | MIL-DTL-52525/3B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, SHORT DROP, TYPE 100R2[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 09-APR-03 |
| | MIL-DTL-52525/39A NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, TYPE 100R12[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/4B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT-TUBE, LONG DROP, TYPE 100R2[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 09-APR-03 |
| | MIL-DTL-52525/9B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100R10[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 09-APR-03 |
| | MIL-DTL-52525/5B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100R1[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 09-APR-03 |
| | MIL-DTL-52525/37A NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100R12[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/31A NOT 1 | FITTINGS, HOSE, SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100RE[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/15B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE , 90 DEG. BENT TUBE, TUBE 100R10[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/11B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE, 45 DEG. BENT TUBE, TYPE 100R2[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-52525/14B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE, 45 DEG. BENT TUBE, TYPE 100R10[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/35A NOT 1 | FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE, 45 DEG. BENT TUBE, TYPE 100RE[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/12B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE, 90 DEG. BENT TUBE, TYPE 100R2[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/42A NOT 1 | FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE, 90 DEG. BENT TUBE, TYPE 100R12[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/36A NOT 1 | FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE, 90 DEG. BENT TUBE, TYPE 100RE[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/13B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, TYPE 100R10[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/40A NOT 1 | FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, TYPE 100R12[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | MIL-DTL-52525/10B NOT 1 | FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, TYPE 100R2[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 09-APR-03 |
| | MIL-DTL-52525/34A NOT 1 | FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, TYPE 100RE[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 08-APR-03 |
| | SAE-AS33566 | FITTINGS, INSTALLATION OF FLARELESS TUBE, STRAIGHT-THREADED CONNECTORS[CUST: AV AS 99] [REVIEW: CC MC SA] | A | 4730 | | AS | SEP-00 |
| | SAE-J534 | FITTINGS, LUBRICATION[CUST: CC] [REVIEW: CR4] | A | 4730 | | CC | 04-JUN-93 |
| | SAE-AS35411 | FITTINGS, LUBRICATION[CUST: AT AS 99 CC] [REVIEW: 11 71 AR AV MC MI OS SA SH] | A | 4730 | | CC | 12-JUL-02 |
| | SAE-AS15001 | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, .250-28 TAPER THREADS, STEEL, TYPE I[CUST: AT AS 99 CC] [REVIEW: 11 71 AR AV MC MI OS SA SH] | A | 4730 | | CC | 12-JUL-02 |
| | SAE-AS15003 | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/8 PIPE THREADS, STEEL, TYPE III[CUST: AT AS 99 CC] [REVIEW: 11 71 AR AV MC MI OS SA SH] | A | 4730 | | CC | 12-JUL-02 |
| | SAE-AS15721 | FITTINGS, LUBRICATION (HYDRAULIC) THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, CORROSION RESISTANT STEEL, TYPE VIII[CUST: AT AS 99 CC] [REVIEW: 11 71 AR AV MC MI OS SA SH] | A | 4730 | | CC | 12-JUL-02 |
| | MIL-DTL-52618/3D | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90 DEGREE ELBOWS (REDUCING SIZES)[CUST: AT AS CC] [REVIEW: CE SA] | A | 4730 | | CC | 25-NOV-02 |
| | MIL-DTL-52618/5D | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90-DEGREE AND 45-DEGREE STREET ELBOWS[CUST: AT AS CC] [REVIEW: CE SA] | A | 4730 | | CC | 25-NOV-02 |
| | MIL-DTL-52618/1D | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90-DEGREE ELBOWS, TEES, CROSSES, 45-DEGREE ELBOWS AND COUPLINGS (STRAIGHT SIZES)[CUST: AT AS CC] [REVIEW: CE SA] | A | 4730 | | CC | 25-NOV-02 |
| | MIL-F-52618/6D | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND CAPS[CUST: AT AS CC] [REVIEW: CE SA] | A | 4730 | | CC | 25-NOV-02 |
| | MIL-DTL-52618/9B | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND CROSSES (REDUCING SIZES)[CUST: AT AS CC] [REVIEW: CE SA] | A | 4730 | | CC | 25-NOV-02 |
| | MIL-DTL-52618/8D | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND OUTSIDE HEAD, INSIDE HEAD, AND FACE BUSHINGS[CUST: AT AS CC] [REVIEW: CE SA] | A | 4730 | | CC | 25-NOV-02 |
| | MIL-DTL-52618/2D | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND REDUCERS AND CLOSE AND OPEN PATTERN RETURN BENDS (STRAIGHT SIZES)[CUST: AT AS CC] [REVIEW: CE SA] | A | 4730 | | CC | 25-NOV-02 |
| | MIL-F-52618/7D | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND SQUARE HEAD AND SQUARE SOCKET PLUGS[CUST: AT AS CC] [REVIEW: CE SA] | A | 4730 | | CC | 25-NOV-02 |
| | MIL-DTL-52618/4D | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND TEES (REDUCING SIZES)[CUST: AT AS CC] [REVIEW: CE SA] | A | 4730 | | CC | 25-NOV-02 |
| | MIL-DTL-52618E SUP 1 | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND: GENERAL SPECIFICATION FOR[CUST: AT AS CC] [REVIEW: CE SA] | A | 4730 | | CC | 25-NOV-02 |
| | MS14311B NOT 2 | FITTINGS, PIPE, BRASS OR BRONZE, THREADED (90-DEG. ELBOWS, TEES, CROSSES, 45-DEG. ELBOWS, AND COUPLING), CLASS 250[CUST: AT MC 99] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 14-JAN-00 |
| | MS14306B NOT 2 | FITTINGS, PIPE, BRASS OR BRONZE, THREADED (REDUCERS, CLOSE AND OPEN RETURN BENDS, AND 45-DEG. Y-BRANCHES), CLASS 125[CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 14-JAN-00 |
| | MS14305B NOT 2 | FITTINGS, PIPE, BRASS OR BRONZE, THREADED (TEES, CROSSES, 45-DEG. ELBOWS, AND COUPLINGS), CLASS 125[CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 14-JAN-00 |
| | MIL-F-1183/1 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; BEND, PIPE, RETURN[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 25-JAN-89 |
| | MIL-F-1183/2 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; CAP, PIPE[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 25-JAN-89 |
| | MIL-F-1183/4 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; CROSS, PIPE[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 25-JAN-89 |
| | MIL-F-1183/5 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; ELBOW, PIPE[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 25-JAN-89 |
| | MIL-F-1183/6 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; LATERAL, PIPE[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 25-JAN-89 |
| | MIL-F-1183/9 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; TEE, PIPE[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 25-JAN-89 |
| | MIL-F-1183/12 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; WITH FLANGED END(S)[CUST: CR4 SH 99] [REVIEW: CC] | A | 4730 | | SH | 25-JAN-89 |
| A | QPL-27272-15 | FITTINGS, POLYTETRAFLUOROETHYLENE HOSE, HIGH TEMPERATURE, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR | A | 4730 | | CC | 08-JUL-05 |
| | MIL-DTL-27272C SUP 1 | FITTINGS, POLYTETRAFLUOROETHYLENE HOSE, HIGH-TEMPERATURE, MEDIUM-PRESSURE, GENERAL SPECIFICATION FOR[CUST: AV AS 99 CC] [REVIEW: 11 71 AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | NEMA-TC3 | FITTINGS, PVC FOR USE WITH RIGID PVC CONDUIT & TUBING[CUST: YD 11] [REVIEW: 99 GS] | A | 5975 | | YD | 28-JUN-91 |
| | MIL-DTL-83798/2B | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARED, SWIVEL NUT, 45 DEGREES[CUST: AV AS 99 CC] [REVIEW: 11 AT SA] | A | 4730 | | CC | 18-SEP-00 |
| | MIL-DTL-83798/3B | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARED, SWIVEL NUT, 90 DEGREES[CUST: AV AS 99 CC] [REVIEW: 11 AT SA] | A | 4730 | | CC | 18-SEP-00 |
| | MIL-DTL-83798/1B | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARED, SWIVEL NUT, STRAIGHT[CUST: AV AS 99] [REVIEW: 11 AT SA] | A | 4730 | | CC | 18-SEP-00 |
| | MIL-DTL-83798/5C | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARELESS, SWIVEL NUT, 45 DEGREES[CUST: AV AS 99 CC] [REVIEW: 11 AT SA] | A | 4730 | | CC | 27-APR-02 |
| | MIL-DTL-83798/6B | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARELESS, SWIVEL NUT, 90 DEGREES[CUST: AV AS 99 CC] [REVIEW: 11 AT SA] | A | 4730 | | CC | 18-SEP-00 |
| | MIL-DTL-83798/4B | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARELESS, SWIVEL NUT, STRAIGHT[CUST: AV AS 99 CC] [REVIEW: 11 AT SA] | A | 4730 | | CC | 18-SEP-00 |
| | QPL-83798-9 | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR | A | 4730 | | CC | 24-JUN-05 |
| | MIL-DTL-83798/8B | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, SWIVEL FLANGE, 45 DEGREES[CUST: AV AS 99 CC] [REVIEW: AT SA] | A | 4730 | | CC | 18-SEP-00 |
| | MIL-DTL-83798/9B | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, SWIVEL FLANGE, 90 DEGREES[CUST: AV AS 99 CC] [REVIEW: AT SA] | A | 4730 | | CC | 18-SEP-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-83798/7B | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, SWIVEL FLANGE, STRAIGHT[CUST: AV AS 99 CC] [REVIEW: AT SA] | A | 4730 | | CC | 18-SEP-00 |
| | ASME-B16.9 | FITTINGS, STEEL BUTTWELDING, FACTORY-MADE WROUGHT[CUST: CR4 YD 99] | A | 4730 | | CC | 15-MAR-93 |
| | SAE-AS4875/1 | FITTINGS, STRAIGHT THREAD BOSS OR FLANGED TO 37 DEG. FLARED, FLUID CONNECTION[CUST: AR AS 99 CC] [REVIEW: 71 AV EA GL MI] | A | 4730 | | CC | 20-DEC-96 |
| | SAE-AS4875 | FITTINGS, STRAIGHT THREADED BOSS OR FLANGED, FLUID CONNECTION[CUST: AR AS 99 CC] [REVIEW: 71 AV EA GL MI] | A | 4730 | | CC | 20-DEC-96 |
| | SAE-AS85421 | FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, BEAM SEAL, 3000/4000 PSI, GENERAL SPECIFICATION FOR[CUST: AV AS 99] | A | 4730 | | AS | JUL-98 |
| | SAE-AS85720/1 | FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, HIGH PRESSURE, DYNAMIC BEAM SEAL, DESIGN STANDARD FOR MALE END[CUST: AV AS 99] | A | 4730 | | AS | JUL-98 |
| | SAE-AS85720 | FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE,, HIGH PRESSURE, DYNAMIC BEAM SEAL[CUST: AV AS 99] | A | 4730 | | AS | JUL-98 |
| | SAE-J246 | FITTINGS, TUBE, SPHERICAL AND FLANGED SLEEVE (COMPRESSION)[CUST: AR AS 99] [REVIEW: AT CR CR4 GL MC] | A | 4730 | | CC | JAN-96 |
| | MIL-F-52525/41 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES: FIELD ATTACHABLE (REUSABLE), SCREW-ON TO 4-BOLT SPLIT-FLANGE, 450 BENT TUBE, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE [REVIEW: 99 GL SH] | A | 4730 | | CC | 30-JUN-87 |
| | MIL-F-52525/33 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES: FIELD ATTACHABLE (REUSABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, FOR USE WITH TYPE 100RE FOUR-SPIRAL-WRAP REINFORCEMANT HOSE[CUST: AT 99] [REVIEW: GL] | A | 4730 | | CC | 30-JUN-87 |
| | MIL-F-52525/32 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES: FIELD ATTACHABLE (REUSABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, FOR USE WITH TYPE 100RE FOUR-SPIRAL-WRAP REINFORCEMENT HOSE[CUST: AT 99] [REVIEW: GL] | A | 4730 | | CC | 30-JUN-87 |
| | A-A-52540 NOT 1 | FITTINGS, WIRE ROPE[CUST: AT] | A | 4030 | / | AT | 16-APR-04 |
| | MSS-SP43 | FITTINGS, WROUGHT STAINLESS STEEL BUTT-WELDING[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | SAE-AMS-F-24610 | FIXANT, HOLD DOWN[CUST: AV AS 99] | A | 4210 | | AS | JUL-99 |
| | A-A-54296 | FIXATION DEVICE, EXTERNAL, ORTHOPEDIC[CUST: MD MS 03] | A | 6515 | / | MB | 14-NOV-90 |
| | ASTM-F366 | FIXATION PINS AND WIRES[CUST: MD MS 03] | A | 6515 | | MB | 27-AUG-82 |
| | A-A-51801 | FIXATIVE, CYTOLOGY (AEROSOL SPRAY)[CUST: MD MS 03] | A | 6550 | / | MB | 23-JAN-87 |
| | AIR-STD-44/17J | FIXED WING CARGO AIRCRAFT TIE-DOWN FITTINGS | C | ISDF | | 06 | 18-JUL-91 |
| | STANAG-2471 ED.1(1) | FIXED WING, CARGO AIRCRAFT CONTAMINATION CONTROL PROCEDURES (CACCP) | C | ISDA | | AI | 30-APR-98 |
| | MIL-F-16377/55 | FIXTURE, BRACKET ASSEMBLY, ADJUSTABLE FOR SUPPORTING HAND LANTERNS, SYMBOL 2432.1[CUST: SH] | A | 6230 | | SH | 22-JUN-89 |
| | MIL-F-16377/54 | FIXTURE, BRACKET, LUG SUPPORTING FOR HAND LANTERNS SYMBOL 2438[CUST: SH] | A | 6230 | | SH | 22-JUN-89 |
| | MIL-F-81959 NOT 1 | FIXTURE, CABLE MAINTENANCE MX-9516/ASQ-81(V)[CUST: AS] [REVIEW: GS] | A | 4931 | | AS | 15-APR-88 |
| | MIL-F-16377/49A(1) | FIXTURE, LIGHT, EXTENSION, FLUORESCENT, 8-WATT, 115-VOLT, 60 HERTZ, EXPLOSIONPROOF AND WATERTIGHT, DETAIL LIGHTING, SHIPBOARD USE SYMBOL 306.2[CUST: SH] | A | 6230 | | SH | 02-AUG-96 |
| | MIL-F-16377/42A(1) | FIXTURE, LIGHT, FILTER, PLASTIC, TUBULAR SHAPED FOR FLUORESCENT LAMPS[CUST: SH] | A | 6210 | | SH | 30-JAN-86 |
| | MIL-F-16377/56 NOT 2 | FIXTURE, LIGHT, INCANDESCENT, 100-WATT, 120-VOLT, MACHINE TOOL, PORTABLE, FLOATING ADJUSTMENT SYMBOL 266.2[CUST: SH 99] | A | 6230 | | SH | 10-MAY-05 |
| | MIL-F-16377/39A NOT 1 | FIXTURE, LIGHT, INCANDESCENT, STREAMER TYPE, DETAIL LIGHTING FOR TOPSIDE SHIP DRESS LIGHTING, WATERTIGHT, 120 VOLTS, 425 WATTS SYMBOL 307[CUST: SH] | A | 6230 | | SH | 22-JUN-89 |
| | MIL-F-16377/6A(2) | FIXTURE, LIGHTING, FLUORESCENT, GENERAL LIGHTING, DIRECTIONAL 16 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 149.4 AND 149.5[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/10A(2) | FIXTURE, LIGHTING, FLUORESCENT, GENERAL LIGHTING, DIRECTIONAL 32 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 145.4 AND 145.5[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/25A(2) | FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING 110 WATTS, 120 VOLTS, EXPLOSIONPROOF, SYMBOLS 48.2 AND 68.2[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/20A(2) | FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING 50 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOLS 64.1 AND 65[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/26A(2) | FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING, 110 WATTS, 120 VOLTS, WATERTIGHT SYMBOLS 112, 113 AND 113.1[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| A | MIL-DTL-16377/53C | FIXTURES, INCANDESCENT AND LIGHT EMITTING DIODE (LED), DETAIL LIGHTING, LANTERN, HAND, PORTABLE AND BULKHEAD MOUNTED WATERTIGHT SYMBOLS 100.2, 100.2L, 100.3, 100.3L, 101.2, 101.2L, 101.3, 101.3L, 102.2, 102.2L, 108 AND 108L[CUST: AV SH] | A | 6230 | | SH | 27-SEP-05 |
| | MIL-F-16377/34(1) NOT 1 | FIXTURES, LIGHT, INCANDESCENT, DETAIL LIGHTING FOR GYRO COMPASS FOR SUBMARINES, PRESSUREPROOF, 15 WATTS, 120 VOLTS, SYMBOL 335[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/35(1) NOT 1 | FIXTURES, LIGHT, INCANDESCENT, DETAIL LIGHTING FOR SMALL BOATS, 3 CANDLEPOWER, 12 TO 16 OR 24 TO 28 VOLTS, SPLASHPROOF, SYMBOL 310[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/45B | FIXTURES, LIGHT; BALLAST, FOR ONE 8-WATT T-5 FLUORESCENT LAMP[CUST: SH] | A | 6250 | | SH | 22-NOV-89 |
| | MIL-F-16377/48A NOT 1 | FIXTURES, LIGHTING, FILTER ASSEMBLIES FOR DESK LIGHTS, ADJUSTABLE RED AND WHITE SYMBOL 121.1 AND BLUE AND WHITE SYMBOL 121.2[CUST: SH] | A | 6210 | | SH | 22-JUN-89 |
| | MIL-F-16377/71(1) NOT 1 | FIXTURES, LIGHTING, FLUORESCENT, DETAIL LIGHTING FOR MIRRORS FOR SMALL BOATS 8 WATTS, 120 VOLTS, 60 HERTZ, TOTALLY ENCLOSED, SYMBOL 354[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/65(1) | FIXTURES, LIGHTING, FLUORESCENT, GENERAL LIGHTING, 30 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 81, 81.1, 345.2 AND 345.3[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| A | MIL-DTL-16377H SUP 1B | FIXTURES, LIGHTING; AND ASSOCIATED PARTS; SHIPBOARD USE, GENERAL SPECIFICATION FOR[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/47A(1) | FIXTURES, LIGHTING; BALLAST AND STARTER BOX FOR FOUR 6-WATT OR 8-WATT FLURORESCENT LAMPS, T-5, WATERTIGHT, SYMBOLS 455 AND 455.1[CUST: SH] | A | 6250 | | SH | 02-AUG-96 |
| | MIL-F-16377/46A NOT 1 | FIXTURES, LIGHTING; BALLAST BOX, FOR ONE 8-WATT T-5 FLUORESCENT LAMP, SYMBOLS 514 AND 514.1[CUST: SH] | A | 6210 | | SH | 22-JUN-89 |
| | MIL-DTL-16377/72 | FIXTURES, LIGHTING; BALLAST, FOR ONE 17-WATT T-12 FLUORESCENT LAMP[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/44A NOT 1 | FIXTURES, LIGHTING; BALLAST, FOR ONE 20-WATT T-12 FLUORESCENT LAMP[CUST: SH] | A | 6250 | | SH | 22-JUN-89 |
| | MIL-DTL-16377/77 | FIXTURES, LIGHTING; EMERGENCY BALLAST, FOR ONE 20-WATT FLUORESCENT LAMP[CUST: SH IS] | A | 6250 | | SH | 27-SEP-04 |
| | MIL-F-16377/43A | FIXTURES, LIGHTING; FILTERS, PLASTIC, ROUNDEL SHAPED FOR LANTERN[CUST: SH] | A | 6230 | | SH | 22-JUN-89 |
| | MIL-F-16377/17A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR BERTHS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 229.1, 231.1 AND 232.1[CUST: SH] | A | 6230 | | SH | 02-AUG-96 |
| | MIL-F-16377/15A(1) NOT 1 | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR DESKS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOL 148.2[CUST: SH] | A | 6230 | | SH | 02-AUG-96 |
| | MIL-F-16377/16A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR DESKS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 141.2 AND 150.2[CUST: SH] | A | 6230 | | SH | 02-AUG-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-F-16377/18A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR MIRRORS 15 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 337 AND 340[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/58B(1) NOT 1 | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR MIRRORS 30 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF SYMBOLS 351, 351.1, 352 AND 352.1[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/19A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR RADIO OPERATOR'S DESK 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 270.3 AND 270.4[CUST: SH] | A | 6230 | | SH | 02-AUG-96 |
| | MIL-F-16377/4A(1) NOT 1 | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR SECRETARY BUREAU 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOL 142.2[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/59A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR STEP ILLUMINATION 8 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOL 353, 353.1 AND 353.2[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/2A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR WATER GAGES 6 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 152 AND 154[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/3A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR WATER GAGES 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 151 AND 153[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-DTL-16377/73 | FIXTURES, LIGHTING; FLUORESCENT, EMERGENCY LIGHTING 20 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 331.1EM, 331.2EM, 347.2EM AND 347.3EM[CUST: SH IS] | A | 6210 | | SH | 27-SEP-04 |
| | MIL-DTL-16377/74 | FIXTURES, LIGHTING; FLUORESCENT, EMERGENCY LIGHTING 40 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 77.4EM, 77.5EM, 344.2EM AND 344.3EM[CUST: SH IS] | A | 6210 | | SH | 27-SEP-04 |
| | MIL-DTL-16377/76 | FIXTURES, LIGHTING; FLUORESCENT, EMERGENCY LIGHTING 60 AND 80 WATTS, 120 VOLTS, 60 HERTZ, DRIP-PROOF, SYMBOLS 348EM AND 349EM[CUST: SH IS] | A | 6210 | | SH | 27-SEP-04 |
| | MIL-DTL-16377/75 | FIXTURES, LIGHTING; FLUORESCENT, EMERGENCY LIGHTING 60 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 333.1EM, 333.2EM, 341.1EM, 341.2EM, 342.2EM AND 342.3EM[CUST: SH IS] | A | 6210 | | SH | 27-SEP-04 |
| | MIL-DTL-16377/8B | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING 17 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 331.1, 331.2, 347.2 AND 347.3[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/9A(1) | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING 24 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 73.3, 73.4, 346.2 AND 346.3[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/5A(1) | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 15 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 338.1, 338.2, 339.1 AND 339.2[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/7A(1) | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 16 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 70.3, 70.4, 78.2, 336 AND 336.1[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-DTL-16377/13B | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 180 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF, SYMBOLS 74 AND 74.1[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-DTL-16377/11B | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 34 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 77.4, 77.5, 344.2 AND 344.3[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/66(1) | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 45 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 82, 82.1, 343.1 AND 343.2[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-DTL-16377/12B | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 51 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT SYMBOLS 333.1, 333.2, 341.1, 341.2, 342.2 AND 342.3[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-DTL-16377/57B | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 51, 68 AND 102 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF, SYMBOLS 348, 349 AND 350[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/14A(1) | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 8 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 79.1, 79.2, 80.1 AND 80.2[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/62 | FIXTURES, LIGHTING; INCANDESCENT FLOODLIGHTS 500 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 300 AND 300.1[CUST: SH] | A | 6230 | | SH | 22-JUN-89 |
| | MIL-F-16377/28A(1) NOT 1 | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR AMMUNITION HOIST, 50 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 23.1[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/29A NOT 1 | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR BOILER OUTER CASING 100 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 159.1[CUST: SH] | A | 6210 | | SH | 22-JUN-89 |
| | MIL-F-16377/38A(1) | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR HULL NUMERALS 100 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 304[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/1B(1) | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR MOTORS AND GENERATORS 50 WATTS, 120 VOLTS, SYMBOL 126.3[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/33A(1) NOT 1 | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR SIGHTGLASSES 6 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 136.1 AND 156[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/31A(1) NOT 2 | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR SPOT ILLUMINATION 6-25 WATTS, 120 VOLTS, TOTALLY ENCLOSED, SYMBOL 147.2[CUST: SH 99] | A | 6210 | | SH | 10-MAY-05 |
| | MIL-F-16377/32A(1) NOT 1 | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR WATER GAUGES, 15 OR 25 WATTS, 120 VOLTS, SYMBOL 134.1[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/37A(1) | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING MINESWEEPER BUNKS, 15 WATTS, 120 VOLTS, NONMAGNETIC, SYMBOLS 5.1 AND 8.1[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/61(1) | FIXTURES, LIGHTING; INCANDESCENT, FLOODLIGHTS 300 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOL 303.1[CUST: SH] | A | 6230 | | SH | 24-JUN-93 |
| | MIL-F-16377/60A(1) | FIXTURES, LIGHTING; INCANDESCENT, FLOODLIGHTS, 150 WATTS, 120 VOLTS, DRIPPROOF 15 DEG., SYMBOLS 316 AND 317[CUST: SH] | A | 6230 | | SH | 24-JUN-93 |
| | MIL-F-16377/21A(1) | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING 100 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOLS 89 AND 90.2[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/22A(1) | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING 200 WATTS, 115 VOLTS, DRIPPROOF 15 DEGREES, SYMBOL 94.1[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/23A(1) NOT 1 | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING 200 WATTS, 115 VOLTS, WATERTIGHT, SYMBOLS 57, 57.1, 69, 69.1 AND 103[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/27B(1) | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING 50 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 92.2 AND 93.2[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/30A(1) NOT 2 | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING FOR PSYCHIATRIC WARDS 100 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOL 137[CUST: SH 99] | A | 6210 | | SH | 10-MAY-05 |
| | MIL-F-16377/64(1) | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING, DECORATIVE, 150 WATTS, 120 VOLTS, DRIPPROOF 15 DEG., SYMBOL 67[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/51A NOT 1 | FIXTURES, LIGHTING; INCANDESCENT, LIGHT EXTENSION 25 WATTS, 120 VOLTS, EXPLOSIONPROOF AND WATERTIGHT, SYMBOLS 290 AND 291[CUST: SH] | A | 6210 | | SH | 22-JUN-89 |
| | MIL-F-16377/52B(1) | FIXTURES, LIGHTING; INCANDESCENT, LIGHT, EXTENSION 100 WATTS, 120 VOLTS, EXPLOSIONPROOF AND WATERTIGHT, SYMBOL 286[CUST: SH] | A | 6230 | | SH | 02-AUG-96 |
| | MIL-F-16377/50A(1) NOT 1 | FIXTURES, LIGHTING; INCANDESCENT, LIGHT, EXTENSION, SMALL BOATS 25 WATTS, 12-28 VOLTS, WATERTIGHT, SYMBOL 302.2[CUST: SH] | A | 6230 | | SH | 02-AUG-96 |
| | MIL-F-16377/40A NOT 1 | FIXTURES, LIGHTING; LOCKS FLUORESCENT LAMP[CUST: SH] | A | 6250 | | SH | 22-JUN-89 |
| | MIL-F-16377/41A | FIXTURES, LIGHTING; SHOCKMOUNTS, FOR LIGHTING FIXTURES[CUST: SH] | A | 6210 | | SH | 22-JUN-89 |
| | MIL-F-16377/36(1) NOT 1 | FIXTURES, LIGHTS, INCANDESCENT, GENERAL LIGHTING, 21 CANDLEPOWER OR 25 WATTS, 115 VOLTS, WATERTIGHT, SYMBOLS 95.1, 96.1, 97.1 AND 98.1[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | ASSE1037 | FIXTURES, PLUMBING, PRESSURIZED FLUSHING DEVICES (FLUSHOMETERS) FOR[CUST: YD 99] [REVIEW: 84 CC] | A | 4510 | | IS | 08-NOV-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-F-40055A NOT 4 | FLAG SET M-113[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8345 | | IH | 21-JUL-01 |
| | MIL-F-40054B NOT 4 | FLAG SET, M-133[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8345 | | IH | 21-JUL-01 |
| | MIL-F-40045C NOT 4 | FLAG SET, SIGNAL, M-238 (TANK)[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 21-JUL-01 |
| | MIL-F-21173C | FLAG, INDIVIDUAL: RAYON, COMMANDANT, USMC[CUST: MC CT] | A | 8345 | | CT | 06-FEB-91 |
| | DDD-F-416F | FLAG, NATIONAL, UNITED STATES OF AMERICA AND FLAG, UNION JACK[CUST: IH] [REVIEW: CT] | A | 8345 | / | IH | 31-MAR-05 |
| | MIL-F-2071D(2) NOT 3 | FLAG, NATIONAL, UNITED STATES OF AMERICA, GRAVE DECORATING, PRINT CLOTH[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8345 | | IH | 18-MAY-01 |
| | A-A-52696 NOT 2 | FLAG, NATIONAL, UNITED STATES OF AMERICA, INTERMENT[CUST: IH] | A | 8345 | / | IH | 21-JUL-01 |
| | MIL-F-40047C NOT 3 | FLAG, SIGNAL, RED, VEHICLE, DANGER[CUST: IH NU] [REVIEW: CT MC] | A | 8345 | | IH | 21-JUL-01 |
| | MIL-F-2692H NOT 2 | FLAGS AND PENNANTS[CUST: IH NU 11] [REVIEW: CT] | A | 8345 | | IH | 18-MAY-01 |
| | MIL-F-14648A NOT 3 | FLAGS, ORGANIZATIONAL AND STATUTORY, GENERAL SPECIFICATION FOR[CUST: IH 11] [REVIEW: 99 CT] | A | 8345 | | IH | 21-JUL-01 |
| | MIL-F-40048C NOT 3 | FLAGSTAFFS AND INSIGNIA, FLAGSTAFF HEADS, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8345 | | IH | 21-JUL-01 |
| | MIL-F-17548B(2) | FLAME ARRESTER, VENTILATION EXHAUST (NAVAL SHIPBOARD USE)[CUST: SH] | A | 2040 | | SH | 23-OCT-78 |
| | STANAG-3297 ED.5 | FLAME-OUT PROCEDURES | C | ISDF | | 06 | 27-FEB-96 |
| | IPC-TM650.2.3.10 | FLAMMABILITY OF LAMINATE[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | SAE-J369 | FLAMMABILITY OF POLYMERIC INTERIOR MATERIALS-HORIZONTAL TEST METHOD[CUST: AT YD 99] | A | 2510 | | AT | 03-OCT-94 |
| | IPC-TM650.2.3.9 | FLAMMABILITY OF PREPREG AND THIN LAMINATE[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | NFPA30 | FLAMMABLE AND COMBUSTIBLE LIQUIDS CODE[CUST: YD] | A | FACR | | YD | 1996 |
| | SAE-AS1960/4 | FLANGE END, DESIGN STANDARD[CUST: 99] [REVIEW: IS] | A | 5340 | | 71 | 30-JUN-86 |
| | SAE-AS1895/13 | FLANGE END, FEMALE, TYPE I (STANDARD PROFILE) DESIGN STANDARD[CUST: AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | MAY-96 |
| | SAE-AS1895/12 | FLANGE END, MALE TYPE I (STANDARD PROFILE) DESIGN STANDARD[CUST: AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | MAY-96 |
| | SAE-AS1895/14 | FLANGE END, MALE TYPE II (LOW PROFILE) DESIGN STANDARD[CUST: AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | MAY-96 |
| | SAE-AS24335 | FLANGE, BULKHEAD MOUNTING, HYDRAULIC SELF-SEALING COUPLING[CUST: AV AS 99] [REVIEW: 11 71 AT CC CG MC SA SH] | A | 4730 | | AS | 16-MAY-05 |
| | MIL-DTL-24044B | FLANGE, COAXIAL LINE, RIGID AIR DIELECTRIC, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: MC] | A | 5985 | | CC | 18-JAN-05 |
| | SAE-AS1895/11 | FLANGE, FEMALE, BUTT WELD, TYPE I (STANDARD PROFILE)[CUST: AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | MAY-96 |
| | SAE-AS1895/9 | FLANGE, FEMALE, BUTT WELD, TYPE II (LOW PROFILE)[CUST: AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | MAY-96 |
| | SAE-AS1895/19 | FLANGE, FEMALE, INTEGRAL, WELD RING, TYPE I STANDARD PROFILE[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-JUN-92 |
| | SAE-AS1895/17 | FLANGE, FEMALE, INTEGRAL, WELD RING, TYPE II, LOW PROFILE[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-JUN-92 |
| | SAE-AS1895/3 | FLANGE, FEMALE, SEAM WELD, TYPE I (STANDARD PROFILE)[CUST: AS 99 IS] [REVIEW: 71 NA] | A | 5340 | | IS | MAY-96 |
| | SAE-AS1895/6 | FLANGE, FEMALE, SEAM WELD, TYPE II (LOW PROFILE)[CUST: AS 99 IS] [REVIEW: 71 NA] | A | 5340 | | IS | MAY-96 |
| | SAE-AS1895/10 | FLANGE, MALE, BUTT WELD, TYPE I STANDARD PROFILE[CUST: AS 99] [REVIEW: 71] | A | 5340 | | IS | 01-JUN-92 |
| | SAE-AS1895/8 | FLANGE, MALE, BUTT WELD, TYPE II (LOW PROFILE)[CUST: AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | MAY-96 |
| | SAE-AS1895/18 | FLANGE, MALE, INTEGRAL, WELD RING, TYPE I STANDARD PROFILE[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-JUN-92 |
| | SAE-AS1895/16 | FLANGE, MALE, INTEGRAL, WELD RING, TYPE II LOW PROFILE[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-JUN-92 |
| | SAE-AS1895/2 | FLANGE, MALE, SEAM WELD, TYPE I (STANDARD PROFILE)[CUST: AS 99 IS] [REVIEW: 71 NA] | A | 5340 | | IS | MAY-96 |
| | SAE-AS1895/5 | FLANGE, MALE, SEAM WELD, TYPE II (LOW PROFILE)[CUST: AS 99 IS] [REVIEW: 71 NA] | A | 5340 | | IS | MAY-96 |
| | MIL-PRF-20042E | FLANGE, PIPE , BRONZE (SILVER BRAZING)[CUST: CR4 SH 99] [REVIEW: 71 CC OS YD] | A | 4730 | | SH | 16-SEP-99 |
| | SAE-AS1960/3 | FLANGE, SHEET METAL[CUST: 99] [REVIEW: IS] | A | 5340 | | 71 | 30-JUN-86 |
| | SAE-AS5227 | FLANGE, STRAIGHT THREAD PORT, WELD[CUST: AV 99 CC] [REVIEW: 71] | A | 4730 | | CC | 20-DEC-02 |
| | MS20756C | FLANGE, SWIVEL, RETAINING[CUST: AS 99 CC] [REVIEW: 71 AV CR4] | A | 4730 | | CC | 16-JUN-78 |
| | MS27077C | FLANGE, SWIVEL, RETAINING[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MIL-DTL-3922/62C NOT 1 | FLANGE, WAVEGUIDE (CHOKE), (ROUND, 8 HOLE (2 HOLES CENTERED HORIZONTALLY, 2 HOLES CENTERED VERTICALLY)[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH] | A | 5985 | | CC | 02-MAR-05 |
| | MIL-DTL-3922/70B NOT 1 | FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE, BUTT MOUNT)[CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH] | A | 5985 | | CC | 02-MAR-05 |
| | AWWA-C115 | FLANGED DUCTILE IRON PIPE WITH THREADED FLANGES - 1 SEP 1988 AWWA C-115 MUST BE USED IN CONJUNCTION WITH AWWA C-110, C-111 & C-151[CUST: CR4 YD] [REVIEW: 99 CE MC] | A | 4710 | | CC | 23-FEB-89 |
| | ASME-B16.24 | FLANGES, CAST COPPER ALLOY PIPE, AND FLANGED FITTINGS CLASS 150, 300, 400, 600, 900, 1500 AND 2500[CUST: CR4 YD 99] | A | 4730 | | CC | 15-APR-91 |
| | MIL-DTL-24044/1B NOT 1 | FLANGES, FIXED, COAXIAL LINE, RIGID[CUST: CR EC 11 CC] [REVIEW: AR AS MC OS] | A | 5985 | | CC | 30-NOV-04 |
| | MIL-F-24704/4A | FLANGES, FOUR BOLT SQUARE, BLIND FOR HYDRAULIC SYSTEMS[CUST: SH] | A | 4810 | | SH | 23-MAR-92 |
| | MIL-F-24704A | FLANGES, FOUR BOLT SQUARE, HYDRAULIC GENERAL SPECIFICATION FOR[CUST: SH] | A | 4810 | | SH | 23-MAR-92 |
| | MIL-F-24704/1A | FLANGES, FOUR BOLT SQUARE, SOCKET WELD FOR HYDRAULIC SYSTEMS[CUST: SH] | A | 4810 | | SH | 23-MAR-92 |
| | MIL-F-24704/5A | FLANGES, FOUR BOLT, INSERT SLEEVES FOR HYDRAULIC SYSTEMS[CUST: SH] | A | 4810 | | SH | 23-MAR-92 |
| | MIL-F-24704/2A(1) | FLANGES, FOUR BOLTS SQUARE, BUTT WELD FOR HYDRAULIC SYSTEMS[CUST: SH] | A | 4810 | | SH | 07-SEP-94 |
| | ASME-B16.36 | FLANGES, ORIFICE[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | MIL-DTL-3922/61D NOT 1 | FLANGES, WAVEGUIDE (CHOKE) (ROUND, 8 HOLE)[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH] | A | 5985 | | CC | 02-MAR-05 |
| | MIL-DTL-3922/59E NOT 1 | FLANGES, WAVEGUIDE (CHOKE) (SQUARE, 4 HOLE)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MC MI OS SH] | A | 5985 | | CC | 02-MAR-05 |
| | MIL-DTL-3922/67C | FLANGES, WAVEGUIDE (CONTACT) (ROUND, 4 HOLE) (MILLIMETER)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS] | A | 5985 | | CC | 22-JUN-04 |
| | MIL-DTL-3922/56C NOT 1 | FLANGES, WAVEGUIDE (COVER) (ROUND, 8 HOLE)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MC MI OS] | A | 5985 | | CC | 02-MAR-05 |
| | MIL-DTL-3922/53D NOT 1 | FLANGES, WAVEGUIDE (COVER) (SQUARE, 4 HOLE) (CIRCULAR BACK)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MC MI OS SH] | A | 5985 | | CC | 02-MAR-05 |
| | MIL-DTL-3922/52C NOT 1 | FLANGES, WAVEGUIDE (PRESSURIZABLE CONTACT)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS] | A | 5985 | | CC | 02-MAR-05 |
| | MIL-DTL-3922/68A | FLANGES, WAVEGUIDE COVER (BUTT MOUNT) (SQUARE, 4 HOLE)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS SH] | A | 5985 | | CC | 09-DEC-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3922C SUP 1A NOT 1 | FLANGES, WAVEGUIDE, GENERAL PURPOSE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS] | A | 5985 | | CC | 02-MAR-05 |
| | MIL-F-60036D | FLARE CARTRIDGE ASSEMBLY MX3529/ALA-17 & ALA-17A METAL PARTS FOR[CUST: AR] | A | 1370 | | AR | 21-MAR-86 |
| | MIL-F-60037C NOT 1 | FLARE SET, AN/ALA-17 ASSEMBLING & PACKING[CUST: AR] | A | 1370 | | AR | 15-MAY-87 |
| | MIL-F-63107C(3) | FLARE, AIRCRAFT COUNTERMEASURE: M206[CUST: AR] | A | 1370 | | AR | 11-MAR-96 |
| | MIL-F-20363B NOT 1 | FLARE, AIRCRAFT, PARACHUTE, M8A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 31-OCT-90 |
| | MIL-F-70518(3) | FLARE, INFRARED TRACKING, MARK 33 MOD 0 (ARMY) PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 05-DEC-95 |
| | MIL-F-20420J(4) NOT 1 | FLARE, SURFACE, TRIP, M49A1 PARTS, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 12-MAR-93 |
| | ASTM-D92 | FLASH AND FIRE POINTS BY CLEVELAND OPEN CUP[CUST: AT SH 11] [REVIEW: GS YD] | A | 9150 | | AT | 28-DEC-98 |
| | ASTM-D3278 | FLASH POINT OF LIQUIDS BY SMALL SCALE CLOSED-CUP APPARATUS[CUST: EA 68] [REVIEW: AR AS CR4 GL MC MD SH YD] | A | 6810 | | GS3 | 29-DEC-89 |
| | DI-MISC-80760 | FLASH REPORT [AMSC: A4631] | A | MISC | | AM | 23-JAN-89 |
| | SAE-J595 | FLASHING, DIRECTIONAL, OPTICAL WARNING DEVICES FOR AUTHORIZED EMERGENCY, MAINTENANCE, AND SERVICE VEHICLES[CUST: AT 99 IS] | A | 6220 | | IS | NOV-92 |
| | MIL-F-44434(2) | FLASHLIGHT, LIGHTWEIGHT[CUST: GL IS] [REVIEW: GS] | A | 6230 | | IS | 09-AUG-94 |
| | A-A-55447 NOT 1 | FLASHLIGHT, MANUALLY OPERATED MINI-GENERATOR[CUST: CR4 AS 99 IS] [REVIEW: 71 GS YD] | A | 6230 | / | IS | 27-MAY-05 |
| | A-A-50843A | FLASHLIGHT, PATIENT, EXAMINING, DISPOSABLE[CUST: MD MS 03] [REVIEW: GS] | A | 6230 | / | MB | 31-MAR-86 |
| | MS21998C NOT 1 | FLASHLIGHT, PENLIGHT STYLE[CUST: AV AS 99 IS] [REVIEW: GS] | A | 6230 | | IS | 14-SEP-01 |
| | A-A-51007 | FLASHLIGHT, SURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 13-SEP-85 |
| | ASTM-F1014 | FLASHLIGHTS ON VESSELS[CUST: CR4 SH 99 IS] [REVIEW: GS] | A | 6230 | | IS | 15-AUG-92 |
| | A-A-51110A | FLASHLIGHTS, EYE EXAMINING[CUST: MD MS 03] | A | 6515 | / | MB | 23-NOV-90 |
| | MIL-F-7326G(1) | FLASHLIGHTS, PENLIGHT STYLE[CUST: AV AS 99 IS] [REVIEW: GS] | A | 6230 | | IS | 15-MAY-90 |
| | MIL-F-22606C(1) | FLASK COMPRESSED GAS AND END PLUGS FOR AIR, OXYGEN AND NITROGEN[CUST: SH] [REVIEW: GS] | A | 8120 | | SH | 17-SEP-93 |
| | A-A-51298 | FLASK, BOILING, FLORENCE[CUST: MD MS 03] | A | 6640 | / | MB | 28-JAN-86 |
| | A-A-53980 | FLASK, DENTURE, CROWN AND BRIDGE[CUST: MD MS 03] [REVIEW: AT CC] | A | 6520 | / | MB | 02-OCT-89 |
| | A-A-51103 | FLASK, DISTILLING, 125 ML, BOROSILICATE GLASS[CUST: MD MS 03] | A | 6640 | / | MB | 20-NOV-85 |
| | A-A-50834A | FLASK, ERLENMEYER (GRADUATED)[CUST: MD MS 03 MB] | A | 6640 | / | MB | 31-MAR-86 |
| | A-A-51104 | FLASK, ERLENMEYER (GRADUATED, PLASTIC)[CUST: MD MS 03] | A | 6640 | / | MB | 23-NOV-85 |
| | A-A-51109 | FLASK, KJELDAHL, (BOROSILICATE GLASS)[CUST: MD MS 03] | A | 6640 | / | MB | 29-NOV-85 |
| | A-A-53660 | FLASK, SAYBOLT VISCOSITY[CUST: MD MS 03] | A | 6630 | / | MB | 31-AUG-88 |
| | MIL-F-24032A | FLASK, SEPARATOR, 3000 PSI, K-MONEL[CUST: SH] [REVIEW: GS] | A | 8120 | | SH | 19-OCT-89 |
| | A-A-51360A | FLASK, VOLUMETRIC (BOROSILICATE GLASS)[CUST: MD MS 03] | A | 6640 | / | MB | 30-AUG-91 |
| | A-A-53889 | FLASKS, DENTURE, UPPER AND LOWER, EJECTOR TYPE[CUST: MD MS 03] | A | 6520 | / | MB | 12-JUN-89 |
| | ASTM-E288 | FLASKS, VOLUMETRIC, LABORATORY GLASS[CUST: MD MS 03] | A | 6640 | | MB | 28-JUN-91 |
| | A-A-20317A | FLAVORED APPLESAUCE BLENDS[CUST: GL SA 35 FV] [REVIEW: MC MD QM] | A | 8915 | * | SS | 04-MAY-01 |
| | ASTM-D4338 | FLEXIBILITY DETERMINATION OF SUPPORTED ADHESIVE FILMS BY MANDREL BEND[CUST: MR 11] [REVIEW: AR GL SH] | A | 8040 | | MR | 10-MAY-97 |
| | ASTM-F147 | FLEXIBILITY OF NON-METALLIC GASKET MATERIALS[CUST: MR SH 99] | A | 5330 | | MR | 30-JAN-87 |
| | UL62 | FLEXIBLE CORD AND FIXTURE WIRE[CUST: YD 11] [REVIEW: 99 SH] | A | 6145 | | CC | 15-OCT-97 |
| | AGMA9000 | FLEXIBLE COUPLINGS - POTENTIAL UNBALANCE CLASSIFICATION (NO S/S DOCUMENT)[CUST: YD] | A | 3040 | | YD | 05-MAR-04 |
| | UL1 | FLEXIBLE METAL CONDUIT[CUST: CR YD 99] [REVIEW: 11 CR4 GS] | A | 5975 | | YD | 30-JUL-93 |
| | IPC-2223 | FLEXIBLE PRINTED BOARDS, SECTIONAL DESIGN STANDARD FOR[CUST: CR EC 11 CC] | A | 5998 | | CC | 01-SEP-99 |
| | IPC-TM650.2.5.28 | FLEXIBLE PRINTED WIRING MATERIALS Q RESONANCE[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | ASTM-D1830 | FLEXIBLE SHEET MATERIALS USED FOR ELECTRICAL INSULATION BY THE CURVED ELECTRODE METHOD, THERMAL ENDURANCE OF[CUST: CR SH 11] [REVIEW: GS] | A | 5970 | | SH | 03-OCT-90 |
| | IPC-TM650.2.4.4.1 | FLEXURAL STRENGTH OF LAMINATES (AT ELEVATED TEMPERATURE)[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | IPC-TM650.2.4.3 | FLEXURAL ENDURANCE, FLEXIBLE PRINTED WIRING MATERIALS[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | IPC-TM650.2.4.3.1 | FLEXURAL FATIGUE AND DUCTILITY, FLEXIBLE PRINTED WIRING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | ASTM-C580 | FLEXURAL STRENGTH AND MODULUS OF ELASTICITY OF CHEMICAL-RESISTANT MORTARS, GROUTS, MONOLITHIC SURFACINGS, AND POLYMER CONCRETES[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 09-OCT-92 |
| | ASTM-C1161 | FLEXURAL STRENGTH OF ADVANCED CERAMICS AT AMBIENT TEMPERATURE[CUST: MR AS 11] | A | 9390 | | MR | 29-MAY-98 |
| | MIL-F-9490D NOT 1 | FLIGHT CONTROL SYSTEMS - DESIGN, INSTALLATION AND TEST OF PILOTED AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: GS] | A | 6610 | | AS | 05-OCT-92 |
| A | MIL-HDBK-2124 NOT 1 | FLIGHT DATA RECORDER FUNCTIONAL STANDARDS FOR[CUST: AV AS 99] | A | 5835 | | AS | 18-JUL-05 |
| | DI-MISC-81388 | FLIGHT FLUTTER TEST REPORT [AMSC: F7000] | A | MISC | | 11 | 11-FEB-94 |
| | INFO-PUB-90/6(1) | FLIGHT INFOMATION PUBLICATIONS (FLIPS) INTERPRETATION OF NATIONAL FLIPS POINTS OF CONTACT AND NATIONAL REFERENCE DOCUMENTS | C | ISDF | | 06 | 01-MAY-01 |
| | AIR-STD-90/2 | FLIGHT INFORMATION CRITERIA | C | ISDF | | 06 | 06-APR-95 |
| | ADV-PUB-90/3 | FLIGHT INFORMATION PUBLICATIONS (FLIP) ELECTRONIC NAVIGATION DISPLAYS - SYMBOLOGY | C | ISDF | | 06 | 28-MAY-02 |
| | STANAG-3374 ED.4(1) | FLIGHT INSPECTION OF NATO RADIO RADAR NAVIGATION AND APPROACH AIDS - AETP-1(B) | C | ISDF | | 06 | 24-SEP-96 |
| | MIL-DTL-7700G | FLIGHT MANUALS, AIR REFUELING PROCEDURES, AND ABBREVIATED CHECKLISTS[CUST: 16] [REVIEW: 10 11] | A | TMSS | | 16 | 13-MAY-02 |
| | STANAG-3102 ED.5(2) | FLIGHT SAFETY CO-OPERATION IN COMMON GROUND/AIR SPACE | C | ISDF | | 06 | 11-JUN-99 |
| | DI-SAFT-80183A | FLIGHT TERMINATION SYSTEM REPORT (FTSR) [AMSC: F7160] | A | SAFT | | 10 | 09-AUG-95 |
| | UL1196 | FLOATING WATERLIGHTS[CUST: SH 99] [REVIEW: 71 CG GS] | A | 6230 | | SH | 29-OCT-98 |
| | MIL-PRF-32109 | FLOODLIGHT SET, ELECTRIC, PORTABLE[CUST: CR] [REVIEW: GS IS] | A | 6230 | | CR | 16-SEP-02 |
| | MIL-F-5003D(1) | FLOODLIGHT SET, ELECTRIC, TRIPOD-MOUNTED, FOUR 150-WATT PROJECTOR LAMPS[CUST: CR4 IS] [REVIEW: GS MD SM] | A | 6230 | | IS | 29-NOV-94 |
| | A-A-59413 NOT 1 | FLOODLIGHT, ELECTRIC, WEATHERPROOF[CUST: CR4 YD 99 IS] [REVIEW: 71 GS] | A | 6230 | / | IS | 30-MAR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-52498 NOT 1 | FLOODLIGHT, ELECTRIC-24 VOLT[CUST: AT 99] [REVIEW: 71 GS] | A | 6220 | / | AT | 14-APR-04 |
| | MIL-F-8115D | FLOODLIGHT, INCANDESCENT, EXPLOSION PROOF, TYPE MA-1[CUST: 99 IS] [REVIEW: GS] | A | 6230 | | IS | 14-JUL-89 |
| | ASME-A112.6.3 | FLOOR AND FRENCH DRAINS[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASTM-D2859 | FLOOR COVERING MATERIALS, FINISHED TEXTILE, IGNITION CHARACTERISTICS OF[CUST: GL YD 99] | A | 7220 | | IS | 03-OCT-94 |
| | L-F-475A(I3) | FLOOR COVERING VINYL, SURFACE (TILE AND ROLL), WITH BACKING | A | 7220 | # | FSS | 24-SEP-82 |
| | FED-STD-501A(1) | FLOOR COVERING, RESILIENT, NONTEXTILE, SAMPLING AND TESTING | A | 7220 | # | FSS | 15-JUN-66 |
| | ASTM-F387 | FLOOR COVERING, RESILIENT, WITH FOAM LAYER, MEASURING THICKNESS OF[CUST: GL YD 99] [REVIEW: MC MD] | A | 7220 | | IS | 15-APR-93 |
| | ASTM-F141 | FLOOR COVERINGS, RESILIENT[CUST: GL YD 99 IS] [REVIEW: CE MC MD MI SH] | A | 7220 | | IS | 15-JUN-93 |
| | ASTM-F373 | FLOOR COVERINGS, RESILIENT, EMBOSSED DEPTH OF, STANDARD TEST METHODS FOR[CUST: GL YD 99] [REVIEW: MC MD] | A | 7220 | | IS | 10-MAR-01 |
| | ASTM-D1335 | FLOOR COVERINGS, TUFT BIND OF PILE YARN[CUST: CR4 YD] [REVIEW: SH] | A | 7220 | | IS | 08-SEP-67 |
| | ASTM-F510 | FLOOR COVERINGS, USING AN ABRADER WITH A GRIT FEED METHOD, RESISTANCE TO ABRASION OF RESILIENT[CUST: YD] | A | 7220 | | IS | 15-JUN-93 |
| | ASTM-E1155 | FLOOR FLATNESS, F F AND F L FLOOR LEVELNESS NUMBERS, DETERMINING[CUST: YD 99] | A | 7220 | | IS | 10-MAR-96 |
| | ASTM-A793 | FLOOR PLATE, STAINLESS STEEL, ROLLED[CUST: MR SH] [REVIEW: CR4 IS MC] | A | 9515 | | SH | 27-JUL-90 |
| | AIR-STD-25/58 | FLOOR RAILS AND MATING EQUIPMENT ATTACHMENT PINS | C | ISDF | | 06 | 12-DEC-85 |
| | ASTM-E648 | FLOOR-COVERING SYSTEMS USING A RADIANT HEAT ENERGY SOURCE, CRITICAL RADIANT FLUX OF[CUST: YD] | A | 7220 | | IS | 15-FEB-94 |
| | UL779 | FLOORINGS, ELECTRICALLY CONDUCTIVE[CUST: GL YD 99] | A | FACR | | YD | 28-MAR-95 |
| | ASTM-E196 | FLOORS AND FLAT ROOFS, GRAVITY LOAD TESTING OF[CUST: GL YD IS] [REVIEW: CE] | A | 5410 | | IS | 15-APR-95 |
| | A-A-53652 | FLOSS, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 26-AUG-88 |
| | A-A-53883 | FLOSS, WAXED, DENTAL, FLAVORED, 50 YARDS[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | A-A-20126E | FLOUR[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8920 | / | SS | 26-FEB-04 |
| | MIL-STD-342 NOT 1 | FLOW CHECK, LUBRICATING OIL, PROCEDURE FOR[Test Method Standard][CUST: AT] | A | QCIC | | AT | 12-APR-04 |
| | MIL-PRF-52345D | FLOW CONTROL KIT, HOSELINE[CUST: AT YD] [REVIEW: CC] | A | 3835 | | AT | 19-MAR-99 |
| | ASTM-B213 | FLOW RATE OF METAL POWDERS, TEST METHOD FOR[CUST: MR SH 99 GS4] | A | MFFP | | GS4 | 23-FEB-90 |
| | MIL-F-24612A | FLOWMETER, DIFFERENTIAL PRESSURE[CUST: SH] [REVIEW: GS] | F | 6685 | | SH | 27-JUL-94 |
| | MIL-F-24701 | FLOWMETER, LIQUID, VLTRASONIC, NON INTRUSIVE[CUST: SH] [REVIEW: GS] | A | 6680 | | SH | 23-MAR-88 |
| | SAE-J846 | FLUID CONDUCTORS AND CONNECTORS, CODING SYSTEMS FOR IDENTIFICATION OF[CUST: AT] | A | 4730 | | AT | 01-JUN-91 |
| | MIL-F-24259A | FLUID FLOWMETER, VOLUME VELOCITY TYPE[CUST: SH] [REVIEW: GS] | A | 6680 | | SH | 14-DEC-87 |
| | EIA-TIA455.75 | FLUID IMMERSION AGING PROCEDURE FOR OPTICAL FIBER MECHANICAL PROPERTIES[CUST: CR AS 11 CC] | A | 60GP | | CC | 08-APR-96 |
| | EIA364.10 | FLUID IMMERSION TEST PROCEDURE FOR ELECTRICAL CONNECTORS AND SOCKETS[CUST: CR AS 11 CC] [REVIEW: AV MI] | A | 5935 | | CC | 29-JUN-01 |
| | EIA455.82 | FLUID PENETRATION TEST FOR FLUID-BLOCKED FIBER OPTIC CABLE[CUST: MR AS] [REVIEW: 11 AR AT CR4 EC IS MC MI SH] | A | 60GP | | CR | 15-DEC-88 |
| | ISO5598 | FLUID POWER SYSTEMS AND COMPONENTS - VOCABULARY[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | NFPA-T2.30.4 | FLUID POWER SYSTEMS-APPLICATION GUIDELINES FOR SELECTION OF FLUID POWER POSITION TRANSDUCERS, RECOMMENDED PRACTICE[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA] | A | 4330 | | CC | 30-JUL-03 |
| | NFPA-T3.19.25 | FLUID POWER SYSTEMS-SEALING DEVICES-STORAGE, HANDLING, AND INSTALLATION OF ELASTOMER SEALS AND EXCLUSION DEVICES, INFORMATION REPORT[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA] | A | 4330 | | CC | 30-JUL-03 |
| | ISO10763 | FLUID POWER, HYDRAULIC - PLAIN-END, SEAMLESS AND WELDED PRECISION STEEL TUBES - DIMENSIONS AND NOMINAL WORKING PRESSURES[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | NFPA-T2.12.1 | FLUID POWER, HYDRAULIC - SYSTEMS AND PRODUCTS - METHOD OF MEASURING AVERAGE STEADY - STATE PRESSURE[CUST: MR SH 99] [REVIEW: CC] | A | NDTI | | SH | 29-MAR-93 |
| | NFPA-B93.30M | FLUID POWER, HYDRAULIC-CONTAMINATION ANALYSIS DATA-REPORTING METHOD[CUST: CR4 AS 68] [REVIEW: GS] | A | 9150 | | CR4 | 30-JUN-80 |
| | NFPA-T2.13.2 | FLUID POWER-FIRE RESISTANT FLUIDS-INFORMATION REPORT ON COMPANY TRADE NAMES, HYDRAULIC[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA] | A | 4330 | | CC | 30-JUL-03 |
| | ASTM-F146 | FLUID RESISTANCE OF GASKET MATERIALS[CUST: MR 11 IS] [REVIEW: AS AT AV CR CR4 OS SH YD] | A | 5330 | | IS | 10-MAR-98 |
| | SAE-ARP819 | FLUID SYSTEM CHARACTERISTICS AFFECTING HYDRAULIC PUMP OPERATION - 15 MAY 66[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 1650 | | AS | 30-APR-84 |
| | SAE-HIR1694 | FLUID SYSTEMS OF MARINE VEHICLES, MATERIALS FOR[CUST: MR SH] [REVIEW: CR4 IS MC] | A | 95GP | | SH | 30-DEC-82 |
| | SAE-MA2093 | FLUID SYSTEMS PORT CONNECTION, FITTING END, DIMENSIONS, METRIC[CUST: AV] | A | 4730 | | AV | 10-FEB-88 |
| | SAE-J24714 | FLUID SYSTEMS-CONNECTOR TUBES-GENERAL SPECIFICATION AND PART STANDARD[CUST: AV SH 71] [REVIEW: 99 AS CC FSS] | A | 4810 | | SH | 15-OCT-02 |
| | SAE-AMS3151 | FLUID, AIRCRAFT COMPASS[CUST: AS 11] [REVIEW: GS] | A | 9150 | | AS | 01-JUL-90 |
| M | SAE-AMS1428 | FLUID, AIRCRAFT DEICING/ANTI-ICING, NON-NEWTONIAN (PSEUDOPLASTIC), SAE TYPES II, III, AND IV[CUST: AV AS 11] [REVIEW: 68 99 GS] | A | 6850 | | 11 | 28-MAR-06 |
| | SAE-AMS1424 | FLUID, DEICING/ANTI-ICING, AIRCRAFT, SAE TYPE I[CUST: AV AS 11] [REVIEW: 68 GS] | A | 6850 | | 11 | 24-MAR-95 |
| | SAE-AMS1426 | FLUID, DEICING/ANTI-ICING, RUNAWAYS AND TAXIWAYS GLYCOL BASE[CUST: EA OS 11] [REVIEW: GS] | A | 6850 | | 11 | 01-OCT-93 |
| | SAE-AMS1435 | FLUID, GENERIC, DEICING/ANTI-ICING RUNWAYS AND TAXIWAYS[CUST: EA OS 11] [REVIEW: GS MD] | A | 6850 | | 11 | APR-95 |
| | SAE-AMS2629 | FLUID, JET REFERENCE[CUST: CR4 AS 11] [REVIEW: GS] | A | 9150 | | 11 | FEB-94 |
| | ASTM-D4172 | FLUID, LUBRICATING, WEAR PREVENTIVE CHARACTERISTICS OF (FOUR-BALL METHOD)[CUST: CR4 AS 11] [REVIEW: GS] | A | 9150 | | CR4 | 03-OCT-94 |
| | A-A-59230 NOT 1 | FLUID, MAGNETIC PARTICLE INSPECTION, SUSPENSION[CUST: AV AS 68] [REVIEW: 11 SH] | A | 6850 | / | GS3 | 12-MAR-04 |
| A | MIL-DTL-17111D | FLUID, POWER TRANSMISSION[CUST: AI OS GS3] [REVIEW: NI] | A | 9150 | | GS3 | 10-JAN-06 |
| | MIL-PRF-38299C | FLUID, PURGING, FOR PRESERVING FUEL TANKS OF JET AIRCRAFT[CUST: 68] [REVIEW: 11 GS] | A | 6850 | | 68 | 03-OCT-97 |
| | SAE-AMS3021 | FLUID, REFERENCE FOR TESTING DI-ESTER (POLYOL) RESISTANT MATERIAL[CUST: CR4 AS 11] [REVIEW: GS] | A | 9150 | | AS | JUL-94 |
| | SAE-AS4059 | FLUIDS, HYDRAULIC, AEROSPACE-CLEANLINESS CLASSIFICATION FOR[CUST: AV AS 99] [REVIEW: 71 CC GS MC MI] | A | 1650 | | AS | MAR-95 |
| | ASTM-D4898 | FLUIDS, HYDRAULIC, BY GRAVIMETRIC ANALYSIS, INSOLUBLE CONTAMINATION OF[CUST: CR4 AS 11] [REVIEW: GS] | A | 9150 | | 11 | 03-OCT-94 |
| | SAE-ARP785 | FLUIDS, HYDRAULIC, BY THE CONTROL FILTER GRAVIMETRIC PROCEDURE, PROCEDURE FOR THE DETERMINATION OF PARTICULATE CONTAMINATION IN (AEROSPACE)[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 1650 | | AS | 30-APR-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NFPA-T2.13.4 | FLUIDS, HYDRAULIC, INFORMATION REPORT-RECOMMENDATIONS FOR CONSERVATION, MAINTENANCE, AND DISPOSAL OF[CUST: CR4 SH 99] [REVIEW: CC MC] | A | 4330 | | SH | 30-AUG-94 |
| | SAE-AIR1362 | FLUIDS, HYDRAULIC, PHYSICAL PROPERTIES OF[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 1650 | | AS | MAY-75 |
| | SAE-J1165 | FLUIDS, HYDRAULIC, REPORTING LEVELS OF CLEANLINESS[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | JUL-79 |
| | A-A-58050A | FLUORESCENT PENETRANT INSPECTION UNIT INTEGRALLY ASSEMBLED SINGLE UNIT AND SEPARATE MODULAR STATION TYPES[CUST: GL AS 99 GS] | A | 6635 | / | 71 | 08-NOV-00 |
| | A-A-51488B | FLUORIDE APPLICATION TRAY, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 31-DEC-90 |
| | ASTM-D1179 | FLUORIDE ION IN WATER[CUST: EA 68] [REVIEW: 50 CR4 GL MD] | A | 6810 | | GS3 | 15-SEP-93 |
| | ASTM-D3761 | FLUORINE, TOTAL, IN COAL BY THE OXYGEN BOMB COMBUSTION/ION SELECTIVE ELECTRODE METHOD[CUST: CR4 SH 68] | A | 9110 | | SH | 15-MAR-91 |
| | SAE-AMS3218 | FLUOROCARBON (FKM) RUBBER HIGH-TEMPERATURE-FLUID RESISTANT, LOW COMPRESSION, SET 85-95[CUST: MR AS 11] | A | 5330 | | 11 | 04-DEC-02 |
| | SAE-AMS3216 | FLUOROCARBON (FKM) RUBBERHIGH-TEMPERATURE - FLUID RESISTANT LOW COMPRESSION SET 70-80[CUST: MR AS 11 IS] | A | 5330 | | IS | SEP-95 |
| A | A-A-58060A | FLUOROCARBON AND OTHER REFRIGERANTS[CUST: 68] [REVIEW: AV GS SH] | A | 6830 | / | 68 | 20-JUL-05 |
| | SAE-AMS3328 | FLUOROSILICONE (FVMQ) RUBBER FUEL AND OIL RESISTANT 35-45[CUST: MR AS 11 IS] | A | 5330 | | IS | JUL-94 |
| | SAE-AMS3330 | FLUOROSILICONE (FVMQ) RUBBER FUEL AND OIL RESISTANT 45-55[CUST: MR AS 11 IS] | A | 5330 | | IS | JUL-94 |
| | SAE-AMS3331 | FLUOROSILICONE (FVMQ) RUBBER FUEL AND OIL RESISTANT 65-75[CUST: MR AS 11 IS] | A | 5330 | | IS | JUL-94 |
| | SAE-AMS3329 | FLUOROSILICONE (FVMQ) RUBBER FUEL AND OIL RESISTANT, HIGH STRENGTH 45-55[CUST: MR AS 11 IS] | A | 5330 | | IS | JUL-94 |
| | SAE-AMS3327 | FLUOROSILICONE (FVMQ) RUBBER HIGH TEMPERATURE FUEL AND OIL RESISTANT 70-80[CUST: MR AS 11 IS] | A | 5330 | | IS | JUL-94 |
| | A-A-53189A | FLURAZEPAM HYDROCHLORIDE CAPSULES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 31-JAN-90 |
| | A-A-54911 | FLURBIPROFEN TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 17-SEP-93 |
| | DI-MISC-81390 | FLUTTER ANALYSIS REPORT [AMSC: F7002] | A | MISC | | 11 | 11-FEB-94 |
| | DI-MISC-81389 | FLUTTER MODEL TEST REPORT [AMSC: F7001] | A | MISC | | 11 | 11-FEB-94 |
| | ASTM-E570 | FLUX LEAKAGE EXAMINATION OF FERROMAGNETIC STEEL TUBULAR PRODUCTS[CUST: CR4 YD 99] [REVIEW: SH] | A | 4710 | | CC | 15-MAY-91 |
| | SAE-AMS3412 | FLUX, ALUMINUM BRAZING FOR TORCH OR FURNACE BRAZING[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 29-APR-88 |
| | SAE-AMS3415 | FLUX, ALUMINUM DIP BRAZING 1030 DEG F (555 DEG C) OR LOWER LIQUIDUS[CUST: MR AS] [REVIEW: CR GS MI] | A | 3439 | | AS | 01-APR-92 |
| | O-F-499D NOT 1 | FLUX, BRAZING, (SILVER BRAZING FILLER METAL, LOW MELTING POINT)[CUST: AR SH 11] [REVIEW: 99 AT CR4 EA GS MC MI] | A | 3439 | / | SH | 20-FEB-91 |
| | SAE-AMS3410 | FLUX, SILVER BRAZING[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-OCT-92 |
| | SAE-AMS3411 | FLUX, SILVER BRAZING HIGH TEMPERATURE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-OCT-92 |
| | IPC-TM650.2.3.33 | FLUX, SILVER CHROMATE METHOD PRESENCE OF HALIDES[CUST: CR EC] [REVIEW: 84 99 GS MI SH] | A | 3439 | | CR | 06-AUG-89 |
| | A-A-51145D | FLUX, SOLDERING, NON-ELECTRONIC, PASTE AND LIQUID[CUST: AR SH 99 GS6] [REVIEW: 84 AT EA MC MI] | A | 3439 | / | GS6 | 27-JUL-01 |
| | IPC-TM650.2.3.34 | FLUX, SOLIDS CONTENT[CUST: CR EC] [REVIEW: 84 99 GS MI SH] | A | 3439 | | CR | 06-AUG-89 |
| | IPC-TM650.2.6.3.3 | FLUXES, SURFACE INSULATION RESISTANCE[CUST: CR EC] [REVIEW: 84 99 GS MI SH] | A | 3439 | | CR | 06-AUG-89 |
| | MIL-F-18680C | FLY, TENT, FIRE, WATER, WEATHER, AND MILDEW RESISTANT[CUST: MC CT] | A | 8340 | | CT | 28-FEB-85 |
| | STANAG-3533 ED.6 | FLYING AND STATIC DISPLAYS | C | ISDF | | 06 | 03-FEB-03 |
| A | MIL-STD-1797B | FLYING QUALITIES OF PILOTED AIRCRAFT[Interface Standard][CUST: AV AS 11] [REVIEW: 99 MI] | D | 15GP | | 11 | 15-FEB-06 |
| | MIL-F-83300 NOT 1 | FLYING QUALITIES OF PILOTED V/STOL AIRCRAFT[CUST: AV AS] | A | 15GP | | AS | 26-SEP-91 |
| | ASTM-E1794 | FOAM CORED SANDWICH PANELS (200 DEG F ELEVATED HUMIDITY SERVICE), TYPE II PANELS, ADHESIVE FOR BONDING[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | MIL-PRF-87260A | FOAM MATERIAL, EXPLOSION SUPPRESSION, INHERENTLY ELECTROSTATICALLY CONDUCTIVE, FOR AIRCRAFT FUEL TANKS[CUST: 11] | A | 9330 | | 11 | 13-FEB-98 |
| | QPL-87260-3 | FOAM MATERIAL, EXPLOSION SUPPRESSION, INHERENTLY ELECTROSTATICALLY CONDUCTIVE, FOR AIRCRAFT FUEL TANKS | A | 9330 | | 11 | 02-MAR-04 |
| | ASTM-E1800 | FOAM, BONDING, CORED SANDWICH PANELS (160 DEG. F ELEVATED HUMIDITY SERVICE), TYPE I PANELS, ADHESIVE FOR[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| A | MIL-F-87090 NOT 2 | FOAM, COMBUSTION RETARDANT, FOR CUSHIONING SUPPLY ITEMS ABOARD NAVY SHIPS[CUST: OS] | A | 9330 | | OS | 31-JAN-06 |
| | SAE-AMS3570 | FOAM, FLEXIBLE POLYURETHANE OPEN CELL, MEDIUM FLEXIBILITY[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 1-OCT-93 |
| | SAE-AMS3568/2 | FOAM, POLYETHER URETHANE (EU) ELASTOMER, SHOCK ABSORBING 15 POUNDS/CUBIC FOOT (240 KG/M3) DENSITY[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | SEP-84 |
| | SAE-AMS3568/3 | FOAM, POLYETHER URETHANE (EU) ELASTOMER, SHOCK ABSORBING 20 POUNDS/CUBIC FOOT (320 KG/M3) DENSITY[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | SEP-84 |
| | SAE-AMS3568/1 | FOAM, POLYETHER URETHANE (EU) ELASTOMER, SHOCK ABSORBING, 5 POUNDS/CUBIC FOOT (80 KG/M3) DENSITY[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | SEP-84 |
| | ASTM-E1730 | FOAM, RIGID, FOR USE IN STRUCTURAL SANDWICH PANEL CORES[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | MIL-PRF-46194A(1) | FOAM, RIGID, STRUCTURAL, CLOSED CELL[CUST: MR AS 11] [REVIEW: AT AV DH IE SH] | A | CMPS | | MR | 17-FEB-99 |
| | MIL-PRF-83671B | FOAM-IN-PLACE PACKAGING MATERIALS, GENERAL SPECIFICATION FOR[CUST: SM SA 11 DH] [REVIEW: 71 84 99 AR AS AT AV CC CR CR4 DS EA EC GS MD MI MR MT SH YD] | A | 8135 | | 11 | 03-FEB-97 |
| | MIL-HDBK-775 | FOAM-IN-PLACE PACKAGING, PROCEDURES FOR[CUST: SM SA 11 DH] [REVIEW: 70 71 AR AS AT CC CR4 EA MD OS] | A | PACK | | SM | 19-APR-96 |
| A | MIL-PRF-12070E | FOG OIL[CUST: AT AS 68] [REVIEW: 03 EA FSS GS PS SA] | A | 9150 | | AT | 30-SEP-98 |
| | ASTM-E345 | FOIL, METALLIC, TENSION TESTING OF[CUST: MR AS 11] [REVIEW: IS] | A | 95GP | | AS | 15-AUG-93 |
| | ASTM-E252 | FOIL, THIN, AND FILM BY WEIGHING, THICKNESS OF[CUST: MR AS 11] [REVIEW: IS] | A | 95GP | | AS | 31-AUG-84 |
| A | A-A-56024 NOT 2 | FOIL, TITANIUM[CUST: MI SH] [REVIEW: AT CG GS] | A | 6610 | / | MI | 19-SEP-05 |
| | UU-F-1206B(1) NOT 1 | FOLDER, FILE[CUST: GL SA 99] [REVIEW: 84 AV] | A | 7530 | * | GL | 08-APR-94 |
| | DI-MGMT-80257 | FOLLOW-UP SURVEY AND INSPECTION REPORT [AMSC: A3991] | A | MGMT | | AM | 30-OCT-86 |
| | A-A-54944 | FOOD BLENDER, ELECTRIC (110• V, 500 HZ, AC)[CUST: MD MS 03] | A | 6640 | / | MB | 25-FEB-94 |
| | A-A-52193E | FOOD CONTAINER, INSULATED, WITH INSERTS[CUST: GL SA 99 SS] [REVIEW: 35 84 MC MD] | A | 7330 | / | SS | 18-FEB-04 |
| | MIL-F-43402D(2) | FOOD CUTTERS, ELECTRIC[CUST: SH] [REVIEW: GS SA] | A | 7320 | | SH | 24-MAR-88 |
| | NSF51 | FOOD EQUIPMENT, PLASTIC MATERIALS AND COMPONENTS USED IN[CUST: GL YD 99] [REVIEW: 84 GS MD] | A | 73GP | | GL | 19-FEB-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-20247A | FOOD PACKET, SURVIVAL, ABANDON SHIP[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8970 | / | SS | 01-MAY-03 |
| | A-A-20331 | FOOD PACKET, SURVIVAL, AIRCRAFT LIFE RAFT[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8970 | / | SS | 05-JAN-00 |
| | NSF8 | FOOD PREPARATION EQUIPMENT, COMMERCIAL POWERED[CUST: GL YD 99] [REVIEW: 84 GS MD SA] | A | 7320 | | GL | 19-FEB-85 |
| | MIL-PRF-44330B | FOOD SANITATION CENTER, COMPONENTS THEREOF, USED WITH FIELD KITCHENS[CUST: GL] [REVIEW: AV MD1 QM1] | A | 7360 | | GL | 25-SEP-96 |
| | NSF2 | FOOD SERVICE EQUIPMENT[CUST: GL YD 99] [REVIEW: 84 GS MD] | A | 73GP | | GL | 19-FEB-85 |
| | MIL-HDBK-1119 | FOOD SERVICE EQUIPMENT[CUST: YD] | A | FACR | | YD | 30-AUG-91 |
| | NSF35 | FOOD SERVICE EQUIPMENT, LAMINATED PLASTICS FOR[CUST: GL YD 99] [REVIEW: 84 GS MD] | A | 73GP | | GL | 19-FEB-85 |
| | DI-MISC-81416 | FOOD SERVICE INVENTORY TRANSFER RECEIPT [AMSC: F7059] | A | MISC | | 10 | 14-NOV-94 |
| | NSF-C2 | FOOD SERVICE, SPECIAL EQUIPMENT AND/OR DEVICES[CUST: GL YD 99] [REVIEW: 84 GS MD] | A | 73GP | | GL | NOV-83 |
| | NSF4 | FOOD STORAGE EQUIPMENT, COOKING & HOT[CUST: GL YD 99] [REVIEW: 84 GS MD SA] | A | 7310 | | GL | 19-FEB-85 |
| | A-A-1640B | FOOD TURNER[CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A | 7330 | / | GL | 22-JUL-96 |
| | ASSE1009 | FOOD WASTE GRINDER UNITS, COMMERCIAL[CUST: YD] [REVIEW: CC MC] | A | 4540 | | IS | 1990 |
| | ASTM-F917 | FOOD WASTE, COMMERCIAL, STANDARD SPECIFICATION FOR[CUST: GL YD 99] [REVIEW: 50 84 MC MD MS] | A | 4540 | | GL | 15-NOV-91 |
| | ACI336.2R | FOOTINGS AND MATS, COMBINED, SUGGESTED ANALYSIS AND DESIGN PROCEDURES FOR[CUST: YD IS] | A | 5610 | | IS | 22-NOV-89 |
| | A-A-51321A | FOOTPRINTER, INFANT IDENTIFICATION (DISPOSABLE)[CUST: MD MS 03] | A | 6530 | / | MB | 31-JUL-90 |
| | MIL-F-36271 | FOOTPRINTER, INFANT IDENTIFICATION, DISPOSABLE, 50S[CUST: MD MS 03] | A | 6530 | | DM | 27-AUG-64 |
| | MIL-F-43987A(2) | FOOTWEAR COVER, CHEMICAL PROTECTIVE (OVERBOOTS)[CUST: GL NU 99 CT] [REVIEW: 11 EA OS SH] | A | 8430 | | CT | 16-NOV-84 |
| | A-A-50391 | FOOTWEAR COVERS, DISPOSABLE[CUST: NU] [REVIEW: CT] | A | 8430 | / | NU | 24-JUN-92 |
| | A-A-51301A | FOOTWEAR COVERS, OPERATING ROOM (DISPOSABLE)[CUST: MD MS 03] | A | 6532 | / | MB | 24-JAN-92 |
| | MIL-F-12224J | FOOTWEAR COVERS, TOXICOLOGICAL AGENTS PROTECTIVE, M-1[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8430 | | CT | 03-MAY-89 |
| | MIL-F-82240D NOT 2 | FOOTWEAR, COVER, RADIOACTIVE CONTAMINANTS PROTECTIVE[CUST: NU 99 CT] [REVIEW: MS SH] | A | 8430 | | CT | 11-SEP-97 |
| | ANSI-Z41 | FOOTWEAR, PROTECTIVE-PERSONAL PROTECTION[CUST: GL NU 99 CT] | A | 8430 | | CT | 04-APR-91 |
| | A-A-54627 | FORCEPS EAR, HARTMAN-HERZFELD, STRAIGHT[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-92 |
| | A-A-54062 | FORCEPS, ANEURYSM CLIP APPLYING, BAYONET, 8-1/4 INCH (YASARGIL)[CUST: MD MS 03] | A | 6515 | / | MB | 07-FEB-90 |
| | A-A-53201 | FORCEPS, ARTHROSCOPIC (STRAIGHT)[CUST: MD MS 03] | A | 6515 | / | MB | 18-SEP-87 |
| | A-A-53830 | FORCEPS, ARTHROSCOPIC, STRAIGHT, HOOK BASKET[CUST: MD MS 03] | A | 6515 | / | MB | 10-MAR-89 |
| | A-A-54857 | FORCEPS, BONE CUTTING, CURVED, LISTON-STILLE[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-93 |
| | A-A-54666 | FORCEPS, BONE CUTTING, STRAIGHT, LISTON, 8-3/4 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 29-MAY-92 |
| | A-A-54025 | FORCEPS, BONE HOLDING (KERN)[CUST: MD MS 03] | A | 6515 | / | MB | 05-JAN-90 |
| | A-A-54544 | FORCEPS, BONE HOLDING (SELF-CENTERING)[CUST: MD MS 03] | A | 6515 | / | MB | 20-MAR-92 |
| | A-A-0051491 | FORCEPS, BRONCHOSCOPIC (JACKSON)[CUST: MD MS 03] | A | 6515 | / | MB | 10-JUL-86 |
| | A-A-51032 | FORCEPS, CASTING REMOVING, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 10-OCT-85 |
| | A-A-54920 | FORCEPS, CHALAZION, DESMARRES[CUST: MD MS 03] | A | 6515 | / | MB | 30-SEP-93 |
| | A-A-51916A | FORCEPS, COAGULATION (GERALD)[CUST: MD MS 03] | A | 6515 | / | MB | 19-MAY-89 |
| | A-A-53177 | FORCEPS, DENTAL ARTICULATING PAPER[CUST: MD MS 03] | A | 6520 | / | MB | 21-SEP-87 |
| | A-A-54732 | FORCEPS, DRESSING (DENTAL)[CUST: MD MS 03] | A | 6520 | / | MB | 30-SEP-92 |
| | A-A-53630 | FORCEPS, DRESSING (POTTS-SMITH)[CUST: MD MS 03] | A | 6515 | / | MB | 30-SEP-88 |
| | A-A-54353 | FORCEPS, DRESSING, EYE, STRAIGHT, 4 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 08-MAR-91 |
| | A-A-53863 | FORCEPS, DRESSING, STRAIGHT, 5-1/2 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 16-MAR-89 |
| | A-A-53346 | FORCEPS, EAR (OVAL CUP, HOUSE)[CUST: MD MS 03] | A | 6515 | / | MB | 15-JAN-88 |
| | A-A-54413 | FORCEPS, EAR, BAYONET SHAPED, SERRATED JAWS, LUCAE, 5-1/2 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-91 |
| | A-A-54006 | FORCEPS, EAR, GELFOAM PRESSURE, 6 INCH (HOUSE)[CUST: MD MS 03] | A | 6515 | / | MB | 15-NOV-89 |
| | A-A-53472 | FORCEPS, EAR, OVAL CUP, ANGULAR (WULLSTEIN)[CUST: MD MS 03] | A | 6515 | / | MB | 09-MAY-88 |
| | A-A-54640 | FORCEPS, EAR, SERRATED JAWS, HARTMANN[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-92 |
| | A-A-53673 | FORCEPS, EAR, SMOOTH JAW (HARTMAN)[CUST: MD MS 03] | A | 6515 | / | MB | 06-SEP-88 |
| | A-A-51848A | FORCEPS, ELECTROCOAGULATION, BIPOLAR, 6 INCH (MALIS)[CUST: MD MS 03] | A | 6515 | / | MB | 21-FEB-89 |
| | A-A-51909A | FORCEPS, ENDOSCOPIC (ALLIGATOR, GRASPING, JACKSON)[CUST: MD MS 03] | A | 6515 | / | MB | 14-FEB-89 |
| | A-A-51908A | FORCEPS, ENDOSCOPIC, (LARGE, FORWARD GRASPING, JACKSON)[CUST: MD MS 03] | A | 6515 | / | MB | 14-FEB-89 |
| | A-A-54262 | FORCEPS, EYE MUSCLE, ANGULAR (JAMESON)[CUST: MD MS 03] | A | 6515 | / | MB | 02-NOV-90 |
| | A-A-51836A | FORCEPS, EYE SUTURE, STRAIGHT, TWEEZERS-TYPE (CASTROVIEJO)[CUST: MD MS 03] | A | 6515 | / | MB | 13-FEB-89 |
| | A-A-53009 | FORCEPS, EYE, SUTURE, STRAIGHT[CUST: MD MS 03] | A | 6515 | / | MB | 08-JUN-87 |
| | A-A-54167 | FORCEPS, EYE, UTILITY, ANGULAR, NUGENT[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-90 |
| | A-A-53516 | FORCEPS, EYE, VITREOUS MICROEXTRACTOR (NEUBAUER)[CUST: MD MS 03] | A | 6515 | / | MB | 02-JUN-88 |
| | A-A-54537 | FORCEPS, FIXATION, STRAIGHT, NONMAGNETIC, 4-1/2 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 25-NOV-91 |
| | A-A-53457 | FORCEPS, FOREIGN BODY INTRAOCULAR[CUST: MD MS 03] | A | 6515 | / | MB | 19-APR-88 |
| | A-A-53412 | FORCEPS, FOREIGN BODY, INTRAOCULAR (VITREOUS, WILSON)[CUST: MD MS 03] | A | 6515 | / | MB | 21-MAR-88 |
| | A-A-53416 | FORCEPS, GALL DUCT (LAHEY)[CUST: MD MS 03] | A | 6515 | / | MB | 21-MAR-88 |
| | A-A-54209 | FORCEPS, GAUZE PAD HOLDING (FOERSTER)[CUST: MD MS 03] | A | 6515 | / | MB | 19-JUL-90 |
| | A-A-53400 | FORCEPS, HEMOSTATIC[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53400/14 | FORCEPS, HEMOSTATIC (9-1/4 INCH, SAROT)[CUST: MD MS 03] | A | 6515 | / | MB | 06-OCT-89 |
| | A-A-53400/15 | FORCEPS, HEMOSTATIC (STOREY, RIGHT ANGLE)[CUST: MD MS 03] | A | 6515 | / | MB | 15-JAN-90 |
| | A-A-51859A | FORCEPS, HEMOSTATIC CLIP APPLYING, LARGE, SERRATED JAWS, ANGLED[CUST: MD MS 03] | A | 6515 | / | MB | 01-JUN-89 |
| | A-A-51825A | FORCEPS, HEMOSTATIC CLIP APPLYING, MEDIUM, SERRATED JAWS, ANGLED[CUST: MD MS 03] | A | 6515 | / | MB | 08-JUN-89 |
| | A-A-53231A | FORCEPS, HEMOSTATIC CLIP APPLYING, SMALL, SERRATED JAWS, ANGLED[CUST: MD MS 03] | A | 6515 | / | MB | 15-MAR-89 |
| | A-A-54669 | FORCEPS, HEMOSTATIC CLIP, APPLYING, SMITHWICK[CUST: MD MS 03] | A | 6515 | / | MB | 29-MAY-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-53400/12 | FORCEPS, HEMOSTATIC CURVED, (ROCHESTER-OCHSNER)[CUST: MD MS 03] | A | 6515 | / | MB | 23-JAN-89 |
| | A-A-53400/7 | FORCEPS, HEMOSTATIC MAYO-CARMALT[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53400/4 | FORCEPS, HEMOSTATIC, CRILE[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53400/13 | FORCEPS, HEMOSTATIC, CURVED (DANDY)[CUST: MD MS 03] | A | 6515 | / | MB | 12-JUL-89 |
| | A-A-53400/16 | FORCEPS, HEMOSTATIC, CURVED, MIXTER, 5-1/2 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 11-FEB-91 |
| | ASTM-F1026 | FORCEPS, HEMOSTATIC, GENERAL WORKMANSHIP AND PERFORMANCE MEASUREMENTS OF[CUST: MD MS 03] | A | 6515 | | MB | 26-SEP-86 |
| | A-A-53400/1 | FORCEPS, HEMOSTATIC, HALSTED[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53400/5A | FORCEPS, HEMOSTATIC, HARTMAN[CUST: MD MS 03] | A | 6515 | / | MB | 13-MAY-91 |
| | A-A-53400/3 | FORCEPS, HEMOSTATIC, KELLY[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53400/19 | FORCEPS, HEMOSTATIC, KOCHER, 5-1/2 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 20-MAR-92 |
| | A-A-53400/18 | FORCEPS, HEMOSTATIC, LEWIS, 7-1/2 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 17-JAN-92 |
| | A-A-53400/8 | FORCEPS, HEMOSTATIC, MIXTER[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53400/9 | FORCEPS, HEMOSTATIC, PEAN[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53400/21 | FORCEPS, HEMOSTATIC, PENNINGTON[CUST: MD MS 03] | A | 6515 | / | MB | 15-JAN-93 |
| | A-A-53400/11 | FORCEPS, HEMOSTATIC, PRATT[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53400/10 | FORCEPS, HEMOSTATIC, RANKIN[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53400/6 | FORCEPS, HEMOSTATIC, ROCHESTER-OCHSNER[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53400/2 | FORCEPS, HEMOSTATIC, ROCHESTER-PEAN[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53400/17 | FORCEPS, HEMOSTATIC, SCHNIDT, 7-1/4 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 28-FEB-92 |
| | ASTM-F921 | FORCEPS, HEMOSTATIC, STANDARD DEVIATION OF TERMS[CUST: MD MS 03] | A | 6515 | | MB | 05-JUN-85 |
| | A-A-54543 | FORCEPS, HYSTERECTOMY, HEANEY[CUST: MD MS 03] | A | 6515 | / | MB | 28-FEB-92 |
| | A-A-54802 | FORCEPS, HYSTERECTOMY, SLIGHTLY CURVED, PARAMETRIUM[CUST: MD MS 03] | A | 6515 | / | MB | 22-JAN-93 |
| | A-A-54414 | FORCEPS, INTESTINAL, (GLASSMAN)[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-91 |
| | A-A-54533 | FORCEPS, INTESTINAL, STRAIGHT, BABCOCK[CUST: MD MS 03] | A | 6515 | / | MB | 25-NOV-91 |
| | A-A-54639 | FORCEPS, IRIS, GRAEFE[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-92 |
| | A-A-53831 | FORCEPS, KIDNEY STONE REMOVING (RANDALL)[CUST: MD MS 03] | A | 6515 | / | MB | 10-MAR-89 |
| | A-A-54161 | FORCEPS, LARYNGEAL (JACKSON)[CUST: MD MS 03] | A | 6515 | / | MB | 06-JUN-90 |
| | A-A-54641 | FORCEPS, LUNG GRASPING, COLLIN, 8 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-92 |
| | A-A-51931A | FORCEPS, MAXILLARY DISIMPACTION, ROWE'S DESIGN[CUST: MD MS 03] | A | 6515 | / | MB | 18-DEC-92 |
| | A-A-53609 | FORCEPS, MICROSCOPE COVER GLASS[CUST: MD MS 03] | A | 6640 | / | MB | 11-AUG-88 |
| | A-A-53398 | FORCEPS, NASAL SEPTUM CUTTING, CUPPED BLADES[CUST: MD MS 03] | A | 6515 | / | MB | 03-MAR-88 |
| | A-A-53627 | FORCEPS, NASAL SEPTUM STRAIGHTENING (WALSHAM)[CUST: MD MS 03] | A | 6515 | / | MB | 09-AUG-88 |
| | A-A-54665 | FORCEPS, OBSTETRICAL, PIPER, 17-1/2 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 29-MAY-92 |
| | A-A-54668 | FORCEPS, OBSTETRICAL, SIMPSON[CUST: MD MS 03] | A | 6515 | / | MB | 29-MAY-92 |
| | A-A-53688 | FORCEPS, PINNING, ENTOMOLOGICAL SPECIMEN[CUST: MD MS 03] | A | 6640 | / | MB | 16-SEP-88 |
| | A-A-54230 | FORCEPS, RUBBER DAM CLAMP, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 13-AUG-90 |
| | A-A-53395 | FORCEPS, SLEEVE SPREADING (WATER)[CUST: MD MS 03] | A | 6515 | / | MB | 02-MAR-88 |
| | A-A-54907 | FORCEPS, SPLINTER[CUST: MD MS 03] | A | 6515 | / | MB | 30-AUG-93 |
| | A-A-54906 | FORCEPS, STERILIZER[CUST: MD MS 03] | A | 6515 | / | MB | 30-AUG-93 |
| | A-A-54860 | FORCEPS, SUTURE CLIP, APPLYING AND REMOVING, MICHEL[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-93 |
| | A-A-53372 | FORCEPS, SUTURE, TYING (TROUTMAN)[CUST: MD MS 03] | A | 6515 | * | MB | 05-FEB-88 |
| | A-A-53929 | FORCEPS, THORACIC, ANGULAR, MIXTER, SOFT JAW[CUST: MD MS 03] | A | 6515 | / | MB | 23-JUN-89 |
| | A-A-51942A | FORCEPS, THORACIC, CURVED, MIXTER[CUST: MD MS 03] | A | 6515 | / | MB | 06-JUN-89 |
| | A-A-53424 | FORCEPS, TISSUE (CUSHING,STRAIGHT[CUST: MD MS 03] | A | 6515 | / | MB | 22-MAR-88 |
| | A-A-54263 | FORCEPS, TISSUE (POTTS-SMITH, DELICATE)[CUST: MD MS 03] | A | 6515 | / | MB | 01-NOV-90 |
| | A-A-54130 | FORCEPS, TISSUE, (CUSHING)[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-90 |
| | A-A-54224 | FORCEPS, TISSUE, ADSON, 4-1/2 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUL-90 |
| | A-A-54240 | FORCEPS, TISSUE, ALLIS, STRAIGHT, 6 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 30-AUG-90 |
| | A-A-53859 | FORCEPS, TISSUE, BROWN AND BROWN-ADSON[CUST: MD MS 03] | A | 6515 | / | MB | 15-MAR-89 |
| | A-A-54682 | FORCEPS, TISSUE, DEBAKEY[CUST: MD MS 03] | A | 6515 | / | MB | 19-JUN-92 |
| | A-A-54784 | FORCEPS, TISSUE, JUDD-ALLIS, STRAIGHT[CUST: MD MS 03] | A | 6515 | / | MB | 04-JAN-93 |
| | A-A-54226 | FORCEPS, TISSUE, MAYO-RUSSIAN[CUST: MD MS 03] | A | 6515 | / | MB | 31-JUL-90 |
| | A-A-54225 | FORCEPS, TISSUE, RUSSIAN, 6 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 30-NOV-90 |
| | A-A-54805 | FORCEPS, TISSUE, TWEEZERS TYPE[CUST: MD MS 03] | A | 6515 | / | MB | 22-JAN-93 |
| | A-A-54512 | FORCEPS, TONSIL SEIZING, ALLIS-COAKLEY[CUST: MD MS 03] | A | 6515 | / | MB | 17-JAN-92 |
| | A-A-53825/15 | FORCEPS, TOOTH EXTRACTING (NO. 23)[CUST: MD MS 03] | A | 6520 | / | MB | 10-OCT-89 |
| | A-A-53825/11 | FORCEPS, TOOTH EXTRACTING NO. 150[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/10 | FORCEPS, TOOTH EXTRACTING NO. 65[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825 | FORCEPS, TOOTH EXTRACTING, DENTAL, GENERAL SPECIFICATION FOR[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/3 | FORCEPS, TOOTH EXTRACTING, NO. 13[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/4 | FORCEPS, TOOTH EXTRACTING, NO. 150-AS[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/13 | FORCEPS, TOOTH EXTRACTING, NO. 150S[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/12 | FORCEPS, TOOTH EXTRACTING, NO. 151[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/6 | FORCEPS, TOOTH EXTRACTING, NO. 151-AS[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/5 | FORCEPS, TOOTH EXTRACTING, NO. 17[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/7 | FORCEPS, TOOTH EXTRACTING, NO. 210-S[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-53825/16 | FORCEPS, TOOTH EXTRACTING, NO. 217[CUST: MD MS 03] | A | 6520 | / | MB | 28-JAN-91 |
| | A-A-53825/1 | FORCEPS, TOOTH EXTRACTING, NO. 22[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/2 | FORCEPS, TOOTH EXTRACTING, NO. 222[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/8 | FORCEPS, TOOTH EXTRACTING, NO. 53L[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/9 | FORCEPS, TOOTH EXTRACTING, NO. 53R[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/14 | FORCEPS, TOOTH EXTRACTING, NO.151S[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-89 |
| | A-A-54514 | FORCEPS, TOWEL, BACKHAUS[CUST: MD MS 03] | A | 6515 | / | MB | 25-NOV-91 |
| | A-A-54546 | FORCEPS, TOWEL, NONPERFORATING[CUST: MD MS 03] | A | 6515 | / | MB | 28-FEB-92 |
| | A-A-54882 | FORCEPS, TRACHEAL TUBE[CUST: MD MS 03] | A | 6515 | / | MB | 28-MAY-93 |
| | A-A-54221 | FORCEPS, UTERINE ELEVATING, SOMER[CUST: MD MS 03] | A | 6515 | / | MB | 28-SEP-90 |
| | A-A-54144 | FORCEPS, UTERINE PACKING, CURVED, BOZEMAN, 10 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-90 |
| | A-A-53046A | FORCEPS, UTILITY (STRAIGHT, SMALL)[CUST: MD MS 03] | A | 6515 | / | MB | 18-MAY-89 |
| | A-A-50765A | FORCEPS; SHEET HOLDER[CUST: AR SH 99] [REVIEW: GS] | A | 5120 | / | 84 | 07-OCT-96 |
| | STANAG-2805 ED.5 | FORDING AND FLOTATION REQUIREMENTS FOR COMBAT AND SUPPORT GROUND VEHICLES | C | ISDA | | AI | 07-OCT-97 |
| | QSTAG-592 | FORECAST MOVEMENT REQUIREMENTS, RAIL, ROAD AND INLAND WATERWAYS (ABCA 592)[CUST: AI] | C | ISDA | | AI | 21-DEC-79 |
| | QAP-167 ED.1 | FOREIGN MINES, IDENTIFICATION AND HANDLING PROCEDURES DATA BASE | C | ISDA | | AI | 30-SEP-98 |
| | AWPA-M6 | FOREST PRODUCTS, BRANDS USED ON[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 31-DEC-93 |
| | DOD-F-24669/3 | FORGINES AND FORGING STOCK, STEEL BARS AND BILLETS FOR NITRIDING (METRIC)[CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A | FORG | | SH | 07-JUL-86 |
| | DI-FORG-80412 | FORGING MANUFACTURING SKETCH [AMSC: N4183] | A | FORG | | SH | 11-AUG-87 |
| | SAE-AMS-F-7190 | FORGING, STEEL, FOR AIRCRAFT/AEROSPACE EQUIPMENT AND SPECIAL ORDNANCE APPLICATIONS[CUST: AR AS 11] [REVIEW: MR OS] | A | FORG | | AS | JAN-99 |
| | DOD-F-24669/1 | FORGINGS AND FORGING STOCK, STEEL (CARBON AND ALLOY) BLOOMS, BARS,BILLETS AND SLABS (METRIC)[CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A | FORG | | SH | 07-JUL-86 |
| | DOD-F-24669/2(1) | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS - CHROMIUM-MOLYBDENUM ALLOY (METRIC)[CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A | FORG | | SH | 02-OCT-87 |
| | DOD-F-24669/6 | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS, CORROSION RESISTING; FOR REFORGING (METRIC)[CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A | FORG | | SH | 07-JUL-86 |
| | DOD-F-24669/7 | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS, CORROSION RESISTING; NAVAL STEAM TURBINE PARTS USE (METRIC)[CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A | FORG | | SH | 07-JUL-86 |
| | DOD-F-24669 SUP 1 | FORGINGS AND FORGING STOCK, STEEL BARS, BILLETS AND BLOOMS, GENERAL SPECIFICATION FOR (METRIC)[CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A | FORG | | SH | 07-JUL-86 |
| | ASTM-A266/A266M | FORGINGS, CARBON STEEL, FOR PRESSURE VESSEL COMPONENTS[CUST: YD 99] [REVIEW: SH] | A | FORG | | YD | 12-SEP-89 |
| | ASTM-B564 | FORGINGS, NICKEL ALLOY[CUST: MR YD] [REVIEW: SH] | A | FORG | | YD | 15-AUG-94 |
| | SAE-AMS4983 | FORGINGS, TITANIUM ALLOY, 10V - 2FE - 3AL CONSUMABLE ELECTRODE MELTED, SINGLE-STEP SOLUTION HEAT TREATED AND AGED 180 KSI (1241 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99] | A | FORG | | 11 | 16-FEB-95 |
| | SAE-AMS4984 | FORGINGS, TITANIUM ALLOY, 10V - 2FE - 3AL CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED AND AGED 173 KSI (1193 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99] | A | FORG | | 11 | 22-MAY-95 |
| | A-A-3109A | FORK, KNIFE, AND SPOON, PICNIC (PLASTIC)[CUST: GL SA 35 SS] [REVIEW: 84 99 CG MC MD MS QM1] | A | 7340 | / | SS | 15-JUN-05 |
| | DI-MISC-81346 | FORMAL SECURITY POLICY MODEL [AMSC: G6936] | A | MISC | | NS | 02-JUL-93 |
| | DI-MISC-81347 | FORMAL TOP LEVEL SPECIFICATION [AMSC: G6937] | A | MISC | | NS | 02-JUL-93 |
| | STANAG-4103 ED.4 | FORMAT OF REQUESTS FOR METEOROLOGICAL MESSAGES FOR BALLISTIC AND SPECIAL PURPOSES | C | ISDN | | NI | 28-MAY-01 |
| | STANAG-2014 ED.9 | FORMATS FOR ORDERS AND DESIGNATION OF TIMINGS, LOCATIONS AND BOUNDRIES | C | ISDA | | AI | 17-OCT-00 |
| | ADV-PUB-44/51(1) | FORMATS FOR REQUESTING AND ANSWERING REQUESTS FOR AIR TRANSPORT | C | ISDF | | 06 | 01-FEB-83 |
| | A-A-51562 | FORMER SET, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 28-JUL-86 |
| | A-A-51172A | FORMING MACHINE, SHEET METAL, ROTARY, MANUALLY OPERATED, BENCH MOUNTED COMBINATION TYPE[CUST: AR 99] [REVIEW: 84] | A | 3441 | / | GS6 | 26-JAN-00 |
| | A-A-50962A NOT 1 | FORMING MACHINE, SHEET METAL, SLIP ROLL, HAND OPERATED AND ELECTRICAL MOTOR DRIVEN[CUST: AR 99] [REVIEW: 84] | A | 3441 | / | GS6 | 23-JAN-04 |
| | MS603B | FORMULA FOR FUZE THREAD LUTING (FOR SPECIAL AMMUNITION USE)[CUST: AR OS 99] [REVIEW: 70] | A | 1390 | | OS | 13-NOV-91 |
| | A-A-20172B | FORMULA, INFANT | A | 8940 | # | FV | 14-MAY-02 |
| | QSTAG-306 | FORTIFICATION FOR PARKED AIRCRAFT (ABCA-306)[CUST: AI] | C | ISDA | | AI | 14-JUN-78 |
| | DI-SAFT-81129 | FORTY (40) FOOT DROP TEST DATA [AMSC: N6029] | A | SAFT | | OS | 08-MAR-91 |
| | STANAG-2946 ED.1(4) | FORWARD AREA REFUELLING EQUIPMENT | C | ISDA | | AI | 19-JUL-83 |
| | MIL-F-53043(2) | FORWARD AREA WATER POINT SUPPLY SYSTEM[CUST: AT] | A | 4320 | | AT | 25-AUG-94 |
| | DFI792 | FOUNDATION, PILE, INSPECTORS MANUAL FOR[CUST: CR4 YD] [REVIEW: CE] | A | FACR | | YD | 24-JUL-86 |
| | A-A-50757 | FOUR CHANNEL RECORDER[CUST: EC 99] [REVIEW: CC CR] | A | 6625 | / | 84 | 01-OCT-86 |
| | ITOP-1.1.057 | FR/GE/UK/US INTERNATIONAL TEST OPERATIONS PROCEDURE (ITOP) 1-1-057 SAFETY CRITICAL SOFTWARE ANALYSIS AND TESTING | D | ISDA | | TE | 04-JUN-99 |
| | ITOP-1.2.601(1) | FR/GE/UK/US INTERNATIONAL TEST OPERATIONS PROCEDURE (ITOP) 1-2-601 LABORATORY VIBRATION SCHEDULES | D | ISDA | | TE | 25-JAN-99 |
| | MIL-HDBK-790(2) | FRACTOGRAPHY AND CHARACTERIZATION OF FRACTURE ORIGINS IN ADVANCED STRUCTURAL CERAMICS[CUST: MR AS 99] [REVIEW: 11 84 AT CR CR4 EA GS MI OS SH YD] | A | 9350 | | MR | 18-MAR-93 |
| | DI-SAFT-81133 | FRAGMENT IMPACT TEST DATA [AMSC: N6033] | A | SAFT | | OS | 08-MAR-91 |
| | ITOP-2.2.722 | FRAGMENT PENETRATION TESTS OF ARMOR | D | ISDA | | TE | 20-NOV-02 |
| | MIL-F-44425 | FRAME SECTION, TENT, FIVE SOLDIER CREW[CUST: GL CT] | A | 8340 | | CT | 31-JUL-91 |
| | MIL-F-44251A | FRAME SECTIONS, TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER)[CUST: GL NU 99 CT] [REVIEW: 11 YD] | A | 8340 | | CT | 20-FEB-90 |
| | MIL-DTL-43695C | FRAME SECTIONS, TENT, FRAME TYPE, EXPANDABLE[CUST: GL 99 CT] [REVIEW: 11] | A | 8340 | | CT | 23-JUN-00 |
| | MIL-F-40132G | FRAME SECTIONS, TENT, MAINTENANCE, MEDIUM, LIGHT METAL[CUST: GL 99 CT] [REVIEW: MD] | A | 8340 | | CT | 30-SEP-85 |
| | MIL-F-20268G | FRAME, CAP, MAN'S[CUST: CT] | A | 8405 | | CT | 26-OCT-89 |
| | MIL-F-36240A NOT 1 | FRAME, CLOTH BASKET[CUST: MD MS 03] [REVIEW: GL] | A | 7240 | | MB | 15-JUN-89 |
| | RR-F-00625A | FRAME, FILE DRAWER | A | 7520 | # | FSS | 15-JUN-65 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51332 | FRAME, OPHTHALMIC TRIAL LENS SET[CUST: MD MS 03] | A | 6540 | | MB | 28-FEB-86 |
| | MIL-F-17619E(1) | FRAME, SERVICE CAP (MAN S)[CUST: NU CT] [REVIEW: CG] | A | 8405 | | CT | 02-OCT-87 |
| | MIL-F-37950B | FRAME, SPECTACLE, AVIATOR, METAL WIRE[CUST: MD MS 03] | A | 6540 | | MB | 15-JAN-93 |
| | MIL-F-37618B | FRAME, SPECTACLE, GOLD PLATED, BAYONET TEMPLES[CUST: MD MS 03] | A | 6540 | | MB | 15-JUN-90 |
| | MIL-F-44397(1) | FRAME, TENT, (SICPS)[CUST: GL CT] | A | 8340 | | CT | 05-APR-90 |
| | A-A-60005 NOT 1 | FRAMES, COVERS, GRATINGS, STEPS, SUMP AND CATCH BASIN, MANHOLE[CUST: CE YD 99] [REVIEW: 84 MC] | A | 5680 | / | IS | 13-FEB-03 |
| | SDI105 | FRAMES, STEEL, RECOMMENDED ERECTION INSTRUCTIONS FOR[CUST: YD] [REVIEW: 84] | A | 5670 | | IS | 06-JUL-89 |
| | A-A-20341 | FRANKFURTERS (HOT DOGS), FULLY COOKED, FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8905 | * | GL | 20-MAR-02 |
| | AIR-STD-45/22 | FRATRICIDE REDUCTION MEASURES | C | ISDF | | 06 | 02-AUG-01 |
| | NSF6 | FREEZER, DISPENSING[CUST: GL 99] [REVIEW: 84 GS MD] | A | 4110 | | GL | 19-FEB-85 |
| | A-A-54935 | FREEZER, LABORATORY (115/230 VOLT)[CUST: MD MS 03] | A | 4110 | / | MB | 24-DEC-93 |
| | A-A-54525 | FREEZER, MECHANICAL, BLOOD PRODUCTS[CUST: MD MS 03] | A | 4110 | / | MB | 23-NOV-91 |
| | A-A-54187A | FREEZER, MECHANICAL, BLOOD PRODUCTS[CUST: MD MS 03] | A | 4110 | / | MB | 23-NOV-91 |
| | A-A-55711 | FREEZER, UNDER COUNTER, BLOOD PLASMA[CUST: MD MS 03] | A | 4110 | / | MB | 16-AUG-96 |
| | ASTM-F1604 | FREEZERS, ICE CREAM, SOFT SERVE, SHAKE[CUST: GL SA SS] [REVIEW: CG SH] | A | 4110 | | SS | 22-JAN-01 |
| | ISO830 | FREIGHT CONTAINERS - VOCABULARY[CUST: CR4 OS 99] | A | 8145 | | CR4 | 15-APR-88 |
| | A-A-20278 | FRENCH BREAD PIZZA, PREPARED, FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8940 | * | GL | 21-SEP-01 |
| | DI-MISC-81174 | FREQUENCY ALLOCATION DATA [AMSC: N6089] | A | MISC | | AS | 28-MAR-91 |
| | MIL-F-24638 NOT 1 | FREQUENCY CHANGER, SOLID STATE, AIR COOLED (NAVAL SHIPBOARD)[CUST: SH] [REVIEW: GS] | A | 6130 | | SH | 21-DEC-89 |
| | EIA-TIA455.30 | FREQUENCY DOMAIN MEASUREMENT OF MULTIMODE OPTICAL FIBER INFORMATION TRANSMISSION CAPACITY[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC MC SH TE] | A | 60GP | | CR | 09-NOV-92 |
| | QSTAG-1131 ED.1 | FREQUENCY MANAGEMENT[CUST: AI] | C | ISDA | | AI | 08-DEC-98 |
| | DI-MGMT-80160A | FREQUENCY MANAGEMENT REPORTS [AMSC: F6011] | A | MGMT | | 33 | 20-DEC-90 |
| | A-A-58034 | FREQUENCY STANDARD, CESIUM[CUST: 99] [REVIEW: AS CC CR] | A | 6625 | / | 84 | 17-OCT-94 |
| | A-A-50798 | FREQUENCY STANDARD, OSCILLATOR (5MHZ, 1MHZ & 100KHZ)[CUST: 99] | A | 6625 | / | 84 | 30-APR-82 |
| | SAE-J380 | FRICTION MATERIAL, SPECIFIC GRAVITY OF[CUST: AT 99] [REVIEW: YD] | A | 2530 | | AT | 04-APR-90 |
| | SAE-J160 | FRICTION MATERIALS, DIMENSIONAL STABILITY OF, WHEN EXPOSED TO ELEVATED TEMPERATURES[CUST: AT 99] [REVIEW: YD] | A | 2530 | | AT | 30-SEP-81 |
| | MIL-STD-206B(2) NOT 1 | FRICTION TORQUE TESTING FOR BEARINGS, BALL, ANNULAR (INSTRUMENT TYPE)[Military Standard][CUST: AT AS 99] [REVIEW: GS IS] | A | 3110 | | AS | 26-JUL-93 |
| | QSTAG-189 ED.3 | FRIENDLY NUCLEAR STRIKE[CUST: AI] | C | ISDA | | AI | 12-AUG-91 |
| | STANAG-2104 ED.9 | FRIENDLY NUCLEAR STRIKE WARNING (STRIKWARN) | C | ISDA | | AI | 20-MAY-03 |
| | MIL-F-2310D NOT 3 | FRINGE, ORNAMENTAL, RAYON[CUST: GL NU 99 CT] [REVIEW: MC] | A | 8315 | | CT | 27-MAR-01 |
| | A-A-20212 | FRUIT BARS | A | 8920 | # | FSS | 07-SEP-95 |
| A | A-A-20348 | FRUIT BUTTERS[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8930 | / | SS | 01-NOV-05 |
| | A-A-20319 | FRUIT CUPS, SHELF STABLE[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | GL | 12-DEC-01 |
| | A-A-20252A | FRUIT PUREES[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | FV | 05-JUN-00 |
| | A-A-20320 | FRUIT SNACKS[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8915 | * | SS | 20-SEP-01 |
| | A-A-20146 | FRUITCAKE, FRESH | A | 8920 | # | FSS | 05-SEP-86 |
| | A-A-20299A | FRUITS, OSMOTICALLY DRIED[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8915 | / | SS | 10-JUL-00 |
| | A-A-50180A | FRYERS, DEEP FAT, ELECTRIC[CUST: GL YD 99 SS] [REVIEW: 50 84 MC MD SA] | A | 7310 | * | SS | 15-MAR-90 |
| | S-F-695G(1) | FRYERS, DEEP-FAT (ELECTRIC)[CUST: SA 99] [REVIEW: GS MC SH YD] | A | 7310 | / | SA | 15-DEC-83 |
| | SAE-J30 | FUEL AND OIL HOSES[CUST: CR4 SH 99] | A | 4720 | | CR4 | OCT-94 |
| | SAE-AS18802 | FUEL AND OIL LINES, AIRCRAFT, INSTALLATION OF[CUST: AV AS] [REVIEW: GS] | A | 2915 | | AS | JAN-98 |
| | DI-MISC-81461 | FUEL CHIT REPORT [AMSC: N7115] | A | MISC | | SA | 27-JAN-95 |
| | STANAG-2115 ED.4(3) | FUEL CONSUMPTION UNIT | C | ISDA | | AI | 01-JAN-87 |
| | MIL-PRF-62439A | FUEL CONTROL, MAIN, ELECTROHYDRAULIC[CUST: AT] | A | 2910 | | AT | 23-JAN-97 |
| | SAE-J1082 | FUEL ECONOMY, MEASUREMENT ROAD TEST PROCEDURE[CUST: AT YD 99] | A | 23GP | | 84 | JUN-95 |
| | ASTM-D5798 | FUEL ETHANOL (ED75-ED85) FOR AUTOMOTIVE SPARK-IGNITION ENGINES[CUST: AT SA 68] [REVIEW: 11 AS MI] | A | 9130 | | PS | 01-APR-05 |
| | ASME-B31.2 | FUEL GAS PIPING[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | MIL-PRF-85899A | FUEL GELLING MIXTURE[CUST: AS] | A | 1325 | | AS | 10-JUL-98 |
| | MIL-PRF-24951B | FUEL OIL RECLAIMED[CUST: SA] [REVIEW: CG MC PS YD] | A | 9140 | | SA | 10-FEB-95 |
| | A-A-52557A | FUEL OIL, DIESEL; FOR POSTS, CAMPS AND STATIONS[CUST: AT SH 68] [REVIEW: 03 11 AR EC MC MI PS SA] | A | 9140 | / | AT | 16-JAN-01 |
| | ASTM-D396 | FUEL OILS[CUST: AT] | A | 9140 | | AT | 15-OCT-92 |
| | A-A-59574 | FUEL OXIDATION TESTER, ASTM D3241[CUST: 99] | A | 6630 | / | 84 | 21-APR-04 |
| | MIL-F-87246(2) | FUEL SERVICING SYSTEMS, AIRCRAFT GROUND, MOBILE (CONTROLLED DISTRIBUTION)[CUST: 11] | D | 4930 | | 11 | 28-JAN-93 |
| | A-A-59359 | FUEL SPILL CONTROL KIT[CUST: AT YD] [REVIEW: CC] | A | 3835 | / | AT | 01-FEB-99 |
| | ASTM-D5304 | FUEL STORAGE STABILITY BY OXYGEN OVERPRESSURE, ASSESSING MIDDLE DISTILLATE[CUST: PS] | A | 91GP | | PS | 20-AUG-92 |
| | MIL-F-8615D(2) | FUEL SYSTEM COMPONENTS, GENERAL SPECIFICATION FOR (ASG)[CUST: AV AS] [REVIEW: 71 99 GS] | A | 2915 | | AS | 03-SEP-86 |
| | SAE-ARP868 | FUEL SYSTEM COMPONENTS, PRESSURE DROP TESTS FOR, - METHOD[CUST: AS 99] [REVIEW: AV CC] | A | 4810 | | 84 | 14-JUL-83 |
| | ASTM-D5006 | FUEL SYSTEM ICING INHIBITORS (ETHER TYPE) IN AVIATION FUELS, MEASUREMENT OF[CUST: CR4 AS 11] | A | 9130 | | 11 | 03-OCT-94 |
| A | AFGS-87154A NOT 2 | FUEL SYSTEMS GENERAL DESIGN SPECIFICATION FOR[CUST: 11] | D | 2915 | | 11 | 24-OCT-05 |
| | MIL-F-17874B(1) | FUEL SYSTEMS, AIRCRAFT, INSTALLATION AND TEST OF[CUST: AS] [REVIEW: AV GS MI] | A | 2915 | | AS | 12-AUG-85 |
| | SAE-AIR4069 | FUEL TANKS, SEALING INTEGRAL[CUST: MR AS 11] | A | 8030 | | 68 | 01-OCT-90 |
| | ASTM-D4814 | FUEL, AUTOMOTIVE SPARK-IGNITION ENGINE[CUST: AT YD 68] | A | 9130 | | AT | 15-FEB-94 |
| | ASTM-D3242 | FUEL, AVIATION TURBINE, ACIDITY IN[CUST: PS] | A | 91GP | | PS | 15-DEC-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D2276 | FUEL, AVIATION, BY LINE SAMPLING, PARTICULATE CONTAMINANT IN[CUST: AT SH 11] | A | 91GP | | AT | 10-DEC-99 |
| | ASTM-D613 | FUEL, DIESEL, OIL, CETANE NUMBER, STANDARD TEST METHOD FOR[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 20-JUN-68 |
| | MIL-DTL-46162E | FUEL, DIESEL, REFEREE GRADE[CUST: AT SA 99] [REVIEW: CE FSS GL PS TE] | A | 9140 | | AT | 08-NOV-02 |
| | MIL-PRF-16884K | FUEL, NAVAL DISTILLATE[CUST: CR4 SH 68] [REVIEW: CG GS MC PS SA YD] | A | 9140 | | SH | 14-NOV-02 |
| | SAE-J1024 | FUEL-FIRED HEATERS-AIR HEATING-FOR CONSTRUCTION AND INDUSTRIAL MACHINERY[CUST: CR4 MC 99] | A | 8115 | | MC | DEC-89 |
| | ASTM-D4952 | FUELS AND SOLVENTS (DOCTOR TEST), ACTIVE SULFUR SPECIES IN, QUALITATIVE ANALYSIS FOR[CUST: CR4 AS 11] | A | 91GP | | 11 | 03-OCT-94 |
| | ASTM-D381 | FUELS BY JET EVAPORATION, GUM CONTENT IN[CUST: AT SH 11] [REVIEW: OS] | A | 91GP | | AT | 31-OCT-86 |
| | STANAG-4362 ED.1(2) | FUELS FOR FUTURE GROUND EQUIPMENTS USING COMPRESSION IGNITION OR TURBINE ENGINES | C | ISDA | | AI | 10-FEB-98 |
| | STANAG-7036 ED.3 | FUELS TO BE INTRODUCED INTO AND DELIVERED BY THE NATO PIPELINE SYSTEM (NPS) | C | ISDF | | 06 | 18-OCT-00 |
| | ASTM-D873 | FUELS, AVIATION (POTENTIAL RESIDUE METHOD), OXIDATION STABILITY OF[CUST: AT SH 11] [REVIEW: OS] | A | 91GP | | AT | 31-OCT-88 |
| | ASTM-D2624 | FUELS, AVIATION AND DISTILLATE, ELECTRICAL CONDUCTIVITY OF[CUST: CR4 AS 11] | A | 9130 | | 11 | 16-APR-01 |
| | ASTM-D3948 | FUELS, AVIATION TURBINE, BY PORTABLE SEPAROMETER, DETERMINING WATER SEPARATION CHARACTERISTICS OF, STANDARD TEST METHOD FOR[CUST: AT] | A | 9130 | | AT | MAR-93 |
| | ASTM-D1740 | FUELS, AVIATION TURBINE, LUMINOMETER NUMBERS OF[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 15-MAR-91 |
| | ASTM-D3240 | FUELS, AVIATION TURBINE, UNDISSOLVED WATER IN[CUST: AT] | A | 9130 | | AT | 15-MAY-91 |
| | ASTM-D3343 | FUELS, AVIATION, ESTIMATION OF HYDROGEN CONTENT OF[CUST: PS] | A | 91GP | | PS | 15-AUG-95 |
| | ASTM-D2386 | FUELS, AVIATION, FREEZING POINT OF[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 20-JUN-68 |
| | ASTM-D909 | FUELS, AVIATION, KNOCK CHARACTERISTICS OF, BY THE SUPERCHARGE METHOD[CUST: AT SH 11] | A | 91GP | | AT | 20-JUN-68 |
| A | ASTM-D5452 | FUELS, AVIATION, PARTICULATE CONTAMINATION IN, BY LABORATORY FILTRATION[CUST: AT AS 68] [REVIEW: CR4 PS] | A | 9130 | | 68 | 28-SEP-95 |
| | ASTM-D976 | FUELS, DISTILLATE, CALCULATED CETANE INDEX OF[CUST: CR4 SH 11] | A | 91GP | | 11 | 03-OCT-94 |
| | ASTM-D4176 | FUELS, DISTILLATE, FREE WATER AND PARTICULATE CONTAMINATION IN (VISUAL INSPECTION PROCEDURES)[CUST: CR4 AS 11] | A | 91GP | | CR4 | 03-OCT-94 |
| | ASTM-D2069 | FUELS, MARINE[CUST: PS] | A | 9140 | | PS | 15-MAY-91 |
| | MIL-HDBK-114A NOT 1 | FUELS, MOBILITY, USER HANDBOOK[CUST: AT 68] [REVIEW: AR AS AV MC YD] | A | 91GP | | AT | 12-APR-04 |
| | ASTM-D2885 | FUELS, SPARK-IGNITION ENGINE, BY ON-LINE DIRECT COMPARISON TECHNIQUE, DETERMINATION OF OCTANE NUMBER OF[CUST: PS] | A | 91GP | | PS | 24-JAN-92 |
| | STANAG-7044 ED.1 | FUNCTIONAL ASPECTS OF MISSION PLANNING STATION INTERFACE DESIGN | C | ISDF | | 06 | 28-JAN-99 |
| | DI-FNCL-81566A | FUNCTIONAL COST-HOUR REPORT AND PROGRESS CURVE REPORT (DD FORM 1921-1) [AMSC: D7516] | A | FNCL | | SO | 31-OCT-03 |
| | DI-GDRQ-81224 | FUNCTIONAL FLOW DIAGRAM [AMSC: A6659] | A | SESS | | AM | 26-JUN-91 |
| | STANAG-7056 ED.1(2) | FUNCTIONAL REQUIREMENTS FOR PHYSIOLOGICAL PROTECTION DURING HIGH ALTITUTE PARACHUTING OPERATIONS | C | ISDF | | 06 | 20-OCT-97 |
| | STANAG-3198 ED.4(4) | FUNCTIONAL REQUIREMENTS OF AIRCRAFT OXYGEN EQUIPMENT AND PRESSURE SUITS | C | ISDF | | 06 | 30-DEC-91 |
| | DI-FNCL-81537 | FUNDS & LABOR HOUR EXPENDITURE REPORT [AMSC: D7248] | A | FNCL | | MP | 13-MAR-97 |
| | DI-FNCL-80331 | FUNDS AND MAN-HOUR EXPEDITURE REPORT [AMSC: G4079] | A | FNCL | | NS | 27-FEB-87 |
| | DI-FNCL-80428 | FUNDS UPDATE REPORT [AMSC: F4201] | A | FNCL | | 33 | 02-SEP-87 |
| | TT-W-572B(2) | FUNGICIDE: PENTACHLOROPHENOL | A | 6840 | # | FSS | 04-JUN-90 |
| | IPC-TM650.2.6.1 | FUNGUS RESISTANCE PRINTED WIRING MATERIALS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | A-A-53819 | FUNNEL (ENTOMOLOGICAL)[CUST: MD MS 03] | A | 6640 | / | MB | 06-FEB-89 |
| | A-A-54705 | FUNNEL, COMMON, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 20-JUL-92 |
| | A-A-51212 | FUNNEL, COMMON, LABORATORY (RIBBED, POLYPROPYLENE)[CUST: MD MS 03] | A | 6640 | / | MB | 05-DEC-85 |
| | A-A-54279 | FUNNEL, COMMON, LABORATORY (SMOOTH)[CUST: MD MS 03] | A | 6640 | / | MB | 31-OCT-90 |
| | A-A-59729 | FURCATION UNITS, TUBE, BLOWN OPTICAL FIBER[CUST: CR SH 11] [REVIEW: 19 93 99 DI] | A | 6099 | / | SH | 26-JUN-02 |
| | AWS-C3.6 | FURNACE BRAZING[CUST: MR AS 11] | A | THJM | | MR | 31-JUL-90 |
| | ABCA-STD-18B | FURNACE LINING MATERIAL FOR MARINE BOILERS 011081 | C | ISDN | | SH | 01-OCT-81 |
| | A-A-53468 | FURNACE, DENTAL LABORATORY, ELECTRIC[CUST: MD MS 03] | A | 6520 | / | MB | 25-MAY-90 |
| | A-A-59463 | FURNACE, HEAT TREATING, ELECTRIC CONTROLLED ATMOSPHERE, HORIZONTAL BOX DESIGN[CUST: AR SH 99 GS6] [REVIEW: 84 AV MC OS] | A | 3424 | / | GS6 | 17-APR-00 |
| | NFPA86D | FURNACE, INDUSTRIAL, USING VACUUM AS AN ATMOSPHERE[CUST: GL SH 99] [REVIEW: AR] | A | 35GP | | GL | 26-NOV-79 |
| | A-A-59375 | FURNACES, HEAT-TREATING, ELECTRIC, NATURAL ATMOSPHERE, BOX TYPE[CUST: AR AS 99] [REVIEW: 84 AV CR SM] | A | 3424 | / | GS6 | 27-JUN-00 |
| | NFPA86 | FURNACES, OVENS, STANDARD FOR[CUST: YD] [REVIEW: 84 CE MC] | A | 4430 | | IS | 29-JUN-89 |
| | WW-F-2743A NOT 1 | FURNACES, WARM AIR AND HEATERS, UNIT, FORCED AIR CIRCULATION, OIL - AND GAS FIRED[CUST: YD 99] [REVIEW: 84 CC] | A | 4520 | / | IS | 19-MAR-03 |
| | MIL-DTL-24646/18A | FUSE BOXES, BRANCH JUNCTION, SUBMERSIBLE, (15 FEET), 125 VOLTS, TWO CONDUCTORS, 0-30 AMPERE MIDGET FUSES SYMBOLS 671.1[CUST: SH CC] | A | 5920 | | CC | 17-MAY-02 |
| | MIL-DTL-24646/7A | FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 125 VOLTS, ALTERNATING CURRENT, SINGLE PHASE BUSES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 635.1, 653.1 AND 654.1[CUST: SH CC] | A | 5920 | | CC | 17-MAY-02 |
| | MIL-DTL-24646/8A | FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE, (15 FEET), 125 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES SYMBOLS 646.1 AND 647.1[CUST: SH CC] | A | 5920 | | CC | 17-MAY-02 |
| | MIL-DTL-24646/9A | FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE, (15 FEET), 250 VOLTS, ALTERNATING CURRENT, SINGLE PHASE BUSES, 0-30 AMPERE FUSES, SYMBOLS 555.1, 556.1, 557.1, 558.1, AND 559.1[CUST: SH CC] | A | 5920 | | CC | 17-MAY-02 |
| | MIL-DTL-24646/10A | FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE, (15 FEET), 250 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AMPERE FUSES, SYMBOLS 560.1, 561.1, 562.1, AND 563.1[CUST: SH CC] | A | 5920 | | CC | 17-MAY-02 |
| | MIL-DTL-24646/1A | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 600, 601, 612, 612.1, 613, 613.1 AND 614[CUST: SH CC] | A | 5920 | | CC | 17-MAY-02 |
| | MIL-DTL-24646/2A | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 609, 610 AND 611[CUST: SH CC] | A | 5920 | | CC | 17-MAY-02 |
| | MIL-DTL-24646/3A | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0-30 AMPERE FUSES, SYMBOLS 540, 541 AND 542[CUST: SH CC] | A | 5920 | | CC | 17-MAY-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-24646/4A(1) | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 450 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 543, 544, 545, 546 AND 547[CUST: SH CC] | A | 5920 | | CC | 13-AUG-02 |
| | MIL-DTL-24646/6A | FUSE BOXES, FEEDER DISTRIBUTION, WITH SWITCHES, TOTALLY ENCLOSED, 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE AND DOUBLE FEEDER, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES AND SNAP SWITCHES, SYMBOLS 602, 603, 604, 605, 606, 615, 616, 617, 618[CUST: SH CC] [REVIEW: GS] | A | 6110 | | CC | 17-MAY-02 |
| | MIL-DTL-24646/11A | FUSE BOXES, FEEDER DISTRIBUTION, WITH SWITCHES, WATERTIGHT (3 FEET), 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE AND DOUBLE FEEDERS, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, AND SNAP SWITCHES, SYMBOLS 645, 645.1, 649.1 AND 650.1[CUST: SH CC] [REVIEW: GS] | A | 6110 | | CC | 17-MAY-02 |
| | MIL-DTL-24646/15A | FUSE BOXES, FEEDER JUNCTION, SUBMERSIBLE, (15 FEET), 250 VOLTS, ALTERNATING CURRENT, FEED THROUGH TWIN CONDUCTORS, SINGLE AND THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 685.1, 686.1, 691.1, AND 692.1[CUST: SH CC] | A | 5920 | | CC | 17-MAY-02 |
| | MIL-DTL-24646/17A | FUSE BOXES, FEEDER JUNCTION, SUBMERSIBLE, (15 FEET), 500 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, 0-30 AMPERE FUSES SYMBOLS 693.1[CUST: SH CC] | A | 5920 | | CC | 17-MAY-02 |
| | MIL-DTL-24646/14A | FUSE BOXES, FEEDER JUNCTION, TOTALLY ENCLOSED, 250 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 680 AND 681.1[CUST: SH CC] | A | 5920 | | CC | 17-MAY-02 |
| | MIL-DTL-24646A SUP 1 | FUSE BOXES, GENERAL SPECIFICATION FOR[CUST: SH CC] | A | 5920 | | CC | 20-MAR-01 |
| | A-A-59306 | FUSE CARTRIDGE CLASS T GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 17-JUL-03 |
| | A-A-59306/1 | FUSE CARTRIDGE, CLASS T, 300 VOLTS AC, FAST ACTING[CUST: EC CC] | A | 5920 | / | CC | 17-JUL-03 |
| | A-A-59306/2 | FUSE CARTRIDGE, CLASS T, 600 VOLTS AC, FAST ACTING[CUST: EC CC] | A | 5920 | / | CC | 17-JUL-03 |
| | A-A-59704 | FUSE CARTRIDGE, DUAL-ELEMENT, TIME-DELAY, CLASS RK1 600 VOLTS (V), BLOWN FUSE INDICATION[CUST: EC] | A | 5920 | / | CC | 05-NOV-01 |
| | A-A-59705/1 | FUSE CARTRIDGE, DUAL-ELEMENT, TIME-DELAY, CLASS RK5, 250 VOLTS (V), BLOWN FUSE INDICATION[CUST: EC CC] | A | 5920 | / | CC | 01-NOV-01 |
| | A-A-59705/2 | FUSE CARTRIDGE, DUAL-ELEMENT, TIME-DELAY, CLASS RK5, 600 VOLTS (V), BLOWN FUSE INDICATION[CUST: EC CC] | A | 5920 | / | CC | 01-NOV-01 |
| | A-A-59705 | FUSE CARTRIDGE, LOW-VOLTAGE, CLASS RK5, BLOWN FUSE INDICATION, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 01-NOV-01 |
| | A-A-55492B | FUSE CARTRIDGE, SEMICONDUCTOR TYPE, 130 VOLTS[CUST: EC CC] | A | 5920 | / | CC | 18-MAY-01 |
| | A-A-55493B | FUSE CARTRIDGE, SEMICONDUCTOR TYPE, 150 VOLTS[CUST: EC CC] | A | 5920 | / | CC | 18-MAY-01 |
| | A-A-55494B | FUSE CARTRIDGE, SEMICONDUCTOR TYPE, 250 VOLTS[CUST: EC CC] | A | 5920 | / | CC | 18-MAY-01 |
| | A-A-55495B | FUSE CARTRIDGE, SEMICONDUCTOR TYPE, 500 VOLTS[CUST: EC CC] | A | 5920 | / | CC | 18-MAY-01 |
| | A-A-55496B | FUSE CARTRIDGE, SEMICONDUCTOR TYPE, 700 VOLTS[CUST: EC CC] | A | 5920 | / | CC | 18-MAY-01 |
| | A-A-59703 | FUSE CARTRIDGE, TIME-DELAY, CLASS J, 600 VOLTS (V), BLOWN FUSE INDICATION[CUST: EC CC] | A | 5920 | / | CC | 26-OCT-01 |
| | A-A-59705/3 | FUSE CARTRIDGE, TIME-DELAY, CLASS RK5, 600 VOLTS (V), BLOWN FUSE INDICATION[CUST: EC CC] | A | 5920 | / | CC | 01-NOV-01 |
| | SAE-AS53731 | FUSE HOLDER, BLOCK TYPE, AIRCRAFT[CUST: AS 11] | A | 5920 | | AS | APR-99 |
| | SAE-AS24001 | FUSE HOLDER, BLOCK-TYPE, 1-, 2-, 3-POLE, 35- TO 60-AMPERE, AIRCRAFT[CUST: AS 11] | A | 5920 | | AS | JUL-99 |
| | SAE-AS24000 | FUSE HOLDER, BLOCK-TYPE, 1-, 2-, AND 3-POLE, 1- TO 30-AMPERE, AIRCRAFT[CUST: AS 11] | A | 5920 | | AS | JUL-99 |
| | A-A-55497C | FUSE LINK, ELECTRICAL, TYPE K (FAST)[CUST: EC CC] | A | 5920 | / | CC | 07-MAR-03 |
| | A-A-55498C | FUSE LINK, ELECTRICAL, TYPE T (SLOW)[CUST: EC CC] | A | 5920 | / | CC | 07-MAR-03 |
| | W-F-1814/3B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 480 VOLTS, 21-30 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS] | A | 5920 | / | CC | 24-JUN-04 |
| | W-F-1814/4B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 480 VOLTS, 31-60 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS] | A | 5920 | / | CC | 24-JUN-04 |
| | W-F-1814/1B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 600 VOLTS, 0-15 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS] | A | 5920 | / | CC | 25-JUN-04 |
| | W-F-1814/2B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 600 VOLTS, 16-20 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS] | A | 5920 | / | CC | 25-JUN-04 |
| | W-F-1814/8B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 101-200 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/56B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES[CUST: CR YD 11 CC] [REVIEW: 99 AR AT CR4 NS OS] | A | 5920 | / | CC | 12-JAN-04 |
| | W-F-1814/10B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 401-600 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/5B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS] | A | 5920 | / | CC | 25-NOV-03 |
| | W-F-1814/7B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NC NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/6B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 31-60 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT CR4 NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/9B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 201-400 AMPERES[CUST: CR YD 11 CC] [REVIEW: AR AT CR4 NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/48B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 801-1200 AMPERES[CUST: CR YD 11 CC] [REVIEW: AR AT NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/47B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 601-800 AMPERES[CUST: CR YD 11 CC] [REVIEW: 99 AR AT OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/51B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 2001-2500 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/53B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 3001-4000 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/55B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 5001-6000 AMPERES[CUST: CR YD 11 CC] [REVIEW: AR AT NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/49B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 1201-1600 AMPERES[CUST: CR YD 11 CC] [REVIEW: AR AT NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/50B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 1601-2000 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/52B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 2501-3000 AMPERES[CUST: CR YD 11 CC] [REVIEW: AR AT NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/54B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 4001-5000 AMPERES[CUST: CR YD 11 CC] [REVIEW: AR AT NS OS] | A | 5920 | / | CC | 15-DEC-03 |
| | W-F-1814/58B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 250 VOLTS, 61-100 AMPERES[CUST: CR YD 11 CC] [REVIEW: 99 AR AT CR4 NS OS] | A | 5920 | / | CC | 12-JAN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | W-F-1814/57B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 250 VOLTS, 31-60 AMPERES[CUST: CR YD 11 CC] [REVIEW: AR AT CR4 NS OS] | A | 5920 | / | CC | 12-JAN-04 |
| | W-F-1814/61B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 250 VOLTS, 401-600 AMPERES[CUST: CR YD 11 CC] [REVIEW: 99 AR AT CR4 NS OS] | A | 5920 | / | CC | 12-JAN-04 |
| | W-F-1814/63C | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 31-60 AMPERES[CUST: CR YD 11 CC] [REVIEW: 99 AR AT CR4 EA NS OS] | A | 5920 | / | CC | 12-JAN-04 |
| | W-F-1814/60B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 250 VOLTS, 201-400 AMPERES[CUST: CR YD 11 CC] [REVIEW: 99 AR AT CR4 NS OS] | A | 5920 | / | CC | 12-JAN-04 |
| | W-F-1814/62B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES[CUST: CR YD 11 CC] [REVIEW: 99 AR AT CR4 NS OS] | A | 5920 | / | CC | 12-JAN-04 |
| | W-F-1814/67B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 401-600 AMPERES[CUST: CR YD 11 CC] [REVIEW: 99 AR AT CR4 NS OS] | A | 5920 | / | CC | 12-JAN-04 |
| | W-F-1814/65B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 101-200 AMPERES[CUST: CR YD 11 CC] [REVIEW: 99 AR AT CR4 NS OS] | A | 5920 | / | CC | 12-JAN-04 |
| | W-F-1814/66B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 201-400 AMPERES[CUST: CR YD 99 CC] [REVIEW: AR AT CR4 NS OS] | A | 5920 | / | CC | 12-JAN-04 |
| | W-F-1814/64B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES[CUST: CR YD 11 CC] [REVIEW: 99 AR AT CR4 NS OS] | A | 5920 | / | CC | 12-JAN-04 |
| | W-F-1814/59B | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 AND RK5 (CURRENT-LIMITING) 250 VOLTS, 101-200 AMPERES[CUST: CR YD 11 CC] [REVIEW: 99 AR AT CR4 OS] | A | 5920 | / | CC | 12-JAN-04 |
| A | QPL-W-F-1814-30 | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY | A | 5920 | / | CC | 29-AUG-05 |
| A | A-A-59688B | FUSE, CARTRIDGE, INSTRUMENT TYPE, 5 MM X 20 MM, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 03-FEB-06 |
| | A-A-59688/1B | FUSE, CARTRIDGE, INSTRUMENT TYPE, 5 MM X 20 MM, QUICK-ACTING, HIGH-BREAKING CAPACITY[CUST: EC CC] | A | 5920 | / | CC | 28-OCT-04 |
| | A-A-59688/2B | FUSE, CARTRIDGE, INSTRUMENT TYPE, 5 MM X 20 MM, QUICK-ACTING, LOW-BREAKING CAPACITY[CUST: EC CC] | A | 5920 | / | CC | 28-OCT-04 |
| | A-A-59688/3B | FUSE, CARTRIDGE, INSTRUMENT TYPE, 5 MM X 20 MM, TIME-DELAY, LOW-BREAKING CAPACITY[CUST: EC CC] | A | 5920 | / | CC | 28-OCT-04 |
| A | MIL-PRF-23419G SUP 1 | FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR CR4 MI NS OS SH] | A | 5920 | | CC | 24-JUN-05 |
| A | QPL-23419-46 | FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR | A | 5920 | | CC | 07-DEC-05 |
| A | MIL-PRF-23419/4G | FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM04 (NONINDICATING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 5920 | | CC | 21-JUN-05 |
| A | MIL-PRF-23419/8H | FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM08, (SUBMINIATURE - HIGH PERFORMANCE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MI NS] | A | 5920 | | CC | 08-JUL-05 |
| A | MIL-PRF-23419/9C | FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM09, (NONINDICATING)[CUST: EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI NA OS SH] | A | 5920 | | CC | 21-JUN-05 |
| | A-A-59746 | FUSE, CARTRIDGE, SUBMINIATURE, TIME DELAY, AXIAL LEAD[CUST: EC] | A | 5920 | / | CC | 08-NOV-02 |
| | A-A-59207 | FUSE, CARTRIDGE, SUBMINIATURE, TIME DELAY, AXIAL LEAD[CUST: EC CC] | A | 5920 | / | CC | 18-APR-03 |
| M | A-A-55476B | FUSE, CARTRIDGE, TYPE SFE[CUST: EC CC] | A | 5920 | / | CC | 02-MAR-06 |
| | SAE-AS5372 | FUSE, CURRENT LIMITER TYPE, AIRCRAFT[CUST: AS] | A | 5920 | | AS | DEC-97 |
| | QPL-5372-7 | FUSE, CURRENT LIMITER TYPE, AIRCRAFT | A | 5920 | | AS | 30-JUL-95 |
| M | A-A-59689A | FUSE, FINGER-SAFE, DUAL-ELEMENT, TIME DELAY, INDICATING, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 05-APR-06 |
| M | A-A-59689/1A | FUSE, FINGER-SAFE, DUAL-ELEMENT, TIME-DELAY, INDICATING, 1 AMPERES (A) TO 30 A[CUST: EC CC] | A | 5920 | / | CC | 05-APR-06 |
| M | A-A-59689/2A | FUSE, FINGER-SAFE, DUAL-ELEMENT, TIME-DELAY, INDICATING, 35 AMPERES (A) TO 60 A[CUST: EC CC] | A | 5920 | / | CC | 05-APR-06 |
| | NEMA-SG2 | FUSE, HIGH VOLTAGE, STANDARD FOR[CUST: CR4 YD] [REVIEW: GS SH] | A | 6110 | | YD | 20-OCT-85 |
| | A-A-59236 | FUSE, INCLOSED LINK, AUTOMOTIVE BLADE TYPE, 42-VOLT, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 06-JUN-03 |
| | A-A-55569A | FUSE, INCLOSED LINK, AUTOMOTIVE BLADE TYPE, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 23-NOV-01 |
| | A-A-59718/2 | FUSE, INCLOSED LINK, BOLT-ON[CUST: EC CC] | A | 5920 | / | CC | 15-MAY-02 |
| | A-A-59718 | FUSE, INCLOSED LINK, BOLT-ON, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 15-MAY-02 |
| | A-A-59718/1 | FUSE, INCLOSED LINK, BOLT-ON, MINIATURE[CUST: EC CC] | A | 5920 | / | CC | 15-MAY-02 |
| | A-A-55561/1B | FUSE, INCLOSED LINK, DUAL-INLINE PACKAGE (DIP), OR SURFACE MOUNT (SM), FAST ACTING[CUST: EC CC] | A | 5920 | / | CC | 05-APR-05 |
| | A-A-55561/2B | FUSE, INCLOSED LINK, DUAL-INLINE PACKAGE (DIP), OR SURFACE MOUNT (SM), SLOW BLOWING[CUST: EC CC] | A | 5920 | / | CC | 05-APR-05 |
| | A-A-55569/1A | FUSE, INCLOSED LINK, FAST ACTING, 1 AMPERES (A) THROUGH 40 A, AUTOMOTIVE BLADE TYPE[CUST: EC CC] | A | 5920 | / | CC | 23-NOV-01 |
| | A-A-55569/2B | FUSE, INCLOSED LINK, FAST ACTING, 2 AMPERES (A) THROUGH 30 A, MINIATURE, AUTOMOTIVE BLADE TYPE[CUST: EC CC] | A | 5920 | / | CC | 23-NOV-01 |
| | A-A-59236/1 | FUSE, INCLOSED LINK, FAST ACTING, 20 AMPERE (A) THROUGH 80 A, 42-VOLT, AUTOMOTIVE BLADE TYPE[CUST: EC CC] | A | 5920 | / | CC | 06-JUN-03 |
| | A-A-55569/3A | FUSE, INCLOSED LINK, SLOW BLOWING, 20 AMPERE (A) THROUGH 80 A, AUTOMOTIVE BLADE TYPE[CUST: EC CC] | A | 5920 | / | CC | 23-NOV-01 |
| | A-A-55519A | FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 10-DEC-01 |
| | A-A-55519/2B | FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), TIME DELAY, WITH END CAPS[CUST: EC CC] | A | 5920 | / | CC | 01-AUG-01 |
| | A-A-55519/4A | FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), TIME DELAY, WITH WRAP AROUND TERMINALS[CUST: EC CC] | A | 5920 | / | CC | 10-DEC-01 |
| | A-A-55519/1B | FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), VERY FAST ACTING, WITH END CAPS[CUST: EC CC] | A | 5920 | / | CC | 26-APR-04 |
| | A-A-55519/3A | FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), VERY FAST ACTING, WITH WRAP AROUND TERMINALS[CUST: EC CC] | A | 5920 | / | CC | 14-MAR-01 |
| M | A-A-59532/3A | FUSE, INCLOSED LINK, SURFACE MOUNT (SM), 125 VOLTS (V) AC/DC, QUICK ACTING, HIGH BREAKING CAPACITY[CUST: EC CC] | A | 5920 | / | CC | 28-MAR-06 |
| M | A-A-59532/4A | FUSE, INCLOSED LINK, SURFACE MOUNT (SM), 125 VOLTS (V) AC/DC, QUICK ACTING, HIGH BREAKING CAPACITY, WITH A FUSEHOLDER, BLOCK[CUST: EC CC] | A | 5920 | / | CC | 28-MAR-06 |
| M | A-A-59532/5A | FUSE, INCLOSED LINK, SURFACE MOUNT (SM), 250 VOLTS (V) AC/DC, QUICK ACTING[CUST: EC CC] | A | 5920 | / | CC | 28-MAR-06 |
| M | A-A-59532/6A | FUSE, INCLOSED LINK, SURFACE MOUNT (SM), 250 VOLTS (V) AC/DC, TIME DELAY[CUST: EC CC] | A | 5920 | / | CC | 28-MAR-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59702 | FUSE, INCLOSED LINK, SURFACE MOUNT (SM), 350 V AC[CUST: EC CC] | A | 5920 | / | CC | 26-OCT-01 |
| M | A-A-59532/1A | FUSE, INCLOSED LINK, SURFACE MOUNT (SM), 63 VOLTS (V) AC/DC, QUICK ACTING[CUST: EC CC] | A | 5920 | / | CC | 28-MAR-06 |
| M | A-A-59532/2A | FUSE, INCLOSED LINK, SURFACE MOUNT (SM), 63 VOLTS (V) AC/DC, QUICK ACTING WITH FUSEHOLDER, BLOCK[CUST: EC CC] | A | 5920 | / | CC | 28-MAR-06 |
| | A-A-59532A | FUSE, INCLOSED LINK, SURFACE MOUNT (SM), GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 28-MAR-06 |
| | A-A-59550/1A | FUSE, INCLOSED LINK, THIN-FILM, SURFACE MOUNT (SM), 0603 SIZE, VERY FAST ACTING[CUST: EC CC] | A | 5920 | / | CC | 14-MAR-05 |
| | A-A-59550/3A | FUSE, INCLOSED LINK, THIN-FILM, SURFACE MOUNT (SM), 1206 SIZE, TIME DELAY[CUST: EC CC] | A | 5920 | / | CC | 14-MAR-05 |
| | A-A-59550/2A | FUSE, INCLOSED LINK, THIN-FILM, SURFACE MOUNT (SM), 1206 SIZE, VERY FAST ACTING[CUST: EC CC] | A | 5920 | / | CC | 14-MAR-05 |
| | A-A-59550A | FUSE, INCLOSED LINK, THIN-FILM, SURFACE MOUNT (SM), GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 14-MAR-05 |
| | A-A-55561B | FUSE, INCLUSED LINK, DUAL-INLINE PACKAGE (DIP), OR SURFACE MOUNT (SM), GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 05-APR-05 |
| A | A-A-55509B | FUSE, INDICATOR ALARM[CUST: EC CC] | A | 5920 | / | CC | 17-JAN-06 |
| | MS28937C | FUSE, LIMITER TYPE, ENCLOSED LINK, 5-60 AMP, AIRCRAFT[CUST: AS] | A | 5920 | | AS | 22-APR-92 |
| M | A-A-55472B | FUSE, PLUG, (TYPE S), TIME DELAY, TYPE S BASE[CUST: EC CC] | A | 5920 | / | CC | 13-APR-06 |
| M | A-A-55473B | FUSE, PLUG, (TYPE T), TIME DELAY DUAL ELEMENT, EDISON BASE[CUST: EC CC] | A | 5920 | / | CC | 13-APR-06 |
| M | A-A-55471B | FUSE, PLUG, (TYPE TL), TIME DELAY, EDISON BASE[CUST: EC CC] | A | 5920 | / | CC | 13-APR-06 |
| M | A-A-55470B | FUSE, PLUG, (TYPE W), NON TIME DELAY, EDISON BASE[CUST: EC CC] | A | 5920 | / | CC | 13-APR-06 |
| | ANSI-C37.46 | FUSE, POWER, & FUSE DISCONNECTING SWITCHES[CUST: YD 99] [REVIEW: 71 GS] | A | 6110 | | YD | 29-MAY-87 |
| | MS28936C | FUSE, SELF INDICATING CURRENT LIMITER, AIRCRAFT[CUST: AV AS 11] [REVIEW: 99 CC CG] | A | 5920 | | AS | 28-SEP-73 |
| | MIL-F-13198C NOT 5 | FUSE, TIME, M65A1 METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 30-OCT-96 |
| | MIL-F-14715A(1) NOT 2 | FUSE, TIME, M84A1 METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 31-OCT-96 |
| | A-A-59747/1 | FUSEHOLDER BLOCK, DEAD-FRONT, 30 AMPERES, 1 POLE ACCOMODATES UNDERWRITER LABORATORY (UL) CLASS J FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 25-OCT-02 |
| | A-A-59747 | FUSEHOLDER BLOCK, DEAD-FRONT, 30 AMPERES, ACCOMODATES CLASS J FUSE CARTRIDGES, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 25-OCT-02 |
| | A-A-59748/1 | FUSEHOLDER BLOCK, DEAD-FRONT, 60 AMPERES, 1 POLE, ACCOMODATES UNDERWRITER LABORATORY (UL) CLASS J FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 25-OCT-02 |
| | A-A-59748 | FUSEHOLDER BLOCK, DEAD-FRONT, 60 AMPERES, ACCOMMODATES, CLASS J FUSE CARTRIDGES, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 25-OCT-02 |
| | A-A-59747/2 | FUSEHOLDER BLOCK, POWER-SAFE, DEAD-FRONT, 30 AMPERES, 2 POLES, ACCOMODATES UNDERWRITER LABORATORY (UL) CLASS J FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 25-OCT-02 |
| | A-A-59747/3 | FUSEHOLDER BLOCK, POWER-SAFE, DEAD-FRONT, 30 AMPERES, 3 POLES, ACCOMODATES UNDERWRITER LABORATORY (UL) CLASS J FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 25-OCT-02 |
| | A-A-59748/2 | FUSEHOLDER BLOCK, POWER-SAFE, DEAD-FRONT, 60 AMPERES, 2 POLES, ACCOMODATES UNDERWRITER LABORATORY (UL) CLASS J FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 25-OCT-02 |
| | A-A-59748/3 | FUSEHOLDER BLOCK, POWER-SAFE, DEAD-FRONT, 60 AMPERES, 3 POLES, ACCOMODATES UNDERWRITER LABORATORY (UL) CLASS J FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 25-OCT-02 |
| | A-A-55570A | FUSEHOLDER FOR AUTOMOTIVE BLADE TYPE, INCLOSED LINK FUSES, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 11-JAN-02 |
| | A-A-55518/2A | FUSEHOLDER, BLOCK, 20 OR 30 AMPERES (A), 250 VOLTS (V) AC, 1 THROUGH 12 POLE, ACCOMMODATES 3AG OR 3AB TYPE FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 14-MAR-01 |
| | A-A-55518/4A | FUSEHOLDER, BLOCK, 30 AMPERE (A), 250 VOLTS (V) AC, 1 THROUGH 12 POLE, ACCOMMODATES 5AG OR 5AB TYPE FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 14-MAR-01 |
| A | A-A-55508C | FUSEHOLDER, BLOCK, 30 AMPERE (A), 250 VOLTS (V) AC, 1 TO 12 POLES[CUST: EC CC] | A | 5920 | / | CC | 20-DEC-05 |
| | A-A-59690/1 | FUSEHOLDER, BLOCK, 30 AMPERE (A), 600 VOLTS AC, ACCOMMODATING DUAL-ELEMENT, FINGER-SAFE FUSES[CUST: EC] | A | 5920 | / | CC | 08-JUN-01 |
| | A-A-55518/3A | FUSEHOLDER, BLOCK, 30 AMPERES (A), 250 VOLTS (V), AC, 1 THROUGH 12 POLE ACCOMMODATES 4AG OR 4AB TYPE FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 14-MAR-01 |
| | A-A-59533 NOT 1 | FUSEHOLDER, BLOCK, 5 AMPERE (A), 125 VOLTS (V) AC/DC, SURFACE MOUNT (SM), GENERAL REQUIREMENTS FOR[CUST: CC] | A | 5920 | / | CC | 08-DEC-04 |
| | A-A-59690/2 | FUSEHOLDER, BLOCK, 60 AMPERE (A), 600 VOLTS AC, ACCOMMODATING DUAL-ELEMENT, FINGER-SAFE FUSES[CUST: EC] | A | 5920 | / | CC | 08-JUN-01 |
| | A-A-59690 | FUSEHOLDER, BLOCK, ACCOMMODATING DUAL-ELEMENT, FINGER-SAFE FUSES, GENERAL REQUIREMENTS FOR[CUST: EC] | A | 5920 | / | CC | 08-JUN-01 |
| A | A-A-55429B | FUSEHOLDER, BLOCK, CLASS H, 100 AMPERE, 600 V AC, ONE, TWO, AND THREE POLE[CUST: EC CC] | A | 5920 | / | CC | 01-FEB-06 |
| A | A-A-55168B | FUSEHOLDER, BLOCK, CLASS H, 30 AMPERE, 250 V AC, ONE, TWO, AND THREE POLE[CUST: EC CC] | A | 5920 | / | CC | 01-FEB-06 |
| A | A-A-55428B | FUSEHOLDER, BLOCK, CLASS H, 30 AMPERE, 600 V AC, ONE, TWO, AND THREE POLE[CUST: EC CC] | A | 5920 | / | CC | 01-FEB-06 |
| A | A-A-55427B | FUSEHOLDER, BLOCK, CLASS H, 60 AMPERE, 250 V AC, ONE, TWO, AND THREE POLE[CUST: EC CC] | A | 5920 | / | CC | 01-FEB-06 |
| A | A-A-55426B | FUSEHOLDER, BLOCK, CLASS H, 60 AMPERE, 600 V AC, ONE, TWO, AND THREE POLE[CUST: EC CC] | A | 5920 | / | CC | 01-FEB-06 |
| | A-A-55518A | FUSEHOLDER, BLOCK, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 10-DEC-01 |
| | A-A-59717 | FUSEHOLDER, BLOCK, PC BOARD MOUNT, ACCOMODATES 0.25 INCH (IN) X 1.25 IN OR 5 MILLIMETER (MM) X 20 MM FUSES, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 12-APR-02 |
| | A-A-59717/1 | FUSEHOLDER, BLOCK, PC BOARD MOUNT, HORIZONTAL MOUNT, ACCOMODATES 0.25 INCH (IN) X 1.25 IN OR 5 MILLIMETER (MM) X 20 MM FUSES[CUST: EC CC] | A | 5920 | / | CC | 12-APR-02 |
| | A-A-59717/2 | FUSEHOLDER, BLOCK, PC BOARD MOUNT, VERTICAL MOUNT WITH STABILITY PINS, ACCOMODATES 0.25 INCH (IN) X 1.25 IN OR 5 MILLIMETER (MM) X 20 MM FUSES[CUST: EC CC] | A | 5920 | / | CC | 12-APR-02 |
| | A-A-59717/3 | FUSEHOLDER, BLOCK, PC BOARD MOUNT, VERTICAL MOUNT, ACCOMODATES 0.25 INCH (IN) X 1.25 IN OR 5 MILLIMETER (MM) X 20 MM FUSES[CUST: EC CC] | A | 5920 | / | CC | 12-APR-02 |
| M | A-A-55475B | FUSEHOLDER, EXTRACTOR POST[CUST: EC CC] | A | 5920 | / | CC | 02-MAR-06 |
| | MIL-PRF-19207/11H | FUSEHOLDER, EXTRACTOR POST TYPE, BLOWN FUSE NONINDICATING, TYPE FHN20G[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 02-NOV-01 |
| A | A-A-55504/2B | FUSEHOLDER, EXTRACTOR POST, FRONT MOUNT, HIGH PROFILE, FINGER GRIP KNOB FUSE CARRIER FOR 3AG (.25 INCH (IN) X 1.25 IN (6.35 MILLIMETERS (MM) X 31.75 MM)) OR .196 IN X .787 IN (5 MM X 20 MM) FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 20-JAN-06 |
| A | A-A-55504/1B | FUSEHOLDER, EXTRACTOR POST, FRONT MOUNT, LOW PROFILE, FINGER GRIP KNOB FUSE CARRIER FOR 3AG (.25 INCH (IN) X 1.25 IN (6.35 MILLIMETERS (MM) X 31.75 MM)) OR .196 IN X .787 IN (5 MM X 20 MM) FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 20-JAN-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | A-A-55504/5B | FUSEHOLDER, EXTRACTOR POST, FRONT MOUNT, LOW PROFILE, SCREWDRIVER KNOB FUSE CARRIER FOR 3AG (.25 INCH (IN) X 1.25 IN (6.35 MILLIMETERS (MM) X 31.75 MM)) OR .196 IN X .787 IN (5 MM X 20 MM) FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 20-JAN-06 |
| A | A-A-55504/3B | FUSEHOLDER, EXTRACTOR POST, FRONT OR REAR MOUNT, FINGER GRIP KNOB FUSE CARRIER FOR 3AG (.25 INCH (IN) X 1.25 IN (6.35 MILLIMETERS (MM) X 31.75 MM)) OR .196 IN X .787 IN (5 MM X 20 MM) FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 20-JAN-06 |
| A | A-A-55504/6B | FUSEHOLDER, EXTRACTOR POST, HIGH PROFILE, FRONT MOUNT, SCREWDRIVER SLOTTED KNOB FUSE CARRIER FOR 3AG (.25 INCH (IN) X 1.25 IN (6.35 MILLIMETERS (MM) X 31.75 MM)) OR .196 IN X .787 IN (5 MM X 20 MM) FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 20-JAN-06 |
| | A-A-55570/2A | FUSEHOLDER, EXTRACTOR POST, IN-LINE CRIMP TYPE, ACCOMMODATES MINIATURE, AUTOMOTIVE BLADE TYPE, INCLOSED LINK FUSES[CUST: EC CC] | A | 5920 | / | CC | 11-JAN-02 |
| | A-A-55570/1A | FUSEHOLDER, EXTRACTOR POST, IN-LINE TYPE, ACCOMMODATES FAST ACTING, AUTOMOTIVE BLADE TYPE, INCLOSED LINK FUSES[CUST: EC CC] | A | 5920 | / | CC | 11-JAN-02 |
| A | A-A-55504/4B | FUSEHOLDER, EXTRACTOR POST, LOW PROFILE, SNAP-IN, FRONT MOUNT, FINGER GRIP KNOB FUSE CARRIER FOR 3AG (.25 INCH (IN) X 1.25 IN (6.35 MILLIMETERS (MM) X 31.75 MM)) OR .196 IN X .787 IN (5 MM X 20 MM) FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 20-JAN-06 |
| | A-A-55570/3A | FUSEHOLDER, EXTRACTOR POST, PRINTED CIRCUIT (PC) BOARD MOUNT TYPE, ACCOMMODATES MINIATURE, AUTOMOTIVE BLADE TYPE, INCLOSED LINK, FUSES[CUST: EC CC] | A | 5920 | / | CC | 11-JAN-02 |
| A | A-A-55504B | FUSEHOLDER, EXTRACTOR POST, WHICH ACCOMMODATES 3AG (.25 INCH (IN) X 1.25 IN (6.35 MILLIMETERS (MM) X 31.75 MM)) OR .196 IN X .787 IN (5 MM X 20 MM) FUSE CARTRIDGES[CUST: EC CC] | A | 5920 | / | CC | 20-JAN-06 |
| | UL512 | FUSEHOLDERS[CUST: YD] | A | 5920 | | CC | 24-FEB-93 |
| | MIL-F-21346B(2) NOT 2 | FUSEHOLDERS, BLOCK, AND SHROUD TYPE, AND ASSOCIATED FUSE CLIPS; GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC] | A | 5920 | | CC | 11-FEB-05 |
| M | MIL-PRF-19207/6N | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, TYPE FHL15G[CUST: CR SH 11 CC] [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 28-MAR-06 |
| | QPL-19207-45 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, GENERAL SPECIFICATION FOR | A | 5920 | | CC | 25-MAY-04 |
| | MIL-PRF-19207/21K | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, NON-EMI/RFI SHIELDED AND EMI/RFI SHIELDED, TYPE FHL32W AND TYPE FHL32WS[CUST: CR SH 11 CC] [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 30-MAR-01 |
| | MIL-PRF-19207/24K(1) | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, NON-EMI/RFI SHIELDED AND EMI/RFI SHIELDED, TYPE FHL35W AND TYPE FHL35WS[CUST: CR SH 11 CC] [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 25-OCT-01 |
| | MIL-PRF-19207/2G | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL11U AND FHL11G[CUST: CR SH 11 CC] [REVIEW: 70 71 99 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 30-APR-01 |
| | MIL-PRF-19207/4J | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL13G[CUST: CR SH 11 CC] [REVIEW: 70 71 AR AS AT CR4 EC MI OS] | A | 5920 | | CC | 02-NOV-01 |
| | MIL-PRF-19207/5J | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL14G[CUST: CR SH 11 CC] [REVIEW: 70 71 99 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 30-APR-01 |
| | MIL-PRF-19207/7L | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL16G[CUST: CR SH 11 CC] [REVIEW: 70 71 99 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 30-APR-01 |
| | MIL-PRF-19207/12E | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL22W[CUST: CR SH 11 CC] [REVIEW: 19 99 AS CE MC MI] | A | 5920 | | CC | 15-NOV-01 |
| | MIL-PRF-19207/18H | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL29G[CUST: CR SH 11 CC] [REVIEW: 70 71 99 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 30-APR-01 |
| | MIL-PRF-19207/19L | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL30G[CUST: CR SH 11 CC] [REVIEW: 19 70 71 99 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 22-SEP-04 |
| | MIL-PRF-19207/22J | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL33W[CUST: CR SH 11] [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 30-MAR-01 |
| | MIL-PRF-19207/23K(1) | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL34W[CUST: CR SH 11 CC] [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 25-OCT-01 |
| | MIL-PRF-19207/29F | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL45G[CUST: CR SH 11 CC] [REVIEW: 19 99 AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 01-FEB-02 |
| | MIL-PRF-19207/38C | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL57G[CUST: CR SH 11 CC] [REVIEW: 70 71 99 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 30-APR-01 |
| | MIL-PRF-19207/28E | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHN44G[CUST: CR SH 11 CC] [REVIEW: 19 99 AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 15-NOV-01 |
| | MIL-PRF-19207/1H | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL10U AND FHL10G[CUST: CR SH 11 CC] [REVIEW: 19 70 71 84 99 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 30-APR-01 |
| | MIL-PRF-19207/3H NOT 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL12U AND FHL12G[CUST: CR SH 11 CC] [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 03-FEB-04 |
| | MIL-PRF-19207/8F | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL17G1 AND FHL17G2[CUST: CR SH 11 CC] [REVIEW: 19 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 30-APR-01 |
| | MIL-PRF-19207/9J(1) | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL18G1 AND FHL18G2[CUST: CR SH 11 CC] [REVIEW: 19 70 71 84 99 AR AS AT CR4 MC MI OS] | A | 5920 | | CC | 31-AUG-01 |
| | MIL-PRF-19207E SUP 1 NOT 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE, INDICATING AND NONINDICATING, GENERAL SPECIFICATION FOR[CUST: CR SH 11] [REVIEW: 19 70 71 84 99 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 15-JUN-04 |
| | MIL-PRF-19207/25E NOT 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, NON-EMI/RFI SHIELDED AND EMI/RFI SHIELDED, TYPES FHN41W, FHN41WS, FHN41WB AND FHN41WBS[CUST: CR SH 11 CC] [REVIEW: 70 71 99 AR AT CR4 EC MI OS] | A | 5920 | | CC | 30-MAR-04 |
| | MIL-PRF-19207/17G | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, NON-EMI/RFI SHIELDED AND EMI/RFI SHIELDED TYPES FHN28W, FHN28WS, FHN28WB, AND FHN28WBS[CUST: CR SH 11 CC] [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 26-APR-05 |
| | MIL-PRF-19207/36C | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, R. F. SHIELDED TYPE FHN55W[CUST: SH CC] | A | 5920 | | CC | 30-APR-01 |
| | MIL-PRF-19207/13G | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPE FHN23W[CUST: CR SH 11 CC] [REVIEW: 19 99 AS EA MC MI] | A | 5920 | | CC | 15-NOV-01 |
| | MIL-PRF-19207/26G | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPE FHN42W[CUST: CR SH 11 CC] [REVIEW: 19 AR AS AV CE CG CR4 MC MI] | A | 5920 | | CC | 30-APR-01 |
| | MIL-PRF-19207/16G | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN26G1, FHN26G2, AND FHN26W[CUST: CR SH 11 CC] [REVIEW: 19 70 71 84 99 AR AT CR4 MI OS] | A | 5920 | | CC | 15-NOV-01 |
| | MIL-PRF-19207/20D | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN31G1 AND FHN31G2[CUST: CR SH 11 CC] [REVIEW: 19 AS CE MC MI] | A | 5920 | | CC | 30-APR-01 |
| | MIL-PRF-19207/30D | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN46W AND FHN46WB[CUST: CR SH 11 CC] [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS] | A | 5920 | | CC | 11-DEC-01 |
| | MIL-PRF-19207/31D | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN47W AND FHN47WB[CUST: CR SH 11 CC] [REVIEW: 70 71 AR AS AT CR4 MC MI] | A | 5920 | | CC | 11-DEC-01 |
| | MIL-PRF-15160/77A(2) | FUSES, (INDICATING), STYLE F77A[CUST: SH CC] | A | 5920 | | CC | 13-FEB-03 |
| | QPL-5508-17 | FUSES, AIRCRAFT AUTOMATIC QUANTITY-MEASURING, HYDRAULIC | A | 1650 | | GS1 | 27-AUG-04 |
| A | W-F-1814C SUP 1 | FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY[CUST: CR 11 CC] [REVIEW: 99 AR CR4 NS] | A | 5920 | / | CC | 07-OCT-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-PRF-23419/2P | FUSES, CARTRIDGE, INSTRUMENT TYPE, STYLE FM02, (INDICATING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 5920 | | CC | 21-JUN-05 |
| A | MIL-PRF-23419/7H | FUSES, CARTRIDGE, INSTRUMENT TYPE, STYLE FM07, (SUBMINIATURE - HIGH PERFORMANCE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MI NS] | A | 5920 | | CC | 21-JUN-05 |
| A | MIL-PRF-23419/10B | FUSES, CARTRIDGE, INSTRUMENT TYPE, STYLE FMI0 (NONINDICATING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5920 | | CC | 08-JUL-05 |
| A | MIL-PRF-23419/1K | FUSES, INSTRUMENT TYPE, STYLE FM01 (INDICATING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI NS OS] | A | 5920 | | CC | 21-JUN-05 |
| M | MIL-PRF-23419/12D | FUSES, INSTRUMENT TYPE, STYLE FM12 (SUBMINIATURE - HIGH PERFORMANCE)[CUST: EC 11 CC] | A | 5920 | | CC | 30-MAR-06 |
| | MIL-PRF-15160/1F | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F01[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] | A | 5920 | | CC | 31-MAR-04 |
| | MIL-PRF-15160/2F(2) | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F02[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] | A | 5920 | | CC | 22-MAR-01 |
| | MIL-PRF-15160/3F(2) | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F03[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD] | A | 5920 | | CC | 16-MAR-01 |
| | MIL-PRF-15160/9E(1) | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F09[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] | A | 5920 | | CC | 20-MAR-01 |
| | MIL-PRF-15160/10F(2) | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F10[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD] | A | 5920 | | CC | 16-JUL-01 |
| | MIL-PRF-15160/15D | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F15[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD] | A | 5920 | | CC | 25-OCT-00 |
| | MIL-PRF-15160/16D | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F16[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] | A | 5920 | | CC | 04-MAY-01 |
| | MIL-PRF-15160/19D | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F19[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] | A | 5920 | | CC | 04-MAY-01 |
| | MIL-PRF-15160/20D | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F20[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD] | A | 5920 | | CC | 04-MAY-01 |
| | MIL-PRF-15160/60H | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F60[CUST: CR SH 11] [REVIEW: 19 99 AR AS CG CR4 MC MI OS YD] | A | 5920 | | CC | 14-MAR-05 |
| | MIL-PRF-15160/61E NOT 1 | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F61[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD] | A | 5920 | | CC | 24-AUG-04 |
| | MIL-PRF-15160H(2) SUP 1 | FUSES, INSTRUMENT, POWER, AND TELEPHONE, GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD] | A | 5920 | | CC | 15-MAR-01 |
| | MIL-PRF-15160/50B(1) | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F50[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD] | A | 5920 | | CC | 16-JUL-01 |
| | MIL-PRF-15160/62E NOT 1 | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F62[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD] | A | 5920 | | CC | 06-DEC-02 |
| | MIL-PRF-15160/63D NOT 1 | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F63[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 DS MC MI OS YD] | A | 5920 | | CC | 03-FEB-04 |
| | MIL-PRF-15160/64D NOT 1 | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F64[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD] | A | 5920 | | CC | 09-DEC-02 |
| | MIL-PRF-15160/65D NOT 1 | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F65[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] | A | 5920 | | CC | 09-DEC-02 |
| | MIL-PRF-15160/66D NOT 1 | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F66[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] | A | 5920 | | CC | 09-DEC-02 |
| A | QPL-15160-68 | FUSES; INSTRUMENT, POWER, AND TELEPHONE, GENERAL SPECIFICATION FOR | A | 5920 | | CC | 17-AUG-05 |
| | ASTM-D1857 | FUSIBILITY OF COAL AND COKE ASH[CUST: PS] | A | 9110 | | PS | 10-FEB-87 |
| A | MIL-STD-2219A | FUSION WELDING FOR AEROSPACE APPLICATIONS[Military Standard][CUST: AV AS 11] [REVIEW: 70 71 84 99 MI MR] | A | THJM | | 11 | 18-JUL-05 |
| | QSTAG-924 ED.1 | FUTURE ARTILLERY METEOROLOGICAL MEASURING DEVICES[CUST: AI] | C | ISDA | | AI | 19-JAN-00 |
| | QAP-228 ED.1 | FUTURE COMBAT IDENTIFICATION SYSTEMS AND TECHNOLOGIES | C | ISDA | | AI | 02-NOV-99 |
| | MIL-STD-331C | FUZE AND FUZE COMPONENTS ENVIRONMENTAL AND PERFORMANCE TESTS FOR[Test Method Standard][CUST: AR OS 99] [REVIEW: 70 EA MI MT NP TE] | A | 13GP | | AR | 05-JAN-05 |
| | MIL-HDBK-146(3) | FUZE CATALOG LIMITED STANDARD, OBSOLESCENT, OBSOLETE, TERMINATED, AND CANCELED FUZES[CUST: AR OS 99] [REVIEW: AS MI] | A | 13GP | | AR | 01-AUG-94 |
| | MIL-HDBK-777 | FUZE CATALOG PROCUREMENT STANDARD AND DEVELOPMENT FUZE EXPLOSIVE COMPONENTS[CUST: AR OS 99] | C | 1390 | | AR | 01-OCT-85 |
| | MIL-STD-1316E(1) | FUZE DESIGN, SAFETY CRITERIA FOR[Design Criteria Standard][CUST: AR OS 22] [REVIEW: 99 AS MI] | A | 13GP | | AR | 14-JAN-99 |
| | MIL-STD-320A(1) | FUZE EXPLOSIVE COMPONENT TERMINOLOGY, DIMENSIONS AND MATERIALS[Interface Standard][CUST: AR OS 99] [REVIEW: 11 18 AS EA] | A | 1390 | | AR | 16-NOV-87 |
| | MIL-F-48370A(3) NOT 2 | FUZE M934E6, HYBRID MICROCIRCUITS FOR[CUST: AR] | A | 1336 | | AR | 02-OCT-99 |
| | MIL-F-50869E(5) | FUZE PIBD, M550, LESS SPITBACK ASSEMBLY, METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKAGING[CUST: AR] | A | 1390 | | AR | 31-AUG-93 |
| | MIL-F-63412 NOT 1 | FUZE PROBE ASSEMBLY, PNEUMATIC ASSEMBLING & PACKING (TOW)[CUST: AR] | A | 1336 | | AR | 05-FEB-87 |
| | MIL-F-63434A(3) NOT 1 | FUZE PROBE ASSEMBLY, SPRING, ASSEMBLING AND PACKING (TOW)[CUST: AR] | A | 1336 | | AR | 23-MAR-90 |
| | MIL-F-48625A(2) NOT 2 | FUZE, 25MM, POINT DETONATING, SELF DESTRUCT M758[CUST: AR] | A | 1390 | | AR | 31-OCT-96 |
| | MIL-F-20423D(1) NOT 2 | FUZE, BASE DETONATING, M91A2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 31-OCT-96 |
| | MIL-F-85815A | FUZE, BOMB, ELECTRONIC, FMU-139A/B[CUST: AS] | D | 1325 | | AS | 09-SEP-93 |
| | MIL-F-70737(1) | FUZE, DEMOLITION KIT, M1134A3 LOADING ASSEMBLING, AND PACKING[CUST: AR] | A | 1375 | | AR | 08-FEB-93 |
| | MIL-F-70823A(1) | FUZE, ELECTRONIC TIME, M762 LOADING, ASSEMBLING PACKING AND FUZE, ELECTRONIC TIME, M767 LESS BOOSTER[CUST: AR] | A | 1390 | | AR | 18-SEP-96 |
| | MIL-F-85400(1) | FUZE, GUIDED MISSILE, DUMMY FMU-138(D-1)/B[CUST: AS] | A | 1336 | | AS | 09-JUN-95 |
| | MIL-F-85399(1) | FUZE, GUIDED MISSILE, FMU-138/B[CUST: AS] | A | 1336 | | AS | 09-JUN-95 |
| | MIL-F-85475(3) | FUZE, GUIDED MISSILE, FMU-141/B[CUST: AS] | A | 1336 | | AS | 23-JUN-95 |
| | MIL-F-48863C(3) NOT 2 | FUZE, GUIDED MISSILE, M934E6 PARTS ASSEMBLY, LOADING AND PACKING FOR[CUST: AR] | A | 1336 | | AR | 02-OCT-99 |
| | MIL-F-63067(1) | FUZE, M539, POWER SUPPLY FOR PARTS FOR, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 12-OCT-76 |
| | MIL-F-63051A(2) NOT 2 | FUZE, M934 SERIES, ACTUATORS FOR[CUST: AR] | A | 1336 | | AR | 12-NOV-98 |
| | MIL-F-48382A(1) NOT 2 | FUZE, M934E6, IMPACT SWITCH FOR[CUST: AR] | A | 1336 | | AR | 02-DEC-96 |
| | MIL-F-48388A(1) NOT 2 | FUZE, M934E6, LAUNCH SENSING SWITCH FOR[CUST: AR] | A | 1336 | | AR | 02-DEC-96 |
| | MIL-F-60022(1) NOT 2 | FUZE, MINE, COMBINATION, M10A2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 25-MAR-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-F-70620A(2) | FUZE, MTSQ, M772 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 23-SEP-02 |
| | MIL-F-70713(2) | FUZE, MTSQ, M776 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 15-APR-94 |
| | MIL-F-50828F(5) | FUZE, MULTI-OPTION: M734 (LESS BOOSTER AND LEAD)[CUST: AR] | D | 1390 | | AR | 04-APR-01 |
| | MIL-F-48708B(3) | FUZE, MULTI-OPTION: M734 (LOADING, ASSEMBLING, AND PACKING)[CUST: AR] | D | 1390 | | AR | 02-AUG-96 |
| | MIL-F-50945D(9) | FUZE, PD, M567/XM935 (M935)/M936 LESS BOOSTER[CUST: AR] | A | 1390 | | AR | 30-SEP-02 |
| | MIL-F-70807A(3) | FUZE, PD, M745 (LESS BOOSTER AND LEAD)[CUST: AR] | A | 1390 | | AR | 28-MAR-01 |
| | MIL-F-70808A(3) | FUZE, PD: M745, LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1390 | | AR | 02-AUG-96 |
| | MIL-F-50864B(4) | FUZE, PIBD, M549; LESS SPITBACK METAL PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 29-AUG-00 |
| | MIL-F-48275(1) NOT 2 | FUZE, PIBD, M550; TEST VEHICLE FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 29-OCT-96 |
| | MIL-F-70435(7) | FUZE, POINT DETONATING, (PD), M759[CUST: AR] | A | 1305 | | AR | 29-NOV-94 |
| | MIL-F-48373A NOT 4 | FUZE, POINT DETONATING, M739 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 24-MAR-00 |
| | MIL-F-48637A(4) | FUZE, POINT DETONATING, PRACTICE, M751 WITH PYROTECHNIC SIGNATURE CARTRIDGE[CUST: AR] | A | 1390 | | AR | 27-JAN-99 |
| | MIL-F-71127(7) | FUZE, POINT DETONATING, PRACTICE, M775 WITH PYROTECHNIC SIGNATURE CARTRIDGE[CUST: AR] | A | 1390 | | AR | 31-AUG-00 |
| | MIL-F-71149(7) | FUZE, POINT DETONATING, PRACTICE, M779 WITH PYROTECHNIC SIGNATURE CARTRIDGE[CUST: AR] | A | 1390 | | AR | 05-MAR-01 |
| | MIL-STD-333B(3) | FUZE, PROJECTILE AND ACCESSORY CONTOURS FOR LARGE CALIBER ARMAMENTS[Interface Standard][CUST: AR OS 99] | A | 1390 | | AR | 05-FEB-96 |
| | MIL-F-71021(2) | FUZE, PROXIMITY, ARTILLERY: M732A2 (UNBOOSTERED)[CUST: AR] | D | 1390 | | AR | 08-SEP-97 |
| | MIL-F-48717 | FUZE, PROXIMITY, ARTILLERY: (LOADING, ASSEMBLING, AND PACKING) (CONTROLLED DISTRIBUTION)[CUST: AR] | F | 1390 | | AR | 28-FEB-91 |
| | MIL-F-85744(1) | FUZE, PROXIMITY, DISPENSER FMU-140/B[CUST: AS] | A | 1325 | | AS | 07-MAY-93 |
| | MIL-F-70673(4) | FUZE, ROCKET, BASE DETONATING, M442[CUST: AR] | A | 1340 | | AR | 01-OCT-96 |
| | MIL-F-20454D NOT 5 | FUZE, TIME, M65A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 31-OCT-96 |
| | MIL-F-14716A(3) NOT 3 | FUZE, TIME, M84A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 31-OCT-96 |
| | MIL-HDBK-757 | FUZES[CUST: AR] [REVIEW: CR] | A | 13GP | | AR | 15-APR-94 |
| | MIL-F-63446B(1) | FUZES, GENERAL PURPOSE GRENADE: M230 AND M231 (PRACTICE)[CUST: AR] | A | 1340 | | AR | 13-JAN-00 |
| M | MIL-DTL-51353C(1) | FUZES, HAND GRENADE, M201A1 AND M201A1 MOD 2; FUZE, FLOATING SMOKE POT, M207A1, AND FUZE, INCENDIARY, M210[CUST: EA] | D | 1330 | | EA | 09-MAR-06 |
| | MIL-F-13424K(1) NOT 1 | FUZES, HAND GRENADE, M204A2, M206A2 AND PRACTICE M205A2 PARTS FOR, LOADING ASSEMBLING AND PACKING[CUST: AR] [REVIEW: EA] | A | 1330 | | AR | 31-OCT-90 |
| | STANAG-4187 ED.3 | FUZING SYSTEMS - SAFETY DESIGN REQUIREMENTS[CUST: AI] | C | ISDA | | AI | 13-NOV-01 |
| | AOP-16 ED.3 | FUZING SYSTEMS: GUIDELINES FOR STANAG 4187 | C | ISDA | | AI | 01-NOV-99 |
| | AOP-21 ED.1 | FUZING SYSTEMS: MANUAL OF DEVELOPMENT CHARACTERIZATION AND SAFETY TEST METHODS AND PROCEDURES FOR LEAD AND BOOSTER EXPLOSIVE COMPONENTS | C | ISDA | | AI | 01-MAY-98 |
| | STANAG-4157 ED.2 | FUZING SYSTEMS: TEST REQUIREMENTS FOR THE ASSESSMENT OF SAFETY AND SUITABILITY FOR SERVICE | C | ISDA | | AI | 13-MAY-02 |
| | ADV-PUB-61/88 | G-TOLERANCE BENEFITS OF CHANGING SEAT-BACK ANGLE | C | ISDF | | 06 | 03-SEP-91 |
| | A-A-54071 | GAG, MOUTH, DENTAL, ADULT[CUST: MD MS 03] | A | 6520 | / | MB | 23-FEB-90 |
| | MIL-DTL-8348J | GAGE ASSEMBLIES, AIR PRESSURE, DIAL INDICATING CHUCK TYPE, SELF-CONTAINED[CUST: AS 99] [REVIEW: 71] | A | 6685 | | GS1 | 31-JUL-03 |
| | ASME-B47.1M | GAGE BLANKS[CUST: AR AS 99] | A | 5220 | | AR | 22-MAR-84 |
| | ASME-B47.1 | GAGE BLANKS[CUST: AR AS 99] | A | 5220 | | AR | 23-MAR-81 |
| | ASTM-F721 | GAGE PIPING ASSEMBLIES[CUST: SH] | A | 4730 | | SH | MAY-83 |
| | A-A-51337 | GAGE SET, OPHTHALMIC LENS GRINDING TOOLS, METAL[CUST: MD MS 03] | A | 6540 | / | MB | 27-JAN-86 |
| | NAS518 | GAGE, 100 DEG., FLAT HEAD FLUSHNESS[CUST: AV AS] [REVIEW: CR CR4] | A | 5220 | | AS | 14-JUN-74 |
| | NAS519 | GAGE, 100 DEG., FLAT HEAD STYLUS[CUST: AV AS 11] [REVIEW: CR4] | A | MISC | | AS | 14-JUN-74 |
| | A-A-54170 | GAGE, ANEROID, SPHYGMOMANOMETER[CUST: MD MS 03] | A | 6515 | / | MB | 11-JUN-90 |
| | MIL-G-16356D | GAGE, BOILER WATER, DIRECT READING[CUST: CR4 SH] [REVIEW: GS MC YD] | A | 6680 | | SH | 18-DEC-87 |
| | A-A-59572 | GAGE, COMPARATOR, ELECTRIC[CUST: 99] | A | 5220 | / | 84 | 29-MAR-04 |
| | A-A-54698 | GAGE, COMPOUND PRESSURE-VACUUM, DIAL INDICATING[CUST: MD MS 03] [REVIEW: GS] | A | 6685 | / | MB | 06-JUL-92 |
| | A-A-52212 | GAGE, CYLINDER[CUST: GL YD 99] [REVIEW: 84 AT AV MC MI NP SH] | A | 5210 | * | GL | 23-OCT-96 |
| | MIL-G-45653(2) | GAGE, CYLINDRICAL PLUG AND RING, PLAIN[CUST: AR] | A | 5220 | | AR | 08-JUN-83 |
| A | MIL-G-10944B(3) | GAGE, DIMENSIONAL CONTROL[CUST: AR AS 99] [REVIEW: CR4 EA MC MI] | A | 5220 | | AR | 19-FEB-82 |
| | A-A-51004 | GAGE, ENDODONTIC[CUST: MD MS 03] | A | 6520 | | MB | 03-AUG-85 |
| | A-A-54776 | GAGE, FOOD BLEMISH, VETERINARY[CUST: MD MS 03] [REVIEW: GS] | A | 6695 | / | MB | 30-NOV-92 |
| | A-A-54720 | GAGE, FRUIT AND VEGETABLE SIZING[CUST: MD MS 03] [REVIEW: GS] | A | 6695 | / | MB | 03-AUG-92 |
| | A-A-59509 | GAGE, HEIGHT, ELECTRONIC INDICATING[CUST: 99] | A | 5210 | / | 84 | 10-JAN-00 |
| | A-A-58070 | GAGE, INDICATOR BORE[CUST: 99] | A | 5210 | / | 84 | 01-JUL-96 |
| | GGG-G-31A | GAGE, MARKING AND MORTISING | A | 5210 | # | FSS | 09-DEC-64 |
| | NAS1563 | GAGE, PINS AND COLLAR INSPECTION, SWAGE LOCKING[CUST: AR AS 99 IS] | A | 5325 | | IS | 09-MAR-89 |
| | QPL-25867-12 | GAGE, PRESSURE, DIAL INDICATING, PNEUMATIC | A | 6685 | | GS1 | 12-OCT-04 |
| | MS17856A | GAGE, PRESSURE, DIAL INDICATING, STAINLESS STEEL CASE[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 15-OCT-63 |
| | A-A-53028 | GAGE, PROSTHODONTIC (BOLEY)[CUST: MD MS 03] | A | 6520 | / | MB | 06-JUL-87 |
| | NAS526 | GAGE, STYLUS, FLUSHNESS FOR 100 DEGREES COUNTERSUNK FLUSH FASTENERS[CUST: AV AS] [REVIEW: CR CR4] | A | 5220 | | AS | 14-JUN-74 |
| | A-A-51283 | GAGE, THICKNESS, DIAL INDICATING[CUST: MD MS 03] | A | 6540 | / | MB | 19-DEC-86 |
| | A-A-51325 | GAGE, THICKNESS, OPHTHALMIC LENS[CUST: MD MS 03] | A | 6540 | / | MB | 23-DEC-85 |
| | A-A-2293 | GAGE, WHEEL ALIGNMENT[CUST: GL YD] [REVIEW: AT MC] | A | 5210 | * | YD | 15-MAY-84 |
| A | MS25472G | GAGE-INSPECTION, FOR MS 25442 CRIMPING DIE (FOR USE WITH ALUMINUM WIRE TERMINAL)[CUST: CR AS 99] | A | 5220 | | AS | 09-NOV-72 |
| | ASME-B1.5 | GAGES & GAGING FOR UNIFIED INCH SCREW THREADS[CUST: AR AS 11] [REVIEW: AT AV CR4 EC GL] | A | THDS | | IS | 20-SEP-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASME-B1.2 | GAGES & GAGING FOR UNIFIED INCH SCREW THREADS[CUST: AR AS 11] [REVIEW: AT AV CR4 EC GL] | A | THDS | | IS | 21-MAR-90 |
| | SAE-AS23003 | GAGES - INSPECTION FOR MS23002 CRIMPING DIES (FOR USE WITH MS25036 INSULATED TERMINALS)[CUST: AS 11] | A | 5220 | | AS | AUG-98 |
| A | ASME-Y14.43 | GAGES AND FIXTURES, DIMENSIONING AND TOLERANCING PRINCIPALS FOR[CUST: AR SA 16 DH] [REVIEW: 13 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 28-JAN-03 |
| A | ASME-B1.22M | GAGES AND GAGING FOR M AND J SERIES METRIC SCREW THREADS[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 OS SH] | A | THDS | | IS | 10-AUG-93 |
| A | ASME-B1.16M | GAGES AND GAGING FOR METRIC M SCREW THREADS[CUST: AR AS 99] [REVIEW: AT AV CR CR4 OS SH] | A | THDS | | IS | 10-AUG-93 |
| | ASTM-E1237 | GAGES, BONDED RESISTANCE STRAIN, INSTALLING[CUST: MR AS 99] [REVIEW: GS] | A | 6635 | | MR | 15-FEB-93 |
| | ASTM-E251 | GAGES, METALLIC BONDED RESISTANCE STRAIN, PERFORMANCE CHARACTERISTICS OF[CUST: MR AS 99] [REVIEW: GS] | A | 6635 | | MR | 15-JAN-92 |
| | MIL-G-17489B(1) NOT 1 | GAGES, PRESSURE (AIR), BOILER[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 27-MAR-91 |
| | A-A-59568 | GAGES, TIRE PRESSURE, SELF CONTAINED AND INFLATOR GAGE, PNEUMATIC TIRE[CUST: AR MC 99 CC] [REVIEW: 84 AT] | A | 4910 | / | CC | 24-JUL-01 |
| | ASME-B107.17M | GAGES, WRENCH OPENINGS, REFERENCE[CUST: AR 99] [REVIEW: 84 AS AT AV CR MC] | A | 5220 | | AR | 12-MAR-92 |
| | ASME-B1.20.5 | GAGING FOR DRYSEAL PIPE THREADS (INCH)[CUST: AR AS IS] [REVIEW: AT CR4 MI OS] | A | THDS | | IS | 10-JUN-92 |
| | NACE-RP0196 | GALVANIC ANODE CATHODIC PROTECTION OF INTERNAL SUBMERGED SURFACES OF STEEL WATER STORAGE TANKS[CUST: YD] | A | FACR | | YD | 29-JUL-04 |
| | ASTM-E666 | GAMMA OR X RADIATION, CALCULATING ABSORBED DOSE FROM[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH] | A | 59GP | | CC | 15-OCT-91 |
| | A-A-50585 | GANTRIES, HOIST, PORTABLE (SHOP TYPE)[CUST: YD 99] [REVIEW: 84] | A | 3950 | / | CC | 24-APR-97 |
| | A-A-50012 NOT 1 | GARBAGE DISPOSAL MACHINE, COMMERCIAL[CUST: YD 99 IS] | A | 4540 | / | IS | 19-SEP-03 |
| | ANSI-Z21.18 | GAS APPLIANCE, PRESSURE REGULATORS[CUST: GL SH 99] | A | 4820 | | GL | 13-JAN-93 |
| | ANSI-Z21.45 | GAS APPLIANCES, FLEXIBLE CONNECTORS FOR OTHER THAN ALL-METAL CONSTRUCTION FOR[CUST: GL YD 99] | A | 7310 | | GL | 17-JUN-92 |
| | ASTM-E355 | GAS CHROMATOGRAPHY TERMS AND RELATIONSHIPS[CUST: CR4 SH 99] | A | 6630 | | CR4 | 10-APR-96 |
| | ASTM-D3257 | GAS CHROMATOGRAPHY, AROMATICS IN MINERAL SPIRITS BY[CUST: EA 68 GS3] [REVIEW: AS CR4 GL MC MD OS SH] | A | 6810 | | GS3 | 01-FEB-98 |
| | ASTM-D2804 | GAS CHROMATOGRAPHY, PURITY OF METHYL ETHYL KETONE BY[CUST: EA 68] [REVIEW: MC MD SH] | A | 6810 | | GS3 | 10-FEB-98 |
| | ANSI-Z83.12 | GAS FOOD SERVICE EQUIPMENT, BAKING AND ROASTING OVENS, AMERICAN NATIONAL STANDARD FOR (ALSO INCLUDES ADDENDA ANSI-Z83.12A AND ANSI-Z83.12B)[CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A | 7310 | | GL | 27-JUL-89 |
| | ANSI-Z83.14 | GAS FOOD SERVICE EQUIPMENT, COUNTER APPLIANCES (COUNTER OR FLOOR-MOUNTED) (ALSO INCLUDES ADDENDA ANSI-Z83.14A AND ANSI-Z83.14B)[CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A | 7320 | | GL | 27-JUL-89 |
| | ANSI-Z83.13 | GAS FOOD SERVICE EQUIPMENT, DEEP FAT FRYERS, AMERICAN NATIONAL STANDARD FOR, (ALSO INCLUDES ADDENDA ANSI-Z83.13A, AND ANSI-Z83.13B)[CUST: GL SA 99] [REVIEW: 50 84 MD] | A | 7310 | | GL | 27-JUL-89 |
| | ANSI-Z83.15 | GAS FOOD SERVICE EQUIPMENT, KETTLES, STEAM COOKERS AND STEAM GENERATORS, AMERICAN NATIONAL STANDARD FOR (ALSO INCLUDES ADDENDA ANSI-Z83.15A AND ANSI-Z83.15B)[CUST: GL SA 99] [REVIEW: 50 84 MC MD YD] | A | 7310 | | GL | 27-JUL-89 |
| | ANSI-Z83.11 | GAS FOOD SERVICE EQUIPMENT, RANGES AND UNIT BROILERS, AMERICAN NATIONAL STANDARD FOR, (ALSO INCLUDES ADDENDA ANSI-Z83.11A AND ANSI-Z83.11B)[CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A | 7310 | | GL | 27-JUL-89 |
| | ANSI-Z21.41 | GAS FUEL, FOR USE WITH QUICK-DISCONNECT DEVICES[CUST: GL YD 99] | A | 4730 | | GL | 03-OCT-94 |
| | MIL-G-63386(3) NOT 1 | GAS GENERATOR ASSEMBLY[CUST: AR] | A | 1345 | | AR | 04-APR-90 |
| | STANAG-4519 ED.1(1) | GAS GENERATORS, DESIGN SAFETY PRINCIPLES AND SAFETY AND SUITABILITY FOR SERVICE ELALUATION | C | ISDA | | AI | 17-APR-00 |
| | UL795 | GAS HEATING EQUIPMENT, COMMERCIAL-INDUSTRIAL[CUST: YD 99] [REVIEW: 84] | A | 4520 | | IS | 27-JUL-99 |
| | EIA455.100 | GAS LEAKAGE TEST FOR GAS - BLOCKED FIBER OPTIC CABLES[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC MI SH TE] | A | 60GP | | CR | 18-JAN-91 |
| | ASME-B31.8 | GAS TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | AWS-C5.5 | GAS TUNGSTEN ARC WELDING, RECOMMENDED PRACTICES FOR[CUST: AR SH 11] | A | THJM | | AR | 1980 |
| | SAE-ARP1420 | GAS TURBINE ENGINE INLET FLOW DISTORTION GUIDELINES[CUST: CR4 AS 11] [REVIEW: GS] | A | 2840 | | 11 | 03-OCT-94 |
| | SAE-AS681 | GAS TURBINE ENGINE STEADY-STATE AND TRANSIENT PERFORMANCE PRESENTATION FOR DIGITAL COMPUTER PROGRAMS[CUST: AV AS 11] [REVIEW: 99 GS] | A | 2840 | | 11 | SEP-96 |
| | SAE-AIR1419 | GAS TURBINE ENGINES, INLET TOTAL-PRESSURE-DISTORTION CONSIDERATIONS FOR[CUST: AV AS 11] [REVIEW: GS] | A | 2840 | | 11 | MAY-83 |
| | ASTM-D2880 | GAS TURBINE FUEL OILS[CUST: PS] | A | 9140 | | PS | 15-FEB-94 |
| | UL441 | GAS VENTS[CUST: YD] | A | 4520 | | IS | 16-SEP-91 |
| | ANSI-Z21.10.1 | GAS WATER HEATERS - VOLUME I - STORAGE WATER HEATERS WITH INPUT RATINGS OF 75,000 BTU PER HOUR OR LESS[CUST: CR4 YD 99] | A | 4520 | | IS | 08-APR-93 |
| | CGA-V1 | GAS, COMPRESSED CYLINDER VALVE OUTLET & INLET CONNECTIONS[CUST: AS 68] [REVIEW: 84 99 AV GS IS SH] | A | 8120 | | 68 | 21-APR-89 |
| | UL252A | GAS, COMPRESSED, REGULATOR ACCESSORIES[CUST: AR SH 99 CC] [REVIEW: 71 MC SA] | A | 4820 | | CC | 12-AUG-02 |
| | ANSI-B109.1 | GAS, DIAPHRAGM TYPE, DISPLACEMENT METERS (500 CUBIC FEET PER HOUR CAPACITY AND UNDER)[CUST: YD] [REVIEW: GS] | A | 6680 | | YD | 17-SEP-91 |
| | ANSI-B109.2 | GAS, DIAPHRAGM TYPE, DISPLACEMENT METERS (OVER 500 CUBIC FEET PER HOUR CAPACITY)[CUST: YD] [REVIEW: GS] | A | 6680 | | YD | 17-SEP-91 |
| | ANSI-B109.3 | GAS, ROTARY TYPE, DISPLACEMENT METERS[CUST: YD] [REVIEW: GS] | A | 6680 | | YD | 17-SEP-91 |
| | ANSI-Z21.66 | GAS-FIRED APPLIANCES, FOR USE WITH AUTOMATIC VENT DAMPER DEVICES[CUST: CR4 YD 99] | A | 4520 | | IS | 14-FEB-94 |
| | ANSI-Z21.47 | GAS-FIRED CENTRAL FURNACES[CUST: YD 99] [REVIEW: 84 CC MC] | A | 4430 | | IS | 18-SEP-91 |
| | ASTM-E800 | GASES PRESENT OR GENERATED DURING FIRES, MEASUREMENT OF[CUST: AR SH 99] | A | 4210 | | AR | 03-OCT-94 |
| | SAE-AS9374 | GASKET METAL O-RING, .094 TUBE X .006 WALL, SILVER PLATED[CUST: AS 11 IS] | A | 5330 | | IS | 26-OCT-00 |
| | SAE-AS123020THRUAS123119 | GASKET - ALUMINUM - NON ASBESTOS, ANNULAR[CUST: AV AS 99] | A | 5330 | | IS | AUG-98 |
| | SAE-AS3498 | GASKET - ENGINE ACCESSORY DRIVE[CUST: AV AS 11 IS] | A | 5330 | | IS | 23-MAR-93 |
| | SAE-AS9141 | GASKET - METAL O-RING, .035 TUBE X .006 WALL, CRES[CUST: AS 11] | A | 5330 | | IS | MAY-98 |
| | SAE-AS9142 | GASKET - METAL O-RING, .062 TUBE X .006 WALL, CRES[CUST: AS 11] | A | 5330 | | IS | MAY-98 |
| | SAE-AS9373 | GASKET - METAL O-RING, .062 TUBE X .010 WALL SILVER PLATED[CUST: AS 11] | A | 5330 | | IS | NOV-98 |
| | SAE-AS9202 | GASKET - METAL O-RING, .062 TUBE X .010 WALL, CRES[CUST: AS 11] | A | 5330 | | IS | MAY-98 |
| | SAE-AS9203 | GASKET - METAL O-RING, .094 TUBE X .006 WALL, CRES[CUST: AS 11] | A | 5330 | | IS | MAY-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS9204 | GASKET - METAL O-RING, .094 TUBE X .010 WALL, CRES[CUST: AS 11] | A | 5330 | | IS | NOV-98 |
| | SAE-AS9205 | GASKET - METAL O-RING, .125 TUBE X .010 WALL, CRES[CUST: AS 11] | A | 5330 | | IS | NOV-98 |
| | SAE-AS3491 | GASKET - TYPE X OR XV ENGINE ACCESSORY DRIVE[CUST: AV AS 11 IS] | A | 5330 | | IS | 23-MAR-93 |
| | SAE-AS3492 | GASKET - TYPE XI ENGINE ACCESSORY DRIVE[CUST: AV AS 11 IS] | A | 5330 | | IS | 23-MAR-93 |
| | SAE-AS3493 | GASKET - TYPE XII, XIV A AND XIV B ENGINE ACCESSORY DRIVE[CUST: AV AS 11 IS] | A | 5330 | | IS | 23-MAR-93 |
| | SAE-AS3494 | GASKET - TYPE XIII ENGINE ACCESSORY DRIVE[CUST: AV AS 11 IS] | A | 5330 | | IS | 23-MAR-93 |
| | SAE-AS3495 | GASKET - TYPE XIV-C ENGINE ACCESSORY DRIVE[CUST: AV AS 11 IS] | A | 5330 | | IS | 23-MAR-93 |
| | SAE-AS3496 | GASKET - TYPE XVI ENGINE ACCESSORY DRIVE[CUST: AS 11 IS] | A | 5330 | | IS | 23-MAR-93 |
| | SAE-AS9144 | GASKET - TYPE XX ENGINE ACCESSORY DRIVE[CUST: AS 11] | A | 5330 | | IS | JUN-99 |
| | MIL-DTL-22050E | GASKET AND PACKING MATERIAL, RUBBER, FOR USE WITH POLAR FLUIDS, STEAM, AND AIR AT MODERATELY HIGH TEMPERATURES[CUST: SH] | A | 5330 | | SH | 30-NOV-04 |
| | ASTM-C509 | GASKET AND SEALING MATERIAL, PREFORMED, ELASTOMERIC CELLULAR[CUST: MR YD 99 IS] | A | 5330 | | IS | 15-JUN-94 |
| | ASTM-F38 | GASKET MATERIAL, CREEP RELAXATION OF A[CUST: MR SH 99] [REVIEW: AS AT AV CR CR4 IS OS YD] | A | 5330 | | MR | 10-APR-00 |
| | HH-G-156E | GASKET MATERIAL, GENERAL PURPOSE; RUBBER SHEETS, STRIPS, AND SPECIAL SHAPES[CUST: MR SH 99] [REVIEW: 71 AR AS AV GL IS MC OS] | A | 5330 | / | SH | 05-APR-93 |
| | ZZ-G-710B | GASKET MATERIAL, RUBBER 35 DUROMETER HARDNESS[CUST: CR4 SH] [REVIEW: AS IS OS] | A | 5330 | / | SH | 05-APR-93 |
| | MIL-PRF-15624F | GASKET MATERIAL, RUBBER, 50 DUROMETER HARDNESS (MAXIMUM)[CUST: MR SH] [REVIEW: 11 AS GL IS MC OS] | A | 5330 | | SH | 25-MAY-94 |
| | A-A-59398 | GASKET MATERIAL, SILICONE GEL WITH MONEL MATRIX OR EQUIVALENT[CUST: SH 99] [REVIEW: CC] | A | 2090 | / | SH | 09-JAN-04 |
| | ASTM-F607 | GASKET MATERIALS TO METAL SURFACES, ADHESION OF[CUST: MR SH 99] [REVIEW: AS AT AV CR4 IS OS YD] | A | 5330 | | MR | 16-JAN-91 |
| | MIL-HDBK-212 NOT 1 | GASKET MATERIALS(NONMETALLIC)[CUST: MR AS] | A | 5330 | | MR | 19-APR-88 |
| | ASTM-F37 | GASKET MATERIALS, SEALABILITY OF[CUST: MR SH 99 IS] | A | 5330 | | IS | 10-APR-00 |
| | MIL-PRF-1149D | GASKET MATERIALS, SYNTHETIC RUBBER, 50 AND 65 DUROMETER HARDNESS[CUST: AV SH] [REVIEW: AS CC CR4 EA IS MI] | A | 5330 | | SH | 10-JUN-98 |
| | MS3322B NOT 2 | GASKET, CONDUCTIVE, ELECTRIC CONNECTOR, JAM NUT MOUNT[CUST: CR AS 11 CC] [REVIEW: AR AV CR4 EC MC MI OS SH] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-DTL-20078D | GASKET, FOR BALLISTIC DOORS AND HATCHES[CUST: AR SH] [REVIEW: AV IS] | A | 5330 | | SH | 10-SEP-04 |
| | SAE-AS8991 | GASKET, FUSELAGE LIGHT- COVER SCREW[CUST: AV AS 99 IS] [REVIEW: 11 71] | A | 5330 | | IS | JUL-99 |
| | MIL-PRF-32187 | GASKET, HYBRID, FLAT AND RAISED FACE FLANGE, FIRE RESISTANT, SHIPBOARD USE[CUST: MI SH] [REVIEW: CG FSS IS MR NP SA] | A | 5330 | | SH | 24-FEB-05 |
| | ASTM-C964 | GASKET, LOCK-STRIP, GLAZING[CUST: MR YD IS] [REVIEW: 71] | A | 5330 | | IS | 08-SEP-88 |
| | SAE-MA2536 | GASKET, METAL C-RING, FACE SEAL, INTERNAL PRESSURE, UNS N07750 SILVER PLATED, METRIC[CUST: MR SH 99 IS] [REVIEW: 71 AS AV] | A | 5330 | | IS | 25-MAR-91 |
| | SAE-MA2537 | GASKET, METAL C-RING, GROOVE DESIGN, FACE TYPE INTERNAL PRESSURE, METRIC[CUST: MR SH IS] [REVIEW: AR OS] | A | 5330 | | IS | 22-MAR-91 |
| | SAE-AS7325 | GASKET, METAL O-RING CORROSION AND HEAT RESISTANT STEEL PROCUREMENT SPECIFICATION FOR[CUST: MR AS 11 IS] | A | 5330 | | IS | DEC-94 |
| | SAE-AMS-HH-G-101 | GASKET, METALLIC ENCASED[CUST: MR YD 99 IS] | A | 5330 | | IS | 31-JAN-01 |
| | SAE-AS35769 | GASKET, METALLIC, ENCASED, ANNULAR, COPPER[CUST: AR 99] | A | 5330 | | IS | 01-MAR-01 |
| | SAE-AS27196 | GASKET, RUBBER, FLUID RESISTANT, OILS, SYNTHETIC OILS AND FUELS (-65 TO +400 DEGREES F) MOLD IN GROOVE[CUST: 99] | A | 5330 | | IS | 01-MAR-01 |
| | A-A-52481 | GASKET, RUBBER, SYNTHETIC[CUST: AT] [REVIEW: IS MI] | A | 5330 | / | AT | 28-OCT-93 |
| | SAE-AS51007 | GASKET, RUBBER, SYNTHETIC[CUST: AR 99] | A | 5330 | | IS | 02-APR-01 |
| | NAS1412 | GASKET, SEALING, CUSTOM DESIGN[CUST: AR AS 99] | A | 5330 | | AS | 11-APR-88 |
| | MIL-G-24696/1A | GASKET, SHEET NON-ASBESTOS SIZES AND TOLERANCES[CUST: SH] | A | 5330 | | SH | 25-MAY-95 |
| A | QPL-24696-4 | GASKET, SHEET, NON-ASBESTOS | A | 5330 | | SH | 03-FEB-06 |
| | MIL-G-24696B(1) | GASKET, SHEET, NON-ASBESTOS[CUST: SH] | A | 5330 | | SH | 18-FEB-98 |
| | A-A-52489 | GASKET, SPARK PLUG: NONAIRCRAFT[CUST: AT 99] [REVIEW: CC CR4 MC] | A | 2920 | / | AT | 03-MAR-94 |
| | A-A-52302 NOT 1 | GASKET, SPLIT INTEGRAL, FOR INLAND PETROLEUM DISTRIBUTION SYSTEM (IPDS) SNAP-JOINT COUPLING[CUST: AT] [REVIEW: CC CE] | A | 5330 | / | AT | 13-APR-04 |
| | MIL-DTL-24211/1B NOT 1 | GASKET, WAVEGUIDE FLANGE (COVER)[CUST: CR EC 11] [REVIEW: 19 AR CG MI OS SH] | A | 5985 | | CC | 03-FEB-04 |
| | MIL-DTL-24211/2C NOT 1 | GASKET, WAVEGUIDE FLANGE (FLAT FACE)[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC OS SH] | A | 5985 | | CC | 03-FEB-04 |
| M | MIL-DTL-24211B(1) | GASKET, WAVEGUIDE FLANGE GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC MI] | A | 5985 | | CC | 24-MAR-06 |
| | SAE-AS9371 | GASKET-METAL O-RING, .035 TUBE X .006 WALL, SILVER PLATED[CUST: AS 11] | A | 5330 | | IS | DEC-99 |
| | SAE-AS9372 | GASKET-METAL O-RING, .062 TUBE X .006 WALL, SILVER PLATED[CUST: AS 11] | A | 5330 | | IS | DEC-99 |
| | SAE-AS9375 | GASKET-METAL O-RING, .094 TUBE X .010 WALL, SILVER PLATED[CUST: AS 11] | A | 5330 | | IS | DEC-99 |
| | SAE-AS9376 | GASKET-METAL O-RING, .125 TUBE X .010 WALL, SILVER PLATED[CUST: AS 11] | A | 5330 | | IS | DEC-99 |
| | SAE-AS3497 | GASKET-TYPE XIX ENGINE ACCESSORY DRIVE[CUST: AS 11 IS] | A | 5330 | | IS | 23-MAR-93 |
| | A-A-52468 NOT 1 | GASKET: FILTER, FLUID, PRESSURE, AUTOMOTIVE FUEL[CUST: AT 99] [REVIEW: CC CR4 MC] | A | 2910 | / | AT | 13-APR-04 |
| | MIL-DTL-83528/10C | GASKETING MATERIAL, CONDUCTIVE, ELASTOMER, ELECTRICAL, EMI/RFI, CHANNEL STRIP[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| | MIL-DTL-83528/2C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRICAL, O-RING, STANDARD[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| | MIL-DTL-83528/13E | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, ELECTRICAL, EMI/RFI, WAVEGUIDE[CUST: CR EC 11 CC] [REVIEW: 19 99 NA] | A | 5999 | | CC | 15-NOV-01 |
| | MIL-DTL-83528/12C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, ELECTRICAL, EMI/RFI, FLAT CIRCULAR WASHERS[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| | MIL-DTL-83528/1D | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, CIRCULAR STRIP, .040 THROUGH .250 DIAMETER[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| A | QPL-83528-41 | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, GENERAL SPECIFICATION FOR | A | 5999 | | CC | 25-OCT-05 |
| | MIL-DTL-83528C(1) SUP 1A | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5999 | | CC | 15-NOV-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-83528/3D | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, SOLID "D" SHAPED STRIP[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| A | MIL-DTL-83528/14A(1) | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, FOR USE IN TIME TOTALIZING METERS COVERED BY MIL-M-7793[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5999 | | CC | 22-NOV-05 |
| | MIL-DTL-83528/9D | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, SOLID RECTANGULAR-STRIPS[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| | MIL-DTL-83528/8D | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW P-STRIP[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| | MIL-DTL-83528/5D | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, O-RING, NON-STANDARD[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| | MIL-DTL-83528/7E | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW D-STRIP[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| | MIL-DTL-83528/11D | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW O-STRIPS[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| | MIL-DTL-83528/6D | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, RECTANGULAR, D-CROSS SECTION[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| | MIL-DTL-83528/4E | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, EMI/RFI, CONNECTOR FLANGE MOUNT[CUST: CR EC 11 CC] [REVIEW: 19 99 NS] | A | 5999 | | CC | 15-NOV-01 |
| | MIL-G-21569B NOT 1 | GASKETS, CYLINDER LINER SEAL, SYNTHETIC RUBBER[CUST: SH] [REVIEW: IS] | A | 5330 | | SH | 09-MAY-89 |
| | MIL-PRF-17927D | GASKETS, FLAME RESISTANT HINGED CLOSURE[CUST: MR SH] [REVIEW: IS] | A | 5330 | | SH | 27-SEP-04 |
| | ASME-B16.21 | GASKETS, FLAT, NONMETALLIC, FOR PIPE FLANGES[CUST: MR YD 99 IS] | A | 5330 | | IS | 30-SEP-92 |
| | MIL-G-21610C | GASKETS, HEAT EXCHANGER, VARIOUS CROSS SECTION RINGS, SYNTHETIC RUBBER[CUST: SH] [REVIEW: IS] | A | 5330 | | SH | 21-NOV-89 |
| | ASTM-C542 | GASKETS, LOCK-STRIP[CUST: AR YD 99 IS] [REVIEW: 84 CE GS OS SH] | A | 5330 | | IS | 10-OCT-88 |
| | MIL-G-24748A | GASKETS, METALLIC AND RUBBER, FOR USE IN UNION PIPE FITTINGS 1/4 TO 2-INCH NPS WITH VARIOUS FLUIDS FROM -30 DEG. F (-34 DEG. C) TO 400 DEG. F (204 DEG. C)[CUST: SH] | A | 5330 | | SH | 12-JAN-94 |
| | ASME-B16.20 | GASKETS, METALLIC, FOR PIPE FLANGES - RING-JOINT, SPIRAL-WOUND, AND JACKETED[CUST: MR YD 99 IS] | A | 5330 | | IS | 30-APR-93 |
| | MIL-G-15342E | GASKETS, METALLIC, SPIRAL WOUND FOR BOILERS[CUST: SH] | A | 5330 | | SH | 05-JAN-87 |
| | QPL-15342-20 | GASKETS, METALLIC, SPIRAL WOUND, FOR BOILERS | A | 5330 | | SH | 08-MAR-99 |
| | MIL-G-24716A | GASKETS, METALLIC-FLEXIBLE GRAPHITE, SPIRAL WOUND[CUST: SH] | A | 5330 | | SH | 05-APR-93 |
| | ASTM-C864 | GASKETS, SEAL, SETTING BLOCKS, AND SPACERS, DENSE ELASTOMERIC COMPRESSION[CUST: CR4 YD 99 IS] | A | 5330 | | IS | 29-SEP-95 |
| | SAE-AS7283 | GASKETS, TYPE XX ENGINE ACCESSORY DRIVE CORROSION RESISTANT STEEL SCREEN REINFORCED CONTROLLED PERFORMANCE[CUST: AS 11 IS] | A | 5330 | | IS | 10-MAR-98 |
| | A-A-52444 NOT 1 | GASKETS: COMBINATION OF METAL AND NONASBESTOS FACING MATERIAL (METRIC)[CUST: AT MC] [REVIEW: CC] | A | 2805 | / | AT | 13-APR-04 |
| | F-F-351/6 | GASKETS: FILTER, FLUID PRESSURE[CUST: AT SH 99] [REVIEW: AR AV CR4 IS MC MI] | A | 5330 | / | AT | 15-MAY-98 |
| | A-A-52530 NOT 1 | GASOHOL, AUTOMOTIVE, UNLEADED[CUST: AT YD 68] [REVIEW: MD PS SA SH] | A | 9130 | / | AT | 16-APR-04 |
| | ASTM-D525 | GASOLINE (INDUCTION PERIOD METHOD), OXIDATION STABILITY OF[CUST: AT SH 11] [REVIEW: 68 OS] | A | 91GP | | AT | 31-OCT-88 |
| | ASTM-D322 | GASOLINE DILUENT IN USED GASOLINE ENGINE OILS BY DISTILLATION[CUST: CE AS 99] | A | 91GP | | CE | 10-DEC-97 |
| | ASTM-D3227 | GASOLINE, KEROSINE, AVIATION TURBINE, AND DISTILLATE FUELS (POTENTIOMETRIC METHOD), (THIOL MERCAPTAN) SULFUR IN[CUST: AT AS 11] [REVIEW: 68 OS SH] | A | 91GP | | AT | AUG-92 |
| | ASTM-D3116 | GASOLINE, TRACE AMOUNTS OF LEAD IN[CUST: AT SH 11] [REVIEW: OS] | A | 91GP | | AT | 31-MAR-89 |
| | A-A-58040 | GASOLINE-ENGINE DRIVEN AND PNEUMATIC-POWERED VIBRATING SCREEDS[CUST: 99] | A | 3895 | / | 84 | 16-MAR-95 |
| | ASTM-D910 | GASOLINES, AVIATION[CUST: MR AS 11] [REVIEW: PS] | A | 9130 | | AS | 15-FEB-94 |
| | ASTM-D2392 | GASOLINES, AVIATION, COLOR OF DYED[CUST: AT] | A | 9130 | | AT | 10-JUL-96 |
| | UL262 | GATE VALVES FOR FIRE PROTECTION SERVICE[CUST: AR YD 99] [REVIEW: 11 71 CE CR MC MI] | A | 4820 | | CC | 27-MAY-94 |
| | MSS-SP70 | GATE VALVES, CAST IRON, FLANGED & THREADED ENDS[CUST: CR4 YD 99] [REVIEW: MC] | A | 4820 | | CC | 23-AUG-91 |
| | ANSI-B40.1M | GAUGE, PRESSURE INDICATING DIAL TYPE, ELASTIC ELEMENT (METRIC)[CUST: CR4 YD 99] [REVIEW: AR AS AT GS MC OS SH] | A | 6685 | | YD | 28-DEC-81 |
| M | MIL-G-18997E(2) | GAUGE, PRESSURE, DIAL INDICATING[CUST: SH] | A | 6685 | | SH | 14-MAR-06 |
| | A-A-59120 | GAUGE, SURFACE PLATE FLATNESS CHECKING[CUST: AR 99] [REVIEW: AT] | A | 5220 | / | 84 | 22-SEP-97 |
| | ASME-B40.1 | GAUGES - PRESSURE INDICATING DIAL TYPE - ELASTIC ELEMENT[CUST: CR4 YD 11] [REVIEW: GS] | A | 6685 | | YD | 14-JAN-91 |
| | ASME-B40.100 | GAUGES AND GAUGE ATTACHMENTS, PRESSURE[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | UL404 | GAUGES, INDICATING PRESSURE, FOR COMPRESSED GAS SERVICE[CUST: AR SH 99 MB] [REVIEW: GS] | A | 6685 | | MB | 25-JUN-93 |
| | A-A-30080A | GAUZE, ABSORBENT (NONSTERILE) | A | 6510 | # | FSS | 11-APR-86 |
| | A-A-51946A | GAUZE, ABSORBENT (PACKING STRIPS)[CUST: MD MS 03] | A | 6510 | / | MB | 26-AUG-87 |
| | A-A-51254 | GAUZE, ABSORBENT, IODOFORM IMPREGNATED[CUST: MD MS 03] | A | 6510 | / | MB | 17-DEC-85 |
| | A-A-54855 | GAUZE, ABSORBENT, STERILE, COMPRESSED[CUST: MD MS 03] | A | 6510 | / | MB | 16-APR-93 |
| | A-A-51950A | GAUZE, OIL EMULSION IMPREGNATED[CUST: MD MS 03] | A | 6510 | / | MB | 29-AUG-88 |
| | A-A-53756A | GAUZE, OINTMENT IMPREGNATED[CUST: MD MS 03] | A | 6510 | / | MB | 23-JUN-89 |
| | A-A-54419 | GAUZE, PETROLATUM[CUST: MD MS 03] | A | 6510 | / | MB | 28-JUN-91 |
| | STANAG-2213 ED.4 | GAZETTEERS | C | ISDF | | 06 | 03-APR-98 |
| | QSTAG-545 | GAZETTEERS (BASED ON NATO STANAG 2213) (ABCA 545)[CUST: AI] | C | ISDA | | AI | 29-NOV-84 |
| | NAS726 | GEAR SPUR, 20 DEGREE INVOLUTE, LOW INERTIA, 48 AND FINER PITCH[CUST: CR4] | A | 3020 | | CR4 | 01-SEP-60 |
| | ANSI-Y14.7.2 | GEAR & SPLINE DRAWING STANDARDS - PART 2, BEVEL & HYPOID GEARS[CUST: AR SA 16] [REVIEW: 11 AT AV CR4 MC OS SH YD] | A | DRPR | | AR | 17-JAN-78 |
| | MIL-G-17859D | GEAR ASSEMBLY, PROPULSION (NAVAL SHIPBOARD USE)[CUST: SH] | A | 3010 | | SH | 30-SEP-93 |
| | AGMA2000 | GEAR CLASSIFICATION AND INSPECTION HANDBOOK-TOLERANCE AND MEASURING METHODS FOR UNASSEMBLED AND HELICAL GEARS (INCLUDING METRIC EQUIVALENTS)[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 01-MAR-89 |
| | ANSI-Y14.7.1 | GEAR DRAWING STANDARDS PART 1 FOR SPUR, HELICAL, DOUBLE HELICAL & RACK[CUST: AR OS 16] | A | DRPR | | AR | 23-AUG-88 |
| | AGMA9005 | GEAR LUBRICATION, INDUSTRIAL[CUST: YD] | A | FACR | | YD | 02-JUN-04 |
| | AGMA2004 | GEAR MATERIALS AND HEAT TREATMENT MANUAL[CUST: CR4 YD 99] | A | 3020 | | CR4 | FEB-89 |
| | CTI-STD111 | GEAR SPEED REDUCERS[CUST: YD] | A | FACR | | YD | 03-JUN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AGMA2001 | GEAR TEETH, INVOLUTE SPUR AND HELICAL, FUNDAMENTAL RATING FACTORS AND CALCULATION METHODS FOR[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 21-NOV-89 |
| | A-A-59776 | GEAR, FIRE PROTECTIVE[CUST: SH 03] [REVIEW: 84 99 AS IS] | A | 4210 | / | SH | 22-JUN-05 |
| | AGMA6009 | GEARMOTOR SHAFT MOUNTED AND SCREW CONVEYOR DRIVES, STANDARD FOR[CUST: YD] | A | FACR | | YD | 02-JUN-04 |
| | AGMA6019 | GEARMOTORS USING SPUR, HELICAL, HERRINGBONE, STRAIGHT BEVEL, OR SPIRAL BEVEL GEARS, STANDARD FOR[CUST: YD] [REVIEW: GS] | A | 34GP | | YD | 23-DEC-91 |
| | AGMA2005 | GEARS, BEVEL, DESIGN MANUAL FOR[CUST: MI YD 99] [REVIEW: GS] | A | 3414 | | CC | MAY-88 |
| A | A-A-59382 NOT 1 | GEL ENCAPSULATED CORROSION PROTECTION SLEEVES[CUST: SH 99] [REVIEW: CC] | A | 5970 | / | SH | 18-NOV-05 |
| | ASTM-D3532 | GEL TIME OF CARBON FIBER-EPOXY PREPREG[CUST: MR AS 11] | A | CMPS | | MR | APR-89 |
| | ASTM-D1955 | GEL TIME OF DRYING OILS, TEST METHOD FOR[CUST: MR SH 84] | A | 8010 | | MR | FEB 86 |
| | ARMP-2 ED.2 | GENERAL APPLICATION GUIDANCE ON THE USE OF ARMP-1 | A | SESS | | CR | 31-OCT-93 |
| | MIL-HDBK-1021/2 | GENERAL CONCEPTS FOR AIRFIELD PAVEMENT DESIGN[CUST: YD] | A | FACR | | YD | 30-SEP-88 |
| | MIL-HDBK-1025/6 | GENERAL CRITERIA FOR WATERFRONT CONSTRUCTION[CUST: YD] | A | FACR | | YD | 15-MAY-88 |
| | MIL-STD-1365B | GENERAL DESIGN CRITERIA FOR HANDLING EQUIPMENT ASSOCIATED WITH WEAPONS AND RELATED ITEMS[Design Criteria Standard][CUST: SM OS 99] [REVIEW: 11 AR AS EC MC MI MT SA SH] | A | PACK | | OS | 30-SEP-97 |
| | SAE-HIR1063 | GENERAL ENVIRONMENTAL CONSIDERATIONS FOR MARINE VEHICLES[CUST: CR4 SH] [REVIEW: MC] | A | ENVR | | SH | 17-JUN-91 |
| | AGA-REPORT-NO3PART1 | GENERAL EQUATIONS AND UNCERTAINTY GUIDELINES[CUST: YD] | A | FACR | | YD | 27-JUL-04 |
| | QAP-251 ED.1 | GENERAL FINANCIAL AND CONTRACTING PRINCIPLES FOR MUTUAL LOGISTIC SUPPORT | C | ISDA | | AI | 27-OCT-99 |
| A | ITOP-1.1.001 | GENERAL GUIDANCE FOR INCORPORATING MODELING AND SIMULATION IN TEST OPERATION PROCEDURES | D | ISDA | | TE | 06-SEP-04 |
| | MIL-HDBK-454A | GENERAL GUIDELINES FOR ELECTRONIC EQUIPMENT[CUST: CR AS 11 CC] [REVIEW: 19 AR AV EC MI OS SH TE] | A | SESS | | CC | 03-NOV-00 |
| | MIL-HDBK-83575 | GENERAL HANDBOOK FOR SPACE VEHICLE WIRING HARNESS DESIGN AND TESTING[CUST: 19] [REVIEW: 33 99 CG GS NA US] | A | 1820 | | 19 | 04-JUN-98 |
| | MS16662H NOT 1 | GENERAL NOTES FOR STANDARD ELECTRICAL DRAWINGS[CUST: SH] | A | DRPR | | SH | 13-NOV-89 |
| | ABC-STD-48 | GENERAL PRINCIPLES OF GAUGING | C | ISDN | | SH | 29-JAN-70 |
| | ISO5209 | GENERAL PURPOSE INDUSTRIAL VALVES - MARKING[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | ITOP-5.2.623 | GENERAL REQUIREMENTS FOR ESTABLISHING RELIABILITY OF AIRBORNE FLIGHT TERMINATION SYSTEM COMPONENTS | D | ISDA | | TE | 09-JUN-00 |
| | ITOP-5.2.622 | GENERAL REQUIREMENTS FOR FLIGHT TERMINATION SUBSYSTEMS FOR MISSILES, ROCKETS, AERIAL TARGETS, AND UNMANNED AERIAL VEHICLES (UAVS) | D | ISDA | | TE | 19-JUN-98 |
| | MIL-HDBK-2084(2) | GENERAL REQUIREMENTS FOR MAINTAINABILITY OF AVIONIC & ELECTRONIC SYSTEMS & EQUIPMENT[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 31-JUL-95 |
| D | FED-STD-1027 | GENERAL SECURITY REQUIREMENTS FOR EQUIPMENT USING THE DATA ENCRYPTION STANDARD[CUST: CR EC] [REVIEW: DC DH MC OM SH] | A | TELE | * | NS | 14-APR-82 |
| | A-A-53470 | GENERAL SPECIFICATION, BURS, BONE SURGERY, DIAMOND, FOR[CUST: MD MS 03] | A | 6515 | / | MB | 22-AUG-88 |
| | STANAG-1113 ED.4 | GENERAL SPECIFICATIONS FOR PROJECTIONS REQUIRED FOR NAUTICAL CHARTS FOR POLAR REGIONS AND THE HIGHER LATITUDES | C | ISDF | | 06 | 15-DEC-00 |
| | MIL-PRF-49503B(1) | GENERAL STYLE AND FORMAT, TEST PROGRAM SETS FOR AUTOMATIC TEST EQUIPMENT[CUST: TM] [REVIEW: AR AT AV CR EA MI] | A | TMSS | | TM | 15-NOV-01 |
| | ITOP-4.2.520 | GENERAL TEST REQUIREMENTS FOR COUNTERMINE AND DEMINING TESTING | D | ISDA | | TE | 20-JUN-02 |
| | ITOP-4.2.510 | GENERAL TEST REQUIREMENTS FOR UNMANNED TARGET ACTIVATED WEAPONS (UTAW) | D | ISDA | | TE | 15-MAY-00 |
| | MIL-PRF-46795G | GENERATING SYSTEM: ALTERNATOR, RECTIFIER, 60 AMPERES, 28 VOLTS[CUST: AT CC] | A | 2920 | | AT | 29-AUG-97 |
| | MIL-G-21296B | GENERATOR SET, DIESEL ENGINE DIRECT AND ALTERNATING CURRENT (NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: GS] | A | 6115 | | SH | 21-MAR-94 |
| | MIL-HDBK-705C NOT 1 | GENERATOR SETS, ELECTRICAL, MEASUREMENT AND INSTRUMENTATION METHODS[CUST: CR4 YD 99] [REVIEW: 11 AS AT CE CR GS MC TE] | A | 6115 | | CR4 | 03-NOV-92 |
| | MIL-STD-705C | GENERATOR SETS, ENGINE DRIVEN METHODS OF TESTS AND INSTRUCTIONS[Test Method Standard][CUST: CR4 YD 99] [REVIEW: 71 AS AT GS MC MI TE] | A | 6115 | | CR4 | 24-APR-89 |
| | MIL-G-22077C | GENERATOR SETS, GAS TURBINE, DIRECT AND ALTERNATING CURRENT NAVAL SHIPBOARD USE[CUST: SH] [REVIEW: GS] | A | 6115 | | SH | 03-NOV-93 |
| | MIL-G-3087C | GENERATOR SETS, STEAM TURBINE (DIRECT AND ALTERNATING CURRENT) (NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: GS] | A | 6115 | | SH | 15-NOV-73 |
| | MIL-G-21480A(1) NOT 1 | GENERATOR SYSTEM 400 HERTZ, ALTERNATING CURRENT, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AS 11] [REVIEW: AV GS] | A | 6115 | | AS | 15-DEC-87 |
| A | QPL-21480-16 | GENERATOR SYSTEM, 400 HERTZ ALTERNATING CURRENT AIRCRAFT, GENERAL SPECIFICATION FOR | A | 6115 | | AS | 26-SEP-05 |
| | MIL-DTL-62186B | GENERATOR, ALTERNATING CURRENT (650 AMPERE RECTIFIED), 28 VOLTS DIRECT CURRENT (OIL COOLED)[CUST: AT 99] [REVIEW: GS] | A | 6115 | | AT | 06-JAN-99 |
| | ANSI-C50.13 | GENERATOR, CYLINDRICAL ROTOR SYNCHRONOUS, ROTATING ELECTRICAL MACHINERY AMERICAN NATIONAL STANDARD FOR[CUST: CR4 YD 99] [REVIEW: 71 GS] | A | 6115 | | YD | 25-JUL-90 |
| | MIL-PRF-62061C | GENERATOR, ENGINE ACCESSORY: 28 VOLT DC, RATED OUTPUT 300 AMPERE[CUST: AT MC 99] [REVIEW: CC] | A | 2920 | | AT | 20-DEC-97 |
| | A-A-59753 | GENERATOR, FUNCTION (0.1 HZ TO 4 MHZ)[CUST: 99] | A | 6625 | / | 84 | 25-OCT-04 |
| | A-A-59169 | GENERATOR, FUNCTION (0.1HZ TO 15MHZ)[CUST: 99] | A | 6625 | / | 84 | 21-APR-04 |
| | A-A-58002A | GENERATOR, FUNCTION-PULSE, ELECTRONIC TEST[CUST: CR EC 99] [REVIEW: CC] | A | 6625 | / | 84 | 09-JUL-04 |
| | A-A-54268 | GENERATOR, GAS ENVELOPE[CUST: MD MS 03] | A | 6640 | / | MB | 26-OCT-90 |
| | A-A-54269 | GENERATOR, GAS ENVELOPE[CUST: MD MS 03] | A | 6640 | / | MB | 26-OCT-90 |
| | MIL-G-85258 | GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED BBU-18/B[CUST: OS] | A | 1377 | | OS | 13-JUN-81 |
| | MIL-G-60624 NOT 1 | GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED, XM17, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 23-JUN-86 |
| | MIL-DTL-32027 | GENERATOR, GAS, DRY BAY FIRE EXTINGUISHER, GGU-15A/A[CUST: OS] | A | 1377 | | OS | 22-OCT-98 |
| | MIL-DTL-32022 | GENERATOR, GAS, FIRE EXTINGUISHER, GGU-16/A, GGU-17/A, GGU-18/A, GGU-19/A, GGU-20/A[CUST: OS] | A | 1377 | | OS | 05-NOV-98 |
| | A-A-58037 | GENERATOR, PULSE[CUST: 99] [REVIEW: AS CC] | A | 6625 | / | 84 | 28-OCT-94 |
| | A-A-59754 | GENERATOR, SIGNAL (10 MHZ TO 20 GHZ)[CUST: 99] | A | 6625 | / | 84 | 21-OCT-04 |
| | A-A-50727A | GENERATOR, SIGNAL (2 GHZ TO 26 GHZ)[CUST: CR EC 99 CC] | A | 6625 | / | 84 | 06-AUG-03 |
| | A-A-50731 | GENERATOR, SIGNAL 1 MHZ TO 2 GHZ[CUST: EC 99 CC] [REVIEW: CR] | A | 6625 | / | 84 | 15-DEC-87 |
| | A-A-50730A | GENERATOR, SIGNAL 10 KHZ TO 1 GHZ[CUST: EC 99 CC] [REVIEW: CR] | A | 6625 | / | 84 | 10-OCT-02 |
| | A-A-59513 | GENERATOR, SIGNAL 10 MHZ TO 26.5 GHZ[CUST: 99] | A | 6625 | / | 84 | 15-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-58035 | GENERATOR, SIGNAL 2.0 TO 8.4 GHZ[CUST: 99] [REVIEW: CC] | A | 6625 | / | 84 | 17-OCT-94 |
| A | A-A-59273B | GENERATOR, SIGNAL 300 KHZ TO 2 GHZ[CUST: 99] | A | 6625 | / | 84 | 13-SEP-05 |
| A | A-A-59274B | GENERATOR, SIGNAL 9 KHZ TO 3.2 GHZ[CUST: 99] | A | 6625 | / | 84 | 13-SEP-05 |
| | A-A-58001 | GENERATOR, SIGNAL, DIGITAL WORD[CUST: 99] | A | 6625 | / | 84 | 01-JUN-92 |
| | MIL-PRF-49192A | GENERATOR, SIGNAL, VHF SG-1170/U[CUST: CR] | A | 6625 | | CR | 19-MAY-97 |
| | A-A-58090A | GENERATOR, SIGNAL, VOR/ILS[CUST: SH 99 CC] | A | 6625 | / | 84 | 23-JAN-04 |
| | A-A-59127 | GENERATOR, SIGNAL, VOR/ILS, AN/ARM-180[CUST: 99] [REVIEW: 01 SO] | A | 6625 | / | 84 | 15-OCT-97 |
| | A-A-52510 | GENERATOR, TACHOMETER[CUST: AT] [REVIEW: GS] | A | 6680 | / | AT | 17-FEB-95 |
| | QPL-26611-26 | GENERATOR, TACHOMETER GEU-7/A, MINIATURE | A | 6620 | | 71 | 10-FEB-99 |
| | MIL-PRF-26611E(2) | GENERATOR, TACHOMETER GEU-7/A, MINIATURE[CUST: AV AS 99] [REVIEW: GS] | A | 6620 | | 71 | 07-JAN-99 |
| | QPL-9398-14 | GENERATOR, TACHOMETER, TWO-POLE, HIGH TEMPERATURE, AIRCRAFT | A | 6620 | | GS1 | 30-AUG-04 |
| | A-A-50753 | GENERATOR, VARIABLE FREQUENCY[CUST: EC 99 CC] [REVIEW: CR] | A | 6625 | / | 84 | 02-MAR-87 |
| | MIL-DTL-6162C | GENERATORS AND STARTER-GENERATORS, ELECTRICAL DIRECT CURRENT, NOMINAL 30 VOLTS, AIRCRAFT GENERAL SPECIFICATION FOR[CUST: CR4 AS 99] [REVIEW: AV GS] | A | 6115 | | 84 | 05-APR-00 |
| | QPL-6162-21 | GENERATORS, & STARTER-GENERATORS, ELECTRIC DIRECT CURRENT, NOMINAL 30 VOLTS, AIRCRAFT GENERAL SPECIFICATION FOR | A | 6115 | | AS | 01-NOV-88 |
| | STANAG-7119 ED.1(1) | GENERIC OPEN ARCHITECTURE FRAMEWORK | C | ISDF | | 06 | PENDING |
| | QSTAG-544 ED.2 | GEODETIC DATUMS, ELLIPSOIDS, GRIDS AND GRID REFERENCES[CUST: AI] | C | ISDA | | AI | 04-DEC-93 |
| | STANAG-2211 ED.6(3) | GEODETIC DATUMS, PROJECTIONS, GRIDS AND GRID REFERENCES (INCLUDING AMENDMENT 3) | C | ISDF | | 06 | 16-MAY-01 |
| | MIL-DTL-89045 | GEOSPATIAL SYMBOLS FOR DIGITAL DISPLAYS (GEOSYM .)[CUST: TI NO 09 DC2] [REVIEW: 33 CG DH MC NS US] | A | GINT | | MP | 17-JUN-04 |
| | MIL-HDBK-857 | GEOSPATIAL SYMBOLS FOR DIGITAL DISPLAYS (GEOSYM)[CUST: TI NO 09 DC2] [REVIEW: 33 CG DH MC NS US] | A | GINT | | MP | 17-JUN-04 |
| | ASTM-D4759 | GEOSYNTHETICS, DETERMINING THE SPECIFICATION CONFORMANCE OF[CUST: GL YD 99] | A | 83GP | | YD | 03-OCT-94 |
| | ASTM-D4751 | GEOTEXTILE, DETERMINING APPARENT OPENING SIZE OF A[CUST: GL YD 99] | A | 83GP | | YD | 03-OCT-94 |
| | ASTM-D4355 | GEOTEXTILES BY EXPOSURE TO LIGHT, MOISTURE AND HEAT IN A XENON ARC TYPE APPARATUS, DETERIORATION OF[CUST: GL YD 99] | A | 83GP | | YD | 03-OCT-94 |
| | DI-QCIC-80126B | GIDEP ALERT/SAFE-ALERT RESPONSE [AMSC: N7496] | A | QCIC | | OS | 05-MAY-03 |
| | DI-QCIC-80127A | GIDEP ANNUAL PROGRESS REPORT [AMSC: N7497] | A | QCIC | | OS | 05-MAY-03 |
| | A-A-53995 | GINGIVAL RETRACTION CORD (IMPREGNATED WITH ALUMINUM SULFATE)[CUST: MD MS 03] | A | 6520 | / | MB | 10-OCT-89 |
| | A-A-54014 | GINGIVAL RETRACTION CORD (IMPREGNATED WITH RACEMIC EPINEPHRINE HYDROCHLORIDE)[CUST: MD MS 03] | A | 6520 | / | MB | 06-NOV-89 |
| | SAE-AS4716 | GLAND DESIGN, O-RING AND OTHER ELASTOMERIC SEALS[CUST: AV SH 99] [REVIEW: 71 AS GS MC MI MR] | A | 1650 | | SH | 05-AUG-93 |
| | MS23747E | GLAND, CABLE SEALING, CLASS L[CUST: CR EC 11 CC] [REVIEW: 19 80 AS CG MC MI OS YD] | A | 5935 | | CC | 03-JAN-03 |
| | MIL-HDBK-722 | GLASS[CUST: MR] [REVIEW: GS] | A | 9340 | | MR | 01-AUG-69 |
| | ASTM-C162 | GLASS AND GLASS PRODUCTS, STANDARD TERMINOLOGY OF[CUST: EA SH 99] | A | 9340 | | MB | 03-OCT-94 |
| | AASHTO-M247 | GLASS BEADS USED IN TRAFFIC PAINT[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| A | MIL-PRF-9954B | GLASS BEADS: FOR CLEANING AND PEENING[CUST: MR AS 99] | A | 5350 | | 84 | 26-SEP-05 |
| | ASTM-C336 | GLASS BY FIBER ELONGATION, ANNEALING POINT AND STRAIN POINT OF[CUST: GL SA 99] [REVIEW: 84 GS MD] | A | 7350 | | GL | 25-OCT-71 |
| | ASTM-C158 | GLASS BY FLEXURE (DETERMINATION OF MODULES OF RUPTURE, STRENGTH OF[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5620 | | IS | 28-DEC-84 |
| | ASTM-D446 | GLASS CAPILLARY KINEMATIC VISCOMETERS[CUST: AT] | A | 6630 | | AT | 10-DEC-00 |
| | ASTM-C225 | GLASS CONTAINERS TO CHEMICAL ATTACK, RESISTANCE OF[CUST: GL SA 99] [REVIEW: 84 GS MD] | A | 7350 | | GL | 26-JUL-85 |
| | ASTM-C148 | GLASS CONTAINERS, POLARISCOPIC EXAMINATION OF[CUST: SM AS 11] [REVIEW: 84 99 AR CR4 GL GS MI MR OS SA SH YD] | A | PACK | | AS | 15-JUL-92 |
| | ASTM-D1458 | GLASS FABRIC AND TAPES FOR ELECTRICAL INSULATION, FULLY CURED SILICONE RUBBER-COATED[CUST: CR SH 11] [REVIEW: GS] | A | 5970 | | SH | 03-OCT-94 |
| | ASTM-D1668 | GLASS FABRICS (WOVEN AND TREATED) FOR ROOFING AND WATERPROOFING[CUST: CR4 YD 99] | A | 5650 | | IS | 10-JUL-97 |
| | ASTM-D902 | GLASS FABRICS AND GLASS FABRIC TAPES, FLEXIBLE RESIN-COATED, USED FOR ELECTRICAL INSULATION[CUST: MI SH 11 GS2] | A | 5970 | | GS2 | 10-SEP-95 |
| | ASTM-D579 | GLASS FABRICS, GREIGE WOVEN[CUST: MR IS] | A | 9340 | | IS | 28-DEC-90 |
| | ASTM-C800 | GLASS FIBER BLANKET INSULATION (AIRCRAFT TYPE)[CUST: AS 99 CT] | A | 8320 | | CT | 15-APR-94 |
| | ASTM-D578 | GLASS FIBER STRANDS[CUST: AR SH 11] | A | CMPS | | CT | 10-MAR-99 |
| | ASTM-D2343 | GLASS FIBER STRANDS, YARNS, AND ROVINGS USED IN REINFORCED PLASTICS, TENSILE PROPERTIES OF[CUST: MR SH 11] | A | 9330 | | MR | 03-OCT-94 |
| | ASTM-E1095 | GLASS FUNNELS, COMMON LABORATORY[CUST: MD MS 03 MB] | A | 6640 | | MB | 10-DEC-99 |
| | ASTM-E671 | GLASS LABORATORY APPARATUS, ANNEALED, MAXIMUM PERMISSIBLE THERMAL RESIDUAL STRESS IN[CUST: EA MS 99 MB] | A | 6640 | | MB | 10-APR-96 |
| | SAE-AMS3906/4 | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP GL-III-26 - 150 (302)[CUST: MR AS] | A | CMPS | | AS | 01-JUL-92 |
| | SAE-AMS3906/7 | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP, GL-III-33 - 95 (203)[CUST: MR AS] | A | CMPS | | AS | 01-JUL-92 |
| | SAE-AMS3906/2 | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP GL-III-36 -120 (248)[CUST: MR AS] [REVIEW: GS] | A | CMPS | | AS | 01-JUL-92 |
| | SAE-AMS3906/1 | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP, GL-I-36 -120 (248)[CUST: MR AS] | A | CMPS | | AS | 01-JUL-92 |
| | SAE-AMS3906/5 | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP GL-I-36 - 150 (302)[CUST: MR AS] | A | CMPS | | AS | 01-JUL-92 |
| | SAE-AMS3906/3 | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP GL-I-26 - 150 (302)[CUST: MR AS] | A | CMPS | | AS | 01-JUL-92 |
| | SAE-AMS3906/6 | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, HAND AND MACHINE LAYUP, GL-I-36 - 95 (203)[CUST: MR AS] | A | CMPS | | AS | 01-JUL-92 |
| | MIL-STD-2199(1) | GLASS REINFORCED PLASTIC COVERINGS FOR PROPELLER SHAFTING (METRIC)[Military Standard][CUST: SH] | A | 9330 | | SH | 05-OCT-93 |
| | MIL-HDBK-803 | GLASS REINFORCED PLASTICS PREVENTIVE MAINTENANCE AND REPAIR[CUST: SH] | A | 9330 | | SH | 20-APR-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS3832 | GLASS ROVING, TYPE S-2, EPOXY RESIN IMPREGNATED[CUST: MR AS 11] [REVIEW: GS] | A | CMPS | | AS | MAY-94 |
| | ASTM-E576 | GLASS SEALED INSULATING UNITS IN THE VERTICAL POSITION, FROST POINT OF[CUST: YD IS] [REVIEW: CE OS SH] | A | 5620 | | IS | 25-MAR-88 |
| | ASTM-D1214 | GLASS SPHERES, SIEVE ANALYSIS OF[CUST: GL SH 99] | A | 9340 | | 84 | OCT-94 |
| | ASTM-E911 | GLASS STOPCOCKS WITH POLYTETRAFLUOROETHYLENE (PTFE) PLUGS[CUST: EA MS 99 MB] | A | 6640 | | MB | 10-APR-98 |
| | SAE-AMS3906 | GLASS TAPE AND FLAT SHEET, NON-WOVEN CLOTH EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP[CUST: MR AS 11] | A | CMPS | | AS | 01-JUL-92 |
| | IPC-TM650.2.4.25 | GLASS TRANSITION TEMPERATURE AND CURE FACTOR BY DSC[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | IPC-TM650.2.4.24 | GLASS TRANSITION TEMPERATURE ANS Z-AXIS THERMAL EXPANSION BY TMA[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | A-A-51076 | GLASS TUBING ASSORTMENT[CUST: MD MS 03] | A | 6640 | / | MB | 29-OCT-85 |
| | DD-G-511E NOT 1 | GLASS TUBING, ROUND[CUST: CR4 SH 99] [REVIEW: 84 CE GS YD] | A | 9340 | / | SH | 25-JUL-89 |
| | ASTM-E774 | GLASS UNITS, SEALED INSULATING[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 15-AUG-92 |
| | ASTM-E969 | GLASS VOLUMETRIC (TRANSFER) PIPETS[CUST: MD MS 03] | A | 6640 | | MB | 15-FEB-94 |
| A | MIL-G-81704 | GLASS, AIRCRAFT INSTRUMENT, LIGHTING WEDGE AND COVER[CUST: GL AS 11 IS] [REVIEW: AV MD] | A | 9340 | | AS | 24-MAR-69 |
| | AIR-STD-61/113/4B(1) | GLASS, AIRCRAFT INSTRUMENT, LIGHTING WEDGE AND COVERS (WITH CHANGE 1) | C | ISDF | | 06 | 02-MAR-82 |
| | MIL-PRF-47033B NOT 1 | GLASS, BOROSILICATE[CUST: MI] [REVIEW: AR GS] | A | 9340 | | MI | 05-MAR-02 |
| | ASTM-C552 | GLASS, CELLULAR, THERMAL INSULATION[CUST: CR4 YD IS] [REVIEW: CE CG SH] | A | 5640 | | IS | 18-OCT-91 |
| | DD-G-426A | GLASS, COVER, (FOR) MICROSCOPY | A | 6650 | # | FSS | 21-JUL-54 |
| | MIL-G-22112B | GLASS, DARK ADAPTATION[CUST: AS CT] | A | 8465 | | CT | 03-JUL-69 |
| | A-A-52407A | GLASS, FILTER, COLORED[CUST: AT AS 99] [REVIEW: 84 GS] | A | 9340 | / | AT | 29-JUL-98 |
| | ASTM-C1036 | GLASS, FLAT[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5620 | | IS | 15-NOV-91 |
| | JAN-G-479 NOT 4 | GLASS, GROUND (FOR ORDNANCE USE)[CUST: AR] [REVIEW: EA GS] | A | 5350 | | AR | 10-OCT-96 |
| | MIL-G-2857B | GLASS, HEAT-TREATED, GLAZING, RECTANGULAR (FOR BRIDGE WINDOWS)[CUST: CR4 SH 99] [REVIEW: 84] | A | 5620 | | SH | 10-NOV-88 |
| | SAE-AMS-G-25871 | GLASS, LAMINATED, AIRCRAFT GLAZING[CUST: AS 11] [REVIEW: GS] | A | 9340 | | 11 | JUL-99 |
| | MIL-G-5485D(1) | GLASS, LAMINATED, FLAT, BULLET-RESISTANT[CUST: MR AS 99] [REVIEW: 84 AV GS OS] | A | 9340 | | AS | 15-DEC-99 |
| | ASTM-E787 | GLASS, MICRO BLOOD COLLECTION PIPETS, DISPOSABLE[CUST: EA MS 99] [REVIEW: DP MB MD] | A | 6640 | | EA | 27-FEB-81 |
| | SAE-AMS-G-25667 | GLASS, MONOLITHIC, AIRCRAFT GLAZING[CUST: MR AS 11] | A | 9340 | | 11 | JUL-99 |
| | MIL-PRF-2697A(2) | GLASS, PORTLIGHT, CIRCULAR, HEAT TREATED[CUST: SH] [REVIEW: 99 CC] | A | 2040 | | SH | 22-SEP-65 |
| | ASTM-E546 | GLASS, SEALED INSULATING UNITS, FROST POINT[CUST: YD IS] [REVIEW: CE GS OS SH] | A | 5620 | | IS | 25-MAR-88 |
| | MIL-G-2860E | GLASS, SIGHT, FLAT, CLEAR, BOROSILICATE[CUST: SH] [REVIEW: CR4 GS] | A | 2040 | | SH | 30-DEC-77 |
| | ASTM-C338 | GLASS, SOFTENING POINT OF[CUST: GL SA 99] [REVIEW: 84 GS MD] | A | 7350 | | GL | 15-NOV-93 |
| | A-A-50148 | GLASS, VOTIVE[CUST: GL PE 28] | A | 9925 | / | CT | 21-JAN-88 |
| | UL1316 | GLASS-FIBER-REINFORCED PLASTIC UNDERGROUND STORAGE TANKS FOR PETROLEUM PRODUCTS, STANDARD FOR[CUST: CR4 YD 99 IS] | A | 5430 | | IS | 02-JAN-92 |
| | ASTM-D3841 | GLASS-FIBER-REINFORCED POLYESTER PLASTIC PANELS[CUST: MR YD] [REVIEW: CR GS MI] | A | 9330 | | YD | 15-JUN-92 |
| | ASTM-E438 | GLASSES IN LABORATORY APPARATUS[CUST: CR4 YD 99] [REVIEW: 03 71 84 MB MC] | A | 6640 | | YD | 15-AUG-93 |
| | ASTM-E1157 | GLASSWARE, LABORATORY SAMPLING AND TESTING OF REUSABLE, STANDARD SPECIFICATION FOR[CUST: EA MS 99] [REVIEW: DP MB MD] | A | 6640 | | EA | 27-MAY-87 |
| | STANAG-1236 ED.2(3) | GLIDE SCOPE INDICATORS FOR HELICOPTER OPERATIONS FROM NATO SHIPS | D | ISDN | | NI | 19-MAR-92 |
| | MIL-HDBK-310 | GLOBAL CLIMATIC DATA FOR DEVELOPING MILITARY PRODUCTS[CUST: CE AS 19] [REVIEW: 11 AT AV EC GL MC MI OS SH SM TE] | A | ENVR | | 19 | 23-JUN-97 |
| | ASTM-D523 | GLOSS, SPECULAR[CUST: MR SH 11] [REVIEW: 99 AT CR CR4 GL GS YD] | A | 8010 | | MR | 31-MAR-89 |
| | MIL-HDBK-29612/4A | GLOSSARY FOR TRAINING (PART 4 OF 5 PARTS)[CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM] | A | SESS | | AS | 31-AUG-01 |
| | AAP-15 ED.D | GLOSSARY OF ABBREVIATIONS USED IN NATO DOCUMENTS | C | ISDN | | NI | 01-SEP-90 |
| | ADV-PUB-61/112/5(2) | GLOSSARY OF AEROMEDICAL NBC TERMINOLOGY (WITH CHANGE 2) | C | ISDF | | 06 | 27-SEP-95 |
| M | MIL-STD-1487 NOT 2 | GLOSSARY OF CLOTH COATING IMPERFECTIONS[Military Standard][CUST: GL NU 11 CT] [REVIEW: 99 AS AV CR4 MC MD YD] | A | 8305 | | CT | 14-APR-06 |
| | MIL-STD-3013 | GLOSSARY OF DEFINITIONS, GROUND RULES, AND MISSION PROFILES TO DEFINE AIR VEHICLE PERFORMANCE CAPABILITY[Standard Practice][CUST: AV AS 11] [REVIEW: CG GS TE] | A | 15GP | | 11 | 14-FEB-03 |
| | QSTAG-943 ED.4 | GLOSSARY OF ENGINEER TERMINOLOGY[CUST: AI] | C | ISDA | | AI | 10-FEB-98 |
| | QAP-262 ED.1 | GLOSSARY OF EVOLVING NEUTRALISATION TECHNOLOGIES | C | ISDA | | AI | 12-OCT-01 |
| | FED-STD-4B(2) NOT 1 | GLOSSARY OF FABRIC IMPERFECTIONS[CUST: GL SA 11 CT] [REVIEW: AT AV MC MD SH YD] | A | 8305 | / | CT | 01-OCT-87 |
| | MIL-HDBK-143A | GLOSSARY OF GUIDED MISSILE TERMINOLOGY[CUST: MI AS 99] [REVIEW: 19 AR MC] | A | 1410 | | MI | 10-JAN-96 |
| | MIL-STD-1491(1) | GLOSSARY OF KNITTING IMPERFECTIONS[Military Standard][CUST: GL SA 11 CT] [REVIEW: 99 AS AV MC YD] | A | 83GP | | CT | 17-SEP-73 |
| | MIL-HDBK-850 NOT 1 | GLOSSARY OF MAPPING, CHARTING, AND GEODETIC TERMS[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-HDBK-156A | GLOSSARY OF MILITARY CLOTHING FABRICATION TERMS[CUST: GL NU 11 CT] [REVIEW: AS MC MS SH YD] | A | 84GP | | CT | 15-SEP-95 |
| | QSTAG-1150 ED.1 | GLOSSARY OF PACKAGING TERMS AND DEFINITIONS[CUST: AI] | C | ISDA | | AI | 06-MAY-96 |
| | ADV-PUB-61/85 | GLOSSARY OF SPECIAL NBC TERMINOLOGY | C | ISDF | | 06 | 03-SEP-91 |
| | AIR-STD-85/1Q | GLOSSARY OF TERMS AND DEFINITIONS | C | ISDF | | 06 | 07-MAR-02 |
| | AOP-38 ED.3 | GLOSSARY OF TERMS AND DEFINITIONS CONCERNING THE SAFETY AND SUITABILITY FOR SERVICE OF MUNITIONS, EXPLOSIVES AND RELATED PRODUCTS | C | ISDA | | AI | 01-APR-02 |
| | AWPA-M5 | GLOSSARY OF TERMS USED IN WOOD PRESERVATION[CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM YD] | A | 5510 | | IS | 20-JAN-93 |
| | MIL-HDBK-220B | GLOSSARY OF TRAINING DEVICE TERMS[CUST: CR TD 11] [REVIEW: 99 AR AS MB MC SH] | A | 69GP | | TD | 01-APR-86 |
| | MIL-G-82241C(2) | GLOVE INSERT, RADIOACTIVE CONTAMINATS PROTECTIVE[CUST: NU 99 CT] [REVIEW: 11 AS MC OS SH YD] | A | 8415 | | CT | 10-JUL-85 |
| | A-A-52087A | GLOVE INSERTS (COLD WEATHER)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | / | CT | 22-JUL-92 |
| | A-A-55119 | GLOVE INSERTS, COLD WEATHER[CUST: GL NU 99 CT] [REVIEW: 11 AS CG MC] | A | 8415 | / | CT | 23-MAR-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-55259 | GLOVE SHELLS, FLYER'S[CUST: GL AS 99 CT] [REVIEW: 11 MD] | A | 8415 | / | CT | 10-APR-95 |
| | MIL-G-82242D | GLOVE SHELLS, RADIOACTIVE CONTAMINANTS, PROTECTIVE[CUST: NU CT] [REVIEW: 11 AS MS OS SH YD] | A | 8415 | | CT | 04-FEB-87 |
| | MIL-DTL-32094 | GLOVE, AIRCREW, COLD/WET PROTECTIVE, HAU-14/P[CUST: NU] | A | 8315 | | CT | 19-DEC-01 |
| | MIL-G-19465E(1) | GLOVE, CHIPPER S, GAUNTLET[CUST: NU CT] | A | 8415 | | CT | 04-SEP-86 |
| | MIL-G-44108A | GLOVE, COMBAT VEHICLE CREWMAN S SUMMER[CUST: GL NU CT] [REVIEW: MD] | A | 8415 | | CT | 10-JUN-87 |
| | MIL-G-44013C | GLOVE, HEAT PROTECTIVE[CUST: GL NU CT] [REVIEW: MC MD SH YD] | A | 8415 | | CT | 27-APR-88 |
| | A-A-50016B | GLOVE, MEN'S; CLOTH, LEATHER PALM, KNITTED WRISTLET, SIZE MEDIUM[CUST: GL CT] [REVIEW: MD] | A | 8415 | / | CT | 18-MAY-01 |
| | A-A-53562 | GLOVE, PATIENT EXAMINING AND TREATMENT (PLASTIC, LARGE SIZE, STERILE)[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUN-88 |
| | A-A-53513A | GLOVE, PATIENT EXAMINING AND TREATMENT, LATEX RUBBER, PRE-POWDERED, DISPOSABLE, NON-STERILE[CUST: MD MS 03] | A | 6515 | / | MB | 30-JAN-93 |
| | MIL-DTL-43976D | GLOVES AND GLOVE SET, CHEMICAL PROTECTIVE[CUST: GL NU 11 CT] [REVIEW: EA MC MD SH] | A | 8415 | | CT | 15-SEP-03 |
| | MIL-G-2874E | GLOVES, ANTI-FLASH, FLAME RESISTANT[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8415 | | CT | 01-JUL-87 |
| | A-A-50054A | GLOVES, BARBED TAPE - WIRE HANDLERS'[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | / | CT | 06-MAR-90 |
| | MIL-G-87066A | GLOVES, CHEMICAL AND OIL PROTECTIVE[CUST: GL NU CT] [REVIEW: 11 EA MD] | A | 8415 | | CT | 22-SEP-88 |
| A | MIL-DTL-3866H | GLOVES, CLOTH, COTTON, KNITTED, LIGHTWEIGHT[CUST: GL NU 11 CT] [REVIEW: MD] | A | 8415 | | CT | 13-DEC-05 |
| | A-A-50370 | GLOVES, CLOTH, VINYL DIPPED[CUST: NU 99 CT] [REVIEW: 11 AS MC MD OS SH SS YD] | A | 8415 | / | CT | 31-MAY-89 |
| | A-A-53073A | GLOVES, DENTAL (RUBBER, NON-STERILE, DISPOSABLE, 50 PR)[CUST: MD MS 03] | A | 6520 | / | MB | 11-JUL-89 |
| | MIL-G-29635 | GLOVES, FIREMEN'S, STRUCTURAL/ALUMINIZED PROXIMITY[CUST: GL NU 99 CT] [REVIEW: 11 50 AS CG MC MD SH] | A | 8415 | | CT | 20-NOV-90 |
| | MIL-DTL-32173 | GLOVES, FLYER S, INTERMEDIATE COLD, HAU-15/P[CUST: GL AS 11] [REVIEW: NU] | A | 8415 | | CT | 20-AUG-04 |
| | MIL-DTL-81188C | GLOVES, FLYER'S, SUMMER, TYPE GS/FRP-2[CUST: GL AS 99 CT] [REVIEW: 11 AV CG MC MD NU] | A | 8415 | | CT | 18-JAN-01 |
| | A-A-50633 | GLOVES, LEATHER; GAUNTLET: DRUMMER'S[CUST: MC] | A | 8440 | / | MC | 01-AUG-94 |
| | ASTM-D5151 | GLOVES, MEDICAL, DETECTION OF HOLES IN[CUST: MD MS 03 MB] | A | 6515 | | MB | 15-SEP-92 |
| | A-A-50386 | GLOVES, MEN'S AND WOMEN'S[CUST: GL NU 11 CT] | A | 8440 | / | CT | 13-MAR-91 |
| | A-A-1665B NOT 2 | GLOVES, MEN'S AND WOMEN'S (WORK)[CUST: CT] | A | 8415 | / | CT | 15-APR-02 |
| | A-A-50355B | GLOVES, MEN'S AND WOMEN'S CLOTH, VINYL COATED[CUST: NU CT] | A | 8415 | / | CT | 17-JUL-92 |
| | A-A-55060 | GLOVES, MEN'S AND WOMEN'S HEAVY DUTY[CUST: GL NU 99 CT] [REVIEW: 11 MC MD SH] | A | 8415 | / | CT | 19-JUN-92 |
| M | MIL-DTL-44419A | GLOVES, MEN'S AND WOMEN'S, INTERMEDIATE COLD/WET[CUST: GL NU 11 CT] [REVIEW: MD] | A | 8415 | | CT | 12-APR-06 |
| | A-A-52055 | GLOVES, MEN'S AND WOMEN'S, LEATHER, LIGHT DUTY[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | / | CT | 05-DEC-89 |
| | A-A-55236 | GLOVES, MEN'S, CLOTH, DRESS, WHITE[CUST: GL NU 11 CT] [REVIEW: 99 MC] | A | 8440 | / | CT | 13-SEP-93 |
| | A-A-50021B | GLOVES, MEN'S; CLOTH, LEATHER PALM WITH GAUNTLET[CUST: GL MC 99 CT] [REVIEW: CG MD] | A | 8415 | / | CT | 18-MAY-01 |
| | A-A-55213 | GLOVES, PERMEABLE, CLOTH, COTTON, OLIVE GREEN[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8415 | / | CT | 02-NOV-93 |
| | ASTM-D3578 | GLOVES, RUBBER EXAMINATION[CUST: MD MS 03 MB] | A | 6515 | | MB | 15-NOV-91 |
| | ASTM-D120 | GLOVES, RUBBER INSULATING[CUST: GL SH 99 CT] | A | 8415 | | CT | 08-OCT-91 |
| | ZZ-G-100A | GLOVES, RUBBER, AUTOPSY | A | 8415 | # | FSS | 04-JAN-61 |
| | MIL-DTL-32066 | GLOVES, RUBBER, INDUSTRIAL[CUST: GL NU 99] [REVIEW: AS CG MC MD OS SH YD] | A | 8415 | | CT | 14-JUN-00 |
| | A-A-54807 | GLOVES, SURGEONS', BROWN-MILLED RUBBER, PRE-POWDERED, TALC-FREE, DISPOSABLE, STERILE[CUST: MD MS 03] | A | 6515 | / | MB | 12-FEB-93 |
| | A-A-54791 | GLOVES, SURGEONS', LATEX RUBBER, PRE-POWDERED, DISPOSABLE, STERILE[CUST: MD MS 03] | A | 6515 | / | MB | 30-JAN-93 |
| | ASTM-D3577 | GLOVES, SURGICAL, RUBBER[CUST: MD MS 03 MB] | A | 6515 | | MB | 15-NOV-91 |
| | MIL-G-12223J | GLOVES, TOXICOLOGICAL AGENTS PROTECTIVE[CUST: GL NU 99 CT] [REVIEW: 11 EA MC MD] | A | 8415 | | CT | 15-MAR-90 |
| | A-A-50022B | GLOVES, WELDER'S, LEATHER, GAUNTLET[CUST: GL NU 99 CT] [REVIEW: MD] | A | 8415 | / | CT | 10-JAN-96 |
| | MIL-G-20587E NOT 1 | GLOVES, WIRE, MESH, ENTIRE HAND[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8415 | | CT | 25-JAN-88 |
| | A-A-59495 | GLOVES, WOMEN'S[CUST: GL NU 11 CT] [REVIEW: 99 CG MD] | A | 8445 | / | CT | 15-SEP-99 |
| | A-A-53100 | GLOVES, X-RAY PROTECTIVE[CUST: MD MS 03] | A | 6532 | / | MB | 31-AUG-87 |
| | A-A-55075 | GLOVES: MEN'S AND WOMEN'S ANTI-CONTACT[CUST: GL NU] [REVIEW: CG MC MD] | A | 8415 | / | CT | 17-AUG-92 |
| | A-A-50889 | GLUCOSE TEST SOLUTION[CUST: MD MS 03] | A | 6505 | / | MB | 09-OCT-85 |
| | A-A-54704 | GLUCOSE, ENZYMATIC TEST STRIP, USP[CUST: MD MS 03] | A | 6550 | / | MB | 17-JUL-92 |
| | MIL-G-18694A | GLYCERIN-WATER MIXTURES (FOR HYDRAULIC BUFFERS AND RECOILS)[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 02-JUN-75 |
| | MIL-G-85088(1) | GLYCERYL TRIRICINOLEATE[CUST: AS] [REVIEW: GS OS] | A | 6810 | | AS | 09-NOV-79 |
| | ASTM-E1119 | GLYCOL, INDUSTRIAL GRADE ETHYLENE, STANDARD SPECIFICATION FOR[CUST: EA 68 GS3] [REVIEW: MD MI OS SH] | A | 6810 | | GS3 | 27-JAN-89 |
| | A-A-53489 | GOGGLES, DARKNESS ADAPTATION[CUST: MD MS 03] | A | 6532 | / | MB | 17-JUN-88 |
| | A-A-1814 | GOGGLES, INDUSTRIAL (EYECUP, COVER-CUP TYPE) | A | 4240 | # | FSS | 15-APR-81 |
| | MIL-G-635C(2) NOT 3 | GOGGLES, SUN, WIND AND DUST[CUST: 99] | A | 8465 | | 11 | 14-MAR-00 |
| | MIL-G-43914D | GOGGLES, SUN, WIND AND DUST, 1974[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8465 | | CT | 09-JAN-85 |
| | A-A-53884A | GOLD ALLOY, CASTING, DENTAL[CUST: MD MS 03] | A | 6515 | / | MB | 30-SEP-92 |
| | ASTM-B488 | GOLD FOR ENGINEERING USES, ELECTRODEPOSITED COATINGS OF[CUST: MR OS 11 GS4] | A | MFFP | | GS4 | 01-APR-86 |
| | QQ-G-547B | GOLD LEAF | A | 8010 | # | FSS | 14-JUL-75 |
| | SAE-AMS2425 | GOLD PLATING - FOR THERMAL CONTROL[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | 01-APR-88 |
| | SAE-AMS7731 | GOLD WIRE AND RIBBON 99.97AU ANNEALED[CUST: MR AS 11] | A | 6145 | | 11 | 01-OCT-86 |
| | SAE-AMS4787 | GOLD-NICKEL ALLOY BRAZING FILLER METAL, HIGH TEMPERATURE 82AU - 18NI 1740 DEG. F (949 DEG. C) SOLIDUS-LIQUIDUS TEMPERATURE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-APR-92 |
| | SAE-AMS4785 | GOLD-PALLADIUM-NICKEL ALLOY BRAZING FILLER METAL, HIGH TEMPERATURE 30AU - 34PD - 36NI 2075 TO 2130 DEG. F (1135 TO 1166 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 29-APR-88 |
| | SAE-AMS4784 | GOLD-PALLADIUM-NICKEL ALLOY BRAZING FILLER METAL, HIGH TEMPERATURE 50AU - 25PD - 25NI 2015 TO 2050 DEG. F (1102 TO 1121 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 29-APR-88 |
| | SAE-AMS4786 | GOLD-PALLADIUM-NICKEL ALLOY BRAZING FILLER METAL, HIGH TEMPERATURE 70AU - 8.0PD - 22NI 1845 TO 1915 DEG. F (1007 TO 1046 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 29-APR-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-F957 | GONG, SOUND SIGNALING[CUST: SH 99] [REVIEW: GS] | A | 6350 | | SH | 15-MAR-91 |
| | MIL-G-21410A | GOVERNING SYSTEMS, SPEED AND LOAD-SENSING NAVAL SHIPBOARD USE[CUST: SH] [REVIEW: GS] | A | 6115 | | SH | 23-DEC-91 |
| | DI-MGMT-80596 | GOVERNMENT FUNISHED INFORMATION DEFICIENCY REPORT [AMSC: N4419] | A | MGMT | | SA | 19-MAY-88 |
| | DI-ILSS-80955 | GOVERNMENT FURNISHED (GF) RESIDUAL ASSET FILE (RAF) OUTSTANDING REQUISITION DATA [AMSC: N4905] | A | SESS | | SH | 27-FEB-90 |
| | DI-MGMT-80377 | GOVERNMENT FURNISHED EQUIPMENT DETAIL TRANACTION STATUS DATA [AMSC: N4141] | A | MGMT | | AS | 19-JUN-87 |
| | DI-ILSS-80620 | GOVERNMENT FURNISHED EQUIPMENT REPAIR STATUS REPORT [AMSC: N4453] | A | SESS | | SA | 08-JUN-88 |
| | DI-MGMT-80277 | GOVERNMENT FURNISHED INSPECTION EQUIPMENT MAINTENANCE REPORT [AMSC: A4018] | A | MGMT | | AM | 31-DEC-86 |
| | DI-ALSS-81533C | GOVERNMENT FURNISHED MATERIAL (GFM) AND END ITEM TRANSACTION REPORTING SYSTEM (G009) [AMSC: F7381] | A | SESS | | 10 | 18-FEB-00 |
| | DI-ILSS-80727 | GOVERNMENT FURNISHED MATERIAL (GPM) BY NATIONAL STOCK NUMBER [AMSC: F4597] | A | SESS | | 10 | 09-DEC-88 |
| | DI-MGMT-80438B | GOVERNMENT FURNISHED MATERIEL (GFM) CONSUMPTION REPORT [AMSC: A7311] | A | MGMT | | AM | 15-MAY-98 |
| | DI-QCIC-80125B | GOVERNMENT INDUSTRY DATA EXCHANGE PROGRAM (GIDEP) ALERT/SAFE-ALERT REPORT [AMSC: N7495] | A | QCIC | | OS | 05-MAY-03 |
| | DI-MGMT-81543 | GOVERNMENT OWNED MATERIAL (GOM) STATUS REPORT [AMSC: N7257] | A | MGMT | | SH | 18-MAR-97 |
| | DI-MGMT-80441 | GOVERNMENT PROPERTY PHYSICAL INVENTORY COUNT OR CUSTODIAL BALANCE REPORT [AMSC: A4217] | A | MGMT | | AM | 17-SEP-87 |
| | MIL-G-18916(3) | GOVERNORS, STEAM DRIVEN PUMP, PRESSURE REGULATING, NAVAL SHIPBOARD[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 08-JUL-85 |
| | A-A-51373A | GOWN OPERATING, SURGICAL[CUST: MD MS 03] | A | 6532 | / | MB | 22-AUG-86 |
| | A-A-54916 | GOWN, HOSPITAL PATIENT[CUST: MD MS 03] | A | 6532 | / | MB | 01-OCT-93 |
| | A-A-53443 | GOWN, OPERATING, SURGICAL[CUST: MD MS 03] | A | 6532 | / | MB | 29-APR-88 |
| | MIL-G-36972(1) | GOWN, OPERATING, SURGICAL[CUST: MD MS 03] | A | 6532 | | MB | 04-AUG-89 |
| | A-A-54407 | GOWN, OPERATING, SURGICAL[CUST: MD MS 03] | A | 6532 | / | MB | 17-MAY-91 |
| | SAE-J739 | GRADER, CURVED, CUTTING EDGE[CUST: CR4 YD 99] | A | 3805 | | 84 | JUN-91 |
| | A-A-51344B | GRADUATE, LIQUID, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 11-FEB-92 |
| | A-A-51059 | GRADUATE, LIQUID, LABORATORY, (CORROSION RESISTING)[CUST: MD MS 03] | A | 6640 | / | MB | 09-OCT-85 |
| | A-A-54733 | GRADUATE, LIQUID, LABORATORY, PLASTIC[CUST: MD MS 03] | A | 6640 | / | MB | 11-SEP-92 |
| | STANAG-2984 ED.5 | GRADUATED LEVELS OF NBC THREAT AND ASSOCIATED PROTECTION | C | ISDA | | AI | 19-MAR-01 |
| | ASTM-D2210 | GRAIN CRACK AND EXTENSION OF LEATHER BY THE MULLEN TEST[CUST: GL NU 99 CT] | A | 83GP | | CT | 3-MAR-96 |
| | ASTM-E112 | GRAIN SIZE, DETERMINING AVERAGE[CUST: MR AS 99] [REVIEW: CR4 IS] | A | 95GP | | MR | NOV-88 |
| | A-A-1722 NOT 1 | GRAIN, ABRASIVE (SOFT BLASTING)[CUST: MR 99] [REVIEW: AR CR4 GS MC SH] | A | 5350 | / | 84 | 23-AUG-95 |
| | ASTM-E930 | GRAIN, ESTIMATING THE LARGEST, OBSERVED IN A METALLOGRAPHIC SECTION (ALA GRAIN SIZE), STANDARD METHOD FOR[CUST: MR SH] [REVIEW: AS IS] | A | 95GP | | MR | 10-APR-99 |
| | ANSI-B74.18 | GRAIN, GRADING OF CERTAIN ABRASIVE, ON COATED ABRASIVE PRODUCTS, SPECIFICATIONS FOR[CUST: MR YD 99] [REVIEW: DS GS] | A | 5350 | | 84 | 27-JAN-84 |
| | MIL-G-85719 | GRAIN, IGNITER[CUST: AS] | A | 1337 | | AS | 19-NOV-85 |
| | ASTM-C615 | GRANITE DIMENSION STONE[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 29-MAY-92 |
| | A-A-20245A | GRANOLA BARS[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8920 | / | SS | 10-JAN-03 |
| | ISA-S5.3 | GRAPHIC SYMBOLS FOR DISTRIBUTED CONTROL/SHARED DISPLAY INSTRUMENTATION, LOGIC AND COMPUTER SYSTEMS[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | IEEE315A | GRAPHIC SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS[CUST: AR SH 16] [REVIEW: AS AV CR CR4 EC MC MI OS YD] | A | DRPR | | AR | 24-DEC-86 |
| | IEEE315 | GRAPHIC SYMBOLS FOR ELECTRICAL AND ELECTRONICS DIAGRAMS (INCLUDING REFERENCE DESIGNATION LETTERS)[CUST: CR SH 16] [REVIEW: AR AS AV EC MC OS YD] | A | DRPR | | CR | 31-OCT-75 |
| | ANSI-Y32.9 | GRAPHIC SYMBOLS FOR ELECTRICAL WIRING AND LAYOUT DIAGRAMS USED IN ARCHITECTURL AND BUILDING CONSTRUCTION[CUST: AR YD] [REVIEW: CG EC] | A | DRPR | | YD | 31-MAR-88 |
| A | IEEE91 | GRAPHIC SYMBOLS FOR LOGIC FUNCTIONS W/SUPPLEMENT[CUST: AR SH 13] [REVIEW: 19 AM AS AT AV CR MC MI OS] | A | DRPR | | AR | 10-MAY-84 |
| | ANSI-Y32.4 | GRAPHIC SYMBOLS FOR PLUMBING FIXTURES FOR DIAGRAMS USED IN ARCHITECTUE & BUILDING CONSTRUCTION[CUST: AR YD] | A | DRPR | | AR | 16-SEP-77 |
| A | ASME-Y14.40.2 | GRAPHICAL SYMBOLS FOR DIAGRAMS PART 2: SYMBOLS HAVING GENERAL APPLICATION[CUST: AR SA 16 DH] [REVIEW: 13 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| A | ASME-Y14.40.3 | GRAPHICAL SYMBOLS FOR DIAGRAMS PART 3: CONNECTIONS AND RELATED DEVICES[CUST: AR SA 16 DH] [REVIEW: 13 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| A | ASME-Y14.40.4 | GRAPHICAL SYMBOLS FOR DIAGRAMS PART 4: ACTUATORS AND RELATED DEVICES[CUST: AR SA 16 DH] [REVIEW: 13 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| A | ASME-Y14.40.5 | GRAPHICAL SYMBOLS FOR DIAGRAMS PART 5: MEASUREMENT AND CONTROL DEVICES[CUST: AR SA 16 DH] [REVIEW: 13 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| A | ASME-Y14.40.7 | GRAPHICAL SYMBOLS FOR DIAGRAMS PART 7: BASIC MECHANICAL COMPONENTS[CUST: AR SA 16 DH] [REVIEW: 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| A | ASME-Y14.40.8 | GRAPHICAL SYMBOLS FOR DIAGRAMS PART 8: VALVES AND DAMPERS[CUST: AR SA 16 DH] [REVIEW: 19 68 70 71 84 99 AS AT AV CE CH CR EA EC MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| A | ASME-Y14.40.9 | GRAPHICAL SYMBOLS FOR DIAGRAMS PART 9: PUMPS, COMPRESSORS AND FANS[CUST: AR SA 16 DH] [REVIEW: 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 19-DEC-02 |
| | MIL-G-48771(1) NOT 1 | GRAPHITE - SPECIAL PURPOSE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 13-JUL-89 |
| | ASTM-A247 | GRAPHITE IN IRON CASTINGS, EVALUATING THE MICROSTRUCTURE OF[CUST: MR YD 11] [REVIEW: SH] | A | MECA | | YD | 25-AUG-67 |
| | SAE-AMS3890 | GRAPHITE YARN, NON-STRUCTURAL 2 PLY YARN, 720 FILAMENTS[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-MAY-70 |
| | MIL-G-155A(2) NOT 2 | GRAPHITE, DRY (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: CR4 EA] | A | 1376 | | AR | 15-JUL-99 |
| | SS-G-659A NOT 1 | GRAPHITE, DRY (LUBRICATING)[CUST: MR OS 99] [REVIEW: AV CR4 DS MC MI SA YD] | A | 9620 | / | 84 | 11-NOV-93 |
| | DOD-G-82673(1) | GRAPHITE, NATURAL, POWERED, TECHNICAL[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 15-JUN-78 |
| | MIL-G-613C(1) | GRAPNEL, MARINE, TRIP WIRE, AND CRASH TRUCK[CUST: SH] [REVIEW: 99 MI] | A | 2040 | | SH | 06-DEC-63 |
| | A-A-59660 | GRAPPLING HOOK, COLLAPSIBLE[CUST: EA SH 99] [REVIEW: AV] | A | 2040 | / | EA | 23-SEP-04 |
| | MIL-G-18014B(1) NOT 1 | GRATINGS, METAL, BARTYPE FLOORING, NAVAL SHIPBOARD[CUST: SH] [REVIEW: CR4] | A | 5670 | | SH | 04-APR-91 |
| | MIL-G-18015B | GRATINGS, METAL, OTHER THAN BAR TYPE (SHIPBOARD USE)[CUST: SH] | A | 5670 | | SH | 02-MAY-94 |
| | MIL-HDBK-1029/1 | GRAVING DRYDOCKS[CUST: YD] | A | FACR | | YD | 31-JAN-89 |
| | ASTM-D1810 | GRAVITY OF ASKARELS, SPECIFIC[CUST: MI NU 99 CT] | A | 83GP | | CT | 15-JUL-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D891 | GRAVITY, SPECIFIC, APPARENT, OF LIQUID INDUSTRIAL CHEMICALS[CUST: MR SH 99] [REVIEW: 84 OS] | A | 8010 | | MR | 22-JUL-81 |
| | ASTM-A278/A278M | GRAY IRON CASTINGS FOR PRESSURE - CONTAINING PARTS FOR TEMPERATURES UP TO 650 DEG. F.[CUST: CR4 YD 11] | A | MECA | | YD | 03-OCT-94 |
| | FED-STD-595/16099 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16250 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/16307 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16076 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/16081 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16251 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16165 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16555 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16314 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16492 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16329 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/16293 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/16187 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16480 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/16357 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16376 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16473 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16440 | GRAY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36628 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36081 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36586 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36231 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36251 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36076 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36293 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36480 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/36424 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36314 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36173 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36176 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36463 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36650 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/36270 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36357 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36559 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36373 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36473 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36495 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36280 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36306 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36595 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36440 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36555 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36134 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/36307 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36492 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36118 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36521 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36642 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36622 | GRAY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26152 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26173 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26280 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26493 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26187 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26496 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26008 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26424 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26099 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/26122 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26176 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26314 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26329 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | FED-STD-595/26293 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26400 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26559 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26420 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/26595 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26480 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/26440 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26270 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26307 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26118 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/26555 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26231 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26373 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26521 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26044 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26622 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26586 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26492 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26081 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26132 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26251 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26134 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26357 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26408 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26306 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26250 | GRAY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36300 | GRAY-LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36099 | GRAY-LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36152 | GRAY-LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | ASTM-D4289 | GREASE AND FLUIDS, LUBRICATING, ELASTOMER COMPATIBILITY OF[CUST: AT SH 68] [REVIEW: GS] | A | 9150 | | AT | 03-OCT-94 |
| | ANSI-MH3.3 | GREASE CARTRIDGE, 201.5 X 904.5[CUST: CR4 SA 99] | A | 4930 | | SA | 31-MAR-81 |
| | STANAG-3766 ED.3(1) | GREASE NIPPLES | C | ISDF | | 06 | 08-JUL-97 |
| | MIL-PRF-27617F | GREASE, AIRCRAFT AND INSTRUMENT, FUEL AND OXIDIZER RESISTANT[CUST: CR4 AS 11] [REVIEW: AR EA GS MI MR SH SM] | A | 9150 | | 11 | 17-FEB-98 |
| | QPL-23827-23 | GREASE, AIRCRAFT AND INSTRUMENT, GEAR AND ACTUATOR SCREW | A | 9150 | | AS | 10-FEB-03 |
| | MIL-PRF-23827C(1) | GREASE, AIRCRAFT AND INSTRUMENT, GEAR AND ACTUATOR SCREW, NATO CODE NUMBER G-354[CUST: AT AS 11 GS] [REVIEW: 68 AV EA MI OS] | A | 9150 | | AS | 19-JUN-02 |
| | QPL-27617-8 | GREASE, AIRCRAFT, AND INSTRUMENT, FUEL AND OXIDIZER RESISTANT | A | 9150 | | 11 | 26-MAY-04 |
| | MIL-G-25013E NOT 1 | GREASE, AIRCRAFT, BALL AND ROLLER BEARING, NATO CODE NUMBER G-372, METRIC[CUST: CR4 AS 11] [REVIEW: 68 GS OS PS SH] | A | 9150 | | AS | 28-OCT-91 |
| | QPL-25013-27 | GREASE, AIRCRAFT, BALL AND ROLLER BEARING, NATO CODE NUMBER G-372, METRIC | A | 9150 | | AS | 30-OCT-03 |
| | MIL-PRF-83261B | GREASE, AIRCRAFT, EXTREME PRESSURE, ANTI-WEAR[CUST: 11] [REVIEW: 68 GS] | A | 9150 | | 11 | 13-FEB-98 |
| | QPL-81322-19 | GREASE, AIRCRAFT, GENERAL PURPOSE, WIDE TEMPERATURE RANGE, NATO CODE G-395 | A | 9150 | | AS | 17-JUN-05 |
| | MIL-PRF-81322G | GREASE, AIRCRAFT, GENERAL PURPOSE, WIDE TEMPERATURE RANGE, NATO CODE G-395[CUST: AT AS 11] [REVIEW: 68 AR AV EA GS MI OS SH] | A | 9150 | | AS | 24-JAN-05 |
| | QPL-25537-19 | GREASE, AIRCRAFT, HELICOPTER OSCILLATING BEARING, NATO CODE NUMBER G-36 6, METRIC | A | 9150 | | AS | 30-OCT-03 |
| | MIL-G-25537C(1) | GREASE, AIRCRAFT, HELICOPTER OSCILLATING BEARING, NATO CODE NUMBER G-366, METRIC[CUST: CR4 AS 11] [REVIEW: 68 AV GS PS] | A | 9150 | | AS | 08-APR-88 |
| | QPL-81827-12 | GREASE, AIRCRAFT, HIGH LOAD CAPACITY, WIDE TEMPERATURE RANGE | A | 9150 | | AS | 28-FEB-05 |
| | MIL-G-81827A NOT 1 | GREASE, AIRCRAFT, HIGH LOAD CAPACITY, WIDE TEMPERATURE RANGE[CUST: AS] [REVIEW: GS PS] | A | 9150 | | AS | 29-OCT-91 |
| | MIL-PRF-10924G | GREASE, AUTOMOTIVE AND ARTILLERY[CUST: AT YD 68] [REVIEW: 11 AR AS EA GS MI PS SA SM] | A | 9150 | | AT | 24-SEP-98 |
| | QPL-10924-37 | GREASE, AUTOMOTIVE AND ARTILLERY | A | 9150 | | AT | 21-JUL-04 |
| | DOD-G-24650 NOT 1 | GREASE, FOOD GRADE, FOOD PROCESSING EQUIPMENT (METRIC)[CUST: CR4 SH 68] [REVIEW: GS] | A | 9150 | | SH | 07-FEB-91 |
| | QPL-23549-15 | GREASE, GENERAL PURPOSE | A | 9150 | | AS | 30-JAN-04 |
| | MIL-DTL-23549D | GREASE, GENERAL PURPOSE[CUST: AS 11 GS3] [REVIEW: GS OS SH] | A | 9150 | | AS | 10-MAY-02 |
| | VV-G-671F | GREASE, GRAPHITE[CUST: AT 68] [REVIEW: AR AS AV CD GS MC NS SA SH] | A | 9150 | / | AT | 12-OCT-89 |
| | QPL-24508-16 | GREASE, HIGH PERFORMANCE, MULTI-PURPOSE | A | 9150 | | SH | 14-JUN-05 |
| | DOD-G-24508A(4) | GREASE, HIGH PERFORMANCE, MULTI-PURPOSE (METRIC)[CUST: SH] [REVIEW: AS GS] | A | 9150 | | SH | 23-SEP-98 |
| A | QPL-85733-2 | GREASE, HIGH TEMPERATURE, CATAPULT SYSTEM | A | 9150 | | AS | 29-JUL-05 |
| | DOD-G-85733 | GREASE, HIGH TEMPERATURE, CATAPULT SYSTEM[CUST: AS] [REVIEW: GS] | A | 9150 | | AS | 25-APR-86 |
| | VV-G-632B | GREASE, INDUSTRIAL, GENERAL PURPOSE[CUST: AT 68] [REVIEW: AS CD GS MC MI OS SA SH SM TE] | A | 9150 | / | AT | 12-OCT-89 |
| | MIL-G-81937A(1) NOT 1 | GREASE, INSTRUMENT, ULTRA-CLEAN, METRIC[CUST: AT AS 68] [REVIEW: 11 99 GS MI PS SH] | A | 9150 | | AS | 31-JUL-02 |
| | ASTM-D2266 | GREASE, LUBRICATING, (FOUR-BALL METHOD), WEAR PREVENTIVE CHARACTERISTICS OF[CUST: AT SH 11] | A | 91GP | | AT | 15-SEP-91 |
| | ASTM-D566 | GREASE, LUBRICATING, DROPPING POINT OF[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 15-JUN-93 |
| | ASTM-D2596 | GREASE, LUBRICATING, MEASUREMENT OF EXTREME-PRESSURE PROPERTIES OF, (FOUR-BALL METHOD)[CUST: CR4 AS 68] [REVIEW: GS] | A | 9150 | | AS | 10-JUN-96 |
| | ASTM-D1831 | GREASE, LUBRICATING, ROLL STABILITY OF[CUST: AT 68] [REVIEW: AS GS] | A | 9150 | | AT | 10-DEC-00 |
| | QPL-21164-25 | GREASE, MOLYBDENUM DISULFIDE, FOR LOW & HIGH TEMPERATURE NATO CODE NUMBER G-353 | A | 9150 | | AS | 31-OCT-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-G-21164D NOT 1 | GREASE, MOLYBDENUM DISULFIDE, FOR LOW AND HIGH TEMPERATURES, NATO CODE NUMBER G-353[CUST: CR4 AS 11] [REVIEW: AR DS GS MI] | A | 9150 | | AS | 24-OCT-91 |
| A | QPL-24139-21 | GREASE, MULTIPURPOSE, WATER RESISTANT | A | 9150 | | SH | 04-OCT-05 |
| | MIL-PRF-24139A(3) | GREASE, MULTIPURPOSE, WATER RESISTANT[CUST: SH] [REVIEW: GS PS] | A | 9150 | | SH | 12-MAR-87 |
| | SAE-AMS-G-6032 | GREASE, PLUG VALVE, GASOLINE AND OIL RESISTANT, NATO CODE NUMBER G-363, METRIC[CUST: CR4 AS 68] [REVIEW: AR AT GS MI PS SH] | A | 9150 | | AS | JUN-99 |
| A | QPL-AMS-G-6032-2 | GREASE, PLUG VALVE, GASOLINE AND OIL RESISTANT, NATO CODE NUMBER G-363, METRIC | A | 9150 | | AS | 29-JUL-05 |
| | QPL-AMS-G-4343-2 | GREASE, PNEUMATIC SYSTEM | A | 9150 | | AS | 15-APR-05 |
| | SAE-AMS-G-4343 | GREASE, PNEUMATIC SYSTEM[CUST: CR4 AS 11] [REVIEW: AT AV DS EA GS MI OS] | A | 9150 | | AS | JUL-99 |
| | MIL-G-46003A | GREASE, RIFLE[CUST: AR] [REVIEW: CR4 GS PS] | A | 9150 | | AR | 31-DEC-76 |
| | QPL-46003-10 | GREASE, RIFLE | A | 9150 | | AR | 02-MAR-92 |
| | A-A-50433 | GREASE, SEA WATER WASH RESISTANT[CUST: CD SH] [REVIEW: GS PS] | A | 9150 | / | SH | 15-AUG-89 |
| | A-A-59685 | GREASE, SEALED BALL AND ROLLER BEARING[CUST: AT SH 68 PS] [REVIEW: 03 11 AS GS GS3 MI SA] | A | 9150 | / | SH | 12-APR-01 |
| | A-A-59173 NOT 1 | GREASE, SILICONE[CUST: MI OS GS3] [REVIEW: CD PS] | A | 9150 | / | GS3 | 15-APR-04 |
| | MIL-PRF-83363C | GREASE, TRANSMISSION, HELICOPTER[CUST: CR4 AS 11 GS] [REVIEW: 68 MI] | A | 9150 | | 11 | 20-FEB-98 |
| | MIL-PRF-32014 | GREASE, WATER RESISTANT, HIGH SPEED, AIRCRAFT AND MISSILE[CUST: CR4 AS 11] [REVIEW: AR AV EA GS MI PS SH] | A | 9150 | | 11 | 29-SEP-97 |
| | QPL-32014-2(1) | GREASE, WATER RESISTANT, HIGH SPEED, AIRCRAFT AND MISSILE | A | 9150 | | 11 | 01-AUG-03 |
| | MIL-PRF-18458C | GREASE, WIRE ROPE - EXPOSED GEAR[CUST: AT SH 03] [REVIEW: 11 68 99 AS GS GS3 PS SA] | A | 9150 | | SH | 05-JUL-02 |
| | ASTM-D972 | GREASES AND OILS, EVAPORATION LOSS OF LUBRICATING[CUST: AT SH 11] | A | 91GP | | AT | 15-SEP-91 |
| | ASTM-D1743 | GREASES, LUBRICATING, DETERMINING CORROSION PREVENTIVE PROPERTIES OF[CUST: AT SH 11] | A | 91GP | | AT | 10-JAN-01 |
| | ASTM-D1264 | GREASES, LUBRICATING, DETERMINING THE WATER WASHOUT CHARACTERISTICS OF[CUST: AT SH 11] | A | 91GP | | AT | 15-JUN-93 |
| | ASTM-D3336 | GREASES, LUBRICATING, IN BALL BEARINGS AT ELEVATED TEMPERATURES, LIFE OF[CUST: CR4 AS 11] [REVIEW: GS] | A | 9150 | | AS | 10-JUN-97 |
| | ASTM-D3337 | GREASES, LUBRICATING, IN SMALL BALL BEARINGS, DETERMINING LIFE AND TORQUE OF[CUST: CR4 AS 68] [REVIEW: GS] | A | 9150 | | AS | 15-OCT-91 |
| | ASTM-D1092 | GREASES, LUBRICATING, MEASURING APPARENT VISCOSITY OF[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 10-NOV-99 |
| | ASTM-D2595 | GREASES, LUBRICATING, OVER WIDE-TEMPERATURE RANGE, EVAPORATION LOSS OF[CUST: CR4 AS 11] [REVIEW: GS] | A | 9150 | | AS | 16-OCT-90 |
| | FED-STD-595/14120 | GREEN [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34097 | GREEN LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34089 | GREEN LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14260 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14516 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14109 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14325 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14187 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14081 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/14115 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14277 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14491 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14223 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14672 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14052 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14110 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14158 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14193 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/14064 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14097 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14050 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14449 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14036 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14272 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14151 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/14090 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14159 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14533 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14257 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14056 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14255 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14664 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/14241 | GREEN, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34058 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34079 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34552 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34672 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34159 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34127 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34084 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | FED-STD-595/34226 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34259 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34449 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34540 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34414 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34128 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34524 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34300 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34410 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34491 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34151 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/34504 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34098 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34533 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34670 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34554 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34432 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34241 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34230 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34086 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34031 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/34092 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34258 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34558 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34158 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34052 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34108 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34666 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34441 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34201 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34094 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34272 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34102 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34373 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34090 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34325 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34096 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34277 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34518 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34516 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34233 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34138 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34227 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34148 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34424 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34583 | GREEN, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34130 | GREEN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34095 | GREEN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34088 | GREEN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34082 | GREEN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34083 | GREEN, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24108 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24158 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24241 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24097 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24466 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24325 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24373 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24670 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24226 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24491 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24449 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24098 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24190 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/24432 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24583 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | FED-STD-595/24201 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24079 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24504 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24233 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24441 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24533 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24091 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24516 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24518 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24064 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24525 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24172 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24148 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24272 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24277 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24410 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24585 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24159 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24227 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24084 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/24300 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24672 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24052 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24424 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24664 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24558 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24260 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24552 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24417 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/24554 | GREEN, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14062 | GREEN,GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14077 | GREEN,GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14079 | GREEN,GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14084 | GREEN,GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34350 | GREEN. LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | MIL-G-63444A(2) | GRENADE, GENERAL PURPOSE, M73[CUST: AR] | A | 1330 | | AR | 13-NOV-96 |
| | MIL-G-63445(6) | GRENADE, GENERAL PURPOSE, PRACTICE, M75[CUST: AR] | A | 1330 | | AR | 21-JUN-94 |
| | MIL-G-12297H(1) | GRENADE, HAND, INCENDIARY, TH3, AN-M14[CUST: AR] | A | 1330 | | AR | 17-JAN-86 |
| | MIL-G-13483B(1) NOT 2 | GRENADE, HAND, OFFENSIVE, MK3A2 PARTS FOR[CUST: AR] | A | 1330 | | AR | 23-NOV-99 |
| | MIL-G-13706D NOT 2 | GRENADE, HAND, OFFENSIVE, MK3A2 WITH M206A2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1330 | | AR | 23-NOV-99 |
| | MIL-G-48737 NOT 1 | GRENADE, HAND, OFFENSIVE, MR3A2 W/FUZE M206A2 WITH SAFETY CLIP LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1330 | | AR | 30-MAR-88 |
| | MIL-G-14944A NOT 1 | GRENADE, HAND, PRACTICE, DELAY, M69, BODY ASSEMBLY FOR[CUST: AR] | A | 1330 | | AR | 30-MAR-88 |
| | MIL-G-50463 NOT 1 | GRENADE, HAND, PRACTICE, DELAY, XM69: STOPPER FOR[CUST: AR] | A | 1330 | | AR | 31-OCT-90 |
| | MIL-G-14935(1) NOT 1 | GRENADE, XM67, SAFETY CLIP FOR[CUST: AR] | A | 1330 | | AR | 30-MAR-88 |
| | MIL-G-14936(1) NOT 1 | GRENADE, XM68, SAFETY CLIP FOR[CUST: AR] | A | 1330 | | AR | 22-APR-88 |
| | FED-STD-595/16515 | GREY [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16360 | GREY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16405 | GREY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16350 | GREY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/16160 | GREY, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36320 | GREY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36405 | GREY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/36375 | GREY, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26405 | GREY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26120 | GREY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/26360 | GREY, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/34064 | GREY-LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | A-A-53239 | GRID, RADIOGRAPHIC[CUST: MD MS 03] | A | 6525 | / | MB | 29-SEP-87 |
| | A-A-53820 | GRID, WIRE GAUZE, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 06-FEB-89 |
| | MIL-G-89106 NOT 1 | GRIDDED AIRFIELD PHOTOGRAPHS (GAP)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-G-89103 NOT 1 | GRIDDED INSTALLATION PHOTOGRAPHS (GIP)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | A-A-20282 | GRIDDLE BREADS, HEAT AND SERVE, FROZEN | A | 8920 | # | FV | 23-DEC-98 |
| | A-A-20234A | GRIDDLE BREADS, SHELF STABLE (WAFFLES, PANCAKES, BELGIAN WAFFLES)[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8920 | / | SS | 20-SEP-01 |
| | ASTM-F1275 | GRIDDLES, PERFORMANCE OF, STANDARD TEST METHOD FOR[CUST: GL YD 99] [REVIEW: 50 84 MC MD MS] | A | 7320 | | GL | 26-JAN-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | A-A-51181B | GRINDING AND BUFFING MACHINES, UTILITY, BENCH AND PEDESTAL[CUST: SH 99] [REVIEW: 84] | A | 3415 | / | GS6 | 04-NOV-05 |
| | A-A-59461 | GRINDING AND SANDING MACHINE, PLATEN, ABRASIVE BELT, WET AND DRY[CUST: AR SH 99] [REVIEW: 84 MC OS] | A | 3419 | / | GS6 | 11-FEB-00 |
| | A-A-50967B | GRINDING MACHINE, BENCH, HAND POWERED[CUST: 99 GS6] [REVIEW: 84] | A | 3415 | / | GS6 | 30-MAY-00 |
| A | A-A-59385 NOT 1 | GRINDING MACHINE, CENTER HOLE, VERTICAL, FLOOR-MOUNTED[CUST: AR SH 99 GS6] [REVIEW: 84 MC SM] | A | 3415 | / | GS6 | 25-OCT-05 |
| | A-A-59332 NOT 1 | GRINDING MACHINE, CYLINDRICAL, EXTERNAL, CENTER-TYPE, COMPUTER NUMERICAL CONTROL (CNC)[CUST: SH 99] [REVIEW: 84 OS] | A | 3415 | / | GS6 | 30-MAR-05 |
| | A-A-59345 | GRINDING MACHINE, CYLINDRICAL, EXTERNAL, PLAIN[CUST: SH 99 GS6] [REVIEW: 84 OS] | A | 3415 | / | GS6 | 23-FEB-00 |
| | A-A-59351 NOT 1 | GRINDING MACHINE, DRILL[CUST: AR SH 99 GS6] [REVIEW: 84 AV MC] | A | 3415 | / | GS6 | 31-MAY-05 |
| | A-A-59330 NOT 1 | GRINDING MACHINE, SURFACE, RECIPROCATING-TABLE, HORIZONTAL-SPINDLE, POWER-FEED[CUST: AR SH 99] [REVIEW: 84 MC SM] | A | 3415 | / | GS6 | 30-MAR-05 |
| M | A-A-59459 NOT 1 | GRINDING MACHINE, TOOL AND CUTTER, COMPUTER NUMERICAL CONTROL (CNC)[CUST: AR SH 99 GS6] [REVIEW: 84 CR4 MC SM] | A | 3415 | / | GS6 | 07-APR-06 |
| A | A-A-59389 NOT 1 | GRINDING MACHINE, TOOL AND CUTTER, FLOOR-MOUNTED[CUST: AR SH 99] [REVIEW: MS OS] | A | 3415 | / | GS6 | 25-OCT-05 |
| | A-A-59266 NOT 1 | GRINDING MACHINE, UNIVERSAL, CYLINDRICAL, EXTERNAL, CENTER-TYPE[CUST: AR SH 99 GS6] [REVIEW: 84 MC] | A | 3415 | / | GS6 | 30-MAR-05 |
| A | A-A-59415 NOT 1 | GRINDING MACHINE, UNIVERSAL, VERTICAL-SPINDLE, NONTRAVERSING ROTARY TABLE, COMPUTER NUMERICAL CONTROL (CNC)[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 3415 | / | GS6 | 25-OCT-05 |
| A | A-A-59477 NOT 1 | GRINDING MACHINES, CENTERLESS, EXTERNAL, CYLINDRICAL[CUST: AR SH 99] [REVIEW: 84] | A | 3415 | / | GS6 | 12-JAN-06 |
| A | A-A-59401 NOT 1 | GRINDING MACHINES, SURFACE, RECIPROCATING TABLE, HORIZONTAL SPINDLE, HAND FEED[CUST: AR SH 99 GS6] [REVIEW: 84 MC SM] | A | 3415 | / | GS6 | 25-OCT-05 |
| M | A-A-59392 NOT 1 | GRINDING MACHINES, SURFACE, ROTARY TABLE, HORIZONTAL SPINDLE[CUST: AR SH 99 GS6] [REVIEW: 84 MC] | A | 3415 | / | GS6 | 07-APR-06 |
| | A-A-59200 NOT 1 | GRINDING MACHINES, SURFACE, ROTARY TABLE, VERTICAL SPINDLE[CUST: AR SH 99] [REVIEW: 84 MC OS] | A | 3415 | / | GS6 | 01-DEC-03 |
| A | A-A-51179B | GRINDING MACHINES, UTILITY, BENCH AND PEDESTAL[CUST: SH 99] [REVIEW: 84] | A | 3415 | / | GS6 | 04-NOV-05 |
| | A-A-51180A NOT 1 | GRINDING MACHINES, UTILITY, PEDESTAL, COMBINATION WET-DRY[CUST: AR 99 GS6] [REVIEW: 84 SH] | A | 3415 | / | GS6 | 21-FEB-03 |
| | A-A-59552 | GRINDING MACHINES, VALVE FACE[CUST: AR 99 CC] [REVIEW: 84 AT] | A | 4910 | / | CC | 18-JUL-01 |
| | ANSI-B74.13 | GRINDING WHEELS & OTHER BONDED ABRASIVES, MARKING FOR IDENTIFYING[CUST: AR SH 99] [REVIEW: CR4 GL] | A | 34GP | | GS6 | 24-AUG-90 |
| | ANSI-B74.2 | GRINDING WHEELS, SHAPE & SIZES OF, MOUNTED WHEELS, SIZES & IDENTIFICATION OF, SPECIFICATION FOR[CUST: AR SH 99] [REVIEW: CR4 GL] | A | 34GP | | GS6 | 22-MAY-90 |
| | MS90382 | GRIP, CABLE, RESCUE[CUST: AS 99] [REVIEW: GS] | A | 4240 | | AS | 24-JUN-65 |
| A | MS90561F | GRIP, CABLE, WOVEN, STRAIN RELIEF, AXIAL[CUST: CR EC 11 CC] [REVIEW: 13 19 99 AS AT AV CG CR4 MC MI OS] | A | 5935 | | CC | 26-OCT-05 |
| | PIA-PS70106 | GRIP, PARACHUTE RIP CORD, CLOVERLEAF[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 7-JAN-98 |
| | MIL-PRF-32031 | GRIT-BLAST MACHINE FOR COMPRESSOR HOUSING ASSEMBLY (T56 SERIES III)[CUST: 99] | A | 4940 | | 84 | 08-JUL-98 |
| | AN231 REV 4 NOT 1 | GROMMET & DRAINAGE, PLASTIC[CUST: AV AS 99 IS] | A | 5325 | | IS | 21-AUG-01 |
| | MS22048A NOT 1 | GROMMET AND WASHER, PARACHUTE PACK[CUST: AS 99] [REVIEW: GS] | A | 1670 | | AS | 30-OCT-91 |
| | NASM22529-1 | GROMMET, COMPOSITION, EDGING[CUST: AS 99 IS] | A | 5325 | | IS | FEB-99 |
| | NASM22529-2 | GROMMET, CUSHION, COMPOSITION, EDGING[CUST: AS 99 IS] | A | 5325 | | IS | FEB-99 |
| | NASM22529 | GROMMET, EDGING[CUST: AS 99 IS] | A | 5325 | | IS | APR-99 |
| | MIL-G-85613/1 NOT 2 | GROMMET, HARD SEAT, RELIABILITY AND MAINTAINABILITY (NEW CONSTRUCTION AND REPAIR) REQUIREMENTS FOR[CUST: AV AS 11] | A | 5325 | | IS | 23-JUN-05 |
| | MIL-G-85613/2 NOT 1 | GROMMET, HARD SEAT, SWAGED, COUNTERSINK, QUICK-RELEASE, PANEL FASTENER[CUST: AV AS 11] | A | 5325 | | IS | 02-OCT-91 |
| | MIL-G-85613/3 NOT 1 | GROMMET, HARD SEAT, SWAGED, COUNTERSINK, TENSION HEAD, PANEL FASTENER[CUST: AV AS 11 IS] | A | 5325 | | IS | 02-OCT-91 |
| | MIL-G-85613 NOT 1 | GROMMET, HARD SEAT, SWAGED, COUNTERSINK; GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: 99 AR MI] | A | 5325 | | IS | 02-OCT-91 |
| | NASM16491 | GROMMET, METALLIC, GENERAL SPECIFICATION FOR[CUST: AR YD 99 IS] [REVIEW: DS] | A | 5325 | | IS | DEC-97 |
| | NASM16491-2 | GROMMET, METALLIC, OBLONG, WITH FLAT WASHER (TYPE IV)[CUST: AR YD 99 IS] | A | 5325 | | IS | DEC-98 |
| | NASM16491-3 | GROMMET, METALLIC, OBLONG, WITH RAISED WASHER (TYPE V)[CUST: AR YD 99 IS] | A | 5325 | | IS | DEC-98 |
| | NASM16491-1 | GROMMET, METALLIC, PLAIN, WITH TOOTHED WASHER (TYPE II)[CUST: AR YD 99 IS] | A | 5325 | | IS | SEP-99 |
| | NASM21266 | GROMMET, PLASTIC, EDGING[CUST: GL AS 99 IS] | A | 5325 | | IS | FEB-99 |
| | NAS1368 | GROMMET, PLASTIC, FLIP TYPE[CUST: AR AS 99 IS] | A | 5325 | | IS | 09-MAR-89 |
| | NAS557 | GROMMET, PLASTIC-SPLIT[CUST: AV AS 11] [REVIEW: CR CR4 MI] | A | 5325 | | AS | 29-AUG-97 |
| | NAS1554 | GROMMET, PTFE-SPLIT[CUST: AR AS 99 IS] | A | 5325 | | IS | 29-AUG-97 |
| | MS27271 NOT 3 | GROMMET, RUBBER - PLUG CONNECTOR, RAMP POWER 416/240 VOLTS[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 26-OCT-01 |
| | MIL-G-18879(1) NOT 1 | GROMMETS, FIBER (FOR PROJECTILE ROTATING BANDS)[CUST: OS] [REVIEW: GS IS] | A | 8140 | | OS | 07-MAR-89 |
| | NASM20230 | GROMMETS, METALLIC, PLAIN AND SPUR, WITH WASHERS, TYPE I AND TYPE III[CUST: AR AS 99 IS] | A | 5325 | | IS | SEP-99 |
| | NASM3036 | GROMMETS, RUBBER, HOT-OIL AND COOLANT RESISTANT[CUST: AR OS 99 IS] | A | 5325 | | IS | MAR-98 |
| | MS35489J NOT 1 | GROMMETS, SYNTHETIC AND SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT[CUST: AR OS 99 IS] [REVIEW: AS CR EC GL MC MI NS SA] | A | 5325 | | IS | 10-APR-96 |
| | STANAG-3457 ED.6(1) | GROUND ELECTRICAL POWER SUPPLIES FOR AIRCRAFT | C | ISDF | | 06 | PENDING |
| | AIR-STD-25/21B(2) | GROUND ELECTRICAL POWER SUPPLIES FOR AIRCRAFT | C | ISDF | | 06 | 01-DEC-98 |
| | STANAG-3899 ED.2(2) | GROUND FIT AND COMPATIBILITY CRITERIA FOR AIRCRAFT STORES | C | ISDF | | 06 | 07-MAY-93 |
| | ASTM-C989 | GROUND GRANULATED BLAST-FURNACE SLAG FOR USE IN CONCRETE AND MORTARS[CUST: CR4 YD 99 IS] [REVIEW: CE] | A | 5610 | | IS | 15-SEP-93 |
| | AIR-STD-44/22H(1) | GROUND HANDLING CAPABILITIES FOR TRANSPORT AIRCRAFT (EXCHANGE OF INFORMATION) | C | ISDF | | 06 | PENDING |
| | DI-MISC-81358 | GROUND LAUNCH FLIGHT REPORT [AMSC: A6952] | A | MISC | | AM | 21-JUL-93 |
| | AIR-STD-25/24B(1) | GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES | C | ISDF | | 06 | 15-NOV-95 |
| | STANAG-3454 ED.5 | GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES | C | ISDF | | 06 | PENDING |
| | STANAG-3704 ED.2(1) | GROUND RESOLUTION TARGETS FOR AERIAL PHOTOGRAPHY | C | ISDF | | 06 | 26-MAR-98 |
| | ANSI-C135.30 | GROUND RODS, FERROUS, ZINC-COATED, FOR OVERHEAD OR UNDERGROUND LINE CONSTRUCTION[CUST: CR YD 11] [REVIEW: CE GS SH] | A | 5975 | | YD | 28-JUL-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-3771 ED.3(3) | GROUND SECURITY MEASURES AGAINST AIRCRAFT SABOTAGE/HIJACKING | C | ISDF | | 06 | 31-MAY-90 |
| | AIR-STD-44/48B(1) | GROUND SECURITY PROCEDURES AGAINST HIJACKING OF AIR TRANSPORT AIRCRAFT | C | ISDF | | 06 | 18-JUL-91 |
| | ARI330 | GROUND SOURCE CLOSED-LOOP HEAT PUMPS[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | ARI325 | GROUND WATER-SOURCE HEAT PUMPS[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | ASTM-D607 | GROUND, WET MICA PIGMENTS[CUST: CR4 SH 99] [REVIEW: CG MI MR SA] | A | 8010 | | SH | 25-JUN-82 |
| | UL467 | GROUNDING & BONDING EQUIPMENT[CUST: CR YD 11] [REVIEW: GS] | A | 5975 | | YD | 31-MAR-88 |
| | MIL-DTL-24749A | GROUNDING STRAPS AND BOSSES, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 21-AUG-97 |
| | MIL-HDBK-419A | GROUNDING, BONDING & SHIELDING FOR ELECTRONIC EQUIPMENTS & FACILITIES, VOLUME 1 & 2[CUST: CR EC 02] | A | TCSS | | 02 | 29-DEC-87 |
| | MIL-HDBK-1857 | GROUNDING, BONDING AND SHIELDING DESIGN PRACTICES[CUST: CR] | A | EMCS | | CR | 27-MAR-98 |
| | MIL-STD-188-124B NOT 3 | GROUNDING, BONDING AND SHIELDING FOR COMMON LONG HAUL/TACTICAL COMMUNICATION SYSTEMS INCLUDING GROUND BASED COMMUNICATIONS-ELECTRONICS FACILITIES AND EQUIPMENTS[Interface Standard][CUST: AC EC 02 DC1] [REVIEW: 11 13 93 CG CM CR DC5 DI IR MC MI MP NC NS OM PT SE TD] | A | TCSS | | DC1 | 18-DEC-00 |
| | ASTM-C937 | GROUT FLUIDIFIER FOR PREPLACED-AGGREGATE CONCRETE[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 25-JUN-93 |
| | ASTM-C476 | GROUT FOR MASONRY[CUST: CE YD 99 IS] | A | 5610 | | IS | 23-DEC-91 |
| | ASTM-C939 | GROUT FOR PREPLACED-AGGREGATE CONCRETE (FLOW CONE METHOD), FLOW OF[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 03-OCT-94 |
| | A-A-59607 | GROUT MATERIAL, RAPID SETTING[CUST: AS] | A | 5610 | / | AS | 06-AUG-04 |
| | ASTM-C1019 | GROUT, SAMPLING AND TESTING[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 17-DEC-93 |
| | ASTM-C942 | GROUTS FOR PREPLACED-AGGREGATE CONCRETE IN THE LABORATORY, COMPRESSIVE STRENGTH OF[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 03-OCT-94 |
| | ASTM-C658 | GROUTS, CHEMICAL-RESISTANT RESIN, FOR BRICK OR TILE[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 24-AUG-92 |
| | A-A-53138 | GUAIFENESIN SYRUP, USP[CUST: MD MS 03] | A | 6505 | / | MB | 13-AUG-87 |
| | A-A-51718A | GUAIFENESIN TABLETS, MODIFIED (SUSTAINED-RELEASE)[CUST: MD MS 03] | A | 6505 | / | MB | 21-JUL-87 |
| | A-A-59339 NOT 1 | GUANIDINE NITRATE[CUST: AR] [REVIEW: GS] | A | 6810 | / | AR | 20-JUN-03 |
| | A-A-52559 | GUARD, ROADWAY CROSSING (METRIC)[CUST: AT] [REVIEW: CC] | A | 3835 | / | AT | 27-FEB-96 |
| | MIL-PRF-32055 | GUARD, SAFETY, MOBILE TIRE INFLATION[CUST: AR 99 CC] | A | 4910 | | 84 | 16-DEC-99 |
| | A-A-58048C | GUARD, SAFETY, TIRE INFLATION[CUST: 99] [REVIEW: CC] | A | 4910 | / | 84 | 25-MAR-04 |
| | A-A-52402 | GUARD, SPLASH, WHEEL[CUST: AT CC] [REVIEW: MC] | A | 2540 | / | CC | 10-JUL-92 |
| | MIL-DTL-7703E(1) SUP 1 | GUARD, SWITCH, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5930 | | CC | 22-MAR-04 |
| A | MS25224H | GUARD, SWITCH, 2 POSITION[CUST: CR AS 11 CC] [REVIEW: 99 AV] | A | 5930 | | CC | 01-FEB-06 |
| A | MS25452G | GUARD, SWITCH, 2 POSITION, LOCK[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5930 | | CC | 01-FEB-06 |
| A | MS25214F | GUARD, SWITCH, 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5930 | | CC | 01-FEB-06 |
| A | MS25034K | GUARD, SWITCH, 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5930 | | CC | 01-FEB-06 |
| A | MS25225H | GUARD, SWITCH, 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5930 | | CC | 21-DEC-05 |
| A | MS27752D | GUARD, SWITCH, 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5930 | | CC | 01-FEB-06 |
| | QPL-7703-14 | GUARD, SWITCH, GENERAL SPECIFICATION FOR | A | 5930 | | CC | 26-OCT-04 |
| | MIL-G-2767C(1) | GUARDS, RAT, SHIP[CUST: CR4 SH] | A | 2040 | | SH | 05-APR-89 |
| | MIL-HDBK-29612/1A | GUIDANCE FOR ACQUISITION OF TRAINING DATA PRODUCTS AND SERVICES (PART 1 OF 5 PARTS)[CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM] | A | SESS | | AS | 31-AUG-01 |
| | MIL-HDBK-176 NOT 1 | GUIDANCE FOR ELEXIBLE FLAT MULTICONDUCTOR CABLE (FLAT CONDUCTORS)[CUST: CR AS 11 CC] [REVIEW: AR AT AV EC MC MI OS] | A | 6145 | | CC | 29-OCT-01 |
| | MIL-HDBK-704-2 | GUIDANCE FOR TEST PROCEDURES FOR DEMONSTRATION OF UTILIZATION EQUIPMENT COMPLIANCE TO AIRCRAFT ELECTRICAL POWER CHARACTERISTICS SINGLE PHASE, 400 HZ, 115 VOLT ( PART 2 OF 8 PARTS )[CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD] | A | SESS | | AS | 09-APR-04 |
| | MIL-HDBK-704-8 | GUIDANCE FOR TEST PROCEDURES FOR DEMONSTRATION OF UTILIZATION EQUIPMENT COMPLIANCE TO AIRCRAFT ELECTRICAL POWER CHARACTERISTICS 28 VDC ( PART 8 OF 8 PARTS )[CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD] | A | SESS | | AS | 09-APR-04 |
| | MIL-HDBK-704-1 | GUIDANCE FOR TEST PROCEDURES FOR DEMONSTRATION OF UTILIZATION EQUIPMENT COMPLIANCE TO AIRCRAFT ELECTRICAL POWER CHARACTERISTICS ( PART 1 OF 8 PARTS )[CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD] | A | SESS | | AS | 09-APR-04 |
| | MIL-HDBK-704-5 | GUIDANCE FOR TEST PROCEDURES FOR DEMONSTRATION OF UTILIZATION EQUIPMENT COMPLIANCE TO AIRCRAFT ELECTRICAL POWER CHARACTERISTICS THREE PHASE, VARIABLE FREQUENCY, 115 VOLT ( PART 5 OF 8 PARTS )[CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD] | A | SESS | | AS | 09-APR-04 |
| | MIL-HDBK-704-4 | GUIDANCE FOR TEST PROCEDURES FOR DEMONSTRATION OF UTILIZATION EQUIPMENT COMPLIANCE TO AIRCRAFT ELECTRICAL POWER CHARACTERISTICS SINGLE PHASE, VARIABLE FREQUENCY, 115 VOLT ( PART 4 OF 8 PARTS )[CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD] | A | SESS | | AS | 09-APR-04 |
| | MIL-HDBK-704-3 | GUIDANCE FOR TEST PROCEDURES FOR DEMONSTRATION OF UTILIZATION EQUIPMENT COMPLIANCE TO AIRCRAFT ELECTRICAL POWER CHARACTERISTICS THREE PHASE, 400 HZ, 115 VOLT ( PART 3 OF 8 PARTS )[CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD] | A | SESS | | AS | 09-APR-04 |
| | MIL-HDBK-704-7 | GUIDANCE FOR TEST PROCEDURES FOR DEMONSTRATION OFBUTILIZATION EQUIPMENT COMPLIANCE TO AIRCRAFT ELECTRICAL POWER CHARACTERISTICS 270 VDC ( PART 7 OF 8 PARTS )[CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD] | A | SESS | | AS | 09-APR-04 |
| | AQAP-159 ED.2 | GUIDANCE FOR THE USE OF AQAP-150 | A | QCIC | | 05 | 01-SEP-97 |
| | ARMP-4 ED.3 | GUIDANCE FOR WRITING NATO R AND M REQUIREMENTS DOCUMENTS | A | SESS | | CR | 01-JUN-03 |
| | MIL-HDBK-504 | GUIDANCE ON SAFETY CRITERIA FOR INITIATION SYSTEMS[CUST: AR OS 99] [REVIEW: 10 11 70 AS MI] | A | 13GP | | AR | 10-FEB-04 |
| | STANAG-4297 ED.2 | GUIDANCE ON THE ASSESSMENT OF THE SAFETY AND SUITABILITY FOR SERVICE OF MUNITIONS FOR NATO ARMED FORCES - AOP-15 | C | ISDA | | AI | 11-JUN-99 |
| | AOP-15 ED.2 | GUIDANCE ON THE ASSESSMENT OF THE SAFETY AND SUITABILITY FOR SERVICE OF NON-NUCLEAR MUNITIONS FOR NATO ARMED FORCES | C | ISDA | | AI | 30-NOV-98 |
| | AOP-39 ED.1 | GUIDANCE ON THE DEVELOPMENT, ASSESSMENT AND TESTING OF INSENSITIVE MUNITIONS (MURAT) | C | ISDA | | AI | 01-OCT-98 |
| | QSTAG-1338 ED.1 | GUIDANCE ON THE GENERIC HAZARD OF FORCES POSED BY TIC PLANTS AND STOCKPILES[CUST: AI] | C | ISDA | | AI | 13-DEC-00 |
| | QAP-268 ED.1 | GUIDANCE ON THE USE OF SAFETY CRITICAL SOFTWARE STANDARDS | C | ISDA | | AI | 01-MAR-01 |
| | MIL-C-85868/1 | GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 0[CUST: AS] | A | 1325 | | AS | 13-JUL-88 |
| | MIL-C-85868/2 | GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 1[CUST: AS] | A | 1325 | | AS | 13-JUL-88 |
| | MIL-C-85868/3 | GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 2[CUST: AS] | A | 1325 | | AS | 13-JUL-88 |
| | NEMA-TP1 | GUIDE FOR DETERMINING ENERGY EFFICIENCY FOR DISTRIBUTION TRANSFORMERS[CUST: YD] | A | FACR | | YD | 09-SEP-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SD-10 | GUIDE FOR IDENTIFICATION AND DEVELOPMENT OF METRIC STANDARDS[CUST: AM NM 01 DH] | A | SDMP | | SO | 01-DEC-03 |
| | ANSI-Z1.1,1.2,1.3 | GUIDE FOR QUALITY CONTROL CHARTS, CONTROL CHART METHOD OF ANALYZING DATA, CONTROL CHART OF METHOD OF CONTROLLING QUALITY DURING PRODUCTION[CUST: AR 05 DH] [REVIEW: CR] | A | QCIC | | AR | 13-MAR-89 |
| | ASTM-E2030 | GUIDE FOR RECOMMENDED USES OF PHOTOLUMINESCENT (PHOSPHORESCENT) SAFETY MARKINGS[CUST: AV OS 99 IS] | A | 9390 | | IS | 16-OCT-00 |
| | MIL-HDBK-267A | GUIDE FOR SELECTION OF LUBRICANTS & HYDRAULIC FLUIDS FOR USE IN SHIPBOARD EQUIPMENT[CUST: SH] [REVIEW: GS] | A | 9150 | | SH | 03-MAR-87 |
| | MIL-HDBK-275A | GUIDE FOR SELECTION OF LUBRICANTS, FLUIDS, AND COMPOUNDS FOR USE IN FLIGHT VEHICLES AND COMPONENTS[CUST: AV AS 11] [REVIEW: 68 CR4 MI MR TE] | A | MISC | | AS | 29-JUN-76 |
| | MIL-HDBK-113C NOT 1 | GUIDE FOR THE SELECTION OF LUBRICANTS, FUNCTIONAL FLUIDS, PRESERVATIVES AND SPECIALITY PRODUCTS FOR USE IN GROUND EQUIPMENT SYSTEMS[CUST: AT YD 68] [REVIEW: GS] | A | 9150 | | AT | 12-APR-04 |
| | QSTAG-657(1) | GUIDE PECIFICATIONS F OR ABCA ARMY FUELS, LUBRICANTS & ASSOCIATED PRODUCTS (BASED ON STANAG 2845)[CUST: AI] | C | ISDA | | AI | 17-JAN-84 |
| | AIR-STD-15/6E(1) | GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR AVIATION FUELS: NATO F-34, F-35, F-40, AND F-44 | C | ISDF | | 06 | 20-JAN-00 |
| | STANAG-1385 ED.2(3) | GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR FUEL, NAVAL DISTILLATE (F-75 AND F-76) | C | ISDN | | NI | 11-JAN-93 |
| | STANAG-1425 ED.1(2) | GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR LUBRICATING OIL, STEAM TURBINE AND GEAR LIGHT SERVICE (O-240) (INCLUDING AMENDMENT 2) | C | ISDF | | 06 | 18-SEP-95 |
| | AIR-STD-15/7G(1) | GUIDE SPECIFICATION FOR PETROLEUM BASE (H-515,H-520 AND C-635) AND POLYALPHAOLEFIN BASE (H-537, H-538 AND H-544) AVIATION HYDRAULIC FLUIDS | C | ISDF | | 06 | 16-OCT-98 |
| | STANAG-3747 ED.5 | GUIDE SPECIFICATIONS (MINIMUM QUALITY STANDARDS) FOR AVIATION TURBINE FUELS (F-34, F-35, F-40 AND F-44) | C | ISDF | | 06 | 27-NOV-01 |
| | STANAG-7090 ED.1(3) | GUIDE SPECIFICATIONS FOR NATO GROUND FUELS | C | ISDF | | 06 | 20-MAY-96 |
| | STANAG-7093 ED.1(2) | GUIDE SPECIFICATIONS FOR NATO LAND SYSTEM AUTOMOTIVE FLUIDS | C | ISDF | | 06 | 09-JUL-96 |
| | STANAG-7091 ED.1(2) | GUIDE SPECIFICATIONS FOR NATO LAND SYSTEM OILS FOR ENGINES AND TRANSMISSIONS | C | ISDF | | 06 | 10-JUL-96 |
| | MIL-HDBK-244A | GUIDE TO AIRCRAFT/STORES COMPATIBILITY[CUST: AV AS 18] | A | 15GP | | AS | 06-APR-90 |
| | ACI506.3R | GUIDE TO CERTIFICATION OF SHOTCRETE NOZZLEMEN[CUST: YD IS] | A | 5610 | | IS | 09-APR-92 |
| | MIL-HDBK-138B | GUIDE TO CONTAINER INSPECTION FOR COMMERCIAL AND MILITARY INTERMODAL CONTAINERS[CUST: AR SH 99] [REVIEW: 06 11 16 AV CG DH MC OS SM] | A | 8115 | | AR | 01-JAN-02 |
| | STANAG-7046 ED.1 | GUIDE TO METHODS OF TEST FOR COMPATIBILITY OF ALL MATERIALS USED IN OXYGEN RICH ENVIRONMENTS - AEP-33 | C | ISDF | | 06 | 15-FEB-99 |
| | AEP-33 | GUIDE TO METHODS OF TEST FOR THE COMPATIBILITY OF MATERIALS USED IN OXYGEN ENRICHED ENVIRONMENTS | C | ISDA | | AI | PENDING |
| | ADV-PUB-84/10A | GUIDE TO NBC DEFENSIVE MATERIEL REQUIREMENTS | C | ISDF | | 06 | 30-AUG-99 |
| | SSPC-VIS2 | GUIDE TO STANDARD METHOD OF EVALUATING DEGREE OF RUSTING ON PAINTED STEEL SURFACES GUIDE TO VIS 2[CUST: CR4 YD IS] [REVIEW: CC MC OS SH] | A | 8010 | | IS | 30-AUG-89 |
| | MIL-HDBK-1222C | GUIDE TO THE GENERAL STYLE AND FORMAT OF U.S. ARMY WORK PACKAGE TECHNICAL MANUALS[CUST: TM MC] [REVIEW: AC1 AR AT AV CR EA MI PT] | A | TMSS | | TM | 15-OCT-04 |
| M | MIL-HDBK-3001 NOT 1 | GUIDE TO THE GENERAL STYLE AND FORMAT OF U.S. NAVY WORK PACKAGE TECHNICAL MANUALS[CUST: AS] | A | TMSS | | AS | 07-MAR-06 |
| | A-A-54376 | GUIDE WIRE, CARDIOVASCULAR, CATHETER, (STERILE, DISPOSABLE, 50'S)[CUST: MD MS 03] | A | 6515 | / | MB | 22-APR-91 |
| | A-A-54936 | GUIDE, CIRCUMCISION, PLASTIC, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 20-DEC-93 |
| | NEMA-MG11 | GUIDE, ENERGY MANAGEMENT FOR SELECTION AND USE OF SINGLE-PHASE MOTORS[CUST: CR4 YD 99] [REVIEW: GS] | A | 6105 | | YD | 03-OCT-94 |
| | A-A-51582A | GUIDE, SHADE, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 20-AUG-90 |
| | ASTM-E1626 | GUIDE, STANDARD FOR INCLUDING GOVERNMENT PROCUREMENT REQUIREMENTS IN ASTM DOCUMENTS[CUST: AR SH 11 GS] [REVIEW: 10 16 19 68 70 99 AS AT AV CC CE CR CT DAU DC DP DS EA EC GL IS MB MC MD MP MR OS PS SA SM SS TE YD] | A | SDMP | | SO | 12-JAN-95 |
| | A-A-51376 | GUIDE, WIRE STRUT (V SHAPE, HOUSE)[CUST: MD MS 03] | A | 6515 | / | MB | 08-JUL-86 |
| D | FIPS-PUB-73 | GUIDELINE FOR SECURITY OF COMPUTER APPLICATIONS[CUST: OM] | A | IPSC | | DC | 30-JUN-80 |
| D | FIPS-PUB-48 | GUIDELINE ON EVALUATION OF TECHNIQUES FOR AUTOMATED PERSONAL IDENTIFICATION[CUST: OM] | A | IPSC | | DC3 | 01-APR-77 |
| | EIA738 | GUIDELINE ON THE USE AND APPLICATION OF CPK[CUST: CR EC 11 CC] | A | 59GP | | CC | SEP-97 |
| D | FIPS-PUB-83 | GUIDELINE ON USER AUTHENTICATION TECHNIQUES FOR COMPUTER NETWORK ACCESS CONTROL[CUST: OM] | A | IPSC | | DC3 | 01-APR-81 |
| D | FIPS-PUB-87 | GUIDELINES FOR ADP CONTINGENCY PLANNING[CUST: OM] | A | IPSC | | DC3 | 27-MAR-81 |
| | STANAG-2941 ED.2(1) | GUIDELINES FOR AIR AND GROUND PERSONNEL USING COLLECTIVE PROTECTION STRUCTURES ON PERMANENT AIR FORCE INSTALLATIONS (WTH AMENDMENT 1) | C | ISDA | | AI | 19-JUN-92 |
| | AIR-STD-84/7(1) | GUIDELINES FOR AIR AND GROUND PERSONNEL USING COLLECTIVE PROTECTION STRUCTURES ON PERMANENT AIR FORCE INSTALLATIONS | C | ISDF | | 06 | 16-FEB-83 |
| | MIL-HDBK-3006A | GUIDELINES FOR AUDITING FOOD ESTABLISHMENTS[CUST: MD2 SA 03] [REVIEW: MC MS SS] | A | 89GP | | MD2 | 07-JUN-02 |
| | ISO10011-2 | GUIDELINES FOR AUDITING QUALITY SYSTEMS -- PART 2: QUALIFICATION CRITERIA FOR QUALITY SYSTEMS AUDITORS[CUST: AR OS 05] [REVIEW: 10 11] | A | QCIC | | 05 | 01-MAY-93 |
| | ISO10011-1 | GUIDELINES FOR AUDITING QUALITY SYSTEMS--PART 1: AUDITING[CUST: AR OS 05] [REVIEW: 10 11] | A | QCIC | | 05 | 01-MAY-93 |
| | ISO10011-3 | GUIDELINES FOR AUDITING QUALITY SYSTEMS--PART 3: MANAGEMENT OF AUDIT PROGRAMMES[CUST: AR OS 05] [REVIEW: 10 11] | A | QCIC | | 05 | 01-MAY-93 |
| D | FIPS-PUB-31 | GUIDELINES FOR AUTOMATIC DATA PROCESSING PHYSICAL SECURITY AND RISK MANAGEMENT[CUST: OM] | A | IPSC | | DC3 | 01-JUN-74 |
| | QSTAG-779 | GUIDELINES FOR CLASSIFYING INCIDENTS FOR RELIABILITY ESTIMATION OF TRACKED AND WHEELED VEHICLES (BASED ON STANAG 4108)[CUST: AI] | C | ISDA | | AI | 21-JAN-87 |
| | STANAG-4158 ED.1(2) | GUIDELINES FOR CLASSIFYING INCIDENTS FOR RELIABILITY ESTIMATION OF TRACKED AND WHEELED VEHICLES | C | ISDA | | AI | PENDING |
| | QSTAG-465 ED.2 | GUIDELINES FOR COMMANDERS IN COPING WITH MIOSIS[CUST: AI] | C | ISDA | | AI | 13-DEC-00 |
| | MIL-HDBK-816(1) | GUIDELINES FOR DEVELOPING RADIATION HARDNESS ASSURANCE DEVICE SPECIFICATIONS[CUST: CR EC 19 CC] [REVIEW: 11 99 AR AS CG DS MC NA OS SH SM] | A | 59GP | | CC | 08-APR-02 |
| D | FIPS-PUB-74 | GUIDELINES FOR IMPLEMENTING AND USING THE NBS DATA ENCRYPTION STANDARD[CUST: OM] | A | IPSC | | DC3 | 01-APR-81 |
| | NEMA-EW6 | GUIDELINES FOR PRECAUTIONARY LABEL FOR ARC-WELDING AND CUTTING PRODUCTS[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 28-FEB-89 |
| | ISO10005 | GUIDELINES FOR QUALITY PLANS - QUALITY MANAGEMENT[CUST: AR OS 05] | A | QCIC | | 05 | 15-SEP-95 |
| | IPC-D322 | GUIDELINES FOR SELECTING PRINTED WIRING BOARD SIZES USING STANDARD PANEL SIZES[CUST: CR AS 11] | A | 5998 | | CC | SEP-84 |
| | ISO9000-1 | GUIDELINES FOR SELECTION AND USE, QUALITY MANAGEMENT AND QUALITY ASSURANCE STANDARDS -- PART 1[CUST: AR OS 05] | A | QCIC | | 05 | 01-JUL-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-4293 ED.1(1) | GUIDELINES FOR THE ACOUSTICAL ENVIRONMENT IN NATO SURFACE SHIPS | D | ISDN | | NI | 03-AUG-94 |
| | ISO9000-3 | GUIDELINES FOR THE APPLICATION OF ISO 9001 TO THE DEVELOPMENT, SUPPLY, INSULATION AND MAINTENANCE OF COMPUTER SOFTWARE QUALITY MANAGEMENT AND QUALITY ASSURANCE STANDARDS - PART 3[CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 84 AS AT AV CR DH EA EC MC MI SH TE] | A | QCIC | | 05 | 1997 |
| | STANAG-4328 ED.1(1) | GUIDELINES FOR THE ARMORED FIGHTING VEHICLES DESIGNER TO IMPROVE NUCLEAR RADIATION PROTECTION -AEP-14 (W/AMENDMENT 1 INCORPORATED) | C | ISDA | | AI | 29-JAN-91 |
| | STANAG-1402 ED.2 | GUIDELINES FOR THE NATIONAL TEST AUTHORITY (NTA) ASSESSMENT OF NAVAL AMMUNITION INTERCHANGEABILITY | C | ISDN | | NI | 11-MAY-00 |
| | DI-TMSS-81584 | GUIDELINES FOR USE AND OPERATION OF INFOSEC EQUIPMENT/SYSTEMS (TYPE IV) [AMSC: G7399] | A | TMSS | | NS | 05-OCT-00 |
| | QSTAG-2000 ED.1 | GUIDELINES ON ENTRY AND EXIT PROCEDURES FOR USING COLLECTIVE PROTECTION FACILITIES[CUST: AI] | C | ISDA | | AI | 17-DEC-96 |
| | STANAG-1414 ED.1(1) | GUIDELINES TO ENSURE THAT CONTRACTORS DESIGN AND SUPPLY NEW EQUIPMENT CAPABLE OF USING STANDARDIZED LUBRICANTS | C | ISDF | | 06 | 05-JUL-96 |
| | MIL-HDBK-784 | GUIDELINES-DESIGN TO MINIMIZE CONTAMINATION AND TO FACILITATE DECONTAMINATION OF MILITARY VEHICLES AND OTHER EQUIPMENT: INTERIORS AND EXTERIORS[CUST: EA YD 99] [REVIEW: 84 AR AT AV MC] | A | 4230 | | EA | 21-DEC-87 |
| | MIL-G-96A NOT 3 | GUM TRAGACANTH (FOR USE IN AMMUNITION)[CUST: AR OS] [REVIEW: GS MD MI] | A | 6810 | | AR | 20-APR-04 |
| | MIL-PRF-53136(1) | GUN LAYING AND POSITIONING SYSTEM (GLPS)[CUST: CE3 MC GS] [REVIEW: AS] | A | 6675 | | CE3 | 15-MAR-99 |
| | MIL-HDBK-517 NOT 1 | GUN PROPULSION TECHNOLOGY[CUST: AR OS 11] [REVIEW: 99 AS MI] | A | 13GP | | AR | 01-DEC-04 |
| | MIL-G-85536(1) NOT 1 | GUN SYSTEM, 25-MM, AIRCRAFT A/A49E-10[CUST: AS] | A | 1005 | | AS | 02-OCT-91 |
| | MIL-G-85103B | GUN SYSTEM, 25MM (AV-8B)[CUST: AS] | A | 1005 | | AS | 05-MAY-82 |
| A | A-A-55543B | GUN, AIR BLOW, (BLAST CLEANING)[CUST: AR AS 99 CC] [REVIEW: 84] | A | 4940 | / | CC | 18-OCT-05 |
| | MIL-DTL-45500E(2) | GUN, AUTOMATIC, 20MM, GENERAL SPECIFICATION FOR[CUST: AR 99] | A | 1005 | | 84 | 27-MAY-03 |
| | MIL-DTL-45500/6(1) NOT 1 | GUN, AUTOMATIC, 20MM: M61A2[CUST: AR] | A | 1005 | | AR | 13-AUG-04 |
| | MIL-DTL-45500/1A(1) NOT 1 | GUN, AUTOMATIC, 20MM: M61 AND M61A1[CUST: AR] | A | 1005 | | AR | 13-AUG-04 |
| | MIL-DTL-45500/5A(1) NOT 1 | GUN, AUTOMATIC, 20MM: THREE-BARREL, HIGH RATE, M197 AND M197E1[CUST: AR] | A | 1005 | | AR | 13-AUG-04 |
| | A-A-50311 | GUN, FLUSHING, RADIATOR, AND ENGINE BLOCK[CUST: AR YD 99] [REVIEW: 84 CC MC] | A | 4910 | / | AR | 30-JUN-92 |
| | MIL-G-45140B(1) | GUN, SPOTTING, CALIBER .50, M8C[CUST: AR MC] [REVIEW: 84 OS] | A | 1005 | | AR | 15-MAR-88 |
| | MIL-G-70617B | GUNFIRE SIMULATOR: 12725085-1[CUST: AR] | A | 1290 | | AR | 27-SEP-93 |
| A | MIL-G-1298A NOT 2 | GUNS, MACHINE, CALIBRE .50, BROWNING, M2, HEAVY BARREL[CUST: AR OS 99] [REVIEW: MC] | A | 1005 | | AR | 22-SEP-00 |
| | SAE-AMS-G-952 | GUNS, SPRAY, OIL AND SOLVENT[CUST: AS] | A | 4930 | | AS | MAR-98 |
| | ASTM-C588/C588M | GYPSUM BASE FOR VENEER PLASTERS[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 15-JAN-92 |
| | GA214 | GYPSUM BOARD FINISH, RECOMMENDED LEVELS OF[CUST: YD] | A | FACR | | YD | 29-JUN-04 |
| | GA216 | GYPSUM BOARD, APPLICATION AND FINISHING OF[CUST: YD] | A | FACR | | YD | 29-JUN-04 |
| | ASTM-C59/C59M | GYPSUM CASTING PLASTER AND GYPSUM MOLDING PLASTER[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 15-AUG-91 |
| | ASTM-C317/C317M | GYPSUM CONCRETE[CUST: CR4 YD 99 IS] [REVIEW: MI] | A | 5610 | | IS | 07-NOV-91 |
| | ASTM-C318/C318M | GYPSUM FORMBOARD[CUST: CR4 YD IS] | A | 5620 | | IS | 19-SEP-80 |
| | ASTM-C28/C28M | GYPSUM PLASTERS[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 15-JAN-92 |
| | GA253 | GYPSUM SHEATHING, APPLICATION OF[CUST: YD] | A | FACR | | YD | 29-JUN-04 |
| | ASTM-C587 | GYPSUM VENEER PLASTER[CUST: CR4 YD 99 IS] [REVIEW: 84 CC] | A | 5610 | | IS | 12-NOV-91 |
| | MIL-G-20098C NOT 2 | GYPSUM, CALCINED[CUST: AR 99] [REVIEW: MD MI] | A | 5610 | | AR | 31-OCT-96 |
| | ASTM-C472 | GYPSUM, GYPSUM PLASTERS AND GYPSUM CONCRETE, PHYSICAL TESTING OF[CUST: YD IS] [REVIEW: CE] | A | 5610 | | IS | 15-AUG-93 |
| | MIL-G-19027D(1) | GYRO, STEERING (FOR TORPEDO MARK 37 MODS O, 2, 3)[CUST: OS] | A | 1355 | | OS | 08-DEC-72 |
| | SAE-AS14114 | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH (HARD MOUNTED)[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | AS | MAR-99 |
| | QPL-25597-21 | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH, TYPE MD-1 | A | 6615 | | 71 | 01-APR-96 |
| | MIL-H-50589 NOT 1 | H M X FOR 30MM AMMUNITION[CUST: AR] | A | 1376 | | AR | 29-AUG-91 |
| | H-H-001193A | HAIRBRUSH, SYNTHETIC | A | 8530 | # | FSS | 10-DEC-71 |
| | IPC-TM650.2.3.35 | HALIDE CONTENT, QUANTITATIVE (CHLORIDE AND BROMIDE)[CUST: CR EC] [REVIEW: 84 99 GS MI SH] | A | 3439 | | CR | 06-AUG-89 |
| | ASTM-D5632 | HALON 1301, BROMOTRIFLUOROMETHANE (CF3BR)[CUST: AT AS 68] [REVIEW: GS MC MS] | A | 6830 | | AT | 15-APR-95 |
| | MIL-DTL-44159C(1) | HAM CHUNKS, WITH JUICES, CANNED[CUST: GL SA 35 SS] [REVIEW: FV MC MD QM] | A | 8905 | | SS | 04-MAR-03 |
| | PDI-WH201 | HAMMER ARRESTER, WATER[CUST: CR4 YD 99] [REVIEW: CC] | A | 4510 | | IS | 18-APR-88 |
| | DFI791 | HAMMER, A PILE INSPECTOR S GUIDE TO HAMMERS[CUST: CR4 YD] [REVIEW: CE] | A | FACR | | YD | 31-JUL-86 |
| | A-A-53193 | HAMMER, HAND (OPTICAL)[CUST: MD MS 03] [REVIEW: GS] | A | 5120 | / | MB | 15-SEP-87 |
| | A-A-59182 NOT 1 | HAMMER, PILEDRIVER, SELF-POWERED, DIESEL[CUST: AT YD] | A | 3895 | / | IS | 19-MAR-03 |
| | A-A-52553 NOT 1 | HAMMER, PNEUMATIC, PORTABLE, NAIL-DRIVING[CUST: AT YD 99] [REVIEW: 84 GL GS] | A | 5130 | / | AT | 19-APR-04 |
| | A-A-54845 | HAMMER, REFLEX TESTING, TAYLOR[CUST: MD MS 03] | A | 6515 | / | MB | 18-JUN-93 |
| | ANSI-B173.8 | HAMMERS, RIVETING, SCALING, AND TINNERS' SETTING - SAFETY REQUIREMENTS[CUST: GL SH 99] [REVIEW: GS] | A | 5120 | | GL | 03-OCT-94 |
| | A-A-55282 | HAMMOCK, JUNGLE, M-1965[CUST: NU CT] | A | 8465 | / | CT | 13-SEP-96 |
| | MIL-H-43595B | HAMMOCK, JUNGLE, NYLON, M-1966[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8465 | | CT | 07-AUG-84 |
| | P-H-001722A(1) | HAND CLEANER (PRE-MOISTENED PAD AND TOWELETTE, FOR INK AND OFFICE SOILS) | A | 8520 | # | FSS | 24-SEP-76 |
| | A-A-461B NOT 2 | HAND CLEANER (PRE-MOISTENED PAPER TOWELETTE IN PACKET)[CUST: GL SA 35 SS] | A | 8520 | / | SS | 12-OCT-00 |
| | MIL-HDBK-503(3) | HAND RECEIPT TECHNICAL MANUALS (-HR)[CUST: TM] [REVIEW: AC1 AR AT AV CR EA GL MI PT] | A | TMSS | | TM | 15-AUG-02 |
| | ANSI-B173.3 | HAND TOOLS - HEAVY STRIKING TOOLS - SAFETY REQUIREMENTS[CUST: GL SH 99] [REVIEW: GS] | A | 5120 | | GL | 13-FEB-91 |
| | STANAG-4497 ED.1 | HAND-EMPLACED MUNITIONS (HEM), PRINCIPLES FOR SAFE DESIGN | C | ISDA | | AI | 16-MAR-00 |
| | MIL-STD-1911A | HAND-EMPLACED ORDNANCE DESIGN, SAFETY CRITERIA FOR[Design Criteria Standard][CUST: AR OS 11] [REVIEW: 99 AS MI] | A | 13GP | | AR | 10-JUL-98 |
| | ASSE1014 | HAND-HELD SHOWERS[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | A-A-55113 | HANDBAG, WOMEN'S: SYNTHETIC, BLACK[CUST: GL 11 CT] [REVIEW: 99] | A | 8445 | / | CT | 07-JAN-93 |
| | IPC-HDBK-001(1) | HANDBOOK AND GUIDE TO SUPPLEMENT J-STD-001 (INCLUDES J-STD-001B TO C COMPARISON) (IPC-HDBK-001 WITH AMENDMENT 1)[CUST: AT AS] [REVIEW: AV MI] | A | SOLD | | AT | 19-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ATP-47A | HANDBOOK FOR AIR RECONNAISSANCE TASKING AND REPORTING | C | ISDA | | AI | 01-JAN-45 |
| | STANAG-3920 ED.3(1) | HANDBOOK FOR AIR RECONNAISSANCE TASKING AND REPORTING - ATP-47(A) | C | ISDF | | 06 | PENDING |
| | MIL-HDBK-1151 | HANDBOOK FOR INSPECTION, MAINTENANCE AND OPERATION OF NAVAL RESERVE CENTERS[CUST: YD] | A | FACR | | YD | 01-JUL-93 |
| | MIL-HDBK-1110/1 | HANDBOOK FOR PAINTS AND PROTECTIVE COATINGS FOR FACILITIES[CUST: YD] | A | FACR | | YD | 17-JAN-95 |
| | QSTAG-1999 ED.1 | HANDBOOK FOR SAMPLING AND IDENTIFICATION OF BIOLOGICAL AND CHEMICAL WARFARE AGENTS[CUST: AI] | C | ISDA | | AI | 06-MAY-96 |
| | A-A-50356B | HANDKERCHIEF, MEN'S OR WOMEN'S[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8440 | / | CT | 01-MAR-90 |
| | NASM35792 | HANDLE, BAIL CHEST, RECESSED[CUST: AR OS 99 IS] | A | 5340 | | IS | DEC-98 |
| | NASM35791 | HANDLE, BAIL-CHEST, SURFACE MOUNTING COUNTERSUNK HOLES[CUST: AR OS 99] | A | 5340 | | IS | SEP-99 |
| | NASM35793 | HANDLE, BAIL-CHEST, SURFACE MOUNTING, PLAIN HOLES[CUST: AR OS 99] | A | 5340 | | IS | SEP-99 |
| | NASM39087 | HANDLE, BOW[CUST: AR 99 IS] | A | 5340 | | IS | DEC-98 |
| | A-A-51986A | HANDLE, ELECTRODE, ELECTROSURGERY[CUST: MD MS 03] | A | 6515 | / | MB | 12-AUG-88 |
| | A-A-50902A | HANDLE, ELECTRODE, ELECTROSURGERY[CUST: MD MS 03] | A | 6515 | / | MB | 29-JUL-88 |
| | A-A-51626 | HANDLE, INSTRUMENT TRAY[CUST: MD MS 03] | A | 6530 | | MB | 22-AUG-86 |
| | NAS1637 | HANDLE, LATCHING INTERNAL AND EXTERNAL RELEASE COMPONENTS AND ASSEMBLY[CUST: AR YD 99 IS] | A | 5340 | | IS | 15-APR-72 |
| | MS18012A(I1) | HANDLE, METAL, SPRING BAIL TYPE[CUST: MI] | A | 5340 | | MI | 10-JUN-03 |
| | A-A-51457A | HANDLE-ELECTRODE, ELECTROSURGERY[CUST: MD MS 03] | A | 6515 | / | MB | 30-JAN-87 |
| | A-A-51634 | HANDLE-ELECTRODE, ELECTROSURGERY[CUST: MD MS 03] | A | 6515 | / | MB | 28-NOV-86 |
| | SAE-AS4283 | HANDLES AND ATTACHMENTS FOR HAND SOCKETS WRENCHES[CUST: AV] [REVIEW: GS] | A | 5120 | | AV | MAY-94 |
| | QSTAG-628 ED.1 | HANDLING AIDS[CUST: AI] | C | ISDA | | AI | 02-OCT-85 |
| | AIR-STD-44/9E | HANDLING AND DOCUMENTATION OF DANGEROUS CARGO FOR AIR TRANSPORTATION | C | ISDF | | 06 | 30-APR-91 |
| | QSTAG-528 ED.1 | HANDLING AND REPORTING OF CAPTURED ENEMY EQUIPMENT AND DOCUMENTS[CUST: AI] | C | ISDA | | AI | 12-AUG-91 |
| | AJP-2.5 | HANDLING OF CAPTURED PERSONNEL, EQUIPMENT AND DOCUMENTS | C | ISDF | | 06 | 01-SEP-01 |
| | STANAG-2195 ED.1 | HANDLING OF CAPTURED PERSONNEL, EQUIPMENT AND DOCUMENTS - AJP-2.5 | C | ISDA | | AI | 28-FEB-02 |
| | QSTAG-655 ED.2 | HANDLING OF DECEASED PERSONNEL IN AN AREA OF OPERATIONS[CUST: AI] | C | ISDA | | AI | 05-SEP-96 |
| | DI-RELI-80671A | HANDLING PROCEDURES FOR ELECTROSTATIC DISCHARGE (ESD) SENSITIVE ITEMS [AMSC: N6781] | A | SESS | | SH | 28-AUG-92 |
| | DI-QCIC-80891 | HANDLING PROCEDURES FOR STATIC SENSITIVE DEVICES REPORT [AMSC: G4801] | A | QCIC | | NS | 03-AUG-89 |
| | MIL-PRF-49078A | HANDSET H-250( )/U[CUST: CR] | A | 5965 | | CR | 09-OCT-97 |
| | A-A-52529 NOT 1 | HANGER, EXHAUST, MUFFLER AND TAILPIPE (METRIC)[CUST: AT] [REVIEW: CC] | A | 2990 | / | AT | 16-APR-04 |
| | A-A-51275 | HANGER, X RAY FILM[CUST: MD MS 03] | A | 6525 | / | MB | 09-DEC-85 |
| | A-A-53579 | HANGER, X-RAY FILM[CUST: MD MS 03] | A | 6525 | / | MB | 29-JUL-88 |
| | A-A-53082A | HANGER, X-RAY FILM[CUST: MD MS 03] | A | 6525 | / | MB | 17-JUN-88 |
| | A-A-50910 | HANGER, X-RAY FILM DEVELOPING AND DRYING[CUST: MD MS 03] | A | 6525 | / | MB | 29-JAN-85 |
| | MIL-H-89201/9 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:1,000,000 AND SMALLER (HAC 9)[CUST: MP] | A | GINT | | MP | 29-APR-95 |
| | MIL-H-89201/4 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:100,001 TO 1:250,000 (HAC 4)[CUST: MP] | A | GINT | | MP | 29-APR-95 |
| | MIL-H-89201/1 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:25,000 AND LARGER (HAC 1)[CUST: MP] | A | GINT | | MP | 29-APR-95 |
| | MIL-H-89201/2 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:25,001 TO 1:50,000 (HAC 2)[CUST: MP] | A | GINT | | MP | 29-APR-95 |
| | MIL-H-89201/5 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:250,001 TO 1:350,000 (HAC 5)[CUST: MP] | A | GINT | | MP | 29-APR-95 |
| | MIL-H-89201/6 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:350,001 TO 1:600,000 (HAC 6)[CUST: MP] | A | GINT | | MP | 29-APR-95 |
| | MIL-H-89201/3 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:50,001 TO 1:100,000 (HAC 3)[CUST: MP] | A | GINT | | MP | 29-APR-95 |
| | MIL-H-89201/7 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:600,001 TO 1:750,000 (HAC 7)[CUST: MP] | A | GINT | | MP | 29-APR-95 |
| | MIL-H-89201/8 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:750,001 TO 1:1,000,000 (HAC 8)[CUST: MP] | A | GINT | | MP | 29-APR-95 |
| | MIL-PRF-89201B NOT 1 | HARBOR, APPROACH, COASTAL AND GENERAL NAUTICAL CHARTS[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | BHMA-A156.16 | HARDWARE, AUXILIARY, STANDARD FOR[CUST: AR YD 99 IS] [REVIEW: CR4 GL] | A | 5340 | | IS | 31-JUL-89 |
| | PIA-H-7195 | HARDWARE, PARACHUTE, GENERAL SPECIFICATION FOR[CUST: GL AS 99] | A | 1670 | | GS1 | 31-MAY-05 |
| | MIL-H-21155D | HARDWARE: FOR BELT, MILITARY POLICE[CUST: MC CT] | A | 8465 | | CT | 16-APR-90 |
| | A-A-52520 NOT 1 | HARDWOOD; FLOORBOARDS AND PLATFORMS: FOR MILITARY VEHICLES (METRIC)[CUST: AT 99] [REVIEW: 11 CC MC MD MI] | A | 2510 | / | AT | 16-APR-04 |
| | MIL-PRF-62540A NOT 1 | HARNESS AND CABLE ASSEMBLIES[CUST: AT] [REVIEW: GS IS] | A | 5995 | | AT | 15-APR-04 |
| | MIL-PRF-62430A | HARNESS ASSEMBLY, THERMOCOUPLE[CUST: AT] [REVIEW: GS] | A | 6685 | | AT | 26-JUL-96 |
| | MIL-H-3697D | HARNESS MAN S SLED, SINGLE TRACE TYPE[CUST: GL SA 99 CT] [REVIEW: 11 MC MD] | A | 8465 | | CT | 29-APR-85 |
| | A-A-50120A | HARNESS, CLIMBING, FULL-BODY[CUST: GL NU CT] [REVIEW: MC] | A | 8465 | / | CT | 21-FEB-90 |
| | MIL-PRF-49450/16 | HARNESS, USED IN BB-664/A RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT BATTERY.[CUST: CR] [REVIEW: GS] | A | 6140 | | CR | 10-MAR-00 |
| | QPL-19089-7 | HARNESSES, INTEGRATED PARACHUTE | A | 1670 | | AS | 26-MAR-01 |
| | MIL-DTL-27893F | HARNESSES, PARACHUTIST'S, INDIVIDUAL EQUIPMENT PACK ("H" - TYPE)[CUST: GL] [REVIEW: AV GS] | A | 1670 | | GL | 07-APR-97 |
| | STANAG-1341 ED.1(5) | HARPOON MISSILE INTERCHANGEABLE WITHIN NATO NAVAL FORCES | D | ISDN | | NI | 21-APR-99 |
| | A-A-52014A NOT 1 | HARROW, DISK TYPE, TANDEM[CUST: AT YD 99] [REVIEW: 84] | A | 3830 | / | AT | 19-APR-04 |
| | MIL-H-24653 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES US1NG HIGH AND MEDIUM SECURITY PADLOCK.[CUST: SH] | A | 5340 | | SH | 30-MAY-85 |
| | MIL-H-24653/1 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 1[CUST: SH] | A | 5340 | | SH | 30-MAY-85 |
| | MIL-H-24653/5 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 5[CUST: SH] | A | 5340 | | SH | 30-MAY-85 |
| | MIL-H-24653/2 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 2[CUST: SH] | A | 5340 | | SH | 30-MAY-85 |
| | MIL-H-24653/4 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 4[CUST: SH] | A | 5340 | | SH | 30-MAY-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-H-24653/3 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 3[CUST: SH] | A | 5340 | | SH | 30-MAY-85 |
| | MIL-H-24653/6 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 6[CUST: SH] | A | 5340 | | SH | 30-MAY-85 |
| | ASTM-F2155 | HASPS AND OTHER ATTACHMENT DEVICES FOR PADLOCKS OR SEALS, PERFORMANCE OF[CUST: AR YD 99] | A | 5340 | | IS | 11-FEB-03 |
| | MIL-H-24900A | HAT, COMBINATION, WOMAN'S (COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8410 | | CT | 06-NOV-89 |
| | A-A-55108 | HAT, SERVICE (WHITE)[CUST: NU CT] | A | 8405 | / | CT | 16-DEC-92 |
| | MIL-H-15505K | HAT, SERVICE, WOMAN'S[CUST: NU CT] [REVIEW: CG] | A | 8410 | | CT | 31-MAY-89 |
| | MIL-H-15505K(I1) | HAT, SERVICE, WOMAN'S[CUST: NU CT] [REVIEW: CG] | A | 8410 | | CT | 13-NOV-96 |
| | A-A-50072A | HAT, SERVICE, WOMAN'S, DRILL INSTRUCTOR[CUST: GL CT] [REVIEW: MD] | A | 8410 | / | CT | 30-NOV-88 |
| | MIL-H-43162F | HAT, SERVICE, WOMAN'S, WOOL OR POLYESTER AND WOOL[CUST: GL CT] [REVIEW: MD] | A | 8410 | | CT | 26-JUL-88 |
| | A-A-50526C | HAT, SERVICE: WITH CHIN STRAP[CUST: GL MC 11 CT] [REVIEW: MD SO] | A | 8405 | / | CT | 21-FEB-95 |
| | A-A-59527 | HAT, SUN, REVERSIBLE[CUST: GL 82] [REVIEW: 11 99 MD] | A | 8415 | / | CT | 13-DEC-99 |
| | MIL-H-44105B | HATS, SUN, HOT WEATHER[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8415 | | CT | 04-MAR-92 |
| | DI-SAFT-81125 | HAZARD ASSESSMENT TEST REPORT [AMSC: N6025] | A | SAFT | | OS | 08-MAR-91 |
| | MIL-STD-2105C NOT 1 | HAZARD ASSESSMENT TESTS FOR NON-NUCLEAR MUNITIONS[Test Method Standard][CUST: AR OS 11] [REVIEW: 18 AS TE] | A | SAFT | | OS | 23-JUL-03 |
| | DI-MGMT-81398 | HAZARDOUS MATERIALS MANAGEMENT PROGRAM (HMMP) PLAN [AMSC: F7015] | A | MGMT | | 11 | 14-APR-94 |
| | DI-MISC-81397 | HAZARDOUS MATERIALS MANAGEMENT PROGRAM (HMMP) REPORT [AMSC: F7013] | A | MISC | | 11 | 14-APR-94 |
| | DI-MGMT-80899 | HAZARDOUS WASTE (HW) REPORT [AMSC: F4813] | A | MGMT | | 33 | 07-SEP-89 |
| | MIL-HDBK-1005/13(2) | HAZARDOUS WASTE STORAGE FACILITIES[CUST: YD] | A | FACR | | YD | 15-MAY-99 |
| A | MIL-HDBK-240 | HAZARDS OF ELECTROMAGNETIC RADIATION TO ORDNANCE (HERO) TEST GUIDE[CUST: SY SH 11] [REVIEW: 19 22 84 AC AM AR AS AT AV CE CG CR EC GL MC MD MI OS PT TE YD] | A | EMCS | | DC5 | 01-NOV-02 |
| | ADV-PUB-20/36 | HAZARDS OF ELECTROSTATIC DISCHARGE TO AIRCRAFT STORES | C | ISDF | | 06 | 13-MAY-99 |
| | QSTAG-1207 ED.1 | HAZARDS TO PERSONNEL AND THE ENVIRONMENT FOR ORDANCE SYSTEMS, ITEM AND MATERIALS[CUST: AI] | C | ISDA | | AI | 20-JUN-01 |
| | QAP-271 ED.1 | HAZARDS TO PERSONNEL AND THE ENVIRONMENT, AND THE DEGREE OF SEVERITY OF THESE HAZARDS FOR SMALL CALIBRE AMMUNITION, ITS ASSOCIATED MAINTENANCE, INCLUDING CONSUMABLE AND DISPOSABLE ITEMS | C | ISDA | | AI | 04-DEC-01 |
| | MIL-H-24146 | HEAD, SPRINKLER, FIRE PROJECTION, FOAM WATER[CUST: CR4 SH 11] [REVIEW: CC MC] | A | 4210 | | SH | 02-JUN-65 |
| | MIL-H-44098A | HEADBAND, GROUND TROOPS' - PARACHUTISTS' HELMET[CUST: GL MC 99 CT] [REVIEW: 11 MD] | A | 8470 | | CT | 17-JAN-90 |
| | MIL-H-28719 NOT 2 | HEADER, HERMETICALLY SEALED[CUST: AR EC 11 GS] [REVIEW: AT CR CR4 MC OS] | A | 5940 | | AR | 13-AUG-79 |
| | A-A-55568/3A | HEADEST-MICROPHONE, MONAURAL, LIGHTWEIGHT, SUPRA-AURAL[CUST: EC 11 CC] | A | 5965 | / | CC | 12-MAY-98 |
| | ANSI-Z90.1 | HEADGEAR, PROTECTIVE, FOR MOTOR VEHICULAR USERS, SPECIFICATIONS FOR[CUST: EA SH 11 CT] | A | 4240 | | CT | 03-OCT-94 |
| | SAE-J564 | HEADLAMP BEAM SWITCHING[CUST: AT IS] | A | 6220 | | IS | 20-OCT-89 |
| | SAE-J565 | HEADLAMP BEAM SWITCHING DEVICES, SEMIAUTOMATIC[CUST: AT IS] | A | 6220 | | IS | JUN 89 |
| | A-A-52400 | HEADLAMP, SEALED BEAM, 12 VOLT (TRADE NO. 6015)[CUST: AT 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 17-JUL-92 |
| | SAE-J1383 | HEADLAMPS, MOTOR VEHICLE, REPLACEABLE BULB PERFORMANCE REQUIREMENTS FOR[CUST: AT] [REVIEW: 71 GS] | A | 6240 | | AT | 28-SEP-92 |
| | MS53023B NOT 1 | HEADLIGHT AND SERVICE, DOUBLE FILAMENT, 24 VOLT, WATERPROOF[CUST: AT MC IS] [REVIEW: CR4] | A | 6220 | | IS | 19-SEP-01 |
| | MS51319B NOT 1 | HEADLIGHT, SERVICE, 24-VOLT, WATERPROOF[CUST: AT 99 IS] | A | 6220 | | IS | 14-SEP-01 |
| | A-A-52552 NOT 1 | HEADLIGHT-INFRARED, DOUBLE FILAMENT, 24 VOLT, WATERPROOF[CUST: AT YD 99] [REVIEW: 71 CR GS MC] | A | 6220 | / | AT | 16-APR-04 |
| | MIL-H-18911A NOT 2 | HEADS AND MOTORS, ROCKET, INERT PARTS, PAINTING AND MARKING[CUST: MI OS] [REVIEW: EA] | A | 1340 | | OS | 28-FEB-90 |
| | MIL-DTL-83511/4C | HEADSET - MICROPHONE H-161F/GR[CUST: CR EC 11 CC] | A | 5965 | | CC | 11-MAR-04 |
| | MIL-H-55535(1) | HEADSET MICROPHONE KIT MK-1039/G[CUST: CR CC] | A | 5965 | | CC | 02-MAY-68 |
| | MIL-DTL-83511/6B | HEADSET, ELECTRICAL H-173C/AIC[CUST: CR EC 11 CC] | A | 5965 | | CC | 11-MAR-04 |
| | MIL-DTL-83511/1A | HEADSET, ELECTRICAL H-251A/U[CUST: CR EC 11 CC] | A | 5965 | | CC | 11-MAR-04 |
| | MIL-DTL-83511/3A | HEADSET, ELECTRICAL, H-158A/AIC[CUST: CR EC 11 CC] | A | 5965 | | CC | 11-MAR-04 |
| | MIL-DTL-83511A SUP 1 | HEADSET-MICROPHONE AND HEADSET-ELECTRICAL (MEDIUM NOISE ATTENUATION, HEARING PROTECTIVE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] | A | 5965 | | CC | 11-MAR-04 |
| A | QPL-83511-16 | HEADSET-MICROPHONE AND HEADSET-ELECTRICAL (MEDIUM NOISE ATTENUATION, HEARING PROTECTIVE), GENERAL SPECIFICATION FOR | A | 5965 | | CC | 02-AUG-05 |
| | MIL-DTL-83511/5A | HEADSET-MICROPHONE H-172A/AIC[CUST: CR EC 11 CC] [REVIEW: 99 MC] | A | 5965 | | CC | 11-MAR-04 |
| A | QPL-87819-9 | HEADSET-MICROPHONE, (HEARING PROTECTIVE TYPE, HIGH AND MODERATE AMBIENT NOISE LEVELS), GENERAL SPECIFICATION FOR | A | 5965 | | CC | 13-FEB-06 |
| | MIL-PRF-87819A(1) | HEADSET-MICROPHONE, (HEARING PROTECTIVE TYPE, HIGH AND MODERATE AMBIENT NOISE LEVELS), GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99] | A | 5965 | | CC | 08-AUG-97 |
| | MIL-PRF-87819/6(1) | HEADSET-MICROPHONE, DICHOTIC, HEARING PROTECTIVE TYPE, MODERATE AMBIENT NOISE LEVELS, UP TO 105DB, ENLARGED EARCUP, INFLIGHT AIRCREW HEADSET-MICROPHONE, M87819/6-01[CUST: 11 CC] | A | 5965 | | CC | 08-AUG-97 |
| | MIL-DTL-83511/2A | HEADSET-MICROPHONE, H-157A/AIC[CUST: CR EC 11 CC] | A | 5965 | | CC | 11-MAR-04 |
| | MIL-PRF-87819/1A(1) | HEADSET-MICROPHONE, HEARING PROTECTIVE TYPE HIGH AMBIENT NOISE LEVELS, 105-125 DB, M87819/1-01[CUST: 11 CC] | A | 5965 | | CC | 08-AUG-97 |
| | MIL-PRF-87819/4 | HEADSET-MICROPHONE, HEARING PROTECTIVE TYPE MODERATE AMBIENT NOISE LEVELS, UP TO 105DB, INFLIGHT AIRCREW HEADSET-MICROPHONE, M87819/4-01[CUST: 11 CC] | A | 5965 | | CC | 30-JAN-97 |
| | MIL-PRF-87819/5(1) | HEADSET-MICROPHONE, HEARING PROTECTIVE TYPE MODERATE AMBIENT NOISE LEVELS, UP TO 105DB, ENLARGED EARCUP, INFLIGHT AIRCREW HEADSET-MICROPHONE, M87819/5-01[CUST: 11 CC] | A | 5965 | | CC | 08-AUG-97 |
| | A-A-55568A | HEADSET-MICROPHONE, LIGHTWEIGHT, GENERAL REQUIREMENTS FOR[CUST: EC 11 CC] | A | 5965 | / | CC | 12-MAY-98 |
| | A-A-55568/1A | HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, INTRA-AURAL, AMPLIFIED RECEIVER[CUST: EC 11 CC] | A | 5965 | / | CC | 12-MAY-98 |
| | A-A-55568/2A | HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, INTRA-AURAL, UNAMPLIFIED RECEIVER[CUST: EC 11 CC] | A | 5965 | / | CC | 12-MAY-98 |
| | ANSI-Z89.1 | HEADWEAR, PROTECTIVE, FOR INDUSTRIAL WORKERS - REQUIREMENTS[CUST: EA YD 99] | A | 4240 | | YD | 26-JUL-90 |
| | DI-SAFT-80106B | HEALTH HAZARD ASSESSMENT REPORT (HHAR) [AMSC: F7143] | A | SAFT | | 10 | 31-JUL-95 |
| | DI-MISC-80853 | HEAT BALANCE CALCULATIONS AND FLOW DIAGRAMS FOR MAIN PROPULSION PLANT SYSTEMS (STEAM DRIVEN SHIPS) [AMSC: N4749] | A | MISC | | SH | 14-JUN-89 |
| | UL521 | HEAT DETECTORS FOR FIRE PROTECTIVE SIGNALING SYSTEMS[CUST: CR4 SH 99] | A | 6350 | | CR4 | 28-DEC-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | A-A-59782 | HEAT EXCHANGER CLEANING COMPOUND[CUST: AT SH 03] [REVIEW: 11 50 68 AS EA GS GS3 MP MR] | A | 6850 | / | SH | 27-SEP-05 |
| | ABCA-STD-19D | HEAT EXCHANGER TUBES | C | ISDN | | SH | 15-OCT-82 |
| | MIL-PRF-62411/2A NOT 1 | HEAT EXCHANGER, NBC SYSTEM CONDENSER P/N M62411/2 (ENGINEERING P/N 12336772)[CUST: AT] | A | 4130 | | AT | 20-APR-04 |
| | MIL-PRF-62411A NOT 1 | HEAT EXCHANGER, NBC SYSTEM GENERAL SPECIFICATION FOR[CUST: AT] | A | 4130 | | AT | 20-APR-04 |
| | MIL-PRF-62411/1A NOT 1 | HEAT EXCHANGER, NBC SYSTEM HEAT EXCHANGER P/N M62411/1 (ENGINEERING P/N 12336771)[CUST: AT] | A | 4130 | | AT | 20-APR-04 |
| | MIL-PRF-62411/3A NOT 1 | HEAT EXCHANGER, NBC SYSTEM PRECOOLER P/N M62411/3 (ENGINEERING 12336768)[CUST: AT] | A | 4130 | | AT | 20-APR-04 |
| | ASTM-C518 | HEAT FLOW METER APPARATUS, STEADY-STATE THERMAL TRANSMISSION PROPERTIES BY MEANS OF THE[CUST: CR4 YD IS] [REVIEW: 84 CE SH] | A | 5640 | | IS | JUL-91 |
| | ASTM-E1225 | HEAT FLOW TECHNIQUE, SOLIDS BY MEANS OF THE GUARDED-COMPARATIVE-LONGITUDINAL, THERMAL CONDUCTIVITY OF[CUST: CR AS 11] | A | NDTI | | CR | OCT-94 |
| | ASTM-C177 | HEAT FLUX MEASUREMENTS AND THERMAL TRANSMISSION PROPERTIES BY MEANS OF THE GUARDED-HOT-PLATE APPARATUS, STEADY-STATE[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD] | A | 5640 | | AS | JUL-86 |
| | ASTM-E458 | HEAT OF ABLATION[CUST: MR AS 11 GS2] | A | CMPS | | GS2 | 29-AUG-72 |
| | ASTM-D240 | HEAT OF COMBUSTION OF LIQUID HYDROCARBON FUELS BY BOMB CALORIMETER[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 15-APR-92 |
| | ASTM-D4809 | HEAT OF COMBUSTION OF LIQUID HYDROCARBON FUELS BY BOMB CALORIMETER (PRECISION METHOD)[CUST: AT SH 11] | A | 91GP | | AT | 04-FEB-92 |
| | ARI340 | HEAT PUMP EQUIPMENT, UNITARY, COMMERCIAL AND INDUSTRIAL[CUST: CR4 YD 99] | A | 4120 | | IS | 1986 |
| | UL33 | HEAT RESPONSIVE LINKS, FIRE,PROTECTION SERVICE[CUST: CR4 YD 99] | A | 4210 | | IS | 03-JUL-89 |
| | NAS4124 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, DUAL LINK[CUST: CR EC 11 CC] | A | 5999 | | CC | DEC-96 |
| | NAS4120 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, ENCAPSULATING TYPE, TO-5[CUST: CR EC 11 CC] | A | 5999 | | CC | DEC-96 |
| | NAS4122 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, EXTRUDED[CUST: CR EC 11 CC] | A | 5999 | | CC | DEC-96 |
| | NAS4123 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, FOR DUAL INLINE PACKAGES (DIP)[CUST: CR EC 11 CC] | A | 5999 | | CC | JAN-95 |
| | NAS4121 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, FORMED[CUST: CR EC 11 CC] | A | 5999 | | CC | DEC-96 |
| | NAS4119 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, PRESS-ON TYPE[CUST: CR EC 11 CC] | A | 5999 | | CC | DEC-96 |
| | NAS4118 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, RETAINER CLIP TYPE[CUST: CR EC 11 CC] | A | 5999 | | CC | DEC-96 |
| | NAS4117 | HEAT SINK-INSULATOR, WAFER TYPE[CUST: CR EC 11 CC] | A | 5999 | | CC | DEC-96 |
| | SAE-AMS-H-81829 | HEAT TRANSFER FLUID, FLUOROCHEMICAL[CUST: AR AS 68] [REVIEW: GS] | A | 6850 | | AS | JUL-98 |
| | SAE-AMS-H-6088 | HEAT TREATMENT OF ALUMINUM ALLOYS[CUST: MR AS 11] | A | 95GP | | AS | JUL-97 |
| | ASTM-B597 | HEAT TREATMENT OF ALUMINUN ALLOYS[CUST: MR] [REVIEW: AR AT AV CR4 GL] | A | 95GP | | MR | 27-APR-92 |
| | ASTM-B661 | HEAT TREATMENT OF MAGNESIUM ALLOYS[CUST: MR AS 99] [REVIEW: 11 84 AR AV IS MI SH] | A | 95GP | | MR | 16-MAR-93 |
| | SAE-AMS2759 | HEAT TREATMENT OF STEEL PARTS, GENERAL REQUIREMENTS[CUST: MR AS 99] | A | 95GP | | 11 | 01-OCT-84 |
| | SAE-AMS-H-6875 | HEAT TREATMENT OF STEEL RAW MATERIALS[CUST: MR AS 11 CC] [REVIEW: 84 99 AR AT AV EA IS MI OS] | A | 95GP | | AS | NOV-99 |
| | SAE-AMS2801 | HEAT TREATMENT OF TITANIUM ALLOY PARTS[CUST: MR AS 11] [REVIEW: 84 99 AV MI SH] | A | 95GP | | AS | 01-JUL-90 |
| | SAE-AMS-H-81200 | HEAT TREATMENT OF TITANIUM AND TITANIUM ALLOYS[CUST: MR AS 11] [REVIEW: 84 99 AV GL MI SH] | A | 95GP | | AS | 14-JUL-03 |
| | SAE-AMS2770 | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS[CUST: MR AS 11] [REVIEW: AV NA] | A | 95GP | | AS | 10-JAN-83 |
| | SAE-AMS-H-7199 | HEAT TREATMENT OF WROUGHT COPPER-BERYLLIUM ALLOYS, PROCESS FOR (COPPER ALLOYS: NUMBERS C17000, C17200, C17300, C17500, AND C17510)[CUST: MR AS 11] [REVIEW: AR AV CR EA MI] | A | 9535 | | AS | JUL-98 |
| | SAE-AMS2759/3 | HEAT TREATMENT PRECIPITATION-HARDENING CORROSION-RESISTANT AND MARAGING STEEL PARTS[CUST: MR AS 11] | A | 95GP | | 11 | 16-OCT-02 |
| | ASTM-A240/A240M | HEAT-RESISTING CHROMIUM AND CHROMIUM-NICKEL STAINLESS STEEL PLATE, SHEET, AND STRIP FOR PRESSURE VESSELS[CUST: MR YD] | A | 9515 | | MR | 15-AUG-94 |
| | ASTM-F859 | HEAT-SANITIZING COMMERCIAL DISHWASHING MACHINES, MULTIPLE TANK, CONVEYOR RACK TYPE[CUST: GL YD 99] [REVIEW: 84 GS MC MD MS SA] | A | 7320 | | SS | 15-JAN-95 |
| | ASTM-A49 | HEAT-TREATED CARBON STEEL JOINT BARS, MICROALLOYED JOINT BARS, AND FORGED CARBON STEEL COMPROMISE JOINT BARS[CUST: MR YD 99] [REVIEW: AR CR4] | A | 2250 | | MR | 27-FEB-87 |
| | ASTM-C1048 | HEAT-TREATED FLAT GLASS-KIND HS, KIND FT COATED AND UNCOATED GLASS[CUST: YD 99 IS] [REVIEW: 84 CE MC] | A | 5620 | | IS | 10-OCT-97 |
| | MIL-PRF-62550/2A NOT 1 | HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 17.6 KW, DUAL AIR TYPE (METRIC)[CUST: AT] | A | 2540 | | AT | 20-APR-04 |
| | MIL-PRF-62550/3A NOT 1 | HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 8.8 KW, SINGLE AIR TYPE (METRIC)[CUST: AT] | A | 2540 | | AT | 25-JUL-02 |
| | MIL-PRF-62550D NOT 1 | HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 8.8/17.6KW (30,000/60,000 BTU/HR), GENERAL SPECIFICATION FOR[CUST: AT] | A | 2540 | | AT | 20-APR-04 |
| | MIL-PRF-62550/1A NOT 1 | HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 17.6 KW, SINGLE AIR TYPE (METRIC)[CUST: AT] | A | 2540 | | AT | 20-APR-04 |
| | MIL-PRF-44466B | HEATER, WATER AND RATION (HWR)[CUST: GL 99] [REVIEW: 35 84 AV MD1 QM1] | A | 7310 | | GL | 24-MAR-04 |
| | MIL-PRF-51191F | HEATER, AIR, ELECTRICAL, FILTER UNIT, M3[CUST: EA] | A | 4240 | | EA | 26-MAR-03 |
| | MIL-PRF-53137A(1) | HEATER, ARMY SPACE (ASH), ELECTRIC POWERED, MULTIFUEL[CUST: CR4] [REVIEW: IS] | A | 4520 | | CR4 | 21-APR-00 |
| | MIL-H-24134B NOT 1 | HEATER, BOLT, ELECTRIC, FOR BOLTS AND STUDS (CONTROLLED DISTRIBUTION)[CUST: SH] [REVIEW: CC] | F | 4940 | | SH | 28-JUN-90 |
| | A-A-55542 NOT 1 | HEATER, ELECTRIC, 1,500 WATTS, 115 VOLTS, AC, WITH FAN[CUST: AV CC] [REVIEW: AR CE] | A | 4520 | / | CC | 06-OCT-03 |
| | WW-H-191E NOT 1 | HEATER, FLUID, INDUSTRIAL (INSTANTANEOUS, STEAM, WATER CONVERTOR TYPE)[CUST: YD 99] [REVIEW: 84 CC MS] | A | 4520 | / | IS | 19-MAR-03 |
| | A-A-54093 | HEATER, HEAT TREATMENT PAD[CUST: MD MS 03] | A | 6530 | / | MB | 09-MAR-90 |
| | A-A-54371 | HEATER, HEAT TREATMENT PAD[CUST: MD MS 03] | A | 6530 | / | MB | 15-APR-91 |
| | A-A-59185 | HEATER, HOT WATER BOOSTER, ELECTRIC; SINK, SANITIZING (NAVAL SHIPBOARD)[CUST: SH] | A | 7320 | / | SH | 27-MAY-98 |
| | MIL-PRF-14516G | HEATER, SPACE - BARRACKS, TENT, NON-POWERED, LIQUID FUEL[CUST: GL YD 99] [REVIEW: 84 CR4 IS MC] | A | 4520 | | GL | 29-MAR-99 |
| | MIL-PRF-44493 | HEATER, SPACE - CONVECTIVE, SELF-POWERED, LIQUID FUEL, SHC 35[CUST: GL YD 99] [REVIEW: 35 84 CC MC MD1 QM1] | A | 4520 | | GL | 31-JUL-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-44494(2) | HEATER, SPACE - RADIANT, NON-POWERED, LIQUID AND SOLID FUEL[CUST: GL YD 99] [REVIEW: 84 IS MC MD1 QM1] | A | 4520 | | GL | 27-FEB-98 |
| | MIL-H-16235C(1) | HEATER, VENTILATION, DUCT TYPE, SHIPBOARD[CUST: SH] [REVIEW: CC] | A | 4520 | | SH | 01-OCT-65 |
| | MIL-H-15787F(1) | HEATERS (TANKS), FLUID, DEAERATING, BOILER FEED WATER, NAVAL SHIPBOARD USE[CUST: SH] | A | 4420 | | SH | 19-DEC-88 |
| | QPL-3117-22 | HEATERS, CONVECTION, STEAM AND HOT WATER | A | 4520 | | SH | 20-JUN-00 |
| | A-A-50543 NOT 1 | HEATERS, CONVECTION, STEAM OR HOT WATER[CUST: YD 99] [REVIEW: CC CE MC] | A | 4520 | / | IS | 06-AUG-01 |
| | MIL-PRF-22594B | HEATERS, DUCT TYPE, ELECTRIC[CUST: SH] | A | 4520 | | SH | 06-DEC-04 |
| | MIL-H-16313D NOT 1 | HEATERS, FLUID, FUEL OIL, NAVAL SHIPBOARD[CUST: SH] | A | 4420 | | SH | 20-MAR-89 |
| | MIL-H-17428B | HEATERS, FLUID, INDUSTRIAL (LUBRICATING OIL) (FOR NAVAL SHIPBOARD USE)[CUST: SH] | A | 4420 | | SH | 02-SEP-88 |
| | ANSI-Z83.8 | HEATERS, GAS UNIT (PART 1 CONSTRUCTION)[CUST: CR4 YD 99] [REVIEW: 84 CC CE] | A | 4520 | | IS | 09-JAN-95 |
| | A-A-59435 NOT 1 | HEATERS, GUN TYPE, ELECTRIC[CUST: 99 CC] [REVIEW: 84] | A | 4940 | / | CC | 08-APR-05 |
| | MIL-H-43895B(1) NOT 1 | HEATERS, HOT WATER BOOSTER, ELECTRIC; SINK, SANITIZING[CUST: GL SH 99] [REVIEW: 84 GS MD SA] | A | 7320 | | SH | 18-DEC-92 |
| | MIL-H-24299A | HEATERS, LUBRICATING OIL AND FUEL, ELECTRIC NAVAL SHIPBOARD[CUST: SH] | A | 4540 | | SH | 05-AUG-94 |
| | A-A-52545A | HEATERS, VEHICULAR COMPARTMENT 28 VOLT, DC[CUST: AT MC 99] [REVIEW: CC] | A | 2540 | / | AT | 04-FEB-97 |
| | MIL-HDBK-1407 | HEATERS, VEHICULAR COMPARTMENT; HEATERS, COOLANT, ENGINE; HEATERS, SPACE; HEATERS, DUCT-TYPE[CUST: CR4 MC 99] [REVIEW: 84 AT CC CR MI] | A | 4520 | | CR4 | 30-JUN-98 |
| | QPL-16235-25 | HEATERS, VENTILATION, DUCT TYPE, SHIPBOARD | A | 4520 | | SH | 20-JUN-00 |
| | MIL-H-965E | HEATERS, WATER, ELECTRIC, NAVAL SHIPBOARD[CUST: SH] | A | 4520 | | SH | 22-DEC-94 |
| | A-A-50549 NOT 1 | HEATERS, WATER, LIQUID FUEL (OIL-FIRED, STORAGE TYPE, NOT EXCEEDING 280,000 BTU/H INPUT CAPACITY)[CUST: CR4 YD 99] [REVIEW: 84 CC CE MC] | A | 4520 | / | IS | 26-MAY-05 |
| | ASME-BPVC-SECTION-IV | HEATING BOILERS, RULES FOR CONSTRUCTION OF[CUST: YD] [REVIEW: CE MC] | A | 4520 | | YD | 13-AUG-93 |
| | A-A-50495B NOT 1 | HEATING ELEMENT, ELECTRICAL (REPLACEMENTS FOR DOMESTIC APPLIANCES)[CUST: YD] [REVIEW: MC] | A | 4540 | / | IS | 21-AUG-01 |
| | MIL-H-22577C NOT 1 | HEATING ELEMENTS ELECTRICAL: CARTRIDGE, STRIP AND TUBULAR TYPE[CUST: CR4 SH 99] [REVIEW: CC MC MD MI MS YD] | A | 4540 | | SH | 08-JUL-88 |
| | A-A-55204 | HEELS, FOOTWEAR (RUBBER)[CUST: GL NU 99] [REVIEW: CG MC MD] | A | 8335 | / | CT | 14-MAY-93 |
| | A-A-54479 | HEELS, ORTHOPEDIC, CAST[CUST: MD MS 03] | A | 6515 | / | MB | 30-AUG-91 |
| | QSTAG-915 ED.1 | HELICOPTER BATTLE DAMAGE ASSESSMENT AND REPAIR[CUST: AI] | C | ISDA | | AI | 01-AUG-95 |
| | STANAG-3950 ED.2 | HELICOPTER DESIGN CRITERIA FOR CREW CRASH PROTECTION AND ANTHROPOMETRIC ACCOMMODATION | C | ISDF | | 06 | 14-FEB-01 |
| | STANAG-3847 ED.1(5) | HELICOPTER IN-FLIGHT REFUELLING (HIFR) EQUIPMENT | C | ISDF | | 06 | 19-OCT-84 |
| | STANAG-1137 ED.4 | HELICOPTER MINE COUNTERMEASURES MANUAL - AMP-7(C) (NAVY/AIR) | C | ISDN | | NI | 13-JUN-97 |
| | STANAG-2407 ED.3 | HELICOPTER OPERATIONAL EXPEDIENT AND BATTLE DAMAGE REPAIR | C | ISDA | | AI | 21-MAY-01 |
| | STANAG-1194 ED.9 | HELICOPTER OPERATIONS FROM SHIPS OTHER THAN AIRCRAFT CARRIERS (HOSTAC) (MARITIME VSTOL DATA INCLUDED) APP-2(F)/MPP-2(F) VOLUME I | C | ISDN | | NI | 20-MAY-03 |
| | STANAG-1288 ED.3 | HELICOPTER OPERATIONS FROM SHIPS OTHER THAN AIRCRAFT CARRIERS (HOSTAC) TECHNICAL SUPPLEMENT - APP-2(F)/MPP-2(F) VOLUME II | C | ISDN | | NI | 30-NOV-01 |
| | AIR-STD-45/16 | HELICOPTER TRANSPORT OPERATIONS | C | ISDF | | 06 | 10-MAY-01 |
| | STANAG-7114 ED.1(1) | HELIPAD CLEARANCE PLANE REQUIREMENTS | C | ISDF | | 06 | PENDING |
| | STANAG-3619 ED.3(4) | HELIPAD MARKING AND LIGHTING | C | ISDF | | 06 | 20-MAY-97 |
| | STANAG-3861 ED.4 | HELIPORT RESCUE AND FIRE-FIGHTING SERVICES - IDENTIFICATION CATEGORIES | C | ISDF | | 06 | 26-MAR-03 |
| | BB-H-1168C | HELIUM, TECHNICAL[CUST: SH 68 GS3] [REVIEW: 19 DS] | A | 6830 | / | GS3 | 03-AUG-00 |
| | MIL-DTL-32117A | HELMET COVER, REVERSIBLE, MARPAT TM WOODLAND AND DESERT PATTERN CAMOUFLAGE, MARINE CORPS[CUST: MC] | A | 8415 | | CT | 24-FEB-04 |
| | MIL-H-44117A(1) | HELMET, COMBAT VEHICLE CREWMAN, BALLISTIC SHELL, DH-132A[CUST: GL CT] [REVIEW: MC MD] | A | 8470 | | CT | 06-MAR-90 |
| | A-A-55202A | HELMET, FIREMAN'S[CUST: GL CT] [REVIEW: MD] | A | 8415 | / | CT | 06-FEB-96 |
| | MIL-DTL-83776B | HELMET, FLYER S, WINTER[CUST: 99 CT] | A | 8415 | | CT | 19-MAR-01 |
| | MIL-DTL-87174A | HELMET, FLYERS HGU-55/P[CUST: 99] | A | 8475 | | 11 | 30-OCT-98 |
| | MIL-H-44099A(1) | HELMET, GROUND TROOPS AND PARACHUTISTS[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8470 | | CT | 24-FEB-89 |
| | A-A-59765 | HELMET, NAVAL BATTLE (NBH)[CUST: GL SH 11] [REVIEW: CG CT GL1 MC MR NU] | A | 8470 | / | SH | 03-FEB-05 |
| | MIL-H-43174C NOT 1 | HELMET, PARACHUTISTS: FREE FALL[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 07-JUL-94 |
| | MIL-H-3364D | HELMET, SUN[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 13-DEC-78 |
| | MIL-H-81735B | HELMETS, FLIGHT DECK CREWMAN'S, IMPACT RESISTANT[CUST: AS CT] | A | 8415 | | CT | 30-JUL-92 |
| | QPL-87174-2 | HELMETS, FLYER'S, HGU-55/F | A | 8475 | | 11 | 10-JUL-86 |
| | AAMI-RD5 | HEMODIALYSIS SYSTEMS[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | AAMI-RD17 | HEMODIALYZER BLOOD TUBING[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | AAMI-RD16 | HEMODIALYZERS, FIRST USE[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | AAMI-ROH | HEMODIALYZERS, REUSE OF[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | ASTM-D1476 | HEPTANE MISCIBILITY OF LACQUER SOLVENTS[CUST: MR SH 99] | A | 8010 | | MR | 17-NOV-92 |
| | O-H-210C | HERBICIDE, 2, 4, 5-TRICHLOROPHENOXYACETIC ACID (2, 4, 5-T) (SALTS AND ESTERS) | A | 6840 | # | FSS | 26-SEP-69 |
| | A-A-197 NOT 3 | HERBICIDE, 2,4-DICHLOROPHENOXACETIC ACID (SALTS AND ESTERS)[CUST: GS3] | A | 6840 | / | GS3 | 27-JAN-04 |
| | ASME-B18.2.4.6M | HEX NUTS, METRIC[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASME-B18.2.4.1M | HEX NUTS, STYLE 1, METRIC[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | JAN-H-257 NOT 1 | HEXACHLORBENZENE[CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 16-DEC-99 |
| | MIL-H-502B NOT 4 | HEXAMETHYLENETETRAMINE, TECHNICAL[CUST: AR OS] [REVIEW: AS GS MD] | A | 6810 | | AR | 20-APR-04 |
| | MIL-H-502B(I1) NOT 4 | HEXAMETHYLENETETRAMINE, TECHNICAL[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 26-APR-04 |
| | ASTM-D3495 | HEXANE EXTRACTION OF LEATHER[CUST: GL NU 99 CT] | A | 83GP | | CT | 28-NOV-83 |
| | STANAG-7109 ED.2 | HIGH ALTITUDE AERIAL DELIVERY SYSTEMS (HAADS) AND PROCEDURES | C | ISDF | | 06 | PENDING |
| | IEEE1516.3 | HIGH LEVEL ARCHITECTURE (HLA) FEDERATION AND DEVELOPMENT AND EXECUTION PROCESS (FEDEP), IEEE RECOMMENDED PRACTICE FOR[CUST: AC EC 05] | A | MSSM | | DMS | 30-AUG-04 |
| | MS18301B | HIGH PRESSURE DRAIN ORIFICE PLATES AND STRAINERS[CUST: SH] [REVIEW: CC] | A | 4730 | | SH | 28-FEB-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-7075 ED.1(1) | HIGH SPEED RING BUS | C | ISDF | | 06 | 06-MAY-98 |
| | A-A-58063 | HIGH SPEED SNOW BROOM, MOUNTED ON A 44,500 LBS GVW (MINIMUM), 6X4 DUMP TRUCK[CUST: 99] | A | 3825 | / | 84 | 15-JUN-96 |
| | NACE-RP0274 | HIGH VOLTAGE ELECTRICAL INSPECTION OF PIPELINE COATINGS[CUST: YD] | A | FACR | | YD | 29-JUL-04 |
| | MIL-HDBK-423 | HIGH-ALTITUDE ELECTROMAGNETIC PULSE (HEMP) PROTECTION FOR FIXED AND TRANSPORTABLE GROUND - BASED C4 I FACILITIES - VOLUME 1 - FIXED FACILITIES[CUST: CR EC 02] [REVIEW: 01 11 13 19 93 AC AM DC DH MC MP NC NS OM PT TD] | X | TCSS | | DS | 15-MAY-93 |
| | MIL-STD-188-125-1 NOT 1 | HIGH-ALTITUDE ELECTROMAGNETIC PULSE (HEMP) PROTECTION FOR GROUND-BASED C41 FACILITIES PERFORMING CRITICAL, TIME-URGENT MISSIONS PART 1 FIXED FACILITIES[Interface Standard][CUST: CR EC 02 DC1] [REVIEW: 11 13 19 33 93 AC CG DC4 DC5 DH DI MC MP NC NS OM PT SE TD US] | A | TCSS | | DS | 07-APR-05 |
| | MIL-STD-188-125-2 NOT 1 | HIGH-ALTITUDE ELECTROMAGNETIC PULSE (HEMP) PROTECTION FOR GROUND-BASED C4I FACILITIES PERFORMING CRITICAL, TIME-URGENT MISSIONS - PART 2 - TRANSPORTABLE SYSTEMS[Interface Standard][CUST: CR EC 02 DC1] [REVIEW: 11 13 19 33 93 AC CG DC4 DC5 DH DI MC MP NC NS OM PT SE TD US] | A | TCSS | | DS | 07-APR-05 |
| | UL586 | HIGH-EFFICIENCY, PARTICULATE, AIR FILTER UNITS[CUST: YD] | A | 4460 | | CC | 18-OCT-90 |
| | DI-ENVR-80709 | HIGH-IMPACT SHOCK TEST PROCEDURES [AMSC: N4575] | A | ENVR | | SH | 21-NOV-88 |
| | NEMA-WC52 | HIGH-TEMPERATURE AND ELECTRONIC INSULATED WIRE - IMPULSE DIELECTRIC TESTING[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 1985 |
| | AASHTO-M288 | HIGHWAY APPLICATIONS, GEOTEXTILE SPECIFICATIONS FOR[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | FED-STD-595/15065 | HIGHWAY BLUE [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | AASHTO-HB17 | HIGHWAY BRIDGES, STANDARD SPECIFICATIONS FOR[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | FED-STD-595/10055 | HIGHWAY BROWN [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/14066 | HIGHWAY GREEN [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/12243 | HIGHWAY ORANGE [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/11086 | HIGHWAY RED [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13507 | HIGHWAY YELLOW [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | ASTM-F758 | HIGHWAY, AIRPORT, AND SIMILAR DRAINAGE, SMOOTH-WALL POLY(VINYL CHLORIDE) (PVC) PLASTIC UNDERDRAIN SYSTEMS FOR[CUST: CR4 YD 99] [REVIEW: 84] | A | 5630 | | IS | 10-SEP-95 |
| | ASTM-D2940 | HIGHWAYS OR AIRPORTS, GRADED AGGREGATE MATERIAL FOR BASES OR SUBBASES FOR[CUST: CR4 YD 99 IS] [REVIEW: CE] | A | 5610 | | IS | 30-JUL-83 |
| | BHMA-A156.17 | HINGE & PIVOTS, STANDARD FOR SELF CLOSING[CUST: AR YD 99 IS] [REVIEW: EA MI] | A | 5340 | | IS | 26-MAY-88 |
| | A-A-55588 NOT 1 | HINGE STRAP (OFFSET)[CUST: AR YD 99 IS] [REVIEW: 71 AV CR4 MC SH] | A | 5340 | / | IS | 10-JUN-02 |
| | A-A-50432 | HINGE, BUTT (SHIPBOARD/MARINE)[CUST: AR SH 99] [REVIEW: AS IS MC OS] | A | 5340 | / | SH | 20-APR-89 |
| | A-A-55587 NOT 1 | HINGE, BUTT, BROAD, NON-TEMPLATE[CUST: AR YD 99] [REVIEW: 71 AV CR4 MC SH] | A | 5340 | / | IS | 21-AUG-01 |
| | A-A-55589A | HINGE, BUTT, CONTINUOUS (PIANO) .032 THICKNESS, .063 PIN DIA[CUST: AR AS 99 IS] [REVIEW: 71 MC MI] | A | 5340 | / | IS | 31-OCT-97 |
| | A-A-55590A | HINGE, BUTT, CONTINUOUS (PIANO) .040 THICKNESS, .091 PIN DIA[CUST: AR AS 99 IS] [REVIEW: 71 AT AV MC MI] | A | 5340 | / | IS | 31-OCT-97 |
| | A-A-55591A | HINGE, BUTT, CONTINUOUS (PIANO) .050 THICKNESS, .125 PIN DIA[CUST: AT AS 99 IS] [REVIEW: 71 AV MC] | A | 5340 | / | IS | 21-MAY-02 |
| | A-A-55592A | HINGE, BUTT, CONTINUOUS (PIANO) .060 THICKNESS, .125 PIN DIA[CUST: AR AS 99 IS] [REVIEW: 71 MC MI] | A | 5340 | / | IS | 31-OCT-97 |
| | A-A-55593A | HINGE, BUTT, CONTINUOUS (PIANO) .060 THICKNESS, .187 PIN DIA[CUST: AT AS 99] [REVIEW: AV MC] | A | 5340 | / | IS | 21-MAY-02 |
| | A-A-55594A | HINGE, BUTT, CONTINUOUS (PIANO) .075 THICKNESS, .187 AND .250 PIN DIA[CUST: AR AS 99 IS] [REVIEW: 71 MC MI] | A | 5340 | / | IS | 31-OCT-97 |
| | A-A-55595A | HINGE, BUTT, CONTINUOUS (PIANO) .090 THICKNESS, .250 AND .375 PIN DIA[CUST: AT AS 99 IS] [REVIEW: AV MC] | A | 5340 | / | IS | 21-MAY-02 |
| | A-A-55596A | HINGE, BUTT, CONTINUOUS (PIANO) .125 THICKNESS, .375 PIN DIA[CUST: AR AS 99 IS] [REVIEW: 71 MC MI] | A | 5340 | / | IS | 31-OCT-97 |
| | MS20001L | HINGE, BUTT, STRUCTURAL, EXTRUDED[CUST: AV AS 99] [REVIEW: IS] | A | 5340 | | AS | 30-OCT-89 |
| | A-A-55586 | HINGE, BUTT-NARROW, NON-TEMPLATE[CUST: AR YD 99] [REVIEW: 71 AV CR4 IS MC SH] | A | 5340 | / | AR | 31-OCT-94 |
| | MS20257D | HINGE, CONTINUOUS[CUST: AS 99] [REVIEW: 71 IS MI] | A | 5340 | | AS | 22-JUN-92 |
| | BHMA-A156.20 | HINGES AND HASPS, STRAP AND TEE, AMERICAL NATIONAL STANDARD FOR[CUST: AR YD 99 IS] [REVIEW: 71] | A | 5340 | | IS | 12-JUL-90 |
| | MIL-DTL-45444C(1) NOT 1 | HMX (CYCLOTETRAMETHYLENETETRANITRAMINE)[CUST: AR OS 99] | A | 1376 | | AR | 20-APR-04 |
| | STANAG-4284 ED.1 | HMX (OCTOGENE), PHYSICAL AND CHEMICAL REQUIREMENTS, SPECIFICATION FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C | ISDA | | AI | 24-OCT-96 |
| | MIL-H-48269(1) | HMX/KEL-F RESIN MOLDING POWER (FOR USE IN AMMUNITION)[CUST: AR] | A | 1376 | | AR | 23-MAR-88 |
| | MIL-H-48358(7) NOT 1 | HMX/RESIN EXPLOSIVE COMPOSITION LX-14-0 (FOR USE IN AMMUNITION)[CUST: AR] | A | 1376 | | AR | 20-APR-04 |
| | MIL-H-2813B | HOISTS, CHAIN AND WIRE ROPE, PNEUMATIC[CUST: CR4 SH 99] [REVIEW: 84 CC GL] | A | 3950 | | SH | 17-AUG-94 |
| | MIL-H-24591B | HOISTS, CHAIN, PNEUMATIC, LOW HEADROOM, TROLLEY TYPE[CUST: SH] | A | 3950 | | SH | 28-FEB-94 |
| | ASME-B30.16 | HOISTS, OVERHEAD, (UNDERHUNG)[CUST: CR4 YD 99] [REVIEW: SH] | A | 3950 | | CC | 16-OCT-92 |
| | ASME-HST4M | HOISTS, WIRE ROPE, OVERHEAD ELECTRIC, PERFORMANCE STANDARD FOR[CUST: CR4 YD 99] [REVIEW: SH] | A | 3950 | | CC | 16-OCT-92 |
| | FF-H-571E | HOLDER AND CUTTER, WRAPPING PAPER (9&INCH DIAMETER ROLLS) | A | 7290 | # | FSS | 10-MAY-74 |
| | A-A-53413 | HOLDER, ANAEROBIC JAR & STRIP RACK[CUST: MD MS 03] | A | 6640 | / | MB | 24-MAR-88 |
| | A-A-55181 | HOLDER, BADGE, PLASTIC, SECURITY POLICE[CUST: 11 CT] | A | 8455 | / | CT | 25-MAY-93 |
| | A-A-51472 | HOLDER, BAG, BIOHAZARD[CUST: MD MS 03] | A | 6530 | / | MB | 16-JUN-86 |
| | A-A-53865A | HOLDER, BLOOD COLLECTING TUBE (PLASTIC)[CUST: MD MS 03] | A | 6630 | / | MB | 19-FEB-93 |
| | A-A-54190 | HOLDER, BLOOD COLLECTING-DISPENSING BAG[CUST: MD MS 03] | A | 6515 | / | MB | 15-JUN-90 |
| | A-A-55193 | HOLDER, CARTRIDGE, BELT, CAL. .38, LEATHER, BLACK, 6-ROUND[CUST: CT] [REVIEW: GL] | A | 8465 | / | CT | 29-MAR-93 |
| | A-A-51675B | HOLDER, CLINICAL CHART ALUMINUM[CUST: MD MS 03] | A | 6530 | / | MB | 24-MAR-89 |
| | A-A-51510 | HOLDER, DENTAL BUR (ALUMINUM)[CUST: MD MS 03] | A | 6520 | / | MB | 30-JUL-86 |
| | A-A-55563/12A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 3 MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/3A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, CLOSED ENDED, WITH FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-55563/9A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, CLOSED ENDED, WITH FLARED ENTRY, WITH 3 MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/10A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, CLOSED ENDED, WITHOUT FLARED ENTRY, WITH 3 MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/4A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, CLOSED ENDED, WITHOUT FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563B | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, GENERAL REQUIREMENTS FOR[CUST: CR EC CC] | A | 5998 | / | CC | 24-MAY-05 |
| | A-A-55563/22 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, CLOSED ENDED, WITH FLARED ENTRY, WITH THREE MOUNTING HOLES, FOR VERSAMODULE EUROCARD APPLICATIONS[CUST: CR EC 11 CC] | A | 5998 | / | CC | 19-NOV-04 |
| | A-A-55563/21 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, CLOSED ENDED, WITHOUT FLARED ENTRY, WITH THREE MOUNTING HOLES, FOR VERSAMODULE EUROCARD APPLICATIONS[CUST: CR EC 11 CC] | A | 5998 | / | CC | 19-NOV-04 |
| | A-A-55563/5A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITH FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/13A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITH FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES, WITH CONTROLLED INSIDE BEND RADIUS[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/20 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITH FLARED ENTRY, WITH 2 MOUNTING HOLES, SHORT LENGTH[CUST: CR EC 11 CC] | A | 5998 | / | CC | 11-NOV-03 |
| | A-A-55563/11A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITH FLARED ENTRY, AND WITH 3 MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/15A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITH FLARED ENTRY, WITH 3 MOUNTING HOLES, WITH CONTROLLED INSIDE BEND RADIUS[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/6A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/19 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 2 MOUNTING HOLES, SHORT LENGTH[CUST: CR EC 11 CC] | A | 5998 | / | CC | 11-NOV-03 |
| | A-A-55563/18 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 3 MOUNTING HOLES[CUST: CR EC 11 CC] | A | 5998 | / | CC | 11-DEC-02 |
| | A-A-55563/17 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 2 MOUNTING HOLES[CUST: CR EC 11 CC] | A | 5998 | / | CC | 11-DEC-02 |
| | A-A-55563/16A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 3 MOUNTING HOLES, WITH CONTROLLED INSIDE BEND RADIUS[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/23 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, MEDIUM PROFILE, CENTER MOUNT, WITH FLARED ENTRY, WITH 2 MOUNTING HOLES[CUST: CR EC CC] | A | 5998 | / | CC | 24-MAY-05 |
| | A-A-55563/24 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, MEDIUM PROFILE, CENTER MOUNT, WITH FLARED ENTRY, WITH 3 MOUNTING HOLES[CUST: CR EC CC] | A | 5998 | / | CC | 24-MAY-05 |
| | A-A-55563/7A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, OPEN ENDED, WITH FLARED ENTRY, WITH 3 MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/1A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, OPEN ENDED, WITH FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/2A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | A-A-55563/8A | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, OPEN ENDED, WITHOUT FLARED ENTRY, AND WITH 3 MOUNTING HOLES[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| A | A-A-59590/6B | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE 225 X .260 INCH BODY SIZE, WITH VISUAL LOCK AND SCREW RETENTION[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | / | CC | 14-OCT-05 |
| A | A-A-59590/9A | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .220 X .220 INCH BODY SIZE, WITH SCREW RETENTION[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5998 | / | CC | 12-AUG-05 |
| A | A-A-59590/7A | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .220 X .220 INCH BODY SIZE[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5998 | / | CC | 17-AUG-05 |
| A | A-A-59590/11A | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .240 X .180 INCH BODY SIZE[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | / | CC | 19-JAN-06 |
| A | A-A-59590/12A | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .240 X .180 INCH BODY SIZE, WITH SCREW RETENTION[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | / | CC | 19-JAN-06 |
| A | A-A-59590/8A | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .220 X .220 INCH BODY SIZE, WITH VISUAL LOCK INDICATION[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5998 | / | CC | 17-AUG-05 |
| A | A-A-59590/10A | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .220 X .220 INCH BODY SIZE, WITH VISUAL LOCK INDICATION AND SCREW RETENTION[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5998 | / | CC | 12-AUG-05 |
| M | A-A-59590/4B | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .225 X .260 INCH BODY SIZE[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | / | CC | 07-APR-06 |
| A | A-A-59590/16A | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .375 X .375 INCH BODY SIZE, WITH VISUAL LOCK INDICATION AND SCREW RETENTION[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | / | CC | 09-NOV-05 |
| | A-A-59590B | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, GENERAL REQUIREMENTS FOR[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | / | CC | 28-APR-05 |
| N | A-A-59789/1 | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 5 PIECE, FOR COLD PLATE APPLICATIONS, .225 X .260 INCH BODY SIZE, WITH TWO MOUNTING HOLES, SCREW ACTUATION AND RETENTION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 26-MAR-06 |
| N | A-A-59789/2 | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 5 PIECE, FOR COLD PLATE APPLICATIONS, .225 X .260 INCH BODY SIZE, WITH TWO MOUNTING HOLES AND VISUAL LOCK INDICATION, WITH SCREW ACTUATION AND RETENTION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 26-MAR-06 |
| N | A-A-59789/3 | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 5 PIECE, FOR COLD PLATE APPLICATIONS, .225 X .225 INCH BODY SIZE, WITH TWO MOUNTING HOLES, WITH SCREW ACTUATION AND RETENTION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 26-MAR-06 |
| M | A-A-59789 | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 5 PIECE, FOR COLD PLATE APPLICATIONS, GENERAL REQUIREMENTS FOR[CUST: CR EC 11 CC] | A | 5998 | / | CC | 26-MAR-06 |
| N | A-A-59789/4 | HOLDER, ELECTRICAL CARD, WEDGE RETAINERS, 5 PIECE, FOR COLD PLATE APPLICATIONS, .225 X .225 INCH BODY SIZE, WITH TWO MOUNTING HOLES AND VISUAL LOCK INDICATION, WITH SCREW ACTUATION AND RETENTION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 26-MAR-06 |
| | A-A-55563/14A | HOLDER, ELECTRICAL, CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES, WITH CONTROLLED INSIDE BEND RADIUS[CUST: EC CC] | A | 5998 | / | CC | 31-JAN-02 |
| | MIL-PRF-83755B | HOLDER, FLIGHT CHECK LIST[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 27-MAR-98 |
| | A-A-53056 | HOLDER, LABORATORY NEEDLE (DISSECTING)[CUST: MD MS 03] | A | 6640 | / | MB | 10-JUL-87 |
| | MS24344D | HOLDER, MAINTENANCE RECORDS ASSEMBLY OF[CUST: 11] [REVIEW: 84 99 GL] | A | 8105 | | IS | 15-APR-93 |
| | MIL-DTL-21393/3 | HOLDER, MICROPHONE M21393/3-01[CUST: CR AS 11 CC] [REVIEW: 84 SH] | A | 5965 | | CC | 12-MAY-05 |
| | A-A-0051561 | HOLDER, MICROPOROUS FILTERING DISK[CUST: MD MS 03] | A | 6640 | / | MB | 17-JUL-86 |
| | L-H-580A(1) | HOLDER, NAMEPLATE, DESK, PLASTIC | A | 7520 | # | FSS | 03-APR-72 |
| | A-A-50988 | HOLDER, NAPKIN, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 23-AUG-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-H-36364B | HOLDER, RADIAC DETECTING ELEMENT, FILM BADGE TYPE[CUST: MD MS 03] [REVIEW: GS] | A | 6665 | | MB | 15-JUN-90 |
| | A-A-53146A | HOLDER, RADIOGRAPHIC FILM CASSETTE[CUST: MD MS 03] | A | 6525 | / | MB | 29-JUL-88 |
| | A-A-53324 | HOLDER, RADIOGRAPHIC FILM CASSETTE[CUST: MD MS 03] | A | 6525 | / | MB | 26-FEB-88 |
| | A-A-53105 | HOLDER, RADIOGRAPHIC FILM EXPOSURE[CUST: MD MS 03] | A | 6525 | / | MB | 31-AUG-87 |
| | A-A-50977 | HOLDER, RUBBER DAM, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 25-JUN-85 |
| | A-A-51565 | HOLDER, RUBBER DAM, DENTAL (NYLON)[CUST: MD MS 03] | A | 6520 | / | MB | 18-AUG-86 |
| | A-A-50976 | HOLDER, RUBBER DAM, DENTAL, (METAL, "U" SHAPED)[CUST: MD MS 03] | A | 6520 | / | MB | 25-JUN-85 |
| | A-A-53580 | HOLDER, SURGICAL INSTRUMENT STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 29-JUL-88 |
| | A-A-53581 | HOLDER, SURGICAL INSTRUMENT STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 29-JUL-88 |
| | A-A-54156 | HOLDER, SUTURE NEEDLE (HEANEY)[CUST: MD MS 03] | A | 6515 | / | MB | 21-MAY-90 |
| | A-A-54571 | HOLDER, SUTURE NEEDLE (HEGAR-MAYO)[CUST: MD MS 03] | A | 6515 | / | MB | 17-JAN-92 |
| | A-A-54570 | HOLDER, SUTURE NEEDLE, BROWN[CUST: MD MS 03] | A | 6515 | / | MB | 17-JAN-92 |
| | A-A-54904 | HOLDER, SUTURE NEEDLE, CASTROVIEJO[CUST: MD MS 03] | A | 6515 | / | MB | 13-AUG-93 |
| | A-A-54410 | HOLDER, SUTURE NEEDLE, COLLIER[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-91 |
| | A-A-54683 | HOLDER, SUTURE NEEDLE, DEBAKEY[CUST: MD MS 03] | A | 6515 | / | MB | 19-JUN-92 |
| | A-A-53959 | HOLDER, SUTURE NEEDLE, MASSON, 10-1/2 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 18-OCT-89 |
| | A-A-51486 | HOLDER, TOOTH DIE PIN (SPRING TYPE)[CUST: MD MS 03] | A | 6520 | | MB | 23-JUN-86 |
| | A-A-58075 | HOLDER: COUNTERSINK, ADJUSTABLE MICROMETER STOP[CUST: GL 99 GS] [REVIEW: AV] | A | 5133 | / | 84 | 02-AUG-96 |
| A | A-A-59590/5B | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .225 X .260 INCH BODY SIZE, WITH SCREW RETENTION[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | / | CC | 14-OCT-05 |
| | A-A-59590/22 | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .500 X .450 INCH BODY SIZE, WITH VISUAL LOCK INDICATION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 23-AUG-02 |
| | A-A-59590/24 | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .500 X .450 INCH BODY SIZE, WITH VISUAL LOCK INDICATION AND SCREW RETENTION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 06-SEP-02 |
| A | A-A-59590/14A | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .375 X .375 INCH BODY SIZE, WITH VISUAL LOCK INDICATION[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | / | CC | 23-OCT-05 |
| | A-A-59590/21 | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .500 X .450 INCH BODY SIZE[CUST: CR EC 11 CC] | A | 5998 | / | CC | 23-AUG-02 |
| A | A-A-59590/13A | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .375 X .375 INCH BODY SIZE[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | / | CC | 23-OCT-05 |
| | A-A-59590/20 | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .260 X .260 INCH BODY SIZE, WITH VISUAL LOCK INDICATION AND SCREW RETENTION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 16-AUG-02 |
| | A-A-59590/1A | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .225 X .260 INCH BODY SIZE, WITH LEVER ACTION LOCKING[CUST: CR EC 11 CC] | A | 5998 | / | CC | 05-JUL-03 |
| | A-A-59590/23 | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .500 X .450 INCH BODY SIZE, WITH SCREW RETENTION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 06-SEP-02 |
| | A-A-59590/25 | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .225 X .260 INCH BODY SIZE, WITH EJECTION ACTION AND VISUAL LOCK INDICATION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 07-MAR-03 |
| | A-A-59590/2A | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .225 X .260 INCH BODY SIZE, WITH EJECTION ACTION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 07-MAR-03 |
| A | A-A-59590/15A | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .375 X .375 INCH BODY SIZE, WITH SCREW RETENTION[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | / | CC | 09-NOV-05 |
| | A-A-59590/18 | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .260 X .260 INCH BODY SIZE, WITH VISUAL LOCK INDICATION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 26-JUN-02 |
| M | A-A-59590/3B | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .225 X .260 INCH BODY SIZE, WITH VISUAL LOCK INDICATION[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | / | CC | 07-APR-06 |
| | A-A-59590/17 | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .260 X .260 INCH BODY SIZE[CUST: CR EC 11 CC] | A | 5998 | / | CC | 26-JUN-02 |
| | A-A-59590/19 | HOLDERS, ELECTRICAL CARD, WEDGE RETAINERS, 3 PIECE, SCREW ACTUATED DRIVE, .260 X .260 INCH BODY SIZE, WITH SCREW RETENTION[CUST: CR EC 11 CC] | A | 5998 | / | CC | 16-AUG-02 |
| | A-A-51161B NOT 1 | HOLDERS, ELECTRODE, SHIELDED METAL, ARC WELDING[CUST: AR SH 99] [REVIEW: 84 AS MC YD] | A | 3439 | / | GS6 | 18-NOV-03 |
| | MIL-H-42076 | HOLDERS, HOSPITAL BED PATIENT IDENTIFICATION CARD[CUST: MD MS 03] [REVIEW: 50 TM YD] | A | 6530 | | MB | 06-MAR-92 |
| | MS51996A(1) | HOLE PREPARATION-RING LOCKED INSERTS AND STUDS, HIGH STRENGTH, STANDARD DIMENSIONS FOR[CUST: AR AS 99 IS] | A | 53GP | | IS | 24-OCT-02 |
| A | MS51994A NOT 1 | HOLE PREPARATION-RING LOCKED INSERTS AND STUDS, STANDARD DIMENSIONS FOR[CUST: AR AS 99] [REVIEW: AT AV CR MC MI NS OS] | A | 53GP | | IS | 14-SEP-01 |
| | SAE-MAP1753 | HOLE SIZES, RECOMMENDED FOR METRIC FASTENERS ON PROPULSION EQUIPMENT[CUST: AR AS 99] [REVIEW: 71 AV] | A | 53GP | | IS | 01-NOV-85 |
| | A-A-54632 | HOLSTER KIT, PHYSICIAN, COMPARTMENTED[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-92 |
| | MIL-H-48671 | HOLSTER, HIP, M12[CUST: AR] | A | 1005 | | AR | 02-FEB-88 |
| | A-A-50748(1) NOT 1 | HOLSTER, HIP, PISTOL, SEMI-AUTOMATIC, 9MM[CUST: AR OS 99] | A | 1095 | / | 84 | 26-JUL-93 |
| | A-A-20035C | HOMINY GRITS, ENRICHED[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8920 | / | SS | 29-MAR-05 |
| | ASTM-E1091 | HONEYCOMB CORE, NONMETALLIC, FOR USE IN SHELTER PANELS[CUST: GL MC 99] | A | 5411 | | GL | 03-OCT-94 |
| | ASTM-E1556 | HONEYCOMB SANDWICH PANEL REPAIR, EPOXY RESIN SYSTEM FOR COMPOSITE SKIN[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| A | A-A-59394 NOT 1 | HONING MACHINE, VERTICAL, SINGLE-SPINDLE[CUST: AR SH 99 GS6] [REVIEW: 84 MC] | A | 3419 | / | GS6 | 25-OCT-05 |
| | A-A-59175 | HONING MACHINES, HORIZONTAL, SINGLE-SPINDLE[CUST: AR SH 99] [REVIEW: 84 MC] | A | 3419 | / | GS6 | 11-FEB-00 |
| | MIL-H-44308A | HOOD AND SOCKS, EXTREME COLD WEATHER SLEEPING SYSTEM (ECWSS)[CUST: GL CT] | A | 8465 | | CT | 27-APR-88 |
| | MIL-H-24936 | HOOD, ANTI-FLASH, FLAME RESISTANT[CUST: GL NU 99 CT] | A | 8415 | | CT | 01-JUL-87 |
| | A-A-50194B | HOOD, BALACLAVA, EXTENDED COLD WEATHER[CUST: GL NU 11 CT] [REVIEW: 82] | A | 8415 | / | CT | 10-DEC-03 |
| | MIL-DTL-31009 | HOOD, COLD WEATHER, SECURITY POLICE[CUST: 11 CT] [REVIEW: 99] | A | 8415 | | CT | 01-JUN-95 |
| | MIL-H-44265A | HOOD, COMBAT VEHICLE CREWMEN'S, (BALACLAVA)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 05-FEB-90 |
| | A-A-54466 | HOOD, DENTAL LABORATORY (GRINDING AND POLISHING MACHINE)[CUST: MD MS 03] | A | 6520 | / | MB | 16-AUG-91 |
| | MIL-H-43555D | HOOD, EXTREME COLD WEATHER, W/SYNTHETIC FUR RUFF, OG-107[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 30-MAR-88 |
| | MIL-H-24925 | HOOD, FIREMAN'S ALUMINIZED, PROXIMITY, WITH LIFT-UP VISOR[CUST: GL NU 99 CT] | A | 8415 | | CT | 14-SEP-87 |
| | MIL-H-44428A | HOOD, GAS MASK, SPECIAL PURPOSE, TOXICOLOGICAL AGENTS PROTECTIVE, M3[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 18-DEC-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-H-12225H | HOOD, GAS MASK, TOXICOLOGICAL AGENTS PROTECTIVE: M-3[CUST: GL NU 99 CT] [REVIEW: 11 AS EA MC MD] | A | 8415 | | CT | 06-MAR-90 |
| | MIL-H-82244F | HOOD, RADIOACTIVE CONTAMINANTS, PROTECTIVE[CUST: NU 99] [REVIEW: 11 AS OS SH] | A | 8415 | | CT | 23-MAR-93 |
| | A-A-55122 | HOOD, RAIN, WOMAN'S[CUST: 11 CT] | A | 8410 | / | CT | 19-JAN-93 |
| | MIL-H-43079F | HOOD, ROCKET FUEL HANDLER'S: IMPERMEABLE, LIMITED PROTECTION[CUST: GL NU 99 CT] [REVIEW: 11 MD OS SH] | A | 8415 | | CT | 14-OCT-88 |
| | MIL-H-27614A NOT 1 | HOOD, ROCKET FUEL HANDLERS, HGU-11/P[CUST: 99 CT] | A | 8415 | | CT | 31-OCT-89 |
| | MIL-H-43879A | HOOD, SLEEPING BAG[CUST: GL NU 99 CT] [REVIEW: 11] | A | 8465 | | CT | 21-APR-89 |
| | MIL-H-25754B(1) | HOOD, WINTER, KNIT, WOOL[CUST: 99 CT] [REVIEW: 11] | A | 8415 | | CT | 20-OCT-86 |
| | MIL-H-29101C | HOODS, EXTREME COLD WEATHER, IMPERMEABLE[CUST: NU CT] [REVIEW: 11 CG] | A | 8415 | | CT | 03-OCT-88 |
| | A-A-53840 | HOOK[CUST: MD MS 03] | A | 6515 | / | MB | 10-MAY-90 |
| | NAS1282 | HOOK SNAP, BOLT[CUST: AR AS 99 IS] | A | 5340 | | IS | 30-JUN-66 |
| | A-A-53840/1 | HOOK, ADSON[CUST: MD MS 03] | A | 6515 | / | MB | 10-MAY-90 |
| | MS90295A NOT 2 | HOOK, BAND, PARACHUTE CONTAINER OPENING[CUST: GL AS 99 IS] [REVIEW: 71 GS MC] | A | 1670 | | GL | 29-AUG-97 |
| | A-A-51531A | HOOK, BONE, 7-1/4 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 22-JUL-87 |
| | RR-H-571 | HOOK, CHAIN | A | 5120 | # | FSS | 04-APR-33 |
| | NAS1090 | HOOK, CHAIN, S[CUST: CR4 SH 99 CC] | A | 4030 | | CC | 09-OCT-91 |
| | A-A-51863A | HOOK, DURA (DANDY)[CUST: MD MS 03] | A | 6515 | / | MB | 02-MAY-89 |
| | SAE-AS29523 | HOOK, FILLER CAP CHAIN[CUST: AS GS] | A | 4030 | | AS | AUG-98 |
| | A-A-53840/2 | HOOK, FRAZIER[CUST: MD MS 03] | A | 6515 | / | MB | 10-MAY-90 |
| | NAS1050 | HOOK, GRAB, FORGED ALLOY STEEL, DIRECT EYE (FOR GROUND SUPPORT EQUIPMENT)[CUST: CR4 SH 99 CC] | A | 4030 | | CC | 28-JAN-94 |
| | A-A-53840/4 | HOOK, GRAEFE[CUST: MD MS 03] | A | 6515 | / | MB | 10-MAY-90 |
| | MS18027E | HOOK, HELICOPTER RESCUE[CUST: AS] [REVIEW: IS] | A | 4030 | | AS | 10-SEP-85 |
| | MIL-H-23599A | HOOK, HELICOPTER RESCUE[CUST: AS] | A | 4030 | | AS | 05-JUN-69 |
| | A-A-52555 NOT 1 | HOOK, HOIST, BURTON-STYLE[CUST: AT] | A | 4030 | / | AT | 16-APR-04 |
| | A-A-51642 | HOOK, INCUS, HOUSE[CUST: MD MS 03] | A | 6515 | / | MB | 03-SEP-86 |
| | A-A-52538 NOT 1 | HOOK, LOG-GRAB (127 BY 203 MILLIMETERS)[CUST: AT YD 99] [REVIEW: 71] | A | 4030 | / | AT | 16-APR-04 |
| | A-A-50469B | HOOK, REGULAR EYE, LATCH TYPE[CUST: YD 99] [REVIEW: 71 IS OS] | A | 4030 | / | YD | 03-JUN-94 |
| | A-A-53392 | HOOK, RETINAL DETACHMENT (GASS)[CUST: MD MS 03] | A | 6515 | / | MB | 01-MAR-88 |
| | A-A-52587 NOT 1 | HOOK, ROPE, DECK[CUST: AT] | A | 4030 | / | AT | 19-APR-04 |
| | NAS1052 | HOOK, S, ALLOY STEEL (FOR GROUND SUPPORT EQUIPMENT)[CUST: CR4 SH 99 CC] | A | 4030 | | CC | 28-JAN-94 |
| | NAS1285 | HOOK, SAFETY[CUST: AR AS 99 IS] | A | 5340 | | IS | 15-SEP-75 |
| | NAS1051 | HOOK, SAFETY, FORGED CARBON STEEL, SNAP, DIRECT EYE (FOR GROUND SUPPORT EQUIPMENT)[CUST: CR4 SH 99 CC] | A | 4030 | | CC | 28-JAN-94 |
| | A-A-51515A | HOOK, SKIN (GUTHRIE)[CUST: MD MS 03] | A | 6515 | / | MB | 04-MAY-87 |
| | A-A-54956 | HOOK, SKIN (JOSEPH) SINGLE PRONG, SHARP)[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-94 |
| A | MIL-DTL-13220D | HOOK, SLIDING CHOKER (FOR USE WITH WIRE ROPE)[CUST: AV AS 99 CC] [REVIEW: 11 50 70 71 CG MC MI SA] | A | 4030 | | CC | 25-JAN-06 |
| | MIL-H-15021A(2) | HOOK, SNAP BOLT, SWIVEL-EYE, AND RINGS[CUST: AR SH] [REVIEW: GL IS MC SA] | A | 5340 | | SH | 04-NOV-59 |
| | NAS622 | HOOK, SUPPORT - ELECTRONIC EQUIPMENT CLAMP[CUST: AR AS 99 IS] | A | 5340 | | IS | 25-APR-91 |
| | A-A-50472A | HOOK, SWIVEL, LATCH TYPE[CUST: YD 99] [REVIEW: 71 IS OS SH] | A | 4030 | / | YD | 21-SEP-88 |
| | MS500059G NOT 2 | HOOK, SWIVEL: TIRE CHAIN (SIZE "B")[CUST: AT] | A | 2540 | | AT | 15-MAY-02 |
| | MIL-H-1411E | HOOK, TENT, ASSEMBLY, WALL SECTION[CUST: GL 99 CT] [REVIEW: MD] | A | 8340 | | CT | 15-JAN-91 |
| | A-A-51781A | HOOK, TISSUE, DOUBLE PRONG (JOSEPH)[CUST: MD MS 03] | A | 6515 | / | MB | 06-JUN-89 |
| | A-A-52497 | HOOK, TOWING: HEAVY (FOR VEHICLES 36 METRIC TONNES AND OVER) (METRIC)[CUST: AT] [REVIEW: AR CC] | A | 2540 | / | AT | 03-AUG-94 |
| | A-A-52509 NOT 1 | HOOK, TOWING: LIGHT (FOR VEHICLES 7.26 TO 13.62 METRIC TONNES) (METRIC)[CUST: AT] | A | 2540 | / | AT | 14-APR-04 |
| | A-A-52496 | HOOK, TOWING: MEDIUM (FOR VEHICLES 13 TO 36 METRIC TONNES) (METRIC)[CUST: AT] [REVIEW: CC] | A | 2540 | / | AT | 03-AUG-94 |
| | A-A-53840/3 | HOOK, TYRELL[CUST: MD MS 03] | A | 6515 | / | MB | 10-MAY-90 |
| | ASME-B30.10 | HOOKS (ALSO INCLUDES ADDENDA 10A-90 AND 10B-91)[CUST: CR4 YD 99] | A | 4030 | | YD | 06-APR-92 |
| | A-A-52303 | HOOKS, BOAT, BALL POINT[CUST: AV CC] [REVIEW: SH] | A | 2040 | / | CC | 08-APR-92 |
| | MIL-H-85042A | HOOKS, BOMB RACK, GENERAL SPECIFICATION FOR[CUST: AS] | A | 1095 | | AS | 11-FEB-83 |
| | A-A-52539 NOT 1 | HOOKS, HOIST (REGULAR EYE)[CUST: AT] [REVIEW: IS] | A | 4030 | / | AT | 16-APR-04 |
| | MIL-DTL-1608J | HOOKS, TENT[CUST: GL NU 11 CT] | A | 8340 | | CT | 03-JUL-01 |
| | MIL-H-21722B | HOOKS, THRUST AND STABILIZING, JATO 4500 POUNDS NOMINAL THRUST[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 30-SEP-92 |
| | MIL-PRF-85281C | HORIZON REFERENCE SET, SHIP MOUNTED FOR LAMPS MK III HELICOPTER[CUST: AS] | A | 1710 | | AS | 20-JUL-98 |
| | A-A-50630 | HORN, ELECTRICAL, SHIPBOARD[CUST: SH] | A | 6350 | / | SH | 09-FEB-95 |
| | MIL-DTL-32077 | HORN, FLYER'S RELIEF TUBE[CUST: AV AS 99] [REVIEW: 71] | A | 1680 | | GS1 | 10-APR-03 |
| | A-A-52525A NOT 1 | HORNS AND BUZZERS, AIR-AND ELECTRICALLY-ACTUATED[CUST: AT MC 99] [REVIEW: 84 CC] | A | 2590 | / | AT | 19-APR-04 |
| | STANAG-3295 ED.7(2) | HORSE COLLAR/RESCUE STROP TYPE HELICOPTER HOISTING GEAR | C | ISDF | | 06 | 12-DEC-97 |
| | UL330 | HOSE AND HOSE ASSEMBLIES FOR DISPENSING FLAMMABLE LIQUIDS[CUST: CR4 YD 99] | A | 4720 | | CC | 27-DEC-96 |
| | SAE-J1942/1 | HOSE AND HOSE ASSEMBLIES FOR MARINE APPLICATIONS[CUST: AT SH 99 CC] [REVIEW: 71 MC SA] | A | 4720 | | CC | 30-SEP-02 |
| | MIL-PRF-87961A | HOSE AND HOSE ASSEMBLIES, AIR DUCT, AIR BREATHING, OXYGEN SYSTEM[CUST: 99] [REVIEW: CC] | A | 4720 | | 71 | 08-SEP-98 |
| | A-A-59270A | HOSE AND HOSE ASSEMBLIES, NON-METALLIC (RUBBER, PLASTIC)[CUST: YD] [REVIEW: CG SA] | A | 4720 | / | CC | 06-JAN-03 |
| | A-A-52426 | HOSE AND HOSE ASSEMBLIES, NON-METALLIC, SILICONE, POLYESTER AND WIRE REINFORCED (FOR COOLANT AND HEATING SYSTEMS OF DIESEL AND GASOLINE POWERED ENGINES)[CUST: AT] [REVIEW: CC CR4] | A | 4720 | / | AT | 10-FEB-93 |
| | A-A-59613 | HOSE AND HOSE ASSEMBLIES, NONMETALLIC SPRAY[CUST: AT SH 99 CC] [REVIEW: 71 CG MC SA] | A | 4720 | / | CC | 16-AUG-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-370J | HOSE AND HOSE ASSEMBLIES, NONMETALLIC: ELASTOMERIC, LIQUID FUEL[CUST: AT SH 99] [REVIEW: 71 CC] | A | 4720 | | AT | 07-MAY-02 |
| | A-A-59567 | HOSE AND HOSE ASSEMBLIES, RUBBER (YARN OR FABRIC REINFORCED) WATER SERVICE[CUST: AT SH 99 CC] [REVIEW: 71 MC MI OS SA] | A | 4720 | / | CC | 29-JUN-01 |
| | MIL-DTL-52471E(1) SUP 1 NOT 1 | HOSE AND HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE TYPE, GENERAL SPECIFICATION FOR[CUST: AT SH 99 CC] [REVIEW: 82 AR GL MC SA] | A | 4720 | | CC | 25-MAR-04 |
| | A-A-59159A | HOSE AND HOSE ASSEMBLIES, RUBBER, STEAM[CUST: AT SH 99 CC] [REVIEW: 03 71 SA] | A | 4720 | / | CC | 03-JAN-03 |
| | QPL-13444-37 | HOSE AND HOSE ASSEMBLIES, RUBBER: FUEL AND OIL | A | 4720 | | CC | 23-JUN-05 |
| | MIL-DTL-13444G(1) | HOSE AND HOSE ASSEMBLIES, RUBBER: FUEL AND OIL[CUST: AT YD CC] [REVIEW: AR MC MI] | A | 4720 | | CC | 31-MAY-05 |
| | QPL-52471-17 | HOSE AND HOSE ASSEMBLLIES, RUBBER, HYDRAULIC, PRESSURE TYPE, GENERAL SPECIFICATION FOR | A | 4720 | | CC | 14-MAR-05 |
| | MIL-DTL-27516F | HOSE AND HOSE ASSEMBLY, NONMETALLIC, SUCTION AND DISCHARGE[CUST: AT AS 99 CC] [REVIEW: 70 71 AV MC SA] | A | 4720 | | CC | 16-JUL-03 |
| | MIL-DTL-26894D | HOSE AND HOSE ASSEMBLY, RUBBER, GASOLINE, REFUELING, LOW TEMPERATURE[CUST: 99 CC] [REVIEW: 71] | A | 4720 | | CC | 30-JUN-98 |
| | MIL-DTL-17505F | HOSE AND HOSE ASSEMBLY, RUBBER, OIL AND GASOLINE, SUCTION AND DISCHARGE[CUST: YD] [REVIEW: SH] | A | 4720 | | CC | 07-NOV-97 |
| | MIL-DTL-20176G | HOSE AND HOSE ASSEMBLY, RUBBER, SMOOTH BORE, LIGHT-WEIGHT SEWAGE DISCHARGE AND OILY WASTE DISCHARGE[CUST: CR4 YD 99] [REVIEW: 71 SH] | A | 4720 | | CC | 07-NOV-97 |
| | MIL-DTL-3992E | HOSE AND HOSE ASSEMBLY, RUBBER: AIR AND VACUUM BRAKE, SYSTEMS[CUST: AT MC 99 CC] [REVIEW: 71 MI SA] | A | 4720 | | CC | 22-OCT-01 |
| | QPL-3992-29 | HOSE AND HOSE ASSEMBLY, RUBBER: AIR AND VACUUM BRAKE, SYSTEMS | A | 4720 | | CC | 05-MAY-05 |
| | SAE-ARP908 | HOSE AND TUBE FITTING, INSTALLATION AND QUALIFICATION TEST TORQUE REQUIREMENTS[CUST: CR4 SH 99] | A | 4730 | | 71 | OCT-94 |
| | MIL-H-85800/4 | HOSE ASSEBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE 45 DEGREED TO 45 DEGREES[CUST: AS] | A | 4720 | | AS | 16-MAY-88 |
| | MIL-H-18160C(1) NOT 1 | HOSE ASSEMBLIES, CORRUGATED STEEL, 200 LB/IN2 AND 425 DEG. F MAXIMUM STEAM SERVICE RATING[CUST: SH] [REVIEW: CC CR4] | A | 4720 | | SH | 01-APR-91 |
| | MIL-DTL-8795E | HOSE ASSEMBLIES, ELASTOMERIC - HYDRAULIC FLUID, FUEL, AND OIL RESISTANT, GENERAL SPECIFICATION FOR[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC MI SA] | A | 4720 | | CC | 22-SEP-00 |
| | SAE-ARP1658 | HOSE ASSEMBLIES, INSTALLED, GUIDE FOR VISUAL INSPECTION[CUST: AS 99] [REVIEW: AV CC] | A | 4720 | | 71 | 04-JAN-84 |
| | SAE-MA2103 | HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED, STRAIGHT 90 DEG FITTING ENDS, METRIC[CUST: AV SH 99] [REVIEW: 71 AS] | A | 4720 | | AV | 20-OCT-89 |
| | SAE-MA2100 | HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, HIGH TEMPERATURE, METRIC[CUST: AV] | A | 4720 | | AV | 20-OCT-89 |
| | A-A-52435 | HOSE ASSEMBLIES, METAL: FLEXIBLE, FUEL AND OIL[CUST: AT] [REVIEW: CC EA] | A | 4720 | / | AT | 02-APR-93 |
| | MIL-H-85800/1 | HOSE ASSEMBLIES, POLYTETRAFLOUREOTHYLENE, ARAMID FIBER REINFORCED,5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO STRAIGHT[CUST: AS] | A | 4720 | | AS | 16-MAY-88 |
| | MIL-H-85800/3 | HOSE ASSEMBLIES, POLYTETRAFLOUREOTHYLENE, ARAMID FIBER REINFORCED,5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO 90 DEGREE STRAIGHT TO 45 DEGREES[CUST: AS] | A | 4720 | | AS | 16-MAY-88 |
| | SAE-AS2078 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE (PTFE), TEST METHODS[CUST: AV AS 99 CC] [REVIEW: 70 71 AT MC MI SA SH] | A | 4720 | | CC | 30-MAR-01 |
| | MIL-H-85800/2 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO 45 DEGREES[CUST: AS] | A | 4720 | | AS | 16-MAY-88 |
| | MIL-H-85800(1) | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, GENERAL SPECIFICATION FOR[CUST: AS] | A | 4720 | | AS | 06-NOV-95 |
| | MIL-H-85800/6 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED,5000 AND 8000 PS1, DESIGN STANDARD FOR STYLE 90 DEGREES TO 90 DEGREES[CUST: AS] | A | 4720 | | AS | 16-MAY-88 |
| | MIL-H-85800/5 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED,5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE 45 DEGREES TO 90 DEGREES[CUST: AS] | A | 4720 | | AS | 16-MAY-88 |
| | MIL-DTL-6615F | HOSE ASSEMBLIES, RUBBER, FUEL AND WATER, WITH RETATTACHABLE COUPLINGS, LOW TEMPERATURE[CUST: AS 99 CC] [REVIEW: 71] | A | 4720 | | CC | 28-AUG-98 |
| A | QPL-8790-8 | HOSE ASSEMBLIES, RUBBER, HYDRAULIC HIGH PRESSURE (3000 PSI) | A | 4720 | | CC | 22-SEP-05 |
| | MIL-DTL-52471/1B NOT 1 | HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R1[CUST: AT SH 99 CC] [REVIEW: AR] | A | 4720 | | CC | 06-OCT-03 |
| | MIL-DTL-52471/3B | HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R10[CUST: AT SH 99 CC] [REVIEW: AR] | A | 4720 | | CC | 27-APR-98 |
| | MIL-DTL-52471/10A NOT 1 | HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R12[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4720 | | CC | 06-OCT-03 |
| | MIL-DTL-52471/2B NOT 1 | HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R2[CUST: CR4 SH 99 CC] [REVIEW: AR] | A | 4720 | | CC | 06-OCT-03 |
| | MIL-DTL-8790E | HOSE ASSEMBLIES, RUBBER, HYDRAULIC, HIGH PRESSURE (3,000 PSI)[CUST: AV AS 99 CC] [REVIEW: 71 MI SA] | A | 4720 | | CC | 06-APR-01 |
| | SAE-J1754/1 | HOSE ASSEMBLIES, RUBBER, HYDRAULIC, STEEL WIRE REINFORCED - PART 1: PROCUREMENT DOCUMENT[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA] | A | 4720 | | CC | 25-JUN-02 |
| | SAE-J1754/2 | HOSE ASSEMBLIES, RUBBER, HYDRAULIC, STEEL WIRE REINFORCED - PART 2: ORDERING INFORMATION[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA] | A | 4720 | | CC | 25-JUN-02 |
| | MIL-PRF-11588G | HOSE ASSEMBLIES, RUBBER, SYNTHETIC, LIQUID PETROLEUM FUELS, DISPENSING, COLLAPSIBLE, STANDARD AND LOW TEMPERATURE[CUST: AT MC] [REVIEW: CC] | A | 4720 | | AT | 15-FEB-96 |
| | MIL-PRF-53095A NOT 1 | HOSE ASSEMBLIES, RUBBER, SYNTHETIC, LIQUID PETROLEUM FUELS, DISPENSING, COLLAPSIBLE, LOW TEMPERATURE[CUST: AT] | A | 4720 | | AT | 15-APR-04 |
| | MIL-DTL-52471/8A NOT 1 | HOSE ASSEMBLIES, RUBBER: HYDRAULIC PRESSURE-TYPE; TYPE 100RE[CUST: CR4 SH 99 CC] [REVIEW: 71 AR] | A | 4720 | | CC | 06-OCT-03 |
| | MIL-H-24580(2) NOT 1 | HOSE ASSEMBLIES, SYNTHETIC RUBBER, NONCOLLAPSIBLE, FIRE FIGHTING[CUST: SH] | A | 4210 | | SH | 10-DEC-90 |
| | MIL-H-2217D | HOSE ASSEMBLIES, WIRE-REINFORCED RUBBER, SUBMARINE RESCUE CHAMBER[CUST: SH] [REVIEW: CC] | A | 4720 | | SH | 09-JUL-93 |
| | MS39325B | HOSE ASSEMBLIES; AIR (TYPE I) AND VACUUM (TYPE II) BRAKE[CUST: AT MC 99 CC] [REVIEW: 71 MI SA] | A | 4720 | | CC | 22-OCT-01 |
| | AN6270 REV 8 | HOSE ASSEMBLY - DETACHABLE SWIVEL FITTING, LOW PRESSURE[CUST: MI AS 99 CC] [REVIEW: 71 AV MC SA] | A | 4720 | | CC | 08-JAN-02 |
| | MIL-DTL-25579/1 | HOSE ASSEMBLY LENGTH MEASUREMENT FOR NAS 1760 AND MS8000 SERIES SEAL, (GLOBE SEAL, OR RADIUS SEAL) TO FLARELESS FITTING END DESIGN[CUST: AV AS 99 CC] [REVIEW: 71 AR AT EA MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS90457A NOT 1 | HOSE ASSEMBLY METAL, LIQUID OXYGEN[CUST: AS] | A | 4720 | | AS | 15-DEC-87 |
| | SAE-MA2080 | HOSE ASSEMBLY POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000KPA, 60-DEG CONE, STRAIGHT TO STRAIGHT, LIGHTWEIGHT, METRIC[CUST: AV SH 99] | A | 4720 | | AV | 30-JAN-90 |
| | NAS1688 | HOSE ASSEMBLY TETRAFLUOROETHYLENE[CUST: CC] [REVIEW: CR4] | A | 4720 | | CC | 19-MAY-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS628 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STRAIGHT TO 45 DEG., HEAVYWEIGHT[CUST: CR4 AS 99] [REVIEW: AV MI] | A | 4720 | | CC | JUL-84 |
| | SAE-AS629 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STRAIGHT TO 90 DEG., HEAVYWEIGHT[CUST: CR4 AS 99] [REVIEW: AV MI] | A | 4720 | | CC | JUL-84 |
| | SAE-AS627 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STRAIGHT TO STRAIGHT, HEAVYWEIGHT[CUST: CR4 AS 99] [REVIEW: AV MI] | A | 4720 | | 99 | JUL-84 |
| | SAE-AS625 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARELESS, 45 DEG. TO 90 DEG., HEAVYWEIGHT[CUST: CR4 AS 11 CC] [REVIEW: 99 AV MI] | A | 4720 | | CC | JUL-84 |
| | SAE-AS626 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARELESS, 90 DEG. TO 90 DEG., HEAVYWEIGHT[CUST: CR4 AS 99] [REVIEW: AV MI] | A | 4720 | | CC | JUL-84 |
| | SAE-AS630 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARED, 45 DEG. TO 45 DEG., HEAVYWEIGHT[CUST: CR4 AS 11] [REVIEW: AV GS MI] | A | 4720 | | 99 | JUL-84 |
| | SAE-AS631 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARED, 45 DEG. TO 90 DEG., HEAVYWEIGHT[CUST: CR4 AS 11] [REVIEW: AV GS MI] | A | 4720 | | 99 | JUL-84 |
| | SAE-AS632 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARED, 90 DEG. T0 90 DEG., HEAVYWEIGHT[CUST: CR4 AS 11] [REVIEW: AV CC MI] | A | 4720 | | 99 | JUL-84 |
| | SAE-AS624 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, 45 DEG. TO 45 DEG., HEAVYWEIGHT[CUST: CR4 AS 11 CC] [REVIEW: 99 AV MI] | A | 4720 | | CC | JUL-84 |
| | SAE-AS622 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 45 DEG., HEAVYWEIGHT[CUST: CR4 AS 11 CC] [REVIEW: 99 AV MI] | A | 4720 | | CC | JUL-84 |
| | SAE-AS623 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 90 DEG., HEAVYWEIGHT[CUST: CR4 AS 11 CC] [REVIEW: 99 AV MI] | A | 4720 | | CC | JUL-84 |
| | SAE-AS621 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, STRAIGHT TO STRAIGHT, HEAVYWEIGHT [CUST: CR4 AS 99] [REVIEW: AV MI] | A | 4720 | | CC | JUL-84 |
| | SAE-AS1227 | HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUORETHYLENE, METALLIC REINFORCED LOW PRESSURE, UP TO 400 DEG F, AIRCRAFT[CUST: AV AS 99] [REVIEW: 71] | A | 4720 | | CC | 18-FEB-00 |
| | MIL-PRF-83772B | HOSE ASSEMBLY, CRYOGENIC LIQUID, AIRCRAFT SERVICING[CUST: 99] | A | 4720 | | 71 | 08-JUL-98 |
| | MS28741J | HOSE ASSEMBLY, DETACHABLE END FITTING, MEDIUM PRESSURE[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC MI SA] | A | 4720 | | CC | 22-SEP-00 |
| | MIL-PRF-53063B | HOSE ASSEMBLY, ELASTOMER, LIGHTWEIGHT, NONCOLLAPSIBLE, FUEL (METRIC)[CUST: AT CC] | A | 4720 | | AT | 17-JAN-96 |
| | MIL-PRF-53064B | HOSE ASSEMBLY, ELASTOMER: LIGHTWEIGHT, COLLAPSIBLE; LIQUID FUEL[CUST: AT CC] [REVIEW: CD] | A | 4720 | | AT | 06-FEB-96 |
| | MIL-H-52262E | HOSE ASSEMBLY, ELASTOMERIC: LIGHTWEIGHT, COLLAPSIBLE, 4-INCH[CUST: AT] [REVIEW: CC] | A | 4720 | | AT | 30-SEP-91 |
| | MIL-H-27301D(1) | HOSE ASSEMBLY, METAL, CRYOGENIC LIQUID, TRANSFER[CUST: 99] | A | 4720 | | 84 | 30-NOV-78 |
| | MIL-DTL-26499D | HOSE ASSEMBLY, METAL, FLEXIBLE, BREATHING OXYGEN[CUST: AV AS 99 CC] [REVIEW: 70 MC SA] | A | 4720 | | CC | 17-NOV-03 |
| A | QPL-26499-10 | HOSE ASSEMBLY, METAL, FLEXIBLE, BREATHING OXYGEN | A | 4720 | | CC | 25-JAN-06 |
| | SAE-MA2104 | HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, 45 DEG TO 45 DEG FITTING ENDS, METRIC[CUST: AV] | A | 4720 | | AV | 20-OCT-89 |
| | SAE-MA2105 | HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, 45 DEG TO 90 DEG FITTING ENDS, METRIC[CUST: AV] | A | 4720 | | AV | 20-OCT-89 |
| | SAE-MA2106 | HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, 90 DEG. TO 90 DEG. FITTING ENDS, METRIC[CUST: AV] | A | 4720 | | AV | MAY-91 |
| | SAE-MA2102 | HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, STRAIGHT 45 DEG. FITTING ENDS, METRIC[CUST: AV] | A | 4720 | | AV | 20-OCT-89 |
| | SAE-MA2101 | HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, STRAIGHT TO STRAIGHT FITTING ENDS, METRIC[CUST: AV] | A | 4720 | | AV | 20-OCT-89 |
| | A-A-2284 | HOSE ASSEMBLY, NON-METALLIC (FIRE; COTTON; SINGLE-JACKETED)[CUST: CR4] | A | 4210 | # | FSS | 27-AUG-84 |
| | A-A-2160A | HOSE ASSEMBLY, NONMETALLIC (BOOSTER) | A | 4210 | # | FSS | 03-OCT-83 |
| | A-A-2131A | HOSE ASSEMBLY, NONMETALLIC (FIRE, 600 LBS. TEST PRESSURE | A | 4210 | # | FSS | 04-OCT-83 |
| | A-A-2132A | HOSE ASSEMBLY, NONMETALLIC (FIRE, 800 LBS. TEST PRESSURE) | A | 4210 | # | FSS | 04-OCT-83 |
| | SAE-AS156 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, 45 DEG. TO 45 DEG., LIGHTWEIGHT[CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A | 4720 | | CC | MAR-84 |
| | SAE-AS157 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, 45 DEG. TO 90 DEG., LIGHTWEIGHT[CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A | 4720 | | CC | MAR-84 |
| | SAE-AS158 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, 90 DEG. TO 90 DEG., LIGHTWEIGHT[CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A | 4720 | | CC | MAR-84 |
| | SAE-AS154 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, STRAIGHT TO 45 DEG., LIGHTWEIGHT[CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A | 4720 | | CC | MAR-84 |
| | SAE-AS155 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, STRAIGHT TO 90 DEG., LIGHTWEIGHT[CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A | 4720 | | CC | MAR-84 |
| | SAE-AS153 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, STRAIGHT TO STRAIGHT, LIGHTWEIGHT[CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A | 4720 | | CC | MAR-84 |
| | SAE-AS118 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, 45 DEG. TO 45 DEG., LIGHTWEIGHT[CUST: CR4 AS 99] [REVIEW: AV MI] | A | 4720 | | CC | MAR-84 |
| | SAE-AS119 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, 45 DEG. TO 90 DEG., LIGHTWEIGHT[CUST: CR4 AS 11] [REVIEW: AV CC MI] | A | 4720 | | 99 | MAR-84 |
| | SAE-AS120 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, 90 DEG. TO 90 DEG., LIGHTWEIGHT[CUST: CR4 AS 99] [REVIEW: AV MI] | A | 4720 | | CC | MAR-84 |
| | SAE-AS116 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 45 DEG., LIGHWEIGHT[CUST: CR4 AS 99] | A | 4720 | | CC | MAR-84 |
| | SAE-AS117 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 90 DEG., LIGHTWEIGHT[CUST: CR4 AS 99] [REVIEW: AV MI] | A | 4720 | | CC | MAR-84 |
| | SAE-AS115 | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, STRAIGHT TO STRAIGHT, LIGHTWEIGHT[CUST: CR4 AS 99] [REVIEW: AV MI] | A | 4720 | | CC | MAR-84 |
| | A-A-59226 NOT 1 | HOSE ASSEMBLY, NONMETALLIC, FIRE FIGHTING, WITH COUPLINGS[CUST: YD 99] [REVIEW: 84 CC CG SH] | A | 4210 | / | IS | 11-JUN-03 |
| | MIL-DTL-26521K(3) | HOSE ASSEMBLY, NONMETALLIC, FUEL, COLLAPSIBLE, LOW TEMPERATURE WITH NON-REUSABLE COUPLINGS[CUST: AR SH 99 CC] [REVIEW: 71 AV] | A | 4720 | | CC | 07-APR-03 |
| | MS52103E NOT 1 | HOSE ASSEMBLY, NONMETALLIC: FUEL AND OIL, MEDIUM PRESSURE, FLARED TUBE[CUST: AT YD CC] [REVIEW: AR AV MC MI SH] | A | 4720 | | CC | 31-MAR-04 |
| | MS500083D(1) | HOSE ASSEMBLY, NONMETALLIC: HYDRAULIC AND PNEUMATIC, HIGH PRESSURE, FLARED TUBE[CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV MC MI SA] | A | 4720 | | CC | 20-MAR-03 |
| | MIL-DTL-26666F | HOSE ASSEMBLY, PNEUMATIC, HIGH PRESSURE[CUST: AR SH 99 CC] [REVIEW: 70 AS AT MC MI SA] | A | 4720 | | CC | 23-APR-04 |
| A | QPL-25579-45 | HOSE ASSEMBLY, POLYTETRAFLUORETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR | A | 4720 | | CC | 15-NOV-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS604 | HOSE ASSEMBLY, POLYTETRAFLUORETHYLENE, METALLIC REINFORCED, 3000 PSI, 400 DEG F, HEAVYWEIGHT, HYDRAULIC[CUST: CR4 AS 11] [REVIEW: AV MI] | A | 4720 | | CC | 20-JUN-86 |
| A | QPL-AS604-17 | HOSE ASSEMBLY, POLYTETRAFLUORETHYLENE, METALLIC REINFORCED, 3000 PSI, 400 DEG F, HEAVYWEIGHT, HYDRAULIC | A | 4720 | | CC | 23-FEB-06 |
| | MIL-DTL-26633D | HOSE ASSEMBLY, POLYTETRAFLUORETHYLENE, OXYGEN[CUST: 99 CC] [REVIEW: 71] | A | 4720 | | CC | 23-OCT-03 |
| A | QPL-26633-19 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE OXYGEN | A | 4720 | | CC | 26-OCT-05 |
| | SAE-MA2082 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO 90-DEG, LIGHTWEIGHT, METRIC[CUST: AV] | A | 4720 | | AV | 17-OCT-90 |
| | SAE-MA2083 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, 45-DEG TO 45 DEG, LIGHTWEIGHT, METRIC[CUST: AV] | A | 4720 | | AV | 17-OCT-90 |
| | SAE-MA2081 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO 45-DEG, LIGHTWEIGHT, METRIC[CUST: AV] | A | 4720 | | AV | 17-OCT-90 |
| | SAE-MA2085 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, 90-DEG TO 90 DEG, LIGHTWEIGHT, METRIC[CUST: AV SH 99] [REVIEW: 71 AS] | A | 4720 | | AV | 30-JAN-89 |
| | SAE-MA2084 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, 45-DEG TO 90 DEG, LIGHTWEIGHT, METRIC[CUST: AV] | A | 4720 | | AV | 17-OCT-90 |
| | SAE-AS1911 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO 90 DEG.[CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A | 4720 | | 11 | 09-JAN-92 |
| | SAE-AS1912 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 45 DEG. TO 45 DEG.[CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A | 4720 | | 11 | 09-JAN-92 |
| | SAE-AS1910 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO 45 DEG.[CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A | 4720 | | 11 | 09-JAN-92 |
| | SAE-AS1909 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO STRAIGHT[CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A | 4720 | | 11 | 09-JAN-92 |
| | SAE-AS1914 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 90 DEG. TO 90 DEG.[CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A | 4730 | | 11 | 09-JAN-92 |
| | NAS1691 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARELESS[CUST: CC] [REVIEW: CR4] | A | 4720 | | CC | 19-MAY-93 |
| A | MIL-DTL-25579F(2) SUP 1 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR[CUST: AV AS 99 CC] [REVIEW: 71 AR AT EA MC MI SA SH] | A | 4720 | | CC | 12-JAN-06 |
| M | QPL-AS1339-29 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED, 3000 PSI, 400 DEG F, LIGHTWEIGHT, HYDRAULIC AND PNEUMATIC | A | 4720 | | CC | 05-APR-06 |
| | SAE-AS1339 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED, 3000 PSI, 400 DEG F, LIGHTWEIGHT, HYDRAULIC AND PNEUMATIC[CUST: CR4 AS 99 CC] [REVIEW: 71 AV GS MI] | A | 4720 | | CC | 17-MAY-89 |
| | SAE-AS38390 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED, 4000 PSI, 160 DEGRESS F, COVERED PNEUMATIC[CUST: 99] [REVIEW: 71] | A | 4720 | | CC | FEB-00 |
| | SAE-AS1946 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED, UP TO 1500 PSI AND 450 DEG F, HYDRAULIC AND PNEUMATIC[CUST: AV] | A | 4720 | | AV | 13-JUL-90 |
| A | MS8005D(1) | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PERMANENTLY ATTACHED FITTINGS, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARE-TO-FLARE[CUST: AV AS 99 CC] [REVIEW: 70 AR AT EA MC MI SA SH] | A | 4720 | | CC | 09-SEP-05 |
| A | MS8006C(1) | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PERMANENTLY ATTACHED FITTINGS, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS-TO-FLARELESS[CUST: AV AS 99 CC] [REVIEW: 70 AR AT EA MC MI SA SH] | A | 4720 | | CC | 09-SEP-05 |
| A | MS8008C(1) | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PERMANENTLY ATTACHED FITTINGS, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS-TO-FLANGE[CUST: AV AS 99 CC] [REVIEW: 70 AR AT EA MC MI SA SH] | A | 4720 | | CC | 09-SEP-05 |
| A | MS8007C(1) | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PERMANENTLY ATTACHED FITTINGS, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARE-TO-FLANGE[CUST: AV AS 99 CC] [REVIEW: 70 AR AT EA MC MI SA SH] | A | 4720 | | CC | 09-SEP-05 |
| A | MS8009C(1) | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PERMANENTLY ATTACHED FITTINGS, HIGH TEMPERATURE, MEDIUM PRESSURE, FLANGE-TO-FLANGE[CUST: AV AS 99 CC] [REVIEW: 70 AR AT EA MC MI SA SH] | A | 4720 | | CC | 09-SEP-05 |
| | SAE-MA2172 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 90 DEG., METRIC[CUST: AV] | A | 4720 | | AV | OCT-90 |
| | SAE-MA2171 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 45 DEG, METRIC[CUST: AV] | A | 4720 | | AV | OCT-90 |
| | SAE-MA2176 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 DEG C, 10 500 KPA, BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC[CUST: AV] | A | 4720 | | AV | 14-FEB-91 |
| | SAE-MA2178 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 DEG. C, 10 500 KPA, BEAM SEAL, STRAIGHT TO 90 DEG., METRIC[CUST: AV SH 99] [REVIEW: 71 AS] | A | 4720 | | AV | 14-JAN-91 |
| | SAE-MA2177 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 DEG. C, 10 500 KPA, BEAM SEAL, STRAIGHT TO 45 DEG., METRIC[CUST: AV] | A | 4720 | | AV | 14-FEB-91 |
| | SAE-MA2170 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC[CUST: AV] | A | 4720 | | AV | OCT-90 |
| A | MS8002D(1) | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, REUSABLE FITTINGS, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARE-TO-FLANGE[CUST: AV AS 99 CC] [REVIEW: 70 AR AT EA MC MI SA SH] | A | 4720 | | CC | 09-SEP-05 |
| A | MS8000D(1) | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, REUSABLE FITTINGS, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARE-TO-FLARE[CUST: AV AS 99 CC] [REVIEW: 70 AR AT EA MC MI SA SH] | A | 4720 | | CC | 09-SEP-05 |
| A | MS8001D(1) | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, REUSABLE FITTINGS, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS-TO-FLARELESS[CUST: AV AS 99 CC] [REVIEW: 70 AR AT EA MC MI SA SH] | A | 4720 | | CC | 09-SEP-05 |
| A | MS8004D(1) | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, REUSABLE FITTINGS, HIGH TEMPERATURE, MEDIUM PRESSURE, FLANGE-TO-FLANGE[CUST: AV AS 99 CC] [REVIEW: 70 AR AT EA MC MI SA SH] | A | 4720 | | CC | 09-SEP-05 |
| A | MS8003D(1) | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, REUSABLE FITTINGS, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS-TO-FLANGE[CUST: AV AS 99 CC] [REVIEW: 71 AR AT EA MC MI SA SH] | A | 4720 | | CC | 09-SEP-05 |
| | SAE-AS1913 | HOSE ASSEMBLY, POLYTETRAFLUOROTEHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 45 DEG. TO 90 DEG.[CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A | 4730 | | 11 | 09-JAN-92 |
| | NAS1690 | HOSE ASSEMBLY, POLYTETRAFLUOROTHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARED[CUST: CC] [REVIEW: CR4] | A | 4720 | | CC | 19-MAY-93 |
| | QPL-26626-22 | HOSE ASSEMBLY, REINFORCED, CRYOGENIC, OXYGEN | A | 4720 | | 71 | 05-FEB-03 |
| | MIL-PRF-26626E(2) | HOSE ASSEMBLY, REINFORCED, CRYOGENIC, OXYGEN[CUST: AV AS 99 CC] | A | 4720 | | 71 | 03-FEB-03 |
| | MIL-H-4495D | HOSE ASSEMBLY, RUBBER, AERIAL REFUELING[CUST: AS 99] [REVIEW: 11 CC] | A | 4720 | | AS | 10-MAY-85 |
| | MS28762C | HOSE ASSEMBLY, RUBBER, HYDRAULIC (3000 PSI), FLARELESS TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A | 4720 | | CC | 06-APR-01 |
| | MIL-PRF-28523C | HOSE ASSEMBLY, RUBBER, HYDRAULIC AND PNEUMATIC, JETTING (400 PSI WORKING PRESSURE)[CUST: YD] [REVIEW: SH] | A | 4720 | | CC | 11-SEP-97 |
| | MIL-PRF-13719E(1) | HOSE ASSEMBLY, RUBBER, HYDRAULIC BRAKE[CUST: AT MC CC] [REVIEW: SA] | A | 2530 | | CC | 10-MAR-01 |
| | MS28924B | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), ELBOW 90 DEG. TO ELBOW 90 DEG., FLARED TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A | 4720 | | CC | 06-APR-01 |
| | MS28920B | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FITTING END TO ELBOW 45 DEG., FLARED TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A | 4720 | | CC | 06-APR-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS28921B | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FITTING END TO ELBOW 90 DEGREE, FLARED TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A | 4720 | | CC | 06-APR-01 |
| | MS28759C | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FLARED TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A | 4720 | | CC | 06-APR-01 |
| | MIL-DTL-83796/2A | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLARE, WITH LOCKWIRE HOLE[CUST: AV AS 82] [REVIEW: 71 AT MC SA] | A | 4720 | | CC | 18-SEP-00 |
| | MIL-DTL-83796/1A | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLARE[CUST: AV AS 82] [REVIEW: 71 AT MC SA] | A | 4720 | | CC | 18-SEP-00 |
| | MIL-DTL-83796/8A | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLANGE, WITH LOCKWIRE HOLE[CUST: AV AS 82 CC] [REVIEW: 11 71 AT MC SA] | A | 4720 | | CC | 18-SEP-00 |
| | MIL-DTL-83796/3A | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLARELESS[CUST: AV AS 82] [REVIEW: 11 71 AT MC SA] | A | 4720 | | CC | 18-SEP-00 |
| | MIL-DTL-83796/7A | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLANGE[CUST: AV AS 82 CC] [REVIEW: 11 71 AT MC SA] | A | 4720 | | CC | 18-SEP-00 |
| | MIL-DTL-83796/4A | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLARELESS, WITH LOCKWIRE HOLE[CUST: AV AS 82] [REVIEW: 11 71 AT MC SA] | A | 4720 | | CC | 18-SEP-00 |
| | MIL-DTL-83796/5A | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLANGE[CUST: AV AS 82 CC] [REVIEW: 11 71 AT MC SA] | A | 4720 | | CC | 18-SEP-00 |
| | MIL-DTL-83796/6A | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLANGE, WITH LOCKWIRE HOLE[CUST: AV AS 82 CC] [REVIEW: 11 71 AT MC SA] | A | 4720 | | CC | 18-SEP-00 |
| | MIL-DTL-83796/9A | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLANGE TO FLANGE[CUST: AV AS 82 CC] [REVIEW: 71 AT MC SA] | A | 4720 | | CC | 18-SEP-00 |
| | MIL-DTL-83796A SUP 1 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR[CUST: AV AS 99 CC] [REVIEW: 11 71 AT MC SA] | A | 4720 | | CC | 18-SEP-00 |
| | MIL-DTL-29210D | HOSE ASSEMBLY, RUBBER, METAL LINED, WIRE REINFORCED, 250 PSIG, SATURATED STEAM SERVICE[CUST: AT SH 99 CC] [REVIEW: 71 MC SA] | A | 4720 | | CC | 09-MAY-03 |
| | MS52104C | HOSE ASSEMBLY, RUBBER: FUEL AND OIL, LOW PRESSURE, FLARED TUBE[CUST: AT YD CC] [REVIEW: AR AV MC MI SH] | A | 4720 | | CC | 01-JUN-99 |
| | MS500077D | HOSE ASSEMBLY, RUBBER: HYDRAULIC AND PNEUMATIC, MEDIUM PRESSURE, FLARED TUBE[CUST: AT SH 99 CC] [REVIEW: 11 AR AV CR4 MC MI SA] | A | 4720 | | CC | 16-AUG-02 |
| | MIL-PRF-53027B | HOSE ASSEMBLY, RUBBER: LIGHTWEIGHT COLLAPSIBLE, 6-INCH: FOR DRINKING (POTABLE) WATER[CUST: AT] | A | 4720 | | AT | 14-MAR-96 |
| | MIL-H-24592(1) NOT 1 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE TUBE, NONCOLLAPSIBLE, HIGH TEMPERATURE[CUST: SH] | A | 4720 | | SH | 26-MAR-91 |
| | SAE-MA2086 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO STRAIGHT, METRIC[CUST: AV] | A | 4720 | | AV | 15-JUN-87 |
| | SAE-MA2089 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, 45 DEG. TO 45 DEG. METRIC[CUST: AV] | A | 4720 | | AV | JAN-86 |
| | SAE-MA2090 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, 45 DEG. TO 90 DEG., METRIC[CUST: AV] | A | 4720 | | AV | JAN-86 |
| | SAE-MA2091 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, 90 DEG. TO 90 DEG., METRIC[CUST: AV] | A | 4720 | | AV | JAN-86 |
| | SAE-MA2087 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, STRAIGHT TO 45 DEG. METRIC[CUST: AV] | A | 4720 | | AV | JAN-86 |
| | SAE-MA2088 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, STRAIGHT TO 90 DEG. METRIC[CUST: AV] | A | 4720 | | AV | JAN-86 |
| | SAE-AS614 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HEAVY DUTY, HIGH TEMPERATURE, HIGH PRESSURE, 4,000 PSI (27,580 KPA) HYDRAULIC AND PNEUMATIC[CUST: CR4 AS 99] [REVIEW: AV CC MI] | A | 4720 | | 99 | 01-MAY-84 |
| | SAE-MA2007 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, LIGHTWEIGHT, 204 DEG. C, 21,000 KPA HYDRAULIC, METRIC[CUST: AV] | A | 4720 | | AV | 15-JUN-87 |
| | SAE-AIR797 | HOSE CHARACTERISTICS AND SELECTION CHART[CUST: AV AS 99 CC] | A | 4720 | | CC | JUN-95 |
| A | SAE-J1508 | HOSE CLAMP[CUST: AT YD 99] [REVIEW: 71 84 AR AV CC CG CR4 GL MC OS SH] | A | 4730 | | AT | AUG-96 |
| | ASSE1011 | HOSE CONNECTION VACUUM BREAKERS[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | SAE-AS1933 | HOSE CONTAINING AGE-SENSITIVE ELASTOMERIC MATERIAL, AGE CONTROLS FOR[CUST: AV AS 99] [REVIEW: CC] | A | 4720 | | AV | FEB-95 |
| | ASME-B1.20.7 | HOSE COUPLING SCREW THREADS (INCH)[CUST: AR AS 99 IS] [REVIEW: 84 AT CC SH YD] | A | THDS | | IS | 21-JUN-93 |
| | USAS-B2.4 | HOSE COUPLINGS SCREW THREADS[CUST: AV YD 99] | A | 4730 | | YD | 22-JUN-90 |
| | SAE-J516 | HOSE FITTINGS, HYDRAULIC[CUST: AT YD] | A | 4730 | | AT | JAN-01 |
| | A-A-51628 | HOSE, AEROSOL (ANESTHESIA RESPIRATORY THERAPY)[CUST: MD MS 03] | A | 6515 | / | MB | 25-AUG-86 |
| | MIL-PRF-32107/18 | HOSE, AIR DUCT ADAPTER, ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/13 | HOSE, AIR DUCT CAP, HALF-ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/12 | HOSE, AIR DUCT CAP, ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/15 | HOSE, AIR DUCT CROSS, HALF-ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/14 | HOSE, AIR DUCT CROSS, ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/4 | HOSE, AIR DUCT ELBOW, HALF-ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/3 | HOSE, AIR DUCT ELBOW, ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/17 | HOSE, AIR DUCT REDUCER, HALF-ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/16 | HOSE, AIR DUCT REDUCER, ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/20 | HOSE, AIR DUCT STATIC REGAIN DEVICE, HALF-ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/19 | HOSE, AIR DUCT STATIC REGAIN DEVICE, ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/2 | HOSE, AIR DUCT STRAIGHT, HALF-ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/1 | HOSE, AIR DUCT STRAIGHT, ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/8 | HOSE, AIR DUCT TEE, CENTER ORIENTATION, HALF-ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/5 | HOSE, AIR DUCT TEE, CENTER ORIENTATION, ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/10 | HOSE, AIR DUCT TEE, LEFT ORIENTATION, HALF-ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/7 | HOSE, AIR DUCT TEE, LEFT ORIENTATION, ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/9 | HOSE, AIR DUCT TEE, RIGHT ORIENTATION, HALF-ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/6 | HOSE, AIR DUCT TEE, RIGHT ORIENTATION, ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-32107/11 | HOSE, AIR DUCT TEE, TOP OPENING, HALF-ROUND[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | SAE-AS8796 | HOSE, AIR DUCT, FLEXIBLE, AIRCRAFT[CUST: AV AS 99 CC] | A | 4720 | | AS | MAR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-32107 SUP 1 | HOSE, AIR DUCT, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: CC NP SA] | A | 4720 | | SH | 27-JUN-02 |
| | MIL-PRF-62028D | HOSE, AIR DUCT: HIGH-TEMPERATURE FLEXIBLE, REINFORCED[CUST: AT CC] | A | 4720 | | AT | 14-DEC-01 |
| | QPL-5593-27 | HOSE, AIRCRAFT, LOW PRESSURE, FLEXIBLE | A | 4720 | | CC | 22-JUN-05 |
| | MIL-DTL-5593D | HOSE, AIRCRAFT, LOW PRESSURE, FLEXIBLE[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4720 | | CC | 08-JAN-02 |
| | A-A-50351 NOT 1 | HOSE, BRONZE, ANNULAR CORRUGATED METAL, SINGLE BRAID, FLEXIBLE, GAS TIGHT[CUST: SH] [REVIEW: CC] | A | 4720 | / | SH | 29-JUL-87 |
| | MIL-DTL-8794E | HOSE, ELASTOMERIC - HYDRAULIC FLUID, FUEL, AND OIL RESISTANT[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC MI SA] | A | 4720 | | CC | 22-SEP-00 |
| | QPL-8794-26 | HOSE, ELASTOMERIC - HYDRAULIC FLUID, FUEL, AND OIL RESISTANT | A | 4720 | | CC | 30-MAR-05 |
| | MIL-PRF-7061C(2) | HOSE, ELASTOMERIC, AIRCRAFT, SELF-SEALING, AROMATIC FUEL[CUST: AR AS 99] | A | 4720 | | 71 | 16-JUL-99 |
| | MIL-H-17902F(1) | HOSE, END FITTINGS AND HOSE ASSEMBLIES, SYNTHETIC RUBBER, AIRCRAFT FUELS[CUST: SH] [REVIEW: CC] | A | 4720 | | SH | 12-DEC-90 |
| | MIL-H-24606B | HOSE, FIRE, SYNTHETIC FIBER, DOUBLE JACKETED, TREATED FOR ABRASION RESISTANCE, WITH COUPLINGS, FIRE FIGHTING AND OTHER WATER SERVICE[CUST: SH] | A | 4210 | | SH | 12-AUG-94 |
| | SAE-AS1055 | HOSE, FLEXIBLE, TUBE ASSEMBLIES, COILS, FITTINGS, AND SIMILAR SYSTEM COMPONENTS, FIRE TESTING OF[CUST: CR4 AS 11] [REVIEW: AV CC MI] | A | 4720 | | 99 | 20-JUN-86 |
| | API-BULL-1529 | HOSE, FUELING, AVIATION[CUST: CR4 YD 99] [REVIEW: 71 SH] | A | 4720 | | CC | 21-AUG-92 |
| | MIL-H-775E | HOSE, HOSE ASSEMBLIES; RUBBER, PLASTIC, FABRIC, OR METAL (INCLUDING TUBING) AND ASSOCIATED HARDWARE: PACKAGING OF[CUST: CR4 SH 99] [REVIEW: AR AS CC MC SM YD] | A | PACK | | SH | 19-OCT-87 |
| | SAE-J517 | HOSE, HYDRAULIC[CUST: CR4 YD 99] | A | 4720 | | CC | 01-JUN-90 |
| | SAE-ARP603 | HOSE, HYDRAULIC, TUBING AND FITTING ASSEMBLIES, IMPULSE TESTING OF[CUST: AV AS 99] | A | 4730 | | AS | 01-SEP-85 |
| | A-A-59452A | HOSE, METAL[CUST: MI] [REVIEW: CC] | A | 4720 | / | MI | 14-MAR-05 |
| | MIL-H-17666A | HOSE, METAL, CORRUGATED BRONZE, HIGH PRESSURE AIR SERVICE[CUST: SH] [REVIEW: CC] | A | 4720 | | SH | 14-NOV-66 |
| | A-A-59735 | HOSE, METALLIC[CUST: SH 99] [REVIEW: 71 CC SA YD] | A | 4720 | / | SH | 16-AUG-02 |
| | A-A-1889 | HOSE, NON METALLIC (FIRE, COTTON, DOUBLE JACKET | A | 4210 | # | FSS | 07-JAN-82 |
| | A-A-1888 | HOSE, NON METALLIC (FIRE, DOUBLE JACKET) | A | 4210 | # | FSS | 07-JAN-82 |
| | A-A-2158 | HOSE, NONMETALLIC (FIRE, SUCTION, HARD & SOFT) | A | 4210 | # | FSS | 30-NOV-83 |
| | MIL-PRF-26385F(1) | HOSE, OXYGEN AND PRESSURIZATION, OZONE RESISTANT[CUST: AT 99] [REVIEW: 11 CC] | A | 4720 | | 71 | 02-OCT-98 |
| | SAE-AMS3380 | HOSE, POLYTETRAFLUOROETHYLENE TFE FLUOROCARBON RESIN WIRE BRAID REINFORCED[CUST: 99 CC] [REVIEW: 71 CR4 SH] | A | 4720 | | CC | 01-APR-91 |
| A | QPL-27267-21 | HOSE, POLYTETRAFLUOROETHYLENE, 450 DEG. F, MEDIUM PRESSURE | A | 4720 | | CC | 26-OCT-05 |
| | MIL-DTL-27267C | HOSE, POLYTETRAFLUOROETHYLENE, 450DEG F, MEDIUM PRESSURE[CUST: AV AS 99 CC] [REVIEW: 71 AR AT EA MC MI SA SH] | A | 4720 | | CC | 26-SEP-03 |
| | QPL-83298-11 | HOSE, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE HIGH PRESSURE (3000 PSI), HYDUAULIC AND PNEUMATIC | A | 4720 | | CC | 28-APR-05 |
| | MIL-DTL-83298B | HOSE, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC[CUST: AV AS 99] [REVIEW: 71 MC SA] | A | 4720 | | CC | 29-SEP-00 |
| | A-A-52546/1 NOT 1 | HOSE, PREFORMED, AIR CLEANER, SEMI-FLEXIBLE, HEAVY DUTY 517 KILOPASCALS (75 PSI) BURST[CUST: AT MC] [REVIEW: CC] | A | 4720 | / | AT | 19-APR-04 |
| | A-A-52546 NOT 1 | HOSE, PREFORMED: SEMI-FLEXIBLE, REINFORCED[CUST: AT] [REVIEW: CC CD] | A | 4720 | / | AT | 19-APR-04 |
| D | ASTM-D380 | HOSE, RUBBER[CUST: MR YD 11] [REVIEW: 84 AT AV CR4 GL OS SH] | A | 9320 | | CC | 30-OCT-87 |
| | MIL-DTL-6000C | HOSE, RUBBER (FUEL, OIL, COOLANT, WATER AND ALCOHOL)[CUST: AT AS 99] [REVIEW: 71 MI] | A | 4720 | | CC | 10-DEC-98 |
| | QPL-6000-25 | HOSE, RUBBER (FUEL, OIL, COOLANT, WATER AND ALCOHOL) | A | 4720 | | CC | 31-MAY-05 |
| | MIL-DTL-13531F(1) | HOSE, RUBBER AND HOSE ASSEMBLY, RUBBER (HYDRAULIC, PNEUMATIC, FLEXIBLE)[CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV MC MI SA] | A | 4720 | | CC | 31-MAY-05 |
| A | QPL-13531-39 | HOSE, RUBBER AND HOSE ASSEMBLY, RUBBER (HYDRAULIC, PNEUMATIC, FLEXIBLE) | A | 4720 | | CC | 26-OCT-05 |
| | SAE-AS6439 | HOSE, RUBBER, AIRCRAFT PAINT FINISH REMOVER[CUST: 99 CC] [REVIEW: 71] | A | 4720 | | CC | NOV-99 |
| | A-A-59566 | HOSE, RUBBER, AND HOSE ASSEMBLIES, RUBBER, SMOOTH BORE, WATER SUCTION AND DISCHARGE[CUST: AT SH 99 CC] [REVIEW: 71 MC SA] | A | 4720 | / | CC | 02-JUL-01 |
| | A-A-59565 | HOSE, RUBBER, AND HOSE ASSEMBLIES, RUBBER: PNEUMATIC (YARN OR FABRIC REINFORCED)[CUST: AR SH 99 CC] [REVIEW: 71 AT MC SA] | A | 4720 | / | CC | 03-JUL-01 |
| | MIL-DTL-52471/4B NOT 1 | HOSE, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R1 SINGLE-WIRE-BRAID REINFORCEMENT HOSE[CUST: AT SH 99 CC] [REVIEW: AR] | A | 4720 | | CC | 06-OCT-03 |
| | MIL-DTL-52471/5B(1) | HOSE, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R2 DOUBLE-WIRE-BRAID REINFORCEMENT HOSE[CUST: AT SH 99 CC] [REVIEW: AR GL] | A | 4720 | | CC | 28-AUG-01 |
| | MIL-DTL-52471/7A NOT 1 | HOSE, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100RE FOUR-SPIRAL-WRAP REINFORCEMENT HOSE[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4720 | | CC | 06-OCT-03 |
| A | QPL-8788-22 | HOSE, RUBBER, HYDRAULIC, HIGH PRESSURE (3,000 PSI) | A | 4720 | | CC | 06-JAN-06 |
| | MIL-DTL-8788D | HOSE, RUBBER, HYDRAULIC, HIGH PRESSURE (3,000 PSI)[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A | 4720 | | CC | 06-APR-01 |
| | MIL-DTL-83797B | HOSE, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 11 71 AT SA] | A | 4720 | | CC | 18-SEP-00 |
| A | QPL-83797-16 | HOSE, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR | A | 4720 | | CC | 27-JUL-05 |
| | MIL-H-28693 | HOSE, RUBBER, OIL AND GASOLINE DISCHARGE, SMOOTH BORE, LIGHTWEIGHT BUOYANT TYPE, LONGITUDINALLY REINFORCED, 6 INCH[CUST: YD] | A | 4720 | | CC | 29-MAR-93 |
| | MIL-H-22240F(1) | HOSE, RUBBER, PETROLEUM BASED FUELS & WATER SERVICES, DISCHARGE ONLY, SMOOTH BORE, LIGHTWEIGHT BUOYANT TYPE[CUST: SH] [REVIEW: CC] | A | 4720 | | SH | 15-FEB-89 |
| | FED-STD-162A(1) NOT 2 | HOSE, RUBBER, VISUAL INSPECTION GUIDE FOR[CUST: CR4 SH 11] [REVIEW: YD] | A | 4720 | / | SH | 20-FEB-91 |
| | SAE-AS6399 | HOSE, RUBBER, WIRE-WOUND, SYNTHETIC, ICE ELIMINATING SYSTEM[CUST: AV AS 99 CC] [REVIEW: 71] | A | 4720 | | CC | JUL-99 |
| | MIL-DTL-52471/9A NOT 1 | HOSE, RUBBER: HYDRAULIC PRESSURE-TYPE; TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE[CUST: CR4 SH 99 CC] [REVIEW: 71 AR] | A | 4720 | | CC | 06-OCT-03 |
| | SAE-ARP6002 | HOSE, STANDARD, MARKING, AIRCRAFT[CUST: AS 99 CC] [REVIEW: 11 71 MC SA] | A | 4720 | | CC | NOV-99 |
| | MIL-H-24136/3A | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED FOR FLEXIBLE HOSE ASSEMBLIES (LOW PRESSURE SIZES -4 THR0UGH -32)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24136/1A | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED FOR FLEXIBLE HOSE ASSEMBLIES (LOW PRESSURE SIZES -80 THROUGH -192)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | QPL-24136-36 | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR | A | 4720 | | SH | 28-SEP-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-H-24136B | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24136/2A | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (HIGH PRESSURE SIZES -4 THROUGH -32)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24136/4A | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (LOW PRESSURE SIZES -40, -48 AND -64)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135B SUP 1 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/5A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE WIRE BRAID, PERFORATED COVER, FOR HIGH PRESSURE GAS, SIZES -4 THROUGH -32)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/1A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE WIRE BRAID OR TWO-SPIRAL AND ONE-WIRE BRAID, HIGH PRESSURE SIZES -4 THROUGH -32)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/6A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE WIRE BRAID OR TWO-SPIRAL AND ONE-WIRE BRAID, HIGH PRESSURE, SIZES -4 THROUGH -32 FOR PHOSPHATE ESTER BASE HYDRAULIC FLUIDS)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/4A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE WIRE BRAID) MEDIUM PRESSURE, SIZES -40, -48 AND -64)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/9A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR PLIES, HEAVY SPIRAL WRAPPED WIRE, HIGH PRESSURE, SIZES -8 THROUGH -32)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/7A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR HEAVY SPIRAL WRAP, HIGH PRESSURE, SIZES -20, -24 AND -32, FOR PHOSPHATE ESTER BASE FLUIDS)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/2A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR PLIES SPIRAL WRAPPED, OR TWO SPIRAL AND ONE-WIRE BRAID, HIGH PRESSURE, SIZES -6 THROUGH -16)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/8A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR PLIES, SPIRAL WRAPPED WIRE, HIGH PRESSURE, SIZES -6 THROUGH -16, FOR PHOSPHATE ESTER BASE FLUIDS)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/3A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR PLIES SPIRAL WRAPPED, HIGH PRESSURE, SIZES -16 THROUGH -32)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/10A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (SINGLE OR DOUBLE WIRE BRAID MEDIUM PRESSURE, SIZES -4 THROUGH -48)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| M | QPL-24135-39 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES GENERAL SPECIFICATION FOR | A | 4720 | | SH | 08-FEB-06 |
| | MIL-H-24135/11 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES, (FOUR PLY, SPIRAL WIRE WRAP, LOW PRESSURE, SIZES -80 AND -96)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/13 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, HIGH PERFORMANCE FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE WIRE BRAID, HIGH PRESSURE, HIGH TEMPERATURE, MULTI-BASED OIL, SIZES -4 THROUGH -32)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | MIL-H-24135/12 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, HIGH PERFORMANCE, FOR FLEXIBLE HOSE ASSEMBLIES (SINGLE WIRE BRAID OVER SINGLE SYNTHETIC FIBER BRAID MEDIUM PRESSURE, HIGH TEMPERATURE, MULTI-FLUID, SIZES -4 THROUGH -40)[CUST: SH] | A | 4720 | | SH | 03-SEP-93 |
| | SAE-J20 | HOSES, COOLANT SYSTEM[CUST: 99 CC] [REVIEW: 71 CR4 SA SH] | A | 4720 | | CC | 15-NOV-93 |
| | SAE-J1942 | HOSES, QUALIFIED, FOR MARINE APPLICATIONS[CUST: AT SH 99 CC] [REVIEW: 71 MC SA] | A | 4720 | | CC | 30-SEP-02 |
| | ASTM-D3738 | HOSPITAL SHEETING, RUBBER-COATED CLOTH[CUST: MR IS] [REVIEW: CR4 EA MD] | A | 9320 | | IS | 22-JUN-90 |
| | MIL-HDBK-401 NOT 2 | HOT ISOSTATIC PROCESSING (CONTROLLED DISTRIBUTION)[CUST: AT] | X | CMPS | | AT | 13-APR-04 |
| A | A-A-20097E | HOT SAUCE[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8950 | / | SS | 28-DEC-05 |
| | NSF5 | HOT WATER GENERATING AND HEAT RECOVERY EQUIPMENT[CUST: GL YD 99] [REVIEW: 84 CG GS MC MD MS SA] | A | 7320 | | SS | 27-NOV-91 |
| | ASTM-F860 | HOT WATER SANITIZING COMMERCIAL DISHWASHING MACHINES, MULTIPLE TANK, RACKLESS CONVEYOR TYPE[CUST: GL YD 99] [REVIEW: 84 CE CG GS MC MD MS SA] | A | 7320 | | SS | 15-NOV-91 |
| | ASTM-F858 | HOT WATER SANITIZING COMMERCIAL DISHWASHING MACHINES, SINGLE TANK, CONVEYOR RACK TYPE[CUST: GL YD 99] [REVIEW: 84 CE CG GS MC MD MS] | A | 7320 | | SS | 12-NOV-91 |
| | ASTM-A786/A786M | HOT-ROLLED CARBON, LOW-ALLOY, HIGH-STRENGTH LOW-ALLOY, AND ALLOY STEEL FLOOR PLATES[CUST: MR SH] [REVIEW: AT CR4 EA IS MI YD] | A | 9515 | | SH | 10-DEC-00 |
| | ASTM-D1308 | HOUSEHOLD CHEMICALS ON CLEAR AND PIGMENTED ORGANIC FINISHES, EFFECT OF[CUST: MR SH 11] [REVIEW: AS CR4 YD] | A | 8010 | | MR | 29-MAY-87 |
| | UL1082 | HOUSEHOLD ELECTRIC COFFEE MAKERS & BREWING TYPE APPLIANCES[CUST: GL YD 99] [REVIEW: GS] | A | 7320 | | GL | 05-FEB-76 |
| | UL858 | HOUSEHOLD ELECTRIC RANGES[CUST: GL YD 99] [REVIEW: MD] | A | 7310 | | GL | 1-SEP-93 |
| | UL174 | HOUSEHOLD ELECTRIC STORAGE TANK WATER HEATERS[CUST: GL YD 99] | A | 4520 | | IS | 15-NOV-89 |
| | UL250 | HOUSEHOLD REFRIGERATORS & FREEZERS[CUST: GL 99] | A | 4110 | | GL | 01-NOV-93 |
| | MIL-L-3661/45(1) NOT 1 | HOUSINGS, INDICATOR-LIGHT, 2-LAMP, STYLE LH87[CUST: CR AS 99 IS] [REVIEW: 71 CR4 MC] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/8B NOT 1 | HOUSINGS, INDICATOR-LIGHT, STYLE LH76[CUST: CR4 AS 99 IS] [REVIEW: 11 AR EA MC MI] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/9B NOT 1 | HOUSINGS, INDICATOR-LIGHT, STYLE LH77[CUST: CR AS 99 IS] [REVIEW: 11 AR CR4 EA MC MI] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/10A NOT 2 | HOUSINGS, INDICATOR-LIGHT, STYLE LH79[CUST: CR EC 11 IS] [REVIEW: AS CR4 MC] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/38A NOT 2 | HOUSINGS, INDICATOR-LIGHT, STYLE LH80[CUST: CR AS 11 IS] [REVIEW: CR4 MC] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/48B NOT 2 | HOUSINGS, INDICATOR-LIGHT, STYLE LH90[CUST: CR AS 99 IS] [REVIEW: 11 71 CR4 MC MI] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-H-70795(1) | HOWITZER, LIGHT, TOWED, 105MM: M119A1[CUST: AR] | C | 1015 | | AR | 24-FEB-93 |
| | MIL-H-45374E | HOWITZER, MEDIUM, SELF-PROPELLED, 155-MM: M109, M109A1, M109A1B, M109A2, M109A3, AND M109A5[CUST: AR] | A | 2350 | | AR | 01-DEC-92 |
| | MIL-HDBK-368 | HPLC OF PMR-15 POLYIMIDE RESIN AND PREPREGS[CUST: MR AS 11] | X | CMPS | | MR | 04-SEP-98 |
| | MIL-DTL-40082C | HUBS AND DIES FOR HERALDIC ITEMS[CUST: IH NU 11] [REVIEW: CG MC] | A | 8455 | | IH | 16-MAY-03 |
| | SAE-AS10051 | HUBS, CONDUIT CONNECTION, STANDARD DIMENSIONS[CUST: AV AS 11] [REVIEW: GS] | A | 5975 | | AS | MAR-98 |
| | MIL-H-21367/18 NOT 1 | HULL FITTING, BLANKING PLUGS FOR STUFFING TUBE MX7637/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367/17 NOT 1 | HULL FITTING, BLANKING PLUGS FOR STUFFING TUBES MX2326/U, MS2327/U, AND MX2646/U, FOR FLEXIBLE SOLID-DIELECTRIC RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367/19 NOT 1 | HULL FITTING, CONNECTOR, ADAPTER, TYPE UG1404/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 17-DEC-90 |
| | MIL-H-21367/15 | HULL FITTING, CONNECTOR, END SEAL TYPE MX1203/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 18-OCT-85 |
| | MIL-H-21367/16 | HULL FITTING, CONNECTOR, END SEAL TYPE MX2632/U FOR FLEXIBLE, SOLID - DIELECTRIC, RADIO - FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 18-OCT-85 |
| | MIL-H-21367/25 | HULL FITTING, CONNECTOR, PLUG (JACK), TYPE UG-1423/U, FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 18-OCT-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-H-21367/24 NOT 1 | HULL FITTING, CONNECTOR, PLUG TYPE UG-1421/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 17-DEC-90 |
| | MIL-H-21367/26 | HULL FITTING, CONNECTOR, PLUG TYPE UG-1424/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 18-OCT-85 |
| | MIL-H-21367/22 NOT 1 | HULL FITTING, CONNECTOR, PLUG, TYPE UG-1407/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 17-DEC-90 |
| | MIL-H-21367/23 | HULL FITTING, CONNECTOR, RECEPTACLE TYPE UG-1408/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 18-OCT-85 |
| | MIL-H-21367/21 NOT 1 | HULL FITTING, CONNECTOR, RECEPTACLE, TYPE UG-1406/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 17-DEC-90 |
| | MIL-H-21367/28 | HULL FITTING, CONNECTOR, RECEPTACLE, TYPE UG-1495/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 18-OCT-85 |
| | MIL-H-21367/12 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX2326/U (LONG BODY) FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367/11 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX2326/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367/10 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX2327/U (LONG BODY), FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367/14 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX2646/U (LONG BODY), FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367/13 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX2646/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367/7 | HULL FITTING, STUFFING TUBE, TYPE MX7637/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 18-OCT-85 |
| | MIL-H-21367/1 | HULL FITTING, STUFFING TUBE, TYPE MX8208/U FOR FLEXIBLE, SOLID DIELECTRIC, RADIO FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 18-OCT-85 |
| | MIL-H-21367/2 | HULL FITTING, STUFFING TUBE, TYPE MX8209/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 18-OCT-85 |
| | MIL-H-21367/3 | HULL FITTING, STUFFING TUBE, TYPE MX8210/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 18-OCT-85 |
| | MIL-H-21367/4 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX8211/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367/5 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX8212/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367/6 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX8213/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367/20 | HULL FITTINGS, CONNECTOR, PLUG, TYPE UG-14 5/U, FOR FLEXIBLE, SOLID - DIELECTRIC, RADIO - FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 18-OCT-85 |
| | MIL-H-21367/27 | HULL FITTINGS, CONNECTOR, RECEPTACLE, TYPE UG-1439/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE[CUST: SH] | A | 5935 | | SH | 18-OCT-85 |
| | MIL-H-21367/9 NOT 1 | HULL FITTINGS, STUFFING TUBE, TYPE MX2327/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367/8 NOT 1 | HULL FITTINGS, STUFFING TUBE, TYPE MX7637/U, LONG BODY, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-DEC-90 |
| | MIL-H-21367E SUP 1 | HULL FITTINGS: CONNECTORS, ADAPTER, END SEALS, AND STUFFING TUBES FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLES[CUST: SH] [REVIEW: CC] | A | 5935 | | SH | 18-OCT-85 |
| | DI-HFAC-81203 | HULL MOUNTED SONAR SELF-NOISE REPORT [AMSC: N6128] | A | HFAC | | SH | 03-MAY-91 |
| | MIL-DTL-24784/12B | HULL, MECHANICAL AND ELECTRICAL (HM&E) EQUIPMENT AND SINGLE COMPONENT MANUAL REQUIREMENTS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | MIL-DTL-24784/17B | HULL, MECHANICAL, AND ELECTRICAL (HM&E) SYSTEMS AND ELECTRONIC AND INTERIOR COMMUNICATION (IC) SYSTEMS MANUAL REQUIREMENTS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | MIL-STD-1472F(1) | HUMAN ENGINEERING[Design Criteria Standard][CUST: MI AS 11] [REVIEW: 01 10 13 19 AR AT AV CG CR DC2 DH EA EC GL HS MC MD MP MR ND NS OS PE PT SE SH TD TE TM] | A | HFAC | | MI | 05-DEC-03 |
| | ADV-PUB-61/116/22 | HUMAN ENGINEERING AUDIT - QUALITY ASSESSMENT FOR ADVANCED AIRCREW SYSTEMS | C | ISDF | | 06 | 14-MAR-01 |
| | DI-HFAC-80746B | HUMAN ENGINEERING DESIGN APPROACH DOCUMENT - OPERATOR [AMSC: A7320] | A | HFAC | | AM | 08-JUL-98 |
| | DI-HFAC-80747B | HUMAN ENGINEERING DESIGN APPROACH DOCUMENT-MAINTAINER [AMSC: A7321] | A | HFAC | | AM | 08-JUL-98 |
| | STANAG-3705 ED.3(2) | HUMAN ENGINEERING DESIGN CRITERIA FOR CONTROLS AND DISPLAYS IN AIRCREW STATIONS | C | ISDF | | 06 | 31-JUL-92 |
| | AIR-STD-61/116/6D(1) | HUMAN ENGINEERING DESIGN CRITERIA FOR THE USE OF AIRCREW STATION CONTROLS AND DISPLAYS | C | ISDF | | 06 | 12-JAN-88 |
| | MIL-HDBK-759C(2) | HUMAN ENGINEERING DESIGN GUIDELINES[CUST: MI AS 11 DC] [REVIEW: AM AR AT AV CR EA EC GL MC MD NA OS PE PT SH TD TE TM YD] | A | HFAC | | MI | 31-MAR-98 |
| | MIL-HDBK-46855A NOT 1 | HUMAN ENGINEERING PROGRAM PROCESS AND PROCEDURES[CUST: MI AS 11] [REVIEW: 01 13 19 AR AT AV CG CR DC2 DH EA EC GL HS MC MD MP MR ND NS OS PE PT SE SH TD TE TM] | A | HFAC | | MI | 19-FEB-04 |
| | DI-HFAC-80742B | HUMAN ENGINEERING SIMULATION CONCEPT [AMSC: A7316] | A | HFAC | | AM | 08-JUL-98 |
| | DI-HFAC-80745B | HUMAN ENGINEERING SYSTEM ANALYSIS REPORT [AMSC: A7319] | A | HFAC | | AM | 08-JUL-98 |
| | ADV-PUB-61/116/18 | HUMAN ENGINEERING TEST AND EVALUATION PROCEDURES FOR SYSTEMS, EQUIPMENT AND FACILITIES | C | ISDF | | 06 | 17-JUL-97 |
| | DI-HFAC-80743B | HUMAN ENGINEERING TEST PLAN [AMSC: A7317] | A | HFAC | | AM | 08-JUL-98 |
| | DI-HFAC-80744B | HUMAN ENGINEERING TEST REPORT [AMSC: A7318] | A | HFAC | | AM | 08-JUL-98 |
| | ADV-PUB-61/116/11 | HUMAN FACTORS ASPECTS OF MISSION PLANNING SYSTEMS | C | ISDF | | 06 | 30-APR-96 |
| | SAE-J833 | HUMAN PHYSICAL DIMENSIONS[CUST: CR4 YD 99] [REVIEW: 84] | A | HFAC | | CR4 | MAY-89 |
| | ADV-PUB-61/102/15 | HUMAN TOLERANCE TO PARACHUTE OPENING SHOCK INCLUDING CRITERIA FOR PARACHUTE OPENING INJURY | C | ISDF | | 06 | 20-SEP-90 |
| | ADV-PUB-61/103/4(1) | HUMAN TOLERANCE TO REPEATED MECHANICAL SHOCK (WITH CHANGE 1) | C | ISDF | | 06 | 18-AUG-82 |
| | A-A-53490 | HUMIDIFIER, HYGROSCOPIC[CUST: MD MS 03] | A | 6515 | / | MB | 17-JUN-88 |
| | A-A-51545B | HUMIDIFIER, INHALATION THERAPY APPARATUS[CUST: MD MS 03] | A | 6515 | / | MB | 24-MAR-89 |
| | MIL-H-42067 | HUMIDIFIER, OPERATING ROOM[CUST: MD MS 03] | A | 4520 | | MB | 15-JUN-89 |
| | A-A-54794 | HUMIDIFIER, OXYGEN DIFFUSER TYPE[CUST: MD MS 03] | A | 6515 | / | MB | 15-JAN-93 |
| | A-A-54981 | HUMIDIFIER, PORTABLE (THERAPEUTIC)[CUST: MD MS 03] | A | 6530 | / | MB | 20-JAN-95 |
| | UL998 | HUMIDIFIERS[CUST: MD YD 03] | A | 6515 | | YD | 22-AUG-91 |
| | ARI-GUIDELINE-F | HUMIDIFIERS , SELECTION, INSTALLATION, AND SERVICING OF RESIDENTIAL[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | ANSI-Z79.9 | HUMIDIFIERS AND NEBULIZERS FOR MEDICAL USE, AMERICAN NATIONAL STANDARD FOR[CUST: MD MS 03] | A | 6530 | | MB | 30-MAY-86 |
| | ARI620 | HUMIDIFIERS FOR RESIDENTIAL APPLICATIONS, SELF-CONTAINED[CUST: YD] | A | FACR | | YD | 26-JUL-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| M | QML-38534-56 | HYBRID MICROCIRCUITS, GENERAL REQUIREMENTS FOR | A | 5962 | | CC | 31-MAR-06 |
| M | MIL-PRF-38534F | HYBRID MICROCIRCUITS, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-APR-06 |
| | UL246 | HYDRANTS FOR FIRE-PROTECTION SERVICE[CUST: CR4 YD 99] [REVIEW: 84 CC] | A | 4210 | | IS | 02-JUN-93 |
| | ASSE1019 | HYDRANTS, WALL, FROST PROOF AUTOMATIC DRAINING, ANTI- BACKFLOW TYPES[CUST: YD] | A | 4510 | | IS | 01-MAR-91 |
| | SAE-J518 | HYDRAULIC FLANGED TUBE, PIPE AND HOSE CONNECTIONS, FOUR-BOLT SPLIT FLANGE TYPE[CUST: AT 99] [REVIEW: CR4 SH] | A | 4730 | | CC | 04-JUN-93 |
| | NFPA-T2.7.2 | HYDRAULIC FLUID POWER - PUMPS - DETERMINATION OF FLUID PRESSURE FLUCTUATION CHARACTERISTICS[CUST: MR SH 99] [REVIEW: AS CG MC OS] | A | NDTI | | SH | 12-SEP-95 |
| | NFPA-T2.12.10 | HYDRAULIC FLUID POWER - SYSTEMS AND PRODUCTS - TESTING GENERAL MEASUREMENT, PRINCIPLES AND TECHNIQUES - RECOMMENDED PRACTICE[CUST: MR SH 99] [REVIEW: CC] | A | NDTI | | SH | 22-MAR-93 |
| | NFPA-T3.5.45 | HYDRAULIC FLUID POWER - TWO-PORT SLIP-IN CARTRIDGE VALVES - CAVITIES[CUST: AV SH 99] | A | 4820 | | SH | 08-FEB-96 |
| | NFPA-T2.24.1 | HYDRAULIC FLUID POWER-SYSTEMS STANDARD FOR STATIONARY INDUSTRIAL MACHINERY[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 26-JUL-90 |
| | A-A-59290 | HYDRAULIC FLUID, ARRESTING GEAR[CUST: AR AS 11] [REVIEW: GS MI] | A | 9150 | / | AS | 21-JUL-98 |
| | MIL-PRF-32073 | HYDRAULIC FLUID, BIODEGRADABLE[CUST: AT AS 68] [REVIEW: 03 AV DP DS GS MC MD MI OS SA SH SM] | A | 9150 | | AT | 09-MAR-01 |
| A | QPL-32073-4 | HYDRAULIC FLUID, BIODEGRADABLE | A | 9150 | | AT | 15-AUG-05 |
| | QPL-22072-12 | HYDRAULIC FLUID, CATAPULT NATO CODE NUMBER H-579 | A | 9150 | | AS | 14-NOV-03 |
| | MIL-H-22072C NOT 1 | HYDRAULIC FLUID, CATAPULT, NATO CODE NUMBER H-579[CUST: AS] [REVIEW: GS] | A | 9150 | | AS | 24-OCT-91 |
| | MIL-PRF-27601C | HYDRAULIC FLUID, FIRE RESISTANT, HYDROGENATED POLYALPHAOLEFIN BASE, HIGH TEMPERATURE, FLIGHT VEHICLE, METRIC[CUST: AT AS 11] [REVIEW: 68 AR EA GS MI OS SH] | A | 9150 | | 11 | 17-FEB-98 |
| | QPL-83282-17 | HYDRAULIC FLUID, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE, METRIC NATO CODE NUMBER H-537 | A | 9150 | | AS | 01-DEC-04 |
| | MIL-PRF-83282D(1) | HYDRAULIC FLUID, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE, METRIC, NATO CODE NUMBER H-537[CUST: AT AS 11 GS] [REVIEW: 68 AR AV MI SH] | A | 9150 | | AS | 10-DEC-97 |
| | QPL-87257-1 | HYDRAULIC FLUID, FIRE RESISTANT; LOW TEMPERATURE, SYNTHETIC HYDROCARBON BASE, AIRCRAFT AND MISSILE | A | 9150 | | 11 | 12-FEB-96 |
| | MIL-PRF-87257B | HYDRAULIC FLUID, FIRE RESISTANT; LOW TEMPERATURE, SYNTHETIC HYDROCARBON BASE, AIRCRAFT AND MISSILE[CUST: AT AS 11] [REVIEW: 68 GS MI OS PS SH] | A | 9150 | | 11 | 22-APR-04 |
| | MIL-H-19457D | HYDRAULIC FLUID, FIRE-RESISTANT, NON-NEUROTOXIC[CUST: SH] [REVIEW: GS] | A | 9150 | | SH | 12-APR-89 |
| | STANAG-3748 ED.3(3) | HYDRAULIC FLUID, PETROLEUM (H-515, H-520 AND C-635) AND POLYALPHAOLEFIN (H-537, H-538 AND H-544) | C | ISDF | | 06 | 17-OCT-95 |
| | QPL-5606-31(2) | HYDRAULIC FLUID, PETROLEUM BASE, AIRCRAFT; MISSILE AND ORDNANCE | A | 9150 | | 11 | 17-JAN-03 |
| | QPL-6083-23 | HYDRAULIC FLUID, PETROLEUM BASE, FOR PRESERVATION AND OPERATION | A | 9150 | | AT | 10-MAY-05 |
| | MIL-PRF-6083F NOT 1 | HYDRAULIC FLUID, PETROLEUM BASE, FOR PRESERVATION AND OPERATION[CUST: AT AS 68] [REVIEW: AR AV GS MC MD MI OS PS SA SH] | A | 9150 | | AT | 20-APR-04 |
| | QPL-27601-4 | HYDRAULIC FLUID, PETROLEUM BASE, HIGH TEMPERATURE, FLIGHT VEHICLE | A | 9150 | | 11 | 28-JAN-83 |
| | MIL-H-81019D(1) NOT 1 | HYDRAULIC FLUID, PETROLEUM BASE, ULTRA-LOW TEMPERATURE, METRIC[CUST: AT AS 68] [REVIEW: 11 99 GS MI PS] | A | 9150 | | AS | 31-JUL-02 |
| | MIL-PRF-17672D(3) | HYDRAULIC FLUID, PETROLEUM, INHIBITED[CUST: GL SH 68] [REVIEW: AS AT CR4 GS] | A | 9150 | | SH | 31-MAY-95 |
| | QPL-17672-69 | HYDRAULIC FLUID, PETROLEUM, INHIBITED | A | 9150 | | SH | 08-SEP-04 |
| | MIL-PRF-46170D | HYDRAULIC FLUID, RUST INHIBITED, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE, NATO CODE NO. H-544[CUST: AT AS 68] [REVIEW: 03 11 AR AV GS GS3 MC MD MI OS PS SA SH] | A | 9150 | | AT | 20-JUL-04 |
| | QPL-46170-12 | HYDRAULIC FLUID, RUST-INHIBITED, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE | A | 9150 | | AT | 10-MAY-05 |
| | A-A-59354 NOT 1 | HYDRAULIC FLUIDS, PETROLEUM BASE, FOR MACHINE TOOLS[CUST: AT AS 68] [REVIEW: AV GS MC MD NS OS PS SA SH SM] | A | 9150 | / | AT | 31-MAY-05 |
| | SAE-AS8775 | HYDRAULIC SYSTEM COMPONENTS, AIRCRAFT AND MISSILES, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 1650 | | AS | JUL-98 |
| | MIL-HDBK-2193 | HYDRAULIC SYSTEM COMPONENTS, SHIP[CUST: SH] | A | 4810 | | SH | 21-JUN-94 |
| | SAE-AS5440 | HYDRAULIC SYSTEMS, AIRCRAFT, DESIGN AND INSTALLATION REQUIREMENTS FOR[CUST: AV AS 99] [REVIEW: 11 71 CG GS MI] | A | 1650 | | AS | APR-98 |
| | SAE-J515 | HYDRAULIC, O-RING[CUST: AT SH 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 30-SEP-02 |
| | SAE-ARP24 | HYDRAULIC, PRESSURE DROP, DETERMINATION OF[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 1650 | | AS | 30-APR-84 |
| | MIL-H-22251 NOT 1 | HYDRAZINE SOLUTION (22-PERCENT)[CUST: SH] [REVIEW: GS] | F | 6810 | | SH | 28-JUN-90 |
| | MIL-H-24776 | HYDRAZINE TEST KIT, NAVAL SHIPBOARD (METRIC)[CUST: SH] [REVIEW: GS] | A | 6810 | | SH | 08-JUN-92 |
| | ASTM-D1319 | HYDROCARBON TYPES IN LIQUID PETROLEUM PRODUCTS BY FLUORESCENT INDICATOR ADSORPTION[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 15-APR-93 |
| | ASTM-D2503 | HYDROCARBONS BY THERMOELECTRIC MEASUREMENT OF VAPOR PRESSURE, RELATIVE MOLECULAR MASS (MOLECULAR WEIGHT) OF[CUST: CR4 AS 11] [REVIEW: 16 AM AV SH] | A | 91GP | | AS | 15-AUG-92 |
| | A-A-53737 | HYDROCHLOROTHIAZIDE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 30-SEP-88 |
| | O-H-795(2) | HYDROFLUORIC ACID, TECHNICAL | A | 6810 | # | FSS | 03-JUL-57 |
| | BB-H-886D | HYDROGEN[CUST: SH 68 GS3] | A | 6830 | / | GS3 | 11-JAN-01 |
| | ASTM-D3701 | HYDROGEN CONTENT OF AVIATION TURBINE FUELS BY LOW RESOLUTION NUCLEAR MAGNETIC RESONANCE SPECTROMETRY[CUST: PS] | A | 91GP | | PS | 15-MAR-92 |
| | ASTM-D4808 | HYDROGEN CONTENT OF LIGHT DISTILLATES, MIDDLE DISTILLATES, GAS OILS, AND RESIDUA BY LOW-RESOLUTION NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY[CUST: PS] | A | 91GP | | PS | 20-AUG-92 |
| | ASTM-D1018 | HYDROGEN IN PETROLEUM FRACTIONS[CUST: PS] | A | 91GP | | PS | 15-MAR-91 |
| | A-A-53707 | HYDROGEN PEROXIDE TOPICAL SOLUTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 16-SEP-88 |
| | ASTM-D853 | HYDROGEN SULFIDE AND SULFUR DIOXIDE CONTENT (QUALITATIVE) OF INDUSTRIAL AROMATIC HYDROCARBONS[CUST: MR SH 99] | A | 8010 | | MR | 15-OCT-91 |
| | IPC-TM650.2.6.17 | HYDROLYTIC STABILITY, FLEXIBLE PRINTED WIRING MATERIAL[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | MIL-H-16384E | HYDROMETER SETS AND PARTS, SYRINGE, LEAD-ACID STORAGE BATTERY TESTING[CUST: SH 99] [REVIEW: MC MI YD] | A | 6630 | | SH | 19-OCT-88 |
| | A-A-54796 | HYDROMETER, GRADUATED SCALE (SPECIFIC GRAVITY RANGE 1.196 TO 1.286)[CUST: MD MS 03] | A | 6630 | / | MB | 11-JAN-93 |
| | A-A-54076 | HYDROMETER, GRADUATED SCALE API GRAVITY[CUST: MD MS 03] | A | 6630 | / | MB | 29-JAN-90 |
| | ASTM-E100 | HYDROMETERS, ASTM[CUST: EA 99] [REVIEW: CR4 DP MD MS] | A | 6630 | | EA | 05-MAY-93 |
| | A-A-53608 | HYDROMETERS, GRADUATED SCALE (WITH THERMOMETER, API GRAVITY)[CUST: MD MS 03] | A | 6630 | / | MB | 10-AUG-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-F22 | HYDROPHOBIC SURFACE FILMS BY THE WATER-BREAK TEST[CUST: AS 11] | A | NDTI | | AS | 20-SEP-02 |
| | EIA364.39 | HYDROSTATIC TEST PROCEDURE FOR ELECTRICAL CONNECTORS, CONTACTS AND SOCKETS[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | MIL-H-85497 | HYDROXYL TERMINATED POLYBUTADIENE[CUST: AS] [REVIEW: GS MR] | A | 6810 | | AS | 06-OCT-81 |
| | ASTM-D1957 | HYDROXYL VALUE OF FATTY OILS AND ACIDS[CUST: AR SH 11] [REVIEW: GS] | A | 6810 | | SH | 27-MAR-86 |
| | A-A-53169 | HYDROXYZINE HYDROCHLORIDE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 27-AUG-87 |
| | ASTM-D280 | HYGROSCOPIC MOISTURE (AND OTHER MATTER VOLATILE UNDER THE TEST CONNDITIONS) IN - 30 OCT 81 REAPPROVED 1987[CUST: MR SH 99] | A | 8010 | | MR | 14-MAR-88 |
| | MIL-H-12732E | HYPOCHLORINATION UNIT, WATER PURIFICATION, FRAME MOUNTED, AUTOMATICALLY CONTROLLED 2 TO 100 GPM FLOW[CUST: AT YD 99] [REVIEW: 84 CC CE MD] | A | 4610 | | AT | 16-JAN-87 |
| | AWWA-B300 | HYPOCHLORITES, STANDARD FOR - 14 JUN 87[CUST: AR YD 99] [REVIEW: CR4 GS MC MD OS] | A | 6810 | | YD | 11-NOV-88 |
| | MIL-T-37923 | HYPODERMIC AUTO INJECTOR, DEMONSTRATION[CUST: MB] | A | 6910 | | MB | 31-OCT-78 |
| | MIL-H-37084 | HYPODERMIC INJECTION APPARATUS, JET, FOOT OPERATED[CUST: MD MS 03] | A | 6515 | | MB | 11-JUN-75 |
| | UL621 | ICE CREAM MAKERS, STANDARD FOR[CUST: GL YD 99] [REVIEW: 50 84] | A | 7310 | | SS | 25-FEB-92 |
| | MIL-I-00705D | ICE CREAM MIXES, REGULAR AND IMITATION, DEHYDRATED[CUST: GL SA 11] | A | 8910 | | GL | 18-DEC-69 |
| | A-A-20342 | ICE CREAM, SHERBET, FRUIT AND JUICE PRODUCTS, ICES AND NOVELTIES[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8910 | * | GL | 10-FEB-03 |
| | UL563 | ICE MAKERS[CUST: GL YD 99] | A | 4110 | | GL | 31-JUL-95 |
| | ASHRAE29 | ICE MAKERS, AUTOMATIC, METHODS OF TESTING[CUST: GL YD 99] | A | 4110 | | GL | 26-JUN-88 |
| | NSF12 | ICE MAKING EQUIPMENT, AUTOMATIC[CUST: GL YD 99] [REVIEW: 84 GS MD SA] | A | 4110 | | GL | 19-FEB-85 |
| | MIL-I-11867K | ICE MAKING MACHINE, CUBE[CUST: SA 99] [REVIEW: 84 GS MC MS] | A | 4110 | | SA | 23-JUN-86 |
| | A-A-59468 | ICE MAKING MACHINE, CUBE AND FLAKE (NAVAL SHIPBOARD)[CUST: SH] | A | 4110 | / | SH | 23-JUN-99 |
| | ARI810 | ICE-MAKERS, COMMERCIAL, AUTOMATIC[CUST: GL YD 99] | A | 4110 | | GL | 2000 |
| | A-A-59183 | ICEMAKER-DISPENSER WITH WATER DISPENSER ATTACHMENT (NAVAL SHIPBOARD)[CUST: SH] | A | 4110 | / | SH | 27-MAY-98 |
| | STANAG-7028 ED.3 | IDENTICAL AIRCRAFT FOR AIRCRAFT CROSS-SERVICING | C | ISDF | | 06 | 30-JAN-01 |
| | AIR-STD-44/47C(1) | IDENTIFICATION AND CONTROL OF AIRCRAFT PALLETS AND ASSOCIATED RESTRAINT EQUIPMENT DURING COMBINED AIRLIFT OPERATIONS (SC-M) | C | ISDF | | 06 | 29-SEP-92 |
| | STANAG-2369 ED.2(3) | IDENTIFICATION AND DISPOSAL OF SURFACE AND AIR MUNITIONS - AEODP-2 (INCLUDING AMENDMENTS 1 THRU 3) | C | ISDA | | AI | 16-FEB-94 |
| | SAE-AMS2810 | IDENTIFICATION AND PACKAGING ELASTOMERIC PRODUCTS[CUST: MR AS 11] | A | 9320 | | AS | 01-APR-88 |
| | SAE-AMS2817 | IDENTIFICATION AND PACKAGING, PREFORMED PACKINGS[CUST: SM AS 99 IS] | A | PACK | | SM | 01-APR-88 |
| | MIL-DTL-15024/3A | IDENTIFICATION CABLE BAND[CUST: AS 99] | A | 9905 | | AS | 27-MAR-98 |
| A | SAE-AMS2807 | IDENTIFICATION CARBON AND LOW-ALLOY STEELS, CORROSION AND HEAT RESISTANT STEELS AND ALLOYS SHEET, STRIP, PLATE, AND AIRCRAFT TUBING[CUST: MR SH 16 CC FSS] [REVIEW: 11 99 AR CR4 MC MI OS YD] | A | 4710 | | 16 | 01-AUG-05 |
| | ISO7810 | IDENTIFICATION CARDS PHYSICAL CHARACTERISTICS[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | ISO7811-1 | IDENTIFICATION CARDS- RECORDING TECHNIQUES-PART 1: EMBOSSING[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | SAE-AMS2804 | IDENTIFICATION CASTINGS[CUST: MR AS 99 IS] | A | MECA | | 84 | 01-OCT-91 |
| | MIL-STD-681D(1) | IDENTIFICATION CODING AND APPLICATION OF HOOKUP AND LEAD WIRE[Standard Practice][CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH] | A | 6145 | | CC | 19-JUN-00 |
| | SAE-AMS2808 | IDENTIFICATION FORGINGS[CUST: MR AS 11] | A | FORG | | MR | 10-OCT-91 |
| | SAE-AS478 | IDENTIFICATION MARKING METHODS[CUST: AT AS 19 IS] | A | MISC | | AS | 03-OCT-94 |
| | SAE-AMS-STD-184 | IDENTIFICATION MARKING OF ALUMINUM, MAGNESIUM AND TITANIUM[CUST: MR AS 16 IS FSS] [REVIEW: 99 AR CR4 MI OS SH YD] | A | 95GP | | 16 | 01-DEC-00 |
| | MIL-STD-642L | IDENTIFICATION MARKING OF COMBAT AND TACTICAL TRANSPORT VEHICLES[Standard Practice][CUST: AT YD 99] [REVIEW: CR4 MC MI] | A | 2310 | | AT | 15-MAY-91 |
| | SAE-AMS-STD-185 | IDENTIFICATION MARKING OF COPPER AND COPPER BASE ALLOY MILL PRODUCTS[CUST: MR AS 16 IS FSS] [REVIEW: 99 AR CR4 MI OS SH YD] | A | 95GP | | 16 | 01-DEC-00 |
| | ADV-PUB-25/51 | IDENTIFICATION MARKING OF MILITARY MATERIEL | C | ISDF | | 06 | 30-JUL-90 |
| A | MIL-STD-190C NOT 2 | IDENTIFICATION MARKING OF RUBBER PRODUCTS[Military Standard][CUST: MR SH 99] [REVIEW: AR AS AV EA GL MC ME OS YD1] | A | 9320 | | IS | 18-SEP-03 |
| A | MIL-STD-130M | IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY[Standard Practice][CUST: AR AS 16 DH] [REVIEW: 11 99 AT AV CC CR CR4 DP EA GS IS MC MI OS SA SH SM TD YD] | A | SESS | | 16 | 02-DEC-05 |
| | MIL-STD-792E NOT 2 | IDENTIFICATION MARKING REQUIREMENTS FOR SPECIAL PURPOSE COMPONENTS[Standard Practice][CUST: SH] | A | SESS | | SH | 20-JAN-93 |
| | MIL-STD-1647E | IDENTIFICATION MARKINGS FOR DOMESTICALLY MANUFACTURED BEARINGS, BALL, ANNULAR FOR INSTRUMENTS AND PRECISION COMPONENTS[Standard Practice][CUST: AT AS 99] [REVIEW: 84 GS LS] | A | 3110 | | AS | 21-APR-03 |
| | MIL-HDBK-131A NOT 1 | IDENTIFICATION MARKINGS FOR FASTENERS (HANDBOOK H-131)[CUST: AR SH 99 IS] | A | 5325 | | IS | 27-SEP-01 |
| A | MIL-STD-161G | IDENTIFICATION METHODS FOR BULK PETROLEUM PRODUCTS SYSTEMS INCLUDING HYDROCARBON MISSILE FUELS[Standard Practice][CUST: MI SA 68] [REVIEW: 99 GS PS YD] | A | 91GP | | 68 | 25-AUG-05 |
| | STANAG-3104 ED.6(6) | IDENTIFICATION OF AIRCRAFT AND MISSILE PIPELINES AND ELECTRICAL CONDUITS | C | ISDF | | 06 | 07-OCT-98 |
| | STANAG-3347 ED.5(4) | IDENTIFICATION OF AIRCRAFT ELECTRICAL CIRCUITS | C | ISDF | | 06 | 27-MAY-92 |
| | MIL-STD-685(2) NOT 3 | IDENTIFICATION OF CABLE USED FOR TRANSMISSION OF TELEPHONE, TELEGRAPH, AND TELETYPE SIGNALS[Standard Practice][CUST: CR SH 11] [REVIEW: 16 AS MC] | A | 6145 | | CC | 26-OCT-01 |
| | STANAG-2129 ED.7 | IDENTIFICATION OF LAND FORCES ON THE BATTLEFIELD AND IN AN AREA OF OPERATION | C | ISDA | | AI | 10-APR-02 |
| | SAE-AS269 | IDENTIFICATION OF MATERIAL FOR AN, MS, AND AS ENGINE AND PROPELLER STANDARD UTILITY PARTS AND ALSO FOR COMPANY PARTS[CUST: AT AS 99] | A | 29GP | | AS | 03-OCT-94 |
| | STANAG-2060 ED.2(3) | IDENTIFICATION OF MEDICAL MATERIAL FOR FIELD MEDICAL INSTALLATIONS | C | ISDA | | AI | 22-OCT-84 |
| | QSTAG-248 ED.2 | IDENTIFICATION OF MEDICAL MATERIEL TO MEET URGENT NEEDS[CUST: AI] | C | ISDA | | AI | 27-SEP-88 |
| | STANAG-2158 ED.4(3) | IDENTIFICATION OF MILITARY TRAINS | C | ISDA | | AI | 09-JUL-86 |
| | QSTAG-540 | IDENTIFICATION OF MOVEMENT CONTROL & TRAFFIC CONTROL PERSONNEL & AGENCIES (ABCA 540)[CUST: AI] | C | ISDA | | AI | 05-FEB-80 |
| | ASTM-D2245 | IDENTIFICATION OF OILS AND OIL ACIDS IN SOLVENT-REDUCIBLE PAINTS[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 25-MAY-90 |
| | FED-STD-187B | IDENTIFICATION OF PRESSED BENDS, FORMS, SEAMS, AND JOINTS, (SHEET METAL) | A | MISC | # | FSS | 03-JUN-63 |
| | STANAG-3673 ED.3(3) | IDENTIFICATION OF SOURCE DATA ON NAUTICAL AND SPECIAL NAVAL CHARTS | C | ISDF | | 06 | 26-JUN-89 |
| | SAE-AIR3260 | IDENTIFICATION OF STANDARD UTILITY PARTS - BOLTS & NUTS[CUST: AR AS 99] [REVIEW: AV] | A | 53GP | | IS | 01-NOV-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS2816 | IDENTIFICATION WELDING WIRE, TAB MARKING METHOD[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-OCT-93 |
| A | SAE-AMS2806 | IDENTIFICATION, BARS, WIRE, MECHANICAL TUBING, AND EXTRUSIONS CARBON AND ALLOY STEELS AND CORROSION AND HEAT RESISTANT STEELS AND ALLOYS[CUST: MR SH 16 CC FSS] [REVIEW: 11 99 AR CR4 MC MI OS YD] | A | 4710 | | 16 | 01-AUG-05 |
| | SAE-AMS2800 | IDENTIFICATION, FINISHED PARTS[CUST: AS 11 IS] | A | MISC | | IS | 01-APR-90 |
| | PIA-STD-905 | IDENTIFICATION: NYLON CORD, MANUFACTURES COLOR CODE[CUST: GL AS 11] | A | 8315 | | CT | 16-JAN-03 |
| | INFO-PUB-70/31 | IFF SUPPORT EQUIPMENT | C | ISDF | | 06 | 27-JAN-98 |
| | MIL-I-85365A(1) | IGNITER MARK 296 MODS (LOADED ASSEMBLY)[CUST: AS] | A | 1340 | | AS | 12-DEC-85 |
| | MIL-I-48145 NOT 2 | IGNITER TUBE[CUST: AR] | A | 1320 | | AR | 15-OCT-90 |
| | MIL-I-85889 | IGNITER, JET ASSISTED TAKE OFF (JATO) PROPULSION SYSTEM GENERAL DEVELOPMENT SPECIFICATION FOR[CUST: AS] | A | 1340 | | AS | 12-APR-88 |
| | MIL-PRF-60455C | IGNITER, MARK 125 MOD 5 PARTS FOR[CUST: OS] | D | 1340 | | OS | 09-JUN-97 |
| | MIL-I-23453(3) | IGNITER, MARK 188 MOD 0[CUST: AS] | A | 1340 | | AS | 27-MAR-84 |
| | MIL-DTL-85760A | IGNITER, MK 304 MOD 0[CUST: OS] | A | 1340 | | OS | 11-JUL-03 |
| | MIL-DTL-82951 | IGNITER, MK 311 MOD 0, LOADING, ASSEMBLING, AND PACKAGING[CUST: OS] | D | 1340 | | OS | 28-OCT-96 |
| | MIL-I-85547B | IGNITER, PVU-3A/E AND PVU-3B/E[CUST: OS] [REVIEW: AS] | A | 1370 | | OS | 30-NOV-90 |
| | MIL-I-85326 NOT 1 | IGNITER, ROCKET MOTOR, MARK 297 MOD O[CUST: AS] | A | 1337 | | AS | 10-APR-87 |
| | MIL-I-46958A(1) NOT 3 | IGNITER, ROCKET MOTOR, T21E2 PARTS FOR[CUST: AR] | A | 1340 | | AR | 31-OCT-96 |
| | MIL-I-81970 | IGNITION COMPOUND[CUST: AS] | A | 1325 | | AS | 05-APR-74 |
| | MIL-DTL-32011 | IGNITION DEVICE, PVU-8/A[CUST: OS] | A | 1377 | | OS | 14-NOV-97 |
| | MIL-I-60231B(2) NOT 2 | IGNITION ELEMENT, ELECTRIC, M55 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 19-OCT-99 |
| | MIL-DTL-81530B | IGNITION ELEMENT, ELECTRIC, MARK 11 MOD 0[CUST: OS] | A | 1377 | | OS | 24-AUG-00 |
| | MIL-I-81537(1) NOT 2 | IGNITION ELEMENT, ELECTRIC, MARK 13 MOD 0[CUST: OS] | A | 1377 | | OS | 29-JAN-01 |
| | MIL-DTL-81577B | IGNITION ELEMENT, ELECTRIC, MARK 17 MOD 0[CUST: OS] | A | 1377 | | OS | 20-APR-00 |
| | MIL-I-81803 NOT 2 | IGNITION ELEMENT, ELECTRICAL, MARK 14 MOD O[CUST: OS] | A | 1377 | | OS | 20-MAR-03 |
| | MIL-DTL-32114 | IGNITION MATERIAL, EX 98 FOR NITRAMINE-BASED PROPELLANT[CUST: OS] | D | 1376 | | OS | 22-NOV-02 |
| | MIL-I-23951(1) NOT 1 | IGNITION MATERIAL, PELLETED, PYROTECHNIC[CUST: AS] | A | 1336 | | AS | 25-SEP-91 |
| | MIL-PRF-82736A | IGNITION PELLETS, MAGNESIUM-FLUOROCARBON[CUST: OS] | A | 1376 | | OS | 16-NOV-88 |
| | ASTM-D1929 | IGNITION TEMPERATURE OF PLASTICS, DETERMINING[CUST: MR SH 11] [REVIEW: 99 AS AT AV CR CR4 GL GS MI OS YD] | A | 9330 | | MR | 10-JUL-96 |
| | AIR-STD-61/113/2H | ILLUMINATION OF AIRCREW STATIONS | C | ISDF | | 06 | 15-NOV-90 |
| | ANSI-PH3.705 | ILLUMINATION TESTS FOR PHOTOGRAPHIC STILL FRONT PROJECTION EQUIPMENT[CUST: CR AS 99] [REVIEW: 70] | A | 6730 | | AS | 20-FEB-84 |
| | A-A-51092A | ILLUMINATOR, X-RAY FILM (FOUR SECTION, MOBILE)[CUST: MD MS 03] | A | 6525 | / | MB | 15-JUN-90 |
| | A-A-51091A | ILLUMINATOR, X-RAY FILM SINGLE, 14 BY 17 INCHES[CUST: MD MS 03] | A | 6525 | / | MB | 30-MAY-89 |
| | MIL-I-36013B | ILLUMINATOR, X-RAY FILM, COLLAPSIBLE[CUST: MD MS 03 MB] | A | 6525 | | MB | 13-JUL-72 |
| | MIL-I-28947C | ILLUSTRATIONS FOR STOCK LIST PUBLICATIONS: PREPARATION OF[CUST: MC] | A | TMSS | | MC | 19-MAY-93 |
| | MIL-PRF-49040F | IMAGE INTENSIFIER ASSEMBLY 25 MILLIMETER, MICROCHANNEL INVERTER MX-9644/UV[CUST: CR EC] | A | 5855 | | CR | 04-MAR-99 |
| | MIL-PRF-49052G | IMAGE INTENSIFIER ASSEMBLY, 18 MILLIMETER MICROCHANNEL WAFER, MX-9916/UV[CUST: CR AS] | A | 5855 | | CR | 04-MAR-99 |
| | STANAG-7042 ED.2 | IMAGE INTENSIFYING NIGHT VISION DEVICES FOR AIRCRAFT | C | ISDF | | 06 | 30-JAN-01 |
| | AIR-STD-80/22 | IMAGERY AIR RECONNAISSANCE TAPE RECORDER | C | ISDF | | 06 | 29-APR-96 |
| | STANAG-7024 ED.2 | IMAGERY AIR RECONNAISSANCE TAPE RECORDER STANDARD | C | ISDF | | 06 | 02-AUG-01 |
| | INFO-PUB-80/27 | IMAGERY INTEROPERABILITY ARCHITECTURE PROGRAMME FOR ASCC INTELLIGENCE, SURVEILLANCE AND RECONNAISSANCE (ISR) SYSTEMS | C | ISDF | | 06 | 14-OCT-99 |
| | AIR-STD-80/17 | IMAGERY INTERPRETABILITY RATING SCALE | C | ISDF | | 06 | 25-JUN-93 |
| | ASTM-E1441 | IMAGING, COMPUTED TOMOGRAPHY (CT)[CUST: MR AS 11] | A | NDTI | | AS | 10-DEC-97 |
| | MIL-I-85492 | IMINE CURING/BONDING AGENT[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 06-OCT-81 |
| | A-A-54656 | IMMERSION OIL, MICROSCOPY[CUST: MD MS 03] | A | 6640 | / | MB | 15-MAY-92 |
| | EIA-RS455.15 | IMMERSION, ALTITUDE[CUST: CR AS 11] [REVIEW: 19 EC MC SH TE] | A | 60GP | | CR | 15-JUL-85 |
| | ASTM-D1709 | IMPACT RESISTANCE OF PLASTIC FILM BY THE FREE-FALLING DART METHOD[CUST: GL SH 99] | A | 9330 | | GL | 03-OCT-94 |
| | EIA364.42 | IMPACT TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: AV MI] | A | 5935 | | CC | 29-JUN-01 |
| | SAE-J211 | IMPACT TEST, INSTRUMENTATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 6635 | | AS | OCT-94 |
| | A-A-53646 | IMPLANT, ARTERIAL (STRAIGHT, KNITTED POLYESTER)[CUST: MD MS 03] | A | 6515 | / | MB | 15-AUG-88 |
| | A-A-54838A | IMPLANT, MESH, SURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 31-JAN-94 |
| | A-A-54963 | IMPLANT, ORBITAL, SPHERE (MULES)[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUN-94 |
| | QPL-17563-39 | IMPREGNANTS FOR CAST OR POWDER METAL COMPONENTS | A | 6850 | | SH | 21-JUN-05 |
| | MIL-I-17563C | IMPREGNANTS FOR CAST OR POWER METAL COMPONENTS[CUST: EA SH] [REVIEW: AS GS MR OS] | A | 6850 | | SH | 18-SEP-92 |
| | A-A-59299 | IMPREGNATED WADDING, METAL POLISH[CUST: GL AS] [REVIEW: MD] | A | 7920 | / | AS | 14-AUG-98 |
| A | MIL-STD-276A | IMPREGNATION OF POROUS METAL CASTINGS AND POWDERED METAL COMPONENTS[Design Criteria Standard][CUST: MR SH] [REVIEW: AR AS AT EA MI OS] | A | 9540 | | SH | 30-DEC-92 |
| | NACE-RP0388 | IMPRESSED CURRENT CATHODIC PROTECTION OF INTERNAL SUBMERGED SURFACES OF CARBON STEEL WATER TANKS[CUST: YD] | A | FACR | | YD | 29-JUL-04 |
| | A-A-51566 | IMPRESSION MATERIAL, DENTAL (AGAR TYPE)[CUST: MD MS 03] | A | 6520 | | MB | 28-JUL-86 |
| | A-A-51266 | IMPRESSION MATERIAL, DENTAL (CARTRIDGE FORM, HYDROCOLLOID, AGAR TYPE)[CUST: MD MS 03] | A | 6520 | / | MB | 09-DEC-85 |
| | A-A-51310B | IMPRESSION MATERIAL, DENTAL (MODELING COMPOUND)[CUST: MD MS 03] | A | 6520 | / | MB | 15-MAY-92 |
| | A-A-54968 | IMPRESSION MATERIAL, DENTAL, (TISSUE CONDITIONER TYPE)[CUST: MD MS 03] | A | 6520 | / | MB | 31-JUL-94 |
| | A-A-54272 | IMPRESSION MATERIAL, DENTAL, PASTE, VARIABLE VISCOSITY[CUST: MD MS 03] | A | 6520 | / | MB | 15-NOV-90 |
| | A-A-53797 | IMPRESSION TRAY, DENTAL (WATER-COOLED)[CUST: MD MS 03] | A | 6520 | / | MB | 13-FEB-89 |
| | MIL-PRF-52955C | IMPROVED POSITION AND AZIMUTH DETERMINING SYSTEM (IPADS)[CUST: CE3 MC] [REVIEW: AS GS] | A | 6675 | | CE3 | 08-NOV-02 |
| | MIL-DTL-32151 | IMPULSE CARTRIDGE, CCU-71/A[CUST: OS] | A | 1377 | | OS | 14-APR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-DTL-32194 | IMPULSE CARTRIDGE, CCU-72/A[CUST: OS] | A | 1377 | | OS | 27-SEP-05 |
| | AIR-STD-25/13A(1) | IN FLIGHT (AERIAL) REFUELLING EQUIPMENT, DIMENSIONS AND FUNCTIONAL CHARACTERISTICS | C | ISDF | | 06 | 23-OCT-98 |
| | STANAG-3379 ED.7(2) | IN-FLIGHT VISUAL SIGNALS | C | ISDF | | 06 | 04-APR-90 |
| | DI-QCIC-80375 | IN-PROCESS SUBASSEMBLY INSPECTION/TEST SUMMARY REPORT [AMSC: G4139] | A | QCIC | | NS | 19-JUN-87 |
| | ARMP-6 | IN-SERVICE R AND M | A | SESS | | CR | PENDING |
| | MIL-HDBK-1130 | INACTIVATION, CARETAKER MAINTENANCE, REACTIVATION, AND CLOSURE OF SHORE FACILITIES[CUST: YD] | A | FACR | | YD | 31-DEC-91 |
| | ASTM-C64 | INCINERATORS AND BOILERS, REFRACTORIES FOR[CUST: CR4 YD] [REVIEW: GS SH] | A | 9350 | | YD | 13-MAR-72 |
| | NFPA82 | INCINERATORS, WASTE AND LINEN HANDLING SYSTEMS AND EQUIPMENT[CUST: YD] | A | 4540 | | IS | 05-FEB-90 |
| | MIL-STD-2151 NOT 1 | INCLINED LADDER TREAD TEST METHODS AND EQUIPMENT FOR WEAR, SLIP-RESISTANCE AND IMPACT[Test Method Standard][CUST: SH] | A | 2040 | | SH | 21-MAR-91 |
| | A-A-52412 | INCLINOMETER, BALL STYLE[CUST: AT] [REVIEW: GS] | A | 6695 | / | AT | 03-NOV-92 |
| | DI-QCIC-80376 | INCOMING INSPECTION SUMMARY REPORT [AMSC: G4140] | A | QCIC | | NS | 19-JUN-87 |
| | DI-ILSS-80952 | INCREMENTAL ASSET REPORT [AMSC: N4902] | A | SESS | | SH | 27-FEB-90 |
| | MIL-I-14961(4) NOT 3 | INCREMENTS, PROPELLANT M1A1, M2A1, M3A1, M181 AND M182 (MADE FROM PROPELLANT, M8)[CUST: AR] | A | 1376 | | AR | 31-OCT-96 |
| | A-A-54979 | INCUBATOR, BACTERIOLOGICAL[CUST: MD MS 03] | A | 6640 | / | MB | 31-AUG-94 |
| | A-A-53023A | INCUBATOR, INFANT[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-88 |
| | ASTM-D1474 | INDENTATION HARDNESS OR ORGANIC COATINGS[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 23-APR-92 |
| | ASTM-D542 | INDEX OF REFRACTION OF TRANSPARENT ORGANIC PLASTICS[CUST: MR SH 11 GS] [REVIEW: 84 AR AS AT AV CR CR4 GL YD] | A | 9330 | | IS | 30-MAR-90 |
| | ASTM-D4833 | INDEX PUNCTURE RESISTANCE OF GEOTEXTILES, GEOMEMBRANES, AND RELATED PRODUCTS[CUST: GL YD 99] | A | 83GP | | YD | 10-FEB-00 |
| | MIL-HDBK-236T | INDEX TO STANDARDS FOR PALLETIZING, TRUCK LOADING, RAILCAR LOADING AND CONTAINER LOADING OF HAZARDOUS MATERIALS[CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 04-APR-83 |
| | A-A-53433 | INDEX, ANALYTICAL PROFILE, ANAEROBE IDENTIFICATION[CUST: MD MS 03] | A | 6550 | / | MB | 08-APR-88 |
| | STANAG-3672 ED.2(2) | INDEXES TO SERIES OF LAND MAPS AND AERONAUTICAL CHARTS, DIGITAL GEOGRAPHIC INFORMATION, AND MILITARY GEOGRAPHIC INFORMATION AND DOCUMENTATION (MGID) | C | ISDF | | 06 | 15-JAN-97 |
| | A-A-59006 | INDICAT0RS, PIPELINE, FLOW, SIGHT[CUST: CR4 SH 99] [REVIEW: 71 AS CC FSS GL OS YD] | A | 4730 | / | SH | 03-DEC-96 |
| | UL789 | INDICATOR POSTS, FOR FIRE PROTECTION SERVICE, STANDARD FOR[CUST: CR4 YD] [REVIEW: CC] | A | 4210 | | IS | 30-MAR-92 |
| | QPL-26382-10 | INDICATOR SET, LIQUID OXYGEN QUANTITY A/A24J-4 AND A/A24J-8 | A | 6680 | | 71 | 24-JUL-97 |
| | QPL-27197-24 | INDICATOR, AIR SPEED, MACH NUMBER AND MAXIMUM ALLOWABLE SPEED | A | 6610 | | 71 | 09-MAR-04 |
| | MIL-PRF-27197D(1) | INDICATOR, AIRSPEED, MACH NUMBER AND MAXIMUM ALLOWABLE SPEED[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 17-DEC-98 |
| | QPL-27710-13 | INDICATOR, ATTITUDE REMOTE | A | 6610 | | 71 | 01-APR-96 |
| | QPL-27193-18 | INDICATOR, ATTITUDE, ARU-2B/A | A | 6610 | | 71 | 01-APR-96 |
| | A-A-58055 | INDICATOR, ATTITUDE, THREE INCH, SOLID STATE, SELF-CONTAINED[CUST: 99] [REVIEW: GS] | A | 6610 | / | 84 | 01-JAN-96 |
| | A-A-54861 | INDICATOR, CLINICAL CHART HOLDER, METAL[CUST: MD MS 03] | A | 6530 | / | MB | 30-APR-93 |
| | MIL-PRF-38715B | INDICATOR, COMBUSTIBLE GAS AND OXYGEN[CUST: 99] [REVIEW: GS] | A | 6665 | | 11 | 15-OCT-96 |
| | A-A-53861 | INDICATOR, COMBUSTIBLE GAS, PORTABLE (DUEL RANGE)[CUST: MD MS 03] [REVIEW: GS] | A | 6665 | / | MB | 17-MAR-89 |
| | A-A-2348B | INDICATOR, DIAL, ACCESSORIES, AND TEST SETS[CUST: GL] | A | 5210 | * | GL | 30-JUL-91 |
| | QPL-25863-22 | INDICATOR, ELECTRICAL TACHOMETER, 0-110 PERCENT RPM 2-INCH SIZE, INTERGRALLY LIGHTED | A | 6620 | | 71 | 15-MAR-96 |
| | QPL-27202-21 | INDICATOR, ELECTRICAL TACHOMETER, 0-110 PERCENT RPM, 2-INCH SIZE, INTEGRALLY LIGHTED | A | 6620 | | 71 | 31-MAR-05 |
| | QPL-25623-26 | INDICATOR, ELECTRICAL TACHOMETER, AIRCRAFT TURBO SPEED 0-110 PERCENT RPM, 2-INCH SIZE, TYPE MU-1 | A | 6620 | | 71 | 15-MAR-96 |
| | QPL-25482-15 | INDICATOR, ENGINE TESTING | A | 6620 | | 71 | 15-AUG-94 |
| | MIL-I-85671 | INDICATOR, FREQUENCY CHANNEL ID-2121A/ARC, ID-2229A/ARC, AND ID-2303/ARC[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 07-JUL-87 |
| | QPL-24144-4 | INDICATOR, FROST POINT DEW POINT, SELF COOLING, SEMI PORTABLE | A | 6685 | | SH | 27-APR-88 |
| | QPL-27848-16 | INDICATOR, HORIZONTAL SITUATION AQU-4/A | A | 6605 | | 71 | 01-APR-96 |
| | QPL-83034-9 | INDICATOR, HORIZONTAL SITUATION AQU-6A/A | A | 6605 | | 71 | 01-APR-96 |
| | MIL-I-8835A NOT 1 | INDICATOR, HUMIDITY, CARD, CHEMICALLY IMPREGNATED[CUST: AS 99] [REVIEW: 71 AT GS MC MI OS YD] | A | 6685 | | AS | 24-OCT-91 |
| | SAE-AS18013 | INDICATOR, HUMIDITY, PLUG, COLOR CHANGE[CUST: CR AS 99] [REVIEW: GS] | A | 6685 | | AS | JUL-99 |
| | SAE-AS26860 | INDICATOR, HUMIDITY, PLUG, COLOR CHANGE[CUST: AS 11] [REVIEW: 99 YD] | A | 6685 | | 11 | 12-NOV-03 |
| | MS20003C NOT 3 | INDICATOR, HUMIDIY, CARD, THREE SPOT, IMPREGNATED AREAS (COBALTOUS CHLORIDE)[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 15-DEC-03 |
| | MIL-PRF-38135C | INDICATOR, INDICATED AIRSPEED AVU-19/A, STANDBY[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 25-NOV-97 |
| | QPL-27882-13 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-37/A | A | 6680 | | 71 | 24-JUL-97 |
| | QPL-26380-9 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-5/A | A | 6680 | | 71 | 24-JUL-97 |
| | A-A-54846 | INDICATOR, OXYGEN, ANAEROBIC CULTURE APPARATUS[CUST: MD MS 03] | A | 6640 | / | MB | 01-APR-93 |
| | MIL-I-16103F | INDICATOR, PHASE SEQUENCE, SWITCHBOARD & PANEL[CUST: SH 99] [REVIEW: AS CC MC OS] | A | 6625 | | SH | 17-JUN-83 |
| | QPL-5184-23 | INDICATOR, POSITION | A | 6610 | | 71 | 05-FEB-03 |
| | QPL-7065-15 | INDICATOR, POSITION, AILERON TRIM TAB | A | 6610 | | 71 | 01-APR-96 |
| A | QPL-6839-28 | INDICATOR, POSITION, LANDING GEAR | A | 6610 | | GS1 | 07-SEP-05 |
| | QPL-27191-18 | INDICATOR, POSITION, VARIABLE NOZZLE | A | 6620 | | 71 | 15-MAR-96 |
| | QPL-27203-18 | INDICATOR, POSITION, WING FLAP | A | 6610 | | 71 | 01-APR-96 |
| M | QPL-27190-11 | INDICATOR, PRESSURE AGU-3/A, HYDRAULIC, 0-4,000 PSI | A | 6685 | | GS1 | 22-MAR-06 |
| | QPL-27188-16 | INDICATOR, PRESSURE EGU-2/A, OIL, 0-100 PSI | A | 6620 | | GS1 | 08-DEC-04 |
| | QPL-27189-19 | INDICATOR, PRESSURE OIL | A | 6620 | | 71 | 30-MAR-92 |
| | SAE-AS23479 | INDICATOR, PRESSURE, 1 1/2-INCH, INTEGRALLY LIGHTED[CUST: AV AS 99] [REVIEW: 71 GS] | A | 6620 | | AS | MAY-99 |
| | QPL-AS23479 | INDICATOR, PRESSURE, 1.5 INCH, INTEGRALLY LIGHTED | A | 6620 | | AS | 06-DEC-99 |
| | QPL-7085-21 | INDICATOR, PRESSURE, ENGINE, 0-50 PSI | A | 6620 | | 71 | 15-MAR-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-7084-17 | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI | A | 6685 | | 71 | 30-JUN-04 |
| | QPL-25861-22 | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI INTEGRALLY LIGHTED | A | 6685 | | 71 | 24-MAY-04 |
| | QPL-7088-20 | INDICATOR, PRESSURE, OIL, 0-1,000 PSI | A | 6620 | | 71 | 15-MAR-96 |
| | QPL-7086-27 | INDICATOR, PRESSURE, OIL, 0-100 PSI | A | 6620 | | 71 | 15-MAR-96 |
| | QPL-25950-26 | INDICATOR, PRESSURE, OIL, 0-100 PSI | A | 6620 | | 71 | 24-JUN-04 |
| | QPL-7087-26 | INDICATOR, PRESSURE, OIL, 0-200 PSI | A | 6620 | | 71 | 15-MAR-96 |
| M | QPL-6856-19 | INDICATOR, PRESSURE, SYNCHRO, 1-1/2 INCH | A | 6685 | | GS1 | 16-MAR-06 |
| | QPL-25438-17 | INDICATOR, PRESSURE, TYPE MO-2 | A | 6620 | | 71 | 25-SEP-02 |
| | QPL-38121-12 | INDICATOR, PRESURE EGU-9/A | A | 6620 | | 71 | 15-AUG-92 |
| | QPL-6301-20 | INDICATOR, PRESURE, FUEL, 0-600 PSI | A | 6620 | | 71 | 15-MAR-96 |
| | MS17868A | INDICATOR, PROPELLANT LEAK, PLUG, COLOR CHANGE, FOR UNSYMMETRICAL DIMETHYLHYDRAZINE AND FUMING NITRIC ACID[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 09-JUN-64 |
| | QPL-6599-19 | INDICATOR, RATE OF FLOW, FUEL, TYPE A-19 | A | 6620 | | 71 | 15-MAR-96 |
| | QPL-5914-19 | INDICATOR, RATE OF FLOW, FUEL, TYPE EFU-24/A AND TYPE EFU-25/A | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-I-17301B(1) | INDICATOR, SHIP'S DISTANCE-SPEED[CUST: SH] | A | 6320 | | SH | 11-MAR-91 |
| | A-A-59462 | INDICATOR, SIGHT, LIQUID, REFRIGERANT[CUST: GL YD 11 GS1] [REVIEW: MC SH] | A | 6680 | / | GS1 | 31-JAN-00 |
| | A-A-54707 | INDICATOR, STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 24-JUL-92 |
| | A-A-54526 | INDICATOR, STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 23-NOV-91 |
| | A-A-51989 | INDICATOR, STERILIZATION[CUST: MD MS 03] | A | 6530 | | MB | 26-JUN-87 |
| | A-A-51847B | INDICATOR, STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 19-MAR-93 |
| | A-A-30174 | INDICATOR, STERILIZATION (STEAM AND ETHYLENE OXIDE)[CUST: MD MS 03] | A | 6530 | * | MB | 30-APR-92 |
| | A-A-30165 | INDICATOR, STERILIZATION, BACTERIAL SPORE (STEAM AND ETHYLENE OXIDE CYCLES)[CUST: MD MS 03] | A | 6530 | * | MB | 30-APR-92 |
| | A-A-54706 | INDICATOR, STERILIZATION, GAS[CUST: MD MS 03] | A | 6530 | / | MB | 24-JUL-92 |
| | A-A-54031 | INDICATOR, STERILIZATION, STEAM[CUST: MD MS 03] | A | 6530 | / | MB | 24-NOV-89 |
| | QPL-7112-10 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD, 0 DEG C TO 300 DEG C | A | 6685 | | 71 | 24-MAR-04 |
| | MIL-I-7075A | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -50 DEG. TO PLUS 50 DEG. C, 2-INCH SIZE[CUST: AV AS] [REVIEW: GS] | A | 6685 | | AS | 01-JUN-65 |
| M | QPL-7077-14 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, MINUS 70 DEG. TO PLUS 150 DEG. C, 2 INCH SIZE | A | 6685 | | GS1 | 27-FEB-06 |
| | QPL-27552-20 | INDICATOR, TEMPERATURE, THERMOCOUPLE EHU-15A/A, POTENTIOMETER TYPE, WHITE LIGHTED | A | 6685 | | 71 | 13-AUG-97 |
| | QPL-27209-15 | INDICATOR, TEMPERATURE, THERMOCOUPLE SELF-BALANCING, POTENTIOMETER TYPE | A | 6685 | | 71 | 19-AUG-97 |
| | QPL-9343-7 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-1 | A | 6685 | | 71 | 24-NOV-97 |
| | QPL-9443-12 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-2 | A | 6685 | | 71 | 11-MAR-02 |
| | QPL-87965-2 | INDICATOR, THRUST, ENGINE TESTING, TEST STAND, AIRCRAFT ENGINE, A/M37 SERIES | A | 6620 | | 84 | 10-JUN-87 |
| | DOD-I-85390 NOT 1 | INDICATOR, TIME TEMPERATURE, CARD, CHEMICALLY ACTIVATED, METRIC[CUST: AS 99] [REVIEW: GS] | A | 6695 | | AS | 01-JUN-87 |
| | MIL-I-18804B(1) | INDICATOR, VERTICAL SPEED, 0 - 6000 FPM, 2 INCH[CUST: AV AS] [REVIEW: GS] | A | 6610 | | AS | 14-JUN-67 |
| | QPL-18804-16 | INDICATOR, VERTICAL SPEED, 0-6000 FPM, 2-INCH | A | 6610 | | AS | 05-JUN-00 |
| | A-A-52508A NOT 1 | INDICATOR, VOLTAGE: BATTERY-GENERATOR, 28 VOLT DC (NOMINAL) (METRIC)[CUST: AT MC 99] [REVIEW: 84 CR] | A | 6625 | / | AT | 19-APR-04 |
| | QPL-27619-18 | INDICATORS, ATTITUDE DIRECTOR | A | 6610 | | 71 | 01-APR-96 |
| | AAMI-ST21 | INDICATORS, BIOLOGICAL, FOR ETHYLENE OXIDE STERILIZATION PROCESSES IN HEALTH CARE FACILITIES - AMERICAN NATIONAL STANDARD FOR[CUST: MD MS 03] | A | 6530 | | MB | 28-FEB-91 |
| | AAMI-ST19 | INDICATORS, BIOLOGICAL, FOR SATURATED STEAM STERILIZATION PROCESSES IN HEALTH CARE FACILITIES, AMERICAN NATIONAL STANDARD FOR[CUST: MD MS 03] | A | 6530 | | MB | 28-FEB-91 |
| | MIL-PRF-83287/3B NOT 1 | INDICATORS, FAULT LOCATING, BALL INDICATING, ELECTRICAL RESET[CUST: AS 11 CC] [REVIEW: 84] | A | 6625 | | CC | 08-APR-05 |
| | MIL-PRF-83287/4B NOT 1 | INDICATORS, FAULT LOCATING, DUAL DRUM INDICATING, MECHANICAL RESET[CUST: AS 11 CC] | A | 6625 | | CC | 08-APR-05 |
| | MIL-PRF-83287/2D NOT 1 | INDICATORS, FAULT LOCATING, FLAG INDICATING, ELECTRICAL RESET[CUST: AS 11 CC] [REVIEW: 84] | A | 6625 | | CC | 08-APR-05 |
| | MIL-PRF-83287/1C NOT 1 | INDICATORS, FAULT LOCATING, FLAG INDICATING, MECHANICAL RESET[CUST: AS 11 CC] [REVIEW: 84] | A | 6625 | | CC | 08-APR-05 |
| | MIL-PRF-83287F NOT 1 | INDICATORS, FAULT LOCATING, GENERAL SPECIFICATION FOR[CUST: AS 11 CC] [REVIEW: 99] | A | 6625 | | CC | 08-APR-05 |
| | QPL-83287-24 | INDICATORS, FAULT LOCATING, GENERAL SPECIFICATION FOR | A | 6625 | | CC | 29-NOV-04 |
| | MIL-PRF-83287/5B NOT 1 | INDICATORS, FAULT LOCATING, INTERNAL DRUM INDICATING, ELECTRICAL RESET, PRINTED CIRCUIT MOUNTING[CUST: AS 11 CC] | A | 6625 | | CC | 08-APR-05 |
| | MIL-I-15676K(1) | INDICATORS, SHIP'S COURSE[CUST: SH] | A | 6320 | | SH | 12-APR-91 |
| | ASTM-F2045 | INDICATORS, SIGHT, LIQUID LEVEL, DIRECT AND INDIRECT READING, TUBULAR GLASS/PLASTIC[CUST: SH] [REVIEW: GS] | A | 6680 | | SH | 22-OCT-01 |
| | MIL-I-17244E(5) NOT 1 | INDICATORS, TEMPERATURE, DIRECT-READING, BIMETALLIC, (3 AND 5 INCH DIAL)[CUST: SH] [REVIEW: CR4 GS] | A | 6685 | | SH | 07-JUN-91 |
| | QAP-116 ED.1 | INDIVIDUAL DECONTAMINATION EQUIPMENT | C | ISDA | | AI | 15-JUN-95 |
| | QSTAG-1043 ED.1 | INDIVIDUAL PROTECTIVE EQUIPMENT AND RISK MANAGEMENT IN AN NBC ENVIRONMENT[CUST: AI] | C | ISDA | | AI | 06-OCT-98 |
| A | STANAG-4547 ED.1 | INDUCTIVE SETTING OF MEDIUM CALIBRE ELECTRONIC PROJECTILE FUZES, DESIGN REQUIREMENTS FOR | C | ISDA | | AI | 25-NOV-02 |
| | A-A-59416 | INDUCTOR, CHIP, FIXED, HIGH SELF RESONANT FREQUENCY, SURFACE MOUNT[CUST: EC CC] | A | 5950 | / | CC | 18-FEB-04 |
| | A-A-59742 | INDUCTOR, CHIP, POWER, LOW RESISTANCE, SURFACE MOUNT[CUST: EC] | A | 5950 | / | CC | 25-OCT-02 |
| | MIL-PRF-27/369 | INDUCTOR, POWER[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-MAY-05 |
| | MIL-PRF-27/370 | INDUCTOR, POWER, HIGH CURRENT, SURFACE MOUNT[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-MAY-05 |
| A | MIL-PRF-27/367(1) | INDUCTOR, POWER, HIGH CURRENT, SURFACE MOUNT[CUST: CR EC 11] [REVIEW: MI] | A | 5950 | | CC | 30-JAN-06 |
| | A-A-59738 | INDUCTOR, POWER, LOW PROFILE, SURFACE MOUNT[CUST: EC] | A | 5950 | / | CC | 25-OCT-02 |
| | A-A-59406 | INDUCTOR, POWER, SHIELDED, SURFACE MOUNT[CUST: EC CC] | A | 5950 | / | CC | 18-FEB-04 |
| | A-A-59741 | INDUCTOR, POWER, SHIELDED, ULTRAMINIATURE, SURFACE MOUNT[CUST: EC] | A | 5950 | / | CC | 25-OCT-02 |
| | MIL-PRF-27/368 | INDUCTOR, POWER, SURFACE MOUNT[CUST: CR EC 11 CC] [REVIEW: MI] | A | 5950 | | CC | 13-DEC-04 |
| | A-A-59737 | INDUCTOR, POWER, SURFACE MOUNT[CUST: EC] | A | 5950 | / | CC | 25-OCT-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-27/371 | INDUCTOR, POWER, UNSHIELDED, MOLDED, AXIAL LEADED[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 24-MAY-05 |
| | MIL-HDBK-1005/9 | INDUSTRIAL AND OILY WASTEWATER CONTROL[CUST: YD] | A | FACR | | YD | 30-SEP-88 |
| | NEMA-ICS1 | INDUSTRIAL CONTROL & SYSTEMS, GENERAL STANDARDS FOR[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 30-MAY-90 |
| | NEMA-ICS10 | INDUSTRIAL CONTROL AND SYSTEMS: AC TRANSFER SWITCH EQUIPMENT[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | NEMA-ICS7 | INDUSTRIAL CONTROL AND SYSTEMS: ADJUSTABLE SPEED DRIVES[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | NEMA-ICS2 | INDUSTRIAL CONTROL AND SYSTEMS: CONTROLLERS , CONTACTORS, AND OVERLOAD RELAYS RATED 600 VOLTS[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 30-MAY-90 |
| | UL508 | INDUSTRIAL CONTROL EQUIPMENT[CUST: CR YD 11] [REVIEW: 99] | A | 59GP | | CC | 28-JAN-99 |
| | UL698 | INDUSTRIAL CONTROL EQUIPMENT FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS[CUST: GL YD 04] | A | FACR | | YD | 22-JUN-95 |
| | MIL-I-52211B | INDUSTRIAL GAS PRODUCTION EQUIPMENT, ACCESSORIES, AND SUPPORT ITEMS; PACKAGING OF[CUST: CR4 SH DH] [REVIEW: CC GS SM] | A | PACK | | SH | 09-MAY-94 |
| | NEMA-LI1 | INDUSTRIAL LAMINATED THERMOSETTING PRODUCTS[CUST: MR YD 99] | A | 9330 | | YD | OCT-94 |
| | NEMA-ICS3 | INDUSTRIAL SYSTEMS[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 30-MAY-90 |
| | UL558 | INDUSTRIAL TRUCKS, INTERNAL COMBUSTION ENGINE-POWERED[CUST: CR4 SA 99] | A | 3930 | | 84 | 28-JUN-96 |
| | A-A-52160 NOT 1 | INDUSTRIAL V-BELTS (MULTIPLE DRIVE)[CUST: AT IS] | A | 3030 | / | IS | 26-MAY-05 |
| | MIL-HDBK-1003/17C | INDUSTRIAL VENTILATION SYSTEMS[CUST: YD] | A | FACR | | YD | 29-FEB-96 |
| | MIL-I-60350(2) NOT 1 | INERT FILLERS FOR USE IN AMMUNITION[CUST: AR] [REVIEW: MI] | A | 1395 | | AR | 20-MAR-88 |
| | MIL-I-70756(1) NOT 2 | INERT PROJECTILE ASSEMBLY LESS ESCAPEMENT ASSEMBLY METAL PARTS AND ASSEMBLING AND PACKAGING[CUST: AR] | A | 1310 | | AR | 11-APR-03 |
| | DI-MGMT-81504 | INERTIA (MASS PROPERTIES) REPORT FOR AIRCRAFT [AMSC: F7174] | A | MGMT | | 11 | 20-NOV-95 |
| | MIL-I-23145B(3) | INFLATION ASSEMBLIES, LIFE PRESERVER[CUST: CR4 AS 99] [REVIEW: 11 84 AV MC SH YD] | A | 4220 | | IS | 16-OCT-85 |
| | MIL-I-24739A(1) | INFLATION ASSEMBLY, AUTOMATIC/MANUAL, LIFE PRESERVER[CUST: SH] | A | 4220 | | SH | 24-MAY-91 |
| | MIL-PRF-32043 | INFLATION DEVICE, AUTOMATIC - FLU-9A/P[CUST: 99] [REVIEW: 11] | A | 1377 | | 70 | 26-APR-99 |
| | MIL-DTL-32088 | INFLATION DEVICE, AUTOMATIC, FLU-12/P[CUST: OS] | A | 1377 | | OS | 15-OCT-01 |
| A | MIL-DTL-32087B | INFLATION DEVICE, AUTOMATIC, FLU-8B/P AND FLU-9B/P[CUST: OS] | A | 1377 | | OS | 09-JUN-05 |
| M | MIL-PRF-87108B(1) | INFLATION DEVICE, FLU-2A/P[CUST: 11] | A | 4220 | | 11 | 17-MAR-06 |
| | MIL-I-18369C NOT 1 | INFLATION EQUIPMENT, CARBON DIOXIDE FOR MULTIPLACE LIFE RAFTS[CUST: AV AS 99] [REVIEW: 22 84 CG CR4 MC SH] | A | 4220 | | AS | 24-OCT-91 |
| | MIL-I-85352(3) | INFLATOR ASSEMBLY AND GAGE ELEMENTS, PNEUMATIC PRESSURE, REMOTE CONTROL, DIRECT READING[CUST: AV AS 99] [REVIEW: GS] | A | 4920 | | AS | 14-FEB-89 |
| | MIL-I-85352/4 NOT 1 | INFLATOR ASSEMBLY DUAL CHUCK STEM GAGE KIT[CUST: AV AS 99] [REVIEW: GS] | A | 6685 | | AS | 26-SEP-91 |
| | MIL-I-85352/3 NOT 1 | INFLATOR ASSEMBLY GAGE ELEMENTS[CUST: AV AS 99] [REVIEW: GS] | A | 6685 | | AS | 26-SEP-91 |
| | MIL-I-85352/1A | INFLATOR ASSEMBLY KIT[CUST: AV AS 99] [REVIEW: GS] | A | 4920 | | AS | 17-FEB-89 |
| | MIL-I-85352/2 NOT 1 | INFLATOR ASSEMBLY REMOTE CONTROLLER ASSEMBLY[CUST: AV AS 99] [REVIEW: GS] | A | 6685 | | AS | 26-SEP-91 |
| | A-A-54803 | INFLUENZA VIRUS VACCINE, USP[CUST: MD MS 03] | A | 6505 | / | MB | 26-FEB-93 |
| | DI-MISC-81341 | INFORMAL SECURITY POLICY MODEL [AMSC: G6931] | A | MISC | | NS | 02-JUL-93 |
| | QSTAG-1197 ED.1 | INFORMATION EXCHANGE REQUIREMENTS FOR DEVELOPING COMMON CHARACTER ORIENTED MESSAGE TEST FORMATS[CUST: AI] | C | ISDA | | AI | 01-AUG-95 |
| D | ANSI-X3.34 | INFORMATION INTERCHANGE, INTERCHANGE ROLLS OF PERFORATED TAPE FOR[CUST: CR OM] [REVIEW: MC NM SA] | A | IPSC | | DC3 | 09-DEC-71 |
| | DI-IPSC-81316 | INFORMATION PROCESSING EQUIPMENT (IPE) FUNCTIONAL CONFIGURATION AUDIT (FCA) PLAN [AMSC: F6892] | A | IPSC | | 10 | 04-FEB-93 |
| | GCA101 | INFORMATION PROCESSING SYSTEMS, PROGRAMMING LANGUAGES, TEXT INTERCHANGE & PROCESSING[CUST: MI AS 02] [REVIEW: 16 OM SH] | A | IPSC | | DC3 | 10-OCT-83 |
| | ISO8879 | INFORMATION PROCESSING-TEXT AND OFFICE SYSTEMS-STANDARD GENERALIZED MARKUP LANGUAGE (SGML)[CUST: CR SA 24 DH] [REVIEW: 01 AM DC NA NS] | A | MISC | | CR | 01-JUL-88 |
| | NFPA-T2.9.16 | INFORMATION REPORT HYDRAULIC POWER - DETERMINATION OF PARTICULATE CONTAMINANT LEVEL USING AUTOMATIC OPTICAL PARTICLE COUNTERS[CUST: SH 99] [REVIEW: 71 GS] | A | 6695 | | SH | 06-DEC-95 |
| | DI-MISC-81317 | INFORMATION SYSTEMS ACCEPTANCE, COMMISSIONING AND REMOVAL CERTIFICATE [AMSC: F6893] | A | MISC | | 33 | 11-FEB-93 |
| | DI-ADMN-80239 | INFORMATION SYSTEMS ACCREDITATION DOCUMENTATION [AMSC: A3963] | A | ADMN | | AM | 15-SEP-86 |
| | IEC15504-5 | INFORMATION TECHNOLOGY SOFTWARE PROCESS ASSESSMENT PART 5, AN ASSESSMENT MODEL AND INDICATOR GUIDANCE[CUST: AM AS 10] | A | SESS | | SE | 17-NOV-04 |
| | IEC15504-3 | INFORMATION TECHNOLOGY- PROCESS ASSESSMENT PART 3, GUIDANCE ON PERFORMING AN ASSESSMENT[CUST: AM AS 10] | A | SESS | | SE | 17-NOV-04 |
| A | ISO18041-4 | INFORMATION TECHNOLOGY-COMPUTER GRAPHICS AND IMAGE PROCESSING, ENVIRONMENTAL DATA CODING SPECIFICATION (EDCS) LANGUAGE BINDINGS: PART 4: C[CUST: AC EC 05 DC2] | A | INST | | DMS | 31-AUG-05 |
| A | ISO18025 | INFORMATION TECHNOLOGY-COMPUTER GRAPHICS AND IMAGE PROCESSING, ENVIRONMENTAL DATA CODING SPECIFICATION (EDCS)[CUST: AC EC 05 DC2] | A | INST | | DMS | 11-JUL-05 |
| | STANAG-2220 ED.2 | INFORMATION/INTELLIGENCE EXCHANGE ON IRREGULAR FORCES | C | ISDA | | AI | 19-NOV-02 |
| | MIL-DTL-32003 | INFRARED DETECTING SET AN/AAS-42[CUST: AS] | D | 6350 | | AS | 30-MAY-97 |
| | A-A-51995 | INFUSOR, PRESSURE, BLOOD COLLECTING-DISPENSING BAG[CUST: MD MS 03] | A | 6515 | | MB | 04-JUN-87 |
| | A-A-53927 | INFUSOR, PRESSURE, BLOOD-INTRAVENOUS BAG[CUST: MD MS 03] | A | 6515 | / | MB | 22-JUN-89 |
| | ASTM-B92/B92M | INGOT, UNALLOYED MAGNESIUM, AND STICK FOR REMELTING[CUST: MR SH 11] [REVIEW: AR] | A | 9650 | | MR | 10-APR-01 |
| | SAE-AMS-I-7068 | INGOT, ZINC ALLOY (FOR SHEET METAL FORMING DIES)[CUST: AS] | A | 9650 | | AS | APR-99 |
| | A-A-54671 | INHALER, MEDICAMENT, PLASTIC[CUST: MD MS 03] | A | 6515 | / | MB | 15-JUN-92 |
| | DI-ATTS-81272 | INHERENT TESTABILITY DESIGN AND ASSESSMENT REPORT [AMSC: N6745] | A | ATTS | | SH | 12-JUN-92 |
| | QPL-24453-14 | INHIBITOR, CORROSION, SOLUBLE-OIL | A | 6850 | | SH | 16-OCT-02 |
| | MIL-I-24453A | INHIBITOR, CORROSION, SOLUBLE-OIL[CUST: SH] [REVIEW: GS] | A | 6850 | | SH | 11-DEC-86 |
| | MIL-I-22110C | INHIBITOR, CORROSION, VOLATILE, CRYSTALLINE POWDER[CUST: EA AS 11] [REVIEW: 99 AR AT GS MC OS SA SH SM YD] | A | 6850 | | AS | 26-SEP-85 |
| | MIL-I-23310B | INHIBITOR, CORROSION, VOLATILE, OIL TYPE[CUST: AS] [REVIEW: GS OS YD] | A | 6850 | | AS | 09-OCT-84 |
| | QPL-85062-3 | INHIBITOR, CORROSION, VOLATILE, TRANSMISSION AND GEARBOX | A | 6850 | | AS | 20-MAR-89 |
| | MIL-I-85062 | INHIBITOR, CORROSION, VOLATILE, TRANSMISSION AND GEARBOX[CUST: AS] [REVIEW: GS] | A | 6850 | | AS | 20-DEC-77 |
| | QPL-25017-21 | INHIBITOR, CORROSION/LUBRICITY IMPROVER, FUEL SOLUBLE | A | 6850 | | 68 | 20-AUG-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-25017G | INHIBITOR, CORROSION/LUBRICITY IMPROVER, FUEL SOLUBLE[CUST: AT AS 68] [REVIEW: 11 AV GS MD1 PS SH] | A | 6850 | | 68 | 15-DEC-04 |
| | MIL-I-17433C | INHIBITOR, HYDROCHLORIC ACID DESCALING AND PICKLING SOLUTIONS[CUST: SH] [REVIEW: GS] | A | 6850 | | SH | 04-JUN-86 |
| | MIL-DTL-85470B NOT 1 | INHIBITOR, ICING, FUEL SYSTEM, HIGH FLASH NATO CODE NUMBER S-1745[CUST: CR4 AS 11] [REVIEW: 68 AV GS PS] | A | 6850 | | AS | 24-MAR-04 |
| | QPL-23310-9 | INHIBITORS, CORROSION, VOLATILE, OIL TYPE | A | 6850 | | AS | 29-FEB-88 |
| | MIL-I-8574E(2) NOT 1 | INHIBITORS, CORROSION, VOLATILE, UTILIZATION OF[CUST: SM AS 11] [REVIEW: 99 AT AV CR4 DH EA GL MC OS SA SH] | A | PACK | | AS | 15-DEC-99 |
| | QPL-22110-10 | INHIBITORS, CORROSSION, VOLATILE, CRYSTALLINE | A | 6850 | | AS | 22-NOV-89 |
| | STANAG-7165 ED.1 | INITIAL INVESTIGATION AND IMMEDIATE MANAGEMENT OF LASER EYE DAMAGE IN AIRCREW | C | ISDF | | 06 | 05-JUN-03 |
| | AIR-STD-61/115/14A | INITIAL INVESTIGATION AND IMMEDIATE MANAGEMENT OF LASER EYE DAMAGE IN AIRCREW (WITH CHANGE NOTICE 1) | C | ISDF | | 06 | 03-SEP-91 |
| | AIR-STD-84/8A | INITIAL, CONTINUATION, UNIT NBC TRAINING STANDARDS | C | ISDF | | 06 | 28-MAR-97 |
| | MIL-DTL-32059B | INITIATOR, ARM FIRE, JAU-54/A[CUST: OS] | A | 1377 | | OS | 12-AUG-03 |
| A | MIL-DTL-32172 | INITIATOR, CARTRIDGE ACTUATED JAU-72A/A[CUST: OS] | A | 1377 | | OS | 05-DEC-05 |
| A | MIL-DTL-32121 | INITIATOR, CARTRIDGE ACTUATED JAU-73A/A[CUST: OS] | A | 1377 | | OS | 05-DEC-05 |
| | MIL-DTL-32093A | INITIATOR, CARTRIDGE ACTUATED JAU-75/A, JAU-76/A, JAU-77/A[CUST: OS] | A | 1377 | | OS | 22-FEB-05 |
| | MIL-I-60513A NOT 2 | INITIATOR, CARTRIDGE ACTUATED, DELAY M45A1 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 25-NOV-97 |
| | MIL-DTL-14804B | INITIATOR, CARTRIDGE ACTUATED, DELAY M4A1, M12A1, M45A1 AND M49A1 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 03-JUL-96 |
| | MIL-I-60278(1) NOT 3 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M10, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 17-MAY-99 |
| | MIL-DTL-60296B | INITIATOR, CARTRIDGE ACTUATED, DELAY, M10, M31, M32,M72, M114 METAL PARTS ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 03-MAR-05 |
| | MIL-DTL-14857B | INITIATOR, CARTRIDGE ACTUATED, DELAY, M10, M31, M42, M72, AND M114 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 03-MAR-05 |
| | MIL-I-60277A NOT 3 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M26 ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 26-NOV-03 |
| | MIL-DTL-60515C | INITIATOR, CARTRIDGE ACTUATED, DELAY, M30A1, M32A1, M43A1, M92, AND M120 METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 25-FEB-05 |
| | MIL-DTL-14803B | INITIATOR, CARTRIDGE ACTUATED, DELAY, M30A1, M32A1, M92, M43A1, AND M120 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 25-FEB-05 |
| | MIL-I-60639A NOT 2 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M31 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 23-JUL-98 |
| | MIL-I-60508A | INITIATOR, CARTRIDGE ACTUATED, DELAY, M6A1, M26, M33, M44, METAL PARTS ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 03-JAN-89 |
| | MIL-I-82760 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M6A1, M26, M33, REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 03-JAN-89 |
| | MIL-I-60512A NOT 2 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M72 ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 25-NOV-97 |
| | MIL-DTL-32113 | INITIATOR, CARTRIDGE ACTUATED, JAU-74/A[CUST: OS] | A | 1377 | | OS | 09-SEP-03 |
| | MIL-DTL-60283B | INITIATOR, CARTRIDGE ACTUATED, M27 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 14-SEP-04 |
| | MIL-DTL-60517B | INITIATOR, CARTRIDGE ACTUATED, M27 METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 14-SEP-04 |
| | MIL-DTL-82763A | INITIATOR, CARTRIDGE ACTUATED, M27 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 14-SEP-04 |
| | MIL-I-60518A | INITIATOR, CARTRIDGE ACTUATED, M28 METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 15-JAN-92 |
| | MIL-I-82871 | INITIATOR, CARTRIDGE ACTUATED, M28 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 15-JAN-92 |
| | MIL-I-46559B | INITIATOR, CARTRIDGE ACTUATED, M3A2, METAL PARTS ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 31-JAN-90 |
| | MIL-I-14802A | INITIATOR, CARTRIDGE ACTUATED, M3A2, REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 31-JAN-90 |
| | MIL-DTL-60286C | INITIATOR, CARTRIDGE ACTUATED, M53 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 12-SEP-00 |
| | MIL-DTL-60519B | INITIATOR, CARTRIDGE ACTUATED, M53 METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 12-SEP-00 |
| | MIL-DTL-48412B | INITIATOR, CARTRIDGE ACTUATED, M53 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 12-SEP-00 |
| | MIL-I-60522A | INITIATOR, CARTRIDGE ACTUATED, M5A2 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-AUG-94 |
| | MIL-I-82880 | INITIATOR, CARTRIDGE ACTUATED, M5A2 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-AUG-94 |
| | MIL-I-60525A | INITIATOR, CARTRIDGE ACTUATED, M99 METAL PARTS ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 30-MAR-90 |
| | MIL-I-82767 | INITIATOR, CARTRIDGE ACTUATOR, M99 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 30-MAR-90 |
| | MIL-DTL-32047 | INITIATOR, CARTRIDGE, ACTUATED, JAU-59/A (MT06)[CUST: OS] | A | 1377 | | OS | 29-JUL-99 |
| | MIL-I-82928(1) NOT 2 | INITIATOR, EXPLOSIVE ACTUATED, JAU-23/A[CUST: OS] | A | 1377 | | OS | 05-SEP-02 |
| A | MIL-DTL-32193 | INITIATOR, EXPLOSIVE ACTUATED, JAU-29/A[CUST: OS] | A | 1377 | | OS | 04-AUG-05 |
| | MIL-DTL-82953A(1) | INITIATOR, JAU-22/B[CUST: OS] | A | 1377 | | OS | 08-DEC-99 |
| A | MIL-DTL-32188 | INITIATOR, MECHANICAL ACTUATED JAU-25/A[CUST: OS] | A | 1377 | | OS | 16-SEP-05 |
| | MIL-DTL-82952(1) | INITIATOR, MK 26 MOD 0[CUST: OS] | D | 1340 | | OS | 07-JAN-98 |
| | MIL-DTL-50714C | INITIATOR, PROPELLANT ACTUATED, DELAY, M113 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 27-JUN-04 |
| | MIL-DTL-50699B | INITIATOR, PROPELLANT ACTUATED, JAU-2/A25 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 25-FEB-05 |
| A | MIL-DTL-50700A | INITIATOR, PROPELLANT ACTUATED, JAU-2/A25 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 18-OCT-05 |
| | MIL-DTL-82960A | INITIATOR, PROPELLANT ACTUATED, JAU-27/A (MF72)[CUST: OS] | A | 1377 | | OS | 16-APR-03 |
| | MIL-DTL-50374B | INITIATOR, PROPELLANT ACTUATED, M104 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 14-SEP-04 |
| | MIL-DTL-50375B | INITIATOR, PROPELLANT ACTUATED, M104 METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 14-SEP-04 |
| | MIL-DTL-23659D | INITIATORS, ELECTRIC, GENERAL DESIGN SPECIFICATION FOR[CUST: AR OS 11] [REVIEW: 70 99 NP] | A | 1377 | | OS | 03-MAR-03 |
| | MIL-DTL-32106 | INITIATORS, ELECTRICAL, FOR ROCKET MOTOR IGNITERS[CUST: OS] | A | 1340 | | OS | 03-MAR-03 |
| | MIL-I-43728 NOT 1 | INJECTOR, RINSE, AUTOMATIC, FOR COMMERCIAL DISHWASHING MACHINES[CUST: SA 99] [REVIEW: GS MC MS] | A | 7320 | | SA | 04-JAN-88 |
| | A-A-54538 | INJECTOR, TUBE, PLASTIC, REUSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 20-DEC-91 |
| | TT-I-00521A(1) | INK, COPYING AND RECORD | A | 7510 | # | FSS | 27-DEC-67 |
| | TT-I-521(1) | INK, COPYING AND RECORD | A | 7510 | # | FSS | 30-JAN-40 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59291 | INK, MARKING (FOR PARACHUTES AND OTHER TEXTILE ITEMS)[CUST: GL AS 99] [REVIEW: CR4 MI SA] | A | 7510 | / | AS | 21-JUL-98 |
| | A-A-56032D | INK, MARKING, EPOXY BASE[CUST: MI AS 99] [REVIEW: 84 AR EA GL MD OS] | A | 7510 | / | MI | 21-MAR-03 |
| | A-A-208B NOT 3 | INK, MARKING, STENCIL, OPAQUE, (POROUS AND NON-POROUS SURFACES)[CUST: AR SA 99] [REVIEW: 84 DS GL MC MD SM SS] | A | 7510 | / | AR | 19-NOV-04 |
| | MIL-I-43295A NOT 3 | INK, MARKING, VINYL[CUST: GL] [REVIEW: AR MD MI OS] | A | 7510 | | GL | 29-DEC-99 |
| | TT-I-00547B | INK, NUMBERING MACHINE, FOR PHOTOGRAPHIC NEGATIVES | A | 7510 | # | FSS | 10-FEB-67 |
| | A-A-53491 | INK, PRINTING[CUST: MD MS 03] | A | 7510 | / | MB | 17-JUN-88 |
| | A-A-52561B | INK, PRINTING: LITHOGRAPHIC OFFSET, WITH DRIER[CUST: CE3 MC] [REVIEW: GL] | A | 7510 | / | CE3 | 30-JUN-04 |
| | TT-I-00554A | INK; STAMP-PAD, RED, FOR PHOTOGRAPHIC PRINTS | A | 7510 | # | FSS | 12-JAN-55 |
| | TT-I-600C | INKING PAD, RUBBER STAMP | A | 7510 | # | FSS | 25-APR-75 |
| | QSTAG-177 ED.2 | INLAND HYDROGRAPHY[CUST: AI] | C | ISDA | | AI | 19-JAN-00 |
| | ZZ-I-550E(4) | INNER TUBE, PNEUMATIC TIRE | A | 2610 | # | FSS | 20-JUL-78 |
| | AASHTO-M300 | INORGANIC ZINC RICH PRIMER[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| A | ASTM-D5448/D5448M | INPLANE SHEAR PROPERTIES OF HOOP WOUND POLYMER MATRIX COMPOSITE CYLINDERS[CUST: MR AS 11] [REVIEW: AT AV DH IE SH] | A | CMPS | | MR | 15-AUG-93 |
| | A-A-53388 | INPRESSION MATERIAL, DENTAL (ALINATE)[CUST: MD MS 03] | A | 6520 | / | MB | 14-MAR-88 |
| | MIL-I-82265B(1) | INSECT BAR, COT TYPE, NYLON NETTING[CUST: NU CT] [REVIEW: 11 CG MC MS] | A | 7210 | | CT | 29-SEP-80 |
| | A-A-55244 | INSECT NET PROTECTOR[CUST: GL NU 99 CT] [REVIEW: 03 11 MC MD] | A | 7210 | / | CT | 02-NOV-93 |
| | A-A-55082 | INSECT NET, HAT, SUN, HOT WEATHER[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8415 | / | CT | 24-NOV-92 |
| | MIL-I-11489E(1) NOT 1 | INSECT NET, HEAD[CUST: GL NU 99 CT] [REVIEW: 11 CG MC MD MS] | A | 8415 | | CT | 22-APR-89 |
| A | MIL-DTL-44411C | INSECT REPELLANT, PERMETHRIN[CUST: GL1 68 GS3] [REVIEW: MD1 PM] | A | 6840 | | GS3 | 29-JUL-05 |
| | MIL-DTL-44410A NOT 1 | INSECT REPELLENT, CLOTHING APPLICATION, INDIVIDUAL DYNAMIC ABSORPTION APPLICATION (IDAA) KIT[CUST: GL1 68 GS3] [REVIEW: MD PM] | A | 6840 | | GS3 | 23-JUL-04 |
| | ASTM-D3656 | INSECT SCREENING AND LOUVER CLOTH WOVEN FROM VINYL-COATED GLASS YARNS[CUST: GL YD 99] | A | 8305 | | YD | 10-FEB-97 |
| | O-I-568D | INSECTICIDE, DDT (75 PERCENT, WATER-DISPERSIBLE POWDER)[CUST: GL YD 68] [REVIEW: AS GS] | A | 6840 | * | GL | 04-DEC-69 |
| | O-I-568D(I1) | INSECTICIDE, DDT (75 PERCENT, WATER-DISPERSIBLE POWDER) | A | 6840 | # | FSS | 14-AUG-70 |
| | A-A-59172 NOT 1 | INSECTICIDE, DICHLORVOS, IMPREGNATED STRIP[CUST: EA GS3] [REVIEW: GL MD1 PM] | A | 6840 | / | GS3 | 27-JAN-04 |
| | A-A-59117 NOT 1 | INSECTICIDE, MALATHION, EMULSIFIABLE CONCENTRATE[CUST: EA 68 GS3] [REVIEW: AS GL1 MC MD1 PM] | A | 6840 | / | GS3 | 28-FEB-03 |
| | A-A-1812B NOT 1 | INSECTICIDE, NAPHTHALENE[CUST: EA SH 68 GS3] [REVIEW: CR4 MC MD1 OS OSS PM] | A | 6810 | / | GS3 | 24-FEB-04 |
| | A-A-52287A NOT 1 | INSECTICIDE, PARADICHLOROBENZENE[CUST: EA GS3] [REVIEW: MD1 PM] | A | 6840 | / | GS3 | 15-APR-04 |
| | SAE-AS3094 | INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 1.5 DIA NOM LENGTH[CUST: AR AS 99 IS] | A | 5340 | | IS | 15-JUN-74 |
| | SAE-AS3095 | INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 2 DIA NOM LENGTH[CUST: AR AS 99 IS] | A | 5340 | | IS | 31-AUG-95 |
| | SAE-AS3096 | INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 2.5 DIA NOM LENGTH[CUST: AR AS 99 IS] | A | 5340 | | IS | 31-AUG-95 |
| | SAE-AS3097 | INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW PROFILE SYSTEMS) 3 DIA NOM LENGTH[CUST: AR AS 99 IS] | A | 5340 | | IS | 31-AUG-95 |
| | SAE-AS3080 | INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 1.5 DIA NOM LENGTH[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-OCT-73 |
| | SAE-AS3081 | INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 2 DIA NOM LENGTH[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-OCT-73 |
| | SAE-AS3082 | INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 2.5 DIA NOM LENGTH[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-OCT-73 |
| | SAE-AS3083 | INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 3 DIA NOM LENGTH[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-OCT-73 |
| | SAE-AS3078 | INSERT - FLUID CONNECTION BOSS, INTERNAL STRAIGHT THREAD[CUST: AR AS 99 IS] | A | 5340 | | IS | 14-NOV-73 |
| | SAE-AS3505 | INSERT - THIN WALL, LONG SELF-LOCKING, 1025 DEG. F, SILVER PLATED, UNS N07718, UNJ THREAD[CUST: AR AS 99 IS] | A | 5340 | | IS | 08-FEB-93 |
| | SAE-AS3504 | INSERT - THIN WALL, SHORT SELF-LOCKING, 1025 DEG. F, SILVER PLATED UNS NO7718, UNJ THREAD[CUST: AR AS 99 IS] | A | 5340 | | IS | 08-FEB-93 |
| | MS51835A | INSERT AND STUD, LOCKED IN - KEY LOCKED, HOLE DIMENSIONS FOR AND ASSEMBLY OF[CUST: AR AS 99] [REVIEW: AT AV CR MC MI] | A | 53GP | | IS | 25-NOV-70 |
| | MIL-STD-1560A(8) NOT 7 | INSERT ARANGEMENTS FOR MIL-DTL-38999, MIL-C-29600 SERIES A, AND MIL-C-27599 ELECTRICAL, CIRCULAR CONNECTORS[Interface Standard][CUST: CR AS 11 CC] [REVIEW: AR EC MC MI OS] | A | 5935 | | CC | 17-JAN-03 |
| | MS24242B NOT 2 | INSERT ARRANGEMENT ELECTRICAL CONNECTOR RECEPTACLE[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 12-JUN-01 |
| | MS3157D | INSERT ARRANGEMENT, MIL-C-81659 ELECTRIC CONNECTOR, SERIES 1 AND 2[CUST: CR AS 11 CC] [REVIEW: EC OS] | A | 5935 | | AS | 23-JUN-83 |
| | DOD-STD-1842 NOT 1 | INSERT ARRANGEMENTS FOR DOD-C-83527 RACK TO PANEL CONNECTORS (METRIC)[Interface Standard][CUST: CR AS 11] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-STD-1669 NOT 1 | INSERT ARRANGEMENTS FOR MIL-C-26482 ENVIRONMENT RESISTING, CIRCULAR, ELECTRICAL CONNECTORS[Interface Standard][CUST: CR AS 11] [REVIEW: AR AV EC MI SH] | A | 5935 | | CC | 10-DEC-01 |
| | MIL-STD-1632A NOT 1 | INSERT ARRANGEMENTS FOR MIL-C-28804 HIGH DENSITY, RECTANGULAR, ELECTRICAL CONNECTORS[Interface Standard][CUST: CR EC 11] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A | 5935 | | CC | 07-SEP-01 |
| | MIL-STD-1698(2) NOT 3 | INSERT ARRANGEMENTS FOR MIL-C-28840(EC) HIGH DENSITY HIGH SHOCK CIRCULAR ELECTRICAL CONNECTORS (WITH CHANGE NOTICE 1 AND 2)[Interface Standard][CUST: EC] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-STD-2163C | INSERT ARRANGEMENTS FOR MIL-C-28876 CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI[Interface Standard][CUST: CR SH 11] [REVIEW: 19 70 71 CC MC MI OS] | A | 6060 | | SH | 16-FEB-93 |
| | MIL-STD-1651A | INSERT ARRANGEMENTS FOR MIL-C-5015, MIL-C-22992 (CLASSES C, J, AND R), AND MIL-C-83723 (SERIES II) ELECTRICAL CONNECTORS[Military Standard][CUST: CR AS 11] [REVIEW: 19 99 AR CC EC] | A | 5935 | | AS | 03-APR-92 |
| | MIL-STD-1554(4) NOT 2 | INSERT ARRANGEMENTS FOR MIL-C-83723 SERIES III AND MIL-C-26500 ENVIRONMENT RESISTING, CIRCULAR, ELECTRICAL CONNECTORS[Interface Standard][CUST: CR AS 11] [REVIEW: 19 99 AR AV EC MI] | A | 5935 | | CC | 10-DEC-01 |
| | MIL-STD-1531A NOT 1 | INSERT ARRANGEMENTS FOR MIL-C-83733 RACK TO PANEL CONNECTORS, SHELL SIZE A[Interface Standard][CUST: 11] [REVIEW: 99] | A | 5935 | | CC | 26-OCT-01 |
| | MIL-STD-1532A NOT 1 | INSERT ARRANGEMENTS FOR MIL-C-83733 RACK TO PANEL CONNECTORS, SHELL SIZE B[Interface Standard][CUST: 11] [REVIEW: 70 99] | A | 5935 | | CC | 26-OCT-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1674 NOT 1 | INSERT ARRANGEMENTS FOR MIL-C-85028(AS) CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW[Interface Standard][CUST: AS CC] [REVIEW: EC] | A | 5935 | | AS | 23-OCT-91 |
| | MS33699F | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 7 (NAVY)[CUST: AS 11] [REVIEW: CC EC MI] | A | 5935 | | AS | 21-JUL-71 |
| A | MS90567C | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SIZE 48 CLASS L, 150 AMPS[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI OS] | A | 5935 | | CC | 26-OCT-05 |
| A | MS14054E | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 28, CLASS L, 40 AMPS[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CG CR4 MC MI OS YD] | A | 5935 | | CC | 26-OCT-05 |
| A | MS90565H | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 32, CLASS L, 60 AMPS[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CG CR4 MC MI SH YD] | A | 5935 | | CC | 26-OCT-05 |
| A | MS14055H | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 44, CLASS L, 100 AMPS[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CG CR4 MC MI OS YD] | A | 5935 | | CC | 26-OCT-05 |
| A | MS14057G | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 52, CLASS L, 200 AMPS[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CG CR4 MC MI SH YD] | A | 5935 | | CC | 26-OCT-05 |
| | MIL-I-36409A NOT 1 | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | MIL-I-36050A NOT 1 | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST PLASTIC DRAWERS[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | MIL-I-37195 NOT 1 | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, 5 DRAWER[CUST: MD MS 03] | A | 6545 | | MB | 28-JUL-89 |
| | MIL-I-36254A | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, COMPARTMENTED, 7 DRAWER, WITH FOUR LEGS, TWO SPACERS AND TWO TIE DOWN RODS[CUST: MD MS 03] | A | 6545 | | MB | 07-JAN-64 |
| | MIL-I-36436 NOT 2 | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, SPECTACLE FRAME, 4 DRAWER[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | MIL-I-37239(1) NOT 1 | INSERT MOUNTING UNIT, MEDICAL INSTRUMENT AND SUPPLY SET CHEST[CUST: MD MS 03] | A | 6545 | | MB | 28-JUL-89 |
| | A-A-53349 | INSERT PAD, HEEL, FOOTWEAR[CUST: MD MS 03] | A | 8335 | * | MB | 22-JAN-88 |
| | A-A-53350 | INSERT PAD, HEEL, FOOTWEAR (ACCOMMODATIVE)[CUST: MD MS 03] | A | 8335 | / | MB | 22-JAN-88 |
| | MIL-I-37238 | INSERT SHELF UNIT, MEDICAL INSTRUMENT AND SUPPLY SET CHEST[CUST: MD MS 03] | A | 6545 | | MB | 28-JUL-89 |
| | MIL-I-37196 | INSERT, CABINET MEDICAL INSTRUMENT AND SUPPLY SET CHEST, OPHTHALMIC LENS, 10 DRAWER[CUST: MD MS 03] | A | 6545 | | MB | 28-JUL-89 |
| | AWS-A5.30 | INSERT, CONSUMABLE[CUST: MR 11 GS6] | A | 3439 | | GS6 | 24-JAN-83 |
| | NASM122116THRU122155 | INSERT, CRES HELICAL COIL COARSE THREAD 1-1/2 DIA NOMINAL LENGTH[CUST: AV AS 11 IS] | A | 5325 | | IS | MAR-98 |
| | NASM122076THRU122115 | INSERT, CRES HELICAL COIL COARSE THREAD, 1 DIA NOMINAL LENGTH[CUST: AV AS 99] | A | 5325 | | IS | DEC-99 |
| | NASM122156THRU122195 | INSERT, CRES HELICAL COIL COARSE THREAD, 2 DIA NOMINAL LENGTH[CUST: AV AS 99] | A | 5325 | | IS | MAY-98 |
| | NASM122196THRU122235 | INSERT, CRES HELICAL COIL COARSE THREAD, 2-1/2 DIA NOMINAL LENGTH[CUST: AV AS 99] | A | 5325 | | IS | MAY-98 |
| | NASM122236THRU122275 | INSERT, CRES HELICAL COIL COARSE THREAD, 3 DIA NOMINAL LENGTH[CUST: AV AS 99 IS] | A | 5325 | | IS | SEP-99 |
| | NASM124651THRU124690 | INSERT, CRES HELICAL COIL FINE THREAD, 1 DIA NOMINAL LENGTH[CUST: AV AS 11 IS] | A | 5325 | | IS | MAR-98 |
| | NASM124691THRU124730 | INSERT, CRES HELICAL COIL FINE THREAD, 1-1/2 DIA NOMINAL LENGTH[CUST: AV AS 99] | A | 5325 | | IS | DEC-99 |
| | NASM124731THRU124770 | INSERT, CRES HELICAL COIL FINE THREAD, 2 DIA NOMINAL LENGTH[CUST: AV AS 99 IS] | A | 5325 | | IS | MAR-98 |
| | NASM124771THRU124810 | INSERT, CRES HELICAL COIL FINE THREAD, 2-1/2 DIA NOMINAL LENGTH[CUST: AV AS 99 IS] | A | 5325 | | IS | DEC-99 |
| | NASM124811THRU124850 | INSERT, CRES HELICAL COIL FINE THREAD, 3 DIA NOMINAL LENGTH[CUST: AV AS 99] | A | 5325 | | IS | DEC-99 |
| | MS27282A | INSERT, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS, FEMALE[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 17-JUN-03 |
| | MS27266A | INSERT, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS, MALE[CUST: 11 CC] | A | 5935 | | CC | 17-JUN-03 |
| | MIL-I-36854A NOT 2 | INSERT, FIRST AID KIT CASE, PLASTIC, OLIVE DRAB, 4-3/4 INCHES LONG BY 2-3/8 INCHES WIDE BY 4-1/2 INCHES HIGH[CUST: MD MS 03] | A | 6545 | | MB | 01-JUL-86 |
| | A-A-54294 | INSERT, HANDPIECE, DENTAL ULTRASONIC PROPHYLAXIS UNIT[CUST: MD MS 03] | A | 6520 | / | MB | 14-DEC-90 |
| | A-A-53999 | INSERT, HANDPIECE, DENTAL, ULTRASONIC PROPHYLAXIS UNIT[CUST: MD MS 03] | A | 6520 | / | MB | 10-OCT-89 |
| | MIL-I-36783A | INSERT, OPTICAL, CHEMICAL BIOLOGICAL MASK, UNIVERSAL SIZE[CUST: MD MS 03] | A | 6540 | | MB | 23-JUN-95 |
| | MIL-I-42073 | INSERT, OPTICAL, CHEMICAL-BIOLOGICAL MASK, XM-40[CUST: MD MS 03] | A | 6540 | | MB | 25-MAY-90 |
| | MIL-I-36207C | INSERT, OPTIONAL, CHEMICAL-BIOLOGICAL MASK,M-17[CUST: MD MS 03] | A | 6540 | | MB | 15-MAY-87 |
| | NA0244 | INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, ALUM/STEEL, FLOATING, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | JUN-90 |
| | NA0241 | INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES, LIGHTWEIGHT, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | JUN-90 |
| | NA0243 | INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | JUN-90 |
| | NA0245 | INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES/CRES, FLOATING, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | JUN-90 |
| | NA0242 | INSERT, SANDWICH PANEL, MOLDED IN, THRU THREADED, SELF-LOCKING, CRES, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | JUN-90 |
| | NAS1328 | INSERT, SCREW - THREADED SPLINE[CUST: AR AS 99 IS] | A | 5340 | | IS | 25-FEB-94 |
| | MIL-I-45914A | INSERT, SCREW THREAD - LOCKED IN, KEY LOCKED, GENERAL SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: AT AV CR MC MI SH] | A | 5325 | | IS | 25-APR-91 |
| | MS51991C(1) | INSERT, SCREW THREAD - LOCKED IN, RING LOCKED, SERRATED[CUST: AR AS 99 IS] [REVIEW: 71 AT AV MI OS] | A | 5325 | | IS | 06-AUG-97 |
| | MS51993A(1) | INSERT, SCREW THREAD - LOCKED IN, RING LOCKED, SERRATED, HIGH STRENGTH[CUST: AR AS 99 IS] [REVIEW: 71 AT AV MC MI OS YD] | A | 5325 | | IS | 06-AUG-97 |
| | MIL-I-45932/1C(3) | INSERT, SCREW THREAD - THIN WALL, LOCKED IN[CUST: AR AS 99] [REVIEW: 71 AT AV CR4 MC NS OS] | A | 5325 | | IS | 14-SEP-98 |
| | MIL-I-45932/3B(1) | INSERT, SCREW THREAD - THIN WALL, LOCKED IN, OVERSIZE REPLACER[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR CR4 MC MI NS OS YD] | A | 5325 | | IS | 06-AUG-97 |
| | MIL-I-45932/2B | INSERT, SCREW THREAD - THIN WALL, LOCKED-IN, NON METALLIC LOCKING ELEMENT (-60 DEG. TO PLUS 250 DEG. F)[CUST: AR 99 IS] [REVIEW: AV] | A | 5325 | | IS | 20-SEP-77 |
| | MS35914F | INSERT, SCREW THREAD - THREAD CUTTING[CUST: AR 99 IS] [REVIEW: AT AV MI] | A | 5325 | | IS | 20-SEP-77 |
| | MIL-I-45916B | INSERT, SCREW THREAD - THREAD CUTTING AND THREAD FORMING[CUST: AR 99 IS] [REVIEW: AT AV CR4 EA MC MI OS] | A | 5325 | | IS | 24-JUL-75 |
| | MS51836A | INSERT, SCREW THREAD - THREAD FORMING[CUST: AR AS 99 IS] [REVIEW: AT AV CR MC MI] | A | 5325 | | IS | 25-APR-69 |
| | MS51837 NOT 2 | INSERT, SCREW THREAD - THREAD FORMING HOLE DIMENSIONS FOR AND INSTALLATION OF[CUST: AR AS 99] [REVIEW: AT AV CR MC MI] | A | 53GP | | IS | 14-SEP-01 |
| | NA0151 | INSERT, SCREW THREAD KEY LOCKED, A-286 CORROSION RESISTING STEEL, HEAVY DUTY, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | OCT-81 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-I-45934/1 | INSERT, SCREW THREAD KEYRING LOCKED, SELF LOCKING AND NON SELF LOCKING, 125 KSI FTU[CUST: AR AS 99 IS] [REVIEW: 11 AT AV CR MC] | A | 5325 | | IS | 30-JUN-71 |
| | MIL-I-45934/3 | INSERT, SCREW THREAD KEYRING LOCKED, SELF LOCKING, AND NON SELF LOCKING, 220 KSI FTU[CUST: AR AS 99 IS] [REVIEW: 11 AT AV CR MC] | A | 5325 | | IS | 30-JUN-71 |
| A | MIL-I-45910C | INSERT, SCREW THREAD LOCKED IN & RING LOCKED1 SERRATED GENERAL SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR GL MC MI NS OS] | A | 5325 | | IS | 11-MAR-85 |
| | NASM21209 | INSERT, SCREW THREAD, COARSE AND FINE, SCREW LOCKING, HELICAL COIL, CRES[CUST: AV 11 IS] | A | 5325 | | IS | APR-98 |
| | NASM33537 | INSERT, SCREW THREAD, HELICAL COIL, INCH SERIES, COARSE AND FINE THREAD, STANDARD ASSEMBLY DIMENSIONS FOR[CUST: AV AS 99 IS] | A | 5325 | | IS | 03-JUL-02 |
| | SAE-MA3279 | INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES FREE RUNNING, CRES, UNCOATED[CUST: AR AS 11] [REVIEW: 71 AV IS] | A | 5340 | | AR | DEC-95 |
| | SAE-MA3329 | INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, SCREW LOCKING, CRES[CUST: AR AS 11 IS] [REVIEW: 71 AV] | A | 5340 | | IS | DEC-95 |
| | NA0149 | INSERT, SCREW THREAD, KEY LOCKED, A-286, CORROSION RESISTING STEEL, LIGHTWEIGHT, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | OCT-81 |
| | NA0147 | INSERT, SCREW THREAD, KEY LOCKED, A-286, CORROSION RESISTING STEEL, MINIATURE, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | OCT-81 |
| | NA0150 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, HEAVY DUTY, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | OCT-81 |
| | NA0148 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, LIGHTWEIGHT, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | OCT-81 |
| | NA0146 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, MINIATURE, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | OCT-81 |
| | NA0145 | INSERT, SCREW THREAD, KEY LOCKED, INSTALLATION AND REMOVAL PROCEDURE, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | OCT-81 |
| | MIL-I-45934/4 NOT 1 | INSERT, SCREW THREAD, KEYRING LOCKED HOLE DIMENSIONS FOR AND ASSEMBLY OF[CUST: AR AS 99 IS] [REVIEW: 11 AT AV CR MC] | A | 5325 | | IS | 31-MAY-05 |
| A | MIL-I-45934 SUP 1 | INSERT, SCREW THREAD, KEYRING LOCKED, SELF LOCKING AND NON SELF LOCKING, 125, 180, AND 220 KSI FTU, GENERAL SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: AT AV CR MC] | A | 5325 | | IS | 30-JUN-71 |
| | MIL-I-45932(2) SUP 1A NOT 1 | INSERT, SCREW THREAD, THIN WALL, LOCKED IN: GENERAL SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR4 MC MI NS OS YD] | A | 5325 | | IS | 17-OCT-97 |
| | MIL-I-45934/2 | INSERT, SCREW THREAD-KEYRING LOCKED, SELF-LOCKING AND NON SELF-LOCKING, 180 KSI FTU[CUST: AR AS 99 IS] [REVIEW: 11 AT AV CR MC] | A | 5325 | | IS | 30-JUN-71 |
| | MS51998 NOT 2 | INSERT, SCREW THREAD-LOCKED IN, RING LOCKED, SERRATED, DESIGN AND USAGE LIMITATIONS FOR[CUST: AR AS 99] | A | 53GP | | IS | 14-SEP-01 |
| A | MS51498(1) NOT 1 | INSERT, SCREW THREAD-LOCKED IN, RING LOCKED, SERRATED, HIGH STRENGTH, OVERSIZE REPLACER[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR4 GL MC NS OS] | A | 5325 | | IS | 12-DEC-02 |
| A | MS51830E(1) | INSERT, SCREW-THREAD, LOCKED IN, KEY LOCKED, MINIATURE AND LIGHTWEIGHT[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR EC GL MC MI NS] | A | 5325 | | IS | 12-FEB-93 |
| | MS51832C(1) | INSERT, SCREW-THREAD, LOCKED IN, KEY-LOCKED, EXTRA HEAVY DUTY[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR EC MC MI SH] | A | 5325 | | IS | 12-FEB-93 |
| | MS51831F(1) | INSERT, SCREW-THREAD, LOCKED IN, KEY-LOCKED, HEAVY DUTY[CUST: AR AS 99 IS] [REVIEW: 71 AT AV GL MC SH] | A | 5325 | | IS | 12-FEB-93 |
| | NAS1873 | INSERT, SELF-LOCKING, THERMAL, BONDED HONEYCOMB PANEL[CUST: AS 11] [REVIEW: IS] | A | 5340 | | AS | 17-OCT-84 |
| | ASTM-F585 | INSERTION OF FLEXIBLE POLYETHYLENE PIPE INTO EXISTING SEWERS[CUST: CR4 YD 99] | A | 5630 | | CR4 | 15-JUL-94 |
| | SAE-AS7245 | INSERTS, SCREW THREAD, HELICAL COIL 19CR-9.2NI, CORROSION RESISTANT STEEL, PROCUREMENT SPECIFICATION FOR[CUST: AV 99] [REVIEW: AR AT CR CR4 GL SH] | A | 5340 | | 71 | 15-JAN-93 |
| | SAE-AS7246 | INSERTS, SCREW THREAD, HELICAL COIL 72NI-15.5CR-0.05(CB+TA)-2.5TI-0.70A1-7.0FE CORROSION AND HEAT RESISTANT ALLOY, PROCUREMENT SPECIFICATION FOR[CUST: AV 99] [REVIEW: AR AT CR CR4 GL] | A | 5340 | | 71 | 29-JAN-93 |
| | SAE-MA1565 | INSERTS, SCREW THREAD, HELICAL COIL, METRIC SERIES, PROCUREMENT SPECIFICATIONS FOR[CUST: AR AS 11] [REVIEW: 71 AV] | A | 5340 | | IS | 16-JAN-85 |
| | SAE-MA1567 | INSERTS, SCREW THREAD, HELICAL COIL, METRIC SERIES, STANDARD ASSEMBLY DIMENSIONS FOR[CUST: AR AS 11] [REVIEW: AV IS] | A | 5340 | | AR | 16-JAN-85 |
| | NASM8846 | INSERTS, SCREW-THREAD, HELICAL COIL[CUST: AV AS 99 IS] | A | 5325 | | IS | MAY-98 |
| | MIL-I-23413C | INSERTS, WELDING, FILLER MATERIAL, COILED AND SOLID RINGS[CUST: SH] [REVIEW: GS] | A | 3439 | | SH | 04-AUG-81 |
| | MIL-DTL-28964C | INSIGNA, GRADE: ZINC[CUST: MC CT] | A | 8455 | | CT | 04-MAR-97 |
| | MIL-DTL-15665/65A NOT 2 | INSIGNIA, "U.S.", ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/48 NOT 2 | INSIGNIA, AIDE CHAIRMAN AND VICE CHAIRMAN, JOINT CHIEFS OF STAFF, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/49 NOT 2 | INSIGNIA, AIDE, CHAIRMAN, JOINT CHIEFS OF STAFF, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/51 NOT 2 | INSIGNIA, AIDE, CHIEF OF STAFF AND VICE CHIEF OF STAFF, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/52 NOT 2 | INSIGNIA, AIDE, CHIEF OF STAFF, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/53 NOT 2 | INSIGNIA, AIDE, GENERAL OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/55 NOT 2 | INSIGNIA, AIDE, GENERAL OFFICERS, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/54 NOT 2 | INSIGNIA, AIDE, GENERAL OFFICERS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/41 NOT 2 | INSIGNIA, AIDE, PRESIDENT OF THE UNITED STATES, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/40 NOT 2 | INSIGNIA, AIDE, PRESIDENT OF THE UNITED STATES, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/46 NOT 2 | INSIGNIA, AIDE, SECRETARY AND UNDER SECRETARY OF THE ARMY, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/45 NOT 2 | INSIGNIA, AIDE, SECRETARY OF DEFENSE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/44 NOT 2 | INSIGNIA, AIDE, SECRETARY OF DEFENSE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/47 NOT 2 | INSIGNIA, AIDE, SECRETARY OF THE AIR FORCE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/50 NOT 2 | INSIGNIA, AIDE, VICE CHAIRMAN, JOINT CHIEFS OF STAFF, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/43 NOT 2 | INSIGNIA, AIDE, VICE PRESIDENT OF THE UNITED STATES, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/42 NOT 2 | INSIGNIA, AIDE, VICE PRESIDENT OF THE UNITED STATES, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/97 | INSIGNIA, BERET, ENLISTED, SERGEANT MAJOR OF THE U.S. ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 05-SEP-01 |
| | MIL-I-21899D | INSIGNIA, BRANCH OF SERVICE (COLLAR AND SLEEVE)[CUST: NU CT] | A | 8455 | | CT | 16-OCT-90 |
| | MIL-DTL-11132/4G | INSIGNIA, BRANCH OF SERVICE, ADVANCE COURSE, SENIOR DIVISION AND CADET OFFICER, JUNIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-OCT-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11132/3G | INSIGNIA, BRANCH OF SERVICE, BASIC COURSE, SENIOR DIVISION AND CORPS, JUNIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-OCT-01 |
| | MIL-DTL-15665/1F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, ADJUTANT GENERAL'S CORP, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/5G | INSIGNIA, BRANCH OF SERVICE, ENLISTED, AIR DEFENSE ARTILLERY, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/3F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, ARMOR, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/4G | INSIGNIA, BRANCH OF SERVICE, ENLISTED, ARMY MEDICAL CORPS , ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/34E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, AVIATION, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/31F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, CALVARY, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/6F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, CHEMICAL CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/7F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, CIVIL AFFAIRS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/8F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, CORPS OF ENGINEERS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/26F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, FIELD ARTILLERY, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/9F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, FINANCE CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/10F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, INFANTRY, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/33E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, INSPECTOR GENERAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/25G | INSIGNIA, BRANCH OF SERVICE, ENLISTED, JUDGE ADVOCATE GENERAL'S CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/11G | INSIGNIA, BRANCH OF SERVICE, ENLISTED, MILITARY INTELLIGENCE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/13F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, MILITARY POLICE CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/14F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, ORDNANCE CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/37E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, PUBLIC AFFAIRS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/15F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, QUARTERMASTER CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/16G | INSIGNIA, BRANCH OF SERVICE, ENLISTED, SIGNAL CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/35F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, SPECIAL FORCES, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/17F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, TRANSPORTATION CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/71 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, ADJUTANT GENERAL'S CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/72 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, AIR DEFENSE ARTILLERY, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/73 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, ARMOR, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/74 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, AVIATION, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/75 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CAVALRY, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/64 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, BUDDHIST FAITH, ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/58 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, CHRISTIAN FAITH, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/59 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, CHRISTIAN FAITH, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/60 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, JEWISH FAITH, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/61 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, JEWISH FAITH, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/63A NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, MUSLIM FAITH, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/62A NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, MUSLIM FAITH, ARMY AND NAVY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/76 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHEMICAL CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/77B NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CIVIL AFFAIRS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/78 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CORPS OF ENGINEERS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/79 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, FIELD ARTILLERY, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/80 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, FINANCE CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/81 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, GENERAL STAFF, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/83 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, INFANTRY, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/82A NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, INSPECTOR GENERAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/84 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, JUDGE ADVOCATE GENERAL'S CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/85 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, MEDICAL SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/86 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, MILITARY INTELLIGENCE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/87 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, MILITARY POLICE CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/93 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, NATIONAL GUARD BUREAU[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/88 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, ORDNANCE CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/103A | INSIGNIA, BRANCH OF SERVICE, OFFICERS, PSYCHOLOGICAL OPERATIONS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-NOV-04 |
| | MIL-DTL-15665/89 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, QUARTERMASTER CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/94 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, SIGNAL CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/90 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, SPECIAL FORCES, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/91 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, STAFF SPECIALIST, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/92 NOT 2 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, TRANSPORTATION CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-11132/7E NOT 2 | INSIGNIA, BRANCH OF SERVICE, ROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-15665/70 NOT 2 | INSIGNIA, BRANCH OF SERVICE, WARRANT OFFICERS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-I-19878C | INSIGNIA, BRANCH OF SERVICE: METAL; HOSPITAL CORPSMAN AND DENTAL TECHNICIAN[CUST: MC CT] | A | 8465 | | CT | 21-DEC-90 |
| | MIL-DTL-14639/58A | INSIGNIA, CADET RANK, CHEVRON, AIR FORCE ACADEMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-MAY-05 |
| | MIL-DTL-14639/59A | INSIGNIA, CADET RANK, CLOUD, AIR FORCE ACADEMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-14639/56A | INSIGNIA, CADET RANK, NARROW ANGLE BAR, AIR FORCE ACADEMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-MAY-05 |
| | MIL-DTL-14639/55A | INSIGNIA, CADET RANK, NARROW STRAIGHT BAR, AIR FORCE ACADEMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-MAY-05 |
| | MIL-DTL-14639/57A | INSIGNIA, CADET RANK, WIDE ANGLE BAR, AIR FORCE ACADEMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-MAY-05 |
| | MIL-I-17988/3E | INSIGNIA, CAP AND HAT CHIEF PETTY OFFICER[CUST: NU CT] | A | 8455 | | CT | 25-JUN-90 |
| | MIL-DTL-17988/11E | INSIGNIA, CAP AND HAT CHIEF PETTY OFFICERS (U.S. COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8455 | | NU | 20-NOV-03 |
| | MIL-I-17988/14A | INSIGNIA, CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER (OPTIONAL)[CUST: NU CT] | A | 8455 | | CT | 25-JUN-90 |
| | MIL-I-17988/13F | INSIGNIA, CAP AND HAT ENLISTED PERSONNEL (COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 25-JUN-90 |
| | MIL-DTL-17988/4F | INSIGNIA, CAP AND HAT ENLISTED PERSONNEL WORK CAP[CUST: NU CT] | A | 8455 | | CT | 17-FEB-98 |
| | MIL-I-17988/6C | INSIGNIA, CAP AND HAT OFFICER CANDIDATES[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 25-JUN-90 |
| | MIL-I-17988/2C | INSIGNIA, CAP AND HAT WARRANT OFFICERS[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 25-JUN-90 |
| | MIL-I-17988C | INSIGNIA, CAP AND HAT, GENERAL SPECIFICATION FOR[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 20-NOV-79 |
| | MIL-DTL-11132/20F | INSIGNIA, CAP, ADVANCE COURSE, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 17-SEP-02 |
| | MIL-DTL-15665/101 | INSIGNIA, CAP, GUARD, DEPARTMENT OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-DEC-02 |
| | MIL-DTL-15665/99 | INSIGNIA, CAP, POLICE, DEPARTMENT OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-DEC-02 |
| | MIL-DTL-15665/102 | INSIGNIA, CAP, SUPERVISORY GUARD, DEPARTMENT OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-DEC-02 |
| | MIL-DTL-15665/100 | INSIGNIA, CAP, SUPERVISORY POLICE, DEPARTMENT OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-DEC-02 |
| M | MIL-DTL-15665/12H | INSIGNIA, COLLAR, ENLISTED, AND CAP, GARRISON, ENLISTED, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 11-APR-06 |
| | MIL-DTL-15665/98A | INSIGNIA, COLLAR, ENLISTED, BANDS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-OCT-03 |
| | MIL-DTL-15665/36E | INSIGNIA, COLLAR, ENLISTED, CHAPLAIN ASSISTANT, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/18G | INSIGNIA, COLLAR, ENLISTED, COMMAND SERGEANT MAJOR, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/38D | INSIGNIA, COLLAR, ENLISTED, PSYCHOLOGICAL OPERATIONS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/28G NOT 2 | INSIGNIA, COLLAR, ENLISTED, THE CHIEF MASTER SERGEANT OF THE U.S. AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/32E | INSIGNIA, COLLAR, ENLISTED, THE SERGEANT MAJOR OF THE U.S. ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-DTL-15665/96 | INSIGNIA, COLLAR, FIELD BAND, U.S. ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 05-SEP-01 |
| | MIL-DTL-15665/24F | INSIGNIA, COLLAR, U.S., ENLISTED, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-FEB-02 |
| | MIL-I-14654 NOT 3 | INSIGNIA, DISTINCTIVE UNIT AND SHOULDER LOOP[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-I-12718F(4) NOT 3 | INSIGNIA, DISTINGUISHING, ARMY AND AIR FORCE, WOVEN[CUST: IH NU 11] [REVIEW: CT MC] | A | 8455 | | IH | 13-NOV-03 |
| | MIL-I-29139C | INSIGNIA, EMBROIDERED[CUST: NU CT] | A | 8455 | | CT | 30-JUN-89 |
| | MIL-I-87097A | INSIGNIA, EMBROIDERED (COAST GUARD)[CUST: NU CT] | A | 8455 | | CT | 18-MAY-92 |
| | MIL-I-87097A(I1) | INSIGNIA, EMBROIDERED (COAST GUARD)[CUST: CG] | A | 8455 | | CG | 21-APR-03 |
| | MIL-I-15864K | INSIGNIA, EMBROIDERED (MEN AND WOMEN)[CUST: NU CT] [REVIEW: MC] | A | 8455 | | CT | 07-SEP-90 |
| | MIL-I-18496F | INSIGNIA, EMBROIDERED (WOMEN)[CUST: NU CT] [REVIEW: MC] | A | 8455 | | CT | 21-NOV-89 |
| | MIL-I-14653 NOT 3 | INSIGNIA, EMBROIDERED FLAG COMPONENTS, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14652B NOT 1 | INSIGNIA, EMBROIDERED, ORGANIZATIONAL, BADGES, AND BRANCH OF SERVICE, ARMY AND AIR FORCE, GENERAL SPECIFICATION FOR[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 26-APR-04 |
| | MIL-DTL-14651A | INSIGNIA, EMBROIDERED, RANK, GRADE, AND SERVICE STRIPES, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: 84 99 CT MC] | A | 8455 | | IH | 22-OCT-01 |
| | MIL-DTL-11132/5H | INSIGNIA, GARRISON CAP, JUNIOR DIVISION AND BASIC COURSE, SENIOR DIVISION, ROTC AND INSIGNIA, SERVICE CAP, BASIC COURSE, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-OCT-01 |
| | MIL-DTL-15665/95 NOT 2 | INSIGNIA, GARRISON CAP, OFFICERS, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/16F NOT 2 | INSIGNIA, GRADE, AIRMAN FIRST CLASS, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/15F NOT 2 | INSIGNIA, GRADE, AIRMAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-11132/28G NOT 2 | INSIGNIA, GRADE, CADET, AIRMAN FIRST CLASS, JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/29G NOT 2 | INSIGNIA, GRADE, CADET, AIRMAN, JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/41E NOT 2 | INSIGNIA, GRADE, CADET, CHIEF MASTER SERGEANT, JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/24G NOT 2 | INSIGNIA, GRADE, CADET, MASTER SERGEANT, JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/40E NOT 2 | INSIGNIA, GRADE, CADET, SENIOR MASTER SERGEANT, JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/27G NOT 2 | INSIGNIA, GRADE, CADET, SERGEANT, JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/26G NOT 2 | INSIGNIA, GRADE, CADET, STAFF SERGEANT, JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/25G NOT 2 | INSIGNIA, GRADE, CADET, TECHNICAL SERGEANT, JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-14639/25F | INSIGNIA, GRADE, CHIEF MASTER SERGEANT OF THE AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 19-APR-05 |
| | MIL-DTL-14639/24E NOT 2 | INSIGNIA, GRADE, CHIEF MASTER SERGEANT WITH FIRST SERGEANT DESIGNATION, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/23E NOT 2 | INSIGNIA, GRADE, CHIEF MASTER SERGEANT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/54 NOT 1 | INSIGNIA, GRADE, COMMAND CHIEF MASTER SERGEANT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/10H NOT 2 | INSIGNIA, GRADE, COMMAND SERGEANT MAJOR (E-9), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-11132/30D NOT 2 | INSIGNIA, GRADE, COMMAND SERGEANT MAJOR, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-14639/3G NOT 2 | INSIGNIA, GRADE, CORPORAL (E-4), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-11132/37D NOT 2 | INSIGNIA, GRADE, CORPORAL, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-14639E SUP 1 NOT 1 | INSIGNIA, GRADE, ENLISTED PERSONNEL AND RANK, OFFICERS, METAL, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-I-19578D NOT 1 | INSIGNIA, GRADE, ENLISTED PERSONNEL, METAL[CUST: NU CT] [REVIEW: 11 MC] | A | 8455 | | CT | 28-OCT-94 |
| | MIL-DTL-14639/8G NOT 2 | INSIGNIA, GRADE, FIRST SERGEANT (E-8), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-11132/32D NOT 2 | INSIGNIA, GRADE, FIRST SERGEANT, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-I-28934A | INSIGNIA, GRADE, MARINE CORPS JUNIOR RESERVE OFFICERS TRAINING CORPS, (EMBROIDERED)[CUST: MC CT] | A | 8455 | | CT | 15-OCT-80 |
| | MIL-DTL-14639/7G NOT 2 | INSIGNIA, GRADE, MASTER SERGEANT (E-8), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/29B NOT 2 | INSIGNIA, GRADE, MASTER SERGEANT WITH FIRST SERGEANT DESIGNATION, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/20E NOT 2 | INSIGNIA, GRADE, MASTER SERGEANT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-11132/33D NOT 2 | INSIGNIA, GRADE, MASTER SERGEANT, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-14639/6G NOT 2 | INSIGNIA, GRADE, PLATOON SERGEANT (E-7) OR SERGEANT FIRST CLASS (E-7), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/1G NOT 2 | INSIGNIA, GRADE, PRIVATE (E-2), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/2G NOT 2 | INSIGNIA, GRADE, PRIVATE FIRST CLASS (E-3), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-11132/38D NOT 2 | INSIGNIA, GRADE, PRIVATE FIRST CLASS, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/39D NOT 2 | INSIGNIA, GRADE, PRIVATE, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-14639/17E NOT 2 | INSIGNIA, GRADE, SENIOR AIRMAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/22E NOT 2 | INSIGNIA, GRADE, SENIOR MASTER SERGEANT WITH FIRST SERGEANT DESIGNATION, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/21E NOT 2 | INSIGNIA, GRADE, SENIOR MASTER SERGEANT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/4G NOT 2 | INSIGNIA, GRADE, SERGEANT (E-5), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-11132/34D NOT 2 | INSIGNIA, GRADE, SERGEANT FIRST CLASS, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-14639/9G NOT 2 | INSIGNIA, GRADE, SERGEANT MAJOR (E-9), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/28E NOT 2 | INSIGNIA, GRADE, SERGEANT MAJOR OF THE ARMY (E-9), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-11132/31D NOT 2 | INSIGNIA, GRADE, SERGEANT MAJOR, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/36D NOT 2 | INSIGNIA, GRADE, SERGEANT, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-14639/11G NOT 2 | INSIGNIA, GRADE, SPECIALIST 4 (SP-4), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/5G NOT 2 | INSIGNIA, GRADE, STAFF SERGEANT (E-6), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/18E NOT 2 | INSIGNIA, GRADE, STAFF SERGEANT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-11132/35D NOT 2 | INSIGNIA, GRADE, STAFF SERGEANT, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-14639/19E NOT 2 | INSIGNIA, GRADE, TECHNICAL SERGEANT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-15665/29G NOT 2 | INSIGNIA, HAT, ENLISTED, COMMAND BANDS, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/30E NOT 2 | INSIGNIA, HAT, ENLISTED, U.S. ARMY BAND[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/57 NOT 2 | INSIGNIA, OFFICER CANDIDATE SCHOOL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14645C | INSIGNIA, RANK AND GRADE, EMBROIDERED SHOULDER MARKS, AIR FORCE AND ARMY, GENERAL SPECIFICATION FOR[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 22-NOV-02 |
| | MIL-I-14647A(1) NOT 3 | INSIGNIA, RANK AND GRADE, SHOULDER MARKS, ROTC CADETS, ARMY AND AIR FORCE (EMBROIDERED)[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/49 NOT 2 | INSIGNIA, RANK, ADMIRAL, NAVY AND GENERAL, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-11132/11F NOT 2 | INSIGNIA, RANK, CADET, CAPTAIN, ROTC AND JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/8E NOT 2 | INSIGNIA, RANK, CADET, COLONEL, ROTC AND JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/12E NOT 2 | INSIGNIA, RANK, CADET, FIRST LIEUTENANT, ROTC AND JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/9E NOT 2 | INSIGNIA, RANK, CADET, LIEUTENANT COLONEL, ROTC AND JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/10E NOT 2 | INSIGNIA, RANK, CADET, MAJOR, ROTC AND JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/42B NOT 2 | INSIGNIA, RANK, CADET, OFFICERS, SROTC, FATIGUE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11132/13E NOT 2 | INSIGNIA, RANK, CADET, SECOND LIEUTENANT, ROTC AND JROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-14639/31A NOT 2 | INSIGNIA, RANK, CAPTAIN, ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/33B | INSIGNIA, RANK, CAPTAIN, NAVY AND COLONEL, ARMY, AIR FORCE, AND MARINE CORPS[CUST: IH NU 11] [REVIEW: CT MC] | A | 8455 | | IH | 20-JAN-04 |
| | MIL-DTL-14639/53B | INSIGNIA, RANK, CHIEF WARRANT OFFICER CW5, MARINE CORPS, NAVY, AND ARMY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 04-FEB-04 |
| | MIL-DTL-14639/51 NOT 2 | INSIGNIA, RANK, CHIEF WARRANT OFFICER W-2 AND W-4, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/52 NOT 2 | INSIGNIA, RANK, CHIEF WARRANT OFFICER W-3 AND WARRANT OFFICER W-1, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/45 NOT 2 | INSIGNIA, RANK, COMMANDER AND LIEUTENANT COMMANDER, NAVY AND LIEUTENANT COLONEL AND MAJOR, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/46A | INSIGNIA, RANK, COMMODORE, NAVY AND BRIGADIER GENERAL, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 25-FEB-03 |
| | MIL-DTL-11132/1G | INSIGNIA, RANK, DIAMOND, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-OCT-01 |
| | MIL-DTL-11132/2G | INSIGNIA, RANK, DISK, ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-OCT-01 |
| | MIL-DTL-14639/30 NOT 2 | INSIGNIA, RANK, FIRST LIEUTENANT AND SECOND LIEUTENANT, ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/50 NOT 2 | INSIGNIA, RANK, FLEET ADMIRAL (PENTAGON STAR GROUP)[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/37 NOT 2 | INSIGNIA, RANK, GENERAL OF THE ARMY AND GENERAL OF THE AIR FORCE (PENTAGON STAR GROUP)[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/38 NOT 2 | INSIGNIA, RANK, GENERAL OF THE ARMY AND GENERAL OF THE AIR FORCE COAT OF ARMS[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/34A NOT 2 | INSIGNIA, RANK, GENERAL OFFICERS, 1 INCH STAR, ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/36A NOT 2 | INSIGNIA, RANK, GENERAL OFFICERS, 3/4 INCH STAR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/35A NOT 2 | INSIGNIA, RANK, GENERAL OFFICERS, 5/8 INCH STAR, ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |
| | MIL-DTL-14639/43 NOT 2 | INSIGNIA, RANK, LIEUTENANT (JG) AND ENSIGN, NAVY; LIEUTENANT AND SECOND LIEUTENANT, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/32 NOT 2 | INSIGNIA, RANK, LIEUTENANT COLONEL AND MAJOR, ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-14639/44 NOT 2 | INSIGNIA, RANK, LIEUTENANT, NAVY AND CAPTAIN, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-I-87070 | INSIGNIA, RANK, OFFICERS, SHOULDER MARK, NAVY (EMBROIDERED)[CUST: NU CT] | A | 8455 | | CT | 10-DEC-80 |
| | MIL-DTL-14639/47 NOT 2 | INSIGNIA, RANK, REAR ADMIRAL, NAVY AND MAJOR GENERAL, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/48 NOT 2 | INSIGNIA, RANK, VICE ADMIRAL, NAVY AND LIEUTENANT GENERAL, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14639/42A NOT 2 | INSIGNIA, RANK, WARRANT OFFICER WO1 AND CHIEF WARRANT OFFICERS, CW2, CW3 AND CW4, ARMY[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-11132/6J NOT 2 | INSIGNIA, SERVICE AND GARRISON CAP, ROTC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-15665/21K NOT 2 | INSIGNIA, SERVICE CAP, ENLISTED, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/20F NOT 2 | INSIGNIA, SERVICE CAP, ENLISTED, FEMALE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/22E NOT 2 | INSIGNIA, SERVICE CAP, ENLISTED, MALE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/23F NOT 2 | INSIGNIA, SERVICE CAP, ENLISTED, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/27F NOT 2 | INSIGNIA, SERVICE CAP, ENLISTED, THE SERGEANT MAJOR OF THE U.S. ARMY AND THE CHIEF MASTER SERGEANT OF THE U.S. AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/66B | INSIGNIA, SERVICE CAP, OFFICERS, ARMY, MALE AND AIR FORCE, MALE AND FEMALE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 19-APR-05 |
| | MIL-DTL-15665/69A NOT 2 | INSIGNIA, SERVICE CAP, OFFICERS, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-15665/67 NOT 2 | INSIGNIA, SERVICE HAT, OFFICERS, FEMALE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-I-14646(1) NOT 3 | INSIGNIA, SHOULDER LOOP, COMBAT LEADER IDENTIFICATION[CUST: IH] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-I-22782E | INSIGNIA, SHOULDER SLEEVE, AND BREAST[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 13-NOV-85 |
| | MIL-DTL-1563/3A NOT 2 | INSIGNIA, U.S.M.A., COLLAR, BLACK, GRAY OR GOLD SHIELD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-MAY-01 |
| | MIL-DTL-1563/20A NOT 2 | INSIGNIA, U.S.M.A., BALL, 30 LIGNE WITH TACK BACK[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/13A NOT 2 | INSIGNIA, U.S.M.A., BUCKLE, BREASTPLATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/12A NOT 2 | INSIGNIA, U.S.M.A., BUCKLE, WAISTPLATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/18A NOT 2 | INSIGNIA, U.S.M.A., BURR, COAT, CADET FULL DRESS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/6A NOT 2 | INSIGNIA, U.S.M.A., BUTTON, 25 LIGNE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-MAY-01 |
| | MIL-DTL-1563/9A NOT 2 | INSIGNIA, U.S.M.A., BUTTON, 25 LIGNE WITH TUBE SCREW[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/21 NOT 2 | INSIGNIA, U.S.M.A., BUTTON, 25 LIGNE WITH TUNNEL BACK[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/10A NOT 2 | INSIGNIA, U.S.M.A., BUTTON, 30 LIGNE, FLAT WITH TOGGLE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/7A NOT 2 | INSIGNIA, U.S.M.A., BUTTON, 36 LIGNE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/11A NOT 2 | INSIGNIA, U.S.M.A., BUTTON, 36 LIGNE WITH TUNNEL BACK[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/8B NOT 2 | INSIGNIA, U.S.M.A., BUTTON, 43 LIGNE WITH TUBE SCREW AND HOOK[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/5A NOT 2 | INSIGNIA, U.S.M.A., BUTTON, BALL, 30 LIGNE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-MAY-01 |
| | MIL-DTL-1563/15A NOT 2 | INSIGNIA, U.S.M.A., BUTTON, CUFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/16A NOT 2 | INSIGNIA, U.S.M.A., CHAIN, HANGING, CADET OVERCOAT[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/14A NOT 2 | INSIGNIA, U.S.M.A., CHAIN, HAT, CADET, FULL DRESS WITH POM POM[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | MIL-DTL-1563/2A NOT 2 | INSIGNIA, U.S.M.A., SERVICE CAP, UNIFORM[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-MAY-01 |
| | MIL-DTL-1563/1A NOT 2 | INSIGNIA, U.S.M.A., SERVICE HAT, CADET FULL DRESS WITH POM POM[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-MAY-01 |
| | MIL-DTL-1563/19A NOT 2 | INSIGNIA, U.S.M.A., TOGGLE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-MAY-01 |
| | DDD-I-00520A | INSIGNIA, UNIFORM, GSA | A | 8455 | # | FSS | 28-DEC-67 |
| | MIL-DTL-15665/56 NOT 2 | INSIGNIA, WARRANT OFFICER CANDIDATE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-I-17988/9C | INSIGNIA: CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER (U.S. COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 25-JUN-90 |
| | MIL-I-11132H SUP 1A NOT 3 | INSIGNIA; BRANCH OF SERVICE, GRADE, RANK, GARRISON CAP, AND SERVICE CAP, ROTC AND JROTC PERSONNEL, ARMY AND AIR FORCE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-15665J SUP 1 NOT 2 | INSIGNIA; BRANCH OF SERVICE, HAT, GARRISON CAP AND SERVICE CAP, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-I-17988/12B | INSIGNIA; CAP AND HAT CADET (U.S. COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 25-JUN-90 |
| | MIL-I-17988/1C | INSIGNIA; CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER[CUST: NU CT] | A | 8455 | | CT | 25-JUN-90 |
| | MIL-I-17988/5C | INSIGNIA; CAP AND HAT ENLISTED PERSONNEL DRESS HAT[CUST: NU CT] | A | 8455 | | CT | 25-JUN-90 |
| | MIL-I-17988/7B | INSIGNIA; CAP AND HAT NAVAL ACADEMY MIDSHIPMEN-OFFICER CANDIDATES[CUST: NU CT] [REVIEW: CG] | A | 8455 | | CT | 25-JUN-90 |
| | MIL-I-17988/8C | INSIGNIA; CAP AND HAT U.S. NAVY BAND/NAVAL ACADEMY BAND[CUST: NU CT] | A | 8455 | | CT | 25-JUN-90 |
| | MIL-I-1986E | INSOLE, FOOTWEAR, FELT, INSULATING[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8335 | | CT | 05-DEC-86 |
| | A-A-53351 | INSOLES, FOOTWEAR[CUST: MD MS 03] | A | 8335 | * | MB | 22-JAN-88 |
| | MIL-STD-801C | INSPECTION AND ACCEPTANCE STANDARDS FOR FUEL CELLS AND FITTINGS[Test Method Standard][CUST: AV AS 99 CC] [REVIEW: AT MI SA] | A | 1560 | | AS | 31-JAN-05 |
| | MIL-STD-1411A | INSPECTION AND MAINTENANCE OF COMPRESSED GAS CYLINDERS[Standard Practice][CUST: EA SH 68 GS7] | A | 8120 | | GS7 | 22-JUL-02 |
| | DI-QCIC-81110 | INSPECTION AND TEST PLAN [AMSC: N6110] | A | QCIC | | AS | 19-DEC-90 |
| | ASTM-E126 | INSPECTION AND VERIFICATION OF HYDROMETERS[CUST: EA 99] [REVIEW: 84 CR4 DP MD] | A | 6630 | | EA | 15-MAY-92 |
| | ASTM-E77 | INSPECTION AND VERIFICATION OF THERMOMETERS[CUST: CR4 99] [REVIEW: 71 84 AR AS SH] | A | 6685 | | GS1 | 10-NOV-98 |
| | AITC200 | INSPECTION MANUAL[CUST: YD] [REVIEW: CC CR4 OS SH] | A | 55GP | | YD | 26-JUN-89 |
| | QPL-AMS2644-4 | INSPECTION MATERIAL, PENETRANT | A | 6850 | | 11 | 01-OCT-04 |
| | SAE-AMS2644 | INSPECTION MATERIAL, PENETRANT[CUST: 11] [REVIEW: GS] | A | 6850 | | 11 | 13-MAR-98 |
| | MIL-HDBK-154B | INSPECTION OF FRUIT AND VEGETABLE FARMS AND PACKING SHEDS IN OVERSEA AREAS[CUST: MD SA 11] | A | 89GP | | MD | 09-JUL-82 |
| | NACE-RP0288 | INSPECTION OF LININGS ON STEEL AND CONCRETE[CUST: YD] | A | FACR | | YD | 29-JUL-04 |
| | ASTM-F941 | INSPECTION OF MARINE SURFACE PREPARATION AND COATING APPLICATION[CUST: CR4 SH 99] [REVIEW: AS CG MC MR] | A | 8010 | | SH | 27-SEP-85 |
| | MIL-HDBK-1890 NOT 1 | INSPECTION OF WELDED JOINTS[CUST: AT] | A | NDTI | | AT | 15-APR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-2195A | INSPECTION PROCEDURE FOR DETECTION AND MEASUREMENT OF DEALLOYING CORROSION ON ALUMINUM BRONZE AND NICKEL-ALUMINUM BRONZE COMPONENTS[Test Method Standard][CUST: SH] | A | NDTI | | SH | 17-DEC-93 |
| | NAS527 | INSPECTION PROCEDURE FOR FLUSH FASTENERS[CUST: AV AS] [REVIEW: CR CR4] | A | 5220 | | AS | 14-JUN-74 |
| | SAE-AMS-I-83387 | INSPECTION PROCESS, MAGNETIC RUBBER[CUST: MR AS 11] | A | NDTI | | 11 | JUN-99 |
| | MIL-HDBK-6870A | INSPECTION PROGRAM REQUIREMENTS, NONDESTRUCTIVE FOR AIRCRAFT AND MISSILE MATERIALS AND PARTS[CUST: MR AS 11] | A | NDTI | | 11 | 28-AUG-01 |
| | MIL-STD-849B | INSPECTION REQUIREMENTS, DEFINITIONS AND CLASSIFICATION OF DEFECTS FOR PARACHUTES[Standard Practice][CUST: GL AS 11 GS1] [REVIEW: 71 AV MC TE] | A | 1670 | | GS1 | 25-JUL-01 |
| | STANAG-3390 ED.7(5) | INSPECTION STANDARDS FOR FUEL SOLUBLE CORROSION INHIBITORS/LUBRICITY IMPROVERS | C | ISDF | | 06 | 17-JUN-96 |
| | MIL-STD-1907(4) NOT 3 | INSPECTION, LIQUID PENETRANT AND MAGNETIC PARTICLE, SOUNDNESS REQUIREMENTS FOR MATERIALS, PARTS AND WELDMENTS[Military Standard][CUST: MI AS 11] [REVIEW: 24 70 84 AR AT CR4 OS TM] | A | NDTI | | MI | 26-SEP-02 |
| | SAE-AMS2632 | INSPECTION, ULTRASONIC, OF THIN MATERIALS 0.50 INCH (12.7 MM) AND UNDER IN CROSS-SECTIONAL THICKNESS[CUST: AV SH 11] [REVIEW: 68 99 AS MR] | A | NDTI | | 11 | MAR-95 |
| | SAE-AMS2630 | INSPECTION, ULTRASONIC, PRODUCT OVER 0.5 INCH (12.7 MM) THICK[CUST: AV SH 11] [REVIEW: 68 99 AS MR] | A | NDTI | | 11 | MAR-95 |
| | SAE-AMS-STD-2154 | INSPECTION, ULTRASONIC, WROUGHT METALS, PROCESS FOR[CUST: MR AS 11] | A | NDTI | | AS | 15-NOV-04 |
| | IPC-TM650.2.2.5 | INSPECTIONS, DIMENSIONAL, USING MICROSECTIONS[CUST: CR EC 11 CC] [REVIEW: 71 99 NA] | A | 5998 | | CC | 22-MAR-05 |
| | SAE-ARP1923 | INSPECTORS, ETCH, QUALIFICATION AND CERTIFICATION OF[CUST: MR AS 11] | A | NDTI | | 11 | 17-MAR-89 |
| | DI-QCIC-80154A | INSTALLATION AND ACCEPTANCE TEST PLAN (JATP) [AMSC: F6985] | A | QCIC | | 10 | 25-JAN-94 |
| | DI-SESS-81619 | INSTALLATION AND CHECKOUT (INCO) SPARES LISTING [AMSC: N7449] | A | SESS | | SA | 01-AUG-01 |
| | UL681 | INSTALLATION AND CLASSIFICATION OF BURGLAR AND HOLDUP ALARM SYSTEMS[CUST: YD] | A | 6350 | | IS | 26-FEB-99 |
| | SAE-AS8700 | INSTALLATION AND TEST OF ELECTRONIC EQUIPMENT IN AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 11] | A | MISC | | AS | JUL-99 |
| | DI-CMAN-81245A | INSTALLATION COMPLETION NOTIFICATION (ICN) [AMSC: D7394] | A | SESS | | SE | 30-SEP-00 |
| | DI-DRPR-81242 | INSTALLATION CONTROL DRAWINGS [AMSC: N6685] | A | DRPR | | SH | 18-OCT-91 |
| | DI-DRPR-81243 | INSTALLATION DESIGN RESERVATION DATA [AMSC: N6686] | A | DRPR | | SH | 18-OCT-91 |
| | MIL-I-52997(2) | INSTALLATION FIXTURE KIT, ROLLER, MINE CLEARING: TRACK-WIDTH, TANK-MOUNTED[CUST: AT] | A | 1095 | | AT | 03-JUN-85 |
| | MIL-I-8671D | INSTALLATION OF DROPPABLE STORES AND ASSOCIATED RELEASE SYSTEMS[CUST: AS] | A | 1095 | | AS | 28-JAN-94 |
| | MIL-I-8670B | INSTALLATION OF FIXED GUNS AND ASSOCIATED EQUIPMENT IN NAVAL AIRCRAFT[CUST: AS] | A | 1005 | | AS | 16-SEP-93 |
| | MIL-STD-8651 | INSTALLATION OF IDENTIFICATION AND MODIFICATION PLATES (FOR AIRCRAFT)[Standard Practice][CUST: AV AS 99] [REVIEW: 84] | A | 9905 | | AS | 10-NOV-97 |
| | ASTM-C841 | INSTALLATION OF INTERIOR LATHING AND FURRING[CUST: CR4 YD 99] [REVIEW: CE] | A | 5640 | | IS | 02-MAR-92 |
| | API-RP1615 | INSTALLATION OF UNDERGROUND PETROLEUM PRODUCT STORAGE SYSTEMS[CUST: AV YD 99] | A | 5430 | | YD | 03-OCT-94 |
| | SAE-AS683 | INSTALLATION PROCEDURES AND TORQUES FOR FLUID CONNECTIONS[CUST: AS 99] [REVIEW: CC] | A | 4730 | | 99 | 01-MAR-82 |
| | UL96A | INSTALLATION REQUIREMENTS FOR LIGHTING PROTECTION SYSTEMS[CUST: CR YD 04] | A | FACR | | YD | 03-OCT-94 |
| | DI-QCIC-80510 | INSTALLATION SPECIFICATION [AMSC: F4297] | A | QCIC | | 10 | 21-JAN-88 |
| | NAS1837 | INSTALLATION TAB AND ALIGNMENT TOOL FOR NAS 1832, NAS 1833, NAS 1834, NAS 1835, AND NAS1836 MOLDED IN INSERTS[CUST: AR AS 99] [REVIEW: GS] | A | 5120 | | AS | 9 SEP 99 |
| | DI-QCIC-80511 | INSTALLATION TEST PROCEDURES [AMSC: F4298] | A | QCIC | | 10 | 21-JAN-88 |
| | DI-QCIC-80512 | INSTALLATION TEST REPORT [AMSC: F4299] | A | QCIC | | 10 | 21-JAN-88 |
| | SAE-AS1960/5 | INSTALLATION, JOINT 40 DEG. V-BAND COUPLING AND NARROW SHEET METAL FLANGES[CUST: AR AS 99 IS] | A | 5340 | | IS | 30-JUL-92 |
| | SAE-AS1895/21 | INSTALLATION, JOINT V-RETAINER, COUPLING ASSEMBLY[CUST: AR AS 99 IS] | A | 5340 | | IS | 01-JUN-92 |
| | DI-QCIC-80509 | INSTALLATION-ENGINEERING PLAN [AMSC: F4296] | A | QCIC | | 10 | 21-JAN-88 |
| | MIL-I-81969/34F | INSTALLING & REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II CLASS 1 COMPOSITION A (FOR USE ON MIL-C 28840 (EC) CONNECTORS)[CUST: AS] [REVIEW: EC GS] | A | 5120 | | AS | 07-SEP-82 |
| | MIL-I-81969/8B | INSTALLING & REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPES 1 & II, CLASS 2, COMPOSITION A[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 31-OCT-86 |
| | MIL-I-81969/39A | INSTALLING AND REMOVAL TOOL, CONNECTOR ELECTRICAL CONTACTS, TYPE III, CLASS 2, COMPOSITION B.[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 28-AUG-85 |
| | MIL-I-81969/13A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT (TYPE CR), TYPE I, CLASS 1, COMPOSITION A.[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |
| | MIL-I-81969/2A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT TYPE I, CLASS 1, COMPOSITION C[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |
| | MIL-I-81969/19B(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT TYPE II, CLASS 1, COMPOSITION C[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 27-FEB-97 |
| | MIL-I-81969/22(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION A[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CC CR4 EC GL GS OS] | A | 5120 | | AS | 26-JUN-91 |
| | MIL-I-81969/23(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (CRIMP REMOVABLE), TYPE I, CLASS 1, COMPOSITION A[CUST: CR AS 11] [REVIEW: 19 99 AR AV CC EC GS OS SH] | A | 5120 | | AS | 26-JUN-91 |
| | MIL-I-81969/5A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, CRIMP REMOVABLE), TYPE I, CLASS 1, COMPOSITION A[CUST: CR AS 11] [REVIEW: 19 99 CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |
| | MIL-I-81969/11B(1) NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, WRAPPOST/CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION C[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 27-FEB-97 |
| | MIL-I-81969/4B(1) NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, WRAPPOST/CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION C[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 27-FEB-97 |
| | MIL-I-81969/6B NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (TYPE CR CONNECTOR), TYPE II, CLASS 1, COMPOSITION A[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CC CR4 EC GL GS MC MI OS SH YD] | A | 5120 | | AS | 17-OCT-91 |
| | MIL-I-81969/7A NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (TYPE D CONNECTOR) TYPE III, CLASS 1 AND 2, COMPOSITION A[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AT AV CR4 EC GL GS MC MI OS SH YD] | A | 5120 | | AS | 17-OCT-91 |
| | MIL-I-81969B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 20-AUG-82 |
| | QPL-81969-17 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, GENERAL SPECIFICATION FOR | A | 5120 | | AS | 29-NOV-04 |
| | MIL-I-81969/18A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION C.[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-I-81969/33A(3) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION A (FOR USE WITH MIL-C-28840)EC( CONNECTORS)[CUST: AS] [REVIEW: EC GS] | A | 5120 | | AS | 20-JUN-83 |
| | MIL-I-81969/17B(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION C[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 27-FEB-97 |
| | MIL-I-81969/30 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |
| | MIL-I-81969/27 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A[CUST: CR AS 11] [REVIEW: 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |
| | MIL-I-81969/29 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION B[CUST: CR AS 11] [REVIEW: 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |
| | MIL-I-81969/9B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A.[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 02-OCT-80 |
| | MIL-I-81969/3A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION C.[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |
| | MIL-I-81969/26A(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1 OR 2, COMPOSITION A, (FOR REMOVAL OF INTEGRATED CIRCUIT PACKAGES AND SIMILAR DEVICES FROM SOCKETS, RECEPTACLES, OR PRINTED WIRING BOARDS)[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CC EC GL GS MI OS SH] | A | 5120 | | AS | 26-JUN-91 |
| | MIL-I-81969/20A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A OR B.[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |
| | MIL-I-81969/14C(1) NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION B[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CC CR4 EC GL GS MI OS SH] | A | 5120 | | AS | 17-OCT-91 |
| | MIL-I-81969/25 NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION C[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC EC GS YD] | A | 5120 | | AS | 17-OCT-91 |
| | MIL-I-81969/1A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION C[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |
| | MIL-I-81969/12A(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION A.[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 27-FEB-97 |
| | MIL-I-81969/16A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION B.[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC EC GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |
| | MIL-I-81969/31(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION A[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CC EC GL GS MI OS SH] | A | 5120 | | AS | 26-JUN-91 |
| | MIL-I-81969/10A(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPES I AND II, CLASS 2, COMPOSITION B[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CC CR4 EC GL GS OS SH] | A | 5120 | | AS | 26-JUN-91 |
| | MIL-I-81969/21 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACTS, INTERFACIAL SEAL, TYPE III, CLASS 1, COMPOSITION A[CUST: CR AS 11] [REVIEW: 99 CC EC GL GS] | A | 5120 | | AS | 06-DEC-76 |
| | MIL-I-81969/28 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACTS, TYPE II, CLASS 2, COMPOSITION C[CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 27-MAY-88 |
| | MIL-I-81969/15A | INSTALLING AND REMOVAL TOOLS, CONNECTORELECTRICAL CONTACT TYPE II, CLASS 2, COMPOSITION A.[CUST: CR AS 11] [REVIEW: 19 99 CC CR4 EC GL GS MC MI OS SH] | A | 5120 | | AS | 11-JAN-79 |
| | MIL-I-81969/43B | INSTALLING AND REMOVAL TOOLS, SOCKET HEAD, ELECTRONIC COMPONENTS TYPE II,CLASS I, COMPOSITION C[CUST: CR AS 11] [REVIEW: 19 99 AT AV CR4 GS MC MI OS SH] | A | 5120 | | AS | 28-JUN-93 |
| | MIL-I-81969/45A | INSTALLING TOOL, SOLDERLESS SPRING CONTACT, TYPE I, COMPOSITION A[CUST: AS 11] [REVIEW: 99 GS] | A | 5120 | | AS | 28-JUN-93 |
| | MIL-HDBK-1013/11 | INSTRUCTION FOR PLANNING AND DESIGN OF HIGH SECURITY MAGAZINE DOOR CONSTRUCTION PROJECTS[CUST: YD] | A | FACR | | YD | 10-FEB-95 |
| | DI-SESS-81520B | INSTRUCTIONAL MEDIA DESIGN PACKAGE [AMSC: N7466] | A | SESS | | AS | 30-AUG-01 |
| | DI-SESS-81526B | INSTRUCTIONAL MEDIA PACKAGE [AMSC: N7472] | A | SESS | | AS | 30-AUG-01 |
| | DI-SESS-81519B | INSTRUCTIONAL MEDIA REQUIREMENTS DOCUMENT [AMSC: N7465] | A | SESS | | AS | 30-AUG-01 |
| | DI-SESS-81518B | INSTRUCTIONAL PERFORMANCE REQUIREMENTS DOCUMENT [AMSC: N7464] | A | SESS | | AS | 30-AUG-01 |
| | MIL-HDBK-29612/2A | INSTRUCTIONAL SYSTEMS DEVELOPMENT/SYSTEMS APPROACH TO TRAINING AND EDUCATION (PART 2 OF 5 PARTS)[CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM] | A | SESS | | AS | 31-AUG-01 |
| | DI-MISC-81458 | INSTRUCTOR PLANNING DOCUMENT [AMSC: F7112] | A | MISC | | 11 | 23-JAN-95 |
| | AIR-STD-90/7 | INSTRUMENT APPROACH AND DEPARTMENT PROCEDURE CRITERIA | C | ISDF | | 06 | 19-DEC-96 |
| | MIL-I-1361C NOT 1 | INSTRUMENT AUXILIARIES, ELECTRICAL MEASURING: SHUNTS, RESISTORS, AND TRANSFORMERS[CUST: MR SH 99] [REVIEW: AS CC CG CR4 MC MI OS] | A | 6625 | | SH | 04-MAR-91 |
| | ABMA12.2 | INSTRUMENT BALL BEARINGS INCH DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | ABMA12.1 | INSTRUMENT BALL BEARINGS, METRIC DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | A-A-54579 | INSTRUMENT SET, SURGICAL, DISSECTION, VITREORETINAL[CUST: MD MS 03] | A | 6515 | / | MB | 28-FEB-92 |
| | MIL-I-6115A(4) | INSTRUMENT SYSTEMS, PITOT TUBE AND FLUSH STATIC PORT OPERATED, INSTALLATION OF[CUST: AV AS] [REVIEW: GS] | A | 6610 | | AS | 15-DEC-99 |
| | IEEE-C12.11 | INSTRUMENT TRANSFORMERS FOR REVENUE METERING, 10KV BIL THROUGH 350 KV (0.6 KV NSV THROUGH 69KV NSV)[CUST: CR YD 11 CC] | A | 5950 | | CC | 13-JUN-87 |
| | ANSI-C57.13 | INSTRUMENT TRANSFORMERS, REQUIREMENTS FOR[CUST: MR YD 80] [REVIEW: 99 GS SH] | A | 6120 | | YD | 27-JAN-86 |
| | FED-STD-373 | INSTRUMENTAL COLOR MEASUREMENTS OF RETROREFLECTIVE MATERIALS AND DEVICES UNDER NIGHTTIME ILLUMINATING & VIEWING CONDITIONS | A | 8010 | # | FSS | 01-DEC-79 |
| | FED-STD-370 | INSTRUMENTAL PHOTOMETRIC MEASUREMENTS OF RETROREFLECTIVE MATERIALS AND RETROREFLECTIVE DEVICES | A | 8010 | # | FSS | 01-MAR-77 |
| | AIR-STD-61/102/12 | INSTRUMENTATION FOR ESCAPE SYSTEM THERMAL HAZARD ANALYSIS | C | ISDF | | 06 | 03-SEP-91 |
| | ISA-S5.1 | INSTRUMENTATION SYMBOLS AND IDENTIFICATION[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | SAE-J680 | INSTRUMENTS AND CONTROLS IN MOTOR TRUCK CABS, LOCATION AND OPERATION OF[CUST: CR4 SA 99] | A | HFAC | | 84 | SEP-88 |
| | MIL-I-18373B | INSTRUMENTS AND NAVIGATION EQUIPMENT, AIRCRAFT: INSTALLATION OF[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-JUL-93 |
| | ASTM-F882 | INSTRUMENTS, CRYOSURGICAL MEDICAL[CUST: MD MS 03] | A | 6515 | | MB | 11-SEP-84 |
| | MIL-I-2220C | INSTRUMENTS, ELECTRICAL-MEASURING, HYDROGEN-GAS-MONITORING, NONPORTABLE (SUBMARINE USE)[CUST: SH] [REVIEW: GL] | A | 6625 | | SH | 16-JAN-91 |
| | ASTM-E317 | INSTRUMENTS, ELECTRONIC MEASUREMENT, EVALUATING PERFORMANCE CHARACTERISTICS OF ULTRASONIC PULSE-ECHO EXAMINATION INSTRUMENTS AND SYSTEMS WITHOUT THE USE OF[CUST: MR AS GS2] [REVIEW: AT AV OS SH YD] | A | NDTI | | GS2 | 10-FEB-01 |
| | ADA29 | INSTRUMENTS, HAND[CUST: MD MS 03 MB] | A | 6520 | | MB | NOV-75 |
| | SAE-AS81765/1 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYOLEFIN, CROSSLINKED, SEMI-RIGID AND FLEXIBLE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 13-APR-04 |
| | SAE-AS5258/2 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, BOOT, STRAIN RELIEF AND SEALING, RIGHT ANGLE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | OCT-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS5258/6 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, BOOT, STRAIN RELIEF AND SEALING, RIGHT ANGLE, LOW PROFILE, MINIATURE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | APR-99 |
| | SAE-AS5258/5 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, BOOT, STRAIN RELIEF AND SEALING, STRAIGHT, LOW PROFILE, MINIATURE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | APR-99 |
| | SAE-AS5258/1 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, BOOT, STRAIN RELIEF AND SEALING, STRAIGHT[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | APR-99 |
| | SAE-AS5258/4 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, BOOT, STRAIN RELIEF AND SEALING, RIGHT ANGLE, LOW PROFILE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | APR-99 |
| | SAE-AS5258/3 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, BOOT, STRAIN RELIEF AND SEALING, STRAIGHT, LOW PROFILE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | APR-99 |
| | SAE-AS5258 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, CONNECTOR AND CABLE ACCESSORY, SEALING STRAIN RELIEF, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | APR-99 |
| | SAE-AS5258/8 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, STRAIN RELIEF AND SEALING, Y[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | APR-99 |
| | SAE-AS5258/9 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, TRANSITION, STRAIN RELIEF AND SEALING, 1 TO 3[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | APR-99 |
| | SAE-AS5258/7 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, TRANSITION, STRAIN RELIEF AND SEALING, T[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | APR-99 |
| | SAE-AS5258/10 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, TRANSITION, STRAIN RELIEF AND SEALING, T[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | APR-99 |
| A | QPL-46058-87 | INSULATING COMPOUND, ELECTRICAL (FOR COATING PRINTED CIRCUIT ASSEMBLIES) | A | 5970 | | CC | 30-JAN-06 |
| | A-A-59296 | INSULATING COMPOUND, ELECTRICAL (FOR FIELD SPLICING APPLICATIONS)[CUST: CR AS 11] [REVIEW: 99 CR4 GS MI SH] | A | 5970 | / | AS | 31-JUL-98 |
| | QPL-16923-58 NOT 1 | INSULATING COMPOUND, ELECTRICAL, EMBEDDING, EPOXY | A | 5970 | | SH | 23-DEC-93 |
| | MIL-I-16923H | INSULATING COMPOUND, ELECTRICAL, EMBEDDING, EPOXY[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 13-AUG-91 |
| | MIL-I-81550C(1) NOT 1 | INSULATING COMPOUND, ELECTRICAL, EMBEDDING, REVERSION RESISTANT SILICONE[CUST: CR AS 11] [REVIEW: 03 19 99 CG GS3 MI SH] | A | 5970 | | AS | 31-JUL-02 |
| | A-A-59134 NOT 1 | INSULATING COMPOUND, ELECTRICAL, EPOXY, COLLOIDAL SILICA FILLED FOR POTTING AND ENCAPSULATION[CUST: MI] [REVIEW: GS] | A | 5970 | / | MI | 05-MAR-02 |
| | A-A-56023A NOT 1 | INSULATING COMPOUND, ELECTRICAL, SILICONE RUBBER, ROOM TEMPERATURE VULCANIZING[CUST: MI GS2] [REVIEW: CR4 MD MR] | A | 5970 | / | GS2 | 19-OCT-04 |
| | MIL-I-24092/5A | INSULATING RESIN, SOLVENTLESS, BAKING, FLEXIBLE, FOR DIP PROCESSING, GRADE SF, CLASS 130 TO 180 THERMAL CLASS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | MIL-I-24092/7A | INSULATING RESIN, SOLVENTLESS, BAKING, SEMI-RIGID, FOR DIP PROCESSING, GRADE SH, CLASS 155 TO 200 THERMAL CLASS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | MIL-I-24092/9A | INSULATING RESIN, SOLVENTLESS, SILICONE, BAKING, FOR DIP PROCESSING, GRADE SS, CLASS 180 TO 220 THERMAL CLASS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | MIL-I-24092/6A | INSULATING RESIN, SOLVENTLESS, THIXOTROPIC, BAKING, FLEXIBLE, FOR DIP PROCESSING, GRADE SET, CLASS 130 TO 180 THERMAL CLASS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | MIL-I-24092/8A | INSULATING RESIN, SOLVENTLESS, THIXOTROPIC, BAKING, SEMI-RIGID, FOR DIP PROCESSING, GRADE SHT, CLASS 155 TO 200 THERMAL CLASS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | MIL-I-24718/3 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING POLYESTER DIALLYL PHTHALATE, SLIGHTLY THIXOTROPIC[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS] | A | 5970 | | SH | 06-APR-90 |
| | MIL-I-24718/4 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING REPLENISHMENT RESIN, POLYESTER DIALLY PHTHALATE, SLIGHTLY THIXOTROPIC[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS] | A | 5970 | | SH | 06-APR-90 |
| | MIL-I-24718/2 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING REPLENISHMENT RESIN, EPOXY-LEWIS ACID, SLIGHTLY THIXOTROPIC[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS] | A | 5970 | | SH | 06-APR-90 |
| | MIL-I-24718(1) | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING; GENERAL SPECIFICATION FOR[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 EC GS MC MI OS YD] | A | 5970 | | SH | 07-JUN-93 |
| | MIL-I-3190/2A(1) | INSULATING SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS 130, TYPE B, CATEGORY B[CUST: SH 11] [REVIEW: 99 AR AV CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 31-MAY-95 |
| | AAMA1002.10 | INSULATING STORM PRODUCTS FOR WINDOWS AND SLIDING GLASS DOORS[CUST: YD 99 IS] [REVIEW: 84 CR4 MC] | A | 5670 | | IS | 03-SEP-93 |
| | MIL-I-24092/1A | INSULATING VARNISH, SOLVENT CONTAINING, AIR-DRY FOR SPOT PATCHING AND EMERGENCY REPAIRS, GRADES CA, CLASS 130 AND 155 THERMAL CLASS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | MIL-I-24092/2A | INSULATING VARNISH, SOLVENT CONTAINING, BAKING, FLEXIBLE, FOR DIP PROCESSING, GRADE CB, CLASS 130 TO 180 THERMAL CLASS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | MIL-I-24092/3A | INSULATING VARNISH, SOLVENT CONTAINING, BAKING, SEMI-RIGID, FOR DIP PROCESSING, GRADE CBH, CLASS 130 TO 200 THERMAL CLASS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | MIL-I-24092/4A | INSULATING VARNISH, SOLVENT CONTAINING, BAKING, SILICONE FOR DIP PROCESSING, GRADE CBS, CLASS 180 TO 220 THERMAL CLASS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | MIL-I-24092/10A | INSULATING VARNISH, WATER BASE, BAKING, FLEXIBLE, FOR DIP PROCESSING, GRADE WB, CLASS 130 TO 180 THERMAL CLASS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | MIL-I-24092/11A | INSULATING VARNISH, WATER BASE, BAKING, SEMI-RIGID, FOR DIP PROCESSING, GRADE WBH, CLASS 130 TO 200 THERMAL CLASS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | QPL-24092-39 | INSULATING VARNISHES AND SOLVENTLESS RESINS FOR APPLICATION BY THE DIP PROCESS | A | 5970 | | SH | 30-NOV-98 |
| | MIL-I-24092D SUP 1 | INSULATING VARNISHES AND SOLVENTLESS RESINS FOR APPLICATION BY THE DIP PROCESS[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD] | A | 5970 | | SH | 21-SEP-93 |
| | MIL-PRF-2818D | INSULATION BLANKET, THERMAL[CUST: CR4 SH] [REVIEW: YD] | A | 5640 | | SH | 14-OCT-04 |
| | SAE-AMS-I-7171 | INSULATION BLANKET, THERMAL-ACOUSTICAL[CUST: AV AS 99] [REVIEW: 11] | A | 5640 | | AS | JUL-99 |
| | QPL-2819-67 | INSULATION BLOCK, THERMAL | A | 5640 | | SH | 27-JUN-05 |
| | MIL-PRF-2819G | INSULATION BLOCK, THERMAL[CUST: CR4 SH 99] | A | 5640 | | SH | 17-NOV-04 |
| | MIL-I-742F(1) | INSULATION BOARD, THERMAL, FIBROUS GLASS[CUST: CR4 SH 99] | A | 5640 | | SH | 30-APR-81 |
| | MIL-I-17205C | INSULATION CLOTH AND TAPE, ELECTRICAL, GLASS FIBER, VARNISHED[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 GS MC MI] | A | 5970 | | SH | 16-NOV-61 |
| | MIL-I-3374A(2) | INSULATION CLOTH AND TAPE, ELECTRICAL, VARNISHED CAMBRIC[CUST: CR SH 11] [REVIEW: AS CR4 GS OS] | A | 5970 | | SH | 21-OCT-68 |
| | NEMA-WC56 | INSULATION CONTINUITY 3.0 KHZ PROOF TESTING OF WIRE AND CABLE[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 1986 |
| | MIL-I-22023D(1) | INSULATION FELT, THERMAL AND SOUND ABSORBING FELT, FIBROUS GLASS, FLEXIBLE[CUST: CR4 SH 99] [REVIEW: MI YD] | A | 5640 | | SH | 21-FEB-84 |
| | MIL-I-16411F | INSULATION FELT, THERMAL, GLASS FIBER[CUST: CR4 SH] [REVIEW: AT MC OS] | A | 5640 | | SH | 14-NOV-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-E336 | INSULATION IN BUILDINGS, MEASUREMENT OF AIRBORNE SOUND[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 5640 | | IS | 17-NOV-90 |
| | IEEE432 | INSULATION MAINTENANCE FOR ROTATING ELECTRIC MACHINERY (5 HP TO LESS THAN 10 000 HP)[CUST: CR SH 11] | A | 5920 | | SH | 18-JUN-92 |
| | MIL-DTL-24244D | INSULATION MATERAL, WITH SPECIAL CORROSION, CHLORIDE, AND FLUORIDE REQUIREMENTS[CUST: SH] | F | 5640 | | SH | 04-MAY-00 |
| | MIL-I-85491 | INSULATION MATERIAL, POLYISOPRENE[CUST: AS] [REVIEW: GS MR] | A | 6810 | | AS | 06-OCT-81 |
| | DOD-I-24688(1) | INSULATION PANEL, THERMAL AND ACOUSTIC ABSORPTIVE, OPEN-CELL POLYIMIDE FOAM[CUST: CR4 SH 99] [REVIEW: 84 CE YD] | A | 5640 | | SH | 24-SEP-96 |
| | IEEE43 | INSULATION RESISTANCE OF TESTING ROTATING MACHINERY[CUST: CR4 SH 11 GS2] | A | 5970 | | GS2 | 30-MAY-74 |
| | MIL-I-3505C | INSULATION SHEET AND TAPE, ELECTRICAL, COIL AND SLOT, HIGH TEMPERATURE[CUST: CR SH 11] [REVIEW: 99 AR CR4 GS MI] | A | 5970 | | SH | 13-OCT-60 |
| | MIL-I-21070B(1) | INSULATION SHEET AND TAPE, ELECTRICAL, REINFORCED MICA PAPER[CUST: SH] [REVIEW: GS] | A | 5970 | | SH | 06-MAY-66 |
| | A-A-52404 NOT 1 | INSULATION SHEET, CELLULAR, PLASTIC: THERMAL (METRIC)[CUST: AT 99] [REVIEW: 84 AR AV CR4 MI MR] | A | 5640 | / | AT | 20-APR-04 |
| | HH-I-536 NOT 2 | INSULATION SHEET, ELECTRICAL, NATURAL MUSCOVITE MICA[CUST: CR SH] [REVIEW: MI] | A | 5970 | * | CR | 12-NOV-68 |
| | MIL-I-3190/7A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED CLASS 220 DEG. C, TYPE E, CATEGORY C[CUST: CR SH 11] [REVIEW: 99 AR AV CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 08-AUG-91 |
| | MIL-I-3190/3A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS 155, TYPE A, CATEGORY A[CUST: CR SH 11] [REVIEW: 99 AR AV CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 04-SEP-87 |
| | MIL-I-3190/6A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS 200, TYPED, CATEGORY C[CUST: CR SH 11] [REVIEW: 99 AR AV CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 04-SEP-87 |
| | MIL-I-3190/5B | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS, 200, TYPE C, CATEGORY C[CUST: CR SH 11] [REVIEW: 99 AR AV CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 04-SEP-87 |
| A | QPL-3190-28 | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, GENERAL SPECIFICATION FOR | A | 5970 | | SH | 16-JUL-05 |
| | MIL-I-3190F(2) SUP 1A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, GENERAL SPECIFICATION FOR[CUST: CR SH 11] [REVIEW: 99 AR AV CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 28-AUG-93 |
| | MIL-I-3190/9(1) | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, SILICONE COATED CLASS 240 DEG. C, TYPE D, CATEGORY C[CUST: CR SH 11] [REVIEW: 99 AR AV CR4 GS MC MI OS] | A | 5970 | | SH | 28-MAY-92 |
| | MIL-I-3190/8A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, SILICONE COATED, CLASS 220 DEG. C, TYPE D, CATEGORY C[CUST: CR SH 11] [REVIEW: 99 AR AV CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 20-AUG-92 |
| | SAE-AMS-DTL-23053/13 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINABLE, FLUOROELASTOMER, FLEXIBLE[CUST: CR AS 11 GS] [REVIEW: 99 EC MI] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, CROSSLINKED CHLORINATED POLYOLEFIN, FLEXIBLE[CUST: CR AS 11 GS] [REVIEW: 99 EA EC MI] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/16 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, CROSSLINKED, ELASTOMERIC POLYOLEFIN, FLEXIBLE[CUST: CR AS 11 GS] [REVIEW: AR CR4 EC MC MI] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/14 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, ETHYLENE-TETRAFLUOROETHYLENE FLUOROPOLYMER, SEMI-RIGID[CUST: CR AS 11 GS] [REVIEW: 99 EA EL MI] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/17 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLAME RETARDED, MODIFIED POLYOLEFIN, FLEXIBLE, CROSSLINKED[CUST: CR AS 11] [REVIEW: GS] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/11 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLUORINATED ETHYLENE PROPYLENE, NON-CROSSLINKED[CUST: CR AS 11 GS] [REVIEW: EC MI SH] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR[CUST: CR AS 11 GS] [REVIEW: AR EA EC MC MI SH] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/18 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, MODIFIED FLUOROPOLYMER, CROSSLINKED[CUST: CR AS 11] [REVIEW: GS] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/4 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, DUAL-WALL, OUTER WALL CROSSLINKED[CUST: CR AS 11 GS] [REVIEW: 99 AR CR4 EC MC MI] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/5 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE, CROSSLINKED[CUST: CR AS 11 GS] [REVIEW: 99 CR4 EA EC MC MI] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/15 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, HEAVY-WALL, COATED, FLEXIBLE, OUTER WALL CROSSLINKED[CUST: CR AS 11 CC] [REVIEW: GS] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/6 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, SEMI-RIGID, CROSSLINKED[CUST: CR AS 11 GS] [REVIEW: 99 CR4 EA EC MC MI] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/7 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, TEREPHTHALATE, NON-CROSSLINKED[CUST: CR AS 11 GS] [REVIEW: 99 EA EC] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/12 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYTETRAFLUOROETHYLENE[CUST: CR AS 11 GS] [REVIEW: 99 EC MI] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-I-23053/2 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, FLEXIBLE CROSSLINKED AND NON-CROSSLINKED[CUST: CR AS 11 GS] [REVIEW: 99 EA EC MI] | A | 5970 | | AS | 28-MAR-01 |
| | SAE-AMS-I-23053/3 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, SEMI RIGID, CROSSLINKED AND NON-CROSSLINKED[CUST: CR AS 11 GS] [REVIEW: AR EA EC MI] | A | 5970 | | AS | 28-MAR-01 |
| | SAE-AMS-DTL-23053/8 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYLIDENE FLUORIDE, SIMI-RIGID, CROSSLINKED[CUST: CR AS 11 GS] [REVIEW: 99 EC] | A | 5970 | | AS | JUL-99 |
| | SAE-AMS-DTL-23053/10 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, SILICONE RUBBER, FLEXIBLE[CUST: CR AS 11 GS] [REVIEW: 99 AR EC MC MI SH] | A | 5970 | | AS | JUL-99 |
| | A-A-52152A NOT 1 | INSULATION SLEEVING, THERMAL, TUBULAR (METRIC)[CUST: AT] [REVIEW: SM] | A | 5640 | / | AT | 19-APR-04 |
| | MIL-I-3158D NOT 1 | INSULATION TAPE, ELECTRICAL GLASS-FIBER (RESIN-FILLED): AND CORD, FIBROUS-GLASS[CUST: CR SH 11] [REVIEW: 99 CR4 EC GS MC MI] | A | 5970 | | SH | 28-OCT-88 |
| | A-A-55809A | INSULATION TAPE, ELECTRICAL, 600V, POLYVINYL CHLORIDE, PRESSURE-SENSITIVE ADHESIVE[CUST: AR SH 99 GS2] [REVIEW: 84] | A | 5970 | / | GS2 | 07-APR-05 |
| | MIL-PRF-17695B(1) NOT 1 | INSULATION TAPE, ELECTRICAL, FILLER TYPE, FLAMEPROOF, SYNTHETIC[CUST: SH] [REVIEW: GS] | A | 5970 | | SH | 19-MAR-96 |
| | QPL-19166-30 | INSULATION TAPE, ELECTRICAL, HIGH-TEMPERATURE, GLASS FIBER, PRESSURE-SENSITIVE | A | 5970 | | SH | 22-DEC-04 |
| | MIL-I-19166C(1) NOT 1 | INSULATION TAPE, ELECTRICAL, HIGH-TEMPERATURE, GLASS FIBER, PRESSURE-SENSITIVE[CUST: CR SH 11] [REVIEW: AR CR4 EC GS MC MI] | A | 5970 | | SH | 28-OCT-88 |
| A | QPL-24391-19 | INSULATION TAPE, ELECTRICAL, PLASTIC, PRESSURE-SENSITIVE | A | 5970 | | SH | 26-OCT-05 |
| | MIL-I-24391C(1) | INSULATION TAPE, ELECTRICAL, PLASTIC, PRESSURE-SENSITIVE[CUST: CR SH 11] [REVIEW: CG CR4 DS EA EC GS MC OS YD] | A | 5970 | | SH | 05-AUG-91 |
| | A-A-59770 | INSULATION TAPE, ELECTRICAL, PRESSURE SENSITIVE ADHESIVE AND PRESSURE SENSITIVE THERMOSETTING ADHESIVE[CUST: CR SH 11 GS2] [REVIEW: DS] | A | 5970 | / | GS2 | 07-APR-05 |
| | A-A-59163 NOT 1 | INSULATION TAPE, ELECTRICAL, SELF ADHERING UNSUPPORTED SILICONE RUBBER[CUST: MI 11 GS2] [REVIEW: 99] | A | 5970 | / | GS2 | 23-JAN-04 |
| | MIL-I-24178 NOT 1 | INSULATION TAPE, ELECTRICAL, SEMI-CURED THERMOSETTING RESIN TREATED GLASS, ARMATURE BANDING, NAVAL SHIPBOARD[CUST: SH] [REVIEW: CR4 GS] | A | 5970 | | SH | 28-OCT-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59474 | INSULATION TAPE, ELECTRICAL; HIGH TEMPERATURE, POLYTETRAFLUOROETHYLENE, PRESSURE-SENSITIVE[CUST: CR AS 11] [REVIEW: 99 DS EC GS MI OS SM] | A | 5970 | / | AS | 26-JUL-99 |
| | A-A-59300 NOT 1 | INSULATION TAPE, NONADHERING, GLASS FABRIC, POLYTETRAFLUOROETHYLENE COATED[CUST: CR OS 11 GS2] [REVIEW: 99 AS EC MI SH] | A | 5970 | / | GS2 | 23-JAN-04 |
| | MIL-I-22076B(1) | INSULATION TUBING, ELECTRICAL NONRIGID, VINYL, VERY LOW TEMPERATURE GRADE[CUST: CR SH 11] [REVIEW: 99 EC GS MI] | A | 5970 | | SH | 02-APR-84 |
| | MIL-I-22129C(2) NOT 2 | INSULATION TUBING, ELECTRICAL, POLYTETRAFLUOROETHYLENE RESIN, NONRIGID[CUST: CR SH 11] [REVIEW: 99 AR CR4 EA GS MI] | A | 5970 | | SH | 30-AUG-89 |
| | HH-I-00536A | INSULATION, ELECTRICAL, MICA, NATURAL MUSCOVITE | A | 5970 | # | FSS | 01-APR-63 |
| | MIL-I-695B(1) | INSULATION, ELECTRICAL, PAPER (SLOT CELL)[CUST: CR SH 11] [REVIEW: 99 AR CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 21-NOV-72 |
| | MIL-I-15265C | INSULATION, ELECTRICAL, PLASTIC (SUBMARINE BUS BAR COVERING)[CUST: SH] [REVIEW: GS] | A | 5970 | | SH | 11-JUN-92 |
| | QPL-15265-15 | INSULATION, ELECTRICAL, PLASTIC (SUBMARINE BUS BAR COVERING) | A | 5970 | | SH | 28-OCT-02 |
| | QPL-3064-23 | INSULATION, ELECTRICAL, PLASTIC-SEALER | A | 5970 | | SH | 26-JUN-98 |
| | MIL-I-3064B NOT 1 | INSULATION, ELECTRICAL, PLASTIC-SEALER[CUST: CR SH 11] [REVIEW: GS MI] | A | 5970 | | SH | 22-MAR-91 |
| | ASTM-D202 | INSULATION, ELECTRICAL, SAMPLING AND TESTING UNTREATED PAPER USED FOR[CUST: CR SH 11] [REVIEW: GS] | A | 5970 | | CR | 10-MAR-97 |
| | MIL-I-631D(6) | INSULATION, ELECTRICAL, SYNTHETIC RESIN COMPOSITION, NON RIGID[CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EA EC GS MI OS YD] | A | 5970 | | SH | 02-JUN-87 |
| | QPL-631-73 | INSULATION, ELECTRICAL, SYNTHETIC-RESIN COMPOSITION, NONRIGID | A | 5970 | | SH | 21-JUN-05 |
| | SAE-AMS3623 | INSULATION, ELECTRICAL, TUBING, IRRADIATED POLYCHLOROPRENE ELASTOMER, FLEXIBLE, HEAT-SHRINKABLE, 1.750 TO 1 SHRINK RATIO[CUST: MR AS 11] [REVIEW: GS] | A | 5970 | | AS | 01-JUL-93 |
| | SAE-AMS3638 | INSULATION, ELECTRICAL, TUBING, IRRADIATED POLYOLEFIN PLASTIC, PIGMENTED, SEMI-RIGID, HEAT SHRINKABLE, 2 TO 1 SHRINK RATIO[CUST: MR AS 11] [REVIEW: GS] | A | 5970 | | AS | 01-JUL-93 |
| | SAE-AMS3654 | INSULATION, ELECTRICAL, TUBING, LIGHT WALL, EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE)[CUST: MR AS 11] [REVIEW: AR GS] | A | 5970 | | AS | 01-JAN-93 |
| | SAE-AMS3653 | INSULATION, ELECTRICAL, TUBING, STANDARD WALL, EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE)[CUST: MR AS 11] [REVIEW: GS] | A | 5970 | | AS | 01-JAN-93 |
| | SAE-AMS3655 | INSULATION, ELECTRICAL, TUBING, THIN WALL, EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE)[CUST: MR AS 11] [REVIEW: GS] | A | 5970 | | AS | 01-APR-93 |
| | ASTM-C610 | INSULATION, EXPANDED PERLITE BLOCK AND PIPE THERMAL[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 5640 | | IS | 30-MAR-88 |
| | ASTM-C1071 | INSULATION, FIBROUS GLASS DUCT LINING ( THERMAL AND SOUND ABSORBING MATERIAL)[CUST: CR4 YD 99] [REVIEW: 84 CE MC SH] | A | 5640 | | IS | 21-JUN-92 |
| | A-A-52473 NOT 1 | INSULATION, FLOOR-MAT, THERMAL-BARRIER[CUST: AT] | A | 5640 | / | AT | 13-APR-04 |
| | MIL-PRF-32161 | INSULATION, HIGH TEMPERATURE FIRE PROTECTION, THERMAL AND ACOUSTIC[CUST: SH 99 CC] | A | 2090 | | SH | 29-JUN-04 |
| | A-A-52411 | INSULATION, MOLDED, NOISE BARRIER[CUST: AT] | A | 5640 | / | AT | 09-OCT-92 |
| | A-A-52487 NOT 1 | INSULATION, PANEL NOISE-AND THERMAL-BARRIER[CUST: AT] | A | 5640 | / | AT | 14-APR-04 |
| | A-A-52449 NOT 1 | INSULATION, PANEL, VIBRATION-DAMPENING AND THERMAL-BARRIER[CUST: AT] | A | 5640 | / | AT | 13-APR-04 |
| | ASTM-C549 | INSULATION, PERLITE LOOSE FILL[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5640 | | IS | 15-MAY-87 |
| | ASTM-C335 | INSULATION, PIPE, STEADY-STATE HEAT TRANSFER PROPERTIES OF[CUST: CR4 SH 99] | A | 5640 | | SH | 03-OCT-94 |
| | QPL-2781-65 | INSULATION, PIPE, THERMAL | A | 5640 | | SH | 26-JAN-05 |
| | MIL-I-2781F | INSULATION, PIPE, THERMAL[CUST: CR4 SH 99] [REVIEW: 84] | A | 5640 | | SH | 21-AUG-91 |
| | MIL-PRF-22344E | INSULATION, PIPE, THERMAL[CUST: SH 99] | A | 5640 | | SH | 14-OCT-04 |
| | MIL-PRF-24172B | INSULATION, PLASTIC, CELLULAR FOAM, RIGID, PREFORMED AND FOAM-IN-PLACE[CUST: SH] | A | 5640 | | SH | 27-SEP-04 |
| | MIL-I-24768/30(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, CONTINUOUS FILAMENT, GLASS-CLOTH, EPOXY-RESIN (CEM-3)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 08-DEC-92 |
| | MIL-I-24768/29(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, CONTINUOUS FILAMENT, GLASS-CLOTH, EPOXY-RESIN (CEM-1)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 08-DEC-92 |
| | MIL-I-24768/15 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBI)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/16 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBM)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/14 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBG)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/13 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBE)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/2(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEE)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 08-DEC-92 |
| | MIL-I-24768/3(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEB)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 08-DEC-92 |
| | MIL-I-24768/28(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEB-F)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 08-DEC-92 |
| | MIL-I-24768/27(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEE-F)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 08-DEC-92 |
| | MIL-I-24768/1(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, MELAMINE-RESIN (GME)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 08-DEC-92 |
| | MIL-I-24768/8 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, MELAMINE-RESIN (GMG)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/18 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, PHENOLIC-RESIN (GPG)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/7(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, POLYTETRAFLUOROETHYLENE-RESIN (GTE)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 08-DEC-92 |
| | MIL-I-24768/17 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, SILICONE-RESIN (GSG)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/5 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-2)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/31 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-1P)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/6 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-3)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/33 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-3P)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-I-24768/4 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-1)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/32 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-2P)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/9 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, NYLON-FABRIC-BASE, PHENOLIC-RESIN (NPG)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/26 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, EPOXY-RESIN (PEE)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/23 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE-PC)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/22 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG-P)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/11 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/21 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG-P)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/19 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-P)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/20 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-PC)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/24 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-PF)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/12 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/25 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE-PCF)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768/10 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE)[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 25-FEB-92 |
| | MIL-I-24768(2) SUP 1 | INSULATION, PLASTICS, LAMINATED, THERMOSETTING; GENERAL SPECIFICATION FOR[CUST: CR SH 11] [REVIEW: AR AS CR4 EA EC GS MC MI OS] | A | 5970 | | SH | 08-DEC-92 |
| | ASTM-D495 | INSULATION, SOLID ELECTRICAL, HIGH-VOLTAGE, LOW-CURRENT, DRY ARC RESISTANCE OF[CUST: MR SH 11 GS] [REVIEW: AR AS AV CR CR4 OS YD] | A | 9330 | | IS | 7-FEB-91 |
| | ASTM-D374 | INSULATION, SOLID ELECTRICAL, THICKNESS OF[CUST: MR YD 11] [REVIEW: GS IS SH] | A | 5970 | | YD | 03-OCT-94 |
| | ASTM-C1029 | INSULATION, SPRAY-APPLIED RIGID CELLULAR POLYURETHANE THERMAL[CUST: CR4 YD 99] [REVIEW: 84] | A | 5640 | | IS | 25-JUN-93 |
| | ASTM-C203 | INSULATION, THERMAL BLOCK-TYPE, BREAKING LOAD AND FLEXURAL PROPERTIES OF[CUST: CR4 YD 99] [REVIEW: 84 CE CG MC SH] | A | 5640 | | IS | 02-OCT-89 |
| | SAE-AMS3679 | INSULATION, THERMAL CERAMIC FIBER[CUST: AS 11] | A | 5640 | | AS | 01-APR-93 |
| | ASTM-C534 | INSULATION, THERMAL, IN SHEET AND TUBULAR FORM, PREFORMED FLEXIBLE ELASTOMERIC CELLULAR[CUST: CR4 YD IS] [REVIEW: CE MC SH] | A | 5640 | | IS | 16-MAY-88 |
| | ASTM-C1015 | INSULATION, THERMAL, CELLULOSIC AND MINERAL FIBER LOOSE-FILL, INSTALLATION OF[CUST: YD IS] | A | 5640 | | IS | 14-NOV-90 |
| | ASTM-C303 | INSULATION, THERMAL, DENSITY OF PREFORMED BLOCK-TYPE AND BOARD-TYPE[CUST: CR4 YD 99] [REVIEW: 84 CE CG MC SH] | A | 5640 | | IS | 09-JAN-91 |
| | ASTM-C916 | INSULATION, THERMAL, DUCT, ADHESIVES FOR[CUST: CR4 YD 99] [REVIEW: CE] | A | 5640 | | IS | 26-JUL-85 |
| | ASTM-C1136 | INSULATION, THERMAL, FLEXIBLE, LOW PERMEANCE VAPOR RETARDERS[CUST: CR4 YD 99] [REVIEW: 84 AV CE MC SH] | A | 5640 | | IS | 10-JUL-92 |
| | ASTM-F683 | INSULATION, THERMAL, FOR PIPING AND MACHINERY, SELECTION AND APPLICATION OF[CUST: CR4 SH 99] | A | 5640 | | SH | 15-SEP-94 |
| A | ASTM-C795 | INSULATION, THERMAL, FOR USE IN CONTACT WITH AUSTENITIC STAINLESS STEEL[CUST: CR4 YD 99] [REVIEW: CE MC MI] | A | 5640 | | IS | 15-JUN-92 |
| | ASTM-C411 | INSULATION, THERMAL, HOT-SURFACE PERFORMANCE OF HIGH-TEMPERATURE[CUST: CR4 SH 99] | A | 5640 | | SH | 10-MAY-97 |
| A | ASTM-C921 | INSULATION, THERMAL, JACKETING MATERIALS FOR, DETERMINING THE PROPERTIES OF[CUST: CR4 YD 99] [REVIEW: CE MI] | A | 5640 | | IS | 03-MAY-89 |
| | ASTM-C356 | INSULATION, THERMAL, LINEAR SHRINKAGE OF PREFORMED HIGH-TEMPERATURE SUBJECTED TO SOAKING HEAT[CUST: CR4 SH 99] | A | 5640 | | SH | 03-AUG-94 |
| | ASTM-C516 | INSULATION, THERMAL, LOOSE FILL, VERMICULITE, STANDARD SPECIFICATION FOR[CUST: YD 99] [REVIEW: CE CR4 MC OS] | A | 5640 | | IS | 31-OCT-80 |
| | ASTM-C930 | INSULATION, THERMAL, POTENTIAL HEALTH AND SAFETY CONCERNS ASSOCIATED WITH MATERIALS AND ACCESSORIES[CUST: CR OS 11] | A | 5640 | | OS | 03-OCT-90 |
| | ASTM-C302 | INSULATION, THERMAL, PREFORMED PIPE-COVERING-TYPE, DENSITY AND DIMENSIONS OF[CUST: CR4 SH 99] | A | 5640 | | SH | 03-OCT-94 |
| | ASTM-C578 | INSULATION, THERMAL, RIGID, CELLULAR POLYSTYRENE[CUST: CR4 YD] | A | 5640 | | IS | 15-DEC-91 |
| | SAE-AMS3680 | INSULATION, THERMAL, SILICA FIBER[CUST: AS 11] [REVIEW: CR4] | A | 5640 | | AS | 01-JUL-93 |
| | ASTM-C421 | INSULATION, THERMAL, TUMBLING FRIABILITY OF PREFORMED BLOCK-TYPE[CUST: CR4 SH 99] | A | 5640 | | SH | 03-OCT-94 |
| | ASTM-C591 | INSULATION, UNFACED PREFORMED RIGID CELLULAR POLYURETHANE THERMAL[CUST: YD] [REVIEW: CE] | A | 5640 | | IS | 15-MAY-87 |
| | A-A-52169B NOT 1 | INSULATION; SOUND, VIBRATION, AND THERMAL[CUST: AT] | A | 5640 | / | AT | 14-APR-04 |
| | ASTM-C520 | INSULATIONS, GRANULAR LOOSE FILL, DENSITY OF[CUST: GL YD 99] | A | 5640 | | GL | DEC98 |
| | ASTM-C165 | INSULATIONS, THERMAL, MEASURING COMPRESSIVE PROPERTIES OF[CUST: CE YD 99] [REVIEW: MC MI OS SH] | A | 5640 | | IS | 15-AUG-92 |
| | MS25054B NOT 1 | INSULATOR, LEAD-THROUGH ANTENNA[CUST: AS 11] [REVIEW: 99 CC] | A | 5985 | | AS | 24-OCT-91 |
| | ANSI-C29.6 | INSULATOR, WET PROCESS PORCELAIN (HIGH VOLTAGE PIN TYPE)[CUST: CR4 YD 11] [REVIEW: 99 EC GS MC SH] | A | 5970 | | CR4 | 25-JUN-85 |
| | ANSI-C29.5 | INSULATOR, WET PROCESSPORCELAIN, LOW AND MEDIUM VOLTAGE TYPES, AMERICAN NATIONAL STANDARD FOR[CUST: CR4 YD 11] [REVIEW: 99 EC GS MC SH] | A | 5970 | | CR4 | 25-JUN-85 |
| | NEMA-HV2 | INSULATORS, CERAMIC SUSPENSION, APPLICATION GUIDE FOR[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | ANSI-C29.1 | INSULATORS, ELECTRICAL POWER, TEST METHODS FOR[CUST: CR4 YD 11] [REVIEW: 99 EC GS MC SH] | A | 5970 | | CR4 | 09-JAN-84 |
| | ANSI-C29.8 | INSULATORS, PORCELAIN, WET-PROCESS APPARATUS, CAP AND PIN TYPE[CUST: CR YD 11] [REVIEW: CE GS] | A | 5970 | | YD | 17-DEC-84 |
| | ANSI-C29.4 | INSULATORS-STRAIN TYPE, WET PROCESS PORCELAIN[CUST: CR4 YD 11] [REVIEW: GS] | A | 5970 | | CR4 | 25-JUN-85 |
| | ANSI-C29.3 | INSULATORS-WET-PROCESS PORCELAIN (SPOOL TYPE) AMERICAN NATIONAL STANDARD[CUST: CR4 YD 11] [REVIEW: 99 EC GS MC SH] | A | 5970 | | CR4 | 09-JAN-84 |
| | ANSI-C29.2 | INSULATORS-WET-PROCESS PORCELAIN AND TOUGHENED GLASS-SUSPENSION TYPE[CUST: CR4 YD 11] [REVIEW: 99 EC GS MC SH] | A | 5970 | | CR4 | 25-JUN-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-EDRS-81339 | INTEGRATED CIRCUIT CELL/FUNCTIONAL SUB-BLOCK DATA NOTEBOOK [AMSC: G6929] | A | EDRS | | NS | 01-JUL-93 |
| | DI-EDRS-81340 | INTEGRATED CIRCUIT CHIP AND CELL LOGIC SIMULATION AND TEST PATTERN VERIFICATION REPORT [AMSC: G6930] | A | EDRS | | NS | 01-JUL-93 |
| | DI-IPSC-80409 | INTEGRATED CIRCUIT GRAPHICS DATA BASE [AMSC: G4178] | A | IPSC | | NS | 10-AUG-87 |
| | DI-QCIC-80885 | INTEGRATED CIRCUIT PHOTOMICROGRAPH [AMSC: G4795] | A | QCIC | | NS | 01-AUG-89 |
| | DI-ATTS-80888 | INTEGRATED CIRCUIT TEST DOCUMENTATION [AMSC: G4798] | A | ATTS | | NS | 03-AUG-89 |
| A | QML-38535-19 | INTEGRATED CIRCUITS (MICROCIRCUITS) MANUFACTURING, GENERAL REQUIREMENTS FOR | A | 5962 | | CC | 13-JUL-05 |
| M | MIL-PRF-38535G | INTEGRATED CIRCUITS (MICROCIRCUITS) MANUFACTURING, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS CG MC MI OS SH SM TD] | A | 5962 | | CC | 10-MAR-06 |
| | DI-ILSS-80958 | INTEGRATED COSAL (1-COSAL) DATA [AMSC: A4908] | A | SESS | | SH | 27-FEB-90 |
| | MIL-HDBK-1814 | INTEGRATED DIAGNOSTICS[CUST: 11] | A | SESS | | 11 | 14-FEB-97 |
| | AFGS-87256 | INTEGRATED DIAGNOSTICS[CUST: 11] | D | SESS | | 11 | 30-APR-91 |
| | DI-ILSS-80095 | INTEGRATED LOGISTICS SUPPORT PLAN [AMSC: G3748] | A | SESS | | NS | 17-DEC-85 |
| | DI-MGMT-81650 | INTEGRATED MASTER SCHEDULE (IMS) (REPLACES DI-MISC-81183A) [AMSC: D7544] | A | MGMT | | SO | 30-MAR-05 |
| | DI-MISC-80847 | INTEGRATED TACTICAL WARNING AND ATTACK ASSESSMENT (TW/AA) SYSTEM INTERFACE CONTROL DOCUMENT (ICD) [AMSC: F4742] | A | MISC | | 33 | 06-JUN-89 |
| | MIL-STD-2411-2 NOT 1 | INTEGRATION OF RASTER PRODUCT FORMAT FILES INTO THE NATIONAL IMAGERY TRANSMISSION FORMAT[Interface Standard][CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | STANAG-2936 ED.2(1) | INTELLIGENCE DOCTRINE - AINTP-1(A) | C | ISDA | | AI | PENDING |
| | QSTAG-1034 ED.1 | INTELLIGENCE PREPRATION OF THE BATTLEFIELD AND INCOMPATIBILITIES OF INTELLIGENCE DOCTRINE[CUST: AI] | C | ISDA | | AI | 26-AUG-97 |
| | STANAG-2191 ED.1 | INTELLIGENCE PROCEDURES - AJP-2.1 | C | ISDA | | AI | 17-SEP-02 |
| | STANAG-2077 ED.7 | INTELLIGENCE RECORDS | C | ISDA | | AI | 13-FEB-03 |
| | STANAG-2511 ED.1 | INTELLIGENCE REPORTS | C | ISDA | | AI | 27-JAN-03 |
| | QSTAG-511 | INTELLIGENCE REPORTS[CUST: AI] | C | ISDA | | AI | 05-APR-79 |
| | STANAG-2149 ED.5 | INTELLIGENCE REQUEST | C | ISDA | | AI | 05-FEB-91 |
| | QSTAG-1018 ED.1 | INTELLIGENCE REQUEST[CUST: AI] | C | ISDA | | AI | 26-JAN-94 |
| | QSTAG-1316 ED.1 | INTELLIGENCE SUPPORT TO COMMAND AND CONTROL WARFARE[CUST: AI] | C | ISDA | | AI | 21-MAY-98 |
| | ADV-PUB-61/103/8 | INTELLIGIBILITY OF SPEECH IN NOISE | C | ISDF | | 06 | 30-JUL-86 |
| | DI-ALSS-81545 | INTERACTIVE COMPUTER AIDED PROVISIONING SYSTEM (ICAPS) DATA EXCHANGE [AMSC: N7259] | A | SESS | | SH | 22-APR-97 |
| | MIL-STD-3008A | INTERACTIVE ELECTRONIC TECHNICAL MANUAL (IETM) TECHNICAL DATA REQUIREMENTS TO SUPPORT THE GLOBAL COMBAT SUPPORT SYSTEM - ARMY (GCSS-A)[Standard Practice][CUST: TM] [REVIEW: AC1 AR AT AV CR EA MI PT] | A | TMSS | | TM | 09-SEP-02 |
| | A-A-59181 | INTERCEPTOR, GREASE[CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1 SS YD] | A | 7330 | / | GL | 04-MAR-98 |
| | AIR-STD-25/47(1) | INTERCHANGE OF DIGITAL CAD/CAM DATA | C | ISDF | | 06 | 08-MAY-92 |
| | AIR-STD-25/50(1) | INTERCHANGE OF DIGITAL ILLUSTRATION DATA | C | ISDF | | 06 | 08-FEB-00 |
| | AIR-STD-25/49(1) | INTERCHANGE OF DIGITAL RASTER GRAPHICS | C | ISDF | | 06 | 08-FEB-00 |
| | AIR-STD-25/48(2) | INTERCHANGE OF DIGITAL TEXTUAL DATA | C | ISDF | | 06 | 08-DEC-00 |
| | MIL-I-8500D NOT 2 | INTERCHANGEABILITY AND REPLACEABILITY OF COMPONENT PARTS FOR AEROSPACE VEHICLES[CUST: AV OS 99] [REVIEW: 70 71 80 82 84 AS MI] | A | MISC | | OS | 10-OCT-02 |
| | AIR-STD-15/9F | INTERCHANGEABILITY CHART OF STANDARDIZED AVIATION FUELS, LUBRICANTS AND ALLIED PRODUCTS | C | ISDF | | 06 | 24-SEP-01 |
| | AIR-STD-61/115/1B | INTERCHANGEABILITY OF AIRCREW MEDICAL STANDARDS | C | ISDF | | 06 | 08-JAN-97 |
| | STANAG-2335 ED.2(3) | INTERCHANGEABILITY OF COMBAT CLOTHING SIZES | C | ISDA | | AI | PENDING |
| | STANAG-1135 ED.4(4) | INTERCHANGEABILITY OF FUELS, LUBRICANTS AND ASSOCIATED PRODUCTS USED BY THE ARMED FORCES OF THE NORTH ATLANTIC TREATY NATIONS (INCLUDING AMENDMENT 4) | C | ISDF | | 06 | 07-SEP-98 |
| | STANAG-3526 ED.5(1) | INTERCHANGEABILITY OF NATO AIRCREW MEDICAL CATEGORIES | C | ISDF | | 06 | 28-FEB-94 |
| | ABCA-STD-41A | INTERCHANGEABILITY/EQUIVALENCY OF CARBON AND ALLOY STEELS IN BAR FORM FOR GENERAL DOCKYARD REPAIRS | C | ISDN | | SH | 29-MAR-78 |
| | MIL-DTL-32086 | INTERCOM, PORTABLE[CUST: AS] | A | 5895 | | AS | 09-APR-04 |
| | MIL-DTL-62481A | INTERCOMMUNICATION CONTROL UNIT[CUST: AT] | A | 5820 | | AT | 30-SEP-98 |
| | BHMA-A156.12 | INTERCONNECTED LOCKS AND LATCHES, AMERICAN NATIONAL STANDARD FOR[CUST: AR YD 99 IS] [REVIEW: CR4] | A | 5340 | | IS | 04-OCT-91 |
| | MIL-I-24728/6 | INTERCONNECTION BOX, FIBER OPTIC, CONNECTOR PATCH PANEL MODULE[CUST: CR SH 11 NA] [REVIEW: 19 99 AR AS CC CG EC GS MC MI YD] | A | 5975 | | SH | 01-JUN-95 |
| | QPL-24728-6 | INTERCONNECTION BOX, FIBER OPTIC, METRIC, GENERAL SPECIFICATION FOR | A | 6099 | | SH | 03-MAY-04 |
| | MIL-I-24728A(1) | INTERCONNECTION BOX, FIBER OPTIC, METRIC, GENERAL SPECIFICATION FOR[CUST: CR SH 11 NA] [REVIEW: 19 99 AR AS CC CG GS MC MI YD] | A | 6099 | | SH | 01-JUN-95 |
| | MIL-I-24728/7 | INTERCONNECTION BOX, FIBER OPTIC, SPLICE TRAY HOLDER MODULE[CUST: CR SH 11 NA] [REVIEW: 19 99 AR AS CC CG EC GS MC MI YD] | A | 5975 | | SH | 01-JUN-95 |
| | MIL-I-24728/4 | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 101.6 X 177.8 MM[CUST: CR SH 11 NA] [REVIEW: 19 99 AR AS CC CG EC GS MC MI YD] | A | 5975 | | SH | 01-JUN-95 |
| | MIL-I-24728/5 | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 152.4 X 228.6 MM[CUST: CR SH 11 NA] [REVIEW: 19 99 AR AS CC CG EC MC MI YD] | A | 5975 | | SH | 01-JUN-95 |
| | MIL-I-24728/1B | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 254 X 330 MM[CUST: CR SH 11 NA] [REVIEW: 19 99 AR AS CC CG EC GS MC MI YD] | A | 5975 | | SH | 01-JUN-95 |
| | MIL-I-24728/2B | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 308.4 X 609.6 MM[CUST: CR SH 11 NA] [REVIEW: 19 99 AS CC EC GS MI YD] | A | 5975 | | SH | 01-JUN-95 |
| | EIA455.34 | INTERCONNECTION DEVICE INSERTION LOSS TEST[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-86 |
| | DI-QCIC-80203 | INTERFACE ANALYSIS RECORD [AMSC: N3908] | A | QCIC | | OS | 04-AUG-86 |
| | FED-STD-1041(1) | INTERFACE BETWEEN DATA TERMINAL EQUIPMENT (DTE) AND DATA CIRCUIT-TERMINATING EQUIPMENT (DCE) FOR OPERATION WITH PACKET-SWITCHED DATA COMMUNICATIONS NETWORKS | A | TELE | # | FSS | 27-AUG-84 |
| | EIA232 | INTERFACE BETWEEN DATA TERMINAL EQUIPMENT AND DATA CIRCUIT-TERMINATION EQUIPMENT EMPLOYING SERIAL BINARY DATA INTERCHANGE[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | DI-CMAN-81248A | INTERFACE CONTROL DOCUMENT (ICD) [AMSC: D7395] | A | SESS | | SE | 30-SEP-00 |
| | MIL-HDBK-258 NOT 1 | INTERFACE CONTROL DOCUMENT FOR INFRARED DETECTING SET AN/AAS-36[CUST: AS] | A | 5855 | | AS | 24-OCT-91 |
| | DI-IPSC-81436A | INTERFACE DESIGN DESCRIPTION (IDD) [AMSC: N7361] | A | IPSC | | SA | 15-DEC-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-4009 ED.2 | INTERFACE GEOMETRY, TRACTORS AND SEMI-TRAILERS | C | ISDA | | AI | 03-JUN-97 |
| | QSTAG-291 | INTERFACE OF MEDICAL MATERIAL PROCEDURES | C | ISDA | | AI | 05-JUN-74 |
| | DI-IPSC-81434A | INTERFACE REQUIREMENTS SPECIFICATION (IRS) [AMSC: N7359] | A | IPSC | | SA | 15-DEC-99 |
| | DI-SESS-81632 | INTERFACE SPECIFICATION [AMSC: F7475] | A | SESS | | 10 | 08-MAR-02 |
| | MIL-STD-1399C | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS[Interface Standard][CUST: SH] [REVIEW: AS EC OS YD] | A | 1990 | | SH | 02-FEB-88 |
| | DOD-STD-1399-70-1 NOT 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 070 - PART 1 D.C. MAGNETIC FIELD ENVIRONMENT (METRIC)[Interface Standard][CUST: SH] [REVIEW: AS EC OS] | A | 1990 | | SH | 30-NOV-89 |
| | DOD-STD-1399-72-3A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072 - PART 3 BLAST ENVIRONMENT, NUCLEAR WEAPONS (METRIC)[Interface Standard][CUST: SH] [REVIEW: AS EC SA SS] | A | 1990 | | SH | 11-AUG-87 |
| | MIL-STD-1399-72-1A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072.1 BLAST ENVIRONMENT, MISSILE EXHAUST[Interface Standard][CUST: SH] [REVIEW: AS EC OS] | A | 1990 | | SH | 24-OCT-91 |
| | MIL-STD-1399-72-2A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072.2 BLAST ENVIRONMENT, GUN MUZZLE[Interface Standard][CUST: SH] [REVIEW: AS EC OS] | A | 1990 | | SH | 24-OCT-91 |
| | MIL-STD-1399-102A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 102 LOW PRESSURE DRY AIR SERVICE FOR SURFACE SHIPS[Interface Standard][CUST: SH] [REVIEW: AS EC OS] | A | 1990 | | SH | 05-FEB-88 |
| | MIL-STD-1399-300A(1) | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 300A ELECTRIC POWER, ALTERNATING CURRENT (METRIC)[Interface Standard][CUST: SH] [REVIEW: OS YD] | A | 1990 | | SH | 11-MAR-92 |
| | DOD-STD-1399-301A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 301A SHIP MOTION AND ATTITUDE (METRIC)[Interface Standard][CUST: SH] [REVIEW: AS CG EC OS] | A | 1990 | | SH | 21-JUL-86 |
| | MIL-STD-1399-302A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 302 WEATHER ENVIRONMENT[Interface Standard][CUST: SH] [REVIEW: AS EC OS] | A | 1990 | | SH | 29-FEB-88 |
| | DOD-STD-1399-304 NOT 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 304 ELECTRICAL CABLES AND CONNECTORS[Interface Standard][CUST: SH] [REVIEW: AS CG EC MC] | A | 1990 | | SH | 12-JUN-91 |
| | MIL-STD-1399-390 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 390 ELECTRIC POWER, DIRECT CURRENT, (OTHER THAN SHIP'S BATTERY) FOR SUBMARINES (METRIC)[Interface Standard][CUST: SH] [REVIEW: EC] | A | 1990 | | SH | 02-OCT-87 |
| | MIL-STD-1399-406B NOT 2 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 406 DIGITAL COMPUTER GROUNDING (METRIC)[Interface Standard][CUST: SH] | A | 1990 | | SH | 11-DEC-00 |
| | DOD-STD-1399-441 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 441 PRECISE TIME AND TIME INTERVAL (PTTI)[Interface Standard][CUST: EC] | A | 1990 | | EC | 01-JUN-82 |
| | MIL-STD-1399-502A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 502 ELECTRONIC SYSTEMS PARAMETERS[Interface Standard][CUST: SH] [REVIEW: AS CG EC MC OS] | A | 1990 | | SH | 01-FEB-95 |
| | DOD-STD-1399-532(1) | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 532 COOLING WATER FOR SUPPORT OF ELECTRONIC EQUIPMENT (METRIC)[Interface Standard][CUST: SH] | A | 1990 | | SH | 28-FEB-90 |
| | MIL-STD-1399-593-1 NOT 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 593 - PART 1 SEWAGE/WASTE WATER DISPOSAL FOR SURFACE SHIPS[Interface Standard][CUST: SH] [REVIEW: YD] | A | 1990 | | SH | 30-NOV-89 |
| | MIL-STD-1399-593-2 NOT 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 593 - PART 2 SEWAGE/WASTE WATER DISPOSAL FOR SUBMARINES[Interface Standard][CUST: SH] [REVIEW: YD] | A | 1990 | | SH | 27-NOV-89 |
| | MIL-STD-1399-702 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 702 SYNCHRO DATA TRANSMISSION[Interface Standard][CUST: SH] [REVIEW: EC OS] | A | MISC | | SH | 25-MAR-71 |
| | MIL-STD-2407(1) NOT 2 | INTERFACE STANDARD FOR VECTOR PRODUCT FORMAT[Interface Standard][CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | DI-ILSS-80957 | INTERGRATED ALLOWANCE DOCUMENT (LAD) [AMSC: N4907] | A | SESS | | SH | 27-FEB-90 |
| | DI-EDRS-81509 | INTERGRATED CIRCUIT DESIGN ANALYSIS REPORT [AMSC: G7183] | A | EDRS | | NS | 07-MAR-96 |
| | DI-ILSS-81226 | INTERIM CONTRACTOR SUPPORT (ICS) PARTS USAGE AND MAINTENANCE DATA COLLECTION REPORT [AMSC: A6665] | A | SESS | | AM | 12-AUG-91 |
| | MIL-PRF-89014A(1) NOT 1 | INTERIM TERRAIN DATA (ITD)/PLANNING INTERIM TERRAIN DATA (PITD)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | STANAG-3368 ED.3(1) | INTERNAL AIRCRAFT ENGINE STARTING SYSTEM | C | ISDF | | 06 | 05-JUN-97 |
| | DI-ILSS-81309 | INTERNAL CONTRACTOR TECHNICAL DATA REPORT [AMSC: G6885] | A | SESS | | NS | 25-JAN-93 |
| | DI-GDRQ-80198A | INTERNAL LOADS AND STATIC STRENGTH ANALYSIS REPORT [AMSC: F7163] | A | SESS | | 10 | 31-JUL-95 |
| | PFI-ES21 | INTERNAL MACHINING AND FIT-UP OF GTAW ROOT PASS CIRCUMFERENTIAL BUTT WELDS[CUST: YD] | A | FACR | | YD | 08-JUL-04 |
| | PFI-ES1 | INTERNAL MACHINING AND SOLID MACHINED BACKING RINGS FOR CIRCUMFERENTIAL BUTT WELDS[CUST: YD] | A | FACR | | YD | 08-JUL-04 |
| A | ASTANP-1 | INTERNATIONAL INDUSTRIAL STANDARDS ADOPTED BY NATO NATIONS FOR DEFENCE PURPOSES[CUST: AI NI 06] | D | ISDF | | 06 | 01-APR-86 |
| | STANAG-4214 ED.1(3) | INTERNATIONAL ROUTING AND DIRECTORY FOR TACTICAL COMMUNICATIONS SYSTEMS (INCLUDING AMENDMENTS 2 AND 3) | C | ISDA | | AI | 29-MAY-85 |
| | ASD-S1000D | INTERNATIONAL SPECIFICATION FOR TECHNICAL PUBLICATIONS UTILISING A COMMON SOURCE DATA BASE[CUST: TM AS 11] [REVIEW: 13 16 19 22 99 AC1 AV CG CH CR DH EC MC MI SA TD TM1] | A | TMSS | | AS | 24-JAN-05 |
| | STANAG-2957 ED.4 | INTERNATIONAL SYSTEM (SI) UNITS USED BY ARMED FORCES IN THE NUCLEAR FIELD | C | ISDA | | AI | 16-APR-02 |
| | IEEE-SI10 | INTERNATIONAL SYSTEM OF UNITS (SI): THE MODERN METRIC SYSTEM[CUST: MR SH 11 SO] [REVIEW: CC IS OS] | A | MISC | | SO | 01-APR-97 |
| | MIL-STD-188-242 | INTEROPERABILITY & PERFORMANCE STANDARDS FOR TACTICAL SINGLE CHANNEL VERY HIGH FREQUENCY (VHF) RADIO EQUIPMENT[Interface Standard][CUST: CR EC 02] [REVIEW: MC NS] | A | TCSS | | CR | 20-JUN-85 |
| D | MIL-STD-187-721D | INTEROPERABILITY AND PERFORMANCE STANDARD FOR ADVANCED ADAPTIVE HF RADIO[Interface Standard][CUST: CR1 EC 02] [REVIEW: AC DC DI MC NS] | A | TCSS | | 71 | 01-MAR-99 |
| | MIL-STD-188-105(2) | INTEROPERABILITY AND PERFORMANCE STANDARD FOR THE ALL-DIGITAL TACTICAL-TO-STRATEGIC GATEWAY[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 19 93 MC] | A | TCSS | | DC1 | 14-MAY-99 |
| | MIL-STD-188-184(2) | INTEROPERABILITY AND PERFORMANCE STANDARD FOR THE DATA CONTROL WAVEFORM[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 93 AC CG CM DC5 DI IR MC MI MP NC OM PT SE TD US] | C | TCSS | | DC1 | 09-DEC-02 |
| | MIL-STD-188-115(1) | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR COMMUNICATIONS TIMING AND SYNCHRONIZATION SUBSYSTEMS[Interface Standard][CUST: CR EC 02 DC] | A | TCSS | | DC1 | 17-DEC-98 |
| D | MIL-STD-188-110B | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DATA MODEMS[Interface Standard][CUST: CR EC 02] [REVIEW: DC MC NS] | A | TCSS | | 71 | 27-APR-00 |
| | MIL-STD-188-161D | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DIGITAL FACSIMILE EQUIPMENT[Interface Standard][CUST: CR EC 02 DC1] [REVIEW: 11 93 AC MC NC NS OM PT TD] | A | TCSS | | DC1 | 10-JAN-95 |
| | MIL-STD-188-145(1) NOT 2 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DIGITAL LOS MICROWAVE RADIO EQUIPMENT[Interface Standard][CUST: CR EC 02] [REVIEW: 11 24 AS] | A | TCSS | | CR | 24-OCT-00 |
| D | MIL-STD-188-141B | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR MEDIUM AND HIGH FREQUENCY RADIO SYSTEMS[Interface Standard][CUST: CR EC 02] [REVIEW: DC MC NS] | A | TCSS | | 71 | 01-MAR-99 |
| | MIL-STD-188-203-1A | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) A[Interface Standard][CUST: CR EC 02 DC1] [REVIEW: 11 13 19 AS MC OM SH] | A | TCSS | | DC1 | 08-JAN-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-188-202 NOT 1 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL DIGITAL TRANSMISSION GROUPS (COAXIAL CABLE) FORTACTICAL COMMUNICATIONS[Interface Standard][CUST: CR EC 02 DC1] [REVIEW: MC NS] | A | TCSS | | DC1 | 22-DEC-00 |
| | MIL-STD-188-243 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL SINGLE CHANNEL ULTRA HIGH FREQUENCY (UHF) RADIO COMMUNICATIONS[Interface Standard][CUST: CR EC 02] [REVIEW: MC] | A | TCSS | | 02 | 15-MAR-89 |
| D | FED-STD-1026 | INTEROPERABILITY AND SECURITY REQUIREMENTS FOR USE OF THE DATA ENCRYPTION STANDARD IN THE PHYSICAL LAYER OF DATA COMMUNICATIONS[CUST: CR EC] [REVIEW: DC DH MC OM SH] | A | TELE | * | NS | 03-AUG-83 |
| | STANAG-5045 ED.2 | INTEROPERABILITY CHARACTERISTICS FOR TELEPRINTERS USING THE NATO 7-BIT CODE | C | ISDA | | AI | PENDING |
| | AIR-STD-70/4(3) | INTEROPERABILITY OF AIRCRAFT UHF MULTI-FREQUENCY TRANSCEIVER INSTALLATION AND COMPATIBLE GROUND TRANSMITTERS AND RECEIVERS | C | ISDF | | 06 | 29-NOV-91 |
| | AIR-STD-70/3(4) | INTEROPERABILITY OF AIRCRAFT VHF AM AND/OR FM MULTI-FREQUENCY TRANSCEIVER INSTALLATIONS AND COMPATIBLE GROUND RADIO EQUIPMENTS | C | ISDF | | 06 | 01-NOV-01 |
| | STANAG-4312 1 ED.1(1) | INTEROPERABILITY OF ARMY SHORT RANGE AIR DEFENCE SURVEILLANCE, COMMAND AND CONTROL SYSTEMS - PART 1: INFORMATION EXCHANGE REQUIREMENTS (IERS) FOR DEVELOPING COMMON CHARACTER ORIENTED MESSAGE TEXT FORMATS (MFTS) FOR USE IN IMMEDIATE FUTURE INCLUDING AMENDMENT 1) | C | ISDA | | AI | 26-JUL-90 |
| | STANAG-4312 ED.1 | INTEROPERABILITY OF ARMY SHORT RANGE AIR DEFENCE SURVEILLANCE, COMMAND AND CONTROL SYSTEMS - PART II: COMMON INTERFACE REQUIREMENTS AND BIT-ORIENTED MESSAGES | C | ISDA | | AI | 31-JAN-97 |
| | STANAG-4312 2 ED.1 | INTEROPERABILITY OF ARMY SHORT RANGE AIR DEFENSE SURVEILLANCE, COMMAND AND CONTROL SYSTEMS - PART II: COMMON INTERFACE REQUIREMENTS AND BIT-ORIENTED MESSAGES | C | ISDA | | AI | 31-JAN-97 |
| | MIL-HDBK-511 NOT 1 | INTEROPERABILITY OF INTERACTIVE ELECTRONIC TECHNICAL MANUALS (IETMS)[CUST: TM SH 16] [REVIEW: 08 11 13 19 22 AR AS AT AV CG CH CR DH EA EC MC MI PT TD] | A | TMSS | | TM | 04-MAY-05 |
| | STANAG-3791 ED.6(1) | INTEROPERABILITY OF NATO AIRCRAFT AND STORES - AOP-11 | C | ISDF | | 06 | 16-JUN-99 |
| | MIL-STD-188-164A(2) | INTEROPERABILITY OF SHF SATELLITE COMMUNICATIONS EARTH TERMINALS[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 93 AC CG CM DC5 DH DI IR MC MI MP NC OM PT SE TD US] | C | TCSS | | DC1 | 08-JUN-04 |
| A | MIL-STD-188-165A(1) | INTEROPERABILITY OF SHF SATELLITE COMMUNICATIONS PSK MODEMS (FDMA OPERATION)[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 99 AC CG CM DC5 DI DMS IR MC MI MP NC OM SE US] | C | TCSS | | DC1 | 01-NOV-05 |
| | STANAG-5000 ED.2(1) | INTEROPERABILITY OF TACTICAL DIGITAL FACSIMILE EQUIPMENT | C | ISDA | | AI | PENDING |
| | QSTAG-480 | INTEROPERABILITY OF TACTICAL DIGITAL FACSIMILE EQUIPMENT (BASED ONNATO STANAG 5000)[CUST: AI] | C | ISDA | | AI | 22-APR-85 |
| | QSTAG-2022 ED.1 | INTEROPERABILITY REQUIREMENTS FOR ASSET TRACKING AND VISIBILITY OF MATERIEL WITHIN THE DISTRIBUTION SYSTEM[CUST: AI] | C | ISDA | | AI | 05-DEC-01 |
| | AIR-STD-70/34(1) | INTEROPERABILITY STANDARD FOR 5KHZ/25KHZ TDMA/DAMA SATCOM TERMINALS | C | ISDF | | 06 | 27-OCT-99 |
| | MIL-STD-188-181C | INTEROPERABILITY STANDARD FOR ACCESS TO 5-KHZ AND 25-KHZ UHF SATELLITE COMMUNICATIONS CHANNELS[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 33 93 AC CG CM DC5 DI IR MC MP NC OM PT SE TD US] | C | TCSS | | DC1 | 30-JAN-04 |
| | MIL-STD-188-183B | INTEROPERABILITY STANDARD FOR MULTIPLE-ACCESS 5-KHZ AND 25-KHZ UHF SATELLITE COMMUNICATIONS CHANNELS[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 33 93 AC CG CM DC5 DI IR MC MP NC OM PT SE TD US] | C | TCSS | | DC1 | 30-JAN-04 |
| | MIL-STD-188-168 | INTEROPERABILITY STANDARD FOR SHF SATELLITE COMMUNICATIONS BASEBAND EQUIPMENT[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 33 93 99 AC AM CG CH CM DH DI IE IR MC MP NC ND OM PT SE TD TM1 TM3 US] | C | TCSS | | DC1 | 03-OCT-02 |
| | MIL-STD-3011 | INTEROPERABILITY STANDARD FOR THE JOINT RANGE EXTENSION APPLICATION PROTOCOL (JREAP)[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 33 93 99 AC AM CG CH CM DH DI IE IR MC MP NC ND OM PT SE TD TM1 TM3 US] | C | TCSS | | DC1 | 30-SEP-02 |
| | MIL-STD-188-182B | INTEROPERABILITY STANDARD FOR UHF SATCOM DAMA ORDERWIRE MESSAGES AND PROTOCOLS[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 33 93 AC CG CM DC5 DI IR MC MP NC OM PT SE TD US] | C | TCSS | | DC1 | 30-JAN-04 |
| | MIL-STD-188-185(2) | INTEROPERABILITY UHF MILSATCOM DAMA CONTROL SYSTEM[Interface Standard][CUST: AC EC 02 DC1] [REVIEW: 11 13 33 93 CG CR DC4 DC5 DH DI IR MC MP NC NS OM PT SE TD US] | C | TCSS | | DC1 | 09-SEP-98 |
| | QSTAG-608 ED.3 | INTEROPERABLE CHEMICAL AGENT DETECTOR KITS[CUST: AI] | C | ISDA | | AI | 25-AUG-00 |
| | QSTAG-651 ED.2 | INTEROPERABLE CHEMICAL AGENT DETECTOR PAPER[CUST: AI] | C | ISDA | | AI | 13-DEC-00 |
| | QSTAG-2002 ED.1 | INTEROPERABLE PERFORMANCE SPECIFICATIONS FOR CBW DETECTION EQUIPMENT[CUST: AI] | C | ISDA | | AI | 17-MAR-98 |
| | STANAG-2033 ED.6(1) | INTERROGATION OF PRISONERS OF WAR (PW) | C | ISDA | | AI | 01-OCT-97 |
| | QSTAG-170 ED.2 | INTERROGATION OF PRISONERS OF WAR (PW)[CUST: AI] | C | ISDA | | AI | 03-JUN-97 |
| | MIL-I-81453A(1) | INTERROGATOR SET AN/APX-76B(V)[CUST: AS 11] | A | 5895 | | AS | 31-OCT-78 |
| | MIL-I-29589 | INTERROGATOR SET, AN/UPX-24(V)[CUST: AS] | A | 5895 | | AS | 26-JUL-91 |
| | A-A-55460C | INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE HOSPITAL GRADE, 15-AMPERE[CUST: EC CC] | A | 5925 | / | CC | 01-OCT-03 |
| | A-A-55461C | INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE HOSPITAL GRADE, 20-AMPERE[CUST: EC CC] | A | 5925 | / | CC | 01-OCT-03 |
| | A-A-55458C | INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE, 15-AMPERE[CUST: EC CC] | A | 5925 | / | CC | 01-OCT-03 |
| | A-A-55459C | INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE, 20-AMPERE[CUST: EC CC] | A | 5925 | / | CC | 01-OCT-03 |
| | UL943 | INTERRUPTER, GROUND-FAULT CIRCUIT - STANDARD FOR SAFETY[CUST: CR YD 11] [REVIEW: CC GS OS] | A | 6110 | | YD | 11-SEP-85 |
| A | MIL-STD-1548F | INTO-PLANE SERVICING OF FUELS AT COMMERCIAL AIRPORTS[Standard Practice][CUST: AV AS 68 PS] [REVIEW: 99 CC CD SA] | A | 91GP | | 68 | 19-AUG-05 |
| | A-A-54403 | INTRAUTERINE DEVICE, CONTRACEPTIVE[CUST: MD MS 03] | A | 6515 | / | MB | 22-MAY-91 |
| | A-A-53650 | INTRAVENOUS EXCHANGE SET[CUST: MD MS 03] | A | 6515 | / | MB | 16-AUG-88 |
| | A-A-53642 | INTRAVENOUS INJECTION CASSETTE SET[CUST: MD MS 03] | A | 6515 | / | MB | 12-AUG-88 |
| | A-A-54961 | INTRAVENOUS INJECTION SET[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUN-94 |
| | A-A-53469 | INTRAVENOUS INJECTION SET[CUST: MD MS 03] | A | 6515 | / | MB | 27-APR-88 |
| | A-A-54962 | INTRAVENOUS INJECTION SET, SECONDARY[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUN-94 |
| | MIL-I-37990 | INTRAVENOUS INJECTION SET, SECONDARY NON-VENTED WITH FLEXIBLE DRIP CHAMBER, DISPOSABLE[CUST: MD MS 03] | A | 6515 | | MB | 25-JUL-86 |
| | A-A-51468 | INTRAVENOUS INJECTION SET, WITH FLEXIBLE DRIP CHAMBER, NON-VENTED, ADULT, WITHOUT NEEDLE, DISPOSABLE, 50'S[CUST: MD MS 03] | A | 6515 | / | MB | 10-JUN-86 |
| | QSTAG-288 ED.1(2) | INTRAVENOUS REPLACEMENT FLUIDS (WITH AMD.2)[CUST: AI] | C | ISDA | | AI | 16-JAN-74 |
| A | A-A-59337 | INTRENCHING TOOL, HAND, FOLDING, LIGHTWEIGHT[CUST: GL SH 99] [REVIEW: 84 AS CC CG MD] | A | 5120 | * | GL | 16-SEP-98 |
| | A-A-53229A | INTRODUCER SET, CATHETER, PERCUTANEOUS[CUST: MD MS 03] | A | 6515 | / | MB | 13-OCT-89 |
| | STANAG-1161 ED.2(1) | INTRODUCTION AND DEFINITION OF TERMS FOR NATO SEA MINES AMP-13 VOL I (INCLUDING AMENDMENT 1) | C | ISDN | | NI | 31-JAN-84 |
| | STANAG-4427 ED.1 | INTRODUCTION OF ALLIED CONFIGURATION MANAGEMENT PUBLICATIONS (ACMP'S) | A | ISDA | | AI | 14-JUL-97 |
| | MIL-HDBK-297 | INTRODUCTION TO WEAPON EFFECTS FOR SHIPS (METRIC)[CUST: SH] | D | 1990 | | SH | 28-DEC-87 |
| | DI-MISC-81191A | INVENTORY CHECKLIST/RECORD (ICL/R) [AMSC: N6927] | A | MISC | | AS | 18-JUN-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-MISC-80541B | INVENTORY COUNT WORKSHEET [AMSC: F7058] | A | MISC | | 10 | 14-NOV-94 |
| | DI-MISC-80193 | INVENTORY LISTING OF BULK PROPELLANT AND PROPELLING CHARGES [AMSC: A3895] | A | MISC | | AM | 28-JUL-86 |
| | DI-MGMT-80592A | INVENTORY OF CROSS-CONNECTION CONTROL AND BACKFLOW PREVENTION SYSTEMS REPORT [AMSC: F4688] | A | MGMT | | 33 | 13-APR-89 |
| | DI-MGMT-80214B | INVENTORY OF MILITARY REAL PROPERTY [AMSC: F6762] | A | MGMT | | 33 | 24-JUL-92 |
| | DI-MISC-81107A | INVENTORY/UTILIZATION DATA REPORT [AMSC: N6721] | A | MISC | | SA | 02-MAR-92 |
| | QPL-7032-35 | INVERTERS, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 6125 | | AS | 18-APR-03 |
| | AIR-STD-85/2A(5) | INVESTIGATION OF AIRCRAFT/MISSILE ACCIDENTS/INCIDENTS | C | ISDF | | 06 | 16-JUL-92 |
| | A-A-50894 | INVESTMENT, DENTAL, INLAY[CUST: MD MS 03] | A | 6520 | / | MB | 03-AUG-83 |
| | A-A-0051580 | INVESTMENT, PHOSPHATE-BONDED MATERIAL[CUST: MD MS 03] | A | 6520 | / | MB | 04-AUG-86 |
| | ANSI-B92.1 | INVOLUTE SPLINES AND INSPECTION[CUST: AR SH 99] | A | 34GP | | GS6 | 1970 |
| | ASTM-D1959 | IODINE VALUE OF DRYING OILS AND FATTY ACIDS[CUST: MR SH 99] [REVIEW: 84 YD] | A | 8010 | | MR | 10-AUG-97 |
| | A-A-53734 | IODOQUINOL TABLETS, USP[CUST: MD MS 03] | A | 6505 | | MB | 28-OCT-88 |
| | O-I-1279B | ION EXCHANGE RESINS[CUST: SH] [REVIEW: GS SM] | A | 6810 | / | SH | 30-JUN-93 |
| | MIL-HDBK-814 | IONIZING DOSE AND NETRON HARDNESS ASSURANCE GUIDELINES FOR MICROCIRCUITS AND SEIMICONDUCTOR DEVICES[CUST: CR EC 19 NA] [REVIEW: 11 99 AR CC DS MC MI TD] | A | 59GP | | EC | 08-FEB-94 |
| | A-A-53706 | IOPANOIC ACID TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 16-SEP-88 |
| | SAE-AMS5532 | IRON ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 30FE - 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0CB - 0.15N SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | APR-95 |
| | SAE-AMS5794 | IRON ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 31FE - 21CR - 20NI - 20CO - 3.0M0 - 2.5W - 1.0CB - 0.15N ANNEALED[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 17-MAR-89 |
| | ASTM-D50 | IRON AND MANGANESE, PIGMENTS CONTAINING, YELLOW, ORANGE, RED, AND BROWN, CHEMICAL ANALYSIS OF[CUST: MR SH 11] | A | 8010 | | MR | 21-AUG-90 |
| | ASTM-A90/A90M | IRON AND STEEL ARTICLES WITH ZINC OR ZINC-ALLOY COATINGS, WEIGHT (MASS) OF COATING ON[CUST: MR SH 11] [REVIEW: YD] | A | MFFP | | MR | 15-MAR-93 |
| | ASTM-B695 | IRON AND STEEL, COATINGS OF ZINC MECHANICALLY DEPOSITED ON[CUST: YD 11] [REVIEW: SH] | A | MFFP | | YD | FEB-91 |
| | ASTM-B612 | IRON BRONZE SINTERED BEARINGS (OIL-IMPREGNATED)[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 25-JAN-91 |
| | ASTM-A644 | IRON CASTINGS[CUST: MR] [REVIEW: 11 AR AS AT CR4 SH YD] | A | MECA | | MR | 25-AUG-89 |
| | ASTM-A439 | IRON CASTINGS, AUSTENITIC DUCTILE[CUST: AT SH 11] | A | MECA | | SH | OCT-94 |
| | ASTM-A159 | IRON CASTINGS, AUTOMOTIVE GRAY[CUST: MR YD] [REVIEW: AR] | A | 9515 | | MR | 29-JUL-83 |
| | ASTM-A536 | IRON CASTINGS, DUCTILE[CUST: MR YD 99] [REVIEW: AR] | A | MECA | | MR | 15-JUN-84 |
| | ASTM-A126 | IRON CASTINGS, GRAY, FOR VALVES, FLANGES, AND PIPE FITTINGS[CUST: MR YD] [REVIEW: AR AT CR4 IS MI SH] | A | MECA | | YD | 31-JUL-89 |
| | ASTM-A518/A518M | IRON CASTINGS, HIGH-SILICON, CORROSION-RESISTANT[CUST: MR YD] [REVIEW: SH] | A | MECA | | YD | 15-JUL-92 |
| | ASTM-B782 | IRON GRAPHITE SINTERED BEARINGS (OIL IMPREGNATED)[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 15-JUL-94 |
| | ASTM-D1068 | IRON IN WATER[CUST: EA GS3] [REVIEW: CR4 GL MD OS SH] | A | 6810 | | GS3 | 15-MAR-90 |
| | ASTM-A428/A428M | IRON OR STEEL ARTICLES, STANDARD TEST METHOD FOR WEIGHT (MASS) OF COATING ON ALUMINUM-COATED[CUST: MR YD 99] [REVIEW: 84 IS SH] | A | 95GP | | YD | 29-SEP-89 |
| | MIL-I-85370 | IRON OXIDE, (MONOHYDRATE) YELLOW[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 03-FEB-87 |
| | A-A-59179 NOT 1 | IRON OXIDE, BLACK, TECHNICAL[CUST: EA OS GS3] [REVIEW: AR AS MD1] | A | 6810 | / | GS3 | 12-MAR-04 |
| | A-A-59280 NOT 1 | IRON OXIDE, FERRIC, RED DRY (NATURAL AND SYNTHETIC)[CUST: AR OS GS3] [REVIEW: EA] | A | 6810 | / | GS3 | 23-JAN-04 |
| | ASTM-A395/A395M | IRON PRESSURE-RETAINING, FERRITIC DUCTILE, CASTINGS FOR USE AT ELEVATED TEMPERATURES[CUST: MR YD] [REVIEW: AR AT CR4 IS MI SH] | A | MECA | | YD | MAY-89 |
| | GGG-I-671A | IRON, CALKING, WOOD | A | 5120 | # | FSS | 21-APR-53 |
| | AWS-A5.15 | IRON, CAST, WELDING RODS & COVERED ELECTRODES FOR[CUST: MR 11 GS6] | A | 3439 | | GS6 | 14-MAR-90 |
| | SAE-AMS7707 | IRON, COMMERCIALLY PURE HOT ROLLED, UNANNEALED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-JUL-87 |
| | ASTM-A438 | IRON, GRAY CAST, TRANSVERSE TESTING OF[CUST: MR YD 11] | A | MECA | | YD | 28-MAR-80 |
| | ASTM-E263 | IRON, MEASURING FAST-NEUTRON REACTION RATES BY RADIOACTIVATION OF[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A | 5962 | | CC | 15-SEP-93 |
| | ASTM-A220/A220M | IRON, PEARLITIC MALLEABLE[CUST: MR YD] [REVIEW: AS AT CR4 MI OS SH] | A | MECA | | MR | MAR-88 |
| | SAE-AMS5884 | IRON-NICKEL ALLOY, BARS, FORGINGS, AND RINGS 42FE - 37.5NI - 14CO - 4.8CB - 1.6TI SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE MULTIPLE MELTED, HIGH TEMPERATURE, LOW EXPANSION[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 30-APR-94 |
| | SAE-AMS5592 | IRON-NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 44FE - 18.5CR - 35NI - 1.15SI SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 10-JAN-94 |
| | SAE-AMS5802 | IRON-NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 41FE - 37.5NI - 14CO - 4.8(CB + TA) - 1.5TI VACUUM MELTED, LOW EXPANSION[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | MR | 01-JAN-93 |
| | SAE-AMS5716 | IRON-NICKEL ALLOY, HEAT RESISTANT, BARS, WIRE, FORGINGS, AND RINGS 44FE - 18.5CR - 35.5NI - 1.1SI SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | DEC 95 |
| | SAE-AMS5223 | IRON-NICKEL ALLOY, STRIP 49FE - 5.3CR - 42NI - 2.5TI - 0.55A1 SOLUTION HEAT TREATED, COLD ROLLED, 10% REDUCTION[CUST: MR AS 11 IS] | A | 9510 | | IS | 17-MAR-89 |
| | SAE-AMS-I-23011 | IRON-NICKEL ALLOYS FOR SEALING TO GLASSES AND CERAMICS[CUST: MR AS 11] [REVIEW: 99 AT AV CR4 MI OS] | A | 9505 | | AS | SEP-98 |
| | SAE-AMS7727 | IRON-NICKEL-COBALT ALLOY, BARS AND FORGINGS 53FE 29NI - 17CO LOW EXPANSION, GLASS SEALING[CUST: MR AS 11 IS] | A | 9510 | | IS | FEB 95 |
| | SAE-AMS7728 | IRON-NICKEL-COBALT ALLOY, SHEET, STRIP, AND PLATE 53FE - 29NI - 17CO LOW EXPANSION GLASS SEALING, ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | MAY-94 |
| | OO-I-675F(3) | IRONERS, FLATWORK, COMMERCIAL (AND ACCESSORIES)[CUST: GL YD 99 IS] [REVIEW: CE MC MD MS] | A | 3510 | / | IS | 12-SEP-77 |
| | A-A-297B | IRONING BOARD, PAD, AND COVER (HOUSEHOLD) | A | 7290 | # | FSS | 11-MAR-97 |
| | ASTM-A532/A532M | IRONS, CAST, ABRASION-RESISTANT[CUST: CR4 YD 99] [REVIEW: CC CE SH] | A | MECA | | YD | 15-JAN-93 |
| | ANSI-B11.5 | IRONWORKERS, MACHINE TOOLS, SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE AND USE- AMERICAN NATIONAL STANDARD FOR[CUST: CR AL 11] [REVIEW: 19 84 99 AR CR4 MI SM] | A | 3445 | | GS6 | 27-JAN-89 |
| | A-A-30051C | IRRIGATION KIT, PATIENT[CUST: MD MS 03] | A | 6530 | * | MB | 01-DEC-89 |
| | A-A-53838 | IRRIGATION TIP, SURGICAL[CUST: MD MS 03] | A | 6530 | / | MB | 24-MAR-89 |
| | A-A-51340A | IRRIGATOR (CORROSION-RESISTING STEEL)[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAR-90 |
| | ASTM-D1718 | ISOBUTYL ACETATE (95 PERCENT GRADE)[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 26-OCT-90 |
| | ASTM-D1719 | ISOBUTYL ALCOHOL[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 25-MAY-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-I-10903 | ISOBUTYL METHACRYLATE POLYMER, AE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 05-FEB-51 |
| | ASTM-D2572 | ISOCYANATE GROUPS IN URETHANE MATERIALS OR PREPOLYMERS[CUST: MR SH 11] | A | 8010 | | CC | 10-NOV-97 |
| | MIL-I-28791/1A(1) NOT 1 | ISOLATOR, RADIO FREQUENCY, COAXIAL[CUST: CR EC 11] [REVIEW: 99 AS MC OS SH] | A | 5985 | | CC | 10-MAY-01 |
| | MIL-I-24783 | ISOLATOR, RING TYPE, PRESSURE, FOR SHIPBOARD SEWAGE SERVICE[CUST: SH] | A | 4730 | | SH | 15-APR-93 |
| | MIL-DTL-28791A | ISOLATORS AND CIRCULATORS, RADIO FREQUENCY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 MC OS] | A | 5985 | | CC | 17-APR-02 |
| | A-A-51527A | ISOPROTERENOL HYDROCHLORIDE INHALATION AEROSOL, USP[CUST: MD MS 03] | A | 6505 | / | MB | 13-AUG-87 |
| | A-A-0053250 | ISOPROTERENOL HYDROCHLORIDE INJECTION, USP[CUST: MD MS 03] | A | 6505 | * | MB | 02-OCT-87 |
| | A-A-2970 NOT 2 | JACK, SCREW | A | 5120 | # | FSS | 10-SEP-03 |
| | MIL-DTL-641/22A | JACK, TELEPHONE, U-385/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC] | A | 5935 | | CC | 09-JUN-03 |
| | MIL-DTL-39024/10E | JACK, TIP (TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (THREADED) LOW VOLTAGE, .080)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG CR4 EA MC MI OS] | A | 5935 | | CC | 03-FEB-03 |
| | QPL-39024-35 | JACK, TIP (TEST POINT, PANEL OR PRINTED WIRING TYPE), GENERAL SPECIFICATION FOR | A | 5935 | | CC | 29-NOV-04 |
| A | MIL-DTL-39024B SUP 1 | JACK, TIP (TEST POINT, PANEL OR PRINTED WIRING TYPE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 EA MC MI OS] | A | 5935 | | CC | 03-FEB-03 |
| | MIL-J-39024/11F(1) | JACK, TIP, TEST POINT TYPE, PRINTED WIRING TYPE, SINGLE TEST POINT, RIGHT ANGLE, 2-LEG MOUNTING, LOW VOLTAGE, .080[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI YD] | A | 5935 | | CC | 15-SEP-97 |
| | MIL-J-43470B | JACKET, AIR-TO-GROUND IDENTIFICATION[CUST: GL CT] [REVIEW: MD] | A | 8415 | | CT | 26-JUL-82 |
| | MIL-DTL-31010 | JACKET, AIRCREW, COLD WEATHER, WITH REMOVABLE LINER, AND HOOD[CUST: GL CT] [REVIEW: MD] | A | 8415 | | CT | 22-MAY-95 |
| | MIL-J-8279G(1) | JACKET, COLD WEATHER[CUST: 99 CT] [REVIEW: 11] | A | 8415 | | CT | 31-OCT-90 |
| | MIL-J-82299C | JACKET, EXTREME COLD WEATHER, IMPERMEABLE[CUST: NU CT] [REVIEW: CG] | A | 8415 | | CT | 06-DEC-88 |
| | MIL-J-83382C(1) | JACKET, FLYER S, MEN S, SUMMER, FIRE RESISTANT, CWU-36/P[CUST: AS 99 CT] [REVIEW: 11] | A | 8415 | | CT | 01-NOV-85 |
| | A-A-55265 | JACKET, FLYER'S, A-2 LEATHER[CUST: 11 CT] | A | 8415 | / | CT | 16-FEB-95 |
| | MIL-J-83388E | JACKET, FLYER'S, COLD WEATHER[CUST: AS 99 CT] [REVIEW: 11] | A | 8415 | | CT | 18-JUN-92 |
| | MIL-J-43923C | JACKET, FLYER'S, LIGHTWEIGHT, (EXPANDABLE WRISTS AND WAIST)[CUST: GL CT] [REVIEW: MD] | A | 8415 | | CT | 13-APR-90 |
| | MIL-J-7448K | JACKET, FLYERS, MAN, LIGHT ZONE L-28[CUST: GL 99 CT] [REVIEW: 11] | A | 8405 | | CT | 15-FEB-79 |
| | MIL-J-87024(1) | JACKET, INSECT REPELLENT[CUST: NU CT] [REVIEW: 11 AS CG MC MS YD] | A | 8415 | | CT | 09-MAY-84 |
| | MIL-DTL-82193C | JACKET, MAN'S - EVENING DRESS (OFFICER'S)[CUST: MC] | A | 8405 | | MC | 16-OCT-97 |
| | MIL-DTL-28978C | JACKET, MAN'S - EVENING DRESS (STAFF, NONCOMMISSIONED OFFICER'S)[CUST: MC] | A | 8405 | | MC | 16-OCT-97 |
| | MIL-J-87250 | JACKET, MAN'S: LIGHTWEIGHT WITH REMOVABLE LINER[CUST: 11 CT] | A | 8405 | | CT | 04-NOV-88 |
| | MIL-DTL-29451B | JACKET, MEN'S - INTERMEDIATE WEIGHT, POLYESTER/WOOL[CUST: MC] | A | 8405 | | MC | 16-OCT-97 |
| | MIL-DTL-31008A | JACKET, SECURITY FORCES, COLD WEATHER[CUST: 11] | A | 8415 | | CT | 22-JUN-04 |
| | A-A-55291 | JACKET, UTILITY, UNISEX[CUST: NU CT] | A | 8415 | / | CT | 11-JAN-96 |
| | MIL-DTL-82122D | JACKET, WOMAN'S - EVENING DRESS (OFFICER'S)[CUST: MC] | A | 8410 | | MC | 08-OCT-97 |
| | MIL-DTL-29396B | JACKET, WOMAN'S - SPECIAL FULL DRESS SCARLET, U. S. MARINE BAND, MUSICIAN[CUST: MC] | A | 8410 | | MC | 08-OCT-97 |
| | MIL-DTL-29397B | JACKET, WOMAN'S - FULL DRESS SCARLET, U. S. MARINE BAND, MUSICIAN[CUST: MC] | A | 8410 | | MC | 08-OCT-97 |
| | MIL-J-87251 | JACKET, WOMAN'S: LIGHTWEIGHT WITH REMOVABLE LINER[CUST: 11 CT] | A | 8410 | | CT | 04-NOV-88 |
| | MIL-J-43924E | JACKETS, COLD WEATHER, (HIGH TEMPERATURE RESISTANT)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 30-SEP-91 |
| | MIL-J-7823E(3) | JACKETS, FLYERS INTERMEDIATE, TYPE G-1[CUST: NU CT] | A | 8415 | | CT | 18-OCT-84 |
| | MIL-J-641/21A NOT 1 | JACKS, (BANTAM) TELEPHONE, 3 CONDUCTOR, DOUBLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CR4 MC MI SH] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/19E NOT 1 | JACKS, (BANTAM) TELEPHONE, 3 CONDUCTOR, SINGLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CR4 MC MI] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/20A NOT 1 | JACKS, (BANTAM) TELEPHONE, 3 CONDUCTOR, TRIPLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CR4 MC MI SH] | A | 5935 | | CC | 30-OCT-01 |
| | A-A-59545 | JACKS, DOLLY TYPE, HYDRAULIC, AUTOMOTIVE[CUST: AR SH 99 CC] [REVIEW: AT SA] | A | 4910 | / | CC | 27-JUL-01 |
| | QPL-641-67 | JACKS, TELEPHONE GENERAL SPECIFICATION FOR | A | 5935 | | CC | 25-JAN-05 |
| | MIL-DTL-641/4D | JACKS, TELEPHONE TYPE JJ-026[CUST: CR EC 11 CC] [REVIEW: 19 MC OS] | A | 5935 | | CC | 09-JUN-03 |
| | MIL-J-641/5D NOT 2 | JACKS, TELEPHONE TYPE JJ-033[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC MI OS] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/6C NOT 2 | JACKS, TELEPHONE TYPE JJ-034[CUST: CR EC 11 CC] [REVIEW: 19 MC SH] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/10C NOT 2 | JACKS, TELEPHONE TYPE JJ-083[CUST: CR EC 11 CC] [REVIEW: 19 CR4 MC MI OS] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/11C NOT 2 | JACKS, TELEPHONE TYPE JJ-088[CUST: CR EC 11 CC] [REVIEW: 19 AR CR4 MC MI OS] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/12C NOT 2 | JACKS, TELEPHONE TYPE JJ-089[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/1D NOT 2 | JACKS, TELEPHONE TYPES JJ-015 AND JJ-019[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/2D NOT 2 | JACKS, TELEPHONE TYPES JJ-016, JJ-017, JJ-024, JJ-035, JJ-072, JJ-084, JJ-085, JJ-086, AND JJ-087[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC OS] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/3D NOT 2 | JACKS, TELEPHONE TYPES JJ-022, JJ-042, JJ-073, JJ-074, JJ-075, JJ-077, AND JJ-078[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/13C NOT 2 | JACKS, TELEPHONE TYPES JJ-092, JJ-093, JJ-096, AND JJ-097[CUST: CR EC 11 CC] [REVIEW: 19 CR4 MC MI OS] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/14C NOT 2 | JACKS, TELEPHONE TYPES JJ-095, JJ-101, AND JJ-103[CUST: CR EC 11 CC] [REVIEW: 19 AR CG CR4 MC MI] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/15C NOT 2 | JACKS, TELEPHONE TYPES JJ-098, JJ-099, AND JJ-102[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS SH] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/16C NOT 2 | JACKS, TELEPHONE TYPES JJ-104, JJ-105, AND JJ-107[CUST: CR EC 11 CC] [REVIEW: 19 AS MC SH] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641E(2) SUP 1 | JACKS, TELEPHONE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CR4 MC MI OS SH] | A | 5935 | | CC | 24-JAN-00 |
| | MIL-J-641/7C NOT 2 | JACKS, TELEPHONE, TYPE JJ-048[CUST: CR EC 11 CC] [REVIEW: 19 MC] | A | 5935 | | CC | 30-OCT-01 |
| | MIL-J-641/8D NOT 3 | JACKS, TELEPHONE, TYPE JJ-055[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CR4 MC MI OS SH YD] | A | 5935 | | CC | 28-AUG-03 |
| | MIL-J-641/9D NOT 2 | JACKS, TELEPHONE, TYPES JJ-079, JJ-081, JJ-082, AND JJ-106[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC SH] | A | 5935 | | CC | 30-OCT-01 |
| | A-A-53425 | JAR, ANAEROBIC CULTURE APPARATUS[CUST: MD MS 03 MB] | A | 6640 | / | MB | 25-MAR-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51028 | JAR, FORCEPS,[CUST: MD MS 03] | A | 6530 | / | MB | 09-DEC-85 |
| | A-A-53701 | JAR, PIPET[CUST: MD MS 03] | A | 6640 | / | MB | 20-SEP-88 |
| | A-A-55442 NOT 1 | JAR, SCREW CAP[CUST: SM SA 11] | A | 8125 | / | IS | 27-SEP-01 |
| | A-A-53559A | JAR, SCREW CAP (PATHOLOGICAL SPECIMEN)[CUST: MD MS 03] | A | 6640 | / | MB | 15-DEC-88 |
| | A-A-51094A | JAR, SURGICAL DRESSING (GLASS)[CUST: MD MS 03] | A | 6530 | / | MB | 31-JUL-90 |
| | A-A-53897 | JAR, SURGICAL DRESSING ALUMINUM[CUST: MD MS 03] | A | 6530 | / | MB | 09-MAR-90 |
| | A-A-50816A | JAR, SURGICAL DRESSING CORROSION-RESISTING STEEL[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAY-89 |
| | A-A-51269 | JAR, SURGICAL NEEDLE[CUST: MD MS 03] | A | 6530 | / | MB | 09-DEC-85 |
| | A-A-51322 | JARS AND SHIPPING BOX, HISTOPATHOLOGICAL SPECIMEN[CUST: MD MS 03] | A | 6640 | / | MB | 26-DEC-85 |
| | MIL-J-7093A(2) | JATO MARK 6 MOD 1[CUST: AS] | A | 1340 | | AS | 03-JUN-82 |
| | MS33597 NOT 1 | JATO UNIT, AIRCRAFT, 1000 POUNDS THRUST, OUTLINE DIMENSIONS FOR[CUST: AS] | A | 1340 | | AS | 09-OCT-91 |
| | A-A-20078B | JELLY, FRUIT[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8930 | / | SS | 05-MAR-02 |
| | A-A-55068A | JERSEY, FLIGHT DECK CREWMAN[CUST: NU CT] [REVIEW: AS CG SH] | A | 8415 | / | CT | 05-JUL-96 |
| | A-A-55314 | JERSEY, REVERSIBLE[CUST: NU CT] | A | 8415 | / | CT | 03-DEC-97 |
| | MIL-J-8667A | JET ASSISTED TAKE OFF SYSTEMS - DESIGN AND INSTALLATION OF, IN NAVAL AIRCRAFT[CUST: AS] [REVIEW: 99 GS] | A | 2845 | | AS | 05-JAN-70 |
| | SAE-AIR4275 | JET REFERENCE FLUID STUDY FOR FUEL TANK SEALANTS[CUST: MR AS 11] [REVIEW: GS] | A | 9150 | | 11 | 01-APR-91 |
| | ASTM-D1854 | JET-FUEL-RESISTANT CONCRETE JOINT SEALER, HOT-APPLIED ELASTIC TYPE[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 03-OCT-94 |
| | MS20270C NOT 1 | JOINT - UNIVERSAL, PLAIN, LIGHT DUTY[CUST: CR4 AS 99] [REVIEW: 71] | A | 3010 | | CC | 11-FEB-02 |
| | AJP-3.3(1) | JOINT AIR AND SPACE OPERATION DOCTRINE (INCLUDING CHANGE NOTICE 1) | C | ISDF | | 06 | 01-JUL-00 |
| | ATP-33C | JOINT AIR AND SPACE OPERATIONS DOCTRINE - AJP-3.3 | C | ISDA | | AI | 25-MAY-00 |
| | STANAG-3700 ED.6(1) | JOINT AIR AND SPACE OPERATIONS DOCTRINE - ATP-33(C) (AJP-3.3) (INCLUDING AMENDMENT 1) | C | ISDF | | 06 | 10-OCT-00 |
| | AIR-STD-45/3B | JOINT AIR OPERATIONS DOCTRINE | C | ISDF | | 06 | 06-APR-01 |
| | STANAG-1401 ED.8 | JOINT BREVITY WORDS PUBLICATION - APP-7(A) /MPP-7(A) | C | ISDN | | NI | 28-FEB-02 |
| | MIL-STD-196E | JOINT ELECTRONICS TYPE DESIGNATION SYSTEM[Standard Practice][CUST: CR EC 99] [REVIEW: 11 AR AS MC MI NS OS] | A | SESS | | CR | 17-FEB-98 |
| | STANAG-7141 ED.1 | JOINT NATO DOCTRINE FOR ENVIRONMENTAL PROTECTION DURING NATO LED OPERATIONS AND EXERCISES | C | ISDA | | AI | 05-NOV-02 |
| | MIL-J-89401 | JOINT OPERATIONS GRAPHIC - SERIES 1501 RADAR (JOG-R)[CUST: MP] | A | GINT | | MP | 30-JAN-95 |
| | MIL-J-89100 NOT 1 | JOINT OPERATIONS GRAPHICS SERIES 1501A AND 1501 (JOG AIR/GROUND)[CUST: MP] | A | GINT | | MP | 31-MAR-04 |
| A | MIL-STD-188-198A(3) NOT 4 | JOINT PHOTOGRAPHIC EXPERTS GROUP (JPEG) IMAGE COMPRESSION FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD[Interface Standard][CUST: CR OM 02 DC4] [REVIEW: 13 CE CG DC DH IE IR NS PT TM2] | A | GINT | | MP | 31-MAR-04 |
| | MIL-DTL-32102 | JOINT SERVICE LIGHTWEIGHT INTEGRATED SUIT TECHNOLOGY (JSLIST) COAT AND TROUSER, CHEMICAL PROTECTIVE[CUST: GL MC 11 CT] | A | 8415 | | CT | 03-APR-02 |
| | AIR-STD-45/11(1) | JOINT SUPPRESSION OF ENEMY AIR DEFENCES (J-SEAD) | C | ISDF | | 06 | 21-APR-97 |
| | MIL-J-24445A | JOINT, BIMETALLIC BONDED, ALUMINUM TO STEEL[CUST: SH] | A | 9535 | | SH | 25-JUL-77 |
| | AWWA-C606 | JOINT, GROOVED & SHOULDERED TYPE[CUST: CR4 YD 99] [REVIEW: MC] | A | 5630 | | IS | 08-JUN-87 |
| | MIL-J-6193C | JOINT, UNIVERSAL, PLAIN, LIGHT AND HEAVY DUTY[CUST: AS 99] [REVIEW: 71 CG CR4 MC] | A | 3010 | | CC | 13-JAN-84 |
| | QPL-6193-11 | JOINT, UNIVERSAL, PLAIN, LIGHT AND HEAVY DUTY | A | 3010 | | CC | 03-MAY-04 |
| | MS20271C NOT 1 | JOINT-UNIVERSAL, PLAIN, HEAVY DUTY[CUST: CR4 AS 99] [REVIEW: 71] | A | 3010 | | CC | 11-FEB-02 |
| | OO-J-571E | JOINTERS, WOODWORKING[CUST: CR4 SH 99 IS] [REVIEW: 84 CE MC YD] | A | 3220 | / | IS | 20-JUN-86 |
| | SAE-ARP1185 | JOINTS AND FITTINGS, FLEXURE TESTING OF HYDRAULIC TUBING[CUST: CR4 AS 99] | A | 4730 | | AS | 03-OCT-94 |
| | ASTM-C443 | JOINTS FOR CONCRETE PIPE AND MANHOLES, USING RUBBER GASKETS[CUST: YD 99] [REVIEW: CE MC] | A | 5630 | | IS | 04-SEP-88 |
| | AASHTO-M198 | JOINTS FOR CONCRETE PIPE, MANHOLES AND PRECAST BOX SECTIONS USING PREFORMED FLEXIBLE JOINT SEALANTS[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D3212 | JOINTS FOR DRAIN AND SEWER PLASTIC PIPES USING FLEXIBLE ELASTOMERIC SEALS[CUST: CR4 YD 99] | A | 4710 | | CC | 15-MAR-92 |
| | ASTM-D2672 | JOINTS FOR IPS PVC PIPE USING SOLVENT CEMENT[CUST: CR4 YD 99] [REVIEW: 71] | A | 4710 | | CC | 10-SEP-96 |
| | ASTM-D3139 | JOINTS FOR PLASTIC PRESSURE PIPES USING FLEXIBLE ELASTOMERIC SEALS[CUST: CR4 YD 99] [REVIEW: CE MC SH] | A | 4730 | | CC | 06-JUN-89 |
| | ASTM-D2919 | JOINTS, ADHESIVE, STRESSED IN SHEAR BY TENSION LOADING, DETERMINING DURABILITY OF[CUST: MR AS 99] [REVIEW: 11 84 GL] | A | 8040 | | MR | 15-AUG-95 |
| | ASTM-F1123 | JOINTS, EXPANSION, NON-METALLIC, STANDARD SPECIFICATION FOR[CUST: SH] [REVIEW: CC] | A | 4730 | | SH | 29-OCT-92 |
| | ASTM-F704 | JOINTS, FLANGED, SELECTING BOLTING LENGTHS FOR PIPING SYSTEM[CUST: SH IS] | A | 5306 | | IS | 30-JAN-81 |
| | MIL-J-5513C(1) NOT 1 | JOINTS, HYDRAULIC SWIVEL[CUST: AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 09-NOV-89 |
| | A-A-20102B | JUICE, LEMON, CONCENTRATED, FROZEN | A | 8915 | # | FSS | 01-MAY-98 |
| | A-A-20144B | JUICE, LEMON, RECONSTITUTED | A | 8915 | # | FV | 01-MAY-98 |
| | A-A-20122B | JUICE, LIME, FROZEN | A | 8915 | * | FV | 01-MAY-98 |
| | A-A-20117B | JUICE, PRUNE, CANNED | A | 8915 | # | FV | 01-MAY-98 |
| | A-A-20156A | JUICE, VEGETABLE, CANNED[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8915 | * | GL | 10-JAN-94 |
| | MIL-J-87037D NOT 2 | JUMPER, MAN S, WHITE[CUST: NU CT] | A | 8405 | | CT | 15-JUN-01 |
| | MIL-J-87035D | JUMPER, MAN'S (BLUE, DRESS)[CUST: NU CT] | A | 8405 | | CT | 04-AUG-94 |
| | A-A-50363A | JUMPER, RADIOACTIVE CONTAMINANTS PROTECTIVE (VINYL)[CUST: NU CT] [REVIEW: SH] | A | 8415 | / | CT | 07-JAN-91 |
| | MIL-J-24949 | JUMPER, WOMAN'S, WHITE[CUST: NU CT] | A | 8410 | | CT | 17-JUL-89 |
| | A-A-59214 NOT 1 | JUNCTION BOX: EXTENSION, JUNCTION BOX; COVER, JUNCTION BOX (STEEL, COATED WITH CORROSION-RESISTANT FINISH)[CUST: CR YD 11] [REVIEW: 19 AS CG NW] | A | 5975 | / | GS2 | 23-JAN-04 |
| | ASTM-D3699 | KEROSINE[CUST: AT SH 68] | A | 9140 | | AT | 15-OCT-92 |
| | ASTM-D187 | KEROSINE, BURNING QUALITY OF[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 15-FEB-94 |
| | ASTM-F1602 | KETTLES, STREAM-JACKETED, 20 TO 200 GAL (75.7 TO 757 L), FLOOR OR WALL MOUNTED, DIRECTED CONNECTED, GAS FIRED AND ELECTRIC FIRED[CUST: YD 99] [REVIEW: GS MC MS SA SH] | A | 7310 | | SS | 16-FEB-96 |
| | ASTM-F1603 | KETTLES, STREAM-JACKETED, 32 OZ TO 20 GAL (1 TO 75.7 L), TILTING, TABLE MOUNTED, DIRECT CONNECTED, GAS FIRED AND ELECTRIC FIRED[CUST: YD 99] [REVIEW: GS MC MS SA SH] | A | 7310 | | SS | 15-JUN-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | RR-K-795A | KEY CHAIN, REEL (DOOR KEY AND DRILL CHUCK KEYS) | A | 5340 | # | FSS | 19-AUG-74 |
| A | MS51935 NOT 2 | KEY MACHINE - G.B. HEAD[CUST: AR IS] | A | 5315 | | IS | 13-OCT-05 |
| | MIL-HDBK-500A | KEY SUPPLIER PROCESSES FOR AVIATION AND SPACE SECTORS ACQUISITION AND SUSTAINMENT PROGRAMS[CUST: AV AS 11] [REVIEW: 99] | A | 15GP | | 11 | 04-JAN-99 |
| | OO-K-220B | KEY, MACHINE[CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MC SA] | A | 5315 | / | IS | 21-APR-89 |
| | NASM20068 | KEY, MACHINE - SQUARE IN CROSS SECTION, BOTH ENDS ROUND[CUST: AR OS 99 IS] | A | 5315 | | IS | OCT-98 |
| | NASM20065 | KEY, MACHINE-RECTANGULAR IN CROSS SECTION, BOTH ENDS SQUARE[CUST: AR OS 99 IS] | A | 5315 | | IS | JUN-99 |
| | NASM20066 | KEY, MACHINE-SQUARE IN CROSS SECTION, BOTH ENDS SQUARE[CUST: AR AS 99 IS] | A | 5315 | | IS | JUN-99 |
| | NASM20067 | KEY, MACHINE-SQUARE IN CROSS SECTION, ONE END SQUARE, OTHER END ROUND[CUST: OS 99 IS] | A | 5315 | | IS | JUN-99 |
| | SAE-AS9841 | KEY, WOODRUFF - CHAMFERED CRES AMS 5640[CUST: AS] | A | 5315 | | IS | DEC-99 |
| | NASM27545 | KEY, WOODRUFF, ALLOY STEEL[CUST: AR OS 99 IS] | A | 5315 | | IS | OCT-98 |
| | NASM35756 | KEY, WOODRUFF, STEEL, ALLOY, WITH KEYWAY AND KEY SLOT DIMENSIONS[CUST: AR OS 99 IS] | A | 5315 | | IS | OCT-98 |
| | UL786 | KEY- LOCKED SAFES (CLASS KL), SAFETY FOR[CUST: YD 99] | A | 7110 | | IS | 19-OCT-99 |
| | MIL-HDBK-1280 | KEYBOARD ARRANGEMENTS[CUST: CR SH 11] [REVIEW: EC GL] | A | MISC | | CR | 20-FEB-98 |
| | ANSI-B18.3.2M | KEYS & BITS, HEXAGON, METRIC SERIES[CUST: AR AS 99] [REVIEW: AV CR CR4 GL GS IS MC MI NS SH] | A | 5120 | | AR | 30-APR-82 |
| | NAS558 | KEYS - SQUARE AND RECTANGULAR[CUST: AV AS 11] [REVIEW: CR4] | A | 5315 | | IS | 28-JAN-94 |
| | ASME-B17.1 | KEYS AND KEYSEATS[CUST: AR YD 99 IS] | A | 5340 | | IS | 15-SEP-67 |
| | ASTM-D2170 | KINEMATIC VISCOSITY OF ASPHALTS (BITUMENS), STANDARD TEST METHOD FOR[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 20-NOV-92 |
| | A-A-52478 | KINGPIN, FIFTH WHEEL, 2 INCH[CUST: AT YD 99] [REVIEW: CR4 MC MI] | A | 2510 | / | AT | 21-OCT-93 |
| | A-A-52531 | KINGPIN, FIFTH WHEEL, 2 INCH AND 3.5 INCH, UNIVERSAL[CUST: AT YD 99] [REVIEW: 84 CR4 MC] | A | 2510 | / | AT | 27-NOV-95 |
| | A-A-52479 | KINGPIN, FIFTH WHEEL, 3 1/2 INCH[CUST: AT YD 99] [REVIEW: CR4 MC] | A | 2510 | / | AT | 21-OCT-93 |
| | GG-K-391A(4) | KIT (EMPTY) FIRST-AID, BURN-TREATMENT AND SNAKE BITE, AND KIT CONTENTS (UNIT-TYPE) | A | 6545 | # | FSS | 03-MAR-59 |
| | MIL-K-41835D | KIT BAG, FLYER S[CUST: GL AS 99 CT] [REVIEW: 11 MC] | A | 8460 | | CT | 25-MAR-88 |
| | MIL-K-83782A NOT 1 | KIT BAG, FLYER'S[CUST: AS 99 CT] | A | 8460 | | CT | 31-OCT-91 |
| | A-A-51445 | KIT, DISPOSABLE, LENSECTOMY[CUST: MD YD 03 MB] | A | 6515 | / | MB | 12-MAY-86 |
| | DOD-K-24674 | KIT, DISSOLVED OXYGEN (METHOD C), NAVAL SHIPBOARD (METRIC)[CUST: SH] | A | 6630 | | SH | 21-AUG-86 |
| | GG-K-392(3) | KIT, FIRST AID (COMMERCIAL TYPES), AND KIT CONTENTS | A | 6545 | # | FSS | 25-APR-57 |
| | MIL-K-70840(1) | KIT, INSTALLATION, FOR ARMOR TILES M3, M4, M5, M6, M7 FOR THE M2A2/M3A2 BRADLEY FIGHTING VEHICLE SYSTEM (BFVS)[CUST: AR] | A | 2350 | | AR | 14-AUG-98 |
| | A-A-50598 | KIT, PHOTOLUMINESCENT MARKING[CUST: SH] | A | 4240 | / | SH | 22-MAY-92 |
| | MIL-K-71151(6) | KIT, REFURBISHMENT, FOR CARTRIDGE, 60MM, PRACTICE, SHORT RANGE, M766 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 11-FEB-00 |
| | MIL-K-71129(4) | KIT, REFURBISHMENT, FOR CARTRIDGE, 81MM, PRACTICE, SHORT RANGE, M880 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 17-DEC-96 |
| | MIL-K-70994A | KIT, REPAIR FOR TILE, ARMOR M3, M5, M6 AND M7 FOR THE M2A2/M3A2 BRADLEY FIGHTING VEHICLE SYSTEMS (BFVS)[CUST: AR] | A | 2350 | | AR | 11-MAR-94 |
| | A-A-52122A | KIT, WATER PURIFICATION, EMERGENCY[CUST: GL MC 68 GS3] [REVIEW: 50 EA MD] | A | 6850 | / | GS3 | 26-NOV-01 |
| M | MIL-PRF-44156E | KITCHEN, COMPANY LEVEL, FIELD FEEDING (KCLFF), COMPONENTS THEREOF[CUST: GL] [REVIEW: MD1] | A | 7360 | | GL | 01-MAR-06 |
| | MIL-PRF-44329C | KITCHEN, FIELD, MODULAR, COMPONENTS THEREOF[CUST: GL] [REVIEW: AV MD1 QM1] | A | 7360 | | GL | 27-MAR-97 |
| | MIL-K-23714C(1) | KITS, SAMPLING, FOR AVIATION FUELS, REUSABLE[CUST: GL AS 11] [REVIEW: AV MC SM] | A | 8115 | | AS | 30-SEP-99 |
| | A-A-54019 | KNIFE, COMPOUND, DENTAL (WITH DETACHABLE BLADE)[CUST: MD MS 03] | A | 6520 | / | MB | 13-NOV-89 |
| | GGG-K-471C | KNIFE, DRAW | A | 5110 | # | FSS | 25-APR-63 |
| | SAE-AS8662 | KNIFE, HUNTING, SHEATHED, SURVIVAL, PILOT'S[CUST: GL AS 99] | A | 7340 | | AS | JUL-99 |
| | A-A-53801 | KNIFE, MARGIN FINISHING, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 13-FEB-89 |
| | A-A-53336 | KNIFE, PERIODONTAL[CUST: MD MS 03] | A | 6520 | * | MB | 01-FEB-88 |
| | A-A-50906 | KNIFE, PLASTER[CUST: MD MS 03] | A | 6520 | / | MB | 08-MAY-85 |
| | A-A-59100 | KNIFE, POCKET, GENERAL PURPOSE[CUST: GL AS 99] [REVIEW: 84 MC] | A | 5110 | * | GL | 10-APR-97 |
| | A-A-53930 | KNIFE, STERNUM (LEBSCHE)[CUST: MD MS 03] | A | 6515 | / | MB | 26-JUN-89 |
| | NAS198 | KNOB CONTROL 1.25 SPHER, PLASTIC[CUST: AS 11] [REVIEW: CR4 IS] | A | 5355 | | AS | 06-MAY-83 |
| | MS25170F | KNOB, BAR (ASG)[CUST: AS 11] [REVIEW: 71 99 IS] | A | 5355 | | AS | 27-DEC-65 |
| | NAS123 | KNOB, CONTROL, 1 INCH DIA. X 5/8 OVAL, PLASTIC[CUST: AS 99] [REVIEW: 71 CR4 IS] | A | 5355 | | AS | 06-MAY-83 |
| | NAS121 | KNOB, CONTROL, 1 INCH SPHERICAL[CUST: AS] [REVIEW: CR4 IS] | A | 5355 | | AS | 31-JAN-63 |
| | NAS120 | KNOB, CONTROL, 3/4 SPHERICAL[CUST: AV AS 11] [REVIEW: CR4 IS] | A | 5355 | | AS | 05-DEC-80 |
| | NASM3926-1 | KNOB, CONTROL, BALL[CUST: CR EC 99] | A | 5355 | | IS | 28-AUG-01 |
| | NASM91522 | KNOB, CONTROL, CRANK, METAL[CUST: CR 11 IS] | A | 5355 | | IS | 25-SEP-01 |
| | NASM91523 | KNOB, CONTROL, LEVER, METAL[CUST: CR 11] | A | 5355 | | IS | 05-APR-02 |
| | NASM3926-2 | KNOB, CONTROL, OVAL TAPERED[CUST: CR EC 99] | A | 5355 | | IS | 28-AUG-01 |
| | NASM3926-3 | KNOB, CONTROL, TAPERED[CUST: CR EC 99] | A | 5355 | | IS | 28-AUG-01 |
| | NAS1553 | KNOB, HAND, GROUND SUPPORT EQUIPMENT[CUST: AV AS 11] [REVIEW: CR4 IS] | A | 5355 | | AS | 05-DEC-80 |
| | NASM21386 | KNOB, ROUND, CONCENTRIC, ILLUMINATED AND NON-ILLUMINATED[CUST: 99 IS] | A | 5355 | | IS | 09-APR-02 |
| | NASM21383 | KNOB-RADIAL INDICATOR, ILLUMINATED AND NON-ILUMINATED[CUST: 99] | A | 5355 | | IS | 08-APR-02 |
| | NASM21387 | KNOB-ROUND, ILLUMINATED AND NON ILLUMINATED, SMALL[CUST: 99 IS] [REVIEW: 71] | A | 5355 | | IS | 25-SEP-01 |
| | NASM21382 | KNOB-ROUND, ILLUMINATED AND NON-ILLUMINATED, SMALL[CUST: 11 IS] | A | 5355 | | IS | 25-SEP-01 |
| | NASM3926 | KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT)[CUST: CR EC 99 IS] | A | 5355 | | IS | 13-DEC-01 |
| | NASM91525 | KNOBS, CONTROL, BAR, METAL AND PLASTIC[CUST: CR 11] | A | 5355 | | IS | 25-SEP-01 |
| | NASM90120 | KNOBS, CONTROL, BAR, PLASTIC[CUST: CR 11 IS] | A | 5355 | | IS | 25-SEP-01 |
| | NASM25049 | KNOBS, CONTROL, ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR[CUST: CR AS 11 IS] | A | 5355 | | IS | 09-APR-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM3926-4 | KNOBS, CONTROL, ROUND, EDGE LIGHTED AND NON-EDGE LIGHTED[CUST: CR EC 99] | A | 5355 | | IS | 28-AUG-01 |
| | NASM91531 | KNOBS, CONTROL, ROUND, PLASTIC (WITH FLUTED GRIP)[CUST: CR 11 IS] | A | 5355 | | IS | 17-APR-02 |
| | NASM91524 | KNOBS, CONTROL, SHORT BAR, METAL AND PLASTIC[CUST: CR 11 IS] | A | 5355 | | IS | 25-SEP-01 |
| | NASM91528 | KNOBS-CONTROL, PLASTIC (ROUND, CONCENTRIC, POINTER, SPINNER, SPINNER SLIP-CLUTCH, BAR, TACTILE, KNOB LOCK POINTER, SLIP-CLUTCH, AND KNOB LOCKS)[CUST: CR 11] | A | 5355 | | IS | 11-DEC-01 |
| | NASM21384 | KNOBS-POINTER, ILLUMINATED AND NON ILLUMINATED[CUST: 99 IS] | A | 5355 | | IS | 25-SEP-01 |
| | NASM21385 | KNOBS-TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED[CUST: 99 IS] | A | 5355 | | IS | 17-APR-02 |
| | ASME-B94.6 | KNURLING[CUST: AR OS 16] [REVIEW: AS AT AV CR4 EA IS MC SH YD] | A | DRPR | | AR | 28-NOV-84 |
| | A-A-53774 | KOVACS' REAGENT[CUST: MD MS 03] | A | 6550 | / | MB | 12-DEC-88 |
| | A-A-53492 | LABEL[CUST: MD MS 03] | A | 7530 | / | MB | 17-JUN-88 |
| | A-A-54583 | LABEL (FOUR PART, TAMPER EVIDENT)[CUST: MD MS 03] | A | 7530 | / | MB | 03-FEB-92 |
| | A-A-54035 | LABEL (GAS STERILIZE ONLY)[CUST: MD MS 03] | A | 7690 | / | MB | 24-NOV-89 |
| | MIL-DTL-11484/228A NOT 2 | LABEL BUTTON, ACHIEVEMENT AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | A-A-54768 | LABEL, ADD-ON[CUST: MD MS 03] | A | 7690 | / | MB | 06-NOV-92 |
| | MIL-L-15040F(1) NOT 1 | LABEL, GARMENT (WOVEN, RAYON)[CUST: GL NU 11 CT] [REVIEW: MC MI] | A | 8315 | | CT | 12-NOV-87 |
| | A-A-51002 | LABEL, PAPER, PRESSURE SENSITIVE ADHESIVE[CUST: MD MS 03] | A | 7530 | / | MB | 03-OCT-85 |
| | A-A-54765 | LABEL, PRESSURE SENSITIVE ADHESIVE[CUST: MD MS 03] | A | 7690 | / | MB | 06-NOV-92 |
| | A-A-51341 | LABEL, X-RAY FILM IDENTIFICATION[CUST: MD MS 03] | A | 6525 | / | MB | 31-JAN-86 |
| | MIL-DTL-32075 | LABEL: FOR CLOTHING, EQUIPAGE, AND TENTAGE, (GENERAL USE)[CUST: GL NU 11] [REVIEW: AR CG MC MD] | A | 8315 | | CT | 17-OCT-00 |
| | GGG-L-1763 | LABELING MACHINES[CUST: GL SA 99] [REVIEW: MD SM] | A | 3540 | * | GL | 15-FEB-74 |
| | SAE-AMS7292 | LABELS, ALUMINUM FOIL, ETCHED, ANODIZED, AND DYED[CUST: GL EC 99] | A | 7530 | | 84 | 01-OCT-87 |
| | NCSL-Z540.1 | LABORATORIES, CALIBRATION, AND MEASURING AND TEST EQUIPMENT[CUST: MI OS 05] [REVIEW: AR AS AV CR4 DH EC SH SS] | A | QCIC | | MI | 10-AUG-94 |
| | NSF30 | LABORATORY AND CABINETRY FURNITURE FOR HOSPITALS[CUST: GL YD 99] | A | 71GP | | YD | MAR-73 |
| | ASTM-D1557 | LABORATORY COMPACTION CHARACTERISTICS OF SOIL USING MODIFIED EFFORT (56,000 FT-LBF/FT3 (2,700 KN-M/M3))[CUST: CR4 YD 99 IS] [REVIEW: 71 84 CE MC] | A | 5610 | | IS | 18-NOV-91 |
| | ASTM-D2216 | LABORATORY DETERMINATION OF WATER (MOISTURE) CONTENT OF SOIL AND ROCK BY MASS[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 22-AUG-89 |
| | UL1262 | LABORATORY EQUIPMENT[CUST: GL MS 99] | A | 6640 | | MB | 28-NOV-90 |
| | AWPA-E1 | LABORATORY EVALUATION TO DETERMINE RESISTANCE TO SUBTERRANEAN TERMITES, STANDARD METHOD FOR[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 20-JAN-93 |
| | ASTM-E832 | LABORATORY FILTER PAPERS[CUST: EA AS 99] | A | 6640 | | AS | 20-APR-81 |
| | ASTM-E193 | LABORATORY GLASS MICROPIPETS[CUST: MD MS 03] | A | 6640 | | MB | 15-FEB-94 |
| | ASTM-E694 | LABORATORY GLASS VOLUMETRIC APPARATUS[CUST: AR AS 99] | A | MISC | | AR | 10-DEC-99 |
| | ASTM-E90 | LABORATORY MEASUREMENT OF AIRBORNE SOUND TRANSMISSION LOSS OF BUILDING PARTITIONS AND ELEMENTS[CUST: YD 99] [REVIEW: CE] | A | 5640 | | IS | 07-NOV-90 |
| | ASTM-E596 | LABORATORY MEASUREMENT OF THE NOISE REDUCTION OF SOUND-ISOLATING ENCLOSURES[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 5640 | | IS | 10-JAN-96 |
| | AMCA210 | LABORATORY METHODS OF TESTING FANS FOR RATING[CUST: YD] | A | 4140 | | IS | 20-SEP-91 |
| | ASHRAE51 | LABORATORY METHODS OF TESTING FANS FOR RATING[CUST: CR4 YD 99] | A | 4140 | | CR4 | 30-MAR-85 |
| | ASTM-D2436 | LABORATORY OVENS FOR ELECTRICAL INSULATION, FORCED-CONVECTION[CUST: YD] [REVIEW: GS] | A | 5970 | | YD | 31-MAY-85 |
| | ASTM-D3551 | LABORATORY PREPARATION OF SOIL-LIME MIXTURES USING A MECHANICAL MIXER[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 03-OCT-94 |
| | ITOP-5.2.506 | LABORATORY SHOCK TESTING OF MISSILES AND ROCKETS | D | ISDA | | TE | 04-JUN-99 |
| | ITOP-5.2.507 | LABORATORY VIBRATION TESTING OF MISSILES AND ROCKETS | D | ISDA | | TE | 03-DEC-99 |
| | ASTM-E542 | LABORATORY VOLUMETRIC APPARATUS, CALIBRATION OF[CUST: MD MS 03] | A | 6640 | | MB | 15-FEB-94 |
| | MIL-DTL-20271E | LACE, GOLD - ORNAMENTAL[CUST: MC] | A | 8315 | | MC | 28-JUL-97 |
| | MIL-L-17507F(1) | LACE, ORNAMENTAL[CUST: GL NU 11 CT] [REVIEW: 99 CG] | A | 8315 | | CT | 03-SEP-85 |
| | A-A-55093 | LACES, FOOTWEAR[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8335 | / | CT | 15-NOV-92 |
| | A-A-50375 | LACES, LEGGINGS[CUST: NU CT] | A | 8315 | / | CT | 14-MAY-90 |
| | A-A-1452B | LACQUER (SPRAYING, CHEMICAL RESISTANT)[CUST: MI SH 99] | A | 8010 | * | MI | 23-FEB-96 |
| | MIL-L-10287B | LACQUER, CELLULOSE NITRATE FOR IDENTIFICATION OF SMALL ARMS AMMUNITION[CUST: AR 11] [REVIEW: EA IS OS] | A | 8010 | | AR | 22-OCT-76 |
| | A-A-3165 NOT 2 | LACQUER, GLOSS FOR AIRCRAFT USE[CUST: AR AS 99] [REVIEW: 03 11 84 CG DS FSS MI MR SH] | A | 8010 | / | AR | 04-JUN-01 |
| | MIL-L-296B NOT 3 | LACQUER, PURPLE[CUST: AR] | A | 8010 | | AR | 04-JAN-00 |
| | MIL-L-46075A NOT 1 | LACQUER, RED (FOR AMMUNITION PRIMERS)[CUST: AR] | A | 8010 | | AR | 24-JUN-99 |
| | A-A-3003A | LACQUER, SPRAYING, CLEAR AND PIGMENTED FOR INTERIOR USE[CUST: MR SH 99] | A | 8010 | * | MR | 21-OCT-04 |
| | ASTM-D2091 | LACQUERS, PRINT RESISTANCE OF[CUST: MR SH 99] | A | 8010 | | MR | 10-MAR-96 |
| | MIL-L-85896(2) | LADDER, AIRCRAFT MAINTENANCE, ALUMINUM, THREE-WAY COMBINATION (STEP, STRAIGHT AND EXTENSION), GENERAL SPECIFICATION FOR[CUST: AS] | A | 5440 | | AS | 30-SEP-99 |
| | A-A-52163A | LADDER, VEHICLE-BOARDING[CUST: AT MC 99] [REVIEW: 84 MI] | A | 2540 | / | AT | 29-MAY-96 |
| | ANSI-A14.3 | LADDERS - FIXED-SAFETY REQUIREMENTS ANS FOR[CUST: CR4 YD 99] | A | 5440 | | YD | 13-JAN-84 |
| | ANSI-A14.2 | LADDERS, PORTABLE METAL, SAFETY REQUIREMENTS[CUST: CR4 AS 99] | A | 5440 | | AS | 03-OCT-94 |
| | ANSI-A14.1 | LADDERS, PORTABLE WOOD, SAFETY REQUIREMENTS[CUST: AT YD 99] | A | 5440 | | AT | 16-NOV-90 |
| | GGG-L-36A | LADLES, DECK-PAYING | A | 5120 | # | FSS | 14-SEP-53 |
| | MIL-L-50429A(4) NOT 2 | LAMINATE, ACETAL AND CLOTH, (FOR USE WITH 81MM AMMUNITION)[CUST: AR] | A | 1395 | | AR | 31-OCT-96 |
| | MIL-L-24518 | LAMINATE, VINYL FILM-ALUMINUM, DECORATIVE[CUST: SH] [REVIEW: GS] | A | 9330 | | SH | 12-MAR-75 |
| | MIL-DTL-62474D | LAMINATE: ARAMID-FABRIC-REINFORCED, PLASTIC[CUST: AT] | A | 9330 | | AT | 11-DEC-98 |
| | MIL-PRF-46197A | LAMINATE: HIGH-STRENGTH GLASS, FABRIC-REINFORCED, POLYESTER RESIN PREIMPREGNATED[CUST: MR AS 11] [REVIEW: AT AV DH IE SH] | A | CMPS | | MR | 16-APR-97 |
| | MIL-PRF-64154A | LAMINATE: FIBERGLASS-FABRIC-REINFORCED, PHENOLIC[CUST: MR AS 11] [REVIEW: AT AV DH IE SH] | A | CMPS | | MR | 29-MAY-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | HPVA-LF | LAMINATED WOOD FLOORING, AMERICAN NATIONAL STANDARD FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CC CE MC] | A | 5510 | | IS | 03-OCT-01 |
| | NEMA-LD3 | LAMINATES, HIGH-PRESSURE, DECORATIVE[CUST: MR YD 99] [REVIEW: 84 GS SH] | A | 9330 | | YD | 14-NOV-85 |
| | NEMA-LD3.1 | LAMINATES, HIGH-PRESSURE, PERFORMANCE, APPLICATION, FABRICATION, AND INSTALLATION OF[CUST: MR YD 99] | A | 9330 | | YD | 16-AUG-91 |
| | DI-MISC-80703 | LAMINATING PROCESS DECRIPTION (BOATS) [AMSC: N4568] | A | MISC | | SH | 15-NOV-88 |
| | A-A-52463B | LAMP BULBS, INCANDESCENT, MINIATURE, SINGLE AND DOUBLE CONTACT, BAYONET CANDELABRA BASE[CUST: AT SH 99] [REVIEW: 71 AS AV CR GS MI YD] | A | 6240 | / | AT | 28-JUN-96 |
| | ANSI-C78.1353 | LAMP ELECTRIC - 70- WATT S62 HIGH PRESSURE SODIUM LAMPS[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6240 | | YD | 22-FEB-91 |
| | W-L-00116/7B | LAMP FLUORESCENT TRADE NO. F14T12/CW, PREHEAT, 14 WATT, T-12 BULB (15") COOL WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 26-AUG-77 |
| | W-L-00116/8A | LAMP FLUORESCENT TRADE NO. F14T12/W, PREHEAT, 14 WATT, T-12 BULB WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/12A | LAMP FLUORESCENT TRADE NO. F15R8/D, PREHEAT, 15 WATT, T-8 BULB DAYLIGHT, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/13A | LAMP FLUORESCENT TRADE NO. F15T12/CW, PREHEAT, 15 WATT, T-12 BULB COOL WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/15A | LAMP FLUORESCENT TRADE NO. F15T12/D, PREHEAT, 15 WATT, T-12 BULB DAYLIGHT, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/14A | LAMP FLUORESCENT TRADE NO. F15T12/W, PREHEAT, 15 WATT, T-12 BULB WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/9A | LAMP FLUORESCENT TRADE NO. F15T8/CW, PREHEAT, 15 WATT, T-8 COOL WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/10A | LAMP FLUORESCENT TRADE NO. F15T8/W, PREHEAT, 15 WATT, T-8 BULB WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/11A | LAMP FLUORESCENT TRADE NO. F15T8/WW, PREHEAT, 15 WATT, T-8 BULB WARM WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/26A | LAMP FLUORESCENT TRADE NO. F30T12/CW/RS, RAPID START, 30 WATT, T-12 BULB (36") COOL WHITE, MEDIUM BASE | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/27A | LAMP FLUORESCENT TRADE NO. F30T12/WW/RS, RAPID START, 30 WATT, T-12 BULB (36") WARM WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/5A | LAMP FLUORESCENT TRADE NO. F30T8/CW, PREHEAT, 30 WATT, T-8 BULB COOL WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/20A | LAMP FLUORESCENT TRADE NO. F30T8/D, PREHEAT, T-8 BULB DAYLIGHT, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/19A | LAMP FLUORESCENT TRADE NO. F30T8/W, PREHEAT, 30 WATT, T-8 BULB WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/47 | LAMP FLUORESCENT TRADE NO. F40CW, RAPID START, 35 WATT, T-12 BULB, COOL WHITE MEDIUM BIPIN BASE | A | 6240 | # | FSS | 23-SEP-77 |
| | W-L-00116/50 | LAMP FLUORESCENT TRADE NO. F40D, RAPID START, 35 WATT, T-12 BULB, DAYLIGHT, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 23-SEP-77 |
| | W-L-00116/39C | LAMP FLUORESCENT TRADE NO. F40T12/CW/IS OR F40T17/CW/IS, INSTANT START, 40 WATT T-12 OR T-17 BULB (60") COOL WHITE, MOGUL BIPIN BASE | A | 6240 | # | FSS | 04-NOV-77 |
| | W-L-00116/35A | LAMP FLUORESCENT TRADE NO. F40T12/CW/IS, INSTANT START, 40 WATT, T-12 BULB COOL WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/40B | LAMP FLUORESCENT TRADE NO. F40T12/WW/IS OR F40T17/WW/IS, 40 WATT, T-12 OR T-17 BULB (60") WARM WHITE, MOGUL BIPIN BASE | A | 6240 | # | FSS | 04-NOV-77 |
| | W-L-00116/49 | LAMP FLUORESCENT TRADE NO. F40WW, RAPID START, 35 WATT, T-12 BULB, WARM WHITE, MEDIUM B1PIN BASE (DETAIL SPECIFICATION) | A | 6240 | # | FSS | 23-SEP-77 |
| | W-L-00116/36A | LAMP FLUORESCENT TRADE NO. F48T12/CW, INSTANT START, 40 WATT, T-12 BULB COOL WHITE, SINGLE PIN BASE | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/32A | LAMP FLUORESCENT TRADE NO. F48T12/CW/NO, RAPID START, 60 WATT, T-12 BULB COOL WHITE, RECESSED DOUBLE CONTACT BASE, HIGH OUTPUT | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/38A | LAMP FLUORESCENT TRADE NO. F48T12/D, INSTANT START, 40 WATT, T-12 BULB DAYLIGHT, SINGLE PIN BASE | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/48 | LAMP FLUORESCENT TRADE NO. F4OW, RAPID START, 35 WATT, T-12 BULB, WHITE, MEDIUM BIPIN BASE | A | 6240 | # | FSS | 23-SEP-77 |
| | W-L-00116/1B | LAMP FLUORESCENT TRADE NO. F6T5/CW, PREHEAT, 6WATT, T-5 BULB COOL WHITE, MINIATURE BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/42A | LAMP FLUORESCENT TRADE NO. F72T12/CW, INSTANT START, 55 WATT, T-12 BULB (72") COOL WHITE, SINGLE PIN BASE | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/3C | LAMP FLUORESCENT TRADE NO. F8T5/CW, PREHEAT, 8 WATT, T-5 BULB COOL WHITE, MINIATURE BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/6C | LAMP FLUORESCENT TRADE NO. F8T5/D, PREHEAT, 8 WATT, T-5 BULB DAYLIGHT, MINIATURE BIPIN BASE | A | 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/23B | LAMP FLUORESCENT TRADE NO. F90T12/D OR F90T17/D, PREHEAT, 90 WATT, T-12 OR T-17 BULB (60") DAYLIGHT, MOGUL BIPIN BASE | A | 6240 | # | FSS | 04-NOV-77 |
| | W-L-00116/34A | LAMP FLUORESCENT TRADE NO. F96T12/CW/1500, RAPID START, 215 WATT, T-12 BULB (96") COOL WHITE, RECESSED DOUBLE CONTACT BASE, HIGH OUTPUT | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/55 | LAMP FLUORESCENT TRADE NO. F96T12/CW/HO, RAPID START, 95/100 WATT, T-12 BULB (96") COOL WHITE, RECESSED DOUBLE CONTACT BASE, HIGH OUTPUT | A | 6240 | # | FSS | 13-SEP-78 |
| | W-L-00116/46A | LAMP FLUORESCENT TRADE NO. F96T12/D, INSTANT START, 75 WATT, T-12 BULB (96 INCH) DAYLIGHT, SINGLE PIN BASE | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/41A | LAMP FLUORESCENT TRADE NO. F96T8/CW, INSTANT START, 50 WATT, T-8 BULB COOL WHITE, SINGLE PIN BASE | A | 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/25B | LAMP FLUORESCENT TRADE NO. FC12T10/CW/RS, RAPID START, 32 WATT, T-10 BULB COOL WHITE, 4-PIN BASE, CIRCULAR 12" DIAMETER | A | 6240 | # | FSS | 26-AUG-77 |
| | W-L-00116/22B | LAMP FLUORESCENT TRADE NO. T90T12/W OR F90T17/W, PREHEAT, 90 WATT, T-12 OR T-17 BULB (60") WHITE, MOGUL BIPIN BASE | A | 6240 | # | FSS | 04-NOV-77 |
| | W-L-00116/21B | LAMP FLUORESCENT TRADENO. F90T12/CW OR F90T17/CW, PREHEAT, 90 WATT, T-12 OR T-17 BULB (60 IN.) COOL WHITE, MOGUL BIPIN BASE (DETAIL SPECIFICATION) | A | 6240 | # | FSS | 04-NOV-77 |
| | W-L-00116/24B | LAMP FLUORESCENT TRADENO. FC8T9/CW/RS, RAPID START, 22 WATT, T-9 BULB COOL WHITE, 4 PIN BASE, CIRCULAR 8-1/4 IN. DIAMETER (DETAIL SPECIFICATION) | A | 6240 | # | FSS | 26-AUG-77 |
| | A-A-2066 | LAMP INCANDESCANT (TRADE NO. 300PAR56/2SP) | A | 6240 | # | FSS | 31-AUG-82 |
| | W-L-101/23 | LAMP INCANDESCENT 40 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED, MEDIUM SCREW BASE | A | 6240 | # | FSS | 15-JAN-69 |
| | A-A-1763 | LAMP SODIUM (HIGH PRESSURE, REPLACEMENT) | A | 6240 | # | FSS | 31-DEC-81 |
| | ANSI-C78.180 | LAMP STARTERS, FLUORESCENT, STANDARD SPECIFICATION FOR[CUST: CR4 SH 99] | A | 6250 | | CR4 | 22-JUN-92 |
| | UL1029 | LAMP, BALLASTS, HIGH-INTENSITY-DISCHARGE, STANDARD FOR[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6250 | | YD | 07-FEB-01 |
| | MS18237C NOT 1 | LAMP, CARTRIDGE, LONG CYLINDRICAL, PLUG-IN, NEON, PLASTIC (FLAT LENS TYPE)[CUST: CR 99 IS] [REVIEW: 11 AR AS MC SH] | A | 6240 | | IS | 14-SEP-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS18235C NOT 1 | LAMP, CARTRIDGE, SHORT CYLINDRICAL, PLUG-1N, INCANDESCENT, PLASTIC (FLAT LENS TYPE)[CUST: CR 99 IS] [REVIEW: 11 AR AS AV CR4 MC SH] | A | 6240 | | IS | 14-SEP-01 |
| | MS18238C NOT 1 | LAMP, CARTRIDGE, SHORT CYLINDRICAL, PLUG-IN, INCANDESCENT, GLASS (FLAT TYPE)[CUST: CR 99 IS] [REVIEW: 11 AR AS MC SH] | A | 6240 | | IS | 14-SEP-01 |
| | MS18236C NOT 1 | LAMP, CARTRIDGE, STOVEPIPE, PLUG IN, NEON, PLASTIC (CURVED LENS TYPE)[CUST: CR 99 IS] [REVIEW: 11 AR AS MC SH] | A | 6240 | | IS | 14-SEP-01 |
| | W-L-116A(3) | LAMP, ELECTRIC INCANDESCENT MINIATURE, TUNGSTEN FILAMENT | A | 6240 | # | FSS | 23-JUN-64 |
| | ANSI-C81.61 | LAMP, ELECTRICAL BASES[CUST: AT AS 99] | A | 6240 | | AS | 27-OCT-89 |
| | ASC-C78.1412 | LAMP, EMM PROJECTION[CUST: CR4 99] [REVIEW: 71 GS MC SH] | A | 6240 | | CR4 | 15-DEC-86 |
| | SAE-J96 | LAMP, FLASHING WARNING, FOR INDUSTRIAL EQUIPMENT[CUST: CR4 SA 99] | A | 6240 | | SA | MAY-73 |
| | W-L-00116D | LAMP, FLUORESCENT | A | 6240 | # | FSS | 26-MAY-76 |
| | A-A-1846A | LAMP, FLUORESCENT (F15T8/CW) | A | 6240 | # | FSS | 29-AUG-84 |
| | A-A-1845A | LAMP, FLUORESCENT (F15T8/D) | A | 6240 | # | FSS | 29-AUG-84 |
| | A-A-1844A | LAMP, FLUORESCENT (F15T8/WW) | A | 6240 | # | FSS | 29-AUG-84 |
| | A-A-1984 | LAMP, FLUORESCENT (F30T12/CW/RS, ENERGY SAVING) | A | 6240 | # | FSS | 11-JAN-82 |
| | A-A-1856A | LAMP, FLUORESCENT (F40CW ENERGY SAVING) | A | 6240 | # | FSS | 20-AUG-84 |
| | A-A-1857A | LAMP, FLUORESCENT (F40W ENERGY SAVING) | A | 6240 | # | FSS | 20-AUG-84 |
| | A-A-1850A | LAMP, FLUORESCENT (F40W) | A | 6240 | # | FSS | 29-AUG-84 |
| | A-A-1858A | LAMP, FLUORESCENT (F40WW ENERGY SAVING) | A | 6240 | # | FSS | 17-AUG-84 |
| | A-A-1842 | LAMP, FLUORESCENT (F8T5/CW) | A | 6240 | # | FSS | 12-JUN-81 |
| | A-A-1841 | LAMP, FLUORESCENT (F8T5/D) | A | 6240 | # | FSS | 12-JUN-81 |
| | A-A-1986 | LAMP, FLUORESCENT (F96T12/CW/1500, VERY HIGH OUTPUT, ENERGY SAVING) | A | 6240 | # | FSS | 11-JAN-82 |
| | A-A-1864A | LAMP, FLUORESCENT (F96T12/CW/HO ENERGY SAVING) | A | 6240 | # | FSS | 05-SEP-84 |
| | A-A-1987 | LAMP, FLUORESCENT (F96T12/LW/1500, VERY HIGH OUTPUT, ENERGY SAVING) | A | 6240 | # | FSS | 11-JAN-82 |
| | A-A-1847A | LAMP, FLUORESCENT (FC12T10/CW/RS OR FC12T9/CW/RS) | A | 6240 | # | FSS | 29-AUG-84 |
| | A-A-2152 | LAMP, FLUORESCENT (TRADE NO. F14T8/D) | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2149 | LAMP, FLUORESCENT (TRADE NO. F15T8/PL/AQ) | A | 6240 | # | FSS | 06-AUG-83 |
| | ANSI-C78.3 | LAMP, FLUORESCENT - INSTANT START & COLD-CATHODE TYPES, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF, AMERICAN NATIONAL STANDARD FOR[CUST: CR4 SH 99] [REVIEW: 84 GS] | A | 6240 | | CR4 | 25-JUN-85 |
| | ANSI-C78.2 | LAMP, FLUORESCENT - PREHEAT-START TYPES, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF[CUST: CR4 SH 99] [REVIEW: 71] | A | 6240 | | CR4 | 25-JUN-85 |
| | ANSI-C82.2 | LAMP, FLUORESCENT, BALLASTS - METHODS OF MEASUREMENT, STANDARD FOR[CUST: YD] | A | 6240 | | YD | 23-DEC-91 |
| | ANSI-C78.1 | LAMP, FLUORESCENT, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF - RAPID START TYPES, AMERICAN NATIONAL STANDARD FOR THE[CUST: CR4 SH 99] [REVIEW: 71] | A | 6240 | | CR4 | 25-JUN-85 |
| | A-A-55005 | LAMP, FLUORESCENT, F20/T12/(COLOR)[CUST: CR4 AS 99] | A | 6240 | / | AS | 10-SEP-90 |
| | A-A-55002 | LAMP, FLUORESCENT, F40/T12(COLOR)/RS[CUST: CR4 AS 99] | A | 6240 | / | AS | 10-SEP-90 |
| | A-A-1579 | LAMP, FLUORESCENT, F40LW/RS ENERGY SAVING | A | 6240 | # | FSS | 20-FEB-81 |
| | A-A-55004 | LAMP, FLUORESCENT, F96/T12/(COLOR)/IS[CUST: CR4 AS 99] | A | 6240 | / | AS | 10-SEP-90 |
| | A-A-55003 | LAMP, FLUORESCENT, F96T12/(COLOR)/IS, ENERGY SAVING[CUST: CR4 AS 99] | A | 6240 | / | AS | 10-SEP-90 |
| | A-A-50596 NOT 1 | LAMP, FLUORESCENT, T-12, HIGH OUTPUT-HIGH TEMPERATURE, BASE RECESSED, DOUBLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 27-MAY-05 |
| | A-A-50597 NOT 1 | LAMP, FLUORESCENT, T-12, PREHEAT, COOL WHITE, MEDIUM BIPIN[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 27-MAY-05 |
| | MIL-L-15098D(2) SUP 1 | LAMP, GLOW GENERAL SPECIFICATION FOR[CUST: CR SH 99 IS] [REVIEW: 71 AR AS CG CR4 MC MI] | A | 6240 | | IS | 26-FEB-91 |
| | MIL-L-15098/2B NOT 2 | LAMP, GLOW, CIRCUIT CONTROL, TYPES 5AC, 5AG-A, 5AH, RT2-32-1A, AND 5AJ[CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A | 6240 | | IS | 20-SEP-01 |
| | MIL-L-15098/7B NOT 2 | LAMP, GLOW, INDICATOR, TYPE B5A[CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI OS] | A | 6240 | | IS | 20-SEP-01 |
| | MIL-L-15098/4B NOT 2 | LAMP, GLOW, INDICATOR, TYPE J5A[CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A | 6240 | | IS | 20-SEP-01 |
| | MIL-L-15098/8B NOT 2 | LAMP, GLOW, INDICATOR, TYPE L5A[CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A | 6240 | | IS | 20-SEP-01 |
| | MIL-L-15098/12B NOT 2 | LAMP, GLOW, INDICATOR, TYPE R1A[CUST: CR SH 11 IS] [REVIEW: AR AS CG CR4 MC MI] | A | 6240 | | IS | 20-SEP-01 |
| | MIL-L-15098/9B NOT 2 | LAMP, GLOW, INDICATOR, TYPE R9A[CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A | 6240 | | IS | 20-SEP-01 |
| | MIL-L-15098/1B NOT 2 | LAMP, GLOW, INDICATOR, TYPES A9A-T, C2A-T AND A2A-T[CUST: CR SH 99 IS] [REVIEW: AS CR4 MC MI OS] | A | 6240 | | IS | 20-SEP-01 |
| | MIL-L-15098/10C NOT 2 | LAMP, GLOW, INDICATOR, TYPES B1A, B1AR, B2A AND B2AR[CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A | 6240 | | IS | 20-SEP-01 |
| | MIL-L-15098/11B NOT 2 | LAMP, GLOW, INDICATOR, TYPES C7A, C9A, A1G, AND A1H[CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MI] | A | 6240 | | IS | 20-SEP-01 |
| | MIL-L-15098/5A NOT 2 | LAMP, GLOW, INDICATOR, TYPES J2A AND B7A[CUST: CR SH 99 IS] [REVIEW: AS CG CR4 EC MC MI OS] | A | 6240 | | IS | 20-SEP-01 |
| | MIL-L-15098/6B NOT 2 | LAMP, GLOW, INDICATOR, TYPES J3A AND B9A[CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A | 6240 | | IS | 20-SEP-01 |
| | MIL-L-15098/3A NOT 2 | LAMP, GLOW, INDICATOR, TYPES W1A AND R2A[CUST: CR SH 99 IS] [REVIEW: CR4 EC MI] | A | 6240 | | IS | 20-SEP-01 |
| | A-A-1970 | LAMP, HALOGEN (TUBULAR Q1500T3/CL) | A | 6240 | # | FSS | 23-FEB-82 |
| | A-A-1968 | LAMP, HALOGEN (TUBULAR Q150T4/CL) | A | 6240 | # | FSS | 23-FEB-81 |
| | W-L-101/10A | LAMP, INCADESCENT 150 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/4A | LAMP, INCADESCENT 60 WATT, 120 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 17-NOV-77 |
| | W-L-101/21A | LAMP, INCADESCENT, 300 WATT, 130 VOLTS PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | A-A-2046 | LAMP, INCANDESCANT (SEALED BEAM, TRADE NO. 4811) | A | 6240 | # | FSS | 10-DEC-82 |
| | A-A-2068 | LAMP, INCANDESCANT (TRADE NO. 110R30/FL/RS) | A | 6240 | # | FSS | 31-AUG-82 |
| | A-A-2070 | LAMP, INCANDESCANT (TRADE NO. 50/50T12) | A | 6240 | # | FSS | 31-AUG-82 |
| | A-A-51773 | LAMP, INCANDESCENT[CUST: MD MS 03] | A | 6240 | / | MB | 20-MAR-87 |
| | A-A-54624 | LAMP, INCANDESCENT[CUST: MD MS 03] | A | 6240 | / | MB | 17-APR-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51677 | LAMP, INCANDESCENT[CUST: MD MS 03] | A | 6240 | / | MB | 22-SEP-86 |
| | A-A-1966 | LAMP, INCANDESCENT (3 WAY) | A | 6240 | # | FSS | 12-JAN-82 |
| | A-A-1972 | LAMP, INCANDESCENT (50/50P25/28) | A | 6240 | # | FSS | 23-FEB-82 |
| | A-A-1971 | LAMP, INCANDESCENT (6.6A/T10/IP) | A | 6240 | # | FSS | 23-FEB-82 |
| | W-L-101H SUP 1 | LAMP, INCANDESCENT (ELECTRIC, LARGE TUNGSTEN-FILAMENT) (GENERAL SPECIFICATION)[CUST: SH 11] [REVIEW: GS YD] | A | 6240 | * | SH | 06-DEC-77 |
| | A-A-2140 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1142) | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2136 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1157A) | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2137 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1228) | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2139 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1813R) | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2153 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4551 | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2141 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4570) | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2161 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4581) | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2142 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4596) | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2144 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4652) | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2044 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4860) | A | 6240 | # | FSS | 10-DEC-82 |
| | A-A-2145 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 6052 | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2043 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO.4554) | A | 6240 | # | FSS | 10-DEC-82 |
| | A-A-2042 | LAMP, INCANDESCENT (SEALED BEAM,TRADE NO. 4546) | A | 6240 | # | FSS | 31-AUG-82 |
| | A-A-2065 | LAMP, INCANDESCENT (TRADE NO. 100A/RS/TF, 100A21/RS/SL OR 100A21/RS/VS/STCII | A | 6240 | # | FSS | 10-DEC-82 |
| | A-A-2071 | LAMP, INCANDESCENT (TRADE NO. 6.6A/T14P) | A | 6240 | # | FSS | 10-DEC-82 |
| | A-A-2069 | LAMP, INCANDESCENT (TRADE NO. Q6.6A/PAR64/3P) | A | 6240 | # | FSS | 10-DEC-82 |
| | A-A-2146 | LAMP, INCANDESCENT (TUNGSTEN-HALOGEN, Q1500T3/CL) | A | 6240 | # | FSS | 06-AUG-83 |
| | A-A-2067 | LAMP, INCANDESCENT (TUNGSTEN-HALOGEN, TRADE NO. Q100T3/6CL | A | 6240 | # | FSS | 10-DEC-82 |
| | MS28933 NOT 2 | LAMP, INCANDESCENT - T-20 BULB, MEDIUM BIPOST BASE[CUST: AS 99 IS] | A | 6240 | | IS | 12-MAR-02 |
| | W-L-101/98A | LAMP, INCANDESCENT 10 WATT, 120 VOLTS, S-14 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/90A | LAMP, INCANDESCENT 10 WATT, 230 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/91A | LAMP, INCANDESCENT 10 WATT, 250 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/76A | LAMP, INCANDESCENT 100 WATT, 115 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/1A | LAMP, INCANDESCENT 100 WATT, 120 VOLTS A-19 BULB, INSIDE FROSTED, MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 17-NOV-77 |
| | W-L-101/77A | LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/102A | LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/13B | LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/2A | LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 17-NOV-77 |
| | W-L-101/78A | LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-21 BULB INSIDE COATED MEDIUM SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/14B | LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/101A | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/3A | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 17-NOV-77 |
| | W-L-101/103A | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/15B | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-21 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/64A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/34A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/63A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/50A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/35A | LAMP, INCANDESCENT 1000 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/37B | LAMP, INCANDESCENT 15 WATT, 120 VOLTS, A-15 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/38B | LAMP, INCANDESCENT 15 WATT, 130 VOLTS, A-15 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/107A | LAMP, INCANDESCENT 150 WATT, 115 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/104A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/52A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/81A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/57A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/28A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-25 BULB, INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/118A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 22-NOV-77 |
| | W-L-101/105A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/65A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/11A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-23 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | W-L-101/29A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/106A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/66A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/12A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-23 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/108A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/30A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/46A | LAMP, INCANDESCENT 1500 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/45A | LAMP, INCANDESCENT 1500 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/47A | LAMP, INCANDESCENT 1500 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/48A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/16A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/59A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-25 BULB CLEAR MEDIUM SCREW BASE,EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/58A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/83A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB CLEAR MEDIUM SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/25B | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/84A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/17A | LAMP, INCANDESCENT 200 WATT, 125 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/26B | LAMP, INCANDESCENT 200 WATT, 125 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/49A | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/18A | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/109A | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, PS-30 BULB CLEAR MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/27B | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/31B | LAMP, INCANDESCENT 25 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/94A | LAMP, INCANDESCENT 25 WATT, 120 VOLTS, T-10 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/99A | LAMP, INCANDESCENT 25 WATT, 120 VOLTS, T-6 1/2 BULB CLEAR INTERMEDIATESCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/33B | LAMP, INCANDESCENT 25 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/92B | LAMP, INCANDESCENT 3 WATT, 120 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/42A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/67A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/110A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/113A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/19A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/74A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/43A | LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/111A | LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/20A | LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-35 BULB, INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/44A | LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/112A | LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 21-NOV-77 |
| | W-L-101/75A | LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/22B | LAMP, INCANDESCENT 40 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/68A | LAMP, INCANDESCENT 40 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/100A | LAMP, INCANDESCENT 40 WATT, 120 VOLTS, T-8 BULB CLEAR MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/24B | LAMP, INCANDESCENT 40 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/69A | LAMP, INCANDESCENT 40 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/79A | LAMP, INCANDESCENT 50 WATT, 115 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/53A | LAMP, INCANDESCENT 50 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/80A | LAMP, INCANDESCENT 50 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/54A | LAMP, INCANDESCENT 50 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/51A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/56A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/36A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB CLEAR MOGUL SCREW BASE | A | 6240 | # | FSS | 01-DEC-77 |
| | W-L-101/72A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/115A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB INSIDE FROSTED MOGUL SCREW BASE | A | 6240 | # | FSS | 22-NOV-77 |
| | W-L-101/114A | LAMP, INCANDESCENT 500 WATT, 130 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/86C NOT 1 | LAMP, INCANDESCENT 6 WATT, 120 VOLTS, S-6 BULB, CLEAR, CANDELABRA BASE [REVIEW: GS] | A | 6240 | % | FSS | 10-JUN-81 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | W-L-101/95B | LAMP, INCANDESCENT 6 WATT, 120 VOLTS, T- 4 1/2 BULB CLEAR, CANDELABRA BASE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/87C | LAMP, INCANDESCENT 6 WATT, 130 VOLTS, S-6 BULB CLEAR CANDELABRA BASE [REVIEW: GS] | A | 6240 | % | FSS | 10-JUN-81 |
| | W-L-101/89C | LAMP, INCANDESCENT 6 WATT, 155 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE [REVIEW: GS] | A | 6240 | % | FSS | 10-JUN-81 |
| | W-L-101/88C | LAMP, INCANDESCENT 6-WATT, 145 VOLTS, S-6 BULB CLEAR CANDELABRA BASE [REVIEW: GS] | A | 6240 | % | FSS | 10-JUN-81 |
| | W-L-101/61A | LAMP, INCANDESCENT 60 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/60A | LAMP, INCANDESCENT 60 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/5A | LAMP, INCANDESCENT 60 WATT, 125 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 17-NOV-77 |
| | W-L-101/62A | LAMP, INCANDESCENT 60 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/6A | LAMP, INCANDESCENT 60 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/7A | LAMP, INCANDESCENT 75 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/85A | LAMP, INCANDESCENT 75 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/8A | LAMP, INCANDESCENT 75 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/9A | LAMP, INCANDESCENT 75 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/116A | LAMP, INCANDESCENT 75 WATT, 130 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 22-NOV-77 |
| | W-L-101/117A | LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 22-NOV-77 |
| | W-L-101/41A | LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL SCREW BASE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/39A | LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB, CLEAR MOGUL SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/40A | LAMP, INCANDESCENT 750 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE [REVIEW: GS] | A | 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/73A | LAMP, INCANDESCENT 750 WATT, 130 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/122A | LAMP, INCANDESCENT TRADE NO. 100 A/W, 100 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE | A | 6240 | # | FSS | 11-NOV-77 |
| | W-L-101/123B | LAMP, INCANDESCENT TRADE NO. 100 A/W, 100 WATT, 125 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE | A | 6240 | # | FSS | 01-DEC-77 |
| | W-L-101/126A | LAMP, INCANDESCENT TRADE NO. 150 A/W, 150 WATT, 120 VOLTS, A-21 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE | A | 6240 | # | FSS | 11-NOV-77 |
| | W-L-101/124A | LAMP, INCANDESCENT TRADE NO. 200A/99, 200 WATT, 130 VOLTS, PS-25 BULB, INSIDE FROSTED, MEDIUM SCREW BASE, EXTENDED SERVICE | A | 6240 | # | FSS | 22-NOV-77 |
| | W-L-101/129A | LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 120 VOLTS, PS-25 BULB CLEAR, MEDIUM SCREW BASE | A | 6240 | # | FSS | 22-NOV-77 |
| | W-L-101/127A | LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 120 VOLTS, PS25 BULB INSIDE FROSTED, MEDIUM SCREW BASE | A | 6240 | # | FSS | 24-NOV-77 |
| | W-L-101/128A | LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED, MEDIUM SCREW BASE | A | 6240 | # | FSS | 22-NOV-77 |
| | W-L-101/125A | LAMP, INCANDESCENT TRADE NO. 300/RS, 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE, ROUGH SERVICE | A | 6240 | # | FSS | 22-NOV-77 |
| | W-L-101/119A | LAMP, INCANDESCENT TRADE NO. 40 A/W, 40 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE | A | 6240 | # | FSS | 11-NOV-77 |
| | W-L-101/120A | LAMP, INCANDESCENT TRADE NO. 60 A/W, 60 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE | A | 6240 | # | FSS | 11-NOV-77 |
| | W-L-101/130 | LAMP, INCANDESCENT TRADE NO. 6S6DC, 6 WATT, 120 VOLT, S-6 BULB, CLEAR, DOUBLE CONTACT BAYONET BASE [REVIEW: GS] | A | 6240 | % | FSS | 21-JAN-81 |
| | W-L-101/121A | LAMP, INCANDESCENT TRADE NO. 75 A/W, 75 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE | A | 6240 | # | FSS | 11-NOV-77 |
| | A-A-1577 | LAMP, INCANDESCENT, 150 WATT, FLOODLIGHT, 150PAR/FL | A | 6240 | # | FSS | 19-FEB-81 |
| | A-A-1578 | LAMP, INCANDESCENT, 150 WATT, SPOTLIGHT, 150 PAR/SP | A | 6240 | # | FSS | 18-FEB-81 |
| | A-A-50449 NOT 1 | LAMP, INCANDESCENT, A-19, MEDIUM SCREW[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50594 NOT 1 | LAMP, INCANDESCENT, C-7, BAYONET, DOUBLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 27-MAY-05 |
| | A-A-50448 NOT 1 | LAMP, INCANDESCENT, G-16-1/2, BAYONET CANDELABRA, DOUBLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50590 NOT 1 | LAMP, INCANDESCENT, G-3-1/2, MINIATURE BAYONET, SINGLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 26-MAY-05 |
| | A-A-50589 NOT 1 | LAMP, INCANDESCENT, G-4-1/2, MINIATURE BAYONET, SINGLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 26-MAY-05 |
| | A-A-50454 NOT 1 | LAMP, INCANDESCENT, G-6, BAYONET CANDELABRA, DOUBLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50453 NOT 1 | LAMP, INCANDESCENT, G-8 BULB, DOUBLE CONTACT, BAYONET CANDELABRA BASE[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50445 NOT 1 | LAMP, INCANDESCENT, G-8, MINIATURE SCREW[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50595 NOT 1 | LAMP, INCANDESCENT, PAR-36, SCREW TERMINAL[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 27-MAY-05 |
| | MS16563B NOT 1 | LAMP, INCANDESCENT, R-30 MEDIUM SCREW[CUST: SH IS] | A | 6240 | | IS | 14-SEP-01 |
| | A-A-50451 NOT 1 | LAMP, INCANDESCENT, RP-11, BAYONET CANDELABRA, DOUBLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50592 NOT 1 | LAMP, INCANDESCENT, S-11, CANDELABRA SCREW[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 27-MAY-05 |
| | A-A-50452 NOT 1 | LAMP, INCANDESCENT, S-6, BAYONET CANDELABRA, DOUBLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50446 NOT 1 | LAMP, INCANDESCENT, S-6, CANDELABRA SCREW[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | MS24513F NOT 1 | LAMP, INCANDESCENT, SINGLE CONTACT BAYONET INDEXING CANDELABRA, GG-12B1 BULB[CUST: AV AS 99 IS] [REVIEW: 71 CR] | A | 6240 | | IS | 14-SEP-01 |
| | MS51608A NOT 1 | LAMP, INCANDESCENT, T-1 1/4 SPECIAL SCREW BASE (956)[CUST: AR IS] | A | 6240 | | IS | 14-SEP-01 |
| | A-A-50450 NOT 1 | LAMP, INCANDESCENT, T-12, MEDIUM PREFOCUSING, SINGLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-50441 NOT 1 | LAMP, INCANDESCENT, T-12, MEDIUM SCREW, 3 CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50593 NOT 1 | LAMP, INCANDESCENT, T-2, TELEPHONE SLIDE, TUNGSTEN FILAMENT, CLEAR FINISH[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 27-MAY-05 |
| | A-A-50588 NOT 1 | LAMP, INCANDESCENT, T-3-1/4, MINIATURE BAYONET, SINGLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 26-MAY-05 |
| | A-A-50439 NOT 1 | LAMP, INCANDESCENT, T-3-1/4, MINIATURE SCREW BASE[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50447 NOT 1 | LAMP, INCANDESCENT, T-4, CANDELABRA SCREW[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50440 NOT 1 | LAMP, INCANDESCENT, T-5, PREFOCUSING, DOUBLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50591 NOT 1 | LAMP, INCANDESCENT, T-7, CANDELABRA SCREW[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 27-MAY-05 |
| | MS15534A NOT 1 | LAMP, INCANDESCENT, T-7, CANDELABRA SCREW[CUST: SH IS] | A | 6240 | | IS | 14-SEP-01 |
| | A-A-50443 NOT 1 | LAMP, INCANDESCENT, T-8, BAYONET CANDELABRA, DOUBLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-50442 NOT 1 | LAMP, INCANDESCENT, T-8, CANDELABRA SCREW[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 25-MAY-05 |
| | A-A-1584 | LAMP, INCANDESCENT, TRADE NO. 60A/D | A | 6240 | # | FSS | 19-FEB-81 |
| | A-A-1969 | LAMP, INCANDESENT (SEALED BEAM) | A | 6240 | # | FSS | 23-FEB-82 |
| | A-A-1765 | LAMP, MERCURY VAPOR | A | 6240 | # | FSS | 31-DEC-81 |
| | A-A-1762 | LAMP, MERCURY VAPOR (SAFTY) | A | 6240 | # | FSS | 31-DEC-81 |
| | A-A-1764 | LAMP, METAL HALID (1,500 WATTS) | A | 6240 | # | FSS | 31-DEC-81 |
| | A-A-1760 | LAMP, METAL HALIDE (1000 WATTS) | A | 6240 | # | FSS | 31-DEC-81 |
| | A-A-1761 NOT 1 | LAMP, METAL HALIDE (175 WATTS)[CUST: IS] [REVIEW: 99] | A | 6240 | / | IS | 19-SEP-03 |
| | A-A-1758 | LAMP, METAL HALIDE (250 WATTS) | A | 6240 | # | FSS | 31-DEC-81 |
| | A-A-1759 | LAMP, METAL HALIDE (400 WATTS) | A | 6240 | # | FSS | 31-DEC-81 |
| | SAE-J573 | LAMP, MINIATURE BULBS[CUST: 99 IS] [REVIEW: 71 AS AT GS MI] | A | 6240 | | IS | DEC-89 |
| | A-A-2062 | LAMP, PHOTO (TRADE NO.BVE | A | 6240 | # | FSS | 10-DEC-82 |
| | A-A-2061 | LAMP, PHOTO (TRADE NO.DCA) | A | 6240 | # | FSS | 10-DEC-82 |
| | A-A-1740 | LAMP, PHOTO, PROJECTION | A | 6240 | # | FSS | 31-DEC-81 |
| | A-A-1756 | LAMP, PHOTO, PROJECTION | A | 6240 | # | FSS | 31-DEC-81 |
| | A-A-1743 | LAMP, PHOTO, PROJECTION, DYS/DYV/BHC | A | 6240 | # | FSS | 31-DEC-81 |
| | A-A-1744 | LAMP, PHOTO, PROJECTION, MOVIE | A | 6240 | # | FSS | 24-NOV-81 |
| | A-A-2059 | LAMP, PHOTOGRAPHIC (TRADE NO. ELC) | A | 6240 | # | FSS | 31-AUG-82 |
| | A-A-2060 | LAMP, PHOTOGRAPHIC (TRADE NO. FCS) | A | 6240 | # | FSS | 31-AUG-82 |
| | A-A-1757 | LAMP, SODIUM (HIGH PRESSURE) | A | 6240 | # | FSS | 31-DEC-81 |
| | A-A-2048 | LAMP, TUNGSTEN-HALOGEN (SEALED BEAM, TRADE NO. Q4559) | A | 6240 | # | FSS | 31-AUG-82 |
| | MIL-DTL-24560/27 | LAMPHOLDER ASSEMBLY, MULTILAMP (SIX LAMPS), CANDELABRA SCREW, 125 VOLTS, 450 WATTS[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| | MIL-L-3661/51B NOT 1 | LAMPHOLDER, DUSTTIGHT HOUSING, STYLE LH92[CUST: CR AS 99 IS] [REVIEW: CR4 MC MI] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/6C NOT 1 | LAMPHOLDER, HOUSING, INDICATOR LIGHT, STYLE LH74[CUST: CR AS 99 IS] [REVIEW: AR CR4 MC MI] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/55B(1) NOT 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC41[CUST: CR SH IS] [REVIEW: CR4] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/56B(1) NOT 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC42[CUST: SH IS] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/57B(1) NOT 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC43[CUST: SH IS] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/58B(1) NOT 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC44[CUST: SH IS] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/59A(1) | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC45[CUST: CR SH IS] [REVIEW: CR4] | A | 6210 | | IS | 24-JUN-03 |
| | MS35422C(1) | LAMPHOLDER, LIGHT, MARKER, CLEARANCE[CUST: AT MC 99 IS] [REVIEW: 71 AS CR4] | A | 6220 | | IS | 05-SEP-02 |
| | MIL-L-3661/64C(3) | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING) STYLE LH97[CUST: SH IS] | A | 6210 | | IS | 12-SEP-03 |
| | MIL-L-3661/61C(1) NOT 1 | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH94[CUST: SH IS] | A | 6210 | | IS | 15-SEP-03 |
| | MIL-L-3661/62C(3) | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH95 (FOR D.C. APPLICATIONS)[CUST: SH IS] | A | 6210 | | IS | 15-SEP-03 |
| | MIL-L-3661/63C(1) NOT 1 | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH96[CUST: SH IS] | A | 6210 | | IS | 15-SEP-03 |
| | MIL-L-3661/65C(1) NOT 1 | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH98[CUST: SH IS] | A | 6210 | | IS | 15-SEP-03 |
| | MIL-L-3661/60C(2) | LAMPHOLDER, TRANSFORMER, LIGHT, INDICATOR, STYLE LH93[CUST: SH IS] | A | 6210 | | IS | 24-JUN-03 |
| | UL496 | LAMPHOLDERS, EDISON-BASE[CUST: CR4 YD 99] [REVIEW: 11 AR GS MC] | A | 6250 | | YD | 30-OCT-96 |
| | MIL-L-3661/46A(1) NOT 1 | LAMPHOLDERS, HOUSING, INDICATOR-LIGHT, WATERTIGHT, STYLE LH88[CUST: CR AS 99 IS] [REVIEW: 71 CR4 MC MI] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/47A NOT 1 | LAMPHOLDERS, HOUSING, INDICATOR-LIGHT, WATERTIGHT, STYLE LH89[CUST: CR AS 99 IS] [REVIEW: 71 AR CR4 MC MI] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-DTL-3661C SUP 1C | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR LIGHT HOUSINGS, AND INDICATOR LIGHT LENSES, GENERAL SPECIFICATION FOR[CUST: CR AS 99 IS] [REVIEW: 71 AR CR4 EA MC MI OS SH] | A | 6210 | | IS | 10-JUN-03 |
| | MIL-L-3661/2B NOT 2 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES HOUSINGS, DRIPPROOF, STYLE LH50[CUST: CR AS 11 IS] [REVIEW: CR4 MC] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/11B NOT 2 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES, (FLAT, ROTATABLE) DUSTTIGHT, LENS, STYLE LC11[CUST: CR EC 99 IS] [REVIEW: 71 AS CR4 MC] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/42A(1) NOT 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND IDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHC84 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES)[CUST: CR AS 99 IS] [REVIEW: 71 CR4 MC] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/39C(1) NOT 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND IDICATOR-LIGHT LENSES INDICATOR LIGHTS, 2 LAMP, DISPLAY TYPE, STYLE LHC81[CUST: CR AS 99 IS] [REVIEW: 71 CR4 MC] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/41B(1) NOT 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND IDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHC83 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES)[CUST: CR AS 99 IS] [REVIEW: 71 CR4 MC] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/40A(1) NOT 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND IDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHC82 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES)[CUST: CR AS 99 IS] [REVIEW: 71 CR4 MC MI] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/26A NOT 2 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC26[CUST: CR AS 99 IS] [REVIEW: 71 CR4 MC] | A | 6210 | | IS | 20-SEP-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-L-3661/25A NOT 2 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES (FLAT) (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC25[CUST: CR AS 99 IS] [REVIEW: 11 71 CR4 MC] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/27A NOT 2 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC27[CUST: CR AS 99 IS] [REVIEW: 71 CR4 MC] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/34B NOT 2 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES (PLASTIC PLATE LIGHTING PANEL) DUSTTIGHT LENS, STYLE LC34[CUST: CR AS 99 IS] [REVIEW: 11 71 AR CR4 MC MI] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/13B(1) NOT 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT LENSES, STYLE LC13[CUST: CR EC 99 IS] [REVIEW: 71 AR AS CR4 MC MI] | A | 6210 | | IS | 21-AUG-01 |
| | MIL-L-3661/28B NOT 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENSES, STYLE LC28[CUST: CR4 AS 99 IS] [REVIEW: MC] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/5B NOT 2 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT HOUSING STYLE LH73[CUST: CR AS 99 IS] [REVIEW: 71 AR CR4 EA MC MI] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/29A NOT 2 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT LENS, STYLE LC29[CUST: CR AS 99 IS] [REVIEW: 71 CR4 MC] | A | 6210 | | IS | 20-SEP-01 |
| | UL542 | LAMPHOLDERS, STARTERS, AND STARTER HOLDERS FOR FLUORESCENT LAMPS[CUST: CR4 YD 99] [REVIEW: 71 AR GS MC] | A | 6250 | | YD | 29-NOV-99 |
| | MIL-L-3661/1A(1) NOT 2 | LAMPHOLDERS, STYLES LH20 AND LH22[CUST: CR AS 11 IS] [REVIEW: CR4 MC MI] | A | 6250 | | IS | 20-SEP-01 |
| | SAE-J593 | LAMPS BACKUP (REVERSING LAMPS)[CUST: AT IS] | A | 6220 | | IS | 20-OCT-89 |
| | ANSI-C78.1354 | LAMPS ELECTRIC - 100 WATT, 55 VOLT, S54 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS[CUST: CR4 YD 99] [REVIEW: 71 GS] | A | 6240 | | YD | 22-FEB-91 |
| | ANSI-C78.1350 | LAMPS ELECTRIC- 400- WATT 100-VOLT, S51 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6240 | | YD | 22-FEB-91 |
| | SAE-J222 | LAMPS PARKING (FRONT POSITION LAMPS)[CUST: AT IS] | A | 6220 | | IS | DEC-94 |
| | ANSI-C78.1403 | LAMPS, ELECTRIC - TUNGSTEN HALOGEN LAMPS WITH G6.35, GX.35 AND GY6.35 BASES[CUST: CR4 SH 99] | A | 6240 | | CR4 | 19-MAR-90 |
| | ANSI-C78.1352 | LAMPS, ELECTRIC, 1000 WATT, 250-VOLT, S52 SINGLE-ENDED HIGH PRESSURE SODIUM LAMPS, STANDARD FOR[CUST: CR4 SH 99] [REVIEW: 71] | A | 6240 | | CR4 | 24-JAN-91 |
| | ANSI-C78.1355 | LAMPS, ELECTRIC, 150-WATT, 55-VOLT, S55 HIGH-PRESSURE SODIUM LAMPS[CUST: CR4 SH 99] [REVIEW: 71 YD] | A | 6240 | | CR4 | 31-JUL-90 |
| | ANSI-C78.1359 | LAMPS, ELECTRIC, 50-WATT, S68 SINGLE-ENDED, HIGH-PRESSURE SODIUM LAMP[CUST: CR4 YD 99] [REVIEW: 71 GS] | A | 6240 | | YD | 29-JUL-91 |
| | ANSI-C78.1409 | LAMPS, ELECTRIC, EJL PROTECTION LAMPS[CUST: CR4 YD 99] [REVIEW: GS SH] | A | 6240 | | CR4 | 10-NOV-87 |
| | ANSI-C78.376 | LAMPS, FLUORESCENT, SPECIFICATIONS FOR THE CHROMATICITY OF[CUST: MI AS 99] | A | 6240 | | AS | 25-NOV-69 |
| | SAE-J583 | LAMPS, FRONT FOG[CUST: AT YD 99] | A | 6220 | | AT | OCT-94 |
| | A-A-1967 | LAMPS, HALOGEN (TUBULAR Q500T3/CL) | A | 6240 | # | FSS | 12-FEB-82 |
| | QPL-6363-4(1) | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, GENERAL SPECIFICATION FOR | A | 6240 | | AS | 28-OCT-93 |
| | MIL-DTL-6363H SUP 1 | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 11 71 GS SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/12A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, S-8 BULB[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/11A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, G-6 BULB[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/10A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, G-5 BULB[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/8A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT MIDGET FLANGED BASE T-1-3/4 BULB[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/9A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT MINIATURE BAYONET BASE, T-3-1/4 BULB[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/14A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT MINIATURE BAYONET BASE, T-4-1/2 BULB[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/6A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT SUBMIDGET FLANGED BASE T-1 BULB[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/13A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT, BAYONET CANDELABRA BASE, S-11 BULB[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/7A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SUBMINIATURE KNURLED SCREW BASE, T-1-1/4 BULB[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/5A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SUBMINIATURE UNBASED WIRE TERMINALS, INTEGRAL LIGHTING T-1 BULB[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/4A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SUBMINIATURE UNBASED WIRE TERMINALS, INTEGRAL LIGHTING T-3/4 BULB[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/2C | LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE[CUST: AV AS 99] [REVIEW: 11 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/1C | LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | MIL-DTL-6363/3D | LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE[CUST: AV AS 99] [REVIEW: 11 71 GS MC SH] | A | 6240 | | AS | 30-SEP-97 |
| | A-A-50600 NOT 1 | LAMPS, INCANDESCENT, G-9, BAYONET CANDELABRA, DOUBLE CONTACT[CUST: CR4 SH 99 IS] [REVIEW: 71] | A | 6240 | / | IS | 27-MAY-05 |
| | MS15535K NOT 1 | LAMPS, INCANDESCENT, SEALED BEAM, PAR-56, SCREW TERMINAL BASE[CUST: CR4 SH 99 IS] [REVIEW: 11 AT MC SA] | A | 6240 | | IS | 14-SEP-01 |
| | A-A-52409 | LAMPS, INCANDESCENT-SEALED BEAM[CUST: AT YD 99 IS] [REVIEW: 11 71 SH] | A | 6240 | / | IS | 03-NOV-92 |
| | ANSI-C78.40 | LAMPS, MERCURY - SPECIFICATIONS, AMERICAN NATIONAL STANDARD FOR[CUST: CR4 99] [REVIEW: 71 GS SH] | A | 6240 | | CR4 | 15-DEC-86 |
| | UL298 | LAMPS, PORTABLE ELECTRIC HAND[CUST: CR4 YD 99] [REVIEW: 71 GS MC MI] | A | 6230 | | YD | 21-NOV-91 |
| | MIL-STD-1179D(3) | LAMPS, REFLECTORS AND ASSOCIATED SIGNALING EQUIPMENT FOR MILITARY VEHICLES[Interface Standard][CUST: AT] | A | 23GP | | AT | 09-NOV-92 |
| | SAE-J592 | LAMPS, SIDEMARKER, FOR USE ON ROAD VEHICLES LESS THAN 2032 MM IN OVERALL WIDTH[CUST: AT IS] | A | 6220 | | IS | AUG-00 |
| | ANSI-C78.1351 | LAMPS, SODIUM, HIGH PRESSURE, 250 WATT, 100-VOLT S50 SINGLE-ENDED, STANDARD FOR ELECTRIC LAMPS[CUST: CR4 SH 99] [REVIEW: 71 YD] | A | 6240 | | CR4 | 19-MAR-90 |
| | SAE-J586 | LAMPS, STOP, FOR USE ON MOTOR VEHICLES LESS THAN 2032 MM IN OVERALL WIDTH[CUST: AT IS] | A | 6220 | | IS | SEP-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-J585 | LAMPS, TAIL (REAR POSITION LAMPS) FOR USE ON MOTOR VEHICLES LESS THAN 2032 MM IN OVERALL WIDTH[CUST: AT IS] | A | 6220 | | IS | DEC-94 |
| | SAE-J588 | LAMPS, TURN SIGNAL, FOR USE ON MOTOR VEHICLES LESS THAN 2032 MM IN OVERALL WIDTH[CUST: AT IS] | A | 6220 | | IS | DEC-94 |
| | A-A-54626 | LANCE KIT, FINGER BLEEDING[CUST: MD MS 03] | A | 6515 | / | MB | 20-APR-92 |
| | A-A-30142 | LANCET, FINGER BLEEDING[CUST: MD MS 03] | A | 6515 | * | MB | 01-AUG-89 |
| | A-A-54343 | LANCET, FINGER BLEEDING[CUST: MD MS 03] | A | 6515 | / | MB | 01-APR-91 |
| | A-A-54955 | LANCET, FINGER BLEEDING[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-94 |
| | AWPA-P1 | LAND & RESH WATER FOR COAL TAR CREOSOTE, STANDARD FOR[CUST: MR 99] | A | 8030 | | MR | 10-DEC-87 |
| | IPC-TM650.2.4.21 | LAND BOND STRENGTH, UNSUPPORTED COMPONENT HOLE[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | STANAG-2394 ED.2 | LAND FORCE COMBAT ENGINEER DOCTRINE - ATP-52(A) | C | ISDA | | AI | 12-FEB-98 |
| | STANAG-2868 ED.5(2) | LAND FORCE TACTICAL DOCTRINE - ATP-35(B) | C | ISDA | | AI | PENDING |
| | STANAG-2968 ED.1 | LAND FORCES CATALOGUE OF BILATERAL AGREEMENTS ON THE INTERCHANGE- ABILITY AND SAFE FIRING OF AMMUNITION DURING PEACETIME TRAINING EXERCISES -AOP-14 | C | ISDA | | AI | 27-MAR-90 |
| | STANAG-2430 ED.2 | LAND FORCES COMBAT ENGINEER MESSAGES, REPORTS AND RETURNS (R2) - AENGRP-2(A) | C | ISDA | | AI | 08-APR-98 |
| | STANAG-2406 ED.4 | LAND FORCES LOGISTIC DOCTRINE - ALP-9(C) | C | ISDA | | AI | 31-AUG-00 |
| | STANAG-3716 ED.2(3) | LAND MAP SERIES NUMBERING | C | ISDF | | 06 | 18-NOV-97 |
| | STANAG-2036 ED.5(1) | LAND MINE LAYING, MARKING, RECORDING AND REPORTING PROCEDURES (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 28-JAN-99 |
| | QSTAG-518 ED.1 | LAND MINEFIELD LAYING, RECORDING, REPORTING AND MARKING PROCEDURES[CUST: AI] | C | ISDA | | AI | 13-DEC-85 |
| | EIA603 | LAND MOBILE FM OR PM COMMUNICATIONS EQUIPMENT MEASUREMENT AND PERFORMANCE STANDARD[CUST: YD] | A | FACR | | YD | 02-SEP-04 |
| | EIA374 | LAND MOBILE SELECTIVE SIGNALING STANDARD[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | STANAG-2241 ED.1 | LAND OPERATIONS - ATP-3.2 | C | ISDA | | AI | 27-OCT-03 |
| | AFGS-87139A(1) | LANDING GEAR SYSTEMS[CUST: 11] [REVIEW: GS] | D | 1620 | | 11 | 17-JUL-00 |
| | MIL-L-8552C(2) | LANDING GEAR, AIRCRAFT SHOCK ABSORBER (AIR-OIL TYPE)[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1620 | | AS | 10-DEC-68 |
| | STANAG-6001 ED.2 | LANGUAGE PROFICIENCY LEVELS | C | ISDA | | AI | 11-JUN-03 |
| | ANSI-X3.37 | LANGUAGE, PROGRAMMING, ASPT[CUST: CR 02] | A | IPSC | | 02 | 17-MAY-77 |
| | ANSI-X3.53 | LANGUAGE, PROGRAMMING, PL/I[CUST: AM OM 02] | A | IPSC | | 02 | 14-OCT-76 |
| | W-L-00200C(2) | LANTERN, ELECTRIC [REVIEW: GS] | A | 6230 | % | FSS | 08-SEP-71 |
| | A-A-59482 NOT 1 | LANTERN, ELECTRIC, HAND, SAFETY[CUST: CG 99 IS] [REVIEW: GS] | A | 6230 | / | IS | 08-DEC-04 |
| | MIL-L-1130E | LANTERN, ELECTRIC, STORAGE BATTERY, FLOODLIGHTING, HAND CARRIED[CUST: CR4 SH] [REVIEW: AS GS MC OS] | A | 6230 | | SH | 26-JAN-90 |
| | A-A-52078B | LANTERN, GASOLINE, NONLEADED FUEL, WITH CASE[CUST: GL 99 IS] [REVIEW: 71 CG CR4 MC MD] | A | 6260 | / | IS | 12-MAY-94 |
| | MIL-L-52240C | LANTERNS, ELECTRIC: LIGHT SOURCE, HEAD-MOUNTED, LOW-LEVEL, VISIBLE[CUST: GL 99 IS] [REVIEW: 71 GS] | A | 6230 | | IS | 17-MAR-94 |
| | A-A-55120 | LANYARD, INDIVIDUAL EQUIPMENT CARRYING[CUST: GL NU CT] [REVIEW: MC] | A | 8465 | / | CT | 21-JAN-93 |
| | A-A-55064 | LANYARD, INDIVIDUAL EQUIPMENT CARRYING[CUST: CT] [REVIEW: MC] | A | 8465 | / | CT | 17-FEB-93 |
| | MIL-DTL-11484/277 | LAPEL BUTTON, CIVILIAN CAREER SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-APR-02 |
| | MIL-DTL-11484/258A NOT 1 | LAPEL BUTTON, 75TH ANNIVERSARY COMMEMORATIVE MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/304 | LAPEL BUTTON, 9-11 MEDAL, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-04 |
| | MIL-DTL-11484/303 | LAPEL BUTTON, 9-11 RIBBON, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-04 |
| | MIL-DTL-11484/130C NOT 2 | LAPEL BUTTON, ACHIEVEMENT AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/160C NOT 2 | LAPEL BUTTON, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 31-JUL-01 |
| | MIL-DTL-11484/132D NOT 2 | LAPEL BUTTON, ACHIEVEMENT MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/135D NOT 2 | LAPEL BUTTON, ACHIEVEMENT MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/84C NOT 2 | LAPEL BUTTON, ACHIEVEMENT MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| A | MIL-DTL-11484/68E | LAPEL BUTTON, ACHIEVEMENT MEDAL, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 18-OCT-05 |
| | MIL-DTL-11484/147C NOT 2 | LAPEL BUTTON, ACHIEVEMENT MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/86C NOT 2 | LAPEL BUTTON, ACTIVE RESERVIST, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/162B NOT 2 | LAPEL BUTTON, AERIAL ACHIEVEMENT MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/225A NOT 2 | LAPEL BUTTON, AERIAL ACHIEVEMENT MEDAL, CIVILIAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/312A | LAPEL BUTTON, AFGHANISTAN CAMPAIGN MEDAL[CUST: IH NU 11] [REVIEW: CT MC] | A | 8455 | | IH | 10-MAY-05 |
| | MIL-DTL-11484/298 | LAPEL BUTTON, AIR AND SPACE CAMPAIGN MEDAL, AIR FORCE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-MAR-03 |
| | MIL-DTL-11484/54E NOT 2 | LAPEL BUTTON, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/3D NOT 2 | LAPEL BUTTON, AIR FORCE CROSS[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/134D NOT 2 | LAPEL BUTTON, AIR FORCE RECOGNITION RIBBON, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/17D NOT 2 | LAPEL BUTTON, AIR MEDAL[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/224A NOT 2 | LAPEL BUTTON, AIR MEDAL, CIVILIAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/105D NOT 2 | LAPEL BUTTON, AIR RESERVE FORCES MERITORIOUS SERVICE MEDAL[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/14D NOT 2 | LAPEL BUTTON, AIRMAN'S MEDAL[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/65E NOT 2 | LAPEL BUTTON, ANTARCTICA SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/88D NOT 2 | LAPEL BUTTON, APOLLO ACHIEVEMENT, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/252 NOT 2 | LAPEL BUTTON, ARMED FORCES CIVILIAN SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/49D NOT 2 | LAPEL BUTTON, ARMED FORCES EXPEDITIONARY MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/240A NOT 2 | LAPEL BUTTON, ARMED FORCES SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/55D NOT 2 | LAPEL BUTTON, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/101C NOT 2 | LAPEL BUTTON, ARMY RESERVE COMPONENTS ACHIEVEMENT MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/50G | LAPEL BUTTON, ARMY STAFF IDENTIFICATION BADGE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 23-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11484/27D NOT 2 | LAPEL BUTTON, AWARD FOR DISTINGUISHED ACHIEVEMENT IN SCIENCE, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/285A | LAPEL BUTTON, AWARD FOR VALOR, SECRETARY OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-02 |
| | MIL-DTL-11484/16D NOT 2 | LAPEL BUTTON, BRONZE STAR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/186B NOT 2 | LAPEL BUTTON, BUREAU OF INDIAN AFFAIRS, DEPARTMENT OF THE INTERIOR[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/26D NOT 2 | LAPEL BUTTON, CAPTAIN ROBERT DEXTER CONRAD AWARD FOR SCIENTIFIC ACHIEVEMENT, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/191B NOT 2 | LAPEL BUTTON, CAREER ACHIEVEMENT AWARD, DEFENSE INFORMATION SYSTEMS AGENCY [CUST: IH DC] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/259 NOT 1 | LAPEL BUTTON, CHAIRMAN'S AWARD, CHEMICAL SAFETY AND HAZARD INVESTIGATION BOARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/269 | LAPEL BUTTON, CHAPLAINCY PROGRAM, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 05-SEP-01 |
| | MIL-DTL-11484/281 | LAPEL BUTTON, CHIEF'S COMMENDATION MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 25-APR-02 |
| | MIL-DTL-11484/250A NOT 2 | LAPEL BUTTON, CITATION, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/282 | LAPEL BUTTON, CIVILIAN ACHIEVEMENT MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-APR-02 |
| | MIL-DTL-11484/274 | LAPEL BUTTON, CIVILIAN ACHIEVEMENT MEDAL, DEFENSE ACQUISITION UNIVERSITY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-OCT-01 |
| | MIL-DTL-11484/111C NOT 2 | LAPEL BUTTON, CIVILIAN AIDE, SECRETARY OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/153B NOT 2 | LAPEL BUTTON, CIVILIAN AWARD FOR HUMANITARIAN SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/28D NOT 2 | LAPEL BUTTON, CIVILIAN AWARD FOR VALOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/292A | LAPEL BUTTON, CIVILIAN AWARD, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 23-OCT-03 |
| | MIL-DTL-11484/214A NOT 2 | LAPEL BUTTON, CIVILIAN CAREER SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/253 NOT 2 | LAPEL BUTTON, CIVILIAN COMBAT SUPPORT MEDAL, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/182D | LAPEL BUTTON, CIVILIAN DESERT SHIELD/DESERT STORM[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 18-JUN-04 |
| | MIL-DTL-11484/300A | LAPEL BUTTON, CIVILIAN EMPLOYEE OF THE YEAR, COAST GUARD[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 21-JUL-04 |
| | MIL-DTL-11484/108C NOT 2 | LAPEL BUTTON, CIVILIAN EXECUTIVE RECOGNITION, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/46D NOT 2 | LAPEL BUTTON, CIVILIAN LENGTH OF SERVICE, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/82D NOT 2 | LAPEL BUTTON, CIVILIAN SERVICE IN VIETNAM MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/251 NOT 2 | LAPEL BUTTON, CIVILIAN SERVICE, NATIONAL IMAGERY AND MAPPING AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/184B NOT 2 | LAPEL BUTTON, CIVILIAN SUPPORT FOR DESERT SHIELD/STORM, NAVY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/15E NOT 2 | LAPEL BUTTON, COAST GUARD MEDAL[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/66D NOT 2 | LAPEL BUTTON, COMBAT READINESS MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/216A NOT 2 | LAPEL BUTTON, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/193B NOT 2 | LAPEL BUTTON, COMMANDANT'S STAFF IDENTIFICATION BADGE, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| A | MIL-DTL-11484/314 | LAPEL BUTTON, COMMANDER S PUBLIC SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 07-DEC-05 |
| | MIL-DTL-11484/121D NOT 2 | LAPEL BUTTON, COMMANDER'S AWARD FOR CIVILIAN SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/139C NOT 2 | LAPEL BUTTON, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/207A NOT 2 | LAPEL BUTTON, COMMENDABLE SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/137C NOT 2 | LAPEL BUTTON, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/197A NOT 2 | LAPEL BUTTON, COMMENDATION MEDAL (CIVILIAN), FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/22D NOT 2 | LAPEL BUTTON, COMMENDATION MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/20D NOT 2 | LAPEL BUTTON, COMMENDATION MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/23D NOT 2 | LAPEL BUTTON, COMMENDATION MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/194A NOT 2 | LAPEL BUTTON, COMMENDATION MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| A | MIL-DTL-11484/21E | LAPEL BUTTON, COMMENDATION MEDAL, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 18-OCT-05 |
| | MIL-DTL-11484/144C NOT 2 | LAPEL BUTTON, COMMENDATION MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/133D NOT 2 | LAPEL BUTTON, COMMISSIONED OFFICER, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/143D NOT 2 | LAPEL BUTTON, COMMUNITY AND FAMILY SUPPORT CENTER, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/95D NOT 1 | LAPEL BUTTON, CONGRESSIONAL SPACE MEDAL OF HONOR[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/91C NOT 2 | LAPEL BUTTON, DEFENSE DISTINGUISHED SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/149B NOT 2 | LAPEL BUTTON, DEFENSE INTELLIGENCE DIRECTOR'S AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/124C NOT 2 | LAPEL BUTTON, DEFENSE MERITORIOUS SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/115D NOT 2 | LAPEL BUTTON, DEFENSE SUPERIOR SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/232 NOT 2 | LAPEL BUTTON, DEFENSE TECHNICAL INFORMATION CENTER[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/229A NOT 2 | LAPEL BUTTON, DIRECTOR'S AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/119C NOT 2 | LAPEL BUTTON, DISTINGUISHED CAREER SERVICE AWARD, AGENCY FOR INTERNATIONAL DEVELOPMENT, DEPARTMENT OF STATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/202B NOT 1 | LAPEL BUTTON, DISTINGUISHED CAREER SERVICE AWARD, DEFENSE LOGISTICS AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/103D NOT 2 | LAPEL BUTTON, DISTINGUISHED CAREER SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/286 | LAPEL BUTTON, DISTINGUISHED CIVILIAN MEDAL FOR VALOR, DEPARTMENT OF THE NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-02 |
| | MIL-DTL-11484/179B NOT 2 | LAPEL BUTTON, DISTINGUISHED CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11484/189C NOT 2 | LAPEL BUTTON, DISTINGUISHED CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/72D NOT 2 | LAPEL BUTTON, DISTINGUISHED CIVILIAN SERVICE AWARD, DEPARTMENT OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/263B | LAPEL BUTTON, DISTINGUISHED CIVILIAN SERVICE AWARD, INSPECTOR GENERAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-MAY-05 |
| | MIL-DTL-11484/32E NOT 1 | LAPEL BUTTON, DISTINGUISHED CIVILIAN SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/276 | LAPEL BUTTON, DISTINGUISHED CIVILIAN SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-APR-02 |
| | MIL-DTL-11484/11D NOT 2 | LAPEL BUTTON, DISTINGUISHED FLYING CROSS[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/116C NOT 2 | LAPEL BUTTON, DISTINGUISHED PUBLIC SERVICE AWARD, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/31G NOT 1 | LAPEL BUTTON, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/293 | LAPEL BUTTON, DISTINGUISHED PUBLIC SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-NOV-02 |
| | MIL-DTL-11484/78D NOT 2 | LAPEL BUTTON, DISTINGUISHED PUBLIC SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/234 NOT 2 | LAPEL BUTTON, DISTINGUISHED PUBLIC SERVICE, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/169C NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/80D NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/1D NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE CROSS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/199A NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL (CIVILIAN), FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/70D NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/4E NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/221A NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/6D NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/192B NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/196A NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/110E NOT 1 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, FEDERAL ENERGY MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/155B NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/74D NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/5D NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/142C NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/127C NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/248A NOT 1 | LAPEL BUTTON, DISTINGUISHED SERVICE, DEFENSE THREAT REDUCTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/238 NOT 2 | LAPEL BUTTON, DISTINGUISHED SERVICE, NATIONAL RECONNAISSANCE OFFICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/125C NOT 2 | LAPEL BUTTON, EMPLOYER SUPPORT OF THE GUARD AND RESERVE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/164B NOT 2 | LAPEL BUTTON, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/242 NOT 2 | LAPEL BUTTON, EUGENE G. FUBINI AWARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/291 | LAPEL BUTTON, EXCELLENCE "E" AWARD, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-SEP-02 |
| | MIL-DTL-11484/173C | LAPEL BUTTON, EXCEPTIONAL ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-11484/301 | LAPEL BUTTON, EXCEPTIONAL ADMINISTRATIVE ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-OCT-03 |
| | MIL-DTL-11484/77D NOT 2 | LAPEL BUTTON, EXCEPTIONAL BRAVERY MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/30G | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 09-MAY-02 |
| | MIL-DTL-11484/180B NOT 2 | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/245 NOT 2 | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/190B NOT 2 | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY[CUST: IH DC] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/92C NOT 2 | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/171B NOT 2 | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/29G NOT 2 | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/45D NOT 2 | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEPARTMENT OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/145C NOT 2 | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, NATIONAL SECURITY AGENCY[CUST: IH NS] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/131D | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE MEDAL, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 23-JAN-02 |
| | MIL-DTL-11484/279 | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-APR-02 |
| | MIL-DTL-11484/165B NOT 2 | LAPEL BUTTON, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/260 NOT 1 | LAPEL BUTTON, EXCEPTIONAL PUBLIC SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/76D NOT 2 | LAPEL BUTTON, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/205A NOT 2 | LAPEL BUTTON, EXCEPTIONAL SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/79D NOT 2 | LAPEL BUTTON, EXCEPTIONAL SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11484/128C NOT 2 | LAPEL BUTTON, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/81F NOT 1 | LAPEL BUTTON, EXCEPTIONAL SERVICE, DEFENSE THREAT REDUCTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/302 | LAPEL BUTTON, EXCEPTIONAL TECHNOLOGY ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 07-OCT-03 |
| | MIL-DTL-11484/181C NOT 2 | LAPEL BUTTON, EXEMPLARY CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/107C NOT 2 | LAPEL BUTTON, FEDERAL LABOR RELATIONS COUNCIL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/150C NOT 2 | LAPEL BUTTON, FEDERAL SERVICE AND RETIRED, OFFICE OF PERSONNEL MANAGEMENT[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/56D NOT 2 | LAPEL BUTTON, FLEET MARINE CORPS RESERVE[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/306 | LAPEL BUTTON, GALLANT UNIT CITATION, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-04 |
| | MIL-DTL-11484/170C NOT 2 | LAPEL BUTTON, GENERAL DEFENSE INTELLIGENCE PROGRAM, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/295 | LAPEL BUTTON, GLOBAL WAR ON TERRORISM EXPEDITIONARY MEDAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-MAR-03 |
| | MIL-DTL-11484/296 | LAPEL BUTTON, GLOBAL WAR ON TERRORISM SERVICE MEDAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-MAR-03 |
| | MIL-DTL-11484/7D NOT 2 | LAPEL BUTTON, GOLD LIFE-SAVINGS MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/44F NOT 2 | LAPEL BUTTON, GOLD STAR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/220A NOT 2 | LAPEL BUTTON, GOLD STAR MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/48D NOT 2 | LAPEL BUTTON, GOOD CONDUCT MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/58D NOT 2 | LAPEL BUTTON, HONORABLE DISCHARGE, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/62D NOT 2 | LAPEL BUTTON, HONORABLE DISCHARGE, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/60E NOT 2 | LAPEL BUTTON, HONORABLE DISCHARGE, NAVAL RESERVE[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/61E NOT 2 | LAPEL BUTTON, HONORABLE DISCHARGE, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/57F NOT 2 | LAPEL BUTTON, HONORABLE SERVICE (8 SEPTEMBER 1939 THROUGH 31 DECEMBER 1946)[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/59F NOT 2 | LAPEL BUTTON, HONORABLE SERVICE (PRIOR TO 8 SEPTEMBER 1939)[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/235 NOT 2 | LAPEL BUTTON, HOSTILE ACTION AWARD, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/122C NOT 2 | LAPEL BUTTON, HUMANITARIAN SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/307 | LAPEL BUTTON, INSTRUCTOR'S AWARD, BRONZE, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-AUG-04 |
| | MIL-DTL-11484/308 | LAPEL BUTTON, INSTRUCTOR'S AWARD, GOLD, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-AUG-04 |
| | MIL-DTL-11484/309 | LAPEL BUTTON, INSTRUCTOR'S AWARD, SILVER, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-AUG-04 |
| | MIL-DTL-11484/313A | LAPEL BUTTON, IRAQ CAMPAIGN MEDAL[CUST: IH NU 11] [REVIEW: CT MC] | A | 8455 | | IH | 10-MAY-05 |
| | MIL-DTL-11484/71E NOT 2 | LAPEL BUTTON, JOINT CHIEFS OF STAFF IDENTIFICATION BADGE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/268 NOT 1 | LAPEL BUTTON, JOINT CIVILIAN SERVICE ACHIEVEMENT AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/267 NOT 1 | LAPEL BUTTON, JOINT CIVILIAN SERVICE COMMENDATION AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/244 NOT 2 | LAPEL BUTTON, JOINT DISTINGUISHED CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/243 NOT 2 | LAPEL BUTTON, JOINT MERITORIOUS CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/183C NOT 2 | LAPEL BUTTON, JOINT MERITORIOUS UNIT AWARD, DEPARTMENT OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/141D NOT 2 | LAPEL BUTTON, JOINT SERVICE ACHIEVEMENT MEDAL, DEPARTMENT OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/19D NOT 2 | LAPEL BUTTON, JOINT SERVICE COMMENDATION MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/299 | LAPEL BUTTON, KOREA DEFENSE SERVICE MEDAL[CUST: IH NU 11] [REVIEW: CG CT MC] | A | 8455 | | IH | 23-JUN-03 |
| | MIL-DTL-11484/161B NOT 2 | LAPEL BUTTON, KOREAN AUGMENTATION TO THE U.S. ARMY (KATUSA)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/266 NOT 1 | LAPEL BUTTON, KOSOVO CAMPAIGN[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/188B NOT 2 | LAPEL BUTTON, LAW ENFORCEMENT SERVICES, BUREAU OF INDIAN AFFAIRS, DEPARTMENT OF THE INTERIOR[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/249 NOT 2 | LAPEL BUTTON, LEADERSHIP AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/10D NOT 2 | LAPEL BUTTON, LEGION OF MERIT[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/151E NOT 2 | LAPEL BUTTON, LENGTH OF SERVICE (10, 15, 20, 25, 30, 35, 40, 45 AND 50 YEARS), OFFICE OF PERSONNEL MANAGEMENT[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/218B NOT 2 | LAPEL BUTTON, LENGTH OF SERVICE (10, 20, 30, 40 AND 50 YEARS), CIVILIAN PERSONNEL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/67E NOT 2 | LAPEL BUTTON, LENGTH OF SERVICE (10, 20, 30, AND 40 YEARS), MARINE CORPS CIVILIAN[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/90D NOT 2 | LAPEL BUTTON, LENGTH OF SERVICE (15, 20, 25, AND 30 YEARS), NATIONAL TRANSPORTATION SAFETY BOARD, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/168B NOT 2 | LAPEL BUTTON, LENGTH OF SERVICE (20, 25, 30, 35, 40, 45, 50 AND 55 YEARS), NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/114C NOT 2 | LAPEL BUTTON, LENGTH OF SERVICE (20, 30, AND 40 YEARS), NONAPPROPRIATED FUND EMPLOYEE, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/109D NOT 2 | LAPEL BUTTON, LENGTH OF SERVICE (3, 15, 25, 30, 35, 40 AND 50 YEARS), DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/167B NOT 2 | LAPEL BUTTON, LENGTH OF SERVICE (5, 10, AND 15 YEARS), NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/231A NOT 2 | LAPEL BUTTON, LIFESAVING MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/43E NOT 2 | LAPEL BUTTON, MATERIALS HANDLING AND CONSTRUCTION EQUIPMENT OPERATORS SAFETY AWARD, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/275A | LAPEL BUTTON, MEDAL FOR VALOR, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-02 |
| | MIL-DTL-11484/223A NOT 2 | LAPEL BUTTON, MEDAL OF VALOR, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11484/217B NOT 2 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/212A NOT 2 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/246 NOT 2 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/213A NOT 2 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/93C NOT 2 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/209A NOT 2 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/200B NOT 2 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/265A | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, INSPECTOR GENERAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-FEB-05 |
| | MIL-DTL-11484/40D NOT 2 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/34E NOT 2 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, NATIONAL SECURITY AGENCY [CUST: IH NS] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/33F NOT 1 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/73D NOT 2 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/278 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-APR-02 |
| | MIL-DTL-11484/208A NOT 2 | LAPEL BUTTON, MERITORIOUS PUBLIC SERVICE AWARD, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/262 NOT 1 | LAPEL BUTTON, MERITORIOUS PUBLIC SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/203A NOT 2 | LAPEL BUTTON, MERITORIOUS SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/85C NOT 2 | LAPEL BUTTON, MERITORIOUS SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/198A NOT 2 | LAPEL BUTTON, MERITORIOUS SERVICE MEDAL (CIVILIAN), FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/195A NOT 2 | LAPEL BUTTON, MERITORIOUS SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/148C NOT 2 | LAPEL BUTTON, MERITORIOUS SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/204B NOT 1 | LAPEL BUTTON, MERITORIOUS SERVICE, DEFENSE THREATREDUCTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/237 NOT 2 | LAPEL BUTTON, MERITORIOUS SERVICE, NATIONAL RECONNAISSANCE OFFICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/222A NOT 2 | LAPEL BUTTON, MERITORIOUS TEAM COMMENDATION AWARD, COAST GUARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/305 | LAPEL BUTTON, MERITORIOUS UNIT AWARD, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-04 |
| | MIL-DTL-11484/174B NOT 2 | LAPEL BUTTON, MERITORIOUS UNIT COMMENDATION, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/98E NOT 2 | LAPEL BUTTON, MERITORIOUS UNIT COMMENDATION, NAVY CIVILIAN[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/219A NOT 2 | LAPEL BUTTON, MILITARY OUTSTANDING VOLUNTEER SERVICE MEDAL, DEPARTMENT OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/112C NOT 2 | LAPEL BUTTON, NATIONAL DEFENSE EXECUTIVE RESERVE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/185B NOT 2 | LAPEL BUTTON, NATIONAL DEFENSE SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/118C NOT 2 | LAPEL BUTTON, NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/117D NOT 2 | LAPEL BUTTON, NATIONAL INTELLIGENCE MEDAL OF ACHIEVEMENT[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/51F NOT 2 | LAPEL BUTTON, NAVAL RESERVE MEMBERSHIP[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/13E NOT 2 | LAPEL BUTTON, NAVY AND MARINE CORPS MEDAL[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/2D NOT 2 | LAPEL BUTTON, NAVY CROSS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/280 | LAPEL BUTTON, NEWTON-AZARK MEDAL FOR HEROISM, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 25-APR-02 |
| | MIL-DTL-11484/123C NOT 2 | LAPEL BUTTON, NEXT OF KIN OF DECEASED PERSONNEL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/146C NOT 2 | LAPEL BUTTON, OFFICE OF THE INSPECTOR GENERAL IDENTIFICATION BADGE, DEPARTMENT OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/53E NOT 2 | LAPEL BUTTON, OFFICE OF THE SECRETARY OF DEFENSE IDENTIFICATION BADGE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/89C NOT 2 | LAPEL BUTTON, ORGANIZATIONAL EXCELLENCE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/297 | LAPEL BUTTON, OUTSTANDING ACHIEVEMENT, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-MAR-03 |
| | MIL-DTL-11484/138C NOT 2 | LAPEL BUTTON, OUTSTANDING CAREER ACHIEVEMENT AWARD, AGENCY FOR INTERNATIONAL DEVELOPMENT, DEPARTMENT OF STATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/140C NOT 2 | LAPEL BUTTON, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/247 NOT 2 | LAPEL BUTTON, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/211A NOT 2 | LAPEL BUTTON, OUTSTANDING CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/75D NOT 2 | LAPEL BUTTON, OUTSTANDING LEADERSHIP MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/294 | LAPEL BUTTON, OUTSTANDING PUBLIC SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-NOV-02 |
| | MIL-DTL-11484/233 NOT 2 | LAPEL BUTTON, OUTSTANDING PUBLIC SERVICE, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/129D NOT 2 | LAPEL BUTTON, OUTSTANDING SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/136C NOT 2 | LAPEL BUTTON, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/24D NOT 2 | LAPEL BUTTON, OUTSTANDING UNIT AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/226A NOT 2 | LAPEL BUTTON, OUTSTANDING UNIT AWARD, CIVILIAN, SECRETARY OF TRANSPORTATION[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/36D NOT 2 | LAPEL BUTTON, PATRIOTIC CIVILIAN SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/178B NOT 2 | LAPEL BUTTON, POINT OF LIGHT, FEDERAL EMPLOYEE SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11484/272 | LAPEL BUTTON, PRESIDENT'S MEDAL, DEFENSE ACQUISITION UNIVERSITY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-OCT-01 |
| | MIL-DTL-11484/283 | LAPEL BUTTON, PRESIDENTIAL AWARD FOR DISTINGUISHED SERVICE, DEPARTMENT OF STATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-APR-02 |
| | MIL-DTL-11484/284 | LAPEL BUTTON, PRESIDENTIAL AWARD FOR MERITORIOUS SERVICE, DEPARTMENT OF STATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-APR-02 |
| | MIL-DTL-11484/94C NOT 2 | LAPEL BUTTON, PRESIDENTIAL CITIZENS MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/35F NOT 2 | LAPEL BUTTON, PRESIDENTIAL SERVICE IDENTIFICATION BADGE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/25E NOT 2 | LAPEL BUTTON, PRESIDENTIAL UNIT CITATION, ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/96D NOT 2 | LAPEL BUTTON, PRESIDENTIAL UNIT CITATION, NAVY CIVILIAN[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/152B NOT 2 | LAPEL BUTTON, PRISONER OF WAR (POW) MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/289 | LAPEL BUTTON, PUBLIC SAFETY OFFICER'S MEDAL OF VALOR, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-AUG-02 |
| | MIL-DTL-11484/311 | LAPEL BUTTON, PUBLIC SERVICE COMMENDATION AWARD, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 11-JAN-05 |
| | MIL-DTL-11484/166B NOT 2 | LAPEL BUTTON, PUBLIC SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/18D NOT 2 | LAPEL BUTTON, PURPLE HEART[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/102C NOT 2 | LAPEL BUTTON, REGIONAL AND STATE SCIENCE AND ENGINEERING FAIR AWARDS, ARMY [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/87C NOT 2 | LAPEL BUTTON, RETIRED CIVILIAN SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/106C NOT 2 | LAPEL BUTTON, RETIRED PERSONNEL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/83E NOT 2 | LAPEL BUTTON, RETIRED PERSONNEL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/52F NOT 2 | LAPEL BUTTON, RETIRED PERSONNEL, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/104E NOT 2 | LAPEL BUTTON, RETIRED PERSONNEL, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/310 | LAPEL BUTTON, RETIRED, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 03-NOV-04 |
| | MIL-DTL-11484/176B NOT 2 | LAPEL BUTTON, RETIREE, CIVILIAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/63E NOT 2 | LAPEL BUTTON, ROTC PERSONNEL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/41E NOT 2 | LAPEL BUTTON, SAFE DRIVER AWARD, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/42E NOT 2 | LAPEL BUTTON, SAFETY AWARD, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/271 | LAPEL BUTTON, SECRETARY OF DEFENSE MEDAL FOR THE DEFENSE OF FREEDOM, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-OCT-01 |
| | MIL-DTL-11484/254A NOT 1 | LAPEL BUTTON, SECRETARY OF THE ARMY PUBLIC SERVICE AWARD (NON-CIVIL SERVICE), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/113C NOT 2 | LAPEL BUTTON, SECRETARY OF THE ARMY'S AWARD FOR OUTSTANDING ACHIEVEMENT IN MATERIEL ACQUISITION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/257A NOT 1 | LAPEL BUTTON, SECRETARY OF TRANSPORTATION STAFF, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/255 NOT 1 | LAPEL BUTTON, SENIOR CIVILIAN SERVICE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/256 NOT 1 | LAPEL BUTTON, SENIOR EXECUTIVE SERVICE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/288 | LAPEL BUTTON, SENIOR EXECUTIVE SERVICE, DEPARTMENT OF THE NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 05-SEP-02 |
| | MIL-DTL-11484/239 NOT 2 | LAPEL BUTTON, SENIOR TECHNOLOGIST, DOD[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/227A NOT 2 | LAPEL BUTTON, SERVICE AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/8D NOT 2 | LAPEL BUTTON, SILVER LIFE-SAVING MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/9D NOT 2 | LAPEL BUTTON, SILVER STAR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/12D NOT 2 | LAPEL BUTTON, SOLDIER'S MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 19-JUN-01 |
| | MIL-DTL-11484/177C NOT 2 | LAPEL BUTTON, SOUTHWEST ASIA SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/163C | LAPEL BUTTON, SPACE FLIGHT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUN-01 |
| | MIL-DTL-11484/290 | LAPEL BUTTON, STAR MEDAL, DEPARTMENT OF STATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-SEP-02 |
| | MIL-DTL-11484/99C NOT 2 | LAPEL BUTTON, SUPERIOR CADET AWARD, JUNIOR ROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/100C NOT 2 | LAPEL BUTTON, SUPERIOR CADET AWARD, ROTC (NDCC)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/64E NOT 2 | LAPEL BUTTON, SUPERIOR CADET AWARD, SENIOR ROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/287 | LAPEL BUTTON, SUPERIOR CIVILIAN MEDAL FOR VALOR, DEPARTMENT OF THE NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-02 |
| | MIL-DTL-11484/159C NOT 2 | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/215A NOT 2 | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/201A NOT 2 | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/264B | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, INSPECTOR GENERAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-MAY-05 |
| | MIL-DTL-11484/37D NOT 2 | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/38F NOT 1 | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/273 | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE MEDAL, DEFENSE ACQUISITION UNIVERSITY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-OCT-01 |
| | MIL-DTL-11484/261 NOT 1 | LAPEL BUTTON, SUPERIOR PUBLIC SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/206A NOT 2 | LAPEL BUTTON, SUPERIOR SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/236 NOT 2 | LAPEL BUTTON, SUPERIOR SERVICE, NATIONAL RECONNAISSANCE OFFICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/187B NOT 2 | LAPEL BUTTON, SUPERIOR UNIT AWARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-L-11484/158A NOT 2 | LAPEL BUTTON, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL (CIVILIAN), U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/157B NOT 2 | LAPEL BUTTON, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |
| | MIL-DTL-11484/270 | LAPEL BUTTON, TACTICAL UNIT (BORTAC), U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 26-SEP-01 |
| | MIL-DTL-11484/175C NOT 2 | LAPEL BUTTON, UNIT COMMENDATION, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 26-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11484/97E NOT 2 | LAPEL BUTTON, UNIT COMMENDATION, NAVY CIVILIAN[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/230A NOT 2 | LAPEL BUTTON, VALOR MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484/120D NOT 2 | LAPEL BUTTON, VICE PRESIDENTIAL SERVICE IDENTIFICATION BADGE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 22-JUN-01 |
| | MIL-DTL-11484/47D NOT 2 | LAPEL BUTTON, VICTORY MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/69D NOT 2 | LAPEL BUTTON, VIETNAM SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 20-JUN-01 |
| | MIL-DTL-11484/241 NOT 2 | LAPEL BUTTON, VOLUNTEER EXCELLENCE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11484G SUP 1 NOT 2 | LAPEL BUTTONS, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: CG CT FSS MC] | A | 8455 | | IH | 13-JUL-04 |
| | A-A-59221 NOT 1 | LAPPERS, POPPET VALVE, HAND POWERED[CUST: AT YD] [REVIEW: GS MD SH SM] | A | 5120 | / | IS | 30-OCT-03 |
| | A-A-59119 NOT 1 | LAPPING MACHINES, METAL WORKING, HIGH-PRECISION, FLAT SURFACE[CUST: AR 99 GS6] [REVIEW: 84] | A | 3419 | / | GS6 | 18-NOV-03 |
| | STANAG-4224 ED.3 | LARGE CALIBRE ARTILLERY AND NAVAL GUN AMMUNITION GREATER THAN 40MM, SAFETY AND SUITABILITY FOR SERVICE EVALUATION | C | ISDA | | AI | 29-APR-02 |
| A | MIL-PRF-32195 | LARGE CAPACITY HIGH PRESSURE BREATHING AIR COMPRESSOR (HPBAC)[CUST: EA SH 03] [REVIEW: 11 84 99 AS] | A | 4240 | | SH | 11-JUL-05 |
| | ASME-B16.38 | LARGE METALLIC VALVES FOR GAS DISTRIBUTION (MANUALLY OPERATED, NPS 1 1/2 TO 12, 125 PSIG MAXIMUM)[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | A-A-51345 | LARYNGEAL STENTS, SILICONE RUBBER[CUST: MD MS 03] | A | 6515 | / | MB | 07-FEB-86 |
| | A-A-55700 | LARYNGOSCOPE SET, MACINTOSH[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUN-95 |
| | MIL-L-36696B | LARYNGOSCOPE, CHILD-ADULT, WISCONSIN[CUST: MD MS 03] | A | 6515 | | MB | 21-AUG-89 |
| | MIL-L-36896 NOT 1 | LARYNGOSCOPE, FIBER OPTICS (HOLINGER AND JACKSON DESIGNS)[CUST: MD MS 03] | A | 6515 | | MB | 04-MAY-89 |
| | ASTM-F965 | LARYNGOSCOPES, RIGID, FOR TRACHEAL INTUBATION-HOOK-ON FITTINGS FOR LARYNGOSCOPE HANDLES AND BLADES WITH LAMPS[CUST: MD MS 03] | A | 6515 | | MB | 10-JUL-99 |
| | A-A-20262 | LASAGNA, CHEESE, FROZEN[CUST: FV] | A | 8940 | # | FV | 31-JUL-97 |
| | A-A-20261 | LASAGNA, VEGETABLE, FROZEN[CUST: FV] | A | 8940 | # | FV | 31-JUL-97 |
| | A-A-20260 | LASAGNA, WITH MEAT AND SAUCE, FROZEN[CUST: FV] | A | 8940 | # | FV | 31-JUL-97 |
| | MIL-PRF-49320A | LASER INFRARED OBSERVATION SET, AN/PVS-6[CUST: CR] | A | 5860 | | CR | 03-JUL-97 |
| | STANAG-2900 ED.2(3) | LASER RADIATION MEDICAL SURVEILLANCE AND EVALUATION OF OVER EXPOSURE | C | ISDA | | AI | 30-JUN-88 |
| | MIL-HDBK-828A | LASER SAFETY IN RANGES AND IN OTHER OUTDOORS AREAS[CUST: EA EC 40] | A | 4240 | | EC | 31-DEC-96 |
| | AIR-STD-44/3D | LASHINGS FOR FIXED WING AIRCRAFT | C | ISDF | | 06 | 15-SEP-80 |
| | MIL-L-21635D | LAST, FOOTWEAR (SHOE, WOMAN S, OXFORDS)[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8335 | | CT | 30-NOV-79 |
| | MIL-L-27885C | LAST, FOOTWEAR FWU-5/P[CUST: 99 CT] [REVIEW: 11] | A | 8335 | | CT | 25-NOV-85 |
| | A-A-59519 | LAST, FOOTWEAR FWU-5/P[CUST: 99 CT] [REVIEW: 11] | A | 8335 | / | CT | 07-DEC-99 |
| | A-A-55172 | LAST, FOOTWEAR, FIELD, WOMEN'S[CUST: 99 CT] [REVIEW: 11] | A | 8335 | / | CT | 04-FEB-93 |
| | MIL-L-3931K | LAST, FOOTWEAR, SHOE, MEN S, US MIL-1[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8335 | | CT | 17-JUN-86 |
| | MIL-L-43585D | LAST, FOOTWEAR, SHOE, SAFETY TOE, MAN S, U.S. MIL-7[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8335 | | CT | 18-JUN-86 |
| | MIL-L-41815H | LASTS, FOOTWEAR, COMBAT, U.S., MIL-5[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8335 | | CT | 07-APR-86 |
| | NAS399 | LATCH, PUSH BUTTON, ADJUSTABLE[CUST: AR YD 99 IS] | A | 5340 | | IS | 25-JUN-91 |
| | EIA-JESD78 | LATCH-UP TEST IC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD] | A | 5962 | | CC | 30-OCT-00 |
| | MS18307B NOT 1 | LATERALS, FORGED STEEL SOCKET WELDING 3000 PSI AT 1000 DEGREE F (MAX.) STEAM SERVICE[CUST: SH] | A | 4730 | | SH | 02-DEC-88 |
| | ASTM-D1055 | LATEX FOAM, FLEXIBLE CELLULAR MATERIALS[CUST: MR SH 11] [REVIEW: AR AS AT AV CR4 GL OS YD] | A | 9320 | | IS | 25-FEB-91 |
| | ASTM-C834 | LATEX SEALANTS[CUST: YD IS] [REVIEW: CE OS SH] | A | 8030 | | IS | 15-OCT-91 |
| | QQ-L-101C | LATH, METAL, (AND OTHER METAL PLASTER BASES ) | A | 5680 | # | FSS | 27-APR-72 |
| | A-A-55525 NOT 1 | LATHE, ARMATURE, AND UNDERCUTTER[CUST: AR SH 99 CC] [REVIEW: 84] | A | 4940 | / | CC | 20-JUN-03 |
| | A-A-50220 NOT 1 | LATHE, AXLE, JOURNAL TRUING RAILWAY, DUAL OR SINGLE END DRIVE[CUST: AT] [REVIEW: CC] | A | 4940 | / | AT | 12-APR-04 |
| | A-A-59180A | LATHE, BENCH AND JEWELER'S, HORIZONTAL SPINDLE[CUST: AR SH 99 GS6] [REVIEW: 84 AV MC] | A | 3416 | / | GS6 | 31-MAY-05 |
| | A-A-58059 | LATHE, BRAKE DRUM/ROTOR[CUST: AR YD 99 CC] | A | 4910 | / | 84 | 22-MAR-96 |
| A | A-A-59334 NOT 1 | LATHE, ENGINE (STANDARD) AND TOOLROOM (PRECISION), HORIZONTAL SPINDLE[CUST: AR SH 99 GS6] [REVIEW: 84 AV CE CR4 MC SM] | A | 3416 | / | GS6 | 08-JUL-05 |
| | A-A-59346 | LATHE, FLATBED, HORIZONTAL-SPINDLE, AND TURNING CENTER, FLATBED, HORIZONTAL-SPINDLE, COMPUTER NUMERIC CONTROL (CNC)[CUST: AR SH 99 GS6] [REVIEW: 84 MC] | A | 3416 | / | GS6 | 06-MAR-00 |
| | A-A-59347 | LATHE, SLANT-BED, HORIZONTAL-SPINDLE, AND TURNING CENTER, SLANT-BED, HORIZONTAL-SPINDLE, COMPUTER NUMERIC CONTROL (CNC)[CUST: AR SH 99 GS6] [REVIEW: 84 MC] | A | 3416 | / | GS6 | 30-MAR-00 |
| | A-A-59353 | LATHE, VERTICAL-BED, HORIZONTAL-SPINDLE, AND TURNING CENTER, VERTICAL-BED, HORIZONTAL-SPINDLE, COMPUTER NUMBERIC CONTROL (CNC)[CUST: AR SH 99 GS6] [REVIEW: 84 MC YD] | A | 3416 | / | GS6 | 07-MAR-00 |
| | ANSI-B11.6 | LATHES, SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE & USE[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 27-OCT-89 |
| | MIL-L-80081D | LATHES, WOODWORKING[CUST: CR4 SH 99 IS] [REVIEW: CE YD] | A | 3220 | | IS | 09-AUG-90 |
| | MIL-L-80047D | LATHES, WOODWORKING, PATTERNMAKERS[CUST: SH 99 IS] [REVIEW: 84 CE MC] | A | 3220 | | IS | 30-JUN-88 |
| | MIL-L-36115 | LATRINE BOX, PREFABRICATED, PORTABLE, M-2[CUST: MD MS 03] | A | 5450 | | MB | 13-FEB-62 |
| | MIL-STD-2131A | LAUNCHER, EJECTION, GUIDED MISSILE, AIRCRAFT, GENERAL DESIGN CRITERIA FOR[Military Standard][CUST: AS] | A | 1440 | | AS | 16-DEC-91 |
| | MIL-STD-2156(1) | LAUNCHER, RAIL, GUIDED MISSILE, AIRCRAFT, GENERAL DESIGN CRITERIA FOR[Military Standard][CUST: AS] | A | 1440 | | AS | 20-DEC-85 |
| | MIL-L-85546B | LAUNCHER, ROCKET LMU-23A/E AND LMU-23B/E[CUST: AS] | A | 1055 | | AS | 30-NOV-90 |
| | MIL-L-85776A | LAUNCHER, ROCKET LMU-24A/E AND LMU-24B/E[CUST: AS] | A | 1055 | | AS | 30-NOV-90 |
| | MIL-L-48063A | LAUNCHER, ROCKET, LAU 68B/A SHIPPING ASSEMBLY[CUST: AS] | A | 1340 | | AS | 17-AUG-73 |
| | MIL-L-85590 | LAUNCHER, ROCKET, LAU-61C/A THERMAL PROTECTED AND LAU-68D/A THERMAL PROTECTED[CUST: AS] | A | 1055 | | AS | 08-APR-85 |
| | MIL-L-81979 | LAUNCHERS, ROCKET LAU-10C/A AND LAU-10D/A[CUST: AS] | A | 1055 | | AS | 15-AUG-74 |
| | MIL-L-22589D | LAUNCHING SYSTEM, NOSE GEAR TYPE, AIRCRAFT[CUST: AS] | A | 1720 | | AS | 10-SEP-91 |
| | OO-L-131K(1) | LAUNDRY EQUIPMENT, MISCELLANEOUS, COMMERCIAL[CUST: GL YD 99 IS] [REVIEW: 50 CE MC MD] | A | 3510 | / | IS | 04-NOV-76 |
| | MIL-L-43615A | LAUNDRY PRESS UNITS, COAT, TWO-OPERATOR[CUST: GL YD 99 IS] [REVIEW: 50 CE MC] | A | 3510 | | IS | 24-JUN-75 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-L-43575A | LAUNDRY PRESS, COMMERCIAL, CABINET TYPE, SINGLE LAY, AND CABINET, DRYING, FOR WASHABLE TROUSERS[CUST: GL YD 99 IS] [REVIEW: CE MC] | A | 3510 | | IS | 01-JUN-70 |
| | OO-L-138C(1) | LAUNDRY PRESSES, COMMERCIAL[CUST: GL YD 99 IS] [REVIEW: 50 CE CR4 MC MD] | A | 3510 | / | IS | 02-NOV-76 |
| | A-A-59363 | LAUNDRY PRESSING AND FINISHING EQUIPMENT (NAVAL SHIPBOARD)[CUST: SH] [REVIEW: YD] | A | 3510 | / | SH | 21-JAN-99 |
| | ASTM-D1146 | LAYERS, POTENTIALLY ADHESIVE, BLOCKING POINT OF[CUST: MR SH 11] [REVIEW: AR AS CR4 GL IS MI OS SA YD] | A | 8040 | | MR | 10-MAR-00 |
| | A-A-59168 NOT 1 | LAYOUT FLUID (DYE), BLUE[CUST: AS 68] [REVIEW: SH] | A | 6850 | / | GS3 | 22-MAR-04 |
| | STANAG-2066 ED.5 | LAYOUT FOR MILITARY CORRESPONDENCE | C | ISDA | | AI | 22-JUN-90 |
| | SAE-AMS-L-18331 | LEAD ALLOY PIG[CUST: AS] | A | 9650 | | AS | JUN-99 |
| | SAE-AMS7721 | LEAD ALLOY SHEET AND EXTRUSIONS 93PB - 6.5SB - 0.50SN AS FABRICATED[CUST: MR AS 11 IS] | A | 9535 | | IS | 01-OCT-86 |
| | SAE-AMS2415 | LEAD AND INDIUM PLATING[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | 10-OCT-91 |
| | A-A-59205 | LEAD ASSEMBLY, POWER, ELECTRICAL[CUST: CR4 GS2] [REVIEW: AT] | A | 6150 | / | GS2 | 08-NOV-00 |
| | MIL-L-3055C(1) | LEAD AZIDE[CUST: AR] | A | 1376 | | AR | 19-MAR-93 |
| | MIL-L-14758(2) | LEAD AZIDE (SPECIAL PURPOSE) (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: EA] | A | 1345 | | AR | 09-DEC-86 |
| | MIL-L-46225C(3) | LEAD AZIDE RD-1333 (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: EA] | A | 1376 | | AR | 11-MAY-90 |
| | JAN-L-488 NOT 2 | LEAD CHROMATE (FOR USE IN AMMUNITION)[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 22-MAR-99 |
| | ASTM-D3237 | LEAD IN GASOLINE BY ATOMIC ABSORPTION SPECTROMETRY, TEST METHOD FOR[CUST: MR] | A | 91GP | | MR | MAY 89 |
| | ASTM-D5059 | LEAD IN GASOLINE BY X-RAY SPECTROSCOPY[CUST: AT] | A | 9130 | | AT | 10-APR-98 |
| | ASTM-D3559 | LEAD IN WATER[CUST: 68 GS3] [REVIEW: CR4 GL SH] | A | 6810 | | GS3 | 06-AUG-90 |
| | MIL-L-46496(1) NOT 1 | LEAD MONONITRORESORCINATE (LMNR)[CUST: AR] | A | 1376 | | AR | 25-APR-88 |
| | QQ-L-171E NOT 1 | LEAD PIG[CUST: MR SH 99] [REVIEW: EA IS MI] | A | 9650 | / | SH | 01-MAR-88 |
| | MIL-L-13808B NOT 1 | LEAD PLATING (ELECTRODEPOSITED)[CUST: MR] [REVIEW: AR EA GS] | A | MFFP | | MR | 30-MAR-88 |
| | GG-L-180A | LEAD REPOINTER, PENCIL | A | 7520 | # | FSS | 21-SEP-72 |
| | MIL-L-13788 NOT 1 | LEAD SALICYLATE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 08-APR-86 |
| | QQ-L-201F(2) | LEAD SHEET[CUST: MR SH 99] [REVIEW: 84 AT CR4 OS YD] | A | 9535 | / | SH | 17-NOV-70 |
| | MIL-L-16355E | LEAD STYPHNATE, BASIC[CUST: AR] | A | 1376 | | AR | 12-JAN-93 |
| | MIL-L-757A(1) NOT 1 | LEAD STYPHNATE, NORMAL[CUST: AR OS] [REVIEW: MD MI] | A | 1376 | | AR | 21-MAR-88 |
| | MIL-L-65A NOT 1 | LEAD THIOCYANATE (SULPHOCYANATE)[CUST: AR] [REVIEW: EA GS MD MI] | A | 6810 | | AR | 14-JUL-99 |
| | ASTM-D3335 | LEAD, CADMIUM, AND COBALT IN PAINT BY ATOMICABSORPTION SPECTROSCOPY, TEST FOR LOW CONCENTRATIONS OF[CUST: MR AS] | A | 8010 | | MR | 05-NOV-91 |
| | A-A-52499 | LEAD, ELECTRICAL (STORAGE BATTERY)[CUST: AT] [REVIEW: CR4 GS] | A | 6140 | / | AT | 01-AUG-94 |
| | MIL-L-85297 NOT 1 | LEAD, EXPLOSIVE MARK 24 MOD 0 MARK 25 MOD 0[CUST: AS] | A | 1336 | | AS | 05-MAR-80 |
| | MIL-L-85602(1) | LEAD, EXPLOSIVE MARK 28 MOD O MARK 29 MOD O[CUST: AS] | A | 1336 | | AS | 25-APR-84 |
| | MIL-DTL-62548B | LEAD, IGNITION[CUST: AT] | A | 2920 | | AT | 24-AUG-98 |
| | A-A-53844A | LEAD, MARKING, DENTAL SURVEYOR[CUST: MD MS 03] | A | 6520 | / | MB | 22-JUN-92 |
| | ASTM-B29 | LEAD, REFINED[CUST: CR4 SH 99] | A | 9650 | | CR4 | 03-OCT-94 |
| | ASTM-D3122 | LEAD, STANDARD TEST METHOD FOR, IN THE ATMOSPHERE BY COLORIMETRIC DITHIZONE PROCEDURE[CUST: EA MS 99] | A | 6630 | | EA | 31-OCT-79 |
| | MIL-L-13283C | LEAD-ANTIMONY (FOR USE IN AMMUNITION)[CUST: MR] | A | 9650 | | AR | 09-MAR-90 |
| | SAE-AMS4855 | LEADED RED BRASS, SAND AND CENTRIFUGAL CASTINGS 85CU - 5.0SN - 5.0PB - 5.0ZN AS CAST[CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A | MECA | | MR | 01-APR-93 |
| | MIL-STD-1276G | LEADS FOR ELECTRONIC COMPONENT PARTS[Interface Standard][CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC SH] | A | 5999 | | CC | 14-MAR-05 |
| M | A-A-59215A | LEADS, STORAGE-BATTERY[CUST: CR YD 99] [REVIEW: 03 19 33 71 AS CG] | A | 6150 | / | GS2 | 16-MAR-06 |
| A | MIL-PRF-25567E NOT 1 | LEAK DETECTION COMPOUND, OXYGEN SYSTEMS[CUST: AV AS 68] [REVIEW: 11 EA MI] | A | 6850 | | GS3 | 08-JUL-05 |
| | A-A-59110 | LEAK DETECTOR, FUEL SYSTEM[CUST: 99] [REVIEW: FSS] | A | 4940 | / | 84 | 02-JUL-97 |
| | A-A-59355 | LEAK DETECTOR, HELIUM[CUST: AR 99] [REVIEW: 01 CC] | A | 4940 | / | 84 | 19-OCT-98 |
| | O-L-160A(I2) | LEAK PREVENTIVE COMPOUND, RADIATOR | A | 6850 | # | FSS | 08-JUN-78 |
| | ASTM-D1610 | LEATHER AND LEATHER PRODUCTS, CONDITIONING PRACTICE FOR TESTING[CUST: GL NU 99 CT] | A | 8330 | | CT | 22-FEB-91 |
| | ASTM-D2821 | LEATHER BY MEANS OF A TORSIONAL WIRE APPARATUS, MEASURING THE RELATIVE STIFFNESS OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 31-AUG-79 |
| | ASTM-D3790 | LEATHER BY OVEN DRYING, VOLATILE MATTER (MOISTURE) OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 27-APR-79 |
| | ASTM-D2207 | LEATHER BY THE BALL METHOD, BURSTING STRENGTH OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 26-JAN-90 |
| | ASTM-D2208 | LEATHER BY THE GRAB METHOD, BREAKING STRENGTH OF[CUST: GL NU 99 CT] [REVIEW: AR MC] | A | 83GP | | CT | 26-JAN-90 |
| | ASTM-D2213 | LEATHER OF COMPRESSIBILITY[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | ASTM-F696 | LEATHER PROTECTORS FOR RUBBER INSULATING GLOVES AND MITTENS[CUST: GL NU CT] [REVIEW: CR MD OS SH YD] | A | 8415 | | CT | 07-MAY-90 |
| | ASTM-D6012 | LEATHER TO (BLEEDING) COLOR STAIN TRANSFER, DETERMINATION OF RESISTANCE OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 19-APR-99 |
| | ASTM-D5052 | LEATHER TO WATER VAPOR, PERMEABILITY OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 10-OCT-95 |
| | ASTM-D1814 | LEATHER UNITS, MEASURING THICKNESS OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | ASTM-D6017 | LEATHER, DETERMINATION OF MAGNESIUM SULFATE (EPSOM SALT) IN[CUST: GL NU 99 CT] | A | 83GP | | CT | 19-APR-99 |
| | ASTM-D2346 | LEATHER, APPARENT DENSITY OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 06-NOV-68 |
| | A-A-59514 | LEATHER, CALFSKIN AND KIP, FOR HEADBANDS, LACING AND HANDICRAFT[CUST: GL 99] [REVIEW: 11] | A | 8330 | / | CT | 03-NOV-99 |
| | MIL-L-43283B NOT 1 | LEATHER, CALFSKIN, KIP, AND CATTLEHIDE FOR FOOTWEAR UPPERS, CHROME TANNED[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8330 | | CT | 01-SEP-87 |
| | KK-L-154F NOT 1 | LEATHER, CATTLEHIDE, (BAG AND CASE)[CUST: GL NU 99 CT] [REVIEW: CR4 MC MD] | A | 8330 | / | CT | 23-OCT-87 |
| | MIL-L-43704(1) NOT 1 | LEATHER, CATTLEHIDE, CHROME TANNED, FATLIQUORED[CUST: GL NU 11 CT] [REVIEW: MD] | A | 8330 | | CT | 30-OCT-87 |
| | MIL-L-40069D NOT 1 | LEATHER, CATTLEHIDE, CHROME-TANNED, COLD-CLIMATE[CUST: GL NU 99 CT] [REVIEW: AR EA MC MD] | A | 8330 | | CT | 05-AUG-87 |
| | MIL-DTL-32092 | LEATHER, CATTLEHIDE, DEERSKIN AND HORSEHIDE, CHROME TANNED[CUST: GL NU CT] [REVIEW: MD] | A | 8330 | | CT | 08-NOV-01 |
| | KK-L-2004 NOT 1 | LEATHER, CATTLEHIDE, DEERSKIN AND HORSEHIDE, CHROME TANNED[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8330 | / | CT | 22-APR-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-3122J | LEATHER, CATTLEHIDE, FOR FOOTWEAR UPPERS AND GUSSET, CHROME TANNED, FATLIQUORED[CUST: GL NU 11 CT] [REVIEW: 99] | A | 8330 | | CT | 24-OCT-00 |
| | MIL-L-40051E | LEATHER, CATTLEHIDE, FOR GLOVES[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8330 | | CT | 29-MAR-91 |
| | MIL-L-43541(3) NOT 1 | LEATHER, CATTLEHIDE, FOR VISORS AND CHINSTRAPS[CUST: GL 11 CT] [REVIEW: MD] | A | 8330 | | CT | 30-OCT-87 |
| | KK-L-201F(1) | LEATHER, CATTLEHIDE, LACE AND CUT LACES[CUST: GL NU 99 CT] [REVIEW: MD] | A | 8330 | / | CT | 18-FEB-71 |
| | MIL-DTL-32089 | LEATHER, CATTLEHIDE, LACE, AND CUT LACES[CUST: GL NU 11 CT] [REVIEW: MD] | A | 8330 | | CT | 24-AUG-01 |
| | MIL-DTL-32069 | LEATHER, CATTLEHIDE, RIGGING[CUST: GL NU CT] [REVIEW: MD] | A | 8330 | | CT | 20-JUL-00 |
| | MIL-DTL-32068 | LEATHER, CATTLEHIDE, STRAP, VEGETABLE TANNED[CUST: GL] [REVIEW: AT MD] | A | 8330 | | CT | 12-JUL-00 |
| | MIL-DTL-32071 | LEATHER, CATTLEHIDE, UPHOLSTERY[CUST: GL YD 11 CT] [REVIEW: AR AT MC SH] | A | 8330 | | CT | 28-JUL-00 |
| | MIL-L-81913A NOT 1 | LEATHER, CATTLEHIDE, VEGETABLE TANNED, FOR PACKING AND SEALS[CUST: AS CT] | A | 8330 | | CT | 29-OCT-91 |
| | KK-L-165C(2) NOT 1 | LEATHER, CATTLEHIDE, VEGETABLE-TANNED AND CHROME RETANNED, IMPREGNATED, AND SOLES[CUST: GL NU 99 CT] [REVIEW: MD] | A | 8330 | / | CT | 28-JUN-76 |
| | ASTM-D5053 | LEATHER, COLORFASTNESS OF CROCKING OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 10-OCT-95 |
| | ASTM-D6018 | LEATHER, DETERMINATING THE PRESENCE OF LEAD SALTS IN[CUST: GL NU 99 CT] | A | 83GP | | CT | 19-APR-99 |
| | ASTM-D4925 | LEATHER, FLEXIBILITY AND ADHESION OF FINISH ON[CUST: GL NU 99 CT] | A | 83GP | | CT | 31-MAR-89 |
| | KK-L-170C(2) NOT 3 | LEATHER, KIDSKIN, OR GOATSKIN, CHROME-TANNED[CUST: GL NU 99 CT] | A | 8330 | / | CT | 09-APR-03 |
| | ASTM-D2941 | LEATHER, MEASURING BREAK PATTERN OF (BREAK SCALE)[CUST: GL NU 99 CT] | A | 8330 | | CT | 28-MAY-73 |
| | FED-STD-311(3) | LEATHER, METHODS OF SAMPLING AND TESTING[CUST: GL SA 99 CT] [REVIEW: AS MC OS] | A | 83GP | / | CT | 15-JAN-69 |
| | ASTM-D2810 | LEATHER, PH OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 03-APR-72 |
| | ASTM-D2813 | LEATHER, SAMPLING, FOR PHYSICAL AND CHEMICAL TESTS[CUST: GL NU 99 CT] | A | 8330 | | CT | 03-OCT-94 |
| | MIL-DTL-32067 | LEATHER, SHEEPSKIN, CROME TANNED[CUST: GL NU 11 CT] [REVIEW: 99 MD] | A | 8330 | | CT | 12-JUL-00 |
| | ASTM-D2212 | LEATHER, SLIT TEAR RESISTANCE OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | ASTM-D6183 | LEATHER, TACKINESS OF FINISH ON[CUST: GL NU 99 CT] | A | 83GP | | CT | 19-APR-99 |
| | ASTM-D4704 | LEATHER, TEARING STRENGTH, TONGUE TEAR OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | ASTM-D2209 | LEATHER, TENSILE STRENGTH OF[CUST: GL NU 99 CT] [REVIEW: AR AS MC] | A | 83GP | | CT | 26-JAN-90 |
| | ASTM-D1813 | LEATHER, TEST SPECIMENS, MEASURING THICKNESS OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | ASTM-D2617 | LEATHER, TOTAL ASH IN[CUST: GL NU 99 CT] | A | 83GP | | CT | 10-MAY-96 |
| | ASTM-D4653 | LEATHER, TOTAL CHLORIDES IN[CUST: GL NU 99 CT] | A | 83GP | | CT | 30-JAN-87 |
| | ASTM-D1516 | LEATHER, WIDTH OF[CUST: GL NU 99] | A | 83GP | | CT | 05-MAR-96 |
| | MIL-L-3061B(1) | LECITHIN (FOR USE IN EXPLOSIVES)[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 05-JUN-03 |
| | MIL-L-82661(1) | LECITHIN, TECHNICAL[CUST: OS] [REVIEW: AS GS] | A | 6810 | | OS | 01-MAR-78 |
| | MIL-L-714G | LEGGINGS, MEN'S[CUST: NU CT] [REVIEW: 11] | A | 8440 | | CT | 30-NOV-88 |
| | DI-MISC-81558 | LEISURE TRAVEL IN CONJUNCTION WITH OFFICIAL MILITARY TRAVEL [AMSC: F7283] | A | MISC | | 10 | 30-JUL-97 |
| | MIL-PRF-49147D | LENS ASSEMBLY, EYEPIECE VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V)[CUST: CR] | A | 5855 | | CR | 04-MAR-99 |
| | MIL-PRF-49368C | LENS ASSEMBLY, EYEPIECE, AN/PVS-4 AND AN/TVS-5[CUST: CR] | A | 5855 | | CR | 04-MAR-99 |
| | MIL-PRF-49148D | LENS ASSEMBLY, OBJECTIVE VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V)[CUST: CR] | A | 5855 | | CR | 04-MAR-99 |
| | MIL-PRF-49367C | LENS ASSEMBLY, OBJECTIVE, 155MM AN/TVS-5[CUST: CR] | A | 5855 | | CR | 04-MAR-99 |
| | MIL-PRF-49366C | LENS ASSEMBLY, OBJECTIVE, 95MM AN/PVS-4[CUST: CR] | A | 5855 | | CR | 04-MAR-99 |
| | A-A-51334 | LENS MEASURING INSTRUMENT, OPHTHALMIC[CUST: MD MS 03] | A | 6540 | / | MD | 28-JAN-86 |
| | A-A-51252 | LENS SET, TRIAL, OPHTHALMIC, LARGE[CUST: MD MS 03] | A | 6540 | / | MB | 09-DEC-85 |
| | MS35420A NOT 1 | LENS, CLEARANCE MARKER LIGHT, BLACKOUT[CUST: MC] [REVIEW: 11 AS] | A | 6220 | | IS | 14-SEP-01 |
| | MS35421A NOT 1 | LENS, CLEARANCE MARKER LIGHT, SERVICE[CUST: MC] [REVIEW: 11 AS] | A | 6220 | | IS | 14-SEP-01 |
| | A-A-53992 | LENS, CONTACT, THREE-MIRROR, GOLDMANN[CUST: MD MS 03] | A | 6540 | / | MB | 30-SEP-89 |
| | A-A-54008 | LENS, DIPLOPIA TEST, RED[CUST: MD MS 03] [REVIEW: AT CC] | A | 6540 | / | MB | 27-SEP-89 |
| | MIL-PRF-38169A | LENS, GOGGLE AND VISOR, HELMET, OPTICAL CHARACTERISTICS, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: CT] | A | 8475 | | 11 | 10-JUN-98 |
| | A-A-53571 | LENS, INDIRECT OPHTHALMOSCOPE[CUST: MD MS 03] | A | 6540 | / | MB | 22-JUL-88 |
| | A-A-53088 | LENS, OPHTHALMIC, GLASS[CUST: MD MS 03] | A | 6540 | / | MB | 31-JUL-87 |
| | A-A-51707A | LENS, OPHTHALMIC, PLASTIC[CUST: MD MS 03] | A | 6540 | / | MB | 31-AUG-93 |
| | A-A-55698 | LENS, SCLERAL, OCULAR LAVAGE[CUST: MD MS 03] | A | 6540 | / | MB | 21-FEB-95 |
| | MIL-L-3661/19B NOT 2 | LENSES INDICATOR-LIGHT, DRIPPROOF, STYLE LC19[CUST: CR AS 99 IS] [REVIEW: 71 AR AT AV CR4 MC MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | ANSI-PH3.601 | LENSES, FOCAL LENGTH MARKINGS OF[CUST: CR AS 99] | A | 6760 | | 70 | 03-MAY-85 |
| | MIL-L-3661/53A(1) | LENSES, INDICATOR LIGHT, DIMMER, STYLE LC39[CUST: CR SH IS] [REVIEW: CR4] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/54A(1) | LENSES, INDICATOR LIGHT, STYLE LC40[CUST: CR SH IS] [REVIEW: CR4] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/52C(1) NOT 2 | LENSES, INDICATOR LIGHT, TARGET, STYLE LC38[CUST: CR SH IS] [REVIEW: CR4] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/32A NOT 2 | LENSES, INDICATOR-LIGHT, (ROTATABLE), STYLE LC32[CUST: CR AS 11 IS] [REVIEW: AT AV CR4 MC] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/14C NOT 2 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC14[CUST: CR AS 99 IS] [REVIEW: 71 AT AV CR4 MC MI OS] | A | 6210 | | IS | 21-AUG-01 |
| | MIL-L-3661/15C NOT 2 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC15[CUST: CR AS 99 IS] [REVIEW: 71 AT AV MC MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/16B NOT 2 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC16[CUST: CR AS 99 IS] [REVIEW: 71 AT AV CR4 EA MC MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/20B NOT 2 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC20[CUST: CR AS 99 GS] [REVIEW: 71 AT AV CR4 MC MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/21B NOT 2 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC21[CUST: CR AS 99 IS] [REVIEW: 71 AT AV CR4 MC MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/22B NOT 2 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC22[CUST: CR AS 99 IS] [REVIEW: 71 AT AV CR4 MC MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/12A NOT 2 | LENSES, INDICATOR-LIGHT, STYLE LC12[CUST: CR EC 11 IS] [REVIEW: AS CR4 EA MC MI] | A | 6210 | | IS | 21-AUG-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-L-3661/17C NOT 2 | LENSES, INDICATOR-LIGHT, STYLE LC17, CONVEX, COMPLETE-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER[CUST: CR EC 99 IS] [REVIEW: 71 AS AT CR4 MC MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/18C NOT 2 | LENSES, INDICATOR-LIGHT, STYLE LC18, CONVEX, SEMI-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER[CUST: CR AS 99 IS] [REVIEW: 71 AT AV CR4 MC MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/23B NOT 2 | LENSES, INDICATOR-LIGHT, STYLE LC23, CONVEX, COMPLETE-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER[CUST: CR AS 99 IS] [REVIEW: 71 CR4 MC MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/24B NOT 2 | LENSES, INDICATOR-LIGHT, STYLE LC24, CONVEX, SEMI-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER[CUST: CR AS 99 IS] [REVIEW: 71 AT AV CR4 MC MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/30A NOT 2 | LENSES, INDICATOR-LIGHT, STYLE LC30[CUST: CR AS 11 IS] [REVIEW: CR4 MC MI] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/31 NOT 2 | LENSES, INDICATOR-LIGHT, STYLE LC31[CUST: CR AS 11 IS] [REVIEW: CR4 MC] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/36A NOT 2 | LENSES, INDICATOR-LIGHT, STYLE LC36, COMPLETE-BLACKOUT, WATERTIGHT, MECHANICAL DIMMER[CUST: CR AS 99 IS] [REVIEW: 71 AT CR4 MC MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/37A NOT 2 | LENSES, INDICATOR-LIGHT, STYLE LC37, SEMI-BLACKOUT, WATERTIGHT, MECHANICAL DIMMER[CUST: CR AS 99 IS] [REVIEW: 71 AT CR4 MI OS] | A | 6210 | | IS | 20-SEP-01 |
| | MIL-L-3661/33(1) NOT 1 | LENSES, INDICATOR-LIGHT, WATERTIGHT, STYLE LC33[CUST: CR AS 99 IS] [REVIEW: 71 CR4 MC MI] | A | 6210 | | IS | 24-JUN-03 |
| | MIL-L-3661/35 NOT 2 | LENSES, INDICATOR-LIGHT, WATERTIGHT, STYLE LC35[CUST: CR AS 11 IS] [REVIEW: AR CR4 MC MI] | A | 6210 | | IS | 20-SEP-01 |
| | ANSI-Z80.1 | LENSES, RECOMMENDATIONS FOR PRESCRITION OPHTHALMIC[CUST: MD MS 03 MB] | A | 6540 | | MB | 05-NOV-84 |
| | DI-MISC-81457 | LESSON STRATEGY REPORT [AMSC: F7111] | A | MISC | | 11 | 23-JAN-95 |
| | A-A-53109 | LETTER SET, X-RAY FILM MARKING[CUST: MD MS 03] | A | 6525 | / | MB | 31-AUG-87 |
| | ANSI-Y10.5 | LETTER SYMBOLS FOR QUANTITIES USED IN ELECTRICAL SCIENCE & ELECTRICAL ENGINEERING[CUST: AR SH 11] [REVIEW: AV CR4 MC MI OS YD] | A | DRPR | | AR | 15-APR-68 |
| | IEEE260 | LETTER SYMBOLS FOR UNITS OF MEASUREMENT (SI UNITS, CUSTOMARY INCH-POUND UNITS, AND CERTAIN OTHER UNITS)[CUST: AR SH 11] [REVIEW: 99 AS EC MC MI YD] | A | MISC | | SH | 16-JUN-78 |
| | A-A-52304 NOT 1 | LETTERING SETS AND ACCESSORIES[CUST: CE 99 IS] [REVIEW: AR MC YD] | A | 6675 | / | IS | 27-SEP-01 |
| | A-A-20173B | LETTUCE, READY-TO-USE, FRESH[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | GL | 27-DEC-01 |
| | QSTAG-1060 ED.1 | LEVEL OF AIR DEFENSE COMMAND IN A COALITION[CUST: AI] | C | ISDA | | AI | 17-DEC-96 |
| | A-A-52002 NOT 2 | LEVEL, CIRCULAR, ROD[CUST: CE IS] | A | 6675 | / | IS | 27-SEP-01 |
| | A-A-50685 NOT 2 | LEVEL, PRECISION MASTER, SINGLE FACE[CUST: 99 IS] [REVIEW: 84] | A | 5220 | / | IS | 21-AUG-01 |
| | A-A-52036B | LEVEL, SURVEYING, SELF-LEVELING, AND TILTING[CUST: CE3 YD 99 GS] [REVIEW: CR] | A | 6675 | / | CE3 | 28-JUN-04 |
| | A-A-52299B | LEVEL, SURVEYING: LOCATOR'S, HAND-TYPE[CUST: CE3 YD 99 IS] [REVIEW: CR MC] | A | 6675 | / | CE3 | 22-JUL-04 |
| | QSTAG-423 ED.2 | LEVELS OF MEDICAL SUPPORT[CUST: AI] | C | ISDA | | AI | 12-AUG-91 |
| | QSTAG-1151 ED.1 | LEVELS OF PACKAGING[CUST: AI] | C | ISDA | | AI | PENDING |
| | A-A-52025 NOT 1 | LEVELS, SURVEYING: ABNEY TYPE[CUST: CE YD IS] [REVIEW: MC] | A | 6675 | / | IS | 27-SEP-01 |
| | A-A-0053151 | LEVOBUNOLOL HYDROCHLORIDE OPHTHALMIC SOLUTION[CUST: MD MS 03] | A | 6505 | * | MB | 19-AUG-87 |
| | DI-MISC-81055A | LIBRARY COLLECTION DEVELOPMENT SELECTION SCHEME AND CENTRAL FUNDS BUDGET SUBMISSION [AMSC: F7189] | A | MISC | | 10 | 13-JUL-96 |
| | A-A-53514 | LID, ANAEROBIC CULTURE APPARATUS[CUST: MD MS 03] | A | 6640 | / | MB | 01-JUN-88 |
| | A-A-53323 | LIDDING SHEET, UNIT DOSE[CUST: MD MS 03] | A | 6530 | / | MB | 26-FEB-88 |
| | DI-FNCL-80448 | LIFE CYCLE COST (LCC) AND INDEPENDENT SCHEDULE ASSESSMENT (ISA) REPORT [AMSC: F4224] | A | FNCL | | 10 | 30-SEP-87 |
| | MIL-HDBK-259 | LIFE CYCLE COST IN NAVY ACQUISITIONS[CUST: AS] [REVIEW: EC OS SA SH] | A | MISC | | AS | 01-APR-83 |
| | MIL-HDBK-276/1 | LIFE CYCLE COST MODEL FOR DEFENSE MATERIEL SYSTEMS DATA COLLECTION WORKBOOK[CUST: MC] | A | MISC | | MC | 03-FEB-84 |
| | MIL-HDBK-276/2 | LIFE CYCLE COST MODEL FOR DEFENSE MATERIEL SYSTEMS OPERATING INSTRUCTIONS[CUST: MC] | A | MISC | | MC | 03-FEB-84 |
| | SD-19 | LIFE CYCLE COST SAVINGS THROUGH PARTS MANAGEMENT[CUST: AM NM 01 DH] | A | SDMP | | SO | 01-JUN-01 |
| | QAP-250 ED.1 | LIFE CYCLE TESTING OF 105 MM HOWITZER AMMUNITION | C | ISDA | | AI | 18-JUL-01 |
| | QAP-249 ED.1 | LIFE CYCLE TESTING OF 25MM AMMUNITION | C | ISDA | | AI | 05-DEC-00 |
| | QAP-238 ED.1 | LIFE CYCLE TESTING OF 5.56 MM AMMUNITION | C | ISDA | | AI | 18-JUL-01 |
| | QAP-246 ED.1 | LIFE CYCLE TESTING OF 7.62MM AMMUNITION | C | ISDA | | AI | 14-NOV-00 |
| | QAP-245 ED.1 | LIFE CYCLE TESTING OF 9 MM AMMUNITION | C | ISDA | | AI | 24-JAN-01 |
| | STANAG-2997 ED.1 | LIFE JACKETS AND PERSONAL FLOATATION DEVICES | C | ISDA | | AI | 03-JUN-97 |
| | A-A-59772 | LIFE PRESERVER, ABANDON SHIP[CUST: SH 03] [REVIEW: 11 84 99 AS IS] | A | 4220 | / | SH | 11-APR-05 |
| | MIL-L-16383H | LIFE PRESERVER, CO2 INFLATABLE, UNDERWATER DEMOLITION TEAM[CUST: SH] [REVIEW: AS CC CR4] | A | 4220 | | SH | 10-FEB-88 |
| A | QPL-16383-27 | LIFE PRESERVER, CO2 INFLATABLE, UNDERWATER DEMOLITION TEAM | A | 4220 | | SH | 13-DEC-05 |
| | A-A-59766 | LIFE PRESERVER, INHERENTLY BUOYANT WITH COLLAR[CUST: SH 03] [REVIEW: 11 84 99 AS IS] | A | 4220 | / | SH | 03-FEB-05 |
| | A-A-59767 | LIFE PRESERVER, MK-1[CUST: SH 03] [REVIEW: 11 84 99 AS IS] | A | 4220 | / | SH | 03-FEB-05 |
| | QPL-25798-4 | LIFE PRESERVER, UNDERARM, CASUALTY, TYPE MB-1 | A | 4220 | | 11 | 31-JUL-98 |
| | A-A-50652 | LIFE PRESERVER, VEST, ADULT OR CHILD (35 POUND BUOYANCY)[CUST: 99] | A | 4220 | / | 84 | 04-MAR-81 |
| | A-A-59391 | LIFE PRESERVER, VEST, CONTAINERIZED, ADULT OR CHILD (35-POUND BUOYANCY)[CUST: AV 99] | A | 4220 | / | 11 | 07-JAN-99 |
| | QPL-15581-34 | LIFE PRESERVERS, CO2, INFLATABLE, POUCH TYPE | A | 4220 | | SH | 22-NOV-02 |
| | MIL-L-3454G | LIFE PRESERVERS; PACKAGING OF[CUST: SM SH 99] [REVIEW: 84 CC CR4] | A | PACK | | SH | 19-MAR-91 |
| | QPL-85824-4 | LIFE RAFT, INFLATABLE, ONE MAN VEE BOTTOM LRU-18/U | A | 4220 | | AS | 22-MAY-00 |
| | QPL-81542-21 | LIFE RAFT, INFLATABLE, ONE MAN, TYPE LR-1 | A | 4220 | | AS | 26-MAR-01 |
| | MIL-L-85824A(1) | LIFE RAFT, INFLATABLE, ONE-MAN, VEE BOTTOM, LRU-18/U[CUST: AS] | A | 4220 | | AS | 11-MAY-90 |
| | MIL-L-5567F(2) | LIFE RAFTS, INFLATABLE - 4 AND 7 MAN - FOR AIRCRAFT USE[CUST: CR4 AS 99] [REVIEW: 84 CC] | A | 4220 | | AS | 07-NOV-86 |
| | QPL-5567-38 | LIFE RAFTS, INFLATABLE, 4 AND 7 MAN, FOR AIRCRAFT USE | A | 4220 | | AS | 22-MAY-00 |
| | MIL-PRF-18494F | LIFE RAFTS, INFLATABLE, MULTI-PLACE[CUST: AS] | A | 4220 | | AS | 31-MAY-03 |
| M | QPL-18494-27 | LIFE RAFTS, INFLATABLE, MULTI-PLACE | A | 4220 | | AS | 13-MAR-06 |
| | MIL-L-9131H | LIFE RAFTS, INFLATABLE, TWENTY MAN[CUST: CR4 AS 99] | A | 4220 | | AS | 07-JAN-83 |
| | QPL-9131-27 | LIFE RAFTS, INFLATABLE, TWENTY MAN | A | 4220 | | AS | 22-MAY-00 |
| D | NFPA101 | LIFE SAFETY CODE[CUST: MI YD] | A | SAFT | | YD | 11-FEB-94 |
| | QPL-24489-9 | LIFEBOAT, INFLATABLE MARK 6, 25-PERSON CAPACITY | A | 1940 | | SH | 06-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-209K | LIFTING AND TIEDOWN PROVISIONS[Interface Standard][CUST: MT SA 11] [REVIEW: 84 99 AR AT AV CC CR CR4 GL MC MI SM TE] | A | 2540 | | MT | 22-FEB-05 |
| | MS25219G(1) | LIGHT - NAVIGATIONAL AND WARNING, AIRCRAFT[CUST: AV AS 99 IS] [REVIEW: 71] | A | 6220 | | IS | 03-JUN-02 |
| | AN3147 REV A(1) | LIGHT ASSEMBLY - FIXED LANDING (PAR-46 BULB, FLAT)[CUST: 99 IS] | A | 6220 | | IS | 30-MAY-02 |
| | AN3146 REV A(1) | LIGHT ASSEMBLY - PASSING[CUST: 99 IS] [REVIEW: 71] | A | 6220 | | IS | 30-MAY-02 |
| | SAE-AS25027 | LIGHT ASSEMBLY, COCKPIT, FIXED[CUST: AV AS 99] | A | 6220 | | AS | JUL-99 |
| | MIL-L-7830D | LIGHT ASSEMBLY, MARKER, AIRCRAFT OBSTRUCITION[CUST: CR4 AS 99 IS] [REVIEW: 11 YD] | A | 6210 | | IS | 15-SEP-83 |
| | MS25331C NOT 2 | LIGHT ASSEMBLY, PRESS TO TEST INDICATOR[CUST: CR4 AS 99] [REVIEW: 71 AT AV MI] | A | 6210 | | IS | 27-SEP-01 |
| | MIL-L-3976/1A | LIGHT EMITTING DIODE (LED), MAKER CLEARANCE-BLACKOUT, 14 AND 28 VOLT[CUST: AT] | A | 6220 | | IS | 16-JUN-92 |
| A | A-A-59781 | LIGHT EMITTING DIODES FOR USE AS INDICATOR LIGHTS[CUST: CR SH 99] [REVIEW: 11 19 CC CG EC MI] | A | 5980 | / | SH | 25-OCT-05 |
| | STANAG-7079 ED.1(1) | LIGHT FITTINGS FOR AIRFIELD VISUAL AIDS (RUNWAY IN-PAVEMENT LIGHTS) - AEP-12 | C | ISDF | | 06 | 27-JUL-95 |
| | AEP-12(1) | LIGHT FITTINGS FOR AIRFIELD VISUAL AIDS(RUNWAY IN-PAVEMENT LIGHTS) (CHANGE 1 INCLUDED) | C | ISDA | | AI | 31-JAN-83 |
| A | MIL-STD-1290A NOT 2 | LIGHT FIXED AND ROTARY-WING AIRCRAFT CRASH RESISTANCE[Military Standard][CUST: AV AS 11] | A | 15GP | | AS | 17-JAN-06 |
| | DI-MGMT-80401 | LIGHT HELICOPTER EXPERIMENTAL PROGRAM ACCOMPLISHMENT REPORT [AMSC: A4167] | A | MGMT | | AM | 04-AUG-87 |
| | MIL-D-42048/1 | LIGHT SET, DENTAL OPERATING, FIELD[CUST: MD MS 03] | A | 6520 | | MB | 09-NOV-87 |
| | MIL-PRF-44259D(1) | LIGHT SET, PORTABLE, FLUORESCENT[CUST: GL 99 IS] [REVIEW: 84] | A | 6230 | | IS | 16-MAR-04 |
| | MIL-L-85314/2A | LIGHT SYSTEM, SUPERSONIC & SMALL SUBSONIC AIRCRAFT, ANTI COLLTSTON, STROBE, RED & WHITE MODE, WING, FUSELAGE, VERTICAL STABILIZER MOUNTED[CUST: AV AS 11] | A | 6220 | | AS | 30-JUN-83 |
| | MIL-L-85314/1B | LIGHT SYSTEMS, AIRCRAFT, ANTI-COLLISION, STROBE, DUAL (RED AND WHITE) MODE, FUSELAGE MOUNTED[CUST: AV AS 11] | A | 6220 | | AS | 13-MAR-92 |
| | MIL-L-85314A(2) | LIGHT SYSTEMS, AIRCRAFT, ANTI-COLLISION, STROBE, GENERAL SPECIFICATION FOR[CUST: AV AS 11] | A | 6220 | | AS | 20-MAR-92 |
| | MIL-L-85314/4A | LIGHT SYSTEMS, SUBSONIC AIRCRAFT, ANTI COLLISION, STROBE, FUSELAGE MOUNTED RED SOURCE & WING TIP MOUNTED WHITE SOURCE[CUST: AV AS 11] | A | 6220 | | AS | 30-JUN-83 |
| | A-A-59575 | LIGHT UNIT, PORTABLE, (HAZARDOUS LOCATION USE, FOR INSIDE PAINT SPRAY BOOTH)[CUST: 99] | A | 6230 | / | 84 | 19-APR-04 |
| | MIL-L-24560/1A NOT 3 | LIGHT, AIRCRAFT WARNING, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 160.1[CUST: SH] | A | 6220 | | SH | 10-MAY-05 |
| | MIL-L-6723C SUP 1 | LIGHT, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: 99 AT CR4 GS MC MI] | A | 6220 | | AS | 01-NOV-87 |
| | MIL-L-25971B(1) | LIGHT, AIRPORT TRAFFIC[CUST: 99 IS] [REVIEW: 11 AS] | A | 6210 | | IS | 27-JAN-84 |
| | MIL-L-24560/3A NOT 3 | LIGHT, APPROACH (HULL CONTOUR), BLUE, 120 VOLTS, 25 WATTS, ONE LAMP, SYMBOL 164.3[CUST: SH] | A | 6220 | | SH | 10-MAY-05 |
| | MS25318C | LIGHT, APPROACH, 28 VOLT[CUST: AS] [REVIEW: GS] | A | 6220 | | AS | 15-APR-91 |
| | MIL-L-7158E NOT 1 | LIGHT, BEACON, ROTATING, 24 INCH[CUST: AS 99 IS] [REVIEW: YD] | A | 6210 | | IS | 15-JAN-91 |
| | A-A-51314 | LIGHT, BED, HOSPITAL[CUST: MD MS 03] [REVIEW: GS] | A | 6230 | / | MB | 26-DEC-85 |
| | A-A-55432 NOT 1 | LIGHT, CHEMILUMINESCENT, 15 IN - 12 HR - B, E, F[CUST: EC 99 IS] [REVIEW: YD] | A | 6260 | / | IS | 27-MAY-05 |
| | A-A-55433 NOT 1 | LIGHT, CHEMILUMINESCENT, 15 IN - 8 HR - A, G[CUST: EC 99 IS] [REVIEW: YD] | A | 6260 | / | IS | 27-MAY-05 |
| | A-A-55434 NOT 1 | LIGHT, CHEMILUMINESCENT, 4 IN - 6 HR - B, C[CUST: EC 99 IS] [REVIEW: YD] | A | 6260 | / | IS | 27-MAY-05 |
| | A-A-55134 NOT 1 | LIGHT, CHEMILUMINESCENT, 6 IN - 12 HOUR - B, C, E, F[CUST: EC 99 IS] [REVIEW: YD] | A | 6260 | / | IS | 26-MAY-05 |
| | A-A-55135 NOT 1 | LIGHT, CHEMILUMINESCENT, 6 IN - 5 IN - C[CUST: EC 99 IS] [REVIEW: YD] | A | 6260 | / | IS | 27-MAY-05 |
| | A-A-55131 | LIGHT, CHEMILUMINESCENT, 6 IN - 8 HR - A, G[CUST: EC 99 IS] [REVIEW: YD] | A | 6260 | * | IS | 10-DEC-92 |
| | A-A-55133 NOT 1 | LIGHT, CHEMILUMINESCENT, 6-IN - 30 MIN - G[CUST: EC 99 IS] [REVIEW: YD] | A | 6260 | / | IS | 26-MAY-05 |
| | A-A-55132 NOT 1 | LIGHT, CHEMILUMINESCENT, 6-IN - 30 MIN E, F[CUST: EC 99 IS] [REVIEW: YD] | A | 6260 | / | IS | 26-MAY-05 |
| | QPL-6484-14 | LIGHT, COCKPIT UTILITY, AIRCRAFT GENERAL SPECIFICATION FOR | A | 6220 | | IS | 19-APR-99 |
| | MS17245E NOT 1 | LIGHT, COCKPIT, UTILITY[CUST: AV AS 99 IS] [REVIEW: 71] | A | 6220 | | IS | 14-SEP-01 |
| | MIL-L-42006A | LIGHT, DENTAL, OPERATING[CUST: MD MS 03] | A | 6520 | | MB | 04-AUG-86 |
| | A-A-50815A | LIGHT, DESK HIGH INTENSITY[CUST: MD MS 03] [REVIEW: GS] | A | 6230 | / | MB | 24-MAR-89 |
| | SAE-AS7768/1 | LIGHT, DESK, AIRCRAFT[CUST: AS] [REVIEW: GS IS] | A | 6230 | | AS | AUG-98 |
| | SAE-AS7768 | LIGHT, DESK, AIRCRAFT[CUST: AS 99] [REVIEW: GS IS] | A | 6230 | | AS | AUG-98 |
| | W-L-00311B(2) | LIGHT, DESK, INCANDESCENT, FLEXIBLE COLUMN | A | 6230 | # | FSS | 13-NOV-73 |
| | MS25358C NOT 1 | LIGHT, DOME, CABIN-RED AND WHITE[CUST: CR4 AS 99] [REVIEW: AT GS] | A | 6220 | | AS | 31-DEC-87 |
| | MS51073A NOT 2 | LIGHT, DOME: 24 VOLT DC[CUST: IS] [REVIEW: CR4] | A | 6220 | | IS | 14-SEP-01 |
| | MIL-L-25866B(1) NOT 1 | LIGHT, EMERGENCY EXIT, AIRCRAFT LEU-1/A[CUST: 99 IS] [REVIEW: 71 AV GS] | A | 6220 | | IS | 15-MAR-91 |
| | A-A-60006 NOT 1 | LIGHT, EXTENSION, ELECTRICAL[CUST: MI YD 99] [REVIEW: 71 GL GS MC] | A | 6230 | / | IS | 16-JAN-03 |
| | A-A-59573 | LIGHT, EXTENSION- (PORTABLE, FLUORESCENT, HAZARDOUS LOCATION USE)[CUST: 99] | A | 6230 | / | 84 | 05-APR-04 |
| | A-A-54691 | LIGHT, FLOOR[CUST: MD MS 03] | A | 6530 | / | MB | 25-JUN-92 |
| | MIL-L-81848 | LIGHT, FLUORESCENT, MAGNIFYING, ADJUSTABLE ARM[CUST: AS] [REVIEW: GS] | A | 6230 | | AS | 28-FEB-72 |
| | A-A-54771 | LIGHT, HEAD, DIAGNOSTIC, LEMPERT-STORZ[CUST: MD MS 03] | A | 6515 | / | MB | 18-DEC-92 |
| | A-A-51975 | LIGHT, HEAD, SURGICAL[CUST: MD MS 03] | A | 6515 | | MB | 26-JUN-87 |
| | MS25041G(1) | LIGHT, INDICATOR, PRESS TO TEST, SMALL[CUST: CR4 AS 99 IS] [REVIEW: AT] | A | 6210 | | IS | 30-MAY-02 |
| | MIL-L-81174/2B | LIGHT, LANDING, AIRCRAFT, CONTROLLABLE[CUST: AV AS 99] [REVIEW: CG GS MC] | A | 6220 | | AS | 21-SEP-72 |
| | MIL-L-81174/4A(1) | LIGHT, LANDING, AIRCRAFT, RETRACTABLE[CUST: AV AS 99] [REVIEW: GS] | A | 6220 | | AS | 09-MAR-84 |
| | MIL-L-81174/3 | LIGHT, LANDING, AIRCRAFT, RETRACTABLE (PAR 46 LAMP)[CUST: AV AS 99] [REVIEW: CG GS MC] | A | 6220 | | AS | 07-DEC-64 |
| | MIL-L-81174/1B(1) | LIGHT, LANDING, AIRCRAFT, RETRACTABLE (PAR 64, 28 OR 120 VOLT LAMP)[CUST: AV AS 99] [REVIEW: 71 GS] | A | 6220 | | AS | 06-NOV-92 |
| | MIL-DTL-24560/15C | LIGHT, LENS, FRESNEL, GLOBE, CLASS 3, TRANSPARENT (CLEAR, CLEAR MASKED, RED, GREEN, BLUE AND YELLOW)[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| | MIL-L-3976/2 | LIGHT, MARKER CLEARANCE-BLACKOUT, 24 VOLTS[CUST: 99] [REVIEW: AS MC MI] | A | 6220 | | IS | 16-JUN-92 |
| | AN2547 REV 5 NOT 1 | LIGHT, MARKER, AIRCRAFT OBSTRUCTION[CUST: CR4 AS 99 IS] [REVIEW: GS] | A | 6210 | | IS | 19-SEP-01 |
| | MIL-L-26990B(2) | LIGHT, MARKER, AIRPORT APPROACH, HIGH INTENSITY, TYPE MB-1[CUST: AS 99 IS] [REVIEW: YD] | A | 6210 | | IS | 04-AUG-78 |
| | MIL-L-26764B | LIGHT, MARKER, AIRPORT APPROACH, HIGH INTENSITY, TYPE MB-2[CUST: AS 99 IS] [REVIEW: YD] | A | 6210 | | IS | 04-MAR-70 |
| | MS26578B(1) | LIGHT, MARKER, AIRPORT, SEMIFLUSH, BASE MOUNTED, BIDIRECTIONAL AND UNIDIRECTIONAL[CUST: AS 99 IS] [REVIEW: 71] | A | 6210 | | IS | 05-SEP-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS27033B(1) NOT 2 | LIGHT, MARKER, AIRPORT, SEMIFLUSH, BASE MOUNTED, OMNIDIRECTIONAL[CUST: AS 99 IS] [REVIEW: 71] | A | 6210 | | IS | 05-SEP-02 |
| | QPL-26202-7 | LIGHT, MARKER, AIRPORT, SEMIFLUSH, GENERAL SPECIFICATION FOR | A | 6210 | | IS | 31-AUG-87 |
| | MIL-L-26202D(2) NOT 1 | LIGHT, MARKER, AIRPORT, SEMIFLUSH, GENERAL SPECIFICATION FOR[CUST: AS 99 IS] [REVIEW: 11 YD] | A | 6210 | | IS | 24-JAN-94 |
| | MS35423B(1) NOT 1 | LIGHT, MARKER, CLEARANCE-SERVICE[CUST: AT MC 99 IS] [REVIEW: 71 AS CR4] | A | 6220 | | IS | 05-SEP-02 |
| | A-A-52614 NOT 1 | LIGHT, MARKER, DIRECTIONAL, FLASHING[CUST: AT AS 99 GS] [REVIEW: 71 AV CE MC YD] | A | 6230 | / | AT | 19-APR-04 |
| | MIL-L-81509(2) | LIGHT, MARKER, DISTRESS, BUOYANT, DROPPABLE[CUST: AS] [REVIEW: GS] | A | 6230 | | AS | 27-JUL-73 |
| | MIL-L-52190C | LIGHT, MARKER, GROUND OBSTRUCTION, EMERGENCY, ROADWAY AND AIRFIELD[CUST: CR4 IS] [REVIEW: AV GS] | A | 6230 | | IS | 17-MAR-83 |
| | MIL-L-52543D(1) | LIGHT, MARKER, GROUND-OBSTRUCTION[CUST: CR4 AS IS] [REVIEW: AV GS YD] | A | 6230 | | IS | 30-OCT-90 |
| | MIL-L-19661A(5) | LIGHT, MARKER, PORTABLE, EMERGENCY, AIRFIELD, BATTERY OPERATED, GENERAL SPECIFICATION FOR[CUST: CR4 AS 99] [REVIEW: GS MC] | A | 6230 | | AS | 20-OCT-99 |
| | A-A-51086 | LIGHT, MICROSCOPE (ADJUSTABLE, 115 VOLT, 60HZ, AC)[CUST: MD MS 03] | A | 6650 | / | MB | 04-NOV-85 |
| | MIL-L-24560/23 NOT 3 | LIGHT, NAVIGATION, ANCHOR AND BOOM, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 161.4[CUST: SH] | A | 6220 | | SH | 10-MAY-05 |
| | MIL-DTL-24560/12C | LIGHT, NAVIGATION, IDENTIFICATION (SUBMARINE), YELLOW, 120 VOLTS, 500 WATTS, ONE LAMP, SYMBOL 233.1[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| | MIL-L-24560/10B NOT 2 | LIGHT, NAVIGATION, MASTHEAD, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 172.2[CUST: SH] | A | 6220 | | SH | 10-MAY-05 |
| | MIL-L-24560/7A(1) NOT 2 | LIGHT, NAVIGATION, RED AND CLEAR SYMBOL 193.1, RED AND GREEN-SYMBOL 194, 120 VOLTS, 180 WATTS, NINE LAMPS[CUST: SH] | A | 6220 | | SH | 10-MAY-05 |
| | MIL-L-6273D | LIGHT, NAVIGATIONAL, BEACON, OBSTACLE OR CODE, TYPE G-1[CUST: AS 99 IS] [REVIEW: 01 11 YD] | A | 6210 | | IS | 09-NOV-83 |
| | MS25444A NOT 1 | LIGHT, ROTATING BEACON, 24 INCH, DUPLEX[CUST: AS 99 IS] | A | 6210 | | IS | 24-JAN-94 |
| | MIL-L-5904D(1) | LIGHT, RUNWAY MARKER, ELEVATED, TYPE C-1[CUST: AV AS 99 IS] [REVIEW: 11 YD] | A | 6210 | | IS | 08-OCT-81 |
| | MIL-L-24282 | LIGHT, SIGNAL, MULTIPURPOSE, KIT, NONMAGNETIC, SYMBOL 106.1[CUST: SH] | A | 5850 | | SH | 03-JUL-68 |
| | MIL-L-24560/4A NOT 2 | LIGHT, SIGNAL, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 190.1[CUST: SH] | A | 6220 | | SH | 10-MAY-05 |
| | A-A-54072 | LIGHT, SLIT, OPHTHALMIC (WITH TONOMETER[CUST: MS MS 03] | A | 6540 | / | MB | 22-JAN-90 |
| | MS17287B | LIGHT, STATION MARKING BOX, SP SYM. NO. 285 FOR NIGHT REPLENISHMENT OPERATIONS[CUST: SH] [REVIEW: GS] | A | 6230 | | SH | 15-JUN-88 |
| | A-A-50444 | LIGHT, STROBE, LIFE PRESERVER[CUST: CR4 SH] [REVIEW: AS AT AV EA GS MC YD] | A | 6230 | / | SH | 12-AUG-91 |
| | A-A-54850 | LIGHT, SURGICAL, CEILING VENTILATED DOME, ROTATION TYPE[CUST: MD MS 03] | A | 6530 | / | MB | 16-APR-93 |
| | A-A-54251 | LIGHT, SURGICAL, FIELD[CUST: MD MS 03] | A | 6530 | / | MB | 23-NOV-90 |
| | A-A-54094 | LIGHT, SURGICAL, STAND[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAR-90 |
| | A-A-54996 | LIGHT, ULTRAVIOLET, SPECIMEN EXAMINING (110 VOLTS, 60 CYCLE, AC OR BATTERY OPERATED)[CUST: MD MS 03] | A | 6530 | / | MB | 16-DEC-94 |
| | MIL-DTL-24560/11B | LIGHT, WAKE, WHITE, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 200.2[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| | MIL-L-9965A(1) NOT 1 | LIGHT, WARNING, VEHICULAR, RED, FLASHING[CUST: 99 IS] [REVIEW: 71] | A | 6220 | | IS | 15-MAR-91 |
| | A-A-52418 | LIGHT, WARNING, VEHICULAR: ROTATING UNIT, 14 AND 28 VOLT DC[CUST: AT YD 99] [REVIEW: 71 CR4 GS MC SH] | A | 6220 | / | AT | 11-JAN-93 |
| | MIL-L-29575 | LIGHT, WAVE-OFF, FLASHING, CAPACITANCE-DISCHARGE[CUST: AS] | A | 6210 | | AS | 31-MAY-89 |
| | MIL-DTL-24560/5B | LIGHT, YARDARM BLINKER, CLEAR, 120 VOLTS, 180 WATTS, TWELVE LAMPS, SYMBOL 191.2[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| | MIL-PRF-49169B | LIGHT-EMITTING DIODE ARRAY[CUST: CR] | A | 5855 | | CR | 06-APR-99 |
| | AIR-STD-90/19 | LIGHTING AND MARKING OF AIRFIELD OBSTRUCTIONS | C | ISDF | | 06 | 22-MAY-91 |
| | UL844 | LIGHTING FIXTURES, ELECTRIC, FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS[CUST: CR4 YD 99] [REVIEW: 71 GS MB MD MS] | A | 6210 | | YD | 30-AUG-95 |
| | UL1570 | LIGHTING FIXTURES, FLUORESCENT[CUST: CR4 YD 99] [REVIEW: 84 GS SH] | A | 6210 | | YD | 27-JUL-95 |
| | UL1572 | LIGHTING FIXTURES, HIGH INTENSITY DISCHARGE[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6210 | | YD | 27-JUL-95 |
| | UL1571 | LIGHTING FIXTURES, INCANDESCENT[CUST: CR4 YD 99] [REVIEW: 84 GS SH] | A | 6210 | | YD | 26-JUL-95 |
| | IESNA-HB9 | LIGHTING HANDBOOK[CUST: YD] | A | FACR | | YD | 07-SEP-04 |
| | DOD-HDBK-289 | LIGHTING ON NAVAL SHIPS (METRIC)[CUST: SH] | A | 62GP | | SH | 26-NOV-86 |
| | SAE-J760 | LIGHTING UNITS, DIMENSIONAL SPECIFICATIONS FOR GENERAL SERVICE SEALED[CUST: CR4 SA 99] | A | 6210 | | 71 | OCT-94 |
| | SAE-J598 | LIGHTING UNITS, SEALED, FOR CONSTRUCTION, INDUSTRIAL, AND FOREST MACHINERY[CUST: CR4 99] [REVIEW: 71 YD] | A | 6220 | | CR4 | MAY-87 |
| | SAE-AS18276 | LIGHTING, AIRCRAFT INTERIOR, INSTALLATION OF[CUST: AV AS] | A | 6220 | | AS | JUL-99 |
| | MIL-L-85762A | LIGHTING, AIRCRAFT, INTERIOR, NIGHT VISION IMAGING SYSTEM (NVIS) COMPATIBLE[CUST: AV AS 11] | A | 6220 | | AS | 26-AUG-88 |
| | MIL-STD-3009 NOT 1 | LIGHTING, AIRCRAFT, NIGHT VISION IMAGING SYSTEM (NVIS) COMPATIBLE[Interface Standard][CUST: CR 11] [REVIEW: AV] | A | SESS | | 11 | 04-OCT-02 |
| | MIL-L-85676(1) | LIGHTING, EMERGENCY EGRESS, SUB-ASSEMBLY[CUST: AS] | A | 6220 | | AS | 28-APR-86 |
| | MIL-L-25467D | LIGHTING, INTEGRAL, RED, AIRCRAFT INSTRUMENT, GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: 99] | A | 6220 | | AS | 12-JUL-77 |
| | STANAG-4236 ED.1 | LIGHTNING ENVIRONMENTAL CONDITIONS, AFFECTING THE DESIGN OF MATERIEL, FOR USE BY THE NATO FORCES | C | ISDA | | AI | 08-MAR-93 |
| | SAE-J759 | LIGHTNING IDENTIFICATION CODE[CUST: AT SA 68] | A | 62GP | | AT | 03-OCT-94 |
| | MIL-HDBK-1004/6 | LIGHTNING PROTECTION[CUST: YD] | A | FACR | | YD | 30-MAY-86 |
| | NFPA780 | LIGHTNING PROTECTION CODE[CUST: CR YD 19] | A | 62GP | | YD | 14-AUG-92 |
| | UL96 | LIGHTNING PROTECTION COMPONENTS[CUST: CR YD 04] | A | FACR | | YD | 16-MAY-94 |
| | STANAG-4327 ED.1 | LIGHTNING, MINITION ASSESSMENT AND TEST PROCEDURES | C | ISDA | | AI | 24-MAY-02 |
| | MIL-DTL-24560A SUP 1 | LIGHTS AND GLASSWARE FOR NAVIGATION, SIGNAL, AND WARNING, NAVAL SHIPBOARD USE, GENERAL SPECIFICATION FOR[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| | MIL-DTL-14465E | LIGHTS, COMPOSITE, 24 VOLTS DIRECT CURRENT (NOMINAL) VEHICULAR[CUST: AT MC] [REVIEW: GS] | A | 6220 | | AT | 12-AUG-98 |
| | QPL-7961-14 | LIGHTS, INDICATORS, PRESS TO TEST | A | 6210 | | IS | 22-JUL-98 |
| | MIL-L-7961C | LIGHTS, INDICATORS, PRESS TO TEST[CUST: CR4 AS 99] [REVIEW: AR AV MI SH] | A | 6210 | | IS | 24-DEC-93 |
| | SAE-AS50571 | LIGHTS, INSTRUMENT, INDIVIDUAL, GENERAL SPECIFICATION FOR[CUST: AV AS 11] | A | 6220 | | AS | APR-99 |
| | MIL-L-81174A | LIGHTS, LANDING, AIRCRAFT, RETRACTABLE[CUST: AV AS 99] [REVIEW: 71 GS MC] | A | 6220 | | AS | 20-AUG-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-L-3976D(1) | LIGHTS, MARKER, CLEARANCE (SERVICE AND BLACKOUT) GENERAL SPECIFICATION FOR[CUST: AT 99] [REVIEW: AS MC MI] | A | 6220 | | IS | 16-JUN-92 |
| | MIL-L-24560/9B NOT 2 | LIGHTS, NAVIGATION, SIDE, RED AND GREEN, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 182.2 AND 183.2[CUST: SH] | A | 6220 | | SH | 10-MAY-05 |
| | MIL-L-24560/8A(1) NOT 2 | LIGHTS, NAVIGATION, STERN, CLEAR, BLUE AND YELLOW, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 196.3, 196.4, AND 197.2[CUST: SH] | A | 6220 | | SH | 10-MAY-05 |
| | MIL-DTL-24560/13D | LIGHTS, NAVIGATION, SUBMARINE, CLEAR, CLEAR (MASKED), RED AND GREEN, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 174.4, 174.5, 188.3, AND 189.3[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| | A-A-59208 NOT 1 | LIGHTS, POWER TOOL[CUST: SH 99 IS] [REVIEW: 71 84 GS] | A | 6230 | / | IS | 11-JUN-03 |
| | ASTM-C51 | LIME AND LIMESTONE (AS USED BY THE INDUSTRY)[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 14-SEP-90 |
| | ASTM-C50 | LIME AND LIMESTONE PRODUCTS, SAMPLING, SAMPLE PREPARATION, PACKING, AND MARKING OF[CUST: EA YD 99 IS] [REVIEW: CE MC SM] | A | 5610 | | IS | 15-SEP-02 |
| | AASHTO-M216 | LIME FOR SOIL STABILIZATION[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-C206 | LIME, FINISHING HYDRATED[CUST: EA YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 25-MAY-84 |
| | ASTM-C207 | LIME, HYDRATED, FOR MASONRY PURPOSES[CUST: EA YD 99 IS] [REVIEW: CE MC SM] | A | 5610 | | IS | 15-SEP-91 |
| | ASTM-C141 | LIME, HYDRAULIC HYDRATED, FOR STRUCTURAL PURPOSES[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 28-FEB-90 |
| | A-A-59580A | LIMESTONE, PULVERIZED[CUST: AT 68] | A | 6810 | / | GS3 | 11-APR-05 |
| | UL353 | LIMIT CONTROLS[CUST: YD 99] [REVIEW: 84 CE] | A | 4530 | | IS | 23-SEP-94 |
| | MIL-STD-104C | LIMIT FOR ELECTRICAL INSULATION COLOR[Military Standard][CUST: CR AS 11] [REVIEW: AT AV EC IS MC MI NS OS SH] | A | 6145 | | AS | 31-OCT-86 |
| | DI-HFAC-81202 | LIMITED NOISE CONTROL PLAN [AMSC: N6127] | A | HFAC | | SH | 03-MAY-91 |
| | A-A-50887A | LINDANE SHAMPOO, USP[CUST: MD MS 03] | A | 6508 | / | MB | 23-SEP-86 |
| A | ASME-Y14.2M | LINE CONVENTIONS AND LETTERING[CUST: AR SA 16 DH] [REVIEW: 02 13 18 19 68 70 71 84 99 AS AT AV CC CE CR CR4 EA EC GL GS IS MC MI OS SH SM TD TE YD] | A | DRPR | | AR | 07-JUL-92 |
| | GG-L-00410 | LINE GUIDE, LETTERING, ADJUSTABLE | A | 6675 | # | FSS | 30-JAN-64 |
| | MIL-L-3890/1B NOT 1 | LINE, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC) 50 OHMS[CUST: CR EC 11] [REVIEW: 99 AR AS AT CR4 MC MI OS SH] | A | 5985 | | CC | 24-SEP-01 |
| | ASTM-F526 | LINEAR ACCELERATOR PULSED RADIATION EFFECTS TESTS, MEASURING DOSE FOR USE IN[CUST: CR EC 11] | A | 5962 | | CC | 15-MAY-91 |
| | MIL-L-50794 NOT 2 | LINEAR SHAPED CHARGE ASSEMBLY[CUST: AR OS 11] | A | 1377 | | OS | 14-AUG-91 |
| | ASTM-D696 | LINEAR THERMAL EXPANSION OF PLASTICS, COEFFICIENT OF, BETWEEN -30 DEG. C AND 30 DEG. C WITH A VITREOUS SILICA DILATOMETER[CUST: MR SH 11 GS] [REVIEW: AR AS AT AV CR CR4 GL MI YD] | A | 9330 | | IS | 04-OCT-91 |
| | STANAG-7076 ED.1(1) | LINEAR TOKEN PASSING MULTIPLEX BUS | C | ISDF | | 06 | 06-MAY-98 |
| | UL19 | LINED FIRE HOSE AND HOSE ASSEMBLIES[CUST: CR4 YD] [REVIEW: CC] | A | 4210 | | IS | 17-FEB-93 |
| | MIL-DTL-32123 | LINER[CUST: OS] | A | 1377 | | OS | 22-AUG-03 |
| | MIL-L-48176B(4) | LINER (TITANIUM DIOXIDE AND WAX) FOR USE IN CARTRIDGES[CUST: AR] | A | 1375 | | AR | 06-FEB-92 |
| | MIL-L-45973A | LINER MATERIAL, GREASEPROOF[CUST: AR OS 11] [REVIEW: 99 DS EA EC GS MC MI SA SM YD] | A | 8135 | | AR | 08-JAN-76 |
| | MIL-L-82653A | LINER MATERIAL, POLYBUTADIENE BASE[CUST: OS] | A | 1377 | | OS | 15-NOV-93 |
| | MIL-L-85490 | LINER, CASE, ROCKET MOTOR[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 06-OCT-81 |
| | MIL-L-43536F | LINER, COLD WEATHER COAT[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8415 | | CT | 16-JUN-89 |
| | MIL-L-43498D | LINER, COLD WEATHER TROUSERS, FIELD[CUST: GL NU CT] [REVIEW: MC MD] | A | 8415 | | CT | 12-SEP-90 |
| | MIL-L-44299A | LINER, COMBAT VEHICLE CREWMEN'S COVERALL[CUST: GL NU CT] [REVIEW: MC MD] | A | 8415 | | CT | 13-JUN-90 |
| | MIL-L-43466C(1) | LINER, EXTREME COLD WEATHER, PARKA[CUST: GL NU CT] [REVIEW: MC MD] | A | 8415 | | CT | 16-SEP-87 |
| | MIL-L-43720C(1) | LINER, FIELD PACK[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8465 | | CT | 19-JUL-90 |
| | MIL-L-24943A | LINER, FIREMAN'S, COAT[CUST: NU 99 CT] [REVIEW: 11 50 CG MC SH] | A | 8415 | | CT | 09-AUG-93 |
| | A-A-53757 | LINER, FLASK, DENTAL CASTING MACHINE (ALUMINUM SILICATE, WATER ABSORBING)[CUST: MD MS 03] | A | 6520 | / | MB | 18-NOV-88 |
| | A-A-53427 | LINER, FLASK, DENTAL CASTING MACHINE (CELLULOSE TYPE, WATER ABSORBING)[CUST: MD MS 03] | A | 6520 | / | MB | 22-APR-88 |
| | A-A-53027 | LINER, FLASK, DENTAL CASTING MACHINE (NON-WATER ABSORBING)[CUST: MD MS 03] | A | 6520 | / | MB | 06-JUL-87 |
| | MIL-L-85701(1) | LINER, FLYERS ANTI-EXPOSURE COVERALL, CWU-72/P[CUST: AS] | A | 8475 | | AS | 13-MAY-86 |
| | A-A-55102 | LINER, FOOD INSPECTOR'S SMOCK[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8415 | / | CT | 10-JUN-95 |
| | A-A-30194 | LINER, GRAVE, CONCRETE[CUST: MD MS 03] | A | 9930 | / | MD | 26-JUL-93 |
| | A-A-55299 | LINER, HELMET: PARACHUTIST, IMPACT[CUST: GL MC 99 CT] [REVIEW: 11 MD] | A | 8415 | / | CT | 01-JUL-96 |
| | MIL-L-44089A | LINER, NIGHT CAMOUFLAGE PARKA DESERT[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8415 | | CT | 14-FEB-84 |
| | MIL-L-43582B(1) | LINER, SHIRT, CHEMICAL PROTECTIVE[CUST: GL NU CT] [REVIEW: CG MC MD OS] | A | 8415 | | CT | 26-SEP-89 |
| | MIL-L-43672C(1) | LINER, SNOW CAMOUFLAGE TROUSERS: WHITE, ARCTIC, M-65[CUST: GL NU CT] [REVIEW: 11 MC MD YD] | A | 8415 | | CT | 21-OCT-87 |
| | DOD-L-63317A(2) | LINER, SUPPLEMENTARY CHARGE, THREADED[CUST: AR] | A | 1315 | | AR | 11-MAR-93 |
| | MIL-L-43579C(2) | LINER, TROUSERS, CHEMICAL PROTECTIVE[CUST: GL NU CT] [REVIEW: CG MC MD OS] | A | 8415 | | CT | 26-SEP-89 |
| | A-A-53839 | LINER, UTILITY PAIL, PLASTIC[CUST: MD MS 03] | A | 7240 | / | MB | 24-MAR-89 |
| | MIL-DTL-43335G | LINER, WET WEATHER PONCHO[CUST: GL CT] | A | 8405 | | CT | 17-APR-00 |
| | MIL-DTL-27546E | LINER: FLYER'S JACKET, AND FLYER'S, TROUSERS, CWU-9/P[CUST: 99 CT] [REVIEW: 11] | A | 8415 | | CT | 26-JUL-00 |
| | MIL-DTL-44033B NOT 1 | LINES, MULTI-LOOP, CONCENTRIC[CUST: GL2 AS 99] [REVIEW: 82 AV MC] | A | 1670 | | GL2 | 11-JUN-02 |
| | MIL-DTL-3890B | LINES, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5985 | | CC | 26-MAR-04 |
| | MIL-L-1709E | LINES, TENT[CUST: GL NU 99 CT] [REVIEW: 11 MC YD] | A | 8340 | | CT | 10-AUG-89 |
| | A-A-52522B NOT 1 | LINING BRAKE, AND LINING MATERIAL, BRAKE: AUTOMOTIVE (METRIC)[CUST: AT 99] [REVIEW: CC] | A | 2530 | / | AT | 19-APR-04 |
| | PIA-PS22003 | LINK - LAP SAFETY BELT[CUST: AS 11] [REVIEW: GS] | A | 1680 | | AS | 18-MAR-02 |
| | A-A-52200 | LINK ASSEMBLY, CONNECTOR, SEPARABLE[CUST: GL AS 99] [REVIEW: 71 AV GS] | A | 1670 | / | GL | 18-JAN-96 |
| | PIA-PS70118 | LINK ASSEMBLY-CONNECTOR, SEPARABLE, PARACHUTE[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | PIA-PS27764 | LINK CONNECTOR, HARNESS AND PACK[CUST: GL2 AS 11] [REVIEW: 71] | A | 1670 | | 11 | 14-FEB-03 |
| | MIL-L-22624A(2) | LINK, AMMUNITION, 20MM, MARK 6 MODS 4, 5 AND 6[CUST: AS] | A | 1305 | | AS | 04-APR-66 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QSTAG-108 ED.1(6) | LINK, CARTRIDGE, METALLIC BELT 7.62MM, M13 (INCLUDING AMENDMENTS 1 THRU 6)[CUST: AI] | C | ISDA | | AI | 11-DEC-61 |
| | PIA-PS70116 | LINK, CONNECTOR QUICK RELEASE[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | PIA-PS24553 | LINK, CONNECTOR, PARACHUTE, SEPARABLE, HEAVY DUTY, ASSEMBLY OF[CUST: GL AS 11] [REVIEW: 99] | A | 1670 | | 11 | 06-JAN-03 |
| | PIA-PS70108 | LINK, PARACHUTE CONNECTOR[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | PIA-PS22020 | LINK, PARACHUTE HARNESS TRIANGLE[CUST: AS] [REVIEW: GS] | A | 1670 | | AS | 18-MAR-02 |
| | PIA-PS22002 | LINK, REMOVABLE CONNECTOR PARACHUTE AND BARRICADE[CUST: GL AS 99] [REVIEW: GS] | A | 1670 | | AS | 18-MAR-02 |
| | NAS1049 | LINK, SLING, WELDED, ALLOY STEEL, PEAR SHAPED (FOR GROUND SUPPORT EQUIPMENT)[CUST: CR4 SH 99 CC] | A | 4030 | | CC | 28-JAN-94 |
| | PIA-PS70098 | LINK, SNAP, QUICK RELEASE 1-3/4 INCH[CUST: GL AS 99] [REVIEW: AT CR4 MC] | A | 1670 | | GS1 | 31-MAY-05 |
| | SAE-AS25226 | LINK, TERMINAL, CONNECTING[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | AUG-98 |
| | STANAG-2329 ED.2(2) | LINKS FOR DISINTEGRATING BELTS FOR USE WITH NATO 7.62MM CARTRIDGES | C | ISDA | | AI | PENDING |
| | LLL-L-354C(I1) | LINOLEUM; DESK TOP | A | 7220 | # | FSS | 03-SEP-68 |
| | LLL-L-354C | LINOLEUM; DESK TOP | A | 7220 | # | FSS | 27-APR-67 |
| | TT-L-201A NOT 4 | LINSEED OIL, HEAT POLYMERIZED[CUST: SH] | A | 8010 | / | SH | 23-SEP-96 |
| | A-A-53368A | LIPSTICK, ANTICHAP[CUST: MD MS 03] | A | 6508 | / | MB | 15-NOV-91 |
| | NFPA58 | LIQUEFIED PETROLEUM GAS CODE[CUST: YD] [REVIEW: CE MC] | A | 4540 | | IS | 02-APR-98 |
| | ASTM-E1120 | LIQUID CHLORINE[CUST: YD 68 GS3] [REVIEW: MS] | A | 6830 | | GS3 | 10-JUL-97 |
| | ASTM-E682 | LIQUID CHROMATOGRAPHY TERMS AND RELATIONSHIPS[CUST: MR SH 68] [REVIEW: GS] | A | 6810 | | MR | 15-JAN-92 |
| | ASTM-D1475 | LIQUID COATINGS, INKS, AND RELATED PRODUCTS, DENSITY OF[CUST: MR SH 99] [REVIEW: 84 YD] | A | 8010 | | MR | 10-OCT-98 |
| | A-A-50625 | LIQUID FLOW SENSOR[CUST: SH] | A | 5930 | / | SH | 09-JUN-94 |
| | STANAG-4240 ED.2 | LIQUID FUEL / EXTERNAL FIRE, MUNITION TEST PROCEDURES | C | ISDA | | AI | PENDING |
| | ASTM-D4308 | LIQUID HYDROCARBONS BY PRECISION METER, ELECTRICAL CONDUCTIVITY OF[CUST: PS] | A | 91GP | | PS | 15-FEB-95 |
| | ASTM-F2044 | LIQUID LEVEL INDICATING EQUIPMENT, ELECTRICAL[CUST: SH] [REVIEW: GS] | A | 6680 | | SH | 22-OCT-01 |
| | ASTM-C309 | LIQUID MEMBRANE-FORMING COMPOUNDS FOR CURING CONCRETE[CUST: CR4 YD 99] | A | 5680 | | IS | 15-JUL-93 |
| | AIR-STD-15/12(4) NOT 2 | LIQUID NITROGEN CHARACTERISTICS | C | ISDF | | 06 | 24-SEP-93 |
| | ASTM-D564 | LIQUID PAINT DRIERS, STANDARD TEST METHODS FOR[CUST: MR SH 99] [REVIEW: 84 AS] | A | 8010 | | MR | 05-NOV-91 |
| | ASTM-E1417 | LIQUID PENETRANT EXAMINATION, STANDARD PRACTICE FOR[CUST: MR AS 11] [REVIEW: 68 99 AR EA GS MI OS SH] | A | NDTI | | 11 | 22-NOV-96 |
| | MIL-HDBK-728/3 NOT 1 | LIQUID PENETRANT TESTING[CUST: MR AS 11] [REVIEW: AR OS] | A | NDTI | | MR | 01-JUL-92 |
| | ASME-B31.4 | LIQUID PETROLEUM GAS, ANHYDROUS AMMONIA, AND ALCOHOLS, LIQUID TRANSPORTATION SYSTEMS FOR HYDROCARBONS[CUST: CR4 YD 99] | A | 4710 | | CC | 31-JAN-93 |
| | MIL-L-23822C NOT 1 | LIQUID PROPELLANT ROCKET ENGINE LR64 FOR AQM-37A MISSILE TARGET SYSTEM[CUST: AS] | A | 1430 | | AS | 10-APR-87 |
| | ASTM-D3400 | LIQUID SODIUM SILICATES[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | EA | 31-MAY-85 |
| | MIL-PRF-82815 | LIQUID, ANTISTATIC[CUST: OS] | A | 1340 | | OS | 29-DEC-89 |
| | SAE-AMS1453 | LIQUID, DISINFECTANT CLEANER FOR AIRCRAFT INTERIOR, GENERAL PURPOSE[CUST: AV AS 11] [REVIEW: 68 GS] | A | 6850 | | 11 | APR-95 |
| | CGA-V6 | LIQUID, STANDARD CRYOGENIC, TRANSFER CONNECTIONS[CUST: CR4 SH 68] | A | 4730 | | 68 | 1993 |
| | ASTM-D2303 | LIQUID-CONTAMINANT, INCLINED-PLANE TRACKING AND EROSION OF INSULATING MATERIALS[CUST: MR AS 11] | A | NDTI | | AS | 10-OCT-96 |
| | MIL-HDBK-1206 | LIQUID-FILLED PROJECTILE DESIGN[CUST: EA] | C | 13GP | | EA | 24-MAY-96 |
| | ARI710 | LIQUID-LINE DRIERS[CUST: GL YD 68] [REVIEW: GS] | A | 6810 | | YD | 1986 |
| | ASTM-D923 | LIQUIDS ,SAMPLING ELECTRICAL INSULATING[CUST: SH 68] [REVIEW: AS EC GS] | A | 9160 | | SH | 10-OCT-97 |
| | ASTM-D2766 | LIQUIDS AND SOLIDS, SPECIFIC HEAT OF[CUST: GL AS 11] [REVIEW: GS] | A | 6635 | | 11 | 03-OCT-94 |
| | ASTM-D1217 | LIQUIDS BY BINGHAM PYCNOMETER, DENSITY AND RELATIVE DENSITY (SPECIFIC GRAVITY) OF[CUST: AR OS 99] | A | 91GP | | AR | 15-FEB-93 |
| | ASTM-D1310 | LIQUIDS BY TAG OPEN-CUP APPARATUS, FLASH POINT AND FIRE POINT OF[CUST: SM AS 99] [REVIEW: AR GL IS MI OS SA SH YD] | A | PACK | | AS | 25-APR-86 |
| | ASTM-D924 | LIQUIDS, ELECTRICAL INSULATING, DISSIPATION FACTOR (OR POWER FACTOR) AND RELATIVE PERMITTIVITY (DIELECTRIC CONSTANT) OF[CUST: CR4 AS] [REVIEW: AR GS OS] | A | 9150 | | AS | 15-AUG-92 |
| | ASTM-D1169 | LIQUIDS, ELECTRICAL INSULATING, SPECIFIC RESISTANCE (RESISTIVITY) OF[CUST: AR SH 11] [REVIEW: GS] | A | 5970 | | 11 | 03-OCT-94 |
| A | ASTM-D1093 | LIQUIDS, HYDROCARBON, AND THEIR DISTILLATION RESIDUES, ACIDITY OF[CUST: AT AS 68] | A | 6810 | | 68 | 03-OCT-94 |
| | ASTM-D1218 | LIQUIDS, HYDROCARBON, REFRACTIVE INDEX AND REFRACTIVE DISPERSION OF[CUST: EA SH 11] [REVIEW: GS] | A | 6810 | | SH | 03-OCT-94 |
| | ASTM-D877 | LIQUIDS, INSULATING, USING DISK ELECTRODES, DIELECTRIC BREAKDOWN VOLTAGE OF[CUST: AT SH 11] [REVIEW: GS YD] | A | 9150 | | AT | 27-FEB-87 |
| | ASTM-D3539 | LIQUIDS, RATES OF VOLATILE EVAPORATION BY SHELL, THIN-FILM EVAPOROMETER[CUST: MR SH 99] [REVIEW: 84 AS] | A | 8010 | | MR | 29-MAY-87 |
| | ASTM-D445 | LIQUIDS, TRANSPARENT AND OPAQUE (THE CALCULATION OF DYNAMIC VISCOSITY) KINEMATIC VISCOSITY OF[CUST: AT SH 11] | A | 95GP | | AT | 13-OCT-88 |
| | ARMP-3 ED.2 | LIST AND SOURCE OF NATIONAL AND INTERNATIONAL R&M DOCUMENTS | A | SESS | | CR | 01-MAR-98 |
| | MIL-PRF-8031F NOT 1 | LIST OF APPLICABLE PUBLICATIONS (LOAP), PREPARATION OF[CUST: 16] [REVIEW: 01 10 70 71 84 99] | A | TMSS | | 16 | 07-FEB-02 |
| | DI-ILSS-80502 | LIST OF FAULTS INSERTED FOR TRAINING PURPOSES [AMSC: A4283] | A | SESS | | CR1 | 30-DEC-87 |
| | DI-MGMT-80920 | LIST OF ITEMS DELIVERED DURING THE TERM OF A CONTRACT [AMSC: A4860] | A | MGMT | | AM | 12-DEC-89 |
| | DI-ILSS-80813 | LIST OF LOGISTIC TECHNICAL DATA USERS [AMSC: N4696] | A | SESS | | SH | 23-MAY-89 |
| | DI-CMAN-80530 | LIST OF MODIFICATION WORK ORDERS [AMSC: G4323] | A | SESS | | NS | 05-FEB-88 |
| | INFO-PUB-61/103/19 | LIST OF OTHER STANDARDS RELEVANT TO PG103 | C | ISDF | | 06 | 03-NOV-98 |
| | DI-MISC-81210 | LIST OF PIPING DESCRIPTIONS [AMSC: N6139] | A | MISC | | SH | 23-MAY-91 |
| | MIL-HDBK-801 | LIST OF PRESSURE GAUGES[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 31-OCT-90 |
| M | MIL-HDBK-103X | LIST OF STANDARD MICROCIRCUIT DRAWINGS[CUST: CC] | A | 5962 | | CC | 21-MAR-06 |
| | MIL-HDBK-57B NOT 1 | LISTING OF FASTENER MANUFACTURERS' IDENTIFICATION SYMBOLS[CUST: IS] | A | 53GP | | IS | 09-SEP-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | SD-21 | LISTING OF SPECIFICATIONS AND STANDARDS MANDATED FOR USE BY THE DEPARTMENT OF DEFENSE BY PUBLIC LAWS OR GOVERNMENT REGULATIONS[CUST: AM NM 01 DH SO] | A | SDMP | | SO | 19-DEC-05 |
| | MIL-L-48772A NOT 3 | LITHIUM (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 31-OCT-96 |
| | MIL-L-63470 NOT 3 | LITHIUM CHLORIDE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 31-OCT-96 |
| | MIL-L-48765(2) NOT 3 | LITHIUM HEXAFLUOROARSENATE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 31-OCT-96 |
| | MIL-PRF-12039D | LITHIUM HYDRIDE, TECHNICAL (METRIC)[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 14-NOV-90 |
| | MIL-L-20213E NOT 1 | LITHIUM HYDROXIDE (LIOH), TECHNICAL[CUST: SH] [REVIEW: GS] | A | 6810 | | SH | 16-JUL-86 |
| | QPL-20213-18 | LITHIUM HYDROXIDE (LIOH), TECHNICAL | A | 6810 | | SH | 28-NOV-01 |
| | MIL-L-48768(3) NOT 3 | LITHIUM RESERVE BATTERY ELECTROLYTE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 31-OCT-96 |
| | A-A-53561 | LITHIUM SOLUTION, STANDARD[CUST: MD MS 03] | A | 6550 | / | MB | 08-JUL-88 |
| | MIL-L-48766(2) NOT 3 | LITHIUM TETRAFLUOROBORATE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 31-OCT-96 |
| | MIL-L-36142 | LITTER EXTENSION, PATIENT S PILLOW SUPPORT-BACKREST[CUST: MD MS 03] | A | 6530 | | MB | 15-JUL-63 |
| | MIL-L-16942B | LITTER, NONRIGID, POLELESS NYLON[CUST: MD MS 03] | A | 6530 | | MB | 25-JUN-89 |
| | A-A-51364 | LITTER, SEA-AIR RESCUE, MEDICAL EVACUATION[CUST: MD MS 03] | A | 6530 | / | MB | 31-MAR-86 |
| | MIL-L-16815A NOT 1 | LITTER, SEMIRIGID, POLELESS[CUST: MD MS 03] | A | 6530 | | MB | 15-JUN-89 |
| | A-A-54851 | LITTER-SPLINT, EXTRICATION[CUST: MD MS 03] | A | 6530 | / | MB | 16-APR-93 |
| | MIL-L-37957A | LITTERS, RIGID, STOKES[CUST: MD MS 03] [REVIEW: AS AV CG MC SH] | A | 6530 | | MB | 24-JAN-92 |
| | ADV-PUB-80/7 | LM-230A/B PROGRAMMABLE AUTOMATIC CAMERA TEST | C | ISDF | | 06 | 27-MAR-92 |
| | ASTM-D4632 | LOAD AND ELONGATION OF GEOTEXTILES, GRAB BREAKING[CUST: GL YD 99] | A | 83GP | | YD | 31-OCT-86 |
| | A-A-59721 | LOAD BANK, ELECTRICAL[CUST: 99] | A | 6150 | / | 84 | 25-MAR-04 |
| | SAE-J818 | LOAD FOR LOADERS, RATING OPERATING[CUST: CR4 YD 99] [REVIEW: 84] | A | 3805 | | CR4 | MAY-87 |
| | SAE-J376 | LOAD INDICATING DEVICES IN LIFTING CRANE SERVICE[CUST: CR4 YD 99] | A | 38GP | | 84 | OCT-94 |
| | SAE-J159 | LOAD MOMENT SYSTEM[CUST: CR4 YD 99] | A | 3810 | | 84 | APR-85 |
| | A-A-59154 NOT 1 | LOADER, SCOOP TYPE, FULL TRACKED[CUST: AT YD 99] | A | 3805 | / | IS | 19-MAR-03 |
| | MIL-L-85532(1) | LOADER, WEAPONS, AIR LAUNCHED, A/32K-1D[CUST: AS] | A | 1740 | | AS | 10-DEC-87 |
| | MIL-DTL-46821D | LOADER-TRANSPORTER, GUIDED MISSILE: XM501E3 (IMPROVED HAWK)[CUST: AT] [REVIEW: MI] | A | 1450 | | AT | 24-AUG-98 |
| | SAE-J732 | LOADERS, SPECIFICATION DEFINITIONS[CUST: CR4 YD 99] | A | 3805 | | CR4 | 18-JUN-92 |
| | MIL-STD-1663 NOT 1 | LOADING AND RESTRAINT OF AMMUNITION AND EXPLOSIVES IN COMMERCIAL INTERMODAL CONTAINERS UTILIZING THE INTERNAL RESTRAINT SYSTEM KIT[Standard Practice][CUST: SM OS 99] [REVIEW: 11 AR AS GS MC SA SH] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-HDBK-669 NOT 1 | LOADING ENVIRONMENT AND RELATED REQUIREMENTS FOR PLATFORM RIGGED AIRDROP MATERIEL[CUST: GL2 99] [REVIEW: 82 AT MT] | A | 1670 | | GL2 | 11-JUN-02 |
| | MIL-PRF-29250C | LOADING JACK SYSTEM, ISO CONTAINER[CUST: YD 99] [REVIEW: 84 SH] | A | 3950 | | CC | 24-JUN-97 |
| | MIL-STD-1386-43 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS .50 CALIBER LINKED AMMUNITION IN AMMUNITION BOX MK 1 MOD 0 AMPHIBIOUS UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-27 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 3 INCH/50 CARTRIDGE FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-25 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCHES/38 PROJECTILE FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-26 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCH/38 CARTRIDGE FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-10 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCH/54 CARTRIDGE FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-5 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ADAPTER, BOOSTER, NOSE T45 TYPE FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-22(1) NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, PRACTICE MK 76 MOD 4, 5, AND 7 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-38 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB GUIDANCE KIT, KMU-388/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-55 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 76 MM/62 CALIBER OR CHARGE, CLEARING 76 MM/62 CALIBER FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 29-MAY-87 |
| | MIL-STD-1386-30 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 20 MM, M50 SERIES BELTED WITH MK 7 OR M14 LINKS IN CONTAINER M548 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-42 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 7.62MM, BALL M80 AMPHIBIOUS UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-35 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 40 MM, HE FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-40 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, .50 CALIBER IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-33 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 20 MM IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-24 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CHARGE, PROPELLING 6 INCH/47 IN CARTRIDGE TANK MK 4 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-19 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB FOR 500 LB BOMB MK 82 IN CRATE MK 17 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-17 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB FOR 1000 LB MK 83 BOMB IN BOMB CRATE MK 10 AND MODS FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-29 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLARE, AIRCRAFT PARACHUTE MK 45 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-8 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FUZE, BOMB, M904 OR M990 TYPE FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-37 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS INITIATOR, MK 13 MOD 0 (FOR FIRE BOMB) IN CONTAINER CNU 157/E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1386-13 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6 INCH AAC OR HC WITH PROTECTIVE CAP MK 4 IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-9A NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILES, 5 INCH/54 IN PALLET ADAPTER MK II FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-11 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6-INCH AP IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-46 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILES, 6 INCHES AAC, HC OR AP IN PALLET ADAPTER MK4 AND MODS FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 21-MAY-87 |
| | MIL-STD-1386-12 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6 INCH AAC OR HC WITH PROTECTIVE CAP MK 1 AND 3 IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-31 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET LAUNCHER, LAU-611A, LAU-68/A OR LAU 69/A FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-32 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET HEAD, 5 INCH MK 24 OR MK 32 AND MODS (ZUNI) FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 30-OCT-88 |
| | MIL-STD-1386-41 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET MOTOR, MK 16 AND MODS AND MK 71 MOD 0 AND 1 (ZUNI) IN CONTAINER MK 38 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-20 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET LAUNCHER, LAU-69/A DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-39 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS SAFETY AND ARMING DEVICE MK 13 MOD 0 AND 1 FOR AIM-9D, 9G AND 9H (SIDEWINDER 1C) IN CONTAINER CNU-189/E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386-36 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS-BOMB GUIDANCE KIT, KMU-351 A/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1386 NOT 2 | LOADING OF HAZARDOUS MATERIALS IN MILVAN CONTAINERS[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 18-MAR-92 |
| | STANAG-2152 ED.5(1) | LOADING RAMPS | C | ISDA | | AI | PENDING |
| | MIL-L-14161 NOT 2 | LOADING WITH HBX COMPOSITIONS[CUST: AR] | A | 1376 | | AR | 12-JAN-62 |
| | DI-MGMT-81450 | LOADS ENVIRONMENTAL SPECTRA SURVEY (LESS) DATA REPORT [AMSC: F7103] | A | MGMT | | 11 | 23-JAN-95 |
| | STANAG-3254 ED.3(3) | LOAN OF MATERIAL FOR TEST PURPOSES IN SUPPORT OF STANDARDIZATION, RESEARCH AND DEVELOPMENT | C | ISDF | | 06 | 26-APR-93 |
| | QSTAG-1095 ED.1 | LOCAL/HOST NATION INTELLIGENCE AND SECURITY SUPPORT TO A DEPLOYED ABCA FORCE[CUST: AI] | C | ISDA | | AI | 11-MAR-97 |
| | AIR-STD-45/21 | LOCATION AIDS FOR SURVIVORS OF AIRCRAFT ACCIDENTS | C | ISDF | | 06 | 18-JUL-91 |
| | AIR-STD-61/116/2G | LOCATION AND ACTUATION OF AIRFRAME CONTROLS IN FIXED WING AIRCRAFT | C | ISDF | | 06 | 31-OCT-90 |
| | AIR-STD-61/116/15H | LOCATION AND ARRANGEMENT OF FLIGHT AND ENGINE PARAMETER DISPLAYS IN AIRCREW STATIONS | C | ISDF | | 06 | 16-NOV-87 |
| | STANAG-3219 ED.4(1) | LOCATION AND GROUPING OF ELECTRICAL SWITCHES IN AIRCRAFT | C | ISDF | | 06 | 05-MAY-92 |
| | STANAG-4009 3 ED.1(7) | LOCATION AND HEIGHT OF FIFTH WHEEL ATTACHMENTS ON TRACTORS AND SEMI-TRAILERS (CLASS 2) | C | ISDN | | NI | 29-AUG-67 |
| | STANAG-4009 2 ED.1(3) | LOCATION AND HEIGHT OF FIFTH WHEEL ATTACHMENTS ON TRACTORS AND SEMI-TRAILERS (CLASS I) | C | ISDN | | NI | 25-AUG-67 |
| | STANAG-3558 ED.5 | LOCATION OF ELECTRICAL CONNECTORS FOR AIRCRAFT STORES | C | ISDF | | 06 | 27-MAY-02 |
| | AIR-STD-20/14G | LOCATION OF ELECTRICAL CONNECTORS FOR AIRCRAFT STORES | C | ISDF | | 06 | 18-JUL-91 |
| | STANAG-7096 ED.1(1) | LOCATION, ACTUATION AND SHAPE OF AIRFRAME CONTROLS | C | ISDF | | 06 | 23-JUL-98 |
| | AIR-STD-61/116/3K | LOCATION, ACTUATION AND SHAPE OF AIRFRAME CONTROLS FOR ROTARY WING AIRCRAFT | C | ISDF | | 06 | 22-NOV-85 |
| | NAS559 | LOCK - ROD END (KEY TYPE)[CUST: AS 11] [REVIEW: CR CR4 IS] | A | 5340 | | AS | 15-OCT-93 |
| | FF-L-2890A | LOCK EXTENSION (PEDESTRIAN DOOR, DEADBOLT)[CUST: AR 99 IS] | A | 5340 | * | IS | 01-AUG-04 |
| | ASME-B18.21.2M | LOCK WASHERS (METRIC SERIES)[CUST: AR YD 99 IS] | A | 5310 | | IS | 02-DEC-94 |
| | BHMA-A156.5 | LOCK, AUXILIARY, AND ASSOCIATED PRODUCTS, AMERICAN NATIONAL STANDARD FOR[CUST: YD 99 IS] [REVIEW: CR4] | A | 5340 | | IS | 10-MAY-90 |
| | MIL-L-63953 | LOCK, COMBINATION, ASSEMBLY[CUST: AR] | A | 5340 | | AR | 01-MAR-88 |
| | NASM14198 | LOCK, ROD END, EXTRA STRENGTH, HIGH PROFILE LUG[CUST: AV AS IS] | A | 5340 | | IS | APR-98 |
| | SAE-AS14227 | LOCK, ROD END, IMPROVED STRENGTH, NAS LUG[CUST: AV AS 99] | A | 5340 | | AS | AUG-97 |
| | MIL-PRF-32038/4 | LOCKER, CLEANING GEAR[CUST: AV SH 99] | A | 2090 | | SH | 11-MAR-99 |
| | MIL-PRF-32038/5 | LOCKERS, CLOTHING, ENLISTED, TYPES 1-12[CUST: AV SH 99] | A | 2090 | | SH | 11-MAR-99 |
| | MIL-PRF-32038/15 | LOCKERS, CLOTHING, OFFICER, TYPES 1-8[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | AA-L-486G(1) | LOCKERS, CLOTHING, STEEL[CUST: GL 99] [REVIEW: 84 YD] | A | 7125 | * | GL | 07-DEC-67 |
| | AA-L-00486J | LOCKERS, CLOTHING, STEEL | A | 7125 | # | FSS | 16-MAR-93 |
| | MIL-PRF-32038/6 | LOCKERS, SOILED CLOTHES, TYPES 1-5[CUST: AV SH 99] | A | 2090 | | SH | 11-MAR-99 |
| | NAS1193 | LOCKING DEVICE, POSITIVE INDEX[CUST: AS 11] [REVIEW: IS] | A | 5340 | | AS | 17-MAR-78 |
| | MIL-STD-763G | LOCKING DEVICES[Standard Practice][CUST: SH] | F | 5340 | | SH | 18-DEC-96 |
| | SAE-AS81935/3 | LOCKING DEVICES (FOR ROD END BEARINGS)[CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A | 5340 | | AS | 23-APR-98 |
| | UL1034 | LOCKING MECHANISMS, ELECTRIC, BURGLARY RESISTANT, STANDARD FOR[CUST: YD] | A | 6350 | | IS | 23-FEB-00 |
| | NAS1493 | LOCKNUT, BEARING, RETAINING[CUST: AV AS 11] [REVIEW: GS] | A | 3120 | | AS | 14-JUN-74 |
| | BHMA-A156.2 | LOCKS AND LATCHES, AMERICAN NATIONAL STANDARD FOR[CUST: AR YD 99 IS] [REVIEW: 71 CR4 MC] | A | 5340 | | IS | 12-JUL-90 |
| | UL768 | LOCKS, COMBINATION[CUST: YD 99 IS] [REVIEW: 71] | A | 5340 | | IS | 30-DEC-99 |
| | FF-L-2740A(1) | LOCKS, COMBINATION[CUST: AR 99] | A | 5340 | * | IS | 25-MAY-01 |
| | QPL-FF-L-2740-8 | LOCKS, COMBINATION | A | 5340 | # | FSS | 10-JUL-02 |
| | BHMA-A156.24 | LOCKS, EGRESS, DELAYED, AMERICAN NATIONAL STANDARD FOR[CUST: AR YD IS] | A | 5340 | | IS | 04-NOV-92 |
| | BHMA-A156.23 | LOCKS, ELECTROMAGNETIC, AMERICAN NATIONAL STANDARD FOR[CUST: AR YD IS] | A | 5340 | | IS | 04-NOV-91 |
| | UL437 | LOCKS, KEY[CUST: YD 99 IS] [REVIEW: 71 SH] | A | 5340 | | IS | 25-NOV-94 |
| | FF-H-1687A | LOCKS, OFFICE MACHINE | A | 5340 | # | FSS | 01-MAR-74 |
| | NAS1443 | LOCKWASHER, BEARING, RETAINING[CUST: AV AS 11] [REVIEW: CR CR4] | A | 3120 | | GS4 | 31-MAY-96 |
| | MIL-PRF-60427B(1) | LOCKWIRE, FOR 2.75 INCH ROCKET MOTOR ALL MARKS AND MODS[CUST: OS] | D | 1340 | | OS | 12-JUN-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-MNTY-81067 | LOGBOOKS AND RECORDS, AIRCRAFT AND AERONAUTICAL EQUIPMENT [AMSC: N5031] | A | SESS | | AS | 15-OCT-90 |
| | DI-ILSS-80391 | LOGISTIC SUPPORT ANALYSIS RECORD (LSAR) PRICING PLAN [AMSC: A4156] | A | SESS | | AR | 30-JUL-87 |
| | DI-ILSS-80525 | LOGISTIC SUPPORT STATUS REPORT [AMSC: F4314] | A | SESS | | 33 | 28-JAN-88 |
| | DI-ILSS-80812 | LOGISTIC TECHNICAL DATA USER PROFILE [AMSC: N4695] | A | SESS | | SH | 23-MAY-89 |
| | MIL-PRF-49506 NOT 1 | LOGISTICS MANAGEMENT INFORMATION[CUST: TM2 AS 10] [REVIEW: DC MC NC] | A | SESS | | TM2 | 18-JAN-05 |
| | DI-ALSS-81529 | LOGISTICS MANAGEMENT INFORMATION (LMI) DATA PRODUCT [AMSC: A7215] | A | SESS | | TM | 18-NOV-96 |
| | DI-ALSS-81530 | LOGISTICS MANAGEMENT INFORMATION (LMI) SUMMARIES [AMSC: A7216] | A | SESS | | TM | 18-NOV-96 |
| | A-A-51074 | LOOP, INOCULATING, LABORATORY (QUANTITATIVE)[CUST: MD MS 03] | A | 6640 | / | MB | 18-OCT-85 |
| | A-A-54342 | LOOP, INOCULATING, LABORATORY (QUANTITATIVE)[CUST: MD MS 03] | A | 6640 | / | MB | 04-FEB-91 |
| | NASM51939 | LOOP, STRAP FASTENER (FOOTMAN'S LOOP)[CUST: AR] | A | 5340 | | IS | 28-AUG-01 |
| | A-A-54753A | LOOP, VASCULAR, SURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 31-JAN-94 |
| | A-A-55620A | LOOPS, SLIDE (FOR EQUIPAGE)[CUST: GL YD 99 IS] | A | 5340 | / | IS | 20-AUG-01 |
| | A-A-51099 | LORAZEPAM TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 26-NOV-85 |
| | ASTM-D150 | LOSS CHARACTERISTICS (AC) AND PERMITTIVITY (DIELECTRIC CONSTANT) OF SOLID ELECTRICAL INSULATION[CUST: MR SH 11 GS] [REVIEW: 99 AS AT CR CR4 MI] | A | 9330 | | IS | 10-FEB-99 |
| | A-A-50603 | LOUDSPEAKER - MICROPHONE (MEGAPHONE, ELECTRONIC, PORTABLE)[CUST: CR SH] [REVIEW: 02 11 AS AT CC CE CG DP IS LS MC MT TD YD] | A | 5830 | / | SH | 11-FEB-93 |
| | MIL-DTL-12606E | LOUDSPEAKER, PERMANENT MAGNET (UNENCASED, 3 INCH AND 4 INCH DIAMETER CONE, 2 WATT; FUNGUS-, AND IMMERSION-RESISTANT), TYPE LS-445/U, M12606-01, AND M132606-02[CUST: CR EC 11 CC] [REVIEW: 99 AR AV MC] | A | 5965 | | CC | 29-JUN-00 |
| A | QPL-12606-17 | LOUDSPEAKER, PERMANENT MAGNET (UNENCASED, 3-INCH AND 4-INCH DIAMETER CONE, 2-WATT; FUNGUS-, AND IMMERSION-RESISTANT), TYPE LS-445/U, M12606-01, AND M12606-02 | A | 5965 | | CC | 02-AUG-05 |
| | MIL-DTL-25547C | LOUDSPEAKER, PERMANENT MAGNET LS-211/AIC-13[CUST: CR EC 11 CC] [REVIEW: 99 AR AT AV CR4 OS] | A | 5965 | | CC | 21-JUN-02 |
| | A-A-59002 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59002/1 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 1 TO 5 VOLT-AMPERES[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59002/5 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 10 VOLT-AMPERES[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59002/2 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 6 TO 15 VOLT-AMPERES[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59002/3 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 80 VOLT-AMPERES[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-59002/4 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, HIGH POWER, ROTATIONAL, 70.7 VOLT[CUST: SH] | A | 6320 | / | SH | 31-MAY-95 |
| | A-A-50621 | LOUDSPEAKERS, PERMANENT MAGNET FOR SHIPBOARD ENTERTAINMENT SYSTEMS[CUST: CR SH 99] [REVIEW: AS GS] | A | 5965 | / | SH | 23-FEB-93 |
| | A-A-53219 | LOUNGE, BLOOD DONOR[CUST: MD MS 03] | A | 6530 | / | MB | 29-SEP-87 |
| | MIL-L-24128D | LOW CARBON CHROMIUM STEEL BARS AND FORGINGS[CUST: SH] | F | 9510 | | SH | 18-JUN-92 |
| | EIA364.23 | LOW LEVEL CONTACT RESISTANCE TEST PROCEDURE FOR ELECTRICAL CONNECTORS AND SOCKETS[CUST: CR AS 11 CC] [REVIEW: AV MI] | A | 5935 | | CC | 29-JUN-01 |
| | AIR-STD-25/2B(2) | LOW PRESSURE AIR AND ASSOCIATED ELECTRICAL CONNECTIONS FOR AERO ENGINE STARTING | C | ISDF | | 06 | 12-AUG-02 |
| | STANAG-3372 ED.6(2) | LOW PRESSURE AIR AND ASSOCIATED ELECTRICAL CONNECTIONS FOR AIRCRAFT ENGINE STARTING | C | ISDF | | 06 | 24-MAR-99 |
| | EIA-TIA455.188 | LOW TEMPERATURE TESTING OF FIBER OPTIC COMPONENTS[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC MC SH TE] | A | 60GP | | CR | 09-NOV-92 |
| | ASTM-B574 | LOW-CARBON NICKEL-MOLYBDENUM-CHROMIUM, LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM, LOW-CARBON NICKEL- MOLYBDENUM-CHROMIUM - TANTALUM, LOW-CARBON NICKEL-CHROMIUM - MOLYBDENUM-COPPER, AND LOW-CARBON NICKEL - CHROMIUM-MOLYBDENUM-TUNGSTEN ALLOY ROD[CUST: MR AS 99 IS] | A | 9510 | | IS | 11-JUL-96 |
| | ASTM-B575 | LOW-CARBON NICKEL-MOLYBDENUM-CHROMIUM, LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM, LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM-COPPER, LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM-TANTALUM, AND LOW-CARBON NICKEL-CHROMIUM-MOLBDENUM-TUNGSTEN ALLOY PLATE, SHEET, AND STRIP[CUST: MR AS 99 IS] | A | 9515 | | IS | 11-JUL-96 |
| | ANSI-C37.13 | LOW-VOLTAGE AC CIRCUIT POWER BREAKERS USED IN ENCLOSURES (CORRECT IDENTIFICATION SHOULD BE IEEE-C37.13)[CUST: CR YD 11 CC] | A | 5925 | | YD | 27-SEP-82 |
| | MIL-L-43693A | LOWERING DEVICE, PERSONNEL AND CARGO[CUST: GL] [REVIEW: AV GS] | A | 1670 | | GL | 28-JUN-91 |
| | MIL-L-44076A | LOWERING LINE ASSEMBLY[CUST: GL AS] [REVIEW: AV GS MC] | A | 1670 | | GL | 30-JUL-90 |
| | ASTM-D4927 | LUBRICANT AND ADDITIVE COMPONENTS-BARIUM, CALCIUM, PHOSPHORUS, SULFUR, AND ZINC BY WAVELENGTH-DISPERSIVE X-RAY FLUORESCENCE SPECTROSCOPY, ELEMENTAL ANALYSIS OF[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 15-FEB-93 |
| | ASTM-D2835 | LUBRICANT FOR INSTALLATION OF PREFORMED COMPRESSION SEALS IN CONCRETE PAVEMENTS[CUST: CR4 YD 99] [REVIEW: CE GS] | A | 9150 | | YD | 27-OCT-89 |
| | DOD-L-25681D NOT 2 | LUBRICANT MOLYBDENUM DISULFIDE, SILICONE[CUST: CR4 AS 68] [REVIEW: AR DS GS MI PS] | A | 9150 | | 68 | 01-MAY-91 |
| | MIL-PRF-85336B(2) | LUBRICANT, ALL-WEATHER (AUTOMATIC WEAPONS)[CUST: AT AS 68] [REVIEW: 11 99 GS MI PS] | A | 9150 | | AS | 31-JUL-02 |
| | MIL-L-19701B(1) NOT 1 | LUBRICANT, ALL-WEATHER, SEMI-FLUID, FOR AIRCRAFT ORDNANCE, METRIC[CUST: AT AS 68] [REVIEW: 11 99 GS MI PS] | A | 9150 | | AS | 31-JUL-02 |
| A | QPL-63460-31 | LUBRICANT, CLEANER AND PRESERVATIVE FOR WEAPONS AND WEAPONS SYSTEMS | A | 9150 | | AR | 26-OCT-05 |
| M | MIL-PRF-63460E | LUBRICANT, CLEANER AND PRESERVATIVE FOR WEAPONS AND WEAPONS SYSTEMS[CUST: AR AS 11 GS] [REVIEW: 06 68 AT MD MI OS] | A | 9150 | | AR | 15-MAR-06 |
| A | MIL-PRF-63460D(I7) | LUBRICANT, CLEANER AND PRESERVATIVE FOR WEAPONS AND WEAPONS SYSTEMS[CUST: AR AS 11] | A | 9150 | | AR | 26-OCT-05 |
| | MIL-L-24131C(1) | LUBRICANT, COLLOIDAL GRAPHITE IN ISOPROPANOL[CUST: SH] | A | 9150 | | SH | 23-JAN-01 |
| | QPL-24131-11 | LUBRICANT, COLLOIDAL GRAPHITE IN ISOPROPANOL | A | 9150 | | SH | 09-NOV-04 |
| | MIL-PRF-3572B(1) | LUBRICANT, COLLOIDAL GRAPHITE IN OIL[CUST: AT OS 68] | A | 9150 | | GS3 | 30-SEP-02 |
| | A-A-51349 | LUBRICANT, DENTAL HANDPIECE[CUST: MD MS 03] | A | 6520 | | MB | 12-FEB-86 |
| | SAE-AMS3055 | LUBRICANT, INSTRUMENT BEARING, PETROLEUM BASE, VISCOSITY 15[CUST: AS 11] [REVIEW: GS] | A | 9150 | | AS | 28-SEP-84 |
| | SAE-AMS3056 | LUBRICANT, INSTRUMENT BEARING, PETROLEUM BASE, VISCOSITY 35[CUST: AS 11] [REVIEW: GS] | A | 9150 | | AS | 01-JUL-89 |
| | A-A-52443 | LUBRICANT, MOLD, TIRE, SILICON BASE EMULSION (METRIC)[CUST: AT] | A | 2640 | / | AT | 24-MAR-93 |
| | MIL-L-24478C(1) | LUBRICANT, MOLYBDENUM DISULFIDE IN ISOPROPANOL[CUST: SH] | A | 9150 | | SH | 23-JAN-01 |
| | QPL-46000-21 | LUBRICANT, SEMI-FLUID (AUTOMATIC WEAPONS) | A | 9150 | | AR | 13-APR-05 |
| | A-A-53689 | LUBRICANT, SILICATE CEMENT, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 15-SEP-88 |
| | QPL-23398-16 | LUBRICANT, SOLID FILM, AIR - CURED, CORROSION INHIBITING, NATO CODE NUMBER S-749 | A | 9150 | | AS | 05-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-L-23398D(2) | LUBRICANT, SOLID FILM, AIR - CURED, CORROSION INHIBITING, NATO CODE NUMBER S-749[CUST: CR4 AS 11] [REVIEW: AR AT AV DS GS MI SM] | A | 9150 | | AS | 18-JAN-94 |
| | MIL-PRF-46147C | LUBRICANT, SOLID FILM, AIR CURED (CORROSION INHIBITING)[CUST: AT AS 68] [REVIEW: 11 AV GS MD MI OS PS] | A | 9150 | | AT | 18-JAN-01 |
| | MIL-PRF-81329D(1) | LUBRICANT, SOLID FILM, EXTREME ENVIRONMENT, NATO CODE NUMBER S-1737[CUST: AV AS 11] [REVIEW: 68 AT GS OS] | A | 9150 | | AS | 30-SEP-02 |
| | MIL-L-45983 NOT 1 | LUBRICANT, SOLID FILM, HEAT CURED (TEMPERATURE RANGE 125 DEG. TO 250 )51.8 DEG. TO 121 DEG. C, CORROSION INHIBITING[CUST: AR] [REVIEW: AT AV CR4 GS MI PS] | A | 9150 | | AR | 22-JUN-99 |
| D | MIL-PRF-46010F | LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING[CUST: AT AS 68] [REVIEW: 03 11 AR AV EA GS MD MI PS SA SH SM] | A | 9150 | | AT | 10-AUG-00 |
| | QPL-46010-17 | LUBRICANT, SOLID FILM: HEAT CURED, CORROSION INHIBITING | A | 9150 | | AT | 18-APR-05 |
| | QPL-46147-12 | LUBRICANT, SOLID FILM: AIR CURED, CORROSION INHIBITING | A | 9150 | | AT | 11-JAN-05 |
| | A-A-52625 NOT 1 | LUBRICANT, TIRE AND RIM, DEMOUNTING[CUST: AT YD 99] [REVIEW: 84 AS AV MC] | A | 2640 | / | AT | 19-APR-04 |
| | QPL-46150-19 | LUBRICANT, WEAPONS, SEMI-FLUID (HIGH LOAD-CARRYING CAPACITY) | A | 9150 | | AR | 02-MAR-05 |
| | MIL-L-46150(1) | LUBRICANT, WEAPONS, SEMI-FLUID (HIGH LOAD-CARRYING CAPACITY)[CUST: AR YD 68] [REVIEW: 11 AS AV GS MC MD] | A | 9150 | | AR | 22-SEP-86 |
| | AEP-15 ED.A | LUBRICANTS FOR USE IN OXYGEN SYSTEMS WITH OXYGEN RICH ENVIRONMENTS | C | ISDA | | AI | 01-SEP-00 |
| | STANAG-3976 ED.1(2) | LUBRICANTS FOR USE IN OXYGEN SYSTEMS WITH OXYGEN RICH ENVIRONMENTS - AEP-15 | C | ISDF | | 06 | 01-JUN-87 |
| | ASTM-D2983 | LUBRICANTS MEASURED BY BROOKFIELD VISCOMETER, LOW TEMPERATURE VISCOSITY OF[CUST: AT SH 11] [REVIEW: OS] | A | 91GP | | AT | 01-OCT-87 |
| | MIL-L-87177A(1) | LUBRICANTS, CORROSION PREVENTIVE COMPOUND, WATER DISPLACING, SYNTHETIC[CUST: CR4 AS 11 GS] [REVIEW: 68 AR EC] | A | 9150 | | 70 | 28-FEB-91 |
| | ASTM-D2670 | LUBRICANTS, FLUID, (FALEX PIN AND VEE BLOCK METHOD), MEASURING WEAR PROPERTIES OF[CUST: AR AS 68 GS3] [REVIEW: AT CR4 OS] | A | 9150 | | GS3 | 15-FEB-94 |
| | FED-STD-791C | LUBRICANTS, LIQUID FUELS, AND RELATED PRODUCTS; METHODS OF TESTING[CUST: AT SH 68] [REVIEW: 11] | A | 91GP | / | AT | 30-SEP-86 |
| | ASTM-D2510 | LUBRICANTS, SOLID FILM, ADHESION OF[CUST: AT SH 11] [REVIEW: OS] | A | 91GP | | AT | 15-FEB-94 |
| | ASTM-D2649 | LUBRICANTS, SOLID FILM, CORROSION CHARACTERISTICS OF[CUST: CR4 AS 11] [REVIEW: GS] | A | 9150 | | AS | 15-AUG-93 |
| | ASTM-D2511 | LUBRICANTS, SOLID FILM, THERMAL SHOCK SENSITIVITY OF[CUST: AT SH 11] [REVIEW: OS] | A | 91GP | | AT | 15-AUG-93 |
| | MIL-PRF-4541D | LUBRICATING AND SERVICING UNIT, AIR OPERATED HIGH AND LOW PRESSURE DELIVERY[CUST: 99] | A | 4930 | | 84 | 02-JUN-97 |
| | QPL-24574-10 | LUBRICATING FLUID FOR LOW AND HIGH PRESSURE OXIDIZING GAS MIXTURES | A | 9150 | | SH | 03-DEC-04 |
| | DOD-PRF-24574(2) | LUBRICATING FLUID FOR LOW AND HIGH PRESSURE OXIDIZING GAS MIXTURES[CUST: SH] [REVIEW: GS] | A | 9150 | | SH | 12-MAR-87 |
| A | QPL-15719-26 | LUBRICATING GREASE, (HIGH TEMPERATURE, ELECTRIC MOTOR, BALL AND ROLLER BEARINGS) | A | 9150 | | SH | 26-AUG-05 |
| | MIL-L-15719A(3) | LUBRICATING GREASE, (HIGH-TEMPERATURE, ELECTRIC MOTOR, BALL AND ROLLER BEARINGS)[CUST: CR4 SH 11] [REVIEW: AS AT EA GS MC MI PS SA] | A | 9150 | | SH | 21-FEB-61 |
| | ASTM-D2265 | LUBRICATING GREASE, OVER WIDE TEMPERATURE RANGE, DROPPING POINT OF[CUST: CR4 AS 68] [REVIEW: GS] | A | 9150 | | AS | 10-DEC-00 |
| A | QPL-J1899-2 | LUBRICATING OIL, AIRCRAFT PISTON ENGINE, (ASHLESS DISPERSANT) | A | 9150 | | AS | 30-SEP-05 |
| | MIL-PRF-87100A | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, POLYPHENYL ETHER BASE[CUST: 11] [REVIEW: 68 GS] | A | 9150 | | 11 | 28-NOV-97 |
| | QPL-87100-4 | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, POLYPHENYL ETHER BASE | A | 9150 | | 11 | 30-AUG-99 |
| | QPL-7808-38 | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE | A | 9150 | | 11 | 30-AUG-99 |
| | MIL-PRF-7808L | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE[CUST: CR4 AS 11] [REVIEW: 68 AV GS PS SH] | A | 9150 | | 11 | 02-MAY-97 |
| | MIL-PRF-23699F | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE, NATO CODE NUMBER O-156[CUST: AT AS 11 GS] [REVIEW: 68 AR AV SH] | A | 9150 | | AS | 21-MAY-97 |
| | QPL-23699-19 | LUBRICATING OIL, AIRCRAFT TURBINE ENGINES, SYNTHETIC BASE NATO CODE NUMBER 0-156, O-154 AND O-152 | A | 9150 | | AS | 02-APR-02 |
| | SAE-J2362 | LUBRICATING OIL, AUTOMOTIVE ENGINE, API SERVICE SM FOR MILITARY ADMINISTRATIVE SERVICE[CUST: AT SH 68] [REVIEW: 11 AS CD GS MC MD1 OS PS SA SM YD] | A | 9150 | | AT | 16-MAR-01 |
| | A-A-59137 NOT 1 | LUBRICATING OIL, BREECH BLOCK (FOR NAVAL ORDNANCE)[CUST: AT OS GS3] [REVIEW: SA] | A | 9150 | / | GS3 | 15-NOV-02 |
| | A-A-50634 | LUBRICATING OIL, ESTER-BASED, FOR COMPRESSORS USING HFC-134A REFRIGERANT[CUST: SH] [REVIEW: GS] | A | 9150 | / | SH | 28-FEB-95 |
| | DOD-L-24651 NOT 1 | LUBRICATING OIL, FOOD GRADE, FOOD PROCESSING EQUIPMENT (METRIC)[CUST: CR4 SH 68] [REVIEW: GS] | A | 9150 | | SH | 20-MAY-91 |
| | SAE-J2363 | LUBRICATING OIL, FOR WHEELED MILITARY VEHICLES WITH HEAVY-DUTY DIESEL ENGINES[CUST: AT SH 68] [REVIEW: 11 AR AV GS MD1 OS PS SA SM YD] | A | 9150 | | AT | 16-MAR-01 |
| | QPL-6086-13 | LUBRICATING OIL, GEAR, PETROLEUM BASE | A | 9150 | | 11 | 10-FEB-03 |
| | MIL-PRF-6086E | LUBRICATING OIL, GEAR, PETROLEUM BASE[CUST: MR AS 11] [REVIEW: 68 AT GS MI SA SH] | A | 9150 | | 11 | 13-FEB-98 |
| | MIL-PRF-32033(1) | LUBRICATING OIL, GENERAL PURPOSE, PRESERVATIVE (WATER-DISPLACING, LOW TEMPERATURE)[CUST: AT AS 11] [REVIEW: 03 50 68 AR GS MC MD MI PS SA SM] | A | 9150 | | AT | 27-JUN-01 |
| | QPL-32033-5 | LUBRICATING OIL, GENERAL PURPOSE, PRESERVATIVE (WATER-DISPLACING, LOW TEMPERATURE) | A | 9150 | | AT | 09-MAY-05 |
| | DOD-PRF-85734A | LUBRICATING OIL, HELICOPTER TRANSMISSION SYSTEM, SYNTHETIC BASE[CUST: AT AS 11 GS] [REVIEW: 68 AR AV SH] | A | 9150 | | AS | 29-JUN-04 |
| | QPL-85734-4 | LUBRICATING OIL, HELICOPTER TRANSMISSION SYSTEM, SYNTHETIC BASE | A | 9150 | | AS | 17-JUL-03 |
| | DOD-L-81846B(2) NOT 1 | LUBRICATING OIL, INSTRUMENT, BALL BEARING, HIGH FLASH POINT[CUST: CR4 AS 11] [REVIEW: 22 99 CR GS OS SH] | A | 9150 | | AS | 02-MAR-00 |
| | QPL-46167-14 | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, ARCTIC | A | 9150 | | AT | 02-MAY-02 |
| | MIL-PRF-46167D | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, ARCTIC[CUST: AT SH 68] [REVIEW: 11 99 AR AS GS MC MI OS SA SM YD] | A | 9150 | | AT | 27-JAN-05 |
| | MIL-PRF-2104H | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, COMBAT/TACTICAL SERVICE[CUST: AT SH 68] [REVIEW: 03 11 99 AR AS GS MC MI PS SA SM YD] | A | 9150 | | AT | 12-JUL-04 |
| A | QPL-2104-46 | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, COMBAT/TACTICAL SERVICE | A | 9150 | | AT | 20-DEC-05 |
| | QPL-21260-30 | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, PRESERVATIVE AND BREAK-IN | A | 9150 | | AT | 17-FEB-04 |
| | MIL-PRF-21260E | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, PRESERVATIVE BREAK-IN[CUST: AT SH 68] [REVIEW: 11 99 AR AS GS MC MI OS SA SM YD] | A | 9150 | | AT | 31-JUL-98 |
| | MIL-PRF-6081D | LUBRICATING OIL, JET ENGINE[CUST: AS 11] [REVIEW: GS PS] | A | 9150 | | 11 | 10-NOV-97 |
| | QPL-6081-30 | LUBRICATING OIL, JET ENGINE | A | 9150 | | 11 | 30-AUG-99 |
| | A-A-59113 NOT 1 | LUBRICATING OIL, MACHINE TOOL SLIDEWAYS[CUST: AR 68 GS3] [REVIEW: AT] | A | 9150 | / | GS3 | 15-NOV-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-53131A | LUBRICATING OIL, PRECISION ROLLING ELEMENT BEARING, POLYALPHAOLEFIN BASED[CUST: AT AS 11] [REVIEW: 68 GS] | A | 9150 | | AT | 16-NOV-98 |
| | QPL-53131-1 | LUBRICATING OIL, PRECISION ROLLING ELEMENT BEARING, POLYALPHOLEFIN BASED | A | 9150 | | AT | 30-MAR-99 |
| A | QPL-3150-34 | LUBRICATING OIL, PRESERVATIVE, MEDIUM | A | 9150 | | AT | 08-OCT-05 |
| | MIL-PRF-3150D(2) | LUBRICATING OIL, PRESERVATIVE, MEDIUM[CUST: AT AS 11] [REVIEW: 68 AR AV DS GS MD MI PS] | A | 9150 | | AT | 30-JUL-01 |
| | MIL-PRF-26087C | LUBRICATING OIL, RECIPROCATING COMPRESSOR, GROUND SUPPORT[CUST: MR AS 68] [REVIEW: AR AT SH] | A | 9150 | | GS3 | 21-JAN-00 |
| | VV-L-825C | LUBRICATING OIL, REFRIGERANT COMPRESSOR, UNINHIBITED[CUST: MR SH 68] [REVIEW: GS MI] | A | 9150 | / | SH | 18-MAR-97 |
| | MIL-PRF-9000H | LUBRICATING OIL, SHIPBOARD INTERNAL COMBUSTION ENGINE, HIGH OUTPUT DIESEL[CUST: SH] [REVIEW: GS PS] | A | 9150 | | SH | 16-SEP-87 |
| A | QPL-9000-102 | LUBRICATING OIL, SHIPBOARD INTERNAL COMBUSTION ENGINE, HIGH OUTPUT DIESEL | A | 9150 | | SH | 21-DEC-05 |
| | MIL-PRF-17331J | LUBRICATING OIL, STEAM TURBINE AND GEAR, MODERATE SERVICE[CUST: SH] | A | 9150 | | SH | 09-SEP-03 |
| M | QPL-17331-105 | LUBRICATING OIL, STEAM TURBINE AND GEAR, MODERATE SERVICE | A | 9150 | | SH | 12-APR-06 |
| | MIL-PRF-53074A | LUBRICATING OIL, STEAM-CYLINDER, MINERAL[CUST: AT YD] [REVIEW: AS GS MC OS SA] | A | 9150 | | AT | 14-SEP-98 |
| | MIL-L-11734C | LUBRICATING OIL, SYNTHETIC (FOR MECHANICAL TIME FUZES)[CUST: AR OS 68] [REVIEW: CR4 GS MD MI PS] | A | 9150 | | AR | 31-DEC-69 |
| | MIL-PRF-14107D | LUBRICATING OIL, WEAPONS, LOW TEMPERATURE[CUST: AR OS 11] [REVIEW: AT AV GS] | A | 9150 | | AR | 20-OCT-00 |
| | QPL-14107-29 | LUBRICATING OIL, WEAPONS, LOW TEMPERATURE | A | 9150 | | AR | 13-APR-05 |
| | QPL-6085-15 | LUBRICATING OIL: INSTRUMENT, AIRCRAFT, LOW VOLATILITY | A | 9150 | | 11 | 06-JAN-03 |
| | QPL-7870-12 | LUBRICATING OIL: GENERAL PURPOSE, LOW TEMPERATURE | A | 9150 | | 11 | 16-SEP-92 |
| | MIL-PRF-7870C | LUBRICATING OIL: GENERAL PURPOSE, LOW TEMPERATURE[CUST: CR4 AS 11] [REVIEW: 68 AR GS MI OS SA SH SM] | A | 9150 | | 11 | 17-FEB-98 |
| | MIL-PRF-6085D | LUBRICATING OIL: INSTRUMENT, AIRCRAFT, LOW VOLATILITY[CUST: CR4 AS 11] [REVIEW: 68 AR GS MI OS SA SH SM] | A | 9150 | | 11 | 20-FEB-98 |
| A | QPL-J1966-2 | LUBRICATING OILS, AIRCRAFT PISTON ENGINE (NON-DISPERSANT MINERAL OIL) | A | 9150 | | AS | 30-SEP-05 |
| | GGG-L-795E | LUBRICATING UNIT, POWER OPERATED, AND PUMPING UNITS, PRESSURE LUBRICATING, DRUM MOUNTING[CUST: AT SH 99] [REVIEW: CC MC] | A | 4930 | / | AT | 21-FEB-90 |
| | A-A-59409A | LUBRICATING UNIT, POWER-OPERATED[CUST: 99 CC] | A | 4930 | / | 84 | 10-APR-02 |
| | DI-MISC-81215 | LUBRICATION LIST [AMSC: N6647] | A | MISC | | AS | 13-JUN-91 |
| | MIL-HDBK-838 | LUBRICATION OF MILITARY EQUIPMENT[CUST: CR4 AS 11] [REVIEW: 68 AR AT AV GS MI OS SH] | A | 9150 | | 11 | 03-DEC-97 |
| | MIL-L-81558 NOT 1 | LUG, SUSPENSION, (1,000 POUND) AIRBORNE EQUIPMENT[CUST: AR AS] [REVIEW: 11 18 AV EA MI] | A | 1325 | | AS | 14-MAY-87 |
| A | MS3314 | LUG, SUSPENSION, (1000 LB CLASS) AIRBORNE EQUIPMENT[CUST: AR AS 99] [REVIEW: 18 AV MI] | A | 1325 | | AS | 26-SEP-67 |
| | API-STD-609 | LUG- AND WAFER-TYPE BUTTERFLY VALVES[CUST: CR4 YD 99] [REVIEW: 71 CE MC] | A | 4820 | | CC | 06-APR-92 |
| | A-A-54404A | LUMBAR PUNCTURE KIT, STERILE, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 29-MAY-92 |
| | MIL-HDBK-7B NOT 1 | LUMBER & ALLIED PRODUCTS[CUST: AV 99] | A | 55GP | | IS | 20-SEP-01 |
| | AWPA-C22 | LUMBER AND PLYWOOD FOR PERMANENT WOOD FOUNDATIONS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: 99 CC] [REVIEW: 84 CR4 SH] | A | 5510 | | IS | 31-DEC-93 |
| | AWPA-C29 | LUMBER AND PLYWOOD TO BE USED FOR THE HARVESTING, STORAGE AND TRANSPORTATION OF FOOD STUFFS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A | 5510 | | IS | 20-JAN-93 |
| | MIL-L-19140E(2) | LUMBER AND PLYWOOD, FIRE- RETARDANT TREATED[CUST: CR4 SH] [REVIEW: CC IS YD] | A | 5510 | | SH | 29-JAN-97 |
| | QPL-19140-79 | LUMBER AND PLYWOOD, FIRE-RETARDANT TREATED | A | 5510 | | SH | 17-MAY-05 |
| | AWPA-C31 | LUMBER USED OUT OF CONTACT WITH THE GROUND AND CONTINUOUSLY PROTECTED FROM LIQUID WATER - TREATMENT BY PRESSURE PROCESSES[CUST: CR4 99 CC] [REVIEW: 84 CE SH] | A | 5510 | | IS | 10-FEB-93 |
| | MM-L-736C(1) | LUMBER, HARDWOOD[CUST: CR4 YD 99] [REVIEW: CC CE MC OS SH] | A | 5510 | / | IS | 11-MAR-83 |
| | MIL-L-2037E | LUMBER, OAK, WHITE AND RED, FOR SHIP AND BOAT CONSTRUCTION[CUST: SH 99] [REVIEW: 84 CC CG CR4] | A | 5510 | | SH | 21-AUG-90 |
| | CTI-STD112 | LUMBER, PRESSURE PRESERVATIVE TREATMENT OF[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| | MIL-L-2594D | LUMBER, SHIP & BOAT CONSTRUCTION, CEDAR, MAHOGANY, & DOUGLAS FIR[CUST: CR4 SH 99] [REVIEW: CC] | A | 5510 | | SH | 14-MAR-88 |
| | AWPA-C20 | LUMBER, STRUCTURAL - FIRE-RETARDANT TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A | 5510 | | IS | 31-DEC-93 |
| | AWPA-C2 | LUMBER, TIMBER, BRIDGE TIES AND MINE TIES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 31-DEC-93 |
| | AWPA-C30 | LUMBER, TIMBERS AND PLYWOOD FOR COOLING TOWERS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM] | A | 5510 | | IS | 31-JAN-92 |
| | ASTM-D245 | LUMBER, VISUALLY GRADED, ESTABLISHING STRUCTURAL GRADES AND RELATED ALLOWABLE PROPERTIES FOR[CUST: CR4 SH 99] | A | 5510 | | SH | 10-APR-00 |
| | NEMA-LE4 | LUMINAIRES, RECESSED; CEILING COMPATIBILITY[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | AIR-STD-25/5B(1) | LUNETTE EYE OR TOWING RING | C | ISDF | | 06 | 23-AUG-95 |
| | QSTAG-264 | LUNETTES, PINTLES AND EMERGENCY TOWING FACILITIES (ABCA-264)[CUST: AI] | C | ISDA | | AI | 14-DEC-71 |
| | A-A-20308 | MACARONI AND CHEESE MIX, DRY[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | * | FV | 22-AUG-02 |
| | A-A-20264A | MACARONI AND CHEESE, FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | * | GL | 12-DEC-01 |
| | SAE-AIR1228 | MACHINE EQUIPMENT AND OPERATION, STANDARD IMPULSE[CUST: AV AS 99] | A | 4730 | | AS | NOV-72 |
| | MIL-M-45945A NOT 2 | MACHINE GUN, 7.62MM: M60D[CUST: AR MC 84] | A | 1005 | | AR | 13-OCT-00 |
| | MIL-M-45920(1) | MACHINE GUN, AIRCRAFT 7.62MM. M134 (GAU-2B/A)[CUST: AR OS 99] | A | 1005 | | AR | 14-DEC-76 |
| | QSTAG-577 | MACHINE GUN, CAL. .50, BROWNING M2 (ABCA 577) | C | ISDA | | AI | 12-NOV-79 |
| | ASME-B5.10 | MACHINE TAPERS (SELF HOLDING AND STEEP TAPER SERIES)[CUST: AR SH 99 GS6] [REVIEW: 84 CR4] | A | 34GP | | GS6 | 19-JUL-01 |
| | ANSI-B11.2 | MACHINE TOOLS - HYDRAULIC PRESSES - REQUIREMENTS FOR CONSTRUCTION, CARE, & USE[CUST: AR SH 99] [REVIEW: CR4] | A | 3442 | | GS6 | 02-AUG-82 |
| | ANSI-B11.3 | MACHINE TOOLS - POWER PRESS BRAKES - SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE, USE[CUST: AR SH 99] | A | 34GP | | GS6 | 21-MAR-89 |
| | ANSI-B11.13 | MACHINE TOOLS, SINGLE & MULTIPLE SPINDLE AUTOMATIC SCREW/BAR & CHUCKING MACHINES SAFTY REQUIREMENTS FOR THE CONSTRUCTION, CARE, & USE[CUST: AR SH 99] [REVIEW: 84 CR4] | A | 3416 | | GS6 | 01-MAR-84 |
| | ANSI-B11.1 | MACHINE TOOLS-MECHANICAL POWER PRESSES SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE, AND USE[CUST: AR SH 99] [REVIEW: 84 CR4] | A | 34GP | | GS6 | 04-APR-88 |
| | MIL-G-71047(1) | MACHINE, GUN, CALIBER .50, AIRCRAFT, XM296[CUST: AR] | A | 1005 | | AR | 16-APR-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D2714 | MACHINE, THE FALEX BLOCK-ON-RING FRICTION AND WEAR TESTING, CALIBRATION AND OPERATION OF[CUST: GL AS 99] [REVIEW: GS] | A | 6635 | | AS | 15-FEB-94 |
| | ISO2551 | MACHINE-MADE TEXTILE FLOOR COVERINGS DETERMINATION OF DIMENSIONAL CHANGES DUE TO THE EFFECTS OF VARIED WATER AND HEAT CONDITIONS[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | DI-CMAN-81182 | MACHINERY ALLERATION INSTRUCTIONS [AMSC: N6097] | A | SESS | | SH | 02-APR-91 |
| | SAE-J1029 | MACHINERY, CONSTRUCTION AND INDUSTRIAL, LIGHTING AND MARKING OF[CUST: AV YD 99] | A | 6220 | | YD | MAR-74 |
| | SAE-J754 | MACHINERY, CONSTRUCTION AND INDUSTRIAL, LUBRICANT TYPES[CUST: AV AS 99] [REVIEW: GS] | A | 9150 | | 84 | JAN-72 |
| | NFPA79 | MACHINERY, INDUSTRIAL, ELECTRICAL STANDARD FOR[CUST: CE SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 30-DEC-88 |
| | ANSI-O1.1 | MACHINERY, WOODWORKING, SAFETY REQUIREMENTS FOR[CUST: AR SH 99] [REVIEW: CR4] | A | 34GP | | GS6 | 12-DEC-78 |
| | MIL-M-3184C | MACHINERY: DECK AND VEHICLE MOUNTED WITH ASSOCIATED EQUIPMENT AND PROVISIONED (REPAIR PARTS)ITEMS: PACKAGING OF[CUST: SM SH 99] [REVIEW: CR4 MC MI SA] | A | PACK | | SH | 03-APR-86 |
| | SAE-J821 | MACHINES, AGRICULTURAL, AND OFF-ROAD, ELECTRICAL WIRING SYSTEMS FOR CONSTRUCTION[CUST: CR4 YD 99] [REVIEW: 84] | A | 38GP | | CR4 | JUN-62 |
| | SAE-J1503 | MACHINES, AIR-CONDITIONED, HEATED, AND VENTILATED OFF-ROAD, SELF-PROPELLED WORK, PERFORMANCE TEST FOR[CUST: CR4 YD 99] | A | 38GP | | 84 | OCT-94 |
| | ASTM-F1237 | MACHINES, COMMERCIAL DISHWASHING, MULTIPLE TANK, CONTINUOUS OVAL-CONVEYOR TYPE, HEAT SANITIZING, STANDARD SPECIFICATION FOR[CUST: GL YD 99] [REVIEW: 50 84 MC MD MS] | A | 7320 | | GL | 28-JUL-89 |
| | ANSI-B11.8 | MACHINES, DRILLING, MILLING & BORING, SAFETYREQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF[CUST: AR SH 99] [REVIEW: 84 CR4] | A | 34GP | | GS6 | 14-JUN-89 |
| | SAE-J180 | MACHINES, ELECTRICAL CHARGING SYSTEMS FOR OFF HIGHWAY WORK[CUST: CR4 SA 99] [REVIEW: GS] | A | 6115 | | SA | 03-OCT-94 |
| | UL561 | MACHINES, FLOOR-FINISHING[CUST: YD 99] [REVIEW: 84] | A | 7910 | | IS | 05-MAY-93 |
| | ANSI-B11.9 | MACHINES, GRINING, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE, AND USE OF[CUST: AR SH 99] [REVIEW: CR4 GL] | A | 34GP | | GS6 | 22-MAY-90 |
| | UL1776 | MACHINES, HIGH-PRESSURE CLEANING, UL STANDARD FOR SAFETY FOR[CUST: AT 99] [REVIEW: 84] | A | 79GP | | AT | 27-DEC-95 |
| | ANSI-B5.40 | MACHINES, HORIZONTAL BORING, SPINDLE NOSES & TOOL SHANKS FOR[CUST: AR SH 99] [REVIEW: CR4 GL] | A | 34GP | | GS6 | 20-JAN-77 |
| | SAE-J98 | MACHINES, INDUSTRIAL, PERSONNEL PROTECTION FOR GENERAL PURPOSE[CUST: CR4 AS 99] | A | SAFT | | 84 | OCT-94 |
| | ASME-B5.45 | MACHINES, MILLING[CUST: AR SH 99 GS6] | A | 3417 | | GS6 | 03-APR-72 |
| | ASTM-F952 | MACHINES, MIXING, FOOD, ELECTRIC[CUST: GL YD 99 SS] [REVIEW: 84 GS MC SA SH] | A | 7320 | | SS | 15-JUL-94 |
| | EIA-RS267 | MACHINES, NUMERICALLY CONTROLLED, AXIS & MOTION NOMENCLATURE FOR[CUST: AR SH 99] [REVIEW: AV CR4 MI] | A | 34GP | | GS6 | 09-MAR-79 |
| | EIA-RS274 | MACHINES, NUMERICALLY CONTROLLED, INTERCHANGEABLE PERFORATED TAPE VARIABLE BLOCK FORMAT FOR CONTOURING & CONTOURING/POSITIONING - FEB 79[CUST: AR SH 99] [REVIEW: AV CR4 MI] | A | 34GP | | GS6 | 09-MAR-79 |
| | SAE-J925 | MACHINES, OFF ROAD, MINIMUM SERVICE ACCESS DIMENSIONS FOR[CUST: AT MC] [REVIEW: GL MD MI YD] | A | HFAC | | AT | DEC-87 |
| | SAE-J919 | MACHINES, OFF-ROAD WORK, - OPERATOR - SINGULAR TYPE - SOUND MEASUREMENT[CUST: MI YD] [REVIEW: AS] | A | HFAC | | YD | APR-95 |
| | SAE-J88 | MACHINES, OFF-ROAD WORK, -EXTERIOR, SOUND MEASUREMENT[CUST: AT YD] [REVIEW: MC MD MI] | A | HFAC | | AT | APR-95 |
| | SAE-J898 | MACHINES, OFF-ROAD WORK, CONTROL LOCATIONS FOR[CUST: AT SA 99] [REVIEW: 84] | A | HFAC | | AT | 03-OCT-94 |
| | SAE-J1362 | MACHINES, OPERATOR CONTROLS AND DISPLAYS ON OFF-ROAD SELF-PROPELLED WORK, GRAPHICAL SYMBOLS FOR[CUST: AT YD 99] [REVIEW: 84] | A | 38GP | | AT | 03-OCT-94 |
| | SAE-J386 | MACHINES, OPERATOR RESTRAINT SYSTEM FOR OFF-ROAD WORK[CUST: AT YD 99] [REVIEW: 84] | A | 2540 | | CC | 08-JUN-93 |
| | IEC60034-2 | MACHINES, ROTATING ELECTRICAL, PART 2: METHODS FOR DETERMINING LOSSES AND EFFICIENCY OF ROTATING ELECTRICAL MACHINERY FROM TESTS (EXCLUDING MACHINES FOR TRACTION VEHICLES)[CUST: YD] | A | FACR | | YD | 29-JUN-04 |
| | ASTM-F919 | MACHINES, SLICING, FOOD, ELECTRIC[CUST: GL YD 99] [REVIEW: 50 84 MC MD MS] | A | 7320 | | GL | 26-APR-85 |
| | ANSI-C50.10 | MACHINES, SYNCHRONOUS, ROTATING ELECTRICAL FOR[CUST: AR YD 11] [REVIEW: GS] | A | 5990 | | YD | 05-JUL-90 |
| | ASTM-E4 | MACHINES, TESTING, FORCE VERIFICATION OF[CUST: MR] [REVIEW: AR IS] | A | 95GP | | MR | 15-FEB-84 |
| | A-A-59118 NOT 1 | MACHINING CENTER, HORIZONTAL, SINGLE SPINDLE, COMPUTER NUMERICAL CONTROL (CNC)[CUST: AR 99 GS6] [REVIEW: 84] | A | 3408 | / | GS6 | 18-APR-03 |
| | A-A-20263 | MACRONI AND BEEF IN TOMATO SAUCE, FROZEN[CUST: FV] | A | 8940 | # | FV | 31-JUL-97 |
| | ASTM-A604 | MACROTECH TESTING OF CONSUMABLE ELECTRODE REMELTED STEEL BARS AND BILLETS[CUST: GL AS 99] [REVIEW: GS] | A | 3439 | | AS | 15-JUN-94 |
| | SAE-AMS4484 | MAGNESIUM ALLOY CASTINGS, PERMANENT MOLD 9.0A1 - 2.0ZN (AZ92A-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 99 IS] | A | MECA | | 84 | 01-APR-92 |
| | SAE-AMS4455 | MAGNESIUM ALLOY, INVESTMENT CASTINGS 10A1 (AM100A-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | MECA | | 11 | JUL-61 |
| | SAE-AMS4452 | MAGNESIUM ALLOY, INVESTMENT CASTINGS 8.7A1 - 0.70ZN - 0.22MN (AZ91C - T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | MECA | | 11 | 30-NOV-94 |
| M | SAE-AMS4453 | MAGNESIUM ALLOY, INVESTMENT CASTINGS 9.0A1-2.0ZN(AZ92C-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | MECA | | 11 | 28-MAR-06 |
| | SAE-AMS-M-3171 | MAGNESIUM ALLOY, PROCESSES FOR PRETREATMENT AND PREVENTION OF CORROSION ON[CUST: MR AS 11] | A | MFFP | | MR | APR-98 |
| | SAE-AMS4418 | MAGNESIUM ALLOY, SAND CASTINGS 2.5AG - 2.1DI - 0.70ZR (QE22A-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | MECA | | 11 | DEC-94 |
| | SAE-AMS4395 | MAGNESIUM ALLOY, WELDING WIRE, 9.0AL - 2.0ZN (AZ92A)[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-OCT-86 |
| | ASTM-B93/B93M | MAGNESIUM ALLOYS IN INGOT FORM FOR SAND CASTINGS, PERMANENT MOLD CASTINGS, AND DIE CASTINGS[CUST: MR 11] [REVIEW: AR IS] | A | 9650 | | MR | 12-MAY-92 |
| | SAE-AMS2475 | MAGNESIUM ALLOYS, PROTECTIVE TREATMENTS[CUST: MR AS 11] | A | MFFP | | 11 | FEB-94 |
| | JAN-M-454(1) NOT 1 | MAGNESIUM ALUMINUM ALLOY, POWERED[CUST: AR OS] | A | 1370 | | AR | 24-JAN-00 |
| | MIL-HDBK-693A NOT 1 | MAGNESIUM AND MAGNESIUM ALLOY[CUST: MR AS 99] [REVIEW: IS] | A | 95GP | | MR | 19-APR-88 |
| | MIL-M-14779(3) NOT 2 | MAGNESIUM OXIDE, CALCINED (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 15-NOV-96 |
| | A-A-59302 NOT 1 | MAGNESIUM OXIDE, TECHNICAL[CUST: EA OS] [REVIEW: AS MD1 MI] | A | 6810 | / | GS3 | 20-JAN-05 |
| D | MIL-DTL-382D NOT 1 | MAGNESIUM POWDER - FOR USE IN AMMUNITION[CUST: GL1 GS] [REVIEW: EA] | A | 6810 | | AR | 25-NOV-02 |
| | MIL-M-542A(2) | MAGNESIUM STEARATE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: EA GS] | A | 6810 | | AR | 03-JAN-73 |
| | ASTM-B94 | MAGNESIUM-ALLOY DIE CASTINGS[CUST: MR AS 99] [REVIEW: 11 84 AR AV CR4 GL MI] | A | MECA | | MR | 15-FEB-94 |
| | ASTM-B107/B107M | MAGNESIUM-ALLOY EXTRUDED BARS, RODS, SHAPES, TUBES, AND WIRE[CUST: MR AS 11] [REVIEW: AR AT CR EA GL IS MI SA] | A | 95GP | | AS | 15-JAN-92 |
| | ASTM-B91 | MAGNESIUM-ALLOY FORGINGS[CUST: MR AS 99] [REVIEW: 11 AT GL MI SH YD] | A | FORG | | MR | 06-AUG-93 |
| | ASTM-B199 | MAGNESIUM-ALLOY PERMANENT MOLD CASTINGS[CUST: MR 11] [REVIEW: CR4 IS] | A | MECA | | MR | 24-APR-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-B80 | MAGNESIUM-ALLOY SAND CASTINGS[CUST: MR] [REVIEW: 99 AR CR4 GL MD] | A | MECA | | MR | 15-FEB-93 |
| | MIL-M-46130(1) NOT 1 | MAGNESIUM-LITHIUM ALLOY PLATE, SHEET AND FORGINGS (LA141A, LS141A AND LZ145A)[CUST: MR AS 11 IS] | A | 9535 | | IS | 26-JUN-02 |
| | A-A-59167 NOT 1 | MAGNET MATERIALS, PERMANENT[CUST: MI] | A | 9535 | / | MI | 19-FEB-04 |
| | NEMA-MW1000 | MAGNET WIRE[CUST: CR SH 11] | A | 6145 | | SH | 1993 |
| | MIL-DTL-19595D | MAGNETIC EFFECT LIMITS FOR NON-MAGNETIC EQUIPMENT USED IN THE PROXIMITY OF MAGNETIC INFLUENCE ORDNANCE[CUST: OS] | A | NDTI | | OS | 11-FEB-03 |
| D | ANSI-X3.2 | MAGNETIC INK CHARACTER RECOGNITION, PRINT SPECIFICATIONS FOR[CUST: CR OM] | A | IPSC | | DC3 | 05-OCT-70 |
| | A-A-58049A | MAGNETIC PARTICLE INSPECTION UNITS, 52 INCH AND 100 INCH[CUST: AS 99 GS] | A | 6635 | / | 84 | 14-JAN-98 |
| | MIL-HDBK-728/4A | MAGNETIC PARTICLE TESTING[CUST: MR AS 11] [REVIEW: AR OS] | A | NDTI | | MR | 28-DEC-93 |
| | SAE-AMS3044 | MAGNETIC PARTICLES, FLUORESCENT WET METHOD, DRY POWDER[CUST: MR AS 11] [REVIEW: GS] | A | 6850 | | AS | 29-JUL-80 |
| | SAE-AMS3046 | MAGNETIC PARTICLES, FLUORESCENT WET METHOD, OIL VEHICLE, AEROSOL PACKAGED[CUST: MR AS 11] [REVIEW: GS] | A | 6850 | | AS | 01-JUN-78 |
| | SAE-AMS3045 | MAGNETIC PARTICLES, FLUORESCENT WET METHOD, OIL VEHICLE, READY-TO-USE[CUST: MR AS 11] [REVIEW: GS] | A | 6850 | | AS | 01-JUN-78 |
| | SAE-AMS3040 | MAGNETIC PARTICLES, NONFLUORESCENT DRY METHOD[CUST: MR AS 11] [REVIEW: GS] | A | 6850 | | AS | 31-MAY-78 |
| | SAE-AMS3042 | MAGNETIC PARTICLES, NONFLUORESCENT WET METHOD, DRY POWDER[CUST: MR AS 11] [REVIEW: 68 GS] | A | 6850 | | AS | 30-JUN-85 |
| | SAE-AMS3043 | MAGNETIC PARTICLES, NONFLUORESCENT WET METHOD, OIL VEHICLE, AEROSOL PACKAGED[CUST: MR AS 11] [REVIEW: GS] | A | 6850 | | AS | 31-MAY078 |
| | SAE-AMS3041 | MAGNETIC PARTICLES, NONFLUORESCENT WET METHOD, OIL VEHICLE, READY-TO-USE[CUST: MR AS 11] [REVIEW: GS] | A | 6850 | | AS | 30-JUN-85 |
| | ASTM-A341/A341M | MAGNETIC PROPERTIES OF DIRECT CURRENT OF MATERIALS USING D-C PERMEAMETERS AND THE BALLISTIC TEST METHODS[CUST: MI AS 11] | A | NDTI | | MI | 30-JUN-89 |
| | MIL-STD-2142A | MAGNETIC SILENCING CHARACTERISTICS, MEASUREMENT OF (METRIC)[Test Method Standard][CUST: SH] | A | 1905 | | SH | 06-AUG-90 |
| | DOD-STD-2143 | MAGNETIC SILENCING REQUIREMENTS FOR THE CONSTRUCTION OF NONMAGNETIC SHIPS & CRAFT (METRIC)[Design Criteria Standard][CUST: SH] | A | 1905 | | SH | 01-JUN-83 |
| | DI-MISC-80738 | MAGNETIC TAPE CARTRIDGES, VIDEO DATA AND VOICE RECORDS [AMSC: A4608] | A | MISC | | MI | 17-JAN-89 |
| | MIL-STD-1610A | MAGNETIC TAPE RECORDER/REPRODUCER FORMATS FOR ASW SENSOR & SYSTEMS DATA[Interface Standard][CUST: SH 99] [REVIEW: EC NP TD] | A | 6625 | | SH | 06-JUL-87 |
| | ASTM-E376 | MAGNETIC-FIELD OR EDDY-CURRENT (ELECTROMAGNETIC) MEASURING COATING THICKNESS BY, TEST METHODS[CUST: MR AS 11 GS2] [REVIEW: 99 AR AV OS SH] | A | NDTI | | GS2 | 27-OCT-89 |
| | A-A-51901 | MAGNIFIER[CUST: MD MS 03] [REVIEW: GS] | A | 6650 | * | MB | 30-MAR-87 |
| | A-A-51902 | MAGNIFIER[CUST: MD MS 03] [REVIEW: GS] | A | 6650 | / | MB | 30-MAR-87 |
| | A-A-51289 | MAGNIFIER, (DENTAL LABORATORY)[CUST: MD MS 03] | A | 6520 | | MB | 18-DEC-85 |
| | A-A-51288 | MAGNIFIER, DENTAL OPERATING[CUST: MD MS 03] | A | 6520 | / | MB | 18-DEC-85 |
| | A-A-53545 | MAGNIFIER, FOLDING, DOUBLE LENS[CUST: MD MS 03] [REVIEW: GS] | A | 6650 | / | MB | 30-JUN-88 |
| | A-A-54045 | MAGNIFIER, SPECTACLE, GULLSTRAND[CUST: MD MS 03] | A | 6540 | / | MB | 30-NOV-89 |
| | A-A-54200 | MAILING CASE SECTION, MICROSCOPE SLIDE[CUST: MD MS 03] | A | 6640 | / | MB | 25-JUN-90 |
| | A-A-51725 | MAILING CASE, LABORATORY SPECIMEN[CUST: MD MS 03] | A | 6640 | / | MB | 27-OCT-86 |
| | ITOP-3.2.836.2.1.2 | MAIN BATTLE-TANK FIRE CONTROL - SYSTEMS - GUN/SIGHT SYNCHRONIZATION | D | ISDA | | TE | 31-MAR-87 |
| | ITOP-3.2.836.2.1.1 | MAIN BATTLE-TANK FIRE CONTROL SYSTEMS - BORESIGHT AND MUZZLE-REFERENCE-SYSTEM ALIGNMENT/RETENTION | D | ISDA | | TE | 31-MAR-87 |
| | ITOP-3.2.836.2.2.3 | MAIN BATTLE-TANK FIRE CONTROL SYSTEMS - COINCIDENCE | D | ISDA | | TE | 29-JUN-95 |
| | ITOP-3.2.836.2.2.2 | MAIN BATTLE-TANK FIRE CONTROL SYSTEMS - DRIFT | D | ISDA | | TE | 27-JUN-85 |
| | ITOP-3.2.836.2.4.1 | MAIN BATTLE-TANK FIRE CONTROL SYSTEMS COMPUTERIZED CORRECTIONS | D | ISDA | | TE | 29-JUN-95 |
| | ITOP-3.2.836.2.3.2 | MAIN BATTLE-TANK FIRE CONTROL SYSTEMS FREQUENCY RESPONSE OF WEAPON SERVO SYSTEM | D | ISDA | | TE | 27-APR-93 |
| | ITOP-3.2.836.2.2.1 | MAIN BATTLE-TANK FIRE CONTROL SYSTEMS STABILIZATION ACCURACY | D | ISDA | | TE | 29-JUN-95 |
| | ITOP-3.2.836.2.3.3 | MAIN BATTLE-TANK FIRE CONTROL SYSTEMS TRANSIENT RESPONSE TO STEP COMMANDS | D | ISDA | | TE | 27-APR-93 |
| | ITOP-3.2.836.2.3.1 | MAIN BATTLE-TANK FIRE CONTROL SYSTEMS WEAPON SYSTEM RESPONSE TO CONTROL HANDLE COMMAND (U) | D | ISDA | | TE | 06-MAR-92 |
| | DOD-HDBK-791 | MAINTAINABILITY DESIGN TECHNIQUES METRIC[CUST: SY] | A | MISC | | SY | 17-MAR-88 |
| | MIL-HDBK-472(1) | MAINTAINABILITY PREDICTION[CUST: MI AS 11] [REVIEW: 13 19 CR EC OS SH TD] | A | SESS | | AS | 12-JAN-84 |
| | DI-MNTY-81602 | MAINTAINABILITY PREDICTIONS REPORT [AMSC: G7421] | A | SESS | | NS | 08-FEB-01 |
| | DI-MNTY-81600 | MAINTAINABILITY PROGRAM PLAN [AMSC: G7419] | A | SESS | | NS | 08-FEB-01 |
| | DI-MNTY-81601 | MAINTAINABILITY STATUS REPORT [AMSC: G7420] | A | SESS | | NS | 08-FEB-01 |
| | DI-MNTY-81604 | MAINTAINABILITY/TESTABILITY DEMONSTRATION TEST PLAN [AMSC: G7423] | A | SESS | | NS | 08-FEB-01 |
| | DI-MNTY-81603 | MAINTAINABILITY/TESTABILITY DEMONSTRATION TEST REPORT [AMSC: G7422] | A | SESS | | NS | 08-FEB-01 |
| | STANAG-7052 ED.1(2) | MAINTAINING AIRCRAFT CRASH/FIRE/RESCUE SKILLS FOR NATO FIRE-FIGHTERS | C | ISDF | | 06 | 20-DEC-94 |
| | EIA364.24 | MAINTENANCE AGING TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11] | A | 5935 | | AS | 05-FEB-98 |
| | MIL-HDBK-1125/1 | MAINTENANCE AND OPERATION OF CENTRAL HEATING PLANTS[CUST: YD] | A | FACR | | YD | 15-OCT-95 |
| | MIL-HDBK-1114/2 | MAINTENANCE AND OPERATION OF HEATING SYSTEMS[CUST: YD] | A | FACR | | YD | 31-DEC-91 |
| | DI-MISC-81371 | MAINTENANCE DATA COLLECTION RECORD (MDCR) [AMSC: F6965] | A | MISC | | 10 | 03-SEP-93 |
| | DI-ALSS-81547 | MAINTENANCE DATA RECORD [AMSC: N7261] | A | SESS | | SA | 22-APR-97 |
| | SAE-J753 | MAINTENANCE INTERVAL CHART[CUST: AT GS3] | A | 9150 | | GS3 | 23-MAY-91 |
| | A-A-52686 NOT 1 | MAINTENANCE KIT, ACRYLIC PLASTIC WINDOW REFINISHING, AIRCRAFT[CUST: AV AS 11] [REVIEW: 84 99 GS] | A | 1560 | / | AV | 05-MAR-02 |
| | MIL-M-14545D NOT 1 | MAINTENANCE KIT, COLD WEATHER, INSULATED BOOT-PNEUMATIC MATTRESS[CUST: GL NU CT] [REVIEW: CG MC] | A | 8465 | | CT | 25-JAN-88 |
| | MIL-M-83521/4A(1) | MAINTENANCE KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR PAVE SPIKE SYSTEM[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 05-SEP-03 |
| | MIL-M-83521/6(1) NOT 1 | MAINTENANCE KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT, GENERAL PURPOSE USE[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AT AV CR4 EC GL MC MI OS SH YD] | A | 5935 | | CC | 05-SEP-03 |
| | MIL-DTL-83521B | MAINTENANCE KIT, ELECTRICAL CONNECTORS, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AT AV CR4 GL MC OS SH] | A | 5935 | | CC | 05-SEP-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-43946A NOT 1 | MAINTENANCE KIT: WET WEATHER CLOTHING[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8405 | | CT | 28-AUG-89 |
| | MIL-M-83521/7(1) | MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT GENERAL PURPOSE, FOR MIL-C-22520/5 CRIMPING TOOL AND DIES[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AT AV EC GL MC MI OS SH] | A | 5935 | | CC | 05-SEP-03 |
| | MIL-M-83521/3(1) NOT 1 | MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR A10 AIRCRAFT, CONNECTOR SYSTEMS[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 05-SEP-03 |
| | MIL-M-83521/5(1) | MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR GENERAL PURPOSE, (AIR/NITROGEN HEAT GUN)[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AT AV EC GL MC MI OS SH] | A | 5935 | | CC | 05-SEP-03 |
| | MIL-M-83521/1(1) | MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR F-15 AIRCRAFT CONNECTOR SYSTEMS[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 05-SEP-03 |
| | QSTAG-1153 ED.1 | MAINTENANCE OF GEOGRAPHIC MATERIALS[CUST: AI] | C | ISDA | | AI | 25-OCT-94 |
| | STANAG-7016 ED.4(1) | MAINTENANCE OF GEOGRAPHIC MATERIALS (INCLUDING AMENDMENT 1) | C | ISDF | | 06 | 08-NOV-02 |
| | MIL-HDBK-1023/4 | MAINTENANCE OF VISUAL AIR NAVIGATION FACILITIES[CUST: CE YD 50] | A | FACR | | YD | 30-NOV-98 |
| | A-A-59324A | MAINTENANCE PLATFORM, SELF-PROPELLED, ELECTRIC[CUST: 99] | A | 4940 | / | 84 | 23-APR-04 |
| | DI-MGMT-80995 | MAINTENANCE SERVICE REPORT [AMSC: G4959] | A | MGMT | | NS | 11-JUN-90 |
| | DI-ILSS-81225 | MAINTENANCE SUPPORT PLAN [AMSC: A6662] | A | SESS | | AM | 10-JUL-91 |
| | DI-MISC-81421 | MAINTENANCE TRAINING ACTIVITY REPORT [AMSC: F7066] | A | MISC | | 10 | 14-NOV-94 |
| | DI-ILSS-80294A | MAINTENANCE, TEST AND SUPPORT EQUIPMENT REQUIREMENTS LIST [AMSC: G4968] | A | SESS | | NS | 16-JUL-90 |
| | DI-MGMT-80666 | MAJOR VEHICLE ACCIDENT REPORT [AMSC: F4509] | A | MGMT | | 33 | 05-AUG-88 |
| | IEEE400 | MAKING HIGH-DIRECT-VOLTAGE TESTS ON POWER CABLE SYSTEMS IN THE FIELD, IEEE GUIDE FOR[CUST: CR4 YD 99] [REVIEW: GS SH] | A | NDTI | | YD | 22-MAY-91 |
| | NA0156 | MALE THREADED FASTENERS, METRIC DESIGN PARAMETERS FOR[CUST: AR AS 99 IS] [REVIEW: AV] | A | 53GP | | IS | MAY-82 |
| | A-A-51708 | MALLET, BONE SURGERY, STAINLESS STEEL[CUST: MD MS 03] | A | 6515 | / | MB | 17-OCT-86 |
| | A-A-51701 | MALLET, ORAL SURGERY (GARDNER, HAND TYPE)[CUST: MD MS 03] | A | 6520 | / | MB | 24-NOV-86 |
| | A-A-51060 | MALLET, ORAL SURGERY, HAND TYPE, MEAD[CUST: MD MS 03] | A | 6520 | / | MB | 22-OCT-85 |
| | DI-FNCL-80003 | MAN HOURS EXPENDITURE CHART [AMSC: G3544] | A | FNCL | | NS | 03-MAY-85 |
| | INFO-PUB-61/115/18 | MANAGEMENT OF HIV POSITIVE AIRCREW | C | ISDF | | 06 | 18-SEP-98 |
| | DI-MGMT-80004 | MANAGEMENT PLAN [AMSC: G3545] | A | MGMT | | NS | 03-MAY-85 |
| | ASTM-D522 | MANDREL BEND TEST OF ATTACHED ORGANIC COATINGS[CUST: MR AS 99] [REVIEW: 84 SH YD] | A | 8010 | | MR | 15-SEP-93 |
| | MS27638D | MANDREL SLEEVE SETTING[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | A-A-51997 | MANDREL, DENTAL HANDPIECE, NO. 303[CUST: MD MS 03] | A | 6520 | | MB | 22-JUN-87 |
| | A-A-51998 | MANDREL, DENTAL HANDPIECE, NO. 303-1/2[CUST: MD MS 03] | A | 6520 | | MB | 22-JUN-87 |
| | A-A-51999 | MANDREL, DENTAL HANDPIECE, NO. X350[CUST: MD MS 03] | A | 6520 | | MB | 22-JUN-87 |
| | A-A-51129C | MANDRELS, MACHINE, SOLID[CUST: AR 99 GS6] [REVIEW: 84] | A | 3460 | / | GS6 | 25-SEP-00 |
| | SAE-AMS4780 | MANGANESE ALLOY BRAZING FILLER METAL 66MN - 16NI - 16CO - 0.80B 1770 TO 1875 DEG. F (966 TO 1024 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-APR-92 |
| | SAE-AMS4860 | MANGANESE BRONZE, SAND AND CENTRIFUGAL CASTINGS 58CU - 39ZN - 1.2FE - 1.0AL - 0.80MN AS CAST[CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A | MECA | | MR | 01-APR-93 |
| | SAE-AMS4862 | MANGANESE BRONZE, SAND AND CENTRIFUGAL CASTINGS 63CU - 24ZN - 6.2AL - 3.8MN - 3.0FE HIGH STRENGTH, AS CAST[CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A | MECA | | MR | 01-APR-93 |
| | MIL-M-21383A(2) | MANGANESE DELAY COMPOSITION[CUST: EA OS] [REVIEW: AR] | A | 1377 | | OS | 28-SEP-95 |
| | ASTM-E248 | MANGANESE IN MANGANESE ORE BY PYROPHOSPHATE COMPLEXED PERMANGANATE POTENTIOMETRIC TITRIMETRY, DETERMINATION OF[CUST: EA GS3] [REVIEW: CR4 GL MC MD SH] | A | 6810 | | GS3 | 13-SEP-68 |
| | ASTM-D858 | MANGANESE IN WATER[CUST: EA 68 GS3] [REVIEW: CR4 GL MD SH] | A | 6810 | | GS3 | 15-FEB-95 |
| | JAN-M-476A NOT 2 | MANGANESE, POWDERED (FOR USE IN AMMUNITION)[CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 10-OCT-96 |
| | ASTM-C478 | MANHOLE SECTIONS, CONCRETE, PRECAST REINFORCED[CUST: YD 99] [REVIEW: CE MC] | A | 5630 | | IS | 15-AUG-93 |
| | ASTM-C478M | MANHOLE SECTIONS, CONCRETE, PRECAST REINFORCED (METRIC)[CUST: YD] [REVIEW: CE MC] | A | 5630 | | IS | 15-AUG-93 |
| | DI-FNCL-81116 | MANHOUR ESTIMATE, TECHNICAL COST PROPOSALS [AMSC: A6002] | A | FNCL | | AM | 19-DEC-90 |
| | MIL-M-82002D | MANIFOLD AND ACCESSORY ASSEMBLIES, PORTABLE FUEL DISTRIBUTION SYSTEMS, QUICK-DISCONNECT HOSE COUPLING TYPE[CUST: MC] [REVIEW: CC CE CR4] | A | 3835 | | MC | 03-OCT-90 |
| | A-A-51315 | MANIKIN, CARDIOPULMONARY RESUSCITATION TRAINING (HEAD AND TORSO)[CUST: MD MS 03] | A | 6530 | / | MB | 27-DEC-85 |
| | A-A-53691 | MANIKIN, HEAD AND TORSO[CUST: MD MS 03] | A | 6910 | / | MB | 15-SEP-88 |
| | A-A-53753 | MANIKIN, RESUSCITATION TRAINING[CUST: MD MS 03] | A | 6910 | / | MB | 28-OCT-88 |
| | A-A-54953 | MANIKINS, CARDIOPULMONARY-RESUSCITATION, ADULT[CUST: MD MS 03] | A | 6910 | / | MB | 13-MAY-94 |
| | CI1308 | MANILA ROPE 3-STRAND CONSTRUCTION[CUST: GL SH 99 IS] | A | 4020 | | IS | SEPT 96 |
| | A-A-54967 | MANIPULATOR - INJECTOR, UTERINE[CUST: MD MS 03] | A | 6515 | / | MB | 31-JUL-94 |
| | A-A-0051660 | MANOMETER SET, VENOUS BLOOD PRESSURE[CUST: MD MS 03] | A | 6515 | / | MB | 09-SEP-86 |
| | ISA-RP2.1 | MANOMETER TABLES[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | A-A-54785 | MANOMETER, SPINAL FLUID[CUST: MD MS 03] | A | 6515 | / | MB | 08-JAN-93 |
| | STANAG-6005 ED.5 | MANPOWER POLICIES AND PROCEDURES | C | ISDA | | AI | PENDING |
| | A-A-52079A | MANTLE, ILLUMINATING (GASOLINE LANTERN)[CUST: GL 99 IS] [REVIEW: 71 CG CR4 MC] | A | 6260 | / | IS | 30-JUN-93 |
| | AREMA-MANUAL | MANUAL FOR RAILWAY ENGINEERING[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| | AOP-7 ED.2 | MANUAL OF DATA REQUIREMENTS AND TESTS FOR THE QUALIFICATION OF EXPLOSIVE MATERIALS FOR MILITARY USE | C | ISDA | | AI | 01-JUN-03 |
| | API-PUBL-2518 | MANUAL OF PETROLEUM MEASUREMENT STANDARDS CHAPTER 19-EVAPORATION LOSS MEASUREMENT, SECTION 1- EVAPORATIVE LOSS[CUST: CR4 SH 68] [REVIEW: AM AS CE MC NM YD] | A | 91GP | | CR4 | 24-JAN-92 |
| | AEP-6 ED.C | MANUAL OF TECHNIQUES OF SAMPLING AND ANALYSIS OF GASES AND LIQUEFIED GASES FOR AIRCRAFT SERVICING | C | ISDA | | AI | 31-MAY-00 |
| | STANAG-3977 ED.2(2) | MANUAL OF TECHNIQUES OF SAMPLING AND ANALYSIS OF GASES AND LIQUEFIED GASES FOR AIRCRAFT SERVICING - AEP-6 | C | ISDF | | 06 | 07-MAY-97 |
| | AOP-20 ED.1 | MANUAL OF TESTS FOR THE SAFETY QUALIFICATION OF FUZING SYSTEMS | A | ISDA | | AI | 01-APR-02 |
| | SMACNA-SRM | MANUAL SEISMIC RESTRAINT: GUIDELINES FOR MECHANICAL SYSTEMS[CUST: YD] [REVIEW: 19 CE] | A | FACR | | YD | 31-DEC-91 |
| | DI-MISC-81305 | MANUAL TARGET/AIRCRAFT FLIGHT STATUS REPORT [AMSC: A6881] | A | MISC | | AM | 28-JAN-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-85337A | MANUAL, TECHNICAL, QUALITY ASSURANCE PROGRAM, REQUIREMENTS FOR[CUST: AS] | A | QCIC | | AS | 15-NOV-84 |
| | MIL-M-81715 | MANUAL, TECHNICAL, SHIP WEAPON INSTALLATIONS[CUST: AS] | A | TMSS | | AS | 03-FEB-69 |
| | ASME-B16.33 | MANUALLY OPERATED METALLIC GAS VALVES FOR USE IN GAS PIPING SYSTEMS UP TO 125 PSIG, SIZES NPS - NPS 2[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASME-B16.40 | MANUALLY OPERATED THERMOPLASTIC GAS SHUTOFFS AND VALVES IN GAS DISTRIBUTION SYSTEMS[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | MIL-PRF-87268A(1) | MANUALS, INTERACTIVE ELECTRONIC TECHNICAL - GENERAL CONTENT, STYLE, FORMAT, AND USER-INTERACTION REQUIREMENTS[CUST: TM OS 16] [REVIEW: 11 13 19 70 71 99 AR AS AT AV CR EA EC MC MI PT SA SH TD YD] | A | TMSS | | 16 | 15-JAN-01 |
| | MIL-M-85025A | MANUALS, NATOPS FLIGHT REQUIREMENTS FOR PREPARATION OF[CUST: AS] | A | TMSS | | AS | 08-DEC-80 |
| | MIL-PRF-5288H NOT 1 | MANUALS, TECHNICAL AND CHECKLISTS-PREPARATION OF CARGO AIRCRAFT LOADING AND OFFLOADING[CUST: TM AS 16] [REVIEW: 11 99 AV MT] | A | TMSS | | 16 | 09-APR-01 |
| | MIL-PRF-9977K(1) NOT 1 | MANUALS, TECHNICAL AND CHECKLISTS: MUNITIONS/WEAPONS LOADING PROCEDURES, NONNUCLEAR AND NUCLEAR AND PACKAGES, STANDARD DATA: MUNITIONS LOADING PROCEDURES, NONNUCLEAR[CUST: 16] [REVIEW: 01 10 11 70 71 80 82 84 99] | A | TMSS | | 16 | 18-DEC-03 |
| | MIL-DTL-81919C | MANUALS, TECHNICAL, EQUIPMENT OPERATION AND/OR MAINTENANCE INSTRUCTIONS, TECHNICAL CONTENT REQUIREMENTS (WORK PACKAGE CONCEPT)[CUST: AS] | A | TMSS | | AS | 26-NOV-97 |
| | MIL-DTL-81218C | MANUALS, TECHNICAL: AIRCRAFT ENGINE INTERMEDIATE AND DEPOT MAINTENANCE, PREPARATION OF (WORK PACKAGE CONCEPT)[CUST: AS] | A | TMSS | | AS | 26-NOV-97 |
| | MIL-DTL-81928C | MANUALS, TECHNICAL: AIRCRAFT MAINTENANCE INSTRUCTIONS, TECHNICAL CONTENT REQUIREMENTS (WORK PACKAGE CONCEPT)[CUST: AS] | A | TMSS | | AS | 26-NOV-97 |
| | MIL-DTL-85383A | MANUALS, TECHNICAL: AIRCRAFT STRUCTURE REPAIR; PREPARATION OF (WORK PACKAGE CONCEPT)[CUST: AS] | A | TMSS | | AS | 26-NOV-97 |
| | MIL-PRF-63003B(1) | MANUALS, TECHNICAL: BATTLEFIELD DAMAGE ASSESSMENT AND REPAIR, PREPARATION OF[CUST: TM] [REVIEW: AR AT CR MI TE] | A | TMSS | | TM | 15-NOV-01 |
| M | MIL-PRF-49501A NOT 2 | MANUALS, TECHNICAL: DAILY PREVENTIVE MAINTENANCE CHECKLIST[CUST: TM] [REVIEW: AC1 AR AV CR EA PT] | A | TMSS | | TM | 31-MAR-06 |
| | MIL-PRF-63012B(1) | MANUALS, TECHNICAL: DEPOT MAINTENANCE WORK REQUIREMENTS (DMWRS) FOR MAINTENANCE/DEMILITARIZATION OF CONVENTIONAL AND CHEMICAL AMMUNITION[CUST: TM SH] [REVIEW: AR AS CR EA MI NM NW] | A | TMSS | | TM | 15-NOV-01 |
| | MIL-DTL-24784B SUP 1 | MANUALS, TECHNICAL: GENERAL ACQUISITION AND DEVELOPMENT REQUIREMENTS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | MIL-DTL-81929C | MANUALS, TECHNICAL: ILLUSTRATED PARTS BREAKDOWN FIGURES; TECHNICAL CONTENT REQUIREMENTS (WORK PACKAGE CONCEPT)[CUST: AS] | A | TMSS | | AS | 26-NOV-97 |
| | MIL-PRF-5096F NOT 1 | MANUALS, TECHNICAL: INSPECTION AND MAINTENANCE REQUIREMENTS; ACCEPTANCE AND FUNCTIONAL CHECK FLIGHT PROCEDURES AND CHECKLISTS; INSPECTION WORK CARDS; AND CHECKLISTS; PREPARATION OF[CUST: 16] [REVIEW: 01 02 10 11 13 19 70 71] | A | TMSS | | 16 | 06-APR-01 |
| | MIL-PRF-38311C | MANUALS, TECHNICAL: OPERATION AND ASSOCIATED CHECKLIST (INTERCONTINENTAL BALLISTIC MISSILE) PREPARATION OF[CUST: 19] [REVIEW: 16 99] | A | TMSS | | 19 | 09-DEC-97 |
| | MIL-PRF-38314 | MANUALS, TECHNICAL: OPERATIONAL AND ASSOCIATED CHECKLIST (SPACE SYSTEMS) PREPARATION OF[CUST: 19] [REVIEW: 16 33] | A | TMSS | | 19 | 18-AUG-97 |
| | MIL-DTL-23618H | MANUALS, TECHNICAL: PERIODIC MAINTENANCE REQUIREMENTS, PREPARATION OF[CUST: AS] | A | TMSS | | AS | 12-DEC-97 |
| | MIL-PRF-63005D(1) | MANUALS, TECHNICAL: PREPARATION FOR SHIPMENT OF ARMY AIRCRAFT[CUST: AV] | A | TMSS | | AV | 10-OCT-02 |
| | MIL-PRF-63017C | MANUALS, TECHNICAL: REQUIREMENTS FOR MUNITION EQUIPMENT AND AMMUNITION DATA SHEETS[CUST: TM] [REVIEW: AR AT AV CR EA GL MI] | A | TMSS | | TM | 03-MAY-04 |
| A | MIL-PRF-63002J | MANUALS, TECHNICAL: REQUIREMENTS FOR PREPARATION OF MODIFICATION WORK ORDERS[CUST: TM] [REVIEW: AR AT AV CR EA GL MI] | A | TMSS | | TM | 30-AUG-05 |
| | MIL-PRF-5920F NOT 1 | MANUALS, TECHNICAL: SAMPLE BASIC WEIGHT CHECKLISTS AND LOADING DATA[CUST: 16] [REVIEW: 01 10 99] | A | TMSS | | 16 | 09-APR-01 |
| | MIL-DTL-15014 | MANUALS, TECHNICAL: SEPARATE ILLUSTRATED PARTS BREAKDOWN; TECHNICAL CONTENT REQUIREMENTS (WORK PACKAGE CONCEPT)[CUST: AS] | A | TMSS | | AS | 26-NOV-97 |
| | MIL-DTL-81927C | MANUALS, TECHNICAL: WORK PACKAGE STYLE, FORMAT, AND COMMON TECHNICAL CONTENT REQUIREMENTS; GENERAL SPECIFICATION FOR (WORK PACKAGE CONCEPT)[CUST: AS] | A | TMSS | | AS | 26-NOV-97 |
| | MIL-PRF-38769D NOT 1 | MANUALS, TECHNICAL: WORK UNIT CODE-PREPARATION OF[CUST: 16] [REVIEW: 01 10 11 13 19 70 71 99] | A | TMSS | | 16 | 10-APR-01 |
| | MIL-DTL-81310F | MANUALS, TECHNICAL: AIRBORNE WEAPONS/STORES LOADING/ WEAPONS ASSEMBLY/SUPPORT EQUIPMENT CONFIGURATION[CUST: AS] | A | TMSS | | AS | 19-MAR-04 |
| | MIL-PRF-63033B(1) | MANUALS, TECHNICAL: DEMILITARIZATION OF SURPLUS MILITARY ITEMS, PREPARATION OF[CUST: TM] [REVIEW: AR AT AV CR EA MI] | A | TMSS | | TM | 15-NOV-01 |
| | MIL-PRF-63010C | MANUALS, TECHNICAL: DOD STANDARD GENERATOR SETS[CUST: TM SH 16] [REVIEW: 01 06 08 13 19 22 99 AC1 AR AS AV CG CH CR DH EC GS MC MI OS PT SA TD YD] | A | TMSS | | TM | 25-APR-02 |
| | MIL-M-82376B NOT 1 | MANUALS, TECHNICAL: OPERATION AND MAINTENANCE INSTRUCTIONS FOR TRAINING DEVICES[CUST: TM TD 16] [REVIEW: AR AS AT CG MC MI OS SH] | A | TMSS | | TD | 01-JUN-00 |
| | MIL-PRF-63045B(1) | MANUALS, TECHNICAL: PREPARATION OF DEPOT MANUALS FOR DEPOT TEST, MEASUREMENT AND DIAGNOSTIC EQUIPMENT[CUST: TM] [REVIEW: AR AT AV MI PT] | A | TMSS | | TM | 15-NOV-01 |
| | MIL-PRF-63042D(1) | MANUALS, TECHNICAL: PROCEDURES FOR DESTRUCTION OF EQUIPMENT TO PREVENT ENEMY USE[CUST: TM] [REVIEW: AR AT AV CE CR MI] | A | TMSS | | TM | 15-NOV-01 |
| | MIL-DTL-81748E | MANUALS, TECHNICAL: RAPID ACTION CHANGES AND INTERIM RAPID ACTION CHANGES; PREPARATION OF; GENERAL SPECIFICATION FOR[CUST: AS] | A | TMSS | | AS | 10-DEC-04 |
| | MIL-PRF-63029F | MANUALS, TECHNICAL: REQUIREMENTS FOR OPERATOR'S MANUALS AND CHECKLISTS FOR AIRCRAFT[CUST: AV] [REVIEW: CR TM] | A | TMSS | | AV | 28-FEB-05 |
| | STANAG-4440 ED.1(1) | MANUEL OF NATO SAFETY PRINCIPLES FOR THE STORAGE OF MILITARY AMMUNITION AND EXPLOSIVES - AASTP-1 | C | ISDA | | AI | 13-SEP-96 |
| | STANAG-4441 ED.1(1) | MANUEL OF NATO SAFETY PRINCIPLES FOR THE TRANSPORT OF MILITARY AMMUNITION AND EXPLOSIVES - AASTP-2 | C | ISDA | | AI | 04-NOV-97 |
| | MIL-HDBK-349 | MANUFACTURE AND INSPECTION OF ADHESIVE BONDED, ALUMINUM HONEYCOMB SANDWICH ASSEMBLIES FOR AIRCRAFT[CUST: 11] [REVIEW: GS] | A | 1560 | | 11 | 30-SEP-94 |
| | MIL-HDBK-756 | MANUFACTURE OF PROJECTILES, PROJECTILE COMPONENTS, AND CARTRIDGE CASES FOR ARTILLERY, TANK MAIN ARMAMENT, AND MOTORS[CUST: AR] | A | 13GP | | AR | 29-APR-91 |
| | MIL-HDBK-203C | MANUFACTURERS SYMBOLS AND DESIGNATIONS FOR ANTI-FRICTION BEARINGS[CUST: AT SH 99] [REVIEW: 11 84 AS AV CR4 EC GS IS MC OS SM] | A | 3110 | | SH | 05-JAN-77 |
| | DI-SAFT-80178 | MANUFACTURING SAFETY CHECKLIST [AMSC: A3867] | A | SAFT | | AM | 11-JUN-86 |
| | DI-MISC-81180 | MANUFACTURING TECHNOLOGY DEMONSTRATION PLAN [AMSC: A6096] | A | MISC | | AM | 28-MAR-91 |
| | DI-MISC-81176A | MANUFACTURING TECHNOLOGY REPORT [AMSC: A6716] | A | MISC | | AM | 27-FEB-92 |
| | QSTAG-1037 ED.1 | MAP SERIES NUMBERING[CUST: AI] | C | ISDA | | AI | 24-FEB-87 |
| | MIL-STD-600001 NOT 1 | MAPPING, CHARTING & GEODESY ACCURACY[Standard Practice][CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-2408 NOT 3 | MAPPING, CHARTING & GEODESY GLOSSARY OF FEATURE AND ATTRIBUTE DEFINITIONS[Standard Practice] | A | GINT | | MP | 31-MAR-04 |
| | MIL-STD-2410 NOT 1 | MAPPING, CHARTING & GEODESY REPRODUCTION AND PRINTING[Standard Practice] | A | GINT | | MP | 31-MAR-04 |
| | STANAG-7035 ED.1(1) | MAPPING, CHARTING AND GEODESY (MC&G) VIDEO DISC | C | ISDF | | 06 | 12-SEP-97 |
| | MIL-STD-2402 NOT 1 | MAPPING, CHARTING AND GEODESY SYMBOLS FOR GRAPHIC PRODUCTS[Standard Practice] | A | GINT | | MP | 31-MAR-04 |
| | FF-T-51D | MAPTACKS | A | 7510 | # | FSS | 09-JAN-75 |
| | MIL-DTL-10958G | MARGARINE, CANNED[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8945 | | SS | 22-DEC-99 |
| | QSTAG-977 ED.1 | MARGINAL INFORMATION ON LAND MAPS, AERONAUTICAL CHARTS AND PHOTOMAPS[CUST: AI] | C | ISDA | | AI | 21-OCT-91 |
| | STANAG-3676 ED.3(3) | MARGINAL INFORMATION ON LAND MAPS, AERONAUTICAL CHARTS AND PHOTOMAPS | C | ISDF | | 06 | 15-MAY-00 |
| | ASTM-F1166 | MARINE SYSTEMS, EQUIPMENT AND FACILITIES, HUMAN ENGINEERING DESIGN FOR[CUST: MI SH] | A | HFAC | | SH | 15-AUG-94 |
| | DI-CMAN-81212 | MARK AND MOD (OR EX AND MOD) NOMENCLATURE ASSIGNMENT REQUEST (NAR) [AMSC: N6141] | A | SESS | | SH | 23-MAY-91 |
| | MIL-STD-1661 | MARK AND MOD NOMENCLATURE SYSTEM[Standard Practice][CUST: OS] | A | SESS | | OS | 01-AUG-78 |
| | A-A-59176A | MARKER LIGHT, PERSONAL DISTRESS[CUST: CR4 AS 99 IS] [REVIEW: SH YD] | A | 6230 | / | IS | 07-JUL-04 |
| | MIL-M-13703D(1) | MARKER LOCATION, MARINE DYE AN-M59[CUST: AR] | A | 1370 | | AR | 13-JAN-88 |
| | A-A-53318 | MARKER STE, X-RAY FLIMINDENTIFICATION[CUST: MD MS 03] | A | 6525 | / | MB | 26-FEB-88 |
| | A-A-59125/29 | MARKER STRIPS, FOR CLASS 37TB TERMINAL BOARDS[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/30 | MARKER STRIPS, FOR CLASS 38TB TERMINAL BOARDS[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/31 | MARKER STRIPS, FOR CLASS 39TB TERMINAL BOARDS[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/32 | MARKER STRIPS, FOR CLASS 40TB TERMINAL BOARDS[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | MIL-M-36233 NOT 1 | MARKER, CASUALTY, ARCTIC, CLOTH[CUST: MD MS 03] | A | 6530 | | MB | 15-JUN-89 |
| | A-A-53004 | MARKER, IDENTIFICATION[CUST: MD MS 03] | A | 7690 | / | MS | 26-JUN-87 |
| | A-A-53167 | MARKER, IDENTIFICATION, DENTAL HEALTH RECORD[CUST: MD MS 03] | A | 7690 | / | MB | 14-SEP-87 |
| | MIL-M-81392 | MARKER, LOCATION, MARINE MK 25 AND MODS 2 AND 3[CUST: AS] | A | 1370 | | AS | 12-AUG-66 |
| | A-A-53681 | MARKER, OPHTHALMIC LENS[CUST: MD MS 03] | A | 6540 | / | MB | 16-SEP-88 |
| | A-A-53373 | MARKER, TUBE TYPE[CUST: MD MS 03] | A | 7520 | / | MB | 05-FEB-88 |
| | GG-M-1262A | MARKER, TUBE TYPE WHITE | A | 7520 | # | FSS | 05-DEC-72 |
| | GG-M-001130(1) | MARKER, TUBE TYPE, FINE TIP | A | 7520 | # | FSS | 05-DEC-67 |
| | MIL-M-87958(1) NOT 2 | MARKERS BLANKS, PRESSURE SENSITIVE ADHESIVE WIRE OR CABLE MARKER AND IDENTIFICATION LABEL[CUST: 99 IS] [REVIEW: 84] | A | 7690 | | IS | 10-SEP-03 |
| | A-A-60002A | MARKERS, TRAFFIC CONES[CUST: GL YD 99 IS] [REVIEW: 84 CE MC] | A | 9905 | / | IS | 25-AUG-03 |
| | SD-5 | MARKET RESEARCH[CUST: AM NM 01 DH SO] | A | SDMP | | SO | 01-JUL-97 |
| | DI-MISC-81369 | MARKETING PLAN MAINTENANCE REPORT [AMSC: F6967] | A | MISC | | 10 | 03-SEP-93 |
| | STANAG-3346 ED.6 | MARKING AND LIGHTING OF AIRFIELD OBSTRUCTIONS | C | ISDF | | 06 | 01-OCT-02 |
| | FED-STD-123G | MARKING FOR SHIPMENT (CIVIL AGENCIES) | A | PACK | # | FSS | 06-JUN-97 |
| | STANAG-4281 ED.1 | MARKING FOR SHIPMENT AND STORAGE | C | ISDA | | AI | 29-APR-92 |
| | A-A-50046 NOT 1 | MARKING MACHINES, LAUNDRY[CUST: GL 99 IS] [REVIEW: 50 CR4] | A | 3510 | / | IS | 19-SEP-03 |
| | MIL-M-43719/4 NOT 3 | MARKING MATERIALS & MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED, HAZARDOUS MATERIAL SYMBOLS[CUST: GL SA 99 IS] [REVIEW: 84 AT AV CR MC MD] | A | 7690 | | IS | 23-SEP-03 |
| | MIL-M-43719/2A NOT 3 | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED, LEGENDS[CUST: GL SA 99 IS] [REVIEW: 84 AT AV CR MC MD] | A | 7690 | | IS | 23-SEP-03 |
| | MIL-M-43719C NOT 2 | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED; GENERAL SPECIFICATION FOR[CUST: GL SA 99 IS] [REVIEW: 71] | A | 7690 | | IS | 10-SEP-03 |
| | MIL-M-43719/1A NOT 3 | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED; LETTERS AND NUMERALS[CUST: GL SA 99 IS] [REVIEW: 84 AT AV CR MC MD] | A | 7690 | | IS | 23-SEP-03 |
| | MIL-M-43719/3A NOT 3 | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED; SYMBOLS[CUST: GL SA 99 IS] | A | 7690 | | IS | 10-SEP-03 |
| | MIL-M-81807A(2) NOT 1 | MARKING OF AIRCRAFT GROUND SUPPORT EQUIPMENT AND OTHER FLIGHT LINE VEHICLES WITH RETRO-REFLECTIVE MATERIALS; PROCESS FOR[CUST: AS] [REVIEW: GS] | A | 1730 | | AS | 25-SEP-91 |
| | MIL-STD-1285D | MARKING OF ELECTRICAL AND ELECTRONIC PARTS[Standard Practice][CUST: CR EC 11 CC] [REVIEW: NA] | A | 59GP | | CC | 07-SEP-04 |
| | MIL-STD-13231 | MARKING OF ELECTRONIC ITEMS[Standard Practice][CUST: CR] | A | MISC | | CC | 02-NOV-99 |
| | QSTAG-742 ED.2 | MARKING OF HAZARDOUS AREAS AND ROUTES THROUGH THEM (BASED ON NATO STANAG 2889)[CUST: AI] | C | ISDA | | AI | 07-JUN-91 |
| | SAE-AS18012 | MARKINGS FOR AIRCREW STATION DISPLAYS DESIGN AND CONFIGURATION OF[CUST: AV AS 11] | A | 15GP | | AS | AUG-98 |
| | QSTAG-532 | MARKINGS FOR UMPIRES AND OTHER PERSONNEL, VEHICLES AND INSTALLATIONS DURING COMBINED EXERCISES | C | ISDA | | AI | 12-NOV-79 |
| A | MIL-PRF-28001C | MARKUP REQUIREMENTS AND GENERIC STYLE SPECIFICATION FOR EXCHANGE OF TEXT AND ITS PRESENTATION[CUST: TM OM 16 DC3] [REVIEW: 02 13 19 33 93 99 AC AR AS AT CC CG CH CR CR4 DC1 DC4 DOE EC GPO GS IR MI NCS ND NM NS PT SE TD TM1 US] | A | IPSC | | DC3 | 02-MAY-97 |
| | AIR-STD-25/52A | MARSHALLING SIGNALS FOR FIXED WING AND ROTARY WING AIRCRAFT | C | ISDF | | 06 | 26-APR-00 |
| | MIL-M-43945B | MASK, EXTREME COLD WEATHER[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 18-JUL-88 |
| | MIL-M-24913 | MASK, EXTREME COLD WEATHER, DRY AND WET COLD[CUST: NU CT] [REVIEW: MC SH] | A | 8415 | | CT | 06-JAN-84 |
| | A-A-54480 | MASK, FACE, ASEPTIC[CUST: MD MS 03] | A | 6532 | / | MB | 20-NOV-92 |
| | MIL-M-85831 | MASK, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE, NON-OXYGEN[CUST: AS] | A | 4240 | | AS | 06-NOV-89 |
| | A-A-51313 | MASK, ORONASAL[CUST: MD MS 03] [REVIEW: YD] | A | 6515 | / | MB | 17-MAR-86 |
| | A-A-51690A | MASK, ORONASAL (PLASTIC, ELONGATED)[CUST: MD MS 03] | A | 6515 | / | MB | 19-FEB-88 |
| | A-A-54984 | MASK, ORONASAL, FACE TENT[CUST: MD MS 03] | A | 6515 | / | MB | 30-SEP-94 |
| | A-A-54814 | MASK, ORONASAL, PLASTIC, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 12-FEB-93 |
| | A-A-53781 | MASK, ORONASAL, RESUSCITATOR AND ANESTHESIA, PEDIATRIC[CUST: MD MS 03] | A | 6515 | / | MB | 14-DEC-88 |
| | A-A-51601B | MASK, ORONASAL, TRANSPARENT[CUST: MD MS 03] | A | 6515 | / | MB | 17-MAY-92 |
| | A-A-51070A | MASK, SURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 30-AUG-91 |
| | A-A-30153 | MASK, SURGICAL[CUST: MD MS 03] | A | 6515 | * | MB | 28-FEB-92 |
| | A-A-54553 | MASK, SURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 31-DEC-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-54435 | MASK, SURGICAL (NON-WOVEN FABRIC, POUCH)[CUST: MD MS 03] | A | 6515 | / | MB | 25-JUN-91 |
| | A-A-54372A | MASK, SURGICAL (PLEATED)[CUST: MD MS 03] | A | 6515 | / | MB | 15-JAN-93 |
| | A-A-30188 | MASK, SURGICAL (SUB-MICRON)[CUST: MD MS 03] | A | 6515 | * | MB | 18-SEP-92 |
| | A-A-54623 | MASK, TRACHEOSTOMY, PLASTIC, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-92 |
| | ASTM-E519 | MASONRY ASSEMBLAGES, DIAGONAL TENSION (SHEAR) IN[CUST: CR4 YD 99 IS] [REVIEW: CE] | A | 5620 | | IS | 22-MAY-89 |
| | ASTM-C1072 | MASONRY FLEXURAL BOND STRENGTH, MEASUREMENT OF[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5620 | | IS | 03-OCT-94 |
| | ASTM-C404 | MASONRY GROUT, AGGREGATES FOR[CUST: CE YD 99 IS] | A | 5610 | | IS | 15-SEP-94 |
| | ACI530.1 | MASONRY STRUCTURES[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 1992 |
| | ASTM-C140 | MASONRY UNITS AND RELATED UNITS, CONCRETE, SAMPLING AND TESTING[CUST: CE YD 99 IS] | A | 5620 | | IS | 15-SEP-94 |
| | ASTM-C129 | MASONRY UNITS, CONCRETE, NONLOADBEARING[CUST: YD 99 IS] [REVIEW: CE CG MC] | A | 5610 | | IS | 15-OCT-94 |
| | ASTM-C744 | MASONRY UNITS, SILICATE, PREFACED CONCRETE AND CALCIUM[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5620 | | IS | 15-SEP-94 |
| | ASTM-E518 | MASONRY, FLEXURAL BOND, STRENGTH OF[CUST: CR4 YD 99 IS] [REVIEW: CE] | A | 5620 | | IS | 22-MAY-89 |
| | DI-MGMT-81452 | MASS PROPERTIES CONTROL AND MANAGEMENT PROCESS (MPCMP) REPORT [AMSC: F7105] | A | MGMT | | 11 | 23-JAN-95 |
| | MIL-HDBK-1811 | MASS PROPERTIES CONTROL FOR SPACE VEHICLES[CUST: AS 19] [REVIEW: 33 99 NA US] | A | 1810 | | 19 | 12-AUG-98 |
| | DI-MISC-81507 | MASS PROPERTIES DATA REPORT (SUBMARINES) [AMSC: N7177] | A | MISC | | SH | 07-JAN-96 |
| | DI-MISC-81357 | MASS PROPERTIES DATA REPORT (SURFACE SHIPS) [AMSC: N6951] | A | MISC | | SH | 20-JUL-93 |
| | DI-GDRQ-81230 | MASS PROPERTIES STATUS REPORT [AMSC: F6670] | A | SESS | | 19 | 12-AUG-91 |
| | MIL-M-52288A NOT 1 | MAST MOUNTING, FLOODLIGHT[CUST: CR4 IS] [REVIEW: GS] | A | 6230 | | IS | 03-NOV-92 |
| | DI-MISC-80393A | MASTER DOCUMENT LIST (MDL) [AMSC: F7230] | A | MISC | | 10 | 24-JAN-97 |
| | DI-MISC-81189 | MASTER ENGINEERING DOCUMENT LISTINGS (MEDL) [AMSC: A6113] | A | MISC | | AM | 25-APR-91 |
| | DI-MGMT-81017A | MASTER EQUIPMENT SCHEDULES AND ALLOCATIONS (MESA) DOCUMENT [AMSC: F4886] | A | MGMT | | 10 | 08-FEB-90 |
| | DI-MISC-81338 | MASTER INSTRUMENT LIST (MIL) [AMSC: N6928] | A | MISC | | SH | 01-JUL-93 |
| | MIL-M-29532 | MASTER LIBRARY DATA ELEMENTS (FOR TECHNICAL PUBLICATIONS)[CUST: EC] [REVIEW: AS SH] | A | TMSS | | EC | 28-OCT-88 |
| | CSI-MP2.1 | MASTERFORMAT, MASTER LIST OF NUMBERS AND TITLES FOR THE CONSTRUCTION INDUSTRY[CUST: YD 99] [REVIEW: CE] | A | FACR | | YD | 1995 |
| | A-A-51518 | MAT, EXERCISE, PHYSICAL THERAPY[CUST: MD MS 03] | A | 6530 | / | MB | 03-JUL-86 |
| | ZZ-M-0043B(1) | MAT, FLOOR (FOR CHAIRS) | A | 7220 | # | FSS | 05-APR-67 |
| | MIL-M-44104A | MAT, SLEEPING[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8465 | | CT | 30-OCT-87 |
| | A-A-55074 | MAT, SLEEPING, SELF-INFLATING[CUST: GL NU 99 CT] [REVIEW: MC] | A | 8465 | / | CT | 11-AUG-92 |
| A | A-A-59489A | MATCHES, SAFETY[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 9920 | / | SS | 22-NOV-05 |
| | BHMA-A156.18 | MATERIAL & FINISHED[CUST: AR YD 99 IS] [REVIEW: MI] | A | 5340 | | IS | 20-JUL-89 |
| | MIL-HDBK-1568 | MATERIAL AND PROCESSES FOR CORROSION PREVENTION AND CONTROL IN AEROSPACE WEAPONS SYSTEMS[CUST: 11] | A | MFFP | | 11 | 18-JUL-96 |
| | MIL-STD-1308D | MATERIAL APPLICATION AND PROCESSING REQUIREMENTS (CONTROLLED DISTRIBUTION) [Military Standard][CUST: SH] | B | MISC | | SH | 12-SEP-85 |
| | ASTM-E761 | MATERIAL APPLIED TO STRUCTURAL MEMBERS, SPRAYED FIRE-RESISTIVE, COMPRESSIVE STRENGTH OF[CUST: CR4 YD 99] | A | 5640 | | IS | 03-OCT-94 |
| | ASTM-E760 | MATERIAL APPLIED TO STRUCTURAL MEMBERS, SPRAYED FIRE-RESISTIVE, EFFECT OF IMPACT ON BONDING OF[CUST: CR4 YD 99] | A | 5640 | | IS | 03-OCT-94 |
| | DI-MISC-81318 | MATERIAL CURE-DATE CERTIFICATION REPORT [AMSC: N6894] | A | MISC | | SA | 11-FEB-93 |
| | MIL-HDBK-735 | MATERIAL DETERIORATION PREVENTION AND CONTROL GUIDE FOR ARMY MATERIAL, PART ONE, METALS[CUST: MR] | A | MFFP | | MR | 15-JAN-93 |
| | STANAG-2998 ED.1 | MATERIAL HANDLING GLOSSARY OF TERMS AND DEFINITIONS - AAP-24 | C | ISDA | | AI | 17-JAN-97 |
| | MIL-M-29241 NOT 1 | MATERIAL HANDLING UNITS FOR MEDICAL FACILITIES, PERFORMANCE SPECIFICATIONS FOR[CUST: MD YD 03] | A | 6530 | | YD | 01-APR-91 |
| | DI-QCIC-80451 | MATERIAL IDENTIFICATION RECORD FOR BEARING BALLS [AMSC: N4228] | A | QCIC | | OS | 05-OCT-87 |
| | DI-MGMT-80258A | MATERIAL IMPROVEMENT PROJECT REPORT [AMSC: F7240] | A | MGMT | | 10 | 11-FEB-97 |
| | SAE-AMS2825 | MATERIAL SAFETY DATA SHEETS[CUST: MR YD 99] | A | MISC | | MR | 01-APR-87 |
| | FED-STD-313D(1) | MATERIAL SAFETY DATA, TRANSPORTATION DATA AND DISPOSAL DATA FOR HAZARDOUS MATERIALS FURNISHED TO GOVERNMENT ACTIVITIES[CUST: MD SA 07] [REVIEW: 11 AS GS MC MS SH SM] | A | MISC | * | DH | 21-MAR-00 |
| | ASTM-E1042 | MATERIAL, ACOUSTICALLY ABSORPTIVE, APPLIED BY TROWEL OR SPRAY, STANDARD CLASSIFICATION FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 25-JAN-85 |
| | SAE-AMS3138/4 | MATERIAL, COATING, FLUOROCARBON (FKM), ELASTOMERIC, ANTI-STATIC TOPCOATING, BLACK[CUST: MR AS 11] | A | 8010 | | 11 | 01-JUL-90 |
| | SAE-AMS3138/2 | MATERIAL, COATING, FLUOROCARBON (FKM), ELASTOMERIC, RAIN-EROSION AND THERMAL-FLASH RESISTANT, WHITE[CUST: MR AS 11] | A | 8010 | | 11 | 01-JUL-90 |
| | SAE-AMS3138/1 | MATERIAL, COATING, FLUOROCARBON (FKM), ELASTOMERIC, RAIN-EROSION RESISTANT BLACK[CUST: MR AS 11] | A | 8010 | | 11 | 01-JUL-90 |
| | SAE-AMS-C-8073 | MATERIAL, CORE, PLASTIC HONEYCOMB, LAMINATED GLASS FABRIC BASE, FOR AIRCRAFT STRUCTURAL AND ELECTRONIC APPLICATIONS[CUST: AS] | A | 5680 | | AS | JUL-98 |
| | SAE-AMS-C-81986 | MATERIAL, CORE, PLASTIC HONEYCOMB, NYLON PAPER BASE; FOR AIRCRAFT STRUCTURAL APPLICATIONS[CUST: AS] | A | 5680 | | AS | JUL-98 |
| | ASTM-B663 | MATERIAL, ELECTRICAL CONTACT, SILVER-TUNGSTEN CARBIDE[CUST: GL AS 11 CC] | A | 5935 | | CC | 03-OCT-94 |
| | ASTM-D3379 | MATERIAL, HIGH MODULUS SINGLE FILAMENT, TENSILE STRENGTH & YOUNG S MODULUS FOR[CUST: MR AS 11] | A | CMPS | | MR | 27-APR-89 |
| | MIL-PRF-24794A | MATERIAL, INDEX MATCHING, FIBER OPTICS[CUST: CR SH 11 NA] [REVIEW: 02 19 33 93 99 AS CC MI] | A | 6070 | | SH | 24-MAY-01 |
| | ASTM-D1596 | MATERIAL, PACKAGING, DYNAMIC SHOCK CUSHIONING CHARACTERISTICS OF[CUST: SM SA 11] | A | PACK | | SM | 10-APR-97 |
| | ASTM-D3935 | MATERIAL, POLYCARBONATE (PC) UNFILLED AND REINFORCED[CUST: AT SH 99 CT] | A | 9330 | | SH | 03-OCT-94 |
| | ASTM-D305 | MATERIAL, SOLVENT-EXTRACTABLE IN BLACK PIGMENTS[CUST: AR OS 99] | A | 8010 | | AR | 03-OCT-94 |
| | ASTM-E759 | MATERIAL, SPRAYED FIRE-RESISTIVE, APPLIED TO STRUCTURAL MEMBERS, EFFECT OF DEFLECTION ON[CUST: MR YD 99 IS] [REVIEW: 84 SH] | A | 8030 | | IS | 22-SEP-92 |
| | ASTM-E605 | MATERIAL, THICKNESS AND DENSITY OF SPRAYED FIRE-RESISTIVE, (SFRM) APPLIED TO STRUCTURAL MEMBERS[CUST: CE YD 11] | A | 5640 | | IS | 15-APR-93 |
| | ASTM-E859 | MATERIALS (SFRMS) APPLIED TO STRUCTURAL MEMBERS, SPRAYED FIRE-RESISTIVE, AIR EROSION OF[CUST: CR4 YD 99] | A | 5640 | | IS | 15-MAR-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-1587 | MATERIALS AND PROCESS REQUIREMENTS FOR AIR FORCE WEAPONS SYSTEMS[CUST: 11] | A | MFFP | | 11 | 18-JUL-96 |
| | MIL-STD-1370D | MATERIALS AND PROCESS STANDARD FOR INSTRUMENTATION AND CONTROL EQUIPMENT[CUST: SH] | F | 2090 | | SH | 16-FEB-99 |
| | ASTM-E736 | MATERIALS APPLIED TO STRUCTURAL MEMBERS, SPRAYED FIRE-RESISTANT, COHESION/ADHESION OF[CUST: CR4 YD 99] | A | 5640 | | IS | 15-NOV-92 |
| | ASTM-D2520 | MATERIALS AT MICROWAVE FREQUENCIES AND TEMPERATURES TO 1650 DEG C, COMPLEX PERMITTIVITY (DIELECTRIC CONSTANT) OF SOLID ELECTRICAL INSULATING[CUST: CR SH 11 GS2] | A | 5970 | | GS2 | 31-OCT-86 |
| | ASTM-D3518/D3518M | MATERIALS BY TENSILE TEST OF A PLUS-MINUS 45 DEG. LAMINATE, POLYMER MATRIX COMPOSITE, IN-PLANE SHEAR RESPONSE OF[CUST: MR SH 11] [REVIEW: 99 AR CR CR4 GS] | A | CMPS | | MR | 15-NOV-94 |
| | ASTM-D3850 | MATERIALS BY THERMOGRAVIMETRIC METHOD (TGA), SOLID ELECTRICAL INSULATING, RAPID THERMAL DEGRADATION OF[CUST: CR SH 11 GS2] | A | 5970 | | GS2 | 15-JUN-94 |
| | AASHTO-T11 | MATERIALS FINER THAN 75 MICROMETER (NO. 200) SIEVE IN MINERAL AGGREGATES BY WASHINGTON[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-C117 | MATERIALS FINER THAN 75-UM (NO. 200) SIEVE IN MINERAL AGGREGATES BY WASHING[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 20-JUN-91 |
| | STANAG-2830 ED.4 | MATERIALS HANDLING AIDS | C | ISDA | | AI | 04-DEC-96 |
| | STANAG-2829 ED.3(2) | MATERIALS HANDLING EQUIPMENT | C | ISDA | | AI | 27-JAN-98 |
| | MIL-STD-162E NOT 3 | MATERIALS HANDLING EQUIPMENT: (PREPARATION FOR SHIPMENT, STORAGE, CYCLIC MAINTENANCE, ROUTINE TESTING AND PROCESSING)[Standard Practice][CUST: AT SA 99] [REVIEW: CR MC SM YD] | A | PACK | | AT | 12-FEB-99 |
| | QSTAG-627 ED.2 | MATERIALS HANDLING IN THE FIELD[CUST: AI] | C | ISDA | | AI | 04-DEC-93 |
| | STANAG-2827 ED.4(1) | MATERIALS HANDLING IN THE FIELD (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 19-FEB-03 |
| | NAS411 | MATERIALS HAZARDOUS MANAGEMENT PROGRAM[CUST: AM 11] [REVIEW: CC MC MD OS PT] | A | ENVR | | 11 | 29-APR-94 |
| | MIL-HDBK-730 NOT 1 | MATERIALS JOINING[CUST: MR] | A | THJM | | MR | 08-FEB-91 |
| | ASTM-G21 | MATERIALS TO FUNGI, SYNTHETIC POLYMERIC, DETERMINING RESISTANCE OF[CUST: MR SH 11] [REVIEW: AS AT CR CR4 GL GS OS YD] | A | 9330 | | MI | 26-OCT-90 |
| | ASTM-E329 | MATERIALS USED IN CONSTRUCTION, AGENCIES ENGAGED IN THE TESTING AND/OR INSPECTION OF[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 15-MAY-93 |
| | ASTM-D2512 | MATERIALS WITH LIQUID OXYGEN (IMPACT SENSITIVITY THRESHOLD AND PASS-FAIL TECHNIQUES), COMPATIBILITY OF[CUST: MR SH 11] [REVIEW: GS] | A | 6830 | | 11 | 30-JUL-82 |
| | ANSI-B7.7 | MATERIALS, ABRADING WITH COATED ABRASIVES SYSTEMS, SAFETY REQUIREMENTS FOR[CUST: MR YD 99] [REVIEW: GS] | A | 5350 | | 99 | 03-OCT-94 |
| | ASTM-C602 | MATERIALS, AGRICULTURAL LIMING[CUST: YD 68] [REVIEW: GS] | A | 6810 | | YD | 10-NOV-95 |
| | AASHTO-T102 | MATERIALS, ASPHALTIC, SPOT TEST OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D140 | MATERIALS, BITUMINOUS SAMPLING[CUST: CE YD 99 IS] | A | 5610 | | IS | 15-MAY-93 |
| | ASTM-D113 | MATERIALS, BITUMINOUS, DUCTILITY OF[CUST: CR4 SH 99] | A | 5610 | | 84 | 27-MAR-86 |
| | ASTM-D529 | MATERIALS, BITUMINOUS, ENCLOSED CARBON-ARC EXPOSURES OF[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 10-JAN-00 |
| | ASTM-A453/A453M | MATERIALS, BOLTING, HIGH-TEMPERATURE, WITH EXPANSION COEFFICIENTS COMPARABLE TO AUSTENITIC STAINLESS STEEL[CUST: AR AS 99 IS] | A | 5306 | | IS | 03-OCT-94 |
| | SAE-AMS3138 | MATERIALS, COATING, FLUOROCARBON (FKM), ELASTOMERIC[CUST: MR AS 11] | A | 8010 | | 11 | 15-OCT-80 |
| | ASTM-D4075 | MATERIALS, COMPOUNDING, FLAME ATOMIC ABSORPTION TECHNIQUE-DETERMINATION OF METALS[CUST: MR] [REVIEW: AT GL GS OS] | A | 9320 | | MR | 27-MAR-87 |
| | ASTM-C670 | MATERIALS, CONSTRUCTION, PREPARING PRECISION AND BIAS STATEMENTS FOR TEST METHODS FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CE SH] | A | 5610 | | IS | 19-AUG-91 |
| | ASTM-D70 | MATERIALS, DENSITY OF SEMI-SOLID BITUMINOUS MATERIALS (PYCNOMETER METHOD)[CUST: CR4 AS 11] [REVIEW: AR CE MC MI YD] | A | 5610 | | AS | 31-OCT-96 |
| | ASTM-D3275 | MATERIALS, E-CTFE-FLUOROPLASTIC MOLDING, EXTRUSION, AND COATING[CUST: MR AS 11 GS] [REVIEW: SH] | A | 9330 | | IS | 10-DEC-00 |
| | ASTM-A342/A342M | MATERIALS, FEEBLY MAGNETIC, PERMEABILITY OF, STANDARD TEST METHODS FOR[CUST: MI SH 11] | A | NDTI | | SH | OCT-94 |
| | ADA57 | MATERIALS, FILLING, ENDODONTIC[CUST: MD MS 03 MB] | A | 6520 | | MB | 30-MAY-83 |
| | ASTM-D4675 | MATERIALS, FLAT STRAPPING, SELECTION AND USE OF[CUST: SM AS 11] [REVIEW: 70 71 84 99 AR CR4 GL IS MI MR OS SA SH YD] | A | PACK | | AS | 27-MAR-87 |
| | ASTM-E171 | MATERIALS, FLEXIBLE BARRIER, CONDITIONING AND TESTING, STANDARD ATMOSPHERES FOR[CUST: MR AS 99] [REVIEW: GS] | A | 6635 | | MR | 15-NOV-94 |
| | ASTM-D3575 | MATERIALS, FLEXIBLE CELLULAR, MADE FROM OLEFIN POLYMERS[CUST: MR YD 11 CT] | A | 9330 | | CT | 15-SEP-93 |
| | ASTM-D3574 | MATERIALS, FLEXIBLE CELLULAR-SLAB, BONDED, AND MOLDED URETHANE FOAMS[CUST: MR 11] [REVIEW: AS AV CR4 GS MI] | A | 9320 | | MR | 12-MAY-92 |
| | ASTM-D3453 | MATERIALS, FLEXIBLE CELLULAR-URETHANE FOR FURNITURE AND AUTOMOTIVE CUSHIONING, BEDDING, AND SIMILAR APPLICATIONS[CUST: MR 99] [REVIEW: 11 AS AT GL GS OS] | A | 9320 | | MR | 22-JUN-92 |
| | IPC-TM650.2.4.4 | MATERIALS, FLEXURAL YIELD STRENGTH, RIGID PRINTED LAMINATE (AT AMBLENT ROOM TEMPERATURE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT CR4 EA MI] | A | 5998 | | CC | MAY-86 |
| | ASTM-F137 | MATERIALS, FLOORING WITH CYLINDRICAL MANDREL APPARATUS, FLEXIBILITY OF RESILIENT[CUST: GL YD 99] [REVIEW: CE MC SH] | A | 7220 | | IS | 08-JAN-71 |
| | ASTM-F104 | MATERIALS, GASKET, NONMETALLIC[CUST: MR YD 99 IS] [REVIEW: 71 AR AT CG CR4 EA MI OS SA SH] | A | 5330 | | IS | 15-JUN-93 |
| | ASTM-D709 | MATERIALS, LAMINATED THERMOSETTING[CUST: MR YD 99] [REVIEW: 84 GS SH] | A | 9330 | | YD | 15-FEB-92 |
| | ASTM-E494 | MATERIALS, MEASURING ULTRASONIC VELOCITY IN[CUST: MR AS 11] | A | NDTI | | MR | 15-JAN-95 |
| | ASTM-E756 | MATERIALS, MEASURING VIBRATION-DAMPING PROPERTIES OF[CUST: AT YD 99] | A | 95GP | | AT | OCT-94 |
| | ASTM-E10 | MATERIALS, METALLIC, BRINELL HARDNESS OF[CUST: MR AS 11] | A | 95GP | | MR | AUG-93 |
| | ASTM-E110 | MATERIALS, METALLIC, BY PORTABLE HARDNESS TESTERS, INDENTATION HARDNESS OF[CUST: GL YD 99] [REVIEW: AS GS] | A | 6635 | | YD | 30-JUL-82 |
| | ASTM-E139 | MATERIALS, METALLIC, CONDUCTING CREEP, CREEP-RUPTURE, AND STRESS-RUPTURE TESTS OF[CUST: AT] | A | 95GP | | AT | 10-DEC-96 |
| | ASTM-E604 | MATERIALS, METALLIC, DYNAMIC TEAR TESTING OF[CUST: MR SH] [REVIEW: IS MC OS] | A | 95GP | | SH | 25-JAN-85 |
| | ASTM-E21 | MATERIALS, METALLIC, ELEVATED TEMPERATURE TENSION TESTS OF[CUST: MI SH 11] | A | 96GP | | MI | 03-OCT-94 |
| | ASTM-E103 | MATERIALS, METALLIC, RAPID INDENTATION HARDNESS TESTING OF[CUST: AR AS 99] | A | 95GP | | AR | 15-JUN-84 |
| | ASTM-E18 | MATERIALS, METALLIC, ROCKWELL HARDNESS AND ROCKWELL SUPERFICIAL HARDNESS OF[CUST: MR AS] [REVIEW: AT CR4] | A | 95GP | | MR | 15-FEB-93 |
| | ASTM-E8 | MATERIALS, METALLIC, TENSION TESTING OF[CUST: MR AS 99] [REVIEW: AT CR4 IS SH YD] | A | 95GP | | MR | 15-APR-94 |
| | ASTM-E8M | MATERIALS, METALLIC, TENSION TESTING OF (METRIC)[CUST: MR AS 99] [REVIEW: AT CR4 SH] | A | 95GP | | MR | 15-APR-94 |
| | ASTM-E92 | MATERIALS, METALLIC, VICKERS HARDNESS OF[CUST: MR 11] [REVIEW: AR AT IS] | A | 95GP | | MR | 30-JUL-82 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-B63 | MATERIALS, METALLICALLY CONDUCTING RESISTANCE AND CONTACT, RESISTIVITY OF[CUST: AR AS 11] | A | NDTI | | AR | 03-OCT-94 |
| | ASTM-E9 | MATERIALS, METALLICS, AT ROOM TEMPERATURE, COMPRESSION TESTING OF[CUST: MR SH] [REVIEW: AR AS IS OS YD] | A | 95GP | | MR | 31-MAR-89 |
| | ASTM-E384 | MATERIALS, MICROINDENTATION HARDNESS OF[CUST: MD MS 03] | A | 6515 | | MB | 17-OCT-89 |
| | ASTM-D3159 | MATERIALS, MOLDING AND EXTRUSION, MODIFIED ETFE-FLUOROPOLYMER[CUST: MR AS 11 GS] [REVIEW: AV CR4 OS] | A | 9330 | | IS | 10-NOV-98 |
| | ASTM-D5204 | MATERIALS, MOLDING AND EXTRUSION, POLYAMIDE-IMIDE (PAI)[CUST: MR AS] [REVIEW: 11 AR AT GS MI] | A | 9330 | | MR | 10-JUL-99 |
| | ASTM-D4067 | MATERIALS, MOLDING AND EXTRUSION, REINFORCED AND FILLED POLY(PHENYLENE SULFIDE) (PPS) INJECTION, USING ASTM METHODS[CUST: MR SH 11 GS] | A | 9330 | | IS | 03-OCT-94 |
| | ASTM-D3222 | MATERIALS, MOLDING EXTRUSION AND COATING, UNMODIFIED POLY(VINYLIDENE FLUORIDE) (PVDF)[CUST: MR AS 99] | A | 9330 | | AS | 10-APR-99 |
| | ASTM-G7 | MATERIALS, NONMETALLIC, ATMOSPHERIC ENVIRONMENTAL EXPOSURE TESTING OF[CUST: MR AS 11] | A | 8010 | | AS | 28-APR-89 |
| | ASTM-G26 | MATERIALS, NONMETALLIC, OPERATING LIGHT-EXPOSURE APPARATUS (XENON-ARC TYPE) WITH AND WITHOUT WATER FOR EXPOSURE OF[CUST: MR AS 99] | A | 9330 | | AS | 15-SEP-93 |
| | ASTM-D3666 | MATERIALS, PAVING, AGENCIES TESTING AND INSPECTING ROAD, MINIMUM REQUIREMENTS FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 15-APR-94 |
| | ISO6328 | MATERIALS, PHOTOGRAPHIC - PHOTOGRAPHY - DETERMINATION OF ISO RESOLVING POWER[CUST: AS 99] [REVIEW: 70 GS] | A | 6750 | | AS | 01-SEP-82 |
| | ASTM-D1895 | MATERIALS, PLASTIC, APPARENT DENSITY, BULK FACTOR, AND POURABILITY OF[CUST: MR SH 11 GS] [REVIEW: AS AT AV CR CR4 GL OS YD] | A | 9330 | | IS | 29-DEC-89 |
| | ASTM-D1921 | MATERIALS, PLASTIC, PARTICLE SIZE (SIEVE ANALYSIS) OF, STANDARD TEST METHODS FOR[CUST: CR4 YD 99] [REVIEW: 84 GS] | A | 9330 | | YD | 30-JUN-89 |
| | ASTM-D3039/D3039M | MATERIALS, POLYMER MATRIX COMPOSITE, TENSILE PROPERTIES OF[CUST: MR AS 11] | A | CMPS | | MR | 25-JUL-95 |
| | ASTM-D229 | MATERIALS, RIGID SHEET AND PLATE, USED FOR ELECTRICAL INSULATION[CUST: MR SH GS] [REVIEW: AS AT CR4 GL MD MI OS] | A | 9330 | | IS | 04-OCT-91 |
| | ASTM-C641 | MATERIALS, STAINING, IN LIGHTWEIGHT CONCRETE AGGREGATES[CUST: CE YD 11 IS] | A | 5610 | | IS | 26-NOV-82 |
| | ASTM-D3479/D3479M | MATERIALS, TENSION-TENSION FATIGUE OF POLYMER MATRIX COMPOSITE[CUST: MR SH 11] [REVIEW: 99 AR AS AT CR CR4 MI OS] | A | CMPS | | MR | 10-JUN-96 |
| | ASTM-D4020 | MATERIALS, ULTRA-HIGH-MOLECULAR-WEIGHT POLYETHYLENE MOLDING AND EXTRUSION[CUST: MR] [REVIEW: GL GS MI SM] | A | 9330 | | MR | 21-OCT-92 |
| | ASTM-D1747 | MATERIALS, VISCOUS, REFRACTIVE INDEX OF[CUST: AS] [REVIEW: GS MC] | A | 9150 | | AS | 10-APR-99 |
| | DI-GDRQ-81257A | MATHEMATICAL MODEL FINITE ELEMENT ANALYSIS REPORT [AMSC: F7012] | A | SESS | | 10 | 31-MAR-94 |
| | DI-GDRQ-81256B | MATHEMATICAL MODEL FINITE ELEMENT STRUCTURE REPORT [AMSC: F7232] | A | SESS | | 10 | 24-JAN-97 |
| | DI-ENVR-81031 | MATHEMATICAL MODEL REPORT, DYNAMIC SHOCK ANALYSIS [AMSC: N4989] | A | ENVR | | SH | 26-SEP-90 |
| | ANSI-Y10.20 | MATHEMATICAL SIGNS & SYMBOLS FOR USE IN PHYSICAL SCIENCES & TECHNOLOGY[CUST: AR SH 11] | A | DRPR | | AR | 13-SEP-88 |
| | EIA364.13 | MATING AND UNMATING FORCES TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | A-A-51619 | MATRIX SET, DENTAL (CERVICAL)[CUST: MD MS 03] | A | 6520 | / | MB | 25-AUG-86 |
| | ASTM-D3529/D3529M | MATRIX SOLIDS CONTENT AND MATRIX CONTENT OF COMPOSITE PREPREG[CUST: MR SH 11] [REVIEW: 99 AS AT AV CR CR4 MI OS] | A | 9330 | | IS | 10-SEP-97 |
| | MIL-M-910F | MATS, FLOOR, STANDING[CUST: SH 11] [REVIEW: CE] | A | 7220 | | SH | 09-AUG-91 |
| | MIL-M-43248C NOT 3 | MATS, REINFORCING, GLASS FIBER[CUST: AR AS 11 GS] [REVIEW: MI YD] | A | 9340 | | AR | 04-JUN-02 |
| | A-A-52114A | MATTAX, WITH CARRIER[CUST: GL SH 99] [REVIEW: 84] | A | 5120 | * | GL | 30-SEP-93 |
| | AASHTO-T111 | MATTER, INORGANIC, OR ASH IN BITUMINOUS MATERIALS[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | MIL-DTL-15562G | MATTING OR SHEET, FLOOR COVERING, INSULATING FOR HIGH VOLTAGE APPLICATION[CUST: SH] [REVIEW: CG MC OS YD] | A | 7220 | | SH | 31-MAY-96 |
| | ZZ-M-71F(I1) NOT 1 | MATTING, RUBBER AND VINYL (NO S/S DOCUMENT)[CUST: FSS] | A | 7220 | # | FSS | 16-OCT-97 |
| | A-A-346A | MATTOCK, CUTTER (WITHOUT HANDLE)[CUST: GL 99] [REVIEW: 84] | A | 5120 | * | GL | 05-JAN-88 |
| | MIL-M-18351F | MATTRESS AND MATTRESS TICKS, BERTH, SYNTHETIC CELLULAR RUBBER, NAVAL SHIPBOARD[CUST: SH CT] | A | 7210 | | CT | 22-APR-81 |
| | A-A-51029 | MATTRESS, BED[CUST: MD MS 03 MB] | A | 7210 | / | MB | 10-OCT-85 |
| | FED-STD-00116 | MATTRESS, BED (FELTED, COTTON) | A | MISC | # | FSS | 15-MAY-57 |
| | MIL-M-43968A | MATTRESS, PNEUMATIC, (INSULATED)[CUST: SA CT] [REVIEW: CG MC YD] | A | 8465 | | CT | 12-JUL-85 |
| | MIL-M-36226 NOT 1 | MATTRESS, PNEUMATIC, FIELD HOSPITAL FOLDING COT[CUST: MD MS 03] [REVIEW: CT] | A | 7210 | | MB | 19-JUN-89 |
| | A-A-51305A | MATTRESS, STRETCHER (AMBULANCE)[CUST: MD MS 03] | A | 6530 | / | MB | 19-JAN-90 |
| | AIR-STD-61/39 | MAXIMUM PERMISSBLE TEMPERATURES OF MATERIALS FOR SAFE CONTACT WITH BARE SKIN[CUST: 06] | C | ISDF | | 06 | PENDING |
| | AIR-STD-61/101/21 | MAXIMUM PERMISSIBLE TEMPERATURES OF MATERIAL FOR SAFE CONTACT WITH BARE SKIN | C | ISDF | | 06 | 11-SEP-84 |
| | STANAG-3666 ED.2 | MAXIMUM SIZES FOR MAPS, AERONAUTICAL CHARTS AND OTHER GEOGRAPHIC PRODUCTS (EXCLUDING NAUTICAL CHARTS) | C | ISDF | | 06 | 07-MAY-02 |
| | QSTAG-1148 ED.1 | MAXIMUM SIZES FOR MAPS, AERONAUTICAL CHARTS AND OTHER GEOGRAPHICAL PRODUCTS (EXCLUDING NAUTICAL CHARTS)[CUST: AI] | C | ISDA | | AI | 17-JAN-97 |
| | A-A-20140C | MAYONNAISE, SALAD DRESSING, AND TARTAR SAUCE[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8950 | / | SS | 13-JUN-05 |
| | STANAG-2269 ED.3(4) | MDG - ENGINEER RESOURCES | C | ISDF | | 06 | 14-MAY-98 |
| | DI-MGMT-80161 | MEACONING, INSTRUSION, JAMMING, AND INTERFERENCE (MIJI) REPORTS [AMSC: F3824] | A | MGMT | | 10 | 10-APR-86 |
| | STANAG-6004 ED.3 | MEACONING, INTRUSION JAMMING AND INTERFERENCE REPORT | C | ISDA | | AI | PENDING |
| | QSTAG-354 ED.1 | MEACONING, INTRUSION, JAMMING AND INTERFERENCE OF ELECTROMAGNETIC SYSTEMS REPORT (MIJI REPORT)[CUST: AI] | C | ISDA | | AI | PENDING |
| | A-A-54427 | MEASLES, MUMPS AND RUBELLA VIRUS VACCINE, LIVE, USP[CUST: MD MS 03] | A | 6505 | / | MB | 28-JUN-91 |
| | A-A-51318 | MEASURE, LENS, OPHTHALMIC[CUST: MD MS 03] | A | 6540 | / | MB | 18-DEC-85 |
| | A-A-1751B | MEASURE, LIQUID (ALUMINUM)[CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A | 7330 | / | GL | 30-JUL-96 |
| | ITOP-3.2.802 | MEASUREMENT AND INSPECTION OF GUN TUBES | D | ISDA | | TE | 14-MAY-93 |
| | STANAG-2918 ED.2 | MEASUREMENT CRITERIA FOR MILITARY SKIS AND SKI POLES | C | ISDA | | AI | 15-JUL-99 |
| | ITOP-2.2.716 | MEASUREMENT OF BEHIND ARMOR DEBRIS | D | ISDA | | TE | 25-OCT-96 |
| | ASTM-B567 | MEASUREMENT OF COATING THICKNESS BY THE BETA BACKSCATTER METHOD[CUST: MR AS] [REVIEW: 99 AR AT CR4 GL MI OS SH] | A | MFFP | | MR | 10-NOV-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-B568 | MEASUREMENT OF COATING THICKNESS BY X-RAY SPECTROMETRY[CUST: MR AS] [REVIEW: 19 AR AT CR4 GL MI OS SH] | A | MFFP | | MR | 15-NOV-91 |
| | SAE-ARP1801 | MEASUREMENT OF EXTERIOR SOUND LEVEL OF SPECIALIZED AIRCRAFT GROUND SUPPORT EQUIPMENT[CUST: AV SH 99] [REVIEW: GS] | A | 1730 | | 84 | OCT-94 |
| | EIA455.59 | MEASUREMENT OF FIBER POINT DEFECTS USING AN OTDR[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | ASTM-B137 | MEASUREMENT OF MASS OF COATING ON ANODICALLY COATED ALUMINUM[CUST: MR YD 11] [REVIEW: SH] | A | MFFP | | YD | JUL-89 |
| | EIA526.7 | MEASUREMENT OF OPTICAL POWER LOSS OF INSTALLED SINGLE-MODE FIBER CABLE PLANT (ANSI/TIA/EAI-526-7)[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | ITOP-4.2.811 | MEASUREMENT OF PROJECTILE RATE OF SPIN | D | ISDA | | TE | 26-APR-01 |
| | MIL-STD-449D(1) | MEASUREMENT OF RADIO FREQUENCY SPECTRUM CHARACTERISTICS[Test Method Standard][CUST: CR EC 11] [REVIEW: AS MI OS SH TE] | A | EMCS | | DC5 | 18-MAY-76 |
| | ANSI-S3.19 | MEASUREMENT OF REAL-EAR PROTECTION OF HEARING PROTECTORS AND PHYSICAL ATTENUATION OF EARMUFFS[CUST: AV SH 99 MB] | A | 4240 | | MB | 14-AUG-74 |
| | ASTM-F1192M | MEASUREMENT OF SINGLE EVENT PHENOMENA (SEP) INDUCED BY HEAVY ION IRRADIATION OF SEMICONDUCTOR DEVICES (METRIC)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD] | A | 5962 | | CC | 15-SEP-95 |
| | SAE-J1559 | MEASUREMENT OF SOLAR HEATING EFFECT[CUST: CR4 SH] | A | SESS | | SH | JUL-95 |
| | AIR-STD-61/103/2A | MEASUREMENT OF SOUND ATTENUATION OF HEARING PROTECTIVE EQUIPMENT | C | ISDF | | 06 | PENDING |
| | EIA512 | MEASUREMENT OF THE EQUIVALENT ELECTRICAL PARAMETERS OF QUARTZ CRYSTAL UNITS, 1 KHZ TO GHZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A | 5955 | | CC | 10-APR-85 |
| | EIA512.1 | MEASUREMENT OF THE EQUIVALENT ELECTRICAL PARAMETERS OF QUARTZ CRYSTAL UNITS, 1 KHZ TO 1 GHZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A | 5955 | | CC | 12-NOV-90 |
| | STANAG-4349 ED.1(1) | MEASUREMENT OF THE MINIMUM RESOLVABLE TEMPERATURE DIFFERENCE (MRTD) OF THERMAL CAMERAS | C | ISDA | | AI | 19-JUN-96 |
| | ANSI-S12.6 | MEASUREMENT OF THE REAL-EAR ATTENUATION OF HEARING PROTECTORS AT HEARING PROTECTORS[CUST: GL AS 99 MB] [REVIEW: 84] | A | 4240 | | MB | 17-DEC-84 |
| | ASTM-C366 | MEASUREMENT OF THICKNESS OF SANDWICH CORES[CUST: AS 11] | A | 5680 | | AS | 16-MAY-95 |
| | ITOP-4.2.511 | MEASUREMENT OF UNMANNED TARGET ACTIVATED WEAPON (UTAW) WARHEAD PERFORMANCE | D | ISDA | | TE | 20-MAY-99 |
| | ASME-B89.3.1 | MEASUREMENT OF, OUT-OF-ROUNDNESS[CUST: MR AS 11] | A | NDTI | | AS | 24-AUG-72 |
| | SAE-ARP1972 | MEASUREMENT PRACTICES AND PROCEDURES RECOMMENDED FOR EMC TESTING[CUST: CR EC 11] | A | EMCS | | 11 | JAN-86 |
| | A-A-59661 | MEASUREMENT SET, TRANSMISSION IMPAIRMENT[CUST: 99] | A | 6625 | / | 84 | 19-OCT-04 |
| | STANAG-4114 ED.3 | MEASUREMENTS OF PROJECTILE VELOCITIES | C | ISDA | | AI | 09-MAY-97 |
| | ANSI-S1.6 | MEASUREMENTS, ACOUSTICAL, PREFERRED FREQUENCIES, FREQUENCY LEVELS, AND BAND NUMBER FOR[CUST: TE SH 99] [REVIEW: 13 19 AR AT AV CR CR4 EA EC MC MD MS OS PE TD YD] | A | ENVR | | SH | 21-MAY-84 |
| | A-A-52003 NOT 2 | MEASURER, MAP[CUST: CE 99 IS] [REVIEW: 71 MC] | A | 6675 | / | IS | 27-SEP-01 |
| | QAP-220 ED.1 | MEASURES OF PERFORMANCE, MEASURES OF EFFECTIVENESS, MEASURES OF OUTCOME AND MEASURES OF CAPABILITY FOR ANALYSIS OF SOLDIER SYSTEM ENHANCEMENT | C | ISDA | | AI | 26-FEB-99 |
| | MIL-M-52372B(1) | MEASURES, DRY CHEMICAL, WATER PURIFICATION[CUST: AT 99] [REVIEW: MC YD] | A | 4610 | | CC | 09-JUN-87 |
| | ASTM-F773 | MEASURING DOSE RATE RESPONSE OF LINEAR INTEGRATED CIRCUITS (METRIC)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD] | A | 5962 | | CC | 13-SEP-00 |
| | ASTM-F744 | MEASURING DOSE RATE THRESHOLD FOR UPSET OF DIGITAL INTEGRATED CIRCUITS (METRIC)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD] | A | 5962 | | CC | 13-SEP-00 |
| | A-A-1954A NOT 1 | MEASURING SET, SPOON (CORROSION-RESISTING STEEL)[CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A | 7330 | / | GL | 26-JUL-00 |
| | ASTM-F448 | MEASURING STEADY-STATE PRIMARY PHOTOCURRENT, STANDARD TEST METHOD FOR[CUST: CR EC 19 CC] [REVIEW: 11 99 AR AS AV CG DS MC MI NA OS SH SM] | A | 59GP | | CC | 28-JAN-02 |
| | MIL-M-24579A | MEASURING SYSTEM, SUBMARINE STORAGE BATTERY CURRENT (METRIC)[CUST: SH] | A | 6625 | | SH | 17-AUG-88 |
| | ASTM-D4683 | MEASURING VISCOSITY AT HIGH SHEAR RATE AND HIGH TEMPERATURE BY TAPERED BEARING SIMULATOR[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 10-APR-96 |
| | ASTM-D2060 | MEASURING ZIPPER DIMENSIONS[CUST: GL NU 99] | A | 84GP | | GL | 03-OCT-94 |
| | A-A-20267 | MEAT LOAF WITH BROWN GRAVY, SLICED, FROZEN[CUST: FV] | A | 8940 | # | FV | 31-JUL-97 |
| | A-A-20047D | MEAT PUREES, WITH MEAT BROTHS, CANNED[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8905 | / | SS | 11-JAN-02 |
| A | A-A-20349 | MEATBALLS IN TOMATO SAUCE, CANNED OR IN FLEXIBLE POUCHES[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8940 | / | SS | 13-OCT-05 |
| | AASHTO-T30 | MECHANICAL ANALYSIS OF EXTRACTED AGGREGATE[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | AIR-STD-20/17I(1) | MECHANICAL CONNECTORS BETWEEN STORES AND SUSPENSION EQUIPMENT FOR ARMING AND ASSOCIATED FUNCTIONS OF STORES | C | ISDF | | 06 | 08-OCT-99 |
| | IPC-TM650.2.2.1 | MECHANICAL DIMENSIONAL VERIFICATION[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | STANAG-2914 ED.1 | MECHANICAL ENVIRONMENTAL CONDITIONS TO WHICH MATERIEL INTENDED FOR USE BY NATO FORCES COULD BE EXPOSED | C | ISDA | | AI | 12-JAN-90 |
| | AECTP-400 ED.1 | MECHANICAL ENVIRONMENTAL TESTS | C | ISDA | | AI | 16-JUN-93 |
| | MIL-HDBK-1798A | MECHANICAL EQUIPMENT AND SUBSYSTEMS INTEGRITY PROGRAM[CUST: AV 11] | A | SESS | | 11 | 24-SEP-01 |
| | AFGS-87249 NOT 3 | MECHANICAL EQUIPMENT AND SUBSYSTEMS, REQUIREMENTS FOR THE INTEGRITY OF[CUST: 11] | D | SESS | | 11 | 15-APR-05 |
| | ASTM-D1761 | MECHANICAL FASTENERS IN WOOD[CUST: AR AS 99 IS] | A | 53GP | | IS | 30-DEC-88 |
| | ASTM-F519 | MECHANICAL HYDROGEN EMBRITTLEMENT EVALUATION OF PLATING PROCESSES AND SERVICE ENVIRONMENTS[CUST: AS 11] [REVIEW: SH] | A | MFFP | | AS | 20-SEP-02 |
| | ASME-B15.1 | MECHANICAL POWER TRANSMISSION APPARATUS, SAFETY STANDARD FOR[CUST: YD 99] [REVIEW: 71 CE MC] | A | 3020 | | CC | 01-JUL-92 |
| | MIL-PRF-49166/2A | MECHANICAL SCANNER, MX-9872(V)2/UA[CUST: CR] | A | 5855 | | CR | 03-JUN-99 |
| | MIL-PRF-49166/3A | MECHANICAL SCANNER, MX-9872(V)3/UA[CUST: CR] | A | 5855 | | CR | 03-JUN-99 |
| | MIL-PRF-49166C | MECHANICAL SCANNER, MX-9872(V)/UA; GENERAL SPECIFICATION FOR[CUST: CR] | A | 5855 | | CR | 05-MAY-99 |
| | MIL-PRF-49166/1B | MECHANICAL SCANNER, MX-9872(V)1/UA[CUST: CR] | A | 5855 | | CR | 05-MAY-99 |
| | ASME-Y14.13M | MECHANICAL SPRING REPRESENTATION[CUST: AR OS 16] [REVIEW: AT AV CR4 EA IS MC SH YD] | A | DRPR | | AR | 23-AUG-88 |
| | A-A-58056 | MECHANICAL STREET SWEEPER, MINIMUM 3 CUBIC YARD CAPACITY[CUST: 99] | A | 3825 | / | 84 | 01-APR-96 |
| | MIL-STD-167-2A | MECHANICAL VIBRATIONS OF SHIPBOARD EQUIPMENT (RECIPROCATING MACHINERY AND PROPULSION SYSTEM AND SHAFTING) TYPES III, IV, AND V (CONTROLLED DISTRIBUTION)[Test Method Standard][CUST: SH] | F | ENVR | | SH | 21-MAY-92 |
| A | MIL-STD-167-1A | MECHANICAL VIBRATIONS OF SHIPBOARD EQUIPMENT (TYPE 1 - ENVIRONMENTAL AND TYPE II - INTERNALLY EXCITED)[Test Method Standard][CUST: EA SH] [REVIEW: OS] | A | ENVR | | SH | 02-NOV-05 |
| | DI-ENVR-81647 | MECHANICAL VIBRATIONS OF SHIPBOARD EQUIPMENT MEASUREMENT TEST DATA [AMSC: N7530] | A | ENVR | | SH | 09-AUG-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-QCIC-80890 | MECHANICAL WORST CASE ANALYSIS REPORT OF DIMENSIONS AND TOLERANCES [AMSC: G4800] | A | QCIC | | NS | 03-AUG-89 |
| | MIL-DTL-3943/247 NOT 2 | MEDAL ASIATIC - PACIFIC CAMPAIGN[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/318B | MEDAL, AFGHANISTAN CAMPAIGN[CUST: IH NU 11] [REVIEW: CT MC] | A | 8455 | | IH | 07-APR-05 |
| | MIL-DTL-3943/310 | MEDAL, AIR AND SPACE CAMPAIGN MEDAL, AIR FORCE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 04-MAR-03 |
| | MIL-DTL-3943/204 NOT 2 | MEDAL, AIR RESERVE FORCES MERITORIOUS SERVICE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/227 NOT 2 | MEDAL, AMERICAN CAMPAIGN[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/228 NOT 2 | MEDAL, AMERICAN DEFENSE SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/229 NOT 2 | MEDAL, ANTARCTICA SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/213 NOT 2 | MEDAL, ARCTIC SERVICE, COAST GUARD[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/258 NOT 2 | MEDAL, ARMED FORCES CIVILIAN SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/230 NOT 2 | MEDAL, ARMED FORCES EXPEDITIONARY[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/231 NOT 2 | MEDAL, ARMED FORCES RESERVE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/251 NOT 2 | MEDAL, ARMED FORCES SERVICE[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/186 NOT 2 | MEDAL, ARMY OF CUBAN OCCUPATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/187 NOT 2 | MEDAL, ARMY OF CUBAN PACIFICATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/246 NOT 2 | MEDAL, ARMY OF OCCUPATION[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/245 NOT 2 | MEDAL, ARMY OF OCCUPATION OF GERMANY (1918 - 1923)[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/188 NOT 2 | MEDAL, ARMY OF PUERTO RICAN OCCUPATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| M | MIL-DTL-3943/200A | MEDAL, ARMY RESERVE COMPONENTS ACHIEVEMENT[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-APR-06 |
| | MIL-DTL-3943/218 NOT 2 | MEDAL, ATLANTIC WAR ZONE, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/189 NOT 2 | MEDAL, CHINA CAMPAIGN[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/223 NOT 2 | MEDAL, CHINA SERVICE[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/190 NOT 2 | MEDAL, CIVIL WAR CAMPAIGN[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/201A NOT 1 | MEDAL, CIVILIAN AWARD FOR HUMANITARIAN SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/259 NOT 2 | MEDAL, CIVILIAN COMBAT SUPPORT, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/249C | MEDAL, CIVILIAN DESERT SHIELD/DESERT STORM[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 18-JUN-04 |
| | MIL-DTL-3943/239 NOT 2 | MEDAL, CIVILIAN SERVICE IN VIETNAM[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/203 NOT 2 | MEDAL, COMBAT READINESS, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/217 NOT 2 | MEDAL, DEFENSE, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/248 NOT 2 | MEDAL, EUROPEAN - AFRICAN - MIDDLE EASTERN CAMPAIGN[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/216 NOT 2 | MEDAL, EXPEDITIONARY, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/307A | MEDAL, GLOBAL WAR ON TERRORISM EXPEDITIONARY MEDAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-04 |
| | MIL-DTL-3943/308A | MEDAL, GLOBAL WAR ON TERRORISM SERVICE MEDAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-04 |
| | MIL-DTL-3943/202 NOT 2 | MEDAL, GOOD CONDUCT, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/191 NOT 2 | MEDAL, GOOD CONDUCT, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| A | MIL-DTL-3943/212C | MEDAL, GOOD CONDUCT, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 16-FEB-06 |
| | MIL-DTL-3943/214 NOT 2 | MEDAL, GOOD CONDUCT, COAST GUARD RESERVE[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/209 NOT 2 | MEDAL, GOOD CONDUCT, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/205 NOT 2 | MEDAL, GOOD CONDUCT, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/240 NOT 2 | MEDAL, HUMANITARIAN SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/192 NOT 2 | MEDAL, INDIAN CAMPAIGN, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/319 | MEDAL, IRAQ CAMPAIGN[CUST: IH NU 11] [REVIEW: CT MC] | A | 8455 | | IH | 18-FEB-05 |
| | MIL-DTL-3943/311 | MEDAL, KOREA DEFENSE SERVICE MEDAL[CUST: IH NU 11] [REVIEW: CG CT MC] | A | 8455 | | IH | 23-JUN-03 |
| | MIL-DTL-3943/233 NOT 2 | MEDAL, KOREAN SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/220 NOT 2 | MEDAL, KOREAN SERVICE, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/269 NOT 1 | MEDAL, KOSOVO CAMPAIGN[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/250A NOT 1 | MEDAL, KUWAIT LIBERATION MEDAL, GOVERNMENT OF KUWAIT[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/244 NOT 2 | MEDAL, KUWAIT LIBERATION, KINGDOM OF SAUDI ARABIA[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/210 NOT 2 | MEDAL, MARINE CORPS EXPEDITIONARY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/232 NOT 2 | MEDAL, MEDAL FOR HUMANE ACTION[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/221 NOT 2 | MEDAL, MEDITERRANEAN - MIDDLE EAST WAR ZONE MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/193 NOT 2 | MEDAL, MEXICAN BORDER SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/194 NOT 2 | MEDAL, MEXICAN SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/242 NOT 2 | MEDAL, MULTINATIONAL FORCE AND OBSERVERS[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/234 NOT 2 | MEDAL, NATIONAL DEFENSE SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/207 NOT 2 | MEDAL, NAVAL RESERVE[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/208 NOT 2 | MEDAL, NAVAL RESERVE MERITORIOUS SERVICE[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/206 NOT 2 | MEDAL, NAVY EXPEDITIONARY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/224 NOT 2 | MEDAL, NAVY OCCUPATION SERVICE[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/252 NOT 2 | MEDAL, NORTH ATLANTIC TREATY ORGANIZATION (NATO)[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/283 NOT 1 | MEDAL, NORTH ATLANTIC TREATY ORGANIZATION (NATO), KOSOVO[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 31-JUL-01 |
| | MIL-DTL-3943/282 NOT 1 | MEDAL, NORTH ATLANTIC TREATY ORGANIZATION (NATO), YUGOSLAVIA[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 31-JUL-01 |
| | MIL-DTL-3943/219 NOT 2 | MEDAL, PACIFIC WAR ZONE, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/195 NOT 2 | MEDAL, PHILIPPINE CAMPAIGN, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/196 NOT 2 | MEDAL, PHILIPPINE CONGRESSIONAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3943/241 NOT 2 | MEDAL, PRISONER OF WAR (POW)[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/225 NOT 2 | MEDAL, SECOND NICARAGUAN CAMPAIGN[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/211 NOT 2 | MEDAL, SELECTED MARINE CORPS RESERVE[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/243 NOT 2 | MEDAL, SOUTHWEST ASIA SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/197 NOT 2 | MEDAL, SPANISH CAMPAIGN[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/198 NOT 2 | MEDAL, SPANISH WAR SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/235 NOT 2 | MEDAL, UNITED NATIONS SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/238 NOT 2 | MEDAL, VIETNAM SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/215 NOT 2 | MEDAL, VIETNAM SERVICE, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/199 NOT 2 | MEDAL, WOMEN'S ARMY CORPS SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-01 |
| | MIL-DTL-3943/236 NOT 2 | MEDAL, WORLD WAR I VICTORY[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/237 NOT 2 | MEDAL, WORLD WAR II VICTORY[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 31-JUL-01 |
| | MIL-DTL-3943/222 NOT 2 | MEDAL, WORLD WAR II VICTORY, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-01 |
| | MIL-DTL-3943/226 NOT 2 | MEDAL, YANGTZE SERVICE[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 18-JUN-01 |
| M | MIL-DTL-43098/15 | MEDALLION, DAVID O. COOKE EXCELLENCE IN PUBLIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 24-FEB-06 |
| | MIL-DTL-43098/13 NOT 2 | MEDALLION, DISTINGUISHED SERVICE, NATIONAL RECONNAISSANCE OFFICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/14 NOT 2 | MEDALLION, EUGENE G. FUBINI AWARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098D SUP 1A NOT 2 | MEDALLION, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/10B NOT 2 | MEDALLION, HONORABLE SERVICE, CIA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/12 NOT 2 | MEDALLION, MERITORIOUS SERVICE, NATIONAL RECONNAISSANCE OFFICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/8B NOT 2 | MEDALLION, NATIONAL WAR COLLEGE, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/4C NOT 2 | MEDALLION, PAUL A. SIPLE AWARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/6C NOT 2 | MEDALLION, QUARTERMASTER CORPS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/5C NOT 2 | MEDALLION, SCIENTIFIC ACHIEVEMENT AWARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/7B NOT 2 | MEDALLION, SECRETARY OF THE ARMY'S AWARD FOR OUTSTANDING ACHIEVEMENT IN MATERIEL ACQUISITION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/11 NOT 2 | MEDALLION, SUPERIOR SERVICE, NATIONAL RECONNAISSANCE OFFICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/9B NOT 2 | MEDALLION, SURGEON GENERAL'S EXEMPLARY SERVICE, U. S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/2C NOT 2 | MEDALLION, THE GENERAL GEORGE C. MARSHALL AWARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/3C NOT 2 | MEDALLION, THE GENERAL JOHN J. PERSHING AWARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-43098/1C NOT 2 | MEDALLION, WALTER REED ARMY INSTITUTE OF NURSING AWARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | STANAG-2128 ED.4 | MEDICAL AND DENTAL SUPPLY PROCEDURES | C | ISDA | | AI | 21-NOV-91 |
| | ASTM-F960 | MEDICAL AND SURGICAL SUCTION AND DRAINAGE SYSTEMS[CUST: MD MS 03] | A | 6515 | | MB | 08-JAN-86 |
| | QSTAG-816 ED.1(2) | MEDICAL ASPECTS OF MASS CASUALTY SITUATIONS (WITH AMENDMENT 1 AND 2)[CUST: AI] | C | ISDA | | AI | 25-JUN-87 |
| | STANAG-2872 ED.3 | MEDICAL DESIGN REQUIREMENTS FOR MILITARY MOTOR AMBULANCES | C | ISDA | | AI | 03-APR-89 |
| | QSTAG-624 ED.1 | MEDICAL DESIGN REQUIREMENTS FOR MILITARY PATTERN GROUND AMBULANCES[CUST: AI] | C | ISDA | | AI | 23-AUG-84 |
| | AAMI-HE | MEDICAL DEVICES, HUMAN FACTORS ENGINEERING GUIDELINES AND PREFERRED PRACTICES FOR THE DESIGN OF[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | STANAG-2087 ED.5 | MEDICAL EMPLOYMENT OF AIR TRANSPORT IN THE FORWARD AREA | C | ISDA | | AI | 09-SEP-97 |
| | QSTAG-529 ED.1 | MEDICAL EMPLOYMENT OF AIR TRANSPORT IN THE FORWARD AREA[CUST: AI] | C | ISDA | | AI | 24-MAR-80 |
| | ADV-PUB-61/115/4 | MEDICAL EXAMINATION OF AIRCREW FOLLOWING AN AIRCRAFT ACCIDENT/INCIDENT | C | ISDF | | 06 | 30-JUL-86 |
| | QSTAG-236 ED.1(3) | MEDICAL GAS CYLINDERS (WITH AMENDMENT 1 THRU 3)[CUST: AI] | C | ISDA | | AI | 08-APR-71 |
| | ASSE6010 | MEDICAL GAS SYSTEMS INSTALLERS, PROFESSIONAL QUALIFICATION STANDARD FOR[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | ASSE6030 | MEDICAL GAS SYSTEMS VERIFIERS, PROFESSIONAL QUALIFICATION STANDARD FOR[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | ANSI-MD70.1 | MEDICAL MATERIEL - LUER TAPER FITTINGS - PERFORMANCE[CUST: MD MS 03] | A | 6515 | | MB | 15-NOV-85 |
| | QSTAG-435 ED.1 | MEDICAL MATERIEL MANAGEMENT DURING PATIENT EVACUATION[CUST: AI] | C | ISDA | | AI | 12-DEC-78 |
| | STANAG-2476 ED.1 | MEDICAL PLANNING GUIDE OF NBC BATTLE CASUALTIES (BIOLOGICAL) - AMEDP-8(A) VOL II | C | ISDA | | AI | 22-DEC-99 |
| | STANAG-2219 ED.1(3) | MEDICAL PREVENTIVE AND PROTECTIVE MEASURES ASSOCIATED WITH MISSILE OPERATIONS | C | ISDA | | AI | 18-OCT-76 |
| | ANSI-PH1.17 | MEDICAL RADIOGRAPHIC SMEET & ROLL FILMS - DIMENSIONS ( FILM) AMERICAN NATIONAL STANDARD FOR PHOTOGRAPHY[CUST: MD MS 03] | A | 6525 | | MB | 31-JUL-86 |
| | QSTAG-910 ED.1 | MEDICAL REGULATING[CUST: AI] | C | ISDA | | AI | 21-OCT-91 |
| | STANAG-2939 ED.4(2) | MEDICAL REQUIREMENTS FOR BLOOD, BLOOD DONORS AND ASSOCIATED EQUIPMENT (INCLUDING AMENDMENT 2) | C | ISDA | | AI | 24-JAN-00 |
| | MS16686 | MEDICAL SERVICES SYMBOL[CUST: MD MS 03] [REVIEW: GL MC] | A | 8455 | | MB | 02-MAY-58 |
| | DI-ILSS-80865 | MEDICAL SUPPORT KIT LISTS [AMSC: S4768] | A | SESS | | DH | 29-JUN-89 |
| | STANAG-3745 ED.3 | MEDICAL TRAINING FOR SEARCH AND RESCUE (SAR) PERSONNEL | C | ISDF | | 06 | 27-MAR-98 |
| | QSTAG-535 ED.1 | MEDICAL TRAINING IN FIRST AID, BASIC HYGIENE AND EMERGENCY CARE[CUST: AI] | C | ISDA | | AI | 12-NOV-79 |
| | STANAG-2122 ED.2(7) | MEDICAL TRAINING IN FIRST AID, BASIC HYGIENE AND EMERGENCY CARE (INCLUDING AMENDMENTS 2 & 7) | C | ISDA | | AI | 10-DEC-75 |
| | QSTAG-908 ED.1(2) | MEDICAL WARNING TAG (INCLUDES AMEND. 1 AND AMEND. 2)[CUST: AI] | C | ISDA | | AI | 16-FEB-89 |
| | STANAG-2347 ED.1(6) | MEDICAL WARNING TAG (INCLUDING AMENDMENT 6) | C | ISDA | | AI | 09-DEC-75 |
| | DI-MISC-80608 | MEDICAL WORKLOAD REPORT [AMSC: F4440] | A | MISC | | 33 | 08-JUN-88 |
| | STANAG-2127 ED.3(2) | MEDICAL, SURGICAL AND DENTAL INSTRUMENTS, EQUIPMENT AND SUPPLIES | C | ISDA | | AI | 28-FEB-89 |
| | ADV-PUB-61/65A | MEDICATIONS FOR PRESERVING AND ENHANCING AIRCREW PERFORMANCE | C | ISDF | | 06 | 03-SEP-91 |
| | INFO-PUB-61/115/7E | MEDICATIONS WHICH MAY BE USED WHILST MAINTAINING FLYING STATUS | C | ISDF | | 06 | 03-NOV-99 |
| | ASTM-D704 | MELAMINE-FORMALDEHYDE MOLDING COMPOUNDS[CUST: MR IS] [REVIEW: AR EA GL MC SH SM] | A | 9330 | | IS | 22-JUN-90 |
| | A-A-53738 | MEMBRANE KIT, BLOOD GAS ANALYZER (PO2)[CUST: MD MS 03] | A | 6630 | / | MB | 03-OCT-88 |
| | ASTM-C836 | MEMBRANE, COLD LIQUID-APPLIED ELASTOMERIC WATERPROOFING, FOR USE WITH SEPARATE WEARING COURSE, HIGH SOLIDS CONTENT[CUST: CE YD 99] | A | 5680 | | IS | 19-OCT-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-2217(2) NOT 3 | MEMORY LOADER/VERIFIER MULTIPLEX BUS INTERFACE WITH AVIONIC SYSTEMS, REQUIREMENTS FOR[Interface Standard][CUST: AS] | A | SESS | | AS | 22-FEB-05 |
| | A-A-52403 | MENDER, HOSE (LOW PRESSURE)[CUST: AT AS 99] [REVIEW: 11 71 AR AV CC CR4 MC OS] | A | 4730 | / | AT | 21-JAN-93 |
| | A-A-54819 | MEPERIDINE HYDROCHLORIDE INJECTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 15-FEB-93 |
| | A-A-54502 | MEPERIDINE HYDROCHLORIDE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 15-OCT-91 |
| | ASTM-D3624 | MERCURY IN PAINT BY ATOMIC ABSORPTION SPECTROSCOPY, LOW CONCENTRATIONS OF[CUST: CR4 YD 99] [REVIEW: 84 CE SH] | A | 8010 | | IS | 29-MAR-93 |
| | MIL-PRF-32038/7 | MESS BOOTH SEATS - TYPES 1-4[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | QSTAG-674 | MESSAGE TEXT FORMATTING SYSTEM (FORMETS) (BASED ON NATO STANAG 5500) (ABCA 674)[CUST: AI] | C | ISDA | | AI | 30-NOV-82 |
| | ASTM-B487 | METAL AND OXIDE COATING THICKNESS BY MICROSCOPICAL EXAMINATION OF A CROSS SECTION, MEASUREMENT OF[CUST: MR AS 11 GS4] [REVIEW: AT GL OS SH] | A | MFFP | | GS4 | 22-FEB-85 |
| | ASTM-B62 | METAL CASTINGS, COMPOSITION BRONZE OR OUNCE[CUST: CR4 YD] | A | MECA | | YD | 15-MAR-93 |
| | ASTM-D2251 | METAL CORROSION BY HALOGENATED ORGANIC SOLVENTS AND THEIR ADMIXTURES[CUST: PS] | A | 91GP | | PS | 15-OCT-92 |
| | A-A-50974 | METAL FOIL (TIN)[CUST: MD MS 03] [REVIEW: YD] | A | 6520 | / | MB | 12-JUN-85 |
| | IPC-4562 | METAL FOIL FOR PRINTED WIRING APPLICATIONS[CUST: CR EC 11 CC] [REVIEW: MI] | A | 5998 | | CC | 26-FEB-03 |
| | ASTM-C847 | METAL LATH[CUST: CR4 YD 99] | A | 5680 | | IS | 15-SEP-93 |
| | ASTM-D3552/D3552M | METAL MATRIX COMPOSITES, TENSILE PROPERTIES OF FIBER REINFORCED[CUST: MR SA] [REVIEW: OS] | A | CMPS | | MR | 10-OCT-96 |
| | ASTM-B329 | METAL POWDERS AND COMPOUNDS USING THE SCOTT VOLUMETER, APPARENT DENSITY OF[CUST: EA] [REVIEW: GL MC] | A | 6810 | | GS3 | 31-AUG-90 |
| | ASTM-B430 | METAL POWDERS AND RELATED COMPOUNDS BY TURBIDIMETRY, PARTICLE SIZE DISTRIBUTION OF REFRACTORY[CUST: AR SH 99] | A | 9350 | | AR | 03-OCT-94 |
| | ANSI-B32.3 | METAL PRODUCTS, FLAT, PREFERRED METRIC SIZES FOR (W/SUPL. ANSI B32.3A-78)[CUST: MR AS 11] [REVIEW: 99 AR CR4 EC GL SH] | A | 95GP | | IS | 28-SEP-79 |
| | ANSI-B32.4M | METAL PRODUCTS, PREFERRED METRIC SIZES FOR ROUND, SQUARE, RECTANGLE & HEXAGON[CUST: MR AS 11] [REVIEW: 99 AR CR4 EC SH] | A | 95GP | | IS | 28-DEC-83 |
| | ANSI-B32.5 | METAL PRODUCTS, TUBULAR, OTHER THAN PIPE, PREFERRED METRIC SIZES FOR[CUST: MR AS 11] [REVIEW: 99 AR EC SH] | A | 95GP | | IS | 28-SEP-79 |
| | ANSI-B32.6 | METAL PRODUCTS, TUBULAR, PREFERRED METRIC EQUIVALENTS OF INCH SIZES FOR, OTHER THAN PIPE[CUST: MR AS 11] [REVIEW: 99 AR CR4 EC GL SH] | A | 95GP | | IS | 28-SEP-79 |
| | ASTM-D1002 | METAL SPECIMENS, SINGLE-LAP-JOINT ADHESIVELY BONDED, BY TENSION LOADING (METAL-TO-METAL), APPARENT SHEAR STRENGTH[CUST: MR AS 11] [REVIEW: 99 AR CR4 GL IS MI OS SA] | A | 8040 | | MR | 15-MAR-74 |
| | MIL-STD-2138A(1) | METAL SPRAYED COATINGS FOR CORROSION PROTECTION ABOARD NAVAL SHIPS (METRIC)[Military Standard][CUST: SH] | A | MFFP | | SH | 29-AUG-94 |
| | A-A-2105A | METAL STRIP BAG TIE | A | 8135 | # | FSS | 18-JUN-86 |
| | ASTM-D2651 | METAL SURFACES FOR ADHESIVE BONDING, PREPARATION OF[CUST: MI AS 99] | A | 8040 | | AS | 03-OCT-94 |
| | SAE-AMS2634 | METAL TUBING, THIN WALL, ULTRASONIC INSPECTION[CUST: AV SH 11] [REVIEW: 68 99 AS MR] | A | NDTI | | 11 | FEB-95 |
| | ISO5752 | METAL VALVES FOR USE IN FLANGED PIPE SYSTEMS FACE-TO-FACE AND CENTER-TO-FACE DIMENSIONS[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | ASTM-B733 | METAL, AUTOCATALYTIC ELECTROLESS NICKEL - PHOSPHORUS COATINGS ON[CUST: MR AS 11] [REVIEW: 99] | A | MFFP | | 11 | MAY-95 |
| | AASHTO-M190 | METAL, BITUMINOUS-COATED CORRUGATED, CULVERT PIPE AND PIPE ARCHES[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | UL209 | METAL, CELLULAR FLOOR RACEWAYS AND FITTINGS[CUST: CR YD 11] [REVIEW: 99 GS] | A | 5975 | | YD | 22-DEC-98 |
| | AASHTO-M243 | METAL, CORRUGATED, STRUCTURAL PLATE FOR PIPE, PIPE-ARCHES, AND ARCHES, FIELD-APPLIED COATING OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-E785 | METAL, CRUCIBLES, IGNITION, LABORATORY[CUST: EA 99] [REVIEW: DP MB MD] | A | 6640 | | EA | 27-FEB-81 |
| | MIL-M-17999C NOT 1 | METAL, EXPANDED, ALUMINUM[CUST: MR] [REVIEW: AT CR4 EA IS] | A | 9535 | | MR | 11-AUG-89 |
| | ASTM-F1267 | METAL, EXPANDED, STEEL[CUST: CR4 SH 99] | A | 5680 | | SH | 22-FEB-91 |
| | NAS1395 | METAL, INSERT-THREADED, HEAVY-DUTY, SELF-LOCKING, AND NON SELF-LOCKING[CUST: AR AS 99 IS] | A | 5340 | | IS | 29-NOV-95 |
| | NAS1394 | METAL, INSERT-THREADED, LIGHTWEIGHT, SELF-LOCKING, AND NON SELF-LOCKING[CUST: AR AS 99 IS] | A | 5340 | | IS | 29-NOV-95 |
| | ASTM-D2803 | METAL, ORGANIC COATINGS ON, FILIFORM CORROSION RESISTANCE OF[CUST: MI AS 11] | A | MFFP | | AS | 03-OCT-94 |
| | ASTM-B476 | METAL, PRECIOUS, WROUGHT, ELECTRICAL CONTACT MATERIALS[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 25-MAY-90 |
| | ASTM-B32 | METAL, SOLDER[CUST: CR YD 11] [REVIEW: 84 99 AT EA EC GL GS MC MI OS] | A | 3439 | | YD | 15-FEB-93 |
| | UL5 | METAL, SURFACE, RACEWAYS AND FITTINGS[CUST: CR YD 11] [REVIEW: 99 CR4 GS SH] | A | 5975 | | YD | 28-JAN-19 |
| | MIL-HDBK-1941 | METAL-ARC WELDING OF HOMOGENEOUS ARMOR[CUST: MR AS 11] [REVIEW: AV DH EC MI NP SH] | A | THJM | | MR | 16-SEP-98 |
| | IPC-4204 | METAL-CLAD, FLEXIBLE, DIELECTRICS FOR USE IN FABRICATION OF FLEXIBLE PRINTED CIRCUITRY[CUST: CR EC 11 CC] [REVIEW: MI] | A | 5998 | | CC | 26-FEB-03 |
| | ASTM-B504 | METALLIC COATINGS BY THE COULOMETRIC METHOD, MEASUREMENT OF THICKNESS OF[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | 23-FEB-90 |
| | ISO7005-2 | METALLIC FLANGES-PART 2: CAST IRON FLANGES[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | MIL-HDBK-270A | METALLIC MATERIALS FOR LOW MAGNETIC APPLICATIONS, MAGNETIC PERMEABILITY AND ELECTRICAL CONDUCTIVITY, CHARACTERISTICS OF (METRIC)[CUST: SH] | A | 95GP | | SH | 19-MAR-91 |
| | MIL-M-24130B(2) | METALLIC SEAL RINGS, NON-INTEGRAL GENERAL SPECIFICATION FOR (CONTROLLED DISTRIBUTION)[CUST: SH] | B | 5330 | | SH | 30-OCT-86 |
| | MIL-M-24130/3B | METALLIC SEAL RINGS, NON-INTEGRAL NICKEL COPPER ALLOY (CONTROLLED DISTRIBUTION)[CUST: SH] | B | 5330 | | SH | 09-JAN-86 |
| | MIL-DTL-24130/1E | METALLIC SEAL RINGS, NON-INTEGRAL NICKEL-CHROMIUM-IRON ALLOY (UNS6600)[CUST: SH] | F | 5330 | | SH | 03-NOV-97 |
| | MIL-M-24130/2C NOT 1 | METALLIC SEAL RINGS, NON-INTEGRAL STEEL, CORROSION-RESISTANT (CONTROLLED DISTRIBUTION)[CUST: SH] | B | 5330 | | SH | 02-MAY-90 |
| | ASTM-E3 | METALLOGRAPHIC SPECIMENS, PREPARATION OF[CUST: MR] [REVIEW: AR AS IS SH YD] | A | 95GP | | MR | 31-OCT-80 |
| | ASTM-E7 | METALLOGRAPHY, STANDARD TERMINOLOGY RELATING TO[CUST: MR AS 11] [REVIEW: IS] | A | 95GP | | MR | 15-MAR-92 |
| | ASTM-E527 | METALS AND ALLOYS (UNS), NUMBERING[CUST: MR YD 99] [REVIEW: 84 AS IS OS SH] | A | 95GP | | YD | 10-MAY-83 |
| | ASTM-G44 | METALS AND ALLOYS BY ALTERNATE IMMERSION IN 3.5 PERCENT SODIUM CHLORIDE SOLUTION, EXPOSURE OF[CUST: MR AS 99] | A | 95GP | | AS | 03-OCT-94 |
| | SAE-HS1086 | METALS AND ALLOYS IN THE UNIFIED NUMBERING SYSTEM[CUST: MR 99] [REVIEW: 84 AR IS OS SH] | A | 95GP | | MR | FEB-93 |
| | ASTM-B275 | METALS AND ALLOYS, CERTAIN NONFERROUS, CAST AND WROUGHT, CODIFICATION OF[CUST: MR SH 11 IS] [REVIEW: AR AT AV CR4 GL MI] | A | 95GP | | IS | 15-FEB-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-E340 | METALS AND ALLOYS, MACROETCHING[CUST: MR SH] [REVIEW: AR AS IS YD] | A | 95GP | | MR | 28-AUG-87 |
| | ASTM-E407 | METALS AND ALLOYS, MICROETCHING[CUST: AT SH 99] | A | 95GP | | AT | 10-OCT-99 |
| | SAE-J1086 | METALS AND ALLOYS, NUMBERING[CUST: CR4 SH 99] | A | 95GP | | IS | DEC-98 |
| | DOD-HDBK-249A NOT 2 | METALS AND ALLOYS, RAPID ON-SITE IDENTIFICATION OF (RECOMMENDED PROCEDURE FOR CHEMICAL SPOT TESTING AND ASSOCIATED PHYSICAL TESTS TO VERIFY METAL ALLOY CLASSIFICATION) (METRIC)[CUST: SH] | A | 95GP | | SH | 29-SEP-94 |
| | ASTM-E88 | METALS AND ALLOYS, SAMPLING NONFERROUS IN CAST FORM FOR DETERMINATION OF CHEMICAL COMPOSITION[CUST: MR YD 99] [REVIEW: 84 AS SH] | A | MECA | | YD | 15-SEP-91 |
| | SAE-AMS-C-81769 | METALS, CHEMICAL MILLING OF[CUST: MR AS 11] | A | MFFP | | AS | JUN-98 |
| | ASTM-B322 | METALS, CLEANING, PRIOR TO ELECTROPLATING[CUST: GL SH 11] | A | MFFP | | GL | 03-OCT-94 |
| | AWS-A5.8 | METALS, FILLER, FOR BRAZING, STANDARD SPECIFICATION FOR[CUST: AR YD 99] [REVIEW: GS SH] | A | 3439 | | YD | 12-SEP-90 |
| | ASTM-B499 | METALS, MAGNETIC BASIS, MEASUREMENT OF COATING THICKNESSES BY THE MAGNETIC METHOD: NONMAGNETIC COASTINGS[CUST: MR AS 11 GS4] [REVIEW: AT GL IS OS SH] | A | MFFP | | GS4 | 26-AUG-88 |
| | ASTM-E140 | METALS, RELATIONSHIP AMONG BRINELL HARDNESS VICKERS HARDNESS, ROCKWELL HARDNESS, SUPERFICIAL HARDNESS, KNOOP HARDNESS, AND SCLEROSCOPE HARDNESS, STANDARD HARDNESS CONVERSION TABLES FOR[CUST: MR 99] [REVIEW: AR AT GL IS] | A | 95GP | | MR | 09-NOV-88 |
| | A-A-51723 | METER FOOTCANDLE, PHOTOELECTRIC[CUST: MD MS 03] [REVIEW: GS] | A | 6695 | / | MB | 28-NOV-86 |
| | QPL-23167-28 | METER FREQUENCY, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE) | A | 6625 | | SH | 08-MAR-93 |
| | MIL-M-23167B(1) | METER FREQUENCY, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SWITCHBOARD USE)[CUST: SH] [REVIEW: CC MI] | A | 6625 | | SH | 20-OCT-78 |
| | UL414 | METER SOCKETS[CUST: CR YD 11] | A | 5935 | | CC | 24-MAR-99 |
| | ANSI-C12.7 | METER SOCKETS, WATTHOUR[CUST: YD] [REVIEW: GS] | A | 5975 | | YD | 08-DEC-93 |
| | MIL-M-16034/9 | METER, ELECTRICAL INDICATING VOLTMETER, AC AND DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/10 | METER, ELECTRICAL INDICATING, AMMETER, AC AND DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/14 | METER, ELECTRICAL INDICATING, AMMETER, AC, PORTABLE, 0.75 PERCENT ACCURACY CLASS[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/4A | METER, ELECTRICAL INDICATING, AMMETER, AC, SWITCHBOARD, 4-1/2 INCH, 250 DEGREE SCALE[CUST: CR SH 99] [REVIEW: CR4 EC] | A | 6625 | | SH | 06-NOV-64 |
| | MIL-M-16034/8 | METER, ELECTRICAL INDICATING, AMMETER, AC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE[CUST: CR SH 99] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/12 | METER, ELECTRICAL INDICATING, AMMETER, DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/16 | METER, ELECTRICAL INDICATING, AMMETER, DC, PORTABLE, 0.5 PERCENT ACCURACY CLASS[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/6 | METER, ELECTRICAL INDICATING, AMMETER, DC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/13 | METER, ELECTRICAL INDICATING, VOLTMETER, AC, PORTABLE, 0.75 PERCENT ACCURACY CLASS[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/2B | METER, ELECTRICAL INDICATING, VOLTMETER, AC, SWITCBOARD, 4-1/2 INCH, 250 DEGREE SCALE[CUST: CR SH 99] [REVIEW: 11 AR AV GL MC] | A | 6625 | | SH | 20-OCT-64 |
| | MIL-M-16034/7 | METER, ELECTRICAL INDICATING, VOLTMETER, AC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/11 | METER, ELECTRICAL INDICATING, VOLTMETER, DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/15 | METER, ELECTRICAL INDICATING, VOLTMETER, DC, PORTABLE, 0.5 PERCENT ACCURACY CLASS[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/1A | METER, ELECTRICAL INDICATING, VOLTMETER, DC, SWITCHBOARD, 4-1/2 INCH, 250 DEGREE SCALE[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 06-NOV-64 |
| | MIL-M-16034/5 | METER, ELECTRICAL INDICATING, VOLTMETER, DC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE[CUST: CR SH 99] [REVIEW: EC] | A | 6625 | | SH | 02-JAN-53 |
| | MIL-M-16034/3A | METER, ELECTRICAL-INDICATING, VOLTMETER, A.C., SWITCHBOARD, 4-1/2-INCH, 250-DEGREE SCALE[CUST: CR SH 99] [REVIEW: CR4 EC] | A | 6625 | | SH | 06-NOV-64 |
| | A-A-55712 | METER, HYDROGEN ION TEST, 115/230 VOLTS, 50/60 HZ, AC[CUST: MD MS 03] | A | 6630 | / | MB | 16-AUG-96 |
| | MIL-M-24359 | METER, MILLIAMMETERS, DIRECT CURRENT PANEL MOUNTING (EDGEWISE TYPES)[CUST: SH] [REVIEW: EC MI] | A | 6625 | | SH | 05-FEB-69 |
| | A-A-50729 | METER, MULTIPLE SCALE[CUST: EC 99 CC] [REVIEW: CR] | A | 6625 | / | 84 | 15-DEC-87 |
| | MIL-M-19261(8) | METER, POWER FACTOR 4-1/2 INCH, SWITCHBOARD TYPE[CUST: SH] [REVIEW: CR4] | A | 6625 | | SH | 13-FEB-87 |
| | QPL-7793-36 | METER, TIME TOTALIZING | A | 6645 | | AS | 11-NOV-04 |
| | A-A-59248 NOT 1 | METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, FUEL, 600 GPM[CUST: AV YD 99] [REVIEW: 71 AS CG] | A | 6680 | / | GS1 | 27-JAN-04 |
| | MIL-M-24614A | METERING SYSTEM, STORAGE BATTERY CURRENT AND AMPERE-HOUR, DIGITAL (METRIC, NONMERCURY TYPE)[CUST: SH] | A | 6625 | | SH | 12-FEB-93 |
| | NEMA-C12.1 | METERING, ELECTRICITY, CODE FOR[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | AWWA-C702 | METERS, COLD-WATER, COMPOUND TYPE[CUST: CR4 YD 99] [REVIEW: GS] | A | 6680 | | YD | 18-JUN-92 |
| | AWWA-C700 | METERS, COLD-WATER, DISPLACEMENT TYPE, BRONZE MAIN CASE[CUST: CR4 YD 99] [REVIEW: GS] | A | 6680 | | YD | 28-JAN-90 |
| | AWWA-C703 | METERS, COLD-WATER, FIRE-SERVICE TYPE[CUST: CR4 YD 99] [REVIEW: GS] | A | 6680 | | YD | 22-JUN-86 |
| | AWWA-C701 | METERS, COLD-WATER, TURBINE TYPE, FOR CUSTOMER SERVICE[CUST: CR4 YD 99] [REVIEW: GS] | A | 6680 | | YD | 19-JUN-88 |
| | MIL-PRF-10304F SUP 1 NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, GENERAL SPECIFICATION FOR[CUST: CR SH 99] [REVIEW: 11 AR AS AT AV CG CR4 EA MC OS] | A | 6625 | | CC | 30-MAR-04 |
| M | QPL-10304-78 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, GENERAL SPECIFICATION FOR | A | 6625 | | CC | 28-FEB-06 |
| | MIL-PRF-10304/7E NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: AMMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26[CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CR4] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/14D NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: AMMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH), STYLE 36[CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CR4 MC] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/17F NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: AMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 4 1/2 INCH) STYLE 46[CUST: CR SH 99] [REVIEW: 11 AR AT AV CR4 MC] | A | 6625 | | CC | 08-APR-05 |
| | MIL-PRF-10304/12F NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: AMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36[CUST: CR SH 99 CC] [REVIEW: 11 AT AV CR4 EA MC MI] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/13E NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: ANMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36[CUST: CR SH 99] [REVIEW: 11 AR AT AV CR4 MC] | A | 6625 | | CC | 30-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-10304/5G NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: DC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26[CUST: CR SH 99] [REVIEW: 11 AR AT AV CR4 EA MC] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/30A | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: MILLIAMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH), STYLES 05, 06, AND 07[CUST: CR SH 99] [REVIEW: 11 AT AV CR4 MC] | A | 6625 | | CC | 26-APR-99 |
| | MIL-PRF-10304/26E NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: RECTIFIER- TYPE VOLTMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH), STYLES 34 AND 36[CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV MC] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/25D NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: RECTIFIER-TYPE VOLMETER, AC (FLUSH MOUNTING, ROUND FLANGE 2-1/2 INCH), STYLE 26[CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CR4 MC] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/9C NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: SPECIAL (FLUSH MOUNTING, ROUND FLANGE, 2-1/2 INCH) STYLE 26[CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CR4 MC] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/16C NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: SPECIAL (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH), STYLE 36[CUST: CR SH 99 CC] [REVIEW: 11 AT AV CR4 MC] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/37A NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER AND AMMETER, DC, LONG SCALE (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 24[CUST: CR SH 99] [REVIEW: 11 AR AT AV CR4 MC] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/23D NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER AND AMMETER, DC LONG SCALE (FLUSH MOUNTING, ROUND FLANGE 4 1/2 INCH), STYLE 44[CUST: CR SH 99] [REVIEW: 11 AR AT AV CR4 MC] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/6F NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26[CUST: CR SH 99] [REVIEW: 11 AR AT AV CG CR4 MC MI] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/11E NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36[CUST: CR SH 99] [REVIEW: AR AT AV CR4] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/4D NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26[CUST: CR SH 99] [REVIEW: AR AT AV CR4 MC MI] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/21G NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER, DC (SQUARE FLANGE, 1 1/2 INCH) STYLE 13[CUST: CR SH 99] [REVIEW: 11 AR AT AV CR4 MC] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/24G NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: AMMETER, DC (SQUARE FLANGE, 1-1/2 INCH), STYLE 13[CUST: CR SH 99 CC] [REVIEW: AV EA MC] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/31A | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: MICROAMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH) STYLES 05, 06, AND 07[CUST: CR SH 99 CC] [REVIEW: 11 AT AV CR4 MC] | A | 6625 | | CC | 26-APR-99 |
| | MIL-PRF-10304/29A | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: MILLIVOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH), STYLES 05, 06, AND 07[CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CR4 MC] | A | 6625 | | CC | 26-APR-99 |
| | MIL-PRF-10304/20D NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER AND AMMETER, DC (SQUARE FLANGE, 1-INCH), STYLE 03[CUST: CR SH 99 CC] [REVIEW: AR AS AT AV CR4 MC] | A | 6625 | | CC | 08-APR-05 |
| | MIL-PRF-10304/22D NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER AND AMMETER, DC, LONG SCALE (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH) STYLE 34[CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CR4 EC MC] | A | 6625 | | CC | 30-MAR-04 |
| | MIL-PRF-10304/32A | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH), STYLES 05, 06, AND 07[CUST: CR SH 99 CC] | A | 6625 | | CC | 26-APR-99 |
| | MIL-M-16125C(4) | METERS, ELECTRICAL, FREQUENCY[CUST: CR SH 99] [REVIEW: 11 CR4 MC MI] | A | 6625 | | SH | 06-JAN-87 |
| | MIL-M-16034A(I11) SUP 1 NOT 2 | METERS, ELECTRICAL-INDICATING (SWITCHBOARD AND PORTABLE TYPES)[CUST: SH] | A | 6625 | | SH | 20-SEP-99 |
| | MIL-M-16034A(6) | METERS, ELECTRICAL-INDICATING (SWITCHBOARD AND PORTABLE TYPES)[CUST: CR SH 99] [REVIEW: 84 AR AS EC GL MC MI] | A | 6625 | | SH | 19-JUN-67 |
| | QPL-16034-59 | METERS, ELECTRICAL-INDICATING (SWITCHBOARD AND PORTABLE TYPES) | A | 6625 | | SH | 14-MAY-04 |
| | MIL-M-2082C NOT 1 | METERS, FLOW, MECHANICAL, VOLUMETRIC POSITIVE DISPLACEMENT, LIQUID, COLD WATER AND HOT WATER TYPE, NAVAL SHIPBOARD USE[CUST: SH] [REVIEW: GS] | A | 6680 | | SH | 07-MAY-92 |
| | A-A-59224 NOT 1 | METERS, FLUID QUANTITY VOLUMETRIC[CUST: AV YD] [REVIEW: AS] | A | 6680 | / | GS1 | 23-JAN-04 |
| | ASTM-D4444 | METERS, HAND-HELD MOISTURE, USE AND CALIBRATION OF[CUST: SM AS 11] [REVIEW: 70 71 84 99 CC CR4 GL SA] | A | 5510 | | AS | 15-FEB-92 |
| | AWWA-C704 | METERS, PROPELLER-TYPE, FOR WATERWORKS APPLICATIONS[CUST: CR4 YD 99] [REVIEW: GS] | A | 6680 | | YD | 26-JAN-92 |
| | ANSI-S1.4 | METERS, SOUND LEVEL, SPECIFICATION FOR[CUST: MI AS 11] [REVIEW: AM AT CR4 MD OS TD TE YD] | A | HFAC | | MI | 27-MAY-93 |
| | QPL-3971-45 | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL, GENERAL SPECIFICATION FOR | A | 6645 | | GS1 | 20-MAR-95 |
| A | MIL-DTL-3971E | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: GENERAL SPECIFICATION FOR[CUST: AR SH 99 GS1] [REVIEW: AS AT CR EC MC SA] | A | 6645 | | GS1 | 24-JAN-01 |
| | MIL-DTL-3971/1E | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: TYPE I, 10-40V OR 40-130V OR 10-130V: GRADES A AND B, 2 HOLE AND 3 HOLE FLANGE[CUST: AR SH 99 GS1] [REVIEW: 11 AS AT CR EC MC SA] | A | 6645 | | GS1 | 24-JAN-01 |
| | MIL-DTL-3971/2D | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: TYPE II, 120V, 60CPS AND 120V, 400CPS GRADES A AND B, 2 HOLE AND 3 HOLE FLANGE[CUST: AR SH 99 GS1] [REVIEW: 11 AS AT CR EC MC SA] | A | 6645 | | GS1 | 24-JAN-01 |
| | NEMA-C12.10 | METERS, WATTHOUR[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| A | O-M-232L | METHANOL (METHYL ALCOHOL)[CUST: EA OS 68] [REVIEW: AR AS GL MD1 MI] | A | 6810 | / | GS3 | 04-JAN-06 |
| | ASTM-E346 | METHANOL, ANALYSIS OF[CUST: EA 68] [REVIEW: CR4 GL MD SH] | A | 6810 | | GS3 | 10-MAR-99 |
| | STANAG-3416 ED.4(8) | METHANOL/WATER AND DEMINERALIZED WATER REPLENISHMENT | C | ISDF | | 06 | 13-OCT-97 |
| | DOD-M-82730 | METHLENEBIS 4,4 (2,6-DI TERT BUTYLPHENOL)[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 17-AUG-84 |
| | NFPA-T2.6.1 | METHOD FOR VERIFYING THE FATIGUE AND ESTABLISHING THE BURST PRESSURE RATINGS OF THE PRESSURE CONTAINING ENVELOPE OF A METAL FLUID POWER COMPONENT[CUST: CR4 SH 99] [REVIEW: CC OS YD] | A | SESS | | SH | 04-NOV-92 |
| | STANAG-3678 ED.3 | METHOD OF ADDING THE MILITARY GRID TO NAUTICAL CHARTS IN THE NATO AREA | C | ISDF | | 06 | 06-DEC-01 |
| | AIR-STD-80/1(1) | METHOD OF DETERMINING THE PRINCIPAL SENSITOMETRIC CHARACTERISTICS OF BLACK AND WHITE ROLLED AIR FILM | C | ISDF | | 06 | 25-JUN-93 |
| | MIL-STD-878A(1) NOT 2 | METHOD OF DIMENSIONING AND DETERMINING CLEARANCE FOR AIRCRAFT TIRES AND RIMS[Military Standard][CUST: AV AS 11] [REVIEW: GS] | A | 2620 | | 70 | 29-JUN-90 |
| | NFPA-T3.9.18 | METHOD OF ESTABLISHING THE FLOW DEGRADATION OF FIXED DISPLACEMENT HYDRAULIC FLUID POWER PUMPS WHEN EXPOSED TO PARTICULATE CONTAMINANT[CUST: CR4 SH 99] [REVIEW: CC OS YD] | A | 4320 | | SH | 04-NOV-92 |
| | STANAG-4278 ED.3 | METHOD OF EXPRESSING NAVIGATION ACCURACIES | D | ISDA | | AI | 07-JUN-95 |
| A | MIL-STD-220B(1) | METHOD OF INSERTION LOSS MEASUREMENT[Test Method Standard][CUST: CR EC 11 CC] [REVIEW: EA MI YD] | A | EMCS | | CC | 25-JUN-04 |
| | ARI575 | METHOD OF MEASURING MACHINERY SOUND WITHIN AN EQUIPMENT SPACE[CUST: MI YD 11] | A | HFAC | | YD | 1987 |
| | STANAG-4133 ED.2(1) | METHOD OF SPECIFYING ELECTRICAL POWER SUPPLIES: STANDARD TYPES OF ELECTRICAL POWER (W/AMENDMENT 1 INCORPORATED) | C | ISDA | | AI | 07-JUL-92 |
| | ASHRAE16 | METHOD OF TESTING FOR RATING ROOM AIR CONDITIONERS AND PACKAGED TERMINAL AIR CONDITIONERS[CUST: CR4 SH 99] | A | 4120 | | CR4 | 31-JAN-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-3275 ED.3(1) | METHOD OF WARNING OWN AIRCRAFT OF (SUSPECTED) ENEMY FIGHTER ATTACKS | C | ISDF | | 06 | 20-MAY-97 |
| | ADV-PUB-61/102/16 | METHOD TO EVALUATE THERMAL INJURY POTENTIAL DURING EMERGENCY ESCAPE | C | ISDF | | 06 | 10-JUL-97 |
| | STANAG-2177 ED.1 | METHODOLOGY FOR ANTHROPOMETRIC DATA | C | ISDA | | AI | 31-MAY-94 |
| | INFO-PUB-61/105/18 | METHODOLOGY FOR ANTHROPOMETRIC EVALUATION OF CREWSTATIONS | C | ISDF | | 06 | 13-NOV-00 |
| | ADV-PUB-61/105/14 | METHODOLOGY FOR ASSESSING FIT OF AIRCREW CLOTHING | C | ISDF | | 06 | 10-SEP-95 |
| | AIR-STD-61/101/18 | METHODOLOGY FOR COCKPIT THERMAL ASSESSMENTS | C | ISDF | | 06 | 20-SEP-90 |
| | ADV-PUB-61/103/17 | METHODOLOGY FOR EVALUATION OF PBG ASSEMBLY FOR HIGH-G PROTECTION | C | ISDF | | 06 | 04-MAR-96 |
| | ADV-PUB-61/102/21 | METHODOLOGY FOR INTEGRATION TESTING OF AIRCREW CLOTHING AND EQUIPMENT | C | ISDF | | 06 | 29-APR-96 |
| | AIR-STD-61/102/21 | METHODOLOGY FOR INTEGRATION TESTING OF AIRCREW CLOTHING AND EQUIPMENT | C | ISDF | | 06 | 29-APR-96 |
| | AIR-STD-61/102/20 | METHODOLOGY FOR THE MEASUREMENT OF INHERENT BUOYANCY OF AIRCREW AND PASSENGER CLOTHING SYSTEMS | C | ISDF | | 06 | 04-NOV-93 |
| | AIR-STD-61/101/4A | METHODOLOGY OF PARTIAL PRESSURE SUIT EVALUATION FOR HIGH ALTITUDE PROTECTION (WITH CHANGE 1) | C | ISDF | | 06 | 03-SEP-91 |
| | ADV-PUB-25/39 | METHODS AND AGENTS USED FOR CLEANING OXYGEN SYSTEMS | C | ISDF | | 06 | 10-SEP-86 |
| | QAP-231 ED.1 | METHODS AND MEASURES TO BE USED BY ABCA OPERATIONS RESEARCH COMMUNITY TO EVALUATE INFORMATION TRANSFER RATE CHANGES | C | ISDA | | AI | 18-AUG-99 |
| | AMCA301 | METHODS FOR CALCULATING FAN SOUND RATINGS FROM LABORATORY TEST DATA[CUST: CR4 YD] [REVIEW: CC CE] | A | 4140 | | IS | 25-OCT-90 |
| | ABC-STD-38 | METHODS FOR SPECIFYING AND CALIBRATING SHOCK AND VIBRATION INSTRUMENTS | C | ISDN | | SH | PENDING |
| | STANAG-7063 ED.1 | METHODS OF DETECTION AND TREATMENT OF FUELS CONTAMINATED BY MICRO-ORGANISMS | C | ISDF | | 06 | 20-MAR-01 |
| | ASTM-E6 | METHODS OF MECHANICAL TESTING, STANDARD TERMINOLOGY RELATING TO[CUST: MR AS] [REVIEW: 11 SH] | A | 95GP | | MR | 24-FEB-89 |
| | ASTM-D2950 | METHODS, NUCLEAR, DENSITY OF BITUMINOUS CONCRETE IN PLACE BY[CUST: YD IS] | A | 5610 | | IS | 25-JAN-91 |
| | MIL-M-19719A | METHYL CENTRALITE (FOR AMMUNITION USE)[CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 05-JUL-60 |
| | ASTM-D740 | METHYL ETHYL KETONE[CUST: AR SH 68 GS3] [REVIEW: EA GL MR] | A | 6810 | | GS3 | 15-MAR-94 |
| | A-A-59304 NOT 1 | METHYL ETHYL KETONE PEROXIDE (CATALYST)[CUST: AR OS 68 GS3] [REVIEW: AS GL] | A | 6810 | / | GS3 | 31-MAY-05 |
| | MIL-M-48767(3) NOT 3 | METHYL FORMATE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 15-NOV-96 |
| | ASTM-D1153 | METHYL ISOBUTYL KETONE[CUST: EA 68] [REVIEW: AR AS CR4 GL MC MD] | A | 6810 | | GS3 | 15-APR-94 |
| | ASTM-D3329 | METHYL ISOBUTYL KETONE BY GAS CHROMATOGRAPHY, PURITY OF[CUST: EA] [REVIEW: AS CR4 GL MC MD SH] | A | 6810 | | GS3 | 15-APR-94 |
| | ASTM-D4701 | METHYLENE CHLORIDE, TECHNICAL GRADE[CUST: EA SH 68 GS3] [REVIEW: AS MC MD MI OS] | A | 6810 | | GS3 | 10-JAN-00 |
| | MIL-M-70605(1) NOT 2 | METHYLENEBIS (4-METHYL-6-TERT-BUTYLPHENOL), 2, 2'[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 21-MAY-99 |
| | A-A-54750 | METHYLPHENIDATE HYDROCHLORIDE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 18-DEC-92 |
| | ASTM-E621 | METRIC (SI) UNITS IN BUILDING DESIGN AND CONSTRUCTION (COMMITTEE E-6 SUPPLEMENT TO E 380)[CUST: CR4 YD 99] [REVIEW: 04 CE GL MC MR] | A | FACR | | YD | 05-JAN-84 |
| | ASME-B1.21M | METRIC SCREW THREADS - MJ PROFILE[CUST: AR AS 99] [REVIEW: 71 AT AV CR CR4 MI OS SH YD] | A | THDS | | IS | 22-NOV-89 |
| | NAS10001 | METRIC UNITS, PREFERRED, FOR AEROSPACE[CUST: AV AS 11] | A | MISC | | AS | 22-JUL-80 |
| | AGMA904 | METRIC USAGE[CUST: AR SH 99] | A | 4730 | | AR | 16-MAY-89 |
| | A-A-53188 | MEZLOCILLIN SODIUM, STERILE, USP[CUST: MD MS 03] | A | 6505 | / | MB | 04-SEP-87 |
| | STANAG-2263 ED.4(6) | MGD - COASTAL AREAS AND LANDING BEACHES | C | ISDF | | 06 | 27-SEP-76 |
| | STANAG-2260 ED.3(4) | MGD - ELECTRIC POWER | C | ISDF | | 06 | 07-JAN-99 |
| | STANAG-2256 ED.4(10) | MGD - INLAND HYDROGRAPHY | C | ISDF | | 06 | 09-DEC-71 |
| | STANAG-2254 ED.4(9) | MGD - NAVIGABLE INLAND WATERWAYS | C | ISDF | | 06 | 12-OCT-78 |
| | STANAG-2255 ED.5 | MGD - PORTS | C | ISDF | | 06 | 09-MAY-01 |
| | STANAG-2257 ED.4(4) | MGD - RAILWAYS | C | ISDF | | 06 | 20-APR-01 |
| | STANAG-2253 ED.5 | MGD - ROADS AND ROAD STRUCTURES | C | ISDA | | AI | 17-MAY-00 |
| | STANAG-2259 ED.4(11) | MGD - TERRAIN | C | ISDF | | 06 | 12-JUN-75 |
| | AGEOP-1 ED.A | MGD - TERRAIN ANALYSIS | C | ISDF | | 06 | 11-JAN-00 |
| | STANAG-3992 ED.2 | MGD - TERRAIN ANALYSIS - AGEOP-1(A) | C | ISDF | | 06 | 13-DEC-99 |
| | ASTM-E334 | MICROANALYSIS, INFRARED, GENERAL TECHNIQUES OF[CUST: MR AS 19] | A | NDTI | | 19 | 10-FEB-01 |
| M | MIL-STD-883G | MICROCIRCUITS[Test Method Standard][CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG EA MC MI OS SH SM TD] | A | 5962 | | CC | 28-FEB-06 |
| | SAE-AMS2535 | MICROCIRCUITS COATING, VAPOR DEPOSITED POLY-MONOCHLORO-PARA-XYLYLENE FOR[CUST: MR EC 11] | A | 8030 | | 11 | 01-JAN-90 |
| | MIL-M-38510/111A | MICROCIRCUITS, ANALOG SWITCH WITH DRIVER, MONOLITHIC AND MULTI-CHIP SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-DEC-03 |
| | MIL-M-38510/752C | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, AND GATES, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 20-NOV-03 |
| | MIL-M-38510/757C | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, BUFFER GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-NOV-03 |
| | MIL-M-38510/763B | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, COUNTERS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-APR-05 |
| | MIL-M-38510/758B | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, DECODER/DEMULTIPLEXER, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 15-APR-05 |
| | MIL-M-38510/753B | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, FLIP-FLOPS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 26-NOV-03 |
| | MIL-M-38510/756B | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, FLIP-FLOPS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 04-MAR-05 |
| | MIL-M-38510/754B | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, LATCHES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 08-MAR-05 |
| | MIL-M-38510/762B | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, MULTIPLEXERS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-MAY-05 |
| | MIL-M-38510/750B | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, NAND GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 20-NOV-03 |
| | MIL-M-38510/751B | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, NOR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-MAR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-38510/755B | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, TRANSCEIVERS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 21-NOV-03 |
| | MIL-M-38510/340D | MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 22-SEP-03 |
| | MIL-M-38510/334C | MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, AND-OR-INVERT GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-DEC-03 |
| | MIL-M-38510/345C | MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, EXCLUSIVE OR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-MAR-04 |
| | MIL-M-38510/352A | MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, NAND BUFFERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 16-JUN-04 |
| | MIL-M-38510/330C | MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-NOV-03 |
| | MIL-M-38510/333C | MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-DEC-03 |
| | MIL-M-38510/332C | MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, OCTAL BUFFERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-NOV-03 |
| | MIL-M-38510/349B | MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, PARITY CHECKER, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-MAY-04 |
| | MIL-M-38510/335C | MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED SCHOTTKY TTL, QUADRUPLE, 2 INPUT OR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-JAN-04 |
| | MIL-M-38510/342A | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, 4-BIT BINARY FULL ADDERS WITH FAST CARRY, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 15-MAR-04 |
| | MIL-M-38510/347A | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, 8-BIT IDENTITY COMPARATOR, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 05-MAY-04 |
| | MIL-M-38510/338B | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, ARITHMETIC LOGIC UNITS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-FEB-04 |
| | MIL-M-38510/343B | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, BINARY COUNTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 07-APR-04 |
| | MIL-M-38510/348C | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-MAY-04 |
| | MIL-M-38510/339D | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, DATA SELECTORS/MULTIPLEXERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-FEB-04 |
| | MIL-M-38510/344A | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, DECADE COUNTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-APR-04 |
| | MIL-M-38510/337B | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-JAN-04 |
| | MIL-M-38510/351A | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, HEX BUS DRIVERS WITH 3-STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 16-JUN-04 |
| | MIL-M-38510/350A | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, QUAD 2-PORT REGISTERS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 26-MAY-04 |
| | MIL-M-38510/336B | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, SHIFT REGISTERS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-JAN-04 |
| | MIL-M-38510/346C | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, TRANSPARENT AND OCTAL D TYPE LATCHES, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 19-APR-04 |
| | MIL-M-38510/341F | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED, SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 04-MAY-04 |
| | MIL-M-38510/170C | MICROCIRCUITS, DIGITAL, CMOS, AND GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-JUN-04 |
| | MIL-M-38510/172C | MICROCIRCUITS, DIGITAL, CMOS, AND-OR-INVERT, EXCLUSIVE-OR, EXCLUSIVE-NOR GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 04-JUN-04 |
| | MIL-M-38510/55G | MICROCIRCUITS, DIGITAL, CMOS, BUFFER/CONVERTER, TRUE/COMPLIMENT BUFFER, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 22-FEB-05 |
| | MIL-M-38510/53F | MICROCIRCUITS, DIGITAL, CMOS, COMPLIMENTARY PAIR PLUS INVERTER, AND-OR-SELECT EXCLUSIVE OR GATES, EXPANDABLE 8-INPUT GATE MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 13-DEC-04 |
| | MIL-M-38510/56G | MICROCIRCUITS, DIGITAL, CMOS, COUNTERS/DIVIDERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-APR-05 |
| A | MIL-M-38510/59D | MICROCIRCUITS, DIGITAL, CMOS, DECODER, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 24-FEB-06 |
| | MIL-M-38510/51F | MICROCIRCUITS, DIGITAL, CMOS, FLIP-FLOPS AND LATCHETS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 08-OCT-04 |
| | MIL-M-38510/174B | MICROCIRCUITS, DIGITAL, CMOS, INVERTER, NAND BUFFER DRIVER, STROBED HEX INVERTER/BUFFER, VOLTAGE LEVEL SHIFTER, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 08-JUL-04 |
| | MIL-M-38510/176B | MICROCIRCUITS, DIGITAL, CMOS, LATCHES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 21-JUL-04 |
| | MIL-M-38510/50F | MICROCIRCUITS, DIGITAL, CMOS, NAND GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 20-OCT-04 |
| | MIL-M-38510/52E | MICROCIRCUITS, DIGITAL, CMOS, NOR GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 03-DEC-04 |
| | MIL-M-38510/171C | MICROCIRCUITS, DIGITAL, CMOS, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-FEB-04 |
| | MIL-M-38510/175C | MICROCIRCUITS, DIGITAL, CMOS, POSITIVE LOGIC, FLIP-FLOPS AND MONOSTABLE MULTIVIBRATOR, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-AUG-04 |
| | MIL-M-38510/57F | MICROCIRCUITS, DIGITAL, CMOS, STATIC SHIFT REGISTER, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 21-JAN-05 |
| | MIL-M-38510/58D | MICROCIRCUITS, DIGITAL, CMOS, SWITCHES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-DEC-04 |
| A | MIL-M-38510/655A | MICROCIRCUITS, DIGITAL, HIGH SPEED CMOS, BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 22-JUL-05 |
| A | MIL-M-38510/653B | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS FLIP-FLOPS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-JAN-06 |
| M | MIL-M-38510/658A | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, DECODERS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 07-MAR-06 |
| A | MIL-M-38510/652B | MICROCIRCUITS, DIGITAL, HIGH-SPEED CMOS, AND GATES, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 04-NOV-05 |
| A | MIL-M-38510/663A | MICROCIRCUITS, DIGITAL, HIGH-SPEED CMOS, COUNTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI NA SH SM TD] | A | 5962 | | CC | 27-FEB-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-M-38510/656A | MICROCIRCUITS, DIGITAL, HIGH-SPEED CMOS, FLIP-FLOPS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-OCT-05 |
| A | MIL-M-38510/650C | MICROCIRCUITS, DIGITAL, HIGH-SPEED CMOS, NAND GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 26-JUL-05 |
| A | MIL-M-38510/651B | MICROCIRCUITS, DIGITAL, HIGH-SPEED CMOS, NOR GATES, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-SEP-05 |
| | MIL-M-38510/121B | MICROCIRCUITS, LINEAR MONOLITHIC AND MULTICHIP, SILICON 12 BIT DIGITAL-TO-ANALOG CONVERTERS[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 13-SEP-04 |
| | MIL-M-38510/113B | MICROCIRCUITS, LINEAR, 8 BIT, DIGITAL-TO-ANALOG CONVERTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 21-JUN-05 |
| A | MIL-M-38510/118B | MICROCIRCUITS, LINEAR, ADJUSTABLE, NEGATIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 04-AUG-05 |
| A | MIL-M-38510/117C | MICROCIRCUITS, LINEAR, ADJUSTABLE, POSITIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 11-AUG-05 |
| | MIL-M-38510/148B | MICROCIRCUITS, LINEAR, ADJUSTABLE, PRECISION VOLTAGE REFERENCE, SHUNT REGULATOR, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-MAR-04 |
| | MIL-M-38510/114B | MICROCIRCUITS, LINEAR, BI-FET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 20-AUG-03 |
| | MIL-M-38510/116A | MICROCIRCUITS, LINEAR, CMOS, ANALOG SWITCH WITH DRIVER, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 04-FEB-04 |
| | MIL-M-38510/123B | MICROCIRCUITS, LINEAR, CMOS, NEGATIVE LOGIC, ANALOG SWITCH, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-MAR-04 |
| | MIL-M-38510/141B | MICROCIRCUITS, LINEAR, DARLINGTON TRANSISTOR ARRAY, SEVEN AND EIGHT GATE, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MI SH SM TD] | A | 5962 | | CC | 12-JUL-04 |
| | MIL-M-38510/122C | MICROCIRCUITS, LINEAR, HIGH SLEW RATE OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 26-MAY-04 |
| | MIL-M-38510/139C | MICROCIRCUITS, LINEAR, INTERNALLY TRIMMED ANALOG MULTIPLIER, HYBRID AND MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 07-DEC-04 |
| | MIL-M-38510/104C | MICROCIRCUITS, LINEAR, LINE DRIVERS AND RECEIVERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MI SH SM TD] | A | 5962 | | CC | 18-SEP-03 |
| | MIL-M-38510/131A | MICROCIRCUITS, LINEAR, LOW NOISE OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 21-OCT-03 |
| | MIL-M-38510/135D | MICROCIRCUITS, LINEAR, LOW OFFSET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 01-JUN-05 |
| | MIL-M-38510/119B | MICROCIRCUITS, LINEAR, LOW POWER, LOW NOISE, BI-FET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MI SH SM TD] | A | 5962 | | CC | 21-DEC-04 |
| | MIL-M-38510/140A | MICROCIRCUITS, LINEAR, MONOLITHIC AND HYBRID SILICON, MICROPROCESSOR COMPATIBLE, 12 BIT ANALOG-TO-DIGITAL CONVERTERS[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 22-DEC-04 |
| | MIL-M-38510/115B | MICROCIRCUITS, LINEAR, NEGATIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 29-JAN-04 |
| | MIL-M-38510/107D | MICROCIRCUITS, LINEAR, POSITIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 24-FEB-04 |
| | MIL-M-38510/109B | MICROCIRCUITS, LINEAR, PRECISION TIMERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 28-MAY-04 |
| | MIL-M-38510/124D | MICROCIRCUITS, LINEAR, PRECISION VOLTAGE REFERENCES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 21-APR-04 |
| | MIL-M-38510/128A | MICROCIRCUITS, LINEAR, PROGRAMMABLE VOLTAGE REFERENCES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 30-JUN-04 |
| | MIL-M-38510/110C | MICROCIRCUITS, LINEAR, QUAD OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 19-AUG-03 |
| | MIL-M-38510/126C | MICROCIRCUITS, LINEAR, REGULATING, PULSE WIDTH MODULATOR, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MI SH SM TD] | A | 5962 | | CC | 30-APR-04 |
| A | MIL-M-38510/125B | MICROCIRCUITS, LINEAR, SAMPLE AND HOLD CIRCUITS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 11-AUG-05 |
| | MIL-M-38510/112B | MICROCIRCUITS, LINEAR, VOLTAGE COMPARATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-FEB-04 |
| | MIL-M-38510/103H | MICROCIRCUITS, LINEAR, VOLTAGE COMPARATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-FEB-05 |
| | MIL-M-38510/102C | MICROCIRCUITS, LINEAR, VOLTAGE REGULATOR, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 02-SEP-03 |
| | MIL-M-38510/129B | MICROCIRCUITS, MONOLITHIC SILICON INTERFACE, DUAL PERIPHERAL DRIVERS[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MI SH SM TD] | A | 5962 | | CC | 06-DEC-04 |
| | MIL-M-38510/130C | MICROCIRCUITS, MONOLITHIC SILICON, BIPOLAR, INTERFACE, MEMORY CORE DRIVERS[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 02-JUN-04 |
| | MIL-HDBK-805 | MICROCOMPUTER SOFTWARE AND HARDWARE GUIDELINES[CUST: OM] | A | IPSC | | OM | 26-FEB-90 |
| | MIL-HDBK-175 NOT 1 | MICROELECTRONIC DEVICE DATA HANDBOOK[CUST: CR EC 11] [REVIEW: CC CR4 MI SH] | A | 5962 | | CR | 24-OCT-00 |
| | ANSI-PH5.14 | MICROFILM CARRIER, ADHESION OF PROTECTION SHEET TO APERTURE ADHESIVE OF UNITIZED, (APERTURE CARD), METHOD FOR DETERMINING[CUST: CR AS 16] [REVIEW: AR AT CR4 MC MI OS SA SH] | A | EDRS | | CR | 30-APR-75 |
| | ANSI-PH5.12 | MICROFILM CARRIER, THICKNESS OF BUILDUP AREA ON UNITIZED, (APERTURE, CAMERA, COPY & IMAGE CARDS), METHOD FOR MEASURING[CUST: CR AS 16] [REVIEW: AR AT CR4 MC MI OS SA SH] | A | EDRS | | CR | 13-FEB-86 |
| | ANSI-PH5.8 | MICROFILM, UNITIZED, CARRIERS (APERTURE, CAMERA, COPY & IMAGE CARDS), DIMENSION FOR[CUST: CR AS 16] [REVIEW: AR AT CR4 MC MI OS SA SH] | A | EDRS | | CR | 13-FEB-86 |
| | STANAG-3836 ED.3(3) | MICROFORM | C | ISDF | | 06 | 15-FEB-88 |
| | MIL-PRF-26542/1E(1) | MICROPHONE AND MICROPHONE ASSEMBLIES, M26542/1, M26542/1-01[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A | 5965 | | CC | 07-APR-05 |
| | MIL-PRF-26542/2E(1) | MICROPHONE AND MICROPHONE ASSEMBLIES, M87/AIC, M26542/2-01, M26542/2-02, M26542/2-03, AND M26542/2-04[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A | 5965 | | CC | 07-APR-05 |
| | MIL-PRF-26542/8B(1) | MICROPHONE AND MICROPHONE ASSEMBLY, DYNAMIC, M-116( )/G AND M26542/8-01[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 EA OS] | A | 5965 | | CC | 16-JUL-02 |
| | MIL-PRF-26542/11B(1) | MICROPHONE AND MICROPHONE ASSEMBLY, M26542/11, AND M26542/11-01[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A | 5965 | | CC | 07-APR-05 |
| | MIL-PRF-26542/9C | MICROPHONE ASSEMBLY AND MICROPHONE, DYNAMIC, M-133/U AND M26542/9-01[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 EA OS] | A | 5965 | | CC | 16-JUL-02 |
| | MIL-PRF-26542/10B(2) | MICROPHONE ASSEMBLY, M-138/G[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A | 5965 | | CC | 16-JUL-02 |
| | MIL-PRF-26542/12B(1) | MICROPHONE ASSEMBLY, M-169A/AIC[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A | 5965 | | CC | 16-JUL-02 |
| | MIL-PRF-26542/3D | MICROPHONE ASSEMBLY, M100/AIC[CUST: AT MC CC] [REVIEW: SA] | A | 5965 | | CC | 16-JUL-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-26542/4D | MICROPHONE ELEMENT, M-101/AIC[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A | 5965 | | CC | 16-JUL-02 |
| | MIL-DTL-83511/8A | MICROPHONE HEADSET H-182A/PT[CUST: CR CC] | A | 5965 | | CR | 11-MAR-04 |
| | MIL-PRF-26542E(3) | MICROPHONE, AND MICROPHONE ASSEMBLIES, DYNAMIC GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A | 5965 | | CC | 16-JUL-02 |
| | QPL-26542-20 | MICROPHONE, AND MICROPHONE ASSEMBLIES, DYNAMIC, GENERAL SPECIFICATION FOR | A | 5965 | | CC | 30-MAR-05 |
| | MIL-DTL-21393/1 | MICROPHONE, DYNAMIC M21393/1-01[CUST: AS 84 CC] | A | 5965 | | CC | 12-MAY-05 |
| | MIL-DTL-21393/2 | MICROPHONE, DYNAMIC M21393/2-01[CUST: SH 84 CC] | A | 5965 | | CC | 12-MAY-05 |
| | MIL-DTL-21393B | MICROPHONE, DYNAMIC, M21393/1-01, M21393/2-01, AND M21393/3-01[CUST: AS 11 CC] [REVIEW: 84 SH] | A | 5965 | | CC | 12-MAY-05 |
| | MIL-M-23813A | MICROPHONE, INTERCOMMUNICATION AND ANNOUNCING SYSTEM, NAVAL SHIPBOARD[CUST: CR SH] [REVIEW: MC] | A | 5830 | | SH | 21-DEC-64 |
| | MIL-DTL-32015/1A | MICROPHONE, LINEAR , BOOM TYPE M-177/AIC[CUST: AS] | A | 5965 | | AS | 06-MAY-04 |
| | MIL-DTL-32015/2B | MICROPHONE, LINEAR, MBU-12, -20P AND 23/P OXYGEN MASKS M-176/AIC[CUST: AS] | A | 5965 | | AS | 06-MAY-04 |
| | ANSI-S1.12 | MICROPHONES, LABORATORY STANDARD[CUST: CR AS 11] | A | 5965 | | CR | 03-OCT-94 |
| | MIL-DTL-32015/5 | MICROPHONES, LINEAR, CHEMICAL, BIOLOGICAL, RADIOLOGICAL (CBR), NON-OXYGEN MASK[CUST: AS] | A | 5965 | | AS | 09-APR-04 |
| | MIL-DTL-32015A | MICROPHONES, LINEAR, GENERAL SPECIFICATION FOR[CUST: AS] | A | 5965 | | AS | 05-MAY-04 |
| | MIL-DTL-32015/4 | MICROPHONES, LINEAR, MBU-12, MBU-20 AND MBU-23 OXYGEN MASK[CUST: AS] | A | 5965 | | AS | 06-MAY-04 |
| | ASTM-E672 | MICROPIPETS, GLASS, DISPOSABLE[CUST: MD MS 03] | A | 6640 | | MB | 27-MAR-87 |
| | A-A-54970 | MICROSCOPE, OPTICAL[CUST: MD MS 03] [REVIEW: GS] | A | 6650 | / | MB | 29-JUL-94 |
| | A-A-51796A | MICROSCOPE, OPTICAL (BINOCULAR)[CUST: MD MS 03] [REVIEW: GS] | A | 6650 | / | MB | 22-APR-91 |
| | A-A-54386 | MICROSCOPE, OPTICAL (BINOCULAR, BRIGHFIELD)[CUST: MD MS 03] [REVIEW: GS] | A | 6650 | / | MB | 22-APR-91 |
| | A-A-54868 | MICROSCOPE, OPTICAL STEREOSCOPIC[CUST: MD MS 03] [REVIEW: GS] | A | 6650 | / | MB | 17-MAY-93 |
| | A-A-50852A | MICROSCOPE, OPTICAL, BINOCULAR[CUST: MD MS 03] | A | 6550 | / | MB | 13-DEC-85 |
| | A-A-50207A NOT 2 | MICROSCOPE, OPTICAL: MONOCULAR, FIXED-FOCUS, POCKET-TYPE, BETWEEN 40X AND 60X MAGNIFICATION[CUST: CE IS] | A | 6675 | / | IS | 25-SEP-01 |
| | A-A-54474 | MICROSCOPE, SURGICAL (CO-OBSERVATION, BINOCULAR)[CUST: MD MS 03 MB] | A | 6515 | / | MB | 23-AUG-91 |
| | A-A-54869 | MICROSCOPE, SURGICAL BINOCULAR, MULTI-DISCIPLINARY[CUST: MD MS 03] | A | 6515 | / | MB | 17-MAY-93 |
| | ASTM-E175 | MICROSCOPY[CUST: MR AS 11] [REVIEW: IS] | A | 95GP | | MR | 03-MAR-82 |
| | IPC-TM650.2.1.1 | MICROSECTIONING, MANUAL METHOD[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | IPC-TM650.2.1.1.2 | MICROSECTIONING-SEMI OR AUTOMATIC TECHNIQUE MICROSECTION EQUIPMENT (ALTERNATE)[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | SAE-AMS3751 | MICROSPHERES, HOLLOW GLASS[CUST: MR AS 11] [REVIEW: GS] | A | 9340 | | AS | 19-FEB-80 |
| | A-A-51300A | MICROTOME, ROTARY, AUTOMATIC[CUST: MD MS 03] | A | 6640 | / | MB | 04-JUN-90 |
| | STANAG-4184 ED.3 | MICROWAVE LANDING SYSTEM (MLS) | C | ISDF | | 06 | 27-NOV-98 |
| | AIR-STD-70/18A | MICROWAVE LANDING SYSTEMS (MLS) | C | ISDF | | 06 | 13-NOV-98 |
| | ITOP-6.3.029 | MICROWAVE MOTION SENSORS FOR INTERIOR APPLICATION (U) | D | ISDA | | TE | 31-DEC-87 |
| | MIL-M-43758B | MIDSOLES, LEATHERBOARD[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8335 | | CT | 02-JUL-91 |
| | QSTAG-163 ED.3 | MILITARY ABBREVIATIONS[CUST: AI] | C | ISDA | | AI | 30-SEP-90 |
| | DI-ILSS-80637 | MILITARY AIRLIFT COMMAND TRAFFIC REPORT [AMSC: F4472] | A | SESS | | 33 | 29-JUN-88 |
| | STANAG-7008 ED.1 | MILITARY AVIATION RADIO TELEPHONY (R/T) CALLSIGNS | C | ISDF | | 06 | 25-SEP-90 |
| | STANAG-4393 ED.1 | MILITARY CHARACTERISTICS FOR 2-WIRE ANALOGUE RING-DOWN FIELD TELEPHONE SETS | C | ISDA | | AI | PENDING |
| | STANAG-3710 ED.1(8) | MILITARY CITY MAPS | C | ISDF | | 06 | 09-JUN-72 |
| | STANAG-2021 ED.5 | MILITARY COMPUTATION OF BRIDGE, FERRY, RAFT AND VEHICLE CLASSIFICATIONS | C | ISDA | | AI | 18-SEP-90 |
| | STANAG-2271 ED.3(4) | MILITARY GEOGRAPHIC DOCUMENTATION-URBAN AREAS | C | ISDA | | AI | PENDING |
| | STANAG-2433 ED.2 | MILITARY INTELLIGENCE DATA MANAGEMENT EXCHANGE STANDARD - AINTP-3(A) | C | ISDA | | AI | 07-NOV-01 |
| | STANAG-2010 ED.5(7) | MILITARY LOAD CLASSIFICATION MARKINGS (NEW TITLE) (INCLUDING AMENDMENT 7) | C | ISDA | | AI | 18-NOV-80 |
| | QSTAG-180 ED.4 | MILITARY LOAD CLASSIFICATION OF BRIDGES (COMPUTATION OF BRIDGE, FERRY, RAFT AND VEHICLE CLASSIFICATIONS)[CUST: AI] | C | ISDA | | AI | 11-AUG-86 |
| | MIL-STD-129P(3) | MILITARY MARKING FOR SHIPMENT AND STORAGE[Standard Practice][CUST: SM SA 11 DH] [REVIEW: 16 70 71 84 99 AM AR AS AT AV CC CG CR CR3 CT DM EA EC GL3 GS3 IS MC MI MR MT NP OS PS PT SH SS TD TM2] | A | PACK | | SM | 29-OCT-04 |
| | STANAG-2227 ED.1 | MILITARY MEDICAL SUPPORT IN HUMANITARIAN AND DISASTER RELIEF - AMEDP-15 | C | ISDA | | AI | 16-MAY-02 |
| | STANAG-2828 ED.4(2) | MILITARY PALLETS, PACKAGES AND CONTAINERS | C | ISDA | | AI | 19-DEC-95 |
| | QSTAG-880 ED.1 | MILITARY PALLETS, PACKAGES AND CONTAINERS[CUST: AI] | C | ISDA | | AI | 06-OCT-98 |
| | QSTAG-507 ED.3 | MILITARY ROUTES AND ROUTE/ROAD NETWORKS[CUST: AI] | C | ISDA | | AI | 17-JUN-92 |
| | DI-FNCL-80496 | MILITARY STANDARD REQUISITIONING PROCEDURES (MILSTRIP) RECONCILIATION LISTING [AMSC: F4276] | A | FNCL | | 33 | 08-DEC-87 |
| | MIL-HDBK-737A | MILITARY STANDARDIZATI0N HANDB00K, HANDB00K F0R TEXTILE LAB0RAT0RY PERS0NNEL 300667[CUST: GL SA 11 CT] [REVIEW: 99 AR AS AT AV CG IH MC MI YD] | A | 83GP | | CT | 28-FEB-79 |
| | QSTAG-509 | MILITARY SYMBOLS (ABCA 509)[CUST: AI] | C | ISDA | | AI | 05-MAR-79 |
| | STANAG-2019 ED.4 | MILITARY SYMBOLS FOR LAND BASED SYSTEMS - APP-6(A) | C | ISDA | | AI | 08-DEC-00 |
| | STANAG-5042 ED.1(5) | MILITARY TELECOMMUNICATIONS - DIAGRAM SYMBOLS | C | ISDA | | AI | 08-OCT-85 |
| | A-A-20113B | MILK AND MILK PRODUCTS[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8910 | * | GL | 12-DEC-86 |
| | A-A-20085C | MILK, DRY, NONFAT (SPRAY PROCESS); AND MILK, DRY, NONFAT, INSTANT[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8910 | / | SS | 13-FEB-01 |
| | A-A-20072B | MILK, EVAPORATED[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8910 | * | GL | 14-JUN-94 |
| | A-A-20338 | MILKS, FLUID[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8910 | * | GL | 31-OCT-01 |
| | ANSI-B94.19 | MILLING CUTTERS & END MILLS[CUST: AR 99 GS6] | A | 3455 | | GS6 | 08-JAN-82 |
| M | A-A-59396 NOT 1 | MILLING MACHINE, COMBINATION HORIZONTAL AND VERTICAL, KNEE TYPE[CUST: AR SH 99 GS6] [REVIEW: 84 MC YD] | A | 3417 | / | GS6 | 20-MAR-06 |
| | A-A-59328 NOT 1 | MILLING MACHINE, HORIZONTAL SPINDLE, KNEE[CUST: SH 99] [REVIEW: 84 MC] | A | 3417 | / | GS6 | 10-NOV-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-55803A NOT 1 | MILLING MACHINE, VERTICAL KNEE TYPE, 3 AXIS, COMPUTER NUMERICAL CONTROL, 3.0 TO 7.5 HORSEPOWER SPINDLE DRIVE[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 3417 | / | GS6 | 18-APR-03 |
| | A-A-59393 | MILLING MACHINE, VERTICAL MULTISPINDLE, DOUBLE COLUMN, COMPUTER NUMERICAL CONTROL (CNC)[CUST: AR SH 99] [REVIEW: 84 MC] | A | 3417 | / | GS6 | 17-APR-00 |
| A | A-A-59386 NOT 1 | MILLING MACHINE, VERTICAL, RAM AND TURRET, KNEE, MANUAL[CUST: AR SH 99 GS6] [REVIEW: 84 MC] | A | 3417 | / | GS6 | 25-OCT-05 |
| | ANSI-B5.18 | MILLING MACHINES, SPINDLE NOSES & TOOL SHANKS FOR[CUST: AR SH 99] [REVIEW: CR4 GL] | A | 34GP | | GS6 | 12-DEC-78 |
| | OO-M-340F | MILLING, GRINDING, DRILLING, AND SLOTTING ATTACHMENT[CUST: AR SH 99 GS6] [REVIEW: 84 CE CR4 MC] | A | 3460 | / | GS6 | 13-APR-04 |
| | NWWDA-I.S.4 | MILLWORK, WATER-REPELLENT PRESERVATIVE TREATMENT FOR[CUST: CR4 99] [REVIEW: 84 CE SM YD] | A | 5520 | | IS | NOV-88 |
| | MIMOSA-OSA-EAI-2004 | MIMOSA OPEN SYSTEMS ARCHITECTURE FOR ENTERPRISE APPLICATION INTEGRATION (OSA-EAI) STANDARDS[CUST: MI AS] [REVIEW: CG CH EC MC SA TD TM] | A | IPSC | | AV | 20-DEC-04 |
| | STANAG-1419 ED.2 | MINE ACTUATION AND CUTTING PARAMETERS - AMP-16 | C | ISDN | | NI | 28-NOV-02 |
| | STANAG-1243 ED.13 | MINE COUNTERMEASURES OPERATIONS, PLANNING AND EVALUATION ATP-6(B) VOLUME II | C | ISDN | | NI | 14-DEC-00 |
| | STANAG-1132 ED.19 | MINE COUNTERMEASURES TACTICS AND EXECUTION - ATP-24(B) VOLUME 1 | C | ISDN | | NI | 08-MAR-01 |
| | ITOP-4.2.523 | MINE DETECTION EQUIPMENT FOR COUNTERMINE AND DEMINING (HAND-HELD OR VEHICLE MOUNTED) | D | ISDA | | TE | 20-JUN-02 |
| | QSTAG-1276 ED.1 | MINE INCIDENT REPORTING[CUST: AI] | C | ISDA | | AI | 13-DEC-00 |
| | STANAG-1242 ED.14 | MINE WARFARE PRINCIPLES ATP-6(C) VOLUME I | C | ISDN | | NI | 19-AUG-02 |
| | MIL-M-63394(3) NOT 3 | MINE, ANTI-TANK: HE, M75 METAL PARTS FOR[CUST: AR] | A | 1345 | | AR | 27-MAR-98 |
| | STANAG-1420 ED.1 | MINEHUNTING SONAR, FACTORS AFFECTING PERFORMANCE MEASUREMENT AND RECORDING - AMP-17 | C | ISDN | | NI | 06-MAR-98 |
| | ASTM-D1863 | MINERAL AGGREGATE USED ON BUILT-UP ROOFS, STANDARD SPECIFICATION FOR[CUST: YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 10-MAR-92 |
| | ASTM-C592 | MINERAL FIBER BLANKET INSULATION & BLANKET TYPE PIPE INSULATION (METAL MESH COVERED) (INDUSTRIAL TYPE)[CUST: CR4 YD] [REVIEW: CG MC MI] | A | 5640 | | IS | 01-JUN-87 |
| | ASTM-C553 | MINERAL FIBER BLANKET THERMAL INSULATION FOR COMMERCIAL AND INDUSTRIAL APPLICATIONS[CUST: CR4 YD IS] [REVIEW: CG MC MI] | A | 5640 | | IS | 15-FEB-92 |
| | ASTM-C612 | MINERAL FIBER BLOCK AND BOARD THERMAL INSULATION[CUST: CR4 YD] [REVIEW: CG MC MI] | A | 5640 | | IS | MAY-93 |
| | ASTM-C449/C449M | MINERAL FIBER HYDRAULIC-SETTING THERMAL INSULATING AND FINISHING CEMENT[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 15-AUG-95 |
| | ASTM-C764 | MINERAL FIBER LOOSE-FILL THERMAL INSULATION[CUST: YD] | A | 5640 | | IS | 18-OCT-91 |
| | ASTM-C726 | MINERAL FIBER ROOF INSULATION BOARD[CUST: CR4 YD 99] [REVIEW: CE CG] | A | 5640 | | IS | 15-FEB-93 |
| | ASTM-D3487 | MINERAL INSULATING OIL USED IN ELECTRICAL APPARATUS[CUST: AR SH 11] | A | 9160 | | AR | 10-NOV-00 |
| | A-A-51263 | MINERAL OIL LOTION, LANOLATED[CUST: MD MS 03] | A | 6505 | / | MB | 01-AUG-86 |
| | ASTM-D235 | MINERAL SPIRITS (PETROLEUM SPIRITS) (HYDROCARBON DRY CLEANING SOLVENT)[CUST: EA SH GS3] [REVIEW: AS CR4 DS GL MC MD YD] | A | 6810 | | GS3 | 15-OCT-92 |
| | ASTM-C665 | MINERAL-FIBER BLANKET THERMAL INSULATION FOR LIGHT FRAME CONSTRUCTION AND MANUFACTURED HOUSING[CUST: YD 99] [REVIEW: 84 CE MC] | A | 5640 | | IS | 15-SEP-94 |
| | MIL-STD-1457 | MINES, LAND, PRACTICE AND LAND MINE SIMULATORS, COLOR OF INDICATING SMOKE FOR[Standard Practice][CUST: AR] | A | 1345 | | AR | 01-AUG-72 |
| | AIR-STD-61/101/1C(1) | MINIMAL PROTECTION FOR AIRCREW EXPOSED TO ALTITUDES ABOVE 50,000 FEET | C | ISDF | | 06 | 12-FEB-88 |
| | QSTAG-1161 ED.1 | MINIMUM CAPABILITIES AND ACCURACIES FOR ARMIES AIR NAVIGATION EQUIPMENT[CUST: AI] | C | ISDA | | AI | 17-MAR-98 |
| | STANAG-1301 ED.3(2) | MINIMUM CONDITIONS FOR SURVIVAL IN A DISTRESSED SUBMARINE PRIOR TO ESCAPE OR RESCUE (INCLUDING AMENDMENT 2) | D | ISDN | | NI | PENDING |
| | AIR-STD-90/16 | MINIMUM CONTENT AND COLOR OF AERONAUTICAL INFORMATION FOR AERONAUTICAL CHARTS | C | ISDF | | 06 | 06-OCT-95 |
| | DI-MISC-81417 | MINIMUM EQUIPMENT SUBSYSTEM LIST (MESL) [AMSC: F7062] | A | MISC | | 10 | 14-NOV-94 |
| | QSTAG-289 ED.3 | MINIMUM ESSENTIAL CHARACTERISTICS OF BLOOD SHIPPING CONTAINER[CUST: AI] | C | ISDA | | AI | 12-AUG-91 |
| | STANAG-1185 ED.1(10) | MINIMUM ESSENTIAL MEDICAL AND SURVIVAL EQUIPMENT FOR LIFE RAFTS INCLUDING GUIDELINES FOR SURVIVAL AT SEA (INCLUDING AMENDMENT 10) | C | ISDN | | NI | 20-JAN-77 |
| | STANAG-2342 ED.1(6) | MINIMUM ESSENTIAL MEDICAL EQUIPMENT AND SUPPLIES FOR MOTOR AMBULANCES AT ALL LEVELS | C | ISDA | | AI | 22-SEP-77 |
| | STANAG-2361 ED.2 | MINIMUM ESSENTIAL MEDICAL SUPPLY ITEMS IN THEATRES OF OPERATIONS | C | ISDA | | AI | 15-OCT-97 |
| | STANAG-3863 ED.2 | MINIMUM FIRE PROTECTION REQUIREMENTS FOR AIRCRAFT GROUND OPERATIONS | C | ISDF | | 06 | 16-OCT-01 |
| | QSTAG-436(1) | MINIMUM LABELLING REQUIREMENTS FOR MEDICAL MATERIAL (ABC-436)[CUST: AI] | C | ISDA | | AI | 08-OCT-80 |
| | STANAG-7133 ED.1 | MINIMUM LEVEL OF CRASH, FIRE FIGHTING AND RESCUE (CFR) SERVICE FOR DEPLOYED FIXED WING AND ROTARY AIRCRAFT | C | ISDF | | 06 | 28-FEB-02 |
| | STANAG-7145 ED.1 | MINIMUM NATO CFR CORE COMPETENCY LEVELS FOR THE FIRE FIGHTERS | C | ISDF | | 06 | 06-DEC-01 |
| | ASTM-F920 | MINIMUM PERFORMANCE AND SAFETY REQUIREMENTS FOR RESUSCITATORS INTENDED FOR USE WITH HUMANS[CUST: MD MS 03] | A | 6515 | | MB | 15-MAR-93 |
| | AIR-STD-61/101/6A(1) | MINIMUM PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW DEMAND BREATHING SYSTEMS | C | ISDF | | 06 | 16-FEB-00 |
| | AIR-STD-61/112/2B | MINIMUM PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW NBC PROTECTIVE HEADGEAR | C | ISDF | | 06 | 03-SEP-91 |
| | STANAG-3981 ED.1(2) | MINIMUM PHYSIOLOGICAL REQUIREMENTS FOR IMMERSION PROTECTION ASSEMBLIES FOR AIRCREW | C | ISDF | | 06 | 18-SEP-95 |
| | STANAG-3797 ED.2 | MINIMUM QUALIFICATIONS FOR FORWARD AIR CONTROLLERS | C | ISDF | | 06 | 04-JUL-03 |
| | STANAG-3149 ED.8 | MINIMUM QUALITY SURVEILLANCE OF PETROLEUM PRODUCTS | C | ISDF | | 06 | 18-SEP-02 |
| | STANAG-7012 ED.3 | MINIMUM RADIOTELEPHONY (R/T) AERODROME DEPARTURE PROCEDURES | C | ISDF | | 06 | 09-MAY-95 |
| | STANAG-3828 ED.1(9) | MINIMUM REQUIREMENTS FOR AIRCREW PROTECTION AGAINST THE HAZARDS OF LASER TARGET DESIGNATORS | C | ISDF | | 06 | 02-JUL-81 |
| | STANAG-1320 ED.3 | MINIMUM REQUIREMENTS FOR ATMOSPHERIC MONITORING EQUIPMENT LOCATED IN SUBMARINES WITH ESCAPE CAPABILITY | C | ISDN | | NI | 08-APR-98 |
| | STANAG-7051 ED.1(3) | MINIMUM REQUIREMENTS FOR CFR OPERATIONS IN SUPPORT OF SORTIE GENERATION IN A POST ATTACK ENVIRONMENT | C | ISDF | | 06 | 28-OCT-96 |
| | QSTAG-290 ED.2 | MINIMUM REQUIREMENTS FOR CONTROLLED TEMPERATURE STORAGE OF MEDICAL MATERIAL[CUST: AI] | C | ISDA | | AI | 16-FEB-89 |
| | STANAG-3200 ED.6 | MINIMUM REQUIREMENTS FOR G PROTECTIVE SYSTEMS | C | ISDF | | 06 | 25-OCT-02 |
| | STANAG-2179 ED.1(1) | MINIMUM REQUIREMENTS FOR MEDICAL CARE OF WOMEN ABOARD SHIPS (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 23-MAR-01 |
| | STANAG-1319 ED.2(1) | MINIMUM REQUIREMENTS FOR MEDICAL STORES LOCATED ON BOARD SUBMARINES IN SUPPORT OF ESCAPE/RESCUE | C | ISDN | | NI | PENDING |
| | STANAG-1298 ED.3 | MINIMUM REQUIREMENTS FOR THE PROVISION OF DEVICES IN A DISTRESSED SUBMARINE TO ASSIST LOCATION BY RESCUE FORCES AND CHARACTERISTICS OF SUBMARINE MARKER BUOYS | C | ISDN | | NI | 08-MAY-96 |
| | STANAG-3827 ED.3(2) | MINIMUM REQUIREMENTS FOR TRAINING OF AIRCREW IN HIGH SUSTAINED "G" ENVIRONMENT | C | ISDF | | 06 | 03-JUL-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QSTAG-245 ED.2 | MINIMUM REQUIREMENTS FOR WATER POTABILITY (SHORT AND LONG TERM USE)[CUST: AI] | C | ISDA | | AI | 16-JUL-85 |
| | STANAG-1208 ED.2(2) | MINIMUM REQUIREMENTS OF EMERGENCY MEDICAL SUPPLIES ON BOARD SHIPS | C | ISDN | | NI | 07-APR-87 |
| | STANAG-3744 ED.3 | MINIMUM REQUIREMENTS OF MEDICAL EQUIPMENT IN SEARCH AND RESCUE (SAR) AIRCRAFT | C | ISDF | | 06 | 26-JAN-94 |
| | STANAG-3769 ED.2 | MINIMUM RESOLVED OBJECT SIZES & SCALES FOR IMAGERY INTERPRETATION | C | ISDF | | 06 | 23-JUN-98 |
| | AIR-STD-80/15 | MINIMUM RESOLVED OBJECT SIZES FOR IMAGERY INTERPRETATION | C | ISDF | | 06 | 27-MAR-92 |
| | STANAG-5048 ED.3 | MINIMUM SCALE OF COMMUNICATIONS FOR THE NATO LAND FORCES-REQUIREMENTS, PRINCIPLES AND PROCEDURES | C | ISDA | | AI | PENDING |
| | QSTAG-1176 ED.1 | MINIMUM SCALES AND STANDARDS FOR THE PROVISION OF SHORT TERM CAMPS[CUST: AI] | C | ISDA | | AI | 02-DEC-97 |
| | STANAG-1074 ED.4 | MINIMUM STANDARD CHARACTERISTICS OF UNDERWATER TELEPHONES FOR USE IN SUBMARINES, SURFACE SHIPS AND HELICOPTERS OF NATO NATIONS | C | ISDN | | NI | 28-APR-97 |
| | AIR-STD-61/101/11 | MINIMUM STANDARDS FOR BREATHING EQUIPMENT FOR PARACHUTISTS BETWEEN 13,000 AND 25,000 FEET PRESSURE ALTITUDE | C | ISDF | | 06 | 14-SEP-90 |
| | STANAG-5065 ED.1 | MINIMUM STANDARDS FOR NAVAL LOW FREQUENCY (LF) SHORE-TO-SHIP SURFACE BROADCAST SYSTEMS | C | ISDA | | AI | 08-JUL-99 |
| | AIR-STD-61/101/16 | MINIMUM STANDARDS FOR THE PROTECTION OF AIRCRAFT CREW AGAINST HYPOXIA AND DECOMPRESSION SICKNESS ON PARACHUTING OPERATIONS BETWEEN 25,000 AND 38,000 FT | C | ISDF | | 06 | 25-JUL-94 |
| | STANAG-2389 ED.1(5) | MINIMUM STANDARDS OF PROFICIENCY FOR TRAINED EXPLOSIVE ORDNANCE DISPOSAL PERSONNEL | C | ISDA | | AI | PENDING |
| | STANAG-2136 ED.4 | MINIMUM STANDARDS OF WATER POTABILITY DURING FIELD OPERATIONS AND IN EMERGENCY SITUATIONS | C | ISDA | | AI | 10-APR-02 |
| | STANAG-4481 ED.1 | MINIMUM TECHNICAL EQUIPMENT STANDARDS FOR NAVAL HF SHORE-TO-SHIP BROADCAST SYSTEMS | C | ISDA | | AI | 19-JUL-02 |
| | STANAG-1400 ED.3 | MINING AND MINELAYING - PLANNING AND EVALUATION TACTICS AND EXECUTION - ATP-24(B) VOLUME II | C | ISDN | | NI | 14-FEB-02 |
| | A-A-53710 | MINOCYCLINE HYDROCHLORIDE CAPSULES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 29-SEP-88 |
| | MIL-M-14745(1) NOT 1 | MINOL 2 COMPOSITION[CUST: AR] | A | 1376 | | AR | 08-APR-86 |
| | DI-QCIC-80889 | MIRCOCIRCUIT PRODUCT ASSURANCE PROGRAM PLAN [AMSC: G4799] | A | QCIC | | NS | 03-AUG-89 |
| | A-A-52503A | MIRROR AND BRACKET ASSEMBLY, REARVIEW[CUST: AT MC 99] [REVIEW: CC] | A | 2540 | / | AT | 23-DEC-97 |
| N | MIL-DTL-32201 | MIRROR ASSEMBLIES, REARVIEW, HMMWV STYLE, 12X8 INCH (NOMINAL), EXTERIOR MOUNTING[CUST: AT 84] [REVIEW: 99 CC MT] | A | 2540 | | AT | 13-MAR-06 |
| | A-A-52432A | MIRROR ASSEMBLY, REARVIEW: AUTOMOTIVE EXTERIOR MOUNTING[CUST: AT YD 99] [REVIEW: CC CR4 MC MI] | A | 2540 | / | AT | 12-OCT-95 |
| | SAE-J985 | MIRROR, DESIGN, REAR VIEW, VISION FACTORS, CONSIDERATIONS IN[CUST: AT SA 99] | A | 2540 | | AT | 03-OCT-94 |
| | GGG-M-350B | MIRROR, INSPECTION[CUST: GL SA 99] | A | 5120 | * | GL | 16-JUL-90 |
| | A-A-50993 | MIRROR, LARYNGEAL[CUST: MD MS 03] | A | 6515 | / | MB | 04-SEP-85 |
| | A-A-54387 | MIRROR, MOUTH EXAMINING, (PLASTIC HANDLE, DISPOSABLE)[CUST: MD MS 03] | A | 6520 | / | MB | 22-APR-91 |
| | A-A-51071 | MIRROR, MOUTH EXAMINING, (PLASTIC, PLANE GLASS, DISPOSABLE)[CUST: MD MS 03] | A | 6520 | / | MB | 30-OCT-85 |
| | A-A-53783 | MIRRORS AND MIRROR HANDLE, MOUTH EXAMINING[CUST: MD MS 03] | A | 6520 | / | MB | 20-FEB-89 |
| | A-A-3002 | MIRRORS, GLASS | A | 7105 | # | FSS | 04-JUN-96 |
| | AWPA-M17 | MISCELLANEOUS METHODS, PROCEDURES AND INFORMATION[CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM] | A | 5510 | | IS | 20-JAN-93 |
| | FED-STD-595/17178 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/17855 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/17142 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/17925 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/17886 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/17043 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/17778 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/17100 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/17038 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/17877 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/17875 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/17773 | MISCELLANEOUS, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37144 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37925 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/38901 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37056 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37200 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37038 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/38903 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37769 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/38905 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37100 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37142 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37722 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37150 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37778 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/38907 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37886 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37855 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37875 | MISCELLANEOUS, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37031 | MISCELLANEOUS, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/37030 | MISCELLANEOUS, LUSTERLESS (FLAT) [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27043 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27875 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | FED-STD-595/27886 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27160 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/27778 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/28915 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27038 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27880 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27144 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/28913 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27142 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27925 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27855 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27780 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27040 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27722 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/27769 | MISCELLANEOUS, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | DI-SAFT-81300A | MISHAP RISK ASSESSMENT REPORT (MRAR) [AMSC: F7145] | A | SAFT | | 10 | 31-JUL-95 |
| M | MIL-HDBK-1211 NOT 2 | MISSILE FLIGHT SIMULATION PART ONE SURFACE-TO-AIR MISSILES[CUST: MI] [REVIEW: CR] | A | 14GP | | MI | 08-MAR-06 |
| | DI-ALSS-81548 | MISSILE LOG [AMSC: N7262] | A | SESS | | SA | 22-APR-97 |
| | MIL-M-8856B(1) | MISSILES, GUIDED, STRUCTURAL INTEGRITY GENERAL SPECIFICATION FOR[CUST: MI AS] | A | 1410 | | AS | 22-JUL-91 |
| | DI-MGMT-80466 | MISSION CAPABLE (MICAP) START/STOP REPORT [AMSC: F4247] | A | MGMT | | 33 | 26-OCT-87 |
| | MIL-STD-3014(1) | MISSION DATA EXCHANGE FORMAT[Interface Standard][CUST: MI AS 11] [REVIEW: AC AV CR] | A | MCCR | | 11 | 05-MAY-05 |
| | QSTAG-2036 ED.1 | MISSION EQUIPMENT PACKAGES[CUST: AI] | C | ISDA | | AI | 16-AUG-01 |
| | STANAG-4555 ED.1 | MISSION EQUIPMENT PACKAGES (MEP) FOR BATTLEFIELD HELICOPTERS | C | ISDA | | AI | 04-SEP-02 |
| | DI-MISC-81463 | MISSION FLIGHT OPERATIONS SUMMARY REPORT [AMSC: N7117] | A | MISC | | SA | 27-JAN-95 |
| | MIL-DTL-32116 | MISSION PACKS[CUST: EA SH] [REVIEW: GS] | C | 6850 | | EA | 03-NOV-03 |
| A | MIL-HDBK-347 NOT 1 | MISSION-CRITICAL COMPUTER RESOURCES SOFTWARE SUPPORT[CUST: CR EC 99] [REVIEW: 10 70 71 AM AR AS DH MC MI SA SH] | A | MCCR | | 11 | 08-JUL-05 |
| | DI-SESS-81635 | MISSION/TASK ANALYSIS REPORT (MTAR) [AMSC: F7482] | A | SESS | | 11 | 12-SEP-02 |
| | NACE-RP0177 | MITIGATION OF ALTERNATING CURRENT AND LIGHTNING EFFECTS ON METALLIC STRUCTURES AND CORROSION CONTROL SYSTEMS[CUST: YD] | A | FACR | | YD | 29-JUL-04 |
| | A-A-59515 | MITTEN INSERTS, AIRCREW, WOOL, HEAVY, TYPE N-3B[CUST: 99 CT] [REVIEW: 11] | A | 8415 | / | CT | 28-OCT-99 |
| | MIL-M-809F | MITTEN INSERTS, COLD WEATHER, TRIGGER FINGER[CUST: GL NU 99 CT] [REVIEW: 11 CG MC MD SM] | A | 8415 | | CT | 23-AUG-88 |
| | MIL-M-87033A | MITTEN SET, EXTREME COLD WEATHER[CUST: GL NU CT] | A | 8415 | | CT | 16-APR-87 |
| | MIL-M-834L | MITTEN SET, EXTREME COLD WEATHER[CUST: GL NU CT] [REVIEW: MC MD YD] | A | 8415 | | CT | 23-OCT-89 |
| | MIL-M-6269G NOT 1 | MITTEN SET, FLYER'S[CUST: NU 99 CT] [REVIEW: 11] | A | 8415 | | CT | 31-OCT-89 |
| | MIL-M-810H | MITTEN SHELLS COLD WEATHER (TRIGGER FINGER M-1965)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 29-SEP-86 |
| | A-A-50379 | MITTEN SHELLS, MEN'S[CUST: NU CT] | A | 8415 | / | CT | 29-AUG-90 |
| | MIL-M-2418G | MITTEN SHELLS, SNOW CAMOUFLAGE, COTTON, WHITE, TWO FINGER[CUST: GL 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 31-AUG-90 |
| | MIL-M-11199H | MITTEN, HEAT PROTECTIVE[CUST: GL NU 99 CT] [REVIEW: 11 AS MC MD YD] | A | 8415 | | CT | 05-APR-88 |
| | MIL-M-9105D NOT 1 | MITTEN, INSERTS (GLOVES, AIR CREW, MITTEN STYLE, LEATHER, TYPE N-2)[CUST: 99 CT] [REVIEW: 11] | A | 8415 | | CT | 31-OCT-89 |
| | A-A-55248 | MITTEN, WELDERS[CUST: NU CT] | A | 8415 | / | CT | 17-FEB-94 |
| | MIL-M-27529B NOT 1 | MITTENS, EXTREME COLD WEATHER SURVIVAL, SRU-10/P[CUST: 99 CT] | A | 8415 | | CT | 31-OCT-89 |
| | MIL-DTL-28837/1C | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, PIN PLUG-IN TERMINATION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5985 | | CC | 30-OCT-01 |
| | MIL-M-28837/5A NOT 1 | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, SMA FEMALE CONNECTORS[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5985 | | CC | 10-MAY-01 |
| | MIL-DTL-28837/2C | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, SOLDER LEADS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5985 | | CC | 30-OCT-01 |
| | MIL-M-28837/9 NOT 1 | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, TO CONFIGURATION[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5985 | | CC | 10-MAY-01 |
| | MIL-DTL-28837/7A | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, TO-5 CONFIGURATION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5985 | | CC | 30-OCT-01 |
| | MIL-DTL-28837B | MIXER STAGES, RADIO FREQUENCY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI OS] | A | 5985 | | CC | 26-MAR-04 |
| | QPL-28837-11 | MIXER STAGES, RADIO FREQUENCY, GENERAL SPECIFICATION FOR | A | 5985 | | CC | 26-MAY-04 |
| | A-A-53638 | MIXER, DENTAL CASTING INVESTMENT (MECHANICAL)[CUST: MD MS 03] | A | 6520 | / | MB | 20-AUG-88 |
| | A-A-59433 NOT 1 | MIXERS, LIQUID, REVOLVING SHAFT AND AGITATOR TYPES[CUST: AR YD 99 CC] [REVIEW: 84 CR MC] | A | 4940 | / | CC | 30-MAR-04 |
| | A-A-53272A | MIXING PAD, PAPER, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 20-FEB-89 |
| | A-A-50865 | MIXING PAD, PARCHMENT PAPER, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 25-FEB-83 |
| | A-A-50862A | MIXING SLAB, DENTAL[CUST: MD MS 03] [REVIEW: YD] | A | 6520 | * | MB | 12-JUN-85 |
| | A-A-54070 | MIXING TIPS, DENTAL IMPRESSION, SYRINGE, DISPOSABLE, 48S[CUST: MD MS 03] | A | 6520 | / | MB | 15-OCT-90 |
| | AASHTO-T182 | MIXTURES, BITUMEN-AGGREGATE, COATING AND STRIPPING OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D1461 | MIXTURES, BITUMINOUS PAVING, MOISTURE OR VOLATILE DISTILLATES IN, STANDARD TEST METHOD FOR[CUST: CR4 YD 99 IS] [REVIEW: MC] | A | 5610 | | IS | 25-OCT-85 |
| | ASTM-D2041 | MIXTURES, BITUMINOUS PAVING, THEORETICAL MAXIMUM SPECIFIC GRAVITY AND DENSITY OF[CUST: CR4 YD 99 IS] [REVIEW: MC] | A | 5610 | | IS | 15-SEP-91 |
| | ASTM-D2726 | MIXTURES, COMPACTED BITUMINOUS, BULK SPECIFIC GRAVITY AND DENSITY OF NON-ABSORPTIVE[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 15-AUG-93 |
| | AASHTO-T136 | MIXTURES, COMPACTED SOIL-CEMENT, FREEZING-AND-THAWING TESTS OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | AASHTO-T135 | MIXTURES, COMPACTED SOIL-CEMENT, WETTING-AND-DRYING TEST OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-C403/C403M | MIXTURES, CONCRETE, BY PENETRATION RESISTANCE, TIME OF SETTING OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 27-SEP-95 |
| | AASHTO-T134 | MIXTURES, SOIL-CEMENT, MOISTURE-DENSITY RELATIONS OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | STANAG-1342 ED.1(5) | MK-46 TORPEDO INTERCHANGEABLE WITHIN NATO NAVAL FORCES (INCLUDING AMENDMENT 5) | D | ISDN | | NI | 22-MAY-96 |
| | MIL-HDBK-633 | MOBILE ELECTRIC POWER ENGINE GENERATOR STANDARD FAMILY GENERAL CHARACTERISTICS[CUST: CR4 YD 99] [REVIEW: 11 AS CE EC GS MC MI] | A | 6115 | | CR4 | 20-FEB-98 |
| | MIL-M-81957/3A NOT 1 | MOBILE FACILITY, SHELTER, INSTRUMENTATION AND CONTROL, TURBO JET/FAN ENGINE TEST SYSTEM[CUST: AS] | A | 2330 | | AS | 14-DEC-88 |
| | MIL-M-81957/4 NOT 1 | MOBILE FACILITY, SHELTER, INSTRUMENTATION AND CONTROL, TURBO PROP/SHAFT ENGINE TEST SYSTEM[CUST: AS] | A | 2330 | | AS | 14-DEC-88 |
| | MIL-M-81957/5(1) NOT 1 | MOBILE FACILITY, SHELTER, INSTRUMENTATION AND CONTROL, TURBO SHAFT ENGINE TEST SYSTEM[CUST: AS] | A | 2330 | | AS | 26-SEP-91 |
| | A-A-59722 | MOBILE POWER UTILITY, TRAILER[CUST: 99] | A | 4940 | / | 84 | 26-FEB-03 |
| | MIL-HDBK-910 | MOBILE TACTICAL SYSTEMS OVERLOAD PREVENTION PROCEDURES[CUST: GL] | A | SESS | | GL | 04-MAR-98 |
| | MIL-M-81957B SUP 1 | MOBILE TEST FACILITY, GAS TURBINE ENGINE TEST SYSTEMS GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: MC] | A | 2330 | | AS | 01-OCT-90 |
| | MIL-HDBK-1784 | MOBILITY, TOWED AND MANUALLY PROPELLED SUPPORT EQUIPMENT[CUST: 11] | D | 1740 | | 11 | 14-FEB-97 |
| | MIL-M-23530A NOT 1 | MOCK-UP OF MAIN AND AUXILIARY SHIPBOARD MACHINERY SPACES[CUST: SH] | A | MISC | | SH | 09-FEB-88 |
| | MIL-M-8650C(2) SUP 2 NOT 1 | MOCKUPS, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 11] | A | 6910 | | AS | 24-SEP-91 |
| | EIA455.167 | MODE FIELD DIAMETER MEASUREMENT - VARIABLE APERTURE METHOD IN THE FARFIELD[CUST: MR AS] [REVIEW: 11 AR AT EC IS MC MI SH] | A | 60GP | | CR | 21-DEC-88 |
| | QAP-147 ED.1 | MODEL DOCUMENTATION, RESEARCH AND TEST RESULTS | C | ISDA | | AI | 06-SEP-96 |
| | A-A-53110 | MODEL, ANATOMICAL (TEETH & GUMS)[CUST: MD MS 03] | A | 6910 | / | MB | 17-AUG-87 |
| | A-A-53533 | MODEL, ANATOMICAL, HUMAN SKULL[CUST: MD MS 03] | A | 6910 | / | MB | 17-JUN-88 |
| | A-A-53467 | MODEL, ANATOMICAL, TORSO AND HEAD[CUST: MD OS 03 MB] | A | 6910 | / | MB | 22-APR-88 |
| | IEEE1516.1 | MODELING AND SIMULATION (M&S) HIGH LEVEL ARCHITECTURE (HLA) FEDERATE INTERFACE SPECIFICATION, IEEE STANDARD FOR[CUST: AC EC 05] | A | MSSM | | DMS | 30-AUG-04 |
| | IEEE1516 | MODELING AND SIMULATION (M&S) HIGH LEVEL ARCHITECTURE (HLA) FRAMEWORK AND RULES, IEEE STANDARD FOR[CUST: AC EC 05] | A | MSSM | | DMS | 30-AUG-04 |
| | IEEE1516.2 | MODELING AND SIMULATION (M&S) HIGH LEVEL ARCHITECTURE (HLA) OBJECT MODEL TEMPLATE (OMT) SPECIFICATION, IEEE STANDARD FOR[CUST: AC EC 05] | A | MSSM | | DMS | 30-AUG-04 |
| | MIL-STD-27733 | MODIFICATION AND MARKING REQUIREMENTS FOR TEST EQUIPMENT IN AEROSPACE VEHICLES AND RELATED SUPPORT EQUIPMENT[Standard Practice][CUST: AV AS 11] | A | 15GP | | 11 | 18-MAY-98 |
| | MIL-DTL-15024/4A | MODIFICATION IDENTIFICATION PLATE[CUST: AS] | A | 9905 | | AS | 27-MAR-98 |
| | DI-CMAN-80529 | MODIFICATION WORK ORDER [AMSC: G4322] | A | SESS | | NS | 05-FEB-88 |
| | QPL-AA-V-2737-4 | MODULAR VAULT SYSTEMS | A | 7110 | # | FSS | 17-NOV-03 |
| | AA-V-2737(1) | MODULAR VAULT SYSTEMS[CUST: AR YD 99] [REVIEW: IS] | A | 7110 | * | YD | 01-OCT-03 |
| | STANAG-4197 ED.1(3) | MODULATION & CODING CHARACTERISTICS THAT MUST BE COMMON TO ASSURE INTERPROPERABILITY OF 2400 BPS LINEAR PREDICTIVE ENCODED DIGITAL SPEECH TRANSMITTED OVER HF RADIO FACILITIES (INCLUDING AMENDMENT 3) | C | ISDA | | AI | 26-NOV-85 |
| | STANAG-4291 ED.1(1) | MODULATION AND CODING CHARACTERISTICS THAT MUST BE COMMON TO ASSURE INTEROPERABILITY OF 2400 BPS WIRELINE MODEMS FOR USE IN NARROW-BAND SECURE VOICE SYSTEMS (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 21-AUG-86 |
| | A-A-50754 | MODULATOR, PULSE[CUST: EC 99 CC] [REVIEW: CR] | A | 6625 | / | 84 | 02-MAR-87 |
| | MIL-M-24791/2 | MODULE, FIBER OPTIC, RECEIVER, DIGITAL, 16 MBD, ASSOCIATED DETAIL SPECIFICATION FOR[CUST: CR SH 11 NA] [REVIEW: CC EC OS YD] | A | 6026 | | SH | 25-MAY-95 |
| | MIL-M-24791 | MODULE, FIBER OPTIC, TRANSMITTER OR RECEIVER, DIGITAL, GENERAL SPECIFICATION FOR[CUST: CR SH 11 NA] [REVIEW: CC EC OS YD] | A | 6030 | | SH | 25-MAY-95 |
| | MIL-M-24791/1 | MODULE, FIBER OPTIC, TRANSMITTER, DIGITAL, 160 MBD, ASSOCIATED DETAIL SPECIFICATION FOR[CUST: CR SH 11 NA] [REVIEW: CC EC OS YD] | A | 6025 | | SH | 25-MAY-95 |
| | MIL-M-29417(1) | MODULE, FUEL PUMP (SIXCON)[CUST: MC] | A | 5430 | | MC | 14-MAR-90 |
| | MIL-DTL-62545C | MODULE, STANDARD ELECTRONIC CONTROL[CUST: AT CC] | A | 5963 | | CC | 26-APR-02 |
| | MIL-PRF-62539A NOT 1 | MODULE, STARTER LOW VOLTAGE PROTECTIVE SYSTEM[CUST: AT] [REVIEW: CC] | A | 2920 | | AT | 20-APR-04 |
| | MIL-M-29460 | MODULE, WATER PUMP (SIXCON)[CUST: MC] | A | 5430 | | MC | 04-APR-90 |
| | MIL-M-29414(1) | MODULE, WATER TANK (SIXCON)[CUST: MC] | A | 5430 | | MC | 14-MAR-90 |
| | MIL-M-28787/69A(2) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, D TYPE, DIGITAL, KEY CODE KHR[CUST: NW] | A | 5963 | | NW | 19-JUL-91 |
| | MIL-M-28787/23B(2) | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE SBT[CUST: CR NW 11] | A | 5963 | | NW | 31-DEC-92 |
| | MIL-M-28787/24A(2) NOT 1 | MODULES, STANDARD ELECTRONIC RECTIFIER, LOW CURRENT, POWER, KEY CODE GPR[CUST: NW] | A | 5963 | | NW | 31-MAR-93 |
| | QPL-28787-68 | MODULES, STANDARD ELECTRONIC, GENERAL SPECIFICATION FOR | A | 5963 | | NW | 10-JUN-94 |
| | ASTM-C133 | MODULUS OF RUPTURE OF REFRACTORIES AND COLD CRUSHING STRENGTH[CUST: CR4 SH] [REVIEW: GS MC] | A | 9350 | | SH | 15-JUN-94 |
| | ASTM-E111 | MODULUS, YOUNG'S, TANGENT MODULUS, AND CHORD MODULUS[CUST: MI YD 99] [REVIEW: GS] | A | 6635 | | MI | 10-APR-97 |
| | ASTM-C562 | MOISTURE IN A GRAPHITE SAMPLE[CUST: EA 11] [REVIEW: AS CR4 DS GL MD SH] | A | 6810 | | GS3 | 22-FEB-91 |
| | ASTM-D1864 | MOISTURE IN MINERAL AGGREGATE USED ON BUILT-UP ROOFS[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 24-NOV-89 |
| | A-A-51165A NOT 1 | MOISTURE STABILIZER, WELDING ELECTRODE[CUST: AR 99 GS6] [REVIEW: 84 SH] | A | 3439 | / | GS6 | 18-NOV-03 |
| | ASTM-D955 | MOLD DIMENSIONS OF MOLDED PLASTICS, MEASURING SHRINKAGE FROM[CUST: MR SH 99] | A | 9330 | | MR | 24-NOV-89 |
| | MS3185A NOT 2 | MOLD, POTTING, AND ADAPTER, ELECTRIC CONNECTOR[CUST: CR AS 11 CC] | A | 5935 | | CC | 12-JUN-01 |
| | ASTM-D3273 | MOLD, RESISTANCE TO GROWTH OF, ON THE SURFACE OF INTERIOR COATINGS IN AN ENVIRONMENTAL CHAMBER[CUST: CR4 YD] [REVIEW: MR OS] | A | 8010 | | IS | 30-MAY-86 |
| | UL489 | MOLDED-CASE CIRCUIT BREAKERS, MOLDED-CASE SWITCHES AND CIRCUIT-BREAKER ENCLOSURES[CUST: CR YD 11] [REVIEW: 99 CR4 MC SH] | A | 5925 | | CC | 22-JUN-92 |
| | ASTM-D4673 | MOLDING AND EXTRUSION MATERIALS, ACRYLONITRILE-BUTADIENE-STYRENE (ABS), PLASTICS AND ALLOYS[CUST: MR SH 11] [REVIEW: GS MD SM] | A | 9330 | | MR | 27-MAY-92 |
| | ASTM-D2116 | MOLDING AND EXTRUSION MATERIALS, FEP-FLUOROCARBON[CUST: CR SH] [REVIEW: AR MC MR YD] | A | 9330 | | IS | 13-JAN-83 |
| A | QPL-24041-22 | MOLDING AND POTTING COMPOUND, CHEMICALLY CURED, POLYURETHANE | A | 9320 | | AS | 04-MAR-99 |
| A | MIL-M-24041C NOT 1 | MOLDING AND POTTING COMPOUND, CHEMICALLY CURED, POLYURETHANE[CUST: MR AS 11] [REVIEW: AR AT AV CG EC GS MI SH] | A | 9320 | | AS | 20-DEC-88 |
| A | MIL-M-46069(2) NOT 5 | MOLDING PLASTIC, GLASS/EPOXY PRE-MIX[CUST: OS] [REVIEW: GS] | A | 9330 | | OS | 13-DEC-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-24519E | MOLDING PLASTICS, ELECTRICAL, THERMOPLASTIC[CUST: SH GS] [REVIEW: AS MC] | A | 5970 | | SH | 03-MAR-92 |
| A | QPL-24519-31 | MOLDING PLASTICS, ELECTRICAL, THERMOPLASTIC | A | 5970 | | SH | 06-SEP-05 |
| | ASTM-D4549 | MOLDING, POLYSTYRENE AND RUBBER-MODIFIED POLYSTYRENE, AND EXTRUSION MATERIALS (PS)[CUST: MR AS 11] [REVIEW: AR CR CR4 SH] | A | 9330 | | IS | 29-NOV-85 |
| | SAE-AMS3756 | MOLDINGS, GLASS FIBER FILLED POLYTETRAFLUOROETHYLENE 75 PTFE RESIN, 25 GLASS, AS SINTERED[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-OCT-89 |
| | SAE-AMS3668 | MOLDINGS, POLYTETRAFLUOROETHYLENE (PTFE), PREMIUM GRADE, AS SINTERED[CUST: MR AS 99] | A | 9330 | | AS | FEB-94 |
| | ASTM-C470/C470M | MOLDS FOR FORMING CONCRETE TEST CYLINDERS VERTICALLY[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 15-MAR-94 |
| | ASTM-D647 | MOLDS FOR TEST SPECIMENS OF PLASTIC MOLDING MATERIALS, DESIGN OF[CUST: CR4 YD 99] [REVIEW: 84 CC GS SH SM] | A | 9530 | | YD | 25-NOV-88 |
| | SAE-AMS-M-7866 | MOLYBDENUM DISULFIDE, TECHNICAL, LUBRICATION GRADE[CUST: AR AS 68] [REVIEW: CR4 EA GS MI] | A | 6810 | | AS | JUL-98 |
| | ASTM-D3372 | MOLYBDENUM IN WATER[CUST: EA 68] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 15-JUN-92 |
| | MIL-M-48146 NOT 2 | MOLYBDENUM TRIOXIDE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 15-NOV-96 |
| | QPL-81380-5 | MONITOR CONTAMINATION, FUEL DISPENSING SYSTEM | A | 4930 | | AS | 29-AUG-88 |
| | MIL-DTL-24347B(1) | MONITOR, AVAILABLE LOAD, 60 AND 400 HERTZ, A.C., 1 PHASE, ELECTRICAL POWER (NAVAL SHIPBOARD USE)[CUST: SH CC] | A | 5925 | | CC | 06-SEP-02 |
| | A-A-54347 | MONITOR, FETAL HEART (WITH RECORDER)[CUST: MD MS 03] | A | 6515 | / | MB | 01-MAR-91 |
| | MIL-M-24605A | MONITOR, HEAT STRESS[CUST: SH] [REVIEW: GS] | A | 6665 | | SH | 21-JUN-88 |
| | A-A-59149 | MONITOR, POWER LINE[CUST: MI SH 99] | A | 6625 | / | 84 | 01-JAN-98 |
| | A-A-51939 | MONITOR, TRI-GAS[CUST: MD MS 03] [REVIEW: GS] | A | 6665 | * | MB | 24-APR-87 |
| | MIL-M-24116B(1) | MONITOR, VOLTAGE AND FREQUENCY, 400 CYCLES A.C., ELECTRIC POWER (NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: CC] | A | 6625 | | SH | 29-OCT-85 |
| | A-A-54142 | MONITORING DEVICE, DENTAL X-RAY FILM[CUST: MD MS 03] | A | 6525 | / | MB | 15-JUN-90 |
| | A-A-50566 | MONITORING DEVICES, EMISSION; STACK RELATED[CUST: EA YD] [REVIEW: DP MS] | A | 6630 | / | YD | 25-MAY-98 |
| | A-A-54964 | MONITORING SET, ARTERIAL BLOOD GAS SAMPLING AND PRESSURE[CUST: MD MS 03] | A | 6515 | / | MB | 15-JUL-94 |
| | MIL-M-24144D | MONITORS, FROST-POINT/DEW-POINT, COMPRESSED AIR, SEMI-PORTABLE[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 25-APR-88 |
| | MIL-M-24738 | MONITORS, HIGH TEMPERATURE MOTOR PROTECTION[CUST: SH] | A | 6625 | | SH | 11-JAN-90 |
| | MIL-M-24350B(2) NOT 2 | MONITORS, REVERSE POWER AND POWER-SENSING, ELECTRICAL POWER (NAVAL SHIPBOARD USE) (METRIC)[CUST: SH CC] | A | 5925 | | CC | 11-FEB-05 |
| | ASTM-D2360 | MONOCYCLIC AROMATIC HYDROCARBONS BY GAS CHROMATOGRAPHY, TRACE IMPURITIES IN[CUST: EA 68 GS3] [REVIEW: AS CR4 GL MC MD SH] | A | 6810 | | GS3 | 29-OCT-82 |
| | MIL-M-23573B NOT 1 | MONOETHANOLAMINE CHELATING AGENT SOLUTION[CUST: SH] [REVIEW: GS] | A | 6810 | | SH | 07-JUN-91 |
| | T-M-550A(I1) | MOP, DUSTING, COTTON, UNIVERSAL ACTION SWIVEL | A | 7920 | # | FSS | 03-JUL-63 |
| | T-M-550A | MOP, DUSTING, COTTON, UNIVERSAL ACTION SWIVEL | A | 7920 | # | FSS | 19-SEP-61 |
| | A-A-1455 | MOPPING OUTFIT, FLOOR | A | 7920 | # | FSS | 18-SEP-81 |
| | STANAG-2350 ED.2 | MORHIA DOSAGE AND CASUALTY MARKING | C | ISDA | | AI | 27-APR-94 |
| | QSTAG-230 ED.2 | MORPHIA DOSAGE AGREEMENT[CUST: AI] | C | ISDA | | AI | 23-JAN-85 |
| | A-A-51085 | MORPHINE SULFATE ORAL SOLUTION[CUST: MD MS 03] | A | 6505 | / | MB | 26-NOV-85 |
| | A-A-59665 | MORPHOLINE, TECHNICAL[CUST: GS3] | A | 6810 | / | GS3 | 03-DEC-01 |
| | ASTM-C157/C157M | MORTAR AND CONCRETE, HARDENED HYDRAULIC-CEMENT, LENGTH CHANGE OF[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 15-JUN-93 |
| | ASTM-C270 | MORTAR FOR UNIT MASONRY[CUST: CE YD 99 IS] | A | 5610 | | IS | 15-MAR-94 |
| | ASTM-C952 | MORTAR TO MASONRY UNITS, BOND STRENGTH OF[CUST: YD 99 IS] | A | 5610 | | IS | 28-OCT-91 |
| | ASTM-C307 | MORTAR, CHEMICAL-RESISTANT, GROUTS, AND MONOLITHIC SURFACINGS, TENSILE STRENGTH OF[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 15-JUL-94 |
| | ASTM-C185 | MORTAR, HYDRAULIC CEMENT, AIR CONTENT OF[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 25-JUN-93 |
| | ASTM-C144 | MORTAR, MASONRY, AGGREGATE FOR[CUST: CR4 YD IS] [REVIEW: SH] | A | 5610 | | IS | 15-APR-93 |
| | QPL-15842-52 | MORTAR, REFRACTORY (HIGH TEMPERATURE, AIR SETTING) | A | 9350 | | SH | 26-MAR-01 |
| | MIL-M-15842B | MORTAR, REFRACTORY (HIGH TEMPERATURE, AIR SETTING)[CUST: SH 99] [REVIEW: GS MR] | A | 9350 | | SH | 24-AUG-64 |
| | A-A-59177 NOT 1 | MORTAR, REFRACTORY: HEAT-SETTING AND AIR-SETTING WET AND DRY TYPES[CUST: SH IS] [REVIEW: MC OS] | A | 9350 | / | IS | 19-FEB-03 |
| | ASTM-C780 | MORTARS FOR PLAIN AND REINFORCED UNIT MASONRY, PRECONSTRUCTION AND CONSTRUCTION EVALUATION OF[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 15-SEP-94 |
| | ASTM-C395 | MORTARS, CHEMICAL-RESISTANT RESIN[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 21-MAR-90 |
| | ASTM-C267 | MORTARS, GROUTS AND MONOLITHIC SURFACINGS AND POLYMER CONCRETES, CHEMICAL RESISTANCE OF[CUST: CR4 YD IS] [REVIEW: CG MC] | A | 5610 | | IS | 14-SEP-90 |
| | ASTM-C413 | MORTARS, GROUTS, CHEMICAL-RESISTANT, AND MONOLITHIC SURFACINGS, AND POLYMER CONCRETES, ABSORPTION OF[CUST: CR4 YD IS] [REVIEW: CE MC SH] | A | 5610 | | IS | 26-MAY-89 |
| | ASTM-C579 | MORTARS, GROUTS, MONOLITHIC SURFACINGS, AND POLYMER CONCRETES, COMPRESSIVE STRENGTH OF CHEMICAL-RESISTANT[CUST: CR4 YD IS] [REVIEW: CE MC SH] | A | 5610 | | IS | 10-MAY-01 |
| | ASTM-C199 | MORTARS, REFRACTORY, PIER TEST FOR[CUST: AR SH 99] | A | 9350 | | AR | 03-OCT-84 |
| | BHMA-A156.13 | MORTISE LOCKS & LATCHES[CUST: AR YD 99 IS] [REVIEW: CR4] | A | 5340 | | IS | 21-JUL-88 |
| | A-A-30138A | MORTUARY PACK[CUST: MD MS 03] | A | 9930 | * | MB | 08-JAN-93 |
| | FED-STD-364 NOT 1 | MOTION PICTURE, SOUND, SUPER 8 MILLIMETER, FORMAT FOR[CUST: CR AS 99] [REVIEW: 70 AV GS MC MI] | A | 6730 | * | AS | 20-FEB-89 |
| | UL845 | MOTOR CONTROL CENTERS[CUST: YD] [REVIEW: GS] | A | 5975 | | YD | 15 FEB 95 |
| | MIL-M-23346(2) NOT 1 | MOTOR FIRE CONNECTOR ASSEMBLY[CUST: AS] | A | 1338 | | AS | 25-SEP-91 |
| | A-A-58014 | MOTOR GRADER, DED[CUST: 99] | A | 3805 | / | 84 | 29-MAR-93 |
| | DI-MISC-81240 | MOTOR LOG BOOK [AMSC: F6681] | A | MISC | | 10 | 10-OCT-91 |
| | SAE-J638 | MOTOR VEHICLE HEATER TEST PROCEDURE[CUST: AT YD 99] | A | 2590 | | 84 | 03-OCT-94 |
| | SAE-J695 | MOTOR VEHICLES - TURNING ABILITY AND OFF TRACKING[CUST: AT 99] [REVIEW: YD] | A | 2320 | | AT | DEC-89 |
| | MIL-M-17059A | MOTOR, 60 CYCLE, ALTERNATING CURRENT, FRACTIONAL H.P. (SHIPBOARD USE)[CUST: SH] [REVIEW: AR GS] | A | 6105 | | SH | 12-OCT-65 |
| | MIL-PRF-62361D | MOTOR, DRIVE, DIRECT CURRENT: 2, 8, AND 6 REVOLUTIONS PER MINUTE[CUST: AT] [REVIEW: GS] | A | 6105 | | AT | 21-JUN-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-62368B | MOTOR, GEARHEAD, 18-30 VOLTS, DIRECT CURRENT[CUST: AT] [REVIEW: GS] | A | 6105 | | AT | 08-JUL-97 |
| | MIL-M-85255 | MOTOR, HOT GAS (MAU-132A/B)[CUST: OS] | A | 1377 | | OS | 13-JUN-81 |
| | MIL-PRF-62365C NOT 1 | MOTOR, HYDRAULIC, CONSTANT DISPLACEMENT[CUST: AT] | A | 2590 | | AT | 20-APR-04 |
| | MIL-DTL-82870A | MOTOR, ROCKET, 11.65 INCH, LOADED, MARK 37 MOD 0 (ASSEMBLY) AND PROPELLANT GRAIN, MARK 55 MOD 0[CUST: OS] | D | 1340 | | OS | 24-JAN-97 |
| | MIL-M-14927B(1) NOT 3 | MOTOR, ROCKET, LAUNCH, M114 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1336 | | AR | 15-NOV-96 |
| | MIL-M-64016(3) | MOTOR, ROCKET, METAL PARTS FOR AND LOADING ASSEMBLY FOR DEMOLITION KIT, CRATERING, M180[CUST: AR] | A | 1375 | | AR | 27-MAR-98 |
| | UL984 | MOTOR-COMPRESSORS, HERMETIC REFRIGERANT, STANDARD FOR[CUST: YD] | A | 4310 | | CC | 13-JAN-92 |
| | UL763 | MOTOR-OPERATED COMMERCIAL FOOD PREPARING MACHINES[CUST: GL SH 99] | A | 73GP | | GL | 26-OCT-93 |
| | A-A-52164A NOT 1 | MOTORCYCLE: DUAL PURPOSE, FOUR STROKE, NOMINAL 250 CC, MODIFIED COMMERCIAL[CUST: AT] | A | 2340 | / | AT | 19-APR-04 |
| | A-A-52165A NOT 1 | MOTORCYCLES: 1000 AND 1300 CC, COMMERCIAL[CUST: AT] | A | 2340 | / | AT | 19-APR-04 |
| | UL674 | MOTORS & GENERATORS, ELECTRIC, FOR USE IN DIVISION 1 HAZARDOUS (CLASSIFIED) LOCATIONS[CUST: CR YD 11] [REVIEW: AR AS CR4 GS] | A | 6105 | | YD | 27-APR-94 |
| | NEMA-MG1 | MOTORS AND GENERATORS[CUST: AR YD 99] [REVIEW: 84 GS] | A | 34GP | | YD | 06-JAN-89 |
| | IEEE112 | MOTORS AND GENERATORS, POLYPHASE INDUCTION, IEEE STANDARD TEST PROCEDURE FOR[CUST: YD] [REVIEW: GS] | A | 6105 | | YD | 22-JUN-92 |
| | MIL-M-17060F | MOTORS, 60-HERTZ, ALTERNATING CURRENT, INTEGRAL-HORSEPOWER, SHIPBOARD USE[CUST: SH] [REVIEW: GS] | A | 6105 | | SH | 25-MAY-95 |
| | MIL-HDBK-117 | MOTORS, ELECTRIC, SMALL ACQUISITION, OPERATIONS AND SUPPORT FOR PRIMER[CUST: CR4 99] [REVIEW: 70 71 AV GS SH] | A | 6105 | | CR4 | 01-APR-91 |
| | ANSI-C50.41 | MOTORS, POLYPHASE INDUCTION, FOR POWER GENERATING STATIONS, STANDARDS FOR[CUST: YD] [REVIEW: GS] | A | 6105 | | YD | 23-DEC-91 |
| | IEEE114 | MOTORS, SINGLE-PHASE INDUCTION, TEST PROCEDURE FOR[CUST: CR4 YD 99] [REVIEW: GS SH] | A | 6105 | | YD | 17-SEP-81 |
| | A-A-53085A | MOULAGE KIT, COLOSTOMY[CUST: MD MS 03] | A | 6910 | / | MB | 17-JUN-88 |
| | MIL-M-46379A | MOUNT SIGHT, INFINITY REFLEX. 10511780 AND 10553489[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 03-JUN-68 |
| | FED-STD-366 | MOUNT, FILM SLIDE, PHOTOGRAPHIC, FILEABLE (OVERHEAD PROJECTOR) FORMAT FOR [REVIEW: GS] | A | 6750 | % | FSS | 25-FEB-77 |
| | MIL-PRF-71229C(1) | MOUNT, GUN 120MM[CUST: AT] [REVIEW: AR] | A | 1015 | | AT | 13-MAY-02 |
| | MIL-M-13529D(1) | MOUNT, GUN, RING TYPE, REVOLVING[CUST: AR] [REVIEW: AT] | A | 1005 | | AR | 30-JAN-87 |
| | A-A-53583 | MOUNT, RADIOGRAPHIC FILM, DENTAL[CUST: MD MS 03] | A | 6525 | / | MB | 29-JUL-88 |
| | A-A-53582 | MOUNT, RADIOGRAPHIC FILM, DENTAL[CUST: MD MS 03] | A | 6525 | / | MB | 29-JUL-88 |
| | MIL-M-17185A(1) | MOUNT, RESILENT, GENERAL SPECIFICATIONS AND TESTS FOR (SHIPBOARD APPLICATION)[CUST: SH] [REVIEW: IS MC MI] | A | 5340 | | SH | 27-OCT-59 |
| | MIL-M-17191D | MOUNT, RESILENT, PORTSMOUTH BONDED SPOOL TYPE[CUST: SH] [REVIEW: IS] | A | 5340 | | SH | 22-SEP-70 |
| | MIL-M-19379B | MOUNT, RESILIENT, MARE ISLAND TYPES 11M15, 11M25, AND 10M50[CUST: SH] [REVIEW: IS] | A | 5340 | | SH | 21-MAR-61 |
| | QPL-19863-19 | MOUNT, RESILIENT, TYPE 5B5000H | A | 5340 | | SH | 05-MAY-95 |
| | QPL-21649-19 | MOUNT, RESILIENT, TYPE 5M10,000-H | A | 5340 | | SH | 06-JUL-98 |
| | MIL-M-21649C NOT 1 | MOUNT, RESILIENT, TYPE 5M10,000-H[CUST: SH] [REVIEW: IS] | A | 5340 | | SH | 27-MAR-91 |
| | MIL-M-19863D | MOUNT, RESILIENT: TYPE 5B5,000H[CUST: SH] [REVIEW: IS] | A | 5340 | | SH | 08-MAY-91 |
| | A-A-52486 NOT 1 | MOUNT, SHIPPING CONTAINER, RESILIENT: SHOCK AND VIBRATION DAMPING[CUST: AT] [REVIEW: IS] | A | 5340 | / | AT | 14-APR-04 |
| | MIL-M-48557A | MOUNT, TELESCOPE AND QUADRANT: M171[CUST: AR] | A | 1240 | | AR | 15-MAY-90 |
| | MIL-M-48559A | MOUNT, TELESCOPE AND QUADRANT: M172[CUST: AR] | A | 1240 | | AR | 30-MAR-90 |
| A | MIL-M-70742(2) | MOUNT, TELESCOPE AND QUADRANT: M187 AND M187A1[CUST: AR] | A | 1240 | | AR | 10-JAN-06 |
| | MIL-M-46366A(2) NOT 2 | MOUNT, TELESCOPE& M90[CUST: AR] | A | 1240 | | AR | 12-SEP-90 |
| | MIL-M-71028A | MOUNT, TELESCOPE: 9356166[CUST: AR] | A | 1240 | | AR | 30-OCT-92 |
| | A-A-58065B | MOUNTER-DEMOUNTER, PNEUMATIC TIRE, STATIONARY[CUST: AR YD 84 CC] | A | 4910 | / | 84 | 26-FEB-03 |
| | MS17246B NOT 2 | MOUNTING BASE, COCKPIT UTILITY[CUST: AV AS 99 IS] [REVIEW: 71] | A | 6220 | | IS | 14-SEP-01 |
| | MS17320F NOT 1 | MOUNTING DEVICES FOR AIRCRAFT ELECTRIC EQUIPMENT, QUICK-ATTACH-DETACH, CIRCULAR 5, 8 AND 10 INCH[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 31-DEC-87 |
| | EIA-RS278 | MOUNTING DIMENSIONS FOR LOUDSPEAKERS -6 JAN 75[CUST: CR SH 11] [REVIEW: 99] | A | 5965 | | CC | 23-OCT-89 |
| | MIL-M-53008(2) | MOUNTING KIT ROLLER, MINE CLEARING, TRACK WIDTH, TANK MOUNTED[CUST: AT] | A | 1095 | | AT | 17-OCT-85 |
| | MIL-M-48658(2) | MOUNTING KIT, MINE DISPENSER: GROUND SYSTEM FOR M139 DISPENSER[CUST: AR] | E | 1095 | | AR | 13-DEC-94 |
| | MIL-M-53078 | MOUNTING KIT: M1 TANK, CLEARED LANE MARKING SYSTEM (CLAMS)[CUST: AT] | A | 2590 | | AT | 23-SEP-87 |
| | MIL-M-53077 | MOUNTING KIT: M1, ROLLER, MINE CLEARING: TRACK-WIDTH, TANK MOUNTED[CUST: AT] | A | 2590 | | AT | 18-DEC-87 |
| | MIL-DTL-32054 NOT 1 | MOUNTING MT-1995/A FOR USE WITH COAXIAL TYPE SA-521A/A RADIO FREQUENCY TRANSMISSION LINE SWITCH[CUST: 11] [REVIEW: 99] | A | 5985 | | CC | 08-DEC-04 |
| | A-A-55485/1A | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .100 DIAMETER PIN CENTER[CUST: CR EC 11 CC] | A | 5999 | / | CC | 21-MAR-01 |
| | A-A-55485/2D | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .200 OR .230 DIAMETER PIN CENTER[CUST: CR EC 11 CC] | A | 5999 | / | CC | 15-SEP-03 |
| | A-A-55485/6B | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, FOR RELAYS AND DISCRETE COMPONENTS[CUST: CR EC 11 CC] | A | 5999 | / | CC | 07-MAR-03 |
| | A-A-55485C | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, GENERAL REQUIREMENTS FOR[CUST: CR EC 11] | A | 5999 | / | CC | 07-MAR-03 |
| | A-A-55485/3C | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .100 DIAMETER PIN CENTER TO A LARGER DIAMETER[CUST: CR EC 11 CC] | A | 5999 | / | CC | 13-SEP-02 |
| | A-A-55485/10B | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 DIAMETER PIN CENTER[CUST: CR EC 11 CC] | A | 5999 | / | CC | 07-MAR-03 |
| | A-A-55485/4A | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 OR .230 DIAMETER PIN CENTER TO A LARGER DIAMETER[CUST: CR EC 11 CC] | A | 5999 | / | CC | 07-MAR-03 |
| | A-A-55485/5A | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 OR .230 DIAMETER PIN CENTER TO A GRID PATTERN[CUST: CR EC 11 CC] | A | 5999 | / | CC | 07-MAR-03 |
| | A-A-55485/7A | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, MULTIPLE APPLICATIONS[CUST: CR EC 11 CC] | A | 5999 | / | CC | 07-MAR-03 |
| | A-A-55485/11A | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, VERTICAL TYPE[CUST: CR EC 11 CC] | A | 5999 | / | CC | 07-MAR-03 |
| | MIL-M-85677 | MOUNTING, ELECTRICAL EQUIPMENT MT-6330/ARC[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 07-JUL-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-17508-40 | MOUNTS, RESILENT: TYPES 6E100, 6E150, 7E450, 6E900, 6E2000, 5E3500, 6E100BB, 6E150BB, 7E450BB, AND 6E900BB | A | 5340 | | SH | 06-JUN-02 |
| | MIL-M-24476B | MOUNTS, RESILIENT: PIPE SUPPORT, TYPES 7M50, 6M150, 6M450, 6M900, AND 5M3500[CUST: SH] | A | 5340 | | SH | 09-SEP-93 |
| | MIL-M-17508F | MOUNTS, RESILIENT: TYPES 6E100, 6E150, 7E450, 6E900, 6E2000, 5E3500, 6E100BB, 6E150BB, 7E450BB, AND 6E900BB[CUST: SH] [REVIEW: IS] | A | 5340 | | SH | 12-DEC-90 |
| | QPL-17191-37 | MOUNTS, RESILIENT; PORTSMOUTH BONDED SPOOL TYPE | A | 5340 | | SH | 22-FEB-94 |
| | A-A-53455 | MOUTHPIECE, PIPETTING[CUST: MD MS 03] | A | 6640 | / | MB | 12-APR-88 |
| | A-A-53997 | MOUTHPIECE, SALIVA EJECTOR WITH REFLECTOR BLADES, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 10-OCT-89 |
| | A-A-53906 | MOUTHPIECE, SALIVA EJECTOR, DENTAL, (PLASTIC, DISPOSABLE)[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | STANAG-2456 ED.2 | MOVEMENT AND TRANSPORT DOCUMENTS AND GLOSSARY OF TERMS AND DEFINITIONS - AMOVP-3(A) | C | ISDA | | AI | 07-APR-03 |
| | QSTAG-660 | MOVEMENT CONTROL[CUST: AI] | C | ISDA | | AI | 01-FEB-84 |
| | AIR-STD-44/49B(1) | MOVEMENT, HANDLING AND IN TRANSIT STORAGE OF CARGO REQUIRING TEMPERATURE CONTROLLED CONDITIONS | C | ISDF | | 06 | 29-SEP-92 |
| | QSTAG-190 ED.3 | MOVEMENTS AND TRANSPORT DOCUMENTS USED FOR MOVEMENTS BY SHIP (BASED ON STANAG 2166)[CUST: AI] | C | ISDA | | AI | 28-FEB-90 |
| | AMOVP-3A | MOVEMENTS AND TRANSPORT DOCUMENTS; AND GLOSSARY OF TERMS AND DEFINITIONS | C | ISDA | | AI | 01-NOV-02 |
| | QSTAG-165 ED.2(1) | MOVEMENTS PRINCIPLES, POLICIES, AND DUTIES[CUST: AI] | C | ISDA | | AI | 27-SEP-76 |
| | A-A-50904A | MUELLER HINTON MEDIUM, DEHYDRATED[CUST: MD MS 03] | A | 6550 | / | MB | 17-SEP-86 |
| | A-A-20139A | MUFFINS, FRESH OR FROZEN | A | 8920 | # | FSS | 11-MAY-98 |
| | ANSI-Y14.3 | MULTI AND SECTIONAL VIEW DRAWINGS[CUST: AR SA 16] [REVIEW: AS] | A | DRPR | | AR | 23-AUG-88 |
| | QSTAG-587 ED.1 | MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - DATA TRANSMISSION STANDARDS[CUST: AI] | C | ISDA | | AI | 12-AUG-91 |
| | QSTAG-789 | MULTI-CHANNEL TACTICAL DIGITAL GATEWAY MULTIPLEX GROUP FRAMING STANDARDS (BASED ON STANAG 4207)[CUST: AI] | C | ISDA | | AI | 21-JAN-87 |
| | QSTAG-790 ED.1 | MULTI-CHANNEL TACTICAL DIGITAL GATEWAY SIGNALLING STANDARDS (BASED ON STANAG 4208)[CUST: AI] | C | ISDA | | AI | 30-JAN-87 |
| | QSTAG-791 ED.1 | MULTI-CHANNEL TACTICAL DIGITAL GATEWAY STANDARDS FOR ANALOGUE TO DIGITAL CONVERSION OF SPEECH SIGNALS (BASED ON STANAG 4209)[CUST: AI] | C | ISDA | | AI | 20-JAN-87 |
| | QSTAG-793 | MULTI-CHANNEL TACTICAL DIGITAL GATEWAY SYSTEM CONTROL STANDARDS (BASED ON STANAG 4211)[CUST: AI] | C | ISDA | | AI | 20-JAN-87 |
| | QSTAG-788 | MULTI-CHANNEL TACTICAL DIGITAL GATEWAY SYSTEM STANDARDS (BASED ON STANAG 4206)[CUST: AI] | C | ISDA | | AI | 30-JAN-87 |
| | ADV-PUB-44/57B | MULTI-MODAL DOCUMENTATION OF CARGO | C | ISDF | | 06 | 29-SEP-92 |
| | STANAG-1406 ED.3 | MULTI-NATIONAL MARITIME FORCE (MNMF) LOGISTICS ALP-4.1 | C | ISDN | | NI | 31-JAN-03 |
| | ASTM-STP315 | MULTICYLINDER TEST SEQUENCES FOR EVALUATING AUTOMOTIVE ENGINE OILS[CUST: CR4 AS 68] [REVIEW: GS] | A | 9150 | | CR4 | 15-SEP-79 |
| | STANAG-2131 ED.4 | MULTILINGUAL PHASE BOOK FOR USE BY THE NATO MEDICAL SERVICES - AMEDP-5(B) | C | ISDA | | AI | 02-MAR-00 |
| | A-A-50734B | MULTIMETER, RUGGEDIZED[CUST: MI SH 84] [REVIEW: CC CR SO] | A | 6625 | / | 84 | 03-DEC-03 |
| | EIA455.51 | MULTIMODE GLASS OPTICAL FIBER INFORMATION TRANSMISSION CAPACITY, PULSE DISTORTION MEASUREMENT OF[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC DI FSS MC NA SH TE] | A | 60GP | | CR | 02-JUN-93 |
| | STANAG-2230 ED.1 | MULTINATIONAL JOINT LOGISTICS CENTRE (MJLC) DOCTRINE - AJP-4.6 | C | ISDA | | AI | 12-JUL-01 |
| A | MIL-HDBK-1553A(2) NOT 3 | MULTIPLEX APPLICATION HANDBOOK[CUST: CR AS 11] | A | MCCR | | 11 | 08-JUL-05 |
| | DI-MISC-80343 | MULTIPLEX INTERFACE CONTROL DOCUMENT (MICD) [AMSC: A4099] | A | MISC | | AM | 17-APR-87 |
| | MIL-M-85139 NOT 1 | MULTIPLEXER, PULSE CODE MODULATION[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 19-JUN-87 |
| | MIL-M-49242A(1) | MULTIPLEXER, TD-1237(P)/G[CUST: CR] | A | 5805 | | CR | 06-OCT-88 |
| | MIL-M-49239A(1) | MULTIPLEXER-COMBINER, TD-1234(P)/TTC[CUST: CR] | A | 5805 | | CR | 30-JUN-92 |
| | A-A-54730 | MUMPS VIRUS VACCINE, LIVE, USP[CUST: MD MS 03] | A | 6505 | / | MB | 28-AUG-92 |
| | STANAG-4238 ED.1 | MUNITION DESIGN PRINCIPLES, ELECTRICAL/ELECTROMAGNETIC ENVIRONMENTS | C | ISDA | | AI | 25-FEB-02 |
| | MIL-STD-1901A | MUNITION ROCKET AND MISSILE MOTOR IGNITION SYSTEM DESIGN, SAFETY CRITERIA FOR[Design Criteria Standard][CUST: AR OS 11] [REVIEW: 99 AS MI] | A | 13GP | | AR | 06-JUN-02 |
| | ASTM-D351 | MUSCOVITE BLOCK, NATURAL MICA AND THINS BASED ON VISUAL QUALITY[CUST: CR SH 11] | A | 5970 | | GS2 | 10-SEP-97 |
| | A-A-20036B | MUSTARD, PREPARED[CUST: GL SA 50] [REVIEW: MC MD QM] | A | 8950 | / | SS | 23-OCT-00 |
| | STANAG-4093 ED.4 | MUTUAL ACCEPTANCE BY NATO MEMBER COUNTRIES OF QUALIFICATION OF ELECTRONIC AND ELECTRICAL COMPONENTS FOR MILITARY USE | C | ISDA | | AI | 22-JAN-93 |
| | STANAG-4107 ED.6(4) | MUTUAL ACCEPTANCE OF GOVERNMENT QUALITY ASSURANCE AND USAGE OF THE ALLIED QUALITY ASSURANCE PUBLICATIONS (INCLUDING AMENDMENT4) | C | ISDF | | 06 | 06-JAN-97 |
| | STANAG-4358 ED.1(1) | MUTUAL ACCEPTANCE OF GOVERNMENT VEHICLE TEST AND EVALUATION | C | ISDA | | AI | 31-MAY-94 |
| | MIL-M-70542(1) | MUZZLE BORESIGHT DEVICE 11785384 (M26 FOR M105MM GUN TUBE)[CUST: AR] | A | 1240 | | AR | 29-APR-91 |
| | MIL-M-48640(1) | MUZZLE BORESIGHT DEVICE 9364909 (M27 FOR 120MM GUN TUBE)[CUST: AR] | A | 1240 | | AR | 29-APR-91 |
| | A-A-55824 NOT 1 | N-AMYL ACETATE[CUST: EA 68 GS3] [REVIEW: AR CR4 MD1] | A | 6810 | / | GS3 | 26-NOV-02 |
| | A-A-58044 | N-METHYLPYRROLIDONE[CUST: 68 GS] | A | 6810 | / | 68 | 30-JUN-95 |
| | STANAG-5018 ED.1(4) | N0ATO MANUAL INTERFACE BETWEEN THE MANUAL SWITCHED TELECOMMUNICATIONS SYSTEMS OF THE COMBAT ZONE | C | ISDA | | AI | 19-SEP-84 |
| | A-A-51100 | NADOLOL TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 26-NOV-85 |
| | A-A-53184B | NAFCILLIN SODIUM INJECTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 13-JUN-90 |
| | A-A-1959 NOT 2 | NAIL (CASING)[CUST: AR YD 99 IS] [REVIEW: AS CR4 GS MC] | A | 5315 | / | IS | 08-SEP-03 |
| | ANSI-B173.1 | NAIL HAMMERS - SAFETY REQUIREMENTS FOR[CUST: GL SH 99] [REVIEW: GS] | A | 5120 | | GL | 03-OCT-94 |
| | A-A-51500 | NAIL, BONE, HANSEN-STREET DIAMOND CROSS SECTION, ONE END THREADED[CUST: MD MS 03] | A | 6515 | / | MB | 20-JUN-86 |
| | A-A-51475 | NAIL, BONE, SCHNEIDER, DOUBLE POINT[CUST: MD MS 03] | A | 6515 | | MB | 11-JUN-86 |
| | ASTM-C514 | NAILS FOR THE APPLICATION OF GYPSUM BOARD[CUST: EA YD 99 IS] | A | 5315 | | IS | 02-AUG-91 |
| | A-A-51558 | NALBUPHINE HYDROCHLORIDE INJECTION[CUST: MD MS 03] | A | 6505 | / | MB | 16-JUL-86 |
| | MIL-P-15024/10A | NAMEPLATE, ORDALT PLATES & INFORMATION PLATES[CUST: OS] [REVIEW: EC GL SH] | A | 9905 | | OS | 07-MAR-86 |
| | A-A-53360A | NAPHAZOLINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 22-APR-94 |
| | ASTM-D1840 | NAPHTHALENE HYDROCARBONS IN AVIATION TURBINE FUELS BY ULTRAVIOLET SPECTROPHOTOMETRY[CUST: AT AS 11] [REVIEW: SH] | A | 91GP | | AT | 15-NOV-92 |
| | ASTM-D3734 | NAPHTHAS, AROMATIC, HIGH-FLASH[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | SH | 03-OCT-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-2857 | NAPKINS, PAPER, UNBLEACHED | A | 8540 | # | FSS | 20-DEC-93 |
| | UU-N-001650B | NAPKINS, TABLE, PAPER | A | 8540 | # | FSS | 09-NOV-89 |
| | A-A-51404A | NAPROXEN TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 15-SEP-86 |
| | NAS410 | NAS CERTIFICATION AND QUALIFICATION OF NONDESTRUCTIVE TEST PERSONNEL[CUST: MR AS 11] [REVIEW: AR] | A | NDTI | | 11 | 31-DEC-97 |
| | EIA649 | NATIONAL CONSENSUS STANDARD FOR CONFIGURATION MANAGEMENT[CUST: AR AS 10 SE] | A | SESS | | SE | 1-FEB-99 |
| | NFPA70 | NATIONAL ELECTRICAL CODE[CUST: AR SH 99 CC] [REVIEW: 84 GS] | A | 34GP | | CC | 1996 |
| A | MIL-STD-2500B(1) | NATIONAL IMAGERY TRANSMISSION FORMAT (VERSION 2.1) FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD[Interface Standard][CUST: CR OM 02] [REVIEW: 13 AC DC DH IE IR NS PT TM2] | A | GINT | | MP | 02-OCT-98 |
| A | MIL-HDBK-1300A NOT 1 | NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD (NITFS)[CUST: CR OM 02] [REVIEW: AC AM AR CE CG DI HP IE IR MD MI NA NS PT SO TM] | A | GINT | | MP | 31-MAR-04 |
| | QAP-215 ED.1 | NATIONAL POLICIES REGARDING CONDUCT AFTER CAPTURE (CAC) | C | ISDA | | AI | 25-OCT-00 |
| | STANAG-1167 ED.16 | NATO ABOVE WATER WARFARE MANUAL ATP-31 | C | ISDN | | NI | 22-JUL-03 |
| | STANAG-4537 ED.1 | NATO ARTILLERY BALLISTIC KERNEL (NABK) | C | ISDA | | AI | 11-DEC-98 |
| | STANAG-2185 ED.1 | NATO ASSET TRACKING ELECTRONIC DATA INTERCHANGE (EDI) | C | ISDA | | AI | 21-FEB-01 |
| | STANAG-2494 ED.1(1) | NATO ASSET TRACKING SHIPPING LABEL AND ASSOCIATED SYMBOLOGIES | C | ISDA | | AI | 16-OCT-00 |
| | STANAG-5040 ED.3(3) | NATO AUTOMATIC AND SEMI-AUTOMATIC INTERFACES BETWEEN THE NATIONAL SWITCHED TELECOMMUNICATIONS SYSTEMS OF THE COMBAT ZONE AND BETWEEN THESE SYSTEMS AND THE NATO INTEGRATED COMMUNICATIONS SYSTEMS (NIC) - PERIOD FROM 1979 TO THE 1990S | C | ISDA | | AI | 03-MAY-94 |
| | STANAG-2408 ED.1 | NATO BLOOD BROCHURE - AMEDP-12 | C | ISDA | | AI | 29-SEP-98 |
| | STANAG-4397 ED.1 | NATO CATALOGUE OF EXPLOSIVES - AOP-26 | C | ISDA | | AI | 20-FEB-01 |
| | AMEDP-13 | NATO CLOSSARY OF MEDICAL TERMS AND DEFINITIONS | C | ISDN | | NI | 30-NOV-00 |
| | STANAG-2116 ED.5(9) | NATO CODES FOR GRADES OF MILITARY PERSONNEL (INCLUDING AMENDMENTS 1 THRU 9) | C | ISDA | | AI | 13-MAR-96 |
| | AAP-19 ED.C | NATO COMBAT ENGINEER GLOSSARY | C | ISDF | | 06 | 01-APR-97 |
| | STANAG-2991 ED.3 | NATO COMBAT ENGINEER GLOSSARY - AAP-19(C) | C | ISDA | | AI | 04-JUN-98 |
| | STANAG-2085 ED.4(1) | NATO COMBINED MILITARY POLICE | C | ISDA | | AI | 24-FEB-88 |
| | ACMP-7 ED.1 | NATO CONFIGURATION MANAGEMENT GUIDANCE ON THE APPLICATION OF ACMP'S 1 TO 6 | C | ISDF | | 06 | 01-JUL-98 |
| | ACMP-6 ED.1 | NATO CONFIGURATION MANAGEMENT TERMS AND DEFINITIONS | C | ISDF | | 06 | 01-JUL-98 |
| | STANAG-6009 ED.2 | NATO EMMITTER DATABASE (NEDB) | C | ISDA | | AI | 27-MAY-03 |
| | STANAG-1125 ED.6 | NATO EXPERIMENTAL TACTICS AND AMPLIFYING TACTICAL INSTRUCTIONS - AXP-5(C) | C | ISDN | | NI | 16-SEP-02 |
| | STANAG-2484 ED.1 | NATO FIELD ARTILLERY TACTICAL DOCTRINE - AARTY-5 | C | ISDA | | AI | 15-JAN-02 |
| | AOP-8 ED.1 | NATO FUZE CHARACTERISTICS DATA[CUST: AI] | C | ISDA | | AI | PENDING |
| | STANAG-4326 ED.1(1) | NATO FUZE CHARACTERISTICS DATA - AOP-8 (WITH CHANGE 1 INCLUDED) | C | ISDA | | AI | 29-OCT-90 |
| | STANAG-3968 ED.3(1) | NATO GLOSSARY OF AIR ELECTRICAL AND ELECTROMAGNETIC TERMINOLOGY | C | ISDF | | 06 | 28-OCT-98 |
| | STANAG-3871 ED.2(1) | NATO GLOSSARY OF AIRCRAFT - AIRCREW INTEGRATION (AI) SPECIALIST TERMINOLOGY AND ABBREVIATIONS | C | ISDF | | 06 | 18-SEP-96 |
| | STANAG-2493 ED.1 | NATO GLOSSARY OF ASSET TRACKING TERMS AND DEFINITIONS - AAP-35 (INCLUDING AMENDMENT 1) | C | ISDA | | AI | PENDING |
| | AAP-33 | NATO GLOSSARY OF AVIONICS TERMS AND DEFINITIONS | C | ISDA | | AI | PENDING |
| | STANAG-2409 ED.1 | NATO GLOSSARY OF MEDICAL TERMS AND DEFINITIONS - AMEDP-13 | C | ISDA | | AI | 13-FEB-02 |
| | STANAG-2367 ED.3 | NATO GLOSSARY OF NBC TERMS AND DEFINITIONS - AAP-21 | C | ISDA | | AI | 17-JAN-97 |
| | AAP-23 ED.2 | NATO GLOSSARY OF PACKAGING TERMS AND DEFINITIONS (ENGLISH AND FRENCH) | C | ISDA | | SM | 17-JUN-92 |
| | STANAG-3680 ED.5 | NATO GLOSSARY OF TERMS AND DEFINITIONS (ENGLISH AND FRENCH) - AAP-6 | C | ISDF | | 06 | 02-DEC-98 |
| | QSTAG-894 ED.1(1) | NATO GLOSSARY OF TERMS AND DEFINITIONS FOR MILITARY USE, AAP-6 (INCLUDES AMEND. 1)[CUST: AI] | C | ISDA | | AI | 18-MAR-87 |
| | STANAG-4279 ED.1(1) | NATO GLOSSARY PACKAGING TERMS AND DEFINITIONS - AAP-23 | C | ISDA | | AI | 22-AUG-90 |
| | AQAP-170 ED.2 | NATO GUIDE FOR THE DELEGATION OF GOVERNMENT QUALITY ASSURANCE | A | QCIC | | 05 | 01-SEP-97 |
| | AQAP-119 ED.2 | NATO GUIDE TO AQUAPS-110,-120 AND -130 | A | QCIC | | 05 | 28-FEB-95 |
| | STANAG-1171 ED.8 | NATO HANDBOOK OF MILITARY OCEANOGRAPHIC INFORMATION AND SERVICES - ATP-32 | C | ISDN | | NI | 26-NOV-99 |
| | STANAG-1269 ED.1 | NATO HANDBOOK ON MARITIME MEDICINE - AMEDP-11 | C | ISDN | | NI | 23-FEB-84 |
| | STANAG-2500 ED.4 | NATO HANDBOOK ON THE MEDICAL ASPECTS OF NBC DEFENSIVE OPERATIONS (AMEDP-6(B)) | C | ISDA | | AI | 11-FEB-97 |
| | AOP-29 ED.2 | NATO INDIRECT FIRE AMMUNITION INTERCHANGEABILITY PART 3 - 105 MM AMMUNITION | C | ISDA | | AI | 01-JUN-99 |
| | STANAG-5625 ED.1 | NATO INFORMATION TECHNOLOGY GLOSSARY (ENGLISH AND FRENCH) - ADATP-2 | C | ISDA | | AI | 17-MAR-00 |
| | AQAP-160 ED.1 | NATO INTEGRATED QUALITY REQUIREMENTS FOR SOFTWARE THROUGHOUT THE LIFE CYCLE | A | QCIC | | 05 | 01-JUL-00 |
| | STANAG-4359 ED.1(1) | NATO JAMDBPPK FOR SAMPLING AND IDENTIFICATION OF CHEMICAL WARFARE AGENTS (WITH AMD.1) | C | ISDA | | AI | 28-FEB-96 |
| | STANAG-4280 ED.2 | NATO LEVELS OF PACKAGING | C | ISDA | | AI | 08-FEB-99 |
| | STANAG-1311 ED.2 | NATO MARITIME EQUIPMENT CAPABILITIES & DATA | C | ISDN | | SH | PENDING |
| | STANAG-1163 ED.5(6) | NATO MARITIME UNIT DATA AND EQUIPMENT LIST - ATP-29(A) (INCLUDING AMENDMENT 6) | C | ISDN | | NI | 13-DEC-89 |
| | STANAG-4159 ED.2(1) | NATO MATERIEL CONFIGURATION MANAGEMENT POLICY AND PROCEDURES FOR MULTINATIONAL JOINT PROJECTS | C | ISDA | | AI | PENDING |
| | STANAG-7149 ED.1 | NATO MESSAGE CATALOGUE (NMC) - APP-11 | C | ISDA | | AI | 14-JUN-02 |
| | STANAG-5500 ED.4 | NATO MESSAGE TEXT FORMATTING SYSTEM (FORMETS) ADATP-3 | C | ISDA | | AI | 02-JUL-96 |
| | STANAG-6014 ED.3 | NATO METEOROLOGICAL COMMUNICATIONS MANUAL - AWP-3(B) | C | ISDA | | AI | 03-JUL-02 |
| | STANAG-6013 ED.2(1) | NATO METEOROLOGICAL SUPPORT MANUAL - AWP-2 (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 10-AUG-95 |
| | STANAG-4183 ED.1(1) | NATO METRICATION POLICY | C | ISDF | | 06 | 29-MAR-84 |
| | STANAG-1202 ED.2(5) | NATO MINE COUNTERMEASURES VEHICLES AND EQUIPMENT VOLUME I | D | ISDN | | NI | 02-AUG-99 |
| | STANAG-1257 ED.3(2) | NATO MINE DELIVERY SYSTEMS - AMP-3 (A) VOLUME II (INCLUDING AMENDMENT 2) | C | ISDN | | NI | 24-OCT-97 |
| | STANAG-4209 ED.2 | NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - STANDARDS FOR ANALOGUE TO DIGITAL CONVERSION OF SPEECH SIGNALS | C | ISDA | | AI | PENDING |
| | STANAG-4207 ED.3 | NATO MULTI-CHANNEL TACTICAL GATEWAY - MULTIPLEX GROUP FRAMING STANDARDS | C | ISDA | | AI | 19-MAY-00 |
| | STANAG-1380 ED.1 | NATO NAVAL RADIO AND RADAR RADIATION HAZARDS MANUAL AECP-2 | C | ISDN | | NI | 28-OCT-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-4167 ED.1(4) | NATO POLLUTANT DISCHARGE CONNECTION FOR SEWAGE AND FOR OILY WATER (INCLUDING AMENDMENTS 1 THRU 4) | C | ISDN | | NI | 27-OCT-82 |
| | STANAG-7023 ED.2 | NATO PRIMARY IMAGE FORMAT | C | ISDF | | 06 | PENDING |
| | STANAG-2184 ED.1 | NATO PRINCIPLES AND POLICIES FOR ASSET TRACKING | C | ISDA | | AI | 16-OCT-00 |
| | AJP-3.7 | NATO PSYCHOLOGICAL OPERATIONS DOCTRINE | C | ISDF | | 06 | 01-MAR-02 |
| | STANAG-2508 ED.1 | NATO PSYCHOLOGICAL OPERATIONS DOCTRINE AJP-3.7 | C | ISDA | | AI | 28-JUN-02 |
| | STANAG-1154 ED.10(2) | NATO QUALIFICATIONS FOR HELICOPTER CONTROLLERS AT SEA (INCLUDING AMD 1 AND 2) | C | ISDN | | NI | 27-NOV-97 |
| A | ASTANP-5 | NATO QUALITY ASSESSMENT RECOMMENDATION FOR ELECTRONIC/ELECTRICAL PARTS[CUST: AI NI 06] | D | ISDF | | 06 | 01-APR-86 |
| | AQAP-110 ED.2 | NATO QUALITY ASSURANCE REQUIREMENTS FOR DESIGN, DEVELOPMENT AND PRODUCTION | A | QCIC | | 05 | 28-FEB-95 |
| | AQAP-130 ED.2 | NATO QUALITY ASSURANCE REQUIREMENTS FOR INSPECTION AND TEST | A | QCIC | | 05 | PENDING |
| | AQAP-120 ED.2 | NATO QUALITY ASSURANCE REQUIREMENTS FOR PRODUCTION | A | QCIC | | 05 | PENDING |
| | AQAP-150 ED.2 | NATO QUALITY ASSURANCE REQUIREMENTS FOR SOFTWARE DEVELOPMENT AQAP-150 | A | QCIC | | 05 | 01-SEP-97 |
| | STANAG-1379 ED.1 | NATO RADHAZ WARNING SIGN | A | ISDN | | NI | 11-FEB-98 |
| | STANAG-4259 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - ENCODING RULES FOR ASN.1 | C | ISDN | | NM | 22-JAN-93 |
| | STANAG-4265 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - LAYER 5 (SESSION LAYER) PROTOCOL SPECIFICATION | C | ISDN | | NM | 22-JAN-93 |
| | STANAG-4255 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - LAYER 5 (SESSION LAYER) SERVICE DEFINITION | C | ISDN | | NM | 22-JAN-93 |
| | STANAG-4256 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - LAYER 6 (PRESENTATION LAYER) SERVICE DEFINITION | C | ISDN | | NM | 22-JAN-93 |
| | STANAG-4266 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - LAYER 6 (PRESENTATION LAYER) PROTOCOL SPECIFICATION | C | ISDN | | NM | 22-JAN-93 |
| | STANAG-4250 ED.2 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - PART 1: GENERAL DESCRIPTION | C | ISDA | | AI | 21-AUG-90 |
| | STANAG-4258 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - SPECIFICATION OF ABSTRACT SYNTAX NOTATION 1 (ASN.1) | C | ISDN | | NM | 22-JAN-93 |
| | ACMP-5 ED.1 | NATO REQUIREMENTS FOR CONFIGURATION AUDITS | C | ISDF | | 06 | 01-JUL-98 |
| | ACMP-3 ED.1 | NATO REQUIREMENTS FOR CONFIGURATION CONTROL - ENGINEERING CHANGES, DEVIATIONS AND WAIVERS | C | ISDF | | 06 | 01-FEB-98 |
| | ACMP-2 ED.1 | NATO REQUIREMENTS FOR CONFIGURATION IDENTIFICATION | C | ISDF | | 06 | 01-SEP-97 |
| | ACMP-4 ED.1 | NATO REQUIREMENTS FOR CONFIGURATION STATUS ACCOUNTING | C | ISDF | | 06 | 01-JUL-98 |
| | ARMP-1 ED.2 | NATO REQUIREMENTS FOR RELIABILITY AND MAINTAINABILITY | A | SESS | | CR | 31-OCT-93 |
| | STANAG-4398 ED.1 | NATO REQUIREMENTS FOR REUSABLE CONTAINERS - AEPP-1 | C | ISDA | | AI | 05-JUN-01 |
| | ACMP-1 ED.1 | NATO REQUIREMENTS FOR THE PREPARATION OF CONFIGURATION MANAGEMENT PLANS | C | ISDF | | 06 | PENDING |
| | STANAG-4545 ED.1 | NATO SECONDARY IMAGERY FORMAT (NSIF) | C | ISDA | | AI | 27-NOV-98 |
| | STANAG-1357 ED.2(2) | NATO STANDARD ABEAM 65 MM FUELING COUPLING (INCLUDING AMENDMENT 2) | C | ISDN | | NI | 10-OCT-00 |
| | STANAG-4329 ED.1 | NATO STANDARD BAR CODE SYMBOLOGY | C | ISDA | | AI | 27-FEB-91 |
| | STANAG-4195 ED.1(3) | NATO STANDARD ENGINE LABORATORY TEST FOR DIESEL AND GASOLINE ENGINES AND GAS TURBINE ENGINE (WITH AMD.1, 2 AND 3) | C | ISDA | | AI | 31-MAY-94 |
| | STANAG-1241 ED.4(1) | NATO STANDARD IDENTITY DESCRIPTION STRUCTURE FOR TACTICAL USE (INCLUDING AMENDMENT 1) | C | ISDN | | NI | 16-OCT-96 |
| | STANAG-4559 ED.1 | NATO STANDARD IMAGE LIBRARY INTERFACE (NSILI) | C | ISDA | | AI | 07-APR-03 |
| | STANAG-4272 ED.2 | NATO STANDARD METHODS OF PRESERVATION | C | ISDA | | AI | 08-OCT-04 |
| | STANAG-1446 ED.1 | NATO STANDARD OPERATING PROCEDURES FOR THE OPERATION OF ADVANCED AND FORWARD LOGISTIC SITES - SUPPLEMENT 1 TO ALP-4.1 | C | ISDN | | NI | 04-JUL-01 |
| | STANAG-4340 ED.1 | NATO STANDARD PACKAGING TEST PROCEDURES AEPP-3 | C | ISDA | | AI | 28-AUG-02 |
| | STANAG-2034 ED.6(3) | NATO STANDARD PROCEDURES FOR MUTUAL LOGISTIC ASSISTANCE (INCLUDING AMENDMENT 3) | C | ISDA | | AI | 11-OCT-00 |
| | STANAG-1384 ED.1(1) | NATO STANDARD REPLENISHMENT AT SEA (RAS) TELEPHONE CONNECTORS | D | ISDN | | NI | 04-MAR-94 |
| | STANAG-4 ED.V | NATO STANDARDIZATION AGREEMENTS & ALLIED PUBLICATIONS | C | ISDF | | 06 | 01-DEC-80 |
| | AAP-4 | NATO STANDARDIZATION AGREEMENTS AND ALLIED PUBLICATIONS | C | ISDF | | 06 | 31-JAN-02 |
| | STANAG-2442 ED.1(3) | NATO STANDARDIZATION OF COLOUR CODING AND MARKING OF EXPERIMENTAL TEST AMMUNITION (INCLUDING AMENDMENT 3) | C | ISDA | | AI | 15-JUL-94 |
| | STANAG-4249 ED.2 | NATO STANDARDIZED PROFILE - CONNECTION-ORIENTED MODE GATEWAY BETWEEN TACTICAL PACKET SWITCHED DATA NETWORKS USING A DIGITAL DATA CIRCUIT | C | ISDA | | AI | 13-MAR-02 |
| | STANAG-2150 ED.7 | NATO STANDARDS OF PROFICIENCY FOR NBC DEFENCE | C | ISDA | | AI | 25-OCT-02 |
| | STANAG-2105 ED.6 | NATO TABLE OF MILITARY EQUIVALENTS - AMEDP-1(E) | C | ISDA | | AI | 21-SEP-89 |
| | STANAG-2835 ED.2 | NATO ULTRAVIOLET REFLECTIVE (UVR) WHITE COLOUR FOR THE CAMOUFLAGE OF MILITARY EQUIPMENTS IN SNOW ENVIRONMENTS | C | ISDA | | AI | PENDING |
| | AGA-REPORT-NO3PART3 | NATURAL GAS APPLICATIONS[CUST: YD] | A | FACR | | YD | 27-JUL-04 |
| | ASTM-D2227 | NATURAL RUBBER (NR) TECHNICAL GRADES[CUST: EA SH 99] | A | 9320 | | EA | 10-NOV-96 |
| | AIR-STD-90/8 | NAVAID FLIGHT INSPECTION (CALIBRATION) STANDARDS | C | ISDF | | 06 | 19-DEC-96 |
| | STANAG-1196 ED.6 | NAVAL ARCTIC MANUAL - ATP17(B) | C | ISDN | | NI | 21-MAY-01 |
| | ABCA-STD-25B | NAVAL BOILER TUBES SPECIFICATION AND SIZES | C | ISDN | | SH | 14-DEC-72 |
| | STANAG-1212 ED.8 | NAVAL CONTROL OF SHIPPING (NCS) - INFORMATION ON PORTS, AUTHORITES AND NCS PUBLICATIONS - AAP-8(E) | C | ISDN | | NI | 30-APR-02 |
| | DI-TCSP-81023 | NAVIGATION AND SIGNAL LIGHTS LOCATION VERIFICATION REPORT [AMSC: N4978] | A | TCSP | | SH | 15-AUG-90 |
| | MIL-N-85005A(1) | NAVIGATION DISPLAY SET, AN/ASN-124[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 31-MAR-82 |
| | A-A-59010 | NAVIGATION LIGHTS[CUST: SH] | A | 6220 | / | SH | 05-FEB-99 |
| | MIL-N-81497A(2) NOT 1 | NAVIGATION SET, INERTIAL AN/ASN-84[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 15-APR-88 |
| | MIL-N-23407B(1) NOT 1 | NAVIGATION SET, RADAR AN/APN-153(V)[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 15-APR-88 |
| | SAE-AS13471 | NAVIGATION, DISPLAY MULTICOLOR MICROCHART/MAP TRANSPARENCIES[CUST: AV AS 11] [REVIEW: GS] | A | 6605 | | AS | JUL-99 |
| | MIL-N-29510 | NAVIGATIONAL SET, AN/URN-25, TACAN[CUST: AS] | A | 5825 | | AS | 12-SEP-86 |
| | MIL-N-81678B | NAVIGATIONAL SET, OMEGA AN/ARN-99(V)[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 14-FEB-77 |
| | MIL-N-81675A | NAVIGATIONAL SET, OMEGA AN/ARN-99(V) 1[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 09-NOV-76 |
| | MIL-N-81857 | NAVIGATIONAL SET, TACAN AN/ARN-105[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 24-OCT-72 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59373 NOT 1 | NAVIGATOR'S PLOTTING INSTRUMENT SET AND CASE[CUST: CR4 SH 99 IS] [REVIEW: AS] | A | 6675 | / | IS | 29-OCT-04 |
| | DI-SESS-81636 | NAVY TRAINING SYSTEMS PLAN (NTSP) [AMSC: N7483] | A | SESS | | SA | 17-OCT-02 |
| | AIR-STD-84/15 | NBC CONTAMINATION CONTROL POLICY | C | ISDF | | 06 | 28-MAR-97 |
| | AIR-STD-84/9 | NBC DEFENSE EVALUATION OF AIR BASES | C | ISDF | | 06 | 18-OCT-85 |
| | STANAG-4155 ED.1 | NBC PROTECTIVE MASK & FILTER CANISTER SCREW THREADS | C | ISDA | | AI | PENDING |
| | QSTAG-747 ED.2 | NBC SURVIVABILITY ACCEPTANCE CRITERIA, DESIGN GUIDELINES, AND TEST PROCEDURES FOR DEFENSE EQUIPMENT[CUST: AI] | C | ISDA | | AI | 27-OCT-97 |
| | SSPC-SP10 | NEAR-WHITY BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 10[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MR MS OS] | A | 8010 | | IS | 03-AUG-87 |
| | MIL-HDBK-1862 | NEBULA INSTRUCTION SET ARCHITECTURE[CUST: CR EC 02] [REVIEW: 11 AR AT CR4 GS] | A | IPSC | | CR | 20-FEB-98 |
| | A-A-50851A | NEBULIZER, MEDICINAL[CUST: MD MS 03] | A | 6515 | * | MB | 12-AUG-86 |
| | A-A-54719 | NEBULIZER-MANIFOLD ASSEMBLY, INHALATION THERAPY APPARATUS[CUST: MD MS 03] | A | 6515 | / | MB | 10-AUG-92 |
| | MIL-DTL-32145 | NECK SEAL, FLYERS' , ANTI-EXPOSURE, RUGGEDIZED[CUST: AV AS CT] [REVIEW: NU] | A | 8475 | | AS | 30-JUN-04 |
| | MIL-N-29367D(1) | NECK TAB, WOMEN'S SHIRT[CUST: MC CT] [REVIEW: NU] | A | 8445 | | CT | 20-JUN-90 |
| | MIL-N-87224 NOT 1 | NECK TAB, WOMEN'S SHIRTS[CUST: 11 CT] [REVIEW: 99] | A | 8445 | | CT | 14-FEB-89 |
| | A-A-59621 | NECKERCHIEF (ACETATE BLACK)[CUST: NU CT] | A | 8440 | / | CT | 18-OCT-00 |
| | MIL-N-43741B | NECKERCHIEF, MAN'S, COTTON, KNITTED[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8440 | | CT | 30-AUG-89 |
| | A-A-55245 | NECKLACE, PERSONNEL, IDENTIFICATION TAG[CUST: GL NU 99 CT] [REVIEW: 11 CG MC MD PE] | A | 8465 | / | CT | 12-NOV-93 |
| | A-A-55199 | NECKTIE[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8440 | / | CT | 20-MAY-93 |
| | MIL-N-29113B | NECKTIE, WOMAN S (BOW, BLACK)[CUST: NU CT] [REVIEW: 11] | A | 8445 | | CT | 11-FEB-87 |
| | A-A-55073 | NECKTIE, WOMAN'S (COAST GUARD)[CUST: CG CT] | A | 8445 | / | CT | 14-AUG-92 |
| | MIL-DTL-29387C | NECKTIE, WOMEN'S - GENERAL OFFICER[CUST: MC] | A | 8445 | | MC | 16-OCT-97 |
| | A-A-20118B | NECTARS, FRUIT, CANNED (APRICOT, PEAR, AND PEACH)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | FV | 01-MAY-98 |
| | ASTM-D1321 | NEEDLE PENETRATION OF PETROLEUM WAXES[CUST: AR SH 68] | A | 9160 | | AR | 3-OCT-94 |
| | ABMA18.1 | NEEDLE ROLLER BEARINGS RADIAL, METRIC DESIGN[CUST: AT AS 99 GS4] | A | 3110 | | GS4 | 15-AUG-95 |
| | A-A-54938 | NEEDLE, HYPODERMIC WITH FILTER[CUST: MD MS 03] | A | 6515 | / | MB | 12-JAN-94 |
| | A-A-54990 | NEEDLE, HYPODERMIC, ANESTHESIA[CUST: MD MS 03] | A | 6515 | / | MB | 16-DEC-94 |
| | A-A-54940 | NEEDLE, HYPODERMIC, BLOOD COLLECTING[CUST: MD MS 03] | A | 6515 | / | MB | 31-JAN-94 |
| | A-A-54839 | NEEDLE, HYPODERMIC, BLOOD COLLECTING[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-93 |
| | A-A-54844 | NEEDLE, HYPODERMIC, BLOOD COLLECTING[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-93 |
| | A-A-54664 | NEEDLE, HYPODERMIC, CARTRIDGE TYPE, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 29-MAY-92 |
| | A-A-54773A | NEEDLE, HYPODERMIC, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 15-MAR-94 |
| | A-A-54487 | NEEDLE, HYPODERMIC, MALLEABLE, SPINAL PUNCTURE (LEMMON)[CUST: MD MS 03] | A | 6515 | / | MB | 09-SEP-91 |
| | A-A-54918 | NEEDLE, HYPODERMIC, SPINAL ANESTHESIA[CUST: MD MS 03] | A | 6515 | / | MB | 29-OCT-93 |
| | A-A-54808 | NEEDLE, HYPODERMIC, SPINAL PUNCTURE[CUST: MD MS 03] | A | 6515 | / | MB | 12-FEB-93 |
| | A-A-54826 | NEEDLE, HYPODERMIC, TONSIL[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-93 |
| | A-A-55306 | NEEDLE, SAILMAKER'S[CUST: GL NU 99] [REVIEW: 11] | A | 8315 | / | CT | 29-JAN-97 |
| | A-A-55066 | NEEDLES, EXCEPT SURGICAL, HAND[CUST: GL NU 11 CT] [REVIEW: MC] | A | 8315 | / | CT | 15-JUL-92 |
| | A-A-51383A | NEISSERIA ENRICHMENT MEDIA, DEHYDRATED[CUST: MD MS 03] | A | MISC | / | MB | 19-SEP-86 |
| | A-A-54680 | NEOMYCIN SULFATE AND BACITRACIN OINTMENT, USP[CUST: MD MS 03] | A | 6505 | / | MB | 19-JUN-92 |
| | A-A-54999 | NEPHROSTOMY SET, PERCUTANEOUS, 10 FR. PIGTAIL CATHETER[CUST: MD MS 03] | A | 6515 | / | MB | 15-FEB-94 |
| | A-A-59356 | NET MULTI-PURPOSE[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8465 | / | CT | 28-OCT-98 |
| | A-A-54688 | NET, INSECT[CUST: MD MS 03] | A | 6640 | / | MB | 22-JUN-92 |
| | JJ-N-180G NOT 1 | NETS, LAUNDRY[CUST: GL YD 99 IS] [REVIEW: MC] | A | 3510 | / | IS | 31-AUG-89 |
| | MIL-HDBK-804 | NETWORK USER ID AND PASSWORD PROCEDURES[CUST: OM] | A | IPSC | | OM | 15-FEB-90 |
| | A-A-51280A | NEUROSURGICAL HEADREST SYSTEM[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-88 |
| A | FED-STD-809A | NEUTRALIZATION AND REPAIR OF GSA APPROVED CONTAINERS[CUST: AR YD 99 IS] | A | 7110 | * | YD | 10-MAY-05 |
| | ASTM-E545 | NEUTRON RADIOGRAPHIC EXAMINATION, DIRECT THERMAL, DETERMINING IMAGE QUALITY IN[CUST: MR AS 19] | A | NDTI | | 19 | 10-DEC-99 |
| | SAE-AMS5590 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 52.5NI - 19CR - 3.0MO - 5.1 CB - 0.90TI - 0.50A1 - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1950 DEG. F (1066 DEG. C) SOLUTION HEAT TREATED[CUST: MR AS 11] | A | 4710 | | 11 | DEC-00 |
| | SAE-AMS5873 | NICKEL ALLOY , CORROSION AND HEAT RESISTANT, SHEET, STRIP AND PLATE 65NI - 15.8CR - 5.2MO - 0.30A1 - 0.5LA CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 17-MAR-89 |
| | ASTM-B472 | NICKEL ALLOY BILLETS AND BARS FOR REFORGING[CUST: MR AS 99 IS] | A | 9510 | | IS | 11-JUL-96 |
| | SAE-AMS5401 | NICKEL ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 62NI - 21.5CR - 9.0MO - 3.6CB (NB) VACUUM MELTED, VACUUM CAST AS CAST[CUST: MR AS 11] | A | MECA | | 11 | MAR-89 |
| | SAE-AMS5854 | NICKEL ALLOY CORROSION AND HEAT RESISTAN, BARS, WIRE, FORGINGS, AND RINGS 61NI - 20.5 CR - 8.5MO - 3.4CB - 1.3T1 - 5.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 20-DEC-91 |
| | SAE-AMS5887 | NICKEL ALLOY CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 54NI - 22CR - 12.5CO - 9.0MO - 1.2A1 CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED ANNEALED[CUST: MR AS 11 IS] | A | 9510 | | IS | DEC 95 |
| | SAE-AMS5586 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDED TUBING 57NI - 19.5CR - 13.5CO - 4.2MO - 2.9TI - 1.4AL - 0.006B 0.08ZR CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED, ANNEALED[CUST: MR AS 11] | A | 4710 | | 11 | 20-DEC-91 |
| | SAE-AMS4782 | NICKEL ALLOY, BRAZING FILLER METAL 71NI - 10SI - 19CR 1975 TO 2075 DEG. F (1080 TO 1135 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | MAR-95 |
| | SAE-AMS4775 | NICKEL ALLOY, BRAZING FILLER METAL 73NI - 0.75C - 4.5SI - 14CR - 3.1B - 4.5FE 1790 TO 1970 DEG. F (977 TO 1077 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | FEB-95 |
| | SAE-AMS4776 | NICKEL ALLOY, BRAZING FILLER METAL 73NI - 4.5SI - 14CR - 3.1B - 4.5FE (LOW CARBON) 1790 TO 1970 DEG. F (977 TO 1077 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: 70 71 84 AV CR4 EA GS MC MI SH] | A | 3439 | | AS | FEB-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS4777 | NICKEL ALLOY, BRAZING FILLER METAL 82NI - 4.5SI - 7.0CR - 3.1B - 3.0FE 1780 TO 1830 DEG. F (971 TO 999 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: 70 71 84 AV CR4 EA GS MC MI SH] | A | 3439 | | AS | SEP-90 |
| | SAE-AMS4778 | NICKEL ALLOY, BRAZING FILLER METAL 92NI - 4.5SI - 3.1B 1800 TO 1900 DEG. F SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: 70 71 84 AV CR4 EA GS MC MI SH] | A | 3439 | | AS | 28-SEP-90 |
| | SAE-AMS4779 | NICKEL ALLOY, BRAZING FILLER METAL 94NI - 3.5SI - 1.8B 1800 TO 1950 DEG. F (982 TO 1066 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | FEB-95 |
| | SAE-AMS5682 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT COATING, RODS AND WIRE 78NI - 20CR[CUST: MR AS 11] | A | MFFP | | IS | 01-OCT-93 |
| | SAE-AMS5704 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT FORGINGS 57NI - 19.5CR- 13.5CO - 4.3MO - 3.0TI - 1.4A1 - 0.05ZR - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1825 TO 1900 DEG. F (995 TO 1038 DEG. C) SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | FORG | | 11 | APR 95 |
| | SAE-AMS5675 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT WELDING WIRE 70NI - 2.4MN - 15.5CR - 3.0TI - 7.0FE[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | DEC 95 |
| | SAE-AMS5836 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT WELDING WIRE 72NI - 3.0MN -20CR - 2.5CB[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 20-DEC-91 |
| | SAE-AMS5709 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AL - 0.05ZR - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1975 DEG. F (1079 DEG. C) SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | AUG-94 |
| | SAE-AMS5701 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 41.5NI - 16CR - 37FE - 2.9CB - 1.8TI CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1800 DEG. F (982 DEG. C) SOLUTION HEAT TREATED[CUST: MR 11 IS] | A | 9535 | | IS | 01-APR-93 |
| M | SAE-AMS5703 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 41.5NI - 16CR - 37FE - 2.9CB - 1.8TI CONSUMABLE ELECTRODE OR VACUUM MELTED 1750 DEG. F (954 DEG. C) SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 9515 | | 11 | 28-MAR-06 |
| | SAE-AMS5717 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 45.5NI - 25.5CR - 3.2CO - 3.2MO - 3.2W - 18.5FE SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-OCT-92 |
| | SAE-AMS5754 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS5663 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1775 DEG F (968 DEG C) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS5662 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1775 DEG. F (968 DEG. C) SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9510 | | IS | AUG-90 |
| | SAE-AMS5664 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1950 DEG. F (1066 DEG. C) SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9510 | | IS | JAN-01 |
| | SAE-AMS5713 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 53NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AL - 0.006B VACUUM MELTED, SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | JUL-94 |
| | SAE-AMS5712 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 53NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AL - 0.006B VACUUM MELTED, SOLUTION HEAT TREATED PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9510 | | IS | FEB 95 |
| | SAE-AMS5706 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 57NI - 19.5CR - 13.5CO - 4.3MO -3.0TI - 1.4AL - 0.006B - 0.05ZR CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1825 DEG. F - 1900 DEG. F SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS5707 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AL - 0.05ZR - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1825 TO 1900 DEG. F (996 TO 1038 DEG. C) SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | AUG-94 |
| | SAE-AMS5708 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AL CONSUMABLE ELECTRODE OR VACUUM INDRUCTION MELTED 1975 DEG F (1079 DEG C) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 20-DEC-91 |
| | SAE-AMS5755 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 64NI - 5.0CR - 24.5MO - 5.5FE SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 17-MAR-89 |
| | SAE-AMS5667 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 72NI - 15.5CR - 0.95CB - 2.5TI - 0.70AL - 7.0FE EQUALIZED, PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9510 | | IS | 20-DEC-91 |
| | SAE-AMS5671 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 72NI - 1.5.5CR - 0.95CB -2.5TI - 0.70A1 - 7.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1800 DEG. F (982 DEG. C) SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | 11 | 17-OCT-96 |
| | SAE-AMS5668 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 72NI - 15.5CR - 7.0FE - 2.5TI - 1.0(CB+TA) - 0.70AL 2100 DEG. F (1149 DEG. C) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-APR-93 |
| | SAE-AMS5665 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 74NI - 15.5CR - 8.0FE[CUST: MR AS 11 IS] | A | 9530 | | IS | 01-APR-92 |
| | SAE-AMS5771 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 74NI - 7.0CR - 16.5MO SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9530 | | IS | 15-AUG-90 |
| | SAE-AMS5666 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, EXTRUSIONS, AND RINGS 62NI - 21.5CR - 9.0MO - 3.65 (CB+TA) ANNEALED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-APR-92 |
| | SAE-AMS5390 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 47.5NI - 22CR - 1.5CO - 9MO - 0.60W - 18.5FE (N-12MV) AS CAST[CUST: MR AS 11] | A | MECA | | 11 | MAR-80 |
| | SAE-AMS5391 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 73NI - 0.14C - 13CR - 4.5M0 - 2.3CB - 0.75TI - 6.0AL - 0.010B - 0.10ZR VACUUM CAST, AS CAST[CUST: MR AS 11] | A | MECA | | 11 | MAR-77 |
| M | SAE-AMS5383 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 52.5NI - 19CR - 3.0MO - 5.1(CB+TA) - 0.90TI - 0.60AL - 18FE VACUUM MELTED HOMOGENIZATION AND SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | 28-MAR-06 |
| | SAE-AMS5399 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 52NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AL - 0.006B VACUUM-MELTED, VACUUM-CAST, SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | 01-APR-93 |
| | SAE-AMS5377 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 73NI - 12 CR - 4.5MO - 2.0CB - 0.70TI - 0.05C - 6.0AL - 0.010B - 0.10ZR VACUUM CAST, AS CAST[CUST: MR AS 11] [REVIEW: 99] | A | MECA | | 11 | APR-95 |
| | SAE-AMS5888 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, PLATE 54NI - 22CR - 12.5CO - 9.0MO - 1.2AL ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | DEC 95 |
| | SAE-AMS5581 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS OR WELDED TUBING 62NI - 21.5CR - 9.OMO - 3.7CB ANNEALED[CUST: MR AS 11] | A | 4710 | | 11 | JUN-01 |
| | SAE-AMS5583 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 72NI - 15.5CR - 0.95 CB - 2.5TI - 0.70AL - 7.0FE VACUUM MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE TO 170 KSI (1172 MPA) TENSILE STRENGTH[CUST: MR AS 11] | A | 4710 | | 11 | 15-AUG-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS5589 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50A1 - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1775 DEG. F (968 DEG. C) SOLUTION HEAT TREATED[CUST: MR AS 11] | A | 4710 | | 11 | AUG-94 |
| | SAE-AMS5582 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 72NI - 15.5CR - 0.95 CB - 2.5TI - 0.7OA1 - 7.0FE SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE TO 155 KSI (1069 MPA) TENSILE STRENGTH[CUST: MR AS 11] | A | 4710 | | 11 | 10-MAR-89 |
| | SAE-AMS5580 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 74NI - 15.5CR - 8.0FE ANNEALED[CUST: MR AS 11] | A | 4710 | | 11 | DEC-00 |
| | SAE-AMS5889 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET AND STRIP 54NI - 22CR - 12.5CO - 9.0MO - 1.2A1 CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | DEC 95 |
| | SAE-AMS5542 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, AND PLATE 72NI- 15.5CR - 0.95CB - 2.5TI - 0.70A1 - 7.0FE ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | APR-94 |
| | SAE-AMS5914 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND FOIL 52.5NI - 19CR - 3.0MO - 5.0CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED PRECISION COLD ROLLED, SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 9515 | | 11 | MAY-95 |
| | SAE-AMS5879 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND FOIL 62NI - 21.5CR - 9.0MO - 3.7CB COLD ROLLED AND ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | APR 96 |
| | SAE-AMS5878 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 59NI - 22CR - 2MO - 14W - 0.35A1 - 0.03LA SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 15-AUG-90 |
| | SAE-AMS5540 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 74NI - 15.5CR - 8.0FE ANNEALED[CUST: MR AS 11 IS] | A | 9535 | | IS | FEB-95 |
| | SAE-AMS5593 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 45.5NI - 25.5CR - 3.2CO - 3.2MO - 3.2W - 18.5FE SOLUTION HEAT TREATED[CUST: MR AS 11] | A | 9515 | | 11 | 31-JUL-94 |
| | SAE-AMS5536 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 47.5NI-22CR-1.5CO-9.0MO-0.60W-18.5FE SOLUTION HEAT TREATED[CUST: 11] [REVIEW: 99 AS MR] | A | 9515 | | 11 | 01-JUL-93 |
| | SAE-AMS5597 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1950 DEG. F (1067 DEG. C) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | JAN-01 |
| | SAE-AMS5545 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 54NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.5A1 - 0.006B VACUUM INDUCTION AND CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED PRECIPITATION HEAT TREATABLE[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-AUG-98 |
| | SAE-AMS5544 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 57NI - 19.5CR- 13.5CO - 4.2MO - 3.0TI - 1.4AI - 0.05ZR -0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED, ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | SAE-AMS5599 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 62NI - 21.5CR - 9.0MO - 3.7(CB+TA) ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-APR-93 |
| | SAE-AMS5869 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 62NI - 21.5CR - 9.0MO - 3.7CB SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | SAE-AMS5588 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDED TUBING 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE SOLUTION HEAT TREATED[CUST: MR AS 11] | A | 4710 | | 11 | DEC-00 |
| | SAE-AMS5837 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIER 62NI - 21.5CR - 9.0MO - 3.7CB[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | DEC-91 |
| | SAE-AMS5832 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED[CUST: MR SH 99 GS6] [REVIEW: 84] | A | 3439 | | GS6 | 10-JUL-91 |
| | SAE-AMS5829 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 56NI - 19.5CR - 16.5CO - 2.5TI - 1.5AL VACUUM INDUCTION MELTED[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | 31-JUL-94 |
| | SAE-AMS5828 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 57NI - 19.5CR - 13.5CO - 4.2MO - 3.1TI - 1.4AL - 0.006B VACUUM INDUCTION MELTED, SOLUTION HEAT TREATED[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | MAY 95 |
| | SAE-AMS5839 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 59NI - 22CR - 2.0MO - 14W - 0.35AL[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | 05-AUG-96 |
| | SAE-AMS5786 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 62.5NI - 5.0CR - 24.5MO - 5.5FE[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-OCT-82 |
| | SAE-AMS5838 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 65NI - 16CR - 15MO- 0.30AL - 0.06LA[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | 31-AUG-94 |
| | SAE-AMS5778 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 72NI - 15.5CR - 1.0CB - 2.4TI - 0.70AL - 7.0FE[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | DEC 95 |
| | SAE-AMS5679 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 73NI - 15.5CR - 2.2CB - 8.0FE[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-OCT-92 |
| | SAE-AMS5676 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 80NI - 20CR[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | JUL-94 |
| | SAE-AMS5699 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WIRE 72NI - 15.5CR - 0.95CB - 2.5TI - 0.70AL - 7.0FE SPRING TEMPER, PRECIPITATION HARDENABLE[CUST: MR AS 11] | A | 9505 | | IS | 15-AUG-90 |
| | SAE-AMS5698 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WIRE 72NI - 15.5CR - 0.95CB - 2.5TI - 0.70AL - 7.0FE NO. 1 TEMPER, PRECIPITATION HARDENABLE[CUST: MR AS 11] | A | 9505 | | IS | 15-AUG-90 |
| | SAE-AMS5687 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WIRE 74NI - 15.5CR - 8.0FE ANNEALED[CUST: MR AS 11] | A | 9505 | | IS | 15-AUG-90 |
| M | SAE-AMS5388 | NICKEL ALLOY, CORROSION AND HEAT-RESISTANT, INVESTMENT CASTINGS 53.3NI - 16.5CR - 17MO - 4.5W - 5.8FE - 0.40V (CW-12MW) AS-CAST[CUST: MR AS 11] | A | MECA | | 11 | 28-MAR-06 |
| M | SAE-AMS5962 | NICKEL ALLOY, CORROSION AND HEAT-RESISTANT, ROUND BARS AND WIRE 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1775 F (968 C) SOLUTION TREATED AND WORK STRENGTHENED PRECIPITATION HARDENABLE[CUST: MR AS 11] | A | 9530 | | 11 | 29-MAR-06 |
| M | SAE-AMS5587 | NICKEL ALLOY, CORROSION AND HEAT-RESISTANT, SEAMLESS TUBING 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE SOLUTION HEAT TREATED[CUST: MR AS 11] | A | 4710 | | 11 | 29-MAR-06 |
| | AWS-A5.11 | NICKEL AND NICKEL ALLOY WELDING ELECTRODES FOR SHIELDED METAL ARC WELDING, SPECIFICATION FOR[CUST: AR YD 99] [REVIEW: GS] | A | 3439 | | MR | 31-JUL-92 |
| | ASTM-A265 | NICKEL AND NICKEL-BASE ALLOY-CLAD STEEL PLATE[CUST: MR YD 99] | A | 9515 | | YD | 03-OCT-94 |
| | A-A-52610 NOT 1 | NICKEL BASE ALLOY, SHEET AND PLATE CORROSION AND HEAT RESISTANT, SOLUTION HEAT TREATED (HAYNES 230) (METRIC)[CUST: AT] | A | 9630 | / | AT | 19-APR-04 |
| | A-A-52549 NOT 1 | NICKEL BASE ALLOY, SHEET, CORROSION-AND HEAT-RESISTANT (METRIC)[CUST: AT] | A | 9630 | / | AT | 19-APR-04 |
| | MIL-N-24590A NOT 1 | NICKEL CHROMIUM IRON ALLOY HEAT TRANSFER TUBING (CONTROLLED DISTRIBUTION)[CUST: SH] | B | 4710 | | SH | 16-MAY-91 |
| | MIL-N-23228D | NICKEL CHROMIUM IRON ALLOY PLATE, SHEET & STRIP (CONTROLLED DISTRIBUTION)[CUST: SH] [REVIEW: IS] | F | 9535 | | SH | 20-APR-87 |
| | ASTM-B689 | NICKEL COATINGS, ELECTROPLATED ENGINEERING[CUST: MR YD 11] | A | MFFP | | YD | 03-OCT-94 |
| | MIL-N-24390B(1) NOT 1 | NICKEL MOLYBDENUM CHROMIUM IRON SHEET AND LOW CARBON, LOW SILICON NICKEL-MOLYBDENUM-CHROMIUM-IRON PLATE[CUST: SH] | F | 9535 | | SH | 24-APR-91 |
| | ASTM-B162 | NICKEL PLATE, SHEET, AND STRIP[CUST: MR SH] [REVIEW: AR IS MC OS] | A | 9535 | | SH | 15-AUG-93 |
| | SAE-AMS-QQ-N-290 | NICKEL PLATING (ELECTRODEPOSITED)[CUST: MR AS 11 IS] [REVIEW: 99 AR EA GL MI OS SH] | A | MFFP | | AS | 03-MAY-01 |
| | O-N-335 | NICKEL SALT, ELECTROPLATING | A | 6810 | # | FSS | 11-JAN-62 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS5890 | NICKEL, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND EXTRUSIONS THORIA DISPERSION STRENGTHENED 2.2TH02 STRESSED-RELIEVED[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 30-APR-94 |
| | SAE-AMS5865 | NICKEL, CORROSION AND HEAT RESISTANT, SHEET AND STRIP THORIA DISPERSION STRENGTHENED 2.2TH02[CUST: MR AS 11] [REVIEW: 99] | A | 9535 | | 11 | 31-MAY-94 |
| | SAE-AMS2404 | NICKEL, ELECTROLESS, PLATING[CUST: MR AS 11] | A | MFFP | | 11 | 03-OCT-94 |
| | ASTM-E264 | NICKEL, MEASURING FAST-NEUTRON REACTION RATES BY RADIOACTIVATION OF[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A | 5962 | | CC | 15-OCT-92 |
| | JAN-N-412A NOT 2 | NICKEL, POWDERED (FOR USE IN AMMUNITION)[CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 10-OCT-96 |
| | SAE-AMS5553 | NICKEL, SHEET AND STRIP LOW (0.02 MAX) CARBON ANNEALED[CUST: MR AS 11] [REVIEW: 99] | A | 9535 | | 11 | MAY-95 |
| | DOD-STD-1578B NOT 1 | NICKEL-CADMIUM BATTERY USAGE PRACTICES FOR SPACE VEHICLES[Military Standard][CUST: 19] [REVIEW: GS] | A | 1820 | | 19 | 04-SEP-92 |
| | SAE-AMS2416 | NICKEL-CADMIUM PLATING, DIFFUSED[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | 10-OCT-91 |
| | MIL-DTL-24422A | NICKEL-CHROMIUM-BORON AND NICKEL-CHROMIUM-CARBON ALLOY CASTINGS, WEAR AND CORROSION RESISTANT[CUST: SH] | F | MECA | | SH | 26-MAR-98 |
| | MIL-DTL-24114F | NICKEL-CHROMIUM-IRON AGE-HARDENABLE ALLOY BARS, RODS AND FORGINGS[CUST: SH] | F | 9530 | | SH | 31-MAY-96 |
| | MIL-DTL-23229E | NICKEL-CHROMIUM-IRON ALLOY BARS AND FORGINGS (UNS N06600)[CUST: SH] | F | 9535 | | SH | 10-JAN-97 |
| | MIL-DTL-24801 | NICKEL-CHROMIUM-IRON ALLOY BARS AND FORGINGS (UNS N06690)[CUST: SH] | F | 9530 | | SH | 10-FEB-97 |
| | MIL-N-24271A NOT 1 | NICKEL-CHROMIUM-IRON ALLOY CASTINGS (ISSUE CONTROLLED)[CUST: SH] | F | MECA | | SH | 30-OCT-90 |
| | MIL-STD-2192A | NICKEL-CHROMIUM-IRON ALLOY MICROSTRUCTURE PROCEDURE REQUIREMENTS AND ACCEPTANCE CRITERIA[Test Method Standard][CUST: SH] | F | NDTI | | SH | 29-JAN-97 |
| | MIL-DTL-24802 | NICKEL-CHROMIUM-IRON ALLOY PLATE (UNS N06690)[CUST: SH] | F | 9535 | | SH | 16-JAN-97 |
| | MIL-DTL-24803 | NICKEL-CHROMIUM-IRON ALLOY TUBE REDUCED EXTRUSIONS FOR REDRAW APPLICATIONS (UNS N06690)[CUST: SH] | F | 4710 | | SH | 21-JAN-97 |
| | ASTM-B168 | NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600, N06601, N06603, N06690, N06025, AND N06045) AND NICKEL - CHROMIUM - COBALT - MOLYBDENUM ALLOY (UNS N06617) PLATE, SHEET, AND STRIP[CUST: MR YD] [REVIEW: AT EA IS SH] | A | 9535 | | YD | 15-AUG-94 |
| | ASTM-B167 | NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600, N06601, N06603, N06690, N06693, N06025 AND N06045)* AND NICKEL-CHROMIUM-COBALT-MOLBDENUM ALLOY (UNS N06617) SEAMLESS PIPE AND TUBE[CUST: CR4 YD 99] | A | 4710 | | CC | 15-MAR-94 |
| | ASTM-B166 | NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600, N06601,N06603, N06690, N06693, N06025, AND N06045)* AND NICKEL-CHROMIUM-COLBALT-MOLYBDENUM ALLOY (UNS N06617) ROD, BAR, AND WIRE[CUST: MR YD] [REVIEW: AT EA IS SH] | A | 9530 | | YD | 15-FEB-93 |
| | MIL-DTL-24492C | NICKEL-CHROMIUM-IRON-COLUMBIUM AGE-HARDENABLE ALLOY BARS, REFORGING STOCK, AND FORGINGS (ALLOY 718 (UNS N07718))[CUST: SH] | F | 9530 | | SH | 26-AUG-96 |
| | MIL-DTL-24799 | NICKEL-CHROMIUM-MOLYBDENUM-COLUMBIUM AGE-HARDENABLE ALLOY BARS, RODS, AND FORGINGS (CONTROLLED DISTRIBUTION)[CUST: SH] | F | 9530 | | SH | 04-JUN-96 |
| | MIL-N-24687A | NICKEL-CHROMIUM-MOLYBDENUM-IRON-COLUMBIUM ALLOY BARS, AND FORGINGS[CUST: SH] | F | FORG | | SH | 14-MAY-93 |
| | ASTM-B355 | NICKEL-COATED SOFT OR ANNEALED COPPER WIRE[CUST: CR SH 11 CC] [REVIEW: 99 AR AS CG MC MI] | A | 6145 | | CC | 27-JUL-90 |
| | ASTM-B127 | NICKEL-COPPER ALLOY (UNS N04400) PLATE, SHEET, AND STRIP[CUST: MR YD 99] [REVIEW: AR OS SH] | A | 9535 | | YD | 10-AUG-98 |
| | ASTM-B165 | NICKEL-COPPER ALLOY (UNS N04400) SEAMLESS PIPE AND TUBE[CUST: CR4 YD 99] | A | 4710 | | CC | 15-FEB-93 |
| | QQ-N-281D(2) | NICKEL-COPPER ALLOY BAR, ROD, PLATE, SHEET, STRIP, WIRE, FORGINGS, AND STRUCTURAL AND SPECIAL SHAPED SECTIONS[CUST: MR SH 11] [REVIEW: 84 99 AR AS CR4 IS MI OS YD] | A | 9535 | / | SH | 23-OCT-85 |
| | MIL-N-24106C | NICKEL-COPPER ALLOY BARS, RODS, AND FORGINGS[CUST: SH] | F | 9530 | | SH | 16-SEP-92 |
| | MIL-N-24549B(1) | NICKEL-COPPER-ALUMINUM ALLOY, AGE HARDENABLE, BARS AND RODS (CONTROLLED DISTRIBUTION)[CUST: SH] | F | 9530 | | SH | 05-NOV-90 |
| | QQ-N-286G | NICKEL-COPPER-ALUMINUM ALLOY, WROUGHT (UNS N05500)[CUST: MR SH 11] [REVIEW: 84 99 AV CR GL IS OS] | A | 9525 | / | SH | 07-DEC-00 |
| | SAE-AMS5661 | NICKEL-IRON ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 42.5NI - 12.5CR - 5.8MO - 2.9TI - 0.015B - 35FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | AUG-90 |
| | SAE-AMS5830 | NICKEL-IRON ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 12.5CR - 42.5NI - 6.0MO - 2.7TI - 0.015B - 35FE[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | DEC 91 |
| | SAE-AMS7718 | NICKEL-IRON ALLOY, MAGNETIC, BARS, RODS, TUBING, AND FORGINGS 50NI - 50FE[CUST: MR AS 11 IS] | A | 9535 | | IS | 15-AUG-90 |
| M | SAE-AMS7719 | NICKEL-IRON ALLOY, MAGNETIC, SHEET AND STRIP 50NI - 50FE STAMPING QUALITY, HALF-HARD TEMPER[CUST: MR AS 11] | A | 9535 | | 11 | 28-MAR-06 |
| | SAE-AMS7701 | NICKEL-IRON ALLOY, MAGNETIC, SHEET AND STRIP ANNEALED[CUST: MR AS 11 IS] [REVIEW: CE EA] | A | 9535 | | IS | MAR-94 |
| | SAE-AMS7702 | NICKEL-IRON ALLOY, MAGNETIC, SHEET AND STRIP COLD ROLLED, HALF-HARD TEMPER[CUST: MR AS 11 IS] [REVIEW: CE EA] | A | 9535 | | IS | MAR-94 |
| | SAE-AMS7717 | NICKEL-IRON ALLOY, MAGNETIC, SHEET AND STRIP, 50NI - 50FE ANNEALED, FORMING GRADE[CUST: MR AS 11 IS] | A | 9535 | | IS | 30-OCT-81 |
| | SAE-AMS5660 | NICKEL-IRON ALLOY,CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 12.5CR - 42.5NI -6.0MO - 2.7TI - 0.015B - 34FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 17-MAR-89 |
| | SAE-AMS2433 | NICKEL-THALLIUM-BORON OR NICKEL-BORON ELECTROLESS DESPOSITION, PLATING[CUST: MR AS 11] [REVIEW: 68 84 99 AR CR4 MI OS SH] | A | MFFP | | 11 | APR-89 |
| | A-A-53363A | NIFEDIPINE CAPSULES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 22-APR-94 |
| | MIL-PRF-49065F | NIGHT VISION GOGGLES, AN/PVS-5 ( )[CUST: CR AS 11] [REVIEW: AT] | A | 5855 | | CR | 04-MAR-99 |
| | STANAG-3800 ED.2(1) | NIGHT VISION IMAGING SYSTEM (NVIS) INTERIOR LIGHTING COMPATIBILITY DESIGN CRITERIA | C | ISDF | | 06 | 15-FEB-01 |
| | DI-MISC-80113A | NIGHT VISION IMAGING SYSTEM: (NVIS) COMPATIBLE AIRCRAFT INTERIOR LIGHTING COMPLIANCE DATA [AMSC: N4526] | A | MISC | | AS | 26-AUG-88 |
| | ADV-PUB-61/113/16 | NIGHT VISION MANUAL FOR THE FLIGHT SURGEON | C | ISDF | | 06 | 19-OCT-95 |
| | MIL-PRF-49064E | NIGHT VISION SIGHT, CREW SERVED WEAPON AN/TVS-5[CUST: CR 99] | A | 5855 | | CR | 04-MAR-99 |
| | MIL-PRF-49063E | NIGHT VISION SIGHT, INDIVIDUAL SERVED WEAPON AN/PVS-4[CUST: CR 99] | A | 5855 | | CR | 04-MAR-99 |
| | A-A-53860 | NIPPER, INGROWN TOENAIL[CUST: MD MS 03] | A | 6515 | / | MB | 15-MAR-89 |
| | A-A-54442 | NIPPER-RONGUER, SUGARMAN[CUST: MD MS 03] | A | 6520 | / | MB | 10-JUL-91 |
| | MS27225B | NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES, 45 DEG[CUST: AT AS 99 CC] [REVIEW: 71 AV] | A | 4730 | | CC | 07-SEP-99 |
| | MS27619A | NIPPLE SUB ASSEMBLY, FLARED, STRAIGHT - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27632A | NIPPLE SUB ASSEMBLY, FLARELESS, STRAIGHT - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS27061C | NIPPLE SUBASSEMBLY, FLARED, STRAIGHT - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27386B | NIPPLE SUBASSEMBLY, FLARELESS, STRAIGHT - WITH SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27062C | NIPPLE SUBASSEMBLY, STRAIGHT, SWIVEL FLANGE[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS24589B | NIPPLE, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES. 1 THROUGH 2 INCHES TUBING SIZE[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | MS27239D(1) | NIPPLE, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES. 1/4 THROUGH 3 IN. TUBE SIZES[CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA] | A | 4730 | | CC | 06-APR-01 |
| | MS24588B | NIPPLE, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES. 3/16 THROUGH 3/4 INCH TUBING SIZES[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC MI SA] | A | 4730 | | CC | 22-SEP-00 |
| | A-A-59178A | NIPPLE, ELECTRICAL TERMINAL[CUST: AS 11 GS2] [REVIEW: 99 MC] | A | 5975 | / | GS2 | 12-OCT-04 |
| | SAE-AS896 | NIPPLE, FITTING, REDUCER, FLARELESS TUBE TO PIPE, EXTERNAL THREAD[CUST: AV AS 99 CC] [REVIEW: 11 71 AR AT CR4 MI] | A | 4730 | | CC | DEC-95 |
| | MS27075C | NIPPLE, FLARED, TUBE TO HOSE- SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS27626A(1) | NIPPLE, FLARED, TUBE TO HOSE-SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 04-NOV-04 |
| | MS27391D | NIPPLE, FLARELESS, TUBE TO HOSE - SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27635B | NIPPLE, FLARELESS, TUBE TO HOSE - SWIVEL NUT[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | SAE-AS4860 | NIPPLE, PIPE, EXTERNAL THREAD[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | JUL-95 |
| | MS33740C | NIPPLE, PNEUMATIC STARTING, 3 INCH ID[CUST: AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 18-OCT-99 |
| | MS27076D | NIPPLE, STRAIGHT, SWIVEL FLANGE[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS9095A | NIPPLE, TUBE - AMS 4121, BOSS[CUST: AV AS 11] | A | 4730 | | CC | 11-MAR-70 |
| | MS9193 | NIPPLE, TUBE - AMS 5639, BOSS[CUST: AS CC] [REVIEW: MI] | A | 4730 | | CC | 11-APR-60 |
| | ASTM-D301 | NITRATE, SOLUBLE CELLULOSE[CUST: AR OS 99] | A | 8010 | | 84 | 15-SEP-95 |
| | EIA364.53 | NITRIC ACID VAPOR TEST, GOLD FINISH TEST PROCEDURE FOR ELECTRICAL CONNECTORS AND SOCKETS[CUST: CR AS 11 CC] [REVIEW: AV MI] | A | 5935 | | CC | 29-JUN-01 |
| | A-A-59105B | NITRIC ACID, TECHNICAL[CUST: MD1 SH 68 GS3] [REVIEW: AR MI OS] | A | 6810 | / | GS3 | 18-MAR-04 |
| | SAE-AMS3202 | NITRILE (NBR) RUBBER DRY HEAT RESISTANT 55-65[CUST: MR AS 11 GS] | A | 9320 | | AS | 01-OCT-91 |
| | SAE-AMS3201 | NITRILE (NBR) RUBBER DRY HEAT RESISTANT, 35-45[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-90 |
| | SAE-AMS3200 | NITRILE (NBR) RUBBER PETROLEUM-BASE HYDRAULIC FLUID RESISTANT, 55 - 65[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-90 |
| | MIL-DTL-244B | NITROCELLULOSE[CUST: AR OS 99] | A | 1376 | | AR | 12-NOV-96 |
| | TT-N-350B | NITROCELLULOSE, TECHNICAL (FOR USE IN ORGANIC COATINGS)[CUST: OS 68] [REVIEW: AS GS SH] | A | 6810 | / | OS | 19-SEP-73 |
| | ASTM-D2868 | NITROGEN CONTENT (KJELDAHL) AND HIDE SUBSTANCE CONTENT OF LEATHER[CUST: GL NU 99 CT] | A | 83GP | | CT | 10-MAY-96 |
| | ASTM-D1607 | NITROGEN DIOXIDE CONTENT OF THE ATMOSPHERE (GRIESS-SALTZMAN REACTION)[CUST: EA MS 99] | A | 6630 | | EA | 15-AUG-91 |
| | ASTM-D4629 | NITROGEN TRACE IN LIQUID PETROLEUM HYDROCARBONS BY SYRINGE/INLET OXIDATIVE COMBUSTION AND CHEMILUMINESCENCE DETENTION[CUST: AT] [REVIEW: 99 AS CR4 PS] | A | 91GP | | AT | 15-MAR-91 |
| | CGA-G10.1 | NITROGEN, COMMODITY SPECIFICATION FOR[CUST: CR4 YD 68] [REVIEW: GS] | A | 6830 | | YD | 1991 |
| | A-A-59155 | NITROGEN, HIGH PURITY, SPECIAL PURPOSE[CUST: SH] | A | 6830 | / | SH | 05-MAR-03 |
| | A-A-59503 | NITROGEN, TECHNICAL[CUST: AV SH 68 GS3] [REVIEW: AR AS DS EA MC MD OS YD] | A | 6830 | / | GS3 | 01-JUN-00 |
| | MIL-N-246B NOT 1 | NITROGLYCERIN[CUST: AR OS 11] [REVIEW: 99 EA] | A | 1376 | | AR | 11-JAN-00 |
| | A-A-51937A | NITROGLYCERIN LINGUAL AEROSOL[CUST: MD MS 03] | A | 6505 | / | MB | 22-APR-94 |
| | A-A-54510 | NITROGLYCERIN OINTMENT, USP[CUST: MD MS 03] | A | 6505 | / | MB | 15-NOV-91 |
| | A-A-53779 | NITROGLYCERIN TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 06-JAN-89 |
| | MIL-N-494A(7) | NITROGUANIDINE (PICRITE)[CUST: AR OS] [REVIEW: MI] | A | 1376 | | AR | 11-APR-83 |
| | MIL-N-37996 | NITROUS OXIDE GAS, USPHIGH PRESSURE, CYLINDER[CUST: MD MS 03] [REVIEW: 68 CR4 SH] | A | 6505 | | MB | 24-DEC-85 |
| | SAE-HIR1622 | NOISE CONTROL IN FLUID POWER SYSTEMS OF MARINE VEHICLES[CUST: CR4 SH] [REVIEW: MC] | A | HFAC | | SH | 25-NOV-86 |
| | MIL-STD-1474D NOT 1 | NOISE LIMITS[Design Criteria Standard][CUST: MI AS 11] [REVIEW: AI AT CR4 MD OS SH TD TE YD] | A | HFAC | | MI | 29-AUG-97 |
| | MIL-N-18307G(2) | NOMENCLATURE + IDENTIFICATION FOR AERONAUTICAL SYSTEMS INCLUDING JOINT ELECTRONICS TYPE DESIGNATED SYSTEMS + ASSOCIATED SUPPORT SYSTEMS[CUST: AS] [REVIEW: OS] | A | SESS | | AS | 15-SEP-86 |
| | STANAG-3647 ED.3(3) | NOMENCLATURE IN AIRCREW STATIONS | C | ISDF | | 06 | PENDING |
| | SAE-J1065 | NOMINAL REFERENCE WORKING PRESSURES FOR STEEL HYDRAULIC TUBING[CUST: CR4 YD 99] [REVIEW: 71 SH] | A | 4730 | | CC | 16-JUL-93 |
| | DI-MISC-81367 | NON-APPROPRIATED FUNDS INSTRUMENTALITY (NAFI) DISCOUNT FEE LISTING [AMSC: F6963] | A | MISC | | 10 | 03-SEP-93 |
| | AIR-STD-20/19B(3) | NON-EJECT RELEASE UNITS FOR AIRCRAFT STORES | C | ISDF | | 06 | 08-FEB-94 |
| | MIL-DTL-24777A | NON-METALLIC MATERIALS WITH SPECIAL REQUIREMENTS[CUST: SH] | F | 9330 | | SH | 29-JAN-98 |
| | DI-ILSS-80956 | NON-READY FOR ISSUE (NON-RPI) MATERIAL REPORT [AMSC: N4906] | A | SESS | | SH | 27-FEB-90 |
| | NEMA-WC70 | NON-SHIELDED POWER CABLES RATED 2000 VOLTS OR LESS FOR THE DISTRIBUTION OF ELECTRICAL ENERGY[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | MIL-STD-1699B | NONDESTRUCTIVE EVALUATION OF BUTT WELDS IN CRANE AND RAILROAD RAILS[Military Standard][CUST: YD] | A | NDTI | | YD | 17-JUL-92 |
| | MIL-HDBK-1823 NOT 1 | NONDESTRUCTIVE EVALUATION SYSTEM, RELIABILITY ASSESSMENT[CUST: MR AS 11] [REVIEW: 99 SH] | A | NDTI | | 11 | 14-APR-04 |
| | MIL-STD-2132C(1) | NONDESTRUCTIVE EXAMINATION REQUIREMENTS FOR SPECIAL APPLICATIONS (WITH CHANGE NOTICE INCLUDED)[Military Standard][CUST: SH] | F | NDTI | | SH | 25-APR-97 |
| | MS14189 NOT 1 | NONDESTRUCTIVE INSPECTION OF REBUILT AIRCRAFT TIRES, REQUIREMENT FOR[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 29-OCT-91 |
| | MIL-HDBK-728/1 NOT 1 | NONDESTRUCTIVE TESTING[CUST: MR AS 11] [REVIEW: AR OS] | A | NDTI | | MR | 01-JUL-92 |
| | MIL-STD-2035A | NONDESTRUCTIVE TESTING ACCEPTANCE CRITERIA[Test Method Standard][CUST: SH] | A | NDTI | | SH | 15-MAY-95 |
| | MIL-HDBK-733 NOT 1 | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - RADIOGRAPHY[CUST: MR AS 11] [REVIEW: 84 99 AR AT AV CR4 MI OS SH] | A | NDTI | | MR | 02-JUL-92 |
| | MIL-HDBK-731 NOT 1 | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - THERMOGRAPHY[CUST: MR AS 11] [REVIEW: 84 99 AT AV MI OS SH] | A | NDTI | | MR | 12-JUN-92 |
| | MIL-HDBK-787 NOT 1 | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - ULTRASONIC[CUST: MR AS 11] [REVIEW: 84 99 AR AT AV CR4 MI OS SH] | A | NDTI | | MR | 05-MAY-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-732A | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS ACOUSTIC EMISSION[CUST: MR AS 11] [REVIEW: 70 71 99 AR AT AV CR4 MI OS SH YD] | A | NDTI | | MR | 24-APR-91 |
| | MIL-HDBK-793 | NONDESTRUCTIVE TESTING TECHNIQUES FOR STRUCTURAL COMPOSITES[CUST: AR] [REVIEW: MR] | A | NDTI | | AR | 06-NOV-89 |
| | MIL-STD-798(1) NOT 2 | NONDESTRUCTIVE TESTING, WELDING, QUALITY CONTROL, MATERIAL CONTROL AND IDENTIFICATION AND HI-SHOCK TEST REQUIREMENTS FOR PIPING SYSTEM COMPONENTS FOR NAVAL SHIPBOARD USE[Standard Practice][CUST: SH] | A | MISC | | SH | 29-FEB-88 |
| | SD-2 | NONDEVELOPMENTAL ITEM PROGRAM[CUST: AM NM 01 DH] | A | SDMP | | SO | 01-APR-96 |
| | MIL-HDBK-1005/17 | NONDOMESTIC WASTEWATER CONTROL AND PRETREATMENT DESIGN CRITERIA[CUST: CE 50] | A | FACR | | 50 | 30-OCT-98 |
| | MS14184A NOT 1 | NONMETALLIC SHAFT-COUPLING DETAILS, ENGINE DRIVEN ACCESSORIES[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 31-DEC-87 |
| | ASTM-D3950 | NONMETALLIC, STRAPPING, (AND JOINING METHODS)[CUST: SM AS 99] [REVIEW: 11 AR GL IS MI OS SA SH YD] | A | PACK | | AS | 27-JUL-90 |
| | NASM33557 | NONSTRUCTURAL RIVETS FOR BLIND ATTACHMENT; LIMITATIONS FOR DESIGN AND USAGE[CUST: AS 11 IS] | A | 5320 | | IS | NOV-99 |
| | MIL-HDBK-1223 | NONTACTICAL WHEELED VEHICLES TREATMENT, PAINTING, IDENTIFICATION MARKING AND DATA PLATE STANDARDS[CUST: AT YD 99] | A | 23GP | | AT | 17-APR-98 |
| A | A-A-20112C | NOODLES, CHOW MEIN[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8920 | / | SS | 28-DEC-05 |
| | A-A-20063C | NOODLES, EGG, ENRICHED | A | 8920 | # | FSS | 03-JUN-97 |
| | A-A-51567A | NORETHINDRONE & ETHINYL ESTRADIOL TABLETS, USP (TRIPHASIC)[CUST: MD MS 03] | A | 6505 | | MB | 03-SEP-87 |
| | STANAG-2916 ED.1 | NOSE FUZE CONTOURS AND MATCHING PROJECTILE CAVITIES FOR ARTILLERY AND MORTAR PROJECTILES | C | ISDA | | AI | 06-NOV-89 |
| | UU-N-600B | NOTEBOOK, STENOGRAPHER S | A | 7530 | # | FSS | 06-SEP-79 |
| | DI-MISC-81363 | NOTICE OF EXCESS COMMERCIAL AIRLINE TICKET COST [AMSC: F6959] | A | MISC | | 10 | 01-SEP-93 |
| | DI-CMAN-80642C | NOTICE OF REVISION (NOR) [AMSC: D7390] | A | SESS | | SE | 30-SEP-00 |
| | DI-MGMT-80440 | NOTIFICATION OF SHIPMENT OF REPAIRED GOVERNMENT MATERIEL [AMSC: A4216] | A | MGMT | | AM | 17-SEP-87 |
| | DI-MISC-81624 | NOTIFICATION OF TEST/TRIALS [AMSC: N7454] | A | MISC | | SA | 01-AUG-01 |
| | A-A-2281 | NOZZEL, FIRE HOSE, WATER (VARIABLE GALLONAGE, CONSTANT FLOW) | A | 4210 | # | FSS | 06-NOV-84 |
| | MIL-PRF-52747F | NOZZLE ASSEMBLY, CLOSED-CIRCUIT REFUELING, STANDARD AND ARCTIC SERVICE[CUST: AT] [REVIEW: AV] | A | 4930 | | AT | 26-FEB-96 |
| | MIL-PRF-52748F NOT 1 | NOZZLE, ADAPTER, CLOSED-CIRCUIT TO GRAVITY FILL, STANDARD AND ARCTIC SERVICE[CUST: AT] [REVIEW: AV] | A | 4930 | | AT | 15-APR-04 |
| | MIL-N-25161C(3) | NOZZLE, AERIAL PRESSURE REFUELING, TYPE MA-2[CUST: AS 99] [REVIEW: 71 GS] | A | 1680 | | 11 | 12-FEB-81 |
| | QPL-25161-20 | NOZZLE, AERIAL REFUELING, TYPE MA-2 | A | 1680 | | 11 | 30-MAY-89 |
| | QPL-AS5877-1 | NOZZLE, AIRCRAFT PRESSURE REFUELING | A | 4930 | | AS | 20-AUG-01 |
| | SAE-AS5877 | NOZZLE, AIRCRAFT PRESSURE REFUELING[CUST: AS 11] | A | 4930 | | AS | 20-AUG-01 |
| | A-A-2279 | NOZZLE, FIRE HOSE, WATER (FIXED GALLONAGE) | A | 4210 | # | FSS | 07-NOV-84 |
| | A-A-2280 | NOZZLE, FIRE HOSE, WATER (SELF-ADJUSTING) | A | 4210 | # | FSS | 07-NOV-84 |
| | A-A-55537 NOT 1 | NOZZLE, OIL BURNER, PRESSURE ATOMIZING[CUST: 99 CC] [REVIEW: 84] | A | 4530 | / | CC | 01-OCT-03 |
| | MIL-DTL-25677/3A(1) | NOZZLE, PRESSURE LUBRICATING OIL SERVICING, LOCKING[CUST: AS 99 CC] [REVIEW: 06 71 CG MC SA] | A | 4730 | | CC | 04-NOV-04 |
| | MIL-N-24408E(1) | NOZZLES, FIRE HOSE, COMBINATION AQUEOUS FILM FORMING FOAM, WATER SPRAY, ADJUSTABLE PATTERN (SHIPBOARD USE)[CUST: SH] | A | 4210 | | SH | 28-FEB-02 |
| | A-A-52030 | NOZZLES, FUEL AND OIL SERVICING, NONAUTOMATIC SHUTOFF AND NOZZLES, FUEL SERVICING, AUTOMATIC SHUTOFF[CUST: AT YD] [REVIEW: 84 AV CE CG MC] | A | 4930 | / | IS | 09-MAY-91 |
| | PFI-ES7 | NOZZLES, WELDED, MINIMUM LENGTH AND SPACING FOR[CUST: YD] | A | FACR | | YD | 08-JUL-04 |
| | A-A-50461C | NOZZLES; GARDEN HOSE (FOR 5/8- AND 3/4-INCH HOSE)[CUST: SH CC] [REVIEW: MC SA] | A | 4730 | / | CC | 04-DEC-02 |
| | QSTAG-1039 ED.1 | NUCLEAR AND RADIOLOGICAL WEAPON CAPABILITIES WORLDWIDE UP TO 2005[CUST: AI] | C | ISDA | | AI | 29-JUL-97 |
| | STANAG-4521 ED.1 | NUCLEAR BIOLOGICAL, CHEMICAL (NBC) DEFENCE FACTORS IN THE DESIGN, TESTING AND ACCEPTANCE OF MILITARY EQUIPMENT - AEP-7 | C | ISDA | | AI | 09-MAY-97 |
| | QSTAG-1284 ED.1 | NUCLEAR BLAST AND THERMAL TEST METHODS AND PROCEDURES[CUST: AI] | C | ISDA | | AI | 17-JAN-97 |
| | AEP-25 | NUCLEAR BLAST AND THERMAL TEST METHODS AND PROCEDURES | C | ISDA | | AI | 31-MAY-95 |
| | STANAG-4524 ED.1 | NUCLEAR BLAST ANDTHERMAL TEST METHODS AND PROCEDURES - AEP 25 | C | ISDA | | AI | 09-MAY-97 |
| | STANAG-2910 ED.2(1) | NUCLEAR CASUALTY AND DAMAGE ASSESSMENT FOR EXERCISES - AXP-6(A) | C | ISDA | | AI | 01-APR-97 |
| | MIL-STD-1822 | NUCLEAR CERTIFICATION OF WEAPON SYSTEMS, SUBSYSTEMS, AND ASSOCIATED FACILITIES AND EQUIPMENT[Military Standard][CUST: 22] | A | 11GP | | 22 | 30-SEP-94 |
| | DI-NUOR-81409 | NUCLEAR CERTIFICATION PLAN (NCP) [AMSC: F7046] | A | NUOR | | 22 | 29-JUL-94 |
| | STANAG-4416 ED.1 | NUCLEAR ELECTROMAGNETIC PULSE TESTING OF MUNITIONS CONTAINING ELECTRO-EXPLOSIVE DEVICES | C | ISDA | | AI | 26-AUG-02 |
| | DI-ENVR-80266 | NUCLEAR HARDNESS AND SURVIVABILITY DESIGN ANALYSIS REPORT [AMSC: F4003] | A | ENVR | | 14 | 01-DEC-86 |
| | MIL-STD-1766B | NUCLEAR HARDNESS AND SURVIVABILITY PROGRAM REQUIREMENTS FOR ICBM WEAPON SYSTEMS[Military Standard][CUST: 19] [REVIEW: MI OS TE] | A | ENVR | | 19 | 09-SEP-94 |
| | DI-NUOR-80926 | NUCLEAR SURVIVABILITY ASSURANCE PLAN [AMSC: A4868] | A | NUOR | | AM | 09-JAN-90 |
| | STANAG-4145 ED.2(2) | NUCLEAR SURVIVABILITY CRITERIA FOR ARMED FORCES MATERIEL AND INSTALLATIONS - AEP-4 (WITH AMD. 1 & 2) | C | ISDA | | AI | 29-JAN-91 |
| | DI-NUOR-80927 | NUCLEAR SURVIVABILITY DESIGN PARAMETERS REPORT [AMSC: A4869] | A | NUOR | | AM | 09-JAN-90 |
| | DI-NUOR-80156A | NUCLEAR SURVIVABILITY PROGRAM PLAN [AMSC: A4867] | A | NUOR | | AM | 09-JAN-90 |
| | DI-NUOR-80928 | NUCLEAR SURVIVABILITY TEST PLAN [AMSC: A4870] | A | NUOR | | AM | 09-JAN-90 |
| | DI-NUOR-80929A | NUCLEAR SURVIVABILITY TEST REPORT [AMSC: A6740] | A | NUOR | | AM | 04-JUN-92 |
| | MIL-HDBK-272A | NUCLEAR WEAPONS SYSTEMS, SAFETY DESIGN AND EVALUATION CRITERIA FOR[CUST: OS] [REVIEW: SH] | A | NUOR | | OS | 02-APR-93 |
| | MIL-HDBK-255A(1) | NUCLEAR WEAPONS SYSTEMS, SAFETY, DESIGN, AND EVALUATION CRITERIA FOR[CUST: AS] | A | NUOR | | AS | 09-SEP-93 |
| | STANAG-2352 ED.4(3) | NUCLEAR, BIOLOGICAL AND CHEMICAL (NBC) DEFENCE EQUIPMENT - OPERATIONAL GUIDELINES (INCLUDING AMENDMENT 2) | C | ISDA | | AI | 09-FEB-98 |
| | AEP-7 ED.4 | NUCLEAR, BIOLOGICAL AND CHEMICAL (NBC) DEFENCE FACTORS IN THE DESIGN, TESTING AND ACCEPTANCE OF MILITARY EQUIPMENT | C | ISDA | | AI | 01-JAN-48 |
| | STANAG-2112 ED.4 | NUCLEAR, BIOLOGICAL AND CHEMICAL RECONNAISSANCE | C | ISDA | | AI | 06-MAR-98 |
| | QSTAG-2001 ED.1 | NUCLEAR, BIOLOGICAL, AND CHEMICAL RECONNAISSANCE[CUST: AI] | C | ISDA | | AI | 08-DEC-98 |
| | ANSI-Z17.1 | NUMBERS, PREFERRED[CUST: AR] | A | MISC | | AR | 30-SEP-74 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-1559(2) NOT 1 | NUMBERS, SERIAL, AIRCRAFT GAS TURBINE ENGINE AND ENGINE MODULE ASSIGNMENT OF[CUST: AV 11] [REVIEW: 82 99 GS] | A | 2840 | | 11 | 14-FEB-97 |
| | A-A-53108 | NUMERAL SET, X-RAY FILM MARKING[CUST: MD MS 03] | A | 6525 | / | MB | 31-AUG-87 |
| | AIR-STD-61/113/1F(1) | NUMERALS AND LETTERS FOR AIRCREW STATION DISPLAYS | C | ISDF | | 06 | 09-SEP-88 |
| | STANAG-3329 ED.6(4) | NUMERALS AND LETTERS IN AIRCREW STATIONS | C | ISDF | | 06 | 29-NOV-84 |
| | NASM85353-1 | NUT (FASTENER), INTERNALLY THREADED, HEXAGON, REDUCED HEIGHT 125 KSI AND 200 KSI FLU, 450 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | DEC-99 |
| | NAS488 | NUT - "J" TYPE SHEET SPRING[CUST: AR YD 99 IS] | A | 5310 | | IS | 25-APR-79 |
| | NAS396 | NUT - "U" TYPE COUNTERSUNK SHEET SPRING[CUST: AR YD 99 IS] | A | 5310 | | IS | 29-MAR-78 |
| | NAS395 | NUT - "U" TYPE SHEET SPRING[CUST: AR YD 99 IS] | A | 5310 | | IS | 29-MAR-78 |
| | SAE-MA2520 | NUT - HEX, BACK-UP RING, PORT FITTING CONNECTOR, AMS 5639, MJ THREAD, METRIC[CUST: AR YD 99 IS] | A | 5310 | | IS | AUG-86 |
| | SAE-AS90991 | NUT - HEX, BOSS CONNECTION, ALUMINUM[CUST: AV AS 99] | A | 5310 | | IS | 30-OCT-00 |
| | SAE-AS91001 | NUT - HEX, BOSS CONNECTION, CRES[CUST: AV AS 99] | A | 5310 | | IS | 30-OCT-00 |
| | SAE-AS150426THRUAS150450 | NUT - HEX, CHECK[CUST: AV AS 99 IS] | A | 5310 | | IS | AUG-00 |
| | SAE-MA2521 | NUT - HEX, PORT FITTING CONNECTOR, AMS 5639, MJ THREAD, METRIC[CUST: AR AS 99 IS] [REVIEW: AV SH] | A | 5310 | | IS | 01-AUG-86 |
| | NAS487 | NUT - INSTRUMENT MOUNT[CUST: AR YD 99 IS] | A | 5310 | | IS | 15-APR-93 |
| | NAS593 | NUT - RIGID TUBE CONNECTOR, ALUMINUM[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | 31-JAN-81 |
| | NASM256 | NUT - SELF LOCKING, PLATE, RIGHT ANGLE, 250 DEGREES F[CUST: AV AS 99] | A | 5310 | | IS | AUG-98 |
| | NASM21059 | NUT - SELF LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT STEEL, 125 KSI FTU 450 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | OCT-98 |
| | SAE-AS3273 | NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 1200 DEG. F, SILVER PLATED, UNS S66286, UNJ THREAD[CUST: AR AS 99 IS] | A | 5310 | | IS | 20-OCT-92 |
| | SAE-MA3275 | NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 650 DEG. C, SILVER PLATED, UNS S66286, MJ THREAD, METRIC[CUST: AR AS 99 IS] | A | 5310 | | IS | 20-OCT-92 |
| | SAE-AS3272 | NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 700 DEG. F, DRY FILM COATED, UNS S66286, UNJ THREAD[CUST: AR AS 99 IS] | A | 5310 | | IS | 20-OCT-92 |
| | SAE-MA3274 | NUT - SELF-LOCKING, CLINCH, SERRRATED SHANK, 400 DEG. C, DRY FILM COATED, UNS S66286, MJ THREAD, METRIC[CUST: AR AS 99 IS] | A | 5310 | | IS | 20-OCT-92 |
| | SAE-AS3547 | NUT AND CLIP ASSEMBLY, REMOVABLE SELF-LOCKING NUT, UNS S66286[CUST: AR SH 99 IS] | A | 5310 | | IS | MAY-95 |
| | SAE-J238 | NUT AND CONICAL SPRING WASHER ASSEMBLIES[CUST: AR YD 99 IS] | A | 5310 | | IS | AUG-73 |
| | SAE-AS1714 | NUT ASSEMBLY, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS[CUST: AV AS 99] [REVIEW: AR AT CC CR4 MI] | A | 4730 | | 71 | SEP-95 |
| | NAS1512ANDNAS1513 | NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL - LOW HEIGHT, C'BORE, MINIATURE[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-DEC-68 |
| | NAS1783 | NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, CBORED, 160 KSI, 250 DEG. F, 450 DEG. F, 800 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NAS1784 | NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, CSK, 160 KSI, 250 DEG. F, 450 DEG. F, 800 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NAS1039THRUNAS1041 | NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL-REGULAR HEIGHT, CSK[CUST: AR YD 99 IS] | A | 5310 | | IS | 06-NOV-87 |
| | NAS1871 | NUT ASSEMBLY, TORQUE LIMITING, 600 DEG. F APPLICATION, .2500-28 UNJF-3B THREAD[CUST: AS 11 IS] | A | 5310 | | IS | 15-APR-94 |
| | NASM14214 | NUT ELEMENT, ATTACHED RETENTION ELEMENT, (A.R.E), 450 DEG. F STEEL (AISI 1050 OR 4130), 125 KSI FTU[CUST: AR AS 11 IS] | A | 5310 | | IS | SEP-99 |
| | NASM14213 | NUT ELEMENT, REPLACEABLE, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, CRES (A-286), 125 KSI FTU[CUST: AS] | A | 5310 | | IS | DEC-99 |
| | SAE-AS1792 | NUT FITTING, LIGHTWEIGHT, FLARELESS[CUST: AV AS 99] [REVIEW: 71 CC MI] | A | 4730 | | AS | 25-OCT-82 |
| | SAE-AS5206 | NUT FLARED LONG[CUST: AV AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | 31-JUL-02 |
| | NASM45938-4 | NUT PLAIN, CLINCH (SELF-CLINCHING, FLUSH)[CUST: AR OS IS] | A | 5310 | | IS | NOV-99 |
| | NAS1736 | NUT SELF-LOCKING, BLIND RIVET, ELLIPTICAL HEAD INSTALLATION DATA FOR[CUST: AR YD 99 IS] | A | 5310 | | IS | 15-FEB-83 |
| | NAS500 | NUT SPACER, PLATE COUNTERSUNK[CUST: AV AS 11 IS] | A | 5310 | | IS | 15-SEP-78 |
| | NAS463 | NUT SPACER, PLATE PLAIN[CUST: AV AS 11 IS] | A | 5310 | | IS | 11-FEB-87 |
| | SAE-MA2040 | NUT, FLARELESS, METRIC[CUST: AV] | A | 4730 | | AV | MAY-96 |
| | SAE-AS121501THRUAS121525 | NUT, PLAIN - HEXAGON, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN[CUST: AV AS 99 IS] | A | 5310 | | IS | OCT-99 |
| | SAE-AS3550 | NUT, ASSEMBLY, PLATE REMOVABLE SELF-LOCKING NUT[CUST: AR SH 99 IS] | A | 5310 | | IS | MAY-95 |
| | NAS1034THRUNAS1038 | NUT, ASSEMBLY, SELF-LOCKING, GANG CHANNEL - REGULAR HEIGHT, NON-CSK[CUST: AV AS 99 IS] | A | 5310 | | IS | 06-NOV-87 |
| | NAS1329 | NUT, BLIND RIVET FLATHEAD, INTERNAL THREAD, NON LOCKING (FREE RUNNING) OR SELF LOCKING (PREVALING TORQUE)[CUST: AR AS 99 IS] | A | 5310 | | IS | 09-MAR-89 |
| | NAS1330 | NUT, BLIND RIVET, COUNTERSUNK HEAD, INTERNAL THREAD, NOW LOCKING (FREE RUNNING) OR SELF LOCKING (PREVAILING TORQUE)[CUST: AV AS 99 IS] | A | 5310 | | IS | 09-MAR-89 |
| | NAS1735 | NUT, BLIND, ELLIPTICALHEAD, SELF-LOCKING, CLOSED END, 450 DEGREE F[CUST: AV AS 99] [REVIEW: CR CR4] | A | 5310 | | IS | 30-JUN-89 |
| | NAS1731 | NUT, BLIND, SERRATED HEAD, SELF LOCKING, 450 DEGREES F[CUST: AV AS 11] [REVIEW: CR4] | A | 5310 | | IS | 15-SEP-78 |
| | NAS1732 | NUT, BLIND, SERRATED HEAD, SELF-LOCKING, CLOSED END, 450 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 01-JUL-74 |
| | A-A-57174 | NUT, CAP, DUAL WHEEL MOUNTING[CUST: AT 99] [REVIEW: CC CR4] | A | 2530 | / | AT | 17-SEP-92 |
| | NASM85730-1 | NUT, CAPTIVE WASHER, SELF-LOCKING, NICKEL ALLOY 718, 220 KSI FTU, 900 DEG. (12-SPLINE) WRENCHING ELEMENT[CUST: AV AS 11] | A | 5310 | | IS | DEC-99 |
| | SAE-MA3428 | NUT, CASTELLATED, HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-MA3425 | NUT, CASTELLATED, HEX - UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-MA3350 | NUT, CASTELLATED, HEX - UNS S66286 MJ THREAD, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-MA3426 | NUT, CASTELLATED, HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-MA3427 | NUT, CASTELLATED, HEX, THIN UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 5310 | | IS | FEB-86 |
| | NASM21025 | NUT, CASTELLATED, HEXAGON[CUST: AV AS 99] | A | 5310 | | IS | MAR-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM21244 | NUT, CASTELLATED, HEXAGON, COUNTERBORED ASSEMBLED WASHER, 450 DEG. F (FOR SELF-RETAINING BOLTS)[CUST: AV 99 IS] | A | 5310 | | IS | NOV-99 |
| | SAE-AS9358 | NUT, CASTELLATED, HEXAGON-A-286[CUST: AV AS 11 IS] | A | 5310 | | IS | AUG-00 |
| | SAE-AS9359 | NUT, CASTELLATED, HEXAGON-A-286, SILVER PLATED[CUST: AV AS IS] | A | 5310 | | IS | APR-99 |
| | SAE-AS21937 | NUT, CLUSTER FITTING, RETAINER[CUST: AV AS 99] | A | 4730 | | AS | AUG-98 |
| | NAS4445 | NUT, CRIMP, FOR CRIMPLOCK FASTENER SYSTEM[CUST: AR YD 99 IS] | A | 5310 | | IS | 05-DEC-96 |
| | NAS699 | NUT, CYLINDER LOCK[CUST: AV AS 11] [REVIEW: CR4] | A | 5310 | | IS | 06-JUN-88 |
| | NAS509 | NUT, DRILLED JAM[CUST: AV AS 11 IS] | A | 5310 | | IS | 14-JUN-74 |
| | NAS1287 | NUT, EXTENDED WASHER, HEXAGON - SELF-LOCKING, LOW HEIGHT, C'BORE[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-DEC-68 |
| | SAE-AS5178 | NUT, FITTING, BULKHEAD[CUST: AV AS 99] [REVIEW: 08 CC MC SA] | A | 5310 | | IS | 16-MAR-00 |
| | SAE-AS5179 | NUT, FITTING, PORT[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | SEP-99 |
| | SAE-AS4370 | NUT, FITTING, RETAINED[CUST: AT AS 99 CC] [REVIEW: 71 AV MC MI SA] | A | 4730 | | CC | JAN-99 |
| | SAE-AS1790 | NUT, FITTING, RETAINED, LIGHTWEIGHT[CUST: AV AS 99] | A | 4730 | | AS | 20-JAN-87 |
| | NASM14210 | NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, CRES (A-286), 125 KSI FTU, REPLACEABLE NUT ELEMENT[CUST: AS] | A | 5310 | | IS | MAR-00 |
| | NASM14200 | NUT, FLOATING, SELF LOCKING, ATTACHED, RETENTION ELEMENT (A.R.E.), 450 DEG. F, STEEL, 125 KSI FTU, REPLACEABLE NUT ELEMENT[CUST: AR AS 11 IS] | A | 5310 | | IS | SEP-99 |
| | NASM14201 | NUT, FLOATING, SELF-LOCKING, ATTACHED RETENTIONS ELEMENT (A.R.E.) 450 DEGREES F STEEL, 125 KSI FTU, REPLACEABLE NUT ELEMENT, 1/64 OVERSIZE REPAIR[CUST: AR AS 11 IS] | A | 5310 | | IS | 01-DEC-99 |
| | ASME-B18.2.2 | NUT, HEX AND SQUARE (INCH SERIES)[CUST: AR SH 99 IS] [REVIEW: AT AV CR GL MC MI] | A | 5310 | | IS | 28-SEP-87 |
| | NAS1288 | NUT, HEX AND WASHER SELF-ALIGNING, SELF-LOCKING - SHEAR PIN[CUST: AR YD 99 IS] | A | 5310 | | IS | 30-JUN-66 |
| | ASME-B18.2.3.4M | NUT, HEX FLANGE METRIC[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI NS SH] | A | 5310 | | IS | 28-SEP-87 |
| | SAE-MA1937 | NUT, HEX, FREE RUNNING, PROCUREMENT SPECIFICATION FOR, METRIC[CUST: AV 99 IS] [REVIEW: AR] | A | 5310 | | IS | 05-DEC-86 |
| | MS39135F | NUT, HOSE COUPLING, AUTOMOTIVE AIR BRAKE HOSE ADAPTER[CUST: AT 99 CC] [REVIEW: 71 AR EA] | A | 4730 | | CC | 04-JAN-99 |
| | NASM316 | NUT, JAM, HEXAGON[CUST: AV AS 99] | A | 5310 | | IS | AUG-98 |
| | SAE-AS3163 | NUT, PLAIN - O.D. SLOTS, KEY WASHER LOCKED, AMS 6322, MIL-S-8879[CUST: AR YD 99 IS] | A | 5310 | | IS | 01-DEC-75 |
| | NASM45938-7 | NUT, PLAIN CLINCH AND NUT, SELF-LOCKING CLINCH (KNURLED COLLAR, MINIATURE, 450 DEGREES F)[CUST: AR OS 99] | A | 5310 | | IS | NOV-99 |
| | SAE-MA3421 | NUT, PLAIN HEX - DRLD, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-MA3423 | NUT, PLAIN HEX - DRLD, UNS S66286, SILVER PLATE, MJ THREAD, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-MA3354 | NUT, PLAIN HEX - THIN, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-MA3424 | NUT, PLAIN HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-MA3302 | NUT, PLAIN HEX - UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC[CUST: AV AS 11] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-MA3422 | NUT, PLAIN HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-AS9881 | NUT, PLAIN HEXAGON, CADMIUM PLATED, UNS G87400, 125 KSI MIN[CUST: AV AS] | A | 5310 | | IS | 30-OCT-00 |
| | A-A-55628A | NUT, PLAIN, CAP, HIGH CROWN UNC-2B AND UNF-2B[CUST: AR SH 99 IS] [REVIEW: AS AT AV MC OS] | A | 5310 | / | IS | 17-FEB-98 |
| | A-A-55629 | NUT, PLAIN, CAP, LOW CROWN UNC-2B AND UNF-2B[CUST: AR SH 99 IS] [REVIEW: AS AT AV MC OS] | A | 5310 | / | IS | 31-JUL-97 |
| | NASM310 | NUT, PLAIN, CASTELLATED, AIRFRAME[CUST: AV AS 99] | A | 5310 | | IS | OCT-98 |
| | NASM320 | NUT, PLAIN, CASTELLATED, SHEAR[CUST: AV AS 99] | A | 5310 | | IS | 22-JUN-99 |
| | NASM45938-1 | NUT, PLAIN, CLINCH (SELF-CLINCHING, ROUND)[CUST: AR OS IS] | A | 5310 | | IS | SEP-99 |
| | NASM45938-11 | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (FLOATING, 400 DEG. F)[CUST: AR OS 99 IS] | A | 5310 | | IS | DEC-99 |
| | NASM45938-2 | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (HEXAGON HEAD AND SHANK, SWAGE CLINCH)[CUST: AR OS IS] | A | 5310 | | IS | SEP-99 |
| | NASM45938-3 | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF CLINCHING, KNURLED COLLAR, 450 DEG. F AND 600 DEG. F)[CUST: AR AS IS] | A | 5310 | | IS | SEP-99 |
| | NASM45938-10 | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING) ROUND[CUST: AR OS 99 IS] | A | 5310 | | IS | MAR-00 |
| | NASM45938-14 | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, FLOATING, 450 DEG. F AND 600 DEG. F)[CUST: AR OS IS] | A | 5310 | | IS | SEP-99 |
| | NASM45938 | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH, GENERAL SPECIFICATION FOR[CUST: AR OS] | A | 5310 | | IS | NOV-99 |
| | NASM45938-13 | NUT, PLAIN, CLINCH, NUT, SELF-LOCKING, CLINCH (SELF-CLINCHNING, KNURLED COLLAR, MINIATURE, FLOATING, 450 DEG. F AND 600 DEG. F)[CUST: AR OS 99 IS] | A | 5310 | | IS | DEC-99 |
| | NASM3214 | NUT, PLAIN, CLINCH-FLUSH[CUST: OS IS] | A | 5310 | | IS | DEC-98 |
| | SAE-MA3344 | NUT, PLAIN, HEX - THIN, UNS S66286, MJ THREAD, METRIC[CUST: AV AS 11 IS] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-MA3288 | NUT, PLAIN, HEX - UNS S66286, MJ THREAD, METRIC[CUST: AV AS 11] [REVIEW: 99 AR] | A | 5310 | | IS | DEC-85 |
| | SAE-AS92001 | NUT, PLAIN, HEX, BOSS CONNECTION, ALUMINUM[CUST: AV AS] | A | 5310 | | IS | 30-OCT-00 |
| | SAE-AS9201 | NUT, PLAIN, HEX, BOSS CONNECTION, CORROSION RESISTANT STEEL[CUST: AV AS IS] | A | 5310 | | IS | NOV-98 |
| | ANSI-B18.2.4.2M | NUT, PLAIN, HEX, STYLE 2 - METRIC[CUST: AR AS 99] | A | 5310 | | AR | 06-DEC-79 |
| | MS35691E NOT 1 | NUT, PLAIN, HEXAGON (JAM) UNC-2B AND UNF-2B[CUST: 99] | A | 5310 | | IS | 06-JUN-05 |
| | SAE-AS9882 | NUT, PLAIN, HEXAGON - DRILLED, CADMIUM PLATED - UNS G87400, 125 KSI MIN[CUST: AV AS 99 IS] | A | 5310 | | IS | 05-MAY-99 |
| | SAE-AS9360 | NUT, PLAIN, HEXAGON - DRILLED, SILVER PLATED - UNS S66286, 130 KSI MIN[CUST: AV AS IS] | A | 5310 | | IS | AUG-00 |
| | NASM315 | NUT, PLAIN, HEXAGON, AIRFRAME[CUST: AV AS 99] | A | 5310 | | IS | SEP-99 |
| | SAE-AS9362 | NUT, PLAIN, HEXAGON, CHECK - A-286, SILVER PLATED, MIL-S-8879[CUST: AV AS] | A | 5310 | | IS | DEC-99 |
| | SAE-AS9361 | NUT, PLAIN, HEXAGON, CHECK, UNS S66286 130 KSI MIN[CUST: AV AS 11 IS] | A | 5310 | | IS | 15-OCT-99 |
| | NAS1423 | NUT, PLAIN, HEXAGON, DRILLED JAM, THIN[CUST: AV AS 11] [REVIEW: CR4] | A | 5310 | | IS | SEP-72 |
| | NASM35649 | NUT, PLAIN, HEXAGON, MACHINE SCREW, UNC-2B[CUST: AR 99 IS] | A | 5310 | | IS | 08-AUG-02 |
| | NASM35650 | NUT, PLAIN, HEXAGON, MACHINE SCREW, UNF-2B[CUST: AR 99 IS] | A | 5310 | | IS | 08-AUG-02 |
| | SAE-AS9357 | NUT, PLAIN, HEXAGON, SILVER PLATED, UNS S66286 130 KSI MIN[CUST: AV AS IS] | A | 5310 | | IS | 15-OCT-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS35690F NOT 1 | NUT, PLAIN, HEXAGON, UNC-2B AND UNF-2B[CUST: SH 99 IS] | A | 5310 | | IS | 06-JUN-05 |
| | SAE-AS9356 | NUT, PLAIN, HEXAGON, UNS S66286[CUST: AV AS 99] | A | 5310 | | IS | DEC-99 |
| | NASM21392 | NUT, PLAIN, HEXAGON-AZIMUTH (WITH LOCKWIRE HOLES)[CUST: 11] | A | 5310 | | IS | DEC-99 |
| | MS51967D NOT 3 | NUT, PLAIN, HEXAGON-CARBON STEEL, CADMIUM PLATED, UNC-2B (IN./MM)[CUST: AR 99 IS] [REVIEW: AV CR4 GL MC MI OS SH] | A | 5310 | | IS | 10-SEP-03 |
| | MS51968C NOT 3 | NUT, PLAIN, HEXAGON-CARBON STEEL, CADMIUM PLATED, UNF-2B (IN./MM)[CUST: AR 99 IS] [REVIEW: AT AV MC MI OS YD] | A | 5310 | | IS | 05-SEP-03 |
| | MS16994E | NUT, PLAIN, KNURLED[CUST: 99 IS] | A | 5310 | | IS | 05-FEB-04 |
| | A-A-55625 NOT 1 | NUT, PLAIN, PLATE[CUST: AR IS] [REVIEW: CR4 MI] | A | 5310 | / | IS | 06-FEB-03 |
| | MIL-N-21337 | NUT, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARINGS[CUST: AT OS 99] [REVIEW: AR MC MI SH] | A | 5310 | | IS | 10-APR-68 |
| | A-A-52427 NOT 1 | NUT, PLAIN, SINGLE BALL SEAT, HEXAGON WHEEL MOUNTING - 3/4 AND 1-1/8 INCH[CUST: AT 99 IS] [REVIEW: 71 CR CR4 MI] | A | 5310 | / | IS | 09-SEP-01 |
| | NASM45938-12 | NUT, PLAIN, SPLINE, ROUND[CUST: AR OS 99 IS] | A | 5310 | | IS | SEP-99 |
| | FF-N-845D | NUT, PLAIN, WING, INCH AND METRIC[CUST: AR 99 IS] [REVIEW: AV CR4 EA] | A | 5310 | / | IS | 08-MAY-81 |
| | NAS1803 | NUT, PLATE, SELF LOCKING, FLOATING, SPRING LOADED[CUST: AV AS 11 IS] | A | 5310 | | IS | 20-MAY-83 |
| | NASM14179 | NUT, PLATE, SELF-LOCKING, FLOATING., TWO LUG, REDUCED RIVET SPACING, STEEL, (POLYAMIDE INSERT) 500 CYCLES REUSE, REPLACEMABLE NUT, 160 KSI FTU, 450 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | DEC-99 |
| | NASM85353-2 | NUT, PRELOAD, LOCKING, EXTENDED WASHER, HEXAGON, REDUCED HEIGHT, CRES, 125 KSI, 450 DEG. F AND 1200 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | DEC-99 |
| | SAE-MA2047 | NUT, RETAINED, FLARELESS, METRIC[CUST: AV] | A | 4730 | | AV | 15-JUN-87 |
| | SAE-AS4702 | NUT, RETAINED, SHORT FLARELESS[CUST: AR YD 99 IS] | A | 5310 | | IS | DEC-94 |
| | NAS596 | NUT, RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL[CUST: AV AS 99] [REVIEW: AR CR4 IS] | A | 4730 | | AS | 05-FEB-88 |
| | NAS1792 | NUT, SELF - LOCKING, PLATE - ONE LUG, FLOATING, VARIABLE COUNTERBORE, REPLACEMENT NUT ELEMENT, 125 KSI FTU, 450 DEGREES F & 800 DEGREES F[CUST: AS 11 IS] | A | 5310 | | IS | 17-OCT-84 |
| | NAS1765 | NUT, SELF ALIGNING, SELF LOCKING, PLATE - TWO LUG, FLOATING, 125 KSI FTU, 450 DEG. F & 800 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | 20-MAY-83 |
| | SAE-AS3477 | NUT, SELF LOCKING - DOUBLE HEXAGON, EXTENDED WASHER, UNS S66286, SILVER PLATED, UNJ THREAD[CUST: AR AS 99 IS] | A | 5310 | | IS | 30-OCT-91 |
| | SAE-MA4177 | NUT, SELF LOCKING - HEX EXTENDED WASHER UNS NO700L, SILVER PLATE, MJ THREAD, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5310 | | IS | 14-FEB-90 |
| | SAE-MA3349 | NUT, SELF LOCKING - REDUCED HEX DRIVE, UNS S66286, SILVER PLATED MJ THREAD, METRIC[CUST: AV IS] | A | 5310 | | IS | AUG-88 |
| | SAE-MA3444 | NUT, SELF LOCKING - SPLINE DRIVE, CAPTIVE WASHER, UNS S66286, SILVER PLATE, MJ THREAD, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5310 | | IS | 14-FEB-90 |
| | SAE-MA1568 | NUT, SELF LOCKING - UNS S66286, 425 DEG. C AND 658 DEG. C, 1100 MPA, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC[CUST: AV 99 IS] | A | 5310 | | IS | 25-AUG-98 |
| | NA0044 | NUT, SELF LOCKING, 425 DEG. C, METRIC[CUST: AV 11 IS] [REVIEW: 71 99] | A | 5310 | | IS | NOV-79 |
| | NAS577 | NUT, SELF LOCKING, BARREL, FLOATING, 108 KSI FTU[CUST: AS 11 IS] | A | 5310 | | IS | 30-JAN-84 |
| | NAS1726 | NUT, SELF LOCKING, CAPTIVE WASHER, SHEAR TYPE, 450 DEG. F AND 800 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | 20-MAY-83 |
| | NAS1794 | NUT, SELF LOCKING, COUNTERBORE, REPLACEABLE ELEMENT[CUST: AS 11 IS] | A | 5310 | | IS | 17-OCT-84 |
| | NAS1758 | NUT, SELF LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, 220 KSI, 450 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 15-APR-94 |
| | NAS1766 | NUT, SELF LOCKING, PLATE - CORNER, COUNTERBORED, FLOATING, 125 KSI FTU, 450 DEG. F & 800 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | 20-MAY-83 |
| | NAS1793 | NUT, SELF LOCKING, PLATE CORNER, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 DEG F & 800 DEG F[CUST: AS 11 IS] | A | 5310 | | IS | 17-OCT-84 |
| | NAS1473 | NUT, SELF LOCKING, PLATE TWO LUG, CAP, FLOATING[CUST: AS 11 IS] | A | 5310 | | IS | 17-OCT-84 |
| | NAS1474 | NUT, SELF LOCKING, PLATE TWO LUG, CAP, FLOATING, REDUCED RIVET SPACING[CUST: AS 11 IS] | A | 5310 | | IS | 17-OCT-84 |
| | NAS1870 | NUT, SELF LOCKING, PLATE TWO LUG, DEEP COUNTERBORE, FLOATING, 125 KSI FTU, 450 & 800 DEG. F[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5310 | | IS | 14-JUN-74 |
| | NAS1791 | NUT, SELF LOCKING, PLATE TWO LUG, FLOATING VARIABLE, COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 DEG F & 800 DEG F[CUST: AS 11 IS] | A | 5310 | | IS | 17-OCT-84 |
| | NAS1789 | NUT, SELF LOCKING, PLATE, SIDE BY SIDE, FLOATING, LOW HEIGHT, REDUCED RIVET SPACING, C. BORED, 160 KSI, 450 DEGREES F, 800 DEGREES F[CUST: AV AS 11] [REVIEW: CR4] | A | 5310 | | IS | 15-SEP-78 |
| | NAS696 | NUT, SELF LOCKING, PLATE-ON LUG, LOW HEIGHT C BORE, REDUCED REDUCED RIVET SPACING[CUST: AV AS 11] [REVIEW: CR4] | A | 5310 | | IS | 05-DEC-80 |
| A | SAE-MA3429 | NUT, SELF LOCKING, SPLINE DRIVE, EXTENDED WASHER, UNS N07001, SILVER PLATE, MJ THREAD, METRIC[CUST: AR 99 IS] [REVIEW: SH] | A | 5310 | | IS | JUL-87 |
| | SAE-MA3433 | NUT, SELF LOCKING-SHANK, UNS NO70001, SILVER PLATE, MJ THREAD, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5310 | | IS | 01-NOV-89 |
| A | SAE-MA3353 | NUT, SELF LOCKING-SPLINE DRIVE, EXTENDED WASHER, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC[CUST: AR AS 99] [REVIEW: AV SH] | A | 5310 | | IS | 19-MAY-89 |
| | NASM45938-5 | NUT, SELF-LOCKING CLINCH (SWAGE - CLINCHING, KNURLED SHANK, MINIATURE, 250 DEG. F)[CUST: AR OS IS] | A | 5310 | | IS | NOV-99 |
| | NASM21067 | NUT, SELF-LOCKING GANG CHANNEL, 100 DEG. CSK, FLOATING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F[CUST: AV AS 99] | A | 5310 | | IS | NOV-99 |
| | NASM21066 | NUT, SELF-LOCKING GANG CHANNEL, 100 DEG. CSK, FLOATING, LOW HEIGHT, STEEL, 125 KSI FTU, 250 DEG. F[CUST: AV AS 99] | A | 5310 | | IS | DEC-99 |
| | NASM21063 | NUT, SELF-LOCKING GANG CHANNEL, FLOATING, LOW HEIGHT, STEEL, 125 KSI FTU, 250 DEG. F[CUST: AV AS 99] | A | 5310 | | IS | NOV-99 |
| | NASM21064 | NUT, SELF-LOCKING GANG CHANNEL, FLOATING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F[CUST: AV AS 99] | A | 5310 | | IS | NOV-99 |
| | NASM21045 | NUT, SELF-LOCKING HEXAGON-REGULAR HEIGHT, 450 DEG. F, 125 KSI FTU[CUST: AR AS 99] | A | 5310 | | IS | NOV-99 |
| | NASM7873 | NUT, SELF-LOCKING, 1,200 DEG F[CUST: AV AS 99 IS] | A | 5310 | | IS | MAR-00 |
| | SAE-AS3485 | NUT, SELF-LOCKING, 12 POINT, REDUCED HEIGHT, SILVER PLATE, UNS S66285[CUST: AR AS 99 IS] | A | 5310 | | IS | 24-APR-92 |
| | NASM25027 | NUT, SELF-LOCKING, 250 DEGREE F, 450 DEGREE F, AND 800 DEGREE F[CUST: AR AS 99 IS] | A | 5310 | | IS | 14-DEC-99 |
| | NAS1757 | NUT, SELF-LOCKING, 450 DEG. F, HEXAGON - LOW HEIGHT 80 K.S.I.[CUST: AR YD 99 IS] | A | 5310 | | IS | 15-APR-94 |
| | NASM14222 | NUT, SELF-LOCKING, 450 DEG. F, HEXAGON, REDUCED HEAD HEIGHT, RING BASE, CORROSION RESISTANT STEEL[CUST: AV AS 99] | A | 5310 | | IS | DEC-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM21042 | NUT, SELF-LOCKING, 450 DEGREES F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, NON-CORROSION RESISTANT STEEL[CUST: AV AS 99] | A | 5310 | | IS | OCT-98 |
| | NASM21043 | NUT, SELF-LOCKING, 800 DEG. F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, CORROSION RESISTANT STEEL[CUST: AV AS 99 IS] | A | 5310 | | IS | NOV-99 |
| | NASM33588 | NUT, SELF-LOCKING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY USAGE REQUIREMENTS FOR[CUST: AV AS 99 IS] | A | 5310 | | IS | SEP-99 |
| | NASM8922-1 | NUT, SELF-LOCKING, ASSEMBLED WASHER, ALLOY STEEL, 220 KSI FTU, 450 DEG. F (12-SPLINE WRENCHING ELEMENT)[CUST: AV AS 99 IS] | A | 5310 | | IS | DEC-99 |
| | NA0133 | NUT, SELF-LOCKING, BARREL, FLOATING, 1550 MPA, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5310 | | IS | 22-OCT-93 |
| | NAS1734 | NUT, SELF-LOCKING, BLIND RIVET, ELLIPTICAL HEAD, 450 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 30-JUL-93 |
| | NA0049 | NUT, SELF-LOCKING, CASTELLATED REDUCED HEXAGON, 600 MPA SHEAR, METRIC[CUST: AV 11 IS] [REVIEW: 71 99] | A | 5310 | | IS | JAN-81 |
| | NASM21225 | NUT, SELF-LOCKING, CASTELLATED, HEXAGON - 800 DEG. F[CUST: AS 11 IS] | A | 5310 | | IS | NOV-99 |
| | NASM21224 | NUT, SELF-LOCKING, CASTELLATED, HEXAGON COUNTERBORED, ASSEMBLED, ASSEMBLED WASHER, 250 DEG. F, NON-METALLIC INSERT (SELF-RETAINING BOLTS)[CUST: AV AS 99 IS] | A | 5310 | | IS | SEP-99 |
| | MS17825H | NUT, SELF-LOCKING, CASTELLATED, HEXAGON, .250 DEG. F NON-METTALIC INSERT[CUST: AS 99 IS] | A | 5310 | | IS | 05-FEB-04 |
| | NA0050 | NUT, SELF-LOCKING, CASTELLATED, REDUCED HEXAGON, 1100 MPA TENSILE, METRIC[CUST: AV 11 IS] [REVIEW: 71 99] | A | 5310 | | IS | JAN-81 |
| | NASM21068 | NUT, SELF-LOCKING, CHANNEL, 100 DEG. CSK, FLOATING, LOW HEIGHT CRES, 125 KSI FTU, 450 DEG. AND 800 DEG F[CUST: AV AS 99 IS] | A | 5310 | | IS | SEP-99 |
| | NASM14493 | NUT, SELF-LOCKING, CHANNEL, FLOATING, CARBON STEEL, 125 KSI FTU[CUST: AV AS 11] | A | 5310 | | IS | DEC-99 |
| | NASM21065 | NUT, SELF-LOCKING, CHANNEL, FLOATING, LOW HEIGHT, CRES, 125KSI, FTU, 450 DEG. F AND 800 DEG F[CUST: AV AS 99 IS] | A | 5310 | | IS | SEP-99 |
| | NASM45938-6 | NUT, SELF-LOCKING, CLINCH (SWAGE - CLINCHING, KNURLED SHANK, MINIATURE 450 DEG OR 800 DEG F)[CUST: AR OS IS] | A | 5310 | | IS | NOV-99 |
| | NASM45938-9 | NUT, SELF-LOCKING, CLINCH (SWAGE-CLINCHING, KNURLED SHANK, 250 DEG. F, UNJF-3B)[CUST: OS 99 IS] | A | 5310 | | IS | NOV-99 |
| | NASM45938-8 | NUT, SELF-LOCKING, CLINCH (SWAGE-CLINCHING, KNURLED SHANK, 250 DEG. F, UNJC-3B[CUST: AR OS IS] | A | 5310 | | IS | SEP-99 |
| | SAE-AS4389 | NUT, SELF-LOCKING, CLINCH, SERRATED SHANK, HOLE PREPARATION, INSTALLATION AND REMOVAL PROCEDURES[CUST: AR AS 99 IS] | A | 5310 | | IS | 19-OCT-92 |
| | SAE-AS3261 | NUT, SELF-LOCKING, CLIP, FLOATING, AMS 7251[CUST: AR YD 99 IS] | A | 5310 | | IS | 01-OCT-80 |
| | NAS1759 | NUT, SELF-LOCKING, DOUBLE HEXAGON SHEAR 450 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 29-MAR-96 |
| A | SAE-AS3291 | NUT, SELF-LOCKING, DOUBLE HEXAGON, AMS 5709[CUST: AR AS 99 IS] [REVIEW: AV SH] | A | 5310 | | IS | 25-JAN-88 |
| | SAE-AS3068 | NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251[CUST: AR YD 99 IS] | A | 5310 | | IS | 01-SEP-78 |
| | SAE-AS3069 | NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251[CUST: AR YD 99 IS] | A | 5310 | | IS | OCT-79 |
| | SAE-AS3067 | NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251[CUST: AR YD 99 IS] | A | 5310 | | IS | 01-FEB-77 |
| | SAE-AS3070 | NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251[CUST: AR YD 99 IS] | A | 5310 | | IS | 15-SEP-76 |
| | NAS1804 | NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, ALLOY STEEL, 180 KSI, 450 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 01-NOV-82 |
| | NAS1805 | NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, CRES, 180 KSI, 450 DEG. F AND 800 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 25-FEB-94 |
| | NASM14182 | NUT, SELF-LOCKING, EXTENDED WASHER, ROUND, NICKEL ALLOY 718, 220 KSI FTU, 450 DEG. AND 800 DEG. F, SPINE DRIVE[CUST: AV AS 99] | A | 5310 | | IS | NOV-99 |
| | NA0093ANDNA0094 | NUT, SELF-LOCKING, FLOATING, PLATE, CORNER LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C[CUST: AV 11 IS] [REVIEW: 71 99] | A | 5310 | | IS | FEB-80 |
| | NA0027ANDNA0028 | NUT, SELF-LOCKING, FLOATING, PLATE, TWO-LOG, METRIC LOW HEIGHT, C'BORED, 1100 MPA 235 DEG. C, 425 DEG. C[CUST: AR AS 11] [REVIEW: AV CR4 IS] | A | 5310 | | AR | MAR-78 |
| | NASM21079 | NUT, SELF-LOCKING, GANG CHANNEL, NON-METALLIC INSERT, 125 KSI FTU, 250 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | OCT-98 |
| | MIL-N-25027/1A(1) | NUT, SELF-LOCKING, HEAVY HEX, (NON-METALLIC INSERT) 250 DEG. AND 450 DEG. F, UNJC-3B, 1/4 THROUGH 2-1/2 INCH NOMINAL DIAMETERS, NICKEL-COPPER ALLOY[CUST: SH IS] | A | 5310 | | SH | 31-MAR-99 |
| | NAS679 | NUT, SELF-LOCKING, HEXAGON - LOW HEIGHT[CUST: AR YD 99 IS] | A | 5310 | | IS | 15-FEB-74 |
| | MIL-DTL-45913/2 | NUT, SELF-LOCKING, HEXAGON ALL-METAL LOCKING FEATURE, 250 DEG F, UNC/ UNF-2B[CUST: AR OS 99 IS] [REVIEW: 71 AS AT AV CR4 EA GL MC MI YD] | A | 5310 | | IS | 30-APR-98 |
| | MIL-DTL-45913/4A(1) | NUT, SELF-LOCKING, HEXAGON ALL-METAL LOCKING FEATURE, 250 DEG F, UNC/ UNF-3B[CUST: AR OS 99 IS] [REVIEW: 71 AS AT AV CR4 EA GL MC MI] | A | 5310 | | IS | 02-JUL-04 |
| | NA0033ANDNA0034 | NUT, SELF-LOCKING, HEXAGON EXTENDED WASHER 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C[CUST: AV 11 IS] [REVIEW: 71 99] | A | 5310 | | IS | MAR-78 |
| | MIL-DTL-45913/3A(1) | NUT, SELF-LOCKING, HEXAGON NON-METALLIC LOCKING FEATURE, 250 DEG F, UNC/ UNF-3B[CUST: AR OS 99] [REVIEW: 71 AS AT AV CR4 EA GL MC MI] | A | 5310 | | IS | 12-AUG-04 |
| | NASM21083 | NUT, SELF-LOCKING, HEXAGON, NON-METALLIC INSERT, LOW HEIGHT, 250 DEG. F[CUST: AV AS 99] | A | 5310 | | IS | DEC-99 |
| | MIL-DTL-45913/1 | NUT, SELF-LOCKING, HEXAGON, NON-METALLIC LOCKING FEATURE, 250 DEG F, UNC/ UNF-2B[CUST: AR OS 99 IS] [REVIEW: 71 AS AT AV CR4 EA GL MC MI YD] | A | 5310 | | IS | 30-APR-98 |
| | NASM17829 | NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 DEG. F, (NON-METALLIC INSERT) NON-CORROSION-RESISTANT STEEL[CUST: AV AS 99] | A | 5310 | | IS | NOV-99 |
| | NASM21044 | NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 DEG. F, 125 KSI FTU AND 60 KSI FTU[CUST: AR AS 99 IS] | A | 5310 | | IS | OCT-98 |
| | SAE-AS3483 | NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, UNS S66286, CLASS: 125 KSI/800 DEG F[CUST: AR AS 99 IS] | A | 5310 | | IS | NOV-94 |
| | NASM17828 | NUT, SELF-LOCKING, HEXAGON, REGULAR-HEIGHT, (NON-METALLIC INSERT) 250 DEG. F, NICKEL-COPPER ALLOY[CUST: AV AS 99] | A | 5310 | | IS | DEC-99 |
| | NASM21245 | NUT, SELF-LOCKING, HEXAGON, THIN, 450 DEG. F, 80 KSI FTU[CUST: AV AS 99 IS] | A | 5310 | | IS | NOV-99 |
| | NAS1291 | NUT, SELF-LOCKING, HEXAGON-LOW HEIGHT, LIGHT WEIGHT[CUST: AR YD 99 IS] | A | 5310 | | IS | 25-JUN-91 |
| | NASM21046 | NUT, SELF-LOCKING, HEXAGON-REGULAR HEIGHT, 800 DEG. F, 125 KSI FTU[CUST: AR AS 99] | A | 5310 | | IS | NOV-99 |
| | NASM17830 | NUT, SELF-LOCKING, HEXAGON-REGULAR, 250 DEG. F, AND 450 DEG. F (NON-METALLIC INSERT), 300 SERIES CORROSION RESISTANT STEEL[CUST: AV AS 99] | A | 5310 | | IS | DEC-99 |
| | NASM16228 | NUT, SELF-LOCKING, HEXAGON-THIN, UNC-3B (NON METALLIC INSERT) AUSTENITIC CORROSION RESISTANT STEEL, NONMAGNETIC, 250 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | JUN-99 |
| | NASM14144 | NUT, SELF-LOCKING, LIGHTWEIGHT, CASTELLATED, 450 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | JUN-99 |
| | NASM14145 | NUT, SELF-LOCKING, LIGHTWEIGHT, THIN, CASTELLATED, 450 DEG. F.[CUST: AV AS 99 IS] | A | 5310 | | IS | FEB-99 |
| | NAS1028 | NUT, SELF-LOCKING, PLATE - CORNER, REGULAR HEIGHT, CSK[CUST: AR YD 99 IS] | A | 5310 | | IS | 16-DEC-74 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NAS1026 | NUT, SELF-LOCKING, PLATE - ONE LUG, REGULAR HEIGHT, CSK[CUST: AR YD 99 IS] | A | 5310 | | IS | 16-DEC-74 |
| | NAS1030 | NUT, SELF-LOCKING, PLATE - ONE LUG, REGULAR HEIGHT, NON-CSK, BEVEL SEAT[CUST: AR YD 99 IS] | A | 5310 | | IS | 16-DEC-74 |
| | NAS1033 | NUT, SELF-LOCKING, PLATE - RIGHT ANGLE, REGULAR HEIGHT, C'BORE, FLOATING[CUST: AR YD 99 IS] | A | 5310 | | IS | 16-DEC-74 |
| | NAS1029 | NUT, SELF-LOCKING, PLATE - TWO LUG, REGULAR HEIGHT, BEVEL SEAT[CUST: AR YD 99 IS] | A | 5310 | | IS | 16-DEC-74 |
| | NA0095ANDNA0096 | NUT, SELF-LOCKING, PLATE, CORNER LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C[CUST: AV 11 IS] [REVIEW: 71 99] | A | 5310 | | IS | FEB-80 |
| | NASM21058 | NUT, SELF-LOCKING, PLATE, CORNER, 100 DEG. CSK, LOW HEIGHT, CRES, 125 KSI FLU, 450 DEG. AND 800 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | SEP-99 |
| | NASM21057 | NUT, SELF-LOCKING, PLATE, CORNER, 100 DEGREES CSK LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEGREES F[CUST: AV AS 11] | A | 5310 | | IS | OCT-98 |
| | NAS1782 | NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, 100 DEG CSK, 160 KSI, 450 DEG F, 800 DEG F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NAS1772 | NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, C'BORED, 160 KSI, 450 DEG F, 800 DEG F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NAS1777 | NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, C'BORED, REDUCED RIVET SPACING, 160 KSI, 450 DEG F, 800 DEG F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NASM21055 | NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | SEP-99 |
| | NASM21056 | NUT, SELF-LOCKING, PLATE, CORNER, LOW-HEIGHT, CRES, 125 KSI FTU 450 DEG. AND 800 DEG. F (ASG)[CUST: AR AS 11 IS] | A | 5310 | | IS | 01-DEC-99 |
| | NASM21081 | NUT, SELF-LOCKING, PLATE, CORNER, NON-METALLIC, INSERT, STEEL, 125 KSI FTU, 250 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | SEP-99 |
| | NASM21074 | NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. F AND 800 DEG. F[CUST: AV AS 11] | A | 5310 | | IS | NOV-99 |
| | NASM21073 | NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | JUN-99 |
| | NA0081ANDNA0082 | NUT, SELF-LOCKING, PLATE, FIXED, CORNER , REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C[CUST: AR 11 IS] [REVIEW: AV] | A | 5310 | | IS | JUN-80 |
| | NA0077ANDNA0078 | NUT, SELF-LOCKING, PLATE, FIXED, ONE LUG REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C[CUST: AR 11 IS] [REVIEW: AV] | A | 5310 | | IS | JUN-80 |
| | NA0083ANDNA0084 | NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C[CUST: AR 11 IS] [REVIEW: AV] | A | 5310 | | IS | JUN-80 |
| | NA0079ANDNA0080 | NUT, SELF-LOCKING, PLATE, FIXED, TWO LUG, REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C[CUST: AR 11 IS] [REVIEW: AV] | A | 5310 | | IS | JUN-80 |
| | NA0087ANDNA0088 | NUT, SELF-LOCKING, PLATE, FLOATING, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C[CUST: AR 11 IS] [REVIEW: AV] | A | 5310 | | IS | 22-OCT-93 |
| | NA0085ANDNA0086 | NUT, SELF-LOCKING, PLATE, FLOATING, TWO LUG REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA METRIC 235 DEG. C, 425 DEG. C[CUST: AR 11 IS] [REVIEW: AV] | A | 5310 | | IS | 22-OCT-93 |
| | NASM21053 | NUT, SELF-LOCKING, PLATE, ONE LUG, 100 DEG. CSK, LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | JUN-99 |
| | NASM21054 | NUT, SELF-LOCKING, PLATE, ONE LUG, 100 DEG. CSK, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | JUN-99 |
| | NASM21062 | NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI, FTU, 450 DEG. F AND 800 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | SEP-99 |
| | NASM21061 | NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEGREES F[CUST: AV AS 11] | A | 5310 | | IS | APR-99 |
| | SAE-AS3479 | NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI FTU, 800 DEG. F[CUST: AR AS 99 IS] | A | 5310 | | IS | 01-AUG-93 |
| | NASM21082 | NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | SEP-99 |
| | NAS1781 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, 100 DEG CSK, 160 KSI, 450 DEG. F, 800 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NAS1771 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, C'BORED, 160 KSI, 450 DEG F, 800 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NAS1778 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, C'BORED, SIDE BY SIDE, 160 KSI, 450 DEG F, 800 DEG F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NAS1774 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, FLOATING, 160 KSI, 450 DEG. F, 800 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NAS1776 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, REDUCED RIVET SPACING, 160 KSI, 450 DEG. F, 800 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NASM21052 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | JUN-99 |
| | NASM21051 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEGREES F[CUST: AV AS 11] | A | 5310 | | IS | OCT-98 |
| | NA0073ANDNA0074 | NUT, SELF-LOCKING, PLATE, ONE LUG, METRIC, FLOATING LOW HEIGHT, C'BORED, 1100 MPA, 235 DEG. C, 425 DEG. C[CUST: AR AS 11 IS] [REVIEW: AV CR4] | A | 5310 | | IS | APR-80 |
| | NASM21080 | NUT, SELF-LOCKING, PLATE, ONE LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | DEC-98 |
| | SAE-AS3480 | NUT, SELF-LOCKING, PLATE, ONE LUG, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 DEG F.[CUST: AR AS 99 IS] | A | 5310 | | IS | NOV-94 |
| | NASM21072 | NUT, SELF-LOCKING, PLATE, ONE-LUG, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. F. AND 800 DEG. F.[CUST: AV AS 99 IS] | A | 5310 | | IS | FEB-99 |
| | NASM21071 | NUT, SELF-LOCKING, PLATE, ONE-LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F[CUST: AV AS 11] | A | 5310 | | IS | SEP-99 |
| | NASM21087 | NUT, SELF-LOCKING, PLATE, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEGREES AND 800 DEGREES F[CUST: AV AS 11] | A | 5310 | | IS | JUN-99 |
| | SAE-AS3482 | NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 DEG F[CUST: AR AS 99 IS] | A | 5310 | | IS | 01-AUG-93 |
| | NASM21086 | NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | OCT-98 |
| | NASM21049 | NUT, SELF-LOCKING, PLATE, TWO LUG, 100 DEG. CSK LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | SEP-99 |
| | NASM21050 | NUT, SELF-LOCKING, PLATE, TWO LUG, 100 DEG. CSK, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | JUN-99 |
| | NASM20501 | NUT, SELF-LOCKING, PLATE, TWO LUG, 1200 DEG. F, 125 KSI FTU[CUST: AR AS 99 IS] | A | 5310 | | IS | SEP-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NA0040ANDNA0041 | NUT, SELF-LOCKING, PLATE, TWO LUG, FIXED LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C[CUST: AV 11 IS] [REVIEW: 71 99] | A | 5310 | | IS | DEC-78 |
| | NASM21060 | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. F AND 800 DEG. F[CUST: AV AS 99] | A | 5310 | | IS | NOV-99 |
| | NASM21077 | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | SEP-99 |
| | NASM21075 | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEGREES F[CUST: AV AS 99] | A | 5310 | | IS | APR-99 |
| | SAE-AS3481 | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286 CLASS 125 KSI/ 800 DEG. F[CUST: AR AS 99 IS] | A | 5310 | | IS | 01-AUG-93 |
| | NASM21076 | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. F AND 800 DEG. F[CUST: AV AS 99] | A | 5310 | | IS | NOV-99 |
| | NAS1780 | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, 100 DEG CSK, 160 KSI, 450 DEG. F, 800 DEG. F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NAS1770 | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, 160 KSI, 450 DEG F, 800 DEG F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-73 |
| | NAS1773 | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, FLOATING, 160 KSI, 450 DEG F, 800 DEG F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NAS1779 | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, FLOATING, REDUCED RIVET SPACING, 160 KSI, 450 DEG F, 800 DEG F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NAS1775 | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, REDUCED RIVET SPACING, 160 KSI, 450 DEG F, 800 DEG F[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-JUL-76 |
| | NASM21048 | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW-HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | JUN-99 |
| | NASM21078 | NUT, SELF-LOCKING, PLATE, TWO LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | OCT-98 |
| | NASM21070 | NUT, SELF-LOCKING, PLATE, TWO LUG, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. F AND 800 DEG. F[CUST: AV AS 99] | A | 5310 | | IS | NOV-99 |
| | NASM21047 | NUT, SELF-LOCKING, PLATE, TWO-LUG, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | JUN-99 |
| | NASM21069 | NUT, SELF-LOCKING, PLATE, TWO-LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F[CUST: AV AS 11 IS] | A | 5310 | | IS | DEC-98 |
| | NAS1027 | NUT, SELF-LOCKING, PLATE-CORNER, REGULAR HEIGHT, NON-CSK[CUST: AR AS 99 IS] | A | 5310 | | IS | 06-NOV-87 |
| | NAS1032 | NUT, SELF-LOCKING, PLATE-CORNER, REGULAR HEIGHT, NON-CSK, FLOATING[CUST: AR AS 99 IS] | A | 5310 | | IS | 06-NOV-87 |
| | NAS1025 | NUT, SELF-LOCKING, PLATE-ONE LUG, REGULAR HEIGHT, NON-CSK[CUST: AR AS 99 IS] | A | 5310 | | IS | 06-NOV-87 |
| | NAS1024 | NUT, SELF-LOCKING, PLATE-TWO LUG, REGULAR HEIGHT, CSK[CUST: AR YD 99 IS] | A | 5310 | | IS | 06-DEC-74 |
| | NAS1023 | NUT, SELF-LOCKING, PLATE-TWO LUG, REGULAR HEIGHT, NON-CSK[CUST: IS] | A | 5310 | | IS | 06-NOV-87 |
| | NA0029ANDNA0030 | NUT, SELF-LOCKING, SPLINE DRIVE 1250 MPA, 235 DEG. C, 425 DEG. C, METRIC[CUST: AV 11 IS] [REVIEW: 84 99] | A | 5310 | | IS | JUL-79 |
| | NA0061 | NUT, SELF-LOCKING, SPLINE DRIVE, ALLOY STEEL, 1800 MPA, 235 DEG. C, METRIC[CUST: AV 11 IS] [REVIEW: 71 99] | A | 5310 | | IS | 22-OCT-93 |
| | NASM85730 | NUT, SELF-LOCKING, SPLINE DRIVE, ASSEMBLED WASHER, NICKEL ALLOY 718, 220 KSI FTU, 900 DEG. F[CUST: AV AS 11] | A | 5310 | | IS | MAR-00 |
| | NASM90415 | NUT, SELF-LOCKING, STEEL, 160 KSI, 450 DEG. F 12 POINT, CAPTIVE WASHER[CUST: AS IS] | A | 5310 | | IS | NOV-99 |
| | NASM21133 | NUT, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F, FLANGED, MS33787 WRENCHING ELEMENT[CUST: SH 99] | A | 5310 | | IS | NOV-99 |
| | NASM21084 | NUT, SELF-LOCKING, STEEL, 220 KSI FTU, 450 DEGREES F, FLANGED, MS33787 WRENCHING ELEMENT[CUST: AV AS 11] | A | 5310 | | IS | AUG-98 |
| | NASM21085 | NUT, SELF-LOCKING, STEEL, 260 KSI FTU, 450 DEG. F, FLANGED, MS33787 WRENCHING ELEMENT[CUST: AV AS 99 IS] | A | 5310 | | IS | SEP-99 |
| | SAE-AS7251 | NUT, SELF-LOCKING, STEEL, CORROSION AND HEAT RESISTANT HIGH STRENGTH, ALL METAL 1200 DEG. F USE, UNJ THREAD FORM[CUST: AR AS 99 IS] | A | 5310 | | IS | 01-AUG-93 |
| | SAE-AS4393 | NUT, SELF-LOCKING, UNS S66286, 1200 DEG. F, 160 000 PSI, UNJ THREAD[CUST: AR AS 99 IS] | A | 5310 | | IS | 16-AUG-91 |
| | SAE-AS3486 | NUT, SELF-LOCKING,EXTENDED DOUBLE HEXAGON, REDUCED FLANGE, DRY FILM LUBE, UNS S66286, CLASS: 160 KSI/800 DEG F[CUST: AR AS 99 IS] | A | 5310 | | IS | 01-DEC-93 |
| | SAE-MA3266 | NUT, SELF-LOCKING-SPLINE DRIVE, EXTENDED WASHER, UNS S66286, SILVER PLATE, MJ THREAD, METRIC[CUST: AV 99 IS] | A | 5310 | | IS | JUL-87 |
| | SAE-MA1573 | NUT, SELF-LOCKING-STEEL, CLASS 1100 MPA/235 DEGREE C, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC[CUST: AR AS 99 IS] [REVIEW: AV SH] | A | 5310 | | IS | JUL-89 |
| | MIL-N-82943A | NUT, SEPARATION, PERFORMANCE SPECIFICATION FOR[CUST: OS] | D | 1377 | | OS | 09-DEC-94 |
| | NASM33737 | NUT, SHEET SPRING, INSTRUMENT MOUNTING[CUST: AV AS 99 IS] | A | 5310 | | IS | SEP-99 |
| | SAE-AS21921 | NUT, SLEEVE COUPLING, FLARELESS[CUST: AV AS 99] [REVIEW: 71 CC MC MI SA] | A | 4730 | | AS | AUG-98 |
| | NAS1031 | NUT, SLEF-LOCKING, PLATE-TWO LUG, REGULAR HEIGHT, FLOATING[CUST: AR AS 99 IS] | A | 5310 | | IS | 06-NOV-87 |
| | SAE-AS9363 | NUT, SLOTTED, HEXAGON-SHEAR, A-286[CUST: AS 11 IS] | A | 5310 | | IS | APR-98 |
| | SAE-AS9364 | NUT, SLOTTED, HEXAGON-SHEAR, A-286 SILVER PLATED, MIL-S-8879[CUST: AV AS 11 IS] | A | 5310 | | IS | NOV-98 |
| | MS9951 NOT 2 | NUT, SPANNER END SLOTS, CUPWASHER LOCKED, STEEL AMS 6322 MIL-S-8879[CUST: AS 99 IS] [REVIEW: 11] | A | 5310 | | IS | 10-MAY-02 |
| | SAE-AS172236THRUAS172270 | NUT, SPANNER, BEARING RETAINING, AERONAUTICAL, UNS G41400[CUST: AV AS 99 IS] | A | 5310 | | IS | AUG-00 |
| | SAE-MA4044 | NUT, SPANNER-END SLOTS, CUPWASHER LOCKED, UNS S66286, SILVER PLATED, MJ THREAD, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5310 | | IS | 12-OCT-90 |
| A | SAE-MA3351 | NUT, SPLINE DRIVE - EXTENDED WASHER, CUPWASHER LOCK, UNS S66286, SILVER PLATE, MJ THREAD, METRIC[CUST: AR 99 IS] [REVIEW: SH] | A | 5310 | | IS | 01-JUL-87 |
| | NA0064THRUNA0066 | NUT, THIN, WITH OPTIONAL LOCKWIRE HOLE, METRIC[CUST: AV 11 IS] [REVIEW: 71 99] | A | 5310 | | IS | OCT-79 |
| | NAS1872 | NUT, TORQUE LIMITING 9OO DEG. F APPLICATION 1/4-28 UNJF-3B THREAD[CUST: AS 11 IS] | A | 5310 | | IS | 17-OCT-84 |
| | MS9198C | NUT, TUBE COUPLING - CRES AMS 5646 (ASG)[CUST: AS CC] [REVIEW: MC MI] | A | 4730 | | CC | 13-DEC-72 |
| | MS9197C | NUT, TUBE COUPLING - CRES AMS 5646, SILVER PLATE (ASG)[CUST: AS CC] [REVIEW: MC MI] | A | 4730 | | CC | 13-DEC-72 |
| | AN818 REV 19 | NUT, TUBE COUPLING, SHORT[CUST: AS 99] [REVIEW: 71 AV CR4] | A | 4730 | | CC | 15-JUN-94 |
| | NAS1410 | NUT, UNIVERSAL PORT FITTING[CUST: AV AS 11] [REVIEW: CR4] | A | 5310 | | IS | 15-OCT-93 |
| | NAS1727 | NUT, WASHER, SELF ALIGNING, 450 DEGREES F & 800 DEGREES F[CUST: AV AS 11] [REVIEW: CR4] | A | 5310 | | IS | 15-SEP-78 |
| | NASM14164 | NUT, WHEEL, SELF-LOCKING, FLANGED STEEL, 220 KSI FTU, 450 DEG. F, SPLINE DRIVE[CUST: AV AS 11] | A | 5310 | | IS | NOV-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM14491 | NUT, WHEEL, SELF-LOCKING, FLANGED, NICKEL ALLOY 718, 220 KSI FTU, 450 DEG. F, SPLINE DRIVE[CUST: AV AS 99] | A | 5310 | | IS | DEC-99 |
| | NASM14156 | NUT, WHEEL, SELF-LOCKING, FLANGED, STEEL, 180 KSI FTU, 450 DEG. F, SPLINE DRIVE[CUST: AV AS 99 IS] | A | 5310 | | IS | SEP-99 |
| | ANSI-B18.17 | NUT, WING, THUMB SCREWS & WING SCREWS[CUST: AR SH 99] [REVIEW: AT] | A | 53GP | | IS | 07-APR-71 |
| | NAS671 | NUT,PLAIN, HEXAGON - SMALL PATTERN, NONSTRUCTURAL[CUST: AS 11 IS] | A | 5310 | | IS | 17-OCT-84 |
| | SAE-AS9553 | NUT-HEX BOSS CONNECTION, CRES[CUST: AS 99 IS] | A | 5310 | | IS | OCT-98 |
| | SAE-AS150401THRUAS150425 | NUT-HEX, CHECK[CUST: AV AS 99 IS] | A | 5310 | | IS | APR-99 |
| | FF-N-836E | NUT: SQUARE, HEXAGON, CAP, SLOTTED, CASTLE, KNURLED, WELDING AND SINGLE BALL SEAT[CUST: AR AS 99 IS] [REVIEW: 71 AT AV EA GL MC MI OS YD] | A | 5310 | / | IS | 14-SEP-94 |
| | NASM85353 | NUTS (FASTENERS), INTERNALLY THEADED, PRELOAD LOCKING, 450 DEG F, 800 DEG F AND 1200 DEG F[CUST: MI AS 11 IS] | A | 5310 | | IS | MAR 00 |
| | NASM8985 | NUTS, ALLOY STEEL, SHEAR AND TENSILE, SELF-LOCKING; (180 KSI FTU 450 DEG F)[CUST: AV AS 99 IS] | A | 5310 | | IS | MAR-00 |
| | ASTM-A563 | NUTS, CARBON AND ALLOY STEEL[CUST: AR AS 99 IS] | A | 5310 | | IS | 15-FEB-93 |
| | ASTM-A563M | NUTS, CARBON AND ALLOY STEEL (METRIC)[CUST: AR YD IS] | A | 5310 | | IS | 15-FEB-93 |
| | ASTM-A194/A194M | NUTS, CARBON AND ALLOY STEEL FOR BOLTS FOR HIGH-PRESSURE OR HIGH-TEMPERATURE SERVICE, OR BOTH[CUST: AR YD IS] [REVIEW: 99 CE] | A | 5310 | | IS | 15-MAR-94 |
| | ASTM-F467 | NUTS, NONFERROUS, FOR GENERAL USE[CUST: AR AS 99 IS] | A | 5310 | | IS | 15-FEB-93 |
| | ASTM-F467M | NUTS, NONFERROUS, FOR GENERAL USE (METRIC)[CUST: AR AS 99 IS] | A | 5310 | | IS | 15-FEB-93 |
| | NA0009 | NUTS, SELF LOCKING, 235 DEG. C, METRIC[CUST: AV 11 IS] [REVIEW: 71 99] | A | 5310 | | IS | 12-MAY-80 |
| | NASM8922 | NUTS, SELF-LOCKING, ALLOY STEEL, 260 KSI FTU, 450 DEG F[CUST: AV AS 99 IS] | A | 5310 | | IS | MAR-00 |
| | SAE-AS4417 | NUTS, SELF-LOCKING, ALLOY, CORROSION AND HEAT RESISTANT HIGH STRENGTH, ALL METAL, DRY FILM LUBRICATED, 1400 DEG. F (760 DEG. C), PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] | A | 5310 | | IS | 01-AUG-93 |
| | MIL-DTL-45913C | NUTS, SELF-LOCKING, HEXAGON, PREVAILING TORQUE[CUST: AR OS 11 IS] [REVIEW: 71 99 AT AV CR MC MI SH] | A | 5310 | | IS | 30-APR-98 |
| | SAE-AS7253 | NUTS, SELF-LOCKING, NICKEL ALLOY, UNS N07001 CLASSIFICATION: 180 KSI/1400 DEG F PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] | A | 5310 | | IS | 01-AUG-93 |
| | NASM8984 | NUTS, SELF-LOCKING, STEEL, 260 KSI FTU, 450 DEG F[CUST: AV AS 99 IS] | A | 5310 | | IS | MAR- 00 |
| | SAE-AS7250 | NUTS, SELF-LOCKING, STEEL, CORROSION AND HEAT RESISTANT HIGH STRENGTH, ALL METAL 1200 DEG. F USE, UN THREAD FORM[CUST: AR AS 99 IS] | A | 5310 | | IS | 01-AUG-93 |
| | SAE-MA1943 | NUTS, SELF-LOCKING, UNS NO7001, 730 DEG. C, 1100 MPA, AND 1210 MPA PROCUREMENT SPECIFICATION FOR, METRIC[CUST: AV 99 IS] | A | 5310 | | IS | 16-AUG-91 |
| | A-A-20164C | NUTS, SHELLED, ROASTED[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8925 | / | SS | 27-FEB-04 |
| | ASTM-F594 | NUTS, STAINLESS STEEL[CUST: AR AS 99 IS] | A | 5310 | | IS | 22-FEB-91 |
| | ASTM-F812/F812M | NUTS, SURFACE DISCONTINUITIES OF, INCH AND METRIC SERIES[CUST: AR YD 99 IS] | A | 5310 | | IS | 25-MAR-83 |
| | SAE-J122 | NUTS, SURFACE DISCONTINUITIES ON[CUST: AR SH 99] | A | 5310 | | AR | JUL-75 |
| | MS39210H | NUTS, TUBE COUPLING SAFETY SLEEVE COMPRESSION TYPE[CUST: AT CC] | A | 4730 | | CC | 29-MAR-05 |
| | CI1303 | NYLON (POLYAMIDE) FIBER ROPE 3-STRAND AND 8- STRAND CONSTRUCTIONS[CUST: GL SH 99 IS] | A | 4020 | | IS | SEPT 96 |
| | CI1306 | NYLON (POLYAMIDE) FIBER ROPE DOUBLE BRAID CONSTRUCTION[CUST: GL SH 99 IS] | A | 4020 | | IS | SEPT 96 |
| | CI1310 | NYLON (POLYAMIDE) FIBER ROPE HIGH PERFORMANCE DOUBLE BRAIDED CONSTRUCTION[CUST: GL SH 99 IS] | A | 4020 | | IS | 31-JUL-97 |
| | SAE-AMS3817 | NYLON BRAID, FLAT ELECTRICAL TYING RESIN COATED[CUST: GL SH 99 IS] | A | 4020 | | IS | 01-OCT-93 |
| | ASTM-D4066 | NYLON INJECTION AND EXTRUSION MATERIALS (PA)[CUST: MR AS 99] [REVIEW: 11 84 AR AV CR CR4 EA GL GS MD MI OS SH SM YD] | A | 9330 | | MR | 15-FEB-94 |
| | ABCA-STD-60 | NYLON ROPE (3 STRAND HAWSERLAID) (PREPARED UNDER PROJECT Z-16.2.1) | C | ISDN | | SH | 09-OCT-74 |
| | A-A-54523 | NYSTATIN ORAL SUSPENSION, USP[CUST: MD MS 03] | A | 6505 | / | MD | 15-NOV-91 |
| | SAE-MAP3439 | O-RING GROOVE DESIGN FOR PACKING PERFORMED, ELASTOMERIC O-RING SEALS, STATIC, AXLE COMPRESSION, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5331 | | IS | 31-MAY-90 |
| | SAE-MA3439 | O-RING GROOVE DESIGN FOR PACKING PREFORMED, ELASTOMERIC O-RING SEALS, STATIC, AXIAL COMPRESSION, METRIC[CUST: AR AS 99] [REVIEW: 71 AV] | A | 5310 | | IS | 31-MAY-90 |
| | SAE-MAP3440 | O-RING GROOVE DESIGN FOR PACKING PREFORMED, ELASTOMERIC O-RING SEALS, STATIC RADIAL SQUEEZE, METRIC[CUST: AR AS IS] [REVIEW: AV SH] | A | 5331 | | IS | 19-DEC-90 |
| | SAE-AS3551 | O-RING SEAL AMS 7272, PACKING, PREFORMED[CUST: AV AS 99] | A | 5331 | | 71 | NOV-94 |
| A | SAE-AS568 | O-RINGS, AEROSPACE SIZE STANDARD FOR[CUST: MR AS 11] | A | 5331 | | IS | 12-JUL-05 |
| | SAE-AS871 | O-RINGS, MANUFACTURING AND INSPECTION STANDARDS FOR PREFORMED PACKINGS[CUST: AR AS 99 IS] [REVIEW: 71] | A | 5331 | | IS | 03-OCT-94 |
| | A-A-1186 | OAKUM (PACKING, JUTE, TWISTED) | A | 5330 | # | FSS | 23-JUL-81 |
| | T-O-56A | OAKUM, MARINE[CUST: SH 99] [REVIEW: 71 AR IS SA] | A | 5330 | / | SH | 22-DEC-70 |
| | SAE-J231 | OBJECT, FALLING, PROTECTIVE STRUCTURE (FOPS), MINIMUM PERFORMANCE CRITERIA FOR[CUST: CR4 AS 99] [REVIEW: 84] | A | SAFT | | CR4 | OCT-94 |
| | MIL-PRF-49157B | OBJECTIVE LENS ASSEMBLY, FOR NIGHT VISION GOGGLES, AN/PVS-5( )[CUST: CR 11] [REVIEW: 99 AT] | A | 5855 | | CR | 04-MAR-99 |
| | DI-ILSS-80569 | OBJECTIVES AND MEDIA ANALYSIS REPORT (OMAR) [AMSC: F4382] | A | SESS | | 10 | 15-APR-88 |
| | ADV-PUB-61/105/10 | OBSERVER ERRORS IN ANTHROPOMETRIC MEASUREMENTS | C | ISDF | | 06 | 22-MAR-93 |
| | QAP-315 | OBSOLESCENCE MANAGEMENT WITHIN ABCA ARMIES | C | ISDA | | AI | 07-JAN-03 |
| | STANAG-2123 ED.2(3) | OBSTACLE FOLDER | C | ISDA | | AI | 30-NOV-84 |
| | MIL-O-70548(6) NOT 2 | OBTURATING BAND, PLASTIC SPLIT (MOLDED)[CUST: AR] | A | 1395 | | AR | 14-MAY-97 |
| | MIL-O-71130(1) NOT 2 | OBTURATING BAND, PLASTIC SPLIT (MOLDED)[CUST: AR] | A | 1395 | | AR | 27-NOV-96 |
| | MIL-O-71039(3) NOT 2 | OBTURATING BAND, PLASTIC SPLIT (MOLDED)[CUST: AR] | D | 1315 | | AR | 17-FEB-01 |
| | MIL-O-71152(2) NOT 2 | OBTURATING RING, PLASTIC SPLIT (MOLDED)[CUST: AR] | A | 1395 | | AR | 23-APR-01 |
| | ASTM-D1141 | OCEAN WATER, SUBSTITUTE[CUST: EA SH 68] [REVIEW: CR4 GS] | A | 6810 | | SH | 10-SEP-98 |
| | ANSI-S1.11 | OCTAVE-BAND AND FRACTIONAL-OCTAVE-BAND ANALOG AND DIGITAL FILTERS, SPECIFICATION FOR[CUST: MI AS 11] [REVIEW: AM AT CR4 MD OS TD TE YD] | A | HFAC | | MI | 27-MAY-93 |
| | MIL-O-45445B(1) | OCTOL[CUST: AR] [REVIEW: MI] | A | 1376 | | AR | 14-MAR-77 |
| | ASTM-E462 | ODOR AND TASTE TRANSFER FROM PACKAGING FILM[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A | PACK | | AS | 30-NOV-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-E619 | ODORS IN PAPER PACKAGING, EVALUATING FOREIGN[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A | PACK | | AS | 30-NOV-84 |
| | SAE-J185 | OFF-ROAD MACHINES, ACCESS SYSTEMS FOR[CUST: AT 99] | A | 6640 | | AT | 15-JUN-91 |
| | UL114 | OFFICE APPLIANCES & BUSINESS EQUIPMENT, ELECTRIC[CUST: GL 99] [REVIEW: MD] | A | 74GP | | GL | 9-OCT-70 |
| | AA-O-00230/2B | OFFICE FURNITURE, CABINET, TELEPHONE, EXECUTIVE TYPE, WOOD TRADITIONAL (DETAILED SPECIFICATION) | A | 7110 | # | FSS | 15-JUN-79 |
| | AA-O-00250/2E | OFFICE FURNITURE, CREDENZA, WOOD UNITIZED (DETAILED SPECIFICATION) | A | 7110 | # | FSS | 01-JUL-93 |
| | AA-O-00250/6F | OFFICE FURNITURE, TABLES, WOOD, UNITIZED (DETAILED SPECIFICATION) | A | 7110 | # | FSS | 01-JUL-93 |
| | A-A-3173A | OFFICE FURNITURE, WOOD, UNITIZED | A | 7110 | # | FSS | 13-JAN-99 |
| | AA-O-230E | OFFICE FURNITURE: COSTUMER, EXECUTIVE TYPE, WOOD, TRADITIONAL[CUST: FSS] | A | 7195 | # | FSS | 31-DEC-97 |
| | AA-O-230/1A(I1) | OFFICE FURNITURE: BOOKCASE, EXECUTIVE TYPE, WOOD, TRADITIONAL | A | 7110 | # | FSS | 15-NOV-66 |
| | AA-O-001091C | OFFICE FURNITURE: SOFA; CHAIR, EASY, EXECUTIVE, TRADITIONAL | A | 7110 | # | FSS | 10-JUL-90 |
| | MIL-HDBK-1037/7 | OFFICERS, NON-COMMISSIONED OFFICERS DINING FACILITIES: OPEN ENLISTED DINING FACILITIES[CUST: YD] | A | FACR | | YD | 29-FEB-88 |
| | A-A-59381 | OHMMETER[CUST: 99] | A | 6625 | / | 84 | 19-NOV-03 |
| | A-A-59320 | OHMMETER[CUST: 99] | A | 6625 | / | 84 | 26-AUG-03 |
| | A-A-59322 | OHMMETER[CUST: 99] | A | 6625 | / | 84 | 28-JUL-03 |
| | ASTM-D281 | OIL ABSORPTION OF PIGMENTS BY SPATULA RUB-OUT, STANDARD TEST METHOD FOR - 31 AUG 84 (REAPPROVED 1989)[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 22-JUN-90 |
| | ASTM-D971 | OIL AGAINST WATER BY THE RING METHOD, INTERFACIAL TENSION OF[CUST: AT SH] [REVIEW: 68 AR AS OS] | A | 91GP | | AT | 15-SEP-91 |
| | DI-MISC-80390 | OIL ANALYSIS REPORT [AMSC: A4155] | A | MISC | | AR | 30-JUL-87 |
| | ASTM-D6 | OIL AND ASPHALTIC COMPOUNDS, LOSS ON HEATING OF[CUST: AR YD 99] | A | 5610 | | AR | 10-NOV-95 |
| | ASTM-D3921 | OIL AND GREASE AND PETROLEUM HYDROCARBONS IN WATER[CUST: CR4 SH 99] | A | 91GP | | SH | 25-JAN-85 |
| | UL296 | OIL BURNERS, STANDARD FOR[CUST: YD 99] [REVIEW: 84] | A | 4530 | | IS | 27-JAN-92 |
| | ASTM-D721 | OIL CONTENT OF PETROLEUM WAXES[CUST: AT SH 11] [REVIEW: 68 AS] | A | 91GP | | AT | 30-OCT-87 |
| | MIL-PRF-45085D NOT 1 | OIL COOLER ASSEMBLY: ENGINE AND TRANSMISSION[CUST: AT CC] [REVIEW: SM] | A | 2930 | | AT | 20-APR-04 |
| | DI-MGMT-81060 | OIL DISCHARGE REPORT [AMSC: N5020] | A | MGMT | | SH | 09-OCT-90 |
| | A-A-59775/4 | OIL DRIP PAN, METAL, RECTANGULAR[CUST: AR SH 99 CC] [REVIEW: 71 AS AT CG MC NP SA YD] | A | 4910 | / | CC | 21-JUN-05 |
| | A-A-59775/3 | OIL DRIP PAN, WITH PAD[CUST: AR SH 99 CC] [REVIEW: 71 AS AT CG MC NP SA YD] | A | 4910 | / | CC | 21-JUN-05 |
| | AIR-STD-15/11(3) | OIL FREE COMPRESSED NITROGEN CHARACTERISTICS, (INCLUDING SUPPLY PRESSURE AND HOSES) | C | ISDF | | 06 | 25-FEB-00 |
| | A-A-52556 NOT 1 | OIL GUN, PNEUMATIC[CUST: AT YD 99] [REVIEW: AR CC MC MD] | A | 4930 | / | AT | 16-APR-04 |
| | A-A-59775 | OIL PAN, DRIP[CUST: AR SH 99 CC] [REVIEW: 71 AS AT CG MC NP SA YD] | A | 4910 | / | CC | 21-JUN-05 |
| | A-A-59775/1 | OIL PAN, DRIP, LARGE PLASTIC[CUST: AR SH 99 CC] [REVIEW: 71 AS AT CG MC NP SA YD] | A | 4910 | / | CC | 21-JUN-05 |
| | A-A-59775/2 | OIL PAN, DRIP, PLASTIC 3.5 GALLON[CUST: AR SH 99 CC] [REVIEW: 71 AS AT CG MC NP SA YD] | A | 4910 | / | CC | 21-JUN-05 |
| | ASTM-D1742 | OIL SEPARATION FROM LUBRICATING GREASE DURING STORAGE[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 15-JAN-94 |
| | AWPA-P3 | OIL SOLUTION, CREOSOTE-PETROLEUM, STANDARD FOR[CUST: MR 99] | A | 8030 | | MR | 10-DEC-87 |
| | ASTM-D4807 | OIL, CRUDE, BY MEMBRANE FILTRATION, SEDIMENT IN[CUST: PS] | A | 91GP | | PS | 20-SEP-93 |
| | ASTM-D1951 | OIL, DRYING, AND FATTY ACIDS, ASH IN[CUST: MR SH 99] [REVIEW: 84 CR4 OS] | A | 8010 | | MR | 18-JAN-91 |
| | ASTM-D1960 | OIL, DRYING, LOSS ON HEATING OF[CUST: MR SH 99] [REVIEW: 84 CR4 OS] | A | 8010 | | MR | 18-JAN-91 |
| | ASTM-D1952 | OIL, DRYING, QUANTITATIVE DETERMINATION OF BREAK IN[CUST: MR SH 99] [REVIEW: 84 CR4 OS] | A | 8010 | | MR | 18-JAN-91 |
| | ASTM-D665 | OIL, INHIBITED MINERAL IN THE PRESENCE OF WATER, RUST-PREVENTING CHARACTERISTICS OF[CUST: AT SH] [REVIEW: 68 AS OS] | A | 91GP | | AT | 13-JUN-85 |
| | C-O-376A | OIL, LARD | A | 9150 | # | FSS | 17-JUN-46 |
| | ASTM-D260 | OIL, LINSEED, BOILED[CUST: GL YD 99] | A | 8010 | | IS | 27-MAR-86 |
| | ASTM-D1954 | OIL, LINSEED, RAW, FOOTS IN (VOLUMETRIC METHOD)[CUST: MR SH 99] [REVIEW: 84 CR4 OS] | A | 8010 | | MR | 18-JAN-91 |
| | SAE-J1899 | OIL, LUBRICATING, AIRCRAFT PISTON ENGINE (ASHLESS DISPERSANT)[CUST: MR AS 11] [REVIEW: AV GS MC PS] | A | 9150 | | AS | NOV-95 |
| | SAE-J2360 | OIL, LUBRICATING, GEAR MULTIPURPOSE (METRIC) MILITARY USE[CUST: AT SH 68] [REVIEW: AR AV GS MC MD MI OS SA SM YD] | A | 9150 | | AT | 17-FEB-05 |
| | SAE-AMS3054 | OIL, LUBRICATING, LOW TEMPERATURE FOR -55 DEG. C (-65 DEG. F) SERVICE[CUST: AS 11] [REVIEW: GS] | A | 9150 | | AS | MAY-01 |
| | ASTM-D2440 | OIL, MINERAL INSULATING, OXIDATION STABILITY OF[CUST: MI SH 68] [REVIEW: 50 GS MR] | A | 9160 | | MI | 15-FEB-93 |
| | ASTM-D565 | OIL, MINERAL, WHITE, CARBONIZABLE SUBSTANCES IN[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 25-MAR-88 |
| | A-A-50493B | OIL, PENETRATING (FOR LOOSENING FROZEN METALLIC PARTS)[CUST: AT SH 68 GS3] | A | 9150 | / | GS3 | 30-AUG-01 |
| | ASTM-D12 | OIL, RAW TUNG[CUST: CR4 SH 68] | A | 9160 | | SH | 31-OCT-88 |
| | AWPA-P8 | OIL-BORNE PRESERVATIVES[CUST: CR4 SH 99] | A | 8030 | | CR4 | 1994 |
| | UL726 | OIL-FIRED BOILER ASSEMBLIES[CUST: YD 99] [REVIEW: 84 CE MC] | A | 4410 | | CC | 26-JAN-01 |
| | UL727 | OIL-FIRED CENTRAL FURNACES[CUST: YD 99] [REVIEW: 84 CC CE MC] | A | 4520 | | IS | 24-NOV-86 |
| | UL732 | OIL-FIRED STORAGE TANK WATER HEATERS[CUST: CR4 YD 99] | A | 4530 | | IS | 22-SEP-95 |
| | UL731 | OIL-FIRED UNIT HEATERS[CUST: CR4 YD 99] | A | 4520 | | IS | 02-MAR-88 |
| | A-A-50492A NOT 1 | OILERS, AIR LINE[CUST: YD] [REVIEW: CC] | A | 4930 | / | IS | 27-SEP-01 |
| | A-A-52589 NOT 1 | OILERS, AIR LINE, FOR PNEUMATIC TOOLS[CUST: AT MC] [REVIEW: CC] | A | 4930 | / | AT | 19-APR-04 |
| | A-A-50470B NOT 1 | OILERS, HAND, FILLER[CUST: YD] [REVIEW: CC CR4 EA MC] | A | 4930 | / | IS | 27-SEP-01 |
| | A-A-50477C NOT 1 | OILERS, HAND, PUMP[CUST: YD] [REVIEW: CC CR4 EA MC] | A | 4930 | / | IS | 08-SEP-03 |
| | A-A-50473B NOT 1 | OILERS, HAND, PUSH-BOTTOM[CUST: YD] [REVIEW: CC EA MC] | A | 4930 | / | IS | 27-SEP-01 |
| | A-A-50474B NOT 1 | OILERS, HAND, TYPEWRITER[CUST: YD] [REVIEW: CC EA MC] | A | 4930 | / | IS | 27-SEP-01 |
| | ASTM-D4047 | OILS AND ADDITIVES, LUBRICATING, BY QUINOLINE PHOSPHOMOLYBDATE METHOD, PHOSPHORUS IN[CUST: CR4 AS 68] [REVIEW: GS] | A | 9150 | | CR4 | 03-OCT-94 |
| | ASTM-D3228 | OILS AND FUEL OILS BY MODIFIED KJELDAHL METHOD, LUBRICATING, TOTAL NITROGEN IN[CUST: CR4 SH 99] | A | 91GP | | CR4 | 03-OCT-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D117 | OILS OF PETROLEUM ORIGIN, SAMPLING, TEST METHODS AND SPECIFICATIONS FOR[CUST: GL YD] [REVIEW: GS SH] | A | 9160 | | IS | 27-JAN-89 |
| | ASTM-D4951 | OILS, LUBRICATING BY INDUCTIVELY COUPLED PLASMA ATOMIC EMISSION SPECTROMETRY, DETERMINATION OF ADDITIVE ELEMENTS IN[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 28-MAY-92 |
| | ASTM-D975 | OILS, DIESEL FUEL[CUST: AT YD 68] | A | 9140 | | YD | 03-OCT-94 |
| | ASTM-D1965 | OILS, DRYING UNSAPONIFIABLE MATTER IN FATTY ACIDS AND POLYMERIZED FATTY ACIDS[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 21-JAN-92 |
| | ASTM-D555 | OILS, DRYING, TESTING, STANDARD GUIDE FOR[CUST: MR AS] [REVIEW: CR4] | A | 8010 | | MR | 15-OCT-92 |
| | ASTM-D4636 | OILS, HYDRAULIC, AIRCRAFT TURBINE ENGINE LUBRICANTS, AND OTHER HIGHLY REFINED OILS, CORROSIVENESS AND OXIDATION STABILITY OF[CUST: CR4 AS 11] | A | 91GP | | 11 | OCT-94 |
| | ASTM-D943 | OILS, INHIBITED MINERAL, OXIDATION CHARACTERISTICS OF[CUST: MD SH 03] | A | 6505 | | SH | 03-OCT-94 |
| | ASTM-D878 | OILS, INSULATING, INORGANIC CHLORIDES AND SULFATES IN[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 15-JUL-91 |
| | ASTM-D91 | OILS, LUBRICATING, PRECIPITATION NUMBER OF[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 10-DEC-97 |
| | SAE-J1966 | OILS, LUBRICATING, AIRCRAFT PISTON ENGINE (NONDISPERSANT MINERAL OIL)[CUST: AT AS 11] [REVIEW: AV GS MC MR PS] | A | 9150 | | AS | NOV-95 |
| | ASTM-D892 | OILS, LUBRICATING, FOAMING CHARACTERISTICS OF[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 15-MAR-92 |
| | ASTM-D893 | OILS, LUBRICATING, INSOLUBLES IN USED[CUST: AT SH 11] [REVIEW: GS OS] | A | 9150 | | AT | 15-SEP-92 |
| | ASTM-D2273 | OILS, LUBRICATING, TRACE SEDIMENT IN[CUST: AT SH 11] | A | 91GP | | AT | 31-OCT-86 |
| | ASTM-D2603 | OILS, POLYMER-CONTAINING, SONIC SHEAR STABILITY OF[CUST: CR4 AS 11] | A | 91GP | | AS | 03-OCT-94 |
| | ASTM-D2272 | OILS, STEAM TURBINE, BY ROTATING PRESSURE VESSEL, OXIDATION STABILITY OF[CUST: CR4 SH 68] [REVIEW: AS GS] | A | 9150 | | SH | 10-JUN-98 |
| | ASTM-D1963 | OILS, VARNISHES, RESINS, AND RELATED MATERIALS AT 25/25 DEG. C, SPECIFIC GRAVITY OF[CUST: CR4 SH 11] | A | 8010 | | CR4 | 29-NOV-85 |
| | MIL-PRF-32007 | OILY WASTEWATER SEPARATION SYSTEM, 6-7-GALLON PER MINUTE NAVY INTEGRATED MEMBRANE SYSTEM (NIMS)[CUST: AT SH 99] [REVIEW: 03 84 CC GL GL4 YD] | A | 4610 | | SH | 06-MAR-03 |
| | A-A-59719 | ONE HUNDRED PERCENT POLYURETHANE SPRAYED ON LININGS[CUST: AT SH 99] [REVIEW: 03 84 AS CG MR] | A | 8030 | / | AT | 14-APR-03 |
| | A-A-20193A | ONIONS, DRY, READY-TO-USE[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | GL | 29-FEB-96 |
| | A-A-20190A | ONIONS, GREEN, FRESH, READY-TO-USE[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | GL | 29-FEB-96 |
| | A-A-50229A NOT 1 | OPAQUES, PHOTOGRAPHIC FILM-PLATE RETOUCHING[CUST: CE AS 99 IS] [REVIEW: 70 CR OS] | A | 6750 | / | IS | 27-SEP-01 |
| | A-A-52202A | OPENER, CAN, HAND, FOR TRAY PACKS AND ROUND CANS[CUST: GL SA 99 SS] [REVIEW: 35 84 MC MD1 QM1] | A | 7330 | / | SS | 26-JUN-98 |
| | GG-O-00588C(2) | OPENER, LETTER, HAND, METAL | A | 7520 | # | FSS | 11-APR-72 |
| | A-A-52206B | OPENERS, CAN, HAND AND MOUNTED[CUST: GL SA 99] [REVIEW: 35 84 CG MC MD1 QM1 SS] | A | 7330 | / | GL | 10-APR-02 |
| | A-A-52203 | OPENERS, CAN, HAND, FOLDING[CUST: GL SA 99] [REVIEW: 84] | A | 7330 | * | GL | 06-JUN-96 |
| | DI-MISC-80392 | OPERATING INSTRUCTIONS [AMSC: F4158] | A | MISC | | 33 | 30-JUL-87 |
| | DI-SAFT-80402 | OPERATING PROCEDURES FOR HAZARDOUS MATERIALS [AMSC: A4169] | A | SAFT | | AM | 05-AUG-87 |
| | DI-MISC-81418 | OPERATING PROCEDURES MANUAL [AMSC: F7063] | A | MISC | | 10 | 14-NOV-94 |
| | MS17832A NOT 1 | OPERATING WRENCH, BUS DISCONNECT SYMBOL 1485[CUST: SH] [REVIEW: GS] | A | 6150 | | SH | 02-JUN-86 |
| | ASTM-G155 | OPERATING XENON ARC LIGHT APPARATUS FOR EXPOSURE OF NON-METALLIC MATERIALS[CUST: MR AS 99] [REVIEW: SH] | A | 9330 | | AS | 20-SEP-02 |
| | DI-MISC-81414 | OPERATION AND MAINTENANCE INSTRUCTIONS FOR RESEARCH AND DEVELOPMENT (R&D) EQUIPMENT [AMSC: F7051] | A | MISC | | 10 | 01-AUG-94 |
| | AIR-STD-61/116/1H | OPERATION OF ALL CONTROLS AND SWITCHES AT AIRCREW STATIONS | C | ISDF | | 06 | 15-NOV-90 |
| | STANAG-3217 ED.5(5) | OPERATION OF CONTROLS AND SWITCHES AT AIRCREW STATIONS | C | ISDF | | 06 | 09-SEP-81 |
| | QSTAG-520 | OPERATION ORDERS, TABLES & GRAPHS FOR ROAD MOVEMENT (BASED ON NATO STANAG 2041) (ABCA 520)[CUST: AI] | C | ISDA | | AI | 25-AUG-81 |
| | QSTAG-506 ED.1 | OPERATION ORDERS, WARNING ORDERS AND ADMINISTRATIVE/ LOGISTICS ORDERS (BASED ON STANAG 2014)[CUST: AI] | C | ISDA | | AI | 06-DEC-82 |
| | DI-CMAN-80399 | OPERATIONAL BASELINE LISTING [AMSC: A4165] | A | SESS | | AR | 04-AUG-87 |
| | DI-IPSC-81430A | OPERATIONAL CONCEPT DESCRIPTION (OCD) [AMSC: N7375] | A | IPSC | | EC | 10-JAN-00 |
| | MIL-O-89102 NOT 1 | OPERATIONAL NAVIGATION CHARTS (ONC)[CUST: MP] | A | GINT | | MP | 31-MAR-04 |
| | QSTAG-847 ED.1 | OPERATIONAL PROCEDURES FOR BATTLEFIELD AVIATION[CUST: AI] | C | ISDA | | AI | 25-OCT-94 |
| | QSTAG-695 ED.2 | OPERATIONAL REQUIREMENTS AND EVALUATION CRITERIA FOR GENERAL SERVICE MASKS[CUST: AI] | C | ISDA | | AI | 08-OCT-99 |
| | MIL-HDBK-514 | OPERATIONAL SAFETY, SUITABILITY, AND EFFECTIVENESS FOR THE AERONAUTICAL ENTERPRISE[CUST: 11] [REVIEW: 70 71 84] | A | SESS | | 11 | 28-MAR-03 |
| | QSTAG-510 | OPERATIONAL SITUATION REPORTS[CUST: AI] | C | ISDA | | AI | 15-JAN-79 |
| | STANAG-2020 ED.3(8) | OPERATIONAL SITUATION REPORTS | C | ISDA | | AI | 14-JUL-95 |
| | MIL-DTL-24784/5B | OPERATIONAL STATIONS BOOK (OSB) REQUIREMENTS FOR DESIGN, CONSTRUCTION, AND MAJOR MODIFICATION[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | QSTAG-1091 ED.1 | OPERATIONS SECURITY (OPSEC)[CUST: AI] | C | ISDA | | AI | 17-JAN-97 |
| | DI-MGMT-80934A | OPERATIONS SECURITY (OPSEC) PLAN [AMSC: N7553] | A | MGMT | | AS | 06-APR-05 |
| | ADV-PUB-61/116/17 | OPERATOR CAPABILITY ANALYSIS | C | ISDF | | 06 | 10-JUL-97 |
| | SAE-J297 | OPERATOR CONTROLS ON INDUSTRIAL EQUIPMENT[CUST: CR4 YD 99] | A | 4210 | | CR4 | 03-OCT-94 |
| | SAE-J154 | OPERATOR SPACE ENVELOPE DIMENSIONS FOR OFF-ROAD MACHINES[CUST: CR4 SA 99] [REVIEW: 84] | A | HFAC | | CR4 | 03-OCT-94 |
| | A-A-53030 | OPHTHALMDSCOPE, BINOCULAR, INDIRECT[CUST: MD MS 03] | A | 6540 | / | MB | 29-JUN-87 |
| | A-A-53035 | OPHTHALMOMETER[CUST: MD MS 03] | A | 6540 | / | MB | 30-JUN-87 |
| | A-A-53036 | OPHTHALMOSCOPE, POLARIZING TYPE[CUST: MD MS 03] | A | 6540 | / | MB | 30-JUN-87 |
| | A-A-51316 | OPHTHALMOSCOPE, RETINOSCOPE AND TRANSILLUMINATOR SET[CUST: MD MS 03] | A | 6540 | / | MB | 20-DEC-85 |
| | EIA455.81 | OPTIC CABLE, COMPOUND FLOW (DRIP) TEST FOR FILLED FIBER[CUST: CR AS 11] [REVIEW: 13 19 EC MC SH TE] | A | 60GP | | CR | 15-JUL-85 |
| | EIA-RS455.86 | OPTIC CABLE, FIBER, JACKET SHRINKAGE[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 19-MAR-85 |
| | EIA455.18 | OPTIC COMPONENTS & ASSEMBLIES, FIBER, ACCELERATION TESTING OF[CUST: CR AS 11] [REVIEW: 02 19 CC EC MC SH TE] | A | 60GP | | CR | 03-DEC-85 |
| | EIA455.2 | OPTIC DEVICES, FIBER, IMPACT TEST MEASUREMENTS FOR[CUST: CR AS 11] [REVIEW: 02 19 CC EC MC SH TE] | A | 60GP | | CR | 12-AUG-82 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | EIA-RS455.13 | OPTIC DEVICES, VISUAL & MECHANICAL INSPECTION OF FIBERS, CABLES, CONNECTORS AND/OR OTHER FIBER[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 29-JAN-85 |
| | EIA-RS455.14 | OPTIC SHOCK TEST, FIBER (SPECIFIED PULSE)[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 19-MAR-85 |
| | ASTM-F801 | OPTICAL ANGULAR DEVIATION OF TRANSPARENT PARTS, MEASURING[CUST: MR 11 GS] [REVIEW: AV] | A | 9330 | | IS | 10-NOV-96 |
| | EIA-TIA455.67 | OPTICAL CHARACTERISTICS OF OPTICAL FIBERS, PROCEDURE FOR ASSESSING HIGH TEMPERATURE EXPOSURE EFFECTS ON[CUST: CR AS 11 CC] | A | 60GP | | CC | 05-JUN-96 |
| | MIL-PRF-13830B NOT 2 | OPTICAL COMPONENTS FOR FIRE CONTROL INSTRUMENTS; GENERAL SPECIFICATION GOVERNING THE MANUFACTURE, ASSEMBLY, AND INSPECTION OF[CUST: AR OS] [REVIEW: GS] | A | 6650 | | AR | 07-JAN-00 |
| | EIA455.42 | OPTICAL CROSSTALK IN FIBER OPTIC COMPONENTS[CUST: CR AS 11] [REVIEW: 19 CC EC MC MI SH TE] | A | 60GP | | CR | 18-JAN-91 |
| | IPC-TM650.2.2.2 | OPTICAL DIMENSIONAL VERIFICATION[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | EIA-TIA526.4 | OPTICAL EYE PATTERN MEASUREMENT PROCEDURE[CUST: CR AS 11 CC] | A | 60GP | | CC | 10-MAR-95 |
| | EIA598 | OPTICAL FIBER CABLE COLOR CODING[CUST: CR AS 11 CC] | A | 6015 | | CC | 05-DEC-94 |
| | EIA455.25 | OPTICAL FIBER CABLES, FOTP-25 IMPACT TESTING OF[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | EIA455.65 | OPTICAL FIBER FLEXURE TEST[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-91 |
| | EIA455.62 | OPTICAL FIBER MACROBEND ATTENUATION, MEASUREMENT OF[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC MC SH TE] | A | 60GP | | CR | 02-JUN-93 |
| | EIA455.30 | OPTICAL FIBER, MULTIMODE, INFORMATION TRANSMISSION CAPACITY, FOTP-30 FREQUENCY DOMAIN MEASUREMENT OF[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | EIA455.76 | OPTICAL FIBERS BY TENSION, METHOD FOR MEASURING DYNAMIC FATIGUE OF[CUST: CR AS 11 CC] | A | 60GP | | CC | 14-MAY-93 |
| | EIA455.177 | OPTICAL FIBERS, GRADED INDEX, NUMERICAL APERTURE MEASUREMENT OF[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC MI SH TE] | A | 60GP | | CR | 18-JAN-91 |
| | EIA455.46 | OPTICAL FIBERS, LONG-LENGTH, GRADED-INDEX, FOTP-46 SPECTRAL ATTENUATION MEASUREMENT FOR[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | EIA455.55 | OPTICAL FIBERS, METHODS FOR MEASURING THE COATING GEOMETRY OF[CUST: CR AS 11] [REVIEW: 02 13 19 80 99 CC EC FSS MC SH SO TE] | A | 60GP | | CR | 18-DEC-87 |
| | EIA455.3 | OPTICAL FIBERS, OPTICAL CABLE, AND OTHER PASSIVE FIBER OPTIC COMPONENTS, PROCEDURE TO MEASURE TEMPERATURE CYCLING EFFECTS ON[CUST: CR AS 11 CC] | A | 60GP | | CC | 23-MAY-89 |
| | A-A-58051 | OPTICAL FLATS[CUST: GL 99] [REVIEW: CD CE1] | A | 5210 | / | 84 | 17-NOV-95 |
| | OEOSC-OP3.001 | OPTICAL GLASS[CUST: AR OS 99] [REVIEW: AV EA MI] | A | 6650 | | AR | 19-MAR-04 |
| | MIL-PRF-49173B | OPTICAL IMAGER, SU-103/UA AND SU-103A/UA[CUST: CR] | A | 5855 | | CR | 19-MAY-97 |
| | MIL-PRF-49384B | OPTICAL IMAGER, SU-121/UA[CUST: CR] | A | 5855 | | CR | 19-MAY-97 |
| | MIL-PRF-49170B | OPTICAL IMAGER, SU-97/UA, SU-97A/UA, AND SU-97B/UA[CUST: CR] | A | 5855 | | CR | 19-MAY-97 |
| | EIA526.14 | OPTICAL POWER LOSS MEASUREMENTS OF INSTALLED MULTIMODE FIBER CABLE PLANT OFSTP-14A[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | DI-MISC-80352 | OPTICAL SENSOR SYSTEM QUALITY REPORT [AMSC: F4107] | A | MISC | | 33 | 24-APR-87 |
| | A-A-59684 | OPTICAL SPECTRUM ANALYZER[CUST: 99] | A | 6625 | / | 84 | 19-OCT-04 |
| | MIL-STD-1241A NOT 1 | OPTICAL TERMS AND DEFINITIONS[Military Standard][CUST: AR SH 99] [REVIEW: AT AV CR4 GS MC MI] | A | 6650 | | AR | 15-MAY-87 |
| | MIL-HDBK-1241 | OPTICAL TERMS AND DEFINITIONS[CUST: AR SH 99] [REVIEW: AT AV CR4 GS MC MI] | A | 6650 | | AR | 15-JAN-98 |
| | ITOP-3.2.712 | OPTICAL TRANSFER FUNCTION FOR DIRECT VIEW TELESCOPES | D | ISDA | | TE | 13-NOV-00 |
| | EIA-RS455.20 | OPTICAL TRANSMITTANCE, CHANGE IN, MEASUREMENT OF[CUST: CR AS 11] [REVIEW: 02 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-86 |
| | EIA-RS455.66 | OPTICAL WAVEGUIDE COATINGS & BUFFERS, TEST METHODS FOR MEASURING RELATINE ABRASION RESISTANCE OF[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 29-JAN-85 |
| | MIL-STD-1545 NOT 1 | OPTIONAL SPARE PARTS, MAINTENANCE AND INVENTORY SUPPORT OF SPACE AND MISSILE SYSTEMS[Military Standard][CUST: 19] | A | 1810 | | 19 | 04-SEP-92 |
| | FED-STD-595/12300 | ORANGE [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/12648 | ORANGE GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/12246 | ORANGE GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/12473 | ORANGE GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/32169 | ORANGE LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/32544 | ORANGE LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/32276 | ORANGE LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/32356 | ORANGE LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/32246 | ORANGE LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/32630 | ORANGE LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/32648 | ORANGE LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/32516 | ORANGE LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22356 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22203 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22516 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22648 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22190 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22246 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22510 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22276 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22544 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22519 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22630 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22563 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22144 | ORANGE SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/12160 | ORANGE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/12215 | ORANGE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | FED-STD-595/12197 | ORANGE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/12199 | ORANGE, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/32473 | ORANGE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/32555 | ORANGE, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/22473 | ORANGE, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | A-A-20119C | ORANGES, MANDARIN, CANNED[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | GL | 11-FEB-99 |
| | STANAG-2931 ED.2 | ORDERS FOR THE CAMOUFLAGE OF THE RED CROSS AND THE RED CRESCENT ON LAND IN TACTICAL OPERATIONS | C | ISDA | | AI | 19-JAN-98 |
| | QSTAG-508 ED.3 | ORDERS TO THE DEMOLITION GUARD COMMANDER AND DEMOLITION FIRING PARTY COMMANDER (BASED ON NATO STANAG 2017)[CUST: AI] | C | ISDA | | AI | 25-FEB-88 |
| | STANAG-2017 ED.4 | ORDERS TO THE DEMOLITION GUARD COMMANDER AND DEMOLITION FIRING PARTY COMMANDER (NON NUCLEAR) | C | ISDA | | AI | 28-JAN-99 |
| | DI-CMAN-80225A | ORDNANCE ALTERATION (ORDALT) INSTRUCTIONS [AMSC: D6723] | A | SESS | | AM | 02-MAR-92 |
| | MIL-STD-1662C | ORDNANCE ALTERATION (ORDALT) INSTRUCTIONS, PREPARATION OF[Standard Practice][CUST: OS] | A | SESS | | OS | 02-MAR-92 |
| | MIL-STD-2098(1) | ORDNANCE PREPARATION AND APPLICATION OF INTUMESCENT SHEET, TYPE III[Military Standard][CUST: AS] | A | 8010 | | AS | 30-SEP-99 |
| | ASTM-D1640 | ORGANIC COATING, DRYING, CURING, OR FILM FORMATION OF AT ROOM TEMPERATURE[CUST: CR4 AS 11] [REVIEW: YD] | A | 8010 | | AS | 07-DEC-82 |
| | MIL-DTL-82194C | ORNAMENTATION - FOR JACKET, MAN'S, EVENING DRESS, OFFICERS'[CUST: MC] | A | 8455 | | MC | 29-JUL-97 |
| | MIL-DTL-82112C | ORNAMENTATION - FOR UNIFORM, WOMAN' S, EVENING DRESS, OFFICER'S[CUST: MC] | A | 8455 | | MC | 29-JUL-97 |
| | A-A-53782 | ORPHENADRINE CITRATE, ASPIRIN AND CAFFEINE TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 06-JAN-89 |
| | A-A-54928 | ORTHOPEDIC SYSTEM, SURGICAL, ELECTRICAL POWER[CUST: MD MS 03] | A | 6515 | / | MB | 30-NOV-93 |
| | A-A-55820 NOT 1 | ORTHOPHOSPHORIC (PHOSPHORIC) ACID, TECHNICAL[CUST: EA SH 68 GS3] [REVIEW: MC MD MI SA YD] | A | 6810 | / | GS3 | 26-NOV-02 |
| M | MIL-PRF-55310E SUP 1 | OSCILLATOR, CRYSTAL CONTROLLED, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 31-MAR-06 |
| | MIL-PRF-55310/15F | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.01 HZ THROUGH 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 24-FEB-05 |
| | MIL-PRF-55310/18E | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.01 HZ THROUGH 15.0 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 03-SEP-04 |
| | MIL-PRF-55310/11F | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.05 MHZ THROUGH 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 24-FEB-05 |
| | MIL-PRF-55310/12G | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.05 MHZ THROUGH 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 24-FEB-05 |
| | MIL-PRF-55310/16H | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.1 HZ THROUGH 80 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 23-APR-03 |
| | MIL-PRF-55310/14G | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.1 HZ THROUGH 25 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 07-OCT-04 |
| | MIL-PRF-55310/29B | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.2 MHZ THROUGH 85 MHZ, HERMETIC SEAL, SQUARE WAVE, HCMOS[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 24-FEB-05 |
| | MIL-PRF-55310/10H | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1 KHZ THROUGH 60 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 24-FEB-05 |
| | MIL-PRF-55310/19D | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 60.0 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 24-FEB-05 |
| | MIL-PRF-55310/27B | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 85 MHZ, HERMETIC SEAL, SQUARE WAVE, HIGH SPEED CMOS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 13-JUN-05 |
| | MIL-PRF-55310/28B | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 85 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 13-JUN-05 |
| | MIL-PRF-55310/21E | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 60.0 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL[CUST: 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 24-FEB-05 |
| | MIL-PRF-55310/26B | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 10 KHZ THROUGH 65 MHZ, HERMETIC SEAL, SQUARE WAVE, HIGH SPEED CMOS[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI SM] | A | 5955 | | CR | 08-JUL-02 |
| | MIL-PRF-55310/25C | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 25 MHZ THROUGH 175 MHZ, HERMETIC SEAL, SQUARE WAVE, EMITTER COUPLED LOGIC[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 07-OCT-04 |
| | MIL-PRF-55310/13G | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 300 HZ THROUGH 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 24-FEB-05 |
| | MIL-PRF-55310/20E | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 40.0 KHZ THROUGH 60.0 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL[CUST: 11 CC] [REVIEW: 19 99] | A | 5955 | | CC | 24-FEB-05 |
| | MIL-PRF-55310/9H | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 400 KHZ THROUGH 60 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 24-FEB-05 |
| | MIL-PRF-55310/30B | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 450 KHZ THROUGH 100 MHZ, HERMETIC SEAL, LOW VOLTAGE CMOS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 13-JUN-05 |
| | MIL-PRF-55310/8H | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 50 HZ THROUGH 50 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 07-OCT-04 |
| | MIL-PRF-55310/17E | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), GATED, 250 KHZ THROUGH 50 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5955 | | CR | 07-OCT-04 |
| A | QPL-55310-68 | OSCILLATORS, CRYSTAL CONTROLLED, GENERAL SPECIFICATION FOR | A | 5955 | | CR | 23-FEB-06 |
| | A-A-50692 | OSCILLOGRAPH, PORTABLE[CUST: 99] | A | 6625 | / | 84 | 11-OCT-90 |
| | A-A-50761 | OSCILLOSCOPE[CUST: CR EC 99] | A | 6625 | / | 84 | 30-MAY-86 |
| | A-A-59278 | OSCILLOSCOPE (DIGITAL STORAGE, 1 GHZ)[CUST: 99] [REVIEW: CC FSS] | A | 6625 | / | 84 | 01-JUL-98 |
| | A-A-59277 | OSCILLOSCOPE (DIGITAL STORAGE, 400 MHZ)[CUST: 99] [REVIEW: CC FSS] | A | 6625 | / | 84 | 30-JUN-98 |
| | A-A-59257A | OSCILLOSCOPE (DIGITAL STORAGE, 500 MHZ)[CUST: 99] | A | 6625 | / | 84 | 14-JUL-04 |
| | A-A-51499A | OSTEOTOME SET (HOKE)[CUST: MD MS 03] | A | 6515 | / | MB | 22-APR-87 |
| | A-A-53393 | OSTEOTOME SET, (LAMBOTTE)[CUST: MD MS 03] | A | 6515 | / | MB | 01-MAR-88 |
| | A-A-54043A | OTOSCOPE AND OPHTHALMOSCOPE SET[CUST: MD MS 03] | A | 6515 | / | MB | 29-JUL-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-54867 | OTOSCOPE AND OPHTHALMOSCOPE SET[CUST: MD MS 03] | A | 6515 | / | MB | 14-MAY-93 |
| | MIL-O-82672A | OTTO FUEL II[CUST: OS] | A | 9135 | | OS | 06-AUG-86 |
| M | A-A-52012 NOT 2 | OUTBOARD MOTOR, GASOLINE[CUST: AV SH] [REVIEW: CR MC] | A | 2805 | / | AV | 08-MAR-06 |
| | MIL-HDBK-1037/3 | OUTDOOR SPORTS AND RECREATIONAL FACILITIES[CUST: YD] [REVIEW: AR CR CR4 IS MI] | A | FACR | | YD | 30-JUN-89 |
| | DI-ILSS-80948 | OUTFITTING MATERIAL STATUS REPORT [AMSC: N4898] | A | SESS | | SH | 27-FEB-90 |
| | DI-ILSS-80947 | OUTFITTING OPERATIONS PLAN [AMSC: N4897] | A | SESS | | SH | 27-FEB-90 |
| | IPC-TM650.2.6.4 | OUTGASSING, PRINTED BOARDS[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | UL886 | OUTLET BOXES AND FITTINGS FOR USE IN HAZARDOUS (CLASSIFIED) LOCATION[CUST: YD] [REVIEW: GS] | A | 5975 | | YD | 20-SEP-91 |
| | EIA455.43 | OUTPUT NEAR-FIELD RAD1ATION PATTERN MEASUREMENT OF OPTICAL WAVEGU2DE FIBERS[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 14-FEB-86 |
| | DI-MGMT-80354 | OUTSIDE PLANT EQUIPMENT INSTALLATION PLAN [AMSC: F4111] | A | MGMT | | 10 | 07-MAY-87 |
| | ASTM-D2115 | OVEN HEAT STABILITY OF POLY(VINYL CHLORIDE) COMPOSITIONS[CUST: MR SH 99] | A | 9330 | | MR | 15-OCT-94 |
| | A-A-59189 | OVEN, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC (NAVAL SHIPBOARD)[CUST: GL SH] | A | 7310 | / | SH | 12-MAY-98 |
| | A-A-53071 | OVEN, LABORATORY[CUST: EA MS 99] | A | 6640 | / | MB | 20-JUL-87 |
| | A-A-50020 | OVEN, PIZZA, COUNTER TOP, ELECTRIC[CUST: GL YD 99 SS] | A | 7310 | * | SS | 13-JAN-82 |
| | MIL-PRF-83990A | OVEN, THERMAL DRYING, ELECTRIC[CUST: 99] | A | 4430 | | 84 | 24-FEB-97 |
| | ASTM-D1870 | OVEN, TUBULAR, ELEVATED TEMPERATURE AGING USING A[CUST: MR 11] [REVIEW: AR AV CR4 EA GL GS MD] | A | 9320 | | MR | 12-JAN-68 |
| | ASTM-E145 | OVENS, GRAVITY-CONVECTION AND FORCED-VENTILATION[CUST: CR4 SH 99] | A | 7310 | | CR4 | 15-AUG-94 |
| | ASTM-F1360 | OVENS, MICROWAVE, ELECTRIC[CUST: CE YD 99] [REVIEW: 84 CG GS MC MD MS SA] | A | 7310 | | SS | 15-DEC-93 |
| | STANAG-4484 ED.1 | OVERALL SUPER HIGH FREQUENCY (SHF) MILITARY SATELLITE COMMUNICATIONS (MILSATCOM) INTEROPERABILITY STANDARDS | C | ISDA | | AI | 18-JUN-98 |
| | A-A-59549 | OVERALLS, COLD WEATHER, SYNTHETIC FLEECE[CUST: GL MC] | A | 8415 | / | CT | 19-APR-00 |
| | MIL-O-44109B | OVERALLS, COMBAT VEHICLE CREWMEN'S[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8415 | | CT | 31-DEC-90 |
| | A-A-59483 | OVERALLS, POWERSTRETCH WITH RAINBOW DROP SEAT SPEAR SYSTEM: LAYER-3[CUST: GL MC] | A | 8415 | / | CT | 03-MAR-04 |
| | MIL-O-43537C | OVERCOAT, MAN S, ARMY GREEN 44, WITH REMOVABLE LINER[CUST: GL CT] [REVIEW: 11 MD] | A | 8405 | | CT | 17-JUN-88 |
| | MIL-O-2414H | OVERCOAT, MAN'S, ENLISTED[CUST: NU CT] | A | 8405 | | CT | 15-AUG-88 |
| | MIL-O-24926A | OVERCOAT, WOMAN'S, ENLISTED[CUST: NU CT] | A | 8410 | | CT | 03-APR-90 |
| | DI-ILSS-80755 | OVERHAUL REPAIR REPORT [AMSC: A4626] | A | SESS | | AM | 23-JAN-89 |
| | ASME-B30.2 | OVERHEAD AND GANTRY CRANES (TOP RUNNING BRIDGE, SINGLE OR MULTIPLE GIRDER , TOP RUNNING TROLLEY HOIST)[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | DI-QCIC-80425 | OVERHEAD HOIST EVALUATION DATA [AMSC: N4198] | A | QCIC | | SA | 26-AUG-87 |
| | MIL-O-82295B | OVERSHOES, MEN S, DRESS, STRETCH TYPE[CUST: NU 11 CT] [REVIEW: 99] | A | 8430 | | CT | 17-FEB-84 |
| | A-A-59520 | OVERSHOES, MEN'S AND WOMEN'S, BOOT, COMBAT[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8430 | / | CT | 30-NOV-99 |
| | MIL-O-43995C | OVERSHOES, MEN'S AND WOMEN'S, BOOT, COMBAT[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 84GP | | CT | 15-SEP-89 |
| | A-A-50362B | OVERSHOES, MEN'S, RUBBER, 5 BUCKLE TYPE[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8430 | / | CT | 20-JUL-00 |
| | A-A-55103 | OVERSHOES, RADIOACTIVE CONTAMINANTS, PROJECTIVE[CUST: NU 11 CT] [REVIEW: AS OS SH] | A | 8430 | / | CT | 08-DEC-92 |
| | A-A-59121 NOT 1 | OXALIC ACID, DIHYDRATE, TECHNICAL[CUST: MD1 68 GS3] | A | 6810 | / | GS3 | 28-FEB-03 |
| | MIL-O-60863A(4) | OXAMIDE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 10-APR-92 |
| | MIL-O-60371A NOT 1 | OXAMIDE EXPLOSIVE COMPOSITION[CUST: AR] | A | 1376 | | AR | 29-AUG-91 |
| | A-A-54364 | OXAZEPAM CAPSULES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 29-MAR-91 |
| | ASTM-D2274 | OXIDATION STABILITY OF DISTILLATE FUEL OIL (ACCELERATED METHOD)[CUST: PS] | A | 9140 | | PS | 31-OCT-88 |
| | ASTM-D2112 | OXIDATION STABILITY OF INHIBITED MINERAL INSULATING OIL BY PRESSURE VESSEL[CUST: AR SH 68] | A | 9160 | | AR | 03-OCT-94 |
| | ASTM-D942 | OXIDATION STABILITY OF LUBRICATING GREASES BY THE OXYGEN BOMB METHOD[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 27-APR-90 |
| | ASTM-D3241 | OXIDATION, THERMAL, STABILITY OF AVIATION TURBINE FUELS (JFTOT PROCEDURE)[CUST: PS] | A | 91GP | | PS | 28-SEP-94 |
| | SAE-AMS1383 | OXIDE CONDITIONER, ALKALINE PERMANGANATE AIRCRAFT TURBINE ENGINE COMPONENTS[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A | 6850 | | AS | MAY-94 |
| | SAE-AMS1382 | OXIDE REMOVER COMPOUND, ACIDIC AIRCRAFT TURBINE ENGINE COMPONENTS[CUST: AV AS] [REVIEW: GS] | A | 6850 | | AS | 01-JUL-91 |
| | ASTM-B577 | OXIDE, CUPROUS, DETECTION OF, (HYDROGEN EMBRITTLEMENT SUSCEPTIBILITY) IN COPPER[CUST: AS 99] [REVIEW: 84 IS] | A | 95GP | | AS | 15-DEC-93 |
| | CGA-G8.1 | OXIDE, NITROUS, SYSTEMS AT CONSUMER SITES, STANDARD FOR[CUST: GL YD 68] [REVIEW: GS] | A | 6830 | | YD | 03-OCT-94 |
| | ASTM-D1608 | OXIDES OF NITROGEN IN GASEOUS COMBUSTION PRODUCTS (PHENOL-DISULFONIC ACID PROCEDURES)[CUST: EA SH 68] [REVIEW: CR4 MD] | A | 6810 | | GS3 | 10-OCT-98 |
| | MIL-HDBK-1024/3(1) | OXYACETYLENE AND NITROGEN AND BREATHING OXYGEN FACILITIES[CUST: YD] | A | FACR | | YD | 30-JUN-92 |
| | A-A-51241 | OXYCODONE HYDROCHLORIDE & ACETAMINOPEN TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 01-AUG-86 |
| | A-A-51210 | OXYCODONE HYDROCHLORIDE, ASPIRIN, & OXYCODONE TEREPHTHALATE TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 22-NOV-85 |
| | A-A-51964 | OXYGEN ABSORBENT, CHEMICAL, SEEZ 02[CUST: EA MS 99] | A | 6630 | | MB | 15-MAY-87 |
| | ANSI-Z79.10 | OXYGEN ANALYZERS FOR MONITORING PATIENT BREATHING-MIXTURES, REQUIREMENTS FOR[CUST: MD MS 03] | A | 6515 | | MB | 19-OCT-87 |
| | MIL-O-37997 | OXYGEN GAS, USP, HIGH PRESSURE, CYLINDER[CUST: MD MS 03] [REVIEW: 68 CR4 SH] | A | 6505 | | MB | 18-DEC-85 |
| | ASCE2 | OXYGEN TRANSFER IN CLEAN WATER, MEASUREMENT OF[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| A | MIL-PRF-27210G(1) | OXYGEN, AVIATOR'S BREATHING, LIQUID AND GAS[CUST: AV AS 68] [REVIEW: GS NA] | A | 6830 | | 68 | 24-JAN-00 |
| | ASTM-D888 | OXYGEN, DISSOLVED IN WATER[CUST: CE YD 11] | A | MISC | | YD | 15-JUN-92 |
| | BB-O-925A | OXYGEN, TECHNICAL, GAS AND LIQUID[CUST: SH 68] [REVIEW: GS] | A | 6830 | / | SH | 22-AUG-61 |
| | MIL-O-36788(3) | OXYGEN, USP, WITH TUBE AND FACE MASK 24 GAL. (90 LITER)[CUST: MD MS 03] | A | 6515 | | MB | 07-DEC-73 |
| | ASTM-B170 | OXYGEN-FREE ELECTROLYTIC COPPER - REFINERY SHAPES[CUST: AR AS 99] [REVIEW: 84] | A | 9650 | | AS | 15-JAN-93 |
| | DI-MISC-81479 | OZONE DEPLETING SUBSTANCES (ODS) PLAN [AMSC: N7152] | A | MISC | | SA | 31-JUL-95 |
| | EIA364.14 | OZONE EXPOSURE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D2802 | OZONE-RESISTANT ETHYLENE-ALKENE POLYMER INSULATION FOR WIRE AND CABLE[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 10-MAY-98 |
| | A-A-54042 | PACEMAKER, CARDIAC EXTERNAL TYPE, BATTERY POWERED[CUST: MD MS 03] | A | 6515 | / | MB | 19-JAN-90 |
| | A-A-54496 | PACEMAKER, CARDIAC NON-INVASIVE, TEMPORARY, DESK TOP TYPE[CUST: MD MS 03] | A | 6515 | / | MB | 25-SEP-91 |
| | MIL-P-43304C | PACK AND HARNESS ASSEMBLY, PARACHUTISTS WEAPONS AND INDIVIDUAL EQUIPMENT[CUST: GL AS CT] [REVIEW: MC MD] | A | 8465 | | CT | 30-MAR-81 |
| | A-A-54420 | PACK, PETROLATUM GAUZE[CUST: MD MS 03] | A | 6510 | / | MB | 28-JUN-91 |
| | MIL-HDBK-304C | PACKAGE CUSHIONING DESIGN[CUST: AR AS 11] [REVIEW: 99 AT CR4 MC OS SA SH SM YD] | A | PACK | | 11 | 01-JUN-97 |
| | ASTM-D2221 | PACKAGE CUSHIONING MATERIALS, CREEP PROPERTIES OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL MI OS SA SH YD] | A | PACK | | AS | 30-SEP-81 |
| | ARI560 | PACKAGES, ABSORPTION WATER-CHILLING, STANDARD FOR[CUST: CR4 YD 99] [REVIEW: 84 CE GS MC MS] | A | 4130 | | IS | 2000 |
| | SAE-AMS2813 | PACKAGING AND MARKING OF PACKAGES OF WELDING WIRE STANDARD METHOD[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-OCT-92 |
| | PPP-C-0020B | PACKAGING AND PACKING OF FILING CABINETS, STEEL, CARD SIZE (TABULATING, MACHINE AND INDEX) | A | PACK | # | FSS | 01-OCT-76 |
| | PPP-P-1148A(2) | PACKAGING AND PACKING OF TYPEWRITERS[CUST: GL SA 99] [REVIEW: MC SM] | A | 7430 | * | GL | 15-MAY-69 |
| | MIL-PRF-23199E | PACKAGING AND PACKING REQUIREMENTS FOR SPECIAL PURPOSE MECHANICAL COMPONENTS AND REPAIRS PARTS[CUST: SH] | A | PACK | | SH | 28-FEB-97 |
| | DI-PACK-80458 | PACKAGING COST ANALYSIS [AMSC: A4237] | A | PACK | | AM | 09-OCT-87 |
| | DI-PACK-81582 | PACKAGING DEVELOPMENT DATA REPORT [AMSC: A7386] | A | PACK | | CR | 07-JUN-00 |
| | DI-MISC-81499 | PACKAGING KIT CONTENTS LIST [AMSC: N7169] | A | MISC | | AS | 30-OCT-95 |
| | A-A-59311 | PACKAGING MATERIAL, KRAFT PAPER, 3-PLY, FLEXIBLE[CUST: AS] [REVIEW: SA] | A | 8135 | / | AS | 17-NOV-98 |
| | A-A-59135 | PACKAGING MATERIAL, SHEET[CUST: SM AS 11 CC] [REVIEW: 70 71 84 99 AR AT GL MI OS SA SH YD] | A | 8135 | / | 11 | 28-OCT-97 |
| A | QPL-3420-27(2) | PACKAGING MATERIALS, VOLATILE CORROSION INHIBITOR TREATED, OPAQUE | A | 8135 | | AS | 25-AUG-05 |
| | MIL-PRF-3420G(1) | PACKAGING MATERIALS, VOLATILE CORROSION INHIBITOR, TREATED, OPAQUE[CUST: SM AS 11] [REVIEW: AT AV DH EA GL MC OS SA SH YD] | A | 8135 | | AS | 14-JUL-04 |
| A | MIL-DTL-197K(1) | PACKAGING OF BEARINGS, ASSOCIATED PARTS AND SUBASSEMBLIES[CUST: AR SH 99 GS4] [REVIEW: 11 70 84 AS AT OS SA SM] | A | PACK | | GS4 | 11-OCT-05 |
| | MIL-PRF-44073F | PACKAGING OF FOOD IN FLEXIBLE POUCHES[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 89GP | | GL | 04-SEP-01 |
| | MIL-PRF-32004B | PACKAGING OF FOOD IN POLYMERIC TRAYS[CUST: QM MC] [REVIEW: MD SA SS] | A | 89GP | | GL | 29-OCT-03 |
| | MIL-STD-290F | PACKAGING OF PETROLEUM AND RELATED PRODUCTS[Military Standard][CUST: SM SA 68 GS3] [REVIEW: AR AS CR4 MC MI MR PS SH YD] | A | PACK | | GS3 | 17-JUL-00 |
| | MIL-P-43334C | PACKAGING OF TEXTILE WEBBING AND TAPE[CUST: GL NU 99 CT] [REVIEW: AR MC MD SH SM YD] | A | PACK | | CT | 30-SEP-86 |
| | DI-PACK-80455 | PACKAGING PLAN [AMSC: A4234] | A | PACK | | AM | 09-OCT-87 |
| | MIL-STD-758C | PACKAGING PROCEDURES FOR SUBMARINE SUPPORT ITEMS[Standard Practice][CUST: SH] [REVIEW: EA SM] | A | PACK | | SH | 13-APR-90 |
| | DI-PACK-80456 | PACKAGING TEST PLAN [AMSC: A4235] | A | PACK | | AM | 09-OCT-87 |
| | DI-PACK-80457 | PACKAGING TEST REPORT [AMSC: A4236] | A | PACK | | AM | 09-OCT-87 |
| | ASTM-D3951 | PACKAGING, COMMERCIAL[CUST: AM SA 11 DH] [REVIEW: AR AS AT CR CR4 EA GS MC YD] | A | PACK | | SM | DEC-90 |
| | ASTM-D3078 | PACKAGING, DETERMINATION OF LEAKS IN FLEXIBLE, BY BUBBLE EMISSION[CUST: MD MS 03] | A | 6515 | | MB | 30-MAR-84 |
| | MIL-PRF-23199/1A | PACKAGING, PACKING AND MARKING (PP&M) REQUIREMENTS FOR INSTRUMENTATION AND CONTROL EQUIPMENT[CUST: SH] | A | PACK | | SH | 28-FEB-03 |
| | PPP-B-51C | PACKAGING, PACKING AND MARKING OF TEXTILE FABRICS (WOOLENS, WORSTEDS, COTTONS, SILKS AND SYNTHETICS)(S/S BY PPP-P-1132 THRU PPP-P-1136) | A | PACK | # | FSS | 01-JAN-67 |
| | ASTM-D4919 | PACKAGINGS, HAZARDOUS MATERIALS, TESTING OF[CUST: SM AS 11 DH] [REVIEW: AR AT CG CR GS MB MI NM SA YD] | A | PACK | | SM | 14-DEC-90 |
| | MIL-PRF-52348D | PACKING KIT, HOSELINE[CUST: AT YD] [REVIEW: CC] | A | 3835 | | AT | 01-FEB-99 |
| | HH-P-31F | PACKING MATERIAL, ASBESTOS, METALLIC CLOTH AND TAPE[CUST: MR SH 99] [REVIEW: 71 AT AV IS MC] | A | 5330 | / | SH | 05-JUN-87 |
| | MIL-P-24396A | PACKING MATERIAL, BRAIDED PTFE (POLYTETRAFLUOROETHYLENE)[CUST: SH] | A | 5330 | | SH | 28-FEB-94 |
| | QPL-24790-6 | PACKING MATERIAL, BRAIDED, NON-ASBESTOS | A | 5330 | | SH | 12-AUG-03 |
| | MIL-PRF-24790A(1) | PACKING MATERIAL, BRAIDED, NON-ASBESTOS[CUST: SH] | A | 5330 | | SH | 06-FEB-03 |
| | MIL-P-24752 | PACKING MATERIAL, FLAX OR HEMP[CUST: SH] | A | 5330 | | SH | 01-OCT-90 |
| | MIL-P-24583B | PACKING MATERIAL, GRAPHITIC OR CARBON BRAIDED YARN[CUST: SH] | A | 5330 | | SH | 22-AUG-91 |
| | MIL-P-24503B | PACKING MATERIAL, GRAPHITIC, CORRUGATED RIBBON OR TEXTURED TAPE AND PREFORMED RING[CUST: SH] | A | 5330 | | SH | 22-AUG-91 |
| | MIL-P-17416C(1) NOT 1 | PACKING MATERIAL, METALLIC, FLEXIBLE[CUST: AR SH] [REVIEW: IS] | A | 5330 | | SH | 27-JUN-95 |
| | MIL-P-17578A NOT 1 | PACKING MATERIAL, PLASTIC (FOR DOGS FOR WATERTIGHT CLOSURES) (SYMBOL 1425)[CUST: SH] [REVIEW: IS] | A | 5340 | | SH | 27-MAR-91 |
| | NAS1523 | PACKING WITH RETAINER[CUST: AS 11] [REVIEW: IS] | A | 5330 | | AS | 30-JAN-84 |
| | SAE-AS33931 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, HYDRAULIC, -65 DEGREES F TO +275 DEGREES F[CUST: MR AS 99] | A | 5330 | | AS | AUG-97 |
| | QPL-HH-P-46-15 | PACKING, ASBESTOS, SHEET, COMPRESSED | A | 5330 | / | SH | 07-JUN-91 |
| | NAS1611 | PACKING, ETHYLENE PROPYLENE PREFORMED O-RING PHOSPHATE ESTER RESISTANT (-65 DEG. F TO 250/300 DEG. F)[CUST: AS 11 IS] | A | 5331 | | IS | 29-NOV-95 |
| | NAS1612 | PACKING, ETHYLENE PROPYLENE PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, PHOSPHATE ESTER RESISTANT -65 DEG. F TO 250/300 DEG. F[CUST: AS 11 IS] | A | 5331 | | IS | 29-NOV-95 |
| | ASTM-F2087 | PACKING, FIBERGLASS, BRAIDED, ROPE AND WICK[CUST: AR SH IS] | A | 5330 | | IS | 27-JUN-01 |
| | MIL-P-16685D(2) | PACKING, MATERIAL AND PACKING PREFORMED (STUFFING TUBE FOR ELECTRIC CABLES)[CUST: SH IS] [REVIEW: AS EC OS] | A | 5330 | | IS | 22-NOV-95 |
| | NAS617 | PACKING, PERFORMED, STRAIGHT THREAD TUBE FITTING BOSS, SYNTHETIC LUBRICANT RESISTANT[CUST: AS 11 IS] | A | 5330 | | AS | 30-JAN-84 |
| | SAE-AS9770 | PACKING, PREFORMED - AMS 3650, 'O' RING[CUST: AS 11] | A | 5331 | | IS | AUG-99 |
| | SAE-AS9771 | PACKING, PREFORMED - AMS 3650, SEAL[CUST: AS 11] | A | 5331 | | IS | MAY-98 |
| | SAE-AS9955 | PACKING, PREFORMED - AMS 3668, "O" RING[CUST: AS 11] | A | 5331 | | IS | MAY-98 |
| | SAE-AS9956 | PACKING, PREFORMED - AMS 3668, SEAL[CUST: AS 11] | A | 5331 | | IS | NOV-98 |
| | SAE-AS9967 | PACKING, PREFORMED - AMS 7273, "O" RING[CUST: AS 11] | A | 5331 | | IS | MAY-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS9966 | PACKING, PREFORMED - AMS 7273, SEAL[CUST: AS 11] | A | 5331 | | IS | NOV-98 |
| | SAE-AS3208 | PACKING, PREFORMED - AMS 7276 - SEAL[CUST: MR AS 11] | A | 5331 | | IS | 16-FEB-76 |
| | SAE-AS3209 | PACKING, PREFORMED - AMS 7276, 'O' RING[CUST: MR AS 11] | A | 5331 | | IS | 16-FEB-76 |
| | SAE-AS9772 | PACKING, PREFORMED - AMS3617, "O" RING[CUST: AS 11] | A | 5331 | | IS | MAY-98 |
| | SAE-AS3569 | PACKING, PREFORMED - O-RING SEAL AMS 7270[CUST: MR AS 11 IS] | A | 5331 | | IS | NOV-95 |
| | SAE-AS3570 | PACKING, PREFORMED - O-RING SEAL AMS 7274[CUST: AV AS 99 IS] | A | 5331 | | IS | NOV-95 |
| | SAE-AS3578 | PACKING, PREFORMED - O-RING SEAL AMS7271[CUST: AV AS 11 IS] | A | 5331 | | IS | MAY-96 |
| | SAE-MA3352 | PACKING, PREFORMED - O-RING SEAL, AMS 7276, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5331 | | IS | MAR-87 |
| | SAE-AS3582 | PACKING, PREFORMED O-RING SEAL AMS 3304[CUST: MI AS 11 IS] | A | 5331 | | IS | SEP-96 |
| | SAE-AS3581 | PACKING, PREFORMED O-RING SEAL AMS 7259[CUST: MR AS 11 IS] | A | 5331 | | IS | NOV-96 |
| | SAE-MA3442 | PACKING, PREFORMED O-RING SEAL, AMS 7267, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5331 | | IS | MAR 87 |
| | SAE-MA3434 | PACKING, PREFORMED O-RING SEAL, AMS 7273, METRIC[CUST: AR 99 IS] | A | 5331 | | IS | 17-OCT-88 |
| | SAE-MA3445 | PACKING, PREFORMED O-RING SEAL, FLUOROCARBON (MIL-R-83485, TYPE I), METRIC[CUST: MR SH 11 IS] [REVIEW: 99] | A | 5331 | | IS | SEP-88 |
| | SAE-MA2010 | PACKING, PREFORMED O-RING SEAL, STANDARD SIZES AND SIZE CODES, METRIC[CUST: AV 99 IS] | A | 5331 | | IS | 17-OCT-88 |
| | SAE-AS28772 | PACKING, PREFORMED, (D RING, SHOCK STRUT)[CUST: AV AS 99] | A | 5330 | | IS | 01-MAR-01 |
| | SAE-AS38386/3 | PACKING, PREFORMED, AIR DUCT HOSE, GROUND COOLING[CUST: 99 IS] [REVIEW: 71 CC] | A | 5330 | | IS | JUL-99 |
| | SAE-AS9385 | PACKING, PREFORMED, AMS 7267, O-RING[CUST: AS 99] | A | 5331 | | IS | DEC-99 |
| | SAE-AS9386 | PACKING, PREFORMED, AMS 7267, O-RING[CUST: AS 99] | A | 5331 | | IS | AUG-99 |
| | MIL-P-18493 | PACKING, PREFORMED, CARBON; AND, CARBON STOCK, PACKING[CUST: SH] [REVIEW: IS] | A | 5330 | | SH | 03-OCT-89 |
| | QPL-2863-23 | PACKING, PREFORMED, CONDENSER-TUBE, NON-ASBESTOS | A | 5330 | | SH | 30-DEC-04 |
| | MIL-PRF-2863C | PACKING, PREFORMED, CONDENSER-TUBE, NON-ASBESTOS[CUST: SH] [REVIEW: AS IS] | A | 5330 | | SH | 04-FEB-00 |
| | NAS1613 | PACKING, PREFORMED, ETHYLENE PROPYLENE RUBBER, SEAL ELEMENT[CUST: AS 11 IS] | A | 5330 | | IS | 29-NOV-95 |
| | SAE-AS28775 | PACKING, PREFORMED, HYDRAULIC, +275 DEG. F. ("O"-RING)[CUST: AV AS 99 IS] | A | 5331 | | IS | 29-SEP-00 |
| | SAE-AS29513 | PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, O RING[CUST: AV AS 11] | A | 5331 | | IS | 01-MAR-01 |
| | SAE-AS29512 | PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, TUBE FITTING O RING[CUST: AV AS 11] | A | 5331 | | IS | 01-MAR-01 |
| | SAE-AS29561 | PACKING, PREFORMED, O RING, SYNTHETIC LUBRICANT RESISTANT[CUST: MR AS 99] | A | 5331 | | IS | 01-MAR-01 |
| | MIL-P-17553A | PACKING, PREFORMED, O RING, SYNTHETIC RUBBER[CUST: OS] | A | 5330 | | OS | 22-JUN-76 |
| | SAE-AMS-P-5516 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, 160 DEG. F[CUST: MI AS 11] | A | 5330 | | 11 | 20-DEC-02 |
| | SAE-AMS-P-83461/1 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C) SIZES AND TOLERANCES[CUST: AV AS 11] [REVIEW: 71 99 IS MC SA] | A | 5331 | | 11 | 01-OCT-03 |
| | SAE-AMS-P-83461 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C)[CUST: AS 11] [REVIEW: 99 IS MC SA] | A | 5330 | | 11 | 01-OCT-03 |
| | SAE-AMS-P-83461/2 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C) FOR USE IN BOSS FITTINGS, SIZES AND TOLERANCES[CUST: AV AS 11] [REVIEW: 71 99 IS MC SA SH] | A | 5331 | | 11 | 01-OCT-03 |
| A | QPL-25732-18(3) | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, LIMITED SERVICE AT 275 DEG. F (135 DEG. C) | A | 5330 | | 11 | 16-FEB-06 |
| | A-A-55549 NOT 1 | PACKING, PREFORMED, ROUND (FOR USE WITH WAVEGUIDE FLANGES)[CUST: MR EC 99 IS] [REVIEW: 11 71 CR MC] | A | 5331 | / | IS | 21-AUG-01 |
| | SAE-AMS-P-5510 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, TYPE I HYDRAULIC (-65 DEG. F TO 160 DEG. F)[CUST: AR AS 11] | A | 5330 | | 11 | 20-DEC-02 |
| A | QPL-AMS-P-5510-1(1) | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, TYPE I HYDRAULIC (-65 DEG F TO 160 DEG F) | A | 5330 | | 11 | 02-AUG-05 |
| | SAE-AS28778 | PACKING, PREFORMED, STRAIGTH THREAD TUBE FITTING BOSS[CUST: AV AS 99] | A | 5331 | | IS | 01-MAR-01 |
| | HH-P-46E(2) NOT 1 | PACKING; ASBESTOS, SHEET, COMPRESSED[CUST: MR SH] [REVIEW: AT IS MC OS] | A | 5330 | / | SH | 04-APR-91 |
| | HH-P-151F NOT 1 | PACKING; RUBBER-SHEET, CLOTH-INSERT[CUST: AR SH 99] [REVIEW: 71 AT CR4 IS] | A | 5330 | / | SH | 27-MAR-91 |
| | A-A-30152 | PAD, ABDOMINAL (NONSTERILE)[CUST: MD MS 03] | A | 6510 | * | MB | 24-JUL-91 |
| | A-A-30151 | PAD, ABDOMINAL (STERILE)[CUST: MD MS 03] | A | 6510 | * | MB | 24-JUL-91 |
| | A-A-30186A | PAD, BED LINEN PROTECTIVE (REUSABLE)[CUST: MD MS 03] | A | 6530 | * | MB | 08-JAN-93 |
| | A-A-51519 | PAD, CLEANING, ELECTROSURGICAL TIP[CUST: MD MS 03] | A | 6515 | / | MB | 03-JUL-86 |
| | DDD-P-52 | PAD, CLOTH, COPPER-SULFATE IMPREGNATED | A | 6510 | # | FSS | 22-DEC-59 |
| | A-A-51319 | PAD, CONTAMINATION CONTROL MAT[CUST: MD MS 03] | A | 6530 | / | MB | 27-DEC-85 |
| | A-A-30011B | PAD, COTTON (EYE PADS) | A | 6510 | # | FSS | 08-FEB-85 |
| | A-A-54757 | PAD, COTTON, GAUZE COVERED (EYE PAD)[CUST: MD MS 03] | A | 6510 | / | MB | 30-SEP-92 |
| | A-A-50881A | PAD, DENTAL RUBBER DAM[CUST: MD MS 03] | A | 6520 | / | MB | 28-OCT-85 |
| | UU-P-0016B(2) | PAD, DESK, BLOTTER | A | 7520 | # | FSS | 26-OCT-76 |
| | A-A-54527 | PAD, ELECTRODE, DEFIBRILLATOR[CUST: MD MS 03] | A | 6515 | / | MB | 23-NOV-91 |
| | MIL-PRF-9884F NOT 1 | PAD, ENERGY DISSIPATOR[CUST: GL2 AS 99] [REVIEW: 82 AV GS MC] | A | 1670 | | GL2 | 11-JUN-02 |
| | A-A-3004 NOT 3 | PAD, FLOOR POLISHING MACHINE[CUST: 99] [REVIEW: 84] | A | 7910 | * | 99 | 17-SEP-03 |
| | A-A-2370 NOT 2 | PAD, FLOOR POLISHING MACHINE (THIN) | A | 7910 | # | FSS | 11-JUL-01 |
| | A-A-50867 | PAD, GROUNDING, ELECTROSURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 16-DEC-85 |
| | A-A-54436 | PAD, HEAT TREATMENT (ELECTRIC)[CUST: MD MS 03] | A | 6530 | / | MB | 25-JUN-91 |
| | MIL-P-42075 | PAD, HEATING, CHEMICAL[CUST: MD MS 03] | A | 6530 | | MB | 14-FEB-91 |
| | A-A-51282 | PAD, HOSPITAL STRETCHER[CUST: MD MS 03] | A | 6530 | / | MB | 09-DEC-85 |
| | A-A-51620 | PAD, HOT-COLD TREATMEN T, CIRCULATING[CUST: MD MS 03] | A | 6530 | | MB | 22-AUG-86 |
| | A-A-53008 | PAD, LEG HOLDER[CUST: MD MS 03] | A | 6515 | / | MB | 26-JUN-87 |
| | MIL-P-36816A | PAD, LITTER[CUST: MD MS 03] | A | 6530 | | MB | 06-JUL-76 |
| | A-A-50991 | PAD, MAGNETIC, SURGICAL INSTRUMENT[CUST: MD MS 03] | A | 6515 | / | MB | 04-OCT-85 |
| | A-A-53262 | PAD, NONADHERENT[CUST: MD MS 03] | A | 6510 | / | MB | 01-MAR-88 |
| | A-A-53857 | PAD, OPERATING TABLE TWO SECTIONS[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAY-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-38199B NOT 1 | PAD, PARACHUTE HARNESS, QUICK RELEASE[CUST: GL AS 99] [REVIEW: 11 71 AV GS] | A | 1670 | | GL | 19-JUN-90 |
| | A-A-55253 | PAD, PARACHUTIST'S HELMET[CUST: GL MC 99 CT] [REVIEW: 11 MD] | A | 8470 | / | CT | 24-AUG-94 |
| | A-A-30190 | PAD, PETROLATUM AND BISMUTH TRIBROMOPHENATE[CUST: MD MS 03] | A | 6510 | * | MB | 08-JAN-93 |
| | A-A-54856 | PAD, POST SURGICAL OBSTETRICAL[CUST: MD MS 03] | A | 6510 | / | MB | 16-APR-93 |
| | A-A-54193 | PAD, POST-SURGICAL-OBSTETRICAL, BELTLESS, POSTPARTUM OR POSTOPERATIVE[CUST: MD MS 03] | A | 6510 | / | MD | 01-JUL-90 |
| | A-A-53493 | PAD, PRE-OPERATION PREPARATION[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-88 |
| | A-A-54497 | PAD, PRESSURE POINT, PHYSICOTHERAPEUTIC (EGGCRATE STYLE FOAM PAD)[CUST: MD MS 03] | A | 6530 | / | MB | 25-SEP-91 |
| | L-P-50B | PAD, SCOURING | A | 7920 | # | FSS | 25-NOV-66 |
| | MIL-P-1814E NOT 1 | PAD, SHOULDER, PACKBOARD[CUST: GL SA 99 CT] [REVIEW: 11 MC MI] | A | 8465 | | CT | 25-JAN-88 |
| | A-A-30121A | PAD, TRACHEOSTOMY[CUST: MD MS 03] | A | 6510 | / | MB | 27-NOV-92 |
| | A-A-53285 | PAD, WITCH HAZEL-GLYCERINE IMPREGNATED[CUST: MD MS 03] | A | 6510 | / | MB | 01-MAR-88 |
| | A-A-53196 | PAD, WITCH HAZEL-LANOLIN IMPREGNATED[CUST: MD MS 03] | A | 6510 | / | MB | 14-SEP-87 |
| | A-A-2546C | PAD, WRITING, PAPER (REPOSITIONABLE) | A | 7530 | # | FSS | 06-MAY-99 |
| | ANSI-C57.12.26 | PAD-MOUNTED COMPARTMENTAL-TYPE, SELF-COOLED, THREE-PHASE DISTRIBUTION TRANSFORMERS FOR USE WITH SEPARABLE INSULATED HIGH-VOLTAGE CONNECTORS, HIGH-VOLTAGE, 34 500 GRD Y/19 920 VOLTS AND BELOW; 2500 KVA AND SMALLER, FOR TRANSFORMERS[CUST: CR4 YD 99] | A | 5950 | | CC | 16-APR-86 |
| | A-A-59203 NOT 1 | PADDING MATERIAL, RESILIENT[CUST: AR] [REVIEW: EA GS] | A | 8140 | / | AR | 06-FEB-03 |
| | A-A-53476 | PADDING, CAST, SYNTHETIC, POROUS, NON-WOVEN[CUST: MD MS 03] | A | 6510 | / | MB | 23-MAY-88 |
| | A-A-50166A | PADDING, COTTON, STITCHED ROVING[CUST: GL NU CT] [REVIEW: 11 MC MD MS] | A | 8320 | / | CT | 30-AUG-94 |
| | CCC-P-91C NOT 2 | PADDING, RUBBERIZED, CURLED HAIR | A | 8320 | # | FSS | 12-AUG-80 |
| | MIL-P-43219A NOT 1 | PADDINGS AND COVERS FOR FLATWORK IRONER ROLL[CUST: GL YD 99 IS] [REVIEW: MC MD] | A | 3510 | | IS | 12-FEB-88 |
| | A-A-51590 | PADDLE, PNEUMATIC COMPRESSION[CUST: MD MS 03] | A | 6525 | / | MB | 12-AUG-86 |
| | MIL-P-15737C | PADDLES, BOAT, SOLID AND LAMINATED WOOD[CUST: SH] | A | 2040 | | SH | 29-APR-91 |
| | A-A-1928C | PADLOCK (COMBINATION)[CUST: 99 IS] | A | 5340 | / | IS | 15-MAR-02 |
| | A-A-59487A | PADLOCK (KEY OPERATED)[CUST: AR YD 99] [REVIEW: AV CR MC MI] | A | 5340 | / | IS | 03-JUL-01 |
| | A-A-59486A | PADLOCK SET (INDIVIDUALLY KEYED OR KEYED ALIKE)[CUST: AR YD 99] [REVIEW: AV CR MC MI] | A | 5340 | / | IS | 03-JUL-01 |
| | FF-P-110J(1) NOT 1 | PADLOCK, CHANGEABLE COMBINATION (RESISTANT TO OPENING BY MANIPULATION AND SURREPTITIOUS ATTACK)[CUST: AV YD 99 IS] [REVIEW: 71 CE CG MC OS] | A | 5340 | / | IS | 20-JAN-04 |
| | FF-P-2827A | PADLOCK, KEY OPERATED, GENERAL FIELD SERVICE[CUST: AR YD 99 IS] [REVIEW: 71 CE MC OS] | A | 5340 | / | IS | 27-NOV-02 |
| | ASTM-F883 | PADLOCKS, STANDARD PERFORMANCE SPECIFICATION FOR[CUST: AR YD 99 IS] | A | 5340 | | IS | 27-JUL-90 |
| | A-A-30093 | PADS, BED LINEN PROTECTIVE[CUST: MD MS 03] | A | 6530 | * | MB | 19-JUL-83 |
| | A-A-52430 NOT 2 | PADS, CUSHIONING: PERSONNEL-PROTECTION, VEHICULAR (METRIC)[CUST: AT CC] | A | 2590 | / | CC | 21-OCT-02 |
| | A-A-30096A | PADS, ISOPROPYL ALCOHOL IMPREGNATED | A | 6510 | # | FSS | 08-FEB-85 |
| | PPP-P-115D(I1) | PADS, PAPER, MACERATED | A | 8135 | # | FSS | 20-APR-89 |
| | L-P-50B(I2) | PADS, SCOURING | A | 7920 | # | FSS | 18-SEP-68 |
| | MIL-P-15064G(1) | PADS, SHOULDER AND SLEEVE-HEAD[CUST: GL NU 11 CT] [REVIEW: 99 CG MC] | A | 8315 | | CT | 05-SEP-91 |
| | A-A-53841 | PAIL, PLASTIC 14 QUART CAPACITY[CUST: MD MS 03] | A | 7240 | / | MB | 24-MAR-89 |
| | A-A-50882B | PAIL, UTILITY, (CORROSION-RESISTING STEEL)[CUST: MD MS 03] | A | 7240 | / | MB | 15-JUN-90 |
| | PPP-P-704E(2) | PAILS, METAL; (SHIPPING, STEEL, 1 THROUGH 12 GALLONS)[CUST: GL AS 11 IS] [REVIEW: 99 EA MD OS PS SA SH YD] | A | 8110 | / | IS | 20-FEB-87 |
| | A-A-59253 | PAILS, UTILITY, PLASTIC[CUST: GL YD 99] [REVIEW: 03 84] | A | 7240 | / | YD | 16-JUN-98 |
| | A-A-3130A | PAINT (FOR APPLICATION TO WET SURFACES)[CUST: CE3] | A | 8010 | / | CE3 | 13-JUN-03 |
| | ASTM-D822 | PAINT AND RELATED COATINGS AND MATERIALS USING FILTERED OPEN-FLAME CARBON-ARC EXPOSURE APPARATUS, CONDUCTING TEST ON[CUST: YD] [REVIEW: CE OS SH] | A | 8010 | | IS | 27-OCT-89 |
| | SSPC-PA1 | PAINT APPLICATION SPECIFICATION NO. 1, SHOP, FIELD & MAINTENANCE PAINTING[CUST: CR4 YD 11] [REVIEW: AR CE MC MD MR MS OS] | A | 8010 | | IS | 03-AUG-88 |
| | SSPC-PA2 | PAINT APPLICATION SPECIFICATION NO. 2, MEASUREMENT OF DRY PAINT THICKNESS WITH MAGNETIC GAGES[CUST: CR4 YD 11] [REVIEW: CE MD MR MS] | A | 8010 | | IS | 03-AUG-88 |
| | MIL-P-21035B NOT 2 | PAINT HIGH ZINC DUST CONTENT, GALVANIZING REPAIR (METRIC)[CUST: SH] | A | 8010 | | SH | 30-JAN-03 |
| | MIL-STD-2161A | PAINT SCHEMES AND EXTERIOR MARKINGS FOR U.S. NAVY AND MARINE CORPS AIRCRAFT[Standard Practice][CUST: AS] | A | MFFP | | AS | 01-MAY-93 |
| | SSPC-PAINT101 | PAINT SPECIFICATION NO. 101, ALUMINUM ALKYD PAINT, LEAFING (TYPE I) AND NON-LEAFING (TYPE II)[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MD MR MS OS] | A | 8010 | | IS | 15-AUG-88 |
| | SSPC-PAINT11 | PAINT SPECIFICATION NO. 11, RED IRON OXIDE, ZINC CHROMATE, RAW LINSEED OIL & ALKYD PRIMER[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MD MR MS OS] | A | 8010 | | IS | 17-JUL-89 |
| | SSPC-PAINT15 | PAINT SPECIFICATION NO. 15, STEEL JOIST SHOP PAINT TYPE I, RED OXIDE PAINT TYPE II, ASPHALT COATING[CUST: CR4 YD 11 IS] [REVIEW: CE MC MD MR MS OS SH] | A | 8010 | | IS | 17-JUL-89 |
| | SSPC-PAINT16 | PAINT SPECIFICATION NO. 16, COAL TAR EPOXY-POLYAMIDE BLACK (OR DARK RED) PAINT[CUST: CR4 YD 11 IS] [REVIEW: CE MC MD MR MS OS] | A | 8010 | | IS | 21-JUN-89 |
| | SSPC-PAINT20 | PAINT SPECIFICATION NO. 20, ZINC-RICH PRIMERS (TYPE I, INORGANIC & TYPE II ORGANIC)[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MD MR MS OS] | A | 8010 | | IS | 16-AUG-88 |
| | SSPC-PAINT5 | PAINT SPECIFICATION NO. 5, ZINC DUST, ZINC OXIDE, AND PHENOLIC VARNISH PAINT[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MD MR MS OS SH] | A | 8010 | | IS | 17-JUL-89 |
| | SSPC-PAINT8 | PAINT SPECIFICATION NO. 8, ALUMINUM VINYL PAINT[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MD MR MS OS] | A | 8010 | | IS | 17-AUG-88 |
| | SSPC-PAINT9 | PAINT SPECIFICATION NO. 9, WHITE (OR COLORED) VINYL PAINT[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MD MR MS OS] | A | 8010 | | IS | 21-JUN-83 |
| A | QPL-24647-9 | PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL | A | 8010 | | SH | 28-SEP-05 |
| | MIL-PRF-24647D | PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL[CUST: CR4 SH] [REVIEW: 99 CG MR] | A | 8010 | | SH | 16-FEB-05 |
| | QPL-21563-6(3) | PAINT SYSTEM, FLUORESCENT, FOR AIRCRAFT APPLICATIONS | A | 8010 | | AR | 07-MAY-76 |
| | MIL-P-21563B NOT 1 | PAINT SYSTEM, FLUORESCENT, FOR AIRCRAT APPLICATION (ASA)[CUST: AR AS 99] [REVIEW: EA MI OS] | A | 8010 | | AR | 18-FEB-87 |
| | SAE-AMS-P-21600 | PAINT SYSTEM, FLUORESCENT, REMOVABLE, FOR AIRCRAFT APPLICATION[CUST: AV AS] [REVIEW: DS MI] | A | 8010 | | AS | JUL-98 |
| | QPL-TT-P-28-17 | PAINT, ALUMINUM, HEAT RESISTING (1200 DEG. F) | A | 8010 | / | SH | 09-JUN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | TT-P-28G | PAINT, ALUMINUM, HEAT RESISTING (1200 DEG. F.)[CUST: CR4 SH 11] [REVIEW: 84 99 AS MD OS YD] | A | 8010 | * | SH | 08-JUL-85 |
| | MIL-P-24380B | PAINT, ANCHOR CHAIN, SOLVENT TYPE, GLOSS BLACK (METRIC)[CUST: SH] | A | 8010 | | SH | 25-JAN-89 |
| | MIL-DTL-24631A | PAINT, CAMOUFLAGE FOR SUBMARINES, GENERAL SPECIFICATION FOR (METRIC)[CUST: SH] | A | 8010 | | SH | 06-JUN-97 |
| | ASTM-D3718 | PAINT, CHROMIUM IN, BY ATOMIC ABSORPTION SPECTROSCOPY, LOW CONCENTRATIONS OF[CUST: CR4 AS 99] | A | 8010 | | AS | 3-OCT-94 |
| | ASTM-D969 | PAINT, DEGREE OF BLEEDING OF TRAFFIC, LABORATORY DETERMINATION OF[CUST: CR4 SH 99] | A | 8010 | | 84 | 29-NOV-85 |
| | MIL-DTL-24631/1C | PAINT, EPOXY, BLACK RO 1.8, NAVY FORMULA 184, TYPE 1 (METRIC)[CUST: SH] | A | 8010 | | SH | 06-JUN-97 |
| | MIL-DTL-24631/2B | PAINT, EPOXY, DARK GREY RO 3.6, NAVY FORMULA 185, TYPE I (METRIC)[CUST: SH] | A | 8010 | | SH | 06-JUN-97 |
| | MIL-DTL-24631/3B | PAINT, EPOXY, WHITE, NAVY FORMULA 186, TYPE I (METRIC)[CUST: SH] | A | 8010 | | SH | 06-JUN-97 |
| | MIL-DTL-24441/38A | PAINT, EPOXY-POLYAMIDE, BLACK, FORMULA 160, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/23A | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO1.8, FORMULA 153, TYPE III[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/32A | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO1.8, FORMULA 153, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/24A | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO3.6, FORMULA 154, TYPE III[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/33A | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO3.6, FORMULA 154, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/25A | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO6, FORMULA 155, TYPE III[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/34A | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO6, FORMULA 155, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441C SUP 1 | PAINT, EPOXY-POLYAMIDE, GENERAL SPECIFICATION FOR[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | QPL-24441-43 | PAINT, EPOXY-POLYAMIDE, GENERAL SPECIFICATION FOR | A | 8010 | | SH | 31-MAY-05 |
| | MIL-DTL-24441/20A | PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE III[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/29A | PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/21A | PAINT, EPOXY-POLYAMIDE, HAZE GRAY, FORMULA 151, TYPE III[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/30A | PAINT, EPOXY-POLYAMIDE, HAZE GRAY, FORMULA 151, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/27A | PAINT, EPOXY-POLYAMIDE, NO. 50 GRAY, FORMULA 157, TYPE III[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/36A | PAINT, EPOXY-POLYAMIDE, NO. 50 GRAY, FORMULA 157, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/26A | PAINT, EPOXY-POLYAMIDE, RED, FORMULA 156, TYPE III[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/35A | PAINT, EPOXY-POLYAMIDE, RED, FORMULA 156, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/40A | PAINT, EPOXY-POLYAMIDE, RED, FORMULA 162, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/22A | PAINT, EPOXY-POLYAMIDE, WHITE, FORMULA 152, TYPE III[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/31A | PAINT, EPOXY-POLYAMIDE, WHITE, FORMULA 152, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/28A | PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 158, TYPE III[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/37A | PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 158, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/39A | PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 161, TYPE IV[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | MIL-DTL-24441/19B | PAINT, EPOXY-POLYAMIDE, ZINC PRIMER, FORMULA 159, TYPE III[CUST: SH] | A | 8010 | | SH | 19-MAY-99 |
| | ASTM-D4214 | PAINT, EXTERIOR, FILMS, EVALUATING THE DEGREE OF CHALKING OF[CUST: MR SH 11] | A | 8040 | | MR | 10-AUG-98 |
| | MIL-DTL-32000 | PAINT, FACE, CAMOUFLAGE[CUST: GL MC 68] [REVIEW: MD1 MS PM] | A | 6850 | | GS3 | 10-JAN-03 |
| | MIL-P-14105D | PAINT, HEAT-RESISTING (FOR STEEL SURFACES)[CUST: MR YD] [REVIEW: AT MC MD MI SM] | A | 8010 | | MR | 06-MAR-95 |
| | A-A-3185 | PAINT, LATEX (CONTAINING POST-CONSUMER MATERIAL) | A | 8010 | # | FSS | 03-APR-01 |
| | ASTM-D600 | PAINT, LIQUID DRIERS[CUST: CR4 SH 99] | A | 8010 | | SH | 25-MAY-90 |
| | ASTM-D711 | PAINT, NO-PICK-UP TIME OF TRAFFIC[CUST: CR4 YD 99] | A | 8010 | | 84 | 26-MAY-89 |
| | ASTM-D1849 | PAINT, PACKAGE STABILITY OF[CUST: MR SH 11] | A | 8010 | | MR | 15-AUG-95 |
| | TT-P-54C(1) | PAINT, PHOSPHORESCENT, READY&MIXED (NON&RADIOACTIVE) | A | 8010 | # | FSS | 03-FEB-77 |
| | MIL-DTL-24631/7 | PAINT, POLYESTER URETHANE, BLACK, NAVY FORMULA 187, TYPE II (METRIC)[CUST: SH] | A | 8010 | | SH | 06-JUN-97 |
| | MIL-P-22332B(1) NOT 2 | PAINT, PRIMING, EXTERIOR AND INTERIOR (FOR AMMUNITION)[CUST: AR OS 99] [REVIEW: MR] | A | 8010 | | AR | 15-JAN-98 |
| | QPL-22332-6 | PAINT, PRIMING, EXTERIOR AND INTERIOR (FOR AMMUNITION) | A | 8010 | | AR | 30-SEP-76 |
| | ASTM-D16 | PAINT, RELATED COATINGS, MATERIALS, AND APPLICATIONS[CUST: CR4 YD 99] [REVIEW: 84 AR MR OS SH] | A | 8010 | | IS | 10-NOV-98 |
| | A-A-3121A | PAINT, RUBBER-BASE: FOR INTERIOR USE (CONCRETE AND MASONRY FLOORS)[CUST: 99] [REVIEW: 84 GL MI OS] | A | 8010 | * | 99 | 10-OCT-04 |
| | ASTM-D869 | PAINT, SETTLING OF, EVALUATING DEGREE OF[CUST: MR SH 11] | A | 8010 | | MR | 27-SEP-85 |
| | A-A-1558A NOT 1 | PAINT, STENCIL | A | 8010 | # | FSS | 21-OCT-04 |
| | TT-P-1952D NOT 2 | PAINT, TRAFFIC AND AIRFIELD MARKING, WATERBORNE[CUST: MI AS 99] [REVIEW: 50] | A | 8010 | / | 84 | 11-MAY-00 |
| | A-A-2886B | PAINT, TRAFFIC, SOLVENT BASED[CUST: 99] [REVIEW: 84] | A | 8010 | * | 99 | 19-OCT-04 |
| | TT-P-2118G | PAINT, TREE MARKING[CUST: FSS] | A | 8010 | # | FSS | 25-JUL-97 |
| | FED-STD-141D | PAINT, VARNISH, LACQUER AND RELATED MATERIALS: METHODS OF INSPECTION, SAMPLING AND TESTING[CUST: MR SH 11] [REVIEW: 03 84 99 AS CG MI] | A | 8010 | / | MR | 22-MAR-01 |
| | ASTM-D1353 | PAINT, VARNISH, LACQUER AND RELATED PRODUCTS, NONVOLATILE MATTER IN VOLATILE SOLVENTS FOR USE IN[CUST: MR SH 99] [REVIEW: 84 AS CR4 OS] | A | 8010 | | MR | 22-AUG-86 |
| | ASTM-D3924 | PAINT, VARNISH, LACQUER, AND RELATED MATERIALS, CONDITIONING AND TESTING, STANDARD ENVIRONMENT FOR[CUST: CR4 YD 99] [REVIEW: 84 CE SH] | A | 8010 | | IS | 02-SEP-80 |
| | A-A-50570 | PAINT, WATER-BORNE, ACRYLIC OR MODIFIED ACRYLIC, SEMIGLOSS, FOR METAL SURFACES[CUST: AV YD 99] [REVIEW: 84 SH] | A | 8010 | / | IS | 17-JAN-97 |
| | A-A-3120 NOT 2 | PAINT: FOR SWIMMING POOLS[CUST: FSS] | A | 8010 | # | FSS | 06-AUG-03 |
| | ASTM-D1732 | PAINTING FOR MAGNESIUM ALLOY SURFACES, PREPARATION OF[CUST: MR SH] [REVIEW: AR AS CR CR4 OS YD] | A | 8010 | | MR | 08-SEP-67 |
| | MIL-P-85089A | PAINTING OF AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS)[CUST: OS] | A | 1377 | | OS | 22-OCT-90 |
| | MIL-STD-1303B | PAINTING OF NAVAL ORDNANCE EQUIPMENT[Standard Practice][CUST: OS] [REVIEW: CR4 MI] | A | MISC | | OS | 15-APR-75 |
| | SSPC-PS11.01 | PAINTING SYSTEM BLACK (OR DARK RED) COAL TAR EPOXY-POLYAMIDE PAINTING SYSTEM SPECIFICATION NO. 11.01[CUST: CR4 YD IS] [REVIEW: CC MC OS SH] | A | 8010 | | IS | 30-AUG-89 |
| | SSPC-PS12.01 | PAINTING SYSTEM ONE-COAT ZINC-RICH PAINTING SYSTEM SPECIFICATION NO. 12.01[CUST: CR4 YD IS] [REVIEW: CC MC OS SH] | A | 8010 | | IS | 30-AUG-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SSPC-PS10.01 | PAINTING SYSTEM SPECIFICATION NO. 10.01, HOT APPLIED COAL TAR ENAMEL PAINTING SYSTEM[CUST: CR4 YD 11 IS] [REVIEW: CE MC MD MR MS OS] | A | 8010 | | IS | 21-JUN-83 |
| | SSPC-PS13.01 | PAINTING SYSTEM SPECIFICATION NO. 13.01, EPOXY-POLYAMIDE PAINTING SYSTEM[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MD MR MS OS SH] | A | 8010 | | IS | 17-JUL-89 |
| | SSPC-PS14.01 | PAINTING SYSTEM SPECIFICATION NO. 14.01, STEEL JOIST SHOP PAINTING SYSTEM[CUST: CR4 YD 11 IS] [REVIEW: CE MC MD MR MS OS] | A | 8010 | | IS | 17-JUL-89 |
| | ASTM-D1014 | PAINTS AND COATINGS ON METAL SUBSTRATES, CONDUCTING EXTERIOR EXPOSURE TESTS OF[CUST: MR 99] [REVIEW: 84 AS CR4 OS SH YD] | A | 8010 | | MR | 30-OCT-84 |
| | ASTM-D3960 | PAINTS AND RELATED COATINGS, DETERMINING VOLATILE ORGANIC COMPOUND (VOC) CONTENT OF[CUST: CR4 YD 99] [REVIEW: 84 CE SH] | A | 8010 | | IS | 15-APR-93 |
| | ASTM-D3925 | PAINTS AND RELATED PIGMENTED COATINGS, SAMPLING LIQUID[CUST: CR4 YD 99] [REVIEW: 84 CE SH] | A | 8010 | | IS | 29-MAR-93 |
| | ASTM-D2698 | PAINTS BY HIGH-SPEED CENTRIFUGING, DETERMINATION OF THE PIGMENT CONTENT OF SOLVENT-REDUCIBLE[CUST: MR SH 94] [REVIEW: YD] | A | 8010 | | MR | 25-MAY-90 |
| | ASTM-D2805 | PAINTS BY REFLECTOMETRY, HIDING POWER OF[CUST: MR SH 99] | A | 8010 | | MR | 03-OCT-94 |
| | ASTM-D1006 | PAINTS ON WOOD, CONDUCTING EXTERIOR EXPOSURE TESTS OF[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 15-JUN-93 |
| | ASTM-D4400 | PAINTS USING A MULTINOTCH APPLICATOR, SAG RESISTANCE OF[CUST: CR4 SH 99] | A | 8010 | | SH | 10-FEB-99 |
| | ASTM-D912 | PAINTS, ANTIFOULING, CUPROUS OXIDE FOR USE IN[CUST: CR4 SH 99] | A | 8010 | | SH | 30-OCT-81 |
| | ASTM-D714 | PAINTS, BLISTERING OF, EVALUATING DEGREE OF -[CUST: MR SH 99] [REVIEW: 84 AS YD] | A | 8010 | | MR | 28-JUL-88 |
| | ASTM-D660 | PAINTS, EXTERIOR, EVALUATING DEGREE OF CHECKING OF[CUST: MR SH 99] [REVIEW: 84 YD] | A | 8010 | | MR | 15-MAY-93 |
| | ASTM-D661 | PAINTS, EXTERIOR, EVALUATING DEGREE OF CRACKING OF[CUST: MR SH 99] [REVIEW: 11 84 AS CR4 OS] | A | 8010 | | MR | 15-MAY-93 |
| | ASTM-D662 | PAINTS, EXTERIOR, EVALUATING DEGREE OF EROSION OF[CUST: MR SH 99] | A | 8010 | | MR | 15-MAY-93 |
| | ASTM-D772 | PAINTS, EXTERIOR, FLAKING (SCALING), EVALUATING DEGREE OF[CUST: MR SH 99] [REVIEW: 11 84 AS CR4] | A | 8010 | | MR | 29-AUG-86 |
| | ASTM-D3271 | PAINTS, SOLVENT-REDUCIBLE, INTO A GAS CHROMATOGRAPH FOR SOLVENT ANALYSIS, DIRECT INJECTION OF[CUST: CR4 SH 99] | A | 8010 | | CR4 | 26-JUN-87 |
| | AASHTO-M248 | PAINTS, TRAFFIC, READY-MIXED WHITE AND YELLOW[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D562 | PAINTS, USING THE STORMER VISCOSIMETER, CONSISTENCY OF[CUST: MR SH 99] [REVIEW: YD] | A | 8010 | | MR | 10-FEB-01 |
| | ASTM-B685 | PALLADIUM-COPPER ELECTRICAL CONTACT MATERIAL[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 14-JUL-93 |
| | MIL-P-81887A(2) NOT 1 | PALLET LOAD ASSEMBLY FOR SONOBUOYS[CUST: AS] | A | PACK | | AS | 17-OCT-91 |
| | ASME-MH1.2.2M | PALLET SIZES[CUST: SM SA 99 DH] [REVIEW: 11 AR AS CC CR4 EA GL GS MI SH YD] | A | PACK | | SM | 30-SEP-89 |
| | A-A-59768 | PALLET, CARGO, INTERMODAL, ASSOCIATE[CUST: 99] | A | 1670 | / | 84 | 16-MAR-05 |
| | MIL-P-70951(1) | PALLET, FIELD ARTILLERY PROJECTILE[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 04-JAN-93 |
| | MIL-PRF-32049 | PALLET, FIELD ARTILLERY PROJECTILE[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 23-SEP-99 |
| | A-A-52586 NOT 1 | PALLET, MATERIAL HANDLING, WOOD STRINGER CONSTRUCTION, 4-WAY PARTIAL, 48 BY 40 INCHES[CUST: AT] [REVIEW: GS] | A | 3990 | / | AT | 19-APR-04 |
| | MIL-P-15011J | PALLET, MATERIAL HANDLING, WOOD, POST CONSTRUCTION, 4 WAY ENTRY[CUST: CR4 SA 99] | A | 3990 | | SA | 16-SEP-85 |
| | MIL-P-15943D NOT 2 | PALLET, MATERIAL HANDLING, WOOD, SHIP CARGO, STEVEDORING, 48 INCHES LONG BY 72 INCHES WIDE, 2-WAY ENTRY[CUST: CR4 SA 99 IS] [REVIEW: OS SH SM] | A | 3990 | | IS | 06-APR-99 |
| | MIL-P-48663(2) | PALLET, METAL, FOR METAL CONTAINER FOR 105MM AND 120MM TANK AMMUNITION[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 26-AUG-94 |
| | MIL-P-45449B(5) | PALLET, UNITS, WOOD, FOR SHIPMENT OF PROJECTILE METAL PARTS, AND PROJECTILE AMMUNITION[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 05-DEC-94 |
| A | MIL-HDBK-774A | PALLETIZED UNIT LOADS[CUST: SM SA 99 DH] [REVIEW: 11 AR AS AT AV CC CR3 EA EC GL3 GS3 IS MC MI MT PT SH] | A | PACK | | SM | 30-AUG-04 |
| | MIL-STD-1322-24 | PALLETIZING DOMESTIC UNIT LOAD 2.75 ROCKET MOTOR MK 1, 2 AND MODS (IN CONTAINER MK 15 MOD 0)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-26 | PALLETIZING DOMESTIC UNIT LOAD 20 MM AIRCRAFT AND SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0)[Military Standard][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-30 | PALLETIZING DOMESTIC UNIT LOAD 20 MM AMMUNITION (IN 20 MM AMMO BOX MK 3 MODS - ON MK 3 PALLET)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-31 | PALLETIZING DOMESTIC UNIT LOAD 20 MM AMMUNITION (IN 20 MM AMMO BOX MK 3 MODS - ON MK 12 PALLET[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-704 | PALLETIZING DOMESTIC UNIT LOAD 250 LB LOW DRAG BOMB (G.P.) MK-81 & MODS, WITH METAL OR PLASTIC NOSE PLUGS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-736 | PALLETIZING DOMESTIC UNIT LOAD 5"/38 WARHEAD MK 74 MOD 0 FOR ROCKET ASSIST PROJECTILE (IN PALLET ADAPTER MK 11 MOD 1)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-741 | PALLETIZING DOMESTIC UNIT LOAD 500 LB. FIRE BOMB MK 77 MOD 2 (EMPTY) (IN WIREBOUND CRATE)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-742 | PALLETIZING DOMESTIC UNIT LOAD ARMING DEVICE MK 10 MOD 0 OR MK 11 MOD 0 (IN WOOD BOX)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-732 | PALLETIZING DOMESTIC UNIT LOAD BOOSTER, UNDERWATER MINE MK 18 MOD 2 (IN WOOD BOX)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-734 | PALLETIZING DOMESTIC UNIT LOAD CHARGE, DEMOLITION, SHAPED, MK 45 MOD 0 (IN WOOD BOX)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-722 | PALLETIZING DOMESTIC UNIT LOAD COUNTER WEIGHTS (UPPER AND LOWER) LD 624589-INERT (IN CONTAINER, MODIFIED LD 269790)[Military Standard][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-197 | PALLETIZING DOMESTIC UNIT LOAD DESTRUCTOR MODIFICATION KIT MK 75 (IN SMALL ARMS AMMUNITION BOX MK 1)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-723 | PALLETIZING DOMESTIC UNIT LOAD FUZE M514A1 CVT (IN WOOD BOX)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-33 | PALLETIZING DOMESTIC UNIT LOAD HAND ILLUMINATING GRENADE MK 1 MOD 0 (IN WOOD BOX)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-34 | PALLETIZING DOMESTIC UNIT LOAD PRACTICE BOMB MK 76 MOD 4 (IN WOOD BOX)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-505 | PALLETIZING DOMESTIC UNIT LOAD PROPELLANT GRAIN MK 49 MOD 0 (IN CONTAINER MK 22 MOD 0)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-710 | PALLETIZING DOMESTIC UNIT LOAD SENSING ELEMENT, IMPACT-INERT (FOR BOMB FUZING SYSTEM MK 1 MOD 0) (IN WOOD BOX)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-28 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-27 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1322-29 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-9 | PALLETIZING DOMESTIC UNIT LOAD SPARROW III AAM-N6, 6A WINGS AND FINS (IN METAL CONTAINER)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-729 | PALLETIZING DOMESTIC UNIT LOAD STANDARD ER AUTOPILOT BATTERY UNIT (IN CONTAINER MK 460 MOD 3)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-728 | PALLETIZING DOMESTIC UNIT LOAD STANDARD MR AUTOPILOT BATTERY UNIT (IN CONTAINER MK 460 MOD 2)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-503 | PALLETIZING DOMESTIC UNIT LOAD WALLEYE CONTROL SECTION (IN CONTAINER MK 423 MOD 0)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-504 | PALLETIZING DOMESTIC UNIT LOAD WALLEYE GUIDANCE SECTION (IN CONTAINER MK 424 MOD 0)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | MIL-STD-1322-10 | PALLETIZING DOMESTIC UNIT LOAD WEAPON "A" ROCKET MOTOR 5.25-INERT (IN WOOD BOX)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-69 |
| | ASTM-D1185 | PALLETS AND RELATED STRUCTURES EMPLOYED IN MATERIALS HANDLING AND SHIPPING[CUST: SM SH 11] | A | PACK | | SM | 10-JUN-98 |
| | MIL-DTL-27443F | PALLETS, CARGO, AIRCRAFT, TYPE HCU-6/E, HCU-12/E[CUST: 99] | A | 1670 | | 84 | 15-JUL-03 |
| | MIL-P-23312C NOT 1 | PALLETS, MATERIAL HANDLING, METAL (FOR ORDNANCE ITEMS), MARK 3 MOD 0, MARK 12 MOD 0 AND MARK 12 MOD 1[CUST: OS 99] [REVIEW: AR CR4 MC MI SH SM] | A | 3990 | | OS | 18-MAR-92 |
| | MIL-P-87089 | PALLETS, MATERIAL HANDLING, MOLDED WOOD PARTICLES 40 X 48 INCH, 4-WAY[CUST: SA] | A | 3990 | | SA | 30-NOV-81 |
| | NN-P-71C NOT 1 | PALLETS, MATERIAL HANDLING, WOOD, STRINGER CONSTRUCTION, 2-WAY AND 4-WAY (PARTIAL)[CUST: SA 99] [REVIEW: 84 EA GS OS SM SS] | A | 3990 | / | SA | 20-DEC-73 |
| | ASME-MH1.4.1M | PALLETS, PROCEDURES FOR TESTING[CUST: SM SA 99 DH] [REVIEW: 11 AR AS CC CR4 EA GL GS MI SH YD] | A | PACK | | SM | 25-SEP-89 |
| | ASME-MH1 | PALLETS, SLIP SHEETS, AND OTHER BASES FOR UNIT LOADS[CUST: SM SA 99 IS] | A | 3990 | | IS | 22-FEB-99 |
| | A-A-59605 | PAN ROASTING, AND SHEET PAN: ALUMINUM, WITH NO-STICK COATED FINISH[CUST: GL SA 99] [REVIEW: 84 MC MD1 QM1 SS] | A | 7330 | / | GL | 19-SEP-00 |
| | A-A-52201A | PAN, BAKING AND ROASTING, ALUMINUM; PAN COVER AND WARMER ADAPTER; FOR RANGE, FIELD, GASOLINE[CUST: GL SA 99] [REVIEW: 35 84 CG MC MD1 QM1] | A | 7330 | / | GL | 08-JUN-00 |
| | A-A-54762 | PAN, BIOLOGICAL STAINING[CUST: MD MS 03] | A | 6640 | / | MB | 19-OCT-92 |
| | MIL-P-85511A | PANEL ASSEMBLY, TARGET, BANNER, AERIAL TDU-32 SERIES[CUST: AS] | A | 6920 | | AS | 05-JUN-87 |
| | MIL-P-13850C(2) NOT 4 | PANEL MARKER, AERIAL LIAISON, COTTON SHEETING PANEL AL-121, WHITE AND PANEL AL-122, BLACK[CUST: IH 11] [REVIEW: 99 CT] | A | 8345 | | IH | 16-JUL-01 |
| | MIL-P-40061B(1) NOT 4 | PANEL MARKER, AERIAL LIAISON, VS-17/GVX[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8345 | | IH | 21-JUL-01 |
| | MIL-P-14634A NOT 5 | PANEL MARKER, RED CROSS, 4 FEET BY 4 FEET[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-P-1577D NOT 5 | PANEL MARKER, RED CROSS, 8 FEET, 6 INCHES BY 19 FEET, 6 INCHES[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8345 | | IH | 18-MAY-01 |
| | MIL-P-43743B | PANEL MARKER, SURVIVAL, AVIATION PERSONNEL[CUST: GL CT] [REVIEW: AV MD] | A | 8345 | | CT | 29-SEP-88 |
| | MIL-P-22655C | PANEL MARKERS: AERIAL LIAISON; NYLON; FLUORESCENT[CUST: MC CT] | A | 8345 | | CT | 28-MAR-91 |
| | MIL-P-21593D | PANEL MARKERS: RANGE, FLANK, AND DEBARKATION POINT; NYLON, FLUORESCENT[CUST: MC CT] | A | 8465 | | CT | 14-FEB-91 |
| | ASTM-C38 | PANEL SPALLING TESTING REFRACTORY BRICK[CUST: CR4 SH] [REVIEW: GS MC] | A | 9350 | | SH | 30-JUN-89 |
| | MIL-P-8944A(1) | PANEL, AIRPORT LIGHTING CONTROL, GENERAL SPECIFICATION FOR[CUST: AS 99 IS] [REVIEW: 11 YD] | A | 6210 | | IS | 16-DEC-83 |
| | MIL-DTL-23928/1C | PANEL, ELECTRICAL, 125 VOLTS, POWER DISTIRBUTION FOR ALB-1 AND NLB-1 CIRCUIT BREAKERS, 4-20 CIRCUITS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT[CUST: SH CC] | A | 5925 | | CC | 02-APR-04 |
| | MIL-DTL-23928/5B | PANEL, ELECTRICAL, MANUAL TRANSFER FOR DOUBLE NQB-A101 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT[CUST: SH CC] | A | 5925 | | CC | 02-APR-04 |
| | MIL-DTL-23928/8B | PANEL, ELECTRICAL, MANUAL TRANSFER FOR DOUBLE NQB-A250 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSE AND WATERTIGHT[CUST: SH CC] | A | 5925 | | CC | 04-APR-04 |
| | MIL-DTL-23928/4C | PANEL, ELECTRICAL, POWER DISTIRBUTION FOR DOUBLE AQB-A101 AND NQB-A101 CIRCUIT BREAKERS, 2-12 CIRCUITS, WITH AND WITHOUT MANUAL TRANSFER, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT[CUST: SH CC] | A | 5925 | | CC | 02-APR-04 |
| | MIL-DTL-23928/3B | PANEL, ELECTRICAL, POWER DISTIRBUTION FOR SINGLE AQB-A101 AND NQB-A101 CIRCUIT BREAKER DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT[CUST: SH CC] | A | 5925 | | CC | 02-APR-04 |
| | MIL-DTL-23928/7B | PANEL, ELECTRICAL, POWER DISTRIBUTION FOR DOUBLE AQB-A250 AND NQB-A250 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT[CUST: SH CC] | A | 5925 | | CC | 02-APR-04 |
| | MIL-DTL-23928/2C | PANEL, ELECTRICAL, VOLTS, POWER DISTIRBUTION FOR AQB-A50 AND NQB-A50 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT[CUST: SH CC] | A | 5925 | | CC | 02-APR-04 |
| | MIL-P-24395/1B NOT 2 | PANEL, GROUND DETECTOR, 120 VOLTS (SYMBOL 1005.1) AND 450 VOLTS (SYMBOL 1005.2) ALTERNATING CURRENT, THREE PHASE, 60 OR 400 HERTZ, DRIPPROOF[CUST: SH 99] [REVIEW: GS] | A | 6110 | | SH | 10-MAY-05 |
| | MIL-P-24395 NOT 2 | PANEL, GROUND DETECTOR, GENERAL SPECIFICATION FOR[CUST: SH 99] [REVIEW: GS] | A | 6110 | | SH | 10-MAY-05 |
| | MIL-P-24175/3A | PANEL, POWER SUPPLY AND CONTROL FOR NA IGATION LIGHTS, N. W. T., 10 AMPERES, 120 VOLTS D.C. D.P. BUS, 8 CIRCUITS, SYMBOL NO. 945.1[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 27-AUG-71 |
| | MIL-P-24175/1B | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, D.P., NON MAGNETIC, 10 AMPERES, 120 VOLTS, A.C., 60 HERTZ, 3 PHASE BUS, 6 CIRCUITS, SYMBOL NO. 944.2[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 27-AUG-71 |
| | MIL-P-24175(3) SUP 1 | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 27-AUG-71 |
| | MIL-P-24175/4A | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, N.W.T., 10 AMPERES, 120 VOLTS, D.C. D.P. BUS, 10 CIRCUIT, SYMBOL NO. 942.1[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 27-AUG-71 |
| | MIL-P-24175/2A | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, N.W.T., 10 AMPERES, 120 VOLTS A.C., 60 HERTZ 3 PHASE BUS, 8 CIRCUITS, SYMBOL NO. 940.1[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 27-AUG-71 |
| | MIL-P-24175/5B | PANEL, POWER SUPPLY AND CONTROL FOR SUBMARINE NAVIGATION LIGHTS, 10 AMPERES, 120 VOLTS A.C., 60 HZ T.E. SYMBOL NO. 2550.1[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 27-AUG-71 |
| | NAS1832 | PANEL, SANDWICH, INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING[CUST: AR AS 99] | A | 5340 | | AS | 25-FEB-94 |
| | NAS1835 | PANEL, SANDWICH, INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, FLOATING[CUST: AR AS 99] | A | 5340 | | AS | 25-FEB-94 |
| | NAS1836 | PANEL, SANDWICH, INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, LIGHTWEIGHT[CUST: AR AS 99] | A | 5340 | | AS | 25-FEB-94 |
| | NAS1834 | PANEL, SANDWICH, INSERT, MOLDED IN, CSK AND THRU CLEARANCE HOLE[CUST: AR AS 99] | A | 5340 | | AS | 25-FEB-94 |
| | NAS1833 | PANEL, SANDWICH, INSERT, MOLDED IN, THREADED, SELF-LOCKING, NONSELF-LOCKING[CUST: AR AS 99] | A | 5340 | | AS | 25-FEB-94 |
| | UL67 | PANELBOARD[CUST: CR4 YD 99] [REVIEW: 71 CR GS SH] | A | 6110 | | YD | 08-DEC-93 |
| | NEMA-PB1 | PANELBOARDS[CUST: GL YD 99] [REVIEW: GS] | A | 6110 | | YD | 1990 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-E72 | PANELS FOR BUILDING CONSTRUCTION, CONDUCTING STRENGTH TESTS OF[CUST: YD 99] [REVIEW: 84 CE MC] | A | FACR | | YD | 06-NOV-80 |
| | ASTM-D1734 | PANELS FOR TESTING COATINGS, MAKING CEMENTITIOUS[CUST: MR SH] [REVIEW: AS CG CR CR4 OS YD] | A | 8010 | | MR | 15-SEP-93 |
| | ASTM-D3623 | PANELS, ANTIFOULING, IN SHALLOW SUBMERGENCE[CUST: CR4 SH 99] | A | 8010 | | SH | 27-OCT-78 |
| | MIL-DTL-23928E(1) SUP 1 | PANELS, ELECTRICAL, POWER DISTRIBUTION AND MANUAL TRANSFER, CIRCUIT BREAKER TYPE[CUST: SH CC] | A | 5925 | | CC | 05-FEB-03 |
| | ASTM-E990 | PANELS, HONEYCOMB SANDWICH STRUCTURAL, CORE-SPLICE ADHESIVE FOR[CUST: GL AS 99] | A | 8040 | | GL | 03-OCT-94 |
| | SAE-AS7788 | PANELS, INFORMATION, INTEGRALLY ILLUMINATED[CUST: AV AS 99] | A | 6220 | | AS | JUL-99 |
| | ASTM-C901 | PANELS, MASONRY, PREFABRICATED[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5620 | | IS | 18-MAR-85 |
| | APA-F405 | PANELS, PERFORMANCE RATED[CUST: CR4 YD 99 IS] | A | 5530 | | IS | 1993 |
| | ASTM-D1494 | PANELS, REINFORCED PLASTICS, DIFFUSE LIGHT TRANSMISSION FACTOR OF[CUST: MR SH 99 GS] [REVIEW: AR AS AV EC GL MC MD OS YD] | A | 9330 | | IS | 10-APR-97 |
| | ASTM-D3500 | PANELS, STRUCTURAL, IN TENSION[CUST: SM AS 11] [REVIEW: 99 AR CR CR4 EC MR OS SA SH YD] | A | 5530 | | AS | 26-OCT-90 |
| | APA-E445 | PANELS, STRUCTURAL-USE, PERFORMANCE STANDARDS AND POLICIES FOR[CUST: CR4 YD 99 IS] | A | 5530 | | IS | 1994 |
| | ASTM-D3499 | PANELS, WOOD-BASED STRUCTURAL, TOUGHNESS OF[CUST: SM AS 11] [REVIEW: 99 AR CR CR4 EC MR OS SA SH YD] | A | 5530 | | AS | 15-JUL-94 |
| | A-A-55057A | PANELS, WOOD/WOOD BASED; CONSTRUCTION AND DECORATIVE[CUST: 99 CC] [REVIEW: 84 AR EA GL MC SM YD] | A | 5530 | / | IS | 30-DEC-94 |
| | ASTM-F1047 | PANS, FRYING AND BRAISING, TILTING TYPE[CUST: GL YD 99] [REVIEW: 84] | A | 7310 | | SS | 15-NOV-91 |
| | A-A-50179A | PANS, WITH OR WITHOUT COVERS, FOOD SERVING, RECTANGULAR, SOUP TUREEN AND ROUND INSETS FOR HOT FOOD TABLES AND COLD FOOD COUNTERS[CUST: GL SA 99 SS] [REVIEW: 84 MC MD SH] | A | 7310 | / | SS | 05-DEC-00 |
| | A-A-59750 | PANTS, PHYSICAL FITNESS UNIFORM[CUST: GL] | A | 8415 | / | CT | 10-DEC-02 |
| | ASTM-D685 | PAPER AND PAPER PRODUCTS FOR TESTING, CONDITIONING[CUST: MR SH 11 IS] [REVIEW: AS AT AV CR4 GL YD] | A | 9320 | | IS | 15-SEP-93 |
| | ASTM-D646 | PAPER AND PAPERBOARD (WEIGHT PER UNIT AREA), GRAMMAGE OF[CUST: EA SH 68] [REVIEW: GS] | A | 9310 | | EA | 15-SEP-92 |
| | ASTM-D644 | PAPER AND PAPERBOARD BY OVEN DRYING, MOISTURE CONTENT OF[CUST: SM SA 11] | A | 8135 | | SM | 15-APR-94 |
| | ASTM-D828 | PAPER AND PAPERBOARD USING CONSTANT - RATE - OF - ELONGATION APPARATUS, TENSILE PROPERTIES OF[CUST: CR4 YD 99] [REVIEW: CE] | A | 5640 | | IS | 10-DEC-97 |
| | ASTM-D918 | PAPER AND PAPERBOARD, BLOCKING RESISTANCE OF[CUST: SM SA 11] | A | 8135 | | SM | 10-DEC-99 |
| | ASTM-D1030 | PAPER AND PAPERBOARD, FIBER ANALYSIS OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL GS IS MI MR OS SA SH YD] | A | 9310 | | AS | 28-MAY-76 |
| | ASTM-D2176 | PAPER BY THE M.I.T. TESTER, FOLDING ENDURANCE OF[CUST: GL YD 99 CT] [REVIEW: GS] | A | 9310 | | CT | 10-DEC-97 |
| | SAE-AMS3722 | PAPER HONEYCOMB 125 LB (55 KG) PAPER[CUST: MR AS 11] | A | 5640 | | AS | 01-JAN-88 |
| | A-A-30067C | PAPER SHEETING, EXAMINATION-TREATMENT TABLES[CUST: MD MS 03] | A | 6530 | * | MB | 08-JAN-93 |
| | ASTM-D726 | PAPER TO PASSAGE OF AIR, NONPOROUS[CUST: GL SA 99] [REVIEW: GS] | A | 9310 | | MB | 15-APR-94 |
| | A-A-53477 | PAPER, ARTCULATING, DENTAL (25 FOOT ROLL)[CUST: MD MS 03] | A | 6520 | / | MB | 16-MAY-88 |
| | A-A-54731 | PAPER, BIBULOUS AND LENS 4 X 6 INCHES, 12S[CUST: MD MS 03] | A | 6640 | / | MB | 10-AUG-92 |
| | A-A-2804A NOT 2 | PAPER, BOND AND WRITING; WHITE AND COLORED | A | 7530 | # | FSS | 22-APR-04 |
| | SAE-AMS3898 | PAPER, BROADGOODS, OR COMPOSITE TAPE, INTERLEAF CARRIER MATERIAL, 0.004 INCH (0.10 MM), PERFORATED[CUST: AS 11] | A | CMPS | | AS | FEB-94 |
| | ASTM-D774 | PAPER, BURSTING STRENGTH OF[CUST: SM AS 11] | A | 9310 | | AS | 15-DEC-02 |
| | ASTM-D774/D774M | PAPER, BURSTING STRENGTH OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL GS MI MR OS SA SH YD] | A | 9310 | | AS | 10-DEC-97 |
| | A-A-1219 | PAPER, CARBON, PENCIL | A | 7530 | # | FSS | 17-MAR-81 |
| | A-A-1219(I1) | PAPER, CARBON, PENCIL | A | 7530 | # | FSS | 20-APR-89 |
| | UU-P-00232F(1) | PAPER, DUPLICATING, COPY, LIQUID PROCESS | A | 7530 | # | FSS | 20-APR-89 |
| | A-A-54952 | PAPER, ELECTROCARDIOGRAPH RECORDING[CUST: MD MS 03] | A | 6515 | / | MB | 20-MAY-94 |
| | A-A-54463 | PAPER, ELECTROCARDIOGRAPH RECORDING[CUST: MD MS 03] | A | 6515 | / | MB | 30-AUG-91 |
| | A-A-54763 | PAPER, GLASSINE, WEIGHING[CUST: MD MS 03] | A | 8135 | / | MB | 19-OCT-92 |
| | ASTM-D689 | PAPER, INTERNAL TEARING RESISTANCE OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL GS IS MI MR OS SA SH YD] | A | 9310 | | AS | 15-JAN-92 |
| | A-A-203C NOT 3 | PAPER, KRAFT, UNTREATED[CUST: AR 11] [REVIEW: 99 AS CG EA GL MI SA SM SS] | A | 8135 | / | AR | 19-NOV-04 |
| | UU-P-288J(I1) | PAPER, LEDGER, UNRULED | A | 7530 | # | FSS | 20-APR-89 |
| | A-A-50177A | PAPER, LENS[CUST: MI MS 99 DM] [REVIEW: 03 71 AR AS AV CG MD] | A | 6640 | / | MI | 03-OCT-02 |
| | UU-P-00328K NOT 1 | PAPER, MANIFOLD | A | 7530 | # | FSS | 13-JUN-86 |
| A | A-A-59115 NOT 1 | PAPER, MAP AND CHART, LITHOGRAPHIC-FINISH, ROLLED[CUST: GL SA 99 IS] [REVIEW: GS MP] | A | 9310 | / | IS | 02-SEP-05 |
| | UU-P-388M(I1) | PAPER, MIMEOGRAPH | A | 7530 | # | FSS | 20-APR-89 |
| | UU-P-388M | PAPER, MIMEOGRAPH | A | 7530 | # | FSS | 05-SEP-80 |
| | MIL-P-70475 NOT 1 | PAPER, NITROCELLULOSE BASE[CUST: AR] | A | 1375 | | AR | 20-APR-90 |
| | MIL-P-70735 | PAPER, NITROCELLULOSE BASE FOR ARTILLERY PROPELLING CHARGES[CUST: AR] | A | 1375 | | AR | 28-MAY-91 |
| | MIL-P-157A(4) NOT 1 | PAPER, ONIONSKIN[CUST: AR] | A | 1395 | | AR | 20-DEC-93 |
| | ASTM-D585 | PAPER, PAPERBOARD, FIBERBOARD AND RELATED PRODUCT, SAMPLING AND ACCEPTING A SINGLE LOT OF[CUST: SM SA 11] | A | 8135 | | SM | 10-DEC-97 |
| | A-A-2006 | PAPER, PLAY CONSTRUCTION | A | 7530 | # | FSS | 15-FEB-83 |
| | A-A-2006(I1) | PAPER, PLAY, CONSTRUCTION | A | 7530 | # | FSS | 20-APR-89 |
| | MIL-P-48224 | PAPER, PRINGING, PLASTIC COATED[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 29-MAY-73 |
| | MIL-P-19232A | PAPER, RECORDING, ELECTROSENSITIVE[CUST: SH] [REVIEW: GL] | A | 7530 | | SH | 08-SEP-60 |
| | SAE-AMS-P-22968 | PAPER, RECORDING, HEAT SENSITIVE[CUST: AS] | A | 7530 | | AS | JUN-99 |
| | MIL-P-63381 NOT 2 | PAPER, SHOT SHELL (FOR USE IN AMMUNITION)[CUST: AR] | A | 1395 | | AR | 27-NOV-96 |
| | ASTM-D724 | PAPER, SURFACE WETTABILITY OF (ANGLE-OF-CONTACT METHOD)[CUST: SM AS 11] [REVIEW: GS] | A | 9310 | | AS | 15-APR-94 |
| | UU-P-547J(4) | PAPER, TELETYPEWRITER, ROLL | A | 7530 | # | FSS | 30-APR-77 |
| | UU-P-547J(I6) | PAPER, TELETYPEWRITER, ROLL | A | 7530 | # | FSS | 20-APR-89 |
| | A-A-1570 | PAPER, TELETYPEWRITER, ROLL (SPIRIT PROCESS)[CUST: GL SA] [REVIEW: CR] | A | 7530 | * | GL | 22-MAR-83 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-697D NOT 2 | PAPER, TOILET | A | 8540 | # | FSS | 02-JUL-01 |
| | MIL-DTL-17667E | PAPER, WRAPPING, CHEMICALLY NEUTRAL (NON-CORROSIVE)[CUST: SM AS] [REVIEW: AT DS EA GL3 GS MC MI OS SA SH] | A | 8135 | | AS | 21-APR-05 |
| | A-A-1244 | PAPER, WRAPPING, DRY WAXED (NON-FOOD WRAPPING USES) | A | 8135 | # | FSS | 12-DEC-79 |
| | A-A-1244(I1) | PAPER, WRAPPING, DRY-WAXED (NON-FOOD WRAPPING USES) | A | 8135 | # | FSS | 20-APR-89 |
| | A-A-1249A NOT 2 | PAPER, WRAPPING, TISSUE[CUST: AR SA 11] [REVIEW: 99 AS CG GL MI SM SS] | A | 8135 | / | AR | 15-FEB-00 |
| | A-A-1573 | PAPER, XEROGRAPHIC | A | 7530 | # | FSS | 23-APR-80 |
| | A-A-59209 NOT 1 | PAPERBOARD, AMMUNITION CONTAINER[CUST: AR OS] [REVIEW: EA] | A | 8140 | * | AR | 14-FEB-03 |
| | A-A-1051C NOT 3 | PAPERBOARD, WRAPPING AND CUSHIONING[CUST: AR SA 11] [REVIEW: 99 AS CG EA GL MI SM SS] | A | 8135 | / | AR | 19-NOV-04 |
| | STANAG-3979 ED.1(2) | PARACHUTE EXTRACTION ASSEMBLIES | C | ISDF | | 06 | 26-JUN-89 |
| | STANAG-3469 ED.2(7) | PARACHUTE EXTRACTION ASSEMBLIES AND AIRCRAFT EXTRACTION PARACHUTE EJECTOR INSTALLATIONS | C | ISDF | | 06 | 28-JAN-74 |
| | AIR-STD-44/15G(2) | PARACHUTE EXTRACTION SYSTEMS | C | ISDF | | 06 | 11-MAY-00 |
| | MIL-PRF-24002 NOT 1 | PARACHUTE PACKS; GENERAL SPECIFICATION FOR[CUST: OS] | A | 1350 | | OS | 18-MAR-92 |
| | MIL-PRF-24003(2) NOT 1 | PARACHUTE RELEASE MECHANISMS; GENERAL SPECIFICATION FOR[CUST: OS] | A | 1350 | | OS | 18-MAR-92 |
| | PIA-PS70104 | PARACHUTE, HOUSING, RIPCORD[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | MIL-DTL-7620D | PARACHUTES AND COMPONENTS, CARGO, EXTRACTION AND DECELERATION, GENERAL SPECIFICATION FOR[CUST: GL2 AS 11] [REVIEW: MC] | A | 1670 | | GL2 | 30-OCT-02 |
| | MIL-DTL-43649D | PARACHUTES, CARGO, 12, 26-, AND 34 FOOT DIAMETER[CUST: GL2] | A | 1670 | | GL2 | 25-APR-05 |
| | MIL-DTL-7567C | PARACHUTES, PERSONNEL, DETAIL MANUFACTURING INSTRUCTIONS FOR[CUST: GL AS 11] | A | 1670 | | GL | 30-OCT-02 |
| | MIL-P-85710 | PARACHUTES, PERSONNEL, EMERGENCY ESCAPE GENERAL DESIGN SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 1670 | | AS | 05-MAR-86 |
| A | QPL-6645-27 | PARACHUTES, PERSONNEL, GENERAL SPECIFICATION FOR | A | 1670 | | 11 | 08-JUL-05 |
| | MIL-DTL-6645J | PARACHUTES, PERSONNEL, GENERAL SPECIFICATION FOR[CUST: GL AS 11] [REVIEW: GS] | A | 1670 | | 11 | 31-AUG-01 |
| | A-A-51622 | PARALLEL BARS, PHYSICAL THERAPY[CUST: MD MS 03] | A | 6530 | | MB | 22-AUG-86 |
| | STANAG-3997 ED.1(1) | PARALLEL INTERCONNECT (PI) BUS | A | ISDF | | 06 | 19-JUN-98 |
| | A-A-52043 NOT 1 | PARALLEL RULERS (ROLLING)[CUST: CE SH 99 IS] | A | 6675 | / | IS | 27-SEP-01 |
| | A-A-50212A NOT 1 | PARALLEL RULERS, FOLDING TYPE[CUST: CE 99 IS] [REVIEW: 71] | A | 6675 | / | IS | 25-SEP-01 |
| | GGG-P-61A(2) | PARALLEL, STEEL AND CAST-IRON, PRECISION GROUND[CUST: AR 99] [REVIEW: MC SH] | A | 5220 | / | IS | 04-JAN-80 |
| | STANAG-5036 ED.3(1) | PARAMETERS & PRACTICES FOR THE USE OF THE NATO 7-BIT CODE | C | ISDA | | AI | PENDING |
| | STANAG-4198 ED.1(4) | PARAMETERS AND CODING CHARACTERISTICS THAT MUST BE COMMON TO ASSURE INTEROPERABILITY OF 2400 BPS LINEAR PREDICTIVE ENCODED DIGITAL SPEECH | C | ISDA | | AI | 08-MAR-94 |
| | STANAG-4479 ED.1 | PARAMETERS AND CODING CHARACTERISTICS THAT MUST BE COMMON TO ASSURE INTEROPERABILITY OF 800 BPS DIGITAL SPEECH ENCODER/DECODER AND THE ASSOCIATED ERROR PROTECTION AND INTERLEAVING SCHEMES LEADING TO THE 2400 BPS INTERFACE OF THE SLOW FREQUENCY HOPPING HF-EPM SYSTEM | C | ISDA | | AI | 25-FEB-02 |
| | MIL-HDBK-1331A | PARAMETERS TO BE CONTROLLED FOR THE SPECIFICATION OF MICROCIRCUITS, HANDBOOK FOR[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 22-OCT-03 |
| | MIL-P-43907D | PARKA AND TROUSERS, WET WEATHER[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8405 | | CT | 12-MAR-93 |
| | MIL-DTL-32157 | PARKA, ALL-PURPOSE ENVIRONMENTAL, CAMOUFLAGE[CUST: MC] | A | 8415 | | CT | 19-JAN-04 |
| | MIL-P-44188D | PARKA, COLD WEATHER, CAMOUFLAGE[CUST: GL NU CT] [REVIEW: MC MD] | A | 8415 | | CT | 22-NOV-93 |
| | MIL-DTL-32184 | PARKA, COLD WEATHER, UNIVERSAL CAMOUFLAGE[CUST: GL] [REVIEW: MD] | A | 8415 | | CT | 12-JAN-05 |
| | MIL-P-43496F | PARKA, EXTREME COLD WEATHER[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 16-APR-90 |
| | MIL-P-38184C NOT 1 | PARKA, EXTREME COLD WEATHER CWU-8/P[CUST: 99 CT] [REVIEW: 11] | A | 8415 | | CT | 31-OCT-89 |
| | MIL-P-6278G | PARKA, EXTREME COLD WEATHER, ATTACHED HOOD N-2B[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8415 | | CT | 30-NOV-83 |
| | MIL-DTL-6279M | PARKA, EXTREME COLD WEATHER, TYPE N-3B[CUST: GL 11 CT] [REVIEW: 82 MD] | A | 8415 | | CT | 09-DEC-03 |
| | A-A-55317 | PARKA, SNOW CAMOUFLAGE, WHITE[CUST: GL CT] | A | 8415 | / | CT | 28-JUL-98 |
| | MIL-P-87098 | PARKA, WET WEATHER[CUST: NU CT] | A | 8405 | | CT | 14-OCT-87 |
| | ASME-B18.24.1 | PART IDENTIFYING NUMBER (PIN) CODE SYSTEM STANDARD FOR B18 EXTERNALLY THREADED PRODUCTS[CUST: AR YD 99] | A | 53GP | | AR | 23-SEP-96 |
| A | ASME-B18.24 | PART IDENTIFYING NUMBER (PIN) CODE SYSTEM STANDARD FOR B18 FASTENERS[CUST: AR] | A | 53GP | | IS | 04-AUG-05 |
| | ASME-B18.24.3 | PART IDENTIFYING NUMBER (PIN) CODE SYSTEM STANDARD FOR B18 NONTHREADED PRODUCTS[CUST: AR YD 99] | A | 53GP | | AR | 17-JUN-98 |
| | ASTM-E1444 | PARTICLE TESTING, MAGNETIC[CUST: MR AS 11] [REVIEW: 24 70 71 84 99 AR AT AV CR4 EA MI OS SH TE] | A | NDTI | | MR | 19-AUG-93 |
| | ASTM-D4791 | PARTICLES FLAT, ELONGATED PARTICLES, OR FLAT AND ELONGATED PARTICLES IN COARSE AGGREGATE[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 10-NOV-93 |
| | AASHTO-T224 | PARTICLES, COARSE, IN THE SOIL COMPACTION TEST, CORRECTION FOR[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-C123 | PARTICLES, LIGHTWEIGHT IN AGGREGATE[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 15-SEP-92 |
| | A-A-51860A | PARTITION, MEDICAL CASE[CUST: MD MS 03] | A | 6515 | / | MB | 16-DEC-87 |
| | ASTM-E557 | PARTITIONS, OPERABLE, THE INSTALLATION OF[CUST: CR4 YD 99] | A | 5640 | | IS | 03-OCT-94 |
| | A-A-60003 | PARTITIONS, TOILET, COMPLETE[CUST: YD] [REVIEW: MC SA] | A | 5670 | / | IS | 22-AUG-97 |
| | DI-MISC-80071E | PARTS APPROVAL REQUESTS [AMSC: S7325] | A | MISC | | CC | 05-AUG-98 |
| | A-A-59211 NOT 1 | PARTS CLEANING CAN, SAFETY, BENCH[CUST: AR YD 99] [REVIEW: 03 11 84 AS CG NP] | A | 4940 | / | CC | 06-OCT-03 |
| | DI-ILSS-81359A | PARTS LIST [AMSC: G7181] | A | SESS | | NS | 07-MAR-96 |
| A | ASME-Y14.34M | PARTS LISTS, DATA LISTS, AND INDEX LISTS[CUST: AR SA 16 DH] [REVIEW: 02 13 19 68 70 71 84 99 AS AT AV CC CE CH CR CR4 EA EC GL GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 27-NOV-96 |
| | MIL-HDBK-512A | PARTS MANAGEMENT[CUST: AV AS 10 CC] [REVIEW: 11 13 19 22 70 71 84 99 AM AR CR EC GL GS IS MC MR OS SA SH TD] | A | SDMP | | CC | 31-OCT-01 |
| | DI-MISC-80526D | PARTS MANAGEMENT PLAN [AMSC: S7324] | A | MISC | | CC | 05-AUG-98 |
| | AIAA-R100 | PARTS MANAGEMENT, RECOMMENDED PRACTICE FOR[CUST: AT AS 19] | A | SDMP | | SO | 1996 |
| | DI-MGMT-80921 | PARTS RECLAMATION PROCEDURES (PRP) [AMSC: A4859] | A | MGMT | | AM | 12-DEC-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ANSI-S20.20 | PARTS, ELECTRICAL AND ELECTRONIC, ASSEMBLIES AND EQUIPMENT, PROTECTION OF (EXCLUDING ELECTRICALLY INITIATED EXPLOSIVE DEVICES), FOR THE DEVELOPMENT OF AN ELECTROSTATIC DISCHARGE CONTROL PROGRAM FOR[CUST: SY EC 11] [REVIEW: 08 13 19 33 AS CG CH CR IE MC PT SA SM TM2] | A | SESS | | 11 | 07-JUL-00 |
| | ASTM-D2563 | PARTS, GLASS-REINFORCED PLASTIC LAMINATE, CLASSIFYING VISUAL DEFECTS IN[CUST: AR YD 99] | A | 5430 | | AR | 15-FEB-94 |
| | DI-MISC-81277 | PARTS, MATERIALS, AND PROCESSES SELECTION LIST (PMPSL) [AMSC: A6768] | A | MISC | | 10 | 27-JUL-92 |
| | MIL-P-44403 | PASSAGEWAY, COMPLEXING KIT[CUST: GL NU 99 CT] [REVIEW: 11 MC MD MS] | A | 8340 | | CT | 16-MAR-90 |
| | DI-MISC-81366 | PASSENGER NAME RECORD (PNR) [AMSC: F6962] | A | MISC | | 10 | 01-SEP-93 |
| | MIL-P-24138A | PASSIVATOR COMPOUND, NAVY BOILER[CUST: SH] [REVIEW: GS] | A | 6850 | | SH | 30-JUN-86 |
| | A-A-55541/1B | PASSIVE DELAY LINE, 10 TAP, 10 TO 200 NANOSECONDS[CUST: CR EC 11 CC] | A | 5999 | / | CC | 27-DEC-04 |
| | ITOP-6.3.027 | PASSIVE INFRARED SENSORS FOR INTERIOR APPLICATION (U) | D | ISDA | | TE | 31-DEC-87 |
| | ITOP-6.3.031 | PASSIVE ULTRASONIC SENSOR FOR INTERIOR APPLICATIONS (U) | D | ISDA | | TE | 30-MAR-89 |
| | QSTAG-579 ED.1 | PASSIVE VIEWER, DRIVER'S NIGHT VISION[CUST: AI] | C | ISDA | | AI | 27-MAR-81 |
| D | FIPS-PUB-112 | PASSWORD USAGE[CUST: CR OM DC3] | A | IPSC | | DC3 | 30-MAY-85 |
| | A-A-20062D | PASTA PRODUCTS, ENRICHED AND WHOLE WHEAT[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8920 | / | SS | 20-MAY-05 |
| | A-A-20269 | PASTA SHELLS, STUFFED WITH CHEESE IN SAUCE, FROZEN[CUST: FV] | A | 8940 | # | FV | 31-JUL-97 |
| | A-A-56025 NOT 1 | PASTE, CONDUCTIVE[CUST: MI 99] [REVIEW: 84] | A | 8030 | / | MI | 24-OCT-00 |
| | A-A-51627 | PASTE, DENTAL LABORATORY (SILICONE INSULATING AND SEPARATING)[CUST: MD MS 03] | A | 6520 | / | MB | 25-AUG-86 |
| | A-A-54518 | PASTE, PERIODONTAL PROTECTIVE, SURGICAL (MEDIUM FIRM DRESSING)[CUST: MD MS 03] | A | 6520 | / | MB | 20-NOV-91 |
| | A-A-54445 | PASTE, PERIODONTAL PROTECTIVE, SURGICAL (SOFT DRESSING)[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUL-91 |
| | A-A-50434 | PATCH REPAIR EMERGENCY WATER ACTIVATED DAMAGE CONTROL[CUST: CR4 SH] [REVIEW: MD] | A | 4730 | / | SH | 15-AUG-90 |
| | A-A-52518/1 NOT 1 | PATCH, PNEUMATIC TIRE REPAIR: UNCURED (METRIC)[CUST: AT 99] [REVIEW: 84 MC] | A | 2640 | / | AT | 14-APR-04 |
| | A-A-52517 NOT 1 | PATCH, REPAIR, FOR INNER TUBES AND TUBELESS TIRE LINERS (METRIC)[CUST: AT YD 99] [REVIEW: 84 AR] | A | 2640 | / | AT | 14-APR-04 |
| | QSTAG-893 ED.1 | PATIENT MANAGEMENT IN A COLD CLIMATE[CUST: AI] | C | ISDA | | AI | 21-OCT-91 |
| | A-A-55699 | PATIENT MONITOR[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAR-95 |
| | A-A-53093 | PATIENT UTILITY KIT[CUST: MD MS 03] | A | 6530 | / | MB | 31-AUG-87 |
| | A-A-51021A | PATIENT UTILITY KIT (PLASTIC)[CUST: MD MS 03] | A | 6530 | / | MB | 19-JAN-90 |
| | A-A-54490 | PAV, POVIDONE-IODINE, IMPREGNATED[CUST: MD MS 03] | A | 6510 | / | MB | 30-SEP-91 |
| | AASHTO-T230 | PAVEMENT COMPACTION OF BITUMINOUS AGGREGATE MIXTURES, DETERMINING DEGREE OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D546 | PAVING MIXTURES, SIEVE ANALYSIS OF MINERAL FILLER FOR BITUMINOUS, STANDARD TEST METHOD FOR[CUST: CE YD 99 IS] [REVIEW: MC] | A | 5610 | | IS | 26-APR-89 |
| | ASTM-D242 | PAVING, BITUMINOUS MIXTURES, MINERAL FILLER FOR[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 10-SEP-95 |
| | ASTM-D1751 | PAVING, CONCRETE, AND STRUCTURAL CONSTRUCTION (NONEXTRUDING AND RESILIENT BITUMINOUS TYPES), PREFORMED EXPANSION JOINT FILLER FOR[CUST: YD IS] [REVIEW: CE] | A | 5610 | | IS | 10-JUN-99 |
| | MIL-P-71053 | PAX-2A EXPLOSIVE COMPOSITION[CUST: AR] | A | 1376 | | AR | 22-JUN-94 |
| | DI-FNCL-81478 | PAYMENT REPORT [AMSC: N7137] | A | FNCL | | SA | 31-JUL-95 |
| | MIL-P-23625(2) | PBXN-4 EXPLOSIVE[CUST: OS] | A | 1376 | | OS | 14-MAR-73 |
| | AJP-3.4.1 | PEACE SUPPORT OPERATIONS | C | ISDF | | 06 | 01-JUL-01 |
| | STANAG-2181 ED.1 | PEACE SUPPORT OPERATIONS - AJP-3.4.1 | C | ISDA | | AI | 01-AUG-01 |
| | STANAG-2496 ED.1 | PEACE SUPPORT OPERATIONS - TECHNIQUES AND PROCEDURES - ATP-3.4.1.1 | C | ISDA | | AI | 28-MAY-03 |
| | A-A-20328 | PEANUT BUTTER AND PEANUT SPREAD[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8930 | / | SS | 18-DEC-00 |
| | ASTM-D4427 | PEAT SAMPLES BY LABORATORY TESTING[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 15-JUL-92 |
| | IPC-TM650.2.4.8.2 | PEEL STRENGTH OF METALLIC CLAD LAMINATES AT ELEVATED TEMPERATURE (HOT FLUID METHOD)[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | IPC-TM650.2.4.8 | PEEL STRENGTHOF METALLIC CLAS LAMINATES[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | A-A-1953A NOT 1 | PEELER, POTATO, HAND[CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A | 7330 | / | GL | 26-JUL-00 |
| | MIL-P-81985(1) | PEENING OF METALS[CUST: AS] | A | MFFP | | AS | 05-NOV-84 |
| | A-A-50810 | PELLET, ABSORBENT, COTTON[CUST: MD MS 03] | A | 6510 | / | MB | 05-AUG-81 |
| | MIL-P-50900 NOT 1 | PELLET, PLASTIC BONDED HMX (95/5) FOR USE IN AMMUNITION[CUST: AR] | A | 1376 | | AR | 08-APR-86 |
| | MIL-P-45486B NOT 1 | PELLET, RDX[CUST: AR] | A | 1375 | | AR | 27-APR-87 |
| | MIL-P-70550(2) | PELLET, RED PHOSPHORUS, FOR MORTAR CARTRIDGE 81MM SMOKE, RP, M819[CUST: AR] | A | 1370 | | AR | 12-MAR-01 |
| | MIL-P-46464A(1) NOT 1 | PELLET, TETRYL[CUST: AR] [REVIEW: EA] | A | 1376 | | AR | 30-JAN-87 |
| | MIL-P-50977(1) NOT 1 | PELLETS (PBX) FOR USE IN AMMUNITION[CUST: AR] | A | 1376 | | AR | 19-JAN-93 |
| | MIL-P-48395(2) NOT 1 | PELLETS, EXPLOSIVE COMPOSITIONS (FOR USE IN AMMUNITION)[CUST: AR] | A | 1376 | | AR | 03-JUL-92 |
| | MIL-P-46994B(4) | PELLETS/GRANULES BORON/POTASSIUM NITRATE[CUST: AR] [REVIEW: EA] | A | 1375 | | AR | 11-NOV-93 |
| | A-A-51113 | PEMOLINE TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 26-NOV-85 |
| | GG-P-00146D(2) | PEN SET, DESK | A | 7520 | # | FSS | 08-MAR-74 |
| N | A-A-3196 | PEN, ROLLER-BALL/ROLLER-POINT, GEL INK AND REFILLS (RETRACTABLE/REFILLABLE/NON-REFILLABLE) | A | 7520 | # | FSS | 17-JAN-06 |
| A | A-A-2695B NOT 2 | PEN, ROLLERBALL-POINT, RETRACTABLE AND NON-RETRACTABLE (REFILLABLE AND NON-REFILLABLE) | A | 7520 | # | FSS | 30-AUG-05 |
| | A-A-2801 | PENCIL, MECHANICAL FOR 0.9 MM AND 1.1 MM SIZE, COLORED OR BLACK LEADS | A | 7520 | # | FSS | 03-MAY-92 |
| | A-A-2768A | PENCIL, MECHANICAL FOR 1.1 MM LEAD SIZE[CUST: FSS] | A | 7520 | # | FSS | 05-AUG-97 |
| | SS-P-196E | PENCIL: SPIRAL-PAPER-FORM; WAX, GLASS AND CHINA MARKING | A | 7510 | # | FSS | 20-JUL-78 |
| | MIL-PRF-24548A(1) | PENETRATING FLUID[CUST: SH] [REVIEW: GS] | A | 6850 | | SH | 17-DEC-93 |
| | ASTM-D5 | PENETRATION OF BITUMINOUS MATERIALS[CUST: MR YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 9-MAR-92 |
| | AWPA-A3 | PENETRATION OF PRESERVATIVES & FIRE RETARDANTS, STANDARD METHODS FOR DETERMINING[CUST: MR 99] | A | 8030 | | MR | 09-DEC-87 |
| | ASTM-D1586 | PENETRATION TEST AND SPLIT-BARREL SAMPLING OF SOILS[CUST: YD 99 IS] [REVIEW: CG] | A | 5610 | | IS | 10-JAN-99 |
| | AASHTO-M20 | PENETRATION-GRADED ASPHALT CEMENT[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | QPL-24705-7 | PENETRATORS, MULTIPLE CABLE FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR | A | 5975 | | SH | 10-JUN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-24705A | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 19-JUL-92 |
| | MIL-P-24705/2 | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, NOTCHED RECTANGULAR METAL FRAME, FOR RECTANGULAR-FACED BLOCKS[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 07-JUN-90 |
| | MIL-P-24705/1A | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, RECTANGULAR METAL FRAME, FOR SQUARE-FACED BLOCKS[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 19-JUL-92 |
| | MIL-P-24705/3 | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, ROUND FRAME, FOR SQUARE-FACED BLOCKS[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 07-JUN-90 |
| M | MIL-PRF-3627G | PENETROMETERS, SOIL: DIAL INDICATING AND SPRING INDICATING[CUST: CE3 99] [REVIEW: CR FSS] | A | 6635 | | CE3 | 01-MAR-06 |
| | A-A-50217A NOT 2 | PENS, LETTERING, SCRIBER-TEMPLATE: RESERVOIR[CUST: CE IS] [REVIEW: MC] | A | 6675 | / | IS | 25-SEP-01 |
| | A-A-30073 | PENS, SKIN MARKING[CUST: MD MS] | A | 6515 | / | MB | 11-MAR-83 |
| | DI-MISC-80533 | PENSION PLAN DATA REPORT [AMSC: A4326] | A | MISC | | AM | 09-FEB-88 |
| | ASTM-D1272 | PENTACHLOROPHENOL[CUST: MR 99] [REVIEW: AR CG CR4 GL MC OS] | A | 8030 | | MR | 10-SEP-56 |
| | MIL-P-387C(2) NOT 1 | PENTAERYTHRITE TETRANITRATE (PETN)[CUST: AR OS 99] [REVIEW: EA MI] | A | 1376 | | AR | 24-JAN-00 |
| | MIL-P-20304 NOT 1 | PENTAERYTHRITOL[CUST: AR] | A | 1376 | | AR | 13-JUN-88 |
| | A-A-54648 | PENTAZOCINE AND NALOXONE HYDROCHLORIDES TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 15-MAY-92 |
| | A-A-53743 | PENTAZOCINE LACTATE INJECTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 30-SEP-88 |
| | A-A-20070C | PEPPERS, GREEN AND RED, DEHYDRATED[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8915 | / | SS | 26-FEB-04 |
| | ASTM-D3307 | PERFLUOROALKOXY (PFA) - FLUOROCARBON RESIN MOLDING AND EXTRUSION MATERIALS[CUST: MR 11 GS] [REVIEW: AS AT AV CR4 GL] | A | 9330 | | IS | 15-FEB-93 |
| | A-A-54958 | PERFORATOR, AMNIOTOMY, PLASTIC, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 17-JUN-94 |
| | DI-FNCL-80342 | PERFORMANCE AND COST ALLOCATION REPORTING FOR CONTRACTOR LOGISTICS SUPPORT (CLS) OF TRAINING DEVICES [AMSC: A4098] | A | FNCL | | AM | 15-APR-87 |
| | DI-FNCL-80912 | PERFORMANCE AND COST REPORT [AMSC: A4845] | A | FNCL | | AM | 06-OCT-89 |
| | STANAG-2333 ED.4 | PERFORMANCE AND PROTECTIVE PROPERTIES OF COMBAT CLOTHING | C | ISDA | | AI | PENDING |
| | STANAG-3778 ED.1(6) | PERFORMANCE CRITERIA FOR HONEYCOMB PAPER USED AS ENERGY DISSIPATING MATERIAL | C | ISDF | | 06 | 05-JUN-80 |
| | AIR-STD-44/40D(1) | PERFORMANCE CRITERIA FOR HONEYCOMB PAPER USED AS ENERGY DISSIPATING MATERIAL | C | ISDF | | 06 | 29-SEP-92 |
| | AASHTO-MP1 | PERFORMANCE GRADED ASPHALT BINDER[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-F1783 | PERFORMANCE OF AN ICE RESCUER - LEVEL II[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 22-JUN-99 |
| | TTMA-RP61 | PERFORMANCE OF MANHOLE AND/OR FILL OPENING ASSEMBLIES ON MC 306, DOT 406, NON-ASME MC 312, AND NON-ASME DOT 412 CARGO TANKS[CUST: AT] | A | 2330 | | AT | 01-JUN-98 |
| | STANAG-3501 ED.2(4) | PERFORMANCE OF PORTABLE FILTER BLOWERS FOR AIRCREW NBC RESPIRATORS | C | ISDF | | 06 | 23-NOV-90 |
| | DI-PACK-81059 | PERFORMANCE ORIENTED PACKAGING TEST REPORT [AMSC: A5019] | A | PACK | | AR | 09-OCT-90 |
| | ISA-S12.13.01 | PERFORMANCE REQUIREMENTS FOR COMBUSTIBLE GAS DETECTORS[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | DI-SDMP-81465A | PERFORMANCE SPECIFICATION DOCUMENTS [AMSC: D7501] | A | SDMP | | SO | 01-AUG-03 |
| | SD-15 | PERFORMANCE SPECIFICATION GUIDE[CUST: AM NM 01 DH] | A | SDMP | | SO | 29-JUN-95 |
| | MIL-PRF-19500/610E | PERFORMANCE SPECIFICATION SHEET SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, SCHOTTKY BARRIER, TYPES 1N6677-1 AND 1N6677UR-1, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI OS SH SM] | A | 5961 | | CC | 01-DEC-03 |
| | NEMA-WC63.2 | PERFORMANCE STANDARD FOR COAXIAL PREMISE DATA COMMUNICATIONS CABLES[CUST: CC] | A | 6145 | | CC | 15-NOV-96 |
| | NEMA-WC63.1 | PERFORMANCE STANDARD FOR TWISTED PAIR PREMISE VOICE AND DATA COMMUNICATIONS CABLES[CUST: CC] | A | 6145 | | CC | 15-NOV-96 |
| | ITOP-4.2.812 | PERFORMANCE TESTING OF SHAPED CHARGE WARHEADS | D | ISDA | | TE | 26-APR-01 |
| | FM-DS149 | PERIMETER FLASHING[CUST: YD] | A | FACR | | YD | 14-JUN-04 |
| | MIL-DTL-62420B | PERISCOPE, TANK[CUST: AT] | A | 1240 | | AT | 04-SEP-98 |
| | MIL-P-46337B(1) NOT 2 | PERISCOPE, TANK, M35[CUST: AR] | A | 1240 | | AR | 27-NOV-96 |
| | MMPA0100 | PERMANENT MAGNET MATERIALS[CUST: AR 11] [REVIEW: OS] | A | 5999 | | AR | 18-SEP-85 |
| | PFI-ES11 | PERMANENT MARKING ON PIPING MATERIALS[CUST: YD] | A | FACR | | YD | 08-JUL-04 |
| | ASTM-D1363 | PERMANGANATE TIME OF ACETONE AND METHANOL[CUST: EA 68] [REVIEW: 50 CR4 GL MD OS SH] | A | 6810 | | GS3 | 15-APR-94 |
| | IPC-TM650.2.5.5.3 | PERMITTIVITY (DIELECTRIC CONSTANT) AND LOSS TANGENT (DISSIPATION FACTOR) OF MATERIALS (TWO FLUID CELL METHOD)[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | ASTM-D3703 | PEROXIDE NUMBER OF AVIATION TURBINE FUELS[CUST: PS] | A | 91GP | | PS | 10-APR-99 |
| | MIL-P-43740C | PERSONNEL IDENTIFICATION BAND KIT WITH COMPONENTS AND CASE[CUST: GL CT] [REVIEW: MD] | A | 8465 | | CT | 04-NOV-91 |
| | AIR-STD-84/18 | PERSONNEL IDENTIFICATION WHILE IN IPE | C | ISDF | | 06 | 30-APR-99 |
| | STANAG-2429 ED.2 | PERSONNEL IDENTIFICATION WHILE IN NBC INDIVIDUAL PROTECTIVE EQUIPMENT (IPE) | C | ISDA | | AI | 29-OCT-99 |
| | SD-3 | PERSONNEL PARTICIPATING IN NATO STANDARDIZATION, A GUIDE FOR DOD[CUST: AM NM 01 DH] | A | SDMP | | SO | 01-APR-91 |
| | STANAG-7049 ED.2 | PERSONNEL PROTECTIVE EQUIPMENT (PPE) REQUIREMENTS FOR FIRE AND EMERGENCY OPERATIONS | C | ISDF | | 06 | 25-MAR-03 |
| | DI-MISC-81311 | PERSONNEL RECRUITMENT ADVERTISEMENT [AMSC: G6887] | A | MISC | | NS | 25-JAN-93 |
| | DI-MISC-81310 | PERSONNEL RECRUITMENT ADVERTISING MANAGEMENT PLAN [AMSC: G6886] | A | MISC | | NS | 25-JAN-93 |
| | DI-MISC-81419 | PERSONNEL REPORT [AMSC: F7064] | A | MISC | | 10 | 14-NOV-94 |
| | DI-MGMT-81597 | PERSONNEL RESUMES [AMSC: G7416] | A | MGMT | | NS | 02-FEB-01 |
| | DI-MISC-80228 | PEST CONTROL SUMMARY REPORT [AMSC: F3948] | A | MISC | | 33 | 08-SEP-86 |
| | ASTM-D287 | PETROLEUM AND PETROLEUM PRODUCTS, API GRAVITY OF CRUDE (HYDROMETER METHOD)[CUST: AT SH 11] [REVIEW: 68 AR AS OS] | A | 91GP | | AT | 15-AUG-92 |
| | ASTM-D4177 | PETROLEUM AND PETROLEUM PRODUCTS, AUTOMATIC SAMPLING OF[CUST: CR4 AS 68] [REVIEW: GS] | A | 9150 | | AS | 10-NOV-95 |
| | ASTM-D4057 | PETROLEUM AND PETROLEUM PRODUCTS, MANUAL SAMPLING OF[CUST: CR4 AS 68] [REVIEW: GS] | A | 9150 | | AS | 25-MAR-88 |
| | ASTM-D1159 | PETROLEUM DISTILLATES AND COMMERCIAL ALIPHATIC OLEFINS BY ELECTROMETRIC TITRATION, BROMINE NUMBERS OF[CUST: AT SH 11] [REVIEW: GS OS] | A | 9150 | | AT | 15-AUG-93 |
| | MIL-HDBK-1022A | PETROLEUM FUEL FACILITIES[CUST: CE YD 50 PS] | A | FACR | | YD | 01-NOV-99 |
| | ASTM-D1250 | PETROLEUM MEASUREMENT TABLES[CUST: CR4 SH 11] | A | 91GP | | PS | 19-SEP-80 |
| | MIL-HDBK-201B(1) | PETROLEUM OPERATIONS[CUST: SA] | A | 91GP | | SA | 01-OCT-92 |
| | DI-MGMT-80433 | PETROLEUM PRODUCT MANAGEMENT REPORT [AMSC: F4206] | A | MGMT | | 33 | 02-SEP-87 |
| | ASTM-D1500 | PETROLEUM PRODUCTS (ASTM COLOR SCALE) ASTM COLOR OF[CUST: AT SH 11] [REVIEW: OS] | A | 91GP | | AT | 15-MAR-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | UL567 | PETROLEUM PRODUCTS AND LP-GAS, PIPE CONNECTORS FOR[CUST: CR4 YD 99] | A | 4730 | | CC | 07-JUN-96 |
| | ASTM-D86 | PETROLEUM PRODUCTS AT ATMOSPHERIC PRESSURE, DISTILLATION OF[CUST: AT AS 68] | A | 91GP | | AT | 15-SEP-93 |
| | ASTM-D2896 | PETROLEUM PRODUCTS BY POTENTIOMETRIC PERCHLORIC ACID TITRATION, BASE NUMBER OF[CUST: CR4 SH 99] | A | 91GP | | CR4 | 03-OCT-94 |
| | ASTM-D2500 | PETROLEUM PRODUCTS, CLOUD POINT OF[CUST: AT SH 11] [REVIEW: 68] | A | 91GP | | AT | 15-OCT-91 |
| | ASTM-D189 | PETROLEUM PRODUCTS, CONRADSON CARBON RESIDUE OF[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 25-MAR-88 |
| | AIR-STD-15/3H(1) | PETROLEUM PRODUCTS, MINIMUM QUALITY SURVEILLANCE (WITH CHANGE NOTICE 1) | C | ISDF | | 06 | 17-MAR-01 |
| | ASTM-D97 | PETROLEUM PRODUCTS, POUR POINT OF[CUST: AT SH 11] | A | 91GP | | AT | 27-MAR-87 |
| | UL87 | PETROLEUM PRODUCTS, POWER-OPERATED DISPENSING DEVICES FOR[CUST: CR4 YD 99] [REVIEW: 84 CC] | A | 4930 | | IS | 24-OCT-95 |
| | ASTM-D524 | PETROLEUM PRODUCTS, RAMSBOTTOM CARBON RESIDUE OF[CUST: PS] | A | 91GP | | PS | 25-MAR-88 |
| | ASTM-D156 | PETROLEUM PRODUCTS, SAYBOLT COLOR OF (SAYBOLT CHROMOMETER METHOD)[CUST: AT SH 11] [REVIEW: 68 AS] | A | 91GP | | AT | 15-FEB-94 |
| | ASTM-D323 | PETROLEUM PRODUCTS, VAPOR PRESSURE OF (REID METHOD)[CUST: AT SH 11] | A | 91GP | | AT | 15-SEP-94 |
| | MIL-PRF-12048E | PETROLEUM TESTING KIT, GROUND FUELS[CUST: AT] [REVIEW: EA MB] | A | 6630 | | AT | 01-JUN-98 |
| | ASTM-D590 | PETROLEUM WAX IN PAPER[CUST: GL SH 68] | A | 9160 | | GL | 15-SEP-93 |
| | ASTM-D938 | PETROLEUM WAXES, INCLUDING PETROLATUM, CONGEALING POINT OF[CUST: AR SH 68] | A | 9160 | | AR | OCT-94 |
| A | ASTM-D1298 | PETROLEUM, CRUDE, AND LIQUID PETROLEUM PRODUCTS BY HYDROMETER METHOD, DENSITY, RELATIVE DENSITY (SPECIFIC GRAVITY), OR API GRAVITY OF[CUST: MR AS 68] [REVIEW: 11 AR AT AV GS PS SA YD] | A | 91GP | | 68 | 25-OCT-85 |
| | ASTM-D4175 | PETROLEUM, PETROLEUM PRODUCTS, AND LUBRICANTS[CUST: AT AS 68] | A | 91GP | | AT | 15-AUG-92 |
| | ASTM-D2165 | PH OF AQUEOUS EXTRACTS OF WOOL AND SIMILAR ANIMAL FIBERS[CUST: GL NU 99 CT] | A | 83GP | | CT | 31-AUG-90 |
| | A-A-54994 | PHACOEMULSIFICATION VITRECTOMY SYSTEM[CUST: MD MS 03] | A | 6515 | / | MB | 16-DEC-94 |
| | ASTM-E1094 | PHARMACEUTICAL GLASS GRADUATES[CUST: MD MS 03] | A | 6640 | | MB | FEB-92 |
| | ADV-PUB-61/115/9A(2) | PHARMACOLOGICAL AND NON-PHARMACOLOGICAL METHODS FOR THE PRESERVATION OF AIRCREW PERFORMANCE | C | ISDF | | 06 | 03-SEP-91 |
| | DI-ALSS-80037B | PHASED SUPPORT PLAN [AMSC: N7249] | A | SESS | | AS | 13-MAR-97 |
| | A-A-53722 | PHENOBARBITAL TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 26-SEP-88 |
| | A-A-53836 | PHENOL RED PH TEST TABLETS[CUST: MD MS 03] | A | 6550 | / | MB | 03-MAR-89 |
| | ASTM-D1783 | PHENOLIC COMPOUNDS IN WATER[CUST: EA 68] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 10-FEB-01 |
| | ASTM-D4617 | PHENOLIC COMPOUNDS, (PF)[CUST: MR SH 11 GS] [REVIEW: AR AS CR4 GL MI] | A | 9330 | | IS | 15-JUL-91 |
| | ASTM-D2580 | PHENOLS IN WATER BY GAS-LIQUID CHROMATOGRAPHY[CUST: EA 68] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 25-AUG-89 |
| | A-A-0051543 | PHENYLPROPANOLAMINE HYDROCHLORIDE, ACETAMINOPHEN AND CHLORPHENIRAMINE MATEATE TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 27-JUN-86 |
| | DI-MISC-81348 | PHILOSOPHY OF PROTECTION REPORT [AMSC: G6938] | A | MISC | | NS | 02-JUL-93 |
| | A-A-51331 | PHORROPTER, ADDITIVE TYPE[CUST: MD MS 03] | A | 6540 | / | MB | 14-JAN-86 |
| M | A-A-59267 NOT 1 | PHOSPHATE COATING COMPOUNDS, MANGANESE OR ZINC BASE (FOR FERROUS METALS)[CUST: MR SH 11 GS3] [REVIEW: 68 AR AS EA] | A | 6850 | / | GS3 | 20-MAR-06 |
| | MIL-DTL-16232G | PHOSPHATE COATING, HEAVY, MANGANESE OR ZINC BASE[CUST: AR AS 11] [REVIEW: 84 99 CH GS MC MD MS OS SH SM] | A | MFFP | | AR | 07-JAN-00 |
| | SAE-AMS2481 | PHOSPHATE TREATMENT ANTICHAFING[CUST: CR4 AS 11] | A | 8010 | | AS | MAY-01 |
| | MIL-HDBK-205A | PHOSPHATIZING AND BLACK OXIDE COATING OF FERROUS METALS[CUST: MR SH 11] [REVIEW: 19 70 84 99 AS AT CR4 GL OS] | A | MFFP | | MR | 15-JUL-85 |
| | SAE-AMS4625 | PHOSPHOR BRONZE BARS, RODS, AND TUBING 95CU - 5SN HARD TEMPER[CUST: MR AS 11] [REVIEW: 71 CR4 OS] | A | 4710 | | AS | 01-OCT-89 |
| | A-A-53886 | PHOSPHORIC ACID GEL, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | ASTM-D3231 | PHOSPHORUS IN GASOLINE[CUST: PS] | A | 9130 | | PS | 15-JAN-94 |
| | ASTM-D1091 | PHOSPHORUS IN LUBRICATING OILS AND ADDITIVES[CUST: AT SH 11] | A | 91GP | | AT | 15-MAR-91 |
| | ASTM-E357 | PHOSPHORUS IN ORGANIC COMPOUNDS BY SODIUM PEROXIDE BOMB IGNITION[CUST: EA 68] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 10-SEP-98 |
| | ASTM-D515 | PHOSPHORUS IN WATER[CUST: EA SH] [REVIEW: CR4 GL GS MD PS] | A | 6810 | | SH | 19-AUG-88 |
| | MIL-P-670A NOT 1 | PHOSPHORUS, RED, STABILIZED[CUST: AR AS] [REVIEW: MI OS] | A | 1370 | | AR | 22-APR-88 |
| | MIL-DTL-211F | PHOSPHORUS, RED, TECHNICAL[CUST: EA OS] [REVIEW: AR AS GS MD] | A | 6810 | | EA | 24-JUL-00 |
| | UL773 | PHOTOCONTROLS, PLUG-IN, LOCKING TYPE, STANDARD FOR[CUST: CR YD 11] [REVIEW: GS] | A | 6210 | | YD | 10-MAR-92 |
| | UL773A | PHOTOELECTRIC SWITCHES FOR LIGHTING CONTROL, NONINDUSTRIAL[CUST: CR YD 11] [REVIEW: 99 CC] | A | 6210 | | YD | 30-AUG-95 |
| | ANSI-PH2.5 | PHOTOGRAPHIC NEGATIVE MATERIALS (MONOCHROME, CONTINUOUS TONE), METHOD FOR DETERMINING SPEED OF[CUST: CR AS 99] | A | 6760 | | AS | 25-AUG-87 |
| | DI-SAFT-81126 | PHOTOGRAPHIC REQUIREMENTS [AMSC: N6026] | A | SAFT | | OS | 08-MAR-91 |
| | ANSI-PH1.25 | PHOTOGRAPHY (FILM) SAFETY PHOTOGRAPHIC FILM[CUST: AS 16] | A | 6760 | | AS | 31-MAY-83 |
| | ANSI-PH2.50 | PHOTOGRAPHY - DIRECT-EXPOSURE MEDICAL & DENTAL RADIOGRAPHIC FILM/PROCESS COMBINATIONS - DETERMINATION OF ISO SPEED & AVERAGE GRADIENT[CUST: MD MS 03] | A | 6525 | | MB | 28-NOV-86 |
| | ANSI-PH4.3 | PHOTOGRAPHY PROCESSING TRAYS[CUST: CR AS 99] [REVIEW: 70 GS MC] | A | 6740 | | AS | 30-JUL-87 |
| | ANSI-PH2.34 | PHOTOGRAPHY, AERIAL, METHODS FOR DETERMINING THE SPEEDS OF MONOCHROME PHOTOGRAPHIC NEGATIVE FILMS FOR[CUST: CR AS 99] | A | 6750 | | AS | 12-MAY-87 |
| | ASTM-E2072 | PHOTOLUMINESCENT (PHOSPHORESCENT) SAFETY MARKINGS[CUST: AV OS 99 IS] | A | 9390 | | IS | 16-OCT-00 |
| | ASTM-E883 | PHOTOMICROGRAPHY, REFLECTED-LIGHT[CUST: MR SH 16] | A | EDRS | | MR | 03-OCT-94 |
| | ADV-PUB-61/103/14 | PHYSICAL - EAR NOISE ATTENUATION TESTING | C | ISDF | | 06 | 03-SEP-91 |
| | AIR-STD-25/46(2) | PHYSICAL INTERCHANGE OF DIGITAL DATA | C | ISDF | | 06 | 14-APR-98 |
| | DI-MGMT-80259 | PHYSICAL INVENTORIES REPORT [AMSC: N3993] | A | MGMT | | SA | 31-OCT-86 |
| | EIA590 | PHYSICAL LOCATION AND PROTECTION OF BELOW GROUND FIBER OPTIC CABLE PLANT, STANDARD FOR[CUST: YD] | A | FACR | | YD | 02-SEP-04 |
| | IPC-TM650.2.6.5 | PHYSICAL SHOCK, MULTILAYER PRINTED WIRING[CUST: CR EC 11 CC] [REVIEW: 71 99 NA] | A | 5998 | | CC | 22-MAR-05 |
| | ADV-PUB-61/86 | PHYSICAL-EAR NOISE ATTENUATION TESTING | C | ISDF | | 06 | 03-SEP-91 |
| | STANAG-3865 ED.2(5) | PHYSIOLOGICAL REQUIREMENTS FOR AIRCRAFT MOLECULAR SIEVE OXYGEN CONCENTRATING SYSTEMS | C | ISDF | | 06 | 24-MAR-86 |
| | STANAG-3943 ED.2(2) | PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW NBC DEFENCE ASSEMBLIES USED IN FLIGHT | C | ISDF | | 06 | 30-APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AIR-STD-61/101/5A | PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW OXYGEN MASKS FOR USE AT HIGH BREATHING PRESSURES | C | ISDF | | 06 | 20-SEP-90 |
| | A-A-20259A | PICANTE SAUCE[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8950 | / | SS | 30-AUG-04 |
| | AIR-STD-25/12A(2) | PICKETING OR TIEDOWN FITTINGS FOR SHIPBORNE AIRCRAFT (INCLUDING HELICOPTERS) | C | ISDF | | 06 | 24-AUG-91 |
| | ASTM-D5445 | PICTORIAL MARKINGS FOR HANDLING GOODS[CUST: YD 11] [REVIEW: 99 AS DH] | A | PACK | | YD | 10-NOV-97 |
| | ASTM-D2200 | PICTORIAL SURFACE PREPARATION STANDARDS FOR PAINTING STEEL SURFACES[CUST: MR SH 99] | A | 8010 | | MR | 03-OCT-94 |
| | A-A-20244 | PIE FILLING, LEMON, READY-TO-USE | A | 8940 | # | FSS | 26-JUN-96 |
| | A-A-20161B | PIE FILLINGS, FRUIT, PREPARED[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8940 | / | SS | 13-JUN-05 |
| | A-A-20074B | PIE, FRUIT-FILLED OR SOFT-FILLED, READY-TO-EAT, REHEAT, OR UN-BAKED, FRESH, CHILLED, OR FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8920 | * | GL | 20-DEC-02 |
| | MIL-HDBK-1025/1(3) | PIERS AND WHARVES[CUST: YD] | A | FACR | | YD | 30-JUN-94 |
| | IEEE176 | PIEZOELECTRICITY, IEEE STANDARD ON[CUST: CR SH 11] | A | 5955 | | SH | 06-NOV-86 |
| | ASTM-B339 | PIG TIN[CUST: MR YD 99] [REVIEW: 84 CR4 IS MI] | A | 9650 | | MR | 15-FEB-93 |
| | ASTM-D2371 | PIGMENT CONTENT OF SOLVENT-REDUCIBLE PAINTS[CUST: CR4 SH 99] | A | 8010 | | CR4 | 3-OCT-94 |
| | ASTM-D261 | PIGMENT, BLUE, IRON[CUST: CR4 SH 99] | A | 8010 | | SH | 31-OCT-75 |
| | ASTM-D604 | PIGMENT, DIATOMACEOUS SILICA[CUST: AV SH 99] | A | 8010 | | SH | 30-OCT-81 |
| | ASTM-D520 | PIGMENT, DUST, ZINC[CUST: EA SH 68] | A | 8010 | | SH | 3-OCT-94 |
| | ASTM-D263 | PIGMENT, GREEN, OXIDE, CHROME[CUST: YD] | A | 8010 | | IS | 20-JAN-95 |
| | ASTM-D209 | PIGMENT, LAMPBLACK[CUST: AR SH 11] | A | 8010 | | SH | 31-AUG-81 |
| | ASTM-D83 | PIGMENT, RED LEAD[CUST: CR4 SH 68] | A | 8010 | | MB | 31-AUG-84 |
| | ASTM-D444 | PIGMENT, ZINC YELLOW (ZINC CHROMATE YELLOW) CHEMICAL ANALYSIS OF, STANDARD TEST METHODS FOR[CUST: MR SH 11] | A | 8010 | | MR | 31-OCT-88 |
| | ASTM-D1483 | PIGMENTS BY GARDNER-COLEMAN METHOD, OIL ADSORPTION OF[CUST: AR SH 99] | A | 8010 | | AR | 26-OCT-84 |
| | ASTM-D279 | PIGMENTS, BLEEDING OF[CUST: MR SH 99] | A | 8010 | | MR | 29-MAY-87 |
| | ASTM-D1135 | PIGMENTS, BLUE, CHEMICAL ANALYSIS OF[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 27-MAR-86 |
| | ASTM-D1208 | PIGMENTS, COMMON PROPERTIES OF CERTAIN[CUST: MR SH 99] | A | 8010 | | MR | 26-OCT-84 |
| | ASTM-D185 | PIGMENTS, PASTES, & PAINTS, COARSE PARTICES IN - 26 OCT 84 (REAPPROVED 1989)[CUST: MR 00 99] | A | 8010 | | MR | 22-JUN-90 |
| | ASTM-D1366 | PIGMENTS, REPORTING PARTICLE SIZE, CHARACTERISTICS OF[CUST: CR4 SH 99] | A | 8010 | | SH | 27-JUN-86 |
| | ASTM-D153 | PIGMENTS, STANDARD TEST METHODS FOR SPECIFIC GRAVITY OF - 26 OCT 84 (REAPPROVED 1989)[CUST: MR SH 99] | A | 8010 | | MR | 22-JUN-90 |
| | ASTM-D34 | PIGMENTS, WHITE, CHEMICAL ANALYSIS OF[CUST: MR SH 99] [REVIEW: 84 AS] | A | 8010 | | MR | 15-SEP-91 |
| | ASTM-D79 | PIGMENTS, ZINC OXIDE[CUST: MR SH 68] [REVIEW: GS] | A | 6810 | | SH | OCT-94 |
| | ASTM-D478 | PIGMENTS, ZINC YELLOW (ZINC CHROMATE)[CUST: YD] | A | 8010 | | IS | 20-JAN-95 |
| | ASTM-D1143 | PILES UNDER STATIC AXIAL COMPRESSIVE LOAD, STANDARD TEST METHOD FOR[CUST: YD] | A | FACR | | YD | 02-MAR-81 |
| | ASTM-D25 | PILES, ROUND TIMBER[CUST: CR4 YD 99 IS] [REVIEW: CC SM] | A | 5510 | | IS | 10-APR-99 |
| | AWPA-C3 | PILES-PRESERVATIVE TREATMENT BY PRESSURE PROCESSES, STANDARD FOR[CUST: CR4 YD IS] [REVIEW: AT CC CE SM] | A | 5510 | | IS | 07-JUN-93 |
| | ASTM-D3511 | PILLING RESISTANCE AND OTHER RELATED SURFACE CHANGES OF TEXTILE FABRICS BRUSH PILLING TESTER METHOD[CUST: GL NU 99 CT] [REVIEW: 11 CG] | A | 83GP | | CT | 07-AUG-96 |
| | A-A-54095 | PILLOW, BED (POLYESTER FIBER)[CUST: MD MS 03] | A | 7210 | / | MB | 09-MAR-90 |
| | A-A-55215 | PILLOW, PASSENGER, HEADREST, AIRLINE TYPE[CUST: 99 CT] [REVIEW: 03 11] | A | 7210 | / | CT | 20-JUN-93 |
| | MIL-P-36174A NOT 1 | PILLOW, PNEUMATIC[CUST: MD MS 03] [REVIEW: CT] | A | 7210 | | MB | 19-JUN-89 |
| | A-A-54871 | PILLOWCASE (NONWOVEN FABRIC, WHITE, DISPOSABLE)[CUST: MD MS 03] | A | 6532 | / | MB | 17-MAY-93 |
| | A-A-55214 | PILLOWCASE, COTTON AND POLYESTER/COTTON[CUST: GL NU 99 CT] [REVIEW: 11 MB MC MD MS SH] | A | 7210 | / | CT | 12-JUL-93 |
| | A-A-52077 | PILLOWS, BED (FEATHER)[CUST: GL NU 99 CT] [REVIEW: 03 MD] | A | 7210 | / | CT | 15-AUG-90 |
| | SAE-MA3259 | PIN - COTTER, CRES AMS 7211, METRIC SERIES[CUST: AS 11 IS] | A | 5315 | | IS | 15-JAN-81 |
| | NAS427 | PIN - PULLEY GUARD[CUST: AR AS 99 IS] | A | 5315 | | IS | 09-MAR-89 |
| | NASM171401THRU171900 | PIN - SPRING, CORROSION RESISTANT STEEL[CUST: AV AS 99] | A | 5315 | | IS | SEP-99 |
| | NAS1292THRUNAS1296 | PIN - THREADED SHEAR 100 DEG. CSK HEAD[CUST: AV AS 11 IS] | A | 5320 | | IS | 15-SEP-71 |
| | NAS1322THRUNAS1326 | PIN - THREADED SHEAR PROTRUDING HEAD[CUST: AV AS 11 IS] | A | 5320 | | IS | 15-SEP-71 |
| | SAE-AS3589 | PIN AND PLUG, EXPANSION, KIT AL ALLOY 2024, LONG[CUST: AR AS 99 IS] | A | 5340 | | IS | JUN 96 |
| | SAE-AS3588 | PIN AND PLUG, EXPANSION, KIT AL ALLOY 2024, SHORT[CUST: AR AS 99 IS] | A | 5340 | | IS | JUN 96 |
| | SAE-AS3586 | PIN AND PLUG, EXPANSION, KIT CRES, 303, LONG[CUST: AR AS 99 IS] | A | 5340 | | IS | JUN 96 |
| | SAE-AS3587 | PIN AND PLUG, EXPANSION, KIT CRES, 303, SHORT[CUST: AR AS 99 IS] | A | 5340 | | IS | JUN 96 |
| | SAE-AS3584 | PIN AND PLUG, EXPANSION, KIT CRES, 416, LONG[CUST: AR AS 99 IS] | A | 5340 | | IS | JUN 96 |
| | SAE-AS3585 | PIN AND PLUG, EXPANSION, KIT CRES, 416, SHORT[CUST: AR AS 99 IS] | A | 5340 | | IS | JUN 96 |
| | MIL-P-1407C | PIN SET, MARKING, LAUNDRY[CUST: GL YD 99 IS] [REVIEW: 50 MC MD] | A | 3510 | | IS | 20-MAR-68 |
| | NASM33547 | PIN SPRING, FUNCTIONAL LIMITATIONS OF[CUST: AV AS 99 IS] | A | 5315 | | IS | NOV 99 |
| | SAE-AS9844 | PIN STRAIGHT, HEADED .1874 DIAMETER, AMS 5616[CUST: AS IS] | A | 5315 | | IS | AUG-99 |
| | NAS1583 | PIN, 100 DEGREES, COUNTERSUNK HEAD, HI-SHEAR RIVET, CLOSE TOLERANCE, 1200 DEGREES F[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5320 | | IS | 14-JUN-74 |
| | A-A-51532 | PIN, BONE (KIRSCHNER)[CUST: MD MS 03] | A | 6515 | / | MB | 08-JUL-86 |
| | A-A-53809 | PIN, BONE NAIL GUIDE (KUNTSCHER)[CUST: MD MS 03] | A | 6515 | / | MB | 19-JAN-89 |
| | A-A-54416 | PIN, BONE, STEINMANN, BAYONET AND TROCAR POINT[CUST: MD MS 03] | A | 6515 | / | MB | 14-JUN-91 |
| | FF-P-386D(1) | PIN, COTTER (SPLIT)[CUST: AR OS 99 IS] [REVIEW: 71 EA MI] | A | 5315 | / | IS | 16-DEC-71 |
| | NASM24665 | PIN, COTTER (SPLIT)[CUST: AR OS 99 IS] | A | 5315 | | IS | OCT-98 |
| | SAE-AS9245 | PIN, COTTER -CRES, AMS7211[CUST: AS IS] | A | 5315 | | IS | AUG-98 |
| | NAS4452 | PIN, CRIMP - 100 DEG FLUSH SHEAR HEAD[CUST: AV AS 11 IS] | A | 5320 | | IS | 30-JUN-92 |
| | NAS4450 | PIN, CRIMP - PROTRUDING SHEAR HEAD[CUST: AV AS 11 IS] | A | 5320 | | IS | 30-JUN-92 |
| | NAS4466 | PIN, CRIMP, 100 DEG. CROWN SHEAR/TENSION HEAD[CUST: AV AS 11 IS] | A | 5320 | | IS | 30-JUN-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NAS4458 | PIN, CRIMP, PROTRUDING TENSION HEAD[CUST: AV AS 11 IS] | A | 5320 | | IS | 30-JUN-92 |
| | SAE-AS3122 | PIN, EXPANSION - ALUMINUM 2024-T4, LONG[CUST: AR AS 99 IS] | A | 5340 | | IS | AUG-95 |
| | SAE-AS3124 | PIN, EXPANSION - ALUMINUM, 2024-T4, SHORT[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-FEB-81 |
| | SAE-AS3130 | PIN, EXPANSION - CRES, 303, LONG[CUST: AR AS 99 IS] | A | 5340 | | IS | 31-AUG-95 |
| | SAE-AS3132 | PIN, EXPANSION - CRES, 303, SHORT[CUST: AR AS 99 IS] | A | 5340 | | IS | 31-AUG-95 |
| | SAE-AS3126 | PIN, EXPANSION - CRES, 416, LONG[CUST: AR AS 99 IS] | A | 5340 | | IS | AUG-95 |
| | SAE-AS3128 | PIN, EXPANSION - CRES, 416, SHORT[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-FEB-81 |
| | SAE-AS7365/1 | PIN, FEMALE COUPLING[CUST: AT MC 99 CC] [REVIEW: 71 CR4 GL MD] | A | 4730 | | CC | 10-FEB-05 |
| | NAS1584 | PIN, FLAT HEAD, HI-SHEAR RIVET, CLOSE TOLERANCE, 1200 DEGREES F[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5320 | | IS | 14-JUN-74 |
| | SAE-AS31971 | PIN, GAGE, FOR SOCKET CONTACT ENGAGEMENT TEST[CUST: CR AS 11] [REVIEW: GS] | A | 5970 | | AS | DEC-97 |
| | MS51606C NOT 1 | PIN, GROOVED, HEADLESS (HALF LENGTH REVERSE TAPER GROOVE) CORROSION-RESISTANT STEEL[CUST: AR AS 99 IS] [REVIEW: AT AV EA MI OS SH] | A | 5315 | | IS | 15-MAR-96 |
| | NASM51605 | PIN, GROOVED, HEADLESS (HALF LENGTH TAPER GROOVE) CORROSION-RESISTING STEEL[CUST: AR AS 99] | A | 5315 | | IS | NOV-99 |
| | NASM35678 | PIN, GROOVED, HEADLESS - LONGITUDINAL CENTER GROOVE, CORROSION - RESISTING STEEL[CUST: AR AS 99 IS] | A | 5315 | | IS | OCT-98 |
| | NASM20700 | PIN, GROOVED, HEADLESS, LONGITUDINAL GROOVE[CUST: AR AS 99 IS] | A | 5315 | | IS | NOV-99 |
| | MS35673A NOT 2 | PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, BRASS[CUST: AR AS 99 IS] | A | 5315 | | IS | 07-JUN-05 |
| | NASM35677 | PIN, GROOVED, HEADLESS-LONGITUDINAL CENTER GROOVE, CARBON STEEL[CUST: AR AS 99 IS] | A | 5315 | | IS | JUN-99 |
| A | MIL-P-63464/6B NOT 1 | PIN, GROOVED, HEADLESS-LONGITUDINAL CENTER GROOVE, CORROSION-RESISTANT STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AT CR4 EA MC MI] | A | 5315 | | IS | 01-JUL-05 |
| | NASM35674 | PIN, GROOVED, HEADLESS-LONGITUDINAL STRAIGHT GROOVE, CARBON STEEL[CUST: AR SH 99 IS] | A | 5315 | | IS | JUN-99 |
| | NASM35675 | PIN, GROOVED, HEADLESS-LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTING STEEL[CUST: AR AS 99 IS] | A | 5315 | | IS | JUN-99 |
| | NASM35671 | PIN, GROOVED, HEADLESS-LONGITUDINAL TAPER GROOVE, CARBON STEEL[CUST: AR AS 99] | A | 5315 | | IS | NOV-99 |
| | NASM35672 | PIN, GROOVED, HEADLESS-LONGITUDINAL TAPER GROOVE, CORROSION-RESISTING STEEL[CUST: AR AS 99 IS] | A | 5315 | | IS | JUN-99 |
| | NAS1590 | PIN, HI-SHEAR RIVET, 120 DEG F, PROCUREMENT SPECIFICATION FOR[CUST: AS 11 IS] | A | 5320 | | IS | 06-JUL-83 |
| | SAE-AS20253 | PIN, HINGE[CUST: AS 99] | A | 5315 | | IS | AUG-00 |
| | A-A-53125 | PIN, INSECT TRANSFIXION[CUST: MD MS 03] | A | 6640 | / | MB | 07-AUG-87 |
| | A-A-55487 | PIN, LOCK (HITCH PIN)[CUST: AV AS 99 IS] | A | 5315 | / | IS | 23-NOV-94 |
| | A-A-52127 NOT 1 | PIN, NET, LAUNDRY, (5-INCH)[CUST: GL YD 99 IS] [REVIEW: 50] | A | 3510 | / | IS | 27-SEP-01 |
| | PIA-PS70107 | PIN, PARACHUTE RIPCORD, LOCKING[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | NASM14531 | PIN, QUICK RELEASE WITH WARNING STREAMER ASSEMBLY[CUST: AV AS 99 IS] | A | 5315 | | IS | NOV 99 |
| | MIL-P-45952 | PIN, QUICK RELEASE, DETENT GENERAL SPECIFICATION FOR[CUST: AR OS 11 IS] [REVIEW: 99 AT AV CR4 GL MC] | A | 5315 | | IS | 05-MAR-73 |
| | NA0161 | PIN, QUICK RELEASE, POSITIVE LOCKING SINGLE ACTING, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | OCT-83 |
| | NAS1332 | PIN, QUICK RELEASE, POSITIVE LOCKING SINGLE AND DOUBLE ACTING[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5315 | | IS | 22-FEB-88 |
| | NAS1353THRUNAS1366 | PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5315 | | IS | 15-DEC-75 |
| | NASM17990 | PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING, RING HANDLE[CUST: AV AS 99 IS] | A | 5315 | | IS | OCT-98 |
| | NAS1333THRUNAS1346 | PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE, ACTING[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5315 | | IS | 15-DEC-75 |
| | SAE-AS14274 | PIN, QUICK RELEASE, POSTIVE LOCKING, "L" HANDLE, SINGLE ACTION, DETENT WRENCH/SAFETY PIN (SLOTTED)[CUST: AV AS 99 IS] | A | 5325 | | IS | JUL-99 |
| | NASM17989 | PIN, QUICK RELEASE, SELF-RETAINING POSITIVE LOCKING, DOUBLE ACTING "L" HANDLE[CUST: AV AS 99 IS] | A | 5315 | | IS | JUN-99 |
| | NASM17988 | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, "T" HANDLE[CUST: AV AS 99 IS] | A | 5315 | | IS | NOV-99 |
| | NASM17986 | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "L" HANDLE[CUST: AV AS 99 IS] | A | 5315 | | IS | OCT-98 |
| | NA0157ANDNA0158 | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "T" HANDLE, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | OCT-83 |
| | NASM17985 | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "T" HANDLE[CUST: AV AS 99 IS] | A | 5315 | | IS | OCT-98 |
| | NASM17984 | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, BUTTON HANDLE[CUST: AV AS 99 IS] | A | 5315 | | IS | OCT-98 |
| | NASM17987 | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, RING HANDLE[CUST: AV AS 99 IS] | A | 5315 | | IS | DEC-98 |
| | MIL-P-45952/1 NOT 2 | PIN, QUICK-RELEASE, DETENT[CUST: AR OS 11] [REVIEW: 99 AT AV CR4 GL MC] | A | 5315 | | IS | 27-SEP-01 |
| | NASM23460 | PIN, QUICK-RELEASE, SELF-RETAINING, POSITIVE-LOCKING[CUST: AV AS 99] | A | 5315 | | IS | MAR-00 |
| | NAS574 | PIN, REAR MOUNTING - ELECTRONIC EQUIPMENT[CUST: AR AS 99 IS] | A | 5340 | | IS | 30-JUN-92 |
| | A-A-55488 | PIN, RETAINING, SAFETY[CUST: AV 99 IS] [REVIEW: 71] | A | 5315 | / | IS | 18-OCT-94 |
| | A-A-54041 | PIN, SAFETY, SURGICAL[CUST: MD MS 03] | A | 6530 | / | MB | 19-JAN-90 |
| | SAE-AS3577 | PIN, SPRING - TUBULAR, COILED STANDARD DUTY, UNS N07718[CUST: AR AS 99 IS] | A | 5315 | | IS | JUN-95 |
| | NASM16562 | PIN, SPRING - TUBULAR, SLOTTED[CUST: AR OS 99 IS] | A | 5315 | | IS | OCT-98 |
| | NASM10971 | PIN, SPRING, TUBULAR, (COILED AND SLOTTED)[CUST: AR OS 99 IS] | A | 5307 | | IS | NOV 99 |
| | NASM39086 | PIN, SPRING-TUBULAR, COILED, HEAVY DUTY[CUST: AR 99 IS] | A | 5315 | | IS | JUN-99 |
| | NASM51987 | PIN, SPRING-TUBULAR, COILED, LIGHT DUTY[CUST: AR IS] | A | 5315 | | IS | OCT-98 |
| | NASM51923 | PIN, SPRING-TUBULAR, COILED, STANDARD DUTY[CUST: AR 99 IS] | A | 5315 | | IS | OCT-98 |
| | NASM5673 | PIN, STRAIGHT, HEADED[CUST: AR AS 99 IS] | A | 5315 | | IS | OCT-98 |
| A | MS35810B NOT 2 | PIN, STRAIGHT, HEADED (CLEVIS PIN) STEEL, CADMIUM OR ZINC PLATED[CUST: AR SH 99 IS] [REVIEW: 71 AT CR4 MC MI OS] | A | 5315 | | IS | 13-OCT-05 |
| | MIL-P-27235A | PIN, STRAIGHT, HEADED (CLEVIS PINS)[CUST: AR 99 IS] [REVIEW: 71 AV CE CR4 MC MI OS] | A | 5315 | | IS | 27-NOV-68 |
| | SAE-AS121651THRUAS121700 | PIN, STRAIGHT, HEADED - .187 NOM.[CUST: AR AS 11 IS] | A | 5315 | | IS | OCT-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS121701THRUAS121750 | PIN, STRAIGHT, HEADED - .250 NOM.[CUST: AR AS 99 IS] | A | 5315 | | IS | OCT-98 |
| | SAE-AS121851THRUAS121925 | PIN, STRAIGHT, HEADED - .500 NOM.[CUST: AR AS 99 IS] | A | 5315 | | IS | OCT-98 |
| | SAE-AS121751THRUAS121800 | PIN, STRAIGHT, HEADED - 312 NOM.[CUST: AR AS 99] | A | 5315 | | IS | AUG-99 |
| | SAE-AS121801THRUAS121850 | PIN, STRAIGHT, HEADED - 375 NOM.[CUST: AR AS 11] | A | 5315 | | IS | AUG-99 |
| | SAE-AS121601THRUAS121650 | PIN, STRAIGHT, HEADED -.125 NOM.[CUST: AR AS 11 IS] | A | 5315 | | IS | DEC-99 |
| | SAE-AS9468 | PIN, STRAIGHT, HEADED .497 DIAMETER, AMS 5735[CUST: AS 11] | A | 5315 | | IS | APR-99 |
| | NASM20392 | PIN, STRAIGHT, HEADED DRILLED SHANK[CUST: AR AS 99 IS] | A | 5315 | | IS | JUN-99 |
| | SAE-AS9842 | PIN, STRAIGHT, HEADED, .0937 DIAMETER, AMS 5616[CUST: AS IS] | A | 5315 | | IS | OCT-98 |
| | SAE-AS9843 | PIN, STRAIGHT, HEADED, .1249 DIAMETER, AMS 5616[CUST: AS IS] | A | 5315 | | IS | OCT-98 |
| | SAE-AS9463 | PIN, STRAIGHT, HEADED, .186 DIAMETER, AMS 5735[CUST: AS] | A | 5315 | | IS | AUG-99 |
| | SAE-AS9464 | PIN, STRAIGHT, HEADED, .248 DIAMETER, AMS 5735[CUST: AS] | A | 5315 | | IS | AUG-99 |
| | SAE-AS9845 | PIN, STRAIGHT, HEADED, .2499 DIAMETER, AMS 5616[CUST: AS IS] | A | 5315 | | IS | OCT-98 |
| | SAE-AS9465 | PIN, STRAIGHT, HEADED, .311 DIAMETER, AMS 5735[CUST: AS] | A | 5315 | | IS | AUG-99 |
| | SAE-AS9846 | PIN, STRAIGHT, HEADED, .3124 DIAMETER, AMS 5616[CUST: AS IS] | A | 5315 | | IS | OCT-98 |
| | SAE-AS9466 | PIN, STRAIGHT, HEADED, .373 DIAMETER, AMS 5735[CUST: AS] | A | 5315 | | IS | AUG-99 |
| | SAE-AS9847 | PIN, STRAIGHT, HEADED, .3749 DIAMETER, AMS 5616[CUST: AS IS] | A | 5315 | | IS | OCT-98 |
| | SAE-AS9467 | PIN, STRAIGHT, HEADED, .436 DIAMETER, AMS 5735[CUST: AS] | A | 5315 | | IS | AUG-99 |
| | SAE-AS9848 | PIN, STRAIGHT, HEADED, .4999 DIAMETER, AMS 5616[CUST: AS IS] | A | 5315 | | IS | OCT-98 |
| | NASM51400 | PIN, STRAIGHT, HEADLESS[CUST: AR IS] | A | 5315 | | IS | SEP-99 |
| | NAS607 | PIN, STRAIGHT, HEADLESS (DOWEL)[CUST: AV AS 11] [REVIEW: CR4] | A | 5315 | | IS | 29-NOV-95 |
| | NASM16555 | PIN, STRAIGHT, HEADLESS (DOWEL) (.0002 OVER NOMINAL SIZE)[CUST: AR OS 99] | A | 5315 | | IS | NOV-99 |
| | NASM16556 | PIN, STRAIGHT, HEADLESS (DOWEL) (.001 OVER NOMINAL SIZE)[CUST: AR AS 99 IS] | A | 5315 | | IS | OCT-98 |
| | NASM21143 | PIN, STRAIGHT, HEADLESS (DOWEL), GENERAL SPECIFICATION FOR[CUST: AR OS 99 IS] | A | 5315 | | IS | SEP-99 |
| | SAE-AS9389 | PIN, STRAIGHT, HEADLESS - AMS5735, LOCK[CUST: AS IS] | A | 5315 | | IS | SEP-98 |
| | SAE-MA4018 | PIN, STRAIGHT, HEADLESS, AMS 5688, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 OS] | A | 5315 | | IS | 01-SEP-87 |
| | SAE-MA4019 | PIN, STRAIGHT, HEADLESS, AMS 5732, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 OS] | A | 5315 | | IS | 01-SEP-87 |
| | SAE-AS9105 | PIN, STRAIGHT, HEADLESS, AMS5688, LOCK[CUST: AV AS 11 IS] | A | 5315 | | IS | SEP-98 |
| | SAE-AS9390 | PIN, STRAIGHT, HEADLESS, DOWEL - CRES, UNS S66286, STANDARD AND OVERSIZE[CUST: AV AS 11 IS] | A | 5315 | | IS | 23-SEP-98 |
| | SAE-AS122676THRUAS122775 | PIN, STRAIGHT, HEADLESS, STEEL UNS G10950[CUST: AV AS 99] | A | 5315 | | IS | OCT-99 |
| | SAE-AS91641 | PIN, STRAIGHT, HEADLESS, STEEL, OVERSIZE (UNS G10950)[CUST: AV AS 11] | A | 5315 | | IS | DEC-99 |
| | SAE-AS9462 | PIN, STRAIGHT, HEATED, .124 DIAMETER AMS 5735[CUST: AS IS] | A | 5315 | | IS | AUG-98 |
| | NASM51838 | PIN, STRAIGHT, STEEL-DRILL ROD[CUST: AR IS] | A | 5315 | | IS | NOV-99 |
| | NASM51932 | PIN, STRAIGHT-HEADLESS; DRILLED FOR COTTER PINS[CUST: AR IS] | A | 5315 | | IS | SEP-99 |
| | NAS1465THRUNAS1472 | PIN, SWAG LOCKING, STEEL, STANDARD AND OVERSIZE, PROTRUDING HEAD, TENSION, PULL TYPE[CUST: AV AS 11] [REVIEW: CR4] | A | 5320 | | IS | 15-SEP-78 |
| | NAS7034THRUNAS7042 | PIN, SWAGE LOCKING, 108 KSI STEEL, PROTRUDING HEAD, SHEAR/TENSION, PULL TYPE[CUST: AV AS 11] [REVIEW: CR4] | A | 5320 | | IS | 15-SEP-78 |
| | NAS6974THRUNAS6982 | PIN, SWAGE LOCKING, A-286 CRES, 100 DEG SHEAR HEAD, STUMP-TYPE[CUST: AR AS 99 IS] | A | 5320 | | IS | 09-MAR-89 |
| | NAS6955THRUNAS6962 | PIN, SWAGE LOCKING, A-286 CRES, 100 DEG. HEAD (MS20426), TENSION, PULL-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | 27-NOV-89 |
| | NAS6946THRUNAS6952 | PIN, SWAGE LOCKING, A-286 CRES, 100 DEG. HEAD (MS24694), TENSION, PULL-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | 27-NOV-89 |
| | NAS7004THRUNAS7012 | PIN, SWAGE LOCKING, A-286 CRES, 100 DEG. SHEAR/TENSION HEAD, PULL-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | 01-NOV-90 |
| | NAS6984THRUNAS6992 | PIN, SWAGE LOCKING, A-286 CRES, PROTRUDING HEAD, SHEAR, STUMP-TYPE[CUST: AR AS 99 IS] | A | 5320 | | IS | 09-MAR-90 |
| | NAS7014THRUNAS7022 | PIN, SWAGE LOCKING, A-286 CRES, PROTRUDING HEAD, SHEAR/TENSION, PULL-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | 01-NOV-90 |
| | NAS6965THRUNAS6972 | PIN, SWAGE LOCKING, A-286 CRES, PROTRUDING HEAD, TENSION, PULL-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | 27-NOV-89 |
| | NAS6915THRUNAS6922 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG HEAD (MS20426), TENSION, STUMP-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | DEC-73 |
| | NAS1546THRUNAS1552 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG, HEAD (MS24694), TENSION, STUMP TYPE[CUST: AV AS 11] [REVIEW: CR4] | A | 5320 | | IS | 15-SEP-78 |
| | NAS1535THRUNAS1542 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG. HEAD (MS20426) TENSION, PULL TYPE[CUST: AV AS 11] [REVIEW: CR4] | A | 5320 | | IS | 15-SEP-78 |
| | NAS1516THRUNAS1522 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG. HEAD (MS24694), TENSION, PULL TYPE[CUST: AV AS 11] [REVIEW: CR4] | A | 5320 | | IS | 30-JAN-84 |
| | NAS1525THRUNAS1532 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, PROTRUDING HEAD, TENSION, PULL TYPE[CUST: AV AS 11] [REVIEW: CR4] | A | 5320 | | IS | 15-SEP-78 |
| | NAS1555THRUNAS1562 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, PRUTRUDING HEAD, TENSION, STUMP- TYPE[CUST: AR AS 99 IS] | A | 5320 | | IS | 09-MAR-89 |
| | NAS6913 | PIN, SWAGE LOCKING, PH13-8MO CRES, 100 DEG. CROWN HEAD, SHEAR, PULL-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | 30-JUN-92 |
| | NAS6914 | PIN, SWAGE LOCKING, PH13-8MO CRES, PROTRUDING HEAD, SHEAR, PULL-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | 30-JUN-92 |
| | NAS1414THRUNAS1422 | PIN, SWAGE LOCKING, STEEL 100 DEG. SHEAR HEAD, STUMP TYPE[CUST: AR AS 99 IS] | A | 5320 | | IS | 08-JUL-88 |
| | NAS6935THRUNAS6942 | PIN, SWAGE LOCKING, STEEL, 100 DEG CROWN HEAD, TENSION, PULL-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | DEC-73 |
| | NAS1486THRUNAS1492 | PIN, SWAGE LOCKING, STEEL, 100 DEG. HEAD (MS24694) TENSION, STUMP TYPE[CUST: AR AS 99 IS] | A | 5320 | | IS | 09-MAR-89 |
| | NAS6925THRUNAS6932 | PIN, SWAGE LOCKING, STEEL, 100 DEGREE HEAD (MS-20426) TENSION, STUMP-TYPE[CUST: AR AS 99 IS] | A | 5320 | | IS | 09-MAR-89 |
| | NAS1424THRUNAS1432 | PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, SHEAR, STUMP TYPE[CUST: AR AS 99 IS] | A | 5320 | | IS | 08-JUL-88 |
| | NAS1496THRUNAS1502 | PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, TENSION, STUMP-TYPE[CUST: AR AS 99 IS] | A | 5320 | | IS | 09-MAR-89 |
| | NAS1436THRUNAS1442 | PIN, SWAGE LOCKING, STEEL, STANDARD & OVERSIZE, 100 DEG. SHEAR HEAD, PULL TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | 14-JUN-74 |
| | NAS1475THRUNAS1482 | PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100 DEG, HEAD (MS20426), TENSON, PULL TYPE[CUST: AS 11] [REVIEW: CR4] | A | 5320 | | IS | 15-SEP-78 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NAS1456THRUNAS1462 | PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100 DEG. HEAD (MS24694), TENSION, PULL TYPE[CUST: AV AS 11] [REVIEW: CR4] | A | 5320 | | IS | 15-SEP-78 |
| | NASM24692 | PIN, TAPERED, PLAIN[CUST: AR OS 99 IS] | A | 5315 | | IS | OCT-98 |
| | NASM16610 | PIN, TAPPERED, PLAIN[CUST: AR OS IS] | A | 5315 | | IS | NOV-99 |
| | MIL-P-501P | PIN, TENT, METAL[CUST: GL NU 99 CT] [REVIEW: 11 CR4 MC MD] | A | 8340 | | CT | 01-MAR-91 |
| | MIL-P-2383H NOT 1 | PIN, TENT, WOOD[CUST: GL NU 99 CT] [REVIEW: 11 MC YD] | A | 8340 | | CT | 11-APR-94 |
| | NASM386 | PIN, THREADED TAPER[CUST: AV AS 99] | A | 5315 | | IS | SEP-99 |
| | A-A-54231 | PIN, TOOTH DIE[CUST: MD MS 03] | A | 6520 | / | MB | 14-AUG-90 |
| | NASM302 | PIN-ESCUTCHEON[CUST: AV AS 99 IS] | A | 5315 | | IS | OCT-98 |
| | SAE-AS150301THRUAS150400 | PIN-LOCK, BRASS[CUST: AV AS 99 IS] | A | 5315 | | IS | OCT-98 |
| | SAE-AS150201THRUAS150300 | PIN-LOCK, STEEL[CUST: OS 11 IS] | A | 5315 | | IS | DEC-99 |
| | MIL-P-23469D SUP 1 | PIN-RIVET, GROOVED AND COLLAR, GROOVED PIN-RIVET, SWAGE-LOCKED (LOCKPIN) GENERAL SPECIFICATION FOR[CUST: IS] | A | 5320 | | IS | 22-DEC-92 |
| | MIL-P-23469/2B NOT 2 | PIN-RIVET, GROOVED, BRAZIER HEAD; STRAIGHT SHANK, SIX LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS[CUST: SH IS] | A | 5320 | | IS | 21-AUG-01 |
| | MIL-P-23469/6B(1) NOT 1 | PIN-RIVET, GROOVED, FLAT 90 DEG. COUNTERSUNK HEAD; STRAIGHT SHANK, SIX LOCKING GROOVES AND MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS[CUST: IS] | A | 5320 | | IS | 23-JUN-05 |
| | MIL-P-23469/7B(1) NOT 1 | PIN-RIVET, GROOVED, OVAL 60 DEG. COUNTERSUNK HEAD; TAPERED-SECTION SHANK, MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT STEEL AND CARBON STEELS[CUST: IS] | A | 5320 | | IS | 23-JUN-05 |
| | MIL-P-23469/4B(1) NOT 1 | PIN-RIVET, GROOVED, ROUND HEAD; STRAIGHT SHANK, MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS[CUST: IS] | A | 5320 | | IS | 23-JUN-05 |
| | NAS2025THRUNAS2032 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) 100 DEG. FLUSH HEAD, PULL-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | JUN-91 |
| | NAS2055THRUNAS2062 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) 100 DEG. FLUSH HEAD, STUMP TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | JUN-91 |
| | NAS2035THRUNAS2042 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) 130 DEG. FLUSH HEAD, PULL-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | JUN-91 |
| | NAS2065THRUNAS2072 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) 130 DEG. FLUSH HEAD, STUMP-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | JUN-91 |
| | NAS2015THRUNAS2022 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) PROTRUDING HEAD, PULL-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | JUN-91 |
| | NAS2045THRUNAS2052 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) PROTRUDING HEAD, STUMP-TYPE[CUST: AV AS 11 IS] | A | 5320 | | IS | JUN-91 |
| | MIL-P-23469/5B(1) NOT 1 | PIN-RIVET, GROOVED, TRUSS HEAD; STRAIGHT SHANK, SIX LOCKING GROOVES AND MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS[CUST: IS] | A | 5320 | | IS | 23-JUN-05 |
| | NAS2014 | PIN-RIVET, GROOVED; AND COLLAR FOR COMPOSITE MATERIALS[CUST: AV AS 11 IS] | A | 5320 | | IS | 09-NOV-95 |
| | NAS1724 | PIN-RIVET, THREADED, TAPER SHANK, SHEAR TYPE 100 DEG. HEAD[CUST: AV AS 11 IS] | A | 5320 | | IS | 18-SEP-92 |
| | NAS1725 | PIN-RIVET, THREADED, TAPER SHANK, SHEAR TYPE, 100 DEG. HEAD - OVERSIZE[CUST: AV AS 11 IS] | A | 5320 | | IS | 18-SEP-92 |
| | NAS1728 | PIN-RIVET, THREADED, TAPER SHANK, SHEAR TYPE, PROTRUDING HEAD[CUST: AV AS 11 IS] | A | 5320 | | IS | 18-SEP-92 |
| | NAS1729 | PIN-RIVET, THREADED, TAPER SHANK, SHEAR TYPE, PROTRUDING HEAD - OVERSIZE[CUST: AV AS 11 IS] | A | 5320 | | IS | 18-SEP-92 |
| | SAE-AS9486 | PIN.M STRAIGHT, HEADLESS - AMS 5132, LOCK[CUST: AS IS] | A | 5315 | | IS | AUG-99 |
| | AA-PK1 | PINK SHEETS: DESIGNATIONS AND CHEMICAL COMPOSITION LIMITS FOR ALUMINUM ALLOYS IN THE FORM OF CASTINGS AND INGOT[CUST: YD] | A | FACR | | YD | 12-MAY-04 |
| | NAS7024THRUNAS7032 | PINM SWAGE LOCKING, 108 KSI STEEL, 100 DEG. SEHAR/TENSION HEAD, PULL- TYPE[CUST: AR AS 99 IS] | A | 5320 | | IS | 09-MAR-89 |
| | NAS1413 | PINS & COLLARS, SWAGE LOCKING[CUST: AV AS 11 IS] | A | 5320 | | IS | 11-FEB-87 |
| | MIL-P-23469/1B NOT 2 | PINS AND COLLARS, SWAGE-LOCKING, REGULAR HEIGHT, FLANGED AND LOW PROFILE, ALUMINUM ALLOY, CORROSION RESISTANT STEEL, CARBON STEEL AND ALLOY STEEL[CUST: SH IS] | A | 5320 | | IS | 21-AUG-01 |
| | ASTM-F306 | PINS, FIXATION, AND WIRES[CUST: MD MS 03] | A | 6515 | | MB | 30-MAY-86 |
| | SAE-MA4070 | PINS, PROCUREMENT SPECIFICATION FOR, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 OS] | A | 5315 | | IS | JUL-89 |
| | SAE-AS4983 | PINS, SPRING, TUBULAR, COILED CORROSION RESISTANT NICKEL BASE ALLOY[CUST: AR AS 99 IS] | A | 5315 | | IS | 26-SEP-95 |
| | NAS561 | PINS-SPRING, SLOTTED AND COILED, HEAVY DUTY[CUST: AV AS 11] [REVIEW: CR4] | A | 5315 | | IS | 28-JAN-94 |
| | A-A-52550 | PINTLE ASSEMBLY, TOWING, MANUAL RELEASE, 18 000, 40 000 AND 100 000 LBS CAPACITY[CUST: AT YD 99] [REVIEW: 84 AR CC MC] | A | 2540 | / | AT | 30-JUL-96 |
| | STANAG-3323 ED.5(7) | PIPE (TUBE) CONNECTIONS TO AIRCRAFT INSTRUMENTS (IMPERIAL AND METRIC) | C | ISDF | | 06 | 05-MAR-99 |
| | ASTM-D3567 | PIPE AND FITTINGS, "FIBERGLASS" (GLASS-FIBER-REINFORCED THERMOSETTING RESIN), DETERMINING DIMENSIONS OF[CUST: CR4 YD 99] [REVIEW: 71 SH] | A | 4710 | | CC | 10-NOV-97 |
| | ASTM-F405 | PIPE AND FITTINGS, CORRUGATED POLYETHYLENE (PE)[CUST: CE YD 99] | A | 4730 | | CC | 10-DEC-96 |
| | ASTM-D2657 | PIPE AND FITTINGS, HEAT FUSION JOINING OF POLYOLEFIN[CUST: CE YD] [REVIEW: MC] | A | 5630 | | IS | 10-MAY-97 |
| | ASTM-D2855 | PIPE AND FITTINGS, MAKING SOLVENT-CEMENTED JOINTS WITH POLY(VINYL CHLORIDE) (PVC)[CUST: YD 99] [REVIEW: CE CR4 MC] | A | 5630 | | IS | 15-MAR-93 |
| | ASTM-D2852 | PIPE AND FITTINGS, PLASTIC DRAIN, STYRENE-RUBBER (SR)[CUST: CR4 99] [REVIEW: 71] | A | 4710 | | CC | 10-SEP-95 |
| | ASTM-F493 | PIPE AND FITTINGS, PLASTIC, SOLVENT CEMENTS FOR CHLORINATED POLY(VINYL CHLORIDE) (CPVC)[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 8040 | | IS | JUL-93 |
| | ASTM-F402 | PIPE AND FITTINGS, SAFE HANDLING OF SOLVENT CEMENTS, PRIMERS, AND CLEANERS USED FOR JOINING THERMOPLASTIC[CUST: CR4 YD 99] | A | 4710 | | CC | 15-MAR-93 |
| | ASTM-D2444 | PIPE AND FITTINGS, THERMOPLASTIC, BY MEANS OF A TUP (FALLING WEIGHT), DETERMINATION OF THE IMPACT RESISTANCE OF[CUST: CR4 YD 99] [REVIEW: 71 SH] | A | 4710 | | CC | 15-JUL-93 |
| | ASTM-C443M | PIPE AND MANHOLES, JOINTS FOR CONCRETE, USING RUBBER GASKETS, METRIC[CUST: CR4 YD] [REVIEW: CE NC] | A | 5630 | | CR4 | 01-JUN-88 |
| | ASTM-B444 | PIPE AND TUBE, NICKEL - CHROMIUM - MOLYBDENUM - COLUMBIUM ALLOYS (UNS N06625) AND NICKEL-CHROMIUM-MOLYBDENUM-SILICON ALLOY (UNS N06219) *[CUST: MR SH 99] | A | 4710 | | SH | 03-OCT-94 |
| | MIL-P-24691/1(1) | PIPE AND TUBE, CARBON STEEL, SEAMLESS[CUST: CR4 SH] [REVIEW: AR AS CC EA GL MC MI MR] | A | 4710 | | SH | 04-FEB-91 |
| | MIL-P-24691(2) | PIPE AND TUBE, CARBON, ALLOY AND STAINLESS STEEL, SEAMLESS AND WELDED, GENERAL SPECIFICATION FOR[CUST: CR4 SH] | A | 4710 | | SH | 04-FEB-91 |
| | MIL-P-24691/2(1) | PIPE AND TUBE, CHROMIUM-MOLYBDENUM STEEL, SEAMLESS[CUST: CR4 SH] [REVIEW: AR AS CC EA GL MC MI MR] | A | 4710 | | SH | 04-FEB-91 |
| | ASTM-B466/B466M | PIPE AND TUBE, COPPER-NICKEL, SEAMLESS[CUST: MR SH 99] | A | 4710 | | SH | 03-OCT-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-24691/3(1) | PIPE AND TUBE, CORROSION-RESISTANT, STAINLESS STEEL, SEAMLESS OR WELDED[CUST: CR4 SH] [REVIEW: AR AS CC EA GL MC MI MR] | A | 4710 | | SH | 04-FEB-91 |
| | ASTM-B315 | PIPE AND TUBE, SEAMLESS COPPER ALLOY[CUST: 99 CC] [REVIEW: 71 CR4 MC SH] | A | 4710 | | CC | 25-JAN-91 |
| | ASTM-B153 | PIPE AND TUBING, COPPER AND COPPER-ALLOY, EXPANSION (PIN TEST) OF[CUST: MR SH] [REVIEW: AT CC] | A | 4710 | | MR | 15-NOV-91 |
| | ASSE1001 | PIPE APPLIED ATMOSPHERIC TYPE VACUUM BREAKERS[CUST: CR4 YD 99] | A | 4510 | | IS | 1990 |
| | SAE-J530 | PIPE FITTINGS, AUTOMOTIVE[CUST: CR4 CC] | A | 4730 | | CC | MAY-95 |
| | ASTM-D2466 | PIPE FITTINGS, PLASTIC, SCHEDULE 40, POLY(VINYL CHLORIDE) (PVC)[CUST: YD 99] | A | 4730 | | CC | 15-AUG-94 |
| | ASTM-D2464 | PIPE FITTINGS, PLASTIC, SCHEDULE 80, THREADED POLY(VINYL CHLORIDE) (PVC)[CUST: CR4 YD 99] [REVIEW: CE MC SH] | A | 4730 | | CC | APR-93 |
| | ASTM-F439 | PIPE FITTINGS, PLASTIC, SCHEDULE 80,CHLORINATED POLY(VINYL CHLORIDE) (CPVC)[CUST: CR4 YD 99 CC] [REVIEW: MD MR] | A | 4730 | | CC | 25-MAY-90 |
| | MS14303A NOT 4 | PIPE FITTINGS, STEEL, THREADED, PRESSURE CLASS 2000, 3000, AND 6000 POUND WOG[CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 15-APR-05 |
| | A-A-52592 NOT 1 | PIPE FITTINGS: ONE OR MORE ENDS GROOVED[CUST: AT MC] [REVIEW: CC] | A | 4730 | / | AT | 19-APR-04 |
| | A-A-59616 | PIPE FITTINGS; BUSHINGS, LOCKNUTS, AND PLUGS; IRON, STEEL, AND ALUMINUM; (THREADED); 125 - 150 POUNDS[CUST: AT SH 99 CC] [REVIEW: 71 AR EA MC SA] | A | 4730 | / | CC | 10-JUL-02 |
| | WW-P-460D | PIPE FITTINGS; BRASS OR BRONZE (THREADED), CLASSES 125 AND 250 POUND[CUST: CR4 YD 99] [REVIEW: 71 AR CE CG EA MC] | A | 4730 | / | CC | 28-FEB-94 |
| | ASME-B16.5 | PIPE FLANGE & FLANGED FITTING[CUST: AR YD 99] [REVIEW: CR4 MC OS SH] | A | 4730 | | CC | 23-JUN-89 |
| | ASTM-A182/A182M | PIPE FLANGES, FORGED FITTINGS, AND VALVES AND PARTS FOR HIGH-TEMPERATURE SERVICE, FORGED OR ROLLED ALLOY-STEEL[CUST: YD 99] [REVIEW: CG CR4 MC SH] | A | 4730 | | CC | 15-JAN-94 |
| A | ASTM-A106/A106M | PIPE FOR HIGH-TEMPERATURE SERVICE, SEAMLESS CARBON STEEL[CUST: CR4 YD 99 CC] [REVIEW: 50 71 AT CE CG EA MC SH] | A | 4710 | | CC | 28-JAN-06 |
| | ASTM-D2321 | PIPE FOR SEWERS AND OTHER GRAVITY-FLOW APPLICATIONS, THERMOPLASTIC, UNDERGROUND INSTALLATION OF[CUST: CE YD] [REVIEW: MC] | A | 5630 | | IS | 26-OCT-90 |
| | MSS-SP89 | PIPE HANGERS AND SUPPORTS - FABRICATION AND INSTALLATION PRACTICES[CUST: CR4 YD 99 IS] [REVIEW: 71] | A | 5340 | | IS | 16-OCT-91 |
| | MSS-SP58 | PIPE HANGERS AND SUPPORTS - MATERIALS, DESIGN AND MANUFACTURE[CUST: YD IS] [REVIEW: CE CR4 MC] | A | 5340 | | IS | 31-DEC-93 |
| | MSS-SP69 | PIPE HANGERS AND SUPPORTS - SELECTION AND APPLICATION[CUST: YD IS] [REVIEW: CE CR4 MC] | A | 5340 | | IS | 16-OCT-91 |
| | ASTM-F708 | PIPE HANGERS, RIGID, DESIGN AND INSTALLATION OF[CUST: SH] | A | 5340 | | SH | 15-JUL-92 |
| | ASTM-C828 | PIPE LINES, CLAY, VITRIFIED, LOW-PRESSURE AIR TEST OF[CUST: CR4 YD 99] [REVIEW: 84] | A | 5630 | | IS | 10-NOV-93 |
| | ASTM-C12 | PIPE LINES, INSTALLING, VITRIFIED CLAY[CUST: CE YD 99] | A | 5630 | | IS | 31-DEC-91 |
| | ASTM-B687 | PIPE NIPPLES, BRASS, COPPER, AND CHROMIUM-PLATED[CUST: CR4 YD 99] [REVIEW: AR CG MC] | A | 4730 | | CC | 26-MAY-05 |
| | AWWA-C302 | PIPE PRESSURE FOR WATER & OTHER LIQUID NONCYLINDER TYPE REINFORCED CONCRETE[CUST: CR4 YD 99] | A | 5630 | | IS | 09-JUN-87 |
| | ASTM-C924 | PIPE SEWER LINES, CONCRETE, BY LOW-PRESSURE AIR TEST METHOD[CUST: YD IS] | A | 5610 | | IS | 14-NOV-90 |
| | ASTM-C969 | PIPE SEWER LINES, CONCRETE, INSTALLED PRECAST, INFILTRATION AND EXFILTRATION, ACCEPTANCE TESTING OF[CUST: YD 99] [REVIEW: 84] | A | 5630 | | IS | 10-NOV-93 |
| | ISO228-1 | PIPE THREADS WHERE PRESSURE-TIGHT JOINTS ARE NOT MADE ON THE THREADS[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | ASME-B1.20.1 | PIPE THREADS, (INCH) GENERAL PURPOSE[CUST: CR4 YD CC] [REVIEW: AT GL MI] | A | THDS | | YD | 31-AUG-83 |
| | SAE-AS71051 | PIPE THREADS, TAPER, AERONAUTICAL NATIONAL FORM, SYMBOL ANPT - DESIGN AND INSPECTION STANDARD[CUST: AR 99 CC] [REVIEW: 71 CR4 EA MI] | A | 4730 | | CC | JUN-99 |
| | ASME-B16.39 | PIPE UNION, MALLEABLE IRON THREDED[CUST: CR4 YD 99] [REVIEW: AR CE MC OS] | A | 4730 | | CC | 22-AUG-88 |
| | MSS-SP83 | PIPE UNIONS SOCKET WELDING & THREADED, STEEL, CLASS 3000[CUST: CR4 YD 99] [REVIEW: AR CE OS] | A | 4730 | | CC | 26-APR-89 |
| | ASTM-D3839 | PIPE, "FIBERGLASS" (GLASS-FIBERREINFORCED THERMOSETTING-RESIN) UNDERGROUND INSTALLATION OF[CUST: CR4 YD 99] [REVIEW: 71] | A | 4710 | | CC | 12-JUL-89 |
| | MIL-DTL-25995C | PIPE, ALUMINUM ALLOY, DRAWN OR EXTRUDED[CUST: AT SH 99 CC] [REVIEW: 06 71 EA SA] | A | 4710 | | CC | 22-NOV-02 |
| | MIL-P-24338A | PIPE, CARBON STEEL, SEAMLESS (CONTROLLED DISTRIBUTION)[CUST: SH] | B | 4710 | | SH | 10-OCT-85 |
| | ASME-B16.1 | PIPE, CAST IRON, FLANGES AND FLANGED FITTINGS[CUST: CR4 YD 99] [REVIEW: AR CE MC OS] | A | 4730 | | CC | 30-JUN-91 |
| | ASTM-C301 | PIPE, CLAY, VITRIFIED[CUST: YD 99] [REVIEW: 84 MC] | A | 5630 | | IS | 15-AUG-93 |
| | ASTM-C700 | PIPE, CLAY, VITRIFIED, EXTRA STRENGTH, STANDARD STRENGTH, AND PERFORATED[CUST: YD] [REVIEW: CC CE MC] | A | 5630 | | IS | 30-SEP-91 |
| | ASTM-B302 | PIPE, COPPER, THREADLESS, STANDARD SIZES[CUST: CR4 SA 99] | A | 4710 | | SA | 03-OCT-94 |
| | AASHTO-M252 | PIPE, CORRUGATED POLYETHYLENE DRAINAGE[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | MIL-P-236J | PIPE, CULVERT, NESTABLE[CUST: AT YD 99] [REVIEW: 71 CC CE MC] | A | 4710 | | AT | 06-MAY-92 |
| | AWWA-C400 | PIPE, DISTRIBUTION, ASBESTOS CEMENT, 4 THROUGH 16 INCH (100 MM THROUGH 400 MM) NPS, FOR WATER & OTHER LIQUIDS[CUST: CR4 YD 99] [REVIEW: MC] | A | 5630 | | IS | 10-APR-88 |
| | AWWA-C151 | PIPE, DUCTILE-IRON, CENTRIFUGALLY CAST, FOR WATER OR OTHER LIQUIDS[CUST: CR4 YD] [REVIEW: 99 CE MC] | A | 4710 | | CC | 20-NOV-92 |
| | MIL-P-24608A | PIPE, FITTINGS, & ADHESIVE KITS, GLASS REINFORCED THERMOSETTING EPOXY RESIN FOR SHIPBOARD PIPING SYSTEMS[CUST: SH] | A | 4710 | | SH | 05-JUN-87 |
| | ASTM-F437 | PIPE, FITTINGS, PLASTIC, THREADED, CHLORINATED POLY(VINYL CHLORIDE) (CPVC), SCHEDULE 80[CUST: CR4 YD 99] [REVIEW: 71] | A | 4730 | | CC | 10-MAY-99 |
| | API-SPEC-5L | PIPE, LINE[CUST: CR4 YD 99] | A | 4710 | | CC | 30-JAN-89 |
| | ASTM-D2310 | PIPE, MACHINE-MADE "FIBERGLASS" GLASS-FIBER-REINFORCED THERMOSETTING-RESIN[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 4710 | | CC | 28-MAR-80 |
| | ASTM-C444 | PIPE, PERFORATED CONCRETE[CUST: YD 99] [REVIEW: CE CR4] | A | 5630 | | IS | 12-FEB-91 |
| | ASTM-C444M | PIPE, PERFORATED CONCRETE, (METRIC)[CUST: YD 99] [REVIEW: CE CR4] | A | 5630 | | IS | 29-JUN-90 |
| | ASTM-D2412 | PIPE, PLASTIC, BY PARALLEL-PLATE LOADING, DETERMINATION OF EXTERNAL LOADING CHARACTERISTICS OF[CUST: CR4 YD 99] [REVIEW: SH] | A | 4710 | | CC | 15-MAR-93 |
| | ASTM-D2609 | PIPE, PLASTIC, PLASTIC INSERT FITTINGS FOR POLYETHYLENE (PE)[CUST: CR4 SH 99 CC] [REVIEW: AR YD] | A | 4730 | | CC | 15-APR-93 |
| | ASTM-D1785 | PIPE, PLASTIC, POLY(VINYL CHLORIDE) (PVC), SCHEDULES 40, 80, AND 120[CUST: CR4 YD 99] | A | 4710 | | CC | 15-APR-93 |
| | ASTM-D1599 | PIPE, PLASTIC, TUBING, AND FITTINGS, RESISTANCE TO SHORT-TIME HYDRAULIC PRESSURE OF[CUST: MR YD 11] [REVIEW: AR AS AT CR CR4 GL SH] | A | 4710 | | CC | 10-DEC-99 |
| | ASTM-D2241 | PIPE, POLY(VINYL CHLORIDE) (PVC) PRESSURE-RATED, (SDR SERIES)[CUST: YD 99] [REVIEW: 71] | A | 4710 | | CC | APR-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-C654 | PIPE, POROUS CONCRETE[CUST: YD] [REVIEW: CE MC] | A | 5630 | | IS | 15-JUL-94 |
| | ASTM-C654M | PIPE, POROUS CONCRETE (METRIC)[CUST: YD] [REVIEW: CE MC] | A | 5630 | | IS | 15-JUL-94 |
| | AWWA-M9 | PIPE, PRESSURE CONCRETE[CUST: CR4 YD 99] [REVIEW: MC] | A | 5630 | | IS | 12-JUN-87 |
| | AWWA-C603 | PIPE, PRESSURE, ASBESTOS CEMENT, INSTALLATION OF[CUST: CR4 YD 99] [REVIEW: MC] | A | 5630 | | IS | 23-NOV-87 |
| | ASTM-B42 | PIPE, SEAMLESS COPPER, STANDARD SIZES[CUST: CR4 YD 99] [REVIEW: 71 AR MC MI] | A | 4710 | | CC | 15-JAN-93 |
| | ASTM-F949 | PIPE, SEWER, CORRUGATED, WITH A SMOOTH INTERIOR AND FITTINGS, POLY(VINYL CHLORIDE) (PVC)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5630 | | IS | 07-JAN-94 |
| | CISPI301 | PIPE, SOIL, HUBLESS CAST IRON, AND FITTINGS FOR SANITARY AND STORM DRAIN, WASTE, AND VENT PIPING APPLICATIONS[CUST: CR4 YD 99] [REVIEW: CE SH] | A | 4730 | | CC | 04-MAR-91 |
| | ASME-B36.19M | PIPE, STAINLESS STEEL[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASTM-B43 | PIPE, STANDARD SIZES, SEAMLESS RED BRASS[CUST: CR4 YD] [REVIEW: 99 AR MR] | A | 4710 | | CC | 25-JAN-91 |
| | ASTM-A53/A53M | PIPE, STEEL, BLACK AND HOT-DIPPED, ZINC-COATED, WELDED AND SEAMLESS[CUST: CR4 YD 99] [REVIEW: CE CG MC SH] | A | 4710 | | CC | 15-JUL-93 |
| | ASTM-A134 | PIPE, STEEL, ELECTRIC-FUSION (ARC) - WELDED (SIZES NPS16 AND OVER)[CUST: CR4 SH 99] | A | 4710 | | CR4 | 03-OCT-94 |
| | ASTM-F1083 | PIPE, STEEL, HOT-DIPPED ZINC-COATED (GALVANIZED) WELDED, FOR FENCE STRUCTURES[CUST: CR4 YD 99] [REVIEW: 84 CC] | A | 5660 | | IS | JUN-91 |
| | ASTM-C663 | PIPE, STORM DRAIN, ASBESTOS-CEMENT[CUST: YD 99] | A | 5630 | | IS | 11-MAY-84 |
| | ASME-B36.10M | PIPE, WELDED AND SEAMLESS WROUGHT STEEL[CUST: CR4 YD 99] [REVIEW: 71 SH] | A | 4710 | | CC | 27-MAR-90 |
| | ASTM-A335/A335M | PIPE,, SEAMLESS FERRITIC ALLOY-STEEL, FOR HIGH-TEMPERATURE SERVICE[CUST: MR SH 99] | A | 4710 | | SH | 03-OCT-94 |
| | API-RP1110 | PIPELINES, LIQUID PETROLEUM, PRESSURE TESTING OF[CUST: CR YD 99] | A | 4710 | | YD | 03-OCT-94 |
| | AWWA-C203 | PIPELINES, STEEL WATER COAL- TAR PRTECTIVE COATING AND LININGS FOR ENAMEL AND TAPE-- HOT APPLIED[CUST: CR4 YD] [REVIEW: 50 CC CE DS EA MC MR MS] | A | 8010 | | IS | 29-AUG-89 |
| | AWWA-C210 | PIPELINES, STEEL WATER EPOXY COATING SYSTEMS FOR THE INTERIOR AND EXTERIOR OF[CUST: CR4 YD] [REVIEW: 50 CC CE DS EA MC MR MS] | A | 8010 | | IS | 29-AUG-89 |
| | A-A-55536 NOT 1 | PIPES AND ELBOWS, AIR CONDITIONING-HEATING[CUST: GL YD 99] [REVIEW: 84] | A | 4520 | / | CC | 06-OCT-03 |
| | ASTM-C923 | PIPES AND LATERALS, RESILIENT CONNECTORS BETWEEN REINFORCED CONCRETE MANHOLE STRUCTURES[CUST: YD IS] | A | 5610 | | IS | 14-NOV-90 |
| | ASTM-A312/A312M | PIPES, STAINLESS STEEL, SEAMLESS, WELDED AND HEAVILY COLD WORKED AUSTENITIC, STANDARD SPECIFICATION FOR[CUST: CR4 YD] [REVIEW: CE] | A | 4710 | | CC | 15-OCT-94 |
| | A-A-51798 | PIPET TIP, BLOOD AND PLASMA COAGULATION TIMER[CUST: MD MS 03] | A | 6640 | / | MB | 01-MAY-87 |
| | A-A-53058A | PIPET, BACTERIOLOGICAL (PASTEUR TYPE)[CUST: MD MS 03] | A | 6640 | / | MB | 01-FEB-93 |
| | A-A-53987 | PIPET, BLOOD CHEMISTRY (MICRO-FOLIN)[CUST: MD MS 03] | A | 6640 | / | MB | 18-SEP-89 |
| | ASTM-E788 | PIPET, BLOOD DILUTING[CUST: MD MS 03] | A | 6640 | | MB | 10-NOV-97 |
| | A-A-50812A | PIPET, BLOOD DILUTING[CUST: MD MS 03] | A | 6640 | / | MB | 17-APR-89 |
| | ASTM-E732 | PIPET, DISPOSABLE PASTEUR-TYPE[CUST: MD MS 03] | A | 6640 | | MB | 03-MAR-80 |
| | A-A-53199 | PIPET, DROPPING (PLASTIC, DISPOSABLE)[CUST: MD MS 03] | A | 6640 | / | MB | 28-SEP-87 |
| | A-A-54430 | PIPET, MEASURING (MOHR)[CUST: MD MS 03] | A | 6640 | / | MB | 14-JUN-91 |
| | A-A-53988 | PIPET, SEROLOGICAL (BOROSILICATE GLASS)[CUST: MD MS 03] | A | 6640 | / | MB | 18-SEP-89 |
| | A-A-51795B | PIPET, SEROLOGICAL (BOROSILICATE GLASS)[CUST: MD MS 03] | A | 6640 | / | MB | 03-MAY-89 |
| | A-A-50869 | PIPET, SEROLOGICAL (DISPOSABLE, STERILE)[CUST: MD MS 03] | A | 6640 | / | MB | 01-JUN-83 |
| | A-A-51794B | PIPET, SEROLOGICAL (KAHN)[CUST: MD MS 03] | A | 6640 | / | MB | 12-OCT-90 |
| | A-A-54196 | PIPET, SEROLOGICAL (PLASTIC, DISPOSABLE)[CUST: MD MS 03] | A | 6640 | / | MB | 25-JUN-90 |
| | A-A-54063 | PIPET, TRANSFER (URINALYSIS)[CUST: MD MS 03] | A | 6640 | / | MB | 19-JAN-90 |
| | A-A-53890 | PIPET, VOLUMETRIC[CUST: MD MS 03] | A | 6640 | / | MB | 07-APR-89 |
| | A-A-53588 | PIPET, VOLUMETRIC (MICRO)[CUST: MD MS 03] | A | 6640 | / | MB | 15-JUL-88 |
| | A-A-53977 | PIPET, VOLUMETRIC (MICRO, LANG-LEVY)[CUST: MD MS 03] [REVIEW: 70] | A | 6640 | / | MB | 25-AUG-89 |
| | A-A-54126 | PIPET-DILUENT, BLOOD, LABORATORY[CUST: MD MS 03] [REVIEW: CC] | A | 6630 | / | MB | 09-APR-90 |
| | ASTM-E1044 | PIPETS, GLASS SEROLOGICAL (GENERAL PURPOSE AND KAHN), STANDARD SPECIFICATION FOR[CUST: MD MS 03] | A | 6640 | | MB | 25-JAN-85 |
| | ASTM-E1043 | PIPETS, MILK AND CREAM EXAMINATION, STANDARD SPECIFICATION FOR[CUST: MD MS 03] | A | 6640 | | MB | 10-NOV-00 |
| | A-A-54738 | PIPETTING MACHINE, SEMI-AUTOMATIC[CUST: MD MS 03] | A | 6640 | / | MB | 11-SEP-92 |
| | PFI-ES31 | PIPING ASSEMBLIES, PROTECTION OF ENDS OF FABRICATED, STANDARD FOR[CUST: YD] | A | FACR | | YD | 08-JUL-04 |
| | ISA-RP60.9 | PIPING GUIDE FOR CONTROL CENTERS[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | ASME-A13.1 | PIPING SYSTEMS, SCHEME FOR THE IDENTIFICATION OF[CUST: CR4 YD 99] [REVIEW: 71] | A | 4710 | | CC | 28-FEB-82 |
| | ASME-B31.3 | PIPING, CHEMICAL PLANT AND PETROLEUM REFINERY, CODE FOR PRESSURE PIPING - REFINERY PIPING (W/ADDENDA - ASME-B31. 3A-90 )[CUST: CR4 YD 99] [REVIEW: MC] | A | FACR | | YD | 26-OCT-90 |
| | NSF14 | PIPING, PLASTICS SYSTEM COMPONENTS AND RELATED MATERIALS STANDARD NUMBER 14 FOR[CUST: CR4 YD] [REVIEW: SH] | A | 4710 | | CC | 26-JUL-90 |
| | ASME-B31.1 | PIPING, POWER[CUST: CR4 YD 99] | A | 4710 | | CC | 01-JUL-92 |
| | ASME-B31.5 | PIPING, REFRIGERATION[CUST: CR4 YD 99] | A | 4130 | | IS | 31-JAN-93 |
| | A-A-52175A | PISTONS, HYDRAULIC BRAKE, WHEEL CYLINDER: SINTERED IRON (METRIC)[CUST: AT 99] [REVIEW: 84 CC] | A | 2530 | / | AT | 03-APR-98 |
| | ASTM-D4892 | PITCH, SOLID, (HELIUM PYCNOMETER METHOD), DENSITY OF[CUST: MR SH 11 GS] [REVIEW: AR AS AT AV GL MI YD] | A | 9330 | | IS | 27-JAN-89 |
| | A-A-54437 | PITCHER, CLINICAL SOLUTIONS (ALUMINUM)[CUST: MD MS 03] | A | 6530 | / | MB | 25-JUN-91 |
| | A-A-30192 | PITCHER, WATER (PLASTIC)[CUST: MD MS 03] | A | 7350 | * | MB | 18-SEP-92 |
| | A-A-50112B | PITON, MOUNTAIN, ANGLE[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8465 | / | CT | 26-JUN-00 |
| | A-A-50115B | PITON, MOUNTAIN, CLIFFHANGER[CUST: GL MC 11 CT] | A | 8465 | / | CT | 26-SEP-00 |
| | A-A-50111C | PITON, MOUNTAIN, FLAT[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8465 | / | CT | 26-JUN-00 |
| | A-A-50113B | PITON, MOUNTAIN, ICE[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8465 | / | CT | 26-JUN-00 |
| | A-A-50114B | PITON, MOUNTAIN, KNIFEBLADE OFFSET[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8465 | / | CT | 26-JUN-00 |
| | A-A-20200A | PIZZA SAUCE (FULLY PREPARED AND BASE)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | * | GL | 02-MAY-02 |
| | A-A-20277 | PIZZA, PREPARED, FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8940 | * | GL | 21-SEP-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QSTAG-978 | PLACE NAME SPELLING ON MAPS AND CHARTS[CUST: AI] | C | ISDA | | AI | 08-JAN-93 |
| | STANAG-3689 ED.4(1) | PLACE NAME SPELLING ON MAPS AND CHARTS | C | ISDF | | 06 | 15-JUL-98 |
| | A-A-53785 | PLACEMENT KIT, TOOTH DIE PIN[CUST: MD MS 03] | A | 6520 | / | MB | 01-FEB-89 |
| | ASME-B18.22.1 | PLAIN WASHERS[CUST: AR SH 99 IS] [REVIEW: AS AV CR EA] | A | 5310 | | IS | 20-NOV-81 |
| | ASTM-E399 | PLANE-STRAIN FRACTURE TOUGHNESS K IC OF METALLIC MATERIALS[CUST: MR AS 99] | A | 95GP | | MR | 24-APR-83 |
| | A-A-52001 NOT 2 | PLANETABLES, SURVEYING, WITH TRIPOD AND CARRYING CASE[CUST: CE YD 99 IS] [REVIEW: 71 CG MC] | A | 6675 | / | IS | 27-SEP-01 |
| | A-A-50215A NOT 1 | PLANIMETER, POLAR, COMPENSATING, WITH CASE[CUST: CE IS] | A | 6675 | / | IS | 25-SEP-01 |
| | DI-MNTY-80983 | PLANNED MAINTENANCE (PMS) ADDITIONAL FUNCTIONALLY SIGNIFICANT ITEM (PSI) INDEX SELECTION REPORT [AMSC: N4937] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80980 | PLANNED MAINTENANCE SYSTEM (PMS) FAILURE MODES AND EFFECTS ANALYSIS (PMEA) [AMSC: N4934] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80994 | PLANNED MAINTENANCE SYSTEM (PMS) FUNCTIONAL BLOCK DIAGRAM [AMSC: N4948] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80981 | PLANNED MAINTENANCE SYSTEM (PMS) FUNCTIONAL FAILURE ANALYSIS (FFA) [AMSC: N4935] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80982 | PLANNED MAINTENANCE SYSTEM (PMS) FUNCTIONALLY SIGNIFICANT ITEMS (FSI) INDEX [AMSC: N4936] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80989 | PLANNED MAINTENANCE SYSTEM (PMS) INACTIVE EQUIPMENT MAINTENANCE (IEM) REQUIREMENT ANALYSIS [AMSC: N4943] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80984 | PLANNED MAINTENANCE SYSTEM (PMS) LOGIC TREE ANALYSIS WITH SUPPORTING RATIONALE AND JUSTIFICATION [AMSC: N4938] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80992 | PLANNED MAINTENANCE SYSTEM (PMS) MAINTENANCE INDEX PAGE (MIP) [AMSC: N4946] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80991 | PLANNED MAINTENANCE SYSTEM (PMS) MAINTENANCE REQUIREMENT CARD (MRC) [AMSC: N4945] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80979 | PLANNED MAINTENANCE SYSTEM (PMS) MASTER SYSTEM AND SUBSYSTEM INDEX [AMSC: N4933] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80987 | PLANNED MAINTENANCE SYSTEM (PMS) PROCEDURE EVALUATION SHEET (PES) [AMSC: N4941] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80993 | PLANNED MAINTENANCE SYSTEM (PMS) QUALITY ASSURANCE CHECK SHEET [AMSC: N4947] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80990 | PLANNED MAINTENANCE SYSTEM (PMS) RELIABILITY CENTERED MAINTENANCE (RCM) DOCUMENTATION CONTROL SHEET [AMSC: N4944] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80986 | PLANNED MAINTENANCE SYSTEM (PMS) REQUIREMENT INDEX [AMSC: N4940] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80985 | PLANNED MAINTENANCE SYSTEM (PMS) SERVICING AND LUBRICATING ANALYSIS [AMSC: N4939] | A | SESS | | SA | 17-MAY-90 |
| | DI-MNTY-80988 | PLANNED MAINTENANCE SYSTEM (PMS) TASK DEFINITION [AMSC: N4942] | A | SESS | | SA | 17-MAY-90 |
| | MIL-P-24534A NOT 1 | PLANNED MAINTENANCE SYSTEM: DEVELOPMENT OF MAINTENANCE REQUIREMENT CARDS, MAINTENANCE INDEX PAGES, AND ASSOCIATED DOCUMENTATION[CUST: SH] [REVIEW: EC OS] | A | SESS | | SH | 21-MAR-91 |
| | MIL-HDBK-353 | PLANNING AND COMMISSIONING WASTEWATER TREATMENT PLANTS[CUST: 50] | A | FACR | | 50 | 20-AUG-96 |
| | STANAG-2874 ED.2(2) | PLANNING GUIDE FOR THE ESTIMATION OF BATTLE CASUALTIES (NUCLEAR) - AMEDP-8 | C | ISDA | | AI | 27-NOV-81 |
| | STANAG-2477 ED.1 | PLANNING GUIDE FOR THE ESTIMATION OF NBC BATTLE CASUALTIES (CHEMICAL) - AMEDP-8(A), VOLUME III | C | ISDA | | AI | 25-APR-02 |
| | STANAG-2475 ED.1 | PLANNING GUIDE FOR THE ESTIMATION OF NBC BATTLE CASUALTIES (NUCLEAR) - AMEDP-8(A), VOLUME I | C | ISDA | | AI | 25-APR-02 |
| | STANAG-3146 ED.1(6) | PLANNING PROCEDURES FOR TACTICAL AIR TRANSPORT OPERATIONS | C | ISDF | | 06 | 27-MAR-85 |
| | AIR-STD-44/58B(3) | PLANNING PROCEDURES FOR TACTICAL AIR TRANSPORT OPERATIONS | C | ISDF | | 06 | 18-JUL-91 |
| | MIL-P-89305A NOT 1 | PLANNING TERRAIN ANALYSIS DATA BASE (PTADB) SCALE 1:250,000[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-P-24082D | PLANT, CARBON DIOXIDE REMOVAL, LIQUID ABSORBENT TYPE (MARK IIIB) (FOR SUBMARINES)[CUST: SH] | A | 4460 | | SH | 09-JUN-89 |
| | NFPA32 | PLANTS, DRYCLEANING[CUST: GL YD 04] | A | FACR | | GL | 05-FEB-90 |
| | A-A-0053314 | PLAQUE DISCLOSING TABLETS, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 23-MAR-88 |
| M | MIL-DTL-14636/9C | PLAQUE, AIR FORCE CHAPLAIN SERVICE, AIR FORCE[CUST: IH 11] [REVIEW: 82 99 CT GL] | A | 9905 | | IH | 01-MAR-06 |
| | MIL-DTL-14636/3D NOT 2 | PLAQUE, AIR FORCE RECRUITING SERVICE[CUST: IH 11] [REVIEW: 84 99 CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/11B NOT 2 | PLAQUE, ARMY COMMUNITIES OF EXCELLENCE[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/6B NOT 2 | PLAQUE, BRANCH OF SERVICE, ADJUTANT GENERAL'S CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/12A NOT 2 | PLAQUE, BRANCH OF SERVICE, AIR DEFENSE ARTILLERY, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/13A NOT 2 | PLAQUE, BRANCH OF SERVICE, ARMOR, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/14A NOT 2 | PLAQUE, BRANCH OF SERVICE, ARMY MEDICAL SPECIALIST, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/15A NOT 2 | PLAQUE, BRANCH OF SERVICE, ARMY NURSE CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/16A NOT 2 | PLAQUE, BRANCH OF SERVICE, AVIATION, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/39 | PLAQUE, BRANCH OF SERVICE, BANDS, ARMY[CUST: IH] [REVIEW: CT] | A | 9905 | | IH | 31-JAN-02 |
| | MIL-DTL-14636/17A NOT 2 | PLAQUE, BRANCH OF SERVICE, CAVALRY, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/18A NOT 2 | PLAQUE, BRANCH OF SERVICE, CHAPLAIN CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/19A NOT 2 | PLAQUE, BRANCH OF SERVICE, CHEMICAL CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/20B NOT 2 | PLAQUE, BRANCH OF SERVICE, CIVIL AFFAIRS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/21A NOT 2 | PLAQUE, BRANCH OF SERVICE, CORPS OF ENGINEERS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/22A NOT 2 | PLAQUE, BRANCH OF SERVICE, DENTAL CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/23A NOT 2 | PLAQUE, BRANCH OF SERVICE, FIELD ARTILLERY, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/24A NOT 2 | PLAQUE, BRANCH OF SERVICE, FINANCE CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/25A NOT 2 | PLAQUE, BRANCH OF SERVICE, INFANTRY, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/10B NOT 2 | PLAQUE, BRANCH OF SERVICE, INSPECTOR GENERAL, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/26A NOT 2 | PLAQUE, BRANCH OF SERVICE, JUDGE ADVOCATE GENERAL'S CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/27A NOT 2 | PLAQUE, BRANCH OF SERVICE, MEDICAL CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/28A NOT 2 | PLAQUE, BRANCH OF SERVICE, MEDICAL SERVICE CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/29A NOT 2 | PLAQUE, BRANCH OF SERVICE, MILITARY INTELLIGENCE, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/30A NOT 2 | PLAQUE, BRANCH OF SERVICE, MILITARY POLICE CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/31A NOT 2 | PLAQUE, BRANCH OF SERVICE, ORDNANCE CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-14636/33A NOT 2 | PLAQUE, BRANCH OF SERVICE, PSYCHOLOGICAL OPERATIONS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/32A NOT 2 | PLAQUE, BRANCH OF SERVICE, PUBLIC AFFAIRS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/34A NOT 2 | PLAQUE, BRANCH OF SERVICE, QUARTERMASTER CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/35A NOT 2 | PLAQUE, BRANCH OF SERVICE, SIGNAL CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/36A NOT 2 | PLAQUE, BRANCH OF SERVICE, SPECIAL FORCES, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/37A NOT 2 | PLAQUE, BRANCH OF SERVICE, TRANSPORTATION CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/38A NOT 2 | PLAQUE, BRANCH OF SERVICE, VETERINARY CORPS, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/2D NOT 2 | PLAQUE, DEPARTMENT OF AIR FORCE[CUST: IH 11] [REVIEW: 84 99 CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/1C NOT 2 | PLAQUE, DEPARTMENT OF THE ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636D SUP 1 NOT 2 | PLAQUE, DISPLAY AND WALL, GENERAL SPECIFICATION FOR[CUST: IH 11] [REVIEW: 84 99 CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/4B NOT 2 | PLAQUE, JROTC, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/8C NOT 2 | PLAQUE, NATIONAL GUARD BUREAU, ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: 84 99 CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | MIL-DTL-14636/5B NOT 2 | PLAQUE, SROTC, ARMY[CUST: IH] [REVIEW: CT GL] | A | 9905 | | IH | 20-JUL-01 |
| | ASTM-C35 | PLASTER GYPSUM INORGANIC AGGREGATES FOR USE IN, STANDARD SPECIFICATION FOR[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 30-MAY-90 |
| | A-A-53348 | PLASTER, DENTAL, (MODELING)[CUST: MD MS 03] | A | 6520 | / | MB | 15-FEB-88 |
| | SS-P-00402B | PLASTER, GYPSUM | A | 5610 | # | FSS | 22-SEP-70 |
| | ASTM-C1063 | PLASTER, INSTALLATION OF LATHING AND FURRING TO RECEIVE INTERIOR AND EXTERIOR PORTLAND CEMENT-BASED[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 5680 | | IS | 17-NOV-88 |
| | ASTM-C932 | PLASTERING, EXTERIOR, SURFACE-APPLIED BONDING COMPONDS FOR[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 09-AUG-91 |
| | ASTM-C582 | PLASTIC (RTP) LAMINATES FOR CORROSION RESISTANT EQUIPMENT, CONTACT-MOLDED REINFORCED THERMOSETTING[CUST: MR YD 99] [REVIEW: GS SH] | A | 9330 | | YD | 14-JAN-94 |
| | A-A-58078 | PLASTIC BOARD (FOR PACKAGING APPLICATIONS)[CUST: SM SA 11] [REVIEW: 70 71 84 99] | A | 8135 | / | 11 | 02-SEP-96 |
| | MIL-P-50854 NOT 1 | PLASTIC BONDED HMX (95/5) POWDER (FOR USE IN AMMUNITION)[CUST: AR] | A | 1376 | | AR | 08-APR-86 |
| | MIL-P-23242B | PLASTIC COATING COMPOUND, STRIPPABLE - ELECTROPLATING[CUST: AS] | A | 8030 | | AS | 22-MAR-82 |
| | ASTM-D2665 | PLASTIC DRAIN, WASTE, AND VENT PIPE AND FITTINGS, POLY(VINYL CHLORIDE) (PVC)[CUST: CR4 YD] [REVIEW: CG] | A | 4710 | | CC | 15-JUL-91 |
| | ASTM-D2661 | PLASTIC DRAIN, WASTE, AND VENT PIPE AND FITTINGS, ACRYLONITRILE-BUTADIENE-STYRENE (ABS) SCHEDULE 40 PLASTIC[CUST: CR4 YD] [REVIEW: CG] | A | 4710 | | CC | 15-JUL-94 |
| | SSB-1 | PLASTIC ENCAPSULATED MICROCIRCUITS AND SEMICONDUCTORS IN MILITARY, AEROSPACE AND OTHER RUGGED APPLICATIONS, GUIDELINES FOR | A | 59GP | | SP | 14-DEC-00 |
| | SAE-AMS3628 | PLASTIC EXTRUSIONS AND MOLDINGS, POLYCARBONATE, GENERAL PURPOSE[CUST: MR AS 11] | A | 9330 | | AS | 01-JUL-93 |
| | QPL-82646-3 | PLASTIC FILM, CONDUCTIVE, HEAT SEALABLE, FLEXIBLE | A | 8135 | | OS | 30-SEP-88 |
| | MIL-P-82646A NOT 2 | PLASTIC FILM, CONDUCTIVE, HEAT-SEALABLE, FLEXIBLE[CUST: OS] | A | 8135 | | OS | 19-APR-01 |
| | MIL-P-44305 | PLASTIC FILM, FLEXIBLE, POLYAMIDE AND POLYETHYLENE[CUST: MD SH 99] [REVIEW: MR] | A | 9330 | | MB | 13-JUN-88 |
| | ASTM-D3261 | PLASTIC FITTINGS FOR POLYETHYLENE (PE) PLASTIC PIPE AND TUBING, BUTT HEAT FUSION POLYETHYLENE (PE)[CUST: CR4 YD 99] [REVIEW: 71 SH] | A | 4730 | | CC | 15-APR-93 |
| | ASTM-D2846/D2846M | PLASTIC HOT- AND COLD-WATER DISTRIBUTION SYSTEMS, CHLORINATED POLY(VINYL CHLORIDE) (CPVC)[CUST: MR YD] [REVIEW: 99 CE CR4 GL MD] | A | 4710 | | CC | DEC-92 |
| | MIL-P-9400C | PLASTIC LAMINATE AND SANDWICH CONSTRUCTION PARTS AND ASSEMBLY, AIRCRAFT STRUCTURAL, PROCESS SPECIFICATION REQUIREMENTS[CUST: MI AS 11] [REVIEW: CR4 GS] | A | CMPS | | AS | 14-NOV-91 |
| | MIL-P-17549D NOT 1 | PLASTIC LAMINATES, FIBROUS GLASS REINFORCED, MARINE STRUCTURAL[CUST: SH] [REVIEW: MR] | A | 9330 | | SH | 25-JUL-89 |
| | MIL-HDBK-755 | PLASTIC MATERIAL PROPERTIES FOR ENGINEERING DESIGN[CUST: AR] [REVIEW: MR] | A | 9330 | | AR | 16-SEP-91 |
| | MIL-P-21929C(1) | PLASTIC MATERIAL, CELLULAR POLYURETHANE, FOAM-IN-PLACE, RIGID (2 POUNDS PER CUBIC FOOT)[CUST: SM SH 99] [REVIEW: AS AT AV GL GS OS YD] | A | 9330 | | SH | 27-MAY-94 |
| | MIL-P-24249A(1) | PLASTIC MATERIAL, CELLULAR POLYURETHANE, RIGID, VOID FILLER, FOAM-IN-PLACE, LARGE SCALE AND INSTALLATION OF[CUST: SH] | A | 9330 | | SH | 30-OCT-92 |
| | QPL-24249-5 | PLASTIC MATERIAL, CELLULAR POLYURETHANE, RIGID, VOID FILLER, FOAM-IN-PLACE, LARGE SCALE AND INSTALLATION OF | A | 9330 | | SH | 10-MAY-96 |
| | L-P-386C | PLASTIC MATERIAL, CELLULAR, URETHANE (FLEXIBLE) | A | 9330 | # | FSS | 26-AUG-77 |
| | QPL-18324-39 | PLASTIC MATERIAL, LAMINATED PHENOLIC, FOR BEARINGS (WATER OR GREASE LUBRICATION) | A | 9330 | | SH | 14-APR-05 |
| | MIL-P-18324D(2) | PLASTIC MATERIAL, LAMINATED PHENOLIC, FOR BEARINGS (WATER OR GREASE LUBRICATION)[CUST: MR SH 11] [REVIEW: AS CR CR4 GS MD OS] | A | 9330 | | SH | 14-JUN-68 |
| | MIL-P-3409(2) | PLASTIC MATERIAL, MOLDING, RIGID THERMOPLASTIC, POLYDICHLOROSTYRENE, FOR USE IN ELECTRONIC, COMMUNICATIONS, & ALLIED ELECTRICAL EQUIPMENT[CUST: CR SH 11] [REVIEW: AS AT MR] | A | 9330 | | CR | 07-JUL-87 |
| | L-P-383(1) NOT 1 | PLASTIC MATERIAL, POLYESTER RESIN, GLASS FIBER BASE, LOW PRESSURE LAMINATED[CUST: MR AS 11] [REVIEW: AR CR4 MI OS SH] | A | 9330 | / | IS | 30-OCT-91 |
| | A-A-59485 NOT 1 | PLASTIC MATERIAL, PRESSURE SENSITIVE ADHESIVE, FOR AEROSPACE IDENTIFICATION AND MARKING[CUST: EA OS 11 IS] | A | 9330 | / | IS | 30-MAR-05 |
| | QPL-15280-31 | PLASTIC MATERIAL, UNICELLULAR (SHEETS AND TUBES) | A | 5640 | | SH | 24-JUN-05 |
| | UL94 | PLASTIC MATERIALS FOR PARTS IN DEVICES AND APPLIANCES, TEST FOR FLAMMABILITY OF[CUST: MR AS GS] | A | 9330 | | IS | 29-OCT-96 |
| | SAE-J576 | PLASTIC MATERIALS FOR USE IN OPTICAL PARTS SUCH AS LENSES AND REFLEX REFLECTORS OF MOTOR VEHICLE LIGHTING DEVICES[CUST: AT IS] | A | 9330 | | IS | 16-JUL-91 |
| | MIL-HDBK-754 | PLASTIC MATRIX COMPOSITES WITH CONTINUOUS FIBER REINFORCEMENT[CUST: AR] [REVIEW: MR] | A | 9330 | | AR | 19-SEP-91 |
| | MIL-P-85891A(2) | PLASTIC MEDIA, FOR REMOVAL OF ORGANIC COATINGS[CUST: AV AS 99] [REVIEW: 84 GS] | A | 5350 | | 11 | 26-JUN-98 |
| | QPL-15731-50 | PLASTIC MIX, REFRACTORY FIRE-CLAY, SUPERDUTY | A | 9350 | | SH | 01-APR-00 |
| | MIL-P-15731D(1) NOT 1 | PLASTIC MIX, REFRACTORY, FIRE CLAY, SUPER DUTY[CUST: SH 99] [REVIEW: AS GS] | A | 9350 | | SH | 25-JUL-89 |
| | MIL-P-63462(2) | PLASTIC MOLDING AND EXTRUSION MATERIAL, ETHYL CELLULOSE, FOR ROCKET GRAIN INHIBITING MATERIALS[CUST: AR] [REVIEW: MI MR] | A | 9330 | | AR | 05-OCT-94 |
| | MIL-P-46183(2) NOT 1 | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYETHERETHERKETONE (PEEK)[CUST: MR 11] [REVIEW: 03 84 99 AT AV GL IS MD] | A | 9330 | | MR | 28-JUN-04 |
| | MIL-P-19644C | PLASTIC MOLDING MATERIAL (POLYSTYRENE FOAM, EXPANDED BEAD)[CUST: MR OS 11] [REVIEW: 99 AR AS CR4 EA GS MI SM] | A | 9330 | | OS | 10-JUL-70 |
| | L-P-380C NOT 1 | PLASTIC MOLDING MATERIAL METHACRYLATE[CUST: MR 11] [REVIEW: 99 AS CR4 EA EC GS MD MI OS SH] | A | 9330 | / | MR | 03-AUG-89 |
| | ASTM-F442/F442M | PLASTIC PIPE (SDR-PR), CHLORINATED POLY(VINYL CHLORIDE) (CPVC)[CUST: CR4 YD 99] | A | 4710 | | CC | 10-MAY-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D2467 | PLASTIC PIPE FITTINGS, SCHEDULE 80, POLY (VINYL CHLORIDE) (PVC)[CUST: YD 99] [REVIEW: SH] | A | 4730 | | CC | 15-APR-93 |
| | ASTM-F441/F441M | PLASTIC PIPE, SCHEDULES 40 AND 80, CHLORINATED POLY(VINYL CHLORIDE) (CPVC)[CUST: CE YD 99] | A | 4710 | | CC | 30-MAY-89 |
| | ASTM-F412 | PLASTIC PIPING SYSTEMS[CUST: CR4 YD 99] [REVIEW: 71 SH] | A | 4710 | | CC | 15-DEC-94 |
| | A-A-59464A | PLASTIC PLASTISOL (FOR COATING METALLIC OBJECTS)[CUST: AT SH 99] [REVIEW: 03 11 84 AS CG MR] | A | 8030 | / | AT | 30-SEP-02 |
| | MIL-P-21922B(1) NOT 1 | PLASTIC RODS AND TUBES, POLYETHYLENE[CUST: MR AS 11 IS] [REVIEW: AR EA GL MI] | A | 9330 | | IS | 30-MAR-88 |
| M | A-A-59504 NOT 1 | PLASTIC SHEET (SHEETING), PRESSURE SENSITIVE ADHESIVE COATED, CELLULOSE ACETATE, TRANSPARENT[CUST: MR MC IS] [REVIEW: CR4 GL MI MS SM] | A | 9330 | / | IS | 10-MAR-06 |
| | L-P-504E | PLASTIC SHEET AND FILM, CELLULOSE ACETATE[CUST: AR AS 11] [REVIEW: CR CR4 EA GL GS MR] | A | 9330 | / | AR | 17-JUN-91 |
| | SAE-AMS3529 | PLASTIC SHEET AND FILM, VINYL COPOLYMERS, UNPLASTICIZED[CUST: AV AS 99] [REVIEW: 84 MI] | A | 9330 | | AS | NOV-88 |
| | MIL-P-58102 NOT 2 | PLASTIC SHEET AND LAMINATES, FLEXIBLE, FOR ENVIRONMENTAL PROTECTIVE STORAGE AND SHIPPING SYSTEMS[CUST: AS] | A | PACK | | AS | 16-FEB-93 |
| | L-P-516A NOT 3 | PLASTIC SHEET AND PLASTIC ROD, THERMOSETTING, CAST[CUST: CR EC 11 IS] [REVIEW: MC MI] | A | 9330 | / | IS | 22-JAN-01 |
| | SAE-AMS3635 | PLASTIC SHEET AND STRIP, MODIFIED VINYL, FOAMED CLOSED CELL[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-JUL-84 |
| | SAE-AMS3607 | PLASTIC SHEET COTTON FABRIC REINFORCED PHENOL-FORMALDEHYDE[CUST: AS 11 GS] | A | 9330 | | IS | 01-JUL-93 |
| | QPL-5425-21 | PLASTIC SHEET, ACRYLIC, HEAT RESISTANT | A | 9330 | | AS | 23-APR-03 |
| | MIL-PRF-8184F | PLASTIC SHEET, ACRYLIC, MODIFIED[CUST: CR AS 11] [REVIEW: AV EC GS MC MR SH] | A | 9330 | | AS | 05-OCT-98 |
| | QPL-8184-19(1) | PLASTIC SHEET, ACRYLIC, MODIFIED | A | 9330 | | AS | 22-APR-96 |
| | MIL-DTL-24191D | PLASTIC SHEET, CELL OR CONTINUOUS CAST, ACRYLIC, SHIPBOARD APPLICATION (ILLUMINATION AND SIGNAL LIGHTING)[CUST: SH] | A | 9330 | | SH | 22-NOV-96 |
| | SAE-AMS3598 | PLASTIC SHEET, COPPER FACED GLASS CLOTH REINFORCED POLYTETRAFLUOROETHYLENE[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-JAN-86 |
| | A-A-59502 | PLASTIC SHEET, POLYCARBONATE[CUST: MR SH 99 IS] [REVIEW: 19 84 AR AS AT CR MC OS] | A | 9330 | / | IS | 09-JUN-00 |
| | SAE-AMS-P-83310 | PLASTIC SHEET, POLYCARBONATE, TRANSPARENT[CUST: 11] | A | 9330 | | 11 | 19-MAY-03 |
| | A-A-3174 NOT 2 | PLASTIC SHEET, POLYOLEFIN[CUST: GL 11] [REVIEW: 71 SM] | A | 8135 | / | 11 | 25-JUL-00 |
| | L-P-527B NOT 1 | PLASTIC SHEET, STYRENE-BUTADIENE[CUST: MR AS 11] [REVIEW: 99 CR GL GS MI OS SH] | A | 9330 | / | MR | 10-FEB-87 |
| | L-P-519C | PLASTIC SHEET: TRACING, GLAZED AND MATTE FINISH[CUST: AR] | A | 9330 | * | AR | 01-SEP-92 |
| | ASTM-D882 | PLASTIC SHEETING, TENSILE PROPERTIES OF THIN[CUST: MR 11] [REVIEW: 99 AR AS AV CR CR4 EC GL GS OS SH] | A | 9330 | | MR | 21-OCT-92 |
| | ASTM-D1746 | PLASTIC SHEETING, TRANSPARENCY OF[CUST: MR SH 11 GS] [REVIEW: AR AS AT CR CR4 GL YD] | A | 9330 | | IS | 15-OCT-92 |
| | L-P-1040B | PLASTIC SHEETS AND STRIPS (POLYVINYL FLUORIDE)[CUST: MR] [REVIEW: CR CR4 GL GS] | A | 9330 | / | MR | 22-JUL-77 |
| | MIL-P-18080A(2) | PLASTIC SHEETS, VINYL, FLEXIBLE, TRANSPARENT, OPTICAL QUALITY[CUST: SH] [REVIEW: CR4 GS MR] | A | 9330 | | SH | 07-APR-89 |
| | A-A-50907 | PLASTIC STRIP, DENTAL MATRIX (POLYETHYLENE TEREPHTHALATE, CLEAR, 45 FEET)[CUST: MD MS 03] | A | 6520 | | MB | 13-MAY-85 |
| | A-A-53717 | PLASTIC STRIP, DENTAL SURFACE PROTECTION[CUST: MD MS 03] | A | 6520 | / | MB | 30-SEP-88 |
| | A-A-53038 | PLASTIC STRIP, DENTAL SURFACE PROTECTION, (MOUTHGUARD)[CUST: MD MS 03] | A | 6520 | / | MB | 06-JUL-87 |
| | A-A-53718 | PLASTIC STRIP, DENTURE TRIAL PACK[CUST: MD MS 03] | A | 6520 | / | MB | 30-SEP-88 |
| | QPL-23653-31 | PLASTIC TILES, VIBRATION DAMPING | A | 9330 | | SH | 10-MAY-05 |
| | MIL-PRF-23653C | PLASTIC TILES, VIBRATION DAMPING[CUST: SH] [REVIEW: GS] | A | 9330 | | SH | 21-SEP-72 |
| | MIL-P-22581C | PLASTIC TILES, VIBRATION DAMPING, TYPE III[CUST: SH] | A | 9330 | | SH | 23-OCT-91 |
| | ASTM-D543 | PLASTIC TO CHEMICAL REAGENTS, RESISTANCE OF[CUST: MR SH 11 GS] [REVIEW: AR AS AV CR GL MI YD] | A | 9330 | | IS | 02-OCT-85 |
| | ASTM-E934 | PLASTIC, DISPOSABLE, SEROLOGICAL PIPET, STANDARD PRACTICE FOR[CUST: MD MS 03] | A | 6640 | | MB | 01-FEB-90 |
| | ASTM-D4092 | PLASTIC, DYNAMIC MECHANICAL MEASUREMENTS ON[CUST: MR 11] | A | 9330 | | MR | 29-JUN-90 |
| | MIL-P-17171E | PLASTIC, LAMINATE, DECORATIVE, HIGH PRESSURE[CUST: SH] | A | 9330 | | SH | 25-MAY-90 |
| | L-P-410A(4) | PLASTIC, POLYAMIDE (NYLON), RIGID: RODS, TUBES, FLATS, MOLDED AND CAST PARTS[CUST: MR AS 11] [REVIEW: EC MC MI OS SH] | A | 9330 | / | IS | 15-JUL-99 |
| | MIL-PRF-25690B(1) | PLASTIC, SHEET AND FORMED PARTS, MODIFIED ACRYLIC BASE, MONOLITHIC, CRACK PROPAGATION RESISTANT[CUST: AV AS 11] [REVIEW: GS] | A | 9330 | | AS | 27-JUN-95 |
| | MIL-PRF-5425E | PLASTIC, SHEET, ACRYIIC, HEAT RESISTANT[CUST: MR AS 11] [REVIEW: AV DS EA GS OS] | A | 9330 | | AS | 05-OCT-98 |
| | QPL-25690-15(1) | PLASTIC, SHEETS AND FORMED PARTS, MODIFIED ACRYLIC BASE, MONOLITHIC, CRACK PROPAGATION RESISTANT | A | 9330 | | AS | 12-DEC-03 |
| | ASTM-D4000 | PLASTIC, SPECIFYING MATERIALS[CUST: MR 11 GS] [REVIEW: AR AS AT AV CR4 EC MC OS SH] | A | 9330 | | IS | 15-OCT-93 |
| | SAE-AMS3636 | PLASTIC, TUBING, ELECTRICAL INSULATION IRRADIATED POLYOLEFIN, PIGMENTED, FLEXIBLE, HEAT-SHRINKABLE 2 10 1 SHRINK RATIO[CUST: MR AS 11] [REVIEW: GS] | A | 5970 | | AS | 01-JAN-91 |
| | SAE-AMS3632 | PLASTIC, TUBING, ELECTRICAL INSULATION IRRADIATED POLYVINYLIDENE FLUORIDE, SEMI-RIGID, HEAT SHRINKABLE 2 TO 1 SHRINK RATIO[CUST: MR AS 11] [REVIEW: GS MI] | A | 5970 | | AS | 01-JAN-91 |
| | MIL-HDBK-700A | PLASTICS[CUST: MR] [REVIEW: GS] | A | 9330 | | MR | 17-MAR-75 |
| | ASTM-D746 | PLASTICS AND ELASTOMERS BY IMPACT, BRITTLENESS TEMPERATURE OF[CUST: MR SH 11 GS] [REVIEW: AS AT AV CR CR4 MI YD] | A | 9330 | | IS | 10-JUL-98 |
| | ASTM-D790 | PLASTICS AND ELECTRICAL INSULATING MATERIALS, FLEXURAL PROPERTIES OF UNREINFORCED AND REINFORCED[CUST: MR SH 11] [REVIEW: AR AS AT AV CR CR4 GL GS MI OS YD] | A | 9330 | | MR | 15-JUN-92 |
| | ASTM-D785 | PLASTICS AND ELECTRICAL INSULATING MATERIALS, ROCKWELL HARDNESS OF[CUST: MR SH 11 GS] | A | 9330 | | IS | 27-JAN-89 |
| | ASTM-D4350 | PLASTICS AND FILLERS CORROSIVITY INDEX OF[CUST: MR SH 11 GS] [REVIEW: AR AS AV CR4 GL MI YD] | A | 9330 | | IS | 25-JUL-86 |
| | ASTM-D2290 | PLASTICS AND REINFORCED PLASTICS PIPE BY SPLIT DISK METHOD, APPARENT HOOP TENSILE STRENGTH OF[CUST: MR AS 11 GS] [REVIEW: AR AV GL SH] | A | 9330 | | IS | 15-FEB-92 |
| | ASTM-D1043 | PLASTICS AS A FUNCTION OF TEMPERATURE BY MEANS OF A TORSION TEST, STIFFNESS PROPERTIES OF[CUST: MR SH 99] | A | 9330 | | CT | 03-OCT-94 |
| | ASTM-D747 | PLASTICS BY MEANS OF A CANTILEVER BEAM, APPARENT BENDING MODULUS OF[CUST: AT GS2] [REVIEW: AR AV MR TE] | A | NDTI | | GS2 | 15-OCT-93 |
| | ASTM-D732 | PLASTICS BY PUNCH TOOL, SHEAR STRENGTH OF[CUST: MR SH 11 GS] [REVIEW: AR AS AT AV CR CR4 GL MI] | A | 9330 | | IS | 09-APR-91 |
| | ASTM-D2856 | PLASTICS BY THE AIR PYCNOMETER, RIGID CELLULAR, OPEN CELL CONTENT OF, STANDARD TEST METHOD FOR[CUST: CR4 YD] [REVIEW: CE GS OS SH] | A | 9330 | | YD | 27-FEB-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D1708 | PLASTICS BY USE OF MICROTENSILE SPECIMENS, TENSILE PROPERTIES OF[CUST: MR AS 99 GS] [REVIEW: AR AT AV CR4 MI OS SH YD] | A | 9330 | | IS | 27-JUL-84 |
| | ASTM-D618 | PLASTICS CONDITIONING FOR TESTING[CUST: MR AS 99 IS] [REVIEW: AR AT AV MI OS SH YD] | A | 9330 | | IS | 10-NOV-99 |
| | ASTM-F640 | PLASTICS FOR MEDICAL USE, RADIOPACITY OF[CUST: MD MS 03] | A | 6515 | | MB | 26-OCT-79 |
| | ASTM-D635 | PLASTICS IN A HORIZONTAL POSITION, RATE OF BURNING AND / OR EXTENT AND TIME OF BURNING OF[CUST: MR SH 11 GS] [REVIEW: 70 71 84 99 AS CR GL MI OS YD] | A | 9330 | | IS | 15-JUL-91 |
| | ASTM-D2565 | PLASTICS INTENDED FOR OUTDOOR APPLICATIONS, XENON-ARC EXPOSURE OF[CUST: YD 99] [REVIEW: 84 GS MR SH] | A | 9330 | | YD | 10-JAN-99 |
| | ASTM-F791 | PLASTICS TRANSPARENT, STANDARD TEST METHOD FOR STRESS CRAZING OF[CUST: MR 11 GS] [REVIEW: AR AV CR4 EA GL] | A | 9330 | | IS | 22-JUN-90 |
| | ASTM-D3045 | PLASTICS WITHOUT LOAD, HEAT AGING OF[CUST: MR YD 99] | A | 9330 | | YD | 15-NOV-92 |
| | ASTM-D1600 | PLASTICS, ABBREVIATED TERMS RELATING TO[CUST: MR YD 11] [REVIEW: 19 99 AR AS AT AV CR4 GL GS MC MD MI OS SH] | A | 9330 | | MR | 10-NOV-99 |
| | ASTM-F484 | PLASTICS, ACRYLIC, IN CONTACT WITH LIQUID OR SEMI LIQUID COMPOUNDS, STRESS CRAZING OF, STANDARD TEST METHOD FOR[CUST: MR 11 GS] [REVIEW: AS AT AV CR4 GL] | A | 9330 | | IS | 22-JUN-90 |
| | ASTM-D953 | PLASTICS, BEARING STRENGTH OF[CUST: MR SH 11 GS] [REVIEW: 99 AR AS AT AV CR CR4 EC GL] | A | 9330 | | IS | 15-OCT-93 |
| | ASTM-D648 | PLASTICS, DEFLECTION TEMPERATURE OF, UNDER FLEXURAL LOAD IN THE EDGEWISE POSITION[CUST: MR SH 11 GS] [REVIEW: AS AT AV CR CR4 GL MI YD] | A | 9330 | | IS | 07-JUL-82 |
| | ASTM-D2843 | PLASTICS, DENSITY OF SMOKE FROM THE BURNING OR DECOMPOSITION OF[CUST: MR SH 11 GS] [REVIEW: 99 AS AT AV CR4 GL MI OS YD] | A | 9330 | | IS | NOV-90 |
| | ASTM-D256 | PLASTICS, DETERMINING THE IZOD PENDULUM IMPACT RESISTANCE OF[CUST: MR SH 11 GS] [REVIEW: AR AS AT AV CR4 GL MI OS YD] | A | 9330 | | IS | 09-DEC-91 |
| | ASTM-D2863 | PLASTICS, MEASURING THE MINIMUM OXYGEN CONCENTRATION TO SUPPORT CANDLE-LIKE COMBUSTION OF (OXYGEN INDEX)[CUST: MR SH 11 GS] [REVIEW: 99 AS AT AV CR CR4 GL MI OS YD] | A | 9330 | | IS | 10-MAY-97 |
| | ASTM-D1435 | PLASTICS, OUTDOOR WEATHERING OF[CUST: MR GS] [REVIEW: AT CR CR4 GL MD] | A | 9330 | | IS | 29-NOV-85 |
| | ASTM-D3892 | PLASTICS, PACKAGING/PACKING OF[CUST: MR SH 99 GS] [REVIEW: AR AS AV CR4 EA GL OS SM] | A | 9330 | | IS | 24-MAR-80 |
| | ASTM-D695 | PLASTICS, PROPERTIES OF COMPRESSIVE RIGID[CUST: MR SH 11] [REVIEW: AR AS AT AV CR CR4 GL GS MI OS YD] | A | 9330 | | MR | 02-MAR-92 |
| | ASTM-D3846 | PLASTICS, REINFORCED, IN PLANE SHEAR STRENGTH OF[CUST: MR SH 11 GS] [REVIEW: OS TE YD] | A | 9330 | | IS | 30-MAR-88 |
| | ASTM-D2734 | PLASTICS, REINFORCED, VOID CONTENT OF[CUST: MR GS] [REVIEW: 11 AS AT AV GL MC MI OS SH] | A | 9330 | | IS | 15-JUL-91 |
| | ASTM-D2126 | PLASTICS, RESPONSE OF RIGID CELLULAR, TO THERMAL AND HUMID AGING[CUST: MR SH 11] [REVIEW: AR AS AT CR CR4 GL OS YD] | A | 9330 | | IS | 27-FEB-87 |
| | ASTM-D1622 | PLASTICS, RIGID CELLULAR, APPARENT DENSITY OF[CUST: MR 11 GS] [REVIEW: AR AS AT AV CR EC GL OS SH YD] | A | 9330 | | IS | 15-NOV-93 |
| | ASTM-D1621 | PLASTICS, RIGID CELLULAR, COMPRESSIVE PROPERTIES OF[CUST: MR SH 11 GS] [REVIEW: AR AS AT CR CR4 GL OS YD] | A | 9330 | | IS | JUN-90 |
| | ASTM-D1623 | PLASTICS, RIGID CELLULAR, TENSILE AND TENSILE ADHESION PROPERTIES OF[CUST: CE YD 99] | A | 9330 | | YD | 13-JAN-92 |
| | ASTM-D2583 | PLASTICS, RIGID, BY MEANS OF A BARCOL IMPRESSOR, INDENTATION HARDNESS OF[CUST: MR SH 99] | A | 9330 | | MR | 15-OCT-93 |
| | ASTM-D883 | PLASTICS, STANDARD TERMINOLOGY RELATING TO[CUST: MR AS 11] [REVIEW: AR AV EA EC GL MI SH YD] | A | 9330 | | MR | 10-NOV-99 |
| | ASTM-D1525 | PLASTICS, TEMPERATURE OF VISCAT SOFTENING[CUST: MR SH 11] [REVIEW: 84 99 AR AS AT CR CR4 GL GS MI OS YD] | A | 9330 | | MR | 10-MAR-00 |
| | ASTM-D2990 | PLASTICS, TENSILE, COMPRESSIVE, AND FLEXURAL CREEP AND CREEP-RUPTURE OF[CUST: MR SH 11] [REVIEW: AR AS CR CR4 GL GS MI YD] | A | 9330 | | MR | 15-OCT-93 |
| | ASTM-D1003 | PLASTICS, TRANSPARENT, HAZE AND LUMINOUS TRANSMITTANCE OF[CUST: MR SH 11 GS] [REVIEW: AR AS AT AV CR CR4] | A | 9330 | | IS | 10-JUN-00 |
| | ASTM-D1203 | PLASTICS, USING ACTIVATED CARBON METHODS, VOLATILE LOSS FROM[CUST: MR SH 11 GS] [REVIEW: AS AT AV CR CR4 GL MI OS] | A | 9330 | | IS | 24-NOV-89 |
| | ASTM-D4065 | PLASTICS: DYNAMIC MECHANICAL PROPERTIES: DETERMINATION AND REPORT OF PROCEDURES[CUST: MR GS] [REVIEW: AR AS AT CR4 EC GL MC OS] | A | 9330 | | IS | 15-OCT-93 |
| | ASTM-D4473 | PLASTICS: DYNAMIC MECHANICAL PROPERTIES: CURE BEHAVIOR[CUST: MR AS 99] | A | 9330 | | AS | 03-OCT-94 |
| | ASTM-D1824 | PLASTISOLS AND ORGANOSOLS AT LOW SHEAR RATES, APPARENT VISCOSITY OF[CUST: EA] [REVIEW: AR CR4 GS MD SH] | A | 6810 | | EA | 15-MAR-95 |
| | ASTM-B171/B171M | PLATE AND SHEET, COPPER-ALLOY, FOR PRESSURE VESSELS, CONDENSERS, AND HEAT EXCHANGERS[CUST: MR YD 99 IS] | A | 9535 | | IS | OCT-94 |
| | A-A-53664 | PLATE COUNTING, BACTERIOLOGICAL[CUST: MD MS 03] | A | 6640 | * | MB | 02-SEP-88 |
| | A-A-53943 | PLATE SET, PSEUDOISOCHROMATIC, 15 PLATE[CUST: MD MS 03] | A | 6540 | / | MB | 28-JUL-89 |
| | ASTM-B463 | PLATE, ALLOY, SHEET, AND STRIP, UNS N08020, UNS N08026, AND UNS N08024[CUST: MR SH 99] | A | 9535 | | SH | 03-OCT-94 |
| | GGG-P-441A | PLATE, ANGLE, ADJUSTABLE AND SOLID | A | 5220 | # | FSS | 09-APR-65 |
| | MIL-DTL-14631/5C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, ASSISTANT SECRETARY OF DEFENSE AND GENERAL COUNSEL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 16-JUL-01 |
| | MIL-DTL-14631/9B NOT 2 | PLATE, AUTOMOBILE, INDIVIDUAL, ASSISTANT SECRETARY OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/16C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, BRIGADIER GENERAL, U.S. ARMY (EXCEPT MEDICAL DEPARTMENT AND CHAPLAINS CORPS)[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/6C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, CHAIRMAN, JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/10C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, CHIEF OF STAFF, ARMY[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/4C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, DEPUTY SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 16-JUL-01 |
| | MIL-DTL-14631/12C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, GENERAL OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/20 NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, GENERAL OFFICERS, CHAPLAINS CORPS, U.S. ARMY[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/19 NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, GENERAL OFFICERS, MEDICAL DEPARTMENT, U.S. ARMY[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/13C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, GENERAL, U.S. ARMY[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/21 NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, INSPECTOR GENERAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/14C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, LIEUTENANT GENERAL, U.S. ARMY (EXCEPT MEDICAL DEPARTMENT)[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/15C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, MAJOR GENERAL, U.S. ARMY (EXCEPT MEDICAL DEPARTMENT AND CHAPLAINS CORPS)[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/1C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, PRESIDENT OF THE UNITED STATES[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 16-JUL-01 |
| | MIL-DTL-14631/3C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 16-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-14631/7C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, SECRETARY OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/18C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, UNDER SECRETARIES OF DEFENSE AND PRINCIPAL DEPUTY UNDER SECRETARIES OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/8C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, UNDER SECRETARY OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/17C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, VICE CHAIRMAN, JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/11C NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, VICE CHIEF OF STAFF, ARMY[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 20-JUL-01 |
| | MIL-DTL-14631/2D NOT 1 | PLATE, AUTOMOBILE, INDIVIDUAL, VICE PRESIDENT OF THE UNITED STATES[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 16-JUL-01 |
| | MIL-DTL-14631C SUP 1A NOT 2 | PLATE, AUTOMOBILE, INDIVIDUAL; GENERAL SPECIFICATION FOR[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 16-JUL-01 |
| | UU-P-665B | PLATE, BAKING, PIE (PAPER) | A | 7330 | # | FSS | 28-MAR-74 |
| | ASTM-B36/B36M | PLATE, BRASS, SHEET, STRIP, AND ROLLED BAR[CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL MC MI SA] | A | 9535 | | IS | 22-FEB-91 |
| | A-A-54792 | PLATE, EGG TESTING[CUST: MD MS 03] [REVIEW: GS] | A | 6695 | / | MB | 08-JAN-93 |
| | A-A-54443 | PLATE, GROUNDING, ELECTROSURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 12-JUL-91 |
| | MIL-P-15024/5 | PLATE, IDENTIFICATION[CUST: SH] [REVIEW: EC GL] | A | 9905 | | SH | 11-JUN-71 |
| | A-A-50271 | PLATE, IDENTIFICATION[CUST: AR] [REVIEW: AT CR4 MI] | A | 9905 | / | AR | 01-FEB-96 |
| | MIL-P-19834B(2) | PLATE, IDENTIFICATION, METAL FOIL, ADHESIVE BACKED[CUST: AR 99 IS] [REVIEW: 11 AS CR EA GL MC MI OS SA SH] | A | 9905 | | IS | 13-JUL-83 |
| | A-A-52483 NOT 1 | PLATE, IDENTIFICATION: EMERGENCY AND SERVICE AUTOMOTIVE AIR BRAKE (METRIC)[CUST: AT YD 99] [REVIEW: 84 CR4 GL MC MI] | A | 9905 | / | AT | 14-APR-04 |
| | ASTM-B121/B121M | PLATE, LEADED BRASS, SHEET, STRIP, AND ROLLED BAR[CUST: MR SH] [REVIEW: AR CR CR4 EA GL IS MC MI SA] | A | 9535 | | MR | 15-NOV-91 |
| | SAE-AMS4376 | PLATE, MAGNESIUM ALLOY 3.0AL - 1.0ZN - 0.20MN (AZ31B-H26) COLD ROLLED AND PARTIALLY ANNEALED[CUST: AS 11] [REVIEW: IS] | A | 9535 | | AS | 16-MAY-83 |
| | SAE-AMS6544 | PLATE, MARAGING STEEL 2.0CR - 10NI - 8.0CO - 1.0MO (0.10 - 0.14C) DOUBLE VACUUM MELTED, SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 25-JUL-77 |
| | SAE-AS9552 | PLATE, MENDING[CUST: AR AS 11 IS] | A | 5340 | | IS | FEB-98 |
| | MIL-P-13326D(1) | PLATE, METAL, STEEL ALLOY; HEAT TREATED, HIGH STRENGTH; FOR WELDED STRUCTURES[CUST: MR IS] [REVIEW: AR] | A | 9515 | | IS | 26-NOV-02 |
| | ASTM-B103/B103M | PLATE, PHOSPHOR BRONZE, SHEET, STRIP, AND ROLLED BAR[CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL MC MI SA YD] | A | 9535 | | IS | 10-MAY-98 |
| | ASTM-B424 | PLATE, SHEET, AND STRIP, NI-FE-CR-MO-CU ALLOY (UNS N08825 AND UNS N08821)[CUST: MR SH 99] | A | 9535 | | SH | 03-OCT-94 |
| | ASTM-B443 | PLATE, SHEET, AND STRIP, NICKEL-CHROMIUM-MOLYBDENUM-COLUMBIUM ALLOY (UNS N06625)[CUST: MR SH 99] | A | 9535 | | SH | 03-OCT-94 |
| | ASTM-B465 | PLATE, SHEET, STRIP, AND ROLLED BAR, COPPER-IRON ALLOY[CUST: CR SH 11 IS] | A | 9515 | | IS | 03-OCT-94 |
| | A-A-53770 | PLATE, SPOT TEST (WHITE PORCELAIN)[CUST: MD MS 03] | A | 6640 | / | MB | 12-DEC-88 |
| | ASTM-A480/A480M | PLATE, STEEL, SHEET AND STRIP, FLAT-ROLLED STAINLESS AND HEAT-RESISTING[CUST: MR SH 11] | A | 9515 | | MR | 15-AUG-94 |
| | GGG-P-463C(1) | PLATE, SURFACE, (GRANITE) (INCH AND METRIC)[CUST: AR 99] [REVIEW: MI SH] | A | 5220 | * | AR | 15-JUN-77 |
| | GGG-P-453A(1) | PLATE, SURFACE, CAST IRON[CUST: AR 99] [REVIEW: MC OS] | A | 5220 | / | IS | 23-APR-79 |
| | MIL-P-15024/15 NOT 1 | PLATE, TAGS, HOSE ASSEMBLY IDENTIFICATION[CUST: SH] | A | 9905 | | SH | 25-JAN-89 |
| | ASTM-B248M | PLATE, WROUGHT COPPER AND COPPER-ALLOY, SHEET, STRIP AND ROLLED BAR (METRIC)[CUST: MR SH] [REVIEW: 99 AS IS OS] | A | 9530 | | MR | 15-JUN-92 |
| | GG-P-455B(3) NOT 4 | PLATES AND FOILS, PHOTOGRAPHIC (PHOTOSENSITIVE ANODIZED ALUMINUM)[CUST: MR AS 11] [REVIEW: 70 CR SH] | A | 6750 | / | AS | 29-SEP-03 |
| | MIL-P-19611C | PLATES, AUTOMOBILE, INDIVIDUAL: METAL; EMBLEM, AND STAR (COMMANDANT'S AND GENERAL OFFICER'S, USMC)[CUST: MC CT] | A | 8345 | | CT | 08-MAY-85 |
| | ASTM-A827/A827M | PLATES, CARBON STEEL, FOR FORGING AND SIMILAR APPLICATIONS[CUST: MR OS 11] | A | 9515 | | MR | 15-JUN-93 |
| | ASTM-A283/A283M | PLATES, CARBON STEEL, LOW AND INTERMEDIATE TENSILE STRENGTH[CUST: CR4 YD 99] [REVIEW: IS OS SH] | A | 9520 | | YD | 15-DEC-93 |
| | ASTM-F786 | PLATES, METALLIC BONE[CUST: MD MS 03] | A | 6515 | | MB | 27-AUG-82 |
| | ASTM-A517/A517M | PLATES, PRESSURE VESSEL, ALLOY STEEL, HIGH-STRENGTH, QUENCHED AND TEMPERED[CUST: MR YD 99 IS] [REVIEW: 11 AR AT CR4 EA SH] | A | 9515 | | IS | 15-JUN-93 |
| | ASTM-A302/A302M | PLATES, PRESSURE VESSEL, ALLOY STEEL, MANGANESE-MOLYBDENUM AND MANGANESE-MOLYBDENUM-NICKEL[CUST: MR SH IS] | A | 9515 | | IS | 15-JUN-93 |
| | ASTM-A204/A204M | PLATES, PRESSURE VESSEL, ALLOY STEEL, MOLYBDENUM[CUST: MR SH IS] | A | 9515 | | IS | 15-JUN-93 |
| | ASTM-A515/A515M | PLATES, PRESSURE VESSEL, CARBON STEEL, FOR INTERMEDIATE- AND HIGHER-TEMPERATURE SERVICE[CUST: MR SH IS] | A | 9515 | | IS | 15-DEC-92 |
| | ASTM-A285/A285M | PLATES, PRESSURE VESSEL, CARBON STEEL, LOW- AND INTERMEDIATE- TENSILE STRENGTH[CUST: MR YD 99] [REVIEW: IS SH] | A | 9515 | | YD | 28-DEC-90 |
| | ASTM-A537/A537M | PLATES, PRESSURE VESSEL, HEAT-TREATED, CARBON-MANGANESE-SILICON STEEL[CUST: MR YD 99] [REVIEW: 84 CE OS SH] | A | 9520 | | YD | 15-DEC-91 |
| | ASTM-A829/A829M | PLATES, STEEL, ALLOY STRUCTURAL[CUST: MR OS 11] | A | 9515 | | MR | 15-DEC-93 |
| | ASTM-A20/A20M | PLATES, STEEL, FOR PRESSURE VESSELS, GENERAL REQUIREMENTS FOR[CUST: MR SH] [REVIEW: AT IS YD] | A | 9515 | | MR | 15-SEP-93 |
| | MIL-DTL-15024F | PLATES, TAGS, AND BANDS FOR IDENTIFICATION OF EQUIPMENT, GENERAL SPECIFICATION FOR[CUST: MI AS 99] [REVIEW: 16 84 AV CR4 GS OS TD] | A | 9905 | | AS | 28-NOV-97 |
| | MIL-P-500H | PLATES, TENT, PEAK AND RIDGE[CUST: GL NU 99 CT] [REVIEW: MC MD YD] | A | 8340 | | CT | 18-OCT-88 |
| | A-A-51896 | PLATFORM, EXERCISE MAT, PHYSICAL THERAPY[CUST: MD MS 03] | A | 6530 | / | MB | 24-APR-87 |
| | A-A-50082 NOT 1 | PLATFORM, OVERHEAD WORK, FORKLIFT[CUST: GL SA 99] [REVIEW: AV] | A | 3990 | / | IS | 25-SEP-01 |
| | MIL-P-29191B | PLATFORM, PONTOON, WORKBOAT (OIL CONTAINMENT BOOM HANDLING)[CUST: YD] | A | 1945 | | YD | 03-JUN-94 |
| | MIL-P-23210E | PLATFORMS, ALUMINUM AND STEEL; AND ACCESSORIES (FOR SHIPS BROWS)[CUST: CR4 YD] | A | 2090 | | YD | 05-FEB-91 |
| | ANSI-A92.5 | PLATFORMS, ELEVATING WORK, BOOM,-SUPPORTED, AMERICAN NATIONAL STANDARD FOR[CUST: CR4 YD 99] [REVIEW: GS] | A | 3990 | | YD | 11-SEP-92 |
| | A-A-59460 | PLATING UNIT, SELECTIVE (BRUSH), PORTABLE[CUST: SH GS6] [REVIEW: MS OS] | A | 3426 | / | GS6 | 12-JUN-00 |
| | MIL-P-18317 | PLATING, BLACK NICKEL (ELECTRODEPOSITED) ON BRASS, BRONZE, OR STEEL[CUST: OS] [REVIEW: EA] | A | MFFP | | OS | 22-DEC-54 |
| | SAE-AMS2400 | PLATING, CADMIUM[CUST: AR AS 11 IS] | A | MFFP | | IS | 03-OCT-94 |
| | SAE-AMS-QQ-P-416 | PLATING, CADMIUM (ELECTRODEPOSITED)[CUST: MR AS 11 IS] [REVIEW: 70 84 99 AR AT AV CR GL MI SH YD] | A | MFFP | | AS | 28-MAR-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS2401 | PLATING, CADMIUM, LOW HYDROGEN CONTENT DEPOSIT[CUST: AR SH 11] | A | MFFP | | 11 | 03-OCT-94 |
| | SAE-AMS2409 | PLATING, IMMERSION TIN FOR ALUMINUM ALLOYS[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | FEB-01 |
| | SAE-AMS2424 | PLATING, NICKEL LOW-STRESSED DEPOSIT[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | 29-APR-99 |
| | SAE-AMS2410 | PLATING, SILVER NICKEL STRIKE, HIGH BAKE[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | APR-91 |
| | SAE-AMS2413 | PLATING, SILVER-RHODIUM[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | 08-MAR-85 |
| | SAE-AMS-P-81728 | PLATING, TIN-LEAD (ELECTRODEPOSITED)[CUST: MR AS 11] | A | MFFP | | AS | JUN-98 |
| | SAE-AMS2417 | PLATING, ZINC-NICKEL ALLOY[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | JUL-93 |
| | A-A-53475 | PLATINUM FOIL (1 PENNYWEIGHT)[CUST: MD MS 03] | A | 6520 | / | MB | 23-MAY-88 |
| | ASTM-B684 | PLATINUM-IRIDIUM ELECTRICAL CONTACT MATERIAL[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 14-JUL-93 |
| | MIL-P-49115A(2) | PLATOON EARLY WARNING SYSTEM AN/TRS-2( )[CUST: CR] | A | 5895 | | CR | 26-FEB-88 |
| | AWPA-C17 | PLAYGROUND EQUIPMENT TREATED WITH INORGANIC PRESERVATIVES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A | 5510 | | IS | 31-DEC-93 |
| | A-A-59438 NOT 1 | PLAYPIPE: NOZZLE, FIRE HOSE[CUST: AV 99 CC] [REVIEW: 84] | A | 4210 | / | CC | 30-MAR-04 |
| | A-A-51121 | PLIER, OPTICIANS, CHIPPING[CUST: MD MS 03] | A | 6540 | / | MB | 22-NOV-85 |
| | A-A-51117 | PLIER, OPTICIANS, ENDPIECE GRIPPING[CUST: MD MS 03] | A | 6540 | / | MB | 12-NOV-85 |
| | A-A-51223 | PLIER, OPTICIANS, FINGER PIECE, 5 INCH[CUST: MD MS 03] | A | 6540 | / | MB | 20-NOV-85 |
| | A-A-51120 | PLIER, OPTICIANS, LENS & ALIGNING, 7-1/4 IN.[CUST: MD MS 03] | A | 6540 | / | MB | 20-NOV-85 |
| | A-A-51118 | PLIER, OPTICIANS, RIVET & SHIELD BURNISHING[CUST: MD MS 03] | A | 6540 | / | MB | 08-NOV-85 |
| | A-A-51221 | PLIER, OPTICIANS, SCREW & RIVET PEENING[CUST: MD MS 03] | A | 6540 | / | MB | 22-NOV-85 |
| | A-A-51222 | PLIER, OPTICIANS, SCREW CUTTING[CUST: MD MS 03] | A | 6540 | / | MB | 20-NOV-85 |
| | A-A-51119 | PLIER, OPTICIANS,TEMP LE ANGLING[CUST: MD MS 03] | A | 6540 | / | MB | 14-NOV-85 |
| | ASME-B107.20M | PLIERS (LINEMAN'S, IRON WORKER'S, GAS, GLASS, AND FENCE)[CUST: AR 99] [REVIEW: 84 CR4 GL GS] | A | 5120 | | AR | 18-DEC-92 |
| | A-A-54934 | PLIERS, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 17-DEC-93 |
| | A-A-54011 | PLIERS, DENTAL (AMALGAM REINFORCEMENT PIN)[CUST: MD MS 03] | A | 6520 | / | MB | 06-NOV-89 |
| | A-A-53234 | PLIERS, DENTAL (STEIGLITZ, 5-3/16 INCHES)[CUST: MD MS 03] | A | 6520 | / | MB | 29-SEP-87 |
| | A-A-53409 | PLIERS, DENTAL, (BENDING)[CUST: MD MS 03 MB] | A | 6520 | / | MB | 21-MAR-88 |
| | ASME-B107.11M | PLIERS, DIAGONAL CUTTING, AND NIPPERS, END CUTTING[CUST: AR 99] [REVIEW: GS] | A | 5110 | | AR | 01-JUL-93 |
| | ASME-B107.11 | PLIERS, DIAGONAL CUTTING, AND NIPPERS, END CUTTING[CUST: AR 99] [REVIEW: GS] | A | 5110 | | AR | 01-JUL-93 |
| | ASME-B107.23M | PLIERS, MULTIPLE POSITION, ADJUSTABLE (METRIC)[CUST: AR SH] [REVIEW: GL GS] | A | 5120 | | AR | 29-APR-92 |
| | A-A-51224 | PLIERS, OPTICIANS', SNIPE NOSED[CUST: MD MS 03] | A | 6540 | / | MB | 21-NOV-85 |
| | A-A-51617 | PLIERS, OPTICIANS, LENS AXIS ALIGNING, 6 INCH[CUST: MD MS 03] | A | 6540 | / | MB | 31-OCT-86 |
| | ASME-B107.19 | PLIERS, RETAINING RING[CUST: AR AS 99] [REVIEW: GS] | A | 5120 | | AR | 16-AUG-93 |
| | A-A-2971A | PLIERS, SLIP JOINT (LINE CLAMP) | A | 5120 | # | FSS | 05-FEB-02 |
| | NAS815 | PLUG - PROTECTIVE FLARED HOSE OR TUBE ASSEMBLY[CUST: AR AS 99 IS] | A | 5340 | | IS | 30-JUN-92 |
| | NAS820 | PLUG - PROTECTIVE, ELECTRICAL CONNECTOR[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-JUN-69 |
| | A-A-59448 NOT 1 | PLUG AND CAP, TUBE, SOLDER-JOINT, REFRIGERATION[CUST: GL4 YD 99 CC] [REVIEW: CE MC MD1 SH] | A | 4730 | / | CC | 30-MAR-04 |
| | AN3116 REV 3 | PLUG ASSEMBLY , INSTRUMENT ELECTRICAL[CUST: AV 11 CC] | A | 5935 | | CC | 09-JUL-04 |
| | MS27826A NOT 2 | PLUG ASSEMBLY, (SEALING CLAMP) LIFE RAFT REPAIR[CUST: SH] | A | 4220 | | SH | 04-NOV-92 |
| | NAS451 | PLUG BUTTON[CUST: AR AS 99 IS] | A | 5340 | | IS | 06-DEC-91 |
| | MS18229B | PLUG FOR O RING GASKET[CUST: SH] [REVIEW: CR4] | A | 4730 | | SH | 30-OCT-86 |
| | MIL-P-48241(1) NOT 1 | PLUG, CLOSING 105MM[CUST: AR] | A | 1315 | | AR | 27-MAY-87 |
| | A-A-54891 | PLUG, EAR, HEARING PROTECTION, TRIPLE FLANGE[CUST: MD MS 03] | A | 6515 | / | MB | 16-JUL-93 |
| | A-A-54878 | PLUG, EAR, HEARING PROTECTION, UNIVERSAL SIZE, VINYL FOAM[CUST: MD MS 03] | A | 6515 | / | MB | 23-JUL-93 |
| | A-A-54890 | PLUG, EAR, HEARING PROTECTION, UNIVERSAL SIZE, WITH HEADBAND[CUST: MD MS 03] | A | 6515 | / | MB | 16-JUL-93 |
| | QPL-18148-9 | PLUG, ELECTRIC, AIRCRAFT STORAGE BATTERY | A | 5935 | | AS | 01-MAR-97 |
| | MIL-P-18148C(2) NOT 1 | PLUG, ELECTRIC, AIRCRAFT STORAGE BATTERY[CUST: AV AS 11] [REVIEW: 99 CC MI] | A | 5935 | | AS | 08-SEP-87 |
| A | MS27488M(1) NOT 1 | PLUG, END SEAL, ELECTRICAL CONNECTOR[CUST: CR AS 11] [REVIEW: 19 99 AR EC MI] | A | 5935 | | AS | 02-NOV-05 |
| | A-A-52420 | PLUG, EXPANSION[CUST: AT AS 99] [REVIEW: 71 AR AV CR4 IS MC] | A | 5340 | / | AT | 13-JAN-93 |
| | SAE-AS3121 | PLUG, EXPANSION - ALUMINUM, 2024-T4, LONG; STD AND .010 OVERSIZE DIAMETERS[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-FEB-81 |
| | SAE-AS3123 | PLUG, EXPANSION - ALUMINUM, 2024-T4, SHORT; STD AND .010 OVERSIZE DIAMETERS[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-FEB-81 |
| | SAE-AS9380 | PLUG, EXPANSION - AMS 4003[CUST: AS IS] | A | 5340 | | IS | JUN-98 |
| | SAE-AS9379 | PLUG, EXPANSION - AMS 5510[CUST: AS IS] | A | 5340 | | IS | JUN-98 |
| | SAE-AS3129 | PLUG, EXPANSION - CRES, 303, LONG; STD AND .010 OVERSIZE DIAMETERS[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-FEB-81 |
| | SAE-AS3131 | PLUG, EXPANSION - CRES, 303, SHORT; STD AND .010 OVERSIZE DIAMETERS[CUST: AR AS 99 IS] | A | 5340 | | IS | 31-AUG-95 |
| | SAE-AS3125 | PLUG, EXPANSION - CRES, 416, LONG; STD AND .010 OVERSIZE DIAMETERS[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-FEB-81 |
| | SAE-AS3127 | PLUG, EXPANSION - CRES, 416, SHORT; STD AND .010 OVERSIZE DIAMETERS[CUST: AR AS 99 IS] | A | 5340 | | IS | 16-FEB-81 |
| | MS9176 NOT 1 | PLUG, EXPANSION - TAPERED, AMS 5040[CUST: AS] | A | 5340 | | AS | 03-OCT-91 |
| | SAE-AS21913 | PLUG, FLARELESS TUBE[CUST: AV AS 99] | A | 4730 | | AS | MAR-98 |
| | SAE-MA2035 | PLUG, FLARELESS TUBE, METRIC[CUST: AV] | A | 4730 | | AV | 15-JUN-87 |
| | NAS845 | PLUG, MACHINE SCREW, PROTECTIVE, PLASTIC[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | SAE-AS9902 | PLUG, MACHINE THREAD DRILLED, PREFORMED PACKING MIL-S-8879 THREAD[CUST: AS 11 GS7] | A | 5365 | | GS7 | OCT-99 |
| | NAS840 | PLUG, PIPE THREAD, PROTECTIVE, DUST AND MOISTURE SEAL[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | MS27769A | PLUG, PIPE, COUNTERSINK HEX HEAD[CUST: AS 99] [REVIEW: 71 AV CR4] | A | 4730 | | CC | 22-MAR-79 |
| | SAE-AS4863 | PLUG, PIPE, EXTERNAL THREAD[CUST: AV AS 99 CC] [REVIEW: 71 GL MI] | A | 4730 | | CC | JUL-95 |
| | SAE-AS4862 | PLUG, PIPE, EXTERNAL THREAD, HEX HEAD[CUST: 99 CC] [REVIEW: 71] | A | 4730 | | CC | JUL-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-15742C | PLUG, PLASTIC (HEAT-EXCHANGER TUBE)[CUST: CR4 SH] [REVIEW: AR CC MC] | A | 4730 | | SH | 02-SEP-88 |
| | SAE-MA2039 | PLUG, PORT - MJ THREAD, O-RING SEAL, AMS-5640, METRIC[CUST: AV CC] | A | 4730 | | CC | 12-OCT-90 |
| | MIL-P-63268A(2) | PLUG, SHOCK, ATTENUATING[CUST: AR] | A | 1320 | | AR | 22-APR-88 |
| | MIL-P-642/12B NOT 2 | PLUG, TELEPHONE & ACCESSORY SCREWS[CUST: CR EC 11 CC] [REVIEW: 99 AR CG CR4 MC MI OS SH] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-P-642/6A NOT 1 | PLUG, TELEPHONE (TYPE PJ-291) AND ACCESSORY SCREWS[CUST: CR EC 11 CC] [REVIEW: CG CR4 MC MI OS] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-P-642/7A NOT 1 | PLUG, TELEPHONE (TYPE PJ-292) AND ACCESSORY SCREWS[CUST: CR EC 11 CC] [REVIEW: AS CR4 MC MI OS SH] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-P-642/8A NOT 1 | PLUG, TELEPHONE (TYPE PJ-309) AND ACCESSORY SCREWS[CUST: CR EC 11 CC] [REVIEW: AR CG CR4 MC MI OS] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-P-642/9A NOT 1 | PLUG, TELEPHONE (TYPE PJ-327) AND ACCESSORY SCREWS[CUST: CR EC 11 CC] [REVIEW: AR AS CR4 MC MI OS SH] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-P-642/2B NOT 1 | PLUG, TELEPHONE (TYPES PJ-051B AND PJ-051R) AND ACCESSORY SCREWS[CUST: CR EC 11 CC] [REVIEW: AR CG CR4 MC MI OS] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-P-642/3A NOT 2 | PLUG, TELEPHONE (TYPES PJ-054B AND PJ-054R) AND ACCESSORY SCREWS[CUST: CR EC 11 CC] [REVIEW: AR AS CR4 MC MI OS SH] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-P-642/4A(1) NOT 2 | PLUG, TELEPHONE AND ACCESSORIES SCREWS TYPES PJ-055B AND PJ-055R AND PJ-055M[CUST: CR EC 11 CC] [REVIEW: AR CG CR4 MC MI OS] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-P-642/1A NOT 2 | PLUG, TELEPHONE AND ACCESSORY SCREWS TYPES PJ-047B AND PJ-047R[CUST: CR EC 11 CC] [REVIEW: AR AS CR4 MC MI OS SH] | A | 5935 | | CC | 29-OCT-01 |
| | A-A-59728 | PLUG, TUBE FITTING, BLOWN OPTICAL FIBER[CUST: CR SH 11] [REVIEW: 19 93 99 DI] | A | 6099 | / | SH | 26-JUN-02 |
| | MS25185C | PLUG, VENTING, GRAVITY CONTROLLED, ELECTROLYTE ACESS HOLE, CELL, AIRCRAFT LEAD ACID STORAGE BATTERY[CUST: CR AS 99] [REVIEW: GS] | A | 6140 | | AS | 01-NOV-78 |
| | NAS837 | PLUG-PROTECTIVE, ELECTRICAL CONNECTOR[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | NAS833 | PLUG-PROTECTIVE, FLARED HOSE OR TUBE ASSEMBLY[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | NAS836 | PLUG-PROTECTIVE, FLARED TUBE, HOSE ASSEMBLY OR MS33649 BOSS[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | NAS818 | PLUG-PROTECTIVE, FLARED TUBE, HOSE ASSEMBLY OR MS33649 BOSS[CUST: AR AS 99 IS] | A | 5340 | | IS | 17-MAR-78 |
| | NAS843 | PLUG-TUBING, PROTECTIVE, DUST AND MOISTURE SEAL[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | A-A-53798 | PLUGGER SET, FINGER ENDODONTIC[CUST: MD MS 03] | A | 6520 | / | MB | 31-AUG-89 |
| | A-A-54686 | PLUGGER, AMALGAM, DENTAL (MARKLEY)[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-92 |
| | A-A-53505 | PLUGGER, AMALGAM, DENTAL (MODIFIED MORTONSON, NO. 2; DOUBLE-ENDED)[CUST: MD MS 03] | A | 6520 | / | MB | 25-JUL-88 |
| | A-A-53118 | PLUGGER, AMALGAM, DENTAL, BACK ACTION, UNIVERSITY OF MINNESOTA, NO. 4[CUST: MD MS 03] | A | 6520 | / | MB | 17-AUG-87 |
| | A-A-54670 | PLUGGER, COMPOSITE RESIN, (DR. FELT, DOUBLE-ENDED)[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUN-92 |
| | A-A-53508 | PLUGGER, PLASTIC FILLING, DENTAL (GLICK NO. 1)[CUST: MD MS 03] | A | 6520 | / | MB | 27-JUN-88 |
| | A-A-53507 | PLUGGER, PLASTIC FILLING, DENTAL CONTOURING INSTRUMENT, MATRIX, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 28-JAN-91 |
| | A-A-53802 | PLUGGERS, PULP CANAL, ENDODONTIC[CUST: MD MS 03] | A | 6520 | / | MB | 27-MAR-89 |
| N | SAE-AS21378 | PLUGS AND CABLE ASSEMBLIES, EXTERNAL POWER, AIRCRAFT, 230/400 VOLT, 400 HERTZ[CUST: AS 11 CC] [REVIEW: 99] | A | 5935 | | AS | 20-FEB-06 |
| | UL498 | PLUGS AND RECEPTACLES, ATTACHMENT[CUST: YD 11] [REVIEW: EC] | A | 5935 | | YD | 09-MAR-92 |
| | ANSI-C73A | PLUGS AND RECEPTACLES, DIMENSIONS OF ATTACHMENT, FOR MARINE SHIP-TO-SHORE USE FOR SMALL CRAFT (SUPPLEMENT FOR ATTACHED ANSI C73-73)[CUST: EA MS 99 MB] | A | 6525 | | MB | 31-AUG-89 |
| | MIL-P-6131C NOT 1 | PLUGS, DEHYDRATOR, INDICATING HUMIDITY[CUST: AV AS 99] [REVIEW: 71 AR GS OS] | A | 6685 | | AS | 24-OCT-91 |
| | MIL-P-20442B(3) | PLUGS, LIFTING (EYEBOLT TYPE) FOR PROJECTILES[CUST: AR] | A | 1320 | | AR | 30-DEC-88 |
| | MS14314C NOT 2 | PLUGS, PIPE, BRASS OR BRONZE, THREADED (SQUARE HEAD AND SQUARE SOCKET), CLASSES 250 AND 125[CUST: AT MC 99] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 14-JAN-00 |
| | A-A-59432 | PLUGS, PIPE, MAGNETIC, HEADLESS: IRON, STEEL OR ALUMINUM ALLOY[CUST: AR YD 99 CC] [REVIEW: AV MC] | A | 4730 | / | CC | 21-MAY-99 |
| | NAS842 | PLUGS, PROTECTIVE, FLARELESS TUBE END (METAL)[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | A-A-59730 | PLUGS, TAPERED TUBE, BLOWN OPTICAL FIBER[CUST: CR SH 11] [REVIEW: 19 93 99 DI] | A | 6099 | / | SH | 26-JUN-02 |
| | MIL-DTL-642/5B | PLUGS, TELEPHONE (TYPE PJ-068)[CUST: CR EC 11 CC] [REVIEW: AR AS CR4 MC MI OS SH] | A | 5935 | | CC | 09-JUN-03 |
| | MIL-DTL-642/11B | PLUGS, TELEPHONE (TYPE PJ-636)[CUST: CR EC 11 CC] [REVIEW: AR AS CR4 MC MI OS SH] | A | 5935 | | CC | 09-JUN-03 |
| | MIL-P-642/13B(1) | PLUGS, TELEPHONE (TYPE PJ-777, PJ-778) 3 CONDUCTOR, SINGLE, DOUBLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CR4 MC MI SH YD] | A | 5935 | | CC | 10-JUL-97 |
| | MIL-DTL-642/14A | PLUGS, TELEPHONE (TYPE U-384/U) 5 CONDUCTOR, SINGLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CR4 MC MI] | A | 5935 | | CC | 09-JUN-03 |
| | MIL-P-642/10A NOT 2 | PLUGS, TELEPHONE (TYPES PJ-540B & PJ-540R) AND ACCESSORY SCREWS[CUST: CR EC 11 CC] [REVIEW: CG CR4 MC MI OS] | A | 5935 | | CC | 29-OCT-01 |
| | QPL-642-51 | PLUGS, TELEPHONE AND ACCESSORY SCREWS, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 25-JAN-05 |
| | MIL-P-642D(3) SUP 1 NOT 1 | PLUGS, TELEPHONE, AND ACCESSORY SCREWS, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS SH] | A | 5935 | | CC | 24-JAN-00 |
| | NAS838 | PLUGS-PROTECTIVE, FLARELESS TUBE END (PLASTIC)[CUST: AR AS 99 IS] | A | 5340 | | IS | FEB-98 |
| | MIL-HDBK-1003/1 | PLUMBING[CUST: YD] | A | FACR | | YD | 15-FEB-00 |
| | NAPHCC-NSPC | PLUMBING CODE - ILLUSTRATED[CUST: YD 99] [REVIEW: CE MC] | A | FACR | | YD | SEP-90 |
| | WW-P-541/8B(1) NOT 1 | PLUMBING FIXTURES (ACCESSORIES, LAND USE)[CUST: CR4 YD 99] [REVIEW: CE MC MS] | A | 4510 | / | IS | 29-MAY-01 |
| | WW-P-541/3B(1) NOT 1 | PLUMBING FIXTURES (BATHTUBS)[CUST: CR4 YD 99] [REVIEW: CC CE MC MS] | A | 4510 | / | IS | 21-AUG-01 |
| | WW-P-541E(1) | PLUMBING FIXTURES (GENERAL SPECIFICATION)[CUST: CR4 YD 99] [REVIEW: CC CE MC MS] | A | 4510 | / | IS | 16-APR-90 |
| | WW-P-541/4B(1) NOT 1 | PLUMBING FIXTURES (LAVATORIES)[CUST: CR4 YD 99] [REVIEW: CC CE MC MS] | A | 4510 | / | IS | 29-MAY-01 |
| | WW-P-541/5B(1) NOT 1 | PLUMBING FIXTURES (SINKS, KITCHEN, SERVICE, AND LAUNDRY TRAYS)[CUST: CR4 YD 99] [REVIEW: CE MC MS] | A | 4510 | / | IS | 29-MAY-01 |
| | ASME-A112.19.2M | PLUMBING FIXTURES, VITREOUS CHIA , ANTI- BACKFLOW TYPES[CUST: YD 99] [REVIEW: 84 CC CE MC] | A | 4510 | | IS | 01-MAR-91 |
| A | A-A-59780 | PLURAL COMPONENT SPRAY EQUIPMENT FOR PAINT APPLICATION[CUST: AR SH 99] [REVIEW: 03 11 AS CC CG NP YD] | A | 4940 | / | SH | 27-SEP-05 |
| | AWPA-C27 | PLYWOOD - FIRE-RETARDANT TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A | 5530 | | IS | 1993 |
| | AWPA-C9 | PLYWOOD - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99] [REVIEW: 84 CE] | A | 5530 | | IS | 31-DEC-93 |
| | MIL-DTL-6070C NOT 1 | PLYWOOD AND VENEER, AIRCRAFT FLAT PANEL[CUST: AS 99 IS] | A | 5530 | | IS | 11-DEC-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | CTI-STD134 | PLYWOOD FOR USE IN COOLING TOWERS[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| | APA-PS1 | PLYWOOD, CONSTRUCTION & INDUSTRIAL[CUST: CR4 99] [REVIEW: 84 CC] | A | 5530 | | CR4 | 20-MAR-87 |
| | MIL-P-18066C NOT 1 | PLYWOOD, SHIP AND BOAT CONSTRUCTION[CUST: CR4 SH 99] [REVIEW: 11 CC DS MC MR YD] | A | 5530 | | SH | 27-DEC-90 |
| | NFPA-T3.12.17 | PNEUMATIC FLUID POWER-FILTERS, REGULATORS AND LUBRICATORS-APPLICATION GUIDELINES[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA] | A | 4330 | | CC | 30-JUL-03 |
| | NFPA-T3.20.14 | PNEUMATIC QUICK-ACTION COUPLING - PLUG DIMENSIONS[CUST: AT AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 31-JUL-02 |
| | SAE-HIR1559 | PNEUMATIC SYSTEMS, BLEED-AIR, FOR GAS TURBINE EQUIPPED MARINE AND AMPHIBIOUS CRAFT[CUST: CR4 SH] [REVIEW: MC] | A | SESS | | SH | JUL-85 |
| | SAE-J2014 | PNEUMATIC TIRES FOR MILITARY TACTICAL WHEELED VEHICLES[CUST: AT MC 99] [REVIEW: 84 CC] | A | 2610 | | AT | 31-JAN-97 |
| | A-A-128D | POCKET PLANNING SET | A | 7510 | # | FSS | 25-FEB-99 |
| | A-A-55084 | POCKET, AMMUNITION MAGAZINE[CUST: GL CT] [REVIEW: MC MD] | A | 8465 | / | CT | 21-OCT-92 |
| | A-A-55287 | POCKET, AMMUNITION MAGAZINE, 2 CLIPS, .45 CAL. AUTOMATIC PISTOL, LEATHER[CUST: GL 99 CT] | A | 8465 | / | CT | 27-SEP-95 |
| | MIL-P-44153A NOT 2 | POCKET, AMMUNITION MAGAZINE, 9 MM[CUST: GL 99 CT] | A | 8465 | | CT | 08-APR-02 |
| | A-A-55227 | POCKET, AMMUNITION MAGAZINE, ENLISTED MEN'S, M-1923[CUST: GL NU CT] [REVIEW: MC YD] | A | 8465 | / | CT | 19-AUG-93 |
| | A-A-55269 | POCKET, AMMUNITION MAGAZINE, MILITARY POLICE[CUST: GL MC CT] | A | 8465 | / | CT | 03-MAR-95 |
| | MIL-P-17863C(1) NOT 3 | POCKET, AMMUNITION MAGAZINE: MILITARY POLICE[CUST: MC CT] | A | 8465 | | CT | 29-MAR-01 |
| | MS70094A NOT 2 | POCKET, PARACHUTE PACK, LOG RECORD AND MANUAL[CUST: GL AS 11 IS] [REVIEW: 71 99 AV GS] | A | 1670 | | GL | 26-FEB-93 |
| | MIL-P-85484 NOT 1 | POD-TRAY SUBASSEMBLY, SIMULATING SET[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 17-OCT-91 |
| | AIR-STD-80/14 | POINT DESIGNATION TEMPLATE FOR IMAGERY | C | ISDF | | 06 | 27-MAR-92 |
| | A-A-53939 | POINT, ENDODONTIC, AUXILIARY, GUTTA-PERCHA[CUST: MD MS 03] | A | 6520 | / | MB | 21-MAR-90 |
| A | A-A-53978 | POINT, ENDODONTIC, CORE, GUTTA-PERCHA[CUST: MD MS 03] [REVIEW: 19 99 AT AV CC CR4 MI] | A | 6520 | / | MB | 15-SEP-89 |
| | STANAG-3205 ED.3(5) | POINTS DESIGNATION TEMPLATE FOR AIR PHOTOGRAPHY | C | ISDF | | 06 | 28-SEP-76 |
| | A-A-54384 | POINTS, ENDODONTIC, PAPER, STERILE[CUST: MD MS 03] | A | 6520 | / | MB | 15-APR-94 |
| | MIL-P-608K | POLE SECTION, TENT: UPRIGHT AND ADAPTER, TENT POLE[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8340 | | CT | 20-NOV-91 |
| | MIL-P-28983A(1) NOT 1 | POLE, BEACH, PANEL MARKER: METAL[CUST: MC CT] | A | 8345 | | CT | 30-MAR-88 |
| | MIL-P-17662C | POLE, FOLDING COT INSECT BAR[CUST: GL MC 99 CT] [REVIEW: 03 11 MD MS] | A | 7210 | | CT | 14-MAR-90 |
| | A-A-52044 NOT 1 | POLE, RANGE, METAL, WITH CASE[CUST: CE IS] [REVIEW: MC] | A | 6675 | / | IS | 27-SEP-01 |
| | MIL-P-44376 | POLE, SKI, ALUMINUM SHAFT, ADJUSTABLE, SNOW AND ICE TRAVERSING EQUIPMENT (SITE)[CUST: GL MC 99 CT] [REVIEW: MD] | A | 8465 | | CT | 01-AUG-89 |
| | MIL-P-41806D NOT 2 | POLE, SKI, STEEL SHAFT, NONADJUSTABLE[CUST: GL CT] [REVIEW: MC] | A | 8465 | | CT | 24-MAR-94 |
| | MIL-P-43413D | POLE, TENT, LIGHT METAL, SPECIAL[CUST: GL NU 99 CT] [REVIEW: MD YD] | A | 8340 | | CT | 07-MAY-84 |
| | MIL-DTL-1716J | POLE, TENT, TELESCOPIC, ADJUSTABLE 5 FEET TO 9 FEET, MAGNESIUM[CUST: GL NU 99 CT] [REVIEW: 11 CR4 MC MD] | A | 8340 | | CT | 10-JUL-97 |
| | MIL-P-40148F | POLE, TENT, TELESCOPIC, ADJUSTABLE, ALUMINUM[CUST: GL NU 99 CT] [REVIEW: 11 MD YD] | A | 8340 | | CT | 09-JAN-87 |
| | AWPA-C4 | POLES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 31-DEC-93 |
| | AWPA-M13 | POLES IN SERVICE, A GUIDELINE FOR THE PHYSICAL INSPECTION OF[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 31-DEC-93 |
| | MIL-DTL-549L | POLES, TENT, UPRIGHT AND RIDGE[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8340 | | CT | 14-NOV-01 |
| | STANAG-3854 ED.2(8) | POLICIES AND PROCEDURES GOVERNING THE AIR TRANSPORTATION OF DANGEROUS CARGO | C | ISDF | | 06 | 15-FEB-88 |
| | MIL-HDBK-1006/4 | POLICY AND PROCEDURES FOR DEFINITIVE AND STANDARD DESIGN AND STANDARD SPECIFICATION PREPARATION[CUST: YD] | A | FACR | | YD | 31-JUL-87 |
| | MIL-HDBK-1006/1A | POLICY AND PROCEDURES FOR PROJECT DRAWING AND SPECIFICATION PREPARATION[CUST: YD] | A | FACR | | YD | 15-JUN-95 |
| | STANAG-4439 ED.1(1) | POLICY FOR INTRODUCTION, ASSESSMENT AND TESTING FOR INSENSITIVE MUNITIONS (MURAT) | C | ISDA | | AI | 20-FEB-01 |
| | STANAG-2491 ED.1 | POLICY FOR THE IMMUNISATION OF NATO PERSONNEL AGAINST BIOLOGICAL WARFARE AGENTS | C | ISDA | | AI | 22-MAY-03 |
| | AQAP-100 ED.3 | POLICY ON AN INTEGRATED SYSTEMS APPROACH TO QUALITY THROUGH THE LIFE CYCLE | A | QCIC | | 05 | 01-FEB-02 |
| | A-A-59318 | POLISH, METAL, ALUMINUM[CUST: GL AS 11] [REVIEW: 84 AV MD] | A | 7930 | / | AS | 08-SEP-98 |
| A | P-P-560B(3) NOT 2 | POLISH, PLASTIC[CUST: GL AS] [REVIEW: EA MD] | A | 7930 | / | AS | 28-OCT-05 |
| A | QPL-P-P-560-12 NOT 2 | POLISH, PLASTIC | A | 7930 | / | AS | 28-OCT-05 |
| | A-A-50478B | POLISHER, FLOOR, ELECTRIC, CONCENTRATED WEIGHT SINGLE BRUSH (COMMERCIAL TYPE)[CUST: YD 99] [REVIEW: 84 GL MC] | A | 7910 | / | IS | 21-JAN-94 |
| | A-A-50476B | POLISHER, FLOOR, ELECTRIC, CONCENTRATED WEIGHT TWO-BRUSH (COMMERCIAL TYPE)[CUST: YD 99] [REVIEW: 84 MC MD] | A | 7910 | / | IS | 21-JAN-94 |
| | A-A-50475B | POLISHER, FLOOR, ELECTRIC, DIVIDED WEIGHT (COMMERCIAL TYPE)[CUST: YD 99] [REVIEW: 84 MC] | A | 7910 | / | IS | 03-JAN-94 |
| | A-A-53862 | POLISHERS, DENTAL; MANDRELS, DENTAL HANDPIECE[CUST: MD MS 03] | A | 6520 | / | MB | 20-MAR-89 |
| | A-A-51216 | POLISHING COMPOUND, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 20-NOV-85 |
| | DI-SAFT-80494A | POLLUTION INCIDENT REPORT [AMSC: F6012] | A | SAFT | | 33 | 20-DEC-90 |
| | ASTM-D4434 | POLY(VINYL CHLORIDE) SHEET ROOFING[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 5650 | | IS | JUL-93 |
| | ASTM-D4216 | POLY(VINYL CHLORIDE), RIGID, (PVC) AND RELATED PVC AND CHLORINATED POLY(VINYL CHLORIDE) (CPVC) BUILDING PRODUCTS COMPOUNDS[CUST: MR YD 99] [REVIEW: 84 GS] | A | 9330 | | YD | 10-MAR-00 |
| | SAE-AMS3025 | POLYALKYLENE GLYCOL HEAT TREAT QUENCHANT[CUST: MR AS 11] [REVIEW: GS] | A | 6810 | | AS | 01-APR-92 |
| | MIL-HDBK-797 | POLYAMIDE (NYLON) PLASTICS: PROPERTIES, PROCESSING, PERFORMANCE, AND MILITARY APPLICATIONS[CUST: AR] | A | 9330 | | AR | 02-DEC-94 |
| | MIL-PRF-23942A | POLYBUTADIENE, LINEAR, CARBOXYL TERMINATED[CUST: AS] | A | 1336 | | AS | 30-SEP-97 |
| | MIL-P-24468A | POLYBUTADINE-POLYETHYLENE COPOLYMER SHEETS, VIRGIN AND BORATED (CONTROLLED DISTRIBUTION)[CUST: SH] [REVIEW: MR] | F | 9330 | | SH | 18-APR-86 |
| | DI-MISC-80413B | POLYCHLORINATED BIPHENYL (PCB) INVENTORY REPORT [AMSC: F5080] | A | MISC | | 33 | 30-NOV-90 |
| | DI-SAFT-80495 | POLYCHLORINATED BIPHENYL RISK ASSESSMENT [AMSC: F4275] | A | SAFT | | 33 | 08-DEC-87 |
| | ASTM-D3595 | POLYCHLOROTRIFLUOROETHYLENE (PCTFE) EXTRUDED PLASTIC SHEET AND FILM[CUST: MR] [REVIEW: AR CR CR4 GL MI] | A | 9330 | | MR | 27-FEB-92 |
| | ASTM-D1430 | POLYCHLOROTRIFLUOROETHYLENE (PCTFE) PLASTICS[CUST: MR SH 11 GS] [REVIEW: AR AS CR CR4 EA GL MD MS OS YD] | A | 9330 | | IS | 10-DEC-95 |
| | SAE-AMS3648 | POLYCHLOROTRIFLUOROETHYLENE (PCTFE), TUBING, UNPLASTICIZED[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-JAN-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | CI1304 | POLYESTER (PET) FIBER ROPE 3-STRAND AND 8-STRAND CONSTRUCTIONS[CUST: GL SH 99 IS] | A | 4020 | | IS | SEPT 96 |
| | CI1307 | POLYESTER (PET) FIBER ROPE DOUBLE BRAID CONSTRUCTION[CUST: GL SH 99 IS] | A | 4020 | | IS | SEPT 96 |
| | CI1311 | POLYESTER (PET) FIBER ROPE HIGH PERFORMANCE DOUBLE BRAID CONSTRUCTION[CUST: GL SH 99 IS] | A | 4020 | | IS | 31-JUL-97 |
| | ABCA-STD-61 | POLYESTER ROPE (3 STRAND HAWSERLAID) (PREPARED UNDER PROJECT Z-16.2.1) | C | ISDN | | SH | 09-OCT-74 |
| | ASTM-D2239 | POLYETHYLENE (PE) PLASTIC PIPE (SIDR-PR) BASED ON CONTROLLED INSIDE DIAMETER[CUST: CR4 YD 99] [REVIEW: MD] | A | 4710 | | CC | 15-MAR-93 |
| | ASTM-D2737 | POLYETHYLENE (PE) PLASTIC TUBING[CUST: CR4 YD 99] [REVIEW: MD] | A | 4710 | | CC | 15-MAR-93 |
| | MIL-DTL-24466B | POLYETHYLENE BAGS, SHEET, AND TUBING, GREEN[CUST: SH] | F | 9330 | | SH | 08-SEP-98 |
| | ASTM-D2103 | POLYETHYLENE FILM AND SHEETING[CUST: CR4 YD 11] [REVIEW: AS GL GS MI MR OS SH SM] | A | 9330 | | YD | 15-FEB-92 |
| | MIL-P-23536A NOT 1 | POLYETHYLENE PLASTIC SHEETS, VIRGIN AND BORATED (CONTROLLED DISTRIBUTION)[CUST: SH] [REVIEW: CR4 GS MI] | F | 9330 | | SH | 08-MAY-90 |
| | ASTM-D1248 | POLYETHYLENE PLASTICS EXTRUSION MATERIALS FOR WIRE AND CABLE[CUST: MR YD 99] [REVIEW: 84 GS SH] | A | 9330 | | YD | 14-JUL-88 |
| | ASTM-D4976 | POLYETHYLENE PLASTICS MOLDING AND EXTRUSION MATERIALS[CUST: CR OS 11 IS] [REVIEW: 99 AS AT AV EA MC MR] | A | 9330 | | IS | JUN-00 |
| | ASTM-D4397 | POLYETHYLENE SHEETING FOR CONSTRUCTION, INDUSTRIAL, AND AGRICULTURAL APPLICATIONS[CUST: YD 99] [REVIEW: 84 GS MR SH] | A | 9330 | | YD | 14-JUL-88 |
| | ASTM-D4801 | POLYETHYLENE SHEETING IN THICKNESS OF 0.25MM (0.010 IN.) AND GREATER[CUST: CR4 AS 11 IS] [REVIEW: EA EC MI MR OS] | A | 9330 | | IS | 10-NOV-95 |
| | SAE-AMS3647 | POLYFLUOROETHYLENEPROPYLENE FILM AND SHEET[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-APR-93 |
| | MIL-P-29609(1) | POLYIMIDE RETAINER MATERIAL, POROUS NON-METALLIC[CUST: MR AS 99] [REVIEW: 84 GS IS] | A | 9330 | | AS | 24-APR-00 |
| | MIL-P-13298A(1) NOT 1 | POLYISOBUTYLENE (FOR AMMUNITION USE)[CUST: AR] [REVIEW: GS MI MR] | A | 6810 | | AR | 28-JUL-91 |
| | MIL-P-13822(1) NOT 2 | POLYISOBUTYLENE/OIL GEL[CUST: AR] [REVIEW: GS] | A | 1376 | | AR | 26-NOV-99 |
| | ASTM-D2344/D2344M | POLYMER MATRIX COMPOSITE MATERIALS AND THEIR LAMINATES, SHORT-BEAM STRENGTH OF[CUST: MR SH 11 GS] [REVIEW: 99 AS AT AV CR GL MI] | A | 9330 | | IS | 10-MAR-00 |
| | ASTM-D3410/D3410M | POLYMER MATRIX COMPOSITE MATERIALS WITH UNSUPPORTED GAGE SECTION BY SHEAR LOADING, COMPRESSIVE PROPERTIES OF[CUST: MR AS 11] | A | CMPS | | MR | 17-FEB-88 |
| | ASTM-D5300 | POLYMER MATRIX THERMOSET PREPREG BY COMBINED MECHANICAL AND ULTRASONIC METHODS, MEASUREMENT OF RESIN CONTENT AND OTHER RELATED PROPERTIES OF[CUST: MR AS 11] [REVIEW: AR AT GL GS MI SH] | A | CMPS | | MR | 15-MAR-93 |
| | MIL-P-82658(1) | POLYMER, LIQUID, POLYBUTADIENE, CARBOXY TERMINATED[CUST: OS] [REVIEW: AS GS] | A | 6810 | | OS | 01-MAR-78 |
| | UL746D | POLYMERIC MATERIALS - FABRICATED PARTS[CUST: MR AS 11 GS] | A | 9330 | | IS | 28-MAY-98 |
| | UL746E | POLYMERIC MATERIALS - INDUSTRIAL LAMINATES, FILAMENT WOUND TUBING, VULCANIZED FIBER, & MATERIALS USED IN PRINTED WIRING BOARDS[CUST: MR AS 11 GS] | A | 9330 | | IS | 11-FEB-94 |
| | UL746B | POLYMERIC MATERIALS - LONG TERM PROPERY EVALUATIONS[CUST: MR AS 11 GS] | A | 9330 | | IS | 28-AUG-96 |
| | UL746A | POLYMERIC MATERIALS - SHORT TERM PROPERTY EVALUATIONS[CUST: MR AS 11 GS] | A | 9330 | | IS | 28-NOV-95 |
| | UL746C | POLYMERIC MATERIALS - USE IN ELECTRICAL EQUIPMENT EVALUATIONS[CUST: MR AS 11 GS] | A | 9330 | | IS | 27-DEC-95 |
| | ASTM-D3168 | POLYMERS IN EMULSION PAINTS, QUALITATIVE IDENTIFICATION OF[CUST: CR4 YD 99] | A | 8010 | | 99 | 03-OCT-94 |
| | ASTM-D3418 | POLYMERS, BY DIFFERENTIAL SCANNING CALORIMETRY, TRANSITION TEMPERATURES[CUST: MR SH 11] [REVIEW: 99 CR4 GL MC MD] | A | 9330 | | IS | 10-APR-99 |
| | DOD-P-82729 | POLYOXYETHYLENE GLYCOL (CONTROLLED DISTRIBUTION)[CUST: OS] [REVIEW: GS] | D | 6810 | | OS | 24-OCT-85 |
| | MIL-P-24216B | POLYPROPYLENE CORES, STRAND CENTERS, AND SUBSTRANDS FOR WIRE ROPE[CUST: SH] [REVIEW: IS] | A | 4020 | | SH | 27-APR-90 |
| | CI1301 | POLYPROPYLENE FIBER ROPE 3-STRAND AND 8-STRAND CONSTRUCTIONS[CUST: GL SH 99 IS] | A | 4020 | | IS | SEPT 96 |
| | ASTM-D4101 | POLYPROPYLENE INJECTION AND EXTRUSION MATERIALS[CUST: MR 11] [REVIEW: 84 99 AR AS AV CR CR4 EC GL MD MI SM] | A | 9330 | | IS | 15-FEB-94 |
| | MIL-P-14536 | POLYSOBUTYLENE BINDER[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 12-JUN-57 |
| | MIL-P-55025 | POLYSTYRENE, UNMODIFIED (FOR USE AS A BINDER IN EXPLOSIVES).[CUST: AR] [REVIEW: MI] | A | 1375 | | AR | 23-JUN-58 |
| | MIL-P-48296 NOT 1 | POLYTETRAFLUOROETHYLENE (PTFE)[CUST: AR] [REVIEW: GS MR] | A | 9330 | | AR | 08-APR-86 |
| | SAE-AMS3652 | POLYTETRAFLUOROETHYLENE (PTFE) FILM NON-CRITICAL GRADE[CUST: MR AS 11] | A | 9330 | | AS | 01-JAN-93 |
| | SAE-AMS2516 | POLYTETRAFLUOROETHYLENE (PTFE) RESIN COATING HIGH BUILD, 370 DEG. - 400 DEG. C (698 DEG. - 752 DEG. F) FUSION[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | 02-MAY-90 |
| | SAE-AMS2515 | POLYTETRAFLUOROETHYLENE (PTFE) RESIN COATING LOW BUILD, 370 DEG. - 400 DEG. C (698 DEG. - 752 DEG. F) FUSION[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | 02-MAY-90 |
| | ASTM-D4895 | POLYTETRAFLUOROETHYLENE (PTFE) RESINS PRODUCED FROM DISPERSION[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA] | A | 4720 | | CC | 13-NOV-03 |
| | SAE-AMS3656 | POLYTETRAFLUOROETHYLENE EXTRUSIONS, NORMAL STRENGTH, AS SINTERED[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-JUN-93 |
| | MIL-P-24074B NOT 1 | POLYTETRAFLUOROETHYLENE PARTS AND COATINGS AND POLYAMIDE PARTS[CUST: SH] | F | 5330 | | SH | 02-MAY-90 |
| | ASTM-D1675 | POLYTETRAFLUOROETHYLENE TUBING[CUST: MR 11] [REVIEW: AS AT AV CR4 GL GS MC MD MI] | A | 9330 | | MR | 26-FEB-92 |
| | SAE-AS611 | POLYTETRAFLUOROETHYLENE, HOSE ASSEMBLY AND TUBING, CLEANING METHODS FOR[CUST: CR4 AS 99] | A | 4720 | | 71 | OCT-94 |
| | SAE-AMS2491 | POLYTETRAFLUOROETHYLENE, PREPARATION FOR BONDING, SURFACE TREATMENT OF[CUST: MR AS 11 GS4] [REVIEW: 99 AR AV EA MI OS] | A | MFFP | | GS4 | 27-APR-89 |
| | QPL-TT-P-2756-2 | POLYURETHANE COATING: SELF-PRIMING TOPCOAT, LOW VOLATILE ORGANIC COMPOUNDS (VOC) CONTENT | A | 8010 | / | AS | 24-MAR-03 |
| | TT-P-2756A | POLYURETHANE COATING: SELF-PRIMING TOPCOAT, LOW VOLATILE ORGANIC COMPOUNDS (VOC) CONTENT[CUST: MR AS 99] [REVIEW: 11 84 CG CR4 MD] | A | 8010 | / | AS | 29-FEB-96 |
| | MIL-P-63196A(3) | POLYURETHANE ELASTOMER BINDER (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 16-MAR-95 |
| | MIL-PRF-26514G | POLYURETHANE FOAM, RIGID OR FLEXIBLE, FOR PACKAGING[CUST: GL AS 11] [REVIEW: 71 84 99 AR AT AV EC MC OS SA SH YD] | A | 8135 | | 11 | 01-AUG-95 |
| | MIL-P-50855 NOT 3 | POLYVINYL ACETATE AQUEOUS EMULSION (PAAE) (FOR USE IN AMMUNITION)[CUST: AR] | A | 1376 | | AR | 27-NOV-96 |
| | MIL-P-0043700D NOT 2 | PONCHO, WET WEATHER[CUST: GL] | A | 8405 | | CT | 03-SEP-04 |
| | A-A-55186 | PONCHO, WET WEATHER, HEAVY DUTY[CUST: GL NU CT] [REVIEW: MC MD] | A | 8405 | / | CT | 12-MAR-93 |
| | MIL-DTL-45859D | POP-VALVE-TEST BENCH ASSEMBLY[CUST: AT 99] [REVIEW: 84 CC] | A | 4940 | | AT | 31-AUG-98 |
| | A-A-51428 | PORCELAIN ADJUSTMENT SET, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 11-AUG-86 |
| | ASTM-C286 | PORCELAIN ENAMEL AND CERAMIC-METAL SYSTEMS[CUST: AT YD 99] [REVIEW: 84] | A | MFFP | | AT | 26-AUG-83 |
| | ASME-A112.19.4M | PORCELAIN ENAMELED FORMED STEEL PLUMBING FIXTURES[CUST: CR4 YD 99] | A | 4510 | | IS | 16-DEC-94 |
| | ASTM-C282 | PORCELAIN ENAMELS (CITRIC ACID SPOT TEST), ACID RESISTANCE OF[CUST: GL SH 99] | A | 8010 | | GL | 03-OCT-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS1300 | PORT - RING LOCKED FLUID CONNECTION TYPE, STANDARD DIMENSIONS FOR[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 4730 | | AS | AUG-88 |
| | SAE-MA2012 | PORT CONNECTION, INTERNAL, STRAIGHT THREAD, METRIC[CUST: CR4 SH 99] | A | 4730 | | SH | JUN-86 |
| | SAE-AS5202 | PORT OR FITTING END, INTERNAL STRAIGHT THREAD[CUST: AV AS 99 CC] [REVIEW: 71 AT CG MC MI SA] | A | 4730 | | CC | 17-JUL-02 |
| | SAE-J1926 | PORT, BOSS, THREAD O-RING, STRAIGHT, SPECIFICATION FOR[CUST: CR4 SH 99] [REVIEW: AS MR YD] | A | 4730 | | SH | 15-AUG-88 |
| | AIR-STD-90/20 | PORTABLE AIRFIELD LIGHTING SYSTEMS | C | ISDF | | 06 | 12-SEP-91 |
| A | A-A-50455A | PORTABLE FILTRATION CART[CUST: SH] | A | 4330 | / | SH | 11-JUL-05 |
| | A-A-50606 | PORTABLE HYDRAULIC ACCESS AND RESCUE SYSTEM (PHARS) (SHIPBOARD MODELS)[CUST: SH] | A | 4240 | / | SH | 13-SEP-93 |
| | MIL-HDBK-501 | PORTABLE INFORMATION CARRIER[CUST: AC NM 02 DH DC3] [REVIEW: 11 13 16 19 33 84 93 99 AC1 AM AS CB CG CH DC1 DI EC IR MC MP NC ND NS OM PT TD TM1 TM3 US] | A | IPSC | | DC3 | 15-APR-97 |
| D | IEEE1003.1 | PORTABLE OPERATING SYSTEM INTERFACE (POSIX) INFORMATION TECHNOLOGY, PART 1: SYSTEM APPLICATION PROGRAM INTERFACE (API) (C LANGUAGE)[CUST: CR OM DC3] [REVIEW: NS] | A | IPSC | | DC3 | 28-SEP-90 |
| | ITOP-6.3.038 | PORTED-COAX SENSORS FOR INTERIOR APPLICATIONS (U) | D | ISDA | | TE | 30-AUG-91 |
| | AREMA-TRACKPLANS | PORTFOLIO OF TRACKWORK PLANS[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| | KK-P-001170A | PORTFOLIO, ENVELOPE, LEATHER, ARTIFICAL LEATHER, SLIDE FASTENER | A | 8460 | # | FSS | 29-MAR-68 |
| | L-P-600A(I2) | PORTFOLIO, PLASTIC | A | 7510 | # | FSS | 14-JAN-87 |
| | STANAG-7021 ED.1(3) | POSITION INFORMATION GRAPHIC (PIG) | C | ISDF | | 06 | 21-MAY-92 |
| | STANAG-3258 ED.6(2) | POSITION OF PILOT OPERATED NAVIGATION AND RADIO CONTROLS | C | ISDF | | 06 | 15-DEC-92 |
| | STANAG-3408 ED.3(1) | POSITION REFERENCE SYSTEM FOR AERONAUTICAL CHARTS | C | ISDF | | 06 | 16-SEP-93 |
| | QSTAG-1179 ED.1 | POSITION REFERENCE SYSTEMS FOR AERONAUTICAL CHARTS[CUST: AI] | C | ISDA | | AI | 17-MAR-98 |
| | MIL-P-48494A NOT 2 | POSITIONER, MIRROR, AZIMUTH[CUST: AR] [REVIEW: GS] | A | 4931 | | AR | 09-JUN-00 |
| | A-A-51941A | POSITIONING SET, SURGICAL[CUST: MD MS 03] | A | 6530 | / | MB | 23-JUL-93 |
| | MIL-PRF-32038/12 | POST OFFICE FURNITURE, TYPES 1-20[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | A-A-59560 | POST, BINDING, ELECTRICAL (INSULATED)[CUST: CR EC 11 GS2] [REVIEW: 99 MI] | A | 5940 | / | GS2 | 23-JUN-00 |
| | A-A-59562 | POST, BINDING, ELECTRICAL, SCREW-TYPE (UNINSULATED)[CUST: CR EC 11 GS2] [REVIEW: 99 AS AT MC MI OS] | A | 5940 | / | GS2 | 23-JUN-00 |
| | A-A-59559 | POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), DUAL O-RING SEAL[CUST: CR SH 11 GS2] [REVIEW: 99 AR AS AT MC MI OS] | A | 5940 | / | GS2 | 23-JUN-00 |
| | A-A-59555 | POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), TOP ENTRY[CUST: CR EC 11 GS2] [REVIEW: 99] | A | 5940 | / | GS2 | 23-JUN-00 |
| | NAS1831 | POST, ELECTRICAL-MECHANICAL EQUIPMENT[CUST: AR AS 99 IS] | A | 5340 | | IS | 23-JUN-89 |
| | NA221THRUNA224 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, INTERNAL THREAD TYPE, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5340 | | IS | 14-FEB-86 |
| | NAS1829 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, STUD TYPE[CUST: AR AS 99 IS] | A | 5340 | | IS | 23-JUN-89 |
| | NA0201THRUNA0204 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, STUD TYPE, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 31-AUG-85 |
| | NAS1830 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE[CUST: AR AS 99 IS] | A | 5340 | | IS | 23-JUN-89 |
| | NA0211THRUNA0213 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 19-SEP-87 |
| | A-A-175A | POST, LEDGER AND BINDER, SCREW TYPE | A | 7510 | # | FSS | 15-FEB-91 |
| | DI-MGMT-81503 | POST-DESIGN WEIGHT ANALYSIS REPORT [AMSC: F7173] | A | MGMT | | 11 | 20-NOV-95 |
| | QSTAG-181 ED.2 | POSTAL ORGANISATION FOR ABCA ARMIES ENGAGED IN JOINT OPERATION OR TRAINING[CUST: AI] | C | ISDA | | AI | PENDING |
| | STANAG-2109 ED.5(3) | POSTAL ORGANIZATION AND COURIER SERVICE FOR THE NATO FORCES (INCLUDES AMD 1 THRU 3) | C | ISDA | | AI | 25-JUN-93 |
| | AWPA-C5 | POSTS, FENCE - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 31-DEC-93 |
| | A-A-55523 | POSTS, FENCE: DRIVE-TYPE, SPADELESS[CUST: AT YD 99 IS] [REVIEW: 84 CE MC] | A | 5660 | / | IS | 28-APR-97 |
| | NSF26 | POT, PAN & UTENSIL WASHERS[CUST: GL YD 99] [REVIEW: 84 GS MD] | A | 7320 | | GL | 19-FEB-85 |
| | A-A-59508 | POTASSIUM DICHROMATE: (POTASSIUM BICHROMATE) TECHNICAL GRADE[CUST: GL1] | A | 6810 | / | GS3 | 02-JAN-01 |
| | A-A-53758 | POTASSIUM HYDROXIDE SOLUTION[CUST: MD MS 03] | A | 6550 | / | MB | 08-NOV-88 |
| | MIL-DTL-11751F(1) | POTASSIUM HYDROXIDE SOLUTION[CUST: EA 68 GS3] [REVIEW: MD1] | A | 6810 | | GS3 | 26-JUN-03 |
| A | A-A-59787 | POTASSIUM PERMANGANATE, TECHNICAL (METRIC)[CUST: CR4 68 GS] | A | 6810 | / | 68 | 09-JAN-06 |
| | MIL-P-10830 | POTASSIUM PICRATE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 15-JAN-51 |
| | MIL-P-193A(1) | POTASSIUM SULFATE (FOR ORDNANCE USE)[CUST: AR MS 68] [REVIEW: AS EA GS OS] | A | 6810 | | AR | 02-AUG-65 |
| | A-A-20038B | POTATO PRODUCTS, PREFORMED, PRECOOKED, FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | FV | 07-JUN-96 |
| | A-A-20165C | POTATO-BASED MIX, PELLETIZED, DEHYDRATED (FOR FRENCH-FRIED TYPE PRODUCTS)[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8915 | / | SS | 16-JAN-03 |
| | A-A-20032F | POTATOES, WHITE, DEHYDRATED[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | GL | 20-DEC-02 |
| | MIL-P-70661(3) | POTTED CIRCUIT CARD ASSEMBLY FOR TOW-2/E6 PROBE AND S&A ASSEMBLY[CUST: AR] | A | 1336 | | AR | 10-APR-92 |
| | A-A-50747(1) NOT 1 | POUCH, AMMUNITION MAGAZINE, 9MM[CUST: AR OS 99] | A | 1095 | / | 84 | 05-MAY-93 |
| | MIL-P-10808F(1) | POUCH, HUMAN REMAINS[CUST: GL MS 34] [REVIEW: YD] | A | 9930 | | DM | 03-DEC-87 |
| | A-A-59325 | POUCH, HUMAN REMAINS[CUST: MD MS 03 MB] | A | 9930 | / | MB | 02-SEP-98 |
| | A-A-54552 | POUCH, LIQUID ABSORBENT[CUST: MD MS 03] | A | 6530 | / | MB | 20-DEC-91 |
| | A-A-54551 | POUCH, LIQUID ABSORBENT (BREAK OPEN TYPE)[CUST: MD MS 03] | A | 6530 | / | MB | 20-DEC-91 |
| A | MIL-DTL-81997D(1) | POUCHES, CUSHIONED, FLEXIBLE, ELECTROSTATIC-PROTECTIVE, TRANSPARENT[CUST: SM AS 11 DH] [REVIEW: AT AV EA GL3 MC MI OS SA SH] | A | 8105 | | AS | 15-FEB-06 |
| | A-A-51682 | POVIDONE-IODINE CLEANSING SOLUTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 22-SEP-86 |
| | A-A-59315/28 | POWDER MATERIAL FOR FLAME AND PLASMA SPRAYED COATINGS CARBON STEEL-MOLYBDENUM-ALUMINUM, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/14 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TYPE 316 STAINLESS STEEL, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/35 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINA TITANIA, TYPE II, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/5 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM (CP), TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59315/34 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM OXIDE, TYPE II, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM-BRONZE, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/3 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM-BRONZE, TYPE I, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/4 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM-SILICON ALLOY, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/42 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE PLUS NICKEL CHROMIUM ALLOY, COARSE, TYPE III[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/39 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE PLUS NICKEL CHROMIUM ALLOY (FINE) TYPE III[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/33 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE, TYPE II, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/32 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE, TYPE II, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/36 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM OXIDE, TYPE II, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/6 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT BASE, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/18 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-NICKEL-TUNGSTEN, TYPE I, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/17 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-TUNGSTEN, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/45 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COMPOSITE BLEND, TYPE III[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/26 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COPPER-ALUMINUM COMPOSITE, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/19 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COPPER-NICKEL, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/29 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS IRON-MOLYBDENUM-ALUMINUM, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/44 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MAGNESIUM ZIRCONATE PLUS NICKEL CHROMIUM ALLOY, TYPE III[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/43 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MAGNESIUM ZIRCONATE PLUS NICKEL ALUMINUM COMPOSITE, TYPE III[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/37 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MAGNESIUM ZIRCONATE, TYPE II, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/16 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM, TYPE I, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/25 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM-ALUMINUM-NICKEL ALLOY, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/27 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM-NICKEL-ALUMINUM, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL ALUMINUM, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/13 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL BASE ALLOY, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/12 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL BASE ALLOY, TYPE I, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/8 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL CHROMIUM ALLOY, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/20 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL CHROMIUM ALLOY, TYPE I, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/7 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL CHROMIUM ALLOY, TYPE I, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/10 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-ALUMINUM, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/23 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROME-ALUMINUM-IRON-MOLYBDENUM, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/21 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM-ALUMINUM, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/15 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM-BORON, TYPE I, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/9 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS PURE MOLYBDENUM, TYPE I, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/11 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS PURE NICKEL, TYPE I, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/22 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS SILICON-ALUMINUM PLUS POLYMER, TYPE I, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/41 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE PLUS NICKEL ALUMINUM COMPOSITE, SELF FLUXING ALLOY, TYPE III[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/24 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE I, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/40 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/30 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 1[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/31 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315/38 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ZIRCONIUM OXIDE, TYPE II, CLASS 2[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | A-A-59315 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, GENERAL REQUIREMENTS FOR[CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 04-SEP-98 |
| | ASTM-B311 | POWDER METALLURGY (P/M) MATERIALS CONTAINING LESS THAN TWO PERCENT POROSITY, DENSITY DETERMINATION FOR[CUST: AR AS GS] | A | 9650 | | AR | 15-DEC-93 |
| | MIL-P-00223C(2) | POWDER, BLACK[CUST: AR] | A | 1376 | | AR | 02-OCT-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-223B(3) NOT 2 | POWDER, BLACK[CUST: AR OS 99] | A | 1376 | | AR | 04-NOV-91 |
| | JAN-P-362(1) NOT 2 | POWDER, BLACK, SODIUM-NITRATE[CUST: AR OS] | A | 1376 | | AR | 10-OCT-96 |
| | A-A-52515 NOT 1 | POWDER, CHROMIUM CARBIDE-NICKEL CHROMIUM ALLOY (METRIC)[CUST: AT] | A | 9630 | / | AT | 14-APR-04 |
| | SAE-AMS3755 | POWDER, FUMED SILICON DIOXIDE[CUST: MI] | A | 9620 | | MI | JUN-01 |
| | MIL-P-663A(1) | POWDER, FUZE[CUST: AR] [REVIEW: EA] | A | 1376 | | AR | 11-MAR-80 |
| | MIL-P-60356A(3) | POWDER, IGNITER, CLEAN BURNING (FOR USE IN CHARGES, PROPELLING, M3A1 M4A2 AND XM119E4 FOR 155MM HOWITZER)[CUST: AR] | A | 1376 | | AR | 28-OCT-88 |
| | MIL-P-22264A(1) NOT 2 | POWDER, IGNITION, GASLESS, A-1A[CUST: OS] | A | 1375 | | OS | 08-SEP-03 |
| | MIL-P-71093 | POWDER, IGNITION, GASLESS, F-33B[CUST: AR] | A | 1375 | | AR | 26-AUG-92 |
| | MIL-P-14999(2) NOT 1 | POWDER, MOLDING COMPOUND EXPLOSIVE (PBX)[CUST: AR] | A | 1376 | | AR | 23-MAR-88 |
| | MIL-P-45446A NOT 1 | POWDER, MOLDING, PBX-9404[CUST: AR] | A | 1376 | | AR | 13-JUN-88 |
| | A-A-52609 NOT 1 | POWDER, NICKEL-CHROMIUM/ALUMINUM COMPOSITE[CUST: AT] | A | 9630 | / | AT | 19-APR-04 |
| | MIL-P-48239(1) NOT 1 | POWDER, PHOTOFLASH[CUST: AR] | A | 1370 | | AR | 31-OCT-90 |
| | SAE-AMS5793 | POWDER, PLASMA SPRAY 95NI - 5AL[CUST: MR AS 11] | A | 8030 | | 11 | 01-OCT-92 |
| | A-A-52514 NOT 1 | POWDER, POLYESTER-ALUMINUM (METRIC)[CUST: AT] | A | 9630 | / | AT | 14-APR-04 |
| | MIL-P-12059 NOT 5 | POWDER, SULFURLESS METAL[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 27-NOV-96 |
| | A-A-52516 NOT 1 | POWDER, YTTRIUM, ALUMINUM, NICKEL-CHROMIUM (METRIC)[CUST: AT] | A | 9630 | / | AT | 14-APR-04 |
| | ANSI-A10.3 | POWDER-ACTUATED FASTENING SYSTEMS, SAFETY REQUIREMENTS, FOR CONSTRUCTION AND DEMOLITION[CUST: GL YD 99 IS] | A | 5325 | | IS | 03-OCT-94 |
| | ASTM-C721 | POWDERS, ALUMINA AND SILICA, BY AIR PERMEABILITY, AVERAGE PARTICLE SIZE OF[CUST: EA YD 68] [REVIEW: GS] | A | 6810 | | YD | 28-AUG-81 |
| | ASTM-B214 | POWDERS, GRANULAR METAL, SIEVE ANALYSIS OF[CUST: EA 68] [REVIEW: AR CR4 MD SH] | A | 6810 | | GS3 | 10-APR-99 |
| | ASTM-B330 | POWDERS, METAL AND RELATED COMPOUNDS FISHER NUMBER OF[CUST: AR OS 99] | A | 9350 | | AR | 03-OCT-94 |
| | ASTM-B215 | POWDERS, METAL, FOR SAMPLING, STANDARD PRACTICES FOR[CUST: AT AS 99] | A | 9630 | | AT | 03-OCT-94 |
| | ASTM-B212 | POWDERS, METAL, FREE-FLOWING, APPARENT DENSITY OF[CUST: MR SH 99] | A | MFFP | | GS4 | 10-APR-99 |
| | MIL-PRF-49151D | POWER ADAPTER ASSEMBLY VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V)[CUST: CR] | A | 5855 | | CR | 04-MAR-99 |
| | MIL-HDBK-411B NOT 1 | POWER AND THE ENVIRONMENT FOR SENSITIVE DOD ELECTRONIC EQUIPMENT (GENERAL) (VOLUME 1, 2 AND 3)[CUST: CR EC 02] [REVIEW: 50 CE DC MC MP YD] | A | TCSS | | CR | 24-OCT-00 |
| | BHMA-A156.19 | POWER ASSIST AND LOW ENERGY POWER OPERATED DOORS, AMERICAN NATIONAL STANDARD FOR[CUST: AR YD 99 IS] | A | 5340 | | IS | 09-OCT-91 |
| | ASME-BPVC-SECTION-I | POWER BOILERS, RULES FOR CONSTRUCTION OF[CUST: YD] [REVIEW: CE MC] | A | 4410 | | YD | 13-AUG-93 |
| | MIL-P-81653B | POWER CONTROLLER, SOLID STATE, GENERAL SPECIFICATION FOR[CUST: CR4 AS 99] [REVIEW: GS] | A | 6110 | | AS | 14-FEB-80 |
| | MIL-HDBK-1004/2(1) | POWER DISTRIBUTION SYSTEMS[CUST: YD] | A | FACR | | YD | 15-FEB-91 |
| | MIL-DTL-23971/4A | POWER DIVIDER, 3 PORT QUADRATURE, SOLDER TERMINALS[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 23-APR-02 |
| | MIL-DTL-23971/3A | POWER DIVIDER, 4 PORT QUADRATURE, PLUG-IN TERMINALS[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 23-APR-02 |
| | MIL-DTL-23971/7A | POWER DIVIDER, 4 PORT QUADRATURES, N CONNECTORS[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 23-APR-02 |
| | MIL-DTL-23971/9A | POWER DIVIDER, N- WAY, 0 DEGREES, SMA CONNECTORS[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 23-APR-02 |
| | MIL-DTL-23971/13A | POWER DIVIDER/COMBINERS, 2-WAY, 180 DEGREES, SMA CONNECTORS[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 21-APR-03 |
| | MIL-P-23971/15(1) NOT 1 | POWER DIVIDER/COMBINERS, N- WAY, 0 DEGREES, RECTANGULAR, PC PINS[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 20-AUG-01 |
| | MIL-DTL-23971/14A | POWER DIVIDER/COMBINERS, N-WAY, 0 DEGREES, FLAT PACK[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 21-APR-03 |
| | MIL-P-23971/16(2) | POWER DIVIDER/COMBINERS, N-WAY, 0 DEGREES, SMA CONNECTORS[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 20-AUG-01 |
| | MIL-P-23971/17(1) NOT 1 | POWER DIVIDER/COMBINERS, N-WAY, 0 DEGREES, TNC CONNECTORS[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 20-AUG-01 |
| | MIL-DTL-23971/6B | POWER DIVIDER/COMBINERS, N-WAY, 0 DEGREES, TO-5[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 21-APR-03 |
| | MIL-DTL-23971/10A | POWER DIVIDER/COMBINERS, QUADRATURE, RECTANGULAR, PC PINS[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 23-APR-02 |
| | MIL-DTL-23971/12A | POWER DIVIDER/COMBINERS, QUADRATURE, STRIPLINE[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 23-APR-02 |
| | MIL-DTL-23971/11A | POWER DIVIDER/COMBINERS, QUADRATURE, TO-5[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 23-APR-02 |
| | MIL-DTL-23971/2B | POWER DIVIDERS, 4 PORT QUADRATURE, SMA CONNECTORS[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 18-AUG-03 |
| | MIL-DTL-23971/1A | POWER DIVIDERS, 4 PORT QUADRATURE, SOLDER TERMINALS[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 23-APR-02 |
| | MIL-DTL-23971/5B | POWER DIVIDERS, N-WAY, 0 DEGREES, FLAT PACK[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 23-APR-02 |
| | MIL-DTL-23971C SUP 1 | POWER DIVIDERS, POWER COMBINERS, AND POWER DIVIDER/COMBINERS GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] | A | 5985 | | CC | 20-AUG-01 |
| | MIL-DTL-23971/8A | POWER DIVIDERS, QUADRATURE, FLAT PACK[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5985 | | CC | 21-APR-03 |
| | MIL-PRF-62178B | POWER PACKAGE: AVDS 1790-2C, 2CA, 2D OR 2DA ENGINE WITH CD850-6A OR 6A1 TRANSMISSION[CUST: AT] | A | 2815 | | AT | 25-MAR-96 |
| | DI-MISC-80519A | POWER PLANT OPERATION AND MAINTENANCE REPORT [AMSC: F6013] | A | MISC | | 33 | 20-DEC-90 |
| | MS24435A NOT 1 | POWER RECEPTACLE, AIRCRAFT, ELECTRONIC TEST EQUIPMENT, WIRING OF[CUST: AS 11 CC] | A | 5935 | | AS | 03-NOV-88 |
| | A-A-51183A | POWER SOURCE, DC, CONSTANT CURRENT, SHIELDED METAL ARC WELDING (SMAW)[CUST: AR SH 99 GS6] [REVIEW: 84 CG CR4 MC YD] | A | 3431 | / | GS6 | 27-JUL-01 |
| | MIL-P-29590/1 | POWER SUPPLIES, AIRBORNE, ELECTRONIC 5.0 VOLT, 40 AMPERE, KEY CODE A88UG[CUST: CR AS 99] [REVIEW: GS] | A | 6130 | | AS | 29-NOV-91 |
| | MIL-P-29590 | POWER SUPPLIES, AIRBORNE, ELECTRONIC GENERAL SPECIFICATION FOR[CUST: CR AS 99] [REVIEW: GS] | A | 6130 | | AS | 29-NOV-91 |
| | MIL-PRF-49080B | POWER SUPPLIES, PP-2953D/U AND PP-6224C/U[CUST: CR] [REVIEW: GS] | A | 6130 | | CR | 08-FEB-02 |
| | A-A-59695 | POWER SUPPLY[CUST: CR SH 99 GS] | A | 6130 | / | 70 | 13-SEP-01 |
| | A-A-53893 | POWER SUPPLY (120 VOLT, 50/60 HZ, AC)[CUST: MD MS 03] | A | 6640 | / | MB | 14-APR-89 |
| | MIL-P-63421(2) NOT 2 | POWER SUPPLY ASSEMBLIES FOR FASCAM ELECTRONIC ASSEMBLIES[CUST: AR] | A | 1345 | | AR | 27-NOV-96 |
| | MIL-P-85576B | POWER SUPPLY PP-2581C/A[CUST: AS] | A | 1440 | | AS | 04-AUG-87 |
| | QPL-26517-8 | POWER SUPPLY, TRANSFORMER-RECTIFIER, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 6130 | | 84 | 25-AUG-78 |
| | MIL-P-24765 | POWER SUPPLY, UNINTERRUPTIBLE, STATIC (NAVAL SHIPBOARD)[CUST: SH] [REVIEW: EC GS YD] | A | 6130 | | SH | 19-NOV-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-62071C | POWER SUPPLY: HIGH VOLTAGE, SOLID STATE, 24 VOLTS, DIRECT CURRENT[CUST: AT] | A | 2590 | | AT | 06-DEC-95 |
| | NEMA-SG5 | POWER SWITCH GEAR ASSEMBLIES[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | NEMA-SG6 | POWER SWITCHING EQUIPMENT[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | NEMA-PE1 | POWER SYSTEMS, UNINTERRUPTIBLE[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | SSPC-SP3 | POWER TOOL CLEANING, SURFACE PREPARATION SPECIFICATION NO. 3[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MD MR MS OS SH] | A | 8010 | | IS | 16-AUG-88 |
| | MIL-P-85573(1) | POWER UNIT AIRCRAFT, AUXILIARY, GAS TURBINE GENERAL SPECIFICATIONS FOR[CUST: AS] [REVIEW: GS] | A | 2835 | | AS | 27-DEC-95 |
| | MIL-P-85486 NOT 1 | POWER UNIT AUXILIARY, S-3A AIRCRAFT EQUIPMENT SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 2840 | | AS | 01-OCT-89 |
| | MIL-PRF-62495B | POWER UNIT, HYDRAULIC[CUST: AT] | A | 4320 | | AT | 21-FEB-97 |
| | UL1012 | POWER UNITS OTHER THAN CLASS 2[CUST: CR4 SH 99 MB] | A | 61GP | | MB | 28-JUN-94 |
| | MIL-P-37948A | PRALIDOXIME CHLORIDE INJECTION | A | 6505 | | MB | 17-MAR-84 |
| | STANAG-2235 ED.1 | PRE- & POST-DEPLOYMENT HEALTH ASSESSMENTS | C | ISDA | | AI | 04-APR-02 |
| | ADV-PUB-61/102/24 | PRE-CRASH BODY POSITION DOCTRINE FOR AIRCRAFT PASSENGERS | C | ISDF | | 06 | 27-FEB-02 |
| | GA224 | PRE-DECORATED GYPSUM BOARD, INSTALLATION OF[CUST: YD] | A | FACR | | YD | 29-JUN-04 |
| | ASTM-B670 | PRECIPITATION-HARDENING NICKEL ALLOY (UNS N07718) PLATE, SHEET AND STRIP FOR HIGH-TEMPERATURE SERVICE[CUST: MR AS 99 IS] | A | 9515 | | IS | 11-JUL-96 |
| | ASTM-A693 | PRECIPITATION-HARDENING STAINLESS AND HEAT-RESISTING STEEL PLATE, SHEET, AND STRIP[CUST: MR SH 99] [REVIEW: AR CE CR CR4 GL IS OS] | A | 9515 | | MR | 15-JUL-93 |
| | MIL-P-23917(2) | PRECIPITATOR (ELECTROSTATIC), VENT FOG, SHIPBOARD USE[CUST: SH] | A | 4460 | | SH | 21-JUN-67 |
| | QSTAG-1166 | PRECISION ATTACK MUNITIONS PROCEDURES[CUST: AI] | C | ISDA | | AI | 05-DEC-95 |
| | MIL-STD-1330D | PRECISION CLEANING AND TESTING OF SHIPBOARD OXYGEN, HELIUM, HELIUM-OXYGEN, AND NITROGEN SYSTEMS[Standard Practice][CUST: SH] | A | 4730 | | SH | 20-SEP-96 |
| | DI-QCIC-81611 | PRECISION MEASUREMENT EQUIPMENT LABORATORY (PMEL) QUALITY MANUAL [AMSC: F7441] | A | QCIC | | 10 | 09-JUL-01 |
| | DI-MISC-80158C | PRECISION MEASUREMENT EQUIPMENT LABORATORY (PMEL) REPORT [AMSC: A7256] | A | MISC | | 10 | 18-MAR-97 |
| | MIL-DTL-50085E | PRECLEANER, AIR PURIFIER, M1A1[CUST: EA] | X | 4240 | | EA | 06-MAY-03 |
| | QSTAG-1175 ED.1 | PREDEPLOYMENT STAGE ENGINEER INFORMATION EXCHANGE PROCEDURES[CUST: AI] | C | ISDA | | AI | 06-SEP-00 |
| | ASME-B4.1 | PREFERRED LIMITS AND FITS FOR CYLINDRICAL PARTS[CUST: AR SH 99] | A | MISC | | GS7 | 04-JAN-72 |
| | STANAG-3985 ED.1(7) | PREFERRED MAGNETIC TAPE STANDARDS FOR THE EXCHANGE OF DIGITAL GEOGRAPHIC INFORMATION | C | ISDF | | 06 | 04-JUN-87 |
| | NAS1 | PREFERRED METRIC UNITS FOR AEROSPACE[CUST: AV AS 11] [REVIEW: 01 MI SA] | A | MISC | | AS | 22-JUL-80 |
| | FED-STD-376B | PREFERRED METRIC UNITS FOR GENERAL USE BY THE FEDERAL GOVERNMENT | A | MISC | # | FSS | 27-JAN-93 |
| | EIA-RS385 | PREFERRED VALUES[CUST: CR EC 11] | A | 5905 | | CC | 04-AUG-93 |
| | DI-GDRQ-81236A | PREFLIGHT WEIGHT REPORT - MASS PROPERTIES DATA FOR MISSILES [AMSC: N6676] | A | SESS | | AS | 24-OCT-96 |
| | A-A-59686 | PREHEATER, ENGINE COOLANT, DIESEL-FIRED, 24-VOLT DC[CUST: AT] | A | 2990 | / | AT | 25-MAY-01 |
| | DI-SESS-81653 | PRELIMINARY ALLOWANCE LIST (PAL) [AMSC: N7551] | A | SESS | | 10 | 04-APR-05 |
| | DI-MISC-80840 | PRELIMINARY SYSTEM SECURITY CONCEPT (PSSC) [AMSC: F4731] | A | MISC | | 10 | 05-JUN-89 |
| | MIL-STD-107J | PREPARATION AND HANDLING OF INDUSTRIAL PLANT EQUIPMENT (IPE) FOR SHIPMENT AND STORAGE[Standard Practice][CUST: AR SH 11 DH] [REVIEW: 84 99 AV CR MC SM YD] | A | PACK | | GS6 | 03-DEC-01 |
| | ASTM-D1730 | PREPARATION OF ALUMINUM AND ALUMINUM-ALLOY SURFACES FOR PAINTING[CUST: GL YD 11] | A | MFFP | | GL | 03-OCT-94 |
| | MIL-STD-40051-1 | PREPARATION OF DIGITAL TECHNICAL INFORMATION FOR INTERACTIVE ELECTRONIC TECHNICAL MANUALS (IETMS)[Standard Practice][CUST: TM MC] [REVIEW: AC1 AR AT AV CR EA MI PT] | A | TMSS | | TM | 15-OCT-04 |
| | MIL-STD-3001-1 | PREPARATION OF DIGITAL TECHNICAL INFORMATION FOR MULTI-OUTPUT PRESENTATION OF TECHNICAL MANUALS (PART 1 OF 8 PARTS)[Standard Practice][CUST: AS] | A | TMSS | | AS | 15-MAY-01 |
| | MIL-STD-40051-2 | PREPARATION OF DIGITAL TECHNICAL INFORMATION FOR PAGE-BASED TECHNICAL MANUALS[Standard Practice][CUST: TM MC] [REVIEW: AC1 AR AT AV CR EA MI PT] | A | TMSS | | TM | 15-OCT-04 |
| | ASTM-D2800 | PREPARATION OF METHYL ESTERS FROM OILS FOR DETERMINATION OF FATTY ACID COMPOSITION BY GAS-LIQUID CHROMATOGRAPHY[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 15-MAR-92 |
| A | MIL-HDBK-245D | PREPARATION OF STATEMENT OF WORK (SOW)[CUST: CR EC 10] [REVIEW: 13 AS AT MC SH YD] | A | MISC | | EC | 03-APR-96 |
| | MIL-HDBK-831 NOT 1 | PREPARATION OF TEST REPORTS[CUST: AV AS 11 CC] [REVIEW: 99 CR4 MI MT YD] | A | QCIC | | CC | 27-JAN-04 |
| | IPC-TM650.2.4.38 | PREPREG SCALED FLOW TESTING[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | ASTM-D3531 | PREPREG, CARBON FIBER EPOXY, RESIN FLOW OF[CUST: MR AS 11] | A | CMPS | | MR | APR-89 |
| | MIL-PRF-46187A | PREPREG, UNIDIRECTIONAL TAPE, CARBON (GRAPHITE) FIBER HIGH TEMPERATURE RESIN IMPREGNATED, 316 DEG. C (600 DEG. F)[CUST: MR AS 11] [REVIEW: AT AV DH IE SH] | A | CMPS | | MR | 14-AUG-98 |
| | MIL-PRF-46190A(1) | PREPREGS, WOVEN FABRIC, CARBON FIBER, RESIN IMPREGNATED[CUST: MR AS 11] [REVIEW: AT AV DH IE SH] | A | CMPS | | MR | 22-FEB-99 |
| | DI-ADMN-81373 | PRESENTATION MATERIAL [AMSC: F6970] | A | ADMN | | 10 | 01-OCT-93 |
| | DI-PACK-80120B | PRESERVATION AND PACKING DATA [AMSC: N7293] | A | PACK | | AS | 06-APR-98 |
| | MIL-STD-40076 | PRESERVATION AND PACKING OF ROCKET AND MISSILE SYSTEMS EQUIPMENT FOR SHIPMENT[Standard Practice][CUST: MI] [REVIEW: SM] | A | PACK | | MI | 17-DEC-97 |
| | DI-MGMT-81649 | PRESERVATION TEAM SERVICES (PTS) CONTRACT COST AND HOUR STATUS REPORT [AMSC: N7543] | A | MGMT | | SH | 01-NOV-04 |
| | TT-P-595A | PRESERVATIVE COATING, CANVAS[CUST: GL SA 99] [REVIEW: CR4 MC OS] | A | 8030 | * | GL | 13-APR-72 |
| | A-A-52408 NOT 1 | PRESERVATIVE COATING, RUBBER: FOR RUBBER SURFACES[CUST: AT 11] [REVIEW: AR AS CR4 GL MC MR OS SH SM] | A | 8030 | / | AT | 13-APR-04 |
| | MIL-PRF-46002C(1) | PRESERVATIVE OIL, CONTACT AND VOLATILE CORROSION-INHIBITED[CUST: AT OS 68] [REVIEW: 11 AR GS MD SM] | A | 9150 | | AT | 20-DEC-00 |
| | AWPA-C28 | PRESERVATIVE TREATMENT OF STRUCTURAL GLUED LAMINATED MEMBERS AND LAMINATIONS BEFORE GLUING OF SOUTHERN PINE, PACIFIC COAST DOUGLAS FIR, HEMFIR AND WESTERN HEMLOCK BY THE PRESSURE PROCESSES, STANDARD FOR[CUST: CR4 SH 99 CC] [REVIEW: 84 AS CE YD] | A | 5510 | | IS | 31-JAN-92 |
| | AWPA-P5 | PRESERVATIVE, WATERBORNE, STANDARDS FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 AT CC CE MC MR SH SM] | A | 8030 | | IS | 04-JUN-93 |
| | AASHTO-M133 | PRESERVATIVES AND PRESSURE TREATMENT PROCESS FOR TIMBER[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | AWPA-A5 | PRESERVATIVES, OIL-BORNE, ANALYSIS OF, STANDARD METHODS FOR[CUST: MR 99] [REVIEW: 11 84 CC CR4] | A | 8030 | | MR | 09-DEC-87 |
| | AWPA-A2 | PRESERVATIVES, WATERBORNE, & FIRE RETARDANT FORMULATIONS, STANDARD METHODS FOR ANALYSIS OF[CUST: MR 99] [REVIEW: SH] | A | 8030 | | MR | 09-DEC-87 |
| | A-A-20079B | PRESERVES (OR JAMS), FRUIT[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8930 | / | SS | 20-AUG-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59384 | PRESS, "H" FRAME, HYDRAULIC[CUST: AR SH 99 GS6] [REVIEW: YD] | A | 3442 | / | GS6 | 02-APR-99 |
| | A-A-51195A NOT 1 | PRESS, ARBOR, "C" FRAME, HYDRAULIC, HAND OPERATED[CUST: AR SH 99 GS6] [REVIEW: 84 YD] | A | 3444 | / | GS6 | 30-OCT-03 |
| | A-A-59174 NOT 1 | PRESS, ARBOR, MECHANICAL, HAND OPERATED[CUST: AR SH 99 GS6] [REVIEW: 84 YD] | A | 3444 | / | GS6 | 30-OCT-03 |
| | A-A-53268 | PRESS, DENTURE FLASK[CUST: MD MS 03] | A | 6520 | / | MB | 07-DEC-87 |
| | A-A-51802A | PRESS, HYDRAULIC, OPHTHALMIC LAP[CUST: MD MS 03] | A | 6540 | / | MB | 17-MAY-89 |
| | AIR-STD-25/17B(2) | PRESSURE FUELLING REPLENISHMENT CONNECTION | C | ISDF | | 06 | 02-AUG-02 |
| | A-A-51969 | PRESSURE INDICATING COMPOUND AND BRUSH, DENTAL[CUST: MD MS 03] | A | 6520 | | MB | 02-JUN-87 |
| | STANAG-4113 ED.3 | PRESSURE MEASUREMENT BY CRUSHER GAUGES | C | ISDA | | AI | 04-JUN-93 |
| | STANAG-3105 ED.6(1) | PRESSURE REFUELLING CONNECTIONS AND DEFUELLING FOR AIRCRAFT | C | ISDF | | 06 | 19-JAN-99 |
| | AIR-STD-25/1B(2) | PRESSURE REPLENISHMENT CONNECTIONS FOR ENGINE LUBRICATING OIL | C | ISDF | | 06 | 02-AUG-02 |
| | STANAG-3765 ED.1(5) | PRESSURE REPLENISHMENT OF AIRCRAFT ENGINE OIL | C | ISDF | | 06 | 30-JAN-79 |
| | AWPA-C18 | PRESSURE TESTED MATERIAL IN MARINE CONSTRUCTION, STANDARD FOR[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 20-JAN-93 |
| | MIL-HDBK-1899 | PRESSURE TESTING, 10 PSI THROUGH 200 PSI[CUST: AT] | A | NDTI | | AT | 27-MAR-98 |
| | SAE-AMS2610 | PRESSURE TESTING, GASEOUS MEDIA PRESSURE AS SPECIFIED[CUST: AT GS2] [REVIEW: CR4 GL MI MR] | A | NDTI | | GS2 | 09-SEP-04 |
| M | QPL-24212-32 | PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) | A | 6685 | | SH | 08-MAR-06 |
| | ASTM-A387/A387M | PRESSURE VESSEL PLATES, ALLOY STEEL, CHROMIUM-MOLYBDENUM[CUST: MR YD 99] | A | 9515 | | IS | 03-OCT-94 |
| | ASTM-A203/A203M | PRESSURE VESSEL PLATES, ALLOY STEEL, NICKEL[CUST: MR YD 99] | A | 9515 | | YD | 03-OCT-94 |
| | ASTM-A533/A533M | PRESSURE VESSEL PLATES, ALLOY STEEL, QUENCHED AND TEMPERED, MANGANESE-MOLYBDENUM AND MANGANESE-MOLYBDENUM-NICKEL[CUST: MR SH] [REVIEW: IS MC] | A | 9515 | | SH | 25-JAN-85 |
| | ASTM-A516/A516M | PRESSURE VESSEL PLATES, CARBON STEEL, FOR MODERATE - AND LOWER - TEMPERATURE SERVICE[CUST: MR SH IS] [REVIEW: YD] | A | 9515 | | IS | 06-JUN-91 |
| | MIL-PRF-61002A | PRESSURE-SENSITIVE ADHESIVE LABELS FOR BAR CODING[CUST: SM SA 11 DH] [REVIEW: 70 71 84 99 AM AR AS AT AV CC CG CR CR4 CT DM EC GL GS IS MC MI MR MS MT OS SH SO SS TM YD] | A | 7690 | | SM | 25-SEP-95 |
| | MIL-HDBK-228A | PRESSURE-SENSITIVE ADHESIVE, SOLVENT ACTIVATED AND MISCELLANEOUS TAPES[CUST: AS] [REVIEW: GS] | A | 7690 | | AS | 23-JUL-82 |
| | STANAG-2908 ED.2(4) | PREVENTATIVE MEASURES FOR AN OCCUPATIONAL HEALTH PROGRAMME | C | ISDA | | AI | 11-SEP-81 |
| | STANAG-2981 ED.1(3) | PREVENTION OF COLD INJURY | C | ISDA | | AI | 05-JAN-87 |
| | QSTAG-892 ED.1 | PREVENTION OF COLD INJURY[CUST: AI] | C | ISDA | | AI | 21-OCT-91 |
| | A-A-50871A | PREVENTIVE DENTISTRY KIT, PATIENT[CUST: MD MS 03] | A | 6520 | / | MB | 28-JUL-89 |
| | A-A-51576A | PREVENTIVE DENTISTRY PAST (FLUORIDATED)[CUST: MD MS 03] | A | 6520 | / | MB | 19-MAR-90 |
| | A-A-54116 | PREVENTIVE DENTISTRY PASTE, PATIENT[CUST: MD MS 03] | A | 6520 | / | MB | 21-MAR-90 |
| | DI-FNCL-80164 | PRICE ESTIMATE METHODOLOGY REPORT FOR UNIT OF MEASURE (UM) PRICE [AMSC: A3827] | A | FNCL | | AM | 30-APR-86 |
| | A-A-54438 | PRIMAQUINE PHOSPHATE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 28-JUN-91 |
| | AIR-STD-80/21(1) | PRIMARY IMAGE DATA FORMAT | C | ISDF | | 06 | 29-APR-96 |
| | DOD-P-15328D(1) NOT 1 | PRIMER (WASH), PRETREATMENT (FORMULA NO. 117 FOR METALS) (METRIC)[CUST: MR SH 99] [REVIEW: AR AS AV MC SA YD] | A | 8010 | | MR | 21-MAR-92 |
| | A-A-1552A | PRIMER COATING (FERRIC OXIDE, AEROSOL) | A | 8010 | # | FSS | 11-JAN-99 |
| | TT-P-1757B | PRIMER COATING, ALKYD BASE, ONE COMPONENT[CUST: AV AS 99] [REVIEW: 84 CG DS MC MD] | A | 8010 | / | AS | 15-MAY-97 |
| | MIL-P-53030A(2) | PRIMER COATING, EPOXY, WATER REDUCIBLE, LEAD AND CHROMATE FREE[CUST: MR AS] [REVIEW: AT DS] | A | 8010 | | MR | 20-AUG-92 |
| | QPL-53030-7 | PRIMER COATING, EPOXY, WATER REDUCIBLE, LEAD AND CHROMATE FREE | A | 8010 | | MR | 16-JAN-03 |
| | MIL-PRF-26915D | PRIMER COATING, FOR STEEL SURFACES[CUST: AS 99] | A | 8010 | | 84 | 31-OCT-97 |
| | TT-P-650D | PRIMER COATING, LATEX BASE, INTERIOR, WHITE (FOR GYPSUM WALLBOARD)[CUST: YD] [REVIEW: CE] | A | 8010 | / | IS | 25-FEB-88 |
| | A-A-52465 | PRIMER COATING, SYNTHETIC, VOC COMPLAINT (FOR BRAKE DRUMS)[CUST: AT] [REVIEW: CR4 SM] | A | 8010 | / | AT | 09-JUN-93 |
| | DOD-PRF-24648(1) | PRIMER COATING, ZINC DUST PIGMENTED FOR EXTERIOR STEEL SURFACES (METRIC)[CUST: MR SH 99] [REVIEW: AS CG CR4 MC YD] | A | 8010 | | MR | 05-MAR-91 |
| | QPL-24648-11 | PRIMER COATING, ZINC DUST PIGMENTED FOR EXTERIOR STEEL SURFACES (METRIC) | A | 8010 | | MR | 29-AUG-03 |
| | QPL-TT-P-2760-3 | PRIMER COATING: POLYURETHANE, ELASTOMERIC | A | 8010 | / | AS | 22-MAR-95 |
| | TT-P-2760A | PRIMER COATING: POLYURETHANE, ELASTOMERIC, HIGH-SOLIDS[CUST: MR AS 99] [REVIEW: 11 84 AR CG CR4 MC MD] | A | 8010 | / | AS | 30-DEC-94 |
| | QPL-23377-18(1) | PRIMER COATINGS: EPOXY, HIGH-SOLIDS | A | 8010 | | AS | 30-APR-02 |
| | MIL-PRF-23377J | PRIMER COATINGS: EPOXY, HIGH-SOLIDS[CUST: MR AS 99] [REVIEW: 11 84 AR AV CG DS EA FSS MC MI OS SH] | A | 8010 | | AS | 15-APR-05 |
| | MIL-PRF-85582D | PRIMER COATINGS: EPOXY, WATERBORNE[CUST: MR AS 99] [REVIEW: 11 84 AV CG DS FSS MD1 OS SH] | A | 8010 | | AS | 09-MAY-02 |
| | QPL-85582-5(1) | PRIMER COATINGS: EPOXY, WATERBORNE | A | 8010 | | AS | 26-AUG-03 |
| | MIL-P-85499 | PRIMER MATERIAL[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 06-OCT-81 |
| | SAE-AMS3107/2 | PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 120 DEG C (-65 DEG TO PLUS 250 DEG. F)[CUST: AS 11] [REVIEW: GS] | A | 8040 | | AS | 01-APR-91 |
| | SAE-AMS3107/3 | PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 175 DEG C (-65 DEG. TO PLUS 350 DEG. F)[CUST: AS 11] [REVIEW: GS] | A | 8040 | | AS | 01-APR-92 |
| | SAE-AMS3107 | PRIMER, ADHESIVE, CORROSION-INHIBITING FOR HIGH DURABILITY STRUCTURAL ADHESIVE BONDING[CUST: AS 11] [REVIEW: GS] | A | 8040 | | AS | 01-APR-91 |
| | SAE-AMS3107/4 | PRIMER, ADHESIVE, CORROSION-INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 215 DEG. C (-65 DEG. TO PLUS 420 DEG. F)[CUST: AS 11] [REVIEW: GS] | A | 8040 | | AS | 01-APR-92 |
| | SAE-AMS3107/1 | PRIMER, ADHESIVE, CORROSION-INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 95 DEG. C (-65 DEG TO PLUS 200 DEG. F)[CUST: AS 11] [REVIEW: GS] | A | 8040 | | AS | 01-APR-91 |
| | QPL-11414-19 | PRIMER, ALKYD, FAST DRY, CORROSION INHIBITING LEAD AND CHROMATE FREE, VOC COMPLIANT | A | 8010 | | MR | 09-JUN-98 |
| | MIL-P-11414E | PRIMER, ALKYD, FAST DRY, CORROSION INHIBITING, LEAD AND CHROMATE FREE, VOC COMPLAINT[CUST: MR 99] [REVIEW: 84 AT OS] | A | 8010 | | MR | 22-JUL-92 |
| | MIL-P-53084(1) | PRIMER, CATHODIC ELECTRODEPOSITION, CHEMICAL AGENT RESISTANT[CUST: MR] [REVIEW: AT] | A | 8010 | | MR | 24-JUN-94 |
| A | QPL-53084-6 | PRIMER, CATHODIC ELECTRODEPOSITION, CHEMICAL AGENT RESISTANT | A | 8010 | | MR | 05-AUG-05 |
| | ASTM-D43 | PRIMER, COAL TAR, USED IN ROOFING, DAMPPROOFING, AND WATERPROOFING[CUST: EA YD] [REVIEW: GS OS SH] | A | 6810 | | YD | 31-JAN-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-32178 | PRIMER, ELECTRIC, EX 170 MOD 2[CUST: OS] | D | 1390 | | OS | 07-DEC-04 |
| | MIL-P-70671(1) | PRIMER, ELECTRIC, LOADING, ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION)[CUST: AR] | E | 1345 | | AR | 06-MAY-91 |
| | MIL-P-63073A(3) NOT 1 | PRIMER, ELECTRIC, M120 PARTS FOR[CUST: AR] | A | 1390 | | AR | 15-MAY-91 |
| | MIL-P-70452C | PRIMER, ELECTRIC, M125 METAL PARTS FOR[CUST: AR] | A | 1315 | | AR | 20-JUL-91 |
| | MIL-P-46518D NOT 2 | PRIMER, ELECTRIC, M73, PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-46431C(1) NOT 3 | PRIMER, ELECTRIC, M86 PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-18714D(1) NOT 2 | PRIMER, ELECTRIC, MARK 45 MOD 1[CUST: OS 99] | A | 1390 | | OS | 15-MAR-04 |
| | MIL-P-70451(1) | PRIMER, ELECTRIC, XM125 (M125) LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 10-JUL-85 |
| | MIL-P-53022B | PRIMER, EPOXY COATING, CORROSION INHIBITING, LEAD & CHROMATE FREE[CUST: MR AS] [REVIEW: AR CR DS EC OS] | A | 8010 | | MR | 01-JUN-88 |
| | QPL-53022-13 | PRIMER, EPOXY COATING, CORROSION INHIBITING, LEAD AND CHROMATE FREE | A | 8010 | | MR | 14-MAR-03 |
| | TT-P-645B | PRIMER, PAINT, ZINC-MOLYBDATE, ALKYD TYPE[CUST: SH] [REVIEW: CR4 EC MS OS SA YD] | A | 8010 | / | SH | 12-MAR-90 |
| | MIL-P-60942A(2) NOT 1 | PRIMER, PERCUSSION FOR 40MM LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 10-AUG-99 |
| | MIL-P-46269 NOT 3 | PRIMER, PERCUSSION, ELECTRIC, M75 METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-46403D(1) NOT 2 | PRIMER, PERCUSSION, M1B1A2, METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-46918A(1) NOT 3 | PRIMER, PERCUSSION, M34 PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-60338 NOT 2 | PRIMER, PERCUSSION, M47 AND M47B2 METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-46900A NOT 3 | PRIMER, PERCUSSION, M49% PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-46421B NOT 3 | PRIMER, PERCUSSION, M57, METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-60017A NOT 3 | PRIMER, PERCUSSION, M60A1 PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-60096(1) NOT 2 | PRIMER, PERCUSSION, M62 METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-60351 NOT 3 | PRIMER, PERCUSSION, M68 METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-46463C(1) NOT 3 | PRIMER, PERCUSSION, M71A1 PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-46500 NOT 2 | PRIMER, PERCUSSION, M78 PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-46297C NOT 1 | PRIMER, PERCUSSION, M82 METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 31-OCT-90 |
| | MIL-P-46686C NOT 3 | PRIMER, PERCUSSION, M92E1 PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-60454(1) NOT 3 | PRIMER, PERCUSSION, MARK 2A4 METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | MIL-P-60052(1) NOT 2 | PRIMER, PERCUSSION, MIA2 METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | A-A-59116 NOT 1 | PRIMER, SILICONE RUBBER SEALANT[CUST: MI] | A | 8040 | / | MI | 05-MAR-02 |
| | A-A-50557 | PRIMER, WATER-BORNE, ACRYLIC OR MODIFIED ACRYLIC, FOR METAL SURFACES[CUST: AV YD 99] [REVIEW: 84 SH] | A | 8010 | / | IS | 15-MAY-96 |
| | MIL-P-46562A(1) NOT 3 | PRIMERS, PERCUSSION, M28A2 AND M28B2 PARTS FOR[CUST: AR] | A | 1390 | | AR | 27-NOV-96 |
| | QSTAG-693 | PRINCIPLES & CHARACTERISTICS OF INTEROPERABILITY SECURITY[CUST: AI] | C | ISDA | | AI | 14-FEB-84 |
| | STANAG-4170 ED.2 | PRINCIPLES AND METHODOLOGY FOR THE QUALIFICATION OF EXPLOSIVE MATERIALS FOR MILITARY USE | C | ISDA | | AI | 16-FEB-01 |
| | QSTAG-2008 ED.1 | PRINCIPLES AND PROCEDURES FOR ESTABLISHING AIR DEFENSE LIAISON[CUST: AI] | C | ISDA | | AI | 06-SEP-00 |
| | QSTAG-533 | PRINCIPLES AND PROCEDURES FOR ESTABLISHING LIAISON (ABCA 533)[CUST: AI] | C | ISDA | | AI | 24-MAR-80 |
| | STANAG-6002 ED.2(3) | PRINCIPLES AND PROCEDURES FOR THE CONDUCT AND FINANCING OF TRAINING ASSISTANCE | C | ISDN | | SH | PENDING |
| | STANAG-6003 | PRINCIPLES AND PROCEDURES FOR THE FINANCING OF THE ESTABLISHMENT AND OPERATION OF COMMON TRAINING FACILITIES | C | ISDA | | AI | 04-FEB-81 |
| | QSTAG-2026 ED.1 | PRINCIPLES AND PROCEDURES FOR TRACING AND TRACKING PERSONNEL IN AN ABCA COALITION FORCE[CUST: AI] | C | ISDA | | AI | 20-JUN-01 |
| | STANAG-2311 ED.4 | PRINCIPLES GOVERNING THE DESIGN OF THE INDIVIDUAL LOAD CARRYING EQUIPMENT OF THE COMBAT SOLDIER | C | ISDA | | AI | PENDING |
| | STANAG-2370 ED.1(1) | PRINCIPLES OF IMPROVISED EXPLOSIVE DEVICE DISPOSAL - AEODP-3(A) | C | ISDA | | AI | 06-FEB-87 |
| | STANAG-2879 ED.3 | PRINCIPLES OF MEDICAL POLICY IN THE MANAGEMENT OF A MASS CASUALITY SITUATION | C | ISDA | | AI | 07-SEP-98 |
| | QSTAG-909 ED.1 | PRINCIPLES OF PREVENTION AND MANAGEMENT OF COMBAT STRESS REACTION[CUST: AI] | C | ISDA | | AI | 21-OCT-91 |
| | QSTAG-1209 ED.1 | PRINCIPLES OF STANDARDS SELECTION (ORDER OF PREFERENCE) OF ABCA ARMIES[CUST: AI] | C | ISDA | | AI | 12-FEB-01 |
| | ASME-Y14.5.1M | PRINCIPLES, DIMENSIONING AND TOLERANCING, MATHEMATICAL DEFINITION OF[CUST: AR SA 16 DH] [REVIEW: 02 11 13 19 68 70 71 84 99 AS AT AV CC CE CH CR CR4 EA EC GL GS IS MC MI NA OS SH TD TE YD] | A | DRPR | | SA | 31-JAN-95 |
| | IPC-2221 | PRINTED BOARD DESIGN, GENERIC STANDARD FOR[CUST: CR EC 11 CC] | A | 5998 | | CC | 01-SEP-99 |
| | IPC-D352 | PRINTED BOARD DRAWINGS IN DIGITAL FORM[CUST: CR EC 11 CC] [REVIEW: AR AS MI OS SH] | A | 5998 | | CC | 18-SEP-85 |
| | IPC-TM650.2.6.3 | PRINTED BOARDS, MOISTURE AND INSULATION RESISTANCE[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | IPC-QF-143 | PRINTED BOARDS, SPECIFICATION FOR FINISHED FABRIC WOVEN FROM QUARTZ (PURE FUSED SILICA)[CUST: CR EC 11] [REVIEW: 99 AS MC MI NW] | A | 5998 | | CR | 17-MAR-93 |
| | QML-31032-17 | PRINTED CIRCUIT BOARD/PRINTED WIRING BOARD, GENERAL SPECIFICATION FOR | A | 5998 | | CC | 18-NOV-04 |
| A | MIL-PRF-31032A(1) | PRINTED CIRCUIT BOARD/PRINTED WIRING BOARD, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 MC MI] | A | 5998 | | CC | 24-FEB-06 |
| | MIL-DTL-62739A NOT 1 | PRINTED WIRING ASSEMBLY, CLOCK/DISPLAY DRIVER[CUST: AT] | A | 5998 | | AT | 20-APR-04 |
| | MIL-DTL-62737A NOT 1 | PRINTED WIRING ASSEMBLY, COMPUTER[CUST: AT] | A | 5998 | | AT | 20-APR-04 |
| | MIL-DTL-62736A NOT 1 | PRINTED WIRING ASSEMBLY, I/O[CUST: AT] | A | 5998 | | AT | 20-APR-04 |
| | MIL-DTL-62738A NOT 1 | PRINTED WIRING ASSEMBLY, IGNITION INTERRUPT DRIVER[CUST: AT] | A | 5998 | | AT | 20-APR-04 |
| | MIL-DTL-62741A NOT 1 | PRINTED WIRING ASSEMBLY, MUX/ADCON[CUST: AT] | A | 5998 | | AT | 20-APR-04 |
| | MIL-DTL-62740A NOT 1 | PRINTED WIRING ASSEMBLY, SPECIAL CIRCUITS[CUST: AT] | A | 5998 | | AT | 20-APR-04 |
| A | QPL-50884-58 | PRINTED WIRING BOARD, FLEXIBLE OR RIGID-FLEX, GENERAL SPECIFICATION FOR | A | 5998 | | CC | 27-JAN-06 |
| A | MIL-PRF-31032/3A(1) | PRINTED WIRING BOARD, FLEXIBLE, SINGLE AND DOUBLE LAYER, WITH OR WITHOUT PLATED THROUGH HOLES, WITH OR WITHOUT STIFFENERS FOR SOLDERED PART MOUNTING[CUST: CR EC 11 CC] [REVIEW: 99 CG MI] | A | 5998 | | CC | 24-FEB-06 |
| A | MIL-PRF-31032/4A(1) | PRINTED WIRING BOARD, RIGID FLEX OR FLEXIBLE, MULTILAYER, WITH PLATED HOLES, WITH OR WITHOUT STIFFENERS, FOR SOLDERED PART MOUNTING[CUST: CR EC 11 CC] [REVIEW: 99 CG MI] | A | 5998 | | CC | 24-FEB-06 |
| A | QPL-55110-66 | PRINTED WIRING BOARD, RIGID, GENERAL SPECIFICATION FOR | A | 5998 | | CC | 27-JAN-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-PRF-31032/1B(1) | PRINTED WIRING BOARD, RIGID, MULTILAYERED, THERMOSETTING RESIN BASE MATERIAL, WITH OR WITHOUT BLIND AND BURIED PLATED THROUGH HOLES, FOR SOLDERED PART MOUNTING[CUST: CR EC 11 CC] [REVIEW: 99 CG MI] | A | 5998 | | CC | 24-FEB-06 |
| A | MIL-PRF-31032/2A(1) | PRINTED WIRING BOARD, RIGID, SINGLE AND DOUBLE LAYER, THERMOSETTING RESIN BASE MATERIAL, WITH OR WITHOUT PLATED THROUGH HOLES, FOR SOLDERED PART MOUNTING[CUST: CR EC 11 CC] [REVIEW: 99 CG MI] | A | 5998 | | CC | 24-FEB-06 |
| | PPP-P-25F | PRINTING AND STATIONARY PAPER, PACKAGING AND PACKING OF[CUST: GL SA 99] [REVIEW: MC SM] | A | PACK | * | GL | 11-SEP-81 |
| | PPP-P-25F(I3) | PRINTING AND STATIONARY PAPER, PACKAGING AND PACKING OF | A | PACK | # | FSS | 10-DEC-76 |
| | MIL-HDBK-38790 NOT 1 | PRINTING PRODUCTION OF TECHNICAL MANUALS[CUST: TM SA 16 DH] [REVIEW: 01 10 11 13 19 33 99 AS AT AV CC CE CG CR CT EC GS MC MI OS] | A | TMSS | | 16 | 05-MAR-02 |
| | A-A-53031 | PRISM BAR, OPHTHALMIC[CUST: MD MS 03] | A | 6540 | / | MB | 29-JUN-87 |
| | A-A-53019 | PRISM SET, OPHTHALMIC[CUST: MD MS 03] | A | 6540 | / | MB | 19-JUN-87 |
| | MIL-P-48698(6) | PROBE AND S&A ASSEMBLY, TOW-2/E6[CUST: AR] | A | 1336 | | AR | 01-SEP-98 |
| | EIA364.25 | PROBE DAMAGE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11] | A | 5935 | | AS | 05-FEB-98 |
| | A-A-59206 NOT 1 | PROBE LIGHT KIT, INSPECTION[CUST: CR4 OS 99 IS] [REVIEW: AS GS MC] | A | 6230 | / | IS | 11-JUN-03 |
| | MIL-P-85459(2) | PROBE, CRUSH SENSOR, RH, FZU-45/B AND LH, FZU-46/B AND PROBE, AIR-PRESSURE, FZU/B[CUST: AS] | A | 1336 | | AS | 01-JUN-87 |
| | A-A-54243 | PROBE, CRYOSURGICAL, MICRO, CURVED, WITHOUT THERMOCOUPLE, 1 MM TIP[CUST: MD MS 03] | A | 6515 | / | MB | 14-SEP-90 |
| | A-A-54242 | PROBE, CRYOSURGICAL, STRAIGHT, 1 MM TIP[CUST: MD MS 03] | A | 6515 | / | MB | 13-SEP-90 |
| | A-A-51369A | PROBE, GENERAL OPERATING[CUST: MD MS 03] | A | 6515 | / | MB | 25-NOV-91 |
| | A-A-51490 | PROBE, GENERAL OPERATING (MALL)[CUST: MD MS 03] | A | 6515 | | MB | 03-JUN-87 |
| | A-A-53759 | PROBE, NERVE LOCATOR-STIMULATOR[CUST: MD MS 03] | A | 6515 | / | MB | 28-FEB-89 |
| | A-A-53933 | PROBE, PERIODONTAL[CUST: MD MS 03] | A | 6520 | / | MB | 31-JUL-89 |
| | MIL-STD-1564A(2) | PROCEDURE FOR CALIBRATION AND ANALYSIS OF TRACE CONTAMINANTS IN AVIATOR S BREATHING OXYGEN BY INFRARED SPECTROSCOPY[Military Standard][CUST: 68] [REVIEW: GS] | A | 6830 | | 68 | 27-OCT-97 |
| | QSTAG-287 ED.3 | PROCEDURE FOR REPORTING AND INITIAL DISPOSITION OF UNSATISFACTORY MEDICAL MATERIEL[CUST: AI] | C | ISDA | | AI | 15-JUL-87 |
| | SAE-ARP1256 | PROCEDURE FOR THE CONTINUOUS SAMPLING AND MEASUREMENT OF GASEOUS, EMISSIONS FROM AIRCRAFT TURBINE ENGINES[CUST: AV AS 99] [REVIEW: GS] | A | 2840 | | AS | 01-AUG-90 |
| | MIL-STD-2037(1) | PROCEDURE TO OBTAIN CERTIFICATION FOR ELECTRIC MOTOR SEALED INSULATION SYSTEMS[Standard Practice][CUST: SH] [REVIEW: GS] | A | 6105 | | SH | 23-OCT-91 |
| | AWS-B2.2 | PROCEDURE, BRAZING, AND PERFORMANCE QUALIFICATION, STANDARD FOR[CUST: MR YD 11] | A | THJM | | YD | 14-FEB-91 |
| | AWS-B2.1 | PROCEDURE, WELDING, AND PERFORMANCE QUALIFICATION, SPECIFICATION FOR[CUST: CR4 YD 99] [REVIEW: 84] | A | THJM | | CR4 | 19-MAR-98 |
| | ADV-PUB-61/113/11 | PROCEDURES AND SELECTION OF NON-MEDICAL CONTACT LENSES | C | ISDF | | 06 | 02-FEB-94 |
| | STANAG-3464 ED.3(6) | PROCEDURES FOR AIRCREW AND AIR LIFTED PERSONNEL IN TACTICAL AIR TRANSPORT OPERATIONS | C | ISDF | | 06 | 12-FEB-79 |
| | MIL-STD-1605 | PROCEDURES FOR CONDUCTING A SHIPBOARD ELECTROMAGNETIC INTERFERENCE (EMI) SURVEY (SURFACE SHIPS)[Standard Practice][CUST: SH] | A | EMCS | | SH | 20-APR-73 |
| | QSTAG-523(1) | PROCEDURES FOR DEALING WITH PRISONERS OF WAR (PW) (AMD. 1 INCLUDED)[CUST: AI] | C | ISDA | | AI | 02-JUN-82 |
| | STANAG-2061 ED.5 | PROCEDURES FOR DISPOSITION OF ALLIED PATIENTS BY MEDICAL INSTALLATIONS | C | ISDA | | AI | 16-OCT-01 |
| | QSTAG-830 ED.1 | PROCEDURES FOR EMERGENCY LOGISTIC ASSISTANCE (BASED ON NATO STANAG 2135)[CUST: AI] | C | ISDA | | AI | 21-APR-86 |
| | QSTAG-1137 ED.1 | PROCEDURES FOR INCORPORATING THE COMMON TARGET ACQUISITION MODEL OR ITS RESULTS INTO VARIOUS COMBAT MODELS TO BE USED BY ABCA COUNTRIES[CUST: AI] | C | ISDA | | AI | 16-AUG-01 |
| | MIL-STD-2184 | PROCEDURES FOR INSTALLATION, INSPECTION, MAINTENANCE, AND REPAIR OF- ABSORBER, REFLECTOR, AND DECOUPLER ACOUSTIC MATERIALS (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA PREP ACT - COMD., NAVSEASYSCOM, SEA 55Z3, DEPT OF NAVY, WASH DC 20362-5[Standard Practice][CUST: SH] | D | 5640 | | SH | 04-NOV-85 |
| | NEMA-LL1 | PROCEDURES FOR LINEAR FLUORESCENT LAMP SAMPLE PREPARATION AND THE TCLP[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | STANAG-1200 ED.5 | PROCEDURES FOR LOGISTIC SUPPORT BETWEEN NATO NAVIES AND NAVAL PORT INFORMATION - ALP-1 (D) | C | ISDN | | NI | 31-JUL-92 |
| | QSTAG-1082 ED.1 | PROCEDURES FOR MARKING AND IDENTIFYING AIRBORNE UNITS AND SUB-UNITS ENGAGED IN COMBINED OPERATIONS AND TRAINING[CUST: AI] | C | ISDA | | AI | 26-AUG-97 |
| | STANAG-2415 ED.2(1) | PROCEDURES FOR OPERATION OF MECHANICAL GROUND EQUIPMENT TO MINIMIZE DIESEL FUEL PROBLEMS AT LOW AMBIENT TEMPERATURES | C | ISDF | | 06 | PENDING |
| | QSTAG-1164 ED.1 | PROCEDURES FOR PREPARING ROTARY WING AIRCRAFT FOR SHIPMENT BY RAIL, ROAD, SEA AND AIR[CUST: AI] | C | ISDA | | AI | 21-MAY-98 |
| | STANAG-2952 ED.1(4) | PROCEDURES FOR PROVIDING RESTRICTED AREAS FOR NATO MILITARY AIRCRAFT WHILE USING MILITARY AIRFIELDS OF OTHER NATO NATIONS | C | ISDA | | AI | 10-AUG-87 |
| | QSTAG-171 ED.2 | PROCEDURES FOR REQUESTING REPAIR AND RECOVERY OF LAND MILITARY TECHNICAL EQUIPMENT[CUST: AI] | C | ISDA | | AI | 01-JUN-83 |
| | QSTAG-1081 ED.1 | PROCEDURES FOR SELECTING MARKING AND REPORTING DROP ZONES[CUST: AI] | C | ISDA | | AI | 26-AUG-97 |
| | MIL-STD-1362A NOT 1 | PROCEDURES FOR STEAM PURITY MEASUREMENT NAVAL PROPULSION BOILERS[Test Method Standard][CUST: SH] | A | 4410 | | SH | 16-APR-92 |
| | STANAG-2455 ED.1 | PROCEDURES FOR SURFACE MOVEMENTS ACROSS NATIONAL FRONTIERS - AMOVP-2 | C | ISDA | | AI | 09-MAY-01 |
| | AAP-3 ED.H | PROCEDURES FOR THE DEVELOPMENT, PREPARATION, PRODUCTION AND THE UPDATING OF NATO STANDARDIZATION AGREEMENTS (STANAGS) AND ALLIED PUBLICATIONS (APS) | C | ISDF | | 06 | 01-MAR-01 |
| | STANAG-2377 ED.1(3) | PROCEDURES FOR THE MANAGEMENT OF AN EOD INCIDENT FOR USE WHEN WORKING WITH OTHER AGENCIES | C | ISDA | | AI | 08-FEB-88 |
| | AFLP-6 | PROCEDURES FOR THE TREATMENT OF FUELS CONTAMINED BY MICRO-ORGANISMS | C | ISDF | | 06 | 01-JAN-98 |
| | STANAG-2926 ED.2(3) | PROCEDURES FOR THE USE AND HANDLING OF FREIGHT CONTAINERS FOR MILITARY SUPPLY | C | ISDA | | AI | 12-MAR-96 |
| | AIR-STD-44/45D(1) | PROCEDURES FOR TRACING AIR BAGGAGE AND MISSING AIR CARGO | C | ISDF | | 06 | 18-JUL-91 |
| | STANAG-3740 ED.3(1) | PROCEDURES FOR TRACING AIR TRANSPORTED BAGGAGE AND MISSING AIR TRANSPORTED CARGO | C | ISDF | | 06 | 05-MAR-93 |
| | STANAG-1100 ED.5(4) | PROCEDURES FOR VISITS TO NATO AND NON-NATO PORTS BY NAVAL SHIPS OF NATO NATIONS (INCLUDING AMENDMENT 4) | C | ISDN | | NI | 10-OCT-95 |
| | QSTAG-940 ED.1 | PROCEDURES TO BE USED TO ASSESS THE EXTENT OF WEAR IN ARTILLERY AND TANK GUNS[CUST: AI] | C | ISDA | | AI | 29-JUL-97 |
| | STANAG-4500 ED.1 | PROCEDURES TO DETERMINE FIELD ARTILLERY MUZZLE VELOCITY MANAGEMENT, INTERCHANGEABILITY AND PREDICTION | C | ISDA | | AI | 24-NOV-98 |
| | STANAG-4106 ED.3 | PROCEDURES TO DETERMINE THE DEGREE OF BALLISTIC PERFORMANCE SIMILARITY OF NATO INDIRECT FIRE AMMUNITION AND THE APPLICABLE CORRECTIONS TO AIMING DATA | C | ISDA | | AI | 08-FEB-95 |
| | STANAG-4568 ED.1 | PROCEDURES TO DETERMINE THE LEVELS OF PERFORMANCE (MUZZLE VELOCITY, PRESSURE) AND ASSOCIATED QUALITY OF IN SERVICE LARGE CALIBRE PROPELLING CHARGE LOTS | C | ISDA | | AI | 15-DEC-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | EIA-TIA455.77 | PROCEDURES TO QUALIFY A HIGHER-ORDER MODE FILTER FOR MEASUREMENTS ON SINGLE-MODE FIBER[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC MC SH TE] | A | 60GP | | CR | 09-NOV-92 |
| | ASQC-Z1.4 | PROCEDURES, SAMPLING AND TABLES FOR INSPECTION BY ATTRIBUTES[CUST: AR OS 11] | A | QCIC | | AR | 27-FEB-95 |
| | SAE-AS13341 | PROCESS FOR BARRIER COATING OF ANTI-FRICTION BEARINGS[CUST: AV AS 99] [REVIEW: 11 84 AR EC GS MI OS SH] | A | 3110 | | AS | AUG-98 |
| | MIL-HDBK-506 | PROCESS FOR COATING, PACK CEMENTATION, CHROME ALUMINIDE[CUST: AT] | A | 8030 | | AT | 10-APR-98 |
| | ISA-S51.1 | PROCESS INSTRUMENTATION TERMINOLOGY[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | MIL-P-14796(3) NOT 1 | PROCESS OIL (FOR USE WITH AMMUNITION)[CUST: AR] | A | 1375 | | AR | 13-AUG-98 |
| | MIL-P-71136(2) | PROCESS SPECIFICATION, AMMUNITION, 25MM, PACKAGING, PACKING AND MARKING[CUST: AR] | A | 1305 | | AR | 10-FEB-03 |
| | ANSI-PH1.53 | PROCESSED PHOTOGRAPHIC FILMS, PLATES, & PAPERS, PHOTOGRAPHIC FILING ENCLOSURES FOR STORING, REQUIREMENTS FOR[CUST: CE AS 16] | A | 6760 | | AS | 04-APR-83 |
| | A-A-53494 | PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC[CUST: MD MS 03] | A | 6525 | / | MB | 17-JUN-88 |
| | A-A-54017 | PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC[CUST: MD MS 03] | A | 6525 | / | MB | 24-NOV-89 |
| | A-A-58058 | PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC, DEPLOYABLE[CUST: 99 GS] | A | 6635 | / | 84 | 22-MAR-96 |
| | A-A-58057 | PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC, STATIONARY[CUST: 99 GS] | A | 6635 | / | 84 | 22-MAR-96 |
| | A-A-53292 | PROCESSING UNIT, DENTAL RESINS[CUST: MD MS 03] | A | 6520 | / | MB | 01-DEC-87 |
| | MIL-P-70486(1) | PROCESSOR, SIGNAL, FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 13-AUG-90 |
| | A-A-0051504 | PROCHLORPERAZINE SUPPOSITORIES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 16-JUN-86 |
| | DI-MGMT-80797 | PRODUCIBILITY ANALYSIS REPORT [AMSC: A4679] | A | MGMT | | AM | 22-MAR-89 |
| | ASTM-D823 | PRODUCING FILMS OF UNIFORM THICKNESS OF PAINT, VARNISH, AND RELATED PRODUCTS ON TEST PANELS[CUST: MR SH] [REVIEW: 84 AS CR4 YD] | A | 8010 | | MR | 10-NOV-95 |
| | DI-CMAN-81218 | PRODUCT BASE LINE INDEX (PBLI) [AMSC: N6552] | A | SESS | | SH | 21-JUN-91 |
| | IEST-STD-CC1246D | PRODUCT CLEANLINESS LEVELS AND CONTAMINATION CONTROL PROGRAM[CUST: MI TD 99 GS] [REVIEW: 70 71 84 AR AS AT AV CC GL OS SH] | A | 3694 | | MI | 15-FEB-02 |
| | ASME-Y14.41 | PRODUCT DEFINITION DATA SET PRACTICES - DIGITAL[CUST: AR SA 16 DH] [REVIEW: AS AT AV CC CE CG CH CM CR DC2 EA EC GS IE IS MC MI MP NP OS PT SE SH SM TD TE TM2 YD] | A | DRPR | | AR | 07-JUL-03 |
| | ANSI-Y14.26M | PRODUCT DEFINITION DATA, DIGITAL REPRESENTATION FOR COMMUNICATION OF[CUST: AR SH 02] [REVIEW: 16 AT CR CR4 MI OS] | A | IPSC | | AR | 15-JAN-82 |
| | DI-SESS-81000C | PRODUCT DRAWINGS/MODELS AND ASSOCIATED LISTS [AMSC: A7532] | A | SESS | | AR | 10-SEP-04 |
| | MIL-STD-1540D | PRODUCT VERIFICATION REQUIREMENTS FOR, LAUNCH, UPPER STAGE, AND SPACE VEHICLES[Standard Practice][CUST: 19] [REVIEW: 33 NA] | A | 1810 | | 19 | 15-JAN-99 |
| | DI-RELI-80261 | PRODUCTION INSPECTION EQUIPMENT TEST SYSTEMS ENGINEERING DESIGN DATA [AMSC: N3997] | A | SESS | | SA | 17-NOV-86 |
| | DI-ALSS-81546 | PRODUCTION INSPECTION EQUIPMENT TEST SYSTEMS ENGINEERING DESIGN DATA [AMSC: N7260] | A | SESS | | SA | 22-APR-97 |
| | DI-MGMT-80034 | PRODUCTION LINE OF BALANCE STATUS [AMSC: A3628] | A | MGMT | | MI | 18-JUN-85 |
| | DI-MGMT-80978 | PRODUCTION PERSONNEL MANNING AND SCHEDULE REPORT [AMSC: A4932] | A | MGMT | | AM | 04-MAY-90 |
| | DI-MGMT-81252 | PRODUCTION PROGRESS CONFERENCE (PPC) AGENDA [AMSC: N6711] | A | MGMT | | SH | 02-MAR-92 |
| | DI-MGMT-81255 | PRODUCTION STATUS REPORT [AMSC: A6718] | A | MGMT | | AM | 02-MAR-92 |
| | DI-MGMT-80969 | PRODUCTION SURGE PLAN [AMSC: A4923] | A | MGMT | | AM | 23-APR-90 |
| | DI-MNTY-80173 | PRODUCTION TEST PLAN [AMSC: N3857] | A | SESS | | SA | 29-MAY-86 |
| | DI-NDTI-80492 | PRODUCTION TEST REPORT [AMSC: G4272] | A | NDTI | | NS | 23-NOV-87 |
| | ASTM-D3097 | PRODUCTS, AEROSOL, TESTING, FOR DELIVERED MASS[CUST: GL YD 11] [REVIEW: GS OS] | A | 6810 | | YD | 28-JUL-72 |
| | ADA25 | PRODUCTS, DENTAL GYPSUM[CUST: MD MS 03 MB] | A | 6525 | | MB | 23-JAN-89 |
| | ASTM-D3070 | PRODUCTS, PRESSURIZED, RAPID PRESSURE DETERMINATION OF[CUST: EA SH 68] [REVIEW: GL MD] | A | 6810 | | GS3 | 27-APR-79 |
| | ASTM-D3091 | PRODUCTS, SAFE FILLING OF LOW-PRESSURE PRESSURIZED[CUST: EA SH 68] [REVIEW: MD] | A | 6810 | | GS3 | 28-JUL-72 |
| | ASTM-E426 | PRODUCTS, TUBULAR, AUSTENITIC STAINLESS STEEL AND SIMILAR ALLOYS, SEAMLESS AND WELDED, ELECTROMAGNETIC (EDDY-CURRENT) EXAMINATION OF[CUST: CR4 SH 11] | A | 4710 | | 11 | 10-DEC-98 |
| | ASSE-SERIES5000 | PROFESSIONAL QUALIFICATION STANDARD FOR BACKFLOW PREVENTION ASSEMBLIES TESTERS, REPAIRERS AND SURVEYORS[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | STANAG-3312 ED.4(7) | PROFILE DIMENSIONS OF FLANGES FOR V-BAND COUPLINGS FOR PIPING AND DUCTING | C | ISDF | | 06 | 14-OCT-98 |
| | EIA-RS455.44 | PROFILE, REFRACTIVE INDEX, REFRACTED RAY METHOD[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 29-JAN-85 |
| | DI-MGMT-80506 | PROGRAM EVALUATION AND REVIEW TECHNIQUE (PERT) /TIME ANALYSIS REPORT [AMSC: G4289] | A | MGMT | | NS | 15-JAN-88 |
| | DI-MGMT-80505 | PROGRAM EVALUATION AND REVIEW TECHNIQUE (PERT) /TIME NETWORK DIAGRAM [AMSC: G4288] | A | MGMT | | NS | 15-JAN-88 |
| M | SD-18 NOT 2 | PROGRAM GUIDE FOR PARTS REQUIREMENTS AND APPLICATION | A | SDMP | | SO | 22-MAR-06 |
| | MIL-HDBK-246A | PROGRAM MANAGERS GUIDE FOR THE STANDARD ELECTRONIC MODULES PROGRAM[CUST: CR NW 11] [REVIEW: 13 19 AR AS AT AV CC MC MI] | A | 5963 | | NW | 03-SEP-82 |
| | DI-MISC-80072D | PROGRAM PARTS SELECTION LIST (PPSL) [AMSC: S7326] | A | MISC | | CC | 05-AUG-98 |
| | DI-MGMT-80555 | PROGRAM PROGRESS REPORT [AMSC: G4365] | A | MGMT | | NS | 30-MAR-88 |
| | DI-ADMN-81306 | PROGRAM PROTECTION IMPLEMENTATION PLAN (PPIP) [AMSC: D6882] | A | ADMN | | SO | 25-JAN-93 |
| | DI-FACR-80149 | PROGRAM SUPPORT LETTER ADDENDUM [AMSC: F3812] | A | FACR | | 10 | 07-APR-86 |
| | DI-SDMP-81493A | PROGRAM-UNIQUE SPECIFICATION DOCUMENTS [AMSC: D7503] | A | SDMP | | SO | 01-AUG-03 |
| | MIL-PRF-32006 | PROGRAMMABLE CONTROLLER, NAVAL SHIPBOARD[CUST: CR SH 11] [REVIEW: 03 19 99 AS BC CC CG EC MI NW] | A | 5998 | | SH | 29-JUN-04 |
| | STANAG-2497 ED.1(1) | PROGRAMMERS MANUAL FOR REPORTING NUCLEAR DETONATIONS, BIOLOGICAL AND CHEMICAL ATTACKS AND PREDICTING AND WARNING OF ASSOCIATED HAZARDS AND HAZARD AREAS - AEP-45 (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 10-AUG-00 |
| | DI-FNCL-81567A | PROGRESS CURVE REPORT (DD FORM 1921-2) [AMSC: D7380] | A | FNCL | | SO | 12-JAN-00 |
| | DI-ADMN-81313 | PROGRESS REPORT (STUDIES) [AMSC: G6889] | A | ADMN | | NS | 25-JAN-93 |
| | DI-CMAN-80396 | PROJECT DEVELOPMENT BROCHURE [AMSC: A4162] | A | SESS | | AR | 04-AUG-87 |
| | DI-MGMT-80507A | PROJECT PLANNING CHART [AMSC: G4718] | A | MGMT | | NS | 30-MAY-89 |
| | MIL-P-60620D(1) | PROJECTILE ASSEMBLY FOR CARTRIDGE, SMOKE, WP, 81MM, M375A1[CUST: AR] | A | 1315 | | AR | 23-AUG-94 |
| | MIL-P-50203(1) NOT 1 | PROJECTILE METAL PARTS. LESS BALL ASSEMBLY, WITH FUZE, PD, M536[CUST: AR] | A | 1310 | | AR | 23-MAR-88 |
| | ITOP-4.2.802 | PROJECTILE SEATING AND FALLBACK | D | ISDA | | TE | 25-MAY-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ITOP-4.2.801 | PROJECTILE UNBALANCE | D | ISDA | | TE | 18-APR-02 |
| | ITOP-4.2.805 | PROJECTILE VELOCITY AND TIME-OF-FLIGHT MEASUREMENTS | D | ISDA | | TE | 15-APR-99 |
| | MIL-P-71038(1) NOT 2 | PROJECTILE, 120MM, HE, M933/M934 BODY[CUST: AR] | D | 1315 | | AR | 27-NOV-96 |
| | MIL-P-71055A(3) NOT 2 | PROJECTILE, 120MM, SMOKE, WP, M929, BODY ASSEMBLY AND METAL PARTS[CUST: AR] | D | 1315 | | AR | 16-APR-01 |
| | MIL-P-63252A(2) | PROJECTILE, 155MM, HE, M795 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 14-MAY-98 |
| | MIL-P-63245B(3) | PROJECTILE, 155MM, HE, M795 METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 14-MAY-98 |
| | MIL-P-63061A NOT 3 | PROJECTILE, 155MM, M692/M731, PLUG, HOUSING FOR[CUST: AR] | A | 1320 | | AR | 27-NOV-96 |
| | MIL-DTL-60477B(3) | PROJECTILE, 155MM, SMOKE, WP, M110A2, LOADING AND ASSEMBLING[CUST: EA] [REVIEW: AR] | D | 1320 | | EA | 07-MAR-05 |
| | MIL-P-50702B(1) | PROJECTILE, 155MM: M687 METAL PARTS ASSEMBLY[CUST: AR] | X | 1320 | | AR | 27-NOV-92 |
| | MIL-P-60295C(2) NOT 1 | PROJECTILE, 20MM, HEI, M56A4; METAL PARTS[CUST: AR] | A | 1305 | | AR | 31-JUL-98 |
| | MIL-P-48400A(5) | PROJECTILE, 60MM, HE, M720 METAL PARTS ASSEMBLY[CUST: AR] | A | 1310 | | AR | 23-AUG-93 |
| | MIL-P-64036(1) | PROJECTILE, 60MM, SMOKE, WP, M302 METAL PARTS ASSEMBLY[CUST: AR] | A | 1310 | | AR | 20-AUG-93 |
| | MIL-P-70679(3) | PROJECTILE, 60MM, WP, XM722 (M722) BODY ASSEMBLY[CUST: AR] | A | 1310 | | AR | 14-SEP-95 |
| | MIL-PRF-18950A | PROJECTILE, HIGH CAPACITY, ANTI-AIRCRAFT, AND ILLUMINATING[CUST: OS] | A | 1320 | | OS | 26-MAY-99 |
| | MIL-P-63357A(2) NOT 3 | PROJECTILE, TRAINING, 155MM, 823[CUST: AR] | A | 1320 | | AR | 30-MAR-05 |
| | MIL-P-85121 NOT 1 | PROJECTILES, 20MM MARK 100 SERIES[CUST: AS] | A | 1305 | | AS | 10-APR-87 |
| | MIL-PRF-18949B | PROJECTILES, ILLUMINATING, LOCALIZED HEAT TREATMENT OF[CUST: OS] | A | 1320 | | OS | 26-MAY-99 |
| | MIL-P-18948B | PROJECTILES, PRIMING, MARKING, AND GREASING OF[CUST: OS] | A | 1320 | | OS | 15-JUL-92 |
| | STANAG-3409 ED.5(1) | PROJECTIONS FOR AERONAUTICAL CHARTS | C | ISDF | | 06 | 31-JAN-01 |
| | ANSI-PH3.64 | PROJECTOR WITH BUILT IN SMALL SCREENS, METHOD FOR TESTING OPTICAL PERFORMANCE OF SLIDE & FILMSTRIP[CUST: CR AS 99] | A | 6730 | | AS | 12-MAY-87 |
| | GG-P-00661B(2) | PROJECTOR, STILL PICTURE, OVERHEAD, ATTACHMENTS AND ACCESSORIES | A | 6730 | # | FSS | 30-JAN-73 |
| | A-A-53918 | PROJECTOR, VISUAL ACUITY TEST[CUST: MD MS 03] | A | 6540 | / | MB | 30-MAY-89 |
| | A-A-50838 | PROMETHAZINE HYDROCHLORIDE, IPECAC FLUIDEXTRACT, AND POTASSIUM GUAIACOLSULFONATE ELIXIR[CUST: MD MS 03] | A | 6505 | / | MB | 26-JUL-82 |
| | A-A-51287 | PROP, MOUTH, DENTAL, RUBBER[CUST: MD MS 03] | A | 6520 | / | MB | 18-DEC-85 |
| | A-A-53887 | PROP, MOUTH, DENTAL, STYROFOAM[CUST: MD MS 03] | A | 6520 | / | MB | 12-JUN-89 |
| | ASTM-D1922 | PROPAGATION TEAR RESISTANCE FOR PLASTIC FILM AND THIN SHEETING BY PENDULUM METHOD[CUST: GL SH 99] | A | 9330 | | GL | 15-OCT-94 |
| | DOD-P-82670 | PROPANEDIOL, 1, 2 (METRIC)[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 02-DEC-80 |
| | A-A-54788 | PROPANTHELINE BROMIDE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 08-JAN-93 |
| | DI-MISC-80996 | PROPELLANT ANALYSIS REPORT FOR AIRCREW ESCAPE PROPULSION (AEPS) DEVICES [AMSC: N4950] | A | MISC | | SA | 09-OCT-90 |
| | MIL-P-50202A(7) | PROPELLANT CHARGE, ROCKET, FOR DEMOLITION KIT, CRATERING, M180[CUST: AR] | A | 1340 | | AR | 27-MAR-98 |
| | MIL-P-85661 NOT 1 | PROPELLANT EXTRUDED, 25 MM, ARMOR PIERCING INCENDIARY (API), PGU-20/U[CUST: AS] | A | 1305 | | AS | 02-OCT-91 |
| | MIL-P-81994 NOT 1 | PROPELLANT FOR 20MM AMMUNITION[CUST: AS] | A | 1376 | | AS | 26-SEP-91 |
| | MIL-DTL-82761A | PROPELLANT GRAIN, ASROC ROCKET MOTOR, REWORKED[CUST: OS] | D | 1340 | | OS | 24-JAN-97 |
| | MIL-P-85759 | PROPELLANT GRAIN, MARK 93 MOD O[CUST: AS] | A | 1376 | | AS | 01-AUG-86 |
| | MIL-P-82739(1) | PROPELLANT GRAINS, NOSOL-318[CUST: OS] | A | 1377 | | OS | 01-MAR-88 |
| | MIL-P-60416A(2) NOT 1 | PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, 155MM, M3A1[CUST: AR] | A | 1376 | | AR | 24-JUN-91 |
| | MIL-P-60397B(1) | PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, 155MM, M4A2[CUST: AR] | A | 1376 | | AR | 18-MAY-93 |
| | MIL-P-48130A(1) NOT 1 | PROPELLANT M10 FOR 81MM MORTAR M205 PROPELLING CHARGE[CUST: AR] | A | 1376 | | AR | 22-JUN-89 |
| | MIL-P-63517(2) | PROPELLANT M14 FOR USE IN CARTRIDE, 105MM TP-T, M490A1[CUST: AR] | A | 1376 | | AR | 05-JUN-87 |
| | MIL-P-60045A NOT 1 | PROPELLANT M2 FOR USE IN 165MM CARTRIDGES[CUST: AR] | A | 1376 | | AR | 29-AUG-91 |
| | MIL-P-63301 NOT 1 | PROPELLANT M30 FOR USE IN 105MM CARTRIDGE, HEAT-T, M622[CUST: AR] | A | 1376 | | AR | 20-JUN-82 |
| | MIL-P-63515A(2) | PROPELLANT M30 FOR USE IN CARTRIDGE 105MM, APFSDS-T, M833[CUST: AR] | A | 1376 | | AR | 10-OCT-96 |
| | MIL-P-48349 NOT 1 | PROPELLANT M3OA1 FOR USE IN 155M PROPELLING CHARGES[CUST: AR] | A | 1376 | | AR | 21-MAR-88 |
| | MIL-P-70818A | PROPELLANT M43 FOR USE IN CARTRIDGE 105MM, APFSDS-T, M900[CUST: AR] | E | 1376 | | AR | 23-AUG-94 |
| | MIL-P-71033(2) | PROPELLANT M44 FOR IGNITION CARTRIDGE, M981 FOR 120MM MORTAR[CUST: AR] | D | 1315 | | AR | 30-AUG-96 |
| | MIL-P-71031(3) | PROPELLANT M45 FOR 120MM MORTAR M230 PROPELLING CHARGE[CUST: AR] | D | 1315 | | AR | 30-AUG-96 |
| | MIL-P-14940B(1) NOT 1 | PROPELLANT M6 FOR USE IN CHARGE PROPELLING, M119, 155MM[CUST: AR] | A | 1376 | | AR | 21-MAY-87 |
| | MIL-P-63404 NOT 1 | PROPELLANT M6 FOR USE IN CHARGE, PROPELLING, 155MM, M119A2[CUST: AR] | A | 1376 | | AR | 12-SEP-91 |
| | MIL-P-63195A | PROPELLANT M9 FOR USE IN CARTRIDGE, IGNITION M702[CUST: AR] | A | 1376 | | AR | 22-JUN-90 |
| | MIL-P-50206(4) NOT 1 | PROPELLANT M9, FLAKE (FOR USE IN 40MM CARTRIDGES)[CUST: AR] | A | 1376 | | AR | 22-JAN-98 |
| | MIL-P-60398B | PROPELLANT M9, FLAKE (FOR USE IN IGNITION CARTRIDGES)[CUST: AR] | A | 1376 | | AR | 29-JAN-88 |
| | MIL-P-48348 | PROPELLANT MI FOR USE IN CHARGE, PROPELLING, XM164[CUST: AR] | A | 1375 | | AR | 24-OCT-74 |
| | MIL-P-60463B NOT 3 | PROPELLANT POWDER (FOR USE IN BASE GRAIN OGK)[CUST: AR] | A | 1376 | | AR | 27-NOV-96 |
| | MIL-P-60432C NOT 3 | PROPELLANT POWDER FOR USE IN BASE GRAIN, AHH[CUST: AR] | A | 1376 | | AR | 27-NOV-96 |
| | MIL-PRF-27407B | PROPELLANT PRESSURIZING AGENT, HELIUM[CUST: AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 25-AUG-97 |
| | MIL-PRF-27415A(1) | PROPELLANT PRESSURIZING AGENT, ARGON[CUST: MI AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 20-AUG-98 |
| | MIL-P-270A NOT 1 | PROPELLANT, ARTILLERY[CUST: AR] | A | 1375 | | AR | 27-AUG-90 |
| | MIL-P-85662 NOT 1 | PROPELLANT, BALL, 25 MM, ARMOR PIERCING INCENDIARY (API), PGU-20/U[CUST: AS] | A | 1305 | | AS | 02-OCT-91 |
| | MIL-P-19264B | PROPELLANT, BS-NACO, FOR THE 5"/54 CALIBER PROPELLING CHARGE[CUST: OS] | A | 1376 | | OS | 10-NOV-93 |
| | MIL-P-70762(2) | PROPELLANT, COMPOSITE, CAST, FOR USE IN SIMULATOR, MISSILE: SAGGER XM27[CUST: AR] | A | 1376 | | AR | 01-FEB-96 |
| | MIL-P-85548B | PROPELLANT, COMPOSITE, CAST, N-60[CUST: OS] [REVIEW: AS] | A | 1370 | | OS | 30-NOV-90 |
| | MIL-P-85364A | PROPELLANT, CTBN 23-17[CUST: AS] | A | 1340 | | OS | 23-SEP-93 |
| | MIL-P-17689 NOT 3 | PROPELLANT, DOUBLE -BASE SHEET, TYPE N-5[CUST: OS] | A | 1340 | | OS | 23-JUL-03 |
| | MIL-P-48357A(1) NOT 1 | PROPELLANT, DOUBLE-BASE SHEET, M36[CUST: AR] | A | 1376 | | AR | 13-JUN-88 |
| | MIL-DTL-32040 | PROPELLANT, GUN, HIGH ENERGY NITRAMINE[CUST: OS] | A | 1376 | | OS | 19-MAR-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-82965B | PROPELLANT, GUN, HIGH ENERGY NITRAMINE[CUST: OS] | A | 1376 | | OS | 17-JUL-01 |
| | MIL-P-23929A NOT 1 | PROPELLANT, H8[CUST: AR OS 99] [REVIEW: 19] | A | 1375 | | AR | 27-AUG-90 |
| | MIL-P-87107C | PROPELLANT, HIGH DENSITY SYNTHETIC HYDROCARBON TYPE, GRADE JP-10[CUST: AS 68] [REVIEW: 11] | A | 9135 | | 68 | 21-FEB-89 |
| | MIL-PRF-26536E(1) | PROPELLANT, HYDRAZINE[CUST: AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 10-JAN-00 |
| | MIL-PRF-27402C | PROPELLANT, HYDRAZINE - UNS-DIMETHYLHYDRAZINE (50 PERCENT N2H4 - 50 PERCENT UDMH)[CUST: AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 01-OCT-97 |
| | MIL-PRF-87930A | PROPELLANT, HYDRAZINE- WATER (70 PERCENT HYDRAZINE - 30 PERCENT WATER)[CUST: 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 24-NOV-97 |
| | MIL-PRF-27201C | PROPELLANT, HYDROGEN[CUST: MI AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 22-DEC-95 |
| | MIL-PRF-16005F | PROPELLANT, HYDROGEN PEROXIDE[CUST: MI AS 68] [REVIEW: 11 99 SA] | A | 9135 | | PS | 01-AUG-03 |
| | MIL-P-82522C | PROPELLANT, JET ENGINE, T-H DIMER, GRADE RJ-4[CUST: AS 68 PS] [REVIEW: 11] | A | 9135 | | AS | 26-OCT-90 |
| | MIL-P-71158 NOT 2 | PROPELLANT, LIQUID, XM46[CUST: AR] | A | 1376 | | AR | 27-NOV-96 |
| | MIL-DTL-60318C | PROPELLANT, M1 FOR USE IN CHARGE, PROPELLING, M67 FOR 105MM HOWITZER[CUST: AR] | A | 1376 | | AR | 21-OCT-03 |
| | MIL-P-48099A NOT 1 | PROPELLANT, M10 (FOR USE IN SPECIAL APPLICATIONS)[CUST: AR] | A | 1376 | | AR | 29-AUG-91 |
| | MIL-P-70956B | PROPELLANT, M14, FOR USE IN CARTRIDGE 120 MM, TPCSDS-T, M865[CUST: AR] | B | 1376 | | AR | 11-OCT-94 |
| | MIL-P-60989A(1) NOT 1 | PROPELLANT, M2 FOR M5 SUBSYSTEM AMMUNITION[CUST: AR] | A | 1376 | | AR | 21-MAR-88 |
| | MIL-P-48089(1) NOT 1 | PROPELLANT, M5 (FOR USE IN SPECIAL APPLICATIONS)[CUST: AR] | A | 1376 | | AR | 30-JAN-87 |
| | MIL-P-82887 | PROPELLANT, M6+2 FOR THE 76MM/62 CALIBER CARTRIDGE[CUST: OS] | A | 1376 | | OS | 10-NOV-93 |
| | MIL-P-14737(2) NOT 1 | PROPELLANT, M7[CUST: AR] [REVIEW: CR4] | A | 1376 | | AR | 02-FEB-89 |
| | MIL-PRF-27404C | PROPELLANT, MONOMETHYLHYDRAZINE[CUST: AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 01-OCT-97 |
| | MIL-PRF-7254G | PROPELLANT, NITRIC ACID[CUST: MI AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 15-DEC-97 |
| | MIL-DTL-32124 | PROPELLANT, NSWC/IH-BC-15, NSWC/IH-BC-16, NSWC/IH-BC-17 AND NSWC/IH-BC- 20[CUST: OS] | A | 1377 | | OS | 27-AUG-03 |
| | MIL-PRF-25508F | PROPELLANT, OXYGEN[CUST: MI AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 19-OCT-95 |
| | MIL-PRF-27401D | PROPELLANT, PRESSURIZING AGENT, NITROGEN[CUST: MI AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 03-OCT-95 |
| M | MIL-DTL-25576E | PROPELLANT, ROCKET GRADE KEROSENE[CUST: CR4 AS 68 PS] [REVIEW: 19 MI NA] | A | 9130 | | 68 | 14-APR-06 |
| | MIL-STD-2100 | PROPELLANT, SOLID, CHARACTERIZATION OF (EXCEPT GUN PROPELLANT)[Test Method Standard][CUST: OS] | A | 1376 | | OS | 30-MAR-79 |
| | MIL-P-82944(1) | PROPELLANT, SOLID, COMPOSITE[CUST: OS] | A | 1377 | | OS | 21-JAN-97 |
| | MIL-P-63201(1) NOT 3 | PROPELLANT, SOLVENTLESS, TYPE M37 FOR PROJECTILE, 155MM, HE, ROCKET ASSISTED, M549 AND M549A1[CUST: AR] | A | 1320 | | AR | 27-NOV-96 |
| | MIL-P-48335 NOT 1 | PROPELLANT, SPHEROIDAL BALL POWDER[CUST: AR] | A | 1376 | | AR | 27-APR-87 |
| | MIL-P-70456C(6) | PROPELLANT, STICK, M31A1E1 FOR USE IN CHARGE PROPELLING M203A1[CUST: AR] | A | 1376 | | AR | 08-DEC-93 |
| | MIL-P-70732 | PROPELLANT, STICK, M31A1E1 FOR USE IN CHARGE, PROOF, 155MM, PXR-6297A1[CUST: AR] | A | 1376 | | AR | 31-MAR-89 |
| | MIL-PRF-25604E | PROPELLANT, UNS-DIMETHYLHYDRAZINE[CUST: AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 01-OCT-97 |
| | MIL-P-3984J(3) | PROPELLANTS FOR SMALL ARMS AMMUNITION[CUST: AR OS] | A | 1376 | | AR | 12-JUN-00 |
| M | MIL-PRF-26539F | PROPELLANTS, DINITROGEN TETROXIDE[CUST: AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 17-APR-06 |
| | MIL-STD-652D(6) | PROPELLANTS, SOLID, FOR CANNONS REQUIREMENTS AND PACKING[Standard Practice][CUST: AR] | A | 1376 | | AR | 28-APR-90 |
| | MIL-STD-286C(1) | PROPELLANTS, SOLID: SAMPLING, EXAMINATION AND TESTING[Test Method Standard][CUST: AR OS 99] [REVIEW: 70] | A | 1376 | | AR | 08-JAN-94 |
| | MIL-P-22314(3) NOT 2 | PROPELLANTS, U.S. NAVY GUNS; BALLISTIC APPENDIX[CUST: OS] | A | 1376 | | OS | 05-SEP-95 |
| | DOD-P-24562A | PROPELLER, SHIP, CONTROLLABLE PITCH (METRIC)[CUST: SH] | A | 2010 | | SH | 01-NOV-82 |
| | ITOP-4.2.700(1) | PROPELLING CHARGES | D | ISDA | | TE | 14-JUL-98 |
| | STANAG-2996 ED.1 | PROPERITES OF TENTAGE MATERIAL | C | ISDA | | AI | 08-APR-98 |
| | ASTM-D695M | PROPERTIES OF COMPRESSIVE RIGID PLASTICS (METRIC)[CUST: MR 11] [REVIEW: AR AS AT AV CR4 GL GS MI OS SH YD] | A | 9330 | | MR | 15-NOV-91 |
| | ASTM-D2556 | PROPERTIES, ADHESIVES HAVING SHEAR-RATE-DEPENDENT FLOW, APPARENT VISCOSITY OF[CUST: MI AS 99] | A | 8040 | | MI | 15-DEC-93 |
| | ASTM-C393 | PROPERTIES, FLEXURAL OF FLAT SANDWICH CONSTRUCTIONS[CUST: MR AS 99] | A | 9530 | | AS | 03-OCT-94 |
| | ASTM-D5229/D5229M | PROPERTIES, MOISTURE ABSORPTION, AND EQUILIBRIUM CONDITIONING OF POLYMER MATRIX COMPOSITE MATERIALS[CUST: MR SH 99] | A | 9330 | | MR | 15-FEB-92 |
| | ASTM-D5470 | PROPERTIES, THERMAL TRANSMISSION, OF THIN THERMALLY CONDUCTIVE SOLID ELECTRICAL INSULATION MATERIALS[CUST: CR SH 11 GS2] [REVIEW: 03 19 99 CC EC FSS] | A | 5970 | | GS2 | 15-OCT-93 |
| | DI-MISC-81420 | PROPERTY CONTROL REPORT [AMSC: F7065] | A | MISC | | 10 | 14-NOV-94 |
| | MIL-P-24589A(1) | PROPORTIONER SYSTEMS, BALANCED PRESSURE, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE[CUST: SH] | A | 4210 | | SH | 07-APR-94 |
| | MIL-P-21397C | PROPORTIONING UNIT, CHEMICAL (FOR DISTILLING PLANTS NAVAL SHIPBOARD USE)[CUST: SH] | A | 4620 | | SH | 28-NOV-71 |
| | DI-SESS-81012C | PROPOSED CRITICAL MANUFACTURING PROCESS DESCRIPTION (PCMPD) [AMSC: A7540] | A | SESS | | AR | 10-SEP-04 |
| | DI-ILSS-80134A | PROPOSED SPARE PARTS LIST [AMSC: F5035] | A | SESS | | 10 | 06-NOV-90 |
| | A-A-54728 | PROPOXYPHENE HYDROCHLORIDE CAPSULES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 18-SEP-92 |
| | A-A-54787 | PROPOXYPHENE NAPSYLATE AND ACETAMINOPHEN TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 08-JAN-93 |
| | MIL-P-83126A | PROPULSION SYSTEMS, AIRCREW ESCAPE, DESIGN SPECIFICATION FOR[CUST: AR OS 11] [REVIEW: 99 AS TE] | A | 1377 | | OS | 08-FEB-80 |
| | MIL-DTL-2845E | PROPULSION SYSTEMS, BOAT AND SHIP; MAIN SHAFTING, PROPELLERS, BEARINGS, GAUGES, SPECIAL TOOLS, AND ASSOCIATED REPAIR PARTS; PRESERVATION, PACKAGING , PACKING AND STORAGE OF[CUST: SH] | A | PACK | | SH | 18-AUG-99 |
| | DI-MISC-80226 | PROPULSION UNIT DATA [AMSC: N3946] | A | MISC | | SH | 04-SEP-86 |
| | DOD-P-82671 | PROPYLENE GLYCOL DINITRATE[CUST: OS] | A | 9135 | | OS | 19-JAN-79 |
| | A-A-30018A | PROSTHETIC SOCKS[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-82 |
| | API-RP2003 | PROTECTION AGAINST IGNITIONS ARISING OUT OF STATIC, LIGHTENING AND STRAY CURRENTS[CUST: CR YD 11] [REVIEW: 99 GS] | A | SAFT | | YD | 01-JUL-88 |
| | STANAG-7054 ED.1(1) | PROTECTION AREAS MAPPING (PAM) | C | ISDF | | 06 | 08-APR-94 |
| | AEP-29 | PROTECTION OF AIRCRAFT CREW AND SUB-SYSTEMS IN FLIGHT AGAINST ELECTROSTATIC CHARGES | C | ISDA | | AI | 31-JAN-99 |
| | STANAG-3856 ED.1 | PROTECTION OF AIRCRAFT, CREW AND SUB-SYSTEMS IN FLIGHT AGAINST ELECTROSTATIC CHARGES - AEP-29 | C | ISDF | | 06 | 09-MAR-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-2899 ED.3 | PROTECTION OF HEARING | C | ISDA | | AI | 07-AUG-01 |
| | AIR-STD-61/103/1B | PROTECTION OF PERSONNEL AGAINST THE EFFECTS OF HIGH LEVELS OF SOUND UPON HEARING AND OPERATIONAL EFFICIENCY | C | ISDF | | 06 | 30-JUL-86 |
| | STANAG-1333 ED.5 | PROTECTION OF VESSELS FROM ELECTROMAGNETIC MINES - AMP-14 | C | ISDN | | NI | 28-FEB-02 |
| | ANSI-Z87.1 | PROTECTION, EYE AND FACE, PRACTICE FOR OCCUPATIONAL AND EDUCATIONAL[CUST: EA SH 99] [REVIEW: AR AS YD] | A | 4240 | | CT | 02-FEB-89 |
| | MIL-P-85833 | PROTECTIVE ASSEMBLY, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL[CUST: AS] | A | 4240 | | AS | 06-NOV-89 |
| | AWWA-C550 | PROTECTIVE EPOXY INTERIOR COATINGS FOR VALVES AND HYDRANTS[CUST: CR4 YD 99] [REVIEW: 84 SH] | A | 8010 | | IS | 29-MAR-93 |
| | MIL-STD-186F | PROTECTIVE FINISHING FOR ARMY MISSILE WEAPON SYSTEMS[CUST: MI] [REVIEW: MR] | A | MFFP | | MI | 20-FEB-02 |
| | QSTAG-753 ED.1 | PROTECTIVE MASK/WATER CANTEEN INTERFACE[CUST: AI] | C | ISDA | | AI | 21-OCT-91 |
| | A-A-59725 | PROTECTOR, AUTOMOTIVE CABLE, HIGH CURRENT, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 17-JUN-02 |
| | A-A-50121A | PROTECTOR, CRAMPON[CUST: GL NU 99 CT] [REVIEW: MC] | A | 8465 | / | CT | 21-FEB-90 |
| | A-A-51023 | PROTECTOR, DENTURE MODEL, FOAMED PLASTIC, THREE-PIECE[CUST: MD MS 03] | A | 6520 | | MB | 10-OCT-85 |
| | L-P-00670B(2) | PROTECTOR, DOCUMENT | A | 7510 | # | FSS | 11-MAY-72 |
| | A-A-58084 | PROTECTOR, HEARING[CUST: EA MS 99] [REVIEW: 11 CR4 GS] | A | 4240 | / | 84 | 20-NOV-96 |
| | A-A-53080 | PROTECTOR, HEEL[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUL-87 |
| | A-A-55194A | PROTECTOR, TROUSERS, PISTOL HOLSTER[CUST: MC CT] | A | 8465 | / | CT | 06-OCT-00 |
| | UL1077 | PROTECTORS FOR USE IN ELECTRICAL EQUIPMENT, SUPPLEMENTARY[CUST: CC] | A | 5925 | | CC | 29-APR-94 |
| | MIL-P-37646 | PROTECTORS, ORTHOPEDIC CAST[CUST: MD MS 03] | A | 6515 | | MB | 31-MAR-77 |
| | A-A-52035 NOT 1 | PROTRACTOR, ONE ARM: SEMICIRCULAR (CORROSION-RESISTANT ALLOY, WITH CASE)[CUST: CE 99 IS] [REVIEW: MC YD] | A | 6675 | / | IS | 27-SEP-01 |
| | A-A-50208A NOT 2 | PROTRACTOR, RECTANGULAR[CUST: CE MC 99 IS] [REVIEW: 71] | A | 6675 | / | IS | 25-SEP-01 |
| | A-A-59478 NOT 1 | PROTRACTOR, THREE ARM[CUST: CE3 SH 99 IS] | A | 6675 | / | IS | 13-AUG-04 |
| | A-A-52300 NOT 1 | PROTRACTORS, CIRCULAR AND SEMICIRCULAR, (MILS, DEGREES)[CUST: CE 99 IS] [REVIEW: 71 CG MC] | A | 6675 | / | IS | 27-SEP-01 |
| | A-A-3084A | PROTRACTORS, MECHANICS, BEVEL AND PLAIN, RECTANGULAR HEAD | A | 5210 | # | FSS | 05-FEB-02 |
| | A-A-3085A | PROTRACTORS, MECHANICS, UNIVERSAL BEVEL AND VERNIER SCALE | A | 5210 | # | FSS | 05-FEB-02 |
| | A-A-52050 NOT 1 | PROTRACTORS, SEMICIRCULAR, PLASTIC, GRADUATED IN MILS, YARDS, METERS, AND INCHES[CUST: CE 99 IS] [REVIEW: AR MC] | A | 6675 | / | IS | 27-SEP-01 |
| | MIL-HDBK-792 | PROVE OUT OF PRODUCTION FACILITIES[CUST: AR] | A | QCIC | | AR | 24-MAR-89 |
| | STANAG-7010 ED.2(2) | PROVISION OF AIRFIELD MARKING INFORMATION | C | ISDF | | 06 | 20-OCT-97 |
| | STANAG-3113 ED.6(5) | PROVISION OF SUPPORT TO VISITING PERSONNEL, AIRCRAFT AND VEHICLES | C | ISDF | | 06 | 07-MAY-93 |
| | DI-ALSS-81544 | PROVISIONING DATA COVER PAGE [AMSC: N7258] | A | SESS | | SH | 22-APR-97 |
| | MIL-STD-1394B | PROVISIONS FOR EVALUATING QUALITY OF CAP CROWNS[Military Standard][CUST: NU 11 CT] [REVIEW: 99 MC] | A | 8405 | | CT | 06-NOV-89 |
| | MIL-STD-901B | PROVISIONS FOR EVALUATING QUALITY OF CAPS, GARRISON, MEN S[Military Standard][CUST: GL NU 11 CT] [REVIEW: 99 MC] | A | 8405 | | CT | 08-APR-88 |
| | MIL-STD-902A | PROVISIONS FOR EVALUATING QUALITY OF CAPS, GARRISON, WOMEN S[Military Standard][CUST: GL NU 11 CT] [REVIEW: 99 MC] | A | 8410 | | CT | 12-JUN-88 |
| | MIL-STD-1668B | PROVISIONS FOR EVALUATING QUALITY OF CLOTH COVERALLS[Military Standard][CUST: GL NU 99 CT] [REVIEW: 11 AS MC MD] | A | 8415 | | CT | 09-FEB-88 |
| | MIL-STD-655D | PROVISIONS FOR EVALUATING QUALITY OF CLOTH, WOOL, WORSTED AND WOOL BLENDS[Military Standard][CUST: GL NU 11 CT] [REVIEW: 99 AS MC] | A | 8305 | | CT | 06-AUG-92 |
| | MIL-STD-1490G | PROVISIONS FOR EVALUATING QUALITY OF COATS, MEN'S, DRESS[Military Standard][CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8405 | | CT | 26-AUG-92 |
| | MIL-STD-1608C(1) NOT 1 | PROVISIONS FOR EVALUATING QUALITY OF COATS, WOMEN'S, DRESS[Military Standard][CUST: GL NU 11 CT] [REVIEW: 99 MC] | A | 8410 | | CT | 04-JUN-90 |
| | MIL-STD-1612B | PROVISIONS FOR EVALUATING QUALITY OF GLOVES, CLOTH, DRESS[Military Standard][CUST: GL NU 11 CT] [REVIEW: 99 CG MC] | A | 8440 | | CT | 17-OCT-88 |
| | MIL-STD-1613B | PROVISIONS FOR EVALUATING QUALITY OF GLOVES, LEATHER, DRESS[Military Standard][CUST: GL NU 11 CT] [REVIEW: 99 CG MC MD] | A | 84GP | | CT | 01-MAR-90 |
| | MIL-STD-1611A NOT 1 | PROVISIONS FOR EVALUATING QUALITY OF HOODS AND HAVELOCKS, WOMAN S[Military Standard][CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8410 | | CT | 25-JAN-88 |
| | MIL-STD-1667B | PROVISIONS FOR EVALUATING QUALITY OF HOODS: COLD WEATHER, EXTREME COLD WEATHER, AND FLYER'S[Military Standard][CUST: GL NU 99 CT] [REVIEW: 11 AS MC] | A | 8415 | | CT | 18-JAN-95 |
| | MIL-STD-1492C | PROVISIONS FOR EVALUATING QUALITY OF MEN S SHIRTS[Military Standard][CUST: GL NU 11 CT] | A | 8405 | | CT | 10-JUN-88 |
| | MIL-STD-1391D | PROVISIONS FOR EVALUATING QUALITY OF OVERCOATS, MEN'S[Military Standard][CUST: GL NU CT] [REVIEW: MC] | A | 8405 | | CT | 02-JUN-92 |
| | MIL-STD-1494B | PROVISIONS FOR EVALUATING QUALITY OF RAINCOATS[Military Standard][CUST: GL NU 11 CT] | A | 8405 | | CT | 14-JUN-88 |
| | MIL-STD-657A | PROVISIONS FOR EVALUATING QUALITY OF SERVICE CAPS[Military Standard][CUST: GL 11 CT] | A | 8405 | | CT | 28-JUL-78 |
| | MIL-STD-656C | PROVISIONS FOR EVALUATING QUALITY OF SLACKS, WOMEN'S[Military Standard][CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8410 | | CT | 18-JUL-90 |
| | MIL-STD-1488G | PROVISIONS FOR EVALUATING QUALITY OF TROUSERS[Military Standard][CUST: GL NU 11 CT] [REVIEW: 99 CG MC MD] | A | 8405 | | CT | 30-MAR-90 |
| | MIL-STD-1609C | PROVISIONS FOR EVALUATING QUALITY OF WOMEN'S SKIRTS[Military Standard][CUST: GL NU 11 CT] [REVIEW: 99 MC] | A | 8410 | | CT | 21-MAY-90 |
| | MIL-STD-984A | PROVISIONS FOR SIZE LABELING FOR WOMEN'S UNIFORM CLOTHING[Military Standard][CUST: NU 11 CT] [REVIEW: CG GL MC] | A | 8410 | | CT | 13-SEP-94 |
| | SD-6 | PROVISIONS GOVERNING QUALIFICATION[CUST: AM NM 01 DH] | A | SDMP | | SO | 01-AUG-99 |
| | A-A-54695 | PSYCHROMETER (SLING)[CUST: MD MS 03] [REVIEW: GS] | A | 6685 | / | MB | 29-JUN-92 |
| | A-A-59198A | PSYCHROMETERS[CUST: CR SH GS1] | A | 6685 | / | GS1 | 11-OCT-02 |
| | ASTM-D3295 | PTFE TUBING[CUST: MR SH 11] [REVIEW: 99 AR AV CR4 GS SM TE] | A | 9330 | | MR | 15-APR-91 |
| | DI-TMSS-81395 | PUBLICATION CORRECTION INSTRUCTIONS [AMSC: N7009] | A | TMSS | | SH | 31-MAR-94 |
| | DI-FNCL-80729A | PUBLICATION COST REPORT (PCR) [AMSC: A7308] | A | FNCL | | AM | 15-MAY-98 |
| | MIL-P-29005B NOT 1 | PUBLICATIONS, PLANNED MAINTENANCE SYSTEM, FOR TRAINING DEVICES[CUST: TM TD 16] | A | TMSS | | TD | 01-JUN-00 |
| | MIL-DTL-28999C | PUBLICATIONS, TECHNICAL, INSTRUCTION-TYPE: PREPARATION OF[CUST: MC] | A | TMSS | | MC | 06-FEB-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AAP-32 ED.A | PUBLISHING STANDARDS FOR ALLIED PUBLICATIONS | C | ISDN | | NI | 01-JAN-02 |
| | STANAG-1421 ED.2 | PUBLISHING STANDARDS FOR ALLIED PUBLICATIONS - AAP-32(A) | C | ISDN | | NI | 06-MAY-02 |
| | A-A-20051D | PUDDINGS, SHELF STABLE, READY-TO-EAT[CUST: GL SA 50 SS] [REVIEW: MC MD QM] | A | 8940 | / | SS | 06-JUN-01 |
| | W-P-796B | PULLER, FUSE[CUST: GL 99] [REVIEW: YD] | A | 5120 | * | 84 | 24-APR-74 |
| | MIL-DTL-7034/4A | PULLEY, CONTROL, ANTI-FRICTION BEARING, AIRCRAFT[CUST: AV AS 99 GS5] [REVIEW: 71] | A | 1640 | | GS5 | 01-APR-05 |
| A | MIL-DTL-7034/2A(1) | PULLEY, GROOVE, FLIGHT CONTROL, AIRCRAFT[CUST: AV AS 99] [REVIEW: 71] | A | 1640 | | GS5 | 25-AUG-05 |
| A | MIL-DTL-7034/3A(1) | PULLEY, GROOVE, HEAVY DUTY, CONTROL, AIRCRAFT[CUST: AV AS 99] [REVIEW: 71] | A | 1640 | | GS5 | 25-AUG-05 |
| A | MIL-DTL-7034/1A(1) | PULLEY, GROOVE, SECONDARY CONTROL, AIRCRAFT[CUST: AT AS 99] [REVIEW: 71] | A | 1640 | | GS5 | 25-AUG-05 |
| | A-A-50097A | PULLEY, MOUNTAIN RESCUE[CUST: GL 99] [REVIEW: 71 CT MC] | A | 3020 | / | GL | 21-FEB-90 |
| A | MIL-DTL-7034F(1) | PULLEYS, GROOVE, ANTIFRICTION BEARING, GREASE LUBRICATED, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 71] | A | 1640 | | GS5 | 25-AUG-05 |
| | QPL-7034-21 | PULLEYS, GROOVE, ANTIFRICTION BEARING, GREASE-LUBRICATED, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 1640 | | GS5 | 01-APR-05 |
| | A-A-54929 | PULP PROTECTOR, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 17-DEC-93 |
| | A-A-50763 | PULSE GENERATOR[CUST: EC 99] [REVIEW: CR] | A | 6625 | / | 84 | 30-APR-86 |
| | ASTM-E114 | PULSE-ECHO STRAIGHT-BEAM EXAMINATION, ULTRASONIC, BY THE CONTACT METHOD[CUST: MR AS] [REVIEW: AT AV OS SH YD] | A | NDTI | | MR | 15-MAY-95 |
| | MIL-PRF-62331A | PUMP ASSEMBLY, BILGE, ELECTRIC MOTOR DRIVEN, DIRECT CURRENT[CUST: AT] | A | 4320 | | AT | 15-AUG-97 |
| | A-A-52038 NOT 1 | PUMP ASSEMBLY, CENTRIFUGAL, WATER, DIESEL-ENGINE-DRIVEN, 3-INCH, SKID-MOUNTED, 200 GPM AT 300 FEET[CUST: AT] | A | 4320 | / | AT | 20-APR-04 |
| | MIL-PRF-62412B NOT 1 | PUMP ASSEMBLY, OIL, STARTING ENGINE[CUST: AT MC] | A | 2990 | | AT | 15-APR-04 |
| | A-A-50572 | PUMP UNIT, CENTRIFUGAL: PORTABLE, SELF-PRIMING, ENGINE-DRIVEN (DEWATERING; CONTRACTOR AND TRASH TYPE)[CUST: CE 99] [REVIEW: AT] | A | 4320 | / | CC | 02-JUL-97 |
| | A-A-50562 | PUMP UNITS, CENTRIFUGAL, WATER, HORIZONTAL; GENERAL SERVICE AND BOILER-FEED: ELECTRIC-MOTOR OR STEAM-TURBINE-DRIVEN[CUST: YD] | A | 4320 | / | CC | 19-JUN-97 |
| | A-A-50202 NOT 1 | PUMP, BUCKET, LUBRICATION, HAND-OPERATED[CUST: AT YD 99] [REVIEW: CC MC] | A | 4930 | / | AT | 12-APR-04 |
| | MIL-P-17881D | PUMP, CENTRIFUGAL, BOILER FEED, (MULTI STAGE)[CUST: SH] | A | 4320 | | SH | 31-OCT-72 |
| | MIL-P-17840C | PUMP, CENTRIFUGAL, CLOSE COUPLED, NAVY STANDARD FOR USE ON NAVAL SHIPS[CUST: SH] | A | 4320 | | SH | 10-MAR-86 |
| | API-STD-610 | PUMP, CENTRIFUGAL, FOR GENERAL REFINERY SERVICE[CUST: CR4 YD 99] [REVIEW: 84 SH] | A | 4320 | | CC | 25-MAY-91 |
| | MIL-P-17454B(I2) NOT 2 | PUMP, CENTRIFUGAL, PORTABLE, SUBMERSIBLE[CUST: SH] | A | 4320 | | SH | 20-SEP-99 |
| | MIL-P-17454B(1) | PUMP, CENTRIFUGAL, PORTABLE, SUBMERSIBLE[CUST: CR4 SH] | A | 4320 | | SH | 03-JUN-60 |
| | MIL-P-21343(2) | PUMP, CENTRIFUGAL, SUBMARINE TRIM AND DRAIN (SERIES TYPE ONLY)[CUST: SH] | A | 4320 | | SH | 23-AUG-85 |
| | A-A-54335 | PUMP, CIRCULATING[CUST: MD MS 03] | A | 6640 | / | MB | 04-FEB-91 |
| | A-A-53462 | PUMP, DENTAL (MOUTHRINSE)[CUST: MD MS 03] | A | 6520 | / | MB | 30-JUN-88 |
| | A-A-52476 | PUMP, ENGINE PRIMING, HAND-DRIVEN, (NONAIRCRAFT) ENGINE[CUST: AT] [REVIEW: CC CR4] | A | 2910 | / | AT | 20-OCT-93 |
| | A-A-52447 | PUMP, FUEL, CAM-ACTUATED: ENGINE, MECHANICAL DIAPHRAGM AND PARTS KIT, ENGINE FUEL PUMP[CUST: AT 99] [REVIEW: 70 CC CR4] | A | 2910 | / | AT | 15-APR-93 |
| | A-A-59535 NOT 1 | PUMP, FUEL, ELECTRICAL: 12 AND 24 VOLT DC[CUST: AT 99] [REVIEW: 70] | A | 2910 | / | CC | 15-APR-05 |
| | MIL-PRF-62678A | PUMP, FUEL, ELECTRICAL: 12 AND 24 VOLT DIRECT CURRENT (METRIC)[CUST: AT 99] [REVIEW: 70 CC CR4] | A | 2910 | | AT | 22-NOV-95 |
| | MIL-DTL-62011D | PUMP, FUEL, ELECTRICALLY-OPERATED, 24-VOLT DC, IN-TANK TYPE[CUST: AT AS 99 CC] [REVIEW: 70] | A | 2910 | | CC | 07-SEP-99 |
| | SAE-J744 | PUMP, HYDRAULIC AND MOTOR MOUNTING AND DRIVE DIMENSIONS[CUST: AT SH 99] | A | 4320 | | AT | 03-OCT-94 |
| | QPL-5515-19 | PUMP, HYDRAULIC RAM, HAND DRIVEN | A | 4320 | | CC | 18-MAR-05 |
| | MIL-PRF-45307C NOT 1 | PUMP, HYDRAULIC, AXIAL PISTONS: MANUAL, WITH FIRE-CONTROL SWITCH[CUST: AT] | A | 2520 | | AT | 15-APR-04 |
| | A-A-53495 | PUMP, INFLATING, MANUAL[CUST: MD MS 03] | A | 4320 | / | MB | 17-JUN-88 |
| | MIL-PRF-12647D NOT 1 | PUMP, INFLATING-DEFLATING, HAND-OPERATED, AIR, SINGLE-CYLINDER PLUNGER[CUST: AT MC] [REVIEW: CC] | A | 4320 | | AT | 15-APR-04 |
| | A-A-55709 | PUMP, INTRAVENOUS INFUSION[CUST: MD MS 03] | A | 6515 | / | MB | 16-AUG-96 |
| | MIL-P-18526A(1) | PUMP, POSITIVE DISPLACEMENT, MAIN/PORT USE, MAIN BOILER FUEL SERVICE, NAVAL SHIPBOARD USE[CUST: SH] | A | 4320 | | SH | 29-JUN-87 |
| | A-A-52307 NOT 1 | PUMP, RECIPROCATING, HAND-DRIVEN, SINGLE-ACTING, BILGE[CUST: AT] [REVIEW: CC] | A | 4320 | / | AT | 13-APR-04 |
| | MIL-P-18547A | PUMP, ROTARY, POWER DRIVEN, NAVAL SHIPBOARD MAIN LUBRICATING OIL SERVICE[CUST: SH] | A | 4320 | | SH | 28-JUN-63 |
| | A-A-52423 NOT 1 | PUMP, SUBMERSIBLE, BILGE, AXIAL FLOW; ELECTRIC-MOTOR-DRIVEN[CUST: AT] | A | 4320 | / | AT | 13-APR-04 |
| | MIL-DTL-62415B | PUMP, SUBMERSIBLE, BILGE, ELECTRIC-MOTOR-DRIVEN[CUST: AT] | A | 4320 | | AT | 30-SEP-98 |
| | NFPA1901 | PUMPER FIRE APPARATUS[CUST: CR4 YD 99] [REVIEW: 84 CC] | A | 4210 | | IS | 05-MAR-93 |
| | MIL-PRF-52109G | PUMPING ASSEMBLIES, PORTABLE, BULK TRANSFER, FUEL AND WATER PUMPING SERVICE[CUST: AT SH 99] [REVIEW: CC] | A | 4320 | | AT | 13-AUG-98 |
| | MIL-PRF-53051B | PUMPING ASSEMBLY, WHEEL-MOUNTED, DIESEL-ENGINE-DRIVEN, BULK TRANSFER, FUEL AND POTABLE WATER PUMBING SERVICE[CUST: AT SH 99] [REVIEW: CC] | A | 4320 | | AT | 06-AUG-98 |
| | A-A-52027 NOT 1 | PUMPING UNIT, FRAME MOUNTED, 1-1/2 INCH, ELECTRIC MOTOR DRIVEN, 35 GPM AT 25 FEET TOTAL HEAD[CUST: AT] | A | 4320 | / | AT | 12-APR-04 |
| | A-A-50555 | PUMPING UNITS, SEWAGE, DUPLEX, CENTRIFUGAL, AUTOMATIC WET-PIT TYPE[CUST: AT YD 99] [REVIEW: 84 CC CE CG MC] | A | 4630 | / | YD | 05-DEC-96 |
| | MIL-P-16789D | PUMPS (INCLUDING PRIMEMOVERS AND SUPPORT ITEM S); PACKAGING OF[CUST: SH] [REVIEW: YD] | A | PACK | | SH | 30-OCT-86 |
| | QPL-17869-62 | PUMPS AND MOTORS, POWER, OIL HYDRAULIC (NAVAL SHIPBOARD USE) | A | 4320 | | SH | 10-MAY-96 |
| | MIL-P-17869A(5) | PUMPS AND MOTORS, POWER, OIL HYDRAULIC (NAVAL SHIPBOARD USE)[CUST: SH] | A | 4320 | | SH | 08-JUL-85 |
| | UL343 | PUMPS FOR OIL-BURNING APPLIANCES[CUST: GL SH 99] | A | 4320 | | GL | 29-APR-93 |
| | QPL-17881-20 | PUMPS, CENTRIFUGAL, BOILER FEED, (MULTI-STAGE) | A | 4320 | | SH | 15-NOV-00 |
| | MIL-P-22302A | PUMPS, CENTRIFUGAL, BOILER FEED, SINGLE STAGE, NAVAL SHIPBOARD USE[CUST: SH] | A | 4320 | | SH | 19-APR-91 |
| | MIL-P-18472G | PUMPS, CENTRIFUGAL, CONDENSATE, FEED BOOSTER, WASTE HEAT BOILER, AND DISTILLING PLANT[CUST: SH] [REVIEW: CC] | A | 4320 | | SH | 24-APR-89 |
| | MIL-P-17639F(4) | PUMPS, CENTRIFUGAL, MISCELLANEOUS SERVICE NAVAL SHIPBOARD USE[CUST: SH] | A | 4330 | | SH | 22-FEB-96 |
| | A-A-50560 | PUMPS, CENTRIFUGAL, WATER CIRCULATING, ELECTRIC-MOTOR-DRIVEN[CUST: AT YD] | A | 4320 | / | CC | 21-JUN-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-52026 NOT 1 | PUMPS, CENTRIFUGAL; SUMP, PNEUMATIC-MOTOR-DRIVEN, 210 GPM AT 25 FOOT TOTAL HEAD[CUST: AT 99] [REVIEW: 84 MC] | A | 4320 | / | AT | 12-APR-04 |
| | ARI320 | PUMPS, HEAT, WATER-SOURCE[CUST: CR4 YD 99] [REVIEW: CE GS] | A | 4120 | | IS | 1998 |
| | SAE-AS19692 | PUMPS, HYDRAULIC, VARIABLE FLOW, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 71 CC GS MC MI] | A | 1650 | | AS | JUL-99 |
| | A-A-52315 NOT 1 | PUMPS, RECIPROCATING, POWER-DRIVEN: DIAPHRAGM, DIESEL-ENGINE-DRIVEN, WHEEL-MOUNTED[CUST: AT YD] [REVIEW: MC] | A | 4320 | / | AT | 14-APR-04 |
| | MIL-P-19131(6) | PUMPS, ROTARY, POWER DRIVEN, MISCELLANEOUS[CUST: SH] [REVIEW: CR4] | A | 4320 | | SH | 28-JUN-85 |
| | A-A-50561 | PUMPS, ROTARY, POWER-DRIVEN, VISCOUS LIQUIDS[CUST: AT YD] [REVIEW: SH] | A | 4320 | / | CC | 22-MAY-96 |
| | UL778 | PUMPS, WATER, MOTOR-OPERATED[CUST: CR4 YD 99] [REVIEW: 84 SH] | A | 4320 | | CC | 26-APR-96 |
| | GGG-P-836A | PUNCH AND DIE, KNOCKOUT[CUST: GL 99] [REVIEW: 84] | A | 5110 | * | GL | 05-APR-95 |
| | A-A-54809 | PUNCH AND DISK, DENTAL RUBBER DAM[CUST: MD MS 03] | A | 6520 | / | MB | 12-FEB-93 |
| | A-A-54983 | PUNCH, CUTANEOUS BIOPSY, KEYES[CUST: MD MS 03] | A | 6515 | / | MB | 30-SEP-94 |
| | GGG-P-833B | PUNCHES, CUTTING | A | 5110 | # | FSS | 20-JUN-94 |
| A | A-A-59399 NOT 1 | PUNCHING MACHINE, METAL, TURRET TYPE, HAND OPERATED[CUST: AR SH 99] [REVIEW: 84] | A | 3445 | / | GS6 | 12-JAN-06 |
| | A-A-59422 | PUNCHING, SHEARING, NOTCHING AND COPING MACHINE, METAL, MECHANICAL DRIVE[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 3445 | / | GS6 | 19-JUN-00 |
| | DI-MISC-81616 | PURCHASE ORDER (PO) [AMSC: N7446] | A | MISC | | SA | 01-AUG-01 |
| | ASTM-B683 | PURE PALLADIUM ELECTRICAL CONTACT MATERIAL[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 14-JUL-93 |
| | STANAG-3978 ED.1 | PURGING LIQUID OXYGEN STORAGE AND TRANSPORT TANKS AND AIRCRAFT CONVERTERS - AEP-8(C) | C | ISDF | | 06 | 22-JUL-98 |
| | AEP-8 ED.C(1) | PURGING LIQUID OXYGEN STORAGE, TRANSPORT TANKS, AIRCRAFT CONVERTERS AND AIRCRAFT SYSTEMS | C | ISDA | | AI | 12-JAN-00 |
| | STANAG-4248 ED.1(3) | PURIFIED WATER FOR MAIN BATTERY SYSTEMS OF SUBMARINES | D | ISDN | | SH | 03-AUG-94 |
| | MIL-DTL-51070G | PURIFIER, AIR, M2A2[CUST: EA] | X | 4240 | | EA | 06-MAY-03 |
| | MIL-P-20632B | PURIFIERS, CENTRIFUGAL, FUEL AND LUBE OIL[CUST: SH] | A | 4330 | | SH | 20-APR-92 |
| | IPC-TM650.2.3.15 | PURITY, COPPER FOIL OR PLATING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | FED-STD-595/17155 | PURPLE [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | MIL-PRF-7958C | PUSH-PULL CONTROLS, FLEXIBLE AND RIGID[CUST: AV AS 99] [REVIEW: GS] | A | 2995 | | 71 | 01-DEC-97 |
| | MIL-PRF-22885/104B(1) | PUSHBUTTON, ILLUMINATED, 4 LAMP, SUNLIGHT READABLE (FOR ILLUMINATED PUSHBUTTON SWITCH)[CUST: EC CC] | A | 5930 | | CC | 22-JUL-02 |
| | MIL-PRF-8116C | PUTTY, GENERAL PURPOSE, NON-HARDENING[CUST: MR SH 99] [REVIEW: MC MI] | A | 8030 | | 84 | 31-OCT-97 |
| | NEMA-TC6 | PVC AND ABS PLASTIC UTILITIES DUCT FOR UNDERGROUND INSTALLATION[CUST: CR YD 11] [REVIEW: 99 GS] | A | 5975 | | YD | 31-OCT-91 |
| | ASTM-C24 | PYROMETRIC CONE EQUIVALENT (PCE) OF FIRECLAY AND HIGH ALUMINA REFRACTORY MATERIALS[CUST: CR4 SH] [REVIEW: GS MC] | A | 9350 | | SH | 28-JUL-89 |
| | SAE-AMS2750 | PYROMETRY[CUST: MR AS 11 GS1] | A | 6685 | | GS1 | 02-MAY-90 |
| | MIL-STD-1234(3) | PYROTECHNICS: SAMPLING, INSPECTION AND TESTING[Test Method Standard][CUST: AR OS 11] [REVIEW: EA] | A | 1370 | | AR | 28-MAY-73 |
| | MIL-STD-2034B | QUALIFICATION REQUIREMENTS FOR MATERIAL SPECIFICATIONS[CUST: SH] | F | 95GP | | SH | 14-NOV-97 |
| | SAE-AMS2310 | QUALIFICATION SAMPLING AND TESTING OF STEELS TRANSVERSE TENSILE PROPERTIES[CUST: MR AS 11] | A | 95GP | | MR | 01-JAN-92 |
| | ASTM-E456 | QUALITY AND STATISTICS, RELATING TO[CUST: MR OS 05] | A | QCIC | | MR | 10-JUN-96 |
| | DI-QCIC-81187 | QUALITY ASSESSMENT REPORT [AMSC: A6111] | A | QCIC | | AM | 25-APR-91 |
| | DI-QCIC-81298 | QUALITY ASSURANCE (QA) CHECKLIST REPORT FOR SURFACE DECK PREPARATION [AMSC: N6851] | A | QCIC | | SA | 30-DEC-92 |
| | DI-CMAN-80789 | QUALITY ASSURANCE PROVISIONS [AMSC: A4663] | A | SESS | | AM | 08-MAR-89 |
| | AQAP-131 ED.1 | QUALITY ASSURANCE REQUIREMENTS FOR FINAL INSPECTION | A | QCIC | | 05 | 01-MAR-93 |
| | SAE-AMS2370 | QUALITY ASSURANCE SAMPLING AND TESTING CARBON AND LOW-ALLOY STEEL WROUGHT PRODUCTS AND FORGING STOCK[CUST: MR AS 11] | A | 95GP | | MR | 01-JUL-91 |
| | SAE-AMS2371 | QUALITY ASSURANCE SAMPLING AND TESTING, CORROSION AND HEAT RESISTANT STEELS AND ALLOYS, WROUGHT PRODUCTS AND FORGINGS STOCK[CUST: AT OS 05] | A | QCIC | | AT | 03-OCT-94 |
| | DI-RELI-80322 | QUALITY CONFORMANCE INSPECTION AND TEST PROCEDURES [AMSC: N4070] | A | SESS | | SA | 20-FEB-87 |
| | MIL-HDBK-109 | QUALITY CONTROL AND RELIABILITY - STATISTICAL PROCEDURES FOR DETERMINING VALIDITY OF SUPPLIERS ATTRIBUTES INSPECTION OF[CUST: AR] | A | QCIC | | AR | 06-MAY-60 |
| | DI-QCIC-80560 | QUALITY CONTROL DATA FROM THE MANUFACTURING PROCESS OFADHESIVELY BONDED ASSEMBLIES [AMSC: F4372] | A | QCIC | | 82 | 08-APR-88 |
| | ASTM-F940 | QUALITY CONTROL RECEIPT INSPECTION PROCEDURES FOR PROTECTIVE COATINGS (PAINT), USED IN MARINE CONSTRUCTION AND SHIPBUILDING[CUST: CR4 SH 99] [REVIEW: AS CG MC MR YD] | A | 8010 | | SH | 28-JUN-85 |
| | FED-STD-368A | QUALITY CONTROL SYSTEM REQUIREMENTS | A | MISC | # | FSS | 10-DEC-79 |
| | DI-QCIC-80736 | QUALITY DEFICIENCY REPORT [AMSC: A4606] | A | QCIC | | MI | 17-JAN-89 |
| | DI-QCIC-80756 | QUALITY ENGINEERING INSPECTION REQUIREMENTS AND EQUIPMENT LIST [AMSC: A4627] | A | QCIC | | AM | 23-JAN-89 |
| | DI-CMAN-80788 | QUALITY ENGINEERING PLANNING LIST [AMSC: A4662] | A | SESS | | AM | 08-MAR-89 |
| | DI-QCIC-81200 | QUALITY INSPECTION TEST, DEMONSTRATION, AND EVALUATION REPORT [AMSC: A6125] | A | QCIC | | SO | 03-MAY-91 |
| | ASQC-A8402 | QUALITY MANAGEMENT AND QUALITY ASSURANCE - VOCABULARY[CUST: AR OS 05] | A | QCIC | | 05 | 07-JUN-95 |
| | ISO9000-4 | QUALITY MANAGEMENT AND QUALITY ASSURANCE STANDARDS -- PART 4; GUIDE TO DEPENDABILITY PROGRAMME MANAGEMENT[CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 84 AS AT AV CR DH EA EC MC MI SH TE] | A | QCIC | | 05 | APR-93 |
| | ASQC-Q9000.1 | QUALITY MANAGEMENT AND QUALITY ASSURANCE STANDARDS--GUIDELINES FOR SELECTION AND USE[CUST: AR OS 05] | A | QCIC | | 05 | 01-AUG-94 |
| | ASQC-Q9004.1 | QUALITY MANAGEMENT AND QUALITY SYSTEM ELEMENTS--GUIDELINES[CUST: AR OS 05] | A | QCIC | | 05 | 18-JUL-94 |
| | ISO9000 | QUALITY MANAGEMENT SYSTEMS - FUNDAMENTALS AND VOCABULARY[CUST: AR OS 05] [REVIEW: 10 23 AS AV CR DH EC GL ME SA SH TD] | A | QCIC | | 05 | 2000 |
| | ISO9004 | QUALITY MANAGEMENT SYSTEMS - GUIDELINES FOR PERFORMANCE IMPROVEMENTS[CUST: AR OS 05] [REVIEW: 10 23 AS AV CR DH EC GL ME SA SH TD] | A | QCIC | | 05 | 2000 |
| | ISO9001 | QUALITY MANAGEMENT SYSTEMS - REQUIREMENTS[CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL MC SA SH TD] | A | QCIC | | 05 | 2000 |
| | QSTAG-1215 ED.1 | QUALITY MANAGEMENT SYSTEMS STANDARDS AMONG ABCA ARMIES[CUST: AI] | C | ISDA | | AI | 12-FEB-01 |
| | AASHTO-T26 | QUALITY OF WATER TO BE USED IN CONCRETE[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | QAP-189 ED.1 | QUALITY POLICIES AND PROCEDURES | C | ISDA | | AI | 28-SEP-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ISA-S7.0.01 | QUALITY STANDARD FOR INSTRUMENT AIR[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | ABC-STD-23B | QUALITY STANDARDS FOR POTABLE WATER | C | ISDN | | SH | 16-AUG-77 |
| | MIL-STD-3004A(1) | QUALITY SURVEILLANCE FOR FUELS, LUBRICANTS, AND RELATED PRODUCTS[Standard Practice][CUST: AT SA 68 PS] [REVIEW: 11 AS GS OS SH] | A | 91GP | | PS | 15-APR-04 |
| | DI-QCIC-81379 | QUALITY SYSTEM PLAN [AMSC: A6978] | A | QCIC | | AM | 07-JAN-94 |
| | ASQC-Q9003 | QUALITY SYSTEMS--MODEL FOR QUALITY ASSURANCE IN FINAL INSPECTION AND TEST[CUST: AR OS 05] | A | QCIC | | 05 | 18-JUL-94 |
| | ASQC-Q9002 | QUALITY SYSTEMS--MODEL FOR QUALITY ASSURANCE IN PRODUCTION, INSTALLATION, AND SERVICING[CUST: AR OS 05] | A | QCIC | | 05 | 18-JUL-94 |
| | ASQC-Q9001 | QUALITY SYSTEMS--MODEL FOR QUALITY ASSURANCE IN-DEPTH, DEVELOPMENT, PRODUCTION, INSTALLATION, AND SERVICING[CUST: AR OS 05] | A | QCIC | | 05 | 01-AUG-94 |
| | DOD-HDBK-178 NOT 1 | QUANTITATIVE DESCRIPTION OF OBSCURATION FACTORS FOR ELECTRO-OPTICAL & MILLIMETER WAVE SYSTEMS (METRIC)[CUST: CR] | A | MISC | | CR | 24-OCT-00 |
| | ASTM-D2172 | QUANTITATIVE EXTRACTION OF BITUMEN FROM BITUMINOUS PAVING MIXTURES[CUST: CE YD 99 IS] [REVIEW: MC] | A | 5610 | | IS | 15-SEP-93 |
| | MIL-Q-50531 NOT 1 | QUARTZITE (GROUND) (FOR USE IN AMMUNITION)[CUST: AR] | A | 1345 | | AR | 20-MAY-88 |
| | ASTM-C5 | QUICKLIME FOR STRUCTURAL PURPOSES[CUST: EA YD 99 IS] [REVIEW: CE] | A | 5610 | | IS | 08-JUN-89 |
| | ASTM-C110 | QUICKLIME, HYDRATED LIME, AND LIMESTONE, PHYSICAL TESTING OF[CUST: EA YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 15-MAY-94 |
| | SAE-ARP1176 | QXYGEN SYSTEM AND COMPONENT CLEANING AND PACKAGING[CUST: AV AS 11] [REVIEW: 68 82 84 99] | A | 1660 | | AS | 08-DEC-03 |
| | W-R-36D | RACEWAY AND FITTINGS, METALLIC, UNDERFLOOR | A | 5975 | # | FSS | 25-NOV-83 |
| | MIL-R-85895(1) | RACK, BOMB EJECTOR, AIRCRAFT BRU-32/A[CUST: AS] | A | 1095 | | AS | 18-MAR-91 |
| | MIL-R-22623A(1) | RACK, BOMB EJECTOR, AIRCRAFT, AERO 20A AND AERO 20B SERIES[CUST: AS] | A | 1095 | | AS | 15-SEP-80 |
| | MIL-R-85325(1) | RACK, BOMB EJECTOR, AIRCRAFT, AERO 27A[CUST: AS] | A | 1095 | | AS | 19-AUG-80 |
| | MIL-R-81939B(1) | RACK, BOMB EJECTOR, AIRCRAFT, BRU-10, BRU-11, AND BRU-19 SERIES[CUST: AS] | A | 1095 | | AS | 06-FEB-84 |
| | MIL-R-85320(1) | RACK, BOMB EJECTOR, AIRCRAFT, BRU-20, BRU-21, BRU-22, BRU-23, BRU-24 AND BRU-25 SERIES[CUST: AS] | A | 1095 | | AS | 19-AUG-80 |
| | MIL-R-81839(1) | RACK, BOMB, AIRCRAFT, BRU-12/A[CUST: AS] | A | 1095 | | AS | 21-DEC-83 |
| | MIL-R-81965A(1) | RACK, BOMB, AIRCRAFT, BRU-14 AND BRU-15 SERIES[CUST: AS] | A | 1095 | | AS | 01-NOV-76 |
| | MIL-R-85323(1) | RACK, BOMB, MULTIPLE EJECTOR, A/A37B-6 SERIES AND TRIPLE EJECTOR, A/A37B-5 SERIES[CUST: AS] | A | 1095 | | AS | 20-AUG-80 |
| | MIL-R-23818 | RACK, BOMB, MULTIPLE PRACTISE A/A 37B-3[CUST: AS] | A | 1095 | | AS | 15-AUG-64 |
| | A-A-51516 | RACK, CARD[CUST: MD MS 03] | A | 7110 | / | MB | 03-JUL-86 |
| | AA-R-20A | RACK, DISPLAY, BOOK, (WOOD) | A | 7110 | # | FSS | 01-JUL-59 |
| | AA-R-0020B | RACK, DISPLAY, BOOK, (WOOD) | A | 7110 | # | FSS | 07-JAN-72 |
| | MIL-R-60040C NOT 1 | RACK, FLARE CY2617/ALA-17[CUST: AR] | A | 1370 | | AR | 15-MAY-87 |
| | A-A-54131 | RACK, HEMOSTATIC CLIP (MCKENZIE)[CUST: MD MS 03] | A | 6515 | / | MB | 17-APR-90 |
| | A-A-53090 | RACK, INSTRUMENT STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 31-AUG-87 |
| | MIL-PRF-85725A | RACK, INTEGRATED AVIONICS, FORCED AIR COOLED, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 20-MAY-98 |
| | A-A-54282 | RACK, OPHTHALMIC LAP[CUST: MD MS 03] | A | 6540 | / | MB | 15-NOV-90 |
| | A-A-51721B | RACK, SPINAL GOUGE STERILIZATION[CUST: MD MS 03] | A | 6515 | / | MB | 30-NOV-91 |
| | A-A-50104B NOT 1 | RACK, STORAGE, WAREHOUSE[CUST: GL 99 IS] [REVIEW: 84] | A | 7125 | / | IS | 05-NOV-03 |
| | A-A-51000 | RACK, TEST TUBE, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 08-AUG-85 |
| | A-A-53950 | RACK, TEST TUBE, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 28-JUL-89 |
| | A-A-50805 | RACK, TEST TUBE, LABORATORY WINTROBE, ENAMELED STEEL, 10 TUBE[CUST: MD MS 03] | A | 6640 | / | MB | 17-APR-81 |
| | MIL-R-37640 | RACK, TEST TUBE, LABORATORY, EPOXY COATED WIRE, 40 TUBE[CUST: MD MS 03] | A | 6640 | | MB | 09-FEB-77 |
| | A-A-54766 | RACK, TEST TUBE, LABORATORY, POLYPROPYLENE[CUST: MD MS 03] | A | 6640 | / | MB | 30-OCT-92 |
| | A-A-53220 | RACK, WEIGHT SET, STORAGE[CUST: MD MS 03] | A | 6530 | / | MB | 29-SEP-87 |
| | A-A-53099 | RACK-BIN ASSEMBLY, PHARMACEUTICAL STORAGE[CUST: MD MS 03] | A | 6530 | / | MB | 31-AUG-87 |
| | ASTM-F861 | RACKS, COMMERCIAL DISHWASHING[CUST: GL YD 99] [REVIEW: GS MC MD MS SA] | A | 7320 | | SS | 27-JAN-84 |
| | EIA-RS310 | RACKS, PANELS, & ASSOCIATED EQUIPMENT[CUST: CR SH 11] [REVIEW: AS EC GS YD] | A | 5975 | | SH | 28-NOV-77 |
| | GG-R-42B | RACKS, RUBBER STAMP | A | 7520 | # | FSS | 08-AUG-74 |
| | A-A-294A | RACKS, WEARING APPAREL (SEMI-CONCEALED) | A | 7195 | # | FSS | 01-NOV-82 |
| | A-A-1D | RACKS, WEARING APPAREL, STEEL[CUST: FSS] | A | 7195 | # | FSS | 24-FEB-98 |
| | A-A-53094A | RACKS, X-RAY FILM HANGER[CUST: MD MS 03] | A | 6525 | / | MB | 04-JUN-93 |
| | ITOP-6.2.020 | RADAR ANTENNA TESTS | D | ISDA | | TE | 10-MAR-97 |
| | MIL-R-24098 | RADAR DATA DISTRIBUTION GROUPS AN/GPA-106() (RADAR SITE) AN/GPA-107(V) (OPERATIONS SITE)[CUST: AS] | A | 5840 | | AS | 15-SEP-64 |
| | MIL-STD-469B | RADAR ENGINEERING INTERFACE REQUIREMENTS, ELECTROMAGNETIC COMPATIBILITY METRIC[Interface Standard][CUST: CR SH 99] [REVIEW: EC] | A | EMCS | | SH | 24-JUN-96 |
| | IEEE521 | RADAR FREQUENCY BANDS, IEEE STANDARD LETTER DESIGNATIONS FOR[CUST: CR 99] [REVIEW: 11 84 AR] | A | 58GP | | 99 | 13-MAY-83 |
| | MIL-STD-751A(1) | RADAR OUTPUTS, NAVAL SHIP AND SHORE[Interface Standard][CUST: SH] | A | 5840 | | SH | 18-JAN-89 |
| | ITOP-6.2.529 | RADAR RECEIVER PROCEDURES | D | ISDA | | TE | 09-JUN-99 |
| | ITOP-6.2.531 | RADAR RECEIVER PULSE COMPRESSION RATIO (U) | D | ISDA | | TE | 31-MAR-93 |
| | MIL-R-81648B | RADAR SET AN/APS 116[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 26-OCT-78 |
| | MIL-R-70560B | RADAR SET AN/VPS-2A: 9360797 (RANGE ONLY RADAR)[CUST: AR] | A | 1285 | | AR | 04-DEC-91 |
| | ITOP-6.2.528 | RADAR SIGNAL PROCESSOR TEST PROCEDURES | D | ISDA | | TE | 01-MAY-02 |
| | DI-MISC-81114 | RADAR SPECTRUM MANAGEMENT (RSM) CONTROL PLAN [AMSC: N5091] | A | MISC | | SH | 05-DEC-90 |
| | DI-MISC-81113 | RADAR SPECTRUM MANAGEMENT (RSM) TEST PLAN [AMSC: N5090] | A | MISC | | SH | 08-DEC-90 |
| | ITOP-6.2.530 | RADAR TRANSMITTER PROCEDURES (U) | D | ISDA | | TE | 31-MAR-93 |
| | MIL-PRF-49293A | RADIAC SET, AN/PDR-75[CUST: CR] | A | 5855 | | CR | 03-JUL-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-24037A(4) SUP 1 | RADIACMETER, QUARTZ FIBER SELF INDICATING, GENERAL SPECIFICATION FOR[CUST: CR SH] [REVIEW: CG GS MC] | A | 6665 | | SH | 21-DEC-84 |
| | AIR-STD-84/5 | RADIATION DETECTION SURVEY METER | C | ISDF | | 06 | 16-FEB-83 |
| | DI-SAFT-80184A | RADIATION HAZARD CONTROL PRODCEDURES (RHCP) [AMSC: F7161] | A | SAFT | | 10 | 09-AUG-95 |
| | EIA455.47 | RADIATION PATTERN MEASUREMENT, FOTP-47 OUTPUT FAR FIELD[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | EIA-TIA455.47 | RADIATION PATTERN MEASUREMENT, OUTPUT FAR FIELD[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | AUG-92 |
| | DI-MISC-80923 | RADIATION TESTING TRACKING SYSTEM TRANSACTION [AMSC: A4864] | A | MISC | | AM | 05-JAN-90 |
| | ANSI-C95.3 | RADIATION, ELECTROMAGNETIC, POTENTIALLY HAZARDOUS, AT MICROWAVE FREQUENCIES, TECHNIQUES & INSTRUMENTATION FOR THE MEASUREMENT OF[CUST: CR EC 11] | A | EMCS | | EC | 01-SEP-72 |
| | SAE-J164 | RADIATOR CAPS AND FILLER NECKS[CUST: AT CC] | A | 2930 | | CC | JUL-90 |
| | A-A-50545 NOT 1 | RADIATOR, HEATING, BASEBOARD PANEL, STEAM AND HOT WATER[CUST: YD 99] | A | 4520 | / | IS | 06-AUG-01 |
| | MIL-PRF-62259B | RADIATOR: ENGINE COOLANT[CUST: AT MC] [REVIEW: CC] | A | 2930 | | AT | 26-JUN-98 |
| | A-A-50544 NOT 1 | RADIATORS, HEATING, STEAM AND HOT WATER, CAST IRON[CUST: YD 99] [REVIEW: CC CE MC] | A | 4520 | / | IS | 06-AUG-01 |
| | S-R-2834 | RADIATORS: HEATING, STEEL, MULTIFIN TYPE[CUST: YD 99] [REVIEW: 84 CC] | A | 4520 | / | IS | 30-DEC-93 |
| | STANAG-3530 ED.6(1) | RADIO AND/OR NAVIGATIONAL AID FAILURE PROCEDURES FOR OPERATIONAL AIR TRAFFIC (OAT) FLIGHTS | C | ISDF | | 06 | 30-JAN-01 |
| | MIL-STD-348A(6) | RADIO FREQUENCY CONNECTOR INTERFACES FOR MIL-C-3643, MIL-C-3650, MIL-C-3655, MIL-C-25516, MIL-C-26637, MIL-PRF-39012, MIL-PRF-49142, MIL-PRF-55339, MIL-C-83517[Interface Standard][CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV CG MC MI SH] | A | 5935 | | CC | 14-MAR-03 |
| | IEEE-C95.1 | RADIO FREQUENCY ELECTROMAGNETIC FIELDS, 3 KHZ TO 300 GHZ, SAFETY LEVELS WITH RESPECT TO HUMAN EXPOSURE TO[CUST: CR EC 11 DC5] | A | EMCS | | DC5 | 26-SEP-91 |
| | MIL-HDBK-1195 | RADIO FREQUENCY SHIELDED ENCLOSURES[CUST: YD] | A | FACR | | YD | 30-SEP-88 |
| | NEMA107 | RADIO INFLUENCE VOLTAGE (RIV) OF HIGH VOLTAGE APPARATUS, METHODS OF MEASUREMENT OF[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | MIL-PRF-49185B | RADIO SET AN/GRC-103(V)3[CUST: CR] | A | 5855 | | CR | 19-MAY-97 |
| | QSTAG-467 | RADIO SET AN/PRC-77 (ABCA 467)[CUST: AI] | C | ISDA | | AI | 31-JAN-79 |
| | QSTAG-233 ED.2(2) | RADIO SET, AN/GRC-103 (ABCA-233)[CUST: AI] | C | ISDA | | AI | 01-DEC-78 |
| | MIL-PRF-49118B | RADIO SET, AN/PRC-70( ) AND (UNITS OF)[CUST: CR] | A | 5820 | | CR | 03-JUL-97 |
| | QSTAG-161(3) | RADIO SETS.AN/VRC-12 SERIES (ABCA 161) W/AMDS 1, 2 AND 3[CUST: AI] | C | ISDA | | AI | 01-DEC-78 |
| | MIL-R-85664(1) | RADIO TRANSMITTER RADIO RT-1250A/ARC[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 07-JUL-87 |
| | MIL-STD-1257A NOT 1 | RADIOGRAPHIC AND VISUAL SOUNDNESS REQUIREMENTS FOR COBALT-CHROMIUM ALLOY LINERS (FOR SMALL ARMS BARRELS)[Test Method Standard][CUST: AR OS 99] | A | NDTI | | AR | 15-JUL-87 |
| | ASTM-E1742 | RADIOGRAPHIC EXAMINATION[CUST: MR AS 11] | A | NDTI | | AS | 12-DEC-96 |
| | MIL-HDBK-1264 | RADIOGRAPHIC INSPECTION FOR SOUNDNESS OF WELDS IN STEEL BY COMPARSION TO GRADED ASTM E390 REFERENCE RADIOGRAPHS[CUST: MR AS 11] [REVIEW: 13 CR DH NP PT] | A | NDTI | | MR | 17-AUG-98 |
| | DI-MISC-81109 | RADIOGRAPHIC INSPECTION REPORT FOR AIRCREW ESCAPE PROPULSION (AEPS) DEVICES [AMSC: N4949] | A | MISC | | SA | 09-OCT-90 |
| | MIL-HDBK-1265 | RADIOGRAPHIC INSPECTION, CLASSIFICATION AND SOUNDNESS REQUIREMENTS FOR STEEL CASTINGS[CUST: MR AS 11] [REVIEW: 13 CR DH NP PT] | A | NDTI | | MR | 19-AUG-98 |
| | MIL-STD-139A NOT 1 | RADIOGRAPHIC INSPECTION, SOUNDNESS REQUIREMENTS FOR ALUMINUM AND MAGNESIUM CASTINGS (FOR SMALL ARMS PARTS)[Test Method Standard][CUST: AR] [REVIEW: AT MI] | A | NDTI | | AR | 28-JUL-99 |
| | MIL-STD-1895B | RADIOGRAPHIC REFERENCE STANDARDS AND RADIOGRAPHIC PROCEDURES FOR PARTIAL-PENETRATION ALUMINUM WELDS[Standard Practice][CUST: AT] | A | NDTI | | AT | 26-JUN-98 |
| | MIL-STD-1894B | RADIOGRAPHIC REFERENCE STANDARDS AND RADIOGRAPHIC PROCEDURES FOR PARTIAL-PENETRATION STEEL WELDS[Standard Practice][CUST: AT 11] [REVIEW: AR] | A | NDTI | | AT | 26-JUN-98 |
| | MIL-HDBK-728/5A | RADIOGRAPHIC TESTING[CUST: MR AS 11] [REVIEW: AR OS] | A | NDTI | | MR | 03-MAY-94 |
| | MIL-STD-746A | RADIOGRAPHIC TESTING REQUIREMENTS FOR CAST EXPLOSIVES[Standard Practice][CUST: AR OS 99] [REVIEW: 11] | A | NDTI | | OS | 31-JUL-63 |
| | ASTM-E155 | RADIOGRAPHS FOR INSPECTION OF ALUMINUM AND MAGNESIUM CASTINGS, STANDARD REFERENCE[CUST: MR AS 11] [REVIEW: CR4] | A | NDTI | | MR | 15-OCT-91 |
| | A-A-20192A | RADISHES, FRESH, READY-TO-USE[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | GL | 29-FEB-96 |
| | SAE-J375 | RADIUS-OF-LOAD OR BOOM ANGLE INDICATING SYSTEMS[CUST: CR4 YD 99] | A | 38GP | | 84 | OCT-94 |
| | ITOP-6.2.533 | RADOME TEST PROCEDURES | D | ISDA | | TE | 11-MAY-98 |
| | SAE-AMS3912 | RADOMES, FOAM SANDWICH POLYIMIDE/QUARTZ CLOTH CONSTRUCTION[CUST: AS 11] [REVIEW: YD] | A | CMPS | | AS | 01-JUL-85 |
| | STANAG-3842 ED.4 | RAIL LAUNCHED MISSILE/LAUNCHER MECHANICAL INTERFACE | C | ISDF | | 06 | 26-FEB-03 |
| | AIR-STD-20/35 | RAIL LAUNCHED MISSILE/LAUNCHER MECHANICAL INTERFACE | C | ISDF | | 06 | 08-SEP-98 |
| | MIL-STD-1325-196 NOT 2 | RAILCAR LOADING DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) AND CBU-78/B (GATOR) IN CONTAINER CNU-319/E UNIT LOAD UNDERWAY RELENISHMENT[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325A NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS[Standard Practice][CUST: OS] [REVIEW: AS GS MC SA] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-183 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS AIRFOIL GROUP, MXU-641/B, F/MK 83 BOMB FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 23-FEB-89 |
| | MIL-STD-1325-168 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, CLUSTER, MK 20 AND MODS (ROCKEYE 11) IN CONTAINER CNU-208/E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-188 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS CARTRIDGE, 4.4 INCH CHAFF, MK 171, TYPE, MK 173, MK 178, MK 179 (RBOC) IN PALLET ADAPTER MK 132 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-177 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS CARTRIDGE, 76MM/62 CAL OR CHARGE, CLEARING, 76MM/62 CAL IN PALLET ADAPTER MK 121 MOD O FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-83 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 8 INCH/55 CARTRIDGE TANK MK11 MOD 0 OR MK13 MOD 0 IN ADAPTER MK76 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 01-MAR-89 |
| | MIL-STD-1325-174(1) NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 MODS (ROCKEYE II) IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-179(1) NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK20 AND MODS (ROCKEYE II) OR CBU-55/B, CBU-55A/B OR CBU-72/B (FAE) OR CBU-59B (APAM) OR CBU-78/B (GATOR) IN CONTAINER, CNU-238/E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1325-197 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS GUIDED MISSILE BGM-71A-1 (TOW) IN ADAPTER ADU-486/E UNIT LOAD FOR UNDERWAY REPLENISHMENT[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-86 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-MAR-89 |
| | MIL-STD-1325-15 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS PROJECTILES 5/54 IN PALLET ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-MAR-89 |
| | MIL-STD-1325-39A NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR CLUSTER LAU-10/A, LAU-10A/A, LAU-10B/A OR LAU-10C/A LAUNCHER (ZUNI) IN UNIT LOAD ADAPTER MK 58 MOD 1 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-37 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR MK 16 AND MODS OR MK 71 MOD 0 (ZUNI) IN CONTAINER MK 38 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-182 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR MK 52 AND MODS (SPARROW) OR ROCKET MOTOR MK 53 MOD 1 OR MK 78 MOD 0 (SHRIKE) FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 23-FEB-89 |
| | MIL-STD-1325-101 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL CARLOADING PROCEDURES FOR PALLETIZED UNIT LOADS (3 ROWS ACROSS CAR)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-100 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL CARLOADING PROCEDURES FOR PALLETIZED UNIT LOADS (2 ROWS ACROSS CAR)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1325-102A NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL PARTIAL UPPER LAYER BRACING OF UNIT LOADS IN ALL METAL BOXCARS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-MAR-89 |
| | MIL-STD-1325-193 NOT 1 | RAILCAR LOADING TORPEDO, MK 44 AND MK 46 ASSEMBLIES IN CONTAINER MK 197 MOD 1[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | AWS-D15.1 | RAILROAD WELDING SPECIFICATION - CARS AND LOCOMOTIVES[CUST: CR4 SH 99] | A | THJM | | 84 | 08-DEC-92 |
| M | A-A-50218 NOT 2 | RAILWAY MOTOR CARS, MAINTENANCE 8-MAN, 3000 LB LOAD CAPACITY, 56 1/2 INCH GAUGE[CUST: AV YD 99] [REVIEW: 84] | A | 2230 | / | AV | 08-MAR-06 |
| M | A-A-50214 NOT 2 | RAILWAY, MAINTENANCE-OF-WAY, 56-1/2 INCH GAGE[CUST: AV YD 99] [REVIEW: 84] | A | 2230 | / | AV | 08-MAR-06 |
| | MIL-R-81367(1) | RAIN REMOVAL SYSTEM, AIRCRAFT WINDSHIELD, JET AIR BLAST[CUST: AS] | A | 16GP | | AS | 10-JUN-74 |
| | A-A-55229 | RAINCOAT, MAN'S[CUST: GL CT] | A | 8405 | / | CT | 17-SEP-93 |
| | MIL-R-38213B(1) NOT 1 | RAINCOAT, MAN'S, LIGHTWEIGHT, BLUE[CUST: 11 CT] [REVIEW: 99] | A | 8405 | | CT | 14-FEB-89 |
| | A-A-2846 NOT 2 | RAKE, HAND (GARDEN AND LAWN)[CUST: 99] [REVIEW: 84] | A | 3750 | % | FSS | 13-JUL-04 |
| | DI-NDTI-80884 | RANDOMIZER TEST REPORT [AMSC: G4792] | A | NDTI | | NS | 17-JUL-89 |
| | ASTM-D2887 | RANGE BOILING, DISTRIBUTION OF PETROLEUM FRACTIONS BY GAS CHROMATOGRAPHY[CUST: PS] | A | 91GP | | PS | 15-AUG-93 |
| | MIL-HDBK-1027/3B | RANGE FACILITIES AND MISCELLANEOUS TRAINING FACILITIES OTHER THAN BUILDINGS[CUST: YD] | A | FACR | | YD | 30-NOV-92 |
| | DI-SAFT-80181 | RANGE SAFETY DATA FOR AERODYNAMIC WEAPONS [AMSC: F3870] | A | SAFT | | 10 | 12-JUN-86 |
| | DI-SAFT-80180 | RANGE SAFETY DATA FOR DISPENSERS (RSDD) [AMSC: F3869] | A | SAFT | | 10 | 12-JUN-86 |
| | DI-SAFT-80179 | RANGE SAFETY DATA FOR REMOTELY PILOTED VEHICLES [AMSC: F3868] | A | SAFT | | 10 | 12-JUN-86 |
| | A-A-59187 | RANGE, CONVECTION OVEN, ELECTRIC, MODULAR (NAVAL SHIPBOARD)[CUST: SH] | A | 7310 | / | SH | 09-SEP-98 |
| | A-A-50064A | RANGE, GAS, COMMERCIAL[CUST: GL 99 SS] [REVIEW: 84 CE MC MD] | A | 7310 | / | SS | 18-APR-02 |
| | A-A-53396A | RASP, ANTRUM (WIENER, TROCAR TIP)[CUST: MD MS 03] | A | 6515 | / | MB | 03-MAY-89 |
| | A-A-2326 NOT 2 | RASP, HAND, CABINET | A | 5110 | # | FSS | 31-MAR-04 |
| | A-A-2329 NOT 2 | RASP, HAND, WOOD | A | 5110 | # | FSS | 27-AUG-04 |
| | MIL-PRF-28002C | RASTER GRAPHICS REPRESENTATION IN BINARY FORMAT, REQUIREMENTS FOR[CUST: CR OM 16 DC3] [REVIEW: 02 11 13 19 33 93 AC AC1 AR AS AT CG CH DC1 DC4 DI DOE EC GPO IR MC MI NCS ND NM NS PT SE TD TM1 TM3 US] | A | IPSC | | DC3 | 30-SEP-97 |
| | MIL-STD-2411(2) NOT 3 | RASTER PRODUCT FORMAT[Interface Standard][CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | ASTM-F119 | RATE OF GREASE PENETRATION OF FLEXIBLE BARRIER MATERIALS (RAPID METHOD)[CUST: GL AS 11] [REVIEW: 99 AR CR4 MI MR OS SA SH SM YD] | A | 8135 | | AS | 25-JUN-82 |
| | ANSI-C37.04 | RATING STRUCTURE, AC HIGH-VOLTAGE CIRCUIT BREAKERS RATED ON A SYMMETRICAL CURRENT BASIS[CUST: YD] [REVIEW: MR SH] | A | 6110 | | YD | 24-JAN-83 |
| | AMCA302 | RATINGS, SONE, APPLICATION OF[CUST: CR4 YD 99] [REVIEW: 84 CE GS] | A | 4140 | | IS | 01-FEB-73 |
| | ASTM-E132 | RATIO AT ROOM TEMPERATURE, POISSON'S[CUST: MR AS 99] [REVIEW: GS] | A | 6635 | | MR | OCT-94 |
| | MIL-PRF-32046 | RATION HEATING UNIT, FIELD FEEDING[CUST: GL MC 99] [REVIEW: 84 IS MD1 QM1] | A | 7310 | | GL | 01-JUL-03 |
| | AOP-25 ED.1 | RATIONALE AND GUIDANCE CONCERNING STANAG 4327, LIGHTNING, MUNITION ASSESSMENT AND TEST PROCEDURES | C | ISDA | | AI | 04-DEC-99 |
| | A-A-20048B | RAVIOLI, BEEF, CANNED (IN TOMATOE SAUCE, WITH OR WITHOUT BEEF)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | * | GL | 05-MAR-02 |
| | A-A-54584 | RAZOR, SURGICAL PREPARATION[CUST: MD MS 03] | A | 6515 | / | MB | 10-FEB-92 |
| | MIL-R-36540B | RAZOR, SURGICAL PREPARATION (FOR FIELD USE)[CUST: MD MS 03] | A | 6515 | | MB | 05-NOV-85 |
| | A-A-30100B | RAZOR, SURGICAL PREPARATION, SAFETY, DISPOSABLE[CUST: MD MS 03] | A | 6515 | * | MB | 24-JUL-91 |
| | GG-R-60C(I1) | RAZORS, SAFETY; AND BLADES, RAZOR | A | 8530 | # | FSS | 26-JUL-67 |
| | MIL-DTL-398D(1) NOT 1 | RDX (CYCLOTRIMETHYLENETRINITRAMINE)[CUST: AR OS 99] | A | 1376 | | AR | 20-APR-04 |
| | STANAG-4022 ED.3(1) | RDX (HEXOGENE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER, SPECIFICATION FOR | C | ISDA | | AI | PENDING |
| | MIL-R-13742(1) NOT 1 | RDX, DESENSITIZED[CUST: AR] | A | 1376 | | AR | 29-AUG-91 |
| | MIL-R-48878(5) | RDX/ESTANE (PBX 0280) MOLDING POWDER (FOR USE IN AMMUNITION)[CUST: AR] | A | 1376 | | AR | 16-MAR-95 |
| | MIL-R-48270(1) NOT 1 | RDX/KEL-F RESIN MOLDING POWDER (FOR USE IN AMMUNITION)[CUST: AR] | A | 1376 | | AR | 05-MAY-88 |
| | MIL-R-63419(2) NOT 1 | RDX/VINYL CHLORIDE COPOLYMER EXPLOSIVE COMPOSITION (PBX 9407) (FOR USE IN AMMUNITION)[CUST: AR] | A | 1376 | | AR | 22-JAN-92 |
| | A-A-53872 | READER, MICROHEMATOCRIT[CUST: MD MS 03] | A | 6640 | / | MB | 24-MAR-89 |
| | AIR-STD-44/29C(4) | READY ACCESS IN FIXED WING TRANSPORT AIRCRAFT | C | ISDF | | 06 | PENDING |
| | ASTM-D1193 | REAGENT WATER[CUST: AT SH 11] [REVIEW: DS GS] | A | 6810 | | AT | 10-FEB-99 |
| | DOD-R-23679F | REAGENT, STANDARD, WATER TEST CHEMICALS (METRIC)[CUST: SH] [REVIEW: GS] | A | 6810 | | SH | 08-AUG-86 |
| | DI-MISC-81489 | REAL PROPERTY FACILITIES - AS BUILT DRAWINGS [AMSC: F7134] | A | MISC | | 10 | 31-JUL-95 |
| | DI-TMSS-80677 | REAL PROPERTY INSTALLED EQUIPMENT (RPIE) MANUALS [AMSC: F4529] | A | TMSS | | 14 | 07-SEP-88 |
| | DI-MGMT-80213B | REAL PROPERTY INVENTORY DETAIL LIST [AMSC: F6761] | A | MGMT | | 33 | 24-JUL-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-ILSS-80335A | REAL-TIME OUTFITTING MANAGEMENT INFORMATION SYSTEM (ROMIS) CONFIGURATION INPUT DATA [AMSC: N6783] | A | SESS | | SH | 09-SEP-92 |
| | DI-ILSS-80336A | REAL-TIME OUTFITTING MANAGEMENT INFORMATION SYSTEM (ROMIS) DATA BASE (RDB) TOTAL SHIP CONFIGURATION TO DATE [AMSC: N6784] | A | SESS | | SH | 09-SEP-92 |
| | DI-MGMT-80337A | REAL-TIME OUTFITTING MANAGEMENT INFORMATION SYSTEM (ROMIS) MANAGEMENT PLAN [AMSC: N6785] | A | MGMT | | SH | 09-SEP-92 |
| | A-A-2937A | REAMER, HAND, ADJUSTABLE | A | 5110 | # | FSS | 23-APR-02 |
| | A-A-2931 NOT 3 | REAMER, HAND, BROWN AND SHARPE TAPER SOCKET | A | 5110 | # | FSS | 08-JUN-04 |
| | A-A-2936A | REAMER, HAND, BURRING, PIPE | A | 5110 | # | FSS | 24-APR-02 |
| | A-A-2929 NOT 2 | REAMER, HAND, FINISHING, MORSE TAPER | A | 5110 | # | FSS | 09-JUL-04 |
| | A-A-2930A | REAMER, HAND, TAPER PIN | A | 5110 | # | FSS | 06-AUG-03 |
| | ANSI-B94.2 | REAMERS[CUST: AR SH 99] [REVIEW: 84 CR4] | A | 3455 | | GS6 | 26-JAN-89 |
| | DI-MGMT-80389B | RECEIPT OF GOVERNMENT MATERIEL REPORT [AMSC: A7310] | A | MGMT | | AM | 15-MAY-98 |
| | QPL-83866-4 | RECEIVER, OXYGEN MASK, ASSEMBLY OF | A | 1660 | | 11 | 10-OCT-97 |
| | MIL-R-24008 | RECEIVER, RADIO R-1047A/A[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 23-JAN-64 |
| | MIL-R-81680 NOT 1 | RECEIVER, RADIO R-1651/ARA[CUST: AS] | A | 5845 | | AS | 15-APR-88 |
| | MIL-R-81876B | RECEIVER-TRANSMITTER RADIO SET AN/APX-100(V)[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 04-OCT-88 |
| | AN3115 NOT 2 | RECEPTACLE - AIRSPEED TUBE ELECTRICAL[CUST: AV AS 11] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-2726/48D | RECEPTACLE AND SWITCH, ELECTRICAL, ENCLOSED, 15 - AMPERE, 125 - VOLT, INTERLOCKING, GROUNDED (SYMBOL NO. 900.1)[CUST: SH CC] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-R-24217/5 NOT 1 | RECEPTACLE ASSEMBLY (END-FLANGED BOLTED TYPE)[CUST: SH] | A | 5935 | | SH | 03-OCT-89 |
| | MIL-R-24217/2 NOT 1 | RECEPTACLE ASSEMBLY (FLANGED - WELDED TYPE)[CUST: SH] | A | 5935 | | SH | 03-OCT-89 |
| | MIL-R-24217/3 NOT 1 | RECEPTACLE ASSEMBLY (IN LINE TYPE)[CUST: SH] | A | 5935 | | SH | 03-OCT-89 |
| | MIL-R-24217/6 NOT 1 | RECEPTACLE ASSEMBLY (LOCKNUT FLANGE TYPE)[CUST: SH] | A | 5935 | | SH | 03-OCT-89 |
| | MIL-R-24217/4 NOT 1 | RECEPTACLE ASSEMBLY (MID-FLANGE BOLTED TYPE)[CUST: SH] | A | 5935 | | SH | 03-OCT-89 |
| | MIL-R-24217/12 NOT 1 | RECEPTACLE ASSEMBLY (MID-FLANGE, BOLTED, UNION TYPE)[CUST: SH] | A | 5935 | | SH | 03-OCT-89 |
| | MIL-R-24217/13 NOT 1 | RECEPTACLE ASSEMBLY (MID-FLANGE, LOCKNUT, UNION TYPE)[CUST: SH] | A | 5935 | | SH | 03-OCT-89 |
| | MIL-R-24217/11 NOT 1 | RECEPTACLE ASSEMBLY (UNION TYPE)[CUST: SH] | A | 5935 | | SH | 03-OCT-89 |
| | MIL-R-24217/1 NOT 1 | RECEPTACLE ASSEMBLY (WELDED TYPE)[CUST: SH] | A | 5935 | | SH | 03-OCT-89 |
| | MIL-R-2726/19B NOT 2 | RECEPTACLE WITH SWITCH, ELECTRICAL, 30 AMPERE, 450 VOLT, ALTERNATING CURRENT, 60 HERTZ, 3 PHASE, INTERLOCKING, GROUNDED (SYMBOL NO 915.1)[CUST: SH CC] | A | 5935 | | CC | 27-NOV-02 |
| | MIL-DTL-2726/20B | RECEPTACLE WITH SWITCH, ELECTRICAL, 30- AMPERE, 450 -VOLT, 1- PHASE, INTERLOCKING, GROUNDED (SYMBOL NO. 916.1)[CUST: SH CC] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-R-24159A NOT 1 | RECEPTACLE, CANISTER, CO2 ABSORBENT[CUST: SH] | A | 4240 | | SH | 06-FEB-89 |
| | MS3509F | RECEPTACLE, ELECTRIC, AIRCRAFT STORAGE BATTERY[CUST: AV AS 99] [REVIEW: CC] | A | 5935 | | AS | 27-NOV-85 |
| | MIL-DTL-2726/43B | RECEPTACLE, ELECTRICAL, (BLADED) 15-AMPERE WITH 3-AMPERE SWITCH, TYPE DPST, 125-VOLT, GROUNDED, TOTALLY ENCLOSED (SYMBOL 918.1)[CUST: SH CC] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-DTL-2726/32B | RECEPTACLE, ELECTRICAL, 10 - AMPERE, 125 - VOLT, SINGLE POLE, PANEL MOUNTED (SYMBOL NO. 775.1 - BLACK; SYMBOL NO. 775.2 - RED)[CUST: SH CC] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-R-2726/37E NOT 2 | RECEPTACLE, ELECTRICAL, 15-AMPERE, 125-VOLT, 60-HERTZ, BLADED TYPE, GROUNDED (SYMBOL NO. 1099.1)[CUST: SH CC] | A | 5935 | | CC | 20-JUN-04 |
| | MIL-DTL-2726/47B NOT 1 | RECEPTACLE, ELECTRICAL, ENCLOSED, 15-AMPERE, 125-VOLT 2-POLE, GROUNDED (SYMBOL NO. 735.3)[CUST: SH CC] | A | 5935 | | CC | 20-JUN-04 |
| | MIL-DTL-2726/41B | RECEPTACLE, ELECTRICAL, ENCLOSED, 15-AMPERE, 125-VOLT, (SYMBOL NO. 1098.1)[CUST: SH CC] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-R-2726/14B NOT 2 | RECEPTACLE, ELECTRICAL, ENCLOSED, 3-PIN GROUNDED, 40-AMPERE, 450-VOLT, ALTERNATING CURRENT (SYMBOL NOS. 1145.1, 1145.2 AND 1145.3)[CUST: SH] | A | 5935 | | SH | 08-JUN-05 |
| | MIL-DTL-2726/30B | RECEPTACLE, PLUG, ELECTRICAL, 10 - AMPERE, 125 VOLT, SINGLE POLE, MALE (SYMBOL NO. 727.1 - RED; SYMBOL NO. 727.2 - BLACK)[CUST: SH CC] | A | 5935 | | CC | 13-MAY-05 |
| | MIL-R-2726/38C NOT 2 | RECEPTACLE, PLUG, ELECTRICAL, 15 AMP, 125 VOLT, BLADED TYPE, GROUNDED (SYMBOL NO. 1218.3)[CUST: SH CC] | A | 5935 | | CC | 20-JUN-04 |
| | MIL-DTL-2726/50D NOT 1 | RECEPTACLE, PLUG, ELECTRICAL, 15-AMPERE, 125/250-VOLTS, 2-POLE, GROUNDED (SYMBOL NO. 720.3)[CUST: SH CC] | A | 5935 | | CC | 20-JUN-04 |
| | MIL-DTL-2726/5C | RECEPTACLE, PLUG, ELECTRICAL, 3 PIN GROUNDED, 40 -AMPERE, 450- VOLT, ALTERNATING CURRENT (SYMBOL NO. 1140.1)[CUST: SH CC] | A | 5935 | | CC | 13-MAY-05 |
| M | MIL-DTL-2726C | RECEPTACLE, RECEPTACLE PLUGS, SWITCH AND RECEPTACLES, AND OUTLETS (ELECTRICAL), GENERAL SPECIFICATION FOR[CUST: CR SH CC] [REVIEW: AR] | A | 5935 | | CC | 14-FEB-06 |
| | UL1010 | RECEPTACLE-PLUG COMBINATIONS FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS[CUST: CR YD 11 CC] | A | 5935 | | CC | 26-FEB-91 |
| | NA0025 | RECESS - TORQ-SET DIMENSIONS OF RECESS, GAGE AND DRIVER, METRIC[CUST: AR AS 99 IS] [REVIEW: AV] | A | 53GP | | IS | 04-APR-84 |
| | NAS7100 | RECESS, RIBBED CRUCIFORM, DIMENSIONS OF RECESS AND GAGES[CUST: AV AS 11 IS] | A | 53GP | | IS | 13 MAY 98 |
| | NASM9006 | RECESS-CROSS, LOW TORQUE DRIVE, DIMENSIONS AND GAGE DIMENSIONS FOR[CUST: AV AS 99] [REVIEW: IS] | A | 5305 | | AS | 30-JUN-98 |
| | NASM33750 | RECESS-DOVETAIL SLOT AND CONICAL DOVETAIL SLOT, DIMENSIONS OF RECESS, GAGE AND DRIVER FOR[CUST: AV AS] | A | 53GP | | AS | 30-JUN-98 |
| | NASM14191 | RECESS-OFFSET CRUCIFORM RIBBED DIMENSIONS OF RECESS, GAGE AND DRIVER FOR[CUST: AV AS 99] [REVIEW: IS] | A | 53GP | | AS | 30-JUN-98 |
| | NASM33781 | RECESS-OFFSET CRUCIFORM, DIMENSIONS OF RECESS, AND DRIVER FOR[CUST: AV AS 11] [REVIEW: 99 IS] | A | 53GP | | AS | 30-JUN-98 |
| | A-A-59534 | RECLAIMER, REFRIGERANT[CUST: AT AS 99 IS] [REVIEW: GS] | A | 4250 | / | 84 | 12-JAN-00 |
| | DI-ILSS-81209A | RECLAMATION SAVE LIST (AFMC FORM 111) [AMSC: F7029] | A | SESS | | 10 | 21-JUN-94 |
| | QSTAG-538 | RECOGNITION & IDENTIFICATION OF FORCES ON THE BATTLEFIELD (ABCA 538)[CUST: AI] | C | ISDA | | AI | 15-JAN-81 |
| | ITOP-3.2.815 | RECOIL MOTION MEASUREMENT | D | ISDA | | TE | 11-OCT-86 |
| | DOD-HDBK-778 | RECOIL SYSTEMS METRIC[CUST: AR] | A | 10GP | | AR | 18-JUL-88 |
| | SAMA-AI1.1 | RECOMMENDED PRACTICE FOR GLASS PH & REFERENCE ELECTRODES[CUST: EA MS 99] [REVIEW: CR4 MD YD] | A | 6640 | | EA | 23-DEC-74 |
| | SAE-J964 | RECOMMENDED PRACTICE FOR MEASURING HAZE AND REFLECTANCE OF MIRRORS[CUST: CR4 SH 99] | A | 4720 | | CR4 | 03-OCT-94 |
| | ATP-61 | RECONNAISSANCE AND SURVEILLANCE SUPPORT TO ALLIED JOINT OPERATIONS | C | ISDA | | AI | 01-NOV-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-7107 ED.1(2) | RECONNAISSANCE AND SURVEILLANCE SUPPORT TO ALLIED JOINT OPERATIONS - ATP-61 | C | ISDF | | 06 | PENDING |
| | AIR-STD-45/13 | RECONNAISSANCE AND SURVEILLANCE SUPPORT TO COMBINED/JOINT OPERATIONS | C | ISDF | | 06 | 04-AUG-98 |
| | STANAG-3781 ED.2 | RECONNAISSANCE CROSS-SERVICING | C | ISDF | | 06 | 19-MAR-97 |
| | ADV-PUB-80/6 | RECONNAISSANCE INTEROPERABILITY HANDBOOK | C | ISDF | | 06 | 11-OCT-94 |
| | DI-MGMT-80628 | RECORD TRANSMITTAL AND RECEIPT [AMSC: F4463] | A | MGMT | | 33 | 29-JUN-88 |
| | A-A-1619B | RECORDER-REPRODUCER, SOUND (DICATATING & TRANSCRIBIBG MACHINE, COMBINATION, STANDARD CASSETTE) | A | 7450 | # | FSS | 30-MAR-88 |
| | A-A-1620B | RECORDER-REPRODUCER, SOUND (DICATING MACHINE, TAPE, PORTABLE STANDARD CASSETTE) | A | 7450 | # | FSS | 20-MAR-81 |
| | A-A-1617B | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, DESK TOP, STANDARD CASSETTE) | A | 7450 | # | FSS | 30-MAR-88 |
| | A-A-1621B | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, PORTABLE, MICRO-CASSETTE) | A | 7450 | # | FSS | 30-MAR-88 |
| | A-A-1622B | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, PORTABLE, MINI-CASSETTE) | A | 7450 | # | FSS | 30-MAR-88 |
| | A-A-1695 | RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, MICRO-CASSETTE) | A | 7450 | # | FSS | 19-MAR-81 |
| | A-A-1694B | RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, MINI-CASSETTE) | A | 7450 | # | FSS | 19-MAR-81 |
| | A-A-1618 | RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, STANDARD CASSETTE) | A | 7450 | # | FSS | 19-MAR-81 |
| | AIR-STD-44/14D(2) | RECOVERY AND RELEASE OF PARACHUTISTS TOWED BEHIND TRANSPORT AIRCRAFT | C | ISDF | | 06 | 06-APR-00 |
| | MIL-R-85111A(8) | RECOVERY ASSIST, SECURING AND TRAVERSING SYSTEM FOR LAMPS MK III HELICOPTER[CUST: AS] | A | 1710 | | AS | 15-SEP-99 |
| | ITOP-4.2.809 | RECOVERY OF FIRED AMMUNITION | D | ISDA | | TE | 06-SEP-99 |
| | A-A-58018 | RECOVERY UNIT, ANTI-FREEZE[CUST: 99] | A | 4940 | / | 84 | 09-AUG-93 |
| | A-A-58017 | RECOVERY UNIT, ANTI-FREEZE[CUST: 99] | A | 4940 | / | 84 | 09-AUG-93 |
| | MIL-PRF-62195D NOT 1 | RECOVERY VEHICLE, FULL TRACKED: MEDIUM, M88A1 NEW AND OVERHAUL[CUST: AT] | A | 2350 | | AT | 20-APR-04 |
| | A-A-53786 | RECTRACTOR SET, ABDOMINAL (DOUBLE-ENDED, RICHARDSON-EASTMAN)[CUST: MD MS 03] | A | 6515 | / | MB | 14-DEC-88 |
| | FED-STD-595/11120 | RED [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/11136 | RED, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/11302 | RED, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/11105 | RED, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/11310 | RED, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/11328 | RED, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/11400 | RED, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/11140 | RED, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/11670 | RED, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/11630 | RED, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/11350 | RED, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/31669 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31638 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31158 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31670 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31310 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/31400 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31643 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31668 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31350 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/31667 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31302 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31433 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31136 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/31575 | RED, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/21302 | RED, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/21310 | RED, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/21670 | RED, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/21400 | RED, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/21433 | RED, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/21668 | RED, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/21158 | RED, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/21643 | RED, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/21105 | RED, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/21136 | RED, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/21575 | RED,SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/21667 | RED,SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | MIL-HDBK-232A(1) NOT 2 | RED/BLACK ENGINEERING-INSTALLATION GUIDELINES[CUST: CR EC 02] [REVIEW: 11 13 DC MC NS] | A | TCSS | | CR | 24-OCT-00 |
| | ASSE1013 | REDUCED PRESSURE PRINCIPLE BACKFLOW PREVENTERS AND REDUCED PRESSURE FIRE PROTECTION PRINCIPLE BACKFLOW PREVENTERS[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | A-A-59447 NOT 1 | REDUCER COUPLING, TUBE FEMALE TO FEMALE SOLDER-JOINT, REFRIGERATION[CUST: GL4 SH 99 CC] [REVIEW: MC] | A | 4730 | / | CC | 30-MAR-04 |
| | A-A-59444 NOT 1 | REDUCER COUPLING, TUBE, MALE TO FEMALE SOLDER-JOINT, REFRIGERATION[CUST: GL4 SH 99 CC] [REVIEW: CE MC] | A | 4730 | / | CC | 30-MAR-04 |
| | A-A-59326/14A | REDUCER, EXTERNAL PIPE THREAD BY FEMALE, TYPE XIII[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | SAE-AS21916 | REDUCER, EXTERNAL THREAD, FLARELESS TUBE[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | NAS1564 | REDUCER, FLARED TUBE | A | 4730 | | CC | 15-SEP-80 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59326/13A | REDUCER, MALE BY EXTERNAL PIPE THREAD, TYPE XII[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | A-A-59326/12A | REDUCER, MALE BY FEMALE AND FEMALE BY MALE, TYPE XI[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | MS39232B NOT 4 | REDUCER, PIPE RIGHT HAND THREAD (150 AND 300 POUNDS)[CUST: AR MC 99 CC] [REVIEW: 71 AT AV] | A | 4730 | | CC | 08-APR-05 |
| | MS9769A NOT 1 | REDUCER, TUBE - STRAIGHT, TUBE TO BOSS[CUST: AS 99] [REVIEW: 71 MC] | A | 4730 | | CC | 07-APR-05 |
| | SAE-AS17852 | REDUCERS, OXYGEN PRESSURE[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | JUL-99 |
| | CTI-STD103 | REDWOOD LUMBER SPECIFICATIONS[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| | QPL-8236-14 | REEL, SHOULDER HARNESS TAKEUP, INERTIA LOCK | A | 1680 | | 11 | 19-SEP-96 |
| | MIL-R-8236F(1) | REEL, SHOULDER HARNESS, INERTIA LOCK[CUST: AV AS 99] [REVIEW: CG GS MC] | A | 1680 | | 11 | 03-NOV-95 |
| | MIL-PRF-12329E | REELING MACHINE, CABLE, HAND RL-31( )[CUST: CR] | A | 3895 | | CR | 03-JUL-97 |
| | MIL-R-24414D(1) | REELS AND GUIDES, HOSE, FIREFIGHTING MANUALLY OPERATED[CUST: SH] | A | 4210 | | SH | 20-SEP-93 |
| | MIL-R-52000C NOT 3 | REELS, CABLE, FOR AIRFIELD AND HELIPORT LIGHTING SETS[CUST: CR4] [REVIEW: GS] | A | 6210 | | CR4 | 13-JAN-97 |
| | ASTM-F1347 | REELS, FUELING HOSE, MANUALLY OPERATED[CUST: CR4 SH 99] [REVIEW: AS CC] | A | 4930 | | SH | 15-JUL-91 |
| | A-A-50696 | REELS, STATIC DISCHARGE, GROUNDING, 50 AND 75 FOOT CABLE LENGTHS[CUST: 99] [REVIEW: 68 CC] | A | 4930 | / | 84 | 11-JUL-91 |
| | MIL-HDBK-260 | REFERENCE DATA FOR LOGISTICS METRICS[CUST: TM3 AS 11] | A | SESS | | AS | 07-MAR-97 |
| | DI-CMAN-80883 | REFERENCE DESIGNATION ASSIGNMENT PLAN [AMSC: N4793] | A | SESS | | NS | 17-JUL-89 |
| | ANSI-S1.8 | REFERENCE QUANTITIES FOR ACOUSTICAL LEVELS[CUST: GL AS 11] | A | ENVR | | AS | 27-OCT-89 |
| | ABC-STD-37B | REFERENCE VALUES FOR USE IN REPORTING MECHANICAL VIBRATION LEVELS | C | ISDN | | SH | PENDING |
| | ANSI-PH2.17 | REFLECTION DENSITY, GEOMETRIC CONDITIONS FOR, DENSITY MEASUREMENTS - FOR PHOTOGRAPHY (SENSITOMETRY)[CUST: CR AS 99 GS] | A | 67GP | | AS | 03-SEP-84 |
| | A-A-58033 | REFLECTOMETER, METALLIC, TIME DOMAIN[CUST: 99] [REVIEW: CC SH] | A | 6625 | / | 84 | 10-OCT-94 |
| | A-A-52428A NOT 1 | REFLECTOR, INDICATING, CLEARANCE[CUST: AT YD 99] [REVIEW: 84] | A | 9905 | / | AT | 19-APR-04 |
| | MIL-R-2728C NOT 1 | REFLECTOR, LIGHT; PARABOLIC, SEARCHLIGHT[CUST: CR4 SH 99] [REVIEW: GS] | A | 6210 | | SH | 18-DEC-90 |
| | A-A-59349 NOT 1 | REFLECTORS, LIGHT; WITH HOLDER[CUST: MC IS] | A | 6210 | / | IS | 29-AUG-03 |
| | SAE-J594 | REFLECTORS, REFLEX[CUST: AT IS] | A | 6220 | | IS | APR-90 |
| | EIA455.29 | REFRACTIVE INDEX PROFILE, TRANSVERSE INTERFERENCE METHOD[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC MI SH TE] | A | 60GP | | CR | 18-JAN-91 |
| | INFO-PUB-61/115/22A | REFRACTIVE SURGERY IN AIRCREW | C | ISDF | | 06 | 07-NOV-00 |
| | A-A-53856 | REFRACTOMETER[CUST: MD MS 03] [REVIEW: GS] | A | 6650 | / | MB | 15-MAR-89 |
| | ARI720 | REFRIGERANT ACCESS VALVES AND HOSE CONNECTORS[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | ARI495 | REFRIGERANT LIQUID RECEIVERS[CUST: CR4 YD 99] [REVIEW: 84 CE MC MS] | A | 4130 | | IS | 1999 |
| | ARI740 | REFRIGERANT RECOVERY/RECYCLING EQUIPMENT[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | UL207 | REFRIGERANT-CONTAINING COMPONENTS & ACCESSORIES, NONELECTRICAL[CUST: GL YD] | A | 4110 | | GL | 30-APR-96 |
| | MIL-R-16743F SUP 1 | REFRIGERATING PLANTS AND SYSTEMS, MECHANICAL; AND REFRIGERATING SYSTEM COMPONENTS-DICHLORODIFLUOROMETHANE (R-12) - NAVAL SHIPBOARD[CUST: SH] [REVIEW: GS] | A | 4130 | | SH | 01-MAR-91 |
| | MIL-R-24085A(1) | REFRIGERATING UNIT, CENTRIFUGAL FOR AIR CONDITIONING[CUST: SH] [REVIEW: GS] | A | 4130 | | SH | 17-OCT-75 |
| | UL427 | REFRIGERATING UNITS[CUST: YD] | A | 4110 | | SS | 30-DEC-94 |
| | ASHRAE15 | REFRIGERATION MECHANICAL, SAFETY CODE FOR[CUST: YD] [REVIEW: CE GS MC MS] | A | 4130 | | IS | 29-JUN-94 |
| | MIL-PRF-32017 | REFRIGERATION SYSTEM, ADVANCED DESIGN[CUST: GL 99] [REVIEW: 84] | A | 4110 | | 35 | 01-DEC-97 |
| | MIL-PRF-44035B | REFRIGERATION UNITS, ELECTRIC, 4000 BTU FOR REFRIGERATOR-CONTAINER, FIELD, 8 FEET BY 8 FEET BY 10 FEET[CUST: GL MC 99] [REVIEW: 84 MD1 SM SS] | A | 4110 | | GL | 28-JUL-97 |
| | MIL-PRF-43891C | REFRIGERATION UNITS, ELECTRIC, 9000 BTU FOR MILITARY VAN CONTAINER, REFRIGERATED, INSULATED[CUST: GL YD 99] [REVIEW: 84 AV MC MD1 SM SS] | A | 4110 | | GL | 05-AUG-97 |
| | MIL-PRF-13312R | REFRIGERATION UNITS, MECHANICAL, PANEL MOUNTED, 10,000 BTU FOR REFRIGERATOR, PREFABRICATED, PANEL TYPE[CUST: GL YD 99] [REVIEW: 84 AV CE CR4 MC MD1 SM SS] | A | 4110 | | GL | 31-JUL-96 |
| | MIL-PRF-12574M | REFRIGERATION UNITS, MECHANICAL, PANEL TYPE, 5000 BTU FOR REFRIGERATOR, FIELD, PORTABLE (150 CUBIC FOOT)[CUST: GL YD 99] [REVIEW: 84 AV CE CR4 MC MD1 SM] | A | 4110 | | GL | 09-JUN-97 |
| | A-A-53964 | REFRIGERATOR, COLD PACK THERAPY[CUST: MD MS 03] | A | 4110 | / | MB | 30-AUG-89 |
| | A-A-53749A | REFRIGERATOR, MECHANICAL, BIOLOGICALS[CUST: MD MS 03] | A | 4110 | / | MB | 09-MAR-90 |
| | A-A-54188 | REFRIGERATOR, MECHANICAL, BIOLOGICALS[CUST: MD MS 03] | A | 4110 | / | MB | 15-JUN-90 |
| | A-A-54475 | REFRIGERATOR, MECHANICAL, BIOLOGICALS (BLOOD BANK)[CUST: MD MS 03] | A | 4110 | / | MB | 30-AUG-91 |
| | A-A-54217 | REFRIGERATOR, MECHANICAL, BLOOD BANK[CUST: MD MS 03] | A | 4110 | / | MB | 31-JUL-90 |
| | A-A-54032 | REFRIGERATOR, MORTUARY MOBILE, TWO BODY CAPACITY[CUST: MD MS 03] | A | 4110 | / | MB | 24-NOV-89 |
| | A-A-54995 | REFRIGERATOR, SOLID STATE BIOLOGICALS[CUST: MD MS 03] | A | 4110 | / | MB | 16-DEC-94 |
| | A-A-54016 | REFRIGERATOR, SOLID STATE BIOLOGICALS[CUST: MD MS 03] | A | 4110 | / | MB | 19-MAR-93 |
| | MIL-PRF-44015A | REFRIGERATOR-CONTAINER, FIELD, 8 FEET BY 8 FEET BY 10 FEET[CUST: GL SS] | A | 4110 | | GL | 22-OCT-97 |
| | NSF7 | REFRIGERATORS AND STORAGE FREEZERS, FOOD SERVICE[CUST: GL YD 99] [REVIEW: 84 GS MD] | A | 4110 | | GL | 19-FEB-85 |
| | MIL-PRF-12571R | REFRIGERATORS, MECHANICAL, FIELD, PORTABLE WALK-IN, PLUG-IN (150 CUBIC FOOT)[CUST: GL YD 99] [REVIEW: 35 84 CR4 MC MD1 SS] | A | 4110 | | GL | 10-JUL-98 |
| | O-R-1151B | REGENERATOR, LITHOGRAPHIC BLANKET[CUST: GL SA] [REVIEW: CR4 GS MD MR PE] | A | 6850 | * | GL | 13-NOV-69 |
| | MIL-STD-2411-1(1) NOT 2 | REGISTERED DATA VALUES FOR RASTER PRODUCT FORMAT[Interface Standard][CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | ARI480 | REGRIGERANT-COOLED LIQUID COOLERS, REMOTE TYPE[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | A-A-59188 | REGRIGERATOR, MECHANICAL, STORAGE STAND (FOR BULK MILK DISPENSERS) (NAVAL SHIPBOARD)[CUST: SH] | A | 4110 | / | SH | 09-SEP-98 |
| | AMOVP-1(3) | REGULATIONS AND PROCEDURES FOR ROAD MOVEMENTS AND IDENTIFICATION OF MOVEMENT CONTROL AND TRAFFIC CONTROL PERSONNEL AND AGENCIES (INCLUDES CHANGE 3) | C | ISDA | | AI | PENDING |
| | STANAG-2454 ED.2 | REGULATIONS AND PROCEDURES FOR ROAD MOVEMENTS AND IDENTIFICATION OF MOVEMENT CONTROL AND TRAFFIC CONTROL PERSONNEL AND AGENCIES - AMOVP-1 | C | ISDA | | AI | 05-JUN-03 |
| | QSTAG-539 | REGULATIONS FOR MILITARY MOTOR VEHICLE MOVEMENT BY ROAD (DRC1RD))[CUST: AI] | C | ISDA | | AI | 02-OCT-80 |
| | STANAG-2943 ED.1(2) | REGULATIONS FOR THE LATERAL OR END-ON LOADING AND UNLOADING OF WHEELED OR TRACKED MILITARY EQUIPMENT TRANSPORTED ON RAILWAY WAGONS | C | ISDA | | AI | 18-OCT-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-2173 ED.4(1) | REGULATIONS FOR THE SECURING OF MILITARY TRACKED AND WHEELED VEHICLES ON RAILWAY WAGONS | C | ISDA | | AI | 02-JUN-95 |
| | CGA-E1 | REGULATOR OUTLETS, TORCHES AND FITTED HOSE FOR WELDING AND CUTTING EQUIPMENT, STANDARD CONNECTIONS FOR[CUST: AR SH 99 GS6] | A | 34GP | | GS6 | 1994 |
| | MIL-DTL-62187B | REGULATOR, 650 AMP, SOLID STATE[CUST: AT 99] [REVIEW: 70 CC] | A | 2920 | | AT | 06-JAN-99 |
| | MIL-PRF-49176B | REGULATOR, BIAS VOLTAGE, CN-1503/UA[CUST: CR] | A | 5855 | | CR | 19-MAY-97 |
| | MIL-DTL-62576B | REGULATOR, ENGINE GENERATOR[CUST: AT YD] [REVIEW: CC MI] | A | 2920 | | AT | 30-SEP-98 |
| | MIL-PRF-62528A | REGULATOR, ENGINE GENERATOR: SOLID STATE 28 VOLT, DUAL CURRENT LIMIT, DIRECT CURRENT[CUST: AT] | A | 2920 | | AT | 26-JUL-96 |
| | MIL-R-23098A(6) | REGULATOR, LINE VOLTAGE, SINGLE PHASE, 400 HERTZ A.C. NAVAL SHIPBOARD[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 14-JUL-76 |
| | QPL-23098-11 | REGULATOR, LINE VOLTAGE, SINGLE PHASE, 400 HERTZ A.C. NAVAL SHIPBOARD | A | 6110 | | SH | 08-NOV-76 |
| | MIL-R-42043 | REGULATOR, OXYGEN[CUST: MD MS 03] [REVIEW: GS] | A | 6680 | | MB | 06-APR-87 |
| | A-A-54040 | REGULATOR, OXYGEN PRESSURE[CUST: MD MS 03] [REVIEW: GS] | A | 6680 | / | MB | 19-MAR-93 |
| | MIL-PRF-7605F(1) | REGULATOR, OXYGEN, DEMAND, PRESSURE BREATHING, TYPE A-21[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 22-OCT-98 |
| | QPL-7605-14 | REGULATOR, OXYGEN, DEMAND, PRESSURE BREATHING, TYPE A-21 | A | 1660 | | 71 | 20-AUG-99 |
| | MIL-PRF-83178B | REGULATOR, OXYGEN, DILUTER-DEMAND, AUTOMATIC- PRESSURE-BREATHING, CRU-73A, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 24-SEP-99 |
| | QPL-83178-13 | REGULATOR, OXYGEN, DILUTER-DEMAND, AUTOMATIC-PRESSURE-BREATHING, CRU-73A GENERAL SPECIFICATION FOR | A | 1660 | | 71 | 25-MAY-04 |
| | A-A-53807 | REGULATOR, PRESSURE, MEDICAL GAS ADMINISTRATION APPARATUS[CUST: MD MS 03] [REVIEW: GS] | A | 6680 | / | MB | 18-JAN-89 |
| | MIL-R-2729D | REGULATOR-EXCITER SYSTEMS, VOLTAGE, A.C. GENERAL, NAVAL SHIPBOARD USE[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 28-JAN-92 |
| | UL252 | REGULATORS, COMPRESSED GAS[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 19-APR-96 |
| A | QPL-19180-43 | REGULATORS, PRESSURE, COMPRESSED GAS | A | 4820 | | CC | 06-OCT-05 |
| | QPL-23761-17 | REGULATORS, VOLTAGE, AND CONTROL PANELS, AIRCRAFT DIRECT CURRENT GENERATOR, GENERAL SPECIFICATION FOR | A | 6110 | | AS | 25-JUL-01 |
| | AWWA-C303 | REINFORCED CONCRETE PRESSURE PIPE, STEEL CYLINDER TYPE, PRETENSIONED, FOR WATER & OTHER LIQUIDS[CUST: YD 99] [REVIEW: CE MC] | A | 5630 | | IS | 05-SEP-88 |
| | ASTM-D1901 | RELATIVE EVAPORATION TIME OF HALOGENATED ORGANIC SOLVENTS AND THEIR ADMIXTURES[CUST: AS 99] [REVIEW: SH] | A | 8010 | | AS | 20-SEP-02 |
| | ASTM-D1531 | RELATIVE PERMITTIVITY (DIELECTRIC CONSTANT) AND DISSIPATION FACTOR BY FLUID DISPLACEMENT PROCEDURES[CUST: SM AS] [REVIEW: AR MI MR SA] | A | PACK | | AS | 10-MAR-01 |
| | IEEE-C37.90 | RELAY & RELAY SYSTEMS ASSOCIATED WITH ELECTRIC POWER APPARATUS[CUST: CR4 YD 11] [REVIEW: GS SH] | A | 6110 | | YD | 14-MAY-87 |
| | MIL-PRF-11767G NOT 1 | RELAY ASSEMBLY: GUN-FIRING, WATERPROOF, 24 VOLT DC[CUST: AT] | A | 5945 | | AT | 20-APR-04 |
| | MS25024G | RELAY, 10 AMP, 4 PDT, SEALED, CLASS O[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-DEC-01 |
| | MS27243J | RELAY, 10 AMP, 4PDT, SEALED, CLASS O[CUST: AS 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-DEC-01 |
| | MIL-R-24563 NOT 2 | RELAY, ALTERNATING CURRENT, POWER-SENSING[CUST: SH] | A | 5945 | | SH | 22-JUN-05 |
| | MIL-DTL-26126/2B | RELAY, ELECTRICAL, OVERVOLTAGE, TYPE II, HYBRID, SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-FEB-02 |
| M | MIL-PRF-6106/48C(1) | RELAY, ELECTROMAGNETIC, 100 AMPERES, SPST (N.O.) WITH SPDT (FORM Z) 5 AMPERES AUXILIARY CONTACTS, HERMETICALLY SEALED, TYPE I[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 14-MAR-06 |
| | MS24183L | RELAY, ELECTROMAGNETIC, 200 AMPERES, 1PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 15-APR-03 |
| | MIL-PRF-6106/13E(2) | RELAY, ELECTROMAGNETIC, 25 AMPERE, 3PST, NO, WITH 2 AMPERE 1PDT AUXILIARY CONTACTS, HERMETICALLY SEALED, PERMANENT MAGNET DRIVE, TYPE I[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-OCT-04 |
| A | MIL-PRF-6106/15D(2) | RELAY, ELECTROMAGNETIC, 50 AMPERES, DC, SPDT, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99] | A | 5945 | | CC | 09-NOV-05 |
| | MS24178H(2) | RELAY, ELECTROMAGNETIC, 55 AMP, 2PST, (N.O.) TYPE II, NONHERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 22-OCT-04 |
| | MIL-PRF-6106/43B(1) | RELAY, ELECTROMAGNETIC, 65 AMPERES, 1 PNO DOUBLE BREAK, HERMETICALLY SEALED, TYPE I[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 19-JUL-01 |
| A | MIL-PRF-6106/9D NOT 1 | RELAY, ELECTROMAGNETIC, CONTINUOUS DUTY, 60 AMP, 3PDT, ENVIRONMENTALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 17-AUG-05 |
| | MIL-PRF-83536/36 | RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 1PDT, 25 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 08-JUL-03 |
| | MIL-PRF-83536/37(1) | RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 1PDT, 25 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 29-NOV-04 |
| | MIL-PRF-39016/55A(1) | RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING), WITH INTERNAL DIODE FOR COIL TRANSIENT SUPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS SH] | A | 5945 | | CC | 15-FEB-02 |
| A | MIL-PRF-6106/11D NOT 1 | RELAY, ELECTROMAGNETIC, NORMALLY CLOSED, CONTINUOUS DUTY, 60 AMPERES, 3PST, ENVIRONMENTALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 17-AUG-05 |
| A | MIL-PRF-6106/10E NOT 1 | RELAY, ELECTROMAGNETIC, NORMALLY OPEN, CONTINUOUS DUTY, (INCLUDING UNSUPPRESSED AND SUPPRESSED COILS) 60 AMPERES, 3PST, ENVIRONMENTALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 17-AUG-05 |
| | MIL-PRF-32085/1 | RELAY, ELECTROMAGNETIC, SPST, 270 VOLT DC, 120 AMPERE, HERMETICALLY SEALED, TRANSIENT SUPPRESSED DC COIL[CUST: CR 11 CC] [REVIEW: 99] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-PRF-6106/33D(1) | RELAY, ELECTROMAGNETIC, TYPE I, 400 AMPERES, WITH 5 AMPERE AUXILIARY CONTACTS, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-DEC-01 |
| | MIL-PRF-6106/38C(1) | RELAY, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 2PDT, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-MAY-02 |
| | MIL-PRF-6106/39D(3) | RELAY, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 4PDT, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 25-FEB-05 |
| | MIL-PRF-83726/30E(3) | RELAY, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, DPDT, 10 AMPERES, ADJUSTABLE TIME DELAY (EXTERNAL RESISTOR), 0.1 TO 500 SECONDS[CUST: EC 11 CC] [REVIEW: 19 OS] | A | 5945 | | CC | 15-JUL-02 |
| | MIL-PRF-83726/31E(2) | RELAY, HYBRID, TIME DELAY (ON RELEASE), CLASS B, TYPE IIA, HERMETICALLY SEALED, DPDT, 10 AMPERES, ADJUSTABLE TIME DELAY (EXTERNAL RESISTOR), 0.1 TO 500 SECONDS[CUST: EC 11 CC] [REVIEW: 19 OS] | A | 5945 | | CC | 15-JUL-02 |
| A | QPL-83516-12 | RELAY, REED, DRY, GENERAL SPECIFICATION FOR | A | 5945 | | CC | 17-AUG-05 |
| | MIL-PRF-28750/8C NOT 1 | RELAY, SOLID STATE, HERMETICALLY SEALED, CLASS II, OPTICALLY ISOLATED, 600 MA, 50 V DC, SIGNAL SWITCHING, SPST (N.O.)[CUST: EC 11] [REVIEW: 19 OS] | A | 5945 | | CC | 27-JAN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-PRF-28750/9C(4) | RELAY, SOLID-STATE, HERMETICALLY SEALED, CLASS II, OPTICALLY ISOLATED, ZERO VOLTAGE TURN-ON, 1 AMPERE (2 AMPERES WITH HEAT SINK), 440 HZ, POWER SWITCHING, SPST (N.O.)[CUST: EC 11 CC] | A | 5945 | | CC | 01-DEC-05 |
| A | MIL-PRF-28750/10C(4) | RELAY, SOLID-STATE, SEALED, CLASS I, OPTICALLY ISOLATED, ZERO VOLTAGE TURN-ON, 25 AMPERES, 250 V MAXIMUM, 400 HZ, POWER SWITCHING, SPST (N.O.)[CUST: EC 11] | A | 5945 | | CC | 02-NOV-05 |
| | MIL-R-83725/12A NOT 2 | RELAY, VACUUM, SPDT, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK[CUST: CR AS 11] [REVIEW: 99 OS] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/11C NOT 2 | RELAY, VACUUM, SPDT, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS DC OR 60 HZ PEAK[CUST: CR AS 11] [REVIEW: 99 OS] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/13B NOT 2 | RELAY, VACUUM, SPDT, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 9 KILOVOLTS DC OR 60 HZ PEAK[CUST: CR AS 11] [REVIEW: 99 OS] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/6D NOT 2 | RELAY, VACUUM, SPST, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS DC OR 60 HZ PEAK[CUST: CR AS 11] [REVIEW: 99 OS] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/9B NOT 2 | RELAY, VACUUM, SPST, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 7 KILOVOLTS PEAK[CUST: CR AS 11] [REVIEW: 99 OS] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/17B NOT 2 | RELAY, VACUUM, SPST, N.O., 12 AMPERES DC, OR 60 HZ RMS, 10 KILOVOLTS PEAK DC[CUST: CR AS 11] [REVIEW: 99 OS] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/10A NOT 2 | RELAY, VACUUM, SPST, N/C, 12 AMPERES DC OR 60 HZ RMS, 10 KILOVOLTS DC OR 60 HZ PEAK[CUST: CR AS 11] [REVIEW: 99 OS] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/7B NOT 2 | RELAY, VACUUM, SPST, N/C, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK[CUST: CR AS 11] [REVIEW: 99 OS] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/8B NOT 2 | RELAY, VACUUM, SPST, N/O, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK[CUST: CR AS 11] [REVIEW: 99 OS] | A | 5945 | | CC | 16-JUL-01 |
| | ANSI-C37.90 | RELAYS AND RELAY SYSTEM ASSOCIATED WITH ELECTRIC POWER APPARATUS (CORRECT IDENTIFICATION SHOULD BE IEEE-C37.90)[CUST: AV YD 11] [REVIEW: 99 GS SH] | A | 6110 | | YD | 18-JUL-83 |
| | MIL-R-19523B | RELAYS, CONTROL[CUST: SH] [REVIEW: CC] | A | 5945 | | SH | 30-MAR-90 |
| | MIL-DTL-26126C | RELAYS, ELECTRICAL, OVERVOLTAGE, DC, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-FEB-02 |
| M | MS24568K(1) | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 29-MAR-06 |
| | MS24141K | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1 PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC] | A | 5945 | | CC | 15-APR-03 |
| | MS24182L | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1 PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 15-APR-03 |
| | MS24168T(1) | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 3 PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 25-FEB-05 |
| A | MIL-PRF-6106/47A | RELAYS, ELECTROMAGNETIC, 1000 AMPERES, SPST, N.O., D.B., TYPE II, NON-HERMETICALLY SEALED (AND MOUNTING BRACKET)[CUST: AT 11 CC] [REVIEW: 99 AR] | A | 5945 | | CC | 03-NOV-05 |
| | MS24142N | RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1 PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC] | A | 5945 | | CC | 15-APR-03 |
| | MS24172J(1) | RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (N. O.), TYPE III, NON-HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 15-OCT-04 |
| | MS24171G(1) | RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (N.O.) , TYPE II, NON-HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 22-OCT-04 |
| | MS24192P | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST (N.O.) TYPE II, NON-HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MIL-PRF-32085(1) | RELAYS, ELECTROMAGNETIC, 270 V DC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 71 99 AS] | A | 5945 | | CC | 15-APR-02 |
| | MS24143X(1) | RELAYS, ELECTROMAGNETIC, 3 PST (N.O.), 25 AMPERES, TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 16-MAR-04 |
| | MS24184M(1) | RELAYS, ELECTROMAGNETIC, 300 AMPERES, 1 PST (N.O.), TYPE I, WITH AUXILIARY CONTACTS, HERMETICALLY SEALED[CUST: CR AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 24-JUN-04 |
| | MS24179N | RELAYS, ELECTROMAGNETIC, 400 AMPERES, 1 PST (N. O.), TYPE III, NON-HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC] | A | 5945 | | CC | 15-APR-03 |
| | MS24185M | RELAYS, ELECTROMAGNETIC, 400 AMPERES, 1 PST (N.O.), TYPE II, NONHERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 15-APR-03 |
| | MIL-PRF-6106/56 | RELAYS, ELECTROMAGNETIC, 400 AMPERES, 1 PST (N.O.),TYPE II, NON-HERMETICALLY SEALED, TRANSIENT SUPPRESSED DC COILS[CUST: MI AS 11 CC] [REVIEW: AT EC] | A | 5945 | | CC | 15-AUG-02 |
| | MS24140M(1) | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 1 PST (N.O.), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 22-OCT-04 |
| | MS24166J(1) | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 1 PST, (N.O.),TYPE II, NONHERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 21-JUL-03 |
| | MS27750H | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3 PDT-NO., CENTER OFF, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 27-NOV-03 |
| A | MS24376P(2) | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3PST (NO), TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 08-FEB-06 |
| | MS24193H | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3PST TYPE II, NON-HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 27-NOV-03 |
| | MS27751J | RELAYS, ELECTROMAGNETIC, 50 AMPERES, DC/60 AMPERES AC, 3 PST OR 3 PDT, HERMETICALLY SEALED, PERMANENT MAGNET DRIVE[CUST: 11 CC] | A | 5945 | | CC | 27-NOV-03 |
| | MS24187N(1) | RELAYS, ELECTROMAGNETIC, 50/25 AMPERES, 1 PDT (N.O./N.C.), TYPE II, NON-HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 21-JUL-03 |
| | MIL-PRF-6106/35B NOT 1 | RELAYS, ELECTROMAGNETIC, BUTTON, PLUG MOUNTING TRACK[CUST: 11 CC] | A | 5945 | | CC | 15-MAR-05 |
| M | QPL-83536-35 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 25 AMPERES AND BELOW, GENERAL SPECIFICATION FOR | A | 5945 | | CC | 30-MAR-06 |
| | MIL-PRF-83536/35 NOT 1 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 1PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ALL WELDED, TRANSIENT SUPPRESSED DC COIL[CUST: CR EC 11 CC] [REVIEW: MI] | A | 5945 | | CC | 24-AUG-04 |
| | MIL-PRF-83536/34A NOT 1 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 1PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ALL WELDED, DC COIL[CUST: CR EC 11 CC] [REVIEW: MI] | A | 5945 | | CC | 24-AUG-04 |
| | MIL-PRF-83536B SUP 1 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 25 AMPERES AND BELOW, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AS NA] | A | 5945 | | CC | 15-APR-03 |
| | MIL-PRF-83536/33A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, 25 AMPERES (RESISTIVE), PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC C OIL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 01-MAR-05 |
| | MIL-PRF-83536/32A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, 25 AMPERES (RESISTIVE), PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 01-MAR-05 |
| | MIL-PRF-83536/21A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNETIC DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 12-JUL-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-83536/22B(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 02-JUN-04 |
| | MIL-PRF-83536/24A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNETIC DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 19-AUG-04 |
| | MIL-PRF-83536/23A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNETIC DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COIL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 12-JUL-04 |
| | MIL-PRF-83536/15A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNETIC DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 12-JUL-04 |
| A | MIL-PRF-83536/16B(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 23-NOV-05 |
| | MIL-PRF-83536/20A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, AC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 12-JUL-04 |
| | MIL-PRF-83536/17A(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, AC COILS[CUST: CR EC 11 CC] | A | 5945 | | CC | 15-MAY-02 |
| | MIL-PRF-83536/18A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 12-JUL-04 |
| | MIL-PRF-83536/19A(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] | A | 5945 | | CC | 15-APR-02 |
| | MIL-PRF-39016/14D(1) NOT 1 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 20-JUL-01 |
| | MIL-PRF-83536/5A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 07-JUN-04 |
| | MIL-PRF-83536/6B | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 23-SEP-03 |
| | MIL-PRF-83536/7A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 10-SEP-00 |
| | MIL-PRF-83536/8A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 07-JUN-04 |
| | MIL-PRF-83536/26A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 6PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 19-AUG-04 |
| | MIL-PRF-83536/25A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 6PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 19-AUG-04 |
| | MIL-PRF-39016/41E | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE, TERMINALS 0.100-INCH GRID PATTERN SENSITIVE, 60 MILLIWATTS, COIL OPERATE POWER AT 25 C[CUST: CR EC 11 CC] [REVIEW: 99 AS] | A | 5945 | | CC | 15-JUN-05 |
| A | MIL-PRF-39016/19H(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION, TERMINALS 0.100-INCH GRID PATTERN[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC OS SH] | A | 5945 | | CC | 22-SEP-05 |
| | MIL-PRF-39016/17H | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE TERMINALS 0.100-INCH GRID PATTERN[CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH] | A | 5945 | | CC | 01-APR-05 |
| | MIL-PRF-39016/16G | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 60 MILLIWATTS) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 03-DEC-04 |
| | MIL-PRF-39016/43E | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE, WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION, AND POLARITY REVERSAL PROTECTION TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE, 60 MILLIWATTS, COIL OPERATE POWER AT 25 C)[CUST: CR EC 11 CC] [REVIEW: 99 AR MC OS SH] | A | 5945 | | CC | 15-JUN-05 |
| | MIL-PRF-39016/15K | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC NS OS SH] | A | 5945 | | CC | 03-DEC-04 |
| M | MIL-PRF-39016/29G(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 28-MAR-06 |
| | MIL-PRF-39016/42D(6) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR MC OS SH] | A | 5945 | | CC | 06-OCT-03 |
| | MIL-PRF-39016/9J | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC NS OS SH] | A | 5945 | | CC | 08-NOV-04 |
| M | MIL-PRF-39016/12G(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC NS OS SH] | A | 5945 | | CC | 28-FEB-06 |
| | MIL-PRF-39016/18H | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC OS SH] | A | 5945 | | CC | 01-APR-05 |
| | MIL-PRF-39016/20J | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION,[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC OS SH] | A | 5945 | | CC | 03-DEC-04 |
| | MIL-PRF-39016/21F(5) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE 60 MILLIWATTS) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION[CUST: CR EC 11] [REVIEW: 99 AR AS MC OS SH] | A | 5945 | | CC | 25-NOV-98 |
| | MIL-PRF-39016/11G | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC NS OS SH] | A | 5945 | | CC | 08-NOV-04 |
| | MIL-PRF-39016/30F | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5945 | | CC | 15-JUN-05 |
| | MIL-PRF-83536/13B(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] | A | 5945 | | CC | 15-NOV-02 |
| | MIL-PRF-83536/10B | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 10-SEP-00 |
| | MIL-PRF-83536/11B | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, AC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JUL-02 |
| | MIL-PRF-83536/14A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, AC COIL[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 12-JUL-04 |
| | MIL-PRF-83536/12A(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS[CUST: CR EC 11 CC] | A | 5945 | | CC | 15-NOV-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-83536/9A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 07-JUN-04 |
| | MIL-PRF-39016/22D(1) NOT 1 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING) COIL TRANSIENT SUPPRESSED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 11-JUL-01 |
| | MIL-PRF-39016/6L(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS SH] | A | 5945 | | CC | 01-APR-05 |
| | MIL-PRF-39016/37C | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 05-AUG-03 |
| | MIL-PRF-39016/13J | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 03-DEC-04 |
| | MIL-PRF-39016/38C | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 05-AUG-03 |
| | MIL-PRF-39016/44D(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES, TERMINALS 0.200-INCH GRID PATTERN (SENSITIVE, 100/125 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C)[CUST: CR EC 11 CC] [REVIEW: AS OS SH] | A | 5945 | | CC | 15-FEB-02 |
| | MIL-PRF-83536/2B(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 06-AUG-04 |
| | MIL-PRF-83536/3A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 07-JUN-04 |
| | MIL-PRF-83536/1A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 07-JUN-04 |
| | MIL-PRF-83536/4A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 07-JUN-04 |
| A | MIL-PRF-39016F(1) SUP 1 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 AS MC MI OS] | A | 5945 | | CC | 26-SEP-05 |
| A | QPL-39016-92 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5945 | | CC | 20-DEC-05 |
| | MIL-PRF-39016/35C | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING, WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 15-JUN-05 |
| | MIL-PRF-39016/36B(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING, WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 21-JUL-03 |
| | MIL-PRF-39016/31B(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS SH] | A | 5945 | | CC | 15-JUL-02 |
| | MIL-PRF-39016/54C(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS SH] | A | 5945 | | CC | 21-JUL-03 |
| M | MIL-PRF-39016/53C | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS SH] | A | 5945 | | CC | 27-APR-06 |
| | MIL-PRF-39016/8G | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC NS OS SH] | A | 5945 | | CC | 08-NOV-04 |
| | MIL-PRF-39016/27F | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 15-JUN-05 |
| | MIL-PRF-39016/28F | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 15-JUN-05 |
| | MIL-PRF-39016/7G | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1 AMPERE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5945 | | CC | 08-NOV-04 |
| | MIL-PRF-39016/10G | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS NS OS SH] | A | 5945 | | CC | 08-NOV-04 |
| | MIL-PRF-39016/23F | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC OS SH] | A | 5945 | | CC | 15-JUN-05 |
| | MIL-PRF-39016/25F | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS) WITH AN INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC OS SH] | A | 5945 | | CC | 15-JUN-05 |
| | MIL-PRF-39016/26F | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC OS] | A | 5945 | | CC | 15-JUN-05 |
| | MIL-PRF-39016/24F | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC OS] | A | 5945 | | CC | 15-JUN-05 |
| M | A-A-55143/1C | RELAYS, ELECTROMAGNETIC, GENERAL PURPOSE 10 AMPERES, 1-3PDT, AC AND DC COILS, SOCKET MOUNT[CUST: CC] | A | 5945 | / | CC | 28-FEB-06 |
| A | A-A-55143/2B(1) | RELAYS, ELECTROMAGNETIC, GENERAL PURPOSE 10 AMPERES, 1-3PDT, AC AND DC COILS, FLANGE MOUNT[CUST: CC] | A | 5945 | / | CC | 01-NOV-05 |
| M | A-A-55143B | RELAYS, ELECTROMAGNETIC, GENERAL PURPOSE GENERAL REQUIREMENTS FOR[CUST: CC] | A | 5945 | / | CC | 28-MAR-06 |
| | MIL-PRF-6106L(5) | RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC NA] [REVIEW: 99 EC] | A | 5945 | | CC | 29-JUL-03 |
| A | QPL-6106-70 | RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR | A | 5945 | | CC | 19-JAN-06 |
| | QPL-5757-100 | RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR | A | 5945 | | CC | 21-DEC-04 |
| A | MIL-PRF-6106/26E NOT 1 | RELAYS, ELECTROMAGNETIC, MAGNETIC LATCH, 25 AMPERES, SPDT, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 17-AUG-05 |
| | MIL-PRF-32140/1 | RELAYS, ELECTROMAGNETIC, RADIO FREQUENCY, DC TO 6 GIGAHERTZ, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE, HERMETICALLY SEALED[CUST: CR EC 11 CC] [REVIEW: 99 AV MI] | A | 5945 | | CC | 14-JAN-04 |
| | MIL-PRF-32140 | RELAYS, ELECTROMAGNETIC, RADIO FREQUENCY, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 99 AV MI] | A | 5945 | | CC | 14-JAN-04 |
| A | A-A-59546A | RELAYS, ELECTROMAGNETIC, RELAY MODULE EXTRACTION TOOL[CUST: 11 CC] [REVIEW: 99] | A | 5945 | / | CC | 08-AUG-05 |
| A | A-A-59547A | RELAYS, ELECTROMAGNETIC, SOCKET MODULE EXTRACTION TOOL[CUST: 11 CC] [REVIEW: 99] | A | 5945 | / | CC | 08-AUG-05 |
| | MS27742E | RELAYS, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, 25 AMPERES, 3 PDT, ALL WELDED, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 27-NOV-03 |
| | SAE-ARP4005 | RELAYS, FOR PROPER PERFORMANCE, SELECTION AND APPLICATION OF[CUST: CR EC 11 CC] [REVIEW: 99 MC MI] | A | 5945 | | CC | DEC-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-83726C(3) SUP 1A | RELAYS, HYBRID AND SOLID STATE, TIME DELAY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 TD] | A | 5945 | | CC | 01-NOV-02 |
| | QPL-83726-29 | RELAYS, HYBRID AND SOLID STATE, TIME DELAY, GENERAL SPECIFICATION FOR | A | 5945 | | CC | 13-AUG-04 |
| | MIL-PRF-28776/7F(1) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE COIL OPERATE POWER AT 25 DEG. C), TERMINAL MOSFET DRIVER WITH ZENER DIODE GATE PROTECTION (ELECTROMECHANICAL OUTPUT) DIODE COIL SUPPRESSION AND TERMINALS WITH 0.100 GRID LEAD SPACING[CUST: EC 11 CC] | A | 5945 | | CC | 06-OCT-03 |
| | MIL-PRF-28776/3G | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, COIL OPERATE POWER AT 25 DEG. C) (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MI NS OS SH] | A | 5945 | | CC | 23-JUN-03 |
| | MIL-PRF-28776/6E(1) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE INTERNAL MOSFET DRIVE WITH ZENER DIODE GATE PROTECTION (ELECTROMECHANICAL OUTPUT) DIODE COIL SUPPRESSION AND TERMINALS WITH 0.100 GRID LEAD SPACING[CUST: EC 11 CC] | A | 5945 | | CC | 06-OCT-03 |
| | MIL-PRF-28776/1G | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW-LEVEL TO 1.0 AMPERE (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MI NS OS SH] | A | 5945 | | CC | 23-JUN-03 |
| | QPL-28776-35 | RELAYS, HYBRID, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5945 | | CC | 09-NOV-04 |
| A | MIL-PRF-28776D(1) SUP 1 | RELAYS, HYBRID, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS CR4 MC MI OS] | A | 5945 | | CC | 26-SEP-05 |
| | MIL-PRF-28776/4G | RELAYS, HYBRID, ESTABLISHED RELIABILITY, SPDT, LOW-LEVEL TO 1.0 AMPERE (SENSITIVE COIL OPERATE POWER AT 25 C) (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MI NS OS SH] | A | 5945 | | CC | 23-JUN-03 |
| | MIL-PRF-28776/5G | RELAYS, HYBRID, ESTABLISHED RELIABILITY, SPDT, LOW-LEVEL TO 1.0 AMPERE (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MI NS OS SH] | A | 5945 | | CC | 23-JUN-03 |
| | MIL-PRF-83726/35A(1) | RELAYS, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, 4PDT, 10 AMPERES, FIXED TIME DELAY, 0.1 TO 600 SECONDS[CUST: CR EC 11 CC] | A | 5945 | | CC | 15-JUL-02 |
| A | MIL-PRF-83726/28E | RELAYS, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, DPDT, 10 AMPERES, FIXED TIME, 0.1 TO 500 SECONDS[CUST: EC 11 CC] [REVIEW: 19 OS] | A | 5945 | | CC | 19-SEP-05 |
| A | MIL-PRF-83726/29E | RELAYS, HYBRID, TIME DELAY (ON RELEASE), CLASS B, TYPE IIA, HERMETICALLY SEALED, DPDT, 10 AMPERES, FIXED TIME, 0.1 TO 500 SECONDS[CUST: EC 11 CC] [REVIEW: 19 OS] | A | 5945 | | CC | 19-SEP-05 |
| | MIL-PRF-83726/36A(1) | RELAYS, HYBRID, TIME DELAY (ON RELEASE), CLASS B, TYPE IIA, HERMETICALLY SEALED, 4PDT, 10 AMPERES, FIXED TIME DELAY, 0.1 TO 600 SECONDS[CUST: CR EC 11 CC] | A | 5945 | | CC | 15-JUL-02 |
| | MIL-PRF-28750D(3) SUP 1 | RELAYS, SOLID STATE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: MI NA OS] | A | 5945 | | CC | 15-APR-02 |
| A | QPL-28750-37 | RELAYS, SOLID STATE, GENERAL SPECIFICATION FOR | A | 5945 | | CC | 20-SEP-05 |
| | MIL-DTL-83725C SUP 1 | RELAYS, VACUUM, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: AS OS] | A | 5945 | | CC | 14-MAR-02 |
| A | QPL-83725-18 | RELAYS, VACUUM, GENERAL SPECIFICATION FOR | A | 5945 | | CC | 23-AUG-05 |
| | MIL-R-83725/21 NOT 1 | RELAYS, VACUUM, S*PST (NO), 15 AMPERES DC OR 60 HZ RMS, 5 KILOVOLTS PEAK[CUST: 11] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/4F NOT 1 | RELAYS, VACUUM, SPDT, 0.25 AMPERES, DC LOAD SWITCHING 2.5 KILOVOLTS DC[CUST: 11] [REVIEW: 99] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/16B NOT 2 | RELAYS, VACUUM, SPDT, 12 AMPERES DC OR 60 HZ RMS, 9 KILOVOLTS DC OR 60 HZ PEAK[CUST: CR AS 11] [REVIEW: 99 OS] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/23 NOT 1 | RELAYS, VACUUM, SPDT, 15 AMPERES DC OR 60 HZ RMS, 5 KILOVOLTS PEAK[CUST: 11 CC] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/1E NOT 1 | RELAYS, VACUUM, SPDT, 15 AMPERES RMS, 12 KILOVOLTS (PEAK)[CUST: CR EC 11] [REVIEW: 99 AT AV CR4 MC SH] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/5D NOT 1 | RELAYS, VACUUM, SPDT, 18 AMPERES, RMS, 3.5 KILOVOLTS PEAK (CARRY ONLY)[CUST: 11] [REVIEW: 99] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/2D(1) NOT 1 | RELAYS, VACUUM, SPDT, 25 AMPERES RMS, 25 KILOVOLTS (PEAK)[CUST: CR EC 11 CC] [REVIEW: 99 AT AV CR4 SH] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/15B NOT 2 | RELAYS, VACUUM, SPDT, 75 AMPERES RMS, 15 KILOVOLTS (PEAK) OR DC[CUST: 11] [REVIEW: 99] | A | 5945 | | CC | 16-JUL-01 |
| A | MIL-R-83725/3E(2) NOT 1 | RELAYS, VACUUM, SPDT, DC. 8 AMPERES[CUST: CR AS 11 CC] [REVIEW: OS] | A | 5945 | | CC | 24-JAN-06 |
| | MIL-R-83725/22 NOT 1 | RELAYS, VACUUM, SPST (NC), 15 AMPERES DC OR 60 HZ RMS, 5 KILOVOLTS PEAK[CUST: 11] | A | 5945 | | CC | 16-JUL-01 |
| | MIL-R-83725/24 NOT 1 | RELAYS, VACUUM, SPST, LATCHING, 15 AMPERES DG OR 60 HZ RMS, 5 KILOVOLTS PEAK[CUST: 11] | A | 5945 | | CC | 16-JUL-01 |
| A | MIL-R-83725/18B(2) | RELAYS, VACUUM, SPST, NC, DC, 8 AMPERES[CUST: 11 CC] | A | 5945 | | CC | 06-JAN-06 |
| | MIL-R-2033B NOT 2 | RELAYS-POWER, ELECTRICAL SPECIALITY, INDUCTION TYPE, NAVAL SHIPBOARD USE[CUST: SH 99] | A | 5945 | | SH | 22-JUN-05 |
| | MIL-R-22618(1) | RELEASE, BOMB SHACKLE, AERO 7A, SERIES AND RELEASE, BOMB RACK AERO 7B SERIES[CUST: AS] | A | 1095 | | AS | 15-AUG-63 |
| | MIL-R-43003F | RELEASE, CARGO PARACHUTE, 5000-POUND CAPACITY[CUST: GL AS 99] [REVIEW: 71 AV GS MC] | A | 1670 | | GL | 12-JAN-94 |
| | MIL-DTL-44481A | RELEASE, CARGO PARACHUTE, AIRDROP, M-3[CUST: GL AS] [REVIEW: AV GS] | A | 1670 | | GL | 15-MAY-96 |
| | MIL-R-82689 | RELEASE, FIRING PIN, GAS ACTUATED, M1A1 ASSEMBLY[CUST: OS] [REVIEW: 70] | A | 1377 | | OS | 17-MAY-94 |
| | MIL-DTL-44475A NOT 1 | RELEASE, PARACHUTIST'S INDIVIDUAL EQUIPMENT[CUST: GL2] [REVIEW: GS] | A | 1670 | | GL2 | 11-JUN-02 |
| | DI-SESS-81613 | RELIABILITY & MAINTAINABILITY (R&M) PROGRAM PLAN [AMSC: N7443] | A | SESS | | SA | 01-AUG-01 |
| | ARMP-7 ED.1 | RELIABILITY AND MAINTAINABILITY TERMINOLOGY APPLICABLE TO ARMPS | A | SESS | | CR | 01-JUL-01 |
| | DI-RELI-81496 | RELIABILITY BLOCK DIAGRAMS AND MAINTENANCE MODELS REPORT [AMSC: N7166] | A | SESS | | AS | 30-OCT-95 |
| | DI-SESS-81629 | RELIABILITY DEVELOPMENT GROWTH TEST PROCEDURES [AMSC: N7459] | A | SESS | | SA | 01-AUG-01 |
| | DI-SESS-81628 | RELIABILITY DEVELOPMENT GROWTH TEST REPORT [AMSC: N7458] | A | SESS | | SA | 01-AUG-01 |
| | MIL-HDBK-189 NOT 1 | RELIABILITY GROWTH MANAGEMENT[CUST: SY EC 11] [REVIEW: AS CR SH] | A | SESS | | SY | 24-OCT-00 |
| | DI-RELI-81497 | RELIABILITY PREDICTION AND DOCUMENTATION OF SUPPORTING DATA [AMSC: N7167] | A | SESS | | AS | 30-OCT-95 |
| | MIL-HDBK-217F(2) | RELIABILITY PREDICTION OF ELECTRONIC EQUIPMENT[CUST: CR NW 11] [REVIEW: 13 19 99 AS AT AV CG CR4 EC GL MC MI OS SH TD YD] | A | SESS | | NW | 28-FEB-95 |
| | DI-MISC-80758 | RELIABILITY QUALIFIED ITEMS LIST [AMSC: A4629] | A | MISC | | AM | 23-JAN-89 |
| | MIL-HDBK-781A | RELIABILITY TEST METHODS, PLANS, AND ENVIRONMENTS FOR ENGINEERING DEVELOPMENT, QUALIFICATION, AND PRODUCTION[CUST: CR EC 11] [REVIEW: 01 13 16 19 AR AS AT AV CR4 MI OS SH] | A | SESS | | EC | 01-APR-96 |
| | DI-NDTI-81585 | RELIABILITY TEST PLAN [AMSC: G7400] | A | NDTI | | NS | 05-OCT-00 |
| | DI-TMSS-81586 | RELIABILITY TEST REPORTS [AMSC: G7401] | A | TMSS | | NS | 05-OCT-00 |
| | DI-ILSS-80111A | RELIABILITY-CENTERED MAINTENANCE ANALYSIS DATA [AMSC: N4984] | A | SESS | | AS | 06-SEP-90 |
| | QAP-259 ED.1 | RELIABILITY/CREDIBILITY CRITERIA | C | ISDA | | AI | 08-MAR-00 |
| | MIL-HDBK-251 | RELIABILITY/DESIGN THERMAL APPLICATIONS[CUST: CR SH 11] [REVIEW: 13 19 AR AS MC] | A | SESS | | SH | 19-JAN-78 |
| | STANAG-2082 ED.6(1) | RELIEF OF COMBAT TROOPS | C | ISDA | | AI | 21-MAR-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS18282 NOT 2 | RELIEF VALVE OPERATING CHARACTERISTICS VERSUS MAXIMUM OPERATING PRESSURE FOR LIQUID SERVICE[CUST: SH] | A | 4820 | | SH | 19-APR-91 |
| | ARI490 | REMOTE MECHANICAL-DRAFT EVAPORATIVE REFRIGERANT CONDENSERS[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | AIR-STD-84/1B(2) | REMOTE READING CONTINUOUS RADIATION MONITORING ALARM AND RECORDING SYSTEM | C | ISDF | | 06 | 16-JUL-87 |
| | STANAG-2836 ED.3 | REMOVABLE PAINTS FOR CAMOUFLAGE | C | ISDA | | AI | PENDING |
| | MIL-R-81903A(2) NOT 1 | REMOVER, ACID ACTIVATED, FOR AMINE-CURED EPOXY COATING SYSTEMS[CUST: AS] | A | 8010 | | AS | 29-OCT-91 |
| | QPL-81903-13 | REMOVER, ACID ACTIVATED, FOR AMINE-CURED EPOXY COATING SYSTEMS | A | 8010 | | AS | 31-MAR-03 |
| | SAE-AMS1387 | REMOVER, ANTI-GALLING COMPOUND AIRCRAFT TURBINE ENGINE COMPONENTS ROOM TEMPERATURE APPLICATION[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A | 6850 | | AS | SEP-89 |
| | A-A-54247A | REMOVER, DENTAL CROWN (MORRELL)[CUST: MD MS 03] | A | 6520 | / | MB | 09-SEP-94 |
| | SAE-AMS-R-81835 | REMOVER, ORGANIC COATING, HOT TANK TYPE[CUST: AS] | A | 8010 | | AS | JUL-99 |
| | QPL-TT-R-248-14 | REMOVER, PAINT AND LACQUER, SOLVENT TYPE | A | 8010 | / | AS | 27-MAY-97 |
| | MIL-PRF-87978A | REMOVER, PAINT, EPOXY AND POLYURETHANE SYSTEMS, TANK TYPE, AMBIENT TEMPERATURE, FOR AIRCRAFT WHEELS AND LANDING GEAR COMPONENTS[CUST: 99] | A | 8010 | | 84 | 31-DEC-96 |
| | QPL-81294-26 | REMOVER, PAINT, EPOXY, POLYSULFIDE AND POLYURETHANE SYSTEMS | A | 8010 | | AS | 31-JUL-01 |
| | QPL-TT-R-2918-1 | REMOVER, PAINT, NO HAZARDOUS AIR POLLUTANTS (HAPS) | A | 8010 | / | AS | 20-SEP-01 |
| | MIL-PRF-83936C | REMOVER, PAINT, TANK TYPE; FOR AIRCRAFT WHEELS, LANDING GEAR COMPONENTS, AND OTHER AIRCRAFT AND SUPPORT EQUIPMENT[CUST: 99] | A | 8010 | | 84 | 27-DEC-96 |
| | A-A-59387 | REMOVER, POLYURETHANE/EPOXY PAINT[CUST: AV AS 11] [REVIEW: 84 99 CG MR SH] | A | 8010 | / | AV | 04-DEC-03 |
| | QPL-7726-9 | REPAIR AND REBUILDING OF USED AIRCRAFT PNEUMATIC TIRES | A | 2620 | | 70 | 02-FEB-90 |
| | MIL-PRF-53013B | REPAIR KIT, 6-INCH HOSELINE[CUST: AT] [REVIEW: CC] | A | 4610 | | AT | 01-FEB-99 |
| | MIL-R-19907D(1) | REPAIR KIT, GLASS REINFORCED PLASTIC LAMINATE[CUST: CR4 SH 99] [REVIEW: CG] | A | 2090 | | SH | 13-AUG-92 |
| | MIL-PRF-52343D | REPAIR KIT, HOSELINE[CUST: AT YD 99] [REVIEW: AM CC SM] | A | 3835 | | AT | 15-SEP-98 |
| | A-A-52442 NOT 1 | REPAIR KIT, PUNCTURE, PNEUMATIC TIRE (METRIC)[CUST: AT] [REVIEW: CC SM] | A | 2640 | / | AT | 13-APR-04 |
| | MIL-R-44085A | REPAIR KIT, SKI MILITARY, ALL TERRAIN[CUST: GL MC 99 CT] [REVIEW: 11] | A | 8465 | | CT | 22-JUN-87 |
| | MIL-R-44375 | REPAIR KIT, SKI, SNOW AND ICE TRAVERSING EQUIPMENT (SITE)[CUST: GL MC CT] [REVIEW: MD] | A | 8465 | | CT | 30-JUN-89 |
| | A-A-52124 | REPAIR KIT, TAPE, PRESSURE SENSITIVE ADHESIVE (PSA)[CUST: GL 99] [REVIEW: 84 MC MD] | A | 7510 | / | CT | 31-MAR-93 |
| | MIL-R-17882E | REPAIR KITS, METALLIC PIPE AND GENERAL PURPOSE, DAMAGE CONTROL[CUST: CR4 SH] [REVIEW: CC MD] | A | 4730 | | SH | 06-JAN-93 |
| | QPL-17882-26 | REPAIR KITS, METALLIC PIPE AND GENERAL PURPOSE, DAMAGE CONTROL | A | 4730 | | SH | 31-AUG-04 |
| | A-A-52022A | REPAIR OUTFITS, COLLAPSIBLE TANKS AND DRUMS (ROCTAD)[CUST: AT MC 99] [REVIEW: 03 84 CC GS IS MI] | A | 5430 | / | AT | 02-DEC-03 |
| | DI-FORG-81195 | REPAIR WELDING APPROVAL RECORD FOR FORGINGS OR CASTINGS [AMSC: A6119] | A | FORG | | MR | 02-MAY-91 |
| | MIL-STD-2191 | REPAIR WELDING, WELD CLADDING, STRAIGHTENING, AND COLD ROLLING OF MAIN PROPULSION SHAFTING[Standard Practice][CUST: SH] | A | 2010 | | SH | 05-NOV-92 |
| | DI-MGMT-80933 | REPAIR/MODIFICATION/OVERHAUL STATUS REPORT [AMSC: A4876] | A | MGMT | | AM | 29-JAN-90 |
| | DI-ILSS-80386 | REPAIRABLE ITEM INSPECTION REPORT [AMSC: F4151] | A | SESS | | 84 | 27-JUL-87 |
| | STANAG-1065 ED.15(1) | REPLENISHMENT AT SEA - ATP-16(D)/MTP-16(D) (INCLUDING AMENDMENT 1) | C | ISDN | | NI | 06-MAY-02 |
| | STANAG-1084 ED.5 | REPLENISHMENT OF FUEL IN HARBOUR; AND REPLENISHMENT OF WATER IN HARBOUR AND AT SEA | C | ISDN | | NI | 27-JUN-96 |
| | DI-MGMT-80439 | REPORT OF CHANGES TO CONDITION CODE OR NATIONAL STOCK NUMBER OF REPAIRED GOVERNMENT PROPERTY [AMSC: A4215] | A | MGMT | | AM | 17-SEP-87 |
| | DI-MGMT-80320 | REPORT OF FREE-ON-BOARD (F.O.B.) ORIGIN DELIVERIES [AMSC: S4068] | A | MGMT | | DH | 20-FEB-87 |
| | DI-MGMT-80442 | REPORT OF RECEIPTS, INVENTORY, ADJUSTMENTS, AND SHIPMENTS OF GOVERNMENT PROPERTY [AMSC: A4218] | A | MGMT | | AM | 17-SEP-87 |
| | DI-MGMT-80503 | REPORT OF SHIPPING (ITEM) AND PACKAGING DISCREPANCY [AMSC: A4284] | A | MGMT | | AM | 30-DEC-87 |
| | DI-MNTY-80175 | REPORT OF TUBE FAILURE FINAL ANALYSIS [AMSC: N3863] | A | SESS | | SA | 06-JUN-86 |
| | DI-MNTY-80174 | REPORT OF TUBE FAILURE PRELIMINARY ANALYSIS [AMSC: N3862] | A | SESS | | SA | 06-JUN-86 |
| | DI-MGMT-81550 | REPORT, GROUNDING/DAMAGE/COLLISIONS [AMSC: N7266] | A | MGMT | | SH | 21-APR-97 |
| | DI-MGMT-81178 | REPORT, PRODUCTION OR DELIVERY PROBLEM(S) [AMSC: N6094] | A | MGMT | | SH | 28-MAR-91 |
| | DI-ADMN-81505 | REPORT, RECORD OF MEETING/MINUTES [AMSC: N7175] | A | ADMN | | SA | 20-NOV-95 |
| | DI-QCIC-81057 | REPORT, WATERTIGHT INTEGRITY STATUS BILL (WISB) FOR SUBMARINES [AMSC: N5017] | A | QCIC | | SH | 09-OCT-90 |
| | QAP-247 ED.1 | REPORTABLE MEDICAL EVENTS | C | ISDA | | AI | 14-JAN-00 |
| | STANAG-3750 ED.5(4) | REPORTING AND INVESTIGATION OF AIR TRAFFIC INCIDENTS | C | ISDF | | 06 | 21-OCT-96 |
| | QSTAG-530 | REPORTING ENGINEERING INFORMATION IN THE FIELD (ABCA 530)[CUST: AI] | C | ISDA | | AI | 21-DEC-79 |
| | QSTAG-187 ED.5 | REPORTING NUCLEAR DETONATIONS, BIOLOGICAL AND CHEMICAL ATTACKS AND PREDICTING AND WARNING OF ASSOCIATED HAZARDS AND HAZARD AREAS[CUST: AI] | C | ISDA | | AI | 21-MAY-98 |
| | STANAG-2103 ED.8(1) | REPORTING NUCLEAR DETONATIONS, BIOLOGICAL AND CHEMICAL ATTACKS, AND PREDICTING AND WARNING OF ASSOCIATED HAZARDS AND HAZARD AREAS - ATP-45(B) (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 31-AUG-00 |
| | STANAG-2940 ED.3(2) | REPORTING OF AMMUNITION MALFUNCTIONS | C | ISDA | | AI | 30-OCT-95 |
| | AIR-STD-80/18 | REPORTING OF DATA USED FOR DIMENSIONAL ANALYSIS OF IMAGERY | C | ISDF | | 06 | 27-MAR-92 |
| | ADV-PUB-61/101/12A | REPORTING OF HYPOBARIC CHAMBER PHYSIOLOGICAL INCIDENTS | C | ISDF | | 06 | 07-NOV-91 |
| | QSTAG-1345 ED.1 | REPORTING PROCEDURES FOR CRITICAL FAILURES OF MATERIEL USED IN MORE THAN ONE ARMY TO OTHER ARMIES[CUST: AI] | C | ISDA | | AI | 13-DEC-00 |
| | DI-RELI-80670A | REPORTING RESULTS OF ELECTROSTATIC DISCHARGE (FSD) SENSIVITY TESTS OF ELECTRICAL AND ELECTRONIC PARTS ASSEMBLIES AND EQUIPMENT [AMSC: N6780] | A | SESS | | SH | 28-AUG-92 |
| | QSTAG-1141 ED.1 | REPRESENTATION OF TARGET ACQUISITION IN COMBAT MODELS[CUST: AI] | C | ISDA | | AI | 16-AUG-01 |
| | QSTAG-1144 ED.1 | REPRESENTATIVE TERRAIN DATABASES FOR COMBAT MODELS[CUST: AI] | C | ISDA | | AI | 27-OCT-97 |
| | DI-EDRS-80940 | REPRODUCTIONS [AMSC: A4883] | A | EDRS | | AM | 06-FEB-90 |
| | DI-SESS-81655 | REQUEST FOR APPROVAL OF IDENTIFICATION PLATE DRAWINGS [AMSC: N7557] | A | SESS | | AS | 09-MAY-05 |
| | DI-MISC-80056B | REQUEST FOR APPROVAL OF NONSTANDARD GENERAL PURPOSE ELECTRONIC TEST EQUIPMENT [AMSC: N4790] | A | MISC | | SH | 17-JUL-89 |
| | DI-SESS-81654 | REQUEST FOR ASSIGNMENT OF SERIAL NUMBER PREFIX LETTERS [AMSC: N7556] | A | SESS | | AS | 09-MAY-05 |
| | DI-SESS-81652 | REQUEST FOR CONFIRMATION OF NOMENCLATURE [AMSC: N7555] | A | SESS | | AS | 09-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-CMAN-80640C | REQUEST FOR DEVIATION (RFD) [AMSC: D7389] | A | SESS | | SE | 30-SEP-00 |
| | DI-TCSP-80235A | REQUEST FOR ENGINEERING OR TECHNICAL ASSISTANCE [AMSC: F5086] | A | TCSP | | 10 | 05-DEC-90 |
| | DI-MGMT-80408B | REQUEST FOR GOVERNMENT FURNISHED MATERIEL [AMSC: A7309] | A | MGMT | | AM | 15-MAY-98 |
| | DI-CMAN-81254A | REQUEST FOR NOMENCLATURE (DD FORM 61) [AMSC: A7288] | A | SESS | | CR | 08-OCT-97 |
| | DI-ILSS-80234A | REQUEST FOR PROGRAMMED DEPOT MAINTENANCE (PDM) [AMSC: F5092] | A | SESS | | 10 | 03-DEC-90 |
| | DI-ILSS-80415 | REQUEST FOR REQUISITION APPROVAL [AMSC: F4186] | A | SESS | | 33 | 12-AUG-87 |
| | DI-CMAN-81211 | REQUEST FOR SERIAL NUMBER ASSIGNMENT FOR MARK AND MOD NOMENCLATURED EQUIPMENT [AMSC: N6140] | A | SESS | | SH | 23-MAY-91 |
| | DI-CMAN-81213 | REQUEST FOR SERIAL NUMBER ASSIGNMENT FOR MISSILE ALL-UP-ROUND (AUR) MISSION DESIGN SERIES (MDS) DESIGNATED ITEMS [AMSC: N6642] | A | SESS | | SH | 23-MAY-91 |
| | DI-MGMT-80626A | REQUEST FOR TECHNICAL SURVEILLANCE COUNTERMEASURES (TSCM) SURVEYS [AMSC: F6105] | A | MGMT | | 10 | 24-APR-91 |
| | DI-EMCS-80218 | REQUEST FOR TEMPEST TEST [AMSC: F3923] | A | EMCS | | 33 | 03-AUG-86 |
| | DI-ENVR-80707 | REQUEST FOR USE OF GOVERNMENT-OWNED SHOCK TEST FACILITIES [AMSC: N4573] | A | ENVR | | SH | 21-NOV-88 |
| | AIR-STD-80/16 | REQUEST FORM FOR IMAGERY TO BE USED IN IMAGERY INTERPRETATION KEYS PRODUCTION | C | ISDF | | 06 | 25-JUN-93 |
| | INFO-PUB-44/72 | REQUESTS FOR ASCC INVOLVEMENT IN JRTC ROTATIONS | C | ISDF | | 06 | 17-JUL-01 |
| | DI-GDRQ-81222 | REQUIREMENTS ALLOCATION SHEETS [AMSC: A6657] | A | SESS | | AM | 26-JUN-91 |
| | STANAG-1297 ED.5 | REQUIREMENTS FOR A NATO COMMON RESCUE SEAT | C | ISDN | | NI | 04-APR-00 |
| | MIL-HDBK-2053 | REQUIREMENTS FOR EMPLOYING STANDARD BATTERIES[CUST: CR NW 99] [REVIEW: AR AS GS MC MI SH] | A | 61GP | | NW | 18-JAN-95 |
| | MIL-HDBK-2038 | REQUIREMENTS FOR EMPLOYING STANDARD POWER SUPPLIES[CUST: CR NW 99] [REVIEW: AV GS] | A | 6130 | | NW | 04-OCT-00 |
| | DOD-STD-2185 | REQUIREMENTS FOR REPAIR AND STRAIGHTENING OFBRONZE NAVAL SHIP PROPELLERS[Standard Practice][CUST: SH] | A | 2010 | | SH | 28-OCT-86 |
| | QSTAG-1156 ED.1 | REQUIREMENTS FOR REUSABLE CONTAINERS[CUST: AI] | C | ISDA | | AI | 11-AUG-99 |
| | J-STD-001 | REQUIREMENTS FOR SOLDERED ELECTRICAL AND ELECTRONIC ASSEMBLIES[CUST: AT AS] [REVIEW: AV MI] | A | SOLD | | AT | 19-JUL-01 |
| | MIL-STD-913A NOT 1 | REQUIREMENTS FOR THE CERTIFICATION OF SLING LOADED MILITARY EQUIPMENT FOR EXTERNAL TRANSPORTATION BY DEPARTMENT OF DEFENSE HELICOPTERS[Design Criteria Standard][CUST: GL2 AS] [REVIEW: AR AT AV CR GS MC SA SM TE] | A | 1670 | | GL2 | 11-JUN-02 |
| A | MIL-STD-461E | REQUIREMENTS FOR THE CONTROL OF ELECTROMAGNETIC INTERFERENCE CHARACTERISTICS OF SUBSYSTEMS AND EQUIPMENT[Interface Standard][CUST: AV EC 11 DC4] [REVIEW: 13 19 84 99 AS AT CG CR EA MC MD MI MR OS SH TD TE] | A | EMCS | | 11 | 20-AUG-99 |
| | MIL-STD-814D NOT 1 | REQUIREMENTS FOR TIEDOWN, SUSPENSION AND EXTRACTION PROVISIONS ON MILITARY MATERIEL FOR AIRDROP[Interface Standard][CUST: GL2 99] [REVIEW: 82 GS MC MT] | A | 1670 | | GL2 | 11-JUN-02 |
| | STANAG-1391 ED.2 | REQUIREMENTS OF A DISTRESSED SUBMARINE FOR THE RECEIPT OF EMERGENCY LIFE SUPPORT STORES (ELSS) BY POD POSTING | C | ISDN | | NI | 09-MAR-00 |
| | DI-MISC-80208 | REQUISITION SUMMARY REPORT [AMSC: F3913] | A | MISC | | 33 | 05-AUG-86 |
| | A-A-59619 | RESCUE AND SALVAGING KIT, HYDRAULIC[CUST: 99] | A | 4240 | / | 84 | 01-SEP-04 |
| | MIL-R-8592B NOT 1 | RESCUE EQUIPMENT, HELICOPTER[CUST: AS 99] [REVIEW: 11 84] | A | 4240 | | AS | 24-OCT-91 |
| | A-A-50607 | RESCUE SWIMMER DRY SUIT[CUST: SH] | A | 4220 | / | SH | 27-JAN-94 |
| | DI-MISC-81612A | RESEARCH AND DEVELOPMENT (R&D) PROJECT SUMMARY [AMSC: D7517] | A | MISC | | SO | 15-DEC-03 |
| | ASTM-D1121 | RESERVE ALKALINITY OF ENGINE COOLANTS AND ANTIRUSTS[CUST: CR4 SH 68] [REVIEW: GS] | A | 6850 | | CR4 | 10-OCT-98 |
| | A-A-51464 | RESERVOIR, SUCTION, CKSON-PRATT, SILICONE[CUST: MD MS 03] | A | 6515 | | MB | 09-JUN-86 |
| | APA-E30 | RESIDENTIAL AND COMMERCIAL[CUST: CR4 YD 99 IS] | A | 5530 | | IS | 1994 |
| | NEMA-DC3 | RESIDENTIAL CONTROLS - ELECTRICAL WALL-MOUNTED ROOM THERMOSTATS[CUST: YD] | A | 4540 | | IS | 11-OCT-91 |
| | EIA570 | RESIDENTIAL TELECOMMUNICATIONS CABLING STANDARD, PLUS ADDENDUM 2: CONTROL CABLING FOR RESIDENCES[CUST: YD] | A | FACR | | YD | 02-SEP-04 |
| | ASSE1006 | RESIDENTIAL USE DISHWASHERS[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | DI-ILSS-80951 | RESIDUAL ASSET FILE (RAF) REPORT [AMSC: N4901] | A | SESS | | SH | 27-FEB-90 |
| | MIL-PRF-3043C | RESIN COATING, PERMANENT, FOR ENGINE COMPONENTS AND METAL PARTS[CUST: MR SH 99] [REVIEW: 11 AS AT AV OS SA] | A | 8030 | | 84 | 13-FEB-98 |
| | ASTM-D3410 | RESIN COMPOSITES, UNIDIRECTIONAL OR CROSSPLY FIBER, COMPRESSIVE PROPERTIES OF[CUST: MR AS 11] | A | CMPS | | MR | 17-FEB-88 |
| | MIL-R-23461A | RESIN COMPOUND, THERMOSETTING, ROOM TEMPERATURE CURING, FOR METAL COATING[CUST: SH] [REVIEW: GS MR] | A | 9330 | | SH | 26-JUN-87 |
| | ASTM-C613/C613M | RESIN CONTACT OF CARBON AND GRAPHITE PREPREGS BY SOLVENT EXTRACTION[CUST: MR SH 99] [REVIEW: AR AS AV EC GL MD OS] | A | CMPS | | MR | 12-DEC-67 |
| | IPC-TM650.2.3.16 | RESIN CONTENT OF PREPREG , BY BURN-OFF[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | IPC-TM650.2.3.16.1 | RESIN CONTENT OF PREPREG MATERIAL (TREATED WEIGHT)[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | IPC-TM650.2.3.17.2 | RESIN FLOW "NO FLOW" PREPREG[CUST: CR EC 11] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 23-AUG-89 |
| | IPC-TM650.2.3.17 | RESIN FLOW OF PREPREG MATERIALS (B-STAGE)[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | IPC-TM650.2.3.18 | RESIN GEL STROKE TIME FOR PREPREG MATERIALS[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | ASTM-D1259 | RESIN SOLUTIONS, NONVOLATILE CONTENT OF[CUST: CR4 YD 99] [REVIEW: 84 SH] | A | 8010 | | IS | 29-NOV-85 |
| | A-A-53940 | RESIN, ACRYLIC, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 28-JUL-89 |
| | A-A-53604 | RESIN, ACRYLIC, DENTAL (TRAY MATERIAL)[CUST: MD MS 03] | A | 6520 | / | MB | 06-SEP-88 |
| | A-A-54988 | RESIN, ACRYLIC, DENTAL, FIBERED[CUST: MD MS 03] | A | 6520 | / | MB | 09-DEC-94 |
| | A-A-54813 | RESIN, ACRYLIC, DENTAL, FIBERED, DENTURE BASE MATERIAL[CUST: MD MS 03] | A | 6520 | / | MB | 12-FEB-93 |
| | A-A-53210A | RESIN, ACRYLIC, DENTAL, INLAY PATTERN AND RESIN, ACRYLIC, LIQUID, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 15-SEP-89 |
| | TT-R-266D | RESIN, ALKYD, SOLUTIONS[CUST: SH 99] [REVIEW: 84 AS AT CR4 MI OS YD] | A | 8010 | / | SH | 17-NOV-71 |
| | MIL-R-82657 | RESIN, EPOXY, TRIFUNCTIONAL[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 31-JAN-77 |
| | SAE-AMS3571 | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | JUN-86 |
| | SAE-AMS3571/2 | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 55 DUROMETER "A"[CUST: AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-APR-91 |
| | SAE-AMS3571/7 | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 55 DUROMETER "D"[CUST: AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-APR-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS3571/8 | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 65 DUROMETER "D"[CUST: AS 11] | A | 9330 | | AS | 01-APR-91 |
| | SAE-AMS3571/3 | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 65 DUROMETER "A"[CUST: AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-APR-91 |
| | SAE-AMS3571/4 | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 75 DUROMETER "A"[CUST: AS 11] [REVIEW: 84 99 GS] | A | 9330 | | AS | 01-APR-91 |
| | SAE-AMS3571/9 | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 75 DUROMETER "D"[CUST: AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-APR-91 |
| | SAE-AMS3571/5 | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 85 DUROMETER "A"[CUST: AS] [REVIEW: GS] | A | 9330 | | AS | 01-APR-91 |
| | SAE-AMS3571/6 | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 95 DUROMETER "A"[CUST: AS 11] [REVIEW: GS MR] | A | 9330 | | AS | 01-APR-91 |
| | SAE-AMS3571/1 | RESIN, POLYETHER URETHANE (EU) CASTING, FLEXIBLE, SOLID, UNFILLED, 45 DUROMETER "A"[CUST: AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-91 |
| | SAE-AMS3619 | RESIN, POLYIMIDE, LAMINATING, HIGH TEMPERATURE RESISTANT, 315 DEG. C (599 DEG. F)[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-JUL-93 |
| | ASTM-D1013 | RESINS AND PLASTICS, DETERMINING TOTAL NITROGEN[CUST: EA GS3] [REVIEW: CR4 MD SH] | A | 6810 | | GS3 | 15-APR-93 |
| | ASTM-D2584 | RESINS, CURED REINFORCED, IGNITION LOSS OF[CUST: MR SH 11 GS] [REVIEW: AR AS CR CR4 GL MI YD] | A | 9330 | | IS | 09-SEP-68 |
| | ASTM-D1652 | RESINS, EPOXY CONTENT OF EPOXY[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 31-OCT-87 |
| | ASTM-D1763 | RESINS, EPOXY, STANDARD SPECIFICATION FOR[CUST: MR YD 99] [REVIEW: 84 GS SH] | A | 9330 | | YD | 25-MAR-88 |
| | ASTM-D29 | RESINS, LAC, SAMPLING AND TESTING[CUST: MR SH] | A | 8010 | | MR | 10-JUN-98 |
| | MIL-R-21607E | RESINS, POLYESTER, LOW PRESSURE LAMINATING, FIRE-RETARDANT[CUST: SH] | A | 9330 | | SH | 25-MAY-90 |
| | QPL-21607-29 | RESINS, POLYESTER, LOW PRESSURE LAMINATING, FIRE-RETARDANT | A | 9330 | | SH | 13-AUG-97 |
| | ASTM-D2471 | RESINS, REACTING THERMOSETTING, GEL TIME AND PEAK EXOTHERMIC TEMPERATURE OF[CUST: MI AS 99] | A | 9330 | | AS | 10-NOV-99 |
| | MIL-R-24719 | RESINS, VINYL ESTER, LOW PRESSURE LAMINATING[CUST: SH] | A | 9330 | | SH | 04-MAY-89 |
| | ASTM-D257 | RESISTANCE DC OR CONDUCTANCE OF INSULATING MATERIALS[CUST: MR 11 GS] [REVIEW: 99 AS AV CR CR4 OS SH YD] | A | 9330 | | IS | 15-JUN-93 |
| | ASTM-D1183 | RESISTANCE OF ADHESIVES TO CYCLIC LABORATORY AGING CONDITIONS[CUST: MR AS 11] [REVIEW: 99 CR4 GL MI] | A | 8040 | | MR | 15-JUL-92 |
| | ASTM-D1647 | RESISTANCE OF DRIED FILMS OF VARNISHES TO WATER AND ALKALI[CUST: CR4 SH 99] | A | 8010 | | CR4 | 28-APR-89 |
| | MIL-PRF-914/3A(1) | RESISTOR NETWORK , FIXED FILM, SURFACE MOUNT, 16-PIN, LEADLESS CHIP CARRIER, NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE RNS030[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS] | A | 5905 | | CR | 15-DEC-00 |
| | MIL-PRF-914/5A(1) | RESISTOR NETWORK, FIXED FILM, SURFACE MOUNT, 16-PIN, LEADLESS CHIP CARRIER, NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE RNS050[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS] | A | 5905 | | CR | 15-DEC-00 |
| | MIL-PRF-83401/19C(1) | RESISTOR NETWORK, FIXED, FILM STYLE RZ190, 8 PIN SIP[CUST: 11] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/1G(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ010, 14 PIN DIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/2G(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ020, 16 PIN DIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/3F(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ030, 14 PIN FLAT PACK[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/5D(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ050, 8 PIN SIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/6C(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ060, 10 PIN SIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/7D(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ070, 6 PIN SIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/8D(2) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ080, 8 PIN SIP[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/9D(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ090, 10 PIN SIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/10B(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ100, 16 PIN FLAT PACK[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/13A(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ130, 14 PIN DIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/14A(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ140, 16 PIN DIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/15A(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ150, 14 PIN FLAT PACK[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/18B(3) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ180, 6 PIN SIP[CUST: 11] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/21A(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ210, 6 PIN SIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/22A(2) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ220, 8 PIN SIP[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/23A(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ230, 10 PIN SIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-83401/24A(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ240, 10 PIN SIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| | MIL-PRF-914/4A(1) | RESISTOR NETWORK, FIXED, FILM, SURFACE MOUNT, 20-PIN, LEADLESS CHIP CARRIER, NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE RNS040[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS] | A | 5905 | | CR | 15-DEC-00 |
| | A-A-59769 | RESISTOR NETWORKS, BALL GRID ARRAY TERMINATORS GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5905 | / | CC | 15-APR-05 |
| | A-A-59769/1 | RESISTOR NETWORKS, BALL GRID ARRAY TERMINATORS THEVENIN TERMINATION[CUST: EC CC] | A | 5905 | / | CC | 15-APR-05 |
| M | QPL-83401-87 | RESISTOR NETWORKS, FIXED, FILM AND CAPACITOR-RESISTOR NETWORKS, CERAMIC CAPACITOR AND FIXED FILM RESISTORS, GENERAL SPECIFICATION FOR | A | 59GP | | CC | 28-FEB-06 |
| | MIL-PRF-83401G(3) SUP 1 | RESISTOR NETWORKS, FIXED, FILM, AND CAPACITOR-RESISTOR NETWORKS, CERAMIC CAPACITOR AND FIXED FILM RESISTORS, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 59GP | | CC | 08-DEC-00 |
| | MIL-PRF-83401/4D(1) | RESISTOR NETWORKS, FIXED, FILM, STYLE RZ040, 6 PIN SIP[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 08-DEC-00 |
| A | QPL-914-6 | RESISTOR NETWORKS, FIXED, FILM, SURFACE MOUNT, NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5905 | | CR | 30-DEC-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-914B | RESISTOR NETWORKS, FIXED, FILM, SURFACE MOUNT, NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS] | A | 5905 | | CR | 04-SEP-03 |
| A | MIL-PRF-32192/4(1) | RESISTOR, CHIP, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RCTN0805[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC NA OS] | A | 5905 | | CC | 21-SEP-05 |
| A | MIL-PRF-32192/5(1) | RESISTOR, CHIP, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RCTN1206[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC NA OS] | A | 5905 | | CC | 21-SEP-05 |
| A | MIL-PRF-32192/2(1) | RESISTOR, CHIP, THERMAL (THERMISTOR), INSULATED POSITIVE TEMPERATURE COEFFICIENT STYLE RCTP0805[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC NA OS] | A | 5905 | | CC | 21-SEP-05 |
| A | MIL-PRF-32192/3(1) | RESISTOR, CHIP, THERMAL (THERMISTOR), NEGATIVE TEMPERATURE COEFFICIENT, STYLE RCTN0404[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC NA OS] | A | 5905 | | CC | 21-SEP-05 |
| A | MIL-PRF-32192/1(1) | RESISTOR, CHIP, THERMAL (THERMISTOR), POSITIVE TEMPERATURE COEFFICIENT, STYLE RCTP0303[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC NA OS] | A | 5905 | | CC | 21-SEP-05 |
| | A-A-58064 | RESISTOR, DECADE (0.01-111,111.1 OHM)[CUST: 99] [REVIEW: CC MI] | A | 6625 | / | 84 | 21-MAY-96 |
| | A-A-55517/4B | RESISTOR, FIXED, CARBON FILM, 1 WATT[CUST: EC CC] | A | 5905 | / | CC | 12-DEC-02 |
| | A-A-55517/3B | RESISTOR, FIXED, CARBON FILM, 1/2 WATT[CUST: EC CC] | A | 5905 | / | CC | 12-DEC-02 |
| | A-A-55517/2B | RESISTOR, FIXED, CARBON FILM, 1/4 WATT[CUST: EC CC] | A | 5905 | / | CC | 12-DEC-02 |
| | A-A-55517/1B | RESISTOR, FIXED, CARBON FILM, 1/8 WATT[CUST: EC CC] | A | 5905 | / | CC | 12-DEC-02 |
| | A-A-55517/5B | RESISTOR, FIXED, CARBON FILM, 2 WATT[CUST: EC CC] | A | 5905 | / | CC | 12-DEC-02 |
| | A-A-55534A | RESISTOR, FIXED, POWER TYPE (VERY LOW RESISTANCE VALUES), GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5905 | / | CC | 23-DEC-02 |
| | MIL-PRF-39007/9H(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR81[CUST: CR EC 11 NA] [REVIEW: 19 AR AS CG MC MI OS] | A | 5905 | | CR | 19-DEC-97 |
| | MIL-PRF-39007/11H | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR89[CUST: CR EC 11 NA] [REVIEW: 19 AR AS CG MC MI OS] | A | 5905 | | CR | 03-JUL-97 |
| | MIL-PRF-39007/10G | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR84[CUST: CR EC 11 NA] [REVIEW: 19 AR AS CG MC MI OS] | A | 5905 | | CR | 03-JUL-97 |
| | MIL-PRF-39007/8K(2) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR80[CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CR | 12-APR-02 |
| | MIL-PRF-39007/12E | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR82[CUST: CR EC 11 NA] [REVIEW: 19 AR AS CG MC MI OS] | A | 5905 | | CR | 03-JUL-97 |
| | MIL-PRF-39007/7G(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR78[CUST: CR EC 11 NA] [REVIEW: 19 AR AS CG MC MI OS] | A | 5905 | | CR | 19-DEC-97 |
| | MIL-PRF-26/3D | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW29, RW30 1/, RW31, RW32 1/, RW33, RW34 1/, RW35, RW36 1/, RW37, RW38, RW39 1/, AND RW47[CUST: CR EC 11 CC] [REVIEW: 19 AS MI] | A | 5905 | | CC | 14-JUN-01 |
| | MIL-PRF-23648/19C | RESISTOR, THERMAL (THERMISTOR), HERMETICALLY SEALED, POSITIVE TEMPERATURE COEFFICIENT STYLE RTH42[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG MC OS] | A | 5905 | | CC | 28-SEP-01 |
| | MIL-PRF-23648/1E | RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH06[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG MC OS] | A | 5905 | | CC | 28-SEP-01 |
| | MIL-PRF-23648/2E | RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH08[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG MC OS] | A | 5905 | | CC | 11-OCT-02 |
| | MIL-PRF-23648/3E | RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH10[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG MC OS] | A | 5905 | | CC | 11-OCT-02 |
| | MIL-PRF-23648/20C | RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH44[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG MC OS] | A | 5905 | | CC | 28-SEP-01 |
| | MIL-PRF-23648/9C | RESISTOR, THERMAL (THERMISTOR), INSULATED POSITIVE TEMPERATURE COEFFICIENT STYLE RTH22[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG MC OS] | A | 5905 | | CC | 28-SEP-01 |
| | A-A-59714/3A | RESISTOR, THERMAL, NON-LINEAR THERMISTOR (RESETTABLE FUSE) RADIAL LEADED, STYLE TR[CUST: EC CC] | A | 5905 | / | CC | 14-JUL-03 |
| | A-A-59714/2A | RESISTOR, THERMAL, NON-LINEAR THERMISTOR (RESETTABLE FUSE) RADIAL LEADED, STYLE RXE[CUST: EC CC] | A | 5905 | / | CC | 14-JUL-03 |
| | A-A-59714/1A | RESISTOR, THERMAL, NON-LINEAR THERMISTOR (RESETTABLE FUSE) RADIAL LEADED, STYLE RUE[CUST: EC CC] | A | 5905 | / | CC | 14-JUL-03 |
| A | QPL-7790-9 | RESISTOR, THERMOCOUPLE LEAD SPOOL | A | 5905 | | CC | 30-DEC-05 |
| | QPL-39035-82 | RESISTOR, VARIABLE, NON-WIRE-WOUND (ADJUSTMENT TYPE) NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5905 | | CC | 30-DEC-02 |
| | MIL-PRF-94/7B | RESISTOR, VARIABLE, NONWIRE WOUND PRINTED CIRCUIT BROAD MOUNTING, STYLE RV8[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 16-FEB-01 |
| | A-A-59496/2 NOT 1 | RESISTOR, VARIABLE, TRIMMER NONWIRE WOUND, 4MM SQUARE, GULL WING LEADS[CUST: EC CC] | A | 5905 | / | CC | 02-MAR-05 |
| | A-A-59496/1 NOT 1 | RESISTOR, VARIABLE, TRIMMER NONWIRE WOUND, 4MM SQUARE, J-HOOK LEADS[CUST: EC CC] | A | 5905 | / | CC | 02-MAR-05 |
| | A-A-59496 NOT 1 | RESISTOR, VARIABLE, TRIMMER NONWIRE WOUND, AND WIREWOUND, GENERAL SPECIFICATION FOR[CUST: EC CC] | A | 5905 | / | CC | 02-MAR-05 |
| | QPL-6749-12 | RESISTOR, VARIABLE, WIRE WOUND, NONPRECISION, AIRCRAFT POWER | A | 5905 | | CC | 16-AUG-04 |
| A | QPL-27208-45 | RESISTOR, VARIABLE, WIRE WOUND, NONPRECISION, GENERAL SPECIFICATION FOR | A | 5905 | | CC | 23-AUG-05 |
| | MIL-PRF-12934K SUP 1 | RESISTOR, VARIABLE, WIRE WOUND, PRECISION, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 14-APR-04 |
| | MIL-PRF-39002/1F | RESISTOR, VARIABLE, WIRE WOUND, SEMI-PRECISION, STYLE RK09[CUST: CR CC] [REVIEW: AR] | A | 5905 | | CC | 14-MAY-04 |
| | MIL-PRF-39002/3B | RESISTOR, VARIABLE, WIRE WOUND, SEMI-PRECISION, STYLE RK11[CUST: CR CC] [REVIEW: AR] | A | 5905 | | CC | 14-MAY-04 |
| | MIL-PRF-19D(1) | RESISTOR, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 10-MAY-02 |
| | MIL-PRF-19/2C(1) | RESISTOR, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA20[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 10-MAY-02 |
| | MIL-PRF-19/3C(1) | RESISTOR, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA30[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 10-MAY-02 |
| A | QPL-19-60 | RESISTOR, VARIABLE, WIRE-WOUND, (LOW OPERATING TEMPERATURE), GENERAL SPECIFICATION FOR | A | 5905 | | CC | 25-JAN-06 |
| | MIL-PRF-27208E | RESISTOR, VARIABLE, WIRE-WOUND, NONPERCISION, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV MC MI OS] | A | 5905 | | CC | 13-JUN-01 |
| A | QPL-12934-51 | RESISTOR, VARIABLE, WIREWOUND, PRECISION, GENERAL SPECIFICATION FOR | A | 5905 | | CC | 02-AUG-05 |
| | A-A-55564/3B | RESISTOR, VOLTAGE SENSITIVE (VARISTOR), METAL OXIDE, RADIAL LEAD[CUST: EC CC] | A | 5905 | / | CC | 06-FEB-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-55564/1A | RESISTOR, VOLTAGE SENSITIVE (VARISTOR), BASE MOUNT[CUST: EC CC] | A | 5905 | / | CC | 15-FEB-02 |
| | A-A-55564A | RESISTOR, VOLTAGE SENSITIVE (VARISTOR), GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5905 | / | CC | 15-FEB-02 |
| | A-A-55564/2A | RESISTOR, VOLTAGE SENSITIVE (VARISTOR), METAL-OXIDE, HIGH ENERGY[CUST: EC CC] | A | 5905 | / | CC | 15-FEB-02 |
| | A-A-55562A | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP[CUST: EC CC] | A | 5905 | / | CC | 30-AUG-01 |
| | A-A-55562/5 | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 0402[CUST: EC CC] | A | 5905 | / | CC | 30-AUG-01 |
| | A-A-55562/1A | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 0603[CUST: EC CC] | A | 5905 | / | CC | 30-AUG-01 |
| | A-A-55562/2A | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 0805[CUST: EC CC] | A | 5905 | / | CC | 30-AUG-01 |
| | A-A-55562/3A | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 1206[CUST: EC CC] | A | 5905 | / | CC | 30-AUG-01 |
| | A-A-55562/4A | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 1210[CUST: EC CC] | A | 5905 | / | CC | 30-AUG-01 |
| | MIL-DTL-15109D | RESISTORS AND RHEOSTATS, NAVAL SHIPBOARD[CUST: SH CC] [REVIEW: AS] | A | 5905 | | CC | 14-JUN-01 |
| | QPL-15109-38 | RESISTORS AND RHEOSTATS, NAVAL SHIPBOARD | A | 5905 | | CC | 17-JUN-05 |
| | A-A-59715/2 | RESISTORS, ADJUSTABLE, WIRE WOUND, POWER TYPE[CUST: EC CC] | A | 5905 | / | CC | 10-JUN-02 |
| | QPL-19365-26 | RESISTORS, ADJUSTABLE, WIREWOUND | A | 5905 | | CC | 02-AUG-04 |
| | MIL-PRF-55342/6G(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0705[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-55342/13(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0302[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-55342/5J(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM2208[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-55342/9E(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL STYLE RM2512[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-55342/10D(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL STYLE RM1010[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| A | QPL-55342-98 | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR | A | 5905 | | CR | 21-NOV-05 |
| | MIL-PRF-55342/12A(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0603[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-55342/3J(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM1005[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-55342/11A(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0402[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-55342/8E(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM2010[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-55342/2J(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0505[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-55342/7E(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM1206[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-55342/4J(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM1505[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-55342H SUP 1 | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 31-OCT-03 |
| | MIL-PRF-55342/1J(1) | RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0502[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 20-MAY-05 |
| | MIL-PRF-32159/2 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUATRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ0505[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 01-JUL-04 |
| | MIL-PRF-32159/3 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ1005[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 01-JUL-04 |
| | MIL-PRF-32159/8(1) | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ2010[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 27-MAY-05 |
| | MIL-PRF-32159/9 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ2512[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 01-JUL-04 |
| | MIL-PRF-32159/1 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ0502[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 01-JUL-04 |
| | MIL-PRF-32159/7 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ1206[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 01-JUL-04 |
| | MIL-PRF-32159/12 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ0603[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5915 | | CC | 01-JUL-04 |
| | MIL-PRF-32159/10 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ1010[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 01-JUL-04 |
| A | MIL-PRF-32159(2) SUP 1 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 09-SEP-05 |
| | MIL-PRF-32159/6 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ0705[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 01-JUL-04 |
| | MIL-PRF-32159/11 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ0402[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MS OS] | A | 5905 | | CC | 01-JUL-04 |
| | MIL-PRF-32159/4 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ1505[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 01-JUL-04 |
| | QPL-32159-2 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR | A | 5905 | | CC | 24-FEB-05 |
| | MIL-PRF-32159/5 | RESISTORS, CHIP, FIXED, FILM, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ2208[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 01-JUL-04 |
| A | MIL-PRF-32192(1) | RESISTORS, CHIP, THERMAL (THERMISTOR), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC NA OS] | A | 5905 | | CC | 21-SEP-05 |
| | A-A-59715/5 | RESISTORS, FIXED AND ADJUSTABLE, WIRE WOUND, POWER TYPE[CUST: EC CC] | A | 5905 | / | CC | 10-JUN-02 |
| | A-A-59715 | RESISTORS, FIXED AND ADJUSTABLE, WIRE WOUND, POWER TYPE, GENERAL REQIUIREMENTS FOR[CUST: EC CC] | A | 5905 | / | CC | 10-JUN-02 |
| | A-A-55517A | RESISTORS, FIXED, CARBON FILM, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5905 | / | CC | 12-DEC-02 |
| | A-A-55534/2B | RESISTORS, FIXED, CHIP, VERY LOW VALUES (POWER TYPE), STYLE VLV1206[CUST: EC CC] | A | 5905 | / | CC | 24-APR-03 |
| | A-A-55534/7B | RESISTORS, FIXED, CHIP, VERY LOW VALUES (POWER TYPE), STYLE VLV2010[CUST: EC CC] | A | 5905 | / | CC | 24-APR-03 |
| | A-A-55534/8B | RESISTORS, FIXED, CHIP, VERY LOW VLAUES (POWER TYPE), STYLE VLV2512[CUST: EC CC] | A | 5905 | / | CC | 24-APR-03 |
| | QPL-10509-159 | RESISTORS, FIXED, FILM (HIGH STABILITY), GENERAL SPECIFICATION FOR | A | 5905 | | CC | 29-JUN-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | QPL-39017-84 | RESISTORS, FIXED, FILM (INSULATED) NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5905 | | CR | 21-JUL-05 |
| | MIL-PRF-39017/1P | RESISTORS, FIXED, FILM (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLE RLR07[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 19-MAY-97 |
| A | MIL-PRF-39017G | RESISTORS, FIXED, FILM (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CR | 08-FEB-06 |
| | QPL-22684-76 | RESISTORS, FIXED, FILM (INSULATED), GENERAL SPECIFICATION FOR | A | 5905 | | CC | 29-JUN-05 |
| A | MIL-PRF-22684F | RESISTORS, FIXED, FILM (INSULATED), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 13-FEB-06 |
| | MIL-PRF-39017/3H | RESISTORS, FIXED, FILM, (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLE RLR32[CUST: CR EC 11] [REVIEW: 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 19-MAY-97 |
| | MIL-PRF-39017/5M | RESISTORS, FIXED, FILM, (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLE RLR05[CUST: CR EC 11] [REVIEW: 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 19-MAY-97 |
| | MIL-PRF-39017/2K | RESISTORS, FIXED, FILM, (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, SYTLE RLR20[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 19-MAY-97 |
| | MIL-PRF-32159/13 | RESISTORS, FIXED, FILM, CHIP, ZERO OHM, INDUSTRIAL, HIGH RELIABILITY, SPACE LEVEL, STYLE RCZ0302[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 01-JUL-04 |
| A | QPL-49462-6 | RESISTORS, FIXED, FILM, HIGH VOLTAGE, GENERAL SPECIFICATION FOR | A | 5905 | | CC | 23-AUG-05 |
| | MIL-PRF-49462B(1) | RESISTORS, FIXED, FILM, HIGH VOLTAGE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 01-OCT-02 |
| | MIL-PRF-49462/3B | RESISTORS, FIXED, FILM, HIGH VOLTAGE, STYLES RHV30, RHV31, RHV32, RHV33, RHV34, RHV35[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 12-FEB-01 |
| | MIL-PRF-22684/8C NOT 1 | RESISTORS, FIXED, FILM, INSULATED, STYLE RL42....TX[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 05-AUG-04 |
| A | MIL-PRF-55182H(1) SUP 1 | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC OS] | A | 5905 | | CR | 17-JUN-05 |
| | MIL-PRF-55182/10E | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RN*75[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CC CG CR4 MC MI OS] | A | 5905 | | CR | 26-SEP-02 |
| | MIL-PRF-55182/9G | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RN*90 1/[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 26-SEP-02 |
| | MIL-PRF-55182/3R | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RN*60 1/[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CG MC OS] | A | 5905 | | CR | 26-SEP-02 |
| | MIL-PRF-55182/1P | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RN*55[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CC CG MC OS] | A | 5905 | | CR | 26-SEP-02 |
| | MIL-PRF-55182/6P | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RN*70 1/[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CG MC OS] | A | 5905 | | CR | 26-SEP-02 |
| | QPL-55182-157 | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR | A | 5905 | | CR | 14-JUN-05 |
| | MIL-PRF-55182/5M | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RN*65[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CC CG MC OS] | A | 5905 | | CR | 26-SEP-02 |
| | MIL-PRF-55182/7M | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RN*50[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CC CG MC OS] | A | 5905 | | CR | 26-SEP-02 |
| | MIL-PRF-49465/1B | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV10[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5905 | | CC | 11-DEC-00 |
| | MIL-PRF-49465/6B | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV30[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5905 | | CC | 11-DEC-00 |
| | MIL-PRF-49465/7B | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV31[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5905 | | CC | 11-DEC-00 |
| M | QPL-49465-16 | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), VERY LOW RESISTANCE VALUES, GENERAL SPECIFICATION FOR | A | 5905 | | CC | 26-FEB-06 |
| | MIL-PRF-49465B(1) | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), VERY LOW RESISTANCE VALUES, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5905 | | CC | 01-OCT-02 |
| | QPL-29-52 | RESISTORS, FIXED, METER MULTIPLIER, EXTERNAL (HIGH VOLTAGE, FERRULE TERMINAL TYPE) | A | 5905 | | CC | 22-SEP-04 |
| | MIL-PRF-29B NOT 1 | RESISTORS, FIXED, METER MULTIPLIER, EXTERNAL (HIGH VOLTAGE, FERRULE TERMINAL TYPE)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 24-OCT-03 |
| | A-A-55534/1A | RESISTORS, FIXED, WIRE WOUND OR METAL ELEMENT, (POWER TYPE) STYLE VLV1[CUST: EC CC] | A | 5905 | / | CC | 23-DEC-02 |
| | A-A-55534/6A | RESISTORS, FIXED, WIRE WOUND OR METAL ELEMENT, (POWER TYPE) STYLE VLV10[CUST: EC CC] | A | 5905 | / | CC | 23-DEC-02 |
| | A-A-55534/3A | RESISTORS, FIXED, WIRE WOUND OR METAL ELEMENT, (POWER TYPE) STYLE VLV3[CUST: EC CC] | A | 5905 | / | CC | 23-DEC-02 |
| | A-A-55534/4A | RESISTORS, FIXED, WIRE WOUND OR METAL ELEMENT, (POWER TYPE) STYLE VLV5[CUST: EC CC] | A | 5905 | / | CC | 23-DEC-02 |
| | A-A-55534/5A | RESISTORS, FIXED, WIRE WOUND OR METAL ELEMENT, (POWER TYPE) STYLE VLV7[CUST: EC CC] | A | 5905 | / | CC | 23-DEC-02 |
| | A-A-59715/3 | RESISTORS, FIXED, WIRE WOUND, POWER TYPE[CUST: EC CC] | A | 5905 | / | CC | 10-JUN-02 |
| | A-A-59715/1 | RESISTORS, FIXED, WIRE WOUND, POWER TYPE, LEAD TERMINAL[CUST: EC CC] | A | 5905 | / | CC | 10-JUN-02 |
| | A-A-59715/4 | RESISTORS, FIXED, WIRE WOUND, POWER TYPE, TAB TERMINALS[CUST: EC CC] | A | 5905 | / | CC | 10-JUN-02 |
| | QPL-93-109 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), GENERAL SPECIFICATION FOR | A | 5905 | | CC | 09-NOV-04 |
| | QPL-39005-65 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5905 | | CR | 30-JUL-04 |
| | MIL-PRF-39005E(4) SUP 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CR | 08-AUG-02 |
| | MIL-PRF-39005/6E(1) | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR71[CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 02-FEB-00 |
| | MIL-PRF-39005/2E(1) | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR53[CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 02-FEB-00 |
| | MIL-PRF-39005/11B(1) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLES RBR80 AND RBR81[CUST: EC CC] | A | 5905 | | CC | 03-MAR-05 |
| | MIL-PRF-39005/3E(1) | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR54[CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 02-FEB-00 |
| | MIL-PRF-39005/1E(1) | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR52[CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 02-FEB-00 |
| | MIL-PRF-39005/4F(1) | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR55[CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 02-FEB-00 |
| | MIL-PRF-39005/5G(1) | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR56[CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 02-FEB-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-26G(1) SUP 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS MI] | A | 5905 | | CC | 18-MAR-02 |
| | QPL-26-154 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), GENERAL SPECIFICATION FOR | A | 5905 | | CC | 29-JUN-05 |
| A | QPL-39007-95 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR | A | 5905 | | CR | 26-JUL-05 |
| A | MIL-PRF-39007J SUP 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 80 AR AS CG MC MI OS] | A | 5905 | | CR | 17-JUN-05 |
| | MIL-PRF-18546G | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR MC MI] | A | 5905 | | CC | 15-DEC-04 |
| | QPL-18546-70 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), GENERAL SPECIFICATION FOR | A | 5905 | | CC | 29-JUN-05 |
| | MIL-PRF-39009/1C(1) | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), NON-ESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLES RER60, RER65, RER70, AND RER75[CUST: CR EC 11] [REVIEW: 19 AR AT CG CR4 MC MI OS] | A | 5905 | | CR | 30-AUG-99 |
| | MIL-PRF-39009E | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 AR AS AV CG CR4 MC MI OS] | A | 5905 | | CR | 15-DEC-04 |
| | QPL-39009-39 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5905 | | CR | 13-APR-05 |
| | MIL-PRF-18546/2C | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), STYLES RE77 AND RE80[CUST: CR EC 11 CC] [REVIEW: 99 AR MC MI] | A | 5905 | | CC | 15-MAY-01 |
| | MIL-PRF-39009/2B | RESISTORS, FIXED, WIRE-WOUND, (POWER TYPE, CHASSIS MOUNTED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLES RER40, RER45, RER50, AND RER55[CUST: CR EC 11] [REVIEW: 19 AT AV CG CR4 MC MI OS] | A | 5905 | | CR | 03-JUL-97 |
| | A-A-55534/9A | RESISTORS, FIXED, WIREWOUND OR METAL ELEMENT, CHIP, (POWER TYPE) STYLE VLV2[CUST: EC CC] | A | 5905 | / | CC | 23-DEC-02 |
| | A-A-55501B | RESISTORS, FIXED, ZERO OHM, 1/4 WATT[CUST: EC CC] | A | 5905 | / | CC | 04-NOV-02 |
| | A-A-55502B | RESISTORS, FIXED, ZERO OHM, 1/8 WATT[CUST: EC CC] | A | 5905 | / | CC | 04-NOV-02 |
| | A-A-55088B | RESISTORS, FLAMEPROOF, FUSIBLE[CUST: EC CC] | A | 5905 | / | CC | 09-SEP-03 |
| A | MIL-DTL-39032E(1) | RESISTORS, PACKAGING OF[CUST: CR EC 11 CC] [REVIEW: 99 AR AT MI SH SM] | A | PACK | | CC | 16-AUG-05 |
| | MIL-HDBK-199A | RESISTORS, SELECTION AND USE OF[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS SH] | A | 5905 | | CC | 24-AUG-04 |
| | MIL-PRF-23648F SUP 1 | RESISTORS, THERMAL (THERMISTOR) INSULATED, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC NA OS] | A | 5905 | | CC | 03-FEB-05 |
| A | QPL-23648-28 | RESISTORS, THERMAL (THERMISTOR) INSULATED, GENERAL SPECIFICATION FOR | A | 5905 | | CC | 14-SEP-05 |
| | A-A-59714A | RESISTORS, THERMAL, NON-LINEAR THERMISTOR (RESETTABLE FUSES), GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5905 | / | CC | 14-JUL-03 |
| | A-A-55512A | RESISTORS, THERMALY SENSITIVE (THERMISTOR)[CUST: EC CC] | A | 5905 | / | CC | 11-JUN-01 |
| | MIL-PRF-22/15B NOT 1 | RESISTORS, VARIABLE (WIRE-WOUND, POWER TYPE) (ENCLOSED), STYLE RP05[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22/4C NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED), STYLE RP11[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| A | QPL-22-69 | RESISTORS, VARIABLE (WIREWOUND, POWER-TYPE) GENERAL SPECIFICATION FOR | A | 5905 | | CC | 04-AUG-05 |
| | MIL-PRF-22/2D NOT 1 | RESISTORS, VARIABLE WIRE-WOUND, POWER TYPE, (ENCLOSED), STYLE RP07[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22/1C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE , (UNENCLOSED), STYLE RP06[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| A | MIL-PRF-22D(1) SUP 1 | RESISTORS, VARIABLE, (WIRE-WOUND POWER TYPE), GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 04-JUL-05 |
| | MIL-PRF-22/11C NOT 1 | RESISTORS, VARIABLE, (WIRE-WOUND, POWER TYPE), (UNENCLOSED), STYLE RP40[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22/12C NOT 1 | RESISTORS, VARIABLE, (WIRE-WOUND, POWER TYPE), (UNENCLOSED), STYLE RP45[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22/14C NOT 1 | RESISTORS, VARIABLE, (WIRE-WOUND, POWER TYPE), (UNENCLOSED), STYLE RP55[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-94F(1) SUP 1 | RESISTORS, VARIABLE, COMPOSITION GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CC | 17-JUN-02 |
| | QPL-94-99 | RESISTORS, VARIABLE, COMPOSITION, GENERAL SPECIFICATION FOR | A | 5905 | | CC | 17-JUN-04 |
| | MIL-PRF-94/6D | RESISTORS, VARIABLE, COMPOSITION, STYLE 2RV7[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 EA MC OS] | A | 5905 | | CC | 16-FEB-01 |
| | MIL-PRF-94/4K | RESISTORS, VARIABLE, COMPOSITION, STYLE RV2[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 16-FEB-01 |
| | MIL-PRF-94/5H | RESISTORS, VARIABLE, COMPOSITION, STYLE RV4[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 EA MC OS] | A | 5905 | | CC | 16-FEB-01 |
| | MIL-PRF-94/2D | RESISTORS, VARIABLE, COMPOSITION, STYLE RV5[CUST: CR EC 11] [REVIEW: 19 99 AS AT AV CR4 MC MI] | A | 5905 | | CC | 16-FEB-01 |
| | MIL-PRF-94/3L | RESISTORS, VARIABLE, COMPOSITION, STYLE RV6[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 MC MI OS] | A | 5905 | | CC | 16-FEB-01 |
| | MIL-PRF-39035D(2) | RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE) NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CC | 13-JUN-02 |
| | MIL-PRF-22097H(1) SUP 1 | RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CC | 08-FEB-02 |
| | MIL-PRF-22097/4E NOT 2 | RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, LEAD, SCREW ACTUATED), STYLE RJ24[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CC | 22-JUN-05 |
| | MIL-PRF-39035/2G(1) | RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RJR24[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CC | 06-JUN-03 |
| | A-A-59497/1 NOT 1 | RESISTORS, VARIABLE, NONWIRE WOUND, NONPRECISION, 1 WATT[CUST: EC CC] | A | 5905 | / | CC | 08-DEC-04 |
| | MIL-PRF-39023C SUP 1A | RESISTORS, VARIABLE, NONWIRE WOUND, PRECISION, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 30-AUG-04 |
| | A-A-59497 NOT 1 | RESISTORS, VARIABLE, NONWIRE WOUND, WIRE WOUND, PRECISION, NONPRECISION, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5905 | / | CC | 08-DEC-04 |
| | QPL-22097-102 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE), GENERAL SPECIFICATION FOR | A | 5905 | | CC | 09-SEP-04 |
| | MIL-PRF-22097/2G NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ12[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT CR4 MC MI OS] | A | 5905 | | CC | 17-JUN-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-39035/3E(1) | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RJR26[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 20-OCT-04 |
| | MIL-PRF-39035/4F(1) | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, SINGLE TURN), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RJR50[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CC | 06-JUN-03 |
| | MIL-PRF-39023/2C NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION STYLE RQ110[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-39023/4B NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION STYLE RQ200[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | QPL-39023-22 | RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, GENERAL SPECIFICATION FOR | A | 5905 | | CC | 21-APR-05 |
| | MIL-PRF-39023/10B NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ051[CUST: CR EC CC] [REVIEW: AR AS CG MC MI OS] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-39023/1B NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ090[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-39023/9A NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ091[CUST: EC 11 CC] [REVIEW: 19 AS CG MC OS] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-39023/6B NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ100[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-39023/3B NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ150[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-39023/7B NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ160[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-39023/8B NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ210[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-39023/5B NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, PRECISION, STYLE RQ300[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-27208/8G | RESISTORS, VARIABLE, WIRE WOUND (ADJUSTMENT TYPE, LEAD SCREW ACTUATED), STYLE RT12[CUST: CR EC 11 CC] [REVIEW: 19 AT AV MC MI OS] | A | 5905 | | CC | 13-JUN-01 |
| | MIL-PRF-39015D(2) | RESISTORS, VARIABLE, WIRE WOUND (LEAD SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 08-AUG-02 |
| | QPL-39015-73 | RESISTORS, VARIABLE, WIRE WOUND (LEAD SCREW ACTUATED), NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5905 | | CR | 30-NOV-04 |
| | MIL-PRF-27208/10B | RESISTORS, VARIABLE, WIRE WOUND, (ADJUSTMENT TYPE, LEAD SCREW ACTUATED), STYLE RT26[CUST: CR EC 11 CC] [REVIEW: 19 AR AT AV MC MI OS] | A | 5905 | | CC | 13-JUN-01 |
| | MIL-PRF-12934/37 | RESISTORS, VARIABLE, WIRE WOUND, PRECISION, STYLE 2RR3100[CUST: EC CC] | A | 5905 | | CC | 01-OCT-02 |
| | MIL-PRF-39015/3L | RESISTORS, VARIABLE, WIRE-WOUND (LEAD- SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RTR24[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 19-MAY-97 |
| | MIL-PRF-39015/2H | RESISTORS, VARIABLE, WIRE-WOUND (LEAD- SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RTR22[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 19-MAY-97 |
| | MIL-PRF-22/6D NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (ENCLOSED), STYLE RP16[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22/3C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP10[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22/5C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP15[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22/7C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP20[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22/8C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP25[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22/9C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP30[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22/10C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP35[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22/13B NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, POWER TYPE, (UNENCLOSED), STYLE RP50[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-12934/34B NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION STYLE RR1004[CUST: EC] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-12934/33B NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION STYLE RR2002[CUST: EC] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-12934/36B NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION STYLE RR3601[CUST: EC] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-12934/31E NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION STYLE RR4000[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-12934/35B NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE 2RR2104[CUST: EC] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-12934/1C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR0900[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-12934/6C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1000[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-12934/2C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1100[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-12934/19C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1300[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-12934/20C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1400[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-12934/4C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR2000[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-12934/9C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR2100[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-12934/5C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3000[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-12934/10D NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3100[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-12934/15D NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3200[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-12934/16E NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3300[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-12934/17D NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3400[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 27-JAN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-12934/18D NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3500[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-12934/27D NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3600[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-12934/28E NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3700[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 27-JAN-04 |
| | MIL-PRF-12934/29D NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3800[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-12934/30E NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3900[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 23-JAN-04 |
| | MIL-PRF-12934/32C NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR4100[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 27-JAN-04 |
| | QPL-39002-13 | RESISTORS, VARIABLE, WIREWOUND, SEMI-PRECISION, GENERAL SPECIFICATION FOR | A | 5905 | | CC | 31-MAR-05 |
| | MIL-PRF-39002B | RESISTORS, VARIABLE, WIREWOUND, SEMI-PRECISION, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 14-MAY-04 |
| | QPL-83530-7 | RESISTORS, VOLTAGE SENSITIVE (VARISTOR, METAL-OXIDE) GENERAL SPECIFICATION FOR | A | 5905 | | CC | 22-DEC-04 |
| | MIL-PRF-83530B(1) | RESISTORS, VOLTAGE SENSITIVE (VARISTOR, METAL-OXIDE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 15-JUN-02 |
| | MIL-PRF-83530/1B NOT 1 | RESISTORS, VOLTAGE SENSITIVE (VARISTORS) STYLE RVS10[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 14-JUN-04 |
| | MIL-R-60864 NOT 3 | RESORCINOL[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 02-DEC-96 |
| | MIL-R-22578B(1) | RESORCINOL[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 08-FEB-94 |
| | A-A-30189 | RESPIRATOR, PARTICULATE HEALTHCARE[CUST: MD MS 03] | A | 6515 | * | MB | 18-SEP-92 |
| | ANSI-Z88.2 | RESPIRATORY PROTECTION[CUST: EA SH] [REVIEW: AR MD] | A | 4240 | | CT | 06-AUG-92 |
| | STANAG-3430 ED.10 | RESPONSIBILITIES FOR AIRCRAFT CROSS SERVICING (ACS) | C | ISDF | | 06 | 06-JUN-03 |
| | STANAG-3812 ED.6(4) | RESPONSIBILITIES FOR AIRCRAFT CROSS-SERVICING GROUND CREW TRAINING | C | ISDF | | 06 | 05-JUL-93 |
| | STANAG-3466 ED.2(6) | RESPONSIBILITIES OF AIR TRANSPORT UNITS AND USER UNITS IN THE LOADING AND UNLOADING OF TRANSPORT AIRCRAFT IN TACTICAL AIR TRANSPORT OPERATIONS | C | ISDF | | 06 | 05-JUN-75 |
| | AIR-STD-44/18H | RESPONSIBILITIES OF AIR TRANSPORT UNITS, AND AIR TRANSPORTED (USER) UNITS FOR AIR MOVEMENT IN COMBINED OPERATIONS | C | ISDF | | 06 | 29-SEP-92 |
| | STANAG-3616 ED.1(6) | RESPONSIBILITY FOR THE DESIGN AND PROVISION OF ADAPTORS NECESSARY FOR THE COMPATIBILITY OF AIR CARGO LOADING, SECURING, UNLOADING OR DROPPING SYSTEMS IN FIXED WING AIRCRAFT | C | ISDF | | 06 | 19-OCT-72 |
| | AIR-STD-44/12E(3) | RESTAINT FACTORS FOR FIXED WING AIRCRAFT | C | ISDF | | 06 | 07-JUN-00 |
| | MIL-STD-2110 NOT 1 | RESTORATION, OVERHAUL, AND REPAIR OF ELECTRONIC EQUIPMENT[Military Standard][CUST: EC] | A | MISC | | EC | 18-DEC-86 |
| | AIR-STD-61/102/2B | RESTRAINT AND PARACHUTE HARNESSES FOR AIRCREW | C | ISDF | | 06 | 11-SEP-84 |
| | A-A-54461 | RESTRAINT SET, WRIST AND ANKLE[CUST: MD MS 03] | A | 6530 | / | MB | 10-FEB-92 |
| | MIL-R-81729A NOT 1 | RESTRAINT SYSTEMS, AIRCREWMANS[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 11 | 29-OCT-91 |
| | MIL-R-48664B | RESTRAINT SYSTEMS, AMMUNITION (USING BLOW MOLDED PLASTIC DIVIDERS)[CUST: AR] | A | 2590 | | AR | 18-MAR-93 |
| | A-A-51371 | RESUSCIATOR AND ASPIRATOR[CUST: MD MS 03] | A | 6515 | | MB | 31-MAR-86 |
| | A-A-0051607 | RESUSCIATOR-INHALATOR-VENTILATOR[CUST: MD MS 03] | A | 6515 | / | MB | 12-AUG-86 |
| | QSTAG-677 ED.2 | RESUSCITATION MATERIEL FOR FIELD USE[CUST: AI] | C | ISDA | | AI | 12-AUG-91 |
| | A-A-51603A | RESUSCITATOR, CARDIOPULMONARY[CUST: MD MS 03] | A | 6515 | / | MB | 17-APR-87 |
| | A-A-51581A | RESUSCITATOR, HAND OPERATED[CUST: MD MS 03] | A | 6515 | / | MB | 31-AUG-87 |
| | A-A-51735A | RESUSCITATOR, HAND-OPERATED (INTERMITTENT POSITIVE PRESSURE, HIGH OXYGEN CONCENTRATION CAPACITY)[CUST: MD MS 03] | A | 6515 | / | MB | 17-MAY-92 |
| | A-A-53633A | RESUSCITATOR, MOUTH TO MASK, ADULT, SINGLE USE[CUST: MD MS 03] | A | 6515 | / | MB | 24-MAR-89 |
| | MIL-DTL-24251/4B | RETAINER (BASE),AND ADAPTER, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE[CUST: CR EC 11 CC] [REVIEW: 19 CG MC MI] | A | 5960 | | CC | 14-MAY-03 |
| | A-A-52505 | RETAINER, BATTERY (METRIC)[CUST: AT 99] [REVIEW: 84 CC CR4 GS MC MI] | A | 6160 | / | AT | 28-OCT-94 |
| | SAE-AS1717 | RETAINER, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS[CUST: AV 99 CC] [REVIEW: 71] | A | 4730 | | CC | SEP-95 |
| | A-A-55273 | RETAINER, EYEWEAR[CUST: GL NU 99 CT] [REVIEW: 11 AS CG MC MD] | A | 8465 | / | CT | 18-APR-95 |
| | NAS578 | RETAINER, FLOATING BARREL NUT[CUST: AV AS 11] [REVIEW: CR4] | A | 5340 | | IS | 31-OCT-97 |
| | MS53040B | RETAINER, KINGPIN, FIFTH WHEEL-UNIVERSAL[CUST: AT MC 99 CC] [REVIEW: 84] | A | 2510 | | CC | 20-NOV-01 |
| | SAE-MA3450 | RETAINER, NUT AND BOLT, CUP LOCK 5 MM AND 6 MM, AMS 5510, METRIC[CUST: AR AS 99 IS] | A | 5340 | | IS | 18-SEP-91 |
| | NA0134 | RETAINER, NUT, FLOATING BARREL, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5310 | | IS | JUN-81 |
| | SAE-AS8791/1 | RETAINER, PACKING, HYDRAULIC AND PNEUMATIC, POLYTETRAFLUOROETHYLENE, SINGLE TURN[CUST: MR AS 99 IS] | A | 5330 | | IS | JAN-97 |
| | SAE-AS8791 | RETAINERS, HYDRUALIC, AND PNEUMATIC, BACKUP-UP RINGS) , POLYTETRAFLUOROETHYLENE (PTFE) RESIN[CUST: MR AS 99 IS] | A | 5330 | | IS | 09-MAR-98 |
| | A-A-53291 | RETRACTOR PERIOSTEAL, (PRICHARD NO. 3)[CUST: MD MS 03] | A | 6520 | / | MB | 07-DEC-87 |
| | A-A-53603 | RETRACTOR, ABDOMINAL (BALFOUR, SELF-RETAINING)[CUST: MD MS 03] | A | 6515 | / | MB | 28-JUL-88 |
| | A-A-54107 | RETRACTOR, ABDOMINAL, 12 INCHES (DEAVER)[CUST: MD MS 03] | A | 6515 | / | MB | 01-MAR-90 |
| | A-A-53418 | RETRACTOR, CHEEK, LIGHT ANGLE (JOHNSON)[CUST: MD MS 03] | A | 6515 | / | MB | 22-MAR-88 |
| | A-A-54536 | RETRACTOR, EYELID, NONMAGNETIC, DESMARRES, 5-1/2 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 31-DEC-91 |
| | A-A-54108 | RETRACTOR, GENERAL OPERATING (VOLKMANN)[CUST: MD MS 03] | A | 6515 | / | MB | 02-MAR-90 |
| | A-A-54264 | RETRACTOR, GENERAL OPERATING, BLAIR, FOUR CURVED-PRONGS[CUST: MD MS 03] | A | 6515 | / | MB | 02-NOV-90 |
| | A-A-51586A | RETRACTOR, GENERAL, SENN[CUST: MD MS 03] | A | 6515 | / | MB | 03-FEB-87 |
| | A-A-54237 | RETRACTOR, GOITER (BECKMAN)[CUST: MD MS 03] | A | 6515 | / | MB | 10-SEP-90 |
| | A-A-54823 | RETRACTOR, HEMILAMINECTOMY, HAVERFIELD-SCOVILLE AND BLADES, INTERCHANGEABLE[CUST: MD MS 03] | A | 6515 | / | MB | 28-MAY-93 |
| | A-A-54238 | RETRACTOR, LAMINECTOMY (MEYERDING)[CUST: MD MS 03] | A | 6515 | / | MB | 11-SEP-90 |
| | A-A-54236 | RETRACTOR, MASTOID (WEITLANER)[CUST: MD MS 03] | A | 6515 | / | MB | 07-SEP-90 |
| | A-A-54535 | RETRACTOR, MASTOID, JANSEN, 3-VS-3, BLUNT PRONGS[CUST: MD MS 03] | A | 6515 | / | MB | 25-NOV-91 |
| | A-A-54815 | RETRACTOR, NERVE ROOT, HOLSHER[CUST: MD MS 03] | A | 6515 | / | MB | 26-FEB-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51940A | RETRACTOR, ORAL (OBWEGESER, 14 BY 70 MM CURVED DOWNWARD)[CUST: MD MS 03] | A | 6520 | / | MB | 13-NOV-89 |
| | A-A-54155 | RETRACTOR, ORTHOPEDIC (5-1/2 INCH, SMILLIE)[CUST: MD MS 03] | A | 6515 | / | MB | 18-MAY-90 |
| | A-A-54168 | RETRACTOR, ORTHOPEDIC, HOHMANN[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-90 |
| | A-A-54931 | RETRACTOR, RIB, FINOCCHIETO[CUST: MD MS 03] | A | 6515 | / | MB | 10-DEC-93 |
| | A-A-54274 | RETRACTOR, SPINAL (ADSON-BECKMAN)[CUST: MD MS 03] | A | 6515 | / | MB | 05-NOV-90 |
| | A-A-54223 | RETRACTOR, STERNAL, COOLEY, WITH WIDE CONCAVE BLADES[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUL-90 |
| | A-A-53335 | RETRACTOR, TONGUE AND CHEEK (UNIVERSITY OF MINNESOTA)[CUST: MD MS 03] | A | 6520 | / | MB | 18-JAN-88 |
| | A-A-54572 | RETRACTOR, TRACHEAL, HUPP[CUST: MD MS 03] | A | 6515 | / | MB | 17-JAN-92 |
| | A-A-54160 | RETRACTOR, VAGINAL (SIMS)[CUST: MD MS 03] | A | 6515 | / | MB | 05-JUN-90 |
| | MIL-PRF-7726J SUP 1 | RETREAD TIRES, RIBBED TREAD, PNEUMATIC AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 2620 | | 70 | 29-JAN-01 |
| | MIL-R-53002(2) | RETROFIT KIT, ROLLER, MINE CLEARING, TRACK WIDTH, TANK MOUNTED[CUST: AT] | A | 1095 | | AT | 04-JUN-85 |
| | MIL-HDBK-288B | REVIEW AND ACCEPTANCE OF ENGINEERING DRAWING PACKAGES[CUST: AR MC 16] | A | DRPR | | MC | 14-JAN-91 |
| | DI-MISC-80094 | REVISED TECHNICAL DATA FOR REBUILT INDUSTRIAL PLANT EQUIPMENT [AMSC: S3744] | A | MISC | | DH | 11-DEC-85 |
| | DI-ADMN-80925 | REVISIONS TO EXISTING GOVERNMENT DOCUMENTS [AMSC: A4866] | A | ADMN | | AM | 05-JAN-90 |
| | IPC-TM650.2.4.36 | REWORK SIMULATION, PLATED-THROUGH HOLES FOR LEADED COMPONENTS[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | DI-FNCL-80753A | REWORK/REPAIR AND SCRAP COST REPORT [AMSC: A4794] | A | FNCL | | AM | 27-JUL-89 |
| | ITOP-6.3.036 | RF MOTION SENSOR FOR INTERIOR APPLICATIONS (U) | D | ISDA | | TE | 30-AUG-91 |
| | MIL-DTL-41819/42A NOT 1 | RIBBON ATTACHMENT, 50TH ANNIVERSARY, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-41819/41B NOT 1 | RIBBON ATTACHMENT, 75TH ANNIVERSARY COMMEMORATIVE MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-41819/26E NOT 2 | RIBBON ATTACHMENT, ADDITIONAL AWARDS (LAMP), JROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/20D NOT 2 | RIBBON ATTACHMENT, ADDITIONAL AWARDS, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/19E NOT 2 | RIBBON ATTACHMENT, ADDITIONAL CIVILIAN AWARDS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/6E NOT 2 | RIBBON ATTACHMENT, ADDITIONAL CIVILIAN AWARDS, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/30C NOT 2 | RIBBON ATTACHMENT, AFROTC BRONZE CROSS[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/29C NOT 2 | RIBBON ATTACHMENT, AFROTC DRILL TEAM AND COLOR GUARD BARS[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/47A | RIBBON ATTACHMENT, ARCTIC "A," AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 08-APR-05 |
| | MIL-DTL-41819/11E NOT 2 | RIBBON ATTACHMENT, ARMED FORCES RESERVE NUMERAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/12E NOT 2 | RIBBON ATTACHMENT, ARROWHEAD[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/13F NOT 2 | RIBBON ATTACHMENT, BERLIN AIRLIFT[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/24D NOT 2 | RIBBON ATTACHMENT, BRAVERY, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/17D NOT 2 | RIBBON ATTACHMENT, CLASP, ANTARCTICA SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/8F NOT 2 | RIBBON ATTACHMENT, CLASP, GOOD CONDUCT MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/9E NOT 2 | RIBBON ATTACHMENT, CLASPS, CAMPAIGN AND SERVICE MEDALS FOR ARMY, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/10E NOT 2 | RIBBON ATTACHMENT, CLASPS, CAMPAIGN AND SERVICE MEDALS FOR NAVY, MARINE CORPS AND COAST GUARD[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/23E NOT 2 | RIBBON ATTACHMENT, DATE BAR, REPUBLIC OF VIETNAM CAMPAIGN MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/18D NOT 2 | RIBBON ATTACHMENT, DISC, ANTARCTICA SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/37B NOT 2 | RIBBON ATTACHMENT, DISTINGUISHED MARKSMAN, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/38B NOT 2 | RIBBON ATTACHMENT, DISTINGUISHED PISTOL SHOT, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/36B NOT 2 | RIBBON ATTACHMENT, EXCELLENCE IN COMPETITION, PISTOL SHOT, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/35B NOT 2 | RIBBON ATTACHMENT, EXCELLENCE IN COMPETITION, RIFLEMAN, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/16D NOT 2 | RIBBON ATTACHMENT, FLEET MARINE FORCE COMBAT INSIGNIA[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/27C NOT 2 | RIBBON ATTACHMENT, HEROISM WREATH[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/39B NOT 2 | RIBBON ATTACHMENT, KUWAIT LIBERATION, KINGDOM OF SAUDI ARABIA[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/1D NOT 2 | RIBBON ATTACHMENT, LEGION OF MERIT, CHIEF COMMANDER AND COMMANDER[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/2D NOT 2 | RIBBON ATTACHMENT, LEGION OF MERIT, OFFICER[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/33C NOT 2 | RIBBON ATTACHMENT, LETTER "E"[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/40C NOT 2 | RIBBON ATTACHMENT, LETTER "M"[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/32D NOT 2 | RIBBON ATTACHMENT, LETTER "S"[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/3F | RIBBON ATTACHMENT, LETTER "V"[CUST: IH NU 11] [REVIEW: CG CT MC] | A | 8455 | | IH | 22-JUL-04 |
| | MIL-DTL-41819/14D NOT 2 | RIBBON ATTACHMENT, LETTER "W"[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/44 | RIBBON ATTACHMENT, LONG SERVICE MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUL-01 |
| | MIL-DTL-41819/43 | RIBBON ATTACHMENT, MERITORIOUS SERVICE, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 05-JAN-01 |
| | MIL-DTL-41819/31C NOT 2 | RIBBON ATTACHMENT, NAVY "E"[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/45 | RIBBON ATTACHMENT, NEWTON-AZRAK MEDAL FOR HEROISM, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 25-APR-02 |
| | MIL-DTL-41819/4G | RIBBON ATTACHMENT, OAK LEAF CLUSTER[CUST: IH NU 11] [REVIEW: CG CT MC] | A | 8455 | | IH | 20-MAY-05 |
| | MIL-DTL-41819/28C NOT 2 | RIBBON ATTACHMENT, OPERATIONAL DISTINGUISHING DEVICE, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/22E NOT 2 | RIBBON ATTACHMENT, PALM, VIETNAMESE GALLANTRY CROSS[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/46 | RIBBON ATTACHMENT, PUBLIC SAFETY OFFICER'S MEDAL OF VALOR, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 22-AUG-02 |
| | MIL-DTL-41819/7L | RIBBON ATTACHMENT, STAR[CUST: IH NU 11] [REVIEW: CG CT MC] | A | 8455 | | IH | 20-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-41819/5D NOT 2 | RIBBON ATTACHMENT, SUPERIOR CADET AWARD, ARMY ROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/25F NOT 2 | RIBBON ATTACHMENT, TORCH, SROTC, ARMY AND AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/34C NOT 2 | RIBBON ATTACHMENT, TRIANGLE, NATIONAL OCEANOGRAPHIC AND ATMOSPHERIC ASSOCIATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/15D NOT 2 | RIBBON ATTACHMENT; LETTER "A"[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-41819C SUP 1A NOT 3 | RIBBON ATTACHMENTS, DECORATION AND MEDAL GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-41819/21K | RIBBON ATTACHMENTS: NUMERALS, ARMY AND MARINE CORPS; STRIKE/FLIGHT DEVICES, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-JUL-04 |
| | MIL-DTL-11589/391B NOT 1 | RIBBON, AIR MEDAL, CIVILIAN, AIR FORCE[CUST: IH 11] [REVIEW: 99] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/511 NOT 2 | RIBBON, 75TH ANNIVERSARY COMMEMORATIVE MEDAL, U.S. BORDER PATROL, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/592 | RIBBON, 9-11 MEDAL, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-04 |
| | MIL-DTL-11589/587B | RIBBON, 9-11 RIBBON, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JUN-04 |
| | MIL-DTL-11589/514 NOT 1 | RIBBON, ACADEMIC RIBBON, AFJROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/269D NOT 2 | RIBBON, ACADEMIC TEAM, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/386B NOT 2 | RIBBON, ACHIEVEMENT AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/246D NOT 2 | RIBBON, ACHIEVEMENT AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/331B NOT 2 | RIBBON, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/274D NOT 2 | RIBBON, ACHIEVEMENT MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/280D NOT 2 | RIBBON, ACHIEVEMENT MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| M | MIL-DTL-11589/134G | RIBBON, ACHIEVEMENT MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 25-APR-06 |
| | MIL-DTL-11589/133F | RIBBON, ACHIEVEMENT MEDAL, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 31-MAY-05 |
| | MIL-DTL-11589/516 NOT 1 | RIBBON, ACHIEVEMENT RIBBON, AFJROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/431 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-1[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/440 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-10[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/432 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-2[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/433 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-3[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/434 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-4[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/435A NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-5[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/436 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-6[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/437 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-7[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/438 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-8[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/439 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-9[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/441 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-1[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/442 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-2[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/443 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-3[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/444 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-4[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/445 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-5[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/459 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY N-3-14[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/446 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-1[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/455 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-10[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/456 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-11[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/457 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-12[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/458 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-13[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/460 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-15[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/447 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-2[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/448 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-3[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/449 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-4[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/450 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-5[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/451 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-6[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/452 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-7[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/453 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-8[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/454 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-9[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/461 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-1[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/462 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-2[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/463 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-3[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/464 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-4[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/465 NOT 2 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-5[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/396 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-1[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/405A NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-10[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/397 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-2[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/398 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-3[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/399 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-4[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/400 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-5[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/401 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-6[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/402 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-7[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/403 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-8[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11589/404A NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-5-1[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/406 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-1[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/407A NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-2[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/408 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-3[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/409 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-4[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/410 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-5[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/411 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-6[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/412A NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-7[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/413A NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-3-12[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/416 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-1[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/425 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-10[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/415A NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-11[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/414A NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-13[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/417 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-2[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/418 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-3[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/419 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-4[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/420 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-5[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/421 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-6[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/422 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-7[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/423 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-8[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/424 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-9[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/426 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-1[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/427 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-2[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/428 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-3[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/429 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-4[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/430 NOT 2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-5[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/207E NOT 2 | RIBBON, ADMINISTRATOR'S AWARD, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/333C NOT 2 | RIBBON, AERIAL ACHIEVEMENT MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/390B NOT 1 | RIBBON, AERIAL ACHIEVEMENT MEDAL, CIVILIAN, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/593 | RIBBON, AFGHANISTAN CAMPAIGN MEDAL[CUST: IH NU 11] [REVIEW: CT MC] | A | 8455 | | IH | 18-FEB-05 |
| | MIL-DTL-11589/186C NOT 2 | RIBBON, AFRICAN SLAVE PATROL[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/211F NOT 1 | RIBBON, AFROTC ACADEMIC AWARD (SIX WEEK FIELD TRAINING) AND AFJROTC DRESS AND APPEARANCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/214C NOT 2 | RIBBON, AFROTC ATHLETIC AWARD (FOUR AND SIX WEEK FT.) AND AFJROTC OUTSTANDING FLIGHT[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/212F | RIBBON, AFROTC COLLEGE SCHOLARSHIP RECIPIENT AND AFJROTC DISTINGUISHED UNIT AWARD[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-04 |
| | MIL-DTL-11589/215E NOT 2 | RIBBON, AFROTC COMMANDANT'S AWARD (FIELD TRAINING) AND AFJROTC ATTENDANCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/210D NOT 2 | RIBBON, AFROTC DISTINCTIVE GENERAL MILITARY CADET AND AFJROTC ORIENTEERING COMPETITION[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/213E | RIBBON, AFROTC HONORS AND AFJROTC TOP PERFORMER AWARD[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-04 |
| | MIL-DTL-11589/209E NOT 1 | RIBBON, AFROTC LEADERSHIP AND AFJROTC GOOD CONDUCT[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/219E NOT 2 | RIBBON, AFROTC LEADERSHIP SCHOOL[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/217C NOT 2 | RIBBON, AFROTC MARKSMANSHIP AWARD (FOUR AND SIX WEEK FT.) AND AFJROTC SERVICE RIBBON[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/288E NOT 2 | RIBBON, AFROTC OUTSTANDING FLIGHT AND AFJROTC DRILL COMPETITION[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/287C NOT 2 | RIBBON, AFROTC RECRUITING AWARD[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/218C NOT 2 | RIBBON, AFROTC SUPERIOR PERFORMANCE AND AFJROTC LONGEVITY[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/216E NOT 1 | RIBBON, AFROTC WARRIOR SPIRIT AND AFJROTC ACTIVITIES[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/577 | RIBBON, AIR AND SPACE CAMPAIGN MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 14-JAN-03 |
| | MIL-DTL-11589/2D NOT 2 | RIBBON, AIR FORCE CROSS[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/3D NOT 2 | RIBBON, AIR FORCE LONGEVITY SERVICE AWARD[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/4D NOT 2 | RIBBON, AIR FORCE OUTSTANDING UNIT AWARD[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/277C NOT 2 | RIBBON, AIR FORCE OVERSEAS[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/278D NOT 2 | RIBBON, AIR FORCE OVERSEAS, WITH SHORT TOUR DESIGNATION[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/276C NOT 2 | RIBBON, AIR FORCE RECOGNITION[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/533 NOT 1 | RIBBON, AIR FORCE RECRUITING[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/5D NOT 2 | RIBBON, AIR FORCE SMALL ARMS MARKSMANSHIP[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/275C NOT 2 | RIBBON, AIR FORCE TRAINING[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/7D NOT 2 | RIBBON, AIR MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/8F NOT 2 | RIBBON, AIR RESERVE FORCES MERITORIOUS SERVICE MEDAL[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/6D NOT 2 | RIBBON, AIRMAN'S MEDAL[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/9F NOT 2 | RIBBON, AMERICAN CAMPAIGN MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/10E NOT 2 | RIBBON, AMERICAN DEFENSE SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/11E NOT 2 | RIBBON, ANTARCTICA SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/250C NOT 2 | RIBBON, APTITUDE AWARD, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/232D NOT 2 | RIBBON, ARCTIC SERVICE MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11589/507 NOT 2 | RIBBON, ARMED FORCES CIVILIAN SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/12E NOT 2 | RIBBON, ARMED FORCES EXPEDITIONARY MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/13E NOT 2 | RIBBON, ARMED FORCES RESERVE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/467 NOT 2 | RIBBON, ARMED FORCES SERVICE MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/194C NOT 2 | RIBBON, ARMY COMMANDERS LEADERSHIP AWARD, ROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/283C NOT 2 | RIBBON, ARMY NCO PROFFESSIONAL DEVELOPMENT[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/14E NOT 2 | RIBBON, ARMY OF CUBAN OCCUPATION MEDAL[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/42E NOT 2 | RIBBON, ARMY OF CUBAN PACIFICATION MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/112E NOT 2 | RIBBON, ARMY OF OCCUPATION MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/15F NOT 2 | RIBBON, ARMY OF OCCUPATION OF GERMANY MEDAL (1918 - 1923)[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/16E NOT 2 | RIBBON, ARMY OF PUERTO RICAN OCCUPATION MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/282C NOT 2 | RIBBON, ARMY OVERSEAS SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/295C NOT 2 | RIBBON, ARMY RESERVE COMPONENT, OVERSEAS TRAINING[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/196C NOT 2 | RIBBON, ARMY RESERVE COMPONENTS ACHIEVEMENT MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/195C NOT 2 | RIBBON, ARMY ROTC LEADERSHIP AWARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/281C NOT 2 | RIBBON, ARMY SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/304B NOT 2 | RIBBON, ARMY SUPERIOR UNIT AWARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/17E NOT 2 | RIBBON, ASIATIC - PACIFIC CAMPAIGN MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/258C NOT 2 | RIBBON, AT SEA CRUISE, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/323C NOT 2 | RIBBON, ATLANTIC SERVICE, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/362C NOT 2 | RIBBON, ATLANTIC WAR ZONE MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/540 NOT 1 | RIBBON, AUXILIARY OPERATIONS SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/541 NOT 1 | RIBBON, AUXILIARY PUBLIC EDUCATION SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/542 NOT 1 | RIBBON, AUXILIARY RECRUITING SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/543A NOT 1 | RIBBON, AUXILIARY VESSEL EXAMINATIONS/MARINE DEALER VISITATION SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/84D NOT 2 | RIBBON, AWARD FOR DISTINGUISHED ACHIEVEMENT IN SCIENCE, NAVY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/175F NOT 2 | RIBBON, AWARD FOR VALOR, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/169E NOT 2 | RIBBON, AWARD FOR VALOR, FEDERAL AVIATION ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/573 | RIBBON, AWARD FOR VALOR, SECRETARY OF THE ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 08-MAY-02 |
| | MIL-DTL-11589F SUP 1 NOT 2 | RIBBON, AWARDS, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: 99 CG CT DC DI DS MC NA NS] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/185C NOT 2 | RIBBON, BARBARY WARS[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/221C NOT 2 | RIBBON, BASIC MILITARY TRAINING, HONOR GRADUATE, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/496 NOT 2 | RIBBON, BICENTENNIAL, UNIT COMMENDATION, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/309C NOT 2 | RIBBON, BRONZE MEDAL, DEPARTMENT OF COMMERCE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/18E NOT 2 | RIBBON, BRONZE STAR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/19D NOT 2 | RIBBON, BYRD ANTARCTIC EXPEDITION[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/338B NOT 2 | RIBBON, CADET TROOP LEADERSHIP, ARMY ROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/193D NOT 2 | RIBBON, CAMP COMMANDERS LEADERSHIP AWARD, ROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/20E NOT 2 | RIBBON, CAPTAIN ROBERT DEXTER CONRAD AWARD FOR SCIENTIFIC ACHIEVEMENT, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/589 | RIBBON, CEREMONIAL GUARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 05-MAY-04 |
| | MIL-DTL-11589/510 NOT 2 | RIBBON, CHAIRMAN'S AWARD, CHEMICAL SAFETY AND HAZARD INVESTIGATION BOARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/568 | RIBBON, CHIEF'S COMMENDATION MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-NOV-01 |
| | MIL-DTL-11589/21E NOT 2 | RIBBON, CHINA CAMPAIGN MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/22D NOT 2 | RIBBON, CHINA RELIEF EXPEDITION[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/23E NOT 2 | RIBBON, CHINA SERVICE MEDAL[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/24D NOT 2 | RIBBON, CHRYSSOUN ARISTION ANDRIAS (BRAVERY GOLD MEDAL OF GREECE)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/279D NOT 2 | RIBBON, CITATION, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/25E NOT 2 | RIBBON, CIVIL WAR CAMPAIGN MEDAL[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/564 | RIBBON, CIVILIAN ACHIEVEMENT MEDAL, DEFENSE ACQUISITION UNIVERSITY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUL-01 |
| | MIL-DTL-11589/567 | RIBBON, CIVILIAN ACHIEVEMENT MEDAL, U.S. AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 15-NOV-01 |
| | MIL-DTL-11589/317C NOT 2 | RIBBON, CIVILIAN AWARD FOR HUMANITARIAN SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/26D NOT 2 | RIBBON, CIVILIAN AWARD FOR VALOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/367B NOT 2 | RIBBON, CIVILIAN CAREER SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/561A | RIBBON, CIVILIAN CAREER SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-AUG-01 |
| | MIL-DTL-11589/497 NOT 2 | RIBBON, CIVILIAN COMBAT SUPPORT MEDAL, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/359E | RIBBON, CIVILIAN DESERT SHIELD/DESERT STORM[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 18-JUN-04 |
| | MIL-DTL-11589/162E NOT 2 | RIBBON, CIVILIAN SERVICE IN VIETNAM MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/270E NOT 2 | RIBBON, CNET HONOR UNIT, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/355B NOT 2 | RIBBON, COAST GUARD "E"[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/350B NOT 2 | RIBBON, COAST GUARD BICENTENNIAL UNIT COMMENDATION[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/29D NOT 2 | RIBBON, COAST GUARD EXPERT PISTOL SHOT[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/30D NOT 2 | RIBBON, COAST GUARD EXPERT RIFLEMAN[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11589/238C NOT 2 | RIBBON, COAST GUARD LETTER OF COMMENDATION[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/290D NOT 1 | RIBBON, COAST GUARD MARITIME PROTECTION FOR THE NEW REPUBLIC[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/32G NOT 1 | RIBBON, COAST GUARD MEDAL[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/299B NOT 2 | RIBBON, COAST GUARD SEA SERVICE[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/145D NOT 2 | RIBBON, COAST GUARD UNIT COMMENDATION[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/518 NOT 1 | RIBBON, COCURRICULAR ACTIVITIES LEADERSHIP RIBBON, AFJROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/519 NOT 1 | RIBBON, COLOR GUARD RIBBON, AFJROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/259C NOT 2 | RIBBON, COLOR GUARD, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/171D NOT 2 | RIBBON, COMBAT ACTION[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/33D NOT 2 | RIBBON, COMBAT AND EXPERT INFANTRY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/87E NOT 2 | RIBBON, COMBAT AND EXPERT MEDICAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/34D NOT 2 | RIBBON, COMBAT READINESS MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/35D NOT 2 | RIBBON, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/36D NOT 2 | RIBBON, COMMANDANT'S AWARD, COAST GUARD (RESERVE GUIDON)[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/539 NOT 1 | RIBBON, COMMANDANT'S LETTER OF APPRECIATION, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| A | MIL-DTL-11589/595 | RIBBON, COMMANDER S PUBLIC SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 07-DEC-05 |
| | MIL-DTL-11589/231D NOT 2 | RIBBON, COMMANDER'S AWARD FOR CIVILIAN SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/291C NOT 2 | RIBBON, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/375C NOT 2 | RIBBON, COMMENDABLE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/200D NOT 2 | RIBBON, COMMENDABLE SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/284C NOT 2 | RIBBON, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SERVICES[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/1E NOT 2 | RIBBON, COMMENDATION MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 27-JUN-01 |
| | MIL-DTL-11589/37D NOT 2 | RIBBON, COMMENDATION MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/27F NOT 2 | RIBBON, COMMENDATION MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| A | MIL-DTL-11589/100F | RIBBON, COMMENDATION MEDAL, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 18-OCT-05 |
| | MIL-DTL-11589/297C NOT 2 | RIBBON, COMMENDATION MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/242C NOT 2 | RIBBON, COMMENDATION UNIT, USPHS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/545 NOT 1 | RIBBON, COMMISIONER'S NEWTON-AZRAK AWARD FOR HEROISM, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-11589/556A | RIBBON, COMMISSIONED CORPS TRAINING RIBBON, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 25-JUL-01 |
| | MIL-DTL-11589/357C NOT 2 | RIBBON, COMMISSIONED OFFICERS ASSOCIATION, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/547 NOT 1 | RIBBON, COMMISSIONER'S DISTINGUISHED CAREER SERVICE AWARD, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-11589/548 NOT 1 | RIBBON, COMMISSIONER'S EXCELLENCE IN GROUP ACHIEVEMENT AWARD, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-11589/555 | RIBBON, COMMISSIONER'S EXCEPTIONAL SERVICE AWARD, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-MAY-01 |
| | MIL-DTL-11589/552 NOT 1 | RIBBON, COMMISSIONER'S MERITORIOUS SERVICE OR MERITORIOUS ACHIEVEMENT AWARD, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-11589/550 NOT 1 | RIBBON, COMMISSIONER'S SPECIAL COMMENDATION AWARD, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-11589/263C NOT 2 | RIBBON, COMMUNITY SERVICE, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/180E NOT 2 | RIBBON, CONGRESSIONAL SPACE MEDAL OF HONOR[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/310C NOT 2 | RIBBON, CORPS COMMENDATION MEDAL, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/373A NOT 2 | RIBBON, CRISIS RESPONSE SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE (USPHS)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/38D NOT 2 | RIBBON, CROIX DE GUERRE, BELGIAN[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/39D NOT 2 | RIBBON, CROIX DE GUERRE, FRENCH, WORLD WAR I[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/40D NOT 2 | RIBBON, CROIX DE GUERRE, FRENCH, WORLD WAR II[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/41D NOT 2 | RIBBON, CROIX DE GUERRE, LUXEMBOURG[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/182D NOT 2 | RIBBON, DEFENSE DISTINGUISHED SERVICE MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/302C NOT 2 | RIBBON, DEFENSE INTELLIGENCE DIRECTOR'S AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/361C NOT 2 | RIBBON, DEFENSE MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/234C NOT 2 | RIBBON, DEFENSE MERITORIOUS SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/220C NOT 2 | RIBBON, DEFENSE SUPERIOR SERVICE MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/43D NOT 2 | RIBBON, DEWEY MEDAL[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/387B NOT 2 | RIBBON, DIRECTOR'S AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/248C NOT 2 | RIBBON, DISTINGUISHED CADET, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/225C NOT 2 | RIBBON, DISTINGUISHED CAREER SERVICE AWARD, A.I.D., DEPARTMENT OF STATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/336C NOT 2 | RIBBON, DISTINGUISHED CAREER SERVICE AWARD, DEFENSE LOGISTICS AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/201D NOT 2 | RIBBON, DISTINGUISHED CAREER SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/569A | RIBBON, DISTINGUISHED CIVILIAN MEDAL FOR VALOR, DEPARTMENT OF THE NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-02 |
| | MIL-DTL-11589/46E NOT 2 | RIBBON, DISTINGUISHED CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11589/366B NOT 2 | RIBBON, DISTINGUISHED CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/527A NOT 1 | RIBBON, DISTINGUISHED CIVILIAN SERVICE AWARD, DEPARTMENT OF DEFENSE, INSPECTOR GENERAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/44E NOT 2 | RIBBON, DISTINGUISHED CIVILIAN SERVICE AWARD, DOD[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/45F NOT 1 | RIBBON, DISTINGUISHED CIVILIAN SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/503 NOT 2 | RIBBON, DISTINGUISHED CIVILIAN SERVICE MEDAL, NATIONAL IMAGERY AND MAPPING AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/560A | RIBBON, DISTINGUISHED CIVILIAN SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-AUG-01 |
| | MIL-DTL-11589/47D NOT 2 | RIBBON, DISTINGUISHED FLYING CROSS[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/223D NOT 2 | RIBBON, DISTINGUISHED PUBLIC SERVICE AWARD, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/49F NOT 1 | RIBBON, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/48F NOT 2 | RIBBON, DISTINGUISHED PUBLIC SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/163E NOT 2 | RIBBON, DISTINGUISHED PUBLIC SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/394A NOT 2 | RIBBON, DISTINGUISHED PUBLIC SERVICE, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/349D NOT 2 | RIBBON, DISTINGUISHED SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/159E NOT 2 | RIBBON, DISTINGUISHED SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/50D NOT 2 | RIBBON, DISTINGUISHED SERVICE CROSS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/51E NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/52E NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/384A NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/28E NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/372B NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/377B NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/203F NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, FEDERAL EMERGENCY MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/326B NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/53F NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/102F NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, NAVY AND MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/298C NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/236C NOT 2 | RIBBON, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/494A NOT 1 | RIBBON, DISTINGUISHED SERVICE, DEFENSE THREAT REDUCTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/473 NOT 2 | RIBBON, DISTINGUISHED SERVICE, NATIONAL RECONNAISANCE OFFICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/55E NOT 2 | RIBBON, DISTRICT AWARD, COAST GUARD (RESERVE GUIDON)[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/56D NOT 2 | RIBBON, DOMINICAN CAMPAIGN[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/498 NOT 2 | RIBBON, DRILL INSTRUCTOR, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/515 NOT 1 | RIBBON, DRILL TEAM RIBBON, AFJROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/260C NOT 2 | RIBBON, DRILL TEAM, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/574 | RIBBON, ENLISTED PERSON OF THE YEAR AWARD, U.S. COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-02 |
| | MIL-DTL-11589/342B NOT 2 | RIBBON, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/495 NOT 2 | RIBBON, EUGENE G. FUBINI AWARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/57E NOT 2 | RIBBON, EUROPEAN - AFRICAN - MIDDLE EASTERN CAMPAIGN MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/576 | RIBBON, EXCELLENCE "E" AWARD, U.S. COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-02 |
| | MIL-DTL-11589/531 NOT 1 | RIBBON, EXCELLENT STAFF PERFORMANCE, JROTC, N-4-7[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/354C NOT 2 | RIBBON, EXCEPTIONAL ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/583 | RIBBON, EXCEPTIONAL ADMINISTRATIVE ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-MAR-03 |
| | MIL-DTL-11589/58F NOT 2 | RIBBON, EXCEPTIONAL BRAVERY MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/59D NOT 2 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/60E NOT 2 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/493 NOT 2 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/370B NOT 2 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY[CUST: IH DC] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/183E NOT 2 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/348B NOT 2 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/61F NOT 2 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/62G NOT 2 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, NATIONAL SECURITY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/272E | RIBBON, EXCEPTIONAL CIVILIAN SERVICE MEDAL, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 23-JAN-02 |
| | MIL-DTL-11589/563A | RIBBON, EXCEPTIONAL CIVILIAN SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-AUG-01 |
| | MIL-DTL-11589/340B NOT 2 | RIBBON, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/524 NOT 1 | RIBBON, EXCEPTIONAL PUBLIC SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/63E NOT 2 | RIBBON, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11589/469 NOT 2 | RIBBON, EXCEPTIONAL SERVICE AWARD, DEPARTMENT OF ENERGY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/198D NOT 2 | RIBBON, EXCEPTIONAL SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/164E NOT 2 | RIBBON, EXCEPTIONAL SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/237C NOT 2 | RIBBON, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/165H NOT 1 | RIBBON, EXCEPTIONAL SERVICE, DEFENSE THREAT REDUCTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/584 | RIBBON, EXCEPTIONAL TECHNOLOGY ACHIEVEMENT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-MAR-03 |
| | MIL-DTL-11589/353B NOT 2 | RIBBON, EXEMPLARY CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/251C NOT 2 | RIBBON, EXEMPLARY CONDUCT, NJROTC[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/252C NOT 2 | RIBBON, EXEMPLARY PERSONAL APPEARANCE, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/360D NOT 2 | RIBBON, EXPEDITIONARY MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/586 | RIBBON, EXPEDITIONARY SERVICE, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 07-NOV-03 |
| | MIL-DTL-11589/64D NOT 2 | RIBBON, FEDERAL, STATE, CITY OR OTHER GOVERNMENTAL AWARD FOR COAST GUARD (RESERVE GUIDON)[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/245D NOT 2 | RIBBON, FOREIGN SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/65D NOT 2 | RIBBON, FRENCH MEDAILLE MILITAIRE[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/168D NOT 2 | RIBBON, FRENCH NAVAL WAR[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/582 | RIBBON, GALLANT UNIT AWARD, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 20-MAR-03 |
| | MIL-DTL-11589/579 | RIBBON, GLOBAL WAR ON TERRORISM EXPEDITIONARY MEDAL, DOD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-MAR-03 |
| | MIL-DTL-11589/580 | RIBBON, GLOBAL WAR ON TERRORISM SERVICE MEDAL, DOD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 20-MAR-03 |
| | MIL-DTL-11589/66D NOT 2 | RIBBON, GOLD LIFE-SAVING MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/307C NOT 2 | RIBBON, GOLD MEDAL, DEPARTMENT OF COMMERCE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/383A NOT 2 | RIBBON, GOLD STAR MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/67E NOT 2 | RIBBON, GOOD CONDUCT MEDAL, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/68E NOT 2 | RIBBON, GOOD CONDUCT MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/31F NOT 2 | RIBBON, GOOD CONDUCT MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/91G NOT 2 | RIBBON, GOOD CONDUCT MEDAL, COAST GUARD RESERVE[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/69F | RIBBON, GOOD CONDUCT MEDAL, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 31-MAY-05 |
| | MIL-DTL-11589/70E NOT 2 | RIBBON, GOOD CONDUCT MEDAL, NAVY[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/144D NOT 2 | RIBBON, GORDON CANFIELD TROPHY, COAST GUARD (RESERVE GUIDON)[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/71D NOT 2 | RIBBON, HAITIAN CAMPAIGN[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/244D NOT 2 | RIBBON, HAZARDOUS DUTY AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/249C NOT 2 | RIBBON, HONOR CADET, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/72E NOT 2 | RIBBON, HONOR UNIT WITH DISTINCTION, JROTC, CLASS HS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/73E NOT 2 | RIBBON, HONOR UNIT WITH DISTINCTION, JROTC, CLASS MI[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/74E NOT 2 | RIBBON, HONOR UNIT WITH DISTINCTION, NDCC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/228C NOT 2 | RIBBON, HONOR UNIT, JROTC, CLASS HS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/229C NOT 2 | RIBBON, HONOR UNIT, JROTC, CLASS MI[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/230C NOT 2 | RIBBON, HONOR UNIT, NDCC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/477 NOT 2 | RIBBON, HUMANITARIAN SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/233C NOT 2 | RIBBON, HUMANITARIAN SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/75E NOT 2 | RIBBON, INDIAN CAMPAIGN MEDAL, ARMY; INDIAN WAR MEDAL, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/305B NOT 2 | RIBBON, INFANTRY STREAMERS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/588B | RIBBON, INSTRUCTOR'S AWARD, BRONZE, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 24-AUG-04 |
| | MIL-DTL-11589/590A | RIBBON, INSTRUCTOR'S AWARD, GOLD, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-AUG-04 |
| | MIL-DTL-11589/591A | RIBBON, INSTRUCTOR'S AWARD, SILVER, ARMY JROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-AUG-04 |
| | MIL-DTL-11589/320C NOT 2 | RIBBON, INTERNATIONAL DUTY SERVICE, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/594 | RIBBON, IRAQ CAMPAIGN MEDAL[CUST: IH NU 11] [REVIEW: CT MC] | A | 8455 | | IH | 18-FEB-05 |
| | MIL-DTL-11589/243D NOT 2 | RIBBON, ISOLATED/HARDSHIP AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/76D NOT 2 | RIBBON, ITALIAN CROCE AL MERITO DI GUERRA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/529 NOT 1 | RIBBON, JOINT CIVILIAN SERVICE ACHIEVEMENT AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/530 NOT 1 | RIBBON, JOINT CIVILIAN SERVICE COMMENDATION AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/489 NOT 2 | RIBBON, JOINT DISTINGUISHED CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/490 NOT 2 | RIBBON, JOINT MERITORIOUS CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/289C NOT 2 | RIBBON, JOINT MERITORIOUS UNIT AWARD, DOD[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/293C NOT 2 | RIBBON, JOINT SERVICE ACHIEVEMENT MEDAL, DOD[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/77D NOT 2 | RIBBON, JOINT SERVICE COMMENDATION MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/585 | RIBBON, KOREA DEFENSE SERVICE MEDAL, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 27-MAR-03 |
| | MIL-DTL-11589/78E NOT 2 | RIBBON, KOREAN SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/364C NOT 2 | RIBBON, KOREAN SERVICE MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/532A NOT 1 | RIBBON, KOSOVO CAMPAIGN[CUST: IH NU 11] [REVIEW: CT MC] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/466A NOT 2 | RIBBON, KUWAIT LIBERATION MEDAL, GOVERNMENT OF KUWAIT[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/365C NOT 2 | RIBBON, KUWAIT LIBERATION MEDAL, KINGDOM OF SAUDI ARABIA[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/188C NOT 2 | RIBBON, LATIN AMERICAN CAMPAIGNS[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11589/500 NOT 2 | RIBBON, LEADERSHIP AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/517 NOT 1 | RIBBON, LEADERSHIP RIBBON, AFJROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/79D NOT 2 | RIBBON, LEADING PLATOON AWARD, COAST GUARD (RESERVE GUIDON)[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/80D NOT 2 | RIBBON, LEGION OF MERIT[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| N | MIL-DTL-11589/596 | RIBBON, LEGION OF MERIT, U.S. COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-APR-06 |
| | MIL-DTL-11589/389B NOT 2 | RIBBON, LIFESAVING MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/81F | RIBBON, MARINE CORPS EXPEDITIONARY MEDAL[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 07-JUN-05 |
| | MIL-DTL-11589/82D NOT 2 | RIBBON, MARINE CORPS RESERVE[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/499 NOT 2 | RIBBON, MARINE SECURITY GUARD, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/157E NOT 2 | RIBBON, MEDAL FOR HEROISM, ROTC AND NDCC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| A | MIL-DTL-11589/85F | RIBBON, MEDAL FOR HUMANE ACTION[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 21-OCT-05 |
| | MIL-DTL-11589/86D NOT 2 | RIBBON, MEDAL FOR MERIT[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/566 | RIBBON, MEDAL FOR VALOR, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-NOV-01 |
| | MIL-DTL-11589/314B NOT 2 | RIBBON, MEDAL OF ACHIEVEMENT, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/161D NOT 2 | RIBBON, MEDAL OF FREEDOM[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/83E NOT 2 | RIBBON, MEDAL OF HONOR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/382A NOT 2 | RIBBON, MEDAL OF VALOR, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/303B NOT 2 | RIBBON, MEDAL OF VALOR, CHAPLAIN, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/306B NOT 2 | RIBBON, MEDICAL UNIT STREAMERS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/352C NOT 2 | RIBBON, MEDITERRANEAN - MIDDLE EAST WAR ZONE MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/176G NOT 2 | RIBBON, MERITORIOUS ACHIEVEMENT AWARD (SILVER MEDAL), SECRETARY OF TRANSPORTATION[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/247C NOT 2 | RIBBON, MERITORIOUS ACHIEVEMENT, NJROTC[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/156E NOT 2 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/90E NOT 2 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/491 NOT 2 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/368B NOT 2 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/369B NOT 2 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY[CUST: IH DC] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/184E NOT 2 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY[CUST: IH DI] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/347B NOT 2 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/88F NOT 2 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/525A NOT 1 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEPARTMENT OF DEFENSE, INSPECTOR GENERAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/235D NOT 1 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/89E NOT 2 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/502 NOT 2 | RIBBON, MERITORIOUS CIVILIAN SERVICE MEDAL, NATIONAL IMAGERY AND MAPPING AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/562 | RIBBON, MERITORIOUS CIVILIAN SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 18-JUL-01 |
| | MIL-DTL-11589/222D NOT 2 | RIBBON, MERITORIOUS PUBLIC SERVICE AWARD, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/523 NOT 1 | RIBBON, MERITORIOUS PUBLIC SERVICE MEDAL, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/476 NOT 2 | RIBBON, MERITORIOUS SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH NU] [REVIEW: CG CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/160E NOT 2 | RIBBON, MERITORIOUS SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/470 NOT 2 | RIBBON, MERITORIOUS SERVICE AWARD, DEPARTMENT OF ENERGY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/172D NOT 2 | RIBBON, MERITORIOUS SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/376B NOT 2 | RIBBON, MERITORIOUS SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/325B NOT 2 | RIBBON, MERITORIOUS SERVICE MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/296C NOT 2 | RIBBON, MERITORIOUS SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/166H NOT 1 | RIBBON, MERITORIOUS SERVICE, DEFENSE THREAT REDUCTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/472 NOT 2 | RIBBON, MERITORIOUS SERVICE, NATIONAL RECONNAISSANCE OFFICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/381A NOT 2 | RIBBON, MERITORIOUS TEAM COMMENDATION AWARD, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/581 | RIBBON, MERITORIOUS UNIT AWARD, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 20-MAR-03 |
| | MIL-DTL-11589/92D NOT 2 | RIBBON, MERITORIOUS UNIT COMMENDATION, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/205C NOT 2 | RIBBON, MERITORIOUS UNIT COMMENDATION, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/167E NOT 2 | RIBBON, MERITORIOUS UNIT COMMENDATION, NAVY[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/93E NOT 2 | RIBBON, MEXICAN BORDER SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/94E NOT 2 | RIBBON, MEXICAN SERVICE MEDAL, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/95D NOT 2 | RIBBON, MEXICAN WAR[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/96D NOT 2 | RIBBON, MILITARY ORDER OF WILLIAM[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/374A NOT 2 | RIBBON, MILITARY OUTSTANDING VOLUNTEER SERVICE MEDAL, DEPARTMENT OF DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/190C NOT 2 | RIBBON, MILITARY PROFICIENCY AWARD, ROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/512 NOT 2 | RIBBON, MILITARY TRAINING INSTRUCTOR, AIR FORCE[CUST: IH 11] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/253C NOT 2 | RIBBON, MINI BOOT CAMP, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11589/321C NOT 2 | RIBBON, MOBILE DUTY SERVICE, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/334C NOT 2 | RIBBON, MULTINATIONAL FORCE AND OBSERVERS MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/358C NOT 2 | RIBBON, NATIONAL COMMUNICATIONS SYSTEM MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/97E NOT 2 | RIBBON, NATIONAL DEFENSE SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/337C NOT 2 | RIBBON, NATIONAL EMERGENCY PREPAREDNESS AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/224C NOT 2 | RIBBON, NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/226C NOT 2 | RIBBON, NATIONAL INTELLIGENCE MEDAL OF ACHIEVEMENT[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/206C NOT 2 | RIBBON, NATIONAL OCEANIC AND ATOMSPHERIC ADMINISTRATION UNIT CITATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/98E NOT 2 | RIBBON, NAVAL RESERVE MEDAL[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/99E NOT 2 | RIBBON, NAVAL RESERVE MERITORIOUS SERVICE MEDAL[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/327B NOT 2 | RIBBON, NAVAL RESERVE SEA SERVICE[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/257C NOT 2 | RIBBON, NAVAL SCIENCE I HONOR PLATOON, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/256C NOT 2 | RIBBON, NAVAL SCIENCE II HONOR PLATOON, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/255C NOT 2 | RIBBON, NAVAL SCIENCE III HONOR PLATOON, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/254D NOT 2 | RIBBON, NAVAL SCIENCE IV HONOR PLATOON, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/227D NOT 2 | RIBBON, NAVY "E"[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/106D NOT 2 | RIBBON, NAVY AND MARINE CORPS MEDAL[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/324B NOT 2 | RIBBON, NAVY AND MARINE CORPS OVERSEAS SERVICE[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/273C NOT 2 | RIBBON, NAVY AND MARINE CORPS SEA SERVICE DEPLOYMENT[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/318B NOT 2 | RIBBON, NAVY ARCTIC SERVICE[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/101D NOT 2 | RIBBON, NAVY CROSS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/103E NOT 2 | RIBBON, NAVY EXPEDITIONARY MEDAL[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/104D NOT 2 | RIBBON, NAVY EXPERT PISTOL SHOT[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/105D NOT 2 | RIBBON, NAVY EXPERT RIFLEMAN[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/294C NOT 2 | RIBBON, NAVY FLEET MARINE FORCE SERVICE[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/379A NOT 2 | RIBBON, NAVY OCCUPATION SERVICE MEDAL[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/343B NOT 2 | RIBBON, NAVY RECRUITING SERVICE, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/174F NOT 1 | RIBBON, NAVY SUPERIOR CIVILIAN SERVICE AWARD, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/107E NOT 2 | RIBBON, NAVY UNIT COMMENDATION[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/109D NOT 2 | RIBBON, NCO PROFESSIONAL MILITARY EDUCATION GRADUATE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/110D NOT 2 | RIBBON, NETHERLANDS ORANGE LANYARD[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/544A | RIBBON, NEWTON-AZRAK MEDAL FOR HEROISM, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 25-APR-02 |
| | MIL-DTL-11589/111D NOT 2 | RIBBON, NICARAGUAN CAMPAIGN[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/208E NOT 2 | RIBBON, NOAA ASSOCIATION OF COMMISSIONED OFFICERS AWARDS, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/312C NOT 2 | RIBBON, NOAA CORPS DIRECTOR'S RIBBON NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/554 NOT 1 | RIBBON, NORTH ATLANTIC TREATY ORGANIZATION (NATO) KOSOVO MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-11589/478A NOT 1 | RIBBON, NORTH ATLANTIC TREATY ORGANIZATION (NATO) MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/553 NOT 1 | RIBBON, NORTH ATLANTIC TREATY ORGANIZATION (NATO) YUGOSLAVIA MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-11589/187C NOT 2 | RIBBON, OPERATIONS AGAINST WEST INDIAN PIRATES[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/178D NOT 2 | RIBBON, ORGANIZATIONAL EXCELLENCE AWARD AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/266C NOT 2 | RIBBON, ORIENTEERING, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/177G NOT 2 | RIBBON, OUTSTANDING ACHIEVEMENT AWARD (GOLD MEDAL), SECRETARY OF TRANSPORTATION[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/578 | RIBBON, OUTSTANDING ACHIEVEMENT, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 15-JAN-03 |
| | MIL-DTL-11589/170D NOT 2 | RIBBON, OUTSTANDING AIRMAN OF THE YEAR[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/513 NOT 1 | RIBBON, OUTSTANDING CADET, AF JROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/286C NOT 2 | RIBBON, OUTSTANDING CAREER ACHIEVEMENT AWARD, A.I.D., DEPT OF STATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/492A NOT 2 | RIBBON, OUTSTANDING CAREER CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/292D NOT 2 | RIBBON, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/114E NOT 2 | RIBBON, OUTSTANDING CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/115E NOT 2 | RIBBON, OUTSTANDING LEADERSHIP MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/204D NOT 2 | RIBBON, OUTSTANDING PUBLIC SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/393A NOT 2 | RIBBON, OUTSTANDING PUBLIC SERVICE, CHAIRMAN OF THE JOINT CHIEFS OF STAFF[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/241D NOT 2 | RIBBON, OUTSTANDING SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/285C NOT 2 | RIBBON, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SERVICES[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/392A NOT 2 | RIBBON, OUTSTANDING UNIT AWARD, SECRETARY OF TRANSPORTATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/240C NOT 2 | RIBBON, OUTSTANDING UNIT CITATION, USPHS[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/322B NOT 2 | RIBBON, PACIFIC SERVICE, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/363C NOT 2 | RIBBON, PACIFIC WAR ZONE MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/268D NOT 2 | RIBBON, PARTICIPATION AWARD, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11589/117E NOT 2 | RIBBON, PHILIPPINE CAMPAIGN MEDAL[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/118E NOT 2 | RIBBON, PHILIPPINE CONGRESSIONAL MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/119F NOT 2 | RIBBON, PHILIPPINE DEFENSE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/120D NOT 2 | RIBBON, PHILIPPINE INDEPENDENCE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/121D NOT 2 | RIBBON, PHILIPPINE LIBERATION[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/122D NOT 2 | RIBBON, PHILIPPINE PRESIDENTIAL UNIT CITATION[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/329B NOT 2 | RIBBON, PHYSICAL FITNESS, AIR FORCE ROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/264C NOT 2 | RIBBON, PHYSICAL FITNESS, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/189C NOT 2 | RIBBON, PHYSICAL PROFICIENCY AWARD, ROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/504 NOT 2 | RIBBON, PISTOL, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/192C NOT 2 | RIBBON, PLATOON LEADERSHIP AWARD, ROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/123D NOT 2 | RIBBON, PORTUGUESE ORDEM DA TORRE E ESPADA (ORDER OF TOWER AND SWORD)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/558 | RIBBON, PRESIDENT S MEDAL, DEFENSE ACQUISITION UNIVERSITY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 25-JUN-01 |
| | MIL-DTL-11589/124E | RIBBON, PRESIDENT'S AWARD FOR DISTINGUISHED FEDERAL CIVILIAN SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JAN-02 |
| | MIL-DTL-11589/179D NOT 2 | RIBBON, PRESIDENTIAL CITIZENS MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/54E NOT 2 | RIBBON, PRESIDENTIAL UNIT CITATION, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 29-JUN-01 |
| | MIL-DTL-11589/125D NOT 2 | RIBBON, PRESIDENTIAL UNIT CITATION, NAVY[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/319C NOT 2 | RIBBON, PRISONER OF WAR (POW) MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/572 | RIBBON, PUBLIC SAFETY OFFICERS MEDAL OF VALOR, DEPARTMENT OF JUSTICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-APR-02 |
| | MIL-DTL-11589/344B NOT 2 | RIBBON, PUBLIC SERVICE MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/546 NOT 1 | RIBBON, PURPLE CROSS WOUND MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 02-AUG-01 |
| | MIL-DTL-11589/126D NOT 2 | RIBBON, PURPLE HEART[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/339B NOT 2 | RIBBON, RANGER CHALLENGE BRIGADE COMPETITION, ARMY ROTC[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/301B NOT 2 | RIBBON, RECRUIT TRAINING, HONOR GRADUATE, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/313C NOT 2 | RIBBON, RECRUITING COMMAND AWARD FOR JROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/474 NOT 2 | RIBBON, RECRUITING SERVICE, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/395A NOT 2 | RIBBON, RECRUITING SERVICE, MARINE CORPS[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/509 NOT 2 | RIBBON, RECRUITING TRAINING, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/265C NOT 2 | RIBBON, RECRUITING, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 31-JUL-01 |
| | MIL-DTL-11589/197D NOT 2 | RIBBON, REGIONAL AND STATE SCIENCE AND ENGINEERING FAIR AWARDS, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/316C NOT 2 | RIBBON, REGULAR CORPS, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/127G NOT 2 | RIBBON, REPUBLIC OF KOREA PRESIDENTIAL UNIT CITATION[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/158D NOT 2 | RIBBON, REPUBLIC OF VIETNAM CAMPAIGN MEDAL[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/300B NOT 2 | RIBBON, RESTRICTED DUTY, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/129D NOT 2 | RIBBON, REVOLUTIONARY WAR[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/261C NOT 2 | RIBBON, RIFLE TEAM, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/505 NOT 2 | RIBBON, RIFLE, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/521 NOT 1 | RIBBON, SABRE TEAM RIBBON, AFJROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/132E NOT 2 | RIBBON, SECOND NICARAGUAN CAMPAIGN MEDAL[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/565 | RIBBON, SECRETARY OF DEFENSE MEDAL FOR THE DEFENSE OF FREEDOM, DEPARTMENT OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 30-OCT-01 |
| | MIL-DTL-11589/508B NOT 1 | RIBBON, SECRETARY OF THE ARMY EXCEPTIONAL PUBLIC SERVICE AWARD (NON-CIVIL SERVICE), ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/468 NOT 2 | RIBBON, SECRETARY'S AWARD, DEPARTMENT OF ENERGY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/113H | RIBBON, SELECTED MARINE CORPS RESERVE MEDAL[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 31-MAY-05 |
| | MIL-DTL-11589/385B NOT 2 | RIBBON, SERVICE AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/528 NOT 1 | RIBBON, SERVICE LEARNING, JROTC, N-4-6[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/135F NOT 2 | RIBBON, SILVER LIFE-SAVING MEDAL, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/308C NOT 2 | RIBBON, SILVER MEDAL, DEPARTMENT OF COMMERCE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/136D NOT 2 | RIBBON, SILVER STAR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/191D NOT 2 | RIBBON, SIMULTANEOUS MEMBERSHIP PROGRAM (SMP) ACTIVATION AWARD, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/328B NOT 2 | RIBBON, SMALLPOX ERADICATION CAMPAIGN[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/137D NOT 2 | RIBBON, SOLDIER'S MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/356B NOT 2 | RIBBON, SOUTHWEST ASIA SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 31-JUL-01 |
| | MIL-DTL-11589/341B NOT 2 | RIBBON, SPACE FLIGHT MEDAL, NASA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/138E NOT 2 | RIBBON, SPANISH CAMPAIGN MEDAL[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/139E NOT 2 | RIBBON, SPANISH WAR SERVICE MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/311C NOT 2 | RIBBON, SPECIAL ACHIEVEMENT AWARD, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/239D NOT 2 | RIBBON, SPECIAL ASSIGNMENT AWARD, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/549A | RIBBON, SPECIAL COMMENDATION MEDAL, U.S. BORDER PATROL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 05-SEP-01 |
| | MIL-DTL-11589/330C NOT 2 | RIBBON, SPECIAL OPERATIONS SERVICE, COAST GUARD[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/570 | RIBBON, STAR MEDAL, DEPARTMENT OF STATE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-APR-02 |
| | MIL-DTL-11589/202F NOT 2 | RIBBON, SUPERIOR ACHIEVEMENT AWARD (BRONZE MEDAL), DEPARTMENT OF TRANSPORTATION[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11589/140D NOT 2 | RIBBON, SUPERIOR CADET AWARD, ROTC (JUNIOR DIVISION)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/143D NOT 2 | RIBBON, SUPERIOR CADET AWARD, ROTC (MILITARY SCHOOL DIVISION)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/142E NOT 2 | RIBBON, SUPERIOR CADET AWARD, ROTC (NDCC)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/141D NOT 2 | RIBBON, SUPERIOR CADET AWARD, ROTC (SENIOR DIVISION)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/575 | RIBBON, SUPERIOR CIVILIAN MEDAL FOR VALOR, DEPARTMENT OF THE NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 18-JUN-02 |
| | MIL-DTL-11589/332B NOT 2 | RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/371B NOT 2 | RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/335C NOT 2 | RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 12-JUL-01 |
| | MIL-DTL-11589/526A NOT 1 | RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, DEPARTMENT OF DEFENSE, INSPECTOR GENERAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/501 NOT 2 | RIBBON, SUPERIOR CIVILIAN SERVICE MEDAL NATIONAL IMAGERY AND MAPPING AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/559 | RIBBON, SUPERIOR CIVILIAN SERVICE MEDAL, DEFENSE ACQUISITION UNIVERSITY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 25-JUN-01 |
| | MIL-DTL-11589/520 NOT 1 | RIBBON, SUPERIOR PERFORMANCE RIBBON, AFJROTC[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/522 NOT 1 | RIBBON, SUPERIOR PUBLIC SERVICE MEDAL, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/199D NOT 2 | RIBBON, SUPERIOR SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/471A NOT 2 | RIBBON, SUPERIOR SERVICE, NATIONAL RECONNAISSANCE OFFICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/380A NOT 2 | RIBBON, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/571 | RIBBON, SURGEON GENERAL'S MEDALLION, U.S. PUBLIC HEALTH SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 11-APR-02 |
| | MIL-DTL-11589/475 NOT 2 | RIBBON, SUSTAINED SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH CG] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/262C NOT 2 | RIBBON, UNIT AWARD (CNET), NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/267D NOT 2 | RIBBON, UNIT SERVICE, NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/483 NOT 2 | RIBBON, UNITED NATIONS ADVANCE MISSION IN CAMBODIA (UNAMIC)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/488 NOT 2 | RIBBON, UNITED NATIONS IRAQ/KUWAIT OBSERVER MISSION (UNIKOM)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/506A NOT 2 | RIBBON, UNITED NATIONS MILITARY OBSERVER GROUP IN INDIA AND PAKISTAN (UNMOGIP)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/486 NOT 2 | RIBBON, UNITED NATIONS MISSION FOR THE REFERENDUM IN WESTERN SAHARA (MINURSO)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/487A NOT 2 | RIBBON, UNITED NATIONS MISSION IN HAITI (UNMIH)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/481A NOT 2 | RIBBON, UNITED NATIONS OBSERVATION GROUP IN LEBANON[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/485 NOT 2 | RIBBON, UNITED NATIONS OPERATION IN SOMALIA[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/482 NOT 2 | RIBBON, UNITED NATIONS PROTECTION FORCE IN YUGOSLAVIA (UNPROFOR)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/479A NOT 2 | RIBBON, UNITED NATIONS SECURITY FORCES, HOLLANDIA (UNTEA) (UNITED NATIONS TEMPORARY EXECUTIVE AUTHORITY AND THE UNITED NATIONS SECURITY FORCE IN WEST NEW GUINEA)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/146E NOT 2 | RIBBON, UNITED NATIONS SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 09-JUL-01 |
| | MIL-DTL-11589/484 NOT 2 | RIBBON, UNITED NATIONS TRANSITIONAL AUTHORITY IN CAMBODIA (UNTAC)[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/480 NOT 2 | RIBBON, UNITED NATIONS TRUCE SUPERVISORY ORGANIZATION IN PALESTINE (UNTSO) [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/271C NOT 2 | RIBBON, UNTITLED ITEM "E", NJROTC[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 11-JUL-01 |
| | MIL-DTL-11589/388B NOT 2 | RIBBON, VALOR MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTION[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/155F NOT 2 | RIBBON, VALOROUS UNIT AWARD[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/150D NOT 2 | RIBBON, VIETNAM PRESIDENTIAL UNIT CITATION[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/151F NOT 2 | RIBBON, VIETNAM SERVICE MEDAL[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/351C NOT 2 | RIBBON, VIETNAM SERVICE MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/181E NOT 2 | RIBBON, VIETNAMESE CIVIL ACTIONS[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/173D NOT 2 | RIBBON, VIETNAMESE GALLANTRY CROSS[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/152E NOT 2 | RIBBON, WAR OF 1812[CUST: IH NU] [REVIEW: CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/153E NOT 2 | RIBBON, WOMEN'S ARMY CORPS SERVICE MEDAL[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/148G NOT 2 | RIBBON, WORLD WAR I VICTORY MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/149E NOT 2 | RIBBON, WORLD WAR II VICTORY MEDAL[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | MIL-DTL-11589/378A NOT 2 | RIBBON, WORLD WAR II VICTORY MEDAL, MERCHANT MARINE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 13-JUL-01 |
| | MIL-DTL-11589/154E NOT 2 | RIBBON, YANGTZE SERVICE MEDAL[CUST: IH NU] [REVIEW: CG CT MC] | A | 8455 | | IH | 10-JUL-01 |
| | ITOP-4.2.814 | RICOCHET OF DIRECT-FIRE PROJECTILES | D | ISDA | | TE | 31-JUL-85 |
| | MIL-R-43323E | RIFLE BUTT POCKET AND STRAP ASSEMBLY[CUST: GL MC 99 CT] [REVIEW: 11 YD] | A | 8465 | | CT | 26-SEP-86 |
| | STANAG-4520 ED.1 | RIFLE LAUNCHED GRENADE SYSTEMS, DESIGN SAFETY REQUIREMENTS AND SAFETY AND SUITABILITY FOR SERVICE EVALUATION | C | ISDA | | AI | PENDING |
| | MIL-R-45979(1) | RIFLE, 7.62MM, M14, NATIONAL MATCH[CUST: AR OS] | A | 1005 | | AR | 18-AUG-86 |
| | MIL-HDBK-1021/4(2) | RIGID PAVEMENT DESIGN FOR AIRFIELDS[CUST: YD] | A | FACR | | YD | 31-AUG-92 |
| | SAE-AS9058 | RING - BACK-UP, BOSS CONNECTION, AMS3651[CUST: AS 11] | A | 5330 | | IS | MAY-98 |
| | PIA-PS27762 | RING - REEFING PARACHUTE[CUST: GL2 AS 11] [REVIEW: 71] | A | 1670 | | 11 | 14-FEB-03 |
| | NAS595 | RING - RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL[CUST: AS CC] | A | 4730 | | CC | 31-JAN-81 |
| | MIL-DTL-62366C | RING ASSEMBLIES, ELECTRICAL CONTACT[CUST: AT] | A | 2590 | | AT | 30-SEP-98 |
| N | ASTM-F2431 | RING BEARING, INNER: FOR NEEDLE ROLLER BEARING WITH THICK OUTER RING[CUST: AT OS 99] [REVIEW: 84] | A | 3110 | | GS4 | 19-APR-06 |
| | PIA-PS27765 | RING, "V" , QUICK FIT, PARACHUTE HARNESS[CUST: GL2 AS 11] [REVIEW: 71] | A | 1670 | | 11 | 14-FEB-03 |
| | PIA-PS70113 | RING, "V"-QUICK FIT, PARACHUTE HARNESS[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | ASTM-F2163 | RING, BEARING, INNER: FOR NEEDLE ROLLER BEARING WITH DRAWN OUTER RING[CUST: AT OS 99] | A | 3110 | | GS4 | 09-JAN-04 |
| | SAE-AS21236 | RING, CARGO TIEDOWN (10,000 LB), TYPE III[CUST: GL AS 99] [REVIEW: GS] | A | 1670 | | AS | SEP-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS21237 | RING, CARGO TIEDOWN (25,000 LB) TYPE IV[CUST: GL AS 99] [REVIEW: GS] | A | 1670 | | AS | SEP-99 |
| | A-A-53097 | RING, CERVICAL SPINE TRACTION[CUST: MD MS 03] | A | 6515 | / | MB | 31-AUG-87 |
| | A-A-59557 | RING, DEE - MEDIUM[CUST: AR GS7] [REVIEW: AT MI] | A | 5365 | / | GS7 | 23-JUN-00 |
| | A-A-51274 | RING, LABORATORY APPARATUS SUPPORT[CUST: MD MS 03] | A | 6640 | / | MB | 03-SEP-86 |
| | SAE-AS51990 | RING, LOCK, SERRATED[CUST: AR AS 99] [REVIEW: 71 AT AV CR MC NS] | A | 5365 | | GS7 | 06-JUN-05 |
| A | SAE-AS51997 | RING, LOCK, SERRATED-HIGH STRENGTH[CUST: AT AS 99] [REVIEW: 71 AV CR MC NS] | A | 5365 | | GS7 | 24-JAN-06 |
| | MIL-R-48401A NOT 1 | RING, OBTURATING FOR 60MM MORTAR[CUST: AR] | A | 1310 | | AR | 12-SEP-91 |
| | PIA-PS22046 | RING, PARACHUTE HARNESS "D"[CUST: GL2 AS 11] [REVIEW: 71] | A | 1670 | | 11 | 14-FEB-03 |
| | PIA-PS70123 | RING, PARACHUTE HARNESS ACCESSORY ATTACHING[CUST: GL AS 11 IS] [REVIEW: 71 99 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | PIA-PS22045 | RING, PARACHUTE HARNESS V[CUST: GL2 AS 11] [REVIEW: 71] | A | 1670 | | 11 | 14-FEB-03 |
| | PIA-PS70102 | RING, PARACHUTE HARNESS, QUICK-FT, "V" TYPE[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | MS3211A | RING, RETAINER, EXTERNAL[CUST: OS IS] [REVIEW: MI] | A | 5325 | | IS | 24-MAR-76 |
| | MIL-R-21248B | RING, RETAINING (TAPERED AND REDUCED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: 11 AV EA MC MI SH] | A | 5325 | | IS | 01-AUG-69 |
| | SAE-MA4029 | RING, RETAINING - INTERNAL, BEVELED, TAPERED, TYPE II CLASS 1 AMS 5520, METRIC[CUST: AR OS 99 GS7] [REVIEW: 71 AS] | A | 5365 | | GS7 | SEP-87 |
| | SAE-AS3472 | RING, RETAINING - INTERNAL, SPIRAL WOUND HEAVY AND MEDIUM DUTY, UNS S66286[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | 29-SEP-95 |
| | SAE-MA4017 | RING, RETAINING - INTERNAL, SPIRAL WOUND, HEAVY AND MEDIUM DUTY CRES, METRIC[CUST: AR OS 99 GS7] [REVIEW: 71 AS] | A | 5365 | | GS7 | SEP-87 |
| | MS90707B NOT 4 | RING, RETAINING, EXTERNAL GRIP[CUST: AR OS 99 GS7] [REVIEW: 71 AT AV GL MI] | A | 5365 | | GS7 | 16-FEB-03 |
| | MS90708C(1) NOT 4 | RING, RETAINING, EXTERNAL INTERLOCKING[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR CR4 MC SH YD] | A | 5325 | | IS | 31-MAR-03 |
| | MS16633C NOT 3 | RING, RETAINING, EXTERNAL, "E" (REDUCED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: 82 AV GL MI] | A | 5325 | | IS | 24-FEB-03 |
| | MS3215B NOT 4 | RING, RETAINING, EXTERNAL, "E", REINFORCED (REDUCED SECTION TYPE)[CUST: AR OS 99 GS7] [REVIEW: 82 MI] | A | 5365 | | GS7 | 11-MAR-03 |
| A | MS16624C NOT 2 | RING, RETAINING, EXTERNAL, BASIC (TAPERED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: 82 AS AT AV CR GL MC MI] | A | 5325 | | IS | 06-FEB-03 |
| | MS16630B NOT 2 | RING, RETAINING, EXTERNAL, BEVELED (TAPERED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: AT AV CR4 GL MC MI] | A | 5325 | | IS | 16-FEB-03 |
| | MS16634B NOT 2 | RING, RETAINING, EXTERNAL, BOWED "E" (REDUCED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: 82 AV MI] | A | 5325 | | IS | 16-FEB-03 |
| | MS16628B NOT 2 | RING, RETAINING, EXTERNAL, BOWED (TAPERED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: 82 AV MI] | A | 5325 | | IS | 14-MAR-03 |
| | MS16632B NOT 2 | RING, RETAINING, EXTERNAL, CRESCENT (REDUCED SECTION TYPE)[CUST: AR OS 99 GS7] [REVIEW: 82 AS MI] | A | 5365 | | GS7 | 24-FEB-03 |
| | MS3217B NOT 3 | RING, RETAINING, EXTERNAL, HEAVY-DUTY (TAPERED SECTION TYPE)[CUST: AR OS 99 GS7] [REVIEW: 82] | A | 5365 | | GS7 | 16-FEB-03 |
| | MS16626B NOT 2 | RING, RETAINING, EXTERNAL, INVERTED (TAPERED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: AT AV CR4 GL MC MI] | A | 5325 | | IS | 14-MAR-03 |
| | MS3216C | RING, RETAINING, EXTERNAL, PRONG-LOCK (REDUCED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: AT CR4 MC MI] | A | 5325 | | IS | 23-FEB-04 |
| | SAE-MA4030 | RING, RETAINING, EXTERNAL, REINFORCED, E-RING, TYPE I, CLASS 3, AMS 5520, METRIC[CUST: AR OS 99 GS7] [REVIEW: 71 AS] | A | 5365 | | GS7 | 01-SEP-87 |
| | SAE-MA4020 | RING, RETAINING, EXTERNAL, TAPERED, TYPE I, CLASS 2, AMS 5520, METRIC[CUST: AR OS 99 GS7] [REVIEW: 71 AS] | A | 5365 | | GS7 | 01-SEP-87 |
| | MS16625C NOT 2 | RING, RETAINING, INTERNAL, BASIC (TAPERED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: 82 AV MI] | A | 5325 | | IS | 24-FEB-03 |
| | MS16631D NOT 2 | RING, RETAINING, INTERNAL, BEVELED (TAPERED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: 82 AV] | A | 5325 | | IS | 16-FEB-03 |
| | MS16629D NOT 2 | RING, RETAINING, INTERNAL, BOWED (TAPERED SECTION TYPE)[CUST: AR OS 99] [REVIEW: 82 AV MI] | A | 5325 | | IS | 24-FEB-03 |
| | MS16627B NOT 2 | RING, RETAINING, INTERNAL, INVERTED (TAPERED SECTION TYPE)[CUST: AR OS 99 IS] [REVIEW: AT AV CR4 MI] | A | 5325 | | IS | 14-MAR-03 |
| | SAE-MA4021 | RING, RETAINING, INTERNAL, TAPERED, TYPE I, CLASS I, AMS 5520, METRIC[CUST: AR AS 99 GS7] [REVIEW: 71] | A | 5365 | | GS7 | 01-SEP-87 |
| | MIL-R-70337 | RING, RETAINING, ROUND SECTION[CUST: AR 99 IS] [REVIEW: 71 AT CR CR4 GL MI NS OS SH] | A | 5325 | | IS | 15-JAN-83 |
| A | MIL-R-70337/1 NOT 2 | RING, RETAINING, ROUND SECTION, EXTERNAL, CLOSED TYPE[CUST: AR 99 IS] [REVIEW: 71 AT CR CR4 GL MI NS OS SH] | A | 5325 | | IS | 13-OCT-05 |
| | SAE-AS3219 | RING, RETAINING, SPIRAL, MINIMUM DISTORTION, DIMENSIONAL AND ACCEPTANCE STANDARD FOR[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | 29-SEP-95 |
| | SAE-MA4016 | RING, RETAINING-EXTERNAL, SPIRAL WOUND, HEAVY AND MEDIUM DUTY CRES, METRIC[CUST: AR AS 99 GS7] [REVIEW: 71] | A | 5365 | | GS7 | 01-SEP-87 |
| | SAE-AS3216 | RING, RETAINING-SPIRAL, EXTERNAL, HEAVY DUTY, CRES[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | 16-OCT-95 |
| | SAE-AS3218 | RING, RETAINING-SPIRAL, EXTERNAL, LIGHT DUTY, CRES[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | 16-OCT-95 |
| | SAE-AS3215 | RING, RETAINING-SPIRAL, INTERNAL, HEAVY DUTY, CRES[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | 01-FEB-79 |
| | SAE-AS3217 | RING, RETAINING-SPIRAL, INTERNAL, LIGHT DUTY, CRES[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | 16-OCT-95 |
| | A-A-59157 | RING, SIDE, AUTOMOTIVE WHEEL FOR TACTICAL WHEELED VEHICLES[CUST: AT MC 99] [REVIEW: 84 CC] | A | 2530 | / | AT | 27-FEB-98 |
| | QPL-5049-30 | RING, WIPER, PISTON ROD | A | 5330 | | 71 | 08-MAR-96 |
| | ASTM-E28 | RING-AND BALL APPARATUS, SOFTENING POINT OF RESINS DERIVED FROM NAVAL STORES BY[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | SEP-67 |
| | SAE-MA2515 | RING-BACK-UP, PORT CONNECTION, AMS3660 METRIC[CUST: AV AS 11] [REVIEW: 99 AR] | A | 5330 | | IS | SEP-86 |
| | NAS592 | RING-RIGID TUBE CONNECTOR, ALUMINUM[CUST: AV AS 11] [REVIEW: CC] | A | 4730 | | AS | 03-APR-81 |
| | MIL-R-10185E | RINGS, BREECH, STEEL FORGINGS FOR[CUST: AR] | A | FORG | | AR | 13-JAN-92 |
| | SAE-AMS7260 | RINGS, BUTADIENE-ACRYLONITRILE (NBR) RUBBER, MOLDED FUEL AND LOW TEMPERATURE RESISTANT 70-80[CUST: MR AS 11] [REVIEW: 99] | A | 5330 | | 11 | 31-OCT-94 |
| | ASME-B27.7 | RINGS, CROSS SECTION RETAINING, TAPERED AND REDUCED, GENERAL PURPOSE[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | 20-OCT-77 |
| | ASME-B27.8M | RINGS, CROSS SECTION RETAINING, TAPERED AND REDUCED, GENERAL PURPOSE METRIC[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | 28-NOV-78 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-55535 NOT 1 | RINGS, EXPANSION, HOSE, BRASS[CUST: AT 99] [REVIEW: 71] | A | 4730 | / | CC | 06-OCT-03 |
| | SAE-AMS7488 | RINGS, FLASH WELDED ALUMINUM AND ALUMINUM ALLOYS[CUST: MR AS 11 GS7] | A | 5365 | | GS7 | 15-JUL-77 |
| | SAE-AMS7496 | RINGS, FLASH WELDED CARBON AND LOW-ALLOY STEELS[CUST: MR AS 11 GS7] | A | 5365 | | GS7 | 26-DEC-91 |
| | SAE-AMS7490 | RINGS, FLASH WELDED CORROSION AND HEAT RESISTANT AUSTENITIC STEELS, AUSTENITIC-TYPE IRON, NICKEL, OR COBALT ALLOYS, OR PRECIPITATION HARDENABLE ALLOYS[CUST: MR AS 11 IS] | A | 5330 | | IS | 20-DEC-91 |
| | SAE-AMS7493 | RINGS, FLASH WELDED FERRITIC AND MARTENSITIC CORROSION- RESISTANT STEELS[CUST: MR AS 11 GS7] | A | 5365 | | GS7 | 15-MAR-88 |
| | SAE-AMS7498 | RINGS, FLASH WELDED TITANIUM AND TITANIUM ALLOYS[CUST: MR AS 11 GS7] | A | 5365 | | GS7 | 17-MAR-89 |
| | SAE-AS4299 | RINGS, RETAINING - SPIRAL WOUND, UNIFORM SECTION CORROSION AND HEAT RESISTANT, UNS S66286[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | 29-SEP-95 |
| | SAE-MA4035 | RINGS, RETAINING - SPIRAL WOUND, UNIFORM SECTION, CORROSION RESISTANT, PROCUREMENT SPECIFICATION FOR, METRIC[CUST: AR OS 99 GS7] [REVIEW: 71 AS] | A | 5365 | | GS7 | 31-MAY-89 |
| | SAE-MA4036 | RINGS, RETAINING - TAPERED WIDTH, UNIFORM THICKNESS, CORROSION RESISTANT, PROCUREMENT SPECIFICATION FOR, METRIC[CUST: AR OS 99 GS7] [REVIEW: 71 AS] | A | 5365 | | GS7 | MAY-89 |
| A | MIL-DTL-27426C(1) | RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION)[CUST: AR OS 99] [REVIEW: 71 AV MI] | A | 5325 | | IS | 31-MAR-99 |
| | MIL-DTL-27426/2A NOT 1 | RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) HEAVY DUTY EXTERNAL[CUST: AR OS 99] [REVIEW: 11 71 AV MI] | A | 5325 | | IS | 08-SEP-03 |
| | MIL-DTL-27426/4 NOT 1 | RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) HEAVY DUTY INTERNAL[CUST: AR OS 99] [REVIEW: 11 71 AV MI] | A | 5325 | | IS | 08-SEP-03 |
| | MIL-DTL-27426/1A NOT 1 | RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) MEDIUM DUTY EXTERNAL[CUST: AR OS 99] [REVIEW: 11 71 AV MI] | A | 5325 | | IS | 08-SEP-03 |
| | MIL-DTL-27426/3A NOT 1 | RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) MEDIUM DUTY INTERNAL[CUST: AR OS 99] [REVIEW: 11 71 AV MI] | A | 5325 | | IS | 08-SEP-03 |
| | ASTM-D1869 | RINGS, RUBBER, FOR ASBESTOS-CEMENT PIPE[CUST: MR YD 99 IS] [REVIEW: SH] | A | 5330 | | IS | 14-FEB-91 |
| | SAE-AMS7271 | RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER FUEL AND LOW TEMPERATURE RESISTANT 60 - 70[CUST: AR AS 99 IS] [REVIEW: 71 GS] | A | 5330 | | IS | 03-OCT-94 |
| | SAE-AMS7270 | RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER FUEL RESISTANT 65 - 75[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-APR-93 |
| | SAE-AMS7258 | RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER FUEL RESISTANT, LOW SHRINKAGE 65 - 75[CUST: MR AS 11] | A | 5330 | | IS | 01-OCT-90 |
| | SAE-AMS7272 | RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER SYNTHETIC LUBRICANT RESISTANT 65 - 75[CUST: AR YD 99 IS] [REVIEW: 71 GS] | A | 5330 | | IS | 03-OCT-94 |
| | SAE-AMS7274 | RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER, OIL RESISTANT 65 - 75[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-OCT-91 |
| | SAE-AMS7320 | RINGS, SEALING, CAST LEADED-TIN BRONZE 80CU - 16SN - 5PB AS CAST[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-OCT-86 |
| | SAE-AMS7322 | RINGS, SEALING, CAST TIN BRONZE 80CU - 19SN AS CAST[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-OCT-86 |
| | SAE-AMS7276 | RINGS, SEALING, FLUOROCARBON (FKM) RUBBER HIGH-TEMPERATURE-FLUID RESISTANT LOW COMPRESSION SET 70 - 80[CUST: MR AS 11] | A | 5330 | | IS | MAY-01 |
| | SAE-AMS7259 | RINGS, SEALING, FLUOROCARBON (FKM) RUBBER HIGH-TEMPERATURE-FLUID RESISTANT LOW COMPRESSION SET 85 - 95[CUST: MR AS 11] | A | 5330 | | IS | MAY-01 |
| | SAE-AMS7273 | RINGS, SEALING, FLUOROSILICONE (FVMQ) RUBBER HIGH TEMPERATURE FUEL AND OIL RESISTANT 70 - 80[CUST: MR AS 99 IS] | A | 5330 | | IS | OCT-94 |
| | SAE-AMS7266 | RINGS, SEALING, FLUOROSILICONE RUBBER GENERAL PURPOSE, HIGH TEMPERATURE, FUEL AND OIL RESISTANT 65 - 75[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-APR-90 |
| | SAE-AMS7257 | RINGS, SEALING, PERFLUOROCARBON (FFKM) RUBBER HIGH TEMPERATURE FLUID RESISTANT 70 - 80[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-JUL-93 |
| | SAE-AMS7269 | RINGS, SEALING, SILICONE (PVMQ) RUBBER LOW OUTGASSING, SPACE AND VACUUM SERVICE 45 - 55[CUST: MR AS 11 IS] | A | 5330 | | IS | 29-SEP-95 |
| | SAE-AMS7267 | RINGS, SEALING, SILICONE (VSI) RUBBER HEAT-RESISTANT, LOW COMPRESSION SET 70 - 80[CUST: MR AS 11] [REVIEW: 99] | A | 5330 | | 11 | MAR-94 |
| | SAE-AMS7264 | RINGS, SEALING, SILICONE RUBBER HIGH TEMPERATURE RESISTANT, LOW COMPRESSION SET 65 - 75[CUST: MR AS 11 IS] | A | 5330 | | IS | 29-SEP-95 |
| | SAE-AMS7268 | RINGS, SEALING, SILICONE RUBBER LOW COMPRESSION SET, NON-OIL RESISTANT 65-75[CUST: MR AS 11] [REVIEW: 99] | A | 5330 | | 11 | 31-OCT-94 |
| | SAE-AMS7255 | RINGS, SEALING, TETRAFLUOROETHYLENE/PROPYLENE RUBBER (FEPM) HYDRAULIC FLUID AND SYNTHETIC OIL RESISTANT 70 - 80[CUST: MR AS 99 IS] | A | 5330 | | IS | 29-SEP-95 |
| | SAE-AMS7256 | RINGS, SEALING, TETRAFLUOROETHYLENE/PROPYLENE RUBBER (FEPM) HYDRAULIC FLUID AND SYNTHETIC OIL RESISTANT 85 - 95[CUST: MR AS 99 IS] | A | 5330 | | IS | 29-SEP-95 |
| | ASME-B27.6 | RINGS, SPIRAL RETAINING, UNIFORM CROSS SECTION, GENERAL PURPOSE[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | 11-JUL-72 |
| | P-R-1272C(I1) | RINSE ADDITIVE, DISHWASHING, CONCENTRATED | A | 7930 | # | FSS | 08-JUN-77 |
| | P-R-1272C | RINSE ADDITIVE, DISHWASHING, CONCENTRATED[CUST: GL MC 99] [REVIEW: 03 84 MD MS SH] | A | 7930 | * | GL | 19-MAR-76 |
| | A-A-53924 | RINSE SOLUTION, BLOOD GAS ANALYZER[CUST: MD MS 03] | A | 6630 | / | MB | 07-JUN-89 |
| | QSTAG-495 ED.2 | RIOT CONTROL AND TRAINING AGENTS[CUST: AI] | C | ISDA | | AI | 06-SEP-00 |
| | MIL-PRF-423F | RIPPING TOOLS, METAL DRUM, PAVING BREAKER[CUST: AT 99] [REVIEW: 84 CC] | A | 3820 | | AT | 22-JAN-96 |
| | NAS525 | RIVET - 100 DEG COUNTERSUNK HEAD HIGH-SHEAR CLOSE TOLERANCE HEAD AND SHANK[CUST: AV AS 11] | A | 5320 | | AS | 19-MAR-80 |
| | SAE-AS125251THRUAS125400 | RIVET - 100 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] | A | 5320 | | IS | 01-MAY-74 |
| | SAE-AS125101THRUAS125250 | RIVET - 100 DEG. COUNTERSUNK HEAD, MILD STEEL[CUST: AR AS 99 IS] | A | 5320 | | IS | MAY-74 |
| | NAS1739 | RIVET - BLIND 100 DEG FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED[CUST: AS 11 IS] | A | 5320 | | IS | 30-JAN-84 |
| | NAS1738 | RIVET - BLIND PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED[CUST: AS 11 IS] | A | 5320 | | IS | 30-JAN-84 |
| | NAS1721 | RIVET - BLIND, 100 DEG. FLUSH HEAD (MS20426 HEAD) MECHANICALLY LOCKED SPINDLE[CUST: AV AS 11 IS] | A | 5320 | | IS | 14-AUG-95 |
| | NAS1399 | RIVET - BLIND, 100 DEG. FLUSH HEAD, LOCKED SPINDLE[CUST: AS 11 IS] | A | 5320 | | IS | 29-MAY-86 |
| | NAS1398 | RIVET - BLIND, PROTRUDING HEAD, LOCKED SPINDLE[CUST: AS 11 IS] | A | 5320 | | IS | 21-MAY-86 |
| | NAS529 | RIVET - FLAT HEAD, HI- SHEAR, CLOSE TOLERANCE SHANK[CUST: AV AS 11 IS] | A | 5320 | | IS | 11-FEB-87 |
| | NA0053 | RIVET - SOLID, COUNTERSUNK 100 DEG. HEAD, A286 CORROSION RESISTANT STEEL, METRIC[CUST: AV 11 IS] [REVIEW: AR] | A | 5320 | | IS | MAY-79 |
| | NA0054 | RIVET - SOLID, COUNTERSUNK 100 DEG. HEAD, MONEL, METRIC[CUST: AV 11 IS] [REVIEW: AR] | A | 5320 | | IS | MAY-79 |
| | NA0055 | RIVET - SOLID, REDUCED COUNTERSUNK 100 DEG. HEAD, A286 CORROSION RESISTANT STEEL, METRIC[CUST: AV 11 IS] [REVIEW: AR] | A | 5320 | | IS | MAY-79 |
| | NA0056 | RIVET - SOLID, REDUCED COUNTERSUNK 100 DEG. HEAD, MONEL, METRIC[CUST: AV 11 IS] [REVIEW: AR] | A | 5320 | | IS | MAY-79 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NA0052 | RIVET - SOLID, UNIVERSAL HEAD, MONEL, METRIC[CUST: AV 11 IS] [REVIEW: AR] | A | 5320 | | IS | MAY-79 |
| | SAE-AS3230 | RIVET - TUBULAR, COUNTERSUNK, AMS 7232[CUST: AR AS 99 IS] | A | 5320 | | IS | 01-NOV-95 |
| | SAE-AS3228 | RIVET - TUBULAR, COUNTERSUNK, AS 7228[CUST: AR AS 99 IS] | A | 5320 | | IS | 01-NOV-95 |
| | NASM16535 | RIVET - TUBULAR, OVAL HEAD[CUST: AR OS 99 IS] | A | 5320 | | IS | NOV-99 |
| | SAE-AS3229 | RIVET - TUBULAR, UNIVERSAL - AS 7228[CUST: AR AS 99 IS] | A | 5320 | | IS | 01-NOV-95 |
| | SAE-AS3231 | RIVET - TUBULAR, UNIVERSAL - AS7232[CUST: AR AS 99 IS] | A | 5320 | | IS | 01-NOV-95 |
| | SAE-AS125701THRUAS125850 | RIVET - UNIVERSAL HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] | A | 5320 | | IS | MAY-74 |
| | SAE-AS125401THRUAS125550 | RIVET - UNIVERSAL HEAD, CORROSION RESISTANT STEEL[CUST: AV AS 99 IS] | A | 5320 | | IS | DEC-99 |
| | SAE-AS125551THRUAS125700 | RIVET - UNIVERSAL HEAD, MILD STEEL[CUST: AV AS 99 IS] | A | 5320 | | IS | DEC-99 |
| | SAE-AS123151THRUAS123300 | RIVET AND UNIVERSAL HEAD, HIGH TEMPERATURE, AMS 7229[CUST: AV AS 99 IS] | A | 5320 | | IS | DEC-99 |
| | SAE-J492 | RIVET SELECTION AND DESIGN CONSIDERATION, GUIDE FOR[CUST: CR4 AS 99 IS] | A | 5320 | | IS | 03-OCT-94 |
| | SAE-AS124951THRUAS125100 | RIVET, 100 DEG. COUNTERSUNK HEAD, CORROSION RESISTANT STEEL[CUST: AV AS 99 IS] | A | 5320 | | IS | DEC-99 |
| | NAS1921 | RIVET, BLIND - GENERAL PURPOSE, BULBED, 100 DEG. FLUSH HEAD, MECHANICALLY-LOCKED SPINDLE[CUST: AV AS 11 IS] | A | 5320 | | IS | 31-OCT-97 |
| | NAS1919 | RIVET, BLIND - GENERAL PURPOSE, BULBED, PROTRUDING HEAD, MECHANICALLY - LOCKED - SPINDLE[CUST: AV AS 11 IS] | A | 5320 | | IS | 31-OCT-97 |
| | NAS1900 | RIVET, BLIND - GENERAL PURPOSE, BULBED, SELF PLUGGING MECHANICALLY-LOCKED SPINDLE[CUST: AS 99 IS] | A | 5320 | | IS | 31-OCT-97 |
| | NASM24662 | RIVET, BLIND - UNIVERSAL HEAD, DRIVE TYPE[CUST: AR YD 99 IS] | A | 5320 | | IS | FEB-99 |
| | NASM20601 | RIVET, BLIND STRUCTURAL, PULL STEM SELF-PLUGGING 100 DEGREE FLUSH HEAD, TYPE II[CUST: AR AS 99 IS] | A | 5320 | | IS | NOV 99 |
| | NAS9305 | RIVET, BLIND, 100 DEG. FLUSH HEAD MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 2, CODE B AND E[CUST: AV AS 99 IS] [REVIEW: MI] | A | 5320 | | IS | 9 NOV 98 |
| | NAS9311 | RIVET, BLIND, 100 DEG. FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 2, CODE C AND M[CUST: AR AS 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 28-FEB-00 |
| | NAS9308 | RIVET, BLIND, 100 DEG. FLUSH HEAD, MECHNICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 2, CODE M[CUST: AR AS 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 28-FEB-00 |
| | NAS9303 | RIVET, BLIND, 100 DEG. FLUSH SHEAR HEAD MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 3, CODE B AND E[CUST: AR AS 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 9 NOV 98 |
| | NAS9309 | RIVET, BLIND, 100 DEG. FLUSH SHEAR HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 3, CODE M[CUST: AR AS 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 28-FEB-00 |
| | NAS1719 | RIVET, BLIND, 100 DEG. REDUCED FLUSH HEAD, (NAS 1097 HEAD) MECHANICALLY LOCKED SPINDLE[CUST: AV AS 11 IS] | A | 5320 | | IS | 14-AUG-95 |
| | NAS1686 | RIVET, BLIND, ALUMINUM SLEEVE, MECHANICALLY LOCKED SPINDLE, BULBED[CUST: AR 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 9 NOV 98 |
| | NASM27384 | RIVET, BLIND, DRIVE TYPE[CUST: AR YD 99 IS] | A | 5320 | | IS | FEB-99 |
| | NAS9312 | RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 4, CODE M[CUST: AR AS 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 28-FEB-00 |
| | NAS1687 | RIVET, BLIND, MONEL AND INCONEL, MECHANICALLY LOCKED SPINDLE, BULBED[CUST: AR 99 IS] [REVIEW: 71 AV MI] | A | 5320 | | IS | 28-FEB-00 |
| | NASM20604 | RIVET, BLIND, NONSTRUCTURAL, UNIVERSAL HEAD, CLASS 1[CUST: AR AS 99 IS] | A | 5320 | | IS | AUG-98 |
| | NAS1720 | RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE[CUST: AV AS 11 IS] | A | 5320 | | IS | 14-AUG-95 |
| | NAS9310 | RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 1, CODE C AND M[CUST: AR AS 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 28-FEB-00 |
| | NAS1400 | RIVET, BLIND, SELF PLUGGING, MECHANICALLY LOCKED SPINDLE[CUST: AV AS 11 IS] | A | 5320 | | IS | 15-SEP-78 |
| | NAS1740 | RIVET, BLIND, SELF PLUGGING, MECHANICALLY LOCKED SPINDLE, BULBED[CUST: AS 11] [REVIEW: CR4] | A | 5320 | | IS | 15-SEP-78 |
| | NAS1722 | RIVET, BLIND, SELF-PLUGGING, MECHANICALLY LOCKED SPINDLE[CUST: AV AS 11 IS] | A | 5320 | | IS | 09-NOV-95 |
| | NASM20600 | RIVET, BLIND, STRUCTURAL PULL STEM, SELF-PLUGGING, PROTRUDING HEAD, TYPE II[CUST: AR AS 99] | A | 5320 | | IS | DEC-99 |
| | NASM24661 | RIVET, BLIND-COUNTERSUNK HEAD, DRIVE TYPE[CUST: AR 99 IS] | A | 5320 | | IS | FEB-99 |
| | NAS1055 | RIVET, HI-SHEAR 100 DEG., FLUSH CLOSE TOLERANCE HEAD, SUP. NAS177[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5320 | | IS | DEC-72 |
| | NAS1906THRUNAS1916 | RIVET, HI-SHEAR, 100 DEGREES HEAD INTERFERENCE FIT, TITANIUM ALLOY[CUST: AV AS 11] | A | MISC | | AS | 14-JUN-74 |
| | NAS1806THRUNAS1816 | RIVET, HI-SHEAR, FLAT HEAD, INTERFERENCE FIT, TITANIUM ALLOY - SEP 57 W/DOD EXCEPTIONS[CUST: AV AS 11] | A | MISC | | AS | 14-JUN-74 |
| | NAS1054 | RIVET, PROTRUDING HEAD, HIGH-SHEER, SUP. NAS178[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5320 | | IS | DEC-72 |
| | ASME-B18.7.1M | RIVET, SEMI TUBULAR, GENERAL PURPOSE METRIC[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI NS SH] | A | 5320 | | IS | 30-JAN-85 |
| | NAS1321 | RIVET, SLUG, SLEEVELESS[CUST: AV AS 11 IS] | A | 5320 | | IS | 11-FEB-87 |
| | NASM20613 | RIVET, SOLD-UNIVERSAL HEAD, STEEL, CARBON AND STEEL, CORROSION-RESISTANT[CUST: AR OS 99 IS] | A | 5320 | | IS | NOV-99 |
| | NASM20427 | RIVET, SOLID - 100 DEG. COUNTERSUNK HEAD, CARBON STEEL, CORROSION-RESISTANT STEEL, MONEL AND COPPER[CUST: AR AS 99 IS] | A | 5320 | | IS | FEB 99 |
| | SAE-AS9318 | RIVET, SOLID - 100 DEGREES FLUSH HEAD, AMS 7233[CUST: AV AS 99] | A | 5320 | | IS | DEC-99 |
| | SAE-AS9460 | RIVET, SOLID - 100 DEGREES FLUSH HEAD, AMS7235[CUST: AV AS] | A | 5320 | | IS | AUG-99 |
| | NA0001THRUNA0006 | RIVET, SOLID - UNIVERSAL HEAD ALUMINUM AND ALUMINUM ALLOY, METRIC[CUST: AV AS 11 IS] | A | 5320 | | IS | DEC-78 |
| | SAE-AS9403 | RIVET, SOLID - UNIVERSAL HEAD, AMS 5737[CUST: AS 11] | A | 5320 | | IS | AUG-99 |
| | SAE-AS9319 | RIVET, SOLID - UNIVERSAL HEAD, AMS 7233[CUST: AV AS] | A | 5320 | | IS | DEC-99 |
| | NAS1199 | RIVET, SOLID, 100 DEG. FLUSH HEAD, A286 CORROSION RESISTANT STEEL[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5320 | | IS | 14-JUN-74 |
| | SAE-AS123451THRUAS123600 | RIVET, SOLID, 100 DEG. FLUSH HEAD, AMS 7229[CUST: AV AS 99 IS] | A | 5320 | | IS | DEC-99 |
| | SAE-AS123601THRUAS123750 | RIVET, SOLID, 100 DEG. FLUSH HEAD, AMS 7232[CUST: AV AS 99 IS] | A | 5320 | | IS | DEC-99 |
| | NAS1200 | RIVET, SOLID, 100 DEG. FLUSH SHEAR HEAD, A286 CORROSION RESISTANT STEEL AND MONEL[CUST: AS 11 IS] | A | 5320 | | IS | 17-DEC-93 |
| | NAS1097 | RIVET, SOLID, 100 DEGREE FLUSH SHEAR HEAD, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY[CUST: AR AS 99 IS] | A | 5320 | | IS | 08-JUL-88 |
| | NASM14218 | RIVET, SOLID, 120 DEG. FLUSH INTERFERENCE SHEAR END[CUST: AV AS 99 IS] | A | 5320 | | IS | AUG-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM14219 | RIVET, SOLID, 120 DEG. FLUSH INTERFERENCE, TENSION TYPE HEAD[CUST: AS IS] | A | 5320 | | IS | FEB-99 |
| | NASM20426 | RIVET, SOLID, COUNTERSUNK 100 PRECISION HEAD, ALUMINUM AND TITANIUM COLUMBIUM ALLOY[CUST: AR AS 99 IS] | A | 5320 | | IS | AUG-98 |
| A | ASME-B18.1.3M | RIVET, SOLID, SMALL METRIC[CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MC MI NS YD] | A | 5320 | | IS | 09-APR-84 |
| A | FF-R-556D(1) | RIVET, SOLID, SMALL; RIVET, SPLIT, SMALL; RIVET, TUBULAR, SMALL FLAT WASHER (BURR); AND CAP, RIVET, GENERAL PURPOSE[CUST: AR 99 IS] [REVIEW: AT CR4 GL MC MI NS] | A | 5320 | / | IS | 01-AUG-86 |
| | NAS1198 | RIVET, SOLID, UNIVERSAL HEAD, A286 CORROSION RESISTANT STEEL[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5320 | | IS | 14-JUN-74 |
| | NASM20470 | RIVET, SOLID, UNIVERSAL HEAD, ALUMINUM ALLOY AND TITANIUM COLUMBIUM ALLOY[CUST: AR AS 99 IS] | A | 5320 | | IS | AUG-98 |
| | SAE-AS123301THRUAS123450 | RIVET, SOLID, UNIVERSAL HEAD, AMS 7232[CUST: AV AS IS] | A | 5320 | | IS | DEC-99 |
| | NA0013THRUNA0018 | RIVET, SOLID-COUNTERSUNK 100 DEG. HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC[CUST: AV AS 11 IS] | A | 5320 | | IS | DEC-78 |
| | NA0019THRUNA0024 | RIVET, SOLID-COUNTERSUNK 100 DEG. SHEAR HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC[CUST: AV AS 11 IS] | A | 5320 | | IS | DEC-78 |
| | NASM20615 | RIVET, SOLID-UNIVERSAL HEAD, BRASS, COPPER, NICKEL-COPPER ALLOY[CUST: AV AS 99] [REVIEW: 71] | A | 5320 | | IS | 28-FEB-00 |
| | NASM83459 | RIVET, TITANIUM, BIMETAL 95 KSI FTU[CUST: AV AS 99] | A | 5320 | | IS | NOV 99 |
| | NASM83459-1 | RIVET, TITANIUM, BIMETAL, 95 KSI F SU, PROTUDING HEAD, TYPE I[CUST: AV AS 11 IS] | A | 5320 | | IS | OCT-98 |
| | NASM83459-2 | RIVET, TITANIUM, BIMETAL, 95 KSI FSU, 100 DEG. TENSION CROWN HEAD, TYPE II[CUST: AV AS 11 IS] | A | 5320 | | IS | NOV-99 |
| | NASM83459-3 | RIVET, TITANIUM, BIMETAL, 95 KSI FSU, 100 DEGREES REDUCED FLUSH CROWN HEAD, TYPE III[CUST: AS 99] | A | 5320 | | IS | OCT-98 |
| | NASM16536 | RIVET, TUBULAR, 150 DEG. FLAT COUNTERSUNK HEAD[CUST: AR 99 IS] | A | 5320 | | IS | FEB-99 |
| | NAS1769 | RIVET-BLIND, 100 DEG. FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED[CUST: AS 11 IS] | A | 5320 | | IS | 28-FEB-97 |
| | NAS9302 | RIVET-BLIND, 100 DEG. FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 2, CODE B AND E[CUST: AR AS 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 9 NOV 98 |
| | NAS9306 | RIVET-BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 4, CODE B AND E[CUST: AR AS 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 9 NOV 98 |
| | NAS1768 | RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED[CUST: AS 11 IS] | A | 5320 | | IS | 30-JUL-93 |
| | NAS9307 | RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 1, CODE M[CUST: AR AS 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 28-FEB-00 |
| | NAS9301 | RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 1, CODE B AND E[CUST: AR AS 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 9 NOV 98 |
| | NAS9304 | RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 1, CODE B AND E[CUST: AR AS 99 IS] [REVIEW: AV MI] | A | 5320 | | IS | 9 NOV 98 |
| | NAS1241 | RIVET-SOLID, 100 DEG. FLUSH HEAD, ALUMINUM ALLOY, MS20426 REPAIR[CUST: AV AS 11 IS] | A | 5320 | | IS | 30-APR-63 |
| | NAS1242 | RIVET-SOLID, UNIVERSAL HEAD, ALUMINUM ALLOY, MS20470 REPAIR[CUST: AV AS 11 IS] | A | 5320 | | IS | 30-APR-63 |
| | SAE-MA3574 | RIVET-SOLID, UNIVERSAL HEAD, AS7232 CORROSION AND HEAT RESISTANT NICKEL ALLOY, METRIC[CUST: AS 99 IS] | A | 5320 | | IS | FEB-96 |
| | A-A-52214 | RIVETER, PNEUMATIC, COMPRESSION TYPE, PORTABLE, WITH RIVET SETS[CUST: GL 99] [REVIEW: 84 AV CG] | A | 5130 | * | GL | 09-JAN-97 |
| | MIL-R-85188A(1) | RIVETER, POWER, PNEUMATIC-HYDRAULIC BLIND RIVET INSTALLATION[CUST: AS] [REVIEW: GL GS IS] | A | 5130 | | AS | 10-JAN-92 |
| | SAE-J663 | RIVETS FOR BRAKE LININGS AND BOLTS FOR BRAKE BLOCKS[CUST: AT 99] [REVIEW: YD] | A | 2530 | | AT | 04-APR-90 |
| | SAE-AS7236 | RIVETS, ALLOY, CORROSION AND HEAT RESISTANT 52CO-20CR-10NI-15W, SOLUTION HEAT TREATED PROCUREMENT SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5320 | | IS | 22-OCT-92 |
| | SAE-AS7234 | RIVETS, BLIND, CORROSION RESISTANT ALLOY 67NI - 31CU, PROCUREMENT SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5320 | | IS | 13-JUL-93 |
| | NASM20605 | RIVETS, BLIND, NONSTRUCTURAL, 100 DEG. FLUSH HEAD, CLASS 2[CUST: AR AS 99 IS] | A | 5320 | | IS | AUG-90 |
| | MIL-R-24243/7D NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 71 AV MI NS] | A | 5320 | | IS | 21-AUG-01 |
| | A-A-59431 NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 11 71 AV MI NS] | A | 5320 | / | IS | 23-JAN-04 |
| | MIL-R-24243/6E NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, DOMED HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 71 AV MI NS] | A | 5320 | | IS | 21-AUG-01 |
| | A-A-59430 NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, DOMED HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 11 71 AV MI NS] | A | 5320 | / | IS | 23-JAN-04 |
| | MIL-R-24243C(1) SUP 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, GENERAL SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: 71 AV MI NS] | A | 5320 | | IS | 30-SEP-94 |
| | A-A-59428 NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN END, 100 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 11 71 AV MI NS] | A | 5320 | / | IS | 23-JAN-04 |
| | A-A-59429 NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY, CARBON STEEL, NICKEL-COPPER ALLOY[CUST: AR AS 99 IS] [REVIEW: 11 71 AV MI NS] | A | 5320 | / | IS | 23-JAN-04 |
| | A-A-59425 NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN END, DOMED HEAD, ALUMINUM ALLOY, CARBON STEEL, CORROSION RESISTANT STEEL[CUST: AR AS 99 IS] [REVIEW: 11 71 AV MI NS] | A | 5320 | / | IS | 23-JAN-04 |
| | MIL-R-24243/1E NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN END, DOMED HEAD, ALUMINUM ALLOY, CARBON STEEL, CORROSION RESISTANT STEEL[CUST: AR AS 99 IS] [REVIEW: 71 AV MI NS] | A | 5320 | | IS | 21-AUG-01 |
| | A-A-59426 NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN END, DOMED HEAD, NICKEL-COPPER ALLOY[CUST: AR AS 99 IS] [REVIEW: 11 71 AV MI NS] | A | 5320 | / | IS | 23-JAN-04 |
| | A-A-59427 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN END, LARGE DOMED HEAD, ALUMINUM ALLOY, CARBON STEEL[CUST: AR AS 99 IS] [REVIEW: 11 71 AV MI NS] | A | 5320 | / | IS | 20-APR-99 |
| | MIL-R-24243/4D NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 100 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 71 AV MI NS] | A | 5320 | | IS | 21-AUG-01 |
| | MIL-R-24243/5D NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY, CARBON STEEL, NICKEL-COPPER ALLOY[CUST: AR AS 99 IS] [REVIEW: 71 AV MI NS] | A | 5320 | | IS | 21-AUG-01 |
| | MIL-R-24243/2C NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD, NICKEL-COPPER ALLOY[CUST: AR AS 99 IS] [REVIEW: 71 AV MI NS] | A | 5320 | | IS | 21-AUG-01 |
| | MIL-R-24243/3D NOT 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, LARGE DOMED HEAD, ALUMINUM ALLOY, CARBON STEEL[CUST: AR AS 99 IS] [REVIEW: 71 AV MI NS] | A | 5320 | | IS | 21-AUG-01 |
| | NASM47195 | RIVETS, BLIND, SELF-PLUGGING PREPARATION FOR AND INSTALLATION OF[CUST: MI IS] | A | 5320 | | IS | FEB-99 |
| | NASM33522 | RIVETS, BLIND, STRUCTURAL, MECHANICALLY LOCKED AND FRICTION RETAINER SPINDLE, (RELIABILITY AND MAINTAINABILITY) DESIGN AND CONSTRUCTION REQUIREMENT FOR[CUST: AV AS 99] | A | 5320 | | IS | JUN-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-7885D(2) SUP 1 | RIVETS, BLIND, STRUCTURAL, MECHANICALLY LOCKED SPINDLE AND FRICTION LOCKED SPINDLE, GENERAL SPECIFICATION FOR[CUST: AR AS 99] [REVIEW: 71 AV MC] | A | 5320 | | IS | 27-APR-96 |
| | NASM47196 | RIVETS, BUCK TYPE, PREPARATION FOR AND INSTALLATION OF[CUST: MI IS] | A | 5320 | | IS | FEB-99 |
| | SAE-AS7225 | RIVETS, CARBON STEEL[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5320 | | IS | 01-JUL-93 |
| | SAE-AS7237 | RIVETS, NICKEL ALLOY, CORROSION AND HEAT RESISTANT 47.5NI-22CR-1.5CO-9.0MO-0.60W-18.5FE SOLUTION HEAT TREATED PROCUREMENT SPECIFICATION FOR[CUST: AR AS 99 IS] | A | 5320 | | IS | NOV-95 |
| | SAE-AS7232 | RIVETS, SOLID AND TUBULAR, NICKEL ALLOY CORROSION AND HEAT RESISTANT 74NI - 15.5CR - 8.0 FE PROCUREMENT SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5320 | | IS | 06-OCT-92 |
| | SAE-AS7233 | RIVETS, SOLID, UNS N04400, CORROSION RESISTANT 67NI - 31CU, PROCUREMENT SPECIFICATION FOR[CUST: AR AS 99 IS] | A | 5320 | | IS | 24-APR-92 |
| | SAE-AS7229 | RIVETS, STEEL, CORROSION AND HEAT-RESISTANT 18CR-10.5NI-0.70 (CB + TA) SOLUTION HEAT TREATED PROCUREMENT, SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5320 | | IS | 9-OCT-92 |
| | SAE-AS7228 | RIVETS, STEEL, CORROSION RESISTANT 18CR-9NI SOLUTION HEAT TREATED PROCUREMENT, SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5320 | | IS | 28-MAY-93 |
| | NASM5674 | RIVETS, STRUCTURAL, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY[CUST: AV 99] | A | 5320 | | IS | MAR-00 |
| | SAE-AS7235 | RIVETS, UNS S66286, STEEL, CORROSION AND HEAT RESISTANT, 80 KSI SHEAR STRENGTH, PROCUREMENT SPECIFICATION FOR[CUST: AR AS 99 IS] | A | 5320 | | IS | 01-NOV-95 |
| | QPL-7885-23 | RIVETS: BLIND, STRUCTURAL, PULL-STEM, AND CHEMICALLY EXPANDED | A | 5320 | | IS | 14-OCT-92 |
| | NASM8814 | RIVITS, BLIND, NONSTRUCTURAL TYPE[CUST: AS 99 IS] | A | 5320 | | IS | AUG-98 |
| | AASHTO-M43 | ROAD AND BRIDGE CONSTRUCTION, SIZES OF AGGREGATE FOR[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | QSTAG-174 ED.2 | ROAD AND ROAD STRUCTURES[CUST: AI] | C | ISDA | | AI | 24-MAR-99 |
| | ASTM-D490 | ROAD TAR[CUST: CE YD 99 IS] | A | 5610 | | IS | 15-FEB-92 |
| | ASTM-D633 | ROAD TAR, STANDARD VOLUME CORRECTION TABLE FOR[CUST: YD 11 IS] [REVIEW: CE] | A | 5610 | | IS | 27-MAR-87 |
| | SAE-J1401 | ROAD VEHICLE - HYDRAULIC BRAKE HOSE ASSEMBLIES FOR USE WITH NON-PETROLEUM BASE HYDRAULIC FLUIDS[CUST: AT CC] | A | 4720 | | CC | JUN-94 |
| | IESNA-RP8 | ROADWAY LIGHTING[CUST: YD] | A | FACR | | YD | 07-SEP-04 |
| | ANSI-C136.13 | ROADWAY LIGHTING - METAL BRACKETS FOR WOOD POLES, STANDARD FOR[CUST: YD] | A | 6240 | | YD | 23-DEC-91 |
| | ANSI-C136.21 | ROADWAY LIGHTING - VERTICAL TENONS USED WITH POST-TOP-MOUNTED LUMINAIRES[CUST: YD] | A | 6210 | | YD | 23-DEC-86 |
| | ANSI-C136.14 | ROADWAY LIGHTING EQUIPMENT - ENCLOSED SIDE-MOUNTED LUMINAIRES FOR HORIZONTAL-BURNING HIGH-INTENSITY-DISHCHARGE LAMPS[CUST: CR4 YD 99] | A | 6240 | | YD | 29-JAN-88 |
| | ANSI-C136.20 | ROADWAY LIGHTING EQUIPMENT - FIBER-REINFORCED PLASTIC (FRP) LIGHTING POLES[CUST: YD] | A | 6210 | | YD | 13-NOV-89 |
| | ANSI-C136.10 | ROADWAY LIGHTING EQUIPMENT - LOCKING-TYPE PHOTOCONTROL DEVICES AND MATING RECEPTACLES - PHYSICAL AND ELECTRICAL INTERCHANGEABILITY AND TESTING[CUST: CR4 YD 99] | A | 6240 | | YD | 03-JUN-88 |
| | ANSI-C136.3 | ROADWAY LIGHTING EQUIPMENT - LUMINAIRE ATTACHMENTS, STANDARD FOR[CUST: YD] | A | 6240 | | YD | 23-DEC-91 |
| | A-A-54373 | ROBE, DRESSING (STRIPED SEERSUCKER)[CUST: MD MS 03] | A | 6532 | / | MB | 15-APR-91 |
| | A-A-59687 | ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (EOD)[CUST: 99] | A | 1385 | / | 70 | 04-JUN-01 |
| | ASTM-D2113 | ROCK CORE DRILLING AND SAMPLING OF ROCK FOR SITE INVESTIGATION[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 10-JAN-99 |
| | MIL-R-85363(2) | ROCKET MOTOR MARK 23 MODS 2 & 3[CUST: OS] [REVIEW: AS] | A | 1340 | | OS | 16-JUL-86 |
| | MIL-R-23452A(1) | ROCKET MOTOR MARK 25 MODS 0, 1, & 2[CUST: AS] | A | 1340 | | AS | 13-NOV-86 |
| | MIL-DTL-85769B | ROCKET MOTOR, MK 117 MOD 0[CUST: AS] | A | 1340 | | AS | 14-OCT-03 |
| | MIL-R-29565A | ROCKET MOTOR, MK 125 MOD 1[CUST: AS] | A | 1340 | | AS | 30-NOV-90 |
| | MIL-R-81128(1) | ROCKET MOTORS, IDENTIFICATION OF PARTS AND ASSEMBLIES, REQUIREMENTS FOR[CUST: OS] | A | 1340 | | OS | 19-APR-89 |
| | MIL-R-50263A(2) NOT 1 | ROCKET, 2.75 INCH, COMPLETE ROUND, ASSEMBLING, PACKING AND TESTING[CUST: AR] | A | 1340 | | AR | 22-APR-88 |
| | STANAG-1348 ED.1(4) | ROCKET, 375 ASW, INTERCHANGEABLE WITHIN NATO NAVAL FORCES (INCLUDING AMENDMENTS 1 THRU 4) | C | ISDN | | NI | 08-OCT-87 |
| | MIL-R-85545B | ROCKET, GTR-18A[CUST: OS] [REVIEW: AS] | A | 1370 | | OS | 30-NOV-90 |
| | MIL-R-85880 | ROCKET, JET ASSISTED TAKE OFF (JATO) PROPULSION SYSTEM, GENERAL DEVELOPMENT SPECIFICATION FOR[CUST: AS] | A | 1340 | | AS | 12-APR-88 |
| | ASTM-C586 | ROCKS, CARBONATE, FOR CONCRETE AGGREGATES (ROCK CYLINDER METHOD), POTENTIAL ALKALI REACTIVITY OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 15-APR-92 |
| | AWS-A5.24 | ROD & ELECTRODE, ZIRCONIUM & ZIRCONIUM ALLOY BARE WELDING[CUST: AR YD 99] [REVIEW: GS SH] | A | 3439 | | YD | 12-JUN-87 |
| | AWS-A5.13 | ROD & ELECTRODES, WELDING, SOLID SURFACING[CUST: MR 11 GS6] | A | 3439 | | GS6 | 23-FEB-88 |
| | NAS354 | ROD - CONTROL, SOLID STEEL[CUST: AV AS 11] [REVIEW: CR4] | A | 5307 | | IS | 30-NOV-94 |
| | ASTM-B196/B196M | ROD AND BAR, COPPER-BERYLLIUM ALLOY[CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL MI] | A | 9530 | | IS | 29-JUN-90 |
| | ASTM-B446 | ROD AND BAR, NICKEL - CHROMIUM - MOLYBDENUM - COLUMBIUM ALLOY (UNS N06625), NICKEL - CHROMIUM - MOLYBDENUM - SILICON ALLOY (UNS N06219), AND NICKEL - CHROMIUM - MOLYBDENUM - TUNGSTEN ALLOY (UNS N06650)[CUST: MR SH 99] | A | 9530 | | SH | 03-OCT-94 |
| | A-A-55099A | ROD AND CLAMP, INSECT BAR[CUST: GL 99 CT] [REVIEW: 03 11 MD] | A | 7210 | / | CT | 03-JAN-97 |
| | SAE-AMS5819 | ROD AND WIRE 62CO - 27CR - 2.9NI - 5.5MO, HARDFACING COBALT ALLOY, CORROSION AND HEAT RESISTANT[CUST: MR AS 11] [REVIEW: 99] | A | MFFP | | 11 | MAY-95 |
| | A-A-51073 | ROD ASSORTMENT, STIRRING, LABORATORY, GLASS[CUST: MD MS 03] | A | 6640 | / | MB | 28-OCT-85 |
| | NAS5 | ROD END, THREADED, ALLOY STEEL, FLASH WELDING TYPE[CUST: AV AS 11] [REVIEW: CR4 IS] | A | 5340 | | AS | 15-SEP-78 |
| | A-A-52493 NOT 1 | ROD END, THREADED-LINKAGE, RIGID[CUST: AT 99] [REVIEW: 71 MC MI OS] | A | 5340 | / | AT | 14-APR-04 |
| | SAE-AS49011 | ROD END-THREADED, AIRCRAFT[CUST: AV AS 99] | A | 5340 | | AS | 10-JAN-05 |
| | ASTM-B21/B21M | ROD, BAR, AND SHAPES, NAVAL BRASS[CUST: MR SH IS] [REVIEW: AV CR CR4 EA GL YD] | A | 9530 | | IS | 23-FEB-90 |
| | ASTM-B164 | ROD, BAR, AND WIRE, NICKEL-COPPER ALLOY[CUST: MR YD] [REVIEW: EA MI SH] | A | 9530 | | YD | 15-FEB-93 |
| | ASTM-B16/B16M | ROD, BRASS, FREE-CUTTING, BAR AND SHAPES FOR USE IN SCREW MACHINES[CUST: MR SH IS] [REVIEW: 99 AR AS CR CR4 EA GL MI] | A | 9530 | | IS | 10-JAN-00 |
| | ASTM-B371 | ROD, COPPER-ZINC-SILICON ALLOY[CUST: CR4 SH 99] | A | 9530 | | SH | 10-APR-96 |
| | MIL-R-37828 NOT 1 | ROD, INSECT BAR[CUST: MD MS 03] [REVIEW: 11] | A | 7210 | | MB | 19-JUN-89 |
| | MIL-R-36025B | ROD, IRRIGATOR SUPPORTING[CUST: MD MS 03 MB] | A | 6530 | | MB | 17-SEP-76 |
| | ASTM-B139/B139M | ROD, PHOSPHOR BRONZE, BAR, AND SHAPES[CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL GS MC MI OS SA] | A | 9530 | | IS | 23-FEB-90 |
| | ASTM-D3916 | ROD, PLASTIC, PULTRUDED GLASS-FIBER-REINFORCED, TENSILE PROPERTIES OF[CUST: CR YD 11] [REVIEW: GS SH] | A | 5970 | | YD | 12-AUG-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-48233A(4) | ROD, STABILIZING, COATED FOR 2.75 INCH ROCKET MOTOR MK4/MK40 AND MODS[CUST: OS] | A | 1340 | | OS | 01-FEB-91 |
| | A-A-53682 | ROD, STIRRING, LABORATORY POLYTETRAFLOUROETHYLENE[CUST: MD MS 03] | A | 6640 | / | MB | 16-SEP-88 |
| | AWS-A5.16 | RODS AND ELECTRODES, TITANIUM AND TITANIUM ALLOY WELDING[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 08-APR-91 |
| | MIL-R-17131C(1) | RODS AND POWDERS, WELDING, SURFACING[CUST: AR SH 11] [REVIEW: 99 AS GS MC OS] | A | 3439 | | SH | 21-AUG-84 |
| | A-A-52004 NOT 2 | RODS SET, LEVEL[CUST: CE MC 99 IS] [REVIEW: 71] | A | 6675 | / | IS | 27-SEP-01 |
| | A-A-55804A | RODS, GROUND (WITH ATTACHMENTS)[CUST: CR4 MC 11 GS2] [REVIEW: 99 CR] | A | 5975 | / | GS2 | 30-MAY-02 |
| | A-A-50210A NOT 1 | RODS, LEVEL, PHILADELPHIA[CUST: CE YD 99 IS] [REVIEW: MC] | A | 6675 | / | IS | 25-SEP-01 |
| | SAE-AMS3650 | RODS, SHEETS, AND MOLDED SHAPES, POLYCHLOROTRIFLUOROETHYLENE (PCTFE) UNPLASTICIZED[CUST: MR AS 11] | A | 9330 | | AS | 01-JAN-91 |
| | A-A-50211A NOT 1 | RODS, STADIA (FOLDING)[CUST: CE IS] | A | 6675 | / | IS | 25-SEP-01 |
| | ANSI-B11.12 | ROLL FORMING & ROLL BENDING MACHINES SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE[CUST: AR SH 99] [REVIEW: 84 MC] | A | 3441 | | GS6 | 10-NOV-83 |
| | A-A-54468 | ROLL, ABSORBENT[CUST: MD MS 03] | A | 6510 | / | MB | 30-SEP-91 |
| | A-A-54593 | ROLL, COTTON TAPE, (RADIOPAQUE)[CUST: MD MS 03] | A | 6510 | / | MB | 14-FEB-92 |
| | STANAG-3178 ED.6(1) | ROLLED AIR FILM AND AIR FRAMING CAMERA STANDARD IMAGE FORMAT SIZES | C | ISDF | | 06 | PENDING |
| | ANSI-B29.1 | ROLLER CHAINS, TRANSMISSION, ATTACHMENTS & SPROCKETS, PRECISION POWER[CUST: AT YD 99] | A | 3020 | | AT | 08-JUN-78 |
| | MIL-PRF-53007B NOT 1 | ROLLER KIT, ROLLER, MINE CLEARING: TRACK-WIDTH, TANK-MOUNTED[CUST: AT] | A | 1095 | | AT | 15-APR-04 |
| N | ASTM-F2443 | ROLLER, BEARING, NEEDLE, FERROUS, SOLID, SPHERICAL END[CUST: AT OS 99] [REVIEW: 84 MC] | A | 3110 | | GS4 | 19-APR-06 |
| | A-A-59246 NOT 1 | ROLLER, TOWED, OPEN-FACE TYPE, TWO DRUM[CUST: YD 99] [REVIEW: 84 MC] | A | 3895 | / | IS | 11-JUN-03 |
| | A-A-20053B | ROLLS, BREAD, FRESH OR FROZEN | A | 8920 | # | FSS | 31-AUG-98 |
| | A-A-20289 | ROLLS, BREAD, UNBAKED, FRESH AND FROZEN | A | 8920 | # | FV | 09-DEC-98 |
| | A-A-53517 | RONGEUR (KERRISON, 7-1/2 INCH, 40 DEG. UPBITE)[CUST: MD MS 03] | A | 6515 | / | MB | 03-JUN-88 |
| | A-A-54681 | RONGEUR, ANGULARY, STILLE, 8-3/4 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 19-JUN-92 |
| | A-A-54158 | RONGEUR, CURVED, 7 INCH (BEYER)[CUST: MD MS 03] | A | 6515 | / | MB | 23-MAY-90 |
| | A-A-54147 | RONGEUR, CURVED, HARTMANN, 7-1/4 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-90 |
| | A-A-54464 | RONGEUR, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 02-AUG-91 |
| | A-A-54835 | RONGEUR, KERRISON[CUST: MD MS 03] | A | 6515 | / | MB | 08-OCT-93 |
| | A-A-54835/2 | RONGEUR, KERRISON, 40 DEGREE UPBITE[CUST: MD MS 03] | A | 6515 | / | MB | 08-OCT-93 |
| | A-A-54835/1 | RONGEUR, KERRISON, 90 DEGREE UPBITE[CUST: MD MS 03] | A | 6515 | / | MB | 08-OCT-93 |
| | A-A-54910 | RONGEUR, STILLE, 9 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 03-SEP-93 |
| | A-A-53628 | RONGEUR, STRAIGHT (ADSON)[CUST: MD MS 03] | A | 6515 | / | MB | 10-AUG-88 |
| | A-A-53352 | RONGEUR, STRAIGHT (CITELLI)[CUST: MD MS 03] | A | 6515 | / | MB | 22-MAR-88 |
| | A-A-53675 | RONGEUR, STRAIGHT (DECKER, 6 INCHES)[CUST: MD MS 03] | A | 6515 | / | MB | 06-SEP-88 |
| | A-A-53394 | RONGEUR, STRAIGHT (LOVE-KERRISON)[CUST: MD MS 03] | A | 6515 | / | MB | 02-MAR-88 |
| | A-A-53502 | RONGEUR, STRAIGHT, SQUARE BITE (SAUERBRUCH)[CUST: MD MS 03] | A | 6515 | / | MB | 13-MAY-88 |
| | A-A-54261A | RONGUER, ANGLED, LOVE-GRUENWALD[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-91 |
| | A-A-53961 | RONGUER, LEKSELL, 9-3/4 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 20-OCT-89 |
| | FM-DS129 | ROOF COMPONENTS, ABOVE-DECK[CUST: YD] | A | FACR | | YD | 14-JUN-04 |
| | UL997 | ROOF COVERING MATERIALS, WIND RESISTANCE OF PREPARED, STANDARD FOR[CUST: CR4 YD] [REVIEW: CE MC] | A | 5650 | | IS | 09-MAR-92 |
| | FM-AS4470 | ROOF COVERS, CLASS I[CUST: YD] | A | FACR | | YD | 14-JUN-04 |
| | ASTM-D3617 | ROOF MEMBRANES, NEW BUILT-UP, SAMPLING AND ANALYSIS OF[CUST: CR4 YD 99] | A | 5650 | | IS | 03-OCT-94 |
| | ASTM-D2178 | ROOFING AND WATERPROOFING, ASPHALT GLASS FELT USED IN[CUST: YD 99] [REVIEW: CE] | A | 5650 | | IS | MAY-89 |
| | SAE-AMS2360 | ROOM TEMPERATURE TENSILE PROPERTIES OF CASTINGS[CUST: MR AS 11] | A | MECA | | MR | 01-OCT-90 |
| | SAE-AMS3813/1 | ROPE, ARAMID FIBER, JACKETED CABLED STRAND, EXTRUDED JACKET[CUST: GL SH 99 IS] | A | 4020 | | IS | 01-JUL-87 |
| | SAE-AMS3813 | ROPE, ARAMID FIBER, JACKETED FOR ANTENNA-SUPPORT SYSTEMS[CUST: GL SH 99 IS] | A | 4020 | | IS | 01-JUL-88 |
| | SAE-AMS3813/2 | ROPE, ARAMID FIBER, JACKETED PARALLEL STRAND, EXTRUDED JACKET[CUST: GL SH 99 IS] | A | 4020 | | IS | 01-JUL-87 |
| | SAE-AMS3813/3 | ROPE, ARAMID FIBER, JACKETED PARALLEL YARN, BRAIDED JACKET[CUST: GL SH 99 IS] | A | 4020 | | IS | 01-JUL-87 |
| | NAS1046 | ROPE, CLIP-WIRE, FORGED CARBON STEEL (FOR GROUND SUPPORT EQUIPMENT)[CUST: CR4 SH 99 CC] | A | 4030 | | CC | JUL-56 |
| | T-R-571E | ROPE, COTTON, OR COTTON AND POLYESTER[CUST: GL 99] [REVIEW: 71 AV CR4 MC MD SM] | A | 4020 | / | IS | 13-MAR-90 |
| | A-A-52088 | ROPE, COTTON, OR COTTON/POLYESTER BLEND[CUST: GL 99] [REVIEW: 71 AV MC MD SM] | A | 4020 | / | IS | 07-MAR-91 |
| | MIL-DTL-24677B | ROPE, FIBROUS - DOUBLE-BRAIDED (POLYESTER)[CUST: GL SH 99 IS] [REVIEW: 71 AS] | A | 4020 | | IS | 25-JAN-99 |
| | MIL-R-1688F | ROPE, FIBROUS, CLIMBING TYPE, NYLON[CUST: GL MC] [REVIEW: AR AS MD] | A | 4020 | | IS | 26-APR-90 |
| | MIL-R-24536 | ROPE, FIBROUS, DOUBLE BRAIDED, CONTINUOUS POLYESTER FILAMENT WITH A STAPLE WRA[CUST: SH] | A | 4020 | | SH | 18-APR-78 |
| | MIL-DTL-24050E | ROPE, FIBROUS, DOUBLE-BRAIDED (NYLON)[CUST: GL SH 99 IS] [REVIEW: 71 AS] | A | 4020 | | IS | 25-JAN-99 |
| | MIL-R-44123B | ROPE, FIBROUS, DOUBLE-BRAIDED, NYLON/POLYESTER COMPOSITE[CUST: GL 99] [REVIEW: 71 AS SH] | A | 4020 | | IS | 10-MAY-90 |
| | MIL-R-24537 | ROPE, FIBROUS, PLAITED, CONTINUOUS POLYESTER FILAMENT WITH A STAPLE WRAP[CUST: SH] | A | 4020 | | SH | 18-APR-78 |
| | A-A-50057B NOT 1 | ROPE, FIBROUS, TENT-LAY[CUST: GL 99] [REVIEW: 70 CR4 MD] | A | 4020 | / | IS | 19-SEP-03 |
| | A-A-50139C | ROPE, KERNMANTLE[CUST: GL AS] | A | 4020 | / | IS | 25-FEB-04 |
| | MIL-R-17343D(1) NOT 1 | ROPE, NYLON[CUST: GL SH 99 IS] [REVIEW: AR CG CR4 DS EA MC MI] | A | 4020 | | IS | 05-MAY-89 |
| | MIL-R-24337A | ROPE, NYLON, EIGHT STRAND PLAITED[CUST: SH] | A | 4020 | | SH | 29-MAR-90 |
| | MIL-R-24049B | ROPE, POLYPROPYLENE[CUST: GL SH 11 IS] | A | 4020 | | IS | 14-JUN-91 |
| | ASTM-B172 | ROPE-LAY-STRANDED COPPER CONDUCTORS HAVING BUNCH-STRANDED MEMBERS, FOR ELECTRICAL CONDUCTORS[CUST: CR SH 11 CC] [REVIEW: 99 AS CG MC MI] | A | 6145 | | CC | 27-JUL-90 |
| | ASTM-B173 | ROPE-LAY-STRANDED COPPER CONDUCTORS HAVING CONCENTRIC-STRANDED MEMBERS, FOR ELECTRICAL CONDUCTORS[CUST: CR SH 11 CC] [REVIEW: 99 AR AS CG MC MI] | A | 6145 | | CC | 27-JUL-90 |
| | A-A-50435B | ROPES (ARAMID)[CUST: SH] | A | 4020 | / | SH | 24-MAR-92 |
| | ASTM-D4268 | ROPES, FIBER, TESTING[CUST: AR SH 99] | A | 4020 | | AR | 15-JUL-93 |
| | SAE-J1164 | ROPS AND FOPS AND OPS, LABELING OF[CUST: CR4 YD 99] | A | 9905 | | CR4 | 28-JAN-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-14649/16 NOT 3 | ROSETTE, CIVILIAN AWARD FOR VALOR, AIR FORCE[CUST: IH NU 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-14649/15 NOT 3 | ROSETTE, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE[CUST: IH NU 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-14649/3 NOT 3 | ROSETTE, DISTINGUISHED CIVILIAN SERVICE, DOD[CUST: IH NU 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14649/6A NOT 1 | ROSETTE, DISTINGUISHED CIVILIAN SERVICE, NAVY[CUST: IH NU] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-14649/7 NOT 3 | ROSETTE, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY[CUST: IH NU 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14649/4A NOT 1 | ROSETTE, DISTINGUISHED PUBLIC SERVICE AWARD, OFICE OF SECRETARY OF DEFENSE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-14649/19 NOT 3 | ROSETTE, DISTINGUISHED SERVICE MEDAL, AIR FORCE[CUST: IH NU 11] [REVIEW: CC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-14649/17 NOT 3 | ROSETTE, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH NU 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-14649/10 NOT 3 | ROSETTE, EXCEPTIONAL CIVILIAN SERVICE AWARD, NSA[CUST: IH NU 11] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-14649/1A NOT 2 | ROSETTE, MEDAL OF HONOR[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-14649/18 NOT 3 | ROSETTE, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE[CUST: IH NU 11] [REVIEW: CC] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-14649/5 NOT 3 | ROSETTE, MERITORIOUS CIVILIAN SERVICE AWARD, OSD[CUST: IH NU 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-14649/11 NOT 3 | ROSETTE, METAL FOR MERIT[CUST: IH NU 11] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-R-14649/8 NOT 3 | ROSETTE, OUTSTANDING PUBLIC SERVICE AWARD, OSD[CUST: IH NU 11] [REVIEW: CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-DTL-14649/14A | ROSETTE, PRESIDENT'S AWARD FOR DISTINGUISHED FEDERAL CIVILIAN SERVICE[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 14-JAN-02 |
| | MIL-R-14649 SUP 1 NOT 3 | ROSETTES, GENERAL SPECIFICATION FOR[CUST: IH] | A | 8455 | | IH | 21-JUL-01 |
| | A-A-59142 NOT 1 | ROSINS: GUM, WOOD, AND TALL OIL[CUST: EA OS 68 GS3] [REVIEW: MD1 MI] | A | 6810 | / | GS3 | 23-JAN-04 |
| | MIL-R-81841 | ROTARY FLAP PEENING OF METAL PARTS[CUST: AS] [REVIEW: OS] | A | MFFP | | AS | 09-FEB-72 |
| A | DIN3760 | ROTARY SHAFT LIP SEALS[CUST: AT AS 99] [REVIEW: 03 71 CG FSS IS MC MI MR NP SA SH] | A | 5330 | | AT | 16-SEP-04 |
| | A-A-55708 | ROTATOR, LABORATORY, VARIABLE SPEED[CUST: MD MS 03] | A | 6640 | / | MB | 09-AUG-96 |
| | ITOP-4.2.602 | ROUGH HANDLING TESTS | D | ISDA | | TE | 19-APR-02 |
| | ASME-B18.5 | ROUND HEAD BOLTS (INCH SERIES)[CUST: AR YD 99 IS] [REVIEW: AT AV CR] | A | 5306 | | IS | 27-AUG-79 |
| | AWPA-C23 | ROUND POLES AND POSTS USED IN BUILDING CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A | 5510 | | IS | 20-JAN-93 |
| | MIL-HDBK-149B NOT 1 | RUBBER[CUST: MR SH 99] [REVIEW: 11 AR GS] | A | 9320 | | MR | 24-JUL-87 |
| | ASTM-D3183 | RUBBER - PREPARATION OF PIECES FOR TEST PURPOSES FROM PRODUCTS[CUST: MR SH 99] [REVIEW: 84 AR AS AV CR CR4 GL GS YD] | A | 9320 | | MR | 30-MAR-84 |
| | SAE-AMS3251 | RUBBER AND CORK COMPOSITION, SYNTHETIC GENERAL PURPOSE MEDIUM[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-OCT-91 |
| | ASTM-D1418 | RUBBER AND RUBBER LATICES - NOMENCLATURE[CUST: AT AS 99] | A | 9320 | | AS | 03-OCT-94 |
| | ASTM-D624 | RUBBER AND THERMOPLASTIC ELASTOMERS, TEAR STRENGTH OF CONVENTIONAL VULCANIZED[CUST: MR SH 99 IS] [REVIEW: AR AS AV CR4 GL YD] | A | 9320 | | IS | 10-MAR-98 |
| | ZZ-R-1415A(1) | RUBBER BAND | A | 7510 | # | FSS | 25-MAR-80 |
| | A-A-131B | RUBBER BANDS[CUST: FSS] | A | 7510 | # | FSS | 25-NOV-97 |
| | SAE-AMS-R-5001 | RUBBER CELLULAR SHEET, MOLDED AND HAND-BUILT SHAPES; LATEX FOAM[CUST: AS] | A | 9320 | | AS | JUN-98 |
| | ASTM-D816 | RUBBER CEMENTS[CUST: MR SH 11] [REVIEW: AR CR4 GL MI OS SA] | A | 8040 | | MR | 29-OCT-82 |
| | ASTM-D2702 | RUBBER CHEMICALS-DETERMINATION OF INFRARED ABSORPTION CHARACTERISTICS[CUST: AT SH IS] [REVIEW: CR4 MC MI] | A | 9320 | | IS | 31-MAR-89 |
| | ASTM-D832 | RUBBER CONDITIONING FOR LOW-TEMPERATURE TESTING[CUST: MR SH 99] [REVIEW: 84 AV GL MI] | A | 9320 | | MR | 15 MAR-92 |
| A | A-A-53986 | RUBBER DAM (DENTAL) 36S[CUST: MD MS 03] [REVIEW: 19 99 AT AV CC CR4 MI] | A | 6520 | / | MB | 15-SEP-89 |
| | ASTM-D1171 | RUBBER DETERIORATION - SURFACE OZONE CRACKING OUTDOORS OR CHAMBER (TRIANGULAR SPECIMENS)[CUST: CR4 YD 99] | A | 9320 | | CR4 | 10-NOV-99 |
| | ASTM-D750 | RUBBER DETERIORATION USING ARTIFICIAL WEATHERING APPARATUS, STANDARD PRACTICE FOR[CUST: MR SH 99 GS] [REVIEW: AS AT AV CR4 GL YD] | A | 9320 | | IS | JUN-90 |
| | ASTM-D813 | RUBBER DETERIORATION-CRACK GROWTH[CUST: MR AS 99 GS] [REVIEW: 11 84 AR CR CR4 GL MD OS SH YD] | A | 9320 | | IS | 15-FEB-95 |
| | ASTM-D1052 | RUBBER DETERIORATION-CUT GROWTH USING ROSS FLEXING APPARATUS, STANDARD SPECIFICATION FOR MEASURING[CUST: MR YD 99] [REVIEW: 84 GS] | A | 9320 | | YD | 29-MAR-85 |
| | ASTM-D430 | RUBBER DETERIORATION-DYNAMIC FATIGUE[CUST: MR 99 IS] | A | 9320 | | IS | 15-FEB-95 |
| | ASTM-D518 | RUBBER DETERIORATION-SURFACE CRACKING[CUST: CR SH 11] | A | 5970 | | GS2 | 10-NOV-99 |
| | ASTM-D1149 | RUBBER DETERIORATION-SURFACE OZONE CRACKING IN A CHAMBER[CUST: MR YD 99] [REVIEW: 84 GS SH] | A | 9320 | | YD | 10-NOV-99 |
| | ASTM-F1344 | RUBBER FLOOR TILE[CUST: YD 99] | A | 7220 | | IS | 15-JUL-93 |
| | ZZ-R-768A NOT 1 | RUBBER FOR MOUNTINGS (UNBONDED-SPOOL) AND COMPRESSION TYPES[CUST: MR SH] [REVIEW: AR CR GS MC MI] | A | 9320 | / | SH | 05-FEB-91 |
| | MIL-PRF-900F NOT 1 | RUBBER GASKET MATERIAL, 45 DUROMETER HARDNESS[CUST: CR4 SH 99] [REVIEW: 71 IS MC] | A | 5330 | | SH | 27-MAR-91 |
| | ASTM-C564 | RUBBER GASKETS FOR CAST IRON SOIL PIPE AND FITTINGS[CUST: CE YD 99 IS] | A | 5330 | | IS | 15-SEP-93 |
| | ASTM-D622 | RUBBER HOSE FOR AUTOMOTIVE AIR & VACUUM BRAKE SYSTEM - 27 MAR 81[CUST: MR SH 99 IS] [REVIEW: 84 AS AT CR4 GL OS YD] | A | 9320 | | IS | 09-MAY-91 |
| | ISO3861 | RUBBER HOSES FOR SAND AND GRIT BLASTING - SPECIFICATION[CUST: YD 99] | A | 4720 | | CC | 1-AUG-95 |
| | SAE-AMS3222 | RUBBER HOT OIL RESISTANT, SYNTHETIC, HIGH SWELL 45-55[CUST: AS] [REVIEW: MI] | A | 9320 | | AS | 01-APR-91 |
| | ASTM-D1048 | RUBBER INSULATING BLANKETS[CUST: CR YD 11] [REVIEW: GS SH] | A | 5970 | | YD | 25-MAR-88 |
| | ASTM-D1049 | RUBBER INSULATING COVERS[CUST: CR YD 11] [REVIEW: 99 GS] | A | 5970 | | YD | DEC-93 |
| | ASTM-D1050 | RUBBER INSULATING LINE HOSE[CUST: CR YD 11] [REVIEW: 99 GS] | A | 5970 | | YD | 30-NOV-90 |
| | ASTM-D178 | RUBBER INSULATING MATTING[CUST: CR YD 11] [REVIEW: 99 GS SH] | A | 5970 | | YD | 15-DEC-93 |
| | ASTM-D1414 | RUBBER O-RINGS[CUST: MR SH 99 IS] [REVIEW: AR] | A | 9320 | | IS | 27-APR-90 |
| | MIL-PRF-20092M | RUBBER OR PLASTIC SHEETS AND ASSEMBLED AND MOLDED SHAPES, SYNTHETIC, FOAM OR SPONGE, OPEN CELL[CUST: MR SH] [REVIEW: AR EA EC GS MC MI] | A | 9320 | | SH | 27-SEP-04 |
| | ASTM-D297 | RUBBER PRODUCTS - CHEMICAL ANALYSIS[CUST: MR SH 99] [REVIEW: AS AV CR CR4 GL MC OS YD] | A | 9320 | | IS | 15-SEP-93 |
| | ASTM-D2000 | RUBBER PRODUCTS IN AUTOMOTIVE APPLICATIONS[CUST: MR SH 99 IS] [REVIEW: AR AS AT AV CR CR4 DS GL MC MI OS YD] | A | 9320 | | IS | 25-FEB-91 |
| | FED-STD-00160 | RUBBER PRODUCTS, DEFINITIONS AND TERMS FOR VISIBLE DEFECTS OF | A | MISC | # | FSS | 05-JAN-62 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-177A NOT 1 | RUBBER PRODUCTS, TERMS FOR VISIBLE DEFECTS OF[Military Standard][CUST: MR SH 11] [REVIEW: AR AS AT EA GL GS MC] | A | 9320 | | SH | 31-MAY-88 |
| | MIL-HDBK-695D(2) | RUBBER PRODUCTS: RECOMMENDED SHELF LIFE[CUST: MR SH 11] [REVIEW: 99 AR AS CC CR CR4 GL GS IS MI OS YD] | A | 9320 | | 11 | 23-MAY-05 |
| | ASTM-D575 | RUBBER PROPERTIES IN COMPRESSION[CUST: AT YD 11] | A | 9320 | | AT | 15-MAR-91 |
| | ASTM-D945 | RUBBER PROPERTIES IN COMPRESSION OR SHEAR (MECHANICAL OSCILLOGRAPH)[CUST: MR SH 99] [REVIEW: 84 AV GL MI] | A | 9320 | | MR | 15-MAR-92 |
| | ASTM-D2231 | RUBBER PROPERTIES IN FORCED VIBRATION[CUST: MR SH 99] | A | 9320 | | SH | 15-FEB-94 |
| | ASTM-D926 | RUBBER PROPERTIES-PLASTICITY AND RECOVERY (PARALLEL PLATE METHOD)[CUST: MR] [REVIEW: AV CR4 GL GS MD] | A | 9320 | | MR | 15-SEP-93 |
| | ASTM-D3137 | RUBBER PROPERTY - HYDROLYTIC STABILITY[CUST: MR SH 11] [REVIEW: AS AT AV CR4 GL OS] | A | 9320 | | IS | 07-MAR-88 |
| | ASTM-D1415 | RUBBER PROPERTY - INTERNATIONAL HARDNESS[CUST: MR SH 11 IS] [REVIEW: AS AT AV MC MD MI OS SM YD] | A | 9320 | | IS | 30-SEP-88 |
| | ASTM-D2228 | RUBBER PROPERTY- RELATIVE ABRASION RESISTANCE BY THE PICO ABRADER METHOD[CUST: AT 11 GS2] [REVIEW: AS AV GL TE] | A | NDTI | | GS2 | 29-APR-88 |
| | ASTM-D1630 | RUBBER PROPERTY-ABRASION RESISTANCE (NBS ABRADER)[CUST: MR 99 IS] [REVIEW: 84 AT AV CR4 GL] | A | 9320 | | IS | 29-JUL-83 |
| | ASTM-D413 | RUBBER PROPERTY-ADHESION TO FLEXIBLE SUBSTRATE[CUST: MR SH 99 IS] [REVIEW: YD] | A | 9320 | | IS | 10-NOV-98 |
| | ASTM-D429 | RUBBER PROPERTY-ADHESION TO RIGID SUBSTRATES[CUST: MR SH 11 IS] [REVIEW: 99 AS AT AV CR CR4 GL OS] | A | 9320 | | IS | 27-NOV-81 |
| | ASTM-D2137 | RUBBER PROPERTY-BRITTLENESS POINT OF FLEXIBLE POLYMERS AND COATED FABRICS[CUST: MR 99 IS] [REVIEW: AR AS AT AV CR CR4 GL MC OS] | A | 9320 | | IS | 31-MAR-89 |
| | ASTM-D395 | RUBBER PROPERTY-COMPRESSION SET[CUST: MR 11 IS] [REVIEW: AR AS CR4 GL MC MI OS SH YD] | A | 9320 | | IS | 31-MAR-89 |
| | ASTM-D1229 | RUBBER PROPERTY-COMPRESSION SET AT LOW TEMPERATURES, STANDARD TEST METHOD FOR[CUST: MR SH 99] | A | 9320 | | MR | 17-APR-92 |
| | ASTM-D2240 | RUBBER PROPERTY-DUROMETER HARDNESS[CUST: MR SH 11] [REVIEW: 99 AR AS AT AV CR4 GL GS IH MC OS YD] | A | 9320 | | MR | 22-JUN-92 |
| | ASTM-D471 | RUBBER PROPERTY-EFFECT OF LIQUIDS[CUST: AT SH 11] [REVIEW: 68 AV EA GS MI OS PS] | A | 6810 | | AT | 10-NOV-98 |
| | ASTM-D1456 | RUBBER PROPERTY-ELONGATION AT SPECIFIC STRESS[CUST: MR SH 11 IS] [REVIEW: AT AV CR GL] | A | 9320 | | IS | 09-MAY-91 |
| | ASTM-D531 | RUBBER PROPERTY-PUSEY AND JONES INDENTATION[CUST: MR 99 IS] [REVIEW: 84 AT AV CR4 GL OS SH] | A | 9320 | | IS | 03-MAR-89 |
| | ASTM-D2632 | RUBBER PROPERTY-RESILIENCE BY VERTICAL REBOUND[CUST: MR SH 99] [REVIEW: 11 84 AR AS CR CR4 GL MD OS SM YD] | A | 9320 | | IS | 10-MAR-93 |
| | ASTM-D1054 | RUBBER PROPERTY-RESILIENCE USING A GOODYEAR-HEALEY REBOUND PENDULUM[CUST: AT SH 99] | A | 9320 | | AT | 03-OCT-94 |
| | ASTM-D1917 | RUBBER PROPERTY-SHRINKAGE OF RAW AND COMPOUNDED HOT-POLYMERIZE STYRENE-BUTADIENE RUBBER (SBR)[CUST: MR] [REVIEW: AS AT GL SH] | A | 9320 | | MR | 10-MAR-93 |
| | ASTM-D1053 | RUBBER PROPERTY-STIFFENING AT LOW TEMPERATURES; FLEXIBLE POLYMERS AND COATED FABRICS, STANDARD TEST METHODS FOR[CUST: MR SH 99] [REVIEW: 84 AR AS AT AV CR GL GS MI OS YD] | A | 9320 | | MR | 27-OCT-89 |
| | ASTM-D991 | RUBBER PROPERTY-VOLUME RESISTIVITY OF ELECTRICALLY CONDUCTIVE AND ANTISTATIC PRODUCTS[CUST: MR SH 11 IS] [REVIEW: AR AS AT AV CR CR4 GL OS YD] | A | 9320 | | IS | 31-MAR-89 |
| | ASTM-D2084 | RUBBER PROPERTY-VULCANIZATION USING OSCILLATING DISK CURE METER[CUST: AT SH 99 GS] [REVIEW: 84] | A | 9320 | | IS | 15-MAR-93 |
| | ASTM-D797 | RUBBER PROPERTY-YOUNG'S MODULUS AT NORMAL AND SUBNORMAL TEMPERATURES[CUST: MR YD 99] | A | 9320 | | YD | 29-JAN-82 |
| | ASTM-D3832 | RUBBER SEALS CONTACTING LIQUIDS IN SOLAR ENERGY SYSTEMS[CUST: AT] | A | 91GP | | AT | 31-AUG-79 |
| | ASTM-D3667 | RUBBER SEALS USED IN FLAT-PLATE SOLAR COLLECTORS[CUST: CR4 YD 99] [REVIEW: 84 MC] | A | 9320 | | YD | 29-MAR-85 |
| | SAE-AMS3315 | RUBBER SHEET, SILICONE (VMQ) GLASS CLOTH REINFORCED[CUST: MR AS 11] | A | 9320 | | AS | 01-OCT-91 |
| | MIL-R-21252B NOT 1 | RUBBER SHEET, SOLID, SYNTHETIC, SHIPBOARD WATER EVAPORATOR GASKETING[CUST: SH] [REVIEW: IS] | A | 5330 | | SH | 08-MAY-91 |
| | MIL-PRF-2765E | RUBBER SHEET, STRIP, EXTRUDED, AND MOLDED SHAPES, SYNTHETIC, OIL RESISTANT[CUST: AR SH 99] [REVIEW: 82 CR4 EA IS MI] | A | 5330 | | SH | 27-SEP-04 |
| | SAE-AMS-R-83283 | RUBBER SILICONE, HIGH STRENGTH, CABIN PRESSURE SEAL MATERIAL, DIAPHRAGM TYPE[CUST: 11] [REVIEW: 71] | A | 9320 | | 11 | 11-AUG-04 |
| | ZZ-R-800A | RUBBER STAMP, BAND TYPE | A | 7520 | # | FSS | 31-MAR-71 |
| | ZZ-R-1414 | RUBBER STAMP, FIXED AND REMOVABLE TYPE | A | 7520 | # | FSS | 31-MAR-71 |
| | ZZ-R-804 | RUBBER STAMP, FIXED TYPE | A | 7520 | # | FSS | 07-MAR-66 |
| | A-A-52494 NOT 1 | RUBBER STOCK, UNVULCANIZED: FOR TRACK SHOES, PADS, AND PIN BUSHINGS (METRIC)[CUST: AT] | A | 2530 | / | AT | 14-APR-04 |
| | ASTM-D4388 | RUBBER TAPES, NONMETALLIC SEMI-CONDUCTING AND ELECTRICALLY INSULATING[CUST: MR SH 99] [REVIEW: AR AS AT CR CR4 GL GS OS YD] | A | 5970 | | MR | 29-OCT-91 |
| | ASTM-D4325 | RUBBER TAPES, NONMETALLIC SEMI-CONDUCTING AND ELECTRICALLY INSULATING[CUST: MR SH 99] [REVIEW: AR AS AT CR CR4 GL GS OS YD] | A | 5970 | | MR | 29-OCT-91 |
| | RMA-IP7 | RUBBER WELDING HOSE, SPECIFICATIONS FOR[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 34GP | | GS6 | 1-JUN-90 |
| | MIL-R-81828(1) NOT 1 | RUBBER, CHLOROSULFONATED POLYETHYLENE ELASTOMER, SHEET AND MOLDED SHAPES, OZONE RESISTANT[CUST: AS] | A | 9320 | | AS | 29-OCT-91 |
| | SAE-AMS3260 | RUBBER, ETHYLENE-PROPYLENE -DIENE (EPDM) RUBBER GENERAL PURPOSE 45-55[CUST: MR AS 11] | A | 5330 | | AS | 01-OCT-90 |
| | SAE-AMS-R-83285 | RUBBER, ETHYLENE-PROPYLENE, GENERAL PURPOSE[CUST: 11] | A | 5330 | | 11 | 23-OCT-02 |
| | SAE-AMS-R-83412 | RUBBER, ETHYLENE-PROPYLENE, HYDRAZINE RESISTANT[CUST: 11] | A | 5330 | | 11 | 04-OCT-02 |
| | SAE-AMS-R-83412/1 | RUBBER, ETHYLENE-PROPYLENE, HYDRAZINE RESISTANT, O-RINGS SIZES AND TOLERANCES[CUST: 11] | A | 5331 | | 11 | 08-OCT-02 |
| | ASTM-D6576 | RUBBER, FLEXIBLE CELLULAR, CHEMICALLY BLOWN[CUST: AV AS 11] [REVIEW: 99 AR EA GS MC MI MR OS] | A | 9320 | | AS | 15-MAR-01 |
| | SAE-AMS-R-83485 | RUBBER, FLUOROCARBON ELASTOMER, IMPROVED PERFORMANCE AT LOW TEMPERATURES[CUST: 11] | A | 5330 | | 11 | 23-OCT-02 |
| M | SAE-AMS-R-83485/1 | RUBBER, FLUOROCARBON ELASTOMER, IMPROVED PERFORMANCE AT LOW TEMPERATURES, O-RINGS, SIZES AND TOLERANCES[CUST: 11] | A | 5331 | | 11 | 28-MAR-06 |
| | SAE-AMS3325 | RUBBER, FLUOROSILICONE (FVMQ), FUEL AND OIL RESISTANT 55 - 65[CUST: AR SH 11 GS] | A | 9320 | | IS | JUL-94 |
| | SAE-AMS-R-25988 | RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, SHEETS, STRIPS, MOLDED PARTS, AND EXTRUDED SHAPES[CUST: MR AS 11] [REVIEW: 82 99 GS MI OS] | A | 5330 | | 11 | 20-JUN-00 |
| | FED-STD-601(7) | RUBBER, SAMPLING AND TESTING[CUST: MR SH 11] [REVIEW: AT AV CR4 GS MI TE YD] | A | 9320 | / | MR | 17-AUG-76 |
| A | A-A-59588A | RUBBER, SILICONE[CUST: MR AS 11 IS] [REVIEW: 84 99 AR CR CR4 GL MD MI OS SH SM] | A | 9320 | / | IS | 07-JUL-05 |
| | SAE-AMS3307 | RUBBER, SILICONE (VQM) LOW COMPRESSION SET, NON-OIL-RESISTANT 65-75[CUST: MR AS 11 IS] | A | 5330 | | IS | 25-SEP-95 |
| | SAE-AMS3357 | RUBBER, SILICONE (VQM) LUBRICATING OIL AND COMPRESSION SET RESISTANT 65-75[CUST: CR4 YD 99] | A | 5330 | | IS | 29-SEP-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS3347 | RUBBER, SILICONE 1200 PSI (8.27 MPA) HIGH MODULUS 45-55[CUST: MR AS 11 IS] | A | 5330 | | IS | 29-SEP-95 |
| | MIL-PRF-82791 | RUBBER, SILICONE, TRV[CUST: OS] | A | 1340 | | OS | 05-FEB-90 |
| | A-A-55752 | RUBBER, SILICONE; CHANNEL NONMETALLIC, SHAPE 8[CUST: MR AS 11 GS] | A | 9320 | / | IS | 08-SEP-95 |
| | A-A-55450 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 1[CUST: MR AS 11 GS] | A | 9320 | / | IS | 31-AUG-95 |
| | A-A-55449 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 2[CUST: MR AS 11 GS] | A | 9320 | / | IS | 31-AUG-95 |
| | A-A-55451 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 3[CUST: MR AS 11 GS] | A | 9320 | / | IS | 31-AUG-95 |
| | A-A-55452 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 4[CUST: MR AS 11 GS] | A | 9320 | / | IS | 05-SEP-95 |
| | A-A-55749 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 5[CUST: MR AS 11 GS] | A | 9320 | / | IS | 07-SEP-95 |
| | A-A-55750 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 6[CUST: MR AS 11 GS] | A | 9320 | / | IS | 08-SEP-95 |
| | A-A-55751 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 7[CUST: MR AS 11 GS] | A | 9320 | / | IS | 08-SEP-95 |
| | A-A-55757 | RUBBER, SILICONE; GASKET, SHAPE 13[CUST: MR AS 11 GS] | A | 9320 | / | IS | 11-SEP-95 |
| | A-A-55758 | RUBBER, SILICONE; GASKET, SHAPE 14[CUST: MR AS 11 GS] | A | 9320 | / | IS | 12-SEP-95 |
| | A-A-55765 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 21[CUST: MR AS 11 GS] | A | 9320 | / | IS | 15-SEP-95 |
| | A-A-55766 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 22[CUST: MR AS 11 GS] | A | 9320 | / | IS | 15-SEP-95 |
| | A-A-55767 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 23[CUST: MR AS 11 GS] | A | 9320 | / | IS | 15-SEP-95 |
| | A-A-55768 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 24[CUST: MR AS 11 GS] | A | 9320 | / | IS | 19-SEP-95 |
| | A-A-55769 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 25[CUST: MR AS 11 GS] | A | 9320 | / | IS | 19-SEP-95 |
| | A-A-55770 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 26[CUST: MR AS 11 GS] | A | 9320 | / | IS | 19-SEP-95 |
| | A-A-55771 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 27[CUST: MR AS 11 GS] | A | 9320 | / | IS | 19-SEP-95 |
| | A-A-55772 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 28[CUST: MR AS 11 GS] | A | 9320 | / | IS | 19-SEP-95 |
| | A-A-55773 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 29[CUST: MR AS 11 GS] | A | 9320 | / | IS | 19-SEP-95 |
| | A-A-55774 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 30[CUST: MR AS 11 GS] | A | 9320 | / | IS | 20-SEP-95 |
| | A-A-55775 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 31[CUST: MR AS 11 GS] | A | 9320 | / | IS | 20-SEP-95 |
| | A-A-55776 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 32[CUST: MR AS 11 GS] | A | 9320 | / | IS | 20-SEP-95 |
| | A-A-55777 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 33[CUST: MR AS 11 GS] | A | 9320 | / | IS | 20-SEP-95 |
| | A-A-55778 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 34[CUST: MR AS 11 IS] | A | 9320 | / | IS | 20-SEP-95 |
| | A-A-55779 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 35[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55780 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 36[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55781 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 37[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55782 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 38[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55783 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 39[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55784 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 40[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55785 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 41[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55786 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 42[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55787 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 43[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55788 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 44[CUST: MR AS 11 IS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55789 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 45[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55790 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 46[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55791 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 47[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55802 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 48[CUST: MR AS 11 GS] | A | 9320 | / | IS | 22-SEP-95 |
| | A-A-55792 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 49[CUST: MR AS 11 GS] | A | 9320 | / | IS | 22-SEP-95 |
| | A-A-55793 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 50[CUST: MR AS 11 GS] | A | 9320 | / | IS | 21-SEP-95 |
| | A-A-55794 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 51[CUST: MR AS 11 GS] | A | 9320 | / | IS | 22-SEP-95 |
| | A-A-55795 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 52[CUST: MR AS 11 GS] | A | 9320 | / | IS | 22-SEP-95 |
| | A-A-55796 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 53[CUST: MR AS 11 GS] | A | 9320 | / | IS | 22-SEP-95 |
| | A-A-55797 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 54[CUST: MR AS 11 GS] | A | 9320 | / | IS | 22-SEP-95 |
| | A-A-55798 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 55[CUST: MR AS 11 GS] | A | 9320 | / | IS | 22-SEP-95 |
| | A-A-55799 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 56[CUST: MR AS 11 GS] | A | 9320 | / | IS | 22-SEP-95 |
| | A-A-55800 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 57[CUST: MR AS 11 GS] | A | 9320 | / | IS | 22-SEP-95 |
| | A-A-55763 | RUBBER, SILICONE; NONMETALLIC, SPECIAL SHAPED SECTION 19[CUST: MR AS 11 GS] | A | 9320 | / | IS | 13-SEP-95 |
| | A-A-55764 | RUBBER, SILICONE; NONMETALLIC, SPECIAL SHAPED SECTION 20[CUST: MR AS 11 GS] | A | 9320 | / | IS | 14-SEP-95 |
| | A-A-55755 | RUBBER, SILICONE; PACKING MATERIAL, SHAPE 11[CUST: MR AS 11 GS] | A | 9320 | / | IS | 11-SEP-95 |
| | A-A-55756 | RUBBER, SILICONE; PACKING MATERIAL, SHAPE 12[CUST: MR AS 11 GS] | A | 9320 | / | IS | 11-SEP-95 |
| | A-A-55801 | RUBBER, SILICONE; PACKING PREFORMED[CUST: MR AS 11 GS] [REVIEW: 84 99 AR CR MI OS SH YD] | A | 9320 | / | IS | 22-SEP-95 |
| | A-A-55754 | RUBBER, SILICONE; ROUND SECTION, SHAPE 10[CUST: MR AS 11 GS] | A | 9320 | / | IS | 11-SEP-95 |
| | A-A-55759 | RUBBER, SILICONE; SHEET, SOLID, SHAPE 15[CUST: MR AS 11 GS] [REVIEW: DS] | A | 9320 | / | IS | 12-SEP-95 |
| | A-A-55760 | RUBBER, SILICONE; STRIP, SHAPE 16[CUST: MR AS 11 GS] | A | 9320 | / | IS | 13-SEP-95 |
| | A-A-55761 | RUBBER, SILICONE; STRIP, SHAPE 17[CUST: MR AS 11 GS] | A | 9320 | / | IS | 13-SEP-95 |
| | A-A-55762 | RUBBER, SILICONE; STRIP, SHAPE 18[CUST: MR AS 11 GS] | A | 9320 | / | IS | 13-SEP-95 |
| | A-A-55753 | RUBBER, SILICONE; TUBING, NONMETALLIC, ROUND, FLEXIBLE, SHAPE 9[CUST: MR AS 11 GS] | A | 9320 | / | IS | 25-SEP-95 |
| | SAE-AMS3204 | RUBBER, SYNTHETIC LOW-TEMPERATURE RESISTANT 25-35[CUST: MR AS 11] | A | 9320 | | AS | 01-JAN-91 |
| M | MIL-R-6855/5 NOT 4 | RUBBER, SYNTHETIC, CHANNEL, EXTRUDED[CUST: MR AS 11 CC] [REVIEW: 71 99 AR AT AV CE CR MI OS SH YD] | A | 4720 | | AS | 21-MAR-06 |
| | SAE-AMS3220 | RUBBER, SYNTHETIC, GENERAL PURPOSE, FLUID RESISTANT, 55-65[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-OCT-82 |
| A | MIL-PRF-46846C NOT 1 | RUBBER, SYNTHETIC, HEAT-SHRINKABLE[CUST: MI GS2] [REVIEW: CR4 MR] | A | 5970 | | GS2 | 25-OCT-05 |
| M | MIL-R-6855/1 NOT 4 | RUBBER, SYNTHETIC, SHEETS[CUST: MR AS 11 CC] [REVIEW: 71 99 AR AT AV CE CR GS IS MI OS SH YD] | A | 4720 | | AS | 21-MAR-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-6855E SUP 1 NOT 2 | RUBBER, SYNTHETIC, SHEETS, STRIPS, MOLDED OR EXTRUDED SHAPES, GENERAL SPECIFICATION FOR[CUST: MR AS 11 IS] [REVIEW: 84 99 AR AT AV CC CE CR GS MI OS SH YD] | A | 9320 | | AS | 15-JUN-01 |
| | SAE-AMS-R-7362 | RUBBER, SYNTHETIC, SOLID, SHEET, STRIP AND FABRICATED PARTS, SYNTHETIC OIL RESISTANT[CUST: MR AS 11] | A | 5330 | | 11 | 20-DEC-00 |
| M | MIL-R-6855/2 NOT 4 | RUBBER, SYNTHETIC, STRIP (OR TAPE)[CUST: MR AS 11 CC] [REVIEW: 71 99 AR AT AV CE CR GS IS MI OS SH YD] | A | 4720 | | AS | 21-MAR-06 |
| M | MIL-R-6855/4 NOT 4 | RUBBER, SYNTHETIC, TUBING[CUST: MR AS 11 CC] [REVIEW: 71 99 AR AT AV CE CR GS IS MI OS SH YD] | A | 4720 | | AS | 21-MAR-06 |
| | ASTM-D412 | RUBBER, VULCANIZED AND THERMOPLASTIC ELASTOMERS - TENSION[CUST: MR 99] [REVIEW: SH YD] | A | 9320 | | IS | 10-JUL-97 |
| | ASTM-D1076 | RUBBER-CONCENTRATED, AMMONIA PRESERVED, CREAMED, AND CENTRIFUGED NATURAL LATEX[CUST: MR OS 99] | A | 9320 | | MB | 29-APR-88 |
| | ASTM-D454 | RUBBER-DETERIORATION BY HEAT AND AIR PRESSURE[CUST: MR SH 99 IS] [REVIEW: AT CR4 GL] | A | 9320 | | IS | MAY-88 |
| | ASTM-D572 | RUBBER-DETERIORATION BY HEAT AND OXYGEN[CUST: MR SH 99 IS] [REVIEW: AT AV CR4 GL YD] | A | 9320 | | IS | MAY-88 |
| | ASTM-D865 | RUBBER-DETERIORATION BY HEATING IN AIR (TEST TUBE ENCLOSURE)[CUST: MR SH 11 IS] [REVIEW: AS AT AV CR4 GL] | A | 9320 | | IS | 27-MAY-88 |
| | ASTM-D573 | RUBBER-DETERIORATION IN AN AIR OVEN[CUST: MR SH 99 IS] [REVIEW: AT AV CR4 GL YD] | A | 9320 | | IS | MAY-88 |
| | ASTM-D4004 | RUBBER-DETERMINATION OF METAL CONTENT BY FLAME ATOMIC ABSORPTION (AAS) ANALYSIS[CUST: MR] [REVIEW: 84 AT AV CR4 GL OS SH YD] | A | 9320 | | IS | 15-MAR-93 |
| | AWWA-C111 | RUBBER-GASKET JOINTS FOR DUCTILE-IRON PRESSURE PIPE AND FITTINGS[CUST: CR4 YD] [REVIEW: 99 CE MC] | A | 4710 | | CC | 17-JUN-95 |
| | ASTM-D3677 | RUBBER-IDENTIFICATION BY INFRARED SPECTROPHOTOMETRY[CUST: MR IS] [REVIEW: AV CR4 EA MD TE] | A | 9320 | | IS | 05-FEB-91 |
| | ASTM-D3452 | RUBBER-IDENTIFICATION BY PYROLYSIS-GAS CHROMATOGRAPHY[CUST: MR IS] [REVIEW: AV CR4 EA MD TE] | A | 9320 | | IS | 15-MAR-93 |
| | ASTM-D3182 | RUBBER-MATERIALS, EQUIPMENT, AND PROCEDURES FOR MIXING STANDARD COMPOUNDS AND PREPARING STANDARD VULCANIZED SHEETS[CUST: MR SH 99 IS] | A | 9320 | | IS | 31-MAR-89 |
| | ASTM-D3767 | RUBBER-MEASUREMENT OF DIMENSIONS[CUST: MR SH 99] [REVIEW: 84 AS AT AV CR CR4 GL GS MC OS YD] | A | 9320 | | MR | 17-APR-92 |
| | ASTM-D1330 | RUBBER-SHEET GASKETS[CUST: MR YD 99] | A | 9320 | | YD | NOV-87 |
| | ASTM-D1349 | RUBBER-STANDARD TEMPERATURES FOR TESTING[CUST: MR 11] [REVIEW: AR CR4 EA MC MI] | A | 9320 | | IS | 27-MAR-87 |
| | ASTM-D1646 | RUBBER-VISCOSITY, STRESS RELAXATION, AND PRE-VULCANIZATION CHARACTERISTICS (MOONEY VISCOMETER)[CUST: AT GS] [REVIEW: CR4 MC MI SH] | A | 9320 | | IS | 15-FEB-94 |
| | DI-FORG-81177 | RUDDER STOCK FORGING HISTORY [AMSC: N6093] | A | FORG | | SH | 28-MAR-91 |
| | MIL-R-44354 | RUFF, PARKA, EXTENDED COLD WEATHER[CUST: GL NU 99 CT] [REVIEW: MD] | A | 8415 | | CT | 27-SEP-88 |
| | A-A-53525 | RULE, ACCOMMODATION TEST AND TEST CARD[CUST: MD MS 03] | A | 6540 | / | MB | 17-JUN-88 |
| | A-A-51292 | RULE, ANATOMICAL[CUST: MD MS 03] | A | 6525 | | MB | 12-DEC-85 |
| | A-A-54946 | RULE, LABORATORY, 6 INCH[CUST: MD MS 03] | A | 6640 | / | MB | 11-MAR-94 |
| | A-A-50206A NOT 1 | RULER, DRAFTING, ADJUSTABLE CURVE[CUST: CE 99 IS] [REVIEW: 71 MC] | A | 6675 | / | IS | 25-SEP-01 |
| | A-A-51841 | RULER, ENDODNTIC INSTRUMENT (FINGER RING, RIGHT HANDED)[CUST: MD MS 03] | A | 6520 | | MB | 13-APR-87 |
| | GG-R-791D(1) | RULER, WOOD (DESK) | A | 7510 | # | FSS | 20-OCT-59 |
| | QSTAG-676 | RULES FOR ACHIEVING SUB-SYSTEMS INTEROPERABILITY BETWEEN THE AUTOMATED TACTICAL COMMAND & CONTROL SYSTEMS OF ABCA ARMIES (ABCA 676)[CUST: AI] | C | ISDA | | AI | 14-APR-82 |
| | STANAG-3564 ED.3 | RULES FOR LIVE AIR WEAPONS DEMONSTRATIONS | C | ISDF | | 06 | 01-JUN-94 |
| | MIL-R-2784A NOT 1 | RULES, SOUNDING, JOINTED[CUST: CR4 SH] [REVIEW: GS] | A | 6680 | | SH | 07-JUN-91 |
| | STANAG-3634 ED.3(1) | RUNWAY FRICTION AND BRAKING CONDITIONS | C | ISDF | | 06 | 05-MAY-92 |
| | ASTM-D1748 | RUST PROTECTION BY METAL PRESERVATIVES IN THE HUMIDITY CABINET[CUST: AT SH 11] [REVIEW: OS] | A | 91GP | | AT | 29-JUL-83 |
| | MIL-HDBK-46164 NOT 1 | RUSTPROOFING FOR MILITARY VEHICLES AND TRAILERS[CUST: AT 99] [REVIEW: 84 MR] | A | MFFP | | AT | 15-APR-04 |
| | FED-STD-297E(1) | RUSTPROOFING OF COMMERCIAL (NONTACTICAL) VEHICLES[CUST: FSS] | A | 23GP | # | FSS | 11-JAN-96 |
| | AAMI-SCL | SAFE CURRENT LIMITS FOR ELECTROMEDICAL APPARATUS[CUST: MD MS 03] | A | 6530 | | MB | 16-DEC-82 |
| | STANAG-4518 ED.1 | SAFE DISPOSAL OF MUNITIONS, DESIGN PRINCIPLES AND REQUIREMENTS, AND SAFETY ASSESSMENT | C | ISDA | | AI | 08-OCT-01 |
| | ANSI-Z136.1 | SAFE USE OF LASERS[CUST: EC] | A | SAFT | | EC | 05-FEB-93 |
| | ANSI-Z136.6 | SAFE USE OF LASERS OUTDOORS[CUST: EA SH 99] | A | 4240 | | EA | 25-MAY-01 |
| | A-A-51093A | SAFELIGHT, DARKROOM, RADIOGRAPHIC[CUST: MD MS 03] | A | 6525 | / | MB | 23-NOV-90 |
| | UL687 | SAFES, BURGLARY RESISTANT[CUST: CR4 YD 99] [REVIEW: SH] | A | 7110 | | IS | 10-AUG-89 |
| | MIL-S-14799C(2) | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M114, M114E1, AND M114E2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | D | 1336 | | AR | 14-AUG-98 |
| | ASME-PTC25.3 | SAFETY AND RELIEF VALVES[CUST: YD] | A | 4820 | | CC | 25-NOV-91 |
| | MIL-S-85333 | SAFETY ARMING DEVICE MARK 33 MOD 1[CUST: AS] | A | 1336 | | AS | 24-SEP-79 |
| | DI-SAFT-80102B | SAFETY ASSESSMENT REPORT (SAR) [AMSC: F7139] | A | SAFT | | 10 | 31-JUL-95 |
| | MIL-STD-1625C(1) | SAFETY CERTIFICATION PROGRAM FOR DRYDOCKING FACILITIES AND SHIPBUILDING WAYS FOR U.S. NAVY SHIPS[Standard Practice][CUST: SH] | A | 1950 | | SH | 30-DEC-92 |
| | MIL-STD-1466 NOT 1 | SAFETY CRITERIA AND QUALIFICATION REQUIREMENTS FOR PYROTECHNIC INITIATED EXPLOSIVE (PIE) AMMUNITION[Design Criteria Standard][CUST: AR OS 99] | A | 13GP | | AR | 02-NOV-88 |
| | AIR-STD-20/23B | SAFETY DESIGN REQUIREMENTS FOR AIRBORNE DISPENSER WEAPONS | C | ISDF | | 06 | 15-NOV-95 |
| | STANAG-3786 ED.4(2) | SAFETY DESIGN REQUIREMENTS FOR AIRBORNE DISPENSER WEAPONS | C | ISDF | | 06 | 18-DEC-96 |
| | MIL-STD-1425A | SAFETY DESIGN REQUIREMENTS FOR MILITARY LASERS AND ASSOCIATED SUPPORT EQUIPMENT[Design Criteria Standard][CUST: EA 99] [REVIEW: AR AT CR GL GS MD TE] | A | 4240 | | EA | 30-AUG-91 |
| | STANAG-4375 ED.2 | SAFETY DROP, MUNITION TEST PROCEDURE | C | ISDA | | AI | PENDING |
| | DI-MISC-80370 | SAFETY ENGINEERING ANALYSIS REPORT [AMSC: F4134] | A | MISC | | 70 | 08-JUN-87 |
| | RR-S-001301 NOT 2 | SAFETY EQUIPMENT, CLIMBING[CUST: SH] | A | 4240 | / | SH | 20-SEP-99 |
| | ANSI-Z26.1 | SAFETY GLAZING MATERIALS FOR GLAZING MOTOR VEHICLES AND MOTOR VEHICLE EQUIPMENT OPERATING ON LAND HIGHWAYS[CUST: CR4 SA 99] [REVIEW: 84] | A | 8030 | | CR4 | 11-AUG-96 |
| | ANSI-Z97.1 | SAFETY GLAZING MATERIALS USED IN BUILDINGS - SAFETY PERFORMANCE SPECIFICATIONS AND METHODS OF TEST, STANDARD FOR[CUST: CR YD 11 IS] [REVIEW: 84 99 GS] | A | 5620 | | IS | 14-JUL-84 |
| | STANAG-3531 ED.6(4) | SAFETY INVESTIGATION AND REPORTING OF ACCIDENTS/INCIDENTS INVOLVING MILITARY AIRCRAFT AND/OR MISSILES (INCLUDING AMENDMENTS 3 & 4) | C | ISDF | | 06 | 04-OCT-91 |
| | MIL-HDBK-1025/10 | SAFETY OF ELECTRICAL TRANSMISSION AND DISTRIBUTION SYSTEMS[CUST: YD] | A | FACR | | YD | 01-DEC-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ANSI-B11.15 | SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF, TUBE & SHAPE BENDING MACHINES[CUST: AR SH 99] [REVIEW: 84 MC] | A | 3441 | | GS6 | 01-MAY-89 |
| | ASME-B19.3 | SAFETY STANDARD FOR COMPRESSORS FOR PROCESS INDUSTRIES[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | NEMA-MG2 | SAFETY STANDARD FOR CONSTRUCTION AND GUIDE FOR SELECTION, INSTALLATION, AND USE OF ELECTRIC MOTORS AND GENERATORS[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| A | MIL-STD-1180B(1) | SAFETY STANDARDS FOR MILITARY GROUND VEHICLES[Interface Standard][CUST: AT YD] [REVIEW: AR CE CR4 EA TE] | A | 23GP | | AT | 07-AUG-91 |
| | DI-SAFT-81066 | SAFETY STUDIES PLAN [AMSC: N5030] | A | SAFT | | SH | 12-OCT-90 |
| | DI-SAFT-81065 | SAFETY STUDIES REPORT [AMSC: N5029] | A | SAFT | | SH | 12-OCT-90 |
| | ITOP-4.2.504.1 | SAFETY TESTING OF FIELD ARTILLERY AMMUNITION | D | ISDA | | TE | 19-OCT-93 |
| | ITOP-4.2.504.4 | SAFETY TESTING OF FUZED ARTILLERY AMMUNITION | D | ISDA | | TE | 27-SEP-00 |
| | ITOP-5.2.619 | SAFETY TESTING OF MISSILE AND ROCKET SYSTEMS EMPLOYING MANNED LAUNCH STATIONS | D | ISDA | | TE | 06-DEC-96 |
| | ITOP-4.2.504.3 | SAFETY TESTING OF MORTAR AMMUNITION | D | ISDA | | TE | 31-JUL-97 |
| | ITOP-5.2.620 | SAFETY TESTING OF REMOTELY LAUNCHED MISSILES | D | ISDA | | TE | 24-OCT-97 |
| | ITOP-4.2.504.2 | SAFETY TESTING OF TANK AMMUNITION | D | ISDA | | TE | 11-MAY-04 |
| | ISO4126-1 | SAFETY VALVES-PART 1: GENERAL REQUIREMENTS[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | NASM33540 | SAFETY WIRING AND COTTER PINNING[CUST: AR AS 99] [REVIEW: IS MI] | A | MISC | | AS | 30-JUN-98 |
| | STANAG-3465 ED.5(2) | SAFETY, EMERGENCY AND SIGNALLING PROCEDURES FOR MILITARY AIR MOVEMENT - FIXED WING AIRCRAFT | C | ISDF | | 06 | 08-FEB-96 |
| | A-A-20030A | SALAD DRESSING MIXES | A | 8950 | # | FSS | 27-AUG-91 |
| | A-A-20162A | SALAD DRESSINGS, POURABLE | A | 8940 | # | FSS | 24-MAR-98 |
| | A-A-20316 | SALAD MIXES (CABBAGE AND LETTUCEJ, READY-TO-USE, FRESH[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8915 | * | GL | 27-DEC-01 |
| | A-A-20091D | SALAD OILS, VEGETABLE[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8945 | / | SS | 07-MAY-02 |
| | DI-MISC-80820 | SALES RATE CALCULATIONS [AMSC: F4705] | A | MISC | | 33 | 25-MAY-89 |
| | ANSI-C50.12 | SALIENT-POLE SYNCHRONOUS GENERATORS AND GENERATOR/MOTORS FOR HYDRAULIC TURBINE APPLICATIONS, REQUIREMENTS FOR[CUST: CR4 YD 99] [REVIEW: GS SH] | A | 6105 | | YD | 02-SEP-81 |
| | QPL-15103-21 | SALINITY INDICATING EQUIPMENT | A | 6630 | | SH | 09-FEB-05 |
| | MIL-S-15103F(2) | SALINITY INDICATING EQUIPMENT[CUST: SH] | A | 6630 | | SH | 13-JUL-00 |
| | MIL-S-1186B | SALINOMETER EQUIPMENT, EVAPORATOR, SHIPBOARD USE[CUST: EA SH] | A | 6630 | | SH | 30-OCT-61 |
| | A-A-20268 | SALISBURY STEAK WITH BROWN GRAVY, FROZEN[CUST: FV] | A | 8940 | # | FV | 31-JUL-97 |
| | A-A-20158D | SALMON, CANNED OR FLEXIBLE POUCHES[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8905 | * | GL | 28-MAR-05 |
| | A-A-20210A | SALSA, TOMATO-BASED[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8950 | * | GL | 13-JUN-01 |
| | AWPA-F5 | SALT SOLUTIONS, PRESERVATIVE, VOLUME CORRECTION FACTORS FOR[CUST: MR 99] [REVIEW: 11 84 CC CR4] | A | 8030 | | MR | 10-DEC-87 |
| | ASTM-B117 | SALT SPRAY (FOG) APPARATUS, OPERATING[CUST: MR AS 11] [REVIEW: IS] | A | 95GP | | MR | 30-MAR-90 |
| | ASTM-G85 | SALT SPRAY (FOG) TESTING, MODIFIED[CUST: IE AS 11] | A | ENVR | | AS | 03-OCT-94 |
| | A-A-20069A | SALT SUBSTITUTE (INDIVIDUAL PACKET) | A | 8940 | # | FV | 16-MAR-92 |
| | ASTM-D3230 | SALTS IN CRUDE OIL (ELECTROMETRIC METHOD)[CUST: PS] | A | 91GP | | PS | SEP-93 |
| | DI-MGMT-81502 | SAMPLE CHART A AND CHART E REPORT FOR AIRCRAFT [AMSC: F7172] | A | MGMT | | 11 | 20-NOV-95 |
| | ASTM-E122 | SAMPLE SIZE TO ESTIMATE A MEASURE OF QUALITY FOR A LOT OR PROCESS, CHOICE OF[CUST: MR OS 05] | A | QCIC | | MR | 10-JUN-99 |
| | A-A-54818 | SAMPLER, BUTTER-CHEESE-LARD[CUST: MD MS 03] [REVIEW: GS] | A | 6695 | / | MB | 12-FEB-93 |
| | ASTM-C702 | SAMPLES, REDUCING, OF AGGREGATE TO TESTING SIZE[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 10-MAY-98 |
| | MIL-PRF-51028C(1) | SAMPLING AND GAGING KIT[CUST: AT MS] [REVIEW: DM EA MB MC] | A | 6630 | | AT | 16-AUG-01 |
| | AASHTO-T40 | SAMPLING BITUMINOUS MATERIALS[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| A | ASTM-F310 | SAMPLING CRYOGENIC AEROSPACE FLUIDS[CUST: 68 GS] | A | 6830 | | 68 | FEB-79 |
| | DI-QCIC-81115 | SAMPLING DESIGN PLAN [AMSC: A6001] | A | QCIC | | AM | 19-DEC-90 |
| | ASTM-E300 | SAMPLING INDUSTRIAL CHEMICALS[CUST: AR OS 11] [REVIEW: GS] | A | 6810 | | AR | 15-MAY-92 |
| | MIL-PRF-51200C NOT 1 | SAMPLING KIT, CBR AGENT, M34A1[CUST: EA] [REVIEW: GS] | A | 6665 | | EA | 16-JUN-05 |
| | AASHTO-T2 | SAMPLING OF AGGREGATES[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| A | ASTM-F307 | SAMPLING PRESSURIZED GAS FOR GAS ANALYSIS[CUST: 68 GS] | A | 6830 | | 68 | 01-FEB-79 |
| | FED-STD-358 NOT 2 | SAMPLING PROCEDURES | A | MISC | # | FSS | 08-APR-80 |
| | ASTM-E59 | SAMPLING STEEL AND IRON FOR DETERMINATION OF CHEMICAL COMPOSITION[CUST: MR YD 99] [REVIEW: 84 AS IS] | A | 95GP | | YD | 15-JUL-93 |
| | ASTM-D2258 | SAMPLING YARN FOR TESTING[CUST: MR SH 11] | A | CMPS | | SH | 03-OCT-94 |
| | A-A-50150 | SANCTUARY LAMPS, CANDLE TYPE, ELECTRIC TYPE[CUST: GL PE 28] | A | 9925 | / | CT | 21-JAN-88 |
| | AASHTO-T176 | SAND EQUIVALENT TEST, PLASTIC FINES IN GRADED AGGREGATES AND SOILS BY USE OF THE[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D2419 | SAND EQUIVALENT VALUE OF SOILS AND FINE AGGREGATE[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 10-SEP-95 |
| | SS-S-0071B | SAND, FINE, AGGREGATE | A | 5610 | # | FSS | 08-AUG-68 |
| | SS-S-71A | SAND, FOR USE IN SHEET-ASPHALT OR BITUMINOUS-CONCRETE PAVEMENTS | A | 5610 | # | FSS | 28-AUG-42 |
| | ASTM-C778 | SAND, STANDARD[CUST: YD IS] | A | 5610 | | IS | 15-NOV-92 |
| | A-A-51479 | SANDBAG, PHYSICAL THERAPY[CUST: MD MS 03] | A | 6530 | / | MB | 20-JUN-86 |
| | MIL-S-80029D NOT 2 | SANDER, DISK AND BELT[CUST: CR4 SH 99 IS] [REVIEW: 84 CE MC] | A | 3220 | | IS | 20-SEP-01 |
| | MIL-S-26753D | SANDER, DISK AND SPINDLE, WOODWORKING[CUST: AR SH 99 IS] [REVIEW: 84 AV CE MC] | A | 3220 | | IS | 06-AUG-90 |
| | A-A-52018A NOT 1 | SANDER, FLOOR: POWER DRIVEN, PORTABLE[CUST: AT] [REVIEW: GS] | A | 3220 | / | AT | 13-APR-04 |
| | MIL-S-80020D | SANDER, SINGLE AND DOUBLE DISK, WOODWORKING[CUST: CR4 SH 99 IS] [REVIEW: 84 AV CE MC YD] | A | 3220 | | IS | 31-JAN-91 |
| | SAE-AMS-STD-401 | SANDWICH CONSTRUCTIONS AND CORE MATERIALS; GENERAL TEST METHODS[CUST: CR4 AS 11] [REVIEW: 99 AV MI MR YD] | A | 5680 | | AS | JUN-99 |
| | ASTM-F1110 | SANDWICH CORROSION TEST[CUST: MR AS 99] | A | 95GP | | AS | 20-SEP-02 |
| | A-A-20296A | SANDWICH CRACKERS[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8920 | / | SS | 16-JUN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-E1555 | SANDWICH PANEL REPAIR, STRUCTURAL PASTE ADHESIVE FOR[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | SAE-AMS3710 | SANDWICH STRUCTURES, GLASS FABRIC-RESIN LOW PRESSURE MOLDED HEAT RESISTANT[CUST: MR MR 11] | A | CMPS | | AS | 01-JUL-93 |
| | MIL-DTL-32141 | SANDWICH, SHELF STABLE, FOR OPERATIONAL RATIONS[CUST: GL SA 50] [REVIEW: MD MS QM SS] | A | 8940 | | GL | 05-APR-04 |
| | MIL-STD-3006A | SANITATION REQUIREMENTS FOR FOOD ESTABLISHMENTS[Standard Practice][CUST: MD2 SA 03] [REVIEW: MC MS SS] | A | 89GP | | MD2 | 07-JUN-02 |
| | FED-STD-369 | SANITATION STANDARDS FOR FISH PLANTS | A | 8905 | # | NMF | 02-AUG-77 |
| | ASTM-D94 | SAPONIFICATION NUMBER OF PETROLEUM PRODUCTS[CUST: AT SH 11] [REVIEW: 68 AS OS] | A | 91GP | | AT | 15-APR-93 |
| | MIL-HDBK-348(1) NOT 1 | SATELITE CONTROL NETWORK HARDWARE AND SOFTWARE OPERATIONAL ACCEPTANCE PROCESS[CUST: 19] | A | 1810 | | 19 | 30-JUL-90 |
| | DI-MGMT-80667 | SATELLITE COMMUNICATIONS EQUIPMENT REPORTS (SER) [AMSC: F4510] | A | MGMT | | 33 | 05-AUG-88 |
| | INFO-PUB-70/29 | SATELLITE COMMUNICATIONS SYSTEMS IN USE | C | ISDF | | 06 | 27-JAN-99 |
| | MIL-STD-188-136A NOT 1 | SATELLITE DATA LINK STANDARD (SDLS) FOR EHF MEDIUM DATA RATE (MDR) UPLINKS AND DOWNLINKS (U)[CUST: CR EC 02] [REVIEW: 11 13 93 AC AM DH MC MP NC NS SO TD] | A | TCSS | | DC1 | 26-JUL-04 |
| | DI-MGMT-80656 | SATELLITE NETWORK (SATNET) CIRCUIT TEST MEASUREMENT REPORT [AMSC: F4499] | A | MGMT | | 33 | 05-AUG-88 |
| | A-A-20133E | SAUCE, PASTA, TOMATO BASED, MEATLESS[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | * | GL | 23-JAN-01 |
| | A-A-52593 | SAW RECIPROCATING, PORTABLE, PNEUMATIC: METAL CUTTING[CUST: AT YD 99] [REVIEW: GL GS] | A | 5130 | / | AT | 06-FEB-96 |
| | MIL-S-42056 | SAW SYSTEM, BONE, ELECTRIC[CUST: MD MS 03 MB] | A | 6515 | | MB | 02-MAR-88 |
| | MIL-S-80095D | SAW, BAND WOODWORKING[CUST: AR SH 99 IS] [REVIEW: CR4 MC YD] | A | 3220 | | IS | 12-FEB-86 |
| A | A-A-59335 NOT 1 | SAW, BAND, CUTOFF, HORIZONTAL, AND COMBINATION HORIZONTAL AND VERTICAL[CUST: AR SH 99 GS6] [REVIEW: 84 MC YD] | A | 3405 | / | GS6 | 19-SEP-05 |
| | A-A-59336 NOT 1 | SAW, BAND, METAL, CUTTING, VERTICAL, CONTOUR[CUST: CR4 SH 99 GS6] [REVIEW: 84 MC] | A | 3405 | / | GS6 | 31-MAY-05 |
| | A-A-54841 | SAW, BONE, ELECTRIC, OSCILLATING, AUTOPSY[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAR-93 |
| | GGG-S-51E | SAW, CIRCULAR, PORTABLE, ELECTRIC[CUST: GL SH 99] [REVIEW: 84 CE GS MC YD] | A | 5130 | * | GL | 14-JUN-95 |
| | OO-S-236D | SAW, CIRCULAR, TABLE TYPE, WOODWORKING, SINGLE TILTING ARBOR, FLOOR MOUNTED[CUST: CR4 SH 99 IS] [REVIEW: CE MC OS YD] | A | 3220 | / | IS | 10-FEB-89 |
| | A-A-54554 | SAW, FINGER RING[CUST: MD MS 03] | A | 6515 | / | MB | 17-JAN-92 |
| | A-A-58046 | SAW, HAND, FINGER GRIP, SURVIVAL[CUST: GL 99] [REVIEW: GS] | A | 5110 | / | 84 | 27-JUN-95 |
| | A-A-55137 | SAW, JIG, WOODWORKING[CUST: AR SH 99 IS] [REVIEW: 84 CC CE CR4 MC] | A | 3220 | / | IS | 17-JUN-93 |
| | MIL-S-80034C NOT 1 | SAW, JIG, WOODWORKING[CUST: AR SH 99 IS] [REVIEW: 84 CE CR4 MC] | A | 3220 | | IS | 16-APR-90 |
| | ANSI-B11.10 | SAWING MACHINES, METAL, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF[CUST: AR SH 99] [REVIEW: 84 CR4] | A | 3405 | | GS6 | 07-MAR-89 |
| | A-A-59556 | SAWS, BAND, CUTOFF, VERTICAL, TILT-FRAME, TRAVELING[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 3405 | / | GS6 | 16-JUN-00 |
| | ASME-B94.54 | SAWS, HOLE, HOLE SAW ARBORS, & HOLE SAW ACCESSORIES, SPECIFICATION FOR[CUST: AR SH 99] [REVIEW: 84 CR4 MI SM] | A | 3455 | | GS6 | 31-MAR-86 |
| | A-A-59285 NOT 1 | SAWS, POWER, HACK[CUST: AR SH 99 GS6] [REVIEW: 84 MC OS] | A | 3405 | / | GS6 | 11-MAY-05 |
| | MIL-S-29180A | SCAFFOLDING COMPONENTS, STEEL (PIPE, TUBE, & COUPLER)[CUST: SH] | A | 5440 | | SH | 10-DEC-81 |
| | A-A-50682 | SCALAR NETWORK ANALYZER 10 MHZ TO 40 GHZ FREQUENCY RANGE[CUST: SH 99] | A | 6625 | / | 84 | 23-JUN-89 |
| | SAE-AMS1380 | SCALE CONDITIONER, ALKALINE AIRCRAFT TURBINE ENGINE COMPONENTS[CUST: AV AS] [REVIEW: GS] | A | 6850 | | AS | APR-92 |
| | A-A-33A NOT 1 | SCALE REMOVING COMPOUND (LIQUID)[CUST: GS3] | A | 6850 | / | GS3 | 20-JAN-04 |
| | A-A-19C NOT 1 | SCALE REMOVING COMPOUND (POWER, SULFAMIC ACID)[CUST: GS3] | A | 6850 | / | GS3 | 20-JAN-04 |
| | A-A-50093 | SCALE SYSTEM, FOOD PACKAGING, SEMI-AUTOMATIC[CUST: GL] [REVIEW: AV] | A | 6670 | / | GL | 17-FEB-87 |
| | A-A-50091 | SCALE SYSTEM, PREPACKAGED FOOD, AUTOMATIC[CUST: GL] [REVIEW: AV] | A | 6670 | / | GL | 09-JAN-87 |
| | A-A-50503A | SCALE, BALANCE, BEAM INDICATING: METRIC, 2610 GRAM CAPACITY[CUST: 99 GS1] | A | 6670 | / | GS1 | 12-JUN-02 |
| | A-A-50223A | SCALE, BEAM INDICATING: WEIGHING, SPECIFIC GRAVITY; CAPACITY 0.01 NOT LESS THAN 200 GRAMS, THREE OR FOUR WEIGHT BEAMS: 0.01 GRAM SENSITIVITY[CUST: CE] [REVIEW: MD] | A | 6670 | / | GS1 | 17-JUL-01 |
| | A-A-52021A | SCALE, BEAM INDICATING; WEIGHING SENSITIVE TO 1 GRAM[CUST: CE 99 GS1] [REVIEW: 71 SM] | A | 6670 | / | GS1 | 30-AUG-01 |
| | A-A-53926 | SCALE, DENTAL, DOUBLE-ENDED[CUST: MD MS 03] | A | 6520 | / | MB | 26-JUN-89 |
| | MIL-S-64045/137 | SCALE, GRAPHICAL FIRING, HE M1, HIGH ANGLE (105-AS-3), (P/N 11785434-124)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/133 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE (105-AS-3) CHG 1 & 2, (P/N 11785434-120)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/134 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE (105-AS-3) CHG 3 & 4, (P/N 11785434-121)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/135 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE (105-AS-3) CHG 5 & 6, (P/N 11785434-122)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/136 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE (105-AS-3) CHG 7, (P/N 11785434-123)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/138 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE/HIGH ANGLE (105-AS-3) CHG 8, (P/N 11785434-125)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/111 | SCALE, GRAPHICAL FIRING, HE M106, (8-Q-L), CHARGE 9, (P/N 11785434-132)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/126 | SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, W/ICM, HIGH ANGLE, (155-AN-2) CHGS 3G-4G-5G, (P/N 11785434-147)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/127 | SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, W/ICM, HIGH ANGLE, (155-AN-2) CHGS 3W-4W-5W-6W-7W-7R (P/N 11785434-148)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/124 | SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, W/ICM, LOW ANGLE, (155-AN-2) CHGS 5W AND 6W, (P/N 11785434-145)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/123 | SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, W/ICM, LOW ANGLE, (155-AN-2) CHGS 3W AND 4W, (P/N 11785434-144)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/121 | SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, W/ICM, LOW ANGLE, (155-AN-2), CHGS 3G AND 4G, (P/N 11785434-142)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/112 | SCALE, GRAPHICAL FIRING, HE M483AL/M825, LOW ANGLE, (155-ADD-Q-O) CHARGE SR, (P/N 11785434-133)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/122 | SCALE, GRAPHICAL FIRING, HE M483AL/M825AL, W/ICM, LOW ANGLE, (155-AN-2) CHARGE 5G, (P/N 11785434-143)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/125 | SCALE, GRAPHICAL FIRING, HE M483ALIM825A1, W/ICM, LOW ANGLE, (155-AN-2) CHGS 7W & 7R, (P/N 11785434-146)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/119 | SCALE, GRAPHICAL FIRING, HE M509A1, HIGH ANGLE, (8-T-1) (P/N 11785434-140)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/115 | SCALE, GRAPHICAL FIRING, HE M509A1, LOW ANGLE, (8-T-1) CHGS 3 & 4, (P/N 11785434-136)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-64045/116 | SCALE, GRAPHICAL FIRING, HE M509A1, LOW ANGLE, (8-T-1) CHGS 5G & 5W, (P/N 11785434-137)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/117 | SCALE, GRAPHICAL FIRING, HE M509A1, LOW ANGLE, (8-T-1) CHGS 6 & 7, (P/N 11785434-13S)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/114 | SCALE, GRAPHICAL FIRING, HE M509A1, LOW ANGLE, (8-T-L) CHGS 1 & 2, (P/N 11785434-135)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/118 | SCALE, GRAPHICAL FIRING, HE M509A1, LOW ANGLE, (8-T-L) CHGS 8 & 9, (P/N 11785434-139)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/130 | SCALE, GRAPHICAL FIRING, M3 14, ILLUMINATING, (105-AS-3) CHGS 3 AND 4, (P/N 11785434-129)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/141 | SCALE, GRAPHICAL FIRING, M314 ILLUMINATING (105-AS-3), CHG 1 & 2, (P/N 11785434-128)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/132 | SCALE, GRAPHICAL FIRING, M314, ILLUMINATING, (105-AS-3)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/131 | SCALE, GRAPHICAL FIRING, M314, ILLUMINATING, (105-AS-3) CHGS 5 AND 6, (P/N 11785434-130)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/108 | SCALE, GRAPHICAL FIRING, PAD M864, LOW ANGLE, (155-AU-PADM864) CHARGE 8, (P/N 11785434-1 17)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/110 | SCALE, GRAPHICAL FIRING, PAD M864, LOW ANGLE, (155-AU-PADM864) CHGS 7W & 7R, (P/N 11785434-119)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/139 | SCALE, GRAPHICAL SITE, HE M1 (105-AS-3), (P/N 11785434-126)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/128 | SCALE, GRAPHICAL SITE, HE M483A1/M825A1, W/ICM (155-AN-2) (P/N 11785434-149)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/113 | SCALE, GRAPHICAL SITE, HE M483AL/M825, (155-ADD-Q-O) (P/N 11785434-134)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/120 | SCALE, GRAPHICAL SITE, HE M509A1, (P/N 11785434-141)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/140 | SCALE, GRAPHICAL SITE, HE M760 (105-AS-3), (P/N 11785434-127)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/129 | SCALE, GRAPHICAL SITE, M483A1/M825A1, W/ICM, (155-AN-2) (P/N 11785434-150)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | MIL-S-64045/109 | SCALE, GRAPHICAL SITE, PAD M864, LOW ANGLE, (155-AU-PADM864) CHGS 7W AND 8R, (P/N 11785434-1 18)[CUST: AR] | A | 1220 | | AR | 16-OCT-01 |
| | A-A-52042 NOT 1 | SCALE, PLOTTING COORDINATE: PLASTIC, GRADUATED IN YARDS AND METERS IN 1:25000 AND 1:50000 SCALES[CUST: CE IS] [REVIEW: AS MC OS YD] | A | 6675 | / | IS | 27-SEP-01 |
| M | A-A-59732C | SCALE, VEHICLE PLATFORM[CUST: GL CG 99 GS] [REVIEW: MC] | A | 6670 | / | 84 | 17-MAR-06 |
| | A-A-58088B | SCALE, WEIGHING SYSTEMS, AIRCRAFT PLATFORM[CUST: 99] | A | 6670 | / | 84 | 06-JAN-04 |
| | A-A-50721A | SCALE, WEIGHING, CARGO/PALLET[CUST: 99] | A | 6670 | / | 84 | 20-JAN-04 |
| | A-A-54064 | SCALER, DENTAL (YOUNGER-GOOD)[CUST: MD MS 03] | A | 6520 | / | MB | 15-FEB-90 |
| | ASTM-E713 | SCALES FOR METRIC BUILDING DRAWINGS, SELECTION OF[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | FACR | | YD | 29-JUL-88 |
| M | A-A-59475 NOT 1 | SCALES, DIAL AND BEAM INDICATING, BAKER'S, DOUGH PIECE CHECKING[CUST: GL MC GS1] [REVIEW: MD YD] | A | 6670 | / | GS1 | 20-MAR-06 |
| | A-A-59269A NOT 1 | SCALES, DRAFTING AND SCALES, PLOTTING[CUST: CE YD 99 IS] [REVIEW: 71 AR CG CR GL MC] | A | 6675 | / | IS | 13-AUG-04 |
| | A-A-50062A | SCALES, SPRING, (SUSPENSION MOUNTED)[CUST: GL YD 99 GS1] [REVIEW: MS] | A | 6670 | / | GS1 | 30-AUG-01 |
| | MIL-PRF-49177B | SCAN INTERLACE PL-1408/UA[CUST: CR] | A | 5855 | | CR | 19-MAY-97 |
| | MIL-PRF-49168C | SCAN-INTERLACE, PL-1403/UA, PL-1403A/UA[CUST: CR] | A | 5855 | | CR | 27-AUG-97 |
| | MIL-S-49301(1) NOT 1 | SCANNER, MECHANICAL MX-10717(V)2/U[CUST: CR] | A | 5855 | | CR | 24-OCT-00 |
| | MIL-S-49301/1 NOT 1 | SCANNER, MECHANICAL, MX-10717(V)1/U[CUST: CR] | A | 5855 | | CR | 24-OCT-00 |
| | MIL-S-49301/2(1) NOT 1 | SCANNER, MECHANICAL, MX-10717(V)2/U[CUST: CR] | A | 5855 | | CR | 24-OCT-00 |
| | MIL-S-49301/3 NOT 1 | SCANNER, MECHANICAL, MX-10717(V)3/U[CUST: CR] | A | 5855 | | CR | 24-OCT-00 |
| | MIL-S-49301/4 NOT 1 | SCANNER, MECHANICAL, MX-10717(V)4/U[CUST: CR] | A | 5855 | | CR | 24-OCT-00 |
| | MIL-S-49301/5 NOT 1 | SCANNER, MECHANICAL, MX-10717(V)5/U[CUST: CR] | A | 5855 | | CR | 24-OCT-00 |
| | MIL-S-49301/6 NOT 1 | SCANNER, MECHANICAL, MX-10717(V)6/U[CUST: CR] | A | 5855 | | CR | 24-OCT-00 |
| | MIL-S-49301/7 NOT 1 | SCANNER, MECHANICAL, MX-10717(V)7/U[CUST: CR] | A | 5855 | | CR | 24-OCT-00 |
| | DI-QCIC-80864 | SCANNING ELECTRON MICROSCOPE ANALYSIS REPORT [AMSC: G4767] | A | QCIC | | NS | 22-JUN-89 |
| | EIA455.164 | SCANNING FAR-FIELD, FIBER SINGLE-MODE, MEASUREMENT OF MODE FIELD DIAMETER[CUST: CR AS 11] [REVIEW: 13 19 CC EC MC SH TE] | A | 60GP | | CR | 18-DEC-87 |
| | DI-ALSS-81610 | SCANNING/DIGITIZING DATA [AMSC: G7440] | A | SESS | | NS | 01-JUN-01 |
| | MIL-S-11922E NOT 4 | SCARF, BRANCH OF SERVICE, BIB TYPE[CUST: IH NU 11] [REVIEW: 99 CT] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-S-10679E NOT 1 | SCARF, NECKWEAR, RAYON, WOMAN S[CUST: MC 11 CT] [REVIEW: 99 SA] | A | 8445 | | CT | 26-FEB-88 |
| | A-A-55225 | SCARF, NECKWEAR, WOMAN'S ACRYLIC[CUST: NU CT] | A | 8445 | / | CT | 17-AUG-93 |
| | A-A-55226A | SCARF, NECKWEAR, WOOL AND SCARF, HEADOVER, WOOL[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8440 | / | CT | 23-OCT-96 |
| | MIL-S-29428A | SCARF: HEADOVER, WOOL[CUST: MC CT] | A | 8440 | | CT | 06-MAY-91 |
| | MIL-STD-438E NOT 1 | SCHEDULE OF PIPING, VALVES, FITTINGS, & ASSOCIATED PIPING COMPONENTS FOR SUBMARINES SERVICE[Design Criteria Standard][CUST: SH] | A | 4730 | | SH | 08-MAY-83 |
| | MIL-STD-777E(7) | SCHEDULE OF PIPING, VALVES, FITTINGS, AND ASSOCIATED PIPING COMPONENTS FOR NAVAL SURFACE SHIPS[Design Criteria Standard][CUST: SH] [REVIEW: CC] | A | 4730 | | SH | 08-JUL-02 |
| | DI-MGMT-81219 | SCHEDULE OF STRUCTURAL WORK REPORT [AMSC: N6654] | A | MGMT | | AS | 21-JUN-91 |
| | DI-GDRQ-81223 | SCHEMATIC BLOCK DIAGRAMS [AMSC: A6658] | A | SESS | | AM | 26-JUN-91 |
| | MS17793B | SCHEMATIC WIRING DIAGRAM (EXTERNAL AC POWER CONNECTOR, AIRCRAFT)[CUST: CR4 AS 11] [REVIEW: CC MC] | A | 5935 | | AS | 18-DEC-74 |
| | FED-STD-595/13415 | SCHOOL BUS YELLOW [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | DI-MISC-80711A | SCIENTIFIC AND TECHNICAL REPORTS [AMSC: L7382] | A | MISC | | DD | 21-JAN-00 |
| | ANSI-Z39.18 | SCIENTIFIC AND TECHNICAL REPORTS - ELEMENTS, ORGANIZATION, AND DESIGN[CUST: AI SH 01] [REVIEW: 03 04 11 13 99 AM AR AV CE CR CR4 DC GL MI MR NS OM] | A | MISC | | DC4 | 25-MAY-87 |
| | DI-MISC-80048 | SCIENTIFIC AND TECHNICAL REPORTS SUMMARY [AMSC: A3670] | A | MISC | | AM | 11-SEP-85 |
| | A-A-54586A | SCISSORS, BANDAGE, ANGULAR[CUST: MD MS 03] | A | 6515 | / | MB | 14-JAN-94 |
| | A-A-54513 | SCISSORS, BANDAGE, ANGULAR, LISTER[CUST: MD MS 03] | A | 6515 | / | MB | 06-MAR-92 |
| | A-A-54503 | SCISSORS, COLLAR AND CROWN[CUST: MD MS 03] | A | 6520 | / | MB | 22-OCT-91 |
| | A-A-54393 | SCISSORS, CORNEAL, CASTROVIEJO[CUST: MD MS 03] | A | 6515 | / | MB | 17-MAY-91 |
| | A-A-53294A | SCISSORS, EAR, (ALLIGATOR JAWS, HOUSE-BELLUCCI)[CUST: MD MS 03] | A | 6515 | / | MB | 01-JUN-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51840A | SCISSORS, EAR, SERRATED (JOSEPH)[CUST: MD MS 03] | A | 6515 | / | MB | 06-JUN-89 |
| | A-A-54210/4 | SCISSORS, ENUCLEATION[CUST: MD MS 03] | A | 6515 | / | MB | 07-NOV-90 |
| | A-A-54210 | SCISSORS, EYE (IRIS, STRABISMUS, TENOTOMY AND ENUCLEATION)[CUST: MD MS 03] | A | 6515 | / | MB | 07-NOV-90 |
| | A-A-54982 | SCISSORS, GENERAL SURGICAL (ANGULAR, POTTS SMITH)[CUST: MD MS 03] | A | 6515 | / | MB | 30-SEP-94 |
| | A-A-54018 | SCISSORS, GENERAL SURGICAL (CURVED, 7 INCH, METZENBAUM, DISSECTION)[CUST: MD MS 03] | A | 6515 | / | MB | 01-FEB-90 |
| | A-A-53148A | SCISSORS, GENERAL SURGICAL (CURVED, 7 INCH, METZENBAUM, TONSILECTOMY)[CUST: MD MS 03] | A | 6515 | / | MB | 13-JUL-89 |
| | A-A-53013A | SCISSORS, GENERAL SURGICAL (CURVED, METZENBAUM)[CUST: MD MS 03] | A | 6515 | / | MB | 16-SEP-88 |
| | A-A-53626 | SCISSORS, GENERAL SURGICAL (CURVED, METZENBAUM)[CUST: MD MS 03] | A | 6515 | / | MB | 08-AUG-88 |
| | A-A-54842 | SCISSORS, GENERAL SURGICAL, MAYO[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-93 |
| | A-A-54511 | SCISSORS, GENERAL SURGICAL, NELSON, 9 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 25-NOV-91 |
| | A-A-54843 | SCISSORS, GENERAL SURGICAL, STRAIGHT[CUST: MD MS 03] | A | 6515 | / | MB | 16-APR-93 |
| | A-A-54780 | SCISSORS, HYSTERECTOMY (SLIGHTLY CURVED, CURVED, STRONGLY CURVED, PARAMETRIUM)[CUST: MD MS 03] | A | 6515 | / | MB | 15-JAN-93 |
| | A-A-53902 | SCISSORS, HYSTERECTOMY, ADNEXAL, 210 MM[CUST: MD MS 03] | A | 6515 | / | MB | 04-MAY-89 |
| | A-A-54210/1 | SCISSORS, IRIS[CUST: MD MS 03] | A | 6515 | / | MB | 07-NOV-90 |
| | A-A-54150 | SCISSORS, IRIS, CURVED, 4-7/8 INCH[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-90 |
| | A-A-53011 | SCISSORS, NASAL (CURVED, JOSEPH)[CUST: MD MS 03] | A | 6515 | / | MB | 09-JUN-87 |
| | A-A-54619 | SCISSORS, NASAL, FORMON[CUST: MD MS 03] | A | 6515 | / | MB | 20-MAR-92 |
| | A-A-54817 | SCISSORS, ORAL SURGICAL[CUST: MD MS 03] | A | 6520 | / | MB | 12-FEB-93 |
| | A-A-53946 | SCISSORS, ORAL SURGICAL (GOLDMAN-FOX)[CUST: MD MS 03] [REVIEW: CC] | A | 6520 | / | MB | 31-AUG-89 |
| | A-A-54210/2 | SCISSORS, STRABISMUS[CUST: MD MS 03] | A | 6515 | / | MB | 07-NOV-90 |
| | ASTM-F1078 | SCISSORS, SURGICAL - INSERTED BLADES, STANDARD TERMINOLOGY FOR[CUST: MD MS 03] | A | 6515 | | MB | 25-SEP-87 |
| | ASTM-F1079 | SCISSORS, SURGICAL, INSERTED AND NONINSERTED[CUST: MD MS 03] | A | 6515 | | MB | 25-SEP-87 |
| | A-A-54210/3 | SCISSORS, TENOTOMY[CUST: MD MS 03] | A | 6515 | / | MB | 07-NOV-90 |
| | A-A-54617 | SCISSORS, TENOTOMY, SUB-MINIATURE[CUST: MD MS 03] | A | 6515 | / | MB | 20-MAR-92 |
| | A-A-53012 | SCISSORS, WIRE CUTTING (ANGULAR)[CUST: MD MS 03] | A | 6515 | / | MB | 09-JUN-87 |
| | A-A-53298A | SCOOP, DUCT, COMMON (MAYO)[CUST: MD MS 03] | A | 6515 | / | MB | 07-JUL-89 |
| | A-A-52467 | SCOOTERS, MOTOR: ELECTRIC MOTOR DRIVEN, THREE- AND FOUR-WHEEL, MODIFIED COMMERCIAL[CUST: AT YD] | A | 2340 | / | AT | 15-JUL-93 |
| | A-A-52466 | SCOOTERS, MOTOR: GASOLINE ENGINE DRIVEN, THREE- AND FOUR-WHEEL, MODIFIED COMMERCIAL[CUST: AT YD] | A | 2340 | / | AT | 15-JUL-93 |
| | STANAG-2251 ED.6 | SCOPE AND PRESENTATION OF MILITARY GEOGRAPHIC INFORMATION AND DOCUMENTATION (MGID) | C | ISDF | | 06 | 29-SEP-99 |
| | QSTAG-169 ED.2 | SCOPE AND PRESENTATION OF MILITARY GEOGRAPHIC INFORMATION AND DOCUMENTATION (MGID)[CUST: AI] | C | ISDA | | AI | 24-OCT-91 |
| | DI-MISC-81301 | SCORING SUMMARY REPORT [AMSC: A6877] | A | MISC | | AM | 28-JAN-93 |
| | SAE-J741 | SCRAPER, OPEN BOWL, CAPACITY RATING[CUST: AT YD 99] | A | 2330 | | YD | 08-JUN-93 |
| | A-A-54189 | SCRAPER, UTERINE, CERVICAL (AYRE, 7 INCH)[CUST: MD MS 03] | A | 6515 | / | MB | 14-JUN-90 |
| | A-A-59243 | SCRAPER-TRACTORS: EARTH MOVING, HYDRAULIC OPERATED, 12 AND 20 CUBIC YARD MINIMUM HEAPED CAPACITY, DED[CUST: AT YD 99] [REVIEW: 84 CC MT] | A | 3805 | / | IS | 16-JUN-98 |
| | A-A-52519 NOT 1 | SCRAPPERS (PIGS), PIPELINE: CLEANING AND BATCHING (METRIC)[CUST: AT] [REVIEW: CC] | A | 4940 | / | AT | 16-APR-04 |
| | MIL-DTL-43176D | SCREEN, LATRINE, FIRE, WATER WEATHER AND MILDEW RESISTANT TREATED[CUST: GL 82 CT] [REVIEW: MD] | A | 8340 | | CT | 15-SEP-00 |
| | A-A-53032 | SCREEN, TANGENT, EYE EXAMINING[CUST: MD MS 03] | A | 6540 | / | MB | 29-JUN-87 |
| | A-A-51478 | SCREEN, X-RAY PROTECTIVE[CUST: MD MS 03] | A | 6525 | / | MB | 20-JUN-86 |
| | A-A-51011A | SCREEN, X-RAY PROTECTIVE (FRAME MOUNTED, MOBILE)[CUST: MD MS 03] | A | 6525 | / | MB | 25-OCT-89 |
| | A-A-50890A | SCREEN, X-RAY PROTECTIVE MOBILE[CUST: MD MS 03] | A | 6525 | / | MB | 24-MAR-89 |
| | L-S-125B NOT 1 | SCREENING, NONMETALLIC, INSECT[CUST: GL SA 99 CT] [REVIEW: 11 EA MC MD MS YD] | A | 8305 | / | CT | 12-NOV-87 |
| | ANSI-PH1.50 | SCREENS, RADIOGRAPHIC FILM CASSETTE INTENSIFYING, DIMENSIONS FOR, AMERICAN NATIONAL STANDARD FOR[CUST: MD MS 03] | A | 6530 | | MB | 28-NOV-86 |
| | SAE-AS116961THRUAS117000 | SCREW OVAL FILLISTER DRILLED HEAD, .138-32[CUST: AV AS 99] | A | 5305 | | IS | 17-OCT-03 |
| | ANSI-B18.13 | SCREW & WASHER ASSEMBLIES[CUST: AR SH 99] [REVIEW: AT] | A | 53GP | | IS | 01-APR-71 |
| | NAS1299 | SCREW - 100 DEG. FLAT HEAD, SHOULDER[CUST: AS 11 IS] | A | 5305 | | IS | 30-JAN-84 |
| | NAS387 | SCREW - 100 DEG. OVAL RECESSED HEAD MACHINE (COARSE AND FINE THREAD)[CUST: AR SH 99 IS] | A | 5305 | | IS | 15-JAN-64 |
| | NAS384 | SCREW - 100 DEG. OVAL RECESSED HEAD SHEET METAL[CUST: AR SH 99 IS] | A | 5305 | | IS | 15-JAN-64 |
| | NAS388 | SCREW - 82 DEG. OVAL RECESSED HEAD - MACHINE (COARSE AND FINE THREAD)[CUST: AR SH 99 IS] | A | 5305 | | IS | 01-AUG-47 |
| | NAS1298 | SCREW - BRAZIER HEAD, SHOULDER[CUST: AR SH 99 IS] | A | 5305 | | IS | 09-OCT-91 |
| | SAE-AS115401THRUAS115450 | SCREW - FLAT FILLISTER HEAD, .190-32[CUST: AV AS 99 IS] | A | 5305 | | IS | AUG-98 |
| | SAE-AS115501THRUAS115550 | SCREW - FLAT FILLISTER HEAD, .3125-24[CUST: AS 99 IS] | A | 5305 | | IS | AUG-98 |
| | SAE-AS115601THRUAS115650 | SCREW - FLAT FILLISTER HEAD, DRILLED SHANK, .190-32[CUST: AS 99 IS] | A | 5305 | | IS | AUG-98 |
| | SAE-AS115651THRUAS115700 | SCREW - FLAT FILLISTER HEAD, DRILLED SHANK, .250-28[CUST: AS 99 IS] | A | 5305 | | IS | AUG-98 |
| | SAE-AS115801THRUAS115850 | SCREW - FLAT FILLISTER, DRILLED HEAD, .190-32[CUST: AV AS 99 IS] | A | 5305 | | IS | AUG 00 |
| | SAE-AS115901THRUAS115950 | SCREW - FLAT FILLISTER, DRILLED HEAD, .250-28[CUST: AV AS 11 IS] | A | 5305 | | IS | OCT-98 |
| | SAE-AS115951THRUAS116000 | SCREW - FLAT FILLISTER, DRILLED HEAD, .3125-18[CUST: AV AS 11 IS] | A | 5305 | | IS | OCT-98 |
| | SAE-AS116001THRUAS116050 | SCREW - FLAT FILLISTER, DRILLED HEAD, .3125-24[CUST: AV AS 11 IS] | A | 5305 | | IS | OCT-98 |
| | NASM33749 | SCREW - INSTALLATION AND LIMITATIONS FOR USAGE OF THREAD CUTTING AND THREAD FORMING[CUST: AR AS 99 IS] | A | 5305 | | IS | OCT-98 |
| | SAE-AS116101THRUAS116150 | SCREW - LFAT FILLISTER, DRILLED HEAD, .375-24[CUST: AV AS 11 IS] | A | 5305 | | IS | OCT-98 |
| | SAE-AS116913THRUAS116924 | SCREW - OVAL FILLISTER DRILLED HEAD, .112-40[CUST: AV AS 99 IS] | A | 5305 | | IS | AUG-00 |
| | SAE-AS117041THRUAS117080 | SCREW - OVAL FILLISTER DRILLED HEAD, .164-32[CUST: AV AS 99 IS] | A | 5305 | | IS | AUG-00 |
| | SAE-AS116925THRUAS116960 | SCREW - OVAL FILLISTER HEAD, .138-32[CUST: AV AS 11 IS] | A | 5305 | | IS | OCT-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS117001THRUAS117040 | SCREW - OVAL FILLISTER HEAD, .164-32[CUST: AV AS 99 IS] | A | 5305 | | IS | AUG-00 |
| | NASM525 | SCREW - WASHER HEAD[CUST: AV AS 99] | A | 5305 | | IS | JUL-00 |
| | ASME-B18.13.1M | SCREW AND WASHER ASSEMBLIES - SEMS (METRIC SERIES)[CUST: AR YD 99 IS] | A | 5310 | | IS | 05-SEP-91 |
| | NASM3498 | SCREW ASSEMBLY, PANEL[CUST: AV AS 99 IS] | A | 5325 | | IS | MAY-98 |
| | SAE-AS9449 | SCREW MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD UNS K14675, 195 KSI MIN, .138-40 UNJF-3A[CUST: AS 11 IS] | A | 5305 | | IS | 15-OCT-99 |
| | SAE-AS9450 | SCREW MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED UNS K14675, 195 KSI MIN, .164-36 UNJF-3A[CUST: AS 11 IS] | A | 5305 | | IS | 31-AUG-00 |
| | ASME-B1.3M | SCREW THREAD GAGING SYSTEMS FOR DIMENSIONAL ACCEPTABILITY - INCH AND METRIC SCREW THREADS (UN, UNR, UNJ, M, AND MJ)[CUST: AR AS 99] [REVIEW: AT AV CR CR4 EC MI OS YD] | A | THDS | | IS | 12-OCT-92 |
| A | ASME-Y14.6 | SCREW THREAD REPRESENTATION[CUST: AR SA 16 DH] [REVIEW: 11 19 68 70 71 84 99 AS AT AV CC CE CH CR EA EC GL GS IS MC MI NS OS SH SM TD TE YD] | A | DRPR | | AR | 02-NOV-01 |
| | FED-STD-H28/16 NOT 3 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES SECTION 16 MICROSCOPE OBJECTIVE AND NOISE PIECE, 0.800 - 36AMO[CUST: AR AS 99] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/11 NOT 3 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 11, HOSE CONNECTIONS FOR WELDING AND CUTTING EQUIPMENT[CUST: AR AS 99] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/19A NOT 2 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 19, MISCELLANEOUS THREADS[CUST: AR AS 99] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/4 NOT 3 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 4, CONTROLLED RADIUS ROOT SCREW THREADS, UNJ SYMBOL[CUST: AR AS 99] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/5 NOT 3 | SCREW THREAD STANDARDS FOR FEDERAL SEV1CES, SECTION 5, UNIFIED MINIATURE SCREW THREADS[CUST: AR AS 99] | A | THDS | / | IS | 10-SEP-01 |
| | SAE-AS3506 | SCREW THREAD, INSERT, THIN WALL, SELF LOCKING UNS N07718, SILVER PLATED, CLASS: 185 KSI/1025 DEG. F, PROCUREMENT SPECIFICATION[CUST: AR YD 99 IS] | A | 5340 | | IS | 22-JUL-96 |
| | ASME-B1.13M | SCREW THREADS - M PROFILE METRIC[CUST: AR AS 11] [REVIEW: AT AV CR4 GL MI OS SH YD] | A | THDS | | IS | 15-SEP-95 |
| | SAE-AS8879 | SCREW THREADS - UNJ PROFILE, INCH CONTROLLED RADIUS ROOT WITH INCREASD MINOR DIAMETER[CUST: AR AS SO] | A | 53GP | | IS | 14-MAY-03 |
| | NFPA1963 | SCREW THREADS AND GASKETS FOR FIRE HOSE CONNECTIONS[CUST: AR AS 99 IS] [REVIEW: 84 AT CC SH YD] | A | THDS | | IS | 21-JUN-93 |
| | SAE-MA1566 | SCREW THREADS MJ METRIC, GAGING PRACTICE AND GAGE REQUIREMENTS FOR[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5306 | | IS | 14-JUL-93 |
| | ISO262 | SCREW THREADS, METRIC, GENERAL-PURPOSE-SELECTED SIZES FOR SCREWS, BOLTS AND NUTS[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | ASME-B1.7M | SCREW THREADS, NOMENCLATURE, DEFINITIONS, AND LETTER SYMBOLS FOR[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR CR4 GL] | A | THDS | | IS | 28-AUG-85 |
| | ASME-B1.1 | SCREW THREADS, UNIFIED, (UN AND UNR THREAD FORM)[CUST: AR AS 11] [REVIEW: 19 CR CR4 EA MI] | A | THDS | | IS | 20-AUG-91 |
| | NAS517 | SCREW, 100 DEG. CLOSE TOLERANCE FLAT HEAD, 160,000 PSI[CUST: AV AS 11] [REVIEW: CR4] | A | 5305 | | IS | 15-SEP-78 |
| | NAS1219 | SCREW, 100 DEG. FLUSH HEAD DOVETAIL SLOT RECESS, FULL THREAD SELF-LOCKING OPTIONAL[CUST: AV AS 11 IS] | A | 5305 | | IS | 31-MAR-98 |
| | NA0092 | SCREW, 100 DEG. FLUSH HEAD, TORQ-SET TITANIUM ALLOY, FULL THREAD, 1100 MPA, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | DEC-79 |
| | NA0070 | SCREW, 100 DEG. FLUSH HEAD, TORQ-SET, A286 CRES, FULL THREAD, 1100 MPA, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | DEC-79 |
| | NA0091 | SCREW, 100 DEG. FLUSH HEAD, TORQ-SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | DEC-79 |
| | A-A-51534 | SCREW, BONE (82 DEG. COUNTERSUNK HEAD)[CUST: MD MS 03] | A | 6515 | / | MB | 08-JUL-86 |
| | A-A-51533 | SCREW, BONE (WOODRUFF HEAD)[CUST: MD MS 03] | A | 6515 | / | MB | 08-JUL-86 |
| | A-A-51520B | SCREW, BONE, CANCELLOUS[CUST: MD MS 03] | A | 6515 | / | MB | 27-JAN-92 |
| | ASTM-F544 | SCREW, BONE, CLASSIFICATION PICTORIAL CORTICAL[CUST: MD MS 03] | A | 6515 | | MB | 15-AUG-92 |
| | A-A-54001 | SCREW, BONE, MAXILLOFACIAL SURGERY[CUST: MD MS 03] | A | 6515 | / | MB | 10-OCT-89 |
| A | NAM51474 | SCREW, CAP, HEX HEAD, FULLY THREADED METRIC[CUST: AR IS] | A | 5305 | | IS | 06-SEP-05 |
| | NASM51095 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADIUM PLATED, UNC-2A, PLAIN AND SELF-LOCKING[CUST: AR SH 99] | A | 5305 | | IS | NOV-99 |
| | NASM51096 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2F, PLAIN NAD SELF-LOCKING[CUST: AR SH 99 IS] | A | 5305 | | IS | NOV-99 |
| | NASM51105 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A[CUST: AR SH 99 IS] | A | 5305 | | IS | NOV-99 |
| | NASM51109 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, CORROSION-RESISTING, PASSIVATED, UNC-2A[CUST: AR SH 99 IS] | A | 5305 | | IS | SEP-99 |
| | NASM51106 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A[CUST: AR SH 99 IS] | A | 5305 | | IS | SEP-99 |
| | NASM51110 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, CORROSION-RESISTING PASSIVATED, UNF-2A[CUST: AR SH 99] | A | 5305 | | IS | SEP-99 |
| | NASM35307 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION RESISTING, PASSIVATED, UNC-2A[CUST: AR AS 99 IS] | A | 5305 | | IS | SEP 99 |
| | NASM35308 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION RESISTING, PASSIVATED, UNF-2A[CUST: AR SH 99 IS] | A | 5305 | | IS | OCT-98 |
| | NASM90725 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNC-2A[CUST: AR SH 99 IS] | A | 5305 | | IS | NOV-99 |
| | NASM90726 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNF-2A[CUST: AR SH 99 IS] | A | 5305 | | IS | NOV-99 |
| | NA0069 | SCREW, CAP, HEXAGON SOCKET HEAD, FULL THREAD, A-286 CRES, 1100 MPA, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | 31-MAY-96 |
| | FF-S-85D | SCREW, CAP, SLOTTED AND HEXAGON HEAD[CUST: AR SH 99 IS] [REVIEW: 71 AS AV NS] | A | 5305 | / | IS | 10-MAR-05 |
| | NASM24667 | SCREW, CAP, SOCKET HEAD, FLAT COUNTERSUNK, 82 DEG., ALLOY STEEL, UNC-3A[CUST: AR SH 99 IS] | A | 5305 | | IS | APR-98 |
| | NASM24678 | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED ALLOY STEEL (UNF-3A)[CUST: AR AS 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM24677 | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED ALLOY STEEL, (UNC-3A)[CUST: AR OS 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM24674 | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION-RESISTING STEEL (UNC-3A)[CUST: AR OS 99] | A | 5305 | | IS | SEP-99 |
| | NASM24673 | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION-RESISTING STEEL (UNF-3A)[CUST: AR OS 99 IS] | A | 5305 | | IS | AUG-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NAS1351 | SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF LOCKING, ALLOY STEEL AND CORROSION RESISTING STEEL AND HEAT-RESISTANT STEEL, UNRF-3A[CUST: AV AS 11 IS] | A | 5305 | | IS | 31-MAY-96 |
| | NAS1352 | SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF LOCKING, ALLOY STEEL AND CORROSION RESISTANT STEEL AND HEAT-RESISTANT STEEL, UNRC-3A AND UNRC-2A[CUST: AS 11 IS] | A | 5305 | | IS | 31-MAY-96 |
| | ASME-B18.3.1M | SCREW, CAP, SOCKET HEAD- METRIC SERIES[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 EA MC NS OS SH] | A | 5305 | | IS | 25-FEB-87 |
| | NASM16995 | SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNC-3A[CUST: AR OS 99 IS] [REVIEW: 71] | A | 5305 | | IS | APR-98 |
| | NASM16996 | SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNF-3A[CUST: AR OS 99 IS] | A | 5305 | | IS | APR-98 |
| | FF-S-86E(4) NOT 2 | SCREW, CAP, SOCKET-HEAD[CUST: AR SH 99 IS] [REVIEW: 71 AT AV EA MC MI] | A | 5305 | / | IS | 22-FEB-02 |
| | NASM24671 | SCREW, CAP, SOCKET-HEAD-FLAT COUNTERSUNK, 82 DEG, CORROSION-RESISTING STEEL, UNC-3A[CUST: AR SH 99 IS] | A | 5305 | | IS | APR-98 |
| | MS90402 NOT 1 | SCREW, CAPTIVE[CUST: AR AS 11] [REVIEW: AV CC CG MC MI] | A | 5305 | | IS | 09-AUG-04 |
| | NA0129 | SCREW, CAPTIVE, 100 DEG. FLUSH HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, 660 MPA SHEAR, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5305 | | IS | 22-APR-93 |
| | NA0127 | SCREW, CAPTIVE, 100 DEG. FLUSH HEAD, TORQ-SET ALLOY STEEL, 660 MPA SHEAR, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5305 | | IS | MAY-82 |
| | NA0128 | SCREW, CAPTIVE, 100 DEG. FLUSH HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5305 | | IS | MAY-82 |
| | NA0131 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5305 | | IS | MAY-82 |
| | NA0130 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, ALLOY STEEL, 660 MPA SHEAR, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5305 | | IS | MAY-82 |
| | NA0132 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, TITANIUM, 660 MPA SHEAR, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5305 | | IS | MAY-82 |
| | NA0046 | SCREW, CLOSE TOLERANCE PAN HEAD TORQ-SET A-286 CRES 660 MPA SHEAR METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | OCT-78 |
| | NA0035 | SCREW, CLOSE TOLERANCE PAN HEAD TORQ-SET ALLOY STEEL 660 MPA SHEAR METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | JUN-78 |
| | NA0047 | SCREW, CLOSE TOLERANCE PAN HEAD TORQ-SET TITANIUM ALLOY 660 MPA SHEAR METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | OCT-78 |
| | NA0038 | SCREW, CLOSE TOLERANCE, 100 DEG. FLUSH HEAD OFFSET CRUCIFORM RECESS ALLOY STEEL 660 MPA SHEAR METRIC[CUST: AR SH 99 IS] | A | 5305 | | IS | 31-MAY-96 |
| | NA0042 | SCREW, CLOSE TOLERANCE, 100 DEG. FLUSH HEAD, OFFSET CRUCIFORM RECESS A-286 660 MPA SHEAR METRIC[CUST: AR SH 99 IS] | A | 5305 | | IS | 31-MAY-96 |
| | NA0060 | SCREW, CLOSE TOLERANCE, 100 DEG. FLUSH HEAD, OFFSET CRUCIFORM RECESS ALLOY STEEL 750 MPA SHEAR, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | 31-MAY-96 |
| | NA0039 | SCREW, CLOSE TOLERANCE, 100 DEG. FLUSH HEAD, OFFSET CRUCIFORM RECESS, TITANIUM ALLOY, 660 MPA, SHEAR METRIC[CUST: AR SH 99 IS] | A | 5305 | | IS | 30-JUL-93 |
| | NA0124 | SCREW, CLOSE TOLERANCE, 100 DEG. REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, A-286 CRES, 660 MPA SHEAR, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5305 | | IS | 22-APR-94 |
| | NA0125 | SCREW, CLOSE TOLERANCE, 100 DEG. REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, 660 MPA SHEAR, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5305 | | IS | 22-APR-94 |
| | NA0123 | SCREW, CLOSE TOLERANCE, 100 DEG. REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 660 MPA SHEAR, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | 22-APR-94 |
| | NASM27577 | SCREW, CLOSE TOLORANCE, 95 KSI FSU, FLUSH HEAD, 450 DEG. F[CUST: AV AS 11 IS] | A | 5305 | | IS | OCT -98 |
| | NASM21318 | SCREW, DRIVE, ROUND HEAD, TYPE U, STEEL, CARBON, CADIUM PLATED[CUST: AR 99 IS] | A | 5305 | | IS | MAY-98 |
| | NA0067 | SCREW, DUAL, WRENCHING, HEX HEAD/OFFSET CRUCIFORM, A286 CRES, FULL THREAD, 1100 MPA - METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | 29-MAR-96 |
| | SAE-AS17184 | SCREW, EXTERNALLY RELEIVED BODY (SYNCHRO)[CUST: AS] | A | 5990 | | AS | AUG-97 |
| | NASM25087 | SCREW, EXTERNALLY RELIEVED BODY[CUST: AS 99 IS] | A | 5305 | | IS | NOV-99 |
| | MS51495 NOT 3 | SCREW, EXTERNALLY RELIEVED BODY, FILLISTER HEAD[CUST: AR 99 IS] [REVIEW: 71 AT AV MI] | A | 5305 | | IS | 10-SEP-03 |
| | NASM51896 | SCREW, EXTERNALLY RELIEVED BODY, PAN-HEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL, UNC-2A[CUST: AR AS 99 IS] | A | 5305 | | IS | SEP-99 |
| | FF-S-88B(1) | SCREW, EYE[CUST: AR 99 IS] [REVIEW: AT AV CR4 EA MC] | A | 5305 | / | IS | 14-DEC-94 |
| | NA160 | SCREW, FAIRING WASHER, ASSEMBLY, 6AL-4V TITANIUM ALLOY, TORQ-SET, FULL THREAD, 1100MPA TENSILE, METRIC[CUST: AR 11] [REVIEW: AV] | A | 5305 | | IS | 27-MAY-86 |
| | NA0159 | SCREW, FAIRING WASHER, ASSEMBLY, ALLOY STEEL, OFFSET CRUCIFORM RECESS FULL THREAD, 1100 MPA TENSILE, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5305 | | IS | 15-APR-93 |
| | SAE-AS115851THRUAS115900 | SCREW, FLAT FILLISTER, DRILLED HEAD, .250-20[CUST: AV AS 11 IS] | A | 5305 | | IS | AUG-99 |
| | SAE-AS116051THRUAS116100 | SCREW, FLAT FILLISTER, DRILLED HEAD, .375-16[CUST: AV AS 99 IS] | A | 5305 | | IS | AUG-99 |
| | NA0114 | SCREW, HEX HEAD OFFSET CRUCIFORM ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | 29-MAR-96 |
| | NA0113 | SCREW, HEX HEAD OFFSET CRUCIFORM TITANIUM, FULL THREAD, 1100 MPA, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | 29-MAR-96 |
| | NAS1802 | SCREW, HEX HEAD, CRUCIFORM RECESS, FULL THREAD A-286 CRES, 160,000 PSI TENSILE[CUST: AR AS 99] [REVIEW: CR4] | A | 5305 | | IS | 9-SEP-99 |
| | NAS1801 | SCREW, HEX HEAD, CRUCIFORM RECESS, FULL THREAD, ALLOY STEEL, 160,000 PSI TENSILE[CUST: AV AS 11] [REVIEW: CR4] | A | 5305 | | IS | 15-APR-94 |
| | NAS9101THRUNAS9106 | SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, A-286 CRES, 160,000 PSI TENSILE[CUST: AR SH 99 IS] | A | 5305 | | IS | 01-NOV-90 |
| | NAS9001THRUNAS9006 | SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, ALLOY STEEL, 160,000 PSI TENSILE[CUST: AR SH 99 IS] | A | 5305 | | IS | 01-NOV-90 |
| | NAS9201THRUNAS9206 | SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, TITANIUM ALLOY 6AL-4V 160,000 PSI TENSILE[CUST: AR SH 99 IS] | A | 5305 | | IS | 01-NOV-90 |
| | ASME-B18.3.5M | SCREW, HEXAGON SOCKET FLAT COUNTERSUNK HEAD CAP (METRIC SERIES)[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 EA MC OS SH] | A | 5305 | | IS | 20-OCT-83 |
| | A-A-53421 | SCREW, INSTRUMENT, SPECTACLE FRAME 7 OR 5 BARREL HINGE[CUST: MD MS 03 MB] | A | 5305 | / | MB | 21-MAR-88 |
| | A-A-53589 NOT 1 | SCREW, INSTRUMENT, SPECTACLE FRAME, 3-BARREL[CUST: MD MS 03 IS] | A | 5305 | / | IS | 26-MAY-05 |
| | SAE-AS9207 | SCREW, MACHINE STEEL, DIFFUSED NICKEL CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, UNS K14675, 195 KSI MIN, .1640-36 UNJF-3A[CUST: AS IS] | A | 5305 | | IS | 15-APR-04 |
| | SAE-AS9317 | SCREW, MACHINE - HEXAGON HEAD, SLOTTED, FULL SHANK, ALLOY STEEL, UNS K14675, 135 KSI MIN, .2500-28 UNS-3A, NI - CAD. PLATE[CUST: AS IS] | A | 5305 | | IS | AUG-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS9516 | SCREW, MACHINE - STEEL, CADMIUM, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .1380-40 UNJF-3A[CUST: AV AS 99 IS] | A | 5305 | | IS | AUG-00 |
| | NASM35191 | SCREW, MACHINE - 82 DEG. FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNF-2A[CUST: AR AS 99 IS] | A | 5305 | | IS | DEC-98 |
| | NAS600THRUNAS606 | SCREW, MACHINE - AIRCRAFT, PAN HEAD, CRUCIFORM RECESS FULL THREADED, ALLOY STEEL[CUST: AV AS 11] [REVIEW: CR4] | A | 5305 | | IS | 25-MAR-94 |
| | SAE-AS9555 | SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .164-36 UNJF-3A[CUST: AV AS 99] | A | 5305 | | IS | AUG-00 |
| | SAE-AS9554 | SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .138-40 UNJF-3A[CUST: AR AS 99] | A | 5305 | | IS | AUG-00 |
| | SAE-AS9564 | SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .1640-36 UNJF-3A[CUST: AV AS 99] | A | 5305 | | IS | AUG-00 |
| | SAE-AS9573 | SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .164-36 UNJF-3A[CUST: AV AS] | A | 5305 | | IS | AUG-00 |
| | SAE-AS9572 | SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .138-40 UNJF-3A[CUST: AV AS] | A | 5305 | | IS | AUG-00 |
| | SAE-AS9712 | SCREW, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .138-40 UNJF-3A[CUST: AV AS 99] | A | 5305 | | IS | AUG-00 |
| | NAS1620THRUNAS1628 | SCREW, MACHINE - FLAT 100 DEG. HEAD, SHORT THREAD, OFFSET CRUCIFORM[CUST: AR SH 99 IS] | A | 5305 | | IS | 18-SEP-92 |
| | NAS1102 | SCREW, MACHINE - FLAT 100 DEGREE HEAD, FULL THREAD TORQ SET[CUST: AV AS 11 IS] | A | 5305 | | IS | 15-MAY-86 |
| | NAS1121THRUNAS1128 | SCREW, MACHINE - FLAT FILLISTER HEAD, CLOSE TOL, SHORT THD, TORQUE SET[CUST: AR AS 99 IS] | A | 5305 | | IS | 09-MAR-89 |
| | NAS1101 | SCREW, MACHINE - FLAT FILLISTER HEAD, FULL THREAD OFFSET CRUCIFORM[CUST: AV AS 11 IS] | A | 5305 | | IS | 05-DEC-96 |
| | SAE-AS3106 | SCREW, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS 5731, .164-36 UNJF-3A[CUST: AR SH 99 IS] | A | 5305 | | IS | JUL-79 |
| | SAE-AS3098 | SCREW, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS 5731, .164-36 UNJF-3A[CUST: AR SH 99 IS] | A | 5305 | | IS | 27-SEP-95 |
| | SAE-AS9631 | SCREW, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .138-40 UNJF-3A[CUST: AS 99] | A | 5305 | | IS | AUG-00 |
| | NAS1141THRUNAS1148 | SCREW, MACHINE - PAN HEAD MODIFIED, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM[CUST: AR SH 99 IS] | A | 5305 | | IS | 05-DEC-96 |
| | NASM35215 | SCREW, MACHINE - PAN HEAD, CROSS-RECESSED, BRASS, UNF - 2A[CUST: AR 71 IS] | A | 5305 | | IS | AUG-98 |
| | NAS1630THRUNAS1634 | SCREW, MACHINE - PAN HEAD, SHORT THREAD, OFFSET CRUCIFORM[CUST: AR SH 99 IS] | A | 5305 | | IS | 05-DEC-96 |
| | SAE-AS9216 | SCREW, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .164-36 UNJF-3A[CUST: AS IS] | A | 5305 | | IS | AUG-98 |
| | SAE-AS9292 | SCREW, MACHINE - STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .138-40 UNJF-3A[CUST: AS 11 IS] | A | 5305 | | IS | AUG-99 |
| | NASM21287 | SCREW, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .164-36THREAD (S/S BY MIL-S-8879)[CUST: AV AS 99] | A | 5306 | | IS | SEP-99 |
| | SAE-AS115451THRUAS115500 | SCREW, MACHINE - STEEL, FLAT FILLISTER HEAD, .250-28[CUST: AV AS 99 IS] | A | 5305 | | IS | AUG-99 |
| | MS51849A NOT 3 | SCREW, MACHINE - STEEL, HEXAGON HEAD, SLOTTED, UNF-2A AND UNC-2A[CUST: AR 99 IS] | A | 5305 | | IS | 05-SEP-03 |
| | SAE-AS9316 | SCREW, MACHINE - STEEL, SLOTTED, HEXAGON HEAD, .190-32, NI-CAD PLATE[CUST: AS IS] | A | 5305 | | IS | AUG-00 |
| | NASM35202 | SCREW, MACHINE FLAT COUNTERSUNK HEAD 82 DEG. CROSS- RECESSED, ALUMINUM ALLOY ANODIC COATED, UNC-2A[CUST: AR 99 IS] | A | 5305 | | IS | OCT-98 |
| | NASM51958 | SCREW, MACHINE PAN-HEAD, CROSS-RECESSED, CORROSION RESISTING STEEL, UNF-2A[CUST: AR SH 99 IS] | A | 5305 | | IS | SEP-99 |
| | SAE-AS9527 | SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .138-40 UNJF-3A[CUST: AV AS 99 IS] | A | 5305 | | IS | AUG-00 |
| | SAE-AS9528 | SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .164-36 UNJF-3A[CUST: AV AS 99 IS] | A | 5305 | | IS | AUG-00 |
| | SAE-AS9517 | SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, HEXAGON HEAD, .164-36 UNJF-3A[CUST: AV AS 99 IS] | A | 5305 | | IS | AUG-00 |
| | ASME-B18.6.3 | SCREW, MACHINE, AND SCREW NUTS, MACHINE, SLOTTED & RECESSED HEAD[CUST: AR SH 99 IS] [REVIEW: AT AV MI] | A | 53GP | | IS | 22-SEP-72 |
| | NAS514 | SCREW, MACHINE, 100 DEG. FLAT HEAD, FULL THREADED, ALLOY STEEL[CUST: AV AS 11] [REVIEW: CR4] | A | 5305 | | IS | 15-SEP-78 |
| | A-A-55623 NOT 1 | SCREW, MACHINE, 82 DEGREE AND 100 DEGREE, FLAT COUNTERSUNK HEAD, SLOTTED, PLASTIC (NYLON), UNC-2A AND UNF-2A[CUST: AR SH 99 IS] [REVIEW: 71 AS AT AV CR4 MC MI NS OS] | A | 5305 | / | IS | 06-FEB-03 |
| | NAS623 | SCREW, MACHINE, AIRCRAFT, PAN HEAD, CROSS RECESS, SHORT THREAD, 16,000 PSI ALLOY STEEL[CUST: AR AS 99 IS] | A | 5305 | | IS | 09-MAR-89 |
| | AN500 REV 7 | SCREW, MACHINE, FILLISTER HEAD, COARSE THREAD[CUST: AS 11] | A | MISC | | IS | 12-NOV-80 |
| | NASM501 | SCREW, MACHINE, FILLISTER HEAD, FINE THREAD[CUST: 11 IS] | A | 5306 | | IS | APR-99 |
| | NASM24694 | SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100 DEG., STRUCTURAL, CROSS RECESSED, UNC-3A AND UNF-3A[CUST: AR 99 IS] | A | 5305 | | IS | OCT-98 |
| | NASM24693 | SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100 DEGREES, CROSS RECESSED, UNC-2A AND UNF-2A[CUST: AR AS 99 IS] | A | 5305 | | IS | SEP-99 |
| | NASM51959 | SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, CORROSION-RESISTANT STEEL, UNC-2A[CUST: AR SH 99] | A | 5305 | | IS | SEP-99 |
| | AN510 REV 6(2) | SCREW, MACHINE, FLAT HEAD, 82 DEGREE, FINE THREAD[CUST: AV AS 99 IS] [REVIEW: 82 MI] | A | 5305 | | IS | 07-AUG-02 |
| | NAS662 | SCREW, MACHINE, FLATHEAD 100 DEG. PLAIN AND SELF-LOCKING[CUST: AV AS 11] [REVIEW: CR4] | A | 5305 | | IS | 30-NOV-94 |
| | MS51957D | SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, CORROSION-RESISTANT STEEL, UNC-2A[CUST: AR YD 99 IS] [REVIEW: AT AV CR4 GL MC MI NS SH] | A | 5305 | | IS | 25-APR-97 |
| | NA0068 | SCREW, MACHINE, PAN HEAD, OFFSET CRUCIFORM, A286 CRES FULL THREAD 1100 MPA - METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | 29-MAR-96 |
| | A-A-55624 NOT 1 | SCREW, MACHINE, PAN HEAD, SLOTTED, PLASTIC (NYLON), UNC-2A[CUST: AT AS 99 IS] [REVIEW: 71 AR SH] | A | 5305 | / | IS | 06-FEB-03 |
| | FF-S-92B(1) | SCREW, MACHINE, SLOTTED, CROSS RECESSED OR HEXAGON HEAD[CUST: AR 99 IS] [REVIEW: AS AT AV CR4 EA MC MI OS SH] | A | 5305 | / | IS | 31-JUL-75 |
| | NAS8302THRUNAS8304 | SCREW, MACHINE, WASHER HEAD, FULL THREAD, PHILLIPS RECESS, ALLOY STEEL[CUST: AS 11 IS] | A | 5305 | | IS | 29-MAY-86 |
| | NASM35190 | SCREW, MACHINE-82 DEG. FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNC-2A[CUST: AR SH 99 IS] | A | 5305 | | IS | DEC-98 |
| | NASM35273 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL FINISH, UNC-2A[CUST: AR AS 99 IS] | A | 5305 | | IS | SEP-99 |
| | NASM35276 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CORROSION RESISTING STEEL, PASSIVATED, UNF-2A[CUST: SM 99 IS] | A | 5305 | | IS | SEP-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM35275 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CORROSION-RESISTING STEEL, PASSIVATED, UNC-2A[CUST: AV AS 99 IS] | A | 5305 | | IS | SEP-99 |
| | NAS1151THRUNAS1158 | SCREW, MACHINE-FLAT 100 DEG. HEAD, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM, 160 KSI[CUST: AR SH 99 IS] | A | 5305 | | IS | 29-MAR-96 |
| | NASM35199 | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG. CROSS-RECESSED, BRASS, BLACK CHEMICAL FINISH, UNF-2A[CUST: AR 99 IS] | A | 5305 | | IS | OCT-98 |
| | NASM35198 | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG. CROSS-RECESSED, BRASS, UNC-2A[CUST: AR 99 IS] | A | 5305 | | IS | OCT-98 |
| | MS35203B NOT 1 | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, ALUMINUM ALLOY, ANODIC COATED, UNF-2A[CUST: AR 99 IS] [REVIEW: AT AV CR4 EA MC MI SH] | A | 5305 | | IS | 25-MAR-96 |
| | MS51960C | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEGREE, CROSS-RECESSED, CORROSION RESISTANT STEEL, UNF-2A[CUST: 99] [REVIEW: AT AV EA MC MI OS SH] | A | 5305 | | IS | 29-MAR-91 |
| | NAS1131THRUNAS1138 | SCREW, MACHINE-PAN HEAD, CLOSE TOL, SHORT THD, OFFSET CRUCIFORM[CUST: AR SH 99 IS] | A | 5305 | | IS | 09-OCT-91 |
| | NASM35214 | SCREW, MACHINE-PAN HEAD, CROSS RECESSED, BRASS, UNC-2A[CUST: AR 99 IS] | A | 5305 | | IS | NOV-99 |
| | NASM35207 | SCREW, MACHINE-PAN HEAD, CROSS RECESSED, CARBON STEEL, CADMIUM PLATED, UNF-2A (IN./MM)[CUST: AR AS 99 IS] | A | 5305 | | IS | SEP-99 |
| | NASM35206 | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNC-2A[CUST: AR AS 99 IS] | A | 5305 | | IS | NOV-99 |
| | NASM27039 | SCREW, MACHINE-PAN HEAD, STRUCTURAL, CROSS RECESSED[CUST: AR AS 99 IS] | A | 5305 | | IS | OCT-98 |
| | NAS723 | SCREW, MINIATURE 100 DEG. FLAT HEAD[CUST: AR SH 99 IS] | A | 5305 | | IS | 25-APR-79 |
| | NAS724 | SCREW, MINIATURE BINDING HEAD[CUST: AR SH 99 IS] | A | 5305 | | IS | 25-APR-79 |
| | NAS721 | SCREW, MINIATURE FILLISTER HEAD[CUST: AR SH 99 IS] | A | 5305 | | IS | 25-APR-79 |
| | NAS722 | SCREW, MINIATURE PAN HEAD[CUST: AR SH 99 IS] | A | 5305 | | IS | 25-APR-79 |
| | SAE-AS116901THRUAS116912 | SCREW, OVAL, FILLISTER HEAD, .112-40[CUST: AS 99 IS] | A | 5305 | | IS | AUG-99 |
| | NAS1216 | SCREW, PAN HEAD SLOTTED DOVETAIL RECESS, FULL THREAD SELF-LOCKING OPTIONAL[CUST: AV AS 11 IS] | A | 5305 | | IS | 05-DEC-96 |
| | NAS1301 | SCREW, PAN HEAD, ASSEMBLED WASHERS[CUST: AV AS 11] [REVIEW: CR4] | A | 5305 | | IS | 20-MAY-83 |
| | NAS1635 | SCREW, PAN HEAD, CROSS RECESSED, FULL THREAD[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5305 | | IS | 14-JUN-74 |
| | NAS8100THRUNAS8106 | SCREW, PAN HEAD, CRUCIFORM RECESS, A-286 CRES, FULL THREAD, SELF-LOCKING AND NON LOCKING[CUST: AV AS 11 IS] | A | 5305 | | IS | 05-DEC-96 |
| | NAS8200THRUNAS8206 | SCREW, PAN HEAD, CRUCIFORM RECESS, TITANIUM ALLOY 6AL-4V, FULL THREAD, SELF-LOCKING AND NONLOCKING[CUST: AR SH 99 IS] | A | 5305 | | IS | 18-APR-90 |
| | NAS8000THRUNAS8006 | SCREW, PAN HEAD, PHILLIPS RECESS, ALLOY STEEL FULL THREAD, SELF-LOCKING AND NON-LOCKING[CUST: AV AS 11 IS] | A | 5305 | | IS | 11-FEB-87 |
| | NA0089 | SCREW, PAN HEAD, TORQ-SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | DEC-79 |
| | NA0090 | SCREW, PAN HEAD, TORQ-SET, TITANIUM ALLOY, FULL THREAD, 1100 MPA, METRIC[CUST: AV 11 IS] [REVIEW: 99] | A | 5305 | | IS | DEC-79 |
| | NAS1189 | SCREW, SELF LOCKING, FLAT, 100 DEG. HEAD, FULL THREAD[CUST: AV AS 11 IS] | A | 5305 | | IS | 15-AUG-85 |
| | NAS1181THRUNAS1188 | SCREW, SELF-LOCKING - FLAT FILLISTER HEAD, CLOSE TOLERANCE, OFFSET CRUCIFORM[CUST: AR SH 99 IS] | A | 5305 | | IS | 05-DEC-96 |
| | NAS1191 | SCREW, SELF-LOCKING - FLAT FILLISTER HEAD, FULL THREAD[CUST: AV AS 11 IS] | A | 5305 | | IS | 15-MAY-86 |
| | NAS1190 | SCREW, SELF-LOCKING - PAN HEAD, FULL THREAD[CUST: AV AS 11] [REVIEW: CR4] | A | 5305 | | IS | 28-FEB-97 |
| | NAS1161THRUNAS1168 | SCREW, SELF-LOCKING FLAT 100 DEG HEAD, SHEARTORQ SET[CUST: AV AS 11 IS] | A | 5305 | | IS | 11-FEB-87 |
| | NASM21093 | SCREW, SELF-LOCKING, 250 DEG. F, STEEL, 55 KSI FTU, 100 DEG FLAT HEAD, CROSS RECESSED[CUST: AV AS 99 IS] | A | 5305 | | IS | APR-98 |
| | NASM21090 | SCREW, SELF-LOCKING, 250 DEGREES F, STEEL, 55 KSI FTU, PANHEAD, CROSS RECESSED[CUST: AS 99] | A | 5305 | | IS | NOV-99 |
| | NAS1171THRUNAS1178 | SCREW, SELF-LOCKING-PAN HEAD, SHEAR, OFFSET CRUCIFORM[CUST: AV AS 11 IS] | A | 5305 | | IS | 05-DEC-96 |
| | ASME-B18.3.3M | SCREW, SHOULDER, HEXAGON SOCKET HEAD- METRIC SERIES[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI NS OS SH] | A | 5305 | | IS | 25-FEB-87 |
| | NASM21472 | SCREW, SHOULDER, HEXAGON SOCKET-HEAD AND SLOTTED-HEAD, GENERAL SPECIFICATION FOR[CUST: AR AS 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM51575 | SCREW, SHOULDER, SLOTTED-HEAD, CORROSION-RESISTANT STEEL[CUST: AR AS 99 IS] | A | 5305 | | IS | SEP-99 |
| | NASM51576 | SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL[CUST: AR OS 99] | A | 5305 | | IS | SEP-99 |
| | NASM51975 | SCREW, SHOULDER-SOCKET HEAD, HEXAGON, ALLOY STEEL, CADMIUM PLATED, UNC-3A[CUST: AR SH 99 IS] | A | 5305 | | IS | AUG-98 |
| | ASME-B18.6.2 | SCREW, SLOTTED HEAD CAP, SQUARE SET SCREW & SLOTTED HEADLESS SET SCREWS[CUST: AR SH 99 IS] [REVIEW: AT AV MI] | A | 5305 | | IS | 22-SEP-72 |
| | MS51871 NOT 1 | SCREW, TAPPING HIGH PERFORMANCE, ZONE HARDENED STRUCTURAL THREAD ROLLING, HEXAGON WASHER HEAD[CUST: AR SH 99 IS] [REVIEW: AS AT AV CR4 MC OS] | A | 5305 | | IS | 10-JUN-96 |
| | NASM21207 | SCREW, TAPPING, 100 DEGREE FLAT HEAD, SPACED THREAD[CUST: AS 99 IS] | A | 5305 | | IS | MAR-00 |
| | NASM24634 | SCREW, TAPPING, THREAD CUTTING-TYPES D,F,G, AND T, APPROXIMATE HOLE SIZES FOR[CUST: AR 99 IS] [REVIEW: 71] | A | 5305 | | IS | APR-98 |
| | NASM51870 | SCREW, TAPPING-HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, FLAT COUNTERSUNK HEAD, CROSS RECESSED[CUST: AR SH 99] | A | 5305 | | IS | NOV-99 |
| | NASM51863 | SCREW, TAPPING-HIGH PERFORMANCE, THREAD, ROLLING, TYPES SF, SW, AND TT, PAN HEAD, CROSS RECESSED[CUST: AR SH 11 IS] | A | 5305 | | IS | DEC-99 |
| | NASM51871 | SCREW, TAPPING-HIGH PERFORMANCE, ZONE HARDENED STRUCTURAL THREAD ROLLING, HEXAGON WASHER HEAD[CUST: AR SH 99 IS] | A | 5305 | | IS | DEC-99 |
| | NASM24630 | SCREW, TAPPING-THREAD CUTTING TYPES D,F,G, OR T, PAN HEAD, CROSS RECESSED, CORROSION RESISTING STEEL[CUST: AR 99 IS] | A | 5305 | | IS | APR-98 |
| | NASM24625 | SCREW, TAPPING-THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CARBON STEEL[CUST: AR 99 IS] | A | 5305 | | IS | APR-98 |
| | NASM51851 | SCREW, TAPPING-THREAD CUTTING, TYPE D, HEXAGON HEAD, SLOTTED[CUST: AR IS] | A | 5305 | | IS | NOV-99 |
| | NASM24628 | SCREW, TAPPING-THREAD CUTTING, TYPES D,F,G OR T, FLAT 82 DEG. F COUNTERSUNK HEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL[CUST: 99 IS] | A | 5305 | | IS | SEP-99 |
| | NASM24629 | SCREW, TAPPING-THREAD CUTTING, TYPES D,F,G, OR T, PAN HEAD, CROSS RECESSED, STEEL CARBON CADMIUM PLATED[CUST: AR 99 IS] | A | 5305 | | IS | APR-98 |
| | NASM51850 | SCREW, TAPPING-THREAD FORMING, TYPE AB, HEXAGON HEAD, SLOTTED[CUST: AR IS] | A | 5305 | | IS | NOV-99 |
| | NASM51861 | SCREW, TAPPING-THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED[CUST: AR YD 99] | A | 5305 | | IS | 29-MAR-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM24627 | SCREW, TAPPING-THREAD, CUTTING, TYPES D, F, G, OR T, FLAT 82 DEG. COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL[CUST: AR 99 IS] | A | 5305 | | IS | OCT-98 |
| | NASM51862 | SCREW, TAPPING-THREAD, FORMING, TYPE AB, FLAT 82 DEG. COUNTERSUNK HEA, CROSS-RECESSED[CUST: AR YD 99 IS] | A | 5305 | | IS | DEC-99 |
| | NASM35274 | SCREW-MACHINE-DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL FINISH, UNF-2A[CUST: AR AS 99 IS] | A | 5305 | | IS | SEP-99 |
| | FED-STD-H28A NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES[CUST: AR AS 99 IS] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/1A NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 1 NOMENCLATURE, DEFINITIONS AND LETTER SYMBOLS FOR SCREW THREADS[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 GL] | A | THDS | / | IS | 12-SEP-90 |
| | ASME-B1.7 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 1, NOMENCLATURE, DEFINITIONS AND LETTER SYMBOLS FOR SCREW THREADS[CUST: AR AS 11] [REVIEW: AT AV CR CR4 GL] | A | THDS | | IS | 28-AUG-85 |
| | FED-STD-H28/10A NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 10 HOSE COUPLING AND FIRE HOSE COUPLING SCREW THREADS[CUST: AR AS 99] [REVIEW: 84 AT CC SH YD] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/12A NOT 2 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 12 ACME THREADS[CUST: AR AS 99 IS] [REVIEW: 19 EC] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/14A NOT 3 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 14 BUTTRESS SCREW THREADS-7 DEG./45 DEG. FLANK ANGLES[CUST: AR AS 99] [REVIEW: 19 AT AV EC MI] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/15B NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 15 ROLLED THREADS FOR SCREW-SHELLS FOR ELECTRIC LAMPHOLDERS AND LAMP BASES[CUST: AR AS 99 IS] [REVIEW: CR CR4 EC GS MI OS SH YD] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/17A NOT 2 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 17 SURVEYING INSTRUMENT MOUNTING THREADS[CUST: AR 99 IS] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/18B NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 18 PHOTOGRAPHIC EQUIPMENT THREADS[CUST: AR AS 99 IS] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/2B NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 2 UNIFIED INCH SCREW THREADS- UN AND UNR THREAD FORMS[CUST: AR AS 99 IS] [REVIEW: 11 19 AT CR CR4 EA MI] | A | THDS | / | IS | 27-SEP-01 |
| | FED-STD-H28/20B(1) | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 20 INSPECTION METHODS FOR ACCEPTABILITY OF UN, UNR, UNJ, M, AND MJ SCREW THREADS[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 EC MI OS YD] | A | THDS | / | IS | 21-DEC-94 |
| | FED-STD-H28/21B NOT 3 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 21 METRIC SCREW-THREADS[CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MI OS SH YD] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/22A(1) NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 22 GAGES AND GAGING FOR METRIC SCREW THREADS-M AND MJ THREAD FORMS[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 OS SH] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/23 NOT 2 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 23 CLASS 5 INTERFERENCE-FIT SCREW THREADS[CUST: AR AS 99 IS] [REVIEW: 19 AT AV CR CR4 EC MI] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/6A(1) NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 6 GAGES AND GAGING FOR UNIFIED SCREW THREADS-UN AND UNR THREAD FORMS[CUST: AR AS 99 IS] [REVIEW: AT AV CR4 EC GL OS SH] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/7A NOT 3 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 7 PIPE THREADS, GENERAL PURPOSE[CUST: AR AS 99 IS] [REVIEW: AT CR4 GL MI YD] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/8B NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 8 DRYSEAL PIPE THREADS[CUST: AR AS IS] [REVIEW: AT CR4 MI OS] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/9A NOT 2 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 9 GAS CYLINDER VALVE OUTLET AND INLET THREADS[CUST: AR AS 99 IS] [REVIEW: 19 68 GS] | A | THDS | / | IS | 10-SEP-01 |
| | FED-STD-H28/13A NOT 2 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 13, STUB ACME THREADS [CUST: AR AS 99 IS] [REVIEW: EC] | A | THDS | / | IS | 10-SEP-01 |
| | MIL-STD-1373 NOT 6 | SCREW-THREAD, MODIFIED, 60 DEG. STUB, DOUBLE[Military Standard][CUST: ER EC IS] | A | THDS | | IS | 09-MAY-02 |
| | STANAG-3802 ED.3(1) | SCREWDRIVER RECESSES (HIGH PERFORMANCE) | C | ISDF | | 06 | 16-SEP-92 |
| | A-A-2484 NOT 2 | SCREWDRIVER, FLAT TIP | A | 5120 | # | FSS | 02-APR-02 |
| | A-A-51253 | SCREWDRIVER, JEWELER'S, SWIVEL KNOB[CUST: MD MS 03] | A | 6505 | / | MB | 24-DEC-85 |
| | A-A-3152A | SCREWDRIVER, JEWELERS', SWIVEL KNOB | A | 5120 | # | FSS | 30-JUL-02 |
| | ASME-B107.15 | SCREWDRIVERS, FLAT TIP AND PHILLIPS[CUST: AR AS 99] [REVIEW: GS] | A | 5120 | | AR | 11-AUG-93 |
| | NWWDA-TM10 | SCREWHOLDING CAPACITY TEST[CUST: CR4 YD 99 IS] [REVIEW: 84 CC] | A | 5520 | | IS | AUG-91 |
| | ASME-B18.2.4M | SCREWS HEX FLANGE METRIC[CUST: AR AS 99 IS] [REVIEW: AV CR MC MI NS] | A | 5305 | | IS | 30-JAN-85 |
| | ASME-B18.3 | SCREWS SET (INCH SERIES) SOCKET CAP, SHOULDER AND[CUST: AR 99 IS] [REVIEW: AT AV CR CR4 EA MC SH] | A | 5305 | | IS | 27-APR-87 |
| | ASTM-A574 | SCREWS, CAP, ALLOY STEEL,SOCKET-HEAD[CUST: AR 99 IS] | A | 5305 | | IS | OCT-92 |
| | ASTM-F835M | SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, ALLOY STEEL (METRIC)[CUST: AR YD 99 IS] | A | 5305 | | IS | 23-OCT-92 |
| | ASTM-F879 | SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, STAINLESS STEEL[CUST: AR YD 99 IS] | A | 5305 | | IS | 03-MAY-91 |
| | ASTM-F837 | SCREWS, CAP, SOCKET HEAD, STAINLESS STEEL[CUST: AR YD 99 IS] | A | 5305 | | IS | 15-MAR-91 |
| | ASME-B18.2.3.9M | SCREWS, HEX FLANGE HEAVY METRIC[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI NS SH] | A | 5305 | | IS | 30-JAN-85 |
| | NASM16218 | SCREWS, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, COPPER-SILICON ALLOY, UNC-2A, NONMAGNETIC[CUST: SH IS] | A | 5305 | | IS | APR-98 |
| | NASM3212 | SCREWS, MACHINE, PAN HEAD, CROSS-RECESSED, SELF-SEALING, INTEGRAL SILICONE O-RING, PLAIN AND SELF-LOCKING[CUST: AR OS 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM82496 | SCREWS, MACHINE, SELF-SEALING, INTEGRAL O-RING[CUST: OS IS] | A | 5305 | | IS | OCT-98 |
| | ASME-B18.6.7M | SCREWS, MACHINE-METRIC[CUST: AR SH 99 IS] [REVIEW: 71 AT MC] | A | 5305 | | IS | 08-NOV-85 |
| | SAE-J1237 | SCREWS, METRIC THREAD ROLLING[CUST: AR SH 99 IS] | A | 5305 | | IS | AUG-96 |
| | NASM21262 | SCREWS, SELF LOCKING, 250 DEG. F, CYLINDRICAL HEAD HEXAGONAL WRENCHING SOCKET, ALLOY STEEL, 160 KSI FTU (SOCKET HEAD CAP SCREWS)[CUST: AS 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM21295 | SCREWS, SELF LOCKING, 250 DEG. F, CYLINDRICAL HEAD, HEXAGONAL WRENCHING SOCKET, CORROSION RESISTING STEEL 80 KSI FTU (SOCKET HEAD CAP SCREWS)[CUST: AS 99 IS] | A | 5306 | | IS | SEP-99 |
| | ASTM-F880 | SCREWS, SOCKET-SET, STAINLESS STEEL[CUST: AR YD 99 IS] | A | 5305 | | IS | 18-JUN-90 |
| | ASTM-F880M | SCREWS, SOCKET-SET, STAINLESS STEEL (METRIC)[CUST: AR YD 99 IS] | A | 5305 | | IS | 03-MAY-91 |
| | NASM7839 | SCREWS, STRUCTURAL, AIRCRAFT[CUST: AV AS 99 IS] | A | 5305 | | IS | DEC-98 |
| | ASME-B18.6.5M | SCREWS, TAPPING, THREAD FORMING & THREAD CUTTING-METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR EA MC MI NS OS SH YD] | A | 5305 | | IS | 21-APR-86 |
| | SAE-J81 | SCREWS, THREAD ROLLING[CUST: AR SH 99 IS] | A | 5305 | | IS | JUN-79 |
| | NASM3213 | SCREWS. MACHINE, PAN HEAD, CROSS-RECESSED, SELF-SEALING, INTEGRAL FLUOROSILICONE O-RING, PLAIN AND SELF-LOCKING[CUST: AR OS 99 IS] | A | 5305 | | IS | AUG-98 |
| | A-A-52209 | SCRIBER, DIAMOND POINT[CUST: GL 99] [REVIEW: 03 84 CG MC] | A | 5120 | * | GL | 12-SEP-96 |
| | ASTM-D2486 | SCRUB RESISTANCE OF WALL PAINTS[CUST: CR4 YD 99] [REVIEW: 84 CE SH] | A | 8010 | | IS | 10-MAR-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | INFO-PUB-61/117/5 | SD SURVEY POSTAL QUESTIONNAIRE | C | ISDF | | 06 | 13-NOV-00 |
| | MIL-S-17980D NOT 1 | SEA MARKER PACKET, INFLATABLE SURVIVAL EQUIPMENT[CUST: AR AS 68] [REVIEW: 11 AV GS MC MD SH] | A | 6850 | | AS | 23-JUN-87 |
| | STANAG-1436 ED.1 | SEA SKUA MISSILE INTERCHANGEABLE WITHIN NATO NAVAL FORCES | C | ISDN | | NI | PENDING |
| | A-A-1038A | SEAL, ANTIPILFERAGE (SELF-LOCKING) | A | 5340 | # | FSS | 30-JUN-81 |
| | MS21205(1) NOT 1 | SEAL, COVER BOLT, COMPRESSION TYPE[CUST: AS 99 IS] [REVIEW: 71] | A | 6210 | | IS | 10-SEP-02 |
| | A-A-52492 | SEAL, ENGINE SHROUD[CUST: AT] | A | 2930 | / | AT | 14-OCT-94 |
| | A-A-52524/8 NOT 1 | SEAL, PLAIN ENCASED: DUAL SEALING MEMBERS, OPPOSED, ONE SEAL SPRING LOADED[CUST: AT] [REVIEW: AR IS MI] | A | 5330 | / | AT | 06-DEC-02 |
| | A-A-52524/11 NOT 2 | SEAL, PLAIN ENCASED: ONE FELT, PLUS ONE LEATHER OR SYNTHETIC ELASTOMER SEALING MEMBER SPRING LOADED[CUST: AT] [REVIEW: AR] | A | 5330 | / | AT | 17-MAY-04 |
| | A-A-52524/6 NOT 1 | SEAL, PLAIN ENCASED: SINGLE SEAL, EXTERNAL TYPE, SPRING LOADED[CUST: AT] [REVIEW: AR IS MI] | A | 5330 | / | AT | 06-DEC-02 |
| | A-A-52524/1 NOT 1 | SEAL, PLAIN ENCASED: SINGLE SEALING MEMBER, SPRING LOADED[CUST: AT] [REVIEW: AR IS MI] | A | 5330 | / | AT | 06-DEC-02 |
| | A-A-52524/7A | SEAL, PLAIN ENCASED: DUAL SEAL, INTERNAL SEAL SPRING LOADED[CUST: AT] [REVIEW: AR IS] | A | 5330 | / | AT | 06-NOV-03 |
| | A-A-52524/13A | SEAL, PLAIN OR SEAL, PLAIN ENCASED: NON-SPRING LOADED, SINGLE SEALING MEMBER[CUST: AT] [REVIEW: AR IS] | A | 5330 | / | AT | 06-NOV-03 |
| | A-A-52524/17A | SEAL, PLAIN OR SEAL, PLAIN ENCASED: SINGLE SEALING MEMBER, EXTENDED CASE[CUST: AT] [REVIEW: AR IS] | A | 5330 | / | AT | 06-NOV-03 |
| | A-A-52524A | SEAL, PLAIN, AND SEAL, PLAIN, ENCASED: FLUID, RADIAL, SINGLE AND MULTIPLE LIP SEALING MEMBER[CUST: AT] [REVIEW: AR IS MI] | A | 5330 | / | AT | 10-APR-97 |
| | SAE-AS27194 | SEAL, PLAIN, RUBBER, (-65 TO +160 DEGREES F FUEL RESISTANT), MOLD IN GROOVE[CUST: 99] | A | 5330 | | IS | 01-MAR-01 |
| | SAE-AS27198 | SEAL, PLAIN, RUBBER, (-65 TO 350 DEGREES F FUEL RESISTANT) MOLD IN GROOVE[CUST: 99] | A | 5330 | | IS | 01-MAR-01 |
| | SAE-AS27197 | SEAL, PLAIN, RUBBER, (HOT AIR RESISTANT 400 DEGREES F) MOLD IN GROOVE[CUST: 99] | A | 5330 | | IS | 01-MAR-01 |
| | SAE-AS27195 | SEAL, PLAIN, RUBBER, SYNTHETIC OIL RESISTANT (-65 TO +275 DEGREES F), MOLD IN GROOVE[CUST: 99] | A | 5330 | | IS | 01-MAR-01 |
| | MIL-S-46874 NOT 6 | SEAL, RF AND PRESSURE[CUST: MI] | A | 5330 | | MI | 24-JUN-98 |
| | ASTM-D3910 | SEAL, SLURRY, DESIGN, TESTING, AND CONSTRUCTION OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 02-MAR-92 |
| | SAE-AS1895/7 | SEAL, TYPE I AND II (STANDARD AND LOW PROFILE)[CUST: AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | MAY-96 |
| | A-A-54447 | SEALANT KIT, DENTAL, PIT AND FISSURE[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUL-91 |
| | SS-S-1401C(1) NOT 1 | SEALANT, JOINT, NON-JET-FUEL-RESISTANT, HOT-APPLIED, FOR PORTLAND CEMENT CONCRETE AND ASPHALT CONCRETE PAVEMENTS[CUST: CE YD 99 IS] [REVIEW: MC MD MR MS] | A | 8030 | / | IS | 14-MAY-93 |
| | SS-S-200E(2) | SEALANT, JOINT, TWO COMPONENT, JET BLAST RESISTANT, COLD APPLIED, FOR PORTLAND CEMENT CONCRETE PAVEMENT[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC MD MR] | A | 8030 | / | IS | 16-JUL-93 |
| | AAMA800 | SEALANTS[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5680 | | IS | 1992 |
| | ASTM-C661 | SEALANTS BY MEANS OF A DUROMETER, ELASTOMERIC-TYPE, INDENTATION HARDNESS OF[CUST: MR YD 99 IS] [REVIEW: 84 CE MC SH] | A | 8030 | | IS | 23-JUL-93 |
| | ASTM-C920 | SEALANTS, ELASTOMERIC JOINT[CUST: MR YD IS] | A | 8030 | | IS | 02-MAR-92 |
| | ASTM-C793 | SEALANTS, ELASTOMERIC JOINT, EFFECTS OF ACCELERATED WEATHERING ON[CUST: MR YD 99 IS] [REVIEW: 84 MC SH] | A | 8030 | | IS | 23-JUL-93 |
| | ASTM-C719 | SEALANTS, ELASTOMERIC JOINT, UNDER CYCLIC MOVEMENT (HOCKMAN CYCLE), ADHESION AND COHESION OF[CUST: MR YD 99 IS] | A | 8030 | | IS | 03-OCT-94 |
| | ASTM-C792 | SEALANTS, ELASTOMERIC, EFFECTS OF HEAT AGING ON WEIGHT LOSS, CRACKING, AND CHALKING OF[CUST: YD IS] | A | 8030 | | IS | 20-JAN-95 |
| | ASTM-C603 | SEALANTS, ELASTOMERIC, EXTRUSION RATE AND APPLICATION LIFE OF[CUST: MR YD 99 IS] | A | 8030 | | IS | 03-OCT-94 |
| | ASTM-C639 | SEALANTS, ELASTOMERIC, RHEOLOGICAL (FLOW) PROPERTIES OF[CUST: MR YD 99 IS] | A | 8030 | | IS | 03-OCT-94 |
| | ASTM-C679 | SEALANTS, ELASTOMERIC, TACK-FREE TIME OF[CUST: MR YD 99 IS] [REVIEW: 84 CE MC SH] | A | 8030 | | IS | 23-JUL-93 |
| | ASTM-C794 | SEALANTS, JOINT, ELASTOMERIC, ADHESION-IN-PEEL, TEST METHOD FOR[CUST: MR AS 99] | A | 8030 | | AS | 03-OCT-94 |
| | SS-S-1614A(1) NOT 1 | SEALANTS, JOINT, JET-FUEL-RESISTANT, HOT-APPLIED, FOR PORTLAND CEMENT AND TAR CONCRETE PAVEMENTS[CUST: CE YD 99 IS] [REVIEW: MD MR MS] | A | 8030 | / | IS | 14-MAY-93 |
| | ASTM-C732 | SEALANTS, LATEX, ARTIFICIAL WEATHERING ON, AGING EFFECTS OF[CUST: MR YD 99 IS] [REVIEW: 84 CE MC SH] | A | 8030 | | IS | 23-JUL-93 |
| | ASTM-E1773 | SEALANTS, SEALING RIGID WALL TACTICAL SHELTERS WITH POLYSULFIDE BASED SEALANTS, STANDARD PRACTICE FOR[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | MIL-S-85634 NOT 1 | SEALER, HEAT, SEAM TAPE AND PATCH, ANTI-EXPOSURE COVERALL[CUST: AS] | A | 3540 | | AS | 30-SEP-92 |
| | A-A-53180 | SEALER-HOLDER, CAPILLARY TUBE[CUST: MD MS 03] | A | 6640 | / | MB | 14-SEP-87 |
| | DI-ILSS-80635 | SEALIFT REQUIREMENTS FORECAST (CARGO CONSIST) [AMSC: F4470] | A | SESS | | 33 | 29-JUN-88 |
| | QPL-81733-10(1) | SEALING AND COATING COMPOUND, CORROSION INHIBITIVE | A | 8030 | | AS | 23-APR-04 |
| | MIL-PRF-81733D | SEALING AND COATING COMPOUND, CORROSION INHIBITIVE[CUST: MR AS 11] [REVIEW: 99 AV CR4 MC MI YD] | A | 8030 | | AS | 15-MAY-98 |
| | OO-S-260A | SEALING AND PACKAGING MACHINE, PLASTIC FILM[CUST: GL SA 99] [REVIEW: MD SM] | A | 3540 | * | GL | 04-APR-78 |
| M | A-A-2702B NOT 3 | SEALING COMPOUND (LIQUID PROTECTANT AND "BEAUTIFIER")[CUST: MR SH] | A | 8030 | * | MR | 23-JAN-06 |
| | MIL-PRF-23586F(2) | SEALING COMPOUND (WITH ACCELERATOR), SILICONE RUBBER, ELECTRICAL[CUST: MR AS 99] [REVIEW: 84 AV CR EC OS] | A | 8030 | | AS | 11-JAN-02 |
| | SAE-AMS3374 | SEALING COMPOUND AIRCRAFT FIREWALL[CUST: MR AS 11] | A | 8030 | | AS | 29-NOV-85 |
| | QPL-23586-14 | SEALING COMPOUND, (WITH ACCELERATOR), SILICONE RUBBER, ELECTRICAL | A | 8030 | | AS | 30-JAN-05 |
| | A-A-59293 NOT 1 | SEALING COMPOUND, ADHESIVE: CURING (POLYSULFIDE BASE)[CUST: AR MC 11] [REVIEW: AT AV] | A | 8030 | / | AR | 01-MAY-03 |
| | MIL-S-17377D NOT 2 | SEALING COMPOUND, BOILER-CASING[CUST: SH] | A | 8030 | | SH | 06-SEP-88 |
| | MIL-S-24340A | SEALING COMPOUND, DECK, POLYURETHANE (POLYETHER BASE)[CUST: SH] | A | 8030 | | SH | 14-SEP-88 |
| | QPL-24340-13 | SEALING COMPOUND, DECK, POLYURETHANE (POLYETHER BASE) | A | 8030 | | SH | 20-APR-94 |
| | TT-S-00230C(2) | SEALING COMPOUND, ELASTOMERIC TYPE, SINGLE COMPONENT (FOR CALKING, SEALING, AND GLAZING IN BUILDINGS AND OTHER STRUCTURES) | A | 8030 | # | FSS | 09-OCT-70 |
| | MIL-S-3105C NOT 3 | SEALING COMPOUND, INERT (FOR USE IN AMMUNITION)[CUST: MR OS 99] [REVIEW: AS EA MC MI] | A | 8030 | | OS | 19-SEP-02 |
| | QPL-3105-23 NOT 2 | SEALING COMPOUND, INERT (FOR USE IN AMMUNITION) | A | 8030 | | OS | 19-SEP-02 |
| | SAE-AMS3276 | SEALING COMPOUND, INTEGRAL FUEL TANKS AND GENERAL PURPOSE, INTERMITTENT USE TO 360 DEG. F (182 DEG. C)[CUST: MR AS 11] | A | 8030 | | 11 | 10-JAN-94 |
| | MIL-S-15204D NOT 1 | SEALING COMPOUND, JOINT AND THREAD, HIGH TEMPERATURE[CUST: SH] | A | 8030 | | SH | 07-FEB-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-85334-4 | SEALING COMPOUND, NON-CURING, LOW CONSISTENCY, SILICONE, GROOVE INJECTION, FOR INTEGRAL FUEL TANKS | A | 8030 | | AS | 30-JAN-05 |
| | A-A-52495 NOT 1 | SEALING COMPOUND, NON-CURING, POLYBUTENE[CUST: AT] [REVIEW: AR CR4 MR SM] | A | 8030 | / | AT | 14-APR-04 |
| | MIL-S-85334 | SEALING COMPOUND, NONCURING, LOW CONSISTENCY, SILICONE, GROOVE INJECTION, FOR INTEGRAL FUEL TANKS[CUST: AS] | A | 8030 | | AS | 21-MAY-80 |
| M | SAE-AMS3281 | SEALING COMPOUND, POLYSULFIDE (T) SYNTHETIC RUBBER FOR INTEGRAL FUEL TANK AND FUEL CELL CAVITIES LOW DENSITY (1.20 TO 1.35 SP GR), FOR INTERMITTENT USE TO 360 DEG F (182 DEG C)[CUST: MR 11] [REVIEW: 99 AT] | A | 8030 | | 11 | 28-MAR-06 |
| | SAE-AMS3269 | SEALING COMPOUND, POLYSULFIDE (T) SYNTHETIC RUBBER FOR INTEGRAL FUEL TANK AND FUEL CELL CAVITIES HIGH STRENGTH, FOR INTERMITTENT USE TO 360 DEG. F (182 DEG. C)[CUST: MR 11] [REVIEW: 99 AT] | A | 8030 | | 11 | 12-APR-95 |
| | SAE-AMS-S-83318 | SEALING COMPOUND, POLYSULFIDE TYPE, LOW TEMPERATURE CURING, QUICK REPAIR, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES[CUST: 11] | A | 8030 | | 11 | 28-SEP-99 |
| | SAE-AMS3277 | SEALING COMPOUND, POLYTHIOETHER RUBBER FAST CURING INTEGRAL FUEL TANKS AND GENERAL PURPOSE, INTERMITTENT USE TO 400 MDF (204 MDC)[CUST: MR AS 11] | A | 8030 | | 11 | 17-APR-95 |
| | A-A-51727 | SEALING COMPOUND, PULPCANAL, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 03-NOV-86 |
| | MIL-PRF-8516G(1) | SEALING COMPOUND, SYNETHETIC RUBBER, ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS, CHEMICALLY CURED[CUST: MR AS 99] [REVIEW: 11 AR AV MC MI OS] | A | 8030 | | AS | 15-SEP-99 |
| | QPL-8516-25 | SEALING COMPOUND, SYNTHETIC RUBBER, ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS, CHEMICALLY CURED | A | 8030 | | AS | 06-FEB-04 |
| | SAE-AMS-S-8802 | SEALING COMPOUND, TEMPERATURE RESISTANT, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, HIGH ADHESION[CUST: MR AS 11] [REVIEW: 84 99 AR AT MI OS SH] | A | 8030 | | 11 | 28-SEP-99 |
| | A-A-59491 | SEALING COMPOUND, THREAD AND GASKET, HYDROCARBON FLUID AND WATER RESISTANT[CUST: SH] | A | 8030 | / | SH | 31-OCT-00 |
| | SAE-AMS-S-4383 | SEALING COMPOUND, TOPCOAT, FUEL TANK, BUNA-N TYPE[CUST: MR AS 11] | A | 8030 | | AS | JUL-99 |
| | QPL-AMS-S-4383-1(1) | SEALING COMPOUND, TOPCOAT, FUEL TANK, BUNA-N-TYPE | A | 8030 | | AS | 28-JUN-02 |
| | TT-S-1543B | SEALING COMPOUND: SILICONE RUBBER BASE (FOR CAULKING, SEALING, AND GLAZING IN BUILDINGS AND OTHER STRUCTURES)[CUST: GL 99] [REVIEW: MD] | A | 8520 | % | FSS | 24-JUN-96 |
| | MIL-S-85420(1) | SEALING COMPOUNDS, QUICK REPAIR, LOW TEMPERATURE CURING POLYSULFIDE, FOR AIRCRAFT STRUCTURES[CUST: AS] | A | 8030 | | AS | 13-MAR-00 |
| | SS-S-210A(1) NOT 2 | SEALING COMPOUNG, PREFORMED PLASTIC, FOR EXPANSION JOINTS & PIPE JOINTS | A | 8030 | # | FSS | 31-OCT-78 |
| | MIL-S-11388D NOT 2 | SEALING MATERIAL FOR METAL CONTAINER SEAMS[CUST: EA] | A | 8030 | | EA | 27-OCT-99 |
| | SAE-J110 | SEALS - TESTING OF RADIAL LIP[CUST: AT 99] | A | 5330 | | AT | 30-SEP-81 |
| | SAE-ARP5316 | SEALS ASSEMBLIES WHICH INCLUDE AN ELASTOMER ELEMENT PRIOR TO HARDWARE ASSEMBLY, STORAGE OF ELASTOMER SEALS AND[CUST: MR SH 11] [REVIEW: 99 AR AS CR CR4 GL GS IS MI OS YD] | A | 5330 | | 11 | NOV 99 |
| | ASTM-D2628 | SEALS FOR CONCRETE PAVEMENTS, PREFORMED POLYCHLOROPRENE ELASTOMERIC JOINT, STANDARD SPECIFICATION FOR[CUST: CR4 YD 99] [REVIEW: 84 MC] | A | 5680 | | IS | 27-NOV-81 |
| | FF-S-2738A(1) | SEALS, ANTIPILFERAGE[CUST: AR SH 99] [REVIEW: 71 CR4 MC SA] | A | 5340 | / | IS | 02-AUG-04 |
| | MIL-S-52506D | SEALS, SHAFT, MECHANICAL, LOW-PRESSURE TYPE, SELF-LUBRICATING: FOR GENERAL-PURPOSE CENTRIFUGAL PUMPS[CUST: AT] [REVIEW: CC] | A | 4320 | | AT | 30-JUL-92 |
| | ATP-10D | SEARCH AND RESCUE | C | ISDA | | AI | 10-JAN-95 |
| | AIR-STD-45/26 | SEARCH AND RESCUE ELECTRONIC SYSTEM (SARE) | C | ISDF | | 06 | 06-DEC-01 |
| | STANAG-3552 ED.9(1) | SEARCH AND RESCUE MANUAL - ATP-10(D) | C | ISDF | | 06 | 30-JUN-95 |
| | QAP-96 ED.1 | SEARCH AND TARGET ACQUISITION NOMENCLATURE | C | ISDA | | AI | 11-SEP-90 |
| | MIL-S-19551B | SEARCHLIGHT, INCANDESCENT LAMP AND MERCURY-XENON VAPOR LAMP, SIGNALING, 12-INCH[CUST: SH] [REVIEW: GS] | A | 6230 | | SH | 30-NOV-77 |
| | MIL-S-2649B(1) | SEARCHLIGHT, INCANDESCENT, 7-INCH SEALED BEAM LAMP FOR SMALL BOATS[CUST: SH] [REVIEW: GS YD] | A | 6230 | | SH | 12-JUN-86 |
| | MIL-S-16938C | SEARCHLIGHT, INCANDESCENT, SIGNALING, 8-INCH[CUST: SH IS] [REVIEW: GS YD] | A | 6230 | | IS | 30-JUL-73 |
| | ASHRAE116 | SEASONAL EFFICIENCY OF UNITARY AIR CONDITIONS & HEAT PUMPS[CUST: YD] [REVIEW: CE GS MC MS] | A | 4120 | | IS | 1983 |
| | A-A-59403 NOT 1 | SEAT COVER CLOTH, POLYESTER OR NYLON, WATER-RESISTANT[CUST: AT NU 99] [REVIEW: 11 CT GL MC MI] | A | 25GP | / | AT | 12-APR-04 |
| | MIL-S-25073A NOT 1 | SEAT, AIRCRAFT[CUST: AV 99] [REVIEW: GS] | A | 1680 | | 11 | 25-AUG-89 |
| | MIL-S-7852B(2) | SEAT, AIRCREW, ADJUSTABLE, SWIVEL, TYPE E&1[CUST: AV AS 99] [REVIEW: GS] | A | 1680 | | 11 | 05-SEP-78 |
| | SAE-J1163 | SEAT, DETERMINING INDEX POINT[CUST: CR4 AS 11] | A | HFAC | | CR4 | JUN-91 |
| | MIL-S-26688(1) | SEAT, PASSENGER, AFT FACING, TRANSPORT AIRCRAFT[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 05-SEP-78 |
| | NFPA102 | SEATING, ASSEMBLY, TENTS, AND MEMBRANE STRUCTURES[CUST: GL YD 99] | A | 8340 | | YD | 10-FEB-92 |
| | MIL-HDBK-1025/4 | SEAWALLS, BULKHEADS, AND QUAYWALLS[CUST: YD] | A | FACR | | YD | 30-SEP-88 |
| | A-A-54532 | SECOBARBITAL SODIUM CAPSULES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 25-NOV-91 |
| | AIR-STD-80/24 | SECONDARY IMAAGERY TRANSMISSION/DISSEMINATION | C | ISDF | | 06 | 30-JAN-01 |
| | STANAG-1371 ED.5 | SECRET ALLIED MARITIME TACTICAL INSTRUCTIONS AND PROCEDURES - ATP-55 | C | ISDN | | NI | 12-MAY-98 |
| | A-A-0051650 | SECRETIN FOR INJECTION[CUST: MD MS 03] | A | 6505 | / | MB | 25-AUG-86 |
| | FIPS-PUB-180 | SECURE HASH STANDARD | A | IPSC | | DC3 | 01-AUG-02 |
| | AINTP-2 ED.2 | SECURITY DOCTRINE | C | ISDF | | 06 | 01-JUL-92 |
| | STANAG-2363 ED.2 | SECURITY DOCTRINE - AINTP-2(A) | C | ISDA | | AI | PENDING |
| | DI-MCCR-81349 | SECURITY FEATURES USER'S GUIDE [AMSC: G6939] | A | MCCR | | NS | 02-JUL-93 |
| | ASTM-F476 | SECURITY OF SWINGING DOOR ASSEMBLIES[CUST: CR4 YD IS] [REVIEW: CE] | A | 5340 | | IS | 25-MAY-84 |
| | FIPS-PUB-140-1 | SECURITY REQUIREMENTS FOR CRYPTOGRAPHIC MODULES[CUST: CR OM 02] | A | IPSC | | DC3 | 11-JAN-94 |
| | DI-MISC-81364 | SECURITY REQUIREMENTS LIST [AMSC: F6960] | A | MISC | | 10 | 01-SEP-93 |
| | DI-NDTI-81351 | SECURITY TEST PLAN [AMSC: G6941] | A | NDTI | | NS | 02-JUL-93 |
| | DI-MISC-80841 | SECURITY VULNERABILITY ANALYSIS [AMSC: F4732] | A | MISC | | 10 | 05-JUN-89 |
| | ASTM-D473 | SEDIMENT IN CRUDE OILS AND FUEL OILS BY THE EXTRACTION METHOD[CUST: MR YD] [REVIEW: AT MI OS SH] | A | FORG | | YD | 27-MAR-81 |
| | ACI211.2 | SELECTING PROPORTIONS FOR STRUCTURAL LIGHTWEIGHT CONCRETE, STANDARD PRACTICE FOR[CUST: YD IS] | A | 5610 | | IS | 24-APR-92 |
| | MIL-HDBK-1013/14 | SELECTION AND APPLICATION OF VEHICLE BARRIERS[CUST: YD] | A | FACR | | YD | 01-FEB-99 |
| | MIL-STD-7080 | SELECTION AND INSTALLATION OF AIRCRAFT ELECTRIC EQUIPMENT[Military Standard][CUST: AV AS] | A | 16GP | | AS | 31-MAY-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-227A | SELECTION AND INSTALLATION OF REGULATING AND CONTROL VALVES FOR NAVAL SHIPBOARD USE[CUST: SH] | A | 4820 | | SH | 31-JAN-69 |
| | MIL-HDBK-1861A | SELECTION AND USE OF ELECTRICAL AND ELECTRONIC ASSEMBLIES, BOARDS, CARDS, AND ASSOCIATED HARDWARE[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5998 | | CC | 22-JUN-05 |
| | ASTM-E720 | SELECTION AND USE OF NEUTRON SENSORS FOR DETERMINING NEUTRON SPECTRA EMPLOYED IN RADIATION-HARDNESS TESTING OF ELECTRONICS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A | 5962 | | CC | 15-APR-93 |
| | MIL-HDBK-788 NOT 1 | SELECTION OF ACOUSTIC EMISSION SENSORS[CUST: MR AS 11] | A | NDTI | | MR | 26-JUL-93 |
| | SAE-J1783 | SELECTION OF HYDRAULIC DIRECTIONAL CONTROL VALVES FOR MARINE VEHICLE APPLICATIONS[CUST: CR4 SH 99] [REVIEW: AS CC CG MC YD] | A | 4730 | | SH | 31-DEC-93 |
| | MIL-HDBK-298 | SELECTION, INSTALLATION AND TROUBLESHOOTING OF RESISTANCE THERMOMETERS AND THERMOCOUPLE SENSORS[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 30-SEP-88 |
| | ANSI-Z34.2 | SELF-CERTIFICATION BY PRODUCER OR SUPPLIER[CUST: AR DH] [REVIEW: CR GL TM] | A | QCIC | | AR | 01-MAR-88 |
| | A-A-59771 | SELF-CONTAINED BREATHING APPARATUS (SCBA)[CUST: EA SH 03] [REVIEW: 11 84 99 AS] | A | 4240 | / | SH | 22-FEB-05 |
| | A-A-50602 | SELF-LUBRICATED BEARINGS[CUST: AT SH 99] [REVIEW: GS] | A | 3120 | / | SH | 05-APR-93 |
| | MIL-PRF-19500/566B(1) NOT 1 | SEMICONDUCTOR DEVICE ,TRANSISTOR, FIELD EFFECT , N-CHANNEL, SILICON, LOGIC-LEVEL, TYPES 2N6902 AND 2N6904 JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR AS CG MC MI OS SM] | A | 5961 | | CC | 28-MAR-05 |
| A | MIL-PRF-19500/586G | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, HERMETIC, TYPES 1N5819-1, 1N5819UR-1, 1N6761-1, AND 1N6761UR-1, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 03-NOV-05 |
| | MIL-PRF-19500/624B | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, HIGH-POWER, TYPE 2N7370 JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MI SM] | A | 5961 | | CC | 20-JAN-04 |
| | MIL-PRF-19500/504C NOT 1 | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPES 2N6283 AND 2N6284, JAN, JANTX AND JANTXV[CUST: 11 CC] [REVIEW: 13 19 99] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/523B NOT 1 | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPES 2N6383, 2N6384, 2N6385, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99] | A | 5961 | | CC | 19-DEC-03 |
| A | MIL-PRF-19500/539C | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER, TYPES 2N6300 AND 2N6301, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99] | A | 5961 | | CC | 14-NOV-05 |
| | MIL-PRF-19500/502D | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER, TYPES 2N6058 AND 2N6059, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99] | A | 5961 | | CC | 12-MAR-04 |
| | MIL-PRF-19500/540B(1) | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP SILICON, POWER TYPES 2N6298, 2N6299 JAN, JANTX, AND JANTXV[CUST: 11] [REVIEW: 19 71 99] | A | 5961 | | CC | 19-DEC-01 |
| | MIL-PRF-19500/623B | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, HIGH-POWER TYPE 2N7371 JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MI SM] | A | 5961 | | CC | 15-DEC-03 |
| | MIL-PRF-19500/501C NOT 1 | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER TYPE 2N6051, 2N6052, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99] | A | 5961 | | CC | 30-JUL-02 |
| M | MIL-PRF-19500/527C | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER, TYPES 2N6648, 2N6649, AND 2N6650, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 MC] | A | 5961 | | CC | 04-MAR-06 |
| A | MIL-PRF-19500/505D | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER, TYPES 2N6286 AND 2N6287, JAN, JANTX, AND JANTXV[CUST: 11 CC NA] [REVIEW: 19 99] | A | 5961 | | CC | 10-JAN-06 |
| | MIL-PRF-19500/516D(2) NOT 1 | SEMICONDUCTOR DEVICE, DIODE SILICON, BIPOLAR TRANSIENT VOLTAGE SUPPRESSOR, TYPES 1N6102 THROUGH 1N6137, 1N6102A THROUGH 1N6137A, 1N6138 THROUGH 1N6173, 1N6138A THROUGH 1N6173A, 1N6102US THROUGH 1N6137US, 1N6102AUS THROUGH 1N6137AUS, 1N6138US THROUGH 1N6173US, 1N6138AUS THROUGH 1N6173AUS, JAN, JANTX, JANTXV, JANHC, JANKC, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 28-MAR-05 |
| | MIL-PRF-19500/572B NOT 1 | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING TYPES 1N6493, 1N6494, 1N6495, 1N6500, 1N6501, AND 1N6502 JAN AND JANTX[CUST: 11 CC] [REVIEW: 99] | A | 5980 | | CC | 29-AUG-03 |
| | MIL-PRF-19500/574B NOT 1 | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING TYPES 1N6497, 1N6498, 1N6499, 1N6503, 1N6504, AND 1N6505 JAN AND JANTX[CUST: 11 CC] [REVIEW: 99] | A | 5980 | | CC | 29-AUG-03 |
| | MIL-PRF-19500/521C NOT 1 | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING, GREEN TYPES JAN1N6094, JANTX1N6094, JAN1N6611 (CLEAR LENS), JANTX1N6611 (CLEAR LENS), AND PANEL MOUNTED ASSEMBLY TYPES JANM19500/52101, JANTXM19500/52102, JANM19500/52103 (CLEAR LENS), AND JANTXM19500/52104 (CLEAR LENS)[CUST: CR 11 CC] [REVIEW: AR MI SM] | A | 5980 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/519C NOT 1 | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING, RED TYPES JAN1N6092, JANTX1N6092, JAN1N6609 (CLEAR LENS), JANTX1N6609 (CLEAR LENS), AND PANEL MOUNT ASSEMBLY TYPES JANM19500/51901, JANTXM19500/51902, JANM19500/51903 (CLEAR LENS),AND JANTXM19500/51904 (CLEAR LENS)[CUST: CR 11 CC] | A | 5980 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/717 | SEMICONDUCTOR DEVICE, DIODE, NON-HERMETIC, EPOXY, SURFACE MOUNT, SILICON, BIDIRECTIONAL TRANSIENT VOLTAGE SUPPRESSOR, TYPES 1N6036AUEG THROUGH 1N6072AUEG, 1N6036AUEJ THROUGH 1N6072AUEJ, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MI SM] | A | 5961 | | CC | 09-MAY-05 |
| | MIL-PRF-19500/716 | SEMICONDUCTOR DEVICE, DIODE, NON-HERMETIC, EPOXY, SURFACE MOUNT, SILICON, UNIPOLAR TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N5555UEG THROUGH 1N5558UEG, 1N5555UEJ THROUGH 1N5558UEJ, 1N5629AUEG THROUGH 1N5665AUEG, 1N5629AUEJ THROUGH 1N5665AUEJ, 1N5907UEG, 1N5907UEJ JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MI SM] | A | 5961 | | CC | 28-APR-05 |
| | MIL-PRF-19500/114F NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILCON, VOLTAGE REGULATOR B AND RB TYPES, 1N2804 THRU 1N2811, 1N2813, 1N2814, 1N2816, 1N2818 THRU 1N2820, 1N2822 THRU 1N2827, 1N2829, 1N2831 THRU 1N2838, 1N2840 THRU 1N2846 ,1N4557 THRU 1N4562, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MR SH SM] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/507D | SEMICONDUCTOR DEVICE, DIODE, SILICON, BIPOLAR TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N6036A THROUGH 1N6072A JAN, JANTX, JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99 MI] | A | 5961 | | CC | 08-AUG-03 |
| | MIL-PRF-19500/718 | SEMICONDUCTOR DEVICE, DIODE, SILICON, BIPOLAR TRANSIENT VOLTAGE SUPPRESSOR, TYPES 1N6950 THROUGH 1N6986, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 MI] | A | 5961 | | CC | 12-DEC-03 |
| | MIL-PRF-19500/463G | SEMICONDUCTOR DEVICE, DIODE, SILICON, CURRENT REGULATOR, TYPES 1N5283-1 THROUGH 1N5314-1, AND 1N5283UR-1 THROUGH 1N5314UR-1, 1N7048-1 THROUGH 1N7055-1, 1N7048UR-1 THROUGH 1N7055UR-1, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 02-APR-04 |
| M | MIL-PRF-19500/681(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, DUAL SCHOTTKY CENTER TAP POWER RECTIFIER, SURFACE MOUNTED, TYPES 1N6843U3, JAN, JANTX, JANTXV, AND JANS[CUST: EC 11 CC NA] [REVIEW: MI] | A | 5961 | | CC | 20-APR-06 |
| M | MIL-PRF-19500/680(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, DUAL SCHOTTKY CENTER TAP POWER RECTIFIER SURFACE MOUNTED, TYPE 1N6842U3, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 20-APR-06 |
| | MIL-PRF-19500/550B(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST-RECOVERY, HIGH CURRENT TYPES 1N6304, 1N6305, 1N6306, AND R TYPES JAN, JANTX, JANTXV, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 21-MAY-02 |
| | MIL-PRF-19500/575B NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH VOLTAGE POWER RECTIFIER, FAST RECOVERY, TYPES 1N6512 THROUGH 1N6519, 1N6512US THROUGH 1N6519US JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV CG MC SM] | A | 5961 | | CC | 29-AUG-03 |
| | MIL-PRF-19500/576C | SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH VOLTAGE POWER RECTIFIER, FAST RECOVERY, TYPES 1N6520 THROUGH 1N6527, 1N6520US THROUGH 1N6527US JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AV MC OS SM] | A | 5961 | | CC | 03-JAN-02 |
| | MIL-PRF-19500/241H NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW LEAKAGE, CONTROLLED FORWARD VOLTAGE TYPES 1N3595US, 1N3595UR, 1N3595-1, 1N3595UR-1, AND 1N3595US-1 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV CG MC MI] | A | 5961 | | CC | 28-MAR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-19500/156M | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW LEVEL VOLTAGE-REFERENCE TEMPERATURE COMPENSATED, TYPES 1N935B-1, 1N937B-1, 1N938B-1, 1N939B-1, AND 1N940B-1, 1N935BUR-1, 1N937BUR-1, 1N938BUR-1, 1N939BUR-1, AND 1N940BUR-1, JAN, JANTX, JANTXV, AND JANS, RADIATION HARDENED (TOTAL DOSE ONLY) TYPES JANTXVM, D, L, R, F, G, H, JANSM, D, L, R, F, G, H[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 01-JUL-04 |
| | MIL-PRF-19500/452G | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW LEVEL VOLTAGE-REFERENCE, TEMPERATURE COMPENSATED, TYPES 1N4565A-1 THROUGH 1N4584A-1, AND 1N4565AUR-1 THROUGH 1N4584AUR-1, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC, RADIATION HARDENED (TOTAL DOSE ONLY) TYPES JANTXVM, D, L, R, F, G, H; JANSM, D, L, R, F, G, H; JANHCM, D, L, R, F, G, H; AND JANKCM, D, L, R, F, G, H[CUST: CR EC 11 CC NA] [REVIEW: 19 70 99 AR AS AV MC MI SM] | A | 5961 | | CC | 01-JUL-04 |
| A | MIL-PRF-19500/435G | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW-NOISE VOLTAGE REGULATOR, TYPES 1N4099-1 THROUGH 1N4135-1, 1N4614-1 THROUGH 1N4627-1, 1N4099UR-1 THROUGH 1N4135UR-1, 1N4614UR-1 THROUGH 1N4627UR-1, PLUS C AND D TOLERANCE SUFFIX DEVICES, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 70 99 AR AS AV MC MI SM] | A | 5961 | | CC | 10-NOV-05 |
| A | MIL-PRF-19500/437F | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW-NOISE VOLTAGE REGULATOR, TYPES 1N5518B-1, 1N5518C-1, 1N5518D-1 THROUGH 1N5546B-1, 1N5546C-1, 1N5546D-1, 1N5518BUR-1, 1N5518CUR-1, 1N5518DUR-1 THROUGH 1N5546BUR-1, 1N5546CUR-1, 1N5546DUR-1, JAN, JANTX, JANTXV, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99] | A | 5961 | | CC | 20-JUL-05 |
| A | MIL-PRF-19500/260J | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER TYPES 1N1202A, 1N1204A, 1N1206A, 1N3671A, 1N3673A, AND AR VERSIONS, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC, 1N1124A, 1N1126A, 1N1128A, 1N3649, 1N3650, 1N1124RA, 1N1126RA, 1N1128RA , 1N3649R, AND 1N3650R, JAN ONLY[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS MC MI] | A | 5961 | | CC | 23-FEB-06 |
| A | MIL-PRF-19500/647B | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, DUAL, ULTRAFAST, TYPES 1N6778 AND 1N6779, JAN, JANTX, JANTXV AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 24-OCT-05 |
| A | MIL-PRF-19500/643A | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, DUAL, COMMON CATHODE OR ANODE CENTER TAP, ULTRAFAST, TYPES 1N6766 AND 1N6767, 1N6766R AND 1N6767R JAN JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 24-OCT-05 |
| A | MIL-PRF-19500/642B | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, DUAL, COMMON CATHODE OR ANODE CENTER TAP, ULTRAFAST, TYPES 1N6762 THROUGH 1N6765 AND 1N6762R THROUGH 1N6765R JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 24-OCT-05 |
| | MIL-PRF-19500/644A NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, DUAL, COMMON CATHODE OR ANODE CENTER TAP, ULTRAFAST, TYPES 1N6768 THROUGH 1N6771 AND 1N6768R THROUGH 1N6771R, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 27-JUN-03 |
| M | MIL-PRF-19500/617B | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, DUAL, COMMON CATHODE OR ANODE CENTER TAP, ULTRAFAST, TYPES 1N6672 THROUGH 1N6674 AND 1N6672R THROUGH 1N6674R, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MI SM] | A | 5961 | | CC | 03-APR-06 |
| A | MIL-PRF-19500/645B | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, DUAL, COMMON CATHODE OR ANODE CENTER TAP, ULTRAFAST, TYPES 1N6772, 1N6773, 1N6772R AND 1N6773R JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 24-OCT-05 |
| M | MIL-PRF-19500/616D | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, DUAL, COMMON CATHODE OR ANODE CENTER TAP, ULTRAFAST, TYPES 1N6657 THROUGH 1N6659 AND 1N6657R THROUGH 1N6659R, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 03-APR-06 |
| A | MIL-PRF-19500/646B | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, DUAL, ULTRAFAST, TYPES 1N6774 THROUGH 1N6777 JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 24-OCT-05 |
| | MIL-PRF-19500/411L | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY 1N5415 THROUGH 1N5420, 1N5415US THROUGH 1N5420US, JAN, JANTX, JANTXV, JANS, JANTXVM, JANTXVD, JANTXVR, JANTXVH, JANSM, JANSD, JANSR, AND JANSH[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM] | A | 5961 | | CC | 07-APR-04 |
| | MIL-PRF-19500/478G(2) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY TYPES 1N5812, 1N5814, 1N5816, AND R VERSIONS JAN, JANTX, JANTXV, JANHC, JANKC, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A | 5961 | | CC | 24-OCT-03 |
| | MIL-PRF-19500/577B | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, HIGH VOLTAGE, TYPES 1N6528 THROUGH 1N6535 JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV MC MI OS SM] | A | 5961 | | CC | 19-FEB-03 |
| | MIL-PRF-19500/594A(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, LOW LEAKAGE, TYPES 1N6664 THRU 1N6666, AND 1N6664R THRU 1N6666R JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI SM] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/429J | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, TYPES 1N5615, 1N5617, 1N5619, 1N5621, 1N5623, 1N5615UL, 1N5617UL, 1N5619UL, 1N5621UL, 1N5623UL, 1N5615US, 1N5617US, 1N5619US, 1N5621US, 1N5623US, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 07-APR-04 |
| | MIL-PRF-19500/308C NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST-RECOVERY TYPES 1N3909, 1N3910, 1N3911, 1N3912, 1N3913, R AND A VERSIONS JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SM] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/304D(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST-RECOVERY TYPES 1N3885, 1N3886, 1N3888, 1N3890, 1N3891, 1N3893, 1N3890R, 1N3891R, 1N3893R AND A-VERSIONS JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS CG MC MI SM] | A | 5961 | | CC | 05-AUG-04 |
| | MIL-PRF-19500/649A NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, SCHOTTKY, TYPE 1N6781, JAN, JANTX, JANTXV AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 27-JUN-03 |
| | MIL-PRF-19500/297E | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N1184, 1N1186, 1N1188, 1N1190, 1N3766, 1N3768, 1N1184R, 1N1186R, 1N1188R, 1N1190R, 1N3766R, 1N3768R, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SM] | A | 5961 | | CC | 22-FEB-05 |
| | MIL-PRF-19500/246G(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N3289, 1N3291, 1N3293, 1N3294, 1N3295, AND R TYPES, JAN, JANTX AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI] | A | 5961 | | CC | 21-MAY-02 |
| | MIL-PRF-19500/427K | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N5614, 1N5616, 1N5618, 1N5620, 1N5622, 1N5614UL, 1N5616UL, 1N5618UL, 1N5620UL, 1N5622UL, 1N5614US, 1N5616US, 1N5618US, 1N5620US, 1N5622US, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 07-APR-04 |
| A | MIL-PRF-19500/503D | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRA FAST RECOVERY, TYPES 1N6073 THROUGH 1N6081, JAN, JANTX, JANTXV, AND JANHC[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5961 | | CC | 27-DEC-05 |
| | MIL-PRF-19500/627A(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRAFAST, TYPES 1N6688, 1N6689, 1N6688US, AND 1N6689US, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MI SM] | A | 5961 | | CC | 22-NOV-00 |
| | MIL-PRF-19500/628A(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRAFAST, TYPES 1N6690 THROUGH 1N6693, 1N6690US THROUGH 1N6693US, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MI SM] | A | 5961 | | CC | 22-NOV-00 |
| | MIL-PRF-19500/420H | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER, RECTIFIER, TYPES 1N5550 THROUGH 1N5554, 1N5550US THROUGH 1N5554US, JAN, JANTX, JANTXV, JANS, JANHCA, JANHCB, JANHCC, JANHCD, JANHCE, JANKCA, JANKCD, AND JANKCE[CUST: CR EC 11 CC] [REVIEW: 19 71 84 99 AR AS MC MI SM] | A | 5961 | | CC | 19-APR-04 |
| | MIL-PRF-19500/587B | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N6661, 1N6662, 1N6663, 1N6661US, 1N6662US, AND 1N6663US, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 18-OCT-04 |
| | MIL-PRF-19500/228J | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER, TYPES 1N3611, 1N3612, 1N3613, 1N3614, 1N3957, 1N3611EG1, 1N3612EG1, 1N3613EG1, 1N3614EG1, 1N3957EG1, JAN AND JANTX[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV MC MI SM] | A | 5961 | | CC | 16-JUL-01 |
| A | MIL-PRF-19500/240L | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER, TYPES 1N645-1, 1N647-1, 1N649-1, 1N645UR-1, 1N647UR-1, 1N649UR-1, JAN, JANTX, AND JANTXV 1/[CUST: CR EC 11 CC] [REVIEW: AR AS AV MC MI] | A | 5961 | | CC | 28-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-19500/553B | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, FAST RECOVERY, TYPE 1N6391, JAN, JANTX, JANTXV, JANS, AND JANHC[CUST: 11 CC] [REVIEW: 19 99] | A | 5961 | | CC | 04-MAY-05 |
| A | MIL-PRF-19500/554C | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, FAST RECOVERY, TYPE 1N6392, JAN, JANTX, JANTXV, AND JANHC[CUST: 11 CC] [REVIEW: 19 99] | A | 5961 | | CC | 11-JUL-05 |
| | MIL-PRF-19500/567C | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, FAST RECOVERY, TYPE 1N6492, 1N6492U4, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR MC MI SH] | A | 5961 | | CC | 12-SEP-03 |
| | MIL-PRF-19500/671(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY POWER RECTIFIER, COMMON CATHODE OR ANODE CENTER TAP, TYPES 1N6828, 1N6828R, 1N6833, 1N6833R, 1N6828U3 AND 1N6833U3 JAN, JANTX, JANTXV, JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 03-OCT-01 |
| | MIL-PRF-19500/679A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY POWER RECTIFIER, SURFACE MOUNTED, TYPE 1N6844U3, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 23-FEB-04 |
| M | MIL-PRF-19500/682(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY POWER RECTIFIER, SURFACE MOUNT TYPE 1N6845U3, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 20-APR-06 |
| A | MIL-PRF-19500/719A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY RECTIFIER, TYPES 1N6872UTK2, 1N6873UTK2, 1N6874UTK2, 1N6875UTK2, 1N6872UTK2AS, 1N6873UTK2AS, 1N6874UTK2AS, 1N6875UTK2AS, 1N6872UTK2CS, 1N6873UTK2CS, 1N6874UTK2CS, AND 1N6875UTK2CS, JANTX, JANTXV, JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 07-SEP-05 |
| A | MIL-PRF-19500/720A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY RECTIFIER, TYPES 1N6882UTK4, 1N6883UTK4, 1N6884UTK4, 1N6885UTK4, 1N6882UTK4CS, 1N6883UTK4CS, 1N6884UTK4CS, 1N6885UTK4CS, 1N6882UTK4AS, 1N6883UTK4AS, 1N6884UTK4AS, AND 1N6885UTK4AS, JANTX, JANTXV, JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 07-SEP-05 |
| A | MIL-PRF-19500/721A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY RECTIFIER, TYPES 1N6892UTK1, 1N6893UTK1, 1N6894UTK1, 1N6895UTK1, 1N6892UTK1CS, 1N6893UTK1CS, 1N6894UTK1CS, 1N6895UTK1CS, 1N6892UTK1AS, 1N6893UTK1AS, 1N6894UTK1AS, AND 1N6895UTK1AS JANTX, JANTXV, JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 07-SEP-05 |
| A | MIL-PRF-19500/722A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY RECTIFIER, TYPES 1N6902UTK3, 1N6903UTK3, 1N6904UTK3, 1N6905UTK3, 1N6902UTK3CS, 1N6903UTK3CS, 1N6904UTK3CS, 1N6905UTK3CS, 1N6902UTK3AS, 1N6903UTK3AS, 1N6904UTK3AS AND 1N6905UTK3AS, JANTX, JANTXV, JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 07-SEP-05 |
| A | MIL-PRF-19500/723A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY RECTIFIER, TYPES 1N6910UTK2, 1N6911UTK2, 1N6912UTK2, 1N6910UTK2CS, 1N6911UTK2CS, 1N6912UTK2CS, 1N6910UTK2AS, 1N6911UTK2AS, AND 1N6912UTK2AS, JANTX, JANTXV, JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 07-SEP-05 |
| A | MIL-PRF-19500/724A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY RECTIFIER, TYPES 1N6920UTK4, 1N6921UTK4, 1N6922UTK4, 1N6920UTK4CS, 1N6921UTK4CS, 1N6922UTK4CS, 1N6920UTK4AS, 1N6921UTK4AS, AND 1N6922UTK4AS, JANTX, JANTXV, JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 07-SEP-05 |
| A | MIL-PRF-19500/725A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY RECTIFIER, TYPES 1N6930UTK1, 1N6931UTK1, 1N6932UTK1, 1N6930UTK1CS, 1N6931UTK1CS, 1N6932UTK1CS, 1N6930UTK1AS, 1N6931UTK1AS, AND 1N6932UTK1AS, JANTX, JANTXV, JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 07-SEP-05 |
| A | MIL-PRF-19500/726A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY RECTIFIER, TYPES 1N6940UTK3, 1N6941UTK3, 1N6942UTK3, 1N6940UTK3CS, 1N6941UTK3CS, 1N6942UTK3CS, 1N6940UTK3AS, 1N6941UTK3AS, AND 1N6942UTK3AS, JANTX, JANTXV, JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 07-SEP-05 |
| A | MIL-PRF-19500/730 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY, DUAL, CENTER TAP, TYPES 1N7037CCU1, 1N7043CAT1, 1N7043CCT1, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 06-SEP-05 |
| | MIL-PRF-19500/656 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY, POWER RECTIFIER, COMMON CATHODE OR COMMON ANODE CENTER TAP, TYPES 1N6785 AND 1N6785R JAN, JANTX, JANTXV AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 16-AUG-01 |
| A | MIL-PRF-19500/608B | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY, POWER RECTIFIER, COMMON CATHODE, COMMON ANODE CENTER TAP, DOUBLER, TYPES 1N6660, 1N6660CCT1, 1N6660R, 1N6660CAT1, AND 1N6660DT1 JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI OS SM] | A | 5961 | | CC | 17-AUG-05 |
| | MIL-PRF-19500/690 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N4148SOI(NBN), JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 07-NOV-03 |
| M | MIL-PRF-19500/691 NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, 1N4148UE2 JAN, JANTX, AND JANJ[CUST: CR EC 11 CC NA] [REVIEW: MI] | A | 5961 | | CC | 20-APR-06 |
| A | MIL-PRF-19500/578F | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, 1N6638, 1N6642, 1N6643, 1N6638U, 1N6642U, 1N6643U, 1N6638US, 1N6642US, 1N6643US, 1N6642UB, 1N6642UB2, 1N6642UB2R, 1N6642UBCA, 1N6642UBD, 1N6642UBCC, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS MC MI SM] | A | 5961 | | CC | 24-AUG-05 |
| M | MIL-PRF-19500/444J | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, SCHOTTKY, TYPES 1N5711-1, 1N5711UR-1, 1N5711UB, 1N5711UBCA, 1N5711UBD, 1N5711UBCC, 1N5712-1, 1N5712UR-1, 1N5712UB, 1N5712UBCA, 1N5712UBD, 1N5712UBCC, 1N6857-1, 1N6857UR-1, 1N6858-1, AND 1N6858UR-1, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 06-MAR-06 |
| | MIL-PRF-19500/169J(3) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N3070, 1N3070-1, 1N3070UR-1, 1N4938, 1N4938-1, 1N4938UR-1 JAN, JANTX, JANTXV, JANS, AND JANC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MI SM] | A | 5961 | | CC | 08-OCT-01 |
| A | MIL-PRF-19500/116M | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N4148-1, 1N4148UR-1, 1N4148UB, 1N4148UB2, 1N4148UB2R, 1N4148UBCA, 1N4148UBCC, 1N4148UBD, 1N914, 1N914UR, 1N4531, AND 1N4531UR, JAN, JANTX, JANTXV, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 10-AUG-05 |
| A | MIL-PRF-19500/231J | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N4150-1, 1N4150UR-1, 1N4150UB, 1N4150UBCA, 1N4150UBCC, AND 1N4150UBD, 1N3600, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM] | A | 5961 | | CC | 01-NOV-05 |
| A | MIL-PRF-19500/337J | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N4153-1, 1N4153UR-1, 1N4153UB, 1N4153UBCA, 1N4153UBCC, 1N4153UBD, 1N4534, AND 1N4534UB, JAN, JANTX, JANTXV, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MI SM] | A | 5961 | | CC | 01-NOV-05 |
| A | MIL-PRF-19500/144L | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N4454-1, 1N4454UR-1, 1N4454UB, 1N4454UBCA, 1N4454UBCC, 1N4454UBD, 1N3064, 1N4532, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 01-NOV-05 |
| A | MIL-PRF-19500/609E | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N6639, 1N6640, 1N6641, 1N6639US, 1N6640US, AND 1N6641US, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 71 AR AS MC MI SM] | A | 5961 | | CC | 24-AUG-05 |
| | MIL-PRF-19500/434C NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N5610 THROUGH 1N5613 JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI SM] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/551C(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N6461 THROUGH 1N6468 AND 1N6461US THROUGH 1N6468US JAN, JANTX, JANTXV, JANHC AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 13 19] | A | 5961 | | CC | 26-OCT-00 |
| | MIL-PRF-19500/552C | SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR, TYPES 1N6469 THROUGH 1N6476, 1N6469US THROUGH 1N6476US, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5961 | | CC | 14-MAY-04 |
| | MIL-PRF-19500/118F | SEMICONDUCTOR DEVICE, DIODE, SILICON, TYPES 1N483B, 1N485B, 1N486B, 1N5194, 1N5194UR, 1N5194US, 1N5195, 1N5195UR, 1N5195US, 1N5196, 1N5196UR, AND 1N5196US, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI NA] | A | 5961 | | CC | 04-NOV-03 |
| | MIL-PRF-19500/585E | SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRA-FAST RECOVERY, POWER RECTIFIER, 1N6620 THROUGH 1N6625, 1N6620U THROUGH 1N6625U, 1N6620US THROUGH 1N6625US JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 09-JAN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| M | MIL-PRF-19500/477G | SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRAFAST RECOVERY, POWER RECTIFIER, TYPES 1N5802, 1N5804, 1N5806, 1N5807, 1N5809, AND 1N5811, 1N5802US, 1N5804US, 1N5806US, 1N5807US, 1N5809US, AND 1N5811US, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM] | A | 5961 | | CC | 22-MAR-06 |
| | MIL-PRF-19500/590F | SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRAFAST RECOVERY, POWER RECTIFIER, 1N6626 THROUGH 1N6631, 1N6626U THROUGH 1N6631U, 1N6626US THROUGH 1N6631US, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 09-JAN-04 |
| | MIL-PRF-19500/500D | SEMICONDUCTOR DEVICE, DIODE, SILICON, UNIPOLAR TRANSIENT VOLTAGE SUPPRESSOR, TYPES 1N5555 THROUGH 1N5558, 1N5907, 1N5629A THROUGH 1N5665A, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 05-NOV-03 |
| | MIL-PRF-19500/124H(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR B AND RB TYPES 1N2970 THROUGH 1N2977, 1N2979, 1N2980, 1N2982, 1N2984 THROUGH 1N2986, 1N2988 THROUGH 1N2993, 1N2995, 1N2997, 1N2999 THROUGH 1N3005, 1N3007, 1N3008, 1N3009, 1N3011, 1N3012, 1N3014, 1N3015, PLUS A AND RA TYPES 1N3993 THROUGH 1N3998, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI SM] | A | 5961 | | CC | 15-APR-03 |
| | MIL-PRF-19500/358E NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N3305, THROUGH 1N3350, B AND RB, 1N4549 THROUGH 1N4554, B AND RB, JAN, JANTX, JANTXV, AND JANS[CUST: CR 11 CC NA] [REVIEW: 99] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/115K | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N3821A THROUGH 1N3828A, 1N3016B THROUGH 1N3051B, 1N3821A-1 THROUGH 1N3828A-1, 1N3016B-1 THROUGH 1N3051B-1, 1N3821AUR-1 THROUGH 1N3828AUR-1, 1N3016BUR-1 THROUGH 1N3051BUR-1, PLUS C- AND D- TOLERANCE SUFFIX, JAN, JANTX, JANTXV, AND JANHC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM] | A | 5961 | | CC | 16-AUG-04 |
| A | MIL-PRF-19500/356J | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N4954 THROUGH 1N4996, 1N5968, 1N5969, AND 1N6632 THROUGH 1N6637, 1N4954US THROUGH 1N4996US, 1N5968US, 1N5969US, AND 1N6632US THROUGH 1N6637US, AND C AND D TOLERANCE SUFFIX DEVICES, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV MI SM] | A | 5961 | | CC | 01-FEB-06 |
| A | MIL-PRF-19500/533G | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N6309 THROUGH 1N6355; 1N6309US THROUGH 1N6336US; PLUS C AND D TOLERANCE SUFFIX, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 TD] | A | 5961 | | CC | 21-JUL-05 |
| | MIL-PRF-19500/157P | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE, TEMPERATURE COMPENSATED, TYPES 1N941B-1, 1N943B-1, 1N944B-1, 1N945B-1, 1N946B-1, 1N941BUR-1, 1N943BUR-1, 1N944BUR-1, 1N945BUR-1, AND 1N946BUR-1, JAN, JANTX, JANTXV, AND JANS, RADIATION HARDENED (TOTAL DOSE ONLY) JANTXVM, D, L, R, F, G, H, AND JANSM, D, L, R, F, G, AND H[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC SM] | A | 5961 | | CC | 01-JUL-04 |
| | MIL-PRF-19500/158P | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE, TEMPERATURE COMPENSATED, TYPES 1N3154-1, THROUGH 1N3157-1, AND 1N3154UR-1 THROUGH 1N3157UR-1, JAN, JANTX, JANTXV, AND JANS, RADIATION HARDENED (TOTAL DOSE ONLY) JANTXVM, D, L, R, F, G, H, AND JANSM, D, L, R, F, G, H[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 01-JUL-04 |
| | MIL-PRF-19500/159M | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE, TEMPERATURE COMPENSATED, TYPES 1N821-1, 1N823-1, 1N825-1, 1N827-1, AND 1N829-1, 1N821UR-1, 1N823UR-1, 1N825UR-1, 1N827UR-1, AND 1N829UR-1, JAN, JANTX, JANTXV, JANS, JANHC AND JANKC; RADIATION HARDENED (TOTAL DOSE ONLY) TYPES JANTXVM, D, L, R, F, G, H; JANSM, D, L, R, F, G, H; JANHCM, D, L, R, F, G, H; AND JANKCM, D,[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 01-JUL-04 |
| | MIL-PRF-19500/383B(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N5139A THROUGH 1N5148A JAN, JANTX AND JANTXV[CUST: EC 11 CC] [REVIEW: 99 AS CG MC SH] | A | 5961 | | CC | 28-MAR-05 |
| | MIL-PRF-19500/436A(2) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N5461B THRU 1N5476B AND 1N5461C THRU 1N5476C JAN, JANTX AND JANTXV[CUST: 11 CC] [REVIEW: 19] | A | 5961 | | CC | 31-MAY-05 |
| M | MIL-PRF-19500/678(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON,DUAL SCHOTTKY CENTER TAP POWER RECTIFIER, SURFACE MOUNTED, TYPES 1N6840U3 AND 1N6841U3, JAN, JANTX, JANTXV, JANS[CUST: EC CC NA] | A | 5961 | | CC | 20-APR-06 |
| | MIL-PRF-19500/430B NOT 1 | SEMICONDUCTOR DEVICE, DUAL FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N5545, 2N5546, AND 2N5547, JAN, JANTX, AND JANTXV[CUST: CR 11 CC] [REVIEW: 19 99 MI] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/496C | SEMICONDUCTOR DEVICE, DUAL TRANSISTOR, PNP, SILICON, UNITIZED, TYPES 2N5795, 2N5796, AND 2N5796U, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI OS SM] | A | 5961 | | CC | 31-MAR-05 |
| | MIL-PRF-19500/421G | SEMICONDUCTOR DEVICE, DUAL TRANSISTOR, UNITIZED, NPN/PNP, COMPLEMENTARY, SILICON, TYPES 2N3838, 2N4854, AND 2N4854U, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: AR MC MI] | A | 5961 | | CC | 14-MAR-04 |
| A | MIL-PRF-19500/712A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, P-CHANNEL, SILICON, TYPES 2N7545U3, 2N7546U3, 2N7547T3, AND 2N7548T3, JANTXVR, F, G, H AND JANSR, F, G, H[CUST: CR EC 11 CC NA] [REVIEW: MI] | A | 5961 | | CC | 25-AUG-05 |
| | MIL-PRF-19500/700A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7494U5, 2N7495U5, AND 2N7496U5, JANTXVR, F, G, AND H, AND JANSR, F, G, AND H[CUST: CR EC 11 CC NA] [REVIEW: 71 99 AV MC MI] | A | 5961 | | CC | 27-JAN-05 |
| | MIL-PRF-19500/638B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL SILICON, TYPE 2N7410, JANSD AND JANSR[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 07-MAY-04 |
| | MIL-PRF-19500/661B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, N-CHANNEL, SILICON, TYPES 2N7444, 2N7434, 2N7391, AND 2N7392, JANTXVR AND JANSR[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 07-DEC-04 |
| | MIL-PRF-19500/658 NOT 1 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, P-CHANNEL SILICON TYPE 2N7438, AND 2N7439 JANSD AND JANSR[CUST: CR EC 11 NA] | A | 5961 | | CC | 13-MAR-03 |
| | MIL-PRF-19500/702A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7482T3, 2N7483T3 AND 2N7484T3, JANTXVR, F, G AND H AND JANSR, F, G, AND H[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 18-JAN-05 |
| | MIL-PRF-19500/707 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7500U5, 2N7501U5, AND 2N7502U5 JANTXVR AND JANSR[CUST: CR EC 11 CC NA] [REVIEW: 71 99 AV MI] | A | 5961 | | CC | 06-FEB-02 |
| | MIL-PRF-19500/699 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL SILICON TYPES 2N7527U3, 2N7528U3, AND 2N7529U3 JANTXVD, R AND JANSD, R[CUST: CR EC 11 CC NA] [REVIEW: AV MI] | A | 5961 | | CC | 15-SEP-01 |
| | MIL-PRF-19500/659 NOT 1 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECT), TRANSISTOR, P-CHANNEL SILICON TYPE 2N7440, AND 2N7441 JANSD AND JANSR[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 16-JUN-03 |
| | MIL-PRF-19500/701A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7491T2, 2N7492T2, AND 2N7493T2, JANTXVR, F, G, AND H AND JANSR, F, G, AND H[CUST: CR EC 11 CC NA] [REVIEW: 71 99 MI] | A | 5961 | | CC | 05-JUL-04 |
| | MIL-PRF-19500/704A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7485U3, 2N7486U3, AND 2N7487U3, JANTXVR AND JANSR[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 22-DEC-04 |
| A | MIL-PRF-19500/697B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON, TYPE 2N7478T1, JANTXVR, F, G, AND H AND JANSR, F, G, AND H[CUST: CR 11 CC NA] [REVIEW: 71 99 MI] | A | 5961 | | CC | 22-AUG-05 |
| | MIL-PRF-19500/705A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7488T3, 2N7489T3, AND 2N7490T3, JANTXVR AND JANSR[CUST: CR EC 11 CC NA] [REVIEW: AV MI] | A | 5961 | | CC | 23-DEC-04 |
| | MIL-PRF-19500/631B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, N-CHANNEL SILICON, TYPES 2N7395, 2N7396, 2N7397, AND 2N7398, JANSD AND JANSR[CUST: CR EC 11 NA] | A | 5961 | | CC | 09-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-PRF-19500/740 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) QUAD TRANSISTOR, N-CHANNEL AND P-CHANNEL, SILICON TYPES 2N7521U, 2N7522U, 2N7525, AND 2N7526, JANTXVR AND F AND JANSR AND F[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 13-DEC-05 |
| A | MIL-PRF-19500/739 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) QUAD TRANSISTOR, N-CHANNEL AND P-CHANNEL, SILICON, TYPES 2N7518 AND 2N7518U, JANTXVR, F, AND JANSR, F[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 24-JAN-06 |
| | MIL-PRF-19500/676C | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, N-CHANNEL, SILICON, TYPES 2N7465T3 AND 2N7466T3 AND U3 SUFFIXES, JANTXVR AND JANSR[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 22-DEC-04 |
| | MIL-PRF-19500/632B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, N-CHANNEL SILICON, TYPES 2N7399, 2N7400, 2N7401, AND 2N7402, JANSD AND JANSR[CUST: CR EC 11 CC NA] [REVIEW: AV MI] | A | 5961 | | CC | 16-MAR-04 |
| | MIL-PRF-19500/703A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7479U3, 2N7480U3, AND 2N7481U3, JANTXVR, F, G, AND H AND JANSR, F, G, AND H[CUST: CR EC 11 CC NA] [REVIEW: 99 AV MI] | A | 5961 | | CC | 02-JUL-04 |
| | MIL-PRF-19500/692A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL SILICON, TYPES 2N7515, 2N7516, AND 2N7517, JANTXVD, R AND JANSD, R[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 10-SEP-04 |
| | MIL-PRF-19500/706A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7497T2, 2N7498T2, AND 2N7499T2, JANTXVR AND JANSR[CUST: CR EC 11 CC NA] [REVIEW: AV MI] | A | 5961 | | CC | 21-JAN-05 |
| A | MIL-PRF-19500/732 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, P-CHANNEL, SILICON, TYPES 2N7519U3 AND T3, 2N7520U3 AND T3, JANTXVR, F AND JANSR, F[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 14-NOV-05 |
| | MIL-PRF-19500/633B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, P-CHANNEL SILICON, TYPES 2N7403 AND 2N7404, JANSD AND JANSR[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 16-MAR-04 |
| | MIL-PRF-19500/639A NOT 1 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, P-CHANNEL SILICON TYPE 2N7411 JANSD AND JANSR[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 06-FEB-03 |
| | MIL-PRF-19500/675C | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7463T2 AND 2N7464T2 AND U5 SUFFIXES JANTXVR AND JANSR[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 08-FEB-05 |
| | MIL-PRF-19500/634B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, N-CHANNEL, SILICON, TYPES 2N7405, 2N7406, 2N7407, AND 2N7408, JANSD AND JANSR[CUST: CR EC 11 CC NA] [REVIEW: AV MI] | A | 5961 | | CC | 16-APR-04 |
| A | MIL-PRF-19500/689 NOT 1 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL SILICON TYPES 2N7512, 2N7513, AND 2N7514 JANTXVD, R AND JANSD, R[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 15-FEB-06 |
| | MIL-PRF-19500/673A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7468U2 AND 2N7469U2 JANTXVR, F, G AND H AND JANSR, F, G AND H[CUST: CR EC 11 CC NA] [REVIEW: 71 99 MI] | A | 5961 | | CC | 14-JAN-05 |
| | MIL-PRF-19500/713 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, P-CHANNEL, SILICON, TYPES 2N7549T1, 2N7549U2, 2N7550T1, AND 2N7550U2, JANTXVR, F AND JANSR, F[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 28-APR-05 |
| A | MIL-PRF-19500/698B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7470T1 AND 2N7471T1, JANTXVR, F, G, AND H AND JANSR, F, G, AND H[CUST: CR EC 11 CC NA] [REVIEW: 71 AV MI] | A | 5961 | | CC | 22-DEC-05 |
| A | MIL-PRF-19500/733 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, P-CHANNEL, SILICON, TYPES 2N7523T1, 2N7523U2, 2N7524T1, AND 2N7524U2, JANTXVR, F AND JANSR, F[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 30-NOV-05 |
| | MIL-PRF-19500/687A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL SILICON, TYPES 2N7509, 2N7510, AND 2N7511, JANTXVD, R AND JANSD, R[CUST: CR EC 11 CC NA] [REVIEW: MI] | A | 5961 | | CC | 12-JUL-04 |
| | MIL-PRF-19500/604B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE CHARACTERIZATION ONLY) TRANSISTORS, N-CHANNEL, SILICON, TYPES 2N7272, 2N7275, 2N7278, AND 2N7281, JANTXVM, D, AND R, AND JANSM, D, AND R[CUST: CR EC 11 CC NA] [REVIEW: 19 70 AV MI TD] | A | 5961 | | CC | 30-JUL-04 |
| | MIL-PRF-19500/601F | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON, TYPES 2N7261 AND 2N7262 AND U SUFFIXES, JANTXVR, F, G, AND H AND JANSR, F, G, AND H[CUST: CR EC 11 CC NA] [REVIEW: 19 70 MI] | A | 5961 | | CC | 16-NOV-04 |
| | MIL-PRF-19500/606B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON, TYPES 2N7291, 2N7293, 2N7295, AND 2N7297, JANTXVM, D, AND R, AND JANSM, D, AND R[CUST: CR EC 11 CC] [REVIEW: 19 70 TD] | A | 5961 | | CC | 28-JUL-04 |
| | MIL-PRF-19500/664A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7431U, 2N7432U AND 2N7433U JANTXVR, F, G AND H; AND JANSR, F, G AND H[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 05-NOV-03 |
| | MIL-PRF-19500/655C | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTOR, P-CHANNEL SILICON TYPES 2N7424U, 2N7425U AND 2N7426U JANTXVR AND F AND JANSR AND F[CUST: CR 11 CC] | A | 5961 | | CC | 31-OCT-03 |
| | MIL-PRF-19500/660A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTOR, P-CHANNEL SILICON, TYPES 2N7424, 2N7425, AND 2N7426, JANTXVR, JANTXVF, JANSR, AND JANSF[CUST: CR EC 11 CC NA] [REVIEW: 99] | A | 5961 | | CC | 27-OCT-03 |
| M | MIL-PRF-19500/603G | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON, TYPES 2N7268, 2N7269, 2N7270, 2N7394, 2N7268U, 2N7269U, 2N7270U, AND 2N7394U, JANTXVR, F, G, AND H; AND JANSR, F, G, AND H[CUST: CR EC 11 CC NA] [REVIEW: 19 70 TD] | A | 5961 | | CC | 10-APR-06 |
| | MIL-PRF-19500/605B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7292, 2N7294, 2N7296, AND 2N7298 JANTXVM, D, R, H AND JANSM, D AND R[CUST: CR EC 11 CC NA] [REVIEW: 70 99 TD] | A | 5961 | | CC | 04-SEP-03 |
| | MIL-PRF-19500/614D | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7380 AND 2N7381, JANTXV M, D, R, F, G, AND H, JANS M, D, R, F, G, AND H[CUST: CR EC 11 CC NA] [REVIEW: 19 AS MC OS SM] | A | 5961 | | CC | 20-DEC-04 |
| A | MIL-PRF-19500/685C | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7475T1, 2N7476T1 AND 2N7477T1(TOTAL DOSE AND SINGLE EVENT EFFECTS), JANTXVR AND JANSR[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 08-SEP-05 |
| | MIL-PRF-19500/615C | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N7382 AND 2N7383, JANTXV M, D, R, AND F AND JANS M, D, R, AND F[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AS MC SM] | A | 5961 | | CC | 06-OCT-03 |
| M | MIL-PRF-19500/663C | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED TRANSISTORS, N-CHANNEL, SILICON, TYPES 2N7431, 2N7432, AND 2N7433, JANTXVR, F, G, AND H; AND JANSR, F, G, AND H[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 21-APR-06 |
| | MIL-PRF-19500/556G | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6782, 2N6782U, 2N6784, 2N6784U, 2N6786, AND 2N6786U JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 05-NOV-03 |
| | MIL-PRF-19500/557G | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6796, 2N6796U, 2N6798, 2N6798U, 2N6800, 2N6800U, 2N6802, AND 2N6802U JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC] [REVIEW: 19 70 AR AS MC MI SM] | A | 5961 | | CC | 05-NOV-03 |
| | MIL-PRF-19500/547B NOT 1 | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6660 AND 2N6661 JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 13 19 99 TD] | A | 5961 | | CC | 19-DEC-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-19500/688 | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7002, 2N7002T2, AND 2N7002UB JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] | A | 5961 | | CC | 11-FEB-05 |
| | MIL-PRF-19500/555H | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N6788, 2N6788U, 2N6790, 2N6790U, 2N6792, 2N6792U, 2N6794, AND 2N6794U, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS MC MI SM] | A | 5961 | | CC | 08-DEC-03 |
| | MIL-PRF-19500/563F | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPES 2N6845, 2N6845U, 2N6847, AND 2N6847U JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MC MI SM] | A | 5961 | | CC | 05-NOV-03 |
| | MIL-PRF-19500/564G | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N6849, 2N6849U, 2N6851 AND 2N6851U, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 70 AS MC MI SM TD] | A | 5961 | | CC | 13-JUN-05 |
| | MIL-PRF-19500/562D | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N6804 AND 2N6806 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 70 AR MI TD] | A | 5961 | | CC | 05-NOV-03 |
| | MIL-PRF-19500/565D | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N6895, 2N6896, 2N6897, AND 2N6898, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 30-JUN-05 |
| | MIL-PRF-19500/696 | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, PLASTIC, N-CHANNEL, SILICON TYPE 2N7537, 2N7537A, JAN, JANTX[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 22-NOV-01 |
| | MIL-PRF-19500/607B | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL AND P-CHANNEL, SILICON, TYPE 2N7337 JAN, JANTX, JANTXV, JANS, AND JANHC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI OS SM] | A | 5961 | | CC | 06-AUG-04 |
| | MIL-PRF-19500/543H | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON REPETITIVE AVALANCHE, TYPES 2N6764, 2N6764T1, 2N6766, 2N6766T1, 2N6768, 2N6768T1, 2N6770, AND 2N6770T1 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 70 99 MI] | A | 5961 | | CC | 18-APR-05 |
| | MIL-PRF-19500/431C(2) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N4091, 2N4092, 2N4093, 2N4091UB, 2N4092UB, AND 2N4093UB JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 71 99] | A | 5961 | | CC | 29-JAN-03 |
| | MIL-PRF-19500/711 | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7541T3, 2N7542U3, 2N7543T3 AND 2N7544U3 JAN, JANTX, JANTXV, JANHC AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: AR MI] | A | 5961 | | CC | 06-JUN-03 |
| A | MIL-PRF-19500/385E | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON, TYPES 2N4856 THROUGH 2N4861, 2N4856UB THROUGH 2N4861UB, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 71 99 MI] | A | 5961 | | CC | 29-AUG-05 |
| | MIL-PRF-19500/476C | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, P-CHANNEL, SILICON TYPES 2N5114 THROUGH 2N5116 AND 2N5114UB THROUGH 2N5116UB JAN, JANTX, AND JANTXV[CUST: CR 11 CC NA] [REVIEW: 19 99 AV MI] | A | 5961 | | CC | 09-APR-03 |
| N | MIL-PRF-19500/741 | SEMICONDUCTOR DEVICE, FIELD EFFECT, RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR DIE, N-CHANNEL AND P-CHANNEL, SILICON, VARIOUS TYPES, JANHC AND JANKC[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 14-MAR-06 |
| | MIL-PRF-19500/630C | SEMICONDUCTOR DEVICE, FIELD EFFECT, RADIATION HARDENED TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N7389, 2N7390, 2N7389U, AND 2N7390U, JANTXV, R, AND F AND JANS, R, AND F[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MC SM] | A | 5961 | | CC | 07-NOV-03 |
| | MIL-PRF-19500/657A NOT 1 | SEMICONDUCTOR DEVICE, FIELD EFFECT, RADIATION HARDENED, TRANSISTOR DIE, N AND P-CHANNEL, SILICON VARIOUS TYPES JANHC, AND JANKC[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 06-DEC-04 |
| | MIL-PRF-19500/428F | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, N-CHANNEL SILICON, TYPE 2N4416A AND 2N4416AUB JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 99 MC MI] | A | 5961 | | CC | 25-MAY-05 |
| A | MIL-PRF-19500/620F | SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, RECTIFIER, SCHOTTKY BARRIER, TYPES 1N5822 AND 1N5822US, 1N6864 AND 1N6864US, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 18-AUG-05 |
| | MIL-PRF-19500/670 NOT 1 | SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, RECTIFIER, SCHOTTKY BARRIER, TYPES 1N6826, 1N6826US, 1N6831 AND 1N6831US JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 NA] | A | 5961 | | CC | 28-MAR-05 |
| | MIL-PRF-19500/598B | SEMICONDUCTOR DEVICE, QUAD, FIELD EFFECT TRANSISTOR, P-CHANNEL, AND N-CHANNEL, SILICON TYPE 2N7336, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MC MI SM] | A | 5961 | | CC | 05-NOV-03 |
| | MIL-PRF-19500/599D | SEMICONDUCTOR DEVICE, QUAD, FIELD EFFECT TRANSISTORS, P-CHANNEL, SILICON TYPE 2N7335 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MC SM] | A | 5961 | | CC | 31-OCT-03 |
| | MIL-PRF-19500/592E | SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7224, 2N7225, 2N7227, 2N7228, 2N7224U, 2N7225U, 2N7227U, AND 2N7228U, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 70 99 AR MI TD] | A | 5961 | | CC | 07-APR-04 |
| | MIL-PRF-19500/596G | SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT, TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7218, 2N7219, 2N7221, 2N7222, 2N7218U, 2N7219U, 2N7221U, 2N7222U, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AS MC MI SM] | A | 5961 | | CC | 16-DEC-04 |
| | MIL-PRF-19500/595F | SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT, TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N7236, 2N7237, 2N7236U, AND 2N7237U, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MC MI SM] | A | 5961 | | CC | 25-OCT-04 |
| M | MIL-PRF-19500/469C | SEMICONDUCTOR DEVICE, SILICON, HIGH-POWER, SINGLE PHASE, FULL WAVE BRIDGE RECTIFIER, TYPES M19500/469-01, -02, -03, -04, -05, JANTX AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC] | A | 5961 | | CC | 04-APR-06 |
| | MIL-PRF-19500/446C | SEMICONDUCTOR DEVICE, SILICON, HIGH-POWER, SINGLE PHASE, FULL WAVE BRIDGE RECTIFIER, JAN, JANTX, AND JANTXV TYPES SPA25, SPB25, SPC25, SPD25[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 MI] | A | 5961 | | CC | 05-MAR-02 |
| | MIL-PRF-19500/483B(1) NOT 1 | SEMICONDUCTOR DEVICE, SILICON, HIGH-POWER, THREE PHASE, FULL WAVE BRIDGE RECTIFIER PART NUMBERS M19500/483-01 THROUGH M19500/483-04 JANTX[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC SM] | A | 5961 | | CC | 28-MAR-05 |
| | MIL-PRF-19500/474E(1) NOT 1 | SEMICONDUCTOR DEVICE, SILICON, MULTIPLE DIODE ARRAYS, TYPES 1N5768, 1N5770, 1N5772, 1N5774, 1N6100, 1N6101, 1N6496, 1N6506, 1N6507, 1N6508, 1N6509, 1N6510, AND 1N6511 JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV CG MC MI SM] | A | 5961 | | CC | 16-JUN-03 |
| M | MIL-PRF-19500/168G | SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS), SILICON, TYPES 2N1771A, 2N1772A, 2N1774A, 2N1776A, 2N1777A, 2N1778A, 2N2619A, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AV MI] | A | 5961 | | CC | 14-MAR-06 |
| M | MIL-PRF-19500/276H | SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS), SILICON, TYPES 2N2323, 2N2324, 2N2326, 2N2328, 2N2329, AND S AND U4 VERSIONS, 2N2323A, 2N2324A, 2N2326A, 2N2328A, 2N2329A, AND AS AND AU4 VERSIONS, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SM] | A | 5961 | | CC | 22-MAR-06 |
| M | MIL-PRF-19500/108J | SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS), SILICON, TYPES 2N682, 2N683, 2N685 THROUGH 2N692, 2N692A, 2N5206, JAN AND JANTX[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI SM] | A | 5961 | | CC | 14-MAR-06 |
| | MIL-PRF-19500/198C(2) | SEMICONDUCTOR DEVICE, THYRISTORS TYPES 2N1870A, 2N1871A, 2N1872A AND 2N1874A JAN[CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI] | A | 5961 | | CC | 19-DEC-01 |
| A | MIL-PRF-19500/570C | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT, N-CHANNEL, SILICON LOGIC-LEVEL, TYPES 2N6901 AND 2N6903, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH SM] | A | 5961 | | CC | 17-AUG-05 |
| | MIL-PRF-19500/662A | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY), P-CHANNEL SILICON TYPES 2N7422, 2N7422U, 2N7423 AND 2N7423U JANTXVR AND F AND JANSR AND F[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 31-OCT-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-19500/683B | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT, N-CHANNEL, RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TYPE 2N7467U2, JANTXVR, F, G, AND H AND JANSR, F, G, AND H[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 23-DEC-04 |
| | MIL-PRF-19500/542G | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT, N-CHANNEL, SILICON, TYPES 2N6756, 2N6758, 2N6760, 2N6762, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 70 TD] | A | 5961 | | CC | 08-SEP-03 |
| A | MIL-PRF-19500/684C | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT, SILICON, N-CHANNEL, RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS), TYPES 2N7472U2, 2N7473U2, AND 2N7474U2, JANTXVR AND JANSR[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 23-FEB-06 |
| | MIL-PRF-19500/375G | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD-EFFECT, N-CHANNEL, DEPLETION MODE, SILICON, TYPES 2N3821, 2N3821UB, 2N3822, 2N3822UB, 2N3823, AND 2N3823UB, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AV MC SM] | A | 5961 | | CC | 21-JUN-04 |
| | MIL-PRF-19500/652 | SEMICONDUCTOR DEVICE, TRANSISTOR, HIGH VOLTAGE, FIELD EFFECT, N-CHANNEL, SILICON, TYPE 2N7387 AND 2N7387U1, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 04-MAY-01 |
| | MIL-PRF-19500/301H | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN SILICON, LOW-POWER, TYPE 2N918 AND 2N918UB, JAN, JANTX, JANTXV AND JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SH] | A | 5961 | | CC | 06-DEC-04 |
| | MIL-PRF-19500/581B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON AMPLIFIER, TYPES 2N4237, 2N4238, AND 2N4239, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SM] | A | 5961 | | CC | 10-MAR-05 |
| A | MIL-PRF-19500/384E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON HIGH-POWER, TYPES 2N3584, 2N3585, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH SM] | A | 5961 | | CC | 27-FEB-06 |
| A | MIL-PRF-19500/393F | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER, TYPES 2N3418, 2N3418S, 2N3418U4, 2N3419, 2N3419S, 2N3419U4, 2N3420, 2N3420S, 2N3420U4, 2N3421, 2N3421S, AND 2N3421U4, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AV MC MI] | A | 5961 | | CC | 05-DEC-05 |
| | MIL-PRF-19500/464D | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER, TYPES 2N5685 AND 2N5686, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 70 99 MI] | A | 5961 | | CC | 20-MAY-05 |
| | MIL-PRF-19500/225G | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON TYPES 2N1711, 2N1711S, 2N1890, 2N189OS, JAN AND JANTX[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AV MC MI SM] | A | 5961 | | CC | 30-DEC-04 |
| | MIL-PRF-19500/583A(2) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, AMPLIFIER, TYPES 2N5681 AND 2N5682 JAN, JANTX AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 13 19 AR AS CG MC MI OS SM] | A | 5961 | | CC | 31-MAY-05 |
| | MIL-PRF-19500/366K | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, AMPLIFIER, TYPES 2N3498, 2N3498L, 2N3498U4, 2N3499, 2N3499L, 2N3499U4, 2N3500, 2N3500L, 2N3500U4, 2N3501, 2N3501L, 2N3501UB, AND 2N3501U4, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 24-JUL-04 |
| A | MIL-PRF-19500/371F | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER, TYPES 2N3902, 2N3902T1, 2N3902T3, 2N5157, 2N5157T1, AND 2N5157T3, JAN AND JANTX[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MC] | A | 5961 | | CC | 13-SEP-05 |
| | MIL-PRF-19500/488C(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH- POWER TYPES 2N5671, AND 2N5672, JAN, JANTX, JANTXV AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR MI SH SM] | A | 5961 | | CC | 30-MAR-05 |
| M | MIL-PRF-19500/453E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY TYPE 2N5109 AND 2N5109UB, JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR 11 CC] [REVIEW: 19 71 99 MI] | A | 5961 | | CC | 24-APR-06 |
| | MIL-PRF-19500/522A NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY TYPES 2N6603 AND 2N6604JAN, JANTX, AND JANTXV[CUST: CR CC] | A | 5961 | | CC | 19-DEC-03 |
| M | MIL-PRF-19500/398G | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY, TYPES 2N3866, 2N3866A, 2N3866UB, 2N3866AUB, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 14-APR-06 |
| | MIL-PRF-19500/456D NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPE 2N5302 AND 2N5303, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 13 19 AR AS AV CG MC MI SM] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/622B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPE 2N7368 JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 07-NOV-03 |
| M | MIL-PRF-19500/413D | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N3771 AND 2N3772, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99] | A | 5961 | | CC | 21-MAR-06 |
| | MIL-PRF-19500/370E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER, TYPE 2N3442, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI] | A | 5961 | | CC | 05-NOV-03 |
| A | MIL-PRF-19500/408G | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER, TYPES 2N3715 AND 2N3716 ,JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI] | A | 5961 | | CC | 21-JUL-05 |
| A | MIL-PRF-19500/439F | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER, TYPES 2N5038 AND 2N5039, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AS MC MI SM] | A | 5961 | | CC | 18-AUG-05 |
| A | MIL-PRF-19500/313H | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER, TYPES 2N2432, 2N2432A, 2N2432UB, 2N2432AUB, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AS MC MI] | A | 5961 | | CC | 18-JAN-06 |
| | MIL-PRF-19500/343G | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER, TYPES 2N2857 AND 2N2857UB, JAN, JANTX, JANTXV, AND JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AS MC MI SM] | A | 5961 | | CC | 18-MAR-05 |
| | MIL-PRF-19500/376F(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N2484, 2N2484UA, 2N2484UB, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SH SM] | A | 5961 | | CC | 11-JUN-02 |
| | MIL-PRF-19500/181G(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N718A, 2N1613 AND 2N1613L, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM] | A | 5961 | | CC | 08-NOV-01 |
| | MIL-PRF-19500/182F(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N720A, 2N720AUB, 2N1893, 2N1893S, JAN, JANTX, JANTXV, JANHC2N720A AND JANKC2N720A[CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS MC MI SM] | A | 5961 | | CC | 07-DEC-02 |
| A | MIL-PRF-19500/368H | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES: 2N3439, 2N3439L, 2N3439UA, 2N3439U4, 2N3440, 2N3440L, 2N3440UA, AND 2N3440U4, JAN, JANTX, JANTXV, JANS, JANHCA, JANKCA, JANHCB, AND JANKCB[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 01-FEB-06 |
| | MIL-PRF-19500/302C NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER, TYPES 2N2708, JAN[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5961 | | CC | 19-DEC-03 |
| A | MIL-PRF-19500/391K | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER, TYPES 2N3019, 2N3019S, 2N3057A, 2N3700, AND 2N3700UB, JAN, JANTX, JANTXV, JANS, JANHCA, AND JANKCA[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 26-AUG-05 |
| A | MIL-PRF-19500/734 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER DARLINGTON TYPES 2N7569, 2N7570, AND 2N7571 JAN, JANTX, JANTXV AND JANS.[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 16-FEB-06 |
| | MIL-PRF-19500/455E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING, TYPES 2N5664, 2N5665, 2N5666, 2N5666S, 2N5666U3, 2N5667, AND 2N5667S, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI] | A | 5961 | | CC | 25-DEC-03 |
| A | MIL-PRF-19500/394J | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING, TYPES: 2N4150, 2N5237, 2N5238, 2N4150S, 2N5237S, AND 2N5238S, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC] [REVIEW: 19 71 99 MI SM] | A | 5961 | | CC | 07-JAN-06 |
| | MIL-PRF-19500/518C(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N3766, 2N3767 JAN, JANTX, AND JANTXV[CUST: 11 CC] [REVIEW: 19 99] | A | 5961 | | CC | 06-DEC-04 |
| | MIL-PRF-19500/510E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N6249, 2N6249T1, 2N6249T3, 2N6250, 2N6250T1, 2N6250T3, 2N6251, 2N6251T1, 2N6251T3 JAN, JANTX, JANTXV AND JANS, JANHC AND JANKC[CUST: CR 11 CC NA] [REVIEW: 19 99 MI] | A | 5961 | | CC | 12-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-19500/538C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N6676, 2N6678, 2N6676T1, 2N6678T1, 2N6676T3, 2N6678T3, 2N6691 AND 2N6693 JAN, JANTX, JANTXV, AND JANS[CUST: CR 11 CC] [REVIEW: 19 99 MI] | A | 5961 | | CC | 29-MAR-05 |
| | MIL-PRF-19500/315F(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N2880, 2N3749, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM] | A | 5961 | | CC | 05-AUG-04 |
| | MIL-PRF-19500/412C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N3846, 2N3846T1, 2N3846T3, 2N3847, 2N3847T1, AND 2N3847T3, JAN, JANTX, JANTXV, AND JANS[CUST: 11 CC] | A | 5961 | | CC | 10-JUN-05 |
| | MIL-PRF-19500/514B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6274 AND 2N6277, JAN, JANTX AND JANTXV[CUST: CR EC 11 CC] | A | 5961 | | CC | 15-AUG-00 |
| | MIL-PRF-19500/498E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6306, 2N6306T1, 2N6306T3, 2N6308, 2N6308T1, 2N6308T3, JAN, JANTX AND JANTXV[CUST: CR 11 CC NA] [REVIEW: 19 MI] | A | 5961 | | CC | 12-MAY-05 |
| | MIL-PRF-19500/509C(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6338 AND 2N6341 JAN, JANTX, JANTXV, AND JANS[CUST: CR 11 CC NA] [REVIEW: 99] | A | 5961 | | CC | 05-AUG-04 |
| | MIL-PRF-19500/525C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6546, 2N6546T1, 2N6546T3, 2N6547, 2N6547T1, AND 2N6547T3 JAN, JANTX, AND JANTXV[CUST: CR 11 CC NA] [REVIEW: 19 99 AR MI] | A | 5961 | | CC | 10-MAR-03 |
| | MIL-PRF-19500/710 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6674T1, 2N6674T3, 2N6675T1, 2N6675T3 JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AV MI] | A | 5961 | | CC | 07-MAY-03 |
| | MIL-PRF-19500/454F | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES: 2N5660, 2N5660U3, 2N5661, 2N5661U3, 2N5662, AND, 2N5663, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI OS SM] | A | 5961 | | CC | 20-MAY-05 |
| | MIL-PRF-19500/407D | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPE 2N3055, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM] | A | 5961 | | CC | 20-JAN-04 |
| A | MIL-PRF-19500/369E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPE 2N3441, JAN AND JANTX[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI OS SH SM] | A | 5961 | | CC | 30-JAN-06 |
| | MIL-PRF-19500/402D | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPE 2N3739, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 AS AV MC MI SH SM] | A | 5961 | | CC | 17-MAR-04 |
| A | MIL-PRF-19500/526F | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPE 2N3879, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19] | A | 5961 | | CC | 07-SEP-05 |
| | MIL-PRF-19500/613A(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPE 2N7373, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR AS CG MC MI SM] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/374D(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPES 2N3996 THROUGH 2N3999, JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR EC 11 CC] [REVIEW: 99 AV] | A | 5961 | | CC | 05-AUG-04 |
| | MIL-PRF-19500/528A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPES 2N6032 AND 2N6033 JAN, JANTX, AND JANTXV[CUST: 11 CC] [REVIEW: 19] | A | 5961 | | CC | 14-NOV-02 |
| | MIL-PRF-19500/287F | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N3013, JAN AND JANTX[CUST: CR EC 11 CC] [REVIEW: 19 70 71 99 AS MC MI OS SH SM] | A | 5961 | | CC | 19-JUL-02 |
| | MIL-PRF-19500/399E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N3960 AND 2N3960UB JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 AR AS MC MI] | A | 5961 | | CC | 25-MAR-05 |
| | MIL-PRF-19500/349F | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES 2N3506, 2N3506A, 2N3506L, 2N3506AL, 2N3506U4, 2N3507, 2N3507L, 2N3507A, 2N3507AL, 2N3507U4, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AV MC MI] | A | 5961 | | CC | 23-APR-05 |
| | MIL-PRF-19500/395G | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES 2N3735, 2N3735L, 2N3737 AND 2N3737UB, JAN, JANTX, JANTXV, JANS AND JANHC, JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM] | A | 5961 | | CC | 06-MAR-02 |
| A | MIL-PRF-19500/560G | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPE 2N5339 AND 2N5339U3, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR 11 CC] [REVIEW: 19 71 99 MI] | A | 5961 | | CC | 16-JAN-06 |
| | MIL-PRF-19500/251M | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N2218, 2N2218A, 2N2218AL, 2N2219, 2N2219A, AND 2N2219AL, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS MC MI SH SM] | A | 5961 | | CC | 10-FEB-05 |
| A | MIL-PRF-19500/255U | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N2221A, 2N2221AL, 2N2222A, 2N2222AL, 2N2221AUA, 2N2222AUA, 2N2221AUB, AND 2N2222AUB, JAN, JANJ, JANTX, JANTXV, JANTXVM, JANTXVD, JANTXVR, JANTXVH, JANS, JANSM, JANSD, JANSR, JANSH, JANHC, JANHCM, JANHCD, JANHCR, JANHCH, JANKC, JANKCM, JANKCD, JANKCR, AND JANKCH[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS MC MI SM] | A | 5961 | | CC | 26-JUL-05 |
| A | MIL-PRF-19500/317L | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N2369A, 2N3227, 2N4449, 2N2369AU, 2N3227U, 2N2369AUA, 2N3227UA, 2N2369AUB, AND 2N3227UB, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 18-NOV-05 |
| A | MIL-PRF-19500/728A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N3724, 2N3724L, 2N3724UB, 2N3725, 2N3725L, 2N3725UB, JAN, JANS, JANTX, JANTXV, JANHC, AND JANKC[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 29-AUG-05 |
| A | MIL-PRF-19500/727 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N5010 THROUGH 2N5015, 2N5010S THROUGH 2N5015S, 2N5010U4 THROUGH 2N5015U4, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS MC MI SM] | A | 5961 | | CC | 24-FEB-06 |
| | MIL-PRF-19500/423E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N5581 AND 2N5582, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 02 19] | A | 5961 | | CC | 15-MAR-04 |
| | MIL-PRF-19500/544F | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES 2N5152, 2N5154, 2N5152L, 2N5154L, 2N5152U3, 2N5154U3 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: EC 11 CC NA] [REVIEW: 19 71 MC] | A | 5961 | | CC | 03-NOV-04 |
| M | MIL-PRF-19500/674 NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PLASTIC, NPN, SILICON, SWITCHING, LOW NOISE TYPE 2N2484UE1 JAN, JANTX, JANJ[CUST: CR EC 11 CC NA] [REVIEW: MI] | A | 5961 | | CC | 20-APR-06 |
| A | MIL-PRF-19500/672 NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PLASTIC, NPN, SILICON, SWITCHING, TYPE 2N2222AUE1 JAN, JANTX, JANJ[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 15-FEB-06 |
| | MIL-PRF-19500/694A | SEMICONDUCTOR DEVICE, TRANSISTOR, PLASTIC, NPN, SILICON, SWITCHING, TYPE 2N3700UE1, JAN, JANTX, JANJ[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 24-AUG-03 |
| A | MIL-PRF-19500/686 NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PLASTIC, PNP, SILICON, SWITCHING, TYPE 2N2907AUE1 JAN, JANTX, JANJ[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 15-FEB-06 |
| A | MIL-PRF-19500/695 NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PLASTIC, PNP, SILICON, SWITCHING, TYPE 2N4033UE1 JAN, JANTX, JANJ[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 15-FEB-06 |
| | MIL-PRF-19500/573A NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP SILICON, SWITCHING TYPES 2N4209, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 13 19 99 AR AS AV CG MC MI SM] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/580B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON AMPLIFIER, TYPES 2N4234, 2N4235, AND 2N4236, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI OS SM] | A | 5961 | | CC | 18-FEB-05 |
| | MIL-PRF-19500/515C NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON POWER TYPE 2N6378, 2N6379, JAN, JANTX, JANTXV, JANHC AND JANHC[CUST: CR EC 11 CC] [REVIEW: 13 19 99 AS AV CG MC MI SH SM] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/426E | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER TYPE 2N4957 AND 2N4957UB JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR MI SH] | A | 5961 | | CC | 21-OCT-04 |
| | MIL-PRF-19500/357H | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER TYPES 2N3634 THROUGH 2N3637, 2N3634UB THROUGH 2N3637UB, 2N3634L THROUGH 2N3637L JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 AR AS MC MI SH SM] | A | 5961 | | CC | 10-MAY-04 |
| | MIL-PRF-19500/582A(2) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER, TYPES 2N5679 AND 2N5680 JAN, JANTX AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 13 19 AR AS CG MC MI OS SM] | A | 5961 | | CC | 31-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-19500/461E | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPE 2N6211, 2N6212, 2N6213, 2N6213A, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AV] | A | 5961 | | CC | 18-APR-03 |
| A | MIL-PRF-19500/433G | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER, TYPE 2N4399 AND 2N5745, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AS MC MI SM] | A | 5961 | | CC | 29-JUL-05 |
| | MIL-PRF-19500/621B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER, TYPE 2N7369, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 07-NOV-03 |
| | MIL-PRF-19500/379G | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER, TYPES 2N3791 AND 2N3792, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM] | A | 5961 | | CC | 10-JUN-05 |
| M | MIL-PRF-19500/350J | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW POWER TYPES 2N3867, 2N3867S, 2N3867U4, 2N3868, 2N3868S, AND 2N3868U4, JAN, JANTX, JANTXV, JANS, JANHCA, JANHCB, JANKCA, AND JANKCB[CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS AV MC MI SM] | A | 5961 | | CC | 10-APR-06 |
| | MIL-PRF-19500/177F(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2N1131, 2N1131L, 2N1132, 2N1132L, JAN AND JANTX[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI SM] | A | 5961 | | CC | 11-JUN-02 |
| A | MIL-PRF-19500/485J | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES: 2N5415, 2N5415S, 2N5415UA, 2N5415U4, 2N5416, 2N5416S, 2N5416UA, AND 2N5416U4, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC] [REVIEW: 19 99 AR MI] | A | 5961 | | CC | 21-NOV-05 |
| | MIL-PRF-19500/448D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER, TYPE 2N4405, 2N4405UA, AND 2N4405UB, JAN AND JANTX[CUST: CR 11 CC] [REVIEW: 19 99 MI] | A | 5961 | | CC | 03-DEC-04 |
| A | MIL-PRF-19500/354J | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER, TYPES 2N2604, 2N2604UB, 2N2605, AND 2N2605UB, JAN, JANTX, JANTXV, AND JANS, JANHC, JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AV MC MI] | A | 5961 | | CC | 20-AUG-05 |
| A | MIL-PRF-19500/382F | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER, TYPES 2N2944A, 2N2945A, 2N2945AM, AND 2N2946A, 2N2944AUB, 2N2945AUB, 2N2945AMUB, AND 2N2946AUB, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AV MI] | A | 5961 | | CC | 07-FEB-06 |
| | MIL-PRF-19500/535B(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N5003, 2N5005, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: 11 CC NA] [REVIEW: 19 99] | A | 5961 | | CC | 08-SEP-00 |
| | MIL-PRF-19500/466B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N5683, 2N5684, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 14-AUG-02 |
| | MIL-PRF-19500/508B NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N6437 AND 2N6438, JAN, JANTX AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI SH] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/612B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER, TYPE 2N7372, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 17-DEC-04 |
| | MIL-PRF-19500/441H | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER, TYPES 2N3740, 2N3740U4, 2N3741, AND 2N3741U4, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS AV MC MI SM] | A | 5961 | | CC | 02-SEP-03 |
| | MIL-PRF-19500/545F | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER, TYPES 2N5151, 2N5153, 2N5151L, 2N5153L, 2N5151U3, AND 2N5153U3, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: MI] | A | 5961 | | CC | 29-APR-05 |
| | MIL-PRF-19500/511F | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPE 2N4261, 2N4261UB, JAN, JANTX, JANTXV AND JANS, JANHC AND JANKC[CUST: CR 11 CC NA] [REVIEW: 19 71 99] | A | 5961 | | CC | 08-APR-05 |
| | MIL-PRF-19500/512F | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N4029, 2N4033, 2N4033UA, 2N4033UB, JAN, JANTX, JANTXV, JANS AND JANKC2N4033 AND JANHC2N4033[CUST: CR EC 11 CC] [REVIEW: 19 71 99 AV MI] | A | 5961 | | CC | 02-MAY-03 |
| | MIL-PRF-19500/291P | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING, TYPES 2N2906A, 2N2906AL, 2N2907A, 2N2907AL, 2N2906AUA, 2N2907AUA, 2N2906AUB, AND 2N2907AUB, JAN, JANTX, JANTXV, JANJ, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 16-JUN-05 |
| | MIL-PRF-19500/323J | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING, TYPES 2N3250A, 2N3251A, 2N3250AUB, 2N3251AUB, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AV MC MI SM] | A | 5961 | | CC | 06-DEC-04 |
| | MIL-PRF-19500/348F | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING, TYPES 2N3467, 2N3467L, 2N3468, 2N3468L, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI] | A | 5961 | | CC | 15-FEB-05 |
| | MIL-PRF-19500/392G | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING, TYPES 2N3485A AND 2N3486A, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 71 99 AS AV MC MI SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-PRF-19500/396J | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING, TYPES 2N3762, 2N3762L, 2N3762U4, 2N3762UA, 2N3763, 2N3763L, 2N3763U4, 2N3763UA, 2N3764, AND, 2N3765, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AS MC MI] | A | 5961 | | CC | 10-JUN-04 |
| | MIL-PRF-19500/561F | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING, TYPES 2N6193 AND 2N6193U3, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 MI] | A | 5961 | | CC | 29-MAY-05 |
| | MIL-PRF-19500/290L | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING, TYPES, 2N2904, 2N2904A, 2N2904AL, 2N2905, 2N2905A, AND 2N2905AL, JAN, JANTX, JANTXV, JANJ, JANS, JANTXVM, JANTXVD, JANTXVR, JANTXVH, JANSM, JANSD, JANSR, AND JANSH[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 16-JUN-05 |
| | MIL-PRF-19500/397H | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, TYPES 2N3743, 2N3743U4, 2N4930,2N4930U4, 2N4931, AND 2N4931U4, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 AR AS AV MC MI] | A | 5961 | | CC | 17-JUN-04 |
| | MIL-PRF-19500/597D | SEMICONDUCTOR DEVICE, TRANSISTORS, QUAD, FIELD EFFECT, N-CHANNEL, SILICON, TYPE 2N7334, JAN, JANTX, JANTXV, JANS, JANHC, JANKCA2N7334, AND JANHCA2N7334[CUST: CR EC 11 CC NA] [REVIEW: 19 99 MC MI SM] | A | 5961 | | CC | 08-SEP-03 |
| A | MIL-PRF-19500/355K | SEMICONDUCTOR DEVICE, UNITIZED DUAL TRANSISTOR, NPN, SILICON, TYPES 2N2919, 2N2920, 2N2919L, 2N2920L, 2N2919U, AND 2N2920U, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 03-JUL-05 |
| | MIL-PRF-19500/270J | SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, NPN, SILICON, TYPES 2N2060 AND 2N2060L, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH SM] | A | 5961 | | CC | 18-DEC-04 |
| | MIL-PRF-19500/495E | SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, NPN, SILICON, TYPES 2N5793, 2N5794, AND 2N5794U, JAN, JANTX, AND JANTXV[CUST: CR 11 CC] [REVIEW: 19 MI] | A | 5961 | | CC | 19-FEB-05 |
| A | MIL-PRF-19500/336H | SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, PNP, SILICON, TYPES 2N3810, 2N3810L, 2N3810U, 2N3811, 2N3811L, AND 2N3811U, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AS AV MC MI] | A | 5961 | | CC | 21-JUL-05 |
| A | MIL-PRF-19500/559G | SEMICONDUCTOR DEVICE, UNITIZED, NPN, SILICON, SWITCHING, FOUR TRANSISTOR ARRAY, TYPES 2N6989, 2N6989U, AND 2N6990, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 11-AUG-05 |
| A | MIL-PRF-19500/558E | SEMICONDUCTOR DEVICE, UNITIZED, PNP, SILICON, SWITCHING, FOUR TRANSISTOR ARRAY, TYPES 2N6987, 2N6987U, AND 2N6988, JAN, JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS MC MI SM] | A | 5961 | | CC | 15-AUG-05 |
| | MIL-STD-750D(5) | SEMICONDUCTOR DEVICES[Test Method Standard][CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SH] | A | 5961 | | CC | 12-NOV-02 |
| | MIL-PRF-19500/520C NOT 1 | SEMICONDUCTOR DEVICES, DIODE, LIGHT EMITTING, YELLOW TYPES JAN1N6093, JANTX1N6093, JAN1N6610 (CLEAR LENS), JANTX1N6610 (CLEAR LENS), AND PANEL MOUNT ASSEMBLY TYPES JANM19500/52001, JANTXM19500/52002, JANM19500/52003 (CLEAR LENS), AND JANTXM19500/52004 (CLEAR LENS)[CUST: CR 11 CC] | A | 5980 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/162C NOT 1 | SEMICONDUCTOR DEVICES, DIODE, SILICON, POWER RECTIFIER TYPES, 1N1614, 1N1615, 1N1616, 1N4458, 1N4459, 1N1614R, 1N1615R, 1N1616R, 1N4458R, 1N4459R, JAN AND JANTX[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG EA MC MI SH] | A | 5961 | | CC | 30-JUL-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-PRF-19500/127R | SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N4370A-1 THROUGH 1N4372A-1 AND 1N746A-1 THROUGH 1N759A-1, 1N4370AUR-1 THROUGH 1N4372AUR-1 AND 1N746AUR-1 THROUGH 1N759AUR-1, 1N4370C-1 THROUGH 1N4372C-1 AND 1N746C-1 THROUGH 1N759C-1, 1N4370CUR-1 THROUGH 1N4372CUR-1 AND 1N746CUR-1 THROUGH 1N759CUR-1, 1N4370D-1 THROUGH 1N4372D-1 AND 1N746D-1 THROUGH 1N759D-1,[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI SM] | A | 5961 | | CC | 19-AUG-05 |
| | MIL-PRF-19500/406F | SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N4460, 1N4460C, 1N4460D THROUGH 1N4496, 1N4496C, 1N4496D, AND 1N6485, 1N6485C, 1N6485D THROUGH 1N6491, 1N6491C, 1N6491D, 1N4460US, 1N4460CUS, 1N4460DUS THROUGH 1N4496US, 1N4496CUS, 1N4496DUS, AND 1N6485US, 1N6485CUS, 1N6485DUS THROUGH 1N6491US, 1N6491CUS, 1N6491DUS, PLUS C AND D TOLERANCE SUFFIX; JAN, JANTX[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 24-NOV-04 |
| A | MIL-PRF-19500/117N | SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N962B-1 THROUGH 1N992B-1, AND 1N962BUR-1 THROUGH 1N992BUR-1, 1N962C-1 THROUGH 1N992C-1, AND 1N962CUR-1 THROUGH 1N992CUR-1, AND 1N962D-1 THROUGH 1N992D-1, 1N962DUR-1 THROUGH 1N992DUR-1, JAN, JANTX, JANTXV, AND JANHC[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM] | A | 5961 | | CC | 06-OCT-05 |
| A | QML-19500-29 | SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR | A | 5961 | | CC | 01-FEB-06 |
| A | MIL-PRF-19500N | SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 30-NOV-05 |
| | MIL-DTL-19491H | SEMICONDUCTOR DEVICES, PACKAGING OF[CUST: CR EC 11 CC] [REVIEW: 71 99 AR AS AV CG MC MI OS SA SH SM] | A | PACK | | CC | 28-JUN-02 |
| | DI-QCIC-80924 | SEMICONDUCTOR PROCESS SPECIFICATION [AMSC: G4865] | A | QCIC | | NS | 05-JAN-90 |
| | MIL-PRF-19500/6C NOT 1 | SEMICONDUCTOR, DEVICE TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2N43AZ1, 2N43AZ2, 2N44AZ1 AND 2N44AZ2[CUST: CR EC 11 NA] [REVIEW: 19 AR AS CG MC MI OS SH SM] | A | 5961 | | CC | 15-DEC-03 |
| | ASTM-D3725 | SEMIQUANTITATIVE DETERMINATION OF FISH OIL IN DRYING OILS AND DRYING OIL FATTY ACIDS BY GAS-LIQUID CHROMATOGRAPHY[CUST: MR SH] [REVIEW: CG CR4 OS] | A | 8010 | | MR | 17-NOV-92 |
| | MIL-DTL-46714E | SEMITRAILER VAN: ELECTRONIC, TACTICAL, 6-TON, 2-WHEEL, M373A2[CUST: AT] | A | 2330 | | AT | 11-SEP-98 |
| | MIL-DTL-62180E | SEMITRAILER, FUEL TANKERS: 5000 GALLON, BULKHAUL, AUTOMOTIVE AND AIRCRAFT FUEL SERVICING[CUST: AT] | A | 2330 | | AT | 11-SEP-98 |
| | MIL-DTL-62164D | SEMITRAILER, LOWBED, HEAVY EQUIPMENT TRANSPORTER, 60-TON, M747[CUST: AT] | A | 2330 | | AT | 25-SEP-98 |
| | A-A-52613 | SEMITRAILER, REFUSE COLLECTION: TANDEM AXLE, 57 CUBIC METERS (75 CUBIC YARD), FOR USE WITH STATIONARY COMPACTORS AND COMPACTORS, STATIONARY, 2.7 CUBIC METERS (3.5 CUBIC YARD), FOR USE WITH REFUSE COLLECTION SEMITRAILERS[CUST: AT 99] | A | 2330 | / | AT | 17-JUN-96 |
| | MIL-DTL-62049F | SEMITRAILER, VAN: FOR INSTALLATION OF SPECIAL EQUIPMENT, MILITARY DESIGN[CUST: AT 99] [REVIEW: 84] | A | 2330 | | AT | 11-SEP-98 |
| | A-A-50577 | SEMITRAILERS, REAR DUMP; SINGLE AXLE AND TANDEM AXLE[CUST: YD] | A | 2330 | / | YD | 17-JAN-97 |
| | MIL-DTL-62034F | SEMITRAILERS, STAKE; SEMITRAILERS, VAN, AND SEMITRAILERS, REFRIGERATOR: MILITARY DESIGN[CUST: AT] | A | 2330 | | AT | 30-SEP-98 |
| | MIL-S-24561 | SENSING AND SIGNALING DEVICE, CURRENT-TIME (CTS) (NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 15-AUG-77 |
| | MIL-PRF-62546B | SENSOR, FIRE, OPTICAL[CUST: AT] [REVIEW: GS] | A | 6665 | | AT | 05-JAN-98 |
| | MIL-S-24771 | SENSOR, LEVEL, FLOAT TYPE, SHIPBOARD SEWAGE SYSTEMS[CUST: SH] | A | 5930 | | SH | 08-APR-92 |
| | MIL-S-48755A(6) | SENSOR, TRIPLINE; EXTENDED RANGE[CUST: AR] | A | 1345 | | AR | 09-APR-90 |
| | MIL-PRF-71196 | SENSOR, VEHICLE MOTION[CUST: AR] | A | 1290 | | AR | 24-JAN-02 |
| | MIL-S-24795 | SENSORS, TEMPERATURE, FIBER OPTIC (NAVAL SHIPBOARD USE)[CUST: SH] | A | 6040 | | SH | 22-JUN-95 |
| | A-A-50688 NOT 1 | SENTRY BUILDING, MOBILE | A | 5410 | / | IS | 27-SEP-01 |
| | A-A-51521 | SEPARATING FLUID, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 07-JUL-86 |
| | ASTM-D3268 | SEPARATION AND COLLECTION OF PARTICULATE AND GASEOUS FLUORIDES IN THE ATMOSPHERE (SODIUM BICARBONATE-COATED GLASS TUBE AND PARTICULATE FILTER METHOD), STANDARD TEST METHOD FOR[CUST: EA SH] [REVIEW: AS CR4 MD OS] | A | 6810 | | GS3 | 15-JUL-91 |
| | ASTM-D3266 | SEPARATION AND COLLECTION, AUTOMATED, OF PARTICULATE AND ACIDIC GASEOUS FLUORIDE IN THE ATMOSPHERE (DOUBLE PAPER TAPE SAMPLER METHOD), STANDARD TEST METHOD FOR[CUST: EA SH] | A | 6810 | | GS3 | 15-MAR-91 |
| | ASTM-D2372 | SEPARATION OF VEHICLE FROM SOLVENT-REDUCIBLE PAINTS[CUST: CR4 OS 99] | A | 8010 | | OS | 3-OCT-94 |
| | MIL-S-52851 | SEPARATOR SYSTEM, OIL WATER, COALESCER TYPE, 5 GPM CAPACITY[CUST: AT] | A | 4330 | | AT | 31-MAR-75 |
| | MIL-DTL-82939 | SEPARATOR, EXPLOSIVE (1W18)[CUST: OS] | A | 1377 | | OS | 11-FEB-00 |
| | MIL-DTL-43243D | SEPARATOR, PARACHUTE REMOVABLE CONNECTOR LINK[CUST: GL AS] [REVIEW: AV GS MC] | A | 1670 | | GL | 30-MAY-02 |
| | A-A-53387 | SEPARATOR, TEETH, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 14-MAR-88 |
| | A-A-59436 | SEPARATORS, OIL AND WATER, COMPRESSED AIR[CUST: AR YD 99 CC] [REVIEW: 84 MC] | A | 4940 | / | CC | 17-SEP-99 |
| | UL70 | SEPTIC TANKS, BITUMINOUS COATED METAL[CUST: CR4 AS 99] | A | 4630 | | 71 | 25-JUN-93 |
| | DI-ILSS-80044 | SERIAL NUMBER (SN) CONTROL CARD [AMSC: A3665] | A | SESS | | AM | 15-AUG-85 |
| | DI-MISC-81484 | SERIALIZED CONTROL BACKSHOP FAILURE REPORT [AMSC: F7157] | A | MISC | | 10 | 31-JUL-95 |
| | DI-MISC-81618 | SERVICE BULLETINS [AMSC: N7448] | A | MISC | | SA | 01-AUG-01 |
| | DI-MISC-81384 | SERVICE ENGINEERING REPORT (SER) [AMSC: N6986] | A | MISC | | SA | 09-MAR-94 |
| | UL869A | SERVICE EQUIPMENT, REFERENCE STANDARD FOR[CUST: YD 99] [REVIEW: 80 GS SH] | A | 6110 | | YD | 26-JUN-98 |
| | MIL-S-3951D NOT 2 | SERVICE RIBBONS AND BARS, SERVICE RIBBONS[CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | 19-JUN-01 |
| | AIR-STD-61/116/4K | SERVICES OPERABLE FROM STICK GRIPS | C | ISDF | | 06 | 31-OCT-90 |
| | A-A-59111 | SERVICING/DEICING MAINTENANCE PLATFORM, HIGH REACH, TRUCK MOUNTED[CUST: 99] [REVIEW: GS] | A | 1730 | / | 84 | 10-JUL-97 |
| | MIL-S-81963B | SERVOCOMPONENTS, PRECISION INSTRUMENT, ROTATING, COMMON REQUIREMENTS AND TESTS, GENERAL SPECIFICATION FOR[CUST: AR AS 11] [REVIEW: 19 AT AV CC CG MC MI OS SH] | A | 5990 | | AS | 28-NOV-90 |
| | MIL-S-22432A | SERVOMOTOR, GENERAL SPECIFICATION FOR[CUST: AR AS 11] [REVIEW: 99 AV CR GS MI SH] | A | 6105 | | AS | 28-NOV-90 |
| | MIL-S-22432/31D | SERVOMOTOR, TYPE 11SM4C[CUST: AR AS 11] [REVIEW: 99 AV CG CR CR4 EC GS MC MI OS SH] | A | 6105 | | AS | 28-NOV-90 |
| | MIL-S-22432/9E | SERVOMOTOR, TYPE 18SM4C[CUST: AR AS 11] [REVIEW: 99 AV CG CR CR4 EC GS MC MI OS SH] | A | 6105 | | AS | 28-NOV-90 |
| | MIL-S-22432/6B NOT 1 | SERVOMOTOR, TYPE MARK 7 MOD 7[CUST: AR AS 11] [REVIEW: 71 AV CG CR CR4 EC GS MC MI OS SH] | A | 6105 | | AS | 05-NOV-91 |
| | MIL-S-22820B | SERVOMOTOR-TACHOMETER GENERATOR, AC; GENERAL SPECIFICATION FOR[CUST: AR AS] [REVIEW: 71 CR GS MC MI] | A | 6105 | | AS | 28-NOV-90 |
| | MIL-S-22820/34C | SERVOMOTOR-TACHOMETER GENERATOR, TYPE 15SM-IH4A (HEAT COMPENSATED)[CUST: AS] [REVIEW: GS] | A | 6105 | | AS | 28-NOV-90 |
| | MIL-S-22820/7C | SERVOMOTOR-TACHOMETER GENERATOR, TYPE 18SM-RG4D[CUST: AR AS 11] [REVIEW: CR GS MC MI] | A | 6105 | | AS | 28-NOV-90 |
| | MIL-S-81746A | SERVTORQ, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: EC SH] | A | 5990 | | AS | 05-APR-91 |
| | MIL-S-81746/1 | SERVTORQ, TYPE 15ST4A[CUST: AS] [REVIEW: EC SH] | A | 5990 | | AS | 05-APR-91 |
| | MIL-S-81746/3 | SERVTORQ, TYPE 23ST4A[CUST: AS] [REVIEW: EC SH] | A | 5990 | | AS | 05-APR-91 |
| | MIL-S-81746/2 | SERVTORQ, TYPE 23ST64A[CUST: AS] [REVIEW: EC SH] | A | 5990 | | AS | 05-APR-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-81746/4 | SERVTORQ, TYPE 37ST64C[CUST: AS] [REVIEW: EC SH] | A | 5990 | | AS | 05-APR-91 |
| | MIL-DTL-15024/1B | SET OR GROUP IDENTIFICATION PLATE[CUST: AS] | A | 9905 | | AS | 27-MAR-98 |
| | ASME-B18.3.6M | SET SCREWS, METRIC SERIES SOCKET[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI OS SH] | A | 5305 | | IS | 27-FEB-87 |
| | NASM565 | SETSCREW - HEXAGON AND FLUTED SOCKET, HEADLESS[CUST: IS] | A | 5305 | | IS | SEP-99 |
| | NASM51965 | SETSCREW - HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING[CUST: AR AS 99] | A | 5305 | | IS | NOV-99 |
| | NAS1081 | SETSCREW SELF LOCKING (W/DOD EXCEPTIONS)[CUST: AV AS 11] [REVIEW: CR4] | A | 5305 | | IS | 05-DEC-96 |
| | NASM18067 | SETSCREW, HEXAGON SOCKET, CONE POINT, 250 DEG. F, SELF LOCKING ELEMENT, ALLOY STEEL, CADIUM PLATED[CUST: AR AS 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM18063 | SETSCREW, HEXAGON SOCKET, CUP POINT, 250 DEG. F SELF LOCKING ELEMENT, ALLOY STEEL, CADMIUM PLATED[CUST: AR AS 99 IS] | A | 5305 | | IS | APR-98 |
| | NASM18064 | SETSCREW, HEXAGON SOCKET, CUP POINT, 250 DEG. F, SELF LOCKING ELEMENT, CORROSION RESISTING STEEL, PASSIVATED[CUST: AR AS 99 IS] | A | 5305 | | IS | APR-98 |
| | NA0162 | SETSCREW, HEXAGON SOCKET, CUP POINT, A286 CRES, METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5305 | | IS | APR-83 |
| | NASM51963 | SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING[CUST: AR 99 IS] | A | 5305 | | IS | SEP-99 |
| | NASM51964 | SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING[CUST: AR 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM51973 | SETSCREW,-HEXAGON SOCKET, CONE POINT, ALLOY STEEL CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING[CUST: AR AS 99 IS] | A | 5305 | | IS | DEC-98 |
| | NASM51974 | SETSCREW-HEXAGON SOCKET, CONE POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING[CUST: AR SH 99 IS] | A | 5305 | | IS | OCT-98 |
| | NASM51038 | SETSCREW-HEXAGON SOCKET, CONE POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A AND UNF-3A, PLAIN AND SELF LOCKING[CUST: AS 99] | A | 5305 | | IS | SEP-99 |
| | NASM51021 | SETSCREW-HEXAGON SOCKET, CUP POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNIC-3A, PLAIN AND SELF-LOCKING[CUST: AR 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM51023 | SETSCREW-HEXAGON SOCKET, CUP POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNF-3A, PLAIN AND SELF-LOCKING[CUST: AR 99] | A | 5305 | | IS | SEP-99 |
| | NASM51966 | SETSCREW-HEXAGON SOCKET. FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING[CUST: AR AS 99 IS] | A | 5305 | | IS | DEC-98 |
| | NASM51031 | SETSCREW-HEXAGON SOCKET, FLAT POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNF-3A, PLAIN AND SELF-LOCKING[CUST: AR 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM51029 | SETSCREW-HEXAGON SOCKET, FLAT POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A, PLAIN AND SELF-LOCKING[CUST: AR 99 IS] [REVIEW: 71] | A | 5305 | | IS | MAY-98 |
| | NASM51977 | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADIUM PLATED, UNC-3A[CUST: AR AS 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM51976 | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A[CUST: AR SH 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM51047 | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNF-3A[CUST: AR 99 IS] | A | 5305 | | IS | NOV-99 |
| | NASM51045 | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A[CUST: AR 99 IS] | A | 5305 | | IS | NOV-99 |
| | NASM51981 | SETSCREW-HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADIUM PLATED, UNC-3A[CUST: AR AS 99 IS] | A | 5305 | | IS | AUG-98 |
| | NASM51982 | SETSCREW-HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADIUM PLATED, UNF-3A[CUST: AR AS 99 IS] | A | 5305 | | IS | AUG-98 |
| | FF-S-200B(1) | SETSCREWS: HEXAGON SOCKET AND SPLINE SOCKET, HEADLESS[CUST: AR SH 99] [REVIEW: 71 AS AT AV CR4 EA MC MI OS YD] | A | 5305 | / | IS | 10-JUN-05 |
| | ASCE-REPORT-NO13 | SEWAGE TREATMENT PLANTS, FILTERING MATERIALS FOR[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| | ASTM-F794 | SEWER PIPE AND FITTINGS, POLY(VINYL CHLORIDE) (PVC) PROFILE GRAVITY, BASED ON CONTROLLED INSIDE DIAMETER[CUST: CR4 YD 99] [REVIEW: 84] | A | 5630 | | IS | 15-JUL-91 |
| | ASTM-D3034 | SEWER PIPE AND FITTINGS, TYPE PSM POLY(VINYL CHLORIDE) (PVC)[CUST: MR YD] [REVIEW: CR4 MD] | A | 4710 | | CC | MAR-93 |
| | A-A-55190 | SEWING KIT[CUST: GL 99 CT] [REVIEW: 11] | A | 8315 | / | CT | 29-MAR-93 |
| | OO-S-256/6A NOT 1 | SEWING MACHINE, INDUSTRIAL, BUTTONHOLE, STRAIGHT, BARRED ENDS, MACHINE[CUST: GL 99] [REVIEW: CR MC] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/14A NOT 1 | SEWING MACHINE, INDUSTRIAL, FLATBED, SINGLE NEEDLE, 308 STITCH, PARACHUTE REPAIR[CUST: GL 99 IS] [REVIEW: 50] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256H(2) | SEWING MACHINE, INDUSTRIAL, GENERAL SPECIFICATION FOR[CUST: GL 99] [REVIEW: 50 84 MC SA] | A | 3530 | / | IS | 10-NOV-92 |
| | OO-S-256/5A NOT 1 | SEWING MACHINE, INDUSTRIAL, ZIGZAG, SINGLE NEEDLE, MACHINES[CUST: GL 99] [REVIEW: MC SA] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/16C NOT 1 | SEWING MACHINE, INDUSTRIAL; DARNING, CYLINDER BED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR[CUST: GL 99] [REVIEW: 84] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/15A NOT 1 | SEWING MACHINE, INDUSTRIAL; FLATBED, DOUBLE NEEDLE, 301 STITCH, PARACHUTE REPAIR[CUST: GL 99] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/13D NOT 1 | SEWING MACHINE, INDUSTRIAL; FLATBED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR[CUST: GL 99] [REVIEW: 84] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/8A NOT 1 | SEWING MACHINES, INDUSTRIAL, BUTTON-SEWING MACHINE[CUST: GL 99] [REVIEW: CR MC] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/7A NOT 1 | SEWING MACHINES, INDUSTRIAL, BUTTONHOLE MACHINE, EYELET END[CUST: GL 99] [REVIEW: CR MC SA] | A | 3530 | / | IS | 27-SEP-01 |
| | MIL-S-43026D NOT 1 | SEWING MACHINES, INDUSTRIAL, COMPLETE WITH CARRYING, SHIPPING AND STORAGE CASES[CUST: GL 99] [REVIEW: 84 MC MD] | A | 3530 | | IS | 31-AUG-89 |
| | OO-S-256/2A NOT 1 | SEWING MACHINES, INDUSTRIAL, FLATBED, TWO-NEEDLE[CUST: GL 99] [REVIEW: MC SA] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/10A NOT 1 | SEWING MACHINES, INDUSTRIAL, OVEREDGE MACHINE (DETAIL SPECIFICATION)[CUST: GL 99] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/4A NOT 1 | SEWING MACHINES, INDUSTRIAL, POST BED, SINGLE NEEDLE, MACHINE[CUST: GL] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/12B NOT 1 | SEWING MACHINES, INDUSTRIAL, SINGLE-NEEDLE MACHINE, HEAVY-LEATHER DUTY[CUST: GL 99] [REVIEW: CR MC SA] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/9A NOT 1 | SEWING MACHINES, INDUSTRIAL, TACKING MACHINE (DETAIL SPECIFICATION)[CUST: GL 99] [REVIEW: MC SA] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/11B NOT 1 | SEWING MACHINES, INDUSTRIAL; BLIND STITCH, MACHINES[CUST: GL 99] [REVIEW: 84 MC SA] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/3B NOT 1 | SEWING MACHINES, INDUSTRIAL; CYLINDER BED, SINGLE-NEEDLE, MACHINES[CUST: GL 99] [REVIEW: 84 MC SA] | A | 3530 | / | IS | 27-SEP-01 |
| | OO-S-256/1B NOT 1 | SEWING MACHINES, INDUSTRIAL; FLATBED, SINGLE-NEEDLE, MACHINES[CUST: GL 99] [REVIEW: 84 MC SA] | A | 3530 | / | IS | 27-SEP-01 |
| | ASTM-D204 | SEWING THREADS[CUST: GL NU 99 CT] | A | 8310 | | CT | 10-MAR-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59005 | SEXTANT, MARINE[CUST: SH 99] [REVIEW: 71 GS] | A | 6605 | / | SH | 09-JUL-96 |
| | MIL-I-42044A | SEXUAL ASSAULT DETERMINATION KIT[CUST: MD MS 03] | A | 6640 | | MB | 20-MAY-91 |
| | MIL-S-23895(1) | SHACKLE, BOMB, MARK 8 MOD 5[CUST: AS] | A | 1095 | | AS | 15-DEC-65 |
| | MS20115A | SHACKLE-WIRE ROPE[CUST: AS 99 CC] [REVIEW: CR4] | A | 4030 | | CC | 17-NOV-72 |
| M | MIL-DTL-5675C | SHACKLE: CABLE, AIRCRAFT[CUST: AV AS 99 CC] [REVIEW: 11 50 70 MC MI SA] | A | 4030 | | CC | 10-DEC-05 |
| | ABMA7 | SHAFT AND HOUSING FITS FOR METRIC RADIAL BALL AND ROLLER BEARINGS (EXCEPT TAPERED ROLLER BEARINGS) CONFORMING TO BASIC BOUNDARY PLAN[CUST: YD] | A | FACR | | YD | 25-MAY-04 |
| | MIL-S-16059B | SHAFTING, FLEXIBLE (CORE AND CASING COMPLETE) (FOR THE REMOTE OPERATION OF VALVES)[CUST: SH] [REVIEW: CC] | A | 3040 | | SH | 12-APR-61 |
| | MIL-HDBK-776 NOT 2 | SHAFTS, ELASTIC TORSIONAL STRESS ANALYSIS OF[CUST: AR] [REVIEW: AV CR4] | A | SESS | | AR | 07-JAN-93 |
| | A-A-50804A | SHAKING MACHINE, LABORATORY SINGLE CUP, 115 VOLT, 50-60 HZ, AC[CUST: MD MS 03] | A | 6640 | / | MB | 17-APR-81 |
| | A-A-51342 | SHAKING MACHINE, LABORATORY, (BLOOD COLLECTING TUBE)[CUST: MD MS 03] | A | 6640 | / | MB | 31-JAN-86 |
| | A-A-50803A | SHAKING MACHINE, LABORATORY, 115 VOLT, 60 HZ, AC[CUST: MD MS 03] | A | 6640 | / | MB | 17-APR-81 |
| | A-A-50809 | SHAKING MACHINE, LABORATORY, SLIDE, 115 VOLT, AC-DC[CUST: MD MS 03] | A | 6640 | / | MB | 05-AUG-81 |
| | A-A-50226B | SHAKING MACHINE, TESTING SIEVE, LABORATORY, PORTABLE, HAND-OPERATED, CAPACITY 6 FULL-HEIGHT OR 13 HALF-HEIGHT, 8-INCH STANDARD SIEVES[CUST: CE3 GS] [REVIEW: GL] | A | 6635 | / | CE3 | 30-JUN-03 |
| | A-A-53452 | SHAMPOO, MEDICATED (SULFUR AND SALICYLIC ACID)[CUST: MD MS 03] [REVIEW: AT CC] | A | 6508 | / | MB | 07-SEP-89 |
| | A-A-54638 | SHAMPOO, MEDICATED, COAL TAR EXTRACT, SALICYLIC ACID, AND SULFUR[CUST: MD MS 03] | A | 6508 | / | MB | 30-APR-92 |
| | SAE-ARP4848 | SHANK NUTS, FLARING (SWAGING) AND REMOVAL OF[CUST: AR SH 99 IS] | A | 5310 | | IS | AUG-95 |
| | MIL-S-29108A | SHAPE, DAY SIGNAL, MARITIME[CUST: NU CT] [REVIEW: 11 SH] | A | 8345 | | CT | 15-MAR-78 |
| | A-A-55298 | SHAPE, DAY, MARITIME, DIAMOND[CUST: NU] [REVIEW: CG] | A | 8345 | / | CT | 09-MAY-96 |
| | DI-SAFT-81135 | SHAPED CHARGE JET IMPACT TEST DATA [AMSC: N6035] | A | SAFT | | OS | 08-MAR-91 |
| | STANAG-4526 ED.1 | SHAPED CHARGE JET, MUNITION TEST PROCEDURES | C | ISDA | | AI | PENDING |
| | MIL-S-3788G | SHAPER, WOODWORKING[CUST: AR SH 99 IS] [REVIEW: 84 MC SM YD] | A | 3220 | | IS | 08-FEB-91 |
| | ASTM-E602 | SHARP-NOTCH TENSION TESTING AND CYLINDRICAL SPECIMENS, STANDARD METHOD FOR[CUST: MR AS] [REVIEW: SH] | A | 95GP | | MR | 27-APR-92 |
| | A-A-51591 | SHAVE KIT, PATIENT[CUST: MD MS 03] | A | 6530 | / | MB | 12-AUG-86 |
| | A-A-58066 | SHAVER, RIVET HEAD, PORTABLE, PNEUMATIC[CUST: AS 99] [REVIEW: GS] | A | 5130 | / | 84 | 27-AUG-96 |
| | A-A-55805 NOT 1 | SHEARING MACHINES, METAL SQUARING, HYDRAULIC DRIVE[CUST: AR 99 GS6] [REVIEW: 84 SH] | A | 3445 | / | GS6 | 21-FEB-03 |
| | A-A-59367 NOT 1 | SHEARING MACHINES, METAL SQUARING, MANUALLY OPERATED[CUST: AR SH 99 GS6] | A | 3445 | / | GS6 | 31-MAY-05 |
| | A-A-59238 NOT 1 | SHEARING, MACHINES, METAL, CIRCULAR, POWER-DRIVEN[CUST: SH 99 GS6] [REVIEW: 84 MC] | A | 3445 | / | GS6 | 23-JAN-04 |
| | ASME-B107.16 | SHEARS (METAL CUTTING, BENCH AND HAND)[CUST: AR 99] [REVIEW: GS] | A | 5130 | | AR | 18-MAR-93 |
| | ANSI-B11.4 | SHEARS, CONSTRUCTION, CARE & USE OF, SAFETY REQUIREMENTS FOR THE[CUST: AR SH 99] [REVIEW: 84 CR4] | A | 34GP | | GS6 | 21-MAR-89 |
| | A-A-50459A | SHEARS, METAL CUTTING, ELECTRIC (PORTABLE)[CUST: YD 99] [REVIEW: 84 GS] | A | 5130 | / | IS | 14-APR-89 |
| | A-A-53674 | SHEARS, RIB CUTTING (STILLE)[CUST: MD MS 03] | A | 6515 | / | MB | 06-SEP-88 |
| | A-A-55307 | SHEATH, KNIFE[CUST: GL MC CT] | A | 8465 | / | CT | 18-FEB-97 |
| | A-A-59526 | SHEATH, MACHETE (FOR 18 INCH LONG, 2-1/4 INCH WIDE BLADE)[CUST: MC 82 CT] [REVIEW: 11] | A | 8465 | / | CT | 21-DEC-99 |
| | UL1030 | SHEATHED HEATING ELEMENTS, STANDARD FOR[CUST: YD] | A | 4540 | | IS | 02-JAN-92 |
| | ASTM-D3368 | SHEET AND FILM, FEP-FLUOROCARBON[CUST: MR AS 11 GS] [REVIEW: 99 AR CR GL MC MD MI SH SM] | A | 9330 | | IS | 15-OCT-19 |
| | SAE-AMS4375 | SHEET AND PLATE, MAGNESIUM ALLOY 3.0AL - 1.0ZN - 0.20MN (AZ31B-0) ANNEALED AND RECRYSTALLIZED[CUST: AS 11] [REVIEW: IS] | A | 9535 | | AS | 01-OCT-91 |
| | SAE-AMS4377 | SHEET AND PLATE, MAGNESIUM ALLOY 3.0AL - 1.0ZN - 0.20MN (AZ31B-H24) COLD ROLLED, PARTIALLY ANNEALED[CUST: AS 11] [REVIEW: IS] | A | 9535 | | AS | 16-MAY-83 |
| | ASTM-B90/B90M | SHEET AND PLATE, MAGNESIUM-ALLOY[CUST: MR AS IS] [REVIEW: 99 AT CR CR4] | A | 9535 | | IS | 10-OCT-98 |
| | SAE-AS4194 | SHEET AND STRIP SURFACE FINISH NOMENCLATURE[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-APR-91 |
| | SAE-AMS5121 | SHEET AND STRIP, STEEL (0.90 - 1.04C) (SAE 1095) ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | ASTM-C171 | SHEET MATERIALS FOR CURING CONCRETE[CUST: CE YD 99] | A | 5680 | | IS | 15-SEP-92 |
| | ASTM-E338 | SHEET MATERIALS, HIGH-STRENGTH, SHARP-NOTCH TENSION TESTING OF[CUST: MI AS 99] [REVIEW: GS] | A | 6635 | | MI | 03-OCT-94 |
| | ASTM-E424 | SHEET MATERIALS, SOLAR ENERGY TRANSMITTANCE AND REFLECTANCE (TERRESTRIAL) OF[CUST: CE YD 99] | A | FACR | | YD | 15-APR-71 |
| | A-A-52446 NOT 1 | SHEET MOLDING COMPOUND: LOW SHRINKAGE (METRIC)[CUST: AT] [REVIEW: GS] | A | 9330 | / | AT | 14-APR-04 |
| | AWS-D1.3 | SHEET STEEL - STRUCTURAL WELDING CODE, STANDARD FOR[CUST: CE YD 04] | A | THJM | | YD | 12-SEP-90 |
| | SAE-AMS5046 | SHEET STRIP AND PLATE, CARBON STEEL (SAE 1020 AND 1025) ANNEALED[CUST: MR AS 11] | A | 9515 | | 11 | 01-JUL-90 |
| | SAE-AMS3275 | SHEET, ACRYLONITRILE BUTADIENE (NBR) RUBBER, NON-ASBESTOS FIBER, FUEL AND OIL RESISTANT[CUST: MR AS 11] [REVIEW: 99 IS] | A | 5330 | | AS | JUN-94 |
| | A-A-54337 | SHEET, BED (COTTON-POLYESTER, WHITE, FITTED)[CUST: MD MS 03] | A | 7210 | / | MB | 14-FEB-91 |
| | A-A-54212 | SHEET, BED (NONWOVEN)[CUST: MD MS 03] | A | 7210 | / | MB | 31-JUL-90 |
| | ASTM-D4637 | SHEET, EPDM, USED IN SINGLE-PLY ROOF MEMBRANE[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 5650 | | IS | 16-SEP-91 |
| | ASTM-D4802 | SHEET, PLASTIC, POLY (METHYL METHACRYLATE) ACRYLIC[CUST: MR SH 11 GS] [REVIEW: AR AS AT AV GL MI YD] | A | 9330 | | IS | 15-MAR-95 |
| | SAE-AMS3611 | SHEET, PLASTIC, POLYCARBONATE GENERAL PURPOSE[CUST: MR AS 11] [REVIEW: YD] | A | 9330 | | AS | 25-APR-90 |
| | SAE-AMS3646 | SHEET, POLYCHLOROTRIFLUOROETHYLENE (PCTFE) MOLDED, UNPLASTICIZED[CUST: MR AS 11] [REVIEW: GS SH] | A | 9330 | | AS | 06-NOV-78 |
| | SAE-AMS3568 | SHEET, POLYETHER URETHANE (EU) ELASTOMER FOAM SHOCK ABSORBING[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | SEP-84 |
| | SAE-AMS3666 | SHEET, POLYTETRAFLUOROETHYLENE (PTFE), GLASS CLOTH REINFORCED[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-JUL-93 |
| | NEMA-OS1 | SHEET-STEEL OUTLET BOXES, DEVICE BOXES, COVERS, AND BOX SUPPORTS[CUST: YD] [REVIEW: GS] | A | 5975 | | YD | 24-SEP-91 |
| | CCC-S-00320 | SHEETING AND TAPE, REFLECTIVE, ADHESIVE BACKING | A | 8305 | # | FSS | 18-NOV-63 |
| | A-A-51923 | SHEETING, IMPLANT AND FABRICATION, (SILICONERUBBER)[CUST: MD MS 03] | A | 6515 | | MB | 08-APR-87 |
| | ASTM-D1790 | SHEETING, PLASTIC, BY IMPACT, BRITTLENESS TEMPERATURE OF[CUST: MR YD 99] [REVIEW: 84 GS SH] | A | 9330 | | YD | 30-MAR-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D3083 | SHEETING, PLASTIC, FOR POND, CANAL, AND RESERVOIR LINING, FLEXIBLE POLY(VINYL CHLORIDE), STANDARD SPECIFICATION FOR[CUST: MR YD 99] [REVIEW: 84 GS] | A | 9330 | | YD | 30-JUN-89 |
| | ASTM-D3020 | SHEETING, PLASTIC, FOR POND, CANAL, AND RESERVOIR LINING, POLYETHYLENE AND ETHYLENE COPOLYMER, STANDARD SPECIFICATION FOR[CUST: MR YD 99] [REVIEW: 84 GS] | A | 9330 | | YD | 30-JUN-89 |
| | ASTM-D4956 | SHEETING, RETROREFLECTIVE, FOR TRAFFIC CONTROL[CUST: GL AS 99] [REVIEW: 84 AT CG GS MC] | A | 9390 | | GL | 15-SEP-94 |
| | ASTM-D4225 | SHEETING, STYRENE-BUTADIENE[CUST: MR AS 11] [REVIEW: GL GS] | A | 9330 | | MR | 29-MAY-91 |
| | ASTM-D710 | SHEETS, RODS, AND TUBES, VULCANIZED FIBRE, USED FOR ELECTRICAL INSULATION[CUST: MR AS 11 GS2] | A | 5970 | | GS2 | 10-OCT-96 |
| | MIL-S-36262 | SHELF ASSEMBLY, MEDICINE CART, CORROSION-RESISTING STEEL[CUST: MD MS 03 MB] | A | 6530 | | MB | 15-AUG-64 |
| | MS27267 NOT 2 | SHELL, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS[CUST: 11 CC] | A | 5935 | | CC | 26-OCT-01 |
| | EIA364.83 | SHELL-TO-SHELL AND SHELL-TO-BULKHEAD RESISTANCE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: AV MI] | A | 5935 | | CC | 29-JUN-01 |
| | JAN-S-732(1) | SHELLAC SOLUTION (FOR USE IN AMMUNITION)[CUST: AR OS] [REVIEW: EA] | A | 1395 | | AR | 27-FEB-50 |
| | MIL-S-3725E NOT 1 | SHELTER HALF, TENT[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8305 | | CT | 22-APR-89 |
| | ASTM-E1307 | SHELTER PANELS, FLAT, SURFACE PREPARATION AND STRUCTURAL ADHESIVE BONDING OF PRECURED, NONMETALLIC COMPOSITE FACINGS TO STRUCTURAL CORE FOR[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | MIL-DTL-55507F | SHELTER, ELECTRICAL EQUIPMENT (WITH OR WITHOUT EQUIPMENT), PACKAGING OF[CUST: CR] [REVIEW: SM] | A | PACK | | CR | 09-JUL-97 |
| | MIL-PRF-44408C | SHELTER, ELECTRICAL EQUIPMENT, LIGHTWEIGHT[CUST: GL 99] [REVIEW: 70 AT AV CC CR MC MT] | A | 5411 | | GL | 31-OCT-96 |
| | ASTM-E1974 | SHELTER, ELECTRICAL, EQUIPMENT S-250/G[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | ASTM-E1975 | SHELTER, ELECTRICAL, EQUIPMENT S-280/G[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | ASTM-E1977 | SHELTER, TACTICAL, EXPANDABLE, ONE-SIDE[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | ASTM-E1978 | SHELTER, TACTICAL, EXPANDABLE, TWO-SIDE[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | ASTM-E1976 | SHELTER, TACTICAL, NONEXPANDABLE[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | AA-S-1048 | SHELVING, STORAGE AND DISPLAY STEEL, CLIP TYPE[CUST: GL YD 99] [REVIEW: CE CR4 MC SA SM] | A | 7125 | * | GL | 10-MAR-67 |
| | AA-S-271D(1) | SHELVING, STORAGE AND DISPLAY, STEEL, INTERCHANGEABLE, NUT AND BOLT TYPE[CUST: GL YD 99] [REVIEW: AR MC SM] | A | 7125 | * | GL | 06-NOV-68 |
| | A-A-52128 | SHELVING, STORAGE, STATIONARY AND MOBILE, FOOD STORAGE[CUST: GL 99 IS] [REVIEW: 84 CG MC MD YD] | A | 7125 | / | IS | 16-JUN-93 |
| | STANAG-4485 ED.1 | SHF MILSATCOM NON-EPM MODEM FOR SERVICES CONFORMING TO CLASS-A OF STANAG 4484 | C | ISDA | | AI | 28-MAR-02 |
| | A-A-1923A NOT 1 | SHIELD EXPANSION (LAG, MACHINE AND EXTERNALLY THREADED WEDGE BOLT ANCHORS)[CUST: AR YD 99] | A | 5340 | / | IS | 21-AUG-01 |
| | MS17845F | SHIELD FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLES[CUST: CR AS] | A | 5935 | | AS | 30-DEC-92 |
| | SAE-AS83519/1 | SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS I)[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | 31-AUG-98 |
| | SAE-AS83519 | SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | 31-AUG-98 |
| | SAE-AS83519/2 | SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH PRE INSTALLED LEADS FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS I)[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | 31-AUG-98 |
| A | QPL-AS83519-2 | SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT, GENERAL SPECIFICATION FOR | A | 5940 | | AS | 23-JAN-06 |
| | MIL-DTL-24251/3B | SHIELD, ELECTRON TUBE, HEAT DISSIPATING 7 AND 9 PIN, MINIATURE (SPLIT SHELL)[CUST: CR EC 11 CC] [REVIEW: 19 CG MC MI] | A | 5960 | | CC | 14-MAY-03 |
| | MIL-DTL-24251/5B | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (OPEN SIDES)[CUST: CR EC 11 CC] [REVIEW: 19 CG MC MI] | A | 5960 | | CC | 14-MAY-03 |
| | MIL-DTL-24251/6C | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (RETROFIT TYPE ONLY)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS SH] | A | 5960 | | CC | 14-MAY-03 |
| | A-A-1922A NOT 1 | SHIELD, EXPANSION (CAULKING ANCHORS, SINGLE LEAD)[CUST: AR YD 99] | A | 5340 | / | IS | 21-AUG-01 |
| | A-A-1925A NOT 1 | SHIELD, EXPANSION (NAIL ANCHORS)[CUST: AR YD 99 IS] | A | 5340 | / | IS | 21-AUG-01 |
| | A-A-55614 NOT 1 | SHIELD, EXPANSION (NON-DRILLING EXPANSION ANCHORS)[CUST: AR YD 99 IS] | A | 5340 | / | IS | 21-AUG-01 |
| | A-A-1924A NOT 1 | SHIELD, EXPANSION (SELF DRILLING TUBULAR EXPANSION SHELL BOLT ANCHORS)[CUST: AR YD 99 IS] | A | 5340 | / | IS | 21-AUG-01 |
| | A-A-55615 NOT 1 | SHIELD, EXPANSION (WOOD SCREW AND LAG BOLT SELF-THREADING ANCHORS)[CUST: AR YD 99 IS] | A | 5340 | / | IS | 21-AUG-01 |
| | A-A-54887 | SHIELD, EYE, SURGICAL, FOX[CUST: MD MS 03] | A | 6515 | / | MB | 02-JUL-93 |
| | A-A-51350 | SHIELD, GONADAL, X-RAY PROTECTIVE[CUST: MD MS 03] | A | 6525 | / | MB | 21-FEB-86 |
| | MIL-STD-398 | SHIELD, OPERATIONAL FOR AMMUNITION OPERATIONS, CRITERIA FOR DESIGN OF AND TESTS FOR ACCEPTANCE[Test Method Standard][CUST: AR] [REVIEW: GS] | A | 4925 | | AR | 05-NOV-76 |
| | MIL-DTL-43002E | SHIELD, STOVEPIPE, TENT, NONMETALLIC[CUST: GL NU CT] [REVIEW: 11 MD] | A | 8340 | | CT | 14-SEP-00 |
| | A-A-55483A | SHIELDING BEAD, ELECTRONIC[CUST: EC CC] | A | 5950 | / | CC | 15-JUL-03 |
| | A-A-55500 NOT 1 | SHIELDING BEAD, ELECTRONIC, GENERAL REQUIREMENTS FOR[CUST: CC] | A | 5950 | / | CC | 27-FEB-03 |
| | A-A-55484 NOT 1 | SHIELDING BEADS, FERRITE, LEADED, EMI SUPPRESSOR[CUST: CC] | A | 5950 | / | CC | 21-SEP-01 |
| | A-A-54304 | SHIELDS, EYE SURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 14-DEC-90 |
| | SAE-AS6451 | SHIELDS, PROTECTIVE, AIRCRAFT AND MISSILES[CUST: AV AS 99] [REVIEW: GS] | A | 1730 | | AS | APR-99 |
| A | MIL-DTL-24251D | SHIELDS, RETAINERS (BASES), AND ADAPTERS, ELECTRON TUBE, HEAT DISSIPATING[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC] | A | 5960 | | CC | 12-AUG-05 |
| | SAE-AMS-DTL-22499 | SHIM STOCK, LAMINATED[CUST: MR AS IS] | A | 9535 | | IS | SEP-98 |
| | SAE-AMS-DTL-22499/1 | SHIM STOCK, LAMINATED, ALUMINUM ALLOY[CUST: MR AS IS] | A | 9535 | | IS | SEP-98 |
| | SAE-AMS-DTL-22499/2 | SHIM STOCK, LAMINATED, BRASS[CUST: MR AS IS] | A | 9535 | | IS | SEP-98 |
| | SAE-AMS-DTL-22499/4 | SHIM STOCK, LAMINATED, CARBON STEEL[CUST: MR AS IS] | A | 9515 | | IS | SEP-98 |
| | SAE-AMS-DTL-22499/3 | SHIM STOCK, LAMINATED, CRES[CUST: MR AS IS] | A | 9515 | | IS | AUG-98 |
| | NAS1195 | SHIM, MINIATURE ANCHOR NUT[CUST: AV AS 11] [REVIEW: CR CR4 GS] | A | 5365 | | AS | APR-63 |
| | A-A-59561 | SHIM, SOLID, ROUND[CUST: AR GS7] [REVIEW: AV MI] | A | 5365 | / | GS7 | 23-JUN-00 |
| | SAE-AMS3726 | SHIMS, FILLED RESIN COMPOUND[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-JAN-93 |
| | SAE-AMS3726/3 | SHIMS, FILLED RESIN COMPOUND, LIQUID PRECATALYZED[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-OCT-91 |
| | SAE-AMS-S-83474 | SHIMS, MOLDED, FILLED RESIN COMPOUND AND SHEET PREPREG[CUST: 11] | A | 9330 | | 11 | 09-FEB-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59538 | SHIN GUARD, BALLISTIC, RIGID[CUST: GL CT] | A | 8470 | / | CT | 01-FEB-00 |
| | A-A-59541 | SHIN/KNEE GUARD FOR RIOT CONTROL[CUST: GL CT] | A | 8465 | / | CT | 01-FEB-00 |
| | ASTM-D3161 | SHINGLES, ASPHALT, WIND-RESISTANCE OF[CUST: CR4 YD 99] | A | 5650 | | IS | 27-NOV-81 |
| | ASTM-D3018 | SHINGLES, CLASS A ASPHALT, SURFACED WITH MINERAL GRANULES[CUST: CR4 YD 99] [REVIEW: CE] | A | 5650 | | IS | 07-NOV-90 |
| | MIL-HDBK-2150 | SHIP COMPARTMENT NOMENCLATURE AND SPACEE CLASSIFICATION SYSTEM[CUST: SH] | A | 1990 | | SH | 21-JAN-99 |
| | MIL-DTL-24784/11B | SHIP INFORMATION BOOK (SIB) REQUIREMENTS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | MS18291 NOT 1 | SHIP LIMITING DRAFT MARK[CUST: SH] | A | 2040 | | SH | 21-MAR-91 |
| | MIL-HDBK-843 | SHIP METALLIC MATERIAL COMPARISON[CUST: SH] | A | 1990 | | SH | 20-AUG-93 |
| | MIL-STD-25B NOT 1 | SHIP STRUCTURAL SYMBOLS FOR USE ON SHIP DRAWINGS[Military Standard][CUST: AR SH 16] [REVIEW: CR4] | A | DRPR | | SH | 26-DEC-90 |
| | SAE-J2333 | SHIP SYSTEMS AND EQUIPMENT - HYDRAULIC SYSTEMS - FILTER SELECTION PARAMETERS[CUST: TM2 SH 99] | A | SESS | | SH | OCT-98 |
| | SAE-J2270 | SHIP SYSTEMS AND EQUIPMENT - THREADED FASTENERS - INSPECTION, TEST, AND INSTALLATION REQUIREMENTS[CUST: AR SH] | A | 53GP | | SH | OCT-98 |
| | DI-QCIC-80205 | SHIP TEST OUTLINE [AMSC: N3910] | A | QCIC | | OS | 04-AUG-86 |
| | DI-MGMT-81643 | SHIP TRIAL AGENDA [AMSC: N7521] | A | MGMT | | SA | 16-MAR-04 |
| | STANAG-1232 ED.4 | SHIP-TO-SHIP TOWING ATP-43(B)/MTP-43(B) | C | ISDN | | NI | 18-FEB-03 |
| | STANAG-4143 ED.1(7) | SHIP/SHORE CONNECTION TERMINALS FOR 3-PHASE AC POWER | D | ISDN | | NM | 05-AUG-94 |
| | MIL-STD-1310G | SHIPBOARD BONDING, GROUNDING, AND OTHER TECHNIQUES FOR ELECTROMAGNETIC COMPATIBILITY AND SAFETY[Standard Practice][CUST: SH] [REVIEW: AS EC OS] | A | EMCS | | SH | 28-JUN-96 |
| | MIL-PRF-32038 SUP 1A | SHIPBOARD FURNITURE, FIXTURES, FITTINGS, AND ACCESSORIES, GENERAL SPECIFICATION FOR[CUST: AV SH 99] | A | 2090 | | SH | 11-MAR-99 |
| | DI-QCIC-80206 | SHIPBOARD INDUSTRIAL TEST PROCEDURES [AMSC: N3911] | A | QCIC | | OS | 04-AUG-86 |
| | DI-ILSS-80950 | SHIPBOARD OPERATING SPACE ITEMS (OSI) STORAGE LOCATION LIST [AMSC: N4900] | A | SESS | | SH | 27-FEB-90 |
| | MS18299 NOT 1 | SHIPBOARD POWER DEMAND FACTORS 450 VOLT[CUST: SH] | A | 6145 | | SH | 24-JUL-87 |
| | A-A-59752 | SHIPBOARD SIGNS, LABELS, AND MARKINGS, PREFORMED, ADHESIVE BACKED, PHOTOLUMINESCENT, AND RETROREFLECTIVE[CUST: GL SH] [REVIEW: AS CG GL4 IS YD] | A | 9905 | / | SH | 04-DEC-03 |
| | ASTM-F718 | SHIPBUILDERS AND MARINE PAINTS AND COATINGS PRODUCT/PROCEDURE DATA SHEET[CUST: CR4 SH 99] [REVIEW: AS CG MC MR YD] | A | 8010 | | SH | 10-NOV-99 |
| | MIL-S-23389B(1) | SHIPPING AND STORAGE CONTAINER, CARTRIDGE, 20MM, M548[CUST: AR 99] [REVIEW: GS] | A | 8140 | | AR | 26-OCT-93 |
| | MIL-S-50312(1) | SHIPPING AND STORAGE CONTAINER, CARTRIDGE, 30MM, XM592[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 15-FEB-91 |
| | DI-MISC-80904 | SHIPS, BOOKLET OF INCLINING EXPERIMENT DATA [AMSC: N4837] | A | MISC | | SH | 03-OCT-89 |
| | DI-MISC-81190 | SHIPS, CERTIFICATES OF ADMEASUREMENT [AMSC: N6114] | A | MISC | | SH | 26-APR-91 |
| | ASTM-F906 | SHIPS, LETTERS AND NUMERALS FOR[CUST: CR4 SH] [REVIEW: YD] | A | 1990 | | SH | 26-APR-85 |
| | A-A-59548 | SHIRT, COLD WEATHER, SYNTHETIC FLEECE[CUST: GL MC CT] | A | 8415 | / | CT | 19-APR-00 |
| | A-A-50390A | SHIRT, DISPOSABLE[CUST: NU CT] [REVIEW: OS SH] | A | 8415 | / | CT | 23-JAN-96 |
| | A-A-55311 | SHIRT, LIQUID COOLING, LONG SLEEVE[CUST: GL CT] | A | 8415 | / | CT | 01-JUL-97 |
| | A-A-55297 | SHIRT, MAN'S (POLYESTER/COTTON, TROPICAL, SHORT SLEEVE[CUST: NU CT] | A | 8405 | * | CT | 20-DEC-99 |
| | MIL-S-24950 | SHIRT, MAN'S DRESS WHITE, LONG SLEEVE (CG)[CUST: NU CT] | A | 8405 | | CT | 11-OCT-89 |
| | MIL-S-19984E | SHIRT, MAN'S, KHAKI; WITH QUARTER LENGTH SLEEVE[CUST: MC] [REVIEW: 11 SA] | A | 8405 | | MC | 20-SEP-89 |
| | MIL-S-44039C | SHIRT, MAN'S, LONG SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS[CUST: GL CT] [REVIEW: MD] | A | 8405 | | CT | 10-OCT-90 |
| | A-A-55091 | SHIRT, MAN'S, POLYESTER AND WOOL, LONG SLEEVE[CUST: NU CT] | A | 8405 | / | CT | 25-FEB-93 |
| | MIL-S-87214B | SHIRT, MAN'S: SHORT AND LONG SLEEVES POLYESTER/COTTON (DURABLE PRESS) AND LONG SLEEVES, POLYESTER/WOOL[CUST: 11 CT] [REVIEW: 99 CG] | A | 8405 | | CT | 20-NOV-92 |
| | A-A-59481 | SHIRT, PULLOVER, SYNTHETIC FLEECE[CUST: GL MC] | A | 8415 | / | CT | 01-MAR-04 |
| | MIL-S-43357E | SHIRT, SLEEPING, HEAT RETENTIVE AND MOISTURE RESISTANT, NYLON/ACETATE, TRICOT KNIT[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 28-SEP-90 |
| | MIL-S-87046A | SHIRT, UTILITY, MAN S, POLYESTER/COTTON (CG)[CUST: SA CT] [REVIEW: 11 CG] | A | 8405 | | CT | 11-DEC-86 |
| | MIL-S-24923 | SHIRT, UTILITY, WOMAN S, POLYESTER/COTTON (CG)[CUST: NU CT] [REVIEW: CG] | A | 8410 | | CT | 29-JUL-85 |
| | MIL-S-87056A | SHIRT, WOMAN S, DRESS, BLUE (LONG SLEEVE)[CUST: SA CT] [REVIEW: 11] | A | 8410 | | CT | 27-NOV-85 |
| | MIL-S-87056A(I1) | SHIRT, WOMAN'S DRESS BLUE (LONG SLEEVE)[CUST: NU CT] | A | 8410 | | CT | 08-DEC-97 |
| | MIL-S-29633A | SHIRT, WOMAN'S, DRESS, SHORT AND LONG SLEEVE (COAST GUARD)[CUST: NU CT] [REVIEW: CG] | A | 8410 | | CT | 10-SEP-91 |
| | MIL-S-87091C | SHIRT, WOMAN'S, OPEN NOTCH COLLAR[CUST: NU CT] | A | 8410 | | CT | 14-SEP-88 |
| | A-A-55263 | SHIRT, WOMAN'S, TUCK-IN[CUST: 11 CT] | A | 8410 | / | CT | 04-NOV-94 |
| | A-A-55283 | SHIRT, WOMAN'S, TUCK-IN[CUST: GL CT] | A | 8410 | / | CT | 31-AUG-95 |
| | A-A-55218 | SHIRT, WOMEN'S, DRESS, WHITE (SHORT SLEEVE)[CUST: NU CT] | A | 8410 | / | CT | 01-JUL-93 |
| | A-A-52112B | SHIRTS, MAN'S[CUST: GL CT] [REVIEW: MD] | A | 8405 | / | CT | 16-JUN-93 |
| | MIL-S-3649G(1) | SHIRTS, MEN'S: LONG SLEEVE[CUST: MC CT] | A | 8405 | | CT | 27-MAR-90 |
| | MIL-S-37130 NOT 1 | SHIRTS, OPERATING, SURGICAL, MAN'S, COTTON, QUARTER LENGTH SLEEVES, STYLE B[CUST: MD MS 03] | A | 6532 | | MB | 04-AUG-89 |
| | MIL-S-87060B | SHIRTS, UTILITY, MENS, CHAMBRAY[CUST: NU CT] [REVIEW: 11] | A | 8405 | | CT | 19-FEB-88 |
| | MIL-S-87061C | SHIRTS, UTILITY, WOMENS CHAMBRAY[CUST: NU CT] | A | 8410 | | CT | 19-FEB-88 |
| | MIL-S-29368D | SHIRTS, WOMEN'S: LONG AND SHORT SLEEVES[CUST: MC CT] | A | 8410 | | CT | 06-JUN-94 |
| | MIL-S-29388B(1) | SHIRTS, WOMEN'S: MATERNITY, LONG AND SHORT SLEEVES[CUST: MC CT] | A | 8410 | | CT | 28-MAR-91 |
| | MIL-S-87225A | SHIRTS, WOMEN'S: SHORT AND LONG SLEEVES, POLYESTER/COTTON (DURABLE PRESS) AND LONG SLEEVES, POLYESTER/WOOL[CUST: 11 CT] [REVIEW: 99] | A | 8410 | | CT | 07-MAY-90 |
| | MIL-PRF-62494D | SHOCK ABSORBER, DIRECT ACTING[CUST: AT] | A | 2540 | | AT | 30-SEP-98 |
| | ABC-STD-20 | SHOCK AND VIBRATION TERMINOLOGY | C | ISDN | | SH | 22-AUG-55 |
| | DI-ENVR-81280 | SHOCK MANAGEMENT PLAN [AMSC: N6771] | A | ENVR | | SH | 28-JUL-92 |
| | DI-ENVR-80710 | SHOCK QUALIFICATION DATA SHEETS [AMSC: N4576] | A | ENVR | | SH | 21-NOV-88 |
| | DI-ENVR-80706 | SHOCK TEST EXTENSION REQUEST [AMSC: N4572] | A | ENVR | | SH | 21-NOV-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-ENVR-80708 | SHOCK TEST REPORT [AMSC: N4574] | A | ENVR | | SH | 21-NOV-88 |
| | MIL-S-901D | SHOCK TESTS. H.I. (HIGH-IMPACT) SHIPBOARD MACHINERY, EQUIPMENT, AND SYSTEMS, REQUIREMENTS FOR[CUST: SH] [REVIEW: AS EC MC OS] | A | ENVR | | SH | 17-MAR-89 |
| | ASTM-D2322 | SHOE UPPER LEATHER TO ARTIFICIAL PERSPIRATION, RESISTANCE OF[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | MIL-S-21894F | SHOE, SAFETY (CHUKKA)[CUST: NU 99 CT] [REVIEW: 11 AS CG MC MS OS] | A | 8430 | | CT | 01-SEP-82 |
| | A-A-50357A | SHOE, SUBMARINE DECK[CUST: NU 99 CT] [REVIEW: 11 SH] | A | 8430 | / | CT | 31-JAN-85 |
| | A-A-54481 | SHOE, WALKING CAST, CURVED, ROCKER SOLE[CUST: MD MS 03] | A | 6532 | / | MB | 30-AUG-91 |
| | A-A-50359B | SHOES, CONDUCTIVE[CUST: NU 99 CT] [REVIEW: 11 OS] | A | 8415 | / | CT | 14-MAR-94 |
| | MIL-S-43860D | SHOES, ELECTRICAL HAZARDS PROTECTIVE, HIGH, MEN'S[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8430 | | CT | 31-MAY-90 |
| | A-A-50137B | SHOES, GYMNASIUM: BASKETBALL AND OTHER ACTIVITIES, HEAVY DUTY[CUST: GL NU 99 CT] [REVIEW: 11] | A | 8430 | / | CT | 15-FEB-94 |
| | MIL-S-13192P(1) | SHOES, MEN'S, DRESS, OXFORD[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8430 | | CT | 14-OCT-94 |
| | RR-S-1862 | SHOES, SAFETY, LADDER AND LEVELING DEVICES, LADDER | A | 5440 | # | FSS | 24-MAR-75 |
| | A-A-55087 | SHOES, SWIMMERS[CUST: CT] | A | 8430 | / | CT | 29-OCT-92 |
| | MIL-S-21711E(2) | SHOES, WOMEN'S[CUST: GL NU 99 CT] [REVIEW: 11 CG MC MD] | A | 8435 | | CT | 14-OCT-94 |
| | RR-S-331D | SHOES: FOR WOOD PILES[CUST: YD] | A | 5680 | / | IS | 12-SEP-89 |
| | MIL-S-23965(1) | SHORES, DAMAGE CONTROL, AUTOMATIC, ADJUSTABLE TELESCOPING STEEL[CUST: SH] | A | 2090 | | SH | 01-JUL-88 |
| | A-A-20100C | SHORTENING COMPOUNDS[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8945 | / | SS | 01-MAY-02 |
| | MIL-S-29130A | SHORTS, MEN S, POLYESTER/COTTON[CUST: NU CT] [REVIEW: 11] | A | 8405 | | CT | 26-JUL-78 |
| | SAE-AMS2430 | SHOT PEENING[CUST: AT AS 11 GS4] | A | MFFP | | GS4 | 01-JUL-93 |
| | SAE-AMS-S-13165 | SHOT PEENING OF METAL PARTS[CUST: MR AS 11] | A | MFFP | | MR | NOV-97 |
| | ACI506.1R | SHOTCRETE, FIBER REINFORCED, STATE-OF-THE-ART REPORT ON[CUST: YD IS] | A | 5610 | | IS | 24-AUG-92 |
| | ACI506R | SHOTCRETE, GIODE TP[CUST: YD IS] | A | 5610 | | IS | 31-JAN-91 |
| | ACI506.2 | SHOTCRETE, MATERIALS, PROPORTIONING, AND APPLICATION OF[CUST: YD IS] | A | 5610 | | IS | 01-FEB-91 |
| | MIL-S-14642A NOT 4 | SHOULDER BOARD AFROTC CADETS[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | MIL-S-16572F | SHOULDER BOARDS AND INSIGNIA, BRANCH OF SERVICE[CUST: NU CT] | A | 8455 | | CT | 23-JAN-91 |
| | MIL-S-11874D NOT 4 | SHOULDER CORD, INFANTRY, BLUE[CUST: IH] | A | 8455 | | IH | 16-JUL-01 |
| | MIL-DTL-14657 NOT 1 | SHOULDER CORD, JUNIOR ROTC, ARMY[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 31-JUL-01 |
| | A-A-55191 | SHOULDER STRAP, SIDE ARM, MILITARY POLICE, LEATHER, BLACK[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8465 | / | CT | 29-MAR-93 |
| | MS27237E | SHOULDER, SWIVEL FLANGE, ADAPTER, HOSE TO TUBE, HYDRAULIC FUEL AND OIL LINES. 1/2 THROUGH 3 IN. TUBING SIZES[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 06-APR-01 |
| | MS27236A(1) | SHOULDER-DESIGNED FOR 45 DEG. AND 90 DEG. SWIVEL NUT HOSE TO TUBE ADAPTERS, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA] | A | 4730 | | CC | 06-APR-01 |
| | MIL-PRF-32038/18 | SHOWCASES, SHIP'S STORE, TYPES 1-5[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | MIL-S-955D NOT 2 | SHOWER HEADS AND OUTFITS (SHIPBOARD USE)[CUST: SH IS] | A | 4510 | | IS | 01-MAR-01 |
| | A-A-55228 | SHOWER PAIL, COLLAPSIBLE, COTTON DUCK, 5-GALLON CAPACITY[CUST: GL CT] [REVIEW: MD] | A | 8465 | / | CT | 20-AUG-93 |
| | ASTM-D6076 | SHRINKAGE TEMPERATURE OF LEATHER[CUST: GL NU 99 CT] | A | 83GP | | CT | 19-APR-99 |
| | A-A-59420 | SHRINKING AND STRETCHING MACHINE, SHEET METAL[CUST: AR SH 99 GS6] [REVIEW: 84 MC SM] | A | 3441 | / | GS6 | 28-SEP-99 |
| | A-A-55524/1A | SHUNT, INSTRUMENT (EXTERNAL, 50 MILLIVOLT, 10 THROUGH 150 AMPERES [A] LIGHTWEIGHT TYPE)[CUST: CR EC 82 CC] [REVIEW: 99 AR MI] | A | 6625 | / | CC | 31-JAN-03 |
| | A-A-55524/2A | SHUNT, INSTRUMENT (EXTERNAL, 50 MILLIVOLT, 170 THROUGH 600 AMPERES [A] LIGHTWEIGHT TYPE)[CUST: CR EC 82 CC] [REVIEW: 99 AR MI] | A | 6625 | / | CC | 31-JAN-03 |
| | A-A-55524/3A | SHUNT, INSTRUMENT (EXTERNAL, 50 MILLIVOLT, 800 THROUGH 1200 AMPERES [A] LIGHTWEIGHT TYPE)[CUST: CR EC 82 CC] [REVIEW: 99 AR MI] | A | 6625 | / | CC | 31-JAN-03 |
| | A-A-55524 | SHUNT, INSTRUMENT (EXTERNAL, 50 MILLIVOLT, LIGHTWEIGHT TYPE)[CUST: CR EC 99 CC] [REVIEW: 84 AR MI] | A | 6625 | / | CC | 17-OCT-97 |
| | ASTM-C725 | SIDING, FIBER, SEMIDENSE MINERAL[CUST: YD] [REVIEW: 99 CE] | A | 5640 | | IS | 26-OCT-90 |
| | ASTM-D4749 | SIEVE ANALYSIS OF COAL AND DESIGNATING COAL SIZE, PERFORMING THE[CUST: PS] | A | 9110 | | PS | 27-NOV-87 |
| | AASHTO-T27 | SIEVE ANALYSIS OF FINE AND COARSE AGGREGATES[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | AASHTO-T37 | SIEVE ANALYSIS OF MINERAL FILLER FOR BITUMINOUS PAVING MATERIALS[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-E323 | SIEVES, PERFORATED-PLATE, FOR TESTING PURPOSES[CUST: CR4 YD 99] [REVIEW: AS EA GL GS IS MC MI SM] | A | 6635 | | YD | 10-MAR-81 |
| | ASTM-E11 | SIEVES, WIRE-CLOTH AND, FOR TESTING PURPOSES[CUST: CR4 YD 99] [REVIEW: AS EA GL GS IS MC MI SM] | A | 6635 | | CR4 | MAY-87 |
| | MIL-S-70442 NOT 1 | SIGHT, HELICOPTER, HEAD-UP SUBSYSTEM: M76[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 10-APR-89 |
| | MIL-S-46371(3) NOT 2 | SIGHT, INFINITY, 8635466[CUST: AR] | A | 1240 | | AR | 29-JUL-99 |
| | MIL-S-60233C(3) | SIGHT, REFLEX, HELICOPTER: M60A1[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 30-MAR-90 |
| | MIL-S-60828A(2) | SIGHT, REFLEX: M70E1[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 13-AUG-90 |
| | MIL-S-60891B(1) | SIGHT, REFLEX: M73[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 27-SEP-89 |
| | MIL-S-40626D | SIGN KIT, VEHICLE CLASS[CUST: GL IS] [REVIEW: AT CR4 MC MD YD] | A | 9905 | | IS | 31-MAR-94 |
| | A-A-50077 | SIGN MAKING MACHINE[CUST: GL] | A | 3590 | / | GL | 16-SEP-86 |
| | A-A-50762 | SIGNAL GENERATOR[CUST: EC 99] | A | 6625 | / | 84 | 30-MAY-86 |
| | A-A-50760 | SIGNAL GENERATOR[CUST: EC 99 CC] | A | 6625 | / | 84 | 30-MAY-86 |
| A | A-A-59761A | SIGNAL GENERATOR 1.8 GHZ TO 4.5 GHZ[CUST: 99] | A | 6625 | / | 84 | 05-SEP-05 |
| A | A-A-58047C | SIGNAL GENERATOR 10 MHZ TO 26.5 GHZ[CUST: 99] | A | 6625 | / | 84 | 05-SEP-05 |
| A | A-A-59778 | SIGNAL GENERATOR 10 MHZ TO 50 GHZ[CUST: 99] | A | 6625 | / | 84 | 14-SEP-05 |
| | MIL-DTL-83352D | SIGNAL KIT, PERSONNEL, DISTRESS, A/P25S-5A[CUST: GL 99] | A | 1370 | | 70 | 26-FEB-02 |
| | MIL-S-1398E NOT 1 | SIGNAL, ILLUMINATION, AIRCRAFT DOUBLE-STAR AN-M37A2 THROUGH AN-M42A2 PARTS, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 31-OCT-90 |
| | MIL-S-1419D NOT 1 | SIGNAL, ILLUMINATION, AIRCRAFT, SINGLE STAR AN/M43A2, AN/M44A2, AND M45A2, LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1370 | | AR | 15-MAY-87 |
| | MIL-S-81340B | SIGNAL, UNDERWATER SOUND (SUS) MARK 84 AND MODS[CUST: AS] | A | 5845 | | AS | 29-JUN-79 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-23311A NOT 1 | SIGNAL, UNDERWATER SOUND, MARK 61 MOD 0 AND MARK 64 MOD 0[CUST: AS] | A | 1361 | | AS | 25-SEP-91 |
| | MIL-S-85064 NOT 1 | SIGNAL, UNDERWATER SOUND, MARK 82 MOD 0 AND MARK 128 MOD 1[CUST: AS] | A | 1361 | | AS | 17-OCT-91 |
| A | QPL-9320-17 | SIGNAL, WARNING, AUDIBLE, FOR HEADSET, TYPE MA-1 | A | 6340 | | GS2 | 23-FEB-06 |
| | STANAG-3758 ED.3 | SIGNALS USED BY AIR TRAFFIC SERVICE UNITS FOR CONTROL OF PEDESTRIAN AND VEHICULAR TRAFFIC IN THE MANOEUVRING AREA OF AIRFIELDS | C | ISDF | | 06 | 15-NOV-96 |
| | MIL-S-1399E NOT 1 | SIGNALS, ILLUMINATION, AIRCRAFT TRACER, DOUBLE STAR AN-M53A2 THROUGH AN-M58A2 PARTS, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 31-OCT-90 |
| | MIL-S-13257H(7) NOT 1 | SIGNALS, ILLUMINATION, GROUND RED STAR, M126A1, WHITE STAR, M127A1 AND GREEN STAR, M195, PARACHUTE, PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 06-FEB-01 |
| | MIL-S-13261G(7) NOT 1 | SIGNALS, ILLUMINATION, GROUND, GREEN STAR CLUSTER M125A1, RED STAR CLUSTER M158, AND WHITE STAR CLUSTER M159, PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 09-FEB-01 |
| | MIL-S-13303G(5) NOT 1 | SIGNALS, SMOKE, GROUND, HAND HELD PARACHUTE, GREEN SMOKE, M128A1, RED SMOKE, M129A1, AND YELLOW SMOKE, M194 PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 09-FEB-01 |
| | DI-MGMT-81564 | SIGNIFICANT HISTORICAL DATA [AMSC: F7323] | A | MGMT | | 82 | 28-AUG-98 |
| | STANAG-2035 ED.6(1) | SIGNING OF HEADQUARTERS AND INSTALLATIONS | C | ISDA | | AI | 30-AUG-96 |
| | MIL-DTL-20633D NOT 1 | SIGNS AND MARKER, ALUMINUM; MINED AREA MARKING[CUST: CR4 99 IS] [REVIEW: 84 GL MI] | A | 9905 | | IS | 28-MAR-05 |
| | ASTM-D859 | SILICA IN WATER[CUST: EA 68 GS3] [REVIEW: CR4 GL MD SH] | A | 6810 | | GS3 | 31-AUG-90 |
| | SAE-AMS4616 | SILICON BRONZE BARS, RODS, FORGINGS, AND TUBING 92CU - 3.2SI - 2.8ZN - 1.5FE STRESS RELIEVED[CUST: CR4 SH 11 IS] | A | 9530 | | IS | OCT-94 |
| | QPL-AS8660-2 | SILICON COMPOUND NATO CODE NUMBER S-736 | A | 6850 | | AS | 31-MAR-05 |
| | SAE-AMS3336 | SILICONE (PVMQ) RUBBER EXTREME-LOW-TEMPERATURE RESISTANT 55-65[CUST: MR AS 11 IS] | A | 5330 | | IS | SEP-94 |
| | SAE-AMS3337 | SILICONE (PVQM) RUBBER EXTREME-LOW-TEMPERATURE RESISTANT 65-75[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-APR-91 |
| | SAE-AMS3338 | SILICONE (PVQM) RUBBER EXTREME-LOW-TEMPERATURE RESISTANT 75-85[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-APR-91 |
| | SAE-AMS3356 | SILICONE (VMQ) RUBBER LUBRICATING OIL AND COMPRESSION SET RESISTANT, ELECTRICAL GRADE 55-65[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 20-FEB-79 |
| | SAE-AMS3320 | SILICONE (VMQ) RUBBER SHEET, GLASS CLOTH REINFORCED HEAT AND WEATHER RESISTANT 60-80[CUST: MR AS 11] [REVIEW: 84] | A | 9320 | | AS | 01-JUL-92 |
| | SAE-AMS3349 | SILICONE (VQM) RUBBER 1100 PSI (7.58 MPA) TENSILE STRENGTH, HIGH RESILIENCY 65-75[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-OCT-93 |
| | SAE-AMS3348 | SILICONE (VQM) RUBBER 1150 PSI (7.93 MPA) TENSILE STRENGTH, HIGH RESILIENCY 25-35[CUST: MR AS 11 IS] | A | 5330 | | IS | JAN-94 |
| | A-A-59691 | SILICONE COMPOUND NATO CODE NUMBER S-736[CUST: SH] | A | 9320 | / | SH | 10-AUG-01 |
| | SAE-AS8660 | SILICONE COMPOUND NATO CODE NUMBER S-736[CUST: MR AS 11] [REVIEW: DS GS] | A | 6850 | | AS | JUL-99 |
| | MIL-S-82858 NOT 2 | SILICONE DIOXIDE, MICROFINE[CUST: OS] | A | 9620 | | OS | 11-APR-01 |
| | ABC-STD-56 | SILICONE INSULATED ELECTRIC POWER AND CONTROL CABLES | C | ISDN | | SH | 07-NOV-72 |
| | SAE-AMS3334 | SILICONE RUBBER EXTREME LOW-TEMPERATURE RESISTANT 35-45[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-APR-90 |
| | SAE-AMS3332 | SILICONE RUBBER EXTREME LOW-TEMPERATURE RESISTANT, 15-30[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-90 |
| | SAE-AMS3194 | SILICONE RUBBER SPONGE, CLOSED CELL, FIRM, EXTREME LOW TEMPERATURE[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | AUG-94 |
| | SAE-AMS3195 | SILICONE RUBBER SPONGE, CLOSED CELL, MEDIUM[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-JAN-92 |
| | SAE-AMS3193 | SILICONE RUBBER SPONGE, CLOSED CELL, MEDIUM, EXTREME LOW TEMPERATURE[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | AUG-94 |
| | SAE-AMS3346 | SILICONE RUBBER, 1000 PSI (6.89 MPA) MINIMUM TENSILE STRENGTH 55-65 DUROMETER[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 30-JUN-89 |
| | SAE-AMS3345 | SILICONE RUBBER, 1000 PSI (6.90 MPA) TENSILE STRENGTH, 45-55[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 30-JUN-89 |
| | SAE-AMS3304 | SILICONE RUBBER, GENERAL PURPOSE 70 DUROMETER[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-JUL-90 |
| | SAE-AMS3305 | SILICONE RUBBER, GENERAL PURPOSE 80 DUROMETER[CUST: MR AS 11] | A | 9320 | | AS | 01-APR-90 |
| | SAE-AMS3301 | SILICONE RUBBER, GENERAL PURPOSE, 40 DUROMETER[CUST: MR AS 11] | A | 9320 | | AS | 01-APR-90 |
| | SAE-AMS3302 | SILICONE RUBBER, GENERAL PURPOSE, 50 DUROMETER[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-90 |
| | SAE-AMS3303 | SILICONE RUBBER, GENERAL PURPOSE, 60 DUROMETER[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-90 |
| | SAE-AMS4771 | SILVER ALLOY BRAZING FILLER METAL 50AG - 16CD - 15.5ZN - 15.5CU - 3.0NI 1170 TO 1270 DEG. F (632 TO 688 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: AR AS 99] [REVIEW: GS] | A | 3439 | | AS | 01-APR-92 |
| | SAE-AMS4770 | SILVER ALLOY BRAZING FILLER METAL 50AG - 18CD - 16.5ZN - 15.5CU 1160 TO 1175 DEG. F (627 TO 635 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-APR-92 |
| | SAE-AMS4772 | SILVER ALLOY BRAZING FILLER METAL 54AG - 40CU - 5.0ZN - 1.0NI 1325 TO 1575 DEG. F (718 TO 857 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 10-APR-92 |
| | SAE-AMS4765 | SILVER ALLOY BRAZING FILLER METAL 56AG - 42CU - 2.0NI 1420 TO 1640 DEG. F (771 TO 893 DEG C.) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-APR-92 |
| | SAE-AMS4773 | SILVER ALLOY BRAZING FILLER METAL 60AG - 30CU - 10SN 1115 TO 1325 DEG. F (602 TO 718 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS MI] | A | 3439 | | AS | 01-APR-92 |
| | SAE-AMS4774 | SILVER ALLOY BRAZING FILLER METAL 63AG - 28.5CU - 6.0SN - 2.5NI 1275 TO 1475 DEG. F (691 TO 802 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-APR-92 |
| | SAE-AMS4766 | SILVER ALLOY BRAZING FILLER METAL 85AG - 15MN 1760 DEG. TO 1780 DEG. F (960 DEG. TO 971 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-APR-92 |
| | SAE-AMS4767 | SILVER ALLOY BRAZING FILLER METAL 92.5AG - 7.2CU - 0.22LI 1435 TO 1635 DEG. F (779 TO 891 DEG. C) SOLIDUS-LIQUIDUS RANGE[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-APR-92 |
| | SAE-AMS2412 | SILVER PLATING COPPER STRIKE, LOW BAKE[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | 01-OCT-83 |
| | SAE-AMS2411 | SILVER PLATING FOR HIGH TEMPERATURE APPLICATIONS[CUST: AR AS 11 IS] | A | MFFP | | AR | 01-OCT-84 |
| | ASTM-B628 | SILVER-COPPER EUTECTIC ELECTRICAL CONTACT ALLOY[CUST: MR] [REVIEW: AR CR IS] | A | 9545 | | MR | 14-JUL-93 |
| | MIL-DTL-50003C | SIMULANT AGENTS, BACILLUS SPORES[CUST: EA] | X | 1365 | | EA | 22-JUL-04 |
| | EIA364.22 | SIMULATED LIFE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: AV MI] | A | 5935 | | CC | 29-JUN-01 |
| | ADV-PUB-70/33 | SIMULATION INTERFACE STANDARDS | C | ISDF | | 06 | 27-NOV-01 |
| | A-A-54287 | SIMULATION, CASUALTY KIT[CUST: MD MS 03] | A | 6910 | / | MB | 23-NOV-90 |
| A | IEEE1278.1 | SIMULATION, DISTRIBUTED INTERACTIVE - APPLICATION PROTOCOLS[CUST: AC EC 05] | A | MSSM | | DMS | 01-JUL-05 |
| A | IEEE1278.2 | SIMULATION, DISTRIBUTED INTERACTIVE - COMMUNICATION SERVICES AND PROFILES[CUST: AC EC 05] | A | MSSM | | DMS | 01-JUL-05 |
| A | IEEE1278.4 | SIMULATION, DISTRIBUTED INTERACTIVE - VERIFICATION VALIDATION & ACCREDITATION[CUST: AC EC 05] | A | MSSM | | DMS | 01-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | IEEE1278.1A | SIMULATION, DISTRIBUTED INTERACTIVE - APPLICATION PROTOCOL - ENUMERATION AND BIT-ENCODED VALUES[CUST: AC EC 05] | A | MSSM | | DMS | 01-JUL-05 |
| A | IEEE1278.3 | SIMULATION, DISTRIBUTED INTERACTIVE, EXERCISE MANAGEMENT & FEEDBACK (EMF) - RECOMMENDED PRACTICE[CUST: AC EC 05] | A | MSSM | | DMS | 01-JUL-05 |
| | QSTAG-446 ED.1 | SIMULATOR PROJECTILE, AIRBURST LIQUID M9 (SPAL)[CUST: AI] | C | ISDA | | AI | 16-OCT-79 |
| | A-A-53813 | SIMULATOR, ARRHYTHMIA, ELECTROCARDIOGRAM[CUST: MD MS 03] | A | 6910 | / | MB | 31-JAN-89 |
| | A-A-51225 | SIMULATOR, ARRHYTHMIA,ECG[CUST: MD MS 03] | A | 6910 | / | MB | 09-DEC-85 |
| | MIL-S-63433D(3) | SIMULATOR, ARTILLERY FLASH, M21, PERFORMANCE SPECIFICATION FOR[CUST: AR] | A | 1370 | | AR | 14-MAR-96 |
| | MIL-S-10521K(3) | SIMULATOR, BOOBY TRAP, FLASH, M117 PARTS FOR AND LOADING ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 11-FEB-93 |
| | MIL-S-10555H(1) NOT 1 | SIMULATOR, BOOBY TRAP, ILLUMINATING M118 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 31-OCT-90 |
| | MIL-S-10522K(1) NOT 1 | SIMULATOR, BOOBY TRAP, WHISTLING, M119, PARTS FOR AND LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1370 | | AR | 13-OCT-88 |
| | MIL-S-20441C(1) NOT 1 | SIMULATOR, FLASH ARTILLERY, M110 PARTS, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 10-AUG-90 |
| | MIL-S-70682(2) | SIMULATOR, FLASH, ARTILLERY, M21 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 20-APR-98 |
| | MIL-S-10057H(5) | SIMULATOR, HAND GRENADE, M116A1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 02-FEB-96 |
| | MIL-S-63523A(1) | SIMULATOR, LAUNCHING, ANTI - TANK, GUIDED MISSILE AND ROCKET, M22, PERFORMANCE SPECIFICATION[CUST: AR] | A | 1370 | | AR | 03-JAN-96 |
| | MIL-S-71146 | SIMULATOR, LAUNCHING, ANTI-TANK, GUIDED MISSILE AND ROCKET M22 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 21-JUN-93 |
| | MIL-S-70791(2) | SIMULATOR, MISSILE: SAGGER XM27, PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 01-FEB-96 |
| | A-A-51792A | SIMULATOR, PATIENT[CUST: MD MS 03] | A | 6515 | / | MB | 31-AUG-87 |
| | MIL-S-20517H(4) | SIMULATOR, PROJECTILE, AIR BURST, M74A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 01-FEB-96 |
| | MIL-S-10058H(4) | SIMULATOR, PROJECTILE, GROUND BURST, M115A2, PARTS FOR AND LOADING, ASSEMBLING AND PACKAGING[CUST: AR] | A | 1370 | | AR | 04-MAR-96 |
| | MIL-S-85892 | SIMULATOR, SURFACE-TO-AIR MISSILE (SMOKEY SAM SIMULATOR) SMU-124/E[CUST: OS] [REVIEW: AS] | A | 1370 | | OS | 30-NOV-90 |
| | MIL-S-70535(1) | SIMULATOR, TARGET HIT, M25 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 01-MAR-96 |
| | MIL-S-70536(2) | SIMULATOR, TARGET KILL, PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 12-FEB-93 |
| | AFGS-87241A(1) NOT 1 | SIMULATORS, FLIGHT[CUST: 11] | A | 6930 | | 11 | 31-DEC-97 |
| | CI1305 | SINGLE BRAIDED POLYESTER FIBER ROPE 12-STRAND BRAID CONSTRUCTION[CUST: GL SH 99 IS] | A | 4020 | | IS | SEPT 96 |
| | QSTAG-729 | SINGLE CHANNEL ANALOGUE INTERFACES FOR TACTICAL TRUNK SYSTEMS (BASED ON NATO STANAG 5040)[CUST: AI] | C | ISDA | | AI | 10-SEP-85 |
| | EIA455.175 | SINGLE-MODE OPTICAL FIBERS BY THE DIFFERENTIAL PHASE SHIFT METHOD, CHROMATIC DISPERSION MEASUREMENT OF[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC DI FSS MC NA SH TE] | A | 60GP | | CR | 02-JUN-93 |
| | EIA455.169 | SINGLE-MODE OPTICAL FIBERS BY THE PHASE-SHIFT METHOD, CHROMATIC DISPERSION MEASUREMENT OF[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC DI FSS MC NA SH TE] | A | 60GP | | CR | 02-JUN-93 |
| | MIL-S-37505 NOT 1 | SINK SERVICE UNIT, CLINICAL LABORATORY[CUST: MD MS 03] | A | 6545 | | MB | 09-JAN-89 |
| | MIL-S-37721 NOT 1 | SINK, CLINICAL LABORATORY, LIGHTWEIGHT[CUST: MD MS 03] | A | 6545 | | MB | 09-JAN-89 |
| | A-A-50629 | SIREN, ELECTRICAL, SHIPBOARD[CUST: SH] | A | 6350 | / | SH | 09-FEB-95 |
| | A-A-59414 | SIRENS, OUTDOOR WARNING, ELECTRONIC AND ELECTRIC-MOTOR-DRIVEN[CUST: CR4 YD 99 GS] [REVIEW: 71 EA MC MI] | A | 6350 | / | CR4 | 22-MAY-00 |
| | ASTM-D420 | SITE CHARACTERIZATION FOR ENGINEERING, DESIGN, AND CONSTRUCTION PURPOSES[CUST: YD 99 IS] [REVIEW: CG] | A | 5610 | | IS | 10-MAR-98 |
| | DI-MGMT-80033 | SITE PREPARATION REQUIREMENTS AND INSTALLATION PLAN [AMSC: G3626] | A | MGMT | | NS | 17-JUN-85 |
| | MIL-HDBK-412 NOT 1 | SITE SURVEY & FACILITY DESIGN HANDBOOK FOR SATELLITE EARTH STATIONS[CUST: CR EC 02] [REVIEW: 11 13] | A | TCSS | | CR | 24-OCT-00 |
| | MIL-HDBK-420 NOT 1 | SITE SURVEY HANDBOOK FOR COMMUNICATIONS FACILITIES[CUST: CR EC 02] [REVIEW: DC NS OM] | A | TCSS | | CR | 24-OCT-00 |
| | DI-MISC-81381 | SITE SURVEY REPORT (SSR) [AMSC: F6982] | A | MISC | | 10 | 25-JAN-94 |
| | ADV-PUB-61/102/11 | SIX-DEGREE-OF-FREEDOM IMPACT EVALUATION METHOD | C | ISDF | | 06 | 10-MAY-89 |
| | STANAG-2339 ED.1(4) | SIZE MARKING FOR OPERATIONAL FOOTWEAR | C | ISDA | | AI | PENDING |
| | SAMA-LA2.1 | SIZES FOR LABORATORY GLASSWARE[CUST: EA MS 99] | A | 6640 | | EA | 01-MAY-78 |
| | A-A-53594 | SKELETON, HUMAN[CUST: MD MS 03] | A | 6910 | / | MB | 22-JUL-88 |
| | MIL-S-9968C(1) | SKID, COMPONENTS, DOD REUSABLE[CUST: IS] | A | 3990 | | IS | 16-SEP-91 |
| | A-A-1072B | SKIMMER, KITCHEN[CUST: GL SA 99] [REVIEW: 35 84 MC MD QM1] | A | 7330 | / | GL | 22-JUL-96 |
| | A-A-51606 | SKIN CARE KIT, INTRAVENOUS CATHETER[CUST: MD MS 03] | A | 6515 | / | MB | 08-AUG-86 |
| | A-A-54421 | SKIN CLOSURE, ADHESIVE, SURGICAL, (POROUS)[CUST: MD MS 03] | A | 6510 | / | MB | 28-JUN-91 |
| A | A-A-50169A | SKIN PROTECTIVE COMPOUNDS, CHEMICAL BARRIER[CUST: GL AS 68 GS] [REVIEW: MC MD] | A | 6850 | / | 68 | 19-AUG-05 |
| | A-A-55189 | SKIRT, MATERNITY[CUST: CT] [REVIEW: MC] | A | 8410 | / | CT | 25-MAR-93 |
| | MIL-S-29629 | SKIRT, WOMAN'S (WITH WELT POCKETS)[CUST: NU CT] | A | 8410 | | CT | 01-FEB-90 |
| | MIL-DTL-29477A | SKIRT, WOMAN'S - EVENING DRESS, MUSICIAN, MATERNITY[CUST: MC] | A | 8410 | | MC | 08-OCT-97 |
| | A-A-55304 | SKIRT, WOMAN'S DRESS, POLYESTER/WOOL[CUST: GL CT] | A | 8410 | / | CT | 05-FEB-97 |
| | MIL-S-87053C | SKIRT, WOMAN'S, BELTED[CUST: NU CT] | A | 8410 | | CT | 08-AUG-88 |
| | MIL-S-29631 | SKIRT, WOMAN'S, BLUE, DRESS[CUST: NU CT] | A | 8410 | | CT | 03-JUN-91 |
| | MIL-S-87005D | SKIRT, WOMAN'S, DRESS (CG)[CUST: NU CT] | A | 8410 | | CT | 13-MAY-92 |
| | MIL-S-83234C | SKIRTS, WOMAN S, BLUE[CUST: 11 CT] [REVIEW: 99] | A | 8410 | | CT | 01-JUN-88 |
| | MIL-DTL-82126D | SKIRTS, WOMEN'S - EVENING DRESS[CUST: MC] | A | 8410 | | MC | 08-OCT-97 |
| | MIL-DTL-29394C | SKIRTS, WOMEN'S - EVENING DRESS, U. S. MARINE BAND (MUSICIAN'S)[CUST: MC] | A | 8410 | | MC | 08-OCT-97 |
| | MIL-DTL-32021 | SKIRTS, WOMEN'S - WHITE[CUST: MC] | A | 8410 | | MC | 13-FEB-98 |
| | A-A-55117 | SKIS, MILITARY, ALL TERRAIN[CUST: NU 99 CT] [REVIEW: 11 GL MC] | A | 8465 | / | CT | 11-JAN-93 |
| | DI-MISC-81119 | SKY-WAVE PROPAGATION CHARTS [AMSC: A6006] | A | MISC | | AM | 19-DEC-90 |
| | MIL-S-87063B | SLACK, UTILITY, WOMENS, DENIM[CUST: SA CT] | A | 8410 | | CT | 11-JUN-84 |
| | A-A-55210A | SLACKS, FEMALE, WORKING BLUE, POLYESTER/COTTON (CG)[CUST: CG CT] | A | 8410 | / | CT | 04-MAY-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59531 | SLACKS, MATERNITY[CUST: MC CT] | A | 8410 | * | CT | 21-DEC-99 |
| | MIL-S-44110B | SLACKS, MATERNITY, UTILITY WORK UNIFORM[CUST: GL 11 CT] [REVIEW: 99 MD] | A | 8410 | | CT | 10-JAN-91 |
| | MIL-S-87012D | SLACKS, WOMAN'S, DRESS (CG)[CUST: NU CT] | A | 8410 | | CT | 13-MAR-92 |
| | MIL-S-29432B | SLACKS, WOMEN'S[CUST: MC CT] | A | 8410 | | CT | 01-JUN-94 |
| | MIL-S-29630 | SLACKS, WOMEN'S[CUST: NU CT] | A | 8410 | | CT | 05-MAR-91 |
| | MIL-S-41825F | SLACKS, WOMEN'S[CUST: NU CT] | A | 8410 | | CT | 30-AUG-88 |
| | MIL-DTL-29479A | SLACKS, WOMEN'S[CUST: MC] | A | 8410 | | MC | 21-OCT-97 |
| | MIL-S-24948A | SLACKS, WOMEN'S (WITH SIDE POCKETS)[CUST: NU CT] | A | 8410 | | CT | 10-FEB-93 |
| | MIL-DTL-29395B | SLACKS, WOMEN'S - MUSICIAN'S[CUST: MC] | A | 8410 | | MC | 21-OCT-97 |
| | A-A-55230 | SLACKS, WOMEN'S HOSPITAL DUTY UNIFORM (HDU)[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8410 | / | CT | 23-SEP-93 |
| | MIL-S-87054C | SLACKS, WOMEN'S, BELTED[CUST: NU CT] | A | 8410 | | CT | 29-SEP-88 |
| | A-A-55285 | SLACKS, WOMEN'S, DRESS, POLYESTER/WOOL[CUST: GL CT] | A | 8410 | / | CT | 31-AUG-95 |
| | MIL-S-83482B | SLACKS, WOMENS[CUST: 11 CT] [REVIEW: 99] | A | 8410 | | CT | 01-JUN-88 |
| | ASTM-C120 | SLATE, (MODULUS OF RUPTURE, MODULUS OF ELASTICITY), FLEXURE TESTING OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 28-SEP-90 |
| | ASTM-C121 | SLATE, WATER ABSORPTION OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 27-APR-90 |
| | ASTM-C217 | SLATE, WEATHER RESISTANCE OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 29-JUN-90 |
| | MIL-S-44429 | SLEEPING BAG SYSTEM, FOR INTERMEDIATE COLD WEATHER[CUST: GL NU 99 CT] [REVIEW: MD] | A | 8465 | | CT | 05-SEP-91 |
| | A-A-50783A | SLEEPING BAG, ARCTIC SURVIVAL, CONTAINERIZED, PRESSURE VACUUM PACKED[CUST: 99 CT] [REVIEW: 11] | A | 8465 | / | CT | 22-OCT-84 |
| | MIL-S-44220A | SLEEPING BAG, COLD WEATHER AIRCRAFT SURVIVAL KIT (VACUUM PACKED)[CUST: GL CT] [REVIEW: MD] | A | 8465 | | CT | 16-JUN-89 |
| | MIL-S-43880C(1) | SLEEPING BAG, EXTREME COLD WEATHER (DOWN AND POLYESTER BATTING[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8465 | | CT | 05-SEP-85 |
| | A-A-55262 | SLEEPING BAG, MODULAR[CUST: GL MC CT] [REVIEW: 11 99] | A | 8465 | / | CT | 15-NOV-94 |
| A | MIL-DTL-85069/10A | SLEEVE (GROMMET), HARD SEAT, REDUCED HEAD, SWAGED, COUNTERSUNK, PANEL FASTENER[CUST: AV AS 99] [REVIEW: 71] | A | 5365 | | GS7 | 25-JAN-06 |
| A | MIL-DTL-85069/11A | SLEEVE (GROMMET), HARD SEAT, TENSION HEAD, SWAGED, COUNTERSUNK, PANEL FASTENER[CUST: AV AS 99] | A | 5365 | | GS7 | 25-JAN-06 |
| | MS39136F | SLEEVE COMPRESSION, TUBE-HOSE FITTING-AUTOMOTIVE AIR BRAKE HOSE ADAPTER[CUST: AT 99 CC] [REVIEW: 71 AR EA] | A | 4730 | | CC | 04-JAN-99 |
| | SAE-J506 | SLEEVE TYPE HALF BEARINGS[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | JUN-51 |
| | SAE-AS21922 | SLEEVE, COUPLING, FLARELESS[CUST: AV AS 99] | A | 4730 | | AS | AUG-98 |
| | MIL-S-52333B | SLEEVE, FILTER ELEMENT, WATER PURIFICATION UNITS[CUST: AT YD 99] [REVIEW: 84 CG MC MD MS] | A | 4610 | | CC | 04-JAN-84 |
| | SAE-AS1298 | SLEEVE, HEAVY WALL, HOSE ASSEMBLY, CHAFE GUARD, TFE[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 4720 | | AS | MAY-73 |
| | SAE-AS1292 | SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, BUTYRATE COIL[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 4720 | | AS | MAY-73 |
| | SAE-AS1295 | SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, NEOPRENE RUBBER[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 4720 | | AS | MAY-73 |
| | SAE-AS1294 | SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, NYLON COIL[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 4720 | | AS | MAY-73 |
| | SAE-AS1293 | SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, TFE COIL[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 4720 | | AS | MAY-73 |
| | SAE-AS1291 | SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, TFE OR FEP[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 4720 | | AS | NOV-86 |
| | SAE-AS1072 | SLEEVE, HOSE ASSEMBLY, FIRE PROTECTION[CUST: CR4 AS 99] [REVIEW: AV CC MI] | A | 4720 | | 99 | 20-JUN-86 |
| | SAE-AS1073 | SLEEVE, HOSE ASSEMBLY, HEAT SHRINKABLE[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 4720 | | AS | 31-AUG-89 |
| | MS27623B | SLEEVE, HOSE COUPLING[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MS27070D | SLEEVE, HOSE COUPLING[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | SAE-AS3549 | SLEEVE, REMOVABLE SELF-LOCKING NUT, UNS S30403[CUST: AR SH 99 IS] | A | 5310 | | IS | MAY-95 |
| | MS25056A NOT 1 | SLEEVE, SUPPORT, ANTENNA, EXTERNAL THREAD[CUST: AS 11] [REVIEW: 99 CC MC] | A | 5985 | | AS | 23-JAN-91 |
| | MS51844C | SLEEVE, SWAGING WIRE ROPE[CUST: AR SH 99 CC] [REVIEW: 11 71 AS AT AV EA MI] | A | 4030 | | CC | 28-JUN-85 |
| | MS39212G | SLEEVES, COMPRESSION, TUBE HOSE FITTING-SAFETY SLEEVE TYPE[CUST: AT CC] | A | 4730 | | CC | 29-MAR-05 |
| A | MIL-DTL-85069C SUP 1 | SLEEVES, FASTENER, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 71] | A | 5365 | | GS7 | 25-JAN-06 |
| A | MIL-DTL-85069/9B | SLEEVES, FASTENER, GROOVED, 100 DEG. FLUSH FULL HEAD, TENSION, 1/32 OVERSIZE[CUST: AV AS 99] | A | 5365 | | GS7 | 25-JAN-06 |
| A | MIL-DTL-85069/8B | SLEEVES, FASTENER, GROOVED, 100 DEG. FLUSH HEAD, 1/32 OVERSIZE[CUST: AV AS 99] | A | 5365 | | GS7 | 25-JAN-06 |
| A | MIL-DTL-85069/4B | SLEEVES, FASTENER, GROOVED, 100 DEG. FLUSH HEAD, 1/64 OVERSIZE[CUST: AV AS 99] | A | 5365 | | GS7 | 25-JAN-06 |
| A | MIL-DTL-85069/7B | SLEEVES, FASTENER, GROOVED, 100 DEG. FLUSH REDUCED HEAD, SHEAR, 1/32 OVERSIZE[CUST: AV AS 99] | A | 5365 | | GS7 | 25-JAN-06 |
| A | MIL-DTL-85069/3B | SLEEVES, FASTENER, GROOVED, 100 DEG. FLUSH REDUCED HEAD, SHEAR, 1/64 OVERSIZE[CUST: AV AS 99] | A | 5365 | | GS7 | 25-JAN-06 |
| A | MIL-DTL-85069/5B | SLEEVES, FASTENER, GROOVED, 100 DEGREE FLUSH FULL HEAD, TENSION, 1/64 OVERSIZE[CUST: AV AS 99] [REVIEW: 71] | A | 5365 | | GS7 | 25-JAN-06 |
| A | MIL-DTL-85069/6B | SLEEVES, FASTENER, GROOVED, PROTRUDING HEAD, SHEAR AND TENSION, 1/32 OVERSIZE[CUST: AV AS 99] | A | 5365 | | GS7 | 25-JAN-06 |
| A | MIL-DTL-85069/2B | SLEEVES, FASTENER, GROOVED, PROTRUDING HEAD, SHEAR AND TENSION, 1/64 OVERSIZE[CUST: AV AS 99] | A | 5365 | | GS7 | 25-JAN-06 |
| | ASTM-D350 | SLEEVING USED FOR ELECTRICAL INSULATION, FLEXIBLE TREATED[CUST: CR SH 11 GS2] | A | 5970 | | GS2 | 03-OCT-94 |
| | MIL-S-85848/1(1) | SLEEVING, FOR IDENTIFICATION MARKING HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 05-OCT-87 |
| | MIL-S-85848 | SLEEVING, FOR IDENTIFICATION MARKING, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 01-MAY-87 |
| | MIL-S-85848/2(1) | SLEEVING, FOR IDENTIFICATION MARKING, HEAT SHRINKABLE, POLYVINYLIDE FLUORIDE, FLEXIBLE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 05-OCT-87 |
| | A-A-59301A | SLEEVING, TEXTILE, BRAIDED, SYNTHETIC POLYMER, -67 DEGREE F (-55 DEG C) TO +221 DEG F (+105 DEG C)[CUST: MI GS2] | A | 5970 | / | GS2 | 05-MAR-03 |
| | A-A-50030A | SLICING MACHINE, BUN[CUST: GL SA 99 SS] [REVIEW: 84 MC MD MS YD] | A | 7320 | * | SS | 15-APR-88 |
| | A-A-51919 | SLIDE MICROSCOPE (PLAIN, FROSTED END)[CUST: MD MS 03] | A | 6640 | | MB | 10-APR-87 |
| | A-A-50831 | SLIDE, MICROSCOPE[CUST: MD MS] | A | 6640 | / | MB | 08-JAN-82 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-54065 | SLIDE, MICROSCOPE (BOERNER TEST)[CUST: MD MS 03] | A | 6640 | / | MB | 12-JAN-90 |
| | A-A-54628 | SLIDE, MICROSCOPE (PLAIN)[CUST: MD MS 03] | A | 6640 | / | MB | 17-APR-92 |
| | A-A-50980 | SLIDE, MICROSCOPE, (FROSTED END, BEVELED EDGE)[CUST: MD MS 03] | A | 6640 | / | MB | 15-JUL-85 |
| | BHMA-A156.14 | SLIDING AND FOLDING DOOR HARDWARE, AMERICAN NATIONAL STANDARD FOR[CUST: AR YD 99 IS] [REVIEW: CE CR4] | A | 5340 | | IS | 09-OCT-91 |
| | MIL-PRF-52342D NOT 1 | SLING ASSEMBLY: FLAKING BOX, LIFTING[CUST: AT] | A | 3835 | | AT | 15-APR-04 |
| | MIL-S-43489D | SLING, BAG AND CASE CARRYING: ST-35[CUST: GL NU CT] [REVIEW: MC MD] | A | 8465 | | CT | 13-OCT-87 |
| | MIL-S-1698G | SLING, CARRYING, BAG AND CASE[CUST: GL NU 99 CT] [REVIEW: 11 AR CR MC MD] | A | 8465 | | CT | 28-AUG-84 |
| | MIL-S-13365C | SLING, ENDLESS: WIRE-ROPE, GROMMET-TYPE[CUST: AT 99] [REVIEW: 84] | A | 3940 | | IS | 22-DEC-89 |
| | MIL-S-40046D NOT 2 | SLING, FLAGSTAFF[CUST: IH NU 11 CT] [REVIEW: 99 CG MC] | A | 8345 | | IH | 21-JUL-01 |
| | MIL-S-21042C | SLING, FLAGSTAFF: LEATHER, WHITE; WITH BRASS SOCKET[CUST: MC CT] | A | 8345 | | CT | 02-JAN-90 |
| | A-A-53322 | SLING, HEAD[CUST: MD MS 03] | A | 6530 | / | MB | 24-FEB-88 |
| | A-A-53496 | SLING, HEAD[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-88 |
| | A-A-53444 | SLING, HEAD[CUST: MD MS 03] | A | 6530 | / | MB | 29-APR-88 |
| | A-A-59343 NOT 1 | SLING, PALLET[CUST: AT SH 99] [REVIEW: 84 AV MC MT SA YD] | A | 3940 | / | IS | 13-AUG-04 |
| | MIL-DTL-28933C | SLING, SWORD, SHOULDER - NYLON WEBBING, WHITE[CUST: MC] | A | 8465 | | MC | 16-OCT-97 |
| | STANAG-4062 ED.4 | SLINGING AND TIE-DOWN FACILITIES FOR LIFTING AND TYING DOWN MILITARY EQUIPMENT FOR MOVEMENT BY LAND AND SEA | C | ISDA | | AI | 31-OCT-00 |
| | QSTAG-328 ED.2 | SLINGING AND TIEDOWN PROVISIONS FOR LIFTING AND TYING DOWN MILITARY EQUIPMENT[CUST: AI] | C | ISDA | | AI | 30-OCT-95 |
| | SAE-AS5944 | SLINGS, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 1730 | | AS | APR-99 |
| | A-A-52534 NOT 1 | SLINGS, CARGO NET: (NYLON, MANILA, OR POLYPROPYLENE) (METRIC)[CUST: AT MC 99] [REVIEW: 84] | A | 3940 | / | AT | 16-APR-04 |
| | MIL-S-18313G NOT 1 | SLINGS, CARGO, NET, NYLON WEBBING[CUST: CR4 SH 99] [REVIEW: IS MT OS SM YD] | A | 3940 | | SH | 05-FEB-91 |
| | MIL-S-70615A(2) NOT 2 | SLINGS, TOP-LIFT, FAMILY OF SLINGS[CUST: AR] | A | 3940 | | AR | 15-DEC-97 |
| | MIL-DTL-1734J | SLIP, TENT LINE[CUST: GL NU 11 CT] [REVIEW: MC MD YD] | A | 8340 | | CT | 30-JAN-02 |
| | A-A-54642 | SLIPPERS, CONVALESCENT PATIENT'S (POLYURETHANE FOAM, DISPOSABLE)[CUST: MD MS 03] | A | 6532 | / | MB | 17-MAY-92 |
| | DI-SAFT-81131 | SLOW COOK-OFF TEST DATA [AMSC: N6031] | A | SAFT | | OS | 08-MAR-91 |
| | STANAG-4382 ED.2 | SLOW HEATING, MUNITIONS TEST PROCEDURES | C | ISDF | | 06 | PENDING |
| | STANAG-2310 ED.3(6) | SMALL ARMS AMMUNITION (7.62 MM) | C | ISDA | | AI | 09-JUN-95 |
| | QSTAG-123 | SMALL ARMS AMMUNITION (7.62MM)[CUST: AI] | C | ISDA | | AI | 06-MAR-81 |
| | STANAG-4090 ED.2(4) | SMALL ARMS AMMUNITION (9MM PARABELLUM) (WITH AMD.4) | C | ISDA | | AI | 16-OCT-96 |
| | DI-MISC-80914A | SMALL ARMS SERIALIZATION PROGRAM (SASP) TRANSACTION CARD [AMSC: A6664] | A | MISC | | AM | 24-JUL-91 |
| | DI-MGMT-81642 | SMALL BUSINESS SUBCONTRACTOR REPORT [AMSC: N7519] | A | MGMT | | SA | 09-FEB-04 |
| | MIL-S-36573B(2) NOT 1 | SMOCK, DENTAL OPERATING[CUST: MD MS 03] | A | 6532 | | MB | 15-APR-91 |
| | A-A-55067 | SMOCK, FOOD INSPECTOR'S[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8415 | / | CT | 16-JUL-92 |
| | A-A-55123A | SMOCK, GENERAL PURPOSE[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8415 | / | CT | 18-NOV-94 |
| | MIL-S-44290 | SMOCK, MAN'S: HOSPITAL DUTY UNIFORM (HDU)[CUST: GL 11 CT] [REVIEW: 99 MD] | A | 8405 | | CT | 30-JUN-87 |
| | A-A-55288 | SMOCK, MEDICAL ASSISTANTS, MAN'S WHITE, COTTON-POLYESTER, DURABLE PRESS[CUST: MD MS 03 CT] [REVIEW: 11 GL NU] | A | 8415 | / | CT | 21-NOV-95 |
| | UL555S | SMOKE DAMPERS[CUST: CR4 YD] [REVIEW: CC CE MC] | A | 4520 | | IS | 1-JUN-99 |
| | ASTM-D2156 | SMOKE DENSITY IN FLUE GASES FROM BURNING DISTILLATE FUELS[CUST: AR YD 99] | A | 9140 | | YD | 15-FEB-94 |
| | ASTM-E662 | SMOKE GENERATED BY SOLID MATERIALS, SPECIFIC OPTICAL DENSITY OF[CUST: GL SH 11] | A | NDTI | | SH | 03-OCT-94 |
| | ASTM-D1322 | SMOKE POINT OF AVIATION TURBINE FUELS[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 28-SEP-90 |
| | AIR-STD-61/101/15 | SMOKE PROTECTION BREATHING EQUIPMENT USED BY MOBILE AIRCREW IN NON-EJECTION SEAT AIRCRAFT AT PRESSURE ALTITUDES UP TO 10,000FT | C | ISDF | | 06 | 02-FEB-94 |
| | A-A-20195C | SNACK FOODS[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8940 | / | SS | 25-FEB-04 |
| | PIA-PS70120 | SNAP ASSEMBLY, PARACHUTE STATIC LINE[CUST: GL AS 11 IS] [REVIEW: 71 99 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | PIA-PS70119 | SNAP ASSEMBLY-PARACHUTE CHEST TYPE PACK CONNECTOR[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | NAS1281 | SNAP HOOK[CUST: AV AS 11] [REVIEW: CR4 IS] | A | 5340 | | AS | 29-MAR-96 |
| | MS22044B NOT 2 | SNAP HOOK - COILED SPRING, PARACHUTE[CUST: GL AS 99 IS] [REVIEW: 11 71 AV GS] | A | 1670 | | GL | 29-AUG-97 |
| | PIA-PS22043 | SNAP HOOK COILED - SPRING, PARACHUTE, QUICK FIT[CUST: GL2 AS 11] [REVIEW: 71] | A | 1670 | | 11 | 14-FEB-03 |
| | PIA-PS70099 | SNAP HOOK, QUICK RELEASE[CUST: GL AS IS] | A | 5340 | | IS | 7-JAN-98 |
| | PIA-PS22042 | SNAP HOOK-QUICK CONNECTOR PARACHUTE HARNESS[CUST: GL2 AS 11] [REVIEW: 71] | A | 1670 | | 11 | 14-FEB-03 |
| | NASM43770-5 | SNAP HOOKS, CAST BODY, FIXED EYE, SLIDING BOLT CLOSURE[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-11 | SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, LIGHT DUTY[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-13 | SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-10 | SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-3 | SNAP HOOKS, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-4 | SNAP HOOKS, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-9 | SNAP HOOKS, CAST BODY, FIXED LOOP EYE, TRIGGER CLOSURE[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-12 | SNAP HOOKS, CAST BODY, FIXED ROUND EYE W/O ROLLER, FLAT SPRING CLOSURE[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-7 | SNAP HOOKS, CAST BODY, LOOP EYE SWIVEL[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-14 | SNAP HOOKS, CAST BODY, OPEN EYE, SLIDING BOLT CLOSURE[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-8 | SNAP HOOKS, CAST BODY, ROUND EYE SWIVEL[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-6 | SNAP HOOKS, CAST BODY, SWIVEL EYE, SLIDING BOLT CLOSURE[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | NASM43770-1 | SNAP HOOKS, WIRE BODY, FIXED LOOP EYE, FLAT SPRING CLOSURE, WITH RETAINER[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM43770-2 | SNAP HOOKS, WIRE BODY, FIXED LOOP EYE, SIDE RETAINING CLOSURE[CUST: GL YD 99 IS] | A | 5340 | | IS | APR-99 |
| | A-A-50041D | SNAP LINK, MOUNTAIN PITON, LOCKING AND NONLOCKING[CUST: GL NU CT] | A | 8465 | / | CT | 24-FEB-00 |
| | PIA-PS70121 | SNAP, CONNECTOR-PARACHUTE CHEST TYPE PACK[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | NASM43770 | SNAP, HOOKS[CUST: GL YD 99] | A | 5340 | | IS | SEP-99 |
| | SAE-J89 | SNOWMOBILE SEATS, DYNAMIC CUSHIONING PERFORMANCE CRITERIA FOR[CUST: AT YD 99] | A | 2340 | | AT | JAN-85 |
| | A-A-52166A | SNOWMOBILES: GASOLINE ENGINE DRIVEN, COMMERCIAL[CUST: AT 99] [REVIEW: 84 CR] | A | 2340 | / | AT | 28-JUN-96 |
| | MIL-PRF-2940D | SNUBBERS, FLUID PRESSURE, INSTRUMENT PROTECTION[CUST: CR4 SH 99] [REVIEW: 71 GS MI] | A | 6685 | | SH | 13-APR-99 |
| | FED-STD-536A(1) | SOAP AND SOAP PRODUCTS (INCLUDING SYNTHETIC DETERGENTS) SAMPLING AND TESTING[CUST: GL SH] [REVIEW: CR4 EA] | A | 7930 | * | GL | 29-MAR-94 |
| | P-S-577C(1) | SOAP, GRIT (PASTE WITH MINERAL SCURBBER, AND POWER WITH VEGETABLE SCRUBBER) | A | 8520 | # | FSS | 23-MAR-77 |
| | ASTM-D498 | SOAP, POWDERED (NONALKALINE SOAP POWDER)[CUST: GL 99] | A | 7930 | | GL | 28-NOV-74 |
| A | P-S-624J | SOAP, TIOLET (LIQUID AND PASTE)[CUST: GL 99] [REVIEW: CG MD SH] | A | 8520 | * | GL | 23-APR-80 |
| | ASTM-D1172 | SOAPS AND DETERGENTS, PH OF AQUEOUS SOLUTIONS OF[CUST: GL AS 99] | A | 7930 | | GL | 15-APR-95 |
| | ASTM-D460 | SOAPS AND SOAP PRODUCTS, SAMPLING AND CHEMICAL ANALYSIS OF[CUST: EA 68] [REVIEW: CR4 GL MD SH] | A | 6810 | | GS3 | 15-JUL-91 |
| | ASME-B107.5M | SOCKET WRENCHES, HAND (METRIC SERIES)[CUST: AR SH 99] [REVIEW: 84 AS CR4 GL GS MC YD] | A | 5120 | | AR | 21-APR-88 |
| | MIL-S-83505/2B NOT 1 | SOCKET, (LEAD, ELECTRONIC COMPONENTS) (TYPE II, PRINTED CIRCUIT)[CUST: CR EC 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| | MS24590B | SOCKET, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES, 3/16 THROUGH 3/4 INCH TUBING SIZE[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | MS24591C | SOCKET, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES. 1 THROUGH 2 INCHES TUBING SIZE[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | MS27069F | SOCKET, HOSE COUPLING[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| | MS27622A | SOCKET, HOSE COUPLING[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | A-A-52532 NOT 1 | SOCKET, KINGPIN, FIFTH WHEEL - UNIVERSAL[CUST: AT] | A | 2510 | / | AT | 16-APR-04 |
| | A-A-3042 NOT 2 | SOCKET, OPEN DETACHABLE, STANDARD WALL, OCTAGON | A | 5120 | # | FSS | 02-AUG-04 |
| | MIL-DTL-12883/56A | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, FOR RELAYS, 1-POLE, 10 AMPERES (MIL-PRF-83536/34 AND /35)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV MC OS SH] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/48D | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, FOR RELAYS, 3-POLE, 25 AMPERES (MIL-PRF-83536/32 AND /33)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC OS SH] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/47D | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, FOR RELAYS, 6-POLE, 10 AMPERES (MIL-PRF-6106 AND MIL-PRF-83536)[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV MC OS SH] | A | 5935 | | CC | 18-FEB-03 |
| | GGG-W-660A | SOCKET, SOCKET WRENCH AND ATTACHMENTS (FOR POWER DRIVEN IMPACT WRENCHES)[CUST: GL SH 99] [REVIEW: CR4 MC MI YD] | A | 5130 | * | GL | 19-SEP-73 |
| | A-A-51188A | SOCKET, TAPER, EXTENSION[CUST: AR 99 GS6] [REVIEW: 84] | A | 3460 | / | GS6 | 30-MAY-00 |
| | A-A-51189A | SOCKET, TAPER, REDUCING SLEEVE[CUST: AR 99 GS6] [REVIEW: 84] | A | 3460 | / | GS6 | 30-MAY-00 |
| | RR-S-550D(1) | SOCKET, WIRE ROPE[CUST: AR SH CC] [REVIEW: CG MC YD] | A | 4030 | / | CC | 20-FEB-86 |
| | ASTM-F438 | SOCKET-TYPE CHLORINATED POLY(VINYL CHLORIDE) (CPVC) PLASTIC PIPE FITTINGS, SCHEDULE 40[CUST: CR4 YD 99] | A | 4730 | | CC | 15-DEC-92 |
| | MIL-S-83505/7 NOT 1 | SOCKETS (LEAD ELECTRONIC COMPONENTS) (TYPE II, PRINTED CIRCUIT) LOW INSERTION FORCE (LIF)[CUST: CR EC 11] [REVIEW: 99] | A | 5935 | | CC | 29-OCT-01 |
| | MIL-DTL-83505/1F | SOCKETS (LEAD, ELECTRONIC COMPONENTS) (TYPE I, SOLDERLESS WRAP)[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 17-MAY-04 |
| | MIL-DTL-83505/8B | SOCKETS (LEAD, ELECTRONIC COMPONENTS) (TYPE I, SOLDERLESS WRAP) LOW INSERTION FORCE (LIF)[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 17-MAY-04 |
| | QPL-83505-28 | SOCKETS (LEAD, ELECTRONIC COMPONENTS) GENERAL SPECIFICATION FOR | A | 5935 | | CC | 02-JUN-04 |
| | MIL-DTL-12883/11E | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, BOTTOM MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 9 CONTACT, RADIAL)[CUST: CR EC 11 CC] [REVIEW: 70 99 AS CG MC OS SH] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/1F | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, BOTTOM MOUNTING, SADDLE TYPE 8 CONTACT, RADIAL)[CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV CG CR4 EA MC MI SH] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/10F | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, BOTTOM MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 7 CONTACT, RADIAL)[CUST: CR EC 11 CC] [REVIEW: 70 99 AR AS AT AV CG CR4 MC MI OS SH] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/42F | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (POWER TRANSISTOR, 2 CONTACT, 10 AMPERES, TO-3), RADIAL)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT AV CG CR4 MC MI OS] | A | 5935 | | CC | 06-APR-04 |
| | MIL-DTL-12883/52B | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS SOCKET ASSEMBLY FOR RELAYS, 2, 3, AND 4-POLE, TRACK MOUNT (MIL-PRF-6106, MIL-PRF- 83536, AND MIL-PRF-83726)[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/49B | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, (MOUNTING TRACKS FOR RELAYS, 10 AMPERES (MIL-R-6106, MIL-R-83536, AND MIL-83726)[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/51B | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, BRACKET AND SOCKET ASSEMBLY FOR RELAYS, 4-POLE, 10 AMPERES (MIL-PRF-6106, MIL-PRF-83536, MIL-PRF-83726)[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/50B | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, BRACKETS AND SOCKET ASSEMBLY FOR RELAYS, 2-POLE, 10 AMPERES (MIL-PRF-6106, AND MIL-PRF-83536)[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883F | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC MI OS] | A | 5935 | | CC | 18-FEB-03 |
| A | QPL-12883-38 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, GENERAL SPECIFICATION FOR | A | 5935 | | CC | 02-FEB-06 |
| | MIL-DTL-12883/53B | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, MOUNTING TRACK, FOR RELAY SOCKETS AND ELECTROMAGNETIC RELAY'S[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-83502/5D | SOCKETS PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (R052)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5935 | | CC | 10-FEB-04 |
| | MIL-DTL-83502/2G | SOCKETS PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T05, PRESS TO FIT)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5935 | | CC | 10-FEB-04 |
| | MIL-DTL-83502/1G | SOCKETS PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T07, LOW PROFILE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5935 | | CC | 10-FEB-04 |
| | MIL-DTL-83502/3E | SOCKETS PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T08)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5935 | | CC | 10-FEB-04 |
| | MIL-DTL-83505/6E | SOCKETS, (LEAD, ELECTRONIC COMPONENTS) (TYPE VI, SOLDERLESS SPRING CONTACT)[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 25-SEP-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-83505B | SOCKETS, (LEAD, ELECTRONIC COMPONENTS) GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5935 | | CC | 25-SEP-01 |
| | MIL-DTL-83734/17A | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS (FOR 32 PIN, DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-12883/40F | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS FOR RELAYS, 4-POLE, 10 AMPERES (MIL-R-6106, MIL-R-83536, MIL-R-83726, AND MS27709)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV MC OS SH] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/55A | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS SOCKET FOR MIL-PRF-6106 RELAYS[CUST: CR EC 11 CC] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/54A | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS SOCKET FOR MIL-PRF-6106 RELAYS AND MS27742 RELAYS[CUST: CR EC 11 CC] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-83734/3F | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 14 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/4E | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 16 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/5E | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 18 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/13D | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 20 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/6E | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 22 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/8E | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 24 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/7E | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 28 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/9E | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 36 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/10F | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 40 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/14D | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 48 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/1E | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 6 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/15D | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 64 PIN DUAL-IN-LINE PACKAGE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | MIL-DTL-83734/2E | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 8 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 24-SEP-01 |
| | QPL-83734-35 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, DUAL-IN-LINE (DIPS) AND SINGLE-IN-LINE PACKAGES (SIPS), GENERAL SPECIFICATION FOR | A | 5935 | | CC | 09-JUN-04 |
| | MIL-DTL-83734G(1) SUP 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, DUAL-IN-LINE (DIPS) AND SINGLE-IN-LINE PACKAGES (SIPS), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-DTL-12883/41F(1) | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, FOR RELAYS, 2-POLE, 10 AMPERES (MIL-R-6106 AND MIL-R-83536)[CUST: CR EC 11 CC] [REVIEW: 99 AR AT AV MC OS SH] | A | 5935 | | CC | 14-SEP-04 |
| | MIL-DTL-12883/46D | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, FOR RELAYS, 3-POLE, 10 AMPERES (MIL-PRF-6106 AND MIL-PRF- 83536)[CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV CG CR4 MC OS SH] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/45D(1) | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, FOR RELAYS, FOR 2-POLE, 5 AMPERES (MIL-PRF-6106 AND MIL-PRF- 83536)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC OS SH] | A | 5935 | | CC | 22-MAR-05 |
| | MIL-DTL-83734/20 NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, LOW PROFILE, (FOR 14 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 08-APR-05 |
| | MIL-DTL-83734/21 NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, LOW PROFILE, (FOR 16 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 08-APR-05 |
| | MIL-DTL-83734/22 NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, LOW PROFILE, (FOR 18 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 08-APR-05 |
| | MIL-DTL-83734/23 NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, LOW PROFILE, (FOR 20 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 08-APR-05 |
| | MIL-DTL-83734/24 NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, LOW PROFILE, (FOR 22 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 08-APR-05 |
| | MIL-DTL-83734/25(1) | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, LOW PROFILE, (FOR 24 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 05-JAN-01 |
| | MIL-DTL-83734/18 NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, LOW PROFILE, (FOR 6 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 08-APR-05 |
| | MIL-DTL-83734/19 NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, LOW PROFILE, (FOR 8 PIN DUAL-IN-LINE PACKAGES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD] | A | 5935 | | CC | 08-APR-05 |
| | MIL-DTL-83502D | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI SH] | A | 5935 | | CC | 10-FEB-04 |
| | MIL-DTL-12883/44D | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, SOCKET FOR RELAYS, 4-POLE, 5 AMPERES (MIL-PRF-6106 AND MIL-PRF-83536)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC OS SH] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-S-21433A(3) | SOCKETS, TURNBUCKLES, AND TURNBUCKLE ASSEMBLIES--WIRE ROPE, WEDGE, AND THREADED LOCK SLEEVE[CUST: SH] [REVIEW: IS] | A | 5340 | | SH | 07-JUN-66 |
| | A-A-59593 | SOCKS, EXTREME COLD WEATHER[CUST: NU 11] | A | 8440 | / | CT | 28-AUG-00 |
| | MIL-DTL-32147 | SOCKS, FLYERS' , ANTI-EXPOSURE, RUGGEDIZED[CUST: AV AS CT] [REVIEW: NU] | A | 8475 | | AS | 30-JUN-04 |
| | A-A-55300 | SOCKS, HEAVY WEIGHT, ALL WEATHER[CUST: AS] [REVIEW: CG MC NU] | A | 8415 | / | CT | 12-JUL-96 |
| | A-A-30052B | SOCKS, MEN'S[CUST: MD MS 03] | A | 8440 | * | MB | 21-DEC-90 |
| | A-A-50015C | SOCKS, STRETCH TYPE (DRESS OR LINER)[CUST: GL NU 99 CT] [REVIEW: 11 AS MC MD] | A | 8440 | / | CT | 07-AUG-96 |
| | A-A-55302 | SOCKS, WINTER (WOOL AND COTTON)[CUST: GL NU 99] [REVIEW: 11 MC MD] | A | 8440 | / | CT | 05-NOV-96 |
| | A-A-55079 | SOCKS: MEN'S, CUSHION SOLE, STRETCH TYPE[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8440 | / | CT | 01-OCT-92 |
| | ASTM-D456 | SODA (ANHYDROUS), CAUSTIC[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | EA | 31-MAY-85 |
| | ASTM-E359 | SODA ASH, ANALYSIS OF, (SODIUM CARBONATE)[CUST: EA 68 GS3] [REVIEW: CR4 GL MD OS SH] | A | 6810 | | GS3 | 26-JAN-90 |
| | NSF1 | SODA FOUNTAIN AND LUNCHEONETTE EQUIPMENT[CUST: GL YD 99] [REVIEW: 84 GS MD] | A | 73GP | | GL | 19-FEB-85 |
| | A-A-54799 | SODA LIME, NF[CUST: MD MS 03] | A | 6505 | / | MB | 22-JAN-93 |
| | ASTM-E291 | SODA, CAUSTIC, AND CAUSTIC POTASH (SODIUM HYDROXIDE AND POTASSIUM HYDROXIDE), CHEMICAL ANALYSIS OF[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | EA | 03-OCT-94 |
| | A-A-374C | SODIUM BICARBONATE, TECHNICAL[CUST: GS3] | A | 6810 | / | GS3 | 24-FEB-05 |
| | MIL-S-16917B | SODIUM BISULFATE (NITER CAKE)[CUST: SH 68] [REVIEW: AS GS] | A | 6810 | | SH | 27-AUG-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59563 | SODIUM CARBONATE, ANHYDROUS, TECHNICAL[CUST: EA YD 68] [REVIEW: AR CR4 MC MD SM] | A | 6810 | / | GS3 | 17-FEB-04 |
| | MIL-S-51132A(1) NOT 3 | SODIUM CARBOXYMETHYL CELLULOSE (NACMC) (FOR AMMUNITION USE)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 02-DEC-96 |
| | A-A-694D | SODIUM CHLORIDE, TECHNICAL[CUST: GS3] | A | 6810 | / | GS3 | 30-MAY-02 |
| | A-A-59123 | SODIUM DICHROMATE DIHYDRATE, TECHNICAL[CUST: MI OS 68 GS3] | A | 6810 | / | GS3 | 16-FEB-00 |
| | A-A-1818A | SODIUM METASILICATE, TECHNICAL[CUST: MR 68 GS3 MP] [REVIEW: 03 EA] | A | 6810 | / | GS3 | 24-MAY-05 |
| | MIL-S-322C NOT 1 | SODIUM NITRATE[CUST: AR OS 68] [REVIEW: AS EA GS MI] | A | 6810 | | AR | 04-AUG-99 |
| | O-S-634B | SODIUM NITRATE, TECHNICAL (NITRATE OF SODA)[CUST: OS] [REVIEW: GS] | A | 6810 | / | OS | 14-DEC-70 |
| | MIL-S-24521A | SODIUM NITRITE, TECHNICAL[CUST: SH] [REVIEW: GS] | A | 6810 | | SH | 20-JUN-86 |
| | MIL-S-210A | SODIUM OXALATE, TECHNICAL (METRIC)[CUST: AR OS] [REVIEW: AS GS] | A | 6810 | | OS | 23-OCT-85 |
| | O-S-639B | SODIUM PHOSPHATE, DIBASIC, ANHYDROUS, TECHNICAL[CUST: GL SH 68] [REVIEW: AS GS] | A | 6810 | / | SH | 27-AUG-84 |
| | O-S-642G | SODIUM PHOSPHATE, TRIBASIC, ANHYDROUS, DODECAHYDRATE; AND MONOHYDRATE; TECHNICAL[CUST: GL SH 68] [REVIEW: AR GS MC MD MI] | A | 6810 | / | SH | 07-MAY-93 |
| | AWWA-B502 | SODIUM POLYPHOSPHATE, GLASSY (SODIUM HEXAMETAPHOSPHATE)[CUST: EA SH 68] [REVIEW: CE MD1] | A | 6810 | | GS3 | 19-JUN-94 |
| | O-S-377B | SODIUM PYROPHOSPHATE, ANHYDROUS, TECHNICAL (TETRASODIUM-PYROPHOSPHATE) (S/S BY DOD-S-51517) | A | 6810 | # | FSS | 20-APR-66 |
| | ASTM-C88 | SODIUM SULFATE OR MAGNESIUM SULFATE, SOUNDNESS OF AGGREGATES BY USE OF[CUST: CR4 YD IS] [REVIEW: SH] | A | 5610 | | IS | 26-OCT-90 |
| | A-A-59279 NOT 1 | SODIUM SULFATE, ANHYDROUS, TECHNICAL (FOR AMMUNITION USE)[CUST: AR] [REVIEW: AV GS MD1] | A | 6810 | / | AR | 15-APR-03 |
| | A-A-59160 NOT 1 | SODIUM SULFITE, ANHYDROUS, TECHNICAL[CUST: MI 68] | A | 6810 | / | GS3 | 25-MAR-04 |
| | IEEE12207.2 | SOFTWARE LIFE CYCLE PROCESSES-IMPLEMENTATION CONSIDERATIONS[CUST: CR EC 11] [REVIEW: 02 06 13 19 AR AS AV DC3 DS IR MC MI MP NA NT OM SA SE SH TD] | A | IPSC | | EC | 27-MAY-98 |
| | DI-IPSC-81444A | SOFTWARE CENTER OPERATOR MANUAL (SCOM) [AMSC: N7379] | A | IPSC | | EC | 11-JAN-00 |
| | DI-NUOR-81412 | SOFTWARE CERTIFICATION PLAN (SCP) [AMSC: F7049] | A | NUOR | | 22 | 29-JUL-94 |
| | DI-IPSC-81435A | SOFTWARE DESIGN DESCRIPTION (SDD) [AMSC: N7360] | A | IPSC | | SA | 15-DEC-99 |
| | DOD-STD-1679A | SOFTWARE DEVELOPMENT[Military Standard][CUST: NM] [REVIEW: AS EC OS SH] | A | SESS | | NM | 22-OCT-83 |
| | DI-IPSC-81427A | SOFTWARE DEVELOPMENT PLAN (SDP) [AMSC: N7372] | A | IPSC | | EC | 10-JAN-00 |
| | DI-MCCR-80902 | SOFTWARE DEVELOPMENT SUMMARY REPORT [AMSC: G4833] | A | MCCR | | NS | 26-SEP-89 |
| | DI-MCCR-80459 | SOFTWARE DEVELOPMENTAL STATUS REPORT (SDSR) [AMSC: F4238] | A | MCCR | | 10 | 09-OCT-87 |
| | ISO15939 | SOFTWARE ENGINEERING - SOFTWARE MEASUREMENT PROCESS[CUST: AM AS 10] | A | SESS | | SE | 19-MAR-03 |
| | IEC15504-2 | SOFTWARE ENGINEERING-PROCESS ASSESSMENT PART 2, PERFORMING AN ASSESSMENT[CUST: AM AS 10] | A | SESS | | SE | 17-NOV-04 |
| | DI-IPSC-81445A | SOFTWARE INPUT/OUTPUT MANUAL (SIOM) [AMSC: N7367] | A | IPSC | | EC | 15-DEC-99 |
| | DI-IPSC-81428A | SOFTWARE INSTALLATION PLAN (SIP) [AMSC: N7373] | A | IPSC | | EC | 10-JAN-00 |
| | IEEE12207.0 | SOFTWARE LIFE CYCLE PROCESSES[CUST: CR EC 11] [REVIEW: 02 06 13 19 AR AS AV DC3 DS IR MC MI MP NA NT OM SA SE SH TD] | A | IPSC | | EC | MAR-98 |
| | IEEE12207.1 | SOFTWARE LIFE CYCLE PROCESSES-LIFE CYCLE DATA[CUST: CR EC 11] [REVIEW: 02 06 13 19 AR AS AV DC3 DS IR MC MI MP NA NT OM SA SE SH TD] | A | IPSC | | EC | 27-MAY-98 |
| | ITOP-1.1.056 | SOFTWARE PERFORMANCE TESTING AND ANALYSIS | D | ISDA | | TE | 22-MAR-02 |
| | DI-IPSC-81441A | SOFTWARE PRODUCT SPECIFICATION (SPS) [AMSC: N7366] | A | IPSC | | EC | 15-DEC-99 |
| | DI-IPSC-81633 | SOFTWARE PROGRAMMER'S GUIDE [AMSC: F7478] | A | IPSC | | 13 | 13-AUG-02 |
| | DI-IPSC-81433A | SOFTWARE REQUIREMENTS SPECIFICATION (SRS) [AMSC: N7358] | A | IPSC | | SA | 15-DEC-99 |
| | DI-IPSC-81439A | SOFTWARE TEST DESCRIPTION (STD) [AMSC: N7364] | A | IPSC | | EC | 15-DEC-99 |
| | DI-IPSC-81438A | SOFTWARE TEST PLAN (STP) [AMSC: N7363] | A | IPSC | | SA | 15-DEC-99 |
| | DI-IPSC-81440A | SOFTWARE TEST REPORT (STR) [AMSC: N7365] | A | IPSC | | EC | 15-DEC-99 |
| | DI-IPSC-81429A | SOFTWARE TRANSITION PLAN (STRP) [AMSC: N7374] | A | IPSC | | EC | 10-JAN-00 |
| | DI-IPSC-81443A | SOFTWARE USER MANUAL (SUM) [AMSC: N7378] | A | IPSC | | EC | 11-JAN-00 |
| | DI-IPSC-81442A | SOFTWARE VERSION DESCRIPTION (SVD) [AMSC: N7377] | A | IPSC | | EC | 11-JAN-00 |
| | ASTM-D1241 | SOIL - AGGREGATE SUBBASE, BASE AND SURFACE COURSES, MATERIALS FOR[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 10-NOV-00 |
| | ASTM-D3740 | SOIL AND ROCK AS USED IN ENGINEERING DESIGN AND CONSTRUCTION, MINIMUM REQUIREMENTS FOR AGENCIES ENGAGED IN THE TESTING AND/OR INSPECTION OF[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 15-JUL-92 |
| | ASTM-D2922 | SOIL AND SOIL-AGGREGATE IN PLACE BY NUCLEAR METHODS (SHALLOW DEPTH), DENSITY OF[CUST: CR4 YD 99 IS] [REVIEW: CG] | A | 5610 | | IS | 23-DEC-91 |
| | MIL-HDBK-1007/3 | SOIL DYNAMICS AND SPECIAL DESIGN ASPECTS[CUST: YD] | A | FACR | | YD | 15-NOV-97 |
| | ASTM-D2937 | SOIL IN PLACE BY THE DRIVE-CYLINDER METHOD, DENSITY OF[CUST: CR4 YD] [REVIEW: CE MC] | A | 5610 | | YD | 15-JUN-94 |
| | ASTM-D2167 | SOIL IN PLACE BY THE RUBBER BALLOON METHOD, DENSITY AND UNIT WEIGHT OF[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | YD | 15-MAR-94 |
| | ASTM-D1452 | SOIL INVESTIGATION AND SAMPLING BY AUGER BORINGS[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 12-JUN-80 |
| | ASTM-D2217 | SOIL SAMPLES FOR PARTICLE-SIZE ANALYSIS AND DETERMINATION OF SOIL CONSTANTS, WET PREPARATION OF[CUST: YD 99 IS] [REVIEW: CG] | A | 5610 | | IS | 26-JUL-85 |
| | ASTM-D4220 | SOIL SAMPLES, PRESERVING AND TRANSPORTING[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 15-APR-95 |
| | ASTM-C977 | SOIL STABILIZATION, QUICKLIME AND HYDRATED LIME[CUST: CR4 YD 99 IS] [REVIEW: CE] | A | 5610 | | IS | 15-SEP-92 |
| | ASTM-D2573 | SOIL, COHESIVE, FIELD VANE SHEAR TEST IN, STANDARD METHOD FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 21-FEB-90 |
| | ASTM-D421 | SOIL, DRY PREPARATION OF SOIL SAMPLES FOR PARTICLE-SIZE ANALYSIS AND DETERMINATION OF SOIL CONSTANTS, STANDARD PRACTICE FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 26-JUL-85 |
| | ASTM-D4083 | SOIL, FROZEN, (VISUAL-MANUAL PROCEDURE), DESCRIPTION OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 24-FEB-89 |
| | ASTM-D3441 | SOIL, MECHANICAL CONE PENETRATION TESTS OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 10-MAY-98 |
| | ASTM-D3550 | SOIL, RING-LINED BARREL SAMPLING OF, STANDARD PRACTICE FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 10-JAN-01 |
| | ASTM-D653 | SOIL, ROCK, AND CONTAINED FLUIDS, STANDARD TERMINOLOGY RELATING TO[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 01-FEB-90 |
| | ASTM-D1633 | SOIL-CEMENT CYLINDERS, COMPRESSIVE STRENGTH OF MOLDED[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 10-APR-00 |
| | ASTM-D560 | SOIL-CEMENT MIXTURES, COMPACTED, FREEZING AND THAWING[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 28-JUL-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D559 | SOIL-CEMENT MIXTURES, COMPACTED, WETTING AND DRYING[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 28-JUL-89 |
| | ASTM-D558 | SOIL-CEMENT MIXTURES, MOISTURE-DENSITY (UNIT WEIGHT) RELATIONS OF[CUST: CR4 YD IS] [REVIEW: CE CG MC] | A | 5610 | | IS | 01-OCT-82 |
| | ASTM-D2488 | SOILS (VISUAL-MANUAL PROCEDURE), DESCRIPTION AND IDENTIFICATION OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 10-FEB-00 |
| | ASTM-D4254 | SOILS AND CALCULATION OF RELATIVE DENSITY, MINIMUM INDEX DENSITY AND UNIT WEIGHT OF[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 15-AUG-91 |
| | ASTM-D3282 | SOILS AND SOIL-AGGREGATE MIXTURES FOR HIGHWAY CONSTRUCTION PURPOSES, CLASSIFICATION OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 15-SEP-93 |
| | ASTM-D698 | SOILS AND SOIL-AGGREGATE MIXTURES USING 5.5-LB (2.49-KG) RAMMER AND 12-IN (305-MM) DROP, STANDARD TEST METHODS FOR MOISTURE-DENSITY RELATIONS OF[CUST: CR4 YD 99 IS] [REVIEW: 71 CE MC] | A | 5610 | | IS | 27-APR-78 |
| | ASTM-D2487 | SOILS FOR ENGINEERING PURPOSES, CLASSIFICATION OF (UNIFIED SOIL CLASSIFICATION SYSTEM)[CUST: YD 99 IS] [REVIEW: 84 CE] | A | 5610 | | IS | 10-MAR-00 |
| | ASTM-D4429 | SOILS IN PLACE, CBR (CALIFORNIA BEARING RATIO) OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 15-SEP-93 |
| | AASHTO-T180 | SOILS USING A 4.54-KG (10-LB) RAMMER AND A 457-MM (18-IN) DROP, MOISTURE-DENSITY RELATIONS OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D4253 | SOILS USING A VIBRATORY TABLE, MAXIMUM INDEX DENSITY AND UNIT WEIGHT OF[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 02-FEB-93 |
| | ASTM-D2434 | SOILS, (CONSTANT HEAD), GRANULAR, PERMEABILITY OF[CUST: YD] | A | FACR | | YD | 13-SEP-68 |
| | ASTM-D1140 | SOILS, AMOUNT OF MATERIAL IN, FINER THAN THE NO. 200 (75-UM) SIEVE[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 15-NOV-92 |
| | AASHTO-T90 | SOILS, DETERMINING THE PLASTIC LIMIT AND PLASTICITY INDEX OF[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-D3385 | SOILS, INFILTRATION RATE OF, IN FIELD USING DOUBLE-RING INFILTROMETERS, STANDARD TEST METHODS FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 21-FEB-90 |
| | ASTM-D1883 | SOILS, LABORATORY-COMPACTED, CBR (CALIFORNIA BEARING RATIO) OF[CUST: YD 99 IS] [REVIEW: CG] | A | 5610 | | IS | 15-JUN-92 |
| | ASTM-D4318 | SOILS, LIQUID LIMIT, PLASTIC LIMIT, AND PLASTICITY INDEX OF[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 10-AUG-98 |
| | ASTM-D422 | SOILS, PARTICLE-SIZE ANALYSIS OF[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 21-NOV-63 |
| | ASTM-D854 | SOILS, SPECIFIC GRAVITY OF[CUST: YD IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 15-NOV-92 |
| | ASTM-D1587 | SOILS, THIN-WALLED TUBE SAMPLING OF, STANDARD PRACTICE FOR[CUST: YD 99 IS] [REVIEW: CG] | A | 5610 | | IS | 17-AUG-83 |
| | MIL-HDBK-1003/13A | SOLAR HEATING OF BUILDINGS & DOMESTIC HOT WATER[CUST: YD] | A | FACR | | YD | 14-JUN-85 |
| | ITOP-4.2.826 | SOLAR RADIATION TESTS | D | ISDA | | TE | 21-SEP-83 |
| | SAE-AMS4750 | SOLDER, TIN-LEAD, 45SN-55PB[CUST: MR AS 11] [REVIEW: 70 71 84 AV CR4 EA GS MC MI SH] | A | 3439 | | AS | 01-OCT-88 |
| | J-STD-003 | SOLDERABILITY TESTS FOR PRINTED BOARDS[CUST: CR EC 11 CC] [REVIEW: MI] | A | 5998 | | CC | 27-JAN-04 |
| | A-A-58061 | SOLDERING - DESOLDERING STATION[CUST: 99] [REVIEW: GS] | A | 3439 | / | 84 | 29-JUL-96 |
| | J-STD-004 | SOLDERING FLUXES REQUIREMENTS FOR[CUST: CR EC 99] [REVIEW: GS] | A | 3439 | | CR | JAN-95 |
| | A-A-59307 NOT 1 | SOLDERING GUNS, ELECTRIC[CUST: AR SH 99] | A | 3439 | / | GS6 | 10-NOV-04 |
| | A-A-59284 NOT 1 | SOLDERING IRON, ELECTRIC[CUST: AR SH 99 GS6] [REVIEW: 84 MC YD] | A | 3439 | / | GS6 | 11-MAY-05 |
| | J-STD-005 | SOLDERING PASTES REQUIREMENTS FOR[CUST: CR EC 99] [REVIEW: GS] | A | 3439 | | CR | JAN-95 |
| | A-A-59368 NOT 1 | SOLDERING/DESOLDERING, STATION[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 3439 | / | GS6 | 31-MAY-05 |
| | MIL-S-63280(1) | SOLENOID FOR MACHINE GUN, CALIBER .50, FIXED M85[CUST: AR] | A | 5945 | | AR | 15-APR-88 |
| | ARI760 | SOLENOID VALVES FOR USE WITH VOLATILE REFRIGERANTS[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | MS17981D(1) | SOLENOID, ELECTRICAL, HORN, 24 VOLT DC[CUST: AT CC] | A | 5945 | | CC | 28-MAY-04 |
| | MIL-DTL-12109/8A | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX[CUST: AT OS 11] [REVIEW: 99 AR CC EA MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-DTL-12109/21A | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) 7.62MM, 24 VOLT DC, 8 AMP MAX[CUST: AT OS 11] [REVIEW: 99 AR CC EA MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-DTL-12109/5A | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX[CUST: AT OS 11] [REVIEW: 99 AR CC EA MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-DTL-12109/13A | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX[CUST: AT OS 11] [REVIEW: 99 AR CC EA MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-DTL-12109D SUP 1 | SOLENOID, ELECTRICAL; GUN-FIRING MECHANISMS, GENERAL SPECIFICATION FOR[CUST: AT OS 11] [REVIEW: 99 AR CC EA MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-DTL-22777G | SOLES AND HEELS, RUBBER, TRACTION TREAD FOR FOOTWEAR[CUST: GL NU 11 CT] [REVIEW: 99 CG MC MD OS] | A | 8335 | | CT | 07-JUL-99 |
| | MIL-S-40043D | SOLES, RUBBER, SHOE[CUST: GL SA 99 CT] [REVIEW: 11 CG MC MD MS] | A | 8335 | | CT | 15-MAR-91 |
| | STANAG-6016 ED.1 | SOLID PROPELLANT SMOKE CLASSIFICATION | C | ISDA | | AI | 03-JUN-96 |
| | ASTM-F1700 | SOLID VINYL FLOOR TILE[CUST: CE YD 99] [REVIEW: CG FSS MC] | A | 7220 | | IS | MAR-98 |
| | ASTM-E104 | SOLUTIONS, AQUEOUS, MAINTAINING CONSTANT RELATIVE HUMIDITY BY MEANS OF[CUST: CR AS 99] | A | ENVR | | AS | 03-OCT-94 |
| | SSPC-SP1 | SOLVENT CLEANING SURFACE PREPARATION SPECIFICATION NO. 1[CUST: CR4 YD IS] [REVIEW: CC MC OS SH] | A | 8010 | | IS | 30-AUG-89 |
| | A-A-50426 | SOLVENT WIPER DISPENSING SYSTEM[CUST: GL AS 99] | A | 7930 | / | AS | 15-SEP-95 |
| | ASTM-STP403 | SOLVENT, HALOGENATED, COLD CLEANING WITH[CUST: EA SH 68] [REVIEW: AT GL MR OS YD] | A | 6810 | | GS3 | 17-MAR-82 |
| | AWPA-P9 | SOLVENTS & FORMULATION FOR ORGANIC PRESERVATIVE SYSTEMS, STANDARD FOR[CUST: MR 99] [REVIEW: 11 84 CR4] | A | 8030 | | MR | 10-DEC-87 |
| | ASTM-D268 | SOLVENTS AND CHEMICAL INTERMEDIATES FOR USE IN PAINT AND RELATED COATINGS AND MATERIAL, SAMPLING AND TESTING[CUST: EA GS3] [REVIEW: CR4 MC MD OS SH] | A | 6810 | | GS3 | 12-SEP-90 |
| | ASTM-D1296 | SOLVENTS AND DILUENTS, ODOR OF VOLATILE[CUST: MR SH 99] [REVIEW: YD] | A | 8010 | | MR | 22-JUN-90 |
| | ASTM-D2109 | SOLVENTS AND THEIR ADMIXTURES, NONVOLATILE MATTER IN HALOGENATED ORGANIC[CUST: EA SH 68] | A | 6810 | | GS3 | 15-OCT-92 |
| | ASTM-D2111 | SOLVENTS AND THEIR ADMIXTURES, SPECIFIC GRAVITYAND DENSITY OF HALOGENATED ORGANIC[CUST: EA SH 68] [REVIEW: CR4 MD] | A | 6810 | | GS3 | 15-OCT-92 |
| | SAE-AMS3166 | SOLVENTS, CLEANING, CLEANING PRIOR TO APPLICATION OF SEALING COMPOUNDS[CUST: AS] [REVIEW: GS] | A | 6850 | | AS | FEB-94 |
| | ASTM-D2989 | SOLVENTS, HALOGENATED ORGANIC AND THEIR ADMIXTURES, ACIDITY-ALKALINITY OF[CUST: EA 68] [REVIEW: CR4 MD] | A | 6810 | | GS3 | 15-APR-93 |
| | ASTM-D2942 | SOLVENTS, HALOGENATED ORGANIC, TOTAL ACID ACCEPTANCE OF (NONREFLUX METHODS)[CUST: EA AS 68] [REVIEW: GS] | A | 6810 | | AS | 03-OCT-94 |
| | ASTM-D1133 | SOLVENTS, HYDROCARBON, KAURI-BUTANOL VALUE OF[CUST: MR SH 11] | A | 8010 | | MR | 14-APR-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-E299 | SOLVENTS, ORGANIC, TRACE AMOUNTS OF PEROXIDES IN, STANDARD TEST METHOD FOR[CUST: AS 99] [REVIEW: SH] | A | 8010 | | AS | 27-NOV-02 |
| | ASTM-D3447 | SOLVENTS, PURITY OF HALOGENATED ORGANIC[CUST: EA AS 68] [REVIEW: GS] | A | 6850 | | AS | 22-JUL-86 |
| | ASTM-D2106 | SOLVENTS, THE DETERMINATION OF AMINE ACID ACCEPTANCE (ALKALINITY) OF HALOGENATED ORGANIC[CUST: EA 68] [REVIEW: GL MD SH] | A | 6810 | | GS3 | 15-MAY-92 |
| | ASTM-D2988 | SOLVENTS, WATER-SOLUBLE HALIDE ION IN HALOGENATED ORGANIC, AND THEIR ADMIXTURES, STANDARD TEST METHODS FOR[CUST: AT AS 68] | A | 9150 | | AS | 27-NOV-02 |
| | A-A-53367A | SONIC PROPHYLAXIS UNIT, DENTAL, PORTABLE, AIR DRIVEN[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | A-A-59759 | SORBENT, HAZARDOUS MATERIAL (HM)[CUST: SH 99] [REVIEW: 84 GS GS3] | A | 4235 | / | SH | 17-NOV-04 |
| | A-A-59758 | SORBENT, OIL[CUST: SH 99] [REVIEW: 84 GS GS3] | A | 4235 | / | SH | 17-NOV-04 |
| | A-A-1282A NOT 1 | SORBENT, OIL (ENCLOSED)[CUST: GL YD 99 IS] [REVIEW: 84] | A | 9330 | / | IS | 19-SEP-03 |
| | A-A-1281A NOT 1 | SORBENT, OIL (PARTICULATE)[CUST: YD 99 IS] [REVIEW: 84] | A | 9330 | / | IS | 19-SEP-03 |
| | A-A-1280B NOT 1 | SORBENT, OIL (ROLL, SWEEP, PAD)[CUST: YD 99 IS] [REVIEW: 84 AS] | A | 9330 | / | IS | 19-SEP-03 |
| | ASTM-C423 | SOUND ABSORPTION AND SOUND ABSORPTION COEFFICIENTS BY THE REVERBERATION ROOM METHOD[CUST: CR4 YD 99] [REVIEW: 11 CE MC] | A | 5640 | | IS | 30-MAR-90 |
| | SAE-AS6144 | SOUND AND THERMAL INSULATION FOR AIRCRAFT, GENERAL SPECIFICATION FOR THE INSTALLATION OF[CUST: AV AS] [REVIEW: GS] | A | 1560 | | AS | 15-OCT-97 |
| | A-A-54895 | SOUND CHAMBER AND CUFF, BLOOD PRESSURE[CUST: MD MS 03] | A | 6515 | / | MB | 16-JUL-93 |
| | AGMA6025 | SOUND FOR ENCLOSED HELICAL, HERRINGBONE AND SPIRAL BEVEL GEAR DRIVES[CUST: YD] | A | FACR | | YD | 02-JUN-04 |
| | SAE-J1166 | SOUND MEASUREMENT - OFF-ROAD SELF-PROPELLED WORK MACHINES OPERATOR-WORK CYCLE[CUST: MI YD 11] | A | HFAC | | YD | MAY-90 |
| | AMCA303 | SOUND POWER LEVEL RATINGS, APPLICATION OF[CUST: CR4 YD 99] [REVIEW: 84 CE GS] | A | 4140 | | IS | 01-APR-79 |
| | ANSI-S12.33 | SOUND POWER LEVELS OF NOISE SOURCES IN A SPECIAL REVERBERATION TEST ROOM, ENGINEERING METHODS FOR THE DETERMINIATION OF[CUST: MI YD 11] | A | FACR | | YD | 02-AUG-90 |
| | ANSI-S1.13 | SOUND PRESSURE LEVELS, METHODS FOR MEASUREMENT OF[CUST: MI AS 11] [REVIEW: AM AT CR4 MD OS TD TE YD] | A | HFAC | | MI | 21-JUN-93 |
| | EIA160 | SOUND SYSTEMS[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | DI-HFAC-80271 | SOUND TEST FAILURE NOTIFICATION AND RECOMMENDATIONS REPORT [AMSC: N4011] | A | HFAC | | SH | 30-DEC-86 |
| | ASTM-E413 | SOUND TRANSMISSION CLASS, DETERMINATION OF, STANDARD CLASSIFICATION FOR[CUST: CR4 YD 99] [REVIEW: CE] | A | FACR | | YD | 20-NOV-73 |
| | A-A-54302 | SOUND, URETHRAL, CURVED, ADULT MALE[CUST: MD MS 03] | A | 6515 | / | MB | 08-JAN-91 |
| | A-A-50990A | SOUND, URETHRAL, CURVED, VAN-BUREN[CUST: MD MS 03] | A | 6515 | / | MB | 04-OCT-85 |
| | A-A-20329A | SOUP MIXES, DEHYDRATED[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8935 | / | SS | 24-AUG-00 |
| | A-A-20297A | SOUP, NOODLE, RAMEN, INSTANT[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8935 | / | SS | 22-NOV-04 |
| | A-A-20145B | SOUPS, CANNED[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8935 | * | FV | 19-AUG-02 |
| | DI-SESS-81010C | SOURCE CONTROL DRAWING APPROVAL REQUEST [AMSC: A7538] | A | SESS | | AR | 10-SEP-04 |
| | DI-SESS-81656 | SOURCE DATA FOR FORECASTING DIMINISHING MANUFACTURING SOURCES AND MATERIAL SHORTAGES (DMSMS) [AMSC: N7558] | A | SESS | | SA | 09-MAY-05 |
| | MIL-S-38794B NOT 2 | SOURCE DATA: PREPARATION OF (FOR NON-NUCLEAR MUNITIONS DISPOSAL PROCEDURES MANUALS, LOADING PROCEDURES, MANUALS, AND POSITIONING AND TIEDOWN MANUALS)[CUST: 99] [REVIEW: 01 18] | A | 13GP | | 70 | 12-AUG-94 |
| | ASTM-D5834 | SOURCE REDUCTION REUSE, RECYCLING, AND DISPOSAL OF SOLID AND CORRUGATED FIBERBOARD (CARDBOARD)[CUST: SM YD 11] | A | 8135 | | SM | 10-SEP-95 |
| | DI-ILSS-80481A | SOURCE, MAINTENANCE AND RECOVERABILITY (SMR) CODE CHANGE REQUEST [AMSC: F5087] | A | SESS | | 10 | 03-DEC-90 |
| | DI-MGMT-80894A | SOURCE/VENDOR LIST/FOREIGN LIST [AMSC: G7017] | A | MGMT | | NS | 14-APR-94 |
| | A-A-20087B | SOY SAUCE[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8950 | / | SS | 22-SEP-00 |
| | A-A-53053 | SOYBEAN-CASEIN DIGEST AGAR MEDUIM, DEHYDRATED[CUST: MD MS 03] | A | 6545 | / | MB | 21-JUL-87 |
| | MIL-STD-1809 | SPACE ENVIRONMENT FOR USAF SPACE VEHICLES[Military Standard][CUST: 19] | A | 1810 | | 19 | 15-FEB-91 |
| | MIL-PRF-32111 | SPACE HEATER LARGE - RADIANT, NON-POWERED, LIQUID & SOLID FUEL[CUST: GL YD 99] [REVIEW: 84 IS MC MD1 QM1] | A | 4520 | | GL | 08-OCT-02 |
| | DI-MISC-80472 | SPACE OBJECT IDENTIFICATION (SOI) DISCRIMINATION (SOIDIS) REPORT [AMSC: F4253] | A | MISC | | 33 | 26-OCT-87 |
| | AIAA-R024 | SPACE OPERATIONS AND SUPPORT DOCUMENTATION, RECOMMENDED PRACTICE FOR[CUST: 16] [REVIEW: 19 99] | A | TMSS | | 16 | 04-JAN-94 |
| | DI-TCSP-80715 | SPACE USE OF REAL PROPERTY FACILITIES REPORT [AMSC: F4585] | A | TCSP | | 33 | 06-DEC-88 |
| | SAE-MA1784 | SPACER AND WASHERS, PROCUREMENT SPECIFICATION FOR, METRIC[CUST: AV 99 IS] [REVIEW: AR] | A | 53GP | | IS | 20-OCT-88 |
| | MS21126 NOT 1 | SPACER, GROOVED, SELF-RETAINING BOLT, ALUMINUM ALLOY[CUST: AS 11] [REVIEW: 71] | A | 5340 | | AS | 30-SEP-89 |
| A | MS21128 NOT 1 | SPACER, GROOVED, SELF-RETAINING BOLT, CRES[CUST: AS 99] | A | 5340 | | AS | 09-OCT-91 |
| | SAE-AS3435 | SPACER, SLEEVE - FOR .190 INCH BOLT, AMS4901 OR AMS4921[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | SEP-87 |
| | SAE-AS3436 | SPACER, SLEEVE - FOR .250 INCH BOLT, AMS4901 OR AMS4921[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | SEP-87 |
| | SAE-MA3437 | SPACER, SLEEVE - FOR 5MM BOLT, AMS4901 OR AMS4921, METRIC[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | AUG-87 |
| | SAE-MA3438 | SPACER, SLEEVE - FOR 6MM BOLT, AMS4901 OR AMS4921, METRIC[CUST: AR YD 99 GS7] | A | 5365 | | GS7 | AUG-87 |
| | NAS42 | SPACER, SLEEVE - RIVET[CUST: AV AS 11] [REVIEW: GS IS] | A | 5365 | | AS | 20-MAY-83 |
| | NAS1056 | SPACER, SLEEVE - RIVET, HIGH TEMPERATURE, NON MAGNETIC[CUST: AV AS 11] [REVIEW: GS] | A | 5365 | | AS | 28-FEB-97 |
| | NAS43 | SPACER, SLEEVE - SCREW AND BOLT[CUST: AV AS 11] [REVIEW: GS IS] | A | 5365 | | AS | 17-DEC-93 |
| | NAS1057 | SPACER, SLEEVE - SCREW AND BOLT, HIGH TEMPERATURE, NON MAGNETIC[CUST: AV AS 11] [REVIEW: GS IS] | A | 5365 | | AS | 28-FEB-97 |
| | NAS47 | SPACER, SLEEVE, NON METALLIC, SCREW & BOLT[CUST: AV AS 11 IS] [REVIEW: GS] | A | 5365 | | AS | 20-MAY-83 |
| | NAS186 | SPACER, STEPPED, SWAGE TYPE[CUST: AS 11] [REVIEW: GS IS] | A | 5365 | | AS | 30-NOV-94 |
| | A-A-55632 NOT 1 | SPACERS, FOR ROTARY SWEEPER BRUSH: FOR SWEEPER, FRONT MOUNTED OR TOWED TYPE[CUST: AT 99 IS] [REVIEW: 84] | A | 3825 | / | IS | 09-DEC-02 |
| | DI-SAFT-81136 | SPALL IMPACT TEST DATA [AMSC: N6036] | A | SAFT | | OS | 08-MAR-91 |
| | MIL-STD-1538 NOT 1 | SPARE PARTS AND MAINTENANCE SUPPORT OF SPACE AND MISSILE SYSTEMS UNDERGOING RDT&E[Military Standard][CUST: 19] | A | 1810 | | 19 | 04-SEP-92 |
| | DI-ILSS-80338 | SPARE PARTS LIST FOR COMPUTER NUMERIC CONTROL (CNC) INSTALLED ON INDUSTRIAL PLANT EQUIPMENT (IPE) [AMSC: S4094] | A | SESS | | DH | 15-APR-87 |
| | DI-ILSS-80483 | SPARE PARTS USAGE REPORT [AMSC: N4264] | A | SESS | | SA | 30-OCT-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-ILSS-80968 | SPARES CATALOGING DATA SHEETS [AMSC: N4921] | A | SESS | | SA | 08-APR-90 |
| | DI-ILSS-80967 | SPARES SHIPPING DATA SHEETS [AMSC: N4922] | A | SESS | | SA | 18-APR-90 |
| | SAE-J2162 | SPARK PLUG HEAT RATING CLASSIFICATIONS[CUST: AT 99 CC FSS] | A | 2920 | | AT | 04-APR-01 |
| | FED-STD-00143B | SPARK PLUG, HEAT RATING OF, METHOD OF CLASSIFYING | A | 2920 | # | FSS | 10-AUG-62 |
| | STANAG-2602 ED.2 | SPARKING PLUGS | C | ISDA | | AI | PENDING |
| | A-A-53224 | SPATULA, DENTAL & CARVER, DENTAL (WAX)[CUST: MD MS 03] | A | 6520 | / | MB | 29-SEP-87 |
| | A-A-53478 | SPATULA, DENTAL, (PLASTIC)[CUST: MD MS 03] | A | 6520 | / | MB | 16-MAY-88 |
| | A-A-54003 | SPATULA, DENTAL, CEMENT (NO. 313)[CUST: MD MS 03] | A | 6520 | / | MB | 20-OCT-89 |
| | A-A-53885 | SPATULA, DENTAL, CEMENT (NO. 324)[CUST: MD MS 03] | A | 6520 | / | MB | 12-JUN-89 |
| | A-A-51679 | SPATULA, LABORATORY ( HARD RUBBER)[CUST: MD MS 03] | A | 6640 | / | MB | 31-MAR-87 |
| | A-A-51335 | SPATULA, LABORATORY (CORROSION RESISTING STEEL)[CUST: MD MS 03] | A | 6640 | / | MB | 17-MAR-86 |
| | EIA-SEA103 | SPEAKERS FOR SOUND EQUIPMENT[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | DI-QCIC-80922 | SPECIAL ACCEPTANCE INSPECTION EQUIPMENT OPERATING MANUAL [AMSC: A4863] | A | QCIC | | AM | 05-JAN-90 |
| | DI-ILSS-80871 | SPECIAL EQUIPMENT COMMON AND BULK ITEMS LIST [AMSC: S4774] | A | SESS | | DH | 29-JUN-89 |
| | DI-ILSS-80867 | SPECIAL EQUIPMENT CONSUMABLE/DURABLE SUPPORT ITEMS LIST [AMSC: S4770] | A | SESS | | DH | 29-JUN-89 |
| | DI-ILSS-80866 | SPECIAL EQUIPMENT LONG LEAD TIME ITEMS LIST [AMSC: S4769] | A | SESS | | DH | 29-JUN-89 |
| | DI-ILSS-80869 | SPECIAL EQUIPMENT OTHER PROVISIONING PARTS LIST [AMSC: S4772] | A | SESS | | DH | 29-JUN-89 |
| | DI-ILSS-80870 | SPECIAL EQUIPMENT REPAIRABLE ITEMS LIST [AMSC: S4773] | A | SESS | | DH | 29-JUN-89 |
| | DI-ILSS-80868 | SPECIAL EQUIPMENT TOOLS AND TEST EQUIPMENT LIST [AMSC: S4771] | A | SESS | | DH | 29-JUN-89 |
| | DI-SESS-81004C | SPECIAL INSPECTION EQUIPMENT (SIE) DRAWINGS/MODELS AND ASSOCIATED LISTS [AMSC: A7336] | A | SESS | | AR | 10-SEP-04 |
| | DI-QCIC-81007 | SPECIAL INSPECTION EQUIPMENT CALIBRATION PROCEDURES [AMSC: D4823] | A | QCIC | | SO | 11-SEP-89 |
| | DI-QCIC-80757 | SPECIAL INSPECTION EQUIPMENT CONCEPT [AMSC: A4628] | A | QCIC | | AM | 23-JAN-89 |
| | DI-QCIC-81006 | SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOCUMENTATION [AMSC: D4822] | A | QCIC | | SO | 11-SEP-89 |
| | DI-PACK-80121B | SPECIAL PACKAGING INSTRUCTIONS (SPI) [AMSC: N7294] | A | PACK | | AS | 06-APR-98 |
| | DI-ILSS-80908 | SPECIAL PRODUCTION TOOLING LIST/DESIGN CONCEPT [AMSC: A4841] | A | SESS | | MI | 06-OCT-89 |
| | DI-MISC-81539A | SPECIAL TEST EQUIPMENT (STE) REPORT FOR ELECTRONIC TOOLING INFORMATION MANAGEMENT SYSTEM (ETIMS) [AMSC: N7527] | A | MISC | | SA | 17-MAY-04 |
| | DI-SESS-81008C | SPECIAL TOOLING (ST) DRAWINGS/MODELS AND ASSOCIATED LISTS [AMSC: A7537] | A | SESS | | AR | 10-SEP-04 |
| | DI-MISC-81538A | SPECIAL TOOLING (ST) REPORT FOR ELECTRONIC INFORMATIONMANAGEMENT SYSTEM (ETIMS) [AMSC: N7526] | A | MISC | | SA | 17-MAY-04 |
| | STANAG-4299 ED.1 | SPECIFICATION AMMONIUM PERCHLORATE (NH4C104) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C | ISDA | | AI | 15-NOV-94 |
| | DI-CMAN-80643C | SPECIFICATION CHANGE NOTICE (SCN) [AMSC: D7391] | A | SESS | | SE | 30-SEP-00 |
| | STANAG-4021 ED.3(1) | SPECIFICATION FOR CE (TETRYL) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C | ISDA | | AI | PENDING |
| | STANAG-4041 ED.1(4) | SPECIFICATION FOR DNT (DINITROTOLUENE) FOR PROPELLANTS | C | ISDN | | NM | PENDING |
| | STANAG-4477 ED.1 | SPECIFICATION FOR PAINTS AND PAINT SYSTEMS, RESISTANT TO CHEMICAL AGENTS AND DECONTAMINANTS, FOR THE PROTECTION OF AEROSPACE MILITARY EQUIPMENT | C | ISDA | | AI | 27-MAR-01 |
| | STANAG-4360 ED.1 | SPECIFICATION FOR PAINTS AND PAINT SYSTEMS, RESISTANT TO CHEMICAL AGENTS AND DECONTAMINANTS, FOR THE PROTECTION OF LAND MILITARY EQUIPMENT | C | ISDA | | AI | 27-MAR-01 |
| | STANAG-4023 ED.4 | SPECIFICATION FOR PENTHRITE (PETN) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C | ISDA | | AI | 09-APR-01 |
| | STANAG-4026 ED.2(1) | SPECIFICATION FOR PICRITE (NITROGUNIDI NE) FOR DELIVERIES FROM ONE NATO NATION FOR ANOTHER | C | ISDA | | AI | PENDING |
| | STANAG-4025 ED.3 | SPECIFICATION FOR TNT (TOLITE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C | ISDA | | AI | PENDING |
| | STANAG-4323 ED.1 | SPECIFICATION OF CALCIUM HYPOCHLORITE USED FOR BIOLOGICAL AND CHEMICAL DECONTAMINATION | C | ISDA | | AI | 20-NOV-92 |
| | STANAG-4317 ED.2 | SPECIFICATION OF COMMON CHARACTERISTICS FOR FIRE DETECTION AND FIRE FIGHTING SYSTEMS FOR FUTURE MAIN BATTLE TANKS | C | ISDA | | AI | 16-JAN-96 |
| | DI-EGDS-81181 | SPECIFICATION REQUIREMENT SHEETS [AMSC: A6044] | A | EGDS | | AM | 28-MAR-91 |
| | DI-MISC-81283 | SPECIFICATION REQUIREMENT VERIFICATION MATRIX [AMSC: N6786] | A | MISC | | SA | 11-SEP-91 |
| | AGA-REPORT-NO3PART2 | SPECIFICATIONS AND INSTALLATION REQUIREMENTS[CUST: YD] | A | FACR | | YD | 27-JUL-04 |
| | SAE-HIR4544 | SPECIFICATIONS AND STANDARDS FOR MARINE HYDRAULIC SYSTEMS AND COMPONENTS[CUST: CR4 SH 99] [REVIEW: CC CG MC YD] | A | 4810 | | SH | 20-MAY-92 |
| | DI-MISC-80749 | SPECIFICATIONS AND STANDARDS USAGE REPORT [AMSC: A4620] | A | MISC | | AM | 23-JAN-89 |
| | AA-ASM35 | SPECIFICATIONS FOR ALUMINUM SHEET METAL WORK IN BUILDING CONSTRUCTION[CUST: YD] | A | FACR | | YD | 12-MAY-04 |
| | STANAG-3715 ED.2(2) | SPECIFICATIONS FOR FILING AND CHARTING OF NON-SUB-CONTACTS (NSC) INFORMATION | C | ISDF | | 06 | 04-JUN-93 |
| | ARI700 | SPECIFICATIONS FOR FLUOROCARBONS REFRIGERANTS[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | AGMA6011 | SPECIFICATIONS FOR HIGH SPEED HELICAL GEAR UNITS[CUST: YD] | A | FACR | | YD | 02-JUN-04 |
| | ANSI-B74.12 | SPECIFICATIONS FOR THE SIZE OF ABRASIVE GRAIN GRINDING WHEELS, POLISHING & GENERAL INDUSTRIAL USES[CUST: AR SH 99] [REVIEW: 84 MC] | A | 34GP | | GS6 | 13-MAR-84 |
| | A-A-53319 | SPECIMEN KIT, SPUTUM[CUST: MD MS 03] | A | 6530 | / | MB | 26-FEB-88 |
| | A-A-51017 | SPECIMEN KIT, URINE[CUST: MD MS 03] | A | 6530 | | MB | 13-SEP-85 |
| | A-A-53847 | SPECIMEN KIT, URINE[CUST: MD MS 03] | A | 6530 | / | MB | 24-MAR-89 |
| | A-A-30085E | SPECIMEN KIT, URINE (MIDSTREAM)[CUST: MD MS 03] | A | 6530 | * | MB | 21-JUN-93 |
| | A-A-51662 | SPECIMEN TRAP, MUCUS[CUST: MD MS 03] | A | 6530 | / | MB | 19-SEP-86 |
| | ASTM-D1654 | SPECIMENS, PAINTED OR COATED, SUBJECTED TO CORROSIVE ENVIRONMENTS, EVALUATION OF[CUST: CR4 YD] [REVIEW: MR OS SH] | A | 8010 | | IS | 15-OCT-92 |
| | ASTM-G38 | SPECIMENS, STRESS-CORROSION TEST, MAKING AND USING C-RING[CUST: MR AS 99] [REVIEW: IS] | A | 95GP | | AS | 10-MAY-01 |
| | MIL-S-37954B | SPECTACLE FRAME, FRONTS AND TEMPLES, CELLULOSE ACETATE[CUST: MD MS 03] | A | 6540 | | MB | 15-AUG-90 |
| | A-A-52120 | SPECTACLES SET, BALLISTICS PROTECTIVE[CUST: GL NU 11] [REVIEW: 99 AS MC MD] | A | 8465 | / | CT | 31-DEC-92 |
| | MIL-PRF-29580C | SPECTACLES, AVIATOR'S, MULTIPLE WAVELENGTH LASER PROTECTIVE, EDU-5/P (WITH CASE)[CUST: GL AS] | A | 8465 | | AS | 17-SEP-98 |
| | A-A-53941 | SPECTACLES, POST CYCLOPLEGIC[CUST: MD MS 03] | A | 6540 | / | MB | 28-JUL-89 |
| | A-A-51907A | SPECTACLES, PROTECTIVE, DENTAL PATIENT, CLEAR LENSES[CUST: MD MS 03] | A | 6520 | / | MB | 01-DEC-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-53236 | SPECTACLES, PROTECTIVE, DENTAL PATIENT, GREEN LENSES[CUST: MD MS 03] | A | 6520 | / | MB | 29-SEP-87 |
| | MIL-PRF-44366B | SPECTACLES, PROTECTIVE, LASER, BALLISTIC (BLPS)[CUST: GL 99 CT] [REVIEW: 11] | A | 8465 | | CT | 29-APR-96 |
| | MIL-PRF-31013 | SPECTACLES, SPECIAL PROTECTIVE EYEWEAR CYLINDRICAL SYSTEM (SPECS)[CUST: GL NU 99 CT] [REVIEW: 11 AS MD] | A | 8465 | | CT | 25-APR-96 |
| | EIA-TIA455.127 | SPECTRAL CHARACTERIZATION OF MULTIMODE LASER DIODES[CUST: CR AS 11] [REVIEW: 02 13 19 99 CC MC SH TE] | A | 60GP | | CR | 09-NOV-92 |
| | ASTM-E499 | SPECTROMETER, LEAKS USING THE MASS, LEAK DETECTOR IN THE DETECTOR PROBE MODE[CUST: MR AS 11] | A | NDTI | | AS | 10-SEP-95 |
| | ASTM-E493 | SPECTROMETER, LEAKS USING THE MASS, LEAK DETECTOR IN THE INSIDE-OUT TESTING MODE[CUST: AR AS 11] | A | NDTI | | AR | 10-MAY-97 |
| | ASTM-E498 | SPECTROMETERS, LEAKS USING THE MASS, LEAK DETECTOR OR RESIDUAL GAS ANALYZER IN THE TRACER PROBE MODE[CUST: AR AS 11] | A | NDTI | | AS | 15-MAR-94 |
| | STANAG-7017 ED.1(4) | SPECTROMETRIC ANALYSIS OF AIRCRAFT ENGINE LUBRICANTS | C | ISDF | | 06 | 19-OCT-94 |
| | A-A-59112A | SPECTRUM ANALYZER 100 HZ TO 1.8 GHZ[CUST: 99] | A | 6625 | / | 84 | 18-JUN-02 |
| | ASTM-E1392 | SPECULAR OR DIFFUSE SURFACES, ANGLE RESOLVED OPTICAL SCATTER MEASUREMENTS ON[CUST: AR SH 11] [REVIEW: 99 GS NA] | A | 6650 | | AR | 10-DEC-96 |
| | A-A-51983 | SPECULUM, EAR (BOUCHERON)[CUST: MD MS 03] | A | 6515 | | MB | 22-MAY-87 |
| | A-A-51579A | SPECULUM, EYE (BARRAQUER)[CUST: MD MS 03] | A | 6515 | / | MB | 12-JUN-89 |
| | A-A-54399 | SPECULUM, NASAL (VIENNA, 5-3/4 INCH)[CUST: MD MS 03] | A | 6515 | / | MB | 17-MAY-91 |
| | A-A-54379 | SPECULUM, OTOSCOPE (PLASTIC, 4 MM, DISPOSABLE)[CUST: MD MS 03] | A | 6515 | / | MB | 22-APR-91 |
| | A-A-53024A | SPECULUM, VAGINAL (AUVARD)[CUST: MD MS 03] | A | 6515 | / | MB | 09-FEB-90 |
| | A-A-54301 | SPECULUM, VAGINAL (GRAVES)[CUST: MD MS 03] | A | 6515 | / | MB | 14-DEC-90 |
| | A-A-54351 | SPECULUM, VAGINAL (PLASTIC)[CUST: MD MS 03] | A | 6515 | / | MB | 15-MAR-91 |
| | A-A-54567 | SPECULUM, VAGINAL, PLASTIC[CUST: MD MS 03] | A | 6515 | / | MB | 24-JAN-92 |
| | ANSI-S3.2 | SPEECH OVER COMMUNICATION SYSTEMS, METHOD FOR MEASURING THE INTELLIGIBILITY OF[CUST: MI AS 11] [REVIEW: 13 19 AR AT AV CR CR4 EA EC MC MD MS OS PE SH TD TE YD] | A | HFAC | | MI | 27-MAY-93 |
| | MIL-PRF-62413A | SPEED PICKUP, MAGNETIC (METRIC)[CUST: AT] | A | 2990 | | AT | 04-DEC-95 |
| | ASME-PTC26 | SPEED-GOVERNING SYSTEMS FOR INTERNAL COMBUSTION ENGINE-GENERATOR UNITS[CUST: YD] | A | 28GP | | YD | 07-AUG-92 |
| | SAE-J678 | SPEEDOMETERS AND TACHOMETERS-AUTOMOTIVE[CUST: CR4 AS 99] [REVIEW: GS] | A | 6620 | | CR4 | DEC-88 |
| | MIL-DTL-10215K | SPEEDOMETERS; TACHOMETERS; FLEXIBLE SHAFT ASSEMBLIES; FLEXIBLE SHAFT ASSEMBLY CORES AND ADAPTERS[CUST: AT MC GS1] [REVIEW: MI] | A | 6680 | | GS1 | 20-NOV-03 |
| A | QPL-10215-18 | SPEEDOMETERS; TACHOMETERS; FLEXIBLE SHAFT ASSEMBLIES; FLEXIBLE SHAFT ASSEMBLY CORES AND ADAPTERS | A | 6680 | | GS1 | 09-JAN-06 |
| | STANAG-4330 ED.1(2) | SPHEROID FOR USE IN MARITIME TACTICAL DATA SYSTEMS | D | ISDN | | SH | 14-MAR-90 |
| | MIL-S-70547(7) | SPHEROIDAL PROPELLANT, M38 FOR USE IN PROPELLING CHARGES M218, M219, AND XM220 FOR CARTRIDGES, 81MM, SMOKE, M819, ILLUMINATING M853 AND PRACTICE, XM879[CUST: AR] | A | 1376 | | AR | 26-JUN-98 |
| | AAMI-SP10 | SPHYGMOMANOMETERS, ELECTRONIC OR AUTOMATED, AMERICAN NATIONAL STANDARD FOR[CUST: MD MS 03] | A | 6515 | | MB | 28-FEB-91 |
| | A-A-20001A | SPICES AND SPICE BLENDS[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8950 | / | SS | 27-MAR-02 |
| | FF-S-611A | SPIKE, TRACK, SQUARE SHANK[CUST: AR YD 99] [REVIEW: CR4] | A | 2250 | / | IS | 26-JUN-72 |
| | ANSI-B5.9 | SPINDLE NOSES FOR TOOL ROOM LATHES,ENGINE LATHES, TURRET LATHES, & AUTOMATIC LATHES[CUST: AR SH 99] | A | 34GP | | GS6 | 12-DEC-78 |
| | MIL-S-37952 | SPINEBOARD[CUST: MD MS 03] | A | 6530 | | MB | 03-JUN-83 |
| | MIL-S-70437(3) | SPITBACK LEAD ASSEMBLY FOR FUZE, POINT DETONATING, M759[CUST: AR] | A | 1305 | | AR | 29-SEP-94 |
| | A-A-59213 NOT 1 | SPLICE CONNECTORS[CUST: CR YD 11] [REVIEW: 03 99 AS] | A | 5940 | / | GS2 | 27-JAN-04 |
| | MIL-S-81824/3 | SPLICE, COAXIAL CABLE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1[CUST: CR AS 11] [REVIEW: 99 AV EC GS MC MI OS SH] | A | 5940 | | AS | 15-JUN-84 |
| | SAE-AS27429 | SPLICE, CONDUCTOR, DISCONNECT, CRIMP STYLE, COPPER, INSULATED BARREL, TYPE II, CLASS 1 FOR 105 DEG. C TOTAL CONDUCTOR TEMPERATURE[CUST: CR AS 11] [REVIEW: 99 AV EC MC SH] | A | 5940 | | AS | 18-AUG-04 |
| | SAE-AS6852 | SPLICE, CONDUCTOR, ELECTRIC, DISCONNECT[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | AUG-97 |
| | SAE-AS81824/1 | SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | MIL-S-81824(3) NOT 2 | SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT[CUST: CR AS 11] [REVIEW: 99 AV EC GS MC MI OS SH] | A | 5940 | | AS | 15-JUN-00 |
| | QPL-81824-5 | SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT | A | 5940 | | AS | 16-MAY-97 |
| A | QPL-24623-4 | SPLICE, FIBER OPTIC CABLE, GENERAL SPECIFICATION FOR (METRIC) | A | 6060 | | SH | 13-DEC-05 |
| | MIL-PRF-24623C | SPLICE, FIBER OPTIC CABLE, GENERAL SPECIFICATION FOR (METRIC)[CUST: CR SH 11 NA] [REVIEW: 19 70 99 AR AS CC CG EC MC MI] | A | 6060 | | SH | 24-MAY-01 |
| | MIL-PRF-24623/5C | SPLICE, FIBER OPTIC, CABLE, HOUSING[CUST: CR SH 11 NA] [REVIEW: 19 70 99 AR AS CC CG EC MC MI] | A | 6060 | | SH | 24-MAY-01 |
| | MIL-PRF-24623/4C | SPLICE, FIBER OPTIC, HOUSING, ROTARY MECHANICAL, FIBER[CUST: CR SH 11 NA] [REVIEW: 19 70 99 AR AS CC CG EC MC MI] | A | 6060 | | SH | 24-MAY-01 |
| | MS25439A | SPLICE-PERMANENT CRIMP STYLE, 2 WAY TYPE FOR ALUMINUM AIRCRAFT WIRE, CLASS 1[CUST: AS 11] [REVIEW: 99 GS] | A | 5940 | | AS | 15-MAY-64 |
| | MIL-HDBK-1277 | SPLICES, CHIPS, TERMINALS, TERMINAL BOARDS, BINDING POSTS, ELECTRICAL[CUST: CR SH 11] [REVIEW: AR AS AT EC GS MC MI OS] | A | 5940 | | CR | 20-FEB-98 |
| | SAE-AS81824 | SPLICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | AUG-98 |
| | MIL-S-81824/5 | SPLICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, KIT, SHIELDED CABLE, CLASS I[CUST: CR AS 11] [REVIEW: 99 AV EC GS MC MI OS SH] | A | 5940 | | AS | 31-JAN-90 |
| | MIL-S-81824/4 | SPLICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, SPLICE, SHIELD, SOLDER TYPE, INSULATED, CLASS I[CUST: CR AS 11] [REVIEW: 99 AV EC GS MC MI OS SH] | A | 5940 | | AS | 31-JAN-90 |
| | SAE-AS56761 | SPLICING; CABLE TERMINAL, PROCESS FOR, AIRCRAFT[CUST: AS 99] [REVIEW: GS] | A | 5130 | | AS | JUL-99 |
| | SAE-AS972 | SPLINE DETAILS, ACCESSORY DRIVES AND FLANGES[CUST: AS] [REVIEW: GS] | A | 6150 | | AS | 01-JUL-77 |
| | ANSI-B92.2M | SPLINE, METRIC MODULE INVOLUTE[CUST: AR SA 16] [REVIEW: AS AT AV CR4 DH EA OS SH YD] | A | DRPR | | AR | 13-SEP-88 |
| | ANSI-B92.2MA | SPLINE, PART III, METRIC MODULE INVOLUTE INSPECTION[CUST: AR SA 16] [REVIEW: AS] | A | DRPR | | AR | 29-MAR-85 |
| | MIL-S-37963 | SPLING, LEG THOMAS, HALF-RING, TELESCOPING[CUST: MB] | A | 6515 | | MB | 16-NOV-84 |
| | A-A-51232 | SPLINT ASSEMBLY, FULL BODY, RESCUE AND TRANSPORT KENDRICK, ADJUSTABLE, RADIOLUCENT[CUST: MD MS 03] | A | 6515 | / | MB | 21-NOV-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51430 | SPLINT SET, ARCH WIRE,DENTAL AND BAND, LIGATURE, DENTAL[CUST: MD MS 03] | A | 6520 | | MB | 20-MAY-86 |
| | A-A-53537 | SPLINT, ALL PURPOSE, EMERGENCY TRANSPORT[CUST: MD MS 03] | A | 6515 | / | MB | 22-JUN-88 |
| | A-A-51308 | SPLINT, ARM AND SPLINT, LEG (PNEUMATIC)[CUST: MD MS 03] | A | 6515 | | MB | 12-MAR-86 |
| | A-A-51236 | SPLINT, ARM PNEUMATIC, ADULT, RADIOLUCENT[CUST: MD MS 03] | A | 6515 | / | MB | 22-NOV-85 |
| | A-A-53386 | SPLINT, FINGER[CUST: MD MS 03] | A | 6515 | / | MB | 12-FEB-88 |
| | A-A-51231 | SPLINT, FOOT-ANKLE PNEUMATIC, ADULT, RADIOLUCENT[CUST: MD MS 03] | A | 6515 | / | MB | 21-NOV-85 |
| | A-A-51550 | SPLINT, HAND (MASON-ALLEN)[CUST: MD MS 03] | A | 6515 | / | MB | 14-JUL-86 |
| | A-A-53456 | SPLINT, HAND, (COCK-UP WRIST)[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-88 |
| | A-A-53183 | SPLINT, JAW (ERICH)[CUST: MD MS 03] | A | 6520 | / | MB | 21-SEP-87 |
| | A-A-51235 | SPLINT, LEG PNEUMATIC, ADULT, RADIOLUCENT[CUST: MD MS 03] | A | 6515 | / | MB | 22-NOV-85 |
| | A-A-53511 | SPLINT, LEG, (TRACTION)[CUST: MD MS 03] | A | 6515 | / | MB | 01-JUN-88 |
| | MIL-S-37581 | SPLINT, LEG, PNEUMATIC, ADULT, WRAP-AROUND, HOOK AND CORD CLOSURE[CUST: MD MS 03] | A | 6515 | | MB | 09-SEP-77 |
| | A-A-53077 | SPLINT, NASAL (BROWN STYLE)[CUST: MD MS 03] | A | 6515 | / | MB | 22-JUL-87 |
| | A-A-53521 | SPLINT, ORTHOPEDIC SHEET[CUST: MD MS 03] | A | 6510 | / | MB | 01-JUN-88 |
| | A-A-53192A | SPLINT, TRACTION-EXTRICATION[CUST: MD MS 03] | A | 6515 | / | MB | 22-JAN-88 |
| | A-A-51646 | SPLINT, UNIVERSAL[CUST: MD MS 03] | A | 6515 | / | MB | 10-SEP-86 |
| | A-A-54471 | SPLINT, WIRE (MALLEABLE ALUMINUM)[CUST: MD MS 03] | A | 6515 | / | MB | 12-AUG-91 |
| | A-A-51553 | SPLINT, WOOD[CUST: MD MS 03] | A | 6515 | / | DM | 28-JUL-86 |
| | ASTM-D1056 | SPONGE OR EXPANDED RUBBER, FLEXIBLE CELLULAR MATERIALS[CUST: MR SH 99] [REVIEW: 84 AS AT AV CR4 GL MC MI OS YD] | A | 9320 | | IS | 10-APR-00 |
| | A-A-54876 | SPONGE, ABSORBABLE GELATIN, USP[CUST: MD MS 03] | A | 6510 | / | MB | 21-MAY-93 |
| | SAE-AMS3199 | SPONGE, CHLOROPRENE (CR) RUBBER FIRM[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-93 |
| | SAE-AMS3198 | SPONGE, CHLOROPRENE (CR) RUBBER MEDIUM STIFFNESS[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-93 |
| | SAE-AMS3197 | SPONGE, CHLOROPRENE (CR) RUBBER SOFT[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-APR-93 |
| | SAE-AMS3323 | SPONGE, FLUOROSILICONE (FVM) RUBBER CLOSED CELL[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-JAN-90 |
| | A-A-54555 | SPONGE, LAPAROTOMY[CUST: MD MS 03] | A | 6510 | / | MB | 15-DEC-91 |
| | A-A-0051392 | SPONGE, LAPAROTOMY, RADIOPAQUE, 8 BY 36 INCHES[CUST: MD MS 03] | A | 6510 | / | MB | 03-APR-86 |
| | A-A-30104C | SPONGE, LAPAROTOMY, STERILE[CUST: MD MS 03] | A | 6510 | * | MB | 24-JUL-91 |
| | RR-S-615C(1) | SPONGE, METAL[CUST: GL 99] [REVIEW: MD SA] | A | 7920 | * | GL | 01-FEB-78 |
| | SAE-AMS3196 | SPONGE, SILICONE RUBBER CLOSED CELL, FIRM[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 03-JUL-85 |
| | A-A-54749 | SPONGE, SURGICAL (FOR FORCEPS)[CUST: MD MS 03] | A | 6510 | / | MB | 15-SEP-92 |
| | A-A-30173 | SPONGE, SURGICAL (NON-STERILE)[CUST: MD MS 03] | A | 6510 | * | MB | 20-APR-93 |
| | A-A-51405A | SPONGE, SURGICAL (NONWOVEN, RAYON, PATTIE, RADIOPAQUE)[CUST: MD MS 03] | A | 6510 | / | MB | 15-JUL-88 |
| | A-A-30172 | SPONGE, SURGICAL (STERILE)[CUST: MD MS 03] | A | 6510 | * | MB | 20-APR-93 |
| | A-A-30122A | SPONGE, SURGICAL - STERILE AND NONSTERILE (KERLIX)[CUST: MD MS 03] | A | 6510 | * | MB | 13-OCT-92 |
| | A-A-51391A | SPONGE, SURGICAL, (GAUZE, RADIOPAQUE, PRECOUNTED, IN TRAYS)[CUST: MD MS 03] | A | 6510 | / | MB | 16-JUN-89 |
| | A-A-51856A | SPONGE, SURGICAL, (NONWOVEN SYNTHETIC FIBER, SPEAR SHAPED)[CUST: MD MS 03] | A | 6510 | / | MB | 01-MAR-88 |
| | A-A-51865A | SPONGE, SURGICAL, (NONWOVEN SYNTHETIC FIBER, SPEAR-SHAPED)[CUST: MD MS 03] | A | 6510 | | MB | 01-MAR-88 |
| | A-A-54899 | SPONGE, SURGICAL, GAUZE[CUST: MD MS 03] | A | 6510 | / | MB | 31-AUG-93 |
| | A-A-54467 | SPONGE, SURGICAL, GAUZE (COMPRESSED)[CUST: MD MS 03] | A | 6510 | / | MB | 30-SEP-91 |
| | A-A-53331A | SPONGE, SURGICAL, GAUZE, (12 PLY, DOUBLE PACK)[CUST: MD MS 03] | A | 6510 | / | MB | 13-MAR-89 |
| | A-A-51610 | SPONGE, SURGICAL, GAUZE, BRONCHOSCOPIC[CUST: MD MS 03] | A | 6510 | / | MB | 07-AUG-86 |
| | A-A-51257 | SPONGE, SURGICAL, GAUZE, TONSIL[CUST: MD MS 03] | A | 6510 | / | MB | 22-DEC-85 |
| | A-A-0051547 | SPONGE-BRUSH, SURGICAL[CUST: MD MS 03] | A | 6510 | / | MB | 07-JUL-86 |
| | ANSI-PH1.33 | SPOOL, 16 MM 100 FT, 16MM 200 FT, 35MM 100 FT, AND 70 MM 100 FT, FOR RECORDING INSTRUMENTS AND FOR MICROFI LM AND STILL PICTURES CAMERAS, DIMENSIONS FOR[CUST: CR AS 99] | A | 6750 | | AS | 04-MAY-83 |
| | AIR-STD-80/4 | SPOOLS AND CORES FOR 70MM, 126MM AND 240MM ROLLED FILM | C | ISDF | | 06 | 29-APR-96 |
| | A-A-1082B | SPOON, FOOD SERVICE (BASTING, STRAINING, AND MIXING)[CUST: GL SA 99] [REVIEW: 84 MC MD1 QM1] | A | 7340 | * | GL | 24-JUL-96 |
| | MIL-S-4510E NOT 1 | SPOTLIGHT, INCANDESCENT, ROOF-MOUNTED, AUTOMOTIVE[CUST: YD 99 IS] [REVIEW: 71] | A | 6220 | | IS | 18-JAN-90 |
| | A-A-52488 NOT 1 | SPOTLIGHT: 24 VOLT DIRECT CURRENT[CUST: AT MC 99] [REVIEW: 71] | A | 6220 | / | AT | 14-APR-04 |
| | A-A-54875 | SPRAY BOTTLE, PLASTIC[CUST: MD MS 03] | A | 6530 | / | MB | 21-MAY-93 |
| | A-A-50310 | SPRAY GUN, PAINT (HEAVY DUTY, SIPHON FEED)[CUST: AR MC 99 CC] | A | 4940 | / | CC | 30-MAY-90 |
| | MIL-S-64052 NOT 2 | SPRAY GUN, PAINT, HEAVY DUTY, PRESSURE FEED[CUST: AR 99 CC] [REVIEW: 70 AT] | A | 4940 | | CC | 30-JUL-03 |
| | SAE-AS22805 | SPRAY KIT, SELF PRESSURIZED[CUST: AR AS 99] | A | 4940 | | AS | JUL-99 |
| | MIL-S-4953C NOT 2 | SPRAY OUTFIT, CORROSION PREVENTIVE COMPOUND AND ENGINE PREOILER, TRAILER MOUNTED, TYPE MA-2[CUST: 99] | A | 4940 | | 84 | 26-APR-02 |
| | ASTM-F1138 | SPRAY SHIELDS FOR MECHANICAL JOINTS[CUST: MR SH 99] [REVIEW: MC] | A | 4730 | | SH | 10-APR-98 |
| | A-A-52286 | SPRAYER, PESTICIDE, PUSHCART MOUNTED[CUST: MD YD 99] [REVIEW: 84 AV CC GS MC MS PM] | A | 3740 | / | MD | 10-JUL-90 |
| | A-A-55748 NOT 1 | SPRAYERS, INSECTICIDE, MANUALLY-CARRIED: HAND-OPERATED-COMPRESSION[CUST: MD YD 99 GS7] [REVIEW: 84 CG MC MS] | A | 3740 | / | GS7 | 06-MAR-00 |
| | A-A-59145 | SPRAYING UNIT, DEICING, TRUCK MOUNTED[CUST: 99] [REVIEW: GS] | A | 1730 | / | 84 | 01-DEC-97 |
| | AWS-C2.1 | SPRAYING, THERMAL, RECOMMENDED SAFE PRACTICES FOR[CUST: MR SH 11] | A | MFFP | | SH | 30-JUN-83 |
| | A-A-53321 | SPREADER BAR, HEAD SLING[CUST: MD MS 03] | A | 6530 | / | MB | 26-FEB-88 |
| | MIL-DTL-32108 | SPREADER BARS FOR LIFTING SLINGS[CUST: MT 99] | A | 3940 | | MT | 11-JUN-04 |
| | A-A-53799 | SPREADER SET, FINGER, ENDODONTIC[CUST: MD MS 03] | A | 6520 | / | MB | 31-AUG-89 |
| | A-A-53014A | SPREADER, BONE, PEDIATRIC (BABY INGE)[CUST: MD MS 03] | A | 6515 | / | MB | 13-FEB-90 |
| | A-A-54010 | SPREADER, GUTTA-PERCHA, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-90 |
| | A-A-54541 | SPREADER, PLASTIC CAST (STRYKER)[CUST: MD MS 03] | A | 6515 | / | MB | 06-DEC-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS90296C NOT 2 | SPRING, BAND, PARACHUTE CONTAINER OPENING[CUST: GL AS 99 IS] [REVIEW: 71 GS MC] | A | 1670 | | GL | 29-AUG-97 |
| | MIL-S-6715(2) NOT 3 | SPRING, HELICAL, AIRCRAFT[CUST: AS 11] [REVIEW: 99 AR AV IS MI] | A | 5340 | | AS | 15-MAR-88 |
| | MS39134E | SPRING, HELICAL, COMPRESSION, AUTOMOTIVE AIR BRAKE HOSE ADAPTER[CUST: AT 99 CC] [REVIEW: 71 AR EA] | A | 4730 | | CC | 04-JAN-99 |
| | SAE-AS24585 | SPRING, HELICAL, COMPRESSION: FOR LOADS BELOW 20 POUNDS[CUST: AV OS 99 IS] | A | 5360 | | IS | 15-MAR-02 |
| | SAE-AS24586 | SPRING, HELICAL, EXTENSION: FOR LOADS BELOW 30 POUNDS[CUST: AV OS 99 IS] | A | 5360 | | IS | 15-MAR-02 |
| | MIL-DTL-23192E | SPRINGS, HELICAL, AGE-HARDENABLE NICKEL-CHROMIUM-IRON ALLOY (UNS N07750)[CUST: SH] | F | 5360 | | SH | 05-DEC-97 |
| | SAE-AS13572 | SPRINGS, HELICAL, COMPRESSION AND EXTENSION[CUST: AR OS 99 IS] | A | 5360 | | IS | 15-MAR-02 |
| | MIL-S-24660 NOT 1 | SPRINKLER HEAD, 180 DEGREES FULL CONE[CUST: SH] | A | 4210 | | SH | 10-DEC-90 |
| | MIL-S-24686A | SPRINKLER, AUTOMATIC, QUICK RESPONSE[CUST: SH] | A | 4210 | | SH | 19-MAY-92 |
| | AGMA6010 | SPUR, HELICAL, HERRINGBONE, AND BEVEL ENCLOSED DRIVES[CUST: CR4 YD 99] | A | 3020 | | CC | NOV-88 |
| | A-A-3179A | SQUARES, MACHINISTS' COMBINATION | A | 5210 | # | FSS | 17-SEP-02 |
| | MIL-DTL-82966A | SQUIB, ELECTRIC (DELAY), SQ86[CUST: OS] | A | 1377 | | OS | 08-AUG-02 |
| | MIL-DTL-82967A | SQUIB, ELECTRIC SQ85[CUST: OS] | A | 1377 | | OS | 08-AUG-02 |
| | MIL-S-85309(3) | SQUIB, ELECTRIC, SINGLE BRIDGEWIRE[CUST: AS] | A | 1336 | | AS | 20-JAN-87 |
| | MIL-PRF-14977C | SQUIB, MARK 1 MOD 0 FOR 2.75 INCH ROCKET[CUST: OS] | A | 1340 | | OS | 18-JUN-97 |
| | STANAG-4117 ED.3(1) | STABILITY TEST PROCEDURES AND REQUIREMENTS FOR PROPELLANTS STABILIZED WITH DIPHENYLAMINE OR ETHYL CENTRALITE OR A MIXTURE OF BOTH | C | ISDA | | AI | 11-FEB-98 |
| | QPL-53021-10 | STABILIZER ADDITIVE, DIESEL FUEL | A | 6850 | | AT | 11-JAN-05 |
| | QSTAG-1030 ED.1 | STAFF PLANNING DATA REQUIREMENTS[CUST: AI] | C | ISDA | | AI | 17-DEC-96 |
| | A-A-53269A | STAINING PACK, CYTOLOGY[CUST: MD MS 03] | A | 6550 | / | MB | 11-APR-88 |
| | ASTM-A264 | STAINLESS CHROMIUM-NICKEL STEEL-CLAD PLATE[CUST: GL SH 99] | A | 9515 | | GL | 03-OCT-94 |
| | ASTM-A314 | STAINLESS STEEL BILLETS AND BARS FOR FORGING[CUST: MR SH 11] | A | FORG | | SH | 10-SEP-97 |
| | ASTM-A908 | STAINLESS STEEL NEEDLE TUBING[CUST: MR SH 99] [REVIEW: 11 AS MI] | A | 4710 | | MR | 25-MAR-92 |
| | ASTM-A268/A268M | STAINLESS STEEL TUBING FOR GENERAL SERVICE, SEAMLESS AND WELDED FERRITIC AND MARTENSITIC[CUST: EA SH 99] | A | 4710 | | EA | 03-OCT-94 |
| | A-A-51589 | STAIR, EXERCISE[CUST: MD MS 03] | A | 6530 | / | MB | 12-AUG-86 |
| | A-A-58036 | STAIRCASE, AIRCRAFT BOARDING[CUST: 99] [REVIEW: GS] | A | 1730 | / | 84 | 10-AUG-94 |
| | A-A-59716 | STAIRCASE, AIRCRAFT BOARDING CHASSIS MOUNTED, MOTORIZED (MSTA)[CUST: AV 99] [REVIEW: GS] | A | 1730 | / | 84 | 21-MAY-02 |
| | MS27280A(1) | STAKE MOUNTING, AIRPORT MARKER LIGHT[CUST: AS 99 IS] [REVIEW: 71] | A | 6210 | | IS | 05-SEP-02 |
| | GGG-S-00731A | STAKES, SHEET METALWORKING; AND PLATE, BENCH STAKEHOLDER | A | 5120 | # | FSS | 03-AUG-67 |
| | A-A-2202A | STAKES, WOOD[CUST: FSS] | A | 5510 | # | FSS | 02-OCT-97 |
| | A-A-54216 | STAND, BASIN (CORROSION-RESISTING STEEL)[CUST: MD MS 03] | A | 6530 | / | MB | 31-JUL-90 |
| | MIL-S-36423A | STAND, BASIN, FOLDING, SINGLE, ALUMINUM[CUST: MD MS 03] | A | 6530 | | MB | 15-JUN-90 |
| | MIL-S-37826 | STAND, BED SERVICE[CUST: MD MS 03] | A | 6530 | | MB | 25-AUG-78 |
| | A-A-50151 | STAND, BIBLE & MISSAL[CUST: GL PE 28] | A | 9925 | / | CT | 21-JAN-88 |
| | MIL-S-44221A | STAND, CANTEEN CUP[CUST: GL SA 99 CT] [REVIEW: MD] | A | 8465 | | CT | 03-MAR-89 |
| | A-A-51005 | STAND, DISK, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 30-AUG-85 |
| | MIL-S-28982A | STAND, FLAGSTAFF: WOOD[CUST: MC CT] | A | 8345 | | CT | 06-MAR-91 |
| | A-A-54942 | STAND, INTRAVENOUS - IRRIGATION CONTAINER[CUST: MD MS 03] | A | 6530 | / | MB | 25-JAN-94 |
| | A-A-51211 | STAND, LABORATORY APPARATUS SUPPORT[CUST: MD MS 03] | A | 6640 | / | MB | 05-DEC-85 |
| | A-A-54758 | STAND, SHELF (CORROSION RESISTING STEEL)[CUST: MD MS 03] | A | 6530 | / | MB | 15-OCT-92 |
| | MIL-S-85376A | STAND, SHIPBOARD, HELICOPTER MAINTENANCE[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 01-FEB-85 |
| | MIL-S-37223 | STAND, SURGICAL INSTRUMENT[CUST: MD MS 03] | A | 6530 | | MB | 11-JUN-76 |
| | MIL-S-36280B NOT 1 | STAND, SURGICAL INSTRUMENT[CUST: MD MS 03] [REVIEW: CR4 OS] | A | 6530 | | MB | 04-AUG-89 |
| | DI-MISC-81386A | STANDARD CONTRACT DATA FOR INPUT TO SPECIAL TOOLING/SPECIAL TEST EQUIPMENT (ST/STE) MANAGEMENT SYSTEM (D100J) [AMSC: F7067] | A | MISC | | 10 | 14-NOV-94 |
| | MIL-HDBK-290(1) | STANDARD ELECTRICAL SYMBOL LIST[CUST: SH] | A | DRPR | | SH | 06-APR-88 |
| | AIR-STD-61/101/24 | STANDARD ENVIRONMENTS FOR THE PHYSIOLOGICAL EVALUATION OF PERSONAL THERMAL CONDITIONING SYSTEMS | C | ISDF | | 06 | 12-FEB-88 |
| | AHA-A135.4 | STANDARD FOR BASIC HARDBOARD[CUST: YD] [REVIEW: 84] | A | 5640 | | IS | 02-OCT-89 |
| | FED-STD-1A | STANDARD FOR LABORATORY ATMOSPHERIC CONDITIONS FOR TESTING | A | MISC | # | FSS | 27-APR-72 |
| | UL372 | STANDARD FOR PRIMARY SAFETY CONTROLS FOR GAS & OIL FIRED APPLIANCES[CUST: GL YD 99] | A | 7310 | | GL | SEP 75 |
| | UL664 | STANDARD FOR SAFETY COMMERCIAL DRY CLEANING MACHINES (CLASS IV)[CUST: GL 99] [REVIEW: MD SH YD] | A | 3510 | | GL | 10-FEB-76 |
| | UL987 | STANDARD FOR STATIONARY & FIXED ELECTRIC TOOLS[CUST: GL SH 99] [REVIEW: GS] | A | 5130 | | GL | 20-MAY-76 |
| | QSTAG-1009 ED.1 | STANDARD FOR THE PURCHASE SPECIFICATION FOR CARBON, ACTIVATED, IMPREGNATED, ASC/TEDA[CUST: AI] | C | ISDA | | AI | 21-FEB-96 |
| | STANAG-1278 ED.1(3) | STANDARD FOR THE REQUIRED LEVEL OF COEFFICIENT OF FRICTION ON FLIGHT DECKS (INCLUDING AMENDMENT 3) | C | ISDN | | NI | 11-MAR-82 |
| | CGSB39-GP-38A | STANDARD FOR: "V" BLOCKS AND CLAMPS[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 3460 | | GS6 | SEP-75 |
| | MIL-STD-1522A NOT 3 | STANDARD GENERAL REQUIREMENTS FOR SAFE DESIGN AND OPERATION OF PRESSURIZED MISSILE AND SPACE SYSTEMS[Military Standard][CUST: 19] | A | 1810 | | 19 | 04-SEP-92 |
| | FED-STD-5F | STANDARD GUIDES FOR PREPARATION OF PROPOSED ITEM LOGISTICS DATA RECORDS[CUST: SA 99 LS] [REVIEW: EA] | A | 7610 | * | LS | 23-APR-82 |
| | STANAG-5602 ED.1 | STANDARD INTERFACE FOR MULTIPLE PLATFORM LINK EVALUATION (SIMPLE) | C | ISDA | | AI | 08-MAY-01 |
| | QSTAG-1154 ED.1 | STANDARD MARKING FOR SHIPMENT AND STORAGE[CUST: AI] | C | ISDA | | AI | 17-JAN-97 |
| | QSTAG-623 ED.1 | STANDARD METHOD OF WRITING PRESCRIPTIONS FOR SPECTACLES[CUST: AI] | C | ISDA | | AI | 09-AUG-79 |
| | STANAG-2346(6) | STANDARD METHOD OF WRITING PRESCRIPTIONS FOR SPECTACLES | C | ISDA | | AI | 16-OCT-75 |
| | QSTAG-1149 ED.1 | STANDARD METHODS OF PRESERVATION[CUST: AI] | C | ISDA | | AI | 20-MAY-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-780D | STANDARD MICROCIRCUIT DRAWINGS[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AR AS CG MC MI SH SM TD] | A | 5962 | | CC | 28-MAY-04 |
| | ASTM-D369 | STANDARD PERFORMANCE SPECIFICATION FOR WOVEN, LACE, AND KNIT HOUSEHOLD CURTAIN AND DRAPERY FABRICS[CUST: GL YD] [REVIEW: CT] | A | 8305 | | YD | 21-SEP-78 |
| | MIL-HDBK-845 | STANDARD POWER SUPPLY APPLICATIONS HANDBOOK[CUST: CR NW 99] [REVIEW: GS] | A | 6130 | | NW | 31-DEC-92 |
| | MIL-STD-1839C | STANDARD PRACTICE FOR CALIBRATION AND MEASUREMENT REQUIREMENTS[Standard Practice][CUST: MI OS 84] [REVIEW: 11 13 19 AR AS AT AV CR EC MC NM SH TD TM] | A | QCIC | | 84 | 27-NOV-00 |
| | MIL-STD-38784(1) NOT 2 | STANDARD PRACTICE FOR MANUALS, TECHNICAL: GENERAL STYLE AND FORMAT REQUIREMENTS[Standard Practice][CUST: TM OS 16] [REVIEW: 01 99 AR AS AT CE CR EC GS IS MC MI SH TD YD] | A | TMSS | | 16 | 01-DEC-00 |
| | ASTM-E1249 | STANDARD PRACTICE FOR MINIMIZING DOSIMETRY ERRORS IN RADIATION HARDNESS TESTING OF SILICON ELECTRONIC DEVICES USING CO-60 SOURCES[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD] | A | 5962 | | CC | 30-OCT-00 |
| | ASTM-F458 | STANDARD PRACTICE FOR NONDESTRUCTIVE PULL TESTING OF WIRE BONDS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD] | A | 5962 | | CC | 30-OCT-00 |
| | ASTM-F1000 | STANDARD PRACTICE FOR PIPING SYSTEM DRAWING SYMBOLS[CUST: AR SH 99] [REVIEW: AS CC CR4 MR YD] | A | DRPR | | SH | 15-AUG-93 |
| | MIL-STD-2413 NOT 1 | STANDARD PRACTICE FOR STANDARD LINEAR FORMAT (SLF) FOR DIGITAL CARTOGRAPHIC FEATURE DATA[Standard Practice] | A | GINT | | MP | 31-MAR-04 |
| | ASTM-B660 | STANDARD PRACTICES FOR PACKAGING OF ALUMINUM AND MAGNESIUM PRODUCTS[CUST: SM AS 99 GS3] [REVIEW: 11 84 AR AT CR4 DH EA EC MC SA SH YD] | A | PACK | | GS3 | 24-SEP-93 |
| | AWPA-M3 | STANDARD QUALITY CONTROL PROCEDURES FOR WOOD PRESERVING PLANTS[CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM YD] | A | 5510 | | IS | 20-JAN-93 |
| | STANAG-3817 ED.5(1) | STANDARD R/T PHRASEOLOGY TO BE USED BY AIR TRAFFIC CONTROL | C | ISDF | | 06 | 16-SEP-99 |
| | AIR-STD-20/32(1) | STANDARD RAIL FOR LAUNCH OF 0-68 KG (0-150 LB) MISSLES FROM HELICOPTERS | C | ISDF | | 06 | 31-JUL-02 |
| | STANAG-7081 ED.1(1) | STANDARD RAIL FOR LAUNCH OF 0-68 KILOGRAM (0-150 POUND) MISSILES FROM HELICOPTERS | C | ISDF | | 06 | 10-NOV-97 |
| | STANAG-1218 ED.2 | STANDARD RECEPTION STATION ARRANGEMENTS DESIGNED TO SUPPORT UP TO 250 KILOGRAMES (550 POUNDS) TRANSFER LOAD | C | ISDN | | SH | PENDING |
| | AIR-STD-90/17 | STANDARD SCALES FOR AERONAUTICAL CHARTS | C | ISDF | | 06 | 06-OCT-95 |
| | QSTAG-1181 ED.1 | STANDARD SCALES FOR LAND MAPS AND AERONAUTICAL CHARTS[CUST: AI] | C | ISDA | | AI | 12-SEP-95 |
| | STANAG-3677 ED.3 | STANDARD SCALES FOR LAND MAPS AND AERONAUTICAL CHARTS | C | ISDF | | 06 | 21-JAN-00 |
| | QSTAG-1182 ED.1 | STANDARD SCALES FOR LAND MAPS AND AERONAUTICAL CHARTS[CUST: AI] | C | ISDA | | AI | 12-SEP-95 |
| D | FIPS-PUB-188 | STANDARD SECURITY LABEL FOR INFORMATION TRANSFER[CUST: CR OM] | A | DCPS | | DC1 | 06-SEP-94 |
| | STANAG-1166 ED.6 | STANDARD SHIP DESIGNATOR SYSTEM | C | ISDN | | NI | 02-OCT-00 |
| | STANAG-4153 ED.1(7) | STANDARD SPECIFICATION FOR AN ASYNCHRONOUS SERIAL DATA INTERFACE FOR POINT TO POINT CONNECTIONS & FOR CONNECTION TO DATA NETWORKS IN NATO SYSTEMS (INCLUDING AMENDMENTS 1 THRU 7) | C | ISDN | | NI | PENDING |
| | STANAG-4222 ED.1(1) | STANDARD SPECIFICATION FOR DIGITAL REPRESENTATION OF SHIPBOARD DATA PARAMETERS (INCLUDING AMENDMENT 1) | D | ISDN | | NI | 14-MAR-90 |
| | ASTM-D5486/D5486M | STANDARD SPECIFICATION FOR PRESSURE-SENSITIVE TAPE FOR PACKAGING, BOX CLOSURE, AND SEALING[CUST: SM AS 11 DH] [REVIEW: 71 84 99 AR AV CR CR4 DS FSS GL MC MI OS SA SH YD] | A | 7510 | | SM | DEC-95 |
| | DI-TMSS-80513 | STANDARD SUBMARINE DAMAGE CONTROL BOOK [AMSC: N4302] | A | TMSS | | SH | 25-JAN-88 |
| | MIL-STD-291C | STANDARD TACTICAL AIR NAVIGATION (TACAN) SIGNAL[Interface Standard][CUST: AV AS 11] [REVIEW: GS] | A | 5826 | | AS | 10-FEB-98 |
| | ASTM-D1968 | STANDARD TERMINOLOGY RELATING TO PAPER AND PAPER PRODUCTS[CUST: SM SA 11 DH] [REVIEW: AR AS AT AV CR DM EA GL GS MC MI SS YD] | A | PACK | | SM | 02-JUN-97 |
| | ASTM-F459 | STANDARD TEST METHODS FOR MEASURING PULL STRENGTH OF MICROELECTRONIC WIRE BONDS[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD] | A | 5962 | | CC | 30-OCT-00 |
| | STANAG-1411 ED.1 | STANDARD TO QUANTIFY THE CHARACTERISTICS OF CARBON DIOXIDE (CO2) ABSORBENT MATERIAL FOR DIVING APPLICATIONS | C | ISDN | | NI | 04-SEP-00 |
| | STANAG-2201 ED.3(5) | STANDARD UNIT OF VERTICAL MEASURE TO BE SHOWN ON LAND MAPS | C | ISDF | | 06 | PENDING |
| | QSTAG-541 | STANDARD UNIT OF VERTICAL MEASURE TO BE SHOWN ON LAND MAPS (BASED ON NATD STANAG 2201) (ABCA 541)[CUST: AI] | C | ISDA | | AI | 18-JUN-84 |
| | STANAG-1410 ED.1 | STANDARD UNMANNED TEST PROCEDURES FOR UNDERWATER BREATHING APPARATUS | C | ISDN | | NI | 15-JAN-97 |
| | MIL-S-81282B | STANDARD, FREE WATER DETECTOR[CUST: AV AS 11] [REVIEW: 68 CR4 MR] | A | 6640 | | AS | 22-JAN-93 |
| | STANAG-4482 ED.1 | STANDARDISED INFORMATION TECHNOLOGY PROTOCOLS FOR DISTRIBUTED INTERACTIVE SIMULATION (DIS) | C | ISDA | | AI | 28-JUN-95 |
| | STANAG-4534 ED.1 | STANDARDISED TECHNICAL DATA FOR THE DETERMINATION OF INTERCHANGEABILITY OF COMPONENTS OF ARTILLERY AND MORTAR SYSTEMS | C | ISDA | | AI | 23-NOV-98 |
| | DI-GDRQ-80941 | STANDARDIZATION ACCOMPLISHMENT REPORT [AMSC: N4884] | A | SESS | | AS | 07-FEB-90 |
| A | SD-1 | STANDARDIZATION DIRECTORY[CUST: AM NM 01 DH DC1] [REVIEW: DA] | A | SDMP | | SO | 01-JAN-06 |
| | STANAG-2897 ED.3(2) | STANDARDIZATION OF EOD EQUIPMENT REQUIREMENTS AND EQUIPMENT (INCLUDING AMENDMENTS 1 & 2) | C | ISDA | | AI | 04-JUL-94 |
| | QSTAG-670 | STANDARDIZATION OF PROOF PHILOSOPHIES & PRACTICES FOR ABCA GUNS, MORTARS, AMMUNITION & EQUIPMENT UTILIZED AT PROOF RANGES (WITH AMENDMENT 1 & 2)[CUST: AI] | C | ISDA | | AI | 26-APR-84 |
| | STANAG-4455 ED.1 | STANDARDIZATION OF VME BUS FOR USE IN TACTICAL LAND VEHICLES | C | ISDA | | AI | 25-JUN-96 |
| | STANAG-2601 ED.3 | STANDARDIZATION OF VOLTAGE OF ELECTRICAL SYSTEMS IN TACTICAL VEHICLES | C | ISDA | | AI | PENDING |
| | QAP-100 ED.1 | STANDARDIZATION PROGRAM 2.75 INCH ROCKET AND LAUNCHER | C | ISDA | | AI | 21-MAY-91 |
| | STANAG-3300 ED.4(1) | STANDARDIZED AIRCRAFT ARMAMENT TERMINOLOGY | C | ISDF | | 06 | 29-JUL-02 |
| | STANAG-3908 ED.2 | STANDARDIZED AVIONICS TERMINOLOGY AND ABBREVIATIONS - AAP-33 | C | ISDF | | 06 | 22-JUL-98 |
| | ADV-PUB-61/103/5A(1) | STANDARDIZED CENTRIFUGE G-STRESS PROFILES FOR MEDICAL EVALUATION OF AIRCREW MEMBERS (WITH CHANGE 1) | C | ISDF | | 06 | 11-SEP-84 |
| | AIR-STD-20/20B(1) | STANDARDIZED DATA LIST FOR INTEROPERABILITY STUDIES AND CERTIFICATION OF AIRCRAFT STORES | C | ISDF | | 06 | 18-JUL-91 |
| | AIR-STD-61/103/11(1) | STANDARDIZED MECHANICAL ANTI-G VALVE PROCEDURES (INCLUDING CHANGE NOTICE 1) | C | ISDF | | 06 | 17-NOV-99 |
| | ADV-PUB-61/103/11(1) | STANDARDIZED MECHANICAL ANTI-G VALVE TEST PROCEDURES | C | ISDF | | 06 | 12-FEB-88 |
| | AIR-STD-90/10(1) | STANDARDIZED PHRASEOLOGY FOR AIR TRAFFIC CONTROL (ATC) | C | ISDF | | 06 | 02-MAY-97 |
| | STANAG-4361 ED.1 | STANDARDIZED PROCEDURES FOR EVALUATING THE EFFECTIVENESS OF OBSCURANTS | C | ISDA | | AI | 20-APR-00 |
| | MIL-STD-188-176(1) | STANDARDIZED PROFILE FOR ASYNCHRONOUS TRANSFER MODE (ATM)[Interface Standard][CUST: CR EC 02 DC1] [REVIEW: 11 13 19 93 AS DH DI IR MC MP NS SH] | A | TCSS | | DC1 | 20-OCT-97 |
| | STANAG-4194 ED.1(5) SUP 1 | STANDARDIZED WAVE AND WIND ENVIRONMENTS AND SHIPBOARD REPORTING OF SEA CONDITIONS | D | ISDN | | SH | 18-APR-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SES1 | STANDARDS DESIGNATION AND ORGANIZATION RECOMMENDED PRACTICE FOR[CUST: AR SH 11 DH] [REVIEW: 01 02 16 19 22 35 50 68 70 71 84 99 AS AT AV CC CE CG CR CR4 CT DAU DC DM DP DS EA EC GL GS IS MC MD MI MP MR MT OS PS SA SM SS TE TM YD] | A | SDMP | | SO | 1995 |
| | STANAG-3609 ED.3(4) | STANDARDS FOR MAINTENANCE OF FIXED AVIATION FUEL RECEIPT, STORAGE AND DISPENSING SYSTEMS | C | ISDF | | 06 | 13-JUN-94 |
| | STANAG-1418 ED.2 | STANDARDS FOR MINE WARFARE ACOUSTIC MEASUREMENT - AMP-15 | C | ISDN | | NI | 10-APR-02 |
| | QSTAG-496(2) | STANDARDS FOR NBC PROTECTIVE MASK & CANISTER SCREW THREADS[CUST: AI] | C | ISDA | | AI | 25-JUN-84 |
| | ABCA-STD-55 | STANDARDS FOR RADIOACTIVE CONTAMINATION LIMITS IN WATER | C | ISDN | | SH | 28-FEB-74 |
| | QSTAG-838 ED.1 | STANDARDS FOR TEST METHODS FOR GENERAL SERVICE RESPIRATORS/MASKS, CANISTERS AND MATERIALS (VOLUMES 1 AND 2)[CUST: AI] | C | ISDA | | AI | 10-MAR-92 |
| | STANAG-1136 ED.3(1) | STANDARDS FOR USE WHEN MEASURING AND REPORTING RADIATED NOISE CHARACTERISTICS OF SURFACE SHIPS SUBMARINES HELICOPTERS ETC. IN RELATION TO SONAR DETECTION AND TORPEDO ACQUISITION RISK | C | ISDN | | NI | 29-NOV-95 |
| | AMCA99 | STANDARDS HANDBOOK[CUST: YD IS] | A | 4140 | | IS | 06-SEP-91 |
| | STANAG-3583 ED.3(5) | STANDARDS OF ACCURACY FOR DIFFERENTIAL PRESSURE GAUGES FOR AVIATION FUEL FILTERS AND FILTER SEPARATOR VESSELS (INCLUDING AMENDMENT 5) | C | ISDF | | 06 | 11-JAN-93 |
| | AIR-STD-90/25 | STANDBY POWER SUPPLY FOR FIXED INSTALLATIONS | C | ISDF | | 06 | 12-SEP-91 |
| | EIA364.106 | STANDING WAVE RATIO (SWR) TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | A-A-2122F | STANDS, OFFICE MACHINE | A | 7110 | # | FSS | 03-DEC-93 |
| | A-A-2082D | STANDS, OFFICE MACHINE (TRADITIONAL STYLE) | A | 7110 | # | FSS | 03-DEC-93 |
| | AA-S-683A(I2) | STANDS, TYPEWRITER, WOOD | A | 7110 | # | FSS | 28-MAY-71 |
| | AA-S-683A | STANDS, TYPEWRITER, WOOD | A | 7110 | # | FSS | 29-AUG-52 |
| | MIL-S-50005A NOT 3 | STANNIC OXIDE, TECHNICAL[CUST: AR] [REVIEW: GS MD MI] | A | 6810 | | AR | 02-DEC-96 |
| | A-A-53518 | STAPLE UNIT, SURGICAL (END-TO-END ANASTOMOSIS)[CUST: MD MS 03] | A | 6515 | / | MB | 03-JUN-88 |
| | A-A-53482 | STAPLE UNIT, SURGICAL (GASTRO-INTESTINAL)[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-88 |
| | A-A-53501 | STAPLE UNIT, SURGICAL, THORACIC-ABDOMINAL[CUST: MD MS 03] | A | 6515 | / | MB | 11-MAY-88 |
| | ASTM-F783 | STAPLE, HANDGRAB, HANDLE, AND STIRRUP RUNG[CUST: SH] | A | 2090 | | SH | 26-FEB-88 |
| | A-A-53535 | STAPLER, SKIN, SURGICAL (DISPOSABLE)[CUST: MD MS 03] | A | 6515 | / | MB | 27-JUN-88 |
| | A-A-53481 | STAPLER, SURGICAL (INTRALUMINAL)[CUST: MD MS 03] | A | 6515 | / | MB | 08-MAY-88 |
| | A-A-53483 | STAPLER, SURGICAL, (GASTRO-INTESTINAL)[CUST: MD MS 03] | A | 6515 | / | MB | 08-MAY-88 |
| | A-A-53500 | STAPLER, SURGICAL, THORACIC-ABDOMINAL[CUST: MD MS 03] | A | 6515 | / | MB | 11-MAY-88 |
| | A-A-53022A | STAPLES, BONE FIXATION[CUST: MD MS 03] | A | 6515 | / | MB | 07-JAN-91 |
| | KKK-A-1822E | STAR-OF-LIFE AMBULANCE[CUST: AT 99] [REVIEW: 84 CR MC MD YD] | A | 2310 | * | AT | 01-JUN-02 |
| | MIL-S-85419 | STARTER AUXILIARY POWER UNIT, AIRCRAFT ENGINE, GAS TURBINE TYPE, DETAILED SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 01-OCT-81 |
| | STANAG-4015 ED.3 | STARTER BATTERY SPACES FOR TACTICAL LAND VEHICLES | C | ISDA | | AI | 17-MAR-97 |
| | MIL-S-22518A(2) | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 21-FEB-01 |
| | MIL-S-22518/2 NOT 1 | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL ATS/AD-2[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 01-OCT-89 |
| | MIL-S-22518/1 NOT 1 | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL ATS/AD-1[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 01-OCT-89 |
| | MIL-S-22518/3 NOT 1 | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL ATS/AD-3[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 01-OCT-89 |
| | MIL-S-19557D | STARTER, AIRCRAFT ENGINE, AIR TURBINE[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 29-JAN-88 |
| | QPL-19557-30 | STARTER, AIRCRAFT ENGINE, AIR TURBINE | A | 2995 | | AS | 25-JUL-88 |
| | MIL-S-19557/6(1) | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-24[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 11-AUG-83 |
| | MIL-S-19557/7 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-24-1[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 11-SEP-72 |
| | MIL-S-19557/8(1) | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-28[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-JUL-74 |
| | MIL-S-19557/9 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-29[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 11-SEP-72 |
| | MIL-S-19557/10A | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-30[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 09-FEB-87 |
| | MIL-S-19557/11 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-31[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 17-MAY-85 |
| | MIL-S-22999/1 NOT 1 | STARTER, AIRCRAFT ENGINE, HYDRAULIC FOR T58 ENGINE[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 07-JUL-87 |
| | MIL-S-22999/2A | STARTER, AIRCRAFT ENGINE, HYDRAULIC FOR T64 ENGINE[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 06-JUN-86 |
| | MIL-S-22999B | STARTER, AIRCRAFT ENGINE, HYDRAULIC GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: 99 GS] | A | 2995 | | AS | 15-JUN-81 |
| | MIL-S-15371B | STARTER, ENGINE, ELECTRICAL MOTOR (SHIPBOARD USE)[CUST: SH] [REVIEW: CC] | A | 2920 | | SH | 14-NOV-77 |
| | MIL-S-13175H(1) | STARTER, FIRE, NP3, M2[CUST: AR] | A | 1370 | | AR | 15-NOV-85 |
| | A-A-52551 | STARTER-GENERATOR: 300 AMPERE, 28 VOLTS, DIRECT CURRENT[CUST: AT] [REVIEW: CC] | A | 2920 | / | AT | 15-DEC-95 |
| | QPL-22999-16 | STARTERS, AIRCRAFT ENGINE, HYDRAULIC, GENERAL SPECIFICATION FOR | A | 2995 | | AS | 29-JUL-85 |
| | A-A-59294 | STARTERS, ENGINE, ELECTRICAL: 24-VOLT DIRECT-CURRENT[CUST: AT] [REVIEW: CC CR4] | A | 2920 | / | AT | 24-SEP-98 |
| | DI-MGMT-81606 | STATEMENT OF WORK (SOW) [AMSC: G7426] | A | MGMT | | NS | 15-FEB-01 |
| | STANAG-7048 ED.2(3) | STATES OF CRASH FIRE READINESS | C | ISDF | | 06 | 05-JUL-96 |
| | MIL-PRF-32150 | STATIC AUTOMATIC BUS TRANSFER SWITCH (SABT) ON SURFACE AND SUBMARINE NAVAL VESSELS[CUST: CR4 SH 99] [REVIEW: 03 19 AS CG GS GS2] | A | 6110 | | SH | 11-APR-05 |
| | ITOP-5.2.500 | STATIC FIRING TESTS OF SOLID PROPELLANT ROCKET MOTORS | D | ISDA | | TE | 09-JUN-00 |
| | MIL-S-43292D | STATIC LINES, CARGO PARACHUTES, GENERAL SPECIFICATION FOR[CUST: GL AS 99] [REVIEW: 11 AV GS MC] | A | 1670 | | GL | 23-AUG-89 |
| | ITOP-4.2.813 | STATIC TESTING OF HIGH EXPLOSIVE MUNITIONS FOR OBTAINING FRAGMENT SPATIAL DISTRIBUTION (U) | D | ISDA | | TE | 30-MAR-93 |
| | ASTM-D6015 | STATIC WATER ABSORPTION OF LEATHER[CUST: GL NU 99 CT] | A | 83GP | | CT | 19-APR-99 |
| | NFPA37 | STATIONARY COMBUSTION ENGINES AND GAS TURBINES[CUST: YD] [REVIEW: GS] | A | 2835 | | YD | 08-MAR-93 |
| | STANAG-2050 ED.5(2) | STATISTICAL CLASSIFICATION OF DISEASES, INJURIES AND CAUSES OF DEATH | C | ISDA | | AI | PENDING |
| | ITOP-5.1.014 | STATISTICAL METHODS OF RELIABILITY DETERMINATION | D | ISDA | | TE | 10-APR-03 |
| | MIL-HDBK-683(1) NOT 2 | STATISTICAL PROCESS CONTROL (SPC) IMPLEMENTATION AND EVALUATION AID[CUST: AT] | A | QCIC | | AT | 13-APR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | IPC-9191 | STATISTICAL PROCESS CONTROL (SPC), IMPLEMENTATION OF[CUST: CR EC 11 CC] [REVIEW: MI] | A | 5998 | | CC | 26-FEB-03 |
| | EIA557 | STATISTICAL PROCESS CONTROL SYSTEMS[CUST: CR EC 11] | A | 59GP | | CR | 10-MAY-95 |
| | ITOP-3.1.005 | STATISTICS FOR TEST ASSESSMENT | D | ISDA | | TE | 23-OCT-03 |
| | DI-MISC-80915 | STATUS REPORT FOR CONTRACTOR RECEIPT/SHIPMENT OF FOREIGN MILITARY SALES (FMS) REPAIR/RETURN ASSETS [AMSC: F4853] | A | MISC | | 10 | 22-NOV-89 |
| | DI-MGMT-80269 | STATUS OF GOVERNMENT FURNISHED EQUIPMENT (GFE) REPORT [AMSC: M4007] | A | MGMT | | SA | 29-DEC-86 |
| | DI-MGMT-80368 | STATUS REPORT [AMSC: G4130] | A | MGMT | | NS | 08-JUN-87 |
| | DI-MISC-81480 | STATUS UPDATE REPORT (SUR) [AMSC: F7153] | A | MISC | | 10 | 31-JUL-95 |
| | A-A-20092B | STEAK SAUCE[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8950 | / | SS | 01-AUG-01 |
| | MIL-HDBK-1003/7(1) | STEAM POWER PLANTS - FOSSIL FUELED[CUST: YD] | A | FACR | | YD | 15-MAY-99 |
| | STANAG-3714 ED.2(4) | STEAMERS, WARNING | C | ISDF | | 06 | 09-OCT-86 |
| | MIL-S-271B NOT 1 | STEARIC ACID, TECHNICAL[CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 04-JAN-00 |
| | AWS-D1.1 | STEEL - STRUCTURAL WELDING CODE, STANDARD FOR[CUST: YD 99] | A | THJM | | YD | 30-DEC-93 |
| | MIL-S-50783(1) | STEEL ALLOY, SPECIAL PURPOSE FOR AMMUNITION COMPONENTS (HF-1)[CUST: AR] | A | 1395 | | AR | 05-SEP-86 |
| | AASHTO-M314 | STEEL ANCHOR BOLTS[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-A234/A234M | STEEL AND ALLOY STEEL, PIPING FITTINGS OF WROUGHT CARBON, FOR MODERATE AND HIGH TEMPERATURE SERVICE[CUST: MR YD 99] [REVIEW: MC SH] | A | 4730 | | CC | 23-FEB-90 |
| | MIL-HDBK-723A | STEEL AND IRON WROUGHT PRODUCTS[CUST: MR 99] [REVIEW: AS IS MC OS YD] | A | 95GP | | MR | 30-NOV-70 |
| | ASTM-D3953 | STEEL AND SEALS, FLAT, STRAPPING[CUST: SM AS 11] [REVIEW: 70 71 84 99 AR CR4 DS GL IS MI MR OS SA SH YD] | A | PACK | | AS | 25-JAN-91 |
| | EIA222 | STEEL ANTENNA TOWERS AND ANTENNA SUPPORTING STRUCTURES[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | ASTM-F138 | STEEL BAR AND WIRE, STAINLESS, FOR SURGICAL IMPLANTS (UNS S31673), WROUGHT 18 CHROMIUM -14 NICKEL-2.5 MOLYBDENUM[CUST: MD MS 03 MB] | A | 6515 | | MB | 29-JAN-92 |
| | QQ-S-632C | STEEL BAR, REINFORCING (FOR CONCRETE) | A | 5680 | # | FSS | 21-MAR-73 |
| | ASTM-A121 | STEEL BARBED WIRE, METALLIC-COATED CARBON[CUST: CR4 YD 99] [REVIEW: CC] | A | 5660 | | IS | 10-APR-99 |
| | SAE-AMS6529 | STEEL BARS 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140) SPECIAL AIRCRAFT QUALITY CLEANLINESS NORMALIZED[CUST: MR AS 11 IS] | A | 9510 | | IS | 17-MAR-89 |
| | SAE-AMS6378 | STEEL BARS 1.0CR - 0.20MO - 0.045SE (0.39 - 0.48C) (4142H MODIFIED) DIE-DRAWN, 130.0 KSI (896 MPA) YIELD STRENGTH FREE MACHINING[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS6300 | STEEL BARS AND FORGINGS 0.25MO (0.35 - 0.40C (SAE 4037)[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-JAN-89 |
| | SAE-AMS6487 | STEEL BARS AND FORGINGS 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) (H-11) CONSUMABLE ELECTRODE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-JUL-92 |
| | MIL-S-24550C | STEEL BARS AND FORGINGS, AUSTENITIC CORROSION RESISTANT, PRECIPITATION HARDENING (UNS S66286) (CONTROLLED DISTRIBUTION)[CUST: SH] | F | 9520 | | SH | 25-OCT-91 |
| | SAE-AMS6290 | STEEL BARS AND FORGINGS, CARBURIZING 1.8NI - 0.25MO (0.11 - 0.17C) (SAE 4615)[CUST: MR AS 11 IS] | A | 9510 | | IS | SEP-83 |
| | SAE-AMS6292 | STEEL BARS AND FORGINGS, CARBURIZING 1.8NI - 0.25MO (0.15 - 0.20C) (SAE 4617)[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-APR-87 |
| | SAE-AMS6294 | STEEL BARS AND FORGINGS, CARBURIZING 1.8NI - 0.25MO (0.17 - 0.22C) (SAE 4620)[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-OCT-85 |
| | SAE-AMS5610 | STEEL BARS AND FORGINGS, CORROSION AND MODERATE HEAT RESISTANT 12.5CR - LOW CARBON (SAE 51416, 51416SE) FREE-MACHINING[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-OCT-88 |
| | SAE-AMS5620 | STEEL BARS AND FORGINGS, CORROSION AND MODERATE HEAT RESISTANT 13CR (0.30 - 0.40C) (SAE 51420F) FREE-MACHINING[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-APR-89 |
| | SAE-AMS5632 | STEEL BARS AND FORGINGS, CORROSION RESISTANT 17CR - 0.50MO (0.95 - 1.20C) (SAE 51440F) FREE-MACHINING[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-APR-89 |
| | MIL-DTL-23195F | STEEL BARS AND FORGINGS, CORROSION RESISTANT, AUSTENITIC (UNS S30400, S30403, S31600, S31603, S34700, AND S34800)[CUST: SH] | F | 9510 | | SH | 13-JUN-97 |
| | SAE-AMS6303 | STEEL BARS AND FORGINGS, LOW ALLOY, HEAT RESISTANT 0.65SI - 1.25CR - 0.50MO - 0.85V (0.25 - 0.30C)[CUST: MR AS 11 IS] | A | 9510 | | IS | 31-MAR-80 |
| | SAE-AMS6543 | STEEL BARS AND FORGINGS, MARAGING 2.0CR - 10NI - 8.0CO - 1.0MO (0.10 - 0.14C) DOUBLE VACUUM MELTED, SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-AUG-86 |
| | MIL-DTL-24528D | STEEL BARS AND FORGINGS, NICKEL-CHROMIUM-MOLYBDENUM (UNS G43406)[CUST: SH] | F | 9510 | | SH | 24-SEP-96 |
| | MIL-DTL-24538C | STEEL BARS AND FORGINGS: HIGH CARBON, MARTENSITIC, CORROSION RESISTING (UNS S44002 AND UNS S44004)[CUST: SH] | F | 9510 | | SH | 29-OCT-96 |
| | ASTM-A499 | STEEL BARS AND SHAPES, CARBON ROLLED FROM "T" RAILS[CUST: MR YD] [REVIEW: CR4 IS] | A | 9510 | | YD | 12-JAN-8 |
| | ASTM-A276 | STEEL BARS AND SHAPES, STAINLESS[CUST: MR YD 99] [REVIEW: 84 CE IS SH] | A | 9510 | | YD | 15-MAR-94 |
| | SAE-AMS5857 | STEEL BARS AND WIRE, CORROSION RESISTANT 19CR - 10NI - (SAE 30304) HIGH YIELD STRENGTH SOLUTION HEAT TREATED AND COLD WORKED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-JAN-90 |
| | ASTM-A615/A615M | STEEL BARS FOR CONCRETE REINFORCEMENT, DEFORMED AND PLAIN BILLET[CUST: CR4 YD 99] [REVIEW: 84] | A | 5680 | | IS | 15-SEP-93 |
| | SAE-AMS6528 | STEEL BARS, 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) SPECIAL AIRCRAFT QUALTY CLEANLINESS NORMALIZED[CUST: MR AS 11 IS] | A | 9510 | | IS | 17-MAR-89 |
| | ASTM-A434 | STEEL BARS, ALLOY, HOT-WROUGHT OR COLD-FINISHED, QUENCHED AND TEMPERED[CUST: MR YD 99] | A | 9510 | | YD | 31-AUG-90 |
| | ASTM-A739 | STEEL BARS, ALLOY, HOT-WROUGHT, FOR ELEVATED TEMPERATURE OR PRESSURE-CONTAINING PARTS, OR BOTH[CUST: MR YD 99 IS] | A | 9510 | | IS | 31-AUG-90 |
| | ASTM-A322 | STEEL BARS, ALLOY, STANDARD GRADES, STANDARD SPECIFICATION FOR[CUST: MR SH IS] | A | 9510 | | IS | 15-AUG-91 |
| | ASTM-A29/A29M | STEEL BARS, CARBON AND ALLOY, HOT-WROUGHT, GENERAL REQUIREMENTS FOR[CUST: MR 11] [REVIEW: IS OS SH] | A | 9510 | | MR | MAR-93 |
| | ASTM-A108 | STEEL BARS, CARBON, COLD FINISHED, STANDARD QUALITY[CUST: MR SH 11 IS] [REVIEW: 99 AR CR4 OS YD] | A | 9510 | | IS | 27-JUL-90 |
| | ASTM-A696 | STEEL BARS, CARBON, HOT-WROUGHT OR COLD-FINISHED, SPECIAL QUALITY, FOR PRESSURE PIPING COMPONENTS[CUST: MR SH 99] | A | 9510 | | SH | 31-AUG-90 |
| | ASTM-A675/A675M | STEEL BARS, CARBON, HOT-WROUGHT, SPECIAL QUALITY, MECHANICAL PROPERTIES[CUST: CR4 SH 99 IS] [REVIEW: 84] | A | 9510 | | IS | 03-OCT-94 |
| | ASTM-A576 | STEEL BARS, CARBON, HOT-WROUGHT, SPECIAL QUALITY, STANDARD SPECIFICATION FOR[CUST: MR SH 11 IS] [REVIEW: 99 AR AS MI OS YD] | A | 9510 | | IS | 31-AUG-90 |
| | ASTM-A575 | STEEL BARS, CARBON, MERCHANT QUALITY, M-GRADES, STANDARD SPECIFICATION FOR[CUST: MR SH 11 IS] [REVIEW: AR AT CR4 GL MI YD] | A | 9510 | | IS | 07-DEC-89 |
| | ASTM-A663/A663M | STEEL BARS, CARBON, MERCHANT QUALITY, MECHANICAL PROPERTIES[CUST: MR 11 IS] | A | 9510 | | IS | 07-DEC-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS6299 | STEEL BARS, FORGINGS AND TUBING 0.50CR - 1.8NI - 0.25MO (0.17 - 0.23C) (SAE 4320H)[CUST: MR AS 11 IS] | A | 9510 | | IS | 1-AUG-86 |
| | SAE-AMS6327 | STEEL BARS, FORGINGS, 0.50CR - 0.55NI - 0.25MO (0.38 - 0.43C) (SAE 8740) HEAT TREATED, 125 KSI (862 MPA) TENSILE STRENGTH[CUST: MR AS 11 IS] [REVIEW: 84 AR AT AV MI OS] | A | 9510 | | IS | 22-JAN-91 |
| | ASTM-A565 | STEEL BARS, FORGINGS, AND FORGING MARTENSITIC STAINLESS, STOCK FOR HIGH-TEMPERATURE SERVICE[CUST: MR SH] [REVIEW: IS MC] | A | FORG | | SH | 15-OCT-92 |
| | SAE-AMS6322 | STEEL BARS, FORGINGS, AND RINGS 0.50 CR - 0.55 NI - 0.25 MO (0.38 - 0.43C) (SAE 8740)[CUST: MR AS 11 IS] [REVIEW: 84 AR AT AV MI OS] | A | 9510 | | IS | JAN-91 |
| | SAE-AMS6280 | STEEL BARS, FORGINGS, AND RINGS 0.50CR - 0.55NI - 0.20MO - (0.28 - 0.33C) (SAE 8630)[CUST: MR AS 11 IS] | A | 9510 | | IS | 21-DEC-91 |
| | SAE-AMS6320 | STEEL BARS, FORGINGS, AND RINGS 0.50CR - 0.55NI - 0.25MO (0.33 - 0.38C) SAE 8735)[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS6370 | STEEL BARS, FORGINGS, AND RINGS 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130)[CUST: MR AS 11 IS] | A | 9510 | | IS | 20-DEC-91 |
| | SAE-AMS6382 | STEEL BARS, FORGINGS, AND RINGS 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140) ANNEALED[CUST: AR AS 99 IS] [REVIEW: 84] | A | 9510 | | IS | 03-OCT-94 |
| | SAE-AMS5060 | STEEL BARS, FORGINGS, AND TUBING 0.13 - 0.18C (SAE 1015)[CUST: MR AS 11 IS] | A | FORG | | IS | 03-OCT-94 |
| | SAE-AMS5069 | STEEL BARS, FORGINGS, AND TUBING 0.15 - 0.20C (SAE 1018)[CUST: CR AS 99 IS] | A | 95GP | | IS | JUN-01 |
| | SAE-AMS5080 | STEEL BARS, FORGINGS, AND TUBING 0.31 - 0.38C (SAE 1035)[CUST: MR AS 99 IS] | A | 95GP | | IS | 03-OCT-94 |
| | SAE-AMS6476 | STEEL BARS, FORGINGS, AND TUBING 0.50CR - 0.12MO (0.89 - 1.01C)[CUST: MR AS 11 IS] | A | 9510 | | IS | MAR 95 |
| | SAE-AMS6276 | STEEL BARS, FORGINGS, AND TUBING 0.50CR - 0.55NI - 0.20MO (0.18 - 0.23) (SAE 8620) CONSUMABLE ELECTRODE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | MAR-89 |
| | SAE-AMS6274 | STEEL BARS, FORGINGS, AND TUBING 0.50CR - 0.55NI - 0.20MO (0.18 - 0.23C)[CUST: MR AS 11 IS] | A | 9510 | | IS | 20-DEC-91 |
| | SAE-AMS6277 | STEEL BARS, FORGINGS, AND TUBING 0.50CR - 0.55NI - 0.20MO (0.18 - 0.23C) (SAE 8620) VACUUM ARC OR ELECTROSLAG REMELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | MAY 95 |
| | SAE-AMS6324 | STEEL BARS, FORGINGS, AND TUBING 0.65CR - 0.70NI - 0.25MO (0.38-0.43C) (SAE 8740 MODIFIED)[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | JUL-94 |
| | SAE-AMS6422 | STEEL BARS, FORGINGS, AND TUBING 0.80CR - 0.85NI - 0.20MO - 0.003B - 0.04V (0.38 - 0.43C) MODIFIED 98BV40)[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS6414 | STEEL BARS, FORGINGS, AND TUBING 0.80CR - 1.8NI - 0.25MO (0.38 - 0.43C) (SAE 4340) VACUUM CONSUMABLE ELECTRODE REMELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 22-AUG-86 |
| | SAE-AMS6484 | STEEL BARS, FORGINGS, AND TUBING 0.80CR - 1.8NI - 0.25MO (0.38-0.43C) SAE 4340 NORMALIZED AND TEMPERED[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 22-JUN-95 |
| | SAE-AMS6424 | STEEL BARS, FORGINGS, AND TUBING 0.80CR - 1.8NI - 0.25MO (0.49 - 0.55C)[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-APR-87 |
| | SAE-AMS6428 | STEEL BARS, FORGINGS, AND TUBING 0.80CR - 1.8NI - 0.35MO - 0.20V (0.32 - 0.38C) (4335 MODIFIED)[CUST: MR AS 11 IS] | A | 9510 | | IS | 27-FEB-81 |
| | SAE-AMS6411 | STEEL BARS, FORGINGS, AND TUBING 0.88CR - 1.8NI - 0.42MO - 0.08V (0.28 - 0.33C) CONSUMABLE ELECTRODE REMELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-OCT-90 |
| | SAE-AMS6427 | STEEL BARS, FORGINGS, AND TUBING 0.88CR - 1.8NI - 0.42MO - 0.8V (0.25 - 0.33C)[CUST: MR AS 11 IS] | A | 9510 | | IS | 27-FEB-81 |
| | SAE-AMS6448 | STEEL BARS, FORGINGS, AND TUBING 0.95CR - 0.22V (0.48 - 0.53C) (SAE 6150)[CUST: MR AS 99 IS] [REVIEW: 84] | A | 95GP | | IS | OCT-94 |
| | SAE-AMS6431 | STEEL BARS, FORGINGS, AND TUBING 1.05CR - 0.55NI - 1.0MO - 0.11V (0.45 - 0.50C) VACUUM CONSUMABLE ELECTRODE MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | JUL 96 |
| | SAE-AMS6265 | STEEL BARS, FORGINGS, AND TUBING 1.2CR - 3.25NI - 0.12MO (0.07 - 0.13C) (SAE 9310) VACUUM CONSUMABLE ELECTRODE REMELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS6267 | STEEL BARS, FORGINGS, AND TUBING 1.2CR - 3.25NI - 0.12MO (0.07 - 0.13C) (SAE 9310) ELECTROSLAG REMELTED OR CONSUMABLE ELECTRODE VACUUM REMELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 10-MAR-89 |
| | SAE-AMS6260 | STEEL BARS, FORGINGS, AND TUBING 1.2CR - 3.2NI - 0.12MO - (0.07 - 0.13C) (SAE 9310)[CUST: MR AS 11 IS] | A | 9510 | | IS | 27-DEC-91 |
| | SAE-AMS6444 | STEEL BARS, FORGINGS, AND TUBING 1.45CR (0.98 - 1.10C) (SAE 52100) PREMIUM AIRCRAFT-QUALITY, CONSUMABLE ELECTRODE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-AUG-86 |
| | SAE-AMS6447 | STEEL BARS, FORGINGS, AND TUBING 1.4CR (0.98 - 1.10C) (SAE 52100) ELECTROSLAG REMELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-JAN-92 |
| | SAE-AMS6425 | STEEL BARS, FORGINGS, AND TUBING 1.4MN - 1.5SI - 0.30CR - 1.8NI - 0.40MO - (0.23 - 0.28C) CONSUMABLE ELECTRODE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS6257 | STEEL BARS, FORGINGS, AND TUBING 1.6SI - 0.82CR - 1.8NI - 0.40MO - 0.08V (0.40 - 0.44C) CONSUMABLE ELECTRODE VACUUM REMELTED NORMALIZED AND TEMPERED[CUST: MR AS 11 IS] | A | 9510 | | IS | 20-DEC-91 |
| | SAE-AMS6417 | STEEL BARS, FORGINGS, AND TUBING 1.6SI - 0.82CR - 1.8NI - 0.40MO - 0.08V (0.38 - 043C) CONSUMABLE ELECTRODE REMELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-AUG-86 |
| | SAE-AMS6419 | STEEL BARS, FORGINGS, AND TUBING 1.6SI - 0.82CR - 1.8NI - 0.40MO - 0.08V (0.40 - 0.45C) CONSUMABLE ELECTRODE VACUUM REMELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS6278 | STEEL BARS, FORGINGS, AND TUBING 4.1CR - 3.4NI - 4.2MO - 1.2V (0.11 - 0.15C) PREMIUM AIRCRAFT-QUALITY FOR BEARING APPLICATIONS DOUBLE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 20-DEC-91 |
| | SAE-AMS6491 | STEEL BARS, FORGINGS, AND TUBING 4.1CR - 4.2MO - 1.0V (0.80 - 0.85C) PREMIUM AIRCRAFT-QUALITY FOR BEARING APPLICATIONS, DOUBLE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-OCT-84 |
| | SAE-AMS6477 | STEEL BARS, FORGINGS, AND TUBING, 0.80CR (0.90 - 1.03C) FOR BEARING APPLICATIONS[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-APR-88 |
| | SAE-AMS6250 | STEEL BARS, FORGINGS, AND TUBING, 1.5CR - 3.5NI (0.07 - 0.13C) (SAE 3310)[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | JUL-88 |
| | SAE-AMS5900 | STEEL BARS, FORGINGS, AND TUBING, CORROSION RESISTANT 14CR - 2.1MO - 0.30CB - 1.0V (1.05 - 1.15C) PREMIUM AIRCRAFT QUALITY FOR BEARING APPLICATIONS, DOUBLE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-JAN-89 |
| | SAE-AMS5022 | STEEL BARS, FORGINGS, AND TUBING, FREE CUTTING 0.14 - 0.20C (SAE 1117)[CUST: AR AS 99 IS] | A | 9510 | | IS | JAN-01 |
| | SAE-AMS5024 | STEEL BARS, FORGINGS, AND TUBING, FREE-CUTTING 1.5MN (0.32 - 0.39C) (SAE 1137)[CUST: MR AS 99 IS] | A | 95GP | | IS | JAN-01 |
| | SAE-AMS5020 | STEEL BARS, FORGINGS, AND TUBING, FREE-CUTTING 1.5MN-0.25PB (0.32 - 0.39C) (11L37)[CUST: AR AS 11 IS] [REVIEW: 99] | A | 95GP | | IS | OCT-94 |
| | SAE-AMS6305 | STEEL BARS, FORGINGS, AND TUBING, LOW-ALLOY, HEAT RESISTANT 0.95CR - 0.55MO - 0.30V (0.40 - 0.50C) VACUUM ARC MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 20-DEC-91 |
| | SAE-AMS6475 | STEEL BARS, FORGINGS, AND TUBING, NITRIDING 1.1CR - 3.5NI - 0.25MO - 1.2AL (0.21 - 0.26C)[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-JAN-92 |
| | SAE-AMS6525 | STEEL BARS, FORGINGS, TUBING, AND RINGS 0.75CR - 9.0NI - 4.5CO - 1.0MO - 0.09V (0.17 - 0.23C) CONSUMABLE ELECTRODE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS6429 | STEEL BARS, FORGINGS, TUBING, AND RINGS 0.78CR - 1.8NI - 0.35MO - 0.20V (0.33 - 0.38C) CONSUMABLE ELECTRODE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 20-DEC-91 |
| | SAE-AMS6526 | STEEL BARS, FORGINGS, TUBING, AND RINGS 1.0CR - 7.5NI - 4.5CO - 1.0MO - 0.09V - (0.29-0.34C) CONSUMABLE ELECTRODE VACUUM MELTED, ANNEALED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS6519 | STEEL BARS, FORGINGS, TUBING, AND RINGS, MARAGING 19NI - 3.0MO - 1.4TI - 0.10AL DOUBLE VACUUM MELTED, ANNEALED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-AUG-86 |
| | ASTM-A6/A6M | STEEL BARS, PLATES, SHAPES, AND SHEET PILING, ROLLED STRUCTURAL, GENERAL REQUIREMENTS FOR[CUST: MR SH 99] [REVIEW: AR AT IS YD] | A | 9515 | | MR | 15-JUN-94 |
| | ASTM-A775/A775M | STEEL BARS, REINFORCING EPOXY-COATED[CUST: CR4 YD 99] [REVIEW: 84 CE IS] | A | 9515 | | YD | 15-APR-94 |
| | ASTM-A561 | STEEL BARS, TOOL, MACROTECH TESTING OF[CUST: MR SH 99] [REVIEW: 11 84 AR IS OS] | A | 9510 | | MR | 21-JUN-74 |
| | ASTM-A627 | STEEL BARS, TOOL-RESISTING, FLATS, AND SHAPES FOR DETENTION AND CORRECTIONAL FACILITIES[CUST: GL AS 99] | A | 95GP | | GL | 03-OCT-94 |
| | SAE-AMS5719 | STEEL BARS, WIRE, FORGINGS, TUBING, RINGS, AND EXTRUSIONS, CORROSION RESISTANT 11.8CR - 2.5NI - 1.8MO - 0.33V (0.08 - 0.15C) ANNEALED, CONSUMABLE ELECTRODE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-JUL-90 |
| | AASHTO-M180 | STEEL BEAMS, CORRUGATED SHEET, FOR HIGHWAY GUARDRAIL[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-A249/A249M | STEEL BOILER, WELDED AUSTENITIC, SUPERHEATER, HEAT-EXCHANGER, AND CONDENSER TUBES[CUST: CR4 SH 99] | A | 4410 | | SH | 03-OCT-94 |
| | ASTM-A687 | STEEL BOLTS AND STUDS, HIGH-STRENGTH NONHEADED[CUST: AR YD IS] | A | 53GP | | IS | 15-FEB-93 |
| | AISC-S303 | STEEL BUILDINGS AND BRIDGES, CODE OF STANDARD PRACTICE FOR[CUST: CE YD 04] | A | FACR | | YD | 10-JUN-92 |
| | MSS-SP53 | STEEL CASTINGS AND FORGINGS FOR VALVES, FLANGES AND FITTINGS AND OTHER PIPING COMPONENTS MAGNETIC PARTICLE EXAM METHOD, QUALITY STANDARD FOR[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | MSS-SP55 | STEEL CASTINGS FOR VALVES, FLANGES & FITTINGS & OTHER PIPING COMPONENTS (VISUAL METHOD) QUALITY STANDARD FOR[CUST: MR] | A | 95GP | | MR | 02-JUN-87 |
| | MSS-SP54 | STEEL CASTINGS FOR VALVES, FLANGES AND FITTINGS AND OTHER PIPING COMPONENTS RADIOGRAPHIC EXAMINATION METHOD, QUALITY STANDARD FOR[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | SFSA3 | STEEL CASTINGS HANDBOOK, TOLERANCES[CUST: MR] | A | MECA | | MR | 31-AUG-88 |
| | ASTM-E192 | STEEL CASTINGS OF AEROSPACE APPLICATIONS, STANDARD REFERENCE RADIOGRAPHS OF INVESTMENT[CUST: MR AS 11] [REVIEW: AR AT MI SH] | A | NDTI | | MR | 23-MAR-92 |
| | ASTM-A487/A487M | STEEL CASTINGS SUITABLE FOR PRESSURE SERVICE[CUST: MR SH 11] | A | MECA | | SH | 15-DEC-93 |
| | ASTM-E446 | STEEL CASTINGS UP TO 2 IN. (51 MM) IN THICKNESS, STANDARD REFERENCE RADIOGRAPHS FOR[CUST: MR SH 11] [REVIEW: AR AS AT MI] | A | NDTI | | MR | SEP-93 |
| | ASTM-A389/A389M | STEEL CASTINGS, ALLOY, SPECIALLY HEAT-TREATED, FOR PRESSURE-CONTAINING PARTS, SUITABLE FOR HIGH-TEMPERATURE SERVICE[CUST: MR SH 11] | A | MECA | | SH | 03-OCT-90 |
| | ASTM-A128/A128M | STEEL CASTINGS, AUSTENITIC MANGANESE[CUST: CR4 SH 11] | A | MECA | | CR4 | 03-OCT-94 |
| | ASTM-A27/A27M | STEEL CASTINGS, CARBON, FOR GENERAL APPLICATION, STANDARD SPECIFICATION FOR[CUST: MR 99] [REVIEW: 70 AT OS YD] | A | MECA | | MR | 28-AUG-87 |
| | ASTM-A757/A757M | STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE-CONTAINING AND OTHER APPLICATIONS, FOR LOW-TEMPERATURE SERVICE[CUST: MR SH 11] | A | MECA | | SH | OCT-94 |
| | ASTM-A352/A352M | STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE-CONTAINING PARTS, SUITABLE FOR LOW-TEMPERATURE SERVICE[CUST: AR YD 99] [REVIEW: IS MR SH] | A | MECA | | YD | 15-DEC-93 |
| | ASTM-A703/A703M | STEEL CASTINGS, GENERAL REQUIREMENTS, FOR PRESSURE-CONTAINING PARTS[CUST: MR SH 11] | A | MECA | | SH | 03-OCT-94 |
| | ASTM-E186 | STEEL CASTINGS, HEAVY-WALLED (2 TO 4 1/2-IN. (51 TO 114-MM)), STANDARD REFERENCE RADIOGRAPHS FOR[CUST: MR SH 11] [REVIEW: AR AS AT MI] | A | NDTI | | MR | SEP-93 |
| | ASTM-E280 | STEEL CASTINGS, HEAVY-WALLED (4 1/2 TO 12- IN. (114 TO 305-MM)), STANDARD REFERENCE RADIOGRAPHS FOR[CUST: MR SH 11] [REVIEW: AR AS AT MI] | A | NDTI | | MR | SEP-93 |
| | ASTM-A148/A148M | STEEL CASTINGS, HIGH STRENGTH, FOR STRUCTURAL PURPOSES[CUST: MR SH 11] [REVIEW: 99 AT YD] | A | MECA | | MR | 15-DEC-93 |
| | SAE-AMS5349 | STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 13CR FREE MACHINING, HARDENED AND TEMPERED[CUST: MR AS 11] | A | MECA | | 11 | DEC-00 |
| | SAE-AMS5368 | STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 15CR - 4.0NI - 2.3MO - 0.09N SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | 01-OCT-82 |
| | ASTM-A217/A217M | STEEL CASTINGS, MARTENSITIC STAINLESS AND ALLOY, FOR PRESSURE-CONTAINING PARTS, SUITABLE FOR HIGH-TEMPERATURE SERVICE[CUST: MR 99] [REVIEW: SH] | A | MECA | | MR | 15-DEC-93 |
| | ASTM-A802/A802M | STEEL CASTINGS, SURFACE ACCEPTANCE STANDARDS, VISUAL EXAMINATION[CUST: MR SH 11] | A | MECA | | SH | 03-OCT-94 |
| | SAE-AMS5412 | STEEL CASTINGS, VACUUM MELTED, VACUUM CAST, INVESTMENT, CORROSION RESISTANT 13CR - 8.0NI - 2.2MO - 1.1AL (195,000 PSI (1344 MPA) TENSILE STRENGTH (CONDITION H1000) HOMOGENIZED, SOLUTION, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | 01-JUL-90 |
| | ASTM-A488/A488M | STEEL CASTINGS, WELDING, QUALIFICATIONS OF PROCEDURES AND PERSONNEL[CUST: MR SH 11] [REVIEW: AR AS AT MI TE] | A | THJM | | MR | 15-DEC-92 |
| | ASTM-B228 | STEEL CONDUCTORS, CONCENTRIC-LAY-STRANDED COPPER-CLAD[CUST: CR YD 11] [REVIEW: 71 99 SH] | A | 6145 | | CC | 15-JUL-93 |
| | NEMA-RN1 | STEEL CONDUIT AND INTERMEDIATE METAL CONDUIT GALVANIZED RIGID POLYVINYL-CHLORIDE (PVC) EXTERNALLY COATED[CUST: YD] [REVIEW: GS] | A | 5975 | | YD | 19-APR-93 |
| | SAE-AMS5370 | STEEL CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 19CR - 9.5 (CF-3) NI SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | MAY-96 |
| | SAE-AMS5571 | STEEL CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 18CR - 10.5NI - 0.70CB (SAE 30347) SOLUTION HEAT TREATED[CUST: MR AS 11] | A | 4710 | | 11 | 01-OCT-93 |
| | SAE-AMS5617 | STEEL CORROSION RESISTANT, BARS, WIRE, AND FORGINGS 12CR - 8.5NI - 1.2TI - 2.0CU VACUUM INDUCTION PLUG VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-APR-90 |
| | BHMA-A115.1 | STEEL DOORS STANDARD AND STEEL FRAMES FOR SERIES 1000 MORTISE LOCKS AND LATCHES, PREPARATION OF 1-3/8 AND 1-3/4[CUST: YD] | A | FACR | | YD | 07-SEP-04 |
| | ASTM-C954 | STEEL DRILL SCREWS FOR THE APPLICATION OF GYPSUM BOARD OR METAL PLASTER BASES TO STEEL STUDS FROM 0.033 IN. (0.84 MM) TO 0.112 IN. (2.84 MM) IN THICKNESS[CUST: AR YD 99 IS] | A | 5305 | | IS | AUG-93 |
| | ASTM-A702 | STEEL FENCE POSTS AND ASSEMBLIES, HOT WROUGHT[CUST: YD] [REVIEW: CC] | A | 5660 | | IS | 07-DEC-89 |
| | ASTM-B183 | STEEL FOR ELECTROPLATING, LOW-CARBON, PREPARATION OF[CUST: GL SH 11] | A | MFFP | | GL | 30-MAR-79 |
| | ASTM-A711 | STEEL FORGING STOCK, STANDARD SPECIFICATION FOR[CUST: MR OS 99] [REVIEW: AR AS] | A | 9640 | | MR | 15-JUL-92 |
| | ASTM-A508/A508M | STEEL FORGINGS FOR PRESSURE VESSELS, QUENCHED AND TEMPERED VACUUM-TREATED CARBON AND ALLOY[CUST: MR SH] [REVIEW: IS MC OS] | A | FORG | | SH | 15-JUN-94 |
| | ASTM-A768 | STEEL FORGINGS FOR TURBINE ROTORS AND SHAFTS, VACUUM-TREATED 12% CHROMIUM ALLOY[CUST: MR SH] [REVIEW: AR GS MC YD] | A | FORG | | SH | 15-JUN-93 |
| | ASTM-A336/A336M | STEEL FORGINGS, ALLOY, FOR PRESSURE AND HIGH-TEMPERATURE PARTS[CUST: MR SH 11] [REVIEW: IS] | A | FORG | | SH | 15-JAN-94 |
| | MIL-S-24093A | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED[CUST: SH] | A | FORG | | SH | 05-NOV-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-24093/3 | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED (CLASS B, ALLOY STEEL, HEXAGONAL BAR)[CUST: SH] | A | FORG | | SH | 05-NOV-91 |
| | MIL-S-24093/1 | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED (CLASS B, ALLOY STEEL, ROUND BAR)[CUST: SH] | A | FORG | | SH | 05-NOV-91 |
| | MIL-S-24093/2 | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED (CLASS H, CARBON STEEL, HEXAGONAL BAR)[CUST: SH] | A | FORG | | SH | 05-NOV-91 |
| | ASTM-A668/A668M | STEEL FORGINGS, CARBON AND ALLOY, FOR GENERAL INDUSTRIAL USE[CUST: MR YD] | A | FORG | | YD | 15-JUN-93 |
| | MIL-S-23284A | STEEL FORGINGS, CARBON AND ALLOY, FOR SHAFTS, SLEEVES, PROPELLER NUTS, COUPLINGS, AND STOCKS (RUDDERS AND DIVING PLANES)[CUST: SH] | A | FORG | | SH | 15-JUN-90 |
| | ASTM-A470 | STEEL FORGINGS, CARBON AND ALLOY, VACUUM-TREATED, FOR TURBINE ROTORS AND SHAFTS[CUST: MR SH 11] [REVIEW: IS MC YD] | A | FORG | | SH | 15-JUN-93 |
| | MIL-S-23194J | STEEL FORGINGS, CARBON AND LOW ALLOY[CUST: SH] | F | FORG | | SH | 07-DEC-95 |
| | ASTM-A788 | STEEL FORGINGS, GENERAL REQUIREMENTS[CUST: MR SH] [REVIEW: IS OS] | A | FORG | | MR | 15-MAR-92 |
| | ASTM-A275/A275M | STEEL FORGINGS, MAGNETIC PARTICLE EXAMINATION OF[CUST: MR SH 11 GS2] [REVIEW: YD] | A | NDTI | | GS2 | 14-MAY-91 |
| | ASTM-A473 | STEEL FORGINGS, STAINLESS[CUST: MR YD] [REVIEW: SH] | A | FORG | | YD | 15-MAR-94 |
| | MIL-S-46119C NOT 2 | STEEL FORGINGS, TUBULAR PARTS FOR CANNON[CUST: AR] [REVIEW: CR4] | A | FORG | | AR | 12-JAN-00 |
| | ASTM-C754 | STEEL FRAMING MEMBERS TO RECEIVE SCREW-ATTACHED GYPSUM PANEL PRODUCTS, INSTALLATION OF[CUST: YD] [REVIEW: CE] | A | 5640 | | IS | 20-MAR-89 |
| | ASTM-C645 | STEEL FRAMING MEMBERS, NONSTRUCTURAL[CUST: CR4 YD 99] | A | 5640 | | IS | 03-OCT-94 |
| | ASTM-E390 | STEEL FUSION WELDS[CUST: MR AS 11] [REVIEW: 99 SH] | A | NDTI | | AS | 15-OCT-91 |
| | API-STD-600 | STEEL GATE VALVES-FLANGED AND BUTT-WELDING ENDS[CUST: CR4 YD] [REVIEW: CE MC] | A | 4820 | | CC | 06-APR-92 |
| | MIL-S-19434B | STEEL GEAR AND PINION FORGINGS, CARBON AND ALLOY, HEAT TREATED, NAVAL SHIPBOARD PROPULSION UNIT AND AUXILIARY TURBINE[CUST: SH] | A | 2030 | | SH | 31-DEC-90 |
| | ASTM-A690/A690M | STEEL H-PILES AND SHEET PILING FOR USE IN MARINE ENVIRONMENTS, HIGH-STRENGTH LOW-ALLOY[CUST: MR YD 99] [REVIEW: IS SH] | A | 9520 | | YD | 15-DEC-93 |
| | ANSI-MH16.1 | STEEL INDUSTRIAL STORAGE RACKS, DESIGN, TESTING AND UTILIZATION OF[CUST: SM SA 11 DH] [REVIEW: 99 AR GS OS] | A | PACK | | SM | 15-AUG-96 |
| | ASTM-A3 | STEEL JOINT BARS, LOW, MEDIUM, AND HIGH CARBON (NON-HEAT-TREATED), STANDARD SPECIFICATION FOR[CUST: MR YD 99] [REVIEW: AR CR4] | A | 2250 | | MR | 31-JUL-87 |
| | ASTM-F738M | STEEL METRIC BOLTS, SCREWS, AND STUDS, STAINLESS[CUST: AR YD 99] | A | 53GP | | IS | 22-FEB-91 |
| | ASME-B18.16.1M | STEEL METRIC HEX NUTS AND HEX FLANGE NUTS, PREVAILING-TORQUE MECHANICAL AND PERFORMANCE REQUIREMENTS FOR[CUST: AR YD 99 IS] | A | 5310 | | IS | 30-APR-80 |
| | ASME-B18.16.3M | STEEL METRIC HEX NUTS AND HEX FLANGE NUTS, PREVAILING-TORQUE TYPE, DIMENSIONAL REQUIREMENTS[CUST: AR YD 99 IS] | A | 5310 | | IS | 31-OCT-82 |
| | ASME-B18.16.2M | STEEL METRIC HEX NUTS AND HEX FLANGE NUTS, PREVAILING-TORQUE TYPE, TORQUE-TENSION TEST REQUIREMENTS FOR[CUST: AR YD 99 IS] | A | 5310 | | IS | 15-FEB-80 |
| | SAE-J995 | STEEL NUTS, MECHANICAL AND MATERIAL, REQUIREMENTS FOR[CUST: AR SH 99 IS] | A | 5310 | | IS | JUN-79 |
| | ASTM-D609 | STEEL PANELS FOR TESTING PAINT, VARNISH, CONVERSION COATINGS, AND RELATED COATING PRODUCTS, PREPARATION OF COLD-ROLLED[CUST: CR4 SH 99] | A | 8010 | | SH | 24-MAY-85 |
| | SAE-ARP4462 | STEEL PARTS, BARKHAUSEN NOISE INSPECTION FOR DETECTING GRINDING BURNS IN HIGH STRENGTH[CUST: MR AS 11] | A | NDTI | | 11 | 01-JAN-91 |
| | SAE-AMS-STD-753 | STEEL PARTS, CORROSION-RESISTANT: SAMPLING, INSPECTION AND TESTING FOR SURFACE PASSIVATION[CUST: AS] | A | MFFP | | AS | JUL-98 |
| | ASTM-A380 | STEEL PARTS, EQUIPMENT AND SYSTEMS, CLEANING DESCALING, AND PASSIVATION OF STAINLESS[CUST: MR SH 11 GS4] [REVIEW: 99 AR AS AV GL IS MI OS] | A | MFFP | | GS4 | 25-MAR-88 |
| | ASTM-A798/A798M | STEEL PIPE, INSTALLING FACTORY-MADE CORRUGATED, FOR SEWERS AND OTHER APPLICATIONS[CUST: MR YD] [REVIEW: CC CE] | A | 4710 | | MR | 15-AUG-94 |
| | MSS-SP44 | STEEL PIPELINE FLANGES[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | MIL-S-24238D | STEEL PLATE CARBON AND LOW ALLOY (CONTROLLED DISTRIBUTION)[CUST: SH] [REVIEW: IS] | B | 9515 | | SH | 03-SEP-87 |
| | MIL-DTL-23196E | STEEL PLATE, CORROSION RESISTANT, AUSTENITIC (UNS S30400, S30403, S31600, S34700, AND S34800)[CUST: SH] | F | 9515 | | SH | 21-AUG-97 |
| | ASTM-A514/A514M | STEEL PLATE, HIGH-YIELD-STRENGTH, QUENCHED AND TEMPERED ALLOY, SUITABLE FOR WELDING[CUST: MR YD 99] [REVIEW: IS SH] | A | 9515 | | YD | 11-MAR-94 |
| | MIL-S-22698C(2) NOT 2 | STEEL PLATE, SHAPES AND BARS, WELDABLE ORDINARY STRENGTH AND HIGHER STRENGTH: STRUCTURAL[CUST: SH] | A | 9515 | | SH | 30-AUG-02 |
| | ASTM-A176 | STEEL PLATE, SHEET, AND STRIP, STAINLESS AND HEAT-RESISTING CHROMIUM[CUST: MR YD 99] [REVIEW: AR CE CR CR4 GL IS OS SH] | A | 9515 | | MR | 15-FEB-93 |
| | ASTM-A167 | STEEL PLATE, SHEET, AND STRIP, STAINLESS AND HEAT-RESISTING CHROMIUM-NICKEL[CUST: MR YD 11] [REVIEW: AR CE CR CR4 GL IS MI OS SH] | A | 9515 | | MR | 15-JAN-94 |
| | ASTM-A770/A770M | STEEL PLATES FOR SPECIAL APPLICATIONS, THROUGH-THICKNESS TENSION TESTING OF[CUST: MR 11] [REVIEW: IS] | A | 95GP | | MR | 08-APR-86 |
| | ASTM-A884/A884M | STEEL PLATES, 9 PERCENT NICKEL ALLOY, FOR PRESSURE VESSELS, PRODUCTED BY THE DIRECT-QUENCHING PROCESS[CUST: YD] | A | 5335 | | YD | 18-APR-95 |
| | ASTM-A633/A633M | STEEL PLATES, LOW-ALLOY STRUCTURAL, NORMALIZED HIGH-STRENGTH[CUST: AT SH 99 IS] | A | 9520 | | IS | 03-OCT-94 |
| | BHMA-A115 | STEEL PREPARATION STANDARDS[CUST: YD] | A | FACR | | YD | 07-SEP-04 |
| | ASTM-A700 | STEEL PRODUCTS FOR SHIPMENT, PACKAGING, MARKING, AND LOADING[CUST: MR SA 11] [REVIEW: 99 AR AS IS OS SH YD] | A | 95GP | | MR | 26-JAN-90 |
| | ASTM-A751 | STEEL PRODUCTS, , PRACTICES, AND TERMINOLOGY FOR CHEMICAL ANALYSIS OF[CUST: MR YD 99] [REVIEW: 84 IS SH] | A | 95GP | | YD | 27-JUL-90 |
| | ASTM-A370 | STEEL PRODUCTS, MECHANICAL TESTING OF[CUST: MR AS 11] [REVIEW: AT IS MI] | A | 95GP | | MR | 15-JAN-92 |
| | ASTM-E428 | STEEL REFERENCE BLOCKS USED IN ULTRASONIC EXAMINATION, FABRICATION AND CONTROL OF[CUST: AT AS 11] | A | NDTI | | AS | 15-SEP-92 |
| | AWS-D1.4 | STEEL REINFORCING STRUCTURAL WELDING CODE[CUST: AR YD 99] [REVIEW: 11 CE] | A | THJM | | YD | 12-JUN-87 |
| | AWS-A5.2 | STEEL ROD, CARBON ANDLOW ALLOY, FOR OXYFUELGAS WELDING, SPECIFICATION FOR[CUST: AR YD 99] [REVIEW: GS SH] | A | 3439 | | YD | 18-MAY-89 |
| | ASTM-A66 | STEEL SCREW SPIKES, STANDARD SPECIFICATION FOR[CUST: MR YD 99] [REVIEW: AR CR4] | A | 2250 | | MR | 27-FEB-87 |
| | SAE-J78 | STEEL SELF-DRILLING TAPPING SCREWS[CUST: AR SH 99 IS] | A | 5305 | | IS | JUL-72 |
| | ASTM-C1002 | STEEL SELF-PIERCING TAPPING SCREWS FOR THE APPLICATION OF GYPSUM PANEL PRODUCTS OR METAL PLASTER BASES TO WOOD STUDS OR STEL STUDS[CUST: AR YD 99 IS] [REVIEW: 71 SH] | A | 5305 | | IS | MAY-93 |
| | MIL-HDBK-264 NOT 1 | STEEL SHAPES & PLATE BEAM COMBINATION USED IN SHIPBUILDING, PROPERTIES OF[CUST: SH] | A | 19GP | | SH | 22-MAY-86 |
| | ISO5954 | STEEL SHEET ACCORDING TO HARDNESS REQUIREMENTS, COLD-REDUCED CARBON[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 1998 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS5047 | STEEL SHEET AND STRIP 0.08 - 0.13C, ALUMINUM KILLED DEEP FORMING GRADE[CUST: MR AS 99 IS] | A | 95GP | | IS | 01-JUL-89 |
| | SAE-AMS5906 | STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) COLD ROLLED, 185 KSI (1276 MPA) TENSILE[CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A | 9515 | | AS | 01-JAN-92 |
| | SAE-AMS5904 | STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) COLD ROLLED, 150 KSI (1034 MPS) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A | 9515 | | AS | 01-JAN-92 |
| | SAE-AMS5905 | STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) COLD ROLLED, 175 KSI (1207 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A | 9515 | | AS | 01-JAN-92 |
| | SAE-AMS5911 | STEEL SHEET AND STRIP, CORROSION RESISTANT 19CR - 9.2NI (SAE 30304) COLD ROLLED, 150 KSI (1034 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A | 9515 | | AS | 01-JAN-92 |
| | SAE-AMS5913 | STEEL SHEET AND STRIP, CORROSION RESISTANT 19CR - 9.2NI (SAE 30304) COLD ROLLED, 185 KSI (1276 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A | 9515 | | AS | 01-JAN-92 |
| | ASTM-A715 | STEEL SHEET AND STRIP, HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED, AND STEEL SHEET, COLD-ROLLED, HIGH-STRENGTH, LOW-ALLOY, WITH IMPROVED FORMABILITY[CUST: MR SH 99] [REVIEW: 11 AR AS GL IS YD] | A | 9515 | | MR | 15-OCT-92 |
| | ASTM-A328/A328M | STEEL SHEET PILING[CUST: AT YD] [REVIEW: IS] | A | 9520 | | AT | 15-DEC-93 |
| | ASTM-A857/A857M | STEEL SHEET PILING, COLD FORMED, LIGHT GAGE[CUST: MR YD 99] | A | 9515 | | YD | 10-MAR-00 |
| | AASHTO-M218 | STEEL SHEET ZINC-COATED (GALVANIZED) FOR CORRUGATED STEEL PIPE[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | ASTM-A806/A806M | STEEL SHEET, 55 PERCENT ALUMINUM-ZINC ALLOY COATED BY THE HOT-DIP PROCESS FOR STORM SEWER AND DRAINAGE PIPE[CUST: MR YD 99] [REVIEW: IS SH] | A | 9515 | | YD | 15-FEB-93 |
| | ASTM-A792/A792M | STEEL SHEET, 55 PERCENT ALUMINUM-ZINC ALLOY-COATED BY THE HOT-DIP PROCESS[CUST: MR YD 99] [REVIEW: 84 AR AS IS MI SH] | A | 9515 | | YD | 15-FEB-93 |
| | ASTM-A819 | STEEL SHEET, ALUMINUM-COATED TYPE 2 FOR STORM SEWER AND DRAINAGE PIPE, STANDARD SPECIFICATION FOR[CUST: MR YD 99] [REVIEW: IS SH] | A | 9515 | | YD | 24-JUN-92 |
| | ASTM-A463/A463M | STEEL SHEET, ALUMINUM-COATED, BY THE HOT-DIP PROCESS[CUST: MR YD 99] [REVIEW: 84 IS SH] | A | 9515 | | YD | 28-FEB-89 |
| | ISO4999 | STEEL SHEET, CARBON, CONTINUOUS HOT-DIP TERNE (LEAD ALLOY) COATED COLD-REDUCED, OF COMMERCIAL DRAWINGS AND STRUCTURAL QUALITIES[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 1999 |
| | ISO3575 | STEEL SHEET, CARBON, CONTINUOUS HOT-DIP ZINC-COATED, OF COMMERCIAL LOCK FORMING AND DRAWING QUALITIES[CUST: MR SH 99] [REVIEW: 11 AR AS YD] | A | 9515 | | MR | 01-MAR-96 |
| | ISO4998 | STEEL SHEET, CARBON, OF STRUCTURAL QUALITY, CONTINUOUS HOT-DIP ZINC-COATED[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 15-MAY-96 |
| | ISO5001 | STEEL SHEET, COLD REDUCED CARBON FOR VITREOUS ENAMELLING[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 01-DEC-93 |
| | ISO4997 | STEEL SHEET, COLD REDUCED OF STRUCTURAL QUALITY[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 15-APR-91 |
| | ISO5950 | STEEL SHEET, CONTINUOUS ELECTROLYTIC TIN-COATED COLD-REDUCED CARBON OF COMMERCIAL AND DRAWING QUALITIES[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 01-APR-91 |
| | ISO5000 | STEEL SHEET, CONTINUOUS HOT-DIP ALUMINIUM/SILICON-COATED COLD-REDUCED CARBON, OF COMMERCIAL AND DRAWING QUALITIES[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 01-DEC-93 |
| | ISO5952 | STEEL SHEET, CONTINUOUSLY HOT-ROLLED OF STRUCTURAL QUALITY WITH IMPROVED ATMOSPHERIC CORROSION RESISTANCE[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 15-JUN-83 |
| | ASTM-A591/A591M | STEEL SHEET, ELECTROLYTIC ZINC-COATED, FOR LIGHT COATING WEIGHT [MASS] APPLICATIONS[CUST: MR YD 99] [REVIEW: 84 IS SH] | A | 9515 | | YD | 10-MAY-98 |
| | ISO5002 | STEEL SHEET, HOT-ROLLED AND COLD-REDUCED ELECTROLYTIC ZINC-COATED CARBON,OF COMMERCIAL AND DRAWING QUALITIES[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 15-NOV-82 |
| | ISO5951 | STEEL SHEET, HOT-ROLLED OF HIGHER YIELD STRENGTH WITH IMPROVED FORMABILITY[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 15-OCT-93 |
| | ISO4996 | STEEL SHEET, HOT-ROLLED, OF HIGH YIELD STRESS STRUCTURAL QUALITY[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 15-APR-91 |
| | ISO4995 | STEEL SHEET, HOT-ROLLED, OF STRUCTURAL QUALITY[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 01-NOV-93 |
| | ASTM-A742/A742M | STEEL SHEET, METALLIC COATED AND POLYMER PRECOATED FOR CORRUGATED STEEL PIPE[CUST: MR YD 99] [REVIEW: 84 IS SH] | A | 9515 | | YD | 15-FEB-93 |
| | ASTM-A755/A755M | STEEL SHEET, METALLIC COATED BY THE HOT DIP PROCESS AND PREPAINTED BY THE COIL-COATING PROCESS FOR EXTERIOR EXPOSED BUILDING PRODUCTS[CUST: MR YD] [REVIEW: AR CE CR4 IS MC OS] | A | 9515 | | YD | 29-SEP-89 |
| | SAE-AMS5085 | STEEL SHEET, STRIP, AND PLATE 0.47 - 0.55C (SAE 1050) ANNEALED[CUST: AR AS 99 IS] | A | 95GP | | IS | OCT-94 |
| | SAE-AMS6358 | STEEL SHEET, STRIP, AND PLATE 0.50CR - 0.55NI - 0.25MO (0.38 - 0.43C) (SAE 8740)[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-APR-87 |
| | SAE-AMS6523 | STEEL SHEET, STRIP, AND PLATE 0.75CR - 9.0NI- 4.5CO - 1.0MO - 0.09V (0.17 - 0.23C) VACUUM CONSUMABLE ELECTRODE MELTED, ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | FEB 95 |
| | SAE-AMS6433 | STEEL SHEET, STRIP, AND PLATE 0.75MN - 0.80CR - 1.8NI - 0.35MO - 0.20V (0.33 - 0.38C)[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-APR-89 |
| | SAE-AMS6354 | STEEL SHEET, STRIP, AND PLATE 0.75SI - 0.62CR - 0.20MO - 0.10ZR - (0.10 - 0.17C)[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | SAE-AMS6435 | STEEL SHEET, STRIP, AND PLATE 0.78CR - 1.8NI - 0.35MO - 0.20V (0.33 - 0.38C) VACUUM CONSUMABLE ELECTRODE MELTED, ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | 08-JUL-77 |
| | SAE-AMS6434 | STEEL SHEET, STRIP, AND PLATE 0.78CR - 1.8NI - 0.35MO - 0.20V (0.33 - 0.38C)[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-OCT-89 |
| | SAE-AMS6359 | STEEL SHEET, STRIP, AND PLATE 0.80CR - 1.8NI - 0.25MO (0.38 - 0.43C) (SAE 4340)[CUST: MR AS 11 IS] | A | 9515 | | IS | 27-FEB-81 |
| | SAE-AMS6396 | STEEL SHEET, STRIP, AND PLATE 0.80CR - 1.8NI- 0.25MO (0.49 - 0.55C) ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-JUL-87 |
| | SAE-AMS6350 | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130)[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | SAE-AMS6351 | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) SPHEROIDIZED[CUST: MR AS 11 IS] | A | 9515 | | IS | JAN-01 |
| | SAE-AMS6352 | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.33 - 0.38C) (SAE 4135)[CUST: MR AS 11 IS] | A | 9515 | | IS | DEC-91 |
| | SAE-AMS6395 | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140)[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-OCT-90 |
| | SAE-AMS6356 | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO - (0.30 - 0.35C)[CUST: AR AS 99 IS] | A | 9535 | | IS | 03-OCT-94 |
| M | SAE-AMS6439 | STEEL SHEET, STRIP, AND PLATE 1.05CR - 0.55NI - 1.0MO - 0.12V (0.42 - 0.48C) CONSUMABLE ELECTRODE VACUUM MELTED, ANNEALED[CUST: MR AS 11] | A | 9515 | | 11 | 28-MAR-06 |
| | SAE-AMS6438 | STEEL SHEET, STRIP, AND PLATE 1.05CR - 0.55NI - 1.0MO - 0.12V (0.45 - 0.50C) CONSUMABLE ELECTRODE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | SAE-AMS6454 | STEEL SHEET, STRIP, AND PLATE 1.8NI - 0.80CR - 0.25MO (0.38 - 0.43C) (SAE 4340) CONSUMABLE ELECTRODE MELTED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-AUG-86 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS5907 | STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 17CR - 12NI - 2.5 MO (SAE 30316) COLD ROLLED, 125 KSI (862 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A | 9515 | | AS | 01-JAN-92 |
| | SAE-AMS5862 | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 15CR - 4.5NI - 0.30CB- 3.5CU CONSUMABLE ELECTRODE REMELTED, SOLUTION HEAT TREATED PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | SAE-AMS5903 | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) COLD ROLLED, 125 KSI (862 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A | 9515 | | AS | 01-JAN-92 |
| | SAE-AMS5910 | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 19CR - 9.2NI (SAE 30304) COLD ROLLED, 125 KSI (862 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A | 9515 | | AS | 01-JAN-92 |
| | SAE-AMS6385 | STEEL SHEET, STRIP, AND PLATE, LOW ALLOY, HEAT RESISTANT 0.65SI - 1.25CR - 0.50MO - 0.25V (0.27 - 0.33C)[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | ASTM-A666 | STEEL SHEET, STRIP, PLATE, AND FLAT BAR, AUSTENITIC STAINLESS, ANNEALED OR COLD-WORKED[CUST: MR YD 11] [REVIEW: 99 AR CE CR CR4 IS SH] | A | 9515 | | MR | 15-FEB-93 |
| | ASTM-A308/A308M | STEEL SHEET, TERNE (LEAD-TIN ALLOY) COATED BY THE HOT-DIP PROCESS[CUST: MR] [REVIEW: IS YD] | A | 9515 | | MR | 15-AUG-92 |
| | ASTM-A525M | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS (METRIC)[CUST: MR YD 99] [REVIEW: IS MC SH] | A | 9515 | | YD | 15-AUG-91 |
| | ASTM-A444/A444M | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS FOR CULVERTS AND UNDERDRAINS, STANDARD SPECIFICATION FOR[CUST: MR YD 99] [REVIEW: IS MC SH] | A | 9515 | | YD | 26-MAY-89 |
| | ASTM-A361/A361M | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS FOR ROOFING AND SIDING[CUST: MR YD 99] [REVIEW: IS MC SH] | A | 9515 | | YD | 22-FEB-85 |
| | ASTM-A526/A526M | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, COMMERCIAL QUALITY[CUST: CE YD 99] [REVIEW: IS] | A | 9515 | | YD | 28-SEP-90 |
| | ASTM-A528/A528M | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, DRAWING QUALITY[CUST: MR YD 99] [REVIEW: IS MC SH] | A | 9515 | | YD | 28-SEP-90 |
| | ASTM-A642/A642M | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, DRAWING QUALITY, SPECIAL KILLED[CUST: MR YD 99] [REVIEW: IS MC SH] | A | 9515 | | YD | 28-SEP-90 |
| | ASTM-A525 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, GENERAL REQUIREMENTS FOR[CUST: MR YD 99] [REVIEW: IS SH] | A | 9515 | | YD | 15-AUG-91 |
| | ASTM-A527/A527M | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, LOCK-FORMING QUALITY[CUST: MR YD 99] [REVIEW: IS SH] | A | 9515 | | YD | 28-SEP-90 |
| | ASTM-A446/A446M | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, STRUCTRUAL (PHYSICAL) QUALITY[CUST: MR YD 99] [REVIEW: IS SH] | A | 9515 | | YD | 15-MAR-93 |
| | ABC-STD-54A | STEEL SHIPS PLATES | C | ISDN | | SH | 09-AUG-79 |
| | ASTM-E1077 | STEEL SPECIMENS, ESTIMATING THE DEPTH OF DECARBURIZATION OF[CUST: MR] [REVIEW: 11 AT AV GL IS OS SH] | A | 9640 | | MR | 16-JAN-91 |
| | ASTM-A125 | STEEL SPRINGS, HELICAL, HEAT-TREATED[CUST: AR SH 99 IS] | A | 5360 | | IS | 03-OCT-94 |
| | SAE-J1053 | STEEL STAMPED NUTS OF ONE PITCH THREAD DESIGN - INCH SERIES[CUST: CR4 YD 99] | A | 38GP | | 84 | AUG-96 |
| | RMI-III-03 | STEEL STORAGE RACKS, INDUSTRIAL, SPECIFICATION FOR THE DESIGN, TESTING AND UTILIZATION OF[CUST: SM SA 11 DH] | A | PACK | | SM | 15-AUG-96 |
| | ASTM-A416/A416M | STEEL STRAND, UNCOATED SEVEN-WIRE FOR PRESTRESSED CONCRETE[CUST: YD 99] [REVIEW: CE MC SH] | A | 9505 | | YD | 14-SEP-95 |
| | SAE-AMS5122 | STEEL STRIP (0.90 - 1.04C) (SAE 1095) HARD TEMPER[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-JUL-90 |
| | SAE-AMS5120 | STEEL STRIP 0.68 - 0.80C (SAE 1074)[CUST: AR AS 99 IS] | A | 95GP | | IS | 03-OCT-94 |
| | MIL-S-11713C(1) NOT 1 | STEEL STRIP, CARBON, SPRING: FOR MECHANICAL TIME FUZE COMPONENTS[CUST: MR OS IS] [REVIEW: AR MI] | A | 9515 | | IS | 26-JUN-02 |
| | ISO6932 | STEEL STRIP, COLD REDUCED CARBON, WITH A MAXIMUM CARBON CONTENT OF 0,,25 %[CUST: MR SH 99 IS] [REVIEW: 11 84 AR AS GL YD] | A | 9515 | | IS | 15-JUN-86 |
| | ISO4960 | STEEL STRIP, COLD-REDUCED CARBON, WITH A CARBON CONTENT OVER 0.25 %[CUST: MR SH 99 IS] [REVIEW: 11 84 AR AS GL YD] | A | 9515 | | IS | 15-SEP-86 |
| | ISO6317 | STEEL STRIP, HOT-ROLLED CARBON, OF COMMERCIAL AND DRAWING QUALITIES[CUST: MR SH 99 IS] [REVIEW: 11 AR AS YD] | A | 9515 | | IS | 01-NOV-82 |
| | ISO6316 | STEEL STRIP, HOT-ROLLED, OF STRUCTURAL QUALITY[CUST: MR SH 99 IS] | A | 9515 | | IS | 01-NOV-93 |
| | ASTM-A501 | STEEL STRUCTURAL TUBING , HOT-FORMED WELDED AND SEAMLESS CARBON[CUST: CR4 YD 99] [REVIEW: OS SH] | A | 4710 | | CC | 15-JUL-83 |
| | ASTM-D2092 | STEEL SURFACES FOR PAINTING, ZINC-COATED (GALVANIZED), PREPARATION OF[CUST: MR GS4] [REVIEW: AR] | A | MFFP | | GS4 | 15-APR-95 |
| | ASTM-A67 | STEEL TIE PLATES, LOW-CARBON AND HIGH-CARBON HOT-WORKED[CUST: MR YD 99] [REVIEW: AR CR4] | A | 2250 | | MR | 15-DEC-92 |
| | ASTM-A394 | STEEL TRANSMISSION TOWER BOLTS, ZINC-COATED AND BARE[CUST: AR YD 99 IS] | A | 5306 | | IS | 15-FEB-93 |
| | ASTM-A595 | STEEL TUBES, LOW-CARBON, TAPERED FOR STRUCTURAL USE[CUST: MR SH 99] | A | 47GP | | MR | OCT-94 |
| | SAE-J525 | STEEL TUBING ANNEALED FOR BENDING AND FLARING, WELDED AND COLD DRAWN LOW-CARBON[CUST: CR4 YD 99] [REVIEW: SH] | A | 4710 | | CC | FEB-96 |
| | SAE-J356 | STEEL TUBING NORMALIZED FOR BENDING, DOUBLE FLARING, AND BEADING, WELDED FLASH CONTROLLED LOW CARBON[CUST: AR SA 99] | A | 4710 | | AR | OCT-94 |
| | SAE-MAM2253 | STEEL TUBING, CARBON AND ALLOY, TOLERANCES, METRIC[CUST: MR AS 11] | A | 4710 | | MR | 01-JAN-83 |
| | SAE-AMS6282 | STEEL TUBING, MECHANICAL - 0.50CR - 0.55NI - 0.25MO (0.33 - 0.38C) (SAE 8735)[CUST: MR AS 11] | A | 4710 | | 11 | 01-OCT-89 |
| | SAE-AMS6323 | STEEL TUBING, MECHANICAL 0.50CR - 0.55NI - 0.25MO (0.38 - 0.43C) (SAE 8740)[CUST: MR AS 11] | A | 4710 | | 11 | 31-MAR-80 |
| | SAE-AMS6381 | STEEL TUBING, MECHANICAL 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140)[CUST: MR AS 11] | A | 4710 | | 11 | 01-OCT-90 |
| | SAE-AMS6372 | STEEL TUBING, MECHANICAL 0.95CR - 0.20MO (0.33 - 0.38C) (SAE 4135)[CUST: MR AS 11] | A | 4710 | | 11 | DEC-91 |
| M | SAE-AMS6374 | STEEL TUBING, SEAM-FREE, ROUND 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) 95.0 KSI (655 MPA) TENSILE STRENGTH[CUST: MR AS 11] | A | 4710 | | 11 | 29-MAR-06 |
| | SAE-AMS5050 | STEEL TUBING, SEAMLESS 0.15 CARBON, MAXIMUM ANNEALED[CUST: MR AS 11] | A | 4710 | | 11 | 15-AUG-90 |
| | SAE-AMS5075 | STEEL TUBING, SEAMLESS 0.22 - 0.28C (SAE 1025) COLD DRAWN AND STRESS RELIEVED[CUST: MR AS 11 CC] | A | 4710 | | CC | 17-MAR-89 |
| | SAE-AMS6365 | STEEL TUBING, SEAMLESS 0.95 CR - 0.20MO (0.33 - 0.38C) (SAE 4135) NORMALIZED OR STRESS RELIEVED[CUST: MR AS 11] [REVIEW: 99 MI] | A | 4710 | | 11 | 31-AUG-93 |
| M | SAE-AMS6361 | STEEL TUBING, SEAMLESS 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) 125 KSI (862 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 29-MAR-06 |
| M | SAE-AMS6362 | STEEL TUBING, SEAMLESS 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) 150 KSI (1034 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 28-MAR-06 |
| | SAE-AMS6360 | STEEL TUBING, SEAMLESS 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) NORMALIZED OR STRESS RELIEVED[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 13-JAN-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-J524 | STEEL TUBING, SEAMLESS LOW CARBON, ANNEALED FOR BENDING AND FLARING[CUST: CR4 YD 99] [REVIEW: SH] | A | 4710 | | CC | FEB-96 |
| | SAE-AMS5077 | STEEL TUBING, WELDED (0.22 - 0.28C) (SAE 1025) NORMALIZED OR STRESS RELIEVED[CUST: MR AS 11 CC] | A | 4710 | | CC | 15-AUG-90 |
| | SAE-AMS5053 | STEEL TUBING, WELDED 0.13 CARBON, MAXIMUM ANNEALED[CUST: CR4 SH 99] | A | 4710 | | 71 | 01-JAN-90 |
| | SAE-J526 | STEEL TUBING, WELDED LOW-CARBON[CUST: AT SH 99 CC] [REVIEW: 71 SA] | A | 4710 | | CC | JAN-00 |
| | UL58 | STEEL UNDERGROUND TANKS FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS, STANDARD FOR[CUST: CR4 YD 99 IS] | A | 5430 | | IS | 15-APR-86 |
| | AWS-A4.3 | STEEL WELD METAL PRODUCED BY ARC WELDING, MARTENSITIC, BAINITIC, AND FERRITIC, DETERMINATION OF THE DIFFUSIBLE HYDROGEN CONTENT OF[CUST: MR SH 11] | A | THJM | | SH | 12-NOV-92 |
| | ASTM-A497 | STEEL WELDED WIRE FABRIC, DEFORMED, FOR CONCRETE REINFORCEMENT[CUST: MR YD 99] | A | 9505 | | YD | 03-OCT-94 |
| | ASTM-A185 | STEEL WELDED WIRE REINFORCEMNT, PLAIN, FOR CONCRETE[CUST: CR4 YD] [REVIEW: MC] | A | 9505 | | YD | 31-AUG-90 |
| | SAE-AMS5028 | STEEL WELDING WIRE 1.05CR - 0.55NI - 1.0MO - 0.07V (0.34 - 0.40C) VACUUM MELTED, ENVIRONMENT-CONTROLLED PACKAGING[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 17-MAR-89 |
| | SAE-AMS5790 | STEEL WELDING WIRE, CORROSION AND HEAT RESISTANT 20CR - 10NI - 0.75(CB + TA) HIGH FERRITE GRADE[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-JAN-90 |
| | SAE-AMS6466 | STEEL WELDING WIRE, CORROSION RESISTANT 5.2CR - 0.55MO[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-OCT-87 |
| | SAE-AMS5110 | STEEL WIRE AND SPRINGS, CARBON, 0.75-0.88C (SAE 1080) SPRING, TEMPER, COLD DRAWN[CUST: MR AS 11] [REVIEW: 99] | A | 9505 | | 11 | 17-JAN-95 |
| | ASTM-A493 | STEEL WIRE AND WIRE RODS FOR COLD HEADING AND COLD FORGING, STAINLESS[CUST: MR SH] [REVIEW: AR IS] | A | 9510 | | MR | 22-MAR-93 |
| | ASTM-A581/A581M | STEEL WIRE AND WIRE RODS, FREE-MACHINING STAINLESS[CUST: MR SH 11] [REVIEW: AR IS] | A | 9505 | | MR | 15-FEB-93 |
| | ASTM-A555/A555M | STEEL WIRE AND WIRE RODS, STAINLESS, GENERAL REQUIREMENTS FOR[CUST: MR SH 11] [REVIEW: AR AS IS OS] | A | 9505 | | MR | 15-AUG-92 |
| | ASTM-A475 | STEEL WIRE STRAND, ZINC-COATED[CUST: CR4 YD 99] [REVIEW: IS SH] | A | 9505 | | YD | 24-FEB-89 |
| | ASTM-A853 | STEEL WIRE, CARBON, FOR GENERAL USE[CUST: MR YD 99] | A | 9505 | | YD | 15-JUL-93 |
| | ASTM-A227/A227M | STEEL WIRE, COLD-DRAWN FOR MECHANICAL SPRINGS[CUST: MR OS 99] [REVIEW: AR AV] | A | 9505 | | IS | 15-JUL-93 |
| | SAE-AMS7732 | STEEL WIRE, COPPER CLAD 99FE - 0.32MN ANNEALED[CUST: MR AS 11] | A | 6145 | | 11 | 01-SEP-83 |
| | ASTM-A496 | STEEL WIRE, DEFORMED, FOR CONCRETE REINFORCEMENT[CUST: CR4 YD 99] | A | 9505 | | YD | 15-APR-94 |
| | ASTM-B415 | STEEL WIRE, HARD-DRAWN ALUMINUM-CLAD[CUST: MR AS 99] | A | 9505 | | AS | 03-OCT-94 |
| | ASTM-A764 | STEEL WIRE, METALLIC COATED CARBON, COATED AT SIZE AND DRAWN TO SIZE FOR MECHANICAL SPRINGS[CUST: CR4 SH 99 IS] | A | 9505 | | IS | 03-OCT-94 |
| | ASTM-A228/A228M | STEEL WIRE, MUSIC SPRING QUALITY[CUST: GL AS 99 GS] [REVIEW: 84 AT CR4 EA] | A | 9505 | | IS | 03-OCT-90 |
| | ASTM-A230/A230M | STEEL WIRE, OIL-TEMPERED CARBON VALVE SPRING QUALITY[CUST: MR SH 99] | A | 9505 | | SH | 03-OCT-94 |
| | ASTM-A229/A229M | STEEL WIRE, OIL-TEMPERED FOR MECHANICAL SPRINGS[CUST: MR OS 99] [REVIEW: AR AV] | A | 9505 | | IS | 15-JUL-93 |
| | ASTM-A82 | STEEL WIRE, PLAIN, FOR CONCRETE REINFORCEMENT[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 9505 | | YD | 31-AUG-90 |
| | ASTM-A580/A580M | STEEL WIRE, STAINLESS[CUST: MR YD 99] [REVIEW: AR AT DS IS MI OS SH] | A | 9505 | | YD | 15-FEB-93 |
| | ASTM-A641/A641M | STEEL WIRE, ZINC-COATED (GALVANIZED) CARBON[CUST: MR YD 99] [REVIEW: 84 AR AT CR4 DS IS MC MI] | A | 9505 | | YD | 15-MAR-92 |
| | A-A-1043A NOT 1 | STEEL WOOL | A | 5350 | # | FSS | 12-JUL-94 |
| | SAE-AMS5638 | STEEL, CORROSION RESISTANT, BARS AND FORGINGS 0.14S - 18CR - 9.5NI - 0.50MO - 0.80AI FREE-MACHINING; SWAGING OR UPSETTING SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | MAY-95 |
| | SAE-AMS5353 | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 16CR - 1.8NI - 0.08N AS CAST[CUST: MR AS 11] | A | MECA | | 11 | DEC-00 |
| | SAE-AMS5604 | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 16.5CR - 4.0NI - 4.0CU - 0.30CB SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9515 | | IS | MAY-95 |
| | SAE-AMS5511 | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 19CR - 9.5NI (304L) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 15-AUG-90 |
| | SAE-AMS5738 | STEEL, CORROSION-RESISTANT, BARS AND WIRE 18CR - 9NI (SAE 30303F) FREE MACHINING, HIGH YIELD STRENGTH SOLUTION HEAT TREATED AND COLD WORKED[CUST: AR AS 99 IS] | A | 9530 | | IS | 03-OCT-94 |
| | ASTM-A320/A320M | STEEL, ALLOY, AND STAINLESS STEEL BOLTING MATERIALS FOR LOW-TEMPERATURE SERVICE[CUST: AR YD 99 IS] | A | 5306 | | IS | 15-JUN-94 |
| | SAE-AMS5132 | STEEL, BARS 0.90 - 1.30C[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-OCT-82 |
| | SAE-AMS6348 | STEEL, BARS 0.95CR - 0.20MO (0.28 TO 0.33C) (SAE 4130) NORMALIZED[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | OCT-94 |
| | MIL-S-46047E | STEEL, BARS AND BLANKS (1-3/4 INCHES AND OVER IN DIAMETER) FOR BARRELS OF SMALL ARMS WEAPONS[CUST: MR] [REVIEW: IS] | A | 9510 | | AR | 21-SEP-88 |
| | SAE-AMS6325 | STEEL, BARS AND FORGINGS 0.50CR - 0.55NI - 0.25MO (0.38 - 0.43C) (SAE 8740) HEAT TREATED, 105 KSI (724 MPA) TENSILE STRENGTH[CUST: MR AS 11 IS] [REVIEW: 84 AR AT AV MI OS] | A | 9510 | | IS | JAN-91 |
| | SAE-AMS6308 | STEEL, BARS AND FORGINGS 0.90SI - 1.0CR - 2.0NI - 3.2MO - 2.0CU - 0.10V (0.07 - 0.13C) VACUUM ARC OR ELECTROSLAG REMELTED[CUST: MR AS 11] | A | 9510 | | 11 | 28-MAY-97 |
| | SAE-AMS6527 | STEEL, BARS AND FORGINGS 2.0CR - 10NI - 14CO - 1.0MO - (0.15 - 0.19C) VACCUM MELTED, NORMALIZED AND OVERAGED[CUST: MR AS 11] | A | 9510 | | 11 | OCT-96 |
| M | SAE-AMS6532 | STEEL, BARS AND FORGINGS 3.1CR - 11.5NI - 13.5CO - 1.2MO (0.21 - 0.25C) VACUUM MELTED, NORMALIZED AND OVERAGED PRECIPITATION HARDENABLE[CUST: MR AS 11] [REVIEW: 99] | A | 9515 | | 11 | 28-MAR-06 |
| | SAE-AMS6412 | STEEL, BARS AND FORGINGS, 0.80CR - 1.8NI - 0.25MO (0.35 - 0.40C) (4337)[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | DEC-94 |
| | SAE-AMS6430 | STEEL, BARS, FORGINGS, TUBING, AND RINGS 0.75MN - 0.78CR - 1.8NI - 0.35MO - 0.20V (0.32 - 0.38C) (4335 MODIFIED)[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | ASTM-A484/A484M | STEEL, BARS, BILLETS AND FORGINGS, STAINLESS[CUST: MR YD 11] [REVIEW: 99 AR AS IS MI OS SH] | A | 9510 | | MR | 15-AUG-92 |
| | SAE-AMS6328 | STEEL, BARS, FORGINGS AND TUBING 0.50CR - 0.55NI - 0.25MO(0.48-0.53C)(SAE8750)[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 31-AUG-94 |
| M | SAE-AMS6270 | STEEL, BARS, FORGINGS, AND TUBING 0.50CR - 0.55NI - 0.20MO (0.13 - 0.18C) (SAE 8615)[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 28-MAR-06 |
| | SAE-AMS6409 | STEEL, BARS, FORGINGS, AND TUBING 0.80CR - 1.8NI - 0.25MO (0.38 - 0.43C) (SAE 4340) SPECIAL AIRCRAFT QUALITY CLEANLINESS NORMALIZED AND TEMPERED[CUST: 11] | A | 9510 | | 11 | 31-MAY-05 |
| | SAE-AMS6415 | STEEL, BARS, FORGINGS, AND TUBING 0.80CR - 1.8NI - 0.25MO (0.38 - 0.43C) (SAE 4340)[CUST: CR AS 99 IS] [REVIEW: 84] | A | 95GP | | IS | 03-OCT-94 |
| | SAE-AMS6407 | STEEL, BARS, FORGINGS, AND TUBING 1.2CR - 2.0NI - 0.45MO (0.27 - 0.33C)[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 17-JAN-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS6440 | STEEL, BARS, FORGINGS, AND TUBING 1.45CR (0.98 - 1.10C) (SAE 52100) FOR BEARING APPLICATIONS[CUST: MR AS 11 IS] | A | 9510 | | IS | 17-MAR-89 |
| | SAE-AMS5931 | STEEL, BARS, WIRE, FORGINGS, EXTRUSIONS, TUBING, AND RINGS WEAR, GALLING, AND CORROSION RESISTANT 5.0MN - 3.5SI - 16.5CR - 5.0NI - 0.14N SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | MAY-95 |
| | ASTM-A485 | STEEL, BEARING, HIGH HARDENABILITY ANTIFRICTION, STANDARD SPECIFICATION FOR[CUST: MR OS] [REVIEW: AT CR4 GL MC SH] | A | 9640 | | MR | 15-AUG-92 |
| | ASTM-A659/A659M | STEEL, CARBON (0.16 MAXIMUM TO 0.25 MAXUMUM PERCENT) HOT-ROLLED SHEET AND STRIP, COMMERCIAL QUALITY[CUST: MR 11 IS] [REVIEW: YD] | A | 9515 | | IS | 03-DEC-92 |
| | ASTM-A350/A350M | STEEL, CARBON AND LOW-ALLOY FORGINGS, REQUIRING NOTCH TOUGHNESS TESTING FOR PIPING COMPONENTS[CUST: AR YD 11] | A | FORG | | YD | OCT-94 |
| | MIL-S-13281E NOT 2 | STEEL, CARBON, ALLOY, AND HIGH STRENGTH LOW ALLOY FOR WELDED STRUGTURES (STRESS RELIEVED)[CUST: AR] [REVIEW: AT AV IS MI] | A | 9520 | | AR | 19-MAR-98 |
| | ASTM-A500 | STEEL, CARBON, STRUCTURAL TUBING IN ROUNDS AND SHAPES, COLD-FORMED WELDED AND SEAMLESS[CUST: CR4 YD 99] [REVIEW: SH] | A | 4710 | | CC | 15-JUL-93 |
| | SAE-AMS6264 | STEEL, CARBURIZING GRADE, BARS, FORGINGS, AND TUBING 1.2CR - 3.2NI - 0.12MO - (0.14-0.20C) (SAE9317)[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | MAY-01 |
| | DIN-EN10084 | STEEL, CASE HARDENING, (TECHNICAL DELIVERY CONDITIONS)[CUST: AT AS 99] [REVIEW: 16 84 IS MI MR SH] | A | 9520 | | AT | 29-SEP-04 |
| | ASTM-A216/A216M | STEEL, CASTINGS, CARBON, SUITABLE FOR FUSION WELDING, FOR HIGH TEMPERATURE SERVICE[CUST: MR YD 99] [REVIEW: OS SH] | A | MECA | | MR | 07-DEC-89 |
| | SAE-AMS-S-5000 | STEEL, CHROME-NICKEL-MOLYBDENUM (E4340) BARS AND REFORGING STOCK[CUST: MR AS 11 IS] [REVIEW: 99 AT EA MI] | A | 9510 | | AS | MAR-99 |
| | MIL-S-24502C | STEEL, CHROMIUM-MOLYBDENUM-VANADIUM BARS[CUST: SH] | F | 9510 | | SH | 23-MAR-92 |
| | ASTM-A478 | STEEL, CHROMIUM-NICKEL STANLESS, WEAVING AND KNITTING WIRE[CUST: CR SH 11 CT] | A | MECA | | SH | 10-SEP-97 |
| | SAE-AMS5763 | STEEL, CORROSIION RESISTANT BARS, FORGINGS, TUBING, AND RINGS 15CR - 6.5NI - 0.75MO - 0.50 (CB + TA) - 1.5 CU SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | FEB-01 |
| | SAE-AMS5613 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 12.5CR (SAE 51410) ANNEALED[CUST: AR AS 99] [REVIEW: 71] | A | 9530 | | IS | MAY-95 |
| | SAE-AMS5505 | STEEL, CORROSION AND HEAT RESISTANT SHEET, STRIP, AND PLATE 12CR (SAE 51410 MODIFIED) FERRITE CONTROLLED, ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | MAY-95 |
| | SAE-AMS2241 | STEEL, CORROSION AND HEAT RESISTANT STEEL, IRON ALLOY, TITANIUM, AND TITANIUM ALLOY BARS AND WIRE, TOLERANCES[CUST: MR AS 11] | A | 95GP | | MR | MAY-89 |
| | SAE-AMS5655 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, AND FORGINGS 12.5CR - 0.75NI - 1.0MO - 1.0W - 0.24V (0.20-0.25C) HARDENED AND TEMPERED[CUST: MR AS 11 IS] | A | 9510 | | IS | MAY-95 |
| | SAE-AMS5744 | STEEL, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 15.5CR - 4.5NI - 2.9MO - 0.10N HEAT TREATED, 170 KSI (1172 MPA) TENSILE STRENGTH[CUST: MR AS 11 IS] | A | 9510 | | IS | 17-MAR-89 |
| | SAE-AMS5743 | STEEL, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 15.5CR - 4.5NI - 2.9MO - 0.10N SOLUTION HEAT TREATED, SUB-ZERO COOLED, EQUALIZED, AND OVER-TEMPERED[CUST: MR AS 11 IS] | A | 9510 | | IS | 30-OCT-81 |
| | SAE-AMS5745 | STEEL, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 16.5CR - 4.5NI - 2.9MO - 0.10N EQUALIZED AND OVER-TEMPERED[CUST: 11 IS] | A | 9510 | | IS | 30-OCT-81 |
| | SAE-AMS5614 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, AND FORGINGS 12CR - 0.50MO ANNEALED[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | FEB-95 |
| | SAE-AMS5642 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, AND FORGINGS 18 CR - 10.5NI - 0.60CB FREE-MACHINING, SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 10-JAN-94 |
| | SAE-AMS5649 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, AND FORGINGS 18CR - 13NI - 2.1MO FREE MACHINING SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 19-DEC-94 |
| | SAE-AMS5737 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, AND TUBING 15CR - 25.5NI - 1.2MO - 2.1TI - 0.006B - 0.30V CONSUMABLE ELECTRODE MELTED, 1650 DEG. F (899 DEG. C) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS5734 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, AND TUBING 15CR - 25.5NI - 1.2 MO - 2.1TI - 0.006B - 0.30V CONSUMABLE ELECTRODE MELTED, 1650 DEG. F (899 DEG. C) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS5645 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA] | A | 4720 | | CC | 13-NOV-03 |
| | SAE-AMS5731 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 15CR - 25.5NI - 1.2MO - 2.1TI - 0.006B - 0.30V CONSUMABLE ELECTRODE MELTED, 1800 DEG F (982 DEG C) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS5646 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 18CR - 11NI - 0.60CB (SAE 30347) SOLUTION HEAT TREATED[CUST: MR AS 19 IS] | A | 95GP | | IS | 03-OCT-94 |
| | SAE-AMS5616 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 13CR - 2.0NI - 3.0W ANNEALED[CUST: MR AS 11 IS] | A | 9510 | | IS | 1-OCT-82 |
| | SAE-AMS5732 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 15 CR - 25.5 NI - 1.2 MO - 2.1TI - 0.006B - 0.30V CONSUMABLE ELECTRODE MELTED 1800 DEG. F (982 DEG. C) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | MAY-95 |
| | SAE-AMS5650 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 23CR - 13.5NI (SAE 30309S) SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | MAY-95 |
| | SAE-AMS5609 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 12CR - 0.23CB (SAE 51410 MODIFIED) FERRITE CONTROLLED, ANNEALED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-JAN-92 |
| | SAE-AMS5612 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 12CR FERRITE CONTROLLED, ANNEALED[CUST: MR AS 11 IS] | A | 9510 | | IS | MAY-94 |
| | SAE-AMS5810 | STEEL, CORROSION AND HEAT RESISTANT, FLAT WIRE 15CR - 25.5NI - 1.2MO - 2.1TI - 0.006B - 0.30V 1800 DEG. F (982 DEG. C) SOLUTION TREATED, COLD DRAWN OR COLD ROLLED AND AGED, CONSUMABLE ELECTRODE MELTED[CUST: MR AS 11] | A | 9505 | | 11 | 31-AUG-94 |
| | SAE-AMS5850 | STEEL, CORROSION AND HEAT RESISTANT, HONEYCOMB CORE RESISTANCE WELDED, SQUARE CELL[CUST: MR AS 11] | A | 9520 | | IS | 01-JAN-93 |
| | SAE-AMS5360 | STEEL, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 17CR - 13NI - 1.9MO SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | SEP-83 |
| | SAE-AMS5366 | STEEL, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 25CR - 20NI (CK20) AS CAST[CUST: MR AS 11] | A | MECA | | 11 | SEP-83 |
| | SAE-AMS5354 | STEEL, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 13CR - 2.0NI - 3.0W, HARDENED AND TEMPERED[CUST: MR AS 11] | A | MECA | | 11 | JAN-01 |
| | SAE-AMS5362 | STEEL, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 19CR - 12NI - 1.0(CB + TA) SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | JAN-01 |
| | SAE-AMS5584 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS AND WELDED HYDRAULIC TUBING 17CR - 12NI - 1.5MO - 0.03C MAX COLD DRAWN, ONE EIGHTH-HARD TEMPER[CUST: 11] [REVIEW: 99 AS MR] | A | 9515 | | 11 | DEC-00 |
| | SAE-AMS5569 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS AND WELDED HYDRAULIC TUBING 19CR - 9.5NI - 0.03C MAX COLD DRAWN, ONE EIGHTH-HARD TEMPER[CUST: 11] [REVIEW: 99 AS MR] | A | 9515 | | 11 | JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS5896 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS OR WELDED HYDRAULIC TUBING 18.5CR - 10.5NI - 0.55TI (SAE 30321) SOLUTION HEAT TREATED AND COLD DRAWN, ONE-EIGHTH HARD TEMPER[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 30-JUN-94 |
| | SAE-AMS5897 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS OR WELDED HYDRAULIC TUBING 18.5CR - 11NI - 0.80CB (SAE 30347) SOLUTION HEAT TREATED AND COLD DRAWN, ONE-EIGHTH HARD TEMPER[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 30-JUN-94 |
| | SAE-AMS5562 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 9.0MN - 20CR - 6.5NI - 0.28N SOLUTION HEAT TREATED[CUST: MR AS 11] | A | 4710 | | 11 | FEB-01 |
| | SAE-AMS5554 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 16.5CR - 4.5NI - 2.9MO - O.10N ANNEALED[CUST: MR AS 11] | A | 4710 | | 11 | JUL-94 |
| | SAE-AMS5570 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 18CR - 11NI - 0.40TI (SAE 30321) SOLUTION HEAT TREATED[CUST: 11] [REVIEW: 71 99 AS CC MR] | A | 4710 | | 11 | 01-OCT-92 |
| | SAE-AMS5572 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 25CR - 20NI (SAE 30310S) SOLUTION HEAT TREATED[CUST: MR AS 11] | A | 4710 | | 11 | 17-MAR-89 |
| | SAE-AMS5548 | STEEL, CORROSION AND HEAT RESISTANT, SHEET AND STRIP 16.5CR - 4.5NI - 2.9MO - 0.10N 1850 TO 1975 DEG. F (1010 TO 1079 DEG. C) ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | DEC-95 |
| | SAE-AMS5547 | STEEL, CORROSION AND HEAT RESISTANT, SHEET AND STRIP 15.5 CR - 4.5NI - 2.9MO - 0.10N SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-OCT-92 |
| | SAE-AMS5525 | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 15CR - 25.5NI - 1.2MO - 2.1TI - 0.006B - 0.30V 1800 DEG. F (982 DEG. C) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 15-AUG-90 |
| | SAE-AMS5504 | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 12.5CR (SAE 51410) ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | SAE-AMS5506 | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 13CR (0.30 - 0.40C) (SAE 51420) ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-APR-91 |
| | SAE-AMS5508 | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 13CR - 2.0NI - 3.0W ANNEALED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-JAN-93 |
| | SAE-AMS5510 | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 18CR - 10.5NI - 0.40TI (SAE 30321) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-SEP-83 |
| | SAE-AMS5524 | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 18CR - 13NI - 2.5MO (SAE 30316) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | SAE-AMS5512 | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 18CR- 10.5NI - 0.80CB (SAE 30347) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-OCT-92 |
| | SAE-AMS5523 | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 23CR - 13.5NI (SAE 30309S) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | JAN-94 |
| | SAE-AMS5521 | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 25CR - 20NI (SAE 3031OS) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | MAY-94 |
| | SAE-AMS5591 | STEEL, CORROSION AND HEAT RESISTANT, TUBING, SEAMLESS 12.5CR (SAE 51410) ANNEALED[CUST: MR AS 11 CC] | A | 4710 | | CC | DEC-00 |
| M | SAE-AMS5568 | STEEL, CORROSION AND HEAT RESISTANT, WELDED TUBING 17CR - 7.1NI - 1.1AL SOLUTION HEAT TREATED, PRECIPITATION-HARDENABLE[CUST: MR AS 11] | A | 4710 | | 11 | 29-MAR-06 |
| | SAE-AMS5559 | STEEL, CORROSION AND HEAT RESISTANT, WELDED TUBING 18CR - 10.5NI - 0.40TI (SAE 30321) THIN WALL SOLUTION HEAT TREATED[CUST: MR AS 11] | A | 4710 | | 11 | 15-AUG-90 |
| | SAE-AMS5558 | STEEL, CORROSION AND HEAT RESISTANT, WELDED TUBING 18CR - 10.5NI - 0.70 CB (SAE 30347) THIN WALL SOLUTION HEAT TREATED[CUST: MR AS 11] | A | 4710 | | 11 | 15-AUG-90 |
| | SAE-AMS5575 | STEEL, CORROSION AND HEAT RESISTANT, WELDED TUBING 18CR - 10.5NI - 0.70CB (SAE 30347) SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | JAN-94 |
| | SAE-AMS5577 | STEEL, CORROSION AND HEAT RESISTANT, WELDED TUBING 25CR - 20NI (SAE 30310) SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | JUN-01 |
| | SAE-AMS5576 | STEEL, CORROSION AND HEAT RESISTANT, WELDED TUBING, 18CR 10.5NI 0.40TI (SAE 30321) SOLUTION HEAT TREATED[CUST: CR4 AS 99] | A | 4710 | | AS | 01-OCT-92 |
| | SAE-AMS5578 | STEEL, CORROSION AND HEAT RESISTANT, WELDING TUBING 12CR - 8.5NI - 0.30 CB - 1.1TI - 2.0 CU VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11] | A | 4710 | | 11 | 20-DEC-91 |
| | SAE-AMS5823 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 11.8CR - 2.8NI - 1.6C0 - 1.8MO - 0.32V[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | MAY-95 |
| | SAE-MAM5822 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 11.8CR - 2.8NI - 1.6CO - 1.8MO - 0.32V VACUUM INDUCTION MELTED[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | MR | 01-JAN-93 |
| | SAE-AMS5822 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 11.8CR - 2.8NI - 1.6CO - 1.8MO - 0.32V VACUUM INDUCTION MELTED[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-JAN-93 |
| | SAE-AMS5776 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 12.5CR (SAE 51410)[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 17-MAR-89 |
| | SAE-AMS5817 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 13CR - 2.0NI - 3.0W[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-JAN-92 |
| | SAE-AMS5840 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 13CR - 8.0NI - 2.3MO - 1.1AL VACUUM MELTED[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-JAN-92 |
| | SAE-AMS5780 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 15.5CR - 4.5NI - 2.9MO - 0.10N[CUST: MR AS 11] | A | 9505 | | IS | AUG-86 |
| | SAE-AMS5805 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 15CR - 25.5NI - 1.2MO -2.1TI - 0.004B - 0.30V VACUUM INDUCTION MELTED, ENVIRONMENT CONTROLLED PACKAGING[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | DEC 95 |
| | SAE-AMS5804 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 15CR - 25.5NI - 1.3MO - 2.2TI - 0.006B - 0.30V[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-JAN-93 |
| | SAE-AMS5826 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 15CR - 5.1NI - 0.30CB - 3.2CU[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | 30-APR-94 |
| | SAE-AMS5774 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 16.5CR - 4.5NI - 2.9MO - 0.10N[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 17-MAR-89 |
| | SAE-AMS5680 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 18.5CR - 11NI - 0.40CB (SAE 30347)[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | MAY-94 |
| | SAE-AMS5692 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 19CR - 12.5NI - 2.5MO[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | APR-94 |
| | SAE-AMS5808 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 19CR - 13NI - 2.5MO HIGH FERRITE GRADE, TRACE ELEMENT CONTROLLED[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | JUN-96 |
| | SAE-AMS5782 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 20.5CR - 9.0NI - 0.50MO - 1.5W - 1.2CB - 0.20TI VACUUM INDUCTION MELTED[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | 05-AUG-96 |
| | SAE-AMS5694 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 27CR - 21.5NI[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 15-AUG-90 |
| | SAE-AMS5784 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 29CR - 9.5NI[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-JAN-92 |
| | SAE-AMS5690 | STEEL, CORROSION AND HEAT RESISTANT, WIRE 17CR - 12NI - 2.5MO (SAE 30316) SOLUTION HEAT TREATED[CUST: MR AS 11] | A | 9505 | | IS | 01-OCT-92 |
| | SAE-AMS5689 | STEEL, CORROSION AND HEAT RESISTANT, WIRE 18CR - 10.5NI - 0.40TI (SAE 30321) SOLUTION HEAT TREATED[CUST: 11] [REVIEW: 84 99 MR SH] | A | 9505 | | 11 | MAY-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| M | SAE-AMS5674 | STEEL, CORROSION AND HEAT RESISTANT, WIRE, 18CR - 11.5NI - 0.70CB (SAE 30347) SOLUTION HEAT TREATED[CUST: MR SH 11] [REVIEW: 84 99] | A | 9505 | | 11 | 28-MAR-06 |
| | SAE-AMS5653 | STEEL, CORROSION AND HEAT RESISTATNT, BARS, WIRE, FORGINGS, TUBINGS, AND RINGS 17CR - 12NI - 2.5MO (0.030 MAX C) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS5557 | STEEL, CORROSION AND HEAT-RESISTANT, SEAMLESS OR WELDED HYDRAULIC TUBING 18.5CR - 10.5NI - 0.40TI (SAE 30321) SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 18-JAN-96 |
| M | SAE-AMS5556 | STEEL, CORROSION AND HEAT-RESISTANT, SEAMLESS OR WELDED HYDRAULIC TUBING 18CR - 11NI - 0.70CB (SAE 30347) SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 29-MAR-06 |
| | SAE-AMS5507 | STEEL, CORROSION AND HEAT-RESISTANT, SHEET, STRIP, AND PLATE, 17CR - 13NI - 2.5MO (SAE 30316L) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 15-AUG-90 |
| | SAE-AMS5520 | STEEL, CORROSION AND HEAT-RESISTANT, SHEET, STRIP, FOIL, AND PLATE 15CR - 7.1NI - 2.5MO - 1.1AL SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9515 | | IS | AUG-90 |
| M | SAE-AMS5803 | STEEL, CORROSION AND HEAT-RESISTANT, WELDING WIRE 16.4CR - 4.8NI - 0.22CB - 3.6CU VACUUM MELTED[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | 28-MAR-06 |
| | SAE-AMS5350 | STEEL, CORROSION AND MODERATE HEAT RESISTANT, INVESTMENT CASTINGS 12.5CR (SAE 51410) HARDENED AND TEMPERED[CUST: MR AS 11] | A | MECA | | 11 | JAN-01 |
| | SAE-AMS5659 | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, RINGS, AND EXTRUSIONS 15CR - 4.5NI - 0.30CB - 3.5CU CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9510 | | IS | MAR-95 |
| | SAE-AMS5930 | STEEL, CORROSION RESISTANT, BARS AND FORGINGS 13.0CR - 2.5NI - 5.5CO - 2.0MO 0.60V (0.05 - 0.09C) VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | MAY-95 |
| | SAE-AMS5637 | STEEL, CORROSION RESISTANT, BARS AND WIRE 18CR - 9.0NI (SAE 30302) SOLUTION HEAT TREATED AND COLD DRAWN 125 KSI (862 MPA) TENSILE STRENGTH[CUST: MR AS 99 IS] | A | 95GP | | IS | 01-OCT-93 |
| | SAE-AMS5636 | STEEL, CORROSION RESISTANT, BARS AND WIRE 18CR - 9.0NI (SAE 30302) SOLUTION HEAT TREATED AND COLD DRAWN 100 KSI (689 MPA) TENSILE STRENGTH[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-OCT-93 |
| M | SAE-AMS5880 | STEEL, CORROSION RESISTANT, BARS, FORGINGS, AND WIRE 17CR - 0.52MO (0.95 - 1.20C) (SAE 51440C) FOR BEARING APPLICATIONS[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 28-MAR-06 |
| | SAE-AMS5898 | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS 15.2CR - 1.0MO - 0.40N - (0.28 - 0.34C) CONSUMABLE ELECTRODE MELTED UNDER PRESSURE[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | FEB-95 |
| | SAE-AMS5630 | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS 17CR - 0.52MO (0.95 - 1.20C) (SAE 51440C)[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-APR-93 |
| | SAE-AMS5618 | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS 17CR - 0.52MO (0.95-1.20C) (SAE51440C) CONSUMABLE ELECTRODE VACUUM MELTED[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 31-JUL-94 |
| | SAE-AMS5635 | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS 18CR - 9NI - 0.21PB (303PB) FREE-MACHINING, SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 30-OCT-81 |
| | SAE-AMS5640 | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS, 18CR - 9.0NI FREE-MACHINING[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS5641 | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS, 18.5CR - 10NI - 0.22SE (SAE 30303SE) FREE-MACHINING; SWAGING OR UPSETTING SOLUTION HEAT TREATED[CUST: MR AS 99] [REVIEW: 71] | A | 95GP | | IS | OCT-94 |
| | SAE-AMS5749 | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, AND TUBING 14.5CR - 4.0MO - 1.2V (1.10 - 1.20C) PREMIUM QUALITY FOR BEARING APPLICATIONS, DOUBLE MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 31-OCT-81 |
| | SAE-AMS5656 | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, EXTRUSIONS, AND RINGS 9.0MN - 20CR - 6.5NI - 0.27N SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 01-APR-92 |
| | SAE-AMS5629 | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, RINGS, AND EXTRUSIONS 13CR - 8.0NI - 2.2MO - 1.1AI VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9510 | | IS | 20-DEC-91 |
| | SAE-AMS5639 | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, TUBING AND RINGS 19CR - 10NI SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 03-OCT-94 |
| | SAE-AMS5647 | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, TUBING AND RINGS 19CR - 9.5NI SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS5643 | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 16CR - 4.0NI - 0.30CB - 4.0 CU SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: AR AS 99 IS] | A | 95GP | | IS | 03-OCT-94 |
| | SAE-AMS5866 | STEEL, CORROSION RESISTANT, FLAT WIRE 18CR - 9.0NI (SAE 30302) SPRING TEMPER[CUST: MR AS 11] | A | 9505 | | 11 | DEC 95 |
| | SAE-AMS5340 | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 14CR - 4.25NI - 2.25MO - 0.25CB - 3.25CU HOMOGENIZATION AND SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | NOV 96 |
| | SAE-AMS5400 | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 15CR - 4.6NI - 0.22CB - 2.8CU SOLUTION AND PRECIPITATION HEAT TREATED (H935) 170 KSI (1172 MPA) TENSILE STRENGTH[CUST: MR AS 11] | A | MECA | | 11 | MAY-95 |
| | SAE-AMS5356 | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 15CR - 4.6NI - 0.22CB - 2.8CU SOLUTION AND PRECIPITATION HEAT TREATED (H1100) 130 KSI (896 MPA) TENSILE STRENGTH[CUST: MR AS 11] | A | MECA | | 11 | 22-MAY-95 |
| | SAE-AMS5357 | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 15CR - 4.6NI - 0.22CB - 2.8CU SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11] | A | MECA | | 11 | 22-MAY-95 |
| | SAE-AMS5347 | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 15CR - 4.6NI - 0.22CB - 2.8CU SOLUTION AND PRECIPITATION HEAT TREATED (H1000) 150 KSI (1034 MPA) TENSILE STRENGTH[CUST: MR AS 11] | A | MECA | | 11 | MAY 95 |
| | SAE-AMS5343 | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 16CR - 4.1NI - 0.28CB - 3.2CU HOMOGENIZATION, SOLUTION, AND PRECIPITATION HEAT TREATED (H1000) 150 KSI (1034 MPA) TENSILE STRENGTH[CUST: MR AS 11] | A | MECA | | 11 | NOV 94 |
| | SAE-AMS5342 | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 16CR - 4.1NI - 0.28CB - 3.2CU HOMOGENIZATION, SOLUTION, AND PRECIPITATION HEAT TREATED (H1100) 130 KSI (896 MPA) TENSILE STRENGTH[CUST: MR AS 11] | A | 3439 | | GS6 | AUG-90 |
| | SAE-AMS5355 | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 16CR - 4.1NI - 0.28CB - 3.2CU HOMOGENIZATION AND SOLUTION HEAT TREATED OR HOMOGENIZATION, SOLUTION, AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | 17-MAR-89 |
| | SAE-AMS5344 | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 16CR - 4.1NI - 0.28CB - 3.2CU HOMOGENIZATION, SOLUTION AND PRECIPITATION HEAT TREATED (H900 180 KSI (1241 MPA) TENSILE STRENGTH[CUST: MR AS 11] | A | MECA | | 11 | AUG-90 |
| | SAE-AMS5352 | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 17CR - 0.55MO (0.95 - 1.20C) ANNEALED[CUST: MR AS 11] | A | MECA | | 11 | DEC-00 |
| | SAE-AMS5864 | STEEL, CORROSION RESISTANT, PLATE 13CR - 8.0NI - 2.2 MO - 1.1AL VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: 11] [REVIEW: 99 AS MR] | A | 9515 | | 11 | 17-SEP-93 |
| | SAE-AMS5686 | STEEL, CORROSION RESISTANT, RIVET WIRE 18CR - 11.5NI (SAE 30305) SOLUTION HEAT TREATED[CUST: MR AS 99 IS] | A | 9525 | | IS | 01-JUL-92 |
| | SAE-AMS5685 | STEEL, CORROSION RESISTANT, SAFETY WIRE, 18CR - 11.5NI (SAE 30305) SOLUTION HEAT TREATED, COLD FINISHED[CUST: 11] [REVIEW: 84 99 MR SH] | A | 9505 | | 11 | 01-JUL-92 |
| M | SAE-AMS5398 | STEEL, CORROSION RESISTANT, SAND AND CENTRIFUGAL CASTINGS 16CR - 4.1NI - 0.22(CB + TA) - 2.8CU SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | 28-MAR-06 |
| | SAE-AMS5567 | STEEL, CORROSION RESISTANT, SEAMLESS OR WELDED HYDRAULIC TUBING 19CR - 10NI (SAE 30304) SOLUTION HEAT TREATED[CUST: 11] [REVIEW: 71 99 AS CC MR] | A | 4710 | | 11 | 06-DEC-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS5566 | STEEL, CORROSION RESISTANT, SEAMLESS OR WELDED HYDRAULIC TUBING 19CR - 10NI (SAE 30304) HIGH PRESSURE , COLD DRAWN[CUST: 99 CC] [REVIEW: 71] | A | 4710 | | CC | FEB-01 |
| M | SAE-AMS5563 | STEEL, CORROSION RESISTANT, SEAMLESS OR WELDED TUBING 19CR - 9.5NI (SAE 30304) COLD DRAWN, 1/4 HARD TEMPER[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 29-MAR-06 |
| | SAE-AMS5560 | STEEL, CORROSION RESISTANT, SEAMLESS TUBING 19CR - 10NI (SAE 30304) SOLUTION HEAT TREATED[CUST: 11 CC] [REVIEW: 71 99 AS DS MR] | A | 4710 | | CC | 06-DEC-93 |
| | SAE-AMS5529 | STEEL, CORROSION RESISTANT, SHEET AND STRIP 17CR-7.1NI-1.1A1 SOLUTION HEAT TREATED AND COLD ROLLED, PRECIPITATION HARDENABLE 0.0015 TO 0.050 INCH (0.038 TO 1.27MM) NORMAL THICKNESS[CUST: MR AS 11] | A | 9515 | | AS | 06-MAY-97 |
| | SAE-AMS5518 | STEEL, CORROSION RESISTANT, SHEET AND STRIP 18CR - 8NI (SAE 30301) COLD ROLLED, 150 KSI (1034 MPA) TENSILE STRENGTH[CUST: MR AS 11 IS] | A | 9515 | | IS | 15-AUG-90 |
| | SAE-AMS5517 | STEEL, CORROSION RESISTANT, SHEET AND STRIP 18CR - 8NI (SAE 30301) COLD ROLLED, 125 KSI (862 MPA) TENSILE STRENGTH[CUST: MR AS 11 IS] | A | 9515 | | IS | DEC-00 |
| | SAE-AMS5519 | STEEL, CORROSION RESISTANT, SHEET AND STRIP 18CR - 8NI (SAE 30301) COLD ROLLED, 185 KSI (1276 MPA) TENSILE STRENGTH[CUST: MR AS 11 IS] | A | 9515 | | IS | 15-AUG-90 |
| | SAE-AMS5912 | STEEL, CORROSION RESISTANT, SHEET AND STRIP, 19CR - 9.2NI (SAE 30304) COLD ROLLED,3/4 HARD, 175 KSI (1207 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A | 9515 | | AS | JAN-01 |
| | SAE-AMS5503 | STEEL, CORROSION RESISTANT, SHEET, STRIP AND PLATE 17CR (SAE51430) ANNEALED[CUST: MR AS 11] | A | 9515 | | 11 | 31-JUL-94 |
| | SAE-AMS5860 | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 12CR - 8.5NI - 0.30CB - 1.1TI - 2.0CU MULTIPLE MELTED, SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9515 | | IS | DEC-00 |
| | SAE-AMS5863 | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 15CR - 6.5NI - 0.75MO - 0.6CB - 1.5CU SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9515 | | IS | FEB 95 |
| | SAE-AMS5528 | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 17CR - 7.1N - 1.1A1 SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE[CUST: MR AS 11 IS] | A | 9515 | | IS | MAR-94 |
| | SAE-AMS5514 | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 18CR - 11.5NI (SAE 30305) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-OCT-92 |
| | SAE-AMS5516 | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 18CR - 9.0NI (SAE 30302) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-OCT-92 |
| | SAE-AMS5513 | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 19CR - 9.2NI (SAE 30304) SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 20-DEC-91 |
| | SAE-AMS5595 | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 9.0MN - 20CR - 6.5NI - 0.28N SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-APR-92 |
| | SAE-AMS5901 | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE, 18CR - 8NI (SAE 30301) SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A | 9515 | | AS | JAN-01 |
| M | SAE-AMS5564 | STEEL, CORROSION RESISTANT, TUBING 19CR - 10NI (SAE 30304) HIGH-PRESSURE HYDRAULIC, WELDED PLUS ULTRASONICALLY TESTED OR SEAMLESS COLD DRAWN, ONE EIGHTH - HARD TEMPER[CUST: MR AS 11] [REVIEW: 71 99 CC] | A | 4710 | | 11 | 29-MAR-06 |
| | SAE-AMS5565 | STEEL, CORROSION RESISTANT, WELDED TUBING 19CR - 9.5NI (SAE 30304) SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | FEB-01 |
| | SAE-AMS5821 | STEEL, CORROSION RESISTANT, WELDING WIRE 12CR (SAE 51410 MODIFIED) FERRITE CONTROL GRADE[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | JUL-94 |
| | SAE-AMS5825 | STEEL, CORROSION RESISTANT, WELDING WIRE 16.4CR - 4.8NI - 0.22CB - 3.6CU[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-OCT-92 |
| | SAE-AMS5678 | STEEL, CORROSION RESISTANT, WIRE 17CR - 7.1N1 - 1.1A1 COLD DRAWN, PRECIPITATION-HARDENABLE[CUST: MR AS 11 IS] | A | 9505 | | IS | 17-MAR-89 |
| | SAE-AMS5688 | STEEL, CORROSION RESISTANT, WIRE 18CR - 9.0NI (SAE 30302) SPRING TEMPER[CUST: MR AS 99 IS] | A | 9505 | | IS | 01-OCT-92 |
| | SAE-AMS5697 | STEEL, CORROSION RESISTANT, WIRE 19CR - 9.5NI (SAE 30304) SOLUTION HEAT TREATED[CUST: 11] [REVIEW: 84 99 MR SH] | A | 9505 | | 11 | 07-JUL-93 |
| | MIL-S-23193D | STEEL, CORROSION RESISTANT: CASTINGS[CUST: SH] | F | MECA | | SH | 10-APR-87 |
| | SAE-AMS-S-7720 | STEEL, CORROSION-RESISTANT (18-8) BARS, WIRE AND FORGING STOCK (AIRCRAFT QUALITY)[CUST: MR AS 11] | A | 9510 | | AS | SEP-97 |
| | SAE-AMS5764 | STEEL, CORROSION-RESISTANT, BARS, WIRE, FORGINGS, EXTRUSIONS, AND RINGS 5.0MN - 22CR - 12.5NI - 2.2MO - 0.20CB - 0.30N - 0.20V SOLUTION HEAT TREATED[CUST: MR AS 11 IS] | A | 9510 | | IS | 27-MAR-77 |
| | SAE-AMS5902 | STEEL, CORROSION-RESISTANT, SHEET AND STRIP 18 CR - 8NI (SAE 30301) COLD ROLLED, 3/4 HARD, 175 KSI (1207 MPA) TENSILE STRENGTH[CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A | 9515 | | AS | 01-FEB-94 |
| | ASTM-A761/A761M | STEEL, CORRUGATED, STRUCTURAL PLATE, ZINC-COATED, FOR FIELD-BOLTED PIPE, PIPE-ARCHES, AND ARCHES[CUST: CR4 YD 99] [REVIEW: 84 CC CE] | A | 9520 | | YD | 28-JAN-89 |
| | ASTM-A255 | STEEL, DETERMINING HARDENABILITY OF[CUST: MR AS 11] | A | 95GP | | MR | 25-AUG-89 |
| | ASTM-E45 | STEEL, DETERMINING THE INCLUSION CONTENT OF[CUST: MR AS 99] | A | 95GP | | MR | 10-APR-97 |
| | UL1242 | STEEL, ELECTRICAL INTERMEDIATE METAL CONDUIT, STANDARD FOR[CUST: CR4 YD 11] [REVIEW: 99 GS] | A | 5975 | | YD | 05-FEB-93 |
| | ASTM-A805 | STEEL, FLAT WIRE, CARBON, COLD-ROLLED[CUST: MR SH 99] [REVIEW: 11 AR YD] | A | 9505 | | MR | 15-JUN-93 |
| | ASTM-A572/A572M | STEEL, HIGH-STRENGTH LOW-ALLOY COLUMBIUM-VANADIUM STRUCTURAL[CUST: MR YD] [REVIEW: AR IS] | A | 9520 | | MR | 03-MAY-93 |
| | SAE-AMS7301 | STEEL, HIGHLY-STRESSED SPRINGS0.95CR - 0.2V (0.48 - 0.53C) (SAE 6150) CASE HARDENED[CUST: MR AS 11] | A | 5360 | | IS | 27-FEB-81 |
| | SAE-AMS6408 | STEEL, HOTWORK TOOL, BARS AND FORGINGS 5.25CR - 1.5MO - 1.0V (0.35-0.45C) ELECTROSLAG REMELTED (ESR) OR CONSUMABLE ELECTRODE VACUUM ARC REMELTED (VAR) ANNEALED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS5334 | STEEL, INVESTMENT CASTINGS 0.50CR - 0.55NI - 0.20MO (0.25 - 0.35C) (SAE 8630 MOD) NORMALIZED AND TEMPERED[CUST: MR AS 11] | A | MECA | | 11 | 01-AUG-86 |
| | SAE-AMS5336 | STEEL, INVESTMENT CASTINGS 0.95CR - 0.20MO (0.25 - 0.35C) (SAE 4130 MOD) NORMALIZED OR NORMALIZED AND TEMPERED[CUST: MR AS 11] | A | MECA | | 11 | JUN-01 |
| | SAE-AMS5333 | STEEL, INVESTMENT CASTINGS, 0.50CR-0.55NI-0.25MO (0.11-0.17C) (SAE 8615) NORMALIZED[CUST: MR AS 11] | A | MECA | | 11 | 15-JAN-97 |
| | SAE-AMS5338 | STEEL, INVESTMENT CASTINGS, 0.95CR - 0.20MO (0.35 - 0.45C) (SAE 4140 MOD) NORMALIZED OR NORMALIZED AND TEMPERED[CUST: MR AS 11] | A | MECA | | 11 | JUN-01 |
| | AWS-A5.26 | STEEL, LOW ALLOY, CONSUMABLES USED FOR ELECTROGAS WELDING OF CARBON & HIGH STRENGTH[CUST: MR 11 GS6] | A | 3439 | | GS6 | 25-FEB-88 |
| | AWS-A5.25 | STEEL, LOW ALLOY, CONSUMABLES USED FOR ELECTROSLAG WELDING OF CARBON & HIGH STRENGTH[CUST: MR 11 GS6] | A | 3439 | | GS6 | 24-JAN-83 |
| | SAE-AMS5061 | STEEL, LOW CARBON, BARS AND WIRE 0.08 TO 0.20 C[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | OCT-94 |
| | SAE-AMS5062 | STEEL, LOW CARBON, BARS, FORGINGS, TUBING, SHEET, STRIP, AND PLATE 0.25 CARBON, MAXIMUM[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 31-JUL-94 |
| | SAE-AMS2759/6 | STEEL, LOW-ALLOY PARTS, GAS NITRIDING AND HEAT TREATMENT OF[CUST: MR AS 11] [REVIEW: 99] | A | MISC | | 11 | 13-JAN-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-A706/A706M | STEEL, LOW-ALLOY, DEFORMED AND PLAIN BARS FOR CONCRETE REINFORCEMENT[CUST: CR4 YD 99] [REVIEW: 84] | A | 5680 | | IS | 15-JUL-93 |
| | SAE-AMS6302 | STEEL, LOW-ALLOY, HEAT-RESISTANT, BARS, FORGINGS, AND TUBING 0.65SI - 1.25CR - 0.50MO - 0.25V (0.28 - 0.33C)[CUST: MR AS 11 IS] | A | 9510 | | IS | MAR-89 |
| | SAE-AMS6304 | STEEL, LOW-ALLOY, HEAT-RESISTANT, BARS, FORGINGS, AND TUBING 0.95CR - 0.55MO - 0.30V (0.40 - 0.50C)[CUST: MR AS 11 IS] | A | 9510 | | IS | MAR-89 |
| | SAE-AMS5339 | STEEL, MARAGING, INVESTMENT CASTINGS 17NI - 10CO - 4.6MO - 0.30TI - 0.06A1 VACUUM MELTED, HOMOGENIZED, OVERAGED, AND SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | 01-SEP-83 |
| | SAE-AMS5337 | STEEL, MARAGING, INVESTMENT CASTINGS 18.5NI - 9.0CO - 5.0MO - 0.70TI - 0.12AL VACUUM MELTED HOMOGENIZED, OVERAGED, AND SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | MECA | | 11 | 16-FEB-95 |
| | SAE-AMS6501 | STEEL, MARAGING, WELDING WIRE 18NI - 8.0CO - 4.9MO - 0.40TI - 0.10AL VACUUM INDUCTION MELTED, ENVIRONMENT CONTROLLED PACKAGING[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | 05-AUG-96 |
| | SAE-AMS6371 | STEEL, MECHANICAL TUBING 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130)[CUST: MR AS 11] | A | 4710 | | 11 | 17-MAR-89 |
| M | SAE-AMS6470 | STEEL, NITRIDING, BARS, FORGINGS, AND TUBING 1.6CR - 0.35MO - 1.13AL (0.38 -0.43C)[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 28-MAR-06 |
| | ASTM-A529/A529M | STEEL, OF STRUCTURAL QUALITY, HIGH-STRENGTH CARBON-MANGANESE[CUST: MR YD] [REVIEW: IS] | A | 9520 | | YD | 15-DEC-93 |
| | MIL-S-3289B(1) | STEEL, PLATE AND DISK, CARBON, FORGING QUALITY[CUST: MR OS IS] [REVIEW: AR] | A | 9515 | | IS | 13-JUN-02 |
| | NA51 | STEEL, RIVET SOLID, UNIVERSAL HEAD, A286 CORROSION RESISTANT, METRIC[CUST: AV 11] [REVIEW: AR] | A | 5320 | | IS | 08-NOV-85 |
| | NAS1042 | STEEL, SHACKLE-ANCHOR, FORGED CARBON, ROUND PIN (FOR GROUND SUPPORT EQUIPMENT)[CUST: AV AS 11] [REVIEW: CR4 IS] | A | 4030 | | AS | 20-NOV-78 |
| | NAS1044 | STEEL, SHACKLE-CHAIN, FORGED CARBON, ROUND PIN (FOR GROUND SUPPORT EQUIPMENT)[CUST: CR4 SH 99 CC] | A | 4030 | | CC | 20-NOV-78 |
| | NAS1043 | STEEL, SHACKLE-CHAIN, FORGED CARBON, SCREW PIN (FOR GROUND SUPPORT EQUIPMENT)[CUST: CR4 SH 99 CC] | A | 4030 | | CC | 30-APR-60 |
| | SAE-AMS5040 | STEEL, SHEET AND STRIP 0.15 CARBON, MAXIMUM DEEP FORMING GRADE[CUST: CR4 AS 99] | A | 9515 | | 11 | JUL-94 |
| | SAE-AMS5042 | STEEL, SHEET AND STRIP 0.15 CARBON, MAXIMUM FORMING GRADE[CUST: MR AS 11] | A | 9515 | | 11 | 31-JUL-94 |
| | SAE-AMS5044 | STEEL, SHEET AND STRIP 0.15 CARBON, MAXIMUM HALF HARD TEMPER[CUST: MR AS 11] | A | 9515 | | 11 | 31-AUG-94 |
| | SAE-AMS5045 | STEEL, SHEET AND STRIP 0.25 CARBON, MAXIMUM HARD TEMPER[CUST: MR AS 11] | A | 9515 | | 11 | 31-AUG-94 |
| | ASTM-A505 | STEEL, SHEET AND STRIP, ALLOY, HOT-ROLLED AND COLD-ROLLED, GENERAL REQUIREMENTS FOR[CUST: MR SH 11] [REVIEW: 99 IS] | A | 9515 | | MR | 31-JUL-87 |
| | ASTM-A570/A570M | STEEL, SHEET AND STRIP, CARBON, HOT-ROLLED, STRUCTURAL[CUST: MR SH] [REVIEW: IS MI YD] | A | 9515 | | MR | 10-JUN-98 |
| | ASTM-A907/A907M | STEEL, SHEET AND STRIP, HEAVY-THICKNESS COILS, CARBON, HOT-ROLLED STRUCTURAL QUALITY[CUST: MR SH 99] [REVIEW: 11 AR AS YD] | A | 9515 | | MR | 04-NOV-92 |
| | ASTM-A635/A635M | STEEL, SHEET AND STRIP, HEAVY-THICKNESS COILS, HOT-ROLLED, CARBON, STRUCTURAL, HIGH-STRENGTH LOW-ALLOY, AND HIGH-STRENGTH LOW-ALLOY WITH IMPROVED FORMABILITY, GENERAL REQUIREMENTS FOR[CUST: MR SH IS] [REVIEW: 99 AR MI] | A | 9515 | | IS | 15-JUN-93 |
| | ASTM-A606 | STEEL, SHEET AND STRIP, HIGH-STRENGTH, LOW ALLOY, HOT ROLLED AND COLD-ROLLED, WITH IMPROVED ATMOSPHERIC CORROSION RESISTANCE[CUST: MR AS] [REVIEW: AR EA IS SH YD] | A | 9515 | | MR | 21-OCT-91 |
| | ASTM-A607 | STEEL, SHEET AND STRIP, HIGH-STRENGTH, LOW-ALLOY, COLUMBIUM OR VANADIUM, OR BOTH, HOT-ROLLED AND COLD-ROLLED[CUST: MR YD 99] [REVIEW: IS SH] | A | 9515 | | MR | 10-JUN-98 |
| | QQ-S-698(4) NOT 4 | STEEL, SHEET AND STRIP, LOW CARBON[CUST: MR AS IS] [REVIEW: CR4 MI OS YD] | A | 9515 | / | IS | 06-AUG-02 |
| | SAE-AMS-QQ-S-700 | STEEL, SHEET AND STRIP, MEDIUM AND HIGH CARBON[CUST: AR 11 IS] | A | 9515 | | IS | 03-NOV-99 |
| | ASTM-A568/A568M | STEEL, SHEET, CARBON, AND HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED AND COLD-ROLLED, GENERAL REQUIREMENTS FOR[CUST: MR SH 99 IS] [REVIEW: OS YD] | A | 9515 | | IS | 15-DEC-93 |
| | ASTM-A611 | STEEL, SHEET, CARBON, COLD-ROLLED, STRUCTURAL (SS)[CUST: MR YD 11] [REVIEW: 84 99 IS MI SH] | A | 9515 | | MR | 10-MAR-97 |
| | ASTM-A620/A620M | STEEL, SHEET, CARBON, DRAWING QUALITY, SPECIAL KILLED, COLD-ROLLED[CUST: MR SH 99] [REVIEW: AR CR4 IS] | A | 9515 | | MR | 30-OCT-92 |
| | ISO3574 | STEEL, SHEET, COLD-REDUCED CARBON, OF COMMERCIAL AND DRAWING QUALITIES[CUST: MR SH 99 IS] [REVIEW: 11 84 AR AS GL YD] | A | 9515 | | IS | 01-APR-86 |
| | ASTM-A424 | STEEL, SHEET, FOR PORCELAIN ENAMELING[CUST: MR YD 99] [REVIEW: IS] | A | 9515 | | YD | 10-MAR-00 |
| | ISO3573 | STEEL, SHEET, HOT-ROLLED CARBON, OF COMMERCIAL AND DRAWING QUALITIES[CUST: MR SH 99 IS] [REVIEW: 11 84 AR AS GL YD] | A | 9515 | | IS | 01-APR-86 |
| | SAE-AMS6345 | STEEL, SHEET, STRIP AND PLATE 0.95CR-0.20MO (0.28 - 0.33C) (SAE 4130) NORMALIZED OR OTHERWISE HEAT TREATED[CUST: MR AS 11] | A | 9515 | | AS | 09-MAY-97 |
| | SAE-AMS6455 | STEEL, SHEET, STRIP, AND PLATE 0.95CR - 0.22V (0.48 - 0.53C) (SAE 6150)[CUST: MR AS 11 IS] | A | 9515 | | IS | 01-OCT-93 |
| | SAE-AMS6437 | STEEL, SHEET, STRIP, AND PLATE 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C)[CUST: MR AS 11] [REVIEW: 99] | A | 9515 | | 11 | 22-MAY-95 |
| | SAE-AMS6450 | STEEL, SPRING WIRE AND SPRINGS 0.95CR-0.22V (0.48-O-53C) (SAE 6150) ANNEALED AND COLD DRAWN[CUST: MR AS 11] | A | 9505 | | 11 | 28-MAY-97 |
| | ASTM-A193/A193M | STEEL, STAINLESS AND ALLOY-STEEL BOLTING MATERIALS FOR HIGH TEMPERATURE SERVICE[CUST: AR YD] [REVIEW: CE IS] | A | 9510 | | YD | 15-SEP-94 |
| | ASTM-A733 | STEEL, STAINLESS PIPE NIPPLES, STANDARD SPECIFICATION FOR WELDED AND SEAMLESS CARBON STEEL AND AUSTENITIC[CUST: CR4 YD 99] [REVIEW: AR CG MC] | A | 4730 | | CC | 17-MAY-89 |
| | ASTM-A880 | STEEL, STAINLESS STEEL, AND RELATED ALLOYS, CRITERIA FOR USE IN EVALUATION OF TESTING LABORATORIES AND ORGANIZATIONS FOR EXAMINATION AND INSPECTION OF[CUST: MR YD 99] | A | 95GP | | YD | 03-OCT-94 |
| | ASTM-F899 | STEEL, STAINLESS, BILLET, BAR, AND WIRE FOR SURGICAL INSTRUMENTS[CUST: MD MS 03] | A | 6515 | | MB | 10-OCT-95 |
| | ASTM-A564/A564M | STEEL, STAINLESS, HOT-ROLLED AND COLD-FINISHED AGE-HARDENING, BARS AND SHAPES[CUST: MR YD 99] | A | 95GP | | YD | 03-OCT-94 |
| | ASTM-F836 | STEEL, STAINLESS, METRIC NUTS[CUST: AR YD 99 IS] | A | 5310 | | IS | 23-FEB-90 |
| | ASTM-A403/A403M | STEEL, STAINLESS, PIPING FITTINGS, WROUGHT AUSTENITIC[CUST: CR4 YD 99] [REVIEW: SH] | A | 4730 | | CC | 03-OCT-94 |
| | ASTM-B254 | STEEL, STAINLESS, PREPARATION OF AND ELECTROPLATING ON[CUST: MR OS 99] | A | 9515 | | MR | 15-JAN-92 |
| | ASTM-A270 | STEEL, STAINLESS, SEAMLESS AND WELDED AUSTENITIC AND FERRITIC/AUSTENITIC, SANITARY TUBING[CUST: YD 99] [REVIEW: CR4 GL SH] | A | 4710 | | CC | 23-FEB-90 |
| | ASTM-F836M | STEEL, STAINLESS, STYLE 1, METRIC NUTS[CUST: AR YD 99 IS] | A | 5310 | | IS | 03-MAY-91 |
| | ASTM-F1325 | STEEL, STAINLESS, SUTURE NEEDLE HOLDERS-GENERAL WORKMANSHIP REQUIREMENTS AND CORRESPONDING TEST METHODS[CUST: MD MS 03] | A | 6515 | | MB | 15-APR-91 |
| | MIL-S-3039C | STEEL, STRAP, HIGH CARBON, SPHEROIDIZED ANNEALED (FOR AMMUNITION CARTRIDGE CLIPS)[CUST: MR] [REVIEW: IS] | A | 9515 | | AR | 26-JAN-88 |
| | ASTM-A749/A749M | STEEL, STRIP, CARBON AND HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED, GENERAL REQUIREMENTS FOR[CUST: MR SH 99 IS] [REVIEW: AR GL MI OS] | A | 9515 | | IS | 15-JUN-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-A109/A109M | STEEL, STRIP, CARBON, (0.25 MAXIMUM PERCENT), COLD-ROLLED[CUST: MR 11 IS] [REVIEW: 99 MI OS SH] | A | 9515 | | IS | 09-DEC-91 |
| | ASTM-A684/A684M | STEEL, STRIP, HIGH-CARBON, COLD-ROLLED[CUST: MR SH 11] [REVIEW: 99 AR CR4 GL MC MI] | A | 9515 | | MR | 29-AUG-86 |
| | ASTM-A682/A682M | STEEL, STRIP, HIGH-CARBON, COLD-ROLLED, GENERAL REQUIREMENTS FOR[CUST: MR SH 11] [REVIEW: AR CR4 GL IS MI YD] | A | 9515 | | MR | 15-JUL-91 |
| | ASTM-A131/A131M | STEEL, STRUCTURAL FOR SHIPS[CUST: MR SH 99] | A | 9520 | | SH | 03-OCT-94 |
| | ASTM-A36/A36M | STEEL, STRUCTURAL, CARBON[CUST: MR YD 99] [REVIEW: AT IS MI OS SH] | A | 9520 | | YD | 25-AUG-89 |
| | ASTM-A588/A588M | STEEL, STRUCTURAL, HIGH-STRENGTH LOW-ALLOY WITH 50 KSI (345 MPA) MINIMUM YIELD POINT TO 4 IN (100 MM) THICK[CUST: MR YD 99] [REVIEW: IS OS SH] | A | 9520 | | YD | 09-MAY-89 |
| | ASTM-A242/A242M | STEEL, STRUCTURAL, HIGH-STRENGTH, LOW-ALLOY[CUST: CR4 YD 99] [REVIEW: 84 IS OS SH] | A | 9520 | | YD | 03-OCT-94 |
| | ASTM-A143 | STEEL, STRUCTURAL, PRODUCTS AND PROCEDURE FOR DETECTING EMBRITTLEMENT, STANDARD PRACTICE FOR SAFEGUARDING AGAINST EMBRITTLEMENT OF HOT-DIP GALVANIZED[CUST: MR YD 11] [REVIEW: SH] | A | MFFP | | YD | 04-NOV-74 |
| | ASTM-A673/A673M | STEEL, STRUCTURAL, SAMPLING PROCEDURE FOR IMPACT TESTING OF[CUST: MR YD 99] [REVIEW: IS SH] | A | 9520 | | YD | 31-AUG-90 |
| | SAE-AMS6373 | STEEL, WELDED TUBING 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130)[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 13-JAN-95 |
| | SAE-AMS6453 | STEEL, WELDING WIRE 0.30CR - 1.8NI - 0.40MO - (0.23 - 0.28C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | JUN 96 |
| | SAE-AMS6375 | STEEL, WELDING WIRE 0.50CR - 0.55NI - 0.20MO (0.18 - 0.23C) (SAE 8620) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | 05-AUG-96 |
| | SAE-AMS6458 | STEEL, WELDING WIRE 0.65SI - 1.25CR - 0.50MO - 0.30V (0.28 - 0.33C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | MAY-01 |
| M | SAE-AMS6461 | STEEL, WELDING WIRE 0.95CR - 0.20V (0.28 - 0.33C) (SAE 6130) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | 28-MAR-06 |
| | SAE-AMS6457 | STEEL, WELDING WIRE 0.9CR - 0.20MO - (0.28 - 0.33C) (SAE 4130) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING[CUST: MR AS 11] [REVIEW: 99 GS] | A | 3439 | | 11 | MAY-01 |
| | SAE-AMS5027 | STEEL, WELDING WIRE 1.05CR - 0.55NI - 1.0MO - 0.08V (0.26 - 0.32C) VACUUM MELTED, ENVIRONMENT-CONTROLLED PACKAGING[CUST: MR AS 11] | A | 3439 | | GS6 | 27-FEB-81 |
| | SAE-AMS5030 | STEEL, WELDING WIRE, 0.06 CARBON MAXIMUM[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | 11 | NOV-96 |
| | SAE-AMS6462 | STEEL, WELDING WIRE, 0.95CR-0.20V (0.28-0.33C) (SAE 6130)[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | 11 | 15-JAN-97 |
| | SAE-AMS6469 | STEEL, WELDING WIRE, 1.75MN - 0.78CR - 2.8NI - 0.85MO - (0.09-0.12C) VACUUM MELTED, ENVIRONMENT-CONTROLLED PACKAGING[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | 11 | 15-JAN-97 |
| | SAE-AMS-STD-66 | STEEL: CHEMICAL COMPOSITION AND HARDENABILITY[CUST: MR AS 11] | A | 95GP | | MR | 16-FEB-01 |
| | MIL-DTL-13823D NOT 1 | STEEL; SHAPES, ROLLED OR FORGED; BARS, FLATS AND SPECIAL SECTIONS (FOR ARMOR)[CUST: MR] [REVIEW: MI] | A | FORG | | MR | 07-NOV-03 |
| | ASTM-A534 | STEELS, CARBURIZING FOR ANTI-FRICTION BEARINGS[CUST: MR OS 99] [REVIEW: AR AT CR4 SH YD] | A | 9640 | | MR | 15-JUN-94 |
| | SAE-AMS2259 | STEELS, CHEMICAL CHECK ANALYSIS LIMITS WROUGHT LOW-ALLOY AND CARBON[CUST: MR AS 11] | A | 95GP | | MR | 25-AUG-88 |
| | ASTM-A262 | STEELS, DETECTING SUSCEPTIBILITY TO INTERGRANULAR ATTACK IN AUSTENITIC STAINLESS[CUST: MR AS 11] [REVIEW: SH] | A | 95GP | | MR | 15-DEC-93 |
| | ASTM-E208 | STEELS, FERRITIC, CONDUCTING DROP-WEIGHT TEST TO DETERMINE NIL-DUCTILITY TRANSITION TEMPERATURE OF[CUST: MR SH 99] | A | 95GP | | SH | 15-AUG-95 |
| | SAE-AMS2700 | STEELS, PASSIVATION OF CORROSION RESISTANT[CUST: MR SH 11 IS] | A | MFFP | | IS | 23-MAR-04 |
| | DIN-EN10083-1 | STEELS, QUENCHED AND TEMPERED PART 1: TECHNICAL DELIVERY CONDITIONS FOR SPECIAL STEELS[CUST: AT AS 99] [REVIEW: 16 84 IS MI MR SH] | A | 9520 | | AT | 29-SEP-04 |
| | MIL-DTL-62460E | STEER UNIT, TRACKED VEHICLE, CLUTCH BRAKE AND GEARED STEER[CUST: AT] [REVIEW: CC] | A | 2530 | | AT | 08-DEC-98 |
| | MIL-S-8812D(1) | STEERING SYSTEM, AIRCRAFT GENERAL REQUIREMENTS FOR[CUST: AV AS] [REVIEW: 99 GS] | A | 1620 | | AS | 11-FEB-77 |
| | A-A-1733A NOT 2 | STENCILBOARD[CUST: AR] [REVIEW: GS] | A | 9310 | / | AR | 30-MAR-00 |
| | A-A-54205 | STEREOSCOPE, VISION TESTING[CUST: MD MS 03] | A | 6540 | / | MB | 25-JUN-90 |
| | A-A-52040 NOT 1 | STEREOSCOPES, LENS, AERIAL PHOTOGRAPH INTERPRETATION (POCKET)[CUST: CE IS] | A | 6675 | / | IS | 27-SEP-01 |
| | A-A-54338 | STERILIZATION TEST AMPULES, BACTERIAL SPORE[CUST: MD MS 03] | A | 6530 | / | MB | 14-FEB-91 |
| | A-A-51219A | STERILIZATION TEST AMPULES, BACTERIAL SPORE[CUST: MD MS 03] | A | 6530 | | MB | 30-MAY-86 |
| | A-A-30163 | STERILIZATION TEST PACK, BIOLOGICAL[CUST: MD MS 03] | A | 6530 | * | MB | 30-APR-92 |
| | A-A-50879A | STERILIZATION TEST STRIP SET, BACTERIAL SPORE[CUST: MD MS 03] | A | 6530 | / | MB | 30-AUG-91 |
| | A-A-54689 | STERILIZER, SURGICAL DRESSING (PRESSURE)[CUST: MD MS 03] | A | 6530 | / | MB | 25-JUN-92 |
| | A-A-51382A | STERILIZER, SURGICAL INSTRUMENT[CUST: MD MS 03] | A | 6530 | / | MB | 28-NOV-86 |
| | A-A-50900A | STERILIZER, SURGICAL INSTRUMENT AND DRESSING[CUST: MD MS 03] | A | 6530 | / | MB | 15-JAN-93 |
| | A-A-54597A | STERILIZER, SURGICAL INSTRUMENT AND DRESSING[CUST: MD MS 03] | A | 6530 | / | MB | 16-DEC-94 |
| | A-A-53709 | STERILIZER, SURGICAL INSTRUMENT AND DRESSING[CUST: MD MS 03] | A | 6530 | / | MB | 30-SEP-88 |
| | A-A-54708 | STERILIZER, SURGICAL INSTRUMENT AND DRESSING (AUTOCLAVE)[CUST: MD MS 03] | A | 6530 | / | MB | 24-JUL-92 |
| | A-A-54735 | STERILIZER, SURGICAL INSTRUMENT AND RESIN[CUST: MD MS 03] | A | 6530 | / | MB | 10-SEP-92 |
| | A-A-54009 | STERILIZER, SURGICAL INSTRUMENTS[CUST: MD MS 03] | A | 6530 | / | MB | 15-OCT-89 |
| | AAMI-ST24 | STERILIZERS AND ETHYLENE OXIDE STERILANT SOURCES INTENDED FOR USE IN HEALTH CARE FACILITIES, AUTOMATIC, GENERAL- PURPOSE ETHYLENE OXIDE[CUST: MD MS 03] | A | 6530 | | MB | 20-JUN-91 |
| | AAMI-ST8 | STERILIZERS, STEAM, HOSPITAL, AMERICAN NATIONAL STANDARD FOR[CUST: MD MS 03] | A | 6530 | | MB | 28-FEB-91 |
| | A-A-54772 | STETHOSCOPE, COMBINATION TYPE, LIGHT WEIGHT[CUST: MD MS 03] | A | 6515 | / | MB | 31-DEC-92 |
| | A-A-51706A | STETHOSCOPE, ESOPHAGEAL (DISPOSABLE, 20S)[CUST: MD MS 03] | A | 6515 | / | MB | 29-AUG-87 |
| | ITOP-4.2.804 | STICKER TESTING OF SEPARATE LOADING ARTILLERY AMMUNITION | D | ISDA | | TE | 06-SEP-99 |
| | DI-MISC-80169 | STILL PHOTO COVERAGE [AMSC: N3850] | A | MISC | | TD | 16-MAY-86 |
| | A-A-53892 | STIMULATOR, FACIAL NERVE[CUST: MD MS 03] | A | 6515 | / | MB | 28-APR-89 |
| | A-A-53903 | STIMULATOR, ULTRASOUND, HIGH GALVANIC, HVS[CUST: MD MS 03] | A | 6515 | / | MB | 30-MAY-89 |
| | AAMI-NS4 | STIMULATORS, NERVE, TRANSCUTANEOUS ELECTRICAL[CUST: MD MS 03] | A | 6515 | | MB | 28-FEB-91 |
| | STANAG-1417 ED.1 | STING RAY TORPEDO INTERCHANGEABLE WITHIN NATO NAVAL FORCES | C | ISDN | | NI | 10-JUL-96 |
| | A-A-53070 | STIRRER, ELECTRIC, LABORATORY[CUST: EA MS 99] | A | 6640 | / | MB | 20-JUL-87 |
| | A-A-50975 | STIRRER-HOT PLATE, MAGNETIC, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 14-JUN-85 |
| | A-A-51687 | STIRRING BAR SET, (MAGNETIC)[CUST: MD MS 03] | A | 6640 | / | MB | 10-OCT-86 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D4705 | STITCH TEAR STRENGTH OF LEATHER, DOUBLE HOLE[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | ASTM-D4786 | STITCH TEAR STRENGTH SINGLE HOLE[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | A-A-59458 | STITCHER, BOOK AND PAMPHLET, SINGLE STITCHING HEAD, SADDLE AND FLAT TABLE[CUST: GL SA 99] | A | 3610 | / | GS6 | 26-JUN-00 |
| | ASTM-D6193 | STITCHES AND SEAMS[CUST: GL NU 99] | A | 83GP | | CT | 14-SEP-99 |
| | DI-ILSS-80953 | STOCK RECORDS [AMSC: N4903] | A | SESS | | SH | 27-FEB-90 |
| | DI-MISC-80489 | STOCKED ITEM STORAGE AND SERVICEABILITY ANALYSIS [AMSC: A4269] | A | MISC | | AM | 05-NOV-87 |
| | A-A-54602 | STOCKINET, SURGICAL (COTTON, 25 YARDS, ROLLED)[CUST: MD MS 03] | A | 6510 | / | MB | 30-MAR-92 |
| | A-A-53176 | STOCKINET, SURGICAL (DRAPE)[CUST: MD MS 03] | A | 6510 | / | MB | 28-AUG-87 |
| | A-A-51389A | STOCKINET, SURGICAL (NYLON), 2 INCH BY 25 YARDS[CUST: MD MS 03] | A | 6510 | / | MB | 01-APR-88 |
| | A-A-51454A | STOCKINET, SURGICAL, COTTON (6 INCHES BY 48 INCHES, ROLLED AND SEWN)[CUST: MD MS 03] | A | 6510 | / | MB | 13-MAR-89 |
| | A-A-30066B | STOCKINGS, ANTI-EMBOLISM[CUST: MD MS 03] | A | 6515 | * | MB | 27-NOV-91 |
| | A-A-0051670 | STOCKINGS, ANTI-EMBOLISM[CUST: MD MS 03] | A | 6515 | / | MB | 26-SEP-86 |
| | A-A-53775 | STONE DISLODGER, CYSTOSCOPE, RADIOPAQUE (DAVIS)[CUST: MD MS 03] | A | 6515 | / | MB | 01-DEC-88 |
| | A-A-53389 | STONE, ARTIFICIAL, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 14-MAR-88 |
| | A-A-58052 | STONE, COMMUTATOR BURNISHING (FLEXIBLE ABRASIVE)[CUST: MR SH 99] [REVIEW: GS IS] | A | 5345 | / | 84 | 05-APR-96 |
| | ASTM-C119 | STONE, DIMENSION, STANDARD TERMINOLOGY RELATING TO[CUST: CR4 YD 99 IS] | A | 5610 | | IS | 15-APR-94 |
| | ASTM-C568 | STONE, LIMESTONE DIMENSION[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 25-AUG-89 |
| | ASTM-C99 | STONE, MODULUS OF RUPTURE OF DIMENSION[CUST: CE YD 99 IS] [REVIEW: MC] | A | 5610 | | IS | 12-APR-88 |
| | ASTM-C616 | STONE, QUARTZ-BASED DIMENSION[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 27-OCT-89 |
| | A-A-51265 | STONE, SHARPENING[CUST: MD MS 03] | A | 6520 | / | MB | 09-DEC-85 |
| | A-A-51970 | STONE, SHARPENING[CUST: MD MS 03] | A | 6520 | | MB | 15-JUN-87 |
| | A-A-53708 | STONE, SHARPENING (FINE INDIA)[CUST: MD MS 03] | A | 6520 | / | MB | 26-SEP-88 |
| | A-A-53713 | STONE, SHARPENING (SOFT ARKANSAS)[CUST: MD MS 03] | A | 6520 | / | MB | 30-SEP-88 |
| | ASTM-C629 | STONE, SLATE DIMENSION[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 29-JUN-90 |
| | ASTM-C97 | STONE, SPECIFIC GRAVITY OF DIMENSION, ABSORPTION AND BULK[CUST: YD IS] [REVIEW: CE MC] | A | 5620 | | IS | 27-APR-90 |
| | ASTM-C241 | STONE, SUBJECTED TO FOOT TRAFFIC, ABRASION RESISTANCE OF[CUST: CE YD 11] | A | 56GP | | YD | 24-SEP-91 |
| | A-A-53715 | STOOL, DENTAL LABORATORY, MOBILE, ADJUSTABLE[CUST: MD MS 03] | A | 6520 | / | MB | 24-OCT-88 |
| | A-A-51988 | STOOL, RVOLVING[CUST: MD MS 03] | A | 6530 | | MB | 26-JUN-87 |
| | A-A-3116 | STOOL, STEP, CASTER MOUNTED, SAFETY | A | 7105 | # | FSS | 31-DEC-97 |
| | AA-S-00697B | STOOL, STEP, STEEL, FOLDING STEPS | A | 7105 | # | FSS | 09-JUN-69 |
| | A-A-53793 | STOOL, STEP, SURGICAL[CUST: MD MS 03] | A | 6530 | / | MB | 30-DEC-88 |
| | A-A-50874A | STOOL, STRAIGHT METAL[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAY-89 |
| | AA-S-700A | STOOLS, FILING AND GENERAL PURPOSE, STEEL | A | 7110 | # | FSS | 02-AUG-91 |
| | A-A-3014 | STOOLS, FILING AND GENERAL PURPOSE, STEP, STEEL | A | 7105 | # | FSS | 09-MAY-00 |
| | A-A-53371A | STOP, ENDODONTIC, SILICONE[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | A-A-54786 | STOPCOCK, INTRAVENOUS THERAPY[CUST: MD MS 03] | A | 6515 | / | MB | 08-JAN-93 |
| | A-A-54746 | STOPCOCK, INTRAVENOUS THERAPY, 3-WAY, PLASTIC[CUST: MD MS 03] | A | 6515 | / | MB | 25-SEP-92 |
| | DD-S-720A | STOPCOCK, LABORATORY APPARATUS, TAPER-GROUND | A | 6640 | # | FSS | 04-APR-60 |
| | A-A-54713 | STOPCOCK, SURGICAL SYRINGE, THREE WAY, AYER[CUST: MD MS 03] | A | 6515 | / | MB | 14-AUG-92 |
| | ASTM-E675 | STOPCOCKS AND STOPPERS, INTERCHANGEABLE TAPER-GROUND[CUST: EA MS 99 MB] | A | 6640 | | MB | 03-OCT-94 |
| | A-A-54195 | STOPPER SET, BOTTLE[CUST: MD MS 03] | A | 6640 | / | MB | 18-JUN-90 |
| | A-A-54194 | STOPPER, BOTTLE (RUBBER, SOLID)[CUST: MD MS 03] | A | 6640 | / | MB | 25-JUN-90 |
| | A-A-54293 | STOPPER, BOTTLE (WHITE RUBBER)[CUST: MD MS 03] | A | 6640 | / | MB | 30-NOV-90 |
| | A-A-54888 | STOPPER, BOTTLE, CORK[CUST: MD MS 03] | A | 6640 | / | MB | 02-JUL-93 |
| | A-A-50098B | STOPPER, HEXAGON, IRREGULAR[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8465 | / | CT | 24-FEB-00 |
| | MIL-S-43659 NOT 1 | STOPPER, INFLATING TUBE, PNEUMATIC MATTRESS[CUST: GL SA 99 CT] [REVIEW: 11 MC YD] | A | 8465 | | CT | 06-NOV-89 |
| | A-A-50106B | STOPPER, WIRED, WEDGED[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8465 | / | CT | 24-FEB-00 |
| | MIL-S-24584 | STOPPERS, CARPENTER AND ASSOCIATED BRIDLES (WIRE ROPE AND CHAIN LINK)[CUST: SH] [REVIEW: GS] | A | 4010 | | SH | 01-DEC-78 |
| | A-A-55811A | STOPWATCH, GENERAL PURPOSE[CUST: CR AS 99] [REVIEW: 71 MC OS] | A | 6645 | / | GS1 | 19-APR-04 |
| | SAE-J537 | STORAGE BATTERIES[CUST: AT AS 99 GS2] | A | 6140 | | GS2 | JUN-94 |
| | DOD-STD-2134 | STORAGE BATTERY ARRANGEMENT FOR MINIMUM STRAY MAGNETIC FIELD (METRIC)[Design Criteria Standard][CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 21-APR-89 |
| | A-A-708 | STORAGE CABINET FOR FORMS | A | 7110 | # | FSS | 13-APR-81 |
| | A-A-706 | STORAGE CABINETS FOR FLAMMABLE LIQUIDS | A | 7125 | # | FSS | 15-APR-81 |
| | MIL-HDBK-1131A | STORAGE SHELF LIFE AND REFORMING PROCEDURES FOR ALUMINUM ELECTROLYTIC FIXED CAPACITORS[CUST: CR EC 11 CC] | A | 5910 | | CC | 14-JUN-04 |
| | ASTM-D3090 | STORAGE TESTING OF AEROSOL PRODUCTS[CUST: EA SH 68] [REVIEW: GL MD] | A | 6810 | | GS3 | 28-JUL-72 |
| | A-A-51898 | STORAGE UNIT, PHARMACEUTICALS[CUST: MD MS 03] | A | 6530 | | MB | 24-APR-87 |
| | MIL-STD-1518C | STORAGE, HANDLING, AND SERVICING OF AVIATION FUELS, LUBRICATING OILS, AND HYDRAULIC FLUIDS AT CONTRACTOR FACILITIES[Standard Practice][CUST: AR AS 68] [REVIEW: AV CD PS SA] | A | 91GP | | 68 | 01-FEB-03 |
| | DI-MGMT-80430 | STORED PRODUCT PEST MANAGEMENT PROGRAM REPORT [AMSC: F4203] | A | MGMT | | 33 | 02-SEP-87 |
| | A-A-59378A | STOVE, EXPEDITIONARY, MILITARY FUEL[CUST: GL SA 99] [REVIEW: 35 84 IS MC MD1 QM1] | A | 7310 | / | GL | 13-NOV-01 |
| | MS27232A | STRAIGHT FLANGE ASSEMBLY ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | MS27231A | STRAIGHT FLANGE NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA] | A | 4730 | | CC | 22-SEP-00 |
| | ASTM-A578/A578M | STRAIGHT-BEAM ULTRASONIC EXAMINATION OF PLAIN AND CLAD STEEL PLATES FOR SPECIAL APPLICATIONS[CUST: MR SH 99] | A | 9515 | | MR | 10-SEP-96 |
| | GG-S-771C | STRAIGHTEDGE, PARALLEL RULING, GUIDE CORD[CUST: CR4] | A | 6675 | # | FSS | 12-FEB-66 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | GG-S-773D | STRAIGHTEDGE, PLASTIC AND WOOD | A | 6675 | # | FSS | 09-JUN-78 |
| | A-A-52210 | STRAIGHTEDGE, STEEL (MACHINISTS' AND TOOLMAKERS)[CUST: GL 99] [REVIEW: 84 AT AV MC NP SH] | A | 5210 | * | GL | 13-SEP-96 |
| | A-A-50209A NOT 2 | STRAIGHTEDGES, STEEL, DRAFTSMEN'S[CUST: CE YD 99 IS] [REVIEW: 71] | A | 6675 | / | IS | 25-SEP-01 |
| | MIL-S-21427B(1) | STRAINER, ASSEMBLIES, MAIN STEAM, HIGH PRESSURE (SIZES 4 INCHES AND ABOVE)[CUST: SH] | A | 4730 | | SH | 23-APR-91 |
| | A-A-52461 NOT 1 | STRAINER, SEDIMENT: AUTOMOTIVE FUEL (10 GPH)[CUST: AT 99] [REVIEW: 70 CC CR4 MC] | A | 2910 | / | AT | 13-APR-04 |
| | A-A-50632A | STRAINER, SIMPLEX, CONTINUOUS SELF-CLEANING[CUST: AT SH 16] [REVIEW: CC CG CR MC MR OS] | A | 4730 | / | SH | 17-JUL-97 |
| | MIL-S-12165F | STRAINER, SUCTION, FIRE HOSE, AND STRAINERS, SUCTION, HOSE[CUST: AT YD 99] [REVIEW: EA] | A | 4730 | | CC | 01-AUG-79 |
| | MIL-S-17849E(2) | STRAINERS, SEDIMENT, PIPELINE, DUPLEX (WITH AND WITHOUT MAGNET)[CUST: SH] | A | 4730 | | SH | 22-JUN-95 |
| | A-A-59009 | STRAINERS, SEDIMENT, PIPELINE, SELF-CLEANING[CUST: MR SH 99] [REVIEW: 71 CC SA] | A | 4730 | / | SH | 22-JUL-97 |
| A | A-A-59000A | STRAINERS, SEDIMENT, PIPELINE, SELF-CLEANING (MANUAL OR AUTOMATED)[CUST: AR SH 16] [REVIEW: 02 AT CC CG CR CR4 EC MC MR OS YD] | A | 4730 | / | SH | 01-APR-97 |
| | MIL-PRF-13789E | STRAINERS, SEDIMENT: PIPELINE, BASKET TYPE[CUST: AT YD 99] [REVIEW: CC CE CG SH] | A | 4730 | | AT | 01-FEB-99 |
| | A-A-59008 | STRAINERS, SELF-CLEANING, BACKFLUSH TYPE (MANUAL OR AUTOMATED)[CUST: MR SH 99] [REVIEW: 71 CC SA] | A | 4730 | / | SH | 22-JUL-97 |
| | MIL-S-2953C(1) | STRAINERS, STEAM (SIZES 3 INCHES AND BELOW)[CUST: CR4 SH] [REVIEW: AR CC YD] | A | 4730 | | SH | 23-APR-91 |
| | MIL-S-70703(2) | STRAND CAST STEEL, CARBON & ALLOY, FOR PROJECITLE APPLICATIONS[CUST: AR 99] [REVIEW: 70 MR] | A | MECA | | AR | 18-MAR-88 |
| | NAS1212 | STRAP ASSEMBLY - TIE DOWN[CUST: AR AS 99 IS] | A | 5340 | | IS | 07-NOV-80 |
| | NAS1213 | STRAP ASSEMBLY - TIE DOWN BUCKLE[CUST: AR AS 99 IS] | A | 5340 | | IS | 07-NOV-80 |
| | NAS1385 | STRAP ASSEMBLY, LOOP TYPE[CUST: AR AS 99 IS] | A | 5340 | | IS | 23-JUN-89 |
| | NAS1384 | STRAP ASSEMBLY, ONE PART[CUST: AR AS 99 IS] | A | 5340 | | IS | 23-JUN-89 |
| | NAS1383 | STRAP ASSEMBLY, TWO PART ADJUSTABLE[CUST: AV AS 11] | A | 5340 | | AS | 05-DEC-80 |
| | A-A-54631 | STRAP, ABDOMINAL, TRANSDUCER[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-92 |
| | MIL-S-17615E | STRAP, CHIN (NAVY AND COAST GUARD)[CUST: NU CT] [REVIEW: 11 CG] | A | 8405 | | CT | 18-JAN-80 |
| | MIL-S-44091(1) | STRAP, CHIN, GROUND TROOPS'- PARACHUTISTS' HELMET[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8470 | | CT | 22-JUN-84 |
| | MIL-DTL-32134 | STRAP, EYEWEAR, RETENTION[CUST: GL NU 11] [REVIEW: 82 99 MC MD] | A | 8415 | | CT | 22-OCT-03 |
| | A-A-55267 | STRAP, INVOLUNTARY, RESTRAINT: HANDCUFFS[CUST: GL CT] | A | 8465 | / | CT | 23-FEB-95 |
| | A-A-53221 | STRAP, LEG-HOLDER, EXAMINATION TABLE[CUST: MD MS 03] | A | 6530 | / | MB | 29-SEP-87 |
| | NAS1711 | STRAP, RETAINING - CUSHIONED, RECTANGULAR, OPEN BOTTOM[CUST: AR AS 99 IS] | A | 5340 | | IS | 29-AUG-97 |
| | NASM760 | STRAP, RETAINING, (METAL FOR CONDUIT, PIPE, AND CABLE)[CUST: AR YD 99 IS] | A | 5340 | | IS | 15-MAR-02 |
| | NAM14289 | STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO-PIECE, METRIC[CUST: AR AS 99] | A | 5340 | | IS | 12-DEC-03 |
| | NASM35140 | STRAP, RETAINING, ONE HOLE FOR PIPE, RIGID CONDUIT AND CABLE[CUST: AR YD 99 IS] | A | 5340 | | IS | FEB-99 |
| | NASM51956 | STRAP, RETAINING, ONE HOLE FOR THIN WALL CONDUIT (EMT)[CUST: AR SH 99 IS] | A | 5340 | | IS | DEC-98 |
| | NASM21314 | STRAP, RETAINING, TWO HOLE, FOR PIPE, CONDUIT, AND CABLE[CUST: AR YD 99 IS] | A | 5340 | | IS | DEC-98 |
| | NASM21315 | STRAP, RETAINING, TWO HOLE, FOR TUBING[CUST: AR 99 IS] | A | 5340 | | IS | DEC-98 |
| | NAS1677 | STRAP, RETAINING-CUSHIONED, RECTANGULAR, TWO-PIECE[CUST: AV AS 11] [REVIEW: CR4 IS] | A | 5340 | | AS | 29-AUG-97 |
| | SAE-AS9394 | STRAP, RETAINING-MULTIPLE TUBE, DETACHABLE CUSHION, AMS 5510[CUST: AV AS 99 IS] | A | 5340 | | IS | JUN-98 |
| | MIL-S-44022B | STRAP, RETENTION, PARACHUTISTS HELMET[CUST: GL 99 CT] [REVIEW: 11 MC MD] | A | 8470 | | CT | 19-JAN-90 |
| | SAE-AS33671 | STRAP, TIEDOWN, ELECTRICAL COMPONENTS, ADJUSTABLE, SELF-CLINCHING, PLASTIC, TYPE I, CLASS 1[CUST: CR AS 11] [REVIEW: GS] | A | 5975 | | AS | JAN-98 |
| | SAE-AS33681 | STRAP, TIEDOWN, ELECTRICAL COMPONENTS, IDENTIFICATION, ADJUSTABLE, SELF-CLINCHING, PLASTIC, TYPE II, CLASS 1[CUST: CR AS 11] [REVIEW: GS] | A | 5975 | | AS | AUG-97 |
| | MIL-S-36017 NOT 1 | STRAP, WEBBING, LITTER CARRYING, OLIVE DRAB[CUST: MD MS 03] | A | 6530 | | MB | 15-JUN-89 |
| | MIL-S-36019A | STRAP, WEBBING, PATIENT SECURING[CUST: MD MS 03 MB] | A | 6530 | | MB | 07-SEP-78 |
| | SAE-AS23190 | STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TYING AND SUPPORT[CUST: CR AS 11] [REVIEW: GS] | A | 5975 | | AS | AUG-98 |
| | SAE-AS23190/3 | STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TYING AND SUPPORT STRAP, TIE DOWN, ADJUSTABLE, COROSION RESISTANT STEEL TYPE VI, CLASS 1[CUST: CR AS 11 GS] [REVIEW: 99 AV CR4 EC MC MI NS OS SH] | A | 5975 | | AS | MAY-99 |
| M | QPL-AS23190-3 | STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TYING AND SUPPORT | A | 5975 | | AS | 31-MAR-06 |
| | SAE-AS23190/1 | STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT CLAMP, LOOP, NYLON, ADJUSTABLE WIRE SUPPORT, TYPE III, CLASS 1[CUST: CR AS 11 GS] [REVIEW: 99 AR AV CR4 EC MC MI OS SH] | A | 5340 | | AS | MAY-99 |
| | SAE-AS23190/2 | STRAPS, CLAMPS, PLASTIC AND METAL, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT CLAMP, LOOP, METAL, CUSHIONED, ADJUSTABLE, WIRE SUPPORT, TYPE V, CLASS 1[CUST: CR AS 11] [REVIEW: GS] | A | 5975 | | AS | AUG-98 |
| | A-A-50118B | STRAPS, CRAMPON[CUST: GL NU 11 CT] [REVIEW: MC] | A | 8465 | / | CT | 10-OCT-00 |
| | MIL-S-43835E | STRAPS, PACK FRAME AND FIELD PACK, GROUND TROOPS[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8465 | | CT | 15-JUN-90 |
| | NAS1091 | STREAMER ASSEMBLY, WARNING[CUST: AR AS 99] | A | 8345 | | AS | 11-APR-88 |
| | MIL-S-14630B NOT 3 | STREAMER SET ATTACHMENT, CAMPAIGN AND WAR SERVICE[CUST: IH NU 11] [REVIEW: 99 CG CT MC] | A | 8345 | | IH | 16-JUL-01 |
| | MIL-DTL-11589/534 NOT 1 | STREAMER, U.S. BORDER PATROL COMMISSIONER'S EXCELLENCE IN GROUP ACHIEVEMENT AWARD[CUST: IH] [REVIEW: CT] | A | 8455 | | IH | 16-JUL-01 |
| A | MIL-DTL-14650/4J | STREAMERS, AIR FORCE SET[CUST: IH 11] [REVIEW: CT] | A | 8345 | | IH | 21-OCT-05 |
| A | MIL-DTL-14650/1M | STREAMERS, ARMY SET[CUST: IH] [REVIEW: CT] | A | 8345 | | IH | 24-OCT-05 |
| | MIL-DTL-14650/6C NOT 1 | STREAMERS, COAST GUARD SET[CUST: IH CG] [REVIEW: CT] | A | 8345 | | IH | 21-JUL-01 |
| | MIL-DTL-14650B(1) SUP 1 NOT 2 | STREAMERS, GENERAL SPECIFICATION FOR[CUST: IH NU 11] [REVIEW: CG CT MC] | A | 8345 | | IH | 20-APR-04 |
| | MIL-DTL-14650/2F | STREAMERS, MARINE CORPS SET[CUST: IH NU] [REVIEW: CT MC] | A | 8345 | | IH | 19-JUL-04 |
| | MIL-DTL-14650/3D NOT 1 | STREAMERS, NAVY SET[CUST: IH NU] [REVIEW: CT] | A | 8345 | | IH | 21-JUL-01 |
| | MIL-DTL-14650/5C NOT 2 | STREAMERS, UNIT AWARDS[CUST: IH 11] [REVIEW: 99 CT] | A | 8345 | | IH | 21-JUL-01 |
| | SAE-AMS2362 | STRESS-RUPTURE PROPERTIES OF CASTINGS[CUST: MR AS 11] | A | MECA | | MR | 18-DEC-78 |
| | A-A-51276A | STRETCHER, AMBULANCE[CUST: MD MS 03] | A | 6530 | / | MB | 25-OCT-89 |
| | A-A-51355B | STRETCHER, HOSPITAL (WHEELED)[CUST: MD MS 03] | A | 6530 | / | MB | 24-DEC-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51447 | STRETCHER,(VETERINARY)[CUST: MD MS 03] | A | 3770 | | MB | 30-MAY-86 |
| | QSTAG-519 ED.1 | STRETCHERS[CUST: AI] | C | ISDA | | AI | 20-NOV-85 |
| | AIR-STD-61/115/20 | STRETCHERS, BEARING BRACKETS AND ATTACHMENT SUPPORTS | C | ISDF | | 06 | 07-OCT-96 |
| | STANAG-2040 ED.5(2) | STRETCHERS, BEARING BRACKETS AND ATTACHMENT SUPPORTS | C | ISDA | | AI | 23-SEP-82 |
| | A-A-53232 | STRIP ABRASIVE, DENTAL (ALUMINUM OXIDE)[CUST: MD MS 03] | A | 6520 | / | MB | 29-SEP-87 |
| | A-A-51838 | STRIP ASSORTMENT, ABRASIVE, DENTAL (ALUMINUM OXIDE, METAL BACKED)[CUST: MD MS 03] | A | 6520 | / | MB | 09-MAR-87 |
| | MIL-S-645C | STRIP METAL, CARBON STEEL, COLD ROLLED, DRAWING QUALITY, SPECIAL KILLED (FOR AMMUNITION COMPONENTS)[CUST: MR] [REVIEW: IS] | A | 9515 | | AR | 23-JAN-87 |
| | A-A-53016A | STRIP, ABRASIVE, DENTAL, ALUMINUM OXIDE[CUST: MD MS 03] | A | 6520 | / | MB | 18-JUL-88 |
| | A-A-53915 | STRIP, MATRIX, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 19-JUN-89 |
| | MIL-S-46049C NOT 2 | STRIP, METAL, CARBON STEEL, COLD ROLLED, HARDENED AND TEMPERED SPRING QUALITY[CUST: AR] [REVIEW: AT AV EA IS MI] | A | 9515 | | AR | 19-MAR-98 |
| | SAE-AS33731 | STRIP, MOUNTING, NUT INSULATING, FOR MS27212 TERMINAL BOARD[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | AUG-97 |
| | MIL-S-82155B | STRIPE, TROUSERS, DRESS[CUST: MC CT] | A | 8455 | | CT | 28-MAR-91 |
| | IPC-TM650 | STRIPLINE TEST FOR PERMITTIVITY AND LOSS TANGENT (DIELECTRIC CONSTANT AND DISSIPATION FACTOR) AT X-BAND[CUST: CR EC 11] [REVIEW: 99 MI] | A | 5998 | | CC | 02-JUL-92 |
| | IPC-TM650.2.5.5.5 | STRIPLINE TEST FOR PERMITTIVITY AND LOSS TANGENT (DIELECTRIC CONSTANT AND DISSIPATION FACTOR) AT X-BAND[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5998 | | CC | 23-AUG-89 |
| | MIL-S-20322B NOT 2 | STRONTIUM NITRATE, ANAYDROUS[CUST: AR AS] [REVIEW: GS OS] | A | 6810 | | AR | 02-DEC-96 |
| | MIL-S-20322B(I1) NOT 2 | STRONTIUM NITRATE, ANHYDROUS[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 02-DEC-96 |
| | MIL-S-12210A NOT 3 | STRONTIUM OXALATE[CUST: AR OS] [REVIEW: GS] | A | 6810 | | AR | 02-DEC-96 |
| | KK-S-756D | STROP, MICROTOME KNIFE, AND STROP, RAZOR[CUST: GL 99] [REVIEW: MC MD MS SA] | A | 8530 | * | GL | 24-JUN-71 |
| | ACI-SP15 | STRUCTURAL CONCRETE FOR BUILDINGS[CUST: YD IS] | A | 5610 | | IS | 31-JAN-91 |
| | ACI301 | STRUCTURAL CONCRETE FOR BUILDINGS[CUST: YD IS] | A | 5610 | | IS | 22-NOV-89 |
| | DI-RELI-81498 | STRUCTURAL DESIGN CRITERIA REPORT HELICOPTERS [AMSC: N7168] | A | SESS | | AS | 30-OCT-95 |
| | MIL-HDBK-1002/3 | STRUCTURAL ENGINEERINGSTEEL STRUCTURES[CUST: YD] | A | MISC | | YD | 30-SEP-87 |
| | MIL-HDBK-271/106 NOT 1 | STRUCTURAL PANEL FASTENERS-INSTALLATION & REMOVAL METHODS FOR MIL-F-85616, MIL-F-85617 & MIL-F-85618[CUST: AV AS 11 IS] | A | 53GP | | IS | 09-SEP-01 |
| | MIL-HDBK-283 NOT 1 | STRUCTURAL SHIPBUILDING DETAILS USING TEE STIFFENERS[CUST: SH] | A | 9520 | | SH | 26-MAR-91 |
| | AASHTO-LTS4 | STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LUMINAIRES AND TRAFFIC SIGNALS , STANDARD SPECIFICATIONS FOR[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | MIL-STD-740-2 | STRUCTUREBORNE VIBRATORY ACCELARATION MEASUREMENTS ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT[Military Standard][CUST: SH] | A | 20GP | | SH | 30-DEC-86 |
| | ASME-B1.8 | STUB ACME SCREW THREADS[CUST: AR AS 99] [REVIEW: EC] | A | THDS | | IS | 17-FEB-89 |
| | NAS183 | STUD - COARSE THREAD[CUST: AR AS 99 IS] | A | 5307 | | IS | 09-DEC-92 |
| | SAE-MA3379 | STUD - STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 6 X 1 - 6 X 1[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-AS126275THRUAS126586 | STUD - STRAIGHT, .3125-18 X .3125-24[CUST: AV AS 99 IS] | A | 5307 | | IS | AUG-00 |
| | SAE-AS128363THRUAS128686 | STUD - STRAIGHT, DRILLED, .250-20 X .250-28[CUST: AV AS 99 IS] | A | 5307 | | IS | OCT-98 |
| | SAE-AS128687THRUAS128998 | STUD - STRAIGHT, DRILLED, .3125-18 X .3125-24[CUST: AS 99 IS] | A | 5307 | | IS | OCT-98 |
| | SAE-AS129293THRUAS129604 | STUD - STRAIGHT, DRILLED, .3125-18 X .3125-25[CUST: AS 99 IS] | A | 5307 | | IS | DEC-99 |
| | SAE-AS3093 | STUD - STRAIGHT, KEY LOCKED, CRES AMS5731 .375-24 UNJF X .375-24 UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 15-MAY-75 |
| | SAE-AS3090 | STUD - STRAIGHT, KEY LOCKED, CRES AMS5731, .190-32 UNJF X .190-32 UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 15-MAY-75 |
| | SAE-AS3091 | STUD - STRAIGHT, KEY LOCKED, CRES SAE-AMS5731, .250-28 UNJF X .250-28 UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 15-MAY-75 |
| | SAE-AS3092 | STUD - STRAIGHT, KEY LOCKED, CRES SAE-AMS5731, .3125-24 UNJF X .3125-24 UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 15-MAY-75 |
| | SAE-AS3087 | STUD - STRAIGHT, KEY LOCKED, STEEL, .250-28 UNJF X .250-28 UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 15-MAY-75 |
| | SAE-AS3088 | STUD - STRAIGHT, KEY LOCKED, STEEL, .3125-24 UNJF X .3125-24 UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 15-MAY-75 |
| | SAE-AS3089 | STUD - STRAIGHT, KEY LOCKED, STEEL, .375-24 UNJF X .375-24 UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 15-MAY-75 |
| | SAE-AS3086 | STUD - STRAIGHT, KEY LOCKED, STEEL, 190-32 UNJF X .190-32 UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 15-MAY-75 |
| | SAE-AS126881THRUAS127192 | STUD - STRAIGHT, NECKED, .375-16 X .375-24[CUST: AV AS 99 IS] | A | 5307 | | IS | DEC-99 |
| | SAE-AS127193THRUAS127492 | STUD - STRAIGHT, NECKED, .4375-14 X .4375-20[CUST: AV AS 11 IS] | A | 5307 | | IS | DEC-99 |
| | SAE-AS3320 | STUD - STRAIGHT, RING LOCKED, CRES AMS-5731 0.250-20UNJC X 0.250-28UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 30-NOV-95 |
| | SAE-AS3319 | STUD - STRAIGHT, RING LOCKED, CRES AMS-5731, 0.190-24UNJC X 0.190-32UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 21-NOV-95 |
| | SAE-AS3322 | STUD - STRAIGHT, RING LOCKED, CRES AMS5731 0.375-16UNJC X 0.375-24UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 30-NOV-95 |
| | SAE-AS3321 | STUD - STRAIGHT, RING LOCKED, CRES SAE-AMS5731, .3125-18UNJC X .3125-25UNJF[CUST: AR AS 99 IS] | A | 5307 | | IS | 30-NOV-95 |
| | NASM21323 | STUD - STYLE I SNAPSLIDE FASTENER[CUST: AR AS 99 IS] | A | 5325 | | IS | MAR-98 |
| | NASM21325 | STUD - STYLE III SNAPSLIDE FASTENER[CUST: GL AS 99 IS] | A | 5325 | | IS | AUG-98 |
| | NASM21326 | STUD - STYLE IV SNAPSLIDE FASTENER[CUST: GL AS 99] | A | 5325 | | IS | JUN-99 |
| | NAS1841THRUNAS1854 | STUD ASSEMBLY - THREADED METAL DOUBLE STEP[CUST: AR AS 99 IS] | A | 5307 | | IS | 30-SEP-82 |
| | NAS1860THRUNAS1863 | STUD ASSEMBLY - THREADED METAL SINGLE STEP[CUST: AR AS 99 IS] | A | 5307 | | IS | 30-SEP-82 |
| | SAE-AS3144 | STUD STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS 5731, .5625-18 UNJF-3A X .500-20 UNJF-3A[CUST: AR AS 99 IS] | A | 5307 | | IS | 01-APR-76 |
| | A-A-59331 NOT 1 | STUD WELDING SYSTEMS, INTEGRAL POWER SOURCE AND CONTROL UNIT, MANUAL[CUST: AR SH 99 GS6] [REVIEW: 84 AV CE CG] | A | 3431 | / | GS6 | 31-MAY-05 |
| | AWS-C5.4 | STUD WELDING, RECOMMENDED PRACTICES FOR[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 3431 | | GS6 | 08-MAY-90 |
| | NASM16187 | STUD, CONTINIOUS THREAD-(BOLT-STUD), B16 ALLOY STEEL, HIGH TEMPERATURE SERVICE (875-1000 DEG. F)[CUST: AR SH 99 IS] | A | 5307 | | IS | JUN-99 |
| A | NAS184 | STUD, FINE THREAD[CUST: AS 99 IS] [REVIEW: 71 CR4] | A | 5307 | | IS | 06-MAY-83 |
| A | MS51999 NOT 2 | STUD, LOCKED IN - RING LOCKED, SERRATED, DESIGN AND USAGE LIMITATIONS FOR[CUST: AR AS 99] [REVIEW: AT AV MC MI OS] | A | 53GP | | IS | 14-SEP-01 |
| | NASM51834 | STUD, LOCKED IN, KEY-LOCKED, HEAVY DUTY[CUST: AR AS 99] | A | 5307 | | IS | AUG-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NASM51833 | STUD, LOCKED IN, KEY-LOCKED, LIGHTWEIGHT[CUST: AR AS 99] | A | 5307 | | IS | AUG-98 |
| | NASM45909 | STUD, LOCKED IN, RING LOCKED, SERRATED, GENERAL SPECIFICATION FOR[CUST: AR AS 99 IS] | A | 5307 | | IS | NOV-99 |
| | NASM45915 | STUD, LOCKED IN-KEY LOCKED[CUST: AR AS 99] | A | 5307 | | IS | NOV-99 |
| | SAE-AS51989 | STUD, LOCKED IN-RING LOCKED, SERRATED[CUST: AR 99 IS] | A | 5307 | | IS | APR-99 |
| | SAE-AS51992 | STUD, LOCKED IN-RING, SERRATED, HIGH STRENGTH[CUST: AR AS 99 IS] | A | 5307 | | IS | APR-99 |
| | FF-S-1362 | STUD, PLAIN, GENERAL PURPOSE[CUST: AR 99 IS] [REVIEW: AT AV CE CR MC MI OS] | A | 5307 | / | IS | 18-MAY-70 |
| | NASM63540-3 | STUD, SELF-CLINCHING, FLUSH HEAD, HEX CLINCH TYPE[CUST: AR MC 99 IS] | A | 5307 | | IS | MAR-00 |
| | NASM63540 | STUD, SELF-CLINCHING, GENERAL SPECIFICATION FOR[CUST: AR MC 99] | A | 5307 | | IS | 24-MAY-00 |
| | NASM63540-7 | STUD, SELF-LOCKING, BROACHING TYPE[CUST: AR MC 99] | A | 5307 | | IS | MAR-00 |
| | NASM63540-5 | STUD, SELF-LOCKING, CONCEALED HEAD, HEX CLINCH TYPE[CUST: AR MC 99 IS] | A | 5307 | | IS | MAR-00 |
| | NASM63540-4 | STUD, SELF-LOCKING, CONCEALED HEAD, KNURLED CLINCH TYPE[CUST: AR MC 99] | A | 5307 | | IS | MAR-00 |
| | NASM63540-2 | STUD, SELF-LOCKING, FLUSH AND PROTRUDING HEAD[CUST: AR 99 IS] | A | 5307 | | IS | MAR-00 |
| | NASM63540-1 | STUD, SELF-LOCKING, FLUSH HEAD, RIBBED CLINCH TYPE[CUST: AR MC 99 IS] | A | 5307 | | IS | 21-JUL-00 |
| | SAE-AS9304 | STUD, SHOULDERED AND STEPPED, HEXAGON WRENCHING STEEL, .190-32 NF-3A X .250-28 UNF-3A[CUST: AR AS 99] | A | 5307 | | IS | DEC-99 |
| | SAE-AS9307 | STUD, SHOULDERED AND STEPPED, HEXAGON WRENCHING STEEL, .250-28 UNF-3A X .375-24 UNF-3A[CUST: AR AS 99] | A | 5307 | | IS | DEC-99 |
| | SAE-AS9309 | STUD, SHOULDERED AND STEPPED, HEXAGON WRENCHING, DRILLED, STEEL, .190-32 UNF-3A X .250-28 UNF-3A[CUST: AR AS 99 IS] | A | 5307 | | IS | OCT-99 |
| | SAE-AS9306 | STUD, SHOULDERED AND STEPPED, HEXAGON WRENCHING, STEEL, .250-28 UNF-3A X .3124-24 UNF-3A[CUST: AR AS 99] | A | 5307 | | IS | DEC-99 |
| | SAE-AS9303 | STUD, SHOULDERED, HEXAGON WRENCHING STEEL, .190-32 NF-3A X .190-32 NF-3A[CUST: AR AS 99] | A | 5307 | | IS | DEC-99 |
| | SAE-AS9305 | STUD, SHOULDERED, HEXAGON WRENCHING STEEL, .250-28 UNF-3A X .250-28 UNF-3A[CUST: AR AS 99] | A | 5307 | | IS | DEC-99 |
| | SAE-AS9308 | STUD, SHOULDERED, HEXAGON WRENCHING, DRILLED, STEEL, .190-32 NF-3A X .190-32 NF-3A[CUST: AR AS 99 IS] | A | 5307 | | IS | AUG-00 |
| | SAE-AS9310 | STUD, SHOULDERED, HEXAGON WRENCHING, DRILLED, STEEL, .250-28 UNF-3A X .250-28 UNF-3A[CUST: AR AS 99] | A | 5307 | | IS | DEC-99 |
| | SAE-AS9311 | STUD, SHOULDERING AND STEPPED, HEXAGON WRENCHING, DRILLED, STEEL .250-28 UNF-3A X .3125-24 UNF-3A[CUST: AR AS 99 IS] | A | 5307 | | IS | OCT-99 |
| | SAE-AS9312 | STUD, SHOULDERING AND STEPPED, HEXAGON WRENCHING, DRILLED, STEEL, .250-28 UNF-3A X .375-24 UNF-3A[CUST: AR AS 99 IS] | A | 5307 | | IS | OCT-99 |
| | SAE-MA3386 | STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 8 X 1[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-MA3387 | STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 12 X 1.25 - 10 X 1.25[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-MA3383 | STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 6 X 1 - 5 X 0.8[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-MA3384 | STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 6 X 1[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-MA3385 | STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 7 X 1[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-MA3391 | STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 8 X 1[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-MA3392 | STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 12 X 1.25 - 10 X 1.25[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-MA3388 | STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 6 X 1 - 5 X 0.8[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-MA3389 | STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 6 X 1[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-MA3390 | STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 7 X 1[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-MA3382 | STUD, STEPPED - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 10 X 1.25[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-AS150501THRUAS150800 | STUD, STEPPED, 1.5 DIA ENGAGEMENT, .250-20 X .190-32[CUST: AV AS 99 IS] | A | 5307 | | IS | DEC-99 |
| | SAE-AS150801THRUAS151100 | STUD, STEPPED, 1.5 DIA ENGAGEMENT, .3125-18 X .250-28[CUST: AV AS 99 IS] | A | 5307 | | IS | DEC-99 |
| | SAE-AS151401THRUAS151700 | STUD, STEPPED, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24[CUST: AV AS 99 IS] | A | 5307 | | IS | OCT-98 |
| | SAE-AS154701THRUAS155000 | STUD, STEPPED, 2 DIA ENGAGEMENT .250-20 X .190-32[CUST: AV AS 99 IS] | A | 5307 | | IS | APR-99 |
| | SAE-AS155001THRUAS155300 | STUD, STEPPED, 2 DIA ENGAGEMENT, .3125 X .250-28[CUST: AV AS 99 IS] | A | 5307 | | IS | DEC-99 |
| | SAE-AS155301THRUAS155600 | STUD, STEPPED, 2 DIA ENGAGEMENT, .375-15 X 3125-24[CUST: AV AS 99 IS] | A | 5307 | | IS | DEC-99 |
| | SAE-AS152901THRUAS153200 | STUD, STEPPED, DRILLED, 1.5 DIA ENGAGEMENT .3125-18 X .250-28[CUST: AS 99 IS] | A | 5307 | | IS | DEC-99 |
| | SAE-AS152601THRUAS152900 | STUD, STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .250-20 X .190-32[CUST: AV AS 99 IS] | A | 5307 | | IS | DEC-99 |
| | SAE-AS158901THRUAS159200 | STUD, STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .3125-18 X .250-28[CUST: AV AS IS] | A | 5307 | | IS | DEC-99 |
| | SAE-AS153201THRUAS153500 | STUD, STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .375-16 X .3125-24[CUST: AS] | A | 5307 | | IS | NOV-98 |
| | SAE-AS162501THRUAS162800 | STUD, STEPPED, DRILLED, NECKED, 2 DIA ENGAGEMENT, ,4375 X .375-24[CUST: AV AS 99 IS] | A | 5307 | | IS | DEC-99 |
| | SAE-MA3380 | STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 7 X 1[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-MA3381 | STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 8 X 1[CUST: AR AS 99 IS] | A | 5307 | | IS | JAN-88 |
| | SAE-AS126587THRUAS126652 | STUD, STRAIGHT, .375-16 X .375-24[CUST: AS 99 IS] | A | 5307 | | IS | DEC-99 |
| | MIL-S-24149/1D NOT 2 | STUD, WELDING, AND ARC SHIELDS (FERRULES); TYPE I, CLASS 1, 2, 3, AND TYPE II, CLASS 1, 4, 5, 5A, 6, CARBON STEEL, FOR DIRECT ENERGY, ARC WELDING[CUST: SH] | A | 5307 | | SH | 21-AUG-00 |
| | NASM51864 | STUD-PLAIN, GENERAL PURPOSE[CUST: AR 99 IS] | A | 5307 | | IS | JUN-99 |
| | SAE-AS3490 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .375-16 UNJC-3A MOD X .3125-24 UNJC-3A (UNS S66286)[CUST: AR AS 99 IS] | A | 5307 | | IS | 02-NOV-92 |
| | SAE-AS151701THRUAS152000 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20[CUST: AV AS] | A | 5307 | | IS | NOV-98 |
| | SAE-AS155901THRUAS156200 | STUD-STEPPED, 2 DIA ENGAGEMENT, .500-13 X .4375-20[CUST: IS] | A | 5307 | | IS | DEC-99 |
| | MIL-DTL-24354F | STUD; BOLT-STUD; NUTS; CAPSCREWS CORROSION-RESISTANT AND NON-FERROUS MATERIALS[CUST: SH] | F | 5307 | | SH | 27-FEB-97 |
| | DI-MISC-81456 | STUDENT GUIDE [AMSC: F7109] | A | MISC | | 11 | 23-JAN-95 |
| | MIL-DTL-1222J | STUDS, BOLTS, SCREWS AND NUTS FOR APPLICATIONS WHERE A HIGH DEGREE OF RELIABILITY IS REQUIRED; GENERAL SPECIFICATION FOR[CUST: AR SH 99] [REVIEW: AV CR4 IS MC] | A | 53GP | | SH | 08-DEC-00 |
| | SAE-AS7482 | STUDS, STEEL, CORROSION AND HEAT RESISTANT STEE. UNS S66286 TENSILE STRENGTH 130 KSI 1800 DEG F SOLUTION HEAT TREATED, AGED BEFORE ROLL THREADING PROCUREMENT SPECIFICATION[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5307 | | IS | 03-JUL-92 |
| | SAE-AS7458 | STUDS, STEEL, LOW ALLOY, HEAT RESISTANT, NORMALIZED AND TEMPERED, ROLL THREADED 135 000 PSI TENSILE STRENGTH[CUST: AR AS 99 IS] | A | 5307 | | IS | 01-AUG-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS7456 | STUDS, STEEL, LOW ALLOY, HEAT TREATED, ROLL THREADED[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5307 | | IS | 03-JUL-92 |
| | SAE-AS7481 | STUDS, STEEL, UNS S66286 AGED AFTER ROLL THREADED PROCUREMENT SPECIFICATION FOR[CUST: MR AS 11 IS] | A | 5307 | | IS | 15-NOV-74 |
| | MIL-S-24149/3D NOT 2 | STUDS, WELDING, & ARC SHIELDS (FERRULES); TYPE V, CLASS 1, 4, 5, 5A, CORROSION-RESISTANT STEEL, FOR DIRECT ENERGY ARC WELDING[CUST: SH] | A | 5307 | | SH | 21-AUG-00 |
| | MIL-S-24149C(1) NOT 2 | STUDS, WELDING, AND ARC SHIELDS (FERRULES), GENERAL SPECIFICATION FOR[CUST: SH] | A | 5307 | | SH | 21-AUG-00 |
| | MIL-S-24149/2D NOT 2 | STUDS, WELDING, AND ARC SHIELDS (FERRULES); TYPE III, CLASS 1, 2, 3, AND TYPE IV, CLASS 1, 2, 3, 4, 5, 6, ALUMINUM ALLOY, FOR DIRECT ENERGY ARC WELDING[CUST: SH] | A | 5307 | | SH | 21-AUG-00 |
| | MIL-S-24149/4C NOT 2 | STUDS, WELDING, TYPE VI, CLASS 1, 2, 3, CARBON STEEL, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING[CUST: SH] | A | 5307 | | SH | 21-AUG-00 |
| | MIL-S-24149/5C NOT 2 | STUDS, WELDING, TYPE VII, CLASS 1, 2, 3, ALUMINUM ALLOY, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING[CUST: SH] | A | 5307 | | SH | 21-AUG-00 |
| | MIL-S-24149/6C NOT 2 | STUDS, WELDING, TYPE VIII, CLASS 1, 2, 3, CORROSION-RESISTANT STEEL FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING[CUST: SH] | A | 5307 | | SH | 21-AUG-00 |
| | MIL-DTL-24287D | STUDS; BOLT-STUDS; BOLTS; NUTS; ALLOY STEEL (FOR SERVICE TO 700 DEG F)[CUST: SH] | F | 5307 | | SH | 30-MAY-97 |
| | ASTM-E691 | STUDY, AN INTERLABORATORY, TO DETERMINE THE PRECISION OF CONDUCTING A TEST METHOD[CUST: MR OS 05] | A | QCIC | | GS2 | 10-MAY-99 |
| | MIL-S-24235/2C | STUFFING TUBE, PACKING ASSEMBLIES FOR PRESSUREPROOF BULKHEAD[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/5A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BALLAST TANK[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 21-AUG-89 |
| | MIL-S-24235/9E | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BRASS AND STEEL, FOR DECKS AND BULKHEADS WITH PIPE PROTECTION[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/1F | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BULKHEAD, PRESSUREPROOF[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/3A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BULKHEAD, FOR BALLAST TANKS[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 21-AUG-89 |
| | MIL-S-24235/16B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, CABLE, SHEARING VALVE, HULL, PRESSUREPROOF, SYMBOLS 512, 512.1, 513, AND 513.1[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/15B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FITTERS FOR[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/7B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR CAST ENCLOSURES, PRESSUREPROOF[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/13C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR CAST ENCLOSURES[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/8B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR SHEET METAL ENCLOSURES, PRESSUREPROOF[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/14C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR SHEET METAL ENCLOSURES[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235C SUP 1 | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/11C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, OUTLET, WEATHER DECK, NONMAGNETIC[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/4C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, PACKING ASSEMBLIES FOR BULKHEAD (BALLAST TANKS)[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/6C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, PACKING ASSEMBLIES FOR BALLAST TANK[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/19A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SEALING PLUG FOR UNUSED STUFFING TUBES[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/12B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SPLIT[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/10B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, STEEL, FOR DECKS AND BULKHEADS WITHOUT PIPE PROTECTION[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/17B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SWAGE TYPE, STEEL AND ALUMINUM, FOR DECK AND BULKHEADS WITH PIPE PROTECTION[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | MIL-S-24235/18A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SWAGE TYPE, REDUCED DIAMETER, STEEL AND ALUMINUM, FOR DECK AND BULKHEADS WITH PIPE PROTECTION[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 28-DEC-92 |
| | A-A-51604A | STYLET, CATHETER TUBE[CUST: MD MS 03] | A | 6515 | / | MB | 09-MAR-87 |
| | A-A-54900 | STYLET, CATHETER, FLEXIBLE, COPPER[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUL-93 |
| | GG-S-00792 | STYLUS, DUPLICATING STENCIL | A | 7520 | # | FSS | 02-JUL-63 |
| | ASTM-D4203 | STYRENE ACRYLONITRILE (SAN) INJECTION AND EXTRUSION MATERIALS[CUST: MR 11 GS] [REVIEW: AS AV CR EC GL MC MD SH SM] | A | 9330 | | IS | 30-JUN-89 |
| | MIL-S-14195A NOT 4 | STYRENE MONOMER[CUST: OS] | A | 9330 | | OS | 04-JUN-03 |
| | ASTM-D4634 | STYRENE-MALEIC ANHYDRIDE MATERIALS (S/MA)[CUST: MR SH 11 GS] [REVIEW: AR AS CR4 GL MI] | A | 9330 | | IS | 10-JUL-99 |
| | AASHTO-M147 | SUBBASE, BASE AND SURFACE COURSES, AGGREGATE AND SOIL-AGGREGATE, MATERIALS FOR[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | STANAG-1193 ED.4 | SUBMARINE OPERATING AND DANGER AREAS AHP-6 VOLUMES I & II | C | ISDN | | NI | 15-JAN-02 |
| | STANAG-1390 ED.4 | SUBMARINE RESCUE MANUAL -ATP/MTP-57(A) | C | ISDN | | NI | 20-OCT-00 |
| | DI-QCIC-80814 | SUBMARINE SAFETY/MATERIAL CERTIFICATION BOUNDARY BOOK [AMSC: N4697] | A | QCIC | | SH | 23-MAY-89 |
| | DI-QCIC-80815 | SUBMARINE SAFETY/MATERIAL CERTIFICATION COMPOSITE LISTS [AMSC: N4698] | A | QCIC | | SH | 23-MAY-89 |
| | EIA-RS358 | SUBSET OF USA STANDARD CODE FOR INFORMATION INTERCHANGE FOR NUMERICAL CONTROL PERFORATED TAPE[CUST: AR SH 99] [REVIEW: AV CR4 MI] | A | 34GP | | GS6 | 09-MAR-79 |
| | ASTM-D2330 | SUBSTANCES, METHYLENE BLUE ACTIVE, STANDARD TEST METHODS FOR[CUST: EA] [REVIEW: CR4 GL MD OS SH] | A | 6810 | | GS3 | 29-JAN-88 |
| | NEMA210 | SUBSTATION, SECONDARY UNIT[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6120 | | YD | 24-DEC-85 |
| | NEMA201 | SUBSTATIONS, PRIMARY UNIT, STANDARD FOR[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6120 | | YD | 27-JUN-86 |
| | ASTM-B530 | SUBSTRATES MAGNETIC AND NONMAGNETIC, ELECTRODEPOSITED NICKEL COATINGS ON, MEASUREMENT OF COATING THICKNESS BY THE MAGNETIC METHOD[CUST: MR AS 11 GS4] [REVIEW: AT GL IS OS SH] | A | MFFP | | GS4 | 26-AUG-88 |
| | ASTM-B650 | SUBSTRATES, FERROUS, ELECTRODEPOSITED ENGINEERING CHROMIUM COATINGS ON[CUST: MR YD 11] | A | MFFP | | YD | 03-OCT-94 |
| | DI-GDRQ-80567A | SUBSYSTEM DESIGN ANALYSIS REPORT [AMSC: F6954] | A | SESS | | 10 | 21-JUL-93 |
| | MIL-STD-188-212 | SUBSYSTEM DESIGN AND ENGINEERING STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) B[Interface Standard][CUST: CR EC 02] [REVIEW: AS MC MI NC YD] | A | TCSS | | CR | 17-OCT-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-188-203-3 | SUBSYSTEM DESIGN AND ENGINEERING STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) C[Interface Standard][CUST: CR EC 02 DC1] [REVIEW: AS OM SH] | A | TCSS | | DC1 | 05-OCT-83 |
| | MIL-STD-188-154A | SUBSYSTEM, EQUIPMENT, AND INTERFACE STANDARDS FOR COMMON LONG HAUL AND TACTICAL TELECOMMUNICATIONS CONTROL FACILITIES[Interface Standard][CUST: AC EC 02] [REVIEW: 11 CR DC MC NC NS OM TD] | A | TCSS | | 02 | 31-DEC-97 |
| | A-A-54950 | SUCTION AND PRESSURE APPARATUS, SURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 29-JUL-94 |
| | A-A-53818 | SUCTION APPARATUS, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 18-DEC-90 |
| | A-A-54039 | SUCTION APPARATUS, OROPHARYNGEAL TRACHEAL, AEROMEDICAL, PORTABLE/DUAL VOLTAGE[CUST: MD MS 03] | A | 6515 | / | MB | 30-MAR-90 |
| | A-A-54038 | SUCTION APPARATUS, OROPHARYNGEAL, TRACHEAL PORTABLE, BATTERY OPERATED, (AEROMEDICAL)[CUST: MD MS 03] | A | 6515 | / | MB | 30-MAR-90 |
| | A-A-53459 | SUCTION APPARATUS, SURGICAL[CUST: MD MS 03] | A | 6515 | / | MB | 15-DEC-88 |
| | A-A-51366 | SUCTION APPARATUS, SURGICAL[CUST: MD MS 03] | A | 6515 | | MB | 31-MAR-86 |
| | A-A-54948 | SUCTION APPARATUS, SURGICAL (GASTROINTESTINAL ABDOMINAL DRAINAGE) (PROGRAMMABLE, BATTERY OR AC OPERATED)[CUST: MD MS 03] | A | 6515 | / | MB | 29-APR-94 |
| | A-A-51463 | SUCTION SET, TRACHEAL[CUST: MD MS 03] | A | 6515 | | MB | 06-JUN-86 |
| | A-A-54646A | SUCTION SET, TRACHEAL[CUST: MD MS 03] | A | 6515 | / | MB | 19-FEB-93 |
| | A-A-20178A | SUGAR SUBSTITUTES, NON-CARBOHYDRATE[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | * | GL | 24-FEB-05 |
| | A-A-20135C | SUGAR, REFINED, WHITE AND SUGAR, BROWN[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8925 | / | SS | 20-AUG-03 |
| | MIL-S-29461(1) | SUIT, CHEMICAL AND BIOLOGICAL PROTECTIVE (CARBON SPHERE)[CUST: MC CT] | A | 8415 | | CT | 17-APR-92 |
| | MIL-S-43926J | SUIT, CHEMICAL PROTECTIVE[CUST: GL NU 99 CT] [REVIEW: 11 EA MD] | A | 8415 | | CT | 30-AUG-91 |
| | MIL-S-12227F | SUIT, TOXICOLOGICAL AGENTS PROTECTIVE COVER, COOLING[CUST: NU 99 CT] [REVIEW: 11 MC OS] | A | 8415 | | CT | 08-MAY-89 |
| | A-A-55062A | SUITCASE, FLYERS[CUST: 99 CT] [REVIEW: 11] | A | 8460 | / | CT | 30-DEC-92 |
| | A-A-54521 | SULFACETAMIDE, SULFABENZAMIDE, SULFATHIAZOLE AND UREA CREAM[CUST: MD MS 03] | A | 6505 | / | MB | 15-NOV-91 |
| | A-A-0051609 | SULFADIAZINE SILVER CREAM[CUST: MD MS 03] | A | 6505 | / | MB | 06-AUG-86 |
| | A-A-53411 | SULFANILIC ACID REAGENT[CUST: MD MS 03] | A | 6550 | / | MB | 11-MAR-88 |
| | A-A-51715A | SULFASALAZINE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 31-DEC-91 |
| | ASTM-D4655 | SULFATES IN LEATHER (TOTAL, NEUTRAL, AND COMBINED ACID)[CUST: GL NU 99 CT] | A | 83GP | | CT | 15-MAY-95 |
| | ASTM-D2667 | SULFONATES, ALKYLBENZENE, BIODEGRADABILITY OF[CUST: MR AS 68] [REVIEW: GS] | A | 6810 | | AS | 26-MAY-89 |
| | ASTM-D2914 | SULFUR DIOXIDE CONTENT OF THE ATMOSPHERE (WEST-GAEKE METHOD)[CUST: EA SH] [REVIEW: GL MD] | A | 6810 | | GS3 | 15-JUL-91 |
| | ASTM-D3449 | SULFUR DIOXIDE IN WORKPLACE ATMOSPHERES (BARIUM PERCHLORATE METHOD)[CUST: EA MS 99] | A | 6630 | | EA | 23-FEB-79 |
| | ASTM-D2472 | SULFUR HEXAFLUORIDE[CUST: YD] [REVIEW: GS] | A | 6830 | | YD | 10-APR-00 |
| | ASTM-D1275 | SULFUR IN ELECTRICAL INSULATING OILS, CORROSIVE[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 15-MAR-93 |
| | ASTM-C816 | SULFUR IN GRAPHITE BY COMBUSTION-IODOMETRIC TITRATION METHOD[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | SH | 03-OCT-94 |
| | ASTM-E257 | SULFUR IN ORGANIC COMPOUNDS BY SODIUM PEROXIDE BOMB IGNITION[CUST: EA 68] [REVIEW: GL MD SH] | A | 6810 | | GS3 | 10-SEP-98 |
| | ASTM-D129 | SULFUR IN PETROLEUM PRODUCTS (GENERAL BOMB METHOD)[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 15-OCT-91 |
| | ASTM-D1552 | SULFUR IN PETROLEUM PRODUCTS (HIGH-TEMPERATURE METHOD)[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 25-MAY-90 |
| | ASTM-D1266 | SULFUR IN PETROLEUM PRODUCTS (LAMP METHOD)[CUST: AT SH 11] [REVIEW: OS] | A | 91GP | | AT | 10-FEB-98 |
| | ASTM-D4294 | SULFUR IN PETROLEUM PRODUCTS BY ENERGY-DISPERSIVE X-RAY FLUORESCENCE SPECTROSCOPY[CUST: PS] | A | 91GP | | PS | 16-JAN-92 |
| | ASTM-D2622 | SULFUR IN PETROLEUM PRODUCTS BY WAVELENGTH DISPERSIVE X-RAY FLUORESCENCE SPECTROMETRY[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 15-FEB-94 |
| | ASTM-D4239 | SULFUR IN THE ANALYSIS SAMPLE OF COAL AND COKE USING HIGH TEMPERATURE TUBE FURNACE COMBUSTION METHODS[CUST: CR4 SH 68] | A | 9110 | | SH | OCT-94 |
| | DOD-S-82723 | SULFUR, FLOWERS OF[CUST: OS] [REVIEW: GS] | D | 6810 | | OS | 01-JUL-87 |
| | MIL-S-487B(2) NOT 1 | SULFUR, GROUND (FOR USE IN AMMUNITION)[CUST: AR AS 68] [REVIEW: EA GS OS] | A | 6810 | | AS | 24-OCT-91 |
| | ASTM-E265 | SULFUR-32, MEASURING REACTION RATES AND FAST-NEUTRON FLUENCES BY RADIOACTIVATION OF[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A | 5962 | | CC | 15-SEP-93 |
| | O-S-801F | SULFURIC ACID, ELECTROLYTE (FOR STORAGE BATTERIES)[CUST: EA SH 68] [REVIEW: AT MC MD MI SA YD] | A | 6810 | / | GS3 | 22-MAR-01 |
| | A-A-55828 NOT 1 | SULFURIC ACID, TECHNICAL[CUST: EA 68 GS3] [REVIEW: MD1 MI] | A | 6810 | / | GS3 | 26-NOV-02 |
| | DI-MISC-81370 | SUMMARY MANAGEMENT REPORT (TOTAL SALES) [AMSC: F6971] | A | MISC | | 10 | 03-SEP-93 |
| | DI-QCIC-81111B | SUMMARY OF PRECISION MEASUREMENT EQUIPMENT LABORATORY (PMEL) TOTAL QUALITY PROGRAM REVIEWS [AMSC: F7332] | A | QCIC | | 10 | 20-MAY-99 |
| | DI-FNCL-80539A | SUMMARY REPORT OF FLIGHT AND SPECIAL MEALS [AMSC: F7060] | A | FNCL | | 35 | 14-NOV-94 |
| | MIL-S-25948J(1) | SUNGLASSES, HGU-4/P (WITH CASE)[CUST: GL AS 99 CT] [REVIEW: 11 MD MS] | A | 8465 | | CT | 28-AUG-86 |
| | ANSI-Z80.3 | SUNGLASSES, NONPRESCRIPTION, AND FASHION EYEWEAR - REQUIREMENTS, FOR OPHTHALMICS[CUST: EA NU 99 CT] | A | 8465 | | CT | 25-SEP-86 |
| | STANAG-4486 ED.2 | SUPER HIGH FREQUENCY (SHF) MILITARY SATELLITE COMMUNICATIONS (MILSATCOM) FREQUENCY DIVISION MULTIPLE ACCESS (FDMA) NON-EPM MODEM FOR SERVICES CONFORMING TO CLASS-B OF STANAG 4484 | C | ISDA | | AI | 28-MAR-02 |
| | AASHTO-MP2 | SUPERPAVE VOLUMETRIC MIX DESIGN[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | STANAG-7167 ED.1 | SUPPLEMENT 1 TO AIR FORCES LOGISTICS DOCTRINE AND PROCEDURES ALP-4.3.1 (ALP-13) | C | ISDF | | 06 | 16-SEP-02 |
| | DI-ALSS-81557 | SUPPLEMENTAL DATA FOR PROVISIONING (SDFP) [AMSC: F7273] | A | SESS | | 10 | 10-JUL-97 |
| | A-A-55435A NOT 1 | SUPPLEMENTAL SOLAR LIGHTING SYSTEM (NON-ELECTRIC); WITH ACTIVE SUN TRACKING COLLECTORS AND REFLECTIVE LIGHT WAVEGUIDES[CUST: GL YD 99 IS] [REVIEW: CE CR4] | A | 6260 | / | IS | 27-MAY-05 |
| | QSTAG-471 | SUPPLEMENTARY LABELS FOR DISPENSED MEDICINE (ABCA 471)[CUST: AI] | C | ISDA | | AI | 20-JUL-79 |
| A | A-A-59783 | SUPPLIED AIR RESPIRATOR WITH BACKUP SELF-CONTAINED BREATHING APPARATUS (SAR/SCBA)[CUST: EA SH 03] [REVIEW: 11 84 99 AS] | A | 4240 | / | SH | 25-OCT-05 |
| | ADV-PUB-44/54 | SUPPLY/EQUIPMENT AIRDROP SYSTEMS | C | ISDF | | 06 | 24-MAY-83 |
| | DI-ILSS-80454 | SUPPORT EQUIPMENT INSTALLATION DATA (SEID) [AMSC: N4231] | A | SESS | | AS | 06-OCT-87 |
| | MIL-S-8512D(2) NOT 2 | SUPPORT EQUIPMENT, AERONAUTICAL, SPECIAL, GENERAL SPECIFICATION FOR THE DESIGN OF[CUST: AV AS 99] | A | 17GP | | AS | 13-MAY-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-ARP1247 | SUPPORT EQUIPMENT, AEROSPACE GROUND, MOTORIZED AND NONMOTORIZED, GENERAL REQUIREMENTS FOR[CUST: AV SH 99] [REVIEW: GS] | A | 1730 | | 84 | OCT-94 |
| | DI-MISC-81064 | SUPPORT HARDWARE IMPLEMENTATION PLAN [AMSC: N5027] | A | MISC | | SH | 21-OCT-90 |
| | MIL-S-196D | SUPPORT ITEMS, ACCESSORIES, AND KITS, MECHANICAL; PACKAGING OF[CUST: SM SH 11] [REVIEW: 70 71 84 AR AT CR4 EC MC YD] | A | PACK | | SH | 15-JUL-88 |
| | AFGS-87233B | SUPPORT SYSTEMS AND EQUIPMENT[CUST: 11] | D | 15GP | | 11 | 06-FEB-03 |
| | A-A-53104 | SUPPORT, ACROMIOCLAVICULAR[CUST: MD MS 03] | A | 6515 | / | MB | 31-AUG-87 |
| | A-A-53445 | SUPPORT, ANKLE (ELASTIC)[CUST: MD MS 03] | A | 6515 | / | MB | 29-APR-88 |
| | A-A-53503 | SUPPORT, BACK, ELASTIC[CUST: MD MS 03] | A | 6515 | / | MB | 17-JUN-88 |
| | A-A-54588 | SUPPORT, CERVICAL[CUST: MD MS 03] | A | 6515 | / | MB | 10-FEB-92 |
| | A-A-53497 | SUPPORT, CERVICAL[CUST: MD MS 03] | A | 6515 | / | MB | 17-JUN-88 |
| | A-A-54215 | SUPPORT, CERVICAL[CUST: MD MS 03] | A | 6515 | / | MB | 31-JUL-90 |
| | A-A-51528A | SUPPORT, KNEE[CUST: MD MS 03] | A | 6515 | / | MB | 30-JAN-87 |
| | MIL-S-36545A | SUPPORT, LITTER[CUST: MD MS 03] | A | 6530 | | MB | 29-MAR-77 |
| | MIL-S-60997A NOT 1 | SUPPORT, MOLDED, PLASTIC (FOR USE IN AMMUNITION PACKAGING)[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 18-MAR-86 |
| | A-A-50033A | SUPPORTER, ATHLETE'S[CUST: GL NU 99 CT] [REVIEW: MC MD MS] | A | 8415 | / | CT | 10-DEC-90 |
| | ATP-37 | SUPPORTING ARMS IN AMPHIBIOUS OPERATIONS | C | ISDA | | AI | 21-OCT-85 |
| | STANAG-1181 ED.11 | SUPPORTING ARMS IN AMPHIBIOUS OPERATIONS - ATP-37 | C | ISDN | | NI | 18-APR-97 |
| | ASME-A112.6.1M | SUPPORTS FOR OFF-THE-FLOOR PLUMBING FIXTURES FOR PUBLIC USE[CUST: YD 99] [REVIEW: CC] | A | 4510 | | IS | 16-DEC-91 |
| | A-A-54495 | SUPPORTS, LEG CALF (ELASTIC, SEAMLESS)[CUST: MD MS 03] | A | 6515 | / | MB | 25-SEP-91 |
| | MIL-PRF-50204D | SUPPORTS, STRUCTURAL (FOR USE IN AMMUNITION CONTAINERS)[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 23-SEP-97 |
| | MIL-PRF-26873D | SUPPRESSOR, SURGE, FUEL TRANSFER TRAILER[CUST: AT AS 99] [REVIEW: 11 CC NP YD] | A | 4930 | | 84 | 13-FEB-98 |
| | ASTM-D1044 | SURFACE ABRASION, RESISTANCE OF TRANSPARENT PLASTICS TO[CUST: MR 11 GS] [REVIEW: 99 AS AT CR CR4 GL MI YD] | A | 9330 | | IS | 10-JUL-99 |
| | NFPA255 | SURFACE BURNING CHARACTERISTICS OF BUILDING MATERIALS[CUST: CR YD 99] [REVIEW: 84 EC] | A | 56GP | | YD | 17-AUG-90 |
| | ASTM-E84 | SURFACE BURNING CHARACTERISTICS OF BUILDING MATERIALS[CUST: CR4 YD] | A | 56GP | | YD | 15-AUG-91 |
| | ASTM-F788/F788M | SURFACE DISCONTINUITIES OF BOLTS, SCREWS, AND STUDS, INCH AND METRIC SERIES[CUST: AR YD 99] | A | 53GP | | IS | 18-JUN-90 |
| | IPC-TM650.2.1.5 | SURFACE EXAMINATION, UNCLAD AND METAL-CLAD MATERIAL[CUST: CR EC 11 CC] [REVIEW: 71 99 NA] | A | 5998 | | CC | 22-MAR-05 |
| | ASTM-E162 | SURFACE FLAMMABILITY OF MATERIALS USING A RADIANT HEAT ENERGY SOURCE[CUST: MR SH GS] [REVIEW: AR AS CR GL MI OS YD] | A | 9330 | | IS | 26-OCT-90 |
| | STANAG-4337 ED.1(2) | SURFACE LAUNCHED MUNITION APPRAISAL, SAFETY AND ENVIRONMENTAL TESTS | C | ISDA | | AI | 01-JAN-94 |
| | ASTM-E1182 | SURFACE LAYER THICKNESS, BY RADIAL SECTIONING[CUST: MR] [REVIEW: AR AS CR4 MI SH] | A | MFFP | | MR | 28-AUG-87 |
| | MIL-DTL-24784/18B | SURFACE MISSILE SUBSYSTEM OR EQUIPMENT MANUAL REQUIREMENTS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | MIL-DTL-24784/19B | SURFACE MISSILE SYSTEM MANUAL REQUIREMENTS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | ASTM-C70 | SURFACE MOISTURE IN FINE AGGREGATE[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 27-APR-79 |
| | A-A-55500/1 NOT 1 | SURFACE MOUNT SHIELDING BEAD[CUST: CC] | A | 5950 | / | CC | 27-FEB-03 |
| | IPC-TM650.2.3.38 | SURFACE ORGANIC CONTAMINANT DETECTION TEST[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | IPC-TM650.2.3.39 | SURFACE ORGANIC CONTAMINANT IDENTIFICATION TEST (INFRARED ANALYTICAL METHOD)[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | ASTM-F86 | SURFACE PREPARATION AND MARKING OF METALLIC SURGICAL IMPLANTS[CUST: MD MS 03] | A | 6515 | | MB | SEP-91 |
| | SSPC-SPCOM | SURFACE PREPARATION COMMENTARY[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MD MR MS OS] | A | 8010 | | IS | 16-AUG-88 |
| | SSPC-SP8 | SURFACE PREPARATION SPECIFICATION NO. 8. PICKLING[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MD MR MS OS SH] | A | 8010 | | IS | 16-AUG-88 |
| | IPC-TM650.2.1.9 | SURFACE SCRATCH EXAMINATION METAL CLAD FOIL[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| A | SAWE-RP13 | SURFACE SHIPS AND SUBMARINES, REPORTING MASS PROPERTIES OF, STANDARD COORDINATE SYSTEM FOR[CUST: SH] | A | MISC | | SH | 13-SEP-05 |
| | ABC-STD-50 | SURFACE TEXTURE | C | ISDN | | SH | 24-JUN-70 |
| | ASME-B46.1 | SURFACE TEXTURE, (SURFACE ROUGHNESS, WAVINESS AND LAY)[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | QSTAG-562 | SURFACE TRANSPORTATION REQUEST AND REPLY TO SURFACE TRANSPORT REQUEST[CUST: AI] | C | ISDA | | AI | 12-DEC-79 |
| | AA-STFA601711 | SURFACE TREATMENT AND FINISHING OF ALUMINUM AND ITS ALLOYS[CUST: YD] | A | FACR | | YD | 12-MAY-04 |
| | DI-MGMT-80518 | SURFACE WEATHER OBSERVATIONS REPORT [AMSC: F4307] | A | MGMT | | 33 | 27-JAN-88 |
| | IPC-TM650.2.3.25 | SURFACE, IONIZABLE, CONTAMINANTS BYRESISTIVITY OF SOLVENT EXTRACT (ROSE), DETECTION AND MEASUREMENT OF[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | A-A-54266 | SURFACER, OPHTHALMIC LENS[CUST: MD MS 03] | A | 6540 | / | MB | 12-OCT-90 |
| | OO-S-811D(1) | SURFACERS (PLANERS), WOODWORKING[CUST: CR4 SH 99 IS] [REVIEW: 84 CE MC] | A | 3220 | / | IS | 31-OCT-89 |
| | NEMA-LA1 | SURGE ARRESTERS[CUST: YD] | A | 5920 | | YD | 09-SEP-04 |
| | A-A-50622 | SURGE SUPPRESSOR FOR SHIPBOARD PERSONAL COMPUTERS AND PERIPHERAL EQUIPMENTS[CUST: SH] [REVIEW: GS] | A | 6150 | / | SH | 14-MAR-94 |
| | IEEE-C62.41 | SURGE VOLTAGE, IN LOW-VOLTAGE AC POWER CIRCUITS[CUST: CR4 YD 11] [REVIEW: GS] | A | 6110 | | YD | 16-NOV-87 |
| | A-A-51267A | SURGICAL PACK DISPOSABLE[CUST: MD MS 03] | A | 6530 | | MB | 19-SEP-86 |
| | A-A-53499 | SURGICAL PACK, DISPOSABLE[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-88 |
| | A-A-54528 | SURGICAL PACK, DISPOSABLE[CUST: MD MS 03] | A | 6530 | / | MB | 23-NOV-91 |
| | A-A-53895 | SURGICAL PACK, DISPOSABLE[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAY-89 |
| | A-A-54530 | SURGICAL PACK, DISPOSABLE[CUST: MD MS 03] | A | 6530 | / | MB | 25-NOV-91 |
| | A-A-54252 | SURGICAL PACK, DISPOSABLE (ARTHROSCOPIC)[CUST: MD MS 03] | A | 6530 | / | MB | 21-SEP-90 |
| | A-A-30134C | SURGICAL PACK, DISPOSABLE (SKIN PREPARATION TYPE)[CUST: MD MS 03] | A | 6530 | * | MB | 08-JAN-93 |
| | A-A-54286 | SURGICAL PACK, DISPOSABLE (UNIVERSAL)[CUST: MD MS 03] | A | 6530 | / | MB | 23-NOV-90 |
| | A-A-51780 | SURGICAL PACK, DISPOSABLE (WOUND CLOSURE)[CUST: MD MS 03] | A | 6515 | / | MB | 12-JAN-87 |
| | A-A-51361A | SURGICAL PACK, GOWN AND TOWEL[CUST: MD MS 03] | A | 6532 | / | MB | 17-MAY-92 |
| | A-A-51264B | SURGICAL PACK, GOWN AND TOWEL[CUST: MD MS 03] | A | 6532 | / | MB | 30-MAY-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-54339 | SURGICAL PACK, HEAD AND NECK, DISPOSABLE[CUST: MD MS 03] | A | 6530 | / | MB | 14-FEB-91 |
| | A-A-51343 | SURGICAL PACK, LOWER EXTREMITY[CUST: MD MS 03] | A | 6530 | / | MB | 14-FEB-86 |
| | A-A-54235A | SURGICAL PREPARATION KIT, DISPOSABLE, PRE-SURGICAL SHAVE TYPE, NONSTERILE[CUST: MD MS 03] | A | 6515 | / | MB | 20-NOV-91 |
| | A-A-53925 | SURGICAL SYSTEM, ADVANCED INTRA-ARTICULAR[CUST: MD MS 03] | A | 6515 | / | MB | 13-JUN-89 |
| | A-A-52567A | SURVEY INSTRUMENT, AUTOMATED, INTEGRATED (AISI)[CUST: CE3 YD 99] [REVIEW: CR GS] | A | 6675 | / | CE3 | 31-OCT-02 |
| | A-A-52565A | SURVEYING INSTRUMENTS; AZIMUTH GYRO, LIGHTWEIGHT (SIAGL)[CUST: CE3 YD 99] [REVIEW: CR GS] | A | 6675 | / | CE3 | 31-OCT-02 |
| A | A-A-52576 | SURVEYOR S TOOL POUCH[CUST: CE3 YD 99] [REVIEW: GL] | A | 5210 | / | CE3 | 07-DEC-05 |
| | A-A-54079 | SURVEYOR, DENTAL, CLASP, STATIONARY[CUST: MD MS 03] | A | 6520 | / | MB | 23-FEB-90 |
| | DI-RELI-81500 | SURVIVABILITY COST EFFECTIVENESS TRADEOFF STUDIES REPORT [AMSC: N7170] | A | SESS | | AS | 30-OCT-95 |
| | MIL-HDBK-268(1) | SURVIVABILITY ENHANCEMENT, AIRCRAFT CONVENTIONAL WEAPON THREATS, DESIGN AND EVALUATION GUIDELINES[CUST: AS] | A | 15GP | | AS | 01-DEC-95 |
| | MIL-HDBK-273(1) | SURVIVABILITY ENHANCEMENT, AIRCRAFT, NUCLEAR WEAPON THREAT, DESIGN & EVALUATION GUIDELINES[CUST: AS] | A | 15GP | | AS | 01-DEC-95 |
| | MIL-HDBK-1799 | SURVIVABILITY, AERONAUTICAL SYSTEMS (FOR COMBAT MISSION EFFECTIVENESS) (ISSUED CONTROLLED)[CUST: 11] | D | 15GP | | 11 | 14-FEB-97 |
| | MIL-HDBK-336/2 NOT 1 | SURVIVABILITY, AIRCRAFT, NONNUCLEAR, AIRFRAME-VOLUME 2[CUST: AV AS 11] [REVIEW: CR4 MC MR] | A | MISC | | 11 | 30-SEP-88 |
| | MIL-HDBK-336/3 NOT 1 | SURVIVABILITY, AIRCRAFT, NONNUCLEAR, ENGINE-VOLUME 3[CUST: AV AS 11] [REVIEW: CR4 MC MR] | A | MISC | | 11 | 30-SEP-88 |
| | MIL-HDBK-336/1 NOT 1 | SURVIVABILITY, AIRCRAFT, NONNUCLEAR, GENERAL CRITERIA-VOLUME 1[CUST: AV AS 11] [REVIEW: CR4 MC MR] | A | MISC | | 11 | 30-SEP-88 |
| | MIL-HDBK-818/1 | SURVIVABLE ADAPTABLE FIBER OPTIC EMBEDDED NETWORK (SAFENET) NETWORK DEVELOPMENT GUIDANCE[CUST: CR EC 11] [REVIEW: 02 10 AC CG IE TD TM] | A | MCCR | | EC | 31-OCT-92 |
| | MIL-S-8642F | SURVIVAL KIT, INDIVIDUAL[CUST: GL AS CT] [REVIEW: AV MC] | A | 8465 | | CT | 24-OCT-94 |
| | MIL-S-37205 NOT 1 | SURVIVAL KIT, INDIVIDUAL[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | MIL-S-36609B NOT 1 | SURVIVAL KIT, INDIVIDUAL, TROPICAL, TACTICAL AIR CREW[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | MIL-S-37988 | SURVIVAL KIT, INDIVIDUAL, TROPICAL, TACTICAL AIR CREW, IN PLASTIC BAG[CUST: MD MS 03 MB] | A | 6545 | | MB | 02-OCT-85 |
| | MIL-S-44095A | SURVIVAL KIT, INDIVIDUAL, VEST TYPE[CUST: GL CT] [REVIEW: AV MD] | A | 8465 | | CT | 19-APR-89 |
| | MIL-S-44021A | SURVIVAL VEST, INDIVIDUAL, OV-1 AIRCRAFT[CUST: GL CT] [REVIEW: AV MD] | A | 8415 | | CT | 22-AUG-89 |
| | STANAG-2937 ED.3 | SURVIVAL, EMERGENCY AND INDIVIDUAL COMBAT RATIONS - NUTRITIONAL VALUES AND PACKAGING | C | ISDA | | AI | 09-MAY-01 |
| | MIL-R-8592/3(1) NOT 1 | SURVIVORS, SLING, RESCUE EQUIPMENT HELICOPTER[CUST: AS 99] | A | 4240 | | AS | 24-OCT-91 |
| | DI-EMCS-80157 | SUSPECTED RADIOFREQUENCY RADIATION (RFR) OVEREXPOSURE REPORT [AMSC: F3820] | A | EMCS | | 10 | 01-APR-86 |
| | A-A-55177A | SUSPENDERS, INDIVIDUAL EQUIPMENT BELT, LC-2[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8465 | / | CT | 01-NOV-00 |
| | A-A-55203 | SUSPENDERS, TROUSERS (FLYING SUIT)[CUST: AV AS 99] | A | 8440 | / | CT | 03-MAY-93 |
| | MIL-S-10926G | SUSPENDERS, TROUSERS, M-1950[CUST: GL NU 99 CT] [REVIEW: 11 CG MC MD] | A | 8440 | | CT | 10-JUN-86 |
| | MIL-S-44097A | SUSPENSION ASSEMBLY, GROUND TROOPS' - PARACHUTISTS' HELMET[CUST: GL MC 99 CT] [REVIEW: 11 MD] | A | 8470 | | CT | 18-JAN-90 |
| | MIL-PRF-53012A | SUSPENSION KIT, COLLAPSIBLE HOSELINE[CUST: AT] | A | 4610 | | AT | 01-FEB-99 |
| | MIL-PRF-52347D NOT 1 | SUSPENSION KIT, HOSELINE[CUST: AT CC] | A | 3835 | | AT | 15-APR-04 |
| | AIR-STD-20/15J(2) | SUSPENSION LUGS FOR 1,000 LB CLASS AND 2,000 LB CLASS STORES | C | ISDF | | 06 | 06-AUG-97 |
| | A-A-54417 | SUSPENSORY, SCROTAL[CUST: MD MS 03] | A | 6510 | / | MB | 15-JUN-91 |
| | A-A-54975 | SUTURE ABSORBABLE SURGICAL, (GUT)[CUST: MD MS 03] | A | 6515 | / | MB | 31-OCT-94 |
| | A-A-54854 | SUTURE CLIP KIT, AUTOMATIC[CUST: MD MS 03] | A | 6515 | / | MB | 16-APR-93 |
| | A-A-54973 | SUTURE NONABSORBABLE SURGICAL, SILK[CUST: MD MS 03] | A | 6515 | / | MB | 09-SEP-94 |
| | A-A-54248 | SUTURE REMOVAL KIT (DISPOSABLE)[CUST: MD MS 03] | A | 6515 | / | MB | 19-SEP-90 |
| | A-A-51612A | SUTURE, ABSORBABLE, SURGICAL ( GLYCOLIDE- LACTIDE COPOLYMER)[CUST: MD MS 03] | A | 6515 | / | MB | 12-MAR-87 |
| | A-A-51872 | SUTURE, ABSORBABLE, SURGICAL (POLYGLYCOLIC ACID)[CUST: MD MS 03] | A | 6515 | | MB | 18-MAR-87 |
| | A-A-54976 | SUTURE, ABSORBABLE, SURGICAL, GUT[CUST: MD MS 03] | A | 6515 | / | MB | 09-SEP-94 |
| | A-A-51819 | SUTURE, NON-ABSORBABLE, SURGICAL (CORROSION-RESISTING STEEL)[CUST: MD MS 03] | A | 6515 | / | MB | 06-FEB-87 |
| | A-A-54972 | SUTURE, NONABSORABLE, SURGICAL, CORROSION-RESISTING STEEL, STERILE[CUST: MD MS 03] | A | 6515 | / | MB | 09-SEP-94 |
| | A-A-54977 | SUTURE, NONABSORBABLE, SURGICAL, CORROSION-RESISTING STEEL, NON-STERILE[CUST: MD MS 03] | A | 6515 | / | MB | 09-SEP-94 |
| | A-A-54974 | SUTURE, NONABSORBABLE, SURGICAL, NYLON[CUST: MD MS 03] | A | 6515 | / | MB | 09-SEP-94 |
| | A-A-53057 | SWAB, CULTURE (CALCIUM ALGINATE WOOL TIPPED) | A | 6515 | / | MB | 13-JUL-87 |
| M | A-A-59412 NOT 1 | SWAGING MACHINE, ROTARY, FLOOR-MOUNTED[CUST: AR SH 99 GS6] [REVIEW: 84 MC OS] | A | 3446 | / | GS6 | 05-APR-06 |
| | A-A-55290 | SWEAT PANTS[CUST: GL SA CT] [REVIEW: MC MD NU] | A | 8415 | / | CT | 12-DEC-95 |
| | A-A-55289 | SWEAT SHIRT[CUST: GL SA CT] [REVIEW: MC MD NU] | A | 8415 | / | CT | 12-DEC-95 |
| | A-A-52115C | SWEATER, MAN'S, OLIVE DRAB[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8405 | / | CT | 05-NOV-96 |
| | A-A-50366A | SWEATER, MAN'S, WOOL[CUST: NU CT] | A | 8405 | / | CT | 16-OCT-96 |
| | A-A-55239A | SWEATER, SERVICE, WOOL[CUST: MC CT] | A | 8405 | / | CT | 01-NOV-96 |
| | A-A-50365A | SWEATER, WOMAN'S, ACRYLIC[CUST: NU CT] | A | 8410 | / | CT | 09-OCT-90 |
| | A-A-55276A | SWEATPANTS[CUST: GL 11 CT] | A | 8415 | / | CT | 16-DEC-99 |
| | A-A-55310 | SWEATPANTS, PHYSICAL FITNESS UNIFORM[CUST: GL CT] [REVIEW: MD] | A | 8415 | / | CT | 03-JUN-97 |
| | A-A-55277A | SWEATSHIRT[CUST: GL 11 CT] | A | 8415 | / | CT | 16-DEC-99 |
| | A-A-55309 | SWEATSHIRT, PHYSICAL FITNESS UNIFORM[CUST: GL CT] [REVIEW: MD] | A | 8415 | / | CT | 03-JUN-97 |
| | A-A-50756 | SWEEP GENERATOR[CUST: CR EC 99] | A | 6625 | / | 84 | 01-OCT-86 |
| | A-A-59245 NOT 1 | SWEEPER, PERMANENT MAGNET, ROAD, TOWED[CUST: AT YD 99] [REVIEW: 84 CC MC] | A | 3830 | / | IS | 08-SEP-03 |
| | OO-S-870E | SWEEPER, ROTARY, SELF-PROPELLED, INDUSTRIAL TYPE, RIDER OPERATED | A | 3825 | # | FSS | 06-JAN-84 |
| | A-A-55544 NOT 1 | SWEEPER, ROTARY, TOWED[CUST: 99 CC] [REVIEW: 84] | A | 3825 | / | CC | 30-MAR-04 |
| | OO-S-873C | SWEEPERS, ROTARY, SELF-PROPELLED, VACUUMIZED; 1.75 CUBIC YARD MINIMUM HOPPER CAPACITY | A | 3825 | # | FSS | 23-JAN-84 |
| | A-A-20288 | SWEET DOUGH ROLLS, FRESH OR FROZEN [REVIEW: SS] | A | 8920 | % | FV | 09-DEC-98 |
| | QPL-24187-18 | SWITCH ASSEMBLIES, LINEAR MOVEMENT MANUAL AND REMOTE OPERATION, GENERAL SPECIFICATION FOR | A | 5930 | | SH | 15-SEP-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-24187E SUP 1 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, GENERAL SPECIFICATION FOR[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/6A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, SNAP-ACTION, STYLE SLS[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/2B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE 3 BLS[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/4B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE 3DLS[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/9A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE 5DLS[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/12 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE LLS TYPE 5LLSO-1C AND 5 LLSO-S1C1[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/1A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE LS[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/13 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE VLLS TYPE 5VLLSO-1C[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/11 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATIONS, STYLE 5BLS[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/3B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATION, STYLE CLS[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/5A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATION, STYLE JLS[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/7B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATIONS, STYLE KLS[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/10A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, REMOTE OPERATION, STYLE 5DLS, TYPE R5DLSO-S1A1[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-S-24187/8A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, REMOTE OPERATION, TYPE R3DLSO-S3A3 MANUAL AND REMOTE OPERATION, STYLE DLS, TYPE R3DLSO-S3A4[CUST: SH] | A | 5930 | | SH | 22-MAR-91 |
| | MIL-PRF-8805/92C | SWITCH ASSEMBLIES, SENSITIVE, LEVER LOCK, 5 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI OS] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-PRF-8805/23G | SWITCH ASSEMBLIES, SENSITIVE, PUSH, MOMENTARY, 5 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/111A | SWITCH ASSEMBLIES, SENSITIVE, TRIGGER, 7 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MI OS] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-PRF-8805/114C | SWITCH ASSEMBLY, SENSITIVE, ROLLER PLUNGER, SPDT, 7 AMPERES, WATERTIGHT SEAL[CUST: AT CC] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-DTL-83739/1B NOT 1 | SWITCH, ANTENNA, RADIO FREQUENCY, SOLID-STATE, SA-1474A/A[CUST: CR EC 11] [REVIEW: 99 MI OS SH] | A | 5985 | | CC | 31-AUG-04 |
| | MIL-PRF-8805/56F | SWITCH, ASSEMBLIES, SENSITIVE, INTERLOCK, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MC MI OS] | A | 5930 | | CC | 31-OCT-01 |
| | MS53000C | SWITCH, BEAM SELECTING, HEADLIGHT, SINGLE POLE DOUBLE THROW, NO OFF, 28 VOLT DC[CUST: AT CC] [REVIEW: CR4 MC] | A | 5930 | | CC | 25-APR-03 |
| | MS53001A NOT 3 | SWITCH, BEAM SELECTING, HEADLIGHT-DPDT, NO OFF, 28 VOLT DC[CUST: AT CC] [REVIEW: CR4] | A | 5930 | | CC | 04-MAR-05 |
| | A-A-50626 | SWITCH, DOOR TYPE IC/DM-1-( )[CUST: SH] | A | 5930 | / | SH | 18-JUL-94 |
| | SAE-J910 | SWITCH, HAZARD WARNING SIGNAL[CUST: AT IS] | A | 6220 | | IS | OCT-88 |
| | MIL-S-85354 | SWITCH, INERTIA, FUZE[CUST: AS] | A | 1336 | | AS | 14-NOV-80 |
| | QPL-24317-12 | SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED AND NON-ILLUMINATED), GENERAL SPECIFICATION FOR | A | 5930 | | CC | 03-MAY-04 |
| | MIL-S-24798 | SWITCH, POSITION, PROXIMITY (NON-CONTACT) OR LIMIT (MECHANICAL CONTACT), FIBER OPTIC, (METRIC), (NAVAL SHIPBOARD USE)[CUST: SH] | A | 6021 | | SH | 22-JUN-95 |
| | QPL-12211-13 | SWITCH, PRESSURE | A | 5930 | | CC | 24-SEP-04 |
| | MIL-DTL-9395/1C | SWITCH, PRESSURE (GAGE), TYPE 11, SPDT, 3 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/48B | SWITCH, PRESSURE, ABSOLUTE TYPE I, 5 AMPERES[CUST: 11 CC] [REVIEW: 99] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-PRF-24711A | SWITCH, PROXIMITY, SOLID-STATE[CUST: SH] | A | 5930 | | SH | 11-MAY-01 |
| | MIL-PRF-22885/59E | SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, LENS ARRANGEMENTS FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5930 | | CC | 28-APR-04 |
| | MIL-PRF-22885/58H | SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, SOLID MOUNT, 3 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS] | A | 5930 | | CC | 28-APR-04 |
| | MIL-PRF-22885/56G | SWITCH, PUSH BUTTON, ILLUMINATED, 2PDT, 4PDT AND INDICATOR ASSEMBLIES, 4-LAMP, SOLID MOUNTING[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5930 | | CC | 01-MAR-01 |
| A | MIL-PRF-22885/86C NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, 4 LAMP, .870 SQUARE, 2 AMPERES, 2PDT AND 4PDT, PLUG-IN MODULE, EMI/RFI SHIELDING[CUST: EC CC] | A | 5930 | | CC | 05-DEC-05 |
| A | MIL-PRF-22885/87C NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, 4 LAMP, SOLID MOUNT, MODULAR CONSTRUCTED, HIGH IMPACT SHOCK[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC OS SH] | A | 5930 | | CC | 05-DEC-05 |
| | MIL-PRF-22885/16E | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, CLIP MOUNTED, LIGHT MODULE FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5930 | | CC | 01-MAR-01 |
| A | MIL-PRF-22885/9L NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, (MODULAR CONSTRUCTED)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5930 | | CC | 05-DEC-05 |
| | MIL-PRF-22885/18J | SWITCH, PUSH BUTTON, ILLUMINATED, DRIPPROOF SEAL, MOMENTARY AND ALTERNATE ACTION (DPDT/TWO CIRCUIT - 2 AMPERES)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 13-JAN-05 |
| A | MIL-PRF-22885/88C NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, HIGH IMPACT SHOCK, MODULAR SWITCH ASSEMBLIES FOR[CUST: CR EC 11 CC] | A | 5930 | | CC | 05-DEC-05 |
| | MIL-PRF-22885/10J | SWITCH, PUSH BUTTON, ILLUMINATED, INDICATOR LIGHT FOR, MODULAR, 4-LAMP[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5930 | | CC | 26-APR-04 |
| A | MIL-PRF-22885/82C NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, LENS ASSEMBLIES FOR, .665 SQ AND .916 LG X .665 WIDE[CUST: EC CC] | A | 5930 | | CC | 05-DEC-05 |
| A | MIL-PRF-22885/85D NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, LENS PLATE FOR, 1.030 LONG X .730 WIDE[CUST: CR EC 11] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 05-DEC-05 |
| | MIL-PRF-22885/11H | SWITCH, PUSH BUTTON, ILLUMINATED, MODULAR SWITCH ASSEMBLIES FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5930 | | CC | 01-MAR-01 |
| A | MIL-PRF-22885/99B NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, PUSH BUTTONS FOR (SNAP-IN AND SCREW-IN)[CUST: CR EC 11 CC] | A | 5930 | | CC | 05-DEC-05 |
| A | MIL-PRF-22885/53D NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH LAMP-CAP COLOR FILTERS)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5930 | | CC | 05-DEC-05 |
| A | MIL-PRF-22885/91C NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, ROCKER, PADDLE, SOLID STATE HALL EFFECT, UNSEALED[CUST: CR EC 11] | A | 5930 | | CC | 05-DEC-05 |
| | MIL-PRF-8805/95H | SWITCH, PUSH, 2PDT, MOMENTARY, 1 AMPERE, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC OS SH] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-PRF-8805/55H | SWITCH, PUSH, MICROPHONE, DPST, NORMALLY OPEN, FOOT OPERATED, MOMENTARY, UNSEALED AND WATERTIGHT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 25-JUN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-22885/102C | SWITCH, PUSHBUTTON, 4-LAMP, PUSHBUTTON AND LENS ASSEMBLIES FOR, .610 SQUARE (DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED)[CUST: 11 CC] | A | 5930 | | CC | 02-APR-04 |
| | MIL-PRF-22885/80G | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP SOLID MOUNT. RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK RESISTANT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 28-APR-04 |
| | MIL-PRF-22885/90C(1) NOT 1 | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.750 SQUARE, LOW LEVEL TO 7 AMPERES, (DRIPPROOF, EMI/RFI SHIELDING, NIGHT VISION GOGGLE COMPATIBLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 17-JUN-05 |
| | MIL-PRF-22885/74H | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, PLUG-IN MODULE (INSERTABLE TYPE TERMINATION)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 28-APR-04 |
| | MIL-PRF-22885/101D(1) | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SPDT AND DPDT, 5.0 AMPERES SILVER CONTACTS, 1 AMPERE MAX. GOLD CONTACTS, DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED, NVIS COMPATIBLE[CUST: 11 CC] | A | 5930 | | CC | 02-FEB-04 |
| | MIL-PRF-22885/110B(1) | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SUNLIGHT READABLE, NIGHT VISION IMAGING SYSTEM COMPATIBLE, EMI/RFI SHIELDED, DRIPPROOF, SNAP ACTION, 4PDT, MOMENTARY, ALTERNATE[CUST: 11 CC] | A | 5930 | | CC | 16-DEC-03 |
| | MIL-PRF-22885/55G | SWITCH, PUSHBUTTON, ILLUMINATED, COLOR FILTER FOR, LAMP-CAP DESIGN[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5930 | | CC | 28-APR-04 |
| | MIL-PRF-22885/54E | SWITCH, PUSHBUTTON, ILLUMINATED, COLOR FILTER FOR, PLANAR DESIGN[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5930 | | CC | 28-APR-04 |
| | MIL-PRF-22885/105B | SWITCH, PUSHBUTTON, ILLUMINATED, PLUG-IN, SWITCH MODULE FOR, 2PDT, 4PDT[CUST: EC CC] | A | 5930 | | CC | 02-APR-04 |
| | MIL-PRF-22885/52C | SWITCH, PUSHBUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH PLANAR COLOR FILTERS)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5930 | | CC | 01-MAR-01 |
| | MIL-PRF-22885/93C | SWITCH, PUSHBUTTON, ILLUMINATED, ROCKER, PADDLE, LOGIC LOAD TO 3 AMPERES, UNSEALED[CUST: CR EC 11 CC] | A | 5930 | | CC | 01-MAR-01 |
| A | MIL-PRF-22885/92B NOT 1 | SWITCH, PUSHBUTTON, ILLUMINATED, ROCKER, PADDLE, POWER DUTY, UNSEALED[CUST: EC 11] | A | 5930 | | CC | 05-DEC-05 |
| | MIL-DTL-25879E NOT 1 | SWITCH, RADIO FREQUENCY TRANSMISSION LINE, COAXIAL TYPE SA-521A/A[CUST: 11] [REVIEW: 99] | A | 5985 | | CC | 08-DEC-04 |
| A | MS21995F | SWITCH, ROTARY, AMMETER - VOLTMETER SELECTOR, 115/200 VOLTS, FOR 1, 2, OR 4 GENERATOR SYSTEM[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI] | A | 5930 | | CC | 18-NOV-05 |
| | MIL-DTL-3786/36A | SWITCH, ROTARY, CLOSED CONSTRUCTION, 1/4 AMPERE STYLE SR36[CUST: CR EC 11 CC] | A | 5930 | | CC | 21-OCT-01 |
| | MIL-DTL-3786/4K | SWITCH, ROTARY, CLOSED CONSTRUCTION, 2 AMPERES, LOW LEVEL, POSITIVE SHAFT GROUNDING, FLUX SEAL, STYLE SR04[CUST: CR EC 11 CC] | A | 5930 | | CC | 21-OCT-01 |
| | MIL-DTL-3786/13F | SWITCH, ROTARY, CLOSED CONSTRUCTION, 500 AMPERE, STYLE SR13[CUST: CR EC 11 CC] | A | 5930 | | CC | 07-DEC-03 |
| | MIL-DTL-3786/39D | SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, 400 MILLIAMPERES, STYLE SR39[CUST: CR EC 11 CC] | A | 5930 | | CC | 18-OCT-01 |
| | MIL-DTL-3786/35F | SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, FLUX SEAL AND NON-FLUX SEAL, .200 AMPERE, STYLE SR35[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS SM] | A | 5930 | | CC | 26-MAR-03 |
| | MIL-DTL-3786/20J | SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, FLUX SEAL, .500 INCH DIAMETER, .200 AMPERE, STYLE SR20[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SM] | A | 5930 | | CC | 26-MAR-03 |
| | MIL-DTL-15743/13B | SWITCH, ROTARY, ENCLOSED, DRIPPROOF ACTION, TRANSFER, WITH INDICATION, 125 VOLTS ALTERNATING CURRENT, 30 AMPERE, SYMBOL 849 (TPDT)[CUST: SH CC] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/7B | SWITCH, ROTARY, ENCLOSED, SPLASHPROOF, SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 814 (DPST)[CUST: SH] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/17A | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), CONTACT MAKER, SIX POLE, TWO-POSITION, SPRING-RETURN, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2638.1[CUST: SH CC] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/16A | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), CONTACT MAKER, SIX-POLE, TWO-POSITION, SPRING-RETURN, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2637.1[CUST: SH CC] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/1B | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 801.1 (DPST)[CUST: SH CC] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/10B | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT, 30 AMPERE, SYMBOL 852 (4PDT)[CUST: SH CC] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/11B | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT, 30 AMPERE, SYMBOL 2753 DPST[CUST: SH] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/18A | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, SIX-POLE, TWO-POSITION, POSITIVE DETENT, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2639.1[CUST: SH CC] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-21604/1B | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 1 AMPERE, STYLES JF AND JFM[CUST: SH CC] | A | 5930 | | CC | 27-JUN-03 |
| | MIL-DTL-21604/5B | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 10 AMPERE, STYLE JR[CUST: SH CC] | A | 5930 | | CC | 27-JUN-03 |
| | MIL-DTL-21604/7B | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 10 AMPERE, STYLES JR 304 AND JRM 300[CUST: SH CC] | A | 5930 | | CC | 27-JUN-03 |
| | MIL-DTL-21604/2B | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 5 AMPERE, STYLE JK[CUST: SH CC] | A | 5930 | | CC | 27-JUN-03 |
| | MIL-DTL-21604/3C | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 5 AMPERE, STYLE JL[CUST: SH CC] | A | 5930 | | CC | 27-JUN-03 |
| | MIL-DTL-21604/4B | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 7.5 AMPERE, STYLE JM[CUST: SH CC] | A | 5930 | | CC | 27-JUN-03 |
| M | QPL-6807-15 | SWITCH, ROTARY, SELECTOR POWER, GENERAL SPECIFICATION FOR | A | 5930 | | CC | 27-FEB-06 |
| | MIL-DTL-6807E | SWITCH, ROTARY, SELECTOR POWER, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 EC MI OS] | A | 5930 | | CC | 31-JAN-05 |
| | A-A-52482A | SWITCH, ROTARY: STOPLIGHT, VEHICULAR, MECHANICALLY ACTUATED, 28 VOLT DC[CUST: AT] [REVIEW: CC] | A | 5930 | / | AT | 05-JUL-95 |
| | MIL-PRF-8805/31G | SWITCH, SENSITIVE, DPDT, PLUNGER, 10 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS] | A | 5930 | | CC | 14-MAR-03 |
| | MIL-PRF-8805/65D | SWITCH, SENSITIVE, DPDT, PLUNGER, 5 AMPERES, RESILIENT SEAL[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI SH] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/80E | SWITCH, SENSITIVE, LIMIT, HERMETIC SEAL[CUST: EC 11 CC] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-PRF-8805/90F | SWITCH, SENSITIVE, LOW FORCE, SPDT, 10 AMPERES, UNSEALED[CUST: EC CC] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/100F | SWITCH, SENSITIVE, PLUNGER, 10 AMPERES, 2PDT AND 7 AMPERES, 4PDT, RESILIENT SEAL[CUST: 11 CC] [REVIEW: 99] | A | 5930 | | CC | 04-OCT-04 |
| A | MS24456E | SWITCH, SENSITIVE, SEALED, SPDT, CLASS A5 OR B8[CUST: MI CC] | A | 5930 | | CC | 21-DEC-05 |
| | MIL-PRF-8805/109B | SWITCH, SENSITIVE, SPDT, UNSEALED, 7 AMPERES, 0.156 WIDTH BASE[CUST: EC CC] | A | 5930 | | CC | 31-OCT-01 |
| M | QPL-13484-13 | SWITCH, SENSITIVE: 30 VOLTS, DIRECT CURRENT MAXIMUM, WATERPROOF | A | 5930 | | CC | 27-FEB-06 |
| | MIL-PRF-22885/12G | SWITCH, SUBASSEMBLY, COLOR FILTERS (FOR SWITCH, PUSH BUTTON, ILLUMINATED)[CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV CR4 MC MI OS] | A | 5930 | | CC | 26-APR-04 |
| | MIL-PRF-22885/13K | SWITCH, SUBASSEMBLY,BOOT, DRIPPROOF PANEL SEAL (FOR ILLUMINATED PUSH BUTTON SWITCH)[CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV CR4 MC MI OS SH] | A | 5930 | | CC | 26-APR-04 |
| M | MIL-PRF-24236/15H | SWITCH, THERMOSTATIC (METALLIC), TYPE II, OVERHEAT DETECTOR, ADJUSTABLE, SINGLE TERMINAL, 3 AMPERES[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT AV CG MC MI MR OS SH SM] | A | 5930 | | CC | 05-APR-06 |
| A | MS35058K | SWITCH, TOGGLE ONE POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI] | A | 5930 | | CC | 06-JAN-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MS18150K | SWITCH, TOGGLE, 2 CIRCUIT, SEALED TOGGLE[CUST: CR EC 11 CC] [REVIEW: 99 AS AV] | A | 5930 | | CC | 17-OCT-05 |
| | MS16569E NOT 3 | SWITCH, TOGGLE, DOUBLE POLE, SINGLE THROW (FOR USE IN LIGHTING FIXTURES)[CUST: SH] | A | 5930 | | CC | 02-MAR-05 |
| | MS27406D NOT 3 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED[CUST: CR AS 11 CC] [REVIEW: 99 AR AV CR4 EC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS24525J NOT 3 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27724D NOT 3 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27786C NOT 3 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS24660F NOT 3 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27409D NOT 3 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27783C NOT 3 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27739E NOT 3 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 02-MAR-05 |
| | MS27736D NOT 3 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 02-MAR-05 |
| | MS27708H NOT 2 | SWITCH, TOGGLE, FOUR POSITION ON, CENTER OFF[CUST: AV AS 11 CC] [REVIEW: 99] | A | 5930 | | CC | 04-MAR-05 |
| A | MS27719G(1) | SWITCH, TOGGLE, MINIATURE DOUBLE POLE, TOGGLE SEAL[CUST: CR EC 11 CC] [REVIEW: 99 AV] | A | 5930 | | CC | 13-FEB-06 |
| A | MS27718F | SWITCH, TOGGLE, MINIATURE SINGLE POLE, TOGGLE SEAL[CUST: CR EC 11 CC] [REVIEW: 99 AV] | A | 5930 | | CC | 16-NOV-05 |
| A | MS27753F | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL[CUST: CR AS 11 CC] [REVIEW: 99 AV EA EC] | A | 5930 | | CC | 16-NOV-05 |
| | MS27754E NOT 2 | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 99 AV EA EC] | A | 5930 | | CC | 02-MAR-05 |
| | MS27721G NOT 2 | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 99 AV] | A | 5930 | | CC | 04-MAR-05 |
| | MS27790D NOT 1 | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED[CUST: CR AS 11 CC] [REVIEW: 99 AV EA EC] | A | 5930 | | CC | 12-DEC-01 |
| A | MS27717F | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 99 AV] | A | 5930 | | CC | 16-NOV-05 |
| | MS27720G NOT 2 | SWITCH, TOGGLE, MINIATURE, SINGLE POLE, TOGGLE SEAL, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 99 AV] | A | 5930 | | CC | 04-MAR-05 |
| A | MS27716E | SWITCH, TOGGLE, MINIATURE, SINGLE POLE, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 99 AV] | A | 5930 | | CC | 16-NOV-05 |
| M | QPL-9419-16 | SWITCH, TOGGLE, MOMENTARY, FOUR-POSITION ON, CENTER OFF, GENERAL SPECIFICATION FOR | A | 5930 | | CC | 28-FEB-06 |
| | MIL-DTL-9419F | SWITCH, TOGGLE, MONENTARY, FOUR-POSITION ON, CENTER OFF, GENERAL SPECIFICATION FOR[CUST: AV AS 11 CC] | A | 5930 | | CC | 01-JUN-01 |
| | MS24523H NOT 3 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS27722D | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EA MC MI] | A | 5930 | | CC | 07-MAY-03 |
| | MS27784C NOT 2 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AV EC] | A | 5930 | | CC | 04-MAR-05 |
| | MS24658F NOT 3 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27781C NOT 3 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27787C NOT 3 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27737F NOT 2 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER-LOCK, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 99 AV EC] | A | 5930 | | CC | 02-MAR-05 |
| | MS27734D NOT 3 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS25098K | SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 99 AV EC] | A | 5930 | | CC | 17-MAR-04 |
| A | MS18151K | SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE[CUST: CR EC 11 CC] [REVIEW: 99 AS AV] | A | 5930 | | CC | 17-OCT-05 |
| | MS24612K NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS21026F NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, --LEVEL LOCK --MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS25307K NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS25308K NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, FOUR POLE, .469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS25306J NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, SINGLE POLE, ,469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS14002H NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5930 | | CC | 02-MAR-05 |
| | MS14003H NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SOLDER LUG, FOUR POLE, .469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5930 | | CC | 02-MAR-05 |
| A | MS21346F | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK AND TOGGLE, MINIATURE, TOGGLE SEALED, INTEGRATED WIRE TERMINALS, SINGLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5930 | | CC | 21-DEC-05 |
| | MS21436B NOT 3 | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS24613J NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS21437G(1) NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 EC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS21027P NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING[CUST: AS 11 CC] [REVIEW: 99 EC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS90311K | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE TOGGER SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV EC MI] | A | 5930 | | CC | 01-APR-05 |
| | MS24656N | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE TOGGLED SEALED, DOUBLE POLE, SOLDER LUG, OR INTEGRATED WIRE TERMINALS: .250 MOUNTING BUSHINGS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MI] | A | 5930 | | CC | 01-APR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS24655N | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE TOGGLED SEALED, SINGLE POLE, SOLDER LUG OR INTEGRATED WIRE TERMINALS: .250 MOUNTING BUSHINGS[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI] | A | 5930 | | CC | 01-APR-05 |
| A | MS21347K | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, AND --LEVER LOCK-- MINIATURE, TOGGLE SEALED, INTEGRATED WIRE TERMINALS, DOUBLE POLE, .469 MOUNTING BUSHING[CUST: AS 11 CC] [REVIEW: 19 99 EC] | A | 5930 | | CC | 21-DEC-05 |
| | MS21354L NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, SINGLE POLE, .250 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 AR EC] | A | 5930 | | CC | 03-MAR-05 |
| | MS21357H NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, DOUBLE POLE, .469 MOUNTING BUSHING[CUST: AS 11 CC] [REVIEW: 99 EC] | A | 5930 | | CC | 03-MAR-05 |
| | MS21355J NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, DOUBLE POLE, .250 MOUNTING BUSHING[CUST: AS 11 CC] [REVIEW: 99 EC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS21356H NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, SINGLE POLE, .469 MOUNTING BUSHING[CUST: AS 11 CC] [REVIEW: 99 EC] | A | 5930 | | CC | 03-MAR-05 |
| | MS21433E NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SINGLE POLE, PRINTED CIRCUIT BOARD TERMINALS, RIGHT ANGLE MOUNT[CUST: AS 11 CC] [REVIEW: 99 EC] | A | 5930 | | CC | 03-MAR-05 |
| | MS90310H | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MI] | A | 5930 | | CC | 01-APR-05 |
| | MS21353J NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, SPECIAL CIRCUIT, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS21351F NOT 2 | SWITCH, TOGGLE, POSITIVE BREAK, SPECIAL CIRCUIT, MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING[CUST: CR AS 11 CC] [REVIEW: 99 AR MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS16656F NOT 4 | SWITCH, TOGGLE, SINGLE POLE, SINGLE THROW[CUST: SH] | A | 5930 | | CC | 02-MAR-05 |
| | MS39061D | SWITCH, TOGGLE, SPST, AND SPDT, 24 VOLT DC, 25 AMPERE (WATERPROOF)[CUST: AT CC] | A | 5930 | | CC | 21-DEC-04 |
| | MS27788C NOT 3 | SWITCH, TOGGLE, TOW POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27407D NOT 3 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS24524J NOT 3 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED[CUST: CR AS 11 CC] [REVIEW: 19 AR AV EC MC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MS27785C NOT 3 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27723C NOT 3 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS24659F NOT 3 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27408D NOT 3 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27782C NOT 3 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS27738E NOT 3 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 02-MAR-05 |
| | MS27735D NOT 3 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 04-MAR-05 |
| | MS25100K | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 99 AV EC] | A | 5930 | | CC | 17-MAR-04 |
| A | MS25201L | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 99 AV EC] | A | 5930 | | CC | 15-DEC-05 |
| | SAE-J589 | SWITCH, TURN SIGNAL[CUST: AT IS] | A | 6220 | | IS | 21-JUN-90 |
| | MIL-PRF-11021G | SWITCH, VEHICULAR LIGHTS: 24 VOLT DC[CUST: AT YD 99] [REVIEW: CC MC] | A | 2590 | | AT | 17-MAY-96 |
| | MIL-S-55041/11(1) | SWITCH, WAVEGUIDE, 1P2T, LATCHING[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH SM] | A | 5985 | | CC | 01-NOV-01 |
| | MIL-DTL-55041/10A NOT 1 | SWITCH, WAVEGUIDE, ELECTROMECHANICAL, LATCHING, FREQUENCY RANGE 8.6 TO 10.3 GHZ[CUST: 11] [REVIEW: 99] | A | 5985 | | CC | 08-DEC-04 |
| | NEMA-PB2.1 | SWITCHBOARDS 600 VOLTS OR LESS, DEADFRONT DISTRIBUTION, PROPER HANDLING, INSTALLATION, OPERATION, AND MAINTENANCE OF, GENERAL INSTRUCTIONS FOR[CUST: CR4 YD 99] [REVIEW: GS] | A | 6110 | | YD | 03-OCT-94 |
| | UL891 | SWITCHBOARDS, DEAD-FRONT[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6110 | | YD | 23-DEC-98 |
| | NEMA-PB2 | SWITCHBOARDS, DEADFRONT DISTRIBUTION[CUST: YD] [REVIEW: GS SH] | A | 6110 | | YD | 1984 |
| | MIL-S-16032M(1) | SWITCHES AND DETECTORS, SHIPBOARD ALARM SYSTEMS[CUST: SH] | A | 5930 | | CC | 14-FEB-01 |
| A | QPL-16032-60 | SWITCHES AND DETECTORS, SHIPBOARD ALARM SYSTEMS | A | 5930 | | CC | 15-DEC-05 |
| A | MIL-DTL-82020C NOT 1 | SWITCHES AND FROGS, TRACK, CAST MANGANESE STEEL, FOR PORTAL CRANES[CUST: YD] | A | 2250 | | IS | 02-SEP-05 |
| | MIL-DTL-29229B NOT 1 | SWITCHES AND FROGS, TRACK, FABRICATED, FOR PORTAL CRANES[CUST: YD] | A | 2250 | | IS | 12-DEC-02 |
| A | QPL-8805-106 | SWITCHES AND SWITCH ASSEMBLIES, SENSITIVE, SNAP ACTION (BASIC, LIMIT, PUSH BUTTON AND TOGGLE SWITCHES), GENERAL SPECIFICATION FOR | A | 5930 | | CC | 23-FEB-06 |
| | MIL-PRF-8805E(3) SUP 1 | SWITCHES AND SWITCH ASSEMBLIES, SENSITIVE, SNAP ACTION (BASIC, LIMIT, PUSH BUTTON AND TOGGLE SWITCHES), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AV MC MI OS SH] | A | 5930 | | CC | 11-OCT-02 |
| | UL894 | SWITCHES FOR USE IN HAZARDOUS LOCATIONS, CLASS I, GROUPS A B C & D & CLASS II, GROUPS E F & G[CUST: CR4 YD 11] [REVIEW: AT SH] | A | 5930 | | CC | 18-FEB-89 |
| | EIA520AAAB | SWITCHES NON SENSITIVE PUSHBOTTON MOMENTATY CONTACT[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5930 | | CC | 05-APR-88 |
| | QPL-28788-11 | SWITCHES, AIR AND LIQUID FLOW, SENSING, GENERAL SPECIFICATION FOR | A | 5930 | | CC | 18-FEB-05 |
| | MIL-DTL-83739C | SWITCHES, ANTENNA, RADIO FREQUENCY, SOLID-STATE, GENERAL SPECIFICATION FOR[CUST: CR EC 11] | A | 5985 | | CC | 20-OCT-04 |
| | MIL-PRF-8805/26G | SWITCHES, ASSEMBLIES, SENSITIVE, TOGGLE LEVER (WITH INTEGRAL LEAF), 5 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI] | A | 5930 | | CC | 31-OCT-01 |
| | DOD-S-17773B(3) | SWITCHES, BUS TRANSFER, ELECTRIC POWER AUTOMATIC AND MANUAL (METRIC)[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 07-SEP-93 |
| M | QPL-17773-55 | SWITCHES, BUS TRANSFER, ELECTRIC POWER, AUTOMATIC AND MANUAL (METRIC) | A | 6110 | | SH | 08-FEB-06 |
| | MIL-PRF-22710/18G | SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (PUSHBUTTON, BIDIRECTIONAL, SEALED OR UNSEALED, EMI/RFI SHIELDED, ILLUMINATED OR NONILLUMINATED) STYLE SRPC18-1 AND -2[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC SM] | A | 5930 | | CC | 20-APR-01 |
| | MIL-PRF-22710/23D | SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (PUSHBUTTON, UNIDIRECTIONAL, SEALED OR UNSEALED, ILLUMINATED) (SIDE RELAMPABLE) OR NON ILLUMINATED, STYLE SRPC23[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC SM] | A | 5930 | | CC | 20-APR-01 |
| | MIL-PRF-22710/14F | SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEEL SWITCH ASSEMBLY, INTEGRAL BEZEL, NON-SEALED, NON-ILLUMINATED) STYLE SRPC14[CUST: CR EC 11 CC] [REVIEW: 99 AS CR4 MC MI OS SM] | A | 5930 | | CC | 20-APR-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-22710/12F | SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEEL SWITCH ASSEMBLY, SEALED MODULES, ILLUMINATED OR NON-ILLUMINATED), (TOP RELAMPABLE), STYLE SRPC12[CUST: CR EC 11 CC] [REVIEW: 99 AS CR4 MC MI OS SM] | A | 5930 | | CC | 20-APR-01 |
| | MIL-PRF-22710/15H | SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULES, ILLUMINATED OR NON-ILLUMINATED), (TOP, BOTTOM, OR REAR RELAMPABLE), STYLE SRPC15[CUST: CR EC 11 CC] [REVIEW: 99 AS CR4 MC MI OS SM] | A | 5930 | | CC | 20-APR-01 |
| | MIL-PRF-22710/20D | SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULES, DUAL-ILLUMINATED) (RFI SHIELDED) (TOP AND BOTTOM RELAMPABLE), STYLE SRPC20[CUST: CR EC 11 CC] [REVIEW: AS CR4 MC MI SM] | A | 5930 | | CC | 20-APR-01 |
| | MIL-PRF-22710G SUP 1 | SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), THUMBWHEEL AND PUSH-BUTTON, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CR4 MC MI OS] | A | 5930 | | CC | 13-JAN-05 |
| | MIL-PRF-22710/17J | SWITCHES, CODE, INDICATING WHEEL (PRINTED CIRCUIT) PUSHBUTTON, SEALED, EMI/RFI SHIELDED, ILLUMINATED OR NONILLUMINATED, STYLE SRPC17[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC MI] | A | 5930 | | CC | 20-APR-01 |
| | MIL-PRF-22710/11F | SWITCHES, CODE, INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, INTEGRAL BEZEL, NON-SEALED, ILLUMINATED OR NON-ILLUMINATED), STYLE SRPC11[CUST: CR EC 11 CC] [REVIEW: AS CR4 MC MI OS SM] | A | 5930 | | CC | 20-APR-01 |
| | QPL-22710-27 | SWITCHES, CODE, INDICATING WHEEL (PRINTED CIRCUIT), THUMBWHEEL AND PUSH BUTTON GENERAL SPECIFICATION FOR | A | 5930 | | CC | 24-MAR-05 |
| A | MIL-PRF-83504C SUP 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MI] | A | 5930 | | CC | 21-DEC-05 |
| A | QPL-83504-16 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), GENERAL SPECIFICATION FOR | A | 5930 | | CC | 08-JUL-05 |
| A | MIL-PRF-83504/6B NOT 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), RECESSED ACTUATOR, STANDARD PROFILE, SINGLE POLE, DOUBLE THROW STATIONS, SEALED BASE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MI] | A | 5930 | | CC | 08-DEC-05 |
| A | MIL-PRF-83504/8C NOT 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), RECESSED ROCKER ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MI] | A | 5930 | | CC | 08-DEC-05 |
| A | MIL-PRF-83504/9C NOT 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), RECESSED ROCKER ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MI] | A | 5930 | | CC | 08-DEC-05 |
| A | MIL-PRF-83504/12B NOT 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), RECESSED SLIDE ACTUATED, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE, MACHINE INSERTABLE[CUST: 11 CC] [REVIEW: 99] | A | 5930 | | CC | 08-DEC-05 |
| A | MIL-PRF-83504/2D NOT 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, LOW PROFILE, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MI] | A | 5930 | | CC | 08-DEC-05 |
| A | MIL-PRF-83504/7C NOT 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MI] | A | 5930 | | CC | 08-DEC-05 |
| A | MIL-PRF-83504/1D NOT 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MI] | A | 5930 | | CC | 08-DEC-05 |
| A | MIL-PRF-83504/11D NOT 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), SIDE TOGGLE ACTUATOR, LOW PROFILE, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MI] | A | 5930 | | CC | 08-DEC-05 |
| | MIL-DTL-28786C | SWITCHES, ELECTRICAL AND FIBER OPTIC, PACKAGING OF[CUST: CR EC 99 CC] | A | PACK | | CC | 31-JAN-04 |
| | UL98 | SWITCHES, ENCLOSED AND DEAD-FRONT[CUST: CR YD] [REVIEW: EC] | A | 5930 | | CC | 25-JUN-90 |
| | IEC60265-1 | SWITCHES, HIGH VOLTAGE PART 1: SWITCHES FOR RATED VOLTAGES ABOVE 1 KV AND LESS THAN 52 KV[CUST: YD] | A | FACR | | YD | 29-JUN-04 |
| | MIL-S-18396D(1) NOT 3 | SWITCHES, METER AND CONTROL, NAVAL SHIPBOARD[CUST: SH CC] | A | 5930 | | CC | 14-FEB-05 |
| | EIA520AAAA | SWITCHES, NON SENSITIVE PUSHBOTTON SINGLE POLE CONTACTS[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5930 | | CC | 28-OCT-88 |
| | MIL-DTL-9395/6B | SWITCHES, PRESSURE (ABSOLUTE), TYPE I, SPDT, 3 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 MC SH] | A | 5930 | | CC | 30-MAY-01 |
| M | QPL-9395-19 | SWITCHES, PRESSURE (ABSOLUTE, GAGE AND DIFFERENTIAL) GENERAL SPECIFICATION FOR | A | 5930 | | CC | 28-FEB-06 |
| | MIL-DTL-9395G SUP 1 | SWITCHES, PRESSURE, (ABSOLUTE, GAGE, AND DIFFERENTIAL), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/29B | SWITCHES, PRESSURE, (DIFFERENTIAL) (TYPE III), 4 AMPERES[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/33B | SWITCHES, PRESSURE, (DIFFERENTIAL), (TYPE III), 5 AMPERES[CUST: 11 CC] [REVIEW: 99] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/31D | SWITCHES, PRESSURE, (GAGE) TYPE II, 5 AMPERES[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/43B | SWITCHES, PRESSURE, (GAGE) TYPE II, LOW LEVEL TO 1 AMPERE[CUST: CR EC 11 CC] [REVIEW: 99 AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/38B | SWITCHES, PRESSURE, (GAGE) TYPE II, LOW LEVEL TO 5 AMPERES[CUST: CR EC 11] [REVIEW: 99 AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/40B | SWITCHES, PRESSURE, (GAGE) TYPE II, LOW LEVEL TO 5 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/10E | SWITCHES, PRESSURE, (GAGE), TYPE II[CUST: CR EC 11 CC] [REVIEW: 99 AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/30G | SWITCHES, PRESSURE, (GAGE), TYPE II, 5 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AV MC SH] | A | 5930 | | CC | 03-FEB-05 |
| | MIL-DTL-9395/8D | SWITCHES, PRESSURE, (GAGE), TYPE II, SPDT, 10 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/2E | SWITCHES, PRESSURE, (GAGE), TYPE II, SPDT, 4 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC] | A | 5930 | | CC | 08-DEC-03 |
| | MIL-DTL-9395/5D | SWITCHES, PRESSURE, (GAGE), TYPE II, SPST, 5 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/39C(1) | SWITCHES, PRESSURE, (GAUGE) TYPE II, LOW LEVEL TO 5 AMPERES[CUST: CR EC 11 CC] | A | 5930 | | CC | 16-MAY-03 |
| | MIL-DTL-9395/27F | SWITCHES, PRESSURE, (GAUGE), TYPE II 3 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/26C | SWITCHES, PRESSURE, ABSOLUTE (TYPE I) 3 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-PRF-8932/1A | SWITCHES, PRESSURE, BULKHEAD MOUNTED, AIRCRAFT, ABSOLUTE, CLASS 1[CUST: AV AS 99] [REVIEW: 71 CC GS MC MI] | A | 1650 | | AS | 27-AUG-98 |
| | MIL-PRF-8932/4A | SWITCHES, PRESSURE, BULKHEAD MOUNTED, AIRCRAFT, APPROXIMATE GAUGE, CLASS 4[CUST: AV AS 99] [REVIEW: 71 CC GS MC MI] | A | 1650 | | AS | 27-AUG-98 |
| | MIL-PRF-8932/2A | SWITCHES, PRESSURE, BULKHEAD MOUNTED, AIRCRAFT, DIFFERENTIAL, CLASS 2[CUST: AV AS 99] [REVIEW: 71 CC GS MC MI] | A | 1650 | | AS | 27-AUG-98 |
| | MIL-PRF-8932/3A | SWITCHES, PRESSURE, BULKHEAD MOUNTED, AIRCRAFT, GAUGE, CLASS 3[CUST: AV AS 99] [REVIEW: 71 CC GS MC MI] | A | 1650 | | AS | 27-AUG-98 |
| | MIL-PRF-8932B SUP 1 | SWITCHES, PRESSURE, BULKHEAD MOUNTED, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 71 CC GS MC MI] | A | 1650 | | AS | 27-AUG-98 |
| | MIL-DTL-9395/32C | SWITCHES, PRESSURE, DIFFERENTIAL (TYPE III), 4 AMPERES[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC SH] | A | 5930 | | CC | 30-MAY-01 |
| | MIL-DTL-9395/41C | SWITCHES, PRESSURE, GAUGE (TYPE II), LOW LEVEL TO 1 AMPERE[CUST: CR EC 11 CC] [REVIEW: 99 AV MC SH] | A | 5930 | | CC | 30-MAY-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-13625-19 | SWITCHES, PULL; SWITCHES, PUSH; SWITCHES, BEAM SELECTING HEADLIGHT: ELECTRICAL (28 VOLTS MAXIMUM, FOR MILITARY VEHICLES) | A | 5930 | | CC | 31-AUG-04 |
| | MIL-DTL-13625/2A | SWITCHES, PULL; SWITCHES, PUSH; SWITCHES, BEAM SELECTING, HEADLIGHT: ELECTRICAL (28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES)[CUST: AT CC] | A | 5930 | | CC | 27-MAR-03 |
| | MIL-DTL-13625E | SWITCHES, PULL; SWITCHES, PUSH; SWITCHES, BEAM SELECTING, HEADLIGHT: ELECTRICAL (28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES)[CUST: AT CC] [REVIEW: CR4 MI] | A | 5930 | | CC | 27-MAR-03 |
| | MIL-DTL-13625/1A | SWITCHES, PULL; SWITCHES, PUSH; SWITCHES, BEAM SELECTING, HEADLIGHT: ELECTRICAL (28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES)[CUST: AT CC] | A | 5930 | | CC | 27-MAR-03 |
| | MIL-PRF-22885/109B | SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, .75 SQUARE, 4PDT AND DPDT, 7 AMPERES, SUNLIGHT READABLE DISPLAY OPTION, NVIS COMPATIBLE OPTION, MOMENTARY AND ALTERNATE HOLDDOWN, LOW TOUCH TEMPERATURE, CONNECTOR MODULE TERMINATION OPTION[CUST: 11 CC] | A | 5930 | | CC | 18-APR-01 |
| | MIL-PRF-22885/67H | SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, 0.75 SQUARE, 7 AMPERES, AND LOW LEVEL ELECTROMAGNETIC INTERFERENCE SHIELDED, SUNLIGHT READABLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 15-JAN-05 |
| A | MIL-PRF-22885/77D NOT 1 | SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, 0.75 SQUARE, 7.5 AMPERES, AND LOW LEVEL INTEGRATED WIRE TERMINATION, ELECTROMAGNETIC INTERFERENCE SHIELDED, SUNLIGHT READABLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 05-DEC-05 |
| A | MIL-PRF-22885/71C NOT 1 | SWITCHES, PUSH BUTTON, ILLUMINATED, 7 AMPERES AND LOW LEVEL, 4-LAMP, RFI SHIELDED, SOLID MOUNT[CUST: CR EC 11 CC] [REVIEW: 70 84 99 MI SA SH] | A | 5930 | | CC | 05-DEC-05 |
| | QPL-22885-90 | SWITCHES, PUSH BUTTON, ILLUMINATED, GENERAL SPECIFICATION FOR | A | 5930 | | CC | 24-FEB-05 |
| | MIL-PRF-22885G SUP 1 | SWITCHES, PUSH BUTTON, ILLUMINATED, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 21-JAN-05 |
| | MIL-PRF-22885/79D | SWITCHES, PUSH BUTTON, ILLUMINATED, MOMENTARY, SPDT AND DPDT, ONE LAMP, 7 AMPERE SILVER CONTACTS, 1 AMPERE GOLD CONTACT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS] | A | 5930 | | CC | 01-MAR-01 |
| | MIL-PRF-8805/3K | SWITCHES, PUSH, 10 AMPERES OR LOW LEVEL, DUSTTIGHT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 14-MAR-03 |
| | MIL-PRF-8805/99H(1) | SWITCHES, PUSH, 2 CIRCUIT AND DPDT, ALTERNATE AND MOMENTARY ACTION, 2 AMPERES, SPLASHPROOF[CUST: 11 CC] [REVIEW: 99] | A | 5930 | | CC | 14-JAN-04 |
| | MIL-PRF-8805/107C | SWITCHES, PUSH, MOMENTARY AND PUSH- PULL, 10 AMPERES, DUSTTIGHT[CUST: 11 CC] | A | 5930 | | CC | 04-OCT-04 |
| A | MIL-PRF-8805/7H | SWITCHES, PUSH, MOMENTARY, 2 CIRCUIT OR SPST (10 AMPERES), UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC NA OS SH] | A | 5930 | | CC | 31-JAN-06 |
| | MIL-PRF-8805/25F | SWITCHES, PUSH, MOMENTARY, 2 CIRCUIT, UNSEALED AND SEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/20M | SWITCHES, PUSH, MOMENTARY, 2 CIRCUIT, UNSEALED AND SEALED[CUST: CR EC 11 CC] | A | 5930 | | CC | 17-MAR-05 |
| | MIL-PRF-8805/38G | SWITCHES, PUSH, MOMENTARY, 4 CIRCUIT, 4 AMPERES OR LOW LEVEL, DUSTTIGHT[CUST: EC CC] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/96E | SWITCHES, PUSH, MOMENTARY, SPST, 5 AMPERES[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 04-OCT-04 |
| | EIA520A000 | SWITCHES, PUSHBUTTON OF CERTIFIED QUALITY[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5930 | | CC | 28-OCT-88 |
| | MIL-PRF-22885/103B | SWITCHES, PUSHBUTTON, ILLUMINATED, 2 AMPERES, 2PDT, 4PDT AND INDICATOR, 4 LAMP, SUNLIGHT READABLE (EMI/RFI SHIELDING, MODULAR CONSTRUCTION)[CUST: EC CC] | A | 5930 | | CC | 02-APR-04 |
| | MIL-PRF-22885/108D | SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP REPLACEABLE INCANDESCENT OR NON-REPLACEABLE LIGHT EMITTING DIODE (LED), 0.750 SQUARE, SPDT, DPDT, 4PDT SILVER CONTACTS - 2 CIRCUIT (5 AMPERES) OR SPDT (7.5 AMPERES); GOLD CONTACTS - LOW LEVEL TO 1 AMPERE, SUNLIGHT READABLE DISPLAY (DRIPROOF, WATERTIGHT, SPLASHPROOF, EMI/RFI SHIELDING, HIGH IMPACT SHOCK RESISTANT, COMMON TERMINATION[CUST: CR EC 11 CC] | A | 5930 | | CC | 11-DEC-01 |
| A | MIL-PRF-22885/75E NOT 1 | SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.87 SQUARE, 7 AMPERES, ELECTROMAGNETIC INTERFERENCE SHIELDED[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CR4 MC OS SH] | A | 5930 | | CC | 05-DEC-05 |
| | MIL-PRF-22885/111A(1) | SWITCHES, PUSHBUTTON, LIGHT EMITTING DIODE (LED) ILLUMINATED, STANDARD, NIGHT VISION IMAGING SYSTEM (NVIS) AND SUNLIGHT READABLE DISPLAYS, SPDT AND DPDT, LOW LEVEL TO 7 AMPERES, SEALED AND UNSEALED, SOLDER AND COMMON TERMINATION SYSTEM (CTS) TERMINATIONS[CUST: EC CC] | A | 5930 | | CC | 06-JUN-03 |
| | MIL-PRF-8805/110D | SWITCHES, PUSHBUTTON, MOMENTARY , 5 AMPERES AND LOW LEVEL, MINIATURE, DUSTTIGHT OR WATERTIGHT[CUST: EC CC] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-22885/112 | SWITCHES, PUSHBUTTON, WHITE LIGHT EMITTING DIODE (LED) ILLUMINATED, STANDARD, NIGHT VISION IMAGING SYSTEM (NVIS) AND SUNLIGHT READABLE DISPLAYS, DIMMABLE, SPDT AND DPDT, LOW LEVEL TO 7 AMPERES, SEALED AND UNSEALED, SOLDER AND COMMON TERMINATION SYSTEM (CTS) TERMINATIONS[CUST: EC CC] | A | 5930 | | CC | 01-APR-05 |
| | MIL-DTL-3928/18C | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P6T[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC MI OS] | A | 5985 | | CC | 15-AUG-01 |
| A | MIL-DTL-3928/15F | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) (OPTIONAL VENTING FOR SPACE APPLICATIONS) CLASS 5, 1P2T[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS] | A | 5985 | | CC | 12-AUG-05 |
| | MIL-DTL-3928/19D | SWITCHES, RADIO- FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, TR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH] | A | 5985 | | CC | 15-AUG-01 |
| | MIL-DTL-3928/16B | SWITCHES, RADIO- FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P3T[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH] | A | 5985 | | CC | 15-AUG-01 |
| | MIL-DTL-3928/17B | SWITCHES, RADIO- FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P4T[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH] | A | 5985 | | CC | 15-AUG-01 |
| | MIL-DTL-3928/10E | SWITCHES, RADIO- FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 1[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH] | A | 5985 | | CC | 15-AUG-01 |
| | MIL-DTL-3928/7D | SWITCHES, RADIO- FREQUENCY TRANSMISSION LINE (COAXIAL) (MANUALLY AND SOLENOID OPERATED) CLASSES 1 (TYPE N CONNECTORS) AND 7 (TYPE BNC CONNECTORS)[CUST: CR EC 11 CC] [REVIEW: 99 AV MC MI] | A | 5985 | | CC | 15-AUG-01 |
| | MIL-DTL-3928/8D | SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY AND MANUALLY OPERATED) CLASS 7[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH] | A | 5985 | | CC | 15-AUG-01 |
| | MIL-DTL-3928/20D | SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, 1P2T[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH] | A | 5985 | | CC | 15-AUG-01 |
| | MIL-DTL-3928/21C(1) | SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, TR[CUST: CR EC 11 CC] | A | 5985 | | CC | 22-JUL-03 |
| | MIL-DTL-3928/9D | SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (MANUALLY AND MOTOR OPERATED) CLASS 1 (TYPE N CONNECTORS)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT AV CR4 MC MI OS] | A | 5985 | | CC | 05-JUL-01 |
| A | QPL-3928-27 | SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL), GENERAL SPECIFICATION FOR | A | 5985 | | CC | 24-OCT-05 |
| A | MIL-DTL-3928/29 | SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (MICROSTRIP) (ELECTRICALLY OPERATED) CLASS 15, (PIN-MOUNTED) 1P2T[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MC MI OS] | A | 5985 | | CC | 23-DEC-05 |
| A | MIL-DTL-3928F(1) SUP 1 | SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE, (COAXIAL AND MICROSTRIP), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MC MI OS] | A | 5985 | | CC | 23-DEC-05 |
| A | QPL-3786-45 | SWITCHES, ROTARY (CIRCUIT SELECTOR, LOW-CURRENT CAPACITY), GENERAL SPECIFICATION FOR | A | 5930 | | CC | 07-DEC-05 |
| A | MIL-DTL-3786H SUP 1 | SWITCHES, ROTARY (CIRCUIT SELECTOR, LOW-CURRENT CAPACITY), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] | A | 5930 | | CC | 06-JAN-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-22710/24B | SWITCHES, ROTARY (PRINTED CIRCUIT) (TOGGLE, BIDIRECTIONAL, SEALED, ILLUMINATED OR NONILLUMINATED) STYLE SRPC24[CUST: CR EC 11 CC] [REVIEW: 99 AR CR4 MC MI SM] | A | 5930 | | CC | 20-APR-01 |
| | MIL-PRF-22710/30A(1) | SWITCHES, ROTARY (PRINTED CIRCUIT), PUSHBUTTON BIDIRECTIONAL, SEALED, HIGH SHOCK, RFI SHIELDED, ILLUMINATED OR NONILLUMINATED, LOW LEVEL, STYLE SRPC30[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC SM] | A | 5930 | | CC | 19-DEC-03 |
| | MIL-DTL-3786/41A | SWITCHES, ROTARY, CLOSED CONSTRUCTION, 0.5 AMPERE, STYLE SR41[CUST: 11 CC] | A | 5930 | | CC | 21-OCT-01 |
| A | MIL-DTL-15291/4B | SWITCHES, ROTARY, DETENT AND SPRING-RETURN ACTION CLASS 1SRN FRONT MOUNTED, SIDE CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| | MIL-DTL-15743D SUP 1 | SWITCHES, ROTARY, ENCLOSED[CUST: SH CC] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/5B | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 827.1 (SPECIAL), 850.1 (TPDT), AND 863 (4PDT)[CUST: SH CC] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/4B | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 805.1 (4PST), 857 (TPDT)[CUST: SH] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/3B | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 801.2 (DPST), 804.1 (TPST), 829.1 (DPDT), AND 879.1 (DPTT)[CUST: SH] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/8B | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT, 30 AMPERE, SYMBOLS 838.1 (DPDT), 840.1 (DPDT), AND 851 (TPST)[CUST: SH] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/9B | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT, 30 AMPERE, SYMBOLS 839.1 (4PDT), 848.1 (TPDT), AND 2752.1 (SPECIAL)[CUST: SH CC] | A | 5930 | | CC | 26-NOV-02 |
| | MIL-DTL-15743/21A | SWITCHES, ROTARY, ENCLOSED, WATERTIGHT, MULTIPOLE, EIGHT POSITION, 125 VOLTS ALTERNATING CURRENT, 5 AMPERE, SYMBOLS 867.1 THROUGH 872.1[CUST: SH CC] | A | 5930 | | CC | 26-NOV-02 |
| A | QPL-21604-30 | SWITCHES, ROTARY, MULTIPOLE AND SELECTOR, GENERAL SPECIFICATION FOR | A | 5930 | | CC | 19-JAN-06 |
| | MIL-DTL-21604E(1) SUP 1 | SWITCHES, ROTARY, MULTIPOLE AND SELECTOR, GENERAL SPECIFICATION FOR[CUST: SH CC] | A | 5930 | | CC | 23-FEB-04 |
| M | QPL-15291-25 | SWITCHES, ROTARY, SNAP ACTION AND DETENT/SPRING RETURN ACTION, GENERAL SPECIFICATION FOR | A | 5930 | | CC | 29-MAR-06 |
| A | MIL-DTL-15291F SUP 1 | SWITCHES, ROTARY, SNAP ACTION AND DETENT/SPRING RETURN ACTION, GENERAL SPECIFICATION FOR[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| A | MIL-DTL-15291/3B | SWITCHES, ROTARY, SNAP ACTION CLASS 1SR BASE MOUNTED, SIDE CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| A | MIL-DTL-15291/1B | SWITCHES, ROTARY, SNAP ACTION CLASS 1SR FRONT MOUNTED, BACK CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| A | MIL-DTL-15291/2B | SWITCHES, ROTARY, SNAP ACTION CLASS 1SR FRONT MOUNTED, SIDE CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| A | MIL-DTL-15291/13B | SWITCHES, ROTARY, SNAP ACTION CLASS 20SR BASE MOUNTED, SIDE CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| A | MIL-DTL-15291/12C | SWITCHES, ROTARY, SNAP ACTION CLASS 20SR FRONT MOUNTED, SIDE CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| A | MIL-DTL-15291/7B | SWITCHES, ROTARY, SNAP ACTION CLASS 3SR BASE MOUNTED, SIDE CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| A | MIL-DTL-15291/5B | SWITCHES, ROTARY, SNAP ACTION CLASS 3SR FRONT MOUNTED, BACK CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| A | MIL-DTL-15291/6C | SWITCHES, ROTARY, SNAP ACTION CLASS 3SR FRONT MOUNTED, SIDE CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| A | MIL-DTL-15291/10B | SWITCHES, ROTARY, SNAP ACTION CLASS 6SR BASE MOUNTED, SIDE CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| A | MIL-DTL-15291/9B | SWITCHES, ROTARY, SNAP ACTION CLASS 6SR FRONT MOUNTED, BACK CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| | UL1008 | SWITCHES, SAFETY AUTOMATIC TRANSFER STANDARD FOR[CUST: CR4 YD 99] [REVIEW: 71 GS] | A | 6110 | | YD | 19-JUN-89 |
| | EIA520C000 | SWITCHES, SENSITIVE OF CERTIFIED QUALITY[CUST: EC 11] [REVIEW: 99 AS MC SH] | A | 5930 | | CC | 17-AUG-90 |
| | EIA520CA00 | SWITCHES, SENSITIVE OF CERTIFIED QUALITY SPECIAL-USE BLANK DETAIL SPECIFICATION FOR[CUST: EC 11] [REVIEW: 99 AS MC SH] | A | 5930 | | CC | 17-AUG-90 |
| | EIA520CAAA | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, BASIC SIZE DETAIL SPECIFICATION FOR[CUST: EC 11] [REVIEW: 99 AS MC SH] | A | 5930 | | CC | 17-AUG-90 |
| | EIA520CAAB | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, MINIATURE SIZE, DETAIL SPECIFICATION FOR[CUST: EC 11] [REVIEW: 99 AS MC SH] | A | 5930 | | CC | 17-AUG-90 |
| | EIA520CAAC | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, SUBMINIATURE SIZE, 5 A. DETAIL SPECIFICATION FOR[CUST: EC 11] [REVIEW: 99 AS MC SH] | A | 5930 | | CC | 17-AUG-90 |
| | EIA520CAAD | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, SUBMINIATURE SIZE, 7 A. DETAIL SPECIFICATION FOR[CUST: EC 11] [REVIEW: 99 AS MC SH] | A | 5930 | | CC | 17-AUG-90 |
| | MIL-PRF-8805/98D(1) | SWITCHES, SENSITIVE SWITCH ASSEMBLY, TOGGLE, 7 AMPERES, PANEL SEAL, TOGGLE SEAL[CUST: EC 11 CC] | A | 5930 | | CC | 29-DEC-03 |
| | MIL-PRF-8805/27D | SWITCHES, SENSITIVE, 10 AMPERES AND LOW LEVEL, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-PRF-8805/76H | SWITCHES, SENSITIVE, 2 CIRCUIT (5 AMPERES) OR SPST (8 AMPERES), UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/101K | SWITCHES, SENSITIVE, 2 CIRCUIT (5 AMPERES) OR SPST (8 AMPERES), UNSEALED, LOW LEVEL SWITCHING, FORM C OR FORM Z[CUST: EC 11 CC] [REVIEW: 99] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/70K | SWITCHES, SENSITIVE, DPDT AND 4PDT, PLUNGER OR ROLLER, 4 AMPERES, HERMETICALLY SEALED CONTACTS, RESILIENT SEALED PLUNGER[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 21-JAN-05 |
| | MIL-PRF-8805/41B | SWITCHES, SENSITIVE, DPDT, PLUNGER, 5 AMPERE, HERMETIC[CUST: CR EC 11 CC] [REVIEW: 19 MC SH] | A | 5930 | | CC | 31-OCT-01 |
| A | MIL-PRF-8805/82E | SWITCHES, SENSITIVE, LEAF, SPDT, 4 AMPERES, HERMETIC[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT AV MC MI OS SH] | A | 5930 | | CC | 31-JAN-06 |
| | MIL-PRF-8805/39G | SWITCHES, SENSITIVE, LIMIT, PLUNGER, 7 AMPERES, RESILIENT SEAL, FLUID RESISTANT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/48H | SWITCHES, SENSITIVE, LIMIT, ROLLER LEVER, SELF-RETURN, RESILIENT SEAL, FLUID RESISTANT[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MC MI OS] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/49H | SWITCHES, SENSITIVE, LIMIT, ROTARY LINKAGE LEVER (NONSELF-RETURN), RESILIENT SEAL, FLUID RESISTANT[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MC MI OS] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/77H(1) | SWITCHES, SENSITIVE, MOMENTARY, 4 CIRCUIT OR DPDT (10 AMPERES), UNSEALED[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CR4] | A | 5930 | | CC | 24-JUN-03 |
| | MIL-PRF-8805/18G | SWITCHES, SENSITIVE, MOMENTARY, 6 CIRCUIT, 15 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/28F | SWITCHES, SENSITIVE, MOMENTARY, SPDT, 7.5 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-PRF-8805/104C | SWITCHES, SENSITIVE, PLUNGER, 7 AMPERES, 4PDT, RESILIENT SEAL, GROUNDED PLUNGER[CUST: 11 CC] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/40H | SWITCHES, SENSITIVE, PLUNGER, RESILIENT SEAL, FLUID RESISTANT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/43J | SWITCHES, SENSITIVE, PLUNGER, RESILIENT SEAL, FLUID RESISTANT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI] | A | 5930 | | CC | 21-JAN-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-8805/2K | SWITCHES, SENSITIVE, SPDT[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI OS SH] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-PRF-8805/73J | SWITCHES, SENSITIVE, SPDT , PLUNGER, 4 AMPERES, HERMETICALLY SEALED CONTACTS, RESILIENT SEALED PLUNGER[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 31-MAY-01 |
| | MIL-PRF-8805/68J | SWITCHES, SENSITIVE, SPDT, 4 AMPERES, HERMETIC SEAL[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV MC OS SH] | A | 5930 | | CC | 31-MAY-01 |
| | MIL-PRF-8805/74K | SWITCHES, SENSITIVE, SPDT, 4 AMPERES, HERMETIC SEAL[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 31-MAY-01 |
| | MIL-PRF-8805/32H | SWITCHES, SENSITIVE, SPDT, 7 AMPERES, WATERTIGHT[CUST: CR EC 11 CC] | A | 5930 | | CC | 25-JUN-03 |
| M | MIL-PRF-8805/8G | SWITCHES, SENSITIVE, SPDT, LEAF ACTUATOR, LOW LEVEL TO 4 AMPERES, HERMETIC SEAL[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI OS SH] | A | 5930 | | CC | 10-APR-06 |
| | MIL-PRF-8805/47G | SWITCHES, SENSITIVE, SPDT, LEVER, 25 AMPERES, HERMETIC[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MC MI SH] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/106A | SWITCHES, SENSITIVE, SPDT, LOW LEVEL TO 2 AMPERES, 400 DEG. F, UNSEALED[CUST: EC 11 CC] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-PRF-8805/72K | SWITCHES, SENSITIVE, SPDT, PLUNGER, 4 AMPERES, HERMETICALLY SEALED CONTACTS, UNSEALED PLUNGER[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 11-OCT-02 |
| | MIL-PRF-8805/1E | SWITCHES, SENSITIVE, SPDT, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-PRF-8805/4N | SWITCHES, SENSITIVE, SPDT, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 25-JUN-03 |
| A | MIL-PRF-8805/46E | SWITCHES, SENSITIVE, SPST, 4 AMPERES, HERMETIC[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT AV MC MI OS SH] | A | 5930 | | CC | 31-JAN-06 |
| A | MIL-PRF-8805/45G | SWITCHES, SENSITIVE, SPST, 5 AMPERES, RESILIENT SEAL[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS SH] | A | 5930 | | CC | 31-JAN-06 |
| A | MIL-PRF-8805/44F | SWITCHES, SENSITIVE, SPST, 5 AMPERES, RESILIENT SEAL[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS SH] | A | 5930 | | CC | 31-JAN-06 |
| | MIL-PRF-8805/84E | SWITCHES, SENSITIVE, WATERTIGHT, 10 AMPERES, DOUBLE BREAK[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT AV MC MI OS SH] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/14F | SWITCHES, SENSITIVE-MAINTAINED, 2 CIRCUIT, 10 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/34E | SWITCHES, SENSITIVE-MAINTAINED, 2 CIRCUIT, 40 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/17G | SWITCHES, SENSITIVE-MAINTAINED, 6 CIRCUIT, 15 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/11J | SWITCHES, SENSITIVE-MOMENTARY, 2 CIRCUIT, 10 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/19F | SWITCHES, SENSITIVE-MOMENTARY, 2 CIRCUIT, 40 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-PRF-8805/15G | SWITCHES, SENSITIVE-MOMENTARY, 4 CIRCUIT, 15 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5930 | | CC | 04-OCT-04 |
| A | MIL-PRF-83504/5B NOT 1 | SWITCHES, SLIDE, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE, SINGLE POLE, DOUBLE THROW STATIONS, SEALED BASE, STYLE DIPS[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MI] | A | 5930 | | CC | 08-DEC-05 |
| A | MIL-PRF-83504/4E NOT 1 | SWITCHES, SLIDE, DUAL IN-LINE PACKAGE (DIP), SINGLE AND DOUBLE POLE, SINGLE THROW STATIONS, SEALED BASE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MI SH] | A | 5930 | | CC | 08-DEC-05 |
| | UL20 | SWITCHES, SNAP, GENERAL USE[CUST: CR4 YD 11] [REVIEW: AT SH] | A | 5930 | | CC | 25 MAY 95 |
| | EIA5200000 | SWITCHES, SPECIAL-USE ELECTROMECHANICAL OF CERTIFIED QUALITY[CUST: CR EC 11] [REVIEW: 99 MI] | A | 5930 | | CC | 28-OCT-88 |
| | QPL-12285-16 | SWITCHES, THERMOSTATIC | A | 5930 | | CC | 24-FEB-05 |
| | QPL-28827-7 | SWITCHES, THERMOSTATIC (VOLATILE LIQUID), HERMETICALLY SEALED, GENERAL SPECIFICATION FOR | A | 5930 | | CC | 16-JUN-04 |
| | MIL-PRF-24236/19J(1) | SWITCHES, THERMOSTATIC, (BIMETALLIC), (SUBMINIATURE), TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE AND LOW LEVEL[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV MC MI OS SH] | A | 5930 | | CC | 25-JUN-03 |
| M | MIL-PRF-24236/24E | SWITCHES, THERMOSTATIC, (BIMETALLIC), SUBMINIATURE, TYPE I, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW (SPDT), 2 AMPERES AND LOW LEVEL[CUST: CR EC 11 CC] [REVIEW: AR AT AV CR4 MC MI OS] | A | 5930 | | CC | 05-APR-06 |
| M | MIL-PRF-24236/1L | SWITCHES, THERMOSTATIC, (BIMETALLIC), SUBMINIATURE, TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 5 AMPERES, AND LOW LEVEL[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS] | A | 5930 | | CC | 05-APR-06 |
| | MIL-PRF-24236/20J(2) | SWITCHES, THERMOSTATIC, (BIMETALLIC), SUBMINIATURE, TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 2 AMPERES AND LOW LEVEL[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A | 5930 | | CC | 23-FEB-04 |
| | MIL-PRF-24236/13G(1) | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE AND LOW LEVEL[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV MC MI OS] | A | 5930 | | CC | 25-JUN-03 |
| | MIL-PRF-24236/25C NOT 1 | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 2 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AR AT AV MC MI SH] | A | 5930 | | CC | 15-JUN-04 |
| M | MIL-PRF-24236/11H | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV MC MI OS] | A | 5930 | | CC | 05-APR-06 |
| M | MIL-PRF-24236/2J | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I, SINGLE POLE, SINGLE THROW (SPST), 5 AMPERES[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC SH] | A | 5930 | | CC | 05-APR-06 |
| M | MIL-PRF-24236D SUP 1 | SWITCHES, THERMOSTATIC, (METALLIC AND BIMETALLIC), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI OS SH] | A | 5930 | | CC | 05-APR-06 |
| | QPL-24236-29 | SWITCHES, THERMOSTATIC, (METALLIC AND BIMETALLIC), GENERAL SPECIFICATION FOR | A | 5930 | | CC | 28-SEP-04 |
| A | QPL-W-S-896-45 | SWITCHES, TOGGLE (TOGGLE AND LOCK), FLUSH MOUNTED (GENERAL SPECIFICATION) | A | 5930 | / | CC | 13-JUL-05 |
| | W-S-896F(1) | SWITCHES, TOGGLE (TOGGLE AND LOCK), FLUSH MOUNTED (GENERAL SPECIFICATION)[CUST: AT YD 11 CC] | A | 5930 | / | CC | 18-APR-01 |
| | W-S-896/2E | SWITCHES, TOGGLE AND LOCK, FLUSH MOUNTED (AC) (DETAIL SPECIFICATION)[CUST: CR YD 11 CC] | A | 5930 | / | CC | 18-APR-01 |
| | QPL-5594-12 | SWITCHES, TOGGLE, ELECTRIICALLY HELD SEALED, GENERAL SPECIFICATION FOR | A | 5930 | | AS | 14-JAN-98 |
| | MIL-DTL-3950G | SWITCHES, TOGGLE, ENVIRONMENTALLY SEALED GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV MC MI] | A | 5930 | | CC | 17-DEC-03 |
| A | QPL-3950-26 | SWITCHES, TOGGLE, ENVIRONMENTALLY SEALED, GENERAL SPECIFICATION FOR | A | 5930 | | CC | 27-SEP-05 |
| | MIL-DTL-9419/2E | SWITCHES, TOGGLE, FOUR POSITION ON, MOMENTARY, CENTER OFF (.600 DIA)[CUST: EC 11 CC] [REVIEW: 99] | A | 5930 | | CC | 25-APR-03 |
| | MIL-DTL-83731/10D | SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, DOUBLE POLE[CUST: CR 11 CC] [REVIEW: 99 AR] | A | 5930 | | CC | 28-JAN-03 |
| | MIL-DTL-83731/9D | SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, SINGLE POLE[CUST: CR 11 CC] [REVIEW: 99 AR] | A | 5930 | | CC | 28-JAN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-83731/12D | SWITCHES, TOGGLE, MINIATURE, LEVER-LOCK, DOUBLE POLE, UNSEALED[CUST: CR 11 CC] [REVIEW: 99 AR] | A | 5930 | | CC | 28-JAN-03 |
| | MIL-DTL-83731/11D | SWITCHES, TOGGLE, MINIATURE, LEVER-LOCK, SINGLE POLE, UNSEALED[CUST: CR 11 CC] [REVIEW: 99 AR] | A | 5930 | | CC | 28-JAN-03 |
| | MIL-DTL-83731/16C | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (HORIZONTAL) PCB MOUNT, DOUBLE POLE, LEVER SEAL, FLUX SEAL[CUST: CR 11 CC] [REVIEW: 99 AR] | A | 5930 | | CC | 28-JAN-03 |
| | MIL-DTL-83731/15C | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (HORIZONTAL) PCB MOUNT, SINGLE POLE, LEVER SEAL, FLUX SEAL[CUST: CR 11 CC] [REVIEW: 99 AR] | A | 5930 | | CC | 28-JAN-03 |
| | MIL-DTL-83731/14C | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (VERTICAL) PCB MOUNT, DOUBLE POLE, LEVER SEAL, FLUX SEAL[CUST: CR 11 CC] [REVIEW: 99 AR] | A | 5930 | | CC | 28-JAN-03 |
| | MIL-DTL-83731/13C | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (VERTICAL) PCB MOUNT, SINGLE POLE, LEVER SEAL, FLUX SEAL[CUST: CR 11 CC] [REVIEW: 99 AR] | A | 5930 | | CC | 28-JAN-03 |
| | MIL-DTL-8834/1A | SWITCHES, TOGGLE, POSITIVE BREAK, FOUR POLE, MINIATURE, SEALED, SOLDER LUG, WITH OR WITHOUT LEVER LOCK, .469 OR .250 INCH MOUNTING BUSHING[CUST: 11 CC] [REVIEW: 99] | A | 5930 | | CC | 18-APR-02 |
| M | QPL-8834-20 | SWITCHES, TOGGLE, POSITIVE BREAK, GENERAL SPECIFICATION FOR | A | 5930 | | CC | 29-MAR-06 |
| | MIL-DTL-8834H | SWITCHES, TOGGLE, POSITIVE BREAK, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR AT EC MC MI] | A | 5930 | | CC | 07-JAN-05 |
| | MS21434B NOT 3 | SWITCHES, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, DOUBLE POLE, PRINTED CIRCUIT BOARD TERMINALS, RIGHT ANGLE MOUNT[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV EC MI] | A | 5930 | | CC | 03-MAR-05 |
| | MIL-DTL-3950/14A | SWITCHES, TOGGLE, ROCKER ACTUATED, ONE POLE, TWO POLE, FOUR POLE, ENVIRONMENTALLY SEALED, FLUSH AND SUB-PANEL MOUNTING[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 25-APR-03 |
| A | MS25126L | SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 15-DEC-05 |
| A | MS25125L | SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 15-DEC-05 |
| | QPL-83731-20 | SWITCHES, TOGGLE, UNSEALED AND SEALED, GENERAL SPECIFICATION FOR | A | 5930 | | CC | 28-FEB-05 |
| | MIL-DTL-83731C SUP 1 | SWITCHES, TOGGLE, UNSEALED AND SEALED, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: AR AV EC MC MI] | A | 5930 | | CC | 30-MAR-04 |
| | MIL-PRF-8805/93D(1) | SWITCHES, TOGGLE, UNSEALED, 7.0 AMPERES[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC] | A | 5930 | | CC | 15-MAY-03 |
| | QPL-13735-12 | SWITCHES, TOGGLE: 28 VOLT DC | A | 5930 | | CC | 03-AUG-04 |
| A | MIL-DTL-13735F | SWITCHES, TOGGLE: 28 VOLT DC[CUST: AT CC] [REVIEW: AR EA MI] | A | 5930 | | CC | 21-DEC-05 |
| | MIL-DTL-55041D NOT 1 | SWITCHES, WAVEGUIDE, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AS AV MC MI NS OS SH SM] | A | 5985 | | CC | 08-DEC-04 |
| | ANSI-C37.121 | SWITCHGEAR - UNIT SUBSTATIONS - REQUIREMENTS FOR[CUST: CR4 YD 99] [REVIEW: GS] | A | 6110 | | YD | 05-JUN-89 |
| | IEC60947-4-1 | SWITCHGEAR AND CONTROLGEAR, LOW-VOLTAGE, PART 4-1: CONTACTORS AND MOTOR STARTERS ELECTROMECHANICAL CONTACTORS AND MOTOR STARTERS[CUST: YD] | A | FACR | | YD | 29-JUN-04 |
| | MIL-HDBK-1004/3(1) | SWITCHGEAR AND RELAYING[CUST: YD] | A | FACR | | YD | 30-DEC-91 |
| | IEEE-C37.20 | SWITCHGEAR, ASSEMBLIES, INCLUDING METAL ENCLOSED BUS STANDARD FOR[CUST: YD] [REVIEW: GS] | A | 6110 | | YD | 18-JUN-86 |
| | IEEE-C37.20.1 | SWITCHGEAR, CIRCUIT-BREAKER, LOW-VOLTAGE POWER, METAL ENCLOSED STANDARD FOR[CUST: YD] [REVIEW: GS] | A | 6110 | | YD | 24-MAY-89 |
| | IEEE-C37.20.2 | SWITCHGEAR, CUBICLE, METAL-CLAD AND STATION TYPE STANDARD FOR[CUST: YD] [REVIEW: GS] | A | 6110 | | YD | 24-MAY-89 |
| | IEEE-C37.20.3 | SWITCHGEAR, INTERRUPTER, METAL-ENCLOSED STANDARD FOR[CUST: YD] [REVIEW: GS] | A | 6110 | | YD | 24-MAY-89 |
| A | MIL-DTL-16036L | SWITCHGEAR, POWER, LOW VOLTAGE, NAVAL SHIPBOARD[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 27-JAN-06 |
| | MIL-STD-1657A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION, REQUIREMENTS FOR[Design Criteria Standard][CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/4A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MTD (PLUG CON TYPE V)[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/3A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK-MOUNTED (PLUG CONNECTED) TYPE 1V[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/2A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MOUNTED (TERMINAL BOARD CONNECTED) TYPE III[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/7A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, DIGITAL SWITCHING (PLUG CONNECTED), TYPE VIII[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/11 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MOUNTED (TERMINAL BOARD CONNECTED) TYPE XI[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/8A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SUBMARINE, TYPE 1X[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/10 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED (TERMINAL BOARD CONNECTED) TYPE X[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/5A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, TWO SEPARATE SECTIONS (TERMINAL BOARD & PLUG CONNECTED, TYPE VI[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/9A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION CONTROL INDICATOR[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/12 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SUBMARINE DECK MOUNTED (PLUG CONNECTED) TYPE XII[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/1A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL AND INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK-MOUNTED (TERMINAL BOARD CONNECTED), TYPE II[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | QPL-17000-39 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL, AND INTERIOR COMMUNICATION, GENERAL SPECIFICATION FOR | A | 1290 | | SH | 23-JUN-98 |
| | MIL-S-17000N SUP 1 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL, AND INTERIOR COMMUNICATION GENERAL SPECIFICATION FOR[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-17000/6A | SWITCHING EQUIPMENT, COMBAT SYSTEMS, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, POWER DISTRIBUTION (TERMINAL BOARD CONNECTED), TYPE V11[CUST: SH] | A | 1290 | | SH | 02-MAY-83 |
| | MIL-S-85673 | SWITCHING UNIT SA-2498/ARC[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 07-JUL-87 |
| | MIL-S-19206E | SWORD AND SCABBARD (NONCOMMISSIONED OFFICERS)[CUST: MC] | A | 8465 | | MC | 20-SEP-94 |
| | MIL-DTL-28921B | SWORD AND SCABBARD - (OFFICER' S) WITH CASE[CUST: MC] | A | 8465 | | MC | 16-OCT-97 |
| | DI-MISC-81459 | SYLLABUS [AMSC: F7113] | A | MISC | | 11 | 23-JAN-95 |
| | MIL-S-70692(1) NOT 2 | SYM-BETA-NAPHTHYLPARAPHENYLENEDIAMINE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 02-DEC-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ABCA-STD-30C(1) | SYMBOL FOR NAVAL ARCHITECTURE FOR USE IN TECHNICAL WRITING | C | ISDN | | SH | 15-OCT-82 |
| | STANAG-3109 ED.5(6) | SYMBOL MARKING OF AIRCRAFT SERVICING AND SAFETY/HAZARD POINTS | C | ISDF | | 06 | 14-OCT-98 |
| | ASME-Y14.36 | SYMBOL, SURFACE TEXTURE[CUST: AR SA 11] [REVIEW: 71 AS] | A | DRPR | | AR | 27-JAN-78 |
| | STANAG-4050 ED.2 | SYMBOLS DESIGNATING FUNCTION OF CONTROLS IN MILITARY VEHICLES | C | ISDA | | AI | PENDING |
| | MIL-STD-1477C NOT 1 | SYMBOLS FOR ARMY SYSTEM DISPLAYS (METRIC)[Interface Standard][CUST: MI] [REVIEW: AV CE CR MD1 TE] | A | HFAC | | MI | 02-DEC-02 |
| | STANAG-3833 ED.3(2) | SYMBOLS FOR USE ON MAPS OF TRAINING AREAS FOR LAND FORCES | C | ISDF | | 06 | 16-JAN-98 |
| | QSTAG-1183 ED.1 | SYMBOLS FOR USE ON MAPS OF TRAINING AREAS FOR LAND FORCES[CUST: AI] | C | ISDA | | AI | 31-MAY-00 |
| | STANAG-3675 ED.2(2) | SYMBOLS ON LAND MAPS, AERONAUTICAL CHARTS AND SPECIAL NAVAL CHARTS | C | ISDF | | 06 | 15-JUN-00 |
| | MIL-HDBK-1271 | SYMBOLS TO SUPPLEMENT THE TEXT OF INSTRUCTION PLATES FOR MILITARY VEHICLES[CUST: AT] [REVIEW: CR4] | A | 2320 | | AT | 10-APR-98 |
| | SAE-AS1290 | SYMBOLS, GRAPHIC, FOR AIRCRAFT HYDRAULIC AND PNEUMATIC SYSTEMS[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 1650 | | AS | MAY-86 |
| | ASTM-F856 | SYMBOLS, MECHANICAL, SHIPBOARD-HEATING, VENTILATION, AND AIR CONDITIONING (HVAC)[CUST: AR SH] [REVIEW: CR TM] | A | DRPR | | SH | AUG-93 |
| | DI-SAFT-81134 | SYMPATHETIC DENTONATION TEST DATA [AMSC: N6034] | A | SAFT | | OS | 08-MAR-91 |
| | STANAG-4396 ED.2 | SYMPATHETIC REACTION, MUNITION TEST PROCEDURES | C | ISDA | | AI | 15-APR-03 |
| | MIL-S-20708/139(2) | SYNCHRO CONTROL TRANSMITTER, TYPE 31CX6A[CUST: AS CC] [REVIEW: CG MC OS SH] | A | 5990 | | AS | 09-SEP-92 |
| | MIL-S-20708/94B(2) NOT 2 | SYNCHRO, 60 AND 400 HZ, SIZE 23[CUST: AR AS CC] [REVIEW: AT CR CR4 MI] | A | 5990 | | AS | 15-OCT-03 |
| | SAE-AS20708/81 | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 11CDX4B[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/16 | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 15CDX4D[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/22 | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 15CDX6C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/30 | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 18CDX4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/36 | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 18CDX6D[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/47 | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 23CDX4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/54 | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 23CDX6C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/80 | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 26V-08CDX4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/9 | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 26V-11CDX4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/1 | SYNCHRO, CONTROL TRANSFORMER, TYPE 11CT4E[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/15 | SYNCHRO, CONTROL TRANSFORMER, TYPE 15CT4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/21 | SYNCHRO, CONTROL TRANSFORMER, TYPE 15CT6D[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | MIL-S-20708/25A NOT 1 | SYNCHRO, CONTROL TRANSFORMER, TYPE 16CTB4B[CUST: AS CC] [REVIEW: 99 OS] | A | 5990 | | AS | 15-SEP-87 |
| | SAE-AS20708/29 | SYNCHRO, CONTROL TRANSFORMER, TYPE 18CT4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/34 | SYNCHRO, CONTROL TRANSFORMER, TYPE 18CT6D[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | MIL-S-20708/39A NOT 1 | SYNCHRO, CONTROL TRANSFORMER, TYPE 19CTB4B[CUST: AS CC] [REVIEW: 99 OS] | A | 5990 | | AS | 15-SEP-87 |
| | SAE-AS20708/46 | SYNCHRO, CONTROL TRANSFORMER, TYPE 23CT4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/53 | SYNCHRO, CONTROL TRANSFORMER, TYPE 23CT6D[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/79 | SYNCHRO, CONTROL TRANSFORMER, TYPE 26V-08CT4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/7 | SYNCHRO, CONTROL TRANSFORMER, TYPE 26V-11CT4D[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/2 | SYNCHRO, CONTROL TRANSMITTER, TYPE 11CX4E[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/14 | SYNCHRO, CONTROL TRANSMITTER, TYPE 15CX4D[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/131 | SYNCHRO, CONTROL TRANSMITTER, TYPE 15CX4F[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/20 | SYNCHRO, CONTROL TRANSMITTER, TYPE 15CX6C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/28 | SYNCHRO, CONTROL TRANSMITTER, TYPE 18CX4D[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/33 | SYNCHRO, CONTROL TRANSMITTER, TYPE 18CX6C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/45 | SYNCHRO, CONTROL TRANSMITTER, TYPE 23CX4D[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/52 | SYNCHRO, CONTROL TRANSMITTER, TYPE 23CX6D[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/78 | SYNCHRO, CONTROL TRANSMITTER, TYPE 26V-08CX4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/8 | SYNCHRO, CONTROL TRANSMITTER, TYPE 26V-11CX4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/49 | SYNCHRO, DIFFERENTIAL RECEIVER, TYPE 23TDR4B[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/67 | SYNCHRO, TORQUE DIFFERENTIAL RECEIVER, TYPE 31TDR6B[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/17 | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 15TDX4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/31 | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 18TDX4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/48 | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 23TDX4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/55 | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 23TDX6C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/76 | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 37TDX6A[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/19 | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 15TRX4A[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/23 | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 15TRX6A[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/32 | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 18TRX4A[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/35 | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 18TRX6B[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/50 | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 23TRX4A[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/56 | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 23TRX6B[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/62 | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 31TRX4A[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/66 | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 31TRX6A[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/70 | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 37TRX4A[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/74 | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 37TRX6A[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/3 | SYNCHRO, TORQUE RECEIVER, TYPE 11TR4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/500 | SYNCHRO, TORQUE RECEIVER, TYPE 26V-10TR4[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS20708/5 | SYNCHRO, TORQUE RECEIVER, TYPE 26V-11TR4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/4 | SYNCHRO, TORQUE TRANSMITTER, TYPE 11TX4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | SAE-AS20708/6 | SYNCHRO, TORQUE TRANSMITTER, TYPE 26V-11TX4C[CUST: AR AS 11] | A | 5990 | | AS | JUL-99 |
| | MIL-S-24188 | SYNCHRONIZING CONTROL EQUIPMENT, 60 CYCLES, 450 VOLTS, NAVAL SHIPBOARD[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 01-DEC-65 |
| | MIL-HDBK-225A | SYNCHROS DESCRIPTION AND OPERATION[CUST: AR AS 11] [REVIEW: CC MI OS] | A | 5990 | | AS | 25-MAR-91 |
| | MIL-STD-710D | SYNCHROS, 60 AND 400 HZ, SELECTION AND APPLICATION OF[Military Standard][CUST: AR AS 11] [REVIEW: 99 CC CG CR4 EC MC OS] | A | 5990 | | AS | 25-MAR-91 |
| | QPL-AS20708-1 | SYNCHROS, GENERAL SPECIFICATION FOR | A | 5990 | | AS | 07-NOV-03 |
| | SAE-AS20708 | SYNCHROS, GENERAL SPECIFICATION FOR[CUST: AR AS 11] | A | 5990 | | AS | AUG-99 |
| | MIL-S-16104B(1) | SYNCHROSCOPE[CUST: CR SH] [REVIEW: AS CR4 MC] | A | 6625 | | SH | 18-MAY-90 |
| | MIL-S-24154A(2) | SYNTACTIC BUOYANCY MATERIAL FOR HIGH HYDROSTATIC PRESSURES[CUST: SH] [REVIEW: GS] | A | 9330 | | SH | 06-FEB-91 |
| | A-A-3164 NOT 1 | SYNTHETIC LACQUER, CAMOUFLAGE, EXTERIOR, VOC COMPLAINT[CUST: AV SH 99] [REVIEW: DS] | A | 8010 | * | 99 | 06-OCT-04 |
| | MIL-PRF-2912G | SYNTHETIC RUBBER COMPOUND, ACID AND OIL RESISTANT[CUST: SH] | A | 9320 | | SH | 29-SEP-04 |
| | SAE-AMS3205 | SYNTHETIC RUBBER LOW-TEMPERATURE RESISTANT 45-55[CUST: MR AS 11] | A | 9320 | | AS | 01-JAN-93 |
| | A-A-51514B | SYRINGE AND NEEDLE HYPODERMIC, DISPOSABLE, U-100 INSULIN[CUST: MD MS 03] | A | 6515 | / | MB | 18-MAR-91 |
| | GG-S-945A | SYRINGE AND NEEDLE, DISPOSABLE, HYPODERMIC, STERILE, SINGLE INJECTION. | A | 6515 | # | FSS | 04-DEC-59 |
| | A-A-53644A | SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-94 |
| | A-A-54676 | SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, TUBERCULIN[CUST: MD MS 03] | A | 6515 | / | MB | 19-JUN-92 |
| | A-A-54465 | SYRINGE KIT, DENTAL IMPRESSION AND IRRIGATING[CUST: MD MS 03] | A | 6520 | / | MD | 15-AUG-91 |
| | A-A-54901 | SYRINGE, AIR, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 30-JUL-93 |
| | A-A-53103A | SYRINGE, ASPIRATING[CUST: MD MS 03] | A | 6515 | / | MB | 09-JUL-90 |
| | A-A-54922 | SYRINGE, CARTRIDGE, ASPIRATING[CUST: MD MS 03] | A | 6515 | / | MB | 08-OCT-93 |
| | A-A-53908 | SYRINGE, DENTAL IMPRESSION MATERIAL AND ACCESSORY KIT[CUST: MD MS 03] [REVIEW: CC] | A | 6520 | / | MB | 04-SEP-89 |
| | A-A-54197 | SYRINGE, DENTAL, IMPRESSION MATERIAL[CUST: MD MS 03] | A | 6520 | / | MB | 27-JUN-90 |
| | A-A-51636A | SYRINGE, FLUID DISPENSING, 10 ML (PHARMACEUTICAL)[CUST: MD MS 03] | A | 6515 | / | MB | 05-MAY-87 |
| | A-A-51544 | SYRINGE, FOUNTAIN[CUST: MD MS 03] | A | 6530 | / | MB | 18-JUL-86 |
| | A-A-53446 | SYRINGE, FOUNTAIN[CUST: MD MS 03] | A | 6530 | / | MB | 29-APR-88 |
| | A-A-54828 | SYRINGE, HYPODERMIC, ANGIOGRAPHIC INJECTOR[CUST: MD MS 03] | A | 6515 | / | MB | 12-MAR-93 |
| | A-A-53803B | SYRINGE, HYPODERMIC, GENERAL PURPOSE, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 15-APR-92 |
| | A-A-54840 | SYRINGE, HYPODERMIC, GLASS[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-93 |
| | A-A-54208 | SYRINGE, IRRIGATING (METAL, EAR, 2 OZ)[CUST: MD MS 03] | A | 6515 | / | MB | 18-JUL-90 |
| | A-A-53829 | SYRINGE, IRRIGATING (SURGICAL, BARREL AND PLUNGER TYPE, DISPOSABLE)[CUST: MD MS 03] | A | 6515 | / | MB | 17-FEB-89 |
| | A-A-54865 | SYRINGE, IRRIGATING, BLADDER EVACUATING TOOMEY[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUN-93 |
| | A-A-51508B | SYRINGE, IRRIGATING, BULB TYPE, 3 OZ., DISPOSABLE, 50S[CUST: MD MS 03] | A | 6515 | / | MB | 27-MAR-92 |
| | A-A-54812 | SYRINGE, IRRIGATING, BULB-TYPE[CUST: MD MS 03] | A | 6515 | / | MB | 12-FEB-93 |
| | A-A-54081 | SYRINGE, IRRIGATING, DENTAL, STERILE (DISPOSABLE)[CUST: MD MS 03] | A | 6520 | / | MB | 15-FEB-90 |
| | A-A-54837 | SYRINGE, IRRIGATING, GLASS[CUST: MD MS 03] | A | 6515 | / | MB | 12-APR-93 |
| | A-A-30102A | SYRINGE, IRRIGATING, PLASTIC[CUST: MD MS 03] | A | 6515 | * | MB | 28-JUL-89 |
| | A-A-54088 | SYRINGE, IRRIGATING, SURGICAL, BARREL AND PLUNGER TYPE[CUST: MD MS 03] | A | 6515 | / | MB | 22-MAY-90 |
| | FED-STD-149A | SYRINGE, LUER, INTERCHANGEABLE COMPONENT, DIMENSIONS OF | A | MISC | # | FSS | 03-AUG-61 |
| | GG-S-928B | SYRINGE, METAL[CUST: MD MS 03 MB] | A | 6515 | / | MB | 02-MAY-58 |
| | ISO7886-1 | SYRINGES FOR MANUAL USE STERILE HYPODERMIC SYRINGES FOR SINGLE USE - PART 1[CUST: MD MS 03 MB] | A | 6515 | | MB | 01-OCT-93 |
| | ISO7886-2 | SYRINGES FOR USE WITH POWER-DRIVEN SYRINGE PUMPS, STERILE HYPODERMIC SYRINGES FOR SINGLE USE - PART 2[CUST: MD MS 03 MB] | A | 6515 | | MB | 15-MAY-96 |
| | A-A-54902 | SYRINGES, HYPODERMIC, NEEDLE LOCK, GLASS, 3 ML (CC)[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUL-93 |
| | ISO8537 | SYRINGES, SINGLE USE, STERILE, WITH OR WITHOUT NEEDLE, FOR INSULIN[CUST: MD MS 03] | A | 6515 | | MB | 01-MAY-91 |
| | A-A-20124C | SYRUP[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8925 | / | SS | 26-JAN-01 |
| | DI-MGMT-80469A | SYSTEM ASSESSMENT REPORT (SAR) [AMSC: F4675] | A | MGMT | | 10 | 23-MAR-89 |
| | DI-MISC-81627 | SYSTEM DEFICIENCY REPORT (SDR) DATA [AMSC: N7457] | A | MISC | | SA | 01-AUG-01 |
| | MIL-STD-188-200 | SYSTEM DESIGN & ENGINEERING STANDARDS FOR TACTICAL COMMUNICATIONS[Interface Standard][CUST: CR EC 02] [REVIEW: 11 13 71 AS AV MI NC OM SH TE] | A | TCSS | | CR | 28-JUN-83 |
| | AA45 | SYSTEM DESIGNATION FOR ALUMINUM FINISHES[CUST: MR YD 11] | A | MFFP | | YD | 30-SEP-80 |
| | MIL-HDBK-817 | SYSTEM DEVELOPMENT RADIATION HARDNESS ASSURANCE[CUST: CR EC 19 NA] [REVIEW: 11 99 AR CC MC MI TD] | A | 59GP | | EC | 08-FEB-94 |
| | MIL-HDBK-798 | SYSTEM ENGINEER'S DESIGN FOR DISCARD HANDBOOK[CUST: AR] [REVIEW: AM AT AV CR MI TM] | A | SESS | | AR | 04-FEB-94 |
| | DI-MGMT-81024 | SYSTEM ENGINEERING MANAGEMENT PLAN (SEMP) [AMSC: A4940] | A | MGMT | | AM | 27-AUG-90 |
| | DI-MISC-81303 | SYSTEM FLIGHTS/READINESS STATUS INFORMATION REPORT [AMSC: A6879] | A | MISC | | AM | 28-JAN-93 |
| | STANAG-2028 ED.4(2) | SYSTEM FOR FIELD CABLE OR FIELD WIRE LABELLING | C | ISDA | | AI | 25-SEP-96 |
| | QSTAG-513 | SYSTEM FOR FIELD WIRE LABELLING ABCA 513 | C | ISDA | | AI | 23-FEB-79 |
| | ASTM-D5205 | SYSTEM FOR POLYETHERIMIDE (PEI) MATERIALS[CUST: MR SH 11] [REVIEW: 84 99 AS CG FSS GS] | A | 9330 | | MR | 10-MAR-96 |
| | QAP-45 ED.1 | SYSTEM OF MEDICAL SUPPLY IN THE AREA OF OPERATIONS | C | ISDA | | AI | 26-MAY-88 |
| | DI-MGMT-81232 | SYSTEM PROBLEM REPORT - SPR [AMSC: N6672] | A | MGMT | | AS | 13-AUG-91 |
| A | MIL-STD-882D | SYSTEM SAFETY[Standard Practice][CUST: AV AS 40] [REVIEW: 10 11 13 19 AR AT CR EC MI OH OS SA SH] | A | SAFT | | 40 | 10-FEB-00 |
| | MIL-HDBK-764 | SYSTEM SAFETY ENGINEERING DESIGN GUIDE FOR ARMY MATERIEL[CUST: MI] [REVIEW: AR AT AV CR] | A | SAFT | | MI | 12-JAN-90 |
| | DI-SAFT-80101B | SYSTEM SAFETY HAZARD ANALYSIS REPORT (SSHA) [AMSC: F7138] | A | SAFT | | 10 | 31-JUL-95 |
| | DI-SAFT-81626 | SYSTEM SAFETY PROGRAM PLAN (SSPP) [AMSC: N7456] | A | SAFT | | SA | 01-AUG-01 |
| | DI-SAFT-80105B | SYSTEM SAFETY PROGRAM PROGRESS REPORT (SSPPR) [AMSC: F7142] | A | SAFT | | 10 | 31-JUL-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-HDBK-1785 | SYSTEM SECURITY ENGINEERING PROGRAM MANAGEMENT REQUIREMENTS[CUST: AS 10] [REVIEW: 11 19] | A | MISC | | AS | 01-AUG-95 |
| | ASTM-E1672 | SYSTEM SELECTION, COMPUTED TOMOGRAPHY (CT)[CUST: MR AS 11] | A | NDTI | | AS | 15-JAN-95 |
| | MIL-STD-1808A(1) | SYSTEM SUBSYSTEM SUB-SUBSYSTEM NUMBERING[Interface Standard][CUST: 16] [REVIEW: 10 11 13 19 99] | A | TMSS | | 16 | 08-FEB-02 |
| | SAE-J184 | SYSTEM, ACQUISITION, QUALIFYING A SOUND DATA[CUST: MI AS 11] [REVIEW: 19 AR AT MD TE TM] | A | HFAC | | MI | SEP-70 |
| | ASTM-F2411 | SYSTEM, AN AIRBORNE SENSE-AND-AVOID, DESIGN AND PERFORMANCE OF[CUST: AV AS 11] [REVIEW: 71 99 CG GS GS2] | A | 6340 | | 11 | 23-MAY-05 |
| | NFPA12 | SYSTEM, CARBON DIOXIDE EXTINGUISHING, STANDARD ON[CUST: YD 99] [REVIEW: CE CR4 MC] | A | 4210 | | IS | 24-MAR-89 |
| | ASTM-E308 | SYSTEM, CIE, COMPUTING THE COLORS OF OBJECTS BY USING THE[CUST: MR SH] | A | 8010 | | MR | 30-NOV-90 |
| | NFPA11 | SYSTEM, COMBINED AGENT & LOW EXPANSION FOAM, STANDARD FOR[CUST: YD 99] [REVIEW: CE CR4 MC] | A | 4210 | | IS | 24-MAR-89 |
| | NFPA17 | SYSTEM, DRY CHEMICAL EXTINGUISHING, STANDARD ON[CUST: YD] [REVIEW: CE CR4 MC] | A | 4210 | | IS | 24-MAR-89 |
| | NFPA16 | SYSTEM, SPRAY DELUGE FOAM-WATER SPRINKLER & FOAM-WATER, STANDARD ON[CUST: YD] [REVIEW: CE CR4 MC] | A | 4210 | | IS | 24-MAR-89 |
| | NFPA13 | SYSTEM, SPRINKLER INSTALLATION OF THE, STANDARD FOR[CUST: YD] [REVIEW: CE CR4] | A | 4210 | | IS | 24-MAR-89 |
| | NFPA14 | SYSTEM, STANDPIPE & HOSE INSTALLATION OF THE, STANDADR FOR[CUST: YD 99] [REVIEW: CE CR4 MC] | A | 4210 | | IS | 24-MAR-89 |
| | SAE-J1180 | SYSTEM, TELESCOPIC BOOM LENGTH INDICATING[CUST: AV YD 99] [REVIEW: 84 CC] | A | 3810 | | IS | MAR-77 |
| | DI-CMAN-81314 | SYSTEM/SEGMENT INTERFACE CONTROL SPECIFICATION [AMSC: G6890] | A | SESS | | NS | 25-JAN-93 |
| | DI-IPSC-81432A | SYSTEM/SUBSYSTEM DESIGN DESCRIPTION (SSDD) [AMSC: N7351] | A | IPSC | | SA | 10-AUG-99 |
| | DI-IPSC-81431A | SYSTEM/SUBSYSTEM SPECIFICATION (SSS) [AMSC: N7376] | A | IPSC | | EC | 10-JAN-00 |
| | QSTAG-764 | SYSTEME INTERNATIONAL (SI) UNIT FOR COMBAT DOSIMETRY[CUST: AI] | C | ISDA | | AI | 20-MAR-84 |
| | ISO15288 | SYSTEMS ENGINEERING SYSTEM LIFE CYCLE PROCESSES[CUST: AM AS 10] | A | SESS | | SE | 01-MAY-03 |
| | NFPA50 | SYSTEMS, BULK OXYGEN, AT CONSUMER SITES[CUST: CE YD 04] | A | FACR | | YD | 05-FEB-90 |
| | EIA526.10 | SYSTEMS, DISPERSION POWER PENALTY IN DIGITAL SINGLE-MODE, MEASUREMENT OF[CUST: CR AS 11 CC] | A | 60GP | | CC | 14-MAY-93 |
| | NFPA15 | SYSTEMS, FIXED WATER SPRAY FOR FIRE PROTECTION STANDARD FOR[CUST: YD 99] [REVIEW: CE CR4 MC] | A | 4210 | | IS | 24-MAR-89 |
| | ASTM-D3309 | SYSTEMS, HOT- AND COLD-WATER DISTRIBUTION, POLYBUTYLENE (PB) PLASTIC[CUST: CR4 YD 99] | A | 4710 | | CC | 10-MAR-96 |
| | SAE-HIR1415 | SYSTEMS, HYDRAULIC, FOR SUBMERSIBLE VEHICLES, DESIGN GUIDE FOR[CUST: CR4 SH] [REVIEW: GS OS] | A | 9150 | | SH | SEPT-85 |
| | MIL-PRF-38039C | SYSTEMS, ILLUMINATED, WARNING, CAUTION, AND ADVISORY, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 6340 | | 71 | 11-MAY-98 |
| | ANSI-Z9.2 | SYSTEMS, LOCAL EXHAUST, FUNDAMENTALS GOVERNING THE DESIGN AND OPERATION OF[CUST: CR4 YD 99] | A | 4140 | | IS | 29-MAR-79 |
| | ANSI-Z359.1 | SYSTEMS, SUBSYSTEMS AND COMPONENTS, PERSONAL FALL ARREST, AMERICAN NATIONAL STANDARD SAFETY REQUIREMENTS FOR[CUST: EA SH 99] [REVIEW: GS] | A | 4240 | | SH | 04-JUN-92 |
| | A-A-55069 | T-SHIRT, ATHLETE'S PHYSICAL FITNESS UNIFORM (PFU)[CUST: GL CT] | A | 8415 | / | CT | 17-JUL-92 |
| | A-A-55275 | T-SHIRT, PHYSICAL CONDITIONING UNIFORM[CUST: 11 CT] | A | 8415 | / | CT | 04-MAY-95 |
| | ASME-B5.1M | T-SLOTS, THEIR BOLTS, NUTS, AND TONGUES[CUST: AR SH 99 GS6] [REVIEW: CR4 GL] | A | 34GP | | GS6 | 12-DEC-85 |
| | A-A-50227 NOT 2 | T-SQUARES (METAL, WOOD, AND PLASTIC)[CUST: CE 99 IS] [REVIEW: 71 MC] | A | 6675 | / | IS | 27-SEP-01 |
| | A-A-51268 | TAB, DENTAL BITEWING[CUST: MD MS 03] | A | 6525 | / | MB | 09-DEC-85 |
| | A-A-2959 | TAB, SIGNAL, STEEL | A | 7510 | # | FSS | 03-OCT-95 |
| | MIL-T-36522B | TABLE, ANESTHETIST S[CUST: MD MS 03] | A | 6530 | | MB | 26-AUG-76 |
| | A-A-54214 | TABLE, ANESTHETIST'S[CUST: MD MS 03] | A | 6530 | / | MB | 31-JUL-90 |
| | A-A-54830 | TABLE, AUTOPSY[CUST: MD MS 03] | A | 6530 | / | MB | 19-MAR-93 |
| | A-A-59128 | TABLE, DINING, 4-SEAT CAPACITY[CUST: GL MC 99] [REVIEW: 84] | A | 7105 | * | GL | 02-OCT-97 |
| | MIL-T-43641 NOT 1 | TABLE, EMBALMING, MORTUARY[CUST: GL MS 34] | A | 9930 | | DM | 12-FEB-88 |
| | A-A-54255A | TABLE, EXAMINING AND TREATMENT (STEEL, CABINET TYPE)[CUST: MD MS 03] | A | 6530 | / | MB | 31-MAY-94 |
| | A-A-54285 | TABLE, EXERCISER, PHYSICAL THERAPY[CUST: MD MS 03] | A | 6530 | / | MB | 23-NOV-90 |
| | A-A-50133 | TABLE, FIBERGLASS, BANANA DISPLAY, PEDESTAL MOUNTED[CUST: GL] | A | 7195 | / | GL | 28-SEP-87 |
| | A-A-52205 | TABLE, FOLDING LEGS[CUST: GL 99] [REVIEW: 84 CE1 GS MC] | A | 7105 | * | GL | 11-JUL-96 |
| | MIL-T-36072C | TABLE, FOLDING LEGS, LABORATORY[CUST: MD MS 03] [REVIEW: GL] | A | 7105 | | MB | 15-JUN-89 |
| | AA-T-2753 | TABLE, FOLDING, STEEL TUBE (ADVANCE BASE)[CUST: YD 99] [REVIEW: 84 GL] | A | 7105 | / | IS | 30-APR-91 |
| | MIL-T-2211E | TABLE, LAUNDRY, FOLDING, 3 BY 8 FEET[CUST: GL 99 IS] [REVIEW: CR4 MC YD] | A | 3510 | | IS | 21-JUN-73 |
| | A-A-50101A NOT 1 | TABLE, MERCHANDISE DISPLAY[CUST: GL IS] [REVIEW: TM2] | A | 7195 | / | IS | 11-DEC-02 |
| | MIL-T-37637A | TABLE, OPERATING, FIELD[CUST: MD MS 03] | A | 6530 | | MB | 01-OCT-90 |
| | A-A-54987 | TABLE, OPERATING, HOSPITAL (PEDESTAL)[CUST: MD MS 03] | A | 6530 | / | MB | 14-OCT-94 |
| | A-A-51987A | TABLE, OPERATING, ORTHOPEDIC (HAND)[CUST: MD MS 03] | A | 6530 | / | MB | 04-JUN-93 |
| | A-A-51868 | TABLE, OPHTHALMIC INSTRUMENT, ADJUSTABLE[CUST: MD MS 03] | A | 6540 | | MB | 20-MAR-87 |
| | MIL-T-36022B NOT 1 | TABLE, OPHTHALMIC LABORATORY[CUST: MD MS 03] | A | 6540 | | MB | 30-AUG-90 |
| | A-A-51052A | TABLE, OVERBED MOBILE[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAY-89 |
| | MIL-T-43150C(1) | TABLE, PARACHUTE PACKING[CUST: GL AS 99 IS] [REVIEW: 84 CR4 MC] | A | 7195 | | IS | 24-APR-92 |
| | A-A-50078 | TABLE, PRODUCE DISPLAY, PEDESTAL MOUNTED[CUST: GL] | A | 7195 | / | GL | 16-SEP-86 |
| | A-A-59143 NOT 1 | TABLE, SHADOW, PARACHUTE CANOPY INSPECTION[CUST: GL2 AS 99] [REVIEW: 82 AV GS MC] | A | 1670 | / | GL2 | 11-JUN-02 |
| | MIL-T-36202B | TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING[CUST: MD MS 03] | A | 6530 | | MB | 18-AUG-77 |
| | A-A-51448A | TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING ANGULAR-TOP[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAY-89 |
| | A-A-51449A | TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING STRAIGHT-TOP[CUST: MD MS 03] | A | 6530 | / | MB | 24-MAR-89 |
| | MIL-T-37240 | TABLE, SURGICAL INSTRUMENT, AND SURGICAL DRESSING[CUST: MD MS 03] | A | 6530 | | MB | 04-AUG-89 |
| | A-A-53124A | TABLE, TREATMENT[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-88 |
| | A-A-53498 | TABLE, TREATMENT[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-88 |
| | A-A-51984 | TABLE, TREATMENT[CUST: MD MS 03] | A | 6530 | | MB | 26-JUN-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| M | A-A-59348A | TABLE, WELDING[CUST: GS6] | A | 3436 | / | GS6 | 16-MAR-06 |
| | AA-T-00112A(1) | TABLE, WOOD, GENERAL OFFICE | A | 7110 | # | FSS | 16-AUG-76 |
| | A-A-59102 | TABLES, ALUMINUM, GENERAL PURPOSE[CUST: GL YD 99] [REVIEW: 84 CG MC QM1] | A | 7195 | / | GL | 12-MAY-97 |
| | MIL-T-82049C(2) | TABLES, HOT FOOD, ELECTRIC, MOBILE[CUST: GL SA 99] [REVIEW: 03 CE GS MD MS] | A | 7310 | | SA | 30-NOV-88 |
| | ASTM-E490 | TABLES, IRRADIANCE, SOLAR CONSTANT AND ZERO AIR MASS SOLAR SPECTRAL[CUST: CR AS 11] [REVIEW: GS] | A | 6660 | | 11 | 10-MAY-00 |
| | MIL-PRF-32038/14 | TABLES, LOUNGE, TYPES 1-7[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | A-A-2009E | TABLES, OFFICE (CONTEMPORARY STYLE) | A | 7110 | # | FSS | 21-MAR-02 |
| | A-A-2080D | TABLES, OFFICE (TRADITIONAL STYLE) | A | 7110 | # | FSS | 02-FEB-94 |
| | MIL-PRF-32038/9 | TABLES, RECREATION AND WORK, TYPES 1-10[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | MIL-PRF-32038/10 | TABLES, SERVING, TYPES 1 AND 2[CUST: AV SH 99] | A | 2090 | | SH | 23-JUL-99 |
| | AA-T-112(I3) | TABLES, WOOD, GENERAL OFFICE [REVIEW: GL] | A | 7110 | % | FSS | 10-JUN-66 |
| | AA-T-112 | TABLES, WOOD, GENERAL OFFICE | A | 7110 | # | FSS | 25-JUL-55 |
| | A-A-52119 | TABLET, CHLORINE, FLOCCULATING, EMERGENCY WATER PURIFICATION[CUST: GL MC 68] [REVIEW: 50 EA GS MD QM SH SS] | A | 6850 | / | GL | 11-DEC-92 |
| | MIL-T-22821C | TACHOMETER GENERATOR, AC; GENERAL SPECIFICATION FOR[CUST: AR AS] [REVIEW: 99 CC CG GS MC] | A | 6680 | | AS | 28-NOV-90 |
| | MIL-T-22821/1B | TACHOMETER GENERATOR, TYPE 15IH4A (HEAT COMPENSATED)[CUST: AR AS] [REVIEW: 99 CC CG GS MC] | A | 6680 | | AS | 28-NOV-90 |
| | MIL-T-22821/2C | TACHOMETER GENERATOR, TYPE 15RG4A[CUST: AR AS] [REVIEW: 99 CC CG GS MC] | A | 6680 | | AS | 28-NOV-90 |
| | A-A-59734 | TACHOMETER, VIBRATING REED[CUST: SH 99] [REVIEW: 03 33 71 AS GS GS1 NIH] | A | 6680 | / | SH | 09-AUG-02 |
| | ASTM-F2046 | TACHOMETERS, VARIOUS[CUST: SH] [REVIEW: GS] | A | 6680 | | SH | 09-AUG-02 |
| | MS90722A | TACK[CUST: AR YD 99 IS] [REVIEW: 71 GL MC SA] | A | 5315 | | IS | 25-JAN-88 |
| | A-A-2699 | TACKER, STAPLE, (COMPRESSION TYPE, MANUALLY-OPERATED)[CUST: 99] [REVIEW: 84 GL] | A | 5120 | * | 99 | 01-APR-91 |
| | AIR-STD-45/7A | TACTICAL AIR PROCEDURES AIR INTERDICTION OPERATIONS | C | ISDF | | 06 | 16-DEC-86 |
| | AIR-STD-45/8A | TACTICAL AIR PROCEDURES TACTICAL AIR SUPPORT OF AMPHIBIOUS OPERATIONS | C | ISDF | | 06 | 16-DEC-86 |
| | AIR-STD-45/17 | TACTICAL AIR SUPPORT FOR MARITIME OPERATIONS (TASMO) | C | ISDF | | 06 | 01-MAR-99 |
| | STANAG-3703 ED.7(2) | TACTICAL AIR SUPPORT FOR MARITIME OPERATIONS (TASMO) - ATP-34(B) | C | ISDF | | 06 | 17-OCT-95 |
| | QSTAG-703 ED.1 | TACTICAL APPROACH AND DEPARTURE AT FIELD SITES[CUST: AI] | C | ISDA | | AI | 19-APR-94 |
| A | MIL-STD-2045-44500(2) NOT 3 | TACTICAL COMMUNICATIONS PROTOCOL 2 (TACO2) FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD[Interface Standard][CUST: CR OM 02 DH] [REVIEW: 11 13 AC CG CH DI EC IR MA MC ND NS PT SE TD] | A | GINT | | MP | 31-MAR-04 |
| | STANAG-5514 ED.2 | TACTICAL DATA BROADCASTING - LINK 14 | C | ISDA | | AI | PENDING |
| A | MIL-STD-6011C NOT 1 | TACTICAL DATA LINK (TDL) 11/11B MESSAGE STANDARD[Interface Standard][CUST: CR OM 02] [REVIEW: 93 MC MI NS] | A | INST | | DC2 | 08-FEB-06 |
| A | MIL-STD-6016C(1) | TACTICAL DATA LINK (TDL) 16 MESSAGE STANDARD[Interface Standard][CUST: CR OM 02] [REVIEW: 93 MC MI NS] | D | INST | | DC2 | 28-MAR-05 |
| | QSTAG-573 ED.3 | TACTICAL HAND AND ARM SIGNALS FOR THE CONTROL OF AFVS[CUST: AI] | C | ISDA | | AI | 17-DEC-96 |
| | QAP-43 ED.1 | TACTICAL INTERVISIBILITY TERRAIN CLASSIFICATION STUDY VOL IV - TERRAIN CLASSIFICATION AND INTERVISIBILITY DATA | C | ISDA | | AI | 03-DEC-86 |
| M | MIL-PRF-89049/14A | TACTICAL OCEAN DATA LEVEL (TOD4)[CUST: NO] | F | GINT | | MP | 15-DEC-05 |
| M | MIL-PRF-89049/10A | TACTICAL OCEAN DATA LEVEL 0 (TOD0)[CUST: NO] | A | GINT | | MP | 15-DEC-05 |
| M | MIL-PRF-89049/11A | TACTICAL OCEAN DATA LEVEL 1 (TOD1)[CUST: NO] | F | GINT | | MP | 15-DEC-05 |
| M | MIL-PRF-89049/12A | TACTICAL OCEAN DATA LEVEL 2 (TOD2)[CUST: NO] | F | GINT | | MP | 15-DEC-06 |
| N | MIL-PRF-89049/13 | TACTICAL OCEAN DATA LEVEL 3 (TOD3)[CUST: NO] | F | GINT | | MP | 15-DEC-05 |
| | MIL-T-89101 NOT 1 | TACTICAL PILOTAGE CHARTS (TPC)[CUST: MP] | A | GINT | | MP | 31-MAR-04 |
| | MIL-T-89304(1) NOT 1 | TACTICAL TERRAIN ANALYSIS DATA BASE (TTADB) SCALE 1:50,000[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | ATP-63 | TACTICS, TECHNIQUES AND PROCEDURES FOR CLOSE AIR SUPPORT OPERATIONS | C | ISDA | | AI | 01-JUN-99 |
| | STANAG-7144 ED.1(1) | TACTICS, TECHNIQUES AND PROCEDURES FOR CLOSE AIR SUPPORT OPERATIONS - ATP-63 (AJP-3.3.2.1) (INCLUDING AMENDMENT 1) | C | ISDF | | 06 | 05-OCT-99 |
| | MIL-T-14643C NOT 3 | TAG, IDENTIFICATION, INDIVIDUAL, PLASTIC, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT] | A | 8455 | | IH | 21-JUL-01 |
| | A-A-55305 | TAG, IDENTIFICATION, PERSONNEL[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8465 | / | CT | 27-JAN-97 |
| | A-A-54109 | TAG, TISSUE SPECIMEN[CUST: MD MS 03] | A | 6640 | / | MB | 26-FEB-90 |
| | A-A-52015 | TAGLINES, CRANE, SPRING-LOADED, REEL TYPE[CUST: AT 99] [REVIEW: CC CE] | A | 3815 | / | AT | 09-JAN-90 |
| | A-A-59622 | TAGS, SHIPPING AND STOCK[CUST: AR SA 11] [REVIEW: 03 AS CC CG DH FGI GL MI MP SM] | A | 8135 | / | AR | 07-NOV-01 |
| | A-A-59303 NOT 1 | TALC, TECHNICAL[CUST: EA 68] [REVIEW: MD1] | A | 6810 | / | GS3 | 21-JAN-05 |
| | U-T-30C(I1) | TALCUM POWDER | A | 8510 | # | FSS | 19-MAY-77 |
| | C-T-91C | TALLOW, INEDIBLE | A | 9160 | # | FSS | 18-NOV-68 |
| | A-A-50499A NOT 1 | TAMPER, VIBRATING PLATE TYPE, GASOLINE AND DIESEL ENGINE DRIVEN[CUST: YD] | A | 3895 | / | IS | 27-SEP-01 |
| | MIL-PRF-40136K | TANK AND PUMP UNIT, FUEL DISPENSING, FOR TRUCK MOUNTING, AND SINGLE TANK UNIT, FUEL DISPENSING, 525-GALLON, TRAILER MOUNTED[CUST: AT 99] [REVIEW: CC] | A | 4930 | | AT | 10-FEB-99 |
| | MIL-PRF-38266D | TANK AND PUMP UNIT, LIQUID DISPENSING, PORTABLE, PMU-29/E[CUST: AS 99] [REVIEW: YD] | A | 4930 | | 84 | 01-OCT-97 |
| | ITOP-3.2.506.2 | TANK CANNON AND RECOIL MECHANISM (U) | D | ISDA | | TE | 23-OCT-92 |
| | ITOP-3.2.605 | TANK SYSTEM ACCURACY/REFERENCE FIRING (U) | D | ISDA | | TE | 23-OCT-92 |
| | NFPA385 | TANK VEHICLES FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS[CUST: AT YD 99] [REVIEW: 84] | A | 2320 | | YD | 05-FEB-90 |
| | MIL-T-62222 NOT 2 | TANK, COMBAT, FULL-TRACKED: 105MM GUN, M48A5[CUST: AT] | A | 2350 | | AT | 13-OCT-00 |
| | API-SPEC-12D | TANK, FIELD WELDED, FOR STORAGE OF PRODUCTION LIQUIDS, API SPECIFICATION FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CC] | A | 5430 | | IS | 26-MAY-88 |
| | MIL-T-18847C NOT 2 | TANK, FUEL, AIRCRAFT, AUXILIARY EXTERNAL, DESIGN AND INSTALLATION OF[CUST: AS] | A | 4930 | | AS | 18-JAN-05 |
| | MIL-T-5578C(5) | TANK, FUEL, AIRCRAFT, SELF-SEALING[CUST: AV AS] [REVIEW: 99 GS] | A | 1560 | | AS | 26-JUL-83 |
| | MIL-DTL-27422C | TANK, FUEL, CRASH-RESISTANT, BALLISTIC-TOLERANT, AIRCRAFT[CUST: AV AS] [REVIEW: GS] | A | 1560 | | AV | 14-JAN-02 |
| | MIL-PRF-14442E NOT 1 | TANK, FUEL, ENGINE: NONMETALLIC, NON-SELF SEALING, FOR MILITARY VEHICLES[CUST: AT] | A | 2910 | | AT | 20-APR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | API-STD-2551 | TANK, HORIZONTAL, STANDARD METHOD FOR MEASUREMENT & CALIBRATION OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CC CE MC] | A | 5430 | | IS | 24-APR-87 |
| | A-A-53585 | TANK, INSERT, X-RAY FILM PROCESSING[CUST: MD MS 03] | A | 6525 | / | MB | 29-JUL-88 |
| | A-A-52600 NOT 1 | TANK, LIQUID STORAGE, METAL: FUEL-OIL, HORIZONTAL[CUST: AT YD 99] [REVIEW: 84 CC MC] | A | 5430 | / | AT | 19-APR-04 |
| | API-STD-2555 | TANK, METHOD FOR LIQUID CALIBRATION OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CC MC] | A | 5430 | | IS | 24-APR-87 |
| | MIL-PRF-38170H | TANK, MOBILE STORAGE, LIQUID OXYGEN TMU-27/M[CUST: AV AS 99 GS] [REVIEW: YD] | A | 3655 | | 84 | 11-SEP-00 |
| | MIL-T-45169E(1) | TANK, PRESSURE, AIR, PORTABLE[CUST: AR CC] [REVIEW: AT CR4 SM] | A | 4940 | | CC | 04-JAN-93 |
| | A-A-52523 NOT 1 | TANK, PRESSURE: AIR BRAKE, TACTICAL TRAILERS[CUST: AT 99] [REVIEW: CC MC MI] | A | 2530 | / | AT | 16-APR-04 |
| | A-A-58000 | TANK, STORAGE, LIQUID ARGON-NITROGEN-OXYGEN, CRYOGENIC, HORIZONTAL, 3000 AND 6000 GALLON[CUST: 99 GS] | A | 3655 | / | 84 | 16-MAR-92 |
| | MIL-PRF-27720F | TANK, STORAGE, LIQUID OXYGEN/LIQUID NITROGEN, TMU-24/E[CUST: AV AS 99 GS] [REVIEW: 11 MI YD] | A | 3655 | | 84 | 11-SEP-00 |
| | A-A-59434 NOT 1 | TANK, TESTING, TIRE AND TUBE[CUST: AR 99 CC] [REVIEW: 84 CR4] | A | 4910 | / | CC | 10-FEB-04 |
| | API-STD-2000 | TANK, VENTING ATMOSPHERIC AND LOW-PRESSURE,STANDARD FOR[CUST: CR4 YD 99 IS] [REVIEW: 84 CC CE MC] | A | 5430 | | IS | 24-APR-87 |
| | ASTM-F670 | TANKS, 5 AND 10 GAL (20 AND 40-L) LUBE OIL DISPENSING[CUST: SH] | A | 2010 | | SH | 27-MAR-87 |
| | MIL-T-18492A(1) | TANKS, CARTRIDGE, TANKS, POWDER, TANKS, ROCKET (ALUMINUM)[CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-JUL-86 |
| | ASTM-D4097 | TANKS, CONTACT-MOLDED GLASS-FIBER-REINFORCED THERMOSET RESIN CHEMICAL-RESISTANT[CUST: YD IS] | A | 5430 | | IS | 18-APR-95 |
| | ASTM-D3299 | TANKS, FILAMENT-WOUND GLASS-FIBER-REINFORCED THERMOSET RESIN CORROSION-RESISTANT[CUST: CR4 YD IS] [REVIEW: MC] | A | 5430 | | IS | 10-MAR-00 |
| | MIL-PRF-53068A | TANKS, LIGHTWEIGHT, COLLAPSIBLE, PILLOW 160 GALLON (NOMINAL), DRINKING WATER[CUST: AT] | A | 5430 | | AT | 15-MAR-96 |
| M | F-T-2907 NOT 2 | TANKS, POTABLE HOT WATER STORAGE[CUST: YD] [REVIEW: CE CG MC MD] | A | 4520 | / | IS | 16-MAR-06 |
| | UL142 | TANKS, STEEL ABOVEGROUND FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS[CUST: CR YD 11 IS] [REVIEW: 84 AR GS] | A | 5430 | | IS | 11-AUG-90 |
| | AWWA-D102 | TANKS, STEEL WATER-STORAGE PAINTING FOR[CUST: CR4 YD] [REVIEW: 50 CC CE DS EA MC MR MS] | A | 8010 | | IS | 29-AUG-89 |
| | UL80 | TANKS, STEEL, FOR OIL-BURNER FUEL[CUST: CR4 YD 99 IS] | A | 5430 | | IS | 26-NOV-96 |
| | AWWA-D100 | TANKS, WELDED STEEL, FOR WATER STORAGE[CUST: CR4 YD 99 IS] [REVIEW: 84 CC MR] | A | 5430 | | IS | 23-JUN-96 |
| | ASTM-F560 | TANTALUM, UNALLOYED, FOR SURGICAL IMPLANT APPLICATIONS (UNS R05200, UNS R05400)[CUST: MD MS 03] | A | 6515 | | MB | 19-SEP-86 |
| | GGG-T-0070C(1) | TAP, THREAD CUTTING (HIGH SPEED STEEL, GROUND THREAD, HAND AND SPARK PLUG) | A | 5136 | # | FSS | 26-JUN-72 |
| | SAE-AMS-T-6841 | TAPE AND SHEET, ADHESIVE, RUBBER AND CORK COMPOSITION[CUST: MR AS 11] [REVIEW: 84 99 AV CC GS SH] | A | 9320 | | 11 | SEP-98 |
| | MIL-T-87130(2) NOT 2 | TAPE AND WEBBING, TEXTILE, PARA-ARAMID, INTERMEDIATE MODULUS[CUST: 11 CT] [REVIEW: 99] | A | 8315 | | CT | 24-AUG-90 |
| | MIL-T-5661E NOT 1 | TAPE AND WEBBING, TEXTILE, WOVEN REINFORCING, COTTON[CUST: GL AS 99 CT] [REVIEW: 11 CR4 MC NU] | A | 8315 | | CT | 24-OCT-91 |
| | MIL-T-8363B(2) | TAPE AND WEBBING, TEXTILE, WOVEN, NYLON[CUST: NU 11 CT] [REVIEW: 99 GL] | A | 8305 | | CT | 10-DEC-90 |
| | ISO11319 | TAPE CARTRIDGE, 8 MM WIDE MAGNETIC TAPE CARTRIDGE FOR INFORMATION INTERCHANGE - HELICAL SCAN RECORDING - INFORMATION TECHNOLOGY[CUST: IS] | A | 7045 | | IS | 15-JUL-93 |
| | ANSI-X3.55 | TAPE CARTRIDGE, UNRECORDED MAGNETIC, FOR INFORMATION INTERCHANGE, 0.250 IN. (6.30MM), 1600 BPI (63 BPMM) PHASE ENCODED[CUST: CR OM 02] | A | IPSC | | 02 | 27-OCT-77 |
| D | ANSI-X3.19 | TAPE FOR INFORMATION INTERCHANGE, ELEVEN-SIXTEENTHS INCH PERFORATED PAPER[CUST: CR OM] | A | IPSC | | DC3 | 03-APR-67 |
| | SAE-AMS3808 | TAPE, ADHESIVE, PRESSURE-SENSITIVE MASKING[CUST: MR AS 11] | A | 7510 | | AS | SEP-94 |
| | MS87033 NOT 3 | TAPE, AIRCRAFT TUBING IDENTIFICATION MARKER[CUST: GL AS 99] [REVIEW: 84] | A | 7690 | | IS | 24-FEB-03 |
| | A-A-59258 NOT 1 | TAPE, ALUMINUM FOIL, HEAT REFLECTIVE, PRESSURE SENSTIVE ADHESIVE[CUST: AR] [REVIEW: MR] | A | 8030 | / | AR | 21-FEB-03 |
| | A-A-58092 | TAPE, ANTISEIZE, POLYTETRAFLUORETHYLENE[CUST: MI OS 99] [REVIEW: 11 CR4 DS YD] | A | 8030 | / | 84 | 07-JAN-97 |
| | AWWA-C209 | TAPE, COLD-APPLIED, COATINGS FOR THE EXTERIOR OF SPECIAL SECTIONS, CONNECTIONS, AND FITTINGS FOR STEEL WATER PIPELINES[CUST: CR4 YD 99] | A | 4730 | | CC | 17-JUN-90 |
| | SAE-AMS3898/4 | TAPE, COMPOSITE INTERLEAF CARRIER MATERIAL, PAPER, 0.004 INCH (0.10 MM), PERFORATED[CUST: AS 11] | A | CMPS | | AS | FEB-94 |
| | SAE-AMS3898/1 | TAPE, COMPOSITE PARCHMENT, INTERLEAF CARRIER MATERIAL, 0.004 INCH (0.10 MM), UNPERFORATED[CUST: AS 11] | A | CMPS | | AS | FEB-94 |
| | SAE-AMS3898/3 | TAPE, COMPOSITE POLYETHYLENE COATED PAPER, UNPERFORATED, INTERLEAF CARRIER MATERIAL, 0.0035 IN. (0.089 MM)[CUST: AS 11] | A | CMPS | | AS | FEB-94 |
| | SAE-AMS3898/5 | TAPE, COMPOSITE, INTERLEAF CARRIER MATERIAL, POLYETHYLENE COATED PAPER, PERFORATED, 0.0035 INCH (0.089 MM)[CUST: AS 11] | A | CMPS | | AS | FEB-94 |
| | SAE-AMS3898/2 | TAPE, COMPOSITE, POLYETHYLENE FILM, UNPERFORATED 0.0018 INCH (0.046 MM), INTERLEAF CARRIER MATERIAL[CUST: AS 11] | A | CMPS | | AS | FEB-94 |
| M | ASTM-D2686 | TAPE, ELECTRICAL INSULATING, POLYTETRAFLUORETHYLENE-BACKED PRESSURE-SENSITIVE[CUST: MR AS 11] | A | 5970 | | 11 | 27-MAR-06 |
| | A-A-55559 NOT 1 | TAPE, ELECTRONIC DATA PROCESSING[CUST: IS] | A | 7045 | / | IS | 27-SEP-01 |
| | A-A-55559/3 NOT 1 | TAPE, ELECTRONIC DATA PROCESSING, 4 MILLIMETER (MM) (.157 INCH (IN) WIDE, UNFORMATTED, COMPATIBLE WITH DIGITAL DATA STORAGE (DDS) OR DATA/DIGITAL AUDIO TAPE (DAT) RECORDING FORMATS, SUPPLIED IN AN UNRECORDED HELICAL-SCAN DIGITAL COMPUTER TAPE CARTRIDGE[CUST: IS] | A | 7045 | / | IS | 27-SEP-01 |
| | A-A-55559/4 NOT 1 | TAPE, ELECTRONIC DATA PROCESSING, 8 MILLIMETER (MM) (.315 INCH (IN)) WIDE, UNFORMATTED, SUPPLIED IN AN UNRECORDED HELICAL-SCAN DIGITAL COMPUTER TAPE CARTRIDGE[CUST: IS] | A | 7045 | / | IS | 27-MAY-05 |
| | A-A-55559/2 NOT 1 | TAPE, ELECTRONIC DATA PROCESSING, UNFORMATTED, 6.35 MILLIMETER (MM) (.25 INCH (IN)) WIDE, IN A 3.5-INCH FORM FACTOR MINICARTRIDGE[CUST: IS] | A | 7045 | / | IS | 27-SEP-01 |
| | A-A-55559/1 NOT 1 | TAPE, ELECTRONIC DATA PROCESSING, UNFORMATTED, 6.35 MILLIMETER (MM) (.25 INCH (IN)) WIDE, IN A 5.25-INCH FORM FACTOR DATA CARTRIDGE[CUST: IS] | A | 7045 | / | IS | 27-SEP-01 |
| | A-A-210B | TAPE, EMBOSSING (PRESSURE SENSITIVE, PLASTIC) | A | 7510 | # | FSS | 01-JAN-89 |
| | A-A-59505 NOT 1 | TAPE, GLASS-SETTING: RUBBER, UNCURED (FOR SEALING GLASS WINDOWS)[CUST: MR YD 99 IS] [REVIEW: AT MD] | A | 9320 | / | IS | 24-JUN-05 |
| | A-A-1671B(I1) NOT 2 | TAPE, GUMMED (PAPER, REINFORCED, ASPHALT LAMINATED)[CUST: AR] | A | 8135 | / | AR | 15-FEB-00 |
| | A-A-1671B NOT 3 | TAPE, GUMMED (PAPER, REINFORCED, ASPHALT LAMINATED)[CUST: AR] [REVIEW: DS] | A | 8135 | / | AR | 19-NOV-04 |
| | PPP-T-681D(1) | TAPE, GUMMED, PACKAGING AND PACKING OF[CUST: GL SA 99] [REVIEW: 11 AS GS MC OS SM YD] | A | 8135 | * | GL | 18-MAY-76 |
| | MS14113E | TAPE, IDENTIFICATION, COLOR CODED, FOR AIRCRAFT TIRES[CUST: AV AS 99] [REVIEW: 11 70 CC GS] | A | 2620 | | AS | 18-JUL-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | W-T-1553/2 NOT 1 | TAPE, INSTRUMENTATION RECORDING, MAGNETIC OXIDE-COATED, 345 OERSTEDS COERCIVITY, 4 DROPOUTS PER 100 FOOT (FT) (30 METERS (M)) OF TAPE, WITH 76.2 MILLIMETER (MM) (3 INCH) CENTER-HOLE DIAMETER REEL[CUST: CR EC 99 CC] [REVIEW: 84 AS OM] | A | 5835 | / | IS | 02-SEP-05 |
| A | W-T-1553/1 NOT 1 | TAPE, INSTRUMENTATION RECORDING, MAGNETIC OXIDE-COATED, 345 OERSTEDS COERCIVITY, 5 DROPOUTS PER 100 FOOT (FT) (30 METERS(M) OF TAPE, WITH 76.2 MILLIMETERS (3 INCH) CENTER-HOLE DIAMETER REEL[CUST: CR EC 99 CC] [REVIEW: 84 AS OM] | A | 5835 | / | IS | 02-SEP-05 |
| A | W-T-1553/3 NOT 1 | TAPE, INSTRUMENTATION RECORDING, MAGNETIC OXIDE-COATED, 700 OERSTEDS COERCIVITY, 4 DROPOUTS PER 100 FOOT (FT) 30 METERS (M)) OF TAPE, WITH 76.2 MILLIMETER (MM) (3 INCH) CENTER-HOLE DIAMETER REEL[CUST: CR EC 99 CC] [REVIEW: 84 AS OM] | A | 5835 | / | IS | 02-SEP-05 |
| A | W-T-1553/4 NOT 1 | TAPE, INSTRUMENTATION RECORDING, MAGNETIC OXIDE-COATED, 800 OERSTEDS COERCIVITY, 2 DROPOUTS PER 100 FOOT (FT) 30 METERS (M)) OF TAPE, WITH 76.2 MILLIMETER (MM) (3 INCH) CENTER-HOLE DIAMETER REEL[CUST: CR EC 99 CC] [REVIEW: 84 AS OM] | A | 5835 | / | IS | 02-SEP-05 |
| | W-T-1553B | TAPE, INSTRUMENTATION, RECORDING, MAGNETIC OXIDE-COATED, GENERAL SPECIFICATION FOR[CUST: CR EC 99 CC] [REVIEW: 84 AS OM] | A | 5835 | / | IS | 12-AUG-96 |
| | A-A-2094 | TAPE, INSULATION, ELECTRICAL (FRICTION) | A | 5970 | # | FSS | 14-OCT-82 |
| | ASTM-C475/C475M | TAPE, JOINT, AND JOINT COMPOUND FOR FINISHING GYPSUM BOARD[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 15-SEP-93 |
| | A-A-52084B NOT 1 | TAPE, LACING AND TYING, ARAMID[CUST: GL SH 99] [REVIEW: 71 AR AS CR CR4 MC MD MI OS] | A | 4020 | / | IS | 11-JUN-03 |
| | A-A-52083C | TAPE, LACING AND TYING, GLASS[CUST: GL SH 99] [REVIEW: 82 AR AS CR CR4 MC MD MI OS] | A | 4020 | / | IS | 23-FEB-04 |
| | A-A-52080B NOT 1 | TAPE, LACING AND TYING, NYLON[CUST: GL SH 99] [REVIEW: 71 AR AS CR CR4 DS MC MD MI OS] | A | 4020 | / | IS | 11-JUN-03 |
| | A-A-52081B NOT 1 | TAPE, LACING AND TYING, POLYESTER[CUST: GL SH 99] [REVIEW: 71 AR AS CR CR4 MC MD MI OS] | A | 4020 | / | IS | 11-JUN-03 |
| | A-A-52082B NOT 1 | TAPE, LACING AND TYING, TFE-FLUOROCARBON[CUST: GL SH 99] [REVIEW: 71 AR AS CR CR4 MC MD MI OS] | A | 4020 | / | IS | 11-JUN-03 |
| | SAE-AMS3792/1 | TAPE, LOW MODULUS ARAMID 2 (51), 300 (1,334) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JAN-89 |
| | SAE-AMS3792 | TAPE, LOW MODULUS ARAMID 300 (1334), 1000 (4448) AND 8000 (13,345) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | OCT-94 |
| | SAE-AMS3792/2 | TAPE, LOW MODULUS ARAMID, 2 (51), 1000 (4448) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 01-JAN-89 |
| | SAE-AMS3792/3 | TAPE, LOW MODULUS ARAMID, 2 (51), 3000 (13,345) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 01-JAN-89 |
| | MIL-STD-1697 NOT 1 | TAPE, ONE-HALF INCH VIDEO CASSETTE BROADCAST FORMAT[Military Standard][CUST: BC] | A | 5820 | | BC | 03-OCT-88 |
| | EIA-RS227 | TAPE, PERFORATED, ONE INCH[CUST: AR SH 99] [REVIEW: AV CR4 MI] | A | 34GP | | GS6 | 09-MAR-79 |
| | MIL-T-48260(3) NOT 1 | TAPE, POLYESTER (FOR USE IN AMMUNITION)[CUST: AR] | A | 8305 | | CT | 06-JUL-92 |
| | A-A-59298A | TAPE, PRESSURE SENSITIVE ADHESIVE[CUST: GL AS 99] [REVIEW: 11 CR4 MI] | A | 7510 | / | AS | 11-SEP-00 |
| | L-T-99C | TAPE, PRESSURE SENSITIVE ADHESIVE IDENTIFICATION[CUST: GL SA 99] [REVIEW: 84 AV SM] | A | 7510 | * | GL | 01-JAN-75 |
| | PPP-T-680E | TAPE, PRESSURE SENSITIVE ADHESIVE, PACKAGING AND PACKING OF[CUST: GL AS 99] [REVIEW: 11 GS MC MI MR SA SH SM YD] | A | 7510 | * | GL | 17-NOV-75 |
| | L-T-1512A NOT 2 | TAPE, PRESSURE SENSITIVE ADHESIVE, PIPE WRAPPING | A | 8030 | # | FSS | 11-OCT-79 |
| | PIA-T-43618 | TAPE, PRESSURE SENSITIVE, FOR MENDING NYLON PARACHUTE CANOPIES[CUST: GL AS 11 GS1] [REVIEW: 71 99 AV MC MD] | A | 1670 | | GS1 | 20-MAY-99 |
| | ASTM-D3330/D3330M | TAPE, PRESSURE SENSITIVE, PEEL ADHESION OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD] | A | PACK | | AS | 20-OCT-85 |
| | A-A-113D NOT 2 | TAPE, PRESSURE-SENSITIVE ADHESIVE | A | 7510 | # | FSS | 02-MAY-00 |
| | L-T-80B | TAPE, PRESSURE-SENSITIVE ADHESIVE (ALUMINUM-BACKED)[CUST: MR 11] [REVIEW: AR CR GL MI] | A | 8030 | / | MR | 01-OCT-71 |
| | A-A-1684C | TAPE, PRESSURE-SENSITIVE ADHESIVE (PLASTIC FILM)[CUST: FSS] | A | 7510 | # | FSS | 24-JUL-97 |
| | A-A-1689B | TAPE, PRESSURE-SENSITIVE ADHESIVE (PLASTIC FILM) | A | 7510 | # | FSS | 18-MAY-89 |
| | A-A-180C | TAPE, PRESSURE-SENSITIVE ADHESIVE DOUBLE-COATED[CUST: FSS] [REVIEW: DS] | A | 7510 | % | FSS | 24-JUL-97 |
| | A-A-1243B | TAPE, PRESSURE-SENSITIVE ADHESIVE DOUBLE-COATED VINYL, CARPET | A | 7510 | # | FSS | 13-JAN-99 |
| | MIL-T-43036B(3) | TAPE, PRESSURE-SENSITIVE ADHESIVE, PLASTIC FILM, (FOR SEALING FIBER CONTAINERS AND CANS)[CUST: AR OS 99] [REVIEW: GL MI SA SH] | A | 7510 | | AR | 04-JAN-93 |
| | L-T-100B NOT 1 | TAPE, PRESSURE-SENSITIVE ADHESIVE, POLYESTER FILM | A | 7510 | # | FSS | 04-MAY-90 |
| | ASTM-D3889 | TAPE, PRESSURE-SENSITIVE, AT LOW TEMPERATURE, ADHERENCE TO LINERBOARD OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD] | A | PACK | | AS | 10-MAR-96 |
| | ASTM-D5330/D5330M | TAPE, PRESSURE-SENSITIVE, FOR PACKAGING, FILAMENT-REINFORCED[CUST: SM SA 11 DH] [REVIEW: 70 71 AR AS DS EC GL SH YD] | A | 7510 | | SM | 11-JAN-96 |
| | ASTM-D2860/D2860M | TAPE, PRESSURE-SENSITIVE, TO FIBERBOARD AT 90 ANGLE AND CONSTANT SRESS, ADHESION OF[CUST: SM AS 11 IS] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD] | A | 7510 | | AS | 29-JUN-90 |
| | MIL-PRF-55371B | TAPE, RADIO FREQUENCY MEASURING (P/O ANTENNA GROUP, AN/GRA-50( ))[CUST: CR] | A | 5855 | | CR | 03-JUL-97 |
| | QPL-W-T-1553-14(1) | TAPE, RECORDING, INSTRUMENTATION, MAGNETIC OXIDE-COATED | A | 5835 | / | IS | 12-AUG-94 |
| | ASTM-D3308 | TAPE, RESIN SKIVED, PTFE[CUST: MR 11 GS] [REVIEW: AR AT CR MD] | A | 9330 | | IS | 11-OCT-91 |
| | UL510 | TAPE, RUBBER INSULATING, POLYVINYL CHLORIDE, POLYETHYLENE, AND[CUST: CR SH 11] [REVIEW: YD] | A | 5970 | | GS2 | 27-JUN-94 |
| | A-A-51281A | TAPE, SEALING, STERILIZATION INDICATOR (GAS)[CUST: MD MS 03] | A | 6530 | / | MB | 19-MAR-93 |
| | MIL-PRF-5038J | TAPE, TEXTILE AND WEBBING, TEXTILE, REINFORCING, NYLON[CUST: GL AS 99 CT] [REVIEW: 11 CC MD OS SH] | A | 8305 | | CT | 05-NOV-96 |
| | A-A-55071 | TAPE, TEXTILE, 1-INCH[CUST: EA CT] [REVIEW: GL] | A | 8315 | / | CT | 07-AUG-92 |
| | MIL-T-43709B | TAPE, TEXTILE, ARAMID[CUST: GL CT] [REVIEW: MD] | A | 8315 | | CT | 13-NOV-90 |
| | MIL-T-13452A(1) | TAPE, TEXTILE, COTTON FOR BANDOLEERS[CUST: AR] | A | 8305 | | CT | 14-DEC-92 |
| | MIL-T-43566C | TAPE, TEXTILE, COTTON OR POLYESTER, GENERAL PURPOSE, NATURAL OR IN COLORS[CUST: GL NU 11 CT] [REVIEW: 99 AR AS AT EA MC MD] | A | 8315 | | CT | 01-AUG-90 |
| | A-A-52071 | TAPE, TEXTILE, COTTON, GENERAL PURPOSE[CUST: GL NU 99 CT] [REVIEW: 11 DS EA MC MD OS] | A | 8315 | / | CT | 25-APR-90 |
| | A-A-55243 | TAPE, TEXTILE, NYLON OR POLYESTER (FOR NAME TAPES)[CUST: GL CT] [REVIEW: MD] | A | 8315 | / | CT | 27-OCT-93 |
| | MIL-T-38328B(1) | TAPE, TEXTILE, NYLON, AROMATIC, NONMELTING, REINFORCING[CUST: SA 11 CT] [REVIEW: 99] | A | 8305 | | CT | 09-AUG-82 |
| | MIL-T-81791(3) | TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, 11-INCH[CUST: AS] [REVIEW: 11 CT] | A | 8315 | | AS | 28-NOV-77 |
| | MIL-T-81521A(3) NOT 1 | TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, 7 INCH[CUST: AS] | A | 8315 | | AS | 29-OCT-91 |
| | MIL-T-81736(3) NOT 1 | TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, 8-INCH[CUST: AS] | A | 8315 | | AS | 29-OCT-91 |
| | MIL-T-6134C(1) NOT 1 | TAPE, TEXTILE, NYLON, PARACHUTE CONSTRUCTION[CUST: GL AS 99 CT] | A | 8315 | | CT | 31-OCT-89 |
| | PIA-T-5038 | TAPE, TEXTILE, WEBBING, TEXTILE, REINFOCING, NYLON[CUST: GL AS 11] | A | 8315 | | CT | 17-JAN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-55208 | TAPE, TEXTILE: NYLON, MULTIPLE TUBULAR[CUST: GL AS 99 CT] [REVIEW: 11 AV OS] | A | 8315 | / | CT | 19-MAY-93 |
| | MIL-T-5608G(2) NOT 1 | TAPE, TEXTILE: WEBBING TEXTILE[CUST: AS 99 CT] [REVIEW: 11 DS] | A | 8315 | | CT | 08-NOV-89 |
| | MIL-T-5237E | TAPE, TEXTILE; WEBBING, TEXTILE; RAYON[CUST: GL AS 11 CT] [REVIEW: 99 EA NU] | A | 8305 | | CT | 04-SEP-90 |
| | A-A-59341 | TAPE, TWO SIDE PRESSURE SENSITIVE ADHESIVE, FLEXIBLE FOAM BASE (FOR USE WITH EXPLOSIVES)[CUST: AR] | A | 1375 | / | AR | 29-SEP-98 |
| | A-A-55481 NOT 1 | TAPE, VIDEO RECORDING, CASSETTE | A | 5836 | / | IS | 27-MAY-05 |
| | A-A-55481/4 NOT 1 | TAPE, VIDEO RECORDING, CASSETTE, 8 MILLIMETER (MM) (0.314-INCH) WIDE, METAL PARTICLE (MP) TYPE, STANDARD OR HIGH GRADE | A | 5836 | / | IS | 27-SEP-01 |
| | A-A-55481/5 NOT 1 | TAPE, VIDEO RECORDING, CASSETTE, HI-8 FORMAT, 8 MILLIMETER (MM) (0.314-INCH) WIDE, METAL PARTICLE (MP) POSITION, OR METAL EVAPORATED (ME) POSITION | A | 5836 | / | IS | 27-SEP-01 |
| | A-A-55481/2 NOT 1 | TAPE, VIDEO RECORDING, CASSETTE, SUPER VIDEO HOME SYSTEM (S VHS) FORMAT, 0.5-INCH WIDE | A | 5836 | / | IS | 27-SEP-01 |
| | A-A-55481/1 NOT 1 | TAPE, VIDEO RECORDING, CASSETTE, VIDEO HOME SYSTEM (VHS) FORMAT, 0.5-INCH (IN.) WIDTH, STANDARD OR HIGH GRADE | A | 5836 | / | IS | 27-SEP-01 |
| | A-A-55481/3 NOT 1 | TAPE, VIDEO RECORDING, CASSETTE, VIDEO HOME SYSTEM WITH COMPACT CASSETTE (VHS C) AND SUPER VHS C (S VHS C) FORMAT, 0.5-INCH WIDE | A | 5836 | / | IS | 27-SEP-01 |
| | ASME-B18.27 | TAPERED AND REDUCED CROSS SECTION RETAINING RINGS (INCH SERIES)[CUST: AR SH 99 IS] | A | 5325 | | IS | 16-MAY-02 |
| | ASTM-D69 | TAPES, FRICTION[CUST: CR4 YD 99] [REVIEW: AR AT AV CR GS MC SM] | A | 5970 | | YD | 17-APR-92 |
| | A-A-3048A | TAPES, MEASURING (STEEL SURVEYORS) | A | 5210 | # | FSS | 09-APR-02 |
| | A-A-52216 | TAPES, MEASURING: TANK GAUGING TYPE, WITH REEL, AND PLUMB BOB[CUST: GL 99] [REVIEW: 84 AT] | A | 5210 | * | GL | 28-FEB-97 |
| | SAE-AMS-T-23397 | TAPES, PRESSURE SENSITIVE ADHESIVE, FOR MASKING DURING PAINT STRIPPING OPERATIONS[CUST: MR AS 99] [REVIEW: GL] | A | 8010 | | AS | JUL-98 |
| | ASTM-D3611 | TAPES, PRESSURE SENSITIVE, ACCELERATED AGING OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD] | A | 7510 | | AS | 29-DEC-89 |
| | ASTM-D5105 | TAPES, PRESSURE SENSITIVE, USING CONCENTRATED NATURAL SUNLIGHT, PERFORMING ACCELERATED OUTDOOR WEATHERING OF[CUST: SM AS] [REVIEW: AR MI OS SH] | A | PACK | | AS | 27-JUL-90 |
| | SAE-AMS-T-21595 | TAPES, PRESSURE-SENSITIVE ADHESIVE, MASKING, NON-STAINING - FOR AIRCRAFT PAINTING APPLICATIONS[CUST: MR AS 99] [REVIEW: AR EA MC] | A | 7510 | | AS | SEP-98 |
| | ASTM-D1000 | TAPES, PRESSURE-SENSITIVE ADHESIVE-COATED, USED FOR ELECTRICAL AND ELECTRONIC APPLICATIONS[CUST: MI SH 11] [REVIEW: GS] | A | 5970 | | MI | OCT-94 |
| | SAE-AMS-T-22085 | TAPES, PRESSURE-SENSITIVE, ADHESIVE, PRESERVATION AND SEALING[CUST: GL AS 11] [REVIEW: 99 CR4 EA MR SM] | A | 7510 | | AS | JUN-99 |
| | ASTM-D3662 | TAPES, PRESSURE-SENSITIVE, BURSTING STRENGTH OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A | 7510 | | AS | 26-AUG-88 |
| | ASTM-D3662M | TAPES, PRESSURE-SENSITIVE, BURSTING STRENGTH OF, (METRIC)[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A | 7510 | | AS | 26-AUG-88 |
| | ASTM-D3815/D3815M | TAPES, PRESSURE-SENSITIVE, BY CARBON-ARC EXPOSURE APPARATUS, ACCELERATED WEATHERING OF[CUST: SM AS 11] [REVIEW: 99 AR GL MI MR OS SA SH YD] | A | 7510 | | AS | 10-OCT-99 |
| | ASTM-D3813/D3813M | TAPES, PRESSURE-SENSITIVE, CURLING AND TWISTING AND TUBING ON UNWIND OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL MR MT OS SA SH YD] | A | 7510 | | AS | 10-OCT-98 |
| | ASTM-D3654 | TAPES, PRESSURE-SENSITIVE, HOLDING POWER OF[CUST: SM AS 99 IS] [REVIEW: AR AV GL MI MR OS SA SH YD] | A | PACK | | AS | 26-FEB-88 |
| | ASTM-D3654M | TAPES, PRESSURE-SENSITIVE, HOLDING POWER OF (METRIC)[CUST: SM AS 11 IS] [REVIEW: 99 AR AV GL MI MR OS SA SH YD] | A | 7510 | | AS | 26-FEB-88 |
| | ASTM-D3715/D3715M | TAPES, PRESSURE-SENSITIVE, QUALITY ASSURANCE OF[CUST: SM AS 11] [REVIEW: 18 GL MC OS SA] | A | QCIC | | SM | JUN-90 |
| | ASTM-D3654/D3654M | TAPES, PRESSURE-SENSITIVE, SHEAR ADHESION OF[CUST: SM AS 11 IS] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD] | A | 7510 | | AS | 26-FEB-88 |
| | ASTM-D3759 | TAPES, PRESSURE-SENSITIVE, TENSILE STRENGTH AND ELONGATION OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL MI MR OS SA SH] | A | 7510 | | AS | 10-MAR-96 |
| | ASTM-D3759M | TAPES, PRESSURE-SENSITIVE, TENSILE STRENGTH AND ELONGATION OF (METRIC)[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A | 7510 | | AS | 10-MAR-96 |
| | ASTM-D3652/D3652M | TAPES, PRESSURE-SENSITIVE, THICKNESS OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A | 7510 | | AS | 15-APR-93 |
| | ASTM-D3811 | TAPES, PRESSURE-SENSITIVE, UNWIND FORCE OF[CUST: AS 11] [REVIEW: 99 CR4 GL OS SA SH YD] | A | PACK | | AS | 10-MAR-96 |
| | ASTM-D3816 | TAPES, PRESSURE-SENSITIVE, WATER PENETRATION RATE OF[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL MI MR SA] | A | 7510 | | AS | 10-MAR-96 |
| | A-A-54589A | TAPES, SEALING, STERILIZATION INDICATOR[CUST: MD MS 03] | A | 6530 | / | MB | 16-APR-93 |
| | STANAG-2111 ED.4 | TARGET ANALYSIS - NUCLEAR WEAPONS | C | ISDA | | AI | 18-SEP-98 |
| | DI-MISC-81302 | TARGET EQUIPMENT MODIFICATION STATUS REPORT [AMSC: A6878] | A | MISC | | AM | 28-JAN-93 |
| | AIR-STD-80/5 | TARGET PATTERN FOR DETERMINATION OF AERIAL PHOTOGRAPHIC RESOLUTION | C | ISDF | | 06 | 27-MAR-92 |
| | AIR-STD-80/12 | TARGET REPORTING GUIDE | C | ISDF | | 06 | 25-JUN-93 |
| | A-A-52023 NOT 1 | TARGET SET, SURVEYING[CUST: CE 99 IS] [REVIEW: 71] | A | 6675 | / | IS | 27-SEP-01 |
| | ITOP-4.2.521 | TARGET STANDARDIZATION FOR COUNTERMINE AND DEMINING TESTING | D | ISDA | | TE | 20-JUN-02 |
| | MIL-T-18232B | TARGET, AERIAL, POWERED, DESIGN AND CONSTRUCTION OF GENERAL SPECIFICATION FOR[CUST: AS] | A | 1550 | | AS | 22-MAR-68 |
| | MIL-T-85230A | TARGET, TOW, AERIAL, TDU-34A/A[CUST: AS] | A | 1550 | | AS | 13-APR-92 |
| | DI-MISC-81304 | TARGET/AIRCRAFT TELEMETRY DATA REPORT [AMSC: A6880] | A | MISC | | AM | 28-JAN-93 |
| | MIL-T-7249B(1) NOT 1 | TARPAULIN, LIGHT WEIGHT[CUST: GL 99 CT] | A | 8340 | | CT | 08-NOV-89 |
| | MIL-T-1956D(1) | TARPAULIN, WATERPROOF, SPECIAL PURPOSE, 10 FEET LONG BY 8 FEET WIDE[CUST: GL NU CT] [REVIEW: MD] | A | 8340 | | CT | 08-JAN-79 |
| | MIL-DTL-82288C | TARPAULIN: LAMINATED, VINYL-NYLON OR VINYL POLYESTER, FLEXIBLE[CUST: NU 99 CT] [REVIEW: 11] | A | 8340 | | CT | 26-JUN-00 |
| | MIL-T-43309C NOT 1 | TARPAULIN: COTTON DUCK, FOR WIND MEASURING SET[CUST: GL NU CT] [REVIEW: CR] | A | 8340 | | CT | 30-JUL-90 |
| | MIL-T-82152B | TARPAULIN: DUCK, COTTON, VINYL RESIN COATED BOTH SIDES, 14 FEET LONG BY 6 FEET WIDE[CUST: MC CT] | A | 8340 | | CT | 28-AUG-90 |
| | A-A-55235A | TARPAULIN; COTTON DUCK,20 FEET BY 20 INCHES[CUST: GL MC 99 CT] [REVIEW: MD] | A | 8340 | / | CT | 08-MAR-00 |
| | MIL-DTL-32063 | TARPAULINS, COTTON OR POLYESTER, FWWMR[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8340 | | CT | 15-MAR-00 |
| | ASTM-D20 | TARS, ROAD, DISTILLATION OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE] | A | 5610 | | IS | 15-APR-91 |
| | A-A-55454 | TASK LIGHT, UNDER-CABINET, FLUORESCENT, HIGH EFFICIENCY[CUST: CR4 SH 99 IS] | A | 6210 | / | IS | 22-JAN-96 |
| | INFO-PUB-61/113/17 | TASK ORIENTED VISION REQUIREMENTS IN PILOTS | C | ISDF | | 06 | 07-NOV-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-2465 ED.1 | TASKS FOR THE APPROPRIATE STAFFING AND TRAINING OF DENTAL OFFICERS AND DENTAL ANCILLARY PERSONNEL FOR WARTIME OPERATIONS AND OPERATIONAL DEPLOYMENTS | C | ISDA | | AI | 17-FEB-99 |
| | A-A-20033C | TEA, BLACK (BAGS OR LOOSE)[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8955 | / | SS | 01-AUG-01 |
| | A-A-20183B | TEA, INSTANT[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8955 | / | SS | 22-NOV-04 |
| | ASTM-D1004 | TEAR RESISTANCE (GRAVES TEAR) OF PLASTIC FILM AND SHEETING[CUST: MR SH 11 GS] [REVIEW: AR AT AV CR CR4 GL MI YD] | A | 9330 | | IS | 29-MAY-91 |
| | DI-ALSS-81534 | TEARDOWN DEFICIENCY REPORT [AMSC: F7226] | A | SESS | | 10 | 24-JAN-97 |
| | DI-MGMT-81117 | TECHNICAL AND MANAGEMENT WORK PLAN [AMSC: A6003] | A | MGMT | | AM | 19-DEC-90 |
| | DI-MGMT-80911 | TECHNICAL ASSISTANCE ACTIVITY ACCOMPLISHMENT REPORT [AMSC: A4844] | A | MGMT | | AM | 06-OCT-89 |
| | STANAG-4193 4 ED.1(1) | TECHNICAL CHARACTERISTICS OF IFF MK XA AND MK XII INTERROGATORS AND TRANSPONDERS - PART IV: TECHNICAL CHARACTERISTICS OF MODE S IN MILITARY INTERROGATORS AND TRANSPONDERS INCLUDING AMENDMENT 1) | C | ISDA | | AI | 12-APR-99 |
| | STANAG-4193 1 ED.2(1) | TECHNICAL CHARACTERISTICS OF IFF MK XA AND MK XII INTERROGATORS AND TRANSPONDERS - PART I: GENERAL DESCRIPTION OF THE SYSTEM INCLUDING AMENDMENT 1) | C | ISDA | | AI | 12-NOV-90 |
| | STANAG-4193 3 ED.1(1) | TECHNICAL CHARACTERISTICS OF IFF MK XA AND MK XII INTERROGATORS AND TRANSPONDERS - PART III: IFF INSTALLED SYSTEM CHARACTERISTICS (WITH AMENDMENT 1) | C | ISDA | | AI | 12-NOV-90 |
| | STANAG-4175 ED.3 | TECHNICAL CHARACTERISTICS OF THE MULTIFUNCTIONAL INFORMATION DISTRIBUTION SYSTEM (MIDS) - VOLUME 1 | C | ISDA | | AI | 06-FEB-01 |
| | STANAG-2947 ED.3 | TECHNICAL CRITERIA FOR A CLOSED-CIRCUIT REFUELLING SYSTEM | C | ISDA | | AI | 06-SEP-02 |
| | QSTAG-766 ED.2 | TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING NETS[CUST: AI] | C | ISDA | | AI | 02-FEB-93 |
| | STANAG-2950 ED.3 | TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING NETS | C | ISDA | | AI | 29-SEP-00 |
| | QSTAG-767 ED.1 | TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING SLINGS[CUST: AI] | C | ISDA | | AI | 08-OCT-92 |
| | STANAG-2949 ED.3(2) | TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING SLINGS (INCLUDING AMENDMENT 2) | C | ISDA | | AI | 15-MAY-00 |
| | AIR-STD-25/57 | TECHNICAL CRITERIA FOR THE TRANSPORT OF CARGO BY HELICOPTER | C | ISDF | | 06 | 26-OCT-88 |
| | STANAG-3542 ED.4(1) | TECHNICAL CRITERIA FOR THE TRANSPORT OF CARGO BY HELICOPTER | C | ISDA | | AI | 01-JUN-93 |
| | QSTAG-704 ED.2 | TECHNICAL CRITERIA FOR THE TRANSPORT OF CARGO BY HELICOPTER[CUST: AI] | C | ISDA | | AI | 25-OCT-94 |
| | DI-MISC-80734 | TECHNICAL DATA ASSESSMENT [AMSC: A4604] | A | MISC | | MI | 17-JAN-89 |
| | STANAG-2225 ED.5 | TECHNICAL DATA FOR HANDLING CUSTODIAL NUCLEAR WEAPONS | C | ISDA | | AI | 06-OCT-98 |
| | DI-SAFT-80182B | TECHNICAL DATA FOR MUNITIONS (TDM) [AMSC: F4264] | A | SAFT | | 10 | 30-OCT-87 |
| | DI-CMAN-80776 | TECHNICAL DATA PACKAGE [AMSC: A4649] | A | SESS | | AM | 08-MAR-89 |
| | DI-EGDS-80918 | TECHNICAL DATA PACKAGE INDEX [AMSC: N4857] | A | EGDS | | SH | 12-DEC-89 |
| | DI-QCIC-81009 | TECHNICAL DATA PACKAGE QUALITY CONTROL PROGRAM PLAN [AMSC: D4825] | A | QCIC | | SO | 11-SEP-89 |
| | DI-MISC-80750 | TECHNICAL DATA PACKAGE REVIEW REPORT [AMSC: A4621] | A | MISC | | AM | 23-JAN-89 |
| | DI-QCIC-81013 | TECHNICAL DATA PACKAGE VALIDATION REPORT [AMSC: D4829] | A | QCIC | | SO | 11-SEP-89 |
| | MIL-DTL-31000C | TECHNICAL DATA PACKAGES[CUST: AR OS 16 DH] [REVIEW: 01 08 10 11 13 19 33 94 99 AC AS AV CC CG CH CM CR DI EC HS IE MA MC MI MP ND NP NS PT SA SE SH SM SO SP TD TM2] | A | SESS | | AR | 09-JUL-04 |
| | QAP-99 ED.1 | TECHNICAL DATA PACKAGES REQUIRED TO SUPPORT EQUIPMENT THROUGHOUT THE LIFE-CYCLE | C | ISDA | | AI | 05-OCT-98 |
| | DI-CMAN-81269A | TECHNICAL DIRECTIVE (TD) [AMSC: N7040] | A | SESS | | AS | 27-JUL-94 |
| | DI-MGMT-80224A | TECHNICAL DIRECTIVE COMPLIANCE REPORTS [AMSC: N7493] | A | MGMT | | AS | 17-MAR-03 |
| | DI-MGMT-80771B | TECHNICAL DIRECTIVE KIT SHIPMENT REPORT [AMSC: N7492] | A | MGMT | | AS | 17-MAR-03 |
| | ASTM-D5960 | TECHNICAL GRADE ETHYLENE DICHLORIDE[CUST: EA SH 68 GS3] | A | 6810 | | GS3 | 10-MAY-97 |
| | STANAG-3784 ED.4 | TECHNICAL GUIDANCE FOR THE DESIGN AND CONSTRUCTION OF AVIATION AND GROUND FUEL INSTALLATIONS ON NATO AIRFIELDS | C | ISDF | | 06 | 18-JUN-99 |
| A | MIL-HDBK-300M | TECHNICAL INFORMATION FILE OF SUPPORT EQUIPMENT[CUST: AV AS 99] [REVIEW: 11] | A | MISC | | 01 | 24-NOV-00 |
| | DI-MISC-80652 | TECHNICAL INFORMATION REPORT [AMSC: N4495] | A | MISC | | SH | 18-JUL-88 |
| | DI-TMSS-80067B | TECHNICAL MANUAL (TM) CONTRACTOR FURNISHED AERONAUTICAL EQUIPMENT OR CONTRACTOR FURNISHED EQUIPMENT (CFAE/CFE) NOTICES [AMSC: F7222] | A | TMSS | | 13 | 23-JAN-97 |
| | MIL-PRF-38413D | TECHNICAL MANUAL AND FLIGHT CREW CHECKLISTS FOR AIR REFUELING PROCEDURES[CUST: 16] [REVIEW: 01 10 99] | A | TMSS | | 16 | 01-MAR-96 |
| | DI-TMSS-81354 | TECHNICAL MANUAL RESEARCH AND ANALYSIS SOURCE DATA [AMSC: N6946] | A | TMSS | | SH | 20-JUL-93 |
| | MIL-PRF-38807C NOT 1 | TECHNICAL MANUALS - ILLUSTRATED PARTS BREAKDOWN[CUST: 16] [REVIEW: 10 11 13 19 68 99] | A | TMSS | | 16 | 05-APR-01 |
| | MIL-PRF-38384D NOT 1 | TECHNICAL MANUALS - CHECKLISTS AND SOURCE DATA PACKAGES, AIRCRAFT WEAPON DELIVERY[CUST: 16] [REVIEW: 01 10 11 70 71 99] | A | TMSS | | 16 | 06-APR-01 |
| | MIL-PRF-83495B(1) | TECHNICAL MANUALS - ON-EQUIPMENT MAINTENANCE MANUAL SET[CUST: 16] [REVIEW: 01 10 19] | A | TMSS | | 16 | 16-MAR-98 |
| | MIL-DTL-87929C(1) | TECHNICAL MANUALS, OPERATION AND MAINTENANCE INSTRUCTIONS IN WORK PACKAGE FORMAT (FOR USAF EQUIPMENT)[CUST: 16] [REVIEW: 10 99] | A | TMSS | | 16 | 14-FEB-02 |
| | MIL-PRF-9994C NOT 1 | TECHNICAL MANUALS-MOBILE TRAINING SETS AND PART TASK TRAINERS OPERATION AND MAINTENANCE INSTRUCTIONS[CUST: TM 16] [REVIEW: 01 10 99] | A | TMSS | | 16 | 07-FEB-02 |
| | MIL-PRF-38793B | TECHNICAL MANUALS: CALIBRATION PROCEDURES - PREPARATION[CUST: TM OS 16] | A | TMSS | | 16 | 06-FEB-97 |
| | MIL-PRF-9854C(1) | TECHNICAL MANUALS: STRUCTURAL REPAIR (AIRCRAFT)[CUST: TM AS 16] [REVIEW: 01 02 10 11 70 71 99 AV CG MC] | A | TMSS | | 16 | 11-FEB-02 |
| | MIL-PRF-87158B(1) | TECHNICAL MANUALS: AIRCRAFT BATTLE DAMAGE ASSESSMENT AND REPAIR[CUST: TM AS 16] [REVIEW: 10 11 99 AV] | A | TMSS | | 16 | 08-FEB-02 |
| | DI-TMSS-80229D | TECHNICAL ORDER IMPROVEMENT REPORT AND REPLY [AMSC: F7356] | A | TMSS | | 10 | 06-OCT-99 |
| | DI-TMSS-80607 | TECHNICAL ORDER VERIFICATION RECOMMENDATION (TOVR) [AMSC: F4438] | A | TMSS | | 14 | 06-JUN-88 |
| | MIL-DTL-24784/7B | TECHNICAL REPAIR STANDARDS (TRS) FOR HULL, MECHANICAL, AND ELECTRICAL (HM&E) EQUIPMENT, ELECTRONIC EQUIPMENT, AND ORDNANCE EQUIPMENT[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | DI-MISC-80508A | TECHNICAL REPORT - STUDY/SERVICES [AMSC: G7408] | A | MISC | | NS | 07-NOV-00 |
| | ISO5199 | TECHNICAL SPECIFICATIONS FOR CENTRIFUGAL PUMPS, CLASS II[CUST: YD] | A | FACR | | YD | 30-JUN-04 |
| | STANAG-4380 ED.1 | TECHNICAL STANDARDS FOR ANALOGUE-DIGITAL CONVERSION OF VOICE SIGNALS USING CONTINUOUSLY VARIABLE SLOPE DELTA MODULATION (CVSD) | C | ISDA | | AI | 04-AUG-95 |
| | QSTAG-735 ED.1 | TECHNICAL STANDARDS FOR SINGLE CHANNEL UHF RADIO EQUIPMENT[CUST: AI] | C | ISDA | | AI | 06-OCT-98 |
| | STANAG-4203 ED.2 | TECHNICAL STANDARDS FOR SINGLE CHANNEL HF RADIO EQUIPMENT | C | ISDA | | AI | 19-SEP-84 |
| | QSTAG-733 | TECHNICAL STANDARDS FOR SINGLE CHANNEL HIGH FREQUENCY RADIO EQUIPMENT (BASED ON NATO STANAG 4203)[CUST: AI] | C | ISDA | | AI | 03-JAN-85 |
| | STANAG-4205 ED.2(1) | TECHNICAL STANDARDS FOR SINGLE CHANNEL UHF RADIO EQUIPMENT | C | ISDA | | AI | 08-MAR-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QSTAG-734 | TECHNICAL STANDARDS FOR SINGLE CHANNEL VERY HIGH FREQUENCY RADIO EQUIPMENT[CUST: AI] | C | ISDA | | AI | 22-AUG-85 |
| | STANAG-4204 ED.2(1) | TECHNICAL STANDARDS FOR SINGLE CHANNEL VHF RADIO EQUIPMENT (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 30-MAY-88 |
| | DI-MISC-81275 | TECHNICAL VIDEOTAPE PRESENTATION [AMSC: A6763] | A | MISC | | AM | 24-JUL-92 |
| | ADV-PUB-15/15(1) | TECHNIQUES OF SAMPLING AND ANALYSIS OF GASES AND LIQUEFIED GASES FOR AIRCRAFT SERVICING | C | ISDF | | 06 | PENDING |
| | SAE-AMS10141 | TEE BULB SECTION EXTRUDED[CUST: 99] | A | 9540 | | 84 | 24-FEB-04 |
| D | SAE-AS1001 | TEE , FITTING, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARELESS[CUST: AV AS 99] [REVIEW: 11] | A | 4730 | | AS | 16-AUG-87 |
| | SAE-AMS10136 | TEE - EXTENDED[CUST: AV 99 IS] | A | 9540 | | IS | 15-APR-04 |
| | NAS1240 | TEE - UNIVERSAL - FLARELESS[CUST: AS CC] | A | 4730 | | CC | 15-APR-93 |
| | SAE-AS21909 | TEE, BULKHEAD AND UNIVERSAL, FLARELESS TUBE[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | SAE-AS21911 | TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON RUN[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | SAE-AS21910 | TEE, BULKHEAD, FLARLESS TUBE, INTERNAL THREAD ON SIDE[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| D | SAE-AS1002 | TEE, FITTING, STANDARD AND REDUCER, BULKHEAD AND INTERNAL PORT ON RUN, FLARELESS[CUST: AV AS 99] [REVIEW: 11 71 CC] | A | 4730 | | AS | 16-AUG-87 |
| | SAE-AS1033 | TEE, FITTING, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARED[CUST: AV AS 99] [REVIEW: 11 71 CC CR4] | A | 4730 | | AS | JUL-84 |
| D | SAE-AS1003 | TEE, FITTING, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARELESS[CUST: AV AS 99] [REVIEW: 11 71 CC] | A | 4730 | | AS | 16-AUG-87 |
| | SAE-AS1032 | TEE, FITTING, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON RUN, FLARED[CUST: AV AS 99] [REVIEW: 11 71 CC CR4] | A | 4730 | | AS | JUL-84 |
| D | SAE-AS1009 | TEE, FITTING, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARELESS[CUST: AV AS 99] [REVIEW: 11 71 CC] | A | 4730 | | AS | 16-AUG-87 |
| D | SAE-AS1005 | TEE, FITTING, STANDARD AND REDUCER, FLARELESS[CUST: AV AS 99] [REVIEW: 11 71 CC CR4 MI] | A | 4730 | | AS | 21-OCT-87 |
| | SAE-AS1031 | TEE, FITTING, STANDRAD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARED[CUST: AV AS 99] [REVIEW: 11 71 AR IS] | A | 4730 | | AS | JAN-01 |
| | SAE-AS21905 | TEE, FLARELESS TUBE[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | SAE-AS21912 | TEE, FLARELESS TUBE WITH BULKHEAD ON RUN[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | A-A-52405A NOT 1 | TEE, HOSE (LOW PRESSURE)[CUST: AT AS 99] [REVIEW: 71 CC] | A | 4730 | / | AT | 14-APR-04 |
| | SAE-AS4857 | TEE, PIPE, INTERNAL THREAD[CUST: MI 99 CC] [REVIEW: 71] | A | 4730 | | CC | JUL-95 |
| | NAS1763 | TEE, REDUCER, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN[CUST: AV AS] [REVIEW: CC CR4 IS] | A | 4730 | | AS | 25-MAY-84 |
| | NAS1764 | TEE, REDUCING, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN[CUST: AV AS] | A | 4730 | | AS | 25-MAY-84 |
| | MS14309C NOT 2 | TEES, PIPE, BRASS OR BRONZE, THREADED, REDUCING, CLASS 125[CUST: AT MC 99] [REVIEW: 71 AR CE EA] | A | 4730 | | CC | 14-JAN-00 |
| | A-A-59451 NOT 1 | TEES, TUBE, STRAIGHT, SOLDER-JOINT, REFRIGERATION[CUST: GL4 SH 99 CC] [REVIEW: MC] | A | 4730 | / | CC | 30-MAR-04 |
| | A-A-30179 | TEETH CLEANING DEVICE, DISPOSABLE[CUST: MD MS 03] | A | 6520 | * | MB | 28-MAY-92 |
| | ITU-BLUEBOOK | TELECOMMUNICATION POLICIES FOR THE AMERICAS (DATA COMMUNICATION OVER THE TELEPHONE NETWORK, SERIES V RECOMMENDATIONS (DDITT BLUE BOOK VOL. VIII FASCICLE VIII.1))[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | DI-MGMT-81118 | TELECOMMUNICATION SYSTEM INSTALLATION PLAN [AMSC: A6004] | A | MGMT | | AM | 19-DEC-90 |
| | FED-STD-1011 | TELECOMMUNICATION, CHARACTER STRUCTURE AND CHARACTER PARITY SENSE FOR SERIAL BY BIT DATA COMMUNICATION IN THE AMERICAN NATIONAL STANDARD CODE FOR INFORMATION INTERCHANGE | A | TELE | # | FSS | 11-AUG-77 |
| | FED-STD-1008 | TELECOMMUNICATION, CODING & MODULATION REQUIREMENTS FOR DUPLEX 600 AND 1200 BIT/SECOND MODEMS | A | TELE | # | FSS | 16-JUN-80 |
| | FED-STD-1006 | TELECOMMUNICATION, CODING AND MODULATION REQUIREMENTS FOR 4800 BIT/SECOND MODEMS | A | TELE | # | FSS | 22-DEC-77 |
| | FED-STD-001033 | TELECOMMUNICATION, DIGITAL COMMUNICATION PERFORMANCE PARAMETERS | A | TELE | # | FSS | 29-AUG-79 |
| | FED-STD-1020A | TELECOMMUNICATION, ELECTRICAL CHARACTERISTICS OF BALANCED VOLTAGE DIGITAL INTERFACE CIRCUITS | A | TELE | # | FSS | 01-JAN-80 |
| | FED-STD-1030A | TELECOMMUNICATION, ELECTRICAL CHARACTERISTICS OF UNBALANCED VOLTAGE DIGITAL INTERFACE CIRCUITS | A | TELE | # | FSS | 31-JAN-80 |
| | ICEA-S84.608 | TELECOMMUNICATIONS CABLE, FILLED POLYOLEFIN INSULATED COPPER CONDUCTOR[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | EIA606 | TELECOMMUNICATIONS INFRASTRUCTURE, ADMINISTRATIVE STANDARD FOR THE[CUST: YD] | A | FACR | | YD | 02-SEP-04 |
| | EIA569 | TELECOMMUNICATIONS PATHWAYS AND SPACES, COMMERCIAL BUILDING STANDARD FOR[CUST: YD] | A | FACR | | YD | 02-SEP-04 |
| | MIL-HDBK-1012/3(1) | TELECOMMUNICATIONS PREMISES DISTRIBUTION PLANNING, DESIGN, AND ESTIMATING[CUST: YD] | A | FACR | | YD | 30-NOV-96 |
| | DI-MISC-80416A | TELECOMMUNICATIONS SERVICE REQUEST (TSR) [AMSC: F6007] | A | MISC | | 33 | 19-DEC-90 |
| | DI-GDRQ-80148 | TELECOMMUNICATIONS SYSTEM ENGINEERING HANDBOOK [AMSC: F3811] | A | SESS | | 10 | 07-APR-86 |
| | DI-TCSP-81120 | TELECOMMUNICATIONS SYSTEM ENGINEERING PLAN [AMSC: A6007] | A | TCSP | | AM | 19-DEC-90 |
| | DI-GDRQ-80150 | TELECOMMUNICATIONS SYSTEM INSTALLATION PLAN [AMSC: F3813] | A | SESS | | 10 | 07-APR-86 |
| | FED-STD-1010 | TELECOMMUNICATIONS, BIT SEQUENCING OF THE AMERICAN NATIONAL STANDARD CODE FOR INFORMATION INTERCHANGE IN SERIAL BY BIT DATA TRANSMISSION | A | TELE | # | FSS | 11-AUG-77 |
| | FED-STD-1012 | TELECOMMUNICATIONS, CHARACTER STRUCTURE AND CHARACTER PARTY SENSE FOR PARALLEL BY BIT DATA COMMUNICATION IN THE AMERICAN NATIONAL STANDARD CODE FOR INFORMATION INTERCHANGE | A | TELE | # | FSS | 11-AUG-77 |
| D | FED-STD-1007 | TELECOMMUNICATIONS, CODING AND MODULATION REQUIREMENTS FOR DUPLEX 9600BIT SECND MODEMS[CUST: CR EC] [REVIEW: MC] | A | TELE | * | DC | 24-MAR-81 |
| | FED-STD-1005A | TELECOMMUNICATIONS, CODING AND MODULATION REQUIREMENTS FOR NONDIVERSITY 2400 BIT/SECOND MODEMS | A | TELE | # | FSS | 20-JAN-77 |
| D | FED-STD-1061 | TELECOMMUNICATIONS, GROUP 2 FACSIMILE APPARATUS FOR DOCUMENT TRANSMISSION[CUST: CR EC] | A | TELE | * | DC | 24-MAR-81 |
| D | FED-STD-1062 | TELECOMMUNICATIONS, GROUP 3 FACSIMILE FOR DOCUMENT TRANSMISSION[CUST: CR EC] | A | TELE | * | DC | 19-AUG-81 |
| D | FED-STD-1003A | TELECOMMUNICATIONS, SYNCHRONOUS BIT ORIENTATED DATA LINK CONTROL PROCEDURES (ADVANCED DATA COMMUNICATION CONTROL PROCEDURES)[CUST: CR EC] | A | TELE | * | DC | 19-AUG-81 |
| | FED-STD-1001 | TELECOMMUNICATIONS, SYNCHRONOUS HIGH SPEED DATA SIGNALING RATES BETWEEN DATA TERMINAL EQUIPMENT AND DATA COMMUNICATION EQUIPMENT | A | TELE | # | FSS | 15-JUN-75 |
| | FED-STD-1013 | TELECOMMUNICATIONS, SYNCHRONOUS SIGNALING RATES BETWEEN DATA TERMINAL EQUIPMENT AND DATA CIRCUIT TERMINATING EQUIPMENT UTILIZING 4KHZ CIRCUITS | A | TELE | # | FSS | 11-AUG-77 |
| | FED-STD-1035 | TELECOMMUNICATIONS. CODING, MODULATION AND TRANSMISSION REQUIREMENTS FOR SINGLE CHANNEL MEDIUM AND HIGH FREQUENCY RADIOTELEGRAPH SYSTEMS USED IN GOVERNMENT MARITIME MOBILE TELECOMMUNICATIONS | A | TELE | # | FSS | 29-MAR-77 |
| | FED-STD-1016 | TELECOMMUNICATIONS: ANALOG TO DIGITAL CONVERSION OF RADIO VOICE BY 4,800 BIT/SECOND CODE EXCITED LINEAR PREDICTION (CELP) | A | TELE | # | FSS | 14-FEB-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | FED-STD-1037C | TELECOMMUNICATIONS: GLOSSARY OF TELECOMMUNICATION TERMS | A | TELE | * | DC | 07-AUG-96 |
| D | FED-STD-1015 | TELECOMMUNICATIONS: ANALOG TO DIGITAL CONVERSION OF VOICE BY 2,400 BIT/SECOND LINEAR PREDICTIVE CODING[CUST: CR EC] [REVIEW: OM] | A | TELE | * | DC | 28-NOV-84 |
| D | FED-STD-1028 | TELECOMMUNICATIONS: INTEROPERABILITY AND SECURITY REQUIREMENTS FOR USE OF THE DATA ENCRYPTION STANDARD WITH CCITT GROUP 3 FACSIMILE EQUIPMENT[CUST: CR EC] [REVIEW: DH MC OM SH] | A | TELE | * | NS | 04-APR-85 |
| D | FED-STD-1023 | TELECOMMUNICATIONS: INTEROPERABILITY REQUIREMENTS FOR ENCRYPTED, DIGITIZED VOICE UTILIZED WITH 25 KHZ CHANNEL FM RADIOS OPERATING ABOVE 30 MHZ[CUST: CR EC] | A | TELE | * | DC | 25-SEP-89 |
| | QSTAG-300 | TELEGRAPH AND DATA TRANSMISSION RATES (ABCA 300)[CUST: AI] | C | ISDA | | AI | 15-JAN-79 |
| | DI-MISC-80422 | TELEPHONE DIRECTORY [AMSC: F4194] | A | MISC | | 33 | 17-AUG-87 |
| D | IEEE455 | TELEPHONE EQUIPMENT, IEEE STANDARD TEST PROCEDURE FOR MEASURING LONGITUDIAL BALANCE OF, OPERATING IN THE VOICE BAND - 30 SEP 76[CUST: CR EC] | A | TCSS | | DC1 | 09-MAR-79 |
| | MIL-T-15514F | TELEPHONE EQUIPMENT, SOUND POWERED TELEPHONE HANDSET, HEADSET, AND HEADSET-NOISE ATTENUATING, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: MC] | A | 5965 | | SH | 08-SEP-93 |
| D | EIA-RS470 | TELEPHONE INSTRUMENTS WITH LOOP SIGNALING FOR VOICEBAND APPLICATIONS[CUST: CR EC] [REVIEW: NS] | A | TCSS | | DC1 | 12-JAN-81 |
| D | EIA-RS478 | TELEPHONE SYSTEM (KTS) FOR VOICEBAND APPLICATIONS, MULTI-LINE KEY[CUST: CR EC] | A | TCSS | | DC1 | 09-MAR-81 |
| D | EIA-RS487 | TELEPHONE SYSTEM, LINE CIRCUIT (CARD) FOR 1A2 GENERIC MULTI LINE KEY[CUST: CR EC] | A | TCSS | | DC1 | 19-AUG-82 |
| | MIL-T-24649/1 | TELEPHONE, HARDWARE, SOUND POWERED A-17A, SWITCHBOX[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/2 | TELEPHONE, HARDWARE, SOUND POWERED A-19A, SWITCHBOX[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/3 | TELEPHONE, HARDWARE, SOUND POWERED A-26A, SWITCH-ROTARY SELECTOR[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/13 | TELEPHONE, HARDWARE, SOUND POWERED CABINET, HANDSET[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/4 | TELEPHONE, HARDWARE, SOUND POWERED G-15A, SINGLE JACKBOX[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/5 | TELEPHONE, HARDWARE, SOUND POWERED G-15B, DOUBLE JACKBOX[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/6 | TELEPHONE, HARDWARE, SOUND POWERED G-15C, FOUR-GANG JACKBOX[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/7 | TELEPHONE, HARDWARE, SOUND POWERED H-25A, SOUND POWERED JACK[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/8 | TELEPHONE, HARDWARE, SOUND POWERED H-27A, SOUND POWERED JACK, PANEL MOUNT[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/9 | TELEPHONE, HARDWARE, SOUND POWERED H-39A, SOUND POWERED PLUG[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/15 | TELEPHONE, HARDWARE, SOUND POWERED HOOK, HANDSET[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/10 | TELEPHONE, HARDWARE, SOUND POWERED IC/A1, SWITCHBOARD[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/11 | TELEPHONE, HARDWARE, SOUND POWERED IC/TRC REEL, CASUALITY COMMUNICATION[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/16 | TELEPHONE, HARDWARE, SOUND POWERED SOUND POWERED JACK, PORTABLE[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/17 | TELEPHONE, HARDWARE, SOUND POWERED STOWAGE BOX, HEADSET[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/14 | TELEPHONE, HARDWARE, SOUND POWERED TELEPHONE/DISTANCE LINE[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649/12 | TELEPHONE, HARDWARE, SOUND POWERED Z-33, HANDSET HOLDER[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-T-24649A SUP 1 | TELEPHONE, HARDWARE, SOUND POWERED, GENERAL SPECIFICATION FOR[CUST: SH] | A | 5935 | | SH | 10-JUN-94 |
| | MIL-PRF-71223 | TELESCOPE ASSEMBLY, BORESIGHT, COMMON[CUST: AR] | A | 1240 | | AR | 17-SEP-96 |
| | MIL-T-63443(1) | TELESCOPE, ELBOW ASSEMBLY: 8211640[CUST: AR] | A | 1290 | | AR | 11-NOV-88 |
| | MIL-T-48558B | TELESCOPE, ELBOW: M138[CUST: AR] | A | 1240 | | AR | 29-MAY-90 |
| A | MIL-T-48554A(2) | TELESCOPE, PANORAMIC: M137, M137A1, M137A2 AND M137A3[CUST: AR] | A | 1240 | | AR | 10-JAN-06 |
| | MIL-T-22143A(3) NOT 1 | TELETYPEWRITER, TT-264/AG[CUST: AS] | A | 5815 | | AS | 15-OCT-91 |
| | EIA-RS343 | TELEVISION CAMERA, HIGH RESOLUTION MONOCHROME CLOSED CIRCUIT, ELECTRICAL PERFORMANCE STANDARDS FOR[CUST: CR SH 99] | A | 5820 | | SH | 30-SEP-69 |
| | MIL-T-81624(1) | TELEVISION DISPLAY REQUIREMENTS FOR THEWEAPON SYSTEM FOR GUIDED WEAPON MARK 1 ALL M ODS (WALLEYE) AND GUIDED WEAPON, PRACTICE MK 4 MOD 0/1[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 30-DEC-69 |
| | EIA375 | TELEVISION MONITORS 525/60 INTERLACED 2:1, DIRECT VIEW MONOCHROME CLOSED CIRCUIT[CUST: YD] | A | FACR | | YD | 13-AUG-04 |
| | EIA-RS412 | TELEVISION MONITORS, DIRECT VIEW HIGH RESOLUTION MONOCHROME CLOSED CIRCUIT, ELECTRICAL PERFORMANCE STANDARDS FOR[CUST: CR SH 99] | A | 5820 | | SH | 31-OCT-74 |
| | EIA170 | TELEVISION STUDIO FACILITIES, MONOCHROME,[CUST: CR YD 99] | A | 5820 | | CC | NOV-57 |
| | A-A-53061 | TEMAZE PAM CAPSULES[CUST: MD MS 03] | A | 6505 | / | MB | 09-JUL-87 |
| | ASSE1017 | TEMPERATURE ACTUATED MIXING VALVES FOR HOT WATER DISTRIBUTION SYSTEMS[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | DI-SAFT-81127 | TEMPERATURE AND HUMIDITY TEST DATA [AMSC: N6027] | A | SAFT | | OS | 08-MAR-91 |
| | ITOP-4.2.820 | TEMPERATURE AND HUMIDITY TESTS OF AMMUNITION | D | ISDA | | TE | 09-SEP-99 |
| | EIA364.17 | TEMPERATURE LIFE WITH OR WITHOUT ELECTRICAL LOAD TEST PROCEDURE FOR ELECTRICAL CONNECTORS AND SOCKETS[CUST: CR AS 11 CC] [REVIEW: 99 AR EC MC MI SH] | A | 5935 | | AS | 22-OCT-04 |
| | IEEE1 | TEMPERATURE LIMITS IN THE RATING OF ELECTRIC EQUIPMENT AND FOR THE EVALUATION OF ELECTRICAL INSULATION[CUST: CR YD 99 CC] [REVIEW: SH] | A | 59GP | | CC | 13-MAR-86 |
| | QPL-24387-16 | TEMPERATURE MEASUREMENT EQUIPMENT SIGNAL CONDITIONER AND POWER SUPPLY (ELECTRICAL) (NAVAL SHIPBOARD USE) | A | 6685 | | SH | 25-JAN-95 |
| | MIL-T-24387A(3) | TEMPERATURE MEASUREMENT EQUIPMENT SIGNAL CONDITIONER AND POWER SUPPLY (ELECTRICAL) NAVAL SHIPBOARD USE[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 10-APR-79 |
| | ISA-MC96.1 | TEMPERATURE MEASUREMENT THERMOCOUPLES[CUST: YD] | A | FACR | | YD | 01-JUL-04 |
| | MIL-T-15377F(1) | TEMPERATURE MONITOR EQUIPMENT NAVAL SHIPBOARD[CUST: SH] [REVIEW: CR4 GS] | A | 6685 | | SH | 31-MAR-87 |
| | UL873 | TEMPERATURE-INDICATING AND -REGULATING EQUIPMENT, STANDARD FOR[CUST: YD 99] [REVIEW: 84 CE GS MC] | A | 4130 | | IS | 27-JAN-92 |
| | ASTM-D4591 | TEMPERATURES AND HEATS, DETERMINING, OF TRANSITION OF FLUOROPOLYMERS BY DIFFERENTIAL SCANNING CALORIMETRY[CUST: MR AS 99] | A | 9330 | | AS | 03-OCT-94 |
| | DI-EMCS-80217A | TEMPEST ASSESSMENT REPORT [AMSC: F6747] | A | EMCS | | 33 | 12-JUN-92 |
| | DI-MGMT-81026 | TEMPEST CONTROL PLAN [AMSC: A4982] | A | MGMT | | CR1 | 29-AUG-90 |
| | DI-EMCS-80220 | TEMPEST INSPECTION REPORT [AMSC: F3925] | A | EMCS | | 33 | 05-AUG-86 |
| | BHMA-A156.7 | TEMPLATE HINGE DIMENSIONS[CUST: AR YD 99 IS] [REVIEW: CR4] | A | 5340 | | IS | 02-AUG-89 |
| | QAP-334 ED.1 | TEMPLATE MEMORANDUM OF UNDERSTANDING FOR A MULTINATIONAL INTEGRATED MEDICAL UNIT | C | ISDA | | AI | 14-MAY-03 |
| | STANAG-3474 ED.4(1) | TEMPORARY FLYING RESTRICTIONS DUE TO EXOGENOUS FACTORS AFFECTING AIRCREW EFFICIENCY | C | ISDF | | 06 | 18-OCT-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-MISC-81562 | TEMPORARY NON-STANDARD MODIFICATION DOCUMENTATION AND MARKING REQUIREMENTS FOR TEST EQUIPMENT IN AEROSPACE VEHICLES AND RELATED GROUND SUPPORT EQUIPMENT [AMSC: F7307] | A | MISC | | 11 | 18-MAY-98 |
| | A-A-59760 | TEN-DEGREE XYLENE[CUST: MR SH 68] [REVIEW: 03 AS CR4 EA GL] | A | 6810 | / | GS3 | 13-DEC-04 |
| | ASTM-D638 | TENSILE PROPERTIES OF PLASTICS[CUST: MR AS 11] [REVIEW: AV EA GS SH] | A | 9330 | | MR | 02-MAR-92 |
| A | ASTM-D5450/D5450M | TENSILE PROPERTIES, TRANSVERSE OF HOOP WOUND POLYMER MATRIX COMPOSITE CYLINDERS[CUST: MR AS 11] [REVIEW: AT AV DH IE SH] | A | CMPS | | MR | 15-AUG-93 |
| | IPC-TM650.2.4.18.1 | TENSILE STRENGTH AND ELONGATION, IN-HOUSE PLATING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | MIL-T-38760 | TENSIOMETER DIAL INDICATING[CUST: AS 99 GS] [REVIEW: CR GL MI] | A | 6635 | | 84 | 01-APR-66 |
| | A-A-59380A | TENSIOMETER, WIRE ROPE[CUST: GL1 AS 99] [REVIEW: GS] | A | 6635 | / | 84 | 22-JUL-02 |
| | QPL-23426-17 | TENSION BAR/RELEASE ELEMENT, AIRCRAFT LAUNCHING | A | 1720 | | AS | 22-APR-02 |
| | MIL-T-23426D | TENSION BAR/RELEASE ELEMENT, AIRCRAFT LAUNCHING[CUST: AS] | A | 1720 | | AS | 27-OCT-86 |
| | A-A-52045 NOT 1 | TENSION HANDLE, STEEL MEASURING TAPE, SURVEYOR'S[CUST: CE 99 IS] | A | 6675 | / | IS | 27-SEP-01 |
| | ASTM-F152 | TENSION TESTING OF NONMETALLIC GASKET MATERIALS[CUST: MR SH 99] [REVIEW: AT AV CR CR4 EL IS] | A | 5330 | | MR | 15-DEC-93 |
| | MIL-T-41812H | TENT LINER SECTIONS, FRAME-TYPE MAINTENANCE, MEDIUM[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8340 | | CT | 30-JUN-88 |
| | MIL-T-44222A | TENT LINER SECTIONS; INSULATED (TEMPER)[CUST: GL NU CT] [REVIEW: MD] | A | 8340 | | CT | 01-MAR-91 |
| | MIL-T-14056G | TENT LINER, GENERAL PURPOSE, LARGE, FIRE, WATER AND MILDEW RESISTANT[CUST: GL NU 99 CT] [REVIEW: 11 CR MD YD] | A | 8340 | | CT | 21-NOV-88 |
| | MIL-T-12919F | TENT LINER, GENERAL PURPOSE, MEDIUM[CUST: GL NU 99 CT] [REVIEW: MC YD] | A | 8340 | | CT | 31-MAR-86 |
| | MIL-T-43333C | TENT LINER, GENERAL PURPOSE, SMALL AND ARCTIC, 10 MAN[CUST: GL NU 99 CT] [REVIEW: 11 MD YD] | A | 8340 | | CT | 31-OCT-88 |
| | MIL-DTL-43492D | TENT SECTIONS, FRAME TYPE, EXPANDABLE[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8340 | | CT | 19-DEC-00 |
| | MIL-T-41813F | TENT SECTIONS, FRAME TYPE, MAINTENANCE, MEDIUM[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8340 | | CT | 20-AUG-87 |
| | MIL-T-44243A(1) | TENT SECTIONS, TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER)[CUST: GL NU CT] [REVIEW: MC MD] | A | 8340 | | CT | 24-FEB-92 |
| | MIL-DTL-12354G | TENT, ARCTIC, 10 MAN[CUST: GL MC 11 CT] [REVIEW: MD] | A | 8340 | | CT | 21-DEC-00 |
| | MIL-T-1111G(2) | TENT, COMMAND POST, M-1945, FIRE, WATER, WEATHER AND MILDEW RESISTANT, OLIVE DRAB, COMPLETE[CUST: GL NU 99 CT] [REVIEW: 11 MC YD] | A | 8340 | | CT | 15-JUN-90 |
| | MIL-DTL-44404A | TENT, COMMAND POST, STANDARDIZED INTEGRATED COMMAND POST SYSTEM[CUST: GL CT] | A | 8340 | | CT | 30-JUN-99 |
| | MIL-DTL-44400A | TENT, FABRIC ASSEMBLIES, STANDARDIZED INTEGRATED COMMAND POST SYSTEM[CUST: GL CT] [REVIEW: MD] | A | 8340 | | CT | 07-APR-00 |
| | MIL-DTL-44427A | TENT, FIVE SOLDIER CREW[CUST: GL CT] [REVIEW: MD] | A | 8340 | | CT | 28-FEB-00 |
| | MIL-T-10168J | TENT, FRAME TYPE, INSULATED, SECTIONAL, WITH FLOOR, 16 FEET WIDE, M&1948, COMPLETE[CUST: GL NU 99 CT] [REVIEW: MC MD] | A | 8340 | | CT | 30-JUN-86 |
| | MIL-T-14038K | TENT, GENERAL PURPOSE, LARGE[CUST: GL NU 99 CT] [REVIEW: 11 MD YD] | A | 8340 | | CT | 16-SEP-91 |
| | MIL-T-1712T | TENT, GENERAL PURPOSE, MEDIUM[CUST: GL NU 99 CT] [REVIEW: 11 MD YD] | A | 8340 | | CT | 16-SEP-91 |
| | MIL-T-41810K | TENT, GENERAL PURPOSE, SMALL[CUST: GL 99 CT] [REVIEW: 11] | A | 8340 | | CT | 14-MAY-90 |
| | MIL-DTL-10035L | TENT, HEXAGONAL, LIGHTWEIGHT, M-1950[CUST: GL 11 CT] [REVIEW: MD] | A | 8340 | | CT | 01-JAN-01 |
| | MIL-T-10009H | TENT, KITCHEN, FLYPROOF, M-1948[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8340 | | CT | 29-OCT-91 |
| | MIL-T-83788 NOT 1 | TENT, PYRAMIDAL, SURVIVAL, 3-4 MAN, SRU-1/P[CUST: 99 CT] | A | 8340 | | CT | 25-MAR-94 |
| | MIL-T-41830E | TENT, VEHICLE MAINTENANCE, COMPLETE WITH A-FRAME[CUST: GL CT] [REVIEW: MD] | A | 8340 | | CT | 30-SEP-86 |
| | A-A-55266 | TENT: LIGHTWEIGHT EXTREME WEATHER[CUST: GL MC CT] | A | 8340 | / | CT | 23-FEB-95 |
| | MIL-T-43764A | TENTS, CABLE SPLICER[CUST: GL NU 99 CT] [REVIEW: MC YD] | A | 8340 | | CT | 25-JUL-90 |
| | MIL-DTL-44271B | TENTS, EXTENDABLE, MODULAR, PERSONNEL (TEMPER), ASSEMBLY COMPONENTS[CUST: GL NU CT] [REVIEW: MC] | A | 8340 | | CT | 15-SEP-00 |
| | MIL-T-43182D | TENTS, MISSILE SYSTEM EQUIPMENT CONSOLE (HAWK)[CUST: GL 99 CT] [REVIEW: MI] | A | 8340 | | CT | 09-JAN-89 |
| | MIL-T-43512B(1) | TENTS, MISSILE SYSTEM EQUIPMENT CONSOLE, (HIGH-POWER ILLUMINATOR HAWK)[CUST: GL NU CT] [REVIEW: MC MI] | A | 8340 | | CT | 30-AUG-90 |
| | A-A-53618A | TERBUTALINE SULFATE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 20-MAR-92 |
| | A-A-51502A | TERFENADINE TABLETS[CUST: MD MS 03] | A | 6505 | / | MB | 11-JUN-87 |
| | A-A-20109A | TERIYAKI SAUCE[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8950 | / | SS | 17-NOV-03 |
| A | NAS494 | TERMINAL - BALL TYPE CABLE[CUST: AS 99] | A | 1640 | | GS5 | 23-AUG-05 |
| | NEMA-ICS4 | TERMINAL BLOCKS, INDUSTRIAL CONTROL AND SYSTEMS[CUST: YD] | A | FACR | | YD | 09-SEP-04 |
| | SAE-AS27212 | TERMINAL BOARD ASSEMBLY, MOLDED-IN-STUD, ELECTRIC[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | AUG-98 |
| | MIL-T-55164/18 NOT 2 | TERMINAL BOARD, MOLDED, BARRIER, STUD TYPE, CLASS 13TB[CUST: CR SH 11] [REVIEW: AR AS AT AV CG CR4 GS MC OS] | A | 5940 | | SH | 16-DEC-92 |
| | A-A-59125A | TERMINAL BOARDS, MOLDED, BARRIER SCREW AND STUD TYPES AND ASSOCIATED ACCESSORIES[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 14-MAY-01 |
| | A-A-59125/1 | TERMINAL BOARDS, MOLDED, BARRIER SCREW TYPE, CLASS 37TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/2 | TERMINAL BOARDS, MOLDED, BARRIER SCREW TYPE, CLASS 38TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/3 | TERMINAL BOARDS, MOLDED, BARRIER SCREW TYPE, CLASS 39TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/5 | TERMINAL BOARDS, MOLDED, BARRIER SCREW TYPE, CLASS 41TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/6 | TERMINAL BOARDS, MOLDED, BARRIER SCREW TYPE, CLASS 42TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/16 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 10TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/17 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 11TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/19 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 15TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/20 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 16TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/21 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 17TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/22 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 18TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/23 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 25TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/24 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 26TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/25 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 27TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59125/9 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 3TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/26 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 43TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/27 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 44TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/10 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 4TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/11 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 5TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/12 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 6TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/13 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 7TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/14 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 8TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/15 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 9TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59125/4 | TERMINAL BOARDS,, MOLDED, BARRIER SCREW TYPE, CLASS 40TB[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | IPC-TM650.2.4.20 | TERMINAL BOND STRENGTH, FLEXIBLE PRINTED WIRING[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| A | MIL-DTL-24558/20A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 10-TERMINAL, 20-WIRE, 1000 VOLTS, SYMBOL NO. 529[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/3A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 10-TERMINAL, 30-WIRE, 600 VOLTS, SYMBOL NO. 528[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/12A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 120-TERMINAL, 480-WIRE, 600 VOLTS, SYMBOL NO. 450[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| | MIL-DTL-24558/13A | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 144-TERMINAL, 432-WIRE, 600 VOLTS, SYMBOL NO. 524.1[CUST: SH] | A | 5940 | | GS2 | 29-NOV-04 |
| A | MIL-DTL-24558/14A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 192-TERMINAL, 576-WIRE, 600 VOLTS, SYMBOL NO. 451[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/4A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 20-TERMINAL, 80-WIRE, 600 VOLTS, SYMBOL 432.1[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/15A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 200-TERMINAL, 800-WIRE, 600 VOLTS, SYMBOL NO. 452[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| | MIL-DTL-24558/16A | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 288-TERMINAL, 864-WIRE, 600 VOLTS, SYMBOL NO. 453[CUST: SH] | A | 5940 | | GS2 | 29-NOV-04 |
| A | MIL-DTL-24558/5A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 30-TERMINAL, 90-WIRE, 600 VOLTS, SYMBOL NO. 434[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/17A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 384-TERMINAL, 1152-WIRE, 600 VOLTS, SYMBOL NO. 454[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| | MIL-DTL-24558/19A | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 4-TERMINAL, 8-WIRE 1000 VOLTS, SYMBOL NO. 444[CUST: SH] | A | 5940 | | GS2 | 09-DEC-04 |
| A | MIL-DTL-24558/6A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 40-TERMINAL, 160-WIRE, 600 VOLTS, SYMBOL NO. 433.1[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/7A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 48-TERMINAL, 144-WIRE, 600 VOLTS, SYMBOL NO. 522.1[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| | MIL-DTL-24558/26A | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE SYMBOL 572.1, SIX BRANCH LUGS FOR TWO 3-CONDUCTOR 40 MCM CABLES, SIX BUS LUGS FOR TWO 3-CONDUCTOR 75 MCM CABLES[CUST: SH] | A | 5940 | | GS2 | 28-DEC-04 |
| | MIL-DTL-24558/28A | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE SYMBOL 574.1, EIGHTEEN BRANCH TERMINALS FOR SIX 3-CONDUCTOR 40 MCM CABLES, SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES[CUST: SH] | A | 5940 | | GS2 | 28-DEC-04 |
| A | MIL-DTL-24558/29A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 575.1, SIX BRANCH TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 200 MCM CABLES[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/23A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 403.1, TWO-CIRCUIT - THREE-PHASE BUS LUGS FOR TWO 75 MCM CABLES[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| | MIL-DTL-24558/27B | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 573.1, TWELVE BRANCH TERMINALS FOR FOUR 3-CONDUCTOR 40 MCM CABLES; SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES[CUST: SH] | A | 5940 | | GS2 | 28-DEC-04 |
| A | MIL-DTL-24558/24A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS,THREE-PHASE, SYMBOL 416, TWO-CIRCUIT, THREE-PHASE BUS LUGS FOR TWO 75 MCM CABLES[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/8A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 60-TERMINAL, 240-WIRE, 600 VOLTS, SYMBOL NO. 446[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/9A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 72-TERMINAL, 216-WIRE, 600 VOLTS, SYMBOL NO. 525[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/10A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 80-TERMINAL, 320-WIRE, 600 VOLTS, SYMBOL NO. 438[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/11A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 96-TERMINAL, 288-WIRE, 600 VOLTS, SYMBOL NO. 523.1[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/2A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), EIGHT-TERMINAL, 32-WIRE, 600 VOLTS, SYMBOL NO. 435.1[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/1A(1) | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), SIX-TERMINAL, 18-WIRE, 600 VOLTS, SYMBOL NO. 520.1[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558A SUP 1 | TERMINAL BOXES, CONNECTION, FOR ELECTRICAL AND ELECTRONIC SYSTEMS, GENERAL SPECIFICATION FOR[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/22A(1) | TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, SINGLE PHASE SYMBOL 415 - TWO 75 MCM CABLES, SYMBOL 415.1 - TWO 100 MCM CABLES, SYMBOL 415.2 - TWO 125 MCM CABLES, SYMBOL 415.3 - TWO 150 MCM CABLES AND SYMBOL 415.4 - TWO 200 MCM CABLES[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/21A(1) | TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, SYMBOL 476.1, 24 LUGS FOR TWELVE 2-CONDUCTOR 23 MCM CABLES OR EIGHT 3-CONDUCTOR 23 MCM CABLES[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/30A(1) | TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE SYMBOL 576.1 - TWO CKTS FOR 150 MCM CABLE, ONE CKT FOR 200 MCM CABLE AND ONE CKT FOR 400 MCM CABLE SYMBOL 577.1 - ONE CKT FOR 150 MCM CABLE, ONE CKT FOR 200 MCM CABLE AND TWO CKTS FOR 250 MCM CABLE[CUST: SH] | A | 5940 | | GS2 | 15-JUL-05 |
| A | MIL-DTL-24558/25A(1) | TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE SYMBOL 418.1, SIX BUS LUGS FOR TWO 3-CONDUCTOR 250 MCM CABLE; SYMBOL 418.2, SIX BUS LUGS FOR TWO 3-CONDUCTOR 300 MCM CABLE; SYMBOL 418.3, SIX BUS LUGS FOR TWO 3-CONDUCTOR 400 MCM CABLE[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| A | MIL-DTL-24558/18A(1) | TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 600 VOLTS, 4-TERMINAL, 8-WIRE, SYMBOLS 400.1 AND 400.4, 4-TERMINAL, 12-WIRE, SYMBOLS 400.2 AND 400.3[CUST: SH] | A | 5940 | | GS2 | 17-FEB-06 |
| | MIL-T-81714E SUP 1 | TERMINAL JUNCTION SYSTEM (TJS), ENVIRONMENT RESISTANT GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | QPL-81714-12 | TERMINAL JUNCTION SYSTEM (TJS), ENVIRONMENT RESISTANT, GENERAL SPECIFICATION FOR | A | 5940 | | AS | 28-OCT-03 |
| | MIL-T-81714/10F | TERMINAL JUNCTION SYSTEM RACK, ELECTRONIC JUNCTION, FEEDTHRU TYPE[CUST: CR AS 11] [REVIEW: AR AT AV EC GS MI OS] | A | 5940 | | AS | 02-MAR-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-81714/30B | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BLOCKS, ELECTRONIC, FEEDBACK TYPE, SIZES 20-3, 20-4, 20-5 VERTICAL MOUNTING WITH INTEGRAL BRACKET[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 31-DEC-85 |
| | MIL-T-81714/29C | TERMINAL JUNCTION SYSTEM, BRACKET, BLOCK MOUNING, SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/15C | TERMINAL JUNCTION SYSTEM, GROUNDING STUD, SERIES I[CUST: CR AS] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | SAE-AS81714/5 | TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK FEEDBACK TYPE, SERIES I[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | MIL-T-81714/16E | TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, LIEHT WEIGHT, SERIES I[CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/14C | TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDTHRU TYPE, LIGHT WEIGHT, SERIES I[CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/23B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTIONS, INTEGRAL FUSE, SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/21B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTIONS, INTEGRAL DIODE, SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/22B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTION, INTEGRAL RESISTOR, SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/31B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, MODULES, FEEDBACK TYPE, SIZES 20-6 20-7, 20-8HORIZONTAL MOUNTING WITH INTEGRAL BRACKET, SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/28B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, GROUNDING MODULES, INTEGRAL BRACKET MOUNTING, SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | SAE-AS81714/7 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 20, SERIES I[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | SAE-AS81714/3 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 16, SERIES I[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | SAE-AS81714/9 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 12, SERIES I[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | SAE-AS81714/4 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 12, SERIES I[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | SAE-AS81714/8 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 16, SERIES I[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | MIL-T-81714/17C | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22D, SERIES I[CUST: AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | SAE-AS81714/6 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 22, SERIES I[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | SAE-AS81714/1 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22, SERIES I[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | SAE-AS81714/2 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 20, SERIES I[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | MIL-T-81714/24B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, ELECTRONIC, IN LINE JUNCTIONS, DOUBLE, INTEGRAL DIODE(S), SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/27B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD TYPE MOUNTING, SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/20B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 12, SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/25B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20-1, SERIES I[CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/19B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 16, SEARIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/18B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20, SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/26B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODVLES, ELECTRONIC, FEEDBACK TYPE, SIZE 20-2, SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 02-MAR-88 |
| | MIL-T-81714/65(1) NOT 3 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, SERIES II[CUST: CR AS 11] [REVIEW: AR AT AV EC GS OS SH] | A | 5940 | | AS | 07-JUL-04 |
| | SAE-AS81714/11 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, SINGLE, SERIES I[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | SAE-AS81714/12 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, DOUBLE, SERIES I[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | SAE-AS7928/7 | TERMINAL LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, TERMINAL LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE TYPE I, CLASS 1 FOR 175 DEG. C. TOTAL CONDUCTOR TEMPERATURE[CUST: CR AS 11 GS] [REVIEW: AV EC MC OS SH] | A | 5940 | | AS | APR-99 |
| | A-A-59125/7 | TERMINAL LUGS, SOLDER TYPE, STYLES TBLD AND TBLS[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | MIL-T-22576(1) | TERMINAL, AIR, DIFFUSING, CIRCULAR, FOR SHIPBOARD USE[CUST: SH] [REVIEW: GS] | A | 4130 | | SH | 10-JAN-64 |
| | NAS287 | TERMINAL, CHAIN TO CABLE (FOR SWAGING)[CUST: AS 11] [REVIEW: IS] | A | 4030 | | AS | 30-JAN-84 |
| | NAS288 | TERMINAL, CHAIN TO TURNBUCKLE[CUST: AV AS 11] [REVIEW: CR CR4] | A | 4330 | | AS | 14-JUN-74 |
| A | MIL-T-16366F NOT 3 | TERMINAL, ELECTRICAL LUG AND CONDUCTOR SPLICES, CRIMP STYLE[CUST: MI SH] [REVIEW: GS] | A | 5940 | | SH | 28-OCT-05 |
| | SAE-AS20659 | TERMINAL, LUG CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TYPE I, CLASS 1, FOR 175 C TOTAL CONDUCTOR TEMPERATURE[CUST: CR AS 11] | A | 5940 | | AS | 17-SEP-98 |
| | MS25436A | TERMINAL, LUG, CRIMP STYLE 90 DEG UPRIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1[CUST: AS 11] [REVIEW: 99 GS] | A | 5940 | | AS | 15-MAY-64 |
| | SAE-AS17143 | TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TYPE II, CLASS 1 FOR 105 DEGREES C TOTAL CONDUCTOR TEMPERATURE[CUST: AS] [REVIEW: GS] | A | 5940 | | AS | AUG-97 |
| | SAE-AS25036 | TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1, (FOR 105 DEG C TOTAL CONDUCTOR TEMPERATURE)[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | JUL-98 |
| | MS25438A | TERMINAL, LUG, CRIMP STYLE, RIGHT ANGLE TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1[CUST: AS 11] [REVIEW: 99 GS] | A | 5940 | | AS | 15-MAY-64 |
| | MS25435A | TERMINAL, LUG, CRIMP STYLE, STRAIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE CLASS 1[CUST: CR AS 11] [REVIEW: 99 GS] | A | 5940 | | AS | 15-MAY-64 |
| | NASM77073 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE FLAT, ONE HOLE[CUST: AR SH 11 GS2] | A | 5940 | | GS2 | 03-JUL-02 |
| | NASM77072 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, FLAT, ONE HOLE[CUST: AR SH 11 GS2] | A | 5940 | | GS2 | 03-JUL-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS21004 | TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, CRIMP STYLE, COPPER, TYPE I, CLASS 1, FOR 175 DEG. C TOTAL CONDUCTOR TEMPERATURE[CUST: CR AS 99 GS] [REVIEW: 11 AV EC MI SH] | A | 5940 | | AS | 18-AUG-04 |
| | SAE-AS10081 | TERMINAL, SHANK-SWAGING, DIMENSIONS FOR[CUST: AV AS 99] | A | 4030 | | AS | AUG-99 |
| | A-A-59289A | TERMINAL, STUD, FEEDTHRU, DOUBLE - DOUBLE[CUST: MI AS 11] | A | 5940 | / | GS2 | 27-MAY-04 |
| | A-A-59288A | TERMINAL, STUD, FEEDTHRU, SINGLE - DOUBLE[CUST: MI AS 11] | A | 5940 | / | GS2 | 27-MAY-04 |
| A | MIL-DTL-781H(1) SUP 1 | TERMINAL, WIRE ROPE SWAGING, GENERAL SPECIFICATION FOR[CUST: CR AS 99 GS5] [REVIEW: 71 AR GL MC MI] | A | 1640 | | GS5 | 23-DEC-05 |
| A | QPL-781-17 | TERMINAL, WIRE ROPE SWAGING, GENERAL SPECIFICATION FOR | A | 1640 | | GS5 | 25-JUL-05 |
| | MS20658H NOT 1 | TERMINAL, WIRE ROPE, SWAGING, FORK END[CUST: CR4 AS 99] [REVIEW: 71 MC MD] | A | 1640 | | GS5 | 01-APR-05 |
| | MS21260M(1) | TERMINAL, WIRE ROPE, SWAGING STUD[CUST: AR AS 99] [REVIEW: 71 CR4 MC] | A | 1640 | | GS5 | 01-APR-05 |
| | MS20668G NOT 1 | TERMINAL, WIRE ROPE, SWAGING, EYE END[CUST: CR4 AS 99 GS5] [REVIEW: 71] | A | 1640 | | GS5 | 01-APR-05 |
| A | MS20667J(1) NOT 1 | TERMINAL, WIRE ROPE, SWAGING, FORK END[CUST: CR4 AS 99] [REVIEW: 71 MD] | A | 1640 | | GS5 | 09-FEB-06 |
| | MS21259J NOT 1 | TERMINAL, WIRE ROPE, SWAGING, STUD, LONG THREAD[CUST: AR AS 99 GS5] [REVIEW: 71 MC] | A | 1640 | | GS5 | 01-APR-05 |
| A | NAS1435 | TERMINAL-STRAP, CABLE, EYE END AND FORK END[CUST: AS 11] [REVIEW: 99 IS] | A | 1640 | | GS5 | 31-AUG-05 |
| | A-A-59287A | TERMINAL. STUD FEEDTHRU, SINGLE[CUST: MI AS 11] [REVIEW: 99] | A | 5940 | / | GS2 | 27-MAY-04 |
| | QPL-7099-12 | TERMINAL; LUG AND SPLICE, CRIMP STYLE ALUMINUM FOR ALUMINUM AIRCRAFT WIRE | A | 5940 | | AS | 18-MAR-98 |
| | MIL-T-24552/5 | TERMINALS & SEALS, PLUGS & SWITCH, CASUALTY POWER, SWITCH, PORTABLE 100-AMPERE, 450-VOLT, ALTERNATING CURRENT, THREE-PHASE, SYMBOL N0. 1041.1[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 03-NOV-86 |
| | MIL-DTL-24552/1B | TERMINALS AND SEALS PLUGS AND SWITCH, CASUALTY POWER, RECEPTACLE TYPE, BACK CONNECTED 200 AMPERE, 450-VOLT, ALTERNATING CURRENT, THREE-PHASE, SYMBOL NO. 1046[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 08-JUN-01 |
| | QPL-24552-9 | TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALITY POWER SYSTEMS, RECEPTACLE TYPE, GENERAL SPECIFICATION FOR | A | 5940 | | SH | 10-FEB-03 |
| | MIL-DTL-24552B | TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER SYSTEMS, RECEPTACLE TYPE, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 08-JUN-01 |
| | MIL-DTL-24552/4B | TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER, PLUG, 100-AMPERE, 450-VOLT, ALTERNATING CURRENT, THREE-PHASE, SYMBOL NO. 1049[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 08-JUN-01 |
| | MIL-DTL-24552/2B | TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER, RECEPTACLE TYPE, UPPER AND LOWER RISER, 200-AMPERE, 450-VOLT, ALTERNATING CURRENT, THREE-PHASE, SYMBOL NO. 1047[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 08-JUN-01 |
| | MIL-DTL-24552/3B | TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER, SEAL, SYMBOL NO. 1048[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 08-JUN-01 |
| | SAE-J858 | TERMINALS, ELECTRICAL, BLADE TYPE[CUST: AT SH 11 GS2] | A | 5940 | | GS2 | 03-OCT-84 |
| | SAE-J561 | TERMINALS, ELECTRICAL-EYELET AND SPADE TYPE[CUST: CR4 SH 11 GS2] | A | 5940 | | GS2 | 03-OCT-94 |
| | SAE-J928 | TERMINALS, ELECTRICAL-PIN AND RECEPTACLE TYPE[CUST: AT SH 11 GS2] | A | 5940 | | GS2 | 03-OCT-94 |
| | A-A-59126 | TERMINALS, FEEDTHRU (INSULATED) AND TERMINALS, STUD (INSULATED AND NONINSULATED)[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/1 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT01)[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/2 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT02[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/3 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT03[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/4 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT04[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/5 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT05[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/6 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT06[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | SAE-AS7928/1 | TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, FOR THIN WALL WIRE, TYPE II, CLASS 1 FOR 105 DEG. C TOTAL CONDUCTOR TEMPERATURE[CUST: CR AS 11 GS] [REVIEW: AV EC MC MI NS OS SH] | A | 5940 | | AS | SEP-99 |
| | SAE-AS7928/4 | TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 150 DEG. C. TOTAL CONDUCTOR TEMPERATURE)[CUST: CR AS 11 GS] [REVIEW: AT AV EC MI OS SH] | A | 5940 | | AS | APR-99 |
| | SAE-AS7928/2 | TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, FOR THIN WALL WIRE, TYPE II, CLASS 1 FOR 105 DEG.C TOTAL CONDUCTOR TEMPERATURE[CUST: CR AS 11] [REVIEW: EC GS MC MI NS OS] | A | 5940 | | AS | AUG-99 |
| | SAE-AS7928/5 | TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC, (PERMANENT, TYPE II, CLASS 1) FOR 105 DEG. C. TOTAL CONDUCTOR TEMPERATURE[CUST: CR AS 11 GS] [REVIEW: AV EC MC] | A | 5940 | | AS | APR-99 |
| | SAE-AS7928/6 | TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC, (PERMANENT, TYPE II, CLASS 1) FOR 150 DEG. C. TOTAL CONDUCTOR TEMPERATURE[CUST: CR AS 11 GS] [REVIEW: AV EC SH] | A | 5940 | | AS | APR-99 |
| | SAE-AS7928 | TERMINALS, LUG: SPLICES, CONDUCTOR: CRIMP STYLE, COPPER, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: AT AV EA GS MI OS SH] | A | 5940 | | AS | JUN-99 |
| A | QPL-AS7928-2 | TERMINALS, LUG: SPLICES, CONDUCTOR: CRIMP STYLE, COPPER, GENERAL SPECIFICATION FOR | A | 5940 | | AS | 04-NOV-05 |
| | A-A-59126/7 | TERMINALS, STUD (INSULATED) STYLE SE07[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/8 | TERMINALS, STUD (INSULATED) STYLE SE08[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/9 | TERMINALS, STUD (INSULATED) STYLE SE09)[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/10 | TERMINALS, STUD (INSULATED) STYLE SE10[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/18 | TERMINALS, STUD (INSULATED) STYLE SE18[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/19 | TERMINALS, STUD (INSULATED) STYLE SE19[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/20 | TERMINALS, STUD (INSULATED) STYLE SE20[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/21 | TERMINALS, STUD (INSULATED) STYLE SE21[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/22 | TERMINALS, STUD (INSULATED) STYLE SE22[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/27 NOT 1 | TERMINALS, STUD (INSULATED) STYLE SE27[CUST: CR 11 GS2] | A | 5940 | / | GS2 | 28-FEB-03 |
| | A-A-59126/11 | TERMINALS, STUD (NONINSULATED) STYLE SE11[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/12 | TERMINALS, STUD (NONINSULATED) STYLE SE12[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/13 | TERMINALS, STUD (NONINSULATED) STYLE SE13[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/14 | TERMINALS, STUD (NONINSULATED) STYLE SE14[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/15 | TERMINALS, STUD (NONINSULATED) STYLE SE15[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/16 | TERMINALS, STUD (NONINSULATED) STYLE SE16[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/17 | TERMINALS, STUD (NONINSULATED) STYLE SE17[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59126/23 | TERMINALS, STUD (NONINSULATED) STYLE SE23[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/25 | TERMINALS, STUD (NONINSULATED) STYLE SE25[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/26 | TERMINALS, STUD (NONINSULATED), (CIRCULAR, GROUND) STYLE SE26[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/30 | TERMINALS, STUD, DOUBLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE30[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/32 NOT 1 | TERMINALS, STUD, FORK TYPE, (NONINSULATED, SWAGE, MOUNTED)[CUST: CR 11 GS2] | A | 5940 | / | GS2 | 28-FEB-03 |
| | A-A-59126/29 | TERMINALS, STUD, SINGLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE29[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | A-A-59126/31 NOT 1 | TERMINALS, STUD, TRIPLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE31[CUST: CR 11 GS2] | A | 5940 | / | GS2 | 28-FEB-03 |
| | A-A-59126/24 | TERMINALS. STUD (NONINSULATED) STYLE SE24[CUST: CR EC 11] [REVIEW: GS] | A | 5940 | / | CR | 26-SEP-97 |
| | SAE-AS70991 | TERMINALS: LUG AND SPLICE, CRIMP STYLE, ALUMINUM, FOR ALUMINUM AIRCRAFT WIRE[CUST: CR AS 11] [REVIEW: GS] | A | 5940 | | AS | AUG-99 |
| | IEEE115 | TERMINATION, CABLE,[CUST: YD] [REVIEW: CC CE GS] | A | 6125 | | YD | 14-OCT-87 |
| | IEEE48 | TERMINATIONS, CABLE, CURRENT, TEST PROCEDURES AND REQUIREMENTS FOR HIGH-VOLTAGE ALTERNATING[CUST: YD] [REVIEW: 71 CC CE GS SH] | A | 6110 | | YD | 15-APR-88 |
| A | QPL-29504-19 | TERMINI, FIBER OPTIC CONNECTOR, REMOVABLE, GENERAL SPECIFICATION FOR | A | 6060 | | SH | 25-OCT-05 |
| | MIL-PRF-29504B | TERMINI, FIBER OPTIC CONNECTOR, REMOVABLE, GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC NA] [REVIEW: 03 13 19 33 93 99 AS DI] | A | 6060 | | SH | 12-NOV-02 |
| | MIL-PRF-29504/3B | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, DUMMY TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS)[CUST: CR SH 11 CC] [REVIEW: 03 13 19 93 99 AS DI NA] | A | 6060 | | SH | 12-NOV-02 |
| | MIL-PRF-29504/14A | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, PIN TERMINUS, FRONT RELEASE CERAMIC FERRULE, (FOR MIL-C-28876 CONNECTORS)[CUST: CR SH 11 CC] [REVIEW: 03 13 19 93 99 AS DI NA] | A | 6060 | | SH | 12-NOV-02 |
| | MIL-PRF-29504/4C | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, PIN TERMINUS, SIZE 16, REAR RELEASE, MIL-DTL-38999, SERIES I, III, AND IV[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NS] | A | 6060 | | CC | 29-JUL-04 |
| | MIL-PRF-29504/5C | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, SOCKET TERMINUS, SIZE 16, REAR RELEASE, MIL-DTL-38999, SERIES I, III, AND IV[CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | CC | 29-JUL-04 |
| | MIL-PRF-29504/15A | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, SOCKET TERMINUS, FRONT RELEASE, CERAMIC FERRULE, (FOR MIL-C-28876 CONNECTORS)[CUST: CR SH 11 CC] [REVIEW: 03 13 19 93 99 AS DI NA] | A | 6060 | | SH | 12-NOV-02 |
| | STANAG-4389 ED.1(1) | TERMS AND DEFINITIONS COVERING SUBMARINE MAIN LEAD ACID BATTERIES | D | ISDN | | NI | 03-AUG-94 |
| | ADV-PUB-61/101/20 | TERMS AND SYMBOLS FOR THERMAL PHYSIOLOGY | C | ISDF | | 06 | 04-MAR-96 |
| | FED-STD-800 | TERMS, DEFINITIONS AND SYMBOLS FOR SECURITY EQUIPMENT AND PRACTICES | A | MISC | # | FSS | 05-JAN-89 |
| | QQ-T-201F | TERNEPLATE, FOR ROOFING AND ROOFING PRODUCTS[CUST: MR YD 99] [REVIEW: IS] | A | 9515 | / | MR | 12-NOV-86 |
| | QSTAG-1038 ED.1 | TERRAIN ANALYSIS[CUST: AI] | C | ISDA | | AI | 04-DEC-93 |
| | QSTAG-611 | TERRAIN DESCRIPTION GLOSSARY (ABCA 611)[CUST: AI] | C | ISDA | | AI | PENDING |
| | QAP-149 ED.1 | TERRAIN RESOLUTION AND CONTENT REQUIREMENTS FOR COMBAT MODELS | C | ISDA | | AI | 09-DEC-96 |
| | A-A-55825 NOT 1 | TERT-AMYL ALCOHOL[CUST: EA 68 GS3] [REVIEW: AR CR4 MD1] | A | 6810 | / | GS3 | 26-NOV-02 |
| | DI-NDTI-81284 | TEST AND EVALUATION PROGRAM PLAN (TEPP) [AMSC: N6787] | A | NDTI | | SA | 11-SEP-92 |
| | DI-MISC-81621 | TEST CHANGE PROPOSAL (TCP) [AMSC: N7451] | A | MISC | | SA | 01-AUG-01 |
| | DI-GDRQ-81027 | TEST DATA CARD FOR TRANSDUCERS AND HYDROPHONES [AMSC: N4983] | C | SESS | | SH | 06-SEP-90 |
| | DI-GDRQ-81048 | TEST DATA CARD FOR TRANSDUCERS AND HYDROPHONES [AMSC: N5006] | C | SESS | | SH | 27-SEP-90 |
| A | ASTM-E29 | TEST DATA TO DETERMINE CONFORMANCE WITH SPECIFICATIONS, USING SIGNIFICANT DIGITS IN[CUST: AR AS 68] | A | MISC | | 68 | 15-MAR-93 |
| | DI-ATTS-81273 | TEST DESIGN AND ASSESSMENT REPORT [AMSC: N6746] | A | ATTS | | SH | 12-JUN-92 |
| | DI-QCIC-80204 | TEST ELEMENTS LIST [AMSC: N3909] | A | QCIC | | OS | 04-AUG-86 |
| | MIL-PRF-28800F | TEST EQUIPMENT FOR USE WITH ELECTRICAL AND ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR[CUST: CR SH 11] [REVIEW: 13 18 19 99 AR AS AV CE EA MC MD MI OS TE YD] | A | 6625 | | SH | 24-JUN-96 |
| | DI-FACR-80810A | TEST FACILITY REQUIREMENTS DOCUMENT (TFRD) [AMSC: F7228] | A | FACR | | 10 | 24-JAN-97 |
| | MS3321A NOT 1 | TEST FIXTURE, PROBE DAMAGE, SOCKET CONTACT, CONNECTOR, ELECTRIC[CUST: CR AS 11 CC] [REVIEW: AR AV CR4 EC MC MI OS] | A | 5935 | | CC | 12-JUN-01 |
| | FED-STD-372 | TEST FOR CRITICAL RADIANT FLUX OF CAPPET FLOORING SYSTEMS (FLOORING RADIANT PANEL TEST) | A | 7220 | # | FSS | 31-AUG-77 |
| | NFPA261 | TEST FOR DETERMINING RESISTANCE OF MOCK-UP UPHOLSTERED FURNITURE MATERIAL ASSEMBLIES TO IGNITION BY SMOLDERING CIGARETTES[CUST: GL YD 11] | A | 7105 | | IS | 11-FEB-94 |
| | UL723 | TEST FOR SURFACE BURNING CHARACTERISTICS OF BUILDING MATERIALS[CUST: EA YD 99 MB] | A | 56GP | | YD | 30-APR-93 |
| | A-A-53117 | TEST GAGE, TOURNIQUET[CUST: MD MS 03] | A | 6515 | / | MB | 05-AUG-87 |
| | DI-QCIC-81536 | TEST INFORMATION SHEET (TIS) [AMSC: F7234] | A | QCIC | | 10 | 24-JAN-97 |
| | A-A-51238 | TEST KIT, ANAEROBE IDENTIFICATION[CUST: MD MS 03] | A | 6550 | / | MB | 29-NOV-85 |
| | A-A-54613 | TEST KIT, BILIRUBIN DETERMINATION[CUST: MD MS 03] | A | 6550 | / | MB | 20-MAR-92 |
| | A-A-51277 | TEST KIT, ENTEROBACTERIACEAE DIFFERENTIATION[CUST: MD MS 03] | A | 6550 | / | MB | 21-JAN-86 |
| | A-A-51400A | TEST KIT, FIBRIN AND FIBRINOGEN DEGRADATION PRODUCTS, DETERMINATION[CUST: MD MS 03] | A | 6550 | / | MB | 22-SEP-86 |
| | A-A-0051400 | TEST KIT, FIBRIN/FIBRINOGEN DEGRADATION PRODUCTS, DETERMINATION[CUST: MD MS 03] | A | 6550 | / | MB | 07-APR-86 |
| | A-A-51426A | TEST KIT, HEMOGLOBIN DETERMINATION[CUST: MD MS 03] | A | 6550 | / | MB | 11-SEP-86 |
| | A-A-54612 | TEST KIT, HUMAN CHORIONIC GONADOTROPIN DETERMINATION[CUST: MD MS 03] | A | 6550 | / | MB | 20-MAR-92 |
| | A-A-51726 | TEST KIT, OCCULT BLOOD AND GASTRIC PH DETERMINATION[CUST: MD MS 03] | A | 6550 | / | MB | 31-OCT-86 |
| | A-A-51230 | TEST KIT, OCCULT BLOOD DETERMINATION[CUST: MD MS 03] | A | 6550 | / | MB | 29-NOV-85 |
| | A-A-50752A | TEST KIT, PENETRANT[CUST: GL AS 99] [REVIEW: 84] | A | 6635 | / | GS1 | 25-SEP-01 |
| | MIL-PRF-52849D | TEST KIT, PETROLEUM: AVIATION FUEL CONTAMINATION (PORTABLE)[CUST: AT 68] [REVIEW: DM] | A | 6630 | | AT | 13-AUG-98 |
| | A-A-51461C NOT 1 | TEST KIT, TEST STRIPS AND COLOR CHART, ANTIFREEZE, FREEZE POINT AND NITRITE CONCENTRATION[CUST: AT MS] [REVIEW: DM MB] | A | 6630 | / | AT | 31-MAY-05 |
| | DOD-T-17412C | TEST KIT, WATER, ENGINE COOLING SYSTEMS (METRIC)[CUST: SH] [REVIEW: GS] | A | 6630 | | SH | 20-SEP-78 |
| | A-A-53789 | TEST LUNG[CUST: MD MS 03] | A | 6910 | / | MB | 30-DEC-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-E607 | TEST METHOD FOR ATOMIC EMISSION SPECTROMETRIC ANALYSIS ALUMINUM ALLOYS BY THE POINT TO PLANE TECHNIQUE NITROGEN ATMOSPHERE[CUST: MR AS 11] | A | NDTI | | AS | 03-OCT-94 |
| | EIA-TIA455.56 | TEST METHOD FOR EVALUATING FUNGUS RESISTANCE OF OPTICAL FIBER AND CABLE[CUST: CR AS 11 CC] | A | 60GP | | CC | 12-JAN-95 |
| | ASTM-E2073 | TEST METHOD FOR PHOTOPIC LUMINANCE OF PHOTOLUMINESCENT (PHOSPHORESCENT) MARKINGS[CUST: AV OS 99 IS] | A | 9390 | | IS | 16-OCT-00 |
| | ADV-PUB-61/102/13 | TEST METHODOLOGY FOR THE USE OF SLOW RECOVERY FOAM IN SEAT CUSHIONS | C | ISDF | | 06 | 08-JUN-93 |
| A | MIL-STD-1311C NOT 1 | TEST METHODS FOR ELECTRON TUBES[Test Method Standard][CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG CR4 MI OS SH SM] | A | 5960 | | CC | 08-NOV-05 |
| | CI1500 | TEST METHODS FOR FIBER ROPE[CUST: GL SH 99 IS] | A | 4020 | | IS | 31-JUL-97 |
| | MIL-STD-2223(1) | TEST METHODS FOR INSULATED ELECTRIC WIRE[Military Standard][CUST: CR AS 11] [REVIEW: AR NA] | A | 6145 | | AS | 09-SEP-94 |
| | ASTM-E177 | TEST METHODS, ASTM, USE OF THE TERMS PRECISION AND BIAS IN[CUST: MR OS 05] | A | QCIC | | MR | 03-OCT-94 |
| | A-A-8899B(1) | TEST OF THE ASSIST DOCUMENT COORDINATION MODULE[CUST: DA] | D | 9915 | / | DA | 28-OCT-05 |
| | A-A-30161 | TEST PACK, AIR REMOVAL[CUST: MD MS 03] | A | 6530 | * | MB | 28-MAY-92 |
| | DI-SESS-81525B | TEST PACKAGE [AMSC: N7471] | A | SESS | | AS | 30-AUG-01 |
| | A-A-53945 | TEST PAPER, CHLORINE DETERMINATION[CUST: MD MS 03] | A | 6630 | / | MB | 26-JUL-89 |
| | A-A-53637 | TEST PAPER, HYDROGEN ION[CUST: MD MS 03] | A | 6640 | / | MB | 15-AUG-88 |
| | A-A-53842 | TEST PATTERN AND PENETROMETER ASSEMBLY, X-RAY[CUST: MD MS 03] | A | 6525 | / | MB | 24-MAR-89 |
| | A-A-53320 | TEST PATTERN, RADIOGRAPHIC IMAGE INTENSIFIER[CUST: MD MS 03] | A | 6525 | / | MB | 26-FEB-88 |
| | DI-NDTI-80566 | TEST PLAN [AMSC: G4379] | A | NDTI | | NS | 13-APR-88 |
| | DI-MISC-81622 | TEST PROBLEM REPORT (TPR) [AMSC: N7452] | A | MISC | | SA | 01-AUG-01 |
| | DI-NDTI-80603 | TEST PROCEDURE [AMSC: G4428] | A | NDTI | | NS | 01-JUN-88 |
| | SAE-ARP1173 | TEST PROCEDURE TO MEASURE THE RF SHIELDING CHARACTERISTICS OF E.M.I. GASKETS[CUST: CR EC 11] | A | EMCS | | CR | OCT-94 |
| | MIL-T-18606(1) | TEST PROCEDURES FOR AIRCRAFT CABIN PRESSURIZING AND AIR CONDITIONING SYSTEMS[CUST: AV AS] [REVIEW: GS] | A | 1660 | | AS | 31-OCT-69 |
| | STANAG-4164 ED.2 | TEST PROCEDURES FOR ARMOUR PERFORATION TESTS OF ARMOUR DEFEATING AMMUNITION | C | ISDA | | AI | PENDING |
| | STANAG-4300 ED.1 | TEST PROCEDURES FOR ASSESSING THE QUALITY OF ALUMINIUM POWDER, FOR USE IN EXPLOSIVE FORMULATION, FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C | ISDA | | AI | 13-JAN-92 |
| | STANAG-4178 ED.1 | TEST PROCEDURES FOR ASSESSING THE QUALITY OF DELIVERIES OF NITRO- CELLULOSE FROM ONE NATO NATION TO ANOTHER | C | ISDA | | AI | PENDING |
| | MIL-HDBK-704-6 | TEST PROCEDURES FOR DEMONSTRATION OF UTILIZATION EQUIPMENT COMPLIANCE TO AIRCRAFT ELECTRICAL POWER CHARACTERISTICS SINGLE PHASE, 60 HZ, 115 VOLT (PART 6 OF 8 PARTS )[CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD] | A | SESS | | AS | 09-APR-04 |
| | STANAG-4190 ED.2 | TEST PROCEDURES FOR MEASURING BEHING-ARMOUR EFFECTS OF ANTI-ARMOUR AMMUNITION | C | ISDA | | AI | 05-NOV-98 |
| A | MIL-STD-3010A | TEST PROCEDURES FOR PACKAGING MATERIALS[Test Method Standard][CUST: SM AS 11] [REVIEW: 99 AR AV CR3 GL3 MI MR OS SA SH] | A | PACK | | AS | 18-AUG-05 |
| | MIL-T-18303B NOT 1 | TEST PROCEDURES; PREPRODUCTION, ACCEPTANCE, AND LIFE FOR AIRCRAFT ELECTRONIC EQUIPMENT, FORMAT FOR[CUST: AS] | A | MISC | | AS | 15-OCT-91 |
| | DI-MNTY-80873 | TEST PROGRAM DOCUMENTATION (TPD) [AMSC: S4776] | A | SESS | | DH | 29-JUN-89 |
| | DI-TMSS-80007 | TEST PROGRAM MANUAL [AMSC: G3572] | A | TMSS | | NS | 28-MAY-85 |
| | DI-ATTS-80283B | TEST PROGRAM SET (TPS) ACCEPTANCE TEST REPORT (ATR) [AMSC: N7237] | A | ATTS | | SA | 11-FEB-97 |
| | DI-ATTS-80282B | TEST PROGRAM SET (TPS) AND OPERATIONAL TEST PROGRAM SET (OTPS) ACCEPTANCE TEST PROCEDURES (ATPS) [AMSC: N7236] | A | ATTS | | SA | 11-FEB-97 |
| | DI-ATTS-80281A | TEST PROGRAM SET (TPS) INTEGRATION LOGBOOK [AMSC: N7235] | A | ATTS | | SA | 11-FEB-97 |
| | DI-ATTS-80284B | TEST PROGRAM SET DOCUMENTATION (TPSD) [AMSC: N7238] | A | ATTS | | SA | 11-FEB-97 |
| | MIL-PRF-32070 | TEST PROGRAM SETS[CUST: AR AS 82] [REVIEW: 02 10 11 13 71 84 AV MC] | A | ATTS | | AS | 30-JAN-02 |
| | DI-MISC-81192 | TEST PROPOSAL FOR PILOT PACK [AMSC: A6116] | A | MISC | | AM | 01-MAY-91 |
| | MIL-STD-5522 NOT 1 | TEST REQUIREMENTS AND METHODS FOR AIRCRAFT HYDRAULIC AND EMERGENCY PNEUMATIC SYSTEMS[Test Method Standard][CUST: AV AS 99] [REVIEW: 11 71 CG GS MC MI] | A | 1650 | | AS | 07-JAN-05 |
| | DI-ATTS-80041A | TEST REQUIREMENTS DOCUMENT (TRD) [AMSC: F7229] | A | ATTS | | 10 | 24-JAN-97 |
| | MIL-HDBK-340A | TEST REQUIREMENTS FOR LAUNCH, UPPER-STAGE, AND SPACE VEHICLES VOL I: BASELINES, VOL II: APPLICATIONS GUIDELINES[CUST: 19] | A | 1810 | | 19 | 01-APR-99 |
| | ANSI-S3.1 | TEST ROOMS, AUDIOMETRIC, MAXIMUM PERMISSIBLE AMBIENT NOISE LEVELS FOR[CUST: YD] | A | FACR | | YD | 10-MAR-93 |
| | DI-MISC-80761 | TEST SCHEDULING REPORT [AMSC: A4632] | A | MISC | | AM | 23-JAN-89 |
| | A-A-59407A | TEST SET GROUP, RADIO[CUST: 99] | A | 6625 | / | 84 | 14-MAY-99 |
| | MIL-T-81831 | TEST SET, ALTIMETER SET AN/APM-347[CUST: AS] | A | 6625 | | AS | 13-JUL-71 |
| | MIL-T-594B | TEST SET, ARMATURE AND STATOR[CUST: CR SH 99] [REVIEW: AT CC CG CR4 MC] | A | 6625 | | SH | 17-SEP-74 |
| | A-A-53835 | TEST SET, AUDIOMETER CALIBRATION, PORTABLE[CUST: MD MS 03] | A | 6515 | / | MB | 28-FEB-89 |
| | MIL-T-22007A | TEST SET, BATTERY AN/AMM-1[CUST: AS] [REVIEW: 99 GS] | A | 6660 | | AS | 28-NOV-73 |
| | A-A-53432 | TEST SET, BINOCULAR VISION[CUST: MD MS 03] | A | 6540 | / | MB | 11-APR-88 |
| | MIL-PRF-11393D(1) | TEST SET, CONTINUITY, IGNITER CIRCUIT[CUST: OS] [REVIEW: 70 AS GS MC MI SM] | A | 4925 | | OS | 12-MAY-87 |
| | MIL-T-81990 NOT 1 | TEST SET, COUNTERMEASURES AND CHAFF DISPENSER AN/ALM-164[CUST: AS] | A | 5865 | | AS | 31-MAY-88 |
| | MIL-T-85066 | TEST SET, COUNTERMEASURES CHAFF DISPENSING SET, AN/ALM-181[CUST: AS] | A | 5865 | | AS | 17-JUN-77 |
| | MIL-T-48236(1) NOT 1 | TEST SET, ELECTRICAL CIRCUIT, M40E1 PARTS FOR, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 09-APR-86 |
| | A-A-58032 | TEST SET, ELECTRICAL POWER[CUST: 99] | A | 6625 | / | 84 | 17-OCT-94 |
| | A-A-56001 | TEST SET, ELECTRICAL POWER AN/UPM-93( )[CUST: CR] | A | 6625 | / | CR | 11-JUL-89 |
| | MIL-T-81541(1) | TEST SET, ELECTRONIC CIRCUIT PLUG-IN UNIT AN/ASM-152[CUST: AS] | A | 6625 | | AS | 11-FEB-69 |
| | A-A-51542 | TEST SET, ELECTRONIC CIRCUIT-COMPONENT[CUST: MD MS 03] | A | 6625 | / | MB | 02-AUG-86 |
| | MIL-PRF-49316A | TEST SET, ELECTRONIC SYSTEMS, TS-3895A/UV[CUST: CR] | A | 5855 | | CR | 27-AUG-97 |
| | MIL-PRF-49318A | TEST SET, ELECTRONIC SYSTEMS, TS-4348/UV[CUST: CR] | A | 5855 | | CR | 19-MAY-97 |
| | MIL-T-63278(1) NOT 2 | TEST SET, ELECTRONIC SYSTEMS: M91; REPAIR PARTS FOR[CUST: AR] [REVIEW: GS] | A | 4925 | | AR | 02-DEC-96 |
| | MIL-T-63279(1) NOT 2 | TEST SET, ELECTRONIC SYSTEMS: M92; REPAIR PARTS FOR[CUST: AR] [REVIEW: GS] | A | 4925 | | AR | 02-DEC-96 |
| | MIL-T-63263(3) NOT 2 | TEST SET, ELECTRONIC SYSTEMS: M91[CUST: AR] [REVIEW: GS] | A | 4925 | | AR | 02-DEC-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-63264(2) NOT 2 | TEST SET, ELECTRONIC SYSTEMS: M92[CUST: AR] [REVIEW: GS] | A | 4925 | | AR | 02-DEC-96 |
| | A-A-53790 | TEST SET, ELECTROSURGICAL APPARATUS[CUST: MD MS 03] | A | 6625 | / | MB | 30-DEC-88 |
| | A-A-59579 | TEST SET, FUEL CONTROL SYSTEM - AC/DC QUANTITY[CUST: 99] | A | 4920 | / | 84 | 07-JUN-04 |
| M | A-A-50718A | TEST SET, FUEL SYSTEM[CUST: SH 99] | A | 6625 | / | 84 | 20-MAR-06 |
| | MIL-T-85472A | TEST SET, GROUP OQ-169B/DSM-96A, SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 04-AUG-87 |
| | MIL-T-85031B | TEST SET, GUIDED WEAPON AN/DSM-96B[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 15-SEP-87 |
| | MIL-T-85601 NOT 1 | TEST SET, INDICATOR AN/APM-433[CUST: AS] | A | 6625 | | AS | 17-OCT-91 |
| | A-A-56002 | TEST SET, INSULATION BREAKDOWN AN/GSM-6( )[CUST: CR] | A | 6625 | / | CR | 17-JUL-89 |
| | A-A-58012 | TEST SET, INTERFACE BUS[CUST: SH 99 CC] | A | 6625 | / | 84 | 01-FEB-93 |
| | A-A-50735 | TEST SET, MICROPROCESSOR BOARD[CUST: EC 99 CC] [REVIEW: CR] | A | 6625 | / | 84 | 15-DEC-87 |
| | A-A-54932 | TEST SET, PSYCHODIAGNOSTIC, SHIPLEY INSTITUTE OF LIVING SCALE[CUST: MD MS 03] | A | 6515 | / | MB | 10-DEC-93 |
| | MIL-T-24664 | TEST SET, RADAR, AN/UPM-()[CUST: AS] | A | 6625 | | AS | 28-MAY-86 |
| | A-A-58071 | TEST SET, RADIO FREQUENCY POWER (50 MHZ TO 26.5 GHZ)[CUST: MI SH 99] [REVIEW: CC] | A | 6625 | / | 84 | 26-JUN-96 |
| | A-A-59604 | TEST SET, RADIO FREQUENCY POWER (50 MHZ TO 40 GHZ)[CUST: MI SH 99] [REVIEW: CC] | A | 6625 | / | 84 | 12-JUL-04 |
| | A-A-59140 | TEST SET, RADIO FREQUENCY POWER (POWER METER, DIGITAL) (50 MHZ TO 26.5 GHZ)[CUST: 99] | A | 6625 | / | 84 | 24-NOV-97 |
| | MIL-T-85235 | TEST SET, RADIO SET AN/ARM 165A[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 19-JAN-79 |
| | MIL-T-23643(2) | TEST SET, TARGET CONTROL SYSTEM AN/SRM SERIES (AN/SRM-2, AN/SRM-3, AN/SRM-4, AN/SRM-5, AND AN/SRM-6)[CUST: AS] | A | 6625 | | AS | 08-DEC-64 |
| | A-A-58008A | TEST SET, TELECOMMUNICATION SYSTEM[CUST: 99] [REVIEW: CC FSS] | A | 6625 | / | 84 | 21-MAY-96 |
| | A-A-50739 | TEST SET, TELEPHONE[CUST: 99] [REVIEW: CR SH] | A | 6625 | / | 84 | 30-OCT-87 |
| | A-A-58072 | TEST SET, TELEPHONE[CUST: MI SH 99] [REVIEW: CC FSS] | A | 6625 | / | 84 | 26-JUN-96 |
| | MIL-T-85530 NOT 1 | TEST SET, TOW TARGET, A/E24T-143[CUST: AS] | A | 6625 | | AS | 17-OCT-91 |
| | A-A-59283A | TEST SET, TRANSMISSION LINE[CUST: 99] | A | 6625 | / | 84 | 01-JUL-03 |
| | A-A-59321A | TEST SET, TRANSPONDER SET[CUST: 99] | A | 6625 | / | 84 | 16-OCT-03 |
| | A-A-58073 | TEST SET, ULTRASONIC[CUST: 99] [REVIEW: GS] | A | 6635 | / | 84 | 31-JUL-96 |
| | A-A-58074 | TEST SET, ULTRASONIC, BOND[CUST: 99] [REVIEW: GS] | A | 6635 | / | 84 | 31-JUL-96 |
| | MIL-T-85298 | TEST SET, WEAPON CONTROL, AIRCRAFT AN/ASM-184B(V)1 AND AN/ASM-184B(V)2[CUST: AS] | A | 6625 | | AS | 15-JAN-79 |
| | SAE-AMS3217/1 | TEST SLABS, ACRYLONITRILE BUTADIENE (NBR-H), MEDIUM-HIGH ACRYLONITRILE, 65-75[CUST: MR AS 11] [REVIEW: IS] | A | 5330 | | AS | 28-SEP-84 |
| | SAE-AMS3217/2 | TEST SLABS, ACRYLONITRILE BUTADIENE (NBR-L), LOW ACRYLONITRILE, 65-75[CUST: MR AS 11] [REVIEW: IS] | A | 5330 | | AS | SEP-84 |
| | SAE-AMS3217/3 | TEST SLABS, CHLOROPRENE (CR) 65-75[CUST: MR AS 11] [REVIEW: IS] | A | 5330 | | AS | 28-SEP-84 |
| | SAE-AMS3217/4 | TEST SLABS, FLUOROELASTOMER (FKM), 65-75[CUST: MR AS 11] [REVIEW: IS] | A | 5330 | | AS | 01-APR-93 |
| | SAE-AMS3217/5 | TEST SLABS, FLUOROSILICONE (FVMQ), 55-65[CUST: MR AS 11] [REVIEW: IS] | A | 5330 | | AS | 28-SEP-84 |
| | SAE-AMS3217 | TEST SLABS, STANDARD ELASTOMER STOCKS[CUST: AS] [REVIEW: IS] | A | 5330 | | AS | 01-APR-93 |
| | A-A-59620 | TEST STAND, AIRCRAFT GENERATOR CONSTANT SPEED DRIVE (CSD) UNITS[CUST: 99] | A | 4920 | / | 84 | 01-SEP-04 |
| | A-A-51523 | TEST STRIPS AND COLOR CHART, URINARY GLUCOSE AND KETONE[CUST: MD MS 03] | A | 6550 | / | MB | 01-AUG-86 |
| | A-A-54662 | TEST STRIPS AND COLOR CHART, URINARY GLUCOSE AND PROTEIN[CUST: MD MS 03] | A | 6550 | / | MB | 22-MAY-92 |
| | A-A-51688 | TEST TUBE[CUST: MD MS 03] | A | 6640 | / | MB | 10-OCT-86 |
| | A-A-53065A | TEST TUBE[CUST: MD MS 03] | A | 6640 | / | MB | 15-JAN-88 |
| | A-A-53657 | TEST TUBE (DISPOSABLE)[CUST: MD MS 03] | A | 6640 | / | MB | 26-AUG-88 |
| | A-A-53871 | TEST TUBE, (SCREW CAP, DISPOSABLE)[CUST: MD MS 03] | A | 6640 | / | MB | 24-MAR-89 |
| | A-A-54725 | TEST TUBE, HERMATOCRIT DETERMINATION, WINTROBE, DISPOSABLE[CUST: MD MS 03] | A | 6640 | / | MB | 10-AUG-92 |
| | IEEE383 | TEST TYPE OF CLASS 1E ELECTRIC CABLES, FIELD SPLICES, AND CONNECTIONS FOR NUCLEAR POWER GENERATING STATIONS[CUST: CR SH 11] | A | 6145 | | SH | 28-FEB-74 |
| | DI-ILSS-80806 | TEST, MEASUREMENT AND DIAGNOSTIC EQUIPMENT DATA SHEETS [AMSC: A4689] | A | SESS | | MI | 25-APR-89 |
| | ASTM-E795 | TEST, MOUNTING, SPECIMENS DURING SOUND ABSORPTION TESTS[CUST: CR4 YD 99] | A | 5640 | | IS | 15-APR-93 |
| | DI-NDTI-80809B | TEST/INSPECTION REPORT [AMSC: F7231] | A | NDTI | | 10 | 24-JAN-97 |
| | MIL-HDBK-2165 | TESTABILITY PROGRAM FOR SYSTEMS AND EQUIPMENTS[CUST: CR AS 11] | A | ATTS | | AS | 31-JUL-95 |
| | DI-ATTS-81270 | TESTABILITY PROGRAM PLAN [AMSC: N6743] | A | ATTS | | SH | 12-JUN-92 |
| | DI-ATTS-81271 | TESTABILITY REQUIREMENTS ANALYSIS REPORT [AMSC: N6744] | A | ATTS | | SH | 12-JUN-92 |
| | MIL-T-50606A NOT 2 | TESTER RECEIVER TRANSMITTER, LASER, 10559600[CUST: AR] [REVIEW: GS] | A | 4931 | | AR | 31-JAN-97 |
| | A-A-53426 | TESTER, ANTIFREEZ & BATTERY ELECTROYTE SOLUTION[CUST: MD MS 03 MB] | A | 6630 | / | MB | 28-MAR-88 |
| | MIL-T-37402 | TESTER, ANTIFREEZE SOLUTIONS[CUST: MD MS 03] | A | 6630 | | MB | 06-APR-77 |
| | ASTM-D56 | TESTER, CLOSED CUP, FLASH POINT BY TAG[CUST: AT SH 11] [REVIEW: GS OS YD] | A | 9150 | | AT | 15-DEC-93 |
| | ASTM-D3828 | TESTER, CLOSED CUP, SMALL SCALE, FLASH POINT BY[CUST: CR4 AS 11] [REVIEW: GS] | A | 6810 | | CR4 | 03-OCT-94 |
| | A-A-53791 | TESTER, CURRENT LEAKAGE[CUST: MD MS 03] | A | 6625 | / | MB | 30-DEC-88 |
| | A-A-51915A | TESTER, DEFIBRILLATOR ENERGY[CUST: MD MS 03] | A | 6625 | / | MB | 29-APR-88 |
| | A-A-52316B | TESTER, DENSITY AND MOISTURE (SOIL AND ASPHALT), NUCLEAR METHOD[CUST: CE3] [REVIEW: AT] | A | 6635 | / | CE3 | 01-MAR-05 |
| | A-A-59577 | TESTER, FLASH POINT ASTM D93 METHOD A AND B[CUST: 99] | A | 6630 | / | 84 | 25-JUN-04 |
| | A-A-59164 | TESTER, FLASH POINT, ASTM D56 METHOD[CUST: 99] | A | 6630 | / | 84 | 21-MAR-03 |
| | A-A-54509 | TESTER, FLASH POINT, CLOSED-TYPE (120 VOLT, 50/60 HZ, AC)[CUST: MD MS 03 MB] | A | 6630 | / | MB | 01-NOV-91 |
| | MIL-PRF-32020 | TESTER, LIQUID VOLUMETRIC POSITIVE DISPLACEMENT METER[CUST: 99] [REVIEW: GS] | A | 6680 | | 71 | 01-MAR-98 |
| | MIL-PRF-25620D | TESTER, OXYGEN MASK, HEADSET AND MICROPHONE, TYPE MQ-1A[CUST: 99] [REVIEW: GS] | A | 6695 | | 71 | 21-APR-97 |
| | A-A-59480 | TESTER, PRESSURE GAGE, HYDRAULIC, PORTABLE (DIGITAL OR DEADWEIGHT)[CUST: CR AS 99] [REVIEW: 71] | A | 6685 | / | 84 | 09-AUG-04 |
| | MIL-PRF-26139C(1) | TESTER, PRESSURIZED CABIN LEAKAGE, AIRCRAFT, (AF/M24T-3 AND AF/M32T-1)[CUST: 99] [REVIEW: GS] | A | 4920 | | 84 | 12-FEB-99 |
| | MIL-PRF-32051(1) | TESTER, PRESSURIZED CABIN LEAKAGE, LARGE AIRCRAFT, TRAILER MOUNTED[CUST: 99] [REVIEW: GS] | A | 4920 | | 84 | 03-AUG-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-51994A | TESTER, PULP, CANAL[CUST: MD MS 03] | A | 6520 | / | MB | 12-JUN-89 |
| | A-A-59400A | TESTER, SPRING RESILIENCY (PUSH/PULL FORCE GAUGE)[CUST: GL AS 99 GS1] [REVIEW: CR4] | A | 6635 | / | GS1 | 14-MAR-01 |
| | A-A-59309 NOT 1 | TESTER, TORQUE WRENCH[CUST: GL AS 99 GS1] [REVIEW: 84 AV CE MC OS] | A | 6635 | / | GS1 | 31-MAY-05 |
| A | MIL-T-26561C NOT 2 | TESTER, TYPE MA-2 RECEPTION COUPLING BREAK-AWAY FORCE, PORTABLE[CUST: 99] | A | 4920 | | 84 | 01-APR-03 |
| | MIL-PRF-83323B | TESTER, UNIVERSAL RECEPTACLE, AERIAL REFUELING[CUST: AV AS 99] [REVIEW: GS] | A | 4920 | | 84 | 01-NOV-97 |
| | PDI-G101 | TESTING AND RATING PROCEDURES FOR GREASE INTECEPTOR WITH APPENDIX OF SIZING AND INSTALLATION DATA[CUST: CR4 YD 99] [REVIEW: CE GS MC MS] | A | 4510 | | IS | 15-APR-88 |
| | NFPA1914 | TESTING FIRE DEPARTMENT AERIAL DEVICES[CUST: CR4 YD 99] [REVIEW: 84] | A | 4940 | | CC | 16-AUG-91 |
| | A-A-59603 | TESTING KIT, PETROLEUM, FUEL SYSTEM ICING INHIBITOR[CUST: 99] | A | 6630 | / | 84 | 22-JUN-04 |
| | MIL-STD-2071A NOT 1 | TESTING OF CHAFF RADAR CROSS-SECTION[Test Method Standard][CUST: AS] | A | 5865 | | AS | 27-JAN-05 |
| | ITOP-4.2.513 | TESTING OF POWER SOURCES FOR UNMANNED TARGET ACTIVATED WEAPONS (UTAWS) | D | ISDA | | TE | 15-MAY-00 |
| | AWPA-E4 | TESTING WATER REPELLENCY OF PRESSURE TREATED WOOD, STANDARD METHOD OF[CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM] | A | 5510 | | IS | 20-JAN-93 |
| | AWPA-E10 | TESTING WOOD PRESERVATIVES BY LABORATORY SOIL-BLOCK CULTURES, STANDARD METHOD OF[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 20-JAN-93 |
| | MIL-T-7743F(1) | TESTING, STORE SUSPENSION AND RELEASE EQUIPMENT, GENERAL SPECIFICATION FOR[CUST: AS 11] [REVIEW: GS] | A | 6635 | | AS | 15-SEP-99 |
| | DI-ENVR-81549 | TESTS AND ANALYSES REPORTS, VIBRATION, RECIPROCATING MACHINERY, PROPULSION SYSTEM AND SHAFTING [AMSC: N7263] | A | ENVR | | SH | 22-APR-97 |
| | SAE-J1019 | TESTS AND PROCEDURES FOR HIGH TEMPERATURE TRANSMISSION OIL HOSE, ENGINE LUBRICATING OIL HOSE, AND HOSE ASSEMBLIES[CUST: YD] | A | FACR | | YD | 22-JUL-04 |
| | SAE-J1677 | TESTS AND PROCEDURES FOR SAE LOW-CARBON STEEL AND COPPER NICKEL TUBING[CUST: AT SH 99 CC] [REVIEW: 71 MC SA] | A | 4710 | | CC | 30-SEP-02 |
| | STANAG-4390 ED.1(1) | TESTS AND REQUIREMENTS FOR SUBMARINE MAIN LEAD-ACID BATTERIES (INCLUDING AMENDMENT 1) | D | ISDN | | NI | 26-JUL-90 |
| | UL214 | TESTS FOR FLAME-PROPAGATION OF FABRICS AND FILMS[CUST: GL YD] [REVIEW: CT DP NU] | A | 8305 | | YD | 01-JUN-93 |
| | IEEE-C37.90.1 | TESTS FOR PROTECTIVE RELAYS AND RELAY SYSTEMS, SURGE WITHSTAND CAPABILITY (SWC)[CUST: CR YD 11] | A | 5945 | | YD | 20-OCT-88 |
| | UL580 | TESTS FOR UPLIFT RESISTANCE OF ROOF ASSEMBLIES[CUST: YD] | A | 5650 | | IS | 31-MAY-94 |
| | ASTM-E529 | TESTS, FLEXURAL, ON BEAMS AND GIRDERS FOR BUILDING CONSTRUCTION[CUST: YD 99] [REVIEW: CE] | A | 95GP | | YD | 23-SEP-83 |
| | MIL-T-24494B | TETRA-, TRI-, AND DISODIUM SALTS OF ETHYLENEDIAMINETETRAACETIC ACID (EDTA) WATER TREATMENT CHEMICALS, BOILER, SHIPBOARD USE[CUST: SH] [REVIEW: GS] | A | 6810 | | SH | 19-OCT-88 |
| | A-A-54591 | TETRACAINE AND MENTHOL OINTMENT, USP[CUST: MD MS 03] | A | 6505 | / | MB | 14-FEB-92 |
| | MIL-T-46938C(1) | TETRACENE[CUST: AR] | A | 1376 | | AR | 20-DEC-96 |
| | A-A-54592 | TETRACYCLINE HYDROCHLORIDE CAPSULES[CUST: MD MS 03] | A | 6505 | / | MB | 14-FEB-92 |
| | SAE-AMS3382 | TETRAFLUOROETHYLENE/PROPYLENE RUBBER (FEPM) HYDRAULIC FLUID AND SYNTHETIC OIL RESISTANT 75 TO 90[CUST: MR AS 99 IS] | A | 5330 | | IS | MAR-1996 |
| | MIL-T-13723A NOT 4 | TETRANITROCARBAZOLE (TNC) (FOR ORDNANCE USE)[CUST: AR] | A | 1370 | | AR | 21-FEB-03 |
| | ASTM-D595 | TETRASODIUM SESQUISILICATE[CUST: EA AS 68] [REVIEW: GS] | A | 6810 | | AS | 31-MAY-85 |
| | MIL-T-339C NOT 2 | TETRYL (TRINITROPHENYLMETHYLNITRAMINE)[CUST: AR OS] | A | 1376 | | AR | 04-NOV-91 |
| | ASTM-D5035 | TEXTILE FABRICS (STRIP METHOD), BREAKING FORCE AND ELONGATION OF[CUST: GL NU 11 CT] [REVIEW: 99 AR AS AT CR4 MD SH TE] | A | 83GP | | CT | 15-MAY-95 |
| | ASTM-D737 | TEXTILE FABRICS, AIR PERMEABILITY OF[CUST: GL YD 99 CT] | A | 83GP | | CT | 3-OCT-94 |
| | ASTM-D1577 | TEXTILE FIBERS, LINEAR DENSITY OF[CUST: GL SH 99 CT] | A | 8305 | | SH | 03-OCT-94 |
| | NFPA701 | TEXTILES AND FILMS, FLAME RESISTANT[CUST: GL YD 99] | A | 8305 | | YD | 07-AUG-89 |
| | ASTM-D2257 | TEXTILES, EXTRACTABLE MATTER IN[CUST: CR4 YD] [REVIEW: AS DP OS SH] | A | 8310 | | YD | 23-AUG-91 |
| | ASTM-D2654 | TEXTILES, MOISTURE IN[CUST: AT NU 99] | A | 8305 | | AT | 30-JUN-89 |
| | ASTM-D629 | TEXTILES, QUANTITATIVE ANALYSIS OF[CUST: AS 11] [REVIEW: SM] | A | 83GP | | AS | 10-SEP-99 |
| | ASTM-D123 | TEXTILES, STANDARD TERMINOLOGY RELATING TO[CUST: MR NU 99 CT] | A | 8305 | | MR | 03-OCT-94 |
| | ASTM-D2905 | TEXTILES, STATEMENTS ON NUMBER OF SPECIMENS FOR[CUST: AR NU 99] | A | 8305 | | AR | 10-SEP-97 |
| | ASTM-D1776 | TEXTILES, TESTING, AND CONDITIONING[CUST: GL NU 99 CT] | A | 8305 | | CT | 10-DEC-98 |
| | QSTAG-1093 ED.1 | THE ALL SOURCE CELL[CUST: AI] | C | ISDA | | AI | 29-JUL-97 |
| | STANAG-1104 ED.8 | THE ALLIED WORDWIDE NAVIGATIONAL INFORMATION SYSTEM - AHP-1(C) | C | ISDN | | NI | 18-FEB-00 |
| | AIR-STD-61/116/13(1) | THE APPLICATION OF HUMAN ENGINEERING TO ADVANCED AIRCREW SYSTEMS | C | ISDF | | 06 | 09-MAY-96 |
| | BOCA-NPC | THE BOCA NATIONAL PLUMBING CODE/1990 - 1990 (EIGHTH EDITION)[CUST: YD] | A | 45GP | | YD | 19-APR-90 |
| | AASHTO-T193 | THE CALIFORNIA BEARING RATIO[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | STANAG-1444 ED.1 | THE CONDUCT OF FAST ROPING | C | ISDN | | NI | 31-MAY-01 |
| | SD-20 | THE DOD QUALIFICATION PROGRAM (HOW TO USE IT), QUALIFIED PRODUCTS LIST (QPL) AND QUALIFIED MANUFACTURERS LIST (QML)[CUST: SO] | A | SDMP | | SO | 01-JAN-02 |
| | AXP-8 | THE EFFECTS OF WEARING INDIVIDUAL PROTECTIVE CLOTHING ON INDIVIDUAL AND UNIT PERFORMANCE DURING EXERCISES | C | ISDA | | AI | 29-JUN-92 |
| | STANAG-2412 ED.1(1) | THE EFFECTS OF WEARING INDIVIDUAL PROTECTIVE EQUIPMENT ON INDIVIDUAL AND UNIT PERFORMANCE DURING EXERCISES - AXP-8 | C | ISDA | | AI | 27-APR-94 |
| | QSTAG-1288 ED.1 | THE EFFECTS OF WEARING NBC INDIVIDUAL PROTECTIVE EQUIPMENT (IPE) ON INDIVIDUAL AND UNIT PERFORMANCE[CUST: AI] | C | ISDA | | AI | 06-SEP-00 |
| | QAP-204 ED.1 | THE EMPLOYMENT OF SURFACE-TO-SURFACE ARTILLERY IN PEACE SUPPORT OPERATIONS (PSO) | C | ISDA | | AI | 29-MAY-98 |
| | ADV-PUB-61/87 | THE EVALUATION OF ACTIVE NOISE REDUCTION (ANR) IN FLIGHT HELMETS AND HEADSETS | C | ISDF | | 06 | 03-SEP-91 |
| | ADV-PUB-61/103/15 | THE EVALUATION OF ACTIVE NOISE REDUCTION (ANR) IN FLIGHT HELMETS AND HEADSETS | C | ISDF | | 06 | 03-SEP-91 |
| | QAP-148 ED.1 | THE GENERATION AND EMPLOYMENT OF DIGITAL TERRAIN DATABASES IN SUPPORT OF COMBAT MODELS | C | ISDA | | AI | 15-APR-97 |
| | QAP-269 ED.1 | THE HAZARDS TO PERSONNEL AND THE ENVIRONMENT, AND THE DEGREE OF SEVERITY, DUE TO THE M113 FAMILY OF VEHICLES | C | ISDA | | AI | 01-MAR-01 |
| | QAP-272 ED.1 | THE HAZARDS TO PERSONNEL AND THE ENVIRONMENT, AND THEIR DEGREE OF SEVERITY FOR 81 MM MORTAR | C | ISDA | | AI | 24-JAN-01 |
| | STANAG-2953 ED.2(1) | THE IDENTIFICATION OF AMMUNITION - AOP-2(B) | C | ISDA | | AI | 22-MAR-94 |
| | NFPA20 | THE INSTALLATION OF CENTRIFUGAL FIRE PUMPS, STANDARD FOR[CUST: CR4 YD 99] [REVIEW: CC] | A | 4210 | | IS | 26-OCT-92 |
| | INFO-PUB-61/115/5C | THE MANAGEMENT OF MOTION SICKNESS IN AIRCREW | C | ISDF | | 06 | 31-AUG-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AIR-STD-61/112/1A | THE MEASUREMENT OF PROTECTION PROVIDED TO THE RESPIRATORY TRACT AND EYES AGAINST NBC AGENTS IN PARTICULATE, AEROSOL AND VAPOUR FORM | C | ISDF | | 06 | 12-FEB-88 |
| | STANAG-3864 ED.1(7) | THE MEASUREMENT OF PROTECTION PROVIDED TO THE RESPIRATORY TRACT AND EYES BY AIRCREW EQUIPMENT ASSEMBLIES AGAINST NBC AGENTS IN PARTICULATE, AEROSOL AND VAPOUR FORM | C | ISDF | | 06 | 22-APR-81 |
| | STANAG-1316 ED.2 | THE MINE WARFARE SUPPLEMENT TO NATO EXPERIMENTAL TACTICS AND AMPLIFYING INSTRUCTIONS - AXP-5 (C) MW SUPP | D | ISDN | | NI | 10-SEP-02 |
| | ADV-PUB-61/101/10 | THE MINIMUM QUALITY CRITERIA FOR ON-BOARD GENERATED OXYGEN | C | ISDF | | 06 | 12-FEB-88 |
| | STANAG-4355 ED.2 | THE MODIFIED POINT MASS TRAJECTORY MODEL | C | ISDA | | AI | 20-JAN-97 |
| | STANAG-4373 ED.1 | THE NATO MASTER NAVIGATION PLAN | C | ISDA | | AI | 05-JUN-96 |
| | STANAG-5046 ED.2 | THE NATO MILITARY COMMUNICATIONS DIRECTORY SYSTEM | C | ISDA | | AI | 22-OCT-85 |
| | STANAG-4210 ED.2(1) | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - CABLE LINK STANDARDS (INCLUDING AMEND 1) | C | ISDA | | AI | 15-NOV-93 |
| | STANAG-4213 ED.2(1) | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - DATA TRANSMISSION STANDARDS (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 15-NOV-93 |
| | STANAG-4212 ED.2(1) | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - RADIO RELAY LINK STANDARDS (INCLUDING AMENDMENT 1) | C | ISDA | | AI | 15-NOV-93 |
| | STANAG-4208 ED.2 | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - SIGNALING STANDARDS | C | ISDA | | AI | 15-NOV-93 |
| | STANAG-4211 ED.2 | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - SYSTEM CONTROL STANDARDS | C | ISDA | | AI | 15-NOV-93 |
| | STANAG-4206 ED.3 | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - SYSTEM STANDARDS | C | ISDA | | AI | 12-JAN-99 |
| | AEP-18 | THE NATO USERS GUIDE TO EMP TESTING AND SIMULATION | C | ISDA | | AI | 01-JAN-48 |
| | AIR-STD-61/113/15A | THE OPTICAL AND MATERIAL REQUIREMENTS FOR AIRCREW HELMET VISORS | C | ISDF | | 06 | 10-JUL-97 |
| | AIR-STD-61/113/14A(2) | THE OPTICAL AND MATERIAL REQUIREMENTS FOR AIRCREW PLANO SUNGLASSES | C | ISDF | | 06 | 10-JUL-97 |
| | STANAG-4161 ED.1(1) | THE OPTICAL TRANSFER FUNCTION OF IMAGING SYSTEMS | C | ISDF | | 06 | PENDING |
| | STANAG-2459 ED.1(1) | THE PROCEDURES FOR AMMUNITION INTERCHANGEABILITY | C | ISDA | | AI | 21-MAY-97 |
| | STANAG-3510 ED.3(2) | THE PROVISION OF HYDRAULIC POWER FOR SERVICING AIRCRAFT HYDRAULIC SYSTEMS | C | ISDF | | 06 | 31-JAN-92 |
| | AWPA-M1 | THE PURCHASE OF TREATED WOOD PRODUCTS, STANDARD FOR[CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM YD] | A | 5510 | | IS | 20-JAN-93 |
| | STANAG-4225 ED.2 | THE SAFETY EVALUATION OF MORTAR BOMBS | C | ISDA | | AI | 12-JUN-00 |
| | STANAG-1315 ED.3 | THE SECRET EXTACS SUPPLEMENT TO NATO EXPERIMENTAL TACTICS AND AMPLIFYING INSTRUCTIONS TO AXP-5(C) SE SUPP | C | ISDN | | NI | 16-SEP-02 |
| | AIR-STD-70/13(2) | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF AIRBORNE DOPPLER NAVIGATION SYSTEMS | C | ISDF | | 06 | 24-AUG-01 |
| | AIR-STD-70/16A | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF HYBRID NAVIGATION SYSTEMS | C | ISDF | | 06 | 12-APR-94 |
| | AIR-STD-70/12(1) | THE SPECIFICATIONS AND EVALUATION OF THE ACCURACY OF AIRBORNE DOPPLER GROUND VELOCITY SENSORS | C | ISDF | | 06 | 12-SEP-97 |
| | ATP-57A | THE SUBMARINE RESCUE MANUAL | C | ISDA | | AI | 01-MAY-00 |
| | STANAG-3753 ED.3 | THE TRANSPORTATION AND UTILITIES COMPATIBILITY OF MOBILE RECONNAISSANCE SUPPORT SHELTERS | C | ISDF | | 06 | 09-DEC-02 |
| | QSTAG-1244 ED.1 | THEATER MISSILE DEFENSE[CUST: AI] | C | ISDA | | AI | 17-MAR-98 |
| | A-A-52575A | THEODOLITES, SURVEYING, DIRECTION, FIRST-ORDER WITH ACCESSORIES, TRIPOD, AND CASES[CUST: CE3] [REVIEW: CR IS] | A | 6675 | / | CE3 | 31-OCT-03 |
| | A-A-52574A | THEODOLITES, SURVEYING, DIRECTION: SECOND ORDER[CUST: CE3 MC 99] [REVIEW: 71 CR GS] | A | 6675 | / | CE3 | 31-OCT-03 |
| | A-A-52573A | THEODOLITES, SURVEYING, DIRECTION: THIRD ORDER[CUST: CR3 MC] [REVIEW: CR GS] | A | 6675 | / | CE3 | 31-OCT-03 |
| | DI-MISC-81609 | THEORY OF COMPLIANCE (TOC) [AMSC: G7439] | A | MISC | | NS | 09-MAY-01 |
| | DI-MISC-81608 | THEORY OF DESIGN AND OPERATION (TDO) [AMSC: G7438] | A | MISC | | NS | 09-MAY-01 |
| | MIL-STD-2218 | THERMAL DESIGN, ANALYSIS, AND TEST PROCEDURES FOR AIRBORNE ELECTRONIC EQUIPMENT[Design Criteria Standard][CUST: CR AS 11] | A | SESS | | AS | 20-MAY-92 |
| | ASTM-D1932 | THERMAL ENDURANCE OF FLEXIBLE ELECTRICAL INSULATING VARNISHES[CUST: CR SH 11] [REVIEW: GS] | A | 5970 | | SH | 03-OCT-94 |
| | PPI-TR21 | THERMAL EXPANSION AND CONTRACTION IN PLASTIC PIPING SYSTEMS[CUST: YD] | A | FACR | | YD | 08-JUL-04 |
| A | A-A-59417A | THERMAL IMAGING SYSTEM[CUST: 99] | A | 5855 | / | 84 | 06-SEP-05 |
| | ITOP-6.3.040 | THERMAL IMAGING SYSTEMS | D | ISDA | | TE | 14-NOV-00 |
| | ASTM-C390 | THERMAL INSULATION LOTS, SAMPLING AND ACCEPTANCE OF[CUST: CR4 YD 99] [REVIEW: 84 CE CG MC SH] | A | 5640 | | IS | 28-DEC-79 |
| | MIL-STD-769J | THERMAL INSULATION REQUIREMENTS FOR MACHINERY AND PIPING[Design Criteria Standard][CUST: SH] | A | 5640 | | SH | 09-OCT-90 |
| | IPC-TM650.2.6.7 | THERMAL SHOCK AND CONTINUITY, PRINTED BOARD[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | IPC-TM650.2.6.7.2 | THERMAL SHOCK, CONTINUITY AND MICROSECTION, PRINTED BOARD[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | AWS-C2.16 | THERMAL SPRAY OPERATOR& EQUIPMENT QUALIFICATION, GUIDE FOR[CUST: MR SH] | A | MFFP | | SH | 24-JUN-83 |
| | MIL-STD-1687A(1) | THERMAL SPRAY PROCESSES FOR NAVAL SHIP MACHINERY APPLICATIONS[CUST: SH] | A | MFFP | | SH | 23-SEP-94 |
| | IPC-TM650.2.6.8 | THERMAL STRESS, PLATED-THROUGH HOLES[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | DI-MISC-81592 | THERMAL SURVEY REPORT [AMSC: G7409] | A | MISC | | NS | 08-NOV-00 |
| | MIL-T-24708 | THERMAL/ACOUSTIC INSULATION BARRIER MATERIAL: POLYIMIDE FOAM[CUST: SH] | A | 5640 | | SH | 29-JUL-88 |
| | A-A-59305 NOT 1 | THERMINAL, STUD THREADED DOUBLE TURRET[CUST: AS GS2] | A | 5940 | / | GS2 | 11-MAY-05 |
| | MIL-T-24388C SUP 1 | THERMOCOUPLE AND RESISTANCE TEMPERATURE DETECTOR ASSEMBLIES, GENERAL SPECIFICATION FOR (NAVAL SHIPBOARD)[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 30-MAR-90 |
| M | QPL-24388-18 | THERMOCOUPLES AND RESISTANCE TEMPERATURE DETECTOR ASSEMBLIES, GENERAL SPECIFICATION FOR (NAVAL SHIPBOARD) | A | 6685 | | SH | 07-FEB-06 |
| | ASTM-E220 | THERMOCOUPLES BY COMPARISON TECHNIQUES, CALIBRATION OF[CUST: CR4 AS 99] [REVIEW: GS] | A | 6685 | | AS | 03-OCT-94 |
| | MIL-DTL-23234E | THERMOCOUPLES, CORROSION-RESISTANT, METAL SHEATHED[CUST: SH] [REVIEW: GS] | F | 6685 | | SH | 12-NOV-98 |
| | ANSI-MC96.1 | THERMOCOUPLES, TEMPERATURE MEASUREMENT[CUST: AR SH 99] [REVIEW: CR4] | A | 34GP | | GS6 | 05-APR-79 |
| | STANAG-4367 ED.2 | THERMODYNAMIC INTERIOR BALLISTIC MODEL WITH GLOBAL PARAMETERS | C | ISDA | | AI | 22-MAY-00 |
| | A-A-51709 | THERMOMETER, CLINICAL, HUMAN[CUST: MD MS 03] | A | 6515 | / | MB | 31-OCT-86 |
| | A-A-53656 | THERMOMETER, CLINICAL, HUMAN (ELECTRONIC, BATTERY POWERED)[CUST: MD MS 03] | A | 6515 | / | MB | 19-AUG-88 |
| | A-A-54736 | THERMOMETER, CLINICAL, HUMAN (ELECTRONIC, BATTERY POWERED, WITH BATTERY CHARGER)[CUST: MD MS 03] | A | 6515 | / | MB | 23-NOV-92 |
| | A-A-51827 | THERMOMETER, CLINICAL, HUMAN, (DISPOSABLE)[CUST: MD MS 03] | A | 6515 | / | MB | 13-FEB-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-53345 | THERMOMETER, CLINICAL, VETERINARY[CUST: MD MS 03] | A | 6515 | * | MB | 15-JAN-88 |
| | MIL-T-19646A SUP 1 | THERMOMETER, GAS ACTUATED, REMOTE READING[CUST: SH] [REVIEW: GS YD] | A | 6685 | | SH | 08-FEB-90 |
| | A-A-54898 | THERMOMETER, LIQUID CRYSTAL, CLINICAL, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 30-JUL-93 |
| | GG-T-353D | THERMOMETER, SELF INDICATING, BIMETALLIC | A | 6685 | # | FSS | 14-JUL-75 |
| | GG-T-315C | THERMOMETER, SELF INDICATING, LIQUID IN GLASS | A | 6685 | # | FSS | 01-OCT-75 |
| | GG-T-356B NOT 1 | THERMOMETER, SELF INDICATING, LIQUID IN GLASS, MINIMUM, (METEOROLOGICAL)[CUST: CR1 OS 99 GS1] [REVIEW: 01 AS CR4] | A | 6660 | / | GS1 | 27-JAN-04 |
| | A-A-54520 | THERMOMETER, SELF-INDICATING, BIMETALLIC[CUST: MD MS 03 MB] [REVIEW: GS] | A | 6685 | / | MB | 12-NOV-91 |
| | A-A-53034 | THERMOMETER, SELF-INDICATING, BIMETALLIC[CUST: MD MS 03] [REVIEW: GS] | A | 6685 | / | MB | 30-JUN-87 |
| | A-A-54699 | THERMOMETER, SELF-INDICATING, BIMETALLIC, DIAL, 8-1/2 INCH[CUST: MD MS 03] [REVIEW: GS] | A | 6685 | / | MB | 13-JUL-92 |
| | A-A-53976 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS[CUST: MD MS 03] [REVIEW: 70 GS] | A | 6685 | / | MB | 25-AUG-89 |
| | A-A-54519 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS (BLOOD BANK)[CUST: MD MS 03 MB] [REVIEW: GS] | A | 6685 | / | MB | 12-NOV-91 |
| | A-A-53935 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS (TOTAL IMMERSION)[CUST: MD MS 03] [REVIEW: GS] | A | 6685 | / | MB | 30-JUN-89 |
| | A-A-54697 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS, INCUBATOR, 0 DEG. TO 70 DEG. C[CUST: MD MS 03] [REVIEW: GS] | A | 6685 | / | MB | 13-JUL-92 |
| | A-A-52048B | THERMOMETER, SELF-INDICATING, LIQUID-IN-GLASS POCKET TYPE[CUST: CE3 GS] | A | 6685 | / | CE3 | 16-AUG-04 |
| | ASTM-E1 | THERMOMETERS, ASTM[CUST: CR4 SH 11] [REVIEW: GS] | A | 6685 | | CR4 | 12-APR-94 |
| | ANSI-Z236.1 | THERMOMETERS, GLASS GENERAL PURPOSE LABORATORY[CUST: MS] [REVIEW: GS] | A | 6685 | | MB | 27-SEP-89 |
| | ASTM-E667 | THERMOMETERS, MAXIMUM SELF-REGISTERING CLINICAL, MERCURY-IN-GLASS[CUST: MD MS 03] | A | 6515 | | MB | 10-APR-98 |
| | PPI-TN8.8 | THERMOPLASTIC PIPE & FITTINGS, MAKING THREADED JOINTS WITH[CUST: YD] | A | FACR | | YD | 08-JUL-04 |
| | ASTM-D2122 | THERMOPLASTIC PIPE AND FITTINGS, DETERMINING DIMENSIONS OF[CUST: MR GS] [REVIEW: AR AS AT AV CE CR CR4 MC SH YD] | A | 9330 | | IS | OCT-91 |
| | ASTM-D1204 | THERMOPLASTIC, NONRIGID, SHEETING OR FILM AT ELEVATED TEMPERATURE, LINEAR DIMENSIONAL CHANGES OF[CUST: MR SH 11 GS] [REVIEW: AV SM TE] | A | 9330 | | IS | 02-OCT-84 |
| | ASTM-D1238 | THERMOPLASTICS BY EXTRUSION PLASTOMER, MELT FLOW RATES OF[CUST: MR AS 11 IS] | A | 9330 | | IS | 29-MAY-91 |
| | MIL-T-29586(1) | THERMOSETTING POLYMER MATRIX, UNIDIRECTIONAL CARBON FIBER REINFORCED PREPREG TAPE (WIDTHS UP TO 60 INCHES), GENERAL SPECIFICATION FOR[CUST: AS] | A | CMPS | | AS | 15-SEP-99 |
| | MIL-T-24270/18B | THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH,AS REQ, CONNECTION - BUTT WELD[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | MIL-T-24270/12B | THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED 1-1/8 INCH O.D.[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | MIL-T-24270/7D | THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 5-1/2 INCHES OR 3-1/2 INCHES, CONNECTION - BUTT WEL D[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | MIL-T-24270/25B | THERMOWELL, ADAPTOR, THERMOWELL EXTENSION, FOR USE WITH BIMETALLICTEMPERATURE INDICATORS[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | MIL-T-24270B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | MIL-T-24270/2B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 3/32 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | MIL-T-24270/4B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 3/32 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | MIL-T-24270/3B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | MIL-T-24270/1B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | MIL-T-24270/13B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 1-1/8 INCH O.D.[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | MIL-T-24270/21D | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS; INSERTION LENGTH - 2 INCHES, BORE - 1/4 INCH, CONNECTION - O-RING 1-5/16 - 12 UNS-2A S/S MIL-W-24270/21C 28 FEB 73 & MIL-W-24270/23 13MAY 71[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | MIL-T-24270/22B | THERMOWELLS FOR THERMOMETERS AND ELECTRICAL TEMPERATURE SENSORS; INSERTION LENGTH - 2 INCHES, BORE - 3/8-INCH, CONNECTION - O-RING SEAL 1-5/16 - 12 UNS-2A S/S MIL-W-24720/22A 13 MAY 71[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 02-SEP-83 |
| | A-A-54587 | THIABENDAZOLE ORAL SUSPENSION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 14-FEB-92 |
| | ASTM-F386 | THICKNESS OF RESILIENT FLOORING MATERIALS HAVING FLAT SURFACES, STANDARD TEST METHOD FOR[CUST: GL YD 99] [REVIEW: MC MD] | A | 7220 | | IS | 18-FEB-89 |
| | A-A-53766 | THIMBLE, EXTRACTION[CUST: MD MS 03] | A | 6640 | / | MB | 09-NOV-88 |
| | NAS1045 | THIMBLE, HEAVY, WROUGHT STEEL, WIRE CABLE (FOR GROUND SUPPORT EQUIPMENT)[CUST: CR4 SH 99 CC] | A | 4030 | | CC | 28-JAN-94 |
| | FF-T-276B(1) NOT 1 | THIMBLES, ROPE[CUST: AR SH 99 CC] [REVIEW: CR4 EA MC MI YD] | A | 4030 | / | CC | 31-MAR-89 |
| | MIL-T-1547E NOT 1 | THIMBLES, ROPE (SOLID)[CUST: GL SH 99 CC] [REVIEW: CR4 MD] | A | 4030 | | CC | 28-AUG-89 |
| | MIL-T-5677B NOT 1 | THIMBLES, WIRE-CABLE, AIRCRAFT[CUST: AS 99 CC] [REVIEW: CR] | A | 4030 | | CC | 13-NOV-89 |
| | MIL-T-81772B(1) | THINNER, AIRCRAFT COATING[CUST: AS] | A | 8010 | | AS | 25-OCT-91 |
| | A-A-857B NOT 1 | THINNER, DOPE AND LACQUER (CELLULOSE NITRATE)[CUST: AV 99] [REVIEW: 84] | A | 8010 | * | AV | 06-OCT-04 |
| | TT-T-2935 NOT 1 | THINNER, PURGING[CUST: AS] | A | 8010 | / | AS | 08-FEB-05 |
| | A-A-3007 | THINNER: FOR PHENOL-FORMALDEHYDE AND MEDIUM OIL AND STYRENATED ALKYD PAINTS AND VARNISHES[CUST: 99] [REVIEW: 84 DS GL MI OS] | A | 8010 | * | 99 | 16-JUL-96 |
| | MIL-T-63466 NOT 3 | THIONYL CHLORIDE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 02-DEC-96 |
| | MIL-T-63420 NOT 3 | THIONYL CHLORIDE ELECTROLYTE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 02-DEC-96 |
| | A-A-53750 | THIORIDAZINE HYDROCHLORIDE TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 17-OCT-88 |
| | ANSI-Z34.1 | THIRD-PARTY CERTIFICATION PROGRAM[CUST: AR DH] [REVIEW: CR GL TM] | A | QCIC | | AR | 01-MAR-88 |
| | A-A-54005 | THORACENTESIS SET, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 13-NOV-89 |
| | A-A-59388 | THREAD AND FORM ROLLING MACHINES, ROTARY DIE, POWER DRIVEN, HORIZONTAL[CUST: AR SH 99 GS6] [REVIEW: 84 MC] | A | 3449 | / | GS6 | 09-MAR-00 |
| | MIL-T-3530H | THREAD AND TWINE, MILDEW RESISTANT OR WATER REPELLENT TREATED[CUST: GL NU 99 CT] [REVIEW: 11 AR CR4 EA MC MD] | A | 8310 | | CT | 20-FEB-91 |
| | ASME-B1.12 | THREAD CLASS 5 INTERFERENCE-FIT[CUST: AR AS 99] [REVIEW: 19 AT AV CR CR4 EC MI] | A | THDS | | AR | 20-JAN-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS2518 | THREAD COMPOUND, ANTI-SEIZE, GRAPHITE-PERTOLATUM[CUST: MR AS 11] | A | 8030 | | 11 | 30-APR-94 |
| | MIL-PRF-83483C | THREAD COMPOUND, ANTISEIZE, MOLYBDENUM DISULFIDE-PETROLATUM[CUST: MR SH 11] [REVIEW: 99] | A | 8030 | | 11 | 20-FEB-98 |
| | IPC-TM650.2.1.7 | THREAD COUNT, GLASS FIBERS, PREPREG[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | ASME-B18.6.4 | THREAD FORMING AND THREAD CUTTING TAPPING SCREWS AND METALLIC DRIVE SCREWS, INCH SERIES[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | A-A-50195A | THREAD, ARAMID[CUST: GL NU 99 CT] [REVIEW: 11 AS MD] | A | 8310 | / | CT | 21-JUN-00 |
| | A-A-55217 | THREAD, ARAMID, SPUN STAPLE[CUST: GL NU 99] [REVIEW: 11 AS MD] | A | 8310 | / | CT | 19-OCT-99 |
| | A-A-59313 NOT 1 | THREAD, COMPOUND; ANTISEIZE, ZINC DUST-PETROLATUM[CUST: MI AS 99] [REVIEW: CR4 DS YD] | A | 8030 | / | AS | 07-NOV-03 |
| | A-A-52094 | THREAD, COTTON[CUST: GL NU 11 CT] [REVIEW: MC] | A | 8310 | / | CT | 15-MAR-91 |
| | ASME-B1.20.3 | THREAD, DRYSEAL PIPE[CUST: AR AS 99] [REVIEW: 71 AT AV CR CR4 MI OS SH YD] | A | THDS | | IS | 31-OCT-80 |
| | A-A-50198A | THREAD, GIMP, COTTON, BUTTONHOLE[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8310 | / | CT | 21-JUN-00 |
| | A-A-50197A | THREAD, LINEN[CUST: GL NU CT] [REVIEW: CR4 DS EA MC MD] | A | 8310 | / | CT | 21-JUN-00 |
| | V-T-295E | THREAD, NYLON[CUST: GL NU 11 CT] [REVIEW: 99 AR AS CG DS EA MC MD MI] | A | 8310 | / | CT | 01-AUG-85 |
| | A-A-55220 | THREAD, PARA-ARAMID, INTERMEDIATE MODULUS[CUST: 99 CT] [REVIEW: 11] | A | 8310 | / | CT | 11-DEC-95 |
| | MIL-DTL-32072 | THREAD, POLYESTER[CUST: GL NU 11] [REVIEW: 99 AR AS DS EA MC MD OS] | A | 8310 | | CT | 08-JAN-02 |
| | MIL-T-63072(4) | THREAD, POLYESTER[CUST: AR] | A | 8310 | | CT | 28-NOV-89 |
| | A-A-50199 | THREAD, POLYESTER CORE, COTTON- OR POLYESTER-COVERED[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8310 | / | CT | 30-JUN-89 |
| | MIL-T-43624B | THREAD, POLYESTER, SPUN[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8310 | | CT | 20-FEB-91 |
| | A-A-52095A | THREAD, POLYESTER, TEXTURED[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8310 | / | CT | 21-JUN-00 |
| | A-A-50196B | THREAD, SILK[CUST: GL NU 11 CT] [REVIEW: 99 AR MC MD OS] | A | 8310 | / | CT | 20-JUN-00 |
| | MIL-T-13505 NOT 1 | THREAD, SILK, SEWING (FOR PROPELLANT BAGS)[CUST: AR] [REVIEW: EA] | A | 1376 | | AR | 29-AUG-91 |
| | A-A-55195 | THREAD: PARA-ARAMID, SPUN, INTERMEDIATE MODULUS[CUST: GL NU 11 CT] [REVIEW: 99 AS MD] | A | 8310 | / | CT | 07-APR-93 |
| A | MIL-HDBK-60 NOT 1 | THREADED FASTENERS - TIGHTENING TO PROPER TENSION[CUST: AR AS 99 IS] [REVIEW: 19 AT AV CR CR4 MI] | A | THDS | | IS | 09-SEP-01 |
| | NAS1129 | THREADED, SELF-CLINCHING, STANDOFF[CUST: AR AS 99 IS] | A | 5340 | | IS | 31-MAR-98 |
| | DI-SAFT-81124 | THREAT HAZARD ASSESSMENT [AMSC: N6024] | A | SAFT | | OS | 08-MAR-91 |
| | SSPC-PS1.09 | THREE-COAT OIL BASE ZINC OXIDE PAINTING SYSTEM (WITHOUT LEAD OR CHROMATE PIGMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC SH] | A | 8010 | | IS | 29-MAR-93 |
| | BHMA-A156.21 | THRESHOLDS, STANDARD FOR[CUST: AR YD 99 IS] [REVIEW: CE] | A | 5340 | | IS | 30-OCT-89 |
| | A-A-53667A | THROMBIN, USP[CUST: MD MS 03] | A | 6505 | / | MB | 15-MAR-93 |
| | MIL-DTL-32155 | THRUSTER, CARTRIDGE ACTUATED TCU-5A/A[CUST: OS] | A | 1377 | | OS | 06-OCT-04 |
| | MIL-T-46605B | THRUSTER, CARTRIDGE ACTUATED, M13 METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 29-APR-93 |
| | MIL-T-60801A | THRUSTER, CARTRIDGE ACTUATED, M13 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 29-APR-93 |
| | MIL-T-46590C | THRUSTER, CARTRIDGE ACTUATED, M15 METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 30-APR-93 |
| | MIL-T-60694B | THRUSTER, CARTRIDGE ACTUATED, M15 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 30-APR-93 |
| | MIL-T-46691B(1) | THRUSTER, CARTRIDGE ACTUATED, M16 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 19-DEC-95 |
| | MIL-T-60680A(1) | THRUSTER, CARTRIDGE ACTUATED, M16 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 19-DEC-95 |
| | MIL-T-45499C NOT 2 | THRUSTER, CARTRIDGE ACTUATED, M1A2 ASSEMBLY[CUST: OS 99] [REVIEW: 70 84] | A | 1377 | | OS | 22-AUG-02 |
| | MIL-T-45498C | THRUSTER, CARTRIDGE ACTUATED, M1A2 METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 19-MAR-93 |
| | MIL-T-50356A | THRUSTER, CARTRIDGE ACTUATED, M1A2 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 19-MAR-93 |
| | MIL-T-60561B | THRUSTER, CARTRIDGE ACTUATED, M25A1 METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 21-SEP-92 |
| | MIL-T-50713A | THRUSTER, CARTRIDGE ACTUATED, M25A1 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 21-SEP-92 |
| | MIL-T-46632B | THRUSTER, CARTRIDGE ACTUATED, M2A2 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 11-AUG-94 |
| | MIL-T-60696A | THRUSTER, CARTRIDGE ACTUATED, M2A2, REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 11-AUG-94 |
| | MIL-T-46583C | THRUSTER, CARTRIDGE ACTUATED, M3A3 METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 21-SEP-92 |
| | MIL-T-60697A | THRUSTER, CARTRIDGE ACTUATED, M3A3 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 21-SEP-92 |
| | ASTM-F841 | THRUSTERS, TUNNEL, PERMANENTLY INSTALLED IN MARINE VESSELS[CUST: CR4 SH] [REVIEW: MC] | A | 2010 | | SH | 12-APR-84 |
| | NAS1300 | THUMB SCREW[CUST: AV AS 11] [REVIEW: CR4] | A | 5305 | | IS | 15-SEP-75 |
| | FF-T-305C NOT 2 | THUMBSCREW[CUST: AR YD 99 IS] [REVIEW: AS AV CR4 EA MC MI OS SH] | A | 5305 | / | IS | 24-JUN-94 |
| | A-A-54661 | THYROID TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 22-MAY-92 |
| | DI-ADMN-81333 | TICKET AND TICKET REFUND REPORT [AMSC: S6913] | A | ADMN | | DH | 22-MAR-93 |
| | SAE-AS85075 | TIE DOWN ASSEMBLY, HELICOPTER BLADE[CUST: AS] [REVIEW: GS] | A | 1730 | | AS | MAR-00 |
| A | QPL-25959-23 | TIE DOWN, CARGO, AIRCRAFT | A | 1670 | | 11 | 18-NOV-05 |
| | QPL-27260-17 | TIE DOWN, CARGO, AIRCRAFT, CGU-1/B | A | 1670 | | 11 | 12-JUN-97 |
| | MIL-PRF-27260C | TIE DOWN, CARGO, AIRCRAFT, CGU-1/B[CUST: 99] [REVIEW: GS] | A | 1670 | | 11 | 27-NOV-98 |
| A | MIL-DTL-25959E NOT 1 | TIE DOWNS, CARGO, AIRCRAFT[CUST: AS 11] [REVIEW: GS] | A | 1670 | | 11 | 20-OCT-05 |
| | STANAG-3548 ED.2(7) | TIE-DOWN FITTINGS ON AIR TRANSPORTED AND AIR-DROPPED EQUIPMENT AND CARGO CARRIED INTERNALLY BY FIXED WING AIRCRAFT | C | ISDF | | 06 | 03-APR-78 |
| | MIL-T-81259B | TIE-DOWNS, AIRFRAME DESIGN, REQUIREMENTS FOR[CUST: AS] | A | 15GP | | AS | 11-OCT-91 |
| | MIL-T-43694 NOT 2 | TIEDOWN ASSEMBLIES, FLOOR ANCHORING[CUST: GL] [REVIEW: AV GS MT] | A | 1670 | | GL | 26-FEB-93 |
| | MIL-DTL-44036A | TIEDOWN ASSEMBLY, CARGO, AERIAL DELIVERY, LOAD BINDER TYPE[CUST: GL2 99] [REVIEW: 11] | A | 1670 | | GL2 | 30-JUN-03 |
| | MIL-T-6361D NOT 1 | TIEDOWN ASSEMBLY, CARGO, AIRDROP, TYPE A-1[CUST: GL AS 99] [REVIEW: 11 71 AV GS MC MT] | A | 1670 | | GL | 08-AUG-90 |
| | ASTM-C636 | TILE AND LAY-IN PANELS, ACOUSTICAL, INSTALLATION OF METAL CEILING SUSPENSION SYSTEMS FOR[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 5640 | | IS | 22-JAN-93 |
| | MIL-T-20215C NOT 1 | TILE REFRACTORY, SILICON CARBIDE[CUST: CR4 SH] [REVIEW: CG GS MR] | A | 9350 | | SH | 05-FEB-91 |
| | ASTM-C4 | TILE, CLAY DRAIN AND PERFORATED CLAY DRAIN TILE[CUST: MR YD 99 IS] [REVIEW: CC CE] | A | 5620 | | IS | 03-OCT-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-C126 | TILE, FACING BRICK, CERAMIC GLAZED STRUCTURAL CLAY FACING, AND SOLID MASONRY UNITS[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 14-AUG-92 |
| | ASTM-F1066 | TILE, FLOOR, VINYL COMPOSITION[CUST: YD 99] [REVIEW: 84 CE CG MC SH] | A | 7220 | | IS | 10-MAR-99 |
| | ASTM-C56 | TILE, NON-LOAD-BEARING, STRUCTURAL CLAY[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5620 | | IS | 16-MAR-92 |
| | MIL-DTL-24487B | TILE, RUBBER VIBRATION DAMPING, TYPE V[CUST: SH] | A | 9320 | | SH | 28-JAN-05 |
| | MIL-T-24180A | TILE, RUBBER, UNDERWATER ACOUSTIC DECOUPLER[CUST: SH] | A | 9320 | | SH | 15-SEP-88 |
| | ASTM-C212 | TILE, STRUCTURAL CLAY FACING[CUST: YD 99 IS] | A | 5620 | | IS | 31-MAR-92 |
| | ASTM-C34 | TILE, WALL, STRUCTURAL CLAY LOAD-BEARING[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 15-NOV-93 |
| | ASTM-F142 | TILES FLOOR, STANDARD TEST METHOD FOR IDENTATION OF RESILIENT (MCBURNEY TEST)[CUST: GL YD 99] [REVIEW: CE MC MD SH] | A | 7220 | | IS | 02-FEB-90 |
| | AWPA-C24 | TIMBER PILES, SAWN, USED FOR RESIDENTIAL AND COMMERCIAL BUILDING[CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A | 5510 | | IS | 31-DEC-93 |
| | AWPA-M2 | TIMBER PRODUCTS, INSPECTION OF TREATED, STANDARD FOR[CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM YD] | A | 5510 | | IS | 31-JAN-92 |
| | AWPA-C1 | TIMBER PRODUCTS-PRESERVATIVE TREATMENT BY PRESSURE PROCESSES, ALL[CUST: CR4 YD IS] [REVIEW: AT CC CE SM] | A | 5510 | | IS | 30-APR-93 |
| | MIL-HDBK-1002 | TIMBER STRUCTURES[CUST: YD] | A | FACR | | YD | 30-MAR-87 |
| | ITOP-5.2.503 | TIMBER, MASONRY, AND URBAN TYPE TARGET CONSTRUCTION FOR WARHEAD TESTING | D | ISDA | | TE | 10-APR-03 |
| | ASTM-D143 | TIMBER, SMALL CLEAR SPECIMENS OF[CUST: CR4 SH 99 MB] | A | 5510 | | MB | 15-MAY-94 |
| | AITC-A190.1 | TIMBER, STRUCTURAL GLUED LAMINATED[CUST: YD IS] [REVIEW: CC CR4 OS SH] | A | 5510 | | IS | 30-MAR-89 |
| | FED-STD-1002 | TIME AND FREQUENCY REFERENCE INFORMATION IN TELECOMMUNICATION SYSTEMS | A | TELE | # | FSS | 22-APR-74 |
| | DI-MGMT-80479 | TIME COMPLIANCE ORDER (TCTO) STATUS REPORT [AMSC: F4260] | A | MGMT | | 33 | 26-OCT-87 |
| | DI-MGMT-81325 | TIME COMPLIANCE TECHNICAL ORDER (TCTO) REPORTING [AMSC: F6905] | A | MGMT | | 10 | 17-MAR-93 |
| | DI-ALSS-81531 | TIME COMPLIANCE TECHNICAL ORDER (TCTO) SUPPLY DATA [AMSC: F7221] | A | SESS | | 13 | 23-JAN-97 |
| | MIL-PRF-38804C(1) | TIME COMPLIANCE TECHNICAL ORDERS-PREPARATION[CUST: 16] [REVIEW: 01 10 99] | A | TMSS | | 16 | 20-JUN-97 |
| | A-A-52526 NOT 1 | TIME DELAY UNIT; ADJUSTABLE, SOLID STATE (METRIC)[CUST: AT] [REVIEW: CC] | A | 5945 | / | AT | 16-APR-04 |
| | ASTM-C995 | TIME OF FLOW OF FIBER-REINFORCED CONCRETE THROUGH INVERTED SLUMP CONE[CUST: YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 15-MAR-94 |
| | UL863 | TIME-INDICATING AND -RECORDING APPLIANCES[CUST: AR SH 99] [REVIEW: GS] | A | 6645 | | AR | 09-APR-93 |
| | SAE-AS81587 | TIMER ASSEMBLY RAIN REPELLENT[CUST: AS] | A | 6630 | | AS | MAR-00 |
| | A-A-51810 | TIMER, INTERVAL[CUST: MD MS 03] [REVIEW: GS] | A | 6645 | / | MB | 04-FEB-87 |
| | ASTM-E310 | TIN BRONZE CASTINGS[CUST: MR AS 11] | A | NDTI | | AS | OCT-91 |
| | SAE-AMS4845 | TIN BRONZE CASTINGS, SAND AND CENTRIFUGAL 87.5CU - 10SN - 2ZN AS CAST[CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A | MECA | | MR | 01-APR-88 |
| | ASTM-A630 | TIN COATING WEIGHTS FOR ELECTROLYTIC TIN PLATE STANDARD[CUST: MR SH 99] [REVIEW: AR AS GL IS] | A | 95GP | | MR | 15-AUG-91 |
| | ASTM-A625/A625M | TIN MILL PRODUCTS, BLACK PLATE, SINGLE-REDUCED[CUST: GL SH 99] | A | 9515 | | GL | 10-MAR-98 |
| | ASTM-A626/A626M | TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE, DOUBLE REDUCED[CUST: MR SH 99] [REVIEW: AR AS GL] | A | 9515 | | MR | 28-DEC-90 |
| | ASTM-A624/A624M | TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE, SINGLE REDUCED[CUST: MR SH 99] | A | 9515 | | MR | 28-DEC-90 |
| | ASTM-A623 | TIN MILL PRODUCTS, GENERAL REQUIREMENTS[CUST: MR SA 99] [REVIEW: 11 IS SH] | A | 9515 | | MR | 10-SEP-99 |
| | ASTM-A623M | TIN MILL PRODUCTS, GENERAL REQUIREMENTS (METRIC)[CUST: MR SH 99] [REVIEW: IS] | A | 9515 | | MR | 26-APR-86 |
| | MIL-T-81955 NOT 2 | TIN PLATING, IMMERSION FOR COPPER AND COPPER ALLOYS[CUST: OS] | A | MFFP | | OS | 15-NOV-73 |
| | ASTM-B545 | TIN, ELECTRODEPOSITED COATINGS OF[CUST: MR OS 99 GS4] [REVIEW: AR EA EC MI] | A | MFFP | | GS4 | 15-JUL-92 |
| | A-A-3108B | TINTING MEDIUM, ENAMEL: UNIVERSAL COLORANTS[CUST: YD] | A | 8010 | * | YD | 13-OCT-04 |
| | A-A-54761 | TIP ASSEMBLY, SONIC PROPHYLAXIS UNIT, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 20-NOV-92 |
| | A-A-30081C | TIP, CANE AND CRUTCH[CUST: MD MS 03] | A | 6515 | * | MB | 28-FEB-92 |
| | A-A-53270 | TIP, DENTAL SUCTION APPARATUS[CUST: MD MS 03] | A | 6520 | / | MB | 16-NOV-87 |
| | A-A-54397 | TIP, DENTAL SUCTION APPARATUS, PLASTIC[CUST: MD MS 03] | A | 6520 | / | MB | 30-APR-91 |
| | A-A-51797 | TIP, PIPET[CUST: MD MS 03] | A | 6640 | / | MB | 22-JAN-87 |
| | A-A-54472 | TIP, PIPET (PLASTIC, DISPOSABLE)[CUST: MD MS 03] | A | 6640 | / | MB | 12-AUG-91 |
| | A-A-50818 | TIP, PIPET, PLASTIC, 0.2 ML, DISPOSABLE, 1000[CUST: MD MS 03] | A | 6640 | * | MB | 26-OCT-81 |
| | A-A-51336 | TIP, PIPET, PLASTIC, DISPOSABLE[CUST: MD MS 03] | A | 6640 | / | MB | 28-JAN-86 |
| | TRA-YB | TIRE & RIM ASSOCIATION, YEAR BOOK[CUST: AT YD 99] | A | 2610 | | 84 | 08-AUG-72 |
| | MS27817B(1) NOT 1 | TIRE - PNEUMATIC REBUILT, TYPE V11 36 X 11/22 PR[CUST: 99] [REVIEW: GS] | A | 2620 | | 70 | 27-SEP-93 |
| | MS27815C(1) NOT 1 | TIRE - PNEUMATIC REBUILT, TYPE VII 44 X 16, 28 PR[CUST: 99] [REVIEW: GS] | A | 2620 | | 70 | 27-SEP-93 |
| | MS27811A(1) | TIRE - PNEUMATIC RETREAD, TYPE VII 49 X 17/26 PR[CUST: 99] [REVIEW: GS] | A | 2620 | | 70 | 27-SEP-93 |
| | MS21781 | TIRE - PNEUMATIC TYPE VIII 30 X 11.5 - 14.5/26 PR[CUST: 99] [REVIEW: CC GS] | A | 2620 | | 70 | 07-OCT-88 |
| | SAE-J683 | TIRE CHAIN CLEARANCE - TRUCKS, BUSES (EXCEPT SUBURBAN, INTERCITY, AND TRANSIT BUSES), AND COMBINATIONS OF VEHICLES[CUST: AT 99] [REVIEW: YD] | A | 2320 | | AT | AUG-85 |
| | NACM81396 | TIRE CHAIN SPECIFICATIONS[CUST: AT] | A | 2540 | | AT | 17-DEC-99 |
| | A-A-1541 | TIRE CHAIN, REINFORCED, DUAL TRIPLE TRUCK, (TYPE RDT) WITH REPLACEMENT CROSS CHAINS | A | 2540 | # | FSS | 12-MAY-80 |
| | A-A-1540 | TIRE CHAIN, REINFORCED, PASSENGER CAR (TYPE RP) WITH REPLACEMENT CROSS CHAINS | A | 2540 | # | FSS | 20-MAY-80 |
| | A-A-1542 | TIRE CHAIN, REINFORCED, SINGLE TRUCK (TYPE RS) WITH REPLACEMENT CROSS CHAINS | A | 2540 | # | FSS | 16-MAY-80 |
| | ASTM-D885 | TIRE CORDS, TIRE CORD FABRICS, AND INDUSTRIAL FILAMENT YARNS MADE FROM MANUFACTURED ORGANIC-BASE FIBERS[CUST: MR SH 99 CT] | A | 26GP | | SH | 03-OCT-94 |
| | A-A-50690 NOT 1 | TIRE FILL, SOLID POLYURETHANE[CUST: AT] | A | 2630 | / | AT | 20-APR-04 |
| | SAE-J321 | TIRE GUARDS FOR PROTECTION OF OPERATOR OF EARTHMOVING HAULAGE MACHINES[CUST: AT YD 99] | A | 3805 | | AT | 03-OCT-94 |
| | MS27818A NOT 2 | TIRE PNEUMATIC RETREAD, TYPE VII 38 X 11 / 14 PR[CUST: AS 99] [REVIEW: CC GS] | A | 2620 | | 70 | 27-SEP-93 |
| | MS27813A NOT 2 | TIRE PNEUMATIC RETREAD, TYPE VII 56 X 16 / 38 PR 250 MPH[CUST: AS 99] [REVIEW: CC GS] | A | 2620 | | 70 | 27-SEP-93 |
| | MS14483 | TIRE PNEUMATIC, AIRCRAFT, RADIAL PLY CONSTRUCTION, 26 X 7.75R13 (NAVY) (AV-8B MLG)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 08-OCT-85 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS22078 NOT 2 | TIRE REBUILT 26 X 6.6/14PR[CUST: AS 99] [REVIEW: CC GS] | A | 2620 | | 70 | 27-SEP-93 |
| | AIR-STD-25/8(2) | TIRE VALVE COUPLINGS | C | ISDF | | 06 | 02-AUG-02 |
| | MS22081 NOT 2 | TIRE, PNEUMATIC NEW TYPE III 20.00-20/26PR[CUST: AS 99] [REVIEW: CC GS] | A | 2620 | | 70 | 04-JUN-93 |
| | QPL-5041-31 | TIRE, PNEUMATIC, AIRCRAFT | A | 2620 | | 70 | 14-APR-89 |
| | MS14171C | TIRE, PNEUMATIC, AIRCRAFT 30 X 11.50-14.50, TYPE VIII (NAVY) FABRIC REINFORCED TREAD[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 05-MAR-97 |
| | MS26535C NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, 18 X 5.5 TYPE VII (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 30-OCT-91 |
| | MS14168A | TIRE, PNEUMATIC, AIRCRAFT, 22 X 6.6-10[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 12-JUL-96 |
| | MS21444 NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 36X11[CUST: 99] [REVIEW: GS] | A | 2620 | | 70 | 04-FEB-94 |
| | MS14541 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 19 X 5.25-10 (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 31-JUL-95 |
| | MS14540 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 24 X 7.7-10 (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 31-JUL-95 |
| | MS14187 NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 22X6.6-10, NEW DESIGN[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 29-OCT-91 |
| | MS14172C NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 30 X 11.50-14.50, TYPE VIII (NAVY) FABRIC REINFORCED TREAD[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 14-MAY-87 |
| | A-A-52518 NOT 1 | TIRE, PNEUMATIC: RETREAD AND REPAIR MATERIALS (METRIC)[CUST: AT 99] [REVIEW: 84 MC] | A | 2640 | / | AT | 14-APR-04 |
| | MS21780 NOT 2 | TIRE-PNEUMATIC REBUILT TYPE VIII 30 X 11.5-14.5/24 PR[CUST: 99] [REVIEW: CC GS] | A | 2620 | | 70 | 04-JUN-93 |
| | MS22080 NOT 2 | TIRE-PNEUMATIC REBUILT, TYPE III 12.50-16/12 PR[CUST: AS 99] [REVIEW: CC GS] | A | 2620 | | 70 | 04-JUN-93 |
| | MS27823A NOT 2 | TIRE-PNEUMATIC REBUILT, TYPE VII 20.00-20/26 PR[CUST: AS 99] [REVIEW: CC GS] | A | 2620 | | 70 | 27-SEP-93 |
| | MIL-DTL-4M | TIRES AND INNER TUBES (NON-AIRCRAFT); PACKAGING OF[CUST: AT MC 99] [REVIEW: 84 AV] | A | 2610 | | AT | 10-JAN-97 |
| | QPL-ZZ-T-1619-2(2) SUP 1 | TIRES, PNEUMATIC, AGRICULTURAL | A | 2610 | # | FSS | 01-MAY-78 |
| | QPL-ZZ-T-410-1 | TIRES, PNEUMATIC, INDUSTRIAL | A | 2610 | # | FSS | 30-NOV-81 |
| | MIL-PRF-5041J SUP 1 | TIRES, RIBBED TREAD, PENUMATIC, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS MC] | A | 2620 | | 70 | 30-APR-98 |
| | SAE-AMS4930 | TITANIUM ALLOY BARS, WIRE, FORGINGS, AND RINGS 6A1 - 4V, EXTRA LOW INTERSTITIAL, ANNEALED[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | 01-OCT-90 |
| | SAE-AMS4970 | TITANIUM ALLOY BARS, WIRE, AND FORGINGS 7AL - 4MO SOLUTION AND PRECIPITATION HEAT TREATED[CUST: 11] [REVIEW: AS MR] | A | 9530 | | 11 | 06-DEC-93 |
| | SAE-AMS4979 | TITANIUM ALLOY BARS, WIRE, FORGINGS AND RINGS, 6AL - 6V - 2SN SOLUTION AND PRECIPITATION HEAT TREATED[CUST: 11] [REVIEW: AS MR] | A | 9530 | | 11 | 06-DEC-93 |
| | SAE-AMS4928 | TITANIUM ALLOY BARS, WIRE, FORGINGS, AND RINGS 6AL - 4V ANNEALED[CUST: MR AS 11] | A | 9530 | | AS | 01-APR-93 |
| | SAE-AMS4978 | TITANIUM ALLOY BARS, WIRE, FORGINGS, AND RINGS, 6AL - 6V - 2SN ANNEALED[CUST: 11] [REVIEW: AS MR] | A | 9530 | | 11 | 06-DEC-93 |
| | SAE-AMS4935 | TITANIUM ALLOY EXTRUSIONS AND FLASH WELDED RINGS 6AL - 4V ANNEALED BETA PROCESSED[CUST: MR AS 11] | A | 9540 | | AS | 12-SEP-75 |
| | SAE-AMS4966 | TITANIUM ALLOY FORGINGS 5AL - 2.5SN ANNEALED, 110 KSI (758 MPA) YIELD STRENGTH[CUST: 11] [REVIEW: AS MR] | A | 9530 | | 11 | 01-APR-88 |
| | MIL-T-24585A | TITANIUM ALLOY ROD, DISCS AND UPSET FORGINGS COMPOSITION TI-6A1-6V-2SN (CONTROLLED DISTRIBUTION)[CUST: SH] | F | FORG | | SH | 19-SEP-86 |
| | SAE-AMS4956 | TITANIUM ALLOY WELDING WIRE 6AL - 4V, EXTRA LOW INTERSTITIAL ENVIRONMENT CONTROLLED PACKAGING[CUST: AR SH 99 GS6] [REVIEW: 84] | A | 3439 | | GS6 | 10-JUL-91 |
| | SAE-AMS4959 | TITANIUM ALLOY WIRE 13.5V - 11CR - 3A1 SPRING TEMPER[CUST: MR AS 11] | A | 9505 | | IS | 10-JAN-94 |
| | SAE-AMS4982 | TITANIUM ALLOY WIRE 44.5 CB[CUST: MR AS 11] | A | 9530 | | AS | 25-JUN-87 |
| | SAE-AMS4926 | TITANIUM ALLOY, BARS, WIRE, AND RINGS 5A1 - 2.5SN, ANNEALED, 110 KSI (758 MPA) YIELD STRENGTH[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | AUG 94 |
| | SAE-AMS4967 | TITANIUM ALLOY, BARS, WIRE, FORGINGS, AND RINGS 6.0AL - 4.0V ANNEALED, HEAT TREATABLE[CUST: MR AS 11 IS] | A | 9530 | | IS | 01-OCT-93 |
| | SAE-AMS4963 | TITANIUM ALLOY, BARS, WIRE, FORGINGS, AND RINGS 6.0AL - 4.0V ANNEALED, HEAT TREATABLE, MODIFIED STRENGTH[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | 11-OCT-95 |
| | SAE-AMS4965 | TITANIUM ALLOY, BARS, WIRE, FORGINGS, AND RINGS 6.0AL - 4.0V SOLUTION HEAT TEATED AND AGED[CUST: MR AS 11] | A | 9530 | | AS | 30-DEC-85 |
| | SAE-AMS4976 | TITANIUM ALLOY, FORGINGS 6.0AL - 2.0SN - 4.0ZR - 2.0MO SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: OS] | A | FORG | | AS | 26-OCT-85 |
| | SAE-AMS4943 | TITANIUM ALLOY, SEAMLESS HYDRAULIC TUBING 3.0AL-2.5V ANNEALED[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | APR-95 |
| | SAE-AMS4944 | TITANIUM ALLOY, SEAMLESS, HYDRAULIC TUBING 3.0AL - 2.5V COLD WORKED, STRESS RELIEVED[CUST: MR AS 11] | A | 4710 | | AS | MAY-01 |
| | SAE-AMS4911 | TITANIUM ALLOY, SHEET, STRIP, AND PLATE 6AL-4V ANNEALED[CUST: MR AS 11] [REVIEW: 99] | A | 9535 | | 11 | 31-AUG-95 |
| | MIL-DTL-46035C NOT 1 | TITANIUM ALLOY: HIGH STRENGTH, WROUGHT (FOR CRITICAL COMPONENTS)[CUST: MR] [REVIEW: AR AT MI] | A | FORG | | MR | 28-SEP-04 |
| | SAE-AMS2643 | TITANIUM ALLOYS, CHEMICAL ETCH INSPECTION PROCEDURE, STRUCTURAL EXAMINATION OF[CUST: MR AS 11] | A | NDTI | | 11 | 01-APR-88 |
| | SAE-AMS2631 | TITANIUM AND TITANIUM ALLOY BAR AND BILLET, ULTRASONIC INSPECTION[CUST: MR AS 11 GS2] | A | NDTI | | GS2 | MAR-95 |
| | SAE-AMS-T-9047 | TITANIUM AND TITANIUM ALLOY BARS (ROLLED OR FORGED) AND REFORGING STOCK, AIRCRAFT QUALITY[CUST: MR AS 11] [REVIEW: 84 99 AR AV IS MI SH] | A | 9530 | | AS | 10-FEB-05 |
| | ASTM-B861 | TITANIUM AND TITANIUM ALLOY SEAMLESS PIPE[CUST: MR SH CC] [REVIEW: AS AT SA] | A | 4710 | | CC | 19-JUL-01 |
| | ASTM-B265 | TITANIUM AND TITANIUM ALLOY STRIP, SHEET, AND PLATE[CUST: MD MS 03] | A | 6515 | | MB | 15-APR-94 |
| | ASTM-B600 | TITANIUM AND TITANIUM ALLOY SURFACES, DESCALING AND CLEANING[CUST: MR SH 11 GS4] [REVIEW: 99 AR CR4] | A | MFFP | | GS4 | 15-MAR-91 |
| | ASTM-B862 | TITANIUM AND TITANIUM ALLOY WELDED PIPE[CUST: MR SH CC] [REVIEW: AS AT SA] | A | 4710 | | CC | 19-JUL-01 |
| | ASTM-B363 | TITANIUM AND TITANIUM ALLOY WELDING FITTINGS, SEAMLESS AND WELDED UNALLOYED[CUST: MR SH] [REVIEW: AS CR4] | A | 4730 | | CC | 15-APR-94 |
| | SAE-AMS-T-9046 | TITANIUM AND TITANIUM ALLOY, SHEET, STRIP, AND PLATE[CUST: MR AS 11] [REVIEW: 99 AR AV GL IS MI NS OS SH] | A | 9535 | | AS | 17-SEP-99 |
| | MIL-HDBK-697A NOT 1 | TITANIUM AND TITANIUM ALLOYS[CUST: MR AS 99] [REVIEW: AR GL IS MI OS] | A | 95GP | | MR | 20-JUL-90 |
| | MIL-T-81556A(1) NOT 1 | TITANIUM AND TITANIUM ALLOYS, EXTRUDED BARS AND SHAPES, AIRCRAFT QUALITY[CUST: MR AS 11] [REVIEW: 84 99 AR IS MI OS SH] | A | 9540 | | AS | 26-SEP-96 |
| | SAE-AMS-T-81915 | TITANIUM AND TITANIUM-ALLOY CASTINGS, INVESTMENT[CUST: MR AS 11] [REVIEW: 99 AR AV CR4] | A | MECA | | AS | JUL-98 |
| | SAE-AMS4921 | TITANIUM BARS, WIRE, FORGINGS, AND RINGS COMMERCIALLY PURE 70 KSI (483 MPA) YIELD STRENGTH[CUST: MR AS 11] | A | 9530 | | AS | 30-DEC-85 |
| | ASTM-E1320 | TITANIUM CASTINGS, STANDARD REFERENCE RADIOGRAPHS FOR[CUST: MR AS 11 GS2] | A | NDTI | | GS2 | 31-JUL-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D476 | TITANIUM DIOXIDE PIGMENTS, DRY PIGMENTARY, STANDARD CLASSIFICATION FOR[CUST: MR SH 99] [REVIEW: AR CG CR4 OS YD] | A | 8010 | | SH | 14-NOV-84 |
| | MIL-T-48149A(4) | TITANIUM DIOXIDE, DRY[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 05-OCT-89 |
| | SAE-AS1814 | TITANIUM MICROSTRUCTURES, TERMINOLOGY FOR[CUST: MR AS 11] | A | 95GP | | 11 | 01-OCT-90 |
| | SAE-AMS4942 | TITANIUM TUBING, SEAMLESS ANNEALED, 40,000 PSI (275 MPA) YIELD STRENGTH[CUST: MR AS 11] | A | 4710 | | AS | FEB-01 |
| | SAE-AMS4941 | TITANIUM TUBING, WELDED ANNEALED, 40 KSI (276 MPA) YIELD STRENGTH[CUST: 99] [REVIEW: CR4] | A | 4710 | | 71 | 01-OCT-82 |
| | SAE-AMS4951 | TITANIUM WELDING WIRE COMMERCIALLY PURE ENVIRONMENT CONTROLLED PACKAGING[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 02-OCT-85 |
| | SAE-AMS2368 | TITANIUM, WROUGHT, RAW MATERIAL EXCEPT FORGINGS AND FORGING STOCK, SAMPLING AND TESTING OF[CUST: MR AS 11] [REVIEW: 99] | A | 95GP | | 11 | 17-APR-95 |
| | AIR-STD-80/9 | TITLING OF AIR RECONNAISSANCE AIR SURVEY AND MAPPING IMAGERY | C | ISDF | | 06 | 29-APR-96 |
| | STANAG-3189 ED.6(2) | TITLING OF AIR RECONNAISSANCE, AIR SURVEY AND AIR MAPPING IMAGERY | C | ISDF | | 06 | 22-NOV-90 |
| | AIR-STD-80/11 | TITLING OF HAND HELD FILM | C | ISDF | | 06 | 27-MAR-92 |
| | A-A-20211A | TOASTER PASTRY[CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8920 | / | SS | 18-APR-02 |
| | A-A-50010A | TOASTERS, CONVEYOR, HEAVY DUTY, GAS[CUST: GL YD 99 SS] | A | 7310 | * | SS | 23-MAR-87 |
| | A-A-59594 | TOILET TISSUE, INSTITUTIONAL[CUST: GL] [REVIEW: MD] | A | 8540 | / | SS | 09-OCT-01 |
| | FED-STD-245E | TOLERANCE FOR ALUMINUM ALLOY AND MAGNESIUM ALLOY WROUGHT PRODUCTS[CUST: MR AS 11] [REVIEW: 99 AR AV IS MI SH] | A | 95GP | / | AS | 26-OCT-85 |
| | SAE-AMS2253 | TOLERANCES CARBON AND ALLOY STEEL TUBING[CUST: MR AS 11] | A | 4710 | | MR | 01-JAN-83 |
| | SAE-AMS2243 | TOLERANCES CORROSION AND HEAT RESISTANT STEEL TUBING[CUST: MR AS 11] | A | 4710 | | MR | 01-JAN-90 |
| | SAE-AMS2242 | TOLERANCES CORROSION AND HEAT RESISTANT STEEL, IRON ALLOY, TITANIUM, AND TITANIUM ALLOY SHEET, STRIP, AND PLATE[CUST: MR AS 11] | A | 95GP | | MR | 01-JAN-87 |
| | MIL-HDBK-1897 NOT 1 | TOLERANCES FOR INVESTMENT CASTINGS[CUST: AT] | A | MECA | | AT | 15-APR-04 |
| | SAE-AMS2251 | TOLERANCES LOW ALLOY STEEL BARS[CUST: MR AS 11] | A | 9515 | | MR | 01-JUL-92 |
| | SAE-AMS2252 | TOLERANCES LOW-ALLOY STEEL SHEET, STRIP AND PLATE[CUST: MR AS 11] | A | 9515 | | MR | 01-JAN-83 |
| | SAE-AMS2262 | TOLERANCES, NICKEL, NICKEL ALLOY, AND COBALT ALLOY, SHEET, STRIP AND PLATE[CUST: AT AS 99 IS] | A | 9535 | | IS | 01-JAN-90 |
| | MIL-HDBK-682 NOT 1 | TOLERANCING, DIMENSIONING, AND GAGING TECHNIQUES FOR THE DESIGN OF INSPECTION EQUIPMENT[CUST: AT] | A | QCIC | | AT | 12-APR-04 |
| | A-A-59107 NOT 1 | TOLUENE, TECHNICAL[CUST: EA SH 68 GS3] [REVIEW: AR DS MC MD1 MI OS] | A | 6810 | / | GS3 | 28-FEB-03 |
| | ASTM-E1695 | TOMOGRAPHY (CT), COMPUTED, SYSTEM PERFORMANCE, MEASUREMENT OF[CUST: MR AS 11] | A | NDTI | | AS | 15-MAR-95 |
| | A-A-51358 | TONGS, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 28-APR-86 |
| | A-A-59228 NOT 1 | TONGS, MATERIAL LIFTING, PIPE[CUST: YD 99] [REVIEW: 84 GS SH] | A | 3940 | / | IS | 11-JUN-03 |
| | A-A-51712A | TONGS, SKULL TRACTION GARDNER-WELLS[CUST: MD MS 03] | A | 6515 | / | MB | 04-MAY-88 |
| | A-A-54044 | TONOMETER, OPHTHALMIC, SCHIOTZ[CUST: MD MS 03] | A | 6540 | / | MB | 30-NOV-89 |
| | SSPC-SP2 | TOOL HAND, CLEANING SURFACE PREPARATION SPECIFICATION NO. 2[CUST: CR4 YD 11 IS] [REVIEW: 50 84 99 AR CE MC MR OS SH] | A | 8010 | | IS | 01-APR-90 |
| M | A-A-51136C | TOOL HOLDER, THREADING TOOL TYPE, LATHE[CUST: AR SH 99 GS6] [REVIEW: 84 MC] | A | 3460 | / | GS6 | 19-APR-06 |
| | A-A-51137A NOT 1 | TOOL HOLDERS, BORING TOOL AND BORING BAR, LATHE[CUST: AR 99 GS6] [REVIEW: 84] | A | 3460 | / | GS6 | 27-OCT-99 |
| | GGG-T-00559(2) | TOOL KIT, LEATHERCRAFT | A | 5180 | # | FSS | 07-JUN-68 |
| | A-A-53891 | TOOL KIT, OPTICIAN[CUST: MD MS 03] | A | 6540 | / | MB | 07-APR-89 |
| | QPL-83507-11 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS AND CONNECTORS AND CABLE ACCESSORIES, GENERAL SPECIFICATION FOR | A | 5180 | | CC | 22-DEC-04 |
| | ASTM-A600 | TOOL STEEL HIGH SPEED, STANDARD SPECIFICATION FOR[CUST: MR SH 11] [REVIEW: 99 IS MI OS] | A | 9510 | | MR | 15-AUG-92 |
| | ASTM-A686 | TOOL STEEL, CARBON, STANDARD SPECIFICATION FOR[CUST: MR 99] [REVIEW: 11 84 AR IS OS SH YD] | A | 9510 | | MR | 15-JUL-92 |
| | ASTM-A597 | TOOL STEEL, CAST[CUST: MR OS] [REVIEW: AR EA] | A | MECA | | MR | 28-AUG-87 |
| | ASTM-A681 | TOOL STEELS ALLOY, STANDARD SPECIFICATION FOR[CUST: MR YD 11] [REVIEW: AR CR4 GL IS MI OS SH] | A | 9510 | | MR | 15-JUL-92 |
| | MS3480 | TOOL, CONNECTOR ASSEMBLY, FOR MIL-C-5015 CONNECTORS[CUST: AS CC] [REVIEW: EC GL GS] | A | 5120 | | AS | 21-JAN-70 |
| | MS3482 | TOOL, CONNECTOR ASSEMBLY, FOR MIL-C-81511 CONNECTORS[CUST: AS CC] [REVIEW: EC GL GS] | A | 5120 | | AS | 21-JAN-70 |
| | MIL-T-81306A NOT 1 | TOOL, FORMING, FOR ADJUSTABLE PLASTIC AND METAL CABLE STRAPS[CUST: CR AS 11] [REVIEW: 99 EC GS OS SH] | A | 5120 | | AS | 17-OCT-91 |
| | QPL-81306-10 | TOOL, FORMING, FOR ADJUSTABLE PLASTIC AND METAL CABLE STRAPS | A | 5120 | | AS | 05-FEB-01 |
| | MS90387G NOT 1 | TOOL, HAND, ADJUSTABLE FOR PLASTIC AND METAL TIEDOWN STRAPS[CUST: CR AS 11] [REVIEW: 99 EC GS OS SH] | A | 5120 | | AS | 09-OCT-91 |
| | SSPC-SP11 | TOOL, POWER, CLEANING TO BARE METAL SURFACE[CUST: CR4 YD 91 IS] [REVIEW: 84 99 AS CE MC OS SH] | A | 5610 | | IS | 10-OCT-89 |
| | SAE-J1072 | TOOL, SINTERED MATERIALS[CUST: MR YD 99] | A | 95GP | | YD | FEB-77 |
| | ASME-B5.50 | TOOL, V FLANGE SHANKS FOR MACHINING CENTERS WITH AUTOMATIC TOOL CHANGERS[CUST: MR 11 GS6] [REVIEW: 99 AR IS MI] | A | 34GP | | GS6 | 11-AUG-89 |
| | GGG-T-563A(4) | TOOLS BLACKSMITH S (CHISELS, FLATTERS, FULLERS, HARDIES, BOLT HEADING TOOLS, PUNCHES AND SWAGES)[CUST: GL 99] | A | 5110 | * | GL | 02-APR-64 |
| | A-A-59158 | TOOLS FOR INSERTING AND EXTRACTING HELICAL COIL WIRE SCREW THREAD INSERTS[CUST: GL SH 99] [REVIEW: 84 AS CG MC] | A | 5120 | * | GL | 30-JAN-98 |
| | GGG-T-00563B(1) | TOOLS, BLACKSMITHS' (CHISELS, FLATTERS, FULLERS, HARDIES, BOLT HEADING TOOLS, PUNCHES, AND SWAGES) | A | 5120 | # | FSS | 27-MAY-68 |
| | ASME-B107.14M | TOOLS, HAND, TORQUE[CUST: AR SH 99] [REVIEW: 84 AS CR4 GL GS MC YD] | A | 5120 | | AR | 24 MAY 85 |
| | UL45 | TOOLS, PORTABLE ELECTRIC[CUST: GL YD 99] [REVIEW: 84 GS SH] | A | 5130 | | IS | 1-OCT-91 |
| | ASME-B107.4 | TOOLS, PORTABLE HAND, AIR, AND ELECTRIC, DRIVING AND SPINDLE ENDS FOR[CUST: GL AS 94] [REVIEW: GS] | A | 5130 | | GL | 31-OCT-82 |
| | SAE-J439 | TOOLS, SINTERED CARBIDE[CUST: MR YD 99] [REVIEW: IS] | A | 9510 | | YD | FEB-77 |
| | AGMA201.02 | TOOTH PROPORTIONS FOR COARSE-PITCH INVOLUTE SPUR GEARS[CUST: CR4 YD 99] | A | 3020 | | CC | JUN-68 |
| | A-A-53996 | TOOTHBRUSH, POST-SURGICAL, ULTRA-SOFT[CUST: MD MS 03] | A | 6520 | / | MB | 10-OCT-89 |
| | MIL-T-89306 NOT 1 | TOPOGRAPHIC MAPS 1:100,000 SCALE | A | GINT | | MP | 31-MAR-04 |
| | MIL-T-89301A(1) NOT 1 | TOPOGRAPHIC MAPS 1:50,000 SCALE | A | GINT | | MP | 31-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | STANAG-3600 ED.3(10) | TOPOGRAPHICAL LAND MAPS AND AERONAUTICAL CHARTS 1:250,000 FOR JOINT OPERATIONS (INCLUDING AMENDMENTS 8 THRU 10) | C | ISDF | | 06 | PENDING |
| | QSTAG-1180 ED.1 | TOPOGRAPHICAL LAND MAPS AND AERONAUTICAL CHARTS 1:250,000 FOR JOINT OPERATIONS[CUST: AI] | C | ISDA | | AI | 17-DEC-96 |
| D | FIPS-PUB-173-1 | TOPOLOGICAL VECTOR PROFILE (PART 4)[CUST: OM] | A | IPSC | | DC3 | 10-JUN-94 |
| | AWS-C3.4 | TORCH BRAZING[CUST: MR AS 11] | A | THJM | | MR | 16-MAR-90 |
| | A-A-51128B NOT 1 | TORCH KIT, SOLDERING (PROPANE GAS)[CUST: AR OS 99 GS6] [REVIEW: 84] | A | 3439 | / | GS6 | 20-JAN-05 |
| | A-A-50582A | TORCH OUTFIT, CUTTING AND WELDING | A | 3433 | / | GS6 | 19-APR-04 |
| | A-A-55014A | TORCH OUTFITS, WELDING, GAS TUNGSTEN ARC WELDING (GTAW) AND COMPONENT PARTS[CUST: AR SH 99 GS6] [REVIEW: 84 CE CR4 MC YD] | A | 3431 | / | GS6 | 27-JUL-01 |
| | A-A-59350 NOT 1 | TORCH, WELDING, HAND, OXYACETYLENE, LIGHT DUTY[CUST: AR SH 99] [REVIEW: 84 CG MC OS] | A | 3433 | / | GS6 | 31-MAY-05 |
| | UL147 | TORCHES, HAND-HELD, FOR FUEL GASES[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 25-SEP-96 |
| | UL123 | TORCHES, OXY-FUEL GAS[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 25-OCT-99 |
| | A-A-55826 NOT 1 | TORCHES, OXYACETLENE, HAND HELD, CUTTING AND WELDING[CUST: AR YD 99] [REVIEW: 84 AV MC] | A | 3433 | / | GS6 | 18-DEC-02 |
| | MIL-T-82571A | TORPEDO TUBE, SURFACE VESSEL, MARK 32 MOD 9 (FOR TORPEDOES MK 44 MOD 1 AND MK 46 MOD 1)[CUST: OS] | A | 1045 | | OS | 31-JAN-75 |
| | MIL-T-18404(2) NOT 2 | TORPEDOES, ENVIRONMENTAL REQUIREMENTS,[CUST: OS] | A | 1355 | | OS | 09-SEP-87 |
| | MIL-DTL-62567C | TORSION BAR, SUSPENSION[CUST: AT] | A | 2530 | | AT | 16-SEP-98 |
| | A-A-20143A | TORTILLAS, TORTILLA CHIPS, TACO SHELLS, AND TOSTADA SHELLS[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8920 | * | FV | 05-JAN-00 |
| | ASTM-F483 | TOTAL IMMERSION CORROSION TEST FOR AIRCRAFT MAINTENANCE CHEMICALS[CUST: MR AS 11] [REVIEW: GS] | A | 6850 | | AS | 29-DEC-86 |
| | ASTM-E595 | TOTAL MASS LOSS AND COLLECTED VOLATILE CONDENSABLE MATERIALS FROM OUTGASSING IN A VACUUM ENVIRONMENT[CUST: MR GS] [REVIEW: AS GL] | A | 9330 | | IS | 15-JUN-93 |
| | ASTM-D3223 | TOTAL MERCURY IN WATER, TEST METHOD FOR[CUST: EA] [REVIEW: GL GS MD OS SH] | A | 6810 | | EA | 28-FEB-19 |
| | ASTM-E258 | TOTAL NITROGEN IN ORGANIC MATERIALS BY MODIFIED KJELDAHL METHOD[CUST: MR SH 11] | A | 91GP | | MR | 08-SEP-67 |
| | ASTM-D2073 | TOTAL, PRIMARY, SECONDARY, AND TERTIARY AMINE VALUES OF FATTY AMINES, AMIDOAMINES, AND DIAMINES BY REFEREE POTENTIOMETRIC METHOD[CUST: MI SH 68] [REVIEW: GS] | A | 6810 | | SH | 15-MAR-92 |
| | A-A-53951 | TOURNIQUET SYSTEM, PNEUMATIC[CUST: MD MS 03] | A | 6515 | / | MB | 28-JUL-89 |
| | A-A-53586 | TOURNIQUET, NON-PNEUMATIC[CUST: MD MS 03] | A | 6515 | / | MB | 29-JUL-88 |
| | MIL-T-36045 NOT 1 | TOURNIQUET, NONPNEUMATIC, CAMOUFLAGED 1-1/2 BY 42 INCHES[CUST: MD MS 03] | A | 6515 | | MB | 04-AUG-89 |
| | A-A-54866 | TOURNIQUET, PNEUMATIC[CUST: MD MS 03] | A | 6515 | / | MB | 03-MAY-93 |
| | MIL-T-63439(5) NOT 1 | TOW 2 FUZE PROBE[CUST: AR] | A | 1336 | | AR | 14-MAR-90 |
| | SAE-AMS3892/5 | TOW AND YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 220 (1517) TENSILE STRENGTH, 75 (517) TENSILE MODULUS[CUST: MR AS 11] | A | CMPS | | AS | 01-OCT-92 |
| | MIL-T-85512(1) NOT 1 | TOW BAR AND BRIDLE ASSEMBLY, TARGET, BANNER, AERIAL, TDU-32 SERIES[CUST: AS] | A | 1550 | | AS | 26-SEP-91 |
| | A-A-59576 | TOW BAR, FOR AIRCRAFT TOWING (KC-10 AIRCRAFT)[CUST: 99] | A | 1730 | / | 84 | 20-JUL-04 |
| | SAE-AMS3892/8 | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF (OX) 400 (2758) TENSILE STRENGTH, 40 (276) TENSILE MODULUS[CUST: MR AS 11] | A | CMPS | | AS | 01-OCT-92 |
| | SAE-AMS3892/7 | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF (OX) 400 (2758) TENSILE STRENGTH, 33 (22) TENSILE MODULUS[CUST: MR AS 11] | A | CMPS | | AS | 01-OCT-92 |
| | SAE-AMS3892/4 | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 300 (2068) TENSILE STRENGTH, 75 (517) TENSILE MODULUS[CUST: MR AS 11] | A | CMPS | | MR | 01-OCT-92 |
| | SAE-AMS3892/2 | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 300 (2068) TENSILE STRENGTH, 50 (345) TENSILE MODULUS[CUST: MR AS 11] | A | CMPS | | MR | 01-OCT-92 |
| | SAE-AMS3892/6 | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 325 (2241) TENSILE STRENGTH, 57 (393) TENSILE MODULUS[CUST: MR AS 11] | A | CMPS | | MR | 01-OCT-92 |
| | SAE-AMS3892/1 | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 400 (2758) TENSILE STRENGTH, 33 (228) TENSILE MODULUS[CUST: MR AS 11] | A | CMPS | | MR | 01-OCT-92 |
| | SAE-AMS3892/3 | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 400 (2760) TENSILE STRENGTH, GF 400 (275) TENSILE MODULUS[CUST: MR AS 11] | A | CMPS | | MR | 01-OCT-92 |
| | SAE-AMS3892/9 | TOW, CARBON FIBER FOR STRUCTURAL COMPOSITES, 500 (3447) TENSILE STRENGTH, 32 (221) TENSILE MODULUS[CUST: MR AS 11] | A | CMPS | | AS | 01-OCT-92 |
| | SAE-AMS3892/10 | TOW, CARBON FIBER FOR STRUCTURAL COMPOSITES, 550 (3792) TENSILE STRENGTH, 38 (262) TENSILE MODULUS[CUST: MR AS 11] | A | CMPS | | AS | 01-OCT-92 |
| | A-A-53447 | TOWEL PACK, SURGICAL[CUST: MD MS 03] | A | 6530 | / | MB | 29-APR-88 |
| | A-A-50819 | TOWEL, HAND, GREEN, HUCK, COTTON[CUST: MD MS 03] | A | 7210 | / | MB | 27-JUL-82 |
| | MIL-T-37968 | TOWEL, PAPER (DISPOSABLE, DENTAL[CUST: MD MS 03] | A | 8540 | | MB | 12-MAY-86 |
| | A-A-1447A | TOWEL, PAPER (PLASTIC WIPING) | A | 7920 | # | FSS | 15-AUG-84 |
| | A-A-886A NOT 2 | TOWELS, BATH, (TERRY)[CUST: GL NU 11 CT] [REVIEW: MC MD] | A | 7210 | / | CT | 27-OCT-00 |
| A | DDD-T-511D | TOWELS, DISH AND SISCLOTH (CRASH, COTTON, AND COTTON AND LINEN-M IXED), CLOTH, CRASH, COTTON[CUST: GL NU 99] [REVIEW: CG CT MC MD MS] | A | 7210 | * | GL | 21-DEC-70 |
| | STANAG-4101 ED.2 | TOWING ATTACHMENTS | C | ISDA | | AI | 21-FEB-00 |
| | QSTAG-949 ED.1 | TOWING BARS AND TOWING ATTACHMENTS ON AIRCRAFT[CUST: AI] | C | ISDA | | AI | 04-DEC-93 |
| | MIL-STD-805B | TOWING FITTINGS AND PROVISIONS FOR MILITARY AIRCRAFT, DESIGN REQUIREMENTS FOR[Interface Standard][CUST: AV AS 99] [REVIEW: GS] | A | 1620 | | AS | 07-SEP-87 |
| | MIL-HDBK-1038/5 | TOWING NONSELF-PROPELLED FLOATING STRUCTURES[CUST: YD] [REVIEW: MD SS] | A | FACR | | YD | 15-NOV-87 |
| | ITOP-5.2.502 | TOXIC MATERIALS IN MISSILES AND ROCKETS | D | ISDA | | TE | 08-DEC-00 |
| | ASTM-D3120 | TRACE QUANTITIES OF SULFUR IN LIGHT LIQUID PETROLEUM HYDROCARBONS BY OXIDATIVE MICROCOULOMETRY[CUST: PS] | A | 91GP | | PS | 15-AUG-92 |
| | MIL-T-71148A | TRACER AND PLUG AND DISC ASSEMBLY[CUST: AR] | F | 1315 | | AR | 18-JAN-95 |
| | MIL-T-70988(1) NOT 2 | TRACER ASSEMBLY, 12525043[CUST: AR] | A | 1370 | | AR | 15-NOV-96 |
| | MIL-T-18755B NOT 3 | TRACER, MARK 11 MOD 0[CUST: OS] | A | 1370 | | OS | 05-SEP-95 |
| | ANSI-Z79.2 | TRACHEAL TUBE CONNECTORS AND ADAPTERS, AMERICAN NATIONAL STANDARD FOR[CUST: MD MS 03] | A | 6515 | | MB | 19-SEP-86 |
| | A-A-51115 | TRACHEOSTOMY KIT, EMERGENCY, STERILE[CUST: MD MS 03] | A | 6515 | / | MB | 15-JAN-86 |
| | A-A-54110 | TRACHOMETER, STROBOSCOPIC (PORTABLE, BATTERY POWERED)[CUST: MD MS 03] [REVIEW: GS] | A | 6680 | / | MB | 05-MAR-90 |
| | QPL-11891-24 | TRACK SHOE SETS, TRACK SHOE ASSEMBLIES, TRACK SHOE PADS AND TRACK SHOE BUSHINGS, VEHICULAR: ELASTOMERIZED | A | 2530 | | AT | 22-FEB-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-11891G | TRACK SHOE SETS, TRACK SHOE ASSEMBLIES, TRACK SHOE PADS AND TRACK SHOE BUSHINGS, VEHICULAR: ELASTOMERIZED[CUST: AT] | A | 2530 | | AT | 25-FEB-98 |
| | MIL-HDBK-1005/6 | TRACKAGE[CUST: YD] | A | FACR | | YD | 30-APR-92 |
| | ITOP-2.2.611.1 | TRACKED - VEHICLE OBSTACLES | D | ISDA | | TE | 21-MAY-87 |
| | ITOP-2.2.602.1 | TRACKED VEHICLE ACCELERATION: MAXIMUM AND MINIMUM SPEED | D | ISDA | | TE | 09-MAR-87 |
| | ITOP-2.2.702.1 | TRACKED VEHICLE ALTITUDE EFFECTS | D | ISDA | | TE | 15-MAY-87 |
| | ITOP-2.2.627.1 | TRACKED VEHICLE BRAKING | D | ISDA | | TE | 21-MAY-87 |
| | ITOP-2.2.800.1 | TRACKED VEHICLE CENTER OF GRAVITY | D | ISDA | | TE | 15-MAY-87 |
| | ITOP-2.2.604.3 | TRACKED VEHICLE DRAWBAR PULL ON HARD SURFACE | D | ISDA | | TE | 21-MAY-87 |
| | ITOP-2.2.604.1 | TRACKED VEHICLE DRAWBAR PULL ON SOFT SOIL | D | ISDA | | TE | 11-AUG-87 |
| | ITOP-2.2.506.1 | TRACKED VEHICLE ENDURANCE TESTING | D | ISDA | | TE | 15-MAY-87 |
| | ITOP-2.2.607.1 | TRACKED VEHICLE FULL LOAD COOLING | D | ISDA | | TE | 21-MAY-87 |
| | ITOP-2.2.808.1 | TRACKED VEHICLE MECHANICAL VIBRATION | D | ISDA | | TE | 15-MAY-87 |
| | ITOP-2.2.500.1 | TRACKED VEHICLE PHYSICAL CHARACTERISTICS | D | ISDA | | TE | 21-MAY-87 |
| | ITOP-2.2.501.1 | TRACKED VEHICLE SWIMMING TESTS | D | ISDA | | TE | 20-MAY-87 |
| | ITOP-2.2.801.1 | TRACKED VEHICLE WEIGHT DISTRIBUTION AND GROUND PRESSURE | D | ISDA | | TE | 15-MAY-87 |
| | ITOP-2.2.816.1 | TRACKED-VEHICLE CLIMATIC TESTS | D | ISDA | | TE | 21-MAY-87 |
| | ITOP-2.2.650.1 | TRACKED-VEHICLE ENGINE COLD START TEST | D | ISDA | | TE | 18-MAY-87 |
| | ITOP-2.2.612.1 | TRACKED-VEHICLE FORDING | D | ISDA | | TE | 18-MAY-87 |
| | ITOP-2.2.603.1 | TRACKED-VEHICLE FUEL CONSUMPTION | D | ISDA | | TE | 18-MAY-87 |
| | ITOP-2.2.610.1 | TRACKED-VEHICLE GRADEABILITY AND SIDE-SLOPE PERFORMANCE | D | ISDA | | TE | 21-MAY-87 |
| | ITOP-2.2.509.1(1) | TRACKED-VEHICLE RELIABILITY, AVAILABILITY, AND MAINTAINABILITY | D | ISDA | | TE | 28-MAY-87 |
| | ITOP-2.2.619.1 | TRACKED-VEHICLE SOFT-SOIL MOBILITY | D | ISDA | | TE | 01-JUN-87 |
| | ITOP-2.2.609.1 | TRACKED-VEHICLE STEERING | D | ISDA | | TE | 18-MAY-87 |
| | ITOP-2.2.605.1 | TRACKED-VEHICLE TOWING RESISTANCE | D | ISDA | | TE | 13-MAR-87 |
| | ITOP-1.2.500.1 | TRACKED-VEHICLE TRANSPORTABILITY | D | ISDA | | TE | 18-MAY-87 |
| | DI-CMAN-81018 | TRACKING REPORT FOR EQUIPMENT MODIFICATION [AMSC: A4834] | A | SESS | | AM | 27-SEP-89 |
| | MIL-T-36503A NOT 1 | TRACTION APPLIANCE, CERVICAL INJURY[CUST: MD MS 03] | A | 6530 | | MB | 04-AUG-89 |
| | MIL-T-36736 | TRACTION DEVICE[CUST: MD MS 03] | A | 6530 | | MB | 11-MAR-71 |
| | A-A-59312B | TRACTOR, AIRCRAFT TOWING, FLIGHT LINE[CUST: 99] | A | 1740 | / | 84 | 03-MAR-04 |
| | A-A-58045A | TRACTOR, AIRCRAFT TOWING, MB-2[CUST: 99] | A | 1740 | / | 84 | 26-FEB-04 |
| | A-A-59210B | TRACTOR, AIRCRAFT TOWING, MB-4[CUST: 99] | A | 1740 | / | 84 | 26-MAY-04 |
| | A-A-58026A | TRACTOR, AIRCRAFT TOWING, U-30[CUST: AV 99] [REVIEW: MI] | A | 1740 | / | 84 | 29-APR-04 |
| | SAE-J276 | TRACTORS AND LOADERS, STEERING FRAME LOCK FOR ARTICULATED[CUST: AR YD 99 IS] | A | 5340 | | IS | 02-NOV-92 |
| | DI-MISC-80136 | TRAFFIC MEASUREMENTS AND ANALYSIS REPORT [AMSC: F3799] | A | MISC | | 10 | 07-APR-86 |
| | A-A-20333 | TRAIL MIX[CUST: GL SA 35 FV] [REVIEW: MC MD QM] | A | 8925 | % | FV | 28-AUG-00 |
| | SAE-J875 | TRAILER AXLE ALIGNMENT[CUST: AT 99] [REVIEW: YD] | A | 2510 | | AT | SEP-81 |
| | SAE-J684 | TRAILER COUPLINGS, HITCHES, AND SAFETY CHAINS - AUTOMOTIVE TYPE[CUST: AT 99] | A | 2540 | | AT | SEP-81 |
| | SAE-J847 | TRAILER TOW BAR EYE AND PINTLE HOOK/COUPLER PERFORMANCE[CUST: AT 99] | A | 2540 | | AT | SEP-81 |
| | MIL-T-81311A NOT 1 | TRAILER, AIR LAUNCHED WEAPONS, ROUGH TERRAIN, A/M32K-4A[CUST: AS] [REVIEW: GS] | A | 1730 | | AS | 25-SEP-91 |
| | A-A-50579 | TRAILER, EQUIPMENT, ELEVATING BODY, 4-WHEEL[CUST: YD] | A | 2330 | / | YD | 14-APR-97 |
| | A-A-58015 | TRAILER, FIRE FIGHTING (FOAM 1,000 GALLON CAPACITY)[CUST: 99] | A | 4210 | / | 84 | 27-MAY-93 |
| | MIL-PRF-45333F NOT 1 | TRAILER, FLAT-BED: 10 TON, 4 WHEEL M345[CUST: AT] | A | 2330 | | AT | 20-APR-04 |
| | MIL-DTL-62073G | TRAILER, FLATBED: 4-, 5-, AND 7.5-TON, 4-WHEEL (TANDEM) CART TYPE; TRAILER, BOLSTER: 4-TON, 4-WHEEL (TANDEM)[CUST: AT] | A | 2330 | | AT | 21-AUG-98 |
| | A-A-58041 | TRAILER, LD-3 CONTAINER, SIDE TRANSFER, TURNTABLE[CUST: 99] | A | 3920 | / | 84 | 15-MAR-95 |
| | MIL-T-26310A(1) NOT 2 | TRAILER, LIFT, AIRCRAFT-MISSILE ENGINE ETU-9/E[CUST: 99] [REVIEW: 11 GS] | A | 1730 | | 84 | 14-MAY-99 |
| | A-A-50681 | TRAILER, MAINTENANCE POWER[CUST: AR 99] | A | 4940 | / | 84 | 30-MAY-89 |
| | MIL-DTL-85537A | TRAILER, MUNITIONS, AERO 51C[CUST: AS] | A | 1740 | | AS | 22-SEP-97 |
| | MIL-T-85342A | TRAILER, MUNITIONS, MHU 171A/E[CUST: AS] | A | 1740 | | AS | 15-OCT-85 |
| | MIL-T-85239A | TRAILER, MUNITIONS, MHU-151/M[CUST: AS] | A | 2330 | | AS | 20-NOV-90 |
| | MIL-DTL-85405A | TRAILER, MUNITIONS, MHU-185/M[CUST: AS] | A | 1740 | | AS | 22-SEP-97 |
| | MIL-DTL-81944C | TRAILER, MUNITIONS, SMALL (MHU-126 A/M)[CUST: AS] | A | 1740 | | AS | 15-SEP-97 |
| | A-A-58091B | TRAILER, TANK MOUNTED, RECOVERABLE AVIATION TURBINE FUEL (BOWSERS): 200, 400 AND 600 GALLON CAPACTTY[CUST: 99] | A | 2330 | / | 84 | 26-JUN-03 |
| | MIL-PRF-45316H | TRAILER, TANK: POTABLE WATER, 400-GALLON, 2-WHEEL, M149A2[CUST: AT MC 99] [REVIEW: 84 YD] | A | 2330 | | AT | 14-DEC-95 |
| | MIL-DTL-13714F | TRAILER, UTILITY, CABLE REEL, 3.5 TON, M310[CUST: AT YD 99] [REVIEW: CE CR] | A | 2330 | | AT | 28-AUG-98 |
| | A-A-52617 NOT 1 | TRAILER, VAN: MOBILE HEARING TEST CENTER[CUST: AT] | A | 2330 | / | AT | 19-APR-04 |
| | SAE-J700 | TRAILERS AND SEMITRAILERS, COMMERCIAL, UPPER COUPLER KINGPIN[CUST: AT 99] [REVIEW: YD] | A | 2510 | | AT | APR-01 |
| | SAE-J848 | TRAILERS AND SEMITRAILERS, FIFTH WHEEL KINGPIN, HEAVY-DUTY-COMMERCIAL[CUST: AT 99] [REVIEW: YD] | A | 2510 | | AT | NOV-84 |
| | SAE-J849 | TRAILERS, MULTIPLE, CONNECTION AND ACCESSORY LOCATIONS FOR[CUST: AT 99] | A | 2540 | | AT | SEP-81 |
| | DI-FACR-81216 | TRAINER ENGINEERING REPORT [AMSC: N6648] | A | FACR | | AS | 21-JUN-91 |
| | DI-FACR-80966 | TRAINER FACILITIES REPORT (IFR) [AMSC: N4920] | A | FACR | | SA | 17-APR-90 |
| | DI-ILSS-81185 | TRAINER MATH MODEL REPORT [AMSC: N6106] | A | SESS | | SA | 24-APR-91 |
| | MIL-T-81821(3) | TRAINERS, MAINTENANCE, EQUIPMENT AND SERVICES GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: 99] | A | 69GP | | AS | 25-MAR-83 |
| | MIL-DTL-24784/10B | TRAINING AID BOOKLET (TAB) REQUIREMENTS FOR NAVAL SHIPS SYSTEMS[CUST: SH] [REVIEW: EC] | A | TMSS | | SH | 15-FEB-02 |
| | DI-SESS-81523B | TRAINING CONDUCT SUPPORT DOCUMENT [AMSC: N7469] | A | SESS | | AS | 30-AUG-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-29612B | TRAINING DATA PRODUCTS[CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM] | A | SESS | | AS | 31-AUG-01 |
| | MIL-T-23991E | TRAINING DEVICES, MILITARY; GENERAL SPECIFICATION FOR[CUST: AV TD 99] [REVIEW: AS MC MI OS SH] | A | 69GP | | 70 | 20-FEB-74 |
| | DI-MISC-81184 | TRAINING EQUIPMENT SUMMARY [AMSC: N6104] | A | MISC | | SA | 23-APR-91 |
| | DI-SESS-81524B | TRAINING EVALUATION DOCUMENT [AMSC: N7470] | A | SESS | | AS | 30-AUG-01 |
| | DI-ILSS-81089 | TRAINING FACILITIES REPORT [AMSC: N5060] | A | SESS | | SH | 05-DEC-90 |
| | DI-ILSS-80872 | TRAINING MATERIALS [AMSC: S4775] | A | SESS | | DH | 29-JUN-89 |
| | STANAG-2954 ED.1(2) | TRAINING OF MEDICAL PERSONNEL FOR NBC OPERATIONS | C | ISDA | | AI | 28-DEC-87 |
| | DI-SESS-81637 | TRAINING PLANNING PROCESS METHODOLOGY (TRPPM) REPORT [AMSC: N7484] | A | SESS | | SA | 17-OCT-02 |
| | DI-ILSS-81070 | TRAINING PROGRAM DEVELOPMENT AND MANAGEMENT PLAN [AMSC: N5041] | A | SESS | | SH | 05-DEC-90 |
| | DI-SESS-81521B | TRAINING PROGRAM STRUCTURE DOCUMENT [AMSC: N7467] | A | SESS | | AS | 30-AUG-01 |
| | DI-SESS-81517B | TRAINING SITUATION DOCUMENT [AMSC: N7463] | A | SESS | | AS | 30-AUG-01 |
| | DI-SESS-81527B | TRAINING SYSTEM SUPPORT DOCUMENT [AMSC: N7473] | A | SESS | | AS | 30-AUG-01 |
| A | AFGS-87265A | TRAINING SYSTEMS[CUST: 11] | D | 69GP | | 11 | 22-FEB-06 |
| | A-A-2537A | TRAMMELS | A | 5210 | # | FSS | 16-MAY-02 |
| | GGG-T-661B | TRAMMELS AND TRAMMEL POINTS | A | 5210 | # | FSS | 13-OCT-66 |
| | GGG-T-661B(I1) | TRAMMELS, AND TRAMMEL POINTS | A | 5210 | # | FSS | 20-JAN-71 |
| | MIL-PRF-21038/28 NOT 1 | TRANFORMERS, PULSE, LOW POWER, DUAL UNITS[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS CR4 MC MI OS SH] | A | 5950 | | CC | 11-JUN-03 |
| | A-A-53145A | TRANSCERVICAL INTRAUTERINE KIT[CUST: MD MS 03] | A | 6515 | / | MB | 07-JUL-89 |
| | MIL-T-17128C(2) | TRANSDUCER FLUID, SONAR[CUST: CR4 SH] [REVIEW: CR GS] | A | 9150 | | SH | 30-OCT-92 |
| | STANAG-4286 ED.2 | TRANSDUCER OUTPUT | C | ISDN | | SH | 14-MAR-90 |
| | MIL-T-24742 | TRANSDUCER, PRESSURE AND DIFFERENTIAL PRESSURE, MINIATURE (ELECTRICAL) (NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 26-APR-90 |
| | STANAG-1412 ED.1 | TRANSFER LITTERS SHIP TO SHIP OR SHIP TO AIR | C | ISDN | | NI | 22-MAY-01 |
| | STANAG-2989 ED.1(4) | TRANSFER OF BARRIERS | C | ISDA | | AI | 31-JAN-85 |
| | QSTAG-862 ED.1(1) | TRANSFER OF BARRIERS (INCLUDES AMEND. 1)[CUST: AI] | C | ISDA | | AI | 25-JUN-87 |
| | ANSI-C57.12.10 | TRANSFORMER 230 000 VOLTS & BELOW 833/958 THROUGH 8333/10 417 KVA,SINGLE PHASE, & 750/862 THROUGH 60 000/80 000/100 000 KVA, THREE PHASE, AMERICAN NATIONAL STANDARD REQUIREMENTS FOR[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6120 | | YD | 28-JUN-86 |
| | ANSI-C57.12.20 | TRANSFORMER, 500 KVA 6 SMALLER; HIGH VOLTAGE, 67,000 VOLTS & BELOW; LOW VOLTAGE, 15,000 VOLTS & BELOW, OVERHEAD TYPE DISTRIBUTION, REQUIREMENTS FOR[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6120 | | YD | 16-JUL-85 |
| | MIL-PRF-27/29B | TRANSFORMER, AUDIO FREQUENCY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC] | A | 5950 | | CC | 23-APR-03 |
| | MIL-PRF-27/290B | TRANSFORMER, AUDIO FREQUENCY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 23-APR-03 |
| | MIL-PRF-27/277A | TRANSFORMER, AUDIO FREQUENCY, SUB-MINIATURE[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 23-APR-03 |
| | MIL-PRF-27/96 NOT 3 | TRANSFORMER, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ915[CUST: CR EC 11] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/323B(1) | TRANSFORMER, AUDIO FREQUENCY, TELEPHONE INTERCONNECT, TF5R21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 23-APR-03 |
| | MIL-PRF-27/356C(1) | TRANSFORMER, AUDIO FREQUENCY, TELEPHONE INTERCONNECT, TF5S04ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS] | A | 5950 | | CC | 23-APR-03 |
| | MIL-PRF-27/30B NOT 1 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ316[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/103D NOT 1 | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/79 NOT 2 | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ896[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/357C | TRANSFORMER, AUDIO FREQUENCY, ULTRA-MINIATURE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC OS] | A | 5950 | | CC | 05-SEP-02 |
| | MIL-PRF-27/166A(2) NOT 1 | TRANSFORMER, AUDIO, TF4R21YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 27-FEB-03 |
| | IEEE-C57.12.91 | TRANSFORMER, DRY TYPE DISTRIBUTION & POWER, TEST CODE FOR[CUST: CR4 YD 99] [REVIEW: 11 GS SH] | A | 6120 | | YD | 07-JUN-85 |
| | IEEE-C57.12.01 | TRANSFORMER, DRY-TYPEDISTRIBUTION AND POWER[CUST: CR4 YD] [REVIEW: GS] | A | 6120 | | YD | 11-FEB-85 |
| | IEEE-C57.13 | TRANSFORMER, INSTRUMENT, STANDARD REQUIREMENTS FOR[CUST: YD] [REVIEW: 99 GS SH] | A | 6120 | | YD | 27-JAN-86 |
| | IEEE-C57.12.00 | TRANSFORMER, LIQUID IMMERSED DISTRIBUTION, POWER, & REGULATING[CUST: CR4 YD] [REVIEW: GS NI OS SH] | A | 6120 | | YD | 10-JAN-85 |
| A | W-T-631C(2) | TRANSFORMER, POWER DISTRIBUTION[CUST: YD 99] [REVIEW: CE GS MC MI] | A | 6120 | * | 99 | 07-OCT-66 |
| | MIL-PRF-27/364 NOT 2 | TRANSFORMER, POWER, 107 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/26 NOT 3 | TRANSFORMER, POWER, 3.0 VOLT-AMPERES, 400 HZ, TF5T03ZZ313[CUST: CR EC 11] [REVIEW: 19 AR AS CR4 MC] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/18D NOT 2 | TRANSFORMER, POWER, 5.76VA, 60 HZ, TF5S03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | QPL-27535-10 | TRANSFORMER, POWER, ISOLATION: SERIES CIRCUIT AIRPORT LIGHTING, GENERAL SPECIFICATION FOR | A | 5950 | | CC | 17-MAY-04 |
| | MIL-PRF-27/134A NOT 2 | TRANSFORMER, POWER, STEP-DOWN, TF5V03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/27(1) NOT 3 | TRANSFORMER, POWER, STEP-DOWN, TF5V03ZZ314[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/155B NOT 1 | TRANSFORMER, POWER, STEPDOWN, TF4S03EA[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/157D NOT 1 | TRANSFORMER, POWER, STEPDOWN, TF4S03FA[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | A-A-55096 NOT 1 | TRANSFORMER, PRINTED CIRCUIT POWER, 6 PIN[CUST: CC] | A | 5950 | / | CC | 21-SEP-01 |
| | A-A-55160 NOT 1 | TRANSFORMER, PRINTED CIRCUIT POWER, 6 PIN TOP LUG TYPE[CUST: CC] | A | 5950 | / | CC | 21-SEP-01 |
| | A-A-55097 NOT 1 | TRANSFORMER, PRINTED CIRCUIT POWER, 8 PIN[CUST: CC] | A | 5950 | / | CC | 21-SEP-01 |
| | MIL-PRF-27/366 | TRANSFORMER, SWITCHING[CUST: CR EC 11 CC] [REVIEW: 19 AR AT AV MC MI OS] | A | 5950 | | CC | 18-FEB-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ANSI-C57.12.22 | TRANSFORMER, WITH HIGH VOLTAGE BUSHINGS; HIGH VOLTAGE 34 500 GRDY/19 920 VOLTS & BELOW, 2500 KVA & SMALLER, PAD MOUNTED, COMPARTMENTAL TYPE, SELF COOLED, THREE PHASE DISTRIBUTION, AMERICAN NATIONAL STANDARD REQUIREMENTS FOR[CUST: CR4 YD 99] [REVIEW: GS SH] | A | 6120 | | YD | 21-JUL-85 |
| | ANSI-C57.12.25 | TRANSFORMER, WITH SEPARABLE INSULATED HIGH VOLTAGE CONNECTORS, HIGH VOLTAGE, 34,500 GRDY/19 920 VOLTS & BELOW, LOW VOLTAGE 240/120 VOLTS, 167 KVA & SMALLER, PAD MOUNTED, COMPARTMENTAL TYPE, SELF COOLED, SINGLE PHASE DISTRIBUTION[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6120 | | YD | 15-AUG-85 |
| | MIL-PRF-27/112 NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, AUDIO, TYPE TF5U20ZZ931[CUST: CR EC 11] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/111(1) NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, AUDIO, TYPE TF4U20YY930[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/241A NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/240A NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/288A(1) NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5S04ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS] | A | 5950 | | CC | 27-AUG-03 |
| | MIL-PRF-27/289A NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5S04ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/286B NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5R04ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/287A(2) NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5S04ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/88 NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TYPE TF5S04ZZ905[CUST: CR EC 11] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/205B(1) NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF4R20YY[CUST: CR EC 11 CC] [REVIEW: 99 MI OS SH] | A | 5950 | | CC | 27-FEB-03 |
| A | MIL-PRF-27F SUP 1 NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: AR CR4 MC] | A | 5950 | | CC | 05-DEC-05 |
| A | QPL-27-169 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR | A | 5950 | | CC | 12-JAN-06 |
| | MIL-PRF-27/146B NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, HIGH Q, TF5R20ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/164C NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, HIGH Q, TF5R20ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/147D NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, AUDIO, HIGH Q, TF4R20YY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | ANSI-C12.20 | TRANSFORMERS, 500 KVA AND SMALLER: HIGH - VOLTAGE, 67,000 VOLTS & BELOW; LOW - VOLTAGE, 15,000 VOLTS & BELOW, REQUIREMENTS FOR OVERHEAD - TYPE DISTRIBUTION[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6120 | | CR4 | 16-JUL-85 |
| | MIL-PRF-27/72B | TRANSFORMERS, AUDIO FREQUENCY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 02-JUN-03 |
| | MIL-PRF-27/69B | TRANSFORMERS, AUDIO FREQUENCY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 02-JUN-03 |
| | MIL-PRF-27/67B | TRANSFORMERS, AUDIO FREQUENCY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 02-JUN-03 |
| | MIL-PRF-27/70C | TRANSFORMERS, AUDIO FREQUENCY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 02-JUN-03 |
| | MIL-PRF-27/68B | TRANSFORMERS, AUDIO FREQUENCY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 02-JUN-03 |
| | MIL-PRF-27/71D | TRANSFORMERS, AUDIO FREQUENCY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-FEB-03 |
| | MIL-PRF-27/97C | TRANSFORMERS, AUDIO FREQUENCY, SUB-MINIATURE[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 02-JUN-03 |
| | MIL-PRF-27/358C(1) | TRANSFORMERS, AUDIO FREQUENCY, SUB-MINIATURE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC OS] | A | 5950 | | CC | 26-OCT-04 |
| | MIL-PRF-27/172D(1) NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/165D NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/76C(1) NOT 2 | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/167D(1) NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MD MI OS SH] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/362 NOT 2 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/365 NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/363 NOT 2 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/361 NOT 2 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/359C | TRANSFORMERS, AUDIO FREQUENCY, ULTRA-MINIATURE[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC OS] | A | 5950 | | CC | 18-SEP-02 |
| | NEMA-ST20 | TRANSFORMERS, DRY-TYPE FOR GENERAL APPLICATIONS[CUST: CR YD 11] | A | 5950 | | CC | JAN-92 |
| | IEEE-C57.94 | TRANSFORMERS, IEEE RECOMMENDED PRACTICE FOR INSTALLATION, APPLICATION, OPERATION, AND MAINTENANCE OF DRY-TYPE GENERAL PURPOSE DISTRIBUTION AND POWER[CUST: CR4 YD 99] [REVIEW: GS SH] | A | 6120 | | YD | 15-MAR-79 |
| | IEEE-C57.12.90 | TRANSFORMERS, LIQUID-IMMERSED DISTRIBUTION, POWER AND REGULATING, STANDARD SPECIFICATION FOR TEST CODE AND GUIDE FOR SHORT-CIRCUIT TESTING OF DISTRIBUTION AND POWER TRANSFORMERS[CUST: YD] [REVIEW: 11 GS SH] | A | 6120 | | YD | 07-JUN-85 |
| | IEEE-C57.12.80 | TRANSFORMERS, POWER AND DISTRIBUTION, STANDARD TERMINOLOGY FOR[CUST: YD 99] | A | 6120 | | YD | 31-AUG-95 |
| | MIL-PRF-27/49D | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/38B NOT 2 | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ444 TO TF5S03ZZ487, INCLUSIVE[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/48C NOT 2 | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, TF4S03YY[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/37B NOT 2 | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, TF5S03ZZ400 TO TF5S03ZZ443, INCLUSIVE[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/313B | TRANSFORMERS, POWER, 10 VOLT-AMPERES, 60 HERTZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 19-MAY-03 |
| | MIL-PRF-27/333C(1) NOT 2 | TRANSFORMERS, POWER, 10 VOLTAMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/330B NOT 2 | TRANSFORMERS, POWER, 100 VA TO 140 VA, 60 HZ, TF4S03JA[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-27/59D | TRANSFORMERS, POWER, 100 VOLT AMPERES, 400 HZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/65D | TRANSFORMERS, POWER, 100 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/354D(2) NOT 1 | TRANSFORMERS, POWER, 100 VOLT-AMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 08-APR-03 |
| | MIL-PRF-27/319B NOT 1 | TRANSFORMERS, POWER, 120 VOLT-AMPERES, 60 HERTZ, TF4S03YY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/345B(1) NOT 1 | TRANSFORMERS, POWER, 120 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 03-JUN-02 |
| | MIL-PRF-27/336C(1) NOT 2 | TRANSFORMERS, POWER, 120 VOLTAMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/360 NOT 2 | TRANSFORMERS, POWER, 15 VA, 60 HZ, ELECTROSTATIC SHIELDED, TF4S03FA[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/327C NOT 1 | TRANSFORMERS, POWER, 15 VA, 60 HZ, TF4S03FA[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/350D(1) NOT 1 | TRANSFORMERS, POWER, 15 VOLT-AMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/314B | TRANSFORMERS, POWER, 15 VOLT-AMPERES, 60 HERTZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 19-MAY-03 |
| | MIL-PRF-27/340D NOT 1 | TRANSFORMERS, POWER, 15 VOLTAMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/337D(1) NOT 1 | TRANSFORMERS, POWER, 150 AND 200 VOLTAMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/346B(1) NOT 1 | TRANSFORMERS, POWER, 150 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-JUN-02 |
| | MIL-PRF-27/55D | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/44C | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ[CUST: CR EC 11 CC] [REVIEW: 19 AS CR4 MC MI OS SH] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/61D | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/45B NOT 2 | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ752 TO TF5S03ZZ795, INCLUSIVE[CUST: CR EC 11] [REVIEW: 19 99 AS MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/331B NOT 2 | TRANSFORMERS, POWER, 160 VA AND 170 VA, TF4S03KA[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/320B NOT 1 | TRANSFORMERS, POWER, 160 VOLT-AMPERES, 60 HERTZ, TF4S03YY[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/343E NOT 1 | TRANSFORMERS, POWER, 175 VOLTAMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/338D(1) NOT 1 | TRANSFORMERS, POWER, 2 VOLTAMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 05-AUG-04 |
| | MIL-PRF-27/315B | TRANSFORMERS, POWER, 20 VOLT-AMPERES, 60 HERTZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 19-MAY-03 |
| | MIL-PRF-27/321C NOT 1 | TRANSFORMERS, POWER, 200 VOLT-AMPERES, 60 HERTZ, TF4S03YY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/347B(1) NOT 1 | TRANSFORMERS, POWER, 200 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-JUN-02 |
| | MIL-PRF-27/341D NOT 1 | TRANSFORMERS, POWER, 24 VOLTAMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/56D | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/62D | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/47B NOT 2 | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ840 TO TF5S03ZZ883, INCLUSIVE[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/46B NOT 2 | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, TF5S03ZZ796 TO TF5S03ZZ839, INCLUSIVE[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/351D(1) NOT 1 | TRANSFORMERS, POWER, 25 VOLT-AMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/334C(1) NOT 2 | TRANSFORMERS, POWER, 25 VOLTAMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/60D NOT 2 | TRANSFORMERS, POWER, 250 VOLT AMPERES 400 HZ TF403YY[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/66D NOT 2 | TRANSFORMERS, POWER, 250 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/348B(1) NOT 1 | TRANSFORMERS, POWER, 270 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-JUN-02 |
| | MIL-PRF-27/51D | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/40B NOT 2 | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ532 TO TF5S03ZZ575, INCLUSIVE[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/50C NOT 2 | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, TF4S03YY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/39B NOT 2 | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, TF5S03ZZ488 TO TF5S03ZZ531, INCLUSIVE[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/328B NOT 2 | TRANSFORMERS, POWER, 30 VA, 60 HZ, TF4S03GA[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/316B | TRANSFORMERS, POWER, 30 VOLT-AMPERES, 60 HERTZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 19-MAY-03 |
| | MIL-PRF-27/322D | TRANSFORMERS, POWER, 300 VOLT-AMPERES, 60 HERTZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 19-MAY-03 |
| | MIL-PRF-27/349B(1) NOT 1 | TRANSFORMERS, POWER, 375 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 15-JUL-02 |
| | MIL-PRF-27/317B | TRANSFORMERS, POWER, 40 VOLT-AMPERES, 60 HERTZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 19-MAY-03 |
| | MIL-PRF-27/326B NOT 2 | TRANSFORMERS, POWER, 5 VA, 60 HZ, TF4S03EB[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-27/312B | TRANSFORMERS, POWER, 5 VOLT-AMPERES, 60 HERTZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 19-MAY-03 |
| | MIL-PRF-27/57D | TRANSFORMERS, POWER, 50 VOLT AMPERES, 400 HZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/63D | TRANSFORMERS, POWER, 50 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/352D(2) NOT 1 | TRANSFORMERS, POWER, 50 VOLT-AMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 08-APR-03 |
| | MIL-PRF-27/335C(1) NOT 2 | TRANSFORMERS, POWER, 50 VOLTAMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/53D | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/42B NOT 2 | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ620 TO TF5S03ZZ663, INCLUSIVE[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/52C NOT 2 | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, TF4S03YY[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/41B NOT 2 | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, TF5S03ZZ576 TO TF5S03ZZ619, INCLUSIVE[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/339D NOT 1 | TRANSFORMERS, POWER, 6 VOLTAMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/329B NOT 2 | TRANSFORMERS, POWER, 60 VA, 60 HZ, TF4S03HA[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-27/332C(1) NOT 2 | TRANSFORMERS, POWER, 7 VOLTAMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/58D | TRANSFORMERS, POWER, 75 VOLT AMPERES, 400 HZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/64D | TRANSFORMERS, POWER, 75 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-MAY-05 |
| | MIL-PRF-27/353D(1) NOT 1 | TRANSFORMERS, POWER, 75 VOLT-AMPERES, 400 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-PRF-27/318B NOT 1 | TRANSFORMERS, POWER, 80 VOLT-AMPERES, 60 HERTZ, TF4S03YY[CUST: CR EC 11] [REVIEW: 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 24-SEP-01 |
| A | MIL-PRF-27/342F | TRANSFORMERS, POWER, 80 VOLTAMPERES, 400 HZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 18-OCT-05 |
| | MIL-PRF-27/43B NOT 2 | TRANSFORMERS, POWER, 9 VOLT AMPERES, 400 HZ, TF5S03ZZ664 TO TF5S03ZZ707, INCLUSIVE[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 21-SEP-01 |
| | MIL-PRF-27/54D | TRANSFORMERS, POWER, 9.0 VOLT AMPERES, 400 HZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 02-JUN-03 |
| | MIL-PRF-27/344B(1) NOT 1 | TRANSFORMERS, POWER, 90 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 03-JUN-02 |
| | MIL-T-17221B(1) | TRANSFORMERS, POWER, DISTRIBUTION, SINGLE PHASE, 400 HERTZ, INSULATION SYSTEM CLASS 220 DEG. C, DRY (AIR COOLER), (NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: GS MI] | A | 6120 | | SH | 03-JUL-85 |
| | QPL-17221-36 | TRANSFORMERS, POWER, DISTRIBUTION; SINGLE PHASE, 400 HERTZ, INSULATION SYSTEM CLASS 220C, DRY (AIR COOLED), (NAVAL SHIPBOARD USE) | A | 6120 | | SH | 12-AUG-04 |
| | MIL-T-15108C(1) | TRANSFORMERS, POWER, STEP DOWN, SINGLE PHASE, 60 HERTZ, 1 KILOVOLTAMPERE APPROXIMATE MINIMUM RATING, DRY TYPE, NAVAL SHIPBOARD[CUST: SH] [REVIEW: GS OS] | A | 6120 | | SH | 03-JUL-85 |
| | MIL-T-16315D | TRANSFORMERS, POWER, STEP-DOWN (MISCELLANEOUS, NAVAL SHIPBOARD USE)[CUST: SH] | A | 5950 | | SH | 24-MAY-94 |
| | QPL-15108-37 | TRANSFORMERS, POWER, STEP-DOWN, SINGLE-PHASE, 60-HERTZ, 1-KILOVOLTAMPERE APPROXIMATE MINIMUM RATING, DRY TYPE, NAVAL SHIPBOARD | A | 6120 | | SH | 20-JUL-01 |
| | MIL-T-27/140B(1) NOT 3 | TRANSFORMERS, POWER, STEP-DOWN, TF4S03YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 05-AUG-04 |
| | MIL-T-27/141A(1) NOT 3 | TRANSFORMERS, POWER, STEP-DOWN, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 05-AUG-04 |
| | MIL-PRF-27/300C(1) NOT 1 | TRANSFORMERS, POWER, STEPDOWN, TF4R03[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-PRF-21038/27E(1) NOT 1 | TRANSFORMERS, PULSE, LOW POWER[CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS CR4 MC MI OS SH] | A | 5950 | | CC | 30-JAN-04 |
| | MIL-PRF-21038F | TRANSFORMERS, PULSE, LOW POWER, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AS MI OS SH] | A | 5950 | | CC | 02-APR-04 |
| A | QPL-21038-59 | TRANSFORMERS, PULSE, LOW POWER, GENERAL SPECIFICATION FOR | A | 5950 | | CC | 28-NOV-05 |
| | UL506 | TRANSFORMERS, SPECIALITY[CUST: YD] | A | 6120 | | YD | 15-MAY-00 |
| | NEMA-ST1 | TRANSFORMERS, SPECIALTY, (EXCEPT GENERAL-PURPOSE TYPE)[CUST: CR YD 11] | A | 5950 | | CC | 1988 |
| | MIL-PRF-32167 | TRANSIENT VOLTAGE SURGE SUPPRESSOR (TVSS)[CUST: MI SH 11] [REVIEW: 03 19 99 AS CC CG CR] | A | 5920 | | SH | 29-JUL-04 |
| | UL1449 | TRANSIENT VOLTAGE SURGE SUPPRESSORS[CUST: CR YD 11 CC] | A | 5915 | | CC | 28-APR-86 |
| | GG-T-621C | TRANSIT, ONE MINUTE, AND TRANSIT TRIPODS | A | 6675 | # | FSS | 18-NOV-85 |
| | DI-MGMT-80790 | TRANSITION PLAN [AMSC: N4676] | A | MGMT | | SA | 23-MAR-89 |
| | INFO-PUB-70/28A | TRANSITION PLANS FOR APPROACH AND LANDING SYSTEMS | C | ISDF | | 06 | 20-NOV-01 |
| | MIL-DTL-62461E | TRANSMISSION ASSEMBLY[CUST: AT] | A | 2520 | | AT | 01-DEC-98 |
| | STANAG-4202 ED.2 | TRANSMISSION ENVELOPE CHARACTERISTICS FOR HIGH RELIABILITY DATA EXCHANGE BETWEEN LAND TACTICAL DATA PROCESSING EQUIPMENT OVER SINGLE CHANNEL RADIO LINKS | C | ISDA | | AI | PENDING |
| | MIL-T-81490A | TRANSMISSION LINES, TRANSVERSE ELECTROMAGNETIC MODE[CUST: AS] [REVIEW: CC] | A | 5985 | | AS | 22-APR-91 |
| | SAE-J645 | TRANSMISSION, AUTOMOTIVE TERMINOLOGY[CUST: AT 99] [REVIEW: YD] | A | 2520 | | AT | OCT-92 |
| | MIL-PRF-46750E NOT 1 | TRANSMISSION, CROSS DRIVE, HYDRODYNAMIC, MODEL XTG411[CUST: AT] | A | 2520 | | AT | 20-APR-04 |
| | MIL-DTL-11603G | TRANSMISSION, CROSS-DRIVE, CD850 SERIES[CUST: AT] | A | 2520 | | AT | 04-SEP-98 |
| | MIL-PRF-46750/1A NOT 1 | TRANSMISSION, HYDRAULIC MODEL XTG411-2A[CUST: AT] | A | 2520 | | AT | 20-APR-04 |
| | MIL-PRF-46750/2A NOT 1 | TRANSMISSION, HYDRAULIC MODEL XTG411-4[CUST: AT] | A | 2520 | | AT | 20-APR-04 |
| | MIL-DTL-62030E | TRANSMISSION, HYDRAULIC, MODEL XTG-250-1A[CUST: AT] | A | 2520 | | AT | 08-SEP-98 |
| | MIL-DTL-62099D | TRANSMISSION, HYDRAULIC: MODIFIED AUTOMATIC TX-100-1[CUST: AT] | A | 2520 | | AT | 11-SEP-98 |
| | QPL-7101-15 | TRANSMISSION, POWER, CONSTANT SPEED, GENERAL SPECIFICATION (AIRCRAFT USE) | A | 1650 | | AS | 30-NOV-00 |
| | MIL-T-23369B(1) NOT 1 | TRANSMITTER GROUP, TELEMETRIC DATA OA-1208( )/DPN[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 16-OCT-91 |
| | MIL-PRF-83174C(1) | TRANSMITTER, ACCELEROMETER, AXIAL[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 14-AUG-98 |
| | MIL-T-85375 NOT 1 | TRANSMITTER, DIGITAL TELEMETRY[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 17-OCT-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-5583-25 | TRANSMITTER, POSITION, 28 VOLTS DC | A | 6610 | | 71 | 04-FEB-02 |
| | QPL-38230-12 | TRANSMITTER, PRESSURE TRU-66/A OIL, VARIABLE RELUCTANCE | A | 6620 | | 71 | 03-MAR-99 |
| | QPL-25624-31 | TRANSMITTER, PRESSURE TRU-80/A, OIL, ENGINE-MOUNTED, 0-100 PSI | A | 6620 | | 71 | 23-AUG-03 |
| | QPL-38394-9 | TRANSMITTER, PRESSURE TRU-81/A, OIL, 0-500 PSI | A | 6620 | | GS1 | 05-DEC-03 |
| A | MIL-DTL-38394D | TRANSMITTER, PRESSURE TRU-81/A, OIL, 0-500 PSI[CUST: 99 GS1] | A | 6620 | | GS1 | 05-DEC-03 |
| | SAE-AS6302 | TRANSMITTER, PRESSURE, FUEL, 0-600 PSI[CUST: AV AS 99] [REVIEW: GS] | A | 6620 | | AS | MAY-99 |
| | QPL-5882-16 | TRANSMITTER, PRESSURE, MULTIPURPOSE, 0-50 PSI | A | 6620 | | 71 | 30-JUN-94 |
| | MIL-T-5882D NOT 2 | TRANSMITTER, PRESSURE, MULTIPURPOSE, 0-50 PSI, MS28005-1[CUST: AS 99] [REVIEW: GS] | A | 6620 | | 71 | 10-FEB-05 |
| | MIL-PRF-38230C | TRANSMITTER, PRESSURE, OIL[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 01-OCT-97 |
| | QPL-5796-17 | TRANSMITTER, PRESSURE, OIL, 0-100 PSI | A | 6620 | | 71 | 15-MAR-96 |
| | QPL-5790-18 | TRANSMITTER, PRESSURE, OIL, SYNCHRO, 0-200 PSI 320-DEGREE MOVEMENT, 26V, SINGLE PHASE, 400 CYCLES | A | 6620 | | GS1 | 08-DEC-04 |
| | MIL-T-5483D(1) | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT, 165 DEGREE MOVEMENT[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 14-JUL-71 |
| | MIL-T-85138 NOT 1 | TRANSMITTER, PULSE CODE MODULATION (FOR SECURE TELEMETRY APPLICATIONS)[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 19-JUN-87 |
| | MIL-T-23733A | TRANSMITTER, RATE GYROSCOPE T-751( )/AJB-3[CUST: AS] [REVIEW: GS] | A | 6615 | | AS | 15-JAN-68 |
| M | QPL-27200-22 | TRANSMITTER, RATE GYROSCOPE TRU-2A/A | A | 6615 | | 71 | 22-APR-06 |
| A | QPL-38144-11 | TRANSMITTER, RATE OF FLOW, FUEL | A | 6620 | | 71 | 19-JUL-05 |
| | MIL-PRF-25439B | TRANSMITTER, RATE OF FLOW, IN- FLIGHT REFUELING, 0-10,000 PPM, TYPE MB-3[CUST: 99] [REVIEW: GS] | A | 6680 | | 71 | 01-JUL-97 |
| | QPL-5913-7 | TRANSMITTER, RATE OF FLOW, SYNCHRO, TYPE J-5 | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-PRF-5350F | TRANSMITTER, SYNCHRO OPERATED, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 6620 | | 71 | 28-FEB-98 |
| | QPL-25627-17 | TRANSMITTER, SYNCHRO, ANGLE OF ATTACK OF SIDESLIP | A | 6610 | | 71 | 01-APR-96 |
| | QPL-25446-11 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE | A | 6685 | | 71 | 24-NOV-97 |
| | QPL-7990-15 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, -70 DEG. TO +300 DEG. C | A | 6685 | | GS1 | 04-MAY-04 |
| | MIL-PRF-25435C | TRANSMITTERS, PRESSURE, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 6620 | | 71 | 01-APR-97 |
| | MIL-T-85244 NOT 1 | TRANSMITTING SET, TELEMETRIC DATA AN/DKT-49(XN-1), AN/DKT-49(XN-2), AND AN/DKT-49A[CUST: AS] | A | 1420 | | AS | 26-SEP-91 |
| | MIL-T-5842B | TRANSPARENT AREAS ON AIRCRAFT SURFACES (WINDSHIELDS AND CANOPIES), RAIN REMOVING AND WASHING SYSTEMS FOR, DE-FROSTING, DE-ICING, DEFOGGING, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 29-MAR-85 |
| | ASTM-D1544 | TRANSPARENT LIQUIDS, COLOR OF (GARDNER COLOR SCALE)[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | MAR-80 |
| | MIL-STD-1366D(1) | TRANSPORTABILITY CRITERIA[Interface Standard][CUST: MT SA 11] [REVIEW: 13 AS CC CG CR3 DH GL3 GS NP PT SE SM SP TD TM2] | A | PACK | | MT | 31-MAR-03 |
| | DI-PACK-80880C | TRANSPORTABILITY REPORT [AMSC: A7357] | A | PACK | | MT | 01-NOV-03 |
| | DI-PACK-80877A | TRANSPORTATION DATA REPORT [AMSC: F7149] | A | PACK | | 14 | 31-JUL-95 |
| | DI-ILSS-80636 | TRANSPORTATION DELAY REPORT [AMSC: F4471] | A | SESS | | 33 | 29-JUN-88 |
| | DI-MGMT-80554 | TRANSPORTATION DISCREPANCY REPORT [AMSC: F4364] | A | MGMT | | 33 | 29-MAR-88 |
| A | ASTM-D5449/D5449M | TRANSVERSE COMPRESSIVE PROPERTIES OF HOOP WOUND POLYMER MATRIX COMPOSITE CYLINDERS[CUST: MR AS 11] [REVIEW: AT AV DH IE SH] | A | CMPS | | MR | 15-AUG-93 |
| | ASSE1018 | TRAP SEAL PRIMER VALVES POTABLE, WATER SUPPLIED[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | A-A-82587 | TRAP, FLYING INSECTS, ELECTROCUTING[CUST: MD 99] [REVIEW: 50 AV GL GS MS] | A | 3740 | / | PM | 31-AUG-88 |
| | MIL-T-2118C | TRAP, STEAM, ANGLE, THERMOSTATIC[CUST: SH] [REVIEW: CC] | A | 4730 | | SH | 22-AUG-90 |
| | ASTM-D4533 | TRAPEZOID TEARING STRENGTH OF GEOTEXTILES[CUST: GL YD 99] | A | 83GP | | YD | 03-OCT-94 |
| | A-A-60001 | TRAPS, STEAM[CUST: CE YD 99] [REVIEW: SH] | A | 4730 | / | CC | 17-JUN-97 |
| | QPL-960-28 | TRAPS, STEAM, INTERMITTENT DISCHARGE AND CONTINUOUS FLOW, NAVAL SHIPBOARD | A | 4730 | | SH | 03-JUN-05 |
| | MIL-T-960E(3) NOT 1 | TRAPS, STEAM, INTERMITTENT DISCHARGE AND CONTINUOUS FLOW, NAVAL SHIPBOARD[CUST: SH] | A | 4730 | | SH | 30-OCT-91 |
| | NEMA-TR1 | TRASFORMER, REGULATORS & REACTORS, STANDARD FOR[CUST: CR4 YD 99] [REVIEW: 71 GS SH] | A | 6120 | | YD | 10-JUL-86 |
| | UL1086 | TRASH COMPACTORS, HOUSEHOLD[CUST: CR4 YD 99] [REVIEW: 35 84 GS] | A | 4540 | | IS | 23-DEC-91 |
| | A-A-53665 | TRAY AND RACK, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 06-SEP-88 |
| | A-A-51648 | TRAY SET, ENDOSCOPIC INSTRUMENT STERILIZATION[CUST: MD MS 03] | A | 6530 | | MB | 24-APR-87 |
| | A-A-50157 | TRAY, CRUET, COMMUNION[CUST: GL PE 28] | A | 9925 | / | CT | 22-MAR-88 |
| | AA-T-00633A | TRAY, DESK, WOOD, EXECUTIVE OFFICE TYPE | A | 7520 | # | FSS | 16-DEC-68 |
| | AA-T-00636B(1) | TRAY, DESK, WOOD, SUPPORT SET, STACKING | A | 7520 | # | FSS | 01-MAY-72 |
| | A-A-51647 | TRAY, ENDOSCOPIC INSTRUMENT STERILIZATION[CUST: MD MS 03] | A | 6530 | | MB | 24-APR-87 |
| | A-A-51897 | TRAY, INSTRUMENT[CUST: MD MS 03] | A | 6530 | / | MB | 24-APR-87 |
| | A-A-53092A | TRAY, INSTRUMENT (CORROSION-RESISTING STEEL)[CUST: MD MS 03] | A | 6530 | / | MB | 31-JUL-90 |
| | A-A-53448A | TRAY, INSTRUMENT (OPHTHALMIC MICROSURGERY)[CUST: MD MS 03] | A | 6530 | / | MB | 15-APR-91 |
| | A-A-54096 | TRAY, INSTRUMENT (PLASTIC)[CUST: MD MS 03] | A | 6530 | / | MB | 09-MAR-90 |
| | A-A-51657A | TRAY, INSTRUMENT, (CORROSION-RESISTING STEEL)[CUST: MD MS 03] | A | 6530 | / | MB | 25-OCT-89 |
| | A-A-51022 | TRAY, MEDICINE[CUST: MD MS 03] | A | 6530 | | MB | 10-OCT-85 |
| | A-A-52217A | TRAY, MESS, COMPARTMENTED[CUST: GL SA 99] [REVIEW: 03 84 MC MD1 QM1] | A | 7350 | / | SS | 03-OCT-02 |
| | A-A-52199 | TRAY, MESS, COMPARTMENTED, PLASTIC[CUST: GL SA 99] [REVIEW: 35 84 MC MD MS QM] | A | 7350 | * | GL | 05-DEC-95 |
| | A-A-53295 | TRAY, PORCELAIN FIRING (SAGGER)[CUST: MD MS 03] | A | 6520 | / | MB | 14-DEC-87 |
| | A-A-53449 | TRAY, STERILIZATION, ARTHROSCOPIC INSTRUMENT COMPONENTS[CUST: MD MS 03] | A | 6530 | / | MB | 29-APR-88 |
| | A-A-53600 | TRAYS, IMPRESSION, DENTAL (NON-WATER COOLED)[CUST: MD MS 03] | A | 6520 | / | MB | 29-JUL-88 |
| | A-A-50826 NOT 1 | TRAYS, INSERT, DENTAL INSTRUMENT AND SUPPLIES CABINET, PLASTIC[CUST: MD MS 03] | A | 6520 | / | MB | 09-DEC-88 |
| | MIL-T-36263A NOT 1 | TRAYS, MEDICAL INSTRUMENT AND SUPPLY SET CHEST[CUST: MD MS 03] | A | 6545 | | MB | 15-OCT-90 |
| | MIL-DTL-45301E | TREAD ELASTOMER: SOLID TIRE, FOR TRACK LAYING VEHICLES[CUST: AT MC 99] | A | 2640 | | AT | 05-JUN-98 |
| | MIL-T-24634 | TREAD, COMPOUND FILLED, FOR INCLINED LADDERS[CUST: SH] | A | 2040 | | SH | 25-JUL-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | RR-T-650E | TREADS, METALLIC AND NONMETALLIC, SKID-RESISTANT[CUST: CR4 YD 99] [REVIEW: 84 CE] | A | 5670 | / | IS | 25-FEB-94 |
| | AWPA-A11 | TREATED WOOD & TREATING SOLUTIONS BY ATOMIC ABSORPTION SPECTROSCOPY[CUST: MR 99] | A | 8030 | | MR | 10-DEC-87 |
| | STANAG-2074 ED.7(1) | TREATMENT OF EXERCISE PRISONERS OF WAR DURING NATO EXERCISES | C | ISDA | | AI | 17-AUG-99 |
| | DI-ENVR-80490 | TREATMENT PROCEDURES TO PREVENT MATERIAL DETERIORATION [AMSC: A4270] | A | ENVR | | AM | 16-NOV-87 |
| | ASTM-D1139 | TREATMENTS, SINGLE OR MULTIPLE BITUMINOUS SURFACE, AGGREGATE FOR[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 26-OCT-90 |
| | MIL-T-301A(2) NOT 3 | TRIACETIN (GLYCERYL TRIACETATE)[CUST: AR OS] [REVIEW: GS MR] | A | 6810 | | AR | 02-DEC-96 |
| | STANAG-3887 ED.1(1) | TRIAL REPORTS AND DESIGN CRITERIA FOR IN-SHELTER FUELING AND DAMAGE REPAIR - AFLP-3 | C | ISDF | | 06 | 11-NOV-94 |
| | A-A-51741B | TRIAZOLAM TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 15-SEP-88 |
| | MIL-T-81533A NOT 1 | TRICHLOROETHANE (METHYL CHLOROFORM) INHIBITED, 1,1,1, VAPOR DEGREASING[CUST: EA AS 68] [REVIEW: GS] | A | 6810 | | AS | 29-OCT-91 |
| | ASTM-D3742 | TRICHLOROETHANE CONTENT, 1,1,1, STANDARD TESTS METHOD FOR[CUST: MI AS] | A | 9135 | | AS | 27-JUN-03 |
| | ASTM-D4080 | TRICHLOROETHYLENE, TECHNICAL AND VAPOR-DEGREASING GRADE[CUST: EA SH 68] [REVIEW: AS GL MC MD MI OS SM] | A | 6810 | | GS3 | 10-DEC-00 |
| A | ASTM-D3443 | TRICHLOROTRIFLUOROETHANE, CHLORIDE IN[CUST: 68] | A | 9135 | | 68 | 15-MAY-91 |
| | TT-T-656C NOT 2 | TRICRESYL PHOSPHATE[CUST: AS 68 GS] [REVIEW: OS SH] | A | 6810 | / | AS | 14-FEB-05 |
| | STANAG-2210 ED.4(2) | TRIG LISTS (LISTS OF GEODETIC DATA) | C | ISDF | | 06 | 12-SEP-97 |
| | QAP-21 ED.3 | TRILATERAL DESIGN AND TEST CODE FOR MILITARY BRIDGE AND GAP-CROSSING EQUIPMENT | C | ISDA | | AI | 16-SEP-86 |
| | A-A-51054 | TRIMMER, ANIMAL TOENAIL[CUST: MD MS 03] | A | 6515 | / | MB | 09-OCT-85 |
| | A-A-54892 | TRIMMER, DENTAL MODEL WHEEL, ABRASIVE, SILICON CARBIDE, DENTAL MODEL, TRIMMING[CUST: MD MS 03] | A | 6520 | / | MB | 23-JUL-93 |
| | A-A-53614 | TRIMMERS, GINGIVAL MARGIN, (CARBON STEEL)[CUST: MD MS 03] | A | 6520 | / | MB | 15-AUG-88 |
| | A-A-53912 | TRIMMERS, GINGIVAL MARGIN, DENTAL (CORROSION-RESISTING STEEL)[CUST: MD MS 03] | A | 6520 | / | MB | 13-JUN-90 |
| | MIL-T-50611(1) | TRINITRORESORCINOL (STYPHNIC ACID)[CUST: AR] | A | 1376 | | AR | 26-OCT-93 |
| | MIL-DTL-248D | TRINITROTOLUENE (TNT)[CUST: AR OS 70] [REVIEW: EA] | A | 1376 | | AR | 14-MAY-02 |
| | ANSI-C37.17 | TRIP DEVICE, FOR AC & GENERAL PURPOSE DC LOW VOLTAGE POWER CIRCUIT BREAKER, STANDARD FOR[CUST: YD 99] [REVIEW: 71 CR4 GS SH] | A | 6110 | | YD | 27-APR-89 |
| | MIL-T-70681(1) NOT 2 | TRIPHENYL BISMUTH[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 02-DEC-96 |
| | MIL-T-82825 NOT 2 | TRIPHENYLBISMUTH[CUST: OS] | A | 1376 | | OS | 24-MAR-99 |
| | MIL-T-50595C(2) | TRIPOD ASSEMBLY, DEMOLITION KIT, M180, METAL PARTS FOR AND ASSEMBLY[CUST: AR] | A | 1375 | | AR | 24-SEP-92 |
| | ANSI-PH3.102 | TRIPOD CONNECTIONS FOR HEAVY-DUTY OF IMPORTED CAMERAS 3/8-INCH - 16 THREAD WITH ADAPTER FOR 1/4-INCH - 20 SCREW FOR PHOTOGRAPHY (CAMERAS)[CUST: AS 99] [REVIEW: 70] | A | 6760 | | AS | 15-MAY-88 |
| | A-A-53948 | TRIPOD, LABORATORY APPARATUS[CUST: MD MS 03] | A | 6640 | / | MB | 07-AUG-89 |
| | A-A-52298B | TRIPOD, SURVEYING: EXTENSION-LEG-TYPE[CUST: CE3 GS] [REVIEW: CR] | A | 6675 | / | CE3 | 16-AUG-04 |
| | A-A-52049 NOT 1 | TRIPOD, SURVEYING: FOR RANGE POLE[CUST: CE YD IS] [REVIEW: MC] | A | 6675 | / | IS | 27-SEP-01 |
| | DOD-T-82666A(1) NOT 1 | TRIS-1-2-(2 METHYL AZIRINDYL) PHOSPHINE OXIDE[CUST: OS 68] [REVIEW: AS GS] | A | 6810 | | OS | 13-MAY-87 |
| | A-A-54685 | TROCAR, COAKLEY, ANTRUM[CUST: MD MS 03] | A | 6515 | / | MB | 19-JUN-92 |
| | STANAG-2138 ED.4 | TROOP TRIAL PRINCIPLES AND PROCEDURES - COMBAT CLOTHING AND PERSONAL EQUIPMENT | C | ISDA | | AI | 31-MAY-96 |
| | ADV-PUB-44/55(3) | TROOP TYPE PERSONNEL PARACHUTES | C | ISDF | | 06 | PENDING |
| | MIL-HDBK-1011/1 | TROPICAL ENGINEERING[CUST: YD] | A | FACR | | YD | 31-OCT-91 |
| | MIL-T-44372A | TROUSERS, AIRCREW, COMBAT[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 30-SEP-91 |
| | MIL-DTL-32158 | TROUSERS, ALL-PURPOSE, ENVIRONMENTAL, CAMOUFLAGE[CUST: MC] | A | 8415 | | CT | 19-JAN-04 |
| | MIL-T-44047E | TROUSERS, CAMOUFLAGE PATTERN, COMBAT[CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A | 8415 | | CT | 26-JUN-91 |
| | MIL-T-44189C | TROUSERS, COLD WEATHER, CAMOUFLAGE[CUST: GL NU CT] [REVIEW: MC MD] | A | 8415 | | CT | 08-MAY-91 |
| | MIL-T-43497D(1) | TROUSERS, COLD WEATHER, FIELD, NYLON AND COTTON[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8415 | | CT | 23-AUG-91 |
| | MIL-DTL-32185 | TROUSERS, COLD WEATHER, UNIVERSAL CAMOUFLAGE[CUST: GL NU] [REVIEW: MC MD] | A | 8415 | | CT | 12-JAN-05 |
| | A-A-55201A | TROUSERS, DISPOSABLE[CUST: NU CT] [REVIEW: OS] | A | 8415 | / | CT | 23-JAN-96 |
| | MIL-T-6284K(1) NOT 1 | TROUSERS, EXTREME COLD WEATHER, TYPE F-1B[CUST: GL 99 CT] [REVIEW: 11] | A | 8415 | | CT | 08-NOV-89 |
| | MIL-T-83385A(1) | TROUSERS, FLYERS , EXTREME COLD WEATHER, CWU-18/P[CUST: AS 99 CT] | A | 8415 | | CT | 22-JAN-85 |
| | A-A-55232 | TROUSERS, MAN'S: HOSPITAL DUTY UNIFORM (HDU)[CUST: GL 11] [REVIEW: MD] | A | 8405 | / | CT | 10-OCT-95 |
| | MIL-T-87047A | TROUSERS, MEN S POLYESTER/WOOL GABARDINE (CG)[CUST: NU CT] [REVIEW: CG] | A | 8405 | | CT | 20-JAN-87 |
| | MIL-T-87038D | TROUSERS, MEN'S (BLUE, ENLISTED)[CUST: NU CT] | A | 8405 | | CT | 21-MAY-90 |
| | A-A-55219 | TROUSERS, MEN'S (ENLISTED, WHITE)[CUST: NU CT] | A | 8405 | / | CT | 02-JUL-93 |
| | A-A-55185 | TROUSERS, MEN'S (WHITE)[CUST: NU CT] | A | 8405 | / | CT | 10-MAR-93 |
| | MIL-T-2423L | TROUSERS, MEN'S (WHITE)[CUST: NU CT] | A | 8405 | | CT | 30-SEP-88 |
| | MIL-DTL-28920C | TROUSERS, MEN'S - DRESS (OFFICER'S)[CUST: MC] | A | 8405 | | MC | 23-JUL-97 |
| | MIL-DTL-82163D | TROUSERS, MEN'S - DRESS, WHITE[CUST: MC] | A | 8405 | | MC | 28-JUL-97 |
| | MIL-DTL-82161C | TROUSERS, MEN'S - EVENING DRESS (OFFICER'S)[CUST: MC] | A | 8405 | | MC | 28-JUL-97 |
| | MIL-DTL-28902C | TROUSERS, MEN'S - MUSICIANS[CUST: MC] | A | 8405 | | MC | 28-JUL-97 |
| | MIL-DTL-28919B | TROUSERS, MEN'S - SERVICE, SUMMER AND WINTER (OFFICER'S)[CUST: MC] | A | 8405 | | MC | 22-JUL-97 |
| | A-A-55085 | TROUSERS, MEN'S POLYESTER/COTTON[CUST: NU CT] | A | 8405 | / | CT | 06-APR-93 |
| | MIL-T-43957D | TROUSERS, MEN'S, DRESS, WOOL AND POLYESTER/WOOL[CUST: GL CT] [REVIEW: MD] | A | 8405 | | CT | 16-SEP-91 |
| | MIL-T-41828H | TROUSERS, MEN'S, POLYESTER/WOOL[CUST: NU 11 CT] [REVIEW: 99] | A | 8405 | | CT | 22-OCT-87 |
| | A-A-55086A | TROUSERS, MEN'S,WORKING BLUE, POLYESTER/COTTON (CG)[CUST: CG CT] | A | 8405 | / | CT | 04-MAY-00 |
| | MIL-T-29452A | TROUSERS, MEN'S: POLYESTER/WOOL[CUST: MC CT] | A | 8405 | | CT | 18-MAR-94 |
| | MIL-T-37030(1) | TROUSERS, OPERATING, SURGICAL, MEN'S COTTON-POLYESTER, STATIC RESISTANT[CUST: MD MS 03] | A | 6532 | | MB | 04-AUG-89 |
| | A-A-51220 | TROUSERS, PNEUMATIC, ANTI-SHOCK[CUST: MD MS 03] | A | 6515 | | MB | 20-NOV-85 |
| | A-A-50364A | TROUSERS, RADIOACTIVE CONTAMINANTS PROTECTIVE (VINYL)[CUST: NU CT] [REVIEW: SH] | A | 8415 | / | CT | 07-JAN-91 |
| | MIL-T-43654D | TROUSERS, SNOW CAMOUFLAGE, WHITE, ARCTIC[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8415 | | CT | 15-APR-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-43578B | TROUSERS, TOP FORMER[CUST: GL YD IS] [REVIEW: CR4 MC MD] | A | 3510 | | IS | 21-NOV-78 |
| | MIL-T-43932C(1) NOT 1 | TROUSERS, UTILITY, (DURABLE PRESS)[CUST: NU CT] [REVIEW: YD] | A | 8405 | | CT | 30-SEP-88 |
| | MIL-T-87062B | TROUSERS, UTILITY, MENS, DENIM[CUST: NU CT] [REVIEW: 11] | A | 8405 | | CT | 22-SEP-87 |
| | MIL-T-87099 | TROUSERS, WET WEATHER[CUST: NU CT] [REVIEW: CG YD] | A | 8405 | | CT | 14-OCT-87 |
| | SAE-J688 | TRUCK ABILITY PREDICTION PROCEDURE[CUST: AT 99] [REVIEW: YD] | A | 2320 | | AT | AUG-87 |
| | SAE-J360 | TRUCK AND BUS GRADE PARKING PERFORMANCE TEST PROCEDURE[CUST: AT YD 99] | A | 23GP | | 84 | SEP-95 |
| | SAE-J336 | TRUCK CAB INTERIOR, SOUND LEVEL FOR[CUST: MI SA 99] | A | HFAC | | 84 | OCT-88 |
| | MIL-STD-1320-286 | TRUCK LOADING, NULKA ELECTRONIC DECOY CARTRIDGE (EDC) MK 234 MODS 0 AND 1 IN CONTAINER, SHIPPING AND STORAGE MK 779 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-MAY-97 |
| | SAE-J701 | TRUCK TRACTOR SEMITRAILER INTERCHANGE COUPLING DIMENSIONS[CUST: AT 99] | A | 2540 | | AT | AUG-84 |
| | SAE-J704 | TRUCK TRANSMISSION MOUNTED POWER TAKE-OFFS, OPENINGS FOR SIX AND EIGHT BOLT[CUST: AT 99] [REVIEW: YD] | A | 2520 | | AT | JUN-83 |
| | A-A-50691B | TRUCK, AIRCRAFT BAGGAGE LOADING-UNLOADING[CUST: 99] | A | 3930 | / | 84 | 02-DEC-04 |
| | A-A-59259 | TRUCK, AIRCRAFT REFUELING, HYDRANT[CUST: 99] | A | 2320 | / | 84 | 30-JUN-98 |
| | A-A-59196 | TRUCK, AIRCRAFT SERVICING (AST), 3 TON HIGH LIFT, FOR LOADING C-5 AIRCRAFT UPPER DECK[CUST: 99] | A | 2320 | / | 84 | 25-MAR-98 |
| | A-A-58043 | TRUCK, CURBSIDE RECYCLING, OVER THE TOP LOADING[CUST: 99] | A | 2320 | / | 84 | 17-MAY-95 |
| A | A-A-59108A | TRUCK, FIRE FIGHTING (AIRCRAFT RESCUE) (ARFF)[CUST: 99] [REVIEW: CC] | A | 4210 | / | 84 | 19-JAN-06 |
| | A-A-59724 | TRUCK, FIRE FIGHTING (QUINT)[CUST: 99] | A | 4210 | / | 84 | 24-JUL-02 |
| | A-A-58003A | TRUCK, FIRE FIGHTING (STRUCTURAL, 4 X 2 OR 4 X 4)[CUST: 99] | A | 4210 | / | 84 | 24-JUL-02 |
| | A-A-58005A | TRUCK, FIRE FIGHTING (TELESCOPING AERIAL LADDER AND WORK PLATFORM)[CUST: 99] | A | 4210 | / | 84 | 24-JUL-02 |
| | A-A-59683 | TRUCK, FIRE FIGHTING (WILDLAND)[CUST: 99] [REVIEW: CC] | A | 4210 | / | 84 | 14-DEC-00 |
| | A-A-58004B | TRUCK, FIRE FIGHTING ,WATER TANKER, 4,000 GALLON CAPACITY[CUST: 99] | A | 4210 | / | 84 | 23-FEB-05 |
| | A-A-59114A | TRUCK, FIRE FIGHTING, (BRUSH)[CUST: 99] [REVIEW: CC] | A | 4210 | / | 84 | 02-APR-01 |
| | A-A-58028A | TRUCK, FIRE FIGHTING, (RESCUE) (HAZARDOUS MATERIALS VEHICLE)[CUST: 99] | A | 4210 | / | 84 | 07-JAN-03 |
| | A-A-58009B | TRUCK, FIRE FIGHTING, (RESCUE) (HEAVY RESCUE TRUCK)[CUST: 99] | A | 4210 | / | 84 | 24-JUL-02 |
| | A-A-59153 | TRUCK, FIRE FIGHTING, (RESCUE) (LIGHT RESCUE TRUCK)[CUST: 99] | A | 4210 | / | 84 | 07-JAN-03 |
| | A-A-59152A | TRUCK, FIRE FIGHTING, (RESCUE) (MEDIUM RESCUE TRUCK)[CUST: 99] | A | 4210 | / | 84 | 24-JUL-02 |
| | MIL-T-40629B | TRUCK, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE, ELECTRIC, NON PALLET STRADDLING SHIPBOARD GENERAL SPECIFICATION FOR[CUST: SA] [REVIEW: CC MC] | A | 3930 | | SA | 03-OCT-85 |
| | A-A-59493 | TRUCK, FORK, REACHING AND TIERING, STAND UP RIDER, ELECTRIC, NON PALLET STRADDLING, SHIPBOARD[CUST: SA] [REVIEW: SH] | A | 3930 | / | SA | 25-AUG-99 |
| | MIL-PRF-83812B | TRUCK, FORKLIFT, 10,000 AND 13,000 POUND CAPACITY, ADVERSE TERRAIN[CUST: 99] | A | 3930 | | 84 | 17-AUG-01 |
| | MIL-PRF-83818B | TRUCK, FORKLIFT, 4,000 AND 6,200 POUND CAPACITY, FRONT/SIDE LOADING, INTERNAL COMBUSTION ENGINE[CUST: 99] | A | 3930 | | 84 | 02-FEB-04 |
| | MIL-PRF-32181 | TRUCK, FORKLIFT, 4,000 AND 6,200 POUND CAPACITY, LOADING, INTERNAL COMBUSTION ENGINE[CUST: 99] | A | 3930 | | 84 | 14-DEC-04 |
| | MIL-T-40632B | TRUCK, FORKLIFT, DIESEL ENGINE DRIVEN, 120 INCH (3050 MM) LIFT HEIGHT, DS SAFETY RATED, PNEUMATIC RUBBER TIRES, ROUGH TERRAIN, FOR SHIPBOARD USE[CUST: CR4 SA 99] [REVIEW: 84 AT CC MT OS] | A | 3930 | | SA | 07-AUG-94 |
| | A-A-59492 | TRUCK, FORKLIFT, DIESEL ENGINE DRIVEN, 120 INCH LIFT HEIGHT, DS SAFETY RATED, PNEUMATIC RUBBER TIRES, ROUGH TERRAIN, FOR SHIPBOARD USE[CUST: SA 99] [REVIEW: 84] | A | 3930 | / | SA | 19-AUG-99 |
| | A-A-59498 | TRUCK, FORKLIFT, DIESEL ENGINE DRIVEN, DS SAFETY RATED, FOR SHIPBOARD USE[CUST: SA] | A | 3930 | / | SA | 13-OCT-99 |
| | MIL-PRF-83830A | TRUCK, FORKLIFT, ROUGH TERRAIN, DIESEL ENGINE DRIVEN, 25,000 POUND CAPACITY AT A 48 INCH LOAD CENTER[CUST: 99] | A | 3930 | | 84 | 20-JUL-04 |
| | A-A-50025A NOT 1 | TRUCK, HAND, BOX, LAUNDRY, PLASTIC[CUST: GL 99 IS] [REVIEW: 50 MC MD] | A | 3510 | / | IS | 19-SEP-03 |
| | MIL-T-17491H | TRUCK, HAND, LIFT, PALLET, MANUAL - HYDRAULIC FOR SHIPBOARD USE (6,000 POUND CAPACITY)[CUST: SA] [REVIEW: GS OS SH] | A | 3920 | | SA | 31-OCT-86 |
| | MIL-T-43124C | TRUCK, HAND, PLATFORM, LAUNDRY & DRYCLEANING, SPECIAL DESIGN[CUST: GL 99 IS] [REVIEW: 84 CE MD] | A | 3510 | | IS | 28-SEP-84 |
| | A-A-54097 | TRUCK, HAND, SHELF (SURGICAL DRESSING)[CUST: MD MS 03] | A | 6530 | / | MB | 09-MAR-90 |
| A | MIL-PRF-21858E NOT 1 | TRUCK, HAND, SHELF, STOCK PICKER (METRIC)[CUST: AT SA 99 IS] [REVIEW: 84 MC] | A | 3920 | | IS | 02-SEP-05 |
| | KKK-T-728A | TRUCK, HAND, TWO-WHEELED (LIGHT DUTY) 300 POUND CAPACITY[CUST: AT YD 99] [REVIEW: GL GS SH SM] | A | 3920 | * | AT | 02-FEB-73 |
| | MIL-T-24960A | TRUCK, LIFT, DIESEL ENGINE DRIVEN, PNEUMATIC RUBBER TIRES WITH TOPHANDLER FOR HANDLING CARGO CONTAINERS[CUST: CR4 SA 99 IS] [REVIEW: 84 CC MC MT OS SH SM YD] | A | 3930 | | IS | 08-MAR-94 |
| | MIL-PRF-83817A | TRUCK, LIFT, FORK, 4,000 POUND CAPACITY, VARIABLE REACH, ROUGH TERRAIN[CUST: 99] | A | 3930 | | 84 | 15-JUN-97 |
| | A-A-59424 | TRUCK, LIFT, FORK, CONTAINER HANDLER, DIESEL ENGINE-DRIVEN, PNEUMATIC-TIRED, 55000 POUND CAPACITY AT 48 INCH LOAD CENTER[CUST: SA 99 IS] | A | 3930 | / | 84 | 16-APR-99 |
| | A-A-58080A | TRUCK, LIFT, FORK, DIESEL ENGINE-DRIVEN, PNEUMATIC-TIRES, 4,000 POUNDS CAPACITY AT 24-INCH LOAD CENTER[CUST: AT SA 99] | A | 3930 | / | 84 | 25-DEC-04 |
| | A-A-58079A | TRUCK, LIFT, FORK, DIESEL ENGINE-DRIVEN, PNEUMATIC-TIRES, 6,000 POUNDS CAPACITY AT 24-INCH LOAD CENTER[CUST: AT SA 99] | A | 3930 | / | 84 | 14-DEC-04 |
| | A-A-59340A | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 10,000 POUND CAPACITY[CUST: MI 99] | A | 3930 | / | 84 | 25-SEP-00 |
| | A-A-58067 | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 15,000 POUNDS CAPACITY AT 24 INCH LOAD CENTER[CUST: AT SA 99] | A | 3930 | / | 84 | 28-JUN-96 |
| | A-A-59727 | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 20,000 POUND CAPACITY AT 24 INCH LOAD CENTER[CUST: 99] | A | 3930 | / | 84 | 28-JUN-02 |
| | A-A-58083 | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 4-WHEEL DRIVE, ROUGH TERRAIN, 6,000 POUNDS CAPACITY AT 24 INCH LOAD CENTER[CUST: AT SA 99] | A | 3930 | / | 84 | 18-OCT-96 |
| | A-A-58082 | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 8,000 POUNDS CAPACITY AT 24 INCH LOAD CENTER[CUST: AT SA 99] | A | 3930 | / | 84 | 18-OCT-96 |
| | A-A-58081A | TRUCK, LIFT, FORK, ELECTRIC, FRONT/SIDE LOADING, SIT-DOWN OPERATOR, 4,000 POUNDS CAPACITY, EE RATED[CUST: AT SA 99] | A | 3930 | / | 84 | 25-DEC-04 |
| | A-A-58087A | TRUCK, LIFT, FORK, ELECTRIC, NARROW AISLE REACH, STAND-UP OPERATOR, 3,000 POUNDS CAPACITY AT 24 INCH LOAD CENTER, 205 INCH MINIMUM LIFT[CUST: AT SA 99] | A | 3930 | / | 84 | 25-DEC-04 |
| | A-A-58069 | TRUCK, LIFT, FORK, ELECTRIC, ORDER SELECTOR, HIGH LIFT RIDER, 3000 POUND CAPACITY, 193 INCH MINIMUM LIFT[CUST: AT SA 99] | A | 3930 | / | 84 | 28-JUN-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-21876C | TRUCK, LIFT, FORK, ELECTRIC, SIDELOADER FOUR-DIRECTIONAL, SHIPBOARD, MISSILE-CARRYING, 4000 POUND CAPACITY[CUST: SA] | A | 3930 | | SA | 02-FEB-91 |
| | A-A-58068 | TRUCK, LIFT, FORK, ELECTRIC, SIT DOWN, SOLID TIRES, 6,000 POUND CAPACITY AT 24 INCH LOAD CENTER, 180 INCH MINIMUM LIFT HEIGHT[CUST: AT SA 99] | A | 3930 | / | 84 | 28-JUN-96 |
| | A-A-58086A | TRUCK, LIFT, FORK, ELECTRIC, SIT-DOWN, SOLID TIRES 3,000 POUND CAPACITY AT 24 INCH LOAD CENTER, 185 INCH MINIMUM LIFT[CUST: AT SA 99] | A | 3930 | / | 84 | 25-DEC-04 |
| | A-A-59141 | TRUCK, LIFT, FORK, ELECTRIC, SOLID-TIRED, 2,000 POUNDS CAPACITY AT 24 INCH LOAD CENTER, 144 INCH LIFT HEIGHT[CUST: AT SA 99] | A | 3930 | / | 84 | 01-DEC-97 |
| | A-A-58085 | TRUCK, LIFT, FORK, ELECTRIC, WALKIE REACH, 3000 POUND CAPACITY, 150 INCH MINIMUM LIFT[CUST: AT SA 99] | A | 3930 | / | 84 | 29-NOV-96 |
| | MIL-T-52932/3B NOT 1 | TRUCK, LIFT, FORK, PNEUMATIC TIRES, 4000 POUND CAPACITY, 144 INCH LIFT[CUST: AT SH 99 IS] | A | 3930 | | IS | 27-SEP-01 |
| | MIL-T-52932/5B NOT 1 | TRUCK, LIFT, FORK, PNEUMATIC TIRES, 6000 POUND CAPACITY, 180 INCH LIFT[CUST: AT SA 99 IS] [REVIEW: MC MT SH SM] | A | 3930 | | IS | 27-SEP-01 |
| | MIL-T-40629/1 | TRUCK, LIFT, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE 4,000 POUND CAPACITY, 50 INCH LIFT, ELECTRIC SHIPBOARD, TYPE (EE)[CUST: SA] [REVIEW: CC MC SH] | A | 3930 | | SA | 03-OCT-85 |
| | MIL-T-40629/2 | TRUCK, LIFT, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE 4,000 POUND CAPACITY, 68 INCH LIFT, ELECTRIC SHIPBOARD, TYPE (EE)[CUST: SA] [REVIEW: MC SH] | A | 3930 | | SA | 03-OCT-85 |
| | MIL-T-52932/1B NOT 1 | TRUCK, LIFT, FORK, SOLID TIRES 4000 POUND CAPACITY, 144 INCH LIFT[CUST: AT SA 99 IS] [REVIEW: MC MT SH SM] | A | 3930 | | IS | 27-SEP-01 |
| | MIL-T-52932/6 NOT 1 | TRUCK, LIFT, FORK, SOLID TIRES, 2,000 POUND CAPACITY, 127 INCH LIFT[CUST: AT SA 99 IS] [REVIEW: 84 MC MT SH SM] | A | 3930 | | IS | 27-SEP-01 |
| | MIL-T-52932/2B NOT 1 | TRUCK, LIFT, FORK, SOLID TIRES, 4000 POUND CAPACITY, 180 INCH LIFT[CUST: AT SA 99 IS] [REVIEW: MC MT SH SM] | A | 3930 | | IS | 27-SEP-01 |
| | MIL-T-52932/4B NOT 1 | TRUCK, LIFT, FORK, SOLID TIRES, 6000 POUND CAPACITY, 180 INCH LIFT[CUST: AT SA 99 IS] [REVIEW: MC MT SH SM] | A | 3930 | | IS | 27-SEP-01 |
| | MIL-T-21867D | TRUCK, LIFT, FORK, TELESCOPING MAST, ELECTRIC, SELF PROPELLED (WALKIE)[CUST: CR4 SA 99 IS] [REVIEW: 84 AT DH MC MS OS SO] | A | 3930 | | IS | 31-OCT-94 |
| | A-A-60004 | TRUCK, LIFT, PLATFORM, GASOLINE-ENGINE-DRIVEN, TELESCOPING BOOM[CUST: AT YD 99] [REVIEW: 84 CC SH] | A | 3930 | / | YD | 27-AUG-97 |
| | KKK-T-001985 | TRUCK, LIGHT, COMMERCIAL, ELECTRIC POW ERED, FRONT OR REAR WHEEL DRIVEN (4 X 2, 500 TO 3000 POUNDS MAXIMUM PAYLOAD) | A | 2320 | # | FSS | 01-SEP-77 |
| | A-A-59103 | TRUCK, TANK A/S32A-24, POTABLE WATER[CUST: 99] | A | 2320 | / | 84 | 09-JUN-97 |
| | MIL-PRF-32080 | TRUCK, TANK, AIRCRAFT REFUELING, 6000 GALLON, A/S32R-11[CUST: 99] | A | 2320 | | 84 | 01-MAR-01 |
| | A-A-50580 | TRUCK, TANK: SEWAGE OR WASTE COLLECTION, COMMERCIAL 4 BY 2[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2320 | / | YD | 07-APR-97 |
| | SAE-J702 | TRUCK-TRACTOR AND TRUCK-TRAILER, BRAKE AND ELECTRICAL CONNECTION LOCATIONS[CUST: AT 99] [REVIEW: YD] | A | 2330 | | AT | SEP-81 |
| | MIL-STD-1320-64 | TRUCKLOADING 16" HC PROJECTILE MK 13 AND MK 14 IN PALLET ADAPTER MK 88 MOD O[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 26-MAY-93 |
| | MIL-STD-1320-179 NOT 1 | TRUCKLOADING 20MM, MK 100 SERIES NOT LINKED, BULK PACK FOR MK 11 OR MK 12 GUN FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-278 | TRUCKLOADING ACOUSTIC DEVICE COUNTERMEASURE (ADC) IN CONTAINER CNU-488/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-OCT-93 |
| | MIL-STD-1320-280 | TRUCKLOADING ALPHA CONFIGURED MINE, MK 56 MOD 0 (WITH FAIRING MK 21 MOD 0 AND PARACHUTE PACK WITH FINS) IN MINE CRATE MK 56 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 08-OCT-93 |
| | MIL-STD-1320-276 | TRUCKLOADING ALPHA CONFIGURED UNDERWATER MINE, MK 62 MODS OR DESTRUCTOR, MK 36 MODS ON PALLET ADAPTER, MK 9[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 06-JUL-93 |
| | MIL-STD-1320-274 | TRUCKLOADING ALPHA CONFIGURED UNDERWATER MINE, MK 64 MODS OR DESTRUCTOR, MK 41 MODS ON PALLET ADAPTER, MK 79[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 08-JUN-93 |
| | MIL-STD-1320-265 | TRUCKLOADING AMMO PAK, GFK 11/A49E-10 IN CNU-492/E AND GUN PAK, GAK 14/49E-10 IN CNU-493/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 11-OCT-91 |
| | MIL-STD-1320-238 | TRUCKLOADING AMPHIBIOUS UNIT LOAD 155MM PROJECTILES, LONG ROUND[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 10-MAR-89 |
| | MIL-STD-1320-239 | TRUCKLOADING AMPHIBIOUS UNIT LOAD 155MM PROJECTILES, SHORT ROUND[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 10-MAR-89 |
| | MIL-STD-1320-260A | TRUCKLOADING AMRAAM MIXED LOAD WINGS AND FINS IN CNU-452/E CONTAINER (DOMESTIC UNIT LOAD) GUIDENCE SECTION IN CNU-463/E CONTAINER PROPULSION SECTION IN CNU-464/E CONTAINER WARHEAD SECTION IN CNU-545/E CONTAINER (DOMESTIC UNIT LOAD) CONTROL SECTION IN CNU-546/E CONTAINER (DOMESTIC UNIT LOAD)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 02-JUN-93 |
| | MIL-STD-1320-7A NOT 1 | TRUCKLOADING BOMB, GENERAL PURPOSE MK 83 AND MODS (1000 LB) IN PALLET ADAPTER MK 11 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-109A(1) NOT 2 | TRUCKLOADING BOMB, PRACTICE MK 76 MODS 4, 5, AND 7 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-18A | TRUCKLOADING BOOSTER MK 12 MOD 0 AND 1 IN CONTAINER MK 200 MOD 0 AND 1[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 05-APR-91 |
| | MIL-STD-1320-180 NOT 1 | TRUCKLOADING CARTRIDGE 20MM, MK 100 SERIES (NOT LINKED) FOR MK 11 OR MK 12 GUN IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-178 NOT 1 | TRUCKLOADING CARTRIDGE, 20MM, M50 SERIES (LOOSE) IN CONTAINER M548 DOMESTIC AND FLEET ISSUE LOADS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-177 NOT 1 | TRUCKLOADING CARTRIDGE, 5.125 INCH MK 182 (SUPER RBOC) CARTRIDGE, 5.125 INCH MK 186 (TORCH) IN PALLET ADAPTER MK 144 UNIT LOAD, UNDERWAY REPLENISHMENT[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-56 NOT 1 | TRUCKLOADING CHARGE, PROPELLING 5 INCH/38 IN TANK MK15 MOD 1 DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-106A NOT 1 | TRUCKLOADING CHARGE, PROPELLING, 5 INCH /54 DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-246A | TRUCKLOADING CLS BALLAST CANS CHOCKED[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-90 |
| | MIL-STD-1320-279 | TRUCKLOADING DESTRUCTOR, MK 40 OR MK 63 QUICKSTRIKE MINE ON MK 11 MOD 0 PALLET[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 23-AUG-93 |
| | MIL-STD-1320-171(1) NOT 2 | TRUCKLOADING DISPENSER AND BOMB AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) OR CBU-55A/B OR CBU-72/B (FAE) OR CBU-59/B (APAM) IN CONTAINER, CNU-238/E FLEET ISSUE UNIT LOADS[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 14-MAR-89 |
| | MIL-STD-1320-173(1) NOT 2 | TRUCKLOADING DISPENSER, FLARE SUU-25 C/A (EMPTY) ON PALLET, LOADING AND STORAGE MHU-146/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-MAR-89 |
| | MIL-STD-1320-228 | TRUCKLOADING DOLLY, MISSILE TRANSFER, MK 30 MOD 0 ON SKID, TRANSPORT, DL6212586 UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 11-JAN-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1320-262 | TRUCKLOADING DUAL THRUST ROCKET MOTOR (DTRM) MK 104 MODS 1, 2 & 3 IN SHIPPING AND STORAGE CONTAINER MK 750 MOD O[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 04-SEP-91 |
| | MIL-STD-1320-233 | TRUCKLOADING DUAL THRUST ROCKET MOTOR FOR SM-2 BLOCK II MISSILE MK 104 IN CONTAINER, MK 693 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-DEC-88 |
| | MIL-STD-1320-235 | TRUCKLOADING ENCAPSULATED TOTEM, TOTEM VEHICLE AND EXPENDED CAPSULE[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 18-NOV-88 |
| | MIL-STD-1320-272 | TRUCKLOADING GUIDED MISSILE LAUNCHER (GML) FOR ROLLING AIRFRAME MISSILE SYSTEM (RAM) ON TRANSPROTATION SKID, DWG NO. 6660272[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 28-JUN-93 |
| | MIL-STD-1320-232B | TRUCKLOADING GUIDED MISSILE, AGM-119 B (PENGUIN) IN CONTAINER, SHIPPING AND STORAGE, CNU-443A/E WITH WINGS AND CANARDS IN CONTAINER, SHIPPING AND STORAGE, CNU-450/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 27-OCT-92 |
| | MIL-STD-1320-249(1) | TRUCKLOADING GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CNU-399/E OR CNU-472E UNIT LOAD FOR UNDERWAY REPLENISHMENT[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 29-JUN-90 |
| | MIL-STD-1320-83 NOT 1 | TRUCKLOADING GUIDED MISSILE, AIM-9G OR 9H IN CRADLE, MK 16 MOD 0 OR AIM-9G, 9H OR 9L IN CONTAINER, CNU-287/E W/O WINGS AND FINS (SIDEWINDER) UNIT LOAD UNDERWAY REPLENISHMENT[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 10-OCT-86 |
| | MIL-STD-1320-25 | TRUCKLOADING GUIDED WEAPON MK 1 MOD 0 ( WALLEYE) IN CONTAINER MK 426 MOD 0[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 10-MAR-87 |
| | MIL-STD-1320-150(1) NOT 2 | TRUCKLOADING GUIDED WEAPON MK 5 AND MODS (WALLEYE) IN CONTAINER CNU-154 A/E OR CNU-154 B/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-169(2) NOT 3 | TRUCKLOADING HARPOON MISSILE RGM-84A-1 (ASROC) IN CONTAINER MK 608 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-226 NOT 1 | TRUCKLOADING HARPOON THICKWALL CANISTER LOADED WITH GUIDED MISSILERGM-84A-5 IN SHIPPING AND STORAGE CONTAINER MK 694 MOD O[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 23-JUL-87 |
| | MIL-STD-1320-261 | TRUCKLOADING HELLFIRE MISSILE, AGM 114 IN CONTAINER, SHIPPING AND STORAGE, CNU-448/E UNIT LOAD FOR UNDERWAY REPLENISHMENT[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 29-JUL-91 |
| | MIL-STD-1320-160C | TRUCKLOADING MINE, UNDERWATER, MK 60 MOD 0 IN SKID, MK 24 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 18-NOV-88 |
| | MIL-STD-1320-244 | TRUCKLOADING MINE, UNDERWATER, MK 67 MOD 0 (SLMM) BARE[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-OCT-90 |
| | MIL-STD-1320-221 | TRUCKLOADING MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 697 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 09-APR-85 |
| | MIL-STD-1320-268 | TRUCKLOADING MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 757 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 20-JAN-92 |
| | MIL-STD-1320C(1) NOT 1 | TRUCKLOADING OF AMMUNITION AND HAZARDOUS MATERIALS[Standard Practice][CUST: OS] [REVIEW: AS GS MC SA SH] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-151A NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS 5 1NCH/38 PROJECTILE IN PALLET ADAPTER MK11 MOD 1 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 08-APR-87 |
| | MIL-STD-1320-161(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS BEAKER, EXPLOSIVE, 5 INCH /54 PROJECTILE DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-65(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS BOMB CLUSTER MK 20 MODS 2, 3, & 4 IN CONTAINER MK 427 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-120 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, M117, (750LB) AIR FORCE UNIT LOAD TPO 1325-232-6331 REV F[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-103(1) NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS BOOSTER, MK 12 MOD 0 & 1 IN CONTAINER MK 578 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-164 NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS CARTRIDGE, 76 MM/62 CALIBER CHARGE, CLEANING, 76 MM/62 CALIBER IN PALLET ADAPTER MK 121 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-84A NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 5 INCH /38 IN CARTRIDGE TANK MK15 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-157(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 6 INCH /47 DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-154(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING, 6 INCH /47 IN CARTRIDGE TANK MK 4 IN PALLET ADAPTER MK 18 MODS FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-163(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS CRADLE, STORAGE, MK 20 MOD 0 OR 1 CRADLE, STORAGE, MK 8 MOD 0 DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-202(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) IN CONTAINER CBU-319/E AND CBU-78/B (GATOR) UNIT LOAD UNDERWAY REPLENISHMENT[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-162(1) NOT 3 | TRUCKLOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) AND CBU-78/B (GATOR) IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-165(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS GUIDED MISSILE, AGM-45 OR 45B (SHRIKE) IN CONTAINER CNU-167 /E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-155(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS GUIDED MISSILE, AIM-7E OR 7F (SPARROW) (LESS WINGS AND FINS) IN CONTAINER CNU-166/E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-2 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS PALLETIZED UNIT LOADS DOUBLE ROW PATTERN[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 08-APR-87 |
| | MIL-STD-1320-121 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 6 INCHES AAC, HC OR AP IN PALLET ADAPTER MK 20 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-44 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 8/55 AP, MK 21 AND MODS HC, MK 24 OR MK 25 AND MODS FLEET ISSUE LOAD LIST[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 08-APR-87 |
| | MIL-STD-1320-119(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS WING ASSEMBLIES AND TAIL FINS GUIDED MISSILE AGM-45A (SHRIKE) IN CONTAINER CNU-171/E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-3 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS, PALLETIZED UNIT LOADS CHIMNEY PATTERN[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 08-APR-87 |
| | MIL-STD-1320-1 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS-PALLETIZED UNIT LOADS SINGLE ROW PATTERN[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 08-APR-87 |
| | MIL-STD-1320-185 NOT 1 | TRUCKLOADING PHOENIX GUIDANCE SECTION IN CONTAINER CNU-234/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-159B | TRUCKLOADING PHOENIX MISSILE AIM-54C (WITH WINGS AND FINS) IN SHIPPING AND STORAGE CONTAINER CNU-242A/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-OCT-93 |
| | MIL-STD-1320-118(1) NOT 2 | TRUCKLOADING PROPULSION SECTION, (PHOENIX) IN CONTAINER CNU-159/E DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-243 | TRUCKLOADING RAM ROUND PACK IN MK 734 MOD 0 CONTAINER[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 08-JUN-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1320-257 | TRUCKLOADING RAM ROUND PACK IN MK 749 MOD 0 CONTAINER[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-MAY-91 |
| | MIL-STD-1320-140A(2) NOT 3 | TRUCKLOADING ROCKET MOTOR CLUSTER, LAU-10/A, LAU-10A/A LAU-10B/A OR LAU-10C/A LAUNCHER (ZUNI) FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-212 NOT 2 | TRUCKLOADING ROCKET MOTOR FOR MISSILE AGM-88A (HARM) IN CNU-354/E CONTAINER[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-15 NOT 1 | TRUCKLOADING ROCKET MOTOR MK 1 MOD 0 OR MK 37 MOD 0 (ASROC) IN CONTAINER MK 178 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-175C | TRUCKLOADING ROCKET MOTOR MK 27 OR MK 56 AND MODS (DTRM) IN CONTAINER, MK 593 MOD 0 AND SUSTAINER, MK 30 MODS IN CONTAINER, MK 737 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 11-JUL-88 |
| | MIL-STD-1320-108 NOT 1 | TRUCKLOADING ROCKET MOTOR MK 52 AND MODS (SPARROW) OR, ROCKET MOTOR MK 53 MOD 1 OR MK 78 MOD 0 (SHRIKE) FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-STD-1320-73A | TRUCKLOADING SPARROW III MISSILE, (RIM-7D, RIM-7E, RIM-7F, RIM-7M, AND RIM-7P) IN CONTAINER MK 470 MOD 0 AND MOD 1[Standard Practice][CUST: OS] [REVIEW: AS] | A | 8140 | | OS | 12-NOV-93 |
| | MIL-STD-1320-213(1) NOT 2 | TRUCKLOADING STANDARD MISSILE (MR) RIM-66A-1,2; RIM-66C; RIM-66D-1,2; RIM-66E-1,2; RIM-66H OR RIM-66J IN CONTAINER MK 372 MOD 7[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-242 | TRUCKLOADING STANDARD MISSILE EXTENDED RANGE (ER) IN SHIPPING AND STORAGE CONTAINER MK 721 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 08-JUN-89 |
| | MIL-STD-1320-271 | TRUCKLOADING TACTICAL AIR LAUNCHED DECOY (TALD) ADM-141 IN CONTAINER CNU-536/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 07-JAN-93 |
| | MIL-STD-1320-270 | TRUCKLOADING TASK "A" ASSY TEST CHARGES ON WOODEN SKID WITH COVER & END FRAME ASSY'S (16 PACK UNIT LOADS)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 20-JUL-92 |
| | MIL-STD-1320-201A | TRUCKLOADING TORPEDO MK 46 ASSEMBLIES IN CONTAINER MK 535 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 20-AUG-90 |
| | MIL-STD-1320-227 | TRUCKLOADING TORPEDO MK 50 (ALWT) FOR OPEVALAND TECHEVAL IN SHIPPING AND STORAGE CONTAINER EX 699[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-APR-86 |
| | MIL-STD-1320-200A NOT 1 | TRUCKLOADING TORPEDO, DUMMY AND EXERCISE MK 37 MOD 2 AND MOD 3 IN SHIPPING AND STORAGE SKID OR BARE[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-203 NOT 1 | TRUCKLOADING TORPEDO, MAIN ASSEMBLY MK 37 MOD 2 AND MOD 3[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-194 NOT 1 | TRUCKLOADING TORPEDO, MAIN ASSEMBLY MK 37 MOD 2 IN CONTAINER MK 318 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-53C | TRUCKLOADING UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE, MK 84 AND MODS (2000 LB) IN ADAPTER, UNIT LOAD, MK 79 MOD 0[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 23-OCT-90 |
| | MIL-STD-1320-247 | TRUCKLOADING UNIT LOADS AIM-9M (SIDEWINDER) AND AGM-122A (SIDEARM) IN CONTAINERS CNU-435/E AND CNU-434/E RESPECTIVELY[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 12-JUL-89 |
| | MIL-STD-1320-254 | TRUCKLOADING UNIT LOADS GUIDED MISSILE AGM-65 (MAVERICK) IN SHIPPING AND STORAGE CONTAINER, CNU-447/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-MAY-91 |
| | MIL-STD-1320-258 | TRUCKLOADING VERSATILE EXERCISE MINE SYSTEM (VEMS) IN MINE CRATES MK113 AND MK114[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 09-SEP-91 |
| | MIL-STD-1320-210 NOT 1 | TRUCKLOADING WALLEYE I GUIDED WEAPON IN SHIPPING AND STORAGE CONTAINER CNU-356/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-MAR-89 |
| | MIL-STD-1320-256 | TRUCKLOADING WARHEAD, HE, WDU-36/B ON PALLET MK 12 MOD 1 UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-AUG-92 |
| | MIL-STD-1320-132 | TRUCKLOADING WARHEAD, MK 103 MOD 0 (FOR MK 46 TORPEDO) IN CONTAINER, MK 301 MODS 0 AND 1 AND EXERCISE HEAD, MK 85 MODS 0, 1, 2, 3, 4, AND 6 DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 18-NOV-88 |
| | MIL-STD-1320-176(1) NOT 2 | TRUCKLOADING WARHEAD, TACTICAL, WAU-3(V)/B (HARPOON) EXERCISE SECTION, AN/DTK-46 (HARPOON) IN CONTAINER MK 592 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-174A | TRUCKLOADING WARHEADS, GUIDED MISSILE, MK 40 MOD 0 AND WDU-25/B DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 11-JAN-90 |
| | MIL-STD-1320-196A NOT 1 | TRUCKLOADING, ENCAPSULATED, HARPOON MISSILE RGM-84A-3 IN SHIPPING AND STORAGE CONTAINER MK 630 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-192 NOT 1 | TRUCKLOADING, GUIDANCE SECTION, GUIDED MISSILE (HARPOON) AN/DSQ-28 IN CONTAINER MK 619 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-189B(1) NOT 2 | TRUCKLOADING, HARPOON CANISTER LOADED WITH GUIDED MISSILE RGM-84A-3 IN SHIPPING AND STORAGE CONTAINER MK 631 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-188 NOT 1 | TRUCKLOADING, HARPOON MISSILE AGM-84A (WITH WINGS AND FINS) IN SHIPPING AND STORAGE CONTAINER MK 607 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-191 NOT 1 | TRUCKLOADING, ROCKET MOTOR SECTION, BOOSTER A/B44G-2 OR A/B44G-3 HARPOON GUIDED MISSILE IN CONTAINER MK 618 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-250(2) | TRUCKLOADING, ROCKET MOTOR, MK 114 MOD 0 IN CONTAINER MK 733 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 18-SEP-92 |
| | MIL-STD-1320-190(1) NOT 2 | TRUCKLOADING, SUSTAINER SECTION A/B44G-1 HARPOON GUIDED MISSILE IN CONTAINER MK 621 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-12A(1) | TRUCKLOADING, TORPEDO MK 44 AND MK 48 ASSEMBLIES IN CONTAINER MK 197 MOD 1[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 02-DEC-91 |
| | MIL-STD-1320-184B(2) | TRUCKLOADING, TORPEDO MK 48 EXERCISE/ADCAP SHAPES IN CONTAINER MK 481 MODS 0,1 OR CONTAINER MK 746 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-OCT-91 |
| | MIL-STD-1320-193 NOT 1 | TRUCKLOADING, TORPEDO, MK 37 MOD 3 MAIN ASSEMBLY IN CONTAINER MK 258 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1320-211 NOT 1 | TRUCKLOADING, WARHEAD SECTION FOR MISSILE, AGM-88A (HARM) IN CNU-353/E CONTAINER[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | SAE-J366 | TRUCKS AND BUSES, HEAVY, EXTERIOR SOUND LEVEL FOR[CUST: AT] | A | 6625 | | AT | 2001 |
| | A-A-52511 NOT 1 | TRUCKS, DOLLY, RECTANGULAR, WITH 4 SWIVEL CASTERS (GENERAL PURPOSE AND MACHINERY) (METRIC)[CUST: AT] [REVIEW: GS] | A | 3920 | / | AT | 16-APR-04 |
| | ASME-B56.11.4 | TRUCKS, FORKLIFT, INDUSTRIAL, POWERED, HOOK-TYPE FORKS AND FORK CARRIERS FOR[CUST: CR4 SA 99] | A | 3930 | | CR4 | 30-APR-92 |
| | A-A-50122A NOT 2 | TRUCKS, HAND, 3 SHELVES STAINLESS STEEL UTILITY[CUST: GL SH 99 GS] [REVIEW: 84 MD MS YD] | A | 3920 | / | IS | 20-MAY-98 |
| | A-A-59333A | TRUCKS, HAND, LIFT; PALLET, MANUAL-HYDRAULIC[CUST: AT IS] | A | 3920 | / | IS | 24-MAR-05 |
| | A-A-52533 NOT 1 | TRUCKS, HAND, PLATFORM, FOUR WHEELED, TILT AND NON-TILT, SOLID RUBBER TIRES OR PLASTIC TIRES (METRIC)[CUST: AT SA 99] [REVIEW: 84 GS MC SH YD] | A | 3920 | / | AT | 16-APR-04 |
| A | KKK-T-683E(1) | TRUCKS, HAND, TWO-WHEELED[CUST: AT SA 99 IS] [REVIEW: CE MC MD SM] | A | 3920 | / | IS | 11-JUL-05 |
| | ASME-B56.11.3 | TRUCKS, INDUSTRIAL, POWERED, LOAD HANDLING SYMBOLS FOR[CUST: CR4 SA 99] | A | 3930 | | CR4 | 30-APR-92 |
| | MIL-T-21868C | TRUCKS, LIFT, FORK, DIESEL; SHIPBOARD GENERAL SPECIFICATION FOR[CUST: SA] [REVIEW: SH] | A | 3930 | | SA | 05-DEC-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59405 | TRUCKS, LIFT, FORK, ELECTRIC, SIT-DOWN, FRONT WHEEL DRIVE, REAR WHEEL STEER FOR SHIPBOARD USE[CUST: SA] [REVIEW: SH] | A | 3930 | / | SA | 09-MAR-99 |
| | MIL-T-52932D SUP 1 | TRUCKS, LIFT, FORK, INTERNAL COMBUSTION ENGINE, 2000-4000-6000 POUND CAPACITY, GENERAL SPECIFICATION FOR[CUST: AT SA 99 IS] [REVIEW: 84 MC MT OS SH SM] | A | 3930 | | IS | 26-APR-91 |
| | MIL-T-21643D | TRUCKS, LIFT, FORK, REACHING AND TIERING, NARROW AISLE, ELECTRIC, 3000 (1360 KG) AND 4000 POUNDS (1820 KG), CAPACITY[CUST: CR4 SA 99 IS] [REVIEW: AT CC MT SO] | A | 3930 | | IS | 02-OCT-89 |
| | ASME-B56.1 | TRUCKS, LOW LIFT AND HIGH LIFT, SAFETY STANDARD FOR[CUST: CR4 SA 99] | A | 3930 | | SA | 03-OCT-94 |
| A | FED-STD-807M | TRUCKS: HEAVY COMMERCIAL, 6X4 AND 6X6 19,500 TO 30,000 KG (43,000 TO 66,000 LBS) GVWR[CUST: FSS] [REVIEW: 84 99 AT MC YD] | A | 2330 | % | FSS | 31-OCT-05 |
| A | FED-STD-307AJ | TRUCKS: LIGHT, COMMERCIAL, 4X2 AND 4X4 1,800KG (4,000 LBS) TO 9,000KG (19,999 LBS) GVWR[CUST: FSS] [REVIEW: 84 99 AT CE MC YD] | A | 2320 | % | FSS | 31-OCT-05 |
| A | FED-STD-794Y | TRUCKS: MEDIUM COMMERCIAL, 4X2 AND 4X4 9,500 TO 16,000 KG (21,000 TO 35,000 LBS) GVWR[CUST: FSS] [REVIEW: 84 99 AT MC YD] | A | 2320 | % | FSS | 31-OCT-05 |
| | MIL-T-10798L NOT 2 | TRUNK LOCKER, BARRACKS[CUST: MC CT] | A | 8460 | | CT | 04-APR-01 |
| | A-A-59490 | TRUNK LOCKERS[CUST: GL NU CT] [REVIEW: MC MD] | A | 8460 | / | CT | 19-AUG-99 |
| | MIL-T-43955B | TRUNK, GENERAL PURPOSE, EXERCISER[CUST: GL CT] [REVIEW: MD] | A | 8415 | | CT | 31-DEC-85 |
| | A-A-50527B | TRUNKS, GENERAL PURPOSE[CUST: MC CT] | A | 8415 | / | CT | 03-JUL-96 |
| | A-A-55274 | TRUNKS, PHYSICAL CONDITIONING UNIFORM[CUST: 11 CT] | A | 8415 | / | CT | 03-MAY-95 |
| | A-A-55175 | TRUNKS, PHYSICAL FITNESS UNIFORM[CUST: GL CT] [REVIEW: MD] | A | 8415 | / | CT | 01-MAR-93 |
| | MIL-DTL-29112D | TRUNKS, SWIMMERS[CUST: NU 11 CT] | A | 8415 | | CT | 27-APR-00 |
| | MIL-DTL-44484 NOT 1 | TRUSS ASSEMBLY, PLATFORM, TYPE V[CUST: GL2 AS 99] [REVIEW: AV GS] | A | 1670 | | GL2 | 11-JUN-02 |
| | DI-CMAN-81343 | TRUSTED COMPUTING BASE CONFIGURATION MANAGEMENT PLAN [AMSC: G6933] | A | SESS | | NS | 02-JUL-93 |
| | DI-MISC-81350 | TRUSTED COMPUTING BASE VERIFICATION REPORT [AMSC: G6940] | A | MISC | | NS | 02-JUL-93 |
| | DI-TMSS-81352 | TRUSTED FACILITY MANUAL [AMSC: G6942] | A | TMSS | | NS | 02-JUL-93 |
| | SAE-AS5813 | TUBE - PITOT, ELECTRICALLY HEATED[CUST: AV AS 11] [REVIEW: GS] | A | 6610 | | AS | 20-MAR-98 |
| | A-A-59192 | TUBE AND FLUE CLEANER, BOILER, INTERNAL, AIR MOTOR DRIVEN[CUST: AR SH 99] | A | 4940 | / | SH | 20-MAY-98 |
| | MIL-DTL-23226F | TUBE AND PIPE, CORROSION-RESISTANT STEEL, SEAMLESS[CUST: SH] | F | 4710 | | SH | 31-JUL-97 |
| | MIL-DTL-23227F | TUBE AND PIPE, NICKEL-CHROMIUM-IRON ALLOY (UNS N06600)[CUST: SH] | F | 4710 | | SH | 22-SEP-97 |
| | MIL-T-1368C(4) NOT 2 | TUBE AND PIPE, NICKEL-COPPER ALLOY, SEAMLESS AND WELDED[CUST: SH] | A | 4710 | | SH | 12-DEC-00 |
| | MIL-DTL-23520D | TUBE AND PIPE, NICKEL-COPPER ALLOY, SEAMLESS, AIR MELTED[CUST: SH] | F | 4710 | | SH | 12-AUG-97 |
| | ASTM-F409 | TUBE AND TUBULAR FITTINGS, THERMOPLASTIC ACCESSIBLE AND REPLACEABLE PLASTIC[CUST: CR4 YD 99] [REVIEW: 71] | A | 4710 | | CC | 15-DEC-91 |
| | MIL-PRF-62410A | TUBE ASSEMBLY METAL: SWAGED HYDRAULIC, (M1 TANK)[CUST: AT] | A | 4710 | | AT | 21-NOV-95 |
| | NAS356 | TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY WITH RIVETED CLEVIS & THREADED ROD ENDS[CUST: AV AS 11] [REVIEW: CR CR4] | A | 3040 | | AS | 14-JUN-74 |
| | NAS355 | TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY WITH RIVETED THREADED ROD ENDS[CUST: AV AS 11] [REVIEW: CR CR4] | A | 3040 | | AS | 14-JUN-74 |
| | NAS361 | TUBE ASSEMBLY, CONTROL, STEEL WITH FLASH WELDED & THREADED ROD ENDS[CUST: AV AS 11] [REVIEW: CC IS] | A | 3040 | | AS | 15-SEP-80 |
| | NAS362 | TUBE ASSEMBLY, CONTROL, STEEL WITH FLASH WELDED CLEVIS & THREADED ROD ENDS[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 3040 | | AS | 15-SEP-78 |
| | NAS359 | TUBE ASSEMBLY, CONTROL, STEEL WITH WELDED CLEVIS & THREADED ROD ENDS[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 3040 | | AS | 15-SEP-78 |
| | NAS358 | TUBE ASSEMBLY, CONTROL, STEEL WITH WELDED THREADED ROD ENDS[CUST: AV AS 11] [REVIEW: CC CR4 IS] | A | 3040 | | AS | 15-SEP-78 |
| | SAE-AS33611 | TUBE BEND RADII[CUST: AV AS 99] | A | 4710 | | AS | AUG-97 |
| | SAE-AS4396 | TUBE CONNECTION, BULKHEAD FLARED, FITTING END, DESIGN STANDARD[CUST: AS 99] [REVIEW: AR CC] | A | 4730 | | 71 | 18-OCT-91 |
| | SAE-AS4395 | TUBE CONNECTION, FITTING END - FLARED, DESIGN STANDARD[CUST: AR AS 99] [REVIEW: CC] | A | 4730 | | 71 | 18-OCT-91 |
| | SAE-AS5131 | TUBE END - BEADED, DESIGN STANDARD[CUST: AT AS 99 CC] [REVIEW: 71 MC MI SA] | A | 4730 | | CC | JAN-97 |
| | SAE-J1231 | TUBE ENDS, FORMED, FOR HOSE CONNECTIONS AND HOSE FITTINGS[CUST: AT AS 99] [REVIEW: AV MC MI OS] | A | 4730 | | CC | JAN-01 |
| | SAE-AIR1378 | TUBE FITTINGS AND TUBE ASSEMBLIES, STANDARD WORDS FOR TEST PARAGRAPHS FOR[CUST: AV AS 11] [REVIEW: 71 99 AR CC MI] | A | 4730 | | AS | MAY-96 |
| | UL109 | TUBE FITTINGS FOR FLAMMABLE AND COMBUSTIBLE FLUIDS, REFRIGERATION SERVICE, AND MARINE USE[CUST: CR4 YD 99] [REVIEW: 84] | A | 4730 | | CC | 28-APR-93 |
| | A-A-59731 | TUBE FITTINGS, BLOWN OPTICAL FIBER[CUST: CR SH 11] [REVIEW: 19 93 99 DI] | A | 6099 | / | SH | 26-JUN-02 |
| | SAE-J513 | TUBE FITTINGS, REFRIGERATION-GENERAL SPECIFICATIONS[CUST: 99 CC] [REVIEW: 71 YD] | A | 4730 | | CC | 31-MAY-94 |
| | SAE-MA2038 | TUBE, FLARELESS, UNION REDUCER, METRIC[CUST: AV] | A | 4730 | | AV | 7-DEC-92 |
| | SAE-AMS-WW-T-700/3 | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 2024[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS] | A | 4710 | | AS | 20-MAY-04 |
| | SAE-AMS-WW-T-700/2 | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 3003[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS SH] | A | 4710 | | AS | 20-MAY-04 |
| | SAE-AMS-WW-T-700/4 | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5052[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS SH] | A | 4710 | | AS | 20-MAY-04 |
| | SAE-AMS-WW-T-700/5 | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5086[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS] | A | 4710 | | AS | 20-MAY-04 |
| | SAE-AMS-WW-T-700/6 | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 6061[CUST: MR AS 11 CC] [REVIEW: AR CR4 EA MC OS SH] | A | 4710 | | AS | 20-MAY-04 |
| | SAE-AMS-WW-T-700/7 | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 7075[CUST: MR AS 11 CC] [REVIEW: 99 AR CR4 MC MI OS] | A | 4710 | | AS | 20-MAY-04 |
| | SAE-AMS-T-7081 | TUBE, ALUMINUM ALLOY, SEAMLESS, ROUND, DRAWN, 6061, AIRCRAFT HYDRAULIC QUALITY[CUST: MR AS 11] | A | 4710 | | 11 | JAN-99 |
| | SAE-AMS-WW-T-700 | TUBE, ALUMINUM AND ALUMINUM ALLOY, DRAWN, SEAMLESS, GENERAL SPECIFICATION FOR[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS] | A | 4710 | | AS | 20-MAY-04 |
| | SAE-AMS-WW-T-700/1 | TUBE, ALUMINUM, DRAWN, SEAMLESS, 1100[CUST: MR AS 11 CC] [REVIEW: AR MC MI OS SH] | A | 4710 | | AS | 20-MAY-04 |
| | A-A-53144 | TUBE, BIOLOGICAL CULTURE SAMPLING (PLASTIC)[CUST: MD MS 03] | A | 6640 | / | MB | 21-AUG-87 |
| | A-A-50978 | TUBE, BIOLOGICAL CULTURE SAMPLING, PLEDGET STYLE, WITH TRANSPORT MEDIA, PLASTIC[CUST: MD MS 03] | A | 6640 | / | MB | 25-AUG-85 |
| | A-A-54092 | TUBE, BLOOD COLLECTING (VACUUM WITH SEPARATOR GEL)[CUST: MD MS 03] | A | 6630 | / | MB | 16-FEB-90 |
| | A-A-50875B | TUBE, BLOOD COLLECTING (VACUUM)[CUST: MD MS 03] | A | 6630 | / | MB | 05-OCT-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-20219D | TUBE, BRASS, VOICE AND PNEUMATIC (COPPER ALLOY NO. 260)[CUST: MR SH 99] [REVIEW: CC OS] | A | 4710 | | SH | 21-AUG-86 |
| | A-A-51258A | TUBE, CAPILLARY, BLOOD SAMPLE[CUST: MD MS 03] | A | 6630 | / | MB | 03-AUG-87 |
| | A-A-54151 | TUBE, CAPILLARY, MICROHEMATOCRIT[CUST: MD MS 03] | A | 6640 | / | MB | 07-MAY-90 |
| | A-A-51823A | TUBE, CENTRIFUGAL HEMATOLOGY[CUST: MD MS 03] | A | 6630 | / | MB | 03-FEB-88 |
| | A-A-51879A | TUBE, CENTRIFUGAL HEMATOLOGY[CUST: MD MS 03] | A | 6630 | | MB | 02-FEB-88 |
| | A-A-51456A | TUBE, CENTRIFUGE[CUST: MD MS 03] | A | 6640 | | MB | 07-MAR-88 |
| | A-A-53870 | TUBE, CENTRIFUGE (POLYETHYLENE, CONICAL BOTTOM, GRADUATED)[CUST: MD MS 03] | A | 6640 | / | MB | 24-MAR-89 |
| | A-A-51244 | TUBE, CENTRIFUGE, CONICAL BOTTOM[CUST: MD MS 03] | A | 6640 | / | MB | 03-SEP-86 |
| | A-A-51201 | TUBE, CENTRIFUGE, ROUND STEM BOTTON, GRADUATED, 100 ML.[CUST: MD MS 03] | A | 6640 | / | MB | 03-SEP-86 |
| | A-A-50989 | TUBE, COILED, BLOOD WARMING, (STERILE)[CUST: MD MS 03 MB] | A | 6515 | / | MB | 03-OCT-85 |
| | MIL-T-22214C | TUBE, CONDENSER AND HEAT EXCHANGER WITH INTEGRAL FINS (UNS ALLOY NOS. C17500, C70600, C12200)[CUST: SH] | A | 4710 | | SH | 30-JUL-93 |
| | A-A-54352 | TUBE, CONNECTING, SURGICAL APPARATUS, GLASS[CUST: MD MS 03] | A | 6515 | / | MB | 08-MAR-91 |
| | NAS357 | TUBE, CONTROL, ALUMINUM ALLOY[CUST: AV AS 11] [REVIEW: CR CR4] | A | 3040 | | AS | 14-JUN-74 |
| | NAS360 | TUBE, CONTROL, STEEL[CUST: AV AS 11] [REVIEW: CR CR4] | A | 3040 | | AS | 14-JUN-74 |
| | MIL-T-24107B | TUBE, COPPER (SEAMLESS) (COPPER ALLOY NUMBERS C10100, C10200, C10300, C10800, C12000, C12200, AND C14200)[CUST: SH] [REVIEW: 84 CC MC YD] | A | 4710 | | SH | 16-OCT-87 |
| | ASTM-B280 | TUBE, COPPER, SEAMLESS, FOR AIR CONDITIONING AND REFRIGERATION FIELD SERVICE[CUST: CR4 YD 99] [REVIEW: GL MC MI OS SH] | A | 4710 | | CC | 15-DEC-93 |
| | ASTM-B447 | TUBE, COPPER, WELDED[CUST: CR4 YD 99] [REVIEW: OS] | A | 4710 | | CC | 15-JAN-93 |
| | MIL-T-16420K(1) | TUBE, COPPER-NICKEL ALLOY, SEAMLESS AND WELDED (COPPER ALLOY NUMBERS 715 AND 706)[CUST: SH] [REVIEW: CC CR4 YD] | A | 4710 | | SH | 16-SEP-88 |
| | A-A-53410 | TUBE, DRAINAGE (T-TUBE, EAR)[CUST: MD MS 03] | A | 6515 | / | MB | 21-MAR-88 |
| | A-A-51409 | TUBE, DRAINAGE, SURGICAL, THORACIC[CUST: MD MS 03] | A | 6515 | | MB | 16-APR-86 |
| | A-A-51455 | TUBE, DRAINAGE, SURGICAL, THORACIC, PLASTIC, RADIOPAQUE, STRAIGHT,DISPOSABLE, 28 FR, 10 S[CUST: MD MS 03] | A | 6515 | | MB | 20-MAY-86 |
| | A-A-54127 | TUBE, DRYING, LABORATORY[CUST: MD MS 03] [REVIEW: CC] | A | 6640 | / | MB | 16-APR-90 |
| | A-A-51635 | TUBE, DUODENAL, SURGICAL, LEVIN, RUBBER[CUST: MD MS 03] | A | 6515 | / | MB | 26-AUG-86 |
| | A-A-54859 | TUBE, EXTENSION, INFECTION SET[CUST: MD MS 03] | A | 6515 | / | MB | 21-MAY-93 |
| | A-A-30125A | TUBE, FEEDING, SURGICAL[CUST: MD MS 03] | A | 6515 | * | MB | 28-MAY-92 |
| | A-A-50832 | TUBE, FILTERING, DISPOSABLE[CUST: MD MS 03] | A | 6640 | / | MB | 08-MAR-82 |
| | SAE-J514 | TUBE, FITTINGS, HYDRAULIC[CUST: 99 CC] [REVIEW: 71 MC] | A | 4730 | | CC | 20-JAN-94 |
| | ASTM-B543 | TUBE, HEAT EXCHANGER, WELDED COPPER AND COPPER-ALLOY[CUST: CR4 YD 99] [REVIEW: SH] | A | 4710 | | CC | 15-JUL-91 |
| | A-A-51906A | TUBE, INHALER[CUST: MD MS 03] | A | 6515 | / | MB | 31-AUG-90 |
| | A-A-30109 | TUBE, INHALER (OXYGEN) | A | 6515 | # | FSS | 02-FEB-84 |
| | A-A-54965 | TUBE, INHALER, (CONDUCTIVE RUBBER)[CUST: MD MS 03] | A | 6515 | / | MB | 15-JUL-94 |
| | A-A-59512 NOT 1 | TUBE, METALLIC, SEAMLESS - COBALT ALLOY (1 INCH O.D)[CUST: CC] | A | 4710 | / | CC | 08-APR-05 |
| | MIL-T-85630 NOT 1 | TUBE, MOTOR, FOR 2.75 INCH ROCKET, MARK 66[CUST: MI OS] | A | 1340 | | OS | 02-OCT-91 |
| | A-A-55697A | TUBE, NONMETALLIC; POLYVINYL CHLORIDE (PVC) FLEXIBLE (FOR LABORATORY AND MEDICAL USE)[CUST: AV SH 99] [REVIEW: 03 71 AS NP SA] | A | 4720 | / | CC | 09-OCT-02 |
| | A-A-55859A | TUBE, NONMETALLIC; POLYVINYL CHLORIDE (PVC) FLEXIBLE (GENERAL USE)[CUST: AV SH 99] [REVIEW: 03 71 AS NP] | A | 4720 | / | CC | 31-OCT-02 |
| | WW-L-2887 NOT 2 | TUBE, PHENOLIC, POROUS RETAINER FOR USE IN INSTRUMENT BEARINGS[CUST: MI AS 99 GS] [REVIEW: 84] | A | 9330 | / | AS | 28-APR-03 |
| | SAE-AS686 | TUBE, PILOTED RING SEAL, SWIVEL CONNECTION ASSEMBLY[CUST: AS 99] [REVIEW: CC] | A | 4730 | | 99 | 01-MAR-82 |
| | SAE-AS50141 | TUBE, PNEUMATIC TIRE, AIRCRAFT[CUST: AV AS 99] | A | 2620 | | 70 | 29-NOV-01 |
| | A-A-54806 | TUBE, SAYBOLT VISCOSIMETER[CUST: MD MS 03] | A | 6630 | / | MB | 25-JAN-93 |
| | ASTM-B135 | TUBE, SEAMLESS BRASS[CUST: EA YD 99] [REVIEW: CR4 SH] | A | 4710 | | CC | 15-NOV-91 |
| | ASTM-B75 | TUBE, SEAMLESS COPPER[CUST: MR YD 99] [REVIEW: CR4 EA MI SH] | A | 4710 | | CC | 15-JUL-93 |
| | ASTM-B75M | TUBE, SEAMLESS COPPER (METRIC)[CUST: MR YD 99] [REVIEW: CC CG CR4 EA MI] | A | 4710 | | YD | 15-JUL-93 |
| | ASTM-B88M | TUBE, SEAMLESS COPPER WATER , (METRIC)[CUST: MR YD] [REVIEW: AV CG EA GL MC SH] | A | 4710 | | CC | 15-DEC-93 |
| | ASTM-B643 | TUBE, SEAMLESS, COPPER-BERYLLIUM ALLOY, STANDARD SPECIFICATION FOR[CUST: MR 99] [REVIEW: 11 71 AR CC CR CR4 GL MI] | A | 4710 | | MR | 19-JUN-90 |
| | A-A-51306 | TUBE, SERUM SHIPPING AND STORING, (NARROW MOUTH, ROUND, TRANSLUCENT)[CUST: MD MS 03] | A | 6640 | / | MB | 20-DEC-85 |
| | A-A-54307 | TUBE, SPECIMEN (PINWORM, DISPOSABLE)[CUST: MD MS 03] | A | 6640 | / | MB | 14-DEC-90 |
| M | A-A-59602 NOT 1 | TUBE, SPIRAL WRAP, POLYETHYLENE, POLYTETRAFLUOROETHYLENE AND POLYAMIDE[CUST: AR IS] [REVIEW: MR] | A | 9330 | / | IS | 10-MAR-06 |
| | MIL-T-16286E(1) | TUBE, STEEL, SEAMLESS, MARINE BOILER APPLICATION[CUST: SH] [REVIEW: CC CR4] | A | 4710 | | SH | 25-JUN-80 |
| | A-A-51961A | TUBE, STOMACH, SURGICAL (LEVIN)[CUST: MD MS 03] | A | 6515 | / | MB | 21-AUG-92 |
| | A-A-51089A | TUBE, STOMACH, SURGICAL (SALEM)[CUST: MD MS 03] | A | 6515 | / | MB | 26-AUG-88 |
| | A-A-54295A | TUBE, SUCTION, SURGICAL, PLASTIC, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-93 |
| | A-A-51507 | TUBE, TRACHEAL, MAGILL[CUST: MD MS 03] | A | 6515 | / | MB | 23-JUN-86 |
| | A-A-51509B | TUBE, TRACHEAL, RADIOPAQUE (MURPHY)[CUST: MD MS 03] | A | 6515 | / | MB | 12-FEB-93 |
| | A-A-51654B | TUBE, TRACHEOSTOMY, DISPOSABLE (LOW PRESSURE CUFF, SHILEY)[CUST: MD MS 03] | A | 6515 | / | MB | 24-JAN-92 |
| | A-A-54947 | TUBE, TRACHEOSTOMY, DISPOSABLE, JACKSON[CUST: MD MS 03] | A | 6515 | / | MB | 15-MAR-94 |
| | A-A-54388 | TUBE, TRACHEOSTOMY, DOUBLE CUFF[CUST: MD MS 03] | A | 6515 | / | MB | 12-MAY-91 |
| | ASTM-B88 | TUBE, WATER, SEAMLESS COPPER[CUST: MR YD] [REVIEW: AV CG] | A | 4710 | | CC | 10-SEP-99 |
| | ASTM-B251 | TUBE, WROUGHT SEAMLESS, COPPER AND COPPER-ALLOY[CUST: CR4 YD 99] [REVIEW: 71 CG MI MR SH] | A | 4710 | | CC | 15-JAN-93 |
| | A-A-53078 | TUBE,AND SYRINGE, STOMACH (ADULT, LAVAGE, EDLICH, DISPOSABLE, 34 FR)[CUST: MD MS 03] | A | 6515 | / | MB | 16-JUL-87 |
| | DI-MISC-80260 | TUBERCULOSIS DETECTION AND CONTROL REPORT [AMSC: F3995] | A | MISC | | 33 | 05-NOV-86 |
| | ASTM-B338 | TUBES FOR CONDENSERS AND HEAT EXCHANGERS, SEAMLESS AND WELDED TITANIUM AND TITANIUM ALLOY[CUST: MR SH] [REVIEW: AS CR4] | A | 4710 | | MR | 15-APR-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-A192/A192M | TUBES, BOILER, SEAMLESS CARBON STEEL, FOR HIGH-PRESSURE SERVICE[CUST: MR SH CC] [REVIEW: YD] | A | 4710 | | CC | 15-DEC-91 |
| | ANSI-Z79.6 | TUBES, BREATHING, AMER1CAN NATIONAL STANDARD FOR[CUST: MD MS 03] | A | 6515 | | MB | 25-APR-86 |
| | ASTM-A178/A178M | TUBES, CARBON STEEL AND CARBON MANGANESE ELECTRIC-RESISTANCE-WELDED STEEL BOILER AND SUPERHEATER TUBES[CUST: MR SH CC] [REVIEW: YD] | A | 4710 | | CC | 09-NOV-90 |
| | MIL-T-15005F | TUBES, CONDENSER AND HEAT EXCHANGER, COPPER-NICKEL ALLOYS (UNS C70600 & C71500)[CUST: MR SH 99] [REVIEW: CC MC YD] | A | 4710 | | SH | 06-DEC-89 |
| | ASTM-D3579 | TUBES, DRAINAGE, RUBBER SURGICAL, PENROSE-TYPE[CUST: MD MS 03 MB] | A | 6515 | | MB | 03-OCT-94 |
| | A-A-50909C | TUBES, DRAINAGE, SURGICAL (PENROSE TYPE)[CUST: MD MS 03] | A | 6515 | / | MB | 31-MAY-94 |
| | PPP-T-495B | TUBES, MAILING, AND FILING[CUST: GL SA 11] [REVIEW: 99 AV EA GS MC SH SM YD] | A | 8110 | * | GL | 25-FEB-74 |
| | PPP-T-495B(I2) | TUBES, MAILING, AND FILING | A | 8110 | # | FSS | 14-OCT-88 |
| | A-A-54249 | TUBES, NASAL FEEDING, SURGICAL, INFANT, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 20-SEP-90 |
| | MIL-T-5420B(2) | TUBES, PITOT STATIC, ELECTRICALLY HEATED, AIRCRAFT[CUST: AV AS] [REVIEW: GS] | A | 6610 | | AS | 20-MAR-86 |
| | ASTM-D348 | TUBES, RIGID USED FOR ELECTRICAL INSULATION[CUST: MR YD 11] [REVIEW: GS] | A | 5970 | | YD | 10-APR-00 |
| | ASTM-B163 | TUBES, SEAMLESS NICKEL AND NICKEL ALLOY CONDENSER AND HEAT-EXCHANGER[CUST: YD 99] [REVIEW: SH] | A | 4710 | | CC | 15-FEB-93 |
| | MIL-T-13915E NOT 1 | TUBES, STEEL, SEAMLESS: FOR CANNONS AND RECOILLESS RIFLES[CUST: AR] | A | FORG | | AR | 17-FEB-94 |
| | ASTM-F1836M | TUBES, STUFFING, NYLON, AND PACKING ASSEMBLIES[CUST: CR SH 03] [REVIEW: 11 19 99 AS CG GS GS2 MI NW YD] | A | 5975 | | SH | 17-OCT-02 |
| | ASTM-F1242 | TUBES, TRACHEAL, CUFFED AND UNCUFFED[CUST: MD MS 03] | A | 6515 | | MB | 10-FEB-96 |
| | ANSI-Z79.14 | TUBES, TRAGHEAL, ANESTHETIC EQUIPMENT, STANDARD FOR[CUST: MD MS 03] | A | 6515 | | MB | 20-NOV-85 |
| | A-A-53843 | TUBINE ASSEMBLY, SURGICAL IRRIGATOR[CUST: MD MS 03] | A | 6530 | / | MB | 24-MAR-89 |
| | SAE-AS33583 | TUBING END DOUBLE FLARE, STANDARD DIMENSIONS FOR[CUST: AV AS 99] [REVIEW: 71 CC] | A | 4730 | | AS | DEC-97 |
| | ASTM-A269 | TUBING FOR GENERAL SERVICE, SEAMLESS AND WELDED AUSTENITIC STAINLESS STEEL[CUST: CR4 YD 99 CC] [REVIEW: CG MC SH] | A | 4710 | | CC | 15-JUN-94 |
| | SAE-ARP994 | TUBING INSTALLATIONS FOR AEROSPACE FLUID POWER SYSTEMS, THE DESIGN OF, RECOMMENDED PRACTICE FOR[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 1650 | | AS | APR-76 |
| | A-A-54550 | TUBING, ASSEMBLY, BAG, ASEPTIC SOLUTION[CUST: MD MS 03] | A | 6515 | / | MB | 20-DEC-91 |
| | SAE-ARP584 | TUBING, COILED, CORROSION RESISTANT STEEL, HYDRAULIC APPLICATIONS, AEROSPACE[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 1650 | | AS | 30-APR-84 |
| | UL797 | TUBING, ELECTRICAL METALLIC | A | 5975 | | GS2 | 25-MAR-88 |
| | ANSI-C80.3 | TUBING, ELECTRICAL METALLIC - ZINC COATED, STANDARD FOR[CUST: CR YD 11] [REVIEW: 99 GS] | A | 5975 | | YD | 09-OCT-91 |
| | ASTM-D1710 | TUBING, EXTRUDED AND COMPRESSION MOLDED POLYTETRAFLUOROETHYLENE (PTFE) ROD AND HEAVY WALLED[CUST: MR AS GS] [REVIEW: AR AV CR4 MC MI] | A | 9330 | | IS | 11-OCT-91 |
| | SAE-AS4330 | TUBING, FLARED, STANDARD DIMENSIONS FOR, DESIGN STANDARD[CUST: AV AS 99 CC] [REVIEW: 71] | A | 4730 | | AS | 12-JUN-97 |
| | UL3 | TUBING, FLEXIBLE NONMETALLIC FOR ELECTRIC WIRING, SAFETY FOR[CUST: CR4 11] [REVIEW: 99 EC GS MC] | A | 5975 | | CR4 | 12-NOV-99 |
| | A-A-54346 | TUBING, GLASS (LABORATORY USE)[CUST: MD MS 03] | A | 6640 | / | MB | 28-FEB-91 |
| | ASTM-D2671 | TUBING, HEAT-SHRINKABLE, FOR ELECTRICAL USE[CUST: MI 99] [REVIEW: 11 AR GS MR] | A | 5970 | | MI | 10-MAR-99 |
| | SAE-AMS4922 | TUBING, HYDRAULIC, TITANIUM ALLOY, SEAMLESS, 15V-3.0CR-3.0AL-3.0SN, COLD WORKED AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | MAR-95 |
| | ASTM-A511 | TUBING, MECHANICAL, SEAMLESS STAINLESS STEEL[CUST: MR CC] [REVIEW: YD] | A | 4710 | | CC | 10-JUN-96 |
| | A-A-53848 | TUBING, NONMETALIC (RUBBER)[CUST: MD MS 03] | A | 4720 | / | MB | 03-MAR-89 |
| | A-A-52047C | TUBING, NONMETALLIC (RUBBER AND PLASTIC)[CUST: AT SH 99 CC] [REVIEW: 71 SA] | A | 4720 | / | CC | 05-MAY-03 |
| | ASTM-D876 | TUBING, NONRIGID VINYL CHLORIDE POLYMER, USED FOR ELECTRICAL INSULATION[CUST: MI SH 99] [REVIEW: AR GS MR] | A | 5970 | | MI | 10-APR-00 |
| | SAE-AMS3615 | TUBING, PLASTIC, COTTON FABRIC REINFORCED PHENOL-FORMALDEHYDE[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-JAN-93 |
| | SAE-AMS-T-81914/5 | TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, ETHYLENE-TETRAFLUROROETHYLENE, CLOSE CONVOLUTION[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | JUL-98 |
| | SAE-AMS-T-81914/4 | TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, FLUORINATED ETHLENE PROPYLENE, CLOSE CONVOLUTION[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | JUL-98 |
| | SAE-AMS-T-81914/2 | TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, POLYTETRAFLUOROETHYLENE, CLOSE CONVOLUTION[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | JUN-99 |
| | SAE-AMS-T-81914 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, CONDUIT[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | JUL-98 |
| | SAE-AMS-T-81914/6 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, ETHYLENE-TETRAFLUOROETHYLENE, STANDARD CONVOLUTION[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | JUN-99 |
| | SAE-AMS-T-81914/7 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, FLUORINATED ETHYLENE PROPYLENE, INTEGRAL BRAID[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | JUN-99 |
| | SAE-AMS-T-81914/3 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, FLUORINATED ETHYLENE PROPYLENE, STANDARD CONVOLUTION[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | JUN-99 |
| | SAE-AMS-T-81914/1 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, POLYTETRAFLUOROETHYLENE, STANDARD CONVOLUTIONS[CUST: MI AS] [REVIEW: GS] | A | 5975 | | AS | JUN-99 |
| | SAE-ARP1153 | TUBING, POLYTETRAFLUOROETHYLENE, DETERMINING RELATIVE SPECIFIC GRAVITY, METHOD FOR[CUST: AT SH 99 CC] [REVIEW: 70 71 MC SA] | A | 4720 | | CC | 13-NOV-03 |
| | ASTM-A519 | TUBING, SEAMLESS CARBON AND ALLOY STEEL MECHANICAL[CUST: MR CC] [REVIEW: AR AT MI SH] | A | 4710 | | CC | 02-MAY-90 |
| | SAE-AMS-T-6845 | TUBING, STEEL, CORROSION-RESISTANT (S30400), AEROSPACE VEHICLE HYDRAULIC SYSTEM 1/8 HARD CONDITION[CUST: MR AS 11] | A | 4710 | | 11 | JAN-99 |
| | SAE-AMS5561 | TUBING, STEEL, WELDED AND DRAWN, CORROSION AND HEAT RESISTANT 9.0MN - 20CR -6.5NI - 0.28N HIGH PRESSURE HYDRAULIC[CUST: MR AS 11 CC] | A | 4710 | | CC | 01-APR-92 |
| | A-A-51295 | TUBING, STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 12-DEC-85 |
| | A-A-51439 | TUBING, SURGICAL (PLASTIC)[CUST: 03 MB] | A | 6515 | / | MB | 09-MAY-86 |
| | A-A-51397 | TUBING, SURGICAL PLAST1C, 3/16 INCH INSIDE DIAMETER[CUST: MD MS 03] | A | 6515 | | MB | 11-APR-86 |
| | MIL-STD-2040 | TUG REQUIREMENTS FOR HANDLING U.S. NAVY SHIPS[Standard Practice][CUST: SH] | A | 1925 | | SH | 03-MAR-92 |
| | A-A-59472 | TUMBLER, DRYING, LAUNDRY (NAVAL SUBMARINE)[CUST: SH] | A | 3510 | / | SH | 23-JUN-99 |
| | A-A-59364 | TUMBLER-DRYER, LAUNDRY, STEAM, AND ELECTRIC (NAVAL SHIPBOARD)[CUST: SH] | A | 3510 | / | SH | 21-JAN-99 |
| | A-A-20155C | TUNA, CANNED OR IN FLEXIBLE POUCHES[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8905 | * | GL | 08-OCT-04 |
| | ASTM-D1964 | TUNG OIL QUALITY, STANDARD TEST METHOD FOR[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 19-FEB-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS7725 | TUNGSTEN ALLOY SHAPES, SINTERED, HIGH DENSITY[CUST: MR AS 11 IS] | A | 9540 | | IS | 01-JUL-87 |
| | AWS-A5.12 | TUNGSTEN AND TUNGSTEN-ALLOY ELECTRODES FOR ARC WELDING AND CUTTING[CUST: MR 11 GS6] [REVIEW: YD] | A | 3439 | | GS6 | 05-FEB-98 |
| | SAE-AMS-T-21014 | TUNGSTEN BASE METAL, HIGH DENSITY[CUST: MI AS] [REVIEW: IS] | A | 9540 | | AS | SEP-98 |
| | SAE-AMS2435 | TUNGSTEN CARBIDE-COBALT COATING DETONATION PROCESS[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | OCT-94 |
| | MIL-T-23132A(1) NOT 3 | TUNGSTEN DELAY COMPOSITION[CUST: OS] | A | 1375 | | OS | 26-FEB-98 |
| | A-A-55221 | TUNIC, MATERNITY[CUST: MC CT] | A | 8410 | / | CT | 10-SEP-93 |
| | A-A-55254 | TUNIC, WOMAN'S HOSPITAL DUTY UNIFORM (HDU)[CUST: GL 99 CT] [REVIEW: 11 MD] | A | 8410 | / | CT | 27-NOV-95 |
| | A-A-54862 | TUNING FORK SET[CUST: MD MS 03] | A | 6515 | / | MB | 30-APR-93 |
| | OO-T-1848(2) | TUNNEL, FINISHING, GARMENT, STEAM ELECTRIC[CUST: GL IS] [REVIEW: MC SH YD] | A | 3510 | / | IS | 13-MAR-75 |
| | MIL-DTL-5624U | TURBINE FUEL, AVIATION, GRADES JP-4 AND JP-5[CUST: AT AS 11 PS] [REVIEW: 68 AR AV SH] | A | 9130 | | AS | 05-JAN-04 |
| | MIL-DTL-25524E | TURBINE FUEL, AVIATION, THERMALLY STABLE[CUST: 68 PS] [REVIEW: 11] | A | 9130 | | 68 | 20-NOV-97 |
| | MIL-DTL-38219D | TURBINE FUEL, LOW VOLATILITY, JP-7[CUST: 68] [REVIEW: 11 PS] | A | 9130 | | 68 | 21-AUG-98 |
| | MIL-DTL-83133E | TURBINE FUELS, AVIATION, KEROSENE TYPES, NATO F-34(JP-8), NATO F-35, AND JP-8 + 100[CUST: MR AS 68 PS] [REVIEW: 11 AR AV] | A | 9130 | | 68 | 01-APR-99 |
| | MIL-T-24398(2) | TURBINE, STEAM AND REDUCTION GEAR, AUXILIARY, GENERATOR-DRIVE (NAVAL SHIPBOARD USE)[CUST: SH] | A | 2825 | | SH | 14-FEB-83 |
| | MIL-T-17523D(1) | TURBINE, STEAM, AUXILIARY (AND REDUCTION GEAR) MECHANICAL DRIVE[CUST: SH] | A | 2825 | | SH | 01-JUN-82 |
| | NEMA-SM23 | TURBINE, STEAM, MECHANICAL DRIVE,[CUST: YD] | A | 2825 | | YD | 30-DEC-80 |
| | MIL-T-17600D(4) | TURBINE, STEAM, PROPULSION NAVAL SHIPBOARD[CUST: SH] | A | 2825 | | SH | 03-NOV-82 |
| | MIL-T-17286D | TURBINES AND GEARS, SHIPBOARD PROPULSION AND AUXILIARY STEAM; PACKAGING OF[CUST: SH] | A | PACK | | SH | 07-MAR-89 |
| | MS33736D NOT 1 | TURNBUCKLE ASSEMBLIES, CLIP LOCKING OF[CUST: AV AS 99 GS5] [REVIEW: 71 MC] | A | 1640 | | GS5 | 01-APR-05 |
| | NAS1047 | TURNBUCKLE ASSEMBLY, FORGED CARBON STEEL, JAW AND JAW (FOR GROUND SUPPORT EQUIPMENT)[CUST: AR AS 99 IS] | A | 5340 | | IS | 05-DEC-96 |
| | MS21251M(1) | TURNBUCKLE BODY, CLIP LOCKING[CUST: AV AS 99] [REVIEW: 71 MC] | A | 1640 | | GS5 | 01-APR-05 |
| | NASM27954 | TURNBUCKLE, BODY (GENERAL PURPOSE)[CUST: AR SH 99] | A | 5340 | | IS | NOV-99 |
| | MIL-DTL-8878J SUP 1 NOT 1 | TURNBUCKLES, POSITIVE SAFETYING[CUST: AS 99] [REVIEW: 71] | A | 1640 | | GS5 | 01-APR-05 |
| A | QPL-8878-12 | TURNBUCKLES, POSITIVE SAFETYING | A | 1640 | | GS5 | 25-JUL-05 |
| | ASTM-F1145 | TURNBUCKLES, SWAGED, WELDED, FORGED[CUST: SH] | A | 5340 | | SH | 15-AUG-92 |
| | A-A-53858 | TURNING FRAME, ORTHOPEDIC BED[CUST: MD MS 03] | A | 6530 | / | MB | 30-MAY-89 |
| | ASTM-D233 | TURPENTINE, SAMPLING AND TESTING[CUST: MR SH 99] | A | 8010 | | MR | 10-NOV-97 |
| | ASTM-D13 | TURPENTINE, SPIRITS OF[CUST: EA SH GS3] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 15-MAY-92 |
| | MIL-T-63536 NOT 3 | TURRET SUBSYSTEM, UNIVERSAL (UTS), FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2, LOGIC CONTROL UNIT ASSEMBLY FOR[CUST: AR] | A | 1005 | | AR | 02-DEC-96 |
| | QSTAG-327 ED.3 | TWELVE POINT ELECTRICAL CONNECTORS BETWEEN MILITARY VEHICLES[CUST: AI] | C | ISDA | | AI | 15-APR-98 |
| | A-A-2917 NOT 1 | TWINE, COTTON SEINE[CUST: 99] [REVIEW: 71] | A | 4020 | / | IS | 25-SEP-01 |
| | A-A-1451A NOT 1 | TWINE, FIBROUS[CUST: 99] [REVIEW: 71 MC MD] | A | 4020 | / | IS | 25-SEP-01 |
| | A-A-228A NOT 1 | TWINE, FIBROUS, JUTE | A | 4020 | / | IS | 08-SEP-03 |
| | A-A-52056 | TWINE, FIBROUS, LINE, (WAXED AND BLOCKING)[CUST: GL IS] [REVIEW: AR AV CR CR4 MD] | A | 4020 | / | IS | 09-APR-90 |
| | MIL-T-713E NOT 1 | TWINE, FIBROUS: IMPREGNATED, LACING AND TYING[CUST: GL 99] [REVIEW: AR CR4 DS MC MD MI OS SH] | A | 4020 | | IS | 22-APR-89 |
| | OO-T-1719A | TYING MACHINES, BUNDLE, INDUSTRIAL[CUST: GL MC 99] [REVIEW: MD SM] | A | 3540 | * | GL | 31-JUL-75 |
| | STANAG-7067 ED.2(2) | TYPE AND LOCATION OF ELECTRICAL CONNECTORS FOR HELICOPTER ROCKET LAUNCHERS | C | ISDF | | 06 | 23-MAY-97 |
| | AIR-STD-20/33(1) | TYPE AND LOCATION OF ELECTRICAL CONNECTORS FOR HELICOPTER ROCKET LAUNCHERS (LAUNCHER/HELICOPTER INTERFACE) | C | ISDF | | 06 | 22-JUL-98 |
| A | MIL-HDBK-1812 | TYPE DESIGNATION, ASSIGNMENT AND METHOD FOR OBTAINING[CUST: CR AS 99] [REVIEW: 11 13 19 68 MI] | A | MISC | | 99 | 14-FEB-97 |
| | A-A-2365A | TYPING, ELEMENT (88 CHARACTERS) | A | 7510 | # | FSS | 15-DEC-91 |
| | A-A-2364A | TYPING, ELEMENT (96 CHARACTERS) | A | 7510 | # | FSS | 06-JAN-92 |
| | A-A-2766 | TYPING, ELEMENT (TELETYPE AND FACSIMILE EQUIPMENT) | A | 7510 | # | FSS | 30-DEC-91 |
| | STANAG-3209 ED.5(6) | TYRE VALVE COUPLINGS | C | ISDF | | 06 | 26-MAR-86 |
| | DI-MGMT-80896 | U. S. AIR FORCE PEST MANAGEMENT PROGRAM REVIEW [AMSC: F4810] | A | MGMT | | 33 | 07-SEP-89 |
| | MIL-HDBK-115 NOT 1 | U.S. ARMY REVERSE ENGINEERING HDBK (GUIDELINES & PROCEDURES)[CUST: AV] [REVIEW: AM AR AT CR] | A | MISC | | AV | 24-OCT-00 |
| | QSTAG-1026 ED.1 | UCP INLET COLLARS[CUST: AI] | C | ISDA | | AI | 06-MAY-96 |
| | MIL-PRF-32098A | ULTRAFILTRATION SYSTEM, 10-GALLON PER MINUTE OILY WASTE MEMBRANE (OWMS-10)[CUST: AT SH 99 CC] [REVIEW: 03 84 FSS GL YD] | A | 4610 | | SH | 27-SEP-04 |
| | MIL-PRF-32041A | ULTRAFILTRATION SYSTEM, 50-GALLON PER MINUTE OILY WASTE MEMBRANE (OWMS-50)[CUST: AT SH 99] [REVIEW: 03 84 CC GL GL4 YD] | A | 4610 | | SH | 27-SEP-04 |
| | MIL-PRF-53134 | ULTRALIGHTWEIGHT CAMOUFLAGE NET SYSTEM (ULCANS)[CUST: CR4 MC] [REVIEW: AV CR GL MI] | A | 1080 | | CR4 | 26-JAN-96 |
| | A-A-54529 | ULTRASONIC CLEANING SYSTEM, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 23-NOV-91 |
| | ASTM-E273 | ULTRASONIC EXAMINATION OF THE WELD ZONE OF WELDED PIPE AND TUBING[CUST: MR AS 11 GS2] [REVIEW: 99 AV MI SH YD] | A | NDTI | | GS2 | 15-SEP-93 |
| | MIL-STD-770 NOT 1 | ULTRASONIC INSPECTION OF LEAD (CONTROLLED DISTRIBUTION)['Test Method Standard][CUST: SH] | B | NDTI | | SH | 17-JUL-87 |
| | DI-QCIC-80453 | ULTRASONIC INSPECTION RECORD FOR BEARING BALL MATERIAL [AMSC: N4230] | A | QCIC | | OS | 05-OCT-87 |
| | ITOP-6.3.028 | ULTRASONIC MOTION SENSORS FOR INTERIOR APPLICATION (U) | D | ISDA | | TE | 31-DEC-87 |
| | A-A-54601 | ULTRASONIC PROPHYLAXIS UNIT, DENTAL, PORTABLE[CUST: MD MS 03] | A | 6520 | / | MB | 20-MAR-92 |
| | MIL-HDBK-728/6 NOT 1 | ULTRASONIC TESTING[CUST: MR AS 11] [REVIEW: AR OS] | A | NDTI | | MR | 01-JUL-92 |
| | DI-MISC-81053 | UNACCOMPANIED PERSONNEL HOUSING INVENTORY AND UTILIZATION DATA [AMSC: F5012] | A | MISC | | 10 | 28-SEP-90 |
| | A-A-50839 | UNDECYLENIC ACID AND ZINC UNDECYLENATE POWDER[CUST: MD MS 03] | A | 6505 | / | MB | 26-JUL-82 |
| | UL884 | UNDERFLOOR RACEWAYS & FITTINGS[CUST: CR YD 11] [REVIEW: 99 CR4 GS] | A | 5975 | | YD | 30-NOV-98 |
| | A-A-50013E | UNDERSHIRT (QUARTER-SLEEVE)[CUST: GL NU 99 CT] [REVIEW: 11 MC] | A | 8420 | / | CT | 12-MAR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-50383B | UNDERSHIRT, EXTREME COLD WEATHER, MEN'S AND WOMEN'S[CUST: NU 99 CT] [REVIEW: 11 CG] | A | 8415 | / | CT | 10-NOV-99 |
| | A-A-54036 | UNDERSHIRT, INFANT'S[CUST: MD MS 03] | A | 6532 | / | MB | 19-JAN-90 |
| | A-A-59358 | UNDERSHIRT, MID WEIGHT, SPEAR SYSTEM, LIGHTWEIGHT ENVIRONMENTAL PROTECTION (LEP), LAYER-2[CUST: GL MC] | A | 8415 | / | CT | 27-AUG-03 |
| | A-A-59369 | UNDERSHIRT, SILK WEIGHT SPEAR SYSTEM, LIGHTWEIGHT ENVIRONMENTAL PROTECTION (LEP), LAYER-1[CUST: GL MC] | A | 8415 | / | CT | 27-AUG-03 |
| | MIL-U-18033F(3) | UNDERWATER LOG EQUIPMENT, ELECTROMAGNETIC TYPE[CUST: SH] | A | 6320 | | SH | 28-JUL-67 |
| | STANAG-2884 ED.3 | UNDERWATER MUNITION DISPOSAL PROCEDURES - AEODP-1(A) | C | ISDA | | AI | 03-JUL-01 |
| | STANAG-4333 ED.1(2) | UNDERWATER MUNITIONS, PRINCILILES OF SAFE DESIGN | C | ISDN | | NM | 20-JUN-96 |
| | STANAG-4338 ED.1(2) | UNDERWATER-LAUNCHED MUNITIONS, SAFETY EVALUATION | C | ISDN | | NI | 17-MAR-98 |
| | A-A-55270 | UNDERWEAR SET, LIGHTWEIGHT, COLD WEATHER[CUST: GL MC CT] | A | 8415 | / | CT | 17-APR-95 |
| | MIL-U-44435 | UNDERWEAR, CHEMICAL PROTECTIVE, TWO PIECE (UNDERSHIRT AND DRAWERS)[CUST: CT] | A | 8415 | | CT | 16-APR-92 |
| | MIL-DTL-32130 | UNDERWEAR, CHEMICAL PROTECTIVE, TWO PIECE (UNDERSHIRT AND DRAWERS)[CUST: GL] | A | 8415 | | CT | 12-AUG-03 |
| A | MIL-STD-3007E | UNIFIED FACILITIES CRITERIA AND UNIFIED FACILITIES GUIDE SPECIFICATIONS[Standard Practice][CUST: CE YD 50] | A | FACR | | YD | 15-FEB-06 |
| | FED-STD-795 | UNIFORM FEDERAL ACCESSIBILITY STANDARDS[CUST: CE YD 04] | A | FACR | / | HP | 01-APR-88 |
| | IAPMO-UPC | UNIFORM PLUMBING CODE[CUST: YD] | A | 45GP | | YD | 1988 |
| | AIM-BC1 | UNIFORM SYMBOLOGY SPECIFICATION CODE 39[CUST: SM SA 11 DH] [REVIEW: 13 70 71 84 99 AR AS AT CC CR CT DM EA EC GS IS MC MI MT OS PS SH SS TM YD] | A | PACK | | SM | 16-AUG-95 |
| | MIL-U-28946B | UNIFORM, WOMAN'S: WHITE; DRESS (OFFICER'S)[CUST: MC] | A | 8410 | | MC | 23-MAY-94 |
| | A-A-50011 NOT 1 | UNIFORM, WOMAN,TUNIC AND SLACKS, WHITE, FOOD HANDLER[CUST: GL NU 11 CT] [REVIEW: 99 MD] | A | 8410 | * | CT | 01-FEB-88 |
| | CSI-MP2.4 | UNIFORMAT- A UNIFORM CLASSIFICATION OF CONSTRUCTION SYSTEMS AND ASSEMBLIES[CUST: CE YD 04] | A | FACR | | YD | 1998 |
| | MIL-U-24217/15 NOT 1 | UNION PLUG ASSEMBLIES, RIGHT ANGLE[CUST: SH] | A | 5935 | | SH | 03-OCT-89 |
| | MIL-U-24217/14 NOT 1 | UNION PLUG ASSEMBLIES, STRAIGHT[CUST: SH] | A | 5935 | | SH | 03-OCT-89 |
| | SAE-MA2043 | UNION, BULKHEAD, FLARELESS TUBE, METRIC[CUST: AV] | A | 4730 | | AV | 15-JUN-87 |
| | SAE-AS1037 | UNION, FITTING, STANDARD AND REDUCER, BULKHEAD, FLARED[CUST: AV AS 99] [REVIEW: 11 71 CC CR4] | A | 4730 | | AS | JUL-84 |
| | SAE-MA2025 | UNION, FLARELESS NON-REDUCER, METRIC[CUST: AV] | A | 4730 | | AV | 15-JUN-87 |
| | SAE-AS21902 | UNION, FLARELESS TUBE[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | MAR-98 |
| | SAE-AS21924 | UNION, FLARELESS TUBE, BULKHEAD AND UNIVERSAL[CUST: AV AS 99] | A | 4730 | | AS | AUG-98 |
| | MS27071C | UNION, NIPPLE[CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH] | A | 4730 | | CC | 25-SEP-03 |
| | MS27624A | UNION, NIPPLE[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 29-SEP-00 |
| | MIL-DTL-18182F | UNION, PIPE, FORGED STEEL, THREADED, WATER-OIL-GAS (2,000, 3,000 AND 6,000 LB/IN2)[CUST: AT AS 99 CC] [REVIEW: 71 CE MC SA] | A | 4730 | | CC | 04-DEC-02 |
| | SAE-MA2058 | UNION, REDUCER/EXPANDER BULKHEAD, FLARELESS TUBE, METRIC[CUST: AV] | A | 4730 | | AV | 15-JUN-87 |
| D | SAE-AS1007 | UNION, STANDARD AND REDUCER, BULKHEAD, FLARELESS TUBE[CUST: AV AS 99] [REVIEW: 11 71 CC] | A | 4730 | | AS | 30-NOV-92 |
| | A-A-59617 | UNIONS, BRASS OR BRONZE, THREADED PIPE CONNECTIONS AND SOLDER-JOINT TUBE CONNECTIONS[CUST: CE SH 99 CC] [REVIEW: 71 CG MC SA] | A | 4730 | / | CC | 22-APR-02 |
| | ARI420 | UNIT COOLERS FOR REFRIGERATION[CUST: CR4 YD 99] | A | 4130 | | IS | 2000 |
| | MIL-STD-1323-313A NOT 1 | UNIT LOAD CARTRIDGE, 5.125 INCH, MK 214 MOD 0 NATO SEA GNAT RF SEDUCTION & MK 216 MOD 0 NATO SEA GNAT RF DISTRACTION IN PALLET ADAPTER, MK 144[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 21-APR-87 |
| | MIL-STD-1322-73 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT CARTRIDGE, CALIBER, .38 SPECIAL BALL, STEEL JACKETED WITH TRACER INAMMUNITION BOX M2A1[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 28-MAY-87 |
| | MIL-STD-1322-91 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT DOLLY, MISSLE TRANSFER, MK 30 MOD 0 ON SKID, TRANSPORT, DL, 6212586[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 11-JAN-88 |
| | MIL-STD-1322-114 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT AN/SSQ-110 SONOBUOY (IN SONOBOUY LAUNCH CONTAINER) PACKED IN 36 UNIT BAYONET PALLET DL #1458AS100[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 12-OCT-93 |
| | MIL-STD-1322-92 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FIRING DEVICE, ACOUSTIC, MK 35 MOD 0 IN CONTAINER, SHIPPING AND STORAGE, DL5178223[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 17-OCT-96 |
| | MIL-STD-1322-55 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT HAZARDOUS MATERIALS IN 55 GALLON STEEL DRUM PPP-D-729 TYPE IV[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 14-MAR-89 |
| | MIL-STD-1322-67 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 136 MOD 0 ADAPTER IN SMALL ARMS AMMO BOX M2A1[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 07-NOV-86 |
| | MIL-STD-1322-866 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 23 MODS JATO ROCKET MOTOR IN 16" POWDER TANK, MK 4 MODS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-APR-93 |
| | MIL-STD-1322-808 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 23 MODS JATO ROCKET MOTORS IN WOOD ADAPTER[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 30-APR-93 |
| | MIL-STD-1322-71 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 697 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 09-APR-85 |
| | MIL-STD-1322-900 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PRIMER MK 22 MODS O, 1, AND 2: PERCUSSION, FOR 40MM CARTRIDGE[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-SEP-93 |
| | MIL-STD-1322-109 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT STANDARD MR OR ER GUIDANCE SECTION IN CONTAINER MK 461 MOD O OR MOD 1[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 08-NOV-93 |
| | MIL-STD-1322-108 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT TASK "A" ASSY TEST CHARGES ON WOODEN SKID WITH COVER & END FRAME ASSY'S (8 OR 16-PACK UNIT LOADS)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 08-JUL-92 |
| | MIL-STD-1322-898 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, GUIDED MISSILE HIGH EXPLOSIVE WDU-33/B IN SHIPPING AND STORAGE CONTAINER CNU-545/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 02-JUN-93 |
| | MIL-STD-1322-104(1) | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, HE, WDU-36/B ON PALLET, MK 12 MOD 1[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 04-MAR-92 |
| | MIL-STD-1322-792 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, MK 103 MODS 0 AND 1 AND EXERCISE HEAD, MK 85 MODS 0, 1, 2, 3, 4 AND 6 IN CONTAINER, MK 301 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 17-NOV-88 |
| | MIL-STD-1322-46A | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS, GUIDED MISSILE, MK 40 MOD 0 AND WDU-25/B[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-AUG-93 |
| | MIL-STD-1323-149A(1) | UNIT LOAD FOR UNDERWAY REPLENISHMENT 16 INCH 50 CAL. H.C./H.E. PROJECTILE MK 13 AND MK 19 IN PALLET ADAPTER MK 88 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-MAY-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1323-326 | UNIT LOAD FOR UNDERWAY REPLENISHMENT 5" G.P. PROPELLING CHARGE MK 82 MOD 0 IN 5"/54 CARTRIDGE TANK MK 14 MOD 3 IN PALLET ADAPTER MK 16 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 17-MAR-87 |
| | MIL-STD-1323-383 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ADAPTER SILL ASSY MK 165 MOD 0 IN S/P/C/6212992[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-AUG-92 |
| | MIL-STD-1323-344 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AIRBOCS, AN/SLQ-3 CHAFF BUE ELECTRONIC BUOYS IN PALLET CRATE, CNU-313/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 11-JAN-88 |
| | MIL-STD-1323-220 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ARMING WIRE ASSEMBLY MK 9 MOD 0 IN CONTAINER MK 2 MOD 2[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 01-MAR-89 |
| | MIL-STD-1323-345 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, LITHIUM SULFUR DIOXIDE, AN/SLQ-44, AN/SLQ-45, BA 5391/SLQ OR BATTERY, LITHIUM THIONYL CHLORIDE, BA 6511/SLQ FOR OFFBOARD DECEPTION DEVICE (ODDS) IN PALLET ADAPTER, ADU-615/U[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 11-JAN-88 |
| | MIL-STD-1323-324 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, MERCURY MK 130 TYPE IN SMALL ARMS AMMUNITION BOX MK 1 M0D 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-SEP-85 |
| | MIL-STD-1323-299 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, MERCURY MK 131 TYPE IN CONTAINER DWG. 3268751[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-MAR-89 |
| | MIL-STD-1323-305 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BLU-80/B BALLONETTE IN CONTAINER, CNU-388/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 18-NOV-88 |
| | MIL-STD-1323-387 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, 2000 LB. BLU-109-A/B (THERMALLY PROTECTED) IN PALLET, BOMB, S/S, MHU-212/E (DWG # 3336AS100)[Military Standard][CUST: OS] | A | 8140 | | OS | 25-NOV-92 |
| | MIL-STD-1323-239A NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE, 500 LB MK 82 MOD 2 (THER. PROTECT.) & BOMB, BDU-45/B, INSERT LOAD. (THER. PROTECT) ON PALL., LOAD. & STOR., MHU-122/E DL 623AS100[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 08-OCT-85 |
| | MIL-STD-1323-393 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 1000 LB MK 83 MOD 5 AND BLU-110 A/B (THERMALLY PROTECTED) ON PALLET, BOMB, LOADING AND STORAGE, MHU-187 A/E (ADL145AS200)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 27-JUL-93 |
| | MIL-STD-1323-308C | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 1000 LB MK 83 MOD 5 AND BLU-110 A/B (THERMALLY PROTECTED) ON PALLET, BOMB, LOADING AND STORAGE, MHU-187/E (ADL145AS100)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 12-JAN-94 |
| | MIL-STD-1323-127A | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 2000 LB MK 84 MODS 2, 4, AND 7 IN UNIT LOAD ADAPTER, MK 79 MOD 0[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 23-DEC-93 |
| | MIL-STD-1323-205(1) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 500 POUND MK 82 AND MODS AND BDU-45/B INERT LOAD (UNCOATED) ON PALLET, LOADING AND STORAGE, MHU-122/E DL 623AS100[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-221 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE BDU-48/B[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 01-MAR-89 |
| | MIL-STD-1323-217(1) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE MK 76 MODS 5 AND 7[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-300(1) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE MK 76 MODS 5 AND 7 BULK PACK IN WIREBOUND PALLET BOX ON METAL PALLET MK 3 MOD 0[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-356B | UNIT LOAD FOR UNDERWAY REPLENISHMENT CANISTER, ADAPTER ASSEMBLY, MK 18 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 29-JUL-92 |
| | MIL-STD-1323-92A | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20 MM, M90 SERIES BELTED WITH M8 OR M10 LINKS IN 20 MM AMMUNITION BOX, MK3 MODS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-FEB-85 |
| | MIL-STD-1323-187(1) | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20MM, M50 SERIES BELTED WITH MK 7 OR M-14 LINKS IN CONTAINER, M548[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 08-JAN-91 |
| | MIL-STD-1323-315(1) | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25 MM, PGU-25/U(LOOSE) IN CLEATED WOODEN BOX[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 20-MAR-86 |
| | MIL-STD-1323-1A | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 3-INCH/50 IN TANK, MK 5 AND MODS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 12-JUL-92 |
| | MIL-STD-1323-201(2) | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 5.125 INCH, MK 186 (TORCH) IN PALLET ADAPTER, MK 144[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 03-DEC-90 |
| | MIL-STD-1323-298C NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 5.125-INCH, MK 182 (SUPER RBOC) CARTRIDGE, 5.125-INCH, PRACTICE MK 193[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-193 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 7.62 MM (LINKED) IN M19A1 BOXES OVERPACKED IN WIREBOUND BOX[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-192 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 7.62 MM, BALL, M80 (IN CLIPS) IN M2A1 BOXES OVERPACKED IN WIREBOUND BOX[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-263 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 76MM/62 CAL OR CHARGE, CLEARING, 76MM/62 CAL IN PALLET ADAPTER MK 121 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-370 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, COUNTERMEASURES, PRACTICE, MK 229 MOD 0 CARTRIDGE, COUNTERMEASURES, 5.125 INCH, DUMMY, MK 232 MOD 0 IN PALLET ADAPTER, MK 144[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 11-FEB-91 |
| | MIL-STD-1323-159(1) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, SIGNAL, PRACTICE BOMB, MK 4 MOD 3 OR CXU-3A/B IN BOX, AMMUNITION M2A1[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 29-APR-87 |
| | MIL-STD-1323-5 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARDG, PROPELLING, 5-INCH/54 IN PALLET ADAPTER, MK 16 MOD O[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 08-MAY-87 |
| | MIL-STD-1323-309 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16 INCH/50, REDUCED IN POWDER TANK MK 8 MOD 0 ON WOODEN PALLET ADAPTER[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-OCT-85 |
| | MIL-STD-1323-331 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16"/50, REDUCED IN 16" POWDER TANK MK 4 & MODS & MK 3 MOD 2 ON PALLET ADAPTER, MK 87 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 20-MAR-86 |
| | MIL-STD-1323-151 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16/50 INCH, REDUCED, IN POWDER TANK MK 8 MOD 0 ON PALLET ADAPTER MK 86 MOD O[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-OCT-85 |
| | MIL-STD-1323-96(1) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, SPOTTING, CXU-4/B IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-AUG-87 |
| | MIL-STD-1323-301 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT DETECTING DEVICE, TARGET MK 57 TYPE IN CONTAINER DRAWING 3268751[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-MAR-89 |
| | MIL-STD-1323-268A | UNIT LOAD FOR UNDERWAY REPLENISHMENT DISPENSER AND BOMB, AIRCRAFT MK 20 AND MODS, CBU-100/B, -100A/B, -99/B, -99A/B (ROCKEYE) AND CBU-78/B, -78A/B (GATOR) IN CONTAINER, CNU-238/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 17-JUN-93 |
| | MIL-STD-1323-262 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY BOMB, MAU-91A/B (SNAKEYE)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-388 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIZE, FMU-143E/B IN PA60 CONTAINER[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-MAY-93 |
| | MIL-STD-1323-284 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY, MJU-2/B IN CONTAINER DL 2816244[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-MAR-89 |
| | MIL-STD-1323-355 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLEET ISSUE UNIT LOAD MK 164 FLIGHT GEAR KIT[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-DEC-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1323-325 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR KIT IN CONTAINER DWG.5561732 & PALLET ADAPTER MK 103 MOD 0 FOR DESTRUCTOR MK 40 OR QUICKSTRIKE MK 63[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-SEP-85 |
| | MIL-STD-1323-411 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDANCE SETS (KMU-556/B, KMU-557/B, KMU-558/B OR KMU-559/B) IN SHIPPING AND STORAGE CONTAINER, CNU-589/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 23-APR-97 |
| | MIL-STD-1323-297 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE BGM-71A-1 (TOW) OR BTM-71C (INERT) IN ADAPTER ADU-486/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-347 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CNU-399/E OR CNU-472/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 09-JAN-90 |
| | MIL-STD-1323-359 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CNU-447/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 06-MAY-91 |
| | MIL-STD-1323-169 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AIM-9G, 9H, IN CRADLE MK 16 MOD 0 OR AIM-9G, 9H, 9L, IN CONTAINER, CNU-287/E W/O WINGS AND FINS (SIDEWINDER)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-303 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT KIT, CONVERSION, BOMB/MINE EXERCISE AND TRAINING MK 131 TYPE IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-MAR-89 |
| | MIL-STD-1323-304 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT KIT, CONVERSION, BOMB/MINE MK 130 MOD 0 IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-MAR-89 |
| | MIL-STD-1323-54A | UNIT LOAD FOR UNDERWAY REPLENISHMENT MARKER, LOCATION, MARINE MK 25 MODS 3 & 4 IN CONTAINER LD 615124[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-SEP-85 |
| | MIL-STD-1323-29 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MISSILE BOOSTER FINS IN MK 205 MOD O CONTAINER[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 10-DEC-85 |
| | MIL-STD-1323-319 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 160 FLIGHT GEAR KIT[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 06-NOV-89 |
| | MIL-STD-1323-251 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 52/55 MINE ACTUATION DUMMY FLIGHT GEAR SUB ASSEMBLY IN CONTAINER MK 662 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 07-MAY-87 |
| | MIL-STD-1323-395 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 87 MOD O OR MK 89 MOD O EOD CHARGES IN AMMUNITION BOX, MK 1 MOD O[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 26-AUG-93 |
| | MIL-STD-1323-376 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MORTAR, 81MM, M819, OR M85381 IN PA157 CONTAINER[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 02-DEC-91 |
| | MIL-STD-1323-377 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MORTAR, 81MM, M984, M983, OR M879 INPA156 CONTAINER[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 02-DEC-91 |
| | MIL-STD-1323-404 | UNIT LOAD FOR UNDERWAY REPLENISHMENT NULKA ELECTRONIC DECOY CARTRIDGE (EDC) MK 234 MODS 0 AND 1 IN CONTAINER, SHIPPING AND STORAGE, MK 779 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-MAY-97 |
| | MIL-STD-1323-340 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PACK. PARACHUTE. UMN. MK 36 OR PACK PARACHUTE. SUBASSEMBLY FOR MINE MK 55 IN CONTAINER. SHIPPING. DL 5990532[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-APR-89 |
| | MIL-STD-1323-6 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5"/54, WITH METAL ROTATING BAND IN PALLET ADAPTER MK 11 & MODS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 27-JUN-91 |
| | MIL-STD-1323-4 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5/38 IN PALLET ADAPTER MK 11 AND MODS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-306(2) NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROPULSION SECTION WPU-5/B (SKIPPER) IN CONTAINER CNU-248/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 18-JAN-89 |
| | MIL-STD-1323-320A | UNIT LOAD FOR UNDERWAY REPLENISHMENT RETARDER, INFLATABLE, AIR BSU-85/B IN SHIPPING AND STORAGE CONTAINER, FIN CNU-419/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 18-NOV-88 |
| | MIL-STD-1323-379 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ROCKET MOTOR, MK 125 MOD 2 (RATO) IN CONTAINER CNU-543/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-AUG-92 |
| | MIL-STD-1323-174 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ROCKETS MK 4, MK 40, OR MK 66 AND ROCKET MOTOR MK 66 IN ROCKET LAUNCHERS LAU-61C/A OR LAU-68D/A IN PALLET, LOADING AND STORAGE, MHU-108/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 07-MAR-86 |
| | MIL-STD-1323-365 | UNIT LOAD FOR UNDERWAY REPLENISHMENT RR-182/AL (CHAFF HEAD), AN/ALQ-190(V)1 SET OR AN/SLQ-39 (CHAFF BUOY) IN CNU-438(V)/E CONTAINER IN PALLET ADAPTER, ADU-702/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 05-MAR-91 |
| | MIL-STD-1323-98C | UNIT LOAD FOR UNDERWAY REPLENISHMENT SONOBUOYS, IN PALLET CRATE, CNU-313/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 11-JAN-88 |
| | MIL-STD-1323-219 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT SPACER ASSEMBLY FOR MARINE LOCATION MARKER MK 25 AND MODS OR UNDERWATER SOUND SIGNAL MK 84 AND MODS[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-381A | UNIT LOAD FOR UNDERWAY REPLENISHMENT TACTICAL AIR-LAUNCHED DECOY (TALD) IN CONTAINER, CNU-536/E OR TACTICAL AIR-LAUNCHED DECOY (TALD) / IMPROVED TACTICAL AIR-LAUNCHED DECOY (ITALD) IN CONTAINER, CNU-536A/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-APR-97 |
| | MIL-STD-1323-229 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT TAIL SECTION MK 11 MOD 0 FOR MK 41 DESTRUCTOR IN CONTAINER DL5177769 IN MK 154 MOD 0 PALLET ADAPTER[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-241 | UNIT LOAD FOR UNDERWAY REPLENISHMENT TORPEDO MK 44 AND MK 46 ASSEMBLIES IN CONTAINER MK 197 MOD 1[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 27-JUN-91 |
| | MIL-STD-1323-273 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT TORPEDO MK 46 & MODS ASSEMBLIES 1N CONTAINER MK 535 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 04-MAY-87 |
| | MIL-STD-1323-33(2) NOT 3 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, ROCKET, 5 INCH, MK 24, MK 32, MK 34, AND MODS (ZUNI) IN PALLET ADAPTER MK 11 AND MODS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-18 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, ROCKET, 5-INCH, MK 6, MK 25, MK 29 AND MODS IN PALLET ADAPTER MK 11 AND MODS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-MAR-91 |
| | MIL-STD-1323-95 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WING ASSEMBLY, MK 9 MOD 0 AND FIN ASSEMBLY, MK 23 MOD 1 (WALLEYE I ERDL) IN CONTAINER, CNU-306/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 27-JUN-91 |
| | MIL-STD-1323-364 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WINGS AND CONTROL SURFACES (AMRAAM) IN CONTAINER, SHIPPING AND STORAGE CNU-452/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 01-MAY-91 |
| | MIL-STD-1323-212 | UNIT LOAD FOR UNDERWAYREPLENISHMENT 2.75" ROCKET/ROCKET MOTOR MK 4MK 40 AND MODS AND MK66 MOD 2 IN CLEATED WOODEN B0X[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 07-MAR-86 |
| | MIL-STD-1322-1000 NOT 1 | UNIT LOADS FOR DOMESTIC AND OVERSEAS SHIPMENT TYPICAL LOADS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-MAR-89 |
| | MIL-STD-1322A NOT 4 | UNIT LOADS OF AMMUNITION AND EXPLOSIVES FOR DOMESTIC AND OVERSEAS SHIPMENT[Standard Practice][CUST: OS] [REVIEW: AS GS MC SA] | A | 8140 | | OS | 19-MAR-86 |
| A | MIL-STD-1323(1) | UNIT LOADS OF AMMUNITION AND EXPLOSIVES FOR UNDERWAY REPLENISHMENT[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-84 |
| | MIL-DTL-15024/2A | UNIT OR PLUG-IN ASSEMBLY IDENTIFICATION PLATE[CUST: AS 99] [REVIEW: 11 84] | A | 9905 | | AS | 27-MAR-98 |
| | ARI210/240 | UNITARY AIR-CONDITIONING AND AIR-SOURCE HEAT, PUMP EQUIPMENT, STANDARD FOR[CUST: YD 99] [REVIEW: 82 CE GS MC] | A | 4120 | | IS | 28-JAN-92 |
| | MIL-STD-6040 NOT 1 | UNITED STATES MESSAGE TEXT FORMATTING PROGRAM[Interface Standard][CUST: CR1 NM 93 DI] [REVIEW: MC MP NS] | A | INST | | DC2 | 06-NOV-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-32076 | UNITIZATION OF AMMUNITION[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 01-DEC-00 |
| | ASTM-F1332 | UNITS (METRIC) USE OF SI, IN MARITIME APPLICATIONS (COMMITTEE F-25 SUPPLEMENT TO E380)[CUST: SH] | A | 1990 | | SH | 15-AUG-93 |
| | ADA47 | UNITS, DENTAL[CUST: MD MS 03 MB] | A | 6520 | | MB | 21-APR-83 |
| | ARI520 | UNITS, POSITIVE DISPLACEMENT CONDENSING[CUST: CR4 YD 99] [REVIEW: 84 CE GS MC MS] | A | 4130 | | IS | 1997 |
| | ISO1000 | UNITS, SI AND RECOMMENDATIONS FOR THE USE OF THEIR MULTIPLES AND OF CERTAIN OTHER UNITS[CUST: AR SH 01] | A | MISC | | AR | 01-NOV-92 |
| | ARI365 | UNITS, UNITARY AIR-CONDITIONING CONDENSING, COMMERCIAL AND INDUSTRIAL[CUST: CR4 YD 99] | A | 4130 | | IS | 03-OCT-94 |
| | MIL-U-20625A(2) | UNIVERSAL JOINT, BLOCK TYPE, MECHANICAL REMOTE CONTROL SYSTEM[CUST: SH] [REVIEW: AT CC] | A | 3010 | | SH | 12-MAY-59 |
| | QSTAG-1044 ED.1 | UNMASKING AND UNDRESSING DRILLS FOR ENTERING PERSONNEL DECONTAMINATION STATIONS[CUST: AI] | C | ISDA | | AI | 17-DEC-96 |
| | DI-MISC-81368 | UNOFFICIAL TRAVEL REPORTS [AMSC: F6966] | A | MISC | | 10 | 03-SEP-93 |
| | DI-MISC-80576 | UNSATISFACTORY MATERIAL REPORT (SUBSISTENCE) [AMSC: F4394] | A | MISC | | 33 | 22-APR-88 |
| | MIL-U-70457 NOT 3 | URANIUM TETRAFLUORIDE (UF4), DEPLETED[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 02-DEC-96 |
| | MIL-PRF-89035A NOT 1 | URBAN VECTOR MAP (UVMAP)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | A-A-30181A | URINAL INCONTINENT[CUST: MD MS 03] | A | 6530 | * | MB | 15-JUL-92 |
| | A-A-30182 | URINAL, INCONTINENT (EXTERNAL CATHETER)[CUST: MD MS 03] | A | 6530 | * | MB | 30-APR-92 |
| | A-A-50844A | URINAL, MALE PATIENT CORROSION-RESISTING STEEL[CUST: MD MS 03] | A | 6530 | / | MB | 24-MAR-89 |
| | A-A-51108 | URINE SUGAR TEST TABLETS[CUST: MD MS 03] | A | 6550 | / | MB | 26-NOV-85 |
| | A-A-50808 | URINOMETER, SQUIBB & MICRO[CUST: MD MS 03] | A | 6630 | * | MB | 05-AUG-81 |
| | A-A-59191 | URN, COFFEE, SINGLE AND TWIN, AUTOMATIC, ELECTRIC (NAVAL SHIPBOARD)[CUST: GL SH] | A | 7310 | / | SH | 12-MAY-98 |
| | DI-MGMT-80791 | US AIR FORCE (USAF) - OWNED AVIATION FUEL STOCK REPORT [AMSC: F4670] | A | MGMT | | 10 | 09-MAR-89 |
| | ITOP-3.2.075 | US ARMY TEST AND EVALUATION COMMAND INTERNATIONAL TEST OPERATIONS PROCEDURE "SECONDARY ARMAMENT, VEHICLE-MOUNTED" | D | ISDA | | TE | 07-MAR-85 |
| | STANAG-1238 ED.4 | USE OF COMMERCIAL OR MILITARY SUBMERSIBLES FOR SUBMARINE RESCUE WORK | C | ISDN | | NI | 31-OCT-00 |
| | STANAG-7078 ED.1(2) | USE OF HELICOPTER EMERGENCY UNDERWATER BREATHING APPARATUS (HEUBA) | C | ISDF | | 06 | 12-SEP-97 |
| | ATP-49 1C | USE OF HELICOPTERS IN LAND OPERATIONS - VOLUME 1 | C | ISDA | | AI | 01-MAR-00 |
| | ATP-49 2C | USE OF HELICOPTERS IN LAND OPERATIONS - VOLUME 2 | C | ISDA | | AI | 01-MAR-00 |
| | STANAG-2999 ED.5 | USE OF HELICOPTERS IN LAND OPERATIONS -DOCTRINE - ATP-49(C) VOLUME I | C | ISDA | | AI | 01-APR-03 |
| | STANAG-2487 ED.3 | USE OF HELICOPTERS IN LAND OPERATIONS -TACTICS, TECHNIQUES AND PROCEDURES - ATP-49(C), VOLUME II | C | ISDA | | AI | 01-APR-03 |
| | STANAG-2205 ED.4(3) | USE OF IDENTICAL MAPS AND CHARTS (EXCLUDING NAUTICAL CHARTS) | C | ISDF | | 06 | 13-OCT-88 |
| | QSTAG-542 | USE OF IDENTICAL MAPS BY ABCA ARMED FORCES OPERATING ON LAND (BASED ON NATO STANAG 2205[CUST: AI] | C | ISDA | | AI | 18-JUN-84 |
| | DI-TMSS-81515 | USER'S MANUAL FOR GAS TURBINE ENGINE STEADY STATE AND TRANSIENT PERFORMANCE DIGITAL COMPUTER PROGRAM [AMSC: F7191] | A | TMSS | | 11 | 15-JUL-96 |
| | DI-IPSC-81490 | USERS MANUAL FOR GAS TURBINE ENGINE STEADY STATE AND TRANSIENT PERFORMANCE DIGITAL COMPUTER PROGRAM [AMSC: F7158] | A | IPSC | | 10 | 31-JUL-95 |
| | MIL-DTL-85097E(1) SUP 1 | USN/USMC PROPELLANT ACTUATED DEVICES (PADS), GENERAL SPECIFICATION FOR[CUST: OS] | A | 1377 | | OS | 02-JUL-01 |
| | A-A-52204 | UTENSILS, COOKING, CORROSION-RESISTING STEEL[CUST: GL SA 99] [REVIEW: 35 84 CG MC MD1 QM1] | A | 73GP | * | GL | 24-JUN-96 |
| | STANAG-4089 ED.4 | UTILISATION OF SPECIFIED RANGE TARGETS FOR DIRECT FIRE ANTI-ARMOUR AMMUNITION TESTS | C | ISDA | | AI | 06-DEC-99 |
| | DI-MISC-80279A | UTILITIES OUTAGE AND STATUS REPORT [AMSC: F4752] | A | MISC | | 33 | 13-JUN-89 |
| | AGEOP-6 | UTM/UPS STANDARD RASTER PRODUCT (USRP) | C | ISDA | | AI | 16-JUN-98 |
| | MS35689A NOT 1 | V-BEARING (SPRING LOADED)[CUST: AR MC GS4] [REVIEW: AT] | A | 3120 | | GS4 | 14-MAR-03 |
| | RMA-IP20 | V-BELT AND SHEAVES, CLASSICAL, SPECIFICATION FOR DRIVES USING[CUST: AT] | A | 3030 | | AT | 15-OCT-90 |
| | RMA-IP3.3 | V-BELT, STATIC CONDUCTIVE[CUST: AT] | A | 3030 | | AT | 15-FEB-90 |
| | SAE-J636 | V-BELTS AND PULLEYS[CUST: AT CC] | A | 3030 | | CC | 15-FEB-90 |
| | SAE-AS24563 | V-COUPLING, FLANGE PROFILES, DESIGN STANDARD[CUST: AS 99 IS] | A | 5340 | | IS | APR-99 |
| | PIA-PS70115 | V-RING PARACHUTE EXTRACTION BAG AERIAL DELIVERY[CUST: GL AS 99 IS] [REVIEW: 11 71 AV MC] | A | 1670 | | GS1 | 07-JAN-98 |
| | MIL-STD-662F | V50 BALLISTIC TEST FOR ARMOR[Military Standard][CUST: MR MC 11] [REVIEW: 03 AR AT AV CT GL IE TE] | A | 8470 | | MR | 18-DEC-97 |
| | QSTAG-292 ED.2(2) | VACCINATION OF ARMED FORCES[CUST: AI] | C | ISDA | | AI | 05-DEC-84 |
| | STANAG-2037 ED.6(2) | VACCINATION OF NATO FORCES | C | ISDA | | AI | 25-NOV-88 |
| | ASSE1020 | VACUUM BREAKER ASSEMBLY, PRESSURE, PERFORMANCE STANDARD FOR[CUST: YD] | A | 4510 | | IS | 12-APR-90 |
| | A-A-54937 | VACUUM CLEANER, PLASTER[CUST: MD MS 03] | A | 6515 | / | MB | 25-JAN-94 |
| | UL1017 | VACUUM CLEANING MACHINES AND BLOWER CLEANERS[CUST: GL SH 99] | A | 7910 | | SH | 31-JAN-92 |
| | ASTM-D3272 | VACUUM DISTILLATION OF SOLVENTS FROM SOLVENT-REDUCIBLE PAINTS FOR ANALYSIS[CUST: MR SH] [REVIEW: AS CG CR CR4 OS YD] | A | 8010 | | MR | 29-OCT-76 |
| | A-A-59423 | VACUUM INTERFACE VALVE FOR SHIPBOARD USE[CUST: SH] | A | 4510 | / | SH | 21-MAY-99 |
| | A-A-54712 | VACUUM PUMP, ROTARY, POWER DRIVEN, SMALL[CUST: MD MS 03] | A | 4310 | / | MB | 31-JUL-92 |
| | MIL-V-18683A(1) | VACUUM PUMPS, POWER DRIVEN, CENTRIFUGAL PUMP PRIMING SERVICE NAVAL SHIPBOARD[CUST: SH] | A | 4310 | | SH | 10-JUN-86 |
| | DI-CMAN-80792A | VALIDATION REPORT [AMSC: A6653] | A | SESS | | AM | 21-JUN-91 |
| | DI-MISC-81258A | VALUE ENGINEERING PROGRAM PLAN [AMSC: A6725] | A | MISC | | AM | 15-NOV-96 |
| | DI-MISC-81260A | VALUE ENGINEERING PROGRAM STATUS REPORT [AMSC: A6727] | A | MISC | | AM | 15-NOV-96 |
| | DI-MISC-81259A | VALUE ENGINEERING STUDY PROPOSAL [AMSC: A6726] | A | MISC | | AM | 15-NOV-96 |
| | AWWA-C500 | VALUE, GATE, 3 THROUGH 48 IN. NPS, FOR WATER & SEWAGE SYSTEM[CUST: CR4 YD 99] | A | 4820 | | CC | 11-JUL-89 |
| | MS18014 | VALVE - PRESSURE EQUALIZING[CUST: OS] [REVIEW: CC MI] | A | 4820 | | OS | 23-JAN-63 |
| | DOD-V-24657 NOT 1 | VALVE ACTUATOR, DIRECT COUPLED, GEAR DRIVEN ELECTRICALLY POWERED FOR NAVAL SHIPBOARD PROPULSION AND AUXILIARY SYSTEMS (METRIC)[CUST: SH] | A | 4810 | | SH | 19-APR-91 |
| | MIL-DTL-62547C | VALVE AND CYLINDER ASSEMBLIES, HALON 1301[CUST: AT] | A | 4210 | | AT | 30-SEP-98 |
| | QPL-24695-2 | VALVE AND HOSE ASSEMBLY, VENT AND TEST HYDRAULIC SERVICE | A | 4810 | | SH | 10-MAY-96 |
| | MIL-V-24722 | VALVE AND SUBPLATE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC, GENERAL SPECIFICATION FOR[CUST: SH] | A | 4810 | | SH | 15-JUN-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-7560-18(1) | VALVE ASSEMBLY, OXYGEN CYLINDER, BAILOUT | A | 1660 | | 71 | 11-FEB-04 |
| | A-A-52502A | VALVE ASSEMBLY, POPPET, HULL DRAIN-VEHICULAR, 3 INCH[CUST: AT] [REVIEW: CC] | A | 2590 | / | AT | 16-JAN-98 |
| | MIL-PRF-23256C | VALVE ASSEMBLY, SEAL[CUST: AV AS 99] [REVIEW: CC MC] | A | 4820 | | AS | 24-MAR-98 |
| | UL842 | VALVE FOR FLAMMABLE FLUIDS[CUST: YD] [REVIEW: 71 CE MC] | A | 4820 | | CC | 30-APR-97 |
| | A-A-54985 | VALVE KIT, OXYGEN, POSITIVE END EXPIRATORY PRESSURE[CUST: MD MS 03] | A | 6530 | / | MB | 16-DEC-94 |
| | MIL-V-24272B(1) | VALVE MANIFOLD, HIGH PRESSURE GAS REDUCING[CUST: SH] | A | 4820 | | SH | 24-APR-95 |
| | MIL-V-24658 NOT 1 | VALVE MANIFOLDS, QUIET DESIGN, HIGH PRESSURE GAS REDUCING[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 19-APR-91 |
| | MIL-PRF-32034 | VALVE PACKING MATERIAL, NON-ASBESTOS[CUST: SH] | A | 5330 | | SH | 28-OCT-98 |
| | MS27436B | VALVE SPECIAL, AIRCRAFT WHEEL[CUST: AV AS 99] [REVIEW: GS1] | A | 2640 | | 70 | 27-MAY-85 |
| | MS51607B NOT 2 | VALVE STEM, PURGING (WITH FILTER)[CUST: AR] [REVIEW: AT] | A | 1240 | | AR | 02-DEC-96 |
| | MIL-V-24642 NOT 1 | VALVE, 2-INCH NPS, AUXILIARY TURBINE OVERSPEED TRIP, SOLENOID ACTIVATED[CUST: SH] | A | 4810 | | SH | 19-APR-91 |
| | MIL-V-29592 | VALVE, AIR VENT, AUTOMATIC, HYDRAULIC, LOW PRESSURE TYPE II SYSTEMS, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 04-JAN-93 |
| | MIL-V-29592/1 | VALVE, AIR VENT, AUTOMATIC, LOW PRESSURE, MANIFOLD MOUNT[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 04-JAN-93 |
| | MIL-V-85402 | VALVE, AIR, DUAL, PYROTECHNIC ACTUATED FZU-43/B[CUST: AS] | A | 1336 | | AS | 14-NOV-80 |
| | MIL-V-24332(2) | VALVE, ANGLE RELIEF, FOR LIQUID SERVICE (NAVAL SHIPBOARD[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 06-FEB-74 |
| | MIL-V-20065D(3) | VALVE, ANGLE, PRESSURE RELIEF, NAVAL SHIPBOARD, FOR STEAM SERVICE[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 14-MAR-72 |
| | MIL-V-22549D(1) | VALVE, ANGLE, RELIEF, FOR GAS AND OXYGEN SERVICE (SIZES 2 INCHES LPS AND BELOW), NAVAL SHIPBOARD[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 13-APR-77 |
| | MIL-V-22682A(2) | VALVE, ASTERN (FOR SHIPBOARD USE)[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 15-AUG-63 |
| | MIL-V-22687C(1) | VALVE, BALL, NAVAL SHIPBOARD, FOR AIR, NITROGEN, HELIUM OR HYDRAULIC SERVICE (SIZE 2 1/2 INCHES IPS AND BELOW)[CUST: SH] | A | 4820 | | SH | 31-OCT-89 |
| | MIL-V-24624(1) | VALVE, BUTTERFLY, WAFER & LUG STYLE, SHIPBOARD SERVICE[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 13-FEB-84 |
| | MIL-PRF-62671A NOT 1 | VALVE, BYPASS, FUEL, MECHANICAL[CUST: AT] | A | 4820 | | AT | 15-APR-04 |
| | QPL-7899-20 | VALVE, CHECK, AIRCRAFT FUEL SYSTEM | A | 4820 | | 71 | 20-MAY-05 |
| A | MS28050B | VALVE, CHECK, LOW PRESSURE, INTERNAL THREADS[CUST: AS 99 CC] [REVIEW: 70 71 MC SA] | A | 4820 | | CC | 14-SEP-05 |
| | MIL-V-6129A | VALVE, CHECK, VACUUM AND PRESSURE SYSTEM[CUST: 99 CC] | A | 4820 | | CC | 15-JUN-64 |
| | QPL-23953-11 | VALVE, COMBINED VENT CHECK FOR SUBMARINE MBT BLOW LINES | A | 4820 | | SH | 10-MAY-96 |
| | MIL-V-17360E | VALVE, CYLINDER, GAS, CARBON DIOXIDE FIRE EXTINGUISHER[CUST: CR4 SH 99] [REVIEW: 84 CC CE MC YD] | A | 4210 | | SH | 19-MAR-87 |
| | MIL-DTL-2/47B | VALVE, CYLINDER, GAS: AIR FOR HUMAN RESPIRATION, OUTLET 950 (PIN-INDEX), MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/17E | VALVE, CYLINDER, GAS: CARBON DIOXIDE, OUTLET 940 (PIN-INDEX), MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| D | MIL-DTL-2/19D | VALVE, CYLINDER, GAS: ETHYLENE OXIDE-CARBON DIOXIDE MIXTURE, OUTLET 350 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/72A | VALVE, CYLINDER, GAS: FLUORINATING COMPOUND MIXTURES, OUTLET 670 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/26D | VALVE, CYLINDER, GAS: HELIUM AND NITROGEN (INERT-OIL TOLERANT), OUTLET 590 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/57A | VALVE, CYLINDER, GAS: HELIUM AND NITROGEN (INERT-OIL TOLERANT), OUTLET 621 (PRESSURES 3001 THROUGH 5500 PSIG (20690 THROUGH 37900 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/70A | VALVE, CYLINDER, GAS: HIGH PRESSURE, FLAMMABLE OR TOXIC MIXTURES, OUTLET 350 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/74A | VALVE, CYLINDER, GAS: LOW PRESSURE, TOXIC AND OXIDIZING MIXTURES, OUTLET 660 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/66A | VALVE, CYLINDER, GAS: MILDLY OXIDIZING MIXTURES (5 TO 23 PERCENT OXYGEN), OUTLET 590 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/38E | VALVE, CYLINDER, GAS: NITROUS OXIDE, OUTLET 910 (PIN-INDEX), MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/3D | VALVE, CYLINDER, GAS: ACETYLENE, OUTLET 200 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/1E | VALVE, CYLINDER, GAS: ACETYLENE, OUTLET 510, INLET 0.75 INCH (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/2E | VALVE, CYLINDER, GAS: ACETYLENE, OUTLET 510, INLET 1.00 INCH (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/5D | VALVE, CYLINDER, GAS: AIR FOR HUMAN RESPIRATION, OUTLET 346 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/48B | VALVE, CYLINDER, GAS: AIR FOR HUMAN RESPIRATION, OUTLET 346, MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/59A | VALVE, CYLINDER, GAS: AIR, OUTLET 347 (PRESSURES 3001 THROUGH 5500 PSIG (20690 THROUGH 37900 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/6D | VALVE, CYLINDER, GAS: AIR, OUTLET 590, OIL TOLERANT, INDUSTRIAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/8D | VALVE, CYLINDER, GAS: ANHYDROUS AMMONIA (CONVEX-HEAD CYLINDER), OUTLET 240, INLET 0.75 INCH (PRESSURES UP THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/10D | VALVE, CYLINDER, GAS: ANHYDROUS AMMONIA (CONVEX-HEAD CYLINDER), OUTLET 240, INLET 1.00 INCH (PRESSURES UP THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/9D | VALVE, CYLINDER, GAS: ANHYDROUS AMMONIA (DISHED-HEAD CYLINDER), OUTLET 240, INLET 1.00 INCH (PRESSURES UP THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-2/7D | VALVE, CYLINDER, GAS: ANHYDROUS AMMONIA (DISHED-HEAD CYLINDER), OUTLET 240, INLET 0.75 INCH (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/11D | VALVE, CYLINDER, GAS: ARGON, HELIUM, NITROGEN, NEON, AND XENON (INERT-OIL FREE), OUTLET 580 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/51B | VALVE, CYLINDER, GAS: ARGON, HELIUM, NITROGEN, NEON, XENON, AND KRYPTON (INERT-OIL FREE), OUTLET 677 (PRESSURES 5501 THROUGH 7500 PSIG (38000 THROUGH 51700 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/56A | VALVE, CYLINDER, GAS: ARGON, HELIUM, NITROGEN, NEON, XENON, AND KRYPTON (INERT-OIL FREE), OUTLET 680 (PRESSURES 3001 THROUGH 5500 PSIG (20690 THROUGH 37900 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/58A | VALVE, CYLINDER, GAS: ARGON, HELIUM, NITROGEN, NEON, XENON, AND KRYPTON (INERT-OIL FREE), OUTLET 677 (PRESSURES 5501 THROUGH 7500 PSIG (38000 THROUGH 51700 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/14E | VALVE, CYLINDER, GAS: BUTANE, PROPANE, BUTANE-PROPANE MIXTURE, MAPP GAS, AND PROPYLENE (MAXIMUM 100 POUND NOMINAL CAPACITY CYLINDER), OUTLET 510 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/44D | VALVE, CYLINDER, GAS: BUTANE, PROPANE, BUTANE-PROPANE MIXTURE, MAPP, AND PROPYLENE (MAXIMUM 200 POUND NOMINAL CAPACITY CYLINDER), OUTLET 510 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/15D | VALVE, CYLINDER, GAS: CARBON DIOXIDE, OUTLET 320, INDUSTRIAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/16D | VALVE, CYLINDER, GAS: CARBON DIOXIDE, OUTLET 320, MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/18D | VALVE, CYLINDER, GAS: CARBON MONOXIDE, OUTLET 350 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/21D | VALVE, CYLINDER, GAS: CHLORINE (TON CONTAINER), OUTLET 820 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/20D | VALVE, CYLINDER, GAS: CHLORINE, OUTLET 820 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/69A | VALVE, CYLINDER, GAS: CORROSIVE (ACIDIC) MIXTURES, OUTLET 330 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/73A | VALVE, CYLINDER, GAS: CORROSIVE (BASIC) MIXTURES, OUTLET 705 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/49B | VALVE, CYLINDER, GAS: CYCLOPROPANE, OUTLET 920 (PIN-INDEX), MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/23D | VALVE, CYLINDER, GAS: ETHYL CHLORIDE, OUTLET 300 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/24D | VALVE, CYLINDER, GAS: ETHYLENE OXIDE, OUTLET 510 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/52A | VALVE, CYLINDER, GAS: HALON FIRE FIGHTING MATERIALS, OUTLET 660 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/53A | VALVE, CYLINDER, GAS: HEXAFLUOROETHANE, OUTLET 660 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/71A | VALVE, CYLINDER, GAS: HIGH PRESSURE, TOXIC AND OXIDIZING MIXTURES, OUTLET 660 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/64A | VALVE, CYLINDER, GAS: HYDROGEN CHLORIDE, OUTLET 330 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/65A | VALVE, CYLINDER, GAS: HYDROGEN SULFIDE, OUTLET 330 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/29D | VALVE, CYLINDER, GAS: HYDROGEN, OUTLET 350 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/68A | VALVE, CYLINDER, GAS: INERT-OIL FREE MIXTURES, OUTLET 580 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/67A | VALVE, CYLINDER, GAS: LOW PRESSURE, FLAMMABLE OR TOXIC MIXTURE, OUTLET 510 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/62A | VALVE, CYLINDER, GAS: METHANE, OUTLET 350 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/50B | VALVE, CYLINDER, GAS: METHYL BROMIDE, OUTLET 330 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/77A | VALVE, CYLINDER, GAS: METHYL CHLORIDE, OUTLET 660 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| D | MIL-DTL-2/63A | VALVE, CYLINDER, GAS: NATURAL GAS, OUTLET 350 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/37D | VALVE, CYLINDER, GAS: NITROUS OXIDE, OUTLET 326, MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/76A | VALVE, CYLINDER, GAS: OXIDIZING MIXTURES, OUTLET 296 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/55A | VALVE, CYLINDER, GAS: OXYGEN, OUTLET 540 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/39D | VALVE, CYLINDER, GAS: OXYGEN, OUTLET 540 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/41D | VALVE, CYLINDER, GAS: OXYGEN, OUTLET 540, MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/75A | VALVE, CYLINDER, GAS: OXYGEN, OUTLET 577 (PRESSURES 3001 THROUGH 4000 PSIG (20690 THROUGH 27580 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/42E | VALVE, CYLINDER, GAS: OXYGEN, OUTLET 870 (PIN-INDEX), MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/27D | VALVE, CYLINDER, GAS: OXYGEN-HELIUM MIXTURE (HELIUM NOT OVER 80 PERCENT), OUTLET 280, MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/28D | VALVE, CYLINDER, GAS: OXYGEN-HELIUM MIXTURE (HELIUM NOT OVER 80 PERCENT), OUTLET 890 (PIN-INDEX), MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-2/61A | VALVE, CYLINDER, GAS: OXYGEN-HELIUM MIXTURE (HELIUM NOT OVER 80 PERCENT), OUTLET 930 (PIN-INDEX), MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/60A | VALVE, CYLINDER, GAS: OXYGEN-HELIUM MIXTURE (HELIUM OVER 80 PERCENT), OUTLET 500, MEDICAL (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/43D | VALVE, CYLINDER, GAS: PHOSGENE, (TON CONTAINER), OUTLET 660 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/22E | VALVE, CYLINDER, GAS: REFRIGERANTS, OUTLET 660 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/54A | VALVE, CYLINDER, GAS: SULFUR DIOXIDE, OUTLET 660 (PRESSURES THROUGH 500 PSIG (3450 KPA) AT 70 DEG. F (21.1 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-DTL-2/46D | VALVE, CYLINDER, GAS: SULFUR HEXAFLUORIDE, OUTLET 590 (PRESSURES THROUGH 3000 PSIG (20680 KPA) AT 120 DEG. F (48.9 DEG. C))[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| | MIL-V-24545 NOT 1 | VALVE, DISTILLING PLANT, STEAM PRESSURE REDUCING, QUIET DESIGN, FOR SUBMARINE SYSTEMS[CUST: SH] | A | 4820 | | SH | 19-APR-91 |
| | MIL-PRF-25961G(1) | VALVE, FILL-BUILDUP-VENT, LIQUID OXYGEN CONVERTER, CRU-50/A[CUST: AS 99] [REVIEW: CC MC] | A | 4820 | | 71 | 17-OCT-98 |
| | QPL-25961-21 | VALVE, FILL-BUILDUP-VENT, LIQUID OXYGEN CONVERTER, CRU-50/A | A | 4820 | | 71 | 27-JAN-04 |
| | MIL-PRF-38201D | VALVE, FILLER, LIQUID OXYGEN FEMALE, CRU-59/E[CUST: GL 99] [REVIEW: 11 GS] | A | 3655 | | 84 | 18-DEC-98 |
| | API-STD-607 | VALVE, FIRE TEST FOR SOFT-SEATED QUARTER-TURN[CUST: CR4 YD] | A | 4820 | | CC | 04-JAN-90 |
| | A-A-50498 NOT 1 | VALVE, FOOT, CAST IRON, BRONZE AND POLYVINYL CHLORIDE (PVC)[CUST: CR4 YD 99] [REVIEW: 71 GL MC OS SH] | A | 4820 | / | CC | 11-FEB-02 |
| | MIL-DTL-46725D | VALVE, FOUR-WAY, HYDRAULIC, MANUAL[CUST: AT] | A | 2590 | | AT | 20-AUG-98 |
| | QPL-25023-23 | VALVE, FUEL DRAIN, SELF-LOCKING | A | 4820 | | 71 | 11-APR-03 |
| | MIL-V-81356B(1) | VALVE, FUEL SYSTEM PRESSURIZATION AND VENT[CUST: AS] | A | 4820 | | AS | 31-OCT-00 |
| | MIL-PRF-62625A | VALVE, FUEL-DRAIN[CUST: AT] | A | 2910 | | AT | 08-DEC-95 |
| | MS16858A | VALVE, GAS INLET, NONMAGNETIC[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 07-JUL-78 |
| | MIL-V-1189D | VALVE, GATE, BRONZE[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 15-DEC-87 |
| | MIL-PRF-13803F | VALVE, GATE: DOUBLE-DISK, CAST-IRON OR STEEL[CUST: AT CC] | A | 4820 | | AT | 02-JAN-96 |
| | MIL-PRF-12125G NOT 1 | VALVE, GATE: QUICK-OPENING, CLASS 125, CAST IRON, WITH POSITION LOCK[CUST: AT CG] | A | 4820 | | AT | 15-APR-04 |
| | MIL-V-24109A | VALVE, GLOBE, ANGLE, QUICK CHANGE CARTRIDGE TRIM, HIGH PRESSURE (H-P.) HYDRAULIC AND PNEUMATIC (SIZES 1/8- 1 1/4 INCHES)[CUST: SH] [REVIEW: YD] | A | 4820 | | SH | 31-AUG-71 |
| | MIL-V-24578B | VALVE, GLOBE, PRESSURE INSTRUMENT, STEM TEST CONNECTION, UNION END[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 27-MAY-88 |
| | MIL-PRF-8622C | VALVE, HIGH-PRESSURE, OXYGEN-CYLINDER, AUTOMATIC OPENING[CUST: AV AS 99] [REVIEW: 11 CC MC SH] | A | 4820 | | AS | 27-JAN-97 |
| | MIL-V-24695A | VALVE, HOSE ASSEMBLY, AND ADAPTER, VENT AND TEST HYDRAULIC SERVICE, GENERAL SPECIFICATION FOR (METRIC)[CUST: SH] | A | 4810 | | SH | 23-DEC-91 |
| A | AN6204 REV K | VALVE, HYDRAULIC BLEEDER[CUST: AV AS 99 CC] [REVIEW: 11 70 71 CG MC MI SA SH] | A | 4820 | | CC | 25-JAN-06 |
| | MS27611F | VALVE, HYDRAULIC BLEEDER, AIRCRAFT WHEEL BRAKE[CUST: AV AS 99 CC] [REVIEW: 70 AT MC SA] | A | 4820 | | CC | 10-JAN-01 |
| | MIL-V-24694/2 | VALVE, HYDRAULIC RELIEF, 1.5 - 35 BAR, 10 LPM CARTRIDGE TYPE (METRIC)[CUST: SH] | A | 4810 | | SH | 28-OCT-87 |
| | MIL-V-24694/1 | VALVE, HYDRAULIC RELIEF, 1.5 - 35 BAR, 150 LPM CARTRIDGE TYPE (METRIC)[CUST: SH] | A | 4810 | | SH | 28-OCT-87 |
| | MIL-V-24694 | VALVE, HYDRAULIC RELIEF, 1.5 - 35 BARS (22 -500 POUNDS PER SQUARE INCH) CARTRIDGE TYPE, GENERAL SPECIFICATION (METRIC)[CUST: SH] | A | 4810 | | SH | 28-OCT-87 |
| | MIL-PRF-62382B NOT 1 | VALVE, HYDRAULIC, PRESSURE RELIEF (METRIC)[CUST: AT CC] | A | 4820 | | AT | 15-APR-04 |
| | A-A-59682 | VALVE, INFLATION, 25-PERSON LIFERAFT[CUST: AV SH 99] [REVIEW: IS] | A | 4220 | / | SH | 28-NOV-00 |
| | MIL-PRF-25962D(2) | VALVE, LIQUID OXYGEN DRAIN[CUST: 99 CC] | A | 4820 | | 71 | 25-APR-00 |
| | MIL-PRF-5636D | VALVE, LUBRICATING OIL COOLER, TEMPERATURE REGULATING WITH SURGE PROTECTION, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 2935 | | 71 | 29-DEC-97 |
| | MIL-V-24586A NOT 1 | VALVE, NEEDLE, SIZE 1/4-INCH AND 1/2-INCH, UNION BONNET CONSTRUCTION[CUST: SH] [REVIEW: CC MI] | A | 4820 | | SH | 29-AUG-91 |
| | MIL-V-20064E | VALVE, NONFERROUS FOR USE WITH HALOGENATED REFRIGERANTS[CUST: CR4 SH 99] [REVIEW: GL GS YD] | A | 4130 | | SH | 01-FEB-72 |
| | QPL-27296-12 | VALVE, OXYGEN MASK, COMBINATION INHALATION AND EXHALATION | A | 1660 | | 11 | 26-FEB-99 |
| | MIL-PRF-9439E | VALVE, OXYGEN, CYLINDER, HIGH PRESSURE[CUST: AV AS 99] [REVIEW: 11 CC] | A | 4820 | | 71 | 17-JUL-98 |
| | MIL-V-24439A(1) | VALVE, OXYGEN, HELIUM AND HELIUM OXYGEN MIXTURE, HIGH PRESSURE FOR GAS SERVICES[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 07-JAN-88 |
| | MIL-V-24232A(2) | VALVE, PNEUMATIC 4-WAY, 2-POSITION, MANUALLY OPERATED[CUST: SH] | A | 4820 | | SH | 02-MAR-95 |
| | MIL-PRF-27639D(1) | VALVE, PNEUMATIC INFLATOR (LIFE PRESERVER, FLU-1/P)[CUST: 99] [REVIEW: 84 CC] | A | 4220 | | 11 | 26-JUN-98 |
| | MIL-PRF-25370F | VALVE, PNEUMATIC INFLATOR, (LIFE PRESERVER, MA-1)[CUST: 99] [REVIEW: CC] | A | 4220 | | 11 | 09-MAY-97 |
| | MIL-V-17848C | VALVE, PRESSURE REDUCING, STEAM SERVICE[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 27-JUL-79 |
| | QPL-17848-25 | VALVE, PRESSURE REDUCING, STEAM SERVICE | A | 4820 | | SH | 29-APR-96 |
| | MIL-V-24384B | VALVE, PRESSURE REGULATING, FOR LOW PRESSURE AIR OR NITROGEN SYSTEMS[CUST: SH] [REVIEW: YD] | A | 4820 | | SH | 17-FEB-88 |
| | MIL-V-24619(1) | VALVE, QUICK CLOSING, FOR SATURATED STEAM SERVICE[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 17-AUG-90 |
| | MIL-DTL-85855A | VALVE, QUICK DISCONNECT, FOR THE PROTECTIVE ASSEMBLY, CHEMICAL, BIOLOGICAL, RADIOLOGICAL (CBR), A/P22P-9(V)[CUST: AS] | A | 4240 | | AS | 25-OCT-99 |
| | MIL-V-24569(3) | VALVE, QUICK-CLOSING, FOR FUEL OIL AND AUXILIARY STEAM EMERGENCY SHUTDOWN[CUST: SH] | A | 4820 | | SH | 02-NOV-92 |
| | A-A-52485A NOT 1 | VALVE, RELAY EMERGENCY: BREAKAWAY AIR BRAKE[CUST: AT MC 99] [REVIEW: 84 CC MI] | A | 2530 | / | AT | 14-APR-04 |
| | MIL-V-85245/2 NOT 2 | VALVE, RELIEF, HYDRAULIC HIGH RESPONSE, CARTRIDGE TYPE[CUST: AV AS 11] [REVIEW: 99 GS] | A | 1650 | | AS | 18-MAY-92 |
| | MIL-V-85245/1 NOT 2 | VALVE, RELIEF, HYDRAULIC, HIGH RESPONSE, INLINE[CUST: AV AS 99] [REVIEW: GS] | A | 1650 | | AS | 19-MAY-92 |
| | MIL-V-85245 NOT 2 | VALVE, RELIEF, HYDRAULIC, HIGH RESPONSE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: 99 GS] | A | 1650 | | AS | 18-MAY-92 |
| | MIL-V-24740(1) | VALVE, SAFETY: BOILER, REMOTE PILOT OPERATED, FOR SHIPBOARD USE[CUST: SH] | A | 4820 | | SH | 11-JUN-93 |
| | MIL-V-0081940/4A | VALVE, SAMPLING AND BLEED, HYDRAULIC, 3,000 PSI NON-AIRCRAFT APPLICATIONS[CUST: SH] | A | 4810 | | SH | 25-FEB-92 |
| | MIL-V-81940/4 | VALVE, SAMPLING AND BLEED, HYDRAULIC, 3,000 PSI NON-AIRCRAFT APPLICATIONS[CUST: AV SH 11] [REVIEW: 71] | A | 4810 | | SH | 14-DEC-90 |
| | MIL-V-81940B | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS[CUST: AV AS 99] [REVIEW: 71 CC SH] | A | 4820 | | AS | 30-AUG-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | QPL-81940-12 | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS | A | 4820 | | AS | 07-MAR-02 |
| | MIL-V-81940/1B | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS[CUST: AV AS 99] [REVIEW: 71 CC SH] | A | 4820 | | AS | 30-AUG-93 |
| | MIL-V-81940/3 | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS 37 DEG. FLARE FITTING[CUST: CR4 AS] [REVIEW: AT] | A | 4820 | | AS | 15-DEC-83 |
| | MIL-V-81940/2 | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS NPTF FITTING[CUST: CR4 AS] [REVIEW: AT] | A | 4820 | | AS | 15-DEC-83 |
| | MIL-PRF-62198A | VALVE, SELECTOR, HYDRAULIC DUMP[CUST: AT CC] | A | 4820 | | AT | 07-NOV-95 |
| | MIL-PRF-46720C(1) | VALVE, SOLENOID[CUST: AT] [REVIEW: CC] | A | 2590 | | AT | 13-FEB-98 |
| | A-A-52429 | VALVE, SOLENOID OPERATED[CUST: AT] | A | 4810 | / | AT | 15-FEB-93 |
| | MIL-V-16556E | VALVE, SOLENOID, THREE-WAY BYPASS (NAVAL SHIPBOARD USE)[CUST: SH] | A | 4810 | | SH | 29-MAR-88 |
| | MIL-V-81995/6(1) | VALVE, STARTED CONTROL, AIRCRAFT ENGINE, FOR F404 ENGINE/A6, F-18 AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 03-JUL-85 |
| | MIL-V-81995/2 NOT 1 | VALVE, STARTER CONTROL AIRCRAFT ENGINE, FOR TF30 ENGINE[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 25-AUG-87 |
| | MIL-V-81995/3 NOT 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR J52 ENGINE[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 25-AUG-87 |
| | MIL-V-81995/1 NOT 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T56 ENGINE[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 25-AUG-87 |
| | MIL-V-81995/5A | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T56 ENGINE/C-2 AIRC RAFT[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 12-FEB-85 |
| | MIL-V-81995/7A | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T700 ENGINE[CUST: AV AS 99] [REVIEW: 71 GS] | A | 2995 | | AS | 17-SEP-89 |
| | MIL-V-81995/4A NOT 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR TF34 ENGINE[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 01-OCT-89 |
| | MIL-V-81995 NOT 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 25-AUG-87 |
| | QPL-24517-8 | VALVE, STEAM PRESSURE REDUCING, QUIET DESIGN | A | 4820 | | SH | 15-SEP-04 |
| | MIL-V-24517(2) | VALVE, STEAM PRESSURE REDUCING, QUIET DESIGN[CUST: SH] | A | 4820 | | SH | 10-FEB-77 |
| | QPL-22052-27 | VALVE, STOP AND STOP CHECK, GLOBE, ANGLE, AND Y PATTERN, CAST OR FORGED CARBON OR ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER) | A | 4820 | | SH | 24-JAN-05 |
| | MIL-V-22052D | VALVE, STOP AND STOP CHECK, GLOBE, ANGLE, AND Y PATTERN, CAST OR FORGED CARBON OR ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER)[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 20-MAR-78 |
| | A-A-53991 | VALVE, SURGICAL DRAIN, CHEST, HEIMLECH, DISPOSABLE[CUST: MD MS 03] | A | 6515 | / | MB | 30-NOV-89 |
| | QPL-3155-16 | VALVE, TEMPERATURE REGULATING VENTILATION HEATER, STEAM CONTROL, NAVAL SHIPBOARD USE | A | 4820 | | SH | 13-JUN-02 |
| | MIL-V-3155C(1) NOT 1 | VALVE, TEMPERATURE REGULATING VENTILATION HEATER, STEAM CONTROL, NAVAL SHIPBOARD USE[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 20-FEB-87 |
| | MIL-V-24695/1A(1) | VALVE, VENT AND TEST HYDRAULIC SERVICE[CUST: SH] | A | 4810 | | SH | 23-JUL-92 |
| | SAE-AS8712 | VALVE; AIR RELIEF, LOW PRESSURE[CUST: AV AS 99] [REVIEW: 71 CC] | A | 4820 | | AS | AUG-97 |
| | MIL-PRF-6164F | VALVE; AIRCRAFT, PNEUMATIC, HIGH-PRESSURE CHARGING[CUST: AV AS 99 CC] | A | 4820 | | 71 | 10-OCT-98 |
| | ASME-B16.34 | VALVES FLANGED, THREADED, AND WELDING END[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | ASSE1002 | VALVES (BALL COCKS), ANTI-SIPHON FILL, FOR GRAVITY WATER CLOSET FLUSH TANKS[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | MSS-SP84 | VALVES - SOCKET WELDING AND THREADED ENDS[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | MSS-SP6 | VALVES AND FITTINGS, CONTACT FACES OF PIPE FLANGES AND CONNECTING-END FLANGES OF[CUST: CR4 YD 99] [REVIEW: 71 CE MC] | A | 4820 | | CC | 29-JUN-90 |
| | A-A-52611 NOT 1 | VALVES AND VALVES SPUDS, CAPS, AND CORES, PNEUMATIC TIRE[CUST: AT YD 99] [REVIEW: 84 AS CC CG MC] | A | 2640 | / | AT | 19-APR-04 |
| | MSS-SP88 | VALVES, DIAPHRAGM[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | F-V-2906 | VALVES, AIR VENTING, STEAM[CUST: YD 99] [REVIEW: CC] | A | 4520 | * | IS | 12-JUN-97 |
| | QPL-5530-28 | VALVES, AIRCRAFT HYDRAULIC SHUTTLE | A | 4820 | | 71 | 26-FEB-04 |
| | MSS-SP72 | VALVES, BALL, WITH FLANGED OR BUTT-WELDING ENDS FOR GENERAL SERVICE[CUST: CR4 YD 99] | A | 4820 | | CC | 31-DEC-92 |
| | MIL-V-24675 | VALVES, BOILER BLOW SERVICE, MONEL, SHIPBOARD USE[CUST: SH] | A | 4820 | | SH | 18-AUG-86 |
| | MIL-V-17737F(1) NOT 2 | VALVES, BOILER BLOW, SHIPBOARD USE[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 16-FEB-90 |
| | MSS-SP67 | VALVES, BUTTERFLY[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | AWWA-C504 | VALVES, BUTTERFLY, RUBBER-SEATED, AMERICAN WATER WORKS ASSOCIATION STANDARD FOR[CUST: CR4 YD 99] | A | 4820 | | CC | 18-JUN-87 |
| | QPL-24624-15 | VALVES, BUTTERFLY, WAFER AND LUG STYLE, SHIPBOARD SERVICE | A | 4820 | | SH | 06-JAN-95 |
| | MSS-SP78 | VALVES, CAST IRON PLUG, FLANGED AND THREADED ENDS[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | MIL-PRF-7908D(1) | VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS[CUST: AV AS 99] [REVIEW: 11] | A | 4820 | | 71 | 28-SEP-98 |
| | MIL-V-17547A(1) | VALVES, CHECK, BRONZE[CUST: SH] | A | 4820 | | SH | 09-DEC-93 |
| | MIL-V-18436F | VALVES, CHECK, BRONZE, CAST IRON, AND STEEL BODY[CUST: CR4 SH] [REVIEW: CC MC YD] | A | 4820 | | SH | 06-NOV-87 |
| | QPL-5524-24 | VALVES, CHECK, HYDRAULIC, AIRCRAFT, TYPE 1 SYSTEMS | A | 4820 | | AS | 30-JUL-01 |
| | QPL-19069-22 | VALVES, CHECK, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS | A | 4820 | | AS | 12-JUL-01 |
| | MIL-V-24630(3) | VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 29-JUN-90 |
| | QPL-24630-6 | VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID | A | 4820 | | SH | 29-OCT-04 |
| | MIL-V-24630/1A(1) | VALVES, CHECK, IN-LINE, NON-REVERSIBLE INSTALLATION FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 15-SEP-88 |
| | QPL-25675-21 | VALVES, CHECK, MINIATURE, HYDRAULIC, AIRCRAFT AND MISSILE | A | 4820 | | 71 | 13-MAY-04 |
| | MIL-PRF-25675C(1) | VALVES, CHECK, MINIATURE, HYDRAULIC, AIRCRAFT AND MISSILE[CUST: AV AS 99] [REVIEW: CC MI] | A | 4820 | | 71 | 12-SEP-02 |
| | QPL-5027-20 | VALVES, CHECK, OXYGEN, HIGH PRESSURE | A | 1660 | | AS | 28-JUN-01 |
| | A-A-52597 NOT 1 | VALVES, CHECK: SWING, CAST-IRON AND STEEL[CUST: AT] [REVIEW: CC CE1] | A | 4820 | / | AT | 19-APR-04 |
| | MIL-V-23953C | VALVES, COMBINED VENT-CHECK, FOR SUBMARINE MBT BLOW LINES (SIZES 1-1/2 TO 2-1/2 INCHES)[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 11-MAY-90 |
| | MIL-V-17501F(2) | VALVES, CONTROL TYPE, MAGAZINE, AND HANGAR DECK SPRINKLER[CUST: SH] | A | 4810 | | SH | 09-DEC-93 |
| | MIL-V-18030E | VALVES, CONTROL, AIR-DIAPHRAGM-OPERATED (COMPLETE WITH INSTRUMENTATION)[CUST: SH] [REVIEW: SS] | A | 4820 | | SH | 24-AUG-90 |
| D | MIL-DTL-2F SUP 1 | VALVES, CYLINDER, GAS (FOR COMPRESSED OR LIQUEFIED GASES), GENERAL SPECIFICATION FOR[CUST: AT SH 68 GS7] [REVIEW: AS AV MC YD] | A | 8120 | | GS7 | 25-SEP-02 |
| A | QPL-2-7 | VALVES, CYLINDER, GAS (FOR COMPRESSED OR LIQUIFIED GASES) | A | 8120 | | GS7 | 27-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASME-B16.10 | VALVES, DIMENSIONS OF FACE-TO-FACE & END-TO-END STANDARD FOR[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 4820 | | CC | 06-JUN-89 |
| | UL429 | VALVES, ELECTRICALLY OPERATED[CUST: YD] [REVIEW: 71 CE MC] | A | 4820 | | CC | 23-MAR-99 |
| | ARI750 | VALVES, EXPANSION, THERMOSTATIC REFRIGERANT[CUST: YD] | A | FACR | | YD | 26-JUL-04 |
| | QPL-25469-11 | VALVES, FILLER, LIQUID OXYGEN, AIRCRAFT TYPE | A | 4820 | | 71 | 11-SEP-03 |
| | MIL-V-3E | VALVES, FITTINGS, AND FLANGES (EXCEPT FOR SYSTEMS INDICATED HEREIN); PACKAGING OF[CUST: CR4 SH 11] [REVIEW: 99 CC MC MI SA SM YD] | A | PACK | | SH | 01-NOV-94 |
| | MSS-SP25 | VALVES, FITTINGS, FLANGES AND UNIONS, STANDARD MARKING SYSTEM FOR[CUST: CR4 YD 99] [REVIEW: 70] | A | 48GP | | CC | 31-DEC-93 |
| | MSS-SP81 | VALVES, FLANGED KNIFE GATE, STAINLESS STEEL, BONNETLESS[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | MIL-V-24509A | VALVES, FLANGED, BALL AND PLUG FOR SEWAGE AND SEA WATER SERVICE[CUST: SH] | A | 4820 | | SH | 24-DEC-92 |
| | MSS-SP86 | VALVES, FLANGES, FITTINGS AND ACTUATORS, GUIDELINES FOR METRIC DATA IN STANDARDS FOR[CUST: YD] | A | FACR | | YD | 08-SEP-04 |
| | MIL-V-18110F | VALVES, GATE TYPE, STEEL (SIZES 2-1/2 INCHES TO 16 INCHES)[CUST: SH] | A | 4820 | | SH | 19-FEB-91 |
| | QPL-18110-29 | VALVES, GATE, CAST OR FORGED STEEL AND ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER) | A | 4820 | | SH | 19-DEC-03 |
| | A-A-59379 | VALVES, GATE, RISING STEM, DOUBLE ACTING, LIGHTWEIGHT[CUST: AT MC] [REVIEW: YD] | A | 4820 | / | AT | 19-MAR-99 |
| | MIL-PRF-12126F NOT 1 | VALVES, GATE: BRONZE, LEVER OPERATED, QUICK OPENING, 125 PSI AND 150 PSI[CUST: AT SH] [REVIEW: CC CE YD] | A | 4820 | | AT | 15-APR-04 |
| | QPL-24109-10 | VALVES, GLOBE, ANGLE, QUICK CHANGE CARTRIDGE TRIM, HIGH PRESSURE (H.P.) HYDRAULIC AND PNEUMATIC (SIZES 1/8 - 1-1/4 INCHES) | A | 4820 | | SH | 04-APR-00 |
| | MIL-V-2961D | VALVES, GLOVE, PRESSURE REDUCING, GAS SERVICE[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 03-APR-90 |
| | MSS-SP71 | VALVES, GRAY IRON SWING CHECK, FLANGED & THREADED ENDS[CUST: CR4 YD 99] [REVIEW: 71 CE MC] | A | 4820 | | CC | 23-AUG-91 |
| | MIL-V-868 | VALVES, HYDRAULIC DIRECTIONAL CONTROL, GENERAL SPECIFICATION FOR[CUST: SH] | A | 4810 | | SH | 21-JUL-89 |
| | QPL-25962-15 | VALVES, LIQUID OXYGEN DRAIN | A | 4820 | | 71 | 17-SEP-03 |
| | QPL-24439-11 | VALVES, OXYGEN, HELIUM AND HELIUM OXYGEN MIXTURE, HIGH PRESSURE FOR GAS SERVICES | A | 4820 | | SH | 12-MAY-98 |
| | QPL-9050-16 | VALVES, OXYGEN, PRESSURE RELIEF, AIRCRAFT | A | 4820 | | 71 | 23-FEB-04 |
| | MIL-PRF-9050F(1) | VALVES, OXYGEN, PRESSURE RELIEF, AIRCRAFT[CUST: AS 99] | A | 4820 | | 71 | 19-OCT-98 |
| | API-SPEC-6D | VALVES, PIPELINE (GATE, PLUG, BALL, AND CHECK VALVES), SPECIFICATION FOR[CUST: CR4 YD] [REVIEW: SH] | A | 4820 | | CC | 06-APR-92 |
| | MIL-V-24336A | VALVES, PRESSURE REDUCING, FOR OXYGEN SERVICE[CUST: SH] | A | 4820 | | SH | 08-JUL-88 |
| | A-A-50558 | VALVES, PRESSURE REGULATING, STEAM[CUST: YD] | A | 4820 | / | CC | 03-JUN-96 |
| | ASTM-F1370 | VALVES, PRESSURE-REDUCING, FOR WATER SYSTEMS, SHIPBOARD[CUST: SH] [REVIEW: CG] | A | 4820 | | SH | 03-FEB-92 |
| | A-A-50456A NOT 1 | VALVES, RADIATOR, HEATING PACKED BONNET, CLASS 150 PSIG[CUST: CR4 99 IS] [REVIEW: CE] | A | 4520 | / | IS | 21-AUG-01 |
| | A-A-50457A NOT 1 | VALVES, RADIATOR, HEATING PACKLESS BONNET, CLASS 125 PSIG[CUST: CR4 99 IS] [REVIEW: CE] | A | 4520 | / | IS | 06-AUG-01 |
| | QPL-5519-25 | VALVES, REGULATING FLUID PRESSURE | A | 4820 | | 71 | 15-JUL-99 |
| M | QPL-15508-13 | VALVES, REMOTE CONTROL, DIAPHRAGM ACTUATED (FLUID SYSTEMS, 150 AND 250 P.S.I. W.P. 140F MAXIMUM) | A | 4810 | | SH | 28-FEB-06 |
| | MIL-V-15508B(1) | VALVES, REMOTE CONTROL, DIAPHRAM ACTUATED (FLUID SYSTEMS, 150 AND 250 P.S.I W.P. 140 DEG. F. MAXIMUM)[CUST: CR4 SH 99] [REVIEW: AT MC] | A | 4810 | | SH | 10-DEC-84 |
| | SAE-AS5379 | VALVES, SAFETY, CABIN AIR, GENERAL SPECIFICATIONF FOR[CUST: AV AS 99] [REVIEW: 71 CC CG MC MI] | A | 4820 | | AS | NOV-99 |
| | QPL-19068-12 | VALVES, SHUTTLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS | A | 4820 | | AS | 24-OCT-03 |
| | QPL-81995-13 | VALVES, STARTER CONTROL, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR | A | 2995 | | AS | 07-AUG-00 |
| | MSS-SP61 | VALVES, STEEL, PRESSURE TESTING OF[CUST: CR4 YD 99] [REVIEW: 71] | A | 4820 | | CC | 31-DEC-92 |
| | MIL-DTL-19772B | VALVES, TEMPERATURE REGULATING, AUTOMATIC, NAVAL SHIPBOARD[CUST: SH] | A | 4820 | | SH | 09-FEB-96 |
| | QPL-19772-42 | VALVES, TEMPERATURE REGULATING, AUTOMATIC, NAVAL SHIPBOARD | A | 4820 | | SH | 09-FEB-04 |
| | A-A-50559 | VALVES, TEMPERATURE-REGULATING (THERMOSTATICALLY CONTROLLED)[CUST: YD] [REVIEW: SH] | A | 4820 | / | CC | 03-JUN-96 |
| | A-A-58031 | VAN, MULTI-PURPOSE MORTUARY SERVICE: COMMERCIAL[CUST: 99] | A | 2320 | / | 84 | 30-SEP-94 |
| | ASTM-D3373 | VANADIUM IN WATER[CUST: EA 68] [REVIEW: 50 CR4 MD] | A | 6810 | | GS3 | 15-SEP-93 |
| | MIL-V-48773(2) NOT 3 | VANADIUM PENTOXIDE (FOR USE IN AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 02-DEC-96 |
| | A-A-0051437 | VANCOMYCIN HYDROCHLORIDE FOR ORAL SOLUTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 30-APR-86 |
| | A-A-51437A | VANCOMYCIN HYDROCHLORIDE FOR ORAL SOLUTION, USP[CUST: MD MS 03] | A | 6505 | / | MB | 11-SEP-86 |
| | A-A-50567 NOT 1 | VANITY; CABINET (WOOD OR WOOD AND STEEL)[CUST: YD 99] [REVIEW: 84 GL] | A | 7105 | / | IS | 12-DEC-02 |
| | A-A-59441 | VAPOR CORROSION INHIBITORS[CUST: SH 99] [REVIEW: CC] | A | 2090 | / | SH | 16-JAN-04 |
| | A-A-59441/1 | VAPOR CORROSION INHIBITORS, TYPE I[CUST: SH 99] [REVIEW: CC] | A | 2090 | / | SH | 16-JAN-04 |
| | A-A-59441/2 | VAPOR CORROSION INHIBITORS, TYPE II[CUST: SH 99] [REVIEW: CC] | A | 2090 | / | SH | 16-JAN-04 |
| | A-A-59441/3 | VAPOR CORROSION INHIBITORS, TYPE III[CUST: SH 99] [REVIEW: CC] | A | 2090 | / | SH | 16-JAN-04 |
| | A-A-59441/4 | VAPOR CORROSION INHIBITORS, TYPE IV[CUST: SH 99] [REVIEW: CC] | A | 2090 | / | SH | 16-JAN-04 |
| | A-A-59441/5 | VAPOR CORROSION INHIBITORS, TYPE V[CUST: SH 99] [REVIEW: CC] | A | 2090 | / | SH | 16-JAN-04 |
| | A-A-59441/6 | VAPOR CORROSION INHIBITORS, TYPE VI[CUST: SH 99] [REVIEW: CC] | A | 2090 | / | SH | 16-JAN-04 |
| | A-A-59441/7 | VAPOR CORROSION INHIBITORS, TYPE VII[CUST: SH 99] [REVIEW: CC] | A | 2090 | / | SH | 16-JAN-04 |
| | ASTM-D5191 | VAPOR PRESSURE OF PETROLEUM PRODUCTS (MINI METHOD)[CUST: PS] | A | 91GP | | PS | 18-NOV-92 |
| | ASTM-D2879 | VAPOR PRESSURE-TEMPERATURE RELATIONSHIP AND INITIAL DECOMPOSITION TEMPERATURE OF LIQUIDS BY ISOTENISCOPE[CUST: AT AS 68 PS] [REVIEW: GS] | A | 9150 | | AS | 20-SEP-02 |
| | NFPA96 | VAPOR REMOVAL FROM COOKING EQUIPMENT[CUST: YD] | A | 4140 | | IS | 30-SEP-91 |
| | ASTM-D4126 | VAPOR-DEGREASING GRADE AND GENERAL SOLVENT GRADE 1, 1, 1-TRICHLOROETHANE[CUST: EA AS 68] [REVIEW: GS] | A | 6810 | | AS | 10-JAN-00 |
| | ASTM-D2533 | VAPOR-LIQUID RATIO OF SPARK-IGNITION ENGINE FUELS[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 10-JAN-99 |
| A | MIL-STD-6017 | VARIABLE MESSAGE FORMAT (VMF) MIL-STD-6017[Interface Standard][CUST: CR OM 02] [REVIEW: 93 CR1 MC MI NS] | D | INST | | DC2 | 01-APR-04 |
| | MIL-PRF-32168 | VARIABLE SPEED DRIVE SYSTEM FOR INDUCTION AND SYNCHRONOUS MACHINES[CUST: CR SH 99] [REVIEW: 71 AS BC CG EC GS GS2 NW] | A | 6130 | | SH | 27-JUL-04 |
| | MIL-V-21064A | VARNISH, FINISHING, BAKING FOR ROLLER COAT APPLICATION[CUST: AR OS] | A | 8010 | | AR | 31-JUL-74 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-V-13750B NOT 4 | VARNISH, PHENOL-FORMALDEHYDE, CLEAR AND ALUMINUM PIGMENTED[CUST: AR] [REVIEW: MR] | A | 8010 | | AR | 20-SEP-91 |
| | ASTM-D3145 | VARNISHES BY THE HELICAL COIL METHOD, ELECTRICAL INSULATING, THERMAL ENDURANCE OF[CUST: CR SH 11] [REVIEW: GS] | A | 5970 | | SH | 03-OCT-94 |
| | ASTM-D1642 | VARNISHES, ELASTICITY OR TOUGHNESS OF[CUST: MR SH 99] [REVIEW: 84 YD] | A | 8010 | | MR | 24-DEC-70 |
| | ASTM-D1644 | VARNISHES, NONVOLATILE CONTENT OF[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 31-OCT-88 |
| | ASTM-D1542 | VARNISHES, ROSIN IN, QUALITATIVE TESTS FOR[CUST: MR SH 99] [REVIEW: 84 YD] | A | 8010 | | MR | 19-SEP-60 |
| | ASTM-D3056 | VARNISHES, SOLVENTLESS, GEL TIME OF[CUST: CR4 SH 99] | A | 8010 | | SH | 15-JUL-91 |
| | AAMI-VP20 | VASCULAR GRAFT, PROSTHESES, STANDARD FOR[CUST: MD MS 03] | A | 6515 | | MB | 07-JUL-86 |
| | A-A-50149 | VASE, CHAPEL, ALTAR[CUST: GL PE 28] | A | 9925 | / | CT | 21-JAN-88 |
| | STANAG-7072 ED.2 | VECTOR MAP (VMAP) LEVEL 0 | C | ISDF | | 06 | 25-MAR-03 |
| | STANAG-7163 ED.1 | VECTOR MAP (VMAP) LEVEL 1 | C | ISDA | | AI | 22-JAN-03 |
| | MIL-PRF-32118 NOT 1 | VECTOR PRODUCT FORMAT (VPF) DATABASE UPDATE (VDU)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| N | MIL-PRF-89049A | VECTOR PRODUCT FORMAT (VPF) PRODUCTS, GENERAL SPECIFICATION FOR[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI DMS MC NS US] | A | GINT | | MP | 15-DEC-05 |
| | MIL-PRF-89040A(2) NOT 1 | VECTOR PRODUCT INTERIM TERRAIN DATA (VITD)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| A | MIL-STD-188-199(1) NOT 2 | VECTOR QUANTIZATION DECOMPRESSION FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD[Interface Standard][CUST: CR OM 02] [REVIEW: AC AM AR CE CG DH DI HP IE IR MD MI NA NS PT SO TM] | A | GINT | | MP | 31-MAR-04 |
| | MIL-PRF-89039(2) NOT 1 | VECTOR SMART MAP (VMAP) LEVEL 0[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-PRF-89033(1) NOT 1 | VECTOR SMART MAP (VMAP) LEVEL 1[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| M | MIL-PRF-89049/9 | VECTOR VERTICAL OBSTRUCTION DATA (VVOD)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI DMS MC NS US] | A | GINT | | MP | 15-DEC-06 |
| | A-A-0051377 | VECURONIUM BROMIDE FOR INJECTION[CUST: MD MS 03] | A | 6505 | / | MB | 01-APR-86 |
| | A-A-20294 | VEGETABLE BLENDS, FROZEN[CUST: FV] | A | 8915 | # | FV | 24-JUN-99 |
| | A-A-20302 | VEGETABLE DIPS AND SPREADS, PROCESSED | A | 8915 | # | FV | 04-JAN-00 |
| | A-A-20275 | VEGETABLE PATTIES, FROZEN[CUST: FV] | A | 8940 | # | FV | 24-SEP-97 |
| | A-A-20050D | VEGETABLE PUREES, CANNED | A | 8915 | # | FV | 07-APR-95 |
| | A-A-20120D | VEGETABLES, MIXED, CANNED[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8915 | / | SS | 05-MAY-05 |
| | JSSG-2008 NOT 1 | VEHICLE CONTROL AND MANAGEMENT SYSTEM (VCMS)[CUST: AV AS 11] | D | 15GP | | 11 | 01-OCT-03 |
| | A-A-55539A | VEHICLE COVERS AND END CURTAINS[CUST: AT 99 CC] [REVIEW: 84] | A | 2540 | / | CC | 19-MAR-03 |
| | SAE-J293 | VEHICLE GRADE PARKING PERFORMANCE REQUIREMENTS[CUST: AT YD 99] | A | 23GP | | 84 | SEP-95 |
| | SAE-HIR1149 | VEHICLE, MARINE, HYDRAULIC FLUIDS FOR[CUST: CR4 ME 99] [REVIEW: 11 CE GS MC SA] | A | 9150 | | SH | 02-FEB-89 |
| | SAE-HIR1496 | VEHICLES, ADVANCED MARINE SURFACE, HYDRAULIC SYSTEM DESIGN CRITERIA FOR[CUST: CR4 SH] [REVIEW: MC] | A | 1990 | | SH | JUL-84 |
| | ANSI-MH10.6M | VEHICLES, FOR SURFACE AND AIR, UNIT-LOAD HEIGHTS FOR PALLETIZED LOADS[CUST: SM OS 11 DH] [REVIEW: AS AT CC CR4 GS MI SA] | A | PACK | | SM | 24-JUL-90 |
| | API-RP1004 | VEHICLES, MC-306 TANK MOTOR, BOTTOM LOADING AND VAPOR RECOVERY FOR[CUST: AT YD 99] [REVIEW: 84] | A | 2320 | | YD | 30-NOV-93 |
| | MIL-STD-3003A | VEHICLES, WHEELED: PREPARATION FOR SHIPMENT AND STORAGE OF[Standard Practice][CUST: AT] | A | PACK | | AT | 07-JUL-03 |
| | QSTAG-906 ED.1 | VEHICULAR ELECTRIC SLAVE CONNECTORS[CUST: AI] | C | ISDA | | AI | 15-APR-98 |
| | AA-V-00200B | VENETIAN BLINDS | A | 7230 | # | FSS | 05-JUN-73 |
| | AA-V-200A | VENETIAN BLINDS | A | 7230 | # | FSS | 06-NOV-65 |
| | MIL-V-24695/2A(1) | VENT AND TEST VALVE HOSE ASSEMBLY HYDRAULIC SERVICE[CUST: SH] | A | 4810 | | SH | 23-JUL-92 |
| | MIL-V-24695/3A | VENT AND TEST, HOSE ASSEMBLY ADAPTER[CUST: SH] | A | 4810 | | SH | 29-DEC-94 |
| | MIL-V-24761(1) | VENTILATING SETS, PORTABLE DAMAGE CONTROL[CUST: SH] | A | 4140 | | SH | 29-MAY-95 |
| | A-A-54781 | VENTILATOR, CRITICAL CARE[CUST: MD MS 03] | A | 6530 | / | MB | 29-APR-94 |
| | A-A-54949 | VENTILATOR, CRITICAL CARE VOLUME CYCLED[CUST: MD MS 03] | A | 6530 | / | MB | 29-APR-94 |
| | MIL-V-85830 | VENTILATOR, TACTICAL, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE[CUST: AS] | A | 4240 | | AS | 06-NOV-89 |
| | A-A-54444 | VENTILATOR, VOLUME, PORTABLE[CUST: MD MS 03] | A | 6530 | / | MB | 19-JUL-91 |
| | UL705 | VENTILATORS, POWER[CUST: YD] | A | 4140 | | IS | 1-JUN-94 |
| | AAMI-ECAR | VENTRICULAR ARRHYTHMIA DETECTION ALGORITHMS, TESTING AND REPORTING PERFORMANCE RESULTS OF[CUST: EA MS 99 MB] | A | 6515 | | MB | 31-AUG-89 |
| | A-A-53163 | VERAPAMIL HYDROCHLORIDE TABLETS[CUST: MD 03] | A | 6505 | / | MB | 27-AUG-87 |
| | ASTM-E83 | VERIFICATION AND CLASSIFICATION OF EXTENSOMETERS[CUST: MR SH 11] [REVIEW: 84 99 GS MC OS] | A | 6635 | | SH | 10-DEC-00 |
| | DI-QCIC-80207 | VERIFICATION AYALYSIS RECORD [AMSC: N3912] | A | QCIC | | OS | 04-AUG-86 |
| | MIL-STD-1525B | VERIFICATION TESTING OF PARACHUTE TEXTILE MATERIALS[Standard Practice][CUST: 99 GS1] [REVIEW: 11 71] | A | 1670 | | GS1 | 07-JUN-00 |
| | DI-MNTY-81188 | VERIFICATION, DEMONSTRATION, AND EVALUATION PLAN [AMSC: A6112] | A | SESS | | AM | 25-APR-91 |
| | A-A-52450A | VERMICULITE, ABSORBENT (FOR PACKAGING LIQUID HAZARDOUS MATERIALS)[CUST: SM MC] | A | 8135 | / | SM | 13-FEB-03 |
| | STANAG-2216 ED.4 | VERTICAL AERIAL CARTOGRAPHIC PHOTOGRAPHY | C | ISDF | | 06 | 13-OCT-93 |
| | QSTAG-547 | VERTICAL AERIAL CARTOGRAPHIC, PHOTOGRAPHY (BASED ON NATO STANAG 2216) (ABCA 547)[CUST: AI] | C | ISDA | | AI | 18-JUN-84 |
| | STANAG-1162 ED.4 | VERTICAL REPLENISHMENT (VERTREP) OPERATING AREA MARKING, CLEARANCES AND LIGHTING | C | ISDN | | NM | PENDING |
| | ITOP-4.2.829 | VERTICAL TARGET ACCURACY AND DISPERSION | D | ISDA | | TE | 07-SEP-99 |
| | BSI4994 | VESSELS AND TANKS IN REINFORCED PLASTICS, DESIGN AND CONSTRUCTION OF[CUST: YD] | A | FACR | | YD | 03-JUN-04 |
| | A-A-53690 | VEST ASSEMBLY, TRACTION APPARATUS[CUST: MD MS 03] | A | 6515 | / | MB | 15-SEP-88 |
| | MIL-V-44416 | VEST, AIRCREW, SURVIVAL[CUST: GL CT] [REVIEW: MD] | A | 8470 | | CT | 28-FEB-91 |
| | MIL-DTL-44132C | VEST, CONDITIONING MICROCLIMATE: AIR[CUST: GL MC CT] [REVIEW: MD] | A | 8415 | | CT | 23-AUG-00 |
| | A-A-50373A | VEST, COOLING (WITH FREEZEABLE GEL STRIPS)[CUST: NU CT] [REVIEW: CG] | A | 8415 | / | CT | 07-DEC-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-V-44362(1) | VEST, GRENADE, CARRIER (FOR 40-MM GRENADES)[CUST: GL CT] [REVIEW: MD] | A | 8415 | | CT | 10-JAN-91 |
| | MIL-DTL-28936B | VEST, MAN'S - DRESS, BACKLESS (OFFICER'S)[CUST: MC] | A | 8405 | | MC | 23-JUL-97 |
| | MIL-DTL-29389B | VEST, MAN'S - SCARLET, DRESS (GENERAL OFFICER'S)[CUST: MC] | A | 8405 | | MC | 28-JUL-97 |
| | A-A-59773 | VEST, NAVAL FLAK[CUST: GL SH 11] [REVIEW: CG CT GL1 MC MR NU] | A | 8470 | / | SH | 11-APR-05 |
| | MIL-V-43544A | VEST, SMALL ARMS PROTECTIVE, BODY ARMOR[CUST: GL CT] [REVIEW: 11 MD MR] | A | 8470 | | CT | 15-AUG-85 |
| | MIL-V-81523A(2) NOT 2 | VEST, SURVIVAL EQUIPMENT, TYPE SV-2A[CUST: AS CT] | A | 8415 | | CT | 29-OCT-91 |
| | MIL-V-83271B | VEST, SURVIVAL MESH SET, SRU-21/P[CUST: 99 CT] [REVIEW: 11] | A | 8415 | | CT | 03-JAN-92 |
| | MIL-DTL-29611 | VEST, SURVIVAL, AIRCREWMEN'S, (AIRSAVE)[CUST: GL AS] [REVIEW: CT NU] | A | 8415 | | AS | 26-SEP-96 |
| | MIL-V-44323A(1) | VEST, TACTICAL LOAD BEARING[CUST: GL NU 99 CT] [REVIEW: 11 MD] | A | 8415 | | CT | 31-JAN-89 |
| | MIL-DTL-29384B | VEST, WOMEN'S - SCARLET, DRESS (GENERAL OFFICER'S)[CUST: MC] | A | 8410 | | MC | 23-JUL-97 |
| | INFO-PUB-70/30A(1) | VHF/UHF ECCM CAPABILITIES | C | ISDF | | 06 | 13-MAR-02 |
| | A-A-51577 | VIAL, BLOOD DILUTING (DISPOSABLE, CLEAR)[CUST: MD MS 03] | A | 6640 | / | MB | 25-JUL-86 |
| | A-A-54298 | VIAL, CRYOGENIC STORAGE[CUST: MD MS 03] | A | 6640 | / | MB | 14-DEC-90 |
| | MIL-STD-2225 | VIBRATION AND NOISE TESTING FOR INSTRUMENT BEARINGS[Military Standard][CUST: AT AS 99] [REVIEW: 84 GS IS] | A | 3110 | | AS | 01-AUG-94 |
| | MIL-STD-2148 NOT 1 | VIBRATION DAMPING MATERIALS, PROCEDURES FOR INSTALLATION, MAINTENANCE, AND REPAIRS[Standard Practice][CUST: SH] | A | 93GP | | SH | 03-OCT-89 |
| | ADV-PUB-61/103/3A | VIBRATION EXPOSURE LIMITS | C | ISDF | | 06 | 18-AUG-82 |
| | STANAG-4138(4) | VIBRATION RESISTANT EQUIPMENT - TESTING REQUIREMENTS (INCLUDING AMENDMENT 4) | C | ISDN | | NI | 18-FEB-76 |
| | ITOP-6.3.033 | VIBRATION SENSORS FOR INTERIOR APPLICATIONS (U) | D | ISDA | | TE | 04-OCT-90 |
| | DI-NDTI-81587 | VIBRATION SURVEY REPORT [AMSC: G7402] | A | NDTI | | NS | 05-OCT-00 |
| | DI-SAFT-81128 | VIBRATION TEST DATA [AMSC: N6028] | A | SAFT | | OS | 08-MAR-91 |
| | STANAG-4242 | VIBRATION TESTS METHOD AND SEVERITIES FOR MUNITIONS CARRIED IN TRACKED VEHICLES - AOP-34 | C | ISDA | | AI | 04-APR-02 |
| | AOP-34 ED.1 | VIBRATION TESTS METHOD AND SEVERITIES FOR MUNITIONS CARRIED IN TRACKED VEHICLES | C | ISDA | | AI | 01-NOV-99 |
| | A-A-50891A | VIBRATOR, DENTAL MOLDING[CUST: MD MS 03] | A | 6520 | / | MB | 17-SEP-93 |
| | A-A-54488 | VIBRATOR, DENTAL MOLDING (4 INCH PLATFORM)[CUST: MD MS 03] | A | 6520 | / | MB | 16-SEP-91 |
| | A-A-50539 NOT 1 | VIBRATORS, CONCRETE, ELECTRIC-MOTOR-DRIVEN[CUST: CR4 YD] | A | 3895 | / | IS | 27-SEP-01 |
| | MIL-V-89300(1) NOT 1 | VIDEO DISC FOR MAPPING, CHARTING AND GEODESY (MC&G)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-PRF-49164C | VIDEO POSTAMPLIFIER-CONTROL DRIVER, AM-6924/UA[CUST: CR] | A | 5855 | | CR | 19-MAY-97 |
| | MIL-PRF-49163B | VIDEO PREAMPLIFIER, AM-6923/UA[CUST: CR] | A | 5855 | | CR | 27-AUG-97 |
| | SAE-J1050 | VIEW, DRIVER'S FIELD OF, DESCRIBING AND MEASURING THE[CUST: CR4 AS 99] | A | HFAC | | 84 | 03-OCT-94 |
| | A-A-54228 | VIEWER, AGGLUTINATION, TEST TUBE[CUST: MD MS 03] | A | 6640 | / | MB | 27-JUL-90 |
| | A-A-51010A | VIEWER, DENTAL RADIOGRAPHIC FILM[CUST: MD MS 03] | A | 6525 | / | MB | 25-OCT-89 |
| | MIL-PRF-49082E | VIEWER, DRIVER'S, NIGHT VISION, AN/VVS-2(V)[CUST: CR] | A | 5855 | | CR | 04-MAR-99 |
| | ASTM-D1667 | VINYL CHLORIDE POLYMERS AND COPOLYMERS (CLOSED-CELL FOAM), FLEXIBLE CELLULAR MATERIALS[CUST: CE YD 99] | A | 9320 | | YD | 24-SEP-76 |
| | ASTM-D922 | VINYL CHLORIDE, NONRIGID, POLYMER TUBING[CUST: MR SH 99] [REVIEW: 11 84 CR CR4 GL GS MD OS SM] | A | 5970 | | MR | 10-APR-00 |
| | ASTM-D2287 | VINYL, NONRIGID, CHLORIDE POLYMER AND COPOLYMER MOLDING AND EXTRUSION COMPOUNDS[CUST: MR YD 99] [REVIEW: 84 CC CR4 SH] | A | 9330 | | YD | 15-OCT-92 |
| | A-A-53289 | VISCOMETER, CAPILLARY TYPE[CUST: MD MS 03] | A | 6630 | / | MB | 30-NOV-87 |
| | A-A-51711 | VISCOMETER, CAPILLARY TYPE, CANNON-FENSKE REVERSE FLOW[CUST: MD MS 03] | A | 6630 | / | MB | 16-OCT-86 |
| | ASTM-D4287 | VISCOMETER, HIGH-SHEAR VISCOSITY USING A CONE/PLATE[CUST: CR4 YD 99] [REVIEW: 84 CE SH] | A | 8010 | | IS | 15-SEP-94 |
| | ASTM-D2196 | VISCOMETER, ROTATIONAL (BROOKFIELD TYPE), RHEOLOGICAL PROPERTIES OF NON-NEWTONIAN MATERIALS BY[CUST: MR SH 99] [REVIEW: 84 AS CR4 OS] | A | 8010 | | MR | 10-APR-99 |
| | ASTM-D2532 | VISCOSITY AND VISCOSITY CHANGE AFTER STANDING AT LOW TEMPERATURE OF AIRCRAFT TURBINE LUBRICANTS[CUST: AT SH 11] | A | 91GP | | AT | 15-SEP-93 |
| | ASTM-D2171 | VISCOSITY OF ASPHALTS BY VACUUM CAPILLARY VISCOMETER[CUST: YD IS] | A | 5610 | | IS | 15-FEB-94 |
| | ASTM-D1343 | VISCOSITY OF CELLULOSE DERIVATIVES BY BALL-DROP METHOD[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | 15-APR-93 |
| | ASTM-D1545 | VISCOSITY OF TRANSPARENT LIQUIDS BY BUBBLE TIME METHOD[CUST: MR SH 11] [REVIEW: YD] | A | 8010 | | MR | 10-OCT-98 |
| | ASTM-D2270 | VISCOSITY, CALCULATING, INDEX FROM KINEMATIC VISCOSITY AT 40 AND 100 DEG. C[CUST: AT SH 11] [REVIEW: GS OS] | A | 9150 | | AT | 15-MAR-93 |
| | ASTM-D2161 | VISCOSITY, CONVERSION OF KINEMATIC, TO SAYBOLT UNIVERSAL OR TO SAYBOLT FUROL VISCOSITY[CUST: AT SH 11] | A | 91GP | | AT | 06-APR-83 |
| | ASTM-D4624 | VISCOSITY, MEASURING APPARENT, BY CAPILLARY VISCOMETER AT HIGH TEMPERATURE AND HIGH-SHEAR RATES[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 15-MAR-93 |
| | ASTM-D4741 | VISCOSITY, MEASURING, AT HIGH TEMPERATURE AND HIGH SHEAR RATE BY TAPERED-PLUG VISCOMETER[CUST: AT AS 68] [REVIEW: GS] | A | 9150 | | AT | 10-DEC-00 |
| | ASTM-D88 | VISCOSITY, SAYBOLT[CUST: EA SH 11] [REVIEW: 68 AR CR4 GS YD] | A | 6810 | | SH | 15-SEP-94 |
| | ASTM-D3381 | VISCOSITY-GRADED ASPHALT CEMENT FOR USE IN PAVEMENT CONSTRUCTION[CUST: CR4 YD 99 IS] [REVIEW: CE] | A | 5610 | | IS | 15-FEB-92 |
| | ASTM-D341 | VISCOSITY-TEMPERATURE CHARTS FOR LIQUID PETROLEUM PRODUCTS[CUST: AT SH 11] [REVIEW: GS] | A | 9150 | | AT | 15-MAR-93 |
| | A-A-3050 NOT 2 | VISE, PIPE, HINGED JAW | A | 5120 | # | FSS | 14-JUN-04 |
| | A-A-51123B NOT 1 | VISES, MACHINE TABLE BENCH AND MACHINE TABLE[CUST: AR 99] [REVIEW: 84] | A | 3460 | / | GS6 | 14-MAR-03 |
| | MIL-PRF-29610 | VISOR ASSEMBLY, MULTIPLE WAVELENGTH LASER PROTECTIVE, AVIATORS[CUST: AV AS] | A | 8475 | | AS | 25-JAN-96 |
| | MIL-V-43511C | VISORS, FLYER'S HELMET, POLYCARBONATE[CUST: GL 99 CT] [REVIEW: 11 AV MD] | A | 8415 | | CT | 16-JUL-90 |
| | QAP-118 ED.1 | VISUAL AIRCRAFT RECOGNITION | C | ISDA | | AI | 06-DEC-94 |
| | ASTM-D1729 | VISUAL EVALUATION OF COLOR DIFFERENCES OF OPAQUE MATERIALS[CUST: MR SH 99] [REVIEW: YD] | A | 8010 | | MR | 12-FEB-90 |
| | ADV-PUB-90/30 | VISUAL GLIDE SLOPE INDICATOR SYSTEMS (VGSIS) | C | ISDF | | 06 | 12-FEB-93 |
| | IPC-TM650.2.1.10 | VISUAL INSPECTION FOR DICYANDIAMIDE CRYSTALS[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | MIL-STD-168B NOT 1 | VISUAL INSPECTION GUIDE FOR ALL-RUBBER GLOVES EXCEPT SURGICAL[Military Standard][CUST: GL SH 99 CT] [REVIEW: 11 EA MC MS SA YD] | A | 8415 | | CT | 15-FEB-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-293 NOT 1 | VISUAL INSPECTION GUIDE FOR CELLULAR RUBBER ITEMS[Test Method Standard][CUST: MR SH] | A | 93GP | | SH | 16-JUN-88 |
| | MIL-STD-413C NOT 1 | VISUAL INSPECTION GUIDE FOR ELASTOMERIC O-RINGS[Test Method Standard][CUST: MI SH 99] [REVIEW: 11 71 AS AT MC OS] | A | 5330 | | SH | 19-JUN-87 |
| | MIL-STD-298 NOT 1 | VISUAL INSPECTION GUIDE FOR RUBBER EXTRUDED GOODS[Test Method Standard][CUST: SH 11] [REVIEW: AT CR EA] | A | 93GP | | SH | 21-MAR-91 |
| | MIL-STD-284A | VISUAL INSPECTION GUIDE FOR RUBBER FOOTWEAR[Military Standard][CUST: GL 99 CT] [REVIEW: 11] | A | 84GP | | CT | 20-SEP-63 |
| | MIL-STD-407 NOT 1 | VISUAL INSPECTION GUIDE FOR RUBBER MOLDED ITEMS[Test Method Standard][CUST: SH 11] [REVIEW: CR EA MI] | A | 93GP | | SH | 21-MAR-91 |
| | MIL-STD-289A NOT 1 | VISUAL INSPECTION GUIDE FOR RUBBER SHEET MATERIAL[Test Method Standard][CUST: MR SH 11] [REVIEW: 84 AR GS] | A | 9320 | | SH | 08-JUL-88 |
| | ITOP-3.2.803 | VISUAL INSPECTION OF CANNON BORES | D | ISDA | | TE | 14-MAY-93 |
| | MIL-STD-644A(5) | VISUAL INSPECTION STANDARDS AND INSPECTION PROCEDURES FOR INSPECTION OF PACKAGING, PACKING AND MARKING OF SMALL ARMS AMMUNITION[Test Method Standard][CUST: AR OS 99] [REVIEW: 70] | A | 1305 | | AR | 01-MAY-92 |
| | MIL-STD-651(2) | VISUAL INSPECTION STANDARDS FOR 20MM AMMUNITION AND COMPONENTS[Test Method Standard][CUST: AR OS 99] | A | 1305 | | AR | 27-FEB-70 |
| | MIL-STD-1232 NOT 1 | VISUAL INSPECTION STANDARDS FOR CUPS AND DISKS USED IN SMALL ARMS AMMUNITION MANUFACTURE[Test Method Standard][CUST: AR] | A | 1305 | | AR | 20-APR-61 |
| | MIL-STD-299 | VISUAL INSPECTION STANDARDS FOR NAILED WOOD BOXES AND WIREBOUND WOOD BOXES USED IN SMALL ARMS AMMUNITION[Test Method Standard][CUST: AR] [REVIEW: CR GL GS] | A | 8140 | | AR | 17-JAN-57 |
| | MIL-STD-636(4) | VISUAL INSPECTION STANDARDS FOR SMALL ARMS AMMUNITION THROUGH CALIBER .50 (WITH CHANGE NOTICES 1, 2 AND 3 INCORPORATED)[Test Method Standard][CUST: AR OS] | A | 1305 | | AR | 07-OCT-96 |
| | MIL-STD-406 | VISUAL INSPECTION STANDARDS FOR TERNE PLATE CANS AND STEEL BOXES USED IN SMALL ARMS AMMUNITION PACKAGING[Test Method Standard][CUST: AR AS] [REVIEW: EA GS MI] | A | 8140 | | AR | 01-FEB-57 |
| | SSPC-VIS1 | VISUAL STANDARD FOR ABRASIVE BLAST CLEANED STEEL (STANDARD REFERENCE PHOTOGRAPHS) GUIDE TO SSPC-VIS 1[CUST: YD IS] [REVIEW: MC OS SH] | A | 8010 | | IS | 30-AUG-89 |
| | MIL-STD-1170 NOT 1 | VISUAL STANDARDS AND COMPARISON METHODS FOR EVALUATING GRAIN CONFIGURATION IN 7.62 MM CARTRIDGE CASES[Military Standard][CUST: AV] | A | 1305 | | AV | 02-JAN-03 |
| | A-A-51673A | VITAMIN E CAPSULES, USP[CUST: MD MS 03] | A | 6505 | / | MB | 11-JUN-87 |
| | ISO1122-1 | VOCABULARY OF GEAR TERMS - PART 1: DEFINITIONS RELATED TO GEOMETRICAL DEFINITIONS[CUST: AR SH 99] [REVIEW: GS] | A | 34GP | | AR | 1998 |
| | IPC-TM650.2.3.19 | VOLATILE CONTENT OF PREPREG[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | A-A-58039 | VOLTAGE STANDARD[CUST: 99] | A | 6625 | / | 84 | 02-FEB-95 |
| | A-A-59371 | VOLTMETER[CUST: 99] | A | 6625 | / | 84 | 09-SEP-03 |
| | A-A-50680 | VOLTMETER, AC[CUST: AS 99] [REVIEW: 11 68 MC] | A | 6625 | / | 84 | 22-MAR-89 |
| | MIL-V-85603 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY GENERAL SPECIFICATION FOR[CUST: AS] | A | 6625 | | AS | 10-AUG-89 |
| | MIL-V-85603/3 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY INTEGRAL LIGHTED, 25.4 MILLIMETERS[CUST: AS] | A | 6625 | | AS | 10-AUG-89 |
| | MIL-V-85603/1 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY INTEGRAL LIGHTED, 38.10 MILLIMETERS[CUST: AS] | A | 6625 | | AS | 10-AUG-89 |
| | MIL-V-85603/2 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY UNLIGHTED, 38.10 MILLIMETERS[CUST: AS] | A | 6625 | | AS | 10-AUG-89 |
| | MIL-V-85603/4 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY, INTEGRAL LIGHTED, 38.10 MILLIMETERS, DUAL DISPLAY[CUST: AS] | A | 6625 | | AS | 10-AUG-89 |
| | MIL-M-16034/17 | VOLTMETER, DC, SWITCHBOARD, 8-3/4 INCH, 250 DEGREE SCALE[CUST: SH] | A | 6625 | | SH | 10-OCT-66 |
| | MIL-V-23151B(4) | VOLTMETER, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: MI] | A | 6625 | | SH | 03-DEC-90 |
| | QPL-23151-23 | VOLTMETER, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE) | A | 6625 | | SH | 08-MAR-93 |
| | IPC-TM650.2.5.17.1 | VOLUME AND SURFACE RESISTIVITY OF DIELECTRIC MATERIALS[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | ASTM-D1555 | VOLUME AND WEIGHT OF INDUSTRIAL AROMATIC HYDROCARBONS AND CYCLOHEXANE, CALCULATION OF[CUST: EA SH GS3] [REVIEW: AS CR4 GL MD] | A | 6810 | | GS3 | 15-OCT-92 |
| | ASTM-D2697 | VOLUME NONVOLATILE MATTER IN CLEAR OR PIGMENTED COATINGS[CUST: CR4 YD] [REVIEW: MR SH] | A | 8010 | | IS | 15-OCT-87 |
| | DI-MISC-80564 | VULNERABILITY ANAYLSIS REPORT [AMSC: F4377] | A | MISC | | 10 | 08-APR-88 |
| | STANAG-2133 ED.1(5) | VULNERABILITY ASSESSMENT OF CHEMICAL AND BIOLOGICAL HAZARDS | C | ISDA | | AI | 18-NOV-70 |
| | ITOP-2.2.617 | VULNERABILITY TESTING OF COMBAT VEHICLES AND THEIR COMPONENTS/SUBSYSTEMS TO CONVENTIONAL WEAPONS | D | ISDA | | TE | 14-JUL-95 |
| | A-A-50167A | WADDING, COTTON[CUST: GL 99 CT] [REVIEW: 11] | A | 8320 | / | CT | 25-AUG-94 |
| | A-A-54748 | WADDING, COTTON SURGICAL[CUST: MD MS 03] | A | 6510 | / | MB | 15-SEP-92 |
| | A-A-50014A | WADDING, COTTON, (SHEET FORM)[CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A | 8320 | / | CT | 16-MAY-90 |
| | API-STD-594 | WAFER AND WAFER-LUG CHECK VALVES[CUST: CR4 YD 99] [REVIEW: 71 CE MC] | A | 4820 | | CC | 06-APR-92 |
| | DI-SAFT-80104B | WAIVER OR DEVIATION SYSTEM SAFETY REPORT (WDSSR) [AMSC: F7141] | A | SAFT | | 10 | 31-JUL-95 |
| | A-A-30087C | WALKER, INVALID[CUST: MD MS 03] | A | 6530 | * | MB | 27-NOV-91 |
| | CCC-W-408D NOT 2 | WALL COVERING, VINYL-COATED[CUST: YD] | A | 5640 | / | IS | 18-DEC-03 |
| | ASTM-E1851 | WALL RELOCATABLE STRUCTURES, DURABLE RIGID, ELECTROMAGETIC SHIELDING EFFECTIVENESS OF[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | ASTM-E1749 | WALL, RIGID, RELOCATABLE SHELTERS[CUST: GL] | A | 5411 | | GL | 21-JUN-02 |
| | AAMA501 | WALLS, METAL CURTAIN, METHODS OF TEST FOR[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5670 | | IS | 31-DEC-83 |
| | DI-MISC-80209 | WAR RESERVE MATERIAL (WRM) REPORT [AMSC: F3914] | A | MISC | | 33 | 05-AUG-86 |
| | AA-W-001791A | WARDROBE AND JANITOR S CLOSET, WOOD, STEEL FRAME | A | 7105 | # | FSS | 07-DEC-73 |
| | AA-W-001950(1) | WARDROBE WITH ACCESSORY PIECES, WOOD, STEEL FRAME | A | 7105 | # | FSS | 06-MAY-76 |
| | A-A-50569 NOT 1 | WARDROBES: CLOTHING, COMPOSITE WOOD AND METAL[CUST: YD 99] [REVIEW: 84 MC] | A | 7105 | / | IS | 12-DEC-02 |
| | A-A-53727A | WARFARIN SODIUM TABLETS, USP[CUST: MD MS 03] | A | 6505 | / | MB | 29-OCT-93 |
| | MIL-W-48855C(5) NOT 2 | WARHEAD BODY ASSEMBLY FOR WARHEAD SECTION, GM, HE, M258[CUST: AR] | A | 1336 | | AR | 02-DEC-96 |
| | MIL-W-63328(4) | WARHEAD GM, HE, M248 INERT PARTS FOR[CUST: AR] | A | 1336 | | AR | 08-FEB-88 |
| | MIL-W-48271A NOT 3 | WARHEAD METAL PARTS ASSEMBLY M251 PARTS AND ASSEMBLING[CUST: AR] | A | 1340 | | AR | 02-DEC-96 |
| | MIL-W-48757(5) NOT 2 | WARHEAD SECTION, GM, HE: M251 AND M251A1 SPARE PARTS FOR[CUST: AR] | A | 1340 | | AR | 02-DEC-96 |
| | MIL-W-48272(10) NOT 2 | WARHEAD SECTION, GM, HE: M251, M251A1 & M251 (MOD) WITH LIVE FLSC & INERT BOMBS, DUMMY LOADING, ASSEMBLING & PACKING[CUST: AR] | A | 1340 | | AR | 02-DEC-96 |
| | MIL-W-70948 NOT 2 | WARHEAD SECTION, GM, PRACTICE XM276 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1336 | | AR | 02-DEC-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-W-48369(5) NOT 2 | WARHEAD SECTION, GM, PRACTICE, LIGHTWEIGHT, M252 PARTS AND ASSEMBLING[CUST: AR] | A | 1340 | | AR | 02-DEC-96 |
| | MIL-W-48381(3) NOT 2 | WARHEAD SECTION, GM, PRACTICE, LIGHTWEIGHT, M252E1 PARTS AND ASSEMBLING[CUST: AR] | A | 1340 | | AR | 02-DEC-96 |
| | MIL-W-48689A(8) | WARHEAD SECTION, GUIDED MISSILE, H.E. M207E5 LOADING, ASSEMBLING AND PACKING[CUST: AR] | E | 1336 | | AR | 01-SEP-98 |
| | MIL-W-14742A(5) | WARHEAD SECTION, GUIDED MISSILE, PRACTICE, M220, ASSEMBLING AND PACKING[CUST: AR] | A | 1336 | | AR | 10-AUG-98 |
| | MIL-W-48856B(4) NOT 2 | WARHEAD SECTIONS, GUIDED MISSILE, H.E. M258E6 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1336 | | AR | 25-SEP-02 |
| | MIL-W-14969(1) NOT 1 | WARHEAD, 2.75 INCH ROCKET XM229, (TWO PIECE) PARTS FOR[CUST: AR] | A | 1340 | | AR | 01-OCT-96 |
| | MIL-W-71069(3) | WARHEAD, 2.75 INCH ROCKET, FLECHETTE: XM255E1[CUST: AR] | A | 1340 | | AR | 14-NOV-01 |
| | MIL-W-63468A(7) | WARHEAD, 2.75 INCH ROCKET, H.E.: M261[CUST: AR] | A | 1340 | | AR | 25-APR-00 |
| | MIL-W-50991(1) NOT 1 | WARHEAD, 2.75 INCH ROCKET, HE, M229 WITH OR WITHOUT FUZE, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 04-MAY-94 |
| | MIL-W-50504A(1) NOT 1 | WARHEAD, 2.75 INCH ROCKET, M151 PARTS FOR[CUST: AR] | A | 1340 | | AR | 01-OCT-96 |
| | MIL-W-48230(1) | WARHEAD, 2.75 INCH ROCKET, M229 PARTS FOR[CUST: AR] | A | 1340 | | AR | 01-OCT-96 |
| | MIL-W-64044(9) | WARHEAD, 2.75 INCH ROCKET, M261 AND M267, PARTS FOR[CUST: AR] | A | 1340 | | AR | 25-APR-00 |
| | MIL-W-48347(2) NOT 1 | WARHEAD, 2.75 INCH ROCKET, PRACTICE WTU-1/B[CUST: AR] | A | 1340 | | AR | 19-OCT-01 |
| | MIL-W-63441A(9) | WARHEAD, 2.75 INCH ROCKET, PRACTICE: M267[CUST: AR] | A | 1340 | | AR | 29-JUN-01 |
| | MIL-W-70467(7) | WARHEAD, 2.75 INCH ROCKET, PRACTICE: XM274[CUST: AR] | A | 1340 | | AR | 15-OCT-96 |
| | MIL-W-70434(5) | WARHEAD, 2.75 INCH ROCKET, TEST, EMPTY, MODIFIED: PXR6358 WITH FLASH, PARTS AND ASSEMBLY[CUST: AR] | A | 1340 | | AR | 08-JUN-94 |
| | MIL-W-70622 | WARHEAD, 2.75 INCH ROCKET, TEST, PXR6369, WITH SMOKE FOR TEST: FUZE, ROCKET, M433[CUST: AR] | A | 1340 | | AR | 06-MAR-87 |
| | MIL-W-14979 NOT 1 | WARHEAD, 2.75 INCH ROCKET, XM229, (INERT FILLING OUT), PARTS FOR[CUST: AR] | A | 1340 | | AR | 10-APR-87 |
| | MIL-W-63071A(2) | WARHEAD, FOR DEMOLITION KIT, M180 METAL PARTS FOR[CUST: AR] | A | 1375 | | AR | 08-SEP-92 |
| | MIL-W-50928C(1) | WARHEAD, FOR DEMOLITION KIT, M180 PARTS AND LOADING ASSEMBLY[CUST: AR] | A | 1375 | | AR | 10-JUN-88 |
| | MIL-W-63329A(1) | WARHEAD, GM, HE, M248 LOADING, ASSEMBLY AND PACKING[CUST: AR] | A | 1336 | | AR | 16-JUN-90 |
| | MIL-W-14960B(3) NOT 1 | WARHEAD, GUIDED MISSILE HE, XM155E1, AND WARHEAD, GUIDED MISSILE, TRAINING, XM237E1, PARTS FOR[CUST: AR] | A | 1336 | | AR | 10-MAR-94 |
| | MIL-W-14746B(2) | WARHEAD, GUIDED MISSILE, HE, M155 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1336 | | AR | 19-NOV-87 |
| | MIL-W-63388(7) | WARHEAD, GUIDED MISSILE, HE, M207E1 BODY AND BOATTAIL BUSHING FOR[CUST: AR] | A | 1336 | | AR | 22-MAR-85 |
| | MIL-W-63389(5) NOT 1 | WARHEAD, GUIDED MISSILE, HE, M207E1 LINER FOR[CUST: AR] | A | 1336 | | AR | 02-FEB-89 |
| | MIL-W-63452(8) | WARHEAD, GUIDED MISSILE, HE, M207E2 BODY AND BOATTAIL BUSHING FOR[CUST: AR] | A | 1336 | | AR | 18-NOV-88 |
| | MIL-W-63451(5) | WARHEAD, GUIDED MISSILE, HE, M207E2 LINER FOR[CUST: AR] | A | 1336 | | AR | 18-OCT-96 |
| | DOD-W-70666 | WARHEAD, GUIDED MISSILE, HE, M207E6 TRUMPET LINER FOR[CUST: AR] | A | 1336 | | AR | 15-DEC-86 |
| | MIL-W-63465(1) NOT 1 | WARHEAD, GUIDED MISSILE, HE, M250 FRAGMENTS FOR[CUST: AR] | A | 1336 | | AR | 02-NOV-88 |
| | MIL-W-50849D(5) | WARHEAD, GUIDED MISSILE, HE, M250 INERT PARTS FOR[CUST: AR] | A | 1336 | | AR | 28-OCT-92 |
| | MIL-W-50848D NOT 1 | WARHEAD, GUIDED MISSILE, HE, M250 LOADING, ASSEMBLY AND PACKING[CUST: AR] | A | 1336 | | AR | 22-JUN-89 |
| | MIL-W-63377(7) | WARHEAD, ILLUMINATING, M257, W/M442 FUZE (2.75 INCH ROCKET ILLUMINATING FLARE)[CUST: AR] | A | 1340 | | AR | 24-MAR-00 |
| | MIL-W-63374 NOT 1 | WARHEAD, INERT, FOR DEMOLITION KIT, TRAINING, XM270 LOADING ASSEMBLY[CUST: AR] | A | 1375 | | AR | 05-FEB-87 |
| | A-A-51323 | WARMER, PLASTIC SPECTACLE FRAME[CUST: MD MS 03] | A | 6540 | / | MB | 09-JAN-86 |
| | STANAG-2002 ED.9 | WARNING SIGNS FOR THE MARKING OF NUCLEAR, BIOLOGICAL AND CHEMICAL CONTAMINATIONS | C | ISDA | | AI | 21-MAY-03 |
| | ANSI-N2.1 | WARNING SYMBOLS - RADIATION SYMBOL[CUST: MI AS 11] | A | EMCS | | AS | 29-DEC-88 |
| | DI-SESS-81639 | WARRANTY PERFORMANCE REPORT [AMSC: F7490] | A | SESS | | 10 | 10-JAN-03 |
| | AIR-STD-44/38C | WARTIME AIR MOVEMENT PRIORITIES SYSTEM | C | ISDF | | 06 | 22-MAY-02 |
| | A-A-51284 | WASH BOTTLE, LABORATORY, (POLYETHYLENE)[CUST: MD MS 03] | A | 6640 | / | MB | 16-DEC-85 |
| | A-A-54098 | WASHCLOTH[CUST: MD MS 03] | A | 7210 | / | MB | 30-MAR-90 |
| | A-A-55303 | WASHCLOTH, TERRY, CLOTH AND COTTON/POLYESTER BLEND[CUST: GL 99 CT] [REVIEW: 03 11 MD] | A | 7210 | / | CT | 23-OCT-96 |
| | NAS1252 | WASHER - 7075 ALUMINUMALLOY FLAT[CUST: AS 11 IS] | A | 5310 | | IS | 29-MAY-86 |
| | NAS1099 | WASHER - BEVEL 9 1/2 DEG.[CUST: AR YD 99 IS] | A | 5310 | | IS | 16-OCT-80 |
| | MIL-W-43001F | WASHER - EXTRACTORS, LAUNDRY, COMMERCIAL[CUST: GL YD 99 IS] [REVIEW: 84 CE MC MD] | A | 3510 | | IS | 30-SEP-87 |
| | NASM961 | WASHER - FLAT, ELECTRICAL[CUST: AR AS 99] | A | 5310 | | IS | SEP-99 |
| | NAS390 | WASHER - FLUSH TYPE FINISHING[CUST: AR YD 99 IS] | A | 5310 | | IS | 28-JAN-94 |
| | SAE-AS122026THRUAS122075 | WASHER - LOCK, SPRING[CUST: AS 99 IS] | A | 5310 | | IS | AUG-00 |
| | NAS1197 | WASHER, 5052 ALUMINUM ALLOYN[CUST: AS 11 IS] | A | 5310 | | IS | 30-JAN-84 |
| M | QPL-5521-14 | WASHER, AIRCRAFT HYDRAULIC PACKING BACK-UP | A | 5330 | | IS | 13-MAR-06 |
| | NASM45595-7 | WASHER, CONCAVE, STEEL, ALLOY[CUST: AR 99 IS] | A | 5310 | | IS | DEC-99 |
| | NASM45595-6 | WASHER, CONVEX, STEEL, ALLOY[CUST: AR 99 IS] | A | 5310 | | IS | DEC-99 |
| | NASM14183 | WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU[CUST: AV AS 99 IS] | A | 5310 | | IS | SEP-99 |
| | NASM21299 | WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 260 KSI FTU[CUST: AV AS 11 IS] | A | 5310 | | IS | APR-99 |
| | NASM20002 | WASHER, COUNTERSUNK AND PLAIN, HIGH STRENGTH[CUST: AV AS 99] | A | 5310 | | IS | NOV-99 |
| | SAE-AS1715 | WASHER, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS[CUST: AV AS 99] [REVIEW: AR AT CC CR4 MI] | A | 4730 | | 71 | SEPT-95 |
| | SAE-AS9880 | WASHER, CUP, LOCK - CRES AMS 5510[CUST: AS 99] | A | 5310 | | IS | DEC-99 |
| | MS9952A(1) NOT 3 | WASHER, CUP, LOCK - EXPANDER NUT CRES, AMS 5846[CUST: 11 IS] | A | 5310 | | IS | 18-NOV-02 |
| | SAE-MA4045 | WASHER, CUP, LOCK-SPANNER NUT AMS 5646, METRIC[CUST: AV AS 99 IS] [REVIEW: AR SH] | A | 5310 | | IS | 22-MAY-89 |
| | NAS1169 | WASHER, DIMPLED, 100 DEG[CUST: AS 11 IS] | A | 5310 | | IS | 15-JUN-83 |
| | NA0140THRUNA0144 | WASHER, DIMPLED, 100 DEG., METRIC[CUST: AR 11 IS] [REVIEW: AV] | A | 5310 | | IS | JUN-81 |
| | NASM970 | WASHER, FLAT[CUST: AR AS 99] | A | 5310 | | IS | AUG-98 |
| | NAS1149 | WASHER, FLAT[CUST: AR AS 99 IS] [REVIEW: 71 AV] | A | 5310 | | IS | 29-APR-94 |
| | MS51092B NOT 1 | WASHER, FLAT[CUST: 99 IS] | A | 5310 | | IS | 09-AUG-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS9549 | WASHER, FLAT - AMS5510[CUST: AS IS] | A | 5310 | | IS | NOV-98 |
| | NAS620 | WASHER, FLAT - REDUCED OUTSIDE DIAMETER | A | 5310 | | IS | 30-JAN-84 |
| | SAE-AS9482 | WASHER, FLAT - STEEL AMS 6437 OR AMS 6485, DIFFUSED NICKEL-GRADIUM PLATED, COUNTERSUNK[CUST: AS 99 IS] | A | 5310 | | IS | OCT-98 |
| | SAE-AS9321 | WASHER, FLAT -AMS 5510[CUST: AS IS] | A | 5310 | | IS | OCT-99 |
| | SAE-MA3453 | WASHER, FLAT, AMS-5525, METRIC[CUST: AR SH 99 IS] [REVIEW: 71 AV] | A | 5310 | | IS | 28-OCT-90 |
| | NASM14151 | WASHER, FLAT, ROUND, CORROSION RESISTING STEEL (FOR ELECTROCAL APPLICATIONS)[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5310 | | IS | JUN-99 |
| | SAE-AS9320 | WASHER, FLAT-AMS 6350[CUST: AV AS IS] | A | 5310 | | IS | OCT-99 |
| | NASM15795 | WASHER, FLAT-METAL, ROUND GENERAL PURPOSE[CUST: AR AS 99] | A | 5310 | | IS | NOV-99 |
| | MS25081K | WASHER, KEY[CUST: CR4 AS 99 IS] | A | 5310 | | IS | 02-FEB-04 |
| | SAE-MA4038 | WASHER, KEY - 180 DEG. LOCKING, CRES, UNS S3210, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5310 | | IS | SEP-95 |
| | SAE-MA4039 | WASHER, KEY - 270 DEG. LOCKING, CRES, UNS S32100, METRIC[CUST: AR 99 IS] [REVIEW: 71 AV] | A | 5310 | | IS | SEP-95 |
| | SAE-MA4037 | WASHER, KEY - 90 DEG. LOCKING, CRES, UNS S32100, METRIC[CUST: AV 99 IS] [REVIEW: 71] | A | 5310 | | IS | SEP-95 |
| | SAE-AS9276 | WASHER, KEY - CRES, AMS 5510, 180 DEG. LOCKING[CUST: AV AS IS] | A | 5310 | | IS | AUG-00 |
| | SAE-MA4040 | WASHER, KEY - DUAL LOCKING POSITIONS CRES,UNS S32100, METRIC[CUST: AR AS 99 IS] [REVIEW: 71 AV SH] | A | 5310 | | IS | SEP-95 |
| | SAE-AS172271THRUAS172320 | WASHER, KEY - SINGLE, AMS 6350 (ASG)[CUST: AS 99 IS] | A | 5310 | | IS | AUG-00 |
| | SAE-AS172201THRUAS172235 | WASHER, KEY - SINGLE, BEARING RETAINING, AMS 8350 (ASG)[CUST: AV AS 99 IS] | A | 5310 | | IS | AUG-00 |
| | MS19070A | WASHER, KEY RETAINING, BALL AND ROLLER BEARING, REGULAR SERIES[CUST: AT OS 11] [REVIEW: AS SA] | A | 5310 | | IS | 07-OCT-87 |
| | NAS1636 | WASHER, KEY, DUAL TAB[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5310 | | IS | 14-JUN-74 |
| | MIL-W-21338A | WASHER, KEY, RETAINING BALL AND ROLLER BEARINGS[CUST: AT OS 11 IS] [REVIEW: 84 AR AS AV GL MC MI SH YD] | A | 5310 | | IS | 15-JAN-70 |
| | MS19069A NOT 1 | WASHER, KEY, RETAINING, BALL AND ROLLER BEARING, LIGHT SERIES[CUST: AT OS 11] [REVIEW: 99 AR MC MI SA] | A | 5310 | | IS | 14-SEP-01 |
| | NASM21258 | WASHER, KEY, RETAINING, WHEEL BEARING[CUST: 99] | A | 5310 | | IS | OCT-98 |
| | SAE-AS9581 | WASHER, KEY-CRES, AMS 5510. 90 DEG. LOCKING[CUST: AV AS 99 IS] | A | 5310 | | IS | AUG-99 |
| | SAE-AS9582 | WASHER, KEY-CRES, AMS5510, 270 DEG. LOCKING[CUST: AS 99 IS] | A | 5310 | | IS | NOV-98 |
| | ASME-B18.21.1 | WASHER, LOCK[CUST: AR AS 99 IS] [REVIEW: AT AV CR MI OS SH] | A | 5310 | | IS | 20-NOV-72 |
| | MS35335G | WASHER, LOCK, FLAT-EXTERNAL TOOTH[CUST: AT AS 99 IS] [REVIEW: 71 AV CR CR4 GL MC MI OS YD] | A | 5310 | | IS | 02-FEB-04 |
| | NASM35333 | WASHER, LOCK, FLAT-INTERNAL TOOTH[CUST: AR AS 99 IS] | A | 5310 | | IS | 18-JUL-02 |
| | NAS1640 | WASHER, LOCK, SPRING, NON-MAGNETIC[CUST: AR YD 99 IS] | A | 5310 | | IS | 01-JUL-74 |
| | MS51415C NOT 2 | WASHER, LOCK-HELICAL SPRING, REGULAR (MEDIUM) SERIES[CUST: AR SH IS] [REVIEW: 71 AV CR4 GL MC MI NS YD] | A | 5310 | | IS | 15-SEP-03 |
| | NAS1676 | WASHER, LOCK-SPRING, HELICAL, HI-COLLAR[CUST: AR YD 99 IS] | A | 5310 | | IS | 30-AUG-69 |
| | NASM35338 | WASHER, LOCK-SPRING, HELICAL, REGULAR (MEDIUM) SERIES[CUST: AR AS 99 IS] | A | 5310 | | IS | 18-JUL-02 |
| | NAS549 | WASHER, NONMETALLIC, INSULATING ELECTRICAL[CUST: AS 11 GS2] | A | 5970 | | GS2 | 31 MAR 98 |
| | NAS1587 | WASHER, PLAIN AND COUNTERSUNK 1200 DEGREES[CUST: AV AS 11] [REVIEW: CR4] | A | 5310 | | IS | 15-SEP-78 |
| | NAS1070 | WASHER, PLAIN, OVERSIZE FOR ALUMINUM TERMINALS[CUST: AR YD 99 IS] | A | 5310 | | IS | 15-JUL-74 |
| | NAS1401 | WASHER, RADIUS[CUST: AS 11 IS] | A | 5310 | | IS | 30-JAN-84 |
| | NASM14155 | WASHER, RECESSED COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 180 KSI FTU[CUST: AV AS 99 IS] | A | 5310 | | IS | JUN-99 |
| | NASM45595-3 | WASHER, RECESSED, ALUMINUM ALLOY[CUST: AR 99 IS] | A | 5310 | | IS | DEC-99 |
| | NASM14177 | WASHER, RECESSED, COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU[CUST: AV AS 99] | A | 5310 | | IS | NOV-99 |
| | NAS513 | WASHER, ROD END LOCKING[CUST: AV AS 11 IS] | A | 5310 | | IS | 14-JUN-74 |
| | NASM45595-5 | WASHER, SADDLE, ALUMINUM ALLOY[CUST: AR 99 IS] | A | 5310 | | IS | MAR-00 |
| | NASM45595-4 | WASHER, SADDLE, STEEL, CARBON[CUST: AR 99 IS] | A | 5310 | | IS | MAR-00 |
| | NASM45595-9 | WASHER, SHOULDERED, GLASS FILLED NYLON[CUST: AR SH 99 IS] | A | 5310 | | IS | 03-JUL-02 |
| | NASM45595-8 | WASHER, SHOULDERED, PHENOLIC[CUST: AR 99 IS] | A | 5310 | | IS | DEC-99 |
| | NASM45595-1 | WASHER, SHOULDERED, POLYAMIDE (NYLON)[CUST: AR 99 IS] | A | 5310 | | IS | DEC-99 |
| | NASM45595-2 | WASHER, SHOULDERED, POLYTETRAFLUOROETHYLENE[CUST: AR 99 IS] | A | 5310 | | IS | DEC-99 |
| | MIL-W-12133/2B NOT 1 | WASHER, SPRING TENSION, BELLEVILLE SPRING, CORROSION RESISTANT STEEL[CUST: AR OS 99] [REVIEW: 71 AS AT CR CR4 MC MI YD] | A | 5310 | | IS | 09-SEP-01 |
| | MIL-W-12133/1C NOT 1 | WASHER, SPRING TENSION, BELLEVILLE SPRING, SPRING STEEL[CUST: AR OS 99 IS] [REVIEW: 71 AS CR MC MI YD] | A | 5310 | | IS | 09-SEP-01 |
| | MIL-W-12133/9 | WASHER, SPRING TENSION, CURVED, COPPER, BERYLLIUM[CUST: AR OS 99] [REVIEW: 71 AS AT CR MC MI YD] | A | 5310 | | IS | 09-OCT-87 |
| | MIL-W-12133/8 | WASHER, SPRING TENSION, CURVED, CRES, 302[CUST: AR OS 99] [REVIEW: 71 AS AT AV GL MC MI YD] | A | 5310 | | IS | 18-JUN-87 |
| | MIL-W-12133D | WASHER, SPRING TENSION, GENERAL SPECIFICATION FOR[CUST: AR OS 99 IS] [REVIEW: 71 AS AT AV CR4 MC MI YD] | A | 5310 | | IS | 17-JUN-94 |
| | MIL-W-12133/3 NOT 1 | WASHER, SPRING TENSION, WAVE, COPPER-BERYLLIUM[CUST: AR OS 99] [REVIEW: 71 AS AT AV CR4 MC MI YD] | A | 5310 | | IS | 14-SEP-01 |
| | MIL-W-12133/4A | WASHER, SPRING TENSION, WAVE, CRES 302[CUST: AR OS 99] [REVIEW: 71 AS AT AV CR4 GL MC SH YD] | A | 5310 | | IS | 28-FEB-86 |
| | MIL-W-12133/6 NOT 1 | WASHER, SPRING TENSION, WAVE, SPRING STEEL[CUST: AR OS 99] [REVIEW: 71 AS CR MC MI YD] | A | 5310 | | IS | 14-SEP-01 |
| | MS17811B NOT 1 | WASHER, THRUST, STEEL[CUST: AT OS GS4] [REVIEW: AS CR4 MI] | A | 3120 | | GS4 | 14-MAR-03 |
| | A-A-55441 | WASHER-EXTRACTOR, COMMERCIAL FOR DECONTAMINATION OF PROTECTIVE EQUIPMENT AND CLOTHING[CUST: GL YD 99 IS] [REVIEW: MD] | A | 3510 | / | IS | 21-DEC-95 |
| | A-A-59365 | WASHER-EXTRACTOR, LAUNDRY, 16 TO 20 POUND CAPACITY (NAVAL SHIPBOARD)[CUST: SH] | A | 3510 | / | SH | 02-JAN-99 |
| | A-A-59469 | WASHER-EXTRACTOR, LAUNDRY, 35 TO 200 POUND CAPACITY (NAVAL SHIPBOARD)[CUST: SH] | A | 3510 | / | SH | 23-JUN-99 |
| | ASTM-F959M | WASHER-TYPE-COMPRESSIBLE DIRECT TENSION INDICATORS FOR USE WITH STRUCTURAL FASTENERS (METRIC)[CUST: AR YD 99] | A | 5310 | | IS | 29-SEP-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | NAS1515 | WASHERS - PLASTIC AND SYNTHETIC RUBBER[CUST: AV AS 11 IS] | A | 5310 | | IS | 20-MAY-83 |
| | NASM25440 | WASHERS, FOR USE WITH AIRCRAFT ALUMINUM TERMINALS[CUST: CR AS 11 IS] | A | 5310 | | IS | SEP-99 |
| | ASTM-F436 | WASHERS, HARDENED STEEL[CUST: AR YD 99 IS] | A | 5310 | | IS | 16-APR-84 |
| | ASTM-F436M | WASHERS, HARDENED STEEL (METRIC)[CUST: AR YD 99 IS] | A | 5310 | | IS | JUN-90 |
| | NASM45595 | WASHERS, SHOULDERED, RECESSED, SADDLE, CONCAVE AND CONVEX[CUST: AR YD IS] | A | 5310 | | IS | DEC-99 |
| | ASTM-F844 | WASHERS, STEEL, PLAIN (FLAT), UNHARDENED FOR GENERAL USE[CUST: AR YD 99 IS] | A | 5310 | | IS | 10-OCT-98 |
| | UL1206 | WASHING EQUIPMENT, CLOTHES - ELECTRIC, COMMERCIAL STANDARD FOR[CUST: YD] | A | 3510 | | IS | 14-JUN-89 |
| | OO-W-860D(1) NOT 1 | WASHING MACHINE AND DRYING TUMBLERS, HOUSE HOLD LAUNDRY, POWER OPERATED AND LAUNDRY OMMERCIAL (SELF-SERVICE)[CUST: GL YD 99] [REVIEW: 50 GS MC MD] | A | 3510 | * | GL | 27-MAY-77 |
| | OO-W-00860E | WASHING MACHINE AND DRYING TUMBLERS, HOUSEHOLD LAUNDRY, POWER OPERATED AND LAUNDRY COMMERCIAL (SELF-SERVICE) | A | 3510 | # | FSS | 20-MAY-92 |
| | L-W-1653(1) | WASTE RECEPTACLE, MOBILE, PLASTIC | A | 7240 | # | FSS | 27-DEC-76 |
| | L-W-25D(1) | WASTE RECEPTACLE, PLASTIC[CUST: GL 99] | A | 7240 | * | GL | 05-MAR-74 |
| | A-A-51058B | WASTE RECEPTACLE, STEP ON TYPE[CUST: MD MS 03] | A | 7240 | / | MB | 26-JUN-87 |
| | MIL-HDBK-1005/16(1) | WASTEWATER TREATMENT SYSTEM DESIGN AUGMENTING HANDBOOK[CUST: CE YD 50] | A | FACR | | YD | 15-MAY-99 |
| | A-A-53921 | WATCH GLASS SET[CUST: MD MS 03] | A | 6640 | / | MB | 30-MAY-89 |
| | A-A-53746 | WATCH GLASS, LABORATORY[CUST: MD MS 03] | A | 6640 | / | MB | 17-OCT-88 |
| | QPL-46374-57 | WATCH, WRIST: GENERAL PURPOSE | A | 6645 | | GS1 | 17-DEC-02 |
| | MIL-PRF-46374G | WATCH, WRIST: GENERAL PURPOSE[CUST: AR SH 99] [REVIEW: 71 MC] | A | 6645 | | GS1 | 12-NOV-99 |
| | ASTM-D4643 | WATER (MOISTURE) CONTENT OF SOIL BY THE MICROWAVE OVEN METHOD, DETERMINATION OF[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 10-FEB-00 |
| | ASTM-D1815 | WATER ABSORPTION (STATIC) OF VEGETABLE TANNED LEATHER[CUST: GL NU 99 CT] | A | 83GP | | CT | 05-MAR-96 |
| | ASTM-C272 | WATER ABSORPTION OF CORE MATERIALS FOR STRUCTURAL SANDWICH CONSTRUCTIONS[CUST: GL AS 99] | A | 5680 | | GL | 03-OCT-94 |
| | ASTM-D570 | WATER ABSORPTION OF PLASTICS[CUST: MR SH 11 GS] [REVIEW: 99 AR CR CR4 GL MI] | A | 9330 | | IS | 10-JUL-98 |
| | ASTM-D2842 | WATER ABSORPTION OF RIGID CELLULAR PLASTICS[CUST: YD 99] [REVIEW: 84 GS MR SH] | A | 9330 | | YD | 14-NOV-69 |
| | ASTM-C20 | WATER ABSORPTION, APPARENT SPECIFIC GRAVITY, AND BULK DENSITY OF BURNED REFRACTORY BRICK AND SHAPES BY BOILING WATER, APPARENT POROSITY[CUST: CR4 SH] [REVIEW: CG GS MR] | A | 9350 | | SH | 15-MAR-92 |
| | IPC-TM650.2.6.2.1 | WATER ABSORPTION, METAL CLAD PLASTIC LAMINATES[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | ASTM-D96 | WATER AND SEDIMENT IN CRUDE OIL BY CENTRIFUGE METHOD (FIELD PROCEDURE)[CUST: AT SH 11] [REVIEW: MR] | A | 91GP | | AT | 25-MAR-88 |
| | ASTM-D1796 | WATER AND SEDIMENT IN FUEL OILS BY THE CENTRIFUGE METHOD (LABORATORY PROCEDURE)[CUST: AT SH 11] [REVIEW: OS] | A | 91GP | | AT | 25-MAR-83 |
| | ASTM-D2709 | WATER AND SEDIMENT IN MIDDLE DISTILLATE FUELS BY CENTRIFUGE[CUST: AT SH 11] [REVIEW: OS] | A | 91GP | | AT | 10-JAN-96 |
| | ASME-PTC19.11 | WATER AND STEAM IN THE POWER CYCLE (PURITY AND QUALITY, LEAK DETECTION AND MEASUREMENT)[CUST: YD] [REVIEW: GS] | A | 6695 | | YD | 11-SEP-92 |
| | A-A-54721 | WATER BATH, ELECTRIC[CUST: MD MS 03] | A | 6640 | / | MB | 03-AUG-92 |
| | A-A-54222 | WATER BATH, ELECTRIC (MICROTOME TISSUE SPECIMEN SECTION MOUNTING)[CUST: MD MS 03] | A | 6640 | / | MB | 20-JUL-90 |
| | MIL-W-42062 | WATER BATH, ELECTRIC, 120/230 VOLT, 50/60 HZ AC[CUST: MD MS 03] | A | 6640 | | MB | 15-AUG-88 |
| | A-A-50801A | WATER BATH, ELECTRIC, SEROLOGICAL[CUST: MD MS 03] | A | 6640 | / | MB | 16-MAR-87 |
| | A-A-50856 | WATER BATH, ELECTRIC, SEROLOGICAL[CUST: MD MS 03] | A | 6640 | * | MB | 29-OCT-82 |
| | MIL-PRF-53047B | WATER CHILLER, SMALL, MOBILE, DIESEL FUEL POWERED[CUST: AT YD 99] [REVIEW: GS] | A | 4130 | | AT | 08-SEP-98 |
| | MIL-HDBK-1165 | WATER CONSERVATION[CUST: YD] | A | FACR | | YD | 07-APR-97 |
| | ASTM-C92 | WATER CONTENT AND SIEVE ANALYSIS, OF REFRACTORY MATERIALS[CUST: AR SH 99] | A | 9350 | | AR | 03-OCT-94 |
| | ASTM-D3792 | WATER CONTENT OF COATINGS BY DIRECT INJECTION INTO A GAS CHROMATOGRAPH[CUST: CR4 AS 99] | A | 8010 | | AS | 03-OCT-94 |
| | ASTM-D3017 | WATER CONTENT OF SOIL AND ROCK IN PLACE BY NUCLEAR METHODS (SHALLOW DEPTH)[CUST: CR4 YD 99 IS] [REVIEW: CG] | A | 5610 | | IS | 27-MAY-88 |
| | ASME-PTC23 | WATER COOLING EQUIPMENT, ATMOSPHERIC[CUST: CR4 YD 99] | A | 4110 | | SS | 30-NOV-86 |
| | MIL-W-21965D(1) | WATER COOLING OF SHIPBOARD ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR[CUST: SH] | A | 4420 | | SH | 27-JUN-94 |
| | QSTAG-1325 ED.1 | WATER CROSSING PROCEDURES[CUST: AI] | C | ISDA | | AI | 06-SEP-00 |
| | STANAG-2395 ED.2(2) | WATER CROSSING PROCEDURES | C | ISDA | | AI | 25-MAR-97 |
| | NSF60 | WATER DRINKING - TREATMENT CHEMICALS - HEALTH EFFECTS[CUST: EA SH 68 CT] [REVIEW: GS] | A | 6810 | | CT | DEC-87 |
| | ASSE1005 | WATER HEATER DRAIN VALVES[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | ASTM-C135 | WATER IMMERSION, REFRACTORY MATERIALS BY TRUE SPECIFIC GRAVITY OF[CUST: CR4 SH 99] | A | 9350 | | CR4 | 10-AUG-96 |
| | ASTM-D4006 | WATER IN CRUDE OIL BY DISTILLATION[CUST: PS] | A | 91GP | | PS | 24-SEP-93 |
| | ASTM-D4377 | WATER IN CRUDE OILS (KARL FISHER) TITRATION[CUST: PS] | A | 91GP | | PS | 15-FEB-93 |
| | ASTM-D4928 | WATER IN CRUDE OILS BY COULOMETRIC KARL FISCHER TITRATION[CUST: PS] | A | 91GP | | PS | 31-MAR-89 |
| | ASTM-D2036 | WATER IN CYANIDES[CUST: EA GS3] [REVIEW: CR4 MD SH] | A | 6810 | | GS3 | 10-JUL-98 |
| | ASTM-D1123 | WATER IN ENGINE COOLANT CONCENTRATE BY THE KARL FISCHER REAGENT METHOD[CUST: EA AS 11] [REVIEW: AV GS MC SH] | A | 6850 | | AS | 10-JUL-99 |
| | ASTM-D3401 | WATER IN HALOGENATED ORGANIC SOLVENTS AND THEIR ADMIXTURES[CUST: EA AS 68] [REVIEW: GS] | A | 6810 | | AS | 10-DEC-97 |
| | ASTM-D1533 | WATER IN INSULATING LIQUIDS BY COULOMETRIC KARL FISCHER TITRATION[CUST: EA 68 GS3] [REVIEW: AS CR4 MC MD OS SH] | A | 6810 | | GS3 | 10-APR-00 |
| | ASTM-D1744 | WATER IN LIQUID PETROLEUM PRODUCTS BY KARL FISCHER REAGENT[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 15-MAR-92 |
| | ASTM-D4017 | WATER IN PAINTS AND PAINT MATERIALS BY KARL FISHER METHOD[CUST: CR4 YD 99] [REVIEW: 84 CE SH] | A | 8010 | | IS | 29-MAR-93 |
| | ASTM-D95 | WATER IN PETROLEUM PRODUCTS AND BITUMINOUS MATERIALS BY DISTILLATION[CUST: AT SH 11] [REVIEW: OS YD] | A | 91GP | | AT | 25-MAR-93 |
| | ASTM-D1631 | WATER IN PHENOL AND RELATED MATERIALS BY THE IODINE REAGENT METHOD[CUST: AR OS 68] [REVIEW: GS] | A | 6810 | | AR | OCT-94 |
| | ASTM-D1364 | WATER IN VOLATILE SOLVENTS (KARL FISCHER REAGENT TITRATION METHOD)[CUST: MR 11] [REVIEW: AR AS CR4 SH] | A | 8010 | | MR | 20-NOV-80 |
| | AWWA-C651 | WATER MAINS, DISINFECTING[CUST: YD] [REVIEW: CR4 GS MC OS] | A | 6840 | | YD | 18-JUN-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-D1722 | WATER MISCIBILITY OF WATER SOLUBLE SOLVENTS[CUST: EA GS3] [REVIEW: CR4 MC MD SH] | A | 6810 | | GS3 | 26-OCT-90 |
| | ASTM-D1075 | WATER ON COMPRESSIVE STRENGTH OF COMPACTED BITUMINOUS MIXTURES, EFFECT OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 10-MAY-96 |
| | ASTM-E514 | WATER PENETRATION AND LEAKAGE THROUGH MASONRY[CUST: CR4 YD 99 IS] [REVIEW: CE] | A | 5620 | | IS | 27-JUL-90 |
| | ASTM-E331 | WATER PENETRATION OF EXTERIOR WINDOWS,SKYLIGHTS, DOORS, AND CURTAIN WALLS BY UNIFORM STATIC AIR PRESSURE DIFFERENCE[CUST: YD 99] | A | 5680 | | IS | 10-SEP-96 |
| | ASTM-D4491 | WATER PERMEABILITY OF GEOTEXTILES BY PERMITTIVITY[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5620 | | IS | 10-DEC-99 |
| | ASSE1003 | WATER PRESSURE REDUCING VALVES[CUST: YD] | A | FACR | | YD | 28-JUL-04 |
| | MIL-W-283H | WATER PURIFICATION TABLET, IODINE[CUST: GL 68] [REVIEW: AR CR4 EA GS MB MC MD MS SH YD] | A | 6850 | | GL | 25-JUN-87 |
| | QSTAG-479 ED.1 | WATER QUALITY ANALYSIS SET (ENGINEER AND PREVENTATIVE MEDICINE)[CUST: AI] | C | ISDA | | AI | 09-NOV-89 |
| | A-A-54476 | WATER QUALITY ANALYSIS SET (MBT)[CUST: MD MS 03 MB] | A | 6630 | / | MB | 30-AUG-91 |
| | A-A-59338A NOT 1 | WATER QUALITY ANALYSIS SET: PURIFICATION (WQAS-P)[CUST: AT MS 99 FSS] [REVIEW: EA MB QM] | A | 6630 | / | AT | 12-APR-04 |
| | ASTM-D1094 | WATER REACTION OF AVIATION FUELS[CUST: CR4] [REVIEW: GS] | A | 6850 | | CR4 | 10-DEC-00 |
| | AATCC70 | WATER REPELLENCY: TUMBLE JAR DYNAMIC ABSORPTION TEST[CUST: GL NU 99 CT] [REVIEW: 11 CG] | A | 83GP | | CT | 1994 |
| | SAE-AS6882 | WATER REPELLENT, WINDOW AND WINDSHIELD, GLASS AND PLASTIC[CUST: EA AS 11] [REVIEW: 68 AV CG GS] | A | 6850 | | AS | JUL-99 |
| | ASTM-D779 | WATER RESISTANCE OF PAPER, PAPERBOARD, AND OTHER SHEET MATERIALS BY THE DRY INDICATOR METHOD[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL GS MI MR OS SA SH YD] | A | 9310 | | AS | 29-SEP-89 |
| | ASTM-D951 | WATER RESISTANCE OF SHIPPING CONTAINERS BY SPRAY METHOD[CUST: SM AS 11] | A | PACK | | SM | OCT-94 |
| | ASTM-D2247 | WATER RESISTANCE, TESTING, OF COATINGS IN 100 PERCENT RELATIVE HUMIDITY[CUST: MR SH 99] | A | 8010 | | MR | 28-OCT-92 |
| | AATCC127 | WATER RESISTANCE: HYDROSTATIC PRESSURE TEST[CUST: GL NU 99 CT] [REVIEW: 11 CG] | A | 83GP | | CT | 1989 |
| | ASTM-C156 | WATER RETENTION BY CONCRETE CURING MATERIALS[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 15-JUN-93 |
| | ASTM-D1401 | WATER SEPARABILITY OF PETROLEUM OILS AND SYNTHETIC FLUIDS[CUST: CR4 SH 68] [REVIEW: AS GS] | A | 9150 | | SH | 10-JUL-98 |
| | A-A-30035C | WATER SET (PLASTIC)[CUST: MD MS 03] | A | 7350 | * | MB | 22-JAN-93 |
| | A-A-50573 | WATER SOFTENER UNIT, LIME-SODA TYPE[CUST: AT YD 99] [REVIEW: 84] | A | 4610 | / | CC | 21-APR-97 |
| | MIL-HDBK-1005/7A(1) | WATER SUPPLY SYSTEMS[CUST: YD 50] | A | FACR | | YD | 24-JAN-01 |
| | MIL-W-85635 NOT 1 | WATER TEST DEVICE, ANTI-EXPOSURE COVERALL[CUST: AS] [REVIEW: GS] | A | 6635 | | AS | 30-SEP-92 |
| | A-A-54795 | WATER TESTING KIT, BACTERIOLOGICAL[CUST: MD MS 03] [REVIEW: GS] | A | 6665 | / | MB | 11-JAN-93 |
| | MIL-W-16642D(1) | WATER TESTING OUTFIT, BOILER[CUST: SH] | A | 6640 | | SH | 23-JUL-82 |
| | ASTM-D1735 | WATER TESTING RESISTANCE OF COATINGS USING WATER FOG APPARATUS[CUST: MR YD 11] | A | MFFP | | YD | 03-OCT-94 |
| | DI-MISC-80821 | WATER USE REPORT [AMSC: F4706] | A | MISC | | 33 | 25-MAY-89 |
| | ASTM-E203 | WATER USING VOLUMETRIC KARL FISCHER TITRATION[CUST: MR SH 11] [REVIEW: GS] | A | 9150 | | MR | 15-DEC-92 |
| | ASTM-D2029 | WATER VAPOR CONTENT OF ELECTRICAL INSULATING GASES BY MEASUREMENT OF DEW POINT[CUST: CR4 SH 11] [REVIEW: GS] | A | 5970 | | CR4 | 10-APR-97 |
| | ASTM-D1142 | WATER VAPOR CONTENT OF GASEOUS FUELS BY MEASUREMENT OF DEW-POINT TEMPERATURE[CUST: AS 68] | A | 6830 | | GS3 | 31-AUG-90 |
| | ASTM-D895 | WATER VAPOR PERMEABILITY OF PACKAGES[CUST: SM AS 11] [REVIEW: 99 AR CR CR4 EC MR OS SA SH YD] | A | PACK | | AS | 15-MAY-94 |
| | ASTM-E154 | WATER VAPOR RETARDERS USED IN CONTACT WITH EARTH UNDER CONCRETE SLABS, ON WALLS, OR AS GROUND COVER[CUST: YD 99] | A | FACR | | YD | 26-AUG-88 |
| | ASTM-E96 | WATER VAPOR TRANSMISSION OF MATERIALS[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL GS MI MR OS SA SH YD] | A | PACK | | AS | 06-MAR-95 |
| | ASTM-D1653 | WATER VAPOR TRANSMISSION OF ORGANIC COATING FILMS[CUST: MR SH 99] [REVIEW: 84] | A | 8010 | | MR | SEP-91 |
| | ASTM-D3833 | WATER VAPOR TRANSMISSION OF PRESSURE-SENSITIVE TAPES[CUST: AR AS 99] | A | 8040 | | AS | 10-MAR-96 |
| | ASTM-D1067 | WATER, ACIDITY OR ALKALINITY OF[CUST: EA 68] [REVIEW: 50 CR4 GL MD OS SH] | A | 6810 | | GS3 | 15-MAY-92 |
| | ASTM-D1252 | WATER, CHEMICAL OXYGEN DEMAND (DICHROMATE OXYGEN DEMAND) OF[CUST: EA GS3] [REVIEW: CR4 GL MD SH] | A | 6810 | | GS3 | 15-AUG-95 |
| | A-A-20332B | WATER, DRINKING, EMERGENCY[CUST: GL SA 35 SS] [REVIEW: AS MC MD QM] | A | 8960 | / | SS | 18-APR-02 |
| | ASTM-D1126 | WATER, HARDNESS IN[CUST: EA SH] [REVIEW: CR4 GS PS] | A | 6810 | | SH | 29-AUG-86 |
| | ASTM-F857 | WATER, HOT, SANITIZING COMMERCIAL DISHWASHING MACHINES, STATIONARY RACK TYPE[CUST: GL YD 99] [REVIEW: 84 CG GS MC MD MS] | A | 7320 | | SS | 12-NOV-97 |
| | ASTM-D1385 | WATER, HYDRAZINE IN[CUST: EA SH 68 CT] [REVIEW: GS] | A | 6810 | | CT | 03-OCT-94 |
| | ASTM-D516 | WATER, IN SULFATE ION[CUST: EA SH 68] [REVIEW: GS] | A | 6810 | | SH | 03-OCT-94 |
| | ASTM-D1293 | WATER, PH OF[CUST: EA SH 68] [REVIEW: AS CR4 GL GS MD OS PS] | A | 6810 | | SH | 10-DEC-99 |
| A | ASTM-D3370 | WATER, SAMPLING, FROM CLOSED CONDUITS[CUST: EA SH 68] [REVIEW: CR4 GL GS YD] | A | 6810 | | 68 | 01-JUN-89 |
| | ASTM-D1889 | WATER, TURBIDITY OF[CUST: EA 68 GS3] [REVIEW: 50 CR4 GL MD OS SH] | A | 6810 | | GS3 | 10-DEC-94 |
| | ASTM-D2243 | WATER-BORNE COATINGS, FREEZE-THAW RESISTANCE OF[CUST: MR SH 99] [REVIEW: 11 84 AS CR4] | A | 8010 | | MR | 15-AUG-95 |
| | ASME-A112.19.5 | WATER-CLOSET BOWLS, TANKS, AND URINALS, TRIM FOR[CUST: CR4 YD 99] | A | 4510 | | IS | 03-OCT-94 |
| | ARI450 | WATER-COOLED REFRIGERANT CONDENSERS, REMOTE TYPE[CUST: CR4 YD 99] | A | 4130 | | IS | 1987 |
| | NFPA214 | WATER-COOLING TOWERS[CUST: YD] | A | 4140 | | IS | 13-SEP-91 |
| | ASTM-D2834 | WATER-EMULSION FLOOR POLISHES, SOLVENT-BASED FLOOR POLISHES, AND POLYMER-EMULSION FLOOR POLISHES, NONVOLATILE MATTER (TOTAL SOLIDS) IN[CUST: AS 99] [REVIEW: SH] | A | 7930 | | AS | 27-NOV-02 |
| | TT-W-156B(2) NOT 2 | WATER-REPELLENT COMPOUND, TEXTILE FINISH[CUST: GL SA 11] [REVIEW: 84 EA IS MC MD MR MS YD] | A | 8030 | * | GL | 02-MAY-94 |
| | AWWA-C652 | WATER-STORAGE FACILITIES, DISINFECTION OF, AWWA STANDARD FOR - 26 JAN 1986[CUST: YD 68] [REVIEW: CC CR4 GL GS MC] | A | 6840 | | YD | 31-JUL-87 |
| | MIL-W-15000K | WATER-TESTING CHEMICALS, BOILER, SHIPBOARD USE[CUST: SH] [REVIEW: GS OS] | A | 6810 | | SH | 24-JUL-87 |
| | A-A-55538 | WATERPROOF SPARK PLUG LEAD AND CONDUIT ASSEMBLY (OTHER THAN AIRCRAFT)[CUST: AT YD 99 CC] [REVIEW: 70 CR GL MC] | A | 2920 | / | CC | 27-NOV-98 |
| | MIL-W-6729C | WATERTIGHTNESS OF AIRCRAFT, GENERAL SPEIFICATION FOR[CUST: AV AS 99] | A | 15GP | | AS | 08-MAR-93 |
| | FM-DS1217 | WATERTUBE BOILERS[CUST: YD] | A | FACR | | YD | 14-JUN-04 |
| | A-A-59101B | WATTMETER METER, AUDIO POWER 20 HZ TO 20 KHZ[CUST: 99] | A | 6625 | / | 84 | 14-JUL-04 |
| | A-A-59755 | WATTMETER, RADIO FREQUENCY[CUST: 99] | A | 6625 | / | 84 | 05-NOV-04 |
| | MIL-W-19088(10) | WATTMETERS, SWITCHBOARD TYPE, 4-1/2 INCH[CUST: SH] | A | 6625 | | SH | 20-OCT-78 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-287/5F NOT 1 | WAVEGUIDE ASSEMBLIES, EXTRA-FLEXIBLE, TWISTABLE, CLASS 3[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS] | A | 5985 | | CC | 03-FEB-04 |
| | MIL-DTL-287/4F NOT 1 | WAVEGUIDE ASSEMBLIES, FLEXIBLE, NON-TWISTABLE, CLASS 2[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS] | A | 5985 | | CC | 03-FEB-04 |
| | MIL-DTL-287G | WAVEGUIDE ASSEMBLIES, FLEXIBLE, TWISTABLE AND NON-TWISTABLE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS] | A | 5985 | | CC | 20-OCT-04 |
| | MIL-DTL-287/3E NOT 1 | WAVEGUIDE ASSEMBLIES, FLEXIBLE, TWISTABLE, CLASS 1[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS] | A | 5985 | | CC | 03-FEB-04 |
| | MIL-DTL-3970/13C NOT 1 | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEG. H-PLANE BEND[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS] | A | 5985 | | CC | 03-FEB-04 |
| | MIL-DTL-3970/7C NOT 1 | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE E-PLANE BEND[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS] | A | 5985 | | CC | 03-FEB-04 |
| | MIL-DTL-3970D NOT 1 | WAVEGUIDE ASSEMBLIES, RIGID, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS SH] | A | 5985 | | CC | 03-FEB-04 |
| | MIL-DTL-85/1F NOT 1 | WAVEGUIDE, RIGID, RECTANGULAR[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG CR4 MC MI OS] | A | 5985 | | CC | 03-FEB-04 |
| | MIL-DTL-85/2D NOT 1 | WAVEGUIDE, RIGID, RECTANGULAR (HEAVY WALL)[CUST: CR EC 11] [REVIEW: 99 AR AS MC OS] | A | 5985 | | CC | 03-FEB-04 |
| A | MIL-DTL-85/3C | WAVEGUIDES, RIGID, RECTANGULAR (MILLIMETER WAVELENGTH)[CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS CR4 MC MI OS SH] | A | 5985 | | CC | 17-OCT-05 |
| M | MIL-DTL-85J | WAVEGUIDES, RIGID, RECTANGULAR GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] | A | 5985 | | CC | 28-MAR-06 |
| | ASTM-E1001 | WAVES, USING LONGITUDINAL, DISCONTINUITIES BY THE IMMERSED PULSE-ECHO ULTRASONIC METHOD, DETECTION AND EVALUATION OF[CUST: MR AS 11] | A | NDTI | | MR | 03-OCT-94 |
| | MIL-W-181A NOT 2 | WAX (CANDELILLA)[CUST: OS] | A | 9160 | | OS | 22-JUN-04 |
| A | MIL-DTL-3688D | WAX EMULSION (RUST INHIBITING)[CUST: MR YD 99] [REVIEW: 03 84 AS CG MI OS SH] | A | 8030 | | MR | 18-JUL-05 |
| | A-A-54966 | WAX, BASEPLATE, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 15-JUL-94 |
| | A-A-54923 | WAX, BONE[CUST: MD MS 03] | A | 6515 | / | MB | 08-OCT-93 |
| | A-A-2527A | WAX, CARNAURA[CUST: AR] | A | 9160 | / | AR | 05-JUL-89 |
| | A-A-51296 | WAX, DENTAL (BOXING)[CUST: MD MS 03 MB] | A | 6520 | / | MB | 18-DEC-85 |
| | A-A-53714 | WAX, DENTAL (CASTING)[CUST: MD MS 03] | A | 6520 | / | MB | 23-SEP-88 |
| | A-A-53544 | WAX, DENTAL (DISCLOSING)[CUST: MD MS 03] | A | 6520 | / | MB | 18-JUL-88 |
| | A-A-53337A | WAX, DENTAL (IMPRESSION)[CUST: MD MS 03] | A | 6520 | / | MB | 31-MAY-88 |
| | A-A-51889 | WAX, DENTAL (INLAY)[CUST: MD MS 03] | A | 6520 | | MB | 06-APR-87 |
| | A-A-51495 | WAX, DENTAL (PERIPHERY)[CUST: MD MS 03] | A | 6520 | / | MB | 21-JUL-86 |
| | A-A-53639 | WAX, DENTAL (STICKY)[CUST: MD MS 03] | A | 6520 | / | MB | 06-SEP-88 |
| | A-A-51291 | WAX, DENTAL (UTILITY)[CUST: MD MS 03] | A | 6520 | / | MB | 23-DEC-85 |
| | ADA4 | WAX, DENTAL INLAY CASTING[CUST: MD MS 03 MB] | A | 6520 | | MB | 27-JUN-88 |
| | A-A-53397 | WAX, DENTAL OCCLUSAL INDICATOR[CUST: MD MS 03] | A | 6520 | / | MB | 07-MAR-88 |
| | A-A-54507 | WAX, DENTAL, BITE, METAL IMPREGNATED[CUST: MD MS 03] | A | 6520 | / | MB | 01-NOV-91 |
| | MIL-W-20553D(1) | WAX, DESENSITIZING[CUST: AR] [REVIEW: GS] | A | 9160 | | AR | 03-SEP-87 |
| | QPL-20553-9 | WAX, DESENSITIZING | A | 9160 | | AR | 23-APR-04 |
| | MIL-W-13945D NOT 2 | WAX, HYDROCARBON (FOR ORDNANCE USE)[CUST: AR] [REVIEW: GS MD] | A | 9160 | | AR | 02-DEC-96 |
| | MIL-W-10885B(1) | WAX, IMPREGNATING, WATERPROOFING, FOR LAMINATED PAPER TUBES FOR SMALL ARMS AMMUNITION[CUST: AR OS] [REVIEW: EA GS PS] | A | 9160 | | AR | 22-JAN-62 |
| | A-A-50178 | WAX, MACHINE STITCHING[CUST: GL SH 68 IS] [REVIEW: CR4 SM] | A | 9160 | / | IS | 23-SEP-88 |
| | MIL-W-12598(1) | WAX, MICROCRYSTALLINE, IMPREGNATING[CUST: AR] [REVIEW: GS] | A | 9160 | | AR | 03-OCT-61 |
| | ASTM-D612 | WAX, PARAFFIN, CARBONIZABLE SUBSTANCES IN[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 31-OCT-88 |
| | A-A-59255 | WAX, PARAFFIN, TECHNICAL[CUST: CR4 YD 99] [REVIEW: 68] | A | 9160 | / | YD | 04-AUG-98 |
| | MIL-W-71094 | WAXES, COAL-BASED, FOR USE IN R8150 EXPLOSIVE[CUST: AR] | A | 9160 | | AR | 24-JUN-92 |
| | ASTM-D1386 | WAXES, SYNTHETIC AND NATURAL, ACID NUMBER (EMPIRICAL) OF[CUST: AR SH 68] | A | 9160 | | AR | OCT-94 |
| | ITOP-5.2.505 | WEAPON DANGER AREA AND RISK ASSESSMENT | D | ISDA | | TE | 13-SEP-02 |
| | STANAG-2921 ED.2 | WEAPON DANGER ZONES FOR LAND LAUNCHED GUIDED MISSILES FOR USE BY NATO FORCES OPERATING IN A GROUND ENVIRONMENT | C | ISDA | | AI | 10-JUL-97 |
| | MIL-STD-1323-242A | WEAPON REQUIREMENT, PALLETIZING FLEET ISSUE UNIT LOAD FIN ASSEMBLY, BOMB, MK 15 & MODS (SNAKEYE) IN PALLET ADAPTER ADU-383/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 19-SEP-86 |
| | MIL-HDBK-515 | WEAPON SYSTEM INTEGRITY GUIDE (WSIG)[CUST: 11] | A | SESS | | 11 | 11-OCT-02 |
| | DI-ATTS-81267 | WEAPONS SYSTEM PARAMETER WORKSHEET [AMSC: N6738] | A | ATTS | | SH | 04-JUN-92 |
| | ASTM-F410 | WEAR LAYER THICKNESS OF RESILIENT FLOOR COVERINGS BY OPTICAL MEASUREMENT[CUST: GL YD 99] [REVIEW: MC MD SH] | A | 7220 | | IS | 19-FEB-89 |
| M | MIL-DTL-43685C | WEBBING AND TAPE, TEXTILE, ARAMID FIBER[CUST: GL CT] [REVIEW: AV MD] | A | 8305 | | CT | 01-NOV-05 |
| | MIL-DTL-43342F | WEBBING ASSEMBLY, GENERAL SPECIFICATION FOR[CUST: GL2 AS] | A | 1670 | | GL | 25-APR-05 |
| | SAE-AMS3798 | WEBBING, LOW MODULUS ARAMID[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 01-JUL-93 |
| | SAE-AMS3798/15 | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 2,500 (11,121) BREAKING STRENGTH, HERRINGBONE TWILL[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/10 | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 6,000 (26,689) BREAKING STRENGTH, HERRINGBONE TWILL[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/2 | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 600 (2,669) BREAKING STRENGTH, HERRINGBONE TWILL[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/12 | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 9,000 (40,034) BREAKING STRENGTH SPECIAL WEAVE[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/16 | WEBBING, LOW MODULUS ARAMID, 1-1/2 (38) WIDE, 1,700 (7,562) BREAKING STRENGTH, SPECIAL WEAVE[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-92 |
| | SAE-AMS3798/14 | WEBBING, LOW MODULUS ARAMID, 1-1/4 (32) WIDE, 800 (3,559) BREAKING STRENGTH, HERRINGBONE TWILL[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/8 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 1,200 (5,338) BREAKING STRENGTH, HERRINGBONE TWILL[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/5 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 3,600 (16,014) BREAKING STRENGTH, HERRINGBONE TWILL, RESIN TREATED[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS3798/4 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 5,500 (24,465) BREAKING STRENGTH, DOUBLE PLAIN WEAVE WITH BINDER[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/9 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 6,500 (28,913) BREAKING STRENGTH, HERRINGBONE TWILL RESIN TREATED[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/13 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 7,300 (32,472) BREAKING STRENGTH TWILL, RESIN TREATED[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/7 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 8,700 (38,700) BREAKING STRENGTH, DOUBLE PLAIN WEAVE WITH BINDER[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/11 | WEBBING, LOW MODULUS ARAMID, 1-3/4 (44) WIDE, 10,000 (44,482) BREAKING STRENGTH, HERRINGBONE TWILL[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/6 | WEBBING, LOW MODULUS ARAMID, 3-1/32 (77) WIDE, 9,000 (40,034) BREAKING STRENGTH DOUBLE PLAIN WEAVE WITH BINDER[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/3 | WEBBING, LOW MODULUS ARAMID, 3/4 (19) WIDE, 600 (2,669) BREAKING STRENGTH, HERRINGBONE TWILL[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3798/1 | WEBBING, LOW MODULUS ARAMID, 9/16 (14) WIDE, 500 (2224) BREAKING STRENGTH, HERRINGBONE TWILL, RESIN TREATED[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 01-JUL-93 |
| | SAE-AMS3797 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/3 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1 (25) WIDE, 3,000 (13,345) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/4 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1 (25) WIDE, 4,000 (17,793) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/5 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1 (25) WIDE, 5,000 (22,241) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/7 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/16 (27) WIDE, 7000 (31,138) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/8 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/16 (27) WIDE, 8,000 (35,586) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/6 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/16 (27), WIDE, 6000 (26,689) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/10 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/8 (29) WIDE, 10,000 (44,482) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/11 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/8 (29) WIDE, 11,000 (48,930) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/12 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/8 (29) WIDE, 12,000 (53,379) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/9 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/8 (29) WIDE, 9,000 (40,034) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/1 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 5/8 (15.9) WIDE, 1000 (4448) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | SAE-AMS3797/2 | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 5/8 (15.9) WIDE, 2000 (8896) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | MAR-94 |
| | MIL-W-23223B | WEBBING, NYLON, SLOTTED[CUST: SH CT] [REVIEW: 11] | A | 8305 | | CT | 08-JAN-88 |
| | MIL-W-44049A | WEBBING, TEXTILE AND TAPE, TEXTILE, POLYROPYLENE, GENERAL PURPOSE, NATURAL OR IN COLORS[CUST: GL NU 11 CT] [REVIEW: CR4 MC MD] | A | 8305 | | CT | 20-APR-89 |
| | JJ-W-155H | WEBBING, TEXTILE, (COTTON, ELASTIC)[CUST: GL NU 99 CT] [REVIEW: 11 AR AS CR CR4 MC MD] | A | 8305 | / | CT | 30-JUN-88 |
| | MIL-W-5665K(1) | WEBBING, TEXTILE, COTTON WARP[CUST: GL AS 99 CT] [REVIEW: 11 CR4 MC MD NU] | A | 8305 | | CT | 25-APR-90 |
| | MIL-W-530H | WEBBING, TEXTILE, COTTON, GENERAL PURPOSE, NATURAL OR IN COLORS[CUST: GL NU 99 CT] [REVIEW: 11 AR DS EA MC MD MI] | A | 8305 | | CT | 29-APR-88 |
| | A-A-52072 | WEBBING, TEXTILE, COTTON, SPLINT[CUST: GL SA 99 CT] [REVIEW: 11 MD MS] | A | 8305 | / | CT | 01-MAY-90 |
| | MIL-W-5664D NOT 1 | WEBBING, TEXTILE, ELASTIC[CUST: GL AS 99 CT] [REVIEW: 11 DS MC MD SM] | A | 8305 | | CT | 24-OCT-91 |
| | PIA-W-9049 | WEBBING, TEXTILE, NYLON, LOCKING LOOP[CUST: AS 11 CT] [REVIEW: 71 99] | A | 1670 | | GS1 | 20-MAY-99 |
| | PIA-W-5625 | WEBBING, TEXTILE, NYLON, TUBLAR[CUST: GL NU 11] | A | 8315 | | CT | 17-JAN-03 |
| | MIL-W-5625K | WEBBING, TEXTILE, NYLON, TUBULAR[CUST: GL NU 99 CT] [REVIEW: 11 AS CR4 DS MC MI] | A | 8305 | | CT | 23-AUG-91 |
| | MIL-W-81116B(1) NOT 1 | WEBBING, TEXTILE, POLYAMIDE, HIGH TEMPERATURE RESISTANT, LOOP[CUST: AS 99] | A | 8305 | | AS | 28-OCT-91 |
| | A-A-55301 | WEBBING, TEXTILE, TEXTURED OR MULTIFILAMENT NYLON[CUST: GL AS 99] [REVIEW: 11 MD NU] | A | 8305 | / | CT | 15-NOV-96 |
| | MIL-W-87127(1) NOT 2 | WEBBING, TEXTILE, TUBULAR, PARA-ARAMID, INTERMEDIATE MODULUS[CUST: 11 CT] [REVIEW: 99] | A | 8305 | | CT | 24-AUG-90 |
| | MIL-W-17337F(1) | WEBBING, TEXTILE, WOVEN NYLON[CUST: GL NU CT] [REVIEW: AS SH] | A | 8305 | | CT | 22-JAN-90 |
| | MIL-W-4088K | WEBBING, TEXTILE, WOVEN NYLON[CUST: GL AS 11 CT] [REVIEW: AT DS MC MD MI NU] | A | 8305 | | CT | 21-NOV-88 |
| | MIL-W-27265E | WEBBING, TEXTILE, WOVEN NYLON IMPREGNATED[CUST: GL AS 99 CT] [REVIEW: 11 AR DS EA MC MD NU OS SH] | A | 8305 | | CT | 27-JUN-88 |
| | MIL-W-83144A(3) NOT 1 | WEBBING, TEXTILE, WOVEN NYLON, ROLLED SELVAGE[CUST: 11 CT] | A | 8305 | | CT | 08-JUN-88 |
| | MIL-W-43638B | WEBBING, TEXTILE, WOVEN, FOR TENT FRAMING[CUST: GL SA CT] [REVIEW: MD YD] | A | 8305 | | CT | 17-MAY-91 |
| | PIA-W-4088 | WEBBING, TEXTILE, WOVEN, NYLON[CUST: GL AS 99] | A | 8315 | | CT | 10-JAN-03 |
| | A-A-59467 | WEBBING, TEXTILE, WOVEN, POLYPROPYLENE[CUST: GL AS 99 CT] [REVIEW: 11 MD NU] | A | 8315 | / | CT | 16-JUN-99 |
| | A-A-55242A | WEBBING, TEXTILE; POLYESTER LOW ELONGATION[CUST: GL 99] [REVIEW: 11] | A | 8305 | / | CT | 10-JUN-96 |
| | SAE-AMS3799/3 | WEBBING, TUBULAR, LOW MODULUS ARAMID, 1 (25) WIDE, 4,000 (17,793) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 01-JUL-93 |
| | SAE-AMS3799/4 | WEBBING, TUBULAR, LOW MODULUS ARAMID, 3 3/16 (81), WIDE, 2250 (10.008N) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3799/2 | WEBBING, TUBULAR, LOW MODULUS ARAMID, 3/4 (19) WIDE, 2300 (10,230) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 01-JUL-93 |
| | SAE-AMS3799/1 | WEBBING, TUBULAR, LOW MODULUS ARAMID, 9/16 (14) WIDE, 1400 (6228) BREAKING STRENGTH[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | SAE-AMS3799 | WEBBING, TUBULER, LOW MODULUS ARAMID-54[CUST: MR AS 11] [REVIEW: DP] | A | 8305 | | AS | 1-JUL-93 |
| | A-A-51207 | WEDGE AND WEDGE SET, DENTAL (WOOD)[CUST: MD MS 03] | A | 6520 | / | MB | 12-DEC-85 |
| | A-A-51286 | WEDGE SET, DENTAL, (WOOD)[CUST: MD MS 03] | A | 6520 | / | MB | 18-DEC-85 |
| | GGG-W-201B | WEDGE, METAL: JOINTING AND BREAKING[CUST: GL 99] [REVIEW: AR] | A | 5120 | * | GL | 06-JUN-90 |
| | GGG-W-171 | WEDGES, METAL (MAGNESIUM) | A | 5120 | # | FSS | 16-JUN-52 |
| | DI-MGMT-81508 | WEEKLY TIME SHEET [AMSC: G7182] | A | MGMT | | NS | 07-MAR-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAWE-RP9 | WEIGHT AND BALANCE CONTROL SYSTEM FOR GUIDED MISSILES AND SPACE LAUNCH VEHICLES[CUST: MI AS 11] | A | 1410 | | AS | 01-SEP-95 |
| | SAWE-RP10 | WEIGHT AND BALANCE DATA REPORTING FORMS FOR GUIDED MISSILES AND SPACE LAUNCH VEHICLES[CUST: MI AS 99] | A | 14GP | | AS | 01-SEP-95 |
| | DI-MGMT-81501 | WEIGHT AND BALANCE REPORT FOR AIRCRAFT [AMSC: F7171] | A | MGMT | | 11 | 20-NOV-95 |
| | DI-GDRQ-81233A | WEIGHT AND BALANCE STATUS REPORT - MASS PROPERTIES DATA FOR MISSILES [AMSC: N6673] | A | SESS | | AS | 24-OCT-96 |
| | ASTM-A309 | WEIGHT AND COMPOSITION OF COATING ON TERNE SHEET BY THE TRIPLE-SPOT TEST[CUST: MR YD 99 GS4] [REVIEW: 84 GL IS SA] | A | MFFP | | GS4 | 15-AUG-94 |
| | DI-GDRQ-81404 | WEIGHT AND STABILITY REPORTS FOR IN-SERVICE SURFACE SHIPS [AMSC: N7038] | A | SESS | | SH | 26-JUL-94 |
| A | ASTM-F1808 | WEIGHT CONTROL TECHNICAL REQUIREMENTS FOR SURFACE SHIPS[CUST: SH] | A | MISC | | SH | 13-SEP-05 |
| A | SAWE-RP12 | WEIGHT CONTROL TECHNICAL REQUIREMENTS FOR SURFACE SHIPS[CUST: SH] | A | MISC | | SH | 13-SEP-05 |
| | A-A-53223 | WEIGHT SET, WRIST & ANKLE[CUST: MD MS 03] | A | 6530 | / | MB | 29-SEP-87 |
| | A-A-51963 | WEIGHT, BLOOD BAG, WATER BATH (LEAD)[CUST: MD MS 03] | A | 6640 | | MB | 11-MAY-87 |
| | A-A-52197 NOT 1 | WEIGHT, PARACHUTE PACKING[CUST: GL2 AS 99] [REVIEW: 82 AV GS MC] | A | 1670 | / | GL2 | 11-JUN-02 |
| | ASTM-C138/C138M | WEIGHT, UNIT, YIELD, AND AIR CONTENT (GRAVIMETRIC) OF CONCRETE[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 15-DEC-92 |
| | NAS1514 | WELD DISCONTINUITIES, RADIOGRAPHIC STANDARD FOR CLASSIFICATION OF FUSION[CUST: MR AS 11] [REVIEW: 99 AR AT AV GS MI OS] | A | 3439 | | AS | 22-APR-85 |
| | SSPC-PAINT30 | WELD-THROUGH INORGANIC ZINC PRIMER[CUST: MR AS IS] [REVIEW: CC SH] | A | 8010 | | IS | 09-SEP-02 |
| | MIL-STD-22D(2) NOT 3 | WELDED JOINT DESIGN[Design Criteria Standard][CUST: MR SH 11] [REVIEW: CR MC OS YD] | A | THJM | | SH | 21-MAR-91 |
| | MIL-HDBK-21 NOT 1 | WELDED JOINT DESIGNS, ARMORED-TANK TYPE[CUST: AT SH] | A | DRPR | | AT | 20-APR-04 |
| | API-STD-650 | WELDED STEEL TANKS FOR OIL STORAGE[CUST: CR4 YD 99 IS] [REVIEW: 84 CC CE MC] | A | 5430 | | IS | 01-JUL-93 |
| | AWS-C1.3 | WELDING COATED LOW CARBON STEELS, RESISTANCE- RECOMMENDED PRACTICES FOR[CUST: MR AS 11] [REVIEW: AT CR4 OS] | A | THJM | | GS2 | 22-FEB-91 |
| | AWS-A5.6 | WELDING ELECTRODES, COVERED COPPER & COPPER ALLOY ARC[CUST: AR YD 99] [REVIEW: GS SH] | A | 3439 | | YD | 19-FEB-85 |
| | RWMA16 | WELDING EQUIPMENT STANDARDS, RESISTANCE[CUST: AR SH 99] [REVIEW: 84] | A | 3432 | | GS6 | 30-JUN-84 |
| | A-A-59148 NOT 1 | WELDING MACHINE, ARC, AC/DC INVERTER, CONSTANT CURRENT[CUST: AR SH 99 GS6] | A | 3431 | / | GS6 | 15-NOV-02 |
| | A-A-59454 | WELDING MACHINES, ARC, AC/DC, GENERATOR, CONSTANT CURRENT, INTERNAL COMBUSTION ENGINE DRIVEN[CUST: CE SH 99] [REVIEW: 84 MC OS YD] | A | 3431 | / | GS6 | 24-JAN-00 |
| | A-A-59397 | WELDING MACHINES, ARC, DC, GENERATOR, CONSTANT CURRENT, INTERNAL COMBUSTION ENGINE DRIVEN[CUST: AV YD 99] [REVIEW: 84 MC SH] | A | 3431 | / | GS6 | 24-JAN-00 |
| | AWS-D14.6 | WELDING OF ROTATING ELEMENTS OF EQUIPMENT, SPECIFICATION FOR[CUST: YD] [REVIEW: 11 MR SH] | A | THJM | | YD | 03-NOV-80 |
| | API-STD-1104 | WELDING PIPELINES AND RELATED FACILITIES, STANDARD FOR - SEVENTENTH EDITION[CUST: YD 99] [REVIEW: GS] | A | THJM | | YD | 18-DEC-88 |
| | DI-MISC-80876 | WELDING PROCEDURE QUALIFICATION TEST REPORT [AMSC: N4783] | A | MISC | | SH | 30-JUN-89 |
| | DI-MISC-80875 | WELDING PROCEDURES [AMSC: N4782] | A | MISC | | SH | 30-JUN-89 |
| | AWS-A5.14 | WELDING ROD & ELECTRODE, NICKLE & NICKLE ALLOY BARE[CUST: AR YD 99] [REVIEW: AS GS SH] | A | 3439 | | YD | 12-SEP-90 |
| | AWS-A5.19 | WELDING RODS & BARE ELECTRODES, MAGNESIUM ALLOY[CUST: MR 11 GS6] | A | 3439 | | GS6 | 23-FEB-88 |
| | MIL-W-10430D | WELDING RODS AND ELECTRODES; PACKAGING OF[CUST: AR SH 99] [REVIEW: AS CC CR4 EC GS MC MI OS SA SM YD] | A | PACK | | SH | 22-MAR-94 |
| | AWS-A3.0 | WELDING TERMS & DEFINITIONS, STANDARD[CUST: MR SH 11] | A | THJM | | GS2 | 09-MAR-89 |
| | A-A-51187B | WELDING TORCHES AND COMPONENT PARTS, GAS TUNGSTEN ARC WELDING (GTAW)[CUST: AR SH 99 GS6] [REVIEW: 84 CE CR4 MC YD] | A | 3431 | / | GS6 | 27-JUL-01 |
| | AWS-A5.1 | WELDING, ACR, SHIELDED MATAL, CARBON STEEL ELECTRODES FOR[CUST: YD 99] [REVIEW: GS] | A | 3439 | | YD | 14-FEB-91 |
| | AWS-A5.9 | WELDING, BARE STAINLESS STEEL, ELECTRODES AND RODS[CUST: YD 99] [REVIEW: AS CC GS] | A | 3439 | | YD | 23-DEC-92 |
| | AWS-A2.4 | WELDING, BRAZING AND NONDESTRUCTIVE EXAMINATION, STANDARD SYMBOLS FOR[CUST: AR SH 11] [REVIEW: 16 AS AT AV CR4 MI OS SA YD] | A | DRPR | | SH | 06-NOV-97 |
| | AWS-A5.18 | WELDING, CARBON STEEL FILLER METALS FOR GAS SHIELDED ARC[CUST: MR 11 GS6] [REVIEW: YD] | A | 3439 | | GS6 | 25-FEB-88 |
| | AWS-Z49.1 | WELDING, CUTTING, AND ALLIED PROCESSES, SAFETY IN[CUST: AR SH 99] | A | 34GP | | GS6 | 05-MAY-89 |
| | NEMA-EW1 | WELDING, ELECTRIC ARC, POWER SOURCES[CUST: AR SH 99] [REVIEW: 84] | A | 3431 | | GS6 | 26-OCT-89 |
| | SAE-AMS2680 | WELDING, ELECTRON-BEAM, FOR FATIGUE CRITICAL APPLICATIONS[CUST: MR AS 11] | A | THJM | | MR | JUN-01 |
| | MIL-HDBK-507 | WELDING, FLASH, STANDARD LOW CARBON STEEL[CUST: AT] | A | THJM | | AT | 27-FEB-98 |
| | AWS-A5.28 | WELDING, GAS SHIELDED ARC, LOW-ALLOY STEEL ELECTRODES AND RODS FOR[CUST: MR 11 GS6] [REVIEW: YD] | A | 3439 | | GS6 | 29-MAR-96 |
| | AWS-C1.1 | WELDING, RESISTANCE - RECOMMENDED PRACTICES FOR[CUST: MR AS 11] [REVIEW: AR AT CR4 OS SH] | A | THJM | | GS2 | 08-FEB-91 |
| | MIL-W-46154(1) NOT 2 | WELDING, RESISTANCE, SPOT AND PROJECTION FOR FABRICATING ASSEMBLIES OF CARBON STEEL SHEETS[CUST: AR] [REVIEW: AT MI] | A | THJM | | AR | 22-APR-99 |
| | MIL-W-12332A(3) | WELDING, RESISTANCE, SPOT, SEAM, AND PROJECTION; FOR FABRICATING ASSEMBLIES OF LOW-CARBON STEEL[CUST: MR] [REVIEW: AR MI] | A | THJM | | MR | 29-AUG-94 |
| | MIL-DTL-45210B NOT 1 | WELDING, RESISTANCE, SPOT: WELDABLE ALUMINUM ALLOYS[CUST: MR] | A | THJM | | MR | 28-JUN-04 |
| | SAE-AMS-W-6858 | WELDING, RESISTANCE: SPOT AND SEAM[CUST: MR AS 11] | A | THJM | | 11 | JUL-99 |
| | AWS-D3.6 | WELDING, UNDERWATER, SPECIFICATION FOR[CUST: YD 99] | A | THJM | | YD | 12-SEP-90 |
| | MIL-W-21157A | WELDMENT, STEEL, CARBON AND LOW ALLOY (YIELD STRENGTH 30,000 - 60,000 PS1[CUST: OS] [REVIEW: CR4 MC] | A | THJM | | OS | 26-OCT-71 |
| | MIL-W-22248A(2) | WELDMENTS, ALUMINUM AND ALUMINUM ALLOY[CUST: EA OS 11] [REVIEW: CR4] | A | THJM | | OS | 06-JUN-85 |
| | ASTM-E164 | WELDMENTS, ULTRASONIC CONTACT EXAMINATION OF[CUST: MR AS 11 GS2] | A | NDTI | | GS2 | 10-DEC-97 |
| | ASTM-E190 | WELDS, GUIDED BEND TEST FOR DUCTILITY OF[CUST: AR SH 11] | A | THJM | | AR | 03-OCT-94 |
| | AWS-B4.0 | WELDS, MECHANICAL TESTING OF, STANDARD METHODS FOR[CUST: MR SH 11] | A | THJM | | SH | 30-DEC-97 |
| | AWS-A4.2 | WELDS, METAL STAINLESS STEEL CALIBRATING MAGNETIC INSTRUMENTS TO MESSURE THE DELTA FERRITE CONTENT OF AUSTENITIC STANDARD PROCEDURES FOR[CUST: MR SH 11] [REVIEW: 99 AR OS] | A | QCIC | | SH | 08-AUG-86 |
| | ASTM-F480 | WELL CASING PIPE AND COUPLINGS, THERMOPLASTIC MADE IN STANDARD DIMENSION RATIOS (SDR), SCH 40 AND SCH 80[CUST: CR4 YD 99 CC] [REVIEW: 71 SH] | A | 4710 | | CC | 10-APR-00 |
| | A-A-59186 | WELL, HOT FOOD STORAGE, ELECTRIC (NAVAL SHIPBOARD)[CUST: SH] | A | 7310 | / | SH | 09-SEP-98 |
| | MIL-W-36775A | WET BULB-GLOBE TEMPERATURE KIT[CUST: MB] [REVIEW: GS] | A | 6665 | | MB | 28-FEB-79 |
| | A-A-51588 | WET GLOBE TEMPERATURE KIT ( DIAL THERMOMETER TYPE, MECHANICAL)[CUST: MD MS 03] [REVIEW: GS] | A | 6665 | / | MB | 01-AUG-86 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-62136B NOT 1 | WHEEL AND TIRE ASSEMBLIES, FOAM INFLATED LOW SPEED, HIGHWAY AND OFF-ROAD[CUST: AT 11] [REVIEW: CC] | A | 2530 | | AT | 15-APR-04 |
| | MIL-DTL-32169 | WHEEL ASSEMBLIES, POLYURETHANE; FOR THE BRADLEY FIGHTING VEHICLE[CUST: AT AS 99] [REVIEW: 84 CG FSS YD] | A | 2630 | | AT | 30-NOV-04 |
| | MIL-DTL-3100H | WHEEL ASSEMBLIES, SOLID ELASTOMER TIRED; FOR TRACK LAYING VEHICLES[CUST: AT MC] | A | 2630 | | AT | 01-DEC-98 |
| | ASTM-D1263 | WHEEL BEARING GREASES, AUTOMOTIVE, LEAKAGE TENDENCIES OF[CUST: AT SH 11] [REVIEW: 68 AR AS] | A | 91GP | | AT | 15-JAN-94 |
| | SAE-J348 | WHEEL CHOCKS[CUST: AT YD 99] | A | 2530 | | AT | OCT-94 |
| | A-A-51312 | WHEEL SET, ABRASIVE (RUBBER, STRAIGHT HANDPIECE[CUST: MD MS 03] | A | 6520 | / | MB | 30-DEC-85 |
| | A-A-53784 | WHEEL SET, ABRASIVE (SHARPENERS, DENTAL)[CUST: MD MS 03] | A | 6520 | / | MB | 21-DEC-88 |
| | A-A-51751 | WHEEL, ABRASIVE (ALUMINUM OXIDE)[CUST: MD MS 03] | A | 6520 | | MB | 31-MAR-87 |
| | A-A-53754 | WHEEL, ABRASIVE (SILICON CARBIDE, IMPREGNATED RUBBER, FINE, SQUARE EDGE, 2 BY 1/4 INCHES)[CUST: MD MS 03] | A | 6520 | / | MB | 07-NOV-88 |
| | A-A-51481A | WHEEL, ABRASIVE (SILICON CARBIDE, NON-HEATINGD[CUST: MD MS 03] | A | 6520 | | MB | 28-DEC-87 |
| | A-A-51460 | WHEEL, ABRASIVE, (ALUMINUM OXIDE, MANDREL MOUNTED)[CUST: MD MS 03] | A | 6520 | / | MB | 23-JUN-86 |
| | A-A-51285 | WHEEL, ABRASIVE, (DENTAL)[CUST: MD MS 03] | A | 6520 | / | MB | 18-DEC-85 |
| | A-A-53512 | WHEEL, ABRASIVE, (SILICON CARBIDE, DENTAL MODEL TRIMMINGS)[CUST: MD MS 03] | A | 6520 | / | MB | 20-JUN-88 |
| | A-A-50973 | WHEEL, ABRASIVE, (SILICON CARBIDE, IMPREGNATED RUBBER, COURSE, SQUARE EDGE)[CUST: MD MS 03] | A | 6520 | / | MB | 12-JUN-85 |
| | A-A-51311 | WHEEL, ABRASIVE, IMPREGNATED RUBBER, PUMICE[CUST: MD MS 03] | A | 6520 | / | MB | 30-DEC-85 |
| A | A-A-51175B | WHEEL, BUFFING (BUFFS), FULL DISC, CLOTH TYPE[CUST: 99] [REVIEW: 84] | A | 3460 | / | GS6 | 18-AUG-05 |
| | A-A-53021 | WHEEL, BUFFING, CLOTH, DENTAL[CUST: MD MS 03] | A | 6520 | / | MB | 30-JUN-87 |
| | A-A-51174A NOT 1 | WHEEL, EXPANDING[CUST: AR 99 GS6] [REVIEW: 84] | A | 3460 | / | GS6 | 14-MAR-03 |
| | A-A-50219 NOT 1 | WHEEL, LATHE RAILWAY, DUAL END DRIVE[CUST: AT] [REVIEW: CC] | A | 4940 | / | AT | 12-APR-04 |
| | SAE-J682 | WHEEL, REAR, SPLASH AND STONE THROW PROTECTION[CUST: AT 99] | A | 2540 | | AT | 30-SEP-81 |
| | KKK-W-291F | WHEELBARROW[CUST: AT IS] [REVIEW: GL MC] | A | 3920 | / | IS | 15-JAN-85 |
| | A-A-3135 NOT 1 | WHEELBARROWS[CUST: 99] | A | 3920 | / | IS | 19-MAR-03 |
| | A-A-30094A | WHEELCHAIR, FOLDING[CUST: MD MS 03] | A | 6530 | * | MB | 28-JAN-87 |
| | SAE-AS21985 | WHEELS - CUSHION TREAD (SEMI-PNEUMATIC) FOR MOBILE GROUND SUPPORT EQUIPMENT[CUST: AS] | A | 2530 | | AS | FEB-98 |
| | A-A-59494 | WHEELS AND HUBS FOR INDUSTRIAL PNEUMATIC TIRES[CUST: AT 99 CC] [REVIEW: 84] | A | 2530 | / | CC | 17-SEP-99 |
| | A-A-53132 | WHEELS, ABRASIVE (ALUMINUM OXIDE, STRAIGHT HANDPIECE[CUST: MD MS 03] | A | 6520 | / | MB | 17-AUG-87 |
| | SAE-J712 | WHEELS, DISC, INDUSTRIAL AND AGRICULTURAL[CUST: CR4 YD 99] [REVIEW: GS] | A | 34GP | | YD | JAN-49 |
| | SAE-J267 | WHEELS/ RIMS- TRUCKS- TEST PROCEDURES AND PERFORMANCE REQUIREMENTS[CUST: AT YD 99] [REVIEW: 84] | A | 2530 | | CC | 08-JAN-91 |
| | A-A-55106A NOT 1 | WHISTLE, PLASTIC[CUST: GL NU 99 CT] [REVIEW: 11 AS MC MD] | A | 8465 | / | CT | 31-JAN-01 |
| | ASTM-B23 | WHITE METAL BEARING ALLOYS, (KNOWN COMMERCIALLY AS "BABBITT METAL")[CUST: MR 99] [REVIEW: 84 AR CE EA IS MI SH] | A | 9650 | | MR | 28-NOV-83 |
| | SSPC-SP5 | WHITE METAL BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 5[CUST: CR4 YD 11 IS] [REVIEW: AR CE MC MR MS OS SH] | A | 8010 | | IS | 03-AUG-87 |
| | QAP-185 ED.2 | WHOLE LIFE-CYCLE TESTING REQUIREMENTS TO ASSIST IN THE PURCHASE OF COMMON AND NEW ARMAMENT SYSTEMS AMONG ABCA ARMIES | C | ISDA | | AI | 11-MAR-99 |
| | MIL-DTL-46735C | WINCH DRUM: VEHICLE MOUNTING[CUST: AT] | A | 2590 | | AT | 31-AUG-98 |
| | A-A-52512 NOT 1 | WINCH, DRUM, POWER OPERATED, 1-TON PULL, PNEUMATIC[CUST: AT 99] [REVIEW: CC SA] | A | 3950 | / | AT | 14-APR-04 |
| | MIL-PRF-12065E | WINCHES, DRUM, HAND-OPERATED, SPUR GEAR, 2 OR 3 PURCHASE[CUST: AT MC 99] [REVIEW: 84 CC CE] | A | 3950 | | AT | 26-FEB-96 |
| | A-A-59212 NOT 1 | WINCHES, DRUMS, POWER-OPERATED, DIESEL-ENGINE-DRIVEN[CUST: AV YD 99] [REVIEW: 84 SA SH SM] | A | 3950 | / | CC | 06-OCT-03 |
| | SAE-J706 | WINCHES, RATING OF[CUST: AT SH 99] [REVIEW: CR4] | A | 3950 | | AT | SEP-80 |
| | MIL-W-15805F(4) | WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE B[CUST: AS] [REVIEW: GS] | A | 6660 | | AS | 30-APR-01 |
| | MIL-W-22900A(3) | WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE F[CUST: AS] [REVIEW: GS] | A | 6660 | | AS | 16-APR-01 |
| | UL9 | WINDOW ASSEMBLIES, FIRE TEST OF[CUST: YD 11] [REVIEW: 84 99] | A | 5670 | | IS | 14-APR-00 |
| | SAE-AS18259 | WINDOW, INSTALLATION OF, ANTI-ICING, DE-GREASING, AND WASHING SYSTEMS[CUST: AV AS 99] | A | 15GP | | AS | AUG-97 |
| | MIL-W-80C | WINDOW, OBSERVATION, ACRYLIC BASE, ANTIELECTROSTATIC, TRANSPARENT (FOR INDICATING INSTRUMENT)[CUST: MR SH 11] [REVIEW: AS CR CR4 GS MI OS YD] | A | 9330 | | SH | 01-DEC-66 |
| | ASTM-E283 | WINDOWS, CURTAIN WALLS, AND DOORS UNDER SPECIFIED PRESSURE DIFFERENCES ACROSS THE SPECIMEN, DETERMINING THE RATE OF AIR LEAKAGE THROUGH EXTERIOR[CUST: YD 99] | A | 5680 | | IS | 15-AUG-91 |
| | ASTM-E330 | WINDOWS, EXTERIOR, CURTAIN WALLS, AND DOORS BY UNIFORM STATIC AIR PRESSURE DIFFERENCE, STRUCTURAL PERFORMANCE OF[CUST: CR4 YD] [REVIEW: SH] | A | 5680 | | IS | 18-MAY-90 |
| | MIL-W-18445D | WINDOWS, NON-ICING, LAMINATED FLAT GLASS, ELECTRICALLY HEATED, WITH CONTROLS[CUST: SH] | A | 2090 | | SH | 29-DEC-80 |
| | SAE-J382 | WINDSHIELD DEFROSTING SYSTEMS PERFORMANCE REQUIREMENTS-TRUCKS, BUSES, AND MULTIPURPOSE VEHICLES[CUST: AT] [REVIEW: CC] | A | 2540 | | AT | JUN-94 |
| | SAE-J381 | WINDSHIELD DEFROSTING SYSTEMS TEST PROCEDURE-TRUCKS, BUSES, AND MULTIPURPOSE VEHICLES[CUST: AT YD 99] [REVIEW: CC] | A | 2540 | | AT | SEPT-00 |
| | SAE-J903 | WINDSHIELD WIPER SYSTEMS, PASSENGER CAR[CUST: AT 99] [REVIEW: YD] | A | 2310 | | AT | NOV-73 |
| | SAE-J198 | WINDSHIELD WIPER SYSTEMS, TRUCKS, BUSES, AND MULTIPURPOSE VEHICLES[CUST: AT YD 99] | A | 2540 | | AT | JUN-93 |
| | MIL-W-81752A(1) | WINDSHIELDED SYSTEMS, FIXED WING AIRCRAFT - GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: AV GS] | A | 1560 | | AS | 22-AUG-88 |
| | MIL-W-3459D | WIPERS, WINDOW, ELECTRIC, PENDULUM TYPE (MARINE SERVICE, HEAVY DUTY)[CUST: SH 99] [REVIEW: 11 CG CR4] | A | 2090 | | SH | 18-APR-90 |
| | SAE-AMS4957 | WIRE AND BAR, ROUND, TITANIUM ALLOY, 3AL - 8V - 6CR - 4MO - 4ZR CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED AND COLD DRAWN[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | MAY-95 |
| | NEMA-WC26 | WIRE AND CABLE PACKAGING[CUST: CR YD 11] | A | 6145 | | CC | 25-AUG-93 |
| | ASTM-D470 | WIRE AND CABLE, CROSSLINKED INSULATIONS AND JACKETS FOR[CUST: CR YD 11] [REVIEW: SH] | A | 6145 | | CC | 10-MAR-99 |
| | ASTM-D1047 | WIRE AND CABLE, POLY(VINYL CHLORIDE) JACKET FOR[CUST: MR YD] | A | 9330 | | YD | 25-AUG-89 |
| | ICEA-S70.547 | WIRE AND CABLE, WEATHER-RESISTANT, POLYOLEFIN COVERED, STANDARD FOR[CUST: CR YD 11] [REVIEW: 02 99 AR AS GL MC] | A | 6145 | | CC | 30-NOV-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-E437 | WIRE CLOTH AND SCREENS, (SQUARE OPENING SERIES), INDUSTRIAL[CUST: CR4 YD] [REVIEW: AT CE IS MC] | A | 5335 | | YD | 15-DEC-92 |
| | AASHTO-M92 | WIRE CLOTH SIEVES FOR TESTING PURPOSES[CUST: YD] | A | FACR | | YD | 03-SEP-04 |
| | MIL-HDBK-1004/7 | WIRE COMMUNICATIONS AND SIGNAL SYSTEMS[CUST: YD] | A | FACR | | YD | 30-SEP-91 |
| | UL486A | WIRE CONNECTORS AND SOLDERING LUGS FOR USE WITH COPPER CONDUCTORS[CUST: CR YD 11] [REVIEW: 99 CR4 GS] | A | 5940 | | YD | 07-OCT-91 |
| | A-A-53143 | WIRE CUTTER, EAR (GUILFORD-WRIGHT)[CUST: MD MS 03] | A | 6515 | / | MB | 21-AUG-87 |
| | A-A-54726 | WIRE FABRIC (FOR SURGICAL USE)[CUST: MD MS 03] | A | 5335 | / | MB | 10-AUG-92 |
| | RR-W-365A | WIRE FABRIC (INSECT SCREENING)[CUST: AT YD 99] [REVIEW: 71 DS EA IS MC MD MI MS OS] | A | 5335 | / | AT | 05-SEP-80 |
| | A-A-1190 | WIRE FABRIC (SPLINT, WIRE MESH) | A | 5335 | # | FSS | 27-APR-81 |
| | SAE-AS1043 | WIRE HOLES, SAFETY, HEX, FITTING, LOCATION OF, DESIGN STANDARD[CUST: 99] | A | 4730 | | 71 | 13-OCT-92 |
| | ASTM-D3032 | WIRE INSULATION, HOOKUP[CUST: CR AS 11] | A | 6145 | | AS | JUN-93 |
| | ASTM-A510M | WIRE RODS AND COARSE ROUND WIRE, CARBON STEEL (METRIC), GENERAL REQUIREMENTS FOR[CUST: MR SH 11 IS] | A | 9505 | | IS | 15-JUN-95 |
| | ASTM-A510 | WIRE RODS AND COARSE ROUND WIRE, CARBON STEEL, GENERAL REQUIREMENTS FOR[CUST: MR SH] | A | 9505 | | MR | 15-JUN-94 |
| | RR-W-410E | WIRE ROPE AND STRAND[CUST: SH 99 GS5] [REVIEW: 71 YD] | A | 4010 | / | GS5 | 07-FEB-02 |
| A | MIL-DTL-6117K | WIRE ROPE ASSEMBLIES, AVIATION, SWAGED TYPE[CUST: CR AS 99 GS5] [REVIEW: 71 MI] | A | 1640 | | GS5 | 22-DEC-05 |
| | MIL-DTL-5688E NOT 1 | WIRE ROPE ASSEMBLIES; AIRCRAFT, PROOF TESTING AND PRESTRETCHING OF[CUST: AV AS 99] [REVIEW: 71 MI] | A | 1640 | | GS5 | 01-APR-05 |
| | MIL-DTL-18375H | WIRE ROPE, FLEXIBLE, CORROSION-RESISTING, NONMAGNETIC, FOR AIRCRAFT CONTROL[CUST: MI AS 99 GS5] [REVIEW: 71 CR4] | A | 1640 | | GS5 | 01-APR-05 |
| | MIL-DTL-83420M | WIRE ROPE, FLEXIBLE, FOR AIRCRAFT CONTROL, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 71 MI] | A | 1640 | | GS5 | 01-APR-05 |
| A | QPL-83420-14 | WIRE ROPE, FLEXIBLE, FOR AIRCRAFT CONTROL, GENERAL SPECIFICATION FOR | A | 1640 | | GS5 | 21-JUL-05 |
| | MIL-DTL-83420/1D NOT 1 | WIRE ROPE, FLEXIBLE, TYPE I, COMPOSITION A[CUST: AV AS 99] [REVIEW: 71 MI] | A | 1640 | | GS5 | 01-APR-05 |
| | MIL-DTL-83420/2D(1) | WIRE ROPE, FLEXIBLE, TYPE I, COMPOSITION B[CUST: AV AS 99] [REVIEW: 71 MI] | A | 1640 | | GS5 | 01-APR-05 |
| | MIL-DTL-83420/3D NOT 1 | WIRE ROPE, FLEXIBLE, TYPE II (JACKETED), COMPOSITION A[CUST: AV AS 99] [REVIEW: 71 MI] | A | 1640 | | GS5 | 01-APR-05 |
| | MIL-DTL-83420/4D NOT 1 | WIRE ROPE, FLEXIBLE, TYPE II (JACKETED), COMPOSITION B[CUST: AV AS 99] [REVIEW: 71 MI] | A | 1640 | | GS5 | 01-APR-05 |
| | MIL-DTL-83140A | WIRE ROPE: STEEL, (STAINLESS STEEL) PREFORMED, NONROTATING, FOR AIRCRAFT RESCUE HOIST AND CARGO HANDLING (WINCHING)[CUST: AV AS 11 GS5] [REVIEW: 99] | A | 4010 | | GS5 | 09-JUL-04 |
| | ASTM-A313/A313M | WIRE STAINLESS STEEL SPRING[CUST: MR AS 99] | A | 9505 | | MR | 15-OCT-92 |
| | MIL-DTL-87161F | WIRE STRAND, NONFLEXIBLE, FOR AIRCRAFT APPLICATION[CUST: AV AS 99] [REVIEW: 71] | A | 1640 | | GS5 | 01-APR-05 |
| | QPL-87161-8 | WIRE STRAND, NONFLEXIBLE, FOR AIRCRAFT APPLICATION | A | 1640 | | GS5 | 30-APR-05 |
| | A-A-53984 | WIRE TWISTER, DENTAL, BLUNT[CUST: MD MS 03] [REVIEW: CC] | A | 6520 | / | MB | 15-SEP-89 |
| | MIL-DTL-25136A | WIRE W-106 AND W-106-A[CUST: 11 CC] | A | 6145 | | CC | 27-OCT-00 |
| | ASTM-B197/B197M | WIRE, ALLOY COPPER-BERYLLIUM[CUST: CR4 YD 99] [REVIEW: GS] | A | 3424 | | YD | 03-OCT-94 |
| | ASTM-B566 | WIRE, ALUMINUM, COPPER-CLAD[CUST: CR SH 99 IS] | A | 9525 | | IS | 03-OCT-94 |
| | A-A-54647 | WIRE, BONE, KIRSCHNER[CUST: MD MS 03] | A | 6515 | / | MB | 22-MAY-92 |
| | MIL-DTL-24493C | WIRE, COLD DRAWN, AGE-HARDENABLE NICKEL-CHROMIUM IRON ALLOY (UNS N07750) (CONTROLLED DISTRIBUTION)[CUST: SH] | F | 9505 | | SH | 20-MAR-98 |
| | ASTM-B624 | WIRE, COPPER ALLOY, HIGH STRENGTH, HIGH CONDUCTIVITY, FOR ELECTRONIC APPLICATION[CUST: CR AS 11] | A | 6145 | | AS | 18-JAN-82 |
| | ASTM-B1 | WIRE, COPPER, HARD-DRAWN[CUST: CR YD 11] [REVIEW: 71 99 AR CG MC MI] | A | 6145 | | CC | 27-JUL-90 |
| | ASTM-B2 | WIRE, COPPER, MEDIUM-HARD-DRAWN[CUST: CR YD 11 CC] [REVIEW: 71 99 AR CG MC MI] | A | 6145 | | CC | 25-MAR-88 |
| | ASTM-B298 | WIRE, COPPER, SILVER-COATED SOFT OR ANNEALED[CUST: CR SH 11 CC] | A | 6145 | | CC | 15-JUL-93 |
| | MIL-W-82598 NOT 1 | WIRE, COPPER-CADMIUM ALLOY[CUST: OS] | A | 6145 | | OS | 07-SEP-88 |
| | SAE-J441 | WIRE, CUT, SHOT[CUST: MR YD 99] [REVIEW: GS] | A | 3455 | | 84 | 29-JUN-93 |
| | MIL-W-81044/7B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, NORMAL WEIGHT, 600 VOLT, 150 DEG. C[CUST: CR AS 11] [REVIEW: AR AT AV EC IS MC MI OS] | A | 6145 | | AS | 07-SEP-76 |
| | MIL-W-81044/10B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, MEDIUM WEIGHT, 600 VOLT, 150 DEG. C[CUST: CR AS 11] [REVIEW: AR AT AV EA EC IS MC MI OS] | A | 6145 | | AS | 07-SEP-76 |
| | MIL-W-81044/13B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, LIGHT WEIGHT, 600 VOLT, 150 DEG. C[CUST: CR AS 11] [REVIEW: AR AT AV EC IS MC MI OS] | A | 6145 | | AS | 07-SEP-76 |
| | MIL-W-81044/11C NOT 3 | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, LIGHT WEIGHT, 600-VOLT, 150 DEG. C[CUST: AS 11 CC] | A | 6145 | | AS | 18-APR-90 |
| | MIL-W-81044/12B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN COATED COPPER, LIGHT WEIGHT, 600 VOLT, 150 DEG. C[CUST: CR AS 11] [REVIEW: AR AT AV EA EC IS MC MI OS] | A | 6145 | | AS | 07-SEP-76 |
| | MIL-W-81044/9B(1) | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 DEG. C[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC IS MC MI OS] | A | 6145 | | AS | 30-APR-92 |
| | MIL-W-81044/6C(2) | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 DEG. C[CUST: CR AS 11] [REVIEW: 99 AT AV EC IS MC MI OS] | A | 6145 | | AS | 30-JUN-92 |
| | MIL-W-81044B(3) SUP 1A | WIRE, ELECTRIC, CROSSLINKED POLYALKENE, CROSSLINKED ALKANE-IMIDE POLYMER, OR POLYARYLENE INSULATED, COPPER OR COPPER ALLOY[CUST: CR AS 11] [REVIEW: AR AT AV EA EC IS MC MI OS] | A | 6145 | | AS | 30-JUN-90 |
| | QPL-81044-17 | WIRE, ELECTRIC, CROSSLINKED POLYALKENE, CROSSLINKED ALKANE-IMIDE POLYMER, OR POLYARYLENE INSULATED, COPPER OR COPPER ALLOY | A | 6145 | | AS | 18-AUG-04 |
| | SAE-AS22759/8 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, MEDIUM WEIGHT, NICKEL-COATED CONDUCTOR, 600 VOLT[CUST: CR AS 11 CC] [REVIEW: 71 99 AR AT AV CR4 EC MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/7 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, MEDIUM WEIGHT, SILVER-COATED CONDUCTOR, 600 VOLT[CUST: CR AS 11 CC] [REVIEW: 71 99 AR AT AV CR4 EC MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/19 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, 150 DEGREES C[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC IS MC OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/18 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, TIN-COATED, COPPER CONDUCTOR, 600-VOLT, 150 DEGREES C[CUST: CR AS 11 CC] | A | 6145 | | AS | 08-DEC-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS22759/17 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, 150 DEGREES C[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC IS MC OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/16 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 150 DEGREES C[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC IS MC MI NA OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/21 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT[CUST: AS 11 CC] [REVIEW: 71 99] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/23 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT[CUST: AS 11 CC] [REVIEW: 71 99] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/29 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT[CUST: AS 11 CC] [REVIEW: 71 99] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/31 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT[CUST: AS 11 CC] [REVIEW: 71 99] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/28 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED COPPER CONDUCTOR, 600-VOLT[CUST: AS 11 CC] [REVIEW: 71 99] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/30 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT[CUST: AS 11 CC] [REVIEW: 71 99] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/22 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT[CUST: AS 11 CC] [REVIEW: 71 99] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/20 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT[CUST: AS 11 CC] [REVIEW: 71 99] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/15 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT[CUST: CR AS 11 CC] [REVIEW: AR AT AV CR4 EC IS MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/14 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT[CUST: CR AS 11 CC] [REVIEW: AR AT AV CR4 EC IS MI MS OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/4 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-FEP, MEDIUM WEIGHT, SILVER-COATED COPPER CONDUCTOR, 600-VOLT[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CR4 EC IS MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/3 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-TFE, MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT[CUST: CR AS 11 CC] [REVIEW: AR AT AV CR4 EC IS MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | MIL-DTL-81381B | WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY[CUST: CR AS 11 NA] [REVIEW: 03 AT AV EC MC OS SH] | A | 6145 | | CC | 08-SEP-98 |
| A | QPL-81381-20 | WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY | A | 6145 | | CC | 30-NOV-05 |
| | QPL-5086-38 | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, COPPER OR COPPER ALLOY | A | 6145 | | AS | 26-OCT-00 |
| | MIL-W-5086C(1) SUP 1 | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, COPPER OR COPPER ALLOY[CUST: CR AS 11] [REVIEW: AR AT AV CR4 EC IS MC MI OS] | A | 6145 | | AS | 07-DEC-79 |
| | MIL-W-5086/1B | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 105 DEGREES C[CUST: CR AS 11] [REVIEW: 19 99 AR AT AV CR4 EC MC MI OS SH] | A | 6145 | | AS | 23-NOV-83 |
| | MIL-W-5086/2C(1) | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, PVC GLASS NYLON, TIN COATED COPPER CONDUCTOR, 600 VOLT, 105 DEG. C[CUST: CR AS 11] [REVIEW: AR AT AV CR4 EC MC MI OS SH] | A | 6145 | | AS | 16-OCT-98 |
| | MIL-W-5086/3B(1) | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, PVC-GLASS-PVC NYLON, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 105 DEG. C[CUST: CR AS 11] [REVIEW: AR AT AV CR4 EC MC MI OS SH] | A | 6145 | | AS | 16-OCT-98 |
| | MIL-W-3795B NOT 4 | WIRE, ELECTRICAL (TINSEL)[CUST: CR 11 CC] [REVIEW: 80 AR AV CR4 MI OS SH] | A | 6145 | | CC | 21-FEB-03 |
| | MIL-W-5846C(1) NOT 4 | WIRE, ELECTRICAL, CHROMEL AND ALUMEL, THERMOCOUPLE[CUST: MI AS 11] [REVIEW: CC GL OS] | A | 6145 | | MI | 08-SEP-03 |
| | A-A-59551 | WIRE, ELECTRICAL, COPPER (UNINSULATED)[CUST: CR AS 11 CC] [REVIEW: 06 99 AR CG DS MC MI SH] | A | 6145 | / | CC | 27-OCT-00 |
| | MIL-DTL-16878/16C(1) | WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 3000 VOLTS[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 07-DEC-01 |
| | MIL-DTL-16878/14B NOT 1 | WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 600 VOLTS[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/15B NOT 1 | WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 1000 VOLTS[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/38A NOT 1 | WIRE, ELECTRICAL, ETHYLENE-PROPYLENE DIENE ELASTOMER (EPDM) INSULATED, 125 DEG. C, 5000 VOLTS, EXTRUDED INSULATION[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/37A NOT 1 | WIRE, ELECTRICAL, ETHYLENE-PROPYLENE DIENE ELASTOMER (EPDM) INSULATED, 125 DEG. C, 600 VOLTS, EXTRUDED INSULATION[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | SAE-AS22759/6 | WIRE, ELECTRICAL, FLUOROCARBON-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, NICKEL-COATED COPPER CONDUCTOR, 600 VOLT[CUST: CR AS 11 CC] [REVIEW: 71 99 AR AT AV CR4 EC MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/5 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, SILVER-COATED COPPER CONDUCTOR, 600 VOLT[CUST: CR AS 11 CC] [REVIEW: 71 99 AR AT AV CR4 EC MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, COPPER OR COPPER ALLOY[CUST: CR AS 11 CC NA] [REVIEW: 71 AR AT AV CR4 EC IS MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | QPL-AS22759-1 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, COPPER OR COPPER ALLOY | A | 6145 | | AS | 11-FEB-05 |
| | SAE-AS22759/32 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, TIN-COATED COPPER, 150 DEGREES C, 600-VOLT[CUST: AV AS 11 CC NA] [REVIEW: 19 70 99 CR EC MI OS SH] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/45 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED COPPER, 200 C, 600 VOLT[CUST: AV AS 11 CC] [REVIEW: 19 70 99 CR EC MI OS SH] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/46 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200 C, 600 VOLT[CUST: AV AS 11 CC] [REVIEW: 19 70 99 CR EC MI OS SH] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/44 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED COPPER, 200 C, 600 VOLT[CUST: AV AS 11 CC] [REVIEW: 19 70 99 CR EC MI OS SH] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/33 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 DEGREES C, 600-VOLT[CUST: AV AS 11 CC NA] [REVIEW: 19 70 99 CR EC MI OS SH] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/34 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, TIN-COATED, COPPER, 150 C, 600-VOLT[CUST: AV AS 11 CC] [REVIEW: 19 70 99 CR EC MI OS SH] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/41 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED COPPER, 200 C, 600-VOLT[CUST: AV AS 11 CC] [REVIEW: 19 70 99 CR EC MI OS SH] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/42 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200 C, 600 VOLT[CUST: AV AS 11 CC] [REVIEW: 19 70 99 CR EC MI OS SH] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/43 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED HIGH-STRENGTH COPPER ALLOY, 200 C, 600 VOLT[CUST: CR AS 11 CC] [REVIEW: 19 70 99 AV MI SH] | A | 6145 | | AS | 08-DEC-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AS22759/35 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 C, 600-VOLT[CUST: AV AS 11 CC] [REVIEW: 19 70 99 CR EC MI OS SH] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/12 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT[CUST: CR AS 11 CC] [REVIEW: 71 99 AR CR4 EC IS MC OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/10 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 1000-VOLT[CUST: CR AS 11 CC] [REVIEW: 71 99 AR AT AV CR4 EC IS MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/11 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600-VOLT[CUST: CR AS 11 CC] [REVIEW: 71 99 AR AT AV CR4 EC IS MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/9 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 1000 VOLT[CUST: CR AS 11 CC] [REVIEW: 71 99 AR AT AV CR4 EC IS MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/13 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, FEP-PVF2, MEDIUM WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT[CUST: CR AS 11 CC] [REVIEW: AR AT AV CR4 EC IS MC MI OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/2 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC IS MC MI NA OS] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/1 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, SILVER-COATED COPPER CONDUCTOR, 600-VOLT[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC IS MC MI NA OS] | A | 6145 | | AS | 08-DEC-04 |
| A | QPL-25038-36 | WIRE, ELECTRICAL, HIGH TEMPERATURE FIRE RESISTANT, AND FLIGHT CRITICAL | A | 6145 | | CC | 22-NOV-05 |
| | MIL-DTL-25038/3D | WIRE, ELECTRICAL, HIGH TEMPERATURE, FIRE RESISTANT, FLIGHT CRITICAL, LIGHT WEIGHT, SMALL DIAMETER[CUST: CR AS 11 CC] [REVIEW: 99 AR AV MI NA OS] | A | 6145 | | CC | 01-DEC-00 |
| A | MIL-DTL-25038H | WIRE, ELECTRICAL, HIGH TEMPERATURE, FIRE RESISTANT, AND FLIGHT CRITICAL[CUST: CR AS 11 CC] [REVIEW: 99 AR AV CR4 MI OS] | A | 6145 | | CC | 09-SEP-05 |
| | MIL-DTL-25038/1E | WIRE, ELECTRICAL, HIGH TEMPERATURE, FIRE RESISTANT, FLIGHT CRITICAL, NORMAL WEIGHT[CUST: CR AS 11 CC] [REVIEW: 99 AR AV MI OS] | A | 6145 | | CC | 01-DEC-00 |
| | MIL-W-6370C(2) | WIRE, ELECTRICAL, INSULATED, ANTENNA[CUST: CR AS 11] [REVIEW: IS] | A | 6145 | | AS | 14-NOV-83 |
| | MIL-DTL-16878G(1) SUP 1 | WIRE, ELECTRICAL, INSULATED, GENERAL SPECIFICATION FOR[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 02-JUL-02 |
| | MIL-DTL-16878/36A NOT 1 | WIRE, ELECTRICAL, LOW SMOKE, CROSS LINKED POLYOLEFIN (XLPO) INSULATED, 105 DEG. C, 600 VOLTS[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/10E NOT 1 | WIRE, ELECTRICAL, POLYETHYLENE INSULATED, 75 DEG. C, 600 VOLTS[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/33B NOT 1 | WIRE, ELECTRICAL, POLYETHYLENE INSULATED, 75 DEG. C, 600 VOLTS, POLYAMIDE COVERING, ABRASION RESISTANT[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | SAE-AS22759/81 | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER-COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV IS MI] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/80 | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, LIGHTWEIGHT, TIN-COATED, COPPER CONDUCTOR, 150 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV IS MI] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/82 | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, LIGHTWEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV IS MI] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/92 | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, LIGHTWEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV MI] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/84 | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV MI] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/87 | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV MI] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/90 | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV MI] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/88 | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV MI] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/89 | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV MI] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/83 | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV MI] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/86 | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV MI] | A | 6145 | | AS | 08-DEC-04 |
| | MIL-DTL-16878/2C NOT 1 | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 1000 VOLTS (NOT FOR NAVY SHIPBOARD USE)[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/19B NOT 1 | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 3000 VOLTS, POLYAMIDE COVERING (NOT FOR NAVY SHIPBOARD USE)[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/3C NOT 1 | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 3000 VOLTS (NOT FOR NAVY SHIPBOARD USE)[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/1C NOT 1 | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 600 VOLTS (NOT FOR NAVY SHIPBOARD USE)[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/18B NOT 1 | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, POLYAMIDE JACKET, 105 DEG. C, 1000 VOLTS, (NOT FOR NAVY SHIPBOARD USE)[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/17B NOT 1 | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, POLYAMIDE JACKET, 105 DEG. C, 600 VOLTS (NOT FOR NAVY SHIPBOARD USE)[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-W-5086/7B | WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN COATED COPPER CONDUCTOR, MEDIUM WEIGHT, 600 VOLT, 105 DEG C[CUST: CR AS 11] [REVIEW: 99 AR AT AV CR4 EC IS MC MI OS SH] | A | 6145 | | AS | 23-NOV-83 |
| | MIL-DTL-16878/30B NOT 1 | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 1000 VOLTS[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/31B NOT 1 | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 1000 VOLTS, GLASS BRAID COVERING, ABRASION RESISTANT[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/29B NOT 1 | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 600 VOLTS[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/8C NOT 1 | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 1000 VOLTS[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | MIL-DTL-16878/32B(1) | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 1000 VOLTS, GLASS BRAID COVERING, ABRASION RESISTANT[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 23-AUG-02 |
| | MIL-DTL-16878/7C NOT 1 | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 600 VOLTS[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 24-JUN-05 |
| | QPL-8777-24 | WIRE, ELECTRICAL, SILICONE-INSULATED, COPPER, 600-VOLT, 200 DEG C | A | 6145 | | CC | 22-JUN-05 |
| | MIL-W-81822/15A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED ETHYLENE-CHLOROTRIFLUOROETHYLENE (ECTFE) INSULATION, SILVER COATED SOLID CONDUCTOR[CUST: CR AS 11] [REVIEW: 99 CC EC IS MC SH] | A | 6145 | | AS | 15-MAR-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-W-81822/13A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED ETHYLENE-TETRAFLUOROETHYLENE (ETFE) INSULATION, SILVER COATED SOLID CONDUCTOR[CUST: CR AS 11] [REVIEW: 99 CC EC IS MC SH] | A | 6145 | | AS | 15-MAR-94 |
| | MIL-W-81822/6A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR[CUST: CR AS 11] [REVIEW: 99 CC EC IS MC SH] | A | 6145 | | AS | 15-MAR-94 |
| | SAE-AS81822/3 | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYVINYIDENE FLUORIDE (PVDF) INSULATION, SILVER COATED SOLID CONDUCTOR[CUST: CR AS 11] | A | 6145 | | AS | JUL-98 |
| | SAE-AS81822/5 | WIRE, ELECTRICAL, SOLDERLESS WRAP, FLUOROCARBON POLYIMIDE TAPE AND POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR[CUST: CR AS 11] | A | 6145 | | AS | JUL-98 |
| | SAE-AS81822 | WIRE, ELECTRICAL, SOLDERLESS WRAP, INSULATED AND UNINSULATED[CUST: CR AS 11] | A | 6145 | | AS | JUL-98 |
| | MIL-W-81822A(2) SUP 1 | WIRE, ELECTRICAL, SOLDERLESS WRAP, INSULATED AND UNINSULATED, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 99 EC IS MC OS SH] | A | 6145 | | AS | 15-MAR-94 |
| | MIL-W-81822/8A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYAMIDE JACKET OVER EXTRUDED FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATION, SILVER COATED SOLID CONDUCTOR[CUST: CR AS 11] [REVIEW: 99 CC EC IS MC SH] | A | 6145 | | AS | 15-MAR-94 |
| | SAE-AS81822/1 | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYETHYLENE TEREPHTHALATE-POLYESTER LAMINATED TAPE INSULATION, SILVER COATED SOLID CONDUCTOR[CUST: CR AS 11] | A | 6145 | | AS | JUL-98 |
| | MIL-W-81822/4A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYIMIDE COATING OVER EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR[CUST: CR AS 11] [REVIEW: 99 CC EC IS MC SH] | A | 6145 | | AS | 15-MAR-94 |
| | MIL-W-81822/11A | WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, GOLD COATED SOLID CONDUCTOR[CUST: CR AS 11] [REVIEW: 99 CC EC SH] | A | 6145 | | AS | 03-MAR-82 |
| | MIL-W-81822/10A | WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, SILVER COATED SOLID CONDUCTOR[CUST: CR AS 11] [REVIEW: 99 CC EC IS MC OS SH] | A | 6145 | | AS | 03-MAR-82 |
| | MIL-W-81822/12A | WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, TIN COATED SOLID CONDUCTOR[CUST: CR AS 11] [REVIEW: 99 CC EC IS MC OS SH] | A | 6145 | | AS | 03-MAR-82 |
| | MIL-W-29606 | WIRE, ELECTRICAL, STRANDED, UNINSULATED COPPER, COPPER ALLOY, OR ALUMINUM, OR THERMOCOUPLE EXTENSION, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: AR SH] | A | 6145 | | AS | 30-AUG-94 |
| | A-A-51390A | WIRE, ELECTRODE, PATIENT[CUST: MD MS 03] | A | 6515 | / | MB | 22-AUG-86 |
| | MIL-W-82599 NOT 1 | WIRE, INSULATED, HARD DRAWN ALLOY OF COPPER-CADMIUM, NO. 23 AWG[CUST: OS] | A | 6145 | | OS | 07-SEP-88 |
| | A-A-53914 | WIRE, MAXILLOFACIAL, IMPLANT[CUST: MD MS 03] | A | 6515 | / | MB | 11-DEC-89 |
| | A-A-53235 | WIRE, NONELECTRICAL (CHROMIUM-COBALT ALLOY)[CUST: MD MS 03] | A | 6520 | / | MB | 29-SEP-87 |
| | A-A-51297 | WIRE, NONELECTRICAL (CORROSION-RESISTING STEEL)[CUST: MD MS 03] | A | 6520 | | MB | 18-DEC-85 |
| | A-A-53822 | WIRE, NONELECTRICAL (CORROSION-RESISTING STEEL, SOFT)[CUST: MD MS 03] | A | 6520 | / | MB | 28-FEB-89 |
| | A-A-53979 | WIRE, NONELECTRICAL (PLATINUM ALLOY)[CUST: MD MS 03] [REVIEW: 11 19 99 AR CC DS MI] | A | 9545 | / | MB | 15-SEP-89 |
| | A-A-53506 | WIRE, NONELECTRICAL, (PLATINUM ALLOY)[CUST: MD MS 03] | A | 6520 | / | MB | 16-JUN-88 |
| | A-A-54457 | WIRE, NONELECTRICAL, CORROSION RESISTING STEEL[CUST: MD MS 03] | A | 6520 | / | MB | 31-JUL-91 |
| | MS27238A(1) | WIRE, NUT RETAINING, DESIGNED FOR ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA] | A | 4730 | | CC | 06-APR-01 |
| | ASTM-B159/B159M | WIRE, PHOSPHOR BRONZE, STANDARD SPECIFICATION FOR[CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL MC MI OS SA] | A | 9525 | | IS | 15-JUL-94 |
| | MS27072E | WIRE, RETAINER[CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH] | A | 4730 | | CC | 24-SEP-03 |
| A | MS27625B | WIRE, RETAINER[CUST: AV AS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 14-SEP-05 |
| | MS27074C NOT 1 | WIRE, RETAINER[CUST: AR AS 99 CC] [REVIEW: 71 AT] | A | 4730 | | CC | 07-APR-05 |
| | SAE-AS1791 | WIRE, RETAINER TUBE COUPLING NUT[CUST: AV AS 99] [REVIEW: 71 AR AT CC MC MI] | A | 4730 | | AS | SEP-89 |
| | QPL-18375-8 | WIRE, ROPE, FLEXIBLE, CORROSION-RESISTING, NONMAGNETIC, FOR AIRCRAFT CONTROL | A | 1640 | | GS5 | 01-APR-05 |
| | NASM20995 | WIRE, SAFETY OR LOCK[CUST: AV AS IS] | A | 9505 | | IS | APR-98 |
| | ASTM-A492 | WIRE, STEEL ROPE, STAINLESS AND HEAT-RESISTING[CUST: MR YD 99] | A | 9505 | | YD | 15-OCT-92 |
| | SAE-AMS6460 | WIRE, STEEL WELDING 0.75SI - 0.62CR - 0.20MO - 0.10ZR (0.10 - 0.17C)[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-JAN-90 |
| | SAE-AMS6459 | WIRE, STEEL WELDING 1.0CR - 1.0MO - 0.12V (0.18 - 0.23C) VACUUM MELTED[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-AUG-86 |
| | SAE-AMS6463 | WIRE, STEEL WELDING 18.5NI - 8.5CO - 5.2MO - 0.72TI - 0.10A1 VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 15-AUG-90 |
| | SAE-AMS6465 | WIRE, STEEL WELDING 2.0CR - 10NI - 8.0CO - 1.0MO - 0.02A1 - 0.06V (0.10 - 0.14C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 01-JAN-90 |
| | QQ-N-00428A | WIRE, STEEL, CARBON (HIGH CARBON, ROUND, FOR MECHANICAL SPRINGS, GENERAL PURPOSE) | A | 9505 | # | FSS | 16-SEP-70 |
| | ASTM-A809 | WIRE, STEEL, CARBON, ALUMINUM-COATED (ALUMINIZED)[CUST: MR YD 99] [REVIEW: AR AT CR4 IS MC MI] | A | 9505 | | YD | 15-MAR-91 |
| | ASTM-A818 | WIRE, STEEL, CARBON, COPPERED[CUST: MR YD 99] [REVIEW: AR AT CR4 IS MC MI] | A | 9505 | | YD | 15-MAR-91 |
| | QQ-W-414B(1) | WIRE, STEEL, CARBON: BOOKBINDER[CUST: AR 99 IS] [REVIEW: 84] | A | 9505 | / | IS | 25-JUN-02 |
| | ASTM-B452 | WIRE, STEEL, COPPER-CLAD, FOR ELECTRONIC APPLICATION[CUST: CR SH 11] | A | 6145 | | SH | 03-OCT-94 |
| | ASTM-B559 | WIRE, STEEL, FOR ELECTRONIC APPLICATION, NICKEL-COATED, COPPER-CLAD[CUST: CR SH 11 CC] | A | 6145 | | CC | 03-OCT-94 |
| | ASTM-B501 | WIRE, STEEL, FOR ELECTRONIC APPLICATION, SILVER-COATED, COPPER-CLAD[CUST: CR SH 11 CC] | A | 6145 | | CC | 03-OCT-94 |
| | ASTM-B520 | WIRE, STEEL, FOR ELECTRONIC APPLICATIONS, TIN-COATED, COPPER-CLAD[CUST: SH 11 CC] [REVIEW: AS] | A | 6145 | | CC | 15-JUL-93 |
| | ASTM-A421/A421M | WIRE, STEEL, UNCOATED STRESS-RELIEVED, FOR PRESTRESSED CONCRETE[CUST: CR4 YD 99] [REVIEW: IS MC SH] | A | 9505 | | YD | 15-JUL-94 |
| | ASTM-B33 | WIRE, TINNED SOFT OR ANNEALED COPPER, FOR ELECTRICAL PURPOSES[CUST: CR YD 11 CC] [REVIEW: 71 99 SH] | A | 6145 | | CC | 15-OCT-91 |
| | ASTM-F288 | WIRE, TUNGSTEN, FOR ELECTRON DEVICES AND LAMPS[CUST: MR] [REVIEW: GL] | A | 6145 | | MR | 30-OCT-81 |
| | SAE-AMS2814 | WIRE, WELDING, PREMIUM QUALITY, PACKAGING AND MARKING OF PACKAGES[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | MAY-01 |
| | ASTM-B250/B250M | WIRE, WROUGHT COPPER-ALLOY (METRIC)[CUST: MR SH 11] [REVIEW: 99 AS IS OS] | A | 9525 | | MR | 15-DEC-92 |
| | SAE-AS22759/91 | WIRE,ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, LIGHTWEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV MI] | A | 6145 | | AS | 08-DEC-04 |
| | SAE-AS22759/85 | WIRE,ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 C, 600 VOLTS[CUST: CR AS 11 CC NA] [REVIEW: 19 70 99 AV MI] | A | 6145 | | AS | 08-DEC-04 |
| | ASTM-D6254 | WIREBOUND PALLET - TYPE WOOD BOXES, STANDARD SPECIFICATION FOR (AVAILABLE AS ASTM-D6254/D6254M)[CUST: EA] [REVIEW: AR SM] | A | 8115 | | EA | 11-SEP-00 |
| A | MIL-STD-252B NOT 1 | WIRED EQUIPMENT, CLASSIFICATION OF VISUAL AND MECHANICAL DEFECTS[Military Standard][CUST: CR] [REVIEW: AR AT AV CR4 EA MI] | A | QCIC | | CR | 24-OCT-00 |
| | UL83 | WIRES AND CABLES, THERMOPLASTIC-INSULATED[CUST: CR YD 11] [REVIEW: 99 CR4] | A | 6145 | | CC | 02-JAN-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | UL44 | WIRES AND CABLES, THERMOSET-INSULATED[CUST: YD 11] [REVIEW: 99 SH] | A | 6145 | | CC | 22-MAR-99 |
| | UL1581 | WIRES, ELECTRICAL, CABLES, AND FLEXIBLE CORDS[CUST: CR SH 11] | A | 6145 | | CR | 01-OCT-97 |
| | ASTM-B258 | WIRES, SOLID ROUND, USED AS ELECTRICAL CONDUCTORS, AWG SIZES OF, STANDARD NOMINAL DIAMETERS AND CROSS-SECTIONAL AREAS OF[CUST: CR SH 11] | A | 6145 | | SH | 03-OCT-94 |
| | UL870 | WIREWAYS, AUXILIARY GUTTERS, AND ASSOCIATED FITTINGS[CUST: CR YD 11] [REVIEW: 99 GS] | A | 5975 | | YD | 28-JUN-95 |
| | MIL-HDBK-508 | WIRING AND WIRING DEVICES FOR COMBAT AND TACTICAL VEHICLES, SELECTION AND INSTALLATION OF[CUST: AT] [REVIEW: GS] | A | 6150 | | AT | 21-APR-98 |
| | IPC-TM650.2.5.5.2 | WIRING BOARD MATERIAL - CLIP METHOD, DIELECTRIC CONSTANT AND DISSIPATION FACTOR OF PRINTED[CUST: CR EC 11] [REVIEW: 19 99 AR AT CR4 EA] | A | 5998 | | CC | 23-AUG-89 |
| | MIL-HDBK-863 | WIRING DATA AND SYSTEM SCHEMATIC DIAGRAMS PREPARATION OF[CUST: AV 16] | A | DRPR | | 16 | 01-SEP-97 |
| | NEMA-WD6 | WIRING DEVICES - DIMENSIONAL REQUIREMENTS[CUST: YD] | A | 5935 | | CC | 24-JAN-92 |
| | NEMA-WD1 | WIRING DEVICES, GENERAL REQUIREMENTS FOR[CUST: YD] | A | 5935 | | CC | 24-JAN-92 |
| N | SAE-AS24122 | WIRING HARNESS-EXTERNAL POWER, 115 VOLT AC, SINGLE PHASE[CUST: AS 11 GS] | A | 6150 | | AS | 20-FEB-06 |
| | SAE-AS50881 | WIRING, AEROSPACE VEHICLE[CUST: CR AS 11] | A | SESS | | AS | SEP-98 |
| | SAE-J163 | WIRING, LOW TENSION, AND CABLE TERMINALS AND SPLICE CLIPS[CUST: AT 99 GS2] | A | 5940 | | GS2 | JAN-74 |
| | STANAG-3752 ED.2(6) | WITNESS (BREAKING) WIRE FOR AIRCRAFT EMERGENCY CONTROLS AND EQUIPMENT | C | ISDF | | 06 | 23-MAR-89 |
| | ASTM-D4442 | WOOD AND WOOD-BASE MATERIALS, DIRECT MOISTURE CONTENT MEASUREMENT OF[CUST: SM AS 11] [REVIEW: 70 71 84 CC CR4 GL SA] | A | 5510 | | AS | 15-FEB-92 |
| | ASTM-D2395 | WOOD AND WOOD-BASE MATERIALS, SPECIFIC GRAVITY OF[CUST: MR SH 99] [REVIEW: 84] | A | 5510 | | SH | 15-AUG-93 |
| | MIL-W-13871B(2) | WOOD BLANKS FOR SMALL ARMS[CUST: AR SH] [REVIEW: CC MC] | A | 5510 | | AR | 30-APR-91 |
| | AWPA-C11 | WOOD BLOCKS FOR FLOORS AND PLATFORMS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A | 5510 | | IS | 20-NOV-90 |
| | NWWDA-TM8 | WOOD DOOR STILES, HINGE LOADING RESISTANCE OF, TEST METHOD TO DETERMINE[CUST: CR4 YD 99 IS] [REVIEW: 84 CC] | A | 5520 | | IS | FEB-91 |
| | NWWDA-TM7 | WOOD DOORS & ASSOCIATED HARDWARE CONNECTIONS UNDER ACCELERATED OPERATING CONDITIONS, TEST METHOD TO DETERMINE THE PHYDICAL ENDURANCE OF[CUST: CR4 YD 99 IS] [REVIEW: 84 CC] | A | 5520 | | IS | FEB-91 |
| | NWWDA-TM5 | WOOD DOORS, THE SPLIT RESISTANCE OF STILE EDGES OF, TEST METHOD OF DETERMINE[CUST: CR4 YD 99 IS] [REVIEW: 84 CC] | A | 5520 | | IS | FEB-91 |
| | AWPA-C15 | WOOD FOR COMMERCIAL - RESIDENTIAL CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A | 5510 | | IS | 31-DEC-93 |
| | AWPA-C14 | WOOD FOR HIGHWAY CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A | 5510 | | IS | 31-DEC-93 |
| | MIL-W-2038C(2) | WOOD LAMINATES, DOUGLAS FIR (FOR SHIP AND BOAT USE)[CUST: SH] [REVIEW: CC] | A | 5510 | | SH | 01-DEC-65 |
| | MIL-W-15154E NOT 1 | WOOD LAMINATES, OAK (FOR SHIP AND BOAT USE)[CUST: CR4 SH] | A | 5510 | | SH | 03-NOV-89 |
| | MIL-W-24126(1) | WOOD LAMINATES, SOUTHERN PINE (FOR SHIP AND BOAT USE)[CUST: SH] [REVIEW: CC] | A | 5510 | | SH | 01-DEC-65 |
| | ASTM-D6199 | WOOD MEMBERS OF CONTAINERS AND PALLETS, QUALITY OF[CUST: CR4 YD 11 IS] [REVIEW: 71 84 CC GL MC MI OS SA SH SM] | A | 8115 | | IS | 29-JUL-98 |
| | ASME-MH1.8M | WOOD PALLETS[CUST: SM SA 99 DH] [REVIEW: 11 84 AR AT CC CR4 EA GL4 GS IS MC MI MT SH YD] | A | 3990 | | SM | 30-SEP-96 |
| | ANSI-O5.1 | WOOD POLES, SPECIFICATIONS & DIMENSIONS FOR[CUST: CR4 YD] [REVIEW: 99 CC SH] | A | 5510 | | CR4 | 10-JUL-90 |
| | MIL-W-18142C(1) | WOOD PRESERVATIVE SOLUTIONS, OIL-SOLUBLE, SHIP AND BOAT USE[CUST: SH 99] [REVIEW: 11 84 AR] | A | 8030 | | SH | 05-MAR-91 |
| | TT-W-550G | WOOD PRESERVATIVE, CHROMATED COPPER ARSENATE MIXTURE | A | 8030 | # | FSS | 22-APR-76 |
| | TT-W-551F | WOOD PRESERVATIVE, CHROMATED ZINC CHLORIDE MIXTURE | A | 8030 | # | FSS | 15-APR-76 |
| | ASTM-D2481 | WOOD PRESERVATIVES FOR MARINE SERVICES BY MEANS OF SMALL-SIZE SPECIMENS, ACCELERATED EVALUATION OF, STANDARD TEST METHOD FOR[CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A | 5510 | | IS | 30-OCT-81 |
| | AWPA-E7 | WOOD PRESERVATIVES, STANDARD METHOD OF EVALUATING, BY FIELD TESTS WITH STAKES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD] | A | 5510 | | IS | 01-JAN-93 |
| | AWPA-A4 | WOOD PRESERVATIVES, STANDARD METHODS FOR[CUST: MR 99] [REVIEW: 11 84 CC CR4] | A | 8030 | | MR | 09-DEC-87 |
| | A-A-59276 NOT 1 | WOOD PRESERVATIVES: WATERBORNE OR WATER REDUCIBLE[CUST: AR] [REVIEW: MR] | A | 8030 | / | AR | 08-APR-03 |
| | ASTM-D2559 | WOOD PRODUCTS FOR USE UNDER EXTERIOR (WET USE) EXPOSURE CONDITIONS, STRUCTURAL LAMINATED, ADHESIVES FOR[CUST: YD 99 IS] [REVIEW: 84 CE MC] | A | 8040 | | IS | 15-JUL-92 |
| | AWPA-M4 | WOOD PRODUCTS, PRESERVATIVE-TREATED, STANDARD FOR THE CARE OF[CUST: CR4 YD 99 IS] [REVIEW: CE MC MR SH] | A | 8030 | | IS | 15-MAY-92 |
| | ASME-B18.6.1 | WOOD SCREWS (INCH SERIES)[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | NWWDA-I.S.6 | WOOD STILE, AND RAIL DOORS[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5520 | | IS | NOV-92 |
| | ASTM-D358 | WOOD TO BE USED AS PANELS IN WEATHERING TESTS OF COATINGS[CUST: MR 11] [REVIEW: 99 AS CR4 SH] | A | 8010 | | MR | 10-MAY-98 |
| | AWPA-C16 | WOOD USED ON FARMS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES[CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A | 5510 | | IS | 20-JAN-93 |
| | NWWDA-I.S.2 | WOOD WINDOW UNITS[CUST: CR4 YD 99 IS] [REVIEW: 84 CC] | A | 5520 | | IS | OCT-89 |
| | AWPA-A6 | WOOD, OIL-TYPE PRESERVATIVES & WATER IN, METHOD FOR THE DETERMINATION OF[CUST: MR 99] [REVIEW: 11 84 CC CR4] | A | 8030 | | MR | 09-DEC-87 |
| | AWPA-A7 | WOOD, PREPARING, FOR CHEMICAL ANALYSIS, STANDARD WET ASHING PROCEDURE FOR[CUST: MR 99] | A | 8030 | | MR | 09-DEC-87 |
| | AWPA-A9 | WOOD, TREATED, & TREATING SOLUTIONS BY X-RAY SPECTROSCOPY, STANDARD METHOD FOR ANALYSIS OF[CUST: MR 99] [REVIEW: 11 84 CC CR4] | A | 8030 | | MR | 09-DEC-87 |
| | ASTM-D3501 | WOOD-BASED STRUCTURAL PANELS IN COMPRESSION[CUST: SM AS 11] [REVIEW: 99 AR CR CR4 EC MR OS SA SH YD] | A | 5530 | | AS | 15-JUL-94 |
| | TT-W-568E | WOOD-PRESERVATIVE, CREOSOTE-PETROLEUM SOLUTION [REVIEW: CC] | A | 8030 | % | FSS | 06-JUN-75 |
| | ASME-B17.2 | WOODRUFF KEYS AND KEYSEATS[CUST: AR YD 99 IS] | A | 5315 | | IS | 18-SEP-67 |
| | ASTM-D2475 | WOOL FELT, STANDARD SPECIFICATION FOR[CUST: GL NU 11 CT] [REVIEW: DS] | A | 8305 | | CT | 29-APR-88 |
| | A-A-1044A NOT 1 | WOOL, METALLIC (COPPER AND ALUMINUM) | A | 5350 | # | FSS | 12-JUL-94 |
| | A-A-20099B | WORCESTERSHIRE SAUCE[CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8950 | / | SS | 07-AUG-03 |
| | MIL-W-42059 | WORK BOX, DENTAL LABORATORY[CUST: MD MS 03] | A | 6520 | | MB | 11-JUL-88 |
| A | MIL-HDBK-881A | WORK BREAKDOWN STRUCTURES FOR DEFENSE MATERIEL ITEMS[CUST: MI NW 10 WB] [REVIEW: 11 16 19 70 71 84 AR AS AT AV CR MC OS SH] | A | MISC | | WB | 30-JUL-05 |
| | SAE-J1234 | WORK MACHINES, OFF ROAD, SPECIFICATION DEFINITIONS[CUST: CR4 YD 99] | A | 38GP | | CR4 | JAN-85 |
| | SAE-J899 | WORK MACHINES, OFF-ROAD SELF-PROPELLED, OPERATOR'S SEAT DIMENSIONS FOR[CUST: CR4 SA 99] [REVIEW: 84] | A | HFAC | | CR4 | DEC-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DI-MGMT-80754 | WORK MEASUREMENT PLAN [AMSC: A4625] | A | MGMT | | AM | 23-JAN-89 |
| | DI-MISC-81382 | WORK SCHEDULE [AMSC: F6983] | A | MISC | | AF | 25-JAN-94 |
| | DI-ILSS-81282 | WORK UNIT CODE ITEM LISTING [AMSC: N6777] | A | SESS | | AS | 18-AUG-92 |
| | ASTM-C414 | WORKING, SETTING, AND CURING TIMES OF CHEMICALLY SETTING CHEMICAL-RESISTANT SILICATE AND SILICA MORTARS[CUST: MI SH 99] [REVIEW: 84 GS MR] | A | 9350 | | MI | 01-NOV-91 |
| | IPC-TM650.2.1.8 | WORKMANSHIP[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | QPL-87893-1 | WORKSTATION ELECTROSTATIC DISCHARGE (ESD) CONTROL | A | 4940 | | 11 | 01-MAY-95 |
| | MIL-PRF-87893B | WORKSTATION, ELECTROSTATIC DISCHARGE (ESD) CONTROL[CUST: CR SH 11] [REVIEW: 70 71 84 99 CC MC MD1 SM] | A | 4940 | | 11 | 15-JAN-97 |
| | MIL-W-89012(2) NOT 1 | WORLD VECTOR SHORELINE[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-PRF-0089012A NOT 1 | WORLD VECTOR SHORELINE PLUS (WVSPLUS)[CUST: MP] | A | GINT | | MP | 31-MAR-04 |
| | AGMA6034 | WORMGEAR SPEED REDUCERS AND GEARMOTORS, ENCLOSED CYLINDRICAL[CUST: CR4 YD 99] | A | 3020 | | CC | 07-FEB-92 |
| | A-A-51734A | WRAPPER, STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 29-APR-88 |
| | A-A-53587 | WRAPPER, STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 29-JUL-88 |
| | A-A-53450 | WRAPPER, STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 29-APR-88 |
| | A-A-53451 | WRAPPER, STERILIZATION[CUST: MD MS 03] | A | 6530 | / | MB | 29-APR-88 |
| | A-A-53228A | WRAPPER, STERILIZATION (BONDED WOOD PULP)[CUST: MD MS 03] | A | 6530 | / | MB | 29-JUL-88 |
| | A-A-53226A | WRAPPER, STERILIZATION (CELLULOSE WITH REINFORCED POLYESTER FIBERS)[CUST: MD MS 03] | A | 6530 | / | MB | 29-JUL-88 |
| | A-A-53227A | WRAPPER, STERILIZATION (HEAVY DUTY)[CUST: MD MS 03] | A | 6530 | / | MB | 17-JUN-88 |
| | GGG-W-001405(1) | WRENCH, BOX (RATCHETING) | A | 5120 | # | FSS | 04-MAR-68 |
| | A-A-1346A | WRENCH, BOX, DOUBLE HEAD, 12 POINT, HALF-MOON | A | 5120 | # | FSS | 06-FEB-02 |
| | MIL-W-8982/4 | WRENCH, BOX, RATCHETING, SPLINED, HIGH STRENGTH, THIN WALL[CUST: AV AS] [REVIEW: AR GL GS] | A | 5120 | | AS | 06-JUN-86 |
| | MIL-W-8982/2A | WRENCH, BOX, SPLINED, HIGH STRENGTH, THIN WALL[CUST: AV AS 99] [REVIEW: AR GL GS] | A | 5120 | | AS | 27-FEB-89 |
| | A-A-1340A | WRENCH, BOX, STUB END TYPE, OFFSET HANDLE | A | 5120 | # | FSS | 12-MAR-02 |
| | A-A-1341A | WRENCH, BOX, STUB END TYPE, STRAIGHT HANDLE | A | 5120 | # | FSS | 05-FEB-02 |
| | MIL-W-8982/6 | WRENCH, COMBINATION BOX & OPEN END, HIGH STRENGTH, THIN WALL[CUST: AV AS] [REVIEW: AR GL GS] | A | 5120 | | AS | 06-JUN-86 |
| | ASME-B107.21 | WRENCH, CROWFOOT ATTACHMENTS[CUST: AR 99] [REVIEW: 84 AS AT AV CR GL GS MC] | A | 5120 | | AR | 28-MAY-93 |
| | A-A-1357B | WRENCH, ENGINEER'S, SINGLE HEAD, OPEN END, 15 DEGREE | A | 5120 | # | FSS | 06-FEB-02 |
| | A-A-1350A | WRENCH, FLARE NUT, SINGLE HEAD, MODIFIED 12-POINT[CUST: GL 99] | A | 5120 | * | GL | 18-JAN-89 |
| A | A-A-2691A NOT 2 | WRENCH, IMPACT, PNEUMATIC, PORTABLE (CLOSED GRIP) | A | 5130 | # | FSS | 10-AUG-05 |
| | GGG-W-648B | WRENCH, LINEMAN'S[CUST: GL YD] [REVIEW: AR CE] | A | 5120 | * | IS | 30-APR-92 |
| | A-A-3041A | WRENCH, OPEN END, RATCHET (TAC PATTERN) FOR TUBE FITTINGS, ELECTRICAL CABLE TERMINALS, AND STUFFING TUBE GLAND NUTS | A | 5120 | # | FSS | 21-OCT-03 |
| | A-A-1354A | WRENCH, OPEN END, SINGLE THIN HEAD, 15 DEG. HEAD | A | 5120 | # | FSS | 06-FEB-02 |
| | A-A-1353A | WRENCH, OPEN END, SINGLE THIN HEAD, 30 DEG. HEAD | A | 5120 | # | FSS | 07-FEB-02 |
| | A-A-1352A | WRENCH, OPEN END, SINGLE THIN HEAD, STRAIGHT | A | 5120 | # | FSS | 06-FEB-02 |
| | GGG-W-00649 | WRENCH, PLIER, CLAMP, PLIER, AND PLIER, TUBING PINCH | A | 5120 | # | FSS | 11-JAN-66 |
| | A-A-1349A | WRENCH, SLUGGING, BOX, 12 POINT | A | 5120 | # | FSS | 20-AUG-02 |
| | GGG-W-644C | WRENCH, SOCKET (WHEEL NUT)[CUST: GL YD] [REVIEW: AR CE MC] | A | 5120 | * | IS | 30-APR-92 |
| | MIL-W-8982/1A | WRENCH, SPLINED SOCKET, SQUARE DRIVE, HIGH STRENGTH, THIN WALL[CUST: AV AS 99] [REVIEW: AR GL GS] | A | 5120 | | AS | 27-FEB-89 |
| | MIL-W-8982/3A | WRENCH, TORQUE ADAPTER, SPLINED, SQUARE DRIVE, HIGH STRENGTH, THIN WALL[CUST: AV AS 99] [REVIEW: GL GS] | A | 5120 | | AS | 27-FEB-89 |
| | MIL-W-8982/5 | WRENCH, UNIVERSAL SOCKET, SPLINED, SQUARE DRIVE, HIGH STRENGTH, THIN WALL[CUST: AV AS] [REVIEW: AR GL GS] | A | 5120 | | AS | 06-JUN-86 |
| | ASME-B107.8M | WRENCHES, ADJUSTABLE[CUST: AR SH 99] [REVIEW: 84 AS CR4 GL GS MC YD] | A | 5120 | | AR | 15-JUL-91 |
| | A-A-22344A | WRENCHES, ADJUSTABLE | A | 5120 | # | FSS | 14-MAY-85 |
| | SAE-AS954 | WRENCHES, HAND TWELVE POINT HIGH STRENGTH, THIN WALL[CUST: AV] [REVIEW: GS] | A | 5120 | | AV | 31-MAY-88 |
| | SAE-MA4360 | WRENCHES, NONDISTORTING FLARE NUT, METRIC[CUST: AV] [REVIEW: GS] | A | 5120 | | AV | 31-MAR-93 |
| | A-A-59220 | WRENCHES, OPEN END, AND WRENCH ASSEMBLY, STAMPED STEEL[CUST: GL YD 99] [REVIEW: 84 GS MC] | A | 5120 | / | IS | 18-MAY-98 |
| | ASME-B107.2 | WRENCHES, SOCKET, EXTENSIONS, ADAPTORS, AND UNIVERSAL JOINTS, POWER DRIVE (IMPACT) (INCH SERIES)[CUST: AR SH 99] [REVIEW: 84 AS CR4 GL GS MC YD] | A | 5120 | | AR | 16-OCT-92 |
| | ASME-B107.1 | WRENCHES, SOCKET, HAND (INCH SERIES)[CUST: AR SH 99] [REVIEW: GS] | A | 5120 | | AR | 30-JUL-93 |
| | SAE-MA4534 | WRENCHES, SOCKET, HAND (METRIC)[CUST: AV] [REVIEW: GS] | A | 5120 | | AV | 01-SEP-93 |
| | ASME-B107.10M | WRENCHES, SOCKET, HANDLES AND ATTACHMENTS FOR HAND (INCH AND METRIC SERIES)[CUST: GL SH 99] [REVIEW: GS] | A | 5120 | | 84 | 03-OCT-94 |
| | MIL-W-8982D(1) SUP 1 | WRENCHES, SPLINED, HIGH STRENGTH, THIN WALL, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GL GS] | A | 5120 | | AS | 23-SEP-91 |
| | SAE-MA1547 | WRENCHES, TWELVE SPLINE, METRIC[CUST: AV] [REVIEW: GS] | A | 5120 | | AV | 06-NOV-89 |
| | SAE-AS4167 | WRENCHES; FLARE NUT, CROWFOOT, 12-POINT NONDISTORTING[CUST: AV] [REVIEW: GS] | A | 5120 | | AV | 31-MAR-93 |
| | NASM21132 | WRENCHING ELEMENT, EXTERNAL HEXAGON FOR THREADED FASTENERS[CUST: AV AS 11] [REVIEW: AR AT CR4 IS MI OS SH] | A | 53GP | | AS | 30-JUN-98 |
| | MS33787D NOT 1 | WRENCHING ELEMENT, EXTERNAL SPLINE, DIMENSIONS FOR[CUST: AV AS 99] [REVIEW: 84 AR GS IS] | A | 5120 | | AS | 23-SEP-91 |
| | A-A-51548 | WRIGHT'S STAINING SOLUTION[CUST: MD MS 03] | A | 6550 | / | MB | 07-JUL-87 |
| | MIL-DTL-32146 | WRIST SEAL, FLYERS' , ANTI-EXPOSURE, RUGGEDIZED[CUST: AV AS CT] [REVIEW: NU] | A | 8475 | | AS | 30-JUN-04 |
| | A-A-59701/5 | WRIST STRAP, DISPOSABLE, ELECTROSTATIC DISCHARGE[CUST: EC] | A | 5920 | / | CC | 22-OCT-01 |
| | A-A-59701/4 | WRIST STRAP, DUAL CONDUCTOR, ADJUSTABLE, THERMOPLASTIC, ELECTROSTATIC DISCHARGE[CUST: EC CC] | A | 5920 | / | CC | 22-OCT-01 |
| | A-A-59701/2 | WRIST STRAP, DUAL CONDUCTOR, METAL, ELECTROSTATIC DISCHARGE WITH OPTIONAL GROUNDING CORD[CUST: EC CC] | A | 5920 | / | CC | 22-OCT-01 |
| | A-A-59701 | WRIST STRAP, ELECTROSTATIC DISCHARGE, GENERAL REQUIREMENTS FOR[CUST: EC CC] | A | 5920 | / | CC | 22-OCT-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | A-A-59701/3 | WRIST STRAP, SINGLE CONDUCTOR, ADJUSTABLE, THERMOPLASTIC, ELECTROSTATIC DISCHARGE WITH OPTIONAL GROUNDING CORD[CUST: EC CC] | A | 5920 | / | CC | 22-OCT-01 |
| | A-A-59701/1 | WRIST STRAP, SINGLE CONDUCTOR, METAL, ELECTROSTATIC DISCHARGE WITH OPTIONAL COILED GROUNDING CORD[CUST: EC CC] | A | 5920 | / | CC | 22-OCT-01 |
| | ASME-B16.22 | WROUGHT COPPER AND COPPER ALLOY SOLDER JOINT PRESSURE FITTINGS[CUST: YD 99] [REVIEW: MC SH] | A | 4730 | | CC | 15-JUN-91 |
| | ASME-B16.28 | WROUGHT STEEL BUTTWELDING SHORT RADIUS ELBOWS AND RETURNS[CUST: YD] | A | FACR | | YD | 06-OCT-04 |
| | SAE-ARP982 | WROUGHT TITANIUM ALLOY PRODUCTS, MINIMIZING STRESS-CORROSION CRACKING IN[CUST: MR AS 11] | A | FORG | | AS | 03-OCT-94 |
| | IPC-TM650.2.6.10 | X-RAY (RADIOGRAPHY), MULTILAYER PRINTED WIRING PRINTED BOARD TEST METHODS[CUST: CR EC 11 CC] [REVIEW: 99 AR AT EA MI] | A | 5998 | | CC | 24-MAY-04 |
| | A-A-58077 | X-RAY APPARATUS SET, RADIOGRAPHIC, INDUSTRIAL, PORTABLE 160KVCP[CUST: 99] [REVIEW: GS] | A | 6635 | / | 84 | 06-AUG-96 |
| | MIL-PRF-32133 | X-RAY APPARATUS SET, RADIOGRAPHIC, INDUSTRIAL, PORTABLE, 160KVCP[CUST: AV AS 99] [REVIEW: 70 71 84 CG GS] | A | 6635 | | 51 | 14-NOV-03 |
| | UL187 | X-RAY EQUIPMENT[CUST: MD MS 03] | A | 6525 | | MB | 22-APR-93 |
| | STANAG-2357 ED.3 | X-RAY FILM FORMATS, CASSETTES, AND SCREENS | C | ISDA | | AI | 26-MAR-98 |
| | A-A-59326/20A | Y CONNECTION, FLANGED, TYPE XX[CUST: AT YD 99] [REVIEW: 71 AV CC GL MC SH] | A | 4730 | / | AT | 01-MAY-03 |
| | MIL-HDBK-1038/3 | YARD CRAFT[CUST: YD] [REVIEW: MD SS] | A | FACR | | YD | 15-NOV-87 |
| | A-A-2940A | YARDSTICK (ALUMINUM) | A | 5210 | # | FSS | 05-MAR-02 |
| | SAE-AMS3901 | YARN AND ROVING, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | 01-OCT-92 |
| | ASTM-D1578 | YARN IN SKEIN FORM, BREAKING STRENGTH OF[CUST: GL NU 99] | A | 8310 | | CT | 15-JUL-93 |
| | ASTM-D1059 | YARN NUMBER BASED ON SHORT-LENGTH SPECIMENS[CUST: GL SH 99 CT] | A | 8310 | | CT | 03-OCT-94 |
| | ASTM-D1907 | YARN, (YARN NUMBER) BY THE SKEIN METHOD, LINEAR DENSITY OF[CUST: GL SH 99 CT] | A | 8310 | | CT | 03-OCT-94 |
| | MIL-Y-1140H(1) | YARN, CORD, SLEEVING, CLOTH, AND TAPE- GLASS[CUST: GL NU 11 CT] [REVIEW: 99 AR CR4 EA IS MD MI SH] | A | 4020 | | CT | 25-SEP-85 |
| | SAE-AMS3901/12 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/21.5 TENSILE STRENGTH, 16.5 (114)/825 TENSILE MODULUS 2160 DENIER, 1.2% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | 01-OCT-92 |
| | SAE-AMS3901/7 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/22.0 TENSILE STRENGTH, 16.5 (114)/825 TENSILE MODULUS 2160 DENIER, 0.6% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | FEB 96 |
| | SAE-AMS3901/11 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/22.2 TENSILE STRENGTH, 16.5 (114)/870 TENSILE MODULUS 1420 DENIER, 1.2% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | 01-OCT-92 |
| | SAE-AMS3901/8 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/23.5 TENSILE STRENGTH, 18 (124)/982 TENSILE MODULUS 195 DENIER, 1.2% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | 01-OCT-92 |
| | SAE-AMS3901/10 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/23.6 TENSILE STRENGTH, 16.5 (114)/885 TENSILE MODULUS 1140 DENIER, 1.2% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | 01-OCT-92 |
| | SAE-AMS3901/4 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/24.3 TENSILE STRENGTH, 16.5 (114)/900 TENSILE MODULUS 1420 DENIER, 0.6% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | 01-OCT-92 |
| | SAE-AMS3901/2 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/24.5 TENSILE STRENGTH, 17.5 (121)/934 TENSILE MODULUS 380 DENIER, 0.6% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | 01-OCT-92 |
| | SAE-AMS3901/9 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/24.5 TENSILE STRENGTH, 17.5 (121)/934 TENSILE MODULUS 380 DENIER, 1.2% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | 01-OCT-92 |
| | SAE-AMS3901/3 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/25.5 TENSILE STRENGTH, 16.5 (114)/900 TENSILE MODULUS 1140 DENIER, 0.6% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | 01-OCT-92 |
| | SAE-AMS3901/1 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2698)/23.5 TENSILE STRENGTH, 18 (124)/982 TENSILE MODULUS 195 DENIER, 0.6% FINISH[CUST: MR AS 11] [REVIEW: CT GL] | A | CMPS | | AS | 01-OCT-92 |
| | A-A-55211 | YARN, WOOL[CUST: GL NU CT] [REVIEW: MD] | A | 8310 | / | CT | 04-JUN-93 |
| | A-A-55100 | YARN: COTTON[CUST: CT] | A | 8310 | / | CT | 10-NOV-92 |
| | ASTM-D2256 | YARNS BY THE SINGLE-STRAND METHOD, TENSILE PROPERTIES OF[CUST: GL SH 99 MB] | A | 8310 | | MB | 10-JAN-97 |
| | ASTM-D3374 | YARNS, GLASS, VINYL-COATED[CUST: CR4 AS 68] [REVIEW: GS] | A | 9150 | | AS | 24-FEB-89 |
| | ASTM-D434 | YARNS, RESISTANCE TO SLIPPAGE OF, IN WOVEN FABRICS USING A STANDARD SEAM[CUST: GL NU CT] [REVIEW: AS CG CR4 MC MD MI SH TE] | A | 83GP | | CT | 15-APR-95 |
| | ASTM-D1423 | YARNS, TWIST IN, BY THE DIRECT-COUNTING[CUST: CR4 YD] [REVIEW: AS DP OS SH] | A | 8310 | | YD | 10-NOV-99 |
| | A-A-20089B | YEAST, BAKER'S (ACTIVE DRY) | A | 8950 | # | FSS | 13-AUG-01 |
| | FED-STD-595/13591 | YELLOW [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13531 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13690 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13670 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13618 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13432 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13522 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13578 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13711 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13594 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13695 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13538 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/13596 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13613 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13523 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13637 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13655 | YELLOW GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33696 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33578 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33717 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33434 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33722 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | FED-STD-595/33814 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33690 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33793 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33564 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33685 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33695 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33711 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33727 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33538 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33481 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33531 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33617 | YELLOW LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23448 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23793 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23814 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23578 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23594 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23538 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23785 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23564 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23613 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23685 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23695 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23727 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23722 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23617 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23690 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23697 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23531 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23619 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23711 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23717 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23522 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/23655 | YELLOW SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/13740 | YELLOW, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/13814 | YELLOW, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-JUL-94 |
| | FED-STD-595/13275 | YELLOW, GLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/33798 | YELLOW, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33275 | YELLOW, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/33448 | YELLOW, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/33655 | YELLOW, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33446 | YELLOW, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/33637 | YELLOW, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-JAN-84 |
| | FED-STD-595/33510 | YELLOW, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/33613 | YELLOW, LUSTERLESS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/23540 | YELLOW, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | FED-STD-595/23275 | YELLOW, SEMIGLOSS [REVIEW: SS] | A | 8010 | % | FSS | 01-DEC-89 |
| | MIL-Y-37687A | YOKE-ADAPTER, COMPRESSED GAS CYLINDER[CUST: MD MS 03] [REVIEW: GS] | A | 8120 | | MB | 21-FEB-92 |
| | SAE-AMS10138 | ZEE EQUAL LEG EXTRUDED[CUST: AV 99 IS] | A | 9540 | | IS | 15-APR-04 |
| | SAE-AMS10139 | ZEE, UNEQUAL LEG EXTRUDED[CUST: 84] | A | 9540 | | 84 | 24-FEB-04 |
| | EIA584 | ZERO ACCECPTANCE NUMBER SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES FOR A CONTINUOUS MANUFACTURING PROCESS - 14 JUNE 1991[CUST: CR EC 11] | A | 59GP | | CC | 19-JUL-91 |
| | EIA585 | ZERO ACCECPTANCE NUMBER SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES OF ISOLATED LOTS[CUST: CR EC 11] | A | 59GP | | CC | 19-JUL-91 |
| | ASTM-B6 | ZINC[CUST: MR SH 99] [REVIEW: 05 84 CR4 YD] | A | 9650 | | SH | 25-SEP-87 |
| | ASTM-A123/A123M | ZINC (HOT-DIP GALVANIZED) COATINGS ON IRON AND STEEL PRODUCTS[CUST: MR YD 11] [REVIEW: SH] | A | MFFP | | YD | 29-SEP-89 |
| | ASTM-B201 | ZINC AND CADMIUM SURFACES, TESTING CHROMATE COATINGS ON[CUST: AR SH 11] | A | MFFP | | SH | OCT-94 |
| | ASTM-E536 | ZINC AND ZINC ALLOYS, CHEMICAL ANALYSIS OF[CUST: EA AS 11] | A | NDTI | | AS | OCT-94 |
| | ASTM-B86 | ZINC AND ZINC-ALUMINUM (ZA) ALLOY FOUNDRY AND DIE CASTINGS[CUST: MR AS 99] [REVIEW: 11 AR AT AV CR CR4 MI OS SM] | A | MECA | | MR | 04-AUG-88 |
| | ASTM-B240 | ZINC AND ZINC-ALUMINUM (ZA) ALLOYS IN INGOT FORM FOR FOUNDRY AND DIE CASTINGS[CUST: MR AS 99] | A | MECA | | MR | 10-APR-98 |
| | ASTM-A153/A153M | ZINC COATING (HOT-DIP) ON IRON AND STEEL HARDWARE[CUST: MR YD 11] | A | MFFP | | YD | 27-AUG-82 |
| | ASTM-A385 | ZINC COATINGS, PROVIDING HIGH-QUALITY (HOT-DIP)[CUST: MR SH 11] | A | MFFP | | SH | 03-OCT-94 |
| | ASTM-D1691 | ZINC IN WATER[CUST: EA GS3] [REVIEW: CR4 MD SH] | A | 6810 | | GS3 | 09-FEB-90 |
| | ASTM-B633 | ZINC ON IRON AND STEEL, ELECTRODEPOSITED COATINGS OF[CUST: MR SH 99] [REVIEW: AR CR4 EC MI OS YD] | A | MFFP | | SH | 27-SEP-87 |
| | A-A-54424 | ZINC OXIDE OINTMENT, USP[CUST: MD MS 03] | A | 6505 | / | MB | 14-JUN-91 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ASTM-A239 | ZINC, LOCATING THE THINNEST SPOT IN A ZINC (GALVANIZED) COATING ON IRON OR STEEL ARTICLES[CUST: MR YD 99] | A | 95GP | | YD | SEP-89 |
| | ASTM-B69 | ZINC, ROLLED[CUST: MR AS 99 IS] [REVIEW: AR AT EA GL] | A | 9535 | | IS | 1-DEC-92 |
| | ASTM-A411 | ZINC-COATED (GALVANIZED) LOW-CARBON STEEL ARMOR WIRE[CUST: CR AS 99 IS] | A | 9505 | | IS | 03-OCT-94 |
| | ASTM-A116 | ZINC-COATED (GALVANIZED) STEEL WOVEN WIRE FENCE FABRIC[CUST: CR4 YD 99] [REVIEW: CC CG MC SH] | A | 5660 | | IS | 10-OCT-95 |
| | ASTM-A586 | ZINC-COATED PARALLEL AND HELICAL STEEL WIRE STRUCTURAL STRAND[CUST: CR4 YD] [REVIEW: GS SH] | A | 4010 | | CC | 15-FEB-92 |
| | ANSI-C135.7 | ZINC-COATED SPOOL TYPE SECONDARY RACKS, AMERICAN NATIONAL STANDARD FOR[CUST: YD] [REVIEW: GS] | A | 5970 | | YD | 29-AUG-90 |
| | A-A-59745 | ZINC-RICH COATINGS[CUST: AT SH] [REVIEW: AS CG MI MR] | A | 8010 | / | AT | 09-OCT-02 |
| | A-A-55634A | ZIPPERS (FASTENERS, SLIDE INTERLOCKING)[CUST: GL AS 99] [REVIEW: 82 MC MI NU OS SA] | A | 5325 | / | IS | 23-MAR-04 |
| | MIL-Z-399D(1) NOT 3 | ZIRCONIUM (GRANULAR AND POWDERED)[CUST: AR OS 68] [REVIEW: AS EA GS MD MI] | A | 6810 | | AR | 02-DEC-96 |
| | MIL-Z-85500 | ZIRCONIUM CARBIDE[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 06-OCT-81 |

| Last Action DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|
| MS27560A NOT 3 | 2-3/8 SQUARE INSTRUMENT CASE STANDARD DIMENSIONS FOR[CUST: AV AS 99] | A | 66GP | | 71 | 15-JAN-96 |
| MIL-STD-1504B NOT 1 | ABRASIVE BLASTING[Military Standard][CUST: AR 99] | A | MFFP | | 70 | 08-SEP-97 |
| MS28025D NOT 2 | ACCELEROMETER - AIRCRAFT[CUST: AS 99] [REVIEW: GS] | A | 6610 | | 71 | 14-JUL-00 |
| MIL-A-5885D(1) NOT 1 | ACCELEROMETER, AIRCRAFT[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 01-APR-96 |
| MIL-A-27261A(4) NOT 1 | ACCELEROMETER, AIRCRAFT[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| MIL-A-38307A(1) NOT 1 | ACCELEROMETER, AIRCRAFT MX-6663/AJB-7[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| MIL-DTL-25949F NOT 1 | ACCELEROMETER, AIRCRAFT RANGE -5 TO 10G UNITS, INTEGRALLY LIGHTED[CUST: AS 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JUN-96 |
| MIL-A-27195A NOT 1 | ACCELEROMETER, AIRCRAFT, MECHANICAL ABU-6/A[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| MIL-A-81621 NOT 1 | ACCELEROMETER, ELECTRICAL, LINEAR ABU-13/A[CUST: AS] | A | 1290 | | AS | 11-SEP-96 |
| MIL-A-27330B(1) NOT 1 | ACCELEROMETER, ELECTRICAL, LINEAR TRU-3/A[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |
| MIL-A-25719B NOT 2 | ACCELEROMETER, MECHANICAL, AIRCRAFT, PILOT'S WARNING, TYPE MA-1[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 20-JAN-05 |
| MS23009E NOT 4 | ACCELEROMETER-AIRCRAFT, INTEGRALLY LIGHTED ABU-4A/A AND ABU-4B/A[CUST: 99] | A | 6610 | | 71 | 08-JUN-04 |
| MIL-A-21430B NOT 2 | ACCESSORY SET MARK 1 MOD 1[CUST: OS] | A | 4930 | | OS | 27-MAR-92 |
| MS28700B NOT 3 | ACCUMULATOR CYLINDER, 3000 PSI[CUST: AV AS 99] [REVIEW: 11 71 GS MI] | A | 1650 | | GS1 | 05-MAY-05 |
| MIL-A-5498D(1) NOT 1 | ACCUMULATORS, HYDRAULIC, CYLINDRICAL 3000 PSI, AIRCRAFT[CUST: AV AS 99] [REVIEW: 71 GS] | A | 1650 | | GS1 | 01-APR-96 |
| JAN-A-179 NOT 1 | ACID, SULFUTIC, AND OLEUM[CUST: EA OS] [REVIEW: GS] | A | 6810 | | AR | 14-MAR-97 |
| MIL-A-81327A NOT 1 | ACOUSTIC LOCATING DEVICE (FOR TORPEDO MK 46 MOD 0)[CUST: OS] | A | 1355 | | OS | 13-MAR-85 |
| MIL-A-8806A(1) NOT 1 | ACOUSTICAL NOISE LEVEL IN AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: CG CR4 MC TE] | A | 15GP | | AS | 10-SEP-97 |
| SAE-AMS3229 | ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL RESISTANT, LOW SWELL, 75 - 85[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | OCT-83 |
| MIL-A-63529(2) NOT 2 | ACTIVATOR, ANTITANK MINE: PRACTICE, M1; PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 18-AUG-97 |
| MIL-A-20515 NOT 2 | ACTIVATOR, M1 LOADING, ASSEMBLING, AND PACKING.[CUST: AR] [REVIEW: EA] | A | 1345 | | AR | 01-SEP-97 |
| MIL-A-12831D NOT 2 | ACTIVATOR, M2, PARTS FOR[CUST: AR] | A | 1345 | | AR | 08-AUG-97 |
| MIL-A-23282B(4) NOT 1 | ACTUATOR[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| MIL-A-82430A(1) NOT 1 | ACTUATOR ASSEMBLY (FOR TORPEDO MK 46 MOD 1)[CUST: OS] | A | 1355 | | OS | 10-JUL-99 |
| MIL-A-82451(2) NOT 1 | ACTUATOR ASSEMBLY TEST SET, (FOR TORPEDO MK 46 MOD 1)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| MIL-A-62463B NOT 1 | ACTUATOR ASSEMBLY, ROTARY[CUST: AT] | A | 2530 | | AT | 20-JAN-98 |
| MIL-A-46545B NOT 1 | ACTUATOR EXPLOSIVE, LINEAR, M2 PARTS FOR[CUST: AR] | A | 1375 | | AR | 06-FEB-96 |
| MS18037C NOT 1 | ACTUATOR, AIRCRAFT, ELECTRO-MECHANICAL, LINEAR, DIRECT CURRENT[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 23-JUL-97 |
| MIL-A-23622(1) NOT 2 | ACTUATOR, AIRCRAFT, ELECTRO-MECHANICAL, LINEAR, DIRECT CURRENT[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 21-JUN-01 |
| MIL-A-19401 NOT 2 | ACTUATOR, ELECTROMECHANICAL, ROTARY, FOR AS-473/ASB-1 (BUORD DRAWING 790459, 1332290, AZIMUTH TORQUE AMPLIFIER)[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 18-SEP-96 |
| MIL-A-46556B NOT 2 | ACTUATOR, EXPLOSIVE, LINEAR, M2 LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1375 | | AR | 06-FEB-96 |
| MIL-A-60692 NOT 2 | ACTUATOR, EXPLOSIVE, ROTARY 1000-27 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-60693(1) NOT 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-27 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-60848 NOT 2 | ACTUATOR, EXPLOSIVE, ROTARY 1000-44 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-60849(1) NOT 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-44 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-60888 NOT 2 | ACTUATOR, EXPLOSIVE, ROTARY 1000-45 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-60889(1) NOT 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-45 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-60837 NOT 2 | ACTUATOR, EXPLOSIVE, ROTARY 1000-48 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-60838(1) NOT 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-48 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-85116 NOT 1 | ACTUATOR, PISTON, MINIATURE[CUST: AS] | A | 1370 | | AS | 11-SEP-96 |
| MIL-A-70827A NOT 1 | ACTUATOR, PISTON, PA535 PARTS FOR AND LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1375 | | AR | 10-JAN-97 |
| MIL-A-14897 NOT 2 | ACTUATOR, ROTARY 1000-34 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-14898 NOT 2 | ACTUATOR, ROTARY 1000-34 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-60681 NOT 2 | ACTUATOR, ROTARY 1000-37 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-60682(1) NOT 1 | ACTUATOR, ROTARY 1000-37 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-60657 NOT 2 | ACTUATOR, ROTARY 1000-39 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-60658(1) NOT 1 | ACTUATOR, ROTARY 1000-39 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-50372 NOT 2 | ACTUATOR, ROTARY 1000-41 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MIL-A-50373 NOT 2 | ACTUATOR, ROTARY 1000-41 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| MS18040B | ADAPTER - FOR CONNECTION OF COUPLING PER MIL-C-25531 TO MS17833[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | 27-JAN-89 |
| AN6044 REV 5 NOT 1 | ADAPTER - PORTABLE OXYGEN RECHARGER ORIFICE[CUST: AV AS 99] [REVIEW: GS] | A | 1660 | | 71 | 24-MAR-96 |
| AN4182 NOT 1 | ADAPTER - TYPE XVII DRIVE SPLINE[CUST: AV AS 99] | A | 3040 | | AS | 07-AUG-96 |
| MIL-A-70608A(1) NOT 1 | ADAPTER AND FUZE, ASSEMBLY: M624, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 27-MAR-98 |
| MIL-A-70609A(1) NOT 1 | ADAPTER AND FUZE, ASSEMBLY: M624, PARTS FOR[CUST: AR] | A | 1345 | | AR | 27-MAR-98 |
| AN3069 REV 1 NOT 1 | ADAPTER ASSEMBLY - 3/16 INCH CONDUIT[CUST: AS 11] [REVIEW: 99 GS] | A | 5975 | | AS | 24-JUL-96 |
| MS33509A NOT 2 | ADAPTER INSTALLATION - TYPE XII OR XVI DRIVE STARTER JAW[CUST: AV AS 99] [REVIEW: GS] | A | 2925 | | AS | 28-AUG-96 |
| MIL-A-16288/12 NOT 3 | ADAPTER YOKE, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. ADAPTERS TO DUTCH, FRENCH OR GERMAN ACETYLENE VALVES[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| MS39324A NOT 1 | ADAPTER, 37-DEGREE FLARE TO ,O, RING BOSS (USE SAE-J514)[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 17-AUG-99 |
| MS14117 NOT 1 | ADAPTER, AIR TURBINE STARTER TO ENGINE, MOUNTING[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| MS25050B | ADAPTER, ANTENNA[CUST: AS 11 CC] [REVIEW: 99] | A | 5985 | | CC | 18-JAN-05 |
| MIL-A-51372 NOT 1 | ADAPTER, BOMB CLUSTER, 750 POUND, M30E2[CUST: AR] | A | 1325 | | AR | 16-JUL-96 |
| MS3420C NOT 3 | ADAPTER, CABLE CLAMP TO CABLE, BUSHING, TELESCOPING[CUST: AR AS 11 CC] [REVIEW: CG CR MC MI] | A | 5935 | | AS | 31-MAR-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-A-22641/18 NOT 3 | ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 2 - 5/8 INCH), TYPES UG-403/U, UG-404/U, UG-445/U, UG-520/U, UG-521/U, UG-523/U, UG-1647/U THRU UG-1652/U[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI] | A | 5985 | | CC | 03-JUL-03 |
| | MIL-A-22641/17A NOT 3 | ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 3 - 7/8 INCH) TYPES UG-405/U, UG-522/U, UG-1622/U AND UG-1663/U[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI] | A | 5985 | | CC | 03-JUL-03 |
| | MIL-A-22641/22 NOT 2 | ADAPTER, COAXIAL TO WAVEGUIDE (DOUBLE R1DGE) (BANDWIDTH RATIO 2.4 1) (SERIES SMA TO WAVEGUIDE - CLASS 5)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MC MI OS] | A | 5985 | | CC | 03-JUL-03 |
| | MIL-A-22641/19 NOT 2 | ADAPTER, COAXIAL TO WAVEGUIDE (TNC TO WAVEGUIDE - CLASS 4)[CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI OS] | A | 5985 | | CC | 03-JUL-03 |
| | MIL-A-50093A(1) NOT 2 | ADAPTER, COMPRESSED AIR BREATHING APPARATUS, M4[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 05-MAR-96 |
| | MIL-A-16288/23 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 000-580, NITROGEN[CUST: AT YD 68 GS7] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/13 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 200-510, ACETYLENE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/15 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 200-520, ACETYLENE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/16 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 300-510, ACETYLENE[CUST: AT YD 68 GS7] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/18 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 300-520, ACETYLENE[CUST: AT YD 68 GS7] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/14 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-200, ACETYLENE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/17 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-300, ACETYLENE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/20 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-520, ACETYLENE[CUST: AT YD 68 GS7] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/19 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 520-300, ACETYLENE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/21 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 520-510, ACETYLENE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/22 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 580-000, NITROGEN[CUST: AT YD 68 GS7] [REVIEW: MI] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/5 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U. S. REGULATOR TO GERMAN OXYGEN VALVE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/11 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U. S. REGULATOR TO GERMAN AND DUTCH HYDROGEN VALVE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/1 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO BRITISH OXYGEN VALVE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/6 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO BRITISH ACETYLENE VALVE[CUST: AT YD 68 GS7] [REVIEW: AS AV MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/7 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO DUTCH ACETYLENE VALVE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/4 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO DUTCH OXYGEN VALVE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/10 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO FRENCH HYDROGEN VALVE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/2 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO FRENCH OXYGEN VALVE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/9 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO FRENCH ACETYLENE VALVE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/8 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO GERMAN ACETYLENE VALVE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-16288/3 NOT 3 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO JAPANESE OXYGEN VALVE[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-A-55512A NOT 2 | ADAPTER, CONNECTOR UG-1312( )/U[CUST: CR CC] | A | 5935 | | CC | 15-JUN-99 |
| A | MS90578B | ADAPTER, CONNECTOR, (TWIN BINDING POST-BNC MALE) TYPE UG-1441/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG CR4 MC MI] | A | 5935 | | CC | 07-NOV-05 |
| A | MS90579A | ADAPTER, CONNECTOR, BETWEEN SERIES (SERIES QL SOCKET TO SERIES C SOCKET) JAM NUT MOUNT, TYPE UG-1375/U[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS] | A | 5935 | | CC | 07-NOV-05 |
| | MS75093 NOT 2 | ADAPTER, CONNECTOR, BNC FEMALE - GR874[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5935 | | CC | 15-JUN-99 |
| | MIL-A-55339/42A(3) NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (FEMALE) TO SERIES TNC (MALE)), CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 11-FEB-02 |
| A | MS90261D | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, BETWEEN SERIES (SERIES C JACK TO SERIES HN PLUG) TYPE UG-703 A/U[CUST: CR EC 11 CC] [REVIEW: 99 AS] | A | 5935 | | CC | 07-NOV-05 |
| | MIL-A-27434/36A NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-108A/U[CUST: CR EC 11] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/28 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1136/U[CUST: CR EC 11] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-DTL-27434/30A | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1142/U (SERIES C TO QDS)[CUST: CR EC 11 CC] [REVIEW: 99 SH] | A | 5935 | | CC | 09-JAN-03 |
| | MIL-DTL-27434/32B | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1144/U (SERIES N TO QDS)[CUST: CR EC 11 CC] [REVIEW: 99 SH] | A | 5935 | | CC | 09-JAN-03 |
| | MIL-DTL-27434/33A | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1146/U (SERIES BNC TO QDS)[CUST: CR EC 11 CC] [REVIEW: 99 SH] | A | 5935 | | CC | 09-JAN-03 |
| | MIL-A-27434/38A NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-213A/U[CUST: CR EC 11] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/6 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-217A/U[CUST: CR EC 11] [REVIEW: 99 SH] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-DTL-27434/7A | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-218A/U (SERIES HN TO LC)[CUST: CR EC 11 CC] [REVIEW: 99 SH] | A | 5935 | | CC | 09-JAN-03 |
| | MIL-A-27434/8 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-259A/U[CUST: CR EC 11] [REVIEW: 99 SH] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/9 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-270A/U[CUST: CR EC 11] [REVIEW: 99 SH] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/10 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-271A/U[CUST: CR EC 11] [REVIEW: 99 SH] | A | 5935 | | CC | 12-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-27434/13A | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-497A/U (SERIES HN TO LC)[CUST: CR EC 11 CC] [REVIEW: 99 SH] | A | 5935 | | CC | 09-JAN-03 |
| | MIL-A-27434/15 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-559B/U[CUST: CR EC 11] [REVIEW: 99 SH] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/16 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-586B/U[CUST: CR EC 11] [REVIEW: 99 SH] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/18 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-605/U[CUST: CR EC 11] [REVIEW: 99] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/5 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-637/U[CUST: CR EC 11] [REVIEW: 99 SH] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/20 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-690/U[CUST: CR EC 11] [REVIEW: 99 SH] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/21 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-691/U[CUST: CR EC 11] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/22A NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-966A/U[CUST: CR EC 11] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/23A NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-970/U[CUST: CR EC 11] [REVIEW: 19 AR AS CR4 MC MI SH] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-A-27434/24 NOT 3 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-971/U[CUST: CR EC 11] | A | 5935 | | CC | 12-JUN-01 |
| A | MS90577A | ADAPTER, CONNECTOR, SERIES UHF TO SERIES BNC, TYPE UG-273/U[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI OS] | A | 5935 | | CC | 07-NOV-05 |
| | AN3056 REV 6 NOT 2 | ADAPTER, ELECTRICAL CONDUIT, RIGID TO FLEXIBLE[CUST: AV AS 11 GS2] [REVIEW: 99 AR MC] | A | 5975 | | GS2 | 09-OCT-03 |
| | MIL-A-83529 NOT 1 | ADAPTER, HEADSET-MICROPHONE M83529-01[CUST: 99] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-A-81724 NOT 1 | ADAPTER, LAUNCHER, AIRCRAFT, ADU-299/E[CUST: AS] [REVIEW: GS] | A | 1055 | | AS | 31-OCT-95 |
| | MIL-A-11610B(1) NOT 1 | ADAPTER, LINE, FILLING, 1-TON CONTAINER, M1[CUST: EA] [REVIEW: CC] | A | 4730 | | EA | 25-MAR-96 |
| | MIL-A-71179 NOT 1 | ADAPTER, METAL PALLET FOR STINGER WEAPON SYSTEM[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 17-JUL-97 |
| | MIL-A-21618B(2) NOT 1 | ADAPTER, PALLET, STEEL FOR CYLINDRICAL CONTAINERS[CUST: OS] [REVIEW: GS] | A | 3990 | | OS | 10-JUL-99 |
| | MS29519C NOT 2 | ADAPTER, PRESSURE FUEL SERVICING VARIABLE CONFIGURATION, TYPE A-5[CUST: AS 99] [REVIEW: GS] | A | 2915 | | AS | 28-AUG-96 |
| | MS29515B NOT 2 | ADAPTER, PRESSURE FUEL SERVICING, TYPES A-1 AND A-6[CUST: 99] | A | 4730 | | 71 | 08-NOV-94 |
| | MIL-A-28898 NOT 1 | ADAPTER, RADIO FREQUENCY, MX-10158/BRC[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-63425 NOT 2 | ADAPTER, RECOIL MECHANISM ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2[CUST: AR] | A | 1015 | | AR | 19-AUG-97 |
| | MS51503A NOT 1 | ADAPTER, STRAIGHT, PIPE TO TUBE, FEMALE PIPE END, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51819E NOT 1 | ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51893A NOT 1 | ADAPTER, STRAIGHT, TUBE TO BOSS, LONG, O-RING, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR SH 99] [REVIEW: 71 AT MC OS] | A | 4730 | | CC | 17-AUG-99 |
| | MS51526A NOT 1 | ADAPTER, STRAIGHT, TUBE TO BOSS, O RING, 37 DEGREES FLARED (LONG) (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51843D NOT 1 | ADAPTER, STRAIGHT, TUBE TO BOSS, O-RING, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MIL-A-83783 NOT 3 | ADAPTER, TEST, MX-9042/G[CUST: 99] [REVIEW: 19] | A | 1190 | | 70 | 12-JUL-95 |
| | MS9227A NOT 1 | ADAPTER-CONTROL LEVER CONNECTION[CUST: AS 11] | A | 5355 | | AS | 23-OCT-91 |
| | MS39322 NOT 3 | ADAPTER; 37-DEGREE FLARE, FEMALE SWIVEL TO WELD SOCKET, 3/4-INCH TO 1-INCH (USE SAE-J514)[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 17-AUG-99 |
| | MIL-A-16288D NOT 3 | ADAPTERS, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: GENERAL SPECIFICATION FOR[CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | | GS7 | 19-DEC-02 |
| | MIL-PRF-55339/43A(3) NOT 2 | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (MALE) TO SERIES TNC (MALE)), CLASS 2, STRAIGHT PLUG[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 12-FEB-02 |
| | MIL-DTL-27434B | ADAPTERS, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS] | A | 5935 | | CC | 12-DEC-03 |
| | MS39206F | ADAPTERS, STRAIGHT, PIPE TO TUBE - SAFETY SLEEVE COMPRESSION TYPE, MALE PIPE END[CUST: AT CC] | A | 4730 | | CC | 01-FEB-02 |
| | MS39203E NOT 2 | ADAPTERS, STRAIGHT, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, FEMALE PIPE END[CUST: AT] | A | 4730 | | AT | 17-OCT-00 |
| A | MIL-STD-188-197A NOT 2 | ADAPTIVE RECURSIVE INTERPOLATED DIFFERENTIAL PULSE CODE MODULATION (ARIDPCM) COMPRESSION ALGORITHM FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD[Interface Standard][CUST: CR OM 02 DC] [REVIEW: AC AM AR CE CG DH DI HP IE IR MD MI NA NS PT SO TM] | A | GINT | | MP | 31-MAR-04 |
| | MS51816E NOT 1 | ADATER, STRAIGHT, PIPE TO TUBE, FEMALE PIPE END, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MMM-A-1754 NOT 1 | ADHESIVE AND SEALING COMPOUND, EPOXY, METAL FILLED[CUST: MR AS 99] [REVIEW: 84 AR AV MC OS] | A | 8040 | / | AS | 12-JUL-01 |
| A | MIL-A-82484 NOT 1 | ADHESIVE AND SEALING COMPOUNDS, CELLULOSE NITRATE BASE, SOLVENT TYPE (FOR ORDNANCE USE)[CUST: AR OS] [REVIEW: EA] | A | 8040 | | AR | 10-FEB-92 |
| | MIL-A-83376A NOT 2 | ADHESIVE BONDED METAL FACED SANDWICH STRUCTURES, ACCEPTANCE CRITERIA[CUST: 11] [REVIEW: OS] | A | 8040 | | 11 | 31-DEC-97 |
| | QPL-48611-7 NOT 1 | ADHESIVE SYSTEM EPOXY - ELASTOMERIC, FOR GLASS TO METAL | A | 8040 | | AR | 21-JUN-01 |
| | MIL-A-48611A(3) NOT 2 | ADHESIVE SYSTEM, EPOXY-ELASTOMERIC, FOR GLASS TO METAL[CUST: AR 99] [REVIEW: 11 MD] | A | 8040 | | AR | 01-SEP-97 |
| A | MIL-A-13374E NOT 4 | ADHESIVE, DEXTRIN, FOR USE IN AMMUNITION CONTAINERS[CUST: AR OS 99] [REVIEW: 84 EA SA] | A | 8040 | | AR | 03-MAR-98 |
| | MIL-A-81236(2) NOT 1 | ADHESIVE, EPOXY RESIN WITH POLYAMIDE CURING AGENT[CUST: OS] | A | 8040 | | OS | 10-APR-91 |
| | MIL-A-81253(1) NOT 1 | ADHESIVE, EPOXY RESIN WITH POLYAMINE CURING AGENT[CUST: OS] | A | 8040 | | OS | 10-APR-91 |
| | QPL-MMM-A-134-11 NOT 1 | ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING | A | 8040 | / | AS | 19-APR-01 |
| | MMM-A-134(1) NOT 1 | ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING[CUST: MR AS 11] [REVIEW: AV CG GL MI OS] | A | 8040 | / | AS | 19-APR-01 |
| | MMM-A-1931 NOT 1 | ADHESIVE, EPOXY, SILVER FILLED, CONDUCTIVE[CUST: MR AS 99] [REVIEW: 84 AR CR] | A | 8040 | / | AS | 12-JUL-01 |
| | MMM-A-138B NOT 2 | ADHESIVE, METAL TO WOOD, STRUCTURAL[CUST: MR AS 11] [REVIEW: CR MC] | A | 8040 | / | AS | 19-APR-01 |
| | MIL-A-3920C NOT 1 | ADHESIVE, OPTICAL, THERMOSETTING[CUST: AR OS] [REVIEW: MI MR] | A | 8040 | | AR | 01-SEP-97 |
| | MIL-A-47073(1) NOT 3 | ADHESIVE, PLASTIC RESIN[CUST: OS] | A | 8040 | | OS | 20-MAY-92 |
| | MIL-A-5540B(3) NOT 1 | ADHESIVE, POLYCHLOROPRENE[CUST: MR AS 99] [REVIEW: EA GL MC MD] | A | 8040 | | AS | 30-AUG-99 |
| | MMM-A-185B(3) NOT 2 | ADHESIVE, RUBBER (FOR PAPER BONDING)[CUST: MR AS 99] [REVIEW: 84 MC] | A | 8040 | / | AS | 12-JUL-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MMM-A-1058A NOT 1 | ADHESIVE, RUBBER BASE, (IN PRESSURIZED DISPENSERS)[CUST: MR AS 11] [REVIEW: SH] | A | 8040 | * | AS | 19-APR-01 |
| | MMM-A-1617B NOT 1 | ADHESIVE, RUBBER BASE, GENERAL PURPOSE[CUST: MR AS 99] [REVIEW: 11 AT CR4 DS EC GL MC MI OS SM YD] | A | 8040 | / | AS | 06-JUN-01 |
| | QPL-MMM-A-1617-4 NOT 1 | ADHESIVE, RUBBER BASE, GENERAL PURPOSE | A | 8040 | / | AS | 06-JUN-01 |
| | MIL-A-3167A NOT 1 | ADHESIVES (FOR PLASTIC INHIBITORS)[CUST: OS] | A | 8040 | | OS | 06-NOV-91 |
| | MIL-A-87135 NOT 2 | ADHESIVES, NON-CONDUCTIVE, FOR ELECTRONICS APPLICATION[CUST: 11] | A | 8040 | | 11 | 31-DEC-97 |
| | QPL-3920-11 NOT 1 | ADHESIVES: OPTICAL THERMOSETTING | A | 8040 | | AR | 21-JUN-01 |
| | MS22007K NOT 1 | ADJUSTER ASSEMBLY, SAFETY SHOULDER HARNESS BELT[CUST: AV AS 99] [REVIEW: GS] | A | 1670 | | 11 | 01-SEP-97 |
| | MS22004C NOT 1 | ADJUSTER, LAP, AIRCRAFT SAFETY BELT[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 11 | 12-SEP-97 |
| | SAE-AMS3697 | AERODYNAMIC FAIRING COMPOUND -55 DEG. TO +150 DEG. C (-65 DEG. TO +300 DEG. F)[CUST: AS 11] | A | 8010 | | AS | MAR-85 |
| | SAE-AMS3696 | AERODYNAMIC FAIRING COMPOUND -55 DEG. TO +85 DEG. C (-65 DEG. TO +185 DEG. F)[CUST: AS 11] | A | 8010 | | AS | 01-JUL-91 |
| | MIL-A-9286C(2) NOT 2 | AF AMPLIFIER AM-476( )/AIC-10[CUST: 99] | A | 5996 | | 84 | 29-FEB-96 |
| | MIL-A-49382 NOT 2 | AFOCAL ASSEMBLY, AN/VSG-2[CUST: CR] | A | 5855 | | CR | 03-SEP-97 |
| | MIL-A-82446A(5) NOT 1 | AFTERBODY TEST SET MK 486 MOD O (FOR TORPEDO MK 46 MOD 0/1)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-A-52963B NOT 1 | AIR CONDITIONER, SPLIT PACKAGE 208 VOLT, 3 PHASE, 400 HERTZ, AC, 18,000 BTU/HR COOLING, 30,000 BTU/HR HEATING[CUST: CR4] | A | 4120 | | CR4 | 09-MAY-97 |
| | MIL-STD-1408B NOT 1 | AIR CONDITIONERS, STANDARD FAMILY OF MILITARY AIR CONDITIONERS, GENERAL APPLICATION CHARACTERISTICS[Military Standard][CUST: CR4] | A | 4120 | | CR4 | 11-AUG-98 |
| | MS16052B NOT 2 | AIR INLET, COMBAT AIRCRAFT, GROUND COOLING[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 23-JUL-97 |
| | MIL-A-22847(1) NOT 1 | AIR REFUELING STORE SYSTEM, D-704[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 28-AUG-96 |
| | MIL-A-38202C(1) NOT 2 | AIRCRAFT ARRESTING SYSTEM BAK-12A/E32A, PORTABLE, ROTARY FRICTION[CUST: 99] [REVIEW: 11] | A | 1710 | | 84 | 20-JUL-95 |
| | MIL-A-81917 NOT 1 | AIRCRAFT FIRING CIRCUIT TEST SET AN/AWM-54[CUST: AS] [REVIEW: GS] | A | 4925 | | AS | 31-OCT-95 |
| | MS90327A NOT 2 | AIRCRAFT MARKINGS, ACCESS NUMBERING SYSTEM[CUST: AS 11] | A | 15GP | | AS | 05-NOV-97 |
| | SAE-MAM2303 | AIRCRAFT QUALITY STEEL CLEANLINESS MARTENSITIC CORROSION-RESISTANT STEELS MAGNETIC PARTICLE INSPECTION PROCEDURE METRIC (SI) MEASUREMENT[CUST: MR AS 11 GS2] | A | NDTI | | GS2 | 01-JUN-87 |
| | MS14193 NOT 2 | AIRCRAFT TIRE LIFE CYCLE COSTING (LCC), PROCEDURES FOR[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 29-JAN-97 |
| | MIL-A-81359 NOT 1 | AIRCRAFT WEAPONS RELEASE SET AN/AWE-1[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-A-85097/4A NOT 1 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTOR ASSEMBLY, MARK 80 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-A-85097/10A NOT 2 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTOR, UNDER SEAT, MECHANICALLY INITIATED, MARK 54 MOD O (LOADED ASSEMBLY)[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-A-51384B NOT 2 | ALARM UNIT, CHEMICAL AGENT AUTOMATIC ALARM: ABCA-M42[CUST: EA] [REVIEW: GS] | A | 6665 | | EA | 29-JUL-04 |
| | MIL-A-52879C NOT 1 | ALARM, AUDIBLE, BZ-204/FSS-9(V)[CUST: CR4 EC 99] [REVIEW: GS MC] | A | 6350 | | CR4 | 20-MAR-97 |
| | MIL-A-53129 NOT 1 | ALARM-MONITOR GROUP OA-9431/FSS-9(V)[CUST: CR4 99] [REVIEW: GS MC] | A | 6350 | | CR4 | 20-MAR-97 |
| | SAE-AMS5408 | ALLOY CASTINGS, CENTRIFUGAL, CORROSION & HEAT RESISTANT 64NI - 16CR - 15MO - 0.30A1 - 0.05LA SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | NOV-95 |
| | SAE-AMS5397 | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 50NI - 9.5CR - 15CO - 3.0MO - 4.8TI - 5.5AI - 0.015B - 0.95V - 0.06ZR VACUUM-MELTED, VACUUM-CAST AS CAST[CUST: MR AS 11] | A | MECA | | 11 | 01-AUG-86 |
| | SAE-AMS5384 | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 53NI - 18CR - 18CO - 4.0MO - 2.9TI - 2.9AL - 0.006B VACUUM-MELTED, VACUUM-CAST, SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | 01-OCT-86 |
| | SAE-AMS5404 | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 59NI - 12.6CR - 9.0CO - 1.9MO - 4.2W - 4.0TI - 4.2TA - 3.4AL - 0.015B - 0.10ZR - 0.90HF VACUUM MELTED, VACUUM CAST SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | 04-NOV-88 |
| | SAE-AMS5403 | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 60NI - 14CR - 9.5CO - 4.0MO - 4.0W - 5.0TI - 3.0AL - 0.015B - 0.06ZR VACUUM MELTED, VACUUM CAST[CUST: MR AS 11] | A | MECA | | 11 | 10-AUG-84 |
| | SAE-AMS5407 | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 60NI - 9.0CR - 10CO - 12.5W - 1.0CB - 2.0TI - 5.0AL - 0.015B - 0.06ZR VACUUM MELTED, VACUUM CAST AS CAST[CUST: MR AS 11] | A | MECA | | 11 | NOV-95 |
| | SAE-AMS5406 | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 63NI - 8.0CR - 10CO - 6.0MO - 1.0TI - 4.2TA - 6.0AL - 0.015B - 0.03ZR - 1.2HF VACUUM MELTED, VACUUM CAST AS CAST[CUST: MR AS 11] | A | MECA | | 11 | NOV-95 |
| | SAE-AMS5375 | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 65.5CO - 25CR - 1.8NI - 5.0W AS CAST[CUST: MR AS 11] | A | MECA | | 11 | 17-MAR-89 |
| | SAE-AMS5395 | ALLOY IRON CASTINGS, DUCTILE, SAND, CORROSION RESISTANT 22NI (2.5 - 3.0C) AS CAST[CUST: MR AS 11] | A | MECA | | 11 | JAN-95 |
| | SAE-AMS5779 | ALLOY WELDING ELECTRODES, COVERED, CORROSION AND HEAT RESISTANT 75NI - 15CR - 1.5 (CB + TA) - 1.9TI - 0.55AL - 5.5FE[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 27-FEB-81 |
| | SAE-AMS5683 | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT, 75NI - 15.5CR - 8.0FE[CUST: AR SH 99] [REVIEW: 84] | A | 3439 | | GS6 | 01-APR-90 |
| | MIL-A-81083C(3) NOT 1 | ALTERNATOR RECTIFIER (FOR TORPEDO MK 46 MODS O, 1, 2, AND 4)[CUST: OS] | A | 1355 | | OS | 10-JUL-99 |
| | MIL-A-81851B(1) NOT 2 | ALTIMETER AAU-31/A[CUST: AV AS] [REVIEW: GS] | A | 6610 | | AS | 27-SEP-99 |
| | MIL-A-23887A(1) NOT 1 | ALTIMETER SET, ELECTRONIC AN/APN-141(V)[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 16-JUL-97 |
| | MIL-A-81296D NOT 1 | ALTIMETER SET, ELECTRONIC AN/APN-171(V)[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 30-AUG-99 |
| | MIL-A-81605D(1) NOT 1 | ALTIMETER SET, ELECTRONIC AN/APN-194(V)[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 30-AUG-99 |
| | MIL-A-83212A(2) NOT 1 | ALTIMETER, PRESSURE AAU-27/A[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MIL-A-27198B(1) NOT 1 | ALTIMETER, PRESSURE AAU-7/A[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |
| | MIL-A-25933B NOT 1 | ALTIMETER, PRESSURIZED COMPARTMENT, INTEGRALLY LIGHTED 0-50,000 FEET, 1-7/8 INCH DIAL[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 01-APR-97 |
| | MIL-A-83419C(3) NOT 1 | ALTIMETER, SERVO CONTROLLED, AUTOMATIC PRESSURE STANDBY[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-AUG-96 |
| | MIL-A-85505 NOT 1 | ALTIMETER, STANDBY, TYPES I AND II[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 23-NOV-98 |
| | MIL-A-81852A(1) NOT 1 | ALTIMETER-ENCODER AAU-32/A[CUST: AV AS] [REVIEW: GS] | A | 6610 | | AS | 27-SEP-99 |
| | MIL-A-81403(3) NOT 1 | ALTIMETER-ENCODER, AAU-21/A[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |
| | MIL-A-63547(1) NOT 1 | ALUMINUM ALLOY 7475, ROD[CUST: AR IS] | A | 9530 | | IS | 30-JUN-98 |
| | SAE-AMS4309 | ALUMINUM ALLOY EXTRUSIONS 8.6FE - 1.8SI - 1.3V (8009-H112) POWDER METALLURGY PRODUCT, STRAIN-HARDENED[CUST: MR AS 11] [REVIEW: 99] | A | 9530 | | 11 | APR-94 |
| | SAE-AMS4009 | ALUMINUM ALLOY FOIL 1.0MG - 0.6SI - 0.30CU - 0.20CR (6061-0) ANNEALED[CUST: MR AS 11] | A | 9535 | | AS | APR-85 |
| | SAE-AMS4010 | ALUMINUM ALLOY FOIL 1.2MN - 0.12CU (3003-H18)[CUST: MR AS 11] | A | 9535 | | AS | AUG-94 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-AMS4146 | ALUMINUM ALLOY FORGINGS AND ROLLED OR FORGED RINGS 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T4) SOLUTION HEAT TREATED AND NATURALLY AGED[CUST: MR AS 11] | A | FORG | | AS | APR-88 |
| | QQ-A-430C(1) NOT 1 | ALUMINUM ALLOY ROD AND WIRE; FOR RIVETS AND COLD HEADING[CUST: CR4 AS 11 IS] [REVIEW: AR AV EA MI MR] | A | 9525 | / | AS | 19-APR-01 |
| | SAE-AMS4259 | ALUMINUM ALLOY SHEET 2.4LI - 1.3CU - 0.95MG - 0.10ZR (8090-T6) SOLUTION AND PRECIPITATION HEAT TREATED (UNRECRYSTALLIZED)[CUST: MR AS 11] [REVIEW: 99] | A | 9535 | | 11 | 30-APR-94 |
| | SAE-AMS4022 | ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 1.0MG - 0.60SI - 0.28CU - 0.20CR (ALCLAD 6061; -T4 SHEET, -T451 PLATE)[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | 01-APR-85 |
| | SAE-AMS4023 | ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 1.0MG - 0.60SI - 0.28CU - 0.20CR (ALCLAD 6061; -T6 SHEET, -T651 PLATE)[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | JUL-79 |
| | MIL-A-2877C NOT 2 | ALUMINUM ALLOY TAPE[CUST: MR SH] [REVIEW: AS GL IS MC YD] | A | 9535 | | SH | 16-FEB-00 |
| | SAE-AMS4021 | ALUMINUM ALLOY, ALCLAD SHEET AND PLATE, 1.0MG - 0.60SI - 0.28CU - 0.20CR (ALCLAD 6061-0) ANNEALED[CUST: MR AS 11] | A | 9535 | | AS | JUL-91 |
| | SAE-AMS4334 | ALUMINUM ALLOY, FORGINGS 7.8ZN - 2.2MG - 1.6CU - 0.15CR (7249-T74 AND T7452)[CUST: MR AS 11] [REVIEW: 99] | A | FORG | | 11 | AUG-95 |
| | SAE-AMS4308 | ALUMINUM ALLOY, SHEET 8.6FE - 1.8SI - 1.3V (8009-H112) POWDER METALLURGY PRODUCT, STRAIN HARDENED[CUST: MR AS 11] [REVIEW: 99] | A | 9535 | | 11 | 30-APR-94 |
| | SAE-AMS4000 | ALUMINUM SHEET AND PLATE (1060-0)[CUST: MR AS 11] | A | 9535 | | AS | 01-JAN-87 |
| | SAE-AMS4012 | ALUMINUM SHEET, LAMINATED EDGE BONDED[CUST: MR AS 11] [REVIEW: IS] | A | 9535 | | AS | OCT-00 |
| | SAE-AMS-A-21180 | ALUMINUM-ALLOY CASTINGS, HIGH STRENGTH[CUST: MR AS 11] [REVIEW: 70 71 AR AV CR4 EA MI SH] | A | MECA | | AS | SEP-99 |
| | MIL-A-47240B NOT 1 | AMMONIUM NITRATE (UNCOATED)[CUST: MI] [REVIEW: GS] | A | 6810 | | MI | 04-DEC-95 |
| | MIL-A-23442A(1) NOT 1 | AMMONIUM PERCHLORATE[CUST: OS] [REVIEW: GS MI] | A | 6810 | | OS | 10-JUL-99 |
| | MIL-A-82667/1(1) NOT 1 | AMMONIUM PERCHLORATE, HIGH PURITY[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 10-JUL-99 |
| | MIL-A-2550B(1) NOT 1 | AMMUNITION, GENERAL SPECIFICATION FOR[CUST: AR OS 99] [REVIEW: AS MC MI] | A | 1395 | | AR | 09-FEB-95 |
| A | MIL-A-48078A NOT 1 | AMMUNITION, STANDARD QUALITY ASSURANCE PROVISIONS, GENERAL SPECIFICATION FOR[CUST: AR] [REVIEW: EA] | A | 1395 | | AR | 09-FEB-95 |
| | MIL-A-6348D(2) NOT 2 | AMPLIFIER AM-203C/ARA-19[CUST: 99] [REVIEW: AS] | A | 5825 | | 84 | 23-MAY-96 |
| | MIL-A-18977D NOT 1 | AMPLIFIER CHANNEL (FOR TORPEDO MARK 37 MODS 0, 2, AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| A | MIL-A-85881 NOT 2 | AMPLIFIER, A7 NOSE GEAR STEERING[CUST: AS GS1] | A | 1620 | | GS1 | 08-JUL-05 |
| | MIL-A-25546C(2) NOT 2 | AMPLIFIER, AUDIO FREQUENCY AM-944/AIC-13[CUST: 99] | A | 5996 | | 84 | 31-JAN-96 |
| | MIL-A-28716(1) NOT 1 | AMPLIFIER, AUDIO FREQUENCY, AM-3729( )/SR[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-A-22165(5) NOT 1 | AMPLIFIER, COMPASS, SERVO (TYPE MF-1 COMPASS)[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-A-22305C(7) NOT 2 | AMPLIFIER, DISTRIBUTION AM-2123(V)/U[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-A-63117 NOT 2 | AMPLIFIER, HYBRID, RADIO FREQUENCY FOR XM122 FIRING DEVICE RECEIVER[CUST: AR] | A | 1375 | | AR | 17-JUL-96 |
| | MIL-A-63242A(4) NOT 1 | AMPLIFIER, OPERATIONAL TRIPLE PROGRAMMABLE MICROPOWER[CUST: AR] | A | 1345 | | AR | 17-JUL-96 |
| | MIL-A-49273 NOT 1 | AMPLIFIER, POWER SUPPLY AM-7152/GRC-213 AND ADAPTER KIT, VEHICLE MK-2154/GRC-213[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-A-28897(2) NOT 1 | AMPLIFIER, RADIO FREQUENCY, AM-7074/BRC[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-85648 NOT 1 | AMPLIFIER, TRAVELING WAVE TUBE[CUST: AS] | A | 5865 | | AS | 16-JUL-97 |
| | MIL-A-29420 NOT 2 | AMPLIFIER-CONVERTER: AM-6879/URC[CUST: MC] | A | 5820 | | MC | 04-APR-98 |
| | MIL-A-27670D NOT 1 | AMPLIFIER-INDICATOR GROUP INDICATED AIRSPEED A/A24G-10[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |
| | MIL-A-27671B(3) NOT 1 | AMPLIFIER-INDICATOR GROUP, ALTITUDE-VERTICAL SPEED A/A24G-11[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |
| | MIL-A-27328(6) NOT 1 | AMPLIFIER-INDICATOR GROUP, ALTITUDE-VERTICAL SPEED A/A24G-7[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 20-MAR-92 |
| | MIL-A-55147B(1) NOT 2 | AMPLIFIER-POWER SUPPLY GROUP OA-3633( )/GRC[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-A-22669(1) NOT 1 | AMPLIFIER-POWER SUPPLY-RECEIVER AM-2310(*)/ASQ AND ANTENNA AS-909(*)/ARA-48[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-A-22765(2) NOT 2 | AMPLIFIER-POWER SUPPLY-RECEIVER AM-2349/ASQ-19 AND AM-2349A/ASQ-19 AND ANTENNA AS-909/ARA-48 AND AS-909A/ARA-48[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 18-SEP-96 |
| | MIL-I-22814 NOT 2 | AN/APM-132 INCLINOMETER SET[CUST: AS] [REVIEW: GS] | A | 4931 | | AS | 18-SEP-96 |
| | MIL-A-23773A(1) NOT 1 | ANCHOR, UNDERWATER MINE, MARK 56 MOD 4 AND MOD 5[CUST: OS] | A | 1350 | | OS | 27-MAR-92 |
| | MIL-A-3339C(1) NOT 2 | ANCHORS, SEA, LIFE RAFT[CUST: CR4 AS 99] [REVIEW: 84] | A | 2040 | | AS | 13-AUG-97 |
| | MS14137F NOT 3 | ANGLE, MOUNTING[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 13-AUG-97 |
| | MIL-A-24625 NOT 2 | ANODES, CORROSION PREVENTIVE, PLATINUM PLATED NIOBIUM WIRE TYPE, CATHODIC PROTECTION[CUST: SH] | A | 5340 | | SH | 10-JUL-99 |
| | MIL-A-24319B(5) NOT 1 | ANTENA, WHIP, 10.67 METER (35 F EET), AS-2537 ( )/SR[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-DTL-55288D | ANTENNA AS-1729/VRC[CUST: CR EC CC] [REVIEW: MC MI] | A | 5985 | | CC | 07-FEB-05 |
| M | MIL-DTL-18793A | ANTENNA AS-333/AP[CUST: AS CC] [REVIEW: 11] | A | 5985 | | CC | 05-APR-06 |
| | MIL-A-70945(2) NOT 1 | ANTENNA ASSEMBLY: 12922146[CUST: AR] | A | 1290 | | AR | 18-AUG-97 |
| | MIL-A-55680B NOT 1 | ANTENNA AT-1108( )/ARC[CUST: CR] [REVIEW: GS] | A | 5821 | | CR | 29-MAR-96 |
| | MIL-A-14053C NOT 2 | ANTENNA AT-450( )/ARC[CUST: CR] [REVIEW: CC GS] | A | 5821 | | CR | 29-MAR-96 |
| | MIL-A-25367B NOT 1 | ANTENNA AT-536-ARN[CUST: 99] [REVIEW: GS] | A | 5826 | | 84 | 01-FEB-96 |
| | MIL-A-26336(2) NOT 1 | ANTENNA AT-840-ARC[CUST: 99] [REVIEW: CC] | A | 5985 | | 84 | 10-JUN-96 |
| | MIL-A-28813 NOT 1 | ANTENNA COUPLER GROUP AN/SRA-34A(V)[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28880(1) NOT 1 | ANTENNA COUPLER GROUP, AN/SRA-49( )[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28729B(2) NOT 1 | ANTENNA COUPLER GROUP, CU-1382( ) (HF BROADBAND, WIDE DYNAMIC RANGE)[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28893 NOT 1 | ANTENNA COUPLER GROUP,AN/SRA-56, AN/SRA-57, AND AN/SRA-58[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28895(1) NOT 1 | ANTENNA ELEMENTS, AS-3435/BRC AND AS-3436/BRC[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-63109A(1) NOT 1 | ANTENNA FOR XM122 FIRING DEVICE TRANSMITTER[CUST: AR] | A | 1375 | | AR | 17-JUL-96 |
| | MIL-A-55468A NOT 1 | ANTENNA GROUP OE-4( )/GR[CUST: CR] | A | 5895 | | CR | 26-OCT-89 |
| | MIL-A-29521(2) NOT 1 | ANTENNA GROUP, AN/BRA-34(V), AN/BRA(V), AN/BRA-34B(V)[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28890 NOT 1 | ANTENNA GROUP, OE-207/BR[CUST: EC] | A | 5985 | | EC | 04-APR-98 |
| | MIL-A-29519 NOT 1 | ANTENNA GROUP, OE-415(V)/SRC 4-MHZ TO 12-MHZ TRANSMITTING TWIN WHIP[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-29520 NOT 1 | ANTENNA GROUP, OE-416(V)/SRC, 4-MHZ TO 30-MHZ RECEIVING TWIN WHIP[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-29518 NOT 1 | ANTENNA GROUP, OE-418(V)/SRC 10-MHZ TO 30-MHZ TRANSMITTING TWIN WHIP[CUST: EC] | A | 5985 | | EC | 30-APR-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-A-29505 NOT 1 | ANTENNA GROUP, TACAN, OE-273(V)/URN[CUST: AS] | A | 5985 | | AS | 18-SEP-96 |
| | MIL-A-5999B NOT 2 | ANTENNA SUBSYSTEM FOR AIRCRAFT MARKER BEACON EQUIPMENT GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 5826 | | 84 | 01-FEB-96 |
| | MIL-A-28826 NOT 1 | ANTENNA SYSTEM, BROARDBAND IDENTIFICATION FRIEND OR FOE[CUST: AS] | A | 5985 | | AS | 18-SEP-96 |
| | MIL-A-23766B NOT 1 | ANTENNA, AS-1018A/URC[CUST: EC] [REVIEW: CC] | C | 5985 | | EC | 30-APR-95 |
| | MIL-A-24233B NOT 1 | ANTENNA, AS-1735( )/SRC[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28768B(2) NOT 1 | ANTENNA, FIXED HIGH FREQUENCY GENERAL SPECIFICATION FOR[CUST: EC] [REVIEW: CC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28768/2A NOT 1 | ANTENNA, FIXED HIGH FREQUENCY, HIGH TAKE-OFF ANGLE[CUST: EC] [REVIEW: CC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28768/3 NOT 2 | ANTENNA, FIXED HIGH FREQUENCY, VERTICAL LOG PERIODIC (DIPOLE)[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28768/4(2) NOT 1 | ANTENNA, FIXED, HIGH FREQUENCY, HORIZONTAL OMNIDIRECTIONAL BROADBAND[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28768/1B NOT 1 | ANTENNA, FIXED, HIGH FREQUENCY, VERTICAL OMNIDIRECTIONAL BROADBAND[CUST: EC] [REVIEW: CC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28768/5 NOT 1 | ANTENNA, FIXED, HIGH FREQUENCY, VERTICAL POLARIZATION, OMNIDIRECTIONAL, BROADBAND[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-29517 NOT 1 | ANTENNA, GROUP, OE-417(V)/SRC 2-MHZ TO 30-MHZ TRANSMITTING WHIP (TILTING)[CUST: EC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-28772C NOT 1 | ANTENNA, HIGH FREQUENCY (HF) FIXED ROTATABLE LOG PERIODIC[CUST: EC] [REVIEW: CC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-A-49314/6 NOT 2 | ANTENNA, UHF SATCOM 9 DBIC PORTABLE AS-4220( )/G[CUST: CR CC] | A | 5985 | | CC | 30-MAR-04 |
| | MIL-A-49314/4 NOT 2 | ANTENNA, UHF SATCOM, 11 DBIC PORTABLE, FOLDABLE AS-4218( )/G[CUST: CR CC] | A | 5985 | | CC | 30-MAR-04 |
| | MIL-A-49314/5 NOT 2 | ANTENNA, UHF SATCOM, 14 DBIC PORTABLE, FOLDABLE AS-4219( )/G[CUST: CR CC] | A | 5985 | | CC | 30-MAR-04 |
| | MIL-A-49314/3 NOT 2 | ANTENNA, UHF SATCOM, HEAVY DUTY, PORTABLE, FOLDABLE AS-4217()/G[CUST: CR CC] | A | 5985 | | CC | 30-MAR-04 |
| | MIL-A-49314/1 NOT 2 | ANTENNA, UHF SATCOM, LIGHT WEIGHT, PORTABLE, FOLDABLE AS-4215()/G[CUST: CR EC CC] | A | 5985 | | CC | 26-MAR-04 |
| | MIL-A-49314/2 NOT 2 | ANTENNA, UHF SATCOM, MEDIUM WEIGHT, PORTABLE, FOLDABLE AS-4216()/G[CUST: CR CC] | A | 5985 | | CC | 30-MAR-04 |
| | MIL-DTL-49314A | ANTENNAS, UHF, SATCOM, PORTABLE, FOLDABLE, (LIGHT WEIGHT, MEDIUM WEIGHT, AND HEAVY DUTY), GENERAL SPECIFICATION FOR[CUST: CR CC] | A | 5985 | | CC | 01-DEC-04 |
| | MIL-A-13550E(1) NOT 3 | ANTIFOGGING KIT, M1[CUST: EA] [REVIEW: GS] | A | 6850 | | EA | 12-JUL-04 |
| | MIL-A-51027A NOT 3 | ANTISETTING COMPOUND, DECONTAMINATING SLURRY, M2[CUST: EA GS3] [REVIEW: MC MD SM YD] | A | 6850 | | GS3 | 15-APR-04 |
| | MIL-A-89007 NOT 2 | ARC DIGITIZED RASTER GRAPHICS (ADRG)[CUST: TI NO 09 MP] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-A-51356A(2) NOT 1 | AREA PREDICTOR, RADIOLOGICAL FALLOUT, ABC-M5A2[CUST: EA] [REVIEW: GS] | A | 6665 | | EA | 28-SEP-95 |
| | MIL-A-24914 NOT 1 | ARM SLEEVE, RADIOACTIVE CONTAMINANTS, PROTECTIVE[CUST: NU CT] | A | 8415 | | CT | 01-JUL-94 |
| | MIL-A-45947 NOT 1 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN, RAMP MOUNTED, LIGHT WEIGHT, M41 (LESS M60D MACHINE GUN)[CUST: AR] | A | 1005 | | AR | 12-AUG-97 |
| | MIL-A-45940 NOT 1 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN. DOOR MOUNTED, LIGHT WEIGHT, M24 (LESS M60D MACHINE GUN)[CUST: AR] | A | 1005 | | AR | 12-AUG-97 |
| | MIL-A-45941 NOT 1 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN. DOOR MOUNTED, LIGHT WEIGHT, M23 (LESS M60D MACHINE GUN)[CUST: AR] | A | 1005 | | AR | 12-AUG-97 |
| | MIL-A-19815A(2) NOT 1 | ARMING DEVICE (UNLOADED AND LOADED) MARK 2 MODS 1 AND 3[CUST: OS] | A | 1355 | | OS | 31-OCT-86 |
| | MIL-A-21001A(2) NOT 1 | ARMING DEVICE MARK 6 MOD O (TORPEDO PRACTICE)[CUST: OS] | A | 1355 | | OS | 31-OCT-86 |
| | MIL-A-11221A(2) NOT 2 | ARMING PLUG, MINE, ANTITANK M4 (PRACTICE) AND M4A1[CUST: AR] | A | 1345 | | AR | 27-FEB-97 |
| | MIL-A-82690 NOT 2 | ARMING-FIRING DEVICE, ROCKET MOTOR, MARK 28 MOD 0[CUST: OS] | A | 1377 | | OS | 20-MAY-92 |
| | MIL-A-51487A NOT 2 | ARMING/FIRING UNIT[CUST: EA] | A | 1040 | | EA | 14-JUL-04 |
| | MIL-A-62473B NOT 1 | ARMOR: ALUMINUM-ARAMID, LAMINATE COMPOSITE[CUST: AT] | A | 9535 | | AT | 09-MAR-98 |
| | SAE-AMS3232 | ASBESTOS AND SYNTHETIC RUBBER SHEET HOT OIL RESISTANT[CUST: MR AS 11] [REVIEW: GS] | A | 9320 | | AS | 01-JUL-91 |
| | MIL-A-81264(1) | ASBESTOS FELT OR MAT, RESIN IMPREGNATED[CUST: OS] [REVIEW: IS] | A | 5330 | | OS | 07-FEB-90 |
| | MIL-A-7021C(1) NOT 1 | ASBESTOS SHEET, COMPRESSED, FOR FUEL, LUBRICANT, COOLANT, WATER AND HIGH TEMPERATURE RESISTANT GASKETS[CUST: AV AS 11 IS] [REVIEW: 99 AR CR4 EA MC MI SA] | A | 5330 | | IS | 10-OCT-96 |
| | MIL-A-81370 NOT 1 | ASSEMBLY, CENTER STATION 65A132F6[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-A-81369 NOT 1 | ASSEMBLY, LEFT-RIGHT STATION 65A132F5[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-A-81372 NOT 1 | ASSEMBLY, PRIORITY LOGIC 65A132F8[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-A-81373 NOT 1 | ASSEMBLY, QUANTITY SELECT 65A132F9[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-A-81371 NOT 1 | ASSEMBLY, STATION TRANSFER 65A132F7[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-A-46655B(2) NOT 2 | ATTACHMENTS, TOW AND PUSH FOR DEMOLITION KIT, PROJECTED CHARGE, M157 PARTS FOR AND PACKING[CUST: AR] | A | 1375 | | AR | 06-FEB-96 |
| | MIL-A-3933/24A NOT 2 | ATTENUATOR, FIXED, COAXIAL LINE, (SMA CONNECTORS), BULKHEAD, CLASS IV, LOW POWER[CUST: CR EC 11 CC] [REVIEW: AS MC MI SH] | A | 5985 | | CC | 30-MAR-04 |
| | MIL-A-3933/23B NOT 2 | ATTENUATOR, FIXED, TO-5 CONFIGURATION, CLASS IV, LOW POWER[CUST: CR EC 11 CC] [REVIEW: AS MC MI SH] | A | 5985 | | CC | 30-MAR-04 |
| | MIL-A-23670A(3) NOT 1 | ATTITUDE HEADING REFERENCE SYSTEM AN/ASN-50(*)[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 05-NOV-97 |
| | MIL-A-516J NOT 1 | AUGER, EARTH, SKIDMOUNTED; AND AUGER, EARTH, TURNTABLE BASE MOUNTED, POWER DRIVEN[CUST: AT YD 99] [REVIEW: CR] | A | 3820 | | AT | 09-MAR-98 |
| | MIL-A-3664 NOT 1 | AURAMINE HYDROCHLORIDE (FOR COLORED SMOKE MIXTURES)[CUST: OS] | A | 1365 | | OS | 20-DEC-95 |
| | MIL-A-70833A(1) NOT 1 | AUTOMATIC TANK TARGET: 11784501[CUST: AR] | A | 6920 | | AR | 29-JUL-98 |
| | MIL-A-85055 NOT 2 | AVIONICS SYSTEM PERFORMANCE SPECIFICATION FOR A-4M/AV-8 BOMBING SET, ANGLE RATE AN/ASB-19(V)[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-B-60023A NOT 2 | BAG ASSEMBLY, FOR CHARGE DEMOLITION, BLOCK, M5A1 AND CHARGE ASSEMBLY, DEMOLITION, M183[CUST: AR] | A | 1375 | | AR | 18-AUG-98 |
| | MIL-B-48088A(3) NOT 1 | BAG LOADING ASSEMBLY FOR M36A2 PROPELLING CHARGE[CUST: AR] | A | 1315 | | AR | 13-FEB-97 |
| | MIL-B-50873A(3) NOT 2 | BAG, BARRIER, ELASTOMERIC[CUST: AR] | A | 1320 | | AR | 15-JUL-96 |
| | MIL-B-12719C(1) NOT 4 | BAG, CANVAS, CARRYING FOR DEMOLITION EQUIPMENT[CUST: AR] | A | 1375 | | AR | 27-MAR-98 |
| | MIL-B-44332 NOT 1 | BAG, CARRYING, PROTECTIVE SUIT, EXPLOSIVE ORDINANCE DEVICE (EOD)[CUST: CT] | A | 8465 | | CT | 04-APR-98 |
| | MIL-B-273F NOT 1 | BAG, DRINKING WATER STORAGE, DISPENSING, CLOTH, COTTON DUCK, POROUS[CUST: GL 99 CC] [REVIEW: 84 MD] | A | 4610 | | CC | 12-FEB-99 |
| | MIL-B-87018A NOT 1 | BAG, MONEY (USE A-A-55179)[CUST: NU CT] | A | 8460 | | CT | 30-NOV-94 |
| | MIL-B-83665B NOT 1 | BAG, PILOT RELIEF (MALE)[CUST: 99] | A | 8475 | | 11 | 22-OCT-96 |
| | MIL-B-50984 NOT 1 | BAG, PROPELLING, CHARGE, M67, EMPTY[CUST: AR] | A | 1315 | | AR | 08-FEB-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| M | MIL-DTL-51400A | BAG, WATERPROOF, CHEMICAL-BIOLOGICAL MASK, M1A1[CUST: EA] | A | 4240 | | EA | 07-MAR-06 |
| | MIL-B-44275A NOT 1 | BAKERY MIXES, PREPARED[CUST: GL SA 50] [REVIEW: MC MD MS QM SS] | A | 8920 | | GL | 15-AUG-97 |
| M | MS70093A NOT 2 | BALL END, WIRE ROPE, SWAGING, PARACHUTE RIPCORD CABLE[CUST: GL AS] [REVIEW: 71 99 AV MC MD] | A | 1670 | | GS1 | 17-APR-06 |
| | MIL-B-15004A NOT 1 | BALLON, AEROLOGICAL[CUST: AS] [REVIEW: GS] | A | 6660 | | AS | 16-OCT-96 |
| | MIL-B-55087B(1) NOT 1 | BALLOON, METEOROLOGICAL, ML-537()/UM[CUST: CR 99] [REVIEW: GS] | A | 6660 | | CR | 09-JAN-98 |
| | MIL-B-10743E NOT 1 | BALLOON, PILOT AND CEILING[CUST: CR 99] [REVIEW: AS GS] | A | 6660 | | CR | 29-MAR-96 |
| | DOD-B-82737/1 NOT 3 | BALLS, BEARING, AIRCRAFT QUALITY STEEL, METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH] | A | 3110 | | GS4 | 21-MAR-01 |
| | DOD-B-82737/5 NOT 3 | BALLS, BEARING, BRONZE, METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH] | A | 3110 | | GS4 | 21-MAR-01 |
| | DOD-B-82737/3 NOT 3 | BALLS, BEARING, CORROSION RESISTANT STEEL, METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH] | A | 3110 | | GS4 | 21-MAR-01 |
| | DOD-B-82737 SUP 1 NOT 3 | BALLS, BEARING, FERROUS AND NON-FERROUS (FOR USE IN BEARINGS, VALVES AND BEARING APPLICATIONS), GENERAL SPECIFICATION FOR[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH] | A | 3110 | | GS4 | 21-MAR-01 |
| | DOD-B-82737/6 NOT 3 | BALLS, BEARING, NICKEL-COPPER ALLOY (K-MONEL) METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH] | A | 3110 | | GS4 | 21-MAR-01 |
| | DOD-B-82737/4 NOT 3 | BALLS, BEARING, STEEL, CARBON, METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH] | A | 3110 | | GS4 | 21-MAR-01 |
| | DOD-B-82737/2 NOT 3 | BALLS, BEARING, STEEL, CHROME ALLOY, METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH] | A | 3110 | | GS4 | 21-MAR-01 |
| | SAE-AMS7440 | BALLS, STEEL, LOW-CHROMIUM, HIGH-CARBON HARDENED AND TEMPERED[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 15-AUG-95 |
| | MIL-B-43436/5 NOT 3 | BAND MARKER, BLANK, DOUBLE BELT STYLE BAND[CUST: GL YD 99 IS] [REVIEW: AR AT AV CR3 MC MI OS] | A | 9905 | | IS | 08-SEP-03 |
| | MIL-B-43436/1 NOT 3 | BAND MARKER, BLANK, SINGLE CRIMP STYLE BAND[CUST: GL YD 99 IS] [REVIEW: AR AT AV CR3 MC MI OS] | A | 9905 | | IS | 08-SEP-03 |
| | MIL-B-43436/3 NOT 3 | BAND MARKER, BLANK, THREE PRONG CRIMP STYLE BAND[CUST: GL YD 99 IS] [REVIEW: AR AT AV CR3 MC MI OS] | A | 9905 | | IS | 08-SEP-03 |
| | MIL-B-43436/4 NOT 3 | BAND MARKER, BLANK. SINGLE BELT STYLE BAND[CUST: GL YD 99 IS] [REVIEW: AR AT AV CR3 MC MI OS] | A | 9905 | | IS | 08-SEP-03 |
| | MIL-B-48570A(3) NOT 2 | BAND, CENTERING FOR PROJECTILE 105MM D1SCARDING SABOT[CUST: AR] | A | 1315 | | AR | 11-JUL-96 |
| | MIL-B-43436C NOT 2 | BAND, MARKER, BLANK[CUST: GL YD 99 IS] [REVIEW: AR AT AV CR3 MC MI OS] | A | 9905 | | IS | 24-AUG-98 |
| | MIL-B-48265 NOT 2 | BAND, OBTURATING, FOR 175MM, PROJECTILE[CUST: AR] | A | 1320 | | AR | 14-FEB-97 |
| | MIL-B-63454(1) NOT 1 | BAND, ROTATING, NYLON GLASS FILLED PROJECTILE, 105MM, M737 TPDS-T[CUST: AR] | A | 1315 | | AR | 20-FEB-97 |
| | MIL-B-50485A NOT 2 | BANDOLEER ASSEMBLY FOR CARTRIDGE, 40MM, M397, M397E1 AND M433[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-B-70776 NOT 1 | BANDOLEER FOR MINE, ANTIPERSONNEL M86[CUST: AR] | A | 1345 | | AR | 09-JAN-97 |
| | MIL-B-63992A(3) NOT 2 | BANDOLEER, 200 ROUND MAGAZINE (M249 M.G.)[CUST: AR] | A | 1305 | | AR | 15-DEC-95 |
| | MIL-B-48227A NOT 2 | BANDOLEER, 40MM AMMUNITION, SUPPORT, PLASTIC FOR[CUST: AR] | A | 1310 | | AR | 07-FEB-96 |
| | MIL-B-45417C NOT 2 | BANDOLEER, APERS, MINE, M7, ASSEMBLY[CUST: AR] | A | 1345 | | AR | 16-JUL-96 |
| | MIL-B-46367A NOT 2 | BANDOLEER, M2[CUST: AR] | A | 1305 | | AR | 05-FEB-96 |
| | MIL-B-60128A(1) NOT 2 | BANDOLEER, M3[CUST: AR] | A | 1305 | | AR | 09-FEB-96 |
| | MIL-B-60107B(2) NOT 1 | BANDOLEER, M4[CUST: AR] | A | 1305 | | AR | 08-FEB-96 |
| | MIL-B-48553(3) NOT 2 | BANDOLEER, XM8[CUST: AR] | A | 1305 | | AR | 08-FEB-96 |
| | MIL-B-48228A NOT 2 | BANDOLEERS FOR CARTRIDGES, 40MM AMMUNITION[CUST: AR] | A | 1310 | | AR | 07-FEB-96 |
| | MIL-B-81119A NOT 1 | BANDS, HANDLING, MISSILE AND BOOSTER MK 79 MOD 1 AND MK 81 MOD 0[CUST: OS] | A | 1450 | | OS | 20-DEC-95 |
| | MIL-B-46066B NOT 3 | BANDS, ROTATING, COPPER ALLOY, CENTRIFUGAL CAST (FOR CRITICAL APPLICATIONS)[CUST: AR] | A | MECA | | AR | 05-FEB-96 |
| | MS22005E NOT 1 | BAR, ADJUSTER, LAP AIRCRAFT SAFETY BELT[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 11 | 28-FEB-98 |
| | MIL-B-19231A NOT 1 | BAR, COPPER, SILVER BEARING (FOR COMMUTATORS)[CUST: OS] [REVIEW: IS] | A | 9530 | | OS | 10-JUL-99 |
| | MIL-B-10122E | BARGE, LIQUID CARGO: NONPROPELLED, STEEL, OFFSHORE, 4,160-BARREL, 120-FOOT, DESIGN 231C[CUST: AV] | A | 1930 | | AV | 16-JAN-91 |
| | MIL-B-162D NOT 1 | BARIUM NITRATE[CUST: AR AS] [REVIEW: EA GS MD MI OS] | A | 6810 | | AR | 14-MAR-97 |
| | MIL-B-162D(I3) NOT 1 | BARIUM NITRATE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 14-MAR-97 |
| | MIL-B-48177 NOT 2 | BARIUM SULFATE[CUST: AR] | A | 1376 | | AR | 14-FEB-97 |
| | MIL-B-17089A(1) NOT 1 | BAROMETER, ANERIOD MI-448 UM[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 16-OCT-96 |
| | MIL-DTL-17896D | BAROMETER, ANEROID[CUST: SH] | A | 6685 | | GS1 | 16-JAN-03 |
| | MIL-B-70448 NOT 1 | BARREL, MACHINE GUN, CAL .50, RECOIL AMPLIFIER, PRACTICE, M3[CUST: AR] | A | 1005 | | AR | 19-AUG-97 |
| | MIL-B-50378(1) NOT 2 | BARRELS, TEST, SMALL ARMS AMMUNITION GENERAL SPECIFICATION FOR[CUST: AR] | A | 1305 | | AR | 01-DEC-95 |
| | MIL-B-83183B NOT 1 | BARRIER AIRCRAFT ARRESTING[CUST: 99] | A | 1710 | | 84 | 21-JUL-95 |
| | MIL-B-48056(1) NOT 1 | BARRIER MATERIAL, FLEXIBLE, WATERVAPORPROOF, PUNCTURE-RESISTANT, HEAT SEALABLE FOR PACKAGING AMMUNITION[CUST: AR] [REVIEW: GL] | A | 8135 | | AR | 06-FEB-96 |
| | PPP-B-1055B(2) NOT 2 | BARRIER MATERIAL, WATERPROOF, FLEXIBLE[CUST: GL SA 11] [REVIEW: 99 AS AV CR4 DS GS SH SM SS] | A | 8135 | / | GL | 26-FEB-01 |
| | MIL-DTL-1163B | BARS, FLINDERS[CUST: SH GS1] [REVIEW: AV] | A | 6605 | | GS1 | 16-JAN-03 |
| | MIL-B-11596B NOT 2 | BASE COUPLING, FIRING DEVICE, NON-METALLIC, M2, LOADING, ASSEMBLING AND PACKING[CUST: AR] [REVIEW: CR4] | A | 1375 | | AR | 14-MAR-97 |
| | MIL-B-11582C(1) NOT 2 | BASE PLATE, THEODOLITE: ALUMINUM[CUST: CE MC IS] | A | 6675 | | IS | 24-NOV-98 |
| | MS91405E NOT 1 | BASE, MOUNTING, LARGE-SIZE (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT)[CUST: CR AS 11] [REVIEW: 99 GS] | A | 5975 | | AS | 24-JUL-96 |
| | MS91404D NOT 1 | BASE, MOUNTING, SMALL-SIZE (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT)[CUST: CR AS 11] [REVIEW: 99 CG GS MC MI] | A | 5975 | | AS | 24-JUL-96 |
| | MIL-HDBK-1001/1 NOT 1 | BASIC ARCHITECTURAL REQUIREMENTS AND DESIGN CONSIDERATIONS[CUST: YD] | A | FACR | | YD | 27-AUG-97 |
| | MIL-B-43998D NOT 1 | BATH UNIT, AUTOMATED, MULTI-HEAD[CUST: GL 99] [REVIEW: 84 CC CR4 MC MD] | A | 4510 | | GL | 21-NOV-96 |
| | MIL-B-52075G NOT 1 | BATH UNIT, PORTABLE, 8-SHOWER HEAD, M-1958[CUST: GL 99] [REVIEW: 84 CC CR4 MD] | A | 4510 | | GL | 21-NOV-96 |
| | MIL-B-22356F NOT 1 | BATHYTHERMOGRAPH TRANSMITTER SET AN/SSQ-36[CUST: AS] [REVIEW: GS] | A | 5845 | | AS | 30-JUL-97 |
| | MIL-B-18E(1) NOT 2 | BATTERIES, NON-RECHARGEABLE, DRY[CUST: CR SH 99 GS2] [REVIEW: 11 AR AS AV MC OS YD] | A | 6135 | | GS2 | 24-MAY-05 |
| | MIL-B-55252B NOT 1 | BATTERIES, NON-RECHARGEABLE, MAGNESIUM[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 03-SEP-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-B-10154C(2) | BATTERIES, PRIMARY, WATER-ACTIVATED (DUNK TYPE)[CUST: CR SH 99] [REVIEW: GS] | A | 6135 | | SH | 03-JUL-63 |
| | MIL-B-49436B SUP 1 NOT 1 | BATTERIES, RECHARGEABLE, NICKEL CADMIUM SEALED[CUST: CR 99] [REVIEW: 71 AV GL GS] | A | 6140 | | CR | 06-MAY-97 |
| | MIL-B-62346D NOT 1 | BATTERIES, STORAGE: LEAD-ACID (LOW MAINTENANCE) (METRIC)[CUST: AT] [REVIEW: GS] | A | 6140 | | AT | 20-MAY-98 |
| | DOD-B-24507B(1) NOT 1 | BATTERY CELL, STORAGE, SILVER ZINC ALKALINE TYPE (FOR NR-1) (METRIC)[CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 22-APR-98 |
| | DOD-B-24541/2A NOT 1 | BATTERY CELLS AND ELEMENTS, LEAD-ACID,LMAIN STORAGE, SUBMARINE, TYPE GUPPY I, MOD C (METRIC)[CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 22-APR-98 |
| | DOD-B-24541/3A NOT 1 | BATTERY CELLS AND ELEMENTS, LEAD-ACID,LMAIN STORAGE, SUBMARINE, TYPE TRIDENT (METRIC)[CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 22-APR-98 |
| | MIL-B-55252/1 NOT 1 | BATTERY MAGNESIUM, DRY BA-4386/PRC-25[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 03-SEP-97 |
| | MIL-B-23394B(5) NOT 2 | BATTERY MARK 46 MOD 1 PRIMARY TYPE, SILVER-ZINC-ALKALI[CUST: OS] [REVIEW: GS] | A | 6135 | | OS | 10-JUL-99 |
| | MIL-B-50737(1) NOT 1 | BATTERY POWER SUPPLY PP-6607( )/VVG-1, 11738841[CUST: AR] | A | 1240 | | AR | 15-JUL-96 |
| | MS27546 NOT 1 | BATTERY, AIRCRAFT, STORAGE, NICKEL-CADMIUM, 24V, 5 AMP HOUR (1 HR RATE) 25 DEG. C[CUST: 99] [REVIEW: 11 GS] | A | 6140 | | 84 | 02-JUN-95 |
| | MIL-B-49030(3) SUP 1 NOT 2 | BATTERY, DRY (ALKALINE)[CUST: CR GS2] | A | 6135 | | GS2 | 05-MAY-05 |
| | MIL-B-55679(1) NOT 2 | BATTERY, DRY (SPECIAL PURPOSE)[CUST: CR] [REVIEW: GS] | A | 6135 | | CR | 25-APR-97 |
| | MIL-B-18/266A NOT 2 | BATTERY, DRY BA-1393A/U | A | 6135 | | GS2 | 14-JAN-03 |
| | MIL-B-63116B NOT 2 | BATTERY, DRY FOR XM122 FIRING DEVICE[CUST: AR] | A | 1375 | | AR | 13-FEB-96 |
| | MIL-B-18/253A NOT 2 | BATTERY, DRY, BA-1100/U[CUST: CR SH 99] | A | 6135 | | GS2 | 15-JUN-04 |
| | MIL-B-18/218B NOT 2 | BATTERY, DRY, BA-1288/U[CUST: SH 99] [REVIEW: CR4 MC YD] | A | 6135 | | GS2 | 14-JAN-03 |
| | MIL-B-18/226C NOT 2 | BATTERY, DRY, BA-1363/U[CUST: SH 99] [REVIEW: CR4 MC] | A | 6135 | | GS2 | 14-JAN-03 |
| | MIL-B-18/38D NOT 2 | BATTERY, DRY, BA-205/U[CUST: CR SH 99] [REVIEW: AR MC MI] | A | 6135 | | GS2 | 18-NOV-03 |
| | MIL-B-18/46D NOT 2 | BATTERY, DRY, BA-216/U[CUST: AR SH 99] [REVIEW: MC] | A | 6135 | | GS2 | 18-NOV-03 |
| | MIL-B-18/53D NOT 2 | BATTERY, DRY, BA-226/U[CUST: CR SH 99] [REVIEW: AR MC MI] | A | 6135 | | GS2 | 15-APR-04 |
| | MIL-B-18/5C NOT 2 | BATTERY, DRY, BA-23[CUST: SH 99] [REVIEW: CC CR4 MC MI YD] | A | 6135 | | GS2 | 14-JAN-03 |
| | MIL-B-18/56D NOT 2 | BATTERY, DRY, BA-230/U[CUST: CR SH 99] [REVIEW: AR MC MI] | A | 6135 | | GS2 | 15-APR-04 |
| | MIL-B-18/59D NOT 2 | BATTERY, DRY, BA-233/U[CUST: CR SH GS2] [REVIEW: AR MC MI] | A | 6135 | | GS2 | 11-MAY-05 |
| | MIL-B-18/6D NOT 2 | BATTERY, DRY, BA-26[CUST: CR SH 99] [REVIEW: MC MI] | A | 6135 | | GS2 | 15-OCT-03 |
| | MIL-B-18/7D NOT 2 | BATTERY, DRY, BA-27[CUST: CR SH 99] [REVIEW: MC] | A | 6135 | | GS2 | 15-OCT-03 |
| | MIL-B-18/75D NOT 2 | BATTERY, DRY, BA-270/U[CUST: AR SH] [REVIEW: MI] | A | 6135 | | GS2 | 10-NOV-04 |
| | MIL-B-18/8D NOT 1 | BATTERY, DRY, BA-28[CUST: CR SH 99] [REVIEW: MC] | A | 6135 | | GS2 | 12-OCT-00 |
| | MIL-B-18/200C NOT 2 | BATTERY, DRY, BA-291/U[CUST: CR SH 99] [REVIEW: CR4 MC] | A | 6135 | | GS2 | 12-MAY-04 |
| | MIL-B-49030/2 NOT 4 | BATTERY, DRY, BA-3036/U[CUST: CR] | A | 6135 | | GS2 | 27-JAN-04 |
| | MIL-B-49030/5 NOT 4 | BATTERY, DRY, BA-3051/U[CUST: CR] | A | 6135 | | GS2 | 05-MAY-05 |
| | MIL-B-18/10D NOT 2 | BATTERY, DRY, BA-31[CUST: CR SH] [REVIEW: CR4 MC MI] | A | 6135 | | GS2 | 30-OCT-03 |
| | MIL-B-18/11D NOT 2 | BATTERY, DRY, BA-33[CUST: SH 99] [REVIEW: MC] | A | 6135 | | GS2 | 15-OCT-03 |
| | MIL-B-18/206C NOT 2 | BATTERY, DRY, BA-331/U[CUST: SH 99] [REVIEW: MC] | A | 6135 | | GS2 | 12-MAY-04 |
| | MIL-B-18/12D NOT 2 | BATTERY, DRY, BA-34[CUST: AR SH 99] [REVIEW: MC] | A | 6135 | | GS2 | 30-OCT-03 |
| | MIL-B-18/15C NOT 2 | BATTERY, DRY, BA-37[CUST: CR SH 99 GS2] [REVIEW: MC YD] | A | 6135 | | GS2 | 15-OCT-03 |
| | MIL-B-18/16D NOT 2 | BATTERY, DRY, BA-38[CUST: CR SH 99] [REVIEW: CR4 MC MI] | A | 6135 | | GS2 | 30-OCT-03 |
| | MIL-B-18/250A NOT 2 | BATTERY, DRY, BA-399/U[CUST: CR] | A | 6135 | | GS2 | 15-JUN-04 |
| | MIL-B-18/79C NOT 2 | BATTERY, DRY, BA-401/U[CUST: CR SH 99 GS2] [REVIEW: AR MC MI YD] | A | 6135 | | GS2 | 05-MAY-05 |
| | MIL-B-18/82D NOT 2 | BATTERY, DRY, BA-404/U[CUST: CR SH 99 GS2] [REVIEW: MC MI] | A | 6135 | | GS2 | 15-APR-04 |
| | MIL-B-18/84D NOT 2 | BATTERY, DRY, BA-406/U[CUST: CR SH 99 GS2] [REVIEW: CR4 MC MI] | A | 6135 | | GS2 | 21-APR-00 |
| | MIL-B-18/87D NOT 2 | BATTERY, DRY, BA-409/U[CUST: CR SH 99] [REVIEW: MC MI] | A | 6135 | | GS2 | 15-APR-04 |
| | MIL-B-18/88D NOT 2 | BATTERY, DRY, BA-410/U[CUST: CR SH 99 GS2] [REVIEW: MC MI] | A | 6135 | | GS2 | 11-MAY-05 |
| | MIL-B-18/91D NOT 2 | BATTERY, DRY, BA-413/U[CUST: CR SH 99] [REVIEW: MC MI] | A | 6135 | | GS2 | 15-APR-04 |
| | MIL-B-18/92D NOT 2 | BATTERY, DRY, BA-414/U[CUST: CR SH 99 GS2] [REVIEW: MC YD] | A | 6135 | | GS2 | 11-MAY-05 |
| | MIL-B-18/93D NOT 2 | BATTERY, DRY, BA-415/U[CUST: CR SH 99] [REVIEW: CR4 MC MI YD] | A | 6135 | | GS2 | 12-MAY-04 |
| | MIL-B-18/94D NOT 2 | BATTERY, DRY, BA-416/U[CUST: SH 99] [REVIEW: MC] | A | 6135 | | GS2 | 10-NOV-04 |
| | MIL-B-18/97D NOT 2 | BATTERY, DRY, BA-419/U[CUST: CR SH 99 GS2] [REVIEW: MC MI] | A | 6135 | | GS2 | 12-MAY-04 |
| | MIL-B-18/98D NOT 2 | BATTERY, DRY, BA-420/U[CUST: CR SH 99] [REVIEW: CR4 MC] | A | 6135 | | GS2 | 12-MAY-04 |
| | MIL-B-18/99D NOT 2 | BATTERY, DRY, BA-421/U[CUST: MI SH] [REVIEW: MC] | A | 6135 | | GS2 | 10-NOV-04 |
| | MIL-B-18/23D NOT 2 | BATTERY, DRY, BA-48[CUST: CR SH 99] [REVIEW: CR4 MC] | A | 6135 | | GS2 | 18-NOV-03 |
| | MIL-B-18/251A NOT 2 | BATTERY, DRY, BA-505/U[CUST: CR SH] | A | 6135 | | GS2 | 30-MAR-05 |
| | MIL-B-18/30D NOT 2 | BATTERY, DRY, BA-63[CUST: SH 99] [REVIEW: CR4 MC MI] | A | 6135 | | GS2 | 14-JAN-03 |
| | MIL-B-18/31D NOT 2 | BATTERY, DRY, BA-65[CUST: CR SH GS2] [REVIEW: MC MI] | A | 6135 | | GS2 | 06-FEB-02 |
| | MIL-B-18/3D NOT 2 | BATTERY, DRY, BA-8[CUST: CR SH 99 GS2] [REVIEW: MC MI SA] | A | 6135 | | GS2 | 06-FEB-02 |
| | MIL-B-82439A(4) NOT 1 | BATTERY, SEA WATER[CUST: OS] | A | 1355 | | OS | 10-JUL-99 |
| | MS17334P NOT 1 | BATTERY, STORAGE, AIRCRAFT, 24 VOLT, HEAVY DUTY, 1/3 AMPERE HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 04-APR-98 |
| | MIL-B-8565/10 NOT 1 | BATTERY, STORAGE, AIRCRAFT, HIGH-RATE, TYPE 2, NICKEL-CADMIUM, 35 AMPERE-HOUR, CHARGE CONTROLLED[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 30-AUG-99 |
| | DOD-B-8565/3E NOT 1 | BATTERY, STORAGE, AIRCRAFT, MEDIUM RATE, NO MAINTENANCE, 24-VOLT, 15 AMPERE-HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 19-NOV-97 |
| | MIL-B-8565/8 NOT 2 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 15-AMPERE-HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 03-JUN-04 |
| | MIL-B-8565/15 NOT 2 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 35-AMPERE-HOUR[CUST: 99] [REVIEW: GS] | A | 6140 | | 84 | 24-APR-97 |
| | MIL-B-8565/9 NOT 2 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 24-AMPERE-HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 03-JUN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-B-8565/13 NOT 1 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 10-AMPERE-HOURS[CUST: AS] [REVIEW: 99 GS] | A | 6140 | | AS | 30-AUG-99 |
| | MIL-B-8565/12 NOT 2 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 35-AMPERE-HOURS[CUST: AS 99] [REVIEW: GS] | A | 6140 | | AS | 03-JUN-04 |
| | MIL-B-8565/11C NOT 1 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 10-AMPERE-HOUR[CUST: AS 99] [REVIEW: GS] | A | 6140 | | 84 | 10-JUL-95 |
| | MIL-B-81757/7C NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL CADIUM, 24 VOLTS, 10 AMPERE HOURS (BB-432/A)[CUST: CR AS 11] [REVIEW: GS] | A | 6140 | | AS | 30-JUL-97 |
| | MIL-B-81757/5B NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL CADIUM, CONNECTOR, CURVED[CUST: CR AS 11] [REVIEW: 99 AV CG GS] | A | 6140 | | AS | 30-AUG-99 |
| | MIL-B-81757/10B NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM 23 VOLTS, 6 AMPERE HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 30-JUL-97 |
| | MIL-B-81757/3B NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM CONNECTOR, STRAP[CUST: CR AS 11] [REVIEW: 99 AV CG GS] | A | 6140 | | AS | 30-AUG-99 |
| | MIL-B-81757/9C NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM, 24 VOLTS, 30 AMPERE HOUR (BB-433A/A)[CUST: CR AS 11] [REVIEW: GS] | A | 6140 | | AS | 30-JUL-97 |
| | MIL-B-81757/13A NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM 24 VOLT, 30 AMPERE HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 30-JUL-97 |
| | MIL-B-81757/12A NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM FORCED-AIR COOLED, CHARGE CONTROLLED, 24-VOLT, 30 AMPERE-HOUR[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 30-JUL-97 |
| | MIL-B-81757/8D NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, 24 VOLTS, 20 AMPERE-HOUR (BB-434/A)[CUST: CR AS 11] [REVIEW: GS] | A | 6140 | | AS | 30-JUL-97 |
| | MIL-B-81757/4C NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, CONNECTOR, TAB[CUST: CR AS 11] [REVIEW: 99 AV CG GS] | A | 6140 | | AS | 30-AUG-99 |
| | MIL-B-26026B(1) NOT 1 | BATTERY, STORAGE, AIRCRAFT, TYPE MA-2-1[CUST: 99] [REVIEW: GS] | A | 6140 | | 84 | 02-FEB-98 |
| | MIL-B-11188/1A NOT 1 | BATTERY, STORAGE, LEAD - ACID, WATERPROOF 12 VOLT (2HN)[CUST: AT YD 99] [REVIEW: GS] | A | 6140 | | AT | 03-JUN-97 |
| | MS52149G NOT 1 | BATTERY, STORAGE, LEAD-ACID (LOW-MAINTENANCE) TYPE 6TL[CUST: AT] [REVIEW: GS] | A | 6140 | | AT | 20-MAY-98 |
| | DOD-B-24531/2(1) NOT 1 | BATTERY, STORAGE, SILVER ZINC ALKALINE (EMERGENCY), FOR DSVR, TYPE 25 V - 70 AH (METRIC)[CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 22-APR-98 |
| | DOD-B-24505C NOT 1 | BATTERY, STORAGE, SILVER ZINC ALKALINE TYPE (FOR DSRV) (METRIC)[CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 22-APR-98 |
| | DOD-B-24531(1) SUP 1 NOT 1 | BATTERY, STORAGE, SILVER-ZINC ALKALINE (EMERGENCY), GENERAL SPECIFICATION FOR (METRIC)[CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 22-APR-98 |
| | MIL-B-55366 NOT 1 | BEACON SET, RADIO AN/TRN-30( ) (UNITS OF)[CUST: CR] | A | 5825 | | CR | 20-DEC-89 |
| | MIL-B-38401A NOT 1 | BEACON SET, RADIO AN/URT-33[CUST: 99] [REVIEW: GS] | A | 5821 | | 11 | 07-JUL-92 |
| | MIL-B-12264A NOT 2 | BEAM, HOISTING, LIQUID GAS TANK, M1[CUST: EA] [REVIEW: GS] | A | 1730 | | EA | 09-JUL-04 |
| | MS19087A NOT 1 | BEARING ROLLER, TAPERED DOUBLE ROW OF ROLLERS, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, ADJUSTABLE, TYPE 763 (TDOS)[CUST: OS 99] [REVIEW: 84 AV GS IS MC NS SH] | A | 3110 | | OS | 22-APR-98 |
| | MIL-B-22227A NOT 1 | BEARING, BALL, ANNULAR, GENERATOR AND MOTOR-GENERATOR[CUST: AV AS 99 GS4] [REVIEW: 11 MI] | A | 3110 | | GS4 | 01-OCT-97 |
| | MIL-B-16129B NOT 2 | BEARING, BALL, ANNULAR, OPEN TYPE (FOR TORPEDO GYROSCOPES)[CUST: AT OS GS4] [REVIEW: AR] | A | 3110 | | GS4 | 14-JAN-03 |
| | MS17162A NOT 1 | BEARING, BALL, THRUST, INCH SIZE, SINGLE DIRECTION, FLAT RACE SURFACE, STAGGERED BALL TYPE[CUST: AT MC 99 GS4] [REVIEW: 84 MI] | A | 3110 | | GS4 | 30-SEP-03 |
| | MS17102A NOT 2 | BEARING, BALL, THRUST, METRIC, SELF-ALIGNING[CUST: MI MC GS4] | A | 3110 | | GS4 | 14-JAN-03 |
| | MS27041D NOT 2 | BEARING, JEWEL - BAR HOLE[CUST: 99] [REVIEW: GS] | A | 6695 | | 71 | 11-DEC-98 |
| | MS27047B NOT 2 | BEARING, JEWEL - ENDSTONE[CUST: 99] [REVIEW: GS] | A | 6695 | | 71 | 11-DEC-98 |
| M | MS27043B NOT 3 | BEARING, JEWEL - OLIVE HOLE, BOMBE[CUST: AR SH 99] [REVIEW: 71 AS] | A | 6695 | | GS1 | 05-APR-06 |
| | MS27042C NOT 2 | BEARING, JEWEL - OLIVE HOLE, DOUBLE CUP[CUST: 99] [REVIEW: GS] | A | 6695 | | 71 | 11-DEC-98 |
| M | MIL-B-27497C NOT 2 | BEARING, JEWEL, SAPPHIRE OR RUBY, SYNTHETIC[CUST: AR SH 99] [REVIEW: 71 AS CR MC MI] | A | 6695 | | GS1 | 05-APR-06 |
| | MIL-B-8943A(3) | BEARING, JOURNAL PLAIN AND FLANGED, TFELINED[CUST: AV AS 99] [REVIEW: 84 GS] | A | 3120 | | AS | 10-FEB-78 |
| | MS21242D | BEARING, PLAIN, ROD END, SELF-ALIGNING, TFE LINED, EXTERNALLY THREADED[CUST: AV AS 11] [REVIEW: 84 99 GS] | A | 3120 | | AS | 19-JUL-89 |
| | MIL-B-8948A(1) | BEARING, PLAIN, ROD END, TFE LINED, SELF-ALIGNING[CUST: AV AS 99] [REVIEW: 84 GS IS] | A | 3120 | | AS | 10-FEB-78 |
| | MS19075 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, CYLINDRICAL INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, ONE DIRECTION LOCATING[CUST: AT OS] [REVIEW: GS IS MC SH] | A | 3110 | | OS | 22-APR-98 |
| | MS19076 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, CYLINDRICAL INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, NON-LOCATING[CUST: AT OS] [REVIEW: CR4 GS IS MC SH] | A | 3110 | | OS | 22-APR-98 |
| | MS19078 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, ONE ROLLER RETAINING RIB ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, ONE DIRECTION LOCATING[CUST: AT OS] [REVIEW: GS IS MC SH] | A | 3110 | | OS | 22-APR-98 |
| | MS19074 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TOW ROLLER RETAINING RIBS ON INNER RING, CYLINDRICAL OUTER RING, NON-LOCATING[CUST: AT OS] [REVIEW: GS IS MC SH] | A | 3110 | | OS | 22-APR-98 |
| | MS19077 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, ONE ROLLER RETAINING RIB ON OUTER RING, ONE DIRECTION LOCATING[CUST: AT OS] [REVIEW: GS IS MC SH] | A | 3110 | | OS | 22-APR-98 |
| | MS19079 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, TWO DIRECTION LOCATING[CUST: AT OS] [REVIEW: GS IS MC SH] | A | 3110 | | OS | 22-APR-98 |
| | MS19073 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING SNAP RINGS ON OUTER RING, NON-LOCATING[CUST: AT OS] [REVIEW: CR4 GS IS MC SH] | A | 3110 | | OS | 22-APR-98 |
| | MS17131H NOT 1 | BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, FULL COMPLEMENT, WITHOUT INNER RING, OPEN AND CLOSED END, STANDARD TYPE[CUST: AT OS 99 GS4] [REVIEW: 84 CR4 GL] | A | 3110 | | GS4 | 09-JAN-04 |
| | MS52142A NOT 3 | BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, FULL COMPLEMENT, WITHOUT INNER RING, OPEN END, EXTRA PRECISION TYPE[CUST: AT OS 99 GS4] [REVIEW: AR AV CR4 GL MC MI SH] | A | 3110 | | GS4 | 14-JAN-03 |
| | MS21432B NOT 2 | BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL STUD, TYPE VII, ANTIFRICTION, INCH[CUST: AT AS 99 GS4] [REVIEW: 84] | A | 3110 | | GS4 | 14-JAN-03 |
| | MS24466K | BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE VI ANTIFRICTION, INCH (USE MS21439)[CUST: AT AS 99] [REVIEW: 84 GS] | A | 3110 | | AS | 21-SEP-98 |
| | MS24465J | BEARING, ROLLER, NEEDLE-SINGLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE V, ANTIFRICTION, INCH (USE MS 21438)[CUST: AT AS 99] [REVIEW: 84 GS IS MI] | A | 3110 | | AS | 05-DEC-94 |
| | MS52141 NOT 1 | BEARING, ROLLER, NEEDLE: DRAWN OUTER RING, CAGED, WITHOUT INNER RING OPEN AND CLOSED END, STANDARD TYPE[CUST: AT OS 99 GS4] [REVIEW: AR AV CR4 GL MC MI] | A | 3110 | | GS4 | 30-SEP-03 |
| | MS52143 NOT 3 | BEARING, ROLLER, NEEDLE: THICK OUTER RING WITH ROLLERS, CAGE AND SEALS[CUST: AT OS GS4] | A | 3110 | | GS4 | 30-SEP-03 |
| | MS17133B(1) NOT 1 | BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW[CUST: AT 11 GS4] | A | 3110 | | GS4 | 09-JAN-04 |
| | MS19081B NOT 1 | BEARING, ROLLER, TAPERED SINGLE ROW OF ROLLERS, NORMAL ANGLE[CUST: AT OS 99] [REVIEW: 84 AR AV CR4 GS IS MC MI SH YD] | A | 3110 | | OS | 22-APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS19086A NOT 1 | BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, ADJUSTABLE, TYPE 761 (TDO)[CUST: OS 99] [REVIEW: 84 AV GS IS MC SH] | A | 3110 | | OS | 22-APR-98 |
| | MS19088A NOT 1 | BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NON ADJUSTABLE, TYPE 764 (TNA)[CUST: OS] [REVIEW: 84 99 AV GS IS MC NS SH] | A | 3110 | | OS | 22-APR-98 |
| | MS19089A NOT 1 | BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NON ADJUSTABLE, TYPE 767 (TNA)[CUST: OS 99] [REVIEW: 84 AV GS IS MC NS SH] | A | 3110 | | OS | 22-APR-98 |
| | DS3225 NOT 2 | BEARING, ROLLER, TAPERED, SINGLE ROW OF ROLLERS (METRIC SERIES)[CUST: AT OS 99 GS4] [REVIEW: 84 AV MC NS SH] | A | 3110 | | GS4 | 27-JUN-02 |
| | MS19082A NOT 2 | BEARING, ROLLER, TAPERED, SINGLE ROW OFROLLERS, NORMAL ANGLE, LLANGED CUP, TYPE 755 (TSF)[CUST: AT OS 99] [REVIEW: 84 AV GS IS MC MI NS SA] | A | 3110 | | OS | 22-APR-98 |
| | MS19084A NOT 2 | BEARING, ROLLER, TAPERED, SINGLE ROW OFROLLERS, STEEP ANGLE, FLANGED CUP, TYPE 759 (TSSF)[CUST: AT OS 99] [REVIEW: AV GS IS MC MI NS SA] | A | 3110 | | OS | 22-APR-98 |
| | MS19083A NOT 1 | BEARING, ROLLER, TAPERED, SINGLE ROW OFROLLERS, STEEP ANGLE, TYPE 753 (TSS)[CUST: AT OS 99] [REVIEW: 84 AV GS IS MC MI NS SA] | A | 3110 | | OS | 22-APR-98 |
| | MS19085A NOT 1 | BEARING, ROLLER, TAPERED, TWO ROWS OF ROLLERS, TYPE 757 (TDI) & 770 (TDIS)[CUST: OS 99] [REVIEW: 84 AV GS IS MC NS SH] | A | 3110 | | OS | 22-APR-98 |
| | MS17169A NOT 1 | BEARING, ROLLER, THRUST, TWO CHANNELED RACE SURFACE, RIGID OR FLAT SEAT TYPE[CUST: AT MC 99 GS4] [REVIEW: 84 MI] | A | 3110 | | GS4 | 30-SEP-03 |
| | MS17796B(1) | BEARING, SLEEVE, FLANGED, SINTERED BRONZE, OIL IMPREGNATED[CUST: AT OS 99] [REVIEW: 84] | A | 3120 | | GS4 | 14-JUL-04 |
| | MS17795A NOT 2 | BEARING, SLEEVE, PLAIN TYPE, SINTERED BRONZE, OIL IMPREGNATED[CUST: AT OS 99 GS4] [REVIEW: 84 AR AV MI] | A | 3120 | | GS4 | 30-OCT-03 |
| | MS35794A NOT 2 | BEARING, SLEEVE, STEEL-BACKED BIMETAL, SPLIT TYPE,ONE PIECE[CUST: OS GS4] [REVIEW: AS AT SH] | A | 3120 | | GS4 | 14-JAN-03 |
| | MIL-B-85684 NOT 4 | BEARING, SPIN (SIDEWINDER)[CUST: AS GS4] | A | 3110 | | GS4 | 14-JAN-03 |
| | MS21783 NOT 2 | BEARING, WASHER, THRUST, SINTERED BROZE, OIL IMPREGNATED[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AS CC MI] | A | 3120 | | GS4 | 17-NOV-03 |
| | AN947 REV A NOT 1 | BEARING-ROD END, EXTERNAL THREAD, SELF-ALIGNING, PLAIN, AIRFRAME[CUST: AT 99 GS4] [REVIEW: 84] | A | 3120 | | GS4 | 09-MAY-02 |
| | MIL-B-13501D NOT 2 | BEARINGS AND BUSHINGS, BRASS AND BRONZE, MACHINED OR FORMED[CUST: MI] [REVIEW: GS SM] | A | 3120 | | MI | 06-APR-05 |
| | SAE-AMS4824 | BEARINGS, BABBITT-COATED LEADED-BRONZE STEEL BACK[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 01-JAN-92 |
| | MIL-B-85598 | BEARINGS, ELASTOMERIC GENERAL SPECIFICATION FOR[CUST: AR AS 99] [REVIEW: 84 AV GS IS] | A | 3120 | | AS | 04-JAN-88 |
| | SAE-AMS4822 | BEARINGS, LEADED BRONZE 71.5CU - 25PB - 3.0SN STEEL BACK[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 01-APR-91 |
| | SAE-AMS4825 | BEARINGS, LEADED BRONZE 74CU - 15.5PB - 10SN STEEL BACK[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 01-OCT-89 |
| | MIL-B-8942A(2) | BEARINGS, PLAIN, TFE LINED,SELF ALIGNING[CUST: AT AS 99] [REVIEW: 84 GS IS] | A | 3120 | | AS | 10-FEB-78 |
| | SAE-AMS4815 | BEARINGS, SILVER PLATED STEEL BACK[CUST: AV AS 11 GS4] | A | 3120 | | GS4 | 01-JAN-92 |
| A | MIL-B-5687D(1) NOT 3 | BEARINGS, SLEEVE, WASHERS, THRUST, SINTERED, METAL POWDER, OIL-IMPREGNATED, GENERAL SPECIFICATION FOR[CUST: AT OS 99 GS4] [REVIEW: 84 AR AS EA NS] | A | 3120 | | GS4 | 24-OCT-03 |
| | MIL-B-43143E NOT 2 | BEEF PATTIES, DEHYDRATED, UNCOOKED[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8905 | | GL | 19-SEP-97 |
| | MIL-B-43404F NOT 1 | BEEF STEW, COOKED, DEHYDRATED[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 15-AUG-97 |
| | MIL-B-43311E NOT 1 | BEEF, DICED, DEHYDRATED, UNCOOKED[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8905 | | GL | 15-AUG-97 |
| | MIL-B-43188F NOT 1 | BEEFSTEAK, DEHYDRATED, UNCOOKED[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8905 | | GL | 15-AUG-97 |
| | AN6506 REV 5 NOT 3 | BELT ASSEMBLY - TROOP AND TURRET GUNNER'S SAFETY[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 20-OCT-97 |
| | MS22033F(1) | BELT, AIRCRAFT SAFETY, LAP[CUST: AS] | A | 1680 | | AS | 06-JUN-05 |
| | MIL-B-8437B NOT 1 | BELT, AIRCRAFT SAFETY, LAP, TROOP TYPE MC-1A[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 22-NOV-97 |
| | MS16036C NOT 1 | BELT, AIRCRAFT SAFETY, PILOT'S AUTOMATIC RELEASE, CARTRIDGE OPERATED[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 18-SEP-96 |
| | MIL-B-5428B NOT 2 | BELT, SAFETY, SHOULDER, HARNESS, TROOP, TYPE D-2[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 20-OCT-97 |
| | MIL-B-53081 NOT 1 | BERM LINER ASSEMBLIES[CUST: AT] | A | 5430 | | AT | 25-SEP-98 |
| | MIL-B-35023H NOT 1 | BEVERAGE BASE, POWDERED - (OPERATIONAL RATIONS COMPONENT)[CUST: GL SA 50] [REVIEW: MC MD SS] | A | 8960 | | GL | 29-DEC-97 |
| A | MIL-STD-188-196(1) NOT 3 | BI-LEVEL IMAGE COMPRESSION FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD[Interface Standard][CUST: CR OM 02] [REVIEW: AC AM AR CE CG DH DI HP IE IR MD MI NA NS PT SO TM] | A | GINT | | MP | 31-MAR-04 |
| | MIL-B-10854 NOT 3 | BINDER, CELLULOSE NITRATE-CAMPHOR (FOR PYROTECHNIC MIXTURES)[CUST: AR] [REVIEW: GS] | A | 6850 | | AR | 26-FEB-98 |
| | MIL-B-60884C(2) NOT 1 | BINOCULAR M19[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 17-JUL-96 |
| | MIL-B-82564(3) NOT 1 | BISTABLE MULTIVIBRATOR ASSEMBLY LD 546989 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-B-52390A NOT 1 | BIT, AUGER, SHIP, WITH SCREW POINT[CUST: AT MC 99] [REVIEW: CR GL GS] | A | 5133 | | AT | 09-MAR-98 |
| | MIL-B-20278B(1) NOT 1 | BLADDER, FLOTATION[CUST: OS] [REVIEW: CT MC SA] | A | 8465 | | OS | 20-DEC-95 |
| | MIL-B-21160(2) NOT 3 | BLADDER, FLOTATION, MK 2 MOD O AND MK 2 MOD 1[CUST: OS] [REVIEW: CT] | A | 2050 | | OS | 20-DEC-95 |
| | MIL-B-63094B(4) NOT 2 | BLASTING MACHINE, 50 CAP, M34[CUST: AR] | A | 1375 | | AR | 17-JUL-96 |
| | W-B-411A(1) NOT 1 | BLASTING MACHINE, GALVANOMETER, BLASTING, RESISTOR ASSEMBLY[CUST: AR OS 99] [REVIEW: MC YD] | A | 1375 | / | AR | 26-DEC-00 |
| | MIL-B-60410(2) NOT 2 | BLASTING MACHINE, HANDLE OPERATED, METAL CASE 10 CAP CAPACITY[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-B-50451B NOT 1 | BLASTING MACHINE, M32 PARTS AND ASSEMBLY[CUST: AR] | A | 1375 | | AR | 15-JUL-96 |
| | MIL-B-81365 NOT 1 | BLEED AIR SYSTEMS, GENERAL SPECIFICATION FOR[CUST: AV AS] | A | 16GP | | AS | 10-SEP-97 |
| | MS25045A NOT 1 | BLOCK TERMINAL, 2 STUD[CUST: CR4 AS 11] [REVIEW: GS] | A | 5940 | | AS | 27-AUG-97 |
| A | MIL-B-23071/11B NOT 2 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (9.8 WATTS INPUT POWER)[CUST: CR4 EC 99 IS] [REVIEW: 11 84 MI] | A | 4140 | | IS | 08-AUG-05 |
| | MIL-B-8621A(1) NOT 1 | BOARD, CHART, MARK 6A, MARK 6B AND MARK 6C[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-B-44381(2) NOT 1 | BOARD, MAP, COMPLEXING (SICPS)[CUST: GL] | A | 7195 | | GL | 11-DEC-98 |
| | MIL-B-29604(1) NOT 1 | BODY ARMOR, HARD, SMALL ARMS PROTECTIVE, PRU-61/P22P-15[CUST: GL AS] [REVIEW: CT] | A | 8470 | | AS | 27-AUG-97 |
| | MIL-B-29605(1) NOT 1 | BODY ARMOR, SOFT, SMALL ARMS PROTECTIVE, PRU-60/P22P-15[CUST: GL AS] [REVIEW: CT] | A | 8470 | | AS | 27-AUG-97 |
| | MIL-B-63469(8) NOT 1 | BODY ASSEMBLIES, GENERAL PURPOSE GRENADE: M73 AND M75 (PRACTICE)[CUST: AR] | A | 1330 | | AR | 13-FEB-96 |
| | MIL-B-71014(1) NOT 1 | BODY ASSEMBLY FOR MINE, ANTI-PERSONNEL: M87 CANISTER[CUST: AR] | D | 1345 | | AR | 06-JUN-96 |
| | MIL-B-63512(9) NOT 1 | BODY ASSEMBLY FOR MINE, ANTI-PERSONNEL: BLU 92/B[CUST: AR] | A | 1345 | | AR | 20-FEB-97 |
| | MIL-B-63299A(9) NOT 1 | BODY ASSEMBLY FOR MINE, ANTI-PERSONNEL: HE, M74[CUST: AR] | A | 1345 | | AR | 17-JUL-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-B-50762 NOT 1 | BODY ASSEMBLY IR, 11743800[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-B-50366A(3) NOT 1 | BODY ASSEMBLY, 10516210 (PERISCOPE M32)[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MIL-B-60135(8) NOT 1 | BODY ASSEMBLY, TANK PERISCOPE, 10513599[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 16-JUL-96 |
| | MIL-B-60133(5) NOT 1 | BODY ASSEMBLY, TANK PERISCOPE, 10513620[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 16-JUL-96 |
| | MIL-B-50645B(1) NOT 1 | BODY ASSEMBLY: 10516576 (PERISCOPE: M32C AND M32CE1)[CUST: AR] | A | 1240 | | AR | 14-AUG-97 |
| | MIL-B-14843B NOT 1 | BODY ASSEMBLY: 10541950[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-B-14849B NOT 1 | BODY ASSEMBLY: 18619880[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-B-14837B(2) NOT 1 | BODY ASSEMBLY: 8619920[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-B-48447A(3) NOT 1 | BODY ASSEMBLY: 11744900 (PERISCOPE: M35E1)[CUST: AR] | A | 1240 | | AR | 21-JUL-99 |
| | MIL-B-48589(3) NOT 4 | BODY ASSEMBLY: 11747350 (DAYLIGHT)[CUST: AR] | A | 1240 | | AR | 03-FEB-97 |
| | MIL-B-50506 NOT 1 | BODY, ANTIPERSONNEL MINE, PRACTICE, M33 PARTS FOR LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1345 | | AR | 27-AUG-97 |
| | MIL-B-64043(4) NOT 1 | BODY, LOADED ASSEMBLY, GENERAL PURPOSE GRENADE, M73[CUST: AR] | A | 1330 | | AR | 17-SEP-96 |
| | MIL-B-13207/2 NOT 2 | BODY, VAN VEHICLE-MOUNTED, ISO SIZE 20[CUST: AT] [REVIEW: GL] | A | 2510 | | AT | 13-DEC-96 |
| | MIL-B-13207/4 NOT 2 | BODY, VAN VEHICLE-MOUNTED, ISO SIZE 40[CUST: AT] | A | 2510 | | AT | 13-DEC-96 |
| | MIL-B-13207D NOT 2 | BODY, VAN, VEHICLE-MOUNTED, GENERAL SPECIFICATION FOR[CUST: AT] | A | 2510 | | AT | 13-DEC-96 |
| | MIL-B-13207/1 NOT 2 | BODY, VAN, VEHICLE-MOUNTED, ISO SIZE 10[CUST: AT] [REVIEW: GL] | A | 2510 | | AT | 13-DEC-96 |
| | MIL-B-13207/3 NOT 2 | BODY, VAN, VEHICLE-MOUNTED, ISO SIZE 30[CUST: AT] [REVIEW: GL] | A | 2510 | | AT | 13-DEC-96 |
| | MIL-B-16907G NOT 1 | BOILER, STEAM, HIGH PRESSURE, AUXILIARY FIRE TUBE TYPE, NAVAL SHIPBOARD[CUST: SH] | A | 4410 | | SH | 22-APR-98 |
| | MIL-B-21331C NOT 1 | BOILER, STEAM, HIGH PRESSURE, WATER TUBE, FORCED CIRCULATION TYPE, AUXILIARY, NAVAL SHIPBOARD[CUST: SH] | A | 4410 | | SH | 22-APR-98 |
| | MIL-B-17748C(1) NOT 2 | BOILERS, HEATING, LOW PRESSURE, HOT WATER NAVAL SHIPBOARD[CUST: SH] [REVIEW: CC CR4] | A | 4520 | | SH | 22-APR-98 |
| | F-B-2903 NOT 1 | BOILERS, STEAM AND HOT WATER, FIRETUBE, SCOTCH PACKAGED TYPE (320,001 TO 35,000,000 BTU/HR THERMAL OUTPUT CAPACITY)[CUST: YD 99 CC] [REVIEW: 84 MC SA] | A | 4410 | / | CC | 29-DEC-00 |
| | AN106401THRUAN106500 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .190-32[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN106501THRUAN106600 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .250-28[CUST: AV AS 99 IS] [REVIEW: 71 MI] | A | 5306 | | IS | 16-MAY-03 |
| | AN106601THRUAN106700 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .3125-24[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 16-MAY-03 |
| | AN106701THRUAN106800 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .375-24[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN106801THRUAN106900 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .4375-20[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN106901THRUAN107000 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .500-20[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN107001THRUAN107100 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .5625-18[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN107101THRUAN107200 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .625-18[CUST: AV AS 99] | A | 5306 | | IS | 16-MAY-03 |
| | AN107201THRUAN107300 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .750-16[CUST: AV AS 99 IS] [REVIEW: 71 MI] | A | 5306 | | IS | 16-MAY-03 |
| | AN107301THRUAN107400 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .190-32[CUST: AV AS 99 IS] [REVIEW: 71 MI] | A | 5306 | | IS | 12-MAY-03 |
| | AN107401THRUAN107500 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .250-28[CUST: AV AS 99 IS] [REVIEW: 71 MI] | A | 5306 | | IS | 16-MAY-03 |
| | AN107501THRUAN107600 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .3125-24[CUST: AV AS 99 IS] [REVIEW: 71 MI] | A | 5306 | | IS | 16-MAY-03 |
| | AN107601THRUAN107700 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .375-24[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 16-MAY-03 |
| | AN107701THRUAN107800 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .4375-20[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 16-MAY-03 |
| | AN107801THRUAN107900 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .500-20[CUST: AV AS 99] | A | 5306 | | IS | 16-MAY-03 |
| | AN107901THRUAN108000 REV 3(1) | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .5625-18[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 16-MAY-03 |
| | AN108101THRUAN108200 REV 3(1) NOT | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .750-16[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 16-MAY-03 |
| | AN104801THRUAN104900 REV 3(1) NOT | BOLT - CRES HEX HEAD .3125-24[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 23-APR-03 |
| | AN104901THRUAN105000 REV 3(1) NOT | BOLT - CRES HEX HEAD .375-24[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 23-APR-03 |
| | AN105001THRUAN105100 REV 3(1) NOT | BOLT - CRES HEX HEAD .4375-20[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 23-APR-03 |
| | AN105101THRUAN105200 REV 3(1) NOT | BOLT - CRES HEX HEAD .5000-20[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 23-APR-03 |
| | AN105201THRUAN105300 REV 3(1) NOT | BOLT - CRES HEX HEAD .5625-18[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 23-APR-03 |
| | AN105301THRUAN105400 REV 3(1) NOT | BOLT - CRES HEX HEAD .625-18[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 23-APR-03 |
| | AN105401THRUAN105500 REV 3(1) NOT | BOLT - CRES HEX HEAD .750-15[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 23-APR-03 |
| | AN104601THRUAN104700 REV 3(1) NOT | BOLT - CRES HEX HEAD, .190-32[CUST: AV AS 99 IS] [REVIEW: CR4 MI] | A | 5306 | | IS | 23-APR-03 |
| | AN104701THRUAN104800 REV 3(1) NOT | BOLT - CRES HEX HEAD, .250-28[CUST: AV AS 99 IS] [REVIEW: MI] | A | 5306 | | IS | 23-APR-03 |
| | AN105501THRUAN105600 REV 3(1) NOT | BOLT - CRES HEX HEAD, DRILLED SHANK, .190-32[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 23-APR-03 |
| | AN105701THRUAN105800 REV 4(1) NOT | BOLT - CRES HEX HEAD, DRILLED SHANK, .3125-24[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN105801THRUAN105900 REV 3(1) NOT | BOLT - CRES HEX HEAD, DRILLED SHANK, .375-24[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN105901THRUAN106000 REV 3(1) NOT | BOLT - CRES HEX HEAD, DRILLED SHANK, .4375-20[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN106001THRUAN106100 REV 3(1) NOT | BOLT - CRES HEX HEAD, DRILLED SHANK, .500-20[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN106101THRUAN106200 REV 3(1) NOT | BOLT - CRES HEX HEAD, DRILLED SHANK, .5625-18[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN106201THRUAN106300 REV 3(1) NOT | BOLT - CRES HEX HEAD, DRILLED SHANK, .625-18[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN106301THRUAN106400 REV 3(1) NOT | BOLT - CRES HEX HEAD, DRILLED SHANK, .750-16[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN102801THRUAN102900 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 1 HOLE, .190-32[CUST: AV AS 99 IS] [REVIEW: 71 CR4] | A | 5306 | | IS | 14-SEP-01 |
| | AN102901THRUAN103000 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 1 HOLE, .250-28[CUST: AV AS 99 IS] [REVIEW: 71 CR4] | A | 5306 | | IS | 14-SEP-01 |
| | AN103001THRUAN103100 REV 5 NOT 2 | BOLT - DRILLED HEX HEAD, 1 HOLE, .3125-24[CUST: AV AS IS] | A | 5306 | | IS | 14-SEP-01 |
| | AN103101THRUAN103200 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 1 HOLE, .375-24[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN103201THRUAN103300 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 1 HOLE, .4375-20[CUST: AV AS 11] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN103301THRUAN103400 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 1 HOLE, .500-20[CUST: AS 99] [REVIEW: 71 MI] | A | 5306 | | IS | 14-SEP-01 |
| A | AN103401THRUAN103500 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 1 HOLE, .5625-18[CUST: AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 08-JUL-05 |
| | AN103501THRUAN103600 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 1 HOLE, .625-18[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN103601THRUAN103700 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 1 HOLE, .750-16[CUST: AS 99] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN103701THRUAN103800 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 6 HOLES, .190-32[CUST: AV AS 99 IS] [REVIEW: 71 MI] | A | 5306 | | IS | 14-SEP-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AN103801THRUAN103900 REV 2 NOT 2 | BOLT - DRILLED HEX HEAD, 6 HOLES, .250-28[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN103901THRUAN104000 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 6 HOLES, .3125-24[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN104001THRUAN104100 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 6 HOLES, .375-24[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN104101THRUAN104200 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 6 HOLES, .4375-20[CUST: AV AS 99 IS] | A | 5306 | | IS | 14-SEP-01 |
| | AN104201THRUAN104300 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 6 HOLES, .500-20[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN104301THRUAN104400 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 6 HOLES, .5625-18[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN104401THRUAN104500 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 6 HOLES, .625-18[CUST: AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN104501THRUAN104600 REV 3 NOT 2 | BOLT - DRILLED HEX HEAD, 6 HOLES, .750-16[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 19-SEP-01 |
| | AN101101THRUAN101200 REV 3 NOT 2 | BOLT - HEX HEAD .250-28[CUST: AV AS 99 IS] [REVIEW: 71 CR4] | A | 5306 | | IS | 14-SEP-01 |
| | AN101201THRUAN101300 REV 3 NOT 2 | BOLT - HEX HEAD .3125-24[CUST: AV AS 11] [REVIEW: 71 CR4 MI] | A | 5306 | | IS | 14-SEP-01 |
| | AN101301THRUAN101400 REV 3 NOT 2 | BOLT - HEX HEAD .375-24[CUST: AV AS 99 IS] [REVIEW: 71 CR4] | A | 5306 | | IS | 14-SEP-01 |
| | AN101401THRUAN101500 REV 3 NOT 2 | BOLT - HEX HEAD .4375-20[CUST: AS 11] | A | 5306 | | IS | 14-SEP-01 |
| | AN101501THRUAN101600 REV 3 NOT 2 | BOLT - HEX HEAD .500-20[CUST: AV AS 11] | A | 5306 | | IS | 14-SEP-01 |
| | AN101601THRUAN101700 REV 3 NOT 2 | BOLT - HEX HEAD .5625-18[CUST: AS 99] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN101701THRUAN101800 REV 3 NOT 2 | BOLT - HEX HEAD .625-18[CUST: AV AS 11] | A | 5306 | | IS | 14-SEP-01 |
| | AN101001THRUAN101100 REV 3 NOT 2 | BOLT - HEX HEAD, .190-32[CUST: AV AS 99 IS] [REVIEW: 71 MI] | A | 5306 | | IS | 14-SEP-01 |
| | AN101901THRUAN102000 REV 3 NOT 2 | BOLT - HEX HEAD, DRILLED SHANK, .190-32[CUST: AV AS 99 IS] | A | 5306 | | IS | 14-SEP-01 |
| | AN102001THRUAN102100 REV 3 NOT 2 | BOLT - HEX HEAD, DRILLED SHANK, .250-28[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN102101THRUAN102200 REV 3 NOT 2 | BOLT - HEX HEAD, DRILLED SHANK, .3125-24[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN102201THRUAN102300 REV 3 NOT 2 | BOLT - HEX HEAD, DRILLED SHANK, .375-24[CUST: AS 99] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN102301THRUAN102400 REV 3 NOT 2 | BOLT - HEX HEAD, DRILLED SHANK, .4375-20[CUST: AS 99] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN102401THRUAN102500 REV 3 NOT 2 | BOLT - HEX HEAD, DRILLED SHANK, .500-20[CUST: AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN102501THRUAN102600 REV 3 NOT 2 | BOLT - HEX HEAD, DRILLED SHANK, .5625-18[CUST: AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN102601THRUAN102700 REV 3 NOT 2 | BOLT - HEX HEAD, DRILLED SHANK, .625-18[CUST: AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN102701THRUAN102800 REV 3 NOT 2 | BOLT - HEX HEAD, DRILLED SHANK, .750-16[CUST: AV AS 11] [REVIEW: 71] | A | 5306 | | IS | 14-SEP-01 |
| | AN148651THRUAN148750 REV 3(1) NOT 3 | BOLT - SOCKET HEAD, 6 HOLES DRILLED, .250-28[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN148751THRUAN148850 REV 3(1) NOT 3 | BOLT - SOCKET HEAD, 6 HOLES DRILLED, .3125-24[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 16-MAY-03 |
| | AN148951THRUAN149050 REV 3(1) NOT 3 | BOLT - SOCKET HEAD, 6 HOLES DRILLED, .4375-20[CUST: AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 02-JUN-03 |
| | AN149051THRUAN149150 REV 3(1) NOT 3 | BOLT - SOCKET HEAD, 6 HOLES DRILLED, .500-20[CUST: AS 99 IS] [REVIEW: 71] | A | 5306 | | IS | 12-MAY-03 |
| | AN148851THRUAN148950 REV 3(1) NOT 3 | BOLT - SOCKET HEAD, 6 HOLES DRILLED, 375-24[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 16-MAY-03 |
| | AN148551THRUAN148650 REV 3(1) NOT 3 | BOLT - SOCKET HEAD, 6-HOLE DRILLED, .190-32[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 16-MAY-03 |
| | MIL-B-63954 NOT 1 | BOLT ASSEMBLY, DOOR FOR WADS[CUST: IS] | A | 5340 | | IS | 16-JUN-97 |
| | MS9152B NOT 1 | BOLT MACHINE, STEEL, 12 POINT HEAD, .5625-18, CADMIUM PLATE[CUST: AS IS] [REVIEW: MI] | A | 5306 | | IS | 19-SEP-01 |
| | MS51933 NOT 2 | BOLT WELDING FINE THREAD[CUST: CR YD 99 IS] [REVIEW: CR4] | A | 5306 | | IS | 29-OCT-04 |
| | NAS663THRUNAS668 | BOLT, 100 DEG FLUSH TENSION HEAD (HI-TORQUE) RECESS, LONG THREAD TITANIUM ALLOY[CUST: AV AS 11] [REVIEW: CR4] | A | 5306 | | IS | 14-JUN-74 |
| | MIL-B-8831/4 NOT 1 | BOLT, 100 DEG REDUCED FLUSH HEAD, LOW INTERFERENCE, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 108 KSI FSU[CUST: AV AS 11] | A | 5306 | | IS | 04-APR-98 |
| | MIL-B-8831/2 NOT 1 | BOLT, 100 DEG REDUCED FLUSH HEAD, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 108 KSI FSU[CUST: AV AS 11 IS] | A | 5306 | | IS | 16-MAR-00 |
| | NAS1582 | BOLT, 100 DEG. FLUSH TENSION HEAD FULL THREAD[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5306 | | IS | 14-JUN-74 |
| | MIL-B-85667/13 NOT 1 | BOLT, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, ALUMINUM ALLOY SLEEVE, TITANIUM ALLOY PIN, 95 KSI FSU, 160 KSI FTU[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 04-APR-98 |
| | MIL-B-70511B(3) NOT 2 | BOLT, AUTOMATIC WEAPON: (PRACTICE) M2[CUST: AR] | A | 1005 | | AR | 22-APR-03 |
| A | AN105601THRUAN105700 REV 3(1) NOT 3 | BOLT, CRES HEX HEAD, DRILLED SHANK, .250-28[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 08-JUL-05 |
| | MS27950A NOT 2 | BOLT, EYE - TURNBUCKLE (GENERAL PURPOSE)[CUST: AS 99] [REVIEW: AT CR CR4 MC MI OS] | A | 5306 | | IS | 18-NOV-99 |
| | MS51937C NOT 1 | BOLT, EYE, SHOULDER UNC-2A AND UNF-2A[CUST: AR 99 IS] [REVIEW: GL MC NS OS SH] | A | 5306 | | IS | 18-NOV-99 |
| | MS16204B NOT 2 | BOLT, FINNED NECK, COUNTERSUNK FLATHEAD, UNC-2A, NON-MAGNETIC[CUST: 99 IS] | A | 5306 | | IS | 18-NOV-99 |
| | NAS1579 | BOLT, FLAT PAN HEAD, FULL THREAD[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5306 | | IS | 14-JUN-74 |
| | NAS6603THRUNAS6620 | BOLT, HEX HEAD, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, SELF LOCKING AND NONLOCKING[CUST: AV AS 11] [REVIEW: CR4] | A | 5306 | | IS | 05-DEC-96 |
| | FF-B-575C NOT 1 | BOLT, HEXAGON AND SQUARE[CUST: AR 99 IS] [REVIEW: AT AV CE EA MC MI OS YD] | A | 5306 | / | IS | 04-DEC-00 |
| | MS35801A NOT 1 | BOLT, LAG, FETTER DRIVE HOT GALVANIZED (POLE-LINE)[CUST: CR YD 99] [REVIEW: AR MC SA] | A | 5306 | | IS | 18-NOV-99 |
| | MS9061A NOT 1 | BOLT, MACHINE - CRES AMS 5735, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .250-28[CUST: AS IS] | A | 5306 | | IS | 03-OCT-91 |
| | MS9886 NOT 3 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .250-2B UNJF-3A[CUST: AV AS 99] | A | 5306 | | IS | 18-NOV-99 |
| | MS9113 NOT 2 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS 5731, .375-24 UNJF-3A[CUST: 11 IS] | A | 5306 | | IS | 22-SEP-94 |
| | MS9896 NOT 3 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS 5616, .3125-24 UNJF-3A[CUST: 11 IS] | A | 5306 | | IS | 19-SEP-01 |
| | MS9932 NOT 3 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, FULL SHANK, STEEL AMS 6322, CADMIUM PLATED, .190-32 UNJF-3A[CUST: 11 IS] [REVIEW: 71] | A | 5306 | | IS | 19-SEP-01 |
| | MS9915 NOT 3 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .250-28 UNJF-3A[CUST: 11 IS] | A | 5306 | | IS | 19-SEP-01 |
| | MS9443(1) NOT 1 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .375-24 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 08-JUL-03 |
| | MS9446(1) NOT 1 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .5625-18 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 08-JUL-03 |
| | MS9445(1) NOT 1 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .500-20 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 08-JUL-03 |
| | MS21279B(1) NOT 1 | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .190-32 (MIL-S-8879) (ASG)[CUST: AV AS 99] | A | 5306 | | IS | 18-NOV-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS21280B NOT 1 | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .250-28 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5306 | | IS | 21-OCT-91 |
| | MS21281B NOT 1 | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .3125-24 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5306 | | IS | 21-OCT-91 |
| | MS21282B NOT 1 | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .375-24 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5306 | | IS | 21-OCT-91 |
| | MS21284B NOT 1 | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .500-20 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5306 | | IS | 21-OCT-91 |
| | MS21288B NOT 1 | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .190-32 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5306 | | IS | 21-OCT-91 |
| | MS21290B NOT 1 | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .3125-24 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5306 | | IS | 21-OCT-91 |
| | MS21291B NOT 1 | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .375-24 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5306 | | IS | 01-APR-92 |
| | MS21293B NOT 1 | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .500-20 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5306 | | IS | 21-OCT-91 |
| | MS21292B NOT 2 | BOLT, MACHINE - STEEL, DRILLED, DOUBLE HEXAGON, EXTENDED WASHER, .4375-20 (MIL-S-8879 THREAD)[CUST: AV AS 99 IS] | A | 5306 | | IS | 01-OCT-97 |
| | MS21294B NOT 2 | BOLT, MACHINE - STEEL, DRILLED, DOUBLE HEXAGON, EXTENDED WASHER, .5625-18 (MIL-S-8879 THREAD)[CUST: AV AS 99 IS] | A | 5306 | | IS | 01-OCT-97 |
| | MS9448 NOT 1 | BOLT, MACHINE AND STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .750-16 UNJF-3A (ASG)[CUST: AS IS] | A | 5306 | | IS | 31-JAN-96 |
| | MS9299A NOT 1 | BOLT, MACHINE STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .500-20 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 08-FEB-96 |
| | MS9288A | BOLT, MACHINE STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .500-20 UNJF-3A[CUST: AS] [REVIEW: IS] | A | 5306 | | AS | 26-OCT-72 |
| | MS9146B NOT 1 | BOLT, MACHINE, 12 POINT HEAD, STEEL, .190-32 UNF-3A[CUST: AS 11] | A | 5306 | | IS | 24-JAN-00 |
| | MS9147B NOT 2 | BOLT, MACHINE, 12 POINT HEAD, STEEL, .250-28 UNF-3A[CUST: AS 11 IS] [REVIEW: CR4] | A | 5306 | | IS | 19-SEP-01 |
| | MS9148B NOT 1 | BOLT, MACHINE, 12 POINT HEAD, STEEL, .3125-24 UNF-3A[CUST: AS 11] | A | 5306 | | IS | 24-JAN-00 |
| | MS9149B NOT 1 | BOLT, MACHINE, 12 POINT HEAD, STEEL, .375-24UNF-3A[CUST: AS 11] | A | 5306 | | IS | 24-JAN-00 |
| | MS9214C NOT 3 | BOLT, MACHINE, DOUBLE HEXAGON EXTENDED WASHER HEAD, STEEL, .5625-18 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 19-SEP-01 |
| | MS35798B NOT 3 | BOLT, MACHINE, SQUARE HEAD, HOT GALVANIZED (POLE LINE)[CUST: AR 99 IS] [REVIEW: 71 CR4 FSS GL NA NS] | A | 5306 | | IS | 29-OCT-04 |
| | MS35355B NOT 1 | BOLT, MACHINE, SQUARE HEAD, STEEL, CADMIUM OR ZINC PLATED, UNC-2A[CUST: AR SH 99 IS] [REVIEW: AT AV CR4 MC MI OS] | A | 5306 | | IS | 18-NOV-99 |
| | MS35356A NOT 2 | BOLT, MACHINE, SQUARE HEAD, STEEL, PHOSPHATE COATED, UNC-2A[CUST: AR SH 99 IS] [REVIEW: AT AV MC OS] | A | 5306 | | IS | 29-OCT-04 |
| | MS9088A NOT 2 | BOLT, MACHINE, STEEL, DRILLED 12 POINT HEAD, .190 (NO. 10)-32 (CADMIUM PLATE)[CUST: AS IS] [REVIEW: MI] | A | 5306 | | IS | 19-SEP-01 |
| | MS9580D(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .5625-18 UNJF-3A[CUST: AV AS IS] [REVIEW: 99] | A | 5306 | | IS | 29-APR-96 |
| | MS9578D(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .4375-20 UNJF-3A[CUST: AV AS IS] [REVIEW: 99] | A | 5306 | | IS | 29-APR-96 |
| | MS9723D NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANCE STEEL, .190-32 UNJF-3A[CUST: AS IS] [REVIEW: 71] | A | 5306 | | IS | 29-AUG-94 |
| | MS9727C NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, .4375-20 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 29-AUG-94 |
| | MS9725C(1) NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 15-JUL-03 |
| A | MS9060C | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, DRILLED, .190-32 NS[CUST: AV AS] | A | 5306 | | IS | 22-JUL-05 |
| | MS9561E(2) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .500-20 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 29-APR-96 |
| | MS9700A(1) NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .4375-20 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 05-SEP-02 |
| | MS9560G(2) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .4375-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 29-APR-96 |
| | MS9063B(1) NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, DRILLED, .375-24 NS[CUST: AV AS IS] [REVIEW: 99] | A | 5306 | | IS | 31-AUG-04 |
| | MS9708A(1) NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .375-24 UNJF-3A[CUST: AV AS 99 IS] | A | 5306 | | IS | 29-APR-96 |
| | MS9709A(1) NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .4375-20 UNJF-3A[CUST: AS] | A | 5306 | | IS | 09-APR-03 |
| | MS9707C(1) NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 05-SEP-02 |
| | MS9706A(1) NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .250-28 UNJF-3A[CUST: AS] | A | 5306 | | IS | 09-APR-03 |
| | MS9718A(1) NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .4375-20 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 09-DEC-02 |
| | MS9717A(1) NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .375-24 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 18-NOV-02 |
| | MS9688 NOT 3 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL, DIFFUSED NICKEL CADIUM, .375-24 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 19-SEP-01 |
| | MS9447(1) NOT 1 | BOLT, MACHINE-STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM, PLATED, HEXAGON HEAD, DRILLED, .625-18 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 08-JUL-03 |
| | MS9300A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .5625-18 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 08-FEB-96 |
| | MS9295 NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .250-28 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 31-JAN-96 |
| | MS9302A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .750-16 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 08-FEB-96 |
| | MS9301A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON, .625-18 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 31-JAN-96 |
| | MS9287A(1) NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .4375-20 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 08-JUL-03 |
| | MS9289A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .5625-18 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 08-FEB-96 |
| | MS9290A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .624-18 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 31-JAN-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS9291A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .750-16 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 08-FEB-96 |
| | MS9298A(1) NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE,DRILLED 1 HOLE, HEXAGON HEAD, .4375-20 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 08-JUL-03 |
| | MS9223A NOT 3 | BOLT, MACHINE-STEEL DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .5625-18 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 19-SEP-01 |
| | MS9221A NOT 3 | BOLT, MACHINE-STEEL DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .4375-20 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 19-SEP-01 |
| | MS9222A NOT 3 | BOLT, MACHINE-STEEL DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .500-20 UNJF-3A[CUST: AS IS] [REVIEW: 11] | A | 5306 | | IS | 19-SEP-01 |
| | MS9220A(1) NOT 3 | BOLT, MACHINE-STEEL DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .375-24 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 19-SEP-01 |
| | MS9211A NOT 3 | BOLT, MACHINE-STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .375-24 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 19-SEP-01 |
| | MS9213A NOT 3 | BOLT, MACHINE-STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .500-20 UNJF-3A[CUST: AS IS] | A | 5306 | | IS | 19-SEP-01 |
| | MIL-B-8831/3 NOT 1 | BOLT, PROTRUDING HEAD, EXTERNAL WRENCHING, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 180 KS1 FTU[CUST: AV AS 11] | A | 5306 | | IS | 04-APR-98 |
| | MIL-B-8831/5 NOT 1 | BOLT, PROTRUDING HEAD, EXTERNAL WRENCHING, STRAIGHT SHANK, LOW INTERFERENCE, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 180 KSI FTU[CUST: AV AS 11] | A | 5306 | | IS | 04-APR-98 |
| | DOD-B-63545/2 NOT 2 | BOLT, RIBBED SHOULDER, EXTENDED SHOULDER, WHEEL MOUNTING, METRIC[CUST: AR AS 99] [REVIEW: AT CR4 MC NS OS SH] | A | 5306 | | IS | 01-OCT-99 |
| | MS51948C NOT 1 | BOLT, RIBBED SHOULDER, SINGLE END, SPINED, 7/16 AND 1/2 INCH[CUST: AT IS] [REVIEW: AR CR CR4] | A | 5306 | | IS | 18-NOV-99 |
| | MS51946D NOT 1 | BOLT, RIBBED SHOULDER, SINGLE END, SPLINED, 3/4 INCH[CUST: AR 99] [REVIEW: CR4] | A | 5306 | | IS | 18-NOV-99 |
| | DOD-B-63545/1 NOT 2 | BOLT, RIBBED SHOULDER, WHEEL MOUNTING, METRIC[CUST: AR AS 99] [REVIEW: AT CR4 MC NS OS SH] | A | 5306 | | IS | 01-OCT-99 |
| | DOD-B-63545 NOT 2 | BOLT, RIBBED SHOULDER, WHEEL MOUNTING, METRIC GENERAL SPECIFICATION FOR[CUST: AR AS 11 IS] [REVIEW: AT CR4 MC NS OS SH] | A | 5306 | | IS | 01-OCT-99 |
| | MS51947B NOT 1 | BOLT, RIBBED SHOULDER. WHEEL MOUNTING SINGLE END, 3/4 INCH, EXTENDED LENGTH[CUST: AT IS] [REVIEW: AR CR MI] | A | 5306 | | IS | 18-NOV-99 |
| | MS21099 NOT 2 | BOLT, SELF LOCKING, CORROSION RESISTING STEEL, 80 KSI FTU, 250 DEG. F, 12-POINT, EXTERNAL WRENCHING (EXTERNALLY WRENCHING CAP SCREWS)(CUST: AV AS 99] [REVIEW: 11 OS] | A | 5306 | | IS | 18-NOV-99 |
| | DOD-B-70331 NOT 1 | BOLT, SELF LOCKING, HEXAGON HEAD, STEEL, METRIC, GENERAL SPECIFICATION FOR[CUST: AR IS] [REVIEW: AT CR4 GL MC MI NS OS SH] | A | 5306 | | IS | 01-OCT-99 |
| | DOD-B-70331/2 NOT 2 | BOLT, SELF LOCKING, HEXAGON HEAD, STEEL, SAE J1199 (10.9) TYPE BH, M[CUST: AR IS] [REVIEW: AT CR4 GL MC MI NS OS SH] | A | 5306 | | IS | 31-AUG-04 |
| | DOD-B-70331/1 NOT 2 | BOLT, SELF LOCKING, HEXIGON HEAD, STEEL, SAE J1199 (10.9) TYPE B, METRIC[CUST: AR IS] [REVIEW: AT CR4 GL MC MI NS OS SH] | A | 5306 | | IS | 31-AUG-04 |
| A | MS21092A NOT 2 | BOLT, SELF-LOCKING, 250 DEG. F, CRES, 48 KSI FSU, 80 KSI FTU, 100 DEG. FLUSH HEAD, CROSS RECESSED[CUST: AS 99 IS] | A | 5306 | | IS | 18-NOV-99 |
| | MS21091 NOT 2 | BOLT, SELF-LOCKING, 250 DEG. F., STEEL, 75 KSI FSU, 125 KSI FTU, 100 DEG. FLASH HEAD CROSS RECESSED[CUST: CR YD 99] | A | 5306 | | IS | 18-NOV-99 |
| | MS35763E NOT 1 | BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL, GRADE 5, UNC-2A AND UNF-2A[CUST: AR 99 IS] [REVIEW: AT CR4 MC MI OS] | A | 5306 | | IS | 08-FEB-96 |
| | MS35764E NOT 1 | BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL, GRADE 8, UNC-2A AND UNF-2A[CUST: AR 99 IS] [REVIEW: AT CR4 MC MI OS] | A | 5306 | | IS | 18-NOV-99 |
| | NAS1303THRUNAS1320 | BOLT, SHEAR, HEXAGON HEAD[CUST: AS 11 IS] | A | 5306 | | IS | 05-DEC-96 |
| A | DOD-B-63475 NOT 2 | BOLT, SHOULDER, HEXAGON HEAD, GENERAL SPECIFICATION FOR, METRIC[CUST: AR SH 99 IS] [REVIEW: AS AT AV CR CR4 MC MI NS OS] | A | 5306 | | IS | 01-OCT-99 |
| | DOD-B-63475/1 NOT 3 | BOLT, SHOULDER, HEXAGON HEAD, LONG THREAD, METRIC[CUST: AR SH 99] [REVIEW: 11 AS AT AV CR CR4 MC MI NS OS] | A | 5306 | | IS | 31-AUG-04 |
| | DOD-B-63475/2 NOT 3 | BOLT, SHOULDER, HEXAGON HEAD, SHORT THREAD, METRIC[CUST: AR SH 99] [REVIEW: AS AT AV CR CR4 MC MI OS] | A | 5306 | | IS | 31-AUG-04 |
| | MS51949B NOT 2 | BOLT, SHOULDER, WHEEL MOUNTING, SINGLE END, KEYED HEAD[CUST: AT IS] [REVIEW: AR CR CR4 MI] | A | 5306 | | IS | 18-NOV-99 |
| | MIL-B-85667/6A NOT 1 | BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, NICKEL ALLOY 718 PIN, 125 KSI FSU, 450 DEG. F[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 04-APR-98 |
| | MIL-B-85667/8 NOT 1 | BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES A-286 PIN, 95 KSI FSU, 450 DEG. F[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 04-APR-98 |
| | MIL-B-85667/2A NOT 1 | BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES PH 13-8MO PIN, 125 KSI FSU[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 04-APR-98 |
| | MIL-B-85667/4A NOT 1 | BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, TITANIUM ALLOY PIN, 95 KSI FSU[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 04-APR-98 |
| | MIL-B-85667/10 NOT 1 | BOLT, SLEEVE, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES A-286 PIN, 160 KSI FTU, 450 DEG. F[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 04-APR-98 |
| | MIL-DTL-85667/12A | BOLT, SLEEVE, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, TITANIUM ALLOY PIN, 95 KSI FSU, 160 KSI FTU[CUST: AV AS 99] | A | 5306 | | IS | 01-SEP-04 |
| | MIL-B-85667/11 NOT 1 | BOLT, SLEEVE, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, NICKEL-CRES 304 SLEEVE, NICKEL-ALLOY 718 PIN, 220 KSI FTU, 450 DEG. F[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 04-APR-98 |
| | MIL-B-85667/9 NOT 1 | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES A-286 PIN, 95 KSI FSU, 160 KSI FTU, 450 DEG. F[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 04-APR-98 |
| | MIL-DTL-85667/3B | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES PH 13-8MO PIN, 220 KSI FSU[CUST: AV AS 99] | A | 5306 | | IS | 01-SEP-04 |
| | MIL-DTL-85667/7B | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, NICKEL ALLOY 718 PIN, 125 KSI FSU, 220 KSI FTU, 450[CUST: AV AS 99] | A | 5306 | | IS | 02-SEP-04 |
| A | MIL-DTL-85667/5B(1) | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, TITANIUM ALLOY PIN, 160 KSI FTU[CUST: AS 99] | A | 5306 | | IS | 05-OCT-05 |
| A | MIL-B-85667/1A NOT 2 | BOLT, SLEEVE, STRAIGHT SHANK, PROTRUDING AND FLUSH HEAD, RELIABILITY AND MAINTAINABILITY REQUIREMENTS FOR[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 08-JUL-05 |
| | MS20069B NOT 3 | BOLT, SQUARE NECK, CARRIAGE, HOT GALVANIZED (POLE LINE)[CUST: 99 IS] | A | 5306 | | IS | 21-DEC-04 |
| | MS35754B NOT 1 | BOLT, SQUARE NECK, COUNTERSUNK, (PLOW) STEEL, CADMIUM OR ZINC PLATED, NC-2A AND UNC-2A[CUST: AR SH 99 IS] [REVIEW: AT CR4 MC OS] | A | 5306 | | IS | 18-NOV-99 |
| | MIL-B-8831/1 NOT 1 | BOLT, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, RELIABILITY AND MAINTAINABILITY REQUIREMENTS FOR[CUST: AV AS 11 IS] | A | 5306 | | IS | 16-MAR-00 |
| | MS90729A NOT 2 | BOLT, TEE HEAD[CUST: AR YD 99 IS] [REVIEW: AS AV CR4 MC OS] | A | 5306 | | IS | 01-OCT-97 |
| | MS9401 NOT 1 | BOLT, TEE HEAD - AMS 6322, CHAMFERED, .4375-20 UNJF-3A, CADMIUM PLATE (ASG)[CUST: AS IS] | A | 5306 | | IS | 31-JAN-96 |
| | MS9435 NOT 1 | BOLT, TEE HEAD AND AMS 5735, CHAMFERED, .375-24 UNJF-3A (ASG)[CUST: AS IS] | A | 5306 | | IS | 31-JAN-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS9436 NOT 1 | BOLT, TEE HEAD AND AMS 5735, CHAMFERED, .4375-20 UNJF-3A (ASG)[CUST: AS IS] | A | 5306 | | IS | 31-JAN-96 |
| | MS9437 NOT 1 | BOLT, TEE HEAD AND AMS 5735, CHAMFERED, .500-20 UNJF-3A (ASG)[CUST: AS IS] | A | 5306 | | IS | 31-JAN-96 |
| | MS51934A NOT 2 | BOLT, WELDING&COARSE THREAD[CUST: AR] [REVIEW: AT] | A | 5306 | | IS | 29-OCT-04 |
| | MS14163B NOT 3 | BOLT, WHEEL, TENSION, STEEL 220 KSI, FTU, 450 DEG. F EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD (USE NASM14490)[CUST: AV AS 11 IS] | A | 5306 | | IS | 15-JUN-00 |
| | MS9224A | BOLT- MACHINE, 12 POINT HEAD, HEAT RESISTANT, .5625-18 AMS 5735 (ASG)[CUST: AS 99 IS] [REVIEW: 11] | A | 5305 | | IS | 20-NOV-63 |
| | AN108001THRUAN108100 REV 3(1) NOT | BOLT-CRES DRILLED HEX HEAD, 6 HOLES, .625-18[CUST: AV AS 99] [REVIEW: 71] | A | 5306 | | IS | 16-MAY-03 |
| | MS9036B NOT 2 | BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT STEEL, .375-24 NS[CUST: AS IS] | A | 5305 | | IS | 29-AUG-94 |
| | MS9033B(1) NOT 1 | BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT, .190 (NO. 10)-32, AMS 5735[CUST: AS 99 IS] | A | 5305 | | IS | 19-NOV-02 |
| | MS9034B | BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT, .250-28, AMS 5735 (ASG)[CUST: AS 11 IS] | A | 5305 | | IS | 29-AUG-86 |
| | MS9035C(1) | BOLT-MACHINE, 12 POINT HEAD, HEAT RESISTANT STEEL, .3125-24 NS[CUST: AS 11] | A | 5305 | | IS | 21-JUN-05 |
| | AN173THRUAN186 REV 7(1) | BOLT-MACHINE, CLOSE TOLERANCE, AIRCRAFT[CUST: AV AS 99 IS] [REVIEW: CR4 MI] | A | 5306 | | IS | 25-MAR-96 |
| | MS9089C NOT 1 | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .250-28 UNF-3A[CUST: AS 11 IS] | A | 5306 | | IS | 24-JAN-00 |
| | MS9090C NOT 1 | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .3125-18 UNF-3A[CUST: AS 11 IS] | A | 5306 | | IS | 24-JAN-00 |
| | MS9091C NOT 2 | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .375-24 UNF-3A[CUST: AS 11 IS] | A | 5306 | | IS | 28-JAN-05 |
| | MS9092C NOT 2 | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .4375-20 UNF-3A[CUST: AS 11] | A | 5306 | | IS | 28-JAN-05 |
| | MS9093C NOT 1 | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .500-20 UNF-3A[CUST: AS 11] | A | 5306 | | IS | 24-JAN-00 |
| | MS9192B NOT 1 | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .164(NO.8)-36 CADMIUM PLATE[CUST: AS 11] | A | 5306 | | IS | 19-SEP-01 |
| A | AN149151THRUAN149250 REV 2 NOT 2 | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .5625-18[CUST: AS 99 IS] | A | 5306 | | IS | 08-JUL-05 |
| | AN149251THRUAN149350 REV 2(1) NOT | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .625-18[CUST: AS 99 IS] | A | 5306 | | IS | 12-MAY-03 |
| | NAS496 | BOLTS - INTERNAL WRENCHING[CUST: AR AS 99 IS] | A | 5306 | | IS | 09-MAR-89 |
| | MS16201A NOT 3 | BOLTS, LAG, CONE POINT, COUNTERSUNK FLATHEAD, SLOTTED, COPPER-SILICON ALLOY, NONMAGNETIC[CUST: SH 99 IS] | A | 5306 | | IS | 16-JUN-97 |
| | MS16207C NOT 3 | BOLTS, SQUARE NECK, (CARRIAGE BOLT), ROUND HEAD, UNC-2A, COPPER-SILICON ALLOY, NONMAGNETIC[CUST: 99 IS] [REVIEW: CR4] | A | 5306 | | IS | 18-NOV-99 |
| | MIL-B-51373 NOT 1 | BOMB CLUSTER, INCENNDIARY, TH3, 750 POUND M36E2 (WITHOUT FUZE, FIN & WIRE) [CUST: AR] | A | 1325 | | AR | 16-JUL-96 |
| | MIL-B-38977(3) NOT 1 | BOMB, PRACTICE BDU-38/B[CUST: 99] [REVIEW: 19] | A | 1105 | | 70 | 12-JUL-95 |
| | MIL-B-60304(1) NOT 2 | BOMB, SMOKE, BLU-17/B[CUST: EA] | A | 1325 | | EA | 27-DEC-95 |
| | MIL-B-50772(1) NOT 4 | BONDING OF PRECISION MIRRORS (GLASS-TO-METAL)[CUST: AR] | A | 12GP | | AR | 03-FEB-97 |
| | MIL-B-48612A NOT 1 | BONDING WITH EPOXY-ELASTOMERIC ADHESIVE SYSTEM, GLASS TO METAL[CUST: AR] [REVIEW: AV] | A | 12GP | | AR | 01-SEP-97 |
| | MIL-B-63086(3) NOT 4 | BOOSTER ASSEMBLY FOR DEMOLITION KIT CRATERING, M180 PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 03-FEB-97 |
| | MIL-B-63369 NOT 2 | BOOSTER ASSEMBLY, INERT FOR DEMOLITION KIT CRATERING, TRAINING, XM270 PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 13-FEB-96 |
| | MIL-B-18544B NOT 1 | BOOSTER CANS (FOR BOOSTERS MARK 8 AND MARK 12)[CUST: OS] | A | 1350 | | OS | 10-JUL-99 |
| | MIL-B-10997B NOT 1 | BOOSTER M120, PARTS FOR[CUST: AR] | A | 1345 | | AR | 27-FEB-97 |
| | MIL-B-50999(3) NOT 1 | BOOSTER, AUXILIARY, M122, METAL PARTS FOR, AND ASSEMBLY AND LOADING OF[CUST: AR] | A | 1310 | | AR | 02-AUG-96 |
| | MIL-B-22450C(1) NOT 2 | BOOSTER, GUIDED MISSILE, MARK 12 MOD 0 (LOADED ASSEMBLY)[CUST: OS] | A | 1336 | | OS | 20-MAY-92 |
| | MIL-B-23297B(3) NOT 1 | BOOSTER, GUIDED MISSILE, MARK 12 MOD 1 (LOADED ASSEMBLY)[CUST: OS] | A | 1336 | | OS | 20-MAY-92 |
| | MIL-B-11507D NOT 2 | BOOSTER, M120, LOADING ASSEMBLING AND PACKING[CUST: AR] [REVIEW: EA] | A | 1345 | | AR | 14-MAR-97 |
| | MIL-B-70670B NOT 1 | BORERIDER TIMER, LOADING, ASSEMBLING AND PACKING[CUST: AR] | D | 1345 | | AR | 19-AUG-97 |
| | MIL-B-63354A NOT 1 | BORESCOPE M3[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 14-MAR-97 |
| | MIL-B-45852A(3) NOT 1 | BORESCOPES M1 AND M2[CUST: AR] [REVIEW: GS MI] | A | 6650 | | AR | 14-MAR-97 |
| | MIL-B-51092(1) NOT 1 | BORON, AMORPHOUS, POWDER[CUST: AR] [REVIEW: EA GS MI] | A | 6810 | | AR | 14-MAR-97 |
| | MS33651B NOT 1 | BOSS AND INSTALLATIONS - AIR CONNECTION[CUST: AS 99 CC] [REVIEW: 71 SA] | A | 4730 | | CC | 20-SEP-00 |
| | MS9071A NOT 1 | BOSS, 18-1.50 MM SPARK PLUG THREAD HELICAL INSERT, STANDARD DIMENSIONS FOR. (ASG)[CUST: AS 11] [REVIEW: 99 IS] | A | 5340 | | AS | 07-AUG-96 |
| | MIL-B-26701F NOT 2 | BOTTLE, POLYMER, IN A COMBINATION CONTAINER, SHIPPING AND STORAGE, AIR ELIGIBLE[CUST: GL SA 11 IS] [REVIEW: 99 AR MC MD SM] | A | 8125 | | IS | 28-MAR-05 |
| | MIL-B-1406C NOT 2 | BOTTLE, SCREW CAP, IDENTIFICATION, BURIAL[CUST: GL MS 11] [REVIEW: CC GS MC MD] | A | 8125 | | GL | 29-DEC-97 |
| | AN3055 REV 6 NOT 3 | BOX CONNECTOR, ELECTRICAL[CUST: AV AS 11 GS2] [REVIEW: 99 AR MC MI] | A | 5975 | | GS2 | 09-OCT-03 |
| A | AN3064 REV 5 NOT 2 | BOX CONNECTOR, ELECTRICAL[CUST: AV AS 11] [REVIEW: 99 AR MC MI] | A | 5975 | | GS2 | 08-JUL-05 |
| | MIL-B-18876A NOT 2 | BOX, AMMUNITION, 40 MM MARK 1 MOD 0[CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 10-JUL-99 |
| | MS18023A NOT 1 | BOX, FIBERBOARD, FOR CONTAINERS, REUSABLE, ALUMINUM, HAND PORTABLE[CUST: OS] [REVIEW: GL] | A | 8115 | | OS | 22-APR-98 |
| | MIL-B-18670A NOT 2 | BOX, SMALL ARMS AMMUNITION, MARK 1 MOD 0[CUST: OS] [REVIEW: AR GS] | A | 8140 | | OS | 10-JUL-99 |
| | MIL-B-48024(5) NOT 1 | BOXES, AMMUNITION PACKING: WOOD, (W/PLYWOOD TOP AND BOTTOM) NAILED[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 06-FEB-96 |
| | MIL-B-43666D(1) NOT 1 | BOXES, SHIPPING, CONSOLIDATION[CUST: GL SA 11] [REVIEW: AR AS AT CR GS MC MD OS SH] | A | 8115 | | GL | 26-SEP-97 |
| | PPP-B-621D(3) NOT 1 | BOXES, WOOD, NAILED AND LOCK-CORNER[CUST: GL SA 11] [REVIEW: 84 99 AR MD MI MT OS SH YD] | A | 8115 | / | GL | 26-FEB-01 |
| | PPP-B-585D NOT 1 | BOXES, WOOD, WIREBOUND[CUST: GL SA 11] [REVIEW: 84 99 AR AS AV CR CR4 MC MD OS SH SM SS YD] | A | 8115 | / | GL | 26-FEB-01 |
| | MIL-B-26195C(1) NOT 2 | BOXES, WOOD-CLEATED, SKIDDED, LOAD-BEARING BASE[CUST: GL SA 11] [REVIEW: 70 71 AR AS AT AV CG MC SH YD] | A | 8115 | | 11 | 25-NOV-97 |
| A | MS35254B NOT 1 | BRACE, CORNER, BOX 3 QUARTER-ROUND FLANGES, 3-MOUNTING HOLES[CUST: CR YD 99 IS] [REVIEW: 71 CE] | A | 5340 | | IS | 31-JUL-97 |
| A | MS35257B NOT 1 | BRACE, CORNER, BOX, LARGE, 2 QUARTER-ELLIPSE FLANGES, 2 MOUNTING HOLES[CUST: CR YD 99 IS] [REVIEW: 71 CE] | A | 5340 | | IS | 31-JUL-97 |
| | MS39030A NOT 2 | BRACE, CROSSARM, FLAT (POLE LINE)[CUST: CR YD 11] [REVIEW: 99 MC] | A | 5975 | | GS2 | 21-FEB-03 |
| | AN6046 NOT 1 | BRACKET - MOUNTING, EXTINGUISHER, FIRE[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MIL-B-7525B(2) NOT 1 | BRACKET AND RECEPTACLE, HOT CUP, AIRBORNE[CUST: GL AS 99 SS] [REVIEW: YD] | A | 7310 | | SS | 16-APR-03 |
| | MS53053A NOT 2 | BRACKET ASSEMBLY, TOOL KIT, PIONEER, GENERAL UTILITY[CUST: AT] [REVIEW: CC CR4 MI] | A | 2540 | | AT | 23-DEC-97 |
| | MS9101C | BRACKET, ANGLE, 90 DEG. .190 BOLT[CUST: AR AS 99] [REVIEW: IS] | A | 5340 | | AS | 18-JUN-87 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS9102C | BRACKET, ANGLE, 90 DEG. .190 X .250 BOLT[CUST: AR AS 99] [REVIEW: IS] | A | 5340 | | AS | 18-JUN-87 |
| | MS39085A(1) | BRACKET, ANGLE, CABLE CLAMP SUPPORT[CUST: AR IS] | A | 5340 | | IS | 16-MAY-02 |
| | MS22025 NOT 2 | BRACKET, FLYERS RELIEF TUBE, VERTICAL[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 11 | 01-OCT-97 |
| | MS3341B NOT 1 | BRACKET, MOUNTING, PLASTIC FOR USE WITH MS 3367 PLASTIC TIE DOWN STRAPS[CUST: MI AS 99 GS2] [REVIEW: GS] | A | 5975 | | AS | 17-MAR-98 |
| | MS9229B | BRACKET-90 DEG. ANGLE, AMS 5504, .190 X .250 BOLT[CUST: AS 11] [REVIEW: IS] | A | 5340 | | AS | 22-NOV-66 |
| | MS9168B | BRACKET-90 DEG. ANGLE, AMS 6350, ,190 X .375 BOLT[CUST: AS 11] [REVIEW: IS] | A | 5340 | | AS | 22-NOV-66 |
| | MS9165B | BRACKET-90 DEG. ANGLE, AMS 6350, .190 BOLT[CUST: AS 11] [REVIEW: IS] | A | 5340 | | AS | 22-NOV-66 |
| | MS9166B | BRACKET-90 DEG. ANGLE, AMS 6350, .190 X .250 BOLT[CUST: AS 11] [REVIEW: IS] | A | 5340 | | AS | 22-NOV-66 |
| | MS9167B | BRACKET-90 DEG. ANGLE, AMS 6350, .190 X .312 BOLT[CUST: AS 11] [REVIEW: IS] | A | 5340 | | AS | 22-NOV-66 |
| | MS9365A | BRACKET-FLAT, CRES AMS 5510, .190 BOLT[CUST: AS 11] [REVIEW: 99 IS] | A | 5340 | | AS | 22-NOV-66 |
| | MS9366A | BRACKET-FLAT, CRES AMS 5510, .190 X .250 BOLT (USE MS9552)[CUST: AS 11] [REVIEW: 99 IS] | A | 5340 | | AS | 22-NOV-66 |
| | MS9367A | BRACKET-FLAT, CRES AMS 5510, .250 BOLT[CUST: AS 11] [REVIEW: 99 IS MC] | A | 5340 | | AS | 22-NOV-66 |
| | AN8020 REV 3 NOT 2 | BRACKET-FLYERS RELIEF TUBE HORIZONTAL[CUST: 99] [REVIEW: AS AV GS] | A | 1680 | | 11 | 22-MAR-96 |
| | SAE-AMS3815 | BRAID, FLAT, NYLON, ELECTRICAL TYING SYNTHETIC RUBBER COATED[CUST: MI SH 99] | A | 9330 | | MI | 01-JAN-93 |
| | MIL-B-44388 NOT 1 | BREAD CRISP BARS, RATION LIGHTWEIGHT, 30-DAY[CUST: GL] [REVIEW: MD SS] | A | 8920 | | GL | 15-AUG-97 |
| | MIL-B-734E(1) NOT 1 | BREAKER, PAVING, GASOLINE POWERED, SELF CONTAINED[CUST: AT YD 99 IS] [REVIEW: 84 CE MC] | A | 3820 | | IS | 12-FEB-99 |
| | MIL-B-51254(5) NOT 1 | BREATHING APPARATUS, OXYGEN GENERATING, M20[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 05-MAR-96 |
| | MIL-B-52088F NOT 3 | BRIDGE, ARMORED-VEHICLE-LAUNCHED, SCISSORING-TYPE: CLASS 60, ALUMINUM, 60-FOOT SPAN[CUST: AT] [REVIEW: CC] | A | 5420 | | AT | 24-APR-98 |
| | MIL-B-52734C NOT 3 | BRIDGE, FLOATING: RIBBON, INTERIOR BAY AND RAMP BAY[CUST: AT] [REVIEW: CC] | A | 5420 | | AT | 22-MAY-98 |
| | MIL-B-22036D(1) NOT 1 | BRIDLE AND PENDANT ASSEMBLIES AIRCRAFT LAUNCHING[CUST: AS] | A | 1720 | | AS | 26-MAR-01 |
| | MIL-B-20100C(1) NOT 1 | BRUSHES, CLEANING, FOR BORE, CHAMBER AND FIRING PIN HOLE OF SMALL ARMS[CUST: AR] | A | 1005 | | AR | 11-AUG-97 |
| | MIL-B-3753E NOT 1 | BUCKET, CONCRETE, HAND OPERATED 3/4 TO 2 CUBIC YARD CAPACITY[CUST: AT YD 99] [REVIEW: CC MC] | A | 3815 | | AT | 09-MAR-98 |
| | MS27760A NOT 1 | BUCKLE -PARACHUTE HARNESS QUICK RELEASE CONNECTING[CUST: GL AS 99] [REVIEW: AV GS] | A | 1670 | | 11 | 31-DEC-97 |
| | MIL-B-2505G NOT 1 | BUCKLE, CENTER BAR WITH TONGUE[CUST: GL 99 IS] [REVIEW: 71 AR CR4 MC] | A | 5340 | | IS | 01-OCT-97 |
| | MS90297 NOT 2 | BUCKLE, PARACHUTE CONTAINER[CUST: AS] | A | 5340 | | AS | 30-APR-97 |
| | MS51944A NOT 1 | BUCKLE, TONGUELESS&2&BAR[CUST: AR 99 IS] [REVIEW: AT AV CR4 EA GL] | A | 5340 | | IS | 16-JUN-97 |
| | MS51927A NOT 2 | BUCKLE, TONGUELESS, I-BAR[CUST: AR 99 IS] [REVIEW: AT CR4 GL MC MI] | A | 5340 | | IS | 16-JUN-97 |
| | MIL-B-543G NOT 3 | BUCKLES, TONGUELESS AND WEB STRAP[CUST: GL 99 IS] [REVIEW: 71 AR AV EA MC ME MI SA] | A | 5340 | | IS | 04-APR-98 |
| | MIL-B-49101A(1) NOT 2 | BUFFER, DATA TD-1065( )/G[CUST: CR] | A | 5805 | | CR | 25-APR-97 |
| | MIL-B-29194B NOT 1 | BUILDING ADDITION, PREFABRICATED, READY-CUT, METAL RIGID FRAME, FOR 40- BY 100-FOOT BUILDING[CUST: GL YD 99 IS] [REVIEW: 84 CC CE CR4 MC] | A | 5410 | | IS | 22-APR-98 |
| | MIL-B-28658E NOT 1 | BUILDING COMPONENTS, PANELIZED, PREFABRICATED, READY-CUT, RELOCATABLE[CUST: GL YD IS] [REVIEW: CE] | A | 5410 | | IS | 22-APR-98 |
| | MIL-B-28536C NOT 1 | BUILDING, PREFABRICATED, READY CUT, METAL, RIGID FRAME 40 X 100 FEET[CUST: GL YD 99 IS] [REVIEW: 84 CC MC] | A | 5410 | | IS | 22-APR-98 |
| | MIL-B-16041G NOT 1 | BUILDINGS, PREFABRICATED, READY-CUT, MAGAZINES, STEEL ARCH, 16- AND 25-FOOT SPAN (EXTENSIBLE)[CUST: YD 99 IS] [REVIEW: 84 CC CE MC] | A | 5410 | | IS | 22-APR-98 |
| | MIL-B-50015B NOT 2 | BULB, ASPIRATOR[CUST: EA 99] [REVIEW: 84] | A | 6640 | | EA | 28-JUL-04 |
| A | MS28034A NOT 3 | BULBS, TEMPERATURE, ELECTRICAL RESISTANCE (-70 DEG. C TO +300 DEG. C)[CUST: CR AS 99] [REVIEW: 71] | A | 6685 | | GS1 | 19-SEP-05 |
| | MS3340B NOT 1 | BULKHEAD BRACKET, FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MIL-B-45390A NOT 1 | BULLDOZER KIT, EARTH MOVING, TANK MOUNTING, M9[CUST: AT] [REVIEW: CC] | A | 2590 | | AT | 09-FEB-98 |
| | MIL-B-70445(3) NOT 1 | BULLET, CAL .30[CUST: AR] | A | 1305 | | AR | 01-DEC-95 |
| | MIL-B-4792E NOT 1 | BUMPER, RUBBER, DUPLEX ROUND[CUST: 99 IS] [REVIEW: 71] | A | 5340 | | IS | 22-AUG-97 |
| | MIL-B-44359A NOT 1 | BUNS, HAMBURGER, SHELF STABLE[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8920 | | GL | 15-AUG-97 |
| | MIL-B-29511 NOT 1 | BUOY INTERFACE UNIT (BIU), J-3958/BRT-6[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-B-28799(1) NOT 1 | BUOY, RADIO TRANSMITTING T-616( )/SRT[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-B-2029F NOT 2 | BURNER ASSEMBLY, SPACE HEATER[CUST: GL YD 99] [REVIEW: 84 CC MC] | A | 4520 | | IS | 25-AUG-98 |
| | MIL-B-40098H NOT 1 | BURNER UNIT, GASOLINE, FIELD RANGE OUTFIT, M2A[CUST: GL YD] [REVIEW: MC MD1 SS] | A | 7310 | | GL | 29-JUL-97 |
| | MIL-B-46211D NOT 2 | BURSTER, INCENDIARY, FIELD, M4 (W/0 FUZE)[CUST: AR] | A | 1345 | | AR | 05-FEB-96 |
| | MIL-B-64000C(1) NOT 2 | BURSTER, PROJECTILE, 155MM, SMOKE: M825 AND M825A1, PARTS FOR LOADING, ASSEMBLING, AND PACKAGING[CUST: EA] | X | 1320 | | EA | 19-JUL-04 |
| | MIL-B-60319(1) NOT 2 | BURSTER, PROJECTILE, M19 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 16-JAN-98 |
| | MIL-B-50262(1) NOT 2 | BURSTER, PROJECTILE, M21, LOADING ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-B-46415B NOT 3 | BURSTER, PROJECTILE, M35, PARTS FOR LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-FEB-97 |
| | MIL-B-46514B(1) NOT 2 | BURSTER, PROJECTILE, M47 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 12-FEB-97 |
| | MIL-B-46957B NOT 2 | BURSTER, PROJECTILE, M48 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-B-46667A(3) NOT 2 | BURSTER, PROJECTILE, M83 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 15-DEC-95 |
| | MIL-B-70677(2) NOT 1 | BURSTER, PROJECTILE, XM85 (M85) LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 23-SEP-02 |
| | MIL-B-62152A NOT 2 | BUS, MOTOR: AMBULANCE, INTERCITY, 40 PASSENGER, 6X2 OR 6X4[CUST: AT] [REVIEW: MD] | A | 2310 | | AT | 15-DEC-95 |
| | KKK-B-1579B NOT 1 | BUSES, MOTOR: SCHOOL, WITH HIGH HEADROOM, 20-, 28-, 36-, 44-, 58-PASSENGER, TWO-WHEEL DRIVE[CUST: AT YD 99] [REVIEW: 84] | A | 2310 | / | AT | 13-DEC-96 |
| | MIL-B-45371R NOT 1 | BUSES, MOTOR: SUBURBAN AND INTERCITY, 41 TO 53 ADULT PASSENGER, 4X2, 6X2 AND 6X4, COMMERCIAL[CUST: AT YD] [REVIEW: MC] | A | 2310 | | AT | 25-JAN-96 |
| | MIL-B-45367AA NOT 1 | BUSES, MOTOR: TRANSIT, AMBULANCE CONVERSION, FORWARD CONTROL, WITH HIGH HEADROOM, 30 AND 44 PASSENGER, 2 WHEEL DRIVE[CUST: AT YD 99] [REVIEW: CR MC MD] | A | 2310 | | AT | 02-JAN-96 |
| | MS17319 NOT 1 | BUSHING - SCREW, PLAIN (MIL-S-8879 THREAD)[CUST: AS 99] | A | 4730 | | AS | 14-AUG-96 |
| | MS9017A | BUSHING - SCREW, SLOTTED[CUST: AS] [REVIEW: IS] | A | 5340 | | AS | 01-OCT-65 |
| A | MS24700B | BUSHING, FIXED, CONNECTOR, RACK AND PANEL, MINIATURE[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 14-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-4976C NOT 1 | CABINET, DRYING, PARACHUTE, TYPE MA-1[CUST: 99] | A | 4440 | | 84 | 20-DEC-95 |
| | MIL-C-85441(1) NOT 1 | CABINET, ELECTRICAL EQUIPMENT CY-7887/UPQ-5[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-C-28794 NOT 3 | CABINET, ELECTRONIC EQUIPMENT (SINGLE BAY)[CUST: EC] [REVIEW: GS] | A | 5975 | | EC | 30-APR-95 |
| | MIL-C-81972 NOT 1 | CABINET, EQUIPMENT STOWAGE - BATTERY CHARGING BCU-13/E[CUST: AS] | A | 5825 | | AS | 16-JUL-97 |
| | MIL-DTL-52876D | CABINETS, MONITOR, CY-7359/FSS-9(V), CY-7360/FSS-9(V) AND CY-7361/FSS-9(V)[CUST: CR4 SH 99] [REVIEW: CG CR GS MC] | A | 6350 | | CR4 | 04-AUG-97 |
| | MS53062A NOT 1 | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE - STRAIGHT TYPE, EYE AND BUTTON FITTINGS[CUST: AT CC] | A | 2530 | | CC | 22-JAN-99 |
| | MIL-C-45224D NOT 1 | CABLE AND HARNESS ASSEMBLIES, ELECTRICAL, MISSILE SYSTEM: GENERAL SPECIFICATION FOR[CUST: MI 99] [REVIEW: 19 70 71 84 AR AT CR MC] | A | 1410 | | MI | 10-AUG-98 |
| A | MIL-C-3885F NOT 2 | CABLE ASSEMBLIES AND CORD ASSEMBLIES, ELECTRICAL[CUST: CR EC 11 GS2] [REVIEW: 19 99 AR AS AT CR4 EA MC MI OS] | A | 5995 | | GS2 | 26-OCT-05 |
| A | MS75027D NOT 2 | CABLE ASSEMBLIES AND CORD ASSEMBLIES, ELECTRICAL, USED WITH COMMUNICATION EQUIPMENTS, STANDARD TOLERANCES FOR[CUST: CR EC 11 GS2] | A | 5995 | | GS2 | 24-OCT-05 |
| | MS90384D NOT 3 | CABLE ASSEMBLIES, ELECTRIC POWER, PERMANENTLY WIRED, FOR PORTABLE GROUND SUPPORT TEST EQUIPMENT (PROCUREMENTS FOR MS90384-3 SHOULD REFER TO COMMERCIAL ITEM DESCRIPTION A-A-55812)[CUST: AS GS2] | A | 6150 | | GS2 | 18-JAN-00 |
| | MIL-C-63550E NOT 1 | CABLE ASSEMBLIES, ELECTRICAL, FABRICATION SPECIFICATION FOR[CUST: AR] | A | 1010 | | AR | 16-DEC-95 |
| | MIL-C-52286/3B NOT 3 | CABLE ASSEMBLIES, POWER ELECTRICAL, LIGHT EXTENSION[CUST: CR4] [REVIEW: AT] | A | 6150 | | GS2 | 09-DEC-03 |
| | MIL-C-52286C(1) NOT 3 | CABLE ASSEMBLIES, POWER, ELECTRICAL (WITH MOLDED ON TERMINATIONS)[CUST: CR4] [REVIEW: AT] | A | 6150 | | GS2 | 09-DEC-03 |
| | MIL-C-29184B SUP 1 NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS, GENERAL SPECIFICATION FOR[CUST: CR4 MC 99] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/1B NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE I, CLASS 1, 350 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/2B NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 100 AMPERE[CUST: CR4 MC 99] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/3B NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 60 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/5B NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 20 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/4B NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 30 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/7B NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 100 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/10B NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 60 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/16A NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 40 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/9B NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 100 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/12B NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 20 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/8B NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 60 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| | MIL-C-29184/11B NOT 2 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 30 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 71 MS] | A | 6150 | | GS2 | 16-APR-01 |
| A | MIL-C-55486B(1) NOT 2 | CABLE ASSEMBLY TELEPHONE CX-4566( )/G & CX-4760( )/U[CUST: CR GS2] [REVIEW: MC] | A | 5995 | | GS2 | 26-OCT-05 |
| | MIL-C-28777/1C(1) NOT 1 | CABLE ASSEMBLY, (TYPE I) ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 13 AMPERES, 50/60 HERTZ), GROUNDING PLUG CONNECTOR AND MIL-C-5015 CONNECTOR WITH CABLE CLAMP[CUST: CR EC 99] [REVIEW: 71 AS MC] | A | 6150 | | GS2 | 04-DEC-03 |
| | MIL-C-28777/2B NOT 1 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND TERMINAL LUGS[CUST: CR EC 99] [REVIEW: 71 AS MC] | A | 6150 | | GS2 | 04-DEC-03 |
| | MIL-C-28777/4C NOT 1 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50/60 HERTZ), GROUNDING PLUG CONNECTOR AND STRAIGHT MOLDED MIL-C-5015 CONNECTOR[CUST: CR EC 99] [REVIEW: 11 AS CC MC] | A | 6150 | | GS2 | 21-FEB-03 |
| | MIL-C-28777/13A NOT 1 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND TYPE I EQUIPMENT CONNECTOR[CUST: CR EC 99] [REVIEW: 71 AS MC] | A | 6150 | | GS2 | 04-DEC-03 |
| | MIL-C-28777/3C NOT 1 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND 90 DEGREE MOLDED MIL-C-5015 CONNECTOR[CUST: CR EC 99] [REVIEW: 11 AS CC MC] | A | 6150 | | GS2 | 21-FEB-03 |
| | MIL-C-28777/15 NOT 1 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (3 WIRES, 125 VOLTS, 400 HERTZ, 1 PHASE), GROUNDING CONNECTOR ADAPTER[CUST: CR EC 99] [REVIEW: 11 AS MC] | A | 6150 | | GS2 | 21-FEB-03 |
| | MIL-C-28777/14 NOT 1 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (3 WIRES, 7 PRONGS, 28 VOLTS DC), TYPE I PLUG CONNECTOR AND EQUIPMENT CONNECTOR[CUST: CR EC 99] [REVIEW: 11 AS MC] | A | 6150 | | GS2 | 21-FEB-03 |
| | MIL-C-28777/12A NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND TYPE I EQUIPMENT CONNECTOR[CUST: CR EC 99] [REVIEW: CC] | A | 6150 | | GS2 | 21-FEB-03 |
| | MIL-C-28777/10A NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 10 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND RIGHT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR[CUST: CR EC 99] [REVIEW: 71 AS MC] | A | 6150 | | GS2 | 04-DEC-03 |
| | MIL-C-28777A SUP 1A NOT 1 | CABLE ASSEMBLY, ELECTRONIC TEST EQUIPMENT, (3 WIRES, 125 AND 250 VOLTS AC AND 28 VOLTS DC) GROUNDING PLUG CONNECTOR GENERAL SPECIFICATION FOR[CUST: CR EC 99] [REVIEW: 71 AS MC] | A | 6150 | | GS2 | 04-DEC-03 |
| | MIL-C-70954 NOT 1 | CABLE ASSEMBLY, FLEXIBLE, REPAIRABLE, BRAIDED: 11829967[CUST: AR] | A | 6145 | | AR | 13-JAN-97 |
| | MIL-C-52286/6 NOT 3 | CABLE ASSEMBLY, POWER ELECTRICAL[CUST: CR4] [REVIEW: AT] | A | 6150 | | GS2 | 09-DEC-03 |
| | MIL-C-52286/7A NOT 3 | CABLE ASSEMBLY, POWER ELECTRICAL[CUST: CR4] [REVIEW: AT] | A | 6150 | | GS2 | 09-DEC-03 |
| | MIL-C-52286/18 NOT 3 | CABLE ASSEMBLY, POWER ELECTRICAL[CUST: CR4 GS2] [REVIEW: AT] | A | 6150 | | GS2 | 09-DEC-03 |
| | MIL-C-55481B NOT 2 | CABLE ASSEMBLY, POWER ELECTRICAL CX-7453( )/U CABLE ASSEMBLY, POWER ELECTRICAL CX-7705( )/U[CUST: CR] [REVIEW: CR4 GS] | A | 5995 | | CR | 29-MAR-96 |
| | MIL-C-52286/1B NOT 3 | CABLE ASSEMBLY, POWER ELECTRICAL, 2 CONDUCTOR, 100 FEET LONG, OVAL TERMINATIONS WITH 2 POLE CONNECTOR PLUG[CUST: CR4] [REVIEW: AT] | A | 6150 | | GS2 | 09-DEC-03 |
| | MIL-C-52286/2B NOT 3 | CABLE ASSEMBLY, POWER ELECTRICAL, 2 CONDUCTOR, 20 FEET LONG OVAL TERMINATIONS, WITH THREE - TWO POLE CONNECTORS[CUST: CR4] [REVIEW: AT] | A | 6150 | | GS2 | 09-DEC-03 |
| | MIL-C-52286/22 NOT 3 | CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER[CUST: CR4] [REVIEW: AT] | A | 6150 | | GS2 | 09-DEC-03 |
| | MIL-C-51385B NOT 1 | CABLE ASSEMBLY, POWER, ELECTRIC: ABCA-M168[CUST: EA] [REVIEW: GS] | A | 6665 | | EA | 28-SEP-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-52286/21 NOT 3 | CABLE ASSEMBLY, POWER, ELECTRICAL, ADAPTER[CUST: CR4 GS2] [REVIEW: AT] | A | 6150 | | GS2 | 09-DEC-03 |
| | MIL-C-22442/47 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), ADAPTER ASSEMBLY[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 14-NOV-88 |
| | MIL-C-22442/52 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), AH-LW[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 14-NOV-88 |
| | MIL-C-22442/34A | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CABLE[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 30-SEP-91 |
| | MIL-C-22442/10D | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4620/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 02-SEP-88 |
| | MIL-C-22442/11B | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4621/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 02-SEP-88 |
| | MIL-C-22442/13D | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4623/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 02-SEP-88 |
| | MIL-C-22442/14B(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4831/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 24-MAY-91 |
| | MIL-C-22442/15D(2) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4832A/AR[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 17-JUN-94 |
| | MIL-C-22442/16B | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-7888/AIC-22(V)[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 02-SEP-88 |
| | MIL-C-22442/17C | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-7889/AIC-22(V), CX-7890/AIC-22(V), AND CX-11754[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 02-SEP-88 |
| | MIL-C-22442/2C | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), MOLDED RUBBER CONNECTOR (QUICK DISCONNECT)[CUST: AS] [REVIEW: GS] | A | 5995 | | AS | 18-FEB-92 |
| | MIL-C-63085 NOT 4 | CABLE ASSEMBLY, ROCKET FOR DEMOLITION KIT, CRATERING, M180 ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 03-FEB-97 |
| | MS51334B NOT 1 | CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL - GENERATOR TO REGULATOR, 25 AND 40 AMP SYSTEM[CUST: AT] [REVIEW: CC] | A | 2920 | | AT | 06-FEB-98 |
| | MIL-C-82001E NOT 1 | CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL, INTERVEHICULAR (24 VOLT TO 12 VOLT REDUCTION)[CUST: YD CC] | A | 2590 | | CC | 27-APR-00 |
| A | MIL-C-55583B(1) NOT 3 | CABLE ASSEMBLY, SPECIAL PURPOSE,ELECTRICAL CX-11230( )/G CABLE ASSEMBLY ADAPTER CX-10734( )/G[CUST: CR GS2] | A | 5995 | | GS2 | 26-OCT-05 |
| | MIL-C-82614C NOT 1 | CABLE ASSEMBLY, TORPEDO CONTROL, MARK 6 MOD 0[CUST: OS] | A | 1355 | | OS | 10-JUL-99 |
| | MIL-C-13777/3A(1) NOT 1 | CABLE SPECIAL PURPOSE ELECTRICAL 16, 17, 19 AND 20 CONDUCTORS[CUST: AR SH 11 CC] [REVIEW: 19 CE CR MC MI] | A | 6145 | | CC | 01-JUL-02 |
| | MIL-DTL-442E | CABLE, (WIRE), TWO CONDUCTOR, PARALLEL[CUST: CR OS 11 CC] [REVIEW: AT CR4 MC MI] | A | 6145 | | CC | 10-NOV-00 |
| A | MIL-DTL-23020C | CABLE, COAXIAL (FOR SUBMARINE USE)[CUST: EC] | A | 6145 | | CC | 17-NOV-05 |
| | MIL-C-23020/1A NOT 2 | CABLE, COAXIAL (FOR SUBMARINE USE) TYPE RG-293A/U[CUST: EC] | A | 6145 | | CC | 17-JUL-03 |
| | MIL-C-23020/5A NOT 2 | CABLE, COAXIAL (FOR SUBMARINE USE) TYPE RG-317/U[CUST: EC] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-C-23020/6 NOT 2 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-14A/U[CUST: EC] | A | 6145 | | CC | 17-JUL-03 |
| | MIL-C-23020/7B NOT 2 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-17A/U[CUST: EC] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-C-23020/4A(1) NOT 2 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-264C/U[CUST: EC CC] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-C-23020/2A NOT 2 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-294A/U[CUST: EC] | A | 6145 | | CC | 17-JUL-03 |
| | MIL-C-23020/3 NOT 2 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-295/U[CUST: EC] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-C-82630 NOT 1 | CABLE, ELECTRIC, 65-CONDUCTOR[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-C-19787C(4) NOT 2 | CABLE, ELECTRIC, TORPEDO, 65 CONDUCTOR (FOR TORPEDO CONTROL, ELECTRIC SETTING)[CUST: OS] | A | 6145 | | OS | 22-APR-98 |
| | MIL-C-915/79B NOT 1 | CABLE, POWER ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE TPUM-6[CUST: MI SH] [REVIEW: AR CG CR CR4 EC IS] | A | 6145 | | SH | 16-FEB-00 |
| | MIL-C-915/89A NOT 1 | CABLE, POWER ELECTRICAL, ONE SHIELDED TWISTED PAIR NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1SPR-16[CUST: MI SH] [REVIEW: AR CG CR CR4 EC IS] | A | 6145 | | SH | 16-FEB-00 |
| | MIL-C-915/82A NOT 1 | CABLE, POWER ELECTRICAL, ONE TWISTED PAIR NO. 16 GAUGE FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1PR-16[CUST: MI SH] [REVIEW: AR CG CR CR4 EC IS] | A | 6145 | | SH | 16-FEB-00 |
| | MIL-C-915/88A NOT 1 | CABLE, POWER ELECTRICAL, SEVEN SHIELDED TWISTED PAIRS WITH OVERALL SHIELD, NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 7SPR-16S[CUST: MI SH] [REVIEW: AR CG CR CR4 EC IS] | A | 6145 | | SH | 16-FEB-00 |
| | MIL-C-915/83A NOT 1 | CABLE, POWER ELECTRICAL, SEVEN TWISTED PAIRS NO. 16 GAUGE FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 7PR-16[CUST: MI SH] [REVIEW: AR CG CR CR4 EC IS] | A | 6145 | | SH | 16-FEB-00 |
| | MIL-C-915/85A NOT 1 | CABLE, POWER ELECTRICAL, THREE TWISTED PAIRS NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 3PR-16[CUST: MI SH] [REVIEW: AR CG CR CR4 EC IS] | A | 6145 | | SH | 16-FEB-00 |
| | MIL-C-915/86A NOT 1 | CABLE, POWER ELECTRICAL, TWISTED QUAD NO. 16 GAUGE, FLUOROPOLYMER INSULATION FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1Q-16[CUST: MI SH] [REVIEW: AR CG CR CR4 EC IS] | A | 6145 | | SH | 16-FEB-00 |
| | MIL-C-915/87A NOT 1 | CABLE, POWER ELECTRICAL, TWISTED TRIAD, NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1TR-16[CUST: MI SH] [REVIEW: AR CG CR CR4 EC IS] | A | 6145 | | SH | 16-FEB-00 |
| | MIL-C-915/84A NOT 1 | CABLE, POWER ELECTRICAL, TWO SHIELDED TWISTED PAIRS NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 2SPR-16[CUST: MI SH] [REVIEW: AR CG CR CR4 EC IS] | A | 6145 | | SH | 16-FEB-00 |
| A | MIL-C-17/67C(1) NOT 2 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/067 RG177[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 22-NOV-05 |
| A | MIL-C-17/160B NOT 2 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/160-00001 (FOR NEW DESIGN USE MIL-C-17/212)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 22-NOV-05 |
| | MIL-C-17/163A NOT 1 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/163-00001 (FOR NEW DESIGN USE MIL-C-17/213)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 04-DEC-00 |
| A | MIL-C-17/165A NOT 2 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/165-00001 AND M17/165-00002 (FOR NEW DESIGN USE MIL-C-17/215)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 22-NOV-05 |
| A | MIL-C-17/166B NOT 2 | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/166-00001 (FOR NEW DESIGN USE MIL-C-17/216)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 22-NOV-05 |
| | MIL-DTL-28751A | CABLE, RADIO FREQUENCY RG-373/U[CUST: EC CC] | A | 6145 | | CC | 23-MAY-05 |
| | MIL-C-23806/1C NOT 1 | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 1/2 INCH, 50 AND 75 OHM, (RG-231A/U, RG-331/U, RG-334/U AND RG-335/U)[CUST: CR EC 11 CC] [REVIEW: 71 AR MC MS SA YD] | A | 6145 | | CC | 10-JUL-00 |
| | MIL-C-23806/2C NOT 1 | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 7/8 INCH, 50 AND 75 OHM, (RG-332/U, RG-333/U, RG-336/U, AND RG-306A/U)[CUST: CR EC 11 CC] [REVIEW: 71 AR MC MS SA YD] | A | 6145 | | CC | 10-JUL-00 |
| | MIL-C-23806A(2) NOT 1 | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, GENERAL SPECIFICATION[CUST: CR SH 11 CC] [REVIEW: 71 AR MC MD SA YD] | A | 6145 | | CC | 10-JUL-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-17/81C NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/81-00001 AND M17/81-00002 (ARMORED)[CUST: CR EC 11] [REVIEW: 19 99 AS IS MC OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/2A(2) NOT 3 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/2-RG6[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/29C(1) NOT 3 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/29-RG59[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 16-APR-03 |
| A | MIL-C-17/64B(3) NOT 2 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/64-RG-164, UNARMORED, M17/64-RG35, ARMORED (FOR NEW DESIGN USE MIL-C-17/209)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 22-NOV-05 |
| A | MIL-C-17/47C(1) NOT 2 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 185 OHMS, M17/47-RG114 (FOR NEW DESIGN USE MIL-C-17/208)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 22-NOV-05 |
| | MIL-C-17/157A NOT 2 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/157-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/30D NOT 2 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 93 OHMS, M17/30-RG062[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-15452C(3) NOT 2 | CABLE, SPECIAL PURPOSE (TOW), ELECTRICAL, COAXIAL, LEAD SHEATHED, NYLON COVERED[CUST: EC IS] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-C-23437E(1) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL[CUST: EC CC] | A | 6145 | | CC | 02-OCT-02 |
| | MIL-DTL-55040C | CABLE, SPECIAL PURPOSE, ELECTRICAL (RETRACTILE)[CUST: AR CC] [REVIEW: AT MI] | A | 6145 | | CC | 27-OCT-00 |
| | MIL-C-13777/4B(1) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL 21, 22, 24, 26, 27, 28, AND 32 CONDUCTORS[CUST: AR SH 11 CC] [REVIEW: AT CR CR4 MC MI] | A | 6145 | | CC | 01-JUL-02 |
| | MIL-DTL-2486D | CABLE, SPECIAL PURPOSE, ELECTRICAL WM-46/U[CUST: CR SH 11 CC] [REVIEW: MI] | A | 6145 | | CC | 07-MAR-03 |
| | MIL-C-49285/32 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, (LOW NOISE) ONE INDIVIDUALLY SHIELDED PAIR OF 24 (19 X 36) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-13777/1B(2) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, 2, 3, 4 AND 5 CONDUCTORS[CUST: AR SH 11 CC] [REVIEW: AT CR CR4 EC MC MI] | A | 6145 | | CC | 01-JUL-02 |
| | MIL-C-13777/2B(2) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, 6, 7, 8, 9, 10, 12, 13, AND 15 CONDUCTORS[CUST: AR SH 11 CC] [REVIEW: AT CR CR4 EC MC MI] | A | 6145 | | CC | 01-JUL-02 |
| | MIL-C-13777/6B(2) NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, 60, 65, AND 78 CONDUCTORS[CUST: AR SH 11 CC] [REVIEW: AT CR CR4 MC MI] | A | 6145 | | CC | 01-JUL-02 |
| | MIL-C-49285/9 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ELEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/8 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ELEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/17 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/2 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/25 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 20 (10 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/24 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FOUR INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 28) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-13777G(3) SUP 1 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, GENERAL SPECIFICATION FOR[CUST: AR AS 11 CC] [REVIEW: AT CR CR4 EC MC MI] | A | 6145 | | CC | 03-JUL-03 |
| | MIL-DTL-27072/88C | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-DTL-27072/89C | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SINGLE SHIELDED[CUST: CR SH 11 CC] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-C-49285/6 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 18 (16 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/3 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/23 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/5 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINETEEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/26 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 16 (19 X 29) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/1 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 18 (16 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/11 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 18 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/30 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 20 (7 X 28) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/14 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 20 (7 X 28) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/10 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/31 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/7 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 AWG SOLID WIRE[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-27072/37 NOT 6 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SHIELDED; TYPE I, STYLE 1, 19 CONDUCTORS (NO. 22 AWG)[CUST: MI] | A | 6145 | | MI | 16-MAR-05 |
| | MIL-DTL-27072/94C | CABLE, SPECIAL PURPOSE, ELECTRICAL, SINGLE CONDUCTOR, SINGLE SHIELDED (FOR NEW DESIGN USE MIL-C-55021/2)[CUST: CR SH 11] | A | 6145 | | CC | 08-DEC-00 |
| | MIL-C-49285/4 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/18 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/38 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG WIRE[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/21 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED CONDUCTORS OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/16 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/12 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-49285/35 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/22 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWELVE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/15 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWENTY-SEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/20 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/19 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO PAIRS OF 20 (7 X 28) AWG, ONE PAIR INDIVIDUALLY SHIELDED[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-49285/28 NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO PAIRS OF 25 (7 X 33) AWG, ONE PAIR INDIVIDUALLY SHIELDED[CUST: CR SH 11 IS] [REVIEW: 71 MI] | A | 6145 | | CC | 04-FEB-03 |
| | MIL-C-13777/5C(1) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL: 34, 36, 37, 39, 40, 42, 46, 47 AND 52 CONDUCTORS[CUST: AR SH 11 CC] [REVIEW: 19 CE CR MC MI OS] | A | 6145 | | CC | 01-JUL-02 |
| | MIL-DTL-49104A | CABLE, TELEPHONE WD-1A/TT (FIELD WIRE, PARALLEL PAIR)[CUST: CR] | A | 6145 | | CC | 27-OCT-00 |
| A | MIL-DTL-55425D | CABLE, TELEPHONE WF-16( )/U[CUST: CR CC] | A | 6145 | | CC | 19-AUG-05 |
| A | MIL-DTL-55036B | CABLE, TELEPHONE, WM 130( )/G[CUST: CR CC] | A | 6145 | | CC | 12-OCT-05 |
| | MIL-C-82629 NOT 1 | CABLE, TORPEDO CONTROL, TYPE (B), MK 7 MODS 0, 1, AND 2[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-DTL-49055/1D NOT 1 | CABLES, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), (WIRE SIZE 26, 7/34 OR 28, 7/36 STRANDING)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC MC MI OS SH] | A | 6145 | | CC | 24-JUN-05 |
| M | MIL-DTL-49055D | CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC MI OS SH] | A | 6145 | | CC | 27-FEB-06 |
| | MIL-C-17/79D(2) NOT 1 | CABLES, RADIO FREQUENCY FLEXIBLE, COAXIAL, 50 OHMS UNARMORED M17/79-RG218, AND ARMORED M17/79-RG219[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 23-MAY-02 |
| | MIL-C-17/31B(1) NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 125 OHMS, M17/31-RG63, UNARMORED, 17/31-RG79, ARMORED[CUST: CR EC 11] [REVIEW: 19 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 04-DEC-00 |
| | MIL-C-17/167B NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/167-000001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/6B(2) NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS M17/6-RG11, UNARMORED, M17/6-RG12, ARMORED[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/119G NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/119-RG174[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/155A NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/155-00001[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/161(2) NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/161-00001 AND M17/161-00002[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 23-MAY-02 |
| | MIL-C-17/162A NOT 4 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/162-00001 (FOR NEW DESIGN USE MIL-17/199)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-C-17/173A NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/173-00001 (FOR NEW DESIGN USE MIL-C-17/217)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH TD] | A | 6145 | | CC | 04-DEC-00 |
| | MIL-C-17/28C NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/28-RG058[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/54B NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/54-RG122[CUST: CR SH 11] [REVIEW: 19 99 AR AS AT CR4 EC IS MC MI OS] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/72C(1) NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/72-RG211[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 MC MD MI OS SH] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/73B NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/73-RG212[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/78C NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/78-RG217 AND M17/78-00001 (TEMPERATURE STABILIZED)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH YD] | A | 6145 | | CC | 16-APR-03 |
| | MIL-C-17/84B(1) NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/84-RG223[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/74C NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, UNARMORED M17/74-RG213, AND ARMORED M17/74-RG215[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/77C NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 75 OHMS, M17/77-RG216[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| A | MIL-C-17/126B NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, LOW NOISE, 72 OHMS, M17/126-RG391 (UNARMORED), M17/126-RG392 (ARMORED) (FOR NEW DESIGN USE MIL-C-17/211)[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS] | A | 6145 | | CC | 22-NOV-05 |
| | MIL-C-17/45E NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 78 OHMS, M17/45-RG108[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-17/15B NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 95 OHMS, UNARMORED, M17/15-RG022 AND ARMORED, M17/15-RG111[CUST: CR EC 11] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-JUN-01 |
| | MIL-C-49285(1) SUP 1 NOT 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL, ALUMINUM FOIL SHIELDED PAIRS, TRIPLETS, OR QUADS GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC] [REVIEW: MI] | A | 6145 | | CC | 02-OCT-02 |
| | MIL-DTL-55446B | CABLES, TELEPHONE, SWITCHBOARD: PLASTIC INSULATED, PLASTIC JACKETED[CUST: CR 11 CC] [REVIEW: 99] | A | 6145 | | CC | 27-OCT-00 |
| | MIL-STD-870B NOT 1 | CADMIUM PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION[Military Standard][CUST: 99] | A | MFFP | | 70 | 09-DEC-96 |
| | MIL-STD-1500B NOT 1 | CADMIUM-TITANIUM PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION[Military Standard][CUST: 99] | A | MFFP | | 70 | 09-DEC-96 |
| | MIL-C-14264A NOT 2 | CALCIUM PHOSPHATE, TRIBASIC, TECHNICAL[CUST: EA 68] [REVIEW: AR GS] | A | 6810 | | EA | 12-JUL-04 |
| | JAN-C-263 NOT 3 | CALCIUM STEARATE[CUST: AR OS] [REVIEW: EA GS] | A | 6810 | | AR | 08-APR-98 |
| | MIL-C-51327(2) NOT 1 | CALCULATOR SET, NUCLEAR, M28A1[CUST: EA] [REVIEW: GS] | A | 6665 | | EA | 28-SEP-95 |
| | MIL-C-51212B(1) NOT 1 | CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, LINE SOURCE, ABC-M3[CUST: EA 99] [REVIEW: 71 GS] | A | 6665 | | EA | 19-APR-96 |
| | MIL-C-51212B(I2) NOT 1 | CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, LINE SOURCE, ABCA-M3[CUST: EA] | A | 6665 | | EA | 19-APR-96 |
| | MIL-C-51211B(1) NOT 1 | CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, POINT SOURCE, ABC-M2[CUST: EA 99] [REVIEW: GS] | A | 6665 | | EA | 19-APR-96 |
| | MIL-C-51326(2) NOT 1 | CALCULATOR, NUCLEAR YIELD, M4A1[CUST: EA] [REVIEW: GS] | A | 6665 | | EA | 28-SEP-95 |
| | MIL-P-48283 NOT 2 | CALIBRATION PLUG[CUST: AR] | A | 1345 | | AR | 30-OCT-97 |
| | MIL-C-15306/3 NOT 1 | CALL SIGNAL STATIONS TA-975/WTC2, FRONT CRANK[CUST: SH] | A | 5805 | | SH | 10-JUL-99 |
| | MIL-STD-1454 NOT 2 | CALORIMETRY FOR THERMAL BATTERY HEAT SOURCES TEST AND CALIBRATION PROCEDURES[Military Standard][CUST: AR] | A | MISC | | AR | 20-DEC-02 |
| | MIL-C-85437B NOT 1 | CAMERA SET, TELEVISION, AN/AXX-1[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 15-SEP-99 |
| | MIL-C-52765E NOT 1 | CAMOUFLAGE SCREENING SUPPORT SYSTEMS[CUST: CR4] | A | 1080 | | CR4 | 09-MAY-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-53004B NOT 1 | CAMOUFLAGE SCREENING SYSTEMS, MODULAR, LIGHTWEIGHT, SYNTHETIC, WOODLAND, DESERT AND SNOW[CUST: CR4 MC 99] [REVIEW: YD] | A | 1080 | | CR4 | 18-JUL-97 |
| | MIL-C-44340A NOT 1 | CAN, TRAY PACK[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8110 | | GL | 15-AUG-97 |
| | MIL-C-51507C(2) NOT 3 | CANISTER AND COMPONENTS, M825[CUST: EA] | X | 1320 | | EA | 16-JUL-04 |
| | MIL-C-48666B(2) NOT 1 | CANISTER ASSEMBLY, M87 LOADING, ASSEMBLING AND PACKING OF[CUST: AR] [REVIEW: GS] | D | 8140 | | AR | 12-JUL-96 |
| | MIL-C-70660B(1) NOT 1 | CANISTER ASSEMBLY, M88 LOADING, ASSEMBLING AND PACKING OF[CUST: AR] | D | 1345 | | AR | 19-AUG-97 |
| | MIL-C-64006B NOT 2 | CANISTER LOADING ASSEMBLY FOR, PROJECTILE, 155MM, SMOKE, M825[CUST: EA] | A | 1320 | | EA | 19-JUL-04 |
| | MIL-C-63418(2) NOT 2 | CANISTER SMOKE, ASSEMBLY PARTS FOR ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 13-FEB-96 |
| | MIL-C-51508A(3) NOT 2 | CANISTER, 155MM, WP (FOR THE M825 PROJECTILE)[CUST: EA] | X | 1320 | | EA | 16-JUL-04 |
| | MIL-C-10082C NOT 1 | CANISTER, PARTICULATE, M14[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 05-MAR-96 |
| | MIL-C-51360B NOT 2 | CANISTER, SMOKE, HC, 105MM, PROJECTILE, M1[CUST: EA] | A | 1315 | | EA | 13-JUL-04 |
| | MIL-C-51361B(1) NOT 2 | CANISTER, SMOKE, HC, 105MM, PROJECTILE, M1, COMPONENTS FOR[CUST: EA] | A | 1315 | | EA | 13-JUL-04 |
| | MIL-C-3120F NOT 2 | CANISTER, SMOKE, HC, 155MM PROJECTILE, M1 AND M2[CUST: EA] | A | 1320 | | EA | 08-JUL-04 |
| | MIL-C-51358A(1) NOT 2 | CANISTER, SMOKE, HC, 155MM, PROJECTILE, M1 AND M2, COMPONENTS FOR[CUST: EA] | A | 1320 | | EA | 13-JUL-04 |
| | MIL-C-45504E NOT 1 | CANNON, 105MM GUN: M68 CANNON, 105MM GUN: M68A1[CUST: AR] | A | 1015 | | AR | 28-NOV-95 |
| | MIL-C-45526B(1) NOT 1 | CANNON, 105MM HOWITZER, M103[CUST: AR] | A | 1015 | | AR | 30-OCT-97 |
| | MIL-C-45978A NOT 1 | CANNON, 105MM HOWITZER: M205[CUST: AR] | A | 1015 | | AR | 22-JUL-96 |
| | MIL-C-14384D NOT 1 | CANNON, 105MM HOWITZER: M2A2[CUST: AR] | A | 1015 | | AR | 08-AUG-97 |
| | MIL-C-45579C NOT 1 | CANNON, 105MM HOWITZER: M137A1[CUST: AR] | A | 1015 | | AR | 18-JUL-96 |
| | MIL-C-14383D NOT 4 | CANNON, 106MM RECOILLESS RIFLE: M206 AND M206A1[CUST: AR] | A | 1015 | | AR | 14-MAR-97 |
| | DOD-C-70429A(2) NOT 5 | CANNON, 120MM GUN: M256[CUST: AR] | B | 1015 | | AR | 20-DEC-02 |
| | MIL-C-45574B NOT 1 | CANNON, 152MM GUN-LAUNCHER: M81E1 AND M162 (INCLUDING BREECH MECHANISMS)[CUST: AR] | A | 1025 | | AR | 18-JUL-96 |
| | MIL-C-11605B(1) NOT 1 | CANNON, 155MM GUN M46[CUST: AR] | A | 1025 | | AR | 11-DEC-95 |
| | MIL-C-14027A(1) NOT 1 | CANNON, 155MM HOWITZER, M45[CUST: AR] | A | 1025 | | AR | 08-AUG-97 |
| | MIL-C-45525B NOT 3 | CANNON, 155MM HOWITZER: M126A1[CUST: AR] | A | 1025 | | AR | 12-AUG-97 |
| | MIL-C-45964B(1) NOT 1 | CANNON, 155MM HOWITZER: M185[CUST: AR] | A | 1025 | | AR | 12-AUG-97 |
| | MIL-C-45975B(1) NOT 1 | CANNON, 155MM HOWITZER: M199[CUST: AR] | A | 1025 | | AR | 12-AUG-97 |
| | MIL-C-12684D NOT 1 | CANNON, 155MM HOWITZER: M1A1 CANNON, 155MM HOWITZER: M1A2[CUST: AR] | A | 1025 | | AR | 08-AUG-97 |
| | MIL-C-70822(1) NOT 1 | CANNON, 155MM HOWITZER: M284[CUST: AR] | A | 1025 | | AR | 10-JAN-97 |
| | MIL-C-45573C NOT 1 | CANNON, 165MM GUN: M135[CUST: AR] | A | 1025 | | AR | 11-DEC-95 |
| | MIL-C-13678B NOT 3 | CANNON, 37MM GUN, SUBCALIBER: M13 (NO S/S DOCUMENT)[CUST: AR] | A | 1010 | | AR | 29-NOV-95 |
| | MIL-C-14385D NOT 1 | CANNON, 40MM DUAL AUTOMATIC GUN: M2A1 AND CLIP, CHARGER: M3[CUST: AR] | A | 1010 | | AR | 29-NOV-95 |
| | MIL-C-11927D NOT 3 | CANNON, 90MM. M41[CUST: AR] | A | 1015 | | AR | 14-MAR-97 |
| | MIL-C-17376/3 NOT 2 | CAP AND FLANGES, COMPRESSED-GAS CYLINDER: FLANGE, HIGH PRESSURE[CUST: MD SH 68 GS7] [REVIEW: MC] | A | 8120 | | GS7 | 11-JUN-02 |
| | MS27566H | CAP ASSEMBLY, LIQUID OXYGEN FILL VALVE[CUST: AS 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 15-NOV-00 |
| | MIL-C-11762B(1) NOT 2 | CAP, BLASTING, ELECTRIC INERT, ASSEMBLY[CUST: AR] | A | 1375 | | AR | 27-MAR-98 |
| | MIL-C-46915 NOT 2 | CAP, BLASTING, ELECTRIC, M6 INERT ASSEMBLY[CUST: AR] | A | 1375 | | AR | 13-FEB-97 |
| | MIL-C-46916C(2) NOT 1 | CAP, BLASTING, NON-ELECTRIC INERT[CUST: AR] | A | 1375 | | AR | 13-FEB-97 |
| | MIL-C-14003A NOT 2 | CAP, BLASTING, SPECIAL[CUST: AR OS] [REVIEW: CR4 MC] | A | 1375 | | AR | 14-MAR-97 |
| | MIL-C-38373B(2) NOT 3 | CAP, FLUID TANK FILLER[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1560 | | 70 | 31-JAN-98 |
| | MS35645F NOT 1 | CAP, FUEL TANK, TACTICAL VEHICLE, FORDING[CUST: AT MC 99 CC] [REVIEW: 70 MI] | A | 2910 | | CC | 22-JAN-99 |
| | MS53075B NOT 1 | CAP, FUEL TANK-TACTICAL VEHICLE, NON-VENTED[CUST: AT MC 99 CC] [REVIEW: CR4 MI] | A | 2910 | | CC | 22-JAN-99 |
| | MIL-C-45300B(1) NOT 1 | CAP, FUEL TANK: FOR MILITARY COMBAT AND TACTICAL TRANSPORT VEHICLES[CUST: AT MC 99 CC] [REVIEW: 70 GL MI] | A | 2910 | | CC | 22-JAN-99 |
| | MS51300E NOT 1 | CAP, FUEL TANK: COMBAT VEHICLE, SPILL-PROOF[CUST: AT MC 99 CC] [REVIEW: 70 MI] | A | 2910 | | CC | 22-JAN-99 |
| | MS20813E NOT 1 | CAP, HIGH-PRESSURE AIR VALVE[CUST: AV AS 99] [REVIEW: GS] | A | 1650 | | 71 | 05-APR-96 |
| | MS24529B NOT 1 | CAP, LUBRICATION FITTING, PROTECTIVE[CUST: AR 99 CC] | A | 4730 | | CC | 05-MAR-99 |
| | MIL-C-18636A NOT 1 | CAP, PROTECTING, WATERPROOF (PROJECTILE FUZE COVERS)[CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 10-JUL-99 |
| | MS51924A NOT 1 | CAP, RIVET[CUST: AR YD IS] [REVIEW: CR GL MC MI] | A | 5320 | | IS | 01-OCT-97 |
| | MIL-C-48152 NOT 2 | CAP, SPIKE, FOR CARTRIDGE, 105MM, HEAT-T, M456A1E1[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-C-48072 NOT 2 | CAP, WINDSHIELD ASSEMBLY, METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 13-FEB-97 |
| | MS27417(1) NOT 2 | CAP-PROPELLER SHAFT THREAD, SHIPPING[CUST: 99 IS] | A | 5340 | | IS | 30-NOV-01 |
| | MIL-DTL-3965H | CAPACITOR, FIXED ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS SH] | A | 5910 | | CC | 25-FEB-04 |
| | MIL-C-11015/2D | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK22[CUST: CR EC 11 CC] [REVIEW: 19 MC MI] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/21F | CAPACITORS, FIXED CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK64, CK65, CK66, CK67, CK68, AND CK69[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS SH] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015E SUP 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/13E | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (FEED-THRU), STYLE CK70[CUST: CR EC 11 CC] [REVIEW: 19 MC MI] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/11F | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) STYLE CK62[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS SH] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/29E | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU OR STAND-OFF) STYLES CK74, CK75, CK78, CK79 AND CK85[CUST: EC CC] | A | 5910 | | CC | 13-JUN-02 |
| | MIL-C-11015/32B | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU) STYLE CK99[CUST: EC 11 CC] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/23D | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU), STYLE CK72[CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI OS SH] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/18E | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK05[CUST: CR EC 11 CC] [REVIEW: 19 MC MI] | A | 5910 | | CC | 14-MAY-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-11015/19E | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK06[CUST: CR EC 11 CC] [REVIEW: 19 AR EA MC MI] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/4D | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK27[CUST: CR EC 11 CC] [REVIEW: 19 MC MI] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/9F | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK60[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS SH] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/10F | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK61[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS SH] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/12F | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK63[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS SH] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/20D | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK12, CK13, CK14, CK15, AND CK16[CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI OS SH] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-11015/25C | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE) STYLE CK31 AND CK32[CUST: EC 11 CC] | A | 5910 | | CC | 14-MAY-01 |
| | MIL-C-39018/10A | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE)(POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR92 (INSULATED)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CC | 24-JUN-04 |
| | MIL-C-62E SUP 1 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINIM, DRY ELECTROLYTE, POLARIZED), GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC OS] | A | 5910 | | CC | 12-FEB-04 |
| | MIL-C-62/2C | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE12 AND CE13[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV CR4 MC MI OS SH] | A | 5910 | | CC | 06-FEB-04 |
| | MIL-C-62/6C | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE41 AND CE44[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS] | A | 5910 | | CC | 12-FEB-03 |
| | MIL-C-62/8D | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE51 AND CE56[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS] | A | 5910 | | CC | 12-FEB-03 |
| | MIL-C-62/7C | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE42 AND CE45[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS] | A | 5910 | | CC | 12-FEB-03 |
| | MIL-C-62/5C | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE33 AND CE36[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS] | A | 5910 | | CC | 12-FEB-03 |
| | MIL-C-62/3C | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE31 AND CE34[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS] | A | 5910 | | CC | 12-FEB-03 |
| | MIL-C-62/10D | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE53 AND CE58[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS] | A | 5910 | | CC | 12-FEB-03 |
| | MIL-C-62/1C | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE10 AND CE11[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS] | A | 5910 | | CC | 06-FEB-04 |
| | MIL-C-62/11D | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE63 AND CE64[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS] | A | 5910 | | CC | 12-FEB-03 |
| | MIL-C-62/9D | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE52 AND CE57[CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS] | A | 5910 | | CC | 12-FEB-03 |
| | MIL-C-62/12F | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE70 AND CE71[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH] | A | 5910 | | CC | 26-AUG-04 |
| | MIL-DTL-3965/24B | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG) - 85 DEC. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL66 AND CL67[CUST: CR EC 11 CC] | A | 5910 | | CC | 19-AUG-02 |
| | MIL-PRF-39006/9F | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 C (VOLTAGE DERATED TO 125 C), ESTABLISHED RELIABILITY, STYLE CLR65[CUST: CR EC 11] [REVIEW: 19 AS MC OS] | A | 5910 | | CC | 09-DEC-04 |
| | MIL-PRF-39006/21B | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG) (EXTENDED RANGE), 85 C (VOLTAGE DERATED TO 125 C), ESTABLISHED RELIABILITY, STYLE CLR69[CUST: CR EC 11] [REVIEW: 19 AS MC OS] | A | 5910 | | CC | 09-DEC-04 |
| | MIL-PRF-39003/4E | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR91[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5910 | | CC | 09-JAN-02 |
| | MIL-C-11272/13B | CAPACITORS, FIXED, GLASS DIELECTRIC STYLE CY06[CUST: EC 11 CC] [REVIEW: 19 99] | A | 5910 | | CC | 07-FEB-03 |
| | MIL-C-11272D(1) SUP 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 MC MI] | A | 5910 | | CC | 22-AUG-03 |
| | MIL-C-11272/1D | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY10[CUST: CR EC 11 CC] [REVIEW: 99 IS MI] | A | 5910 | | CC | 07-FEB-03 |
| | MIL-C-11272/2E | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY15[CUST: CR EC 11] [REVIEW: 99 IS MI] | A | 5910 | | CC | 07-FEB-03 |
| | MIL-C-11272/14B | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY07[CUST: EC 11 CC] [REVIEW: 19 99] | A | 5910 | | CC | 07-FEB-03 |
| | MIL-C-11272/15B | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CYO8[CUST: EC 11 CC] [REVIEW: 19 99] | A | 5910 | | CC | 07-FEB-03 |
| | MIL-C-18312/2C | CAPACITORS, FIXED, METALLIZED (PAPER-PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CH09[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] | A | 5910 | | CC | 27-AUG-01 |
| | MIL-C-18312/5C | CAPACITORS, FIXED, METALLIZED (PAPER-PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CH54[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] | A | 5910 | | CC | 27-AUG-01 |
| | MIL-C-18312F | CAPACITORS, FIXED, METALLIZED (PAPER-PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI OS] | A | 5910 | | CC | 27-AUG-01 |
| | MIL-C-18312/3C | CAPACITORS, FIXED, METALLIZED (PAPER-PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CH12[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] | A | 5910 | | CC | 27-AUG-01 |
| | MIL-C-18312/4C | CAPACITORS, FIXED, METALLIZED (PAPER-PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CH53[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] | A | 5910 | | CC | 27-AUG-01 |
| | MIL-PRF-39022/10A(1) | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY, STYLE CHR10 (INSULATED)[CUST: EC 11 CC] | A | 5910 | | CC | 15-NOV-02 |
| | MIL-C-5F | CAPACITORS, FIXED, MICA DIELECTRIC, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS] | A | 5910 | | CC | 15-DEC-03 |
| | MIL-C-5/1G | CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM15[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5910 | | CC | 15-DEC-03 |
| | MIL-C-5/18E | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM04, CM05, CM06, CM07, CM08, CM09, CM10, CM11, CM12, AND CM13[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-C-25/4E | CAPACITORS, FIXED, PAPER OR PLASTIC DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP53, CP54, AND CP55[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC MI OS] | A | 5910 | | CC | 12-JAN-04 |
| | MIL-C-25/6D | CAPACITORS, FIXED, PAPER OR PLASTIC DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP67 AND CP69[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MI OS] | A | 5910 | | CC | 12-JAN-04 |
| | MIL-C-25E | CAPACITORS, FIXED, PAPER OR PLASTIC DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS] | A | 5910 | | CC | 12-JAN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-19978/18B | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR43[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV MC MI OS SH] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-C-19978/16B | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR39[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV MC MI OS SH] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-C-19978/20A | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED), (HERMETICALLY SEALED IN METAL CASES), STYLE CQ10[CUST: CR EC 11 CC] [REVIEW: AR AS MI] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-C-19978/12B | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED), (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR19[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV MC MI OS SH TD] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-C-19978/21A | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED), (HERMETICALLY SEALED IN METAL CASES), STYLE CQ11[CUST: CR EC 11 CC] [REVIEW: AR AS MI] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-C-19978/17B | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED), (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR42[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV MC MI OS SH] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-C-19978/19C | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED), (HERMETICALLY SEALED IN METAL CASES), STYLE CQ05[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV MC MI OS SH TD] | A | 5910 | | CC | 18-JUN-01 |
| | MIL-PRF-14409/1B | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC35[CUST: CR EC 11 CC] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-PRF-14409/3C | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC37[CUST: CR EC 11] [REVIEW: AS MC OS] | A | 5910 | | CC | 25-JUL-01 |
| | MIL-C-17376E NOT 4 | CAPS AND FLANGES, COMPRESSED-GAS CYLINDER, GENERAL SPECIFICATION FOR[CUST: CR4 YD 68 GS7] [REVIEW: MC MD] | A | 8120 | | GS7 | 28-FEB-03 |
| | MIL-C-17376/1 NOT 3 | CAPS AND FLANGES, COMPRESSED-GAS CYLINDER: CAPS[CUST: CR4 YD 68 GS7] [REVIEW: MC MD] | A | 8120 | | GS7 | 28-FEB-03 |
| | MIL-C-17376/2 NOT 3 | CAPS AND FLANGES, COMPRESSED-GAS CYLINDER: FLANGES, LOW PRESSURE[CUST: CR4 YD 68 GS7] [REVIEW: MC MD] | A | 8120 | | GS7 | 28-FEB-03 |
| | MIL-C-85077 NOT 2 | CAPS, BLASTING, SPECIAL[CUST: AS] | A | 1375 | | AS | 11-SEP-96 |
| | MIL-C-70599A(1) NOT 1 | CARBINE, 5.56MM: M4[CUST: AR] | A | 1005 | | AR | 27-FEB-97 |
| | MIL-C-71186(1) NOT 1 | CARBINE, 5.56MM: M4A1[CUST: AR] | A | 1005 | | AR | 18-AUG-97 |
| | MS3398 NOT 1 | CARD-HUMIDITY-INDICATING COLOR COMPARISON[CUST: CR4 AS 99] [REVIEW: GS] | A | 6685 | | AS | 04-SEP-96 |
| | MIL-STD-1325-167 NOT 2 | CARLOADING FIN ASSEMBLY, BOMB FOR 2000 LB G.P. BOMB MK 84 IN CRATE MK 13 MOD 1 FLEET UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1325-166 NOT 2 | CARLOADING FIN ASSEMBLY, BOMB, MK15 AND MODS (SNAKEYE) IN PALLET ADAPTER ADU-383/E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-C-45987A(1) NOT 1 | CARRIAGE, 155MM HOWITZER. M39[CUST: AR] | A | 1025 | | AR | 11-DEC-95 |
| | MIL-C-51475 NOT 3 | CARRIER ASSEMBLY[CUST: EA] | A | 1040 | | EA | 14-JUL-04 |
| | MIL-C-62748 NOT 1 | CARRIER, 120 MM MORTAR: M1064A3[CUST: AT] | A | 2350 | | AT | 05-JAN-98 |
| | MIL-C-62310A NOT 2 | CARRIER, ARMORED, FULL TRACKED, M113A2, M106A2, M125A2, AND M577A2, AND CHASSIS, WEAPON, FULL TRACKED, M741A1, AND M901[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-C-62746 NOT 1 | CARRIER, ARMORED, FULL-TRACKED: M113A3[CUST: AT] | A | 2350 | | AT | 13-DEC-96 |
| | MIL-C-62326B NOT 1 | CARRIER, CARGO AND PASSENGER, FULL TRACKED, ALL-TERRAIN, GASOLINE ENGINE DRIVEN, COMMERCIAL[CUST: AT YD] | A | 2350 | | AT | 30-OCT-95 |
| | MIL-C-62500(2) NOT 1 | CARRIER, ELECTRONIC WARFARE SYSTEM, FULL-TRACKED: M1015A1[CUST: AT] | A | 2350 | | AT | 13-DEC-96 |
| | MIL-C-14041B(4) NOT 2 | CARRIER, HOSPITAL PROTECTOR HEADPIECE, M12[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 28-JUL-04 |
| | MIL-C-26339C NOT 2 | CARRIER, PASSENGER, CARGO, UTILITY, FULL TRACKED, OVER-THE-SNOW TYPE[CUST: AT YD 99] | A | 2320 | | 84 | 22-FEB-96 |
| | MIL-C-62747 NOT 1 | CARRIER-CARGO, TRACKED, 6 TON-M548A3[CUST: AT] | A | 2350 | | AT | 05-JAN-98 |
| | MIL-C-48697(5) NOT 1 | CARTRIDGE 60MM, TP, M50A3 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 31-MAY-00 |
| | MIL-C-64031 NOT 1 | CARTRIDGE ASSEMBLY, 12GAGE LOADING, ASSEMBLING AND PACKING[CUST: AR] | F | 1345 | | AR | 19-AUG-97 |
| | MIL-C-63133(3) NOT 2 | CARTRIDGE CASE LOADING ASSEMBLY, M118 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 08-SEP-00 |
| | MIL-C-60452A(2) NOT 2 | CARTRIDGE CASE LOADING ASSEMBLY, M195 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 09-FEB-96 |
| | MIL-C-70552 NOT 1 | CARTRIDGE CASE, 20MM, EMPTY, PRIMED[CUST: AR] | A | 1305 | | AR | 14-FEB-96 |
| | MIL-C-18760 NOT 1 | CARTRIDGE CASE, BRASS 8-INCH MARK 1 MOD 3 (55 CALIBER)[CUST: OS] | A | 1320 | | OS | 21-AUG-90 |
| | MIL-C-18757/1B NOT 1 | CARTRIDGE CASE, STEEL, 40-MILLIMETER, MK 3 MOD 0[CUST: OS] | A | 1310 | | OS | 10-JUL-99 |
| | MIL-C-18757/3(2) NOT 1 | CARTRIDGE CASE, STEEL, 5 INCH, MARK 10 ALL MODS (38 CALIBER)[CUST: OS] | A | 1320 | | OS | 10-JUL-99 |
| | MIL-C-50765(1) NOT 1 | CARTRIDGE DELAY, CCU-17/B, CCU-18/B, CCU-19/B, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-27556A NOT 3 | CARTRIDGE KIT, PARACHUTE EJECTION MLU-14/B AND CARTRIDGE KIT, PARACHUTE EJECTION MLU-15/B[CUST: 99] | A | 1377 | | 70 | 04-APR-98 |
| | MIL-C-22016(3) NOT 2 | CARTRIDGE, (STANDARD), MARTIN-BAKER MK5, EJECTION SEAT[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46216B(3) NOT 2 | CARTRIDGE, 105MM, APDS-T, M392A2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-C-48237(3) NOT 1 | CARTRIDGE, 105MM, APDS-T, M728 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 07-FEB-96 |
| | MIL-C-14747(5) NOT 2 | CARTRIDGE, 105MM, APERS-T, M494 FOR 105MM GUN M68 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-C-46229C(2) NOT 2 | CARTRIDGE, 105MM, BLANK, M395 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-FEB-97 |
| | MIL-C-63344 NOT 2 | CARTRIDGE, 105MM, CLEARING LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 13-FEB-96 |
| | MIL-C-48135(2) NOT 1 | CARTRIDGE, 105MM, HE M1, (MOD) LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-C-45195E(3) NOT 1 | CARTRIDGE, 105MM, HE, M1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 08-FEB-96 |
| | MIL-C-48060 NOT 4 | CARTRIDGE, 105MM, HE, M444E1, FUSIBLE PLUG ASSEMBLY FOR[CUST: AR] | A | 1315 | | AR | 13-FEB-97 |
| | MIL-P-70528(2) NOT 1 | CARTRIDGE, 105MM, HE, RA, M913/XM927 DELAY ASSEMBLY PARTS FOR[CUST: AR] | A | 1315 | | AR | 21-AUG-98 |
| | MIL-C-60932(1) NOT 2 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 11-DEC-95 |
| | MIL-C-60457(1) NOT 2 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548, BODY, MOTOR FOR[CUST: AR] | A | 1315 | | AR | 18-AUG-97 |
| | MIL-C-60458(1) NOT 2 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548, DELAY ASSEMBLY FOR[CUST: AR] | A | 1315 | | AR | 18-AUG-97 |
| | MIL-C-60459 NOT 1 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548, ROCKET PROPELLANT GRAIN FOR[CUST: AR] | A | 1315 | | AR | 09-FEB-96 |
| | MIL-C-50443 NOT 3 | CARTRIDGE, 105MM, HE. M444E1, BODY ASSEMBLY AND BASE PLUG FOR[CUST: AR] | A | 1315 | | AR | 13-AUG-97 |
| | MIL-C-20354C(3) NOT 1 | CARTRIDGE, 105MM, ILLUMINATING, M314A3, LOADING, ASSEMBLING AND PACKAGING[CUST: AR] | A | 1315 | | AR | 02-OCT-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-60380A(1) NOT 2 | CARTRIDGE, 105MM, SEMI FIXED, SMOKE, WP, M60 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 27-AUG-97 |
| | MIL-C-20418C NOT 1 | CARTRIDGE, 105MM, SMOKE HC, BE, M84A1 LOADING, ASSEMBLING, MARKING AND PACKING[CUST: AR] | X | 1315 | | AR | 19-AUG-97 |
| | MIL-C-48353 NOT 3 | CARTRIDGE, 105MM, SMOKE WP, M60A2, (MOD) W/FUZE, M557 FOR HOWITZER, M137 LOADING ASSEMBLING AND PACKING[CUST: EA] | A | 1315 | | EA | 12-JUL-04 |
| | MIL-C-63526 NOT 1 | CARTRIDGE, 105MM, TANK GUN FLASH SIMULATOR, XM23[CUST: AR] | A | 1315 | | AR | 13-FEB-96 |
| | MIL-C-63261(2) NOT 2 | CARTRIDGE, 105MM, TNT, HE, M760 LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1315 | | AR | 11-DEC-95 |
| | MIL-C-63527 NOT 1 | CARTRIDGE, 105MM, TP-T, M393A1 CONVERSION[CUST: AR] | A | 1315 | | AR | 19-AUG-97 |
| | MIL-C-46665A(1) NOT 2 | CARTRIDGE, 105MM, TP-T, M467 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-C-63415B NOT 2 | CARTRIDGE, 105MM, TP-T, M490 (CONVERSION OF CARTRIDGE) 105MM, HEAT-T, M456 PROJECTILE ONLY[CUST: AR] | A | 1315 | | AR | 19-AUG-97 |
| | MIL-C-46988C(4) NOT 1 | CARTRIDGE, 105MM, TP-T, M490 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-C-63513A(9) NOT 1 | CARTRIDGE, 105MM, TP-T, M490A1, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 18-AUG-97 |
| | MIL-C-48139B(4) NOT 1 | CARTRIDGE, 105MM, TPDS-T, M724A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-C-13473C(3) NOT 2 | CARTRIDGE, 106MM, HEAT, M344A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 29-JAN-96 |
| | MIL-C-48132 NOT 1 | CARTRIDGE, 106MM, PRACTICE, M344A1, W/INERT PROJECTILE, W/O FUZE LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 07-FEB-96 |
| | MIL-C-50912(1) NOT 2 | CARTRIDGE, 152MM, CANISTER, M625A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 12-DEC-95 |
| | MIL-C-45467D(7) NOT 1 | CARTRIDGE, 165MM, HEP, M123A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | B | 1320 | | AR | 27-FEB-97 |
| | MIL-C-50413A(5) NOT 1 | CARTRIDGE, 165MM, TP, M623 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 14-AUG-97 |
| | MIL-C-85764(2) NOT 1 | CARTRIDGE, 20 MILLIMETER TARGET PRACTICE, PGU-27/B AND CARTRIDGE, 20 MILLIMETER TARGET PRACTICE-TRACER, PGU-30/B[CUST: AS] | A | 1305 | | AS | 30-SEP-97 |
| | MIL-C-85717(2) NOT 1 | CARTRIDGE, 20 MILLIMETER, SEMI-ARMOR PIERCING HIGH EXPLOSIVE INCENDIARY, PGU-28/B[CUST: AS] | A | 1305 | | AS | 30-SEP-97 |
| | MIL-C-46577D(2) NOT 2 | CARTRIDGE, 20MM, ARMOR PIERCING INCENDIARY, M53[CUST: AR] | A | 1305 | | AR | 31-OCT-96 |
| | MIL-C-70636(1) NOT 1 | CARTRIDGE, 20MM, ARMOR PIERCING-TRACER, M95 (PERCUSSION PRIMER)[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-60678B(3) NOT 2 | CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY TRACE SELF-DESTRUCT, M246[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-60836A(2) NOT 2 | CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY WITH TRACER, M242[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-50388A(1) NOT 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY, M210[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-48617A(3) NOT 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, M56A4 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1305 | | AR | 31-JUL-98 |
| | MIL-C-46621C NOT 2 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, M97A2[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-63442A(1) NOT 2 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, TRACER, M242A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1305 | | AR | 29-JUL-97 |
| | MIL-C-70793(2) NOT 1 | CARTRIDGE, 20MM, MULTIPURPOSE, TRACE SELF-DESTRUCT, M940[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-60609A(2) NOT 1 | CARTRIDGE, 20MM, TARGET PRACTICE TRACER, M220[CUST: AR] | A | 1305 | | AR | 31-JUL-98 |
| | MIL-C-60275B(1) NOT 1 | CARTRIDGE, 20MM, TARGET PRACTICE, M204[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-46552C(2) NOT 2 | CARTRIDGE, 20MM, TARGET PRACTICE, M55A2[CUST: AR] | A | 1305 | | AR | 31-JUL-98 |
| | MIL-C-46553B NOT 2 | CARTRIDGE, 20MM, TARGET PRACTICE, M99A1[CUST: AR] | A | 1305 | | AR | 12-FEB-96 |
| | MIL-C-63338A(1) NOT 4 | CARTRIDGE, 25.4MM, DECOY, M839[CUST: AR] | A | 1305 | | AR | 14-FEB-03 |
| | MIL-C-70784 NOT 1 | CARTRIDGE, 25MM, ARMOR PIERCING DISCARDING SABOT TRACER (APDS-T), M791, REFERENCE[CUST: AR] | A | 1305 | | AR | 29-NOV-95 |
| | MIL-C-71138(1) NOT 1 | CARTRIDGE, 25MM, ARMOR PIERCING DISCARDING SABOT TRACER, M791[CUST: AR] | A | 1305 | | AR | 29-NOV-95 |
| | MIL-C-71164(1) NOT 1 | CARTRIDGE, 25MM, DUMMY, M794 PERFORMANCE SPECIFICATION FOR[CUST: AR] | A | 1305 | | AR | 29-JUL-96 |
| | MIL-C-71139(1) NOT 1 | CARTRIDGE, 25MM, HIGH EXPLOSIVE INCENDIARY TRACER, SELF-DESTRUCT, M792[CUST: AR] | A | 1305 | | AR | 29-NOV-95 |
| | MIL-C-70775A(3) NOT 1 | CARTRIDGE, 25MM, TARGET PRACTICE DISCARDING SABOT WITH TRACER (TPDS-T), M910[CUST: AR] | A | 1305 | | AR | 13-MAY-02 |
| | MIL-C-70785 NOT 1 | CARTRIDGE, 25MM, TARGET PRACTICE TRACER (TP-T), M793 REFERENCE[CUST: AR] | A | 1305 | | AR | 29-NOV-95 |
| | MIL-C-71140(1) NOT 1 | CARTRIDGE, 25MM, TARGET PRACTICE TRACER, M793[CUST: AR] | A | 1305 | | AR | 29-NOV-95 |
| | MIL-C-63982A(3) NOT 1 | CARTRIDGE, 30MM HIGH EXPLOSIVE DUAL PURPOSE, M789[CUST: AR] | A | 1305 | | AR | 13-AUG-98 |
| | DOD-C-64019(3) NOT 1 | CARTRIDGE, 30MM, DUMMY, M848[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | DOD-C-64018(6) NOT 1 | CARTRIDGE, 30MM, HIGH PRESSURE TEST, HP-T, M883[CUST: AR] | A | 1305 | | AR | 07-DEC-95 |
| | DOD-C-63980(11) NOT 1 | CARTRIDGE, 30MM, TARGET PRACTICE, M788[CUST: AR] | A | 1305 | | AR | 19-APR-00 |
| | MIL-C-46982B(2) NOT 2 | CARTRIDGE, 4.2 INCH, HE, M329A1 WITH SUPPLEMENTARY CHARGE, WITH FUZE PD, M557, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |
| | MIL-C-48087A(6) NOT 1 | CARTRIDGE, 4.2 INCH, HE, M329A2 W/SUPPLEMENTARY CHARGE LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |
| | MIL-C-12926E(5) NOT 1 | CARTRIDGE, 4.2 INCH, ILLUMINATING, M335A2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 29-JAN-96 |
| | MIL-C-46411B(1) NOT 3 | CARTRIDGE, 4.2 INCH, SMOKE, WP, M328A1 W/FUZE, PD, M521, LOADING, ASSEMBLING AND PACKING[CUST: EA] | A | 1315 | | EA | 12-JUL-04 |
| | MIL-C-50243(7) NOT 2 | CARTRIDGE, 40MM, HE, M383 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-C-50242 NOT 2 | CARTRIDGE, 40MM, HE, M383, BODY ASSEMBLY FOR METAL PARTS[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-C-50861A(5) NOT 2 | CARTRIDGE, 40MM, HEDP, M430; BODY ASSEMBLY FOR METAL PARTS[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-C-50862A(2) NOT 2 | CARTRIDGE, 40MM, HEDP, M430; LINER FOR METAL PARTS[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-C-48115A(5) NOT 1 | CARTRIDGE, 40MM, HEDP, M430; SPITBACK ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 07-FEB-96 |
| | MIL-C-50863C NOT 1 | CARTRIDGE, 40MM, HEDP, M430A1 LOADING, ASSEMBLING AND PACKAGING[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-C-50872C(3) NOT 2 | CARTRIDGE, 40MM, HEDP, M433 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 08-SEP-00 |
| | MIL-C-50870C(1) NOT 2 | CARTRIDGE, 40MM, HEDP, M433; LINER FOR METAL PART[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-C-50871C(2) NOT 2 | CARTRIDGE, 40MM, HEDP, M433; PROJECTILE METAL PARTS FOR[CUST: AR] | A | 1310 | | AR | 10-FEB-03 |
| | MIL-C-48082B(3) NOT 1 | CARTRIDGE, 40MM, HEDP, M433; SPITBACK ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKAGING[CUST: AR] | A | 1310 | | AR | 07-SEP-00 |
| | MIL-C-48069A(1) NOT 1 | CARTRIDGE, 40MM, HIGH VELOCITY, DUMMY, M922A1 ASSEMBLING AND PACKAGING[CUST: AR] | A | 1310 | | AR | 31-AUG-00 |
| | MIL-C-71178 NOT 1 | CARTRIDGE, 40MM, HIGH VELOCITY, DUMMY, M922A1 METAL PART FOR[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-C-48683A(4) NOT 1 | CARTRIDGE, 40MM, M918 TP; PROJECTILE ASSEMBLY[CUST: AR] | A | 1310 | | AR | 05-SEP-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-60945B(1) NOT 1 | CARTRIDGE, 40MM, PRACTICE, M385A1 DUMMY CARTRIDGE, 40MM HIGH VELOCITY, M922 PROJECTILE PARTS FOR[CUST: AR] | A | 1310 | | AR | 01-SEP-00 |
| | MIL-C-60944A(2) NOT 2 | CARTRIDGE, 40MM, PRACTICE, M385A1 LOADING, ASSEMBLING AND PACKAGING[CUST: AR] | A | 1310 | | AR | 29-OCT-96 |
| | MIL-C-48044 NOT 1 | CARTRIDGE, 40MM, PROOF, XM387E4 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 06-FEB-96 |
| | MIL-C-48045 NOT 2 | CARTRIDGE, 40MM, PROOF, XM387E4; BODY ASSEMBLY AND OGIVE FOR METAL PARTS[CUST: AR] | A | 1310 | | AR | 06-FEB-96 |
| | MIL-C-63115 NOT 2 | CARTRIDGE, 40MM, RED SMOKE, CANOPY, M682 METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 12-FEB-96 |
| | MIL-C-63114 NOT 2 | CARTRIDGE, 40MM, WHITE SMOKE, CANOPY, M680 METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 12-FEB-96 |
| | MIL-C-50509A(1) NOT 1 | CARTRIDGE, 40MM, WHITE STAR, CLUSTER, M585 METAL PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-C-63113 NOT 2 | CARTRIDGE, 40MM, YELLOW SMOKE, CANOPY, M676 METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 12-FEB-96 |
| | MIL-C-51515 NOT 2 | CARTRIDGE, 5.56 MM: BLANK, M755[CUST: EA] | A | 1330 | | EA | 16-JUL-04 |
| | MIL-C-9963F(5) NOT 1 | CARTRIDGE, 5.56MM, BALL M193[CUST: AR OS 99] [REVIEW: MC] | A | 1305 | | AR | 15-OCT-99 |
| | MIL-C-70460A(2) NOT 2 | CARTRIDGE, 5.56MM, BALL, (HEAVY BULLET) REFERENCE[CUST: AR] | A | 1305 | | AR | 15-OCT-99 |
| | MIL-C-63989C(4) NOT 1 | CARTRIDGE, 5.56MM, BALL, M855[CUST: AR] | A | 1305 | | AR | 30-JAN-01 |
| | MIL-C-60616C(3) NOT 1 | CARTRIDGE, 5.56MM, BLANK: M200[CUST: AR] | A | 1305 | | AR | 31-OCT-96 |
| | MIL-C-46397C(3) NOT 1 | CARTRIDGE, 5.56MM, REFERENCE[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-46936B(3) NOT 1 | CARTRIDGE, 5.56MM, TEST, HIGH PRESSURE, M197[CUST: AR] | A | 1305 | | AR | 06-FEB-96 |
| | MIL-C-60111C(6) NOT 1 | CARTRIDGE, 5.56MM, TRACER, M196[CUST: AR OS 99] [REVIEW: MC] | A | 1305 | | AR | 15-OCT-99 |
| | MIL-C-3972B(2) NOT 2 | CARTRIDGE, 60MM, ILLUMINATING, M83A3 WITH FUZE, TIME, M65A1 LOADING ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 22-APR-96 |
| | MIL-C-63450(3) NOT 2 | CARTRIDGE, 7.62MM, MATCH, XM852[CUST: AR] | A | 1305 | | AR | 13-FEB-96 |
| | MIL-C-46931F(3) NOT 2 | CARTRIDGE, 7.62MM, NATO, BALL, M80[CUST: AR] | A | 1305 | | AR | 13-AUG-04 |
| | MIL-C-60251A(5) NOT 2 | CARTRIDGE, 7.62MM, NATO, BALL, M80 OVERHEAD FIRE APPLICATION[CUST: AR] | A | 1305 | | AR | 26-NOV-97 |
| | MIL-C-46933A(9) NOT 1 | CARTRIDGE, 7.62MM, NATO, BLANK, M82[CUST: AR] | A | 1305 | | AR | 06-FEB-96 |
| | MIL-C-46934B(6) NOT 2 | CARTRIDGE, 7.62MM, NATO, MATCH, M118[CUST: AR] | A | 1305 | | AR | 06-FEB-96 |
| | MIL-C-60896A(3) NOT 2 | CARTRIDGE, 7.62MM, NATO, REFERENCE[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-46477B(3) NOT 2 | CARTRIDGE, 7.62MM, NATO, TEST, HIGH PRESSURE, M60[CUST: AR] | A | 1305 | | AR | 05-FEB-96 |
| | MIL-C-60252A(5) NOT 2 | CARTRIDGE, 7.62MM, NATO, TRACER, M62 OVERHEAD FIRE APPLICATION[CUST: AR] | A | 1305 | | AR | 26-NOV-97 |
| | MIL-C-50704A(2) NOT 3 | CARTRIDGE, 7.62MM: DIM TRACER, XM276[CUST: AR] | A | 1305 | | AR | 26-NOV-97 |
| | MIL-C-46277B(2) NOT 2 | CARTRIDGE, 7.62MM: NATO, BALL, M59[CUST: AR] | A | 1305 | | AR | 05-FEB-96 |
| | MIL-C-46281F(3) NOT 1 | CARTRIDGE, 7.62MM: NATO, TRACER, M62[CUST: AR] | A | 1305 | | AR | 26-NOV-97 |
| | MIL-C-50701A(2) NOT 2 | CARTRIDGE, 7.62X39MM, BALL[CUST: AR] | A | 1305 | | AR | 08-FEB-96 |
| | MIL-C-50703(2) NOT 2 | CARTRIDGE, 7.62X39MM, BLANK[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-45459C(6) NOT 1 | CARTRIDGE, 75MM, BLANK, M337A2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 02-OCT-00 |
| | MIL-C-70549(5) NOT 1 | CARTRIDGE, 81MM SMOKE, RED PHOSPHORUS M819, WITH FUZE MTSQ M772 LOADING ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 22-JUL-96 |
| | MIL-C-46513B NOT 1 | CARTRIDGE, 81MM SMOKE, WP, M370, WITH FUZE, PD, M524, ASSEMBLING, MARKING AND PACKING[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |
| | MIL-C-46995C(3) NOT 2 | CARTRIDGE, 81MM, HE, M374 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |
| | MIL-C-48171(7) NOT 1 | CARTRIDGE, 81MM, HE, M374A3 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 07-FEB-96 |
| | MIL-C-70544A(5) NOT 1 | CARTRIDGE, 81MM, ILLUMINATING, M853A1, LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1315 | | AR | 14-FEB-96 |
| | MIL-C-71189(3) NOT 1 | CARTRIDGE, 81MM, INFRARED ILLUMINATING, XM816, LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1315 | | AR | 12-APR-01 |
| | MIL-C-48635(4) NOT 1 | CARTRIDGE, 81MM, PRACTICE M879 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 02-NOV-98 |
| | MIL-C-60028C(1) NOT 2 | CARTRIDGE, 81MM, SMOKE, WP, M375 AND M375A2 ASSEMBLING, MARKING AND PACKING[CUST: AR] [REVIEW: EA] | A | 1315 | | AR | 08-FEB-96 |
| | MIL-C-48394(3) NOT 1 | CARTRIDGE, 81MM, SMOKE, WP, M375A3 ASSEMBLING, MARKING AND PACKING[CUST: AR] | A | 1315 | | AR | 07-FEB-96 |
| | MIL-C-46261 NOT 2 | CARTRIDGE, 81MM, TP, M362A1, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 05-FEB-96 |
| | MIL-C-45110B NOT 1 | CARTRIDGE, 90MM, AP-T, M318A1 ASSEMBLING, MARKING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-C-20353C NOT 2 | CARTRIDGE, 90MM, CANISTER, M336 LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1315 | | AR | 08-AUG-97 |
| | MIL-C-46226 NOT 2 | CARTRIDGE, 90MM, HE-T, M71E1, AND 90MM SMOKE, WP-T, M313E1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-C-45491B(1) NOT 1 | CARTRIDGE, 90MM, HEAT-T, M431A2 LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-C-46927A NOT 2 | CARTRIDGE, 90MM, PRACTICE, M371 WITH FUZE, PIBD, M530A1 AND MOX-2B PELLET LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |
| | MIL-C-45096D(1) NOT 2 | CARTRIDGE, 90MM, TP-T, M353A1 ASSEMBLING, MARKING AND PACKING[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-C-48758(3) NOT 4 | CARTRIDGE, 90MM, TP-T, M764 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 03-FEB-97 |
| | MIL-C-70508(8) NOT 1 | CARTRIDGE, 9MM, BALL, NATO, XM882 (M882)[CUST: AR] | A | 1305 | | AR | 14-JAN-98 |
| | MIL-C-70621 NOT 1 | CARTRIDGE, 9MM, BALL, REFERENCE[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-70845A(1) NOT 1 | CARTRIDGE, 9MM, PRACTICE, TRACER, M939[CUST: AR] | A | 1305 | | AR | 17-SEP-99 |
| | MIL-C-70509(5) NOT 1 | CARTRIDGE, 9MM, TEST, HIGH PRESSURE, XM905[CUST: AR] | A | 1305 | | AR | 14-FEB-96 |
| | MIL-C-46271A(1) NOT 1 | CARTRIDGE, AIRCRAFT EJECTION SEAT, CATAPULT, M28A1 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46237(1) NOT 1 | CARTRIDGE, AIRCRAFT EJECTION SEAT, CATAPULT, M30A1[CUST: OS] [REVIEW: 11] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-48623(3) NOT 2 | CARTRIDGE, BLANK, CALIBER .50, M1A1[CUST: AR] | A | 1305 | | AR | 08-FEB-96 |
| | MIL-C-38973 NOT 1 | CARTRIDGE, BOMB EJECTION CCU-10/B[CUST: 22] [REVIEW: 70 99] | A | 1377 | | 22 | 31-MAR-97 |
| | MIL-C-38972 NOT 1 | CARTRIDGE, BOMB EJECTION CCU-9/B[CUST: 22] [REVIEW: 70 99] | A | 1377 | | 22 | 31-MAR-97 |
| | MIL-C-27029A(1) NOT 3 | CARTRIDGE, BOMB EJECTION MLU-11/C AND CARTRIDGE KIT, BOMB EJECTION MLU-12/C[CUST: 99] | A | 1377 | | 70 | 04-APR-98 |
| | MIL-C-46409D NOT 1 | CARTRIDGE, CALIBER .38, SPECIAL, BALL, M41[CUST: AR] | A | 1305 | | AR | 05-FEB-96 |
| | MIL-C-60808A NOT 1 | CARTRIDGE, CALIBER .45 REFERENCE[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-C-1311E(2) NOT 1 | CARTRIDGE, CALIBER .45, BALL, M1911[CUST: AR] | A | 1305 | | AR | 05-JUN-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-46482B(2) NOT 1 | CARTRIDGE, CALIBER .45, BALL, M1911, MATCH GRADE[CUST: AR] | A | 1305 | | AR | 05-FEB-96 |
| | MIL-C-46937B(1) NOT 1 | CARTRIDGE, CALIBER .45, BLANK, M9[CUST: AR] | A | 1305 | | AR | 06-FEB-96 |
| | MIL-C-60163(1) NOT 1 | CARTRIDGE, CALIBER .45, TEST, HIGH PRESSURE, M1[CUST: AR] | A | 1305 | | AR | 09-FEB-96 |
| | MIL-C-10190D(4) NOT 1 | CARTRIDGE, CALIBER .50, BALL, M33[CUST: AR] | A | 1305 | | AR | 26-JUL-00 |
| | MIL-C-60168 NOT 2 | CARTRIDGE, CALIBER .50, PRACTICE, T249E2[CUST: AR] | A | 1305 | | AR | 09-FEB-96 |
| | MIL-C-60813(2) NOT 1 | CARTRIDGE, CALIBER .50, SPOTTER TRACER, M48A2[CUST: AR] | A | 1305 | | AR | 31-JUL-97 |
| | MIL-C-60162 NOT 2 | CARTRIDGE, CALIBER .50, TEST, HIGH PRESSURE, M1[CUST: AR] | A | 1305 | | AR | 09-FEB-96 |
| | MIL-C-1318B(5) NOT 2 | CARTRIDGE, CALIBER .50, TRACER, M17[CUST: AR] | A | 1305 | | AR | 26-JUL-00 |
| | MIL-C-14858A(3) NOT 1 | CARTRIDGE, CALIBER .50. REFERENCE[CUST: AR] | A | 1305 | | AR | 26-JUL-00 |
| | MIL-C-60570B(1) NOT 1 | CARTRIDGE, DELAY, M114 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 16-AUG-99 |
| | MIL-C-60872A NOT 1 | CARTRIDGE, DELAY, M271 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| A | MIL-DTL-50647B | CARTRIDGE, DELAY, M293 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 05-OCT-05 |
| | MIL-C-46228B(1) NOT 1 | CARTRIDGE, DELAY, M93 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 31-MAY-95 |
| | MIL-C-81730 NOT 1 | CARTRIDGE, DELAY, MARK 136 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-81982 NOT 1 | CARTRIDGE, DELAY, MARK 141 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-81983 NOT 1 | CARTRIDGE, DELAY, MARK 142 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-22845A NOT 2 | CARTRIDGE, DELAY, MARK 35 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-14841A(1) NOT 1 | CARTRIDGE, DELAY, XM231, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60393A NOT 2 | CARTRIDGE, DELAY: 20 SECOND DELAY, XM252 PARTS, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-C-83996A NOT 1 | CARTRIDGE, DESICCANT[CUST: 99] | A | 4440 | | 84 | 13-SEP-96 |
| | MIL-C-70468A(1) NOT 4 | CARTRIDGE, DUMMY, 5.56MM INERT LOADED, M857[CUST: AR] | A | 1305 | | AR | 30-JUL-97 |
| | MIL-C-82890(1) NOT 1 | CARTRIDGE, FIRE EXTINGUISHER CCU-120/A[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-82899 NOT 1 | CARTRIDGE, FIRE EXTINGUISHER, CCU-122/A[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-82894(1) NOT 1 | CARTRIDGE, FIRE EXTINGUISHER, CCU-126/A[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-82900A NOT 1 | CARTRIDGE, FIRE EXTINGUISHER, CCU-127/A[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-70690 NOT 1 | CARTRIDGE, FUZELESS, 25MM, HIGH EXPLOSIVE INCENDIARY TRACER, (HEI-T), M792[CUST: AR] | A | 1305 | | AR | 29-NOV-95 |
| | MIL-C-60537A(2) NOT 1 | CARTRIDGE, GRENADE: 5.56MM, M195[CUST: AR] | A | 1330 | | AR | 09-FEB-96 |
| | MIL-C-48180 NOT 2 | CARTRIDGE, HE, 60MM, M49A4E1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 14-FEB-97 |
| | MIL-C-70996(4) NOT 1 | CARTRIDGE, HE, 81MM, M821E1/M889E1 W/FUZE M734/M935 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 07-APR-00 |
| | MIL-C-85727 NOT 1 | CARTRIDGE, IGNITER, MARK 164 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-48161B(4) NOT 1 | CARTRIDGE, IGNITION, 702 PARTS FOR[CUST: AR] | A | 1310 | | AR | 16-SEP-02 |
| | MIL-C-50513B(6) NOT 2 | CARTRIDGE, IGNITION, M2A2 PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 15-JUL-96 |
| | MIL-C-12927B(1) NOT 1 | CARTRIDGE, IGNITION, M2E1 PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 22-APR-96 |
| | MIL-C-48162B(3) NOT 1 | CARTRIDGE, IGNITION, M702 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 12-FEB-01 |
| | MIL-C-48654 NOT 1 | CARTRIDGE, IGNITION, M702A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 19-AUG-97 |
| | MIL-C-48653 NOT 1 | CARTRIDGE, IGNITION, M702A1 PARTS FOR[CUST: AR] | A | 1310 | | AR | 16-JAN-98 |
| | MIL-C-71030(2) NOT 1 | CARTRIDGE, IGNITION, M981 LOADING, ASSEMBLING AND PACKING[CUST: AR] | D | 1315 | | AR | 13-JAN-97 |
| | MIL-C-48354 NOT 2 | CARTRIDGE, IGNITION, XM702E2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 14-FEB-97 |
| | MIL-C-48393 NOT 2 | CARTRIDGE, IGNITION, XM702E2 PARTS FOR[CUST: AR] | A | 1310 | | AR | 14-FEB-97 |
| | MIL-C-14909A(2) NOT 1 | CARTRIDGE, ILLUMINATING, M301A3 WITH FUZE, TIME M84A1 FOR 81MM MORTARS LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 31-JAN-96 |
| | MIL-C-46919A(1) NOT 2 | CARTRIDGE, ILLUMINATION, M301A2 WITH FUZE, TIME, M84 FOR 81MM MORTARS LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |
| | MIL-C-38983A NOT 1 | CARTRIDGE, IMPULSE, CCU-11/B[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-82651(3) NOT 2 | CARTRIDGE, IMPULSE, CCU-22/A ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60604A NOT 1 | CARTRIDGE, IMPULSE, M119 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60575A NOT 1 | CARTRIDGE, IMPULSE, M141 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46941A NOT 1 | CARTRIDGE, IMPULSE, M146 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60805(3) NOT 1 | CARTRIDGE, IMPULSE, M150 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60559D(2) NOT 2 | CARTRIDGE, IMPULSE, M225[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46615D(1) NOT 1 | CARTRIDGE, IMPULSE, M29A2 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-AUG-00 |
| | MIL-C-46239C NOT 1 | CARTRIDGE, IMPULSE, M31A2 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46241B(1) NOT 1 | CARTRIDGE, IMPULSE, M36A1 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46221B NOT 1 | CARTRIDGE, IMPULSE, M37 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46946B(1) NOT 1 | CARTRIDGE, IMPULSE, M43 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-45408C NOT 1 | CARTRIDGE, IMPULSE, M44A1 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46618B(1) NOT 1 | CARTRIDGE, IMPULSE, M73 ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46274C NOT 1 | CARTRIDGE, IMPULSE, M94 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-21496D NOT 1 | CARTRIDGE, IMPULSE, MARK 104 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-81536(1) NOT 2 | CARTRIDGE, IMPULSE, MARK 105 MOD O[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-81804A NOT 1 | CARTRIDGE, IMPULSE, MARK 124 MOD O[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-81595(1) NOT 1 | CARTRIDGE, IMPULSE, MARK 127 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-22656B NOT 1 | CARTRIDGE, IMPULSE, MARK 14 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-82865(1) NOT 1 | CARTRIDGE, IMPULSE, MARK 152 MOD 0, MARK 153 MOD 0, MARK 154 MOD 0, AND MARK 155 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-23334B(2) NOT 1 | CARTRIDGE, IMPULSE, MARK 33 MOD 1[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-23933B NOT 1 | CARTRIDGE, IMPULSE, MARK 44 MOD O[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-23934A NOT 1 | CARTRIDGE, IMPULSE, MARK 49 MOD O[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-24016C(1) NOT 1 | CARTRIDGE, IMPULSE, MARK 51 MOD 1[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-81563B(1) NOT 1 | CARTRIDGE, IMPULSE, MARK 67 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-81331A NOT 1 | CARTRIDGE, IMPULSE, MARK 73 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-24017B(1) NOT 1 | CARTRIDGE, IMPULSE, MARK 8 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-81524 NOT 1 | CARTRIDGE, IMPULSE, MARK 82 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-23931D(2) NOT 1 | CARTRIDGE, IMPULSE, MARK 9 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-22362D NOT 1 | CARTRIDGE, IMPULSE, MK 18 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60691(1) NOT 2 | CARTRIDGE, IMPULSE: M151 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60555(1) NOT 1 | CARTRIDGE, INITIATOR, DELAY, M113[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46272A(1) NOT 1 | CARTRIDGE, INITIATOR, DELAY, M46[CUST: OS 99] [REVIEW: 11] | A | 1377 | | OS | 25-JUN-96 |
| | MIL-C-18653B(1) NOT 2 | CARTRIDGE, ONE INCH, MARK 1 AND MARK 2 ALL MODS (BOMB EJECTOR)[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-PRF-70600A NOT 1 | CARTRIDGE, RIMFIRE, .22 CALIBER[CUST: AR] | A | 1305 | | AR | 24-OCT-03 |
| | MIL-C-50252(1) NOT 2 | CARTRIDGE, SEMI-FIXED, 105MM, APERS-T XM546E2, LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1315 | | AR | 27-FEB-97 |
| | MIL-C-46240A(2) NOT 1 | CARTRIDGE, THRUSTER, M67A1[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-63990C(4) NOT 1 | CARTRIDGE; 5.56MM TRACER, M856[CUST: AR] | A | 1305 | | AR | 15-OCT-99 |
| | MIL-C-70532(9) NOT 1 | CARTRIDGES, 105MM, HE, RA, XM913 AND XM927 (WITH WARHEAD AND MOTOR BODY) LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 26-AUG-02 |
| | MIL-C-63092A NOT 1 | CARTRIDGES, 40MM, WHITE STAR, PARACHUTE, M583A1 GREEN STAR, PARACHUTE, M661 RED STAR, PARACHUTE, M662 METAL PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 12-FEB-96 |
| | MIL-C-3066C(1) NOT 1 | CARTRIDGES, CALIBER .50: ARMOR-PIERCING-INCENDIARY, M8; AND ARMOR-PIECING-INCENDIARY-TRACER, M20[CUST: AR] | A | 1305 | | AR | 26-JUL-00 |
| | MIL-C-46935B(1) NOT 1 | CARTRIDGES, COMMERCIAL[CUST: AR] | A | 1305 | | AR | 31-JUL-97 |
| | MIL-C-4952E NOT 1 | CARTRIDGES, DESICCANT, DEHYDRATOR[CUST: 99] | A | 4440 | | 84 | 13-SEP-96 |
| | MIL-C-3498B(1) NOT 1 | CARTRIDGES, DUMMY (FOR SMALL ARMS)[CUST: AR] | A | 1305 | | AR | 29-JAN-96 |
| | MIL-C-81093B(1) NOT 1 | CARTRIDGES, EXPLOSIVE BOLT (FOR TORPEDOES MARK 46 ALL MODS)[CUST: OS] | A | 1356 | | OS | 10-JUL-99 |
| | MIL-PRF-48656B(1) | CARTRIDGES, SHOTSHELL[CUST: AR] | A | 1305 | | AR | 06-SEP-00 |
| | MIL-C-63128(3) NOT 2 | CARTRIDGES: 40MM, GROUND SMOKE MARKERS, M713, M715 AND M716; BODY PART FOR[CUST: AR] | A | 1310 | | AR | 12-FEB-96 |
| | MIL-C-63127(1) NOT 2 | CARTRIDGES: 40MM, GROUND, SMOKE MARKERS, M713, M715 AND M716, BASE PARTS FOR[CUST: AR] | A | 1310 | | AR | 12-FEB-96 |
| | AN8011 REV 3 | CASE - FLIGHT REPORT HOLDER AND MAP[CUST: AV AS 99] [REVIEW: GS] | A | 1680 | | AS | 05-JUN-58 |
| | MIL-C-63284A NOT 2 | CASE ASSEMBLY, CARRYING, FOR FIRING DEVICE, DEMOLITION, M122[CUST: AR] | A | 1375 | | AR | 17-JUL-96 |
| | MIL-C-50447A(2) NOT 2 | CASE CARTRIDGE, 40MM, M118 AND M195; PLUG, BASE FOR[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-C-60982B(7) NOT 1 | CASE CARTRIDGE, 40MM, M169 PART FOR[CUST: AR] | A | 1310 | | AR | 31-AUG-00 |
| | MIL-C-70455(1) NOT 2 | CASE CARTRIDGE, BLANK 75MM, M9A1B1[CUST: AR] | A | 1315 | | AR | 21-MAR-97 |
| | MIL-C-60602B NOT 2 | CASE IMPELLER, PROJECTILE BURSTER, M175[CUST: AR] | A | 1315 | | AR | 16-JUL-96 |
| | MS33545 NOT 3 | CASE INSTRUMENT, 5 X 5-1/4, STANDARD DIMENSIONS FOR[CUST: AV AS 99] [REVIEW: CC GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MIL-C-11347E NOT 1 | CASE, BATTERY AND LIGHTING ACCESSORY, FOR SURVEYING EQUIPMENT.[CUST: CE 99 IS] | A | 6675 | | IS | 24-NOV-98 |
| | MIL-C-13459B NOT 1 | CASE, BINOCULAR, M62A1 AND M63A1[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 22-APR-96 |
| | MIL-C-70441(1) NOT 1 | CASE, BRASS, CAL .30, NATIONAL MATCH[CUST: AR] | A | 1305 | | AR | 01-NOV-95 |
| | MIL-C-60250A NOT 1 | CASE, CARRYING, 10541026 AND 10541038[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-C-60651A NOT 3 | CASE, CARRYING: 10543310[CUST: AR] | A | 1290 | | AR | 19-AUG-97 |
| | MIL-C-48070(1) NOT 2 | CASE, CARTRIDGE ASSEMBLY, 40MM, M169, INERT METAL PARTS FOR[CUST: AR] | A | 1310 | | AR | 06-FEB-96 |
| | MIL-C-63296(7) NOT 1 | CASE, CARTRIDGE, 105MM, M115B1[CUST: AR] | A | 1315 | | AR | 15-AUG-97 |
| | MIL-C-70949(3) NOT 1 | CASE, CARTRIDGE, 105MM, M115B1A1[CUST: AR] | A | 1315 | | AR | 18-AUG-97 |
| | MIL-C-46940(5) NOT 1 | CASE, CARTRIDGE, 105MM, M14[CUST: AR] | A | 1315 | | AR | 02-OCT-00 |
| | MIL-C-63292(9) NOT 1 | CASE, CARTRIDGE, 105MM, M148A1B1[CUST: AR] | A | 1315 | | AR | 27-AUG-97 |
| | MIL-C-70950(2) NOT 1 | CASE, CARTRIDGE, 105MM, M148A2B1[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-C-48423A(3) NOT 1 | CASE, CARTRIDGE, 105MM, M14B4[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-C-46275A(1) NOT 1 | CASE, CARTRIDGE, 105MM, M150[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-C-14892(4) NOT 2 | CASE, CARTRIDGE, 105MM, M150B1[CUST: AR] | A | 1315 | | AR | 11-AUG-97 |
| | MIL-C-46276 NOT 1 | CASE, CARTRIDGE, 105MM, XM115[CUST: AR] | A | 1315 | | AR | 22-JUL-96 |
| | MIL-C-14887 NOT 2 | CASE, CARTRIDGE, 106MM, M9431 ASSEMBLY[CUST: AR] | A | 1315 | | AR | 31-JAN-96 |
| | MIL-C-63318(2) NOT 2 | CASE, CARTRIDGE, 165MM, M104 METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 18-AUG-97 |
| | MIL-C-50797(1) NOT 2 | CASE, CARTRIDGE, 20MM, M103A1[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | DOD-C-63976(5) NOT 1 | CASE, CARTRIDGE, 30MM AMMUNITION FOR M788 M789 AND M799 SERIES OF 30MM AMMUNITION[CUST: AR] | A | 1305 | | AR | 07-DEC-95 |
| | MIL-C-50448A(1) NOT 2 | CASE, CARTRIDGE, 40MM, M118 AND M195, CUP, POWER CHARGE FOR[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-C-60985A(2) NOT 2 | CASE, CARTRIDGE, 40MM, M118 METAL PARTS FOR[CUST: AR] | A | 1310 | | AR | 12-FEB-96 |
| | MIL-C-50446A(3) NOT 2 | CASE, CARTRIDGE, 40MM, M118 PARTS FOR[CUST: AR] | A | 1310 | | AR | 17-OCT-96 |
| | MIL-C-63062(1) NOT 2 | CASE, CARTRIDGE, 40MM, M169, CUP, CLOSING FOR[CUST: AR] | A | 1310 | | AR | 12-FEB-96 |
| | MIL-C-63063(3) NOT 2 | CASE, CARTRIDGE, 40MM, M169; PLUG, BASE FOR[CUST: AR] | A | 1310 | | AR | 10-AUG-99 |
| | MIL-C-50527(2) NOT 2 | CASE, CARTRIDGE, 40MM, XM195, PART FOR[CUST: AR] | A | 1310 | | AR | 08-FEB-96 |
| | MIL-C-50712(2) NOT 2 | CASE, CARTRIDGE, 57MM, M30A1B3[CUST: AR] | A | 1310 | | AR | 19-AUG-97 |
| | MIL-C-48565(1) NOT 4 | CASE, CARTRIDGE, 90MM M108B1[CUST: AR] | A | 1315 | | AR | 03-FEB-97 |
| | MIL-C-46939 NOT 4 | CASE, CARTRIDGE, 90MM, M19[CUST: AR] | A | 1315 | | AR | 13-FEB-97 |
| | MIL-C-50534A(2) NOT 2 | CASE, CARTRIDGE, M205, 152MM, PARTS FOR[CUST: AR] | A | 1320 | | AR | 15-JUL-96 |
| | MIL-C-48884 NOT 2 | CASE, CARTRIDGE, M205E1, 152MM, PARTS FOR[CUST: AR] | A | 1320 | | AR | 12-DEC-95 |
| | MIL-C-46540B(2) NOT 2 | CASE, CARTRIDGE: 20MM, M103[CUST: AR] | A | 1305 | | AR | 22-MAY-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-3779E NOT 1 | CASE, ENGINEER BATTALION, DRAFTING EQUIPMENT, CANVAS[CUST: CE3 MC IS] | A | 6675 | | IS | 26-MAR-99 |
| | MIL-C-60261 NOT 1 | CASE, FUZE SETTER SET, M178[CUST: AR] | A | 1290 | | AR | 19-AUG-97 |
| | MIL-C-43647(1) NOT 1 | CASE, INDIVIDUAL, SURVIVAL KIT, ARMY[CUST: GL] [REVIEW: AV MD] | A | 1680 | | GS1 | 05-APR-00 |
| | MS27573A NOT 4 | CASE, INSTRUMENT, 2-3/4 INCH DIAL, WITH SUMP, FLANGE MOUNTED, AIRCRAFT[CUST: AV 99] | A | 66GP | | 71 | 25-APR-00 |
| | MS3318A NOT 2 | CASE, INSTRUMENT, 5 X 4-1/4 SIZE, STANDARD DIMENSIONS FOR[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 04-APR-98 |
| | MS33638C NOT 1 | CASE, INSTRUMENT, FLANGE MOUNTED, AIRCRAFT[CUST: AS 11] [REVIEW: 99 MI] | A | 66GP | | 71 | 04-APR-98 |
| | MS21349 NOT 4 | CASE, INSTRUMENTS, VERTICAL SCALE, STANDARD DIMENSIONS FOR[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 21-APR-00 |
| | MIL-C-60259 NOT 1 | CASE, OPTICAL BORE SIGHT, 8587581[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 19-AUG-97 |
| | MIL-C-70678(4) NOT 1 | CASE, PROJECTILE BURSTER, XM216[CUST: AR] | A | 1310 | | AR | 07-JAN-97 |
| | MIL-C-60585A NOT 1 | CASE, PROJECTILE, BURSTER, M1E1 ASSEMBLY[CUST: AR] | A | 1315 | | AR | 09-FEB-96 |
| | MIL-C-60549A(1) NOT 2 | CASE, PROJECTILE, BURSTER, M5[CUST: AR] | A | 1315 | | AR | 09-FEB-96 |
| | MIL-C-50728 NOT 4 | CASE, PROJECTILE, BURSTER, M8[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-C-14836A NOT 2 | CASE, PROJECTILE, BURSTER, M9A1[CUST: AR] | A | 1310 | | AR | 31-JAN-96 |
| | MIL-C-60255(2) NOT 1 | CASE, TELESCOPE: M164[CUST: AR] | A | 1290 | | AR | 14-AUG-97 |
| | MIL-C-14381A(4) NOT 1 | CASES, FIRE DIRECTION SET, ARTILLERY[CUST: AR] | A | 1290 | | AR | 08-AUG-97 |
| | MS33639D NOT 2 | CASES, INSTRUMENT, CLAMP-MOUNTED, AIRCRAFT[CUST: AV AS 99] [REVIEW: CR4 MI] | A | 66GP | | AS | 03-JUN-04 |
| | MS27572B NOT 1 | CASES, INSTRUMENT, FLANGE-MOUNTED, AIRCRAFT[CUST: AV 99] [REVIEW: CR4] | A | 66GP | | 71 | 15-JAN-96 |
| | MIL-C-172C(6) SUP 1D NOT 2 | CASES; BASES, MOUNTING; AND MOUNTS, VIBRATION (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT)[CUST: CR AS 11] [REVIEW: 99 AR AV GS MI] | A | 5975 | | AS | 15-FEB-01 |
| | MIL-C-50779A NOT 2 | CASING, BURSTER M158[CUST: AR] | A | 1310 | | AR | 27-FEB-97 |
| | MIL-C-46535(1) NOT 1 | CASING, BURSTER, T21, ASSEMBLY[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |
| | MS27149B NOT 1 | CASTER, RIGID AND SWIVEL, PRECISION, HEAVY DUTY[CUST: AR YD 99 IS] [REVIEW: 11 19 CE GL] | A | 5340 | | IS | 04-FEB-99 |
| | MS87968 NOT 1 | CASTERS, RIGID AND SWIVEL INDUSTRIAL DUTY[CUST: AR YD 99 IS] [REVIEW: 71 CE CR4 GL] | A | 5340 | | IS | 19-DEC-97 |
| | MIL-C-87972A NOT 1 | CASTERS,RIGID AND SWIVEL,GENERAL SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR4 GL] | A | 5340 | | IS | 31-JUL-97 |
| | MIL-C-46587A(1) NOT 2 | CATAPULT, AIRCRAFT EJECTION SEAT, M3A1, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46563A(1) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT, M3A1, METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46628A(1) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT, M4A1 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60683(2) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT, M4A1 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46627A(1) NOT 3 | CATAPULT, AIRCRAFT EJECTION SEAT, M4A1, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46942(2) NOT 3 | CATAPULT, AIRCRAFT EJECTION SEAT, M5A1 ASSEMBLY[CUST: OS] [REVIEW: 11] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46943(1) NOT 2 | CATAPULT, AIRCRAFT EJECTION SEAT, M5A1 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-82735 NOT 2 | CATAPULT, AIRCRAFT EJECTION SEAT: CKU-5/A/A REWORK ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-48569(2) NOT 2 | CATAPULT, AIRCRAFT EJECTION SEAT: CKU-7/A METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-82686 NOT 2 | CATAPULT, AIRCRAFT EJECTION SEAT: CKU-7/A REWORK ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60810 NOT 2 | CATAPULT, AIRCRAFT EJECTION SEAT: M10 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60685(1) NOT 3 | CATAPULT, AIRCRAFT EJECTION SEAT: M3A1, REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60809(2) NOT 2 | CATAPULT, AIRCRAFT EJECTION SEAT: M9, REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MS18015B NOT 1 | CATCH, CLAMPING AND STRIKE (CONCEALED SPRING TYPE)[CUST: AR OS IS] [REVIEW: AS CR CR4 MI] | A | 5340 | | IS | 31-JUL-97 |
| | MS27307E NOT 1 | CELL, BATTERY, AIRCRAFT STORAGE, NICKEL CADIUM[CUST: 99] [REVIEW: GS] | A | 6140 | | 84 | 02-JUN-95 |
| | DOD-C-24594(1) NOT 1 | CELL, STORAGE, SILVER ZINC ALKALINE TYPE (FOR DEEP SUBMERGENCE APPLICATIONS) (METRIC)[CUST: SH] [REVIEW: GS] | A | 6140 | | SH | 22-APR-98 |
| | MIL-C-5537A(1) NOT 2 | CELLULOSE ACETATE BUTYRATE[CUST: AR AS] | A | 8030 | | AS | 05-MAR-97 |
| | MIL-C-23092B NOT 2 | CEMENT, NATURAL RUBBER; MAGNETIC MINESWEEPING CABLE REPAIR[CUST: SH] [REVIEW: CR4] | A | 8040 | | SH | 22-APR-98 |
| | MIL-C-44389A NOT 1 | CEREAL BARS, (OPERATIONAL RATION COMPONENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8920 | | GL | 15-AUG-97 |
| | MIL-C-85002B NOT 1 | CHAFF PACKAGE (TYPE RR-()/AL) GENERAL SPECIFICATION FOR[CUST: AS] | A | 5865 | | AS | 30-APR-97 |
| | MIL-C-85002/2A NOT 2 | CHAFF PACKAGE (TYPE RR-152A/AL)[CUST: AS] | A | 5865 | | AS | 30-APR-97 |
| | MIL-C-85002/1A NOT 2 | CHAFF PACKAGE (TYPE RR-153A/AL)[CUST: AS] | A | 5865 | | AS | 30-APR-97 |
| | MIL-C-85002/3A NOT 2 | CHAFF PACKAGE (TYPE RR-173/AL)[CUST: AS] | A | 5865 | | AS | 30-APR-97 |
| | MIL-C-85002/4 NOT 2 | CHAFF PACKAGE (TYPE RR-177/AL)[CUST: AS] | A | 5865 | | AS | 30-APR-97 |
| | MIL-C-8703B NOT 1 | CHAIN ASSEMBLY, SINGLE LEG, 10,000 POUND CAPACITY, TYPE MA-1[CUST: GL AS 99] [REVIEW: GS MT] | A | 1670 | | 11 | 21-APR-97 |
| | MIL-C-2683A NOT 2 | CHAIN ASSEMBLY, SINGLE LEG, BOAT ANCHOR[CUST: SH 99 GS5] [REVIEW: YD] | A | 4010 | | GS5 | 21-FEB-03 |
| | MIL-C-1410F NOT 1 | CHAIN, HOOK & RING ASSEMBLY, TENT[CUST: GL NU CT] [REVIEW: YD] | A | 8340 | | CT | 15-OCT-99 |
| | MIL-C-24633A NOT 1 | CHAIN, STUD LINK, ANCHOR, LOW ALLOY STEEL, FLASH BUTT WELDED[CUST: SH 99] [REVIEW: 71 CG GS IS YD] | A | 4010 | | SH | 22-APR-98 |
| | MIL-C-60032(1) NOT 2 | CHARGE ASSEMBLY, DEMOLITION KIT, M37 FOR BLOCK DEMOLITION, M5A1 PARTS FOR LOADING, ASSEMBLY AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-C-64003A(2) NOT 2 | CHARGE ASSEMBLY, EXPULSION FOR PROJECTILE, 15MM, SMOKE, M825[CUST: EA] | X | 1320 | | EA | 19-JUL-04 |
| | MIL-C-63372(2) NOT 2 | CHARGE PROOF, 155MM, PXP-6297 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 20-FEB-97 |
| | MIL-C-14994 NOT 2 | CHARGE PROPELLING, 152MM, XM189 AND XM190, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 10-JUL-96 |
| | MIL-C-48243D NOT 2 | CHARGE PROPELLING, 155MM, M203, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 14-FEB-97 |
| | MIL-C-46689A(3) NOT 2 | CHARGE PROPELLING, M82[CUST: AR] | A | 1315 | | AR | 13-FEB-97 |
| | MIL-C-46558C NOT 2 | CHARGE, DEMOLITION, HE, LINEAR, M58, W/FUZE AND CHARGE, DEMOLITION, INERT, LINEAR, M68, W/INERT FUZE LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 06-FEB-96 |
| | MIL-C-13139E(2) NOT 1 | CHARGE, DEMOLITION, SHAPED, 15 LB, M2A3 AND M2A4, PARTS FOR[CUST: AR] | A | 1375 | | AR | 11-AUG-98 |
| | MIL-C-71013(1) NOT 1 | CHARGE, DEMOLITION: CLIPPED, M221 PARTS FOR, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 13-JAN-97 |
| | MIL-C-70683A(2) NOT 2 | CHARGE, DEMOLITION: 40LB, CRATERING PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 30-MAY-03 |
| | MIL-C-46920B(2) NOT 2 | CHARGE, EXPELLING, FOR CARTRIDGE ILLUMINATING, 4.2 INCH, M335A2[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-46909D NOT 2 | CHARGE, EXPELLING, FOR PROJECTILE, HC SMOKE, 155 MM, M116A1[CUST: EA] | A | 1320 | | EA | 12-JUL-04 |
| | MIL-C-13882 NOT 1 | CHARGE, EXPLOSIVE, SPRINGING FOR ROD, EARTH, BLAST-DRIVEN, M13[CUST: AR] | A | 1375 | | AR | 09-JUL-96 |
| | MIL-C-48136(2) NOT 2 | CHARGE, PROPELLING ASSEMBLY (SINGLE BAG) 105MM, HOWITZER M137 (MOD)[CUST: AR] | A | 1315 | | AR | 14-FEB-97 |
| | MIL-C-46921 NOT 2 | CHARGE, PROPELLING DUMMY, M3 FOR CARTRIDGE TRAINING: 105MM, M14[CUST: AR] | A | 1315 | | AR | 13-FEB-97 |
| | MIL-C-46908(3) NOT 2 | CHARGE, PROPELLING, 155MM, M3, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 13-FEB-97 |
| | MIL-C-63346 NOT 2 | CHARGE, PROPELLING, 155MM, XM211 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 20-FEB-97 |
| | MIL-C-46923A NOT 2 | CHARGE, PROPELLING, FOR 75MM HOWITZER M2A1 AND M3[CUST: AR] | A | 1315 | | AR | 13-FEB-97 |
| | MIL-C-20327 NOT 2 | CHARGE, PROPELLING, FOR SEPARATE LOADING AND SEMI-FIXED AMMUNITION[CUST: AR] | A | 1375 | | AR | 10-JUL-96 |
| | MIL-C-50980A NOT 2 | CHARGE, PROPELLING, FOR USE WITH 105MM CARTRIDGES, M393A2, HEP-T, M393A1, TP-T, M416, WP-T, M467, TP-T LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 15-JUL-96 |
| | MIL-C-70501(3) NOT 1 | CHARGE, PROPELLING, M204, PAPER PREFORM PROCESS PARTS AND CONTAINER ASSEMBLY[CUST: AR] | A | 1310 | | AR | 03-JAN-97 |
| | MIL-C-70474(3) NOT 1 | CHARGE, PROPELLING, M205, PAPER PREFORM PROCESS PARTS AND CONTAINER ASSEMBLY[CUST: AR] | A | 1315 | | AR | 03-JAN-97 |
| | MIL-C-46907B(8) NOT 1 | CHARGE, PROPELLING, M36A1, BAG LOADING ASSEMBLY FOR[CUST: AR] | A | 1315 | | AR | 13-FEB-97 |
| | MIL-C-50471(5) NOT 1 | CHARGE, SUPPLEMENTARY ASSEMBLY WITH SPACER FOR DEEP CAVITY LOADED PROJECTILE, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 14-AUG-97 |
| | MIL-C-50469(2) NOT 1 | CHARGE, SUPPLEMENTARY FOR DEEP CAVITY LOADED PROJECTILE, PARTS FOR[CUST: AR] | A | 1315 | | AR | 08-FEB-96 |
| | MIL-C-11504C NOT 1 | CHARGED, DEMOLITION, BLOCK INERT, 1 POUND PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-APR-96 |
| | QPL-85050-2 NOT 1 | CHARGER, BATTERY NICKEL CADMIUM, AIRCRAFT GENERAL SPECIFICATION FOR | A | 6130 | | AS | 18-OCT-00 |
| | MIL-C-49085 NOT 2 | CHARGER, BATTERY PP-7311 /PAS-7[CUST: CR] [REVIEW: AR GS] | A | 6130 | | CR | 25-APR-97 |
| | DOD-C-85050/1A NOT 1 | CHARGER, BATTERY, NICKEL CADMIUM AIRCRAFT 30 AMPERE CHARGER, DC INPUT[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 13-AUG-97 |
| | DOD-C-85050(2) NOT 1 | CHARGER, BATTERY, NICKEL CADMIUM, AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 13-AUG-97 |
| | MIL-C-29512 NOT 1 | CHARGER, BATTERY, PP-7806/BRT-6[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-C-14613A(2) NOT 1 | CHARGER, BOLT, CALIBER .50 BROWNING MACHINE GUN, M10[CUST: AR] | A | 1005 | | AR | 06-MAY-03 |
| | MIL-C-55038A(1) NOT 1 | CHARGER, RADIAC DETECTOR, PP 1578( )/PD[CUST: CR] [REVIEW: GS] | A | 6665 | | CR | 25-APR-97 |
| | MIL-C-18438B(1) NOT 2 | CHARGERS, BATTERY, GENERATOR TYPE[CUST: SH] [REVIEW: GS] | A | 6130 | | SH | 22-APR-98 |
| | MIL-C-46246F NOT 2 | CHARGES, DEMOLITION, TNT, BLOCK, 1/4 POUND, 1/2 POUND, AND 1 POUND[CUST: AR] | A | 1375 | | AR | 22-JUL-96 |
| | MIL-C-81950 NOT 2 | CHARTS: STANDARD AIRCRAFT CHARACTERISTICS AND PERFORMANCE, HELICOPTER[CUST: AS] | A | 7530 | | AS | 30-AUG-99 |
| | MIL-C-14875B(1) NOT 1 | CHASSIS ASSEMBLY: 10559435 PHOTOMULTIPLIER[CUST: AR] | A | 1240 | | AR | 11-AUG-97 |
| | MIL-C-46722A NOT 1 | CHASSIS, TRAILER, 1 TO 5 TON, 4 WHEEL GENERAL PURPOSE[CUST: 99] | A | 2330 | | 84 | 23-MAR-96 |
| | MIL-C-52437C SUP 1 NOT 1 | CHASSIS, TRAILER, SINGLE- AND MULTI-AXLE, GENERAL SPECIFICATION FOR[CUST: AT 99] [REVIEW: 84] | A | 2330 | | AT | 15-DEC-95 |
| | MIL-C-52437/1 NOT 1 | CHASSIS, TRAILER, SIZE 1 CCE[CUST: AT 99] | A | 2330 | | AT | 15-DEC-95 |
| | MIL-C-52437/8 NOT 1 | CHASSIS, TRAILER, SIZE 14, CCE[CUST: AT 99] | A | 2330 | | AT | 15-DEC-95 |
| | MIL-C-52437/2 NOT 1 | CHASSIS, TRAILER, SIZE 3, CCE[CUST: AT 99] | A | 2330 | | AT | 15-DEC-95 |
| | MIL-C-52437/9 NOT 1 | CHASSIS, TRAILER, SIZE 32, CCE[CUST: AT 99] [REVIEW: 84] | A | 2330 | | AT | 15-DEC-95 |
| | MIL-C-52437/3 NOT 1 | CHASSIS, TRAILER, SIZE 4, CCE[CUST: AT 99] | A | 2330 | | AT | 15-DEC-95 |
| | MIL-C-52437/4 NOT 1 | CHASSIS, TRAILER, SIZE 6, CCE[CUST: AT 99] | A | 2330 | | AT | 15-DEC-95 |
| | MIL-C-52437/5 NOT 1 | CHASSIS, TRAILER, SIZE 8, CCE[CUST: AT 99] | A | 2330 | | AT | 15-DEC-95 |
| | MIL-C-52437/6 NOT 1 | CHASSIS, TRAILER, SIZE 9, MILITARY DESIGN[CUST: AT 99] | A | 2330 | | AT | 15-DEC-95 |
| | MIL-C-52437/7 NOT 1 | CHASSIS, TRAILER, SIZE11, CCE[CUST: AT 99] | A | 2330 | | AT | 15-DEC-95 |
| | MIL-C-85358 NOT 3 | CHECKLIST, AIRCRAFT GUMS JAM CLEARING[CUST: AS] | A | TMSS | | AS | 30-SEP-97 |
| | MIL-C-35053D NOT 1 | CHEESE, AMERICAN, PROCESSED, DEHYDRATED[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8910 | | GL | 26-SEP-97 |
| | MIL-C-10856D NOT 3 | CHEMICAL AGENT, MUSTARD SIMULATED (MOLASSES RESIDUUM)[CUST: EA OS] [REVIEW: AS MC MD] | A | 1365 | | EA | 08-JUL-04 |
| | MIL-STD-1607A NOT 2 | CHEMICAL CLEANING OF MAIN AND AUXILIARY BOILERS (SULFAMIC-CITRIC ACID METHOD)[Military Standard][CUST: SH] | A | 4410 | | SH | 13-JUL-99 |
| | MIL-HDBK-1015/2 NOT 1 | CHEMICAL ENGINEERING ELECTROPLATING TECHNICAL SYNOPSIS[CUST: YD] | A | FACR | | YD | 27-AUG-97 |
| | PPP-C-2020A NOT 1 | CHEMICALS, LIQUID, DRY, AND PASTE: PACKAGING OF[CUST: EA SH 68] [REVIEW: 99 AR AS CR3 DH GS MD OS SA SM] | A | PACK | / | EA | 21-NOV-00 |
| | MIL-C-50705(3) NOT 2 | CHEST, 10548700[CUST: AR] | A | 1220 | | AR | 28-NOV-95 |
| | MIL-C-43289F NOT 1 | CHICKEN WITH RICE, COOKED, DEHYDRATED[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 22-AUG-97 |
| | MIL-C-44468 NOT 1 | CHILI CON CARNE, WITHOUT BEANS, CANNED[CUST: GL SA 50] | A | 8940 | | GL | 22-AUG-97 |
| | MIL-C-24230 NOT 1 | CIRCLE, AZIMUTH (MARK 4 MOD 1) AND CIRCLE, BEARING (MARK 2 MOD 1) FOR 6-INCH INDICATORS[CUST: SH] [REVIEW: GS] | A | 6605 | | SH | 18-JAN-90 |
| | MIL-C-228A NOT 1 | CIRCLES, AZIMUTH; AND CIRCLES, BEARING[CUST: CR4 SH] [REVIEW: AV GS MI] | A | 6605 | | SH | 18-JAN-91 |
| | MIL-C-50736 NOT 1 | CIRCUIT ASSEMBLY, 11737350 (READOUT)[CUST: AR] | A | 1240 | | AR | 15-JUL-96 |
| | MIL-C-55629/14B NOT 1 | CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, SINGLE POLE, BACK MOUNTED (1 TO 100 AMPERES)[CUST: CR EC 11] [REVIEW: 19 99 AS AV CC CR4 MC MI OS] | A | 5925 | | CR | 30-SEP-97 |
| | MIL-C-55629/18B NOT 1 | CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, THREE POLE, BACK MOUNTED (1 TO 100 AMPERES)[CUST: CR EC 11] [REVIEW: 19 99 AS AV CC CR4 MC MI OS] | A | 5925 | | CR | 30-SEP-97 |
| | MIL-C-55629/16B NOT 1 | CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, TWO POLE, BACK MOUNTED (1 TO 100 AMPERES)[CUST: CR EC 11] [REVIEW: 19 99 AS AV CC CR4 MC MI OS] | A | 5925 | | CR | 30-SEP-97 |
| | MIL-C-17361/3 NOT 1 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF100 (FOR REPLACEMENT ONLY)[CUST: SH] | A | 5925 | | SH | 22-APR-98 |
| | MIL-C-17361/2 NOT 1 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A100 AND NQB - A100 (FOR REPLACEMENT ONLY)[CUST: SH] | A | 5925 | | SH | 22-APR-98 |
| | MIL-C-55629/13B NOT 1 | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, SINGLE POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES)[CUST: CR EC 11] [REVIEW: 19 99 AS AV CC CR4 MC MI OS] | A | 5925 | | CR | 30-SEP-97 |
| | MIL-C-55629/17B NOT 1 | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, THREE POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES)[CUST: CR EC 11] [REVIEW: 19 99 AS AV CC CR4 MC MI OS] | A | 5925 | | CR | 30-SEP-97 |
| | MIL-C-55629/15B NOT 1 | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, TWO POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES)[CUST: CR EC 11] [REVIEW: 19 99 AS AV CC CR4 MC MI OS] | A | 5925 | | CR | 30-SEP-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-55629/19C NOT 1 | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, FOUR POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES)[CUST: CR EC 11] [REVIEW: 19 99 AS AV CC CR4 MC MI OS] | A | 5925 | | CR | 30-SEP-97 |
| | W-C-375/7C | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (15 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS SH] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/13A | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (15 THROUGH 50 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/19B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (10 THRU 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | W-C-375/20B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE III, SERIES TRIP, TWO POLE (10 THRU 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS] | A | 5925 | / | CC | 04-AUG-04 |
| | MIL-C-63371B(1) NOT 1 | CIRCUIT CARD ASSEMBLIES, MINE DISPENSER, M128, GENERAL SPECIFICATION FOR[CUST: AR] | A | 1095 | | AR | 15-AUG-97 |
| | MIL-C-48615B NOT 3 | CIRCUIT CARD ASSEMBLY - CONTINUITY TEST CARD[CUST: AR] | A | 1240 | | AR | 03-FEB-97 |
| | MIL-C-48486C NOT 3 | CIRCUIT CARD ASSEMBLY - GCU TEST ELECTRONICS[CUST: AR] | A | 1240 | | AR | 15-FEB-00 |
| | MIL-C-48487C NOT 3 | CIRCUIT CARD ASSEMBLY - LAMP DIODES[CUST: AR] | A | 1240 | | AR | 03-FEB-97 |
| | MIL-C-48482C NOT 3 | CIRCUIT CARD ASSEMBLY - LASER CARD TEST LOAD SIMULATOR[CUST: AR] | A | 1240 | | AR | 03-FEB-97 |
| | MIL-C-48469B(1) NOT 2 | CIRCUIT CARD ASSEMBLY 11732344 SWITCHING REGULATOR[CUST: AR] | A | 1220 | | AR | 10-JUN-98 |
| | MIL-C-14871(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 10559205 (INDICATOR, COMMAND, DISPLAY)[CUST: AR] | A | 1240 | | AR | 11-AUG-97 |
| | MIL-C-14879(1) NOT 3 | CIRCUIT CARD ASSEMBLY, 10559225 (CONTROL, GUNNERS, LASER RANGING)[CUST: AR] | A | 1240 | | AR | 03-FEB-97 |
| | MIL-C-14870(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 10559245 (INDICATOR, DIGITAL, DISPLAY)[CUST: AR] | A | 1240 | | AR | 11-AUG-97 |
| | MIL-C-14877(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 10559325 (POWER SUPPLY, LOW VOLTAGE)[CUST: AR] | A | 1240 | | AR | 11-AUG-97 |
| | MIL-C-48458B(1) NOT 2 | CIRCUIT CARD ASSEMBLY, 11732392 GCU ELECTRONICS[CUST: AR] | A | 1220 | | AR | 06-JUN-98 |
| | MIL-C-50735 NOT 1 | CIRCUIT CARD ASSEMBLY, 11737334 (LOGIC)[CUST: AR] | A | 1240 | | AR | 15-JUL-96 |
| | MIL-C-50740 NOT 1 | CIRCUIT CARD ASSEMBLY, 11738808 (BATTERY CHARGE SENSOR)[CUST: AR] | A | 1240 | | AR | 15-JUL-96 |
| | MIL-C-63371/1B(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 9290227[CUST: AR] | A | 1095 | | AR | 15-AUG-97 |
| | MIL-C-63371/4B(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 9290623 (OPERATOR CONTROL PANEL INTERFACE)[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |
| | MIL-C-63371/5B NOT 1 | CIRCUIT CARD ASSEMBLY, 9290647 (MAGAZINE LOGIC "A": LEFT, RIGHT[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |
| | MIL-C-63371/6A(2) NOT 1 | CIRCUIT CARD ASSEMBLY, 9290651 (MAGAZINE LOGIC "B": LEFT, RIGHT)[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |
| | MIL-C-63371/8B NOT 1 | CIRCUIT CARD ASSEMBLY, 9290656 (SERVO LOGIC, LEFT, RIGHT)[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |
| | MIL-C-63371/9A NOT 2 | CIRCUIT CARD ASSEMBLY, 9290661 (BITE 'A')[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |
| | MIL-C-63371/10A(2) NOT 1 | CIRCUIT CARD ASSEMBLY, 9290665 (BITE "B")[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |
| | MIL-C-63371/12B(2) NOT 1 | CIRCUIT CARD ASSEMBLY, 9290669, (BITE "D")[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |
| | MIL-C-63371/11B(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 9290793 (BITE "C")[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |
| | MIL-C-63371/3B(2) NOT 1 | CIRCUIT CARD ASSEMBLY, 9291224 (OPERATOR CONTROL BOX INTERFACE)[CUST: AR] | A | 1095 | | AR | 15-AUG-97 |
| | MIL-C-63371/13(1) NOT 2 | CIRCUIT CARD ASSEMBLY, 9291348 (BITE "C")[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |
| | MIL-C-63371/2A(1) NOT 2 | CIRCUIT CARD ASSEMBLY, 9291352 (INPUT BUFFER "B")[CUST: AR] | A | 1095 | | AR | 18-AUG-97 |
| | MIL-C-71043(1) NOT 1 | CIRCUIT CARD ASSEMBLY, AMPLIFIER: 11784526[CUST: AR] | A | 5998 | | AR | 17-AUG-98 |
| | MIL-C-70494(1) NOT 1 | CIRCUIT CARD ASSEMBLY, AUDIO INTERFACE[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-C-70497(1) NOT 1 | CIRCUIT CARD ASSEMBLY, CASE INTERCONNECT[CUST: AR] | A | 1220 | | AR | 18-AUG-97 |
| | MIL-C-48484C NOT 3 | CIRCUIT CARD ASSEMBLY, COMPARATOR, TYPE 2[CUST: AR] | A | 1240 | | AR | 03-FEB-97 |
| | MIL-C-70495(2) NOT 1 | CIRCUIT CARD ASSEMBLY, DISPLAY POWER SUPPLY[CUST: AR] | A | 1220 | | AR | 03-JAN-97 |
| | MIL-C-70491(2) NOT 1 | CIRCUIT CARD ASSEMBLY, DISPLAY/PROCESSOR[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-C-70498(1) NOT 1 | CIRCUIT CARD ASSEMBLY, INTERCONNECT[CUST: AR] | A | 1220 | | AR | 18-AUG-97 |
| | MIL-C-70496(1) NOT 1 | CIRCUIT CARD ASSEMBLY, LOGIC POWER SUPPLY[CUST: AR] | A | 1220 | | AR | 18-AUG-97 |
| | MIL-C-70490(1) NOT 1 | CIRCUIT CARD ASSEMBLY, MEMORY[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-C-70943(1) NOT 1 | CIRCUIT CARD ASSEMBLY, MICROPROCESSOR: 12922117[CUST: AR] | A | 1290 | | AR | 18-AUG-97 |
| | MIL-C-70492(2) NOT 1 | CIRCUIT CARD ASSEMBLY, MODEM[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-C-70942(1) NOT 1 | CIRCUIT CARD ASSEMBLY, POWER SUPPLY: 12922115[CUST: AR] | A | 1290 | | AR | 18-AUG-97 |
| | MIL-C-14891A(2) NOT 1 | CIRCUIT CARD ASSEMBLY: 10559285 OR 9360493 SELECT LOGIC[CUST: AR] | A | 1240 | | AR | 11-AUG-97 |
| | MIL-C-14882A(1) NOT 3 | CIRCUIT CARD ASSEMBLY: 10559295 REPLY GATING[CUST: AR] | A | 1240 | | AR | 23-JUL-97 |
| | MIL-C-14883A(1) NOT 1 | CIRCUIT CARD ASSEMBLY: 10559305 COUNTERS[CUST: AR] | A | 1240 | | AR | 11-AUG-97 |
| | MIL-C-14872(1) NOT 3 | CIRCUIT CARD ASSEMBLY: 10559315 (LINE DRIVER)[CUST: AR] | A | 1240 | | AR | 03-FEB-97 |
| | MIL-C-14876B(1) NOT 1 | CIRCUIT CARD ASSEMBLY: 10559335 AND 11745329 -1600V POWER SUPPLIES[CUST: AR] | A | 1240 | | AR | 11-AUG-97 |
| | MIL-C-14873A(2) NOT 4 | CIRCUIT CARD ASSEMBLY: 10559425 TRANSMITTER LOGIC[CUST: AR] | A | 1240 | | AR | 03-FEB-97 |
| | MIL-C-48468B(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 11732332 INVERTER AND PLUS 15 VOLT REGULATOR[CUST: AR] | A | 1220 | | AR | 12-AUG-97 |
| | MIL-C-48470B(2) NOT 2 | CIRCUIT CARD ASSEMBLY: 11732350 RETICLE PROJECTOR AND ELEVATION SERVO DRIVE[CUST: AR] | A | 1220 | | AR | 11-DEC-95 |
| | MIL-C-48471B(2) NOT 4 | CIRCUIT CARD ASSEMBLY: 11732354 LEAD, WINDAGE AND REFERENCE[CUST: AR] | A | 1220 | | AR | 11-JUN-98 |
| | MIL-C-48472B(1) NOT 4 | CIRCUIT CARD ASSEMBLY: 11732360, SUPERELEVATION AND DRIFT[CUST: AR] | A | 1220 | | AR | 27-FEB-97 |
| | MIL-C-48475B(3) NOT 1 | CIRCUIT CARD ASSEMBLY: 11732369 SELF TEST[CUST: AR] | A | 1220 | | AR | 11-DEC-95 |
| | MIL-C-50744A(2) NOT 2 | CIRCUIT CARD ASSEMBLY: 11737802 INTERFACE[CUST: AR] | A | 1240 | | AR | 15-JUL-96 |
| | MIL-C-62204B(2) NOT 2 | CIRCUIT CARD ASSEMBLY: 11743281 DISPLAY DRIVER[CUST: AR] | A | 1240 | | AR | 11-DEC-95 |
| | MIL-C-62205B(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 11743417 MIRROR/A-TRIGGER AND BUFFER[CUST: AR] | A | 1240 | | AR | 11-DEC-95 |
| | MIL-C-62202B(1) NOT 1 | CIRCUIT CARD ASSEMBLY: 11743439 COMMANDERS CONTROL[CUST: AR] | A | 1240 | | AR | 18-AUG-97 |
| | MIL-C-62207B(2) NOT 1 | CIRCUIT CARD ASSEMBLY: 11743667 DIGITAL TO ANALOG CONVERTER[CUST: AR] | A | 1240 | | AR | 17-JUL-96 |
| | MIL-C-48610B(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 11746908 LOW VOLTAGE POWER SUPPLY CONTROL LOGIC[CUST: AR] | A | 1240 | | AR | 11-JUL-96 |
| | MIL-C-48474B(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 11834803 AMMO SELECT[CUST: AR] | A | 1220 | | AR | 11-DEC-95 |
| | MIL-C-63358(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 11834811 OUTPUT[CUST: AR] | A | 1220 | | AR | 28-NOV-95 |
| | MIL-C-63373 NOT 2 | CIRCUIT, DEMOLITION INERT, FOR DEMOLITION KIT, CRATERING, TRAINING, XM270 ASSEMBLY AND PACKING[CUST: AR] | A | 1375 | | AR | 20-FEB-97 |
| | MS17185 NOT 1 | CLAMP (SYNCHRO)[CUST: AS CC] [REVIEW: MI] | A | 5990 | | CC | 30-MAR-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AN3156 REV 5 NOT 3 | CLAMP - BATTERY HOLD-DOWN[CUST: AV AS 99] [REVIEW: 11 CR GS] | A | 6140 | | 84 | 02-JUN-95 |
| | MS17183A NOT 1 | CLAMP ASSEMBLY (SYNCHRO)[CUST: AS CC] [REVIEW: AV MI] | A | 5990 | | CC | 30-MAR-99 |
| | MIL-C-3643/14A NOT 2 | CLAMP, ARMOR, SERIES HN, TYPE MX-1462/U[CUST: CR EC 99] [REVIEW: 11 AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-13481B NOT 1 | CLAMP, BEAM, RIGGER S[CUST: AT YD] | A | 3940 | | IS | 28-SEP-99 |
| | MS39046A NOT 2 | CLAMP, ELECTRICAL, LASHING (POLE LINE)[CUST: CR YD 11] [REVIEW: 99 MC] | A | 5975 | | GS2 | 21-FEB-03 |
| | MS21919E(1) NOT 4 | CLAMP, LOOP TYPE, CUSHIONED, SUPPORT[CUST: AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | 01-FEB-01 |
| | MS21106A NOT 1 | CLAMP, LOOP, CUSHIONED, 1200 DEG. F., CRES TYPE IV, CLASS B[CUST: AV AS 99 IS] | A | 5340 | | IS | 16-JUN-97 |
| A | MS21122D | CLAMP, LOOP, CUSHIONED, WEDGE, POLYTETRAFLUOROETHYLENE[CUST: CR4 AS 99] [REVIEW: MI] | A | 5340 | | IS | 03-OCT-05 |
| | AN742 REV 12(1) | CLAMP, LOOP, PLAIN, SUPPORT, AIRCRAFT[CUST: AV AS 99] [REVIEW: 71] | A | 5340 | | IS | 31-JAN-01 |
| | MS9826A NOT 1 | CLAMP, LOOP-CUSHIONED, JOGGLED, CORROSION RESISTING STEEL, .265 HOLE[CUST: AS 99] [REVIEW: 11] | A | 5340 | | AS | 04-OCT-91 |
| | MS16843E NOT 1 | CLAMP, WIRE ROPE (DOUBLE GRIP) THREADED, STEEL[CUST: AR SH 99 CC] [REVIEW: AT CR CR4 GL MC YD] | A | 4030 | | CC | 01-OCT-97 |
| | MS51868B NOT 1 | CLAMP, WIRE ROPE, DOUBLE SADDLE, DOUBLE GRIP, STEEL[CUST: AR SH 99 CC] [REVIEW: AT AV CR4 GL MC YD] | A | 4030 | | CC | 16-JUN-97 |
| | MS16842E NOT 1 | CLAMP, WIRE ROPE, SADDLED, SINGLE GRIP STEEL[CUST: AR SH 99 CC] [REVIEW: 71 AT AV CR4 GL MC YD] | A | 4030 | | CC | 01-OCT-97 |
| | MS27405A NOT 2 | CLAMP-TUBE[CUST: AV AS 99 IS] | A | 5340 | | IS | 22-AUG-97 |
| | MIL-C-11418H NOT 1 | CLAMPS, LEAK REPAIR, PIPE COUPLING: FOR USE OVER GROOVED-TYPE COUPLINGS[CUST: AT] [REVIEW: CC] | A | 4730 | | AT | 15-SEP-98 |
| A | MIL-C-8603B(1) NOT 1 | CLAMPS, LOOP TYPE, AND STRAPS, SUPPORT[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | 16-JUN-97 |
| | MIL-C-10083C(2) NOT 2 | CLAMPS, WIRE, GAS MASK[CUST: EA] | A | 4240 | | EA | 20-NOV-95 |
| | P-C-444B(1) NOT 1 | CLEANING COMPOUND, SOLVENT SOLUBLE, GREASE EMULSIFYING[CUST: AV AS 68 GS] [REVIEW: EA MS OS SM] | A | 6850 | / | AS | 19-APR-01 |
| | MIL-C-24196A(1) NOT 1 | CLEANING SYSTEM, ULTRASONIC[CUST: SH] [REVIEW: CC] | A | 4940 | | SH | 16-FEB-00 |
| | MIL-C-45918 NOT 1 | CLEVISES AND CONNECTORS (ROD END)[CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MC MI SH] | A | 5340 | | IS | 04-FEB-99 |
| | MIL-C-81003 NOT 1 | CLINOMETER, ELEVATION ML-591/U[CUST: AS] [REVIEW: GS] | A | 6660 | | AS | 16-OCT-96 |
| | MS27759A NOT 1 | CLIP PARACHUTE HARNESS QUICK RELEASE, SAFETY[CUST: GL AS 99] [REVIEW: AV GS] | A | 1670 | | 11 | 31-DEC-97 |
| | MIL-C-45931A(2) NOT 1 | CLIP, CARTRIDGE. 5.56MM, 10 ROUND[CUST: AR] | A | 1305 | | AR | 02-FEB-96 |
| | MIL-C-45404A(1) NOT 2 | CLIP, CARTRIDGE: 7.62MM, 5-ROUND[CUST: AR] [REVIEW: MI] | A | 1305 | | AR | 01-FEB-96 |
| | MIL-C-50919B NOT 2 | CLIP, CORD, DETONATING: M1[CUST: AR] | A | 1375 | | AR | 15-JUL-96 |
| | MIL-C-496D NOT 1 | CLIP, END, STRAP[CUST: GL 99 IS] [REVIEW: 71 AR CG CR4 EA MC MD MI] | A | 5340 | | IS | 31-JUL-97 |
| | MS51926B NOT 4 | CLIP, END, STRAP TYPE I, CLASS 1 AND CLASS 2[CUST: GL YD 99 IS] [REVIEW: AV CR4 MD MI] | A | 5340 | | IS | 21-DEC-04 |
| | MS70109A NOT 4 | CLIP, END, STRAP TYPE II, CLASS 1[CUST: GL YD 99 IS] [REVIEW: CG CR4 MC MD MI] | A | 5340 | | IS | 21-DEC-04 |
| | MS51928B NOT 1 | CLIP, SPRING TENSION[CUST: AR YD 99 IS] [REVIEW: 71 AT CG CR CR4 SA] | A | 5340 | | IS | 16-JUN-97 |
| | AN5743 REV 3 NOT 2 | CLOCK - AIRCRAFT, 1-7/8 INCH DIAL[CUST: AS] [REVIEW: GS] | A | 6645 | | AS | 16-OCT-96 |
| | MIL-C-38207A(2) NOT 2 | CLOCK AIRCRAFT, MECHANICAL ABU-11/A[CUST: 99] [REVIEW: GS] | A | 6645 | | 71 | 29-OCT-97 |
| | MIL-C-21679(1) NOT 1 | CLOCK DELAY CD-10 MOD 1 MECHANISM[CUST: OS] | A | 1350 | | OS | 28-MAY-86 |
| | MIL-C-82693A(1) NOT 1 | CLOSURE ASSEMBLY, AFT, FOR MK 56 MOD 2 ROCKET MOTOR[CUST: OS] | A | 1338 | | OS | 10-JUL-99 |
| | MIL-C-10857D NOT 2 | CLOTH, ANTIFOGGING[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 05-MAR-96 |
| | CCC-C-46D(2) NOT 2 | CLOTH, CLEANING, NONWOVEN FABRIC[CUST: GL AS 99] [REVIEW: 84] | A | 7920 | / | AS | 19-APR-01 |
| | CCC-C-441C NOT 2 | CLOTH, CORDUROY, COTTON[CUST: GL NU 99 CT] [REVIEW: MD] | A | 8305 | / | CT | 11-APR-02 |
| | SAE-AMS3823 | CLOTH, GLASS, STYLE 7781, CHROME-SILANE FINISH[CUST: MR AS] | A | CMPS | | AS | APR-94 |
| | MIL-C-81268A NOT 1 | CLOTH, NYLON[CUST: OS] | A | 8305 | | OS | 20-MAY-92 |
| | CCC-C-429F NOT 1 | CLOTH, OSNABURG, COTTON[CUST: GL SA 99 CT] [REVIEW: 11 AR CG MD MI] | A | 8305 | / | CT | 14-APR-02 |
| | MIL-C-19262A NOT 1 | CLOTH, PARACHUTE[CUST: OS] [REVIEW: CT] | A | 8305 | | OS | 10-JUL-99 |
| | MIL-C-17208B(1) NOT 5 | CLOTH, PARACHUTE, 240-PERMEABILITY; FOR USE WITH UNDERWATER ORDNANCE[CUST: AR] | A | 8305 | | AR | 14-FEB-03 |
| | MIL-C-483D(1) NOT 2 | CLOTH, PILE, ALPACA AND WOOL[CUST: GL NU 99 CT] [REVIEW: AS MD] | A | 8305 | | CT | 15-OCT-99 |
| | MIL-C-11460(1) NOT 1 | CLOTH, RAYON (FOR LINERS FOR RECOILLESS CARTRIDGE CASES)[CUST: AR] [REVIEW: CT] | A | 1315 | | AR | 14-MAR-97 |
| | CCC-C-432D NOT 2 | CLOTH, SHEETING, COTTON, (UNBLEACHED, BLEACHED, AND DYED)[CUST: GL SA 99 CT] [REVIEW: 11 EA MC MD] | A | 8305 | / | CT | 11-APR-02 |
| | MIL-C-81251 NOT 1 | CLOTH, SILICA, PHENOLIC IMPREGNATED[CUST: OS] | A | 1338 | | OS | 20-MAY-92 |
| | MIL-C-539A NOT 1 | CLOTH, SILK, CARTRIDGE-BAG[CUST: OS CT] [REVIEW: CR4] | A | 8305 | | CT | 20-MAY-92 |
| | SAE-AMS3821 | CLOTH, TYPE "E" GLASS, "B" STAGE EPOXY-RESIN-IMPREGNATED 7781 STYLE FABRIC, FLAME RESISTANT[CUST: AS 11] [REVIEW: CT] | A | 8305 | | AS | 01-OCT-91 |
| | MIL-C-40153L(1) NOT 1 | CLOTHING REPAIR SHOP, TRAILER MOUNTED[CUST: GL 99] [REVIEW: 84 AV MC] | A | 3530 | | GL | 24-MAR-97 |
| | MIL-C-52947B NOT 1 | COAGULANT, WATER TREATMENT: POLYELECTROLYTE, CATIONIC, LIQUID[CUST: AT] [REVIEW: GS] | A | 6810 | | AT | 30-SEP-98 |
| | MIL-C-44356A NOT 1 | COAT AND TROUSERS, CHEMICAL PROTECTIVE, AIRCREW, FLAME RESISTANT[CUST: GL NU CT] | A | 8415 | | CT | 06-OCT-98 |
| | MIL-C-13510 NOT 1 | COATED CELLOPHANE FILM FOR INCREMENT CHARGE CONTAINERS.[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 27-FEB-97 |
| | MIL-C-46110B NOT 3 | COATING COMPOUND, OXIDE BLACK[CUST: AR SH 68 GS3] [REVIEW: CR MC OS SM] | A | 6850 | | GS3 | 24-FEB-04 |
| | MIL-C-21067C(1) NOT 1 | COATING COMPOUND, SYNTHETIC RUBBER, FOR EXPOSED STEEL SURFACES[CUST: MI] [REVIEW: AR AV CR GL MR] | A | 8030 | | MI | 01-SEP-99 |
| | SAE-AMS3135 | COATING MATERIAL, SILICONE RESIN 205 DEG. C (400 DEG. F) CURE[CUST: MR AS 11] | A | 8010 | | AS | 26-SEP-85 |
| | MIL-C-82747 NOT 1 | COATING POLYURETHANE CLEAR, SAFFLOWER OIL MODIFIED ALKYD[CUST: OS] | A | 8010 | | OS | 09-MAY-96 |
| | MIL-C-47244A NOT 1 | COATING, ABLATIVE RESISTANT[CUST: MI] | A | 8030 | | MI | 23-JAN-96 |
| | MIL-C-85614A(1) NOT 1 | COATING, FASTENER (TITANIUM AND CRES ALLOYS), ALUMINUM PIGMENTED, ORGANICALLY BONDED (FOR ALL THREADED AND UNTHREADED FASTENERS)[CUST: AV AS 11] [REVIEW: 99 MR OS SH] | A | MFFP | | AS | 28-AUG-96 |
| | MIL-C-82807 NOT 1 | COATING, FLAMEPROOF[CUST: OS] | A | 8010 | | OS | 09-MAY-96 |
| | MIL-F-48616/200 NOT 2 | COATING, HIGH REFLECTANCE, FIRST SURFACE, ORDINARY REQUIREMENTS FOR[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 08-AUG-97 |
| | MIL-C-87115A NOT 2 | COATING, IMMERSION ZINC FLAKE/CHROMATE DISPERSION[CUST: MR 11] [REVIEW: 70 99 CR] | A | MFFP | | MR | 18-DEC-97 |
| | MIL-F-48616/500 NOT 2 | COATING, LONG WAVELENGTH PASS FILTER, ORDINARY REQUIREMENTS FOR[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 08-AUG-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-F-48616/101 NOT 2 | COATING, LOW REFLECTANCE ON GERMANIUM, 8.0 TO 11.5, MICROMETERS, HIGH DURABILITY, SPECIAL REQUIREMENTS FOR[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 08-AUG-97 |
| | MIL-F-48616/100 NOT 2 | COATING, LOW REFLECTANCE, ORDINARY REQUIREMENTS FOR[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 08-AUG-97 |
| | MIL-C-81751B(1) NOT 1 | COATING, METALLIC-CERAMIC[CUST: MR AS 11] [REVIEW: AR CR CR4 OS SH YD] | A | MFFP | | AS | 28-AUG-96 |
| | MIL-C-5056 NOT 2 | COATING, PERMANENT RESIN; PROCESS FOR APPLICATION OF, TO AIRCRAFT PARTS[CUST: AS 11] | A | 15GP | | AS | 28-AUG-96 |
| | MIL-C-83019(3) NOT 2 | COATING, POLYURETHANE, FOR PROTECTION OF INTEGRAL FUEL TANK SEALING COMPOUND[CUST: 11] [REVIEW: 84 99] | A | 8030 | | 11 | 17-OCT-97 |
| | MIL-C-14806A(2) NOT 2 | COATING, REFLECTION REDUCING, FOR INSTRUMENT COVER GLASSES AND LIGHTING WEDGES[CUST: AR AS 11] [REVIEW: 99 AV GS MI OS] | A | 6650 | | AR | 14-MAR-97 |
| | MIL-F-48616/600 NOT 2 | COATING, SHORT WAVELENGTH PASS FILTER, ORDINARY REQUIREMENTS FOR[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 08-AUG-97 |
| | MIL-C-48497A(3) NOT 1 | COATING, SINGLE OR MULTILAYER, INTERFERENCE: DURABILITY REQUIREMENTS FOR[CUST: AR AS] [REVIEW: GS OS] | A | 6650 | | AR | 14-MAR-97 |
| | MIL-C-23760D NOT 1 | COATING, SPRAYABLE, STRIPPABLE, PROTECTIVE, FOR PACKAGING OF WEAPONS SYSTEMS AND COMPONENTS, APPLICATION OF[CUST: MR AS 11] [REVIEW: 99 AR AT AV MI SM] | A | 8030 | | AS | 30-AUG-99 |
| | MIL-F-48616/102 NOT 2 | COATING, ULTRA LOW REFLECTANCE ON GERMANIUM, 7.5 TO 12.3 MICROMETERS, SPECIAL REQUIREMENTS FOR[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 08-AUG-97 |
| | MIL-C-8507D NOT 1 | COATING, WASH PRIMER (PRETREATMENT) FOR METALS, APPLICATION OF (FOR AERONAUTICAL USE)[CUST: AS 99] | A | 8030 | | AS | 05-MAR-97 |
| | MIL-C-47246A NOT 1 | COATINGS, ABLATIVE, APPLICATION OF[CUST: MI] | A | 8030 | | MI | 23-JAN-96 |
| | MIL-DTL-87104A | COAXIAL ASSEMBLIES, GENERAL SPECIFICATION FOR[CUST: 11 CC] | A | 5985 | | CC | 31-MAR-04 |
| | MIL-C-87104/2 NOT 3 | COAXIAL ASSEMBLIES, TNC TYPE (0.03 TO 18 GHZ)[CUST: 11 CC] | A | 5985 | | CC | 30-MAR-04 |
| | MIL-C-13358F(1) NOT 1 | COBALT-CHROMIUM ALLOY CASTINGS (FOR BARREL TUBE LINERS)[CUST: AR] | A | MECA | | AR | 22-APR-96 |
| | MIL-C-22764C(2) NOT 1 | CODER RECEIVER TRANSMITTER KY-532A/ASQ[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-C-22672B(2) NOT 1 | CODER-RECEIVER-TRANSMITTER KY-533(*)/ASQ[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MS51114C NOT 2 | COIL, IGNITION-24 VOLT, DC (WITH INTERNAL BALLAST)[CUST: AT SH CC] [REVIEW: MC SA] | A | 2920 | | CC | 31-OCT-03 |
| | MS51115A NOT 2 | COIL, IGNITION: 24 VOLT DC (WITHOUT INTERNAL BALLAST)[CUST: AT SH CC] [REVIEW: MC SA] | A | 2920 | | CC | 31-OCT-03 |
| | MS14043A NOT 1 | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K118 TO LT10K122 INCL.[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 05-JUN-03 |
| | MS14048 NOT 1 | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K143 TO LTI0K147 INCL.[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 31-MAR-99 |
| | MS14041A NOT 1 | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K108 TO LT10K112 INCL.[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 05-JUN-03 |
| | MS14052 NOT 2 | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K158 TO LT10K168 INCL.[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 05-AUG-04 |
| | MS14050 NOT 1 | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K153 TO LTU0K157 INCL.[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 31-MAR-99 |
| | MS21400A NOT 3 | COIL, RADIO, FREQUENCY, MOLDED, FIXED, MICRO MINIATURE, MAGNETICALLY SHIELDED (IRON CORE - IRON SLEEVE) TYPES, LT10K 469 TO LT10K 482 INCL.[CUST: CR EC 11] [REVIEW: 19] | A | 5950 | | CC | 21-FEB-03 |
| | MIL-C-22770H NOT 1 | COIL, WIRE[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MS53230A NOT 3 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE CORE), TYPE LT11V022 TO LT11V038, INCL.[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH] | A | 5950 | | CC | 04-AUG-04 |
| | MS53234 NOT 3 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE CORE), TYPES LT11V098 TO LT11V114, INCL.[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH] | A | 5950 | | CC | 04-AUG-04 |
| | MS53232A NOT 3 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE-CORE), TYPES LT11V060 TO LT11V076, INCL.[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH] | A | 5950 | | CC | 04-AUG-04 |
| | MS53231A NOT 3 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V039 TO LT11V059, INCL.[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH] | A | 5950 | | CC | 04-AUG-04 |
| | MS53229A NOT 3 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V001 TO LT11V021, INCL.[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH] | A | 5950 | | CC | 04-AUG-04 |
| | MS53233 NOT 3 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V077 TO LT11V097, INCL.[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH] | A | 5950 | | CC | 04-AUG-04 |
| | MS90546A NOT 2 | COILS, RADIO FREQUENCY, MOLDED VARIABLE, FERRITE CORE (PRINTED CIRCUIT MT'G) TYPES LT12V032 TO LT12V062, INCLUSIVE[CUST: CR EC 11 CC] [REVIEW: AS AT CG CR4 MC MI OS SH] | A | 5950 | | CC | 31-MAR-99 |
| | MS21381D NOT 3 | COILS, RADIO FREQUENCY, MOLDED VARIABLE, SUBMINATURE, IRON CORE, MAGNETICALLY SHIELDED, TYPES LT10V174 TO LT10V209 INCL. AND LT10V247 TO LT10V258 INCL.[CUST: CR EC 11] [REVIEW: 19 99 MI] | A | 5950 | | CC | 21-FEB-03 |
| | MS75085D NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED (FERRITE CORE), TYPES LT10K078 TO LT10K096, INCLUSIVE (USE MIL-C-39010/10)[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MS75084D NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED (IRON CORE), TYPES LT10K061 TO LT10K077, INCLUSIVE (USE MIL-C-39010/9)[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MS75083D NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED (PHENOLIC CORE), TYPES LT4K339 TO LT4K351, INCLUSIVE (USE MIL-C-39010/8)[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MS90539C NOT 2 | COILS, RADIO FREQUENCY, MOLDED, FIXED SUBMINIATURE (IRON CORE) TYPES LT10K022 TO LT10K036[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH] | A | 5950 | | CC | 05-AUG-04 |
| | MS90541A NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED SUBMINIATURE (IRON CORE) TYPES LT10K050 TO LT10K060 INCL.[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 05-AUG-04 |
| | MS75088C NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (IRON CORE-IRON SLEEVE) TYPES LT10K203 TO LT10K216, INCLUSIVE (USE MIL-C-39010/2)[CUST: CR EC 11] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MS75089C NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (FERRITE CORE-FERRITE SLEEVE) TYPES, LT10K217 TO LT10K263[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 05-AUG-04 |
| | MS21401C NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED, (FERRITE CORE-FERRITE SLEEVE) TYPES, LT10K 483 TO LT10K 517 INCL.[CUST: CR EC 11] [REVIEW: 19 99 AR MI] | A | 5950 | | CC | 21-FEB-03 |
| | MS75087C NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (PHENOLIC CORE-IRON SLEEVE) TYPES LT10K191 TO LT10K202, INCLUSIVE (USE MIL-C-39010/1)[CUST: CR EC 11] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MS18130D NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICROMINIATURE (IRON CORE) TYPES LT4K074 TO LT4K089 (USE MIL-C-39010/6)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MS14046C | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICROMINIATURE, (IRON CORE) TYPES LT10K128 TO LT10K137[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 02-JUN-03 |
| | MS14049 NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K148 TO LT10K152 INCL.[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 31-MAR-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS75103 NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K181 TO LT10K190 INCL.[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH] | A | 5950 | | CC | 04-AUG-04 |
| | MS14047 NOT 2 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K138 TO LT10K142 INCL.[CUST: CR EC 11 CC] [REVIEW: 99 AR MI OS] | A | 5950 | | CC | 05-AUG-04 |
| | MS14040A NOT 2 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K097 TO LT10K107 INCL.[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 05-JUN-03 |
| | MS75101B NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K169 TO LT10K180, INCLUSIVE (USE MIL-C-39010/5)[CUST: CR EC 11] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MS90540A NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K037 TO LT10K049 INCL.[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5950 | | CC | 05-AUG-04 |
| | MS90538B NOT 2 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K001 TO LT10K021, INCLUSIVE[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI OS SH] | A | 5950 | | CC | 04-AUG-04 |
| | MS91189D NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K002 TO LT4K016 INCL.[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS] | A | 5950 | | CC | 04-AUG-04 |
| | MS75052C NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K052 AND LT4K053[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS] | A | 5950 | | CC | 04-AUG-04 |
| | MS18100D NOT 2 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K200 TO LT4K208 INCL. LT4K220 AND LT4K221[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 05-JUN-03 |
| | MS90542B NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K315 TO LT4K327 INCL.[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 04-AUG-04 |
| | MS21388B NOT 3 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES L14K[CUST: 11 CC] [REVIEW: 19] | A | 5950 | | CC | 21-FEB-03 |
| | MS21390D NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES LT4K[CUST: 11 CC] | A | 5950 | | CC | 21-FEB-03 |
| | MS21380C NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES LT4K[CUST: 11 CC] | A | 5950 | | CC | 21-FEB-03 |
| | MS21389D NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, PHENOLIC CORE, TYPES LT4K[CUST: 11 CC] [REVIEW: 19] | A | 5950 | | CC | 21-FEB-03 |
| | MS90537A NOT 2 | COILS, RADIO FREQUENCY, MOLDED, SUBMINIATURE, SHIELDED, MAGNETIC TYPE LT4K242 TO LT4K314 INCL.[CUST: CR EC 11] [REVIEW: 99 MI] | A | 5950 | | CC | 24-SEP-01 |
| | MS90543A NOT 2 | COILS, RADIO FREQUENCY, MOLDED, VARIABLE, POWDERED IRON CORE (PRINTED CIRCUIT MT'G) TYPES LT12V001 TO LT12V031 INCLUSIVE[CUST: CR EC 11 CC] [REVIEW: AR AS CG CR4 MC MI OS SH] | A | 5950 | | CC | 31-MAR-99 |
| | MS21402D NOT 3 | COILS, RADIO FREQUENCY, MOLDED, VARIABLE, SUBMINIATURE, FERRITE CORE, MAGNETICALLY SHIELDED, TYPES LT10V210 TO LT10V246 INCL.[CUST: CR EC 11] [REVIEW: 19] | A | 5950 | | CC | 21-FEB-03 |
| | MS21399A NOT 3 | COILS, RADIO, FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (PHENOLIC CORE-IRON SLEEVE) TYPES, LT10K 457 TO LT10K 468 INCL.[CUST: CR EC 11] [REVIEW: 19] | A | 5950 | | CC | 21-FEB-03 |
| | MS75008E NOT 2 | COILS, RADIOFREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K027 TO LT4K039 INCL[CUST: CR EC 11] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 24-SEP-01 |
| | MIL-C-23486B NOT 1 | COLLAR, COAT, MAN'S: POLYESTER/WOOL, GABARDINE, BLUE[CUST: MC CT] | A | 8315 | | CT | 15-OCT-99 |
| | MS9085B | COLLAR, SWIVEL PIDLETED O-RING, TUBE CONNECTION, 6 BOLT, AMS 6322[CUST: AS 11] | A | 4730 | | AS | 26-OCT-72 |
| | MS9083A NOT 1 | COLLAR, SWIVEL-PILOTED O-RING, TUBE CONNECTION, 3 BOLT, AMS 6322 (ASG)[CUST: AS 11] [REVIEW: CC] | A | 4730 | | AS | 14-AUG-96 |
| | MS9084A NOT 1 | COLLAR, SWIVEL-PILOTED O-RING, TUBE CONNECTION, 4 BOLT, AMS 6322 (ASG)[CUST: AS 11] [REVIEW: CC] | A | 4730 | | AS | 14-AUG-96 |
| | AN5853 NOT 1 | COLLIMATOR & SEXTANT[CUST: AS 99] [REVIEW: GS] | A | 6605 | | 71 | 04-APR-98 |
| | MIL-C-46372A(4) NOT 3 | COLLIMATOR, INFINITY AIMING REFERENCE, M1[CUST: AR] | A | 1240 | | AR | 10-FEB-97 |
| | MIL-C-48550(3) NOT 1 | COLLIMATOR, INFINITY AIMING REFERENCE, MIAI[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MIL-C-49174A NOT 2 | COLLIMATOR, VISUAL SU-102/UA[CUST: CR] | A | 5855 | | CR | 25-SEP-97 |
| | MIL-C-49171A NOT 2 | COLLIMATOR, VISUAL SU-98/UA[CUST: CR] | A | 5855 | | CR | 03-SEP-97 |
| | MIL-C-6122 NOT 2 | COLLIMATOR; SEXTANT, AIRCRAFT[CUST: AS 99] [REVIEW: GS] | A | 6605 | | 71 | 04-APR-98 |
| | MIL-C-28779B NOT 1 | COMBINER, EXTENDED FREQUENCY RANGE CU-2007( )/SRR[CUST: EC] [REVIEW: CC] | A | 5985 | | EC | 30-APR-95 |
| | MIL-C-49380 NOT 2 | COMMANDER S DISPLAY FOR AN/VSG-2[CUST: AR] [REVIEW: CR] | A | 5855 | | AR | 17-AUG-98 |
| | MIL-STD-1663-1 NOT 2 | COMMERCIAL CONTAINER LOADING EXPLOSIVE SECTION MK 1 MOD 0 FOR MINE MK 56 MOD 0 IN CRATE MK 101 MOD 0 FLEET 1SSUE UNIT LOAD[Military Standard][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1663-2 NOT 2 | COMMERCIAL CONTAINER LOADING MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 AND MODS FLEET ISSUE UNIT LOAD[Military Standard][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-C-28771B NOT 1 | COMMUNICATIONS CONTROL MONITOR GROUP, AIR TRAFFIC CONTROL AN/FSA-58(V)[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-C-24629 NOT 1 | COMMUNICATIONS SYSTEMS INTEGRATED VOICE[CUST: SH] | A | 5830 | | SH | 07-APR-94 |
| | MIL-C-53024B NOT 1 | COMPACTOR, HIGH SPEED, SELF-PROPELLED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE)[CUST: AT] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-C-81412(2) NOT 2 | COMPASS SET, GYROSCOPE REFERENCE, NAVIGATIONAL AN/ASN-75(*)[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-C-15952G NOT 1 | COMPASS, GYRO, MINIATURE[CUST: SH] [REVIEW: GS] | A | 6605 | | SH | 22-APR-98 |
| | MIL-C-18106F NOT 1 | COMPASS, GYRO, VEHICLE[CUST: SH] [REVIEW: GS] | A | 6605 | | SH | 22-APR-98 |
| | MIL-C-8412B(3) NOT 1 | COMPASS, MAGNETIC, SLAVED GYRO, TYPE J-4[CUST: 99] [REVIEW: GS] | A | 6605 | | 71 | 01-FEB-92 |
| | MIL-C-7188 NOT 3 | COMPASSES, PILOT'S STANDBY, INSTALLATION OF[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-C-19397 NOT 3 | COMPENSATOR, INERTIA, FOR AS-473/ASB-1 (BUORD DRAWING 790394 INERTIA COMPENSATING UNIT)[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-C-14874A(1) NOT 3 | COMPONENT ASSEMBLY: 10559404 TRANSMITTER LOGIC[CUST: AR] | A | 1240 | | AR | 03-FEB-97 |
| | MIL-C-14880B(3) NOT 3 | COMPONENT ASSEMBLY: 10559479 TRANSMITTER[CUST: AR] | A | 1240 | | AR | 23-JUL-97 |
| | MIL-C-27410(1) NOT 1 | COMPONENTS, ROCKET PROPULSION FLUID SYSTEM, GENERAL SPECIFICATION FOR[CUST: 19] [REVIEW: 99 GS] | A | 2845 | | 19 | 03-APR-98 |
| | MIL-C-427A NOT 1 | COMPOSITION C-3[CUST: OS 99] [REVIEW: AS CG] | A | 1376 | | OS | 20-DEC-95 |
| | MIL-C-82604(1) NOT 1 | COMPOUND, ASPHALTIC, HIGH MELTING HOT-MELT (CAVITY LINING)[CUST: OS] | A | 8030 | | OS | 09-MAY-96 |
| | MIL-C-29584(1) NOT 1 | COMPOUND, CLEANING, WATER MISCIBLE FOR AIRCRAFT AUTOMATIC WEAPONS AND AIRCRAFT AUTOMATIC GUN SYSTEMS[CUST: AS] [REVIEW: GS] | A | 6850 | | AS | 30-AUG-99 |
| | MIL-C-82597A NOT 2 | COMPOUND, ELECTRICALLY CONDUCTIVE[CUST: OS] [REVIEW: GS] | A | 5975 | | OS | 10-JUL-99 |
| | MIL-C-47224B NOT 1 | COMPOUND, MOLDING, TRANSFER, EPOXY RESIN, SINGLE-COMPONENT[CUST: MI] [REVIEW: GS] | A | 9330 | | MI | 17-APR-96 |
| | MIL-C-47175A(2) NOT 3 | COMPOUND, POLYURETHANE, FOR CONFORMAL COATING OF ELECTRONIC CIRCUITRY[CUST: MI] [REVIEW: GS] | A | 9330 | | MI | 08-JUN-04 |
| | SAE-AMS-S-7916 | COMPOUND, SEALING, THREAD AND GASKET, FUEL, OIL, AND WATER RESISTANT[CUST: MR AS 99] [REVIEW: 84 AT CR CR4 EA FSS MC SH] | A | 8030 | | AS | MAY-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS18069B NOT 3 | COMPOUNDS, ADHESIVE, AIRCRAFT DESIGN AND USE LIMITATIONS FOR THREADED COMPONENTS RETAINED, SEALED OR LOCKED BY[CUST: AV AS 11] | A | 8030 | | AS | 05-MAR-97 |
| | BB-A-1034B(1) NOT 2 | COMPRESSED AIR, BREATHING[CUST: CR4 AS 68] [REVIEW: AR CG GS MD MI MS OS SH] | A | 6830 | / | AS | 19-APR-01 |
| | MIL-C-52973A NOT 1 | COMPRESSOR UNIT, 20 CFM, 3200 PSI, DIESEL-ENGINE-DRIVEN DIVING AIR[CUST: AT] | A | 4310 | | AT | 09-MAR-98 |
| | MIL-C-52972A NOT 1 | COMPRESSOR UNIT, 5 CFM. 3200 PSI, GASOLINE-ENGINE-DRIVEN, DIVING AIR[CUST: AT] | A | 4310 | | AT | 09-MAR-98 |
| | MIL-C-6591A NOT 1 | COMPRESSOR UNIT, AIRCRAFT, ELECTRIC MOTOR DRIVEN, GENERAL SPECIFICATION FOR[CUST: AS 99] [REVIEW: GS] | A | 1650 | | 71 | 21-JUN-96 |
| | MIL-C-52477D NOT 1 | COMPRESSOR UNIT, RECIPROCATING, GASOLINE ENGINE DRIVEN, AIR, 4 CFM, O TO 3,500 PSIG, WHEEL MOUNTED[CUST: AT] [REVIEW: AV] | A | 4310 | | AT | 09-MAR-98 |
| | MIL-C-52153B NOT 1 | COMPRESSOR UNIT, RECIPROCATING, POWER DRIVEN, AIR, 5 CFM, 175 PSI, FOR TESTING MISSILE PLUMBING SYSTEM[CUST: AT] | A | 4310 | | AT | 09-MAR-98 |
| | MIL-C-52037F NOT 1 | COMPRESSOR UNIT, RECIPROCATING, POWER-DRIVEN, AIR, 15 CFM, 3,500-PSI[CUST: AT] | A | 4310 | | AT | 09-MAR-98 |
| | MIL-C-13899F NOT 1 | COMPRESSOR UNIT, ROTARY, AIR WHEELBARROW FRAME MOUNTED, TWO PNEUMATIC TIRES, GASOLINE ENGINE DRIVEN, 60 CFM, 6.5 PSIG[CUST: AT] [REVIEW: CC] | A | 4310 | | AT | 09-MAR-98 |
| | XX-C-2816 NOT 1 | COMPRESSOR, AIR, RECIPROCATING OR ROTARY, ELECTRIC MOTOR DRIVEN, STATIONARY, 10 HP AND LARGER[CUST: SH CC] [REVIEW: SA] | A | 4310 | / | CC | 23-AUG-01 |
| | MIL-C-23961A(1) NOT 1 | COMPRESSOR, HIGH PRESSURE AIR, 100 CFM, NAVAL SHIPBOARD SERVICE[CUST: SH] | A | 4310 | | SH | 16-FEB-00 |
| | MIL-C-7135F NOT 2 | COMPRESSOR, PNEUMATIC, 3,000 PSI -- 2 SCFM AERO 2A (*), AERO 2A-1 (*), AERO 2B (*), AND AERO 2B-1 (*)[CUST: AS] | A | 4310 | | AS | 24-JUL-96 |
| | MIL-C-26811C NOT 2 | COMPRESSOR, POWER DRIVEN, AIR, TYPE MB-8[CUST: 99] | A | 4310 | | 84 | 08-MAR-96 |
| | MIL-C-16645A(4) NOT 1 | COMPRESSOR, RECIPROCATING, ELECTRIC MOTOR DRIVEN, NAVAL SHIPBOARD DIESEL ENGINE AIR STARTING SERVICE[CUST: SH] | A | 4310 | | SH | 22-APR-98 |
| | MIL-C-555L NOT 1 | COMPRESSORS, AIR, RECIPROCATING AND ROTARY, DIESEL ENGINE DRIVEN[CUST: AT] [REVIEW: CE] | A | 4310 | | AT | 09-MAR-98 |
| | MIL-C-19553A(2) NOT 1 | COMPRESSORS, CENTRIFUGAL DISPLACEMENT TYPE MOTOR DRIVEN, OIL-FREE AIR FOR NAVAL SHIPBOARD LOW PRESSURE AIR SERVICE[CUST: SH] | A | 4310 | | SH | 22-APR-98 |
| | MIL-C-52980B NOT 1 | COMPRESSORS, RECIPROCATING AND ROTARY GASOLINE-ENGINE-DRIVEN, AIR[CUST: AT YD] [REVIEW: CC] | A | 4310 | | AT | 09-MAR-98 |
| | MIL-C-13874K NOT 1 | COMPRESSORS, RECIPROCATING AND ROTARY, AIR, ELECTRIC MOTOR DRIVEN[CUST: AT YD] [REVIEW: CC MC] | A | 4310 | | AT | 09-MAR-98 |
| | MIL-C-19113A(2) NOT 1 | COMPRESSORS, RECIPROCATING, ELECTRIC MOTOR DRIVEN, NAVAL SHIPBOARD LOW PRESSURE AIR SERVICE[CUST: SH] | A | 4310 | | SH | 22-APR-98 |
| | MIL-C-18419B(2) NOT 1 | COMPRESSORS, RECIPROCATING, MOTOR DRIVEM, NAVAL SHIPBOARD HIGH PRESSURE AIR SERVICE[CUST: SH] [REVIEW: CC] | A | 4310 | | SH | 22-APR-98 |
| | MIL-C-23716A NOT 1 | COMPUTER SET, BOMB RELEASE, LOFT, AN/AJB-3[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-C-81332D NOT 1 | COMPUTER SET, DIGITAL AN/ASQ-114(V)[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 30-AUG-99 |
| | MIL-C-23727A(2) NOT 1 | COMPUTER SET, LOFT BOMB RELEASE AN/AJB-3A[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-C-81169 NOT 1 | COMPUTER SET, NAVIGATIONAL AN/ASN-39 (*)[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 18-SEP-96 |
| | MIL-C-23697(2) NOT 1 | COMPUTER SET, NAVIGATIONAL AN/ASN-42(*)[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-C-22704B NOT 1 | COMPUTER SET, NAVIGATIONAL AN/AYK-2 (*)[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-C-85518 SUP 1 NOT 1 | COMPUTER SET, STANDARD AIRBORNE AN/AYK-14(V) GENERAL SPECIFICATION FOR[CUST: AS] | A | 7021 | | AS | 07-MAY-99 |
| | MIL-C-85518/5 NOT 3 | COMPUTER SET, STANDARD AIRBORNE CP-1429/AYK-14(V)[CUST: AS] | A | 7021 | | AS | 10-FEB-04 |
| | MIL-C-85518/4 NOT 3 | COMPUTER SET, STANDARD AIRBORNE CP-1430/AYK-14(V)[CUST: AS] | A | 7021 | | AS | 10-FEB-04 |
| | MIL-C-85518/6 NOT 3 | COMPUTER SET, STANDARD AIRBORNE CP-1430A/AYK-14(V)[CUST: AS] | A | 7021 | | AS | 10-FEB-04 |
| | MIL-C-85518/7 NOT 3 | COMPUTER SET, STANDARD AIRBORNE CP-1500B/AYK-14(V)[CUST: AS] | A | 7021 | | AS | 10-FEB-04 |
| | MIL-C-85518/2 NOT 3 | COMPUTER SET, STANDARD AIRBORNE CP-1502A/AYK-14(V)[CUST: AS] | A | 7021 | | AS | 10-FEB-04 |
| | MIL-C-85518/3 NOT 3 | COMPUTER SET, STANDARD AIRBORNE CP-1503/AYK-14(V)[CUST: AS] | A | 7021 | | AS | 10-FEB-04 |
| | MIL-C-85518/8 NOT 3 | COMPUTER SET, STANDARD AIRBORNE CP-1539/AYK-14(V)[CUST: AS] | A | 7021 | | AS | 10-FEB-04 |
| | MIL-C-85518/1 NOT 3 | COMPUTER SET, STANDARD AIRBORNE, CP-1501A/AYK-14(V)[CUST: AS] | A | 7021 | | AS | 10-FEB-04 |
| | MIL-C-85016 NOT 1 | COMPUTER SET, TACTICAL AN/ASN-91B(V)[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 15-SEP-99 |
| | MIL-C-48596A(2) NOT 2 | COMPUTER SYSTEM, BALLISTIC, M21: 11732979[CUST: AR] | A | 1220 | | AR | 11-DEC-95 |
| | MIL-C-82449A NOT 1 | COMPUTER TEST SET (FOR TORPEDO MK 46)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-C-48456B(2) NOT 2 | COMPUTER UNIT, FIRE CONTROL: 11732400[CUST: AR] | A | 1220 | | AR | 28-NOV-95 |
| | MIL-C-85247 NOT 2 | COMPUTER, AIR DATA CP-1005A/A[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-C-5414G NOT 1 | COMPUTER, AIR NAVIGATION, DEAD RECKONING TYPE MB-4A AND TYPE CPU-26A/P[CUST: AV AS 99] [REVIEW: GS] | A | 6605 | | 71 | 15-JUL-97 |
| | MS26514C NOT 4 | COMPUTER, AIR NAVIGATION, DEAD RECKONING TYPE MB-4A AND, TYPE CPU-26A/P[CUST: AV AS 99] [REVIEW: GS] | A | 6605 | | 71 | 25-APR-00 |
| | MIL-C-85019 NOT 1 | COMPUTER, AIR NAVIGATION, TRUE AIRSPEED, MACH NUMBER, WIND COMPONENTS, SUPERSONIC, TYPE MB-9[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| A | MIL-C-6092A NOT 2 | COMPUTER, AIRCRAFT LOAD BALANCING[CUST: AV AS 99] | A | 1680 | | GS1 | 08-JUL-05 |
| | MIL-C-9075A(4) NOT 1 | COMPUTER, AND TRANSMITTER, TRUE AIRSPEED, PILOT-STATIC, 150-900 KNOTS, TYPE MA-1[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-NOV-96 |
| | MIL-C-83856(5) NOT 1 | COMPUTER, ATTACK TYPE CPU-73 A/P[CUST: 99] [REVIEW: GS] | A | 6605 | | 71 | 01-APR-97 |
| | MIL-C-70489(1) NOT 1 | COMPUTER, BALLISTICS, MORTAR[CUST: AR] | A | 1220 | | AR | 28-NOV-95 |
| | MIL-C-38286B NOT 2 | COMPUTER, FLIGHT DIRECTOR CPU-65/A[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-FEB-05 |
| | MIL-C-23367 NOT 1 | COMPUTER, FLIGHT DIRECTOR, AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-C-85388 NOT 1 | COMPUTER, WEAPON AIMING CP-1444/A[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-C-24040B NOT 1 | COMPUTER-INDICATOR (SCALER), RADIAC, CP-792()/UD[CUST: SH] [REVIEW: GS] | A | 6665 | | SH | 22-APR-98 |
| | MIL-C-46344A(3) NOT 1 | COMPUTERS, BALLISTICS: M13A2, M13A1DE1, AND M13A4[CUST: AR] | A | 1220 | | AR | 12-FEB-97 |
| | MIL-C-85521(1) NOT 1 | CONCENTRATOR, OXYGEN, GGU-7/A[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 23-JUL-97 |
| | MIL-C-63959 NOT 1 | CONCERTINA SUBASSEMBLY FOR WADS[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 20-FEB-97 |
| | MIL-C-23136B NOT 1 | CONDENSER, REFRIGERATING, WATER COOLED, REFRIGERANT 12[CUST: GL 99 IS] [REVIEW: CR4 GS MC MD] | A | 4130 | | IS | 02-FEB-96 |
| | MIL-C-23122B NOT 2 | CONDENSERS, AIR COOLED, REFRIGERANT-12[CUST: GL YD 99 IS] [REVIEW: CR4 GS MC] | A | 4130 | | IS | 01-APR-96 |
| | MIL-C-6136A(2) NOT 2 | CONDUIT: ELECTRICAL, FLEXIBLE, SHIELDED, ALUMINUM ALLOY FOR AIRCRAFT INSTALLATIONS (USE SAE-AS6136)[CUST: CR AS 11] [REVIEW: GS] | A | 5975 | | AS | 25-AUG-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AN800 REV 5 NOT 1 | CONE AND UNION[CUST: 99 CC] | A | 4730 | | CC | 24-JUL-98 |
| | MS5008D NOT 1 | CONE, PROPELLER HUB, REAR[CUST: AV AS 99] [REVIEW: GS] | A | 1610 | | 84 | 01-APR-96 |
| A | AN6043 REV 3 | CONNECTION ASSEMBLY - DEMAND MASK TO REGULATOR TUBE INTERNAL[CUST: AS 99] [REVIEW: GS] | A | 1660 | | AS | 15-MAY-53 |
| | MS33565C NOT 2 | CONNECTIONS, GROUND LEAKAGE TEST, PRESSURIZED CABIN, AIRCRAFT[CUST: AS 11] | A | 4730 | | AS | 14-AUG-96 |
| | MIL-C-3655/5B(1) NOT 1 | CONNECTOR ADAPTER, CLASS 1 (COAXIAL, SERIES TWIN), TYPE UG-981/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 20-NOV-02 |
| | MIL-C-3655/4B(3) NOT 1 | CONNECTOR ADAPTER, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-493A/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 20-NOV-02 |
| | MIL-C-3655/8B(1) NOT 1 | CONNECTOR ADAPTER, CLASS II (COAXIAL, SERIES TWIN), TYPE UG-1059/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 20-NOV-02 |
| | MIL-C-82632A NOT 1 | CONNECTOR KIT, SPLICE, SINGLE WIRE[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MS3107C NOT 2 | CONNECTOR PLUG, ELECTRIC, QUICK DISCONNECT[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH] | A | 5935 | | AS | 25-MAR-04 |
| | MIL-C-3655/10A NOT 2 | CONNECTOR SHIELD, ELECTRICAL (COAXIAL, SERIES TWIN), TYPE MX-1556/U[CUST: CR EC 11 CC] [REVIEW: 19 AS AT MC MI OS SH] | A | 5935 | | CC | 18-MAY-04 |
| | MIL-C-3655/11B NOT 2 | CONNECTOR SHIELD, ELECTRICAL (COAXIAL, SERIES TWIN), TYPE UG-106/U[CUST: CR EC 11] [REVIEW: 19 AS AT MC MI OS SH] | A | 5935 | | CC | 13-JUN-01 |
| | MS3136 NOT 3 | CONNECTOR, ADAPTER ELECTRIC[CUST: AS CC] | A | 5935 | | AS | 31-MAR-00 |
| | MIL-C-83522/3F NOT 1 | CONNECTOR, ADAPTER, FIBER OPTIC, BULKHEAD MOUNT, FOR SINGLE FIBER[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 17-AUG-99 |
| | MIL-C-3643/4A NOT 2 | CONNECTOR, ADAPTER, SERIES HN, TYPE UG-212C/U[CUST: CR EC 99] [REVIEW: 11 AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-3643/6A NOT 2 | CONNECTOR, ADAPTER, SERIES HN, TYPE UG-413/U[CUST: CR EC 99] [REVIEW: 11 AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-81511/14D(1) | CONNECTOR, ADAPTER, STRAIGHT, ELECTRIC[CUST: CR AS 11] [REVIEW: AR AV CC CR4 EC MC MI] | A | 5935 | | AS | 30-APR-76 |
| | MS27310A NOT 1 | CONNECTOR, BATTERY CELL, CURVED[CUST: 99] [REVIEW: GS] | A | 6140 | | 84 | 02-JUN-95 |
| | MS27308B NOT 2 | CONNECTOR, BATTERY CELL, OFFSET[CUST: 99 GS2] [REVIEW: 71] | A | 6140 | | GS2 | 18-APR-03 |
| | MS27309A NOT 2 | CONNECTOR, BATTERY CELL, STRAIGHT[CUST: 99 GS2] [REVIEW: 71] | A | 6140 | | GS2 | 18-APR-03 |
| | W-C-596/61C | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AS AV CR4 MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | MIL-C-82631 NOT 1 | CONNECTOR, CABLE, TUBE DOOR, MK 42 MOD 1[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-C-39012/100A NOT 1 | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES MHV (CABLED) PLUG, PIN CONTACT, CLASS 2[CUST: CR EC 11] [REVIEW: 19 99 AM AS AT CR4 MC MI OS] | A | 5935 | | CC | 09-JUN-01 |
| | MIL-DTL-83723/35F | CONNECTOR, ELECTRIC, BACKSHELL, STRAIGHT W/O STRAIN RELIEF, AND WITH MECHANICAL STRAIN RELIEF, STRAIGHT OR RIGHT ANGLE THREADED COUPLING SERIES II[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-C-81703 SUP 1A NOT 1 | CONNECTOR, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING (FUTURE DESIGN SHOULD REFER TO SAE-AS81703)[CUST: AS] [REVIEW: CC EC] | A | 5935 | | AS | 30-SEP-98 |
| | MS3155C(1) NOT 2 | CONNECTOR, ELECTRIC, REAR ACCESSORY DESIGN STANDARD[CUST: AS CC] [REVIEW: EC] | A | 5935 | | AS | 08-APR-05 |
| | MIL-C-48019 NOT 3 | CONNECTOR, ELECTRICAL[CUST: AR] | A | 1110 | | AR | 21-JUN-95 |
| | MIL-C-48018 NOT 3 | CONNECTOR, ELECTRICAL[CUST: AR] | A | 1110 | | AR | 21-JUN-95 |
| | MIL-C-81511/18C(1) | CONNECTOR, ELECTRICAL CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, COVER, PROTECTIVE, RECEPTACLE (SERIES 1 OR 2)[CUST: CR AS 11] [REVIEW: AR AT AV CC CR4 EC MC MI] | A | 5935 | | AS | 30-APR-76 |
| | MIL-DTL-83723/37B | CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (BAYONET COUPLING, PREWIRED, SOCKET CONTACT), (SERIES I, CLASSES A, G, AND R), (SHELL SIZE 8 FOR INSERTS 8-2, 8-3, AND 8-4 ONLY)[CUST: CR AS 11 CC] [REVIEW: 70 80 84 99] | A | 5935 | | CC | 23-MAY-03 |
| | MIL-DTL-83723/50D | CONNECTOR, ELECTRICAL, CIRCULAR, ENVIRONMENT RESISTING, BACKSHELL, STRAIGHT, 90..., AND 45,.. WITH DIELECTRIC STRAIN RELIEF, FOR SERIES 2 CONNECTORS.[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5935 | | CC | 23-MAY-03 |
| | MIL-C-81511/13E | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, F ADAPTER, ROTABLE, TYPE I (SERIES 1 OR 2)[CUST: CR AS 11] [REVIEW: 99 AR AT AV CC CR4 EC MC MI SH] | A | 5935 | | AS | 19-MAR-76 |
| | MIL-C-81511/49A NOT 2 | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING. RECEPTACLE, JAM NUT MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS CLASS A, F AND W (SERIES 3)[CUST: AS] [REVIEW: CC EC MC OS SH] | A | 5935 | | AS | 07-JAN-77 |
| | MIL-C-81511/5E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES. PLUG, CABLE CONNECTING, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 2)[CUST: CR AS 11] [REVIEW: 99 AR AT AV CC CR4 EC MC MI OS] | A | 5935 | | AS | 30-APR-76 |
| | MIL-C-81511/51A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, FLANGE MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS CLASS A, F AND W (SERIES 4)[CUST: AS] | A | 5935 | | AS | 07-JAN-77 |
| | MIL-C-81511/3E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES. RECEPTACLE, JAM NUT MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 2)[CUST: CR AS 11] [REVIEW: 99 AV CC CR4 EC MC MI] | A | 5935 | | AS | 30-APR-76 |
| | MIL-C-81511/17C(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES. COVER, PROTECTIVE, PLUG (SERIES 2)[CUST: CR AS 11] [REVIEW: AR AV CC CR4 EC MC MI SH] | A | 5935 | | AS | 30-APR-76 |
| | MIL-C-81511/6E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, PLUG, CRIMP TYPE CONTACTS, CLASS A, F AND E (SERIES 2)[CUST: CR AS 11] [REVIEW: 99 AR AV CC CR4 EC MC MI] | A | 5935 | | AS | 30-APR-76 |
| | MIL-C-81511/16E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, CAP, PROTECTIVE LOCKING[CUST: CR AS 11] [REVIEW: AR AT CC CR4 EC MC MI] | A | 5935 | | AS | 30-APR-76 |
| | MIL-C-81511/45B | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, CABLE CONNECTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 3)[CUST: AS] [REVIEW: CC EC MC OS SH] | A | 5935 | | AS | 07-JAN-77 |
| | MIL-C-81511/53A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING. RECEPTACLE, JAM NUT MOUNT, INDIVIDUAL RELEASE, CRIMP-TYPE CONTACTS, CLASS A, F AND W (SERIES 4)[CUST: AS] [REVIEW: CC EC MC OS SH] | A | 5935 | | AS | 07-JAN-77 |
| | MIL-C-81511/1E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, RECEPTACLE, FLANGE MOUNT, CRIMP TYPE CONTACTS, CLASS A, F AND E (SERIES 2)[CUST: CR AS 11] [REVIEW: AR AV CC CR4 EC MC MI OS] | A | 5935 | | AS | 30-APR-76 |
| | MIL-C-81511/41A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, FLANGE MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 3)[CUST: AS] [REVIEW: CC EC MC OS SH] | A | 5935 | | AS | 07-JAN-77 |
| | MIL-C-81511/56A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING. PLUG, INDIVIDUAL RELEASE, CRIMP-TYPE CONTACTS, CLASS A, F AND W (SERIES 4)[CUST: AS] [REVIEW: CC EC MC OS SH] | A | 5935 | | AS | 07-JAN-77 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-81511/55B | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCOUNT, ENVIRONMENT RESISTING, RECEPTACLE, CABLE CONNECTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 4)[CUST: AS] | A | 5935 | | AS | 07-JAN-77 |
| | MIL-C-25516/24 NOT 3 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE COAXIAL PRESSURIZED RECEPTACLE, TYPE 25516/24[CUST: AS 11] | A | 5935 | | AS | 30-SEP-97 |
| | MIL-C-53052(1) NOT 1 | CONNECTOR, ELECTRICAL, POWER[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 09-MAY-97 |
| A | MS24285D | CONNECTOR, ELECTRICAL, STYLE S, RACK AND PANEL, MINIATURE[CUST: 11 CC] [REVIEW: IS] | A | 5935 | | CC | 14-JUL-05 |
| | MS27399A | CONNECTOR, ELECTRICAL, STYLE S, RACK AND PANEL, MINIATURE, CLOSED ENTRY[CUST: 11 CC] [REVIEW: IS] | A | 5935 | | CC | 22-MAR-05 |
| | MIL-C-83526/13 NOT 1 | CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, BULKHEAD MOUNTING, 2 POSITIONS[CUST: CR CC] | A | 6060 | | CC | 07-FEB-02 |
| | MIL-C-83526/12 NOT 1 | CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 2 POSITIONS[CUST: CR CC] | A | 6060 | | CC | 07-FEB-02 |
| | MIL-C-83526/14 NOT 1 | CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, TEST PLUG, 2 POSITIONS[CUST: CR CC] | A | 6060 | | CC | 07-FEB-02 |
| | MIL-C-83526/15 NOT 1 | CONNECTOR, FIBER OPTIC, HERMAPHRODITIC, DUST COVER, 2 POSITIONS[CUST: CR CC] | A | 6060 | | CC | 07-FEB-02 |
| | MIL-C-83390(2) NOT 1 | CONNECTOR, HOSE, QUICK ACTING, MALE, ANTI-G GARMENT[CUST: 99] | A | 4730 | | 71 | 23-DEC-97 |
| | MIL-C-50903 NOT 1 | CONNECTOR, MALE, ASSEMBLY FOR M18A1 APERS MINE[CUST: AR] | A | 1345 | | AR | 11-MAR-98 |
| | MS22016E NOT 1 | CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A[CUST: AV AS] [REVIEW: GS] | A | 1660 | | AS | 21-AUG-96 |
| A | MIL-DTL-19246D NOT 1 | CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A[CUST: AV AS 11] [REVIEW: GS] | A | 1660 | | AS | 13-OCT-05 |
| | MS3147D(1) NOT 3 | CONNECTOR, PLUG, ELECTRIC CRIMP TYPE, PUSH - PULL COUPLING SERIES 2 (CLASS E AND J)[CUST: CR AS 11 CC] | A | 5935 | | AS | 07-JAN-05 |
| | MS3101D(1) NOT 1 | CONNECTOR, PLUG, ELECTRIC, CABLE CONNECTING, SOLDER CONTACTS, AN TYPE[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH] | A | 5935 | | AS | 07-JUL-00 |
| | MS3148D(1) NOT 3 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE LANYARD, PUSH-PULL COUPLING SERIES 2 (CLASS E AND J)[CUST: CR AS 11 CC] | A | 5935 | | AS | 07-JAN-05 |
| | MS3467(1) NOT 2 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)[CUST: AS CC] | A | 5935 | | AS | 17-MAR-00 |
| | MS3445 NOT 2 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 2 (CLASS E)[CUST: AS] | A | 5935 | | AS | 25-SEP-96 |
| | MS3446 NOT 2 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 3 (CLASS L AND E)[CUST: AS] | A | 5935 | | AS | 25-SEP-96 |
| | MS25183C(1) NOT 2 | CONNECTOR, PLUG, ELECTRIC, POTTING SEAL, SOLDER CONTACTS, AN TYPE[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS] | A | 5935 | | AS | 07-JUL-00 |
| | MS3475D NOT 1 | CONNECTOR, PLUG, ELECTRIC, RFI SHIELDED, SERIES 2, CRIMP TYPE, BAYONET COUPLING, CLASSES L, S, AND W[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3436A NOT 1 | CONNECTOR, PLUG, ELECTRIC, SOLDER CONTACT, UTILITY[CUST: AS] | A | 5935 | | AS | 25-SEP-96 |
| | MS3138D(1) NOT 3 | CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE LANYARD, PUSH-PULL COUPLING, SERIES I (CLASS E, P AND J)[CUST: CR AS 11 CC] | A | 5935 | | AS | 07-JAN-05 |
| | MS3137E NOT 2 | CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, PUSH-PULL COUPLING SERIES I (CLASS E, P AND J) (USE SAE-AS31371)[CUST: CR AS 11] | A | 5935 | | AS | 30-JUN-98 |
| | MS3106D(1) NOT 1 | CONNECTOR, PLUG, ELECTRIC, STRAIGHT, SOLDER CONTACTS, AN TYPE[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH] | A | 5935 | | AS | 07-JUL-00 |
| | MS3441 NOT 1 | CONNECTOR, PLUG, ELECTRIC, UTILITY[CUST: AS] | A | 5935 | | AS | 02-OCT-96 |
| | MIL-C-55081C NOT 1 | CONNECTOR, PLUG, ELECTRICAL U-176( )/G CONNECTOR, PLUG, ELECTRICAL U-319( )/G CONNECTOR RECEPTACLE, ELECTRICAL U-121( )/G CONNECTOR, RECEPTACLE, ELECTRICAL U-122( )/G[CUST: CR CC] | A | 5935 | | CC | 17-JUN-99 |
| | MIL-C-55449C NOT 1 | CONNECTOR, PLUG, ELECTRICAL U-237( )/G CONNECTOR, RECEPTACLE, ELECTRICAL U-238( )/G[CUST: CR CC] | A | 5935 | | CC | 17-JUN-99 |
| | MIL-C-3655/9D(1) NOT 1 | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-1060A/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 20-NOV-02 |
| | MIL-C-3655/1B NOT 1 | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-421B/U[CUST: CR EC 11] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 31-AUG-88 |
| | W-C-596/37D | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 3 POLE, 3 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AT AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/35D | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, 3 POLE, 3 WIRE, 30 AMPERES, 125/250 VOLTS, 50/50 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/30D | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GENERAL GRADE, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/27D | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GENERAL GRADE, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/23C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/3C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/34C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 3 POLE, 3 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AT AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/26C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/39C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 4 POLE, 4 WIRE, 60 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AT AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/29C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/4D | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, CABLE OUTLET, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ.[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/181B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/177B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/169B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/173B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | W-C-596/161B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/165B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/205B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/189B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/185B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | MIL-C-3643/5A NOT 2 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-333C/U[CUST: CR EC 99] [REVIEW: 11 AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-3643/7A NOT 2 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-494B/U[CUST: CR EC 99] [REVIEW: 11 AR AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-3643/8A NOT 2 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-495D/U[CUST: CR EC 99] [REVIEW: 11 AR AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-3643/1A NOT 2 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-59E/U[CUST: CR EC 99] [REVIEW: 11 AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-3643/2A NOT 2 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-60E/U[CUST: CR EC 99] [REVIEW: 11 AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-3643/12A NOT 2 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-926B/U[CUST: CR EC 99] [REVIEW: 11 AR AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | W-C-596/8D | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, GENERAL GRADE, LOCKING, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/45D | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 24-SEP-01 |
| | W-C-596/21C NOT 2 | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, LOCKING, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CR4 MC MI SH] | A | 5935 | / | CC | 30-AUG-00 |
| | W-C-596/7C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/60C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/44D | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC, PURPOSE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | MIL-C-12520/17 NOT 3 | CONNECTOR, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 20, MALE INSERTS)[CUST: CR 11 CC] [REVIEW: 99] | A | 5935 | | CC | 14-APR-04 |
| | MIL-C-12520/18 NOT 3 | CONNECTOR, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 26, MALE INSERTS)[CUST: CR 11 CC] [REVIEW: 99] | A | 5935 | | CC | 14-APR-04 |
| | MS75057A NOT 2 | CONNECTOR, PLUG, ELECTRICAL-SLAVE, 2 CONTACT, 24 VOLT, WATERPROOF[CUST: AT 11 CC] [REVIEW: 99 CR4] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-C-83522/1E NOT 1 | CONNECTOR, PLUG, FIBER OPTIC, SINGLE TERMINUS, THREADED, (STEP-DOWN NOSE INTERFACE), LENSLESS, EPOXY, FOR 50/125 MICRO METERS, 62.5/125 MICRO METERS, AND 100/140 MICRO METERS[CUST: CR SH 11 NA] [REVIEW: 02 03 19 33 93 99 AS DI] | A | 6060 | | CC | 17-AUG-99 |
| | MIL-C-83522/2F NOT 1 | CONNECTOR, PLUG, FIBER OPTIC, SINGLE TERMINUS, THREADED, (STRAIGHT NOSE INTERFACE), LENSLESS, EPOXY, FOR 50/125 MICRO METERS, 62.5/125 MICRO METERS, AND 100/140 MICRO METERS[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 17-AUG-99 |
| | MS17836E NOT 1 | CONNECTOR, PNEUMATIC STARTER, DUCT, DOUBLE ENDED[CUST: AV AS 99] [REVIEW: 71 82 CC] | A | 4730 | | AS | 14-AUG-96 |
| | MS3506C NOT 1 | CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC OPERATING POWER (FUTURE DESIGNS SHOULD USE SAE-AS35061)[CUST: CR AS 11] | A | 5935 | | AS | 30-JUN-98 |
| | MS3144C(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING SERIES 2 (CLASS E AND J)[CUST: CR AS 11 CC] | A | 5935 | | AS | 17-MAR-00 |
| | MS3105A(1) NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC DUMMY STOWAGE[CUST: AS CC] [REVIEW: CG CR4 EC MC MI OS] | A | 5935 | | AS | 07-JUL-00 |
| | MS3139D NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC THRU BULKHEAD, WALL MOUNTING FLANGE, SERIES I (CLASS E)[CUST: CR AS 11 CC] | A | 5935 | | AS | 25-JUN-99 |
| | MS3402G NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE WITH (USE SAE-AS34021)[CUST: CR AS 11] | A | 5935 | | AS | 07-NOV-03 |
| | MS3102E(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, SOLDER CONTACTS, AN TYPE[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH] | A | 5935 | | AS | 08-APR-05 |
| | MS3464(2) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)[CUST: AS CC] | A | 5935 | | AS | 07-MAY-01 |
| | MS3424(2) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH PULL COUPLING, SERIES 3 (CLASS L AND E)[CUST: CR AS CC] | A | 5935 | | AS | 07-MAY-01 |
| | MS3140C(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH-PULL COUPLING, SERIES 2 (CLASS E AND J)[CUST: CR AS 11 CC] | A | 5935 | | AS | 17-MAR-00 |
| | MS3135D(1) NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, DUMMY STOWAGE, WALL MOUNTING FLANGE PUSH PULL COUPLING (SERIES 1 AND 2 CONNECTORS)[CUST: CR AS 11 CC] [REVIEW: MI] | A | 5935 | | AS | 17-MAR-00 |
| | MS3149(1) NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, CRIMP TYPE, SINGLE HOLE MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS N)[CUST: AS CC] [REVIEW: EC] | A | 5935 | | AS | 17-MAR-00 |
| | MS3146(1) NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, CRIMP TYPE, SOLDER MOUNTING, PUSH PULL COUPLING, SERIES 3 (CLASS N)[CUST: AS CC] [REVIEW: EC] | A | 5935 | | AS | 17-MAR-00 |
| | MS3466(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, SOLDER TYPE, BOX MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS H)[CUST: AS CC] | A | 5935 | | AS | 17-MAR-00 |
| | MS3103D(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, POTTING SEAL, SOLDER CONTACTS, AN TYPE[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG EC MC MI OS] | A | 5935 | | AS | 08-APR-05 |
| | MS3471D NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, CABLE CONNECTING, BAYONET COUPLING, CLASSES A, L, S, AND W[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3472D NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, WIDE FLANGE MOUNTING, BAYONET COUPLING, CLASSES A, L, S, AND W[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3479B NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, REAR MOUNTING, JAM NUT, BAYONET COUPLING, CLASS N[CUST: CR AS 11 CC] [REVIEW: AR AV EC MI SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3449C NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, SINGLE HOLE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT, CLASS H[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MI SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3132D(1) NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, BOX MOUNTING FLANGE, PUSH-PULL COUPLING, SERIES 1 (CLASS E AND H)[CUST: CR AS 11 CC] [REVIEW: AR CR4 MI] | A | 5935 | | AS | 17-MAR-00 |
| | MS3134F(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING, SERIES 1 (CLASS E, P, J AND H)[CUST: CR AS 11 CC] | A | 5935 | | AS | 17-MAR-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS3130D(1) NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, WALL MOUNTING FLANGE, PUSH PULL COUPLING, SERIES 1 (CLASS E, P AND J)[CUST: CR AS 11 CC] [REVIEW: 99 AR AV MI] | A | 5935 | | AS | 17-MAR-00 |
| | MS3100F(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING, SOLDER CONTACTS, AN TYPE[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 MC MI OS SH] | A | 5935 | | AS | 08-APR-05 |
| | MS75058B NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL - SLAVE, 2 CONTACT, 24 VOLT, WATERPROOF[CUST: AT 11 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 12-JUN-01 |
| M | MS3142D NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, BOX MOUNTING, SOLDER CONTACT, HERMETIC, AN TYPE[CUST: AS CC] [REVIEW: EC] | A | 5935 | | AS | 16-MAR-06 |
| | MS3451C NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CABLE CONNECTING, REAR RELEASE, CRIMP CONTACT, AN TYPE[CUST: CR AS 11] [REVIEW: EC] | A | 5935 | | AS | 25-SEP-96 |
| | MIL-C-3655/2B(1) NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-422/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 20-NOV-02 |
| | MIL-C-3655/3B(1) NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-423B/U[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH] | A | 5935 | | CC | 20-NOV-02 |
| | MIL-C-3655/6B(1) NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS II (COAXIAL, SERIES TWIN) TYPE UG-1057/U[CUST: CR EC 11 CC] [REVIEW: 19 AS AT MC MI OS SH] | A | 5935 | | CC | 20-NOV-02 |
| | MS3128J | CONNECTOR, RECEPTACLE, ELECTRICAL, CRIMP TYPE, WALL MOUNTING, NO 4/6 HOLES, BAYONET COUPLING, CLASSES E, F AND P[CUST: CR AS 11 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 06-JUN-03 |
| | W-C-596/36D | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, 3 POLE, 3 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/33D | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 3 POLE, 3 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/38C NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 4 POLE, 4 WIRE, 60 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CR4 MC MI SH] | A | 5935 | / | CC | 30-AUG-00 |
| | W-C-596/163B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 125 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/175B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/179B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/167B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | W-C-596/171B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| | MS27034J | CONNECTOR, RECEPTACLE, ELECTRICAL, PIN INSERT, CYLINDRICAL, MINIATURE, HERMETIC, SOLDER MOUNT[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 06-FEB-04 |
| | MIL-C-3643/11A NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES HN, TYPE UG-427C/U[CUST: CR EC 99] [REVIEW: 11 AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-3643/9A NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES HN, TYPE UG-496/U[CUST: CR EC 99] [REVIEW: 11 AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | MIL-C-3643/3A NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES HN, TYPE UG-61E/U[CUST: CR EC 99] [REVIEW: 11 AS AT MI] | A | 5935 | | CC | 13-JUN-01 |
| | W-C-596/43D | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/59D | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 20-JUL-01 |
| | W-C-596/46C | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 19 99 AS AV CR4 EC MC MI SH] | A | 5935 | / | CC | 19-OCT-01 |
| A | MIL-DTL-12520/8B | CONNECTOR, RECEPTACLE, ELECTRICAL, WATERPROOF (SHELL SIZE 20, MALE INSERTS)[CUST: CR AS 11 CC] [REVIEW: 99 MC] | A | 5935 | | CC | 31-MAR-05 |
| | MIL-C-83522/5D NOT 1 | CONNECTOR, RECEPTACLE, FIBER OPTIC, BULKHEAD MOUNT, FOR SINGLE FIBER[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 17-AUG-99 |
| | MIL-C-83522/8B NOT 1 | CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, BULKHEAD, HEX NUT MOUNT[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 17-AUG-99 |
| | MIL-C-83522/7B NOT 1 | CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, PARALLEL PC MOUNT[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 17-AUG-99 |
| | MIL-C-83522/4E NOT 1 | CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, RECEPTACLE, LOW PROFILE PARALLEL PC MOUNT[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 17-AUG-99 |
| | MS24012D NOT 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 18, SIZE 20 PIN CONTACTS[CUST: CR EC 99] [REVIEW: 11 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 15-DEC-89 |
| | MS24011E NOT 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 18, SIZE 20 SOCKET CONTACTS[CUST: CR EC 11 CC] [REVIEW: AM AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 31-AUG-93 |
| | MS35813D NOT 1 | CONNECTOR, ROD END & STEEL[CUST: AR AS 99 IS] [REVIEW: CR4 GL MC MI OS SH YD] | A | 5340 | | IS | 16-JUN-97 |
| | MIL-C-82620A NOT 1 | CONNECTOR, TORPEDO TUBE CABLE, MK 47 MOD 0 AND MK 48 MOD 0[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-C-83413/5(1) NOT 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: RECEPTACLES, ONE PIECE[CUST: AV AS 11 CC] [REVIEW: 02 99 AR CR CR4 MC MI] | A | 5935 | | CC | 20-OCT-00 |
| | MIL-C-83723/17B(1) NOT 1 | CONNECTORS ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (CABLE CONNECTING, THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASSES A, G, AND R)[CUST: 11] [REVIEW: 19 99] | A | 5935 | | CC | 12-JUN-01 |
| | MS27342E | CONNECTORS, ADAPTER, ELECTRICAL, SERIES I AND II[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MIL-DTL-3643B | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES HN, AND ASSOCIATED FITTINGS, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT MI] | A | 5935 | | CC | 25-NOV-03 |
| | MIL-C-55169(1) SUP 1 NOT 2 | CONNECTORS, ELECTRIC, TYPE "Q", MULTI-CONTACT[CUST: CR] | A | 5935 | | CC | 17-JUN-99 |
| | MIL-DTL-83723/23D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASSES A, G, K, AND R)[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 23-MAY-03 |
| | MIL-C-83723/24C(1) NOT 2 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G, K, AND R)[CUST: CR AS 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 12-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-83723/22B(1) NOT 2 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (BOX MOUNT, THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G, AND R)[CUST: CR AS 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-C-83723/21B(1) NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (BOX MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASSES A, G, AND R)[CUST: CR AS 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-C-83723/18B(1) NOT 2 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (CABLE CONNECTING, THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G, AND R)[CUST: 11] [REVIEW: 19 99] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-C-83723/20C(1) NOT 2 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (WALL MOUNT, THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G, K, AND R)[CUST: 11] [REVIEW: 19 99] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-C-83723/19C(1) NOT 2 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (WALL MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASSES A, G, K, AND R)[CUST: 11] [REVIEW: 19 99] | A | 5935 | | CC | 12-JUN-01 |
| | MIL-C-26482G(6) SUP 1 NOT 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC SH TD] | A | 5935 | | CC | 03-MAY-00 |
| | MIL-DTL-83723/27B | CONNECTORS, ELECTRICAL, BACKSHELL, WITH HEAT-SHRINKABLE STRAIN-RELIEF BOOT (STRAIGHT AND RIGHT ANGLE), THREADED COUPLING[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5935 | | CC | 23-MAY-03 |
| | MIL-C-81511/25C(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, CABLE CONNECTING, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1)[CUST: CR AS 11] [REVIEW: 99 AR AT AV CC CR4 EC MC MI OS SH] | A | 5935 | | AS | 31-MAR-89 |
| | MIL-C-81511/46A | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING: PLUG, INDIVIDUAL, RELEASE, CRIMP-TYPE CONTACTS, CLASS A, F AND W (SERIES 3)[CUST: AS] [REVIEW: CC EC MC OS SH] | A | 5935 | | AS | 07-JAN-77 |
| | MIL-C-81511/23C(1) | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, JAM NUT MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1)[CUST: CR AS 11] [REVIEW: 99 AR AV CC CR4 EC MC MI OS] | A | 5935 | | AS | 31-MAR-89 |
| | MIL-C-81511F SUP 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: CC EC MC OS] | A | 5935 | | AS | 30-SEP-92 |
| | MIL-C-81511/19D(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES; RECEPTACLE, DUMMY STOWAGE, FOR SERIES 2 CONNECTORS[CUST: CR AS 11] [REVIEW: 99 AR AV CC CR4 EC MC MI OS] | A | 5935 | | AS | 31-MAR-89 |
| | MIL-C-81511/20D(1) NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: NUT, SLOTTED HEXAGON, CONNECTOR MOUNTING, FOR SERIES 1 AND 2 CONNECTORS[CUST: CR AS 11] [REVIEW: 99 AT AV CC CR4 EC MC MI] | A | 5935 | | AS | 15-SEP-82 |
| | MIL-C-81511/15F | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: PLUG, SEALING CONTACT (SERIES 1 OR 2)[CUST: CR AS 11] [REVIEW: AR AT AV CC CR4 EC MC MI OS SH] | A | 5935 | | AS | 15-NOV-92 |
| | MIL-C-81511/26C(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: PLUG, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1)[CUST: CR AS 11] [REVIEW: 99 AR AV CC CR4 EC MC MI SH] | A | 5935 | | AS | 31-MAR-89 |
| | MIL-C-81511/21C(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, FLANGE MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1)[CUST: CR AS 11] [REVIEW: 99 AR AV CC CR4 EC MC MI OS SH] | A | 5935 | | AS | 31-MAR-89 |
| | MIL-DTL-27599C SUP 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTANT, SOLDER CONTACTS, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 20-MAY-05 |
| | MIL-DTL-25955A SUP 1 | CONNECTORS, ELECTRICAL, ENVIRONMENT RESISTING, MINIATURE, WITH SNAP-IN CONTACTS[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 09-JUL-04 |
| A | MS24286E | CONNECTORS, ELECTRICAL, MINIATURE[CUST: 11 CC] [REVIEW: IS] | A | 5935 | | CC | 14-JUL-05 |
| | MIL-DTL-26518C SUP 1 | CONNECTORS, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTANT, 200 DEGREES C AMBIENT TEMPERATURE, GENERAL SPECIFICATION FOR[CUST: CR EC 11] [REVIEW: 99] | A | 5935 | | CC | 11-JUN-01 |
| | MIL-C-28754/46B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 PIN, DOUBLE SPAN[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 19-FEB-91 |
| | MIL-C-28754/13C(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN (WITHOUT GUIDE RIBS)[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 19-FEB-91 |
| | MIL-C-28754/45A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 19-FEB-91 |
| | MIL-C-28754/25A NOT 2 | CONNECTORS, ELECTRICAL, MODULAR, GUIDE, RETAINING[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 19-FEB-91 |
| | MIL-C-28754/44B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, 100 PIN, STRAIGHT, CONTACT TAILS ON .100 CENTERS[CUST: CR NW 11] [REVIEW: 99 AR AS CC MC MI] | A | 5935 | | NW | 19-FEB-91 |
| | MIL-C-28754/60 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CONTACT TAILS ON .100 CENTERS[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 19-FEB-91 |
| | MIL-C-28754/62 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CROSSOVER, CONTACT TAILS ON .050 CENTERS[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 19-FEB-91 |
| | MIL-C-28754/57 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME, CERAMIC COMPATIBLE)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 19-FEB-91 |
| | MIL-C-28754/58 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 19-FEB-91 |
| | MIL-C-28754/64 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, OFFSET, CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME, CERAMIC COMPATIBLE)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 19-FEB-91 |
| | MIL-C-28754/63 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, OFFSET, CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE)[CUST: NW] [REVIEW: AS] | A | 5935 | | NW | 19-FEB-91 |
| | MS27615E | CONNECTORS, ELECTRICAL, PLUG, RATCHET LOCK COUPLING, FIREWALL SERIES[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 06-FEB-04 |
| A | MIL-DTL-21097/3F | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD COMPOSITE, ADAPTER, CONTACT SPACING (.200) INDIVIDUAL CONTACTS, TYPE CS[CUST: CR EC 11 CC] [REVIEW: AR AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 18-AUG-05 |
| A | MIL-DTL-21097/2F | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD COMPOSITE, RECEPTACLE, CONTACT SPACING (.200) SINGLE ROW, TYPE CR[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV MC MI OS SH] | A | 5935 | | CC | 18-AUG-05 |
| | MIL-C-21097/20B(1) NOT 2 | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (0.050), TYPE AD[CUST: CR EC 19 CC] [REVIEW: AR AS AT CR4 MC MI SH] | A | 5935 | | CC | 04-JUN-99 |
| | MS27614E | CONNECTORS, ELECTRICAL, RECEPTACLE, D HOLE MOUNT, FIREWALL SERIES[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 06-FEB-04 |
| | MS27613E | CONNECTORS, ELECTRICAL, RECEPTACLE, PANEL MOUNT, FIREWALL SERIES[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 06-FEB-04 |
| | MIL-DTL-26500F SUP 1 | CONNECTORS, GENERAL PURPOSE, ELECTRICAL, MINIATURE, CIRCULAR, ENVIRONMENT RESISTING, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 06-FEB-04 |
| | MIL-C-7942B(1) NOT 2 | CONNECTORS, HOSE, QUICK-DISCONNECT, ANTI "G" SUIT[CUST: AS 99] [REVIEW: CC] | A | 4730 | | 71 | 23-NOV-98 |
| | MS20027E | CONNECTORS, LINE PLUG, ELECTRICAL, SOLDER TYPE, BAYONET COUPLING, CLASS T, SERIES I[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 20-MAY-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-10544C(3) NOT 2 | CONNECTORS, PLUG AND RECEPTACLE (ELECTRICAL, AUDIO, WATERPROOF, TEN CONTACT, POLARIZED)[CUST: CR CC] [REVIEW: AV EA MC MI] | A | 5935 | | CC | 17-JUN-99 |
| A | MIL-DTL-12520D SUP 1 | CONNECTORS, PLUG AND RECEPTACLE (ELECTRICAL, WATERPROOF), AND ACCESSORIES; GENERAL SPECIFICATION FOR[CUST: CR 11 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 31-MAR-05 |
| | MS3406H NOT 2 | CONNECTORS, PLUG, ELECTRIC, FRONT RELEASE, CRIMP CONTACT, AN TYPE[CUST: AS] | A | 5935 | | AS | 25-SEP-96 |
| | MS3111C NOT 2 | CONNECTORS, PLUG, ELECTRIC, SERIES 1, SOLDER TYPE, CABLE CONNECTING, BAYONET COUPLING[CUST: CR AS 11 CC] [REVIEW: AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3116D NOT 2 | CONNECTORS, PLUG, ELECTRIC, SERIES 1, SOLDER TYPE, STRAIGHT, BAYONET COUPLING[CUST: CR AS 11 CC] [REVIEW: AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3476E NOT 1 | CONNECTORS, PLUG, ELECTRIC, SERIES 2, CRIMP TYPE, BAYONET COUPLING, CLASSES A, L, S, AND W[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3108D(1) NOT 1 | CONNECTORS, PLUG, ELECTRIC, SOLDER CONTACT, 90 DEGREE, AN TYPE[CUST: CR AS 11 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH] | A | 5935 | | AS | 07-JUL-00 |
| | MS3121C | CONNECTORS, PLUG, ELECTRICAL, CRIMP TYPE, CABLE-CONNECTING, BAYONET COUPLING, CLASSES E, F AND P[CUST: CR 11 CC] [REVIEW: CR4 MI] | A | 5935 | | CC | 06-JUN-03 |
| | MS3126F | CONNECTORS, PLUG, ELECTRICAL, CRIMP TYPE, STRAIGHT, BAYONET COUPLING[CUST: CR 11 CC] [REVIEW: AR MI SH] | A | 5935 | | CC | 06-JUN-03 |
| | W-C-596/20C | CONNECTORS, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AR AS AT AV CR4 EC MC SH] | A | 5935 | / | CC | 20-JUL-01 |
| | MS27653B | CONNECTORS, PLUG, ELECTRICAL, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MS24266M | CONNECTORS, PLUG, ELECTRICAL, STRAIGHT, MINIATURE, CLASSES F, G AND R[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 06-FEB-04 |
| | MS27336F | CONNECTORS, PLUG, ELECTRICAL, STRAIGHT, SOLDER TYPE, BAYONET COUPLING, CLASSES P & T, SERIES II[CUST: 11 CC] [REVIEW: 99 IS] | A | 5935 | | CC | 20-MAY-05 |
| | MS20028F | CONNECTORS, PLUG, ELECTRICAL, STRAIGHT, SOLDER TYPE, BAYONET COUPLING, CLASS T, SERIES I[CUST: 11 CC] [REVIEW: 99 IS] | A | 5935 | | CC | 20-MAY-05 |
| | MIL-C-12520/16 NOT 3 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 20, FEMALE INSERTS)[CUST: CR 11 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 14-APR-04 |
| | MIL-C-12520/3A NOT 3 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 26, FEMALE INSERTS)[CUST: CR 11 CC] [REVIEW: 99 MC] | A | 5935 | | CC | 14-APR-04 |
| | MIL-C-12520/5A NOT 3 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 20, FEMALE INSERTS)[CUST: CR 11 CC] [REVIEW: 99 MC MI] | A | 5935 | | CC | 14-APR-04 |
| | MIL-C-12520/6A NOT 3 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 20, MALE INSERTS)[CUST: CR 11 CC] [REVIEW: 99 MC] | A | 5935 | | CC | 14-APR-04 |
| | MIL-C-12520/7A NOT 3 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE INSERTS)[CUST: CR 11 CC] [REVIEW: 99 MC] | A | 5935 | | CC | 14-APR-04 |
| | MIL-C-12520/14 NOT 3 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE INSERTS BELLOWS CLAMP)[CUST: CR 11 CC] | A | 5935 | | CC | 14-APR-04 |
| | MIL-C-12520/15 NOT 3 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE INSERTS, BELLOWS CLAMP)[CUST: CR 11 CC] | A | 5935 | | CC | 14-APR-04 |
| | MIL-C-83526/2B NOT 1 | CONNECTORS, PLUG, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 6 POSITIONS[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 17-AUG-99 |
| | MIL-C-83526/1B NOT 1 | CONNECTORS, PLUG, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 2 AND 4 POSITIONS[CUST: CR SH 11 CC] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 17-AUG-99 |
| | MIL-C-55243 NOT 2 | CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, QUICK CONNECT AND DISCONNECT, 12 CONTACTS, MEDIUM POWER[CUST: CR] [REVIEW: MI] | A | 5935 | | CC | 17-JUN-99 |
| | MIL-DTL-55302/70D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: 11 CC] [REVIEW: 19] | A | 5935 | | CC | 12-NOV-04 |
| | MIL-DTL-55302/77D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING)[CUST: 11 CC] [REVIEW: 19] | A | 5935 | | CC | 12-NOV-04 |
| | MIL-DTL-55302/74D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE, PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.100 SPACING)[CUST: 11 CC] [REVIEW: 19] | A | 5935 | | CC | 12-NOV-04 |
| | MIL-DTL-55302/73D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE, ENVIRONMENTAL RESISTANT, PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.150 SPACING)[CUST: 11 CC] [REVIEW: 19] | A | 5935 | | CC | 12-NOV-04 |
| | MIL-DTL-55302/71D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET RECEPTACLE, ELECTRICAL, POLARIZED COMPOSITE CONTACT (.100 SPACING)[CUST: 11 CC] [REVIEW: 19] | A | 5935 | | CC | 12-NOV-04 |
| | MIL-DTL-55302/76D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET STRAIGHT-THRU, POLARIZED FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING)[CUST: 11 CC] [REVIEW: 19] | A | 5935 | | CC | 12-NOV-04 |
| | MIL-DTL-55302/67D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PIN, RIGHT ANGLE PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.090 SPACING)[CUST: 11] [REVIEW: 19] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-C-55302/102D NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 24-OCT-91 |
| | MIL-DTL-55302/72D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: SOCKET ENVIRONMENTAL RESISTANT, RECEPTACLE, ELECTRICAL, POLARIZED (.150 SPACING), REMOVABLE CRIMP CONTACTS[CUST: 11 CC] [REVIEW: 19] | A | 5935 | | CC | 12-NOV-04 |
| | MIL-DTL-55302/75D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: SOCKET RECEPTACLE, ELECTRICAL, POLARIZED (.100 SPACING), REMOVABLE CRIMP CONTACTS[CUST: 11] [REVIEW: 19] | A | 5935 | | CC | 12-NOV-04 |
| | MIL-DTL-55302/68D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: SOCKET, RECEPTACLE, ELECTRICAL, POLARIZED (.090 SPACING) REMOVABLE CRIMP CONTACTS[CUST: 11 CC] [REVIEW: 19] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-DTL-55302/84C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS CRIMP, DIP SOLDER TAIL, SOLDER TURRET, AND WIREWRAP[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 15-NOV-04 |
| | MIL-DTL-55302/69D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PIN PLUG, ELECTRICAL, POLARIZED (.090 SPACING) REMOVABLE CRIMP CONTACTS[CUST: 11] [REVIEW: 19] | A | 5935 | | CC | 24-MAR-04 |
| | MIL-C-55302/38B NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, ELECTRICAL, POLARIZED SHELL, MALE, 0.100 INCH CONTACT SPACING, PIN TERMINAL[CUST: AT CC] | A | 5935 | | CC | 04-JUN-99 |
| | MIL-DTL-55302/83C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 41, 66, 114 CONTACT POSITIONS: FOR PRINTED WIRING BOARDS (.100 X .050 OFFSET GRID)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 15-NOV-04 |
| | MIL-C-55302/42B NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, ELECTRICAL, POLARIZED SHELL, FEMALE, 0.100 INCH CONTACT SPACING, REMOVABLE CRIMP CONTACTS[CUST: AT CC] | A | 5935 | | CC | 04-JUN-99 |
| | MIL-DTL-55302/82C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, 41, 66, 114 CONTACT POSITIONS: FOR PRINTED WIRING BOARDS (.100 X .050 OFFSET GRID)[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 15-NOV-04 |
| | MIL-DTL-55302/99D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT THROUGH, HERMAPHRODITIC CONTACT, WRAPPOST REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)[CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A | 5935 | | CC | 17-NOV-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS3124E | CONNECTORS, RECEPTACLE ELECTRIC, CRIMP TYPE, REAR MOUNTING, JAM NUT, BAYONET COUPLING, CLASSES E, F AND P[CUST: CR 11 CC] [REVIEW: AR MI] | A | 5935 | | CC | 06-JUN-03 |
| | MS27654D | CONNECTORS, RECEPTACLE, ELECTRIC, BACK PANEL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MS3401G NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, CABLE CONNECTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE[CUST: AS] | A | 5935 | | AS | 25-SEP-96 |
| | MS3404G NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE[CUST: AS] | A | 5935 | | AS | 25-SEP-96 |
| | MS3112G NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, BOX MOUNTING, FLANGE, BAYONET COUPLING, SOLDER CONTACT[CUST: CR AS 11 CC] [REVIEW: AV SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3122E NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, CRIMP-TYPE, BOX MOUNTING, FLANGE, NO. 4 HOLES, BAYONET COUPLING[CUST: CR AS 11 CC] [REVIEW: AV SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3110D NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, SOLDER TYPE, WALL MOUNTING, FLANGE, BAYONET COUPLING[CUST: CR AS 11 CC] [REVIEW: AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3119D NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, THRU-BULKHEAD MTG., FLANGE, BAYONET COUPLING[CUST: CR AS 11 CC] [REVIEW: 99 AV EC] | A | 5935 | | CC | 15-DEC-98 |
| | MS3470D NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, NARROW FLANGE MOUNT, BAYONET COUPLING, CLASSES A, L, S AND W[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3477A NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, BOX MOUNTING, BAYONET COUPLING, CLASS N[CUST: CR AS 11 CC] [REVIEW: AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3473A NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, SOLDER MOUNTING, BAYONET COUPLING, CLASS N[CUST: CR AS 11 CC] [REVIEW: AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3440B NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, NARROW FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT CLASS H[CUST: CR AS 11 CC] [REVIEW: 99 AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3443A NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, SOLDER FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT CLASS H[CUST: CR AS 11 CC] [REVIEW: AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3442B NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, WIDE FLANGE MOUNTING, BAYONET COUPLING, SOLDER PIN CONTACT, CLASS H[CUST: CR AS 11 CC] [REVIEW: 99 AV EC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS27652B | CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MS3400G NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE (USE SAE-AS34001)[CUST: AS] | A | 5935 | | AS | 08-JAN-99 |
| A | MIL-DTL-12520/9B | CONNECTORS, RECEPTACLE, ELECTRICAL WATERPROOF (SHELL SIZE 20, FEMALE INSERTS)[CUST: CR AS 11 CC] [REVIEW: 99 MC] | A | 5935 | | CC | 31-MAR-05 |
| A | MIL-DTL-12520/11B | CONNECTORS, RECEPTACLE, ELECTRICAL WATERPROOF (SHELL SIZE 26, FEMALE INSERTS)[CUST: CR AS 11 CC] [REVIEW: 99 MC] | A | 5935 | | CC | 31-MAR-05 |
| A | MIL-DTL-12520/10B | CONNECTORS, RECEPTACLE, ELECTRICAL WATERPROOF (SHELL SIZE 26, MALE INSERTS)[CUST: CR AS 11 CC] [REVIEW: 99 MC] | A | 5935 | | CC | 31-MAR-05 |
| | MS27335D | CONNECTORS, RECEPTACLE, ELECTRICAL, BOX, FLANGE MOUNT, SOLDER TYPE, BAYONET COUPLING, CLASS T, SERIES II[CUST: 11 CC] [REVIEW: 99 IS] | A | 5935 | | CC | 20-MAY-05 |
| | MS27515C | CONNECTORS, RECEPTACLE, ELECTRICAL, CRIMP TYPE, BACK PANEL, WALL MOUNTING FLANGE, SERIES I[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS] | A | 5935 | | CC | 12-JUL-02 |
| | MS3120F | CONNECTORS, RECEPTACLE, ELECTRICAL, CRIMP TYPE, WALL MOUNTING, FLANGE, NO 4 HOLES, BAYONET COUPLING CLASSES E, F AND P[CUST: CR 11 CC] [REVIEW: CR4 MI] | A | 5935 | | CC | 06-JUN-03 |
| | MS3115E NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, DUMMY STOWAGE, BAYONET COUPLING, FOR MIL-C-26482 CONNECTORS, SERIES 1 AND 2[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MI SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS24264P | CONNECTORS, RECEPTACLE, ELECTRICAL, FLANGE MOUNTING, MINIATURE, CLASSES F, G AND R[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 06-FEB-04 |
| | W-C-596/164A NOT 3 | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CR4 MC MI SH] | A | 5935 | / | CC | 31-AUG-00 |
| | W-C-596/168 NOT 3 | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CR4 MC MI SH] | A | 5935 | / | CC | 31-AUG-00 |
| | W-C-596/184A NOT 3 | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR EC 11 CC] [REVIEW: 99 AS AV CR4 MC MI SH] | A | 5935 | / | CC | 31-AUG-00 |
| | MS20029F | CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, SOLDER TYPE, BAYONET COUPLING, CLASS P, SERIES I[CUST: 11 CC] [REVIEW: 99 IS] | A | 5935 | | CC | 20-MAY-05 |
| | MS27337D | CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, SOLDER TYPE, BAYONET COUPLING, CLASSES P & T, SERIES II[CUST: 11 CC] [REVIEW: 99 IS] | A | 5935 | | CC | 20-MAY-05 |
| | MS3127K | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, CRIMP TYPE, BOX MOUNTING, FLANGE, NO. 4/6 HOLES, BAYONET COUPLING[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI SH] | A | 5935 | | CC | 06-JUN-03 |
| | MS3114K | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, SOLDER TYPE, JAM NUT MOUNTING, BAYONET COUPLING, CLASSES E, F, H, AND P[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC SH] | A | 5935 | | CC | 06-JUN-03 |
| | MS3474H NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 2, CRIMP TYPE, REAR MOUNTING JAM NUT, BAYONET COUPLING, CLASSES A, L, S, AND W[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC NA SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3113H NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES I, SOLDER TYPE, SOLDER MOUNTING, BAYONET COUPLING, CLASS H[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC SH] | A | 5935 | | CC | 12-JUN-01 |
| | MS24265P | CONNECTORS, RECEPTACLE, ELECTRICAL, SINGLE HOLE MOUNT, MINIATURE, CLASSES F, G AND R[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 06-FEB-04 |
| | MS20026E | CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNT, SOLDER TYPE, BAYONET COUPLING, CLASS T, SERIES 1[CUST: 11 CC] [REVIEW: 99 IS] | A | 5935 | | CC | 20-MAY-05 |
| | MS27334D | CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, SOLDER TYPE, BAYONET COUPLING, CLASSES P & T, SERIES II[CUST: 11 CC] [REVIEW: 99 IS] | A | 5935 | | CC | 20-MAY-05 |
| | MIL-C-83526/11B NOT 1 | CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, JAM-NUT MOUNTING, WITHOUT STRAIN RELIEF, 2 AND 4 POSITIONS[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 17-AUG-99 |
| | MS3348E NOT 1 | CONTACT BUSHING, ELECTRIC, WIRE BARREL (USE SAE-AS33481)[CUST: CR AS 11] [REVIEW: 19 99 AR CC CG EC MI OS YD] | A | 5935 | | AS | 22-JAN-99 |
| | MIL-C-19087A NOT 1 | CONTACTOR (FOR TORPEDO MARK 37 MODS 0, 2 AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-C-53057 NOT 3 | CONTAINER CRANE, ROUGH TERRAIN, WHEEL-MOUNTED, HYDRAULIC, DIESEL-POWERED[CUST: AT] | A | 3950 | | AT | 29-JUN-98 |
| | MIL-C-22284A(1) NOT 1 | CONTAINER, AIRCRAFT FIRE EXTINGUISHING SYSTEM, BROMOTRIFLUOROMETHANE, CF3BR[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 18-SEP-96 |
| | MIL-C-48633 NOT 1 | CONTAINER, AMMUNITION, FIBERBOARD[CUST: AR] | A | 1345 | | AR | 11-JUL-96 |
| | MIL-C-71170 NOT 1 | CONTAINER, AMMUNITION, LIGHTWEIGHT METAL FOR STINGER WEAPON SYSTEM[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 17-JUL-97 |
| | MIL-C-70734(3) NOT 1 | CONTAINER, AMMUNITION, METAL PA113, FOR CANISTER, VOLCANO MINE M87/M88[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 01-SEP-98 |
| | MIL-C-63521(8) NOT 1 | CONTAINER, AMMUNITION, METAL, FOR CARTRIDGE 105MM, TANK AMMUNITION[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 20-FEB-97 |
| | MIL-C-70478(3) NOT 1 | CONTAINER, AMMUNITION, METAL, FOR CARTRIDGE, 120MM, TANK AMMUNITION[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 22-JAN-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-63227A(3) NOT 1 | CONTAINER, AMMUNITION, METAL, PA101 FOR PROJECTILE, 155MM, HE, GUIDED CANNON LAUNCHED, M712 AND TRAINING M823[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 13-FEB-96 |
| | MIL-C-48083A NOT 2 | CONTAINER, CARTRIDGE FOR 4.2 INCH AMMUNITION[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |
| | MIL-C-24491B(1) NOT 1 | CONTAINER, FIBERGLASS REINFORCED PLASTIC, FOR INFLATABLE LIFEBOATS, MARK 5, MOD 2, AND MARK 6[CUST: SH] | A | 1940 | | SH | 22-APR-98 |
| | MIL-C-2440F NOT 1 | CONTAINER, METAL, FOR PROPELLING CHARGE[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 11-MAR-98 |
| | MIL-C-52788B NOT 3 | CONTAINER, REFRIGERATED: 8 FEET X 8 FEET X 20 FEET, INSULATED[CUST: AT] [REVIEW: SM] | A | 8115 | | AT | 29-MAY-98 |
| | MS18026A NOT 1 | CONTAINER, REUSABLE ALUMINUM, HAND PORTABLE[CUST: OS] [REVIEW: GS MI] | A | 8140 | | OS | 22-APR-98 |
| | MIL-C-23525A NOT 1 | CONTAINER, REUSABLE, ALUMINUM, HAND PORTABLE[CUST: OS] [REVIEW: GS MI] | A | 8140 | | OS | 22-APR-98 |
| | MS18011A NOT 1 | CONTAINER, REUSABLE, ALUMINUM, HAND PORTABLE-ASSEMBLY FOR SHIPPING[CUST: OS] [REVIEW: GS MI] | A | 8140 | | OS | 22-APR-98 |
| | MIL-C-38612A NOT 1 | CONTAINER, SHIPPING AND STORAGE, CNU-77/E23[CUST: EA] [REVIEW: SM] | A | 1040 | | EA | 19-APR-96 |
| | MIL-C-18875A(1) NOT 2 | CONTAINER, SIGNAL, MK 3 MOD 0 (FOR SIGNAL, SMOKE AND ILLUMINATION MK 13 MOD 0)[CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 10-JUL-99 |
| | MIL-C-82461(1) NOT 2 | CONTAINER, TORPEDO, MK197 MOD 1 AND 2[CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 30-SEP-88 |
| | MIL-C-63955 NOT 1 | CONTAINER, WEAPON SECURITY: XH4289[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 17-JUL-97 |
| | MIL-C-83669A NOT 1 | CONTAINERS, NESTABLE OR COLLAPSIBLE, REUSABLE, SHIPPING AND STORAGE, ASSEMBLED EXTERNAL AIRCRAFT FUEL TANKS[CUST: 11] [REVIEW: 71 84 99] | A | 8145 | | 11 | 04-APR-98 |
| | MIL-C-62479A NOT 1 | CONTROL AND DISPLAY, TARGETING STATION, M981 (FISTV)[CUST: AT] | A | 1260 | | AT | 26-MAR-98 |
| | MIL-C-48605A(1) NOT 1 | CONTROL ASSEMBLY R.F. (UNIT 1): 11748205[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MIL-C-38418E(2) NOT 1 | CONTROL ASSEMBLY, GYROSCOPE, ATTITUDE A/A24G-39[CUST: AS] [REVIEW: 99 GS] | A | 6610 | | AS | 31-MAR-98 |
| | MIL-C-28742A NOT 2 | CONTROL ENCLOSURE CY-6816/APX-72 FOR TRANSPONDER SET CONTROL C-6280( ) (P)/APX[CUST: AS] | A | 5840 | | AS | 18-SEP-96 |
| | MIL-C-81883 NOT 1 | CONTROL GROUP, ELECTRIC POWER OK-XXX (V)-A, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 6110 | | AS | 12-MAY-99 |
| | MIL-C-81883/1 NOT 2 | CONTROL GROUP, ELECTRIC POWER OK-XXX (V)/A[CUST: AS] [REVIEW: GS] | A | 6110 | | AS | 13-FEB-04 |
| | MIL-C-51540A NOT 2 | CONTROL MODULE (FOR THE M84 FILTER UNIT)[CUST: EA] | A | 4240 | | EA | 03-AUG-04 |
| | MIL-C-81767 NOT 1 | CONTROL MONITOR DCK-143/A24B-4(V)[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-C-22802(2) NOT 1 | CONTROL MONITOR DCU-75/A[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 16-JUL-97 |
| | MIL-C-28741A NOT 1 | CONTROL MONITOR, C-8430/UPX[CUST: AS] [REVIEW: CC] | A | 5985 | | AS | 18-SEP-96 |
| | MIL-C-48890B(3) NOT 1 | CONTROL PANEL ASSEMBLY FOR M130 DISPENSER SYSTEM[CUST: AR] | A | 1345 | | AR | 10-JUL-98 |
| A | MIL-C-52009C NOT 3 | CONTROL PANEL ASSEMBLY FOR PORTABLE HELIPORT ELECTRIC LIGHTING.[CUST: CR4] | A | 6110 | | GS2 | 19-JAN-06 |
| | MIL-C-28914(1) NOT 2 | CONTROL UNIT - RECTIFIER, C-7673/PCC-1[CUST: MC] | A | 5805 | | MC | 05-APR-99 |
| | MIL-C-85058 NOT 2 | CONTROL UNIT SUBSYSTEM FOR THE BOMBING SET, ANGLE RATE AN/ASB-19(V)[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-C-52853D NOT 1 | CONTROL UNIT, ALARM SET C-9412/FSS-9(V)[CUST: CR4 EC 99] [REVIEW: GS MC] | A | 6350 | | CR4 | 20-MAR-97 |
| | MIL-C-28843A NOT 2 | CONTROL UNITS, REMOTE SWITCHING, C-10315/U AND C-10979/U[CUST: EC] | A | 5840 | | EC | 30-APR-95 |
| | MIL-C-81360 NOT 1 | CONTROL, AIRCRAFT WEAPONS RELEASE SET C-6682 (*)/AWE-1[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-C-81770 NOT 1 | CONTROL, AIRCRAFT WEAPONS RELEASE SET C-8014(*)/AWE-1[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-C-22766(2) NOT 2 | CONTROL, CENTRAL C-3076(*)/ASQ-19 AND C-6248(*)/ASQ-88[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 18-SEP-96 |
| | MIL-C-48490B(3) NOT 1 | CONTROL, COMMANDER S SIGHT AND RECEIVER TRANSMITTER, LASER RANGING, 11743121[CUST: AR] | A | 1240 | | AR | 30-JUN-98 |
| | MIL-C-50734(1) NOT 1 | CONTROL, COMMANDERS, LASER RANGING C-9134( )/VVG-1, 11738811[CUST: AR] | A | 1240 | | AR | 14-AUG-97 |
| | MIL-C-55653A NOT 2 | CONTROL, COMMUNICATION SYSTEM C-6533( )/ARC[CUST: CR] [REVIEW: GS] | A | 5821 | | CR | 29-MAR-96 |
| | MIL-C-48457B(1) NOT 2 | CONTROL, GUNNER'S, COMPUTER: 11732500[CUST: AR] | A | 1220 | | AR | 11-DEC-95 |
| | MIL-C-14867(1) NOT 1 | CONTROL, GUNNERS, LASER RANGING, 10559221[CUST: AR] | A | 1240 | | AR | 11-AUG-97 |
| | MIL-C-64030 NOT 1 | CONTROL, INDICATOR, FOR DISPENSER AND MINES: GROUND M131[CUST: AR] | A | 1345 | | AR | 20-FEB-97 |
| | MIL-C-23768A(1) NOT 1 | CONTROL, INTEGRATED ELECTRONIC CENTRAL C-4850( * )/ASQ-85[CUST: AS] | A | 5895 | | AS | 16-JUL-97 |
| | MS25491K | CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 10-AUG-84 |
| | MIL-C-49244A NOT 1 | CONTROL, ORDERWIRE C-10716( )/TRC[CUST: CR] | A | 5820 | | CR | 25-APR-97 |
| | MIL-C-49245 NOT 1 | CONTROL, ORDERWIRE C-10717( )/TRC[CUST: CR 99] [REVIEW: 84] | A | 5805 | | CR | 11-APR-97 |
| | MIL-C-14866(1) NOT 1 | CONTROL, POWER SUPPLY, 10559261[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-C-50743(3) NOT 1 | CONTROL, POWER SUPPLY, LASER: C-9135( )/VVG-1: 11738831[CUST: AR] | A | 1240 | | AR | 15-JUL-96 |
| | MIL-C-28917(2) NOT 2 | CONTROL, POWER SUPPLY: C-7674/VCC, AND CONTROL, TERMINAL SET: C-7827/VCC[CUST: MC] | A | 5805 | | MC | 05-APR-99 |
| | MIL-C-43044C NOT 1 | CONTROL, PRESSURE, FILLING, NONVENTED DRUM[CUST: AT MC 11] [REVIEW: 71 99 GL MD] | A | 4930 | | AT | 25-SEP-98 |
| | MIL-C-8052C(1) NOT 2 | CONTROL, PRESSURIZING SET, C-1173/ASQ[CUST: 99] | A | 5895 | | 84 | 20-SEP-96 |
| | MIL-C-25548C(2) NOT 2 | CONTROL, PUBLIC ADDRESS SET C-1614/AIC-13[CUST: 99] [REVIEW: GS] | A | 5831 | | 84 | 15-APR-96 |
| | MIL-C-85666 NOT 1 | CONTROL, RADIO SET C-10319A/ARC, C-10776A/ARC, AND C-11131/ARC[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 09-DEC-98 |
| | MIL-C-22954B(1) NOT 1 | CONTROL, RADIO SET C-1138()/UR[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-C-81009 NOT 2 | CONTROL, RADIO SET C-4684(*)/ASQ-56A[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 16-JUL-97 |
| | MIL-C-81441 NOT 2 | CONTROL, RADIO SET C-6684(*)/ASQ[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 30-AUG-99 |
| | MIL-C-49208 NOT 2 | CONTROL, RADIO SET C-6709( )/G[CUST: CR 99] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-C-81470(2) NOT 2 | CONTROL, RADIO SET C-8057 (*)/ARC[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 30-AUG-99 |
| | MIL-C-50742(1) NOT 1 | CONTROL, RECEIVER TRANSMITTER C8728( )/VVG-1, 11738851[CUST: AR] | A | 1240 | | AR | 28-NOV-95 |
| | MIL-C-28724A(1) NOT 2 | CONTROL, REMOTE SWITCHING, C-7594( )/U AND C-7595( )/U GENERAL SPECIFICATION FOR[CUST: EC] | A | 5840 | | EC | 30-APR-95 |
| | MIL-C-64025 NOT 1 | CONTROL, REMOTE, M71, LAND MINE SYSTEM[CUST: AR] | A | 1290 | | AR | 19-AUG-97 |
| | MIL-C-22937 NOT 2 | CONTROL-MONITOR DCU-74/A[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 18-SEP-96 |
| | MIL-C-85373A NOT 1 | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-12A[CUST: AS] | A | 1095 | | AS | 11-SEP-96 |
| | MIL-C-85392 NOT 2 | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-7D, GENERAL SPECIFICATION FOR[CUST: AS] | A | 1095 | | AS | 04-APR-98 |
| | MIL-T-85070A NOT 1 | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-9A[CUST: AS CC] | A | 1450 | | CC | 22-JAN-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-22912B NOT 1 | CONTROLLER, STEERING (FOR TORPEDO MARK 37 MOD 2)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-C-45956(2) NOT 3 | CONTROLLER, WEAPONS-GUN SPEED AND LAUNCHER BRAKE, LH[CUST: AR] | A | 1090 | | AR | 03-FEB-97 |
| | MS25303A | CONVERTER - CONSTANT VOLTAGE 300 AMP, 30 VOLTS DC (FOR GROUND USE)[CUST: AS] [REVIEW: GS] | A | 6125 | | AS | 17-JUN-71 |
| | MIL-C-46369(4) NOT 1 | CONVERTER - REGULATOR, 10553449[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MIL-C-85456 NOT 1 | CONVERTER GROUP, "ENHANCED" DIGITAL SCAN OD-( )/APQ-126(V)[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 18-SEP-96 |
| | MS3370B NOT 1 | CONVERTER, 100 AMPERE CLASS C, NONREGULATED AIRCRAFT, BLAST COOLED[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 13-AUG-97 |
| | MS17335G NOT 1 | CONVERTER, 100 AMPERE, CLASS B NONREGULATED, AIRCRAFT, FAN COOLED[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 04-SEP-96 |
| | MS17976F NOT 1 | CONVERTER, 100 AMPERE, CLASS C NONREGULATED, AIRCRAFT, FAN COOLED[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 04-SEP-96 |
| | MS28126F(1) NOT 1 | CONVERTER, 200 AMPERE CLASS A, NONREGULATED AIRCRAFT, FAN COOLED[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 04-SEP-96 |
| | MIL-C-7115/2A NOT 2 | CONVERTER, 200 AMPERE, AIRCRAFT, TYPE II, CLASS A[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 10-FEB-04 |
| | MS28132J(1) NOT 1 | CONVERTER, 200 AMPERE, CLASS B NONREGULATED, AIRCRAFT, FAN COOLED[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 13-AUG-97 |
| | MIL-C-81991/1A(1) NOT 1 | CONVERTER, 4 AMPERE DC TO DC, BOOST CLASS A, MULTIPURPOSE[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 04-SEP-96 |
| | QPL-81991/1-2 NOT 1 | CONVERTER, 4 AMPERE, DC TO DC, BOOST, CLASS A MULTIPURPOSE | A | 6130 | | AS | 11-OCT-00 |
| | MS28133D NOT 1 | CONVERTER, 50 AMPERE, CLASS B[CUST: CR4 AS] [REVIEW: CR GS] | A | 6130 | | AS | 28-AUG-96 |
| | MS18103D | CONVERTER, 50 AMPERE, CLASS C NONREGULATED, AIRCRAFT, FAN COOLED[CUST: AS] [REVIEW: GS] | A | 6125 | | AS | 30-SEP-88 |
| | MIL-C-81991 NOT 1 | CONVERTER, AIRCRAFT DC TO DC, BOOST GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS MI] | A | 6130 | | AS | 04-SEP-96 |
| | MIL-C-51542 NOT 2 | CONVERTER, FREQUENCY, STATIC, XM5 (FOR M56, XM59, OR XM62 FILTER UNITS)[CUST: EA] | A | 4240 | | EA | 03-AUG-04 |
| | MIL-DTL-25666/3(1) NOT 1 | CONVERTER, LIQUID OXYGEN GCU-10/A[CUST: 99] [REVIEW: GS] | A | 1660 | | 71 | 24-JUL-00 |
| | MIL-DTL-25666/6(1) NOT 1 | CONVERTER, LIQUID OXYGEN GCU-20/A[CUST: 99] [REVIEW: GS] | A | 1660 | | 71 | 24-JUL-00 |
| | MIL-DTL-25666/1 NOT 1 | CONVERTER, LIQUID OXYGEN GCU-2A/A[CUST: 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 02-SEP-96 |
| | MIL-DTL-25666/2 NOT 1 | CONVERTER, LIQUID OXYGEN GCU-3/A[CUST: 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 03-NOV-95 |
| | MIL-DTL-25666/5(1) NOT 1 | CONVERTER, LIQUID OXYGEN TYPE GCU-17/A[CUST: 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 24-JUL-00 |
| | MIL-DTL-25666/7(1) NOT 1 | CONVERTER, LIQUID OXYGEN TYPE ME-3[CUST: 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 24-JUL-00 |
| | MIL-C-19803F(6) NOT 1 | CONVERTER, LIQUID OXYGEN, 10-LITER GCU-24A/A[CUST: AV AS 99] [REVIEW: 71 GS] | A | 1660 | | AS | 02-APR-01 |
| | MIL-DTL-19328F NOT 1 | CONVERTER, LIQUID OXYGEN, 5 LITER, MB-5A[CUST: AS 99] [REVIEW: GS] | A | 1660 | | 71 | 27-NOV-96 |
| | MIL-DTL-25666F(1) NOT 1 | CONVERTER, LIQUID OXYGEN, CAPACITANCE TYPE GAUGING, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 24-JUL-00 |
| | MIL-DTL-25666/4 NOT 1 | CONVERTER, LIQUID OXYGEN, GCU-12A/A[CUST: 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 02-SEP-96 |
| | MIL-C-85638 NOT 1 | CONVERTER, RADAR DATA CV-1607D/AVA-1[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 16-JUL-97 |
| | MIL-C-22553(3) NOT 1 | CONVERTER, SIGNAL DATA CV-1053A/ARC[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-S-81344(1) NOT 1 | CONVERTER, SIGNAL DATA CV-2461( )/A[CUST: AS] [REVIEW: GS] | A | 6125 | | AS | 11-SEP-96 |
| | MIL-C-18021B(1) NOT 1 | CONVERTER, SPEED, UNDERWATER LOG[CUST: SH] [REVIEW: GS] | A | 6605 | | SH | 29-JUL-87 |
| | MIL-C-55607A(3) NOT 2 | CONVERTER, TELEPHONE SIGNAL CV-1548( )/G[CUST: CR] | A | 5805 | | CR | 29-MAR-96 |
| | QPL-46369-28 NOT 1 | CONVERTER-REGULATOR: 10553449 | A | 1240 | | AR | 21-JUN-01 |
| | MIL-C-52712B NOT 3 | CONVEYOR, BELT, PORTABLE, ELECTRIC CASTER MOUNTED[CUST: AT] [REVIEW: AV IS] | A | 3910 | | AT | 29-MAY-98 |
| | MIL-C-11218E NOT 3 | CONVEYORS, ROLLER AND WHEEL, GRAVITY AND CONVEYOR SUPPORTS[CUST: AT] [REVIEW: AV IS] | A | 3910 | | AT | 29-MAY-98 |
| | MIL-C-43205G NOT 1 | COOKIE MIX, DRY[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8920 | | GL | 22-AUG-97 |
| | MIL-C-44072C NOT 1 | COOKIES, OATMEAL; AND BROWNIES, CHOCOLATE COVERED[CUST: GL SA 50] | A | 8920 | | GL | 31-MAR-97 |
| | MS29590A NOT 2 | COOLER - LUBRICATING OIL, AIRCRAFT ENGINE, PETROLEUM BASE, TUBULAR, ROUND[CUST: 99] [REVIEW: GS] | A | 2935 | | 71 | 27-OCT-95 |
| | MIL-C-81952B NOT 1 | COOLER, LIQUID, ELECTRONIC EQUIPMENT (D-957) (/AWM-23)V([CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 30-APR-97 |
| | MIL-C-81777B(1) NOT 1 | COOLER, LIQUID, ELECTRONIC EQUIPMENT HD-908()AWM-23(V)[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 23-JUL-97 |
| | MIL-C-49309 NOT 1 | COOLER-DEWAR GROUP, OR-336/A, OR-337/A[CUST: CR] | A | 5855 | | CR | 03-SEP-97 |
| | MIL-C-49310 NOT 1 | COOLER-DEWAR GROUP, OR-338/V, OR-339/V[CUST: CR] | A | 5855 | | CR | 03-SEP-97 |
| | MIL-C-16388D NOT 1 | COOLERS, FLUID, NAVAL SHIPBOARD (HULL COOLERS)[CUST: SH] | A | 4420 | | SH | 10-JUL-99 |
| | MIL-C-81089 NOT 1 | COORDINATE CONVERTER MARK 54 MOD 0[CUST: AS] [REVIEW: GS] | A | 1270 | | AS | 31-OCT-95 |
| | MIL-C-19311B NOT 1 | COPPER CHROMIUM ALLOY FORGINGS, WROUGHT ROD, BAR, AND STRIP (COPPER ALLOY NUMBERS 182, 184, AND 185)[CUST: OS] | A | 9530 | | OS | 22-APR-98 |
| | MIL-C-22226A NOT 1 | COPPER NICKEL MANGANESE ALLOY BARS, PLATES, AND SHEETS, LOW MAGNETIC EFFECT (FOR SPECIAL PURPOSE TOOLS AND EQUIPMENT)[CUST: OS] | A | 9530 | | OS | 10-JUL-99 |
| | SAE-AMS4740 | COPPER POWDER 99.0 CU, MINIMUM AS FABRICATED[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | FEB 96 |
| | MIL-C-12166 NOT 4 | COPPER ROD FOR CRUSHER CYLINDERS[CUST: AR] | A | 1305 | | AR | 21-JUL-97 |
| | MIL-C-768A NOT 1 | COPPER, POWDERED (FOR USE IN AMMUNITION) (METRIC)[CUST: OS] [REVIEW: GS] | A | 1370 | | OS | 09-MAY-96 |
| | MIL-C-83501A(2) NOT 2 | CORD ASSEMBLIES, ELECTRICAL, BRAIDED AND MOLDED JACKET GENERAL SPECIFICATION FOR[CUST: 11 GS2] [REVIEW: 99] | A | 5995 | | GS2 | 08-MAR-00 |
| A | MS35760A NOT 3 | CORD ASSEMBLY, ELECTRICAL (CORD CD-307-A)[CUST: CR EC 11 GS2] [REVIEW: 99 AS NS] | A | 5995 | | GS2 | 26-OCT-05 |
| A | MIL-C-11997B(1) NOT 2 | CORD ASSEMBLY, ELECTRICAL, CX-215/U (RETRACTILE)[CUST: CR GS] | A | 5995 | | GS2 | 26-OCT-05 |
| M | MIL-DTL-18266B | CORD ASSEMBLY, ELECTRICAL: P/O H-87B/U[CUST: AS CC] | A | 5965 | | CC | 17-FEB-06 |
| | MIL-C-83242(2) NOT 3 | CORD, AROMATIC POLYAMIDE, NONMELTING[CUST: 99] | A | 4020 | | 11 | 09-SEP-99 |
| | MIL-DTL-17124E | CORD, DETONATING[CUST: AR OS] [REVIEW: MC] | A | 1375 | | AR | 06-MAR-01 |
| | MIL-C-50697 NOT 1 | CORD, DETONATING[CUST: AR AS 11] | A | 1377 | | AR | 14-MAR-97 |
| | MIL-C-10392C(2) NOT 3 | CORD, ELECTRICAL (AUDIO, MINIATURE)[CUST: CR AS 11 CC] [REVIEW: 71 AR AT AV CR4 EC MC MI OS] | A | 6145 | | CC | 05-JUL-02 |
| | MIL-C-3884B(1) NOT 1 | CORD, ELECTRICAL (SHORT LAY)[CUST: CR SH 11 CC] [REVIEW: 71 AT AV CR4 MC] | A | 6145 | | CC | 30-NOV-02 |
| | MIL-DTL-3849C | CORD, ELECTRICAL (TINSEL)[CUST: CR SH 11 CC] [REVIEW: 80 AR MC MS SA YD2] | A | 6145 | | CC | 29-MAR-05 |
| | MIL-DTL-3883B | CORD, ELECTRICAL, SHIELDED (AUDIO FREQUENCY)[CUST: CR SH 11 CC] [REVIEW: AR AT AV CR4 EC MC OS] | A | 6145 | | CC | 18-APR-03 |
| | MIL-C-1145E NOT 1 | CORD, FIBROUS (LINES, LEAD)[CUST: GL SH 99 IS] [REVIEW: CR4 MC MD] | A | 4020 | | IS | 24-APR-98 |
| | MIL-C-2522E NOT 2 | CORD, FIBROUS LINEN, SHOCK ABSORBER SERVING USE[CUST: GL 99 IS] [REVIEW: AV] | A | 4020 | | IS | 16-JUN-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-87129A NOT 1 | CORD, FIBROUS, ARAMID BRAIDED[CUST: GL AS 11 IS] [REVIEW: 71 99 MC SH] | A | 4020 | | IS | 01-OCT-97 |
| A | MIL-C-5040H NOT 1 | CORD, FIBROUS, NYLON[CUST: GL AS 99 IS] [REVIEW: 71 DS EA MC SH] | A | 4020 | | IS | 01-OCT-97 |
| | MIL-C-43256D NOT 1 | CORD, FIBROUS, POLYESTER, SOLID BRAID[CUST: GL IS] [REVIEW: CR4 MC MD MI] | A | 4020 | | IS | 16-JUN-97 |
| | MIL-C-7515F NOT 1 | CORD, NYLON, CORELESS[CUST: GL AS 99 IS] [REVIEW: 71 DS MC MD OS] | A | 4020 | | IS | 01-OCT-97 |
| | MIL-C-43307B NOT 2 | CORD, NYLON, SOLID BRAID, GENERAL PURPOSE[CUST: GL SH IS] [REVIEW: AR CR4 EA MC MD MI] | A | 4020 | | IS | 16-JUN-97 |
| | T-C-2754 NOT 1 | CORD, POLYESTER, CORELESS[CUST: GL AS 99 IS] [REVIEW: 71 CR4 SH] | A | 4020 | / | IS | 03-DEC-98 |
| | MIL-C-4232D NOT 2 | CORD, RAYON, WITHOUT CORE, BRAIDED[CUST: GL 99 IS] [REVIEW: 11 71 AV CR4 MC] | A | 4020 | | IS | 16-JUN-97 |
| | MIL-C-19559C NOT 1 | CORD, SERVICE CAP, WOMEN S[CUST: MC CT] [REVIEW: 11] | A | 8455 | | CT | 15-OCT-99 |
| | MIL-DTL-3849/11C | CORDS, ELECTRICAL (TINSEL), CLASS PSP, POLYAMIDE INSULATED (EXTRUDED), STYRENE BUTADIENE RUBBER (SBR) JACKETED AND POLYAMIDE BRAIDED[CUST: CR SH 11 CC] [REVIEW: 80 AR MC MS SA YD2] | A | 6145 | | CC | 29-MAR-05 |
| | MIL-C-13743A(1) NOT 2 | CORE, STEEL, HARDENER, FOR ARMOR-PIERCING TYPES OF SMALL-ARMS AMMUNITION[CUST: AR] | A | 1305 | | AR | 16-AUG-00 |
| | MIL-C-48665 NOT 1 | CORE; TOROID[CUST: AR] | A | 1345 | | AR | 19-AUG-97 |
| | MIL-C-23331(1) NOT 1 | CORES FOR SEARCH COIL ASSEMBLIES[CUST: OS] | A | 1350 | | OS | 27-MAR-92 |
| | MIL-HDBK-1250A NOT 1 | CORROSION PREVENTION AND DETERIORATION CONTROL IN ELECTRONIC COMPONENTS AND ASSEMBLIES[CUST: MI AS 11] [REVIEW: 19 AR AV CR4 GL SH TD] | A | MFFP | | MI | 24-OCT-01 |
| | MIL-C-82594 NOT 1 | CORROSION PREVENTIVE COMPOUND AND SURFACE SEALER FOR NONFERROUS METALS[CUST: AR OS] | A | 8030 | | OS | 09-MAY-96 |
| | MIL-C-6529C(2) NOT 2 | CORROSION PREVENTIVE, AIRCRAFT ENGINE[CUST: AS 11] [REVIEW: GS] | A | 6850 | | 11 | 03-DEC-97 |
| | MIL-C-10382D NOT 2 | CORROSION PREVENTIVE, PETROLATUM, SPRAYING APPLICATION: FOR FOOD HANDLING MACHINERY AND EQUIPMENT[CUST: MR SH 11] [REVIEW: 84 AS CG GL] | A | 8030 | | MR | 26-NOV-97 |
| | MIL-C-4339D NOT 2 | CORROSION PREVENTIVE, SOLUBLE OIL FOR WATER INJECTION SYSTEMS, (NATO CODE NUMBER C-630)[CUST: SH 68 GS3] [REVIEW: 11] | A | 6850 | | GS3 | 22-MAR-04 |
| D | MIL-C-10578D(3) NOT 3 | CORROSION REMOVING AND METAL CONDITIONING COMPOUND (PHOSPHORIC ACID BASE)[CUST: MI] [REVIEW: EA GS] | A | 6850 | | MI | 22-APR-98 |
| | QPL-6529-24 NOT 1 | CORROSION-PREVENTATIVE, AIRCRAFT ENGINE | A | 6850 | | 11 | 30-MAR-01 |
| | MIL-C-60618C NOT 1 | COUNTER, ROTATING, MECHANICAL, DIRECT DRIVE: 8587543 (3200 MIL RESET)[CUST: AR] [REVIEW: GS] | A | 1290 | | AR | 01-SEP-97 |
| | MIL-C-63106A(3) NOT 1 | COUNTERMEASURE, CHAFF: M-1[CUST: AR] | A | 5865 | | AR | 17-JUL-96 |
| | MIL-C-28858A(2) NOT 1 | COUPLER GROUP, ANTENNA, OA-9123/SRC[CUST: EC] | A | 5985 | | EC | 04-APR-98 |
| | MIL-C-25601C(2) NOT 1 | COUPLER, ANTENNA CU-308D/U[CUST: 99] | A | 5985 | | 84 | 10-JUN-96 |
| | MIL-C-28989B NOT 2 | COUPLER, ANTENNA: CU-2064/GRC-193[CUST: MC] | A | 5820 | | MC | 04-APR-98 |
| | MIL-C-83260A NOT 1 | COUPLER, HYDRANT VALVE GRU-16/E[CUST: 99] | A | 4930 | | 84 | 08-OCT-96 |
| | MIL-C-55693(3) NOT 1 | COUPLERS, ANTENNA CU-942( )/AR, CU-1894( )/AR AND ANTENNA AS-1703( )/AR[CUST: CR] [REVIEW: GS] | A | 5821 | | CR | 29-MAR-96 |
| | AN3068 REV 3 NOT 2 | COUPLING - ELECTRICAL CONDUIT[CUST: AS 11] [REVIEW: 99] | A | 5975 | | GS2 | 09-OCT-03 |
| A | AN3250 REV 1 NOT 2 | COUPLING AND CONDUIT[CUST: AV AS] | A | 5975 | | GS2 | 26-OCT-05 |
| | QPL-21049-24 NOT 1 | COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS | A | 1660 | | AS | 23-APR-01 |
| | MS22068E NOT 1 | COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS[CUST: AS 99] [REVIEW: CC GS] | A | 1660 | | AS | 27-AUG-97 |
| | MIL-C-21049F(1) NOT 1 | COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS[CUST: AS 11] [REVIEW: 71 99 GS] | A | 1660 | | AS | 10-SEP-97 |
| | MIL-C-51234(3) NOT 2 | COUPLING ASSEMBLY, QUICK DISCONNECT, PLAIN AND SELF-SEALING[CUST: EA] | A | 4730 | | EA | 13-JUL-04 |
| | MIL-C-22263B NOT 1 | COUPLING FUEL LINE, FLEXIBLE, 125 PS1, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: CC] | A | 4730 | | AS | 18-MAR-97 |
| | AN6027 REV 4 | COUPLING HALF, QUICK DISCONNECT[CUST: AV AS 99 CC] [REVIEW: 06 71 MC SA] | A | 4730 | | CC | 26-MAR-03 |
| | MIL-DTL-25531E NOT 1 | COUPLING HALF, QUICK DISCONNECT, PNEUMATIC STARTER, EXTERNAL, LOW PRESSURE[CUST: AS 99] | A | 4730 | | 71 | 08-MAY-98 |
| | MIL-C-51073D(2) NOT 1 | COUPLING HALVES, QUICK DISCONNECT[CUST: EA] [REVIEW: CC] | A | 4730 | | EA | 28-JUL-00 |
| | MIL-C-51177B(1) NOT 1 | COUPLING, CANISTER, ABC-M1[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 11-MAR-96 |
| | AN3058 REV 6 NOT 2 | COUPLING, ELECTRICAL CONDUIT, RIGID[CUST: AV AS 11 GS2] [REVIEW: 99 AR MC] | A | 5975 | | GS2 | 09-OCT-03 |
| | MIL-C-63325 NOT 3 | COUPLING, FLUSH-LATCH ASSEMBLY AND METAL PARTS FOR[CUST: AR] | A | 1375 | | AR | 20-FEB-97 |
| | MS24355B NOT 1 | COUPLING, RECEPTION - TYPE MA-2, FLIGHT-PRESSURE-REFUELING, ASSEMBLY OF (ASG)[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 71 | 26-SEP-97 |
| | MIL-C-25162B(1) NOT 1 | COUPLING, RECEPTION, FLIGHT PRESSURE REFUELING, TYPE MA-2[CUST: AS 99] [REVIEW: 71 GS] | A | 1680 | | AS | 28-AUG-96 |
| | MS33669B NOT 2 | COUPLING, REPLENISHMENT, 1-1/2 INCH, FOR METHANOL-WATER, (DETAILS OF SERVICING NOZZLE)[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 71 | 01-OCT-97 |
| | AN4052 REV 7 NOT 1 | COUPLING, SHAFT, RIGID[CUST: AS 99 CC] [REVIEW: 71] | A | 3010 | | CC | 22-JAN-99 |
| | MS9381 NOT 1 | COUPLING, TUBE-BRAZING, AMS 5646[CUST: AS 11] [REVIEW: CC] | A | 4730 | | AS | 14-AUG-96 |
| | MIL-C-22263/1 NOT 2 | COUPLING, TYPE I, ROLLED BEAD CONNECTING FLUID LINE, FLEXIBLE, MAXIMUM ENVELOPE AND WEIGHT[CUST: AV AS 11] [REVIEW: CC] | A | 4730 | | AS | 18-MAR-97 |
| | MIL-C-22263/2 NOT 2 | COUPLING, TYPE II, SWAGED FERRULE CONNECTING FLUID LINE, FLEXIBLE, MAX. ENVELOPE AND WEIGHT[CUST: AV AS 11] [REVIEW: CC] | A | 4730 | | AS | 18-MAR-97 |
| | AN785 REV 6 NOT 2 | COUPLING, UNION, BRAZING[CUST: AV AS 99 CC] | A | 4730 | | CC | 24-JUL-98 |
| | MIL-C-52705B NOT 1 | COUPLINGS: HOSE, STEAM[CUST: AT YD 99] [REVIEW: 71 CC GL] | A | 4730 | | AT | 15-SEP-98 |
| | MIL-C-81064(7) NOT 1 | COURSE GYROSCOPE (FOR TORPEDO MK 46 MODS 0 AND 1)[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | AN3040 REV 5 NOT 1 | COVER - CIRCULAR FORMATION LIGHT[CUST: AV AS 99] [REVIEW: GS] | A | 6220 | | AS | 25-SEP-96 |
| | MS9243 NOT 1 | COVER - ENGINE ACCESSORY DRIVE[CUST: AS 11] [REVIEW: GS] | A | 2840 | | AS | 28-AUG-96 |
| | AN3093 REV 5 NOT 1 | COVER - EXTERIOR LIGHT ASSEMBLY[CUST: AV AS 99] [REVIEW: GS] | A | 6220 | | AS | 24-JUL-96 |
| | AN5025 REV 4 NOT 1 | COVER - PROPELLER GOVERNOR DRIVE[CUST: AV 99] [REVIEW: GS] | A | 2995 | | 71 | 16-OCT-95 |
| | AN100036 REV 2 NOT 1 | COVER - TYPE XI ENGINE ACCESSORY DRIVE[CUST: AV AS 99] [REVIEW: 71] | A | 2995 | | GS6 | 15-DEC-03 |
| | AN100044 REV 3 NOT 2 | COVER - TYPE XVI, XVII-C, D, E, AND F ENGINE ACCESSORY DRIVE[CUST: AS 99 IS] | A | 5340 | | IS | 07-NOV-00 |
| | MIL-C-12520/12A NOT 3 | COVER AND CHAIN ASSEMBLIES (EXTERNAL THREADS, FOR USE ON WATERPROOF CONNECTORS)[CUST: CR 11 CC] [REVIEW: 99 MC MI] | A | 5935 | | CC | 14-APR-04 |
| | MIL-C-12520/13A NOT 3 | COVER AND CHAIN ASSEMBLIES (INTERNAL THREADS, FOR USE ON WATERPROOF CONNECTORS)[CUST: CR 11 CC] [REVIEW: 99 MC MI] | A | 5935 | | CC | 14-APR-04 |
| A | MS25046B NOT 2 | COVER ASSEMBLY, TERMINAL BLOCK TWO STUD[CUST: CR4 AS 11 GS2] [REVIEW: 99] | A | 5940 | | GS2 | 19-SEP-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS3505A NOT 1 | COVER FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLE (FUTURE DESIGNS USE SAE-AS35051)[CUST: CR AS 11] | A | 5935 | | AS | 30-JUN-98 |
| | MS9971 NOT 1 | COVER, ACCESSORY DRIVE, 5 INCHES (127 MM) BC ROUND, ALUMINUM[CUST: AS 11] [REVIEW: GS] | A | 2995 | | AS | 28-AUG-96 |
| | MIL-C-16751A NOT 1 | COVER, CANVAS (FOR NAVAL ORDNANCE EQUIPMENT)[CUST: OS] | A | 10GP | | OS | 10-JUL-99 |
| | MIL-C-22043 NOT 1 | COVER, COATED, NYLON (FOR NAVAL ORDNANCE EQUIPMENT)[CUST: OS] | A | 10GP | | OS | 10-JUL-99 |
| | MIL-C-7989B(2) SUP 1 NOT 2 | COVER, LIGHT-TRANSMITTING, FOR AERONAUTICAL LIGHTS GENERAL SPECIFICATION FOR[CUST: AV AS 99 IS] [REVIEW: 71 MI] | A | 6220 | | IS | 11-JUN-99 |
| | MIL-C-10113C(1) NOT 1 | COVER, OUTLET VALVE (FOR C15 OUTLET VALVE)[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 25-MAR-96 |
| | MS3182D(1) NOT 2 | COVER, PROTECTIVE, ELECTRIC CONNECTOR, PLUG, PUSH-PULL COUPLING[CUST: CR AS 11 CC] | A | 5935 | | AS | 17-MAR-00 |
| | MS3183E NOT 2 | COVER, PROTECTIVE, ELECTRIC CONNECTOR, RECEPTACLE, PUSH-PULL COUPLING[CUST: CR AS 11 CC] | A | 5935 | | AS | 17-SEP-99 |
| | MS3180F NOT 2 | COVER, PROTECTIVE, ELECTRICAL CONNECTOR PLUG, BAYONET COUPLING FOR MIL-C-26482 CONNECTORS[CUST: CR AS 11 CC] [REVIEW: 99 AV CR4 EC MC SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS3181F NOT 2 | COVER, PROTECTIVE, ELECTRICAL CONNECTOR RECEPTACLE, BAYONET COUPLING FOR MIL-C-26482 CONNECTORS[CUST: CR AS 11 CC] [REVIEW: 99 AV CR4 EC SH] | A | 5935 | | CC | 15-DEC-98 |
| A | MS25216B | COVER, TOP AND BOTTOM FUSELAGE LIGHTS[CUST: AS 99] | A | 6220 | | IS | 20-JAN-06 |
| | MIL-C-51280B NOT 1 | COVER, VOICEMITTER OUTLET VALVE, C13R1[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 05-MAR-96 |
| | AN3042 REV 7 NOT 1 | COVER-POSITION LIGHT[CUST: AV AS 99] | A | 6220 | | AS | 24-JUL-96 |
| | AN100039 REV 2(1) | COVER-TYPE XIII ENGINE ACCESSORY DRIVE[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | 10-MAY-02 |
| | MIL-C-38488A(1) NOT 1 | COVERALL, FLYING, ANTI-EXPOSURE, QUICK DONNING CWU-16/P[CUST: GL AS 99] [REVIEW: CT] | A | 8475 | | 11 | 01-SEP-98 |
| | MIL-C-87264 NOT 1 | COVERALLS, CHEMICAL DEFENSE CWU-66/P[CUST: 99] [REVIEW: CT] | A | 8475 | | 11 | 25-APR-97 |
| | MIL-C-38747A NOT 1 | COVERING, FLOOR, MILITARY AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AR AS 99] [REVIEW: GS] | A | 1680 | | 84 | 30-SEP-97 |
| | MIL-C-26237C NOT 1 | CRADLE, AIRCRAFT-MISSILE COMPONENTS MMU-1/E[CUST: 99] [REVIEW: GS] | A | 1730 | | 84 | 11-AUG-95 |
| | MIL-C-83811 NOT 1 | CRANE, FLOOR, PORTABLE, TRESTLE TYPE 8,000 POUND CAPACITY[CUST: 99] | A | 3950 | | 84 | 06-MAR-96 |
| | MIL-C-52967 NOT 3 | CRANE, TRUCK MOUNTED, CONTAINER HANDLING[CUST: AT] [REVIEW: AV CC] | A | 3950 | | AT | 29-MAY-98 |
| | MIL-C-52989 NOT 3 | CRANE, TRUCK MOUNTED, HYDRAULIC[CUST: AT] [REVIEW: AV CC] | A | 3950 | | AT | 29-MAY-98 |
| | MIL-C-52911 NOT 2 | CRANE, TRUCK MOUNTED, HYDRAULIC, 25 TON COMMERCIAL CONSTRUCTION EQUIPMENT (CCE)[CUST: AT] [REVIEW: CC] | A | 3810 | | AT | 13-OCT-00 |
| | MIL-C-62135A(2) NOT 1 | CRANE: MATERIAL HANDLING[CUST: AT] | A | 3950 | | AT | 13-DEC-96 |
| | MIL-C-82541B NOT 2 | CRATE, UNDERWATER MINE MK 56 MOD 0 GENERAL SPECIFICATION FOR[CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-C-9897C(1) NOT 2 | CRATES, SLOTTED ANGLE, STEEL OR ALUMINUM, FOR LIGHTWEIGHT AIRFRAME COMPONENTS AND BULKY ITEMS (FOR MAXIMUM LOADS OF 1363 KGS (3000 POUNDS))[CUST: GL SA 11] [REVIEW: 99 AV CR4 OS SM YD] | A | 8145 | | 11 | 25-NOV-97 |
| | MIL-C-51404A NOT 1 | CRIMPING OUTFIT, HYDRAULIC, VOICEMITTER-OUTLET VALVE ASSEMBLY, M1[CUST: EA 99] [REVIEW: GS] | A | 5180 | | EA | 29-MAR-96 |
| | MIL-C-22909B SUP 1 NOT 1 | CRIMPING TOOL, TERMINAL AND CONNECTOR CONTACT, HYDRAULIC OPERATED[CUST: CR AS 11] [REVIEW: EC GL GS OS] | A | 5130 | | AS | 05-NOV-97 |
| D | MS25441C NOT 1 | CRIMPING TOOL, TERMINAL, HYDRAULIC OPERATED, WIRE SIZE 8 THRU 4/0[CUST: CR AS 11] [REVIEW: GL GS] | A | 5130 | | AS | 13-AUG-97 |
| | MS17794 NOT 1 | CRITERIA, JET ELECTRICAL STARTING SYSTEM, DC[CUST: AS] | A | MISC | | AS | 07-MAY-97 |
| | MS51517A NOT 1 | CROSS, TUBE, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51894A NOT 1 | CROSS, TUBE, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR SH 99] [REVIEW: 71 AT MC OS] | A | 4730 | | CC | 17-AUG-99 |
| | MIL-C-52128C(2) NOT 1 | CRUSHER, JAW, DIESEL ENGINE AND ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY[CUST: AT MC] [REVIEW: CC] | A | 3820 | | AT | 09-MAR-98 |
| | MIL-C-21583(2) NOT 1 | CS MECHANISM MARK 1 MODS 3, 4, 9, AND 11[CUST: OS] | A | 1350 | | OS | 27-MAR-92 |
| | MIL-C-28855 NOT 2 | CU-2113( )/SRC COUPLER ISOLATOR[CUST: EC] | A | 5825 | | EC | 30-APR-95 |
| | MIL-C-1213E NOT 1 | CUP, GREASE[CUST: AR SH 99 CC] [REVIEW: 71 AS AT CR MC] | A | 4730 | | CC | 05-APR-99 |
| | MS35759B NOT 1 | CUP, GREASE, AUTOMATIC FEED[CUST: AR SH 99 CC] [REVIEW: 71] | A | 4730 | | CC | 05-APR-99 |
| | MS35758B NOT 1 | CUP, GREASE, MANUAL FEED[CUST: AR SH 99 CC] [REVIEW: 71 AS AT] | A | 4730 | | CC | 05-APR-99 |
| | MIL-C-14055E(1) NOT 2 | CUP, HYDRAULIC BRAKE ACTUATING CYLINDER, SYNTHETIC RUBBER[CUST: AT YD 99 CC] [REVIEW: 84 AR] | A | 2530 | | CC | 22-JAN-99 |
| | MIL-C-60940(1) NOT 2 | CUP, LEAD ASSEMBLY FOR FUZES, PD, M551 AND M533[CUST: AR] | A | 1375 | | AR | 18-AUG-97 |
| | MIL-C-46793C NOT 3 | CUPOLA BODY ASSEMBLY FOR ARMORED VEHICLE BRIDGE LAUNCHER, M60A1 AND M48A5 TANK CHASSIS[CUST: AT] [REVIEW: CC] | A | 5420 | | AT | 22-MAY-98 |
| | MIL-C-3383B(1) NOT 1 | CUPS, BULLET JACKET, COPPER ALLOY (FOR SMALL ARMS AMMUNITION)[CUST: AR] | A | 1305 | | AR | 29-JAN-96 |
| | QPL-684-18 NOT 1 | CUPS, BULLET JACKET, COPPER ALLOY CLAD STEEL, FOR SMALL ARMS AMMUNITION | A | 1305 | | AR | 21-JUN-01 |
| | MIL-C-10375C(1) NOT 1 | CUPS, CASE, COPPER ALLOY (FOR SMALL ARMS AMMUNITION)[CUST: AR] | A | 1305 | | AR | 29-JAN-96 |
| | GGG-C-2794 NOT 1 | CUPS, OIL, LUBRICATING, AND OILERS, SELF-FEEDING[CUST: AT SH 99] [REVIEW: 70 71 AR AS MC SA] | A | 4730 | / | CC | 29-DEC-00 |
| | MIL-C-684D(2) NOT 1 | CUPS; BULLET JACKET, COPPER ALLOY CLAD STEEL; FOR SMALL ARMS AMMUNITION[CUST: AR] | A | 1305 | | AR | 01-NOV-95 |
| | MIL-C-18491A(1) NOT 2 | CURTAIN, FLAK PROTECTIVE[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 23-JUL-97 |
| | MIL-C-24756 NOT 1 | CURTAINS AND BLANKETS, SMOKE, PORTABLE[CUST: SH] | A | 4210 | | SH | 10-JUL-99 |
| | PPP-C-850D(5) NOT 1 | CUSHIONING MATERIAL, POLYSTYRENE EXPANDED, RESILENT (FOR PACKAGING USES)[CUST: EA] [REVIEW: AR CR3 SM] | A | 8135 | / | EA | 06-NOV-00 |
| | PPP-C-1120C NOT 1 | CUSHIONING MATERIAL, UNCOMPRESSED BOUND FIBER FOR PACKAGING[CUST: GL AS] [REVIEW: AR AV CR4 DS EA MC MD MS SH SM] | A | 8135 | / | AS | 29-DEC-00 |
| | MIL-C-5026F NOT 2 | CUTOUT RELAY, ENGINE GENERATOR[CUST: AV 99] [REVIEW: GS] | A | 2925 | | 71 | 04-SEP-95 |
| | MS27433 NOT 3 | CUTOUT RELAY, ENGINE GENERATOR, 28 VOLT DC SYSTEM[CUST: 99] [REVIEW: AS GS] | A | 2925 | | 71 | 25-MAR-96 |
| | MIL-C-81535A NOT 1 | CUTTER, CARTRIDGE ACTUACTED, MARK 18 MOD O[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-82768 NOT 1 | CUTTER, CARTRIDGE ACTUATED, TCU-4/E[CUST: CR4 OS] [REVIEW: MC] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-23288C NOT 1 | CUTTER, POWDER ACTUATED FACE CURTAIN CABLE, MARK 4 MOD O[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60105(1) NOT 2 | CUTTER, POWDER ACTUATED, M8 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60103(1) NOT 2 | CUTTER, POWDER ACTUATED, M8 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-60593(1) NOT 1 | CUTTER, POWDER ACTUATED, M8 RE-MANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-C-46944 NOT 1 | CUTTER, POWDER ACTUATED, REEFING LINE, XM23 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 15-JUL-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-C-46945(1) NOT 1 | CUTTER, POWER ACTUATED, REEFING LINE, XM23 ASSEMBLY[CUST: OS] | A | 1375 | | OS | 26-SEP-88 |
| | MS35465E NOT 2 | CUTTING EDGE, MOLDBOARD, GRADER[CUST: AT 99] [REVIEW: 84 MC YD] | A | 3830 | | IS | 03-JUL-03 |
| | MS39238A NOT 1 | CUTTING EDGE, SCRAPER BOWL, EARTH MOVING, 18 CUBIC YARD[CUST: AT YD 99] [REVIEW: CC] | A | 3805 | | AT | 30-SEP-98 |
| | MIL-C-20704C NOT 1 | CUTTING EDGES, MOLDBOARD, GRADER[CUST: AT YD] [REVIEW: CC CE] | A | 3805 | | AT | 09-MAR-98 |
| | MIL-C-52464C NOT 3 | CYLINDER ASSEMBLIES, ACTUATING, LINEAR: HYDRAULIC, FOR BRIDGE AND BRIDGE LAUNCHER[CUST: AT] [REVIEW: CC] | A | 5420 | | AT | 22-MAY-98 |
| | MS22069F NOT 1 | CYLINDER ASSEMBLY, EMERGENCY OXYGEN[CUST: AV AS 99] [REVIEW: GS] | A | 1660 | | 71 | 20-AUG-97 |
| | MIL-C-83959 NOT 2 | CYLINDER, AIR PURIFIER[CUST: CR4 SH 99] [REVIEW: CC] | A | 4330 | | 84 | 11-MAR-96 |
| | MIL-DTL-5886/1A | CYLINDER, AIRCRAFT OXYGEN, LOW PRESSURE, NONSHATTERABLE[CUST: AV AS 99] [REVIEW: GS] | A | 1660 | | 71 | 19-JUN-00 |
| | MIL-DTL-5886G | CYLINDER, AIRCRAFT OXYGEN, LOW PRESSURE, NONSHATTERABLE[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 19-JUN-00 |
| A | MIL-DTL-11732E NOT 1 | CYLINDER, COMPRESSED GAS: CHLORINE, DOT 3A480 OR DOT 3AA480, GENERAL SPECIFICATION FOR[CUST: EA SH 68 GS7] [REVIEW: MC YD] | A | 8120 | | GS7 | 17-OCT-05 |
| | MIL-C-83960A NOT 1 | CYLINDER, DEHYDRATOR[CUST: 99] | A | 4440 | | 84 | 13-SEP-96 |
| | MS39254D NOT 1 | CYLINDER, ENGINE STARTING (ENGINE COLD-STARTING AID)[CUST: AT MC CC] | A | 2910 | | CC | 22-JAN-99 |
| | MIL-C-24604 NOT 2 | CYLINDER, HIGH PRESSURE AIR, FIBERGLASS REINFORCED PLASTIC (FRP), METAL LINED[CUST: SH] | A | 1940 | | SH | 22-APR-98 |
| | MIL-C-81575(1) NOT 3 | CYLINDER, NITROGEN, FOR RESCUE HAND TOOL[CUST: AS GS7] | A | 8120 | | GS7 | 28-FEB-03 |
| | MIL-C-51098E(7) NOT 2 | CYLINDER, NITROGEN-FILLED, PUNCTURABLE SEAL[CUST: EA] | A | 4230 | | EA | 03-AUG-04 |
| | MS90389C NOT 1 | CYLINDER, OXYGEN, NON SHATTERABLE, WELDED, 1800 PSI (STRAIGHT, ,U, AND SPIRAL TYPES)[CUST: AV AS 99] [REVIEW: GS] | A | 1660 | | AS | 30-SEP-97 |
| | MIL-C-29576A(2) NOT 1 | CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE, WELDED[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 8120 | | AS | 25-JUN-01 |
| | MS26545R NOT 1 | CYLINDERS; STEEL; COMPRESSED GAS; NON-SHATTERABLE; SEAMLESS; 1800 PSI, AND 2100 PSI[CUST: AV AS 99] [REVIEW: 71 GS SH] | A | 1660 | | AS | 27-AUG-97 |
| | VV-D-1078B NOT 2 | DAMPING FLUID, SILICONE BASE (DIMETHYL POLYSILOXANE)[CUST: CR4 AS 11] [REVIEW: 68 AR EA GS MC MI OS SH] | A | 9150 | / | AS | 19-APR-01 |
| | MIL-D-49031A NOT 1 | DARKROOM, PHOTOGRAPHIC, TRANSPORTABLE ES-82( )[CUST: CR] | A | 6780 | | CR | 29-MAY-96 |
| | MIL-D-17984A(1) NOT 1 | DATA PRESENTATION REQUIREMENTS, INSTALLED PERFORMANCE AND AIR INDUCTION SYSTEMS (ASG)[CUST: AR AS] [REVIEW: 99 AV GS] | A | 2840 | | AS | 28-AUG-96 |
| | MIL-D-50028A(1) NOT 3 | DB3[CUST: EA] [REVIEW: GS] | A | 6810 | | EA | 28-JUL-04 |
| | MIL-D-63144A(1) NOT 2 | DC TO DC INVERTER, ELECTRONIC TIMER MODULE[CUST: AR] | A | 1375 | | AR | 12-FEB-96 |
| | MIL-D-23134A NOT 1 | DECK UNDERLAY AND COVERING, INSULATING, MAGNESIA AGGREGATE MIXTURE[CUST: SH] | A | 5610 | | SH | 10-JUL-99 |
| | MIL-D-23000(2) NOT 1 | DECODER GROUP OA-3369(*)/APX-7[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-D-28736B(5) NOT 1 | DECODER GROUP, AN/UPA-59(V) IFF MK XII (S1F), WITH ACTIVE READOUT AND ASSOCIATED MODIFICATION TO INDICATORS (PP1)[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| M | MIL-D-50030H(1) NOT 2 | DECONTAMINATING AGENT, DS2[CUST: EA] | A | 6850 | | EA | 27-MAR-06 |
| | MIL-D-51048F(4) NOT 2 | DECONTAMINATING APPARATUS, PORTABLE, DS2, 1-1/2 QUART, M11[CUST: EA] | A | 4230 | | EA | 03-AUG-04 |
| | MIL-D-51091J(4) NOT 2 | DECONTAMINATING APPARATUS, POWER DRIVEN, SKID-MOUNTED, MULTIPURPOSE, NONINTEGRAL, 500-GALLON, M12A1[CUST: EA] [REVIEW: GS] | A | 4230 | | EA | 03-AUG-04 |
| | MIL-D-51533A(1) NOT 2 | DECONTAMINATING APPARATUS: PORTABLE, 14 LITER, M13[CUST: EA] | A | 4230 | | EA | 03-AUG-04 |
| | MIL-D-51559(1) NOT 2 | DECONTAMINATING APPARATUS: PORTABLE, 14 LITER, M13 (PRACTICE)[CUST: EA] | A | 4230 | | EA | 03-AUG-04 |
| | MIL-D-51563(1) NOT 2 | DECONTAMINATING KITS, SKIN, M291: BOX OF TWENTY[CUST: EA] [REVIEW: GS] | X | 6850 | | EA | 03-AUG-04 |
| | MIL-D-9394B NOT 1 | DEHYDRATOR, DESICCANT, HD-186/ASQ[CUST: 99] [REVIEW: CC] | A | 4440 | | 84 | 29-APR-96 |
| | MIL-D-22825C NOT 2 | DEHYDRATORS, DESICCANT, REFRIGERANT 12[CUST: GL YD 99 IS] [REVIEW: CE GS MC MD SH] | A | 4130 | | IS | 12-FEB-96 |
| | MS35845E NOT 2 | DEHYDRATORS, DESICCANT, REFRIGERANT-12[CUST: GL 99 IS] [REVIEW: CE CR4 SH] | A | 4130 | | IS | 06-FEB-96 |
| | MIL-D-85306A NOT 1 | DELAY COMPOSITION, T-10[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-D-82710 NOT 1 | DELAY COMPOSITION, TUNGSTEN FLUOROCARBON COPOLYMER[CUST: OS] | A | 1376 | | OS | 10-JUL-99 |
| | MIL-D-50584(1) NOT 1 | DELAY DETONATOR ASSEMBLY (DWG. C-9207798)[CUST: AR] | A | 1375 | | AR | 15-JUL-96 |
| | MIL-D-64002A(2) NOT 2 | DELAY DETONATOR FOR PROJECTILE, 155MM, SMOKE, M825[CUST: EA] | X | 1320 | | EA | 19-JUL-04 |
| | MIL-D-50727B(1) NOT 1 | DELAY ELEMENT ASSEMBLIES[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-D-48116 NOT 1 | DELAY ELEMENT M2, FOR FUZES M557 AND M524 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| | MIL-D-14951A(6) NOT 1 | DELAY ELEMENT M53 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1376 | | AR | 26-JUL-96 |
| | MIL-D-60568B(1) NOT 1 | DELAY ELEMENT, CARTRIDGE, M13 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 16-AUG-99 |
| | MIL-D-60572B NOT 1 | DELAY ELEMENT, CARTRIDGE, M28 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-D-60873A NOT 1 | DELAY ELEMENT, CARTRIDGE, M69 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| A | MIL-DTL-50648B | DELAY ELEMENT, CARTRIDGE, M75 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 05-OCT-05 |
| | MIL-D-60842(1) NOT 1 | DELAY ELEMENT, CARTRIDGE, XM17 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-D-60571B(1) NOT 1 | DELAY ELEMENT, CARTRIDGE, XM44 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-D-14842(1) NOT 1 | DELAY ELEMENT, CARTRIDGE. M60 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-D-46486F NOT 2 | DELAY ELEMENT, M2, PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-D-13512B NOT 2 | DELAY ELEMENT, NON-DELAY M1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-APR-96 |
| | MIL-D-48889 NOT 2 | DELAY ELEMENT, PA 500, FOR MINE M16[CUST: AR] | A | 1345 | | AR | 12-JUL-96 |
| | MIL-D-71199A NOT 3 | DEMOLITION ATTACK MUNITION: M3[CUST: AR] | F | 1375 | | AR | 31-JUL-97 |
| | MIL-D-2088B(2) NOT 2 | DEMOLITION KIT, BANGALORE TORPEDO, M1A2 AND TORPEDO, BANGALORE, M1A1, INERT, PARTS FOR[CUST: AR] | A | 1375 | | AR | 22-APR-96 |
| | MIL-D-63376 NOT 2 | DEMOLITION KIT, CRATERING, TRAINING, XM270 INERT ASSEMBLY & PACKING[CUST: AR] | A | 1375 | | AR | 13-FEB-96 |
| | MIL-D-50908B(1) NOT 2 | DEMOLITION KIT, CRATERING: M180 ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 15-JUL-96 |
| | MIL-D-45412B NOT 2 | DEMOLITION KIT, M1E1, CONTAINER AND ACCESSORIES[CUST: AR 99] | A | 1375 | | AR | 14-MAR-97 |
| | MIL-D-45472C(1) NOT 1 | DEMOLITION KIT, PROJECTED CHARGE, M157 PARTS, ASSEMBLY AND PACKING[CUST: AR] | A | 1375 | | AR | 20-APR-98 |
| | MIL-D-46688A(2) NOT 2 | DEMOLITION KIT, PROJECTED CHARGE, M173, AND PRACTICE, M174 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 13-FEB-97 |
| | MIL-D-45411B NOT 2 | DEMOLITION KIT, PROJECTED CHARGE, M1E1 LOADING, ASSEMBLING AND PACKING[CUST: AR 99] | A | 1375 | | AR | 14-MAR-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-D-2087C(3) NOT 2 | DEMOLITION KIT, TORPEDO BANGALORE, M1A2, HE LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-APR-96 |
| | MIL-D-18243B NOT 2 | DEMONSTRATION OF AIRBORNE TARGET AND MISSILE SYSTEMS GENERAL SPECIFICATION FOR[CUST: AS] | A | 1420 | | AS | 15-SEP-95 |
| | SAE-AMS7730 | DEPLETED URANIUM CASTINGS[CUST: MR AS 11] | A | MECA | | 11 | MAY-01 |
| | MIL-D-7890A(2) NOT 3 | DESIGN AND INSTALLATION OF ANTI-G SUIT PRESSURE SYSTEMS IN JET PROPELLED AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 23-JUL-97 |
| | MIL-D-8683C(1) NOT 1 | DESIGN AND INSTALLATION OF GASEOUS OXYGEN SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: 71 GS] | A | 1660 | | AS | 23-JUL-97 |
| | MIL-D-19326H NOT 1 | DESIGN AND INSTALLATION OF LIQUID OXYGEN SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: GS] | A | 1660 | | AS | 23-JUL-97 |
| | MIL-D-18300H NOT 1 | DESIGN EXAMINATIONS, ENGINEERING AVIONIC SYSTEMS/EQUIPMENT GENERAL REQUIREMENTS FOR[CUST: AS] | A | 58GP | | AS | 30-AUG-99 |
| A | MS75131 NOT 3 | DESIGN FEATURES FOR SWITCHBOARD CORD ASSEMBLIES[CUST: 11 GS2] | A | 5995 | | GS2 | 24-OCT-05 |
| | MIL-STD-1389D NOT 1 | DESIGN REQUIREMENTS FOR STANDARD ELECTRONIC MODULES[Military Standard][CUST: CR SH 11] [REVIEW: 13 19 AS AT AV CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-D-10821G NOT 1 | DESKS, FIELD[CUST: GL 99] [REVIEW: 84 AV FSS GS MC] | A | 7110 | | GL | 21-AUG-97 |
| | MIL-D-12957C NOT 2 | DESTRUCTOR, HE, UNIVERSAL, M10 ASSEMBLY PARTS, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-APR-96 |
| | MIL-D-81465A NOT 2 | DETECTING GROUP, SUBMARINE ANOMALY (SAD) AN/ASA-64A[CUST: AS] | A | 5895 | | AS | 30-MAR-98 |
| | MIL-D-49457A NOT 1 | DETECTOR DEWAR DT-617A/UA[CUST: CR] | A | 5855 | | CR | 03-SEP-97 |
| | MIL-D-3945B NOT 1 | DETECTOR KIT; CARBON MONOXIDE, COLORIMETRIC[CUST: EA MS 99] [REVIEW: GS MB MD] | A | 6665 | | EA | 19-APR-96 |
| | MIL-D-51503 NOT 2 | DETECTOR TICKET, ANTICHOLINESTERASE AGENT, EEL ENZYME[CUST: EA] | A | 6665 | | EA | 29-JUL-04 |
| | MIL-D-51082E(5) NOT 2 | DETECTOR TUBES, CHEMICAL AGENT[CUST: EA 99] [REVIEW: 82 GS] | A | 6665 | | EA | 28-JUL-04 |
| | MIL-PRF-23359H | DETECTOR, MINE, METALLIC, PORTABLE[CUST: CR4 SH] [REVIEW: GS] | A | 6665 | | CR4 | 19-NOV-97 |
| | MIL-D-49317 NOT 1 | DETECTOR-DEWAR DT-635A/U[CUST: CR] | A | 5855 | | CR | 03-SEP-97 |
| | MIL-D-48221 NOT 1 | DETONATOR ELECTRIC M95 (T61) PARTS FOR LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| | MIL-D-60414A NOT 1 | DETONATOR HOLDER ASSEMBLY FOR FUZE, AT, NM, M606[CUST: AR] | A | 1345 | | AR | 16-JUL-96 |
| | MIL-D-18616 NOT 1 | DETONATOR MARK 56 MOD 0[CUST: AS] | A | 1375 | | AS | 11-SEP-96 |
| | MIL-D-19151A(2) NOT 1 | DETONATOR MARK 57 MODS 1 AND 2[CUST: OS] | A | 1356 | | OS | 10-JUL-99 |
| | MIL-D-18503 NOT 1 | DETONATOR MK 22 MOD 0[CUST: AS] | A | 1375 | | AS | 11-SEP-96 |
| | MIL-D-18504 NOT 1 | DETONATOR MK 27 MOD 0[CUST: AS] | A | 1375 | | AS | 11-SEP-96 |
| | MIL-D-18506(2) NOT 2 | DETONATOR MK 45 MOD 0[CUST: OS] | A | 1375 | | OS | 22-APR-98 |
| | MIL-D-18665B NOT 1 | DETONATOR MK 59 MOD 0[CUST: AS 99] [REVIEW: AR] | A | 1375 | | AS | 04-SEP-96 |
| | MIL-D-46256B NOT 3 | DETONATOR STAB M24 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-JUL-96 |
| | MIL-D-63197(2) NOT 2 | DETONATOR, DELAY, ELECTRIC: PA506; PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 17-JUL-96 |
| | MIL-D-60448 NOT 1 | DETONATOR, ELECTRIC M78, PARTS AND LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1345 | | AR | 16-JUL-96 |
| | MIL-D-48120A(2) NOT 1 | DETONATOR, ELECTRIC, M100 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| | MIL-D-60031A(1) NOT 1 | DETONATOR, ELECTRIC, M69 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 16-JUL-96 |
| | MIL-D-60027A NOT 2 | DETONATOR, ELECTRIC, M69 PARTS FOR[CUST: AR] | A | 1390 | | AR | 16-JUL-96 |
| | MIL-D-45495A(2) NOT 2 | DETONATOR, ELECTRIC, M84 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1330 | | AR | 01-FEB-99 |
| | MIL-D-85294(1) NOT 1 | DETONATOR, ELECTRIC, MARK 71 MOD 1[CUST: AS] | A | 1375 | | AS | 11-SEP-96 |
| | MIL-D-81549A NOT 1 | DETONATOR, ELECTRIC, MARK 83 MOD O[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-D-70432 NOT 2 | DETONATOR, ELECTRIC, PA526 (XM70) LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 20-FEB-97 |
| | MIL-D-70826A NOT 1 | DETONATOR, ELECTRIC, PA537 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 10-JAN-97 |
| | MIL-D-48175B NOT 1 | DETONATOR, ELECTRIC, PATRIOT PARTS, ASSEMBLING, LOADING AND PACKING FOR[CUST: AR] | A | 1336 | | AR | 14-FEB-97 |
| | MIL-D-46253B NOT 1 | DETONATOR, ELECTRIC, T20E1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1336 | | AR | 22-JUL-96 |
| | MIL-D-45470 NOT 1 | DETONATOR, ELECTRIC, T76, METAL PARTS FOR[CUST: AR] | A | 1375 | | AR | 12-AUG-97 |
| | MIL-D-60095(1) NOT 1 | DETONATOR, ELECTRIC, XM65 LOADING, ASSEMBLING & PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-D-60094 NOT 1 | DETONATOR, ELECTRIC, XM65 PARTS FOR[CUST: AR] | A | 1375 | | AR | 19-AUG-97 |
| | MIL-D-50978A NOT 1 | DETONATOR, FLASH M86 PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 19-AUG-97 |
| | MIL-D-46406B(1) NOT 2 | DETONATOR, FLASH, M17 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 10-FEB-97 |
| | MIL-D-46286 NOT 2 | DETONATOR, FLASH, M21 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-D-12798C NOT 2 | DETONATOR, FLASH, M49 PARTS FOR LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-APR-96 |
| | MIL-D-14140C NOT 2 | DETONATOR, FLASH, M80 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 09-JUL-96 |
| | MIL-D-50868A(3) NOT 2 | DETONATOR, FLASH, M85 PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 25-JUN-01 |
| | MIL-D-60388B NOT 2 | DETONATOR, FLASH, M87 PARTS FOR LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-D-63058 NOT 2 | DETONATOR, FLASH, PA502 PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 17-JUL-96 |
| | MIL-D-48888 NOT 3 | DETONATOR, FLASH, PA504 FOR MINE, ANTIPERSONNEL, M16A2[CUST: AR] | A | 1345 | | AR | 24-JUN-99 |
| | MIL-D-50540 NOT 1 | DETONATOR, FLASH, XM97 PARTS FOR, AND LOADING ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 19-AUG-97 |
| | MIL-D-46653B NOT 2 | DETONATOR, M31A1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 13-FEB-97 |
| | MIL-D-46208A NOT 1 | DETONATOR, M35, PARTS FOR[CUST: AR] | A | 1375 | | AR | 12-AUG-97 |
| | MIL-D-45482B NOT 1 | DETONATOR, STAB M46, PARTS FOR[CUST: AR] | A | 1375 | | AR | 05-FEB-97 |
| | MIL-D-60014B NOT 1 | DETONATOR, STAB M47 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-D-46404 NOT 2 | DETONATOR, STAB, M13 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 12-AUG-97 |
| | MIL-D-46299 NOT 1 | DETONATOR, STAB, M13, PARTS FOR[CUST: AR] | A | 1375 | | AR | 13-AUG-97 |
| | MIL-D-46432B(1) NOT 2 | DETONATOR, STAB, M18, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-D-46405B NOT 1 | DETONATOR, STAB, M18, PARTS FOR[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-D-46462B(1) NOT 2 | DETONATOR, STAB, M19A2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 31-JUL-97 |
| | MIL-D-46262A(1) NOT 2 | DETONATOR, STAB, M20, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-JUL-96 |
| | MIL-D-46219B NOT 2 | DETONATOR, STAB, M22 PARTS FOR LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-JUL-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-D-46282 NOT 2 | DETONATOR, STAB, M23 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-JUL-96 |
| | MIL-D-60332 NOT 1 | DETONATOR, STAB, M41 PARTS FOR[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-D-60362A NOT 2 | DETONATOR, STAB, M42 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-D-46209C NOT 2 | DETONATOR, STAB, M44E1, PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-D-46284 NOT 2 | DETONATOR, STAB, M45 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-D-46285 NOT 1 | DETONATOR, STAB, M45 PARTS FOR[CUST: AR] | A | 1375 | | AR | 22-JUL-96 |
| | MIL-D-45483B(1) NOT 2 | DETONATOR, STAB, M46 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 18-JUL-96 |
| | MIL-D-60093A(1) NOT 2 | DETONATOR, STAB, M50 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-D-14978A(5) NOT 1 | DETONATOR, STAB, M55 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 30-JUL-98 |
| | MIL-D-46592 NOT 1 | DETONATOR, STAB, M58 PARTS FOR[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-D-50865A(3) NOT 1 | DETONATOR, STAB, M59 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 15-JUL-96 |
| | MIL-D-45441D(3) NOT 2 | DETONATOR, STAB, M61 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 27-FEB-97 |
| | MIL-D-13670C NOT 2 | DETONATOR, STAB, M63 PARTS FOR LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 09-JUL-96 |
| | MIL-D-50998(2) NOT 1 | DETONATOR, STAB, M76[CUST: AR] | A | 1330 | | AR | 16-JUL-96 |
| | MIL-D-48111A(2) NOT 2 | DETONATOR, STAB, M94 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| | MIL-D-50420A(2) NOT 1 | DETONATOR, STAB, M98 (T83E1) PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 15-JUL-96 |
| | MIL-D-48025A(2) NOT 1 | DETONATOR, STAB, M99 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 13-FEB-97 |
| | MIL-D-70603(2) NOT 1 | DETONATOR, STAB, PA 523 LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1345 | | AR | 04-JAN-97 |
| | MIL-D-63057 NOT 2 | DETONATOR, STAB, PA501 PARTS FOR LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 17-JUL-96 |
| | MIL-D-63059 NOT 2 | DETONATOR, STAB, PA503 PARTS FOR LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 17-JUL-96 |
| | MIL-D-70602(1) NOT 1 | DETONATOR, STAB, PA523 PARTS FOR[CUST: AR] | A | 1345 | | AR | 04-JAN-97 |
| | MIL-D-70752B NOT 1 | DETONATOR, STAB, PARTS ASSEMBLY AND PACKAGING FOR[CUST: AR] | A | 1305 | | AR | 09-JAN-97 |
| | MIL-D-60329(1) NOT 2 | DETONATOR, STAB, T37 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-D-46647B(1) NOT 2 | DETONATOR, STAB, XM58, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 13-FEB-97 |
| | MIL-D-48046A NOT 1 | DETONATOR, STAB. XM91 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 13-AUG-97 |
| | MIL-D-46582C NOT 4 | DETONATORS, STAB, M57A1 AND M57A2(NO S/S DOCUMENT)[CUST: AR] | A | 1305 | | AR | 12-FEB-97 |
| | MIL-D-13284 NOT 1 | DEVICE, AIMING, M2, (R.H) AND DEVICE, AIMING L.H[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-D-82687 NOT 2 | DEVICE, ARMING FIRING, ROCKET MOTOR MARK 298 MOD 0[CUST: OS] | A | 1336 | | OS | 10-JUL-99 |
| | MIL-D-81068(1) NOT 1 | DEVICE, HIT AND LOCATING (FOR TORPEDO MK 46 MOD 0)[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-D-81514/1A NOT 2 | DEVICE, RESTRAINT HARNESS TAKE-UP, INERTIA-LOCKING POWERED-RETRACTING: FOR USE IN SIII-3 EJECTION SEAT[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 18-SEP-96 |
| | MIL-D-81514B(5) NOT 1 | DEVICE, RESTRAINT HARNESS TAKE-UP, INERTIA-LOCKING, POWERED-RETRACTING, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 18-SEP-96 |
| | MIL-D-16475/77A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY COXSWAIN (U.S. COAST GUARD)[CUST: CG CT] | A | 8455 | | CT | 13-APR-00 |
| | MIL-D-16475/56A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY, PAST OFFICER (U.S. COAST GUARD)[CUST: CG CT] | A | 8455 | | CT | 13-APR-00 |
| | MIL-D-16475/48A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED PERSONNEL (U.S. COAST GUARD)[CUST: CG CT] | A | 8455 | | CT | 13-APR-00 |
| | MIL-D-16475/67A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) FLIGHT SURGEON (U.S. COAST GUARD)[CUST: CG CT] | A | 8455 | | CT | 13-APR-00 |
| | MIL-D-16475/78A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) MARINE SCIENCE TECHNICIAN (U.S. COAST GUARD)[CUST: CG CT] | A | 8455 | | CT | 13-MAR-00 |
| | MIL-D-16475/75A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) PHYSICIAN'S ASSISTANT (U.S. COAST GUARD)[CUST: CG CT] | A | 8455 | | CT | 12-APR-00 |
| | MIL-D-16475/76A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) PORT SECURITYMAN (U.S. COAST GUARD)[CUST: CG CT] | A | 8455 | | CT | 12-APR-00 |
| | MIL-D-3994C NOT 3 | DEXTRIN, TECHNICAL[CUST: EA AS] [REVIEW: AR GS MD OS] | A | 6810 | | EA | 08-JUL-04 |
| | MIL-D-82885 NOT 1 | DIAZODINITROPHENOL[CUST: AR OS] | A | 1376 | | OS | 10-JUL-99 |
| | MIL-D-4540B(1) NOT 2 | DIBROMODIFLUOROMETHANE, TECHNICAL[CUST: 68 GS3] [REVIEW: CR4] | A | 6830 | | GS3 | 20-JAN-04 |
| | MS23002D NOT 1 | DIE, CRIMPING TOOL - FOR USE WITH MS25036, SIZE 8 THROUGH 4/0 TERMINALS[CUST: CR AS 99] [REVIEW: AR EC GL GS MC] | A | 5136 | | AS | 13-AUG-97 |
| | MS25442C NOT 1 | DIE, FOR MS 25441, ELECTRIC, HYDRAULIC CRIMPING TOOL (FOR USE WITH ALUMINUM WIRE TERMINALS)[CUST: AS] [REVIEW: 11 GL GS] | A | 5120 | | AS | 13-AUG-97 |
| | MIL-D-24304B(3) NOT 1 | DIFFERENTIAL PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) (NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 07-DEC-99 |
| | MIL-D-89010 NOT 2 | DIGITAL BATHYMETRIC DATA BASE 5-MINUTE (DBDB5)[CUST: TI NO 09 MP] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-D-89009 NOT 2 | DIGITAL CHART OF THE WORLD (DCW)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-D-89011 NOT 2 | DIGITAL CITIES DATA BASE (DCDB)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-D-83468 NOT 1 | DIGITAL COMPUTATIONAL SYSTEM FOR REAL-TIME TRAINING SIMULATORS[CUST: 11] | A | 6930 | | 11 | 01-MAR-83 |
| | MIL-D-89021 NOT 2 | DIGITAL LANDMASS BLANKING (DLMB) DATA PROGRAM[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-D-85331 NOT 2 | DIGITAL WORD GENERATOR PERFORMANCE AND INTERFACE[CUST: AS] | A | 6625 | | AS | 28-AUG-96 |
| | MIL-D-28795(1) NOT 1 | DIGITIZER, VOICE, FULL AND HALF DUPLEX SPEECH COMPRESSION AND DIGITAL ENCODING[CUST: EC] | A | 5895 | | EC | 30-APR-95 |
| | MIL-D-82675(1) NOT 2 | DIISOCYANATE, DIMERYL, C36 ALIPHATIC, TECHNICAL (DDI)[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 10-JUL-99 |
| | MS33574B NOT 2 | DIMENSION, BASIC, COCKPIT, STICK-CONTROLLED, FIXED WING AIRCRAFT[CUST: AV AS] [REVIEW: MC] | A | 1510 | | AS | 07-MAY-97 |
| | MIL-D-20305 NOT 2 | DIMETHYLANILINE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 08-FEB-96 |
| | JAN-D-709(1) NOT 2 | DIMETHYLPHTHALATE (FOR USE IN EXPLOSIVES)[CUST: AR] [REVIEW: EA] | A | 1376 | | AR | 25-NOV-02 |
| | MIL-D-20309 NOT 1 | DINITROMETHYLANLINE[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 01-FEB-96 |
| | MIL-D-98A NOT 1 | DIPHENYLAMINE, TECHNICAL[CUST: AR AS] [REVIEW: EA GS MI] | A | 6810 | | AR | 14-MAR-97 |
| | MIL-D-5025C NOT 2 | DIRECTION FINDER GROUP AN/APA-69A AND AN/APA-69C[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 18-SEP-96 |
| | MIL-D-38402A NOT 1 | DIRECTION FINDER GROUP AN/ARA-50, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 5826 | | 84 | 01-FEB-96 |
| | MIL-D-82586B NOT 2 | DIRECTOR, GUN AND GUIDED MISSILE, MK 73 MOD 2 AND ASSOCIATED EQUIPMENT[CUST: OS] | A | 1210 | | OS | 30-SEP-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-D-10131B(3) NOT 1 | DISC, INLET VALVE[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 25-MAR-96 |
| | MIL-D-50837 NOT 2 | DISC, SOLID, PLAIN AND DISC, SOLID, PLAIN, TRAINING[CUST: AR] | A | 1110 | | AR | 21-JUN-95 |
| | MIL-D-10132C NOT 1 | DISC, VALVE[CUST: EA SH 99] [REVIEW: 84 GS MC MD] | A | 4240 | | EA | 25-MAR-96 |
| | MIL-D-51548 NOT 2 | DISCHARGER, GRENADE, SMOKE COUNTERMEASURE: XM6[CUST: EA] | X | 1040 | | EA | 16-JUL-04 |
| | MIL-D-14707(1) NOT 2 | DISCRIMINATOR, ANTI-TANK MINE, M2 AND SPOOL ASSEMBLY[CUST: AR] | A | 1345 | | AR | 09-JUL-96 |
| | MS29521F NOT 1 | DISK, VALVE[CUST: AV AS 99] [REVIEW: 71] | A | 4820 | | CC | 15-OCT-98 |
| | MIL-D-537F NOT 1 | DISKS, COLOR STANDARDS[CUST: AT YD 99] [REVIEW: MD] | A | 6630 | | AT | 09-MAR-98 |
| | MIL-D-64026A(1) NOT 1 | DISPENSER AND MINE, GROUND PRACTICE FOR MI36 SYSTEM[CUST: AR] | F | 1345 | | AR | 18-AUG-97 |
| | MIL-D-63123B(2) NOT 1 | DISPENSER ASSEMBLY[CUST: AR] | A | 1095 | | AR | 15-AUG-97 |
| | MIL-D-63147 NOT 1 | DISPENSER TEST ADAPTER ASSEMBLY[CUST: AR] [REVIEW: GS] | A | 4925 | | AR | 17-JUL-96 |
| | MIL-D-38636A(2) NOT 1 | DISPENSER, BOMB AND ROCKET, SUU-20B/A, TRAINING TYPE AND GUN ASSEMBLY, BOMB EJECTOR, SUU-20B/A[CUST: 99] | A | 1095 | | 84 | 04-OCT-95 |
| | MIL-D-48345 NOT 1 | DISPENSER, BOMB, SUU-13-D/A[CUST: AR] | A | 1345 | | AR | 07-FEB-96 |
| | MIL-D-63122B(3) NOT 1 | DISPENSER, GENERAL PURPOSE, AIRCRAFT: M130[CUST: AR] | A | 1095 | | AR | 16-JUL-98 |
| | MIL-D-63199A(2) NOT 1 | DISPENSER, GENERAL PURPOSE, AIRCRAFT: M130; REPAIR PARTS FOR[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |
| | MIL-D-48688A(1) NOT 1 | DISPENSER, GROUND: HE, M131 MINE SYSTEM LOADING, ASSEMBLING AND PACKING INCLUDING HE MINE, ANTIPERSONNEL AND ANTITANK[CUST: AR] | A | 1345 | | AR | 13-AUG-97 |
| | MIL-D-64021B NOT 1 | DISPENSER, GROUND: M131/M136 SYSTEM COMPONENT PARTS FOR[CUST: AR] | F | 1345 | | AR | 20-FEB-97 |
| | MIL-D-63370(1) NOT 1 | DISPENSER, MINE GROUND VEHICLE, M128 PREPARATION FOR SHIPMENTAND STORAGE OF[CUST: AR] | A | 1345 | | AR | 20-FEB-97 |
| | MIL-D-63303B NOT 1 | DISPENSER, MINE, GROUND VEHICLE, M128[CUST: AR] | A | 1095 | | AR | 19-AUG-97 |
| | MIL-D-70631A(2) NOT 1 | DISPENSER, MINE: M138 (FLIPPER)[CUST: AR] | A | 1345 | | AR | 07-JAN-97 |
| | MIL-D-51188C NOT 2 | DISPERSER, RIOT CONTROL AGENT, HELICOPTER OR VEHICLE MOUNTED, M5[CUST: EA] | A | 1040 | | EA | 13-JUL-04 |
| | MIL-D-51453A(1) NOT 2 | DISPERSER, RIOT CONTROL AGENT, PORTABLE, 3 GALLON, M33A1[CUST: EA] | A | 1040 | | EA | 14-JUL-04 |
| | MIL-D-81358B NOT 1 | DISPLAY GROUP, TACTICAL DATA AN/ASA-66[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-D-81357A(1) NOT 1 | DISPLAY GROUP, TACTICAL DATA AN/ASA-70[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-D-81688A NOT 1 | DISPLAY SET, MISSION RECORDER AN/UPQ-5B[CUST: AS] | A | 5840 | | AS | 18-SEP-96 |
| | MIL-D-70484 NOT 2 | DISPLAY UNIT, FOR ROCKET MANAGEMENT SUBSYSTEM M138[CUST: AR] | A | 1310 | | AR | 14-FEB-96 |
| | MIL-D-70443(1) NOT 2 | DISPLAY UNIT, SIGHT, HELICOPTER HEAD UP SUBSYSTEM: M76[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 21-AUG-98 |
| | MIL-D-81641 NOT 2 | DISPLAY, HEAD-UP, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-D-48437A NOT 1 | DISPLAY, IMAGE 11744684[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MIL-D-16196E NOT 1 | DISTILLATION UNIT, WATER, THERMOCOMPRESSION[CUST: SH] | A | 4620 | | SH | 22-APR-98 |
| | DOD-D-24577(2) NOT 1 | DISTILLER SCALE PREVENTIVE TREATMENT FORMULATIONS (METRIC)[CUST: SH GS3] | A | 6850 | | GS3 | 29-APR-98 |
| | MIL-D-64022 NOT 1 | DISTRIBUTION BOX ASSEMBLY: 8438325[CUST: AR] [REVIEW: GS] | A | 6110 | | AR | 14-FEB-96 |
| | MIL-D-85859 NOT 1 | DISTRIBUTION BOX J-3425C/AWW[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 11-SEP-96 |
| | MIL-D-55456B NOT 2 | DISTRIBUTION BOX, J-1077( )/U DISTRIBUTION BOX, J-2317( )/U[CUST: CR] [REVIEW: GS] | A | 6110 | | CR | 29-MAY-96 |
| | MIL-D-52916A NOT 1 | DISTRIBUTOR, BITUMINOUS MATERIAL, TRUCK MOUNTED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE)[CUST: AT] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-D-52987A NOT 1 | DISTRIBUTOR, WATER, SELF-PROPELLED; MINIMUM 2500 GALLON, SECTIONALIZED AND NON-SECTIONALIZED[CUST: AT] [REVIEW: CE] | A | 3825 | | AT | 09-MAR-98 |
| | MIL-D-52923B NOT 1 | DISTRIBUTOR, WATER, SEMITRAILER MOUNTED, 6000 GALLON[CUST: AT] | A | 3825 | | AT | 09-MAR-98 |
| | MIL-D-435F(4) NOT 1 | DISTRIBUTORS, LIQUID BITUMINOUS MATERIAL, TANKLESS-TYPE, TRAILOR-MOUNTED[CUST: AT] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-D-63266(3) NOT 2 | DOCUMENT DESTROYER, EMERGENCY INCENDIARY: M4[CUST: AR] | A | 1375 | | AR | 13-FEB-96 |
| | MIL-D-45394D NOT 1 | DOLLIES, TRAILER CONVERTER: 9 TO 35 TONS PAYLOAD, COMMERCIAL[CUST: AT YD 99] [REVIEW: 84 CR MC] | A | 2330 | | AT | 15-DEC-95 |
| | MIL-D-23224A NOT 2 | DOLLY, HANDLING, MK 24 MOD 1[CUST: OS] [REVIEW: GS] | A | 1398 | | OS | 10-JUL-99 |
| | MIL-D-5813B NOT 1 | DOME, NAVIGATOR S OBSERVING, NON-PRESSURIZED AIRCRAFT, TYPE A-3A[CUST: 99] [REVIEW: GS] | A | 1680 | | 71 | 21-FEB-97 |
| | MIL-HDBK-1005/8A NOT 1 | DOMESTIC WASTEWATER CONTROL[CUST: YD] | A | FACR | | YD | 26-MAR-99 |
| | MS14127E NOT 2 | DOOR, FACE MOUNTED[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MS14128F NOT 2 | DOOR, FLUSH MOUNTED[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MIL-HDBK-1005/3 NOT 1 | DRAINAGE SYSTEMS[CUST: YD] | A | FACR | | YD | 09-MAY-97 |
| | MS14135C NOT 1 | DRAWER ASSEMBLY, RACK MOUNTING[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MS14133C NOT 2 | DRAWER, SLIDING[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MIL-D-9898C NOT 1 | DRAWING, TUBE BEND[CUST: 99] [REVIEW: 16 AS] | A | DRPR | | 71 | 15-NOV-96 |
| | MIL-D-3968F NOT 1 | DRIER MIXERS, BITUMINOUS CONCRETE MATERIALS, WHEEL MOUNTED[CUST: AT 99] | A | 3895 | | AT | 18-MAY-98 |
| | MIL-D-7713 NOT 2 | DRIFT METER, TYPE B-5[CUST: AV AS] [REVIEW: GS] | A | 6605 | | AS | 28-AUG-96 |
| | AND10387 REV 6 NOT 1 | DRILL SIZES AND DRILLED HOLE TOLERANCES TWIST[CUST: AS] | A | MISC | | AS | 05-MAR-97 |
| | MIL-D-18072D NOT 2 | DRILLING MACHINES, UPRIGHT, SENSITIVE, BENCH TYPE, SINGLE SPINDLE, 5/16 INCH AND UNDER, HAND FEED[CUST: AR SH 99] | A | 3413 | | GS6 | 12-OCT-04 |
| | AND20001 REV 2 NOT 3 | DRIVE - TYPE XI ENGINE ACCESSORY[CUST: MI] [REVIEW: GS] | A | 2995 | | MI | 05-JUN-95 |
| | MIL-D-63516(1) NOT 2 | DRIVE ASSEMBLY, GUN FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM: M97E1 AND M97E2[CUST: AR] | A | 1005 | | AR | 27-FEB-97 |
| | MS18054B NOT 2 | DRIVE PAD FOR AIRCRAFT ELECTRIC EQUIPMENT, CIRCULAR, 5-, 8-, AND 10-INCH[CUST: AS] [REVIEW: GS] | A | 6150 | | AS | 07-AUG-96 |
| | MIL-D-45502B NOT 4 | DRIVE, ELECTRIC, M7(NO S/S DOCUMENT)[CUST: AR 99] [REVIEW: 84] | A | 1005 | | AR | 10-FEB-97 |
| | MS33600 NOT 1 | DRIVE, MINIATURE, POWER MOTOR WITH INVOLUTE SPLINE - PINION (ASG)[CUST: AS 99] | A | 29GP | | AS | 28-AUG-96 |
| | MS33569A | DRIVE, ROUND MOUNTING FLANGE WITH INVOLUTE SPLINE-PINION[CUST: AS] | A | 15GP | | AS | 26-NOV-76 |
| | MS33571A | DRIVE, ROUND MOUNTING FLANGE WITH ROUND SHAFT AND KEY[CUST: AS] | A | 15GP | | AS | 26-NOV-76 |
| | MS33570A | DRIVE, SQUARE MOUNTING FLANGE WITH ROUND SHAFT AND KEY[CUST: AS] | A | 15GP | | AS | 26-NOV-76 |
| | MS33568A | DRIVE, SQUARE MOUNTING FLANTE WITH INVOLUTE SPLINE-PINION[CUST: AS] [REVIEW: AV] | A | 15GP | | AS | 26-NOV-76 |
| | AND20006 REV 7 | DRIVE-TYPE XVI ENGINE ACCESSORY[CUST: AV AS] [REVIEW: GS] | A | 2995 | | AS | 22-MAY-89 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-D-10795F NOT 1 | DRIVER TESTING AND TRAINING DEVICES, PORTABLE AND SIMULATOR[CUST: AT TD 99] [REVIEW: 70 MC MD SA] | A | 6930 | | AT | 09-MAR-98 |
| | MIL-D-52462A NOT 2 | DRIVER, DECK PIN[CUST: AT] | A | 5420 | | AT | 13-OCT-00 |
| | MIL-D-81336A NOT 1 | DRIVER, EXPLOSIVE, MARK 3 MOD 0[CUST: OS] | A | 1351 | | OS | 10-JUL-99 |
| | MS24354A NOT 1 | DROGUE CONE, NOZZLE AND RECEPTION COUPLING - TYPE MA-2 FLIGHT-PRESSURE-REFUELING SYSTEM, ASSEMBLY OF[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 71 | 20-OCT-97 |
| | MS14174 NOT 2 | DROPLINE, RIGID SEAT SURVIVAL KIT[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 18-SEP-96 |
| | MS14175A NOT 3 | DROPLINE/BOOT ASSY, RIGID SEAT SURVIVAL KIT[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 18-SEP-96 |
| | PPP-D-723J NOT 1 | DRUM, FIBER[CUST: GL SA 11] [REVIEW: 99 EA GS MD OS SH SM] | A | 8110 | / | GL | 26-FEB-01 |
| | MIL-D-14258A NOT 2 | DRUM, FIBER,20-GALLON CAPACITY, FOR CHEMICALS[CUST: EA] [REVIEW: GL GS] | A | 8110 | | EA | 19-APR-96 |
| | MIL-D-6055D(1) NOT 3 | DRUM, METAL REUSABLE, SHIPPING AND STORAGE (CAP. FROM 88 TO 510 CUBIC INCHES)[CUST: GL SA 11 IS] [REVIEW: 84 AR EA OS SH SM] | A | 8110 | | IS | 12-APR-01 |
| | MIL-D-13242 NOT 2 | DRUM, PACKING; FOR M4A2 FLOATING SMOKE POT[CUST: EA] | A | 1365 | | EA | 12-JUL-04 |
| | MIL-D-43699C NOT 1 | DRUMS, FABRIC, COLLAPSIBLE, (DRINKING WATER, 55-, 250- & 500 GALLON CAPACITIES)[CUST: AT SA 11] [REVIEW: 99 GL GS MC MD] | A | 8110 | | AT | 25-SEP-98 |
| | MIL-D-23119G NOT 1 | DRUMS, FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY[CUST: AT SA 11] [REVIEW: 99 GS MC] | A | 8110 | | AT | 25-SEP-98 |
| | MS24347F NOT 3 | DRUMS, METAL, REUSABLE SHIPPING AND STORAGE[CUST: GL SA 11 IS] [REVIEW: 84 AR EA SM] | A | 8110 | | IS | 12-APR-01 |
| | MIL-D-44144A(1) NOT 2 | DRYING TUMBLER, LAUNDRY[CUST: GL] [REVIEW: AV] | A | 3510 | | GL | 15-NOV-00 |
| | MIL-D-85056A NOT 2 | DUAL MODE TRACKER FOR BOMBING SET, ANGLE RATE AN/ASB-19(V)[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-D-60573(2) NOT 1 | DUMMY CARTRIDGE, 7.62MM, M172, INERT LOADED[CUST: AR] | A | 1305 | | AR | 09-FEB-96 |
| | MIL-C-83526/9A NOT 1 | DUMMY CONNECTOR, PLUG, FIBER OPTIC, TEST, CIRCULAR, HERMAPHRODITIC, 2 AND 4 POSITIONS[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 17-AUG-99 |
| | MIL-C-83526/10A NOT 1 | DUMMY CONNECTOR, PLUG, FIBER OPTIC, TEST, CIRCULAR, HERMAPHRODITIC, 6 POSITIONS[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 17-AUG-99 |
| | MIL-D-3718C NOT 2 | DYE MIX, DISPERSE RED 9-DEXTRIN (METRIC)[CUST: EA AS] [REVIEW: GS MD] | A | 6820 | | EA | 08-JUL-04 |
| | MIL-D-3691D NOT 2 | DYE MIX, VIOLET (METRIC)[CUST: EA OS] [REVIEW: AS GS MD] | A | 6820 | | EA | 08-JUL-04 |
| | DOD-D-51524 NOT 2 | DYE, DISPERSE BLUE 3 (METRIC)[CUST: EA] [REVIEW: GS] | A | 6820 | | EA | 16-JUL-04 |
| | DOD-D-51522 NOT 2 | DYE, DISPERSE RED 11 (METRIC)[CUST: EA] [REVIEW: GS] | A | 6820 | | EA | 16-JUL-04 |
| | MIL-D-51410(1) NOT 2 | DYE, GREEN, ETHYL-BIS(2,4-DINITROPHENYL) ACETATE[CUST: EA] [REVIEW: GS] | A | 6820 | | EA | 14-JUL-04 |
| A | MIL-D-81298D NOT 2 | DYE, LIQUID, FOR THE DETECTION OF LEAKS IN AIRCRAFT FUEL SYSTEMS[CUST: AV AS 68 GS] [REVIEW: 19 99 CG MR SM] | A | 6820 | | 68 | 28-OCT-05 |
| | MIL-D-51412(1) NOT 2 | DYE, RED, 2,5,2',5'-TETRAMETHYLTRIPHENYLMETHANE-4,4'-DIAZO-BIS-BETAHYDROXYNAPHTHOIC ANILIDE[CUST: EA] [REVIEW: GS] | A | 6820 | | EA | 14-JUL-04 |
| | DOD-D-51523 NOT 2 | DYE, SOLVENT RED 1 (METRIC)[CUST: EA] [REVIEW: GS] | A | 6820 | | EA | 16-JUL-04 |
| | DOD-D-51485A NOT 2 | DYE, SOLVENT YELLOW 33 (METRIC)[CUST: EA] [REVIEW: GS] | A | 6820 | | EA | 14-JUL-04 |
| | MIL-D-51411(1) NOT 2 | DYE, YELLOW, THIODIPHENYL-4,4'-DIAZO-BIS-SALICYLIC ACID[CUST: EA] [REVIEW: GS] | A | 6820 | | EA | 14-JUL-04 |
| | MIL-D-70789A(2) NOT 1 | DYNAMIC REFERENCE UNIT (DRU)[CUST: AR] | A | 1220 | | AR | 18-AUG-97 |
| | MIL-D-45413B NOT 1 | DYNAMITE, MILITARY, M1[CUST: AR OS 99] | A | 1375 | | AR | 01-FEB-96 |
| M | MIL-PRF-25670/1B | EARPHONE ELEMENT, H-136/AIC[CUST: 11 CC] [REVIEW: 99] | A | 5965 | | CC | 06-MAR-06 |
| | MIL-E-51420A(1) NOT 2 | EDGESEAL MATERIALS, CHEMICAL-BIOLOGICAL FILTER[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 11-MAR-96 |
| | MIL-E-24127(1) NOT 2 | EDUCTORS; GASOLINE, OIL, OR WATER[CUST: SH] | A | 4420 | | SH | 16-FEB-00 |
| | MIL-E-44470 NOT 1 | EGGS, SCRAMBLED, COOKED, DEHYDRATED, (OPERATIONAL RATION COMPONENT)[CUST: GL MC] [REVIEW: 50 MD QM SA SS] | A | 8940 | | GL | 22-AUG-97 |
| | MIL-E-70610 NOT 1 | EIMITE IGNITER[CUST: AR] | A | 1345 | | AR | 07-FEB-96 |
| | MIL-E-7104D(2) NOT 1 | EJECTOR, RETRO, PNEUMATIC, MARINE MARKER A/A47U-1(*)[CUST: AS] [REVIEW: GS] | A | 1055 | | AS | 11-SEP-96 |
| | AN3060 REV 4 NOT 2 | ELBOW - ELECTRICAL CONDUIT, 45 DEG.[CUST: AS 11] [REVIEW: 99] | A | 5975 | | GS2 | 09-OCT-03 |
| | AN3061 REV 3 NOT 2 | ELBOW - ELECTRICAL CONDUIT, 45 DEG. JUNCTION BOX[CUST: AV AS 11 GS2] [REVIEW: 99 AR MC MI] | A | 5975 | | GS2 | 09-OCT-03 |
| | AN3062 REV 3 NOT 2 | ELBOW - ELECTRICAL CONDUIT, 90 DEG.[CUST: AV AS 11 GS2] [REVIEW: 99 AR MC MI] | A | 5975 | | GS2 | 09-OCT-03 |
| | AN3063 REV 3 NOT 2 | ELBOW - ELECTRICAL CONDUIT, 90 DEG. JUNCTION BOX[CUST: AV AS 11 GS2] [REVIEW: 99 AR MC MI] | A | 5975 | | GS2 | 09-OCT-03 |
| | AN791 REV 5 NOT 1 | ELBOW - UNION 45 DEG.[CUST: 99 CC] | A | 4730 | | CC | 24-JUL-98 |
| | MIL-E-48441A(2) NOT 1 | ELBOW ASSEMBLY, PASSIVE: 11733401[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MS51817E NOT 1 | ELBOW, PIPE TO TUBE, 45 DEG., MALE PIPE END, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51508A NOT 1 | ELBOW, PIPE TO TUBE, 45 DEGREES, MALE PIPE END, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51813E NOT 1 | ELBOW, PIPE TO TUBE, 90 DEG., FEMALE PIPE END, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51815F NOT 1 | ELBOW, PIPE TO TUBE, 90 DEG., MALE PIPE END, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51504A NOT 1 | ELBOW, PIPE TO TUBE, 90 DEGREES, MALE PIPE END, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS9194B NOT 1 | ELBOW, TUBE & AMS 5646, BOSS 90[CUST: AS CC] [REVIEW: SA] | A | 4730 | | CC | 20-SEP-00 |
| | MS9097A NOT 1 | ELBOW, TUBE - AMS 4135, BOSS, 45 DEG.[CUST: AS 11] [REVIEW: CC] | A | 4730 | | AS | 14-AUG-96 |
| | MS9096B | ELBOW, TUBE - AMS 4135, BOSS, 90 DEG.[CUST: AS] [REVIEW: CC] | A | 4730 | | AS | 26-OCT-72 |
| | MS9195A NOT 1 | ELBOW, TUBE - AMS 5646, BOSS, 45 DEG.[CUST: AS CC] | A | 4730 | | CC | 02-APR-99 |
| | MS51842D NOT 1 | ELBOW, TUBE TO BOSS, 45 DEG., O-RING, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51839D NOT 1 | ELBOW, TUBE TO BOSS, 90 DEG, O-RING, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51852C NOT 1 | ELBOW, TUBE TO SWIVEL, 90 DEG., FLARLESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51509A(1) NOT 1 | ELBOW, TUBE, 45 DEGREES BULKHEAD, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99 CC] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51522A NOT 1 | ELBOW, TUBE, 45 DEGREES, SWIVEL, 37 DEGREES, FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS51855C(1) NOT 1 | ELBOW, TUBE, 90 DEG., BULKHEAD, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99 CC] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51820E NOT 1 | ELBOW, TUBE, 90 DEG., FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51505A NOT 1 | ELBOW, TUBE, 90 DEGREES, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51507A(1) NOT 1 | ELBOW, TUBE, 90 DEGREES, BULKHEAD, 37 DEGREES FLARED (SAE-J514)[CUST: AR OS 99 CC] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51521A NOT 1 | ELBOW, TUBE, 90 DEGREES, SWIVEL, 37 DEGREES, FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC SH] | A | 4730 | | CC | 17-AUG-99 |
| | MS39202F | ELBOWS, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, 90 DEGREE, MALE PIPE END[CUST: AT CC] | A | 4730 | | CC | 01-FEB-02 |
| | QPL-81099-10 NOT 1 | ELECTRIC DEVICES, SIMPLE, GENERAL SPECIFICATION FOR | A | 6150 | | AS | 17-MAR-99 |
| | MIL-E-81099A NOT 2 | ELECTRIC DEVICES, SIMPLE, GENERAL SPECIFICATION FOR[CUST: AS GS2] [REVIEW: GS] | A | 6150 | | AS | 17-MAR-99 |
| | MIL-E-23001/3D(1) NOT 1 | ELECTRIC GENERATING SYSTEM, AIRCRAFT, VSCF, 20 KVA, 115/200 VOLT, 3 PHASE, 400 HZ[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-E-23001B NOT 1 | ELECTRIC GENERATING SYSTEM, VARIABLE SPEED CONSTANT FREQUENCY, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 01-FEB-94 |
| | MIL-STD-1539 NOT 2 | ELECTRICAL POWER, DIRECT CURRENT, SPACE VEHICLE DESIGN REQUIREMENTS[Military Standard][CUST: 19] [REVIEW: 11] | A | 1810 | | 19 | 03-APR-98 |
| | MIL-E-45782C NOT 1 | ELECTRICAL WIRING, PROCEDURES FOR[CUST: MI AS 99] [REVIEW: 19 70 AR CR MC OS SH] | A | 1430 | | MI | 27-AUG-98 |
| | MIL-E-55119A(4) NOT 2 | ELECTRO ACOUSTICAL TRANSDUCER EQUIPMENTS[CUST: CR] | A | 5965 | | CC | 03-SEP-98 |
| A | MIL-E-80254A NOT 2 | ELECTRO-CHEMICAL MACHINE, GRINDING, SURFACE[CUST: AR SH 99 GS6] | A | 3410 | | GS6 | 19-JAN-06 |
| | MIL-STD-871A NOT 3 | ELECTRO-CHEMICAL STRIPPING OF INORGANIC FINISHES[Military Standard][CUST: 99] | A | MFFP | | 70 | 09-DEC-96 |
| | MIL-E-45829A NOT 4 | ELECTRODE, WELDING, COPPER, SILICON-DEOXIDIZED, SOLID, BARE[CUST: AR] [REVIEW: GS] | A | 3432 | | AR | 06-JUL-98 |
| A | MIL-E-19122A NOT 3 | ELECTRODES, CARBON, LIGHTING, HIGH-INTENSITY SEARCHLIGHT SERVICE[CUST: SH] | A | 5977 | | GS2 | 19-JAN-06 |
| | MIL-DTL-8971D | ELECTRODES, GRAPHITE, SPECTROMETRIC GRADE[CUST: AV AS 11 GS2] [REVIEW: 99 CR] | A | 5977 | | GS2 | 21-MAY-02 |
| | SAE-AMS5775 | ELECTRODES, WELDING, COVERED, CORROSION AND HEAT RESISTANT STEEL 16.5CR - 4.5NI - 2.9MO - 0.10N[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | DEC-91 |
| | MIL-E-1/1373C NOT 3 | ELECTRON TUBE, CATHODE RAY 1 TYPE 7AQP7 & 7AQP33[CUST: EC CC] [REVIEW: CG MC] | A | 5960 | | CC | 09-DEC-02 |
| | MIL-E-1/1386E(1) NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 4QP2[CUST: EC CC] [REVIEW: AS CG MC OS] | A | 5960 | | CC | 04-FEB-03 |
| | MIL-E-1/267E NOT 2 | ELECTRON TUBE, CATHODE RAY TYPES 3WP1 AND 3WP2[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-PRF-1/1575B | ELECTRON TUBE, CATHODE RAY, TYPE 10VP7[CUST: EC CC] [REVIEW: AS CG MC OS SH] | A | 5960 | | CC | 26-APR-05 |
| | MIL-E-1/1341(2) NOT 2 | ELECTRON TUBE, CATHODE-RAY ELECTROSTATIC DEFLECTION AND FOCUS TYPE 3BGP1[CUST: CR CC] | A | 5960 | | CC | 04-FEB-03 |
| | MIL-PRF-1/21C NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 1B23[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 11-DEC-02 |
| | MIL-E-1/384B(1) NOT 2 | ELECTRON TUBE, GAS SWITCHING TYPE 6081[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-PRF-1/1718A NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 8922[CUST: CC] | A | 5960 | | CC | 03-SEP-03 |
| | MIL-E-1/690C(1) NOT 2 | ELECTRON TUBE, GAS TYPE 5517[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS SH] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/982B NOT 3 | ELECTRON TUBE, KLYSTRON TYPE 2K25[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC OS] | A | 5960 | | CC | 05-SEP-02 |
| | MIL-E-1/601D(1) NOT 2 | ELECTRON TUBE, KLYSTRON TYPE 5836[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/478E NOT 3 | ELECTRON TUBE, KLYSTRON TYPE 6116[CUST: CR EC 11 CC] [REVIEW: 99 AS CG OS] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/605D NOT 3 | ELECTRON TUBE, KLYSTRON TYPE 6310[CUST: CR EC 11 CC] [REVIEW: 99 CG MC SH] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/1708(2) NOT 3 | ELECTRON TUBE, KLYSTRON TYPE DOD-007 1/[CUST: EC CC] [REVIEW: AS CG MC OS SH] | A | 5960 | | CC | 05-AUG-04 |
| | MIL-E-1/373C(2) NOT 3 | ELECTRON TUBE, MAGNETRON TYPE 6002[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | | CC | 21-NOV-02 |
| | MIL-PRF-1/1624B NOT 1 | ELECTRON TUBE, MAGNETRON TYPE 8682[CUST: CC] | A | 5960 | | CC | 03-SEP-03 |
| | MIL-E-1/1769(2) NOT 1 | ELECTRON TUBE, MAGNETRON TYPE 8982[CUST: EC CC] [REVIEW: AS CG OS] | A | 5960 | | CC | 04-FEB-03 |
| | MIL-E-1/1722A NOT 2 | ELECTRON TUBE, MAGNETRON TYPE D0D 015[CUST: CR EC 11 CC] [REVIEW: 19 99 AR] | A | 5960 | | CC | 09-DEC-02 |
| | MIL-E-1/1315D(1) NOT 3 | ELECTRON TUBE, MAGNETRON TYPE-6517[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/30A NOT 2 | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 2C36[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG CR4 MC MI OS] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/868E(2) NOT 2 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C40A[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/1047B NOT 3 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C41[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/484D(1) NOT 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6299[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS] | A | 5960 | | CC | 21-NOV-02 |
| | MIL-E-1/1771(2) NOT 2 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE DOD-041[CUST: CR CC] | A | 5960 | | CC | 04-FEB-03 |
| | MIL-E-1/1519A NOT 3 | ELECTRON TUBE, NUMERICAL INDICATOR TYPE 8422[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5960 | | CC | 05-SEP-02 |
| | MIL-E-1/867B(2) NOT 1 | ELECTRON TUBE, POWER TYPE 4D32[CUST: CR EC 11 CC] [REVIEW: 99 AS MC] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/1159C(1) NOT 2 | ELECTRON TUBE, POWER TYPE 705WA[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG CR4 MC OS] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/1512B(2) NOT 3 | ELECTRON TUBE, POWER, TYPE 7248[CUST: 11 CC] [REVIEW: 99] | A | 5960 | | CC | 09-DEC-02 |
| | MIL-E-1/1069F(2) NOT 3 | ELECTRON TUBE, RECEIVING JAN 5702WB[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS] | A | 5960 | | CC | 18-JUN-01 |
| | MIL-E-1/95C NOT 2 | ELECTRON TUBE, RECEIVING JAN 5886[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/1097G(2) NOT 3 | ELECTRON TUBE, RECEIVING TYPE 12AT7WC[CUST: CR EC 11 CC] [REVIEW: 71 99 AR AS AV CG MC MI OS SH] | A | 5960 | | CC | 16-NOV-01 |
| | MIL-E-1/61C(1) NOT 4 | ELECTRON TUBE, RECEIVING TYPE 12SK7Y[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC OS SH] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/825D(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5651WA[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/4H(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5654W[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC MI OS] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/779J(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5687WB[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MI OS SH] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/7H(2) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5726[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/9H | ELECTRON TUBE, RECEIVING TYPE 5750[CUST: CR EC 11 CC] | A | 5960 | | CC | 02-JUL-04 |
| | MIL-PRF-1/10J | ELECTRON TUBE, RECEIVING TYPE 5751[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC] | A | 5960 | | CC | 14-APR-05 |
| | MIL-E-1/85C(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5763[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI] | A | 5960 | | CC | 02-DEC-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-E-1/1096D(2) NOT 3 | ELECTRON TUBE, RECEIVING TYPE 5784WB[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS] | A | 5960 | | CC | 18-JUN-01 |
| | MIL-E-1/292D(2) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5829WA[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS] | A | 5960 | | CC | 21-NOV-02 |
| | MIL-E-1/466B(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5842[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC OS] | A | 5960 | | CC | 21-NOV-02 |
| | MIL-E-1/97M(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5899 AND 6206[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS SH] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/175J | ELECTRON TUBE, RECEIVING TYPE 5902[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS] | A | 5960 | | CC | 28-FEB-03 |
| | MIL-E-1/1516A NOT 3 | ELECTRON TUBE, RECEIVING TYPE 5963[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS SH] | A | 5960 | | CC | 05-SEP-02 |
| | MIL-E-1/924G(3) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5R4WGB[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS SH] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/985B NOT 3 | ELECTRON TUBE, RECEIVING TYPE 5U4GB[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC MI OS SH] | A | 5960 | | CC | 05-SEP-02 |
| | MIL-E-1/188H | ELECTRON TUBE, RECEIVING TYPE 6021W 1/ AND 6021WSPL 2/[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CG CR4 MC MI OS SH] | A | 5960 | | CC | 26-MAR-03 |
| | MIL-PRF-1/1655E | ELECTRON TUBE, RECEIVING TYPE 6080WC[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS] | A | 5960 | | CC | 26-APR-05 |
| | MIL-E-1/190J | ELECTRON TUBE, RECEIVING TYPE 6112[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS] | A | 5960 | | CC | 21-FEB-03 |
| | MIL-E-1/262F(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6203[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC] | A | 5960 | | CC | 21-NOV-02 |
| | MIL-E-1/1165E(2) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6948[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 21-NOV-02 |
| A | MIL-PRF-1/839F | ELECTRON TUBE, RECEIVING TYPE 6AN5WA[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MI OS] | A | 5960 | | CC | 03-OCT-05 |
| | MIL-E-1/49E(3) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6AS7G[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC] | A | 5960 | | CC | 21-NOV-02 |
| | MIL-E-1/952G(2) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6AU6WC[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/191C(1) NOT 4 | ELECTRON TUBE, RECEIVING TYPE 6B4G[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC OS SH] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/864E(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6CL6[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/197E | ELECTRON TUBE, RECEIVING TYPE 6L6WGB[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC OS] | A | 5960 | | CC | 14-APR-03 |
| | MIL-E-1/263F(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6X4WA[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/290D(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE OA2WA[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/60C NOT 2 | ELECTRON TUBE, RECEIVING TYPES 6SA7, 6SA7WGT, 12SA7, 12SA7GT, & 12SY7[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/83G | ELECTRON TUBE, THRYTRON TYPE 5727[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC OS] | A | 5960 | | CC | 26-MAR-03 |
| | MIL-E-1/894E NOT 2 | ELECTRON TUBE, THYRATHRON TYPE 884[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/757J(2) NOT 2 | ELECTRON TUBE, THYRATRON TYPE 5643[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS SH] | A | 5960 | | CC | 21-NOV-02 |
| | MIL-E-1/781D NOT 2 | ELECTRON TUBE, THYRATRON TYPE 6D4[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | | CC | 05-SEP-02 |
| | MIL-E-1/148C NOT 2 | ELECTRON TUBE, THYRATRON TYPE C6A[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | | CC | 29-AUG-02 |
| | MIL-E-1/852D(1) NOT 1 | ELECTRON TUBE, TRANSMITTING TYPE5933WA[CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/99C(1) NOT 2 | ELECTRON TUBE, TRANSMITTING TYPES 807 AND 1625[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC MI OS] | A | 5960 | | CC | 05-SEP-02 |
| | MIL-E-1/1696A(1) NOT 2 | ELECTRON TUBE, TRAVELING WAVE TUBE TYPE 8882[CUST: 11 CC] [REVIEW: 99] | A | 5960 | | CC | 09-DEC-02 |
| | MIL-E-1/1692A NOT 3 | ELECTRON TUBE, TRAVELING WAVE TYPE 8878[CUST: 11 CC] [REVIEW: 99] | A | 5960 | | CC | 09-DEC-02 |
| | MIL-E-1/1294B(1) NOT 2 | ELECTRON TUBE, VIDICON TYPE 7263A[CUST: 11 CC] | A | 5960 | | CC | 04-FEB-03 |
| | MIL-E-1/1572A NOT 3 | ELECTRON TUBE, VIDICON TYPE 7290[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC] | A | 5960 | | CC | 09-DEC-02 |
| | MIL-E-1/63B(3) NOT 3 | ELECTRON TUBES, RECEIVING TYPES 12SN7GT & 12SX7GT[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG CR4 MC OS SH] | A | 5960 | | CC | 02-DEC-02 |
| | MIL-E-1/126D(2) NOT 2 | ELECTRON TUBES, RECEIVING TYPES 6V6 & 6V6GT 1/2/[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS SH] | A | 5960 | | CC | 05-SEP-02 |
| | MIL-E-63300A(4) NOT 1 | ELECTRONIC ASSEMBLY FOR MINE, ANTIPERSONNEL, HE, M74[CUST: AR] | A | 1345 | | AR | 15-AUG-97 |
| | MIL-E-48630(3) NOT 1 | ELECTRONIC ASSEMBLY, FOR MINES, M718A1/M741A1, SYSTEM[CUST: AR] | A | 1345 | | AR | 13-AUG-97 |
| | MIL-E-50748 NOT 1 | ELECTRONIC COMPONENT ASSEMBLY, 11737477 (,A, TRIGGER)[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-E-50745 NOT 1 | ELECTRONIC COMPONENT ASSEMBLY, 11737807 (PRE REGULATOR)[CUST: AR] | A | 1240 | | AR | 15-JUL-96 |
| | MIL-E-50739 NOT 1 | ELECTRONIC COMPONENT ASSEMBLY, 11738818 (CHARGE CONTROL)[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-E-50738 NOT 1 | ELECTRONIC COMPONENT ASSEMBLY. 11738850 (POWER CONTROL)[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-E-45962(1) NOT 3 | ELECTRONIC COMPONENTS ASSEMBLY (11691622)[CUST: AR] | A | 1090 | | AR | 03-FEB-97 |
| | MIL-E-70694A(2) NOT 1 | ELECTRONIC CONTROL UNIT: 11784504[CUST: AR] | A | 6920 | | AR | 27-MAR-98 |
| | MIL-E-5400T(3) NOT 1 | ELECTRONIC EQUIPMENT, AEROSPACE, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: 99 AR AV EC MI] | A | SESS | | AS | 14-AUG-92 |
| | MIL-E-8189H NOT 1 | ELECTRONIC EQUIPMENT, MISSILES, BOOSTERS AND ALLIED VEHICLES[CUST: AS 11] [REVIEW: EC MI] | A | SESS | | AS | 31-OCT-75 |
| | MIL-E-22911D(2) NOT 1 | ELECTRONIC PANEL (FOR TORPEDO MARK 37 MOD 2)[CUST: OS] | A | 1355 | | OS | 31-OCT-86 |
| | MIL-E-48491B(2) NOT 2 | ELECTRONIC UNIT: 11743131[CUST: AR] | A | 1240 | | AR | 12-JUN-98 |
| | MIL-E-64028A NOT 1 | ELECTRONICS ASSEMBLY FOR, ANTI-PERSONNEL MINE M131 SYSTEM[CUST: AR] | D | 1345 | | AR | 19-AUG-97 |
| | MIL-E-64029A NOT 1 | ELECTRONICS ASSEMBLY FOR, ANTI-TANK MINE M131 SYSTEM[CUST: AR] | D | 1345 | | AR | 19-AUG-97 |
| | MIL-E-63241B(6) NOT 1 | ELECTRONICS ASSEMBLY, FOR MINES, M718/M741, SYSTEM[CUST: AR] | A | 1345 | | AR | 13-NOV-96 |
| | MIL-E-63124B(2) NOT 1 | ELECTRONICS MODULE ASSEMBLY[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |
| | MIL-E-63511(9) NOT 1 | ELECTRONICS-MCD ASSEMBLY FOR MINE, ANTI-TANK: BLU 91/B[CUST: AR] | A | 1345 | | AR | 18-AUG-97 |
| | MIL-E-63399B(7) NOT 1 | ELECTRONICS-MCD ASSEMBLY FOR MINE, ANTITANK: HE, M75[CUST: AR] | A | 1345 | | AR | 15-AUG-97 |
| | MIL-HDBK-1015/1 NOT 1 | ELECTROPLATING FACILITIES[CUST: YD] | A | FACR | | YD | 27-AUG-97 |
| | MIL-E-46215C(3) NOT 2 | ELEMENT, IGNITION, ELECTRIC METAL PARTS ASSEMBLY, FOR ELECTRIC PRIMERS, M80A1, M83 AND M120[CUST: AR] | A | 1390 | | AR | 22-JUL-96 |
| | MIL-E-46440D NOT 1 | ELEMENT, IGNITION, ELECTRIC, M18, PARTS.[CUST: AR] | A | 1390 | | AR | 13-AUG-97 |
| | MIL-E-19603C NOT 1 | ENAMEL, BAKING, FOR ROLLER COAT APPLICATION[CUST: MR OS] [REVIEW: AT] | A | 8010 | | OS | 09-MAY-96 |
| A | MIL-E-52891B NOT 1 | ENAMEL, LUSTERLESS, ZINC PHOSPHATE, STYRENATED ALKYD TYPE[CUST: MR] [REVIEW: AR AT CR EA MD1] | A | 8010 | | MR | 02-NOV-05 |
| | MIL-E-81512/1(1) NOT 1 | ENCODER, SHAFT POSITION TO DIGITAL, CONTACT TYPE, ALTITUDE REPORTING TYPE 11CC1267I80A[CUST: AR AS 11] [REVIEW: CC] | A | 5990 | | AS | 16-NOV-92 |
| | MIL-E-81512(1) NOT 1 | ENCODER, SHAFT POSITION TO DIGITAL, CONTACT TYPE, ALTITUDE REPORTING; GENERAL SPECIFICATION FOR[CUST: AR AS 11] [REVIEW: CC] | A | 5990 | | AS | 16-NOV-92 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-E-85051 NOT 1 | ENCODERS, SHAFT POSITION TO DIGITAL, NON-CONTACT TYPE, ALTITUDE REPORTING[CUST: AS] | A | 5990 | | AS | 16-NOV-92 |
| | MIL-E-52649B NOT 1 | ENGINE COLD STARTING AIDS, ETHER FUEL PRIMERS[CUST: 99 CC] [REVIEW: 70 AT] | A | 2910 | | CC | 31-MAR-97 |
| | SAE-AMS2510 | ENGINE GRAY FINISHING LOW BAKING[CUST: MR AS 99 IS] | A | MFFP | | AS | MAR-96 |
| | MIL-E-27669C NOT 1 | ENGINE INSTRUMENTATION SYSTEM, AIRCRAFT A/A24J-11[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-E-27675B(2) NOT 2 | ENGINE PRESSURE RATIO SYSTEM, TURBOFAN ENGINE A/A24J-13[CUST: 99] [REVIEW: 11 GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-E-6059A NOT 2 | ENGINE, AIRCRAFT, RECIROCATING PROCESSE FOR CORROSION PROTECTION, PREOLING AND GROUND OPERATIONS OF[CUST: AV AS 11] [REVIEW: GS] | A | 2810 | | AS | 30-JUL-97 |
| | MIL-E-5007D(3) NOT 1 | ENGINE, AIRCRAFT, TURBOJET AND TURBOFAN, GENERAL SPECIFICATION FOR[CUST: AV AS] [REVIEW: 99 GS] | A | 2840 | | AS | 08-JAN-97 |
| | MIL-E-52395A NOT 1 | ENGINE, DIESEL, 6 CYLINDER, V TYPE, 300 HP TURBO-CHARGED[CUST: AT] [REVIEW: CC] | A | 2815 | | AT | 30-DEC-97 |
| | MIL-E-45332C(1) NOT 2 | ENGINE, GASOLINE, 4 CYLINDER, IN LINE, LIQUID COOLED, 65 HP, M151-2[CUST: AT] | A | 2805 | | AT | 20-MAR-98 |
| | DOD-STD-2182 NOT 1 | ENGINEERING CHROMIUM PLATING (ELECTRODEPOSITED FOR REPAIR OF SHAFTING (METRIC)[Military Standard][CUST: SH] | A | MFFP | | SH | 07-JUL-99 |
| | MIL-E-8593A NOT 1 | ENGINES, AIRCRAFT, TURBOSHAFT AND TURBOPROP, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 2840 | | AS | 08-JAN-97 |
| | MIL-E-51454A NOT 2 | ETHYL ALCOHOL (ETHANOL)[CUST: EA SH 68] [REVIEW: CR4 GS OS SM] | A | 6810 | | EA | 29-JUL-04 |
| | MIL-E-50796(1) NOT 2 | EXPANDING SHIELDED MILD DETONATING CORD ASSEMBLY[CUST: AR OS 11] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-E-23683A NOT 1 | EXPLOSIVE FITTING MARK 19 MOD 1[CUST: OS] | A | 1351 | | OS | 27-MAR-92 |
| | MIL-E-82898(1) NOT 1 | EXPLOSIVE, PLASTIC-BONDED, CAST, PBX(AF)-108[CUST: OS] [REVIEW: AS] | A | 1376 | | OS | 26-JAN-99 |
| | MIL-E-82668 NOT 1 | EXPLOSIVES, CYCLOTOL, 25/75 AND 29/71, RDX/TNT[CUST: OS 99] | A | 1376 | | OS | 20-DEC-95 |
| | MIL-E-82732 NOT 1 | EXPLOSIVES, DESTEX (CONTROLLED DISTRIBUTION)[CUST: OS] | D | 1376 | | OS | 20-DEC-95 |
| | MIL-E-14776A NOT 2 | EXTENSION, FIN[CUST: AR] | A | 1310 | | AR | 31-JAN-96 |
| | MIL-E-24091C(1) NOT 1 | EXTINGUISHER, FIRE PORTABLE, POTASSIUM BICARBONATE, DRY CHEMICAL, CARTRIDGE-OPERATED TYPE[CUST: SH] [REVIEW: CC] | A | 4210 | | SH | 22-APR-98 |
| | MIL-E-2186E NOT 2 | EXTINGUISHER, FIRE, CARBON DIOXIDE SYSTEMS (FIXED PIPE, NAVAL SHIPBOARD USE)[CUST: SH] | A | 4210 | | SH | 22-APR-98 |
| | MIL-E-52031D NOT 1 | EXTINGUISHER, FIRE, VAPORIZING LIQUID, CF3BR, 2-3/4 POUND, WITH BRACKET[CUST: AV] [REVIEW: AT CC MI] | A | 4210 | | AV | 10-APR-98 |
| | MIL-E-22285(3) NOT 1 | EXTINGUISHING SYSTEM, FIRE, AIRCRAFT, HIGH-RATE DISCHARGE TYPE, INSTALLATION AND TEST OF[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 07-MAY-97 |
| | MIL-E-44166A NOT 2 | EXTRACTOR, LAUNDRY: HEAVY DUTY, TOP LOADING, TRAILER MOUNTED[CUST: GL] | A | 3510 | | GL | 15-NOV-00 |
| | AN240 REV 1 NOT 3 | EYELET AND LACING[CUST: MI 99 IS] [REVIEW: OS] | A | 5325 | | IS | 12-DEC-02 |
| | MIL-E-49383 NOT 2 | EYEPIECE, BINOCULAR, AN/VSG-2[CUST: AR] [REVIEW: CR] | A | 5855 | | AR | 17-AUG-98 |
| | MIL-F-64156 NOT 1 | FABRIC, CARBON (GRAPHITE) FIBER, NICKEL-COATED[CUST: MR AS 11] [REVIEW: DH IE SH] | A | CMPS | | MR | 22-APR-98 |
| | MIL-F-87121A NOT 3 | FABRIC, GRAPHITE FABRIC[CUST: 11] | A | CMPS | | 11 | 15-DEC-97 |
| | MIL-F-51109A(2) NOT 1 | FACEBLANK, CHEMICAL-BIOLOGICAL MASK, C12R4[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 25-MAR-96 |
| | MIL-F-51110A(2) NOT 1 | FACEBLANK-LENS, C14R3[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 25-MAR-96 |
| | MIL-F-151E NOT 1 | FAN, CIRCULATING, CEILING, REFRIGERATED SPACE[CUST: CR4 SH] [REVIEW: CR] | A | 4140 | | IS | 04-APR-98 |
| | MIL-F-62564 NOT 1 | FAN, VANEAXIAL, ENGINE COOLING[CUST: AT] | A | 4140 | | AT | 27-FEB-98 |
| | MIL-F-8490A(4) NOT 1 | FASTENER, CASE, FOR EQUIPMENT RACK SYSTEM IN AIRCRAFT[CUST: AS 99 IS] [REVIEW: 71] | A | 5325 | | IS | 25-JUN-96 |
| | MS14109A NOT 2 | FASTENER, POSITIVE SELF-LOCKING CASE MOUNTING, ELECTRONIC EQUIPMENT (WITH HOLDING CLAMP)[CUST: AS] | A | 5340 | | AS | 17-SEP-97 |
| | MIL-F-14187D NOT 1 | FASTENER, REFRIGERATOR PANEL[CUST: GL 99 IS] [REVIEW: MC MD] | A | 5325 | | IS | 25-JUN-96 |
| A | MS27600D NOT 1 | FASTENER, SELF LOCKING CASE MOUNTING, ELECTRONIC EQUIPMENT[CUST: 99 IS] [REVIEW: GS] | A | 5325 | | IS | 10-APR-96 |
| | MIL-F-43573A NOT 1 | FASTENER, SNAP, PLASTIC[CUST: GL IS] [REVIEW: AT CR CR4] | A | 5325 | | IS | 24-JAN-95 |
| A | MS27979C NOT 3 | FASTENER, SNAP, STYLE IB (MUD-PROOF CURTAIN TYPE)[CUST: GL AS 99 IS] [REVIEW: AR AT AV CR CR4 MC MS] | A | 5325 | | IS | 13-OCT-05 |
| | MS24535A NOT 2 | FASTENER-CONTAINER CLOSURE[CUST: GL AS 99 IS] [REVIEW: MI] | A | 5340 | | IS | 08-JAN-03 |
| | AN226 NOT 1 | FASTENER-COWL, POST TYPE[CUST: AS 99] | A | 5325 | | IS | 22-AUG-94 |
| | AN227 REV 9 NOT 1 | FASTENERS - SNAP AND CURTAIN[CUST: AV AS 99 IS] [REVIEW: MI] | A | 5325 | | IS | 10-JUN-94 |
| A | MS27985B NOT 3 | FASTENERS, SNAP, STYLE 6 (FUNNEL NECK BUTTON HEAD TYPE)[CUST: GL AS 99 IS] [REVIEW: AR AT CR4 SM] | A | 5325 | | IS | 13-OCT-05 |
| A | MIL-STD-1792 NOT 2 | FASTENING SYSTEMS, MECHANICAL, AIR VEHICLE[Military Standard][CUST: 99 IS] | A | 5325 | | IS | 13-OCT-05 |
| | MIL-F-63428 NOT 2 | FEED ASSEMBLY, AMMO FOR ARAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1AND M97E2[CUST: AR] | A | 1005 | | AR | 20-FEB-97 |
| | MIL-F-19924(1) NOT 1 | FEED, MECHANISMS, 20MM, MARK 7 MODS 0 & 2[CUST: AS] | A | 1005 | | AS | 09-APR-83 |
| | MIL-F-45556A NOT 2 | FEEDER, AUTOMATIC GUN, M2A1[CUST: AR OS 99] [REVIEW: 84 MC] | A | 1005 | | AR | 01-SEP-97 |
| | MIL-F-45939 NOT 2 | FEEDER, AUTOMATIC GUN, MAU-57A/A[CUST: AR OS 99] [REVIEW: 84] | A | 1005 | | AR | 01-SEP-97 |
| | MIL-F-45966(1) NOT 1 | FEEDER, AUTOMATIC GUN. M89 AND M89E1[CUST: AR OS] | A | 1005 | | AR | 14-MAR-97 |
| | C-F-206G NOT 3 | FELT SHEET: CLOTH, FELT, WOOL, PRESSED[CUST: AR NU 99 CT] [REVIEW: 11 82 GL MC MD OS] | A | 8305 | / | AR | 25-APR-02 |
| | MS28932A NOT 3 | FELT STRIP, PACKING GLAND (ASG)[CUST: AS 99] | A | 5330 | | IS | 11-DEC-02 |
| | AN3083 REV 2 NOT 1 | FERRULE - CONDUIT, FLEXIBLE, TWO STEP, SYNTHETIC COVERED[CUST: AS 11] [REVIEW: 99 GS] | A | 5975 | | AS | 24-JUL-96 |
| A | AN3050 REV 4 NOT 2 | FERRULE AND CONDUIT, FLEXIBLE[CUST: AV AS 11 GS2] [REVIEW: 99] | A | 5975 | | GS2 | 26-OCT-05 |
| | AN3051 REV 5 NOT 2 | FERRULE AND CONDUIT, FLEXIBLE, ONE STEP[CUST: AV AS 11 GS2] [REVIEW: 99 AR MC MI] | A | 5975 | | GS2 | 09-OCT-03 |
| | AN3052 REV 5 NOT 2 | FERRULE AND CONDUIT, FLEXIBLE, TWO STEP[CUST: AV AS 11 GS2] [REVIEW: 99 AR MC MI] | A | 5975 | | GS2 | 09-OCT-03 |
| | AN3053 REV 3 NOT 2 | FERRULE AND RIGID CONDUIT[CUST: AV AS 11 GS2] [REVIEW: 99 AR MC MI] | A | 5975 | | GS2 | 09-OCT-03 |
| | MS9225B | FERRULE, BRAZING, TUBE FITTING - CRES, AMS 5646[CUST: AS 11] [REVIEW: IS] | A | 4730 | | AS | 15-MAY-68 |
| | MS9483B NOT 1 | FERRULE, BRAZING, TUBE FITTING-AMS 5646, STRAIGHT[CUST: AS CC] [REVIEW: SA] | A | 4730 | | CC | 20-SEP-00 |
| A | MS21981D NOT 2 | FERRULE, INNER, UNINSULATED, SHIELD TERMINATING, TYPE I TWO PIECE, CLASS I, FOR SHIELDED CABLE[CUST: AS 11] [REVIEW: 99 EC MC] | A | 5940 | | GS2 | 12-JAN-06 |
| A | MS21980E NOT 2 | FERRULE, OUTER, UNINSULATED, SHIELD TERMINATING, TYPE I TWO PIECE, CLASS I, FOR SHIELDED CABLE[CUST: CR AS 99] [REVIEW: 11 EC MC] | A | 5940 | | GS2 | 12-JAN-06 |
| | AN3048 REV 4 NOT 2 | FERRULE- CONDUIT, FLEXIBLE, ONE STEP, SYNTHETIC COVERED[CUST: AV AS 11 GS2] [REVIEW: 99 AR MC MI] | A | 5975 | | GS2 | 09-OCT-03 |
| | MIL-F-44422(1) NOT 1 | FIBER ROPE ASSEMBLY, INSERTION/EXTRACTION[CUST: GL IS] [REVIEW: MC SH] | A | 4020 | | IS | 01-OCT-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-F-81265(1) | FIBER, ASBESTOS[CUST: OS] [REVIEW: IS] | A | 5330 | | OS | 07-FEB-90 |
| | MIL-F-49291/4A NOT 2 | FIBER, OPTICAL, 100/140 MICROMETERS, (METRIC)[CUST: CR SH 11] [REVIEW: AS MI] | A | 6010 | | CC | 27-FEB-03 |
| | MIL-F-49291/2A NOT 2 | FIBER, OPTICAL, 100/140 MICROMETERS, RADIATION HARDENED (METRIC)[CUST: CR SH 11] [REVIEW: AS MI] | A | 6010 | | CC | 27-FEB-03 |
| | MIL-F-49291/3A NOT 2 | FIBER, OPTICAL, 50/125 MICROMETERS (METRIC)[CUST: CR SH 11] [REVIEW: AS MI] | A | 6010 | | CC | 27-FEB-03 |
| | DOD-F-70459 NOT 2 | FIBER, SHREDDED WOOD[CUST: AR] | A | 1320 | | AR | 14-FEB-96 |
| | MIL-F-3192(1) NOT 3 | FIBERBOARD, FLAME-RESISTANT (FOR PROJECTILE GROMMETS)[CUST: OS] | A | 8135 | | OS | 08-OCT-91 |
| | MIL-F-71007 NOT 1 | FIBERSCOPE, EXPLOSIVE ORDNANCE DISPOSAL (EOD)[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 13-JAN-97 |
| | MIL-F-28874(1) NOT 1 | FIELD CHANGE KIT FOR VARIABLE OUTPUT POWER CAPABILITY FOR TRANSMITTER AN/URT-23(C)[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| A | MIL-HDBK-739 NOT 3 | FIELD REFRIGERATION EQUIPMENT[CUST: GL YD 99 IS] [REVIEW: CE CR4 GS] | A | 4130 | | IS | 02-SEP-05 |
| | MIL-F-13549F(5) NOT 1 | FILE DESTROYER, INCENDIARY, ABC-M4[CUST: AR OS] [REVIEW: MC] | A | 1375 | | AR | 05-JUN-96 |
| | MS35644F NOT 1 | FILLER NECK ASSEMBLY, FUEL TANK-MILITARY VEHICLES[CUST: AT YD 99 CC] [REVIEW: 70 MI] | A | 2910 | | CC | 22-JAN-99 |
| | MS90908B NOT 2 | FILLER TUBE, FUEL TANK-MILITARY VEHICLES[CUST: AT MC 99] [REVIEW: 70] | A | 2910 | | CC | 22-JAN-99 |
| | TT-F-325A(2) NOT 1 | FILLER, ENGRAVING, STAMPED MARKING[CUST: AV SA] [REVIEW: EA MC MI MR] | A | 8010 | / | AV | 06-NOV-00 |
| | L-F-315C NOT 1 | FILM, DIAZOTYPE, SENSITIZED (DIRECT IMAGE MICROFORMS)[CUST: CR AS 99] [REVIEW: 16 70] | A | 6750 | / | AS | 19-APR-01 |
| | L-F-340B(2) NOT 1 | FILM, DIAZOTYPE, SENSITIZED, MOIST AND DRY PROCESS, ROLL AND SHEET[CUST: CR AS 99] [REVIEW: AV] | A | 6750 | / | AS | 12-JUL-01 |
| | MIL-F-82700 NOT 1 | FILM, POLYESTER[CUST: OS] | A | 9330 | | OS | 20-MAY-92 |
| | MIL-F-81526B NOT 1 | FILM-TAPE, SEMIAUTOMATIC TEST[CUST: AS] [REVIEW: GS] | A | 1270 | | AS | 31-OCT-95 |
| | MIL-F-48616(2) NOT 1 | FILTER (COATINGS), INFRARED INTERFERENCE, GENERAL SPECIFICATION FOR[CUST: AR 99] [REVIEW: EA GS] | A | 6650 | | AR | 14-MAR-97 |
| | AN6234 REV 3 NOT 1 | FILTER - HYDRAULIC REPLACEABLE ELEMENT LINE TYPE[CUST: AV AS 99] [REVIEW: GS] | A | 1650 | | AS | 07-AUG-96 |
| A | AN6240 REV 1 NOT 3 | FILTER - HYDRAULIC REPLACEABLE ELEMENT VENT TYPE[CUST: AV AS] [REVIEW: MI] | A | 1650 | | GS1 | 24-OCT-05 |
| A | AN6235 REV 4 NOT 2 | FILTER ELEMENT - HYDRAULIC REPLACEABLE MICRONIC LINE TYPE[CUST: AV AS] [REVIEW: MI] | A | 1650 | | GS1 | 24-OCT-05 |
| A | AN6236 REV 4 NOT 2 | FILTER ELEMENT AND HYDRAULIC REPLACEABLE MICRONIC RESERVOIR TYPE[CUST: AV AS] [REVIEW: MI] | A | 1650 | | GS1 | 24-OCT-05 |
| A | AN6237 REV 1 NOT 2 | FILTER ELEMENT AND HYDRAULIC REPLACEABLE MICRONIC VENT TYPE[CUST: AV AS] [REVIEW: MI] | A | 1650 | | GS1 | 24-OCT-05 |
| | MIL-F-51208(1) NOT 2 | FILTER ELEMENT AND RING ASSEMBLY[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 05-MAR-96 |
| | MIL-F-38007D(2) NOT 1 | FILTER ELEMENT, FLUID, PRESSURE MXU-233/E[CUST: 99] [REVIEW: CC] | A | 4330 | | 84 | 14-MAR-96 |
| | MIL-F-8815/3B NOT 1 | FILTER ELEMENT, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRONS, -65 DEGREES F TO PLUS 275 DEGREES F[CUST: AV AS 99] [REVIEW: GS MI] | A | 1650 | | 71 | 21-JUN-96 |
| | MIL-F-8815/26 NOT 2 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 25 MICRON ABSOLUTE, P3 AIRCRAFT, CASE DRAIN, 2 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-8815/25 NOT 2 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 15 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, P3 AIRCRAFT, RUDDER, 4 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-8815/28(1) NOT 2 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +160 DEG. F, P3 AIRCRAFT, PUMP OUTLET, 8 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-8815/27 NOT 2 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, P3 AIRCRAFT, RETURN, 14 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-8815/20 NOT 1 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, A4 AIRCRAFT, 3.5 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-24666(2) NOT 1 | FILTER ELEMENT, SHIP FUEL SYSTEM PRE-FILTER, NON-CLEANABLE, HIGH EFFICIENCY[CUST: SH] | A | 4330 | | SH | 10-JUL-99 |
| | MIL-F-27707H(2) NOT 1 | FILTER ELEMENT. FLUID. PRESSURE FFU-5/E[CUST: 99] [REVIEW: CC] | A | 4330 | | 84 | 14-MAR-96 |
| | MIL-F-24702(2) NOT 1 | FILTER ELEMENTS, HYDRAULIC DISPOSABLE, GENERAL SPECIFICATION FOR (METRIC)[CUST: SH] | A | 4330 | | SH | 10-JUL-99 |
| | MIL-F-8815/18A NOT 2 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, AV8 AND A7 AIRCRAFT, 3.5 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-8815/19 NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, A4 AIRCRAFT 2.0 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-8815/12B NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 32 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-8815/11A NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 4.5 GPM (HIGH CAPACITY)[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-8815/10B NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 4.5 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-8815/8B NOT 2 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 1.5 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-8815/21A NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC, LINE, 15MICRON ABSOLUTE, AV8 AIRCRAFT, 10 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-8815/9A NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC, LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 3.5 GPM[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 11-SEP-96 |
| | MIL-F-27656C(1) NOT 1 | FILTER UNIT, FLUID, PRESSURE, MXU-408/M, ABSOLUTE, 5 MICRON, HYDRAULIC[CUST: 99] [REVIEW: AV CC] | A | 4330 | | 84 | 14-MAR-96 |
| | MIL-F-14452A NOT 2 | FILTER UNIT, GAS PARTICULATE, HOSPITAL SIX-MAN, 12 CFM, M7A1[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 28-JUL-04 |
| | MIL-F-51174A NOT 2 | FILTER UNIT, GAS-PARTICULATE, 12 CFM, ARMORED AMBULANCE, M14[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 28-JUL-04 |
| | MIL-F-51544A NOT 2 | FILTER UNIT, GAS-PARTICULATE, 200 CFM, 208 VAC, M84[CUST: EA] | X | 4240 | | EA | 03-AUG-04 |
| | MIL-F-51536(1) NOT 2 | FILTER UNIT, GAS-PARTICULATE, 200 CFM, 208V, 400 HZ, M56[CUST: EA] | X | 4240 | | EA | 29-JUL-04 |
| | MIL-F-51069C(1) NOT 2 | FILTER UNIT, GAS-PARTICULATE, FOUR MAN, 12 CFM, M8A3[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 28-JUL-04 |
| | MIL-F-51163A(1) NOT 2 | FILTER UNIT, GAS-PARTICULATE, GED OR EMD, 300 CFM, ABCA-M6A1[CUST: EA] | A | 4240 | | EA | 16-JUN-05 |
| | MIL-F-51190C(1) NOT 2 | FILTER UNIT, GAS-PARTICULATE, TANK, 20 CFM, M13A1[CUST: EA] | X | 4240 | | EA | 28-JUL-04 |
| | MIL-F-51539A(1) NOT 2 | FILTER UNIT, GAS-PARTICULATE: 400 CFM, 208 V, 400 HZ, M59[CUST: EA] | A | 4240 | | EA | 03-AUG-04 |
| | MIL-F-51440A NOT 2 | FILTER, AIR, CHEMICAL - BIOLOGICAL, M46[CUST: EA] | A | 4240 | | EA | 08-NOV-95 |
| | MS28720A NOT 2 | FILTER, AIRCRAFT HYDRAULIC LINE TYPE, 3,000 PSI[CUST: AV AS 11] [REVIEW: 99 CR4 GS MI] | A | 1650 | | AS | 07-AUG-96 |
| | MIL-F-81150A NOT 1 | FILTER, BANDPASS (NAVORD DWG 1563728) (FOR TORPEDO MARK 37 MODS 0, 2, AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-F-51206 NOT 2 | FILTER, COTTON[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 11-MAR-96 |
| | MS28896B NOT 2 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI ABSOLUTE 15 MICRON, STYLE B, NON BY PASS, -65 DEG. TO +275 DEG. F[CUST: AV AS 99] [REVIEW: 11 GS MI] | A | 1650 | | 71 | 21-JUN-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-F-8815/1A NOT 2 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRON, STYLE A, BYPASS, -65 DEG. TO +275 DEG. F[CUST: AV AS 99] [REVIEW: GS MI SH] | A | 1650 | | 71 | 21-JUN-96 |
| | MIL-F-8815/2A NOT 2 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRON, STYLE B, NON BYPASS, -65 DEG. TO +275 DEG. F[CUST: AV AS 99] [REVIEW: GS SH] | A | 1650 | | 71 | 21-JUN-96 |
| | MIL-DTL-51222D NOT 1 | FILTER, GAS, 150 CFM, M23A1[CUST: EA] | A | 4240 | | EA | 29-JUL-04 |
| | MIL-F-51541 NOT 2 | FILTER, GAS, FFU-17/E,600 CFM[CUST: EA] | A | 4240 | | EA | 03-AUG-04 |
| | MS51600A NOT 4 | FILTER, LIGHT, OPTICAL INSTRUMENT (VARIABLE DENSITY) BINOCULAR TYPE[CUST: AR SH 99] [REVIEW: GS MC] | A | 6650 | | AR | 14-MAR-97 |
| | MIL-F-2763B NOT 1 | FILTER, LIGHT, OPTICAL INSTRUMENT, BINOCULAR[CUST: AR SH 99] [REVIEW: GS MC MI OS] | A | 6650 | | AR | 14-MAR-97 |
| | MIL-F-12716A NOT 1 | FILTER, LIGHT, TELESCOPIC INSTRUMENTS, LAMINATED[CUST: AR] [REVIEW: AT] | A | 1240 | | AR | 11-DEC-95 |
| | MIL-F-81154A NOT 1 | FILTER, LOWPASS (NAVORD DWG 1563732) (FOR TORPEDO MARK 37 MODS O, 2, AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-DTL-52011G | FILTER, PARTICULATE, 12 CFM, M13[CUST: EA] | A | 4240 | | EA | 08-JUL-03 |
| | MIL-F-51221A NOT 2 | FILTER, PARTICULATE, 150 CFM, M24[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 29-JUL-04 |
| | MIL-F-51165B NOT 2 | FILTER, PARTICULATE, 150 CFM, M9A1[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 16-JUN-05 |
| | MIL-F-12717 NOT 1 | FILTER, RAY, GLASS, FINISHED, AND BLANKS AND PLATES[CUST: AR] | A | 1240 | | AR | 22-APR-96 |
| | MIL-F-48616/301 NOT 2 | FILTER, WIDE BANDPASS, 7.7 TO 11.7 MICROMETERS, SPECIAL REQUIREMENTS FOR[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 08-AUG-97 |
| | MIL-F-38009F(1) NOT 1 | FILTER/SEPARATOR ELEMENT KIT, LIQUID FUEL FFU-11/E[CUST: CR4 99] [REVIEW: 84] | A | 4330 | | CC | 12-MAR-96 |
| | MIL-F-5504B(3) NOT 1 | FILTERS AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC MICRONIC TYPE[CUST: AV AS 99] [REVIEW: 11 CR4 EA GS MI] | A | 1650 | | AS | 07-AUG-96 |
| | MIL-F-15733/28F | FILTERS RADIO FREQUENCY INTERFERENCE STYLE FL42[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS] | A | 5915 | | CC | 17-JUL-03 |
| | MIL-F-18327/46C(1) NOT 2 | FILTERS, BAND PASS, TELEMETRY, TYPE FR7RX22ZZ1[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5915 | | CC | 15-JUN-04 |
| | MIL-F-21241 NOT 3 | FILTERS, COLOR FINISHED (FOR OPTICAL INSTRUMENTS)[CUST: OS] [REVIEW: GS MI] | A | 6650 | | OS | 09-MAY-96 |
| | MIL-F-51366A(2) NOT 2 | FILTERS, PARTICULATE, RECIRCULATION (55O CFM AND 1200 CFM)[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 16-JUN-05 |
| | MIL-F-15733/24C | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL12[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH] | A | 5915 | | CC | 27-FEB-03 |
| A | MIL-F-15733/1H(2) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL22[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MI OS SH] | A | 5915 | | CC | 18-NOV-05 |
| A | MIL-F-15733/2K(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL24[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH] | A | 5915 | | CC | 18-NOV-05 |
| | MIL-F-15733/30F | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL82[CUST: EC 11 CC] [REVIEW: 19 99 AS MC OS SH] | A | 5915 | | CC | 08-MAY-03 |
| | MIL-F-15733/48G | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL92[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC OS SH] | A | 5915 | | CC | 31-MAR-03 |
| | MIL-PRF-15733/63A | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL37[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CG MC MI OS SH] | A | 5915 | | CC | 26-SEP-03 |
| | MIL-F-15733/64A | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL49[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CG MC MI OS SH] | A | 5915 | | CC | 26-SEP-03 |
| A | MIL-F-15733/4J(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL53[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CG MC MI OS SH] | A | 5915 | | CC | 18-NOV-05 |
| | MIL-PRF-15733/43E | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL70[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS] | A | 5915 | | CC | 17-JUL-03 |
| | MIL-F-15733/53C(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL86[CUST: EC 11 CC] | A | 5915 | | CC | 14-OCT-04 |
| | MIL-F-18327E(3) SUP 1A NOT 1 | FILTERS: HIGH PASS, LOW PASS, BAND PASS, BAND SUPPRESSION, AND DUAL FUNCTIONING, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A | 5915 | | CC | 31-MAR-99 |
| | MIL-F-70546(2) NOT 1 | FIN ASSEMBLIES, MORTAR CARTRIDGE, 81MM, M28, M29[CUST: AR] | A | 1315 | | AR | 25-JAN-01 |
| | MIL-F-48425A(4) NOT 2 | FIN ASSEMBLY, M24[CUST: AR] | A | 1310 | | AR | 23-FEB-01 |
| | MIL-F-60613A(2) NOT 1 | FIN ASSEMBLY, M4A1[CUST: AR] | A | 1315 | | AR | 21-JAN-99 |
| | MIL-F-14902A(1) NOT 2 | FIN, ASSEMBLY, 60MM, M2[CUST: AR] | A | 1310 | | AR | 31-MAY-00 |
| | MIL-F-48580B(1) NOT 2 | FIN, M27[CUST: AR] | A | 1310 | | AR | 19-AUG-97 |
| | MIL-F-13088A(1) NOT 3 | FINISH, PROTECTIVE, TUNG (CHINA WOOD) OIL BASE (FOR WOODEN COMPONENTS OF SMALL ARMS)[CUST: AR] | A | 8010 | | AR | 18-FEB-00 |
| | MIL-F-18264D(2) NOT 1 | FINISHES: ORGANIC, WEAPONS SYSTEM, APPLICATION AND CONTROL OF[CUST: CR4 AS 11] [REVIEW: 84 AR AT AV MI MR] | A | 8010 | | AS | 30-AUG-99 |
| | MIL-F-44402 NOT 2 | FINISHING SECTION, MODULAR PRINTING SYSTEM[CUST: GL] [REVIEW: GS] | A | 3610 | | GL | 15-NOV-00 |
| | MIL-F-7872C(1) NOT 2 | FIRE AND OVERHEAT WARNING SYSTEMS, CONTINUOUS, AIRCRAFT, TEST AND INSTALLATION OF[CUST: AV AS 11] [REVIEW: 99 GS MI] | A | 6340 | | AS | 30-AUG-99 |
| | MIL-F-82566(2) NOT 1 | FIRE CONTROL ASSEMBLY LD546992 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-F-48673 NOT 1 | FIRE CONTROL COMPUTER,FIELD TEST SET (FCC-FTS)[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 19-AUG-97 |
| | MIL-F-45687 NOT 1 | FIRE CONTROL ELECTRONIC CALIBRATION STANDARDS, PACKAGING OF[CUST: AR] [REVIEW: SM] | A | 1290 | | AR | 01-SEP-97 |
| | MIL-F-14252(2) NOT 3 | FIRE CONTROL MATERIEL, GENERAL SPECIFICATION GOVERNING THE DESIGN AND INSPECTION OF[CUST: AR] [REVIEW: MI] | A | 12GP | | AR | 01-SEP-97 |
| | MIL-F-13926B(5) NOT 1 | FIRE CONTROL MATERIEL, MANUFACTURE AND INSPECTION, GENERAL SPECIFICATION FOR[CUST: AR] | A | 12GP | | AR | 09-FEB-95 |
| | MIL-F-85668 NOT 1 | FIRE SYSTEM, 20-MILLIMETRE POINT AND SUPPRESIVE HELICOPTER, AH-IT (TOW), A/A49E-7(V4)[CUST: AS] | A | 1230 | | AS | 15-NOV-95 |
| | MIL-F-23447 NOT 1 | FIRE WARNING SYSTEMS, AIRCRAFT, RADIATION SENSING TYPE, TEST AND INSTALLATION OF[CUST: AS] [REVIEW: AV GS] | A | 6340 | | AS | 30-AUG-99 |
| | MIL-F-89018 NOT 2 | FIREFINDER ELEVATION DATA (FFED)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-F-63378A NOT 1 | FIRING ATTACHMENT, BLANK AMMO, M20[CUST: AR] | A | 1005 | | AR | 11-DEC-95 |
| | MIL-F-63337(5) NOT 1 | FIRING ATTACHMENT, BLANK AMMUNITION: M19[CUST: AR] | A | 1005 | | AR | 18-JUL-01 |
| | MIL-F-2980E(1) NOT 1 | FIRING ATTACHMENTS, BLANK AMMUNITION[CUST: AR OS 99] [REVIEW: 84 MC] | A | 1005 | | AR | 14-DEC-95 |
| | MIL-F-48235(2) NOT 2 | FIRING DEVICE, ANTI-PERSONNEL MINE, ELECTRICAL M57E1 PARTS FOR, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 12-AUG-97 |
| | MIL-F-13893E(5) NOT 2 | FIRING DEVICE, DEMOLITION, DELAY TYPE, M1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 09-JUL-96 |
| | MIL-F-46657D(1) NOT 2 | FIRING DEVICE, DEMOLITION, PULL TYPE, M1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 12-AUG-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-F-85328 NOT 1 | FIRING DEVICE, EXPLOSIVE ACTUATOR (CCU-64/B)[CUST: OS] | A | 1377 | | OS | 30-OCT-96 |
| | MIL-F-85531 NOT 1 | FIRING DEVICE, EXPLOSIVE ACTUATOR (CCU-74/B)[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-F-46283 NOT 1 | FIRING DEVICE, NON-METALLIC, PULL TYPE, T35E1, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-JUL-96 |
| | MIL-F-46298C(1) NOT 1 | FIRING DEVICE, PULL RELEASE TYPE, M3 PARTS, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-F-60823 NOT 2 | FIRING MECHANISM, 50057-1, OVERHAUL OF[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-F-50694(1) NOT 1 | FIRING MECHANISM, CARTRIDGE ACTUATED, 29378-1 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-F-50695(1) NOT 1 | FIRING MECHANISM, CARTRIDGE ACTUATED, 50057-1 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-F-50696(1) NOT 1 | FIRING MECHANISM, CARTRIDGE ACTUATED, 50057-1 REMANUFACTURED METAL PARTS ASSENBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-F-50693(1) NOT 1 | FIRING MECHANISM, CARTRIDGE ACTUATED. 29378-1 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | AN7516 REV 3 NOT 1 | FITTING & CARGO AIRPLANE TIE DOWN[CUST: AV 99] [REVIEW: 71] | A | 1670 | | GS1 | 28-SEP-99 |
| | MS28744B NOT 1 | FITTING END - HOSE, SWIVEL, DETACHABLE, FLANGED, 3 BOLT, 90 DEG[CUST: AS 99] [REVIEW: AR CC] | A | 4730 | | AS | 14-AUG-96 |
| | MS21934C | FITTING END, BOLT CLUSTER FITTING, DOUBLE PORT[CUST: AV AS 99] [REVIEW: 71 AT CC CR4] | A | 4730 | | AS | 27-JUL-87 |
| | MS21932C | FITTING END, BOLT CLUSTER FITTING, SINGLE PORT[CUST: AV AS 99] [REVIEW: 71 AT CC CR4] | A | 4730 | | AS | 27-JUL-87 |
| | MS21933C | FITTING END, BOLT CLUSTER FITTING, SINGLE PORT THROUGH, FLARELESS[CUST: AV AS 99] [REVIEW: 11 AR CC CR4 GL MI] | A | 4730 | | AS | 28-AUG-87 |
| | MS18088 NOT 1 | FITTING END- TETRAFLUOROETHYLENE HOSE MEDIUM PRESSURE, SWIVEL FLANGE CORROSION RESISTANT STEEL[CUST: AS] | A | 4730 | | AS | 14-AUG-96 |
| | MS33551 NOT 1 | FITTING INSTALLATION, FLARED TUBE, EXTERNAL AND INTERNAL DISCHARGE PORTS, BOOSTER PUMP[CUST: AS 99] [REVIEW: 71 GS] | A | 2915 | | AS | 28-AUG-96 |
| | MS29558C NOT 2 | FITTING, (O) RING, CIRCULAR, COMPRESSION TYPE, SINGLE GROOVE, TANK[CUST: AS 99] [REVIEW: 71 GS] | A | 1560 | | 84 | 15-MAR-96 |
| | MS29560C NOT 2 | FITTING, (O) RING, CIRCULAR, THREADED INSERT TYPE, SINGLE GROOVE, TANK[CUST: AS 99] [REVIEW: 71 GS] | A | 1560 | | 84 | 15-MAR-96 |
| | MS29559C NOT 2 | FITTING, (O) RING, CIRCULAR, THRU BOLT TYPE, SINGLE GROOVE, TANK[CUST: AS 99] [REVIEW: 71 GS] | A | 1560 | | 84 | 15-MAR-96 |
| | MIL-F-6001A(1) NOT 1 | FITTING, AIRCRAFT, SOLDER TYPE, TUBE (ASG)[CUST: 99 CC] | A | 4730 | | CC | 24-JUL-98 |
| | MS29564B NOT 2 | FITTING, ATTACHMENT, MOLDED TANK, THRU HOLE, FLUSH (O) RING, RECTANGULAR, 12 X 18[CUST: AS 99] [REVIEW: 71 GS] | A | 1560 | | 84 | 15-MAR-96 |
| | MS29562B NOT 2 | FITTING, ATTACHMENT, MOLDED, TANK, THRU HOLE, FLUSH, (O) RING, RECTANGULAR, 10 X 16[CUST: AS 99] [REVIEW: 71 GS] | A | 1560 | | 84 | 15-MAR-96 |
| | MS24358A NOT 2 | FITTING, HOSE END - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING, OUTLINE DIMENSIONS FOR[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 71 | 26-SEP-97 |
| | MIL-F-18866H SUP 1 NOT 1 | FITTING, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI SH] | A | 4730 | | CC | 17-AUG-99 |
| | MIL-F-5577B(1) SUP 1 NOT 1 | FITTING, TANK, POWERPLANT FLUID, REMOVABLE, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS MI] | A | 1560 | | 71 | 19-FEB-95 |
| | MS33552 NOT 1 | FITTING, VARIABLE CONFIGURATION, LOW PRESSURE, EXTERNAL OUTLET, BOOSTER PUMP (ASG)[CUST: AS 99] [REVIEW: 71 GS] | A | 2915 | | AS | 28-AUG-96 |
| | AND10059 REV 3 NOT 2 | FITTINGS - STYLES OF PIPE THREADED, FLARED TUBE AND HOSE[CUST: AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 24-MAY-01 |
| | MIL-F-24787/7 NOT 1 | FITTINGS, END, TYPES B AND BL, GASKET SEAL UNION, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES[CUST: SH] | A | 4730 | | SH | 10-JUL-99 |
| | MS51500C NOT 1 | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, 37 DEGREE FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51525B NOT 1 | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ADAPTER, STRAIGHT, TUBE TO BOSS, O-RING, 37 DEGREE FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51890A NOT 1 | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; CAP ASSEMBLY, TUBE, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR SH 99] [REVIEW: 71 AT MC OS] | A | 4730 | | CC | 17-AUG-99 |
| | MS51532B NOT 1 | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; CAP, TUBE, 37 DEGREE FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51506B NOT 1 | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ELBOW, PIPE TO TUBE, 90 DEGREE, FEMALE PIPE END, 37 DEGREE FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51527D | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; ELBOW, TUBE TO BOSS, 90 DEGREE, O-RING, 37 DEGREE FLARED (USE SAE-J514)[CUST: AT OS 99 CC] [REVIEW: 71 MC SA] | A | 4730 | | CC | 07-AUG-00 |
| | MS51528B NOT 1 | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; ELBOW, TUBE TO BOSS, 45 DEGREE, O-RING, 37 DEGREE FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51530B NOT 1 | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; TEE, TUBE TO BOSS, BOSS ON RUN, O-RING, 37 DEGREE FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51529B NOT 1 | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; TEE, TUBE TO BOSS, BOSS ON BRANCH, O-RING, 37 DEGREE FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC] | A | 4730 | | CC | 17-AUG-99 |
| | MIL-F-8839A NOT 1 | FITTINGS, LUBRICATION DRIVE TYPE[CUST: AV AS 99] [REVIEW: 71 AR AT CE MC MI OS SH] | A | 4730 | | AS | 05-NOV-97 |
| | MIL-F-17280D NOT 2 | FITTINGS, MARINE, MINESWEEPING, NONMAGNETIC[CUST: SH] | A | 1075 | | SH | 23-JUL-97 |
| | MIL-F-16377/24(1) NOT 2 | FIXTURES, INCANDESCENT, GENERAL LIGHTING, 330 WATTS, 120 VOLTS, SYMBOL 66.2[CUST: SH] | A | 6210 | | SH | 02-AUG-96 |
| | MIL-F-16377/67 NOT 1 | FIXTURES, LIGHTING; WINDOW ASSEMBLIES, CLEAR WHITE SHIELDED, TO BE USED FOR REPLACEMENT PARTS ONLY[CUST: SH] | A | 6210 | | SH | 22-APR-98 |
| | MIL-STD-869C NOT 1 | FLAME SPRAYING[Military Standard][CUST: 99] | A | MFFP | | 70 | 09-DEC-96 |
| | MS3334 NOT 1 | FLANGE ACCESSORY, 10,000 BC ROUND, DESIGN STANDARD FOR[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MS3330 NOT 1 | FLANGE ACCESSORY, 2.653 BC SQUARE, DESIGN STANDARD FOR[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MS3332 NOT 1 | FLANGE ACCESSORY, 5,000 BC ROUND, DESIGN STANDARD FOR[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MS3331 NOT 1 | FLANGE ACCESSORY, 5,000 BC SQUARE, DESIGN STANDARD FOR[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MS3333 NOT 1 | FLANGE ACCESSORY, 8,000 BC ROUND, DESIGN STANDARD FOR[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MS33751 NOT 1 | FLANGE, ACCESSORY MOUNTING[CUST: AV AS 99] [REVIEW: 71 GS] | A | 2915 | | AS | 28-AUG-96 |
| | MS29514C NOT 1 | FLANGE, ADAPTER LOCKING, PRESSURE FUEL SERVICING (ASG)[CUST: AS 99] [REVIEW: GS] | A | 2915 | | AS | 10-SEP-97 |
| | MS14119 NOT 1 | FLANGE, AIR TURBINE STARTER MOUNTING[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MS24357A NOT 2 | FLANGE, DROGUE CONE - TYPE MA-2 RECEPTION COUPLING, FLIGHT PRESSURE REFUELING, OUTLINE DIMENSIONS FOR[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 71 | 26-SEP-97 |
| | MS14116 NOT 2 | FLANGE, HYDRAULIC STARTER MOUNTING[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS28055A NOT 1 | FLANGE, MOUNTING, ATTACHABLE, AIRCRAFT INSTRUMENT (ASG)[CUST: MI AS 99 GS1] [REVIEW: 11] | A | 1680 | | GS1 | 20-OCT-99 |
| | MIL-F-6836A NOT 2 | FLANGE, MOUNTING, ATTACHABLE, AIRCRAFT INSTRUMENT (ASG)[CUST: AS 99] | A | 6620 | | GS1 | 17-NOV-03 |
| | MIL-F-24044/2 NOT 2 | FLANGE, ROTATABLE, COAXIAL LINE, RIGID[CUST: CR EC 11 CC] [REVIEW: AS MC] | A | 5985 | | CC | 27-JUN-03 |
| | MS3345B NOT 1 | FLANGE, SPLIT MOUNTING METER TIME TOTALIZING[CUST: AR AS 11] [REVIEW: 99 AV CR4 GS MI OS] | A | 6645 | | AS | 14-APR-99 |
| | MIL-F-3922/60B(1) NOT 2 | FLANGE, WAVEGUIDE (CHOKE) (ROUND, 6 HOLE)[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH] | A | 5985 | | CC | 27-JUN-03 |
| | MIL-F-3922/69(1) NOT 1 | FLANGE, WAVEGUIDE (CHOKE) (SQUARE, 4 HOLE)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS SH] | A | 5985 | | CC | 20-AUG-03 |
| | MIL-F-3922/58C(1) NOT 1 | FLANGE, WAVEGUIDE (CONTACT) (RECTANGULAR, 10 HOLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV CG MC MI OS SH] | A | 5985 | | CC | 20-AUG-03 |
| | MIL-F-3922/55B(1) NOT 2 | FLANGE, WAVEGUIDE (COVER) (ROUND, 6 HOLE)[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH] | A | 5985 | | CC | 27-JUN-03 |
| | MIL-F-3922/57B(1) NOT 2 | FLANGE, WAVEGUIDE (COVER) (ROUND, 8 HOLE (2 HOLES CENTERED HORIZONTALLY, 2 HOLES CENTERED VERTICALLY)[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH] | A | 5985 | | CC | 27-JUN-03 |
| | MIL-F-3922/54C(2) NOT 2 | FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE)[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH] | A | 5985 | | CC | 27-JUN-03 |
| | MIL-F-3922/63B(2) NOT 1 | FLANGE, WAVEGUIDE (MINIATURE, UNPRESSURIZED CONTACT), (4 HOLE AND 8 HOLE)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS SH] | A | 5985 | | CC | 08-DEC-03 |
| | MIL-F-20670B(2) NOT 1 | FLANGES, PIPE, CARBON STEEL, 150 P.S.I., W.S.P. (FOR NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: CC] | A | 4730 | | SH | 26-MAR-91 |
| | MIL-F-39000/3B(1) NOT 2 | FLANGES, WAVEGUIDE, DOUBLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 2.4 TO 1)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC OS] | A | 5985 | | CC | 03-JUL-03 |
| | MIL-DTL-3922/75C | FLANGES, WAVEGUIDE, REDUCED HEIGHT[CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI OS SH] | A | 5985 | | CC | 15-AUG-03 |
| | MIL-DTL-39000B | FLANGES, WAVEGUIDE, RIDGE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI OS SH] | A | 5985 | | CC | 03-OCT-03 |
| | MS25205G | FLASHER, SOLID STATE, AIRCRAFT LIGHT[CUST: AS CC] | A | 5945 | | CC | 07-MAR-03 |
| | MS24577F | FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT[CUST: AV AS 11 CC] [REVIEW: 99 MC] | A | 5945 | | CC | 07-NOV-03 |
| | MS27710D | FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT, 28 V DC[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 05-SEP-03 |
| | MIL-F-26301F | FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT, GENERAL SPECIFICATION FOR[CUST: AV AS 11 CC] [REVIEW: 99 CR MC] | A | 5945 | | CC | 07-NOV-03 |
| | MIL-F-48167 NOT 4 | FLECHETTE, EIGHT GRAIN[CUST: AR] | A | 1315 | | AR | 14-FEB-97 |
| | MIL-F-48168 NOT 2 | FLECHETTE, THIRTEEN GRAIN[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-F-18372 NOT 1 | FLIGHT CONTROL SYSTEMS, DESIGN, INSTALLATION AND TEST OF, AIRCRAFT (GENERAL SPECIFICATION FOR)[CUST: AS] | A | 15GP | | AS | 05-MAR-97 |
| | MIL-F-55356 NOT 1 | FLIGHT COORDINATION CENTRAL AN/TSC-61( )[CUST: CR] | A | 5895 | | CR | 20-DEC-89 |
| | MIL-F-81100A NOT 1 | FLOAT, DRILL MINE, MARK 17 MOD 0[CUST: OS] | A | 1350 | | OS | 27-MAR-92 |
| | MIL-F-24291C NOT 1 | FLOWMETER, FLUID ELECTROMAGNETIC TYPE[CUST: SH] [REVIEW: GS] | A | 6680 | | SH | 22-APR-98 |
| | MIL-F-51531A NOT 2 | FLUID CONTAINER, FILLED (FOR M13 DECONTAMINATING APPARATUS)[CUST: EA] | A | 4230 | | EA | 03-AUG-04 |
| | MIL-F-8785C NOT 2 | FLYING QUALITIES OF PILOTED AIRPLANES[CUST: AV AS] | A | 15GP | | AS | 28-AUG-96 |
| | MIL-F-81334B(I1) NOT 1 | FOAM, PLASTIC, FLEXIBLE, OPEN CELL POLYESTER TYPE, POLYURETHANE[CUST: AS] | A | 5340 | | AS | 07-AUG-96 |
| | MIL-F-81334B NOT 1 | FOAM, PLASTIC, FLEXIBLE, OPEN CELL, POLYESTER TYPE POLYURETHANE[CUST: AS] | A | 5340 | | AS | 07-AUG-96 |
| | MIL-F-81254 NOT 1 | FOAM, URETHANE[CUST: OS] | A | 1338 | | OS | 20-MAY-92 |
| | MIL-F-43231D NOT 1 | FOOD PACKET, SURVIVAL, GENERAL PURPOSE, PACKAGING AND ASSEMBLY OF[CUST: GL 50] [REVIEW: MC MD QM SA SS] | A | 8970 | | GL | 22-AUG-97 |
| | MIL-F-83142A NOT 4 | FORGING, TITANIUM ALLOYS, PREMIUM QUALITY[CUST: 11] [REVIEW: 84 99] | A | 9530 | | 11 | 28-JUL-00 |
| | MIL-F-24669/8 NOT 1 | FORGINGS AND FORGING STOCK, STEEL FOR INTEGRAL STEAM TURBINE ROTORS[CUST: MR SH 99] | A | FORG | | SH | 07-JUL-99 |
| | SAE-AMS4363 | FORGINGS, MAGNESIUM ALLOY 2.0TH - 0.78MN (HM21A - T5) PRECIPITATION HEAT TREATED[CUST: MR AS 11] [REVIEW: SH] | A | FORG | | AS | SEP-00 |
| | MIL-STD-804C(1) NOT 2 | FORMATS AND CODING OF APERTURE, CAMERA, COPY, AND TABULATING CARDS[Military Standard][CUST: CR AS 16] [REVIEW: 99 AR AT EC GS MI SH] | A | EDRS | | CR | 01-JUN-95 |
| | MIL-F-81898A(1) NOT 1 | FORWARD LOOKING RADAR SET, AN/APQ-126(V)[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 18-SEP-96 |
| | MIL-F-43834E NOT 1 | FRAME, FIELD PACK, (RIVETED), AND SHELF, CARGO SUPPORT (LIGHTWEIGHT), LC-1[CUST: GL NU 99 CT] [REVIEW: 11 MC MD YD] | A | 8465 | | CT | 15-OCT-99 |
| | MIL-F-29419 NOT 1 | FRAME, SHIPPING (SIXCON)[CUST: MC] | A | 8145 | | MC | 04-APR-98 |
| | MIL-F-24713 NOT 1 | FREQUENCY CHANGER, STATIC, AIR COOLED (NAVAL SHIPBOARD)[CUST: SH] [REVIEW: GS] | A | 6130 | | SH | 22-APR-98 |
| | MIL-M-9397E(2) NOT 1 | FREQUENCY CONVERTER, MOBILE, TYPE MC-1A[CUST: 99] [REVIEW: GS] | A | 6125 | | 71 | 16-JUL-95 |
| | MIL-F-28811A NOT 1 | FREQUENCY STANDARD, CESIUM BEAM TUBE[CUST: EC] | A | 6625 | | EC | 30-APR-95 |
| | MIL-F-82191A NOT 2 | FUEL HOSE EVACUATION KITS[CUST: MC] | A | 4930 | | MC | 30-APR-99 |
| | MIL-F-82165B(1) NOT 1 | FUEL MONITORS, FRAME MOUNTED 100- & 350- GALLON PER MINUTE CAPACITIES[CUST: MC] | A | 4930 | | MC | 30-APR-99 |
| | MIL-F-82129B(1) NOT 2 | FUEL SYSTEM, AMPHIBIOUS ASSULT AND TACTICAL AIRFIELD DISPENSING, GENERAL SPECIFICATION FOR[CUST: MC] | A | 4930 | | MC | 30-APR-99 |
| | MIL-F-10805D(1) NOT 1 | FUEL, COMPRESSED, TRIOXANE, RATION HEATING[CUST: GL 68 GS] [REVIEW: MC MD PS YD] | A | 9110 | | SS | 04-JAN-00 |
| | MIL-F-53080 NOT 1 | FUEL, ENGINE DESIGN, REFEREE GRADE, TYPE I AND TYPE II (METRIC)[CUST: AT AS 68] [REVIEW: CE PS TE] | A | 9140 | | AT | 13-JUL-00 |
| | MIL-F-81912(3) NOT 1 | FUEL, EXPENDABLE TURBINE ENGINE[CUST: AS] | A | 9130 | | AS | 09-OCT-96 |
| | AN6281 REV 3 NOT 3 | FUSE - HYDRAULIC QUANTITY MEASURING CLASS 3000 TYPE 1[CUST: 99] [REVIEW: 71 GS] | A | 1650 | | GS1 | 25-MAR-05 |
| | AN6282 REV 4 NOT 4 | FUSE - HYDRAULIC QUANTITY MEASURING CLASS 3000 TYPE II[CUST: AS 99] [REVIEW: 71 GS] | A | 1650 | | GS1 | 25-MAR-05 |
| | MIL-F-45144D(2) NOT 1 | FUSE, BLASTING, TIME, M700, AND FUSE, BLASTING, TIME, INERT, LOADING, ASSEMBLING AND PACKING[CUST: AR] [REVIEW: EA] | A | 1375 | | AR | 14-MAR-97 |
| | MIL-F-5372D NOT 1 | FUSE, CURRENT LIMITER TYPE, AIRCRAFT[CUST: AV AS 11] | A | 5920 | | AS | 31-MAR-98 |
| | MIL-DTL-5372/1A | FUSE, LIMITER TYPE ENCLOSED LINK, 1 60 AMPERE[CUST: 11] | A | 5920 | | CC | 13-FEB-04 |
| | MS28938B | FUSE, LIMITER TYPE, ENCLOSED LINK, INTERMEDIATE RATING, AIRCRAFT[CUST: AS 11] [REVIEW: 99 CC MC] | A | 5920 | | AS | 18-APR-67 |
| | MIL-F-50532A NOT 2 | FUSE, ROCKET, BASE DETONATING XM434 ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 13-AUG-97 |
| | MIL-F-20412 NOT 2 | FUSE, SAFETY (BICKFORD TYPE)[CUST: AR] | A | 1375 | | AR | 10-JUL-96 |
| | MIL-PRF-19207/10D | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN19G AND FHN19W[CUST: CR SH 11 CC] [REVIEW: 19 AS CE EC MC MI] | A | 5920 | | CC | 30-APR-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-F-5508B(4) NOT 2 | FUSES, AIRCRAFT AUTOMATIC QUANTITY-MEASURING, HYDRAULIC[CUST: AV AS 99] [REVIEW: 71 GS] | A | 1650 | | GS1 | 01-APR-96 |
| | MIL-PRF-15160/7D(1) | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F07[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 EC MC MI] | A | 5920 | | CC | 16-JUL-01 |
| | MIL-PRF-15160/28B(1) | FUSES, STYLE F28[CUST: CR SH 11 CC] [REVIEW: 99] | A | 5920 | | CC | 16-JUL-01 |
| | MIL-PRF-15160/29A | FUSES, STYLE F29[CUST: CR SH 99 CC] [REVIEW: MI] | A | 5920 | | CC | 14-MAR-05 |
| | MIL-PRF-15160/30A | FUSES, STYLE F30[CUST: CR SH 11 CC] [REVIEW: 99 MI] | A | 5920 | | CC | 14-MAR-05 |
| | MIL-PRF-15160/36A | FUSES, STYLE F36[CUST: CR SH 11 CC] [REVIEW: 99] | A | 5920 | | CC | 14-MAR-05 |
| | MIL-PRF-15160/37A | FUSES, STYLE F37[CUST: CR SH 11 CC] [REVIEW: 99] | A | 5920 | | CC | 14-MAR-05 |
| | MIL-PRF-15160/38A | FUSES, STYLE F38[CUST: CR SH 11 CC] [REVIEW: 99] | A | 5920 | | CC | 14-MAR-05 |
| | MIL-PRF-15160/39A | FUSES, STYLE F39[CUST: CR SH 11 CC] [REVIEW: 99] | A | 5920 | | CC | 14-MAR-05 |
| | MIL-PRF-15160/40A(1) | FUSES, STYLE F40[CUST: CR SH 11 CC] [REVIEW: 99] | A | 5920 | | CC | 16-JUL-01 |
| | MIL-PRF-15160/22B(1) NOT 2 | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F22[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS] | A | 5920 | | CC | 10-DEC-02 |
| | MIL-PRF-15160/51A(1) NOT 2 | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F51[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] | A | 5920 | | CC | 10-DEC-02 |
| | MIL-PRF-15160/6D | FUSES; INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F06[CUST: CR SH 11 CC] [REVIEW: 19 99 AS AT CG CR4 EC MC MI] | A | 5920 | | CC | 14-MAR-05 |
| | MIL-F-50541A(6) NOT 1 | FUZE FOR FLECHETTE WARHEAD, WDU-4A/A (LESS EXPULSION CHARGE)[CUST: AR] | A | 1340 | | AR | 11-MAR-98 |
| | MIL-F-50542A NOT 2 | FUZE FOR FLECHETTE WARHEAD, WDU-4A/A (WITH EXPULSION CHARGE)[CUST: AR] | A | 1340 | | AR | 11-MAR-98 |
| | MIL-F-21572 NOT 2 | FUZE FUNCTION CONTROL SET AN/AWW-1[CUST: AS] [REVIEW: 99] | A | 1290 | | AS | 11-SEP-96 |
| | MIL-F-81966 NOT 1 | FUZE FUNCTION CONTROL SET AN/AWW-4(V)[CUST: AS] | A | 1290 | | AS | 04-APR-98 |
| | MIL-F-46375A(2) NOT 1 | FUZE SETTER SET: M63[CUST: AR] | A | 1290 | | AR | 12-AUG-97 |
| | MIL-F-48267(2) NOT 2 | FUZE TIMER, MINE (INTEGRATED CIRCUIT)[CUST: AR] | A | 1345 | | AR | 14-FEB-97 |
| | MIL-F-46571E NOT 2 | FUZE, DEMOLITION KIT, M1134 LOADING, ASSEMBLING AND PACKING[CUST: AR 99] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-F-46570D NOT 2 | FUZE, DEMOLITION KIT, M1134 WITH DETONATORS PARTS FOR[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-F-46561D NOT 2 | FUZE, DEMOLITION KIT, TRAINING, M1147 PARTS, ASSEMBLING, AND PACKING[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-F-48137A NOT 2 | FUZE, GM, ET, LANCE, XM819 PARTS, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1336 | | AR | 14-FEB-97 |
| | MIL-F-50950C(1) NOT 3 | FUZE, GRENADE, GP: M223[CUST: AR] | A | 1330 | | AR | 17-JUL-97 |
| | MIL-F-51376(1) NOT 2 | FUZE, HAND GRENADE, M227[CUST: EA] | A | 1330 | | EA | 14-JUL-04 |
| | MIL-F-63068(1) NOT 2 | FUZE, M539, IMPACT SWITCH ASSEMBLY FOR, PARTS FOR, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 12-FEB-96 |
| | MIL-F-63987 NOT 2 | FUZE, MINE, AT PRACTICE: M604 METAL PARTS FOR[CUST: AR] | A | 1345 | | AR | 20-FEB-97 |
| | MIL-F-11247A NOT 5 | FUZE, MINE, AT, M603 FUZE, MINE, AT, PRACTICE, M604 METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 21-JUL-97 |
| | MIL-F-11245A NOT 4 | FUZE, MINE, AT, M603 LOADING, ASSEMBLING AND PACKING[CUST: AR] [REVIEW: EA] | A | 1390 | | AR | 14-MAR-97 |
| | MIL-F-45061E(2) NOT 2 | FUZE, MINE, AT, NM, M606 PARTS FOR[CUST: AR] | A | 1345 | | AR | 11-JUL-96 |
| | MIL-F-12777A NOT 2 | FUZE, MINE, AT, PRACTICE: M604 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 22-APR-96 |
| | MIL-F-45429C(2) NOT 1 | FUZE, MINE, AT: M607 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 27-MAR-98 |
| | MIL-F-45430C(4) NOT 1 | FUZE, MINE, AT: M607, PARTS FOR[CUST: AR] | A | 1345 | | AR | 27-MAR-98 |
| | MIL-F-60020 NOT 2 | FUZE, MINE, COMBINATION M10A2, PARTS FOR[CUST: AR] | A | 1345 | | AR | 08-FEB-96 |
| | MIL-F-45060D(1) NOT 2 | FUZE, MINE, COMBINATION M605, PARTS FOR[CUST: AR] | A | 1345 | | AR | 10-JUL-96 |
| | MIL-F-20481B NOT 4 | FUZE, MINE, COMBINATION M6A1 AND M10A1, PARTS FOR[CUST: AR] | A | 1390 | | AR | 03-FEB-97 |
| | MIL-F-12774D(1) NOT 2 | FUZE, MINE, COMBINATION, M605 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 22-APR-96 |
| | MIL-F-50988B(2) NOT 1 | FUZE, PD, M567, LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1390 | | AR | 29-JUL-98 |
| | MIL-F-48172(7) NOT 1 | FUZE, PD, M935 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 30-JUL-98 |
| | MIL-F-70613(5) NOT 1 | FUZE, PD, M936 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 29-JUL-98 |
| | MIL-F-63232A(2) NOT 1 | FUZE, PIBD, M740, FUZE MODULE FOR[CUST: AR] | A | 1390 | | AR | 17-JUL-96 |
| | MIL-F-63231(2) NOT 2 | FUZE, PIBD, XM740, (M740) SECOND ENVIRONMENT SENSOR ELECTRONIC MODULE FOR[CUST: AR] | A | 1390 | | AR | 17-JUL-96 |
| | MIL-F-63230(3) NOT 2 | FUZE, PIBD, XM740, (M740) SECOND ENVIRONMENT SENSOR FOR[CUST: AR] | A | 1390 | | AR | 17-JUL-96 |
| | MIL-F-63229(2) NOT 2 | FUZE, PIBD, XM740, (M740) SHOCK WAVE SENSOR FOR[CUST: AR] | A | 1390 | | AR | 17-JUL-96 |
| | MIL-F-46579D NOT 2 | FUZE, POINT DETONATING, M505A3; PARTS FOR[CUST: AR] | A | 1305 | | AR | 12-FEB-97 |
| | MIL-F-48277B(4) NOT 1 | FUZE, POINT DETONATING, M739 LESS BOOSTER PELLET[CUST: AR] | A | 1390 | | AR | 14-FEB-97 |
| | MIL-F-63518A(6) NOT 1 | FUZE, POINT DETONATING, M739A1 LESS BOOSTER PELLET[CUST: AR] | A | 1390 | | AR | 20-FEB-97 |
| | MIL-F-63519(5) NOT 1 | FUZE, POINT DETONATING, M739A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 20-FEB-97 |
| | MIL-F-46580C(3) NOT 1 | FUZE, POINT DETONATION, M505A3[CUST: AR 99] [REVIEW: 70] | A | 1305 | | AR | 14-AUG-98 |
| | MIL-F-63271A(2) NOT 1 | FUZE, POINT INITIATING BASE DETONATING M509A2/METAL PARTS, WITH DETONATOR[CUST: AR] | A | 1390 | | AR | 27-FEB-97 |
| | MIL-F-63499(5) NOT 1 | FUZE, POINT INITIATING BASE DETONATING, XM764[CUST: AR] | A | 1390 | | AR | 27-FEB-97 |
| | MIL-F-63270(2) NOT 1 | FUZE, POINT INITIATING, BASE DETONATING, M509A1E1, LOADING ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 27-FEB-97 |
| | MIL-F-48706A(1) NOT 1 | FUZE, PROXIMITY: ARTILLERY, M732(U) (LOADING, ASSEMBLING, AND PACKING)[CUST: AR] | A | 1390 | | AR | 08-FEB-96 |
| | MIL-F-50220A(1) NOT 2 | FUZE, ROCKET, BASE DETONATING, XM434E1 ASSEMBLING AND PACKING[CUST: AR] [REVIEW: CC] | A | 1340 | | AR | 08-FEB-96 |
| | MIL-F-50994(1) NOT 1 | FUZE, ROCKET, M423, MODIFIED (BUNKER) LESS BOOSTER AND LEAD[CUST: AR] | A | 1340 | | AR | 29-JUL-98 |
| | MIL-F-48057B(7) NOT 1 | FUZE, ROCKET, PIBD, M438 SUB-ASSEMBLY WITH DETONATOR[CUST: AR] | A | 1340 | | AR | 13-FEB-97 |
| | MIL-F-48067 NOT 2 | FUZE, ROCKET, POINT DETONATING SQ AND DELAY, M440 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 29-JUL-98 |
| | MIL-F-48877A(3) NOT 4 | FUZE, ROCKET: M439 PARTS AND ASSEMBLY WITH DETONATOR[CUST: AR] | A | 1340 | | AR | 19-OCT-01 |
| | MIL-F-63281A(3) NOT 4 | FUZE, ROCKET: M433 LESS BOOSTER AND BOOSTER LEAD[CUST: AR] | A | 1340 | | AR | 23-MAR-98 |
| | MIL-F-11673F NOT 2 | FUZE, SMOKE POT, FLOATING, ELECTRIC, M209[CUST: EA] | A | 1365 | | EA | 08-JUL-04 |
| | MIL-F-11522F(1) NOT 2 | FUZE, SMOKE POT, M208 AND FUZE, HAND GRENADE, M226[CUST: EA OS] [REVIEW: MC] | A | 1365 | | EA | 08-JUL-04 |
| | MIL-F-50548A(5) NOT 1 | FUZES, ROCKET, M423 AND M427 LESS BOOSTER AND BOOSTER LEAD[CUST: AR] | A | 1340 | | AR | 20-AUG-98 |
| | MIL-F-50253A(4) NOT 2 | FUZES, ROCKET, M423, M427 AND M433 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 01-OCT-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AN6011 REV 3 NOT 1 | GAGE AND PANEL MOUNTING HIGH PRESSURE OXYGEN[CUST: AV AS] | A | MISC | | AS | 05-MAR-97 |
| | MIL-G-19327B NOT 1 | GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN CONVERTER, TYPE MC-5[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 21-NOV-66 |
| | MIL-G-19804 NOT 1 | GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN CONVERTER, TYPE MC-6(USE MIL-I-81387)[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 22-NOV-66 |
| | MIL-G-19807 NOT 1 | GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN QUANTITY INDICATOR REPEATERS, TYPES MC-5R, MC-6R, MC-7R, MC-8R (USE MIL-I-81387)[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 22-NOV-66 |
| | MIL-G-50962 NOT 3 | GAGE, DEPTH, DIAL INDICATING: T4191A[CUST: AR] | A | 1190 | | AR | 21-JUN-95 |
| A | MIL-G-7601B NOT 2 | GAGE, EMERGENCY OXYGEN, TYPE L-2[CUST: AS 99] [REVIEW: 71] | A | 6685 | | GS1 | 08-JUL-05 |
| | MIL-G-7818(2) NOT 2 | GAGE, FUEL QUANTITY, CAPACITOR TYPE, COMPENSATED, GENERAL SPECIFICATION FOR[CUST: AV AS] [REVIEW: AT GS] | A | 6680 | | AS | 20-OCT-99 |
| | MS90486B NOT 1 | GAGE, IN SERVICE INSPECTION, FOR USE W1TH MS90485 CRIMPING DIES, (FOR USE WITH COPPER UNINSULATED TERMINALS)[CUST: CR AS 99] [REVIEW: 11 84 MC OS] | A | 5220 | | AS | 15-SEP-99 |
| A | AN6021 REV 5 NOT 3 | GAGE, PANEL MOUNTING LOW PRESSURE OXYGEN[CUST: 99 GS1] [REVIEW: 71] | A | 6685 | | GS1 | 08-JUL-05 |
| | GGG-G-61 NOT 4 | GAGE, PLUG AND RING, PLAIN AND THREAD[CUST: AR AS 99] [REVIEW: 03 84 CC CG NP] | A | 5220 | / | AR | 19-NOV-04 |
| | MIL-G-8170D(1) NOT 1 | GAGE, PRESSURE, DIAL INDICATING[CUST: AS 99] [REVIEW: AV GS] | A | 6620 | | 71 | 15-MAR-96 |
| A | AN6026 REV 4 NOT 2 | GAGE, PRESSURE, DIAL INDICATING[CUST: AV AS 99 GS1] [REVIEW: 71] | A | 6685 | | GS1 | 08-JUL-05 |
| A | MIL-G-25308B(2) NOT 2 | GAGE, PRESSURE, DIAL INDICATING, HYDRAULIC, TYPE ME-1[CUST: AV AS 99 GS1] [REVIEW: 71 MI] | A | 6685 | | GS1 | 08-JUL-05 |
| | MIL-G-25867C NOT 1 | GAGE, PRESSURE, DIAL INDICATING, PNEUMATIC[CUST: AV AS 99 GS1] [REVIEW: 71 MI] | A | 6685 | | GS1 | 10-MAR-99 |
| | MIL-G-25507B NOT 1 | GAGE, PRESSURE, DIAL INDICATION, OXYGEN 0-2000 PSI, TYPE MF-2[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 13-AUG-97 |
| | MIL-G-25520B NOT 1 | GAGE, PRESSURE, DIAL INDICATION, OXYGEN 0-500 PSI, TYPE MF-3[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 13-AUG-97 |
| | MIL-G-7734C NOT 1 | GAGE, PRESSURE, ENGINE AND UTILITY AIRCRAFT[CUST: AV AS 99] [REVIEW: GS MC] | A | 6685 | | AS | 30-AUG-99 |
| | MS28061D NOT 1 | GAGE, PRESSURE, ENGINE AND UTILITY, 2-INCH, FLANGE-MOUNTED, BACK PORTS[CUST: AV AS 99] [REVIEW: GS MC MI] | A | 6620 | | AS | 04-SEP-96 |
| | MS28064B NOT 2 | GAGE, PRESSURE, ENGINE AND UTILITY, 3- INCH, FLANGE-MOUNTED, BACK PORTS[CUST: AV AS 99] [REVIEW: GS MC] | A | 6620 | | AS | 04-SEP-96 |
| | MIL-G-7170A NOT 1 | GAGE, PRESSURE, MANIFOLD, DIRECT INDICATING, 2 IN. SIZE, 10-75 INCHES MERCURY[CUST: AV AS 99] [REVIEW: GL GS OS] | A | 6620 | | 71 | 15-MAR-96 |
| | MS24478B NOT 2 | GAGE, SINGLE 1 INCH DIAL, PNEUMATIC PRESSURE[CUST: MI 99 GS1] [REVIEW: 71] | A | 6685 | | GS1 | 26-MAR-99 |
| | MIL-G-46382 NOT 1 | GAGE, SNAP, THREAD ROLL[CUST: AR OS 99] [REVIEW: 84] | A | 5220 | | AR | 23-APR-99 |
| | MS3151 NOT 1 | GAGE-IN-SERVICE INSPECTION, FOR MS3150 CRIMPING DIES[CUST: AS] | A | 5220 | | AS | 11-SEP-96 |
| | MS28077D NOT 1 | GAGE-PRESSURE, DIAL INDICATING, MANIFOLD PRESSURE[CUST: AV AS] [REVIEW: GS] | A | 6620 | | AS | 11-DEC-87 |
| | MS28018C NOT 3 | GAGE-PRESSURE, MANIFOLD, DIRECT INDICATING, 2 IN. SIZE, 10 -75 IN. MERCURY[CUST: AV AS 99 GS1] | A | 6620 | | GS1 | 20-FEB-01 |
| | MIL-G-23337(3) NOT 2 | GAGES, PRESSURE, DIAL INDICATING[CUST: AS 99] [REVIEW: GS] | A | 6685 | | AS | 30-AUG-99 |
| | MIL-DTL-6019D | GAGES, PRESSURE, DIAL INDICATING, LOW-PRESSURE OXYGEN[CUST: AV AS 99 GS1] [REVIEW: 71 MI] | A | 6685 | | GS1 | 06-MAR-02 |
| | MS28063A NOT 2 | GAGES, PRESSURE, ENGINE AND UTILITY, 2-INCH, FLANGE- OR PORT-MOUNTED, BOTTOM PORT[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-96 |
| | MIL-G-82932 NOT 1 | GAS GENERATOR, M17, REMANUFACTURED ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-G-50960 NOT 3 | GASKET[CUST: AR] | A | 1195 | | AR | 21-JUN-95 |
| | AN6238 REV 4 | GASKET HYDRAULIC REPLACEABLE RESERVOIR TYPE FILTER ELEMENT[CUST: AV AS 99] [REVIEW: MC SA SH] | A | 5330 | | IS | 29-MAR-04 |
| A | AN3119 REV 2 NOT 2 | GASKET & COMMON, TAIL POSITION LIGHT[CUST: 99] [REVIEW: 71 GS] | A | 5330 | | IS | 08-JUL-05 |
| | AN904 REV 1 NOT 2 | GASKET & UPWARD RECOGNITION LIGHT COVER[CUST: AS 99] [REVIEW: GS] | A | 5330 | | IS | 11-DEC-02 |
| A | MS26577C | GASKET, AIRPORT MARKER LIGHT BASE[CUST: CR4 AS 99 IS] [REVIEW: CG SA] | A | 5330 | | IS | 07-FEB-06 |
| | MS29537A | GASKET, CAP, OUTLET FITTING, BOOSTER PUMP[CUST: AR AS 99 IS] [REVIEW: 71 CG MC SA] | A | 5330 | | IS | 15-APR-04 |
| | MS90484B(1) NOT 2 | GASKET, FLANGE MOUNT, CONNECTOR, ELECTRIC[CUST: CR AS 11 CC] [REVIEW: AR AT AV CR4 EC MC MI OS SH] | A | 5935 | | AS | 02-JUN-00 |
| | MIL-G-13210 NOT 2 | GASKET, RUBBER[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 12-JUL-04 |
| | MIL-G-24717 NOT 1 | GASKET, SHEET, REFRIGERATION, NON-ASBESTOS[CUST: SH] | A | 5330 | | SH | 16-APR-96 |
| | MS35643C NOT 1 | GASKET, SYNTHETIC RUBBER, CAP, FUEL TANK[CUST: AT MC 99 CC] [REVIEW: MI] | A | 2910 | | CC | 22-JAN-99 |
| | MIL-G-19769B NOT 1 | GASKET, SYNTHETIC RUBBER, OIL RESISTANT, SLIDE VALVE (FOR 21 INCH SUBMERGED TORPEDO TUBES)[CUST: SH] [REVIEW: OS] | A | 5330 | | SH | 20-DEC-95 |
| A | AN887 REV 2 | GASKET- CIRCULAR FORMATION LIGHT COVER[CUST: AS 99 IS] [REVIEW: 71 CG SA] | A | 5330 | | IS | 01-FEB-06 |
| A | AN901 REV 9 | GASKET- METAL TUBE CONNECTION SEAL[CUST: AV AS 99] [REVIEW: MI SA] | A | 5330 | | IS | 01-FEB-06 |
| | MS17840B NOT 1 | GASKET-SPARK PLUG[CUST: AV AS] [REVIEW: GS] | A | 2925 | | AS | 28-AUG-96 |
| | MIL-G-16265F NOT 1 | GASKETS, METALLIC-FLEXIBLE GRAPHITE AND METALLIC-ASBESTOS, SPIRAL WOUND (FOR NAVY FLANGED JOINTS IN PIPING SYSTEMS)[CUST: MR SH 99] [REVIEW: 71 CR4 IS OS] | A | 5330 | | SH | 17-FEB-98 |
| | MIL-G-432G NOT 1 | GASKETS, NONMETALLIC, SYNTHETIC RUBBER[CUST: GL AS 99] [REVIEW: 71 AR AT CG MC MR] | A | 5330 | | IS | 31-AUG-98 |
| | MS90133F | GASKETS, V - GROOVE; PART OF RF COAXIAL CONNECTORS[CUST: CR EC 99] [REVIEW: 11] | A | 5330 | | IS | 11-JAN-05 |
| | MIL-G-16959B(1) NOT 1 | GASKETS; METALLIC, BOILER, ECONOMIZER AND SUPERHEATER HANDHOLE[CUST: SH 99] [REVIEW: 11 71 CR4] | A | 5330 | | SH | 16-FEB-00 |
| | MS90134E | GASKETS; PART OF RF COAXIAL CONNECTORS[CUST: CR EC 11] [REVIEW: 99 MI] | A | 5330 | | IS | 11-JAN-05 |
| | MIL-G-13507 NOT 1 | GEAR, OIL M6A1E1[CUST: AR] | A | 1290 | | AR | 08-AUG-97 |
| | MIL-G-81737A NOT 1 | GELLING UNITS, FUEL MARK 1, MOD 0 AND MOD 1[CUST: AS] | A | 1040 | | AS | 15-NOV-95 |
| | MIL-G-24477 NOT 1 | GENERATOR SET, DIESEL ENGINE ALTERNATING CURRENT (NAVAL SUBMARINE USE)[CUST: SH] [REVIEW: GS] | A | 6115 | | SH | 22-APR-98 |
| | MIL-DTL-38195D | GENERATOR SET, GAS TURBINE ENGINE, 60 KW 400 HERTZ, GENERAL PURPOSE[CUST: YD 99] [REVIEW: AS GS] | A | 6115 | | 84 | 01-APR-00 |
| | MIL-G-24464A NOT 1 | GENERATOR SET, GAS TURBINE, MAGNETIC MINESWEEPING, 1750 KW[CUST: SH] | A | 1075 | | SH | 22-APR-98 |
| | MIL-DTL-53133/5B | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 15 KILOWATTS 50/60 HERTZ[CUST: CR4 MC 99] [REVIEW: GS] | A | 6115 | | CR4 | 15-APR-02 |
| | MIL-DTL-53133/1B | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 5 KILOWATTS, 60 HERTZ[CUST: CR4 MC 99] [REVIEW: GS] | A | 6115 | | CR4 | 15-APR-02 |
| | MIL-DTL-53133/6B | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 15 KILOWATTS, 400 HERTZ[CUST: CR4 MC 99] [REVIEW: GS] | A | 6115 | | CR4 | 15-APR-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-53133/3B | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 10 KILOWATTS, 60 HERTZ[CUST: CR4 MC 99] [REVIEW: GS] | A | 6115 | | CR4 | 15-APR-02 |
| | MIL-DTL-53133/4B | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 10 KILOWATTS, 400 HERTZ[CUST: CR4 MC 99] [REVIEW: GS] | A | 6115 | | CR4 | 15-APR-02 |
| | MIL-DTL-53133/7C | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 30 KILOWATTS, 50/60 HERTZ[CUST: CR4 MC 99] [REVIEW: GS] | A | 6115 | | CR4 | 15-APR-02 |
| | MIL-DTL-53133/8C | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 30 KILOWATTS, 400 HERTZ[CUST: CR4 MC 99] [REVIEW: GS] | A | 6115 | | CR4 | 15-APR-02 |
| | MIL-DTL-53133/2B | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 5 KILOWATTS, 400 HERTZ[CUST: CR4 MC 99] [REVIEW: GS] | A | 6115 | | CR4 | 15-APR-02 |
| | MIL-DTL-53133/9C | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 60 KILOWATTS, 50/60 HERTZ[CUST: CR4 MC 99] [REVIEW: GS] | A | 6115 | | CR4 | 15-APR-02 |
| | MIL-DTL-53133C SUP 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 5 THROUGH 60 KILOWATTS, GENERAL SPECIFICATION FOR[CUST: CR4 MC 99] [REVIEW: GS] | A | 6115 | | CR4 | 15-APR-02 |
| | MIL-DTL-53133/10C | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 60 KILOWATTS, 400 HERTZ[CUST: CR4 MC 99] [REVIEW: GS] | A | 6115 | | CR4 | 15-APR-02 |
| | MIL-G-21480/11A NOT 1 | GENERATOR SYSTEM, 10 KVA, 400 CYCLE, AC, INTERGRALLY EXCITED, BRUSHLESS TYPE[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MS21970B NOT 2 | GENERATOR SYSTEM, 10 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS TYPE, A-4 AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MS90304E NOT 2 | GENERATOR SYSTEM, 20 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS TYPE, AIRCRAFT, SELF COOLED[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MS90313E NOT 1 | GENERATOR SYSTEM, 20 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS TYPE, AIRCRAFT, BLAST COOLED[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-21480/16A NOT 1 | GENERATOR SYSTEM, 20 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-21480/17A(1) NOT 1 | GENERATOR SYSTEM, 20 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE[CUST: AS] [REVIEW: 11 GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-21480/21A NOT 1 | GENERATOR SYSTEM, 30 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-21480/18 NOT 1 | GENERATOR SYSTEM, 30 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-21480/8A NOT 1 | GENERATOR SYSTEM, 34 KVA, 400 CYCLE, AC, INTEGRALLY EXCITED BRUSHLESS TYPE AND 200 AMPS AT 28 VOLTS, DC[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-21480/12E NOT 1 | GENERATOR SYSTEM, 40 KVA, 400 HZ AC, INTEGRALLY EXCITED, BRUSHLESS TYPE[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MS25368H NOT 1 | GENERATOR SYSTEM, 60 KVA, 400 HERTZ ALTERNATING CURRENT, INTEGRALLY EXCITED BRUSHLESS TYPE[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-21480/23 NOT 1 | GENERATOR SYSTEM, AIRCRAFT 400 HZ,3 PHASE 115/200 VOLT, 30/45 KVA[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-21480/19A NOT 2 | GENERATOR SYSTEM, AIRCRAFT, 400 HZ, 3 PHASE 115/200 VOLT, 50 KVA AND 90 KVA[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MS90302B NOT 1 | GENERATOR SYSTEM, ALTERNATING CURRENT, BRUSHLESS 30 KVA F-4 AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MS90325G NOT 1 | GENERATOR SYSTEM, ALTERNATING CURRENT, INTEGRALLY EXCITED, 60 KVA BRUSHLESS (P-3 AIRCRAFT)[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-21480/9B NOT 2 | GENERATOR SYSTEM, EMERGENCY, 1.7 KVA, 400 HZ, AC, RAM AIR TURBINE DRIVEN[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-21480/3B NOT 2 | GENERATOR SYSTEM, EMERGENCY, 2.5 KVA, 400 HERTZ, ALTERNATING CURRENT, RAM AIR TURBINE DRIVEN, DETAIL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-28744A NOT 1 | GENERATOR, AIMS PRETRIGGER SG-841( )/UPX[CUST: AS] | A | 5840 | | AS | 18-SEP-96 |
| | MIL-G-3124D NOT 1 | GENERATOR, ALTERNATING CURRENT, 60-HERTZ (NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: GS] | A | 6115 | | SH | 22-APR-98 |
| | MIL-G-49274 NOT 1 | GENERATOR, DIGITAL DATA SG-1139 ()/G[CUST: CR] | A | 6625 | | CR | 29-MAR-96 |
| | MS90332D NOT 2 | GENERATOR, DIRECT CURRENT, 300 AMPERE, CLASS A, BLAST COOLED, 3000-8000 RPM[CUST: AS 99] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MS3364A NOT 1 | GENERATOR, DIRECT CURRENT, 400 AMPERE CLASS A, BLAST COOLED, 3000-8000 RPM[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-G-3111C(1) NOT 1 | GENERATOR, ELECTRIC, DIRECT-CURRENT NAVAL SHIPBOARD USE[CUST: SH 99] [REVIEW: GS] | A | 6115 | | SH | 22-APR-98 |
| | MS13804D NOT 1 | GENERATOR, ENGINE ACCESSORY D.C. 28-VOLT 40-AMP[CUST: AT YD CC] | A | 2920 | | CC | 22-JAN-99 |
| | MIL-G-12604H NOT 1 | GENERATOR, ENGINE ACCESSORY DIRECT CURRENT 28 VOLT, 25 AMPERE[CUST: AT AS 99] [REVIEW: CC MC] | A | 2920 | | AT | 20-JAN-98 |
| | MIL-G-82455(2) NOT 1 | GENERATOR, GAS[CUST: OS] | A | 1350 | | OS | 22-APR-98 |
| | MIL-G-14851(1) NOT 1 | GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED, M17 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-G-18473B NOT 1 | GENERATOR, MOTOR, AND AUXILIARY EQUIPMENT, DIRECT CURRENT, NAVAL SHIP PROPULSION[CUST: SH] [REVIEW: GS] | A | 6115 | | SH | 22-APR-98 |
| | MIL-G-11994A(3) NOT 2 | GENERATOR, RINGING, HAND G-42( )/PT[CUST: CR 11 CC] [REVIEW: 99 MC] | A | 5805 | | IS | 04-JAN-00 |
| | MIL-G-12519(2) NOT 2 | GENERATOR, RINGING, HAND GN-38-3[CUST: CR] | A | 5805 | | CR | 29-MAR-96 |
| | MIL-G-51491A(1) NOT 2 | GENERATOR, SMOKE, MECHANICAL PULSE JET, M3A4[CUST: EA] | A | 1040 | | EA | 16-JUL-04 |
| | MS25038E NOT 1 | GENERATOR, TACHOMETER AND SYNCHRONIZING, PISTON ENGINE (ASG)[CUST: AV AS 99] [REVIEW: CC GS] | A | 6620 | | AS | 04-SEP-96 |
| | MIL-G-58083A(2) NOT 2 | GENERATOR, TACHOMETER, FOUR POLE, SCREW MOUNTED[CUST: AV 99] [REVIEW: CG GS] | A | 6620 | | AV | 24-MAY-05 |
| | MS87015A NOT 3 | GENERATOR, TACHOMETER, FOUR-POLE, SCREW-MOUNTED[CUST: AV 99] [REVIEW: CG GS] | A | 6620 | | AV | 24-MAY-05 |
| | MIL-G-9398C(2) NOT 1 | GENERATOR, TACHOMETER, TWO-POLE, HIGH TEMPERATURE, AIRCRAFT[CUST: CR4 AS 99 GS1] [REVIEW: AV] | A | 6620 | | GS1 | 14-SEP-98 |
| | MIL-G-48438A NOT 1 | GENERATOR, TARGET, SIMULATED 11741100[CUST: AR] | A | 1240 | | AR | 14-FEB-97 |
| | MIL-G-5413D(2) NOT 1 | GENERATORS, TACHOMETER, FOUR POLE[CUST: AV AS 99] [REVIEW: GS] | A | 6620 | | AS | 04-SEP-96 |
| | QPL-5413-27 NOT 1 | GENERATORS, TACHOMETER, FOUR-POLE | A | 6620 | | AS | 24-AUG-00 |
| | MIL-STD-1820(2) NOT 3 | GENERIC TRANSFORMED DATA BASE (GTDB)[Interface Standard][CUST: PT TD 11] | A | 69GP | | 11 | 14-OCT-04 |
| | MIL-G-5514G NOT 1 | GLAND DESIGN; PACKINGS, HYDRAULIC, GENERAL REQUIREMENTS FOR[CUST: AV AS 99] [REVIEW: AR GS MI MR SH] | A | 1650 | | 71 | 01-DEC-96 |
| | SAE-AMS3880 | GLASS CERAMIC, CRYSTALLIZED[CUST: MR AS 11] [REVIEW: GS] | A | 9340 | | AS | 01-JAN-93 |
| | MIL-G-174B NOT 2 | GLASS, OPTICAL[CUST: EA OS 99] [REVIEW: AR AV GS MI] | A | 6650 | | EA | 28-JUL-04 |
| | MIL-G-413C NOT 1 | GLUE, MARINE, AND AVIATION MARINE (WATERPROOF)[CUST: SH 99] [REVIEW: AS EA MR SA] | A | 8040 | | SH | 16-FEB-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-G-81239(1) NOT 1 | GLYCEROL MONOOLEATE[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 20-MAY-92 |
| | MIL-G-48246 NOT 4 | GLYCERYL ESTER OF 12 HYDROXY STEARIC ACID[CUST: AR] [REVIEW: GS] | A | 6810 | | AR | 02-FEB-98 |
| | MIL-G-52996A(1) NOT 1 | GRADER, HEAVY, ROAD, MOTORIZED, DED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE)[CUST: AT] [REVIEW: CC] | A | 3805 | | AT | 09-MAR-98 |
| | MIL-G-52484B NOT 1 | GRADER, ROAD, MOTORIZED, DIESEL-ENGINE-DRIVEN, SECTIONALIZED AND NON-SECTIONALIZED[CUST: AT] [REVIEW: CC] | A | 3805 | | AT | 09-MAR-98 |
| | MIL-G-82438C NOT 1 | GRAIN, IGNITER, PROPELLANT[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-G-82682 NOT 1 | GRAPHITE BILLETS, EXTRUDED (FOR HIGH TEMPERATURE APPLICATION)[CUST: OS] | A | 9620 | | OS | 20-MAY-92 |
| | MIL-G-47316A NOT 1 | GRAPHITE, MOLDED, FOR HIGH TEMPERATURE APPLICATIONS[CUST: MI] | A | 9390 | | MI | 30-APR-96 |
| | MIL-G-14931 NOT 2 | GREASE, SILICONE FOR USE WITH AMMUNITION[CUST: AR] | A | 1375 | | AR | 08-AUG-97 |
| | MIL-G-70464(1) NOT 1 | GRENADE (GP), LINER FOR[CUST: AR] | A | 1330 | | AR | 20-FEB-97 |
| | MIL-G-51349E NOT 2 | GRENADE BODY[CUST: EA] | A | 1330 | | EA | 13-JUL-04 |
| | MIL-G-63343(4) NOT 2 | GRENADE XM74, HEMISPHERES FOR[CUST: AR] | A | 1330 | | AR | 10-JUL-98 |
| | MIL-G-50546B(3) NOT 1 | GRENADE, G.P., M42 BODY ASSEMBLY, TYPE PH, FOR[CUST: AR] | A | 1330 | | AR | 15-JUL-96 |
| | MIL-G-48165 NOT 2 | GRENADE, G.P.: M43A1 AND BOMB, BLU-18 CONTAINER ASSEMBLY FOR[CUST: AR] | A | 1330 | | AR | 12-AUG-97 |
| | MIL-G-63393(5) NOT 1 | GRENADE, GP, HE, M74 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1330 | | AR | 10-JUL-98 |
| | MIL-G-48047B(3) NOT 1 | GRENADE, GP, M46 BODY ASSEMBLY, TYPE CA, FOR[CUST: AR] | A | 1330 | | AR | 12-AUG-97 |
| | MIL-G-50937 NOT 1 | GRENADE, HAND, FRAGMENTATION, DELAY, M67 AND M33 CONTAINER ASSEMBLY FOR[CUST: AR] | A | 1330 | | AR | 17-FEB-99 |
| | MIL-G-51374(1) NOT 2 | GRENADE, HAND, RED SMOKE, RS, M4B[CUST: EA] | A | 1330 | | EA | 13-JUL-04 |
| | MIL-G-51375(1) NOT 2 | GRENADE, HAND, RIOT, CS, M47[CUST: EA] | A | 1330 | | EA | 13-JUL-04 |
| | MIL-G-60087F(3) NOT 2 | GRENADE, HAND, RIOT, CS, M7A3[CUST: EA] | X | 1330 | | EA | 19-JUL-04 |
| | MIL-G-12327J NOT 2 | GRENADE, HAND, SMOKE, HC, M8[CUST: EA MC 99] [REVIEW: 70] | A | 1330 | | EA | 09-JUL-04 |
| A | MIL-DTL-12326L(1) | GRENADE, HAND, SMOKE, M18[CUST: EA] | D | 1330 | | EA | 28-NOV-05 |
| | MIL-G-50975C(5) NOT 1 | GRENADE, HE, G.P., M42 LOADING AND ASSEMBLING[CUST: AR] | A | 1330 | | AR | 15-JUL-96 |
| | MIL-G-48062C(5) NOT 1 | GRENADE, HE, G.P., M46 LOADING AND ASSEMBLING[CUST: AR] | A | 1330 | | AR | 13-FEB-97 |
| | MIL-G-51478B(1) NOT 2 | GRENADE, LAUNCHER, SMOKE: SCREENING, RP, UK, L8A3[CUST: EA] | A | 1330 | | EA | 14-JUL-04 |
| | MIL-G-20473B(1) NOT 2 | GRENADE, RIFLE, SMOKE, COLORED, M22A2 LOADING, ASSEMBLING, MARKING, AND PACKING[CUST: AR OS] | A | 1330 | | AR | 01-SEP-97 |
| | MIL-G-11164A NOT 2 | GRENADE, RIFLE, SMOKE, COLORED, M22A2 METAL PARTS FOR[CUST: AR 99] | A | 1330 | | AR | 01-SEP-97 |
| | MIL-G-50935B(1) NOT 2 | GRENADES, GP, CONE FOR[CUST: AR] | A | 1330 | | AR | 05-MAR-97 |
| | MIL-G-50973B(1) NOT 1 | GRENADES, GP, M42 AND M46, TAPE STIFFENER ASSEMBLY FOR[CUST: AR] | A | 1330 | | AR | 14-AUG-97 |
| | MIL-G-48226B(2) NOT 1 | GRENADES, GP: M42 AND M46 LEAD CUP ASSEMBLY FOR[CUST: AR] | A | 1330 | | AR | 05-MAR-97 |
| | MIL-G-70477(2) NOT 2 | GRENADES, GP: M42 AND M46, INERT LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1330 | | AR | 03-JAN-97 |
| | MIL-DTL-1353G(2) | GRENADES, HAND; INERT COMPONENTS FOR[CUST: EA OS 70] [REVIEW: 99 AR MC NP] | D | 1330 | | EA | 26-OCT-04 |
| | MIL-STD-866B NOT 2 | GRINDING OF CHROME PLATED STEEL AND STEEL PARTS HEAT TREATED TO 180,000 PSI OR OVER[Military Standard][CUST: 99] | A | MFFP | | 70 | 09-DEC-96 |
| | MIL-DTL-25561B NOT 1 | GRIP ASSEMBLY, CONTROLLER, AIRCRAFT, TYPE MC-2[CUST: 99 GS1] [REVIEW: 71] | A | 1680 | | GS1 | 29-NOV-01 |
| | MIL-G-58103 NOT 2 | GRIP ASSEMBLY, CYCLIC CONTROLLER, HELICOPTER[CUST: AV AS 11] [REVIEW: GS] | A | 6620 | | AV | 24-MAY-05 |
| | MIL-G-48204 NOT 3 | GROMMET ASSEMBLY[CUST: AR] | A | 1110 | | AR | 21-JUN-95 |
| | MIL-G-17594B NOT 2 | GROMMET, PLASTIC, UNICELLULAR, HIGH DENSITY[CUST: IS] [REVIEW: 99] | A | 5325 | | IS | 25-JUN-96 |
| | MS25381F | GROMMETS, MOUNTING, INTEGRALLY ILLUMINATED INFORMATION PLATE[CUST: AS 99] | A | 6220 | | AS | 28-FEB-78 |
| | MIL-G-48090A(1) NOT 2 | GROMMETS, POLYCARBONATE (FOR SEPARATE LOADED PROJECTILE)[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 01-MAY-03 |
| A | MS25221G | GUARD, SWITCH, 2 OR 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5930 | | CC | 30-AUG-05 |
| A | MS24417K | GUARD, SWITCH, 2 OR 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5930 | | CC | 30-AUG-05 |
| A | MS25223H | GUARD, SWITCH, 3 POSITION[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5930 | | CC | 30-AUG-05 |
| | MIL-G-46858A NOT 2 | GUIDANCE AND CONTROL SYSTEMS, MISSILEBORNE, REMOTE CONTROL (COMMAND) GUIDED MISSILES, GENERAL SPECIFICATION FOR[CUST: MI AS 19] [REVIEW: 70 MC OS] | A | 1420 | | MI | 25-APR-96 |
| | MIL-G-82445(4) NOT 1 | GUIDANCE CONTROL TEST SET MARK 443 MOD 1 (FOR TORPEDO MK 46 MOD 0 AND MOD 1)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-G-85299 NOT 1 | GUIDED MISSILE LAUNCHER TEST SET, AN/ASM-464A[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 11-SEP-96 |
| | MIL-STD-176A NOT 1 | GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT AND BALANCE DATA REPORTING FORMS FOR[Military Standard][CUST: MI AS 99] [REVIEW: 70] | A | 14GP | | AS | 27-NOV-97 |
| | MIL-STD-176-3 NOT 1 | GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT AND BALANCE STATUS GUIDED MISSILES SPACE VEHICAL (PARTS 3A AND 3B)[Military Standard][CUST: MI AS 99] [REVIEW: 11] | A | 14GP | | AS | 27-NOV-97 |
| | MIL-STD-176-2 NOT 1 | GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT EMPLY DETAIL WEIGHT STATEMENT, GUIDED MISSILES SPACE VEHICLE (PART 2)[Military Standard][CUST: MI AS 99] | A | 14GP | | AS | 27-NOV-97 |
| | MIL-G-85231(1) NOT 2 | GUIDED WEAPON CONTROL GROUP OK-293A/AWW[CUST: AS] | A | 1430 | | AS | 04-APR-98 |
| | MIL-HDBK-765(1) NOT 2 | GUIDELINES FOR SAFE DESIGN OF POLYPHASE ELECTRICAL SYSTEMS[CUST: MI] | A | SAFT | | MI | 24-OCT-01 |
| | MIL-G-21110 NOT 2 | GUN BARREL, GENERAL SPECIFICATIONS FOR[CUST: OS] | A | 1035 | | OS | 30-SEP-98 |
| | MIL-G-23010A | GUN MECHANISM, 20MM, MARK 11 MOD 5 (ASSEMBLY)[CUST: AS] | A | 1005 | | AS | 21-AUG-89 |
| | MIL-G-45981(1) NOT 1 | GUN, AIR DEFENSE ARTILLERY, 20MM, TOWED,M167A1[CUST: AR] | A | 1005 | | AR | 11-DEC-95 |
| | MIL-G-45980(1) NOT 1 | GUN, AIR DEFENSE ARTILLERY, 20MM. SELF-PROPELLED, M163A1[CUST: AR] | A | 2350 | | AR | 22-JUL-96 |
| | MIL-G-21615(2) NOT 1 | GUN, AIRCRAFT, 20MM MARK 12 MOD O & MOD 3[CUST: AS] | A | 1005 | | AS | 10-JUN-83 |
| | MIL-G-45500/3(2) NOT 1 | GUN, AUTOMATIC, 20MM: M168[CUST: AR OS 99] [REVIEW: MC] | A | 1005 | | AR | 01-SEP-97 |
| | MIL-G-45500/4(2) NOT 1 | GUN, AUTOMATIC, 20MM: M195[CUST: AR OS 99] [REVIEW: MC] | A | 1005 | | AR | 14-MAR-97 |
| | MIL-G-45397D(2) NOT 1 | GUN, FIELD ARTILLERY, SELF PROPELLED, 175MM, M107, HOWITZER, HEAVY, SELF PROPELLED, 8 INCH, M110 AND M110A1[CUST: AR] | A | 2350 | | AR | 08-FEB-96 |
| | MIL-G-70790(1) NOT 1 | GUN, MACHINE, 40MM MK19 MOD 3[CUST: AR] | A | 1010 | | AR | 17-JAN-03 |
| | MIL-G-11725B(1) NOT 2 | GUN, TWIN 40 MM, SELF-PROPELLED M42A1[CUST: AT] | A | 2350 | | AT | 13-OCT-00 |
| | MIL-G-49377 NOT 1 | GUNNER S DISPLAY FOR AN/VSG-2[CUST: AR] [REVIEW: CR] | A | 5855 | | AR | 11-MAR-98 |
| | MIL-G-45279 NOT 2 | GYRO, DIRECTIONAL CN-998( )/ASN-43[CUST: CR] [REVIEW: GS] | A | 6615 | | CR | 29-MAY-96 |
| | MIL-G-18853C NOT 1 | GYRO, RATE (FOR TORPEDO MARK 37 MODS 2, AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-G-81065A(2) NOT 1 | GYRO-PENDULUM ASSEMBLY (FOR TORPEDO MK 46 MOD 0 AND MK 46 MOD 1)[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-G-45280 NOT 2 | GYROMAGNETIC COMPASS SET AN/ASN-43()[CUST: CR] [REVIEW: GS] | A | 6605 | | CR | 25-APR-97 |
| | MIL-G-81559C NOT 1 | GYROSCOPE ASSEMBLIES + ATTITUDE + DIRECTIONAL REFERENCE INSTRUMENTS FOR AIRCRAFT, PACKAGING OF[CUST: AV AS 11] [REVIEW: 71 99 GS SM] | A | 6610 | | AS | 04-SEP-96 |
| | MS3504A NOT 1 | GYROSCOPE ASSEMBLY, DISPLACEMENT CN-1359/AJB-3[CUST: AS] [REVIEW: GS] | A | 6615 | | AS | 29-JAN-97 |
| | MIL-G-83172B(6) NOT 1 | GYROSCOPE ASSEMBLY, RATE SBU-13/A[CUST: 99] [REVIEW: GS] | A | 6615 | | 71 | 15-JAN-96 |
| | MIL-G-23081C(1) NOT 1 | GYROSCOPE INDICATOR SYSTEM, VERTICAL[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MS17398B NOT 1 | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-G-25597D(5) NOT 1 | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH, TYPE MD-1[CUST: 99] [REVIEW: GS] | A | 6615 | | 71 | 15-JAN-96 |
| | MIL-G-83872A(2) NOT 1 | GYROSCOPE, DISPLACEMENT, TYPE SBU-23/A[CUST: 99] [REVIEW: GS] | A | 6615 | | 71 | 15-JUL-94 |
| | MS17399C NOT 2 | GYROSCOPE, RATE SWITCHING[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-G-23723(2) NOT 2 | GYROSCOPE, RATE SWITCHING CN-495/AJB-3[CUST: AS] [REVIEW: GS] | A | 6615 | | AS | 29-JAN-97 |
| | MIL-G-23083C NOT 1 | GYROSCOPE, RATE SWITCHING MS 17399[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-G-25591E(1) NOT 1 | GYROSCOPE, RATE, SWITCHING, TYPE MC-1[CUST: 99] [REVIEW: GS] | A | 6615 | | 71 | 15-JAN-96 |
| | MIL-G-83824 NOT 1 | GYROSCOPE, RATE, TYPE I, TYPE II, AND TYPE III[CUST: 99] [REVIEW: GS] | A | 6615 | | 70 | 15-MAY-97 |
| | MIL-H-226F NOT 2 | HALYARDS, SIGNAL, BRAIDED TREATED[CUST: GL 99 IS] | A | 4020 | | IS | 16-JUN-97 |
| | MIL-H-2514D NOT 1 | HAMMER, PILEDRIVER, DROP, 1,800 AND 3,000 POUNDS[CUST: AT 99] [REVIEW: CC CE] | A | 3895 | | AT | 09-MAR-98 |
| | MS14136C NOT 2 | HANDLE[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MIL-H-85478A NOT 2 | HANDLE, BEADED, INFLATION ASSEMBLY[CUST: AS] | A | 4220 | | AS | 30-JUL-97 |
| | MS14271C NOT 1 | HANDLE, COUPLING, PNEUMATIC STARTER[CUST: AS IS] | A | 5340 | | IS | 16-JUN-97 |
| | A-A-56012 NOT 1 | HANDLE, FOLDING, FEMALE 90 DEG. DETENT[CUST: MI] | A | 5340 | / | MI | 24-OCT-01 |
| | A-A-56014 NOT 1 | HANDLE, FOLDING, MALE 65 DEG. DETENT[CUST: MI] | A | 5340 | / | MI | 24-OCT-01 |
| | A-A-56013 NOT 1 | HANDLE, FOLDING, MALE 90 DEG. DETENT[CUST: MI] | A | 5340 | / | MI | 24-OCT-01 |
| | A-A-56011 NOT 1 | HANDLE, FOLDING, MALE 90 DEG. DETENT[CUST: MI] | A | 5340 | / | MI | 24-OCT-01 |
| | MS18012A NOT 1 | HANDLE, METAL, SPRING BAIL TYPE[CUST: MI OS] [REVIEW: CR4 IS] | A | 5340 | | MI | 22-APR-98 |
| M | MIL-H-8810B NOT 3 | HANDLES, CONTROL, AIRCRAFT[CUST: AV 99] [REVIEW: 71] | A | 1680 | | GS1 | 05-APR-06 |
| M | MS26517 NOT 3 | HANDLES, CONTROL, AIRCRAFT THROTTLE, LARGE[CUST: AV AS 99] | A | 1680 | | GS1 | 05-APR-06 |
| | MIL-H-13253D SUP 1 NOT 1 | HANDSET[CUST: CR EC 11 CC] [REVIEW: CG MC SH SM] | A | 5965 | | CC | 02-NOV-98 |
| | MIL-H-11134F NOT 1 | HANDSET H-33( )/PT[CUST: CR CC] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-H-11996B NOT 1 | HANDSET H-60/PT, HANDSET H-156/U, AND HANDSET H-165/U[CUST: CR EC 11 CC] [REVIEW: 99 AR MI SM] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-H-11996/2 NOT 2 | HANDSET, H-156()/PT[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-H-11996/3 NOT 2 | HANDSET, H-165()/PT[CUST: CR EC 11 CC] [REVIEW: 99 EA MI] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-H-11996/1 NOT 2 | HANDSET, H-60()/PT[CUST: CR EC 11 CC] [REVIEW: 99 MI] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-H-13253/4A NOT 1 | HANDSET, TYPE H-23( )/U[CUST: CR SH CC] [REVIEW: 99 AR AS CG MC MI] | A | 5965 | | CC | 25-MAR-88 |
| | MIL-H-9859A NOT 1 | HANDWHEEL, ORDNANCE[CUST: AR OS 99 IS] [REVIEW: AT CR4 MC MI] | A | 5340 | | IS | 16-JUN-97 |
| | MS21312A NOT 1 | HANDWHEEL-REVOLVING HANDLE, WITH KEYWAY[CUST: AR OS 99 IS] [REVIEW: AT CR4 MC MI] | A | 5340 | | IS | 31-JUL-97 |
| | MS39026A NOT 2 | HANGER, CABLE (POLE LINE)[CUST: CR 11] [REVIEW: 99 MC] | A | 5975 | | GS2 | 21-FEB-03 |
| | MIL-H-9890E NOT 1 | HARDWARE, INDIVIDUAL LOAD CARRYING EQUIPMENT: AND HARDWARE, MISCELLANEOUS[CUST: GL IS] [REVIEW: AR AV EA MI] | A | 5340 | | IS | 31-JUL-97 |
| A | MS16068A NOT 3 | HARNESS, AIRCRAFT SAFETY, PILOT'S SHOULDER V TYPE[CUST: AS GS1] | A | 1680 | | GS1 | 12-JAN-06 |
| A | MS16069A NOT 3 | HARNESS, AIRCRAFT SAFETY, PILOT'S SHOULDER Y TYPE[CUST: AS GS1] | A | 1680 | | GS1 | 12-JAN-06 |
| | MIL-H-51111B(2) NOT 1 | HARNESS, HEAD, C15[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 25-MAR-96 |
| | MIL-H-19089B NOT 1 | HARNESS, INTEGRATED PARACHUTE[CUST: AS 11] [REVIEW: 71 99 GS] | A | 1670 | | AS | 28-AUG-96 |
| | MIL-H-5364D(3) NOT 2 | HARNESSES, SHOULDER SAFETY, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 1680 | | 11 | 20-OCT-97 |
| | MIL-H-15362B NOT 2 | HARNESSES; TEST BENCH, AVIONIC EQUIPMENT GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: 99 GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-DTL-29181C(1) NOT 1 | HASP, HIGH SECURITY, SHROUDED, FOR HIGH AND MEDIUM SECURITY PADLOCK[CUST: YD 99 IS] [REVIEW: 71 AS MC NO] | A | 5340 | | IS | 05-AUG-02 |
| | MIL-H-60132(3) NOT 2 | HEAD ASSEMBLY, TANK PERISCOPE, 10513625[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 16-JUL-96 |
| | MIL-H-14844B(3) NOT 1 | HEAD ASSEMBLY: 8619900[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-H-48620(2) NOT 1 | HEAD ASSEMBLY: 11747439 (PERISCOPE M32CE1)[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MS51318B NOT 2 | HEADLIGHT, BLACKOUT, 24-VOLT WATERPROOF[CUST: AT 99 IS] [REVIEW: CR4] | A | 6220 | | IS | 12-MAR-04 |
| | MIL-H-51182A NOT 2 | HEADPIECE, HOSPITAL COLLECTIVE PROTECTOR, M13A1[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 28-JUL-04 |
| | MIL-H-46354A(2) NOT 1 | HEADREST, OPTICAL INSTRUMENT[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | QPL-46354-13 NOT 1 | HEADREST, OPTICAL INSTRUMENT | A | 1240 | | AR | 21-JUN-01 |
| | MIL-H-19387A NOT 1 | HEADS, SPRINKLER AND WASHDOWN[CUST: SH] [REVIEW: CC] | A | 4510 | | SH | 02-JUN-87 |
| | MIL-H-49092 NOT 2 | HEADSET MICROPHONE H-325( )/TTC[CUST: CR CC] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-H-49195 NOT 1 | HEADSET MICROPHONE KIT MK-1974( )/VRC[CUST: CR CC] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-H-11190D NOT 2 | HEADSET, ELECTRICAL AND HEADSET MICROPHONES[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-H-11190/3 NOT 2 | HEADSET, ELECTRICAL AND HEADSET MICROPHONES HEADSET ELECTRICAL TYPE H-113(/U)[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-H-11190/1 NOT 2 | HEADSET, ELECTRICAL AND HEADSET MICROPHONES HEADSET MICROPHONE TYPE H-62(/U)[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-H-11190/2 NOT 2 | HEADSET, ELECTRICAL AND HEADSET MICROPHONES HEADSET MICROPHONE TYPE H-63(/U)[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5965 | | CC | 30-MAR-99 |
| A | MIL-DTL-27467B | HEADSET, ELECTRICAL H-154A/AIC[CUST: 11 CC] [REVIEW: 99] | A | 5965 | | CC | 09-SEP-05 |
| | MIL-H-49161 NOT 1 | HEADSET-MICROPHONE KIT MK-1697( )/G[CUST: CR] | A | 5965 | | CR | 29-MAR-96 |
| | MIL-H-49198A NOT 1 | HEADSET-MICROPHONE KIT, MK-1564( )/AIC[CUST: CR EC 11 CC] | A | 5965 | | CC | 09-JAN-91 |
| | MIL-H-58108 NOT 1 | HEADSET-MICROPHONE KITMK-2193/A1C[CUST: AV CC] | A | 5965 | | CC | 30-MAR-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS17241B(1) NOT 2 | HEAT INTERCHANGER, REFRIGERANT-12[CUST: GL YD 99 IS] [REVIEW: 84 CE GS MC MD SH] | A | 4130 | | IS | 14-MAY-02 |
| | MIL-H-22832B NOT 2 | HEAT INTERCHANGERS, REFRIGERANT 12[CUST: GL YD 99 IS] [REVIEW: 84 CE CR4 MC] | A | 4130 | | IS | 21-NOV-94 |
| | MIL-PRF-62315C NOT 1 | HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 60,000 BTU/HR (USE MIL-PRF-62550)[CUST: AT CC] | A | 2540 | | AT | 19-DEC-97 |
| | MIL-H-22881E NOT 1 | HEATER SYSTEMS, WATER, STEAM HEATED NON-STORAGE TYPE[CUST: SH] | A | 4520 | | SH | 10-JUL-99 |
| | MIL-H-5484C(1) NOT 1 | HEATER, AIRCRAFT, COMBUSTION TYPE[CUST: AV AS 11] [REVIEW: GS] | A | 1660 | | AS | 23-JUL-97 |
| | MIL-H-3117C(1) NOT 1 | HEATER, CONVECTION, STEAM AND HOT WATER[CUST: SH] [REVIEW: CC CR4 YD] | A | 4520 | | SH | 22-APR-98 |
| | MIL-H-3177C NOT 1 | HEATER, COOLANT, ENGINE, MULTIFUEL BURNING, 24 VOLT DC[CUST: AT MC 99] [REVIEW: AV CC CR4 MI] | A | 2990 | | AT | 30-SEP-98 |
| | MIL-H-43540C NOT 1 | HEATER, IMMERSION, M67, LIQUID FUEL FIRED, FOR CORRUGATED CANS[CUST: GL YD] [REVIEW: IS MC MD1] | A | 4540 | | GL | 07-NOV-97 |
| | MIL-H-22663(3) NOT 1 | HEATER, SPACE, ELECTRIC, BLOWER, RADIANT AND TURRET (NAVAL SHIPBOARD)[CUST: SH] [REVIEW: CC] | A | 4520 | | SH | 22-APR-98 |
| | MIL-H-15289B NOT 1 | HEATER, SPACE, ELECTRIC, RADIANT, PANEL TYPE[CUST: SH] [REVIEW: CC] | A | 4520 | | SH | 22-APR-98 |
| | MIL-H-11511G(3) NOT 1 | HEATER, SPACE, MULTIFUEL, WITH BLOWER 60,000 BTU/HR[CUST: CR4 99] [REVIEW: CC MC MI] | A | 4520 | | CR4 | 18-JUL-97 |
| | MIL-H-44086B NOT 1 | HEATER, WATER, LIQUID FUEL[CUST: GL 99] [REVIEW: 84 IS MD1] | A | 4520 | | GL | 07-NOV-97 |
| | MIL-H-51171F NOT 2 | HEATER, WATER, LIQUID FUEL, SKID MOUNTED, 600 GPH, M2[CUST: EA] | A | 4410 | | EA | 03-AUG-04 |
| | MIL-H-52213F NOT 1 | HEATERS, HOT OIL[CUST: AT] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-H-13514H NOT 1 | HEATERS, SPACE, RADIANT TYPE, PORTABLE, 45,000 BTU/HR, (H-45)[CUST: GL YD 99] [REVIEW: 84 IS MD1] | A | 4520 | | GL | 29-JUL-97 |
| | MIL-H-52204E NOT 1 | HEATERS, SPACE: MULTI FUEL, WITH BLOWER, 15,000 BTU/HR[CUST: CR4 YD 99] [REVIEW: 84 AT CC CR MC MI] | A | 4520 | | CR4 | 11-AUG-97 |
| | MIL-STD-2179B NOT 1 | HELICAL DIGITAL RECORDING FORMAT FOR 19-MM MAGNETIC TAPE CASSETTE RECORDER/REPRODUCERS[Military Standard][CUST: CR AS 99] [REVIEW: EC MC NS SH] | A | 5895 | | AS | 30-OCT-98 |
| | MIL-H-85047A(3) NOT 1 | HELMET ASSEMBLY, HGU-34/P[CUST: AS] | A | 8475 | | AS | 30-APR-01 |
| | MIL-H-83147(3) NOT 1 | HELMET SHELL, FLYING, HGU-22/P[CUST: 99] | A | 8475 | | 11 | 18-JUL-97 |
| | MIL-H-43925D NOT 1 | HELMET, FLYER S, PROTECTIVE, SPH-4[CUST: GL CT] [REVIEW: MD] | A | 8415 | | CT | 04-JAN-00 |
| | MIL-H-87140A NOT 1 | HELMET, FLYER'S HGU-36/P[CUST: 11] [REVIEW: 84 99] | A | 8475 | | 11 | 31-MAR-97 |
| | MIL-H-24616A NOT 1 | HELMET, NAVAL SHIPBOARD (MK 5 MOD 0)[CUST: CT] | A | 8470 | | CT | 04-APR-98 |
| | MIL-H-235C(1) NOT 2 | HEXACHLOROETHANE, TECHANICAL[CUST: EA AS 68] [REVIEW: AR GS MC MD OS] | A | 6810 | | EA | 08-JUL-04 |
| | MIL-H-2987B NOT 1 | HIDER, FLASH[CUST: AR OS] [REVIEW: 84 MC] | A | 1005 | | AR | 14-MAR-97 |
| | MIL-H-48408A NOT 1 | HIGH VOLTAGE POWER SUPPLY, 11739861[CUST: AR] | A | 1240 | | AR | 14-FEB-97 |
| | MIL-H-9850C SUP 1 NOT 1 | HINGE, BUTT, CONTINOUS, PIANO[CUST: CR 99 IS] [REVIEW: AR AS CR4 EA MC MI] | A | 5340 | | IS | 01-OCT-97 |
| | MS27958B NOT 1 | HINGE, BUTT, NARROW AND BROAD, TEMPLATE, BRASS[CUST: AR YD 99] [REVIEW: AV CR4 EA GL IS MC MI SH] | A | 5340 | | AR | 03-AUG-99 |
| | MS27956B NOT 1 | HINGE, BUTT, NARROW AND BROAD, TEMPLATE, STEEL[CUST: AR YD 99] [REVIEW: AV CR4 IS MI SH] | A | 5340 | | AR | 02-AUG-99 |
| | MS27960B NOT 1 | HINGE, BUTT, NARROW LIGHT, NON-TEMPLATE[CUST: AR YD 99 IS] [REVIEW: CR4 EA GL MC SH] | A | 5340 | | IS | 22-AUG-97 |
| | MS35824D(1) | HINGE, CONTINUOUS (PIANO) .050 THICKNESS, .187 PIN DIA[CUST: AR AS 99] [REVIEW: 71 AT AV MC] | A | 5340 | | IS | 10-MAY-02 |
| | MS35827D(1) | HINGE, CONTINUOUS (PIANO) .060 THICKNESS .250 PIN DIA[CUST: AT AS 99 IS] [REVIEW: 71 AV MC] | A | 5340 | | IS | 10-MAY-02 |
| | MS35828D(1) | HINGE, CONTINUOUS, (PIANO) 0.60 THICKNESS .312 AND .375 PIN DIA[CUST: AT AS 99 IS] [REVIEW: 71 AV MC] | A | 5340 | | IS | 16-MAY-02 |
| | DS14269 NOT 2 | HINGE, CONTINUOUS, METRIC[CUST: AS] [REVIEW: IS] | A | 5340 | | AS | 17-SEP-97 |
| | MS27964B NOT 1 | HINGE, STRAP, CABINET[CUST: AR YD 99 IS] | A | 5340 | | IS | 22-AUG-97 |
| | MIL-H-15317C NOT 3 | HOISTS, CHAIN OR WIRE ROPE, ELECTRIC POWER OPERATED, LUG, HOOK, OR TROLLEY SUSPENSION AND BASE MOUNTED[CUST: AV SH 99] [REVIEW: 84 CC MC MP OS SA] | A | 3950 | | SH | 18-FEB-03 |
| | MIL-H-904J NOT 1 | HOISTS, CHAIN, HAND-OPERATED, HOOK AND TROLLEY SUSPENSION[CUST: SH 99] [REVIEW: 84 CC CG MC MP SA YD] | A | 3950 | | SH | 18-FEB-03 |
| | MIL-H-48398 NOT 2 | HOLDER, BLASTING CAP, M8[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| | MIL-H-48085A NOT 2 | HOLDER, PROPELLANT FOR 4.2 INCH AMMUNITION[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |
| | GGG-H-575(1) NOT 1 | HOLDER, SHEET METAL, HOLE AND EDGE GRIP[CUST: AS] [REVIEW: GS] | A | 5120 | / | AS | 19-APR-01 |
| | MIL-H-60840 NOT 2 | HOLDER, STRIP, ASSEMBLY, METAL PARTS[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-H-60648(1) NOT 1 | HOLDER, STRIP, LOADED, ASSEMBLY MB, M9, M10, XM12, M19 OR XM25 AIRCRAFT EJECTION SEAT CATAPULT[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-H-46906D NOT 4 | HOLDERS, INCREMENT M1A1, M2A1 AND M3 PARTS FOR[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |
| | MIL-H-21623B NOT 1 | HOLDERS, RADIAC SAMPLE[CUST: SH] [REVIEW: GS] | A | 6665 | | SH | 22-APR-98 |
| | MS33743A NOT 2 | HOLES, CONTROL KNOB SHAFT[CUST: AS] | A | 5355 | | AS | 18-SEP-96 |
| | MIL-H-81500A(1) NOT 2 | HOOD, ANTI-EXPOSURE COVERALL[CUST: AS] [REVIEW: CT] | A | 8475 | | AS | 01-FEB-00 |
| | MIL-H-81843C NOT 1 | HOOD, FLYER'S, ANTI-EXPOSURE, INFLATABLE, HGU-32/P[CUST: GL AS] [REVIEW: AV] | A | 8475 | | AS | 16-JUL-97 |
| | MIL-H-639D NOT 1 | HOOK (FOR BELTS, STRAPS, AND EQUIPAGE ITEMS)[CUST: GL YD 99 IS] [REVIEW: 71 CR4 EA MC] | A | 5340 | | IS | 31-JUL-97 |
| | MIL-H-48215 NOT 3 | HOOK (MODIFIED)[CUST: AR] | A | 1190 | | AR | 21-JUN-95 |
| | MS87006 NOT 1 | HOOK, CHAIN AND S[CUST: AR CC] [REVIEW: CR4 GL MC MI] | A | 4030 | | CC | 01-OCT-97 |
| | MIL-DTL-81014B | HOOK, HELICOPTER EXTERNAL CARGO, 20,000 POUND CAPACITY, TYPE C[CUST: AV AS] [REVIEW: GS] | A | 1670 | | AS | 02-FEB-01 |
| | MIL-H-21594C NOT 1 | HOOKPOINT, AIRCRAFT ARRESTING[CUST: AS] | A | 1710 | | AS | 06-JUL-92 |
| | MIL-H-6536D NOT 1 | HORN AND VALVE, CREW MEMBERS' RELIEF, PRESSURIZED AIRCRAFT[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 11 | 26-SEP-97 |
| | MIL-H-51391B(1) NOT 2 | HORN, ELECTRICAL[CUST: EA] | X | 6350 | | EA | 29-JUL-04 |
| A | MIL-H-81581/1A(2) NOT 3 | HOSE ASSEMBLIES, AIR, LOW PRESSURE, HIGHLY FLEXIBLE[CUST: AV AS 11] | A | 4720 | | AS | 20-JUL-05 |
| | MIL-H-81581A(3) SUP 1 NOT 1 | HOSE ASSEMBLIES, BREATHING OXYGEN AND AIR, GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: 99] | A | 4720 | | AS | 16-OCT-00 |
| | MIL-H-81581/6A(1) NOT 3 | HOSE ASSEMBLIES, BREATHING OXYGEN AND AIR; HOSE KITS AND MATED ASSEMBLIES[CUST: AS 99] | A | 4720 | | AS | 16-OCT-00 |
| A | MIL-H-81581/2A(3) NOT 2 | HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE WITH CONNECTIONS FOR AN INTEGRATED COMMUNICATION SYSTEM[CUST: AS] [REVIEW: 11] | A | 4720 | | AS | 20-JUL-05 |
| A | MIL-H-81581/3A(2) NOT 3 | HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE, WITHOUT CONNECTIONS FOR COMMUNICATION SYSTEM[CUST: AV AS 11] | A | 4720 | | AS | 20-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-H-81581/5A(2) NOT 2 | HOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE CONNECTOR TO REGULATOR[CUST: AS 99] | A | 4720 | | AS | 15-APR-02 |
| A | MIL-H-81581/4A(1) NOT 3 | HOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE, WITH/WITHOUT CONNECTIONS FOR AN INTEGRATED COMMUNICATION SYSTEM[CUST: AS 99] | A | 4720 | | AS | 20-JUL-05 |
| | MIL-H-81581/8(1) NOT 2 | HOSE ASSEMBLIES, CABLE ASSEMBLIES, COMMUNICATION, ASSOCIATED[CUST: AS 99] | A | 4720 | | AS | 16-OCT-00 |
| A | MIL-H-81581/7(1) NOT 3 | HOSE ASSEMBLIES, COMBINED ASSEMBLIES, HOSE AND COMMUNICATION CABLE[CUST: AS 99] | A | 4720 | | AS | 20-JUL-05 |
| | MIL-H-24239(2) NOT 1 | HOSE ASSEMBLIES, HYDRAULIC, NONMAGNETIC, FOR MINESWEEPING TENSIOMETERS[CUST: SH] | A | 1075 | | SH | 22-APR-98 |
| | MIL-H-22343A(2) NOT 1 | HOSE ASSEMBLIES, METAL, LIQUID OXYGEN[CUST: AS] | A | 4720 | | AS | 13-AUG-97 |
| | MS22055F NOT 1 | HOSE ASSEMBLIES-OXYGEN BREATHING, CONNECTOR TO REGULATOR[CUST: AV AS 99] [REVIEW: 71] | A | 4720 | | AS | 13-AUG-97 |
| | MS90339E NOT 2 | HOSE ASSEMBLY, OXYGEN MASK TO CONNECTOR[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1660 | | AS | 27-AUG-97 |
| | MIL-H-82127A(4) NOT 1 | HOSE ASSEMBLY, RUBBER (SYNTHETIC), FUEL, DISCHARGE, COLLAPSIBLE[CUST: MC] | A | 4720 | | MC | 05-APR-99 |
| | MS24548J NOT 2 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, OXYGEN[CUST: AV AS 99] [REVIEW: 11 CC] | A | 4720 | | 71 | 14-JAN-04 |
| | MIL-H-18158E NOT 1 | HOSE DUCTING, LOW PRESSURE, NAVAL SHIPBOARD PORTABLE, VENTILATING SET USE[CUST: SH] [REVIEW: AR YD] | A | 4720 | | SH | 10-JUL-99 |
| | MIL-DTL-14506H NOT 1 | HOSE, AIR DUCT: FOR FILTER UNITS[CUST: EA SH 99] [REVIEW: 84 CC GS MC] | A | 4240 | | EA | 28-JUL-04 |
| | MS27797C NOT 3 | HOSE, OXYGEN AND PRESSURIZATION OZONE RESISTANT[CUST: AT 99] [REVIEW: 11 CC] | A | 4720 | | 71 | 27-JUL-04 |
| | ZZ-H-617C(1) | HOSE, RUBBER, WINDSHIELD WIPER[CUST: AT MC 99 CC] [REVIEW: 71 SA] | A | 4720 | / | CC | 31-MAR-03 |
| | MIL-H-52471/6A | HOSE, RUBBER: HYDRAULIC PRESSURE TYPE: TYPE 100R10 FOUR SPIRAL WRAP REINFORCEMENT HOSE[CUST: AT 99] [REVIEW: 71 AR GL] | A | 4720 | | CC | 31-JUL-87 |
| | MIL-H-21303D(2) NOT 2 | HOT CUPS, LIQUID, ELECTRIC[CUST: AS 99 SS] [REVIEW: 11] | A | 7310 | | SS | 16-APR-03 |
| | MS33556B NOT 1 | HOUSING, INDICATOR[CUST: AS 99] | A | 66GP | | 71 | 15-NOV-96 |
| | MIL-H-64033A NOT 1 | HOUSING, MOLDED, FOR ANTI-PERSONNEL MINE M131 SYSTEM[CUST: AR] | A | 1345 | | AR | 19-AUG-97 |
| | MIL-H-7750B(1) NOT 2 | HOUSING, PARACHUTE RIPCORD[CUST: GL AS 99 GS1] [REVIEW: 11 71 AV MC MD] | A | 1670 | | GS1 | 27-OCT-99 |
| | MIL-H-63192 NOT 1 | HOWITZER, LIGHT, TOWED, 105MM, M204[CUST: AR] | A | 1015 | | AR | 29-NOV-95 |
| | MIL-H-45586A(3) NOT 1 | HOWITZER, LIGHT, TOWED, 105MM: M102[CUST: AR] | A | 1015 | | AR | 29-NOV-95 |
| | MIL-H-62185 NOT 2 | HOWITZER, MEDIUM, SELF PROPELLED, M109 (FRG)[CUST: AT] | A | 2350 | | AT | 13-OCT-00 |
| | MIL-H-45984B(2) NOT 1 | HOWITZER, MEDIUM, TOWED, 155MM: M198[CUST: AR] | A | 1025 | | AR | 28-NOV-95 |
| | MIL-H-85330A NOT 2 | HYBRID TEST SYSTEM[CUST: AS] | A | 6625 | | AS | 28-AUG-96 |
| | MIL-H-8890 NOT 1 | HYDRAULIC COMPONENTS, TYPE III (-65 DEG TO PLUS 450 DEG F) GENERAL SPECIFICATION FOR (ASG)[CUST: AS 99] [REVIEW: GS] | A | 1650 | | 71 | 21-JUN-96 |
| | MIL-H-53119(1) NOT 1 | HYDRAULIC FLUID, NONFLAMMABLE, CHLOROTRIFLUOROETHYLENE BASE[CUST: AT 11] [REVIEW: 68 GS MD SM] | A | 9150 | | AT | 11-SEP-98 |
| A | MIL-PRF-5606H(2) | HYDRAULIC FLUID, PETROLEUM BASE; AIRCRAFT, MISSILE, AND ORDNANCE[CUST: AT AS 11] [REVIEW: 68 AR DS GS MI OS SA SH SM] | A | 9150 | | 11 | 27-OCT-05 |
| | MIL-H-87227(3) NOT 1 | HYDRAULIC POWER SYSTEMS[CUST: 11] [REVIEW: GS] | D | 1650 | | 11 | 19-DEC-97 |
| | MIL-H-8891A NOT 1 | HYDRAULIC SYSTEMS, MANNED FLIGHT VEHICLES, TYPE III DESIGN, INSTALLATION AND DATA REQUIREMENTS FOR, GENERAL SPECIFICATION FOR[CUST: AS 99] [REVIEW: AV GS] | A | 1650 | | 71 | 21-JUN-96 |
| | MIL-H-13528B NOT 4 | HYDROCHLORIC ACID, INHIBITED, RUST-REMOVING[CUST: MR GS3] [REVIEW: AT AV CR4 MD1 MI SM] | A | 6850 | | GS3 | 24-FEB-04 |
| | MIL-H-22868 NOT 1 | HYDROGEN PEROXIDE, E-STABILIZED, 70 PERCENT AND 90 PERCENT (FOR TORPEDO USE)[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 31-JUL-96 |
| | MIL-HDBK-1005/2 NOT 1 | HYDROLOGY[CUST: YD] | A | FACR | | YD | 09-MAY-97 |
| | MIL-STD-905 NOT 4 | IDENTIFICATION, NYLON CORD MANUFACTURERS COLOR CODE[Military Standard][CUST: GL AS 11 IS] [REVIEW: SH] | A | 4020 | | IS | 30-OCT-03 |
| | MIL-I-51466(2) NOT 2 | IGNITER[CUST: EA] | A | 1365 | | EA | 14-JUL-04 |
| | MIL-I-82437(3) NOT 1 | IGNITER[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-I-50755A NOT 1 | IGNITER ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-60347(1) NOT 2 | IGNITER ASSEMBLY FOR CARTRIDGES, 90MM, AP-T, M318A1 AND 90MM, TP-T, M353E1[CUST: AR] | A | 1315 | | AR | 16-JUL-96 |
| | MIL-I-14925A(2) NOT 2 | IGNITER ASSEMBLY, M76 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1336 | | AR | 10-JUL-96 |
| | MIL-I-48110B(2) NOT 2 | IGNITER ASSEMBLY, ROCKET, FOR DEMOLITION KIT, CRATERING, M180[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| | MIL-I-60667A(2) NOT 2 | IGNITER, AUXILIARY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-12597C(2) NOT 1 | IGNITER, BLASTING FUSE, FRICTION TYPE, M3A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-APR-96 |
| | MIL-I-70534(2) NOT 1 | IGNITER, ELECTRIC MATCH PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1370 | | AR | 03-JAN-97 |
| | MIL-I-46434C(1) NOT 2 | IGNITER, ELECTRIC, M59, PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 05-FEB-96 |
| | MIL-I-46224E NOT 1 | IGNITER, ELECTRIC, PRIMER, M63, PARTS FOR, AND LOADING ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 22-JUL-96 |
| | MIL-I-13145 NOT 2 | IGNITER, ELECTRIC, T14E2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 22-APR-96 |
| | MIL-I-22027 NOT 1 | IGNITER, JET ENGINE, MK 243 MOD 2[CUST: AS] | A | 1375 | | AS | 11-SEP-96 |
| | MIL-I-60476A NOT 2 | IGNITER, MARK 125 MOD 5, LOADING ASSEMBLING AND PACKING[CUST: OS] | A | 1340 | | OS | 10-JUL-99 |
| | MIL-I-23062(2) NOT 1 | IGNITER, MARK 247 MOD O[CUST: OS] | A | 1336 | | OS | 10-JUL-99 |
| | MIL-I-60676A(1) NOT 2 | IGNITER, PRIMARY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-46521D(1) NOT 1 | IGNITER, PRIMER, ELECTRIC, M74 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 12-FEB-97 |
| | MIL-I-46520D NOT 1 | IGNITER, PRIMER, ELECTRIC, M74 PARTS FOR[CUST: AR] | A | 1390 | | AR | 13-AUG-97 |
| | MIL-I-82532(1) | IGNITER, ROCKET MOTOR MARK 251 MOD 0[CUST: OS] | A | 1340 | | OS | 23-FEB-89 |
| | MIL-I-23298A(2) NOT 1 | IGNITER, ROCKET MOTOR, LOADED MK 181 MOD 0 AND MK 200 MOD 0[CUST: OS] | A | 1337 | | OS | 10-JUL-99 |
| | MIL-I-12822C NOT 2 | IGNITER, ROCKET MOTOR, M26 PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 22-APR-96 |
| | MIL-I-46231B(1) NOT 2 | IGNITER, ROCKET MOTOR, T21E2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 22-JUL-96 |
| | MIL-I-10634D NOT 2 | IGNITER, ROCKET, M20A1 FOR ROCKET, M28A2, M29A2 AND M30 LOADING, ASSEMBLING AND PACKING[CUST: AR OS] | A | 1340 | | AR | 14-MAR-97 |
| | MIL-I-394G NOT 2 | IGNITER, TIME, BLASTING FUSE, WEATHERPROOF, M60, PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-APR-96 |
| | MIL-I-50867B(1) NOT 1 | IGNITION ELEMENT ELECTRICAL LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 15-JUL-96 |
| | MIL-I-23488(1) NOT 2 | IGNITION ELEMENT, ELECTRIC, MARK 10 MOD 0[CUST: AS] | A | 1375 | | AS | 11-SEP-96 |
| | MIL-I-50860(1) NOT 2 | IGNITION ELEMENT, ELECTRICAL, PARTS FOR[CUST: AR] | A | 1320 | | AR | 15-JUL-96 |
| | MIL-I-82877 NOT 1 | IGNITION ELEMENT, PVU-15/B[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-I-13857B(1) NOT 2 | IMPREGNATION OF METAL CASTINGS[CUST: MR SH 11] [REVIEW: AR AS DH EC PT] | A | MFFP | | MR | 23-MAR-98 |
| | MIL-I-70698(2) NOT 1 | IMPROVED LIFTING TARGET ELEVATING MECHANISM: 9375512[CUST: AR] | A | 6920 | | AR | 27-AUG-97 |
| | MIL-HDBK-1003/2 NOT 1 | INCINERATORS[CUST: YD] | A | FACR | | YD | 09-MAY-97 |
| | AN5744 REV 2 NOT 1 | INCLINATOR & AIRCRAFT, BALL STYLE[CUST: AV AS] [REVIEW: GS] | A | 6610 | | AS | 04-SEP-96 |
| | MIL-I-6726B NOT 2 | INCLINOMETER, AIRCRAFT[CUST: AS 99 GS1] | A | 6610 | | GS1 | 17-NOV-03 |
| | MIL-I-60016A(5) NOT 2 | INCREMENTS, PROPELLANT FOR CHARGE, PROPELLING, M36A1 (MADE FROM PROPELLANT, M8)[CUST: AR] | A | 1376 | | AR | 16-JUL-96 |
| | MIL-I-48086(4) NOT 1 | INCREMENTS, PROPELLANT FOR CHARGE, PROPELLING, M36A2 (MADE FROM PROPELLANT M8)[CUST: AR] | A | 1376 | | AR | 13-FEB-97 |
| | MS25317F NOT 2 | INDEXER, APPROACH[CUST: AS 99] [REVIEW: GS] | A | 6220 | | AS | 24-JUL-96 |
| | MS28027A NOT 1 | INDICATOR - COURSE, ID-250A/ARN[CUST: 99] [REVIEW: GS] | A | 5826 | | 84 | 01-FEB-96 |
| A | MS24572C NOT 2 | INDICATOR - POSITION VARIABLE NOZZLE[CUST: 99 GS1] | A | 6620 | | GS1 | 24-OCT-05 |
| | MS28013A NOT 3 | INDICATOR - POSITION, HORIZONTAL STABILIZER[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MS28023A NOT 3 | INDICATOR - POSITION, WING FLAPS, PERCENT MARKING[CUST: AV AS 99] [REVIEW: 11 GS] | A | 6610 | | 71 | 15-JAN-96 |
| A | MS28009B NOT 3 | INDICATOR - TEMPERATURE, ELECTRICAL RESISTANCE MULTI-FUNCTION, -70 TO +150 C, 2-INCH SIZE[CUST: AV AS 99] [REVIEW: 71 GL4 MI] | A | 6685 | | GS1 | 19-SEP-05 |
| A | MIL-I-5099B(1) NOT 3 | INDICATOR CABIN AIR PRESSURE, 1-7/8 INCH DIAL, TYPE MA-1[CUST: CG 99] [REVIEW: 71] | A | 6685 | | GS1 | 08-JUL-05 |
| | MIL-I-8693 NOT 1 | INDICATOR COUPLER CU-395/ARN-21A[CUST: AV AS 99] [REVIEW: GS] | A | 5826 | | AS | 30-AUG-99 |
| | MIL-I-18286A NOT 1 | INDICATOR GROUP, AN/APA-122[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-I-81508(1) NOT 1 | INDICATOR PLUG, FOR MISSILE PROPELLANTS[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 16-OCT-96 |
| | MIL-I-81388A(2) NOT 1 | INDICATOR REPEATERS, LIQUID OXYGEN QUANTITY[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 05-FEB-01 |
| | MIL-I-26382C NOT 1 | INDICATOR SET, LIQUID OXYGEN QUANTITY A/A24J-4 AND A/A241-8[CUST: 99] [REVIEW: GS] | A | 6680 | | 71 | 24-JUL-97 |
| | MIL-I-83449 NOT 1 | INDICATOR SET, LIQUID OXYGEN QUANTITY, A/A24J-21[CUST: 99] [REVIEW: GS] | A | 6680 | | 71 | 26-JUL-96 |
| A | MIL-I-83245A NOT 2 | INDICATOR SET, OIL PRESSURE A/A24J-17[CUST: 99] | A | 6620 | | GS1 | 19-JAN-06 |
| | MIL-I-85112 NOT 1 | INDICATOR SET, VERTICAL SCALE[CUST: AS] [REVIEW: GS] | A | 6695 | | AS | 16-OCT-96 |
| | MIL-I-52701B NOT 2 | INDICATOR SOLUTION, PH DETERMINATION (RANGE 3.0 TO 11.0)[CUST: AT GS3] [REVIEW: MD1] | A | 6810 | | GS3 | 22-MAR-04 |
| | MIL-I-7566C(3) NOT 1 | INDICATOR SYSTEM, FUEL FLOWMETER, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-I-3948C(2) NOT 1 | INDICATOR TUBE, CARBON MONOXIDE[CUST: EA] [REVIEW: GS MB MD] | A | 6665 | | EA | 07-FEB-97 |
| | MS53063A NOT 2 | INDICATOR, AIR CLEANER, INTAKE, RESTRICTION MECHANICAL TYPE[CUST: AT CC] | A | 2940 | | CC | 22-JAN-99 |
| | MIL-I-25437B(1) NOT 1 | INDICATOR, AIRCRAFT, PRESSURE, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: 11 GS] | A | 6685 | | 71 | 24-JUL-97 |
| | MIL-I-21735A NOT 2 | INDICATOR, AIRSPEED AND MACH NUMBER, PITOT STATIC, 60 TO 650 KNOTS[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MS28089B NOT 2 | INDICATOR, AIRSPEED AND MACH NUMBER, PITOT STATIC, 60 TO 650 KNOTS[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-I-70485(1) NOT 3 | INDICATOR, AIRSPEED, AND DIRECTION FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 19-AUG-97 |
| | MIL-I-21718(1) NOT 1 | INDICATOR, AIRSPEED, PITOT STATIC, MAXIMUM ALLOWABLE SPEED, 40-400 KNOTS[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-I-5418B(1) NOT 1 | INDICATOR, AIRSPEED, PITOT STATIC, SENSITIVE, 50-650 KNOTS[CUST: AV AS 99] [REVIEW: GS MI] | A | 6610 | | AS | 20-OCT-99 |
| | MIL-I-85083A NOT 1 | INDICATOR, ANALOG DISPLAY IP-722F/AVA-1[CUST: AS] | A | 5895 | | AS | 16-JUL-97 |
| | MS28067C NOT 2 | INDICATOR, ANGLE OF ATTACK, 1-7/8 DIAL, 28 VOLT D. C.[CUST: AS 99] [REVIEW: GS] | A | 6610 | | AS | 04-SEP-96 |
| | MIL-I-18856B(1) NOT 1 | INDICATOR, ANGLE OF ATTACK, 28V DC MS28062 AND MS28067[CUST: AS 99] [REVIEW: GS] | A | 6610 | | AS | 30-AUG-99 |
| | MS18028A NOT 1 | INDICATOR, ATTITUDE - DIRECTOR, REMOTE (IFIS)[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-I-27193C NOT 2 | INDICATOR, ATTITUDE ARU-2B/A[CUST: AS 99] [REVIEW: GS] | A | 6610 | | 71 | 20-JAN-05 |
| | MIL-I-81683A NOT 2 | INDICATOR, ATTITUDE REFERENCE SELF-CONTAINED, 3-INCH, ID-1791/A[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 04-APR-98 |
| | MIL-I-81496(1) NOT 1 | INDICATOR, ATTITUDE, 2-INCH ID-1602/A[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-I-27710D NOT 2 | INDICATOR, ATTITUDE, REMOTE[CUST: AV 99] [REVIEW: GS] | A | 6610 | | 71 | 27-JAN-05 |
| | MS17400B NOT 1 | INDICATOR, ATTITUDE, REMOTE - 3 INCH CASE[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MS17401C NOT 2 | INDICATOR, ATTITUDE, REMOTE - 5 INCH CASE[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MS28086B NOT 1 | INDICATOR, ATTITUDE, SPHERICAL, DIRECT READING, FAST ERECTING, ELECTRIC GYRO[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-I-21203A(2) NOT 1 | INDICATOR, ATTITUDE, SPHERICAL, DIRECT READING, FAST ERECTING, ELECTRIC GYRO[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-I-87928(2) NOT 1 | INDICATOR, ATTITUDE, TYPE ARU-51/A[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |
| | MIL-I-23524A NOT 1 | INDICATOR, ATTITUDE-D1RECTOR, REMOTE, ID 1329A (V)[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-I-8691A(1) NOT 1 | INDICATOR, AZIMUTH, ID-307/ARN (ASG)[CUST: AS 99] [REVIEW: 11 GS] | A | 6610 | | AS | 04-SEP-96 |
| | MIL-I-22231(1) NOT 2 | INDICATOR, AZIMUTH-ELEVATION-RANGE IP-446/APG-53A[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 30-AUG-99 |
| | QPL-22075-17 NOT 1 | INDICATOR, BEARING-DISTANCE-HEADING ID 663D/U | A | 6605 | | AS | 23-APR-01 |
| | MIL-I-38357A(3) NOT 2 | INDICATOR, BEARING-DISTANCE-HEADING ID-1103/ARN[CUST: 99] [REVIEW: 11 GS] | A | 5826 | | 84 | 01-FEB-96 |
| | MIL-I-22075C NOT 1 | INDICATOR, BEARING-DISTANCE-HEADING ID-663D/U[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 17-SEP-97 |
| | MIL-I-25091B NOT 1 | INDICATOR, CABIN AIR PRESSURE, PRESSURIZED AIRCRAFT, 1-7/8 INCH DIAL, TYPE MA-2[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 24-NOV-97 |
| | MIL-I-14869(1) NOT 1 | INDICATOR, COMMAND, DISPLAY, 10559201[CUST: AR] | A | 1240 | | AR | 11-AUG-97 |
| | MIL-I-21685(3) NOT 1 | INDICATOR, COMPASS REPEATER, ROTATING DIAL, TYPE MW-2[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-I-85569A NOT 1 | INDICATOR, CONTROL C-10250A/ALR-67 (V)[CUST: AS] | A | 5865 | | AS | 16-JUL-97 |
| | MS25448F NOT 1 | INDICATOR, COUNTING ACCELEROMETER[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 23-NOV-98 |
| | MIL-I-9229A NOT 1 | INDICATOR, COURSE ID387/ARN[CUST: 99] [REVIEW: GS] | A | 5826 | | 84 | 01-FEB-96 |
| | MIL-I-14868(1) NOT 1 | INDICATOR, DIGITAL, DISPLAY, 10559241[CUST: AR] | A | 1240 | | AR | 11-AUG-97 |
| | MIL-I-81219B NOT 2 | INDICATOR, ELAPSED TIME, ELECTROCHEMICAL[CUST: AS] | A | 6645 | | GS1 | 17-NOV-03 |
| | MS90373A NOT 1 | INDICATOR, ELAPSED TIME, ELECTROCHEMICAL (COPPER) H5V 50/2400 HZ AC OR 28V DC[CUST: AS] [REVIEW: GS] | A | 6645 | | AS | 23-JUL-97 |
| | MS90386C NOT 1 | INDICATOR, ELAPSED TIME, ELECTROCHEMICAL, (MERCURY) 115 VOLT AC, 50/2400 HERTZ 28 VOLT DC OR 5 VOLT DC[CUST: AS] [REVIEW: GS] | A | 6645 | | AS | 23-JUL-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-I-25623B NOT 2 | INDICATOR, ELECTRICAL TACHOMETER[CUST: AS 99] [REVIEW: GS] | A | 6620 | | 71 | 07-FEB-05 |
| | MIL-I-25863D NOT 1 | INDICATOR, ELECTRICAL TACHOMETER 0-110 PERCENT RPM, 2 INCH SIZE, INTEGRALLY LIGHTED[CUST: AS 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-I-27202A(1) NOT 1 | INDICATOR, ELECTRICAL TACHOMETER, 0-110 PERCENT RPM 2-INCH SIZE, INTEGRALLY LIGHTED[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-I-38391(4) NOT 1 | INDICATOR, ELECTRICAL TACHOMETER, ERU-12/A 0-350 RPM (ROTOR), 0-700O RPM (ENGINE)[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MS90367 NOT 2 | INDICATOR, ELECTRICAL, WHEELS AND FLAPS POSITION[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 23-NOV-98 |
| | AN5532 REV 3 NOT 1 | INDICATOR, ENGINE SYNCHROSCOPE[CUST: AS] | A | MISC | | AS | 07-APR-59 |
| | MIL-I-25482D NOT 1 | INDICATOR, ENGINE TESTING[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-I-8974A(2) NOT 1 | INDICATOR, EVENT COUNTING, GENERAL SPECIFICATION FOR[CUST: AS 99] [REVIEW: 71 GS SH] | A | 6620 | | AS | 02-APR-01 |
| | MIL-I-8974/2B NOT 3 | INDICATOR, EVENTS, MINIATURE, DIGITAL, 28 VDC[CUST: AS 99] [REVIEW: 71 GS SH] | A | 6620 | | AS | 03-JUN-04 |
| | MIL-I-7906A(2) NOT 2 | INDICATOR, GYRO HORIZON, MANUALLY CAGED, ELECTRIC, TYPE MB-1[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-I-81454(3) NOT 1 | INDICATOR, GYROSCOPE, VERTICAL REFERENCE ID-1481(*)/A[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 16-APR-01 |
| | MIL-I-27848B NOT 1 | INDICATOR, HORIZONTAL SITUATION AQU-4/A[CUST: AV AS 99] [REVIEW: GS] | A | 6605 | | 71 | 01-APR-96 |
| | MIL-I-83034B NOT 2 | INDICATOR, HORIZONTAL SITUATION AQU-6/A[CUST: AV 99] [REVIEW: 01 GS] | A | 6605 | | 71 | 07-JAN-05 |
| | MIL-I-23366B NOT 1 | INDICATOR, HORIZONTAL SITUATION ID-1013(*)/A[CUST: AV AS] [REVIEW: GS] | A | 6610 | | AS | 04-SEP-96 |
| | MIL-I-26689C(2) NOT 1 | INDICATOR, HORIZONTAL SITUATION, AQU-2/A[CUST: 99] [REVIEW: GS] | A | 6605 | | 71 | 15-JAN-96 |
| | MS17869A NOT 1 | INDICATOR, HORIZONTAL SITUATION, ID-1013/A[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MS28045E NOT 1 | INDICATOR, INDICATED AIRSPEED PITOT STATIC, 10-150 KNOTS[CUST: CR4 AS 99] [REVIEW: GS] | A | 6610 | | AS | 04-SEP-96 |
| | MIL-I-5416B(1) NOT 1 | INDICATOR, INDICATED AIRSPEED, 10-150 KNOTS[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | AS | 04-SEP-96 |
| | MS25333B NOT 2 | INDICATOR, INDICATED AIRSPEED, PITOT STATIC MAXIMUM ALLOWABLE SPEED, 40-400 KNOTS[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MS28048B NOT 2 | INDICATOR, INDICATED AIRSPEED, PITOT STATIC MAXIMUM ALLOWABLE SPEED, 50-650 KNOTS (ASG)[CUST: AS 99] [REVIEW: GS] | A | 6610 | | AS | 04-SEP-96 |
| | MIL-I-5419B NOT 2 | INDICATOR, INDICATED AIRSPEED, PITOT STATIC, MAXIMUM ALLOWABLE SPEED, 50-650 KNOTS[CUST: AS 99] [REVIEW: GS] | A | 6610 | | AS | 04-SEP-96 |
| | MIL-I-85506 NOT 1 | INDICATOR, INDICATED AIRSPEED, STANDBY TYPES I, II, AND III[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 23-NOV-98 |
| | MIL-I-83152B(1) NOT 1 | INDICATOR, INDICATED-AIRSPEED AVU-22/A (INDICATOR-TRANSDUCER)[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MIL-I-25120C NOT 1 | INDICATOR, INSTRUMENT LANDING, AIRPORT RUNWAY[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |
| | MIL-I-25355B NOT 1 | INDICATOR, INSTRUMENT LANDING, AIRPORT RUNWAY[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |
| | MIL-I-27544C NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY[CUST: 99] [REVIEW: 11 AS GS] | A | 6680 | | 71 | 24-JUL-97 |
| | MIL-I-81387A(3) NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 05-FEB-01 |
| | MIL-I-27882A(1) NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-37/A[CUST: 99] [REVIEW: GS] | A | 6680 | | 71 | 24-JUL-97 |
| | MIL-I-38021A NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-39/A[CUST: 99] [REVIEW: GS] | A | 6680 | | 71 | 24-JUL-97 |
| | MIL-I-26380B(1) NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-5/A[CUST: 99] [REVIEW: 11 GS] | A | 6680 | | 71 | 24-JUL-97 |
| | MIL-I-38468A NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-59/A[CUST: 99] [REVIEW: GS] | A | 6680 | | 71 | 15-JUN-97 |
| | MIL-I-25645D(2) NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY, CAPACITANCE TYPE, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: 11 GS] | A | 6680 | | 71 | 24-JUL-97 |
| | MS24544H NOT 2 | INDICATOR, LIQUID QUANTITY: 24 VOLT DC, ENGINE FUEL[CUST: AT MC 99] [REVIEW: CR CR4 GS] | A | 6680 | | AT | 13-OCT-00 |
| | MIL-I-25479A(1) NOT 1 | INDICATOR, MACH NUMBER, SENSITIVE, SERVOED, RANGE .5 TO 1.0, TYPE ME-5[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |
| | MIL-I-7802A NOT 1 | INDICATOR, MS28088, TURN AND SLIP (THREE PHASE)[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-I-6514B(1) NOT 1 | INDICATOR, OIL PRESSURE, 0-200 PSI, 320 DEGREE, TYPE B-9C[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-I-38338D NOT 1 | INDICATOR, OIL QUANTITY, CONTINUOUS TRANSMISSION, NUCLEONIC[CUST: AV 99] [REVIEW: GS] | A | 6680 | | 71 | 24-JUL-97 |
| | MIL-I-5184B NOT 1 | INDICATOR, POSITION[CUST: AV AS 99] [REVIEW: 11 GS MI] | A | 6610 | | 71 | 01-APR-96 |
| | MIL-I-27672B(1) NOT 1 | INDICATOR, POSITION ALU-4/A, HORIZONTAL STABILIZER[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |
| | MIL-I-7065A(1) NOT 2 | INDICATOR, POSITION, AILERON TRIM TAB[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 01-APR-96 |
| | MIL-I-7062C(1) NOT 1 | INDICATOR, POSITION, CONTROL SURFACES, 28 VOLT DC, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: CR4 GS] | A | 6610 | | 71 | 01-APR-96 |
| | MIL-I-5170C NOT 1 | INDICATOR, POSITION, HORIZONTAL STABILIZER[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 01-APR-96 |
| | MIL-I-6839C NOT 1 | INDICATOR, POSITION, LANDING GEAR[CUST: AV AS 99] [REVIEW: 11 MC] | A | 6610 | | GS1 | 02-MAR-99 |
| A | MS27403 NOT 3 | INDICATOR, POSITION, LANDING GEAR, 28 VOLT DC[CUST: AS 99] | A | 6610 | | GS1 | 24-OCT-05 |
| A | MIL-I-83362A NOT 2 | INDICATOR, POSITION, TAKEOFF TRIM ALU-12/A[CUST: AV AS 11] | A | 6610 | | GS1 | 26-OCT-05 |
| | MIL-I-27191C NOT 1 | INDICATOR, POSITION, VARIABLE NOZZLE[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-I-27203B NOT 1 | INDICATOR, POSITION, WING FLAP[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MIL-I-23252B NOT 3 | INDICATOR, PRESSURE[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 30-AUG-99 |
| | MS24540H NOT 3 | INDICATOR, PRESSURE 24 VOLT, DC, RANGE 0-120 PSI[CUST: AT MC 99] [REVIEW: CR CR4 GS] | A | 6685 | | AT | 17-OCT-00 |
| | MIL-I-27190B NOT 1 | INDICATOR, PRESSURE AGU-3/A, HYDRAULIC, 0-4,000 PSI[CUST: 99] [REVIEW: 71] | A | 6685 | | GS1 | 24-MAR-99 |
| | MIL-I-27188B NOT 1 | INDICATOR, PRESSURE EGU-2/A, OIL, 0-100 PSI[CUST: 99] | A | 6620 | | GS1 | 28-SEP-99 |
| | MIL-DTL-83361A NOT 1 | INDICATOR, PRESSURE OIL, DUAL, 0-100 PSI, EGU-18/A[CUST: 99 GS1] [REVIEW: 71] | A | 6620 | | GS1 | 25-SEP-01 |
| | MS17996B NOT 2 | INDICATOR, PRESSURE, 1-1/2-INCH, INTEGRALLY LIGHTED[CUST: AV AS 99] [REVIEW: GS] | A | 6620 | | AS | 04-SEP-96 |
| | MIL-I-7085C NOT 1 | INDICATOR, PRESSURE, ENGINE, 0-50 PSI[CUST: AV AS 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-I-6301B NOT 1 | INDICATOR, PRESSURE, FUEL, 0-600 PSI[CUST: AS 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-I-7088B NOT 1 | INDICATOR, PRESSURE, FUEL, O-1,000 PSI[CUST: AS 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-I-58098A NOT 2 | INDICATOR, PRESSURE, HELICOPTER, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR[CUST: AV] [REVIEW: GS] | A | 6620 | | AV | 24-MAR-05 |
| | MIL-I-58099(1) NOT 3 | INDICATOR, PRESSURE, HELICOPTER, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR[CUST: AV] [REVIEW: GS] | A | 6620 | | AV | 24-MAR-05 |
| | MIL-I-7084A(1) NOT 1 | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI[CUST: AS 99] [REVIEW: GS] | A | 6685 | | 71 | 24-NOV-97 |
| | MIL-I-25861D(3) NOT 1 | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI, INTEGRALLY LIGHTED[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 24-NOV-97 |
| | MIL-I-38133A NOT 1 | INDICATOR, PRESSURE, OIL[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS24576B NOT 4 | INDICATOR, PRESSURE, OIL[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 09-JAN-04 |
| | MIL-I-27189D NOT 1 | INDICATOR, PRESSURE, OIL[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-I-25950B NOT 1 | INDICATOR, PRESSURE, OIL 0-100 PSI[CUST: 99] [REVIEW: 11 GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-I-7086C NOT 1 | INDICATOR, PRESSURE, OIL 0-100 PSI[CUST: AV AS 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-I-7087A(3) NOT 1 | INDICATOR, PRESSURE, OIL, 0-200 PSI[CUST: AV AS 99] [REVIEW: 11 GS] | A | 6620 | | 71 | 15-MAR-96 |
| M | MIL-DTL-6856D | INDICATOR, PRESSURE, SYNCHRO, 1-1/2 INCH[CUST: MI 99] [REVIEW: 71] | A | 6685 | | GS1 | 16-MAR-06 |
| | MS25470A NOT 2 | INDICATOR, PRESSURE, SYNCHRO, AIRCRAFT, 165-DEGREE SCALE[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-96 |
| | MIL-I-25438D(1) NOT 1 | INDICATOR, PRESSURE, TYPE MO-2[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MS24541G NOT 3 | INDICATOR, PRESSURE: 24 VOLT, DC, RANGE 0-60 PSI[CUST: AT MC 99] [REVIEW: CR CR4 GS] | A | 6685 | | AT | 17-OCT-00 |
| | MIL-I-3848A NOT 1 | INDICATOR, PROPELLANT TEMPERATURE, M13, M15 AND M33 (LESS PROPELLANT)[CUST: AR OS] | A | 1315 | | AR | 14-MAR-97 |
| | MIL-I-27304E(3) NOT 1 | INDICATOR, RATE OF FLOW[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-PRF-38120B NOT 1 | INDICATOR, RATE OF FLOW AND TRANSFER EFU-20/A[CUST: 99] [REVIEW: GS] | A | 6680 | | 71 | 13-AUG-98 |
| | MIL-I-25906D NOT 1 | INDICATOR, RATE OF FLOW EFU-3A, FUEL, 0-15,000 PPH[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-I-25908C(1) NOT 1 | INDICATOR, RATE OF FLOW EFU-45A, FUEL TOTALIZING, 0-120,000 PPH[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-I-26299G NOT 2 | INDICATOR, RATE OF FLOW, 0-5000 PPH, INTEGRALLY LIGHTED[CUST: AS 99] [REVIEW: GS] | A | 6620 | | 71 | 12-FEB-05 |
| | MIL-I-25907C NOT 1 | INDICATOR, RATE OF FLOW, EFU-4/A, FUEL TOTALIZING, 500-15,000 PPH[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-I-38143D(1) NOT 1 | INDICATOR, RATE OF FLOW, FUEL[CUST: 99] [REVIEW: 11 GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-I-25324C NOT 1 | INDICATOR, RATE OF FLOW, FUEL, 0-12,000 PPH[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-I-25325A(1) NOT 3 | INDICATOR, RATE OF FLOW, FUEL, TOTALIZING, 0-100,000 PPH, TYPE MA-8[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-91 |
| | MIL-I-6599C NOT 1 | INDICATOR, RATE OF FLOW, FUEL, TYPE A-19[CUST: AS 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-I-5914E NOT 1 | INDICATOR, RATE OF FLOW, FUEL, TYPE EFU-24/A AND TYPE EFU-25/A[CUST: AS 99] [REVIEW: 11 GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-I-21206B(1) NOT 2 | INDICATOR, RATE OF FLOW, FUEL; EFU-7/A (300-5000-15000 PPH)[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 03-DEC-90 |
| | MIL-I-81186 NOT 1 | INDICATOR, RATE OF FUEL FLOW SYNCHRO TYPE, M590360[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-96 |
| | MIL-I-38121C NOT 2 | INDICATOR, RATIO, ENGINE PRESSURE, EGU-9A[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 28-FEB-05 |
| | MS21971 NOT 1 | INDICATOR, TACHOMETER, ELECTRIC, 0-120 PERCENT RPM, 2 INCH SIZE[CUST: AS 11] [REVIEW: 99 GS] | A | 6620 | | AS | 04-SEP-96 |
| | MIL-I-22596C NOT 1 | INDICATOR, TACHOMETER, ELECTRIC, 0-120 PERCENT RPM, 2-INCH SIZE[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-96 |
| | MIL-I-8580B(1) NOT 1 | INDICATOR, TACHOMETER, HELICOPTER, 0-4000 RPM, TYPE MA-1[CUST: AV AS] [REVIEW: GS] | A | 6620 | | AS | 04-SEP-96 |
| | MS18099A | INDICATOR, TACHOMETER, TRIPLE POINTER, HELICOPTER[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 19-MAR-79 |
| | MIL-I-23832A NOT 1 | INDICATOR, TACHOMETER, TRIPLE POINTER, HELICOPTER[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-96 |
| | MS24569D NOT 2 | INDICATOR, TEMPERATURE - THERMOCOUPLE, SELF BALANCING POTENTIOMETER TYPE[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 19-AUG-97 |
| | MIL-I-27667C NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 19-AUG-97 |
| | MIL-I-6533B(3) NOT 2 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE MULTI-FUNCTION, TYPE G-10[CUST: AV AS 99] [REVIEW: GS] | A | 6685 | | 71 | 01-MAR-98 |
| | MIL-I-7112B NOT 2 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD, 0 DEG. C TO 300 DEG. C[CUST: AS 99] [REVIEW: GS] | A | 6685 | | 71 | 24-NOV-97 |
| | MIL-I-27665B NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MINUS 50 DEG. TO PLUS 50 DEG. C[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 19-AUG-97 |
| A | MIL-I-6669C(3) NOT 3 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTI-FUNCTION, -70 DEG. TO PLUS 150 DEG. C[CUST: AS 99] [REVIEW: 71] | A | 6685 | | GS1 | 08-JUL-05 |
| | MIL-I-7077B NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO +150 DEG. C, 2 INCH SIZE[CUST: CR4 99] [REVIEW: 71] | A | 6685 | | GS1 | 24-MAR-99 |
| A | MIL-I-7749A(1) NOT 2 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO PLUS 150 DEG. C. SINGLE[CUST: AS] | A | 6685 | | GS1 | 26-OCT-05 |
| | MIL-I-81049A(2) NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, VOLTAGE COMPENSATED, MULTIFUNCTION[CUST: AV AS 99] [REVIEW: 71 CG GS MC] | A | 6685 | | AS | 04-SEP-96 |
| | MS24543H NOT 2 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE: 24 VOLT DC, 120 DEG.-240 DEG. F[CUST: AT MC 99] [REVIEW: CR CR4 GS] | A | 6685 | | AT | 17-OCT-00 |
| | MS24542H NOT 2 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE: 24 VOLT DC, RANGE 160-320 DEG. F[CUST: AT MC 99] [REVIEW: 71 CR CR4 GS] | A | 6685 | | AT | 17-OCT-00 |
| | MIL-I-7070B(1) NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL-RESISTANCE, HERMETICALLY SEALED, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 6685 | | 71 | 19-AUG-97 |
| | MS28008B NOT 4 | INDICATOR, TEMPERATURE, MULTI-FUNCTION, ELECTRICAL RESISTANCE, SINGLE, CLAMP MOUNTED, MINUS 50 DEG., TO PLUS 50 DEG. C., 2 INCH SIZE[CUST: AV AS 99] [REVIEW: 11 71 CR GL GS MI SM] | A | 6685 | | AS | 03-JUN-04 |
| | MIL-I-27247C NOT 1 | INDICATOR, TEMPERATURE, SYNCHRO[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 01-JAN-97 |
| | MIL-I-27552C NOT 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE EHU-15A/A, POTENTIOMETER TYPE, WHITE LIGHTED[CUST: 99] [REVIEW: 11 GS] | A | 6685 | | 71 | 13-AUG-97 |
| | MIL-I-25852B(1) NOT 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE EHU-4/A[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 19-AUG-97 |
| | MIL-I-7071B(1) NOT 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE HERMETICALLY SEALED, GENERAL SPECIFICATION FOR[CUST: AS 99] [REVIEW: AT GS MI] | A | 6685 | | 71 | 19-AUG-97 |
| | MIL-I-9343C NOT 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-1[CUST: AS 99] [REVIEW: GS] | A | 6685 | | 71 | 24-NOV-97 |
| | MIL-I-9443D(3) NOT 2 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-2[CUST: AV AS 99] [REVIEW: GS] | A | 6685 | | 71 | 24-NOV-97 |
| A | MIL-I-25026B NOT 2 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-4[CUST: 99] [REVIEW: 71] | A | 6685 | | GS1 | 19-SEP-05 |
| | MIL-I-27209C(3) NOT 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE, SELF-BALANCING, POTENTIOMETER TYPE[CUST: AS 99] [REVIEW: GS] | A | 6685 | | 71 | 19-AUG-97 |
| | MIL-I-25859C NOT 1 | INDICATOR, THRUST AEU-2/A, SYNCHRO STYLE, PRESSURE RATIO 1.2.3.4 UNITS, INTEGRALLY LIGHTED[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-I-87965 NOT 2 | INDICATOR, THRUST, ENGINE TESTING, TEST STAND, AIRCRAFT ENGINE, A/M37 SERIES[CUST: 99] [REVIEW: GS] | A | 6620 | | 84 | 15-APR-97 |
| | MIL-I-87923A NOT 2 | INDICATOR, TORQUEMETER, AEU-13/A[CUST: AS 99] [REVIEW: 01 GS] | A | 6620 | | 71 | 07-JAN-05 |
| | MS90323A NOT 2 | INDICATOR, TORQUEMETER, ENGINE, TURBOPROP[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-96 |
| | MIL-I-22126B(3) NOT 1 | INDICATOR, TORQUEMETER, ENGINE, TURBOPROP[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-APR-01 |
| | MIL-I-27673C NOT 1 | INDICATOR, TRUE AIRSPEED AVU-15/A[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-I-6447C(3) NOT 1 | INDICATOR, TRUE AIRSPEED, TYPE M-1A[CUST: AS 99] [REVIEW: GS] | A | 6610 | | 71 | 01-APR-96 |
| | MIL-I-5154B(4) NOT 1 | INDICATOR, TRUE AIRSPEED, TYPE-M-5[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MS28088A NOT 1 | INDICATOR, TURN AND SLIP (THREE PHASE)[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-I-25941D(1) NOT 1 | INDICATOR, TURN AND SLIP, 2-INCH SIZE, INTEGRALLY LIGHTED[CUST: AS 99] [REVIEW: GS] | A | 6610 | | 71 | 01-APR-96 |
| | MIL-I-7627F NOT 1 | INDICATOR, TURN AND SLIP, 28V DC[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 01-APR-96 |
| | MS28041G NOT 2 | INDICATOR, TURN AND SLIP, 28V DC, 1-7/8 INCH DIAL[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 15-MAR-96 |
| | MS28024H NOT 2 | INDICATOR, TURN AND SLIP, 4 MINUTE TURN, 2 3/4 INCH DIAL[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MS28075C NOT 1 | INDICATOR, VERTICAL SPEED, 0-6000 FPM, 2-INCH[CUST: AV AS 11] [REVIEW: GS] | A | 6610 | | AS | 04-SEP-96 |
| | MS28049B NOT 2 | INDICATOR, VERTICAL SPEED, 3 INCH[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-NOV-95 |
| | MIL-I-7721D NOT 1 | INDICATOR, VERTICAL SPEED, 3-INCH[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 01-APR-96 |
| | MIL-I-38139C(4) NOT 1 | INDICATOR, VERTICAL VELOCITY AAU-18/A, INTEGRALLY LIGHTED[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MIL-I-27196C NOT 1 | INDICATOR, VERTICAL VELOCITY AAU-9/A, INTEGRALLY LIGHTED[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MS28004B NOT 2 | INDICATOR-TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD, 0-300 DEG. C[CUST: CR AS 99] [REVIEW: GS] | A | 6685 | | 71 | 24-NOV-97 |
| | MS28036D NOT 2 | INDICATOR-TRUE AIRSPEED, TYPE M-1A[CUST: AS 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MIL-I-10986F(2) NOT 2 | INDICATORS AND TRANSMITTERS, LIQUID, TEMPERATURE AND PRESSURE[CUST: AT YD GS1] [REVIEW: CR CR4 MC] | A | 6620 | | GS1 | 10-AUG-01 |
| | MIL-I-20037B(2) NOT 3 | INDICATORS, SIGHT, LIQUID LEVEL, DIRECT/INDIRECT READING, TUBULAR GLASS/PLASTIC[CUST: SH 99] [REVIEW: 03 33 71 CG GS GS1 NIH] | A | 6680 | | SH | 22-OCT-01 |
| | MIL-I-27619G(3) NOT 1 | INDICATORS, ATTITUDE DIRECTOR[CUST: AV 99] [REVIEW: GS] | A | 6610 | | 71 | 01-APR-96 |
| | MIL-I-2002C(1) NOT 1 | INDICATORS, BOILER SMOKE, NAVAL SHIPBOARD[CUST: SH] | A | 6320 | | SH | 24-DEC-90 |
| | MIL-I-22768(2) NOT 1 | INDICATORS, FREQUENCY CHANNEL ID-808(*)/ASQ AND ID-1311(*)/ASQ[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MS28010D NOT 1 | INDICATORS, PRESSURE - SYNCHRO, SINGLE, 2-INCH SIZE[CUST: CR AS 99] [REVIEW: GS] | A | 6620 | | 71 | 01-MAR-96 |
| | MIL-I-83026D NOT 2 | INDICATORS, RATE OF FLOW, FUEL[CUST: AS 99] [REVIEW: 01 GS] | A | 6620 | | 71 | 12-FEB-05 |
| | MIL-I-7057D NOT 1 | INDICATORS, SYNCHRO, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 11 CG GS MC SH] | A | 6620 | | 71 | 15-MAR-96 |
| | MS16476A NOT 2 | INDUCTOR, (REACTOR) TYPE TF4SX04EB214[CUST: EC CC] [REVIEW: MI] | A | 5950 | | CC | 05-JUN-03 |
| | MIL-I-23775 NOT 2 | INERT LOAD BINDER FOR DRILL MINES[CUST: OS] | A | 5610 | | OS | 10-JUL-99 |
| | MIL-STD-1252 NOT 1 | INERTIA FRICTION WELDING PROCESS, PROCEDURE AND PERFORMANCE QUALIFICATION[Military Standard][CUST: AR SH] [REVIEW: AT EA MI MR] | A | THJM | | AR | 11-MAR-98 |
| | MS3350 NOT 1 | INERTIAL SET MOUNT GENERAL ASSEMBLY[CUST: AS] [REVIEW: GS] | A | 6615 | | AS | 29-JAN-97 |
| | MIL-I-82931A NOT 1 | INFLATION DEVICE, FLU-8B/P (FW98) REMANUFACTURE SPECIFICATION[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-55538(1) NOT 2 | INFLATION LAUNCHING DEVICE, BALLOON, METEOROLOGICAL ML-594( )/U[CUST: CR] [REVIEW: GS] | A | 6660 | | CR | 29-MAR-96 |
| | MIL-I-24490B(1) NOT 2 | INFLATION SYSTEM EQUIPMENT, COMPRESSED AIR, FOR MARK 5, MOD 2 (15 PERSON) AND MARK 6 (25-PERSON) INFLATABLE LIFEBOATS[CUST: SH] | A | 1940 | | SH | 22-APR-98 |
| | MIL-I-50364 NOT 2 | INIATOR, CARTRIDGE ACTUATED, M8 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-50406 NOT 2 | INITIATOR ASSEMBLY FOR PRIMER, ELECTRIC XM91E1 AND XM117 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 12-JUL-96 |
| | MIL-I-50412 NOT 2 | INITIATOR ASSEMBLY FOR PRIMER, ELECTRIC, XM91E1, AND XM117, PARTS FOR[CUST: AR] | A | 1345 | | AR | 15-JUL-96 |
| | MIL-I-50360(1) NOT 1 | INITIATOR, CARTRIDGE ACTUATED DELAY, M51 AND M88 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-46497B NOT 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY M4A1, M12A1, M45A1, AND M49A1 METAL PARTS ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-81316A(3) NOT 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY MARK 11 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-14889 NOT 2 | INITIATOR, CARTRIDGE ACTUATED, DELAY XM92 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-14859 NOT 2 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M14, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-60528B(2) NOT 2 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M30A1 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-60284B(1) NOT 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M32A1 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-60281A NOT 1 | INITIATOR, CARTRIDGE ACTUATED, M28 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-46625C NOT 2 | INITIATOR, CARTRIDGE ACTUATED, M3A2, ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-46576A NOT 1 | INITIATOR, CARTRIDGE ACTUATED, M5A2 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-50362 NOT 2 | INITIATOR, CARTRIDGE ACTUATED, M8, METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-60292A NOT 1 | INITIATOR, CARTRIDGE ACTUATED, M99 ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-81564(1) NOT 2 | INITIATOR, CARTRIDGE ACTUATED, MARK 12 MOD 0[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-60595(1) NOT 1 | INITIATOR, CARTRIDGE ACTUATED, XM107 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 15-JUL-88 |
| | MIL-I-46619A NOT 2 | INITIATOR, DELAY, M12A1 ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-81616 NOT 1 | INITIATOR, DESTRUCT IGNITER MX-8278 (*)/ASQ[CUST: AS] | A | 5810 | | AS | 18-SEP-96 |
| | MIL-DTL-82929A(1) | INITIATOR, EXPLOSIVE ACTUATED, JAU-24/A[CUST: OS] | A | 1377 | | OS | 05-SEP-02 |
| | MIL-I-50715A NOT 2 | INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-3/A25 & M113 METAL PARTS ASSEMBLY 1[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-50731A NOT 2 | INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-3/A25 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-48410 NOT 2 | INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-4/A25 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-85627(1) NOT 2 | INITIATOR, RF FILTERED, DUAL-BRIDGEWIRE[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-81971A NOT 1 | INK, REACTANT[CUST: AS] | A | 6630 | | AS | 09-OCT-96 |
| | MIL-STD-1397C NOT 1 | INPUT/OUTPUT INTERFACES, STANDARD DIGITAL DATA, NAVY SYSTEMS[Military Standard][CUST: SH] | A | MCCR | | SH | 22-APR-98 |
| | MS9018B NOT 1 | INSERT - 18-1.5 MM AVIATION SPARK PLUG HELICAL COIL[CUST: AV AS] [REVIEW: GS MI] | A | 2810 | | AS | 21-AUG-96 |
| | MS33700F(1) NOT 1 | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 12 (NAVY)[CUST: AS 11 CC] [REVIEW: EC MI] | A | 5935 | | AS | 17-MAR-00 |
| | MS33701G(1) NOT 1 | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 19 (NAVY)[CUST: AS 11 CC] [REVIEW: EC] | A | 5935 | | AS | 17-MAR-00 |
| | MS33702E(1) NOT 1 | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 27 (NAVY)[CUST: AS 11 CC] | A | 5935 | | AS | 17-MAR-00 |
| | MS33698F(1) NOT 1 | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 3 (NAVY)[CUST: AS 11 CC] [REVIEW: EC] | A | 5935 | | AS | 17-MAR-00 |
| | MS33703F(1) NOT 1 | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 37 (NAVY)[CUST: AS 11 CC] [REVIEW: EC] | A | 5935 | | AS | 17-MAR-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MS24288E | INSERT ARRANGEMENTS, ELECTRICAL, CONNECTOR, RACK AND PANEL[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 14-JUL-05 |
| | MS3426B(1) NOT 3 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 10[CUST: CR AS 11 CC] [REVIEW: AR AT AV CR4 EC MC MI OS SH] | A | 5935 | | AS | 18-MAR-05 |
| | MS3428A(1) NOT 3 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 14[CUST: CR AS 11 CC] [REVIEW: 99 AR AV CR4 EC MC MI OS] | A | 5935 | | AS | 18-MAR-05 |
| | MS3429B(1) NOT 3 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 16[CUST: CR AS 11 CC] [REVIEW: 99 AR AV CR4 EC MC MI OS] | A | 5935 | | AS | 18-MAR-05 |
| | MS3430A(1) NOT 3 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 18[CUST: CR AS 11 CC] [REVIEW: 99 AR AV CR4 EC MC MI OS] | A | 5935 | | AS | 18-MAR-05 |
| | MS3431A(1) NOT 3 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 20[CUST: CR AS 11 CC] [REVIEW: 99 AR AV CR4 EC MC MI OS] | A | 5935 | | AS | 18-MAR-05 |
| | MS3432A(1) NOT 3 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 22[CUST: CR AS 11 CC] [REVIEW: 99 AR AV CR4 EC MC MI OS] | A | 5935 | | AS | 18-MAR-05 |
| | MS3433A(1) NOT 3 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 24[CUST: CR AS 11 CC] [REVIEW: AR AT AV CR4 EC MC MI OS SH] | A | 5935 | | AS | 18-MAR-05 |
| | MS3425B(1) NOT 3 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 8[CUST: CR AS 11 CC] [REVIEW: 99 AR AV CR4 EC MC MI OS] | A | 5935 | | AS | 18-MAR-05 |
| | MIL-I-24063B(1) NOT 2 | INSERT SETS, SOUND ISOLATION FOR RISIC-1 FLEXIBLE CONNECTORS[CUST: SH] | A | 4730 | | SH | 17-FEB-98 |
| | MS25051 NOT 3 | INSERT, DEAD-END, ANTENNA[CUST: AS 11 CC] | A | 5985 | | CC | 31-MAR-04 |
| | MS17820 NOT 2 | INSERT, HELICAL COIL INSTALLATION THREAD; DESIGN STANDARD FOR[CUST: AV IS] | A | 5340 | | IS | 16-JUN-97 |
| | MS90340 NOT 2 | INSERT, INSTALLATION AND DETAIL, FULL FACE OXYGEN AND SMOKE MASKS[CUST: AV AS 99] [REVIEW: 11 71 GS] | A | 1660 | | AS | 23-JUL-97 |
| A | DOD-I-63274A(1) NOT 2 | INSERT, SCREW THREAD - THIN WALL, LOCKED IN, METRIC, GENERAL SPECIFICATION FOR[CUST: AR OS 99 IS] [REVIEW: AT AV CR CR4 MC MI] | A | 5325 | | IS | 01-OCT-99 |
| | DOD-I-63274/1A(1) NOT 2 | INSERT, SCREW THREAD THIN WALL, LOCKED IN, METRIC[CUST: AR OS 99 IS] [REVIEW: 11 AV MC MI] | A | 5325 | | IS | 23-AUG-04 |
| | MS21208B NOT 1 | INSERT, SCREW THREAD, COARSE AND FINE, FREE RUNNING, HELICAL COIL, CRES[CUST: AV AS 99 IS] [REVIEW: AR CR GL MC MI SH] | A | 5325 | | IS | 02-FEB-94 |
| | DOD-I-63276/1A(1) NOT 2 | INSERT, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC[CUST: AR OS 99 IS] [REVIEW: 11 AV MC] | A | 5325 | | IS | 23-AUG-04 |
| | DOD-I-63276A NOT 2 | INSERT, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC, GENERAL SPECIFICATION FOR[CUST: AR OS 99 IS] [REVIEW: AT AV CR GL MI YD] | A | 5325 | | IS | 01-OCT-99 |
| | MIL-I-45607C NOT 4 | INSPECTION EQUIPMENT, ACQUISITION, MAINTENANCE AND DISPOSITION OF[CUST: AR] [REVIEW: AT MI] | A | QCIC | | AR | 20-DEC-02 |
| | MIL-I-8474C NOT 2 | INSPECTION OF ALUMINUM ALLOY PARTS, ANODIZING PROCESS FOR[CUST: MR SH 11] [REVIEW: AS DH EC PT] | A | MFFP | | MR | 25-MAR-98 |
| | AND10320 REV 4 | INSTALLATION CLEARANCE-TYPE XII DRIVE[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 04-MAR-53 |
| | AND10303 REV 5 | INSTALLATION CLEARANCE-TYPE XIV DRIVE[CUST: AS 11] [REVIEW: GS] | A | 2995 | | AS | 04-MAR-53 |
| | MIL-I-51192B NOT 2 | INSTALLATION KIT, ARMORED VEHICLE, GAS PARTICULATE FILTER UNIT, M29A1[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 29-JUL-04 |
| | MIL-I-51072C NOT 2 | INSTALLATION KIT, GAS PARTICULATE FILTER UNIT, ARMORED VEHICLE, M20A1[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 28-JUL-04 |
| | MIL-I-51175 NOT 2 | INSTALLATION KIT, GAS-PARTICULATE FILTER UNIT, ARMORED VEHICLE, AMBULANCE, M37[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 28-JUL-04 |
| | MIL-I-81969/49B NOT 1 | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, HAND, RIGHT ANGLE, TYPE I, CLASS 2, COMPOSITION A, SIZE 16 TERMINI[CUST: CR AS 11 CC] [REVIEW: 02 03 19 33 93 99 DI NA SH] | A | 6060 | | AS | 24-MAY-99 |
| | MIL-I-81969/46A NOT 1 | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE I, CLASS 2, COMPOSITION C, SIZE 16 TERMINI[CUST: CR AS 11 CC] [REVIEW: 02 03 19 33 93 99 DI NA SH] | A | 6060 | | AS | 24-MAY-99 |
| | MIL-I-81969/47A NOT 2 | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE II, CLASS 2, COMPOSITION C, SIZE 16 TERMINI[CUST: CR AS 11 CC] [REVIEW: 02 03 19 33 93 99 DI NA SH] | A | 6060 | | AS | 24-FEB-04 |
| | MIL-I-81969/48A NOT 2 | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE III, ALIGNMENT SLEEVE, CLASS 2, COMPOSITION C, SIZE 16 TERMINI[CUST: CR AS 11 CC] [REVIEW: 02 03 19 33 93 99 DI NA SH] | A | 6060 | | AS | 24-FEB-04 |
| | MIL-HDBK-1013/4 NOT 1 | INSTRUCTION FOR DESIGN, FABRICATION, AND CONSTRUCTION/INSTALLATION OF SECURE ENCLOSURES[CUST: YD] | A | FACR | | YD | 09-MAY-97 |
| | MS33572C NOT 2 | INSTRUMENT, PILOT, FLIGHT, BASIC, STANDARD ARRANGEMENT FOR HELICOPTERS[CUST: AS] [REVIEW: AV] | A | 1520 | | AS | 07-MAY-97 |
| | MIL-I-82431A(4) NOT 1 | INSTRUMENTATION ASSEMBLY (FOR EXERCISE HEAD MK 85 MOD 0, MOD 1, MOD 2, MOD 3, & MOD 4)[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-I-4997A(1) NOT 6 | INSULATING AND JACKETING COMPOUNDS FOR USE IN CORDS, CORDAGES, AND CABLES[CUST: 11 CC] | A | 6145 | | CC | 15-JUL-02 |
| | MIL-I-46058C(7) NOT 1 | INSULATING COMPOUND, ELECTRICAL (FOR COATING PRINTED CIRCUIT ASSEMBLIES)[CUST: CR EC 11] [REVIEW: 99 AR AS AV GS MC MI NS OS SH] | A | 5970 | | CC | 30-NOV-98 |
| | MIL-I-24330(1) NOT 1 | INSULATION SHEET, ELECTRICAL, LIGNO-CELLULOSIC, HIGH DENSITY, HARDBOARD[CUST: SH] [REVIEW: CR4 GS] | A | 5970 | | SH | 22-APR-98 |
| | MIL-I-19917A NOT 1 | INSULATION SHEET, ELECTRICAL, MICA PAPER, SILICONE BONDED[CUST: SH] [REVIEW: GS MI] | A | 5970 | | SH | 22-APR-98 |
| | MIL-I-7444D(2) NOT 2 | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE[CUST: AS 11] [REVIEW: 99 GS SH] | A | 5970 | | 11 | 31-DEC-97 |
| | MIL-I-85080/2 NOT 1 | INSULATION SLEEVING, ELECTRICAL, NON HEAT SHRINK, SILICONE RUBBER, FLEXIBLE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 09-OCT-96 |
| | MIL-I-85080/4 NOT 1 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, CHLOROSULFONATED POLYETHYLENE FLEXIBLE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 09-OCT-96 |
| | MIL-I-85080(1) NOT 2 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 09-OCT-96 |
| | MIL-I-85080/5 NOT 1 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYCHLOROPRENE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 09-OCT-96 |
| | MIL-I-85080/3 NOT 1 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYURETHANE FLEXIBLE[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 09-OCT-96 |
| | MIL-I-85080/1A NOT 1 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYVINYL CHLORIDE, FLEXIBLE NON CROSSLINKED[CUST: AS] [REVIEW: GS] | A | 5970 | | AS | 09-OCT-96 |
| | MIL-I-47100 NOT 4 | INSULATION SLEEVING, FLEXIBLE, BRAIDED, 200 DEGREES CELSIUS (HIGH TEMPERATURE POLYAMIDE)[CUST: MI] [REVIEW: GS] | A | 5970 | | MI | 12-JUN-95 |
| | MIL-I-22444C NOT 2 | INSULATION TAPE, ELECTRICAL, SELF BONDING, SILICONE RUBBER TREATED BIAS WEAVE OR SINUSOIDAL WEAVE GLASS, CABLE SPLICING, NAVAL SHIPBOARD[CUST: SH] [REVIEW: GS MI] | A | 5970 | | SH | 16-FEB-00 |
| | MIL-I-19632B NOT 1 | INSULATION, ELECTRICAL, DIELECTRIC BARRIER, LAMINATED, PLASTIC FILM AND RAG PAPER[CUST: SH] [REVIEW: GS] | A | 5970 | | SH | 22-APR-98 |
| | MIL-I-22834A(1) NOT 1 | INSULATION, ELECTRICAL, DIELECTRIC BARRIER, LAMINATED, PLASTIC FILM AND SYNTHETIC FIBER MAT[CUST: SH] [REVIEW: CR4 GS MI] | A | 5970 | | SH | 22-APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-I-24703 NOT 1 | INSULATION, PIPE, POLYPHOSPHAZENE, SHEET & TUBULAR[CUST: CR SH 11] [REVIEW: CR4 EA GS MC MI OS] | A | 5640 | | SH | 16-FEB-00 |
| | SAE-AMS3676 | INSULATION, SOUND AND THERMAL RESIN-BONDED GLASS FIBER, MEDIUM FILAMENT[CUST: MR AS 11] [REVIEW: GS] | A | 5970 | | AS | 01-JAN-93 |
| | MIL-I-49466 NOT 4 | INSULATOR; DISKS, PLATES, AND WASHERS GENERAL SPECIFICATION FOR[CUST: MI] [REVIEW: GS] | A | 5970 | | MI | 11-OCT-00 |
| | MIL-I-49466/3(1) NOT 4 | INSULATOR; DISKS, PLATES, AND WASHERS INSULATORS FOR MOUNTING[CUST: MI] [REVIEW: GS] | A | 5970 | | MI | 11-OCT-00 |
| | MIL-I-49466/1(1) NOT 4 | INSULATOR; DISKS, PLATES, AND WASHERS POLYIMIDE .002 OR .005 INCH THICK[CUST: MI] [REVIEW: GS] | A | 5970 | | MI | 11-OCT-00 |
| | MIL-I-49466/2(1) NOT 4 | INSULATOR; DISKS, PLATES, AND WASHERS SILICON RUBBER, FIBERGLASS REINFORCED .010 AND .015 INCH THICK[CUST: MI] [REVIEW: GS] | A | 5970 | | MI | 11-OCT-00 |
| | MIL-I-23264/19A NOT 3 | INSULATORS, BOWL (STYLE 58)[CUST: CR EC 11 GS2] [REVIEW: 99 AS CC CR4 MC MI] | A | 5970 | | GS2 | 13-FEB-04 |
| | MIL-I-23264A SUP 1 NOT 3 | INSULATORS, CERAMIC, ELECTRICAL AND ELECTRONIC, GENERAL SPECIFICATION FOR[CUST: CR EC 11 GS2] [REVIEW: 99 AR AS CR4 MC MI SH] | A | 5970 | | GS2 | 20-JAN-04 |
| | MIL-I-48632(2) NOT 1 | INTEGRATED CIRCUIT, DIGITAL, CMOS CONTROL AND TIMING BASE, MONOLITHIC, SILICON[CUST: AR] | A | 1375 | | AR | 11-JUL-96 |
| | MIL-I-48634(3) NOT 1 | INTEGRATED CIRCUIT, DIGITAL, CMOS LOGIC ARRAY MONOLITHIC SILICON[CUST: AR] | A | 1375 | | AR | 11-JUL-96 |
| | MIL-I-48331A(2) NOT 2 | INTEGRATED CIRCUIT, DIGITAL, CMOS, TIME BASE AND SPECIAL PURPOSE FUNCTION GENERATOR, MONOLITHIC, SILICON[CUST: AR] | A | 1345 | | AR | 12-AUG-97 |
| | MIL-I-18309C(3) NOT 1 | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-19, AN/ASQ-19A, AN/ASQ-19B, AND AN/ASQ-107[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-I-81007(1) NOT 1 | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-56A AND AN/ASQ-56B[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-I-22668A(4) NOT 1 | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-57, AN/ASQ-57A, AN/ASQ-57B, AN/ASQ-109, AN/ASQ-58, AN/ASQ-58A, AN/ASQ-58B AND AN/ASQ-110[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-I-81036(2) NOT 1 | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-88, AN/ASQ-88A, AN/ASQ-88B AND AN/ASQ-108[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-I-85850 NOT 1 | INTEGRATED VOICE COMMUNICATIONS SWITCHING SYSTEM[CUST: AS] | A | 5895 | | AS | 16-JUL-97 |
| | MIL-I-85832 NOT 1 | INTERCOM, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE SET[CUST: AS] | A | 5965 | | AS | 15-SEP-99 |
| | MIL-I-85844A NOT 1 | INTERCOMMUNICATION SET, AN/AIC-14 ACTIVE INTERPHONE CONTROL PANEL C-2646/AIC-14 GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-DEC-98 |
| | MIL-I-22352/2 | INTERCOMMUNICATION SETS AN/AIC-14 + AN/AIC-14A AMPLIFIER MODULE (USE MIL-I-22352/3)[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 10-AUG-84 |
| | MIL-I-22352/14 | INTERCOMMUNICATION SETS AN/AIC-14 AND AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2647A/AIC-14[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 10-AUG-84 |
| | MIL-I-22352D(1) SUP 1 NOT 1 | INTERCOMMUNICATION SETS AN/AIC-14A + AN/AIC-14, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-DEC-98 |
| | MIL-I-22352/5 NOT 2 | INTERCOMMUNICATION SETS AN/AIC-14A AND AN/AIC-14A LAMP DRIVER MODULE[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 29-JAN-97 |
| | MIL-I-22352/6(1) | INTERCOMMUNICATION SETS, AN/AIC-14 & AN/AIC-14A VOX MODULE (FOR NEW DESIGN USE MIL-I-22352/7)[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 15-AUG-86 |
| | MIL-I-85844/1A NOT 2 | INTERCOMMUNICATION SETS, AN/AIC-14 AMPLIFIER MODULE[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-NOV-03 |
| | MIL-I-22352/18 NOT 2 | INTERCOMMUNICATION SETS, AN/AIC-14 AND AN/AIC-14A R/T INTERPHONE CONTROL PANEL C-4952A/AIC-14A[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 29-JAN-97 |
| | MIL-I-22352/23(2) NOT 1 | INTERCOMMUNICATION SETS, AN/AIC-14 AND AN/AIC-14A STATION INTERPHONE CONTROL PANEL C-4951/AIC-14A[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 29-JAN-97 |
| | MIL-I-85845/1A NOT 2 | INTERCOMMUNICATION SETS, AN/AIC-14A AMPLIFER MODULE[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-NOV-03 |
| | MIL-I-85846/2A NOT 2 | INTERCOMMUNICATION SETS, AN/AIC-14A DUAL OUTPUT AMPLIFIER MODULE[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-NOV-03 |
| | MIL-I-85845/3A NOT 2 | INTERCOMMUNICATION SETS, AN/AIC-14A FILTER MODULE[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-NOV-03 |
| | MIL-I-85845A NOT 1 | INTERCOMMUNICATION SETS, AN/AIC-14A MASTER INTERPHONE CONTROL PANEL C-2645D/AIC-14 GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-DEC-98 |
| | MIL-I-85846/1A NOT 2 | INTERCOMMUNICATION SETS, AN/AIC-14A MICROPHONE MIXING MODULE[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-NOV-03 |
| | MIL-I-85845/2A NOT 2 | INTERCOMMUNICATION SETS, AN/AIC-14A VOX MODULE[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-NOV-03 |
| | MIL-I-22560C NOT 1 | INTERCOMMUNICATION STATIONS (HANDS-FREE OPERATED REPLY REPRODUCER) NAVAL SHIPBOARD[CUST: SH] | A | 5830 | | SH | 16-FEB-00 |
| | MIL-I-22767A NOT 2 | INTERCOMMUNICATION STATIONS LS-459(*)/AIC AND LS-460(*)/AIC[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-DEC-98 |
| | MIL-I-24078(1) NOT 1 | INTERCOMMUNICATION STATIONS NAVAL SHIPBOARD[CUST: SH] | A | 5835 | | SH | 26-DEC-90 |
| | MIL-I-22352/21 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A MASTER INTERPHONE CONTROL PANEL C-2645C/AIC-14[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 10-AUG-84 |
| | MIL-I-22352/12 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2644/AIC-14 (USE MIL-I-22352/17 OR MIL-I-22352/18)[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 10-AUG-84 |
| | MIL-I-22352/11 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2642A/AIC-14 (USE MIL-I-22352/17 OR MIL-I-22352/11)[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 10-AUG-84 |
| | MIL-I-22352/26 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2643/AIC-14 (USE MIL-I-22352/17 OR MIL-I-22352/18)[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 10-AUG-84 |
| | MIL-I-85846A NOT 1 | INTERCOMMUNICATIONS SET, AN/AIC-14A AUDIO FREQUENCY AMPLIFIER AM-3889/AIC-14A GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-DEC-98 |
| | MIL-I-85843A NOT 1 | INTERCOMMUNICATIONS SET, AN/AIC-14A R/T INTERPHONE CONTROL PANEL C-4949/AIC-14A[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-DEC-98 |
| | MIL-I-22352/9 NOT 2 | INTERCOMMUNICATIONS SETS, AN/AIC-14 AND AN/AIC-14A MONITOR AMPLIFIER MODULE[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 29-JAN-97 |
| | MIL-I-22352/25 NOT 2 | INTERCOMMUNICATIONS SETS, AN/AIC-14 AND AN/AIC-14A MOUNTING PLATE MT-2075/AIC-14[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 17-SEP-97 |
| | MIL-I-22062A(2) NOT 1 | INTERCONNECTING BOX J-1013A/AIC[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 07-DEC-98 |
| | MIL-I-46390 NOT 1 | INTERCONNECTING BOX, 8932942[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 13-AUG-97 |
| | MIL-I-24728/3 NOT 1 | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 406.4 X 863.6 MM[CUST: CR SH 11 NA] [REVIEW: 19 99 AR AS CC CG EC GS MC MI YD] | A | 5975 | | SH | 10-JUL-99 |
| | MIL-I-28892A NOT 1 | INTERFACE ADAPTER UNIT[CUST: EC] | A | 5810 | | EC | 30-APR-95 |
| | MIL-I-63259A NOT 2 | INTERFACE MODULE FOR SAFETY AND ARMING DEVICE[CUST: AR] | A | 1336 | | AR | 17-JUL-96 |
| | MIL-I-53011A NOT 1 | INTERFACE UNIT, ALARM J-4025/FSS-9(V)[CUST: CR4] | A | 6350 | | CR4 | 03-JAN-97 |
| | MIL-I-63120A NOT 2 | INTERMEDIATE FREQUENCY/DISCRIMINATOR/SQUARE AMPLIFIER HYBRID FOR XM122 FIRING DEVICE RECEIVER[CUST: AR] | A | 1375 | | AR | 12-FEB-96 |
| | MIL-STD-188-146 NOT 1 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR SATELLITE COMMUNICATIONS[Military Standard][CUST: CR EC 02] [REVIEW: DC MC NS] | A | TCSS | | CR | 27-JAN-98 |
| | MIL-I-22598B NOT 1 | INTERPRETATION KIT, PHOTOGRAPHIC, POCKET-SIZE BS-5( )[CUST: AS] [REVIEW: GS MC] | A | 6675 | | AS | 27-SEP-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-I-49394A(1) NOT 1 | INTERROGATOR SET AN/TPX-46A(V)7 )[CUST: CR] | A | 5895 | | CR | 01-JUN-97 |
| | MIL-I-28763C(2) NOT 1 | INTERROGATOR SET, AN/UPX-27[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-I-21400 NOT 1 | INTERVALOMETER, ORDNANCE, RELEASE TD-239/A[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-I-14885(1) NOT 2 | INTIATOR, CARTRIDGE ACTUATED. DELAY M114 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 10-JUL-99 |
| | MIL-I-19028E NOT 1 | INVERTER (FOR TORPEDO MARK 37 MODS O, 2, AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MS16057F NOT 2 | INVERTER, 100/60 VA, 3/1 PHASE TO 100 VA, 1 PHASE, CLASS B, MULTIPURPOSE[CUST: CR4 AS 99] [REVIEW: 71 AV CG CR GS MC MI] | A | 6125 | | AS | 04-SEP-96 |
| | MS21983E NOT 2 | INVERTER, 250 VA, 3/1 PHASE AND 1 PHASE, CLASS B, MULTIPURPOSE[CUST: CR4 AS 11] [REVIEW: GS] | A | 6125 | | AS | 04-SEP-96 |
| | MS16062C NOT 2 | INVERTER, 2500 VA, 3/1 PHASE, CLASS B[CUST: AS] [REVIEW: GS] | A | 6125 | | AS | 11-SEP-96 |
| | MIL-I-12659A(1) NOT 1 | INVERTER, 350 VOLT AMPERE[CUST: AR] [REVIEW: GS] | A | 6125 | | AR | 29-JAN-96 |
| | MS17406C NOT 2 | INVERTER, 750 VA 3/1 PHASE, 750 VA 3 PHASE, AND 1000 VA 1 PHASE CLLSS B, MULTI-PURPOSE[CUST: CR4 AS 99] [REVIEW: 71 AV CR GS] | A | 6125 | | AS | 21-FEB-95 |
| | MS17404B NOT 2 | INVERTER, AIRCRAFT, 2500 VA, 3/1 PHASE, 400 CYCLE, CLASS B, MULTI-PURPOSE[CUST: CR4 AS 99] [REVIEW: GS] | A | 6125 | | AS | 04-SEP-96 |
| | MIL-I-85071/1 NOT 3 | INVERTER, AIRCRAFT, DC TO AC, STATIC, 100VA 3 PHASE AND 100VA 1 PHASE MULTI PURPOSE, CLASS B[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 10-FEB-04 |
| | MIL-I-85071/2 NOT 3 | INVERTER, AIRCRAFT, DC TO AC, STATIC, 250VA, 3 PHASE AND 250VA 1-PHASE, MULTIPURPOSE, CLASS B[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 10-FEB-04 |
| | MIL-I-85071/3B(1) NOT 2 | INVERTER, AIRCRAFT, DC TO AC, STATIC, 750 VA 3-PHASE, 1000 VA 1-PHASE, AND 1000 VA 3-PHASE, MULTIPURPOSE, CLASS B[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 10-FEB-04 |
| | MIL-I-27273A(3) NOT 1 | INVERTER, POWER, STATIC, GENERAL SPECIFICATION FOR[CUST: AV 99] [REVIEW: CR GS] | A | 6130 | | 84 | 15-JUN-95 |
| | MIL-I-60166(8) NOT 2 | INVERTER, POWER, STATIC: 10516412[CUST: AR] | A | 1220 | | AR | 11-DEC-95 |
| | MIL-I-85071A(1) NOT 1 | INVERTERS, AIRCRAFT, DC TO AC, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 6130 | | AS | 10-MAY-99 |
| | QPL-85071-4 NOT 1 | INVERTERS, AIRCRAFT, DC TO AC, GENERAL SPECIFICATION FOR | A | 6130 | | AS | 19-JUL-99 |
| | MIL-I-7032G SUP 1 NOT 1 | INVERTERS, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 71 CR4 GS] | A | 6125 | | AS | 04-SEP-96 |
| | MIL-I-46182 NOT 2 | IRON CASTINGS, SPHEROIDAL GRAPHITE (EXTRA TOUGH)[CUST: AR] [REVIEW: SM] | A | MECA | | AR | 14-MAR-97 |
| | TT-I-735A(3) NOT 2 | ISOPROPYL ALCOHOL[CUST: MI AS 68 GS] [REVIEW: DS EA] | A | 6810 | / | AS | 19-APR-01 |
| | MIL-J-5251A NOT 3 | JACK U-82/U[CUST: 11] | A | 5935 | | CC | 23-JUN-99 |
| A | MS33589F NOT 1 | JACK, AIRCRAFT, AIRFRAME (UNIPOD AND TRIPOD)[CUST: AV AS 99] [REVIEW: 11 84 MC] | A | 1730 | | AS | 07-SEP-99 |
| A | MS26566C NOT 1 | JACK, AIRCRAFT, LANDING GEAR (AXLE)[CUST: AV AS 99] [REVIEW: 11 84 MC] | A | 1730 | | AS | 07-SEP-99 |
| A | MIL-J-26149E NOT 2 | JACK, HYDRAULIC, AIRCRAFT MAINTENANCE, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 11 84 MC] | A | 1730 | | AS | 24-MAY-00 |
| | MIL-J-12368D(1) NOT 1 | JOINT BAR, RAIL[CUST: AT YD] | A | 2250 | | AT | 26-FEB-99 |
| | MIL-J-26870C NOT 3 | JOINT, SWIVEL, AIRCRAFT FUEL[CUST: AV AS 99] [REVIEW: CC CR4] | A | 4730 | | 71 | 31-JAN-97 |
| A | MIL-STD-1589C NOT 3 | JOVIAL (J73)[Military Standard][CUST: 11] | A | IPSC | | 11 | 05-JUL-05 |
| | MIL-J-43904A NOT 1 | JUICE, GRAPE, INSTANT, SWEETENED[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8915 | | GL | 26-SEP-97 |
| | MIL-J-35050C NOT 1 | JUICE, GRAPEFRUIT, INSTANT[CUST: GL SA 50] [REVIEW: MC MD SS] | A | 8915 | | GL | 26-SEP-97 |
| | MIL-J-35049E NOT 1 | JUICE, ORANGE, INSTANT[CUST: GL SA 50] [REVIEW: MC MD] | A | 8915 | | GL | 26-SEP-97 |
| | MIL-J-21994B NOT 1 | JUNCTION BOX MARK 43 MOD 0[CUST: OS] | A | 1350 | | OS | 27-MAR-92 |
| | MIL-K-687E(2) NOT 1 | KETTLE, HEATING, BITUMEN, TRAILER MOUNTED[CUST: AT 99] [REVIEW: 84] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-K-48196 NOT 3 | KEY[CUST: AR] | A | 1135 | | AR | 21-JUN-95 |
| | AN122776THRUAN122802 REV 2 | KEY-CHAMFERED WOODRUFF[CUST: AV 99 IS] | A | 5315 | | IS | 29-JUL-59 |
| | MIL-K-70493(1) NOT 1 | KEYBOARD, DATA ENTRY[CUST: AR] | A | 1220 | | AR | 03-JAN-97 |
| | MIL-K-8144B NOT 1 | KEYER, OVERHEAT WARNING LIGHT, TYPE MA&1[CUST: 99] [REVIEW: GS] | A | 6340 | | 71 | 03-OCT-97 |
| | MIL-K-71015A(1) NOT 1 | KIT, COMPONENTS FOR, GROUND VEHICLE MOUNTING HARDWARE, M548A1 FOR M139 DISPENSERS[CUST: AR] | D | 1095 | | AR | 13-JAN-97 |
| | MIL-K-83525 NOT 2 | KIT, PORTABLE OPTICAL MICROSCOPE, MILITARIZED, 200X MAGNIFICATION FOR FIELD INSPECTION OF OPTICAL FIBERS[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6080 | | CC | 17-AUG-99 |
| | MIL-K-81779C NOT 2 | KIT, TOOL, SPECIAL TK-222( )/AWM-23(V)[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 30-APR-97 |
| | MIL-K-43911B NOT 1 | KITCHEN, FIELD, TRAILER MOUNTED[CUST: GL 99] [REVIEW: AV MD1 QM1 SS] | A | 7360 | | GL | 03-JUL-97 |
| | MS14139A NOT 3 | KNEE PROTECTOR[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 30-AUG-90 |
| | MIL-K-70606(3) NOT 1 | KNIFE, BAYONET, MULTIPURPOSE, M9 WITH SCABBARD[CUST: AR] | A | 1005 | | AR | 18-AUG-00 |
| | MS27761A NOT 1 | KNIFE, RELEASE, CARGO PLATFORM[CUST: GL AS 99] [REVIEW: AV GS] | A | 1670 | | 11 | 31-DEC-97 |
| | MS25169G NOT 1 | KNOB, BAR, SMALL (ASG)[CUST: AS 11] [REVIEW: IS] | A | 5355 | | AS | 23-JUL-97 |
| | MS25166E NOT 1 | KNOB, POINTER, ILLUMINATED[CUST: CR AS 11] | A | 5355 | | IS | 23-JUL-97 |
| | MS25165E NOT 1 | KNOB, POINTER, ILLUMINATED, SMALL (ASG)[CUST: CR AS 11] [REVIEW: CR4 MC] | A | 5355 | | IS | 23-JUL-97 |
| | MS25168F NOT 1 | KNOB, ROUND (ASG)[CUST: AS 11] [REVIEW: IS] | A | 5355 | | AS | 23-JUL-97 |
| | MS25167F NOT 1 | KNOB, ROUND, SMALL (ASG)[CUST: AS 11] [REVIEW: IS] | A | 5355 | | AS | 23-JUL-97 |
| | MS18020B NOT 1 | LABEL, INSTRUCTION[CUST: OS] | A | 7530 | | OS | 09-MAY-96 |
| | MIL-L-13751C NOT 2 | LACTOSE, TECHNICAL (METRIC)[CUST: EA] [REVIEW: GS MD] | A | 6810 | | EA | 12-JUL-04 |
| | MS3338 NOT 1 | LAMP INCANDESCENT, T-1 BULB, BASED, 28 VOLT, INTEGRAL LIGHTING[CUST: AS] [REVIEW: GS] | A | 6240 | | AS | 18-SEP-96 |
| | MS25239A NOT 1 | LAMP, INCANDESCENT - PAR-36 BULB, SCREW TERMINAL BASE, SIGNALING (ASG)[CUST: AS 99] [REVIEW: GS] | A | 6240 | | AS | 24-JUL-96 |
| | MS18002B NOT 2 | LAMP, INCANDESCENT - SEALED BEAM, PAR 36 FOG LAMP, 2 SCREW TERMINAL TYPE[CUST: AT SH] [REVIEW: GS] | A | 6240 | | AT | 10-JAN-00 |
| | MS25236G | LAMP, INCANDESCENT T-1-1/4, KNURLED SCREW BASE[CUST: CR4 AS 99] [REVIEW: 71 AR] | A | 6240 | | IS | 03-MAY-04 |
| | MS25241E NOT 1 | LAMP, INCANDESCENT, PAR&46 BULB, SCREW TERMINAL BASE, LANDING[CUST: AV AS 99] [REVIEW: 11 GS] | A | 6240 | | AS | 24-JUL-96 |
| | MS25243A NOT 1 | LAMP, INCANDESCENT, PAR-36 BULB, SCREW TERMINAL BASE[CUST: AS 99] [REVIEW: AV GS] | A | 6240 | | AS | 24-JUL-96 |
| | MS28926A NOT 1 | LAMP, INCANDESCENT, PAR-46 BULB, SCREW TERMINAL BASE, TAXIING[CUST: AV AS 99] [REVIEW: 11 GS MC] | A | 6240 | | AS | 24-JUL-96 |
| | MS25242D NOT 3 | LAMP, INCANDESCENT, PAR-64 BULB, SCREW TERMINAL BASE[CUST: CR4 AS 99 IS] [REVIEW: AV CG CR EC] | A | 6240 | | IS | 01-OCT-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS90451 NOT 1 | LAMP, INCANDESCENT, T-1 BULB, SHORT, INTEGRAL LIGHTING[CUST: AS] [REVIEW: GS] | A | 6240 | | AS | 18-SEP-96 |
| | MS90452A NOT 1 | LAMP, INCANDESCENT, T-3/4 BULB, INTEGRAL LIGHTING[CUST: AS] [REVIEW: GS] | A | 6240 | | AS | 18-SEP-96 |
| | MS18003A NOT 3 | LAMP, INCANDESCENT-SEALED BEAM, PAR 36 HEADLAMP, 3 CONTACT LUG TYPE[CUST: AT SH 11] [REVIEW: GS] | A | 6240 | | AT | 10-JAN-00 |
| | MS25231G | LAMPS, INCANDESCENT, CENTER CONTACT, MINIATURE BAYONET BASE (T-3-1/4 BULB)[CUST: CR4 AS 99] [REVIEW: 71 AV EC MC] | A | 6240 | | IS | 29-APR-04 |
| | MS27380D NOT 2 | LANYARD, FLUID TANK CAP[CUST: AV AS 99] [REVIEW: 71] | A | 1560 | | GS1 | 16-JUN-04 |
| | MIL-L-48407B NOT 2 | LASER, TANK GUNNERY TRAINER: M55[CUST: AR] | A | 1240 | | AR | 29-NOV-95 |
| | MS3488B NOT 1 | LATCH, LAP BELT, AIRCRAFT SAFETY, QUICK RELEASE[CUST: AV AS 99] [REVIEW: GS] | A | 1680 | | AS | 10-SEP-97 |
| | MIL-L-51292C NOT 2 | LAUNCHER AND GRENADES, SMOKE, HC AND WP, XM176[CUST: EA] | A | 1330 | | EA | 13-JUL-04 |
| | MIL-L-51293B(1) NOT 2 | LAUNCHER AND GRENADES, SMOKE, HC AND WP, XM176, COMPONENTS FOR[CUST: EA] | A | 1330 | | EA | 13-JUL-04 |
| | MIL-L-81745B(2) NOT 1 | LAUNCHER CONTAINER, "A" SIZE SONOBUOY LAU-126/A[CUST: AS] | A | PACK | | AS | 30-AUG-99 |
| | MIL-L-45589(1) NOT 1 | LAUNCHER, GRENADE, 40MM, M79[CUST: AR OS 99] [REVIEW: MC] | A | 1010 | | AR | 23-JAN-03 |
| | MIL-L-45935A(3) NOT 1 | LAUNCHER, GRENADE, 40MM: DETACHABLE, M203[CUST: AR] | A | 1010 | | AR | 16-DEC-96 |
| | MIL-L-29400B NOT 1 | LAUNCHER, MINE CLEARENCE, MARK 155[CUST: MC] | A | 1055 | | MC | 04-APR-98 |
| | MIL-L-51450A NOT 2 | LAUNCHER, PROJECTILE, 64 MM - M234[CUST: EA] | A | 1330 | | EA | 14-JUL-04 |
| | MIL-L-51543 NOT 2 | LAUNCHER, PROJECTILE, LIQUID AIRBURST: M267[CUST: EA] | A | 6920 | | EA | 16-JUL-04 |
| | MIL-L-21910(1) NOT 1 | LAUNCHER, ROCKET LAU-10/A[CUST: AS] | A | 1055 | | AS | 15-OCT-63 |
| | MIL-L-81795(1) NOT 1 | LAUNCHER, ROCKET, AIRBORNE, LAU 61 A/A[CUST: AS] | A | 1055 | | AS | 11-SEP-96 |
| | MIL-L-52325D NOT 4 | LAUNCHER, TRANSPORTER, BRIDGE, M48A5 OR M60A1 TANK CHASSIS[CUST: AT] | A | 5420 | | AT | 22-MAY-98 |
| | MIL-L-22769A(1) NOT 1 | LAUNCHER, WEAPONS, AIRBORNE AND ASSOCIATED EQUIPMENT GENERAL SPECIFICATION FOR[CUST: AS] | A | 10GP | | AS | 15-NOV-95 |
| | MIL-L-51513 NOT 2 | LAUNCHERS, GRENADE, SMOKE: SCREEN, RP, M239 AND M250[CUST: EA] | A | 1040 | | EA | 16-JUL-04 |
| | MIL-L-51501A NOT 2 | LAUNCHERS, GRENADE, SMOKE: SCREENING, RP, M243, M257, AND M259[CUST: EA] | A | 1040 | | EA | 16-JUL-04 |
| | MIL-L-44142A(2) NOT 2 | LAUNDRY UNIT, TRAILER MOUNTED[CUST: GL] [REVIEW: AV] | A | 3510 | | GL | 15-NOV-00 |
| | MIL-L-48288(1) NOT 2 | LEAD ASSEMBLY (FOR MINE, M56 SUBSYSTEM) PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 07-FEB-96 |
| | MIL-L-18618A NOT 1 | LEAD CARBONATE, BASIC, DRY (FOR ORDNANCE USE)[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 09-MAY-96 |
| | MIL-L-376C(1) NOT 1 | LEAD DIOXIDE, TECHNICAL[CUST: EA AS] [REVIEW: GS MD1 OS] | A | 6810 | | AR | 23-JAN-98 |
| | MIL-L-82893A NOT 1 | LEAD FOIL[CUST: OS] | A | 9535 | | OS | 22-APR-98 |
| | MIL-L-17700 NOT 1 | LEAD SALICYLATE[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 09-MAY-96 |
| | MS39119 NOT 2 | LEAD, ELECTRICAL, BRAIDED WIRE[CUST: MI 99] [REVIEW: 84 GS] | A | 6150 | | MI | 06-APR-05 |
| | MIL-L-82531(1) NOT 2 | LEAD, EXPLOSIVE, MK 5 MOD 0[CUST: OS] | A | 1340 | | OS | 13-JUL-99 |
| | MIL-L-70828A NOT 1 | LEAD, EXPLOSIVE, PA534 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 13-JAN-97 |
| | MIL-L-48066B NOT 1 | LEAD, MULTI-PURPOSE PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 13-FEB-97 |
| | MIL-L-70751A NOT 1 | LEAD, PARTS, ASSEMBLY AND PACKAGING FOR[CUST: AR] | A | 1305 | | AR | 07-JAN-97 |
| | MIL-L-11025F NOT 1 | LEAD, PILE-DRIVER, WITH CATWALK[CUST: AT YD 99] [REVIEW: 84 CC CE MC] | A | 3815 | | AT | 09-MAR-98 |
| | QPL-19844-19 NOT 1 | LEAD, SHIELDED, DETACHABLE IGNITION | A | 2925 | | AS | 14-MAY-01 |
| | MIL-L-19844A NOT 1 | LEAD, SHIELDED, DETACHABLE IGNITION[CUST: AS] [REVIEW: 99 AV GS] | A | 2925 | | AS | 07-MAY-97 |
| | MIL-L-63246B(4) NOT 1 | LEADS, EXPLOSIVE, PA509, PA512, PA513, PA514, PA516, PA517 AND PA521; PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 17-JUL-96 |
| | AN2541 REV 3 NOT 3 | LENS, AIRCRAFT OBSTRUCTION MARKER LIGHT[CUST: AS 99] [REVIEW: 11 GS YD] | A | 6210 | | IS | 19-FEB-03 |
| | MIL-L-81561G(1) SUP 1 NOT 1 | LIFE PRESERVER ASSEMBLIES, INFLATABLE, AIRCREWMEN AND PASSENGER, CEMENTED AND HEAT SEALED[CUST: AS] | A | 4220 | | AS | 18-OCT-00 |
| | MIL-L-24611A NOT 1 | LIFE PRESERVER SUPPORT PACKAGE FOR LIFE PRESERVER, MK 4[CUST: SH] | A | 4220 | | SH | 10-JUL-99 |
| | MIL-L-81561/1 NOT 1 | LIFE PRESERVER, INFLATABLE, AIRCREWMEN, CEMENTED, WITH INFLATION DEVICE, TYPE LPU-21C/P[CUST: AS] | A | 4220 | | AS | 30-JUL-97 |
| | MIL-L-81561/2 NOT 1 | LIFE PRESERVER, INFLATABLE, AIRCREWMEN, CEMENTED, WITHOUT INFLATION DEVICE, TYPE LPU-23B/P[CUST: AS] | A | 4220 | | AS | 30-JUL-97 |
| | MIL-L-81561/3 NOT 1 | LIFE PRESERVER, INFLATABLE, AIRCREWMEN, HEAT SEALED, WITH INFLATION DEVICE, TYPE LPU-21D/P[CUST: AS] | A | 4220 | | AS | 30-JUL-97 |
| A | MIL-L-81561/4(1) NOT 2 | LIFE PRESERVER, INFLATABLE, AIRCREWMEN, HEAT SEALED, WITHOUT INFLATION DEVICE, TYPE LPU-23C/P[CUST: AS] | A | 4220 | | AS | 20-JUL-05 |
| | MIL-L-85347A NOT 1 | LIFE PRESERVER, INFLATABLE, CEMENTED, AIRCREWMAN (WITH ARAMID CASTING), TYPE LPU-23B/P[CUST: AS] | A | 4220 | | AS | 30-JUL-97 |
| | MIL-L-81561/5 NOT 1 | LIFE PRESERVER, INFLATABLE, CEMENTED, UTILITY, TYPE LPP-1A[CUST: AS] | A | 4220 | | AS | 30-JUL-97 |
| | MIL-L-81787B NOT 2 | LIFE PRESERVER, INFLATABLE, UTILITY, TYPE LPP-1A[CUST: AS] | A | 4220 | | AS | 18-SEP-96 |
| | MIL-L-81561/6 NOT 1 | LIFE PRESERVER, INFLATABLE, YOKE, HEAT SEALED, TYPE LPU-32/P[CUST: AS] | A | 4220 | | AS | 30-JUL-97 |
| | MIL-L-25798D NOT 1 | LIFE PRESERVER, UNDERARM, CASUALTY, TYPE MB-1[CUST: 99] | A | 4220 | | 11 | 12-SEP-97 |
| | MIL-L-15581K NOT 1 | LIFE PRESERVERS, C02 INFLATABLE, POUCH TYPE[CUST: SH] | A | 4220 | | SH | 11-APR-05 |
| | MIL-L-38484(5) NOT 2 | LIFE PRESERVERS, UNDERARM, PNEUMATIC[CUST: 99] [REVIEW: 84] | A | 4220 | | 11 | 12-SEP-97 |
| | MIL-L-81542A(3) NOT 2 | LIFE RAFT, INFLATABLE, ONE MAN, TYPE LR-1[CUST: AS] | A | 4220 | | AS | 18-SEP-96 |
| | MIL-L-83491A NOT 1 | LIFE RAFTS, INFLATABLE, LRU-16/P AND LRU-17/P[CUST: 99] | A | 4220 | | 11 | 31-JUL-97 |
| | MIL-L-24489C NOT 1 | LIFEBOAT, INFLATABLE, MARK 6, 25-PERSON CAPACITY[CUST: SH] | A | 1940 | | SH | 22-APR-98 |
| | AN3030 REV 8 NOT 1 | LIGHT ASSEMBLY - CIRCULAR FORMATION[CUST: AV AS 11] [REVIEW: GS] | A | 6220 | | AS | 24-JUL-96 |
| | AN3092 REV 7 NOT 1 | LIGHT ASSEMBLY - EXTERIOR, SURFACE MOUNTING[CUST: AS 11] [REVIEW: GS] | A | 6220 | | AS | 24-JUL-96 |
| | AN3049 REV 2 | LIGHT ASSEMBLY - OPEN CABIN DOME[CUST: AS 11] [REVIEW: GS] | A | 6220 | | AS | 03-JAN-67 |
| | AN3032 REV 10 | LIGHT ASSEMBLY - WING POSITION RECESSED[CUST: AS 11] [REVIEW: GS] | A | 6220 | | AS | 03-JAN-67 |
| | AN3036 REV 4 | LIGHT ASSEMBLY, BERTH[CUST: AS 11] [REVIEW: GS] | A | 6220 | | AS | 03-JAN-67 |
| | AN3037 REV 6 NOT 1 | LIGHT ASSEMBLY, CABIN DOME[CUST: AV AS 11] [REVIEW: GS] | A | 6220 | | AS | 05-NOV-97 |
| | MS25203B NOT 1 | LIGHT ASSEMBLY, TAXI (PAR-46 BULB)[CUST: AS] | A | 6220 | | AS | 18-SEP-96 |
| A | AN3177 REV 7 | LIGHT ASSEMBLY, TOP AND BOTTOM FUSELAGE (TWO LAMPS)[CUST: AV AS 11] | A | 6220 | | IS | 23-JAN-06 |

| Last Action DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|
| AN3033 REV 12 NOT 1 | LIGHT ASSEMBLY, WING POSITION, WING TIP[CUST: AS 11] [REVIEW: GS] | A | 6220 | | AS | 24-JUL-96 |
| MIL-L-82565(2) NOT 1 | LIGHT CIRCUIT ASSEMBLY LD546991 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| MIL-L-52008C NOT 2 | LIGHT HOODS, AIRPORT AND HELIPORT MARKER[CUST: CR4 IS] [REVIEW: AV] | A | 6210 | | IS | 11-AUG-92 |
| MS90308C | LIGHT INDICATOR, SUBMINIATURE, RELAMPABLE[CUST: AS IS] | A | 6210 | | IS | 28-JUN-05 |
| MIL-L-10469B(4) NOT 1 | LIGHT, AIMING POST[CUST: AR] | A | 1290 | | AR | 08-AUG-97 |
| MS21972B NOT 1 | LIGHT, AIRCRAFT, ANTI-COLLISION, TANDEM OSCILLATING[CUST: AS] [REVIEW: GS] | A | 6220 | | AS | 29-MAY-92 |
| MIL-L-58085A(2) NOT 2 | LIGHT, BEACON, ANTI-COLLISION, AIRCRAFT[CUST: AV IS] | A | 6220 | | IS | 31-JUL-00 |
| MS25277D NOT 1 | LIGHT, BEACON, ANTI-COLLISION, AIRCRAFT[CUST: AS 99] | A | 6220 | | AS | 29-MAY-92 |
| MIL-L-21652A(1) NOT 3 | LIGHT, BEACON, ANTICOLLISION, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 11 AT GS] | A | 6220 | | AS | 29-MAY-92 |
| MS28916 NOT 1 | LIGHT, CABIN DOME, AIRCRAFT[CUST: AS 99] [REVIEW: GS] | A | 6220 | | AS | 24-JUL-96 |
| MS28799B NOT 1 | LIGHT, COCKPIT, AIRCRAFT, INSTRUMENT, POST TYPE, UNIVERSAL[CUST: CR4 AS 99] [REVIEW: GS] | A | 6220 | | AS | 24-JUL-96 |
| MIL-L-45068D NOT 1 | LIGHT, DOME, VEHICULAR, 24 VOLT DC[CUST: AT IS] | A | 6220 | | IS | 11-JUN-99 |
| MIL-L-52039D NOT 1 | LIGHT, GLIDE-ANGLE, AIRPORT APPROACH[CUST: CR4 IS] [REVIEW: AV] | A | 6210 | | IS | 11-AUG-92 |
| MS25023C NOT 2 | LIGHT, INDICATOR[CUST: AS 99] | A | 6210 | | AS | 24-JUL-96 |
| MIL-L-24560/17A NOT 1 | LIGHT, LENS, CYLINDRICAL, CLASS 2, CLEAR[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MIL-L-24560/18A NOT 1 | LIGHT, LENS, DISK SHAPED, CLASS 2, CLEAR[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MIL-L-24560/16A NOT 1 | LIGHT, LENS, FRESNEL, CLASS 1, CLEAR, RED, AND GREEN[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MIL-L-24560/19A NOT 1 | LIGHT, LENS, GLOBE, CLASS 2, MASKED, BLUE[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MIL-L-24560/20A NOT 1 | LIGHT, LENS, ROUNDEL, CLASS 2, TRANSPARENT (RED, GREEN, AND YELLOW)[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MS51303B NOT 3 | LIGHT, MARKER, CLEARANCE-BLACK[CUST: AT MC 99 IS] | A | 6220 | | IS | 08-DEC-04 |
| MIL-L-23614B(1) NOT 1 | LIGHT, MARKER, DISTRESS, AIRCREW, DSU-30[CUST: AS] [REVIEW: CG CR4 GS SH] | A | 6230 | | AS | 13-AUG-97 |
| MS53047A(1) NOT 2 | LIGHT, MARKER-SERVICE PARK, SERVICE SIGNAL AND BLACKOUT MARKER, 24 VOLT[CUST: AT IS] | A | 6220 | | IS | 05-SEP-02 |
| MIL-L-24560/24A NOT 2 | LIGHT, NAVIGATION, PORTABLE TOWING, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 206.2[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MIL-L-24560/21 NOT 2 | LIGHT, NAVIGATION, TRAFFIC CONTROL (AIRCRAFT CARRIERS), 120 VOLTS, 90 WATTS, SIX LAMPS, RED AND GREEN, SYMBOL 221 (SEE NOTICE 2 FOR MORE INFORMATION)[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MIL-L-24560/22 NOT 2 | LIGHT, NAVIGATION, TRAFFIC LIGHT (LST'S), 120 VOLTS, 90 WATTS, SIX LAMPS, RED, YELLOW, GREEN, SYMBOL 222 (SEE NOTICE 2 FOR MORE INFORMATION)[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MS25010F | LIGHT, PANEL - PLASTIC PLATE LIGHTING[CUST: CR4 AS 99] [REVIEW: AT AV GS] | A | 6220 | | AS | 13-SEP-74 |
| MS25453A | LIGHT, PANEL INFORMATION PLATE, PLATE SUPPORTING TYPE[CUST: AV AS 99] [REVIEW: CR4 GS] | A | 6220 | | AS | 01-JUN-68 |
| MIL-L-7806A(2) NOT 1 | LIGHT, PANEL, PLASTIC PLATE, LIGHTING[CUST: CR4 AS 99] [REVIEW: GS] | A | 6210 | | AS | 20-OCT-99 |
| MS17315 NOT 2 | LIGHT, POLARITY-150 WATT SYMBOL 215[CUST: SH] [REVIEW: GS] | A | 6220 | | SH | 13-JUL-99 |
| MIL-L-24560/6B NOT 1 | LIGHT, SIGNAL, CLEAR, 120 VOLTS, 45 WATTS, THREE LAMPS, SYMBOL 192.1 (SEE NOTICE 1 FOR MORE INFORMATION)[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MS28925D NOT 1 | LIGHT, SIGNAL, HAND HELD, 4-1/2 INCH[CUST: CR4 AS] | A | 6220 | | IS | 06-JUN-05 |
| MS17781A NOT 1 | LIGHT, STATION KEEPING STARBOARD-PORT-FULL AFT[CUST: SH] [REVIEW: GS] | A | 6220 | | SH | 13-JUL-99 |
| MIL-L-24560/25 NOT 1 | LIGHT, TASK, AND SHIELD ASSEMBLY, FOR USE WITH SYMBOL 114.1 AND 115.1 PLASTIC LIGHT FIXTURES (SEE NOTICE 1 FOR MORE INFORMATION)[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MIL-L-24560/26 NOT 1 | LIGHT, TASK, AND SHIELD ASSEMBLY, FOR USE WITH SYMBOL 190.1 AND 192.1 BRASS LIGHT FIXTURES (SEE NOTICE 1 FOR MORE INFORMATION)[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MIL-L-6617C NOT 1 | LIGHT, TRAFFIC, AIRCRAFT TYPE B-2[CUST: CR4 IS] | A | 6210 | | IS | 11-AUG-92 |
| MIL-L-6503H NOT 2 | LIGHTING EQUIPMENT, AIRCRAFT, GENERAL SPECIFICATION FOR INSTALLATION OF[CUST: AV 11] [REVIEW: 99 GS] | A | 6220 | | 11 | 25-MAR-96 |
| MIL-L-27160C(1) NOT 4 | LIGHTING, INSTRUMENT, INTEGRAL, WHITE, GENERAL SPECIFICATION FOR[CUST: AV 99] [REVIEW: GS] | A | 6620 | | 71 | 01-JUL-96 |
| MIL-L-6484C(3) NOT 2 | LIGHTS, COCKPIT UTILITY, AIRCRAFT GENERAL SPECIFICATION FOR[CUST: AV AS 99 IS] [REVIEW: 71] | A | 6220 | | IS | 11-JUN-99 |
| MIL-L-10470D(2) NOT 2 | LIGHTS, INSTRUMENT: FIRE CONTROL EQUIPMENT[CUST: AR] | A | 1290 | | AR | 11-AUG-97 |
| MIL-L-24560/2B NOT 2 | LIGHTS, NAVIGATION, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 114.1, 115.1, 116.1, 117.1 AND 118.1 (SEE NOTICE 2 FOR MORE INFORMATION)[CUST: SH] | A | 6220 | | SH | 05-FEB-99 |
| MIL-L-52430C NOT 1 | LIGHTS, SIGNAL, SURVEYING: 2-INCH AND 5-INCH REFLECTORS, BATTERY-POWERED, WITH CASES[CUST: CE MC 99 IS] [REVIEW: 71] | A | 6675 | | IS | 29-MAR-99 |
| MIL-L-81293A NOT 1 | LIGHTWEIGHT SANDWICH-CONSTRUCTED PANELS (FOR ASROC LAUNCHER MK 112)[CUST: OS] | A | 5640 | | OS | 20-DEC-95 |
| MIL-L-48385(1) NOT 2 | LINE, EXTENSION AND SPOOL ASSEMBLY FOR MINE, APERS, M18A1E1[CUST: AR] | A | 1345 | | AR | 12-AUG-97 |
| MIL-L-60339 NOT 2 | LINER ASSEMBLY OUTER, FOR CARTRIDGE 106MM, M346A1[CUST: AR] | A | 1315 | | AR | 16-JUL-96 |
| MIL-L-82677 NOT 2 | LINER MATERIAL, POLYBUTADIENE BASE[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| MIL-DTL-83197B NOT 1 | LINER, ANTI-EXPOSURE, FLYING COVERALLS CWU-23/P[CUST: GL AS 99] | A | 8475 | | 11 | 22-JUN-98 |
| MIL-L-50205 NOT 1 | LINER, CUP-FOR WARHEAD, 2.75 INCH ROCKET, M151 AND XM229[CUST: AR] | A | 1340 | | AR | 24-FEB-99 |
| MIL-L-50470(1) NOT 1 | LINER, FOR DEEP CAVITY LOADED PROJECTILE[CUST: AR] | A | 1315 | | AR | 08-FEB-96 |
| MIL-L-10547E NOT 3 | LINERS, CASE, AND SHEET, OVERWRAP: WATER-VAPORPROOF OR WATERPROOF, FLEXIBLE[CUST: AR SA 11] [REVIEW: 99 AS EA GS MC MD OS SS YD] | A | 8135 | | AR | 09-APR-98 |
| KKK-L-370D NOT 3 | LINING, FRICTION, (CLUTCH AND BRAKE, METALLIC, METAL-CERAMIC AND SEMI-METALLIC)[CUST: AT AS CC] [REVIEW: MC] | A | 2520 | / | CC | 09-AUG-01 |
| MIL-L-45585D(1) NOT 2 | LINK CARTRIDGE: METALLIC BELT, 40MM, M16A2[CUST: AR] | A | 1310 | | AR | 07-SEP-00 |
| MIL-L-45456E NOT 1 | LINK, CARTRIDGE, METALLIC BELT, 20MM, M17A2[CUST: AR 99] | A | 1305 | | AR | 05-JUN-96 |
| MIL-L-11536D(1) NOT 1 | LINK, CARTRIDGE, METALLIC BELT, 20MM: M10[CUST: AR] | A | 1305 | | AR | 01-NOV-95 |
| MIL-L-12997F NOT 2 | LINK, CARTRIDGE, METALLIC BELT, 20MM: M12[CUST: AR] | A | 1305 | | AR | 05-JUN-96 |
| MIL-L-45194G(1) NOT 1 | LINK, CARTRIDGE, METALLIC BELT, 20MM: M14A2[CUST: AR] | A | 1305 | | AR | 01-FEB-96 |
| MIL-L-45946A(2) NOT 2 | LINK, CARTRIDGE, METALLIC BELT, 20MM: M22[CUST: AR 99] | A | 1305 | | AR | 05-JUN-96 |
| DOD-L-63983 NOT 2 | LINK, CARTRIDGE, METALLIC BELT, 30MM, M29[CUST: AR] | A | 1305 | | AR | 07-DEC-95 |
| MIL-L-63532C(2) NOT 1 | LINK, CARTRIDGE, METALLIC BELT, 5.56MM, M27[CUST: AR] | A | 1305 | | AR | 13-FEB-96 |
| MIL-L-45403D(2) NOT 2 | LINK, CARTRIDGE, METALLIC BELT, 7.62MM, M13[CUST: AR] | A | 1305 | | AR | 01-FEB-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-L-45550A(4) NOT 2 | LINK, CARTRIDGE, METALLIC BELT, CALIBER .50, M15A2[CUST: AR] | A | 1305 | | AR | 02-FEB-96 |
| | MIL-L-45923B(1) NOT 1 | LINK, CARTRIDGES: METALLIC BELT, CALIBER .50, M9[CUST: AR] | A | 1305 | | AR | 23-APR-97 |
| | MS87008A NOT 2 | LINK, CHAIN AND CONNECTING OR REPAIR[CUST: AR SH 99 GS5] [REVIEW: AT AV GL MI] | A | 4010 | | GS5 | 17-NOV-03 |
| | MS22021F NOT 1 | LINK, PARACHUTE REMOVABLE CONNECTER, SPEED[CUST: AS 11] [REVIEW: GS] | A | 1670 | | AS | 16-JUL-97 |
| | MIL-L-60244A NOT 1 | LINKAGE ASSEMBLY, 8287301[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-L-45522A NOT 2 | LINKER-DELINKER, HAND, 7.62MM, M21A1[CUST: AR OS 99] [REVIEW: 70 AS GS MC] | A | 4925 | | AR | 14-MAR-97 |
| | MIL-L-2710B NOT 2 | LINKS, CHAIN, DETACHABLE, REGULAR AND PEAR-SHAPED[CUST: SH 99 GS5] [REVIEW: YD] | A | 4010 | | GS5 | 20-JAN-04 |
| | MIL-L-23886C NOT 1 | LIQUID LEVEL INDICATING EQUIPMENT (ELECTRICAL)[CUST: SH 99] [REVIEW: 03 33 71 CG GS GS1 NIH] | A | 6680 | | SH | 22-OCT-01 |
| | MS33788 NOT 2 | LIQUID SPRING UNDERCARRIAGE UNIT - OIL REPLENISHMENT CONNECTION FOR[CUST: AV AS GS1] [REVIEW: SA] | A | 1620 | | GS1 | 27-FEB-01 |
| | MIL-DTL-5020D | LIQUID, COMPASS, AIRCRAFT[CUST: AV AS 11 GS3] | A | 6810 | | GS3 | 31-JUL-03 |
| | MIL-L-7976C NOT 1 | LIST AND CARD, TECHNICAL MANUAL DATA, FOR CONTRACTOR FURNISHED EQUIPMENT AND ACCESSORIES[CUST: AS] | A | TMSS | | AS | 11-JUN-97 |
| | MIL-L-24773A NOT 1 | LITHIUM BROMIDE ANHYDROUS AND LITHIUM BROMIDE BRINE[CUST: SH] [REVIEW: GS] | A | 6810 | | SH | 07-JUL-99 |
| | MIL-L-45963 NOT 2 | LOADER, DELINKING, AIRCRAFT MACHINE GUN, MAU-69A/A[CUST: AR OS 99] [REVIEW: 84 AS] | A | 1005 | | AR | 01-SEP-97 |
| | MIL-L-52385D NOT 1 | LOADER, SCOOP TYPE, DED, 4 X 4 ARTICULATED FRAME STEER, 2-1/2 CUBIC YARD, COMMERCIAL CONSTRUCTION EQUIPMENT[CUST: AT] [REVIEW: CC CE] | A | 3805 | | AT | 09-MAR-98 |
| | MIL-L-52906 NOT 1 | LOADER, SCOOP TYPE, DED, 4X4, ARTICULATED FRAME STEER, 4 1/2 TO 5 CU YD, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE)[CUST: AT] [REVIEW: CC] | A | 3805 | | AT | 09-MAR-98 |
| | MIL-L-52496B NOT 1 | LOADER, SCOOP TYPE, RUBBER TIRED, DIESEL-ENGINE-DRIVEN, SECTIONALIZED AND NON-SECTIONALIZED[CUST: AT] [REVIEW: CC] | A | 3805 | | AT | 09-MAR-98 |
| | MIL-STD-1386-21A NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, 500 LB MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, MHU-122/E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1386-14 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, 500 LB, MK 82 MOD 2 (THERMALLY PROTECTED) ON BOMB PALLET MK 9 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1386-2A NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE MK 83 AND MODS (1000 LB) IN PALLET, BOMB MK II MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1386-4(1) NOT 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE, MK 82 & MODS (500 LBS) FLEET ISSUE UNIT LOAD (WITH PLASTIC NOSE PLUGS)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1386-56 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS EXPLOSIVE SECTION MK 1 MOD 0 FOR MINE MK 56 MOD 0 IN CRATE MK 101 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1386-54A NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FAIRING, UNDERWATER MINE; MK 20 TYPE FLEET ISSUE UNIT LOAD DOMESTIC UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1386-16 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FINS, BOMB TAIL MK 15 MOD 0 AND 1 IN CRATE MK 28 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1386-53 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN, TAIL, UNDERWATER MINE, MK 18 TYPE FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1386-6 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSY MAU-93/B FOR MK 82 BOMB AIR FORCE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1386-7 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB, FOR 500 LB. L.D. BOMB (UNCRATED) FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1386-34 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB, MK 15 AND MODS (SNAKEYE) IN PALLET ADAPTER ADU-383/E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1386-64 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLIGHT GEAR, UNDERWATER MINE MK 52 IN CONTAINER MK 585 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1386-63 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLIGHT GEAR, UNDERWATER MINE MK 55 IN CONTAINER MK 586 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1386-47 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1386-48 NOT 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS MINE UNDERWATER MK 55 AND MODS, CONFIGURATION "C" IN CRATE MK 55 MOD 1 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1386-62 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PARAPAC ASSEMBLY MK 36 MOD 0 FOR UNDERWATER MINE MK 55 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-L-40064E NOT 1 | LOADING PLATES, STEEL, AND ALUMINUM[CUST: AT OS IS] [REVIEW: SH] | A | 3990 | | IS | 22-JUN-99 |
| | MS25025B NOT 2 | LOADMETER, DIRECT CURRENT, AIRCRAFT[CUST: AS] | A | 6625 | | AS | 28-AUG-96 |
| | MS51888 NOT 2 | LOCKNUT, ADJUSTABLE, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51860A NOT 2 | LOCKNUT, BULKHEAD, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS16176C | LOCKNUT, NYLON STUFFING TUBE, 90 DEG.[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 20-JAN-67 |
| | MIL-L-82452A NOT 1 | LOGIC ASSEMBLY (FOR EXERCISE HEAD MK 85)[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-L-2045B(1) NOT 1 | LOOP, STRAP FASTENER.(FOR NONEQUIPAGE ITEMS)[CUST: GL YD 99 IS] [REVIEW: AV CR4 EA MC] | A | 5340 | | IS | 31-JUL-97 |
| | MIL-L-3851E NOT 1 | LOOPS, SLIDE (FOR EQUIPAGE)[CUST: GL YD 99 IS] [REVIEW: AV CR4 EA MC MD MI] | A | 5340 | | IS | 31-JUL-97 |
| | MIL-L-11075G NOT 1 | LOOPS, STRAP FASTENER[CUST: GL 99 IS] [REVIEW: AR CR4 MC MD MI] | A | 5340 | | IS | 31-JUL-97 |
| | MIL-L-13078A(1) NOT 2 | LOUDSPEAKER, DYNAMIC LS-112/U, LS-116/U, LS-148/U, LS-16O/U, LS-179/U, LS-181/U AND LOUDSPEAKER LS-154/U AND LS-2O6/U[CUST: CR 11 CC] [REVIEW: 99] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-12632/1A(1) NOT 2 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS, GUNBLAST, AND IMMERSION RESISTANT) TYPE LS-590/U[CUST: CR EC 11 CC] [REVIEW: 99 CG CR4 MC OS] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-12632/2A(1) NOT 2 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT), TYPE LS-166/U[CUST: CR EC 11 CC] [REVIEW: 99 CG CR4 MC OS] | A | 5965 | | CC | 30-MAR-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-L-12632/4A(1) NOT 2 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT), TYPE LS-454/U[CUST: CR EC 11 CC] [REVIEW: 99 CG CR4 MC OS] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-12632D(1) NOT 2 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 CG CR4 MC OS] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-10911D SUP 1 NOT 1 | LOUDSPEAKER, PERMANENT MAGNET (UNENCASED, 6-, 8-, 10-, AND 12-INCH DIAMETER CONE)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-10911/5A NOT 2 | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 12-INCH DIAMETER CONE)[CUST: CR EC 11 CC] [REVIEW: AS AT AV CR4 MC MI OS SH] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-10911/7A NOT 2 | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 2.5-INCH DIAMETER CONE)[CUST: CR EC 11] [REVIEW: AR AS AV CR4 MC MI OS SH] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-10911/6A NOT 2 | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 3-INCH DIAMETER CONE)[CUST: CR EC 11] [REVIEW: AS AT AV CR4 MC MI OS SH] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-10911/8B NOT 1 | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 4-INCH DIAMETER CONE)[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-16225B(1) NOT 1 | LOUDSPEAKER, PERMANENT MAGNET, BLASTPROOF AND SUBMERSIBLE, NAVY TYPE 49546()[CUST: EC CC] | A | 5965 | | CC | 26-AUG-99 |
| | MIL-L-10911/4A NOT 2 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 10-INCH DIAMETER CONE)[CUST: CR EC 11 CC] [REVIEW: AS AT AV CR4 MC MI OS SH] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-10911/1B NOT 2 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 5-INCH DIAMETER CONE)[CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV CR4 MC MI] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-10911/2A NOT 2 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 6-INCH DIAMETER CONE)[CUST: CR EC 11 CC] [REVIEW: AS AT AV CR4 MC MI OS SH] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-10911/3B NOT 2 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 8-INCH DIAMETER CONE)[CUST: CR EC 11 CC] [REVIEW: 99 AS AT CR4 MC MI OS SH] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-L-87132B NOT 1 | LUBRICANT, CETYL ALCOHOL, 1-HEXADECANOL, APPLICATION TO FASTENERS[CUST: AT AS 11 GS] [REVIEW: 68 AR AV] | A | 9150 | | 11 | 29-SEP-95 |
| | DOD-L-85645A(2) NOT 1 | LUBRICANT, DRY FILM, MOLECULAR BONDED[CUST: AS] [REVIEW: GS] | A | 9150 | | AS | 02-MAR-00 |
| | MIL-L-46000C NOT 1 | LUBRICANT, SEMI-FLUID (AUTOMATIC WEAPONS)[CUST: AR AS 68] [REVIEW: GS MD OS PS SA] | A | 9150 | | AR | 14-MAR-97 |
| A | MIL-L-3918A NOT 3 | LUBRICATING OIL, INSTRUMENT, JEWEL BEARING[CUST: AR AS 11 GS3] [REVIEW: 68 AT AV MI OS SA SH] | A | 9150 | | GS3 | 19-SEP-05 |
| | MIL-L-46014 NOT 3 | LUBRICATING OIL, SPINDLE[CUST: AR 68 GS3] | A | 9150 | | GS3 | 20-APR-04 |
| | MIL-L-83767B(1) NOT 3 | LUBRICATING OIL, VACUUM PUMP, MECHANICAL[CUST: AT SH 68 GS3] [REVIEW: 11 AV DS PS] | A | 9150 | | GS3 | 27-JUN-00 |
| | MIL-STD-1450 NOT 2 | LUBRICATION OF FIRE CONTROL INSTRUMENTS[Military Standard][CUST: AR] [REVIEW: CR4 EA MD MI] | A | 12GP | | AR | 11-MAR-98 |
| | MIL-L-46811B NOT 1 | LUBRICATION OF GROUND HANDLING, LAUNCHING AND CONTROL EQUIPMENT FOR GUIDED MISSILES[CUST: MI] | A | 1440 | | MI | 30-APR-96 |
| | MIL-L-60024(2) NOT 2 | LUCKY ASSEMBLY, FOR CARTRIDGE 90MM, HEAT, M371E1, (M371A1) AND 106MM, HEAT, M344A1 PARTS FOR ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 16-JUL-96 |
| | MIL-L-46959B(2) NOT 2 | LUCKY ASSEMBLY, INSULATED, FOR CARTRIDGES 105MM, HEAT-T, M456A1 AND 90MM, HEAT-T, M431A2 PARTS FOR, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 13-FEB-97 |
| | MIL-M-70446A NOT 1 | MACHINE GUN, 5.56MM: M249[CUST: AR] | A | 1005 | | AR | 14-FEB-96 |
| | MIL-M-63314D(2) NOT 1 | MACHINE GUN, 7.62MM: M240 (LH FEED) MACHINE GUN, 7.62MM: M240C (RH FEED) MACHINE GUN, 7.62MM: M240EL (LH FEED, SPADE GRIP)[CUST: AR] | F | 1005 | | AR | 18-MAY-98 |
| | MIL-M-45013E NOT 1 | MACHINE GUN, 7.62MM: M60[CUST: AR MC 99] [REVIEW: 84] | A | 1005 | | AR | 01-DEC-95 |
| | MIL-M-45974(2) NOT 2 | MACHINE GUN, 7.62MM: M60E2 (FIXED)[CUST: AR] | A | 1005 | | AR | 01-DEC-95 |
| | MIL-M-45590A(I3) NOT 1 | MACHINE GUN, CALIBER .50: FIXED, M85[CUST: AR] | A | 1005 | | AR | 02-FEB-96 |
| | MIL-M-45590A(1) NOT 1 | MACHINE GUN, CALIBER .50: FIXED, M85[CUST: AR OS 99] [REVIEW: 84 MC] | A | 1005 | | AR | 02-FEB-96 |
| | MIL-M-7507B(4) NOT 1 | MACHMETER, PITOT STATIC, RANGE .3 TO 1.0, TYPE A-1[CUST: MI AS 99] [REVIEW: GS] | A | 6610 | | 71 | 01-APR-96 |
| | MIL-M-5388B(4) NOT 1 | MACHMETER; PITOT STATIC OPERATED, RANGE 0.5 TO 1.5, TYPE A-2B[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JUL-94 |
| | MIL-DTL-71026A(1) | MAGAZINE, CARTRIDGE, SOFT PACK, REUSABLE, M249, 5.56MM MACHINE GUN (METRIC), GENERAL SPECIFICATION FOR[CUST: AR] | A | 1005 | | AR | 24-APR-03 |
| | SAE-AMS4424 | MAGNESIUM ALLOY CASTINGS, SAND 6.0A1 - 3.0ZN (AZ63-T6) SOLUTION AND PRECIPITATION HEAT TREATED[CUST: MR AS 99 IS] | A | MECA | | 84 | 01-JAN-93 |
| | SAE-AMS4388 | MAGNESIUM ALLOY EXTRUSIONS 3.0TH - 1.5MN (HM31A-F) AS EXTRUDED[CUST: MR AS 11] | A | 9540 | | AS | FEB 96 |
| | SAE-AMS4386 | MAGNESIUM ALLOY SHEET AND PLATE 14LI - 1.25AL (LA 141A-T7)[CUST: MR AS 11] | A | 9535 | | AS | 01-OCT-82 |
| | MIL-M-11361D(1) NOT 2 | MAGNESIUM CARBONATE[CUST: EA 68 GS] [REVIEW: MD SM] | A | 6810 | | EA | 08-JUL-04 |
| | MIL-M-21039B NOT 1 | MAGNIFIER, MEASURING TUBE TYPE, SEVEN POWER AR-60( )[CUST: AS] [REVIEW: CR4 GS] | A | 6650 | | AS | 27-SEP-99 |
| | MIL-M-49361C NOT 1 | MAGNIFIER, TAPERED FIBER OPTIC VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V)[CUST: CR] [REVIEW: AR AT CR4 TE] | A | 5855 | | CR | 17-SEP-97 |
| | MIL-M-55336(2) NOT 2 | MAINTENANCE ACCESSORY KIT, MK-1192( )/ARM (UNITS OF)[CUST: CR] | A | 6625 | | CR | 25-APR-97 |
| | MIL-M-41837D NOT 1 | MAINTENANCE KIT, TOXICOLOGICAL AGENTS PROTECTIVE CLOTHING[CUST: GL NU 99 CT] | A | 8415 | | CT | 06-OCT-98 |
| | MIL-M-4871C NOT 1 | MAINTENANCE PLATFORM[CUST: 99] [REVIEW: GS] | A | 1730 | | 84 | 08-AUG-95 |
| | MIL-M-87973 NOT 1 | MAINTENANCE PLATFORM SELF-PROPELLED, BOOM, LIFT, 40, 60 AND 80 FOOT[CUST: AV AS 99] | A | 4940 | | 84 | 11-AUG-95 |
| | MIL-M-87977 NOT 1 | MAINTENANCE PLATFORM, AIRCRAFT[CUST: 99] [REVIEW: GS] | A | 1730 | | 84 | 11-AUG-95 |
| | MIL-M-5776C NOT 1 | MAINTENANCE PLATFORM, AIRCRAFT ADJUSTABLE, 13 TO 20 FEET TYPE B-2[CUST: 99] [REVIEW: GS] | A | 1730 | | 84 | 11-AUG-95 |
| | MIL-M-5777C NOT 2 | MAINTENANCE PLATFORM, AIRCRAFT, ADJUSTABLE, 3 TO 10 FEET, TYPE B-1[CUST: 99] [REVIEW: GS] | A | 1730 | | 84 | 19-MAR-96 |
| | MIL-M-7404D(3) NOT 2 | MAINTENANCE PLATFORM, AIRCRAFT, ADJUSTABLE, 3 TO 7 FEET, TYPE B-4A[CUST: AV 99] [REVIEW: GS] | A | 1730 | | 84 | 19-MAR-96 |
| | MIL-M-7405D NOT 1 | MAINTENANCE PLATFORM, AIRCRAFT, TYPE B-5A[CUST: 99] [REVIEW: GS] | A | 1730 | | 84 | 11-AUG-95 |
| | MIL-M-62515 NOT 2 | MAINTENANCE REPAIR KIT, ELECTRICAL, FOR M901A2 AND M981 WEAPONS SYSTEMS[CUST: AT] | A | 4910 | | AT | 27-FEB-98 |
| | MIL-M-50747 NOT 1 | MALF 3 BUFFER LOGIC. 11738803[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-HDBK-335 NOT 3 | MANAGEMENT AND DESIGN GUIDANCE ELECTROMAGNETIC RADIATION HARDNESS FOR AIR LAUNCHED ORDNANCE SYSTEMS[CUST: 11] | A | EMCS | | 11 | 14-JUL-03 |
| | MIL-M-3281A NOT 2 | MANGANESE DIOXIDE, TECHNICAL[CUST: EA OS] [REVIEW: AR GS MD] | A | 6810 | | EA | 08-JUL-04 |
| | MIL-M-81385A NOT 2 | MANIFOLD STEM ASSEMBLIES, LIFE PRESERVER[CUST: CR4 AS 11] | A | 4220 | | AS | 30-JUL-97 |
| | MIL-M-12563 NOT 2 | MANIFOLD, GAS CYLINDER (MANIFOLD ML-344/TMQ-3)[CUST: CR] [REVIEW: CC GS] | A | 3655 | | CR | 29-MAY-96 |
| A | MIL-M-55023C NOT 2 | MANOMETER, U TUBE AND CURVED TUBE[CUST: AT MS 99] [REVIEW: 71 GL4] | A | 6685 | | GS1 | 08-JUL-05 |
| | MIL-M-81260A(1) NOT 1 | MANUAL, TECHNICAL, AIRCRAFT/SYSTEM/EQUIPMENT MAINTENANCE[CUST: AS] | A | TMSS | | AS | 17-SEP-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-81754A NOT 2 | MANUAL, TECHNICAL, WEAPON SYSTEMS TECHNICAL DOCUMENTATION LIST PREPARATION OF[CUST: AS] | A | TMSS | | AS | 04-APR-98 |
| | MIL-M-24100C NOT 1 | MANUALS, TECHNICAL: FUNCTIONALLY ORIENTED MAINTENANCE MANUALS (FOMM) FOR ELECTRONIC, ELECTROMECHANICAL, AND ORDNANCE EQUIPMENT, SYSTEMS, AND PLATFORMS[CUST: TM SH] [REVIEW: 10 AT AV CE CG CR4 EC MC OS] | A | TMSS | | SH | 20-JUL-95 |
| | MIL-HDBK-1029/2 NOT 1 | MARINE RAILWAYS[CUST: YD] | A | FACR | | YD | 09-MAY-97 |
| | MIL-M-15991D(1) NOT 1 | MARKING MACHINES, HAND OPERATED[CUST: AS] [REVIEW: GS] | A | 3695 | | AS | 21-AUG-96 |
| | MIL-M-60903A NOT 3 | MARKING OF ELECTRICAL WIRES AND CABLES[CUST: AR] | A | 1195 | | AR | 21-JUN-95 |
| | STANAG-3995 ED.2(2) | MARKING OF PORTABLE FIRE EXTINGUISHERS | C | ISDF | | 06 | PENDING |
| | MIL-M-19417D NOT 1 | MASK ASSEMBLIES, OXYGEN AND SMOKE, FULL FACE[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1660 | | AS | 23-JUL-97 |
| | MS22001E NOT 2 | MASK ASSEMBLIES, OXYGEN, PRESSURE BREATHING[CUST: AS] [REVIEW: AV GL] | A | 1660 | | GS1 | 04-JAN-00 |
| | MIL-M-51113D(1) NOT 1 | MASK, CHEMICAL-BIOLOGICAL, AIRCRAFT, ABC-M24[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 25-MAR-96 |
| | MIL-M-87163A NOT 1 | MASK, OXYGEN MBU 12/P[CUST: 99] [REVIEW: GS] | A | 1660 | | 11 | 01-SEP-97 |
| | MIL-M-27274E NOT 1 | MASK, OXYGEN MBU-5/P[CUST: 99] [REVIEW: GS] | A | 1660 | | 11 | 12-APR-96 |
| | MIL-M-87113A NOT 1 | MASK, OXYGEN, MBU-10/P[CUST: 99] [REVIEW: GS] | A | 1660 | | 11 | 01-JUL-97 |
| | MIL-M-55220A NOT 1 | MAST AB-577( )1GRC[CUST: CR] [REVIEW: CC] | A | 5985 | | CR | 29-MAY-96 |
| | MIL-M-55670A NOT 1 | MAST AB-621( )/G[CUST: CR] [REVIEW: CC] | A | 5985 | | CR | 29-MAY-96 |
| | MS25048B | MAST, ANTENNA, DEAD-END[CUST: AS 11 CC] [REVIEW: 99] | A | 5985 | | CC | 18-JAN-05 |
| | MS25049A NOT 2 | MAST, ANTENNA, LEAD THROUGH[CUST: AS 11 CC] [REVIEW: 99] | A | 5985 | | CC | 30-MAR-04 |
| A | MS24287D | MATED ASSEMBLY, CONNECTOR, RACK AND PANNEL, MINIATURE[CUST: 11 CC] [REVIEW: IS] | A | 5935 | | CC | 14-JUL-05 |
| | MIL-HDBK-1001/2 NOT 1 | MATERIALS AND BUILDING COMPONENTS[CUST: YD] | A | FACR | | YD | 09-MAY-97 |
| | MIL-M-44343A NOT 1 | MEAL MODULE, TRAY PACK, 18-SOLDIER, ASSEMBLY OF[CUST: GL] [REVIEW: MD QM SS] | A | 8970 | | GL | 29-DEC-97 |
| | MS33636B NOT 2 | MEASUREMENT, UNITS OF, FOR AIRCRAFT INSTRUMENTS[CUST: AV AS 99] [REVIEW: MI] | A | 66GP | | 71 | 04-APR-98 |
| | MIL-M-21688A(1) NOT 1 | MEASURING SYSTEM, FLOAT CURRENT, SUBMARINE STORAGE BATTERY[CUST: SH] | A | 2090 | | SH | 22-APR-98 |
| | MIL-M-87222(2) NOT 1 | MECHANICAL SYSTEMS FOR AIRCRAFT DOORS AND CANOPIES (CONTROLLED DISTRIBUTION)[CUST: 11] [REVIEW: GS] | D | 1560 | | 11 | 19-DEC-97 |
| | MIL-M-11024B NOT 2 | MECHANISM, RECOIL, 155MM HOWITZER[CUST: AR] | A | 1025 | | AR | 11-DEC-95 |
| | MIL-M-45986(3) NOT 2 | MECHANISM, RECOIL, 155MM HOWITZER, M45[CUST: AR] | A | 1025 | | AR | 11-DEC-95 |
| | MIL-M-12971B NOT 3 | MECHANISM, VALVE REPLACEMENT, M1[CUST: EA] [REVIEW: CC] | A | 4940 | | EA | 09-JUL-04 |
| | MIL-M-52182E(1) NOT 1 | MELTER, ASPHALT[CUST: AT YD] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-M-28787/74(4) NOT 1 | MEMORY, READ ONLY, DIGITAL[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-7752A(2) NOT 1 | METAL CLEANER SILICATE-SOAP[CUST: AS] [REVIEW: GS MR] | A | 6850 | | AS | 07-AUG-96 |
| | MIL-M-70836A(1) NOT 1 | METAL PARTS FOR M87 AND M88 CANISTER ASSEMBLY[CUST: AR] | D | 1345 | | AR | 13-FEB-96 |
| | MS27798A NOT 2 | METAL SEAL STRIP (TEAR BAND)[CUST: AS IS] | A | 9535 | | IS | 15-JAN-96 |
| | MIL-M-82180A NOT 1 | METER ASSEMBLY, SKID MOUNTED. PETROLEUM FUELS[CUST: MC] | A | 4930 | | MC | 30-APR-99 |
| | MIL-M-23677A NOT 2 | METER, AMPERE-HOUR (NONMERCURY TYPE)[CUST: SH] [REVIEW: GS] | A | 6625 | | SH | 22-APR-98 |
| | MIL-M-10304/15C NOT 4 | METER, ELECTRICAL INDICATING, AMMETER, RF, PANEL TYPE, RUGGEDIZED (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLES 36 AND 38[CUST: CR EC 99 CC] [REVIEW: 11 AR AT AV CG CR4] | A | 6625 | | CC | 04-NOV-97 |
| | MIL-M-10304/19D NOT 2 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, SPECIAL DECIBEL, (FLUSH MOUNTING, SQUARE FLANGE, 1-1/2-INCH, STYLE 13)[CUST: CR SH 11 CC] [REVIEW: AR AT AV CG CR4 MC MI] | A | 6625 | | CC | 04-NOV-97 |
| | MIL-M-10304/10D NOT 2 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED. DECIBEL (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH) STYLE 36[CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CG CR4 MC MI] | A | 6625 | | CC | 04-NOV-97 |
| | MIL-M-7793/12 NOT 3 | METER, READER FOR SOLID STATE ELAPSED TIME INDICATORS BATTERY OPERATED, PORTABLE, HAND-HELD[CUST: AS 99] [REVIEW: GS OS SH] | A | 6645 | | AS | 23-JAN-04 |
| | MIL-M-7793F(1) SUP 1B NOT 1 | METER, TIME TOTALIZING[CUST: AR AS 99] [REVIEW: CR CR4 GS MI] | A | 6645 | | AS | 30-SEP-99 |
| | MIL-M-7793/11 NOT 2 | METER, TIME TOTALIZING, DIGITAL, 20 TO 130 VOLTS, DC OR AC TO 500 HZ[CUST: AR AS 99] [REVIEW: GS] | A | 6645 | | AS | 14-APR-99 |
| | MIL-M-7793/4A NOT 2 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V AC, ROUND[CUST: AR AS 99] [REVIEW: GS] | A | 6645 | | AS | 14-APR-99 |
| | MIL-M-7793/6A NOT 3 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 400 HZ[CUST: AR AS 99] [REVIEW: GS] | A | 6645 | | AS | 23-JAN-04 |
| | MIL-DTL-7793/9B | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 400 HZ[CUST: AR AS 99] [REVIEW: GS] | A | 6645 | | AS | 29-MAR-04 |
| | MIL-M-7793/7A NOT 2 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 HZ[CUST: AR AS 99] [REVIEW: GS] | A | 6645 | | AS | 14-APR-99 |
| | MIL-M-7793/3A NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 HZ, SQUARE[CUST: AR AS 99] [REVIEW: GS] | A | 6645 | | AS | 14-APR-99 |
| | MIL-M-7793/10B NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V. 60 HZ[CUST: AR AS 99] [REVIEW: GS] | A | 6645 | | AS | 14-APR-99 |
| | MIL-M-7793/8B NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V. 60 OR 400 HZ[CUST: AR AS 99] [REVIEW: GS] | A | 6645 | | AS | 14-APR-99 |
| | MIL-M-7793/15 NOT 3 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 VAC, 50 TO 2400 HZ, SQUARE[CUST: AS 99] [REVIEW: GS MI OS SH] | A | 6645 | | AS | 23-JAN-04 |
| | MIL-M-7793/5A NOT 3 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC[CUST: AR AS 99] [REVIEW: GS] | A | 6645 | | AS | 23-JAN-04 |
| | MIL-M-7793/2A NOT 2 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC, ROUND[CUST: AR AS 99] [REVIEW: GS] | A | 6645 | | AS | 14-APR-99 |
| | MIL-DTL-7793/1B | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC, SQUARE[CUST: AS 99] [REVIEW: 71 GS1] | A | 6645 | | AS | 18-MAR-05 |
| | MIL-M-7793/14 NOT 3 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 VDC OR 26 VAC, 50 TO 2400 HZ, SQUARE[CUST: AS 99] [REVIEW: GS MI OS SH] | A | 6645 | | AS | 23-JAN-04 |
| | MIL-M-7793/13 NOT 3 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 5 VDC, PRINTED CIRCUIT MOUNT[CUST: AS 99] [REVIEW: GS MI OS SH] | A | 6645 | | AS | 23-JAN-04 |
| | MIL-M-7793/16 NOT 3 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 5 VDC, SQUARE[CUST: AS 99] [REVIEW: GS MI OS SH] | A | 6645 | | AS | 23-JAN-04 |
| | MIL-M-55623A NOT 2 | METER, VOLUME, HYDROGEN-HELIUM ML-605()/U[CUST: CR] [REVIEW: GS] | A | 6660 | | CR | 29-MAR-96 |
| | MIL-M-10304/8B NOT 2 | METERS, ELECTRICAL INDICATING, AMMETERS, RF, PANEL TYPE, RUGGEDIZED (FLUSHING MOUNTING, ROUND FLANGE, 2 1/2 1NCH) STYLE 26 AND 28[CUST: CR SH 99 CC] | A | 6625 | | CC | 04-NOV-97 |
| | MIL-M-10304/18A(2) NOT 2 | METERS, MULTISCALE, DC, PANEL TYPE, RUGGEDIZED (ROUND FLANGE, 3-1/2 INCH, STYLE 36)[CUST: SH CC] | A | 6625 | | CC | 04-NOV-97 |
| | MIL-STD-188-190 NOT 1 | METHODS FOR COMMUNICATIONS SYSTEMS MEASUREMENTS[Military Standard][CUST: CR SH 11] [REVIEW: 01 02 CC DC MC NS] | A | TCSS | | CR | 31-MAR-98 |
| | SAE-MAM2252 | METRIC TOLERANCES, LOW-ALLOY STEEL SHEET, STRIP AND PLATE[CUST: MR AS 11] | A | 9515 | | MR | 24-AUG-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-70500B NOT 1 | MICRO-REPRODUCTION SYSTEM FOR ENGINEERING CHANGE PROPOSALS, REQUESTS FOR DEVIATIONS, AND REQUESTS FOR WAIVERS[CUST: AR] | A | EDRS | | AR | 03-JAN-97 |
| | MIL-M-60557G(2) NOT 1 | MICRO-REPRODUCTION SYSTEM FOR ENGINEERING DOCUMENTS AND ENGINEERING RELEASE RECORDS[CUST: AR] | A | EDRS | | AR | 09-FEB-96 |
| M | MIL-M-38510/210E | MICROCIRCUIT, DIGITAL, 16,384 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 27-MAR-06 |
| A | MIL-M-38510/204E | MICROCIRCUIT, DIGITAL, 2048-BIT, SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 02-NOV-05 |
| A | MIL-M-38510/207C | MICROCIRCUIT, DIGITAL, 256-BIT, SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 01-NOV-05 |
| | MIL-M-38510/222A NOT 3 | MICROCIRCUIT, DIGITAL, 32,768 BIT MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON[CUST: 11 CC] [REVIEW: 03 19 99] | A | 5962 | | CC | 24-APR-01 |
| | MIL-M-38510/206D | MICROCIRCUIT, DIGITAL, 4096 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM)[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-APR-05 |
| A | MIL-M-38510/201D | MICROCIRCUIT, DIGITAL, 512-BIT, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-OCT-05 |
| A | MIL-M-38510/230A NOT 3 | MICROCIRCUIT, DIGITAL, BIPOLAR 256 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 31-JAN-06 |
| | MIL-M-63321A(4) NOT 1 | MICROCIRCUIT, DIGITAL, CMOS (FINAL LOGIC)[CUST: AR] | A | 1345 | | AR | 15-AUG-97 |
| | MIL-M-63320A(4) NOT 1 | MICROCIRCUIT, DIGITAL, CMOS (INITIAL LOGIC)[CUST: AR] | A | 1345 | | AR | 15-AUG-97 |
| | MIL-M-63530(1) NOT 1 | MICROCIRCUIT, DIGITAL, CMOS (LOGIC)[CUST: AR] | A | 1345 | | AR | 18-AUG-97 |
| A | MIL-M-38510/476A NOT 2 | MICROCIRCUIT, DIGITAL, CMOS 4-BIT BUS BUFFER/SEPARATOR, MONOLITHIC SILICON[CUST: CC NA] | A | 5962 | | CC | 17-FEB-06 |
| | MIL-M-38510/178A NOT 2 | MICROCIRCUIT, DIGITAL, CMOS MULTIPLEXERS DEMULTIPLEXERS MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 24-JUN-02 |
| A | MIL-M-38510/474A NOT 2 | MICROCIRCUIT, DIGITAL, CMOS, MONOLITHIC N-BIT ONE OF EIGHT DECODER[CUST: CC NA] | A | 5962 | | CC | 17-FEB-06 |
| | MIL-M-38510/177B NOT 2 | MICROCIRCUIT, DIGITAL, CMOS, SCHMITT TRIGGERS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 24-JUN-02 |
| | MIL-M-63324A(1) NOT 2 | MICROCIRCUIT, DIGITAL, CMOS, SPECIAL PURPOSE NOR GATE[CUST: AR] | A | 1345 | | AR | 20-FEB-97 |
| | MIL-M-48647 NOT 1 | MICROCIRCUIT, DIGITAL, DECODER, LOGIC ARRAY[CUST: AR] | A | 1345 | | AR | 19-AUG-97 |
| | MIL-M-48646 NOT 1 | MICROCIRCUIT, DIGITAL, SCO/DLA MULTICHIP CMOS[CUST: AR] | A | 1345 | | AR | 19-AUG-97 |
| A | MIL-M-38510/158A NOT 2 | MICROCIRCUIT, DIGITAL, TTL, DECODERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-JAN-06 |
| A | MIL-M-38510/29C NOT 2 | MICROCIRCUIT, DIGITAL, TTL, LOW POWER DECODERS, MONOLITHIC SILICON[CUST: CR EC 11 NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-DEC-05 |
| | MIL-M-38510/27(3) NOT 2 | MICROCIRCUIT, DIGITAL, TTL, LOW-POWER, MULTIPLE NOR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-JUN-02 |
| | MIL-M-63323A(4) NOT 1 | MICROCIRCUIT, LINEAR, VOLTAGE COMPARATORS[CUST: AR] | A | 1345 | | AR | 15-AUG-97 |
| | MIL-M-64034 NOT 1 | MICROCIRCUIT, SYNCHRONIZER, COMMAND OUTPUT (SCO), CLASS B, MONOLITHIC, CMOS, INTEGRATED CIRCUIT[CUST: AR] | A | 1345 | | AR | 19-AUG-97 |
| A | MIL-M-38510/26B | MICROCIRCUIT; DIGITAL, TIL, LOW POWER, EXCLUSIVE-OR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 02-AUG-05 |
| | MIL-M-38510/500B NOT 2 | MICROCIRCUITS, DIGITAL TTL, MULTIPLIER ACCUMULATORS/MULTIPLIERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-OCT-02 |
| | MIL-M-38510/19A | MICROCIRCUITS, DIGITAL TTL, PARTY GENERATORS/CHECKERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 07-JUN-05 |
| A | MIL-M-38510/202B NOT 2 | MICROCIRCUITS, DIGITAL, 1024 BIT BIPOLAR PROGRAMMABLE READ-ONLY MEMORY (P-ROM), MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-JAN-06 |
| A | MIL-M-38510/203D | MICROCIRCUITS, DIGITAL, 1024 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 19-JAN-06 |
| | MIL-M-38510/221A NOT 3 | MICROCIRCUITS, DIGITAL, 16,384 BIT, MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM), MONOLITHIC SILICON[CUST: 11 CC] [REVIEW: 03 19 99] | A | 5962 | | CC | 24-APR-01 |
| | MIL-M-38510/211 NOT 2 | MICROCIRCUITS, DIGITAL, 32,768 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 24-APR-01 |
| A | MIL-M-38510/208D | MICROCIRCUITS, DIGITAL, 4096-BIT SCHOTTKY BIPOLAR PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 15-FEB-06 |
| | MIL-M-38510/212 NOT 2 | MICROCIRCUITS, DIGITAL, 65,536 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 24-APR-01 |
| A | MIL-M-38510/209E | MICROCIRCUITS, DIGITAL, 8192-BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-FEB-06 |
| | MIL-M-38510/765A | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, SHIFT REGISTERS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-JUN-05 |
| | MIL-M-38510/379A NOT 2 | MICROCIRCUITS, DIGITAL, ADVANCED LOW POWER SCHOTTKY TTL, UNIVERSAL MULTIPLEXER WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 16-JUL-02 |
| A | MIL-M-38510/502A | MICROCIRCUITS, DIGITAL, BIPOLAR FIELD PROGRAMMABLE LOGIC ARRAY (FPLA) 16 X 48 X 8, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 21-NOV-05 |
| | MIL-M-38510/310D | MICROCIRCUITS, DIGITAL, BIPOLAR LOW-POWER SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 03-OCT-02 |
| | MIL-M-38510/304C | MICROCIRCUITS, DIGITAL, BIPOLAR LOW-POWER SCHOTTKY TTL, AND-OR-INVERT GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-FEB-03 |
| | MIL-M-38510/302D | MICROCIRCUITS, DIGITAL, BIPOLAR LOW-POWER SCHOTTKY TTL, BUFFERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-JAN-03 |
| | MIL-M-38510/320D | MICROCIRCUITS, DIGITAL, BIPOLAR LOW-POWER SCHOTTKY TTL, COUNTERS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-JUL-03 |
| | MIL-M-38510/307D | MICROCIRCUITS, DIGITAL, BIPOLAR LOW-POWER SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-MAR-03 |
| | MIL-M-38510/301F | MICROCIRCUITS, DIGITAL, BIPOLAR LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 04-MAR-04 |
| | MIL-M-38510/305C | MICROCIRCUITS, DIGITAL, BIPOLAR LOW-POWER SCHOTTKY TTL, OR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-FEB-03 |
| | MIL-M-38510/313B | MICROCIRCUITS, DIGITAL, BIPOLAR LOW-POWER SCHOTTKY TTL, SCHMITT TRIGGER POSITIVE NAND GATES AND INVERTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-MAY-03 |
| A | MIL-M-38510/504B | MICROCIRCUITS, DIGITAL, BIPOLAR PROGRAMMABLE LOGIC, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 28-OCT-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-M-38510/505C | MICROCIRCUITS, DIGITAL, BIPOLAR PROGRAMMABLE LOGIC, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 24-JAN-06 |
| A | MIL-M-38510/76C | MICROCIRCUITS, DIGITAL, BIPOLAR SCHOTTKY TTL, CASCADABLE, SHIFT REGISTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 07-OCT-05 |
| | MIL-M-38510/9E | MICROCIRCUITS, DIGITAL, BIPOLAR TTL, SHIFT REGISTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 08-FEB-05 |
| | MIL-M-38510/374A | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-AUG-04 |
| | MIL-M-38510/384A | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, AND, OR, NAND AND NOR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 08-NOV-04 |
| | MIL-M-38510/380B | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, BINARY COUNTERS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 04-OCT-04 |
| | MIL-M-38510/382B | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, D-TYPE LATCHES, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 05-NOV-04 |
| | MIL-M-38510/372B | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, FLIP-FLOPS CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 27-JUL-04 |
| | MIL-M-38510/370A | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 15-JUL-04 |
| | MIL-M-38510/373A | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-AUG-04 |
| | MIL-M-38510/383B | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, OCTAL BUFFER GATES WITH THREE STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MI MS SH SM TD] | A | 5962 | | CC | 08-NOV-04 |
| | MIL-M-38510/375A | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, OR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 20-AUG-04 |
| | MIL-M-38510/385A(1) NOT 2 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-OCT-02 |
| | MIL-M-38510/371B | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 02-SEP-04 |
| A | MIL-M-38510/22D | MICROCIRCUITS, DIGITAL, BIPOLAR, HIGH-SPEED TTL, FLIP-FLOPS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-AUG-05 |
| | MIL-M-38510/309E | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, DATA SELECTOR/MULTIPLEXER WITH THREE-STATE OUTPUTS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-APR-03 |
| | MIL-M-38510/377A | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 08-SEP-04 |
| | MIL-M-38510/311C | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, MAGNITUDE COMPARATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-APR-03 |
| | MIL-M-38510/360B | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, PRIORITY ENCODERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-JUN-04 |
| | MIL-M-38510/361B | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, REGISTERS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-JUL-04 |
| | MIL-M-38510/308B | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, ARITHMETIC LOGIC UNITS/FUNCTION GENERATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-NOV-03 |
| | MIL-M-38510/328C | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, BUS TRANSCEIVERS WITH THREE STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-NOV-03 |
| | MIL-M-38510/316E | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, CASCADABLE LATCHES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-JUL-03 |
| | MIL-M-38510/327B | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, COUNTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 15-SEP-03 |
| | MIL-M-38510/331A(1) NOT 2 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 03-JUL-02 |
| | MIL-M-38510/325D | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-SEP-03 |
| | MIL-M-38510/322C | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, HEX BUS DRIVERS WITH 3 STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-JUL-03 |
| | MIL-M-38510/303D | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 27-JAN-03 |
| | MIL-M-38510/324D | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, OCTAL BUFFER GATES WITH THREE STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 20-AUG-03 |
| | MIL-M-38510/329B | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, PARITY CHECKER, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 16-OCT-03 |
| | MIL-M-38510/323D | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, QUADRUPLE BUS BUFFER GATES WITH THREE STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-JUL-03 |
| | MIL-M-38510/306E | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, SHIFT REGISTERS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC SH SM TD] | A | 5962 | | CC | 17-JUN-03 |
| | MIL-M-38510/300E | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY, TTL, AND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 07-JAN-03 |
| A | MIL-M-38510/506A | MICROCIRCUITS, DIGITAL, BIPOLAR, PROGRAMMABLE LOGIC, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-OCT-05 |
| A | MIL-M-38510/503B NOT 3 | MICROCIRCUITS, DIGITAL, BIPOLAR, PROGRAMMABLE LOGIC, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-FEB-06 |
| A | MIL-M-38510/80F | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 15-FEB-06 |
| A | MIL-M-38510/74C | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, AND-OR-INVERT GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 21-NOV-05 |
| A | MIL-M-38510/79D | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, DATA SELECTORS / MULTIPLEXERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-AUG-05 |
| A | MIL-M-38510/75C | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, EXCLUSIVE OR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 22-AUG-05 |
| A | MIL-M-38510/71D | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 02-NOV-05 |
| A | MIL-M-38510/81D | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, LINE DRIVERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 20-JUL-05 |
| A | MIL-M-38510/82C | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, MAGNITUDE COMPARATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 20-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-M-38510/73B | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, MULTIPLE NOR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 07-OCT-05 |
| A | MIL-M-38510/72C | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, NAND BUFFERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-OCT-05 |
| A | MIL-M-38510/70C | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 02-NOV-05 |
| | MIL-M-38510/600(2) NOT 2 | MICROCIRCUITS, DIGITAL, BIPOLAR, SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-JUL-02 |
| A | MIL-M-38510/8F | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, BUFFERS/DRIVERS OPEN COLLECTOR OUTPUT, HIGH VOLTAGE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-AUG-05 |
| A | MIL-M-38510/161A | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, COMMON OR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 11-OCT-05 |
| | MIL-M-38510/13G | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, COUNTERS MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 03-JUN-05 |
| | MIL-M-38510/10D | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, DECODERS MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 16-FEB-05 |
| A | MIL-M-38510/163B | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, HEX BUS DRIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-OCT-05 |
| A | MIL-M-38510/25E | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, LOW POWER, COUNTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 01-AUG-05 |
| A | MIL-M-38510/21F | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, LOW POWER, FLIP-FLOPS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 15-FEB-06 |
| | MIL-M-38510/150D | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, MAGNITUDE COMPARATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI OS SH SM TD] | A | 5962 | | CC | 07-FEB-05 |
| | MIL-M-38510/12J | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MI SH SM TD] | A | 5962 | | CC | 22-FEB-05 |
| | MIL-M-38510/3G | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, NAND BUFFERS MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MI SH SM TD] | A | 5962 | | CC | 28-OCT-03 |
| | MIL-M-38510/151B | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, SCHMITT-TRIGGER NAND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 19-JAN-05 |
| | MIL-M-38510/616 NOT 2 | MICROCIRCUITS, DIGITAL, BIPOLAR, VHSIC, ADDRESS GENERATOR, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | C | 5962 | | CC | 23-JUL-02 |
| A | MIL-M-38510/35C | MICROCIRCUITS, DIGITAL, CLOCK DRIVERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-AUG-05 |
| A | MIL-M-38510/291B | MICROCIRCUITS, DIGITAL, CMOS 16,384 BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-JAN-06 |
| A | MIL-M-38510/289A | MICROCIRCUITS, DIGITAL, CMOS 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-JAN-06 |
| A | MIL-M-38510/470A NOT 2 | MICROCIRCUITS, DIGITAL, CMOS MONOLITHIC 8-BIT MICROPROCESSOR (FIXED INSTRUCTION)[CUST: CC NA] | A | 5962 | | CC | 17-FEB-06 |
| | MIL-M-38510/606B(1) NOT 2 | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-JUL-02 |
| | MIL-M-38510/605B(1) NOT 2 | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-JUL-02 |
| | MIL-M-38510/608A(1) NOT 2 | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-JUL-02 |
| | MIL-M-38510/607A(1) NOT 2 | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-JUL-02 |
| M | MIL-M-38510/245B | MICROCIRCUITS, DIGITAL, CMOS, 4096 BIT, STATIC RANDOM ACCESS MEMORY (SRAM), BULK SILICON AND SILICON ON SAPPHIRE[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 13-MAR-06 |
| A | MIL-M-38510/250 NOT 3 | MICROCIRCUITS, DIGITAL, CMOS, 512 X 9 BIT, FIRST IN - FIRST OUT DUAL PORT MEMORY (FIFO), MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AR AS CG MI SH SM TD] | A | 5962 | | CC | 06-FEB-06 |
| A | MIL-M-38510/292 NOT 3 | MICROCIRCUITS, DIGITAL, CMOS, 65,536-BIT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-FEB-06 |
| | MIL-M-38510/173B NOT 2 | MICROCIRCUITS, DIGITAL, CMOS, DECODERS, ENCODER, AND DECODERS/DEMULTIPLEXERS MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 24-JUN-02 |
| | MIL-M-38510/630 NOT 2 | MICROCIRCUITS, DIGITAL, CMOS, FFT PROCESSOR MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 24-JUL-02 |
| A | MIL-M-38510/473A NOT 2 | MICROCIRCUITS, DIGITAL, CMOS, MONOLITHIC 8-BIT INPUT/OUTPUT PORT[CUST: CC NA] | A | 5962 | | CC | 17-FEB-06 |
| | MIL-M-38510/54D(2) NOT 2 | MICROCIRCUITS, DIGITAL, CMOS, POSITIVE LOGIC, FOUR-BIT FULL ADDER, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-JUL-02 |
| | MIL-M-38510/555A NOT 2 | MICROCIRCUITS, DIGITAL, CMOS, REMOTE TERMINAL INTERFACE, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-JUL-02 |
| | MIL-M-38510/30B | MICROCIRCUITS, DIGITAL, DTL NAND GATES MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 03-MAY-05 |
| A | MIL-M-38510/31A NOT 3 | MICROCIRCUITS, DIGITAL, DTL, NAND BUFFER/EXTENDER, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-DEC-05 |
| A | MIL-M-38510/62B | MICROCIRCUITS, DIGITAL, ECL, AND/NAND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-NOV-05 |
| | MIL-M-38510/61C | MICROCIRCUITS, DIGITAL, ECL, FLIP-FLOPS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 15-JUN-04 |
| | MIL-M-38510/60B | MICROCIRCUITS, DIGITAL, ECL, MULTIPLE NOR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 08-DEC-04 |
| A | MIL-M-38510/63B | MICROCIRCUITS, DIGITAL, ECL, QUAD TRANSLATOR, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 20-JUL-05 |
| | MIL-M-38510/440C NOT 2 | MICROCIRCUITS, DIGITAL, FOUR BIT MICROPROCESSOR SLICE MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-JUL-02 |
| | MIL-M-38510/662 NOT 2 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS DATA SELECTORS/MULTIPLEXERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 24-JUL-02 |
| | MIL-M-38510/654(1) NOT 2 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS LATCHES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD] | A | 5962 | | CC | 08-JAN-03 |
| | MIL-M-38510/657(7) NOT 1 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, BUFFER GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI SH SM] | A | 5962 | | CC | 23-MAY-00 |
| | MIL-M-38510/665 NOT 2 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, SHIFT REGISTER, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-JUL-02 |
| A | MIL-M-38510/441A NOT 3 | MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, BUS TRANSCEIVER, MONLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-FEB-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-38510/319C | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, 4 BY 4 REGISTER FILE, CASCADABLE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-JUL-03 |
| | MIL-M-38510/312C | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, 4-BIT BINARY FULL ADDERS WITH FAST CARRY, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-MAY-03 |
| | MIL-M-38510/321C | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, BUFFERS/DRIVERS, OPEN COLLECTOR OUTPUT, HIGH VOLTAGE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-JUL-03 |
| | MIL-M-38510/315D | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, COUNTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 27-OCT-03 |
| | MIL-M-38510/326C | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, DEMULTIPLEXERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 20-AUG-03 |
| | MIL-M-38510/314C | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY, TTL, MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-JUL-03 |
| | MIL-M-38510/238B | MICROCIRCUITS, DIGITAL, MOS, 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 16-DEC-03 |
| | MIL-M-38510/530A NOT 2 | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16-BIT MICROPROCESSOR (FIXED INSTRUCTION)[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-JUL-02 |
| | MIL-M-38510/520B(2) NOT 2 | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16-BIT MICROPROCESSOR[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-JUL-02 |
| | MIL-M-38510/540B NOT 2 | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16-BIT MICROPROCESSOR[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 18-JUL-02 |
| | MIL-M-38510/420A(2) NOT 2 | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 8 BIT MICROPROCESSOR (FIXED INSTRUCTION)[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-JUL-02 |
| A | MIL-M-38510/400A NOT 3 | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON-GATE MONOLITHIC 8 BIT MICROPROCESSOR (FIXED INSTRUCTION)[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-FEB-06 |
| A | MIL-M-38510/228 NOT 3 | MICROCIRCUITS, DIGITAL, NMOS 8K X 8 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM) MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 31-JAN-06 |
| A | MIL-M-38510/227 NOT 3 | MICROCIRCUITS, DIGITAL, NMOS, 16,384 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 31-JAN-06 |
| A | MIL-M-38510/244B(2) NOT 3 | MICROCIRCUITS, DIGITAL, NMOS, 65,536 BIT, DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON[CUST: 11 CC] [REVIEW: 03 19 99] | A | 5962 | | CC | 31-JAN-06 |
| A | MIL-M-38510/421A NOT 3 | MICROCIRCUITS, DIGITAL, SCHOTTKY TLL, INPUT/OUTPUT PORT WITH THREE-STATE OUTPUT, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-FEB-06 |
| A | MIL-M-38510/231C | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, 1024 BIT RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 30-AUG-05 |
| A | MIL-M-38510/78B | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, ARITHMETIC LOGIC UNIT / FUNCTION GENERATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 07-SEP-05 |
| A | MIL-M-38510/422A NOT 3 | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, CLOCK GENERATOR AND DRIVER, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-FEB-06 |
| A | MIL-M-38510/77B | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 05-OCT-05 |
| A | MIL-M-38510/423A NOT 3 | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, SYSTEM CONTROLLER AND BUS DRIVER, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-FEB-06 |
| A | MIL-M-38510/442A NOT 3 | MICROCIRCUITS, DIGITAL, SCHOTTKY, TTL, D-TYPE REGISTER, WITH THREE-STATE OUTPUT, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 17-FEB-06 |
| A | MIL-M-38510/160A NOT 3 | MICROCIRCUITS, DIGITAL, TTL, ADDRESSABLE LATCHES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-JAN-06 |
| | MIL-M-38510/16A | MICROCIRCUITS, DIGITAL, TTL, AND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 21-APR-05 |
| | MIL-M-38510/5D | MICROCIRCUITS, DIGITAL, TTL, AND-OR-INVERT GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 01-JUN-04 |
| | MIL-M-38510/11D | MICROCIRCUITS, DIGITAL, TTL, ARITHMETIC LOGIC UNITS/ FUNCTION GENERATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 03-MAR-05 |
| | MIL-M-38510/6D | MICROCIRCUITS, DIGITAL, TTL, BINARY FULL ADDERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 08-FEB-05 |
| | MIL-M-38510/15B | MICROCIRCUITS, DIGITAL, TTL, BISTABLE LATCHES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-APR-05 |
| | MIL-M-38510/152C | MICROCIRCUITS, DIGITAL, TTL, DATA DECODERS/DEMULTIPLEXERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-FEB-05 |
| | MIL-M-38510/156C | MICROCIRCUITS, DIGITAL, TTL, DATA ENCODERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 28-MAR-05 |
| | MIL-M-38510/14E | MICROCIRCUITS, DIGITAL, TTL, DATA SELECTORS/MULTIPLEXERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 21-MAR-05 |
| | MIL-M-38510/7C | MICROCIRCUITS, DIGITAL, TTL, EXCLUSIVE OR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-JAN-05 |
| | MIL-M-38510/2G | MICROCIRCUITS, DIGITAL, TTL, FLIP-FLOPS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 08-FEB-05 |
| | MIL-M-38510/17B | MICROCIRCUITS, DIGITAL, TTL, FLIP-FLOPS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 03-MAY-05 |
| A | MIL-M-38510/155C | MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, AND GATES MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 10-AUG-05 |
| A | MIL-M-38510/40B | MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, AND-OR- INVERT GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 02-DEC-05 |
| | MIL-M-38510/23D | MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, NAND GATES MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 11-JUL-03 |
| A | MIL-M-38510/42C NOT 3 | MICROCIRCUITS, DIGITAL, TTL, LOW POWER MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON[CUST: CR EC 11 NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-DEC-05 |
| A | MIL-M-38510/28C | MICROCIRCUITS, DIGITAL, TTL, LOW POWER SHIFT REGISTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 04-OCT-05 |
| A | MIL-M-38510/44B NOT 3 | MICROCIRCUITS, DIGITAL, TTL, LOW POWER, COMPARATORS, MONOLITHIC SILICON[CUST: CR EC 11 NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-DEC-05 |
| A | MIL-M-38510/20D | MICROCIRCUITS, DIGITAL, TTL, LOW POWER, NAND GATES ,MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-JUL-05 |
| | MIL-M-38510/4D | MICROCIRCUITS, DIGITAL, TTL, MULTIPLE NOR GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-DEC-04 |
| A | MIL-M-38510/157A NOT 3 | MICROCIRCUITS, DIGITAL, TTL, MULTIPLE PORT REGISTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM] | A | 5962 | | CC | 25-JAN-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-M-38510/24B | MICROCIRCUITS, DIGITAL, TTL, NAND BUFFERS, HIGH SPEED, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-JUL-05 |
| | MIL-M-38510/1F | MICROCIRCUITS, DIGITAL, TTL, NAND GATES, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 16-MAR-05 |
| A | MIL-M-38510/162A NOT 2 | MICROCIRCUITS, DIGITAL, TTL, NOR BUFFERS. MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-JAN-06 |
| | MIL-M-38510/153B | MICROCIRCUITS, DIGITAL, TTL, QUADRUPLE BUS BUFFER GATES WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 22-FEB-05 |
| | MIL-M-38510/18B | MICROCIRCUITS, DIGITAL, TTL, REGISTER FILE, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-JUN-05 |
| A | MIL-M-38510/159B NOT 2 | MICROCIRCUITS, DIGITAL, TTL, SHIFT REGISTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AR AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-JAN-06 |
| M | MIL-M-38510/615 NOT 3 | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 4096-BIT, 4-PORT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | C | 5962 | | CC | 09-MAR-06 |
| M | MIL-M-38510/613 NOT 3 | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 65,536-BIT SELECTABLE MODE, STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-MAR-06 |
| M | MIL-M-38510/610A NOT 3 | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 65,536-BIT SELECTABLE MODE, STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | C | 5962 | | CC | 09-MAR-06 |
| | MIL-M-38510/620 NOT 2 | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, SIGNAL PROCESSING ELEMENT, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | C | 5962 | | CC | 23-JUL-02 |
| | MIL-M-38510J(1) NOT 2 | MICROCIRCUITS, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 15-MAR-01 |
| | MIL-M-38510/133B | MICROCIRCUITS, LINEAR, 10-BIT DIGITAL-TO-ANALOG CONVERTER, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-NOV-04 |
| | MIL-M-38510/706A NOT 2 | MICROCIRCUITS, LINEAR, BIPOLAR, SEMICUSTOM (CELL ARRAY) DEVICES, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 25-JUL-02 |
| A | MIL-M-38510/127A(1) NOT 3 | MICROCIRCUITS, LINEAR, CMOS MULTIPLYING D/A CONVERTERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-JAN-06 |
| A | MIL-M-38510/105A | MICROCIRCUITS, LINEAR, CMOS, HIGH LEVEL ANALOG SWITCH WITH DRIVER, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 23-JAN-06 |
| A | MIL-M-38510/190D | MICROCIRCUITS, LINEAR, CMOS/ANALOG MULTIPLEXERS/DEMULTIPLEXERS WITH OVERVOLTAGE PROTECTION, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 12-OCT-05 |
| A | MIL-M-38510/120B NOT 2 | MICROCIRCUITS, LINEAR, HYBRID, 12 BIT ANALOG-TO-DIGITAL CONVERTERS[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-JAN-06 |
| A | MIL-M-38510/101K | MICROCIRCUITS, LINEAR, OPERATIONAL AMPLIFIER, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 14-DEC-05 |
| A | MIL-M-38510/149 NOT 3 | MICROCIRCUITS, LINEAR, PRECISION TIMERS, MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-JAN-06 |
| | MIL-M-38510/702A | MICROCIRCUITS, LINEAR, REGULATING PULSE WIDTH MODULATORS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MI SH SM TD] | A | 5962 | | CC | 07-JAN-05 |
| | MIL-M-38510/108A | MICROCIRCUITS, LINEAR, TRANSISTOR ARRAYS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 19] | A | 5962 | | CC | 18-DEC-03 |
| | MIL-M-38510/106B | MICROCIRCUITS, LINEAR, VOLTAGE FOLLOWER OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MI SH SM TD] | A | 5962 | | CC | 24-JAN-05 |
| A | MIL-M-38510/137A NOT 3 | MICROCIRCUITS, LINEAR, VOLTAGE OUTPUT 12-BIT DIGITAL-TO-ANALOG CONVERTERS, HYBRID AND MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 09-JAN-06 |
| A | MIL-M-38510/261 NOT 3 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS 32K X 8-BIT, ELECTRICALLY ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-FEB-06 |
| A | MIL-M-38510/260 NOT 3 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS 8K X 8 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM) MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI OS SH TD] | A | 5962 | | CC | 06-FEB-06 |
| A | MIL-M-38510/508A | MICROCIRCUITS, MEMORY, DIGITAL, CMOS ONE-TIME PROGRAMMABLE ARRAY LOGIC, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 27-FEB-06 |
| A | MIL-M-38510/507B | MICROCIRCUITS, MEMORY, DIGITAL, CMOS ULTRAVIOLET ERASABLE PROGRAMMABLE ARRAY LOGIC, MONOLITHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 27-FEB-06 |
| A | MIL-M-38510/293A(1) NOT 3 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS, 262,144-BIT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 06-FEB-06 |
| A | MIL-M-38510/224(2) NOT 3 | MICROCIRCUITS, MEMORY, DIGITAL, MOS, 32K X 8, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 31-JAN-06 |
| A | MIL-M-38510/240A NOT 3 | MICROCIRCUITS, MEMORY, DIGITAL, NMOS, 16,384 BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLYTHIC SILICON[CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 31-JAN-06 |
| A | MIL-M-38510/246(1) NOT 3 | MICROCIRCUITS, MEMORY, DIGITAL, NMOS, 246,144-BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON[CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 31-JAN-06 |
| | MIL-M-63248 NOT 2 | MICRODENTONATOR CLIP ASSEMBLY PARTS FOR[CUST: AR] | A | 1375 | | AR | 13-FEB-96 |
| | MIL-M-38761/2A NOT 1 | MICROFILM APERTURE, TABULATING CARDS AND SHIPS DRAWING INDEXES FOR NAVAL SEA SYSTEMS COMMAND SHIPS, SYSTEMS, AND EQUIPMENT, PREPARATION OF[CUST: SH] | A | EDRS | | SH | 01-JUN-95 |
| | MIL-M-9868/1B NOT 1 | MICROFILM OF ENGINEERING DOCUMENTS, 35MM, PREPARATION OF ROLL[CUST: SH] [REVIEW: EC] | A | EDRS | | SH | 01-JUN-95 |
| | MIL-M-38761/1B NOT 1 | MICROFILM, IMAGE CARDS, AND TABULATING CARDS USED FOR RECORDING ENGINEERING DRAWINGS AND ASSOCIATED DATA[CUST: AS] | A | EDRS | | AS | 01-JUN-95 |
| | MIL-M-38761B NOT 1 | MICROFILMING AND PHOTOGRAPHING OF ENGINEERING/TECHNICAL DATA AND RELATED DOCUMENTS, REQUIREMENTS FOR[CUST: CR AS 16 GS] [REVIEW: 11 13 18 19 24 70 71 99 AM AR AT AV CC CG CH CR4 DH EA EC GL IE IS MC MI NM OM OS SA SH TD YD] | A | EDRS | | 16 | 01-JUN-95 |
| | MIL-M-9868E NOT 1 | MICROFILMING OF ENGINEERING DATA, 35MM, REQUIREMENTS FOR[CUST: CR AS 16] [REVIEW: 11] | A | EDRS | | 16 | 01-JUN-95 |
| | MIL-M-13189A(2) NOT 3 | MICROPHONE ELEMENT, CARBON AND EARPHONE, ELEMENT, MAGNETIC (FOR TELEPHONE AND RADIO USE).[CUST: CR CC] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-M-5794B(2) NOT 1 | MICROPHONE UNIT M-6A/UR AND MICROPHONE, CARBON M-51/UR[CUST: CR CC] [REVIEW: 11 EA MI] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-M-11193D NOT 2 | MICROPHONE, CARBON (MICROPHONES M-29) (/U & M-52) (/U)[CUST: CR 11 CC] [REVIEW: 99] | A | 5965 | | CC | 30-MAR-99 |
| | MIL-M-49199A NOT 1 | MICROPHONE, LINEAR M-162/AIC GENERAL SPECIFICATION FOR[CUST: CR] | A | 5965 | | CR | 09-JAN-91 |
| | MIL-PRF-26542/7B | MICROPHONE, M-94B/A[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A | 5965 | | CC | 16-MAY-05 |
| | MIL-M-70763 NOT 1 | MINE ANTI-PERSONNEL M86: CLASSROOM MODEL FOR[CUST: AR] | A | 1345 | | AR | 09-JAN-97 |
| | MIL-M-70765(1) NOT 1 | MINE ANTI-PERSONNEL, M86, SPECIAL TEST MINE LOADING AND ASSEMBLY OF[CUST: AR] | A | 1345 | | AR | 27-MAR-98 |
| | MIL-M-70696A NOT 1 | MINE ASSEMBLY, ANTI-PERSONNEL, M86 LOADING AND ASSEMBLING OF[CUST: AR] | A | 1345 | | AR | 07-JAN-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-21124 NOT 1 | MINE CASE MARK 25 MOD 1[CUST: OS] | A | 1350 | | OS | 27-MAR-92 |
| | MIL-C-21676(1) NOT 1 | MINE CASE MARK 36 MOD 2[CUST: OS] | A | 1350 | | OS | 28-MAY-86 |
| | MIL-M-29399 NOT 1 | MINE CLEARENCE SYSTEM KIT (MCSK) FOR LANDING VEHICLE TRACKED PERSONNEL, MODEL 7201 (LVTP7A1)[CUST: AR OS 99] | A | 1055 | | MC | 04-APR-98 |
| | MIL-M-48883 NOT 2 | MINE DISPERSING SUBSYSTEM AIRCRAFT, PRACTICE, M132[CUST: AR] | A | 1345 | | AR | 11-JUL-96 |
| | MIL-M-48885(1) NOT 2 | MINE DISPERSING SUBSYSTEM AIRCRAFT, TRAINING M133[CUST: AR] | A | 1345 | | AR | 11-JUL-96 |
| | MIL-M-22525B NOT 1 | MINE FIELD MARKER, BFMK 3 MOD O, WM (HIGH INTENSITY FLASHING BEACON LIGHT)[CUST: SH] [REVIEW: GS] | A | 6210 | | SH | 31-MAY-86 |
| | MIL-M-63440 NOT 4 | MINE, ANTI PERSONNEL, TRAINING, M81[CUST: AR] | A | 1345 | | AR | 14-MAR-97 |
| | MIL-M-12760B(1) NOT 4 | MINE, ANTI-PERSONNEL NON-METALLIC, M14E1 WITH INTEGRAL FUZE PARTS FOR[CUST: AR] | A | 1345 | | AR | 15-NOV-96 |
| | MIL-M-70778 NOT 1 | MINE, ANTI-PERSONNEL, M86 ACCEPTOR LEAD ASSEMBLY FOR[CUST: AR] | A | 1345 | | AR | 09-JAN-97 |
| | MIL-M-48645A NOT 1 | MINE, ANTI-PERSONNEL, METAL PARTS FOR M131 SYSTEM[CUST: AR] | D | 1345 | | AR | 27-AUG-97 |
| | MIL-M-70720A(2) NOT 1 | MINE, ANTI-PERSONNEL: HE, VOLCANO LOADING, ASSEMBLING AND PACKING[CUST: AR] | D | 1345 | | AR | 19-AUG-97 |
| | MIL-M-63456A(3) NOT 1 | MINE, ANTI-PERSONNEL: HE, BLU-92/B LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 15-AUG-97 |
| | MIL-M-63304A(2) NOT 1 | MINE, ANTI-PERSONNEL: HE, M74 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 15-AUG-97 |
| | MIL-M-70780 NOT 1 | MINE, ANTI-PERSONNEL: M86 ARMING ASSEMBLY FOR[CUST: AR] | A | 1345 | | AR | 09-JAN-97 |
| | MIL-M-64032 NOT 1 | MINE, ANTI-TANK, METALPARTS FOR, M131 SYSTEM[CUST: AR] | D | 1345 | | AR | 19-AUG-97 |
| | MIL-M-63449 NOT 2 | MINE, ANTI-TANK, TRAINING: M85 WITH FUZE, MINE, ANTI-TANK, TRAINING; PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 19-AUG-97 |
| | MIL-M-70779 NOT 1 | MINE, ANTIPERSONNEL M86, DEMONSTRATION MINE[CUST: AR] | A | 1345 | | AR | 09-JAN-97 |
| | MIL-M-45174B NOT 2 | MINE, ANTIPERSONNEL, M16A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 16-JUL-96 |
| | MIL-M-45196A(2) NOT 3 | MINE, ANTIPERSONNEL, M16A1 PARTS FOR[CUST: AR] | A | 1345 | | AR | 16-JUL-96 |
| | MIL-M-46696D(5) NOT 4 | MINE, ANTIPERSONNEL, M16A1, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 27-MAR-98 |
| | MIL-M-46960D NOT 4 | MINE, ANTIPERSONNEL, M16A2 PARTS FOR[CUST: AR] | A | 1345 | | AR | 13-FEB-97 |
| | MIL-M-20439A NOT 2 | MINE, ANTIPERSONNEL, PRACTICE, M8 LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1345 | | AR | 13-MAR-97 |
| | MIL-M-63287(4) NOT 1 | MINE, ANTIPERSONNEL, XM74 (M74) METAL PARTS FOR[CUST: AR] | A | 1345 | | AR | 27-MAR-98 |
| | MIL-M-48629(1) NOT 1 | MINE, ANTITANK, PRACTICE: M79 ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 11-JUL-96 |
| | MIL-M-70719A(3) NOT 1 | MINE, ANTITANK: HE VOLCANO LOADING, ASSEMBLING AND PACKING[CUST: AR] | D | 1345 | | AR | 19-AUG-97 |
| | MIL-M-63457A(2) NOT 1 | MINE, ANTITANK: HE, BLU-91/B LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 20-FEB-97 |
| | MIL-M-63305B(3) NOT 1 | MINE, ANTITANK: HE, M75 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 15-AUG-97 |
| | MIL-M-48379 NOT 2 | MINE, APERS, M18A1E1 (WITH ACCESSORIES) LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 14-FEB-97 |
| | MIL-M-13693A(1) NOT 4 | MINE, APERS, NM, M14E1 WITH INTEGRAL FUZE, LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1345 | | AR | 23-JUL-97 |
| | MIL-M-50512 NOT 1 | MINE, APERS, PRACTICE, M68 ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 19-AUG-97 |
| | MIL-M-48386 NOT 2 | MINE, APERS, PRACTICE, M68E1 (WITH ACCESSORIES) ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 12-AUG-97 |
| | MIL-M-45405C NOT 1 | MINE, AT, M21 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 01-FEB-96 |
| | MIL-M-45406C NOT 1 | MINE, AT, M21 PARTS FOR[CUST: AR] | A | 1345 | | AR | 01-FEB-96 |
| | MIL-M-13685F(1) NOT 2 | MINE, AT, NM, M19 WITH ARMING WRENCH M22 LOADING ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 09-JUL-96 |
| | MIL-M-63146(2) NOT 1 | MINE, AT, PRACTICE M19, INERT AND FUZE, MINE, AT, PRACTICE, M606, INERT PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 17-JUL-96 |
| | MIL-M-63984(2) NOT 1 | MINE, AT, PRACTICE, HEAVY: M20, PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 27-MAR-98 |
| | MIL-M-48869 NOT 4 | MINE, DUMMY[CUST: AR] | A | 1320 | | AR | 03-FEB-97 |
| | MIL-M-64024A NOT 1 | MINE, GROUND, ANTITANK HE LOADING, ASSEMBLING AND PACKING FOR M131 SYSTEM[CUST: AR] | B | 1345 | | AR | 30-OCT-97 |
| | MIL-M-64023A(1) NOT 1 | MINE, GROUND: ANTIPERSONNEL, HE LOADING, ASSEMBLING AND PACKING FOR M131 SYSTEM[CUST: AR] | D | 1345 | | AR | 18-AUG-97 |
| | MIL-M-63216 NOT 3 | MINE, INERT, ANTIPERSONNEL M16A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 03-FEB-97 |
| | MIL-M-63508(1) NOT 1 | MINE, METAL PARTS FOR MINES: BLU-91/B AND BLU-92/B[CUST: AR] | A | 1345 | | AR | 18-AUG-97 |
| | MIL-M-48261(6) NOT 3 | MINES, M718/M741 SYSTEM, METAL PARTS[CUST: AR] | A | 1345 | | AR | 14-FEB-97 |
| | MIL-M-18371E(2) NOT 1 | MIRROR, EMERGENCY SIGNALING, MARK 3[CUST: CR4 AS 99] [REVIEW: GS] | A | 6350 | | AS | 17-SEP-97 |
| | MIL-M-13508C(1) NOT 2 | MIRROR, FRONT SURFACED ALUMINIZED: FOR OPTICAL ELEMENTS[CUST: AR SH 99] [REVIEW: AV CR4 GS MI OS] | A | 6650 | | AR | 14-MAR-97 |
| | MIL-M-5755C NOT 1 | MIRROR, REARVIEW, NONMAGNETIC, GENERAL REQUIREMENTS FOR (FOR AERONAUTICAL USE)[CUST: AV AS 99] | A | 1680 | | GS1 | 28-SEP-99 |
| | MIL-M-18203C NOT 1 | MITTEN SHELLS (MEN'S AND WOMEN'S)[CUST: NU CT] | A | 8415 | | CT | 20-JUL-94 |
| | MIL-M-81844C NOT 1 | MITTENS, FLYER'S, ANTI-EXPOSURE, INFLATABLE, HAU-12/P[CUST: GL AS] [REVIEW: AV] | A | 8475 | | AS | 16-JUL-97 |
| | MIL-M-13081F(3) NOT 1 | MIXER, ROTARY TILLER, SOIL STABILIZATION, SELF-PROPELLED[CUST: AT YD] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-M-28743A NOT 1 | MIXER, TRANSPONDER SUPPRESSION TD-937( )/SPX[CUST: AS] | A | 5825 | | AS | 18-SEP-96 |
| | MIL-M-52329C NOT 1 | MIXING PLANT, ASPHALT, CONTINUOUS MIX, DIESEL ENGINE DRIVEN, PORTABLE, 100-150 TONS PER HOUR CAPACITY[CUST: AT YD 99] [REVIEW: 84 CR4] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-M-49233A NOT 1 | MODEM, CABLE DRIVER MD-1025( )/G[CUST: CR] | A | 5805 | | CR | 23-FEB-98 |
| | MIL-M-49231A NOT 1 | MODEM, CABLE,DRIVER, MD-1023( )/G[CUST: CR] | A | 5805 | | CR | 23-FEB-98 |
| | MIL-M-49232A NOT 1 | MODEM, CABLE,DRIVER, MD-1024 ( )/G[CUST: CR] | A | 5805 | | CR | 23-FEB-98 |
| | MIL-M-49235A NOT 1 | MODEM, DIGITAL DATA MD-1065()(P)/G[CUST: CR 99] [REVIEW: 84] | A | 5805 | | CR | 11-APR-97 |
| | MIL-M-49234A NOT 1 | MODEM, DIGITAL DATA, MD-1026( )(P)/G[CUST: CR] | A | 5820 | | CR | 25-APR-97 |
| | MIL-M-55529A NOT 2 | MODEM, RADIO TELETYPEWRITER SET MD-522( )/GRC[CUST: CR] | A | 5815 | | CR | 29-MAR-96 |
| | MIL-M-71074A NOT 3 | MODEM, VEHICLE MOTION SENSOR: 12561737[CUST: AR] | A | 1290 | | AR | 27-FEB-97 |
| | MIL-M-55289A NOT 1 | MODIFICATION KIT MK-710( )/TMQ (UNITS OF)[CUST: CR] [REVIEW: GS] | A | 6660 | | CR | 29-MAR-96 |
| | MIL-M-29358 NOT 2 | MODIFICATION KIT: RADIO RELAY EQUIPMENT AN/GRC-201[CUST: MC] | A | 5820 | | MC | 05-APR-99 |
| | MIL-M-29441 NOT 1 | MODULE ASSEMBLY, DESK[CUST: MC] | A | 7110 | | MC | 04-APR-98 |
| | MIL-M-29436 NOT 1 | MODULE ASSEMBLY, PALLET TYPE, STORAGE[CUST: MC] | A | 7125 | | MC | 04-APR-98 |
| | MIL-M-29442 NOT 1 | MODULE ASSEMBLY, PERSONNEL STORAGE[CUST: MC] | A | 7125 | | MC | 04-APR-98 |
| | MIL-M-29443 NOT 1 | MODULE ASSEMBLY, SECURITY[CUST: MC] | A | 7125 | | MC | 04-APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-29439 NOT 1 | MODULE ASSEMBLY, STORAGE, DUAL SHELF[CUST: MC] | A | 7125 | | MC | 04-APR-98 |
| | MIL-M-29438 NOT 1 | MODULE ASSEMBLY, STORAGE, SHELF TYPE[CUST: MC] | A | 7125 | | MC | 04-APR-98 |
| | MIL-M-29437 NOT 1 | MODULE ASSEMBLY, UNIVERSAL STORAGE[CUST: MC] | A | 7125 | | MC | 04-APR-98 |
| | MIL-M-29440 NOT 1 | MODULE ASSEMBLY, WORKBENCH[CUST: MC] | A | 7125 | | MC | 04-APR-98 |
| | MIL-M-28787/32B(1) NOT 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FLIP-FLOP, D-TYPE, DIGITAL, KEY CODE KBR[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/156A(1) NOT 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM GATE, INVERTER, DIGITAL, KEY CODE DBE[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/157A(1) NOT 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM GATE, NAND, DIGITAL, KEY CODE DBF[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/137A NOT 2 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM INDUCTOR, POWER, KEY CODE VPX[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-29416(1) NOT 1 | MODULE, FULE TANK (SIXCON)[CUST: MC] | A | 2910 | | MC | 04-APR-98 |
| | MIL-M-55554A NOT 4 | MODULE, IMAGE INTENSIFIER 25 MILLIMETER, TYPE 8585[CUST: MI] | A | 5855 | | MI | 25-MAR-98 |
| | MIL-M-28787/159A(1) NOT 1 | MODULE, STANDARD ELECTRIC GATE, NAND, DIGITAL, KEY CODE DBH[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/237A(1) NOT 2 | MODULE, STANDARD ELECTRIC MICROPROCESSOR, DIGITAL KEY CODE HRH[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/39B(1) NOT 1 | MODULE, STANDARD ELECTRONIC ADDER, DIGITAL, KEY CODE KBC[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/221A(1) NOT 1 | MODULE, STANDARD ELECTRONIC AMPLIFIER, PHASE SHIFT, ANALOG, KEY CODE LEE[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/179B NOT 2 | MODULE, STANDARD ELECTRONIC CAPACITOR, PROGRAMMABLE, ANALOG, KEY CODE GGD[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/127D(1) NOT 2 | MODULE, STANDARD ELECTRONIC CAPCCITOR, DIGITAL, KEY CODE FLE[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/288A(3) NOT 1 | MODULE, STANDARD ELECTRONIC CLOCK, MICROPROCESSOR, DIGITAL, KEY CODE JRH[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/58C(1) NOT 1 | MODULE, STANDARD ELECTRONIC COUNTER, BINARY CODED DECIMAL, DIGITAL, KEY CODE ADK[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/275A NOT 1 | MODULE, STANDARD ELECTRONIC COUNTER, BINARY/BCD, DIGITAL, KEY CODE BMG[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/258A(1) NOT 1 | MODULE, STANDARD ELECTRONIC DECODER, BCD TO DECIMAL, DIGITAL, KEY CODE BMH [CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/291A(1) NOT 1 | MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE AFA[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/65A(2) NOT 1 | MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE AHA[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/332(1) NOT 1 | MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE MFP[CUST: CR NW 11] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/49A(2) NOT 1 | MODULE, STANDARD ELECTRONIC DIODE, PAIRS, DIGITAL, KEY CODE KDF[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/77A(2) NOT 1 | MODULE, STANDARD ELECTRONIC ENCODER, PARITY, DIGITAL, KEY CODE MHK[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/125A(1) NOT 2 | MODULE, STANDARD ELECTRONIC EXTENDER, TEST POINT, & RESISTOR, MISCELLANEOUS, KEY CODE FLA[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/329(1) NOT 1 | MODULE, STANDARD ELECTRONIC FLIP FLOP, JK, DIGITAL, KEY CODE QHK[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/170A(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, AND OR INVERT, DIGITAL, KEY CODE EBA[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/17A(2) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, AND OR INVERT, DIGITAL, KEY CODE LDJ[CUST: NW] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/255(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, EXCLUSIVE OR, DIGITAL, KEY CODE BMC[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/261(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, INVERTER, DIGITAL, KEY CODE EMM[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/254(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BMB[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/83B(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE RBF[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/259(2) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, NOR, DIGITAL, KEY CODE EMJ[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/263(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, NOR, DIGITAL, KEY CODE EMP[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/249A NOT 1 | MODULE, STANDARD ELECTRONIC GATE, NOR, KEY CODE AME[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/20A(3) NOT 1 | MODULE, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE LDC[CUST: CR NW 11] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/251(3) NOT 1 | MODULE, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE AMG[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/44B(2) NOT 1 | MODULE, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE GBL[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/394 NOT 1 | MODULE, STANDARD ELECTRONIC MICROPROCESSOR MODULE, KEY CODE MHA[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/301A(4) NOT 1 | MODULE, STANDARD ELECTRONIC MICROPROCESSOR, KEY CODE ERD[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/306A(2) NOT 1 | MODULE, STANDARD ELECTRONIC MICROPROCESSOR, KEY CODE MJA[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/118B(1) | MODULE, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BDE[CUST: NW] | A | 5963 | | NW | 19-JUN-91 |
| | MIL-M-28787/130A(2) NOT 1 | MODULE, STANDARD ELECTRONIC NETWORK, MISCELLANEOUS, POWER, KEY CODE QPL[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/204A NOT 2 | MODULE, STANDARD ELECTRONIC NETWORK, RESISTOR, POWER, KEY CODE RUM[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/370 NOT 1 | MODULE, STANDARD ELECTRONIC NETWORK, SPECIAL, KEYCODE HJL[CUST: CR NW 11] [REVIEW: 19 AS AT AV CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/147A(1) NOT 1 | MODULE, STANDARD ELECTRONIC OSCILLATOR, DIGITAL, KEY CODE HVA[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/189C NOT 1 | MODULE, STANDARD ELECTRONIC PROCESSOR, ERROR, S/D, ANALOG, KEY CODE SHX[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/16A(1) NOT 1 | MODULE, STANDARD ELECTRONIC RECEIVER, 1NTERFACE, DIGITAL, KEY CODE JDK[CUST: NW] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/216B(1) NOT 1 | MODULE, STANDARD ELECTRONIC RESISTOR, PULLUP, POWER, KEY CODE ADL[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/277(1) NOT 1 | MODULE, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE EML[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/183A(1) NOT 2 | MODULE, STANDARD ELECTRONIC SWITCH, ANALOG, ANALOG, KEY CODE ZSW[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/128B(1) NOT 2 | MODULE, STANDARD ELECTRONIC TRANSFORMER, ANALOG, KEY CODE CTR[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/158A(2) NOT 1 | MODULE, STANDARD ELECTTRONIC GATE, NAND, DIGITAL, KEY CODE DBG[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/371 NOT 1 | MODULES, ANALOG, STANDARD ELECTRONIC INTERFACE, DISCRETE MODULE, KEY CODE TAV[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/352 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC 68000 CONTROL/MAINTENANCE MODULE, KEY CODE ADP[CUST: CR NW 11] [REVIEW: 19 AS AT AV CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/351(1) NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC 68000 SUPPORT MODULE, KEY CODE ASC[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/347 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC CLOCK, MICROPROCESSOR MODULE, KEY CODE TRU[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/360 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC CONTROLLER, DATA MODULE, KEY CODE DFH[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/357 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC CONTROLLER, DMA MODULE, KEY CODE FUM [CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-28787/363 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC CONTROLLER/TIMING MODULE, KEY CODE CEM[CUST: CR NW 11] [REVIEW: 19 AS AT AV CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/335 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC DIRECT MEMORY ACCESS MODULE, KEY CODE NBP[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/358 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC DMA SUPPORT MODULE, KEY CODE FUN[CUST: CR NW 11] [REVIEW: 19 AS AT AV CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/362 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC DRIVER/RECEIVER DIFFERENTIAL MODULE, KEY CODE HJN[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/368 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC DYNAMIC RAM CONTROLLER MODULE, KEY CODE FER[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/359 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC FLIP/FLOP, D TYPE MODULE, KEY CODE KLR[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/365A NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE MODULE, KEY CODE DGP[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/354 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, BUS MODULE, KEY CODE AFG[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/393 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, BUS MODULE, KEY CODE AMJ[CUST: CR NW 11] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/336A NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, MICROPROCESSOR MODULE, KEY CODE NBQ[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/346 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERRUPT CONTROL UNIT MODULE, KEY CODE SQY[CUST: CR NW 11] [REVIEW: 19 AS AT AV CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/353 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC MICROPROCESSOR, 68000 MODULE, KEY CODE NAH[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/364 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC REGISTER MODULE, KEY CODE DGJ[CUST: CR NW 11] [REVIEW: 19 AS AT AV CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/366 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC STATIC RANDOM ACCESS MEMORY MODULE, KEY CODE DGG[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/356 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC SUPPORT, MPU COMMUNICATIONS MODULE, KEY CODE AHH[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/458 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC ULTRAVIOLET LIGHT ERASABLE PROGRAMMABLE READ ONLY MEMORY (UV EPROM) MODULE[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/344(2) NOT 1 | MODULES, STAND ELECTRONIC ENCODER, FAULT ISOLATION, KEY CODE MFG[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/206A(1) NOT 1 | MODULES, STANDARD ELECTRIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE FQB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/136A(1) NOT 2 | MODULES, STANDARD ELECTRIC TRANSFORMER, POWER, KEY CODE RPN[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/11A(3) NOT 1 | MODULES, STANDARD ELECTRONIC ADDER, DIGITAL, KEY CODE KDL[CUST: NW] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/175A(1) NOT 1 | MODULES, STANDARD ELECTRONIC ADDER, DISCRETE SUM, DIGITAL, KEY CODE FBG[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/245A(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, AGC, ANALOG, KEY CODE DPA[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/340(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, ANALOG, KEY CODE EAP[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/233B(2) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, CLIPPER, ANALOG, KEY CODE FBE[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/269A(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, DIFFERENTIAL, ANALOG, KEY CODE FGH[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/309A NOT 2 | MODULES, STANDARD ELECTRONIC AMPLIFIER, OPERATIONAL, ANALOG, KEY CODE DAA[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/177C(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, OPERATIONAL, ANALOG, KEY CODE FGC[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/219B(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, POWER, ANALOG, KEY CODE HEE[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/184B(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, POWER, ANALOG, KEY CODE SES[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/205A(3) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, SUMMING, ANALOG, KEY CODE BED[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/229A NOT 2 | MODULES, STANDARD ELECTRONIC AMPLIFIER, SUMMING, ANALOG, KEY CODE BEE[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/323(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, VIDEO, ANALOG, KEY CODE MFR[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/174A(3) | MODULES, STANDARD ELECTRONIC ARITHMETIC LOGIC UNIT, DIGITAL, KEY CODE FBA[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 31-MAR-93 |
| | MIL-M-28787/12B(1) NOT 1 | MODULES, STANDARD ELECTRONIC ARITHMETIC LOGIC UNIT, DIGITAL, KEY CODE KDJ[CUST: NW] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/510 NOT 1 | MODULES, STANDARD ELECTRONIC ARITHMETIC-LOGIC UNIT MODULE, KEY CODE BWE[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/520 NOT 1 | MODULES, STANDARD ELECTRONIC BIT ELECTRONICS MODULE, KEY CODE CWN[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/518 NOT 1 | MODULES, STANDARD ELECTRONIC BOOTSTRAP MEMORY/RTC MODULE, KEY CODE CWAF[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/438 NOT 1 | MODULES, STANDARD ELECTRONIC BREAKPOINT, RCMI MODULE, KEY CODE GTC[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/190A(1) NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER LIMITER, ANALOG, KEY CODE BAC[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/287A(3) NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER, BIDIRECTIONAL, DIGITAL, KEY CODE HRL[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/248A(2) NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER, NON-INVERTING, DIGITAL, KEY CODE AMC[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/47B(3) NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, KEY CODE BBB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/267B(1) NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, KEY CODE YBZ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/350 NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, MODULE, KEY CODE YEZ[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/509 NOT 1 | MODULES, STANDARD ELECTRONIC BUS ARBITRATOR MODULE, KEY CODE BWD[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/508A(1) NOT 1 | MODULES, STANDARD ELECTRONIC CENTRAL PROCESSOR SEQUENCER MODULE, KEY CODE BWAC[CUST: CR NW 11] [REVIEW: 19 AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/62C(3) NOT 2 | MODULES, STANDARD ELECTRONIC COMPARATOR, ANALOG, KEY CODE CFA[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/231A(1) NOT 1 | MODULES, STANDARD ELECTRONIC COMPARATOR, ANALOG, KEY CODE GEE[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/300A(2) NOT 1 | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE HFB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/42B(2) | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE JBK[CUST: NW] | A | 5963 | | NW | 19-MAR-92 |
| | MIL-M-28787/142B(1) NOT 1 | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE JDB[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/327(1) NOT 1 | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE JHB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-28787/310B(2) NOT 1 | MODULES, STANDARD ELECTRONIC COMPONENTS, MISCELLANEOUS, KEY CODE FMD[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/305A(3) NOT 1 | MODULES, STANDARD ELECTRONIC CONTROLLER, INTERRUPT, DIGITAL, KEY CODE ZJX[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/330 NOT 2 | MODULES, STANDARD ELECTRONIC CONTROLLER, MICROPROCESSOR, KEY CODE RRA[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/419 NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, A/D MODULE, KEY CODE JFJ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/369 NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, ANALOG/DIGITAL, KEY CODE CKA[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/232A(2) NOT 2 | MODULES, STANDARD ELECTRONIC CONVERTER, ANALOG/DIGITAL, KEY CODE QQQ[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/272A(2) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, BCD/BINARY, DIGITAL, KEY CODE ZEZ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/271A(1) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, BINARY/BCD, DIGITAL, KEY CODE RQB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/420 NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, D/A MODULE, KEY CODE JFK[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/322B NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, D/A, KEY CODE DBK[CUST: CR NW 11] [REVIEW: 19 AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/333(2) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, D/A, KEY CODE MKR[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/213A(1) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, PARALLEL/SERIAL, KEY CODE EQG[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/345(1) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, S/D, KEY CODE JAP[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/337A(1) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, S/D, KEY CODE JWP[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/214(3) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, SERIAL/PARALLEL, DIGITAL, KEY CODE EQF[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/45B(2) | MODULES, STANDARD ELECTRONIC COUNTER, BINARY CODED DECIMAL, DIGITAL, KEY CODE ZBZ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 28-APR-93 |
| | MIL-M-28787/250(2) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE AMF[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/295A(2) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE FEA[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/70B(1) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE FHA[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/319A(2) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE NZC[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/46C(2) | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE ZBY[CUST: NW] | A | 5963 | | NW | 07-JAN-92 |
| | MIL-M-28787/6C(2) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, SYNCHRONOUS, DIGITAL, KEY CODE FDA[CUST: CR SH 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/27A(3) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, UP & DOWN, DIGITAL, KEY CODE GDM[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/31B(2) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BCD, PRESSETTABLE, KEY CODE JDD[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/166B(2) | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, DIGITAL, KEY CODE BBJ[CUST: NW] | A | 5963 | | NW | 24-AUG-90 |
| | MIL-M-28787/292A(3) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, DIGITAL, KEY CODE BHA[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/30B(1) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, KEY CODE BBA[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/7C(4) NOT 1 | MODULES, STANDARD ELECTRONIC DECODER, BINARY, DIGITAL, KEY CODE GDN[CUST: NW] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/182A(1) NOT 1 | MODULES, STANDARD ELECTRONIC DEMULTIPLEXER, ANALOG, KEY CODE VGS[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/22C(2) NOT 1 | MODULES, STANDARD ELECTRONIC DIODE, PROGRAMMABLE, DIGITAL, KEY CODE ABE[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/527 NOT 1 | MODULES, STANDARD ELECTRONIC DIRECT MEMORY ACCESS II MODULE, KEY CODE DWH[CUST: CR NW 11] [REVIEW: 19 AS AT AV CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/526(1) NOT 1 | MODULES, STANDARD ELECTRONIC DIRECT MEMORY INTERFACE I MODULE, KEY CODE DWG[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/202B(1) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, ANALOG, KEY CODE MAD[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/266B(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, BUS, DIGITAL, KEY CODE GQB[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/55B(3) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, DIFFERENTIAL LINE, DIGITAL, KEY CODE KDM[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/178B(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, FET, SWITCH, DIGITAL, KEY CODE GDP[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/162(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE EKB[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/163A(1) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE EKC[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/109B(1) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE MDL[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/241(1) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, NTDS (ANEW), KEY CODE QDR[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/152A(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE ABF[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/278A(1) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE FQD[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/239A(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, NTDS SLOW, DIGITAL, KEY CODE QBQ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/48A(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, TRANSLATE, DIGITAL, KEY CODE MDP[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/312(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, TRANSLATOR, DIGITAL, KEY CODE DLB[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/361 NOT 1 | MODULES, STANDARD ELECTRONIC DYNAMIC RANDOM ACCESS MEMORY MODULE, KEY CODE CJK[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/459 NOT 1 | MODULES, STANDARD ELECTRONIC ENCODER, PARITY, DIGITAL, MODULE, KEY CODE JPJ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/76A(1) NOT 1 | MODULES, STANDARD ELECTRONIC ENCODER, PRIORITY, DIGITAL, KEY CODE MHL[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/338(2) NOT 1 | MODULES, STANDARD ELECTRONIC ENCODER, PRIORITY, KEY CODE NTA[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/218A(1) NOT 1 | MODULES, STANDARD ELECTRONIC FILTER, LOW PASS, ACTIVE, ANALOG, KEY CODE EEE[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/315(1) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP FLOP, JK, DIGITAL, KEY CODE FRE[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/61B(2) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, D TYPE, DIGITAL, KEY CODE KDR[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-28787/256(2) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, D-TYPE, DIGITAL, KEY CODE BMD[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/123A(2) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE ADH[CUST: NW] | A | 5963 | | NW | 24-AUG-90 |
| | MIL-M-28787/172A(1) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE EBC[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 28-APR-93 |
| | MIL-M-28787/41B(2) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE EBL[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/264B NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE EMQ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/143B(1) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GBB[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/2B(1) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GDE[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 31-DEC-92 |
| | MIL-M-28787/296A(4) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GHK[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/224A(4) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE JDF[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 28-APR-93 |
| | MIL-M-28787/209B NOT 2 | MODULES, STANDARD ELECTRONIC FUSE, KEY CODE GZC[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/243A(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, AND DIGITAL, KEY CODE DQK[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/244A(1) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, AND, DIGITAL, KEY CODE DQJ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/252(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, AND-OR-INVERT, DIGITAL, KEY CODE AMH[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/64A(3) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, AND-OR-INVERT, DIGITAL, KEY CODE LHJ[CUST: CR SH 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/171A(1) | MODULES, STANDARD ELECTRONIC GATE, EXCLUSIVE OR, DIGITAL, KEY CODE EBB[CUST: NW] | A | 5963 | | NW | 29-MAR-91 |
| | MIL-M-28787/4C NOT 1 | MODULES, STANDARD ELECTRONIC GATE, EXCLUSIVE-OR, DIGITAL, KEY CODE GDK[CUST: NW] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/114A(3) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDA[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/115A(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 31-DEC-92 |
| | MIL-M-28787/116A(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDC[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 31-DEC-92 |
| | MIL-M-28787/293(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE CHH[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/294B NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE CHP[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/260A NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE EMK[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/3B(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDA[CUST: NW] | A | 5963 | | NW | 29-MAR-91 |
| | MIL-M-28787/10B(1) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 31-MAR-93 |
| | MIL-M-28787/8B(1) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDC[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 31-MAR-93 |
| | MIL-M-28787/19B(1) NOT 2 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDN[CUST: NW] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/9B(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDP[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/18B(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDQ[CUST: NW] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/68A(1) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LHH[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/75A(1) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LHP[CUST: CR SH 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/297A(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE RHF[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/21B(1) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE WDU[CUST: NW] | A | 5963 | | NW | 30-MAR-92 |
| | MIL-M-28787/238A(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, KEY CODE GHM[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/119A(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, POWER, DIGITAL, KEY CODE BDH[CUST: NW] | A | 5963 | | NW | 30-MAR-92 |
| | MIL-M-28787/120B(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, POWER, DIGITAL, KEY CODE CDB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 31-MAR-93 |
| | MIL-M-28787D SUP 1 NOT 1 | MODULES, STANDARD ELECTRONIC GENERAL SPECIFICATION FOR[CUST: NW] [REVIEW: 11 13 19 AS AT AV CC MC] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/194A(2) NOT 1 | MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, DIGITAL, KEY CODE UHX[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/187B(1) NOT 2 | MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, LSB, ANALOG, KEY CODE SHU[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/186B(2) NOT 1 | MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, MSB, ANALOG, KEY CODE SHY[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/539(1) NOT 1 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE ADDRESS GENERATION MODULE, KEY CODE CWK[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/540(2) NOT 1 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION CONTROL I, KEY CODE EWAH[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/541(1) NOT 1 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION CONTROL II MODULE, KEY CODE FWA[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/542(1) NOT 1 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION CONTROL III MODULE, KEY CODE FWB[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/135A(2) NOT 1 | MODULES, STANDARD ELECTRONIC INDUCTOR, 1.5 AMPERE, POWER, KEY CODE QPM[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/228A(3) NOT 1 | MODULES, STANDARD ELECTRONIC INTEGRATOR, S/D, ANALOG, KEY CODE PEG[CUST: NW] | A | 5963 | | NW | 31-MAR-93 |
| | MIL-M-28787/341(1) NOT 1 | MODULES, STANDARD ELECTRONIC INTERFACE BUS, KEY CODE PHP[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/328(2) NOT 1 | MODULES, STANDARD ELECTRONIC INTERFACE, MICROPROCESSOR, KEY CODE NGK[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/262A NOT 1 | MODULES, STANDARD ELECTRONIC INVERTER, BUFFER, DIGITAL, KEY CODE EMN[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/197A(3) NOT 1 | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE EBD[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/29B NOT 1 | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE FDH[CUST: NW] | A | 5963 | | NW | 30-SEP-92 |
| | MIL-M-28787/82A(2) NOT 1 | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE RBG[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/298A(2) NOT 1 | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE RHG[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-28787/506 NOT 1 | MODULES, STANDARD ELECTRONIC IOC CHANNEL CONTROL MODULE, KEY CODE AWH[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/511 NOT 1 | MODULES, STANDARD ELECTRONIC IOC COMMON BUS CONTROL MODULE, KEY CODE BWF[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/504 NOT 1 | MODULES, STANDARD ELECTRONIC IOC CONTROL MEMORY MODULE, KEY CODE AWF[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/505(1) NOT 1 | MODULES, STANDARD ELECTRONIC IOC DATA BUS LOWER MODULE, KEY CODE AWG[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/535 NOT 1 | MODULES, STANDARD ELECTRONIC IOC DATA BUS UPPER MODULE, KEY CODE EWC[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/507 NOT 1 | MODULES, STANDARD ELECTRONIC IOC SEQUENCER MODULE, KEY CODE BWAA[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/129A(1) NOT 2 | MODULES, STANDARD ELECTRONIC ISOLATION MODULE, DIGITAL, KEY CODE EMF[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/1C(3) NOT 1 | MODULES, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE GDJ[CUST: NW] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/126A(2) NOT 1 | MODULES, STANDARD ELECTRONIC LOAD, RESISTOR, STANDARD, ANALOG, KEY CODE FLB[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/154A(1) NOT 2 | MODULES, STANDARD ELECTRONIC LOGIC CONVERTER, ANALOG TO DIGITAL, KEY CODE DBA[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/155A(1) | MODULES, STANDARD ELECTRONIC LOGIC CONVERTER, DIGITAL TO ANALOG, KEY CODE DBC[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 16-DEC-92 |
| | MIL-M-28787/79A(3) NOT 1 | MODULES, STANDARD ELECTRONIC LOGIC UNIT, ARITHMETIC, DIGITAL, KEY CODE RDH[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/437A NOT 1 | MODULES, STANDARD ELECTRONIC MAINTENANCE PROCESSOR SERIAL INTERFACE MODULE, KEY CODE HRAA[CUST: CR NW 11] [REVIEW: 19 AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/525 NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY ADDRESS EXPANSION MODULE, KEY CODE DWF [CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/435 NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY ADDRESS MODULE, KEY CODE JMM[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/432(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY ARRAY, 128K DYNAMIC RANDOM ACCESS MODULE KEY CODE JEJ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/436(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY CONTROL MODULE, KEY CODE JMN[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/434(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY DATA MODULE, KEY CODE JML[CUST: CR NW 11] [REVIEW: 19 AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/519 NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY INTERFACE I MODULE, KEY CODE CWG[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/536(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY INTERFACE II MODULE, KEY CODE EWD[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/514 NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY MAPPED I/O BUS INTERFACE MODULE, KEY CODE CWA[CUST: CR NW 11] [REVIEW: 19 AS AT AV CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/512(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY MAPPED I/O MODULE, KEY CODE BWG[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/433(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY TIMING MODULE, KEY CODE JEQ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/80A(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE BYF[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/141B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE GYB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/286(3) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE KYF[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/193A(5) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE SYT[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/302A(4) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, KEY CODE ZJS[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/303A(2) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, KEY CODE ZJT[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/265A(3) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, DIGITAL[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/316A(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, DIGITAL[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/169B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, PROGRAMMABLE, DIGITAL, KEY CODE GYF[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/168A(3) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, PROGRAMMABLE, DIGITAL, KEY CODE GYC[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/304A(4) NOT 1 | MODULES, STANDARD ELECTRONIC MICROPROGRAM CONTROLLER, KEY CODE ZJU[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/501 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE A/PIC MODULE, KEY CODE AWC[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/502 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE B/PIC MODULE, KEY CODE AGL[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/503 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE C/PIC, MODULE, KEY CODE AHL[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/500 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 PARALLEL CHANNEL CONTROL MODULE, KEY CODE AWB[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/529A NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 TYPE D SERIAL INTERFACE ADAPTER MODULE, KEY CODE AJL[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/528 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 TYPE D/E SERIAL CONTROL MODULE, KEY CODE AJK[CUST: CR NW 11] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/414(1) NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 TYPE E SERIAL INTERFACE ADAPTER MODULE, KEY CODE ATC[CUST: CR NW 11] [REVIEW: 19 AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/367 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 BUS CONTROLLER MODULE, KEY CODE UKS[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/429 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 COMMON BUS INTERFACE MODULE, KEY CODE GWB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/348 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 DUMB RTU MODULE, KEY CODE UKT[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/349 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 RTU PROTOCOL MODULE, KEY CODE UKU[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/428 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 SUBSYSTEM ADAPTER CARD MODULE KEY CODE GWA[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/521(1) NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-188C/RS232C ASYNCHRONOUS SERIAL CONTROL MODULE, KEY CODE AEK[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/538(1) NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-188C/VACALES INTERFACE ADAPTER MODULE, KEY CODE APC[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/220A NOT 2 | MODULES, STANDARD ELECTRONIC MODULATOR, SYNCHRONOUS, ANALOG, KEY CODE KAD[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/324(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE NGP[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/325(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE NQD[CUST: NW] | A | 5963 | | NW | 20-APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-28787/321A NOT 2 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE RRB[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/88A(3) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE SEX[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/140B(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE AGD[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/78A(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE AHD[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/5C NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BDL[CUST: CR NW 11] [REVIEW: 19 AT CC MC] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/85A(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BDN[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 28-APR-93 |
| | MIL-M-28787/66B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BHL[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/173A(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE EBE[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 28-APR-93 |
| | MIL-M-28787/314(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE FRC[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/67B(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE JHD[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/40B(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KBL[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 28-APR-93 |
| | MIL-M-28787/223A(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KDC[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/60B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KDQ[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/81A(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KHL[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/72B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KHQ[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/268A(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLIER, DIGITAL, KEY CODE AGA[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/523 NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLY/MATH PACKAGE MODULE, KEY CODE DWAE[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/257(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BME[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/117A(1) | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BDD[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 28-APR-93 |
| | MIL-M-28787/121B(1) | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE CDD[CUST: NW] | A | 5963 | | NW | 08-MAR-91 |
| | MIL-M-28787/34B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE JBN[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/222A(1) NOT 1 | MODULES, STANDARD ELECTRONIC NAND/SCHMITT, DIGITAL, KEY CODE JQM[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/524(1) NOT 1 | MODULES, STANDARD ELECTRONIC NATO-STD-4156 (MODIFIED) CHANNEL ADAPTER MODULE, KEY CODE ATL[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/421(1) NOT 1 | MODULES, STANDARD ELECTRONIC NATO-STD-4156 (MODIFIED) CHANNEL CONTROL MODULE KEY CODE ATK[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/180A(1) NOT 2 | MODULES, STANDARD ELECTRONIC NETWORK, RESISTOR, PROGRAMMABLE, ANALOG, KEY CODE GGG[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/188B(1) NOT 1 | MODULES, STANDARD ELECTRONIC OCTANT/QUADRANT, ANALOG, KEY CODE SHV[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/246B(1) NOT 1 | MODULES, STANDARD ELECTRONIC OPTICAL ISOLATOR, DIGITAL, KEY CODE MUM[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/235A NOT 2 | MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE QVG[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/236A NOT 2 | MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE QVQ[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/331A(1) NOT 1 | MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE YBS[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/132A(1) NOT 1 | MODULES, STANDARD ELECTRONIC OSCILLATOR, SQUARE WAVE, ANALOG, KEY CODE MVJ [CUST: NW] | A | 5963 | | NW | 31-MAR-93 |
| | MIL-M-28787/308A(3) NOT 1 | MODULES, STANDARD ELECTRONIC PROGRAM CONTROL UNIT, KEY CODE MJC[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/355 NOT 1 | MODULES, STANDARD ELECTRONIC PROGRAMMABLE READ ONLY MEMORY MODULE[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/208(4) NOT 1 | MODULES, STANDARD ELECTRONIC PROGRAMMABLE TIMER, DIGITAL, KEY CODE HQE[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/53B(3) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, DIFFERENTIAL LINE, DIGITAL, KEY CODE KDN[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/73A(1) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE JHK[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/110B NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE MDM[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/54B(1) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE QDH[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/242A(1) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, NTDS (ANEW), DIGITAL, KEY CODE QDF[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/196A(2) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, LINE, DIGITAL, KEY CODE BDM[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/51B(1) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, TRANSLATE, DIGITAL, KEY CODE MDQ[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/313A(1) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, TRANSLATOR, DIGITAL, KEY CODE DLC[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/317A(1) NOT 1 | MODULES, STANDARD ELECTRONIC REGISTER, DIGITAL, KEY CODE PJB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/200(1) NOT 1 | MODULES, STANDARD ELECTRONIC REGISTER, MULTIPORT, KEY CODE QQA[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/176B(1) | MODULES, STANDARD ELECTRONIC REGISTER, PROGRAMMABLE, DIGITAL, KEY CODE FBH [CUST: CR SH 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 31-DEC-92 |
| | MIL-M-28787/160A(2) | MODULES, STANDARD ELECTRONIC REGISTER, SHIFT, DIGITAL, KEY CODE EBH[CUST: NW] | A | 5963 | | NW | 19-MAR-92 |
| | MIL-M-28787/192B(2) NOT 2 | MODULES, STANDARD ELECTRONIC REGUALTOR, NEGATIVE, POWER, KEY CODE ARN[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/307A NOT 2 | MODULES, STANDARD ELECTRONIC REGULATOR, CURRENT, PROGRAMMABLE, ANALOG, KEY CODE MJB[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/87B(2) NOT 2 | MODULES, STANDARD ELECTRONIC REGULATOR, POSITIVE, POWER, KEY CODE ARM[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/133B(2) NOT 2 | MODULES, STANDARD ELECTRONIC RELAY, 4PDT, ANALOG, KEY CODE NRN[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/279(2) NOT 1 | MODULES, STANDARD ELECTRONIC RELAY, ANALOG, KEY CODE RRF[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/270(2) NOT 2 | MODULES, STANDARD ELECTRONIC RELAY, ANALOG, KEY CODE ZRX[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/38B(2) NOT 1 | MODULES, STANDARD ELECTRONIC RELAY, DPDT, POWER, KEY CODE NPM[CUST: CR NW 11] | A | 5963 | | NW | 22-APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-28787/343(2) NOT 2 | MODULES, STANDARD ELECTRONIC RELAY, LATCHING, KEY CODE MFD[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/86B NOT 1 | MODULES, STANDARD ELECTRONIC RELAY, POWER, KEY CODE ERN[CUST: CR NW 11] [REVIEW: 19 AS AT AV CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/153B(2) NOT 1 | MODULES, STANDARD ELECTRONIC RELAY, RELAY, KEY CODE HRF[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/311A NOT 2 | MODULES, STANDARD ELECTRONIC RELAY, SIGNAL, KEY CODE HRQ[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/318A(2) NOT 1 | MODULES, STANDARD ELECTRONIC RESISTOR, ANALOG, KEY CODE GRB[CUST: CR NW 11] [REVIEW: AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/537(1) NOT 1 | MODULES, STANDARD ELECTRONIC RS 232C INTERFACE ADAPTER MODULE, KEY CODE AML[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/191B(1) NOT 1 | MODULES, STANDARD ELECTRONIC SAMPLE AND HOLD, ANALOG, KEY CODE PEE[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/462 NOT 1 | MODULES, STANDARD ELECTRONIC SEMICONDUCTOR MEMORY ARRAY, DYNAMIC RAM, 1M MODULE, KEY CODE JKJ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/463 NOT 1 | MODULES, STANDARD ELECTRONIC SEMICONDUCTOR MEMORY ARRAY, STATIC RAM, 256K MODULE, KEY CODE JMJ[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/517 NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT MATRIX AND GENERAL REGISTER MODULE, KEY CODE CWE[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/84A(1) NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE CBF[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/71C(5) NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE CHF[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/33B(3) NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE JDJ[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/59B(2) NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE KDP[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/28A(2) | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE PDM[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 31-MAR-93 |
| | MIL-M-28787/273A(1) NOT 2 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE SJS[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/112C(1) NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, SERIAL AND PARALLEL, DIGITAL, KEY CODE PDL[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/215A(1) NOT 1 | MODULES, STANDARD ELECTRONIC STANDARD SERIAL INPUT, DIGITAL, KEY CODE EQJ[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/212A(1) NOT 1 | MODULES, STANDARD ELECTRONIC STANDARD SERIAL OUTPUT, DIGITAL, KEY CODE DQD [CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/57A(4) NOT 1 | MODULES, STANDARD ELECTRONIC SWITCH, ANALOG, ANALOG, KEY CODE TTY[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/113A(2) NOT 2 | MODULES, STANDARD ELECTRONIC SWITCH, ANALOG, KEY CODE FAG[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/320B(1) NOT 2 | MODULES, STANDARD ELECTRONIC SWITCH, CROSSPOINT, KEY CODE LZN[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/225B(1) NOT 1 | MODULES, STANDARD ELECTRONIC SWITCH, S/D, MULTISPEED, ANALOG, KEY CODE HUH [CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/522 NOT 1 | MODULES, STANDARD ELECTRONIC SYNCHRONOUS SERIAL CONTROL MODULE, KEY CODE AFK[CUST: NW] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/534 NOT 1 | MODULES, STANDARD ELECTRONIC TEMPERATURE SENSOR MODULE, KEY CODE EWB[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 20-APR-98 |
| | MIL-M-28787/111A(3) NOT 1 | MODULES, STANDARD ELECTRONIC TERMINATOR, INTERFACE, DIGITAL, KEY CODE MDN[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/161A(1) NOT 1 | MODULES, STANDARD ELECTRONIC TERMINATOR, NETWORK, LINEAR, KEY CODE AKE[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/14B(1) NOT 1 | MODULES, STANDARD ELECTRONIC TERMINATOR, RESISTER-CAPACITOR, LINEAR, KEY CODE JBD[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 04-APR-98 |
| | MIL-M-28787/124A(1) NOT 2 | MODULES, STANDARD ELECTRONIC TEST POINT, DIGITAL, KEY CODE CMH[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/211A(2) NOT 1 | MODULES, STANDARD ELECTRONIC TEST POINT, ISOLATED, MISCELLANEOUS, KEY CODE FZJ[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/210A(1) NOT 1 | MODULES, STANDARD ELECTRONIC TEST POINT, KEY CODE CZH[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/274B(1) NOT 1 | MODULES, STANDARD ELECTRONIC TIMER, DIGITAL, KEY CODE YKV[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/227A(2) NOT 2 | MODULES, STANDARD ELECTRONIC TRANSFORMER, RESOLVER, ANALOG, KEY CODE PTF[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/226A(1) NOT 2 | MODULES, STANDARD ELECTRONIC TRANSFORMER, SCOTT-T, ANALOG, KEY CODE PTE[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/185B(1) NOT 2 | MODULES, STANDARD ELECTRONIC TRANSFORMER, SCOTT-T, ANALOG, KEY CODE STT[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/240A(2) NOT 2 | MODULES, STANDARD ELECTRONIC TRANSFORMER, SIGNAL, ANALOG, KEY CODE CGR[CUST: NW] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/234A(2) NOT 1 | MODULES, STANDARD ELECTRONICS OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE GVQ[CUST: CR NW 11] [REVIEW: AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-28787/253(2) NOT 1 | MODULES, STANDARD, ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BMA[CUST: CR NW 11] [REVIEW: 19 AS AT CC MC] | A | 5963 | | NW | 22-APR-98 |
| | MIL-M-48245B NOT 1 | MOLDING COMPOUND, HOUSING[CUST: AR] | A | 1345 | | AR | 14-FEB-97 |
| | MIL-M-81999A NOT 1 | MOLDING COMPOUND, REVERSION RESISTANT, NON CARCINOGEN CURING POLYURETHANE, AIRCRAFT STRUCTURE[CUST: MR AS] | A | 8030 | | AS | 05-MAR-97 |
| | MIL-M-46861B NOT 1 | MOLDING MATERIAL, GLASS MAT, EPOXY COATED[CUST: MI] [REVIEW: GS MR] | A | 9330 | | MI | 17-MAY-96 |
| | MIL-M-46862B NOT 1 | MOLDING MATERIAL, GLASS, EPOXY IMPREGNATED[CUST: MI] [REVIEW: GS] | A | 9330 | | MI | 17-MAY-96 |
| | SAE-AMS3870 | MOLDINGS AND EXTRUSIONS, CERAMIC, DENSE, ULTRA-HIGH ALUMINA (99% A1203)[CUST: MR AS 11] [REVIEW: CR4] | A | 5680 | | AS | 01-JAN-93 |
| | SAE-AMS2465 | MOLYBDENUM AND MOLYBDENUM ALLOYS PACK CEMENTATION METHOD, DISILICIDE DIFFUSION COATING OF[CUST: MR AS 11] | A | MFFP | | MR | DEC-85 |
| | MIL-M-52878C NOT 1 | MONITOR MODULE, STATUS, ID-1921/FSS-9(V) AND MONITOR MODULE, ALARM, ID-1922/FSS-9(V)[CUST: CR4 EC 99] [REVIEW: 71 CG GS MC SH] | A | 6350 | | CR4 | 20-MAR-97 |
| | MIL-M-85522A NOT 1 | MONITOR, OXYGEN, CRU-91/A[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 23-JUL-97 |
| | MIL-M-28762C NOT 1 | MONITOR, PUMP NOISE, AN/WSQ-3 (METRIC)[CUST: SH] [REVIEW: GS] | A | 6665 | | SH | 22-APR-98 |
| | MIL-M-63221A(1) NOT 2 | MORTAR, 60MM: M224 (WITHOUT M64 SIGHT UNIT)[CUST: AR 99] [REVIEW: 84 CC] | A | 1010 | | AR | 03-JUL-03 |
| | MIL-M-45965(1) NOT 2 | MORTAR, 60MM: M19[CUST: AR] | A | 1010 | | AR | 29-NOV-95 |
| | MIL-M-10008F(1) NOT 3 | MORTAR, 81MM, M29A1[CUST: AR] | A | 1015 | | AR | 14-MAR-97 |
| | MIL-M-70969(1) NOT 3 | MORTAR, 81MM: M252[CUST: AR] | B | 1015 | | AR | 13-JAN-97 |
| | MIL-M-19249A NOT 1 | MOTOR GENERATORS, 300 KW DC TO AC, AC TODC SUBMARINE SERVICE[CUST: SH] [REVIEW: GS] | A | 6125 | | SH | 22-APR-98 |
| | MIL-M-7997C NOT 1 | MOTOR, AIRCRAFT HYDRAULIC, CONSTANT DISPLACEMENT GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: GS] | A | 1650 | | AS | 25-AUG-98 |
| | MIL-M-7969C NOT 1 | MOTOR, ALTERNATING CURRENT, 400-CYCLE, 115/200-VOLT SYSTEM, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AS 99] [REVIEW: AR AV CR4 EA GS MI] | A | 6105 | | AS | 28-AUG-96 |
| | MIL-M-8609B NOT 2 | MOTOR, DC, 28 VOLT SYSTEM, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 11 CR4 EA GS MI] | A | 6105 | | AS | 28-AUG-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-82433A NOT 1 | MOTOR, DIRECT CURRENT (FOR TORPEDO MK 46 MOD 1)[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-M-17413A NOT 1 | MOTOR, DIRECT CURRENT, INTEGRAL H.P. NAVAL SHIPBOARD (NAVY)[CUST: SH] [REVIEW: AS CR4 GS OS] | A | 6105 | | SH | 22-APR-98 |
| | MIL-M-17556(1) NOT 1 | MOTOR, DIRECT-CURRENT, FRACTIONAL HP (SHIPBOARD USE)[CUST: SH] [REVIEW: CR4 GS MI] | A | 6105 | | SH | 20-MAY-91 |
| | MIL-M-63375 NOT 2 | MOTOR-DETONATOR ASSEMBLY, ROCKET, INERT, FOR DEMOLITION KIT, CRATERING, TRAINING, XM270, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 20-FEB-97 |
| | MIL-M-19633B(2) NOT 1 | MOTOR-GENERATOR, 60-CYCLE, AC TO 400-CYCLE AC (VOLTAGE AND FREQUENCY REGULATED) SHIPBOARD SERVICE[CUST: SH] [REVIEW: GS] | A | 6125 | | SH | 20-JUN-91 |
| | MIL-M-19160C NOT 1 | MOTOR-GENERATOR, 60-HERTZ A.C. TO 400-HERTZ A.C., SHIPBOARD SERVICE[CUST: SH] [REVIEW: GS] | A | 6125 | | SH | 20-JUN-91 |
| | MIL-M-4820E NOT 1 | MOTOR-GENERATOR, SKID MOUNTED, TYPE MD-4[CUST: 99] [REVIEW: GS] | A | 6125 | | 71 | 16-JUL-95 |
| | MIL-M-19097B(3) NOT 1 | MOTOR-GENERATORS, DC TO AC, SHIPBOARD SERVICE[CUST: SH] [REVIEW: GS] | A | 6125 | | SH | 03-OCT-89 |
| | MIL-M-22447 NOT 1 | MOTOR-TACHOMETER GENERATOR[CUST: AS] | A | 1290 | | AS | 11-SEP-96 |
| | MIL-M-12185C NOT 3 | MOTORS, WINDSHIELD WIPER; PNEUMATIC, VACUUM, AND VALVES, CONTROL FOR[CUST: AT MC] [REVIEW: CC] | A | 2540 | | AT | 13-OCT-00 |
| | MIL-M-63283A(2) NOT 2 | MOUNT ASSEMBLY, SUB-CALIBER, UNIVERSAL: M179 (INCLUDING MANTLET ADAPTER ASSEMBLY)[CUST: AR] | A | 1005 | | AR | 18-AUG-97 |
| | MIL-M-63333(1) NOT 1 | MOUNT PERISCOPE ASSEMBLY: 11834833[CUST: AR] | A | 1240 | | AR | 10-JUL-98 |
| | MIL-M-12942F(1) NOT 4 | MOUNT, 106MM RECOILLESS RIFLE, M79 AND M92 WITH TRIPOD: M27[CUST: AR] | A | 1015 | | AR | 14-MAR-97 |
| | MIL-M-11982A(1) NOT 2 | MOUNT, A.A., MACHINE GUN, CALIBER .50, M63 (W/SPARE PARTS)[CUST: AR OS] [REVIEW: MC] | A | 1005 | | AR | 01-SEP-97 |
| | MIL-M-19556 NOT 2 | MOUNT, GUN, LAUNCHING SYSTEMS, ROCKET AND GUIDED MISSILE, PROJECTORS, GENERAL SPECIFICATION[CUST: OS] | A | 1055 | | OS | 30-SEP-98 |
| | MIL-M-45976(1) NOT 1 | MOUNT, GUN. M140, M140A1, M150 AND M150A1[CUST: AR] | A | 1015 | | AR | 11-DEC-95 |
| | MIL-M-63995 NOT 1 | MOUNT, HOWITZER AND GUN, M158 AND M174[CUST: AR] | A | 1025 | | AR | 11-DEC-95 |
| | MIL-M-63988 NOT 1 | MOUNT, HOWITZER, M178[CUST: AR] | A | 1025 | | AR | 11-DEC-95 |
| | MIL-M-70821 NOT 1 | MOUNT, HOWITZER, M182[CUST: AR] | A | 1025 | | AR | 31-JUL-97 |
| | MIL-M-71213(1) NOT 3 | MOUNT, MACHINE GUN: MK93 MOD 1 (DUAL MOUNT)[CUST: AR] | A | 1095 | | AR | 13-FEB-03 |
| | MIL-M-46363A NOT 1 | MOUNT, PERISCOPE, M113[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MIL-M-45671E(2) NOT 1 | MOUNT, PERISCOPE, M119[CUST: AR] | A | 1240 | | AR | 16-JAN-98 |
| | MIL-M-60170A(3) NOT 2 | MOUNT, PERISCOPE: 10513360[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-M-45628E NOT 1 | MOUNT, PERISCOPE: M115[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MIL-M-45664E NOT 1 | MOUNT, PERISCOPE: M118 AND M118E1[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MIL-M-12696 NOT 1 | MOUNT, QUADRANT, M1 (WITH EQUIPMENT)[CUST: AR] | A | 1290 | | AR | 08-AUG-97 |
| | MIL-M-45659C(2) NOT 1 | MOUNT, TELESCOPE, M110[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MIL-M-45690A(4) NOT 1 | MOUNT, TELESCOPE, M114[CUST: AR] [REVIEW: AT] | A | 1240 | | AR | 01-SEP-97 |
| | MIL-M-46314B(3) NOT 2 | MOUNT, TELESCOPE, M145[CUST: AR] | A | 1240 | | AR | 12-FEB-97 |
| | MIL-M-46312B NOT 1 | MOUNT, TELESCOPE, M146[CUST: AR] [REVIEW: AT] | A | 1240 | | AR | 01-SEP-97 |
| | MIL-M-63330(1) NOT 1 | MOUNT, TELESCOPE, M149E1[CUST: AR] | A | 1240 | | AR | 15-AUG-97 |
| | MIL-M-12697A(1) NOT 1 | MOUNT, TELESCOPE, M21A1[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-M-13306A NOT 1 | MOUNT, TELESCOPE, T189[CUST: AR] | A | 1290 | | AR | 08-AUG-97 |
| | MIL-M-50380(2) NOT 1 | MOUNT, TELESCOPE. M128A1[CUST: AR] | A | 1240 | | AR | 14-AUG-97 |
| | MIL-M-60157C(3) NOT 1 | MOUNT, TELESCOPE. M149[CUST: AR] | A | 1240 | | AR | 14-AUG-97 |
| | MIL-M-48575(1) NOT 3 | MOUNT, TELESCOPE: 11741796[CUST: AR] | A | 1240 | | AR | 27-FEB-97 |
| | MIL-M-70453A NOT 1 | MOUNT, TELESCOPE: 9360169[CUST: AR] | A | 1240 | | AR | 11-MAR-98 |
| | MIL-M-50383A(2) NOT 1 | MOUNT, TELESCOPE: M134A1[CUST: AR] | A | 1240 | | AR | 14-AUG-97 |
| | MIL-M-46310A(1) NOT 2 | MOUNT, TELESCOPE: M137[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MIL-M-46309B(1) NOT 1 | MOUNT, TELESCOPE: M138[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MIL-M-10323A(5) NOT 1 | MOUNT, TELESCOPE: M48[CUST: AR] | A | 1240 | | AR | 27-FEB-97 |
| | MIL-M-45151C(3) NOT 1 | MOUNT, TRIPOD, MACHINE GUN, CAL .50: M3[CUST: AR] | A | 1005 | | AR | 25-APR-03 |
| | MIL-M-45532B(3) NOT 1 | MOUNT, TRIPOD, MACHINE GUN: M122[CUST: AR] | A | 1005 | | AR | 30-MAY-03 |
| | MS91527B NOT 3 | MOUNT, VIBRATION, CUP-TYPE, CLASSES A-B (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT)[CUST: AV AS 99 IS] [REVIEW: 11 AR MI] | A | 5340 | | IS | 06-FEB-03 |
| | MIL-M-52007C NOT 1 | MOUNTING ADAPTER ASSEMBLY, AIRPORT MARKER LIGHT[CUST: CR4 IS] | A | 6210 | | IS | 11-AUG-92 |
| | MIL-M-81288(1) NOT 2 | MOUNTING BASES, FLEXIBLE PLASTIC FOAM[CUST: AS] | A | 5340 | | AS | 07-AUG-96 |
| | MS90341B NOT 1 | MOUNTING BRACKET, CONFIGURATION, MATING PORTION FOR 5 AND 10 LITER LIQUID OXYGEN CONVERTERS[CUST: AS 11] [REVIEW: 71 GS] | A | 1660 | | AS | 21-AUG-96 |
| | MS18056E NOT 2 | MOUNTING FLANGES FOR AIRCRAFT ELECTRIC EQUIPMENT, CIRCULAR, 5-, 8-, AND 10-INCH[CUST: AS] [REVIEW: GS] | A | 6150 | | AS | 07-AUG-96 |
| | MIL-M-51393B NOT 2 | MOUNTING KIT, CHEMICAL AGENT AUTOMATIC ALARM: HIGH PROFILE, ABCA-M228[CUST: EA] [REVIEW: GS] | A | 6665 | | EA | 29-JUL-04 |
| | MIL-M-51394B NOT 2 | MOUNTING KIT, CHEMICAL AGENT AUTOMATIC ALARM: LOW PROFILE, ABCA-M182[CUST: EA] [REVIEW: GS] | A | 6665 | | EA | 29-JUL-04 |
| | MIL-M-70771(2) NOT 1 | MOUNTING KIT, MINE DISPENSER: AIR SYSTEM FOR M139 DISPENSERS[CUST: AR] | D | 1095 | | AR | 01-JUL-96 |
| | MIL-M-55325(2) NOT 1 | MOUNTING MT-3802()/ARC[CUST: CR] | A | 5810 | | CR | 10-OCT-90 |
| | MIL-M-49272 NOT 1 | MOUNTING MT-6232/GRC-193A AND MOUNTING MT-6233/GRC-193A[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-M-10289C NOT 1 | MOUNTING MT-791 ( )/U[CUST: CR 11 CC] [REVIEW: 84 99 MC] | A | 5805 | | IS | 04-JAN-00 |
| | AND10002 REV 2 | MOUNTING PAD AND DRIVE - AIRCRAFT ENGINE GENERATOR AND POWER TAKE-OFF[CUST: AS] [REVIEW: GS] | A | 2925 | | AS | 24-OCT-49 |
| | MIL-M-22673(2) NOT 1 | MOUNTING-PLENUM MT-2243(*)/ASQ-56 AND MT-3946(*)/ASQ-56B[CUST: AS] [REVIEW: IS] | A | 5340 | | AS | 30-SEP-97 |
| | MIL-M-49258 NOT 2 | MULTIPLEXER TD-202( )/U[CUST: CR] | A | 5805 | | CR | 23-FEB-98 |
| | MIL-M-55650B(1) NOT 2 | MULTIPLEXER TD-660( )/G[CUST: CR] | A | 5805 | | CR | 29-MAR-96 |
| | MIL-M-55649A(1) NOT 2 | MULTIPLEXER TD-754( )/G[CUST: CR] | A | 5805 | | CR | 29-MAR-96 |
| | MIL-M-49238A NOT 1 | MULTIPLEXER, TD-1233( )/TTC[CUST: CR] | A | 5805 | | CR | 23-FEB-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-M-49240A(1) NOT 1 | MULTIPLEXER, TD-1235(P)/TTC[CUST: CR] | A | 5820 | | CR | 11-APR-97 |
| | MIL-M-49241A(1) NOT 1 | MULTIPLEXER, TD-1236/G[CUST: CR] | A | 5820 | | CR | 11-APR-97 |
| | MIL-M-49143 NOT 2 | MULTIPLEXER, TIME DIVISION DIGITAL TD-1069( )/G[CUST: CR] | A | 5805 | | CR | 29-MAR-96 |
| | MIL-M-55520A NOT 1 | MULTIPLIER: HIGH VOLTAGE, DIRECT CURRENT[CUST: CR EC 99] [REVIEW: AV MI] | A | 5855 | | CR | 05-OCT-90 |
| | MIL-M-28787/122B(2) | MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE CDE[CUST: NW] | A | 5963 | | NW | 07-JUN-91 |
| | MIL-M-70777 NOT 1 | MUNITION FOR MINE, ANTI-PERSONNEL: M86 TRANSFER LEAD ASSEMBLY[CUST: AR] | A | 1345 | | AR | 09-JAN-97 |
| | MIL-M-48185B NOT 1 | MUNITION FOR PROJECTILE, 155MM, HE, M692/M731, DETONATING CORD ASSEMBLY FOR[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| | MIL-M-48183B NOT 1 | MUNITION FOR PROJECTILE, 155MM, M692/M731, DELAY DETONATOR FOR[CUST: AR] | A | 1375 | | AR | 27-FEB-97 |
| | MIL-M-48184A NOT 2 | MUNITION FOR PROJECTILE, 155MM, M692/M731; LEAD CUP ASSEMBLY FOR[CUST: AR] | A | 1345 | | AR | 14-FEB-97 |
| | TT-N-95B(1) NOT 2 | NAPHTHA; ALIPHATIC[CUST: AR AS 68] [REVIEW: DS GS MC OS SH] | A | 6810 | / | AS | 19-APR-01 |
| A | TT-N-97C NOT 2 | NAPHTHA; AROMATIC[CUST: MI AS 68 GS3] [REVIEW: MC OS] | A | 6810 | / | GS3 | 19-APR-01 |
| | MIL-N-85516A NOT 2 | NAVIGATION SET, INERTIAL AN/ASN-130A, AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 17-JUN-04 |
| | MIL-N-85414A NOT 1 | NAVIGATION SET, INERTIAL AN/ASN-139[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 15-SEP-99 |
| | MIL-N-81604C NOT 1 | NAVIGATION SET, INERTIAL AN/ASN-92(V)[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 16-JUL-97 |
| | MIL-N-81460B NOT 1 | NAVIGATION SET, RADAR AN/APN-182(V)[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 12-NOV-97 |
| | MIL-N-85100A NOT 1 | NAVIGATION SET, TACTICAL AN/ASN-123[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 15-SEP-99 |
| | MIL-N-22239C(1) NOT 1 | NAVIGATIONAL SET, TACAN AN/ARN-52 (V)[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 16-JUL-97 |
| | MIL-N-81207A(1) NOT 1 | NAVIGATIONAL SET, TACAN AN/ARN-84 (V)[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 30-AUG-99 |
| | MIL-N-63400(2) NOT 1 | NETWORKS, CAPACITOR-RESISTOR[CUST: AR] | A | 1345 | | AR | 15-AUG-97 |
| | MIL-N-46025B NOT 5 | NICKEL BAR, FLAT WIRE (RIBBON) AND STRIP (FOR ELECTRONIC USE)[CUST: MI] | A | 9525 | | MI | 16-MAR-05 |
| | SAE-AMS2405 | NICKEL PLATING, ELECTROLESS, LOW PHOSPHORUS[CUST: MR AS 11] [REVIEW: 68 84 99 AR CR4 MI OS SH] | A | MFFP | | 11 | DEC-00 |
| | MIL-STD-868A NOT 2 | NICKEL PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION[Military Standard][CUST: 99] | A | MFFP | | 70 | 09-DEC-96 |
| | MIL-N-14411C NOT 2 | NICKEL-IRON ALLOY, HIGH MAGNETIC PERMEABILITY SHEET, STRIP, ROD, BAR, AND WIRE[CUST: MR] [REVIEW: AR MI] | A | 9535 | | IS | 04-JAN-00 |
| | MIL-N-81191A NOT 1 | NICKEL-TITANIUM ALLOYS, LOW MAGNETIC EFFECTS; BARS, PLATES, SHEETS, STRIPS, AND SHAPES (FOR SPECIAL PURPOSE TOOLS AND EQUIPMENT)[CUST: OS] [REVIEW: AR] | A | 1450 | | OS | 20-MAY-92 |
| | MS26549A NOT 1 | NIPPLE, QUICK DISCONNECT, 2-1/2 INCH, PRESSURE FUEL SERVICING, FLANGE TYPE [CUST: AS] [REVIEW: CC] | A | 4730 | | AS | 12-MAY-97 |
| | MS26552A NOT 1 | NIPPLE, QUICK DISCONNECT, 2-1/2 INCH, PRESSURE FUEL SERVICING, OPEN FLOW, WRENCH TYPE[CUST: AS] [REVIEW: CC] | A | 4730 | | AS | 12-MAY-97 |
| | MS51520A(2) NOT 1 | NIPPLE, TUBE, BULKHEAD, 37 DEG. FLARED (USE SAE-J514)[CUST: AR OS 99 CC] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51812F(1) NOT 1 | NIPPLE, TUBE, BULKHEAD, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99 CC] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51519A NOT 1 | NIPPLE, TUBE, LARGE HEX FOR USE WITH O RING, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51856C NOT 1 | NIPPLE, TUBE, LARGE HEX, O-RING, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR SH 99] [REVIEW: 71 AT GL MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51501A NOT 1 | NIPPLE, TUBE, REGULAR HEX, 37 DEG. FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51502A NOT 1 | NIPPLE, TUBE, REGULAR HEX, 37 DEGREES FLARED (LONG) (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51814E NOT 1 | NIPPLE, TUBE, REGULAR HEX, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS39201F | NIPPLE, TUBE-SAFETY SLEEVE COMPRESSION TYPE[CUST: AT CC] | A | 4730 | | CC | 01-FEB-02 |
| | MS39199F | NIPPLE, TUBE-SAFETY SLEEVE COMPRESSION TYPE, BULKHEAD MOUNTING[CUST: AT CC] | A | 4730 | | CC | 01-FEB-02 |
| | AN780 REV 6 NOT 1 | NIPPLE, UNION[CUST: 99 CC] | A | 4730 | | CC | 24-JUL-98 |
| | MIL-N-82881 NOT 1 | NITROSTARCH[CUST: AR OS] | A | 1376 | | OS | 13-JUL-99 |
| | MIL-N-89404(1) NOT 2 | NON-SIOP OPTION (NSO) SUPPORT[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-N-21945A NOT 1 | NONMAGNETIC REQUIREMENTS FOR PARTS FOR MINES MARK 56 AND MARK 57[CUST: OS] | A | 1350 | | OS | 27-MAR-92 |
| | MIL-N-48153 NOT 2 | NOSE LUCKY AND INSULATOR ASSEMBLY FOR CARTRIDGE 105MM, HEAT-T, M456A1E1 PARTS FOR, ASSEMBLY AND PACKING[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MS24359A NOT 1 | NOSE, PROBE MAST - TYPE MA-2, FLIGHT PRESSURE REFUELING NOZZLE, OUTLINE DIMENSIONS FOR (ASG)[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 71 | 26-SEP-97 |
| | MIL-N-51112A(2) NOT 1 | NOSECUP-DEFLECTOR, C11[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 25-MAR-96 |
| | MS24356D NOT 1 | NOZZLE - TYPE MA-2, FLIGHT PRESSURE REFUELING (ASG)[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 71 | 26-SEP-97 |
| | MIL-N-81240(1) NOT 1 | NOZZLE INSERT, SILICON CARBIDE-GRAPHITE[CUST: OS] | A | 1336 | | OS | 20-MAY-92 |
| | MIL-N-12279F NOT 1 | NOZZLE, FIRE HOSE, FOAM[CUST: AV YD] [REVIEW: CC CG SH] | A | 4210 | | AV | 31-MAR-98 |
| | MIL-N-12314E NOT 1 | NOZZLE, FIRE HOSE, WATER, SPRAY AND STEAM[CUST: AV YD 99] [REVIEW: 84 CC MC] | A | 4210 | | AV | 10-APR-98 |
| | MIL-N-3667B NOT 1 | NOZZLE, METEOROLOGICAL, BALLOON INFLATION ML-373/GM[CUST: CR 99] [REVIEW: GS] | A | 6660 | | CR | 29-MAR-96 |
| | MS27604 NOT 2 | NOZZLE-UNIVERSAL AERIAL REFUELING TANKER BOOM[CUST: 99] [REVIEW: GS] | A | 1680 | | 71 | 26-SEP-97 |
| | SAE-AS172321THRUAS172370 | NUT - SPANNER, AERONAUTICAL, UNSS G41400[CUST: AS 99 IS] | A | 5310 | | IS | AUG-00 |
| | AN805 REV 7 NOT 1 | NUT - UNION[CUST: 99 CC] | A | 4730 | | CC | 24-JUL-98 |
| | MS90342 NOT 2 | NUT ASSEMBLY (GROOVED WASHER AND DETENTED WING)[CUST: AS 11] [REVIEW: 71 AV GS] | A | 1660 | | AS | 23-JUL-97 |
| | MS14199 NOT 3 | NUT ASSEMBLY, FLOATING, SELF-LOCKING, RIVETLESS, ATTACHED RETENTION ELEMENT, (A.R.E.), MAINTAINABILITY AND RELIABILITY DESIGN AND USAGE LIMITATIONS FOR[CUST: AR AS 11 IS] [REVIEW: 99 AV MC MI SH] | A | 5310 | | IS | 08-JAN-03 |
| | MIL-N-85615/5 NOT 1 | NUT ASSEMBLY, SELF-SEALING, FLOATING, LOW PROFILE, SELF-LOCKING, 125 KSI FTU, 225 DEG. F 1/64 IN. OVERSIZE (FOR REPAIR)[CUST: AR AS 99] [REVIEW: AV MI OS SH] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-N-85615/3 NOT 1 | NUT ASSEMBLY, SELF-SEALING, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT 1/64 IN. OVERSIZE (FOR REPAIR)[CUST: AR AS 99] [REVIEW: AV MI OS SH] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-N-85615/2 NOT 1 | NUT ASSEMBLY, SELF-SEALING, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT[CUST: AR AS 99] [REVIEW: AV MI OS SH] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-N-85615/4 NOT 1 | NUT ASSEMBLY, SELF-SEALING, LOW PROFILE, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F[CUST: AR AS 99] [REVIEW: AV MI OS SH] | A | 5310 | | IS | 03-FEB-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-N-85615/6 NOT 2 | NUT ASSEMBLY, SELF-SEALING, SHEAR SLEEVE, CLOSE TOLERANCE, SELF-LOCKING, REDUCED DIAMETER SLEEVE, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT[CUST: AR AS 99 IS] [REVIEW: AV MI OS SH] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-N-85615/7 NOT 1 | NUT ASSEMBLY, SELF-SEALING, SHEAR SLEEVE, CLOSE TOLERANCE, SELF-LOCKING, REDUCED DIAMETER SLEEVE, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT, 1/64 IN. OVERSIZE (FOR REPAIR)[CUST: AR AS 99 IS] [REVIEW: AV MI OS SH] | A | 5310 | | IS | 03-FEB-00 |
| | MS21264 NOT 2 | NUT DRILLED JAM[CUST: AS IS] | A | 5310 | | IS | 01-OCT-97 |
| | MS24017C(1) | NUT PLAIN, HEXAGON, MOUNTING[CUST: AR EC 99] [REVIEW: 71] | A | 5310 | | IS | 20-FEB-96 |
| | MS35425E NOT 1 | NUT PLAIN, WING, UNC-2B[CUST: AR 99 IS] [REVIEW: AT AV CR4 MC MI YD] | A | 5310 | | IS | 14-SEP-01 |
| | MS14180 NOT 1 | NUT REPLACEMENT FOR SELF-LOCKING PLATE, FLOATING, TWO LUG, STEEL, (VESPEL*INSERT) 500 CYCLES REUSE 160 KSI FTU, 450 DEG. F.[CUST: AV AS 99 IS] [REVIEW: 71 AR] | A | 5310 | | IS | 22-AUG-94 |
| | MIL-N-8985/3 NOT 1 | NUT, CAPTIVE WASHER, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F, (12-SPLINE) WRENCHING ELEMENT[CUST: AV AS 99 IS] | A | 5310 | | IS | 19-JAN-98 |
| | MIL-N-82512 NOT 1 | NUT, CLINCH[CUST: IS] | A | 5310 | | IS | 03-FEB-00 |
| | AN3054 REV 8 NOT 3 | NUT, COUPLING, ELECTRICAL CONDUIT[CUST: AV AS 11 GS2] [REVIEW: 99 AR MC MI] | A | 5975 | | GS2 | 09-OCT-03 |
| | MS9767B NOT 2 | NUT, DOUBLE HEXAGON - CUPWASHER LOCKED, AMS 6322, CADIUM PLATED MIL-S-8879[CUST: AS 11 IS] | A | 5310 | | IS | 19-SEP-01 |
| | MS9766B(1) NOT 1 | NUT, DOUBLE HEXAGON, CUPWASHER LOCKED, AMS 5737, CRES[CUST: AS 99 IS] [REVIEW: MC] | A | 5310 | | IS | 09-DEC-02 |
| | MS21303B(1) NOT 1 | NUT, EYE, THIMBLE HOT DIP GALVANIZED (POLE LINE)[CUST: AR YD 82 IS] [REVIEW: 71] | A | 5310 | | IS | 03-FEB-00 |
| | MS14211A NOT 1 | NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, CRES (ASTM A-286), KSI FTU, REPLACEABLE NUT ELEMENT, 1/64 OVERSIZE REPAIR[CUST: AS IS] | A | 5310 | | IS | 01-OCT-97 |
| | MS45905A(2) NOT 1 | NUT, PLAIN - HEXAGON, FINISHED, LEFT HAND[CUST: AR IS] | A | 5310 | | IS | 03-FEB-00 |
| | DOD-N-70333/1 NOT 1 | NUT, PLAIN AND SELF-LOCKING, CLINCH, FIXED, METRIC (SELF CLINCHING, KNURLED COLLAR)[CUST: AR AS 99] [REVIEW: 71 AT AV CR4 MC MI NS] | A | 5310 | | IS | 01-OCT-99 |
| | DOD-N-70333/2 NOT 1 | NUT, PLAIN AND SELF-LOCKING, CLINCH, FLOATING, METRIC (SELF CLINCHING, KNURLED COLLAR)[CUST: AR AS 99] [REVIEW: AT AV CR4 MC MI NS] | A | 5310 | | IS | 01-OCT-99 |
| | DOD-N-70333 NOT 1 | NUT, PLAIN AND SELF-LOCKING, CLINCH, METRIC (SELF-CLINCHING, KNURLED COLLAR) FIXED AND FLOATING[CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR4 MC MI NS] | A | 5310 | | IS | 01-OCT-99 |
| | MS51858B(1) NOT 1 | NUT, PLAIN HEXAGON, PLASTIC NYLON[CUST: AR 82 IS] [REVIEW: 71] | A | 5310 | | IS | 03-FEB-00 |
| | MS53069E NOT 2 | NUT, PLAIN, ASSEMBLED WASHER: 7/16 INCH (FLOATING TYPE)[CUST: AT IS] [REVIEW: AR CR] | A | 5310 | | IS | 19-SEP-01 |
| | AN121551THRUAN121575 REV 2 NOT 2 | NUT, PLAIN, CASTELLATED HEXAGON[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5310 | | IS | 09-SEP-01 |
| | MS21331B(1) NOT 1 | NUT, PLAIN, CLINCH[CUST: AR OS IS] | A | 5310 | | IS | 03-FEB-00 |
| A | AN121526THRUAN121550 REV 2 NOT 1 | NUT, PLAIN, CORROSION RESISTANT STEEL[CUST: WP 11 IS] | A | 5310 | | IS | 06-FEB-06 |
| | MS17187B(1) NOT 1 | NUT, PLAIN, HEXAGON[CUST: AR IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS51471 NOT 1 | NUT, PLAIN, HEXAGON (JAM), CARBON STEEL, UNC-2B[CUST: AR SH 99 IS] [REVIEW: CR4 EA MC MI NS] | A | 5310 | | IS | 03-FEB-00 |
| | MS51469 NOT 1 | NUT, PLAIN, HEXAGON (MACHINE SCREW), CARBON STEEL, UNC-2B[CUST: AR SH 99 IS] [REVIEW: EA MC MI NS] | A | 5310 | | IS | 03-FEB-00 |
| | MS51470 NOT 1 | NUT, PLAIN, HEXAGON (MACHINE SCREW), CARBON STEEL, UNF-2B[CUST: AR SH 99 IS] [REVIEW: EA MC MI NS] | A | 5310 | | IS | 03-FEB-00 |
| | MS51969B(1) NOT 1 | NUT, PLAIN, HEXAGON BRASS, BLACK CHEMICAL FINISH, UNC-2B[CUST: AR SH 82 IS] [REVIEW: 71] | A | 5310 | | IS | 03-FEB-00 |
| | MS16203C(1) NOT 1 | NUT, PLAIN, HEXAGON, AND HEXAGON JAM, UNC-2B, NONMAGNETIC[CUST: AR 82 IS] [REVIEW: 71] | A | 5310 | | IS | 03-FEB-00 |
| | MS51472 NOT 1 | NUT, PLAIN, HEXAGON, CARBON STEEL, UNC-2B[CUST: AR SH 99 IS] [REVIEW: CR4 EA MC MI NS] | A | 5310 | | IS | 03-FEB-00 |
| | MS51473 NOT 1 | NUT, PLAIN, HEXAGON, CARBON STEEL, UNF-2B[CUST: AR SH 99 IS] [REVIEW: AV EA MC MI NS] | A | 5310 | | IS | 03-FEB-00 |
| | AN3066 REV 3 NOT 1 | NUT, PLAIN, HEXAGON, CONDUIT COUPLING[CUST: AS] | A | 6625 | | AS | 28-AUG-96 |
| | DOD-N-63548/1 NOT 3 | NUT, PLAIN, HEXAGON, CONE SEAT, WHEEL MOUNTING, METRIC[CUST: AR 99] [REVIEW: AT CR4 EA MC NS] | A | 5310 | | IS | 31-AUG-04 |
| | MS21340C NOT 1 | NUT, PLAIN, HEXAGON, ELECTRICAL, THIN (WITH LOCKWIRE HOLES)[CUST: 99 IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS25082P(1) NOT 1 | NUT, PLAIN, HEXAGON, ELECTRICAL-THIN[CUST: AR AS 99 IS] [REVIEW: 71 AV CR EC MC] | A | 5310 | | IS | 10-SEP-04 |
| | AN340 REV 5 NOT 1 | NUT, PLAIN, HEXAGON, NON-STRUCTURAL, COARSE THREAD[CUST: AV AS] [REVIEW: 99 MI] | A | 5310 | | IS | 01-NOV-89 |
| | AN345 REV 6 NOT 1 | NUT, PLAIN, HEXAGON, NON-STRUCTURAL, FINE THREAD[CUST: AV AS 99] [REVIEW: MI] | A | 5310 | | IS | 01-NOV-89 |
| | DOD-N-63548 NOT 1 | NUT, PLAIN, HEXAGON, WHEEL MOUNTING, METRIC, GENERAL SPECIFICATION FOR[CUST: AR 11 IS] [REVIEW: AT CR4 EA MC NS] | A | 5310 | | IS | 01-OCT-99 |
| | MS51970A(1) NOT 1 | NUT, PLAIN, HEXAGON-BRASS, BLACK CHEMICAL FINISH, UNF-2B[CUST: AR SH 82 IS] [REVIEW: 71] | A | 5310 | | IS | 03-FEB-00 |
| | MS51971B(1) NOT 1 | NUT, PLAIN, HEXAGON-STEEL, CORROSION RESISTING, 300 SERIES, PASSIVATED, UNC-2B[CUST: AR 82 IS] [REVIEW: 71] | A | 5310 | | IS | 03-FEB-00 |
| | MS51972A NOT 2 | NUT, PLAIN, HEXAGON-STEEL, CORROSION RESISTING, 300 SERIES, PASSIVATED, UNF-2B[CUST: AR 99 IS] [REVIEW: AT AV MC MI] | A | 5310 | | IS | 03-FEB-00 |
| | MS15983A(1) NOT 1 | NUT, PLAIN, PLATE, NON-COUNTERSUNK[CUST: AS IS] | A | 5310 | | IS | 03-FEB-00 |
| A | DOD-N-70329 NOT 2 | NUT, PLAIN, ROUND, BALL AND ROLLER BEARING, METRIC[CUST: AR OS 99 IS] [REVIEW: AT CR4 EA MC NS SH] | A | 5310 | | IS | 01-OCT-99 |
| | DOD-N-70329/1 NOT 3 | NUT, PLAIN, ROUND, BALL AND ROLLER BEARINGS, NARROW SERIES, METRIC[CUST: AR OS 99] [REVIEW: 11 AT CR4 EA MC NS SH] | A | 5310 | | IS | 31-AUG-04 |
| | MS21304B NOT 3 | NUT, PLAIN, SQUARE[CUST: CR MC 99 IS] [REVIEW: AT AV] | A | 5310 | | IS | 28-JAN-05 |
| | MS27040B(1) NOT 2 | NUT, PLAIN, SQUARE-STEEL, CADMIUM PLATED[CUST: AR SH 82 IS] [REVIEW: 71] | A | 5310 | | IS | 03-FEB-00 |
| | DOD-N-63476 NOT 2 | NUT, PLAIN, WELDING, GENERAL SPECIFICATION FOR, METRIC[CUST: AR 99 IS] [REVIEW: AS AV CR CR4 MC NS] | A | 5310 | | IS | 01-OCT-99 |
| | DOD-N-63476/1 NOT 3 | NUT, PLAIN, WELDING, METRIC[CUST: AR 99] [REVIEW: AS AT AV CR CR4 MC NS] | A | 5310 | | IS | 31-AUG-04 |
| | MS51468 NOT 1 | NUT, PLAIN, WING, CARBON STEEL, UNC-2B[CUST: AR SH 99 IS] [REVIEW: AV CR4 EA MC MI NS] | A | 5310 | | IS | 03-FEB-00 |
| | DS51402 NOT 2 | NUT, PLAIN, WING, METRIC[CUST: AR 99 IS] | A | 5310 | | IS | 06-OCT-99 |
| | MS35426E NOT 1 | NUT, PLAIN, WING, UNF-2B[CUST: AR 99 IS] [REVIEW: CR4 MI YD] | A | 5310 | | IS | 03-FEB-00 |
| | MS27952A NOT 2 | NUT, PLAIN-HEXAGON, JAM, LEFT HAND[CUST: AR SH 99 IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS27955A(1) NOT 1 | NUT, PLAIN-ROUND, SPANNER[CUST: AR AS 11 IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS51857 NOT 2 | NUT, PUSH-ON, STEEL[CUST: AR OS IS] [REVIEW: AT AV CR MC MI] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-N-85615/1 NOT 1 | NUT, SEALING, SELF-LOCKING, 250 DEG. F AND 450 DEG. F[CUST: AR AS 99] [REVIEW: AV MI OS SH] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-N-85615(1) NOT 1 | NUT, SEALING, SELF-LOCKING, 250 DEG. F, 450 DEG. F GENERAL SPECIFICATION FOR[CUST: AR AS 11 IS] [REVIEW: 99 AV MI OS SH] | A | 5310 | | IS | 03-FEB-00 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS20500E(1) NOT 1 | NUT, SELF LOCKING, HEXAGON, 1200 DEG. F, 125 KSI FTU[CUST: AV AS 99 IS] | A | 5310 | | IS | 23-OCT-02 |
| | MS3376B NOT 1 | NUT, SELF LOCKING, REDUCED HEIGHT, STEEL, 450 DEG. F, 12 POINT, CAPTIVE WASHER[CUST: AS IS] [REVIEW: EC] | A | 5310 | | IS | 19-MAY-97 |
| M | AN363 REV 4 NOT 1 | NUT, SELF-LOCKING, 550 DEG F[CUST: WP 11 IS] [REVIEW: MI] | A | 5310 | | IS | 28-MAR-06 |
| | MIL-N-85729 NOT 1 | NUT, SELF-LOCKING, A-286, 160 KSI FTU, 450 DEG. F, GENERAL SPECIFICATION FOR[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5310 | | IS | 01-OCT-97 |
| | MIL-N-85729/1 NOT 1 | NUT, SELF-LOCKING, ASSEMBLED WASHER, A-286, 160 KSI FTU 450 DEG. F, SPLINE WRENCHING ELEMENT[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5310 | | IS | 01-OCT-97 |
| | MS51865A NOT 1 | NUT, SELF-LOCKING, CAP-GENERAL PURPOSE, 250 DEG., F[CUST: AR 99] [REVIEW: AS AT AV EA GL IS MC OS SH] | A | 5310 | | AR | 01-JUN-88 |
| | MS17826H NOT 2 | NUT, SELF-LOCKING, CASTELLATED, HEXAGON 250 DEG. F, THIN NON-METALLIC INSERT[CUST: AV AS 99 IS] [REVIEW: AR MI] | A | 5310 | | IS | 03-FEB-00 |
| | MS14146A(1) NOT 2 | NUT, SELF-LOCKING, CASTELLATED, HEXAGON, C'BORED, CAPTIVE WASHER, 450 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS51988B(1) NOT 2 | NUT, SELF-LOCKING, FLANGED, PREVAILING TORQUE, STEEL, CADMIUM, UNC AND UNF[CUST: AR IS] | A | 5310 | | IS | 28-JAN-05 |
| | MS51552A NOT 1 | NUT, SELF-LOCKING, PLATE, RIGHT ANGLE FLOATING, 125 KSI FTU 450 DEG.F[CUST: AR AS 99 IS] [REVIEW: AT AV CR MI] | A | 5310 | | IS | 03-FEB-00 |
| | MS21449 NOT 3 | NUT, SELF-LOCKING, PLATE, SPACER, LIGHT DUTY[CUST: AV AS 99 IS] [REVIEW: 11 71 AT CR CR4 MI] | A | 5310 | | IS | 19-JAN-98 |
| | MS21448 NOT 3 | NUT, SELF-LOCKING, PLATE, SPACER, LIGHT TO MEDIUM DUTY[CUST: AV AS 99 IS] [REVIEW: 11 71 AT CR CR4 MI] | A | 5310 | | IS | 19-JAN-98 |
| | MS51866A(1) NOT 2 | NUT, SELF-LOCKING, SPLINE-GENERAL PURPOSE, 250 DEG. F[CUST: AV AS 99 IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS51553 NOT 1 | NUT, SELF-LOCKING, WING[CUST: AR 99 IS] [REVIEW: AV CR4 MC MI] | A | 5310 | | IS | 01-OCT-97 |
| | MIL-N-85615/8 NOT 1 | NUT, SELF-SEALING, SELF-LOCKING, ALLOY STEEL, 125 KSI FTU, 250 DEG. F AND 450 DEG. F[CUST: AR AS 99 IS] [REVIEW: AV MI OS SH] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-N-85615/9 NOT 1 | NUT, SELF-SEALING, SELF-LOCKING, ALUMINUM ALLOY, 60 KSI FTU, 250 DEG. F[CUST: AR AS 99 IS] [REVIEW: AV MI OS SH] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-N-85615/10 NOT 1 | NUT, SELF-SEALING, SELF-LOCKING, CRES, 160 KSI FTU, 250 DEG. F AND 450 DEG. F[CUST: AR AS 99] [REVIEW: AV MI OS SH] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-N-3337C NOT 1 | NUT, SHEET SPRING[CUST: AV SH 99 IS] [REVIEW: 71 MI] | A | 5310 | | IS | 22-AUG-94 |
| | MS90723 NOT 1 | NUT, SHEET SPRING AND J TYPE[CUST: AR AS 99 IS] [REVIEW: MI] | A | 5310 | | IS | 01-FEB-96 |
| | MS90724 NOT 1 | NUT, SHEET SPRING AND U TYPE[CUST: AR AS 99 IS] [REVIEW: MI] | A | 5310 | | IS | 01-FEB-96 |
| | MIL-N-3336A(2) NOT 2 | NUT, SHEET SPRING, INSTRUMENT MOUNTING[CUST: AV AS IS] [REVIEW: CR MI] | A | 5310 | | IS | 03-FEB-00 |
| | MS33538A NOT 1 | NUT, SHEET SPRING, LIMITATIONS FOR USAGE ON AIRCRAFT[CUST: AS 99 IS] | A | 5310 | | IS | 12-SEP-94 |
| | MS35692B(1) NOT 2 | NUT, SLOTTED, HEXAGON, UNC-2B AND UNF-2B[CUST: AR SH IS] [REVIEW: 71] | A | 5310 | | IS | 28-JAN-05 |
| | MS27151B NOT 1 | NUT, STAMPED AND STANDARD TYPE[CUST: AR YD 99 IS] [REVIEW: AS AT AV CR4 MC MI OS SH] | A | 5310 | | IS | 03-FEB-00 |
| | MS51531B(2) NOT 1 | NUT, TUBE COUPLING, 37 DEG. FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51823E(1) NOT 2 | NUT, TUBE COUPLING, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS27127D NOT 1 | NUT, WELDING - WITHOUT PILOT[CUST: AR SH IS] [REVIEW: AS AT AV EA GL MC MI OS] | A | 5310 | | IS | 01-OCT-97 |
| | MS27128D NOT 1 | NUT, WELDING-PILOT[CUST: AR 99 IS] [REVIEW: AS AT AV CR4 GL MC MI OS SH] | A | 5310 | | IS | 01-OCT-97 |
| | AN367 REV 2 NOT 1 | NUT-PLATE, COUNTERSUNK, 82 DEG.[CUST: AS 99] [REVIEW: 71] | A | 5310 | | IS | 01-OCT-89 |
| | MS14194 NOT 2 | NUTS (FASTENERS), INTERNALLY THREADED, PRELOAD LOCKING, 450 DEG. F, 800 DEG. F, 1200 DEG. F, RELIABILITY AND MAINTAINABILITY DESIGN REQUIREMENTS FOR[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5310 | | IS | 01-OCT-97 |
| | MS16286A(1) NOT 2 | NUTS, HEXAGON, FINISHED, HEAVY, UNC-2B AND 8N-2B, HIGH TEMPERATURE - TO 1000 DEG. F[CUST: AR SH IS] [REVIEW: CR4 MI] | A | 5310 | | IS | 28-JAN-05 |
| | MS16285A NOT 2 | NUTS, HEXAGON, SEMIFINISHED, HEAVY, UNC-2B AND 8N-2B, HIGH TEMPERATURE - TO 1000 DEG. F[CUST: AR SH IS] [REVIEW: CR4 MI] | A | 5310 | | IS | 28-JAN-05 |
| | MS19068A(1) NOT 1 | NUTS, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARING REGULAR SERIES[CUST: AT OS IS] | A | 5310 | | IS | 10-DEC-01 |
| | MS19067A NOT 1 | NUTS, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARING, LIGHT SERIES[CUST: AT OS 99 IS] [REVIEW: 71 AR AS AV CR4 MC MI SA] | A | 5310 | | IS | 03-FEB-00 |
| | MS16211A NOT 2 | NUTS, PLAIN, SQUARE, REGULAR, UNFINISHED, COPPER-SILICON ALLOY, UNC-2B NONMAGNETIC[CUST: IS] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-N-8985/2 NOT 2 | NUTS, SHEAR, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F[CUST: AV AS 11 IS] [REVIEW: 71] | A | 5310 | | IS | 13-FEB-98 |
| | MIL-O-44136C NOT 1 | OATMEAL COOKIE AND GRANOLA BARS, (OPERATIONAL RATION COMPONENT)[CUST: GL SA 50] | A | 8920 | | GL | 31-MAR-97 |
| | MIL-O-44278A NOT 1 | OATMEAL, INSTANT (OPERATIONAL RATION COMPONENT)[CUST: GL SA 50] | A | 8920 | | GL | 29-DEC-97 |
| | MIL-O-60540(2) NOT 1 | OBTURATING BANDS, PLASTIC, RIGID, HIGH IMPACT, POLYVINYL CHLORIDE (MOLDED)[CUST: AR] | A | 1395 | | AR | 15-AUG-97 |
| | MIL-O-46910C(2) NOT 2 | OBTURATING MECHANISM, PARTS FOR[CUST: AR] | A | 1315 | | AR | 06-FEB-96 |
| | MIL-O-19838(1) NOT 2 | OIL SYSTEMS: AIRCRAFT, INSTALLATION AND TEST OF[CUST: AS] [REVIEW: AV GS] | A | 9150 | | AS | 07-AUG-96 |
| | MIL-O-70483A NOT 1 | OPERATION UNIT, FOR ROCKET MANAGEMENT SUBSYSTEM, M138[CUST: AR] | A | 1310 | | AR | 14-FEB-96 |
| | MIL-O-81375B NOT 2 | ORAL INFLATION ASSEMBLIES, SURVIVAL EQUIPMENT, INFLATABLE[CUST: AS 99] | A | 4220 | | AS | 30-JUL-97 |
| | MIL-O-81144B NOT 1 | OSCILLATOR SUBASSEMBLY (FOR TORPEDO MARK 37 MODS 0, 2, AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-O-81151A NOT 1 | OSCILLATOR SUBASSEMBLY (NAVORD DWG 1563736) (FOR TORPEDO MARK 37 MODS 0, 2, AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-O-14850(1) NOT 1 | OSCILLATOR, HIGH VOLTAGE, 10549785[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-O-85432B NOT 1 | OSCILLATOR, VOLTAGE CONTROLLED[CUST: AS] | A | 5865 | | AS | 18-SEP-96 |
| | MIL-O-52374C(1) NOT 1 | OSCILLATOR: HIGH VOLTAGE[CUST: CR OS CC] | A | 5855 | | CC | 20-SEP-01 |
| | MIL-O-23560/4A(1) NOT 1 | OSCILLOGRAPH, TYPE IV (FOR TORPEDO MARK 37 MOD 1)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-O-23560/5(1) NOT 1 | OSCILLOGRAPH, TYPE V (FOR TORPEDO MARK 46 MOD O)[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-O-23560C(2) NOT 1 | OSCILLOGRAPHS, GENERAL SPECIFICATION FOR[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-O-48465B(2) NOT 3 | OUTPUT UNIT: 11733100[CUST: AR] | A | 1220 | | AR | 03-FEB-97 |
| | MS22059D NOT 1 | OXYGEN SYSTEM, PORTABLE, 295 CU IN. HIGH PRESSURE, AIRCRAFT[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1660 | | AS | 27-AUG-97 |
| | MS22061D NOT 2 | OXYGEN SYSTEM, PORTABLE, 96 CU IN. HIGH PRESSURE, AIRCRAFT[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1660 | | AS | 27-AUG-97 |
| | MIL-O-23678B(2) NOT 1 | OXYGEN SYSTEMS, PORTABLE, HIGH PRESSURE, AIRCRAFT[CUST: AV AS] [REVIEW: GS] | A | 1660 | | AS | 10-SEP-97 |
| | MIL-C-63371/7A(1) NOT 2 | P.C. BOARD 9335623 (LOAD AND UNLOAD LEFT & RIGHT)[CUST: AR] | A | 1095 | | AR | 11-DEC-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-6063B NOT 1 | PACKAGING OF BATTERIES, STORAGE, CHARGED AND DRY UNCHARGED AND MOIST, GENERAL SPECIFICATION FOR[CUST: GL AS 99] [REVIEW: GS] | A | 6140 | | 84 | 06-APR-98 |
| | MIL-P-14236 NOT 1 | PACKAGING OF GEAR, OIL, M3 SERIES, M6A1 OR M6A1E1[CUST: AR] [REVIEW: MI SM] | A | 1290 | | AR | 01-SEP-97 |
| | MIL-P-44276 NOT 3 | PACKAGING OF RATION COLD WEATHER COMPONENTS (IN POUCHES)[CUST: GL] | A | 89GP | | GL | 29-DEC-97 |
| | MIL-P-50014C(3) NOT 1 | PACKET, SODIUM PYROPHOSPHATE PEROXIDE[CUST: EA] [REVIEW: GS] | A | 6665 | | EA | 26-OCT-95 |
| A | AN6226 REV 6 NOT 1 | PACKING "U" CUP HYDRAULIC[CUST: MI 99 IS] [REVIEW: 71] | A | 5330 | | IS | 25-MAR-98 |
| | MIL-P-24377A NOT 2 | PACKING MATERIAL, ASBESTOS, BRAIDED, IMPREGNATED WITH PTFE (POLYTETRAFLUOROETHYLENE), SURFACE LUBRICATED[CUST: AR SH 99] [REVIEW: CR4] | A | 5330 | | SH | 22-APR-98 |
| | MIL-P-17303D(2) | PACKING MATERIALS, PLASTIC METALLIC AND PLASTIC NONMETALLIC[CUST: SH] | A | 5330 | | SH | 24-OCT-91 |
| | MIL-P-16404B(1) | PACKING, ASBESTOS[CUST: OS] [REVIEW: AV IS] | A | 5330 | | OS | 27-OCT-89 |
| | MIL-P-24293A NOT 2 | PACKING, HYDRAULIC, LEATHER, CATTLEHIDE, MINERAL-TANNED, IMPREGNATED[CUST: SH] | A | 5330 | | IS | 16-JUN-97 |
| | AN6225 REV 7 NOT 1 | PACKING, PREFORMED[CUST: AV 99] [REVIEW: 71] | A | 5330 | | IS | 21-AUG-01 |
| | MS28900A(1) NOT 1 | PACKING, PREFORMED, FOR ELECTRICAL USE[CUST: CR AS 11 IS] [REVIEW: AT AV MC SH] | A | 5331 | | IS | 02-APR-03 |
| | MIL-P-82745 NOT 1 | PACKING, PREFORMED, HYDRAULIC OIL COMPATIBLE (CODE IDENT 53711)[CUST: OS] | A | 5330 | | OS | 13-JUL-99 |
| | MIL-P-82744 NOT 1 | PACKING, PREFORMED, OTTO FUEL COMPATIBLE, (CODE IDENT 53711)[CUST: OS] [REVIEW: IS] | A | 5330 | | OS | 13-JUL-99 |
| | MIL-P-25732C(1) NOT 2 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, LIMITED SERVICE AT 275 DEG. F (135 DEG. C)[CUST: AV AS 11] [REVIEW: 71 99 CR4 IS MR OS SH] | A | 5330 | | 11 | 07-AUG-03 |
| | MIL-P-70341 NOT 1 | PACKING, PREFORMED, PTFE (POLYTETRAFLUOROETHYLENE) GENERAL SPECIFICATION FOR[CUST: AR SH 99] | A | 5330 | | IS | 16-JUN-97 |
| | MIL-P-70341/1 NOT 2 | PACKING, PREFORMED, PTFE (POLYTETRAFLUOROETHYLENE), NON-FILLED[CUST: AR SH 99] | A | 5330 | | IS | 26-NOV-02 |
| | MIL-P-81716 NOT 1 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, TYPE II HYDRAULIC ( MINUS 65 DEG F TO PLUS 275 DEG F )[CUST: MR AS 11] [REVIEW: MI] | A | 5330 | | IS | 16-JUN-97 |
| | DS22125 NOT 2 | PACKING, PREFORMED, TUBE-FITTING, METRIC[CUST: AV AS 11 IS] [REVIEW: MC] | A | 5331 | | IS | 06-OCT-99 |
| | MIL-P-19152A NOT 2 | PACKINGS, HYDRAULIC, HIGH PRESSURE (FOR HYDROPNEUMATIC SYSTEMS)[CUST: OS] [REVIEW: AR AT IS] | A | 5330 | | OS | 22-APR-98 |
| | MS27833 NOT 2 | PAD - TANK STRAP[CUST: AS 99] | A | 9390 | | 84 | 20-DEC-95 |
| | MS51930A NOT 3 | PAD EYE WELDING[CUST: AR YD 99 IS] [REVIEW: CR4 MC MI OS] | A | 5340 | | IS | 06-FEB-03 |
| | MIL-DTL-43607H NOT 1 | PADLOCK, KEY OPERATED, HIGH SECURITY, SHROUDED SHACKLE[CUST: YD 99 IS] [REVIEW: 71 AS CG NO] | A | 5340 | | IS | 22-MAY-00 |
| | DOD-P-24555(1) NOT 3 | PAINT, ALUMINUM, HEAT-RESISTING (650 DEG. C), LOW-EMISSIVITY (0.40 OR LESS) (METRIC)[CUST: SH] | A | 8010 | | SH | 16-FEB-00 |
| | MIL-STD-001303C NOT 1 | PAINTING OF NAVAL ORDNANCE EQUIPMENT[Standard Practice][CUST: OS] | A | MISC | | OS | 24-APR-01 |
| | MIL-P-52910B NOT 3 | PALLET, CARGO, FOR RIBBON BRIDGE TRANSPORTER[CUST: AT] [REVIEW: CC] | A | 5420 | | AT | 22-MAY-98 |
| | MIL-P-71171 NOT 1 | PALLET, SPECIAL METAL FOR STINGER WEAPON SYSTEM[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 17-JUL-97 |
| | MIL-P-70786(3) NOT 3 | PALLET, STANDARD METAL[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 17-JUL-97 |
| | MIL-STD-1322-20 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD AMMONIUM PERCHLORATE (IN 30 GAL. STEEL DRUM)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-714 NOT 2 | PALLETIZING DOMESTIC UNIT LOAD MINE, UNDERWATER, MK 55 AND MODS IN CRATE, UNDERWATER MINE, MK 55 MOD 1 (LD 538045) (LOADED)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1322-2 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD SPARROW III AAM-N-6-6A - IGNITER MK 172 MOD 0 - INERT (IN WOOD BOX)[Military Standard][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-1 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD SPARROW III AAM-N-6-6A ANTENNA ASSEMBLY (REAR) (IN WOOD BOX)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-726 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD STANDARD ER STEERING CONTROL UNIT AND ROCKET MOTOR SPACER (IN CONTAINER MK 460 MOD 0)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-P-63334(1) NOT 1 | PANEL ASSEMBLY 11834831[CUST: AR] | A | 1240 | | AR | 10-JUL-98 |
| | MIL-P-70944(1) NOT 1 | PANEL ASSEMBLY, FRONT: 12922129[CUST: AR] | A | 1290 | | AR | 18-AUG-97 |
| | MIL-P-40029B NOT 4 | PANEL MARKER, AERIAL LIAISON, COTTON DUCK, PANEL AL-125[CUST: IH 11] [REVIEW: 99 CT] | A | 8345 | | IH | 22-OCT-02 |
| | MS14132A NOT 2 | PANEL TEXTOLITE[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MIL-P-62210B(1) NOT 1 | PANEL, COMMANDERS CONTROL: 11743140[CUST: AR] | A | 1240 | | AR | 15-AUG-97 |
| | MIL-P-23810A(3) NOT 1 | PANEL, COMPONENT, RECORDING (FOR TORPEDO EXERCISE SECTION MARK 64 MOD 2)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-P-70995 NOT 1 | PANEL, CONTROL, ARMAMENT SUBSYSTEM: M21[CUST: AR] | A | 1005 | | AR | 14-DEC-95 |
| | MIL-P-63052 NOT 2 | PANEL, FIRING FAE CBU-55 UH-1 ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 12-FEB-96 |
| | MIL-P-24395/2 NOT 2 | PANEL, GROUND DETECTOR, 120-VOLT (SYMBOL 1005.3) AND 240 VOLT (SYMBOL 1005.4) DIRECT CURRENT, DRIPPROOF[CUST: SH] [REVIEW: GS] | A | 6110 | | SH | 22-APR-98 |
| | MS14129D NOT 2 | PANEL, PLUSH MOUNTED[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MIL-P-22438/1B NOT 3 | PANEL, RECEPTACLE, ELECTRICAL AND ELECTRONIC (SYMBOL NO. 754.2)[CUST: SH] | A | 6110 | | GS2 | 14-JAN-03 |
| | MIL-P-22438/2B NOT 3 | PANEL, RECEPTACLE, ENCLOSED, ELECTRICAL AND ELECTRONIC (SYMBOL NO. 755.3)[CUST: SH] | A | 6110 | | GS2 | 14-JAN-03 |
| | MIL-P-22438B NOT 2 | PANEL, RECEPTACLE, FOR ELECTRICAL AND ELECTRONICS TEST AND MAINTENANCE TABLE, GENERAL SPECIFICATION FOR[CUST: SH] | A | 6110 | | GS2 | 14-JAN-03 |
| | MIL-DTL-29183/17A | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE I, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 100 KILOWATT[CUST: CR4 YD] [REVIEW: MC MS] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/2B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 2: 208Y/120 VOLT, 15 KILOWATT[CUST: YD] [REVIEW: MC] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/1B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE I, CLASS 1, CONFIGURATION 1: 208Y/120 VOLT, 10 KILOWATT, WITHOUT MAIN BREAKERS, WITH FEEDTHROUGH CONNECTOR[CUST: YD] [REVIEW: MC] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/9B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE I, CLASS 1, CONFIGURATION 7: 480 OR 208 VOLT, 400 KILOWATT, TERMINAL TYPE CONNECTORS[CUST: YD] [REVIEW: MC] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/15A | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE I, CLASS 1, CONFIGURATION 2: 208Y/120 VOLT, 15 KILOWATT[CUST: CR4 YD] [REVIEW: MC MS] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/18A | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE I, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 200 KILOWATT[CUST: CR4 YD] [REVIEW: MC MS] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/7B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE I, CLASS 1, CONFIGURATION 5: 480 OR 208 VOLT, 120 KILOWATT, TERMINAL TYPE CONNECTORS[CUST: YD] [REVIEW: MC] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/16A | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE I, CLASS 1, CONFIGURATION 1: 208Y/120 VOLT, 60 KILOWATT[CUST: CR4 YD] [REVIEW: MC MS] | A | 6110 | | GS2 | 13-MAR-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-29183/6B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE I, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 100 KILOWATT[CUST: YD] [REVIEW: MC] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/3B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE I, CLASS 1, CONFIGURATION 3: 208Y/120 VOLT, 30 KILOWATT[CUST: YD] [REVIEW: MC] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/20A | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE I, CLASS 1, CONFIGURATION 1: 208Y/120 VOLT, 25 KILOWATT[CUST: YD] [REVIEW: MC MS] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/8B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE I, CLASS 1, CONFIGURATION 6: 480 OR 208 VOLT, 240 KILOWATT, TERMINAL TYPE CONNECTORS[CUST: YD] [REVIEW: MC] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/19A | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE I, CLASS 1, CONFIGURATION 5: 208Y/120 VOLT, 100 KILOWATT[CUST: CR4 YD] [REVIEW: MC MS] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/4C | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE II, CLASS 1, CONFIGURATION 1: 150 KILOWATT, 15 KVA TRANSFORMER[CUST: CR4 YD] [REVIEW: MC MS] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183/5C | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE II, CLASS 1, CONFIGURATION 2: 150 KILOWATT, 30 KVA TRANSFORMER[CUST: CR4 YD] [REVIEW: MC MS] | A | 6110 | | GS2 | 13-MAR-03 |
| | MIL-DTL-29183C | PANELBOARDS, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, GENERAL SPECIFICATION FOR[CUST: CR4 YD] [REVIEW: MC MS] | A | 6110 | | GS2 | 13-MAR-03 |
| | SAE-AMS3911 | PANELS, SANDWICH, FOR LIGHT WEIGHT PORTABLE SHELTERS, FABRICATION OF[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-APR-92 |
| | SAE-AMS3720 | PAPER HONEYCOMB, 60 LB (25 KG) PAPER[CUST: MR AS 11] | A | 5640 | | AS | APR-94 |
| M | MIL-DTL-51408A | PAPER, CHEMICAL AGENT DETECTOR, VGH, ABC - M8[CUST: EA SH 99] | X | 6665 | | EA | 06-FEB-06 |
| | MIL-DTL-51409B | PAPER, CHEMICAL AGENT DETECTOR, VGH, ABC-M8; BOOKLET OF[CUST: EA] | X | 6665 | | EA | 25-MAR-05 |
| | MIL-DTL-51518C | PAPER, CHEMICAL AGENT DETECTOR: M9 (SR119 DYE)[CUST: EA] [REVIEW: GS] | X | 6665 | | EA | 23-SEP-02 |
| | MIL-P-21386E(1) NOT 1 | PAPER, FILTER MEDIA, ROLL-TYPE[CUST: SH] | A | 6640 | | SH | 22-APR-98 |
| | MIL-P-20293A NOT 2 | PAPER, KRAFT, ASPHALT IMPREGNATED[CUST: AR AS 11] [REVIEW: EA GL] | A | 8135 | | AR | 31-JAN-96 |
| | MIL-P-60169B NOT 4 | PAPER, SEALING[CUST: AR OS 99] [REVIEW: 70 MI] | A | 1305 | | AR | 09-APR-98 |
| | MIL-P-10831B(4) NOT 1 | PAPER, TARGET[CUST: AR EC 11] [REVIEW: AT AV CR GS SH YD] | A | 9310 | | AR | 16-AUG-99 |
| | MIL-P-130F NOT 1 | PAPER, WRAPPING, LAMINATED AND CREPED[CUST: GL SA 11] [REVIEW: 99 AT DS EA GS MC MD OS SH YD] | A | 8135 | | GL | 29-DEC-97 |
| | MIL-P-25062B(1) NOT 1 | PARACHUTE RECOVERY SYSTEM, MISSILE AND DRONE, GENERAL REQUIREMENT FOR DEVELOPEMENT OF[CUST: MI AS] [REVIEW: 99 GS] | A | 1670 | | AS | 12-NOV-97 |
| | MIL-P-21904A NOT 2 | PARACHUTES FOR UNDERWATER MINES; GENERAL SPECIFICATION FOR[CUST: OS] | A | 1350 | | OS | 13-JUL-99 |
| | MIL-P-81911 NOT 1 | PARALLEL, FREQUENCY-CODED FIRING SYSTEMS[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-P-60312C(2) NOT 1 | PART, MOLDED, PLASTIC FOAM, POLYSTYRENE (FOR USE WITH AMMUNITION)[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 11-MAR-98 |
| | MIL-I-22352/16 | PASSIVE INTERPHONE CONTROL PANEL C-2648B/AIC-14 (USE MIL-I-22352/17 OR /18)[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 10-AUG-84 |
| | MIL-P-335J NOT 1 | PAVING MACHINE, BITUMINOUS MATERIAL, CRAWLER MOUNTED, DIESEL ENGINE DRIVEN[CUST: AT YD] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-P-28739(2) NOT 1 | PEDESTAL GROUP, ANTENNA, FOR IFF ANTENNAS AN/UPA-57[CUST: AS] [REVIEW: CC] | A | 5985 | | AS | 18-SEP-96 |
| | DOD-P-63986(6) NOT 1 | PELLET, FLASH TUBE, IB52[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| | MIL-P-60938 NOT 1 | PELLET, SMOKE MARKER FOR CARTRIDGE, 105MM: APERS-T, XM546[CUST: AR] | A | 1315 | | AR | 12-FEB-96 |
| | MIL-P-19023D NOT 1 | PENDULUM (FOR TORPEDO MARK 37 MODS 0, 2, AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-P-48446 NOT 2 | PENETRATOR, CODE AND NOSE COMPONENTS FOR PROJECTILE, 105MM, APDS-T, M392A1[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-P-81237 NOT 1 | PENTAERYTHRITOL DIOLEATE[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 09-MAY-96 |
| | MIL-P-47067 NOT 4 | PENTANEDIONE, 2, 4[CUST: MI] [REVIEW: GS] | A | 6810 | | MI | 15-AUG-95 |
| | JAN-P-408 NOT 1 | PENTOLITE, 50/50[CUST: AR AS] | A | 1376 | | AR | 21-MAR-00 |
| | MIL-P-22203 NOT 1 | PERFORMANCE DATA REPORT FOR STANDARD AIRCRAFT CHARACTERISTICS CHARTS FOR PILOTED AIRCRAFT[CUST: AV AS] | A | TMSS | | AS | 04-APR-98 |
| | MIL-P-45602B(4) NOT 1 | PERISCOPE, BATTERY COMMAND: M65[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 18-JUL-96 |
| | MIL-P-45637B(2) NOT 2 | PERISCOPE, TANK, M19 AND M24[CUST: AR] [REVIEW: AT GS] | A | 6650 | | AR | 14-MAR-97 |
| | MIL-P-48619 NOT 1 | PERISCOPE, TANK, M32CE1[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-P-48451A(1) NOT 1 | PERISCOPE, TANK, M36E1[CUST: AR] | A | 1240 | | AR | 28-NOV-95 |
| | MIL-P-63331(1) NOT 1 | PERISCOPE, TANK, M44A1E1 AND M44A2E1 WITH ASSOCIATED EQUIPMENT[CUST: AR] | A | 1240 | | AR | 10-JUL-98 |
| | MIL-P-48571(1) NOT 1 | PERISCOPE, TANK. M32E1[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MIL-P-48450A(1) NOT 1 | PERISCOPE, TANK. M35E1[CUST: AR] | A | 1240 | | AR | 29-NOV-95 |
| | MIL-P-46322B(1) NOT 1 | PERISCOPE, TANK. XM42[CUST: AR] | A | 1240 | | AR | 29-NOV-95 |
| | MIL-P-46329A(5) NOT 1 | PERISCOPE, TANK: M13, M14A1, M17, M17C, M26, M27, M37 AND M45, PERISCOPE, 15 DEG. UPLOOK AND PERISCOPE, 20 DEG. UPLOOK[CUST: AR] | A | 1240 | | AR | 15-JUN-98 |
| | MIL-P-63332(1) NOT 2 | PERISCOPES, TANK: M44A1E1 AND M44A2E1, 11834842[CUST: AR] | A | 1240 | | AR | 10-JUL-98 |
| | MIL-P-48566(1) NOT 2 | PERISCOPES, TANK: 11747126 AND 11747127[CUST: AR] | A | 1330 | | AR | 05-FEB-97 |
| | VV-P-236A(2) NOT 2 | PETROLATUM, TECHNICAL[CUST: CR4 AS 11 GS] [REVIEW: AR AT CR OS PS SA SH YD] | A | 9150 | / | AS | 19-APR-01 |
| | MIL-STD-150A NOT 4 | PHOTOGRAPHIC LENSES[Military Standard][CUST: 99] | A | 6760 | | 70 | 06-JAN-98 |
| | JAN-P-567 NOT 2 | PIGMENT, SYNTHETIC, BLACK (OINTMENT TYPE)[CUST: EA MS] [REVIEW: IS] | A | 6505 | | EA | 08-JUL-04 |
| | MS21000 NOT 1 | PIN - FLATHEAD, HI - SHEAR, OVERSIZE, 160,000 PSI[CUST: 99 IS] | A | 5320 | | IS | 01-OCT-97 |
| | MIL-P-48850 NOT 2 | PIN AND LANYARD ASSEMBLY[CUST: AR] | A | 1345 | | AR | 13-AUG-97 |
| | DS14270 NOT 1 | PIN HINGE, METRIC[CUST: AS] [REVIEW: IS] | A | 5340 | | AS | 17-SEP-97 |
| | MS21001 NOT 1 | PIN, 100 DEG. COUNTERSUNK HEAD, HI-SHEAR, OVERSIZE, 160,000 PSI[CUST: 99 IS] | A | 5320 | | IS | 10-JUN-94 |
| | DOD-P-63542 NOT 2 | PIN, GROOVED, HEADED-LONGITUDINAL GROOVE, METRIC, GENERAL SPECIFICATION FOR[CUST: AR OS 99 IS] [REVIEW: 71] | A | 5315 | | IS | 06-OCT-99 |
| | DOD-P-63542/1 NOT 3 | PIN, GROOVED, HEADED-LONGITUDINAL GROOVED, ROUND HEAD, CARBON STEEL, METRIC[CUST: AR OS 99 IS] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63464A SUP 1A NOT 1 | PIN, GROOVED, HEADLESS LONGITUDINAL GROOVE, GENERAL SPECIFICATION FOR, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AT CR4 EA MC MI NS] | A | 5315 | | IS | 06-OCT-99 |
| | DOD-P-63464/8 NOT 3 | PIN, GROOVED, HEADLESS LONGITUDINAL, HALF LENGTH REVERSE TAPER GROOVE, CORROSION-RESISTANT STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AT CR4 EA MC MI NS YD] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63464/7 NOT 3 | PIN, GROOVED, HEADLESS LONGITUDINAL, HALF LENGTH TAPER GROOVE, CORROSION-RESISTANT, STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71] | A | 5315 | | IS | 23-AUG-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DOD-P-63464/5A NOT 3 | PIN, GROOVED, HEADLESS-LONGITUDINAL CENTER GROOVE, CARBON STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AT CR4 EA MC MI] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63464/3A NOT 3 | PIN, GROOVED, HEADLESS-LONGITUDINAL STRAIGHT GROOVE, CARBON STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AT CR4 EA MC MI] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63464/4A NOT 3 | PIN, GROOVED, HEADLESS-LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTANT STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AT CR4 EA MC MI NS] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63464/1A NOT 3 | PIN, GROOVED, HEADLESS-LONGITUDINAL TAPER GROOVE, CARBON STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AT CR4 EA MC MI YD] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63464/2A NOT 3 | PIN, GROOVED, HEADLESS-LONGITUDINAL TAPER GROOVE, CORROSION-RESISTING STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AT CR4 EA MC MI NS] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63477 SUP 1 NOT 1 | PIN, SPRING, TUBULAR, (COILED AND SLOTTED), GENERAL SPECIFICATION FOR, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AV CE CR CR4 MC MI NS] | A | 5315 | | IS | 06-OCT-99 |
| | DOD-P-63477/9 NOT 3 | PIN, SPRING, TUBULAR, COILED, HEAVY DUTY CRES 420, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AV CE CR CR4 MC MI NS] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63477/8 NOT 3 | PIN, SPRING, TUBULAR, COILED, HEAVY DUTY, CARBON STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AV CE CR CR4 MC MI NS] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63477/3 NOT 3 | PIN, SPRING, TUBULAR, COILED, LIGHT DUTY, CARBON STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AV CE CR CR4 MC MI NS] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63477/4 NOT 2 | PIN, SPRING, TUBULAR, COILED, LIGHT DUTY, CRES 302, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AV CE CR CR4 MC MI NS] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63477/5A NOT 2 | PIN, SPRING, TUBULAR, COILED, STANDARD DUTY, CARBON STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AV CE CR CR4 MC MI NS] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63477/6 NOT 3 | PIN, SPRING, TUBULAR, COILED, STANDARD DUTY, CRES 302, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AV CE CR CR4 MC MI NS] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63477/1 NOT 2 | PIN, SPRING, TUBULAR, SLOTTED, CARBON STEEL, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AV CE CR CR4 MC MI NS] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63477/2 NOT 3 | PIN, SPRING, TUBULAR, SLOTTED, CRES 420, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AV CE CR CR4 MC MI NS] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63477/7 NOT 3 | PIN, SPRING, TUBULAR, SLOTTED, STANDARD DUTY, CRES 420, METRIC[CUST: AR OS 99 IS] [REVIEW: 71 AV CE CR CR4 MC MI NS] | A | 5315 | | IS | 23-AUG-04 |
| A | DOD-P-63479 NOT 1 | PIN, STRAIGHT, HEADED (CLEVIS PIN) GENERAL SPECIFICATION FOR, METRIC[CUST: AR 99 IS] [REVIEW: 71 AT AV CR4] | A | 5315 | | IS | 06-OCT-99 |
| | DOD-P-63479/1 NOT 3 | PIN, STRAIGHT, HEADED (CLEVIS PIN), METRIC[CUST: AR 99 IS] [REVIEW: 71 CR4] | A | 5315 | | IS | 23-AUG-04 |
| | DOD-P-63478/2 NOT 3 | PIN, STRAIGHT, HEADLESS (DOWEL) OVERSIZE, METRIC[CUST: AR 99 IS] [REVIEW: 11 71 AT CR4 NS] | A | 5315 | | IS | 23-AUG-04 |
| A | DOD-P-63478(1) NOT 2 | PIN, STRAIGHT, HEADLESS (DOWEL), GENERAL SPECIFICATION FOR, METRIC[CUST: AR 99 IS] [REVIEW: AT CR4 NS] | A | 5315 | | IS | 06-OCT-99 |
| | DOD-P-63478/1 NOT 3 | PIN, STRAIGHT, HEADLESS, (DOWEL) STANDARD SIZE, METRIC[CUST: AR 99 IS] [REVIEW: 11 71 AT CR4 NS] | A | 5315 | | IS | 23-AUG-04 |
| | MIL-P-15877D NOT 1 | PIPE SUPPORT DEVICES (HANGERS AND SWAYBRACES, SHIPBOARD USE)[CUST: SH 99] [REVIEW: IS] | A | 5340 | | SH | 16-FEB-00 |
| | MIL-P-11087G NOT 1 | PIPE, STEEL: GROOVED OR PLAIN ENDS[CUST: AT] [REVIEW: CC] | A | 4710 | | AT | 09-MAR-98 |
| | MIL-P-45575 NOT 2 | PISTOL, CALIBER .22 AUTOMATIC, GENERAL TRAINING GRADE[CUST: AR OS 99] [REVIEW: MC] | A | 1005 | | AR | 12-DEC-95 |
| | MIL-P-45592 NOT 2 | PISTOL, CALIBER .22, AUTOMATIC, MATCH GRADE[CUST: AR] | A | 1005 | | AR | 11-DEC-95 |
| | D-P-355A(1) NOT 2 | PISTOL, CALIBER .45, AUTOMATIC, M1911A1[CUST: AR MC 99] | A | 1005 | / | AR | 26-DEC-00 |
| | MIL-P-1299B NOT 4 | PISTOL, PYROTECHNIC, AN-M8 AND MOUNT, M1[CUST: AR OS 99] | A | 1095 | | AR | 14-MAR-97 |
| | MIL-P-48655(3) NOT 1 | PISTOL, SEMIAUTOMATIC, 9MM: M9[CUST: AR] | A | 1005 | | AR | 13-AUG-97 |
| | MIL-P-71012A(1) NOT 1 | PISTOL, SEMIAUTOMATIC, COMPACT, 9MM: M11[CUST: AR] | A | 1005 | | AR | 17-SEP-99 |
| | MIL-P-87124A(1) NOT 3 | PITCH, COAL TAR[CUST: 11] | A | CMPS | | 11 | 15-DEC-97 |
| | MIL-P-81655(1) NOT 1 | PITOT STATIC TUBE, L-SHAPED, COMPENSATED, ELECTRICALLY HEATED, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 16-APR-01 |
| | MIL-P-149D NOT 2 | PLASTIC COATING COMPOUND, STRIPPABLE (HOT DIPPING)[CUST: MR 99] [REVIEW: 84 AS CG SH] | A | 8030 | | MR | 26-NOV-97 |
| | QPL-149-12 NOT 1 | PLASTIC COATING COMPOUND, STRIPPABLE (HOT DIPPING) | A | 8030 | | MR | 14-JUL-00 |
| | MIL-P-46067B NOT 3 | PLASTIC EMBEDDING COMPOUND, EPOXY RESIN SYSTEM[CUST: MI] [REVIEW: AT CR4 GS MD] | A | 9330 | | MI | 07-MAR-00 |
| | SAE-AMS3630 | PLASTIC EXTRUSIONS, FLEXIBLE, POLYVINYL CHLORIDE[CUST: CR4 AS] | A | 4710 | | AS | 01-OCT-92 |
| | MIL-P-25395B NOT 1 | PLASTIC MATERIAL, HEAT RESISTANT, LOW PRESSURE LAMINATED GLASS FIBER BASE, POLYESTER RESIN[CUST: AS 11] [REVIEW: GS] | A | 9330 | | AS | 31-JUL-96 |
| | MIL-P-15280J NOT 1 | PLASTIC MATERIAL, UNICELLULAR (SHEETS AND TUBES)[CUST: CR SH 11] [REVIEW: CR4 EA GS MC MI OS YD] | A | 5640 | | SH | 22-APR-98 |
| | MIL-P-25421B NOT 2 | PLASTIC MATERIALS, GLASS FIBER BASE - EPOXY RESIN, LOW PRESSURE LAMINATED[CUST: AV AS 11] [REVIEW: 84 CR EC MR OS SH] | A | 9330 | | MI | 19-NOV-02 |
| | MIL-P-25515C NOT 2 | PLASTIC MATERIALS, PHENOLIC RESIN, GLASS-FIBER BASE, LAMINATED[CUST: MR AS 11] [REVIEW: 84 AR AV MI] | A | 9330 | | AS | 31-JUL-96 |
| | MIL-P-25518B NOT 1 | PLASTIC MATERIALS, SILICONE RESIN, GLASS FIBER BASE, LOW PRESSURE LAMINATED[CUST: MR AS 11] [REVIEW: 99 AV GS MC MI OS SH] | A | 9330 | | AS | 31-JUL-96 |
| | MIL-P-46185 NOT 3 | PLASTIC MOLDING AND EXTRUSION MATERIALS, POLYETHERSULFONE[CUST: MR EC 11] [REVIEW: 03 84 99 AS CG GL GS SH SM] | A | 9330 | | MR | 22-APR-98 |
| | SAE-AMS3671 | PLASTIC MOLDING COMPOUND, NOVOLAC EPOXY RESIN, SHORT GLASS FIBER REINFORCED, STRUCTURAL[CUST: AS 11] | A | 9330 | | AS | 01-OCT-92 |
| | MIL-P-82650(1) NOT 1 | PLASTIC MOLDING MATERIAL, GLASS PHENOLIC[CUST: OS] [REVIEW: AS] | A | 9330 | | OS | 20-MAY-92 |
| | MIL-P-43038B NOT 4 | PLASTIC MOLDING MATERIAL, POLYESTER, LOW-PRESSURE LAMINATING, HIGH TEMPERATURE RESISTANT[CUST: AR] [REVIEW: GS IS MR] | A | 9330 | | AR | 18-FEB-00 |
| | MIL-P-43043C NOT 3 | PLASTIC MOLDING MATERIAL, PRE-MIX, POLYESTER, GLASS FIBER REINFORCED[CUST: AR] [REVIEW: GS IS MR] | A | 9330 | | AR | 18-FEB-00 |
| | L-P-535E NOT 3 | PLASTIC SHEET (SHEETING): PLASTIC STRIP: POLY(VINYL CHLORIDE) AND POLY(VINYL CHLORIDE-VINYL ACETATE), RIGID[CUST: MR SH 11 IS] [REVIEW: 99 AS CR4 EA MI SM] | A | 9330 | / | IS | 08-DEC-99 |
| | MIL-P-13436A(1) NOT 2 | PLASTIC SHEET, FILLED PHENOLIC, UNCURED[CUST: CR SH 11] | A | 9330 | | CR | 22-SEP-97 |
| | L-P-511(1) NOT 2 | PLASTIC SHEET, LAMINATED, THERMOSETTING, COTTON FABRIC BASE, PHENOLIC-RESIN, POST-FORMING[CUST: MR AS 11] [REVIEW: AR CR] | A | 9330 | / | AS | 19-APR-01 |
| | MIL-P-51406A(1) NOT 1 | PLASTIC SHEETS, VINYL CHLORIDE POLYMER AND COPOLYMER, FLEXIBLE[CUST: EA] [REVIEW: GS] | A | 9330 | | EA | 25-MAR-96 |
| | L-P-390C(2) NOT 2 | PLASTIC, MOLDING AND EXTRUSION MATERIAL, POLYETHYLENE AND COPOLYMERS (LOW, MEDIUM, AND HIGH DENSITY)[CUST: CR OS 11 IS] [REVIEW: 99 AS AT AV EA MC MR] | A | 9330 | / | IS | 01-JUN-00 |
| | MIL-P-81390 NOT 2 | PLASTIC, MOLDING MATERIAL, POLYCARBONATE, GLASS FIBER REINFORCED[CUST: MR AS] [REVIEW: CR CR4 MI SH] | A | 9330 | | AS | 31-JUL-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-5431A(1) NOT 1 | PLASTIC, PHENOLIC, GRAPHITED, SHEETS, RODS, TUBES AND SHAPES[CUST: AS] [REVIEW: CR4 GS MR YD] | A | 9330 | | AS | 29-JAN-97 |
| | MIL-P-8045B(4) NOT 1 | PLASTIC, SELF-SEALING AND NON-SELF-SEALING TANK BACKING MATERIAL[CUST: MR AS 11] [REVIEW: 99 AV MC OS] | A | 8030 | | AS | 15-DEC-99 |
| | MS18016B NOT 1 | PLATE, CONTAINER IDENT[CUST: OS] | A | 9905 | | OS | 22-APR-98 |
| | MS27253B NOT 1 | PLATE, IDENTIFICATION[CUST: GL AS 99] [REVIEW: AV] | A | 9905 | | 84 | 09-APR-96 |
| | MS3339B NOT 1 | PLATE, MOUNTING, PLASTIC FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS[CUST: MI AS GS2] [REVIEW: EC GS] | A | 5975 | | AS | 17-NOV-98 |
| | MS25490D | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2643/AIC-14[CUST: AS] [REVIEW: CC GS] | A | 5831 | | AS | 10-AUG-84 |
| | MS25492J NOT 1 | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14[CUST: AS] [REVIEW: GS] | A | 5831 | | AS | 10-AUG-84 |
| | MS25493L | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2648B/AIC-14[CUST: AS] [REVIEW: CC GS] | A | 5831 | | AS | 10-AUG-84 |
| | MS14140H NOT 1 | PLATE-RACK[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MIL-P-6906B NOT 4 | PLATES, IDENTIFICATION, AIRCRAFT[CUST: CR AS 99] | A | 9905 | | 84 | 03-JUL-96 |
| | MIL-P-83037A(1) NOT 1 | PLATFORM, CARGO, AERIAL DELIVERY A/E29H-1[CUST: 99] [REVIEW: GS] | A | 1670 | | 11 | 17-OCT-97 |
| | SAE-AMS2419 | PLATING, CADMIUM-TITANIUM[CUST: MR 11 GS4] | A | MFFP | | GS4 | MAR-94 |
| | MIL-P-19419A NOT 1 | PLATING, CHROMIUM, ELECTRO-DEPOSITED, (ON THE INTERIOR SURFACES OF 20 MM MARK 11 GUN BARRELS)[CUST: AS] | A | 1005 | | AS | 21-AUG-89 |
| | MIL-P-27418 NOT 3 | PLATING, SOFT NICKEL (ELECTRODEPOSITED, SULFAMATE BATH)[CUST: 19] [REVIEW: 11] | A | MFFP | | 19 | 03-APR-98 |
| | MIL-P-23408B NOT 2 | PLATING: TIN-CADMIUM (ELECTRODEPOSITED)[CUST: MR AS 11] [REVIEW: IS] | A | MFFP | | AS | 30-SEP-97 |
| | MIL-P-87133(2) NOT 1 | PLOTTER COMBAT MISSION, PLU-6/C (AIR NAVIGATION)[CUST: 99] [REVIEW: GS] | A | 6605 | | 71 | 01-MAR-96 |
| | MIL-P-50363 NOT 2 | PLOTTING BOARD, FLASH RANGING, FIRE CONTROL: M18[CUST: AR] | A | 1220 | | AR | 27-OCT-97 |
| | MIL-P-45069B(1) NOT 2 | PLOTTING BOARD, INDIRECT FIRE: M16 W/E[CUST: AR] | A | 1220 | | AR | 11-DEC-95 |
| | MIL-P-45694 NOT 1 | PLOTTING BOARD, M17[CUST: AR] | A | 1220 | | AR | 11-DEC-95 |
| | MIL-P-19461A NOT 1 | PLOTTING BOARD, TACTICAL DISPLAY, PT-429/A[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-P-48602(1) NOT 2 | PLOTTING BOARD, XM19, (M19) W/E[CUST: AR] | A | 1220 | | AR | 27-AUG-97 |
| | MIL-P-45605A(2) NOT 2 | PLOTTING BOARDS, FLASH RANGING, FIRE CONTROL: M5A2E2 AND M18[CUST: AR] | A | 1220 | | AR | 28-NOV-95 |
| A | MIL-P-21381B(1) NOT 2 | PLOTTING BOARDS, SHIP' S STATUS AND TACTICAL DISPLAY (NAVAL SHIPBOARD USE)[CUST: SH] | A | 6605 | | GS1 | 08-JUL-05 |
| | MS29531 NOT 1 | PLUG - EXHAUST PORT CLOSURE, AIRCRAFT ENGINE (ASG)[CUST: AS 99] [REVIEW: GS] | A | 2810 | | AS | 21-AUG-96 |
| | MS123120THRUMS123150C | PLUG - STRAIGHT THREAD, (O) RING SEAL, ALUMINUM[CUST: AV AS 99] [REVIEW: 71 MI] | A | 4730 | | CC | 07-JUN-72 |
| | MIL-P-70465(2) NOT 1 | PLUG AND DISC ASSEMBLY, 8597489[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-P-70438(2) NOT 1 | PLUG ASSEMBLY, LIFTING, UNIVERSAL[CUST: AR] | A | 1320 | | AR | 21-AUG-98 |
| | MIL-P-46438A NOT 2 | PLUG, CLOSING, FOR ARTILLERY AND MORTAR PROJECTILES[CUST: AR] | A | 1315 | | AR | 12-FEB-97 |
| A | MS35122B | PLUG, CONNECTOR (TYPE-SM) UG-699/U[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 07-NOV-05 |
| | MS3396 NOT 2 | PLUG, DEHYDRATOR, HUMIDITY INDICATING, ENGINE CYLINDER, 14MM THREAD[CUST: CR4 AS 99] [REVIEW: GS] | A | 6685 | | AS | 04-SEP-96 |
| | MS27215C NOT 2 | PLUG, DEHYDRATOR, HUMIDITY INDICATING, ENGINE CYLINDER, 18 MM THREAD[CUST: CR4 AS 99] [REVIEW: AR AV GS OS] | A | 6685 | | AS | 17-SEP-97 |
| | MS25182G NOT 3 | PLUG, ELECTRIC, FOUR-WIRE, AIRCRAFT STORAGE BATTERY[CUST: AV AS 11 CC] | A | 5935 | | AS | 08-APR-05 |
| | MS3349C NOT 1 | PLUG, ELECTRIC, TWO-WIRE, AIRCRAFT STORAGE BATTERY[CUST: CR AS 11 CC] | A | 5935 | | AS | 18-JUN-99 |
| | MIL-R-2726/29 NOT 1 | PLUG, ELECTRICAL, 4 POLE GROUNDED, 100 AMPERE, 450 VOLT, 3 PHASE (SYMBOL NO. 1222)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MS25251A NOT 2 | PLUG, END SEAL, ELECTRIC CONNECTOR[CUST: CR AS 11 CC] [REVIEW: 99 CR4 MI] | A | 5935 | | CC | 06-MAY-04 |
| | MS3187E NOT 1 | PLUG, END SEAL, FOR MIL-C-26482, MIL-C-5015, MIL-C-81703 AND MIL-C-83723 ELECTRICAL CONNECTORS[CUST: CR AS 11 CC] [REVIEW: AR AV EC MI SH] | A | 5935 | | CC | 15-DEC-98 |
| | MS16993B NOT 1 | PLUG, FUSIBLE, REFRIGERANT-12[CUST: GL YD 99] [REVIEW: MD MI] | A | 5340 | | IS | 01-APR-96 |
| | MS29522B NOT 1 | PLUG, HEXAGON HEAD, OIL COOLER[CUST: AV AS 99] | A | 4730 | | AS | 14-AUG-96 |
| | MS9404A | PLUG, MACHINE THREAD - AMS 5646, PREFORMED PACKING[CUST: AS 11] [REVIEW: CC CR4 GS] | A | 5365 | | AS | 09-JUN-72 |
| | MS9901 NOT 1 | PLUG, MACHINE THREAD - AMS 5646, PREFORMED PACKING, MIL-S-8879 THREAD[CUST: AS 11] | A | 4730 | | AS | 14-AUG-96 |
| | MS51518A NOT 1 | PLUG, MACHINE THREAD, 37 DEG. FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS35844D NOT 4 | PLUG, MACHINE THREAD, MAGNETIC: DRAIN[CUST: AT YD 99 GS7] [REVIEW: CC CR4 MC OS] | A | 5365 | | GS7 | 10-NOV-04 |
| | MS51840C NOT 3 | PLUG, MACHINE THREAD, O-RING[CUST: AR OS GS7] [REVIEW: CR CR4 EA GL MC] | A | 5365 | | GS7 | 10-NOV-04 |
| | MS9953 NOT 1 | PLUG, MACHINE THREAD-AMS 4121, PREFORMED PACKING, MIL-S-8879 THREAD[CUST: AS 11] [REVIEW: 99 CC CG MC] | A | 4730 | | AS | 14-AUG-96 |
| | MS9405 NOT 1 | PLUG, MACHINE THREAD-AMS 5646, METAL GASKET, SILVER PLATED, MIL-S-8879 THREAD[CUST: AS] [REVIEW: CC] | A | 4730 | | AS | 14-AUG-96 |
| | MS9954 NOT 1 | PLUG, MACHINE THREAD-DRILLED, AMS 4121, PREFORMED PACKING, MIL-S-8879 THREAD[CUST: AS 11] [REVIEW: CC CG MC] | A | 4730 | | AS | 14-AUG-96 |
| | MS9015B | PLUG, MACHINE THREADED - "O" RING SEAL[CUST: AV AS 11] [REVIEW: CC CR4 GS IS MC MI SH] | A | 5365 | | AS | 26-JUL-74 |
| | MS51891 NOT 2 | PLUG, TUBE FITTING, THREADED, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR SH 99] [REVIEW: 71 AT MC OS] | A | 4730 | | CC | 17-AUG-99 |
| | MIL-P-20378D(1) NOT 2 | PLUNGER, DELAY MI, PARTS FOR[CUST: AR] | A | 1375 | | AR | 10-JUL-96 |
| | MIL-P-10480D(1) NOT 2 | PLUNGER, DELAY, M1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 22-APR-96 |
| | MIL-P-6640C(1) NOT 1 | PNEUMATIC BAG, AIRCRAFT, LIFTING, 12 TON CAPACITY, TYPE F-2[CUST: AV AS 99] [REVIEW: GS] | A | 1730 | | 84 | 14-MAR-96 |
| | MIL-P-87210(1) NOT 1 | PNEUMATIC POWER SYSTEMS, HIGH PRESSURE (CONTROLLED DISTRIBUTION)[CUST: 11] [REVIEW: GS] | D | 1650 | | 11 | 19-DEC-97 |
| | MIL-P-8564D NOT 1 | PNEUMATIC SYSTEM COMPONENTS, AERONAUTICAL, GENERAL SPECIFICATION FOR[CUST: AS 99] [REVIEW: GS] | A | 1650 | | 71 | 21-JUN-96 |
| | MIL-P-5518D SUP 1 NOT 1 | PNEUMATIC SYSTEMS, AIRCRAFT, DESIGN AND INSTALLATION, GENERAL REQUIREMENTS FOR[CUST: AV AS 99] [REVIEW: CC GS MC] | A | 1650 | | 71 | 21-JUN-96 |
| | MIL-P-23004A NOT 1 | POD (FOR GUN POD MARK 4 MOD 0)[CUST: AS] | A | 1005 | | AS | 12-APR-83 |
| | MIL-P-28766(1) NOT 1 | POLE, STRUCTURAL WOODEN, FOR HIGH FREQUENCY (HF) ANTENNAS[CUST: EC] [REVIEW: CC] | A | 5510 | | EC | 30-APR-95 |
| | MIL-P-47099A(1) NOT 2 | POLYURETHANE FOAM, POLYETHER TYPE, RIGID, FOR PACKAGING AND ENCAPSULATION OF ELECTRICAL COMPONENTS[CUST: MI] [REVIEW: GS] | A | 5970 | | MI | 20-MAY-96 |
| | MIL-P-265C NOT 3 | POLYVINYL ALCOHOL, GRANULAR (METRIC)[CUST: EA GS3] [REVIEW: MI] | A | 6810 | | GS3 | 24-FEB-04 |
| | MIL-P-43700C(1) NOT 1 | PONCHO, WET WEATHER[CUST: GL NU 99 CT] | A | 8405 | | CT | 06-OCT-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-19380/3 NOT 1 | PONTOON, DECK FITTINGS AND OUTFITTING ACCESSORIES, DETAIL SPECIFICATION FOR[CUST: CR4 YD] | A | 1945 | | YD | 10-MAY-95 |
| | MIL-P-19380/2(1) NOT 1 | PONTOON, JOINING FITTINGS, TOOLS, AND CAGES, DETAIL SPECIFICATION FOR[CUST: CR4 YD] | A | 1945 | | YD | 10-MAY-95 |
| | MIL-P-19380/1(2) NOT 1 | PONTOON, STEEL, SECTIONAL, P-SERIES, DETAIL SPECIFICATION FOR[CUST: CR4 YD] | A | 1945 | | YD | 10-MAY-95 |
| | MIL-P-19380/4 NOT 1 | PONTOONS, DRYDOCK EQUIPMENT, MISCELLANEOUS FITTINGS AND ACCESSORIES, DETAIL SPECIFICATION FOR[CUST: CR4 YD] | A | 1945 | | YD | 10-MAY-95 |
| | MIL-P-19380J(2) NOT 1 | PONTOONS, STEEL, SECTIONAL, P-SERIES: INCLUDING FITTINGS AND TOOLS (FOR COUPLING INTO FLOATING STRUCTURES)[CUST: CR4 YD] | A | 1945 | | YD | 10-MAY-95 |
| | MIL-P-43144E NOT 1 | PORK CHOPS, DEHYDRATED, UNCOOKED[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8905 | | GL | 26-SEP-97 |
| | MIL-P-44465 NOT 1 | PORK RIBS, BONELESS, IMITATION, FLAKED AND FORMED, IN BARBECUE SAUCE, THERMOSTABILIZED, TRAY PACK[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 26-SEP-97 |
| | MIL-P-19277B NOT 1 | POSITIONER, STEP (FOR TORPEDO MK 37 MOD 2)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-P-13232B(2) NOT 1 | POST, AIMING, M1A2[CUST: AR] | A | 1290 | | AR | 08-AUG-97 |
| | NAS1786 | POST, ELECTRICAL-MECHANICAL EQUIPMENT (SEE NAS1831, FOR DESCRIPTION OF STATUS NOTES, SEE NAS380)[CUST: AV AS 11] | A | 5340 | | AS | 29-MAR-96 |
| | MIL-DTL-637C | POT, SMOKE, FLOATING, HC, M4A2[CUST: EA OS] | D | 1365 | | EA | 17-JUL-00 |
| | MIL-P-10334B NOT 2 | POT, SMOKE, FLOATING, HC, M4A2 COMPONENTS FOR[CUST: EA] | A | 1365 | | EA | 08-JUL-04 |
| | MIL-P-150D(1) NOT 2 | POTASSIUM CHLORATE, TECHNICAL[CUST: EA] [REVIEW: AR GS MD] | A | 6810 | | EA | 28-APR-99 |
| | MIL-P-50486 NOT 2 | POTASSIUM DINITROHYDROXY HYDROBENZOFUROXAN (FOR USE IN AMMUNITION)[CUST: AR] | A | 1376 | | AR | 15-JUL-96 |
| | MIL-P-156B NOT 1 | POTASSIUM NITRATE[CUST: AR AS] | A | 6810 | | AR | 19-FEB-98 |
| | MIL-P-156B(I3) NOT 1 | POTASSIUM NITRATE[CUST: AR AS] | A | 6810 | | AR | 19-FEB-98 |
| | MIL-P-217A(1) NOT 3 | POTASSIUM PERCHLORATE[CUST: AR AS GS3] [REVIEW: EA MI OS] | A | 6810 | | GS3 | 12-MAR-04 |
| | MIL-P-46872A NOT 1 | POTTING AND MOLDING OF CABLE ASSEMBLIES, PROCESS FOR[CUST: MI] [REVIEW: AR] | A | 14GP | | MI | 20-MAY-96 |
| | MIL-P-85856/35 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINA-TITANIA, TYPE II, CLASS 1, COMPOSITION E (USE A-A-59315/35)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/5 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM (CP), TYPE I, CLASS 2, COMPOSITION D (USE A-A-59315/5)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/34 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM OXIDE, TYPE II, CLASS 1, COMPOSITION D (USE A-A-59315/34)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/4 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM SILICON ALLOY, TYPE I, CLASS 2, COMPOSITION E (USE A-A-59315/4)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/3 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM-BRONZE, TYPE I, CLASS 1, COMPOSITION F (USE A-A-59315/3)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/2 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM-BRONZE, TYPE I, CLASS 2, COMPOSITION F (USE A-A-59315/2)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/28 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CARBON STEEL-MOLYBDENUM-ALUMINUM, TYPE I, CLASS 2, COMPOSITION GG (USE A-A-59315/28)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/39 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE PLUS NICKEL CHROMIUM ALLOY (FINE), TYPE III, COMPOSITION C (USE A-A-59315/39)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/32 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE, TYPE II, CLASS 1, COMPOSITION B (USE A-A-59315/32)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/33 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE, TYPE II, CLASS 2, COMPOSITION B (USE A-A-59315/33)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/36 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM OXIDE, TYPE II, CLASS 1, COMPOSITION F (USE A-A-59315/36)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/6 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT BASE, TYPE I, CLASS 2, COMPOSITION C (USE A-A-59315/6)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/18 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-NICKEL-TUNGSTEN, TYPE I, CLASS 1, COMPOSITION S (USE A-A-59315/18)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/17 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-TUNGSTEN, TYPE I, CLASS 2, COMPOSITION R (USE A-A-59315/17)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/26 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COPPER-ALUMINUM COMPOSITE, TYPE I, CLASS 2, COMPOSITION EE (USE A-A-59315/26)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/19 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COPPER-NICKEL, TYPE I, CLASS 2, COMPOSITION T (USE A-A-59315/19)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/29 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS IRON-MOLYBDENUM-ALUMINUM, TYPE I, CLASS 2, COMPOSITION HH (USE A-A-59315/29)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/37 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MAGNESIUM ZIRCONATE, TYPE II, CLASS 1, COMPOSITION G (USE A-A-59315/37)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/16 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM, TYPE I, CLASS 1, COMPOSITION P (USE A-A-59315/16)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/25 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM-ALUMINUM-NICKEL ALLOY, TYPE I, CLASS 2, COMPOSITION BB (USE A-A-59315/25)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/27 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM-NICKEL-ALUMINUM, TYPE I, CLASS 2, COMPOSITION FF (USE A-A-59315/27)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/12 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL BASE ALLOY, TYPE I, CLASS 1, COMPOSITION K (USE A-A-59315/12)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/13 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL BASE ALLOY, TYPE I, CLASS 2, COMPOSITION K (USE A-A-59315/13)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/7 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL CHROMIUM ALLOY, TYPE I, CLASS 1, COMPOSITION B (USE A-A-59315/7)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/8 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL CHROMIUM ALLOY, TYPE I, CLASS 2, COMPOSITION B (USE A-A-59315/8)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/1 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-ALUMINUM, TYPE I, CLASS 2, COMPOSITION G (USE A-A-59315/1)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/10 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-ALUMINUM, TYPE I, CLASS 2, COMPOSITION H (USE A-A-59315/10)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/23 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROME-ALUMINUM-IRON-MOLYBDENUM, TYPE I, CLASS 2, COMPOSITION DD (USE A-A-59315/23)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/20 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM ALLOY, TYPE I, CLASS 1, COMPOSITION U (USE A-A-59315/20)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/21 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM-ALUMINUM, TYPE I, CLASS 2, COMPOSITION V (USE A-A-59315/21)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-85856/15 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM-BORON, TYPE I, CLASS 1, COMPOSITION N (USE A-A-59315/15)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/9 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS PURE MOLYBDENUM, TYPE I, CLASS 2, COMPOSITION A (USE A-A-59315/9)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/11 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS PURE NICKEL, TYPE I, CLASS 1, COMPOSITION J (USE A-A-59315/11)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/22 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS SILICON-ALUMINUM PLUS POLYMER, TYPE I, CLASS 1, COMPOSITION W (USE A-A-59315/22)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/31 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 2, COMPOSITION A (USE A-A-59315/31)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/30 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 1, COMPOSITION A (USE A-A-59315/30)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/24 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE I, CLASS 1, COMPOSITION AA (USE A-A-59315/24)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/40 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 2, COMPOSITION J (USE A-A-59315/40)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/14 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TYPE 316 STAINLESS STEEL, TYPE I, CLASS 2, COMPOSITION M (USE A-A-59315/14)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/38 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ZIRCONIUM OXIDE, TYPE II, CLASS 2, COMPOSITION H (USE A-A-59315/38)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/42 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, CHROMIUM CARBIDE PLUS NICKEL CHROMIUM ALLOY (COARSE), TYPE III, COMPOSITION N (USE A-A-59315/42)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/45 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, COMPOSITE BLEND, TYPE III, COMPOSITION S (USE A-A-59315/45)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856(2) SUP 1 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, GENERAL SPECIFICATION FOR (USE A-A-59315)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/43 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, MAGNESIUM ZIRCONATE PLUS NICKEL ALUMINUM COMPOSITE, TYPE III, COMPOSITION P (USE A-A-59315/43)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/44 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, MAGNESIUM ZIRCONATE PLUS NICKEL CHROMIUM ALLOY, TYPE III, COMPOSITION R (USE A-A-59315/44)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-85856/41 NOT 2 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, TUNGSTEN CARBIDE PLUS NICKEL ALUMINUM COMPOSITE, SELF-FLUXING ALLOY, TYPE III, COMPOSITION L (USE A-A-59315/41)[CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A | 3439 | | AS | 04-SEP-98 |
| | MIL-P-17959(1) NOT 1 | POWDER, PROPELLANT, BALLISTICS OF, FOR 3 INCH/50 CALIBER GUN[CUST: OS] | A | 1376 | | OS | 20-DEC-95 |
| | MIL-P-17449(2) NOT 1 | POWDER, PROPELLANT, CORDITE N[CUST: OS] | A | 1376 | | OS | 20-DEC-95 |
| A | MIL-P-14067B(4) NOT 3 | POWDERS, METAL, ATOMIZED (FOR USE IN AMMUNITION)[CUST: AR GS3] [REVIEW: EA] | A | 6810 | | GS3 | 08-JUL-05 |
| | MIL-P-70624A(3) NOT 1 | POWER BOX COMPONENTS ASSEMBLY, ELECTRONICS BOX COMPONENTS ASSEMBLY, CABLE ASSEMBLIES AND TRANSMITTER ASSEMBLY FOR MINE DISPENSER: M138 (FLIPPER)[CUST: AR] | A | 1345 | | AR | 07-JAN-97 |
| | MIL-P-81653/9 NOT 1 | POWER CONTROLLER, DC LOAD SWITCHING SPST, NORMAL OPEN, 10 AMPERES[CUST: AS] [REVIEW: GS] | A | 6110 | | AS | 04-SEP-96 |
| | MIL-P-81653/1 NOT 1 | POWER CONTROLLER, DC LOAD SWITCHING, SPST, NORMAL OPEN, 1 AMPERE[CUST: AS] [REVIEW: GS] | A | 6110 | | AS | 04-SEP-96 |
| | MIL-P-81653/8 NOT 1 | POWER CONTROLLER, INDICATOR DRIVER SPST, NORMAL OPEN, 500 MILLIAMPERES[CUST: AS] [REVIEW: GS] | A | 6110 | | AS | 04-SEP-96 |
| | MIL-P-49378(1) NOT 2 | POWER CONVERTER FOR AN/VSG-2[CUST: AR] | A | 5855 | | AR | 03-JAN-00 |
| | MIL-P-70449 NOT 2 | POWER MODULE ASSEMBLY FOR TEST SET, ELECTRONIC SYSTEM: M137[CUST: AR] | A | 1310 | | AR | 14-FEB-96 |
| | MIL-P-53132/7 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 10, 10KW, MODE II (400 HERTZ) AN/MJQ-38[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/6 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 10, 10KW, MODE III (60 HERTZ) AN/MJQ-37[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/10 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 15, 15KW, MODE II (400 HERTZ) AN/MJQ-39[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/2 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 3, 3KW, MODE III (60 HERTZ) AN/MJQ-42[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/1 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 3, 3KW, MODE III (60 HERTZ) AN/MJQ-43[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/16 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 30, 30KW, MODE II (400 HERTZ) PU-804[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/15 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 30, 30KW, MODE I (50/60 HERTZ) PU-803[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/4 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 5, 5KW, MODE III (60 HERTZ) AN/MJQ-36[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/3 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 5, 5KW, MODE III (60 HERTZ) AN/MJQ-35[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/18 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 60, 60KW, MODE I (50/60 HERTZ) PU-805[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/17 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 60, 60KW, MODE I (50/60 HERTZ) AN/MJQ-41[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132 SUP 1 NOT 1 | POWER PLANT/POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER-MOUNTED 3KW THROUGH 60KW, GENERAL SPECIFICATION FOR[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-12815B(1) NOT 2 | POWER SOURCE, PIEZOID (LUCKY)[CUST: AR] | A | 1315 | | AR | 08-FEB-96 |
| | MIL-P-22497C NOT 1 | POWER SUPPLIES, TYPE IV (TORPEDO TESTING)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-P-49090D NOT 1 | POWER SUPPLY 25 MILLIMETER, MICROCHANNEL INVERTER[CUST: CR] [REVIEW: AR] | A | 5855 | | CR | 25-SEP-97 |
| | MIL-P-48606B(1) NOT 1 | POWER SUPPLY ASSEMBLY (UNIT 2): 11748133[CUST: AR] | A | 1240 | | AR | 11-JUL-96 |
| | MIL-P-82563 NOT 1 | POWER SUPPLY ASSEMBLY LD546974 (FOR AFTERBODY TEST SET MK 442 MOD 0 AND ELECTRICAL CABLE TEST SET MK 444 MOD 0)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-P-70675(1) NOT 1 | POWER SUPPLY ASSEMBLY, FOR MINES, M718A1/M741A1, SYSTEM[CUST: AR] | A | 1345 | | AR | 18-AUG-97 |
| | MIL-P-48609 NOT 1 | POWER SUPPLY ASSEMBLY, NIXIE[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | QPL-38026-10 NOT 1 | POWER SUPPLY ECU-23/A | A | 6130 | | 84 | 21-FEB-96 |
| | MIL-P-38026A(4) NOT 2 | POWER SUPPLY ECU-23/A[CUST: 99] [REVIEW: GS] | A | 6130 | | 84 | 08-JUN-95 |
| | MIL-P-22046(1) NOT 1 | POWER SUPPLY MARK 20 MOD 1[CUST: OS] | A | 6625 | | OS | 21-AUG-90 |
| | MIL-P-55695(2) NOT 1 | POWER SUPPLY PP-4763( )/GRC[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | QPL-46320-30 NOT 1 | POWER SUPPLY, 10516158 (TRANSISTORIZED) | A | 1240 | | AR | 21-JUN-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-46320C(4) NOT 1 | POWER SUPPLY, 10516158 (TRANSISTORIZED)[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MIL-P-8422C NOT 1 | POWER SUPPLY, 28VDC INPUT, 15VAC 4 HERTZ 3 PHASE OUTPUT, TYPE MC-1[CUST: 99] [REVIEW: GS] | X | 6130 | | 71 | 22-JAN-96 |
| | MIL-P-15736/8 NOT 1 | POWER SUPPLY, CATHODIC PROTECTION, AUTOMATIC CONSTANT CURRENT TYPE, INACTIVE FLEET[CUST: SH] [REVIEW: GS] | A | 6130 | | SH | 01-APR-91 |
| | MIL-P-15736/9 NOT 1 | POWER SUPPLY, CATHODIC PROTECTION, AUTOMATIC HULL POTENTIAL TYPE, INACTIVE FLEET[CUST: SH] [REVIEW: GS] | A | 6130 | | SH | 01-APR-91 |
| | MIL-P-83927B NOT 1 | POWER SUPPLY, GUIDED MISSILE LAUNCHERS, SINGLE TYPES PP-2401B/A, PP-2401C/A, PP-2401D/A, PP-4285/A, PP-4286/A, AND COMPOSITE TYPE PP-4506/A AND PS-1037C[CUST: 99] | A | 1440 | | 84 | 12-OCT-95 |
| | MIL-P-19086E NOT 1 | POWER SUPPLY, HIGH VOLTAGE (FOR TORPEDO MARK 37 MODS 2 AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-P-45969B NOT 1 | POWER SUPPLY, HYDRAULIC AND ELECTRIC, PORTABLE[CUST: AR] [REVIEW: GS] | A | 4933 | | AR | 21-AUG-98 |
| | MIL-P-62211B(3) NOT 1 | POWER SUPPLY, LOW VOLTAGE: 11746916[CUST: AR] | A | 1240 | | AR | 15-JUN-98 |
| | MIL-P-15736/1D NOT 1 | POWER SUPPLY, METALLIC RECTIFIER, HELICOPTER STARTING AND SERVICING[CUST: SH] [REVIEW: GS] | A | 6130 | | SH | 22-APR-98 |
| | MIL-P-15736D(4) SUP 1A NOT 1 | POWER SUPPLY, METALLIC RECTIFIER, NAVAL SHIPBOARD[CUST: SH] [REVIEW: GS] | A | 6130 | | SH | 22-APR-98 |
| | MIL-P-82500A NOT 1 | POWER SUPPLY, RECTIFIER (FOR TORPEDO MARK 37 MODS 2 AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-P-15736/5 NOT 1 | POWER SUPPLY, RECTIFIER, INTERIOR COMMUNICATIONS AND FIRE CONTROL NAVAL SHIPBOARD USE[CUST: SH] [REVIEW: GS] | A | 6130 | | SH | 03-OCT-89 |
| | MIL-DTL-26517B | POWER SUPPLY, TRANSFORMER-RECTIFIER, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV SH 99] [REVIEW: GS] | A | 6130 | | 84 | 16-JUN-00 |
| | MIL-P-28785(2) NOT 1 | POWER SUPPLY, VARIABLE OUTPUT (0 TO 50 VOLTS, 0 TO 5 AMPERES)[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-P-82427C NOT 1 | POWER UNIT (FOR TORPEDO MK 46 MOD 1)[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-P-82448A NOT 1 | POWER UNIT TEST SET (FOR TORPEDO MK 46 MOD 1)[CUST: OS] | A | 4921 | | OS | 29-APR-69 |
| | MIL-P-81513 NOT 1 | POWER UNIT, AIRCRAFT AUXILIARY GAS TURBINE, TYPE I, NAVY MODEL NO. P-7[CUST: AS] [REVIEW: GS] | A | 2835 | | AS | 07-AUG-96 |
| | MIL-P-53132/9 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 10, 10KW, MODE II (400 HERTZ) PU-799[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/8 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 10, 10KW, MODE III (60 HERTZ) PU-798[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/11 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 15, 15KW, MODE II (400 HERTZ) PU-800[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/12 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 15, 15KW, MODE I (50/60 HERTZ) PU-801 (LIGHT WEIGHT)[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/5 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 5, 5KW, MODE III (60 HERTZ) PU-797[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/19 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 60, 60KW, MODE II (400 HERTZ) PU-806[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-8686 NOT 1 | POWER UNITS, AIRCRAFT AUXILIARY, GAS-TURBINE-TYPE, GENERAL SPECIFICATION FOR (ASG)[CUST: AV AS 99] [REVIEW: 70 GS] | A | 2835 | | AS | 07-AUG-96 |
| | MIL-P-87123A NOT 3 | PREFORM, RIGIDIZED, GRAPHITE FIBER, 3D FINEWEAVE PIERCED FABRIC, PROCESSING OF (CONTROLLED DISTRIBUTION)[CUST: 11] [REVIEW: GS] | E | CMPS | | 11 | 17-OCT-97 |
| | SAE-MAM2300 | PREMIUM AIRCRAFT-QUALITY STEEL CLEANLINESS MAGNETIC PARTICLE INSPECTION PROCEDURE METRIC (SI) MEASUREMENT[CUST: MR AS 11] | A | NDTI | | MR | 12-JUN-92 |
| | MIL-STD-403C NOT 1 | PREPARATION FOR AND INSTALLATION OF RIVETS AND SCREWS, ROCKET, MISSILE, AND AIRFRAME STRUCTURES[Military Standard][CUST: MI 99] [REVIEW: AR CR4 EA] | A | 1410 | | MI | 24-OCT-01 |
| | MIL-STD-1503B NOT 2 | PREPARATION OF ALUMINUM ALLOYS FOR SURFACE TREATMENTS AND INORGANIC COATING[Military Standard][CUST: 99] | A | MFFP | | 70 | 09-DEC-96 |
| | MIL-STD-40051B(1) NOT 2 | PREPARATION OF DIGITAL TECHNICAL INFORMATION FOR MULTI-OUTPUT PRESENTATION OF TECHNICAL MANUALS[Standard Practice][CUST: TM] [REVIEW: AC1 AR AT AV CR EA MI] | A | TMSS | | TM | 15-OCT-04 |
| | MIL-P-44401 NOT 2 | PRESS SECTION, MODULAR PRINTING SYSTEM[CUST: GL] [REVIEW: GS] | A | 3610 | | GL | 15-NOV-00 |
| | MIL-P-45051D(1) NOT 1 | PRESS, CONNECTING ROD STRAIGHTENING, HYDRAULIC[CUST: AR CC] | A | 4940 | | CC | 26-MAR-99 |
| | MIL-P-70668(3) NOT 1 | PRESSURE CARTRIDGE ASSEMBLY LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 18-AUG-97 |
| | MIL-P-63315(2) NOT 2 | PRESSURE CARTRIDGE PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 18-AUG-97 |
| | MIL-P-81958(2) NOT 1 | PRESSURE RELIEF DEVICES, OVERPRESSURIZATION PREVENTION, WHEEL/TIRE, AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 1630 | | AS | 10-SEP-97 |
| | MIL-P-82459(1) NOT 2 | PRESSURE TRANSDUCER (FOR TORPEDO MK46 MOD O AND MOD 1)[CUST: OS] [REVIEW: MI] | A | 1355 | | OS | 22-APR-98 |
| | MIL-P-24212C(2) NOT 1 | PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL)[CUST: SH] [REVIEW: GS] | A | 6685 | | SH | 21-APR-98 |
| | MIL-P-60479(2) NOT 3 | PRIMER AND BASE, IGNITER, XM 110, PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-P-63312(4) NOT 1 | PRIMER ELECTRIC, M80A1 METAL PARTS FOR (ALTERNATE)[CUST: AR] | A | 1390 | | AR | 20-FEB-97 |
| | MIL-P-63306(4) NOT 2 | PRIMER ELECTRIC, M83 METAL PARTS FOR (ALTERNATE)[CUST: AR] | A | 1390 | | AR | 17-JUL-96 |
| | MIL-P-20486A(1) NOT 2 | PRIMER ELEMENTS, DETONATORS AND RELAYS METAL PARTS FOR[CUST: AR] [REVIEW: EA] | A | 1390 | | AR | 10-JUL-96 |
| | MIL-P-70433 NOT 2 | PRIMER PERCUSSION, MODIFIED 209, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 20-FEB-97 |
| | MIL-P-47215B NOT 1 | PRIMER, ABLATIVE RESISTANT COATING[CUST: MI] | A | 8030 | | MI | 28-MAY-96 |
| | MIL-P-63316(2) NOT 2 | PRIMER, BATTERY, ELECTRIC PARTS, FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 20-AUG-98 |
| | MIL-P-70825A NOT 1 | PRIMER, BATTERY, STAB/ELECTRIC PA536 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 10-JAN-97 |
| | MIL-P-63074A(5) NOT 1 | PRIMER, ELECTRIC, M120 AND M120 (ALTERNATE) LOADING ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 17-JUL-96 |
| | MIL-P-70819(1) NOT 1 | PRIMER, ELECTRIC, M128 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 09-JAN-97 |
| | MIL-P-70820 NOT 1 | PRIMER, ELECTRIC, M128 METAL PARTS[CUST: AR] | A | 1390 | | AR | 10-JAN-97 |
| | MIL-P-1394F(5) NOT 1 | PRIMER, ELECTRIC, M52A3B1[CUST: AR] | A | 1305 | | AR | 22-SEP-98 |
| | MIL-P-11329E NOT 2 | PRIMER, ELECTRIC, M59, PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 22-APR-96 |
| | MIL-P-46519D NOT 1 | PRIMER, ELECTRIC, M73, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 12-FEB-97 |
| | MIL-P-63313(7) NOT 1 | PRIMER, ELECTRIC, M80A1 (ALTERNATE) LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 20-FEB-97 |
| | MIL-P-63311(5) NOT 1 | PRIMER, ELECTRIC, M83 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 20-FEB-97 |
| | MIL-P-46439C NOT 2 | PRIMER, ELECTRIC, M86 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 12-FEB-97 |
| | MIL-P-82866A(1) NOT 1 | PRIMER, ELECTRIC, MARK 153 MOD 1[CUST: OS] | A | 1390 | | OS | 13-JUL-99 |
| | MIL-P-82530(1) NOT 2 | PRIMER, ELECTRIC, MK 137 MOD 0[CUST: OS] | A | 1340 | | OS | 13-JUL-99 |
| | DOD-P-63975(7) NOT 1 | PRIMER, ELECTRIC, PA520[CUST: AR] | A | 1305 | | AR | 20-FEB-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-50265 NOT 1 | PRIMER, ELECTRIC, XM114 PARTS FOR, AND LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1375 | | AR | 12-JUL-96 |
| | MIL-P-18704A NOT 1 | PRIMER, LOCK, COMBINATION, MARK 15 MOD 2[CUST: OS] | A | 1390 | | OS | 13-JUL-99 |
| | MIL-P-11824C NOT 3 | PRIMER, NO. 1-1/2[CUST: EA] | A | 1375 | | EA | 09-JUL-04 |
| | MIL-P-60316A(1) NOT 2 | PRIMER, PERCUSSION M32 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 05-FEB-97 |
| | MIL-P-46279 NOT 2 | PRIMER, PERCUSSION, ELECTRIC, M75 LOADING, ASSEMBLING AND PACKING (INCLUDING LOADING OF PERCUSSION-ELECTRIC IGNITION ELEMENT T21E1)[CUST: AR] | A | 1390 | | AR | 12-FEB-97 |
| | MIL-P-63210 NOT 2 | PRIMER, PERCUSSION, M100 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 17-JUL-96 |
| | MIL-P-63215 NOT 2 | PRIMER, PERCUSSION, M100 METAL PARTS FOR[CUST: AR] | A | 1390 | | AR | 17-JUL-96 |
| | MIL-P-50603B(1) NOT 1 | PRIMER, PERCUSSION, M115[CUST: AR] | A | 1305 | | AR | 07-DEC-95 |
| | MIL-P-60053(1) NOT 1 | PRIMER, PERCUSSION, M1A2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 16-JUL-96 |
| | MIL-P-46292C(2) NOT 2 | PRIMER, PERCUSSION, M1B1A2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 07-JUN-00 |
| | MIL-P-2497B(3) NOT 2 | PRIMER, PERCUSSION, M27 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 22-APR-96 |
| | MIL-P-46542A(3) NOT 2 | PRIMER, PERCUSSION, M27, PARTS FOR[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-P-2496D(1) NOT 2 | PRIMER, PERCUSSION, M29A1 PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] [REVIEW: EA] | A | 1375 | | AR | 14-MAR-97 |
| | MIL-P-46544A NOT 1 | PRIMER, PERCUSSION, M29A1, PARTS FOR[CUST: AR] [REVIEW: EA] | A | 1375 | | AR | 14-MAR-97 |
| | MIL-P-60314(1) NOT 1 | PRIMER, PERCUSSION, M32, PARTS FOR[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-P-46917B NOT 2 | PRIMER, PERCUSSION, M34 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 13-FEB-97 |
| | MIL-P-46425A NOT 2 | PRIMER, PERCUSSION, M35 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-P-46465A NOT 1 | PRIMER, PERCUSSION, M35, PARTS FOR[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-P-12951F(1) NOT 3 | PRIMER, PERCUSSION, M39A1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] [REVIEW: EA] | A | 1375 | | AR | 29-JAN-96 |
| | MIL-P-20444C(1) NOT 2 | PRIMER, PERCUSSION, M42 PARTS FOR AND LOADING, ASSEMBLING AND PACKAGING[CUST: AR] [REVIEW: EA] | A | 1375 | | AR | 31-AUG-00 |
| | MIL-P-60337 NOT 2 | PRIMER, PERCUSSION, M47 AND M47B2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 16-JUL-96 |
| | MIL-P-46901A NOT 2 | PRIMER, PERCUSSION, M49 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 13-FEB-97 |
| | MIL-P-13392B(4) NOT 1 | PRIMER, PERCUSSION, M54 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 25-JUN-98 |
| | MIL-P-46420B(2) NOT 1 | PRIMER, PERCUSSION, M57, LOADING, ASSEMBLING, AND PACKING.[CUST: AR] | A | 1390 | | AR | 12-FEB-97 |
| | MIL-P-46294B NOT 2 | PRIMER, PERCUSSION, M58, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 12-FEB-97 |
| | MIL-P-60015A NOT 2 | PRIMER, PERCUSSION, M60A1 LOADING, ASSEMBLING & PACKING[CUST: AR] | A | 1390 | | AR | 16-JUL-96 |
| | MIL-P-20449C(3) NOT 3 | PRIMER, PERCUSSION, M61 PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 20-APR-04 |
| | MIL-P-60097(1) NOT 1 | PRIMER, PERCUSSION, M62 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 16-JUL-96 |
| | MIL-P-46568D(2) NOT 2 | PRIMER, PERCUSSION, M71A1E1 LOADING, ASSEMBLING & PACKING[CUST: AR] | A | 1390 | | AR | 12-FEB-97 |
| | MIL-P-46499(1) NOT 1 | PRIMER, PERCUSSION, M78 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 12-AUG-97 |
| | MIL-P-46296C(6) NOT 2 | PRIMER, PERCUSSION, M82 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 12-FEB-97 |
| | MIL-P-46642C NOT 2 | PRIMER, PERCUSSION, M92E1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 13-FEB-97 |
| | MIL-P-48166 NOT 2 | PRIMER, PERCUSSION, M98 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 14-FEB-97 |
| | MIL-P-20338A(2) NOT 2 | PRIMER, PERCUSSION, MARK 2A4 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 10-JUL-96 |
| | MIL-P-82868 NOT 1 | PRIMER, PERCUSSION, MK 161 MOD 0[CUST: OS] | A | 1390 | | OS | 13-JUL-99 |
| | MIL-P-18761C NOT 1 | PRIMER, PERCUSSION, MK 22 MOD 2[CUST: OS] | A | 1390 | | OS | 13-JUL-99 |
| | MIL-P-46601B(3) NOT 1 | PRIMER, PERCUSSION. M36A2[CUST: AR] | A | 1305 | | AR | 07-DEC-95 |
| | MIL-P-19602B NOT 1 | PRIMER, SIZE COATING, BAKING, FOR ROLLER COAT APPLICATION[CUST: MR OS] [REVIEW: EA] | A | 8010 | | OS | 09-MAY-96 |
| | MIL-P-14137B NOT 2 | PRIMER, STAB M106 PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 09-JUL-96 |
| | MIL-P-60049A NOT 2 | PRIMER, STAB M26 PARTS FOR, LOADING, ASSEMBLING AND PACKING[CUST: AR] [REVIEW: EA] | A | 1375 | | AR | 14-MAR-97 |
| | MIL-P-14139A(1) NOT 2 | PRIMER, STAB M72 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 09-JUL-96 |
| | MIL-P-60345(1) NOT 2 | PRIMER, STAB, M45 LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-P-48250 NOT 2 | PRIMER, STAB, M55 PARTS AND LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| | MIL-P-48760 NOT 2 | PRIMER, STAB, M56 PARTS FOR AND LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1375 | | AR | 11-JUL-96 |
| | MIL-P-60026(1) NOT 2 | PRIMER, STAB, M97 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-P-60025 NOT 1 | PRIMER, STAB, M97 PARTS FOR[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-P-63297 NOT 1 | PRIMER, STAB, PA515[CUST: AR] | A | 1375 | | AR | 19-AUG-97 |
| | MIL-P-60321(1) NOT 2 | PRIMER, STAB, T103E1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-P-63198 NOT 2 | PRIMER, STAB: PA505 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 17-JUL-96 |
| | MIL-P-48077(1) NOT 2 | PRIMER: M104, PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1390 | | AR | 25-JUN-01 |
| | MIL-P-46565C(3) NOT 2 | PRIMERS, PERCUSSION, M28A2 AND M28B2 LOADING, ASSEMBLING AND PACKING[CUST: AR] [REVIEW: EA] | A | 1390 | | AR | 14-MAR-97 |
| | MIL-P-46610E(4) NOT 2 | PRIMERS, PERCUSSION, STYPHNATE AND CHLORATE TYPES, FOR SMALL ARMS AMMUNITION[CUST: AR] | A | 1305 | | AR | 12-FEB-97 |
| | MIL-P-14100 NOT 2 | PRIMERS, STAB TYPE LOADING, ASSEMBLING AND PACKING[CUST: AR] [REVIEW: EA] | A | 1390 | | AR | 14-MAR-97 |
| | MIL-P-60034(1) NOT 2 | PRIMING ASSEMBLY DEMOLITION, M15 PARTS, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-P-50911A NOT 2 | PRIMING ASSEMBLY FOR DEMOLITION CHARGE ASSEMBLY: M183; PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 15-JUL-96 |
| | MIL-STD-91621 NOT 1 | PRINCIPLES OF INSPECT, REPAIR ONLY AS NECESSARY (IROAN) PROCEDURES AND PREPARATION OF IROAN PUBLICATIONS[Military Standard][CUST: MC] | A | SDMP | | MC | 04-APR-98 |
| | MIL-P-62341/2A NOT 2 | PRINTED CIRCUIT CARD, M1 AND M1A1 TANK DRIVER S INSTRUMENT PANEL, DIP A1[CUST: AT] | A | 1240 | | AT | 24-OCT-00 |
| | MIL-P-62341/1A NOT 2 | PRINTED CIRCUIT CARD, M1 AND M1A1 TANK DRIVER S INSTRUMENT PANEL, DIP A3[CUST: AT] | A | 1240 | | AT | 24-OCT-00 |
| | MIL-P-62341/3A NOT 2 | PRINTED CIRCUIT CARD, M1 AND M1A1 TANK TURRET NETWORK BOX, TNB A4[CUST: AT] | A | 1240 | | AT | 24-OCT-00 |
| | MIL-P-62341A NOT 2 | PRINTED CIRCUIT CARD, M1 AND M1A1 TANK, GENERAL SPECIFICATION FOR[CUST: AT] | A | 1240 | | AT | 24-OCT-00 |
| | MIL-P-50884D(1) | PRINTED WIRING BOARD, FLEXIBLE OR RIGID-FLEX, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 16 99 AR AS CG MC MI OS SH TD] | A | 5998 | | CC | 13-SEP-02 |
| A | MIL-PRF-55110G | PRINTED WIRING BOARD, RIGID, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 16 19 99 AR AS CG MC MI NS OS SH TD] | A | 5998 | | CC | 11-DEC-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-28808A NOT 1 | PRINTER, HIGH SPEED, DIGITAL DATA, TT624(V)/UG[CUST: EC] | A | 5815 | | EC | 30-APR-95 |
| | MIL-P-43155F(1) NOT 2 | PRINTING PLANT, SPECIAL WARFARE, TRANSPORTABLE, (LIGHTWEIGHT) MODEL 800[CUST: GL] [REVIEW: GS MD] | A | 3610 | | GL | 15-NOV-00 |
| | MIL-P-43477A NOT 3 | PRINTING PRESS, OFFSET, WEB-FED, FOR SPECIAL WARFARE[CUST: GL] [REVIEW: GS] | A | 3610 | | GL | 15-NOV-00 |
| A | MS27188 NOT 3 | PROBE, TOTAL TEMPERATURE, DEICEABLE[CUST: 99 GS1] [REVIEW: 71] | A | 6685 | | GS1 | 19-SEP-05 |
| | MIL-P-25726B(3) NOT 1 | PROBE, TOTAL TEMPERATURE, TYPE MA-1[CUST: AS 99] [REVIEW: GS] | A | 6685 | | 71 | 16-OCT-98 |
| A | MIL-P-27723E NOT 2 | PROBE. TOTAL TEMPERATURE. DEICEABLE[CUST: AS 99] [REVIEW: 71] | A | 6685 | | GS1 | 19-SEP-05 |
| | MIL-P-85585 NOT 1 | PROBES, EDDY CURRENT, UNSHIELDED, SINGLE COIL, ABSOLUTE[CUST: AS] [REVIEW: GS] | A | 6695 | | AS | 13-AUG-97 |
| | MIL-P-70444 NOT 4 | PROCESSOR, SIGNAL, SIGHT, HELICOPTER HEAD UP SUBSYSTEM: M76[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 27-FEB-97 |
| | MIL-P-81361 NOT 1 | PROGRAMMER, AIRCRAFT WEAPONS RELEASE SET MX-7016(*)/AWE-1[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-P-82534(2) NOT 1 | PROGRAMMER, RANGE & AIRFRAME SEPARATION MARK 3 MOD 1[CUST: OS] | A | 1340 | | OS | 15-SEP-86 |
| | MIL-P-63293B(6) NOT 1 | PROJECTILE 105MM HEAT T MP, M456A2 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 15-AUG-97 |
| | MIL-P-70674(2) NOT 1 | PROJECTILE 155MM: M864 METAL PARTS FOR BASE BURNER ASSEMBLY[CUST: AR] | A | 1320 | | AR | 07-FEB-96 |
| | DOD-P-63981(10) NOT 1 | PROJECTILE 30MM, HIGH EXPLOSIVE DUAL PURPOSE, M789, METAL PARTS[CUST: AR] | A | 1305 | | AR | 24-JUL-96 |
| | DOD-P-63977A(4) NOT 1 | PROJECTILE 30MM, TARGET PRACTICE AND TARGET PRACTICE ALTERNATE DESIGN FOR CARTRIDGE, 30MM, M788[CUST: AR] | A | 1305 | | AR | 05-APR-00 |
| | MIL-P-46512A(1) NOT 2 | PROJECTILE FOR CARTRIDGE, 81&MILLIMETER MORTAR, SMOKE, M370, WP FILLING ASSEMBLY[CUST: EA OS] [REVIEW: MC] | A | 1315 | | EA | 12-JUL-04 |
| | MIL-P-60547F(2) NOT 1 | PROJECTILE, 105MM, HE, M1 AND M760 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 09-FEB-96 |
| | MIL-P-70533(6) NOT 1 | PROJECTILE, 105MM, HE, RA XM913/XM927 ROCKET PROPELLANT FOR[CUST: AR] | A | 1315 | | AR | 18-DEC-98 |
| | MIL-P-70526A(5) NOT 1 | PROJECTILE, 105MM, HE, RA, M913/M927 DELAY ASSEMBLY FOR[CUST: AR] | A | 1315 | | AR | 20-AUG-02 |
| | MIL-P-70525(6) NOT 1 | PROJECTILE, 105MM, HE, RA, M913/XM927 MOTOR BODY BONDING ASSEMBLY FOR[CUST: AR] | A | 1315 | | AR | 29-AUG-02 |
| | MIL-P-70524(7) NOT 1 | PROJECTILE, 105MM, HE, RA, XM913/XM927 WARHEAD INSULATION ASSEMBLY FOR[CUST: AR] | A | 1315 | | AR | 21-AUG-98 |
| | MIL-P-60646B(2) NOT 1 | PROJECTILE, 105MM, HEAT-T, M456A1 METAL PARTS[CUST: AR] | A | 1315 | | AR | 16-JUL-96 |
| | MIL-P-63208B NOT 1 | PROJECTILE, 105MM, HEAT-T, M622 METAL PARTS[CUST: AR] | A | 1315 | | AR | 13-FEB-96 |
| | MIL-P-63448A NOT 2 | PROJECTILE, 105MM, HEAT-T-MP, M456A2 SPIKE AND CAP ASSEMBLY[CUST: AR] | A | 1315 | | AR | 20-FEB-97 |
| | MIL-P-14997A(1) NOT 1 | PROJECTILE, 105MM, ILLUMINATING, M314A3 LOADING ACCESSORIES FOR[CUST: AR] | A | 1315 | | AR | 02-OCT-00 |
| | MIL-P-70439(1) NOT 2 | PROJECTILE, 105MM, M456A1 AND M622 SPIKE AND CAP ASSEMBLY[CUST: AR] | A | 1315 | | AR | 14-FEB-96 |
| | MIL-P-14839(2) NOT 2 | PROJECTILE, 105MM, SMOKE, BE, M84E1 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 09-JUL-96 |
| | MIL-P-60548A(1) NOT 2 | PROJECTILE, 105MM, SMOKE, WP, M60 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 09-FEB-96 |
| | MIL-P-51338(1) NOT 2 | PROJECTILE, 105MM, SMOKE, WP, M60E1, FILLING ASSEMBLY[CUST: EA] | A | 1315 | | EA | 13-JUL-04 |
| | MIL-P-60811B(1) NOT 1 | PROJECTILE, 105MM, TP-T, M489 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 15-AUG-97 |
| | MIL-P-63514A(8) NOT 1 | PROJECTILE, 105MM, TP-T, M489A1 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 18-AUG-97 |
| | MIL-P-50791C(6) NOT 1 | PROJECTILE, 105MM, TPDS-T, M737 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 14-AUG-97 |
| | MIL-P-60090B NOT 3 | PROJECTILE, 105MM, WP-T, M416, FILLING ASSEMBLY[CUST: EA] | A | 1315 | | EA | 19-JUL-04 |
| | MIL-P-14852B(2) NOT 1 | PROJECTILE, 105MM: ILLUMINATING, M314A3 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 23-AUG-00 |
| | MIL-P-14825A NOT 1 | PROJECTILE, 152MM, HEAT, M409 METAL PARTS, LESS FLUTED LINER[CUST: AR] | A | 1320 | | AR | 12-DEC-95 |
| | MIL-P-60628(1) NOT 2 | PROJECTILE, 152MM, SLUG, PROOFING, METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 16-JUL-96 |
| | MIL-P-50369A NOT 2 | PROJECTILE, 152MM, TP-T, M411A1 METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 12-DEC-95 |
| | MIL-P-20512D NOT 2 | PROJECTILE, 155 MM, SMOKE, HC BE, M116E2, LOADING, ASSEMBLING AND PACKING[CUST: EA] | A | 1320 | | EA | 12-JUL-04 |
| | MIL-P-51509B NOT 2 | PROJECTILE, 155 MM, SMOKE, WP, M825 AND M825E1, PARTS FOR[CUST: EA] | X | 1320 | | EA | 16-JUL-04 |
| | MIL-P-11807C NOT 2 | PROJECTILE, 155-MM, GUN AND HOWITZER, M104 AND M110, WP, FS, HD AND H FILLING ASSEMBLIES[CUST: EA] | A | 1320 | | EA | 09-JUL-04 |
| | MIL-P-63238B(2) NOT 3 | PROJECTILE, 155MM, AT M718/M741 LOADING, ASSEMBLING AND PACKING OF[CUST: AR] | A | 1320 | | AR | 03-FEB-97 |
| | MIL-P-64005(1) NOT 1 | PROJECTILE, 155MM, GB2, M687, METAL PARTS ASSEMBLY WITH LOADED OGIVE[CUST: AR] | A | 1320 | | AR | 31-JUL-97 |
| | MIL-P-50574B(7) NOT 1 | PROJECTILE, 155MM, HE ROCKET ASSISTED, M549 & M549A1, ACCESSORIES FOR[CUST: AR] | A | 1320 | | AR | 08-FEB-96 |
| | MIL-P-60377B(2) NOT 3 | PROJECTILE, 155MM, HE, M107 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 20-MAR-00 |
| | MIL-P-50538 NOT 3 | PROJECTILE, 155MM, HE, M449A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 03-FEB-97 |
| | MIL-P-50536 NOT 4 | PROJECTILE, 155MM, HE, M449A1, BASE PLUG FOR[CUST: AR] | A | 1320 | | AR | 03-FEB-97 |
| | MIL-P-50535 NOT 4 | PROJECTILE, 155MM, HE, M449A1, BODY ASSEMBLY FOR[CUST: AR] | A | 1320 | | AR | 03-FEB-97 |
| | MIL-P-50979B NOT 2 | PROJECTILE, 155MM, HE, M483A1 ADAPTER FOR[CUST: AR] | A | 1320 | | AR | 27-AUG-98 |
| | MIL-P-50936A(2) NOT 1 | PROJECTILE, 155MM, HE, M483A1 METALLIC HARDWARE FOR[CUST: AR] | A | 1320 | | AR | 14-AUG-97 |
| | MIL-P-48189D(1) NOT 1 | PROJECTILE, 155MM, HE, M692 AND M731 HOUSING, TIMING AND FUZING FOR[CUST: AR] | A | 1345 | | AR | 27-MAR-98 |
| | MIL-P-50578D(4) NOT 1 | PROJECTILE, 155MM, HE, RA, M549 AND M549A1 (WITH WARHEAD AND MOTOR BODY) LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 08-FEB-96 |
| | MIL-P-63203(2) NOT 1 | PROJECTILE, 155MM, HE, RA, M549A1 AFT (M37 EXTRUDED) PROPELLANT GRAIN FOR[CUST: AR] | A | 1320 | | AR | 13-FEB-96 |
| | MIL-P-63202(2) NOT 1 | PROJECTILE, 155MM, HE, RA, M549A1 FORWARD (M37 EXTRUDED) PROPELLANT GRAIN FOR[CUST: AR] | A | 1320 | | AR | 12-FEB-96 |
| | MIL-P-50573C(4) NOT 3 | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 AND M549A1 FORWARD (AHH) PROPELLANT GRAIN FOR[CUST: AR] | A | 1320 | | AR | 03-FEB-97 |
| | MIL-P-50570A(7) NOT 3 | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 AND M549A1, DELAY ASSEMBLY FOR[CUST: AR] | A | 1320 | | AR | 03-FEB-97 |
| | MIL-P-50571A(1) NOT 2 | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 AND M549A1, DELAY ASSEMBLY PARTS FOR[CUST: AR] | A | 1320 | | AR | 15-JUL-96 |
| | MIL-P-50569C(3) NOT 3 | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 SERIES, MOTOR BODY BONDING ASSEMBLING FOR[CUST: AR] | A | 1320 | | AR | 03-FEB-97 |
| | MIL-P-48764A(4) NOT 1 | PROJECTILE, 155MM, HE, ROCKET ASSISTED, M549 AND M549A1, AFT (AHH) PROPELLANT GRAIN FOR[CUST: AR] | A | 1320 | | AR | 13-AUG-97 |
| | MIL-P-48762(1) NOT 2 | PROJECTILE, 155MM, HE, ROCKET ASSISTED, M549, INERT, SIMULATED PARTS AND LOADING[CUST: AR] | A | 1320 | | AR | 08-FEB-96 |
| | MIL-P-48376 NOT 4 | PROJECTILE, 155MM, HE. M692 AND M731, NON-METALLIC HARDWARE FOR[CUST: AR] | A | 1320 | | AR | 14-FEB-97 |
| | MIL-P-48749D(3) NOT 1 | PROJECTILE, 155MM, HE: M483A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 08-FEB-96 |
| | MIL-P-50944B(3) NOT 1 | PROJECTILE, 155MM, HE: M483A1 NON-METALLIC HARDWARE FOR[CUST: AR] | A | 1320 | | AR | 18-AUG-98 |
| | MIL-P-48187C NOT 3 | PROJECTILE, 155MM, HE: M692 AND M731, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 14-FEB-97 |

| Last Action DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|
| MIL-P-71095(1) NOT 1 | PROJECTILE, 155MM, HE: M864 WEATHERSEAL ASSEMBLY FOR[CUST: AR] | A | 1320 | | AR | 13-AUG-98 |
| MIL-P-70507(5) NOT 1 | PROJECTILE, 155MM, HE: XM864 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 18-AUG-97 |
| MIL-P-50537 NOT 4 | PROJECTILE, 155MM, HE: M449A1, HARDWARE FOR[CUST: AR] | A | 1320 | | AR | 03-FEB-97 |
| MIL-P-48043A(4) NOT 1 | PROJECTILE, 155MM, ILLUMINATING M485A2, METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 13-FEB-97 |
| MIL-P-48249A(2) NOT 2 | PROJECTILE, 155MM, ILLUMINATING, M485A2 ACCESSORIES FOR, AND ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 07-FEB-96 |
| MIL-P-71092 NOT 1 | PROJECTILE, 155MM, INERT, MH64 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 17-AUG-98 |
| MIL-P-63985(1) NOT 4 | PROJECTILE, 155MM, M718/M741 METALLIC HARDWARE FOR[CUST: AR] | A | 1320 | | AR | 27-FEB-97 |
| MIL-P-48649(3) NOT 3 | PROJECTILE, 155MM, M718A1/M741A1 TYPES, LOADING, ASSEMBLING AND PACKING OF[CUST: AR] | A | 1320 | | AR | 03-FEB-97 |
| MIL-P-64007E NOT 2 | PROJECTILE, 155MM, SMOKE WP: M825, M825A1, LOADING, ASSEMBLING, AND PACKAGING[CUST: EA] | X | 1320 | | EA | 19-JUL-04 |
| MIL-P-60340A(1) NOT 2 | PROJECTILE, 155MM, SMOKE, HC, BE, M116E2, PARTS FOR[CUST: EA] | A | 1320 | | EA | 19-JUL-04 |
| MIL-P-60584A NOT 2 | PROJECTILE, 155MM, SMOKE, WP, M110 METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 16-JUL-96 |
| MIL-DTL-51489A(1) | PROJECTILE, 155MM, SMOKE, WP, M110A2, FILLING ASSEMBLY[CUST: EA] | D | 1320 | | EA | 19-JAN-05 |
| MIL-P-63430(5) NOT 4 | PROJECTILE, 155MM, TEST, NON-HAZ, M718/M741 TYPES LOADING, ASSEMBLING AND PACKING OF[CUST: AR] | A | 1320 | | AR | 27-FEB-97 |
| MIL-P-48648(2) NOT 3 | PROJECTILE, 155MM, TEST, NON-HAZARDOUS, M718A1/M741A1 TYPES LOADING, ASSEMBLING AND PACKING OF[CUST: AR] | A | 1320 | | AR | 03-FEB-97 |
| MIL-P-63397A(3) NOT 1 | PROJECTILE, 155MM: INERT PXR 6325 (M549 SIM) METAL PARTS, ASSEMBLY[CUST: AR] | A | 1320 | | AR | 13-FEB-96 |
| MIL-P-63395(3) NOT 4 | PROJECTILE, 155MM: INERT, PXR 6325 (M549 AND SIM) LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 27-FEB-97 |
| MIL-P-70612A NOT 1 | PROJECTILE, 155MM: M864 BASE ASSEMBLY FOR[CUST: AR] | A | 1320 | | AR | 07-FEB-96 |
| MIL-P-70504B NOT 1 | PROJECTILE, 155MM: M864 BODY AND OGIVE ASSEMBLY FOR[CUST: AR] | A | 1320 | | AR | 04-AUG-98 |
| MIL-P-64008(5) NOT 3 | PROJECTILE, 155MM: XM825 METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 27-FEB-97 |
| MIL-P-70506A(2) NOT 1 | PROJECTILE, 155MM: XM864 BASE BURNER ASSEMBLY LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 21-AUG-98 |
| MIL-P-70505(4) NOT 1 | PROJECTILE, 155MM: XM864 PROPELLANT GRAIN[CUST: AR] | A | 1320 | | AR | 14-DEC-95 |
| MIL-P-70476(1) NOT 2 | PROJECTILE, 155MM: INERT, M483A1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 04-AUG-98 |
| MIL-P-60523A(3) NOT 2 | PROJECTILE, 165MM, HEP, M123A1 METAL PARTS[CUST: AR] | A | 1320 | | AR | 16-JUL-96 |
| MIL-P-50398(5) NOT 1 | PROJECTILE, 165MM, TP M624, METAL PARTS[CUST: AR] | A | 1320 | | AR | 14-AUG-97 |
| MIL-P-45455E NOT 1 | PROJECTILE, 175MM, HE, M437 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 27-FEB-97 |
| MIL-P-60622B(4) NOT 2 | PROJECTILE, 175MM, HE, M437 METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 09-FEB-96 |
| MIL-P-70794(1) NOT 1 | PROJECTILE, 20 MILLIMETER, MULTIPURPOSE TRACE SELF-DESTRUCT, M940 METAL PARTS[CUST: AR] | A | 1305 | | AR | 01-NOV-96 |
| MIL-P-85723(1) NOT 1 | PROJECTILE, 20 MILLIMETER, SEMI-ARMOR PIERCING, HIGH EXPLOSIVE INCENDIARY, PGU-28/B[CUST: AS] | A | 1305 | | AS | 30-SEP-97 |
| MIL-P-85767(1) NOT 1 | PROJECTILE, 20 MILLIMETER, TARGET PRACTICE PGU-27/B[CUST: AS] | A | 1305 | | AS | 30-SEP-97 |
| MIL-P-85766(1) NOT 1 | PROJECTILE, 20 MILLIMETER, TARGET PRACTICE-TRACER, PGU-30/B[CUST: AS] | A | 1305 | | AS | 30-SEP-97 |
| MIL-P-45172F(2) NOT 2 | PROJECTILE, 20MM, API, M53, METAL PARTS[CUST: AR] | A | 1305 | | AR | 01-NOV-95 |
| MIL-P-70637(1) NOT 1 | PROJECTILE, 20MM, ARMOR PIERCING-TRACER, M95, METAL PARTS[CUST: AR] | A | 1305 | | AR | 01-NOV-96 |
| MIL-P-60835A(1) NOT 2 | PROJECTILE, 20MM, HE1-T, M242, METAL PARTS[CUST: AR] | A | 1305 | | AR | 06-DEC-95 |
| MIL-P-48618A(1) NOT 1 | PROJECTILE, 20MM, HEI, M56A5; METAL PARTS[CUST: AR] | A | 1305 | | AR | 01-NOV-95 |
| MIL-P-60679A(5) NOT 2 | PROJECTILE, 20MM, HEIT-SD, M246; METAL PARTS[CUST: AR] | A | 1305 | | AR | 01-NOV-95 |
| MIL-P-46636C NOT 2 | PROJECTILE, 20MM, HIGH PRESSURE TEST, M54A1[CUST: AR] | A | 1305 | | AR | 01-NOV-95 |
| MIL-P-60608A(4) NOT 1 | PROJECTILE, 20MM, TARGET PRACTICE - TRACER, M221, METAL PARTS[CUST: AR 99] | A | 1305 | | AR | 31-JUL-98 |
| MIL-P-45117E(2) NOT 2 | PROJECTILE, 20MM, TARGET PRACTICE, M55A2[CUST: AR] | A | 1305 | | AR | 01-NOV-95 |
| MIL-P-50774A(3) NOT 2 | PROJECTILE, 20MM, TARGET PRACTICE, M55A3 AND M55A3B1[CUST: AR] | A | 1305 | | AR | 15-AUG-98 |
| MIL-P-46530D(1) NOT 1 | PROJECTILE, 20MM, TARGET PRACTICE, M99A1[CUST: AR] | A | 1305 | | AR | 31-JUL-97 |
| MIL-P-14829(1) NOT 2 | PROJECTILE, 4.2 INCH TACTICAL CS, XM633 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 31-JAN-96 |
| MIL-P-50718B(6) NOT 1 | PROJECTILE, 4.2 INCH, HE, M329A2 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 14-AUG-97 |
| MIL-P-12764G(7) NOT 1 | PROJECTILE, 4.2 INCH, ILLUMINATING, M335A2 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 29-JAN-96 |
| MIL-P-60818C(3) NOT 2 | PROJECTILE, 4.2 INCH, ILLUMINATING, M335A2 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 12-FEB-96 |
| MIL-P-13041E NOT 2 | PROJECTILE, 4.2 INCH, SMOKE, M328A1, WP FILLING[CUST: EA 99] [REVIEW: 70 MC] | A | 1315 | | EA | 09-JUL-04 |
| MIL-P-60812(2) NOT 2 | PROJECTILE, 4.2 INCH, WP, SMOKE, M328A1 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 09-FEB-96 |
| MIL-P-14901(1) NOT 2 | PROJECTILE, 4.2 INCH: TACTICAL CS, XM633 LOADING, ASSEMBLING AND PACKING (FOR CARTRIDGE, TACTICAL CS, XM630)[CUST: AR] | A | 1315 | | AR | 31-JAN-96 |
| MIL-P-14827A NOT 1 | PROJECTILE, 57MM, HE, M306A1, METAL PARTS ASSEMBLY[CUST: AR] | A | 1310 | | AR | 09-JUL-96 |
| MIL-P-14785B NOT 2 | PROJECTILE, 60MM METAL PARTS ASSEMBLY[CUST: AR] | A | 1310 | | AR | 31-JAN-96 |
| MIL-P-50357(3) NOT 4 | PROJECTILE, 60MM, H.E., M49A3 METAL PARTS ASSEMBLY (ALLOY STEEL)[CUST: AR] | A | 1310 | | AR | 05-FEB-97 |
| MIL-P-60605B(1) NOT 1 | PROJECTILE, 60MM, HE, M49A2 METAL PARTS ASSEMBLY (CARBON STEEL)[CUST: AR] | A | 1310 | | AR | 09-FEB-96 |
| MIL-P-60335C NOT 2 | PROJECTILE, 60MM, ILLUMINATING M83A3 PARTS, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 09-FEB-96 |
| MIL-P-51474A(2) NOT 2 | PROJECTILE, 64MM, RIOT CONTROL, KE M743[CUST: EA] | A | 1310 | | EA | 14-JUL-04 |
| MIL-P-51303B NOT 2 | PROJECTILE, 81-MILLIMETER, SMOKE, M375A3; WP FILLING[CUST: EA] | A | 1315 | | EA | 07-JUL-04 |
| MIL-P-70551(2) NOT 1 | PROJECTILE, 81MM SMOKE, RP, M819 METAL PARTS[CUST: AR] | A | 1315 | | AR | 16-NOV-99 |
| MIL-P-14830A(2) NOT 2 | PROJECTILE, 81MM, H.E., M374A1 METAL PARTS ASSEMBLY (ALLOY STEEL)[CUST: AR] | A | 1315 | | AR | 15-DEC-95 |
| MIL-P-60447A(6) NOT 1 | PROJECTILE, 81MM, ILLUMINATING, M301A3 PARTS LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 15-DEC-95 |
| MIL-P-70543B(4) NOT 1 | PROJECTILE, 81MM, ILLUMINATING, M853A1 PROJECTILE, 81MM, INFRARED ILLUMINATING, XM816 METAL PARTS[CUST: AR] | A | 1315 | | AR | 02-FEB-04 |
| MIL-P-60592(1) NOT 3 | PROJECTILE, 90MM, TP-T, M353 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 03-FEB-97 |
| MIL-P-60814 NOT 3 | PROJECTILE, AP-T, 90MM, M318A1 METAL PARTS[CUST: AR OS] | A | 1315 | | AR | 03-FEB-97 |
| MIL-P-63235(5) NOT 1 | PROJECTILE, GUIDED, 155 MM, XM712, THERMAL BATTERY FOR[CUST: AR] | A | 1320 | | AR | 17-JUL-96 |
| MIL-P-63223A(3) NOT 1 | PROJECTILE, GUIDED, 155MM, M712[CUST: AR] | A | 1320 | | AR | 13-FEB-96 |
| MIL-P-63233A(1) NOT 1 | PROJECTILE, GUIDED, 155MM, M712 CONTROL ACTUATOR ASSEMBLY FOR[CUST: AR] | A | 1320 | | AR | 17-JUL-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-63225A(4) NOT 1 | PROJECTILE, GUIDED, 155MM, M712 CONTROL SECTION FOR[CUST: AR] | A | 1320 | | AR | 13-FEB-96 |
| | MIL-P-63224A(2) NOT 1 | PROJECTILE, GUIDED, 155MM, M712 GUIDANCE SECTION FOR[CUST: AR] | A | 1320 | | AR | 17-JUL-96 |
| | MIL-P-63234(3) NOT 1 | PROJECTILE, GUIDED, 155MM, XM712, M712 ROLL RATE SENSOR FOR[CUST: AR] | A | 1320 | | AR | 17-JUL-96 |
| | MIL-P-63226(3) NOT 1 | PROJECTILE, GUIDED, 155MM, XM712, WARHEAD FOR[CUST: AR] | A | 1320 | | AR | 13-FEB-96 |
| | MIL-P-14824B(3) NOT 3 | PROJECTILE, H.E., 155MM, M107 METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 20-MAR-00 |
| | MIL-P-50308B NOT 2 | PROJECTILE, HEAT, 106MM, M344A1 WITH FIN M8 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 08-FEB-96 |
| | MIL-P-46490F(1) NOT 1 | PROJECTILE, HEAT-FS, 90MM, M431E1, METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-P-60574B(2) NOT 1 | PROJECTILE, HEP-T, 105MM, M393A2 METAL PARTS[CUST: AR] | A | 1315 | | AR | 15-AUG-97 |
| | MIL-P-60521(5) NOT 2 | PROJECTILE, HEP-T, 106MM, M346A1 METAL PARTS[CUST: AR] | A | 1315 | | AR | 09-FEB-96 |
| | MIL-P-10590B(1) NOT 1 | PROJECTILE, ILLUMINATING, 81MM, M301A2 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 22-APR-96 |
| | MIL-P-70447(2) NOT 1 | PROJECTILE, PRACTICE, 155MM, M804 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 27-FEB-97 |
| | MIL-P-63345A(4) NOT 1 | PROJECTILE, PRACTICE, 155MM, M804 METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 20-FEB-97 |
| | MIL-P-70695(3) NOT 1 | PROJECTILE, PRACTICE, 155MM, M804E1 CAST METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 17-AUG-98 |
| | MIL-P-71089(4) NOT 1 | PROJECTILE, PRACTICE, 155MM, M804E1 LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1320 | | AR | 18-AUG-97 |
| | MIL-P-50793(1) NOT 2 | PROJECTILE, TP-T, 105MM, M468 METAL PARTS ASSEMBLY[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-P-60815A(3) NOT 2 | PROJECTILE, TP-T, 152MM, XM411E1 METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 17-JUL-96 |
| | MIL-P-48188A NOT 3 | PROJECTILES, 155MM, HE, M692 AND M731 METALLIC HARDWARE FOR[CUST: AR] | A | 1320 | | AR | 14-FEB-97 |
| | MIL-P-50345F NOT 1 | PROJECTILES, 155MM, M483A1 - M718A1/M741A1 - M692/M731 METAL PARTS ASSEMBLY[CUST: AR] | A | 1320 | | AR | 18-AUG-98 |
| | MIL-P-16594A NOT 1 | PROJECTILES, BOMBS, ROCKETS, AND GUIDED MISSILE WARHEADS, INERT PARTS, MANUFACTURE OF[CUST: OS] [REVIEW: EA MI] | A | 1336 | | OS | 07-FEB-91 |
| | MIL-P-50775B(1) NOT 2 | PROJECTOR, RETICLE IMAGE: 11744800 M21[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-P-83800A(2) NOT 2 | PROPANEDIOL (METRIC) 1,2[CUST: AS 68 GS3] | A | 6810 | | GS3 | 12-MAY-04 |
| | MIL-P-18942A(3) NOT 2 | PROPELLANT FOR 20MM AIRCRAFT GUN MARK 12[CUST: OS] | A | 1376 | | OS | 08-JUL-86 |
| | MIL-P-82691A NOT 1 | PROPELLANT GRAIN, IGNITER[CUST: OS] | A | 1340 | | OS | 20-MAY-92 |
| | MIL-P-48759 NOT 2 | PROPELLANT M1 FOR USE IN 90MM CARTRIDGES[CUST: AR] | A | 1375 | | AR | 11-JUL-96 |
| | MIL-P-48154B(3) NOT 1 | PROPELLANT M1 FOR USE IN CARTRIDGE, 105MM, TPDS-T, M724A1[CUST: AR] | A | 1376 | | AR | 14-FEB-97 |
| | MIL-P-60375 NOT 2 | PROPELLANT M26 FOR USE IN CARTRIDGE, ANTI PERSONNEL XM581 FOR 106MM RIFLE M40A1[CUST: AR] | A | 1376 | | AR | 16-JUL-96 |
| | MIL-P-50472A NOT 2 | PROPELLANT M26A1, FOR USE IN CHANGE PROPELLING M189[CUST: AR] | A | 1376 | | AR | 15-JUL-96 |
| | MIL-P-63105B(1) NOT 2 | PROPELLANT M30 FOR USE IN CARTRIDGE 105MM, APFSDS-T, M735, M735A1, AND XM774[CUST: AR] | A | 1376 | | AR | 17-JUL-96 |
| | MIL-P-48266A NOT 2 | PROPELLANT M30 FOR USE IN CARTRIDGE, 105MM, APDS-T, M728[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| | MIL-P-46458F(3) NOT 1 | PROPELLANT M30 FOR USE IN CARTRIDGE, 105MM, HEAT-T, M456A1 HEAT-T-MP, M456A1E2 (M456A2) AND TP-T, M490[CUST: AR] | A | 1376 | | AR | 30-OCT-97 |
| | MIL-P-70539(1) NOT 1 | PROPELLANT M30 FOR USE IN CHARGE, PROPELLING, 105MM, M200[CUST: AR] | A | 1376 | | AR | 03-JAN-97 |
| | MIL-P-48367B NOT 2 | PROPELLANT M30A1 FOR USE IN CHARGE PROPELLING M203[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| | MIL-P-48231 NOT 1 | PROPELLANT M6 FOR USE IN CARTRIDGE, 105MM APERS-T, M494[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| A | MIL-P-87897 NOT 3 | PROPELLANT, DEUTERIUM[CUST: MI 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 26-OCT-05 |
| | MIL-P-60852A NOT 2 | PROPELLANT, GRAIN, INHIBITED[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| A | MIL-P-87931 NOT 2 | PROPELLANT, ISOPROPYL ALCOHOL[CUST: 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 01-NOV-05 |
| | MIL-P-46252C NOT 2 | PROPELLANT, M1 FOR USE IN 105MM CARTRIDGE, HEP-T, M393A2, WP-T, M416, AND TP-T, M467[CUST: AR] | A | 1376 | | AR | 30-OCT-97 |
| | MIL-P-46990 NOT 2 | PROPELLANT, M1 FOR USE IN CHARGE PROPELLING FOR 75MM HOWITZER M1A1 AND M3[CUST: AR] | A | 1376 | | AR | 13-FEB-97 |
| | MIL-P-63194A NOT 2 | PROPELLANT, M10 FOR 60MM MORTAR M204 PROPELLING CHARGE[CUST: AR] | A | 1376 | | AR | 17-JUL-96 |
| | MIL-P-323A NOT 1 | PROPELLANT, M2 AND M5[CUST: AR] [REVIEW: CR4] | A | 1375 | | AR | 22-APR-96 |
| | MIL-P-46235A(2) NOT 1 | PROPELLANT, M26 (T28) FOR USE IN CARTRIDGES M344 AND M346, IN 106MM RIFLES[CUST: AR] | A | 1375 | | AR | 22-JUL-96 |
| | MIL-P-60363A NOT 2 | PROPELLANT, M9 (FOR USE IN BASE CHARGE ASSEMBLIES)[CUST: AR] | A | 1376 | | AR | 16-JUL-96 |
| | MIL-P-48127 NOT 1 | PROPELLANT, M9 FOR USE IN CHARGE, PROPELLING, M36A2[CUST: AR] | A | 1375 | | AR | 14-FEB-97 |
| | MIL-P-60019A(3) NOT 2 | PROPELLANT, M9 FOR USE WITH CHARGE, PROPELLING M36A1 FOR 4.2 INCH MORTAR[CUST: AR] | A | 1376 | | AR | 16-JUL-96 |
| A | MIL-P-87896(1) NOT 2 | PROPELLANT, NITROGEN TRIFLUORIDE[CUST: MI AS 68] [REVIEW: 19] | A | 9135 | | 68 | 14-OCT-05 |
| A | MIL-DTL-87173B NOT 2 | PROPELLANT, PRIMING FLUID, ALCM ENGINE, GRADE PF-1[CUST: 68 PS] [REVIEW: 11] | A | 9135 | | 68 | 28-OCT-05 |
| | MIL-P-231A(2) NOT 1 | PROPELLANT, PYROCELLULOSE[CUST: OS] | A | 1376 | | OS | 20-DEC-95 |
| | MIL-P-15554B(2) NOT 1 | PROPELLER REVOLUTION INDICATING EQUIPMENT, SYNCHRO (NAVAL SHIPBOARD USE)[CUST: SH] | A | 6320 | | SH | 22-APR-98 |
| | MIL-P-26366A(1) NOT 1 | PROPELLER SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS 99] | A | 1610 | | GS1 | 01-JUN-00 |
| | MIL-P-26367A NOT 2 | PROPELLER SYSTEMS, AIRCRAFT, MODEL SPECIFICATION FOR (OUTLINE AND INSTRUCTIONS FOR PREPARATION)[CUST: AV YD GS1] | A | 1610 | | GS1 | 23-JAN-01 |
| | MIL-P-24423(1) NOT 1 | PROPULSION AND AUXILIARY CONTROL CONSOLES AND ASSOCIATED CONTROL AND INSTRUMENTATION EQUIPMENT, NAVAL SHIPBOARD USE, BASIC DESIGN REQUIREMENTS[CUST: SH] | A | 2030 | | SH | 16-FEB-00 |
| | MS90412E NOT 1 | PROTECTOR, UNDERFREQUENCY A4-E, A4-F AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MS3312C NOT 1 | PROTECTOR, UNDERFREQUENCY F-4 AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-P-14462A(3) NOT 1 | PROTRACTOR, FAN, RANGEDEFLECTION, ALUMINUM, GRADUATED IN M1LS AND METERS[CUST: AR MC 99] [REVIEW: CR4] | A | 1290 | | AR | 01-SEP-97 |
| | AN6201 REV A NOT 3 | PUMP - HYDRAULIC HAND[CUST: 99] [REVIEW: CC MI] | A | 4320 | | 71 | 19-JAN-96 |
| | AN6248 REV 2 NOT 2 | PUMP - HYDRAULIC HAND, TYPE 3000[CUST: AV 99] [REVIEW: MI] | A | 4320 | | CC | 24-JAN-96 |
| | MIL-P-53108 NOT 1 | PUMP UNIT, CENTRIFUGAL, DIESEL-ENGINE-DRIVEN, 800 GPM AT 1800 FEET TOTAL HEAD[CUST: AT] | A | 4320 | | AT | 15-SEP-98 |
| | MIL-P-5954A(1) NOT 1 | PUMP UNIT, HYDRAULIC, ELECTRIC MOTOR DRIVEN FIXED DISPLACEMENT[CUST: AS 99] [REVIEW: GS] | A | 1650 | | 71 | 21-JUN-96 |
| | MIL-P-5994D NOT 1 | PUMP UNITS, HYDRAULIC, ELECTRIC MOTOR DRIVEN, VARIABLE DELIVERY, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS MC] | A | 1650 | | 71 | 01-APR-96 |
| | MIL-P-5238C NOT 1 | PUMP, CENTRIFIGUAL, FUEL BOOSTER, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AV AS] [REVIEW: GS] | A | 2915 | | AS | 28-AUG-96 |
| | MIL-P-51227B(2) NOT 2 | PUMP, CENTRIFUGAL, DECONTAMINATING APPARATUS[CUST: EA] [REVIEW: GS] | A | 4230 | | EA | 03-AUG-04 |
| | MIL-P-18682D NOT 1 | PUMP, CENTRIFUGAL, MAIN CONDENSER CIRCULATING, NAVAL SHIPBOARD[CUST: SH] | A | 4320 | | SH | 13-JUL-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-P-85315(1) NOT 1 | PUMP, EJECTOR, AIR VEHICLE FUEL, GENERAL SPECIFICATIONS FOR[CUST: AV AS 11] [REVIEW: GS] | A | 2915 | | AS | 28-AUG-96 |
| | MIL-P-51062B(1) NOT 2 | PUMP, FOG OIL, SMOKE GENERATOR, M4[CUST: EA 99] [REVIEW: 84 MC SM] | A | 1040 | | EA | 12-JUL-04 |
| | MIL-P-82436(3) NOT 2 | PUMP, FUEL[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-P-6525C NOT 1 | PUMP, FUEL TRANSFER, AERIAL REFUELING, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1680 | | 71 | 22-MAY-97 |
| | MIL-P-8258D NOT 2 | PUMP, HAND, AIR[CUST: AS] [REVIEW: CC] | A | 4220 | | AS | 30-JUL-97 |
| | MIL-P-5515D NOT 1 | PUMP, HYDRAULIC, RAM, HAND DRIVEN[CUST: AV AS 99] [REVIEW: 71] | A | 4320 | | CC | 04-APR-96 |
| | MIL-P-9388B(1) NOT 1 | PUMP, PRESSURE, OIL FREE AIR TYPE MA-2[CUST: 99] | A | 4310 | | 71 | 23-JAN-96 |
| | MS29584THRUMS29587C NOT 1 | PUMP, ROTARY, POWER-DRIVEN, FUEL, AIRCRAFT (TAPER THREADED PORTS)[CUST: AV AS 99] [REVIEW: GS] | A | 2915 | | 71 | 04-SEP-95 |
| | MIL-P-82442(6) NOT 1 | PUMP, SEA WATER[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-P-23504 NOT 1 | PUMP, VACUUM, COMPOUND, ROTARY, MOTOR DRIVEN, 12 CFM[CUST: AS] | A | 4310 | | AS | 24-JUL-96 |
| | MIL-P-26191B(1) NOT 1 | PUMPING UNIT, HYDRAULIC AF/M27M-1 AND AF/M27M-2[CUST: 99] [REVIEW: GS] | A | 1730 | | 84 | 11-AUG-95 |
| | MIL-P-52405C NOT 1 | PUMPS, CENTRIFUGAL, ELECTRIC-MOTOR-DRIVEN (FOR WATER)[CUST: AT YD] [REVIEW: CC GL MD] | A | 4320 | | AT | 07-DEC-98 |
| | MIL-P-17945A NOT 1 | PUMPS, CENTRIFUGAL, PERIPHERAL TYPE, MISCELLANEOUS NAVAL SHIPBOARD USE[CUST: SH] | A | 4320 | | SH | 01-APR-91 |
| | MIL-P-19158A(1) NOT 1 | PUMPS, RECIPROCATING, DIRECT-ACTING & POWER DRIVEN[CUST: SH] | A | 4320 | | SH | 22-JUN-87 |
| | MIL-P-27431B NOT 1 | PURGING KIT, CONVERTER SYSTEM, LIQUID OXYGEN KMU-78/E[CUST: 99] [REVIEW: 84 GS] | A | 1730 | | 71 | 20-MAR-96 |
| | MIL-P-70697A NOT 1 | PURSUIT DETERRENT MUNITION, HAND EMPLACED MINE (PDM), M86 MOLDED ASSEMBLY FOR[CUST: AR] | A | 1320 | | AR | 07-JAN-97 |
| | MIL-P-11570C NOT 1 | PYROMETER, INDICATING, THERMOCOUPLES[CUST: AT SH] [REVIEW: GS] | A | 6685 | | AT | 09-MAR-98 |
| | MIL-Q-45618F NOT 1 | QUADRANT, FIRE CONTROL, ELEVATION: M13 SERIES[CUST: AR] | A | 1290 | | AR | 18-JUL-96 |
| | MIL-Q-12713D(1) NOT 1 | QUADRANT, FIRE CONTROL, GUNNER S M1A1[CUST: AR] | A | 1290 | | AR | 08-AUG-97 |
| | MIL-Q-46315C(2) NOT 1 | QUADRANT, FIRE CONTROL-M15[CUST: AR] | A | 1290 | | AR | 16-JAN-98 |
| | MIL-Q-48556A NOT 1 | QUADRANT, FIRE CONTROL: M18[CUST: AR] | A | 1290 | | AR | 19-AUG-97 |
| | MIL-Q-50385(2) NOT 1 | QUADRANT, FIRE CONTROL: ELEVATION M14A1[CUST: AR] | A | 1240 | | AR | 14-AUG-97 |
| | MIL-Q-48555A NOT 1 | QUADRANT, FIRE CONTROL: M17[CUST: AR] | A | 1290 | | AR | 13-AUG-97 |
| | MIL-Q-50386 NOT 1 | QUADRANT, GUNNER S, M1A1E1[CUST: AR] | A | 1290 | | AR | 19-AUG-97 |
| | MIL-STD-1770A NOT 2 | QUALITY CONTROL PROCEDURES FOR HIGH DENSITY FUELS GRADES JP-9, JP-10, PF-1 AND RJ-4 AT CONTRACTOR FACILITIES[Military Standard][CUST: 68] | A | 9135 | | 68 | 09-JAN-98 |
| | MIL-Q-87152A NOT 1 | QUICK RELEASE, PERSONNEL PARACHUTE HARNESS MX-683(V) 1P[CUST: 99] [REVIEW: GS] | A | 1670 | | 11 | 21-APR-97 |
| | MIL-Q-378B NOT 1 | QUICKMATCH[CUST: AR] [REVIEW: EA] | A | 1370 | | AR | 22-APR-96 |
| | MIL-R-46837B NOT 1 | RACEWAYS, STEEL, RIGID[CUST: MI] [REVIEW: GS] | A | 5975 | | MI | 02-APR-96 |
| | MS25390 NOT 1 | RACK, BATTERY CHARGING[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 11-SEP-96 |
| | MIL-R-25085C(3) NOT 1 | RACK, BOMB AIRCRAFT, ELECTRIC, TYPE MB-3A/A[CUST: 99] | A | 1095 | | 84 | 04-SEP-95 |
| | MIL-R-38980A NOT 1 | RACK, BOMB EJECTOR, AIRCRAFT BRU-4/A AND RACK, BOMB EJECTOR, AIRCRAFT BRU-4A/A[CUST: 22] [REVIEW: 84 99] | A | 1095 | | 22 | 31-MAR-97 |
| | MIL-R-38953C(1) NOT 1 | RACK, BOMB EJECTOR, AIRCRAFT MAU-12B/A AND RACK, BOMB EJECTOR, AIRCRAFT MAU-12C/A[CUST: 99] | A | 1095 | | 84 | 04-SEP-95 |
| | MIL-R-38957C(2) NOT 1 | RACK, BOMB EJECTOR, AIRCRAFT MAU-40/A[CUST: 99] | A | 1095 | | 84 | 04-SEP-95 |
| | MIL-R-38956C(2) NOT 1 | RACK, BOMB EJECTOR, AIRCRAFT MAU-50/A[CUST: 99] | A | 1095 | | 84 | 04-SEP-95 |
| | MIL-R-22622A NOT 1 | RACK, BOMB EJECTOR, AIRCRAFT, AERO 7A AND AERO 7B SERIES[CUST: AS] | A | 1095 | | AS | 16-JAN-98 |
| | MIL-R-19445A NOT 1 | RACK, BOMB, AERO 65A SERIES[CUST: AS] | A | 1095 | | AS | 11-SEP-96 |
| | MIL-R-9409B(2) NOT 1 | RACK, BOMB, AIRCRAFT, TYPE MA-4A[CUST: 99] | A | 1095 | | 84 | 04-SEP-95 |
| | MIL-R-70553 NOT 3 | RACK, STORAGE MK19 (XM15)[CUST: AR] | A | 1095 | | AR | 04-JAN-97 |
| | MIL-R-70502(2) NOT 3 | RACK, STORAGE SMALL SAW (M13)[CUST: AR] | A | 1095 | | AR | 27-FEB-97 |
| | MIL-R-3211G NOT 3 | RACK, STORAGE, SMALL ARMS[CUST: AR 99] [REVIEW: OS] | A | 1095 | | AR | 14-MAR-97 |
| | MIL-R-48628A NOT 3 | RACK, STORAGE, SMALL ARMS: M14[CUST: AR] | A | 1095 | | AR | 03-FEB-97 |
| | MS14125F NOT 3 | RACK, VERTICAL[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MIL-R-24011A NOT 1 | RADAR ALTIMETER WARNING SET AN/APQ-107(*)[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 16-JUL-97 |
| | MIL-R-18984 NOT 1 | RADAR BOMBING EQUIPMENT AN/APA-16, BENCH, PREFLIGHT, AND FLIGHT TEST, INSTRUCTIONS FOR[CUST: AS] | A | 1285 | | AS | 11-SEP-96 |
| | MIL-R-23757C NOT 1 | RADAR IDENTIFICATION TRANSPONDER SET AN/APX-71A[CUST: AS] | A | 5895 | | AS | 17-SEP-97 |
| | MIL-I-22960A NOT 1 | RADAR INDICATORS FOR NAVAL SURFACE SHIPS, SUBMARINES AND SHORE INSTALLATIONS[CUST: SH] [REVIEW: EC] | A | 5840 | | SH | 22-APR-98 |
| | MIL-R-5532E(1) NOT 2 | RADAR RECOGNITION SET AN/APX-7(*)[CUST: AS] | A | 5895 | | AS | 16-JUL-97 |
| | MIL-R-7957B NOT 2 | RADAR SET AN/APS-45A[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 18-SEP-96 |
| | MIL-R-49126A NOT 2 | RADAR SET AN/PPS-15()[CUST: CR] | A | 5840 | | CR | 29-MAR-96 |
| | MIL-R-55348A(1) NOT 2 | RADAR SET AN/PPS-5B (UNITS OF)[CUST: CR] | A | 5840 | | CR | 15-SEP-99 |
| | MIL-R-81858(1) NOT 1 | RADAR SETS AN/APS-115B AND AN/APS-122[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 18-SEP-96 |
| | MIL-R-55350A NOT 1 | RADIAC CALIBRATOR AN/UDM-2( )[CUST: CR] [REVIEW: GS] | A | 6665 | | CR | 14-APR-97 |
| | MIL-R-49421A NOT 1 | RADIAC DETECTOR DT-236( )/PDR-75[CUST: CR] [REVIEW: GS] | A | 6665 | | CR | 17-SEP-97 |
| | MIL-R-22307D NOT 1 | RADIAC SET AN/PDR-43( )[CUST: SH] [REVIEW: GS] | A | 6665 | | SH | 22-APR-98 |
| | MIL-R-24086B NOT 1 | RADIAC SET AN/PDR-45( )[CUST: SH] [REVIEW: GS] | A | 6665 | | SH | 22-APR-98 |
| | MIL-R-55615B NOT 1 | RADIACMETER IM-174( )/PD[CUST: CR] [REVIEW: GS] | A | 6665 | | CR | 25-APR-97 |
| | MIL-R-28881(2) NOT 1 | RADIACMETER, IM-239/WDQ[CUST: SH] [REVIEW: GS] | A | 6665 | | SH | 22-APR-98 |
| | MIL-R-28887 NOT 1 | RADIO GROUP, VLF, LF, MF, AND HF[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-R-28819(1) NOT 1 | RADIO NAVIGATION RECEIVING SET, OMEGA, AN/BRN-7, AN/SRN-17[CUST: AS] | A | 5825 | | AS | 16-JUL-97 |
| | MIL-R-85690B NOT 1 | RADIO RECEIVING SET AN/ARN-146[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 15-SEP-99 |
| | MIL-R-49276A NOT 1 | RADIO REPEATER SET AN/TRC-138A[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-49210A(1) NOT 1 | RADIO REPEATER SET AN/TRC-174() (V)[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-81627 NOT 1 | RADIO SET AN/ARC-142[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 09-DEC-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-81628B(2) NOT 1 | RADIO SET AN/ARC-143B[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 09-DEC-98 |
| | MIL-R-81686(1) NOT 1 | RADIO SET AN/ARC-161[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 09-DEC-98 |
| | MIL-R-23016(3) NOT 2 | RADIO SET AN/ARC-94[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 09-DEC-98 |
| | MIL-R-49023 NOT 1 | RADIO SET AN/GRC-103 (V) 1[CUST: CR 99] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-49024 NOT 1 | RADIO SET AN/GRC-103 (V) 2[CUST: CR 99] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-55238C NOT 2 | RADIO SET AN/GRC-106( ) (UNITS OF)[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-49304 NOT 1 | RADIO SET AN/PRC-126[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-55499B(1) NOT 1 | RADIO SET AN/PRC-77( ) (UNITS OF)[CUST: CR] [REVIEW: MI] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-81462 NOT 2 | RADIO SET AN/SRC-40 DIGITAL DATA TRANSMITTER TERMINAL[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 30-MAR-98 |
| | MIL-R-28848(2) NOT 1 | RADIO SET AN/URC-94(V)[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-R-29583 NOT 1 | RADIO SET, AN/ARC-210(V)[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 30-AUG-99 |
| | MIL-R-55656(2) NOT 2 | RADIO SET, AN/GRC-103( ) (V) BASIC[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-85698 NOT 1 | RADIO SET, AN/PRC-125 (NAVY SWIMMER RADIO)[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 09-DEC-98 |
| | MIL-R-29533 NOT 1 | RADIO SET, AN/URC-()[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-R-28713A NOT 1 | RADIO SET, PORTABLE, SEARCH AND RESCUE OPERATION AN/PRC-96( )[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-R-29418(1) NOT 2 | RADIO SET: AN/PRC-104(V)[CUST: MC] | A | 5820 | | MC | 04-APR-98 |
| | MIL-R-29401B NOT 1 | RADIO SET: AN/PRC-68A[CUST: MC] | A | 5820 | | MC | 04-APR-98 |
| | MIL-R-81877B NOT 2 | RADIO SETS AN/ARC-159 AND AN/ARC-159(V)[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 09-DEC-98 |
| | MIL-R-22659D NOT 2 | RADIO SETS AN/ARC-51A, AN/ARC-51B, AN/ARC-51AX, AND AN/ARC-51BX[CUST: AS] [REVIEW: CR GS MC] | A | 5821 | | AS | 09-DEC-98 |
| | MIL-R-55002B(3) NOT 2 | RADIO SETS AN/VRC-24( ) (UNITS OF) AND CONTROL, RADIO SET C-1439( )/U[CUST: CR 99] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-49229B NOT 1 | RADIO TERMINAL ASSEMBLAGE AN/TRC-175[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-49209A(1) NOT 1 | RADIO TERMINAL SET AN/TRC-173( ) (V)[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-51080A(1) NOT 1 | RADIOACTIVE SOURCE SET, M3A1[CUST: CR] [REVIEW: EA GS] | A | 6665 | | CR | 25-APR-97 |
| | MIL-R-51081A(1) NOT 1 | RADIOACTIVE SOURCE, COBALT 60, GAMMA, M1A1[CUST: CR] [REVIEW: GS] | A | 6665 | | CR | 25-APR-97 |
| | MIL-R-45774A NOT 1 | RADIOGRAPHIC INSPECTION, SOUNDNESS REQUIREMENTS FOR FUSION WELDS IN ALUMINUM AND MAGNESIUM MISSILE COMPONENTS[CUST: MI] | A | NDTI | | MI | 27-MAR-96 |
| | MIL-STD-1166A NOT 1 | RADIOGRAPHIC TESTING REQUIREMENTS FOR SOLID PROPELLANTS[Test Method Standard][CUST: MI 11] [REVIEW: EA MR TE TM] | A | NDTI | | MI | 24-OCT-01 |
| | MIL-R-49315 NOT 1 | RADIOSONDE SET ML-659(V), FAMILY OF (NO S/S DOCUMENT)[CUST: CR] [REVIEW: GS] | A | 6660 | | CR | 01-JUN-97 |
| | MIL-STD-1325-191 NOT 3 | RAILCAR LOADING MINE, UNDERWATER MK 65 MOD 0 AND MODS IN SKID MK 25 MOD 2[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1325-189 NOT 2 | RAILCAR LOADING MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATION "C" AND "D" IN CRATE MK 55 MOD 1 WITH CRATE ADAPTERS MK 112 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1325-84 NOT 2 | RAILCAR LOADING MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATION "B" "C" AND "D" IN CRATE MK 55 MOD 1[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1325-175 NOT 4 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, 2000 LB MK 84 MOD 3 (THERMALLY PROTECTED) IN UNIT LOAD ADAPTER MK 79 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1325-157A NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, 500 LB. MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, MHU-122/E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1325-85 NOT 3 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 84 MODS 0, 1, & 2 (2000 LB.) IN UNIT LOAD ADAPTER MK 79 MOD 0[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1325-97 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS EXPLOSIVE SECTION MK 1 MOD 1 IN CRATE MK 101 MOD 1 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1325-186 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 60 MOD 0 IN SKID MK 24 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MS51389A NOT 2 | RAINCAP, FOR AIR CLEANER INTAKE FOR INDUSTRIAL ENGINES[CUST: MC 99 CC] [REVIEW: 70] | A | 2940 | | CC | 22-JAN-99 |
| | MIL-R-40080C NOT 3 | RAMP, LOADING, VEHICLE, PORTABLE, FOUR SECTION 12,000 -POUND CAPACITY[CUST: AT] [REVIEW: DP] | A | 3990 | | AT | 18-SEP-98 |
| | MIL-R-52899B NOT 3 | RAMP: LOADING VEHICLE[CUST: AT] [REVIEW: GS] | A | 3990 | | AT | 18-SEP-98 |
| | MIL-R-14864(2) NOT 1 | RANGE FINDER, LASER, AN/VVA-1[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-R-22040(2) NOT 2 | RANGEFINDER MARK 75 MOD 1[CUST: OS] | A | 1240 | | OS | 30-SEP-98 |
| | MIL-R-50749(1) NOT 1 | RANGEFINDER, FIRE CONTROL, AN/VVG-1( ) 11738801[CUST: AR] | A | 1240 | | AR | 14-AUG-97 |
| | MIL-R-48595A(2) NOT 2 | RANGEFINDER, FIRE CONTROL, LASER: 11743101[CUST: AR] | A | 1240 | | AR | 11-DEC-95 |
| | MIL-R-44398B NOT 1 | RATION SUPPLEMENT, FLAMELESS HEATER, FOR MEAL, READY-TO-EAT[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8970 | | GL | 26-SEP-97 |
| | MIL-R-82507A NOT 1 | REAR COVER (FOR TORPEDO MARK 37 MOD 2 AND MOD 3)[CUST: OS] | A | 1355 | | OS | 31-OCT-86 |
| | MIL-R-81158A NOT 1 | REAR COVER ASSEMBLED UNIT (FOR TORPEDO MARK 37 MODS O AND 1)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MS3377A NOT 2 | REBUILT TIRE - AIRCRAFT, LABORATORY QUALITY ASSURANCE REQUIREMENTS[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 03-JUN-04 |
| | MIL-R-83866 NOT 1 | RECEIEVER, OXYGEN MASK, ASSEMBLY OF[CUST: 99] [REVIEW: GS] | A | 1660 | | 11 | 10-OCT-97 |
| | MIL-R-81202D(1) NOT 1 | RECEIVER ASSEMBLY, NITROGEN, FOR LAU-7 SERIES LAUNCHERS[CUST: AS] | A | 1055 | | AS | 15-SEP-95 |
| | MIL-R-55403 NOT 2 | RECEIVER GROUP, SIMULATED RADIAC, OR-114( )/T[CUST: CR] [REVIEW: GS] | A | 6665 | | CR | 25-APR-97 |
| | MIL-R-50746(1) NOT 1 | RECEIVER TRANSMITTER, LASER, RT-1021( )/VVG-1, 11738821[CUST: AR] | A | 1240 | | AR | 14-AUG-97 |
| | MIL-R-14865(3) NOT 1 | RECEIVER TRANSMITTER, LASER: 10559281[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-R-85693/2 NOT 2 | RECEIVER, ADVANCED SONOBUOY COMMUNICATION LINK, AN/ARR-78(V) (2) S-3B CONFIGURATION[CUST: AS] | A | 5845 | | AS | 17-JUN-04 |
| | MIL-R-70834A NOT 1 | RECEIVER, CHANNEL X: 11784801[CUST: AR] | A | 5895 | | AR | 17-JUL-97 |
| | MIL-R-23489A NOT 1 | RECEIVER, INFRARED (VIEWING SET), AN/SAR-7( )[CUST: EC] | A | 5850 | | EC | 30-APR-95 |
| | MS17291C NOT 2 | RECEIVER, LIQUID REFRIGERANT 12[CUST: GL 99 IS] [REVIEW: CE CR4 GS MC] | A | 4130 | | IS | 02-FEB-96 |
| | MIL-R-22928B NOT 2 | RECEIVER, LIQUID REFRIGERANT-12[CUST: GL IS] [REVIEW: CR4 GS MC MD SS] | A | 4130 | | IS | 12-FEB-96 |
| | MIL-R-28886A NOT 1 | RECEIVER, LOW FREQUENCY, MEDIUM FREQUENCY, AND HIGH FREQUENCY COMMUNICATIONS[CUST: EC] | A | 5820 | | EC | 04-APR-98 |
| | MIL-R-81614(1) NOT 2 | RECEIVER, RADAR AUGMENTOR R-1623/APN MODULATOR, X-BAND BEACON MD-817/APN AND ANTENNA, KA-BAND RADAR AS-2406/APR[CUST: AS] [REVIEW: GS] | A | 5841 | | AS | 18-SEP-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-55099E(1) NOT 1 | RECEIVER, RADIO R-442()/VRC[CUST: CR] | A | 5820 | | CR | 29-MAR-96 |
| | MIL-R-22678(4) NOT 2 | RECEIVER-TRANSMITTER RADIO RT-542/ASQ AND RT-542A/ASQ[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 09-DEC-98 |
| | MIL-R-22679(4) NOT 2 | RECEIVER-TRANSMITTER RADIO RT-559/ASQ-58 AND RT-559A/ASQ-58[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 09-DEC-98 |
| | MIL-R-85665 NOT 1 | RECEIVER-TRANSMITTER, RADIO RT-1324A/ARC, RT-1327A/ARC & RT-1407/ARC[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 09-DEC-98 |
| | MIL-R-55100E NOT 1 | RECEIVER-TRANSMITTER, RADIO RT-246()/VRC AND RECEIVER-TRANSMITTER, RADIO RT-524()/VRC[CUST: CR 99] [REVIEW: 84 MC] | A | 5820 | | CR | 22-APR-97 |
| | MIL-R-22763(2) NOT 1 | RECEIVER-TRANSMITTER, RADIO RT-547(*)/ ASQ-19 AND DECODER, PULSE KY-312(*)/ASQ-19[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-R-81105 NOT 1 | RECEIVER-TRANSMITTER, RADIO RT-736(*)/ASQ-88 AND DECODER, PULSE KY-531(*)/ASQ-88[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 18-SEP-96 |
| | MIL-R-81443(2) NOT 2 | RECEIVER-TRANSMITTER, RADIO RT-793/ASQ AND RT-793A/ASQ[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 08-DEC-98 |
| | MIL-R-81435A NOT 2 | RECEIVER-TRANSMITTER, RADIO RT-859( )/APX-72 AND ASSOCIATED MOUNTINGS MT-3809( )/APX-72 AND MT-3948( )/APX-72[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 30-AUG-99 |
| | MIL-R-29421 NOT 2 | RECEIVER-TRANSMITTER: RT-1209/URC[CUST: MC] | A | 5820 | | MC | 04-APR-98 |
| | MIL-R-18265A(2) NOT 1 | RECEIVING SET, RADIO AN/ARR-41 (*)[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 17-DEC-90 |
| | MIL-R-23767B(1) NOT 1 | RECEIVING SET, RADIO AN/ARR-69 AND AN/ARR-69A[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 09-DEC-98 |
| | MIL-R-81498C(3) NOT 1 | RECEIVING-DECODING GROUP AN/ARA-63[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 30-AUG-99 |
| | MIL-R-2726/39A NOT 1 | RECEPTACLE AND SWITCH, ELECTRICAL, 15 AMPERE, 125 VOLT, BLADED TYPE, GROUNDED (SYMBOL NO. 919)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/40A NOT 1 | RECEPTACLE CHANNEL, ELECTRICAL, 10 AMPERE, 125 VOLT, BLADED TYPE, GROUNDED (SYMBOL NO. 730.4)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| A | MS35123C | RECEPTACLE CONNECTOR (TYPE SM) UG-700/U[CUST: CR CC] [REVIEW: MI] | A | 5935 | | CC | 07-NOV-05 |
| | MIL-R-2726/21A NOT 1 | RECEPTACLE WITH SWITCH, ELECTRICAL, 30 AMPERE, 250 VOLT DIRECT CURRENT, INTERLOCKING, GROUNDED (SYMBOL NO. 917.1)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/27B NOT 1 | RECEPTACLE WITH SWITCH, ELECTRICAL, 60 AMPERE, 208/117 VOLT, 3 PHASE, INTERLOCKING, GROUNDED (SYMBOL NO. 776.1)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| A | MIL-DTL-2726/56B | RECEPTACLE, PLUG, ELECTRICAL, 4-POLE GROUNDED, 60 AMPERE, 450-VOLT, 3-PHASE (SYMBOL NO. 1261)[CUST: CR SH CC] | A | 5935 | | CC | 31-AUG-05 |
| A | MIL-DTL-2726/72C | RECEPTACLE, ADAPTER, ELECTRICAL, 15-AMPERE, 125-VOLT, ALTERNATING CURRENT, 60 TO 400-HERTZ GROUNDED (SYMBOL NO. 2439)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| A | MIL-DTL-2726/51C | RECEPTACLE, ADAPTER, ELECTRICAL, 15-AMPERE, 125-VOLT, ALTERNATING CURRENT, GROUNDED (SYMBOL NO. 2440.2)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| | MIL-R-2726/13D NOT 1 | RECEPTACLE, CAP ASSEMBLY, ELECTRICAL (SYMBOL NO. 1142.1)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MS35118C NOT 2 | RECEPTACLE, CONNECTOR (TYPE SM) UG-695/U[CUST: CR CC] | A | 5935 | | CC | 15-JUN-99 |
| | MIL-R-2726/28A NOT 1 | RECEPTACLE, ELECTRICAL 4 POLE GROUNDED, 100 AMPERE, 450 VOLT, 3 PHASE, ( SYMBOL NO. 1221)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/25A NOT 1 | RECEPTACLE, ELECTRICAL CONNECTOR, 25 AMPERE, 500 VOLT, 3 PHASE GROUNDED (SYMBOL NO. 722.1)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| A | MIL-DTL-2726/73C | RECEPTACLE, ELECTRICAL, 15-AMPERE, 125-VOLT, BLADED TYPE, GROUNDED (PORTABLE) (SYMBOL NO. 1215)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| | MIL-R-2726/7A NOT 1 | RECEPTACLE, ELECTRICAL, 2 PIN, 40 AMPERE, 125 VOLT DIRECT CURRENT (SYMBOL NOS. 756.1 AND 756.2)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/12A NOT 1 | RECEPTACLE, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 125 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1144.1 AND 1144.2)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/11B NOT 1 | RECEPTACLE, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NO. 1141.1 AND 1141.2)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| A | MIL-DTL-2726/59B | RECEPTACLE, ELECTRICAL, 3-PIN GROUNDED, 10-AMPERE, 450-VOLT, 400 HERTZ, SINGLE PHASE (SYMBOL NO. 1264)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| A | MIL-DTL-2726/57B | RECEPTACLE, ELECTRICAL, 3-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ, SINGLE PHASE (SYMBOL NO. 1262)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| M | MIL-DTL-2726/8B | RECEPTACLE, ELECTRICAL, 3-PIN GROUNDED, 50-AMPERE, 250-VOLT, DIRECT CURRENT (SYMBOL NOS. 757.1 AND 757.2)[CUST: SH CC] | A | 5935 | | CC | 14-FEB-06 |
| M | MIL-DTL-2726/9B | RECEPTACLE, ELECTRICAL, 4 - PIN GROUNDED, 40 - AMPERE, 450 - VOLT, ALTERNATING CURRENT (SYMBOL NOS. 758.1 AND 758.2)[CUST: SH CC] | A | 5935 | | CC | 14-FEB-06 |
| A | MIL-DTL-2726/60B | RECEPTACLE, ELECTRICAL, 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 400 HERTZ, 3- PHASE (SYMBOL NO. 1265)[CUST: CR SH CC] | A | 5935 | | CC | 31-AUG-05 |
| A | MIL-DTL-2726/58B | RECEPTACLE, ELECTRICAL, 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ, ALTERNATING CURRENT (SYMBOL NO. 1263)[CUST: CR SH CC] | A | 5935 | | CC | 31-AUG-05 |
| A | MIL-DTL-2726/61B | RECEPTACLE, ELECTRICAL, 4-POLE GROUNDED, 60-AMPERE, 450-VOLT, 3-PHASE (SYMBOL NO. 1266)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| | MIL-R-2726/35B NOT 1 | RECEPTACLE, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, PANEL MOUNTED, FEMALE (SYMBOL NO. 1213.2 - RED; SYMBOL NO. 1213.4 - BLACK)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/36B NOT 1 | RECEPTACLE, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, PANEL MOUNTED, MALE TYPE (SYMBOL NO. 1213.3 - RED, SYMBOL NO. 1213.5 - BLACK)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| A | MIL-DTL-2726/62C | RECEPTACLE, ELECTRICAL, ENCLOSED 3-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ SINGLE-PHASE (SYMBOL NO. 1267)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| A | MIL-DTL-2726/63C | RECEPTACLE, ELECTRICAL, ENCLOSED 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ ALTERNATING CURRENT (SYMBOL NO. 1268)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| A | MIL-DTL-2726/67B | RECEPTACLE, ELECTRICAL, ENCLOSED, 10-AMPERE, 125-VOLT, 3-PHASE, GROUNDED (SYMBOL NO. 741.2)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| | MIL-R-2726/23A NOT 1 | RECEPTACLE, ELECTRICAL, ENCLOSED, 100 AMPERE, 250 VOLT DIRECT CURRENT, BULKHEAD MOUNTED (SYMBOL NO. 726.1)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/17B NOT 1 | RECEPTACLE, ELECTRICAL, ENCLOSED, 3 PIN GROUNDED, 40 AMPERE, 125 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1148.1, 1148.2, AND 1148.3)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/15B NOT 1 | RECEPTACLE, ELECTRICAL, ENCLOSED, 3 PIN GROUNDED, 50 AMPERE, 250 VOLT DIRECT CURRENT (SYMBOL NOS. 1146.1, 1146.2, AND 1146.3)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| A | MIL-DTL-2726/64C | RECEPTACLE, ELECTRICAL, ENCLOSED, 3-PIN GROUNDED, 10-AMPERE, 450-VOLT, 400-HERTZ SINGLE-PHASE (SYMBOL NO. 1269)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| | MIL-R-2726/16A NOT 1 | RECEPTACLE, ELECTRICAL, ENCLOSED, 4 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1147.1, 1147.2 AND 1147.3)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| A | MIL-DTL-2726/65C | RECEPTACLE, ELECTRICAL, ENCLOSED, 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 400-HERTZ, 3-PHASE (SYMBOL NO. 1272)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| | MIL-R-2726/42A NOT 1 | RECEPTACLE, ELECTRICAL, ENCLOSED, 60 AMPERE, 500 VOLT, 3 PHASE, GROUNDED (SYMBOL NO. 746.2)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-2726/18A NOT 1 | RECEPTACLE, ELECTRICAL, TRIPLE, 50 AMPERE, 250 VOLT DIRECT CURRENT, 3 POLE GROUNDED (SYMBOL NO. 1105.1)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-27521A(1) NOT 2 | RECEPTACLE, FLYING BOOM, AERIAL REFUELING GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 1680 | | 71 | 26-SEP-97 |
| | MIL-R-2726/45B NOT 1 | RECEPTACLE, OUTLET SWITCH, ELECTRICAL, 100 AMPERE, 125 VOLT, 60 AMPERE, 250 VOLT, INTERLOCKING, GROUNDED (SYMBOL NO. 772.1)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/22A NOT 1 | RECEPTACLE, OUTLET, ELECTRICAL, WELDING, 200-AMPERE, DIRECT CURRENT, CONSTANT POTENTIAL (SYMBOL NO. 770.2)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/49D(1) NOT 1 | RECEPTACLE, OUTLET, TRIPLE, ELECTRICAL, 40-AMPERE, 450-VOLT, 60 HERTZ, ALTERNATING CURRENT, 4-POLE, PORTABLE, PLASTIC, GROUNDED (SYMBOL NOS. 765.6, 765.7 AND 765.8)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| A | MIL-DTL-2726/69C | RECEPTACLE, OUTLET, TRIPLE, ELECTRICAL, PORTABLE, 15-AMPERE, 125-VOLT ALTERNATING CURRENT, DOUBLE POLE, GROUNDED, 25-FOOT CABLE EXTENSION (SYMBOL NO. 779)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| A | MIL-DTL-2726/68D | RECEPTACLE, PLUG, CONNECTOR, ELECTRICAL, 10-AMPERE, 125-VOLT, 3-PHASE, GROUNDED (SYMBOL NO. 706.1)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| | MIL-R-2726/26C NOT 1 | RECEPTACLE, PLUG, ELECTRICAL 4 PIN, 60 AMPERE, 208/117 VOLT, 3 PHASE (SYMBOL NO 728.1)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/31A NOT 1 | RECEPTACLE, PLUG, ELECTRICAL, 10-AMPERE, 125 VOLT, DOUBLE POLE, MALE (SYMBOL NO. 729.1)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/46A NOT 1 | RECEPTACLE, PLUG, ELECTRICAL, 100-AMPERE, 250 VOLT, DIRECT CURRENT, 3 POLE (SYMBOL NO. 721.1)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| M | MIL-DTL-2726/1C | RECEPTACLE, PLUG, ELECTRICAL, 2 - PIN, 40 - AMPERE, 125 - VOLT, DIRECT CURRENT (SYMBOL NO. 715.1)[CUST: SH CC] | A | 5935 | | CC | 14-FEB-06 |
| M | MIL-DTL-2726/6C | RECEPTACLE, PLUG, ELECTRICAL, 3 - PIN GROUNDED, 40 - AMPERE, 125 - VOLT, ALTERNATING CURRENT (SYMBOL NO. 1143.1)[CUST: SH CC] | A | 5935 | | CC | 14-FEB-06 |
| M | MIL-DTL-2726/2C | RECEPTACLE, PLUG, ELECTRICAL, 3 - PIN GROUNDED, 50 - AMPERE, 250 - VOLT, DIRECT CURRENT (SYMBOL NO. 716.1)[CUST: SH CC] | A | 5935 | | CC | 14-FEB-06 |
| A | MIL-DTL-2726/54B | RECEPTACLE, PLUG, ELECTRICAL, 3-PIN GROUNDED, 10-AMPERE, 450-VOLT, 400 HERTZ, SINGLE PHASE (SYMBOL NO. 1259)[CUST: CR SH CC] | A | 5935 | | CC | 31-AUG-05 |
| A | MIL-DTL-2726/52B | RECEPTACLE, PLUG, ELECTRICAL, 3-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ, SINGLE PHASE (SYMBOL NO. 1257)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| A | MIL-DTL-2726/55B | RECEPTACLE, PLUG, ELECTRICAL, 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 400 HERTZ, 3-PHASE (SYMBOL NO. 1260)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| A | MIL-DTL-2726/53B | RECEPTACLE, PLUG, ELECTRICAL, 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ, 3-PHASE (SYMBOL NO. 1258)[CUST: CR SH CC] [REVIEW: AV MI] | A | 5935 | | CC | 31-AUG-05 |
| M | MIL-DTL-2726/3D | RECEPTACLE, PLUG, ELECTRICAL, 4-PIN GROUNDED, 40-AMPERE, 450-VOLT, ALTERNATING CURRENT, 60-HERTZ (SYMBOL NO. 717.1)[CUST: SH CC] | A | 5935 | | CC | 14-FEB-06 |
| | MIL-R-2726/33B NOT 1 | RECEPTACLE, PLUG, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, MALE (SYMBOL NO. 1214.2 - RED, SYMBOL NO. 1214.5 - BLACK)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/34C NOT 1 | RECEPTACLE, PLUG, ELECTRICAL, 40 AMPERES, 125 VOLT, SIGNAL POLE, FEMALE TYPE (SYMBOL NO 1214.3 RED, SYMBOL NO 1214.4 BLACK)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/24B NOT 1 | RECEPTACLE, PLUG, ELECTRICAL, CONNECTOR, 25-AMPERE, 500 VOLT, 3 PHASE GROUNDED (SYMBOL NO. 707.1)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MIL-R-2726/44A NOT 1 | RECEPTACLE, PORTABLE TRIPLE OUTLET, ELECTRICAL, 60-AMPERE, 500-VOLT, 3-PHASE GROUNDED (SYMBOL NO. 765.3)[CUST: SH] | A | 5935 | | CC | 28-JUN-99 |
| | MS22032B NOT 2 | RECHARGER ASSEMBLY, PORTABLE OXYGEN (ASG)[CUST: AS 99] [REVIEW: 11 GS] | A | 1660 | | AS | 21-AUG-96 |
| | MIL-R-85535(2) NOT 1 | RECORDER - REPRODUCER SET, DIGITAL DATA, AN/ASH-33[CUST: AS] | A | 5835 | | AS | 15-SEP-99 |
| | MIL-R-23811(3) NOT 1 | RECORDER ASSEMBLY (FOR TORPEDO EXERCISE SECTION MARK 64 MOD 2)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-R-85308 NOT 1 | RECORDER REPRODUCER, ACOUSTIC AN/AQH-4-(V)2[CUST: AS] | A | 5835 | | AS | 15-SEP-99 |
| | MIL-R-81355B NOT 1 | RECORDER, BATHYTHERMOGRAPH DATA RO-308(A)/SSQ-36[CUST: AS] [REVIEW: GS] | A | 6655 | | AS | 21-AUG-96 |
| | MIL-R-21073A(1) NOT 1 | RECORDER, MAGNETIC DISTORTION, RO-32/ASQ[CUST: AS] [REVIEW: GS] | A | 6655 | | AS | 21-AUG-96 |
| | MIL-R-85509 NOT 1 | RECORDING GROUP, VIDEO SIGNAL OA-8962/ASH[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 30-MAR-98 |
| | MIL-R-46711D(1) NOT 2 | RECOVERY VEHICLE, FULL-TRACKED; LIGHT, ARMORED, M578[CUST: AR] [REVIEW: AT] | A | 2350 | | AR | 08-FEB-96 |
| | MS51534A NOT 1 | REDUCER, TUBE, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51895A NOT 1 | REDUCER, TUBE, LARGE HEX, O-RING, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR SH 99] [REVIEW: 71 AT MC OS] | A | 4730 | | CC | 17-AUG-99 |
| | MIL-R-55566C NOT 1 | REEL, CABLE RC-435( )/U[CUST: CR IS] [REVIEW: CR4] | A | 8130 | | IS | 25-FEB-98 |
| | MIL-R-9126A NOT 2 | REEL, FUELING HOSE, AERIAL, REFUELING, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 1680 | | 71 | 26-SEP-97 |
| | MIL-R-7172 NOT 1 | REEL, TOW-TARGET, 12,000-FOOT CABLE CAPACITY, AIRBORNE[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 18-SEP-96 |
| | MIL-R-13873 NOT 1 | REEL, WIRE, FIRING MODEL 1942[CUST: AR] | A | 1375 | | AR | 10-FEB-97 |
| | MIL-R-3206B(1) NOT 1 | REELING MACHINE, CABLE, HAND, RL-39[CUST: CR] | A | 3895 | | CR | 28-SEP-99 |
| | MIL-R-3241E(1) NOT 1 | REELS, CABLE (REELS DR-5(), DR-7(), DR-8(), RC-453()/G, RL-159()/U)[CUST: CR YD 11 IS] [REVIEW: 99 MC MI] | A | 8130 | | IS | 25-FEB-98 |
| | MIL-R-6771B(2) NOT 1 | REFLECTOR, GUNSIGHT GLASS[CUST: AR OS] [REVIEW: GS] | A | 1270 | | AR | 01-SEP-97 |
| | MIL-R-12216C NOT 1 | REFLECTOR, LIGHT: ALUMINUM, AND SHIELD, LIGHT: TELESCOPING, ALUMINUM[CUST: CR4 99 IS] | A | 6210 | | IS | 11-AUG-92 |
| | MIL-R-10932N NOT 3 | REFRIGERATORS, PREFABRICATED, PANEL TYPE[CUST: GL YD 99] [REVIEW: 84 AV CR4 MC MD1 SM SS] | A | 4110 | | GL | 11-JUL-97 |
| | MIL-R-0010932P NOT 1 | REFRIGERATORS, PREFABRICATED, PANEL TYPE[CUST: GL] [REVIEW: AV CR4 MD1 SS] | A | 4110 | | GL | 03-JUL-97 |
| | AN6295 REV 1 NOT 3 | REGULATOR - 10 GPM HYDRAULIC PRESSURE[CUST: 99] [REVIEW: GS] | A | 1650 | | 71 | 29-MAR-04 |
| | AN6004 REV 4 | REGULATOR - DILUTER DEMAND OXYGEN[CUST: AS 99] [REVIEW: GS] | A | 1660 | | AS | 07-DEC-71 |
| | MIL-R-9345(1) NOT 1 | REGULATOR AIR PRESSURE, AIRCRAFT CABIN, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 23-JUL-97 |
| | MIL-R-48577(1) NOT 1 | REGULATOR ASSEMBLY, 11747171[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MIL-R-82441A(2) NOT 1 | REGULATOR ASSEMBLY, CARBON DIOXIDE PRESSURE[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-R-82184A NOT 2 | REGULATOR ASSEMBLY, SKID MOUNTED. 6-INCH[CUST: MC] | A | 4930 | | MC | 30-APR-99 |
| | MIL-R-23761/1A(1) NOT 1 | REGULATOR CONTROL PANEL, AIRCRAFT DIRECT CURRENT GENERATOR, 28 VOLT[CUST: AS] [REVIEW: GS] | A | 6110 | | AS | 13-AUG-97 |
| | MS18071H NOT 1 | REGULATOR VOLTAGE, DIRECT CURRENT GENERATOR, 28 VOLTS, SOLID STATE[CUST: AV AS 99] [REVIEW: GS] | A | 6110 | | AS | 15-MAY-81 |
| | MIL-R-81553B(1) NOT 1 | REGULATOR, CHEST MOUNTED, OXYGEN, POSITIVE PRESSURE, CRU-79/P[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 12-FEB-01 |
| | MIL-R-85523A NOT 1 | REGULATOR, CHEST MOUNTED, POSITIVE PRESSURE, CRU-82/P[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 23-JUL-97 |
| | MIL-R-23057(1) NOT 1 | REGULATOR, COMPRESSED AIR, HIGH PRESSURE (3500 PSI)[CUST: AS] | A | 4310 | | AS | 24-JUL-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-6018C(1) NOT 1 | REGULATOR, OXYGEN DILUTER DEMAND (ASG)[CUST: AS 99] [REVIEW: GS] | A | 1660 | | AS | 21-AUG-96 |
| | MIL-R-29585 NOT 1 | REGULATOR, OXYGEN, CHEST MOUNTED, DILUTER-DEMAND, AUTOMATIC-PRESSURE BREATHING[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 27-AUG-97 |
| | MS22062F NOT 1 | REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC, PRESSURE BREATHING[CUST: AV AS] [REVIEW: GS] | A | 1660 | | AS | 27-AUG-97 |
| | MIL-R-51516(1) NOT 2 | REGULATOR, PRESSURE, RIOT CONTROL AGENT DISPERSER[CUST: EA] | A | 1040 | | EA | 16-JUL-04 |
| | MIL-R-48442 NOT 1 | REGULATOR: 11733468[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MIL-R-25410G NOT 1 | REGULATORS, OXYGEN, DILUTER-DEMAND, AUTOMATIC-PRESSURE BREATHING[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 10-SEP-97 |
| A | MIL-R-19180B NOT 1 | REGULATORS, PRESSURE, COMPRESSED GAS[CUST: AR SH 99 CC] [REVIEW: 71] | A | 4820 | | CC | 21-OCT-98 |
| | MIL-R-23761/2B NOT 1 | REGULATORS, VOLTAGE, AIRCRAFT DIRECT CURRENT GENERATOR, 28-VOLT[CUST: AS] [REVIEW: GS] | A | 6110 | | AS | 13-AUG-97 |
| | MIL-R-23761B NOT 1 | REGULATORS, VOLTAGE, AND CONTROL PANELS AIRCRAFT, DIRECT CURRENT GENERATOR, GENERAL SPECIFICATION FOR[CUST: AV AS 11] [REVIEW: 71 99 GS] | A | 6110 | | AS | 13-AUG-97 |
| | MIL-R-23014 NOT 2 | RELAY ASSEMBLY, ARMING, MAGNETIC RYU-7(*)/A24 AND RACK, ELECTRICAL EQUIPMENT MTU-6(*)/A24[CUST: AS] [REVIEW: GS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-R-81766 NOT 1 | RELAY PANEL RYK-13/A24B-4(V)[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-R-19046D NOT 1 | RELAY PANEL, FIRING (FOR TORPEDO MARK 37 MODS O, 2, AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | AN3314 REV 3 | RELAY, 10 AMP, 1PDT, UNSEALED, CLASS O[CUST: AV 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JAN-02 |
| | AN3308 REV 5 | RELAY, 10 AMP, 3PDT, SEALED, CONNECTOR MOUNTING, CLAASS O[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JAN-02 |
| | AN3310 REV 5 | RELAY, 10 AMP, 4 PDT, SEALED, CONNECTOR MOUNTING, CLASS O[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JAN-02 |
| | AN3362 REV 6 | RELAY, 100 AMP, 2PST, UNSEALED, CLASS 0, TYPE II[CUST: AV 11 CC] | A | 5945 | | CC | 27-OCT-99 |
| | MS27715B(1) | RELAY, 150 AMP, 3PST, N.0., TYPE I, COIL AND CONTACTS INDIVIDUALLY SEALED[CUST: 11 CC] | A | 5945 | | CC | 14-FEB-01 |
| | AN3372 REV 5 | RELAY, 200 AMP, 2PST, CLASS O UNSEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JAN-02 |
| | AN3324 REV 3 | RELAY, 25 AMP, 1PDT, UNSEALED, CLASS O[CUST: AV 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JAN-02 |
| | AN3320 REV 3 | RELAY, 25 AMP, 1PST, UNSEALED, CLASS O[CUST: AV 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JAN-02 |
| | AN3303 REV 3 | RELAY, 3 AMP, 4 PDT, SEALED, CONNECTOR MOUNTING, CLASS O[CUST: 11 CC] | A | 5945 | | CC | 15-JAN-02 |
| | AN3335 REV 4 | RELAY, 5 AMP, 3PST, UNSEALED, CLASS O[CUST: AV 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JAN-02 |
| | MS25030N | RELAY, 50 AMP, 2 PDT (N.O.), TYPE II, NON-HERMETICALLY SEALED, MECHANICALLY INTERLOCKED[CUST: AS 11 CC] | A | 5945 | | CC | 27-NOV-03 |
| | MIL-R-62197A NOT 1 | RELAY, ARMATURE[CUST: AT] | A | 1250 | | AT | 18-FEB-98 |
| | MIL-R-6106/14C | RELAY, ELECTRIC, PERMANENT DRIVE, 50 AMP, SPDT (DB) DOUBLE MAKE DOUBLE BREAK AUXILIARY CONTACTS (5 AMP), HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 10-NOV-00 |
| | MIL-PRF-6106/12E(1) NOT 1 | RELAY, ELECTROMAGNETIC (TYPE I), MAGNETIC LATCH, 25 AMPERES, 3PNO MAIN CONTACTS, WITH 2 AMPERE 1PDT AUXILIARY CONTACTS, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-NOV-02 |
| | MS25032K(1) | RELAY, ELECTROMAGNETIC, 200 AMPERES, 2 PDT, (N.O.) TYPE II, NONHERMETICALLY SEALED, MECHANICALLY INTERLOCKED[CUST: AS 11 CC] | A | 5945 | | CC | 14-FEB-01 |
| | MIL-PRF-6106/41B(1) NOT 1 | RELAY, ELECTROMAGNETIC, 25 AMPERES, 3PNO, WITH 2 AMPERE, 1PDT AUXILIARY CONTACTS, HERMETICALLY SEALED, TYPE I[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-NOV-02 |
| | MS25267H | RELAY, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, SOLDER HOOK, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC] | A | 5945 | | CC | 27-NOV-03 |
| | MIL-PRF-6106/40C(2) NOT 1 | RELAY, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 10 AMPERES, 3 PDT, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-NOV-02 |
| | MS25321N | RELAY, ELECTROMAGNETIC,100 AMPERES, 2 PDT, N.O. TYPE II, NON-HERMETICALLY SEALED, MECHANICALLY INTERLOCKED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25031M | RELAY, ELECTROMAGNETIC,100 AMPERES, 2 PDT, N.O. TYPE II, NON-HERMETICALLY SEALED, MECHANICALLY INTERLOCKED[CUST: AS 11 CC] [REVIEW: 99 EC] | A | 5945 | | CC | 27-NOV-03 |
| | MIL-R-46903B NOT 2 | RELAY, EXPLOSIVE, XM10 LOADING, ASSEMBLING AND PACKING[CUST: AR] [REVIEW: MI] | A | 1375 | | AR | 14-MAR-97 |
| | MIL-R-46904B NOT 1 | RELAY, EXPLOSIVE, XM10 PARTS FOR[CUST: AR] [REVIEW: MI] | A | 1375 | | AR | 14-MAR-97 |
| | MIL-R-60443(1) NOT 2 | RELAY, EXPLOSIVE, XM11[CUST: AR] [REVIEW: MI] | A | 1375 | | AR | 14-MAR-97 |
| | MIL-R-12744A NOT 2 | RELAY, M1, LOADING, ASSEMBLING, AND PACKING[CUST: AR] [REVIEW: MI] | A | 1375 | | AR | 14-MAR-97 |
| | MIL-R-46448 NOT 2 | RELAY, M2, LOADING, ASSEMBLING, AND PACKING.[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-R-46449 NOT 2 | RELAY, M3, LOADING, ASSEMBLING, AND PACKING.[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-R-46450 NOT 2 | RELAY, M4, LOADING, ASSEMBLING, & PACKING.[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-R-46451 NOT 2 | RELAY, M5, LOADING, ASSEMBLING, & PACKING.[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-R-46453D NOT 2 | RELAY, M7, PARTS FOR LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 12-FEB-97 |
| | MIL-R-19309D | RELAY, SENSITIVE (FOR TORPEDO MARK 37 MOD 2)[CUST: OS CC] | A | 5945 | | CC | 07-MAR-03 |
| | MIL-R-21187C NOT 1 | RELAY, SENSITIVE (FOR TORPEDO MARK 37 MODS 0, 2, AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-R-28750/7D | RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, 100 MA, 250 V DC, SIGNAL SWITCHING, SPST (N. O.)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 5945 | | CC | 23-JUN-03 |
| | MIL-R-28750/6E | RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, 250 MA, 40 V DC, SIGNAL SWITCHING, SPST (N. O.)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 5945 | | CC | 23-JUN-03 |
| | MIL-R-28750/5E | RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, PLUS OR MINUS 50 MA, PLUS OR MINUS 40 V, AC OR DC, ANALOG SIGNAL SWITCHING, SPST (N.O.)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 5945 | | CC | 23-JUN-03 |
| | MIL-PRF-83726/21E(2) NOT 1 | RELAY, SOLID STATE, TIME DELAY (ON OPERATE), TYPE I, CLASS C, SPST, 250 MILLIAMPERES, VARIABLE TIME, .05 TO 500 SECONDS[CUST: 11 CC] [REVIEW: 19] | A | 5945 | | CC | 15-NOV-02 |
| | MIL-PRF-83726/20D(2) NOT 1 | RELAY, SOLID-STATE, TIME DELAY (ON OPERATE), TYPE I, CLASS C, SPST, 250 MILLIAMPERES, FIXED TIME, 0.05 TO 500 SECONDS[CUST: 11 CC] [REVIEW: 19] | A | 5945 | | CC | 15-NOV-02 |
| A | AN3306 REV 6 | RELAYS, 10 AMP, 2 PDT, SEALED, CONNECTOR MOUNTING, CLASS O[CUST: AV 11 CC] [REVIEW: 99] | A | 5945 | | CC | 01-FEB-06 |
| | MS27714E(1) | RELAYS, 75 AMPERE, 3PST, N.O. TYPE I, COIL AND CONTACTS INDIVIDUALLY SEALED[CUST: 11 CC] | A | 5945 | | CC | 14-FEB-01 |
| | MIL-R-5757/29E | RELAYS, ELECTRICAL, 1 PST TO 4 PDT CONTACTS LOW-LEVEL TO 1/2 AMPERE (DRY REED)[CUST: CR EC 11 CC] [REVIEW: 99 AT AV CR4 MC MI] | A | 5945 | | CC | 25-APR-05 |
| | MIL-R-5757/103E | RELAYS, ELECTRICAL, HERMETICALLY SEALED SPDT, LOW LEVEL TO 0.25 AMPERE[CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH] | A | 5945 | | CC | 01-FEB-02 |
| | MIL-R-5757/1J | RELAYS, ELECTRICAL, HERMETICALLY SEALED, 6PDT, LOW LEVEL TO 2 AMPERES[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT AV MI SH] | A | 5945 | | CC | 03-SEP-04 |
| | MIL-R-5757/23K | RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, 10 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A | 5945 | | CC | 25-JUL-03 |
| | MIL-R-5757/8F | RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, 2 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AR AT MI SH] | A | 5945 | | CC | 30-JUN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-5757/13H | RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, LOW LEVEL TO 2 AMPERES, (SENSITIVE, 40 MILLIWATTS)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH] | A | 5945 | | CC | 03-SEP-04 |
| | MIL-DTL-13718F NOT 1 | RELAYS, ELECTROMAGNETIC 24 VOLT DC[CUST: AT MC 99] [REVIEW: CC CR MI] | A | 2920 | | AT | 16-SEP-02 |
| | MS27247M | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT TYPE I, HERMETICALLY SEALED[CUST: EC 11 CC] [REVIEW: AS] | A | 5945 | | CC | 27-NOV-03 |
| | MS25466F | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT TYPE I, MAGNETIC LATCH, STUD MOUNTED, SOLDER HOOKS, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25457H | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25323L(1) | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 14-FEB-01 |
| | MS25273H(2) | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 17-MAR-05 |
| | MS27245P | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2PDT, TYPE I, HERMETICALLY SEALED[CUST: EC 11 CC] [REVIEW: AS] | A | 5945 | | CC | 27-NOV-03 |
| | MS27254H | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT TYPE I, PLUG-IN, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS27255K | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT TYPE I, SOLDER HOOKS, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS27709G(1) | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 14-FEB-01 |
| | MS25461J | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25468L | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25272J | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, POTTED LEAD, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25327N | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25271J(1) | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, SOLDER HOOK, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 15-DEC-04 |
| | MS27242K | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1 PST N. O. TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS24149E | RELAYS, ELECTROMAGNETIC, 2 PDT, 10 AMPERES, TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 15-APR-03 |
| | MS27706H | RELAYS, ELECTROMAGNETIC, 20 AMPERES, 3 PST, MECHANICAL INTERLOCK, (CENTER OFF) LOAD, TRANSFER, TYPE I, HERMETICALLY SEALED[CUST: 11 CC] | A | 5945 | | CC | 27-NOV-03 |
| | MS27997N | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST N.O. TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 27-NOV-03 |
| | MS27418K(1) | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST-NO, TYPE I, HERMETICALLY SEALED, HOOK AND SCREW TERMINALS, STUD AND BRACKET MOUNTED[CUST: AS 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-DEC-04 |
| A | MS25917F(2) | RELAYS, ELECTROMAGNETIC, 3 AMPERES, 4 PDT, TYPE I[CUST: AS 11 CC] | A | 5945 | | CC | 01-AUG-05 |
| | MS25918J | RELAYS, ELECTROMAGNETIC, 3 AMPERES, 6 PDT, TYPE I[CUST: AS 11 CC] | A | 5945 | | CC | 27-NOV-03 |
| | MS24152J | RELAYS, ELECTROMAGNETIC, 3 PDT, 25 AMPERES, TYPE II, NONHERMETICALLY SEALED (MECHANICALLY INTERLOCKED)[CUST: AS 11 CC] | A | 5945 | | CC | 15-APR-03 |
| A | MIL-R-39016/40G | RELAYS, ELECTROMAGNETIC, 4PDT, LOW LEVEL TO 2.0 AMPERES (0.100-INCH TERMINAL SPACING)[CUST: CR EC 11 CC] [REVIEW: AS AT AV CR4 OS SH] | A | 5945 | | CC | 25-OCT-05 |
| | MS25395J(1) | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 2 PDT, TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 26-MAR-04 |
| | MS25455H | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25465F | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25467E | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT TYPE I, MAGNETIC LATCH, SOLDER TERMINAL, STUD MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25459H | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25268K | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, POTTED LEAD, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25325P | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25269L | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 6 PDT, TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25469F | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 6 PDT, TYPE I, MAGNETIC LATCH, STUD MOUNTED, SOLDER HOOK TERMINALS, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25270K | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 6 PDT, TYPE I, POTTED LEAD, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS27222M | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3 PST N. O. TYPE I, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: 99 EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25463J | RELAYS, ELECTROMAGNETIC, 6 PDT, 5 AMPERES, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] [REVIEW: EC] | A | 5945 | | CC | 27-NOV-03 |
| | MS25329M | RELAYS, ELECTROMAGNETIC, 6 PDT, 5 AMPERES, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED[CUST: AS 11 CC] | A | 5945 | | CC | 27-NOV-03 |
| | MS27749E | RELAYS, ELECTROMAGNETIC, 60 AMPERES, 3 PDT MAGNETIC LATCH, HERMETICALLY SEALED[CUST: 11 CC] | A | 5945 | | CC | 27-NOV-03 |
| | MIL-R-39016/34E(3) | RELAYS, ELECTROMAGNETIC, DPDT, LOW LEVEL TO 1.0 AMPERE, (0.100-INCH TERMINAL SPACING)[CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 OS SH] | A | 5945 | | CC | 15-FEB-02 |
| | MIL-R-39016/32E NOT 1 | RELAYS, ELECTROMAGNETIC, DPDT, LOW LEVEL TO 2 AMPERES (LATCHING)[CUST: CR EC 11 CC] [REVIEW: 99 AR AT AV CR4 MI OS SH] | A | 5945 | | CC | 11-JUL-01 |
| | MIL-PRF-39016/48B NOT 2 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 0.5 AMPERE (.100 D.I.P. TERMINAL SPACING) ONE-TENTH SIZE, SENSITIVE, MONOSTABLE[CUST: CR EC 11 CC] | A | 5945 | | CC | 08-JUL-02 |
| | MIL-PRF-39016/47B NOT 2 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 0.5 AMPERE (.100 D.I.P. TERMINAL SPACING) ONE-TENTH SIZE, SENSITIVE, BI-STABLE, LATCHING[CUST: CR EC 11 CC] | A | 5945 | | CC | 08-JUL-02 |
| | MIL-PRF-39016/45C | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (LATCHING)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH SM] | A | 5945 | | CC | 01-FEB-05 |
| | MIL-R-5757H(3) SUP 1 | RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV CR4 MC MI OS] | A | 5945 | | CC | 15-OCT-02 |
| | MIL-R-5757/7F | RELAYS, ELECTROMAGNETIC, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES[CUST: CR EC 11 CC] [REVIEW: 99 AT AV CR4 MI SH] | A | 5945 | | CC | 30-JUN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-39016/39E(1) NOT 1 | RELAYS, ELECTROMAGNETIC, HERMETICALLY SEALED, 4PDT, LOW-LEVEL TO 3 AMPERES (400 MILLIWATTS)[CUST: CR EC 11 CC] [REVIEW: 99 AR AT AV CR4 MI SH] | A | 5945 | | CC | 11-JUL-01 |
| | MIL-R-5757/10L | RELAYS, ELECTROMAGNETIC, HERMETICALLY SEALED, DPDT, LOW LEVEL TO 2 AMPERES[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI NS OS] | A | 5945 | | CC | 03-SEP-04 |
| | MIL-PRF-6106/20C(2) NOT 1 | RELAYS, ELECTROMAGNETIC, MAGNETIC LATCH, 25 AMPERES, SPDT, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-NOV-02 |
| | MIL-PRF-6106/19F(1) NOT 1 | RELAYS, ELECTROMAGNETIC, PERMANENT MAGNET DRIVE, 25 AMPERES, SPDT, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 08-JUL-03 |
| | MS25919D | RELAYS, ELECTROMAGNETIC, TYPE I, 10 AMPERES, 4 PDT[CUST: AS 11 CC] | A | 5945 | | CC | 14-FEB-01 |
| | MS25035D | RELAYS, ELECTROMAGNETIC, TYPE I, 25 AMPERES, 1PST, SEALED, CLASS O[CUST: AS 11 CC] | A | 5945 | | CC | 15-DEC-01 |
| | MIL-R-83726/19G | RELAYS, HYBRID, TIME DELAY (ON OPERATE), TRACK MOUNTED, TYPE I, CLASS B, 10 AMPERES, 2PDT, HERMETICALLY SEALED, FIXED TIME, 0.1 TO 300 SECONDS[CUST: EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JUN-02 |
| | MIL-R-83726/18G | RELAYS, HYBRID, TIME DELAY (ON RELEASE), TRACK MOUNTED, TYPE IIA, CLASS B, 10 AMPERES, 2PDT, HERMETICALLY SEALED, FIXED TIME, 0.1 TO 300 SECONDS[CUST: EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JUN-02 |
| A | MIL-R-83726/12E | RELAYS, HYBRID, TIME DELAY (ON RELEASE), TYPE IIA, CLASS B, 10 AMPERES, 4PDT, HERMETICALLY SEALED, FIXED TIME, 0.100 TO 300 SECONDS[CUST: EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 07-JUL-05 |
| A | MIL-R-83726/23D | RELAYS, HYBRID, TIME DELAY (ON RELEASE), TYPE IIB, CLASS B, 10 AMPERES, 4PDT, HERMETICALLY SEALED[CUST: EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 19-SEP-05 |
| A | MIL-R-83726/14D | RELAYS, HYBRID, TIME DELAY, (ON OPERATE), TYPE I, CLASS B, 10 AMPERES, 4PDT, HERMETICALLY SEALED, FIXED TIME, 0.100 TO 300 SECONDS[CUST: EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 07-JUL-05 |
| A | MIL-R-83726/8D | RELAYS, HYBRID, TIME DELAY, (ON RELEASE), TYPE IIA, CLASS A, 2 AMPERES, 2PDT, FIXED TIME, 0.100 TO 300 SECONDS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 07-JUL-05 |
| A | MIL-R-83726/7D | RELAYS, HYBRID, TIME DELAY, ON PICKUP, TYPE I, CLASS A, 2 AMPERES, 2PDT, FIXED TIME, 0.06 TO 300 SECONDS[CUST: CR EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 07-JUL-05 |
| | MIL-R-83726/27K | RELAYS, HYBRID, TIME DELAY, VOLTAGE SENSITIVE, DELAY ON DROP-OUT, CLASS A, TYPE V, HERMETICALLY SEALED (POTTED), SPDT, 2 AMPERE, TRACK MOUNTED[CUST: EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JUN-02 |
| | MIL-R-83407B | RELAYS, REED (MERCURY WETTED), GENERAL SPECIFICATION FOR[CUST: 11 CC] | A | 5945 | | CC | 30-SEP-03 |
| A | MIL-R-83407/3D | RELAYS, REED (MERCURY WETTED), SOLDER SEAL, 0 TO 7.5 VOLT AMPERES[CUST: CR EC 11 CC] | A | 5945 | | CC | 17-AUG-05 |
| | MIL-R-83516/1C(1) NOT 1 | RELAYS, REED, DRY, DUAL IN-LINE PACKAGE (DIP), GENERAL PURPOSE[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 19-JUL-01 |
| | MIL-R-83516/4B(1) NOT 1 | RELAYS, REED, DRY, DUAL IN-LINE PACKAGE (DIP), GENERAL PURPOSE, LOW-POWER COIL[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 19-JUL-01 |
| | MIL-R-83516A(3) NOT 2 | RELAYS, REED, DRY, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99] | A | 5945 | | CC | 19-JUL-01 |
| A | MIL-R-83726/22E | RELAYS, SOLID STATE, REPEAT CYCLE TIMER, TYPE IV, CLASS C, SPST, 250 MILLIAMPERES[CUST: EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 19-SEP-05 |
| | MIL-R-83726/24L | RELAYS, SOLID STATE, TIME DELAY (ON OPERATE), TRACK MOUNTED, TYPE I, CLASS C, SPST, 150 MILLIAMPERES, FIXED TIME, 50 MILLISECONDS TO 500 SECONDS[CUST: EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JUN-02 |
| | MIL-R-83726/25H | RELAYS, SOLID STATE, TIME DELAY (ON RELEASE) TRACK MOUNTED, TYPE IIA, CLASS C, SPST, 150 MILLIAMPERES, FIXED TIME, .050 TO 500 SECONDS[CUST: EC 11 CC] [REVIEW: 99] | A | 5945 | | CC | 15-JUN-02 |
| A | MIL-R-83726/13H | RELAYS, SOLID STATE, TIME DELAY, (ON OPERATE), TYPE I CLASS C, SPSTNO, 300 MILLIAMPERES, FIXED TIME, 0.05 TO 600 SECONDS, HERMETICALLY SEALED[CUST: AT CC] | A | 5945 | | CC | 07-JUL-05 |
| | MIL-DTL-19648E | RELAYS, TIME DELAY, THERMAL, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV MC OS SH] | A | 5945 | | CC | 03-FEB-03 |
| | MIL-DTL-19648/1F | RELAYS, TIME DELAY, THERMAL, HERMETICALLY SEALED ADJUSTABLE, 3 TO 180 SECONDS, FLANGE MOUNT, SPST CONTACTS, 2 AMPERES[CUST: CR EC 11 CC] [REVIEW: 19 AT AV CR4 MC MI OS] | A | 5945 | | CC | 15-FEB-02 |
| | MS22008 NOT 2 | RELEASE - PARACHUTE CANOPY QUICK DISCONNECT[CUST: AS] [REVIEW: GS] | A | 1670 | | AS | 16-JUL-97 |
| | MIL-R-25170B NOT 2 | RELEASE, AUTOMATIC, AIRCRAFT SAFETY LAP BELT[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 28-NOV-97 |
| | MIL-R-25565E NOT 1 | RELEASE, PARACHUTE RIPCORD, AUTOMATIC, TYPES F-1B AND FF-1[CUST: 99] [REVIEW: AV GL GS] | A | 1670 | | 11 | 12-APR-96 |
| | MIL-R-50729A NOT 2 | REMOVE, AIRCRAFT CANOPY, M8A1 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-R-60862(1) NOT 2 | REMOVER, AIRCRAFT CANOPY OVERHAUL, MODIFICATION AND CONVERSION OF P/N 2218-17 TO P/N 2218-18[CUST: OS] | A | 1377 | | OS | 25-JUN-96 |
| | MIL-R-46617A(1) NOT 2 | REMOVER, AIRCRAFT CANOPY, M3A1, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-R-46560A(1) NOT 1 | REMOVER, AIRCRAFT CANOPY, M3A1, METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-R-60117(1) NOT 1 | REMOVER, AIRCRAFT CANOPY, M4 AND M5 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-R-46656A(1) NOT 3 | REMOVER, AIRCRAFT CANOPY, M4 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-R-60112(1) NOT 2 | REMOVER, AIRCRAFT CANOPY, M5 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-R-60875(1) NOT 1 | REMOVER, AIRCRAFT CANOPY, M8A2 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 25-JUN-96 |
| | MIL-R-14801(1) NOT 1 | REMOVER, AIRCRAFT CANOPY, P/N 2218-18 OVERHAUL OF[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-R-48452 NOT 2 | REMOVER, AIRCRAFT CANOPY, RAU-1/A ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-R-48416 NOT 2 | REMOVER, AIRCRAFT CANOPY, RAU-1/A METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-R-60897(4) NOT 1 | REMOVER, AIRCRAFT CANOPY: M8A1 METAL PARTS ASSEMBLY (CONVERSION)[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-R-50776 NOT 3 | REMOVER, AIRCRAFT CANOPY: M8A2 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 25-JUN-96 |
| | MIL-R-82879 NOT 1 | REMOVER, CARTRIDGE ACTUATED, RAU-3/A ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 13-JUL-99 |
| | TT-R-248B(1) NOT 1 | REMOVER, PAINT AND LACQUER, SOLVENT TYPE[CUST: MR AS 99] [REVIEW: 11 84 MC] | A | 8010 | / | AS | 19-APR-01 |
| | MIL-R-81294D(2) NOT 1 | REMOVER, PAINT, EPOXY, POLYSULFIDE, AND POLYURETHANE SYSTEMS[CUST: CR4 AS 99] [REVIEW: 84 AV MC MR] | A | 8010 | | AS | 15-DEC-99 |
| | TT-R-2918A | REMOVER, PAINT, NO HAZARDOUS AIR POLLUTANTS (HAPS)[CUST: AS 11] [REVIEW: 84 99 CG] | A | 8010 | / | AS | 19-MAR-01 |
| | MIL-R-52255D NOT 1 | REPAIR KIT AND REPAIR KIT COMPONENTS, FOR COLLAPSIBLE FABRIC TANKS, DRUMS, AND BOATS[CUST: AT YD 99] [REVIEW: 84 CC GS MC] | A | 5430 | | AT | 25-SEP-98 |
| | MIL-R-85669 NOT 2 | REPEATER SET, RADIO, POD AN/ARQ-49[CUST: AS] | A | 1430 | | AS | 04-APR-98 |
| | MIL-R-81000 NOT 1 | REPRODUCER-SET, VOICE WARNING AN/ASH-19(*)[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-R-44023A(3) NOT 2 | REPRODUCTION SET, DIAZO PROCESS, FOR FIELD USE[CUST: GL] [REVIEW: CR4 GS] | A | 3610 | | GL | 15-NOV-00 |
| | MIL-R-81574(2) NOT 2 | RESCUE HAND TOOL, PNEUMATIC[CUST: AS] [REVIEW: GS] | A | 4240 | | AS | 07-MAY-01 |
| | MIL-R-8573A(7) NOT 1 | RESERVOIR, AIR, NONSHATTERABLE STEEL[CUST: AV AS 99] [REVIEW: GS] | A | 1650 | | AS | 23-NOV-98 |
| | MIL-R-8931A NOT 1 | RESERVOIRS, AIRCRAFT AND MISSILE, HYDRAULIC, SEPARATED TYPE[CUST: AV AS 99] [REVIEW: 71 CC GS] | A | 1650 | | AS | 25-AUG-98 |
| | MIL-R-25506C(1) NOT 2 | RESIN SOLUTION, SILICONE, LOW-PRESSURE LAMINATING[CUST: MR AS 11] [REVIEW: 99 AR AV GS MI] | A | 9330 | | AS | 31-JUL-96 |
| | MIL-R-47025A NOT 1 | RESIN, CASTING, FIRE RETARDANT, EPOXY BASE[CUST: MI] [REVIEW: GS] | A | 9330 | | MI | 28-MAY-96 |
| | MIL-R-9300B NOT 2 | RESIN, EPOXY, LOW-PRESSURE LAMINATING[CUST: MR AS 11] [REVIEW: CR MI OS SM] | A | 9330 | | AS | 31-JUL-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-82664 NOT 1 | RESIN, EPOXY, LOWVISCOSITY[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 13-JUL-99 |
| | MIL-R-25042B NOT 1 | RESIN, POLYESTER, HIGH TEMPERATURE RESISTANT, LOW PRESSURE LAMINATING[CUST: MR AS 11] [REVIEW: AT AV CR4 GS OS] | A | 9330 | | AS | 31-JUL-96 |
| | MIL-R-7575C(2) NOT 2 | RESIN, POLYESTER, LOW-PRESSURE LAMINATING[CUST: CR AS 11] [REVIEW: EA GS MI SH] | A | 9330 | | AS | 31-JUL-96 |
| | SAE-AMS3616 | RESIN, POLYIMIDE, LAMINATING AND MOLDING HIGH TEMPERATURE RESISTANT, 370 DEG. C (700 DEG. F) UNFILLED, ADDITION POLYMER[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-OCT-92 |
| | SAE-AMS3684 | RESIN, POLYIMIDE, SEALING, HIGH TEMPERATURE RESISTANT, 315 DEG. C (600 DEG. F), UNFILLED[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-JAN-93 |
| | SAE-AMS3618 | RESIN, POLYMIDE, THERMOSETTING HIGH HEAT (290 DEG. C (554 DEG. F)) RESISTANT[CUST: AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-APR-85 |
| | MIL-R-23444A NOT 1 | RESIN, POLYVINYL CHLORIDE, PLASTISOL GRADE[CUST: OS] | A | 9330 | | OS | 20-MAY-92 |
| | MIL-R-63322A(1) NOT 2 | RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE)[CUST: AR] | A | 1345 | | AR | 18-AUG-97 |
| | MIL-R-63319(2) NOT 2 | RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE)[CUST: AR] | A | 1345 | | AR | 18-AUG-97 |
| | MIL-R-63528 NOT 2 | RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE)[CUST: AR] | A | 1345 | | AR | 19-AUG-97 |
| | MIL-R-63993A(1) NOT 1 | RESISTOR NETWORK, THICK FILM, FIXED AND TRIMMABLE[CUST: AR] | A | 1345 | | AR | 18-AUG-97 |
| | MIL-R-26/5C | RESISTOR, FIXED, WIRE WOUND (POWER TYPE), STYLES RW70, RW74, RW78, AND RW79[CUST: CR EC 11 CC] [REVIEW: 19 AS MI] | A | 5905 | | CC | 14-JUN-01 |
| | MIL-PRF-26/4E | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE) STYLES RW55, RW56, RW67, RW68, AND RW69[CUST: CR EC 11 CC] [REVIEW: 19 AS MI] | A | 5905 | | CC | 14-JUN-01 |
| | MIL-PRF-39007/5H | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR71[CUST: CR EC 11 NA] [REVIEW: 19 AR AS CG MC MI OS] | A | 5905 | | CR | 03-JUL-97 |
| | MIL-PRF-39007/6G | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR74[CUST: CR EC 11 NA] [REVIEW: 19 AR AS CG MC MI OS] | A | 5905 | | CR | 03-JUL-97 |
| | MIL-R-26/2C | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW20, RW21, RW22, RW23 AND RW24[CUST: CR EC 11 CC] [REVIEW: 19 AS MI] | A | 5905 | | CC | 14-JUN-01 |
| | MIL-R-26/6C | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW80 AND RW81[CUST: CR EC 11 CC] [REVIEW: 19 AS MI] | A | 5905 | | CC | 14-JUN-01 |
| A | MIL-DTL-7790A(1) | RESISTOR, THERMOCOUPLE LEAD SPOOL[CUST: CR AS 11 CC] [REVIEW: 99] | A | 5905 | | CC | 26-AUG-05 |
| | MIL-DTL-6749A | RESISTOR, VARIABLE, WIRE WOUND, NONPRECISION, AIRCRAFT POWER[CUST: CR AS 11 CC] | A | 5905 | | CC | 23-AUG-02 |
| | MIL-R-19365D | RESISTORS, ADJUSTABLE, WIREWOUND, POWER[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 25-MAR-02 |
| | MIL-R-10509H(1) | RESISTORS, FIXED, FILM (HIGH STABILITY), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 15-MAR-02 |
| | MIL-R-10509/8E | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN50[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 10-AUG-01 |
| | MIL-R-10509/7H | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN55[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 10-AUG-01 |
| | MIL-R-10509/1M | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN60[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] | A | 5905 | | CC | 10-AUG-01 |
| | MIL-R-10509/2J(1) | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN65[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 15-MAR-02 |
| | MIL-R-10509/3J(1) | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN70[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 15-MAR-02 |
| | MIL-R-55182/11E | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RN*51 1/ (FOR NEW DESIGN USE MIL-PRF-55182/7)[CUST: CR EC CC] | A | 5905 | | CC | 26-SEP-02 |
| | MIL-R-55182/12E | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RN*56 1/ (FOR NEW DESIGN USE MIL-PRF-55182/1)[CUST: CR EC CC] | A | 5905 | | CC | 26-SEP-02 |
| | MIL-R-22684/1B | RESISTORS, FIXED, FILM, INSULATED, STYLE RL07[CUST: CR EC 11 CC] [REVIEW: 19 AR MI] | A | 5905 | | CC | 06-AUG-01 |
| | MIL-R-22684/2C | RESISTORS, FIXED, FILM, INSULATED, STYLE RL20[CUST: CR EC 11 CC] [REVIEW: AR MI] | A | 5905 | | CC | 06-AUG-01 |
| | MIL-R-22684/3C | RESISTORS, FIXED, FILM, INSULATED, STYLE RL32[CUST: CR EC 11 CC] [REVIEW: 19 AR AT AV CG DH EA MC OS] | A | 5905 | | CC | 06-AUG-01 |
| | MIL-R-22684/4B | RESISTORS, FIXED, FILM, INSULATED, STYLE RL42[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG MC OS] | A | 5905 | | CC | 06-AUG-01 |
| | MIL-PRF-55182/2K | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RN*57 1/[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CG MC OS] | A | 5905 | | CR | 26-SEP-02 |
| | MIL-R-93/10G | RESISTORS, FIXED, WIRE WOUND (ACCURATE), STYLE RB52[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AV CR4 MC MI] | A | 5905 | | CC | 05-OCT-01 |
| | MIL-R-93/11E | RESISTORS, FIXED, WIRE WOUND (ACCURATE), STYLE RB53[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AV CR4 MC MI] | A | 5905 | | CC | 05-OCT-01 |
| | MIL-R-93/12E | RESISTORS, FIXED, WIRE WOUND (ACCURATE), STYLE RB54[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AV CR4 MC MI] | A | 5905 | | CC | 05-OCT-01 |
| | MIL-R-93/20C | RESISTORS, FIXED, WIRE WOUND (ACCURATE), STYLE RB71[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AV CR4 MC MI] | A | 5905 | | CC | 05-OCT-01 |
| | MIL-R-93E(1) SUP 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS AV CG MC MI OS] | A | 5905 | | CC | 17-JUN-02 |
| A | MIL-PRF-39005/8B(1) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR74[CUST: 11 CC NA] [REVIEW: 19] | A | 5905 | | CC | 08-JUL-05 |
| A | MIL-PRF-39005/7C(1) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR57[CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 08-JUL-05 |
| A | MIL-PRF-39005/9B(1) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR75[CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 08-JUL-05 |
| | MIL-R-93/13E | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB55[CUST: CR EC 11] [REVIEW: 99 AR CR4 MC MI] | A | 5905 | | CC | 05-OCT-01 |
| | MIL-R-93/14E | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB56[CUST: CR EC 11] [REVIEW: 19 99 AR AV CR4 MC MI] | A | 5905 | | CC | 05-OCT-01 |
| | MIL-R-93/19C | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB70[CUST: CR EC 11] [REVIEW: 19 99 AV CR4 MC MI] | A | 5905 | | CC | 05-OCT-01 |
| | MIL-R-18546/1G | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), STYLES RE60, RE65, RE70, AND RE75[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CC | 15-MAY-01 |
| | MIL-PRF-22097/1H NOT 1 | RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ11[CUST: CR EC 11 CC] [REVIEW: 19 AR AT AV CR4 MC MI OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22097/3H NOT 1 | RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ22[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CC | 17-JUN-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-22097/5D NOT 1 | RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ26[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-22097/6F NOT 1 | RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, SINGLE TURN), STYLE RJ50[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CC | 17-JUN-05 |
| | MIL-PRF-39035/1D NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RJR12[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CC | 06-JUN-03 |
| | MIL-PRF-27208/9F | RESISTORS, VARIABLE, WIRE WOUND (ADJUSTMENT TYPE, LEAD SCREW ACTUATED), STYLE RT24[CUST: CR EC 11 CC] [REVIEW: 19 AR AT AV MC MI OS] | A | 5905 | | CC | 13-JUN-01 |
| | MIL-R-27208/4H | RESISTORS, VARIABLE, WIRE WOUND, (ADJUSTMENT TYPE, LEAD SCREW ACTUATED), STYLE RT22[CUST: CR EC 11] [REVIEW: 19 AR AT AV MC MI OS] | A | 5905 | | CC | 13-JUN-01 |
| A | MIL-PRF-39015/1G NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND (LEAD-SCREW ACTUATED),NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RTR12[CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CR4 MC MI OS] | A | 5905 | | CR | 08-JUL-05 |
| | MIL-R-14346A(3) NOT 1 | RESOLVER, ELECTRICAL, AC[CUST: AR SH] [REVIEW: CR MI] | A | 5990 | | CC | 29-APR-02 |
| | MIL-R-3308B NOT 1 | RESPIRATOR, AIR FILTERING, DUST, ABC-M4[CUST: EA MC] [REVIEW: GS] | A | 4240 | | EA | 19-APR-96 |
| | MIL-R-55602A(2) NOT 1 | RESTORER, PULSE FORM TD-206B/G[CUST: CR] | A | 5805 | | CR | 29-MAR-96 |
| | MIL-R-49236A(1) NOT 1 | RESTORER, PULSE FORM, TD-1218/G (NO S/S DOCUMENT)[CUST: CR] | A | 5820 | | CR | 01-JUN-97 |
| | MIL-R-49237A NOT 1 | RESTORER, PULSE FORM, TD-1219( )/G[CUST: CR] | A | 5820 | | CR | 23-FEB-98 |
| | MIL-R-48212 NOT 2 | RESTRICTOR, FLUID FLOW[CUST: AR] [REVIEW: MI] | A | NUOR | | AR | 21-JUN-95 |
| A | MS24697A | RETAINER, CONNECTOR, RACK AND PANEL, MINIATURE[CUST: 11 CC] [REVIEW: IS] | A | 5935 | | CC | 14-JUL-05 |
| A | MS24696A | RETAINER, CONNECTOR, RACK AND PANEL, MINIATURE[CUST: 11 CC] [REVIEW: IS] | A | 5935 | | CC | 14-JUL-05 |
| A | MS24698A | RETAINER, CONNECTOR, RACK AND PANEL, MINIATURE[CUST: 11 CC] [REVIEW: IS] | A | 5935 | | CC | 14-JUL-05 |
| A | MS27595E | RETAINER, PACKING BACKUP, CONTINUOUS RING, POLYTETRAFLUOROETHYLENE[CUST: MR AS 99 IS] [REVIEW: AV MI SA SH] | A | 5330 | | IS | 25-JAN-06 |
| | MS28774L(2) NOT 1 | RETAINER, PACKING BACKUP, SINGLE TURN, TETRAFLUOROETHYLENE[CUST: MR AS 99 IS] | A | 5330 | | IS | 28-APR-03 |
| A | MS28782E | RETAINER, PACKING, BACK-UP, TEFLON[CUST: AV AS 99 IS] [REVIEW: AR CR4 MC MI SA] | A | 5330 | | IS | 23-JAN-06 |
| A | MS28773A | RETAINER, PACKING, BACK-UP, TETRAFLUOROETHYLENE, STRAIGHT THREAD TUBE FITTING BOSS[CUST: AV AS 99] [REVIEW: 71 MI SH] | A | 5330 | | IS | 22-DEC-05 |
| | MS27767 NOT 1 | RETAINER-SNAP PARACHUTE LANYARD[CUST: AS 99] [REVIEW: GS] | A | 1670 | | 11 | 26-SEP-97 |
| | MIL-R-46082B(6) NOT 2 | RETAINING COMPOUNDS, SINGLE COMPONENT, ANAEROBIC[CUST: MR AS 99] [REVIEW: AT CC CG FSS MI OS SH YD] | A | 8030 | | MR | 23-MAR-01 |
| A | MIL-R-55168B NOT 2 | RETRANSMISSION CABLE KIT MK-456 ( )/GRC (UNITS OF)[CUST: CR GS2] | A | 5995 | | GS2 | 26-OCT-05 |
| | MS3385A NOT 1 | RETREAD TIRE - AIRCRAFT 28 X 9.0 (173 MPH) TYPE VII (NAVY)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MIL-R-28653C NOT 1 | REVETMENT KIT, PREFABRICATED MODULAR TYPE; CORRUGATED STEEL PANELS[CUST: YD 99 IS] | A | 5450 | | IS | 22-APR-98 |
| | MIL-R-9979A NOT 2 | REVOLVER, CALIBER .38 SPECIAL 2 AND 4 INCH BARREL, 6 SHOT[CUST: 99] | A | 1005 | | 84 | 12-OCT-95 |
| | D-R-1187C(1) NOT 2 | REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, COMMERCIAL AND MILITARY; GENERAL SPECIFICATION FOR[CUST: AR OS 99] [REVIEW: 11 84] | A | 1005 | / | AR | 12-DEC-95 |
| | D-R-1187/1 NOT 3 | REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, COMMERCIAL[CUST: AR OS 99] [REVIEW: 11 CR4] | A | 1005 | / | AR | 12-DEC-95 |
| | D-R-1187/2 NOT 3 | REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, MILITARY[CUST: AR OS 99] [REVIEW: 11] | A | 1005 | / | AR | 12-DEC-95 |
| | MIL-R-46085B NOT 2 | RHODIUM PLATING, ELECTRODEPOSITED[CUST: MR AS 11] [REVIEW: 70 99 AR MI SH] | A | MFFP | | MR | 18-DEC-97 |
| | MIL-R-44473 NOT 1 | RICE, ORIENTAL STYLE, THERMOSTABILIZED, TRAY PACK[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 26-SEP-97 |
| | MIL-R-44274B NOT 1 | RICE, WHITE, THERMOSTABILIZED, TRAY PACK[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8920 | | GL | 26-SEP-97 |
| | MIL-R-26672A NOT 3 | RIFLE, .22 HORNET AND .22 CALIBER LONG RIFLE RIM FIRE, SURVIVAL, TYPE MA-1[CUST: 99] | A | 1005 | | 84 | 18-OCT-95 |
| | MIL-R-45587A(4) NOT 2 | RIFLE, 5.56MM: M16 AND M16A1[CUST: AR MC 99] [REVIEW: OS] | E | 1005 | | AR | 14-MAR-97 |
| | MIL-R-63997B(4) NOT 1 | RIFLE, 5.56MM: M16A2[CUST: AR] | A | 1005 | | AR | 20-FEB-97 |
| | MIL-R-71135(2) NOT 1 | RIFLE, 5.56MM: M16A2E3[CUST: AR] | A | 1005 | | AR | 27-FEB-97 |
| | MIL-R-12605A NOT 3 | RIFLE, 57MM, M18A1[CUST: AR] | A | 1010 | | AR | 29-NOV-95 |
| | MIL-R-45012E NOT 2 | RIFLE, 7.62MM, M14[CUST: AR OS 99] [REVIEW: MC] | A | 1005 | | AR | 14-MAR-97 |
| | MIL-R-71126 NOT 1 | RIFLE, 7.62MM, SNIPER W/ DAY OPTICAL SIGHT AND CARRYING CASES, M24[CUST: AR] | A | 1005 | | AR | 29-NOV-95 |
| | MIL-R-1296F NOT 1 | RIFLE, CALIBER .22 LR, COMMERCIAL, FOR MATCH AND TRAINING[CUST: AR OS 99] [REVIEW: 84 MC] | A | 1005 | | AR | 12-DEC-95 |
| | MIL-R-45511D NOT 3 | RIFLE, RECOILLESS, 90MM: M67[CUST: AR] | A | 1015 | | AR | 03-FEB-97 |
| | MIL-R-3285(1) NOT 2 | RIFLES, U.S., CALIBER .30, MI AND MIC[CUST: AR OS 99] | A | 1005 | | 84 | 04-OCT-95 |
| | MS24369A NOT 2 | RIM CONTOUR - 30X8.8, TYPE VII, EXTRA HIGH PRESSURE, MAIN LANDING GEAR WHEEL[CUST: 99] [REVIEW: GS] | A | 1630 | | 70 | 12-DEC-97 |
| | AND10581 REV C NOT 2 | RIM CONTOUR-20 X 4.4, TYPE VII, EXTRA HIGH PRESSURE, LANDING GEAR WHEEL[CUST: AV AS 99] [REVIEW: GS MC] | A | 1630 | | 70 | 12-DEC-97 |
| | AND10576 REV C NOT 2 | RIM CONTOUR-24 X 7.7, TYPE VII, EXTRA HIGH PRESSURE, MAIN LANDING GEAR WHEEL[CUST: AV AS 99] [REVIEW: GS MC] | A | 1630 | | 70 | 12-DEC-97 |
| | AND10583 REV B NOT 2 | RIM CONTOUR-25.00-28, TYPE III, LOW PRESSURE, MAIN LANDING GEAR WHEEL[CUST: AV AS 99] [REVIEW: GS] | A | 1630 | | 70 | 12-DEC-97 |
| | AND10578 REV B NOT 2 | RIM CONTOUR-5.00-5, TYPE III, LOW PRESSURE, HELICOPTER LANDING GEAR WHEEL[CUST: AV AS 99] [REVIEW: GS MC] | A | 1630 | | 70 | 12-DEC-97 |
| | AND10582 NOT 2 | RIM CONTOURS - 22 X 5.5 AND 5.5 TYPE VII, EXTRA HIGH PRESSURE, LANDING GEAR WHEEL[CUST: AS 11] [REVIEW: GS] | A | 1630 | | AS | 28-AUG-96 |
| | MS24368A NOT 2 | RIM CONTOURS, 56 X 1 AND 49 X 17, TYPE VII, EXTRA HIGH PRESSURE, MLG WHEEL[CUST: 99] [REVIEW: GS] | A | 1630 | | 70 | 12-DEC-97 |
| | MS24370B NOT 2 | RIM CONTOURS-24 X 5.5, 22 X 5.5, 20 X 5.5 AND 18 X 5.5, TYPE VII, EXTRA HIGH PRESSURE, LANDING GEAR WHEEL[CUST: AV AS 99] [REVIEW: GS MC] | A | 1630 | | 70 | 12-DEC-97 |
| | AND10573 REV E NOT 3 | RIM CONTOURS-26X6.6, 30X7.7, 32X8.8, 34X9.9, 36X11, 38X11, 40X12, 44X13, TYPE VII, EXTRA HIGH PRESSURE MAIN LANDING GEAR WHEELS[CUST: AV AS 99] [REVIEW: GS MC] | A | 1630 | | 70 | 12-DEC-97 |
| | AN3111 NOT 2 | RING - BONDING, ELECTRICAL CONNECTOR[CUST: AV AS 11] [REVIEW: 99 MI] | A | 5975 | | GS2 | 05-MAY-05 |
| | AN996 REV 2(1) | RING - LOCK[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | 16-MAY-02 |
| | MIL-R-24661 NOT 2 | RING BUOY, LIFESAVING, AUTO-INFLATABLE[CUST: SH] | A | 4220 | | SH | 13-JUL-99 |
| | MIL-R-48032 NOT 2 | RING LUCKY AND INSULATOR ASSEMBLY FOR CARTRIDGE, 105MM, HEAT-T: M456A1E1[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MS9014A | RING RETAINING, INTERNAL, STEEL (ASG)[CUST: AS] [REVIEW: IS MI] | A | 5340 | | AS | 13-JUN-60 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS17130F NOT 2 | RING, BEARING, INNER, FOR NEEDLE ROLLER BEARING WITH DRAWN OUTER RING[CUST: AT OS 99 GS4] | A | 3110 | | GS4 | 09-JAN-04 |
| | MS35252A NOT 1 | RING, CONNECTING, RECTANGULAR[CUST: AR GS5] | A | 4010 | | GS5 | 11-DEC-02 |
| | MIL-R-48211 NOT 2 | RING, EXTERNAL THREADED (SCREW, RETAINING)[CUST: AR] [REVIEW: MI] | A | NUOR | | AR | 21-JUN-95 |
| A | MS28783F | RING, GASKET, BACK-UP, PTFE[CUST: AV AS 99 IS] [REVIEW: AR MC MI SA] | A | 5330 | | IS | 25-JAN-06 |
| | MS24360B NOT 1 | RING, LOCK FLIGHT PRESSURE REFUELING NOZZLE[CUST: 99] [REVIEW: GS] | A | 1680 | | 71 | 26-SEP-97 |
| | DOD-I-63276/2(1) NOT 1 | RING, LOCK, SERRATED, METRIC[CUST: AR OS 99 IS] [REVIEW: AT AV MI YD] | A | 5325 | | IS | 01-OCT-99 |
| | MS25086C NOT 1 | RING, RETAINING[CUST: AS] [REVIEW: GS IS] | A | 5365 | | AS | 29-JAN-97 |
| | MS24361B NOT 2 | RING, SPLIT - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 71 | 26-SEP-97 |
| | MIL-R-5049D NOT 1 | RING, WIPER, PISTON ROD[CUST: AV AS 99] [REVIEW: MI] | A | 5330 | | 71 | 14-FEB-96 |
| | MS9012A | RING-RETAINING EXTERNAL, BERYLLIUM COPPER[CUST: AS] [REVIEW: IS MI] | A | 5340 | | AS | 13-JUN-60 |
| | MS9013B | RING-RETAINING, EXTERNAL, STEEL (ASG)[CUST: AS] [REVIEW: AR IS MI] | A | 5340 | | AS | 13-JUN-60 |
| | MIL-R-3390F NOT 3 | RINGS, DEE[CUST: GL MC 99] [REVIEW: 71 CR4 IS] | A | 5365 | | GS7 | 30-SEP-03 |
| | MIL-R-51446(1) NOT 3 | RIOT CONTROL AGENT, CR[CUST: EA] | A | 1365 | | EA | 14-JUL-04 |
| | MIL-R-51447(1) NOT 3 | RIOT CONTROL AGENT, CR SOLUTION[CUST: EA] | A | 1365 | | EA | 14-JUL-04 |
| | MIL-R-51029C(1) NOT 2 | RIOT CONTROL AGENT, CS[CUST: EA 99] [REVIEW: 70 CR4 MD] | A | 1365 | | EA | 12-JUL-04 |
| | MIL-R-51015C NOT 2 | RIOT CONTROL AGENT, CS CAPSULE (METRIC)[CUST: EA] | A | 1365 | | EA | 12-JUL-04 |
| | MIL-R-50090D(2) NOT 2 | RIOT CONTROL AGENT, CS1[CUST: EA] | A | 1365 | | EA | 12-JUL-04 |
| | MIL-R-51341(1) NOT 2 | RIOT CONTROL AGENT, CS2[CUST: EA] | A | 1365 | | EA | 13-JUL-04 |
| M | MS70112B NOT 3 | RIP CORD, PARACHUTE, PERSONNEL[CUST: GL AS 11] [REVIEW: 71 99 AV MC] | A | 1670 | | GS1 | 12-APR-06 |
| M | MIL-R-43608A NOT 3 | RIP CORD, PARACHUTE, PERSONNEL: GENERAL SPECIFICATION FOR[CUST: GL AS 11 GS1] [REVIEW: 71 99 AV MC] | A | 1670 | | GS1 | 12-APR-06 |
| | MS17312 NOT 1 | RIVET FOR SAFETY CHAIN TYPE II, CLASS 6, NO. O[CUST: IS] | A | 5320 | | IS | 22-AUG-94 |
| | MS51931A NOT 1 | RIVET, SOLID - TINNER S[CUST: AR YD IS] [REVIEW: CR CR4 MC MI] | A | 5320 | | IS | 01-OCT-97 |
| | MS51945A NOT 1 | RIVET, SOLID COUNTERSUNK HEAD BRASS OR COPPER[CUST: AR YD IS] [REVIEW: CR CR4 GL MC MI] | A | 5320 | | IS | 01-OCT-97 |
| | MS35745A NOT 1 | RIVET, SOLID, BELT[CUST: AR YD 99 IS] [REVIEW: AT CE GL MC MI] | A | 5320 | | IS | 01-OCT-97 |
| | MS51829A | RIVET, SOLID, BUTTON HEAD, STEEL[CUST: AR 99 IS] [REVIEW: AT AV CR4 EA] | A | 5320 | | IS | 20-MAR-74 |
| | DS51408 NOT 1 | RIVET, SOLID, COUNTERSUNK 100 DEG. PRECISION HEAD, COPPER, METRIC[CUST: AR YD 99 IS] [REVIEW: AS AT GL MC MI MS NS] | A | 5320 | | IS | 01-OCT-97 |
| | DS51406 NOT 1 | RIVET, SOLID, COUNTERSUNK 100 DEGREE PRECISION HEAD, CARBON STEEL, METRIC[CUST: AR 99 IS] [REVIEW: AS AT CR4 MC MI NS] | A | 5320 | | IS | 01-OCT-97 |
| | MS35743A NOT 1 | RIVET, SOLID, SMALL, PAN HEAD, STEEL, ANNEALED[CUST: AR YD 99 IS] [REVIEW: AT CE MC MI] | A | 5320 | | IS | 01-OCT-97 |
| | MS51401 NOT 1 | RIVET, SOLID, TINNERS[CUST: AR 99 IS] [REVIEW: AT CR4 GL MC MI NS OS] | A | 5320 | | IS | 01-OCT-97 |
| | DS51404 NOT 1 | RIVET, SOLID, UNIVERSAL HEAD, BRASS, METRIC[CUST: AR 99 IS] [REVIEW: AS AT CR4 GL MC MI NS] | A | 5320 | | IS | 01-OCT-97 |
| | DS51405 NOT 1 | RIVET, SOLID, UNIVERSAL HEAD, CARBON STEEL, METRIC[CUST: AR 99 IS] [REVIEW: AS AT CR4 GL MC MI NS] | A | 5320 | | IS | 01-OCT-97 |
| | DS51407 NOT 2 | RIVET, SOLID, UNIVERSAL HEAD, COPPER, METRIC[CUST: AR 99 IS] | A | 5320 | | IS | 01-OCT-97 |
| | MS35744B NOT 2 | RIVET, SOLID-SMALL COUNTERSUNK HEAD, STEEL, ANNEALED[CUST: AR YD 99 IS] [REVIEW: AT CC CE MC MI] | A | 5320 | | IS | 12-DEC-02 |
| | MS35685A NOT 1 | RIVET, SPLIT, OVAL HEAD, BRASS[CUST: AR OS 99 IS] [REVIEW: AT CR CR4 MC MI] | A | 5320 | | IS | 01-OCT-97 |
| | MS35684A NOT 1 | RIVET, SPLIT, OVAL HEAD, STEEL[CUST: AR OS 99 IS] [REVIEW: AT CR MC MI] | A | 5320 | | IS | 01-OCT-97 |
| | MS51942A NOT 1 | RIVET, TUBULAR - FLAT HEAD[CUST: AR YD IS] [REVIEW: CR CR4 GL MC MI] | A | 5320 | | IS | 01-OCT-97 |
| | MS51499A NOT 1 | RIVET, TUBULAR, 100 DEGREE, COUNTERSUNK HEAD[CUST: AR OS 99 IS] [REVIEW: 71 CR CR4 EA GL MC MI NS] | A | 5320 | | IS | 01-OCT-97 |
| | DS51403 NOT 1 | RIVET, TUBULAR, ROUND AND FLAT TYPE HEAD, METRIC[CUST: AR 99 IS] [REVIEW: AS AT CR4 GL MC MI NS] | A | 5320 | | IS | 01-OCT-97 |
| | MIL-R-24243/9D(1) NOT 2 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 71 AV MI NS] | A | 5320 | | IS | 03-FEB-04 |
| | MIL-R-24243/10D(1) NOT 2 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 71 AV MI NS] | A | 5320 | | IS | 03-FEB-04 |
| | MIL-R-24243/8D(1) NOT 2 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, SNAP HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 71 AV MI NS] | A | 5320 | | IS | 03-FEB-04 |
| | MIL-R-70503A NOT 1 | ROCKET MANAGEMENT SUBSYSTEM M138[CUST: AR] | A | 1310 | | AR | 14-FEB-96 |
| | MIL-R-23021B NOT 1 | ROCKET MOTOR, MANUFACTURING INERT PARTS FOR, GENERAL SPECIFICATION FOR[CUST: OS] | A | 1336 | | OS | 20-DEC-95 |
| | MIL-R-23481B(1) NOT 1 | ROCKET MOTOR, MARK 30 MODS 1 AND 2[CUST: OS] | A | 1340 | | OS | 20-MAY-92 |
| | MIL-R-23139B NOT 1 | ROCKET MOTORS, SURFACE LAUNCHED, DEVELOPMENT AND QUALIFICATION REQUIREMENTS FOR[CUST: OS] [REVIEW: CR4] | A | 1336 | | OS | 13-JUL-99 |
| | MIL-R-13577C NOT 4 | ROD, CLEANING, FOR SMALL ARMS[CUST: AR OS 99] [REVIEW: MC] | A | 1005 | | AR | 14-MAR-97 |
| | MS35799C NOT 3 | ROD, CONTINUOUS THREAD, DOUBLE ARMING, HOT GALVANIZED, (POLE LINE)[CUST: CR YD 99 IS] [REVIEW: 71 CR4 FSS GL NA NS] | A | 5306 | | IS | 29-OCT-04 |
| | MIL-R-87120A(1) NOT 3 | RODS, PULTRUDED, GRAPHITE FIBER REINFORCED, PROCESSING OF[CUST: 11] [REVIEW: MR] | A | CMPS | | 11 | 19-DEC-97 |
| | MIL-R-22440 NOT 2 | ROLLER, BEARING, NEEDLE, FERROUS, SOLID[CUST: AT OS 99 GS4] [REVIEW: 84 CR4] | A | 3110 | | GS4 | 21-FEB-03 |
| | MIL-R-52453C NOT 1 | ROLLER, MOTORIZED, PNEUMATIC TIRED, AIRMOBILE, 9 WHEEL[CUST: AT] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-R-52499C NOT 1 | ROLLER, TOWED, SMOOTH DRUM, VIBRATORY, AIRMOBILE, SINGLE DRUM[CUST: AT] [REVIEW: CR] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-R-1982F NOT 2 | ROLLS, CUTLERY, CANVAS[CUST: GL YD 99 SS] [REVIEW: 84 MC MD MS] | A | 7360 | | SS | 22-MAY-02 |
| | MIL-R-24183A NOT 1 | ROPE AND YARN, PLIED, SYNTHETIC FIBER[CUST: SH] [REVIEW: IS] | A | 4020 | | SH | 13-JUL-99 |
| | MIL-R-24730 NOT 1 | ROPE, FIBROUS POLYESTER, EIGHT STRAND PLAITED[CUST: GL SH 99 IS] [REVIEW: 71 AS MC] | A | 4020 | | IS | 24-APR-98 |
| | MIL-R-43952 NOT 2 | ROPE, FIBROUS, PLAITED, POLYESTER/POLYPROPYLENE DUAL FIBER[CUST: GL 99 IS] [REVIEW: AR CR4] | A | 4020 | | IS | 16-JUN-97 |
| | MIL-R-43942 NOT 1 | ROPE, FIBROUS, POLYESTER/POLYPROPYLENE DUAL FIBER[CUST: GL 99 IS] [REVIEW: AR CR4] | A | 4020 | | IS | 16-JUN-97 |
| | MIL-R-24750 NOT 1 | ROPE, FIBROUS, SINGLE-BRAIDED[CUST: GL SH 99 IS] [REVIEW: 71] | A | 4020 | | IS | 24-APR-98 |
| | T-R-605B(3) NOT 1 | ROPE, MANILA AND SISAL[CUST: GL SH 99 IS] [REVIEW: AR CC CE CR4 EA MC YD] | A | 4020 | / | IS | 03-DEC-98 |
| | MIL-R-43161C NOT 1 | ROPE, NYLON (SPUN YARN)[CUST: GL 99 IS] [REVIEW: 71 CR4 MD SH] | A | 4020 | | IS | 16-JUN-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-R-30500B(2) NOT 2 | ROPE, POLYESTER[CUST: GL SH 99 IS] [REVIEW: 71 CR4] | A | 4020 | | IS | 16-JUN-97 |
| | T-R-650(1) NOT 1 | ROPE, YARN AND TWINE, BAST FIBER[CUST: GL SH 99 IS] [REVIEW: AR CG CR4 MC MD YD] | A | 4020 | / | IS | 03-DEC-98 |
| | MIL-R-82642(1) NOT 1 | ROTARY SWITCH AND HARNESS[CUST: OS] | A | 1338 | | OS | 13-JUL-99 |
| | MIL-R-50792A NOT 2 | ROTATING BAND TUBING, VULCANIZED FIBER[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-R-60346C NOT 4 | ROVING, GLASS, FIBROUS (FOR PREPREG TAPE AND ROVING, FILAMENT WINDING, AND PULTRUSION APPLICATIONS[CUST: MI 11] | A | 8310 | | MI | 07-AUG-00 |
| | MIL-R-2778B NOT 3 | RUBBER SHEET, SOLID, UNVULCANIZED, HIGH GRAPHITE, GASKET USE, SYMBOL 2352[CUST: SH] [REVIEW: IS] | A | 5330 | | SH | 16-FEB-00 |
| | MIL-R-23074C NOT 1 | RUBBER TILE, RUBBER-AIR-LEAD-TYPE (RAL)[CUST: SH] | A | 9320 | | SH | 22-APR-98 |
| | MIL-R-60671 NOT 4 | RUBBER, CHLORINATED, NATURAL, POWER[CUST: AR] | A | 1370 | | AR | 03-MAR-98 |
| | MIL-R-81090 NOT 3 | RUBBER, ELECTRICALLY CONDUCTIVE, FUEL RESISTANT[CUST: OS] [REVIEW: GS MI MR] | A | 9320 | | OS | 20-DEC-95 |
| | MIL-R-25988/3(1) NOT 3 | RUBBER, FLUOROSILICONE ELASTOMER, OIL- AND FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 60[CUST: 11] [REVIEW: OS] | A | 5331 | | 11 | 31-DEC-97 |
| | MIL-R-25988/4(1) NOT 3 | RUBBER, FLUOROSILICONE ELASTOMER, OIL- AND FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 80[CUST: 11] [REVIEW: 99 OS] | A | 5331 | | 11 | 31-DEC-97 |
| | MIL-R-25988/2(1) NOT 3 | RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL RESISTANT, O-RINGS, CLASS 3[CUST: 11] [REVIEW: OS] | A | 5331 | | 11 | 31-DEC-97 |
| | MIL-R-25988/1A NOT 3 | RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 70[CUST: 11] [REVIEW: MI OS] | A | 5331 | | 11 | 31-DEC-97 |
| | MIL-R-25988B NOT 3 | RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, SHEETS, STRIPS, MOLDED PARTS, AND EXTRUDED SHAPES[CUST: MR AS 11] [REVIEW: 71 99 IS MI OS] | A | 5330 | | 11 | 31-DEC-97 |
| | MIL-R-83397A NOT 3 | RUBBER, POLYURETHANE, CASTABLE, HUMIDITY RESISTANT[CUST: MR SH 11 IS] [REVIEW: 99 AS] | A | 5330 | | IS | 09-FEB-98 |
| | MIL-R-47211A(1) NOT 1 | RUBBER, SILICONE, ROOM TEMPERATURE CURING[CUST: MI] [REVIEW: GS] | A | 9320 | | MI | 28-APR-97 |
| | SAE-AMS3250 | RUBBER, SYNTHETIC, AND CORK COMPOSITION, GENERAL PURPOSE, SOFT[CUST: MR AS 11] | A | 9320 | | AS | AUG-95 |
| | MIL-R-3533B(2) NOT 1 | RUBBER, SYNTHETIC; SHEET, STRIP AND MOLDED[CUST: MR OS 99] [REVIEW: AR AS MI] | A | 5330 | | IS | 27-JUN-01 |
| | MIL-S-63385A(1) NOT 2 | SABOT, 60MM PRACTICE: M3 ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 13-FEB-96 |
| | MIL-S-63110A NOT 1 | SABOT, 81MM PRACTICE, MI ASSEMBLING AND PACKING[CUST: AR] | A | 1315 | | AR | 17-JUL-96 |
| | UU-S-48F NOT 3 | SACKS, SHIPPING, PAPER[CUST: GL SA 11] [REVIEW: 80 84 AR AS CR CR4 MC MD OS SH SM YD] | A | 8105 | / | GL | 26-FEB-01 |
| | MIL-S-63383(6) NOT 1 | SAFE AND ARMING (NON-HAZARDOUS) ASSEMBLY M718/M741[CUST: AR] | A | 1345 | | AR | 20-FEB-97 |
| | MIL-S-48747B(5) NOT 1 | SAFE AND ARMING DEVICE FOR MINES, M718/M741 SYSTEM[CUST: AR] | A | 1345 | | AR | 13-AUG-97 |
| | MIL-S-48735A(5) NOT 1 | SAFE AND ARMING DEVICE FOR MINES, M718/M741 SYSTEMS METAL PARTS FOR[CUST: AR] | A | 1345 | | AR | 11-JUL-96 |
| | MIL-S-63326(6) NOT 1 | SAFETY AND ARMING ASSEMBLIES FOR MINES: BLU-91/B AND BLU-92/B[CUST: AR] | A | 1345 | | AR | 15-AUG-97 |
| | MIL-S-63302(6) NOT 1 | SAFETY AND ARMING ASSEMBLIES FOR MINES: M74 AND M75[CUST: AR] | A | 1345 | | AR | 17-JUL-96 |
| | MIL-S-63335C(1) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143 ELECTRICAL PARTS AND ASSEMBLIES FOR[CUST: AR] | A | 1336 | | AR | 11-MAR-98 |
| | MIL-S-63257B(1) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143 LOADING, ASSEMBLING AND PACKING FOR[CUST: AR] | A | 1336 | | AR | 11-MAR-98 |
| | MIL-S-63255C(1) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143 MECHANICAL PARTS AND ASSEMBLY FOR[CUST: AR] | A | 1336 | | AR | 11-MAR-98 |
| | MIL-S-48685(2) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 ELECTRICAL PARTS AND ASSEMBLIES FOR[CUST: AR] | A | 1336 | | AR | 11-MAR-98 |
| | MIL-S-48687(2) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 LOADING, ASSEMBLING AND PACKING FOR[CUST: AR] | A | 1336 | | AR | 11-MAR-98 |
| | MIL-S-48686(2) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 MECHANICAL PARTS AND ASSEMBLY FOR[CUST: AR] | A | 1336 | | AR | 11-MAR-98 |
| | MIL-S-63256C(1) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143 (M143E1) LOGIC CIRCUIT HYBRID FOR[CUST: AR] | A | 1336 | | AR | 11-MAR-98 |
| | SAE-AMS2755 | SALT BATH , MOLTEN, NITRIDING[CUST: MR AS 11 GS4] | A | MFFP | | GS4 | NOV-83 |
| | MIL-S-24186B NOT 2 | SAMPLER, AIR PARTICLE, HD-732/UD[CUST: SH] | A | 6625 | | SH | 22-APR-98 |
| A | MIL-S-27626D(1) NOT 1 | SAMPLER, CRYOGENIC LIQUID[CUST: 99] [REVIEW: 19 68 GS] | A | 6695 | | 84 | 02-NOV-98 |
| | MIL-S-7998A(1) NOT 1 | SANDWICH CONSTRUCTION CORE MATERIAL, BALSA WOOD[CUST: CR4 AS 11] [REVIEW: 99 CC MI] | A | 5510 | | AS | 07-AUG-96 |
| | MIL-S-25392B NOT 1 | SANDWICH CONSTRUCTION, PLASTIC RESIN, GLASS FABRIC BASE, LAMINATED FACINGS AND POLYURETHANE FOAMED-IN-PLACE CORE, FOR AIRCRAFT STRUCTURAL APPLICATIONS[CUST: AS 11] [REVIEW: 99 GS] | A | 9330 | | AS | 31-JUL-96 |
| | MIL-S-9041B NOT 2 | SANDWICH CONSTRUCTION; PLASTIC RESIN, GLASS FABRIC BASE, LAMINATED FACINGS AND HONEYCOMB CORE FOR AIRCRAFT STRUCTURAL AND ELECTRONIC APPLICATIONS[CUST: AV AS 11] [REVIEW: 84 AR CR4] | A | 5680 | | AS | 30-AUG-99 |
| | O-D-1435B NOT 1 | SANITIZER, PHENOLIC TYPE, CONCENTRATE[CUST: GL 68] [REVIEW: MD] | A | 6840 | / | GS3 | 13-APR-01 |
| | MIL-S-52212G NOT 1 | SAW, ABRASIVE DISK, CONCRETE, GASOLINE ENGINE DRIVEN, SELF PROPELLED, 12 TO 18 INCH BLADE[CUST: AT YD] [REVIEW: CE] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-S-70538A(2) NOT 1 | SAW, M249 AMMUNITION MAGAZINE ASSEMBLY AND FEEDSTRAP[CUST: AR] | A | 1005 | | AR | 24-APR-03 |
| | MIL-S-70471(1) NOT 3 | SAW, M249 BLANK AMMUNITION MAGAZINE ASSEMBLY AND FEEDSTRAP[CUST: AR] | A | 1005 | | AR | 27-FEB-97 |
| | GGG-S-58F NOT 1 | SAW, RADIAL OVERARM, WOODWORKING[CUST: AT 99] [REVIEW: 84 CG] | A | 3220 | / | IS | 08-MAY-01 |
| | MIL-S-64045/4 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, HIGH ANGLE, (105-H-7), (P/N 11785434-4)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/1 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) CHGS 1 + 3, (P/N 11785434-1)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/2 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) CHGS 4 + 5, (P/N 11785434-2)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/3 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) CHGS 6 + 7, (P/N 11785434-3)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/70A | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 1 & 2, (P/N 11785434-70)[CUST: AR] | A | 1220 | | AR | 15-OCT-01 |
| | MIL-S-64045/71A | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 3 & 4, (P/N 11785434-71)[CUST: AR] | A | 1220 | | AR | 15-OCT-01 |
| | MIL-S-64045/72A | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 5 & 6, (P/N 11785434-72)[CUST: AR] | A | 1220 | | AR | 15-OCT-01 |
| | MIL-S-64045/73A | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 7 & 8, (P/N 11785434-73)[CUST: AR] | A | 1220 | | AR | 15-OCT-01 |
| | MIL-S-64045/25 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AH-3), (P/N 11785434-25)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-64045/98 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AM-2, (P/N 11785434-106 [CUST: AR] | A | 1220 | | AR | 30-NOV-95 |
| | MIL-S-64045/18 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-Q-4), (P/N 11785434-18) [CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/15 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE W/ICM, (155-Q-4) CHGS 1 + 3, (P/N 11785434-15)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/103 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 3&4, (P/N 11785434-112)[CUST: AR] | A | 1220 | | AR | 30-NOV-95 |
| | MIL-S-64045/104 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 5&6, (P/N 11785434-113)[CUST: AR] | A | 1220 | | AR | 30-NOV-95 |
| | MIL-S-64045/105 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 7&8, (P/N 11785434-114)[CUST: AR] | A | 1220 | | AR | 30-NOV-95 |
| | MIL-S-64045/95A | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM (155-AM-2), CHG 2 & 4, (P/N 11785434-103)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/96A | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM (155-AM-2), CHG 5 & 6, (P/N 11785434-104)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/97A | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM (155-AM-2), CHG 7 & 8, (P/N 11785434-105)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/22 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3) CHGS 1 + 3, (P/N 11785434-22)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/24 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3) CHGS 6 + 7, (P/N 11785434-24)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/23 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3), CHGS 4 + 5, (P/N 11785434-23)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/16 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-Q-4) CHGS 4 & 5, (P/N 11785434-16)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/17 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-Q-4) CHGS 6 & 7, (P/N 11785434-17)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/102A | SCALE, GRAPHICAL FIRING, HE M107/M825, LOW ANGLE, (155-AM-2), CHG 3, (P/N 11785434-110)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/32 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, HIGH ANGLE, (155-AK-2), (P/N 11785434-32)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/29 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 1 + 3, (P/N 11785434-29)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/30 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 4 + 5, (P/N 11785434-30)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/31 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 6 + 7, (P/N 11785434-31)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/100A | SCALE, GRAPHICAL FIRING, HE M485, ILLUMINATION, (155-AM-2) CHG 2 & 3, (P/N 11785434-108)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/101A | SCALE, GRAPHICAL FIRING, HE M485, ILLUMINATION, (155-AM-2) CHG 5 & 7, (P/N 11785434-109)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/51 NOT 2 | SCALE, GRAPHICAL FIRING, HE M549A1, HIGH ANGLE, (155-AO-0), (P/N 11785434-51)[CUST: AR] | A | 1220 | | AR | 30-NOV-95 |
| | MIL-S-64045/50A NOT 1 | SCALE, GRAPHICAL FIRING, HE M549A1, LOW ANGLE, (155-AO-0) CHG 8R, (P/N 11785434-50)[CUST: AR] | A | 1220 | | AR | 30-NOV-95 |
| | MIL-S-64045/49A NOT 1 | SCALE, GRAPHICAL FIRING, HE M549A1, LOW ANGLE, (155-AO-0) CHGS 7R & 8R, (P/N 11785434-49)[CUST: AR] | A | 1220 | | AR | 30-NOV-95 |
| | MIL-S-64045/5 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-H-7) CHGS 3 + 4, (P/N 11785434-5)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/6 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-H-7) CHGS 5 + 7, (P/N 11785434-6)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/26 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-3) CHGS 1 + 3, (P/N 11785434-26)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/27 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-3) CHGS 5 + 7, (P/N 11785434-27)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/19 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-Q-4) CHGS 1 + 3, (P/N 11785434-19)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/20 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-Q-4) CHGS 5 + 7, (P/N 11785434-20)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/92 NOT 2 | SCALE, GRAPHICAL FIRING, LOW ANGLE & HIGH ANGLE, (14.5-A-1) CHG 1, (P/N 11785434-92)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/35 NOT 2 | SCALE, GRAPHICAL FIRING, M549A1, HIGH ANGLE, (155-AL-1) CHG 7R, (P/N 11785434-35)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/34 NOT 2 | SCALE, GRAPHICAL FIRING, M549A1, LOW ANGLE, (155-AL-1) CHG 7R, (P/N 11785434-34)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/61A | SCALE, GRAPHICAL FIRING, M712 CLGP, HIGH ANGLE, (155-AS-0), (P/N 11785434-61)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/53A | SCALE, GRAPHICAL FIRING, M712 CLGP, LOW ANGLE, (155-AS-0) CHG 4G & 5G, (P/N 11785434-53)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/54A | SCALE, GRAPHICAL FIRING, M712 CLGP, LOW ANGLE, (155-AS-0) CHG 4W & 5W, (P/N 11785434-54)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/55A | SCALE, GRAPHICAL FIRING, M712 CLGP, LOW ANGLE, (155-AS-0) CHG 6W & 7W, (P/N 11785434-55)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/59A | SCALE, GRAPHICAL FIRING, M712 CLGP, LOW ANGLE, (155-AS-0) CHG 8G, (P/N 11785434-59)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-64045/93 NOT 2 | SCALE, GRAPHICAL SITE, (14.5-A-1) CHG 1, (P/N 11785434-93)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/28 NOT 2 | SCALE, GRAPHICAL SITE, HE M107, (155-AH-3), (P/N 11785434-28)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/21 NOT 2 | SCALE, GRAPHICAL SITE, HE M107, (155-Q-3), (P/N 11785434-21)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/99 NOT 1 | SCALE, GRAPHICAL SITE, HE M107. (155-AM-2), (P/N 11785434-107)[CUST: AR] | A | 1220 | | AR | 30-NOV-95 |
| | MIL-S-64045/33 NOT 2 | SCALE, GRAPHICAL SITE, HE M483A1, (155-AK-2), (P/N 11785434-33)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/52 NOT 2 | SCALE, GRAPHICAL SITE, HE M549A1, (155-AO-0), (P/N 11785434-52)[CUST: AR] | A | 1220 | | AR | 30-NOV-95 |
| | MIL-S-64045/7 NOT 2 | SCALE, GRAPHICAL SITE, HE MI, (105-H-6), (P/N 11785434-7)[CUST: AR] | A | 1220 | | AR | 29-NOV-95 |
| | MIL-S-64045/36 NOT 2 | SCALE, GRAPHICAL SITE, M549A1, (155-AL-1) CHG 7R, (P/N 11785434-36)[CUST: AR] | A | 1220 | | AR | 30-NOV-95 |
| | MIL-S-64045/60A | SCALE, GRAPHICAL SITE, M712 CLGP, (155-AS-0), (P/N 11785434-60)[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-20197C NOT 2 | SCALE, PLOTTING, PRECISION, CENTIMETERS AND INCHES WITH CASE[CUST: CE 99 IS] | A | 6675 | | IS | 24-NOV-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-64045 SUP 1C NOT 1 | SCALES, GRAPHICAL FIRING, GENERAL SPECIFICATION FOR[CUST: AR] | A | 1220 | | AR | 29-SEP-03 |
| | MIL-S-49166/4 NOT 2 | SCANNER, MECHANICAL MX-9872(V)4/UA[CUST: CR] | A | 5855 | | CR | 30-SEP-97 |
| | MIL-S-49166/5 NOT 2 | SCANNER, MECHANICAL MX-9872(V)5/UA[CUST: CR] | A | 5855 | | CR | 30-SEP-97 |
| | MIL-S-49166/6(1) NOT 1 | SCANNER, MECHANICAL MX-9872(V)6/UA[CUST: CR] | A | 5855 | | CR | 30-SEP-97 |
| | MIL-S-49166/7 NOT 1 | SCANNER, MECHANICAL, MX-9872(V)7/UA[CUST: CR] | A | 5855 | | CR | 30-SEP-97 |
| | MIL-S-20706A NOT 1 | SCARIFIER ASSEMBLIES, BACK-RIP, EARTH, DOZER MOUNTED[CUST: AT YD] [REVIEW: CC CE MC] | A | 3830 | | AT | 09-MAR-98 |
| | MIL-S-85688A NOT 2 | SCORING SET, MISSILE, NON-COOPERATIVE SYSTEM AN/DSQ-37(V)[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 04-APR-98 |
| | MIL-S-53000 NOT 1 | SCRAPER, 14-18 CUBIC YARD MINIUMUM STRUCK CAPACITY, OPEN BOWL, SINGLE DIESEL ENGINE DRIVEN COMMERCIAL CONSTRUCTION EQUIPMENT (CCE)[CUST: AT] [REVIEW: CC] | A | 3805 | | AT | 09-MAR-98 |
| | MIL-S-52986 NOT 1 | SCRAPER, ELEVATING, SELF PROPELLED, 9 CUBIC YARD MINIMUM HEAPED CAPACITY, SECTIONALIZED AND NON SECTIONALIZED[CUST: AT] [REVIEW: CC CE] | A | 3805 | | AT | 09-MAR-98 |
| | MS33675C NOT 3 | SCRAPER, INSTALLATION, PACKING, GLAND RING[CUST: AV AS 99] | A | 5330 | | 71 | 08-MAR-96 |
| | MS28776D NOT 1 | SCRAPER, PISTON ROD[CUST: AV AS 99] [REVIEW: CR4 GS MI] | A | 1650 | | 71 | 01-APR-96 |
| | MIL-S-52124B NOT 1 | SCREENING UNIT, AGGREGATE, ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY[CUST: AT] [REVIEW: CE] | A | 3820 | | AT | 09-MAR-98 |
| | AN254 REV 3 NOT 1 | SCREW & THUMB, NECKED (SUPERSEDES USAF DWG. 36A4486 IN PART)[CUST: 99 IS] [REVIEW: 71] | A | 5305 | | IS | 04-APR-98 |
| | AN255 REV 5(1) | SCREW - EXTERNALLY RELIEVED BODY[CUST: AV AS 99 IS] | A | 5305 | | IS | 20-MAY-96 |
| | AN115551THRUAN115600 REV 3 NOT 2 | SCREW - FLAT FILLISTER HEAD, .375-24[CUST: AS 11 IS] | A | 5305 | | IS | 19-SEP-01 |
| | AN115701THRUAN115750 REV 3 NOT 2 | SCREW - FLAT FILLISTER HEAD, DRILLED SHANK, .3125-24[CUST: AS 99 IS] [REVIEW: 71] | A | 5305 | | IS | 19-SEP-01 |
| | AN503 REV 5 NOT 2 | SCREW - MACHINE, DRILLED FILLISTER HEAD, COARSE THREAD[CUST: AV AS 99 IS] [REVIEW: MI] | A | 5305 | | IS | 16-JUN-97 |
| | AN502 REV 6 NOT 2 | SCREW - MACHINE, DRILLED FILLISTER HEAD, FINE THREAD[CUST: AV AS 99 IS] | A | 5305 | | IS | 04-APR-98 |
| | MS25332(1) NOT 1 | SCREW AND WASHER ASSEMBLY, RELAY SOCKET MOUNTING[CUST: AS 99 IS] | A | 5305 | | IS | 18-NOV-99 |
| | MIL-S-7742D(1) | SCREW THREADS, STANDARD, OPTIMUM SELECTED SERIES: GENERAL SPECIFICATION FOR[CUST: AR AS 11] [REVIEW: AT AV CR4 IS MI SH] | A | THDS | | 11 | 02-SEP-92 |
| | MS51488 NOT 3 | SCREW, CAP HEXAGON HEAD (FINISHED HEXAGON BOLT), ALLOY STEEL, GRADE 8[CUST: AR 99 IS] [REVIEW: AV EA MI NS] | A | 5305 | | IS | 29-OCT-04 |
| A | MS51478 NOT 2 | SCREW, CAP, HEXAGON (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE ALLOY STEEL, GRADE 8, UNF-2A[CUST: AR SH 99 IS] [REVIEW: 71 AV CR4 EA MC MI NS OS] | A | 5305 | | IS | 08-JUL-05 |
| | MS35302C NOT 2 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXACON BOLT), ALLOY STEEL, PLAIN FINISH, UNF-2A[CUST: AR SH IS] [REVIEW: AT MC MI OS] | A | 5305 | | IS | 08-JAN-03 |
| | MS51100B NOT 3 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, CORROSION-RESISTING, PASSIVATED, UNF-2A[CUST: AR SH 99 IS] [REVIEW: AV MC MI OS] | A | 5305 | | IS | 29-OCT-04 |
| | MS51099B NOT 4 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, CORROSION-RESISTING, PASSIVATED, UNC-2A[CUST: AR SH 99 IS] [REVIEW: AV MC MI OS] | A | 5305 | | IS | 29-OCT-04 |
| | MS35295B NOT 2 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), MEDIUM CARBON STEEL, PLAIN FINISH UNC-2A[CUST: AR SH 99 IS] [REVIEW: AT MC OS SA] | A | 5305 | | IS | 08-JAN-03 |
| | MS51108B NOT 4 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, ALLOY STEEL, GRADE 8, PHOSPHATE COATED, UNF-2A[CUST: AR SH 99 IS] [REVIEW: AT AV MC OS] | A | 5305 | | IS | 29-OCT-04 |
| | MS51107B NOT 4 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, ALLOY STEEL, GRADE 8, PHOSPHATE COATED, UNC-2A[CUST: AR SH 99 IS] [REVIEW: AT AV GL MC OS] | A | 5305 | | IS | 29-OCT-04 |
| | MS51491 NOT 3 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5 UNC-2A[CUST: AR 99 IS] [REVIEW: 71 CR4 EA MI NS] | A | 5305 | | IS | 29-OCT-04 |
| | MS51490 NOT 2 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, UNF-2A[CUST: AR 99 IS] [REVIEW: 71 CR4 EA MI NS] | A | 5305 | | IS | 29-OCT-04 |
| | MS35309C(1) NOT 3 | SCREW, CAP, HEXAGON HEAD - NAVAL BRASS, PLAIN FINISH, UNC-2A[CUST: AR SH 99 IS] | A | 5305 | | IS | 21-DEC-04 |
| | MS35310B(1) NOT 2 | SCREW, CAP, HEXAGON HEAD, NAVAL BRASS, PLAIN FINISH, UNF-2A[CUST: AR SH 99 IS] | A | 5305 | | IS | 21-DEC-04 |
| | MS35311A NOT 3 | SCREW, CAP, HEXAGON HEAD, NICKEL-COPPER ALLOY, PLAIN FINISH UNF-2A[CUST: AR SH 99 IS] [REVIEW: AT AV MC OS SA] | A | 5305 | | IS | 21-DEC-04 |
| | MS35312A NOT 3 | SCREW, CAP, HEXAGON HEAD, NICKEL-COPPER ALLOY, PLAIN FINISH, UNF-2A[CUST: AR SH 99 IS] [REVIEW: AT AV CR4 MC MI OS] | A | 5305 | | IS | 21-DEC-04 |
| | MS35458B(1) | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, CADMIUM OR ZINC, UNF-3A[CUST: AR SH 99 IS] | A | 5305 | | IS | 26-JUN-96 |
| | MS35459B NOT 1 | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, PHOSPHATE, UNC-3A[CUST: AR SH] [REVIEW: 99 CR4 MC MI] | A | 5305 | | IS | 14-SEP-01 |
| | MS35460B NOT 1 | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, PHOSPHATE, UNF-3A[CUST: AR SH] [REVIEW: MC MI] | A | 5305 | | IS | 14-SEP-01 |
| A | MS35456B(1) NOT 1 | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, UNCOATED, UNF-3A[CUST: AR SH IS] | A | 5305 | | IS | 08-JUL-05 |
| | MS35461B(1) | SCREW, CAP, SOCKET HEAD - HEXAGON, STEEL, CORROSION RESISTING, PASSIVATED, UNC-3A[CUST: AR SH 99 IS] | A | 5305 | | IS | 24-OCT-02 |
| | MS35457B(1) | SCREW, CAP, SOCKET HEAD HEXAGON, ALLOY STEEL, CADMIUM OR ZINC, UNC-3A[CUST: AR SH IS] | A | 5305 | | IS | 26-JUN-96 |
| | MS51484 NOT 3 | SCREW, CAP, SOCKET HEAD, ALLOY STEEL, UNC-3A[CUST: AR SH 99 IS] [REVIEW: 71 AV CR4 EA MC MI NS OS] | A | 5305 | | IS | 29-OCT-04 |
| | MS51480 NOT 3 | SCREW, CAP, SOCKET HEAD, ALLOY STEEL, UNF-3A[CUST: AR SH 99 IS] [REVIEW: 71 CR4 EA MC MI NS OS] | A | 5305 | | IS | 29-OCT-04 |
| | MS14188 NOT 2 | SCREW, CAP, SOCKET HEAD, SQUARE 160 KSI, UTS[CUST: AV AS 99 IS] | A | 5305 | | IS | 01-OCT-97 |
| | MS35455B(1) | SCREW, CAP, SOCKET HEAD-HEXAGON, ALLOY STEEL, UNCOATED, UNC-3A[CUST: AR SH 99 IS] | A | 5305 | | IS | 26-JUN-96 |
| | MS51494 NOT 2 | SCREW, EXTERNALLY RELIEVED BODY, FLAT COUNTERSUNK HEAD, 100 DEGREE, CROSS-RECESSED[CUST: AR 99 IS] [REVIEW: 71 AT AV EA MC MI] | A | 5305 | | IS | 06-FEB-03 |
| | MS35646B NOT 1 | SCREW, EYE, STEEL OR BRASS[CUST: AR 99 IS] [REVIEW: AT AV CR4] | A | 5305 | | IS | 18-NOV-99 |
| | MS21270A NOT 2 | SCREW, INSTRUMENT - 100 DEGREE FLAT HEAD[CUST: AR SH 99 IS] [REVIEW: CR CR4 MI] | A | 5305 | | IS | 18-NOV-99 |
| | MS21271A NOT 1 | SCREW, INSTRUMENT - BINDING HEAD[CUST: AR SH 99 IS] | A | 5305 | | IS | 18-NOV-99 |
| | MS21268A NOT 2 | SCREW, INSTRUMENT - FILISTER HEAD[CUST: AR SH 99 IS] | A | 5305 | | IS | 18-NOV-99 |
| | MS9488A(1) NOT 2 | SCREW, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .164-36 UNJF-3A[CUST: AS 99 IS] | A | 5305 | | IS | 23-OCT-02 |
| | MS9487A(1) NOT 2 | SCREW, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, 136-40 UNJF-3A[CUST: 99 IS] [REVIEW: 71 AR MI] | A | 5305 | | IS | 24-OCT-02 |
| | MS35265C NOT 2 | SCREW, MACHINE DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UNC-2A[CUST: AR 99 IS] [REVIEW: AV CR4 MI] | A | 5305 | | IS | 18-NOV-99 |
| | MS9293A NOT 1 | SCREW, MACHINE STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .164-36 UNJF-3A[CUST: AS IS] | A | 5305 | | IS | 19-SEP-01 |
| | MS9282A NOT 1 | SCREW, MACHINE STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .164-36 UNJF-3A[CUST: AS IS] | A | 5305 | | IS | 19-SEP-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS51479 NOT 2 | SCREW, MACHINE, 82 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, UNF-2A[CUST: AR SH 99 IS] [REVIEW: 71 CR4 EA GL MC MI NS OS] | A | 5305 | | IS | 18-NOV-99 |
| | MS51481 NOT 2 | SCREW, MACHINE, 82 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, UNC-2A[CUST: AR SH 99 IS] [REVIEW: 71 AM AV CR4 EA MI NS OS] | A | 5305 | | IS | 18-NOV-99 |
| | MS51475A NOT 1 | SCREW, MACHINE, BOOM SUPPORT ASSEMBLY[CUST: AR EC IS] [REVIEW: CR] | A | 5305 | | IS | 01-OCT-97 |
| | MS51483 NOT 2 | SCREW, MACHINE, DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UNC-2A[CUST: AR SH 99 IS] [REVIEW: 71 AV CR CR4 EA NS OS] | A | 5305 | | IS | 08-JAN-03 |
| | AN505 REV 7 NOT 1 | SCREW, MACHINE, FLAT HEAD, 82 DEGREE, COARSE THREAD[CUST: AV AS 99 IS] [REVIEW: 71 MI] | A | 5305 | | IS | 18-NOV-99 |
| | MS51493(1) NOT 1 | SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, CARBON STEEL UNF-2A[CUST: AR 99 IS] [REVIEW: 71 CR4 EA MI] | A | 5305 | | IS | 18-NOV-99 |
| | MS51492(1) NOT 1 | SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, CARBON STEEL, UNC-2A[CUST: AR 99 IS] [REVIEW: 71 AV CR4 EA MI] | A | 5305 | | IS | 18-NOV-99 |
| | MS35223B(1) NOT 1 | SCREW, MACHINE, PAN HEAD, SLOTTED, CARBON STEEL, CADMIUM PLATED, NC-2A AND UNC-2A[CUST: AR SH 99 IS] | A | 5305 | | IS | 01-OCT-97 |
| | MS9122A NOT 3 | SCREW, MACHINE, SLOTTED HEX HEAD, .190-32[CUST: 11 IS] [REVIEW: MI] | A | 5305 | | IS | 19-SEP-01 |
| | MS9123A(1) NOT 1 | SCREW, MACHINE, SLOTTED HEX HEAD, 250-28[CUST: MI AS] | A | 5305 | | IS | 08-JUL-03 |
| | MS9177B NOT 1 | SCREW, MACHINE-CRES DOUBLE HEXAGON, EXTENDED WASHER HEAD, .138-40[CUST: AS 99 IS] [REVIEW: 71] | A | 5305 | | IS | 06-OCT-98 |
| | MS9178B NOT 1 | SCREW, MACHINE-CRES, DOUBLE HEXAGON EXTENDED WASHER HEAD, 164-36[CUST: AS 99 IS] [REVIEW: 71] | A | 5305 | | IS | 06-OCT-98 |
| | MS9704A(1) NOT 2 | SCREW, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .164-36 UNJF-3A[CUST: AS IS] | A | 5305 | | IS | 22-AUG-02 |
| | MS35277B(1) NOT 2 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, ALUMINUM ALLOY, UNC-2A[CUST: AR 99 IS] | A | 5305 | | IS | 18-NOV-99 |
| | MS35278B(1) NOT 2 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, ALUMINUM ALLOY, UNF-2A[CUST: AR 99 IS] | A | 5305 | | IS | 18-NOV-99 |
| | MS35266C NOT 3 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UNF-2A[CUST: AR 99 IS] [REVIEW: AV CR4 MI] | A | 5305 | | IS | 18-NOV-99 |
| | MS35218B(1) NOT 1 | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, ALUMINUM ALLOY, UNC-2A[CUST: AR SH 99 IS] [REVIEW: AT AV EA MC MI] | A | 5305 | | IS | 18-NOV-99 |
| | MS35219B(1) NOT 2 | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, ALUMINUM ALLOY, UNF-2A[CUST: AR SH 99 IS] [REVIEW: AV CR4 MC MI SA] | A | 5305 | | IS | 18-NOV-99 |
| | MS9281B | SCREW, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .138-40 UNJF-3A[CUST: AS 11 IS] | A | 5305 | | IS | 27-OCT-95 |
| | MS9215A NOT 3 | SCREW, MACHINE-STEEL DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .138 40 UNJF 3A[CUST: AS IS] | A | 5305 | | IS | 19-SEP-01 |
| A | MS9438B | SCREW, MACHINE-STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .138-40 UNJF-3A[CUST: AS 99 IS] [REVIEW: 71] | A | 5305 | | IS | 27-OCT-95 |
| | MS9439A(1) NOT 1 | SCREW, MACHINE-STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .164-36 UNJF-3A[CUST: AS 11] | A | 5305 | | IS | 08-JUL-03 |
| | MS9206A NOT 3 | SCREW, MACHINE-STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .138-40 UNJF-3A[CUST: AS IS] | A | 5305 | | IS | 19-SEP-01 |
| | AN508 REV A NOT 3 | SCREW, ROUND HEAD MACHINE, (FOR ELECTRICAL USE)[CUST: AV 99 IS] [REVIEW: 71 CR MI] | A | 5305 | | IS | 18-NOV-99 |
| | MS21301B NOT 1 | SCREW, SHOULDERED, HEX-SOCKET HEAD .375, .500, .625 UNC-3A, UNPLATED[CUST: CR YD 99 IS] [REVIEW: 71 AR FSS GL MC NS] | A | 5305 | | IS | 18-NOV-99 |
| | FF-S-107C(2) NOT 1 | SCREW, TAPPING AND DRIVE[CUST: AR 99 IS] | A | 5305 | / | IS | 15-DEC-00 |
| | MS51869 NOT 2 | SCREW, TAPPING HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, HEXAGON WASHER HEAD[CUST: AR 99 IS] | A | 5305 | | IS | 18-NOV-99 |
| | AN504 REV 6 | SCREW, TAPPING, THREAD CUTTING, ROUND HEAD, MACHINE SCREW THREAD[CUST: IS] | A | MISC | | IS | 04-MAR-82 |
| | MS51485 NOT 2 | SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T PAN HEAD, CROSS-RECESSED, CARBON STEEL[CUST: AR SH 99 IS] [REVIEW: 71 EA MC MI NS OS] | A | 5305 | | IS | 18-NOV-99 |
| | AN531 REV 5(1) NOT 1 | SCREW, TAPPING, THREAD FORMING OR THREAD CUTTING, 82 DEG., FLAT HEAD, SPACED THREAD[CUST: AS 99 IS] | A | 5305 | | IS | 16-JUN-97 |
| | MS51486 NOT 1 | SCREW, TAPPING, THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED[CUST: AR SH 99 IS] [REVIEW: 71 CR CR4 EA MC MI NS OS] | A | 5305 | | IS | 01-OCT-97 |
| | MS24632B NOT 3 | SCREW, TAPPING, THREAD FORMING- TYPES AB, B AND BP, APPROXIMATE HOLE SIZES FOR[CUST: AR 99 IS] [REVIEW: AT AV MI] | A | 5305 | | IS | 21-DEC-04 |
| | MS24626D(1) NOT 1 | SCREW, TAPPING-THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL[CUST: AR 99 IS] | A | 5305 | | IS | 19-APR-96 |
| | MS24633B NOT 3 | SCREW, TAPPING-THREAD CUTTING, TYPES BF AND BT, APPROXIMATE HOLE SIZES FOR[CUST: AR 99 IS] [REVIEW: AT AV MI] | A | 5305 | | IS | 21-DEC-04 |
| | FF-S-111D(1) NOT 1 | SCREW, WOOD[CUST: AR YD 99 IS] [REVIEW: 71 CE CR4 EA MC MI OS SH] | A | 5305 | / | IS | 04-DEC-00 |
| | MS35492E NOT 3 | SCREW, WOOD, FLAT HEAD, CROSS-RECESSED, STEEL AND BRASS[CUST: AR YD 99 IS] [REVIEW: AT AV EA MI NS] | A | 5305 | | IS | 18-NOV-99 |
| | MS35494E NOT 3 | SCREW, WOOD, FLAT HEAD, SLOTTED, STEEL AND BRASS[CUST: AR YD 99 IS] [REVIEW: AT AV EA MI NS] | A | 5305 | | IS | 18-NOV-99 |
| | MS35493E NOT 3 | SCREW, WOOD, ROUND HEAD, CROSS-RECESSED, STEEL AND BRASS[CUST: AR YD 99 IS] [REVIEW: AT AV EA MI NS] | A | 5305 | | IS | 18-NOV-99 |
| | MS35495D NOT 3 | SCREW, WOOD, ROUND HEAD, SLOTTED, STEEL AND BRASS[CUST: AR YD 99 IS] [REVIEW: AT AV EA MI NS] | A | 5305 | | IS | 18-NOV-99 |
| | MS16219A NOT 2 | SCREWS, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, NONMAGNETIC, CORROSION RESISTING STEEL, PASSIVATED, UNC-2A[CUST: IS] [REVIEW: CR4] | A | 5305 | | IS | 18-NOV-99 |
| | MS16217A NOT 2 | SCREWS, WOOD, SLOTTED FLAT HEAD, 82 DEGREE, AUSTENITIC, CORROSION-RESISTING STEEL, NONMAGNETIC[CUST: IS] [REVIEW: MI] | A | 5305 | | IS | 18-NOV-99 |
| | MS16215A NOT 2 | SCREWS, WOOD, SLOTTED OVAL HEAD 82 DEG. AUSTENITIC, CORROSION RESISTING STEEL, NONMAGNETIC[CUST: IS] | A | 5305 | | IS | 18-NOV-99 |
| | MS16198A NOT 2 | SCREWS, WOOD, SLOTTED ROUND HEAD, AUSTENITIC CORROSION RESISTING STEEL, NON-MAGNETIC[CUST: IS] | A | 5305 | | IS | 18-NOV-99 |
| | MS16216B NOT 2 | SCREWS, WOOD, SLOTTED ROUND HEAD, COPPER-SILICON ALLOY, NONMAGNETIC[CUST: IS] [REVIEW: MI] | A | 5305 | | IS | 18-NOV-99 |
| | MS16199B NOT 2 | SCREWS, WOOD, SLOTTED, FLAT COUNTERSUNK (82 DEG.) HEAD, COPPER-SILICON ALLOY, NONMAGNETIC[CUST: IS] | A | 5305 | | IS | 18-NOV-99 |
| A | AN3067 REV 3(3) NOT 2 | SEAL ASSEMBLY - 3/8 INCH CONDUIT BOSS[CUST: 99 IS] [REVIEW: 71] | A | 5330 | | IS | 08-JUL-05 |
| | DOD-S-70339/1 NOT 2 | SEAL RING, ALUMINUM, FLAT, METRIC[CUST: AR SH 99] [REVIEW: 68 71 AS AT AV GL MI MR OS YD] | A | 5330 | | IS | 26-NOV-02 |
| | DOD-S-70338/2 NOT 2 | SEAL RING, ALUMINUM, METRIC[CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD] | A | 5330 | | IS | 26-NOV-02 |
| | DOD-S-70339/2 NOT 2 | SEAL RING, COPPER, FLAT, METRIC[CUST: AR SH 99] [REVIEW: 68 71 AS AT CR4 GL MI MR OS YD] | A | 5330 | | IS | 26-NOV-02 |
| | DOD-S-70338/1 NOT 2 | SEAL RING, COPPER, METRIC[CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD] | A | 5330 | | IS | 26-NOV-02 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DOD-S-70339 SUP 1 NOT 1 | SEAL RING, METAL AND NON-METAL, FLAT, METRIC GENERAL SPECIFICATION FOR[CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD] | A | 5330 | | IS | 16-JUN-97 |
| | DOD-S-70338 NOT 1 | SEAL RING, METAL, METRIC GENERAL SPECIFICATION FOR[CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD] | A | 5330 | | IS | 16-JUN-97 |
| | DOD-S-70339/6 NOT 2 | SEAL RING, PAPER, IMPREGNATED, FLAT, METRIC[CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD] | A | 5330 | | IS | 26-NOV-02 |
| | DOD-S-70339/5 NOT 2 | SEAL RING, PAPER, NON-IMPREGNATED, FLAT, METRIC[CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD] | A | 5330 | | IS | 26-NOV-02 |
| | DOD-S-70339/7 NOT 2 | SEAL RING, PRESSBOARD, FLAT, METRIC[CUST: AR SH 99] [REVIEW: 68 AS AT AV CR4 GL YD] | A | 5330 | | IS | 26-NOV-02 |
| | DOD-S-70339/8 NOT 2 | SEAL RING, RUBBER, FLAT, METRIC[CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD] | A | 5330 | | IS | 26-NOV-02 |
| | DOD-S-70339/3 NOT 2 | SEAL RING, STEEL, FLAT, METRIC[CUST: AR SH 99] [REVIEW: 68 71 AS AT CR4 GL MI OS YD] | A | 5330 | | IS | 26-NOV-02 |
| | DOD-S-70338/3 NOT 2 | SEAL RING, STEEL, METRIC[CUST: AR SH 99] [REVIEW: 68 71 AS AT AV CR4 GL MI MR OS YD] | A | 5330 | | IS | 26-NOV-02 |
| | DOD-S-70339/4 NOT 2 | SEAL RING, VULCANIZED FIBER, FLAT, METRIC[CUST: AR SH 99] [REVIEW: 68 71 AS AT CR4 GL MI MR OS YD] | A | 5330 | | IS | 26-NOV-02 |
| | MIL-S-21558A NOT 1 | SEAL, OIL, PLAIN OR PLAIN ENCASED[CUST: OS] [REVIEW: IS MI] | A | 5330 | | OS | 20-DEC-95 |
| | MIL-S-38714B NOT 1 | SEALING CARTRIDGE FOR TWO COMPONENT MATERIALS[CUST: 99] | A | 8030 | | 84 | 24-DEC-96 |
| | MIL-S-19653B(2) NOT 1 | SEALING COMPOUND (WOOD BEDDING)[CUST: SH] | A | 8030 | | SH | 13-JUL-99 |
| | MIL-S-38228(2) NOT 2 | SEALING COMPOUND, ENVIRONMENTAL, FOR AIRCRAFT SURFACES[CUST: 11] [REVIEW: 99] | A | 8030 | | 11 | 19-SEP-94 |
| | MIL-S-45180D NOT 2 | SEALING COMPOUND, GASKET, HYDROCARBON FLUID AND WATER RESISTANT[CUST: MR SH 99] [REVIEW: 03 11 70 84 AR AS AT CC CG MI OS YD] | A | 8030 | | MR | 23-MAR-98 |
| | MIL-S-8784B NOT 1 | SEALING COMPOUND, LOW ADHESION, FOR REMOVABLE PANELS AND FUEL TANK INSPECTION PLATES[CUST: MR AS 99] [REVIEW: MC OS] | A | 8030 | | 84 | 24-MAR-97 |
| | MIL-S-85318(1) NOT 1 | SEALING COMPOUND, NON-CARCINOGEN CURING POLYURETHANE (POLYETHER BASED), ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS[CUST: AS] | A | 8030 | | AS | 30-OCT-99 |
| | SAE-AMS-S-7124 | SEALING COMPOUND, POLYSULFIDE, ACCELERATOR REQUIRED, FOR AIRCRAFT STRUCTURES[CUST: MR AS 99] [REVIEW: AT AV MI OS] | A | 8030 | | AS | 27-SEP-99 |
| | DOD-S-82708 NOT 1 | SEALING COMPOUND, PREFORMED (METRIC)[CUST: OS] | A | 8030 | | OS | 20-MAY-92 |
| | MIL-S-11030F NOT 1 | SEALING COMPOUND, SINGLE-COMPONENT, NON-CURING, POLYSULFIDE BASE[CUST: MR AS 11] [REVIEW: 84 99 AR AT CC CG FSS MI OS SH YD] | A | 8030 | | MR | 23-MAR-98 |
| | MIL-S-46163A(2) NOT 3 | SEALING, LUBRICATING, AND WICKING COMPOUNDS: THREAD-LOCKING, ANAEROBIC, SINGLE-COMPONENT[CUST: MR AS 11] [REVIEW: 84 CG SH] | A | 8030 | | MR | 23-MAR-01 |
| | MIL-S-27332B NOT 1 | SEAT CUSHION INSERT, POLYURETHANE FOAM, PLASTIC, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 1660 | | 11 | 01-OCT-97 |
| | MIL-DTL-9479E | SEAT SYSTEM, UPWARD EJECTION, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 17-SEP-99 |
| | MIL-S-81771A(1) NOT 1 | SEAT SYSTEM; AIRCREW, CRASH RESISTANT; GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 18-SEP-96 |
| | MIL-S-5804C(2) NOT 2 | SEAT, AIRCRAFT, TROOP, WALL-STYLE[CUST: AV 99] [REVIEW: GS] | A | 1680 | | 11 | 12-MAY-97 |
| | MIL-S-6551A NOT 2 | SEAT, CREW, DOWNWARD EJECTION, AIRCRAFT[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 06-SEP-96 |
| | MIL-S-7877B NOT 1 | SEAT, PASSENGER, CABIN FOLDING[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1680 | | AS | 28-AUG-96 |
| | MIL-S-27174B NOT 1 | SEAT, TROOP, VARIABLE SEATING WIDTH[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 31-MAR-97 |
| | MIL-S-85510 NOT 1 | SEATS, HELICOPTER CABIN, CRASHWORTHY, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: AV GS] | A | 1680 | | AS | 18-SEP-96 |
| | MIL-S-85018A NOT 1 | SECOND ORDER ATTITUDE REFERENCE SYSTEM (SOARS) AN/ASN-116[CUST: AS 11] [REVIEW: GS] | A | 6605 | | AS | 28-AUG-96 |
| | MIL-S-23809C NOT 1 | SECTION, EXERCISE, TORPEDO, MARK 64 MOD 2 (FOR TORPEDO MARK 37 MODS 2 AND 3)[CUST: OS] | A | 1355 | | OS | 31-OCT-86 |
| | MIL-HDBK-1013/7 NOT 1 | SECURITY HARDWARE INSTALLATION, OPERATION, AND MAINTENANCE[CUST: YD] | A | FACR | | YD | 09-MAY-97 |
| | MIL-S-48459B(1) NOT 2 | SELECT UNIT, AMMUNITION: 11732600[CUST: AR] | A | 1220 | | AR | 11-DEC-95 |
| | MIL-S-71191(1) NOT 3 | SELECTABLE LIGHT WEIGHT ATTACK MUNITION: M2[CUST: AR] | D | 1375 | | AR | 06-DEC-96 |
| | MIL-S-71207(1) NOT 3 | SELECTABLE LIGHTWEIGHT ATTACK MUNITION TRAINING KIT: M299[CUST: AR] | F | 1375 | | AR | 27-FEB-97 |
| | MIL-STD-865C NOT 1 | SELECTIVE (BRUSH PLATING), ELECTRODEPOSITION[Military Standard][CUST: 99] | A | MFFP | | 70 | 09-DEC-96 |
| | MIL-S-38160B(3) NOT 1 | SELECTOR, ANTENNA C-4808/ARC[CUST: 99] | A | 5985 | | 84 | 01-FEB-96 |
| | AND10325 REV 1 NOT 1 | SELF TAPPING SCREWS-COARSE THREAD (HOLE SIZES FOR)[CUST: AS 99 IS] | A | 5305 | | IS | 16-JUN-97 |
| | AND10326 REV 1 NOT 1 | SELF TAPPING SCREWS-MACHINE SCREW THREAD (HOLE SIZES FOR)[CUST: AS 99 IS] | A | 5305 | | IS | 16-JUN-97 |
| | MIL-PRF-19500/472C | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER, TYPES 2N6350, 2N6351, 2N6352, AND 2N6353, JAN, JANTX, JANTXV, JANHC, AND JANKC[CUST: CR EC CC NA] [REVIEW: AV] | A | 5961 | | CC | 30-MAY-05 |
| | MIL-S-19500/329C NOT 3 | SEMICONDUCTOR DEVICE, DIODE SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N4801A THROUGH 1N4815A AND 1N4801B THROUGH 1N4815B JAN, JANTX AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/460(2) NOT 3 | SEMICONDUCTOR DEVICE, DIODE, GALLIUM ARSENIDE, MIXER TYPE IN5764, 1N5764M AND 1N5764MR[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/200B NOT 2 | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM TYPE 1N270 JAN, JANTX, AND JANTXV[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG EA MC MI] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/201B NOT 2 | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM TYPE 1N277 JAN, JANTX, AND JANTXV[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC MI OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/205B NOT 2 | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, LOW LEVEL, FORWARD-VOLTAGE-REFERENCE TYPE 1N3287 JAN, JANTX, AND JANTXV[CUST: CR EC 11] [REVIEW: CG MC] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/191A(1) NOT 2 | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, MIXER TYPE 1N263[CUST: CR EC 11] [REVIEW: 19 AS CG MC OS] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/364(2) NOT 2 | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, MIXER TYPE IN1838[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC MI] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/192B(1) NOT 2 | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, SWITCHING TYPE 1N276, JAN, JANTX, AND JANTXV[CUST: CR EC 11] [REVIEW: 19 AS CG MC MI] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/226B NOT 2 | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, SWITCHING TYPE 1N3666(1) JAN, JANTX, AND JANTXV[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/467(2) NOT 2 | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING TYPES JANIN5765 AND JANTX1N5765[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/298(3) NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N1742A[CUST: 11 CC] [REVIEW: 19 70 99] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/236A(1) NOT 2 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N31[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC MI SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/352(1) NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N831A[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-19500/359F | SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER, 1N4942, 1N4944, 1N4946, 1N4947, AND 1N4948 JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 70 71 99 AR AS MC MI SM] | A | 5961 | | CC | 22-MAR-02 |
| | MIL-S-19500/424A NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER, 1N5186, 1N5187, 1N5188, AND 1N5190, JAN, JANTX, AND JANTXV (USE MIL-S-19500/411)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI] | A | 5961 | | CC | 20-AUG-01 |
| | MIL-PRF-19500/199C | SEMICONDUCTOR DEVICE, DIODE, SILICON, FORWARD-VOLTAGE REGULATOR, TYPE 1N816, JAN[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS MC OS SH SM] | A | 5961 | | CC | 25-FEB-04 |
| | MIL-S-19500/230C(1) NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH-CONDUCTANCE TYPE JAN-1N3207[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/278E(1) NOT 2 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MATCHED PAIR TYPES 1N4306, 1N4306M, JANTX AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/195D NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MICRO-MINIATURE, SWITCHING TYPE 1N3206[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/362 NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N1132 AND 1N1132R[CUST: 11 CC] [REVIEW: 19 70 99] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/130C NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N78C, 1N78CR, 1N78CM, 1N78CMR, 1N78F, 1N78FR, 1N78FM, AND 1N78FMR[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-PRF-19500/286F | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER TYPES 1N4245 THROUGH 1N4249, 1N4245EG1 THROUGH 1N4249EG1, JAN, JANTX, JANTXV, AND JANHC[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI] | A | 5961 | | CC | 03-OCT-02 |
| | MIL-S-19500/484(1) NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, GENERAL PURPOSE TX AND NON-TX TYPES 1N5835 AND 1N5836[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/155E NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, GENERAL PURPOSE TYPES 1N3189, 1N3190, 1N3191, TX AND NON-TX TYPES[CUST: EC] [REVIEW: AS CG MC SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-PRF-19500/211B(5) NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N3164, 1N3168, 1N3170, 1N3172, 1N3174, 1N3175, 1N3176, 1N3177 AND R TYPES JAN, JANTX, JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 19-DEC-03 |
| | MIL-PRF-19500/193D | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N457, 1N458, AND 1N459, JAN[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 28-SEP-01 |
| | MIL-S-19500/186B NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON, RF MIXER TYPES JAN-1N53B, JAN-1N53BR, JAN-1N53BM AND JAN-1N53BMR[CUST: CR SH 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/282C NOT 2 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPE 1N4376 JAN AND JANTX[CUST: CR EC 11 CC] [REVIEW: 70 99 AR AS CG MC MI OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/403(1) NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPE 1N4500, JAN AND JANTX[CUST: 11 CC] [REVIEW: 19 70 99] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/188A(1) NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPE JAN-1N251[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/256C(1) NOT 3 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N643, 1N662 AND 1N663[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/254B | SEMICONDUCTOR DEVICE, DIODE, SILICON, TYPES 1N1147 AND 1N1149, JAN[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 21-MAR-05 |
| | MIL-S-19500/339 NOT 2 | SEMICONDUCTOR DEVICE, DIODE, SILICON, VIDEO DETECTOR TYPES 1N358A, 1N358AR, 1N358AM, AND 1N358AMR[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/167B NOT 3 | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N560 AND 1N561 (NAVY)[CUST: EC] [REVIEW: 19 AS CG MC] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/229(1) NOT 2 | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N830AM (NAVY)[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/227(2) NOT 2 | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N995M (NAVY)[CUST: EC 11 CC] [REVIEW: 70 OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/279C(4) NOT 2 | SEMICONDUCTOR DEVICE, DIODE, TYPES 1N3644, 1N3645, 1N3646, AND 1N3647 JAN AND JANTX[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/569(3) NOT 3 | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N6966, 2N6967, 2N6968, AND 2N6969 JANTX, JANTXV, AND JANS[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/378B NOT 2 | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N2497 THROUGH 2N2500, 2N3329 THROUGH 2N3332, JANTX[CUST: CR EC 11] [REVIEW: 19 AS CG MC MI] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-PRF-19500/296E | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTORS, P-CHANNEL, SILICON, TYPE 2N2609, JAN AND UB[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH SM] | A | 5961 | | CC | 01-MAR-04 |
| | MIL-PRF-19500/295E | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTORS, P-CHANNEL, SILICON, TYPE 2N2608, JAN AND UB[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MC] | A | 5961 | | CC | 01-MAR-04 |
| A | MIL-S-19500/274C(1) NOT 2 | SEMICONDUCTOR DEVICE, NPN, SILICON, TRANSISTORS TYPES 2N910, 2N910S, 2N911, 2N911S, 2N912, AND 2N912S, JAN AND JANTX[CUST: CR CC] [REVIEW: AR AV MI SM] | A | 5961 | | CC | 15-FEB-06 |
| | MIL-S-19500/493A(3) NOT 2 | SEMICONDUCTOR DEVICE, PNPN, THYRISTOR, SILICON, (PROGRAMMABLE UNIJUNCTION TRANSISTOR), TYPES: 2N6116, 2N6117, 2N6118, 2N6137, 2N6138, JAN, JANTX, AND JANTXV[CUST: CR CC] [REVIEW: AR AV MI SM] | A | 5961 | | CC | 05-DEC-01 |
| | MIL-S-19500/335(2) NOT 3 | SEMICONDUCTOR DEVICE, SILICON, VOLTAGE REFERENCE (TEMPERATURE-STABLE) TYPE 1N430A, 1N430B[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/419(2) NOT 2 | SEMICONDUCTOR DEVICE, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N3027 THROUGH 2N3032, AND TX2N3027 THROUGH TX2N3032[CUST: CR CC] [REVIEW: AR AV MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/280A(2) NOT 2 | SEMICONDUCTOR DEVICE, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N3091, 2N3093, 2N3095, 2N3097, 2N3098, 2N3099, 2N3101, 2N3103, 2N3105, AND 2N3106[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/372A(6) NOT 2 | SEMICONDUCTOR DEVICE, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N4199 THROUGH 2N4206[CUST: CR CC] [REVIEW: AR AV MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/330A(5) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR PNP, GERMANIUM TYPES 2N1557A THROUGH 2N1560A[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/78C NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR PNP, SILICON, LOW-POWER TYPES 2N1025, 2N1026 AND 2N1469[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/271A(5) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR TYPE 2N916[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/273A NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR TYPE TYPE 2N744[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/258A(4) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR TYPES 2N962 AND 2N964[CUST: EC CC] [REVIEW: MI] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/126C NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN TYPES 2N1302, 2N1304,2N1306, 21308 AND PNP TYPES 2N1303, 2N1305, 2N1307 AND 2N1309[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG EA MC MI OS] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/65B NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, SWITCHING TYPE 2N388[CUST: CR EC 11] [REVIEW: 19 99 AS CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/268C(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON SWITCHING TYPES 2N2481 AND TX2N2481[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/373A(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON SWITCHING TYPES 2N914 AND TX2N914[CUST: 11 CC] [REVIEW: 19 70 99] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/216A(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON TYPE 2N1051[CUST: EC] [REVIEW: 19 AS CG MC] | A | 5961 | | CC | 24-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-19500/16E NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON TYPES 2N342, 2N342A AND 2N343[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC MI] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/390 NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, DOUBLE-EMITTER TYPES 3N74, TX3N74, 3N75, TX3N75, 3N76, TX3N76, 3N127, TX3N127[CUST: 11 CC] [REVIEW: 19 70 99] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/208B NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER, TYPES 2N1487, 22N1488, 2N1489 AND 2N1490[CUST: CR SH 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/341B(7) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY, POWER TYPES 2N3375, 2N3553, AND 2N4440 JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI] | A | 5961 | | CC | 05-AUG-04 |
| | MIL-S-19500/262F(4) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N1722, TX2N1722, 2N1724, AND TX2N1724[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH] | A | 5961 | | CC | 12-MAY-04 |
| | MIL-PRF-19500/415A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N2812 AND 2N2814 JAN, JANTX, AND JANTXV[CUST: CR 11 CC] [REVIEW: 19 70 99 MI] | A | 5961 | | CC | 31-OCT-03 |
| | MIL-S-19500/31C(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPE 2N341[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/80E NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPE 3N35[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/2B(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N117, 2N118 AND 2N119[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/37E NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N333, 2N335, 2N336, 2N333A, 2N335A, 2N336A, 2N333T2, 2N335T2, 2N336T2, 2N333LT2, 2N335LT2, 2N336LT2 2N333AT2, 2N335AT2, 2N336AT2, 2N333ALT2, 2N335ALT2, AND 2N336ALT2, JAN[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI] | A | 5961 | | CC | 16-SEP-01 |
| | MIL-S-19500/218A NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N757A, 2N759A AND 2N760A[CUST: CR SH 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-PRF-19500/253J | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N930 AND 2N930UB JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA] [REVIEW: 71 99 AR AS AV MI SM] | A | 5961 | | CC | 20-FEB-05 |
| | MIL-S-19500/180D(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, MEDIUM-POWER TYPES 2N1483, TX2N1483, 2N1484, TX2N1484, 2N1485, TX2N1485, 2N1486, TX2N1486[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/210B(1) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, PHOTO TYPE 2N986[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/176B NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N1047A, 2N1048A, 2N1049A AND 2N1050A[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/263A(4) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N1714, 2N1714S, 2N1715, 2N1715S, 2N1716, 2N1716S, 2N1717, AND 2N1717S[CUST: CR CC] [REVIEW: EA] | A | 5961 | | CC | 12-MAY-04 |
| | MIL-S-19500/277D(1) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N2150 AND 2N2151 JANTX[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC MI OS SH SM] | A | 5961 | | CC | 12-MAY-04 |
| | MIL-S-19500/380B NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N4865, 2N5250, 2N5251, JANTX, JANTXV, AND JANS[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/536(3) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6671, AND 2N6673 JAN, JANTX, AND JANTXV[CUST: 11 CC] [REVIEW: 19 70 99] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/537(2) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6674, 2N6675, 2N6689, AND 2N6690 JAN, JANTX, AND JANTXV[CUST: 11 CC] [REVIEW: 19 70 99] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/347A NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES: 2N3253, 2N3253S, 2N3444, 2N3444S, JAN, AND JANTX[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-PRF-19500/534D | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPES 2N5002 AND 2N5004, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: MI 11 CC] [REVIEW: 19] | A | 5961 | | CC | 20-MAY-05 |
| | MIL-S-19500/120C(3) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, LOW-POWER TYPE 2N706[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/99E(3) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, MEDIUM-POWER TYPES 2N696, 2N697, 2N696S AND 2N697S[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG EA MC MI OS] | A | 5961 | | CC | 06-DEC-04 |
| M | MIL-PRF-19500/312E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPE 2N708, JAN, JANTX, AND JANHC[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI OS SH SM] | A | 5961 | | CC | 30-MAR-06 |
| | MIL-S-19500/207C NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES 2N1479, 2N1480, 2N1481, 2N1482[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/69E NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES JAN-2N337 AND JAN-2N338[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/425(4) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PN, SILICON, UNIJUNCTION JAN2N5431, AND JANTX2N5431[CUST: 11 CC] [REVIEW: 19 70 99] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/388B NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PN, SILICON, UNIJUNCTION TYPES 2N4947, 2N4948 AND 2N4949 JAN, JANTX, JANTX , AND JANS[CUST: CR EC 11 CC NA] [REVIEW: 19 AS AV MC MI SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/338(2) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP GERMANIUM, SWITCHING TYPE 2N3449[CUST: 11 CC] [REVIEW: 19 70 99] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/20C(1) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, ERMANIUM, LOW POWER TYPES 2N404 AND 2N40A[CUST: CR EC 11] [REVIEW: 19 AR AS AV CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/87A(1) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM LOW POWER TYPE 2N1142[CUST: CR CC] [REVIEW: AR AV MI SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/137C NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM POWER TYPES 2N1042 THROUGH 2N1045[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/178B(4) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N1165[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/170A NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N1499A[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/86A(4) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N705[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC MI SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/89D NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N1039, 2N1041, 2N2553, 2N2555, 2N2557 AND 2N2559[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC MI OS] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/143B(2) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N1183, 2N1183A, 2N1183B AND 2N1184, 2N1184A, 2N1184B[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/72C(4) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N499 AND 2N499A[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/67A NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, 50-WATT TYPE 2N1011[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/9B NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH FREQUENCY, 25 MILLIWATT, TYPE JAN-2N128[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/13B(2) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH POWER TYPE 2N174A[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/340 NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH POWER TYPE 2N2079A[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC MI] | A | 5961 | | CC | 24-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-19500/27E(3) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-FREQUENCY TYPE 2N384[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/122C(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N1358[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/36C NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N297A[CUST: CR SH 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/58D NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N665[CUST: CR SH 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/64D NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N396A[CUST: CR EC 11] [REVIEW: 19 AS CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/51E(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N466[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/174B NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE JAN-2N398A[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AV CG MC MI] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/175C(1) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2N650A, 2N651A, AND 2N652A[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/71D(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N1195[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/25B NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N240[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/77C(4) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N393[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/44D(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N428[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/62B(3) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N501A[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/189B(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPES 2N1224 AND 2N1225[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/24D(1) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPE 2N158[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC MI SH] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/76C(3) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N1412 AND 2N1412A[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/331A(2) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N1553A THROUGH 2N1556A[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/38C(1) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N539 AND 2N539A[CUST: CR EC 11] [REVIEW: 19 AS CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/68A(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPE 2N1120[CUST: CR SH 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/125C NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPE 2N1500[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 29-MAR-04 |
| | MIL-S-19500/41B(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPES 2N425, 2N426, 2N427[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/172B(1) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPE 2N1854[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/60E NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPE JAN-2N526[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/49C(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPES 2N464, 2N465, 2N467[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/112C(4) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPES 2N502A AND 2N52B[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/123A NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, VHF 2N700A[CUST: CR] [REVIEW: AR MI] | A | 5961 | | CC | 12-MAY-04 |
| | MIL-S-19500/179A(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPE 2N1234[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/288(2) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPE 2N2377[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/289(3) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPE 2N2378[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/138C NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPE 2N1118[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/110C(1) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2N328A, 2N329A, 2N328AS, AND 2N329AS[CUST: CR EC 11] [REVIEW: 19 AR AS AV CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/283D(1) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N869A AND 2N4453 JANTX AND JANTXV[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/139B(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, TYPE JAN-2N1119[CUST: CR SH 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/529(1) NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, SILICON TYPE 2N3904[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/530 NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTOR, SILICON TYPE 2N3906[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/166C(3) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPE 2N599[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/215(2) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N1173 AND 2N1174 (NAVY)[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/303(3) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N2631 AND 2N2876[CUST: CR CC] [REVIEW: AR AV MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/173A NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N389 AND 2N424 (NAVY)[CUST: EC 11 CC] [REVIEW: 70 OS SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/102A NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTORS, NPN, SILICON, HIGH POWER TYPES 2N1016B, 2N1016C, AND 2N1016D[CUST: CR EC 11] [REVIEW: 19 AR AS CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/74E(4) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTORS, NPN, SILICON, MEDIUM POWER, TYPES 2N497, 2N498, 2N656 AND 2N657[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI SH] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/75B(2) NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTORS, PN, SILICON UNIJUNCTION TYPES 2N2417A THROUGH 2N2422A, AND TX2N2417A THROUGH TX2N2422A[CUST: CR EC 11] [REVIEW: 19 AR CG MC MI] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/217B NOT 3 | SEMICONDUCTOR DEVICE, TRANSISTORS, PNP, GERMANIUM, HIGH-POWER TYPES 2N456B, 2N457B, 2N458B, 2N1021A, 2N1022A[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/438(1) NOT 3 | SEMICONDUCTOR DEVICE, TRIODE THYRISTOR (BI-DIRECTIONAL), SILICON, TYPES 2N5806 THROUGH 2N5809[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/269(1) NOT 2 | SEMICONDUCTOR DEVICE, TUNNEL DIODE, TYPES 1N3713, 1N3715, 1N3717, 1N3719 AND 1N3721[CUST: EC CC] [REVIEW: OS SH] | A | 5961 | | CC | 24-MAR-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-19500/259A(2) NOT 3 | SEMICONDUCTOR DEVICES, DIODES, SILICON, POWER RECTIFIERS TYPES JAN-1N1130 AND JAN-1N1131[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/142A(3) NOT 3 | SEMICONDUCTOR DEVICES, SILICON, HIGH VOLTAGE RECTIFIER TYPES 1N1731A, 1N1733A, AND 1N1734A[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-PRF-19500/187B | SEMICONDUCTOR DIODE, SILICON, HIGH-VOLTAGE TYPE JAN1N2361[CUST: CR EC 11 CC NA] [REVIEW: 19 70 99 AR AS AV MC MI OS SH SM] | A | 5961 | | CC | 10-FEB-05 |
| | MIL-S-19500/250B NOT 3 | SEMICONDUCTOR DIODE, SILICON, UHF MIXER TYPE 1N82AG[CUST: CR EC 11 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/4D NOT 2 | SEMICONDUCTOR, DEVICE TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N331[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CG MC MI] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-19500/40B(1) NOT 2 | SEMICONDUCTOR, TRANSISTOR, NPN, GERMANIUM, POWER TYPE 2N326[CUST: CR EC 11] [REVIEW: 19 AS CG MC MI OS] | A | 5961 | | CC | 26-MAR-04 |
| | MIL-S-45352F NOT 1 | SEMIRTAILER, LOWBED: TACTICAL, 12- AND 25- TON[CUST: AT MC] | A | 2330 | | AT | 05-JAN-98 |
| | MIL-S-62076B NOT 2 | SEMITRAILER CHASSIS: INTERMODAL CARGO CONTAINER CARRYING, COMMERCIAL AND CONTAINER, CARGO: INTERMODAL, DEMOUNTABLE, COMMERCIAL[CUST: AT] | A | 2330 | | AT | 13-NOV-95 |
| | MIL-S-62359 NOT 2 | SEMITRAILER, BOTTOM DUMP: 18 TO 22 CUBIC YARD CAPACITY, COMMERCIAL[CUST: AT] | A | 2330 | | AT | 02-JAN-96 |
| | MIL-S-62127A NOT 3 | SEMITRAILER, COMPRESSED GAS CYLINDER: HELIUM, COMMERCIAL[CUST: AT] | A | 2330 | | AT | 17-OCT-00 |
| | MIL-S-46777/1 NOT 2 | SEMITRAILER, DUMP, COMMERCIAL SIZE 10, REFUSE SPECIAL[CUST: AT] [REVIEW: CE] | A | 2330 | | AT | 30-OCT-95 |
| | MIL-S-46777/2 NOT 2 | SEMITRAILER, DUMP, COMMERCIAL SIZE 12[CUST: AT] [REVIEW: CE] | A | 2330 | | AT | 30-OCT-95 |
| | MIL-S-46777/3 NOT 2 | SEMITRAILER, DUMP, COMMERCIAL SIZE 20[CUST: AT] [REVIEW: CE] | A | 2330 | | AT | 30-OCT-95 |
| | MIL-S-46777/4 NOT 2 | SEMITRAILER, DUMP, COMMERCIAL SIZE 25[CUST: AT] [REVIEW: CE] | A | 2330 | | AT | 30-OCT-95 |
| | MIL-S-62190B NOT 2 | SEMITRAILER, FLATBED: BREAKBULK/CONTAINER TRANSPORTER, 34 TON, M872A4[CUST: AT] | A | 2330 | | AT | 17-OCT-00 |
| | MIL-S-46777/5 NOT 2 | SEMITRAILER, HOPPER BOTTOM DUMP, COMMERCIAL SIZE 30[CUST: AT] [REVIEW: CE] | A | 2330 | | AT | 30-OCT-95 |
| | MIL-S-62549 NOT 2 | SEMITRAILER, LOW BED, 40 TON NOMINAL PAYLOAD FOR TRANSPORTATION OF HEAVY ENGINEER CONSTRUCTION EQUIPMENT, M870A2[CUST: AT] | A | 2330 | | AT | 17-OCT-00 |
| | MIL-S-62469 NOT 1 | SEMITRAILER, LOWBED, 15 TON, 4 WHEEL, PATRIOT, M974 SERIES[CUST: AT] | A | 2330 | | AT | 13-DEC-96 |
| | MIL-S-62294B NOT 1 | SEMITRAILER, STAKE: TWO LEVEL DECKS, WITH HYDRAULIC LOADING RAMP, 20 TON, MODIFIED COMMERCIAL[CUST: AT 99] [REVIEW: 84] | A | 2330 | | AT | 05-FEB-96 |
| | MIL-PRF-62272C | SEMITRAILER, TACTICAL, DUAL PURPOSE BREAKBULK/CONTAINER TRANSPORTER, 22-1/2 TON, M871A2[CUST: AT] | A | 2330 | | AT | 22-JAN-97 |
| | MIL-S-62317A NOT 3 | SEMITRAILER, TANK: AIRCRAFT REFUELING, 5,000 GALLON, TURBINE FUEL AND AVIATION GASOLINE, COMMERCIAL[CUST: AT] | A | 2330 | | AT | 17-OCT-00 |
| | MIL-S-62472A NOT 2 | SEMITRAILER, VAN: EXPANSIBLE, EXHIBITION, 12-TON, COMMERCIAL[CUST: AT] | A | 2330 | | AT | 17-OCT-00 |
| | MIL-S-62052D NOT 1 | SEMITRAILER, VAN; AIR TRANSPORTABLE, 4990 KILOGRAMS (5.5 TON), AIR CONDITIONED, MODIFIED COMMERCIAL[CUST: AT 99] [REVIEW: 84] | A | 2330 | | AT | 29-JAN-96 |
| | MIL-S-46777C NOT 2 | SEMITRAILERS, DUMP, COMMERCIAL, GENERAL SPECIFICATION FOR[CUST: AT] [REVIEW: CE] | A | 2330 | | AT | 30-OCT-95 |
| | MIL-S-62101C NOT 1 | SEMITRAILERS, LOWBED: TILT DECK, 15 TO 30 TON, 4 WHEEL, MODIFIED COMMERCIAL[CUST: AT YD 99] [REVIEW: 84] | A | 2330 | | AT | 05-FEB-96 |
| | MIL-S-45152H NOT 1 | SEMITRAILERS, LOWBED: COMMERCIAL[CUST: AT YD 99] [REVIEW: 84] | A | 2330 | | AT | 25-JAN-96 |
| | KKK-S-002769A NOT 1 | SEMITRAILERS, STAKE: MODIFIED COMMERCIAL[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2330 | / | AT | 13-DEC-96 |
| | MIL-S-62095C NOT 1 | SEMITRAILERS, TANK: GENERAL PURPOSE WATER, 7580 AND 15 160 LITERS (2,000 AND 4,000 GALLON), MODIFIED COMMERCIAL[CUST: AT] | A | 2330 | | AT | 30-OCT-95 |
| | MIL-S-62080D NOT 1 | SEMITRAILERS, TANK: POTABLE WATER, 2,000 TO 5,500 GALLON, COMMERCIAL[CUST: AT YD] [REVIEW: CR4] | A | 2330 | | AT | 13-DEC-96 |
| | MIL-S-62183C NOT 1 | SEMITRAILERS, TANK: WASTE AND SLUDGE ACID, 3,000 TO 5,000 GALLON, MODIFIED COMMERCIAL[CUST: AT YD 99] [REVIEW: 84] | A | 2330 | | AT | 13-DEC-96 |
| | MIL-PRF-46756E | SEMITRAILERS, VAN: 10 TON, 4-WHEEL SERIES[CUST: AT] | A | 2330 | | AT | 15-APR-97 |
| | MIL-S-82562 NOT 1 | SENSING CIRCUIT ASSEMBLY LD546972 (FOR AFTERBODY TEST SET MK 442 MOD 0 AND ELECTRICAL CABLE TEST SET MK 444 MOD 0)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-DTL-52869C | SENSOR GROUP, PASSIVE ULTRASONIC: RECEIVER R-1860/FSS-9(V) AND PROCESSOR MX-9443/FSS-9(V)[CUST: CR4 SH 99] [REVIEW: CG CR GS MC] | A | 6350 | | CR4 | 04-AUG-97 |
| | MIL-DTL-52872D NOT 1 | SENSOR GROUP, ULTRASONIC MOTION: TRANSCEIVER RT-1161/FSS-9(V) AND PROCESSOR MX-9444/FSS-9(V)[CUST: CR4 SH 99] [REVIEW: CG CR GS MC] | A | 6350 | | CR4 | 17-JUL-98 |
| | MIL-S-52871B(1) NOT 1 | SENSOR GROUP, VIBRATION: DETECTOR DT-546/FSS-9(V) AND PROCESSOR MX-9442/FSS-9(V)[CUST: CR4 EC 99] [REVIEW: CG CR MC SH] | A | 6350 | | CR4 | 10-APR-97 |
| | MIL-S-48461B(2) NOT 4 | SENSOR, CANT ANGLE: 11732800[CUST: AR] | A | 1220 | | AR | 03-FEB-97 |
| | MIL-S-52868D NOT 1 | SENSOR, CAPACITANCE PROXIMITY DT-548/FSS-9 (V)[CUST: CR4 EC 99] [REVIEW: 71 CR] | A | 6350 | | CR4 | 03-JUL-97 |
| | MIL-S-48464B(1) NOT 2 | SENSOR, CROSSWIND: 11733251[CUST: AR] | A | 1220 | | AR | 28-NOV-95 |
| | MIL-S-52861C NOT 1 | SENSOR, GRID WIRE, DT-545/FSS-9(V)[CUST: CR4 99] [REVIEW: GS] | A | 6350 | | CR4 | 03-JUL-97 |
| | MIL-S-51371C NOT 2 | SERVICE KIT, PORTABLE RIOT CONTROL AGENT DISPERSER, M254[CUST: EA] | A | 1040 | | EA | 13-JUL-04 |
| | MIL-S-81775B NOT 1 | SERVICE SET, HYDRAULIC SYSTEM MX-9043( )/AWM-23 (V)[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 30-APR-97 |
| | MS14147A NOT 3 | SERVICE SUITABILITY (FLIGHT) TESTING OF REBUILT NAVY AIRCRAFT TIRES[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 03-JUN-04 |
| | MS90331A NOT 2 | SERVICING ADAPTER HIGH PRESSURE OXYGEN[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 23-JUL-97 |
| | MS90330 NOT 1 | SERVICING ADAPTER LOW PRESSURE OXYGEN[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 23-JUL-97 |
| | MIL-S-52881B NOT 1 | SERVICING UNIT, COMPRESSED GAS, MOBILE[CUST: AT] [REVIEW: GS] | A | 3655 | | AT | 26-FEB-99 |
| | MIL-S-22432/34 NOT 2 | SERVOMOTOR, TYPE 18SM4 (7631932)[CUST: AR] [REVIEW: GS] | A | 6105 | | AR | 14-MAR-97 |
| | MS51053A(1) | SETSCREW, FLUTED SOCKET, ALLOY STEEL, CADMIUM PLATED, NC-3A (SEE REV A FOR REPLACEMENT INFORMATION)[CUST: AR SH 99] | A | 5305 | | IS | 14-NOV-02 |
| | MS51482 NOT 2 | SETSCREW, HEXAGON SOCKET, CONE POINT, ALLOY STEEL, UNC-3A[CUST: AR SH 99 IS] [REVIEW: 71 AV CR CR4 EA MI NS] | A | 5305 | | IS | 08-JAN-03 |
| | MS51476 NOT 3 | SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, UNC-3A[CUST: AR SH 99 IS] [REVIEW: 71 AV CR CR4 EA MC MI NS OS] | A | 5305 | | IS | 29-OCT-04 |
| | MS51477 NOT 2 | SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, UNF-3A[CUST: AR SH 99 IS] [REVIEW: 71 CR4 EA MC MI NS OS] | A | 5305 | | IS | 29-OCT-04 |
| | MS51489 NOT 2 | SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL[CUST: AR SH 99 IS] [REVIEW: 71 AV CR4 EA MC MI NS OS] | A | 5305 | | IS | 06-FEB-03 |
| | DS51409 NOT 3 | SETSCREW, SLOTTED HEADLESS, CONE POINT CARBON STEEL, CADMIUM PLATED, METRIC[CUST: AR 99 IS] [REVIEW: AV CE MI NS] | A | 5305 | | IS | 01-OCT-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | DS51410 NOT 3 | SETSCREW, SLOTTED HEADLESS, CUP POINT, CARBON STEEL, CADMIUM PLATED, METRIC[CUST: AR 99 IS] [REVIEW: AV CE CR CR4 MC MI NS OS SH] | A | 5305 | | IS | 01-OCT-97 |
| | DS51411 NOT 3 | SETSCREW, SLOTTED HEADLESS, FLAT POINT, CARBON STEEL, CADMIUM PLATED, METRIC[CUST: AR 99 IS] [REVIEW: AV CE CR CR4 MC MI NS OS SH] | A | 5305 | | IS | 01-OCT-97 |
| | MS51487 NOT 2 | SETSCREW, SQUARE HEAD, CUP POINT, CARBON STEEL, UNC-2A[CUST: AR SH 99 IS] [REVIEW: CR4 EA MC MI NS OS] | A | 5305 | | IS | 08-JAN-03 |
| | MS51040A NOT 2 | SETSCREW-HEXAGON SOCKET, CONE POINT, BRASS, BLACK OXIDE, UNF-3A[CUST: AR SH 99 IS] [REVIEW: MC MI] | A | 5305 | | IS | 18-NOV-99 |
| | MS51033A NOT 2 | SETSCREW-HEXAGON SOCKET, FLAT POINT, BRASS, BLACK OXIDE, UNF-3A[CUST: AR SH 99 IS] [REVIEW: AT AV CR4 MC] | A | 5305 | | IS | 18-NOV-99 |
| | MS51955A NOT 3 | SETSCREW-SQUARE HEAD, CUP POINT, CARBON STEEL[CUST: 99 IS] [REVIEW: AT CR4 GL MI] | A | 5305 | | IS | 18-NOV-99 |
| | FF-S-210B(1) NOT 1 | SETSCREWS: SQUARE HEAD (INCH) AND SLOTTED HEADLESS (INCH AND METRIC)[CUST: AR 99 IS] | A | 5305 | / | IS | 15-DEC-00 |
| | MIL-S-24603A NOT 1 | SEWAGE COMMINUTOR, AND ASSOCIATED MOTOR, CONTROLLER, AND DRIVE MECHANISM FOR SHIPBOARD USE[CUST: SH] | A | 4630 | | SH | 22-APR-98 |
| | MIL-S-5807C(3) NOT 1 | SEXTANT, AIRCRAFT, PERISCOPIC[CUST: AS 99] [REVIEW: GS] | A | 6605 | | AS | 28-AUG-96 |
| | MIL-S-21639 NOT 1 | SEXTANT, BUBBLE AQU-1/A[CUST: AS] [REVIEW: GS] | A | 6605 | | AS | 30-APR-97 |
| | AN116 REV 2 NOT 1 | SHACKLE, ANCHOR, FORGED CARBON STEEL SCREW PIN[CUST: AV 99 CC] [REVIEW: MI] | A | 4030 | | CC | 16-JUN-97 |
| | MIL-S-7804(1) NOT 1 | SHACKLE, BOMB, MARK 8 MOD 2, MARK 8, MOD 3,MARK 8, MOD 4[CUST: AR AS] | A | 1095 | | AS | 17-AUG-84 |
| | MIL-S-3644B NOT 1 | SHAFT ASSEMBLY, FLEXIBLE[CUST: AS 99] [REVIEW: SH] | A | 3040 | | 71 | 30-APR-96 |
| A | MS24699B | SHAFT, CONNECTOR, RACK AND PANEL, MINIATURE[CUST: 11 CC] [REVIEW: IS] | A | 5935 | | CC | 14-JUL-05 |
| | MIL-S-7470A NOT 2 | SHAFT, POWER TRANSMISSION, AIRCRAFT ACCESSORY, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 1680 | | 71 | 01-SEP-97 |
| | MS33742A NOT 2 | SHAFTS, CONTROL KNOB[CUST: AS] | A | 5355 | | AS | 18-SEP-96 |
| | SAE-AMS5036 | SHEET AND STRIP, ALUMINUM COATED, LOW CARBON[CUST: MR YD 99] | A | 9515 | | YD | 01-OCT-85 |
| | MIL-S-10104B NOT 1 | SHEET, METAL, COATED (CLEAR OR PIGMENT)[CUST: EA YD IS] [REVIEW: GL MR OS SA] | A | 9535 | | IS | 16-JUN-97 |
| | MIL-S-12875B NOT 1 | SHEET, PREFORATED, METAL[CUST: EA SH IS] [REVIEW: AS MI MR OS] | A | 9515 | | IS | 16-JUN-97 |
| | MS14138B NOT 3 | SHELF[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 28-JAN-98 |
| | MIL-S-3139(1) NOT 1 | SHELL, FIXED, CHEMICAL, M64 FOR 75-MM GUNS, M312 FOR 76-MM GUNS, M313 FOR 90-MM GUNS, AND SHELL, SEMI-FIXED, CHEMICAL, M64 FOR 75-MM HOWITZERS, M60 FOR 105-MM HOWITZERS, ASSEMBLING, MARKING, AND PACKING[CUST: AR OS 99] [REVIEW: MC] | A | 1315 | | AR | 14-MAR-97 |
| | MIL-S-20399A(1) NOT 2 | SHELL, ILLUMINATING, M314A1 AND M314A1B1 FOR 105MM HOWITZERS, M2 AND M4 LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1315 | | AR | 01-FEB-96 |
| | MIL-S-51422B(5) NOT 2 | SHELTER AND ENTRANCE ASSEMBLY - CHEMICAL-BIOLOGICAL SHELTER SYSTEM: INFLATABLE[CUST: EA] | A | 4240 | | EA | 29-JUL-04 |
| | MIL-S-29411B NOT 1 | SHELTER ASSEMBLIES, 10 FOOT & 20 FOOT, ELECTROMAGNETIC INTERFERENCE[CUST: MC] [REVIEW: CC] | A | 5411 | | MC | 04-APR-98 |
| | MIL-S-29434 NOT 1 | SHELTER ASSEMBLY, 10 FOOT RIGID, GENERAL PURPOSE[CUST: MC] [REVIEW: CC] | A | 5411 | | MC | 04-APR-98 |
| | MIL-S-29409B NOT 1 | SHELTER ASSEMBLY, KNOCKDOWN[CUST: MC] | A | 5411 | | MC | 04-APR-98 |
| | MIL-S-29410B NOT 1 | SHELTER ASSEMBLY, RIGID, GENERAL PURPOSE[CUST: MC] [REVIEW: CC] | A | 5411 | | MC | 04-APR-98 |
| D | MIL-S-51368B(2) NOT 2 | SHELTER SYSTEM, COLLECTIVE PROTECTION, CHEMICAL-BIOLOGICAL: INFLATABLE, 10-MAN, TRAILER TRANSPORTED, M51[CUST: EA] | A | 4240 | | EA | 29-JUL-04 |
| | MIL-S-29412C NOT 1 | SHELTER, COMPLEXING KIT FOR[CUST: MC] | A | 5411 | | MC | 04-APR-98 |
| | MIL-S-55541G NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-250 ( )/G[CUST: GL 99] [REVIEW: 70 CC CR] | A | 5411 | | GL | 22-APR-98 |
| | MIL-S-55286E(1) NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-280()/G[CUST: GL 99] [REVIEW: 70 CC CR] | A | 5411 | | GL | 22-APR-98 |
| | MIL-S-49160A NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-561( ) (V)/TCC-41(V)[CUST: CR] | A | 5805 | | CR | 29-MAR-96 |
| | MIL-S-49248B NOT 1 | SHELTER, ELECTRONIC EQUIPMENT S-639/G AND S-640/G[CUST: CR] [REVIEW: CC] | A | 5411 | | CR | 29-MAY-96 |
| | MIL-S-29435B NOT 1 | SHELTER, ELECTRONICS MAINTENANCE COMPLEX (EMC); 10 FOOT, ELECTROMAGNETIC INTERFERENCE, 20 FOOT, ELECTROMAGNETIC INTERFERENCE, 10 FOOT, RIGID 20 FOOT, RIGID[CUST: MC] | A | 5411 | | MC | 04-APR-98 |
| | MIL-S-29413B NOT 1 | SHELTER, JOINING CORRIDOR FOR[CUST: MC] [REVIEW: CC] | A | 5411 | | MC | 04-APR-98 |
| | MIL-S-44197A NOT 1 | SHELTER, TACTICAL, EXPANDABLE, ONE-SIDE[CUST: GL MC 99] [REVIEW: 70 CC] | A | 5411 | | GL | 22-APR-98 |
| | MIL-S-44195A NOT 1 | SHELTER, TACTICAL, EXPANDABLE, TWO-SIDE[CUST: GL MC 99] [REVIEW: 70 CC] | A | 5411 | | GL | 22-APR-98 |
| | MIL-S-44196A NOT 1 | SHELTER, TACTICAL, NON-EXPANDABLE[CUST: GL MC 99] [REVIEW: 70 CC] | A | 5411 | | GL | 22-APR-98 |
| | MIL-S-81245 | SHIELD, RAD HAZ L/20MM CARTRIDGES HOLDER, RAD HAZ SHIELD[CUST: AS] | A | 1005 | | AS | 21-AUG-89 |
| | MIL-S-48405 NOT 3 | SHIELDED AND CONFINED MILD DETONATING CORD ASSEMBLIES[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-S-17299(5) NOT 1 | SHIP CONTROL ORDER AND INDICATING EQUIPMENT - SELF-SYNCHRONOUS, (NAVAL SHIPBOARD USE)[CUST: SH] | A | 2030 | | SH | 16-FEB-00 |
| | MIL-STD-1658(3) NOT 1 | SHIPBOARD GUIDED MISSILE LAUNCHING SYSTEM SAFETY REQUIREMENTS, MINIMUM[Design Criteria Standard][CUST: OS] | A | 1440 | | OS | 13-JUL-99 |
| | MIL-S-60386B NOT 2 | SHIPPING AND STORAGE CONTAINER, FUZE, XM573[CUST: AR] [REVIEW: GS] | A | 8140 | | AR | 09-FEB-96 |
| | MIL-S-87021B NOT 1 | SHIRT, DISPOSABLE[CUST: NU CT] [REVIEW: 11 OS SH] | A | 8415 | | CT | 20-JUL-94 |
| | MIL-S-1123E(1) NOT 1 | SHOE REPAIR SHOP, EQUIPMENT[CUST: GL 99] [REVIEW: 84 GS MD1] | A | 3520 | | GL | 04-MAR-97 |
| | MIL-S-40615D(1) NOT 1 | SHOE REPAIR SHOP, TRAILER MOUNTED[CUST: GL 99] [REVIEW: 84 GS] | A | 3520 | | GL | 10-MAR-97 |
| | MIL-S-52339E(3) NOT 1 | SHOP EQUIPMENT, WOODWORKING TRAILER MOUNTED[CUST: AT] | A | 3220 | | AT | 09-MAR-98 |
| | MIL-S-55562C NOT 2 | SHOP, ELECTRONIC, SEMITRAILER MOUNTED AN/ARM-189( ) AND AN/ASM-190( )[CUST: CR] [REVIEW: CC] | A | 4940 | | CR | 29-MAY-96 |
| | MIL-S-55257C NOT 1 | SHOP, ELECTRONIC, SHELTER MOUNTED AN/ASM-146( ) AND AN/ASM-147( )[CUST: CR] [REVIEW: CC] | A | 4940 | | CR | 29-MAY-96 |
| | MS27657C | SHORT SUPPORT, CABLE, ELECTRICAL CONNECTOR (FOR CLASSES E AND K CONNECTORS)[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 06-FEB-04 |
| | MIL-S-44463 NOT 1 | SHORTBREAD BAR, FOOD PACKET, SURVIVAL, GENERAL PURPOSE[CUST: GL 50] [REVIEW: MC MD QM SA SS] | A | 8940 | | GL | 26-SEP-97 |
| | MIL-S-3443G NOT 1 | SHOTGUN, 12 GAGE, RIOT-TYPE[CUST: AR OS 99] [REVIEW: 84 MC] | A | 1005 | | AR | 12-DEC-95 |
| | MIL-S-43145E NOT 1 | SHRIMP, DEHYDRATED, COOKED[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8905 | | GL | 26-SEP-97 |
| | MIL-S-777B NOT 1 | SIGHT REFLEX M24C[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-S-13352A NOT 3 | SIGHT UNIT, M34 SERIES[CUST: AR] | A | 1240 | | AR | 14-MAR-97 |
| | MIL-S-45669A NOT 1 | SIGHT, BORE, OPTICAL M45[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MIL-S-50725 NOT 1 | SIGHT, BORE, OPTICAL, M45E1[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-48603 NOT 3 | SIGHT, BORE, REFLECTING, XM115E1[CUST: AR] | A | 1240 | | AR | 27-FEB-97 |
| | MIL-S-12653B NOT 1 | SIGHT, LEAD COMPUTING, AUTOMATIC, M38[CUST: AR] | A | 1220 | | AR | 11-DEC-95 |
| | MIL-S-12709 NOT 1 | SIGHT, M4 (WITH CARRYING CASE)[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-S-3475 NOT 1 | SIGHT, M6[CUST: AR OS] | A | 1240 | | AR | 14-MAR-97 |
| | MIL-S-13387(1) NOT 1 | SIGHT, REFLEX, M18[CUST: AR] | A | 1240 | | AR | 27-FEB-97 |
| | MIL-S-50379(1) NOT 1 | SIGHTUNIT, M53A1[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MIL-S-48573(1) NOT 1 | SIGHTUNIT, M64[CUST: AR] | A | 1240 | | AR | 04-FEB-99 |
| | MIL-S-70454 NOT 1 | SIGHTUNIT: M64A1[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-S-71027 NOT 3 | SIGHTUNIT: M67[CUST: AR] | A | 1240 | | AR | 27-FEB-97 |
| | MIL-S-46347B(1) NOT 3 | SIGHUNIT, M53[CUST: AR] | A | 1240 | | AR | 27-FEB-97 |
| | MIL-S-9926A NOT 1 | SIGN, FOLLOW ME, TRUCK MOUNTING[CUST: 99] | A | 2540 | | 84 | 27-SEP-95 |
| | MIL-S-38449C NOT 3 | SIGNAL AND SIGNAL/INTERCOMMUNICATION AMPLIFIERS, UNIVERSAL, AERIAL REFUELING[CUST: 99] [REVIEW: GS] | A | 5821 | | 84 | 01-FEB-96 |
| | MIL-S-6904/1 NOT 2 | SIGNAL, EMERGENCY WARNING (BELL)[CUST: AV AS 99] [REVIEW: 71 CG GS OS] | A | 6340 | | AS | 23-JUL-97 |
| | MIL-S-6904/3 NOT 1 | SIGNAL, EMERGENCY WARNING (HORN WITH A PROJECTOR)[CUST: AS 99] [REVIEW: CG GS] | A | 6340 | | AS | 23-JUL-97 |
| | MIL-S-6904/2(1) NOT 1 | SIGNAL, EMERGENCY WARNING (HORN)[CUST: AV AS 99] [REVIEW: CG GS] | A | 6340 | | AS | 23-JUL-97 |
| | MIL-S-6904B(1) NOT 1 | SIGNAL, EMERGENCY WARNING, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: 11 CG GS MI] | A | 6340 | | AS | 23-JUL-97 |
| | MIL-S-9320C(2) NOT 2 | SIGNAL, WARNING, AUDIBLE, FOR HEADSET, TYPE MA-1[CUST: AV AS 99] [REVIEW: 11 71] | A | 6340 | | GS2 | 28-SEP-99 |
| | MIL-S-81256(1) NOT 1 | SILICA FABRIC, PHENOLIC IMPREGNATED[CUST: OS] | A | 1338 | | OS | 20-MAY-92 |
| | MIL-S-14374C NOT 2 | SILICA GEL, IRON FREE[CUST: EA] [REVIEW: GS] | A | 6810 | | EA | 23-JUN-95 |
| | MIL-S-230C NOT 3 | SILICON, POWDERED, TECHNICAL[CUST: EA OS] [REVIEW: AR AS GS MD] | A | 6810 | | EA | 08-JUL-04 |
| | SAE-AMS3335 | SILICONE RUBBER EXTREME LOW-TEMPERATURE RESISTANT 45-55[CUST: MR AS 11 IS] | A | 5330 | | IS | 01-OCT-90 |
| | MIL-DTL-51562A | SIMULATOR, DETECTOR TICKETS, CHEMICAL AGENT: BLISTER AGENT, TRAINING, M29[CUST: EA] | X | 6910 | | EA | 08-APR-05 |
| | MIL-DTL-51561A | SIMULATOR, DETECTOR TICKETS, CHEMICAL AGENT: NERVE AGENT, TRAINING, M28[CUST: EA] | X | 6910 | | EA | 08-APR-05 |
| | MIL-DTL-51534A | SIMULATOR, DETECTOR TICKETS, CHEMICAL AGENT: TRAINING, M256A1[CUST: EA] | X | 6910 | | EA | 04-APR-05 |
| | MIL-S-51528 NOT 2 | SIMULATOR, PROJECTILE, AIRBURST, LIQUID (SPAL) M11[CUST: EA] | A | 1370 | | EA | 16-JUL-04 |
| | MIL-S-81977 NOT 2 | SIMULATOR, RADAR SIGNAL SM-697/UPQ-5[CUST: AS] | A | 6625 | | AS | 18-SEP-96 |
| A | MIL-STD-1750A NOT 5 | SIXTEEN-BIT COMPUTER INSTRUCTION SET ARCHITECTURE[Military Standard][CUST: 11] [REVIEW: 02 99] | A | IPSC | | 11 | 05-JUL-05 |
| | MIL-S-3720E NOT 1 | SKETCHING BOARD, WITH WATERPROOF COVER, TRIPOD MOUNTING[CUST: CE 99 IS] [REVIEW: 71 MC] | A | 6675 | | IS | 07-MAY-98 |
| | MIL-S-46681C(2) NOT 1 | SKID, LAUNCHING, DEMOLITION CHARGE, M3 PARTS AND ASSEMBLY[CUST: AR] | A | 1375 | | AR | 13-FEB-97 |
| | MS25164E NOT 1 | SKIRT, CONTROL KNOB (ASG)[CUST: AS 11] [REVIEW: MC] | A | 5355 | | AS | 23-JUL-97 |
| | MIL-S-29429A NOT 1 | SKIRTS, WOMEN'S[CUST: MC CT] | A | 8410 | | CT | 04-APR-98 |
| | MS24362A NOT 2 | SLEEVE - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING[CUST: AS 99] [REVIEW: GS] | A | 1680 | | 71 | 26-SEP-97 |
| | MS3357B NOT 1 | SLEEVE BOLT[CUST: AS] [REVIEW: GS] | A | 6615 | | AS | 29-JAN-97 |
| | MS51825G NOT 1 | SLEEVE, CLINCH, TUBE FITTING, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51533A NOT 1 | SLEEVE, COMPRESSION, TUBE FITTING, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MIL-S-46989A NOT 1 | SLEEVE, ENCASEMENT, NYLON, KNITTED[CUST: AR] | A | 1375 | | AR | 13-FEB-97 |
| | MS25061A NOT 3 | SLEEVE, SUPPORT, ANTENNA, INTERNAL THREAD[CUST: AS 11 CC] [REVIEW: 99 MC] | A | 5985 | | CC | 30-MAR-04 |
| | MIL-S-85069/1A NOT 3 | SLEEVES, FASTENER, GROOVED, RELIABILITY AND MAINTAINABILITY (REPAIR AND MAINTENANCE) REQUIREMENTS FOR[CUST: AR AS 99 GS7] [REVIEW: 71] | A | 5365 | | GS7 | 20-JAN-05 |
| | MS14134C NOT 2 | SLIDE ASSEMBLY, EQUIPMENT[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 30-AUG-90 |
| | MS22022 NOT 2 | SLIDE BAR, PARACHUTE HARNESS QUICK FIT EJECTOR SNAP[CUST: AS 99] [REVIEW: GS] | A | 1680 | | AS | 23-JUL-97 |
| | MIL-S-63429 NOT 2 | SLIDER ASSEMBLY FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2[CUST: AR] | A | 1005 | | AR | 16-DEC-95 |
| | MIL-S-29398C(2) NOT 1 | SLING SYSTEM, HELICOPTER: EXTERNAL CARGO, 40,000 POUND CAPACITY[CUST: MC] [REVIEW: GS] | A | 1670 | | MC | 04-APR-98 |
| | MIL-S-52159C NOT 3 | SLING, MULTIPLE LEG, .625 INCH BY 6-FOOT CHAIN, WITH SPECIAL HOOKS AND RING[CUST: AT] [REVIEW: CC] | A | 5420 | | AT | 22-MAY-98 |
| | MIL-S-12645C NOT 1 | SLINGS, ENDLESS, FIBER ROPE AND NYLON WEBBING[CUST: AT SH 99] [REVIEW: 84 AV MT] | A | 3940 | | IS | 28-SEP-99 |
| | MIL-S-70685 NOT 1 | SLIP RING ASSEMBLY[CUST: AR] | A | 1005 | | AR | 14-DEC-95 |
| | MIL-S-19678A NOT 1 | SLIP RING ASSEMBLY MARK 7 MOD 0 (GUN FIRE CONTROL SYSTEM MARK 68)[CUST: OS] | A | 1210 | | OS | 13-JUL-99 |
| | MIL-S-21041C NOT 3 | SLOTTED METAL FRAMING, ANGLES AND PANELS[CUST: GL YD 99] | A | 7125 | | 84 | 07-AUG-97 |
| | MIL-S-51235C NOT 2 | SMOKE POT, FLOATING, SGF2, AN-M7A1[CUST: EA OS] | A | 1365 | | EA | 13-JUL-04 |
| | MIL-S-51537(1) NOT 2 | SMOKE POT, FLOATING, SGF2, AN-M7A1; COMPONENTS FOR[CUST: EA] | A | 1365 | | EA | 16-JUL-04 |
| | MIL-DTL-13183D | SMOKE POT, HC, 30-POUND, ABC-M5[CUST: EA 99] [REVIEW: 70] | D | 1365 | | EA | 31-AUG-01 |
| | MIL-DTL-3793D NOT 1 | SMOKE POT, HC, 30-POUND, ABC-M5, COMPONENTS FOR[CUST: EA OS] | D | 1365 | | EA | 16-JUN-05 |
| M | MS70117A NOT 2 | SNAP ASSEMBLY PARACHUTE CONNECTOR, LOCKING TYPE[CUST: GL AS 99] [REVIEW: 71 AV MC] | A | 1670 | | GS1 | 07-APR-06 |
| | MS27756A NOT 1 | SNAP HOOK, PARACHUTE LANYARD[CUST: AS 99] [REVIEW: GS] | A | 1670 | | 11 | 12-SEP-97 |
| | MS22018E NOT 1 | SNAP, PARACHUTE HARNESS QUICK-FIT EJECTOR[CUST: GL AS 99] [REVIEW: 11 71 GS] | A | 1670 | | AS | 16-JUL-97 |
| | MS22017E NOT 1 | SNAP, PARACHUTE HARNESS QUICK-FIT EJECTOR[CUST: GL AS 99] [REVIEW: 11 71 GS] | A | 1670 | | AS | 16-JUL-97 |
| | MS35093A NOT 2 | SOCKET, CRYSTAL SO-200[CUST: CR CC] | A | 5935 | | CC | 10-SEP-99 |
| | MIL-DTL-12883/3E | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITH SHIELD BASE, 9 CONTACT, RADIAL)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 EA MI OS SH] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/8F | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 7 CONTACT, RADIAL)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT AV CG CR4 MC MI OS] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-DTL-12883/2E | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITH SHIELD BASE, 7 CONTACT, RADIAL)[CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV CG CR4 EA MC MI SH] | A | 5935 | | CC | 18-FEB-03 |
| | MIL-S-29566 NOT 1 | SOCKS, FLYER'S ANTI-EXPOSURE, CWU-75/P[CUST: AS] | A | 8475 | | AS | 16-JUL-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-81238 NOT 1 | SODIUM DIOCTYL SULFOSUCCINATE[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 20-MAY-92 |
| | O-S-635D NOT 1 | SODIUM POLYPHOSPHATES, TECHNICAL[CUST: MD1 SH 68 GS3] | A | 6810 | / | GS3 | 29-NOV-01 |
| | MIL-S-51210A(1) NOT 2 | SOIL SAMPLING KIT[CUST: EA] [REVIEW: GS] | A | 6665 | | EA | 29-JUL-04 |
| | SAE-AMS4756 | SOLDER 97.5PB - 1.5AG - 1SN[CUST: AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-JAN-87 |
| | SAE-AMS4755 | SOLDER, LEAD-SILVER 94PB - 5.5AG[CUST: MR AS 11] [REVIEW: GS] | A | 3439 | | AS | 01-JAN-87 |
| | MIL-S-70843 NOT 1 | SOLENOID (FOR MACHINE GUN, 7.62MM: M240)[CUST: AR] | A | 1005 | | AR | 11-DEC-95 |
| | MIL-S-4040F | SOLENOID, ELECTRICAL, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV GL MC MI] | A | 5945 | | CC | 06-JUN-03 |
| | MIL-S-12109/20 NOT 2 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 76 MM, 24 VOLT DC, 28 AMP MAX[CUST: AT OS 11] [REVIEW: 99 AR CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/18 NOT 2 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 76 MM, 24 VOLT DC, 28 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR AV CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/19 NOT 2 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/10 NOT 2 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR AV CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/9 NOT 2 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/17 NOT 2 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR AV CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/6 NOT 2 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON), 90 MM, 24 VOLT DC, 28 AMP MAX[CUST: AT OS 11] [REVIEW: 99 AR CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/7 NOT 2 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON), 90 MM, 24 VOLT DC, 28 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/16 NOT 2 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 12 VOLT DC, 8 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR AV CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/1 NOT 2 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/2 NOT 2 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/4 NOT 2 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/3A NOT 2 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/15 NOT 2 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .50, 24 VOLT DC, 7.7 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR AV CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/11 NOT 2 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .50, 24 VOLT DC, 8 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/12 NOT 2 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR AV CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-12109/14 NOT 2 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX.[CUST: AT OS 11] [REVIEW: 99 AR CC MC] | A | 5945 | | AT | 20-AUG-98 |
| | MIL-S-13498 NOT 1 | SOLENOID, FIRING, D7665749 AND F8208586[CUST: AR] [REVIEW: CC] | A | 5945 | | AR | 14-MAR-97 |
| | MIL-S-29593 NOT 1 | SONOBUOY, AN/SSQ-110 (XJ-1) GENERAL SPECIFICATION FOR[CUST: AS] | C | 5845 | | AS | 30-JUL-97 |
| | MIL-S-83863B NOT 1 | SPACER ASSEMBLY, SURVIVAL CONTAINER PARACHUTE SUPPORT[CUST: 99] [REVIEW: GS] | A | 1660 | | 11 | 31-JUL-96 |
| | MIL-S-43275H NOT 1 | SPAGHETTI WITH MEAT SAUCE, COOKED, DEHYDRATED[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 26-SEP-97 |
| | MIL-S-44341 NOT 1 | SPAGHETTI WITH MEATBALLS IN SAUCE, THERMOSTABILIZED, TRAY PACK[CUST: GL SA 50] [REVIEW: MC SS] | A | 8940 | | GL | 26-SEP-97 |
| | MIL-S-7886B(1) NOT 1 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 2925 | | AS | 12-JAN-98 |
| | MIL-S-81780C NOT 2 | SPECIAL HANDLING EQUIPMENT[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 30-APR-97 |
| | MIL-S-85508(3) NOT 1 | SPECTACLE, AVIATOR S, NEODYMIUM LASER PROTECTIVE, EDU-1/P (WITH CASE)[CUST: AS] | A | 8465 | | AS | 27-AUG-97 |
| | MIL-S-29594(1) NOT 1 | SPECTACLES, AVIATOR'S, SEVEN WAVELENGTH LASER EYE PROTECTIVE[CUST: AS] | A | 8465 | | AS | 27-AUG-97 |
| | MIL-S-82567(1) NOT 1 | SPEED CONTROL ASSEMBLY LD546993 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MS3335 NOT 1 | SPLINE DETAILS-DRIVE PADS AND ACCESSORY FLANGES, DESIGN STANDARD FOR[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | OO-S-2927 NOT 1 | SPRAY OUTFITS, PAINT, PORTABLE[CUST: AR SH 99 CC] [REVIEW: 71 SA] | A | 4940 | / | CC | 11-JAN-02 |
| | MIL-S-23923D NOT 1 | SPRAYER AND DUSTER UNITS, INSECTICIDE, MIST DUST BLOWER TYPE, GED, 30 TO 100 GAL/H LIQUID, 30 TO 300 LB/H DUST (COMMERCIAL)[CUST: MS 99 GS7] [REVIEW: 84 MC] | A | 3740 | | GS7 | 25-MAY-00 |
| | MIL-S-12511G NOT 1 | SPRAYER, INSECTICIDE, FRAME MOUNTED, GASOLINE ENGINE DRIVEN, MIST AND SOLID STREAM, 180 GPH[CUST: MS 99 GS7] [REVIEW: 84 MC MD] | A | 3740 | | GS7 | 25-MAY-00 |
| | MIL-S-82068C NOT 1 | SPRAYERS, PESTICIDE; TRAILER-MOUNTED, GASOLINE-ENGINE-DRIVEN[CUST: 99 GS7] [REVIEW: 84] | A | 3740 | | GS7 | 25-MAY-00 |
| | MIL-S-464F(2) NOT 1 | SPREADER, AGGREGATE, TOWED TYPE, TRACTION POWERED[CUST: AT] [REVIEW: CC] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-S-52713B(1) NOT 3 | SPREADER, LIFTING, ISO AND INTERMODAL FREIGHT CONTAINERS[CUST: AT] [REVIEW: AV GS IS] | A | 3990 | | AT | 29-MAY-98 |
| | MIL-S-13119E NOT 1 | SPREADER, SLING, PLATE TYPE, NONADJUSTABLE[CUST: AT 99] | A | 3940 | | IS | 28-SEP-99 |
| | MIL-S-52408C NOT 3 | SPREADER, SLING: TELESCOPIC, VEHICLE LIFTING, 10 TON CAPACITY[CUST: AT] [REVIEW: AV GS] | A | 3940 | | AT | 05-JUN-98 |
| A | MS24695A | SPRING LOADED MOUNTING ASSEMBLY, CONNECTOR, RACK AND PANEL, MINIATURE[CUST: 11 CC] [REVIEW: IS] | A | 5935 | | CC | 14-JUL-05 |
| | MIL-S-20561A NOT 2 | SPRING, ESCAPEMENT, CORROSION-RESISTING[CUST: OS] [REVIEW: GS] | A | 5360 | | OS | 09-MAY-96 |
| | MIL-S-82684(1) NOT 1 | SPRING, HELICAL TORSION[CUST: OS] | A | 5360 | | OS | 13-JUL-99 |
| | MIL-S-8959(1) NOT 2 | SPRING, HYDRAULIC: GENERAL SPECIFICATION FOR[CUST: AS 99] [REVIEW: GS] | A | 1620 | | 70 | 12-DEC-97 |
| | MIL-S-45387B(2) NOT 1 | SPRINGS, TORSION BAR, SUSPENSION[CUST: AT] | A | 2530 | | AT | 14-JAN-98 |
| | MIL-S-45428D(2) NOT 2 | SQUIB, ELECTRIC, M2, PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] [REVIEW: EA] | A | 1375 | | AR | 16-JUL-96 |
| | MIL-S-17923B(2) NOT 2 | SQUIB, MARK 1 MODS[CUST: OS] | A | 1340 | | OS | 20-DEC-95 |
| | MIL-S-22128A(2) NOT 2 | SQUIP, ELECTRIC, MARK 2 MODS[CUST: OS] | A | 1340 | | OS | 20-DEC-95 |
| | MIL-S-53021A NOT 1 | STABILIZER ADDITIVE, DIESEL FUEL[CUST: AT YD 68] [REVIEW: AS AV GL GS MC PS SH SM] | A | 6850 | | AT | 25-SEP-98 |
| | MIL-S-81246A NOT 1 | STABILIZER, ORGANIC-TIN-SULFUR[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 20-MAY-92 |
| | MS75016 NOT 2 | STAKE, GUY, ANTENNA (GUY STAKE GP-108/U)[CUST: CR SH 11] | A | 5975 | | GS2 | 21-FEB-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS75015 NOT 3 | STAKE, GUY, ANTENNA (STAKE GP-101/U)[CUST: CR SH 11] [REVIEW: MI] | A | 5975 | | GS2 | 21-FEB-03 |
| | MS75014 NOT 2 | STAKE, GUY, ANTENNA (STAKE GP-2)[CUST: CR SH] | A | 5975 | | GS2 | 21-FEB-03 |
| | MS75018A NOT 2 | STAKE, WOOD, ANTENNA[CUST: CR] [REVIEW: CC] | A | 5510 | | CR | 06-OCT-97 |
| | MIL-S-22219 NOT 1 | STAND, BOOSTER TEST, MK 12 MOD 0[CUST: OS] [REVIEW: GS] | A | 4935 | | OS | 20-MAY-92 |
| | MIL-DTL-9814C NOT 1 | STAND, CABLE REWIND, REVERSIBLE, THU-4/E[CUST: 99] | A | 6920 | | 70 | 19-AUG-96 |
| | MIL-S-48363 NOT 2 | STAND, MAINTENANCE, FOR MINE DISPERSING SUBSYSTEM AIRCRAFT, M56[CUST: AR] | A | 1345 | | AR | 07-FEB-96 |
| | MIL-S-22220 NOT 1 | STAND, SUSTAINER TEST MK 13 MOD 0[CUST: OS] [REVIEW: GS] | A | 4935 | | OS | 20-MAY-92 |
| | MS33534 NOT 3 | STANDARD DIMENSIONS FOR STREAMLINE AND OVAL TUBULAR SHAPES[CUST: AS 99 CC] [REVIEW: 71] | A | 4710 | | CC | 10-FEB-04 |
| | MS33564 NOT 4 | STANDARD LENGTHS AND WIDTHS, METAL SHEETS AND STRIPS[CUST: AS 11 IS] | A | 9515 | | IS | 08-JAN-03 |
| | MIL-STD-1821(2) NOT 3 | STANDARD SIMULATOR DATA BASE (SSDB) INTERCHANGE FORMAT (SIF)[Interface Standard][CUST: PT TD 11] | A | 69GP | | 11 | 14-OCT-04 |
| | MS90719 NOT 2 | STAPLE, CABLE, ELECTRICAN' S[CUST: AR YD 99] [REVIEW: 71 GL MC SA] | A | 5315 | | IS | 11-JUN-03 |
| | AN4116 REV 6 NOT 1 | STARTER - AIRCRAFT, DIRECT CRANKING, 28 VDC[CUST: AV AS 99] [REVIEW: GS] | A | 2925 | | AS | 28-AUG-96 |
| | MS18108B NOT 2 | STARTER GENERATOR, DIRECT CURRENT, 300 AMPERE, 30 VOLT, WIDE SPEED RANGE, CLASS A, TYPE 3[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MIL-S-19557/1 NOT 1 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-14-1[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MIL-S-19557/2 NOT 1 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-19[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MIL-S-19557/3 NOT 1 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-19-1[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MIL-S-19557/4 NOT 1 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-21[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MIL-S-19557/5 NOT 1 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-22-3[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MIL-S-7780B(3) NOT 1 | STARTER, ELECTRIC, CONSTANT CURRENT, DC[CUST: AV AS 99] [REVIEW: CC MI] | A | 2990 | | AS | 14-AUG-96 |
| | QPL-7780-12 NOT 1 | STARTER, ELECTRIC, CONSTANT CURRENT, DC | A | 2990 | | AS | 23-APR-01 |
| | MIL-S-38043A NOT 1 | STARTER, ENGINE, AIR TURBINE STU-16/A[CUST: 99] [REVIEW: GS] | A | 2995 | | 71 | 22-JUL-97 |
| | MIL-S-27266A(1) NOT 1 | STARTER, ENGINE, CARTRIDGE/PNEUMATIC SHAFT DRIVE, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: AV GS] | A | 2995 | | 71 | 27-OCT-97 |
| | MIL-S-38399A(2) NOT 1 | STARTER, PNEUMATIC, AIRCRAFT ENGINE GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 2995 | | 71 | 27-OCT-97 |
| | MIL-S-26547C NOT 1 | STARTER-GENERATOR ENGINE STU-6A[CUST: AV AS 99] [REVIEW: GS] | A | 2925 | | 71 | 04-SEP-95 |
| | MIL-G-6162/1C NOT 2 | STARTER-GENERATOR, 30 VOLT, DIRECT CURRENT 400 AMPERE, AIRCRAFT ENGINE DRIVEN[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 30-JUL-97 |
| | MIL-G-6162/2A NOT 1 | STARTER-GENERATOR, 30 VOLT, DIRECT CURRENT, 200 AMPERE, AIRCRAFT ENGINE DRIVEN[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 30-JUL-97 |
| | QPL-26547-8 NOT 1 | STARTER-GENERATOR, ENGINE STU-6/A | A | 2925 | | 71 | 22-OCT-99 |
| | MIL-S-7393C(1) NOT 2 | STEEL ALLOY CARBURIZING, BARS AND BILLETS, STEEL NICKEL-CHROMIUM (3310, 3316 AND 9310), AIRCRAFT QUALITY[CUST: MR AS 11] [REVIEW: 84 99 AR MI] | A | 9510 | | IS | 22-JUL-02 |
| | MIL-S-16598B(1) NOT 1 | STEEL BAR (LOW EXPANSION, FREE CUTTING, 36 PERCENT NICKEL).[CUST: CR4 OS 11 IS] [REVIEW: 84 99 MI MR] | A | 9510 | | IS | 20-DEC-95 |
| | MIL-S-46070(2) NOT 2 | STEEL BAR FOR PROJECTILE STOCK[CUST: AR] | A | 9510 | | IS | 04-APR-98 |
| | SAE-AMS-S-8559 | STEEL BARS, CARBON, AISI (1095), AIRCRAFT QUALITY[CUST: MI AS 11] [REVIEW: IS] | A | 9510 | | AS | 24-SEP-99 |
| | MIL-S-11310E NOT 2 | STEEL BARS, CARBON, HOT ROLLED, FOR COLD SHAPING INCLUDING COLD EXTRUSION[CUST: AR 99 IS] [REVIEW: 84 MI MR OS] | A | 9510 | | IS | 16-JUN-97 |
| | SAE-AMS6426 | STEEL BARS, FORGINGS, AND TUBING 0.75SI - 1.0CR - 0.58MO (0.80 - 0.90C) CONSUMABLE ELECTRODE VACUUM MELTED[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-AUG-90 |
| | SAE-AMS-S-8949 | STEEL BARS, PLATES, SHEETS, BILLETD, AND REFORGING STOCK TYPE D6AC[CUST: MR AS 11] | A | 9515 | | 11 | 14-DEC-98 |
| | MIL-S-18732D NOT 1 | STEEL BARS, WIRE, FORGING STOCK, FORGINGS TUBING (431), SPECIAL QUALITY[CUST: MR AS 11] [REVIEW: AV EA IS MI] | A | 9510 | | AS | 19-MAR-91 |
| | SAE-AMS-QQ-S-763 | STEEL BARS, WIRE, SHAPES, AND FORGINGS; CORROSION RESISTANT[CUST: MR AS 11] [REVIEW: AR AT CR4 IS MI OS SH YD] | A | 9510 | | AS | 05-OCT-98 |
| | SAE-AMS5328 | STEEL CASTINGS, INVESTMENT, 0.80CR - 1.8NI - 0.35MO (0.28 - 0.36C) (SAE 4330 MODIFIED) ANNEALED[CUST: MR AS 11] | A | MECA | | 11 | 17-MAR-89 |
| | SAE-AMS5363 | STEEL CASTINGS, SAND AND CENTRIFUGAL, CORROSION AND HEAT RESISTANT 18.5CR - 10.5NI - 0.90(CB+TA) SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | 17-MAR-89 |
| | SAE-AMS5359 | STEEL CASTINGS, SAND, CORROSION AND HEAT RESISTANT 15CR - 4.0NI - 2.3MO - 0.08N SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | JAN-95 |
| | SAE-AMS5365 | STEEL CASTINGS, SAND, CORROSION AND HEAT RESISTANT 24.5CR - 20.5NI- SOLUTION HEAT TREATED[CUST: MR AS 11] | A | MECA | | 11 | JAN 95 |
| | SAE-AMS5351 | STEEL CASTINGS, SAND, CORROSION AND MODERATE HEAT RESISTANT 13CR NORMALIZED AND TEMPERED[CUST: MR AS 11] | A | MECA | | 11 | JAN 95 |
| | MIL-S-46172A(2) NOT 1 | STEEL FORGINGS[CUST: MR] [REVIEW: AT CR4] | A | FORG | | AR | 19-MAR-98 |
| | MIL-S-48403 NOT 1 | STEEL SHEET, HOT-DIP, ZINC-COATED (GALVANIZED), MINIMIZED SPANGLE, FOR AUTOMOTIVE VEHICLE BODY USE[CUST: AR] [REVIEW: AT] | A | 9515 | | IS | 05-JUN-96 |
| | A-A-52313 NOT 1 | STEEL SHEETS, CORRUGATED: 2-1/2 INCH NOMINAL CORRUGATION, PAINTED OR UNPAINTED[CUST: AV 99] [REVIEW: IS NS] | A | 9515 | / | AV | 24-OCT-01 |
| | MIL-S-47319A NOT 2 | STEEL, BAR, BILLET AND FORGINGS COBALT-FREE MARAGING[CUST: MI] | A | 9515 | | MI | 16-MAR-05 |
| | MIL-S-81054A NOT 1 | STEEL, BARS AND FORGINGS, CHROMIUM-NICKEL-MOLYBDENUM-VANADIUM (FOR TORPEDO MK 46 MOD 0)[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-S-16788A NOT 1 | STEEL, CARBON, HOT-ROLLED OR FORGED ( BLOOMS, BILLETS, & SLABS FOR REFORGING)[CUST: MR OS 99] [REVIEW: AR] | A | 9640 | | OS | 01-OCT-86 |
| | SAE-AMS2762 | STEEL, CARBURIZING, CARBON AND LOW-ALLOY PARTS[CUST: MR AS 11] [REVIEW: 99] | A | MISC | | 11 | 130JAN-95 |
| | SAE-AMS5330 | STEEL, CASTINGS, INVESTMENT, 0.80 CR - 1.8NI - 0.35MO (0.38 - 0.46C) (SAE 4340 MODIFIED) ANNEALED[CUST: MR AS 11] | A | MECA | | 11 | 17-MAR-89 |
| | SAE-AMS-S-6758 | STEEL, CHROME-MOLYBDENUM (4130) BARS AND REFORGING STOCK (AIRCRAFT QUALITY)[CUST: MR AS 11] [REVIEW: AT CR4 EA IS MI OS] | A | 9510 | | AS | OCT-98 |
| | MIL-S-6050A(2) NOT 3 | STEEL, CHROME-NICKEL-MOLYBDENUM (8630) BARS AND REFORGING STOCK (AIRCRAFT QUALITY)[CUST: MR AS 11 IS] [REVIEW: 84 99 AV] | A | 9510 | | IS | 16-JUN-97 |
| | MIL-S-980B NOT 1 | STEEL, CHROMIUM ALLOY, BARS (FOR TORPEDO GYROSCOPE BEARINGS)[CUST: MR OS IS] | A | 9510 | | IS | 16-JUN-97 |
| | MIL-S-13468A(1) NOT 2 | STEEL, COPPER ALLOY CLAD, STRIP (FOR SMALL CALIBER BULLET JACKETS)[CUST: AR] | A | 1305 | | AR | 07-DEC-95 |
| | SAE-MAM2243 | STEEL, CORROSION AND HEAT RESISTANT TUBING, TOLERANCES, METRIC[CUST: MR AS 11] | A | 4710 | | MR | 22-FEB-90 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | SAE-MAM2241 | STEEL, CORROSION AND HEAT RESISTANT, TOLERANCES, METRIC, IRON ALLOY, TITANIUM, AND TITANIUM ALLOY BARS AND WIRE[CUST: MR AS 11] | A | 95GP | | MR | 03-MAY-89 |
| | SAE-MAM2242 | STEEL, CORROSION AND HEAT RESISTANT, TOLERANCES, METRIC, IRON ALLOY, TITANIUM, AND TITANIUM ALLOY SHEET, STRIP, AND PLATE[CUST: MR AS 11] | A | 95GP | | MR | 11-JAN-87 |
| | MIL-S-22141B(1) NOT 1 | STEEL, INVESTMENT CASTINGS ALLOY AND CARBON[CUST: MR OS] [REVIEW: AR AS EA] | A | MECA | | OS | 06-NOV-91 |
| | MIL-S-81591(3) NOT 1 | STEEL, INVESTMENT CASTINGS, CARBON AND CORROSION - RESISTING[CUST: AR AS 99] [REVIEW: AV CR4 MC MI OS] | A | MECA | | AS | 23-FEB-93 |
| | SAE-AMS6520 | STEEL, MARAGING, SHEET, STRIP, AND PLATE 18NI - 7.8CO - 4.9MO - 0.40TI - 0.10AL CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED[CUST: MR AS 11] [REVIEW: 99] | A | 9515 | | 11 | 22-JUN-95 |
| | MIL-HDBK-1013/5 NOT 1 | STEEL-PLY WALL HARDENING SELECTION AND INSTALLATION GUIDE[CUST: YD] | A | FACR | | YD | 09-MAY-97 |
| | MIL-S-46850D(2) NOT 1 | STEEL: BAR, PLATE, SHEET, STRIP, FORGINGS, AND EXTRUSIONS, 18 PERCENT NICKEL ALLOY, MARAGING, 200 KSI, 250 KSI, 300 KSI, AND 350 KSI, HIGH QUALITY[CUST: MI AS IS] [REVIEW: AR MR OS] | A | 9515 | | IS | 07-FEB-02 |
| | MS39049A NOT 2 | STEP, POLE, STEEL, DRIVE[CUST: CR YD 11] [REVIEW: 99 MC] | A | 5975 | | GS2 | 21-FEB-03 |
| | MIL-S-45921A NOT 1 | STOCK, GUN, SHOULDER: ASSEMBLY W/O BUTT PLATE, FIBERGLASS REINFORCED, PLASTIC (PREMIX) (FOR RIFLE, 7.62MM: M14)[CUST: AR OS 99] [REVIEW: 84 MC] | A | 1005 | | AR | 14-MAR-97 |
| | MS51329B NOT 1 | STOP LIGHT - TAILLIGHT, VEHICULAR-24 VOLT, SERVICE STOP, SERVICE TAIL, BLACKOUT TAIL[CUST: CR4 IS] [REVIEW: MI] | A | 6220 | | IS | 04-JAN-00 |
| | MS51330A NOT 1 | STOP LIGHT-TAILLIGHT, BLACKOUT; VEHICULAR-24 VOLT[CUST: AT YD 99] [REVIEW: GS MI] | A | 6220 | | AT | 27-FEB-98 |
| | MS51302B NOT 2 | STOPLIGHT, VEHICULAR-BLACKOUT, 24 VOLT[CUST: AT MC 99 IS] | A | 6220 | | IS | 14-SEP-01 |
| | MIL-S-82183A NOT 2 | STRAINER ASSEMBLY, PETROLEUM FUELS, 6 1NCH, FRAME MOUNTED, 600 GALLONS PER MINUTE[CUST: MC] | A | 4930 | | MC | 30-APR-99 |
| | MS26551 NOT 2 | STRAINER, 2-1/2 INCH PRESSURE FUEL SERVICING[CUST: AS] | A | 2915 | | AS | 24-NOV-03 |
| | MIL-S-8710B NOT 2 | STRAINER, AIRFRAME FUEL SYSTEM, GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 2915 | | 71 | 04-SEP-95 |
| | WW-S-2739 NOT 1 | STRAINERS, SEDIMENT: PIPELINE, WATER, AIR, GAS, OIL, OR STEAM[CUST: AT SH 99 CC] [REVIEW: 71 CE CG MC SA] | A | 4730 | / | CC | 21-MAR-01 |
| | MIL-DTL-5765G NOT 2 | STRAND, WIRE, ARMORED STEEL[CUST: AS 99 GS5] | A | 4010 | | GS5 | 21-FEB-03 |
| | DS14273 NOT 2 | STRAP, RETAINING, CUSHIONED, RECTANGULAR, METRIC[CUST: AR AS 99] [REVIEW: IS] | A | 5340 | | AS | 17-SEP-97 |
| | MIL-S-83862A NOT 1 | STRAP, RETENTION, SURVIVAL KIT[CUST: 99] [REVIEW: GS] | A | 1680 | | 11 | 20-NOV-96 |
| | MIL-S-43828A(1) NOT 1 | STRAP, WEBBING, CARGO TIE DOWN, LIGHTWEIGHT PACK FRAME, M-1972[CUST: GL NU CT] [REVIEW: 11 MC MD YD] | A | 8465 | | CT | 15-OCT-99 |
| | MIL-S-63148 NOT 1 | STRAY VOLTAGE MONITOR ASSEMBLY[CUST: AR] [REVIEW: GS] | A | 4925 | | AR | 17-JUL-96 |
| | MIL-S-48084A NOT 2 | STRIKER NUT ASSEMBLY FOR 4.2 INCH AMMUNITION[CUST: AR] | A | 1315 | | AR | 09-FEB-96 |
| | MIL-S-70745(3) NOT 1 | STRIP, AMMUNITION, METALLIC, 30MM[CUST: AR] | A | 1305 | | AR | 07-DEC-95 |
| | MIL-S-49196 NOT 2 | STROBOSCOPE, TEST SET TS-805( )/U[CUST: CR] [REVIEW: AR MD] | A | 6625 | | CR | 25-APR-97 |
| | MIL-S-612B(1) NOT 2 | STRONTIUM PEROXIDE[CUST: AR GS3] [REVIEW: MD1 TE] | A | 6810 | | GS3 | 20-JAN-04 |
| | MS27951A NOT 2 | STUB (STUD), WELDING-TURNBUCKLE (GENERAL PURPOSE, MANUAL WELD APPLICATION)[CUST: AR SH 99 IS] [REVIEW: 71 AT CR4 MC MI OS] | A | 5307 | | IS | 18-JUL-97 |
| | AN126767THRUAN126820 REV 3 NOT 2 | STUD - STRAIGHT, .5625-12 X .5625-18[CUST: AV AS 11 IS] | A | 5307 | | IS | 19-SEP-01 |
| | MS17295(1) NOT 1 | STUD STEPPED, 1.5 DIA ENGAGEMENT, .375-16 X .3125-24 (MIL-S-8879 THREAD)[CUST: AS IS] [REVIEW: MI] | A | 5307 | | IS | 23-OCT-02 |
| | AN160701THRUAN161000 REV 3 NOT 1 | STUD STEPPED, DRILLED, NECKED, 1.5 DIA. ENGAGEMENT, .5625-12 X .500-20[CUST: AS 11 IS] | A | 5307 | | IS | 11-SEP-01 |
| | AN166401THRUAN166700 REV 3 NOT 1 | STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA. ENGAGEMENT, .500-13 X .4375-20[CUST: AS 11 IS] | A | 5307 | | IS | 19-SEP-01 |
| | AN164601THRUAN164900 REV 3 NOT 1 | STUD STEPPED, NECKED, WRENCH PAD, 1.5 DIA. ENLARGEMENT, .500-13 X .4375-20[CUST: 11 IS] | A | 5307 | | IS | 11-SEP-01 |
| | AN126713THRUAN126766 REV 3 NOT 1 | STUD STRAIGHT, .500-13 X .500-20[CUST: AS 11] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | AN129179THRUAN129232 REV 3 NOT 1 | STUD STRAIGHT, DRILLED, .5625-12 X .5625-18[CUST: AS 11 IS] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | AN129605THRUAN129904 REV 3 NOT 1 | STUD STRAIGHT, DRILLED, NECKED, .4375-14 X .4375-20[CUST: AS 11 IS] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | AN130199THRUAN130498 REV 3 NOT 1 | STUD STRAIGHT, DRILLED, NECKED, .5625-12 X .5625-18[CUST: AS 11 IS] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | AN127493THRUAN127786 REV 3 NOT 1 | STUD STRAIGHT, NECKED, .500-13 X .500-20[CUST: AS 11] [REVIEW: 71] | A | 5307 | | IS | 11-SEP-01 |
| | AN128087THRUAN128362 REV 3 NOT 1 | STUD STRAIGHT, NECKED, .625-11 X .625-18[CUST: AS 11] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | MS51551 NOT 1 | STUD, LOCKED IN - RING LOCKED, SERRATED, UNJF THREAD NUT END, INCREASED STUD END LENGTH[CUST: AR AS 99 IS] [REVIEW: 11 71 AT AV CR GL MC MI MS OS] | A | 5307 | | IS | 19-JAN-98 |
| | MS51497 NOT 1 | STUD, LOCKED IN-RING LOCKED, SERRATED, HIGH STRENGTH, OVERSIZE REPLACER[CUST: AR AS 99 IS] [REVIEW: 11 71 AT AV CR4 GL MC MI NS OS] | A | 5307 | | IS | 18-JUL-97 |
| | DOD-S-63275/1A NOT 2 | STUD, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC[CUST: AR AS] [REVIEW: AT AV CR CR4 MC MI OS SH] | A | 5307 | | IS | 31-AUG-04 |
| | DOD-S-63275A(1) NOT 1 | STUD, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC AND RING, LOCK, SERRATED, METRIC, GENERAL SPECIFICATION FOR[CUST: AR AS IS] [REVIEW: AT AV CR MC MI OS SH] | A | 5307 | | IS | 01-OCT-99 |
| | MIL-S-63540/6 NOT 1 | STUD, SELF-LOCKING, NON-FLUSH, RIBBED CLINCH TYPE[CUST: AR MC 99 IS] [REVIEW: 71 AT MI NS] | A | 5307 | | IS | 13-FEB-98 |
| | MS51951C NOT 1 | STUD, SHOULDERED AND STEPPED: WHEEL MOUNTING[CUST: AT 99 IS] [REVIEW: 71 AR CR4 MI] | A | 5307 | | IS | 18-DEC-95 |
| | MS51950C NOT 1 | STUD, SHOULDERED: WHEEL MOUNTING[CUST: AT 99 IS] [REVIEW: 71 AR CR4 MI] | A | 5307 | | IS | 18-DEC-95 |
| | AN128999THRUAN129064 REV 3 NOT 1 | STUD, STRAIGHT, DRILLED, .375-16 X .375-24[CUST: AS 11 IS] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | MS17294(1) NOT 1 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .3125-18 X 250-28 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5307 | | IS | 15-AUG-02 |
| | MS17296(1) NOT 1 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5307 | | IS | 19-AUG-02 |
| | AN160401THRUAN160700 REV 2 NOT 1 | STUD-STEPPED, DRILLED, NECKED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20[CUST: AS 11 IS] | A | 5307 | | IS | 19-SEP-01 |
| | AN163101THRUAN163400 REV 3 NOT 1 | STUD-STEPPED, DRILLED, NECKED, 2 DIA ENGAGEMENT, .5625-12 X .500-20[CUST: AS 11 IS] | A | 5307 | | IS | 11-SEP-01 |
| | AN165501THRUAN165800 REV 3 NOT 1 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .3125-18 X .250-28[CUST: AS 11 IS] | A | 5307 | | IS | 19-SEP-01 |
| | AN166101THRUAN166400 REV 3 NOT 1 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24[CUST: AS 11 IS] | A | 5307 | | IS | 19-SEP-01 |
| | AN170301THRUAN170600 REV 2 NOT 1 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .5625-12 X .5000-20[CUST: AS 11 IS] | A | 5307 | | IS | 19-SEP-01 |
| | AN162201THRUAN162500 REV 3 NOT 1 | STUD-STEPPED, NECKED, 2 DIA ENGAGEMENT, .625-11 X .5625-18[CUST: AS 11 IS] | A | 5307 | | IS | 11-SEP-01 |
| | AN164901THRUAN165200 REV 3 NOT 1 | STUD-STEPPED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .5625-12 X .500-20[CUST: 11 IS] | A | 5307 | | IS | 19-SEP-01 |
| | AN167901THRUAN168200 REV 3 NOT 1 | STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .4375-14 X .375-24[CUST: AS 11 IS] | A | 5307 | | IS | 19-SEP-01 |
| | AN168501THRUAN168800 REV 3 NOT 1 | STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, 15625-12 X .500-20[CUST: AS 11 IS] | A | 5307 | | IS | 19-SEP-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS17299(1) NOT 1 | STUD-STRAIGHT .190-24 X .190-32 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5307 | | IS | 21-AUG-02 |
| | AN125951THRUAN126274 REV 2 NOT 2 | STUD-STRAIGHT, .250-20 X .250-28[CUST: AV AS 99] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | MS17300(1) NOT 1 | STUD-STRAIGHT, .250-20 X .250-28 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5307 | | IS | 21-AUG-02 |
| | MS17301(1) NOT 1 | STUD-STRAIGHT, .3125-18X .3125-24 (MIL-S-8879 THREAD)[CUST: AS IS] | A | 5307 | | IS | 23-OCT-02 |
| | AN126653THRUAN126712 REV 3 NOT 1 | STUD-STRAIGHT, .4375-14 X .4375-20[CUST: AS 11] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | AN126821THRUAN126880 REV 3 NOT 1 | STUD-STRAIGHT, .625-11 X .625-18[CUST: AS 11] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | AN129065THRUAN129124 REV 3 NOT 1 | STUD-STRAIGHT, DRILLED, .4375-14 X .4375-20[CUST: AS 11 IS] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | AN129125THRUAN129178 REV 3 NOT 1 | STUD-STRAIGHT, DRILLED, .500-13 X .500-20[CUST: AS 11 IS] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | AN129233THRUAN129292 REV 3 NOT 2 | STUD-STRAIGHT, DRILLED, .625-11 X .625-18[CUST: AS 11] [REVIEW: 71] | A | 5307 | | IS | 23-JUN-05 |
| | AN129905THRUAN130198 REV 3 NOT 1 | STUD-STRAIGHT, DRILLED, NECKED, .500-13 X .500-20[CUST: AS 11] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | AN130499THRUAN130774 REV 3 NOT 1 | STUD-STRAIGHT, DRILLED, NECKED, .625-11 X .625-18[CUST: AS 11] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | AN127787THRUAN128086 REV 3 NOT 1 | STUD-STRAIGHT, NECKED, .5625-12 X .5625-18[CUST: AS 11 IS] [REVIEW: 71] | A | 5307 | | IS | 19-SEP-01 |
| | MIL-S-19622/16B NOT 1 | STUFFING TUBE, NYLON, SIZE 1: PACKING ASSEMBLIES FOR[CUST: SH] | A | 5330 | | SH | 17-OCT-02 |
| | MIL-S-19622/17D NOT 1 | STUFFING TUBE, NYLON, SIZE 2: PACKING ASSEMBLIES FOR[CUST: SH] | A | 5330 | | SH | 17-OCT-02 |
| | MIL-S-19622/18C NOT 1 | STUFFING TUBE, NYLON, SIZE 3: PACKING ASSEMBLIES FOR[CUST: SH] | A | 5330 | | SH | 17-OCT-02 |
| | MIL-S-19622/20H NOT 1 | STUFFING TUBE, NYLON, SIZE 5: PACKING ASSEMBLIES FOR[CUST: SH] | A | 5330 | | SH | 17-OCT-02 |
| | MIL-S-19622/21E NOT 1 | STUFFING TUBE, NYLON, SIZE 6: PACKING ASSEMBLIES FOR[CUST: SH] | A | 5330 | | SH | 17-OCT-02 |
| | MIL-S-19622/22B NOT 1 | STUFFING TUBE, NYLON, SIZE 7: PACKING AND ASSEMBLIES FOR[CUST: SH] | A | 5330 | | SH | 17-OCT-02 |
| | MIL-S-19622/23C NOT 1 | STUFFING TUBE, NYLON, SIZE 8: PACKING ASSEMBLIES FOR[CUST: SH] | A | 5330 | | SH | 17-OCT-02 |
| | MIL-S-19622/24C NOT 1 | STUFFING TUBE, NYLON, SIZE 9: PACKING ASSEMBLIES FOR (FOR NEW DESIGN USE ASTM-F1836M)[CUST: SH] | A | 5330 | | SH | 17-OCT-02 |
| | MIL-S-19622/19D NOT 1 | STUFFING TUBE, NYLON, SIZES 4 AND 4T: PACKING ASSEMBLIES FOR[CUST: SH] | A | 5330 | | SH | 17-OCT-02 |
| | MIL-S-19622/14B NOT 1 | STUFFING TUBE, NYLON: PLUG, NEOPRENE[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-OCT-02 |
| | MIL-S-19622/4B NOT 1 | STUFFING TUBES, "Y"-TYPE NYLON[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-OCT-02 |
| | MIL-S-19622/2C NOT 1 | STUFFING TUBES, 90 DEGREES, NYLON[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-OCT-02 |
| | MIL-S-19622/3B NOT 1 | STUFFING TUBES, NPT, NYLON[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-OCT-02 |
| | MIL-S-19622F SUP 1 NOT 1 | STUFFING TUBES, NYLON; AND PACKING ASSEMBLIES; GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-OCT-02 |
| | MIL-S-19622/1B NOT 1 | STUFFING TUBES, STRAIGHT, NYLON[CUST: SH] [REVIEW: GS] | A | 5975 | | SH | 17-OCT-02 |
| | MIL-S-63348A(4) NOT 2 | SUBMACHINE GUN, 5.56MM, PORT FIRING, M231[CUST: AR] | A | 1005 | | AR | 18-AUG-97 |
| | MIL-S-23012A(1) NOT 1 | SUBMARINE INTERCOMMUNICATION SYSTEM AN/WIC-(V)[CUST: SH] | A | 5830 | | SH | 16-FEB-00 |
| | MIL-S-44384(1) NOT 1 | SUIT, CONTAMINATION AVOIDANCE, LIQUID PROTECTION (SCALP)[CUST: GL NU CT] | A | 8415 | | CT | 01-OCT-98 |
| | MIL-S-14929 NOT 1 | SULFUR. COMMERCIAL GRADE (FOR USE WITH AMMUNITION)[CUST: AR] | A | 1375 | | AR | 10-JUL-96 |
| | MIL-S-21859E NOT 1 | SUPPORT SETS, STACKING, MATERIAL HANDLING PALLET[CUST: AT 99 IS] [REVIEW: 84 SM] | A | 3990 | | IS | 22-JUN-99 |
| | MS27291F | SUPPORT, CABLE, ELECTRICAL CONNECTOR[CUST: 11 CC] [REVIEW: 19 99] | A | 5935 | | CC | 06-FEB-04 |
| | MS27559D | SUPPORT, CABLE, RIGHT ANGLE[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 06-FEB-04 |
| | MS27558D | SUPPORT, CABLE, RIGHT ANGLE, CLOSED[CUST: 11 CC] [REVIEW: 99] | A | 5935 | | CC | 06-FEB-04 |
| | MIL-S-70440(2) NOT 1 | SUPPORT, COVER[CUST: AR] | A | 1320 | | AR | 27-FEB-97 |
| | MIL-S-48380 NOT 2 | SUPPORT, PROPELLING CHARGE (FOR USE IN AMMUNITION PACKING)[CUST: AR] | A | 1315 | | AR | 07-FEB-96 |
| | MIL-S-1733C NOT 1 | SUPPORT, SNAP FASTENER[CUST: GL 99 IS] [REVIEW: MC SM] | A | 5325 | | IS | 25-JUN-96 |
| | MIL-S-49036 NOT 2 | SUPPRESSOR, ELECTRICAL TRANSIENT[CUST: CR] | A | 5915 | | CR | 29-MAY-96 |
| | MIL-S-55689 NOT 2 | SUPPRESSOR, ELECTRICAL TRANSIENT MX-7778( )/GRC[CUST: CR CC] | A | 5915 | | CC | 31-MAR-99 |
| | MIL-S-55389(2) NOT 1 | SUPPRESSOR, ELECTRICAL TRANSIENT, MX-7778A/GRC[CUST: CR] | A | 5915 | | CR | 29-MAY-96 |
| | MIL-S-12515C NOT 2 | SURFACE HARDENING: FLAME AND INDUCTION (FOR FERROUS ALLOYS)[CUST: MR SH 11] [REVIEW: AS DH EC PT] | A | MFFP | | MR | 25-MAR-98 |
| | MIL-S-5002D(2) NOT 1 | SURFACE TREATMENTS AND INORGANIC COATINGS FOR METAL SURFACES OF WEAPONS SYSTEMS[CUST: MR AS 11] [REVIEW: AR AV CC EA MI OS] | A | MFFP | | AS | 20-OCT-99 |
| | MIL-S-81018/3 NOT 2 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT WITH OXYGEN - RSSK-1A[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 18-SEP-96 |
| | MIL-S-81018C(1) NOT 2 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 18-SEP-96 |
| | MIL-S-81018/2D NOT 3 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN, RSSK-8D[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 18-SEP-96 |
| | MIL-S-81018/1 NOT 2 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN-RSSK-6[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 18-SEP-96 |
| | MIL-S-81040C NOT 2 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITHOUT OXYGEN, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 18-SEP-96 |
| | MIL-S-81040/2B NOT 2 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITHOUT OXYGEN, RSSK-9A[CUST: AS] [REVIEW: GS] | A | 1660 | | AS | 18-SEP-96 |
| | MIL-S-83047B NOT 1 | SURVIVAL KIT CONTAINER, CNU-111/P[CUST: 99] [REVIEW: GS] | A | 1660 | | 11 | 01-OCT-97 |
| | MIL-S-38380B NOT 1 | SURVIVAL KIT CONTAINER, CNU-68B/P AND CNU-155/P[CUST: 99] | A | 4220 | | 11 | 26-MAY-97 |
| | MIL-S-83427(1) NOT 2 | SURVIVAL KIT CONTAINERS, CNU-129(V)/P AND CNU-130/P[CUST: 11] [REVIEW: 99 GS] | A | 1660 | | 11 | 09-MAY-97 |
| | MIL-S-81941A(1) NOT 1 | SURVIVAL KIT, INDIVIDUAL, AIRMAN'S[CUST: AS] [REVIEW: GS] | A | 4240 | | AS | 30-JUL-97 |
| | MIL-S-27447A(1) NOT 3 | SURVIVAL KIT, PARACHUTE PACK SRU-16/P[CUST: 99] | A | 4240 | | 11 | 27-MAY-97 |
| | MIL-C-22263/3 NOT 2 | SWAGE END FERRULE, VARIABLE CAVITY[CUST: AV AS 11] [REVIEW: CC] | A | 4730 | | AS | 18-MAR-97 |
| | MIL-S-81353 NOT 1 | SWAGING MACHINE, AIRCRAFT CABLE, PORTABLE, POWER OPERATED, MODEL NSM-1[CUST: AS] [REVIEW: GS] | A | 3450 | | AS | 17-DEC-90 |
| | MIL-S-8805/58D | SWITCH, ACTUATOR, EXTENDED PLUNGER TYPE[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-S-8805/59C | SWITCH, ACTUATOR, ROLLER LEAF[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-S-52860D NOT 3 | SWITCH, ALARM, LATCHING, SA-1954/FSS-9(V)[CUST: CR4 SH 99] [REVIEW: CC CR] | A | 6350 | | CR4 | 03-JUL-97 |
| | MIL-DTL-21604/6B | SWITCH, ASSEMBLIES FOR REMOTE OPERATED SWITCHES, 10 AMPERE, STYLES RJR AND RJRA[CUST: SH CC] | A | 5930 | | CC | 27-JUN-03 |
| | MIL-S-52867B NOT 1 | SWITCH, BALANCED MAGNETIC, SA-1955/FSS-9(V)[CUST: CR4 99] [REVIEW: GS] | A | 6350 | | CR4 | 10-APR-97 |
| | MIL-S-63175(1) NOT 1 | SWITCH, COMBINED OPTION SELECTOR: M167E1[CUST: AR] | A | 1135 | | AR | 21-JUN-95 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-83504/3A(1) NOT 3 | SWITCH, DUAL IN LINE PACKAGE (DIP) SLIDE ACTUATOR, LOW PROFILE, SINGLE THROW STATIONS, SEALED BASE[CUST: CR EC 11 CC] | A | 5930 | | CC | 15-JUN-04 |
| | MIL-S-19819C NOT 1 | SWITCH, FIRING, MARK 8 MOD O AND 1 (INERTIA)(FOR EXPLODER MECHANISM MARK 19 SERIES)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-S-22135C(1) NOT 1 | SWITCH, FIRING, MARK 9 MOD O (FOR EXPLODER MECHANISM MARK 19 SERIES)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-S-25980A NOT 2 | SWITCH, FLOAT, AIRCRAFT FUEL LEVEL, GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 2915 | | 71 | 19-DEC-03 |
| | MIL-S-19820B(1) NOT 1 | SWITCH, HYDROSTATIC, MARK 24, MODS 0, 1, 2, AND 3 (FOR EXPLODER MECHANISM MARK 19 SERIES)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-S-21920C NOT 2 | SWITCH, HYDROSTATIC, MARK 41 MODS 0 AND 1[CUST: OS] | A | 1350 | | OS | 27-MAR-92 |
| | MIL-S-21919B NOT 1 | SWITCH, HYDROSTATIC, MARK 42 MOD 0[CUST: OS] | A | 1350 | | OS | 27-MAR-92 |
| | MIL-S-23772(3) NOT 2 | SWITCH, HYDROSTATIC, MARK 63 MOD 0 AND MOD 1[CUST: OS] | A | 1350 | | OS | 13-JUL-99 |
| | MIL-S-81031B(4) NOT 1 | SWITCH, INERTIA, MARK 104 MOD 1 (FOR TORPEDOMARK 46 MODS 0 THRU 5)[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| M | MIL-S-24317/12B | SWITCH, MULTISTATION, PUSHBUTTON, ILLUMINATED MATRIX ARRANGEMENT, SUNLIGHT READABLE, 4 LAMP, PLUG-IN MODULE, STYLE SM12L1[CUST: EC 11 CC] | A | 5930 | | CC | 28-FEB-06 |
| | MIL-DTL-12211F | SWITCH, PRESSURE[CUST: AT EC 11 CC] [REVIEW: CR4 MC MI YD] | A | 5930 | | CC | 10-MAR-03 |
| | MIL-S-62742 NOT 1 | SWITCH, PRESSURE (METRIC)[CUST: AT] [REVIEW: CC CR4 MI] | A | 5930 | | AT | 26-FEB-98 |
| | MS75062A NOT 3 | SWITCH, PRESSURE-STOPLIGHT, VEHICULAR, AIR BRAKE SYSTEM, 24 VOLT, WATERPROOF[CUST: AT CC] | A | 5930 | | CC | 09-JUN-05 |
| | MS75063B NOT 3 | SWITCH, PRESSURE-STOPLIGHT, VEHICULAR, HYDRAULIC BRAKE SYSTEM, 24 VOLT, WATERPROOF[CUST: AT CC] | A | 5930 | | CC | 09-JUN-05 |
| | MS27152B NOT 3 | SWITCH, PRESSURE-WARNING, LOW AIR PRESSURE, 60 PSI, SPST, WATERPROOF[CUST: AT CC] | A | 5930 | | CC | 09-JUN-05 |
| | MS90530E NOT 2 | SWITCH, PRESSURE-WARNING, SPST, WATERPROOF, 24 VOLT, DC[CUST: AT CC] | A | 5930 | | CC | 09-JUN-05 |
| | MIL-S-22885/1H | SWITCH, PUSH BUTTON, ILLUMINATED LENSES (SCREW-IN, T-1-3/4 MFB LAMP)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC OS SH] | A | 5930 | | CC | 16-MAY-03 |
| | MIL-PRF-22885/83E | SWITCH, PUSH BUTTON, ILLUMINATED, (2.330 LONG X .750 SQUARE)[CUST: 11 CC] | A | 5930 | | CC | 17-MAR-01 |
| | MIL-PRF-22885/15E | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, CLIP MOUNTED (MODULAR CONSTRUCTED)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH] | A | 5930 | | CC | 16-MAY-03 |
| | MIL-S-22885/100A | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SPDT AND DPDT, 7.5 AMPERES, SILVER CONTACTS, 1 AMPERE, GOLD CONTACTS (DRIPPROOF, SUNLIGHT READABLE, RFI SHIELDED)[CUST: 11 CC] | A | 5930 | | CC | 16-MAY-03 |
| | MIL-S-22885/8H NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, MOMENTARY AND PUSH-PULL, 2 CIRCUIT, 5 AMPERES[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A | 5930 | | CC | 16-MAY-03 |
| | MIL-PRF-22885/89B | SWITCH, PUSHBUTTON, ILLUMINATED, SINGLE LAMP, 7 AMPERES, MOMENTARY ACTION[CUST: EC 11 CC] [REVIEW: 99] | A | 5930 | | CC | 17-MAR-04 |
| | MIL-DTL-3928/11C | SWITCH, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 7[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH] | A | 5985 | | CC | 15-AUG-01 |
| | MIL-DTL-13623D | SWITCH, ROTARY, 28 VOLT DC[CUST: AT CC] | A | 5930 | | CC | 07-JUN-04 |
| | MS25002J NOT 3 | SWITCH, ROTARY, 28/115 VOLTS[CUST: CR AS 11 CC] | A | 5930 | | CC | 24-JUN-05 |
| | MIL-DTL-3786/28E | SWITCH, ROTARY, CLOSED CONSTRUCTION, 1 AMPERE AND LOW LEVEL STYLE SR28[CUST: CR EC 11 CC] | A | 5930 | | CC | 19-NOV-04 |
| | MIL-DTL-3786/5G | SWITCH, ROTARY, OPEN CONSTRUCTION, .200 AMPERE, STYLE SR05[CUST: CR EC 11 CC] | A | 5930 | | CC | 19-NOV-04 |
| | MIL-DTL-3786/10E | SWITCH, ROTARY, OPEN CONSTRUCTION, .500 AMPERE, STYLE SR10[CUST: CR EC 11 CC] | A | 5930 | | CC | 19-NOV-04 |
| | MIL-DTL-3786/40B | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE AND LOW LEVEL, STYLE SR40[CUST: CR EC 11 CC] | A | 5930 | | CC | 19-NOV-04 |
| | MIL-DTL-3786/2F | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR02[CUST: CR EC 11 CC] | A | 5930 | | CC | 19-NOV-04 |
| | MIL-DTL-3786/3G | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR03[CUST: CR EC 11 CC] | A | 5930 | | CC | 19-NOV-04 |
| | MIL-DTL-3786/9E | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR09[CUST: CR EC 11 CC] | A | 5930 | | CC | 19-NOV-04 |
| | MIL-DTL-3786/32C | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/5 AMPERE, STYLE SR32[CUST: CR EC 11 CC] | A | 5930 | | CC | 19-NOV-04 |
| | MIL-DTL-3786/1F | SWITCH, ROTARY, OPEN, CONSTRUCTION, 1/2 AMPERE, STYLE SR01[CUST: CR EC 11 CC] | A | 5930 | | CC | 19-NOV-04 |
| A | MIL-S-8805/85E | SWITCH, SENSITIVE, ROTARY (NON- SELF RETURN), 4 AMPERES, RESILIENT SEAL[CUST: EC 11] | A | 5930 | | CC | 21-JUL-05 |
| A | MS39058C | SWITCH, SENSITIVE-24 VOLTAGE DC (WATERPROOF)[CUST: AT CC] | A | 5930 | | CC | 21-JUL-05 |
| | MIL-DTL-13484F | SWITCH, SENSITIVE: 30 VOLTS DIRECT CURRENT MAXIMUM, WATERPROOF[CUST: AT CC] | A | 5930 | | CC | 30-NOV-04 |
| | MIL-S-19816A(2) NOT 1 | SWITCH, STERILIZING, MARK 1 MODS O AND 1 (FOR EXPLODER MECHANISM MARK 19 SERIES)[CUST: OS] [REVIEW: CC] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-S-82529(1) NOT 1 | SWITCH, THERMAL MARK 56 MOD 1[CUST: OS] | A | 1340 | | OS | 20-DEC-95 |
| | MIL-DTL-12285/1H | SWITCH, THERMOSTATIC (LONG SENSOR)[CUST: AT CC] | A | 5930 | | CC | 12-MAY-04 |
| | MIL-DTL-24236/16G | SWITCH, THERMOSTATIC (METALLIC), TYPE II, OVERHEAT DETECTOR, ADJUSTABLE, DUAL TERMINAL, 3 AMPERES[CUST: CR EC 11 CC] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-DTL-12285/2G | SWITCH, THERMOSTATIC (SHORT SENSOR)[CUST: AT CC] | A | 5930 | | CC | 12-MAY-04 |
| | MIL-DTL-28827/1B | SWITCH, THERMOSTATIC (VOLATILE LIQUID), HERMETIC SEALED, SINGLE POLE DOUBLE THROW (SPDT), MEDIUM RESPONSE TIME[CUST: CR EC 11 CC] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-S-5594B(1) SUP 1 NOT 1 | SWITCH, TOGGLE, ELECTRICALLY HELD SEALED GENERAL SPECIFICATION FOR[CUST: AS CC] [REVIEW: MI] | A | 5930 | | AS | 07-MAY-97 |
| A | MS27789D | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS[CUST: CR AS 11 CC] [REVIEW: 99 AR AV CR4 EC MC] | A | 5930 | | CC | 13-SEP-05 |
| A | MS25068K | SWITCH, TOGGLE, FOUR POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 99 AV EC] | A | 5930 | | CC | 06-JAN-06 |
| | MIL-S-5594/3A NOT 2 | SWITCH, TOGGLE, MAGNETIC HOLD-IN, DP3T[CUST: AS 11] | A | 5930 | | AS | 07-MAY-97 |
| | MIL-S-5594/6 NOT 2 | SWITCH, TOGGLE, MAGNETIC HOLD-IN, DP3T, LEVER LOCK[CUST: AS] | A | 5930 | | AS | 07-MAY-97 |
| | MIL-S-5594/1A NOT 1 | SWITCH, TOGGLE, MAGNETIC HOLD-IN, SPDT[CUST: AS 11] | A | 5930 | | AS | 07-MAY-97 |
| | MIL-S-83731/22B(1) NOT 1 | SWITCH, TOGGLE, MINIATURE, LEVER-LOCK, FOUR POLE, UNSEALED, LOGIC LOAD TO 5 AMPERES[CUST: EC 11 CC] | A | 5930 | | CC | 04-MAY-03 |
| A | MS75028K | SWITCH, TOGGLE, ONE POLE, UNSEALED[CUST: CR EC 11] | A | 5930 | | CC | 21-JUL-05 |
| | MS14001H NOT 3 | SWITCH, TOGGLE, POSITIVE BREAK ENVIRONMENTALLY SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES.[CUST: CR AS 11 CC] | A | 5930 | | CC | 24-JUN-05 |
| | MS24614K NOT 3 | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, FOUR POLE, .469 MOUNTING BUSHING 25 AMPERES[CUST: CR AS 11 CC] | A | 5930 | | CC | 24-JUN-05 |
| A | MS35059K | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI] | A | 5930 | | CC | 15-DEC-05 |
| A | MS75075D | SWITCH, TOGGLE, TWO POLE, UNSEALED[CUST: CR EC 11] | A | 5930 | | CC | 21-JUL-05 |
| | MS24570A NOT 4 | SWITCH, VEHICULAR IGNITION: WATERPROOF, STARTER AND MAGNETO, WITH DEGASSER CONTROL.[CUST: AT MC 11 CC] | A | 5930 | | CC | 24-JUN-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-S-10399D(1) NOT 2 | SWITCHBOARD, TELEPHONE MANUAL SB-22( )/PT[CUST: CR] | A | 5805 | | CR | 15-SEP-99 |
| | MIL-S-29354B NOT 2 | SWITCHBOARD, TELEPHONE: SB-3614/TT, AUTOMATIC[CUST: MC] | A | 5805 | | MC | 05-APR-99 |
| | MIL-S-28851B NOT 1 | SWITCHBOARD, TELETYPEWRITER SIGNAL, SECURE SB-3917/BGC AND RECEIVER AUDIO SB-3918/BRR[CUST: EC] | A | 5895 | | EC | 30-APR-95 |
| | MIL-DTL-28788B | SWITCHES, AIR AND LIQUID FLOW, SENSING, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] | A | 5930 | | CC | 23-JUN-04 |
| | MIL-DTL-28788/1C | SWITCHES, LIQUID FLOW, SINGLE POLE, DOUBLE THROW (SPDT), 3 AMPERES, OPERATING TEMPERATURE (32 F TO 185 F)[CUST: CR EC 11 CC] | A | 5930 | | CC | 23-JUN-04 |
| M | MIL-S-24317/8C | SWITCHES, MULTISTATION, PUSH BUTTON, (ILLUMINATED MATRIX ARRANGEMENT), RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK, STYLE SM08[CUST: EC 11 CC] | A | 5930 | | CC | 28-FEB-06 |
| M | MIL-S-24317/9B | SWITCHES, MULTISTATION, PUSH BUTTON, ILLUMINATED MATRIX ARRANGEMENT PLUG-IN MODULE, 2 AMPERES, UNSEALED, TYPE SM09L1[CUST: EC 11 CC] | A | 5930 | | CC | 28-FEB-06 |
| | MIL-DTL-24317A | SWITCHES, MULTISTATION, PUSHBUTTON, ILLUMINATED AND NON-ILLUMINATED), GENERAL SPECIFICATION FOR[CUST: EC 11 CC] | A | 5930 | | CC | 23-JUN-04 |
| | MIL-PRF-22885/81B | SWITCHES, PUSH BUTTON, ILLUMINATED, 5 AMPERES, 1-LAMP, DRIPPROOF[CUST: CR EC 11 CC] | A | 5930 | | CC | 28-APR-04 |
| | MIL-PRF-22885/96C | SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, RFI SHIELDED[CUST: EC CC] | A | 5930 | | CC | 02-APR-04 |
| A | MIL-DTL-15291/11B | SWITCHES, ROTARY, SNAP ACTION CLASS 20SR FRONT MOUNTED, BACK CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| A | MIL-DTL-15291/8B | SWITCHES, ROTARY, SNAP ACTION CLASS 6SR FRONT MOUNTED, BACK CONNECTED[CUST: SH CC] | A | 5930 | | CC | 06-FEB-06 |
| | MIL-DTL-13623/1A | SWITCHES, ROTARY: 28 VOLT DC[CUST: AT CC] | A | 5930 | | CC | 07-JUN-04 |
| | MIL-S-8805/53D | SWITCHES, SENSITIVE, 4 CIRCUIT, ROLLER-LEVER, WATERTIGHT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-S-8805/51C | SWITCHES, SENSITIVE, ROLLER-LEVER, WATERTIGHT[CUST: CR EC 11] [REVIEW: 19 99 AR AS GL MC MI OS SH] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-S-8805/50C | SWITCHES, SENSITIVE, ROLLER-LEVER, WATERTIGHT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS GL MC MI OS SH] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-PRF-8805/22D | SWITCHES, SENSITIVE, SPDT, 5 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 AS AV MC MI OS SH] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-S-8805/29B | SWITCHES, SENSITIVE, SPDT, MOMENTARY, DOUBLE BREAK, 10 AMPERES, UNSEALED[CUST: CR EC 11 CC] [REVIEW: 19 AR MC SH] | A | 5930 | | CC | 31-OCT-01 |
| | MIL-DTL-12285E | SWITCHES, THERMOSTATIC[CUST: AT CC] | A | 5930 | | CC | 12-MAY-04 |
| | MIL-DTL-28827B | SWITCHES, THERMOSTATIC, (VOLATILE LIQUID), HERMETICALLY SEALED, GENERAL SPECIFICATION FOR[CUST: CR EC 11] | A | 5930 | | CC | 04-OCT-04 |
| | MIL-S-5594/2B(1) NOT 2 | SWITCHES, TOGGLE, MAGNETIC HOLD-IN, DPDT[CUST: AS 11] | A | 5930 | | AS | 07-MAY-97 |
| | MIL-S-83731/21A(2) NOT 1 | SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, FOUR POLE LOGIC LOAD TO 5 AMPERES[CUST: EC 11 CC] | A | 5930 | | CC | 04-MAY-03 |
| A | MS25127L | SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC MI] | A | 5930 | | CC | 15-DEC-05 |
| | MIL-S-28854(2) NOT 1 | SWITCHING GROUP, TRANSMITTER ANTENNA OK-261/BRC[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MS87007B NOT 1 | SWIVEL, CHAIN[CUST: AR CC] | A | 4030 | | CC | 01-OCT-97 |
| | MIL-S-20708/68C(1) NOT 1 | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 31TDX6C[CUST: AS CC] [REVIEW: CG MC OS SH] | A | 5990 | | AS | 30-MAR-99 |
| | MIL-S-28856A NOT 1 | SYNCHRONIZER, VIDEO, SN-501/UPX[CUST: AS] | A | 5840 | | AS | 18-SEP-96 |
| | MIL-S-2335(1) NOT 3 | SYNCHROS, 60 CYCLE, 115 VOLT[CUST: AR AS 11] [REVIEW: 99 AV CG EC MC MI OS] | A | 5990 | | CC | 07-MAY-84 |
| | MIL-S-24167A NOT 1 | SYNTACTIC MATERIAL, RIGID, POUR-IN-PLACE, STRUCTURAL VOID FILLING[CUST: SH] [REVIEW: CR4 GS MR] | A | 9330 | | SH | 16-FEB-00 |
| | MIL-S-70941A(1) NOT 1 | SYSTEM TEST UNIT: 12922091[CUST: AR] | A | 1290 | | AR | 18-AUG-97 |
| | MIL-S-18471G NOT 1 | SYSTEM, AIRCREW AUTOMATED ESCAPE, EJECTION SEAT TYPE, GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: AV GS] | A | 1680 | | AS | 18-SEP-96 |
| | MIL-S-23535 NOT 1 | SYSTEM, INTEGRATED FLIGHT INSTRUMENTATION[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MS14166 NOT 1 | T-WRENCH, URT-33 RADIO BEACON[CUST: AS] [REVIEW: GS] | A | 5120 | | AS | 13-AUG-97 |
| | MIL-T-52820A NOT 1 | TABLE, DRAWING, STEEL[CUST: CE IS] | A | 6675 | | IS | 27-JUN-94 |
| | MIL-T-44382(1) NOT 1 | TABLE, FIELD, FOLDING LEGS, METAL[CUST: GL] | A | 7195 | | GL | 11-DEC-98 |
| | MIL-T-13906H NOT 1 | TABLES, WORK, MAINTENANCE[CUST: AR] [REVIEW: CC MI] | A | 4910 | | AR | 06-APR-98 |
| | MIL-T-51023D(4) NOT 2 | TABLETS, COMPOUND 34[CUST: EA 99] [REVIEW: 71 GS MC OS] | A | 6665 | | EA | 28-JUL-04 |
| | MIL-T-48460B(2) NOT 2 | TACHOMETER, RATE, COMPUTER, 11732700[CUST: AR] | A | 1220 | | AR | 20-JUN-98 |
| | MIL-T-24797 NOT 3 | TACHOMETERS, FIBER OPTIC, (NAVAL SHIPBOARD USE), (METRIC) GENERAL SPECIFICATION FOR (REFER TO ASTM-F2046)[CUST: SH] | A | 6030 | | SH | 09-AUG-02 |
| | MIL-T-16049C(3) NOT 2 | TACHOMETERS: ELECTRICAL; SELF-GENERATING; MECHANICAL, FIXED MOUNTING AND HAND HELD, AND VIBRATING REED[CUST: SH 99] [REVIEW: 03 33 71 AS GS GS1 NIH] | A | 6680 | | SH | 09-AUG-02 |
| | MIL-T-85288 NOT 2 | TACTICAL NAVIGATION SET AN/ASN-123, GROUND SUPPORT EQUIPMENT ELECTRONIC SYSTEMS TEST SET, AN/ASM-614[CUST: AS] | A | 5825 | | AS | 16-JUL-97 |
| | MIL-P-53132/13 NOT 1 | TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 15, 15KW, MODE I (50/60 HERTZ) PU-802[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MIL-P-53132/14 NOT 1 | TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 30, 30KW, MODE I (50/60 HERTZ) AN/MJQ-40[CUST: CR4] [REVIEW: GS] | A | 6115 | | CR4 | 11-AUG-97 |
| | MS25057B | TAKEUP, ANTENNA[CUST: AS 11 CC] | A | 5985 | | CC | 18-JAN-05 |
| | MS25058A | TAKEUP, TENSION, ANTENNA[CUST: AS 11 CC] | A | 5985 | | CC | 18-JAN-05 |
| | MIL-T-780E NOT 1 | TAMPER, PISTON-HAMMER TYPE, PNEUMATIC[CUST: AT YD] [REVIEW: CC CE MC] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-T-52831E NOT 1 | TAMPER, RAM TYPE, GENERAL BACKFILL, GASOLINE ENGINE POWERED, HAND OPERATED COMMERCIAL CONSTRUCTION EQUIPMENT (CCE)[CUST: AT YD] | A | 3895 | | AT | 18-MAY-98 |
| | MIL-T-53055C NOT 1 | TANK, 3000 GALLON AND 4600 GALLON FABRIC, COLLAPSIBLE, DRINKING WATER, SEMI-TRAILER MOUNTED[CUST: AT] [REVIEW: CC] | A | 5430 | | AT | 25-SEP-98 |
| | MIL-T-18652A(1) NOT 1 | TANK, CARTRIDGE, POWDER, ROCKET (STEEL)[CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-T-45379D(2) NOT 1 | TANK, COMBAT, FULL-TRACKED, 105 MM GUN, M60A3-TTS[CUST: AT] | A | 2350 | | AT | 13-DEC-96 |
| | MIL-T-53066B NOT 1 | TANK, FABRIC, COLLAPSIBLE, 5,000 BARREL, FUEL[CUST: AT YD 99] [REVIEW: 84 CC MC] | A | 5430 | | AT | 15-SEP-98 |
| | MIL-T-53048C NOT 1 | TANK, FABRIC, COLLAPSIBLE; AIR COLUMN SUPPORTED, OPEN TOP, WATER STORAGE 3000 GALLONS[CUST: AT YD] | A | 5430 | | AT | 25-SEP-98 |
| | MIL-T-81838(1) NOT 1 | TANK, FUEL, AIRCRAFT, AUXILIARY EXTERNAL 300 GALLON, TYPE AERO-1D[CUST: AS] [REVIEW: GS] | A | 1560 | | AS | 18-SEP-96 |
| | MIL-T-45308A(4) NOT 2 | TANK, MAIN BATTLE, 105MM GUN, M60[CUST: AT] | A | 2350 | | AT | 13-DEC-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-5208B NOT 1 | TANK, REMOVABLE, LIQUID PROPELLANT ROCKET ENGINE, GENERAL SPECIFICATION FOR[CUST: MI AS 19] [REVIEW: 99 GS] | A | 2845 | | 19 | 03-APR-98 |
| | MIL-T-6396E NOT 1 | TANKS, AIRCRAFT PROPULSION FLUID SYSTEM, INTERNAL, REMOVABLE, NON-SELF-SEALING[CUST: AV AS] [REVIEW: 71 99 CR4 GS] | A | 1560 | | AS | 04-APR-98 |
| | MIL-T-53029C NOT 1 | TANKS, FABRIC, COLLAPSIBLE: 3,000, 10,000, 20,000, AND 50,000 GALLON, DRINKING WATER[CUST: AT YD 99] [REVIEW: 84 CC MC] | A | 5430 | | AT | 25-SEP-98 |
| | MIL-T-52983G NOT 1 | TANKS, FABRIC, COLLAPSIBLE: 3,000, 10,000, 20,000, AND 50,000 GALLON, FUEL[CUST: AT YD 99] [REVIEW: 84 CC MC] | A | 5430 | | AT | 25-SEP-98 |
| | MIL-T-46786B NOT 1 | TANKS, FUEL, ENGINE: GENERAL REQUIREMENTS FOR[CUST: AT YD CC] [REVIEW: MC] | A | 2910 | | CC | 22-JAN-99 |
| | MIL-T-47052(1) NOT 2 | TAPE, EPOXY-GLASS CLOTH, THERMOSETTING, PRESSURE SENSITIVE ADHESIVE[CUST: MI] [REVIEW: GS] | A | 5970 | | MI | 31-OCT-95 |
| | MIL-T-47326 NOT 1 | TAPE, PRESSURE-SENSITIVE ADHESIVE, ALUMINUM-BACKED, ELECTRICALLY CONDUCTIVE[CUST: MI] | A | 5999 | | MI | 11-MAY-95 |
| | MIL-T-4053B NOT 2 | TAPE, PRESSURE-SENSITIVE, ADHESIVE (CORROSION-RESISTANT)[CUST: AS 99] [REVIEW: AT CR4 MI MR] | A | 8030 | | 84 | 11-AUG-97 |
| | MIL-T-22755B NOT 2 | TAPE, REPAIR; MAGNETIC MINESWEEPING CABLE SHEATH[CUST: SH] [REVIEW: GS] | A | 5970 | | SH | 22-APR-98 |
| | MIL-T-13559B NOT 1 | TARGET EQUIPMENT[CUST: AR TD 99] | A | 6920 | | AR | 31-JAN-96 |
| | MIL-T-70700A(1) NOT 1 | TARGET HOLDING MECHANISM ASSEMBLY: 9375764[CUST: AR] | A | 6920 | | AR | 17-AUG-98 |
| | MIL-T-45540B NOT 1 | TARGET HOLDING MECHANISMS, TRAINFIRE, M30 AND M30A1[CUST: AR TD 99] [REVIEW: MC] | A | 6920 | | AR | 02-FEB-96 |
| | MIL-T-45508B(2) NOT 1 | TARGET HOLDING, MECHANISM, TRAINFIRE, M31A1[CUST: AR] | A | 6920 | | AR | 02-FEB-96 |
| | MIL-T-45917A NOT 2 | TARGET MECHANISM, NIGHT FIRING, SMALL ARMS, M40[CUST: AR TD 99] | A | 6920 | | AR | 14-MAR-97 |
| | MIL-DTL-9813B NOT 1 | TARGET SYSTEM, EXTERNAL TOW, GUNNERY A/A3-7-U-15[CUST: 99] | A | 6920 | | 70 | 19-AUG-96 |
| | MIL-T-13558B NOT 2 | TARGET, PAPER AND PAPER ACCESSORIES[CUST: AR TD 99] [REVIEW: MC] | A | 6920 | | AR | 05-JUN-96 |
| | MIL-T-13560D NOT 2 | TARGET, PASTEBOARD AND POLYETHYLENE[CUST: AR TD 99] [REVIEW: MC OS] | A | 6920 | | AR | 31-JAN-96 |
| | MIL-T-45919 NOT 1 | TARGET, SILHOUETTE, STANDING MAN HOLDING PISTOL AND 1000 INCH[CUST: AR] | A | 6920 | | AR | 02-FEB-96 |
| | MIL-T-47500 SUP 1 NOT 1 | TECHNICAL DATA PACKAGE, GENERAL SPECIFICATION FOR[CUST: MI] [REVIEW: AR AT AV CE CR GL MR SM] | A | SESS | | MI | 23-OCT-91 |
| | MIL-T-47500/3 NOT 1 | TECHNICAL DATA PACKAGES DRAWINGS, COMMERCIAL[CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL SM] | A | SESS | | MI | 23-OCT-91 |
| | MIL-T-47500/2 NOT 1 | TECHNICAL DATA PACKAGES DRAWINGS, PRODUCT[CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL SM] | A | SESS | | MI | 23-OCT-91 |
| | MIL-T-47500/4 NOT 1 | TECHNICAL DATA PACKAGES DRAWINGS, SPECIAL TEST EQUIPMENT (STE), SPECIAL INSPECTION EQUIPMENT (SIE), AND SPECIAL TOOLING[CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL SM] | A | SESS | | MI | 23-OCT-91 |
| | MIL-T-47500/6 NOT 1 | TECHNICAL DATA PACKAGES QUALITY ASSURANCE PROVISIONS[CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL] | A | SESS | | MI | 23-OCT-91 |
| | MIL-T-47500/5 NOT 1 | TECHNICAL DATA PACKAGES SPECIFICATION, TYPES AND FORMS[CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL SM] | A | SESS | | MI | 23-OCT-91 |
| | MIL-T-47500/1 NOT 1 | TECHNICAL DATA PACKAGES, DRAWINGS, DESIGN[CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL SM] | A | SESS | | MI | 23-OCT-91 |
| | AN8019 REV 1 NOT 3 | TEE - FLYER'S RELIEF TUBE[CUST: AV AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 20-JUN-03 |
| | MS51513A NOT 1 | TEE, PIPE TO TUBE, FEMALE PIPE ON BRANCH, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51821E NOT 1 | TEE, PIPE TO TUBE, FEMALE PIPE ON BRANCH, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51514A NOT 1 | TEE, PIPE TO TUBE, FEMALE PIPE ON RUN, 37 DEGREES FLARED (USE-SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51822E NOT 1 | TEE, PIPE TO TUBE, FEMALE PIPE ON RUN, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51512A NOT 1 | TEE, PIPE TO TUBE, MALE PIPE ON BRANCH, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51818E NOT 1 | TEE, PIPE TO TUBE, MALE PIPE ON BRANCH, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51511A NOT 1 | TEE, PIPE TO TUBE, MALE PIPE ON RUN, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51824E NOT 1 | TEE, PIPE TO TUBE, MALE PIPE ON RUN, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS9196A NOT 1 | TEE, TUBE & AMS 5646, BOSS[CUST: AS CC] [REVIEW: SA] | A | 4730 | | CC | 20-SEP-00 |
| | MS51841D NOT 1 | TEE, TUBE TO BOSS, BOSS ON BENCH, O-RING, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51892A NOT 1 | TEE, TUBE TO BOSS, BOSS ON RUN, O-RING, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR SH 99] [REVIEW: 71 AT MS OS] | A | 4730 | | CC | 17-AUG-99 |
| | MS51524A NOT 1 | TEE, TUBE TO SWIVEL, SWIVEL ON BRANCH, 37 DEGREES, FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51853C NOT 1 | TEE, TUBE TO SWIVEL, SWIVEL ON BRANCH, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51523A NOT 1 | TEE, TUBE TO SWIVEL, SWIVEL ON RUN, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51854C NOT 1 | TEE, TUBE TO SWIVEL, SWIVEL ON RUN, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS51510A NOT 1 | TEE, TUBE, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51515A(1) NOT 1 | TEE, TUBE, BULKHEAD ON BRANCH, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99 CC] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51516A(1) NOT 1 | TEE, TUBE, BULKHEAD ON RUN, 37 DEGREES FLARED (USE SAE-J514)[CUST: AR OS 99 CC] [REVIEW: 71 AT MC] | A | 4730 | | CC | 17-AUG-99 |
| | MS51811E NOT 1 | TEE, TUBE, FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | MS9382 NOT 1 | TEE, TUBE-BRAZING, AMS 5646[CUST: AS 11] [REVIEW: CC] | A | 4730 | | AS | 14-AUG-96 |
| | AN795 REV 4 NOT 2 | TEE, UNION[CUST: AV AS 99 CC] [REVIEW: 71] | A | 4730 | | CC | 24-JUL-98 |
| | MS39209E NOT 2 | TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE FEMALE PIPE END[CUST: AT] | A | 4730 | | AT | 17-OCT-00 |
| | MS39208E NOT 2 | TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, FEMALE PIPE SIDE[CUST: AT] | A | 4730 | | AT | 17-OCT-00 |
| | MS39211E NOT 2 | TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, MALE PIPE END[CUST: AT] | A | 4730 | | AT | 17-OCT-00 |
| | MS39205F NOT 2 | TEES, PIPE TO TUBE-SAFETY SLEEVE COMPRESSION TYPE, MALE PIPE SIDE[CUST: AT] | A | 4730 | | AT | 17-OCT-00 |
| | MS39198E NOT 2 | TEES, TUBE SAFETY SLEEVE COMPRESSION TYPE[CUST: AT] | A | 4730 | | AT | 17-OCT-00 |
| | MIL-T-20705A NOT 1 | TEETH, SCARIFIER, BACK-RIP[CUST: AT YD 99] [REVIEW: CC CE MC] | A | 3830 | | AT | 09-MAR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-52176B NOT 1 | TEETH, SURFACE RIPPING, (POINTS, SHANKS, KEEPERS AND KEEPER LOCKS), BUCKET AND DIPPER, CRANE SHOVEL[CUST: AT YD] [REVIEW: CC CE MC] | A | 3815 | | AT | 09-MAR-98 |
| | MIL-T-13626B(1) NOT 2 | TELEPHONE SET TA-1( )/PT[CUST: CR 99] | A | 5805 | | CR | 29-MAR-96 |
| | MIL-T-13460(2) NOT 2 | TELEPHONE SET TA-263-PT[CUST: CR 99 CC] | A | 5805 | | IS | 04-JAN-00 |
| A | MIL-T-14358C NOT 1 | TELEPHONE SET TA-312( )/PT[CUST: CR YD 99] [REVIEW: 84 MC MI] | A | 5805 | | CR | 29-MAR-96 |
| | MIL-T-49110(1) NOT 1 | TELEPHONE SET TA-838()/TT[CUST: CR] | A | 5805 | | CR | 29-MAR-96 |
| | MIL-T-28842A(2) NOT 1 | TELEPHONE SETS, TA-970/U, TA-980/U, & TA-990/U[CUST: EC] | A | 5805 | | EC | 30-APR-95 |
| | MIL-T-13458B NOT 1 | TELESCOPE PANORAMIC, M12A7 SERIES[CUST: AR] | A | 1240 | | AR | 28-NOV-95 |
| | MIL-T-45011A NOT 2 | TELESCOPE, ELBOW M17C[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 10-JUL-96 |
| | MIL-T-50760 NOT 1 | TELESCOPE, ELBOW, 11737695[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-T-46324D NOT 1 | TELESCOPE, ELBOW, M109 AND 10548042[CUST: AR] | A | 1240 | | AR | 28-NOV-95 |
| | MIL-T-46385A(2) NOT 1 | TELESCOPE, ELBOW, M114[CUST: AR] | A | 1240 | | AR | 28-NOV-95 |
| | MIL-T-46316B(4) NOT 1 | TELESCOPE, ELBOW, M118 SERIES AND T176E4[CUST: AR] | A | 1240 | | AR | 26-APR-00 |
| | MIL-T-46365(4) NOT 1 | TELESCOPE, ELBOW: M92D AND M92F[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MIL-T-71029A NOT 1 | TELESCOPE, ELBOW: 9356181[CUST: AR] | A | 1240 | | AR | 27-FEB-97 |
| | MIL-T-70521A NOT 1 | TELESCOPE, ELBOW: 9360257[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-T-50384(2) NOT 1 | TELESCOPE, ELBOW: M114A1[CUST: AR] | A | 1240 | | AR | 14-AUG-97 |
| | MIL-T-63359(2) NOT 1 | TELESCOPE, ELBOW: M118A2[CUST: AR] | A | 1240 | | AR | 11-DEC-95 |
| | MIL-T-60826B NOT 1 | TELESCOPE, M127A1[CUST: AR] | A | 1240 | | AR | 19-AUG-97 |
| | MIL-T-13333B(3) NOT 1 | TELESCOPE, M49[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 22-APR-96 |
| | MIL-T-81333A NOT 1 | TELESCOPE, MARK 100 MOD 0 AND 1[CUST: OS] | A | 1240 | | OS | 13-JUL-99 |
| | MIL-T-46386A(5) NOT 1 | TELESCOPE, PANORAMIC, M113[CUST: AR] | A | 1240 | | AR | 28-NOV-95 |
| | MIL-T-60895(5) NOT 1 | TELESCOPE, PANORAMIC, M117A1[CUST: AR] | A | 1240 | | AR | 27-FEB-97 |
| | MIL-T-50382(4) NOT 1 | TELESCOPE, PANORAMIC: M113A1[CUST: AR] | A | 1240 | | AR | 14-AUG-97 |
| | MIL-T-50782(2) NOT 1 | TELESCOPE, PANORAMIC: M117A2[CUST: AR] | A | 1240 | | AR | 14-AUG-97 |
| | MIL-T-46311B(2) NOT 1 | TELESCOPE, PANORAMIC: M115[CUST: AR] | A | 1240 | | AR | 12-AUG-97 |
| | MIL-T-46313B(4) NOT 2 | TELESCOPE, PANORAMIC: M117[CUST: AR] | A | 1240 | | AR | 29-NOV-95 |
| | MIL-T-45688D(2) NOT 1 | TELESCOPES, ARTICULATED: M105 SERIES[CUST: AR] [REVIEW: AT] | A | 1240 | | AR | 28-NOV-95 |
| | MIL-T-10646D NOT 1 | TELESCOPES, STRAIGHT: M90 SERIES AND P/N 12599180[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MIL-STD-867A NOT 1 | TEMPER ETCH INSPECTION[Military Standard][CUST: 99] | A | NDTI | | 70 | 09-DEC-96 |
| | MIL-T-85563 NOT 2 | TEMPERATURE LIMITER AMPLIFIER(TLA)-TRIM TEST SET TTK-383/E24M-30 AND CABLE CASE CNK-320/E24M-30[CUST: AS] [REVIEW: GS] | A | 6685 | | AS | 16-OCT-96 |
| A | MIL-T-49447 NOT 2 | TEMPERATURE SENSOR, RESISTANCE[CUST: CR] | A | 6660 | | GS1 | 19-JAN-06 |
| | MIL-T-17442B(1) NOT 1 | TENSIOMETER, DIAL INDICATING, HYDRAULIC, REMOTE READING AND MAINTENANCE KIT (MINESWEEPING)[CUST: SH] [REVIEW: GL GS] | A | 6635 | | SH | 22-APR-98 |
| | DOD-T-51521 NOT 1 | TEREPHTHALIC ACID, TECHNICAL (METRIC)[CUST: EA] [REVIEW: GS] | A | 6810 | | EA | 14-MAY-96 |
| | AN5548 REV 2 NOT 2 | TERMINAL - LUG, THERMOCOUPLE, CHROMEL AND ALUMEL[CUST: AS 11 GS2] [REVIEW: 99] | A | 5940 | | GS2 | 23-JAN-03 |
| | AN5538 REV 2 NOT 2 | TERMINAL - THERMOCOUPLE LEAD SOLDERING[CUST: AV AS 11 GS2] [REVIEW: 99 MI] | A | 5940 | | GS2 | 23-JAN-03 |
| | MS21267A NOT 1 | TERMINAL ASSEMBLY, SPARK PLUG, DETACHABLE IGNITION LEAD[CUST: AV AS 99] [REVIEW: GS MC] | A | 2925 | | AS | 28-AUG-96 |
| A | MS25044B NOT 2 | TERMINAL BOARD TWO STUD[CUST: AS 11 GS2] [REVIEW: 99] | A | 5940 | | GS2 | 19-SEP-05 |
| | MS25077D NOT 1 | TERMINAL BOARD, FIVE-STUD, TWO 3/8-INCH AND THREE NUMBER 10 STUDS (ASG)[CUST: CR4 AS 11] [REVIEW: GS] | A | 5940 | | AS | 27-AUG-97 |
| M | MS27249E NOT 3 | TERMINAL BOARDS, SECTIONAL[CUST: MI 11 GS2] [REVIEW: 70 71 99] | A | 5940 | | GS2 | 12-APR-06 |
| | MIL-T-81714/7F NOT 1 | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDTHRU TYPE, SIZE 20 (USE SAE-AS81714/7)[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS] | A | 5940 | | AS | 17-SEP-98 |
| | MIL-T-81714/9F NOT 1 | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDTHRU TYPE, SIZE 12 (USE SAE-AS81714/9)[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS] | A | 5940 | | AS | 17-SEP-98 |
| | MIL-T-81714/2F NOT 1 | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDBACK TYPE, SIZE 20 (USE SAE-AS81714/2)[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 17-SEP-98 |
| | MIL-T-81714/3F NOT 1 | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDBACK TYPE, SIZE 16 (USE SAE-AS81714/3)[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 17-SEP-98 |
| | MIL-T-81714/8F NOT 1 | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDTHRU TYPE, SIZE 16 (USE SAE-AS81714/8)[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 17-SEP-98 |
| | MIL-T-81714/6F NOT 1 | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDTHRU TYPE, SIZE 22 (USE SAE-AS81714/6)[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 17-SEP-98 |
| | MIL-T-81714/1F NOT 1 | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDBACK TYPE, SIZE 22 (USE SAE-AS81714/1)[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 17-SEP-98 |
| | MIL-T-81714/11F NOT 1 | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCKS SECTIONAL WIRE IN LINE JUNCTIONS, SINGLE, SERIES I (USE SAE-AS81714/11)[CUST: CR AS 11] [REVIEW: 99 AT AV EC GS MI OS SH] | A | 5940 | | AS | 17-SEP-98 |
| | MIL-T-81714/12C NOT 1 | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN LINE JUNCTIONS, DOUBLE, SERIES I (USE SAE-AS81714/12)[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 17-SEP-98 |
| | MIL-T-81714/69 NOT 2 | TERMINAL JUNCTION SYSTEM, BLOCK REMOVAL TOOLS, SERIES II[CUST: CR AS 11 GS2] [REVIEW: 99 AR AT AV EC GS OS SH] | A | 5940 | | AS | 07-NOV-03 |
| | MIL-T-81714/67(1) NOT 1 | TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, SERIES II[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS OS SH] | A | 5940 | | AS | 01-DEC-98 |
| | MIL-T-81714/4F(2) NOT 1 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 12, SERIES I[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A | 5940 | | AS | 10-SEP-04 |
| | MIL-T-81714/61A NOT 2 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II[CUST: CR AS 11 GS2] [REVIEW: 99 AR AT AV EC GS OS SH] | A | 5940 | | AS | 07-NOV-03 |
| | MIL-T-81714/60A NOT 1 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS OS SH] | A | 5940 | | AS | 01-DEC-98 |
| | MIL-T-81714/63(1) NOT 1 | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD FLANGE TYPE MOUNTING, SERIES II[CUST: CR AS 11] [REVIEW: 99 AR AT AV EC GS OS SH] | A | 5940 | | AS | 01-DEC-98 |
| | MIL-T-81714/5F NOT 1 | TERMINAL JUNCTION SYSTEMS TRACK ASSEMBLY, FEEDBACK TYPE (USE SAE-AS81714/5)[CUST: CR AS 11] [REVIEW: AR AT AV EC GS MI OS] | A | 5940 | | AS | 17-SEP-98 |
| | MIL-T-24381(1) SUP 1 NOT 1 | TERMINAL, CASUALTY POWER SYSTEMS, GENERAL SPECIFICATION FOR[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 31-MAY-88 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-24381/7 NOT 1 | TERMINAL, CASUALTY POWER, ALTERNATING CURRENT, ENCLOSURE ASSEMBLY FOR, SYMBOL NUMBER 1038[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 21-SEP-72 |
| | MIL-T-24381/1(1) NOT 1 | TERMINAL, CASUALTY POWER, BULKHEAD, 200 AMPERE, 500 VOLT, THREE PHASE, ALTERNATING CURRENT, SYMBOL NUMBER, 1025[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 20-JUN-80 |
| | MIL-T-24381/4 NOT 1 | TERMINAL, CASUALTY POWER, BULKHEAD, 200-AMPERE, 120-VOLT, DIRECT CURRENT, SYMBOL NUMBER 1024[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 15-MAR-91 |
| | MIL-T-24381/10 NOT 1 | TERMINAL, CASUALTY POWER, CANVAS COVER (FOR BULKHEAD TERMINAL, SYMBOL NUMBER 1025)[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 21-SEP-72 |
| | MIL-T-24381/6 NOT 1 | TERMINAL, CASUALTY POWER, CANVAS COVER (FOR RISER TERMINALS, SYMBOL NUMBERS 1032, 1033 & 1034)[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 31-MAY-88 |
| | MIL-T-24381/5 NOT 1 | TERMINAL, CASUALTY POWER, SWITCH, PORTABLE 60-AMPERE, 500-VOLT, THREE-PHASE, ALTERNATING CURRENT, SYMBOL NUMBER 1041[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 31-MAY-88 |
| | MIL-T-24381/3 NOT 1 | TERMINAL, CASUALTY POWER, TERMINAL BLOCK, SINGLE POLE, 200-AMPERE, 120-VOLT, DIRECT CURRENT, SYMBOL NUMBER 1035[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 31-MAY-88 |
| | MIL-T-24381/9 NOT 1 | TERMINAL, CASUALTY POWER, TERMINAL GUARD, SYMBOL NUMBER 1037 (FOR TERMINAL BLOCK SYMBOL NUMBER 1035)[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 15-MAR-91 |
| | MIL-T-24381/8 NOT 1 | TERMINAL, CASULTY POWER, GUARD, SYMBOL NUMBER 1044 (FOR BULKHEAD TERMINAL, SYMBOL NUMBER 1024)[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 15-MAR-91 |
| | MIL-T-49260A NOT 1 | TERMINAL, COMMUNICATIONS AN/UGC-74B(V) AND AN/UGC-74C(V)[CUST: CR] | A | 5815 | | CR | 29-MAR-96 |
| A | MS25189C NOT 2 | TERMINAL, LUG, FLAG TYPE CRIMP STYLE, COPPER, CLASS I[CUST: AV AS 11] [REVIEW: 99 CR4 EC GS MC] | A | 5940 | | AS | 18-OCT-00 |
| | MS35439C NOT 2 | TERMINAL, LUG, SOLDER TYPE COPPER STAMPING, INSULATION GRIP, ELONGATED HOLE (NO S/S DOCUMENT)[CUST: SH 11 GS2] [REVIEW: 99] | A | 5940 | | GS2 | 17-DEC-03 |
| | MS35436C | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ONE HOLE[CUST: CR SH 11] [REVIEW: MI] | A | 5940 | | GS2 | 15-DEC-03 |
| | MS35440B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, SLOTTED[CUST: MI SH 11 GS2] [REVIEW: 99] | A | 5940 | | GS2 | 15-DEC-03 |
| | MS35430C | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE[CUST: MI SH 99 GS2] | A | 5940 | | GS2 | 15-DEC-03 |
| | MS35431H | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, FLAT[CUST: AR AS 11 GS2] [REVIEW: 99 AV MC MI] | A | 5940 | | GS2 | 15-DEC-03 |
| | MS51535C | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, 30[CUST: AV AS 11 GS2] [REVIEW: 99 MC MI] | A | 5940 | | GS2 | 15-DEC-03 |
| | MS51536C | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, 45[CUST: AV AS 11 GS2] [REVIEW: 99 MC MI] | A | 5940 | | GS2 | 17-DEC-03 |
| | MS77074B | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, INSULATION GRIP, LOCKING TYPE[CUST: AV SH 11] [REVIEW: 99 AS MC] | A | 5940 | | GS2 | 17-DEC-03 |
| | MS77066 NOT 3 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE 30 DEG., ONE HOLE[CUST: AR SH 85 GS2] [REVIEW: 99 CR4 MC MI] | A | 5940 | | GS2 | 22-SEP-03 |
| | MS77068B | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, 45 , TWO HOLE[CUST: AV SH 11 GS2] [REVIEW: 99 CR4 MC MI] | A | 5940 | | GS2 | 17-DEC-03 |
| | MS77071B NOT 2 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, 90 , ONE HOLE (NO S/S DOCUMENT)[CUST: AV SH 11 GS2] [REVIEW: 99 AS MC MI] | A | 5940 | | GS2 | 17-DEC-03 |
| A | MIL-T-55156/1 NOT 3 | TERMINAL, LUG, STYLE LP01[CUST: CR SH 11] [REVIEW: 99 MC MD SA] | A | 5940 | | GS2 | 19-SEP-05 |
| | MIL-DTL-15659J SUP 1 | TERMINAL, LUG: SOLDER, COPPER AND PHOSPHOR BRONZE[CUST: AR AS 11 GS2] [REVIEW: AT AV CR CR4 MC MI SH] | A | 5940 | | GS2 | 15-DEC-03 |
| | MS39347A NOT 3 | TERMINAL, POST, SERVICE AND GROUND[CUST: CR4 MC GS2] [REVIEW: AS SH] | A | 5940 | | GS2 | 20-JAN-04 |
| A | MIL-T-55156/4 NOT 3 | TERMINAL, SPLICES, CONDUCTOR, STYLE LP04[CUST: CR SH 11] [REVIEW: MC MD SA] | A | 5940 | | GS2 | 19-SEP-05 |
| | MIL-T-28916(1) NOT 2 | TERMINAL, TELEGRAPH-TELEPHONE: TH-81/GCC[CUST: MC] | A | 5805 | | MC | 05-APR-99 |
| | MIL-T-5683A NOT 1 | TERMINAL, TIE ROD, THREADED CLEVIS TYPE, AIRCRAFT[CUST: AS 11 CC] [REVIEW: 99] | A | 5985 | | CC | 02-FEB-01 |
| | MS27768A | TERMINAL, WIRE ROPE, SPLICE[CUST: CE AS 99 CC] [REVIEW: 11 71 IS] | A | 4030 | | CC | 23-JAN-85 |
| | MIL-T-83454(2) SUP 1A NOT 3 | TERMINAL,STUD,BLIND PLATE, FOR ELECTICAL BONDING AND GROUNDING (NONINSULATED)[CUST: 11] | A | 5940 | | GS2 | 09-MAY-05 |
| | AN3105 REV 4 NOT 2 | TERMINAL-GROUND[CUST: AV AS 11 GS2] [REVIEW: 99] | A | 5940 | | GS2 | 10-NOV-04 |
| | AN5539 REV 4 NOT 2 | TERMINAL-THERMOCOUPLE, BRASS[CUST: AV AS 11 GS2] [REVIEW: 99 MI] | A | 5940 | | GS2 | 23-JAN-03 |
| | AN665 REV 4 NOT 3 | TERMINAL-THREADED CLEVIS TYPE TIE ROD[CUST: AS 99] [REVIEW: IS MI] | A | 5340 | | AS | 04-APR-98 |
| | MIL-T-24381/2(1) NOT 1 | TERMINALS, CASUALTY POWER, RISER, 200-AMPERE, 500-VOLT, THREE-PHASE, ALTERNATING CURRENT SYMBOL NUMBERS 1032, 1033, AND 1034[CUST: SH] [REVIEW: GS] | A | 5940 | | SH | 15-MAR-91 |
| | MIL-T-55156(1) SUP 1 NOT 2 | TERMINALS, LUG, SPLICES, CONDUCTOR, SCREW TYPE, GENERAL SPECIFICATION FOR[CUST: CR SH 11 GS2] [REVIEW: 99 MC MI SA] | A | 5940 | | GS2 | 30-MAY-02 |
| | MIL-T-83454/4D(1) NOT 3 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .190-32 UNJF-3A CURRENT RATING: 35 AMPS[CUST: 11] | A | 5940 | | GS2 | 09-MAY-05 |
| | MIL-T-83454/3D(1) NOT 3 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .164-32 UNJC-3A CURRENT RATING: 30 AMPS[CUST: 11] | A | 5940 | | GS2 | 05-MAY-05 |
| | MIL-T-83454/5D(2) NOT 3 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .250-28 UNJF-3A CURRENT RATING: 43 AMPS[CUST: 11] | A | 5940 | | GS2 | 09-MAY-05 |
| | MIL-T-83454/2D(1) NOT 3 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .138-32 UNJC-3A CURRENT RATING: 25 AMPS[CUST: 11] | A | 5940 | | GS2 | 05-MAY-05 |
| | MIL-PRF-29504/12A | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, PIN TERMINUS, FRONT RELEASE, STAINLESS STEEL (FOR MIL-C-28876 CONNECTORS)[CUST: CR SH 11 CC] [REVIEW: 03 19 93 99 AS DI NA] | A | 6060 | | SH | 12-NOV-02 |
| | MIL-PRF-29504/1B | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, PIN TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS) (FOR NEW DESIGN USE MIL-PRF-29504/14)[CUST: CR SH 11 CC] [REVIEW: 03 19 93 99 AS DI NA] | A | 6060 | | SH | 12-NOV-02 |
| | MIL-PRF-29504/2B | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, SOCKET TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS)[CUST: CR SH 11] [REVIEW: 03 19 93 99 AS DI NA] | A | 6060 | | SH | 12-NOV-02 |
| | MIL-PRF-29504/13A | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, SOCKET TERMINUS, FRONT RELEASE, STAINLESS STEEL, (FOR MIL-C-28876 CONNECTORS)[CUST: CR SH 11 CC] [REVIEW: 03 19 93 99 AS DI NA] | A | 6060 | | SH | 12-NOV-02 |
| | MIL-T-29504/10 NOT 2 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, REAR RELEASE MIL-C-83723, SERIES III, MIL-C-83733, MIL C-26482, SERIES II[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 24-AUG-04 |
| | MIL-T-29504/11 NOT 2 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, REAR RELEASE MIL-C-83723, SERIES III, MIL-C-83733, MIL-C-26482, SERIES II[CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA] | A | 6060 | | CC | 24-AUG-04 |
| | MIL-T-21200L(1) NOT 2 | TEST EQUIPMENT FOR USE WITH ELECTRONIC AND ELECTRICAL EQUIPMENT, GENERAL SPECIFICATION FOR[CUST: CR AS 11] [REVIEW: AV EC MC MI] | A | MISC | | AS | 20-OCT-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-21578A(1) NOT 1 | TEST EQUIPMENT, HAZARDOUS LOCATION, INSTALLED, BASIC REQUIREMENTS FOR[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 30-OCT-99 |
| | MIL-T-55335(2) NOT 2 | TEST FACILITIES KIT, MK-1191( )/AR (UNITS OF)[CUST: CR] | A | 6625 | | CR | 25-APR-97 |
| | MIL-T-55659 NOT 2 | TEST FACILITIES KIT, MK-994( )/AR (UNITS OF)[CUST: CR] | A | 6625 | | CR | 25-APR-97 |
| | MIL-T-49311 NOT 1 | TEST FACILITIES SET AN/TPM-24 () (V) 4[CUST: CR] | A | 6625 | | CR | 25-APR-97 |
| | MS3434 NOT 1 | TEST GAGE, CONTACT LOCATION AND RETENTION FEATURE, MIL-C-0081511 SERIES 1 AND 2 CONNECTORS[CUST: AS] | A | 5220 | | AS | 25-SEP-96 |
| | MS3435 NOT 1 | TEST GAGE, CONTACT LOCATION AND RETENTION FEATURE, MIL-C-0081511 SERIES 3 AND 4 CONNECTORS[CUST: AS] | A | 5220 | | AS | 25-SEP-96 |
| | MS3460A NOT 1 | TEST GAGE, MIL-C-0026482 SERIES 1 OR MIL-C-81703 SERIES 2 CONTACT RETENTION FEATURE[CUST: CR AS 11] [REVIEW: AR AV EC MI SH] | A | 5220 | | AS | 04-SEP-96 |
| | MS3461A NOT 1 | TEST GAGE, MIL-C-0026482 SERIES 2 OR MIL-C-81703 SERIES 3 CONTACT RETENTION FEATURE[CUST: CR AS 11] [REVIEW: AR AV EC MI SH] | A | 5220 | | AS | 04-SEP-96 |
| | MS3462B NOT 1 | TEST GAGE, MIL-C-26482 SERIES 2 (CLASS N), MIL-C-81703 SERIES 3 (CLASS N) AND MIL-C-0081511 SERIES 3 AND 4 (CLASS L) CONTACT RETENTION FEATURE[CUST: CR AS 11] [REVIEW: AR AV EC MI SH] | A | 5220 | | AS | 04-SEP-96 |
| | MIL-T-23693 NOT 1 | TEST HARNESS, RADAR SET AN/APM-153(*)[CUST: AS] [REVIEW: CC] | A | 4940 | | AS | 11-SEP-96 |
| | MIL-T-63262 NOT 4 | TEST MODE ASSEMBLY, ROCKET: M180 CRATERING DEVICE PROPELLANT TESTING[CUST: AR] | A | 1340 | | AR | 03-FEB-97 |
| | MIL-T-85549 NOT 2 | TEST PROGRAM SET (TPS) - OPERATIONAL TEST PROGRAM SETS (OTPS) FOR F/A-18 UNITS UNDER TEST (UUT), GENERAL SPECIFICATION FOR[CUST: AS 99] | A | 6625 | | AS | 28-AUG-96 |
| | MIL-T-85053 NOT 1 | TEST SET AN/AWM-80 FOR THE AN/AWG-10A MISSILE CONTROL SYSTEM[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 11-SEP-96 |
| | MIL-T-48297(1) NOT 2 | TEST SET ASSEMBLY, DISPENSER CONTROL PANEL FOR M56 AIRCRAFT SUBSYSTEM[CUST: AR] | A | 1345 | | AR | 14-FEB-97 |
| | MIL-T-81308 NOT 1 | TEST SET GROUP, MAGNETIC DETECTOR HEAD, OA-7366/ASM-3, OA-7366A/ASM-3, AND OA-7366B/ASM-3[CUST: AS] | A | 6625 | | AS | 28-AUG-96 |
| | MIL-T-21671 NOT 2 | TEST SET MARK 126 MOD 0[CUST: OS] | A | 6625 | | OS | 27-MAR-92 |
| | MIL-T-21369C NOT 1 | TEST SET MARK 127 MOD 4[CUST: OS] [REVIEW: GS] | A | 4925 | | OS | 13-JUL-99 |
| | MIL-T-21674(3) NOT 1 | TEST SET MARK 177 MOD 0[CUST: OS] | A | 6625 | | OS | 21-AUG-90 |
| | MIL-T-22047(1) NOT 1 | TEST SET MARK 27 MOD 1[CUST: OS] | A | 6625 | | OS | 21-AUG-90 |
| | MIL-T-22393B NOT 1 | TEST SET MARK 292 MOD 1[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-T-21684 NOT 2 | TEST SET MARK 96 MOD 1[CUST: OS] | A | 6625 | | OS | 27-MAR-92 |
| | MIL-T-29402 NOT 1 | TEST SET TS-3354/PRC-68[CUST: MC] | A | 6625 | | MC | 04-APR-98 |
| | MIL-T-85284 NOT 1 | TEST SET, ADAPTER GROUP, OF-65/ASM[CUST: AS] | A | 7035 | | AS | 31-MAR-98 |
| | MIL-T-81078(6) NOT 1 | TEST SET, AFTERBODY, TORPEDO, MARK 442 MOD O (FOR TORPEDO MK 46 MOD O)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-T-81734D NOT 1 | TEST SET, AIRBORNE WEAPON CONTROL SYSTEM AN/AWM-23(V)[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 23-JUL-97 |
| | MIL-T-85027 NOT 1 | TEST SET, ANTENNA, BORESIGHT TS-3568 ( )/AWM-23(V)[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 30-APR-97 |
| | MIL-T-81802 NOT 2 | TEST SET, ARMAMENT WIRING AN/AWM-38[CUST: AS] | A | 1190 | | AS | 15-SEP-95 |
| | MIL-T-48321(1) NOT 2 | TEST SET, BATTERY, FOR M56 MINE[CUST: AR] | A | 1345 | | AR | 14-FEB-97 |
| | MIL-T-48134A NOT 2 | TEST SET, BLASTING CAP, M51 PARTS, ASSEMBLING AND PACKING[CUST: AR] | A | 1345 | | AR | 13-AUG-98 |
| | MIL-T-48466B NOT 1 | TEST SET, CABLE, XM21 COMPUTER - AN/VVG-2 RANGEFINDER - AN/VSG-2 TANK THERMAL SIGHT - 11733300[CUST: AR] [REVIEW: GS] | A | 4931 | | AR | 11-JUL-96 |
| | MIL-T-85413/1A NOT 1 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 1[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-T-85413/2A NOT 1 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 2[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-T-85413/3A NOT 1 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 3[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-T-85413/5A NOT 2 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 5[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 17-JUN-04 |
| | MIL-T-85413/7A NOT 2 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 7[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 17-JUN-04 |
| | MIL-T-85413/8A NOT 1 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 8[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-T-85413A NOT 1 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V), GENERAL SPECIFICATION FOR[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 15-SEP-99 |
| | MIL-T-85413/6A NOT 1 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM-607(V)-6[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-T-85413/10A NOT 1 | TEST SET, COMPUTER MEMORY LOADER-VERIFIER AN/ASM-607A(V)1[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-T-49305 NOT 1 | TEST SET, COUNTERMEASURE SET TS-3609( )/ALQ-156(V)[CUST: CR] | A | 6625 | | CR | 25-APR-97 |
| | MIL-T-85378 NOT 1 | TEST SET, DATA LINK CONTROLLER TS-3531/ASM[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 11-SEP-96 |
| | MIL-T-81077A(2) NOT 1 | TEST SET, ELECTRICAL CABLE MARK 444 MOD 0 (FOR TORPEDO MK 46 MODS 0 AND 1)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-T-81404B(1) NOT 1 | TEST SET, ELECTRICAL CIRCUIT, GUIDED MISSILE LAUNCHER AND AIRCRAFT, AN/ASM-149C[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 11-SEP-96 |
| | MIL-T-82641 NOT 1 | TEST SET, ELECTRICAL, TORPEDO CONTROL CABLE, MARK 519 MOD 0[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-T-70431 NOT 2 | TEST SET, ELECTRONIC SYSTEM: M137[CUST: AR] | A | 1310 | | AR | 14-FEB-96 |
| | MIL-T-82447B NOT 1 | TEST SET, EXERCISE HEAD, MARK 485 MOD 0 (FOR TORPEDO MK 46 MOD 0 THROUGH 5)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-T-48467C NOT 3 | TEST SET, FIELD[CUST: AR] | A | 1240 | | AR | 03-FEB-97 |
| | MIL-T-70699 NOT 1 | TEST SET, FIRE CONTROL SUBSYSTEM: M143[CUST: AR] [REVIEW: GS] | A | 1270 | | AR | 11-MAR-98 |
| | MIL-T-85068 NOT 1 | TEST SET, FIRE CONTROL SYSTEM AN/AWM-87[CUST: AS] [REVIEW: GS] | A | 1270 | | AS | 15-NOV-95 |
| | MIL-T-51289B NOT 2 | TEST SET, FLAME THROWER - RIOT CONTROL AGENT DISPERSER, HYDROSTATIC - VOLUMETRIC, 6000 PSI, M5[CUST: EA] | A | 1040 | | EA | 13-JUL-04 |
| | MIL-T-83944 NOT 3 | TEST SET, GUIDED MISSILE A/E 24T-82[CUST: 99] [REVIEW: GS] | A | 4935 | | 84 | 29-DEC-95 |
| | MIL-T-85641 NOT 1 | TEST SET, GUIDED MISSILE LAUNCHER AN/AWN-90A[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 11-SEP-96 |
| | MIL-T-83928A NOT 3 | TEST SET, GUIDED MISSILE LAUNCHERS, SM-419/A[CUST: 99] [REVIEW: GS] | A | 4935 | | 84 | 15-APR-96 |
| | MIL-T-85395 NOT 1 | TEST SET, GUIDED WEAPON AN/DSM-139A[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 11-SEP-96 |
| | MIL-T-85396A NOT 1 | TEST SET, GUIDED WEAPON AN/DSM-139B[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 11-SEP-96 |
| | MIL-T-81809 NOT 1 | TEST SET, GUIDED WEAPON AN/DSM-77B[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 11-SEP-96 |
| | MIL-T-85032A NOT 2 | TEST SET, GUIDED WEAPON AN/DSM-92C[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 11-SEP-96 |
| | MIL-T-82456A NOT 1 | TEST SET, GYROSCOPE, MARK 484 MOD 1 (FOR TORPEDO MK 46 MOD 0 THROUGH 5)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-T-49057A NOT 1 | TEST SET, IFF INTERROGATOR AN/0TPM-25A[CUST: CR] | A | 6625 | | CR | 28-APR-97 |
| | MIL-T-81988 NOT 2 | TEST SET, INDICATOR, AN/ARM-155[CUST: AS] [REVIEW: GS] | A | 5826 | | AS | 30-AUG-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-26219A(1) NOT 1 | TEST SET, INDICATOR-GENERATOR, TACHOMETER TTU-27/E, AIRCRAFT INSTRUMENTS, FIELD[CUST: AV AS] [REVIEW: GS] | A | 4920 | | AS | 04-SEP-96 |
| | MIL-T-85471 NOT 2 | TEST SET, INERTIAL MEASURING UNIT II, TS 3846/ASM-608V[CUST: AS] | A | 6625 | | AS | 28-AUG-96 |
| | MIL-T-49124 NOT 1 | TEST SET, LASER RANGEFINDER, TS-3620( )/GVS-5[CUST: CR] | A | 6625 | | CR | 25-APR-97 |
| | MIL-T-5486C NOT 2 | TEST SET, MAGNETIC DETECTOR AN/ASM-4[CUST: AS] | A | 6625 | | AS | 28-AUG-96 |
| | MIL-T-81527B NOT 1 | TEST SET, MISSILE CONTROL SYSTEM, AWG-10 SIDE BENCH[CUST: AS] [REVIEW: GS] | A | 1270 | | AS | 15-NOV-95 |
| | MIL-T-81290 NOT 1 | TEST SET, MISSILE ELECTRICAL SYSTEM MARK 363 MOD 3[CUST: OS] [REVIEW: 99 GS] | A | 4935 | | OS | 20-DEC-95 |
| | MIL-T-85039 NOT 1 | TEST SET, MISSILE INTERFACE (MITS) TS-3561 ( )/AWM-23(V)[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 30-APR-97 |
| | MIL-T-81978(2) NOT 1 | TEST SET, MISSION RECORDER AN/USM-387[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-T-27233C NOT 2 | TEST SET, PRESSURE INDICATING SYSTEM TTU-26-E, VARIABLE RELUCTANCE, FIELD[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 15-JUN-97 |
| | MIL-T-81998 NOT 1 | TEST SET, RADIO SET AN/ARM-165[CUST: AS] | A | 6625 | | AS | 30-AUG-99 |
| | MIL-T-81943(1) NOT 1 | TEST SET, RADIO, AN/ARM-156[CUST: AS] | A | 6625 | | AS | 30-AUG-99 |
| | MIL-T-49117 NOT 1 | TEST SET, RECEIVER TS-3565( )/TRS-2[CUST: CR] | A | 6625 | | CR | 25-APR-97 |
| | MIL-T-85236 NOT 1 | TEST SET, SWITCHING UNIT TS-3634/ARM[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-T-19383A NOT 2 | TEST SET, SYNCHRO TRANSMITTER MARK 312 MOD 0 (FOR TORPEDO MARK 37 MODS 0, 2, AND 3)[CUST: OS] | A | 6625 | | OS | 09-MAY-96 |
| | MIL-T-85552A(1) NOT 1 | TEST SET, TARGET DETECTOR AN/DSM-132A[CUST: AS] [REVIEW: GS] | C | 4935 | | AS | 16-APR-96 |
| | MIL-T-12681A NOT 2 | TEST SET, TELEPHONE (TEST SET TS-190)(/U)[CUST: CR YD 99] [REVIEW: AR MC] | A | 6625 | | CR | 25-APR-97 |
| | MIL-T-55603A(1) NOT 1 | TEST SET, TELEPHONE AN/SPTM-7[CUST: CR] | A | 6625 | | CR | 18-FEB-87 |
| | MIL-T-49243A NOT 1 | TEST SET, TELEPHONE TS-3647( )/G[CUST: CR] | A | 6625 | | CR | 25-APR-97 |
| | MIL-T-12242A NOT 1 | TEST SET, TELEPHONE TS-716( )/U[CUST: CR] | A | 6625 | | CR | 29-MAR-96 |
| | MIL-T-49381 NOT 2 | TEST SET, THERMAL SIGHT, TS-3681/V5G-2[CUST: AR] [REVIEW: CR] | A | 5855 | | AR | 17-AUG-98 |
| | MIL-T-22939B(1) NOT 1 | TEST SET, TORPEDO, MARK 393 MOD O[CUST: OS] | A | 4921 | | OS | 31-OCT-86 |
| | MIL-T-85587 NOT 2 | TEST SET, VIBRATION TTK-402/E24T-148 AND CABLE CASE CNK-357/E24T-148[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-STD-287A NOT 2 | TEST SIGNALS FOR ELECTRONIC TACTICAL AIR NAVIGATION EQUIPMENT (TACAN)[Military Standard][CUST: AS] | A | 58GP | | AS | 05-MAR-97 |
| | MIL-T-81546A NOT 1 | TEST STAND, ACTUATOR, LINEAR, LOAD[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 11-SEP-96 |
| | MIL-T-26398D(1) NOT 1 | TEST STAND, AIRCRAFT HYDRAULIC SYSTEM, TRAILER-MOUNTED, A/M27T-2, ELECTRIC-MOTOR-DRIVEN, TRIPLE SYSTEM[CUST: 99] [REVIEW: 11 GS] | A | 4920 | | 84 | 18-AUG-95 |
| | MIL-T-87976 NOT 1 | TEST STAND, HYDRAULIC SYSTEM COMPONENTS[CUST: AV AS 99] [REVIEW: GS] | A | 4920 | | 84 | 25-AUG-98 |
| | MIL-T-85476 NOT 1 | TEST STAND, OXYGEN SYSTEM COMPONENTS[CUST: AS] [REVIEW: GS] | A | 4920 | | AS | 23-JUL-97 |
| | MIL-T-81782C NOT 2 | TEST STATION, COMPUTER OJ-216( )/AWM-23(V)[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 21-MAY-97 |
| | MIL-T-81783C NOT 2 | TEST STATION, CONTROLS-DISPLAYS-DOPPLER FILTER OJ-214( )/AWM-23(V)[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 21-MAY-97 |
| | MIL-T-81778C NOT 1 | TEST STATION, LOW FREQUENCY OJ-215 ( )/AWM-23(V) AND OJ-379( )/AWM-23(V)[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 21-MAY-97 |
| | MIL-T-81776C NOT 2 | TEST STATION, MODULE OJ-217( )/AWM-23(V) AND OJ-378( )/AWM-23(V)[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 21-MAY-97 |
| | MIL-T-81785C NOT 2 | TEST STATION, RADIO FREQUENCY OJ-213( )/AWM-23(V)[CUST: AS] [REVIEW: GS] | A | 4935 | | AS | 21-MAY-97 |
| | MIL-T-70755(1) NOT 1 | TEST VEHICLE PROJECTILE METAL PARTS AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1310 | | AR | 06-SEP-00 |
| | MIL-T-51461(1) NOT 2 | TESTER, AIRFLOW-GAS PARTICULATE FILTER UNIT, M39[CUST: EA] [REVIEW: GS] | A | 6680 | | EA | 29-JUL-04 |
| | MIL-T-8429B NOT 1 | TESTER, LEAKAGE, DEMAND OXYGEN REGULATOR, TYPE MH-2[CUST: AV 99] [REVIEW: GS] | A | 4920 | | 11 | 30-JUL-97 |
| | MIL-T-48621A(1) NOT 1 | TESTER, NOISE, X-BAND, AN/PSM-44: 11822700[CUST: AR] | A | 1290 | | AR | 13-AUG-97 |
| A | MIL-T-26963D NOT 2 | TESTER, PRESSURE GAGE, HYDRAULIC, PORTABLE, TYPE MP-1[CUST: 99] [REVIEW: 71] | A | 6685 | | GS1 | 08-JUL-05 |
| | MIL-T-4748B(1) NOT 1 | TESTER, TEMPERATURE INSTRUMENTS, MJ-1[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 13-AUG-97 |
| | MIL-T-51252A(2) NOT 1 | TESTING KIT, IMPREGNITE IN CLOTHING, ABC-M2[CUST: EA] | A | 6630 | | EA | 28-SEP-95 |
| | MIL-T-6053C(1) NOT 2 | TESTS, IMPACT, SHOCK ABSORBER LANDING GEAR, AIRCRAFT[CUST: 99] [REVIEW: GS] | A | 1620 | | 70 | 12-DEC-97 |
| | FED-STD-191A(6) NOT 7 | TEXTILE TEST METHODS[CUST: GL NU 99 CT] [REVIEW: AR AS CR4 EA MD SH TE] | A | 83GP | / | CT | 09-AUG-00 |
| | MIL-T-12612 NOT 1 | THEODOLITE MOUNT ML 180[CUST: CR 99] [REVIEW: GS MI] | A | 6675 | | CR | 29-MAY-96 |
| A | MIL-T-5494A NOT 2 | THERMOCOUPLE, CONTACT, AIRCRAFT ENGINE SPARK PLUG GASKET TYPE[CUST: AS 99 GS1] | A | 6685 | | GS1 | 26-OCT-05 |
| | MS90324A NOT 2 | THERMOCOUPLE, ENGINE CYLINDER, BAYONET TYPE[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-96 |
| A | MS28028C NOT 3 | THERMOMETER SELF-INDICATING, BIMETALLIC[CUST: GL4 AS 99] [REVIEW: 71 CG] | A | 6685 | | GS1 | 19-SEP-05 |
| A | MIL-T-6508B(1) NOT 3 | THERMOMETER, SELF INDICATING, BIMETALLIC[CUST: AR AS 99] [REVIEW: 71] | A | 6685 | | GS1 | 19-SEP-05 |
| | MIL-T-50009A NOT 1 | THICKENER, INCENDIARY OIL, M4[CUST: AR AS] [REVIEW: MC] | A | 1365 | | AR | 05-JUN-96 |
| | AN100 REV 3 | THIMBLE - WIRE CABLE[CUST: AV AS 99] [REVIEW: 71] | A | 4030 | | AS | 08-MAR-93 |
| | MIL-T-23326A NOT 1 | THIMBLE, SYNTHETIC ROPE[CUST: SH CC] | A | 4030 | | CC | 16-JUN-97 |
| | MIL-T-46947A(1) NOT 1 | THRUSTER, CARTRIDGE ACTUATED M11 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-46948A(1) NOT 2 | THRUSTER, CARTRIDGE ACTUATED, M11, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60652 NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M11, REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-46604B NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M13 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-46591B NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M15 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-46692B NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M16 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60246(1) NOT 2 | THRUSTER, CARTRIDGE ACTUATED, M18, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60236(1) NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M18, METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60669 NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M19 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60129(2) NOT 2 | THRUSTER, CARTRIDGE ACTUATED, M20A1 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60116 NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M20A1 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 15-JUL-88 |
| | MIL-T-60695 NOT 2 | THRUSTER, CARTRIDGE ACTUATED, M20A1, REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS 99] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60201C NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M25A1 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 13-JUL-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-50303A(1) NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M26 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-46626C NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M2A2 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-46616C NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M3A3 ASSEMBLY[CUST: OS 99] [REVIEW: 70] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-46573B(1) NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M5A2 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60647 NOT 2 | THRUSTER, CARTRIDGE ACTUATED, M5A2 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-46659A(2) NOT 2 | THRUSTER, CARTRIDGE ACTUATED, M5A3 ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60637(2) NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M6, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60645(1) NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M6, METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60102A NOT 2 | THRUSTER, CARTRIDGE ACTUATED, M9 METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60677 NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M9 REMANUFACTURED METAL PARTS ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-60101A NOT 2 | THRUSTER, CARTRIDGE ACTUATED, M9, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-50302A(1) NOT 2 | THRUSTER, CARTRIDGE ACTUATED, XM26, ASSEMBLY[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-46682A(1) NOT 1 | THRUSTER, PROPELLANT ACTUATED, XM24 PARTS FOR AND LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1375 | | AR | 13-FEB-97 |
| | MS21316C NOT 2 | THUMBSCREW (SHOULDERED), FLAT POINT, CARBON STEEL, CADMIUM PLATED, UNC-2A[CUST: AR YD 99 IS] [REVIEW: AS AV CR4 MC NS OS SH] | A | 5305 | | IS | 18-NOV-99 |
| | DOD-T-63549/1 NOT 4 | THUMBSCREW, WING HEAD, METRIC[CUST: AR 99 IS] [REVIEW: 71 AT AV CR4 EA MC NS SH] | A | 5305 | | IS | 31-AUG-04 |
| | DOD-T-63549 NOT 1 | THUMBSCREW, WING HEAD, METRIC, GENERAL SPECIFICATION FOR (METRIC)[CUST: AR 99 IS] [REVIEW: 11 71 AT AV CR4 EA MC NS SH] | A | 5305 | | IS | 01-OCT-99 |
| | MIL-T-26780C(1) NOT 1 | TIE DOWN, CARGO, AIRCRAFT, NYLON WEB NET[CUST: AS 99] [REVIEW: GS] | A | 1670 | | 11 | 28-FEB-98 |
| | AN706 REV 3 NOT 2 | TIE ROD AND INTERNAL 8000 LB (3-8 AND 24)[CUST: AS 99 IS] [REVIEW: 71] | A | 5340 | | IS | 16-JUN-97 |
| | MIL-T-5684B NOT 1 | TIE ROD, ROUND & SQUARE, AIRCRAFT[CUST: AS 99 IS] [REVIEW: AV] | A | 5340 | | IS | 22-AUG-97 |
| | MIL-T-40627B NOT 1 | TIEDOWN ASSEMBLY, CHAIN TYPE, FOR DRUM(S), FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY[CUST: AT MC 11] [REVIEW: GS MT] | A | 8110 | | AT | 25-SEP-98 |
| | MIL-T-63960 NOT 1 | TIEDOWN, WEB, SPECIAL PURPOSE[CUST: AR IS] | A | 5340 | | IS | 01-OCT-97 |
| | MIL-T-48643A(3) NOT 1 | TILE, ARMOR: XM1 AND XM2, PARTS FOR[CUST: AR] | A | 2350 | | AR | 08-FEB-96 |
| | SAE-AMS3709 | TILES, SYNTACTIC FOAM[CUST: MR AS 11] [REVIEW: GS] | A | 9330 | | AS | 01-JAN-93 |
| | MIL-T-28816(1) NOT 1 | TIME-FREQUENCY STANDARD, DISCIPLINED, AN/URQ-23, GENERAL SPECIFICATION FOR[CUST: EC] | A | 6625 | | EC | 04-APR-98 |
| | MIL-T-22913C NOT 1 | TIMER (FOR TORPEDO MARK 37 MOD 2)[CUST: OS] | A | 1355 | | OS | 31-OCT-86 |
| | MIL-T-19029E NOT 1 | TIMER (FOR TORPEDO MARK 37 MODS 0 AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-T-82535(1) NOT 1 | TIMER, INTERVAL, MARK 11 MOD 2 (ASSEMBLY)[CUST: OS] | A | 1340 | | OS | 28-JAN-69 |
| | MIL-T-45886A(1) NOT 1 | TIMER, SEQUENTIAL: M42E2[CUST: AR] | A | 1135 | | AR | 21-JUN-95 |
| | MIL-T-48409A NOT 1 | TIMING MODULE - 11737703[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MIL-T-12076A NOT 1 | TIN, STRIP AND SHEET[CUST: EA 99 IS] | A | 9535 | | IS | 16-JUN-97 |
| | MS3502 NOT 2 | TIRE - AIRCRAFT, 7.50-10 CHANNEL TREAD/APPLICATION: OV-10 NOSE LANDING GEAR ONLY[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS26543A NOT 2 | TIRE, PNEUMATIC - AIRCRAFT, 25 X 6.0 TYPE VII (NAVY)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14224 NOT 1 | TIRE, PNEUMATIC, AIRCRAFT 13.5 X 6.00-4 (NAVY) (AV-8B WLG)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14161A NOT 1 | TIRE, PNEUMATIC, AIRCRAFT 22 X 6.75-10 (NAVY)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14196 NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 18 X 5.7 - 8.00 (NAVY), FABRIC REINFORCED TREAD[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS26538B NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 20 X 4.4 TYPE VII (NAVY)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS3374A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 20 X 5.5, TYPE VII (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS26540B NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 20X5.5 TYPE VII (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS26539C NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 22 X 5.5, TYPE VII (NAVY)[CUST: AV AS 99] [REVIEW: GS] | A | 2620 | | AS | 28-AUG-96 |
| | MS26526C NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 24 X 5.5 TYPE VII (NAVY)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS18060B NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 24X5.5(200 MPH) FABRIC TREAD TYPE VII (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14178A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 24X6.5-14, FABRIC REINFORCED TREAD (200 KNOTS)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14225 NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, 26 X 7.75-13 (NAVY) (AV-8B MLG)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14223 NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, 26.0 X 8.75 - 11 (NAVY (AV-8B NLG)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS90443E NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 28 X 9.0, TYPE VII (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS17838A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 28X7.7 - TYPE VII (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14482A NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, 36 X 11, 24 PR[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14152A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 37 X 11.5 - 16, TYPE VIII (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS26563C NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, 40 X 14, (200 MPH), TYPE VII (NAVY)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS26557A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 44 X 13 HIGH SPEED - TYPE VII[CUST: AS 99] [REVIEW: GS] | A | 2620 | | AS | 28-AUG-96 |
| | MS3379A NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 18X5.7 (247 MPH) TYPE VII (NAVY)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14142A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 22X5.5 (200 MPH) TYPE VII (NAVY)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS3381A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 24X5.5 (200 MPH) TYPE VII (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS3380A NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 20 X 5.5, TYPE VII (NAVY)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14185 NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 22X6.75-10[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS3384A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 28 X 7.7 (200 MPH) TYPE VII (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14186B NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 36 X 11[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS14170A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 37 X 11.5 - 16, TYPE VII (NAVY)[CUST: AS] [REVIEW: GS] | A | 2620 | | AS | 09-OCT-96 |
| | MS3387A NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 40 X 14, TYPE VII (NAVY)[CUST: AS] [REVIEW: CC GS] | A | 2620 | | AS | 09-OCT-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | ZZ-T-410F NOT 1 | TIRE, PNEUMATIC, INDUSTRIAL[CUST: AT YD 99] [REVIEW: 84 CC] | A | 2610 | / | AT | 25-SEP-98 |
| | ZZ-T-1083F NOT 1 | TIRE, PNEUMATIC, LOW SPEED, OFF HIGHWAY[CUST: AT] | A | 2610 | / | AT | 09-FEB-98 |
| | ZZ-T-441H NOT 1 | TIRE, PNEUMATIC, RETREADED AND REPAIRED[CUST: AT YD 99] [REVIEW: CC MC] | A | 2640 | * | AT | 25-SEP-98 |
| | ZZ-T-391E NOT 1 | TIRE, SOLID RUBBER, AND WHEELS, SOLID RUBBER TIRE, (INDUSTRIAL)[CUST: AT YD 99] [REVIEW: CC MC MD] | A | 2630 | / | AT | 25-SEP-98 |
| | ZZ-T-1619C NOT 1 | TIRES, PNEUMATIC, AGRICULTURAL[CUST: AT] | A | 2610 | / | AT | 25-SEP-98 |
| | ZZ-T-381Q NOT 1 | TIRES, PNEUMATIC, VEHICULAR (HIGHWAY)[CUST: AT YD 99] [REVIEW: CE CS] | A | 2610 | / | AT | 09-FEB-98 |
| | MIL-T-24766 NOT 1 | TITANIUM FORGINGS AND FORGINGS STOCK, HIGH QUALITY FOR SHIPS SERVICE[CUST: MR SH 99] [REVIEW: 11 CR4 YD] | A | FORG | | SH | 07-JUL-99 |
| | MIL-T-13405E(1) NOT 2 | TITANIUM, TECHNICAL, POWDER[CUST: EA] [REVIEW: GS MD] | A | 6810 | | EA | 12-JUL-04 |
| | MIL-T-25186A(3) NOT 1 | TOILET, AIRCRAFT, CHEMICAL[CUST: AS 99] [REVIEW: CC] | A | 4510 | | IS | 16-JUN-97 |
| | MS33533 NOT 3 | TOLERANCES - SEAMLESS CORROSION-RESISTANT STEEL TUBING ROUND[CUST: MI AS 11] | A | MISC | | GS7 | 17-APR-00 |
| | SAE-MAM2251 | TOLERANCES, METRIC LOW-ALLOY STEEL BARS[CUST: MR AS 11] | A | 9515 | | MR | 10-OCT-91 |
| | JAN-T-171(2) NOT 1 | TOLUENE[CUST: AR OS] [REVIEW: EA GS MC MI PS] | A | 6810 | | AR | 14-MAR-97 |
| | A-A-51131A NOT 1 | TOOL HOLDER, SHAPER EXTENSION[CUST: AR MC 99 GS6] [REVIEW: 84] | A | 3460 | / | GS6 | 07-DEC-00 |
| | MIL-T-83507/11 NOT 1 | TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESORIES, TOOL KIT FOR MIL-C-22520/1 CRIMPING TOOL AND TURRETS[CUST: AS CC] [REVIEW: EC GS MC] | A | 5180 | | CC | 01-SEP-99 |
| | MIL-T-83507/16 NOT 1 | TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES, TOOL KIT FOR H46/53 HELICOPTER CONNECTOR SYSTEMS[CUST: AS CC] [REVIEW: GS] | A | 5180 | | CC | 01-SEP-99 |
| | MIL-T-83507/10 NOT 3 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: TOOL KIT FOR ONO89559, ONO89560, AND ONO89561 CONNECTORS[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AT AV CR4 EC GL GS MC MI OS SH] | A | 5180 | | CC | 01-SEP-99 |
| | MIL-T-83507/15 NOT 3 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: TOOL KIT, GENERAL PURPOSE, BACKSHELL HARDWARE TOOLS[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AT AV EC GL GS MC MI OS SH YD] | A | 5180 | | CC | 01-SEP-99 |
| | MIL-T-83507(3) SUP 1A NOT 2 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 19 99 AR AT AV EC GL GS MC MI SH] | A | 5180 | | CC | 09-NOV-00 |
| | MIL-T-83507/17 NOT 1 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES, TOOL KIT FOR MIL-C-22520/2 CRIMPING TOOL AND POSITIONERS[CUST: AS CC] [REVIEW: EC GS MC] | A | 5180 | | CC | 01-SEP-99 |
| | MIL-T-52914B NOT 1 | TOOL OUTFIT, HYDRAULIC SYSTEMS TEST AND REPAIR, MOBILE[CUST: AR] [REVIEW: AV CC CR4] | A | 4940 | | AR | 06-APR-98 |
| | MIL-T-52402D NOT 1 | TOOL OUTFIT, PIONEER, PORTABLE ELECTRIC AND HYDRAULIC POWERED TOOLS, TRAILER MOUNTED[CUST: AT] [REVIEW: GL GS] | A | 5180 | | AT | 09-MAR-98 |
| | MS3481 NOT 2 | TOOL, CONNECTOR ASSEMBLY; FOR MIL-C-26482 CONNECTORS[CUST: CR AS CC] [REVIEW: EC GL] | A | 5935 | | CC | 15-DEC-98 |
| | MS25121A NOT 2 | TOOL, PRETENSIONING, FOR ANTENNA TENSION TAKEUP[CUST: AS] [REVIEW: GS] | A | 5120 | | AS | 29-JAN-97 |
| | MIL-T-46398(1) NOT 1 | TOOLS FOR THE PRODUCTION OF FIRE CONTROL MATERIEL, GENERAL SPECIFICATION FOR[CUST: AR] | A | 1290 | | AR | 12-AUG-97 |
| | MIL-T-23824A(1) NOT 1 | TORPEDO BEACON LIGHT (FOR TORPEDO MARK 37 MODS O, 2, AND 3)[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-T-82726 NOT 1 | TORPEDO TUBE, SURFACE VESSEL, MARK 32 MOD 14[CUST: OS] | A | 1045 | | OS | 22-APR-98 |
| | MIL-T-82570A NOT 1 | TORPEDO TUBE, SURFACE VESSEL, MARK 32 MODS 5 AND 7 (FOR TORPEDOES MARK 44 MOD 1 AND MARK 46 MOD 1[CUST: OS] | A | 1045 | | OS | 13-JUL-99 |
| | MIL-T-13391 NOT 1 | TORPEDO, BANGALORE, M1A1 INERT ASSEMBLY[CUST: AR] | A | 1375 | | AR | 22-APR-96 |
| | MIL-T-9918C NOT 1 | TOW TARGET, AERIAL DART, GUNNERY TYPE TDU-10/B AND[CUST: 99] | A | 6920 | | IS | 05-MAY-98 |
| | MS500048A NOT 1 | TOWBAR, MOTOR VEHICLE: LIGHT, MEDIUM AND HEAVY DUTY (FOR VEHICLES 2 1/2 TO 50 TONS AND HEAVIER)[CUST: AT YD 99] [REVIEW: 84 AR CC MC] | A | 2540 | | AT | 20-FEB-98 |
| | MIL-T-19314A NOT 1 | TRACER, MARK 20 MOD 0[CUST: AS] | A | 1315 | | AS | 11-SEP-96 |
| | MIL-T-46245F(1) NOT 2 | TRACER, PROJECTILE M12 ASSEMBLY, PARTS FOR AND LOADING, ASSEMBLING AND PACKAGING[CUST: AR] | A | 1315 | | AR | 05-FEB-96 |
| | MIL-T-48415(1) NOT 4 | TRACER, PROJECTILE, M3A1, ASSEMBLY PARTS FOR, AND LOADING, ASSEMBLING AND PACKAGING[CUST: AR] | A | 1315 | | AR | 12-AUG-97 |
| | MIL-T-46555B NOT 2 | TRACER, XM10, PARTS FOR, AND LOADING, ASSEMBLING, AND PACKING[CUST: AR] | A | 1315 | | AR | 16-JAN-98 |
| | MS33601B NOT 1 | TRACK AND STUD FITTING FOR CARGO TRANSPORT AIRCRAFT, STANDARD DIMENSIONS FOR[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1560 | | AS | 23-JUL-97 |
| | MIL-T-26025E NOT 1 | TRACTOR, AIRCRAFT TOWING, DIESEL ENGINE DRIVEN (DED), 4X4, 4 WHEEL STEER, 10,300 POUNDS DRAWBAR PULL, PNEUMATIC RUBBER TIRED[CUST: 99] | A | 1740 | | 84 | 10-APR-96 |
| | MIL-T-83808 NOT 1 | TRACTOR, COMMERCIAL, 4X2, DIESEL ENGINE DRIVEN (DED), SUPPORT EQUIPMENT (SE) TOWING 40,000 POUNDS, AIRCRAFT (AC) TOWING 70,000 POUNDS, 4,500 POUNDS DRAWBAR PULL (DBP)[CUST: 99] | A | 1740 | | 84 | 22-MAR-96 |
| | MIL-T-52509C NOT 1 | TRACTOR, FULL TRACKED, LOW SPEED, DIESEL ENGINE DRIVEN, SECTIONALIZED AND NON SECTIONALIZED[CUST: AT] | A | 2410 | | AT | 09-MAR-98 |
| | MIL-T-53033A NOT 1 | TRACTOR, WHEELED, ALL WHEEL DRIVE WITH ATTACHMENTS[CUST: AT MC 99] [REVIEW: 84] | A | 2420 | | AT | 09-MAR-98 |
| | MIL-STD-628D NOT 2 | TRACTORS, FULL-TRACKED, LOW-SPEED[Military Standard][CUST: AT YD 99] [REVIEW: 84 CE MC] | A | 2410 | | AT | 18-MAY-98 |
| | MIL-T-83229B NOT 1 | TRAILER, AIRCRAFT ENGINE ETU-91/E[CUST: 99] | A | 1740 | | 84 | 11-AUG-95 |
| | MIL-T-62072C NOT 1 | TRAILER, CABLE REEL: HYDRAULICALLY DRIVEN, MODIFIED COMMERCIAL[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2330 | | AT | 30-OCT-95 |
| | MIL-T-62059B NOT 2 | TRAILER, CARGO: WITH HYDRAULIC LIFT BODY, 2,000 POUND PAYLOAD, 2 WHEEL, COMMERCIAL[CUST: AT] | A | 2330 | | AT | 17-OCT-00 |
| | MIL-T-55652 NOT 1 | TRAILER, COMMUNICATION EQUIPMENT V-415()/TRC-145(V)[CUST: CR] | A | 5895 | | CR | 20-OCT-89 |
| | MIL-T-26225B NOT 1 | TRAILER, LIFT, AIRCRAFT - MISSILE ENGINE ETU-8/E[CUST: 99] [REVIEW: GS] | A | 1730 | | 84 | 11-AUG-95 |
| | MIL-T-45382A(2) NOT 2 | TRAILER, LOWBED, 4 WHEEL 2 TO 7 TON[CUST: AT YD] [REVIEW: MC] | A | 2330 | | AT | 05-JAN-98 |
| | MIL-T-38676(1) NOT 2 | TRAILER, MUNITION'S HANDLING MHU-110/M[CUST: 99] | A | 1740 | | 84 | 11-AUG-95 |
| | MIL-T-38457B NOT 1 | TRAILER, PALLETIZED CARGO A/M32H-6, 10,000-POUND[CUST: 99] [REVIEW: 11] | A | 3920 | | 84 | 03-MAY-96 |
| | MIL-T-17479G(1) NOT 3 | TRAILER, PLATFORM, WAREHOUSE, WOOD OR METAL PLATFORM, 6000 POUND CAPACITY, PNEUMATIC TIRES, FIFTH WHEEL STEER[CUST: AT] [REVIEW: AV GS] | A | 3920 | | AT | 29-MAY-98 |
| | MIL-T-38403A NOT 1 | TRAILER, RAIL TYPE, LIFT ETU-77/E, 3,000 POUND CAPACITY[CUST: 99] [REVIEW: GS] | A | 1730 | | 84 | 11-AUG-95 |
| | MIL-T-46791D NOT 1 | TRAILERS, CARGO: 500, 2,000 AND 3,000 POUND PAYLOAD, 2 WHEEL, MODIFIED COMMERCIAL[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2330 | | AT | 13-DEC-96 |
| | MIL-T-46768D NOT 1 | TRAILERS, LIVING QUARTERS: SELF-CONTAINED, MODIFIED COMMERCIAL[CUST: AT] | A | 2330 | | AT | 21-NOV-95 |
| | MIL-T-62109C NOT 1 | TRAILERS, LOWBED: FORKLIFT TRANSPORTER, 5450 AND 8150 KILOGRAM (6 AND 9 TON), MODIFIED COMMERCIAL[CUST: AT 99] | A | 2330 | | AT | 13-DEC-96 |
| | MIL-T-46744E NOT 1 | TRAILERS, MAINTENANCE: 454 AND 910 KILOGRAM (1000 AND 2000 POUND) PAYLOAD, TWO WHEEL, MODIFIED COMMERCIAL[CUST: AT] | A | 2330 | | AT | 13-DEC-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-46705E NOT 1 | TRAILERS, STAKE: WAGON TYPE, 2270 AND 4540 KILOGRAM (5,000 AND 10,000 POUND) CAPACITY, 4-WHEEL, MODIFIED COMMERCIAL[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2330 | | AT | 12-DEC-95 |
| | MIL-T-62357A NOT 1 | TRAILERS, TANK: POTABLE WATER AND GENERAL PURPOSE, 500 GALLON, TWO AND FOUR-WHEEL, MODIFIED COMMERCIAL[CUST: AT YD 99] [REVIEW: MC] | A | 2330 | | AT | 30-OCT-95 |
| | MIL-T-63222(1) NOT 2 | TRAINER, FIELD ARTILLERY, 14.5MM, M31[CUST: AR] | A | 6920 | | AR | 17-JUL-96 |
| | MIL-T-48578(1) NOT 1 | TRAINER, FIELD ARTILLERY: DIRECT FIRE (LASER): 11746409[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MIL-T-45572A(2) NOT 1 | TRAINER, MORTAR: M32A1[CUST: AR] | A | 6920 | | AR | 18-JUL-96 |
| | MIL-T-51546A(1) NOT 2 | TRAINER, PLASTIC FLUID CONTAINER ASSEMBLY[CUST: EA] | A | 6910 | | EA | 03-AUG-04 |
| | MIL-T-62356 NOT 1 | TRAINER, TURRET, IMPROVED TOW VEHICLE[CUST: AT] | A | 6920 | | AT | 04-FEB-98 |
| | MIL-T-70989(1) NOT 3 | TRAINING CANISTER, M89 FOR USE ON THE M139 VOLCANO DISPENSER SYSTEM[CUST: AR] | D | 6920 | | AR | 13-JAN-97 |
| | MIL-T-51497(1) NOT 1 | TRAINING SET, CHEMICAL AGENT IDENTIFICATION, SIMULANTS, M72A1[CUST: EA] | A | 6910 | | EA | 27-DEC-95 |
| | MIL-T-81148B NOT 1 | TRANFORMER, DISCRIMINATOR (FOR TORPEDO MARK 37 MODS 0, 2, AND 3)[CUST: OS] [REVIEW: MI] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-T-49247(2) NOT 1 | TRANSCEIVER MULTIPLEXERS TD-1288 ( )/GRC AND TD-1289 ( ) (V)/GRC[CUST: CR] | A | 5805 | | CR | 28-APR-97 |
| | MS25447G NOT 2 | TRANSDUCER, COUNTING ACCELEROMETER[CUST: AS] [REVIEW: GS] | A | 6610 | | AS | 09-OCT-96 |
| | MIL-T-83871B NOT 1 | TRANSDUCER, MOTIONAL PICKUP, VIBRATION, VELOCITY[CUST: 99] [REVIEW: GS] | A | 6695 | | 71 | 15-JAN-96 |
| | MIL-T-23588C NOT 1 | TRANSDUCER, PRESSURE[CUST: OS] | A | 1355 | | OS | 31-JUL-96 |
| | MIL-T-27/3A NOT 3 | TRANSFER, AUDIO FREQUENCY, TF4R21AJ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC] | A | 5950 | | CC | 25-AUG-98 |
| | MIL-T-27/8A NOT 4 | TRANSFOMER, AUDIO FREQUENCY, TF4R21AJ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC] | A | 5950 | | CC | 03-FEB-04 |
| | MIL-T-27/9A NOT 3 | TRANSFOMER, AUDIO FREQUENCY, TF4R21AJ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC] | A | 5950 | | CC | 25-AUG-98 |
| | MIL-T-27/185A NOT 1 | TRANSFORMER (CHOPPER INPUT), TF4R21YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 25-AUG-98 |
| | MIL-T-81768 NOT 1 | TRANSFORMER RECTIFIER TEK-9/A24B-4(V)[CUST: AS] | A | 5895 | | AS | 18-SEP-96 |
| | MIL-T-27/74A NOT 1 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AG891[CUST: CR EC 11] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/11A NOT 3 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC] | A | 5950 | | CC | 25-AUG-98 |
| | MIL-T-27/5A NOT 3 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC] | A | 5950 | | CC | 03-FEB-04 |
| | MIL-T-27/4 NOT 4 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ002[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC] | A | 5950 | | CC | 03-FEB-04 |
| | MIL-PRF-27/307 NOT 3 | TRANSFORMER, AUDIO FREQUENCY, TF4S21AJ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-FEB-03 |
| | MIL-T-27/170B NOT 1 | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/176A NOT 1 | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-28732C NOT 1 | TRANSFORMER, IMPEDANCE MATCHING, BALANCE TO UNBALANCE (BALUN)[CUST: EC CC] | A | 5950 | | CC | 31-MAR-99 |
| | MIL-T-55631(2) NOT 1 | TRANSFORMER, INTERMEDIATE FREQUENCY, RADIO FREQUENCY, AND DISCRIMINATOR, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 31-MAR-99 |
| | MIL-PRF-27/19C(1) NOT 3 | TRANSFORMER, POWER 52 VA, 60 HZ, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-T-83720/8B NOT 3 | TRANSFORMER, POWER STEP-UP[CUST: 11 CC] | A | 5950 | | CC | 05-AUG-04 |
| | MIL-T-27535A(2) SUP 1A NOT 3 | TRANSFORMER, POWER, ISOLATION: SERIES CIRCUIT, AIRPORT LIGHTING, GENERAL SPECIFICATION FOR[CUST: AS 11 CC] [REVIEW: MI YD] | A | 5950 | | CC | 31-MAR-99 |
| | MS27286C NOT 2 | TRANSFORMER, POWER, ISOLATION: AIRPORT LIGHTING 200W/20A/6.6A/5000V, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99 AS YD] | A | 5950 | | CC | 04-AUG-04 |
| | MS27289C NOT 2 | TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING 30-45W/6.6A/6.6A/5000V. GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99 AS] | A | 5950 | | CC | 04-AUG-04 |
| | MS27288C NOT 2 | TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING, 200W/6.6A/6.6A/5000V, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99 AS] | A | 5950 | | CC | 04-AUG-04 |
| | MS27134B NOT 2 | TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING, 300W/6.6A/6.6A/5000V, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99 AS YD] | A | 5950 | | CC | 05-AUG-04 |
| | MS27302C NOT 2 | TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING, 500W/20A/20A/5000V, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99 YD] | A | 5950 | | CC | 04-AUG-04 |
| | MIL-T-60206(2) NOT 1 | TRANSFORMER, POWER, STEP DOWN, 10525900[CUST: AR] [REVIEW: CC MI] | A | 5950 | | AR | 01-SEP-97 |
| | MIL-T-60207(2) NOT 1 | TRANSFORMER, POWER, STEP DOWN, 10525910[CUST: AR] [REVIEW: CC MI] | A | 5950 | | AR | 01-SEP-97 |
| | MIL-T-60193(2) NOT 1 | TRANSFORMER, POWER, STEP DOWN, 10525915[CUST: AR] [REVIEW: CC MI] | A | 5950 | | AR | 15-AUG-97 |
| | MIL-T-27/202A NOT 1 | TRANSFORMER, POWER, STEP DOWN, TF5S03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/181B NOT 1 | TRANSFORMER, POWER, STEP-DOWN AND STEP-UP TF4S03FA[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 25-AUG-98 |
| | MIL-T-27/183B NOT 3 | TRANSFORMER, POWER, STEP-DOWN AND STEP-UP, TF45S03JA[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 04-FEB-04 |
| | MS16403D NOT 2 | TRANSFORMER, POWER, STEP-DOWN AND STEP-UP, TYPE TF4RX03JB221[CUST: CR EC 11 CC] [REVIEW: 19 AR CG MC MI SH] | A | 5950 | | CC | 05-JUN-03 |
| | MIL-T-27/187C | TRANSFORMER, POWER, STEP-DOWN, AUTOTRANSFORMER[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 02-JUN-03 |
| | MIL-T-27/184B NOT 2 | TRANSFORMER, POWER, STEP-DOWN, TF4S03AH[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 04-FEB-04 |
| | MIL-T-27/156A NOT 4 | TRANSFORMER, POWER, STEP-DOWN, TF4S03AJ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI] | A | 5950 | | CC | 03-FEB-04 |
| | MIL-T-27/154 NOT 3 | TRANSFORMER, POWER, STEP-DOWN, TF4S03EB[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MI OS SH] | A | 5950 | | CC | 03-FEB-04 |
| | MIL-PRF-27/180A NOT 1 | TRANSFORMER, POWER, STEP-DOWN, TF4S03FA[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-FEB-03 |
| | MIL-T-27/153A NOT 3 | TRANSFORMER, POWER, STEP-DOWN, TF4S03FB[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 03-FEB-04 |
| | MIL-T-27/148A NOT 3 | TRANSFORMER, POWER, STEP-DOWN, TF4S03HA[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 03-FEB-04 |
| | MIL-T-27/151B NOT 1 | TRANSFORMER, POWER, STEP-DOWN, TF4S03KB[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/295B NOT 1 | TRANSFORMER, POWER, STEP-DOWN, TF5R03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/195(2) NOT 3 | TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 23-APR-03 |
| | MIL-T-27/99B NOT 1 | TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-27/227 NOT 2 | TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 25-AUG-98 |
| | MS16450F NOT 1 | TRANSFORMER, POWER, STEP-DOWN, TYPE TF4RX02HA203[CUST: CR EC 11 CC] [REVIEW: 19 AR CG MC MI SH] | A | 5950 | | CC | 05-JUN-03 |
| | MIL-T-83720/13 NOT 3 | TRANSFORMER, POWER, STEP-UP, STEP-DOWN, GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 84 99] | A | 5950 | | CC | 03-FEB-04 |
| | MIL-PRF-27/33(1) NOT 4 | TRANSFORMER, POWER, STEP-UP, TF5S03ZZ319[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-T-27/36B NOT 1 | TRANSFORMER, POWER, STEPDOWN AND STEP-UP, TYPE TF4R03HA322[CUST: CR EC 11] [REVIEW: 19 99 AR CR4 MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/265A NOT 1 | TRANSFORMER, POWER, STEPDOWN AND STEP-UP, TYPE TF5S03ZZ[CUST: CR EC 11] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/138A NOT 1 | TRANSFORMER, POWER, STEPDOWN, 3-PHASE, TF4S03YY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/129A NOT 1 | TRANSFORMER, POWER, STEPDOWN, STEP-UP, TF5S03ZZ948[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/192(2) NOT 2 | TRANSFORMER, POWER, STEPDOWN, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 23-APR-03 |
| A | MIL-DTL-28778A | TRANSFORMER, POWER, STEPUP, 3 PHASE[CUST: EC] | A | 5950 | | CC | 15-NOV-05 |
| | MIL-T-27/325C NOT 2 | TRANSFORMER, POWER, TF5S03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 24-AUG-04 |
| | MIL-T-27/306B | TRANSFORMER, SATURABLE[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 02-JUN-03 |
| | MIL-T-83721/1 NOT 2 | TRANSFORMER, VARIABLE, POWER, 400 HZ, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR MC MI] | A | 5950 | | CC | 31-MAR-99 |
| | MIL-T-27/160A NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTION, POWER, TF5S04ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 25-AUG-98 |
| | MIL-T-27/209B NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, POWER, TF4R04FA[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 24-AUG-04 |
| | MIL-T-27/142C(2) NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, TF5R20ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5950 | | CC | 24-AUG-04 |
| | MIL-T-27/145 NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, VARIABLE, HIGH Q, TF4R20YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 03-FEB-04 |
| | MIL-T-27/190(1) NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-T-27/85A(1) NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-T-27/174C NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF4S04LB[CUST: CR EC 11] [REVIEW: 19 AR CR4 MC YD] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/159A NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/191(1) NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-T-27/86(1) NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER TF5S04ZZ903[CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-T-27/171C NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF4S04AG[CUST: CR EC 11 CC] [REVIEW: 19 AR CR4 MC YD] | A | 5950 | | CC | 04-FEB-04 |
| | MIL-T-27/189A NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 25-AUG-98 |
| | MIL-T-27/163C NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC OS] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/207A NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5V04ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/161A NOT 4 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS] | A | 5950 | | CC | 03-FEB-04 |
| | MIL-T-27/168 NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, HIGH Q, TF5R20ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 03-FEB-04 |
| | MIL-T-27/175B NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF4R20YY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/247C(1) NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ316[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-T-27/214A NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, TF5S20ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/158A NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE) TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/89A(1) NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5V04ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-MAR-03 |
| | MIL-T-27/179C NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 25-AUG-98 |
| | MIL-T-27/303B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 02-JUN-03 |
| | MIL-T-27/149C NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5S04ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 25-AUG-98 |
| | MIL-T-27/261A NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, POWER (100 VA), TF5T04ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 25-AUG-98 |
| | MIL-T-27/162A NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF4S02YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CR4 MC MI OS SH] | A | 5950 | | CC | 25-AUG-98 |
| | MIL-T-83720(1) NOT 3 | TRANSFORMERS AND INDUCTORS, NON-EXPLOSIVE, GENERAL SPECIFICATION FOR[CUST: 11 CC] | A | 5950 | | CC | 31-MAR-99 |
| | MIL-PRF-27/173E NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, MICROMINIATURE, TF5R21ZZ[CUST: CR EC 11] [REVIEW: 19 99 AS CR4 MC MI OS SH] | A | 5950 | | CC | 21-FEB-03 |
| | MIL-T-27/197B NOT 3 | TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A | 5950 | | CC | 04-FEB-04 |
| | MIL-PRF-27/1E NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY AND TF4S21YY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 28-FEB-02 |
| | MIL-PRF-27/2F NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY AND TF4S21YY[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC OS SH] | A | 5950 | | CC | 28-FEB-02 |
| | MIL-T-9219(2) NOT 3 | TRANSFORMERS, POWER, AUTOTRANSFORMERS AND STEP DOWN, 400 CYCLE, GENERAL SPECIFICATION FOR[CUST: 11 CC] | A | 5950 | | CC | 31-MAR-99 |
| | MIL-PRF-27/235E | TRANSFORMERS, POWER, ISOLATION, SHIELDED[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 17-JUN-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-PRF-27/25B(1) NOT 2 | TRANSFORMERS, POWER, STEP DOWN, 3-PHASE, TYPE TP4S03YY312[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH] | A | 5950 | | CC | 27-FEB-03 |
| | MIL-T-27/291B NOT 1 | TRANSFORMERS, POWER, STEP-DOWN, TF5S03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/223B NOT 1 | TRANSFORMERS, POWER, STEP-DOWN, TF5T03ZZ[CUST: CR EC 11] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 13-NOV-01 |
| | MIL-T-27/194A(2) NOT 2 | TRANSFORMERS, POWER, STEPDOWN AND STEP-UP, TF5S03ZZ AND TF5T03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 23-APR-03 |
| | MIL-T-27/193A(2) NOT 2 | TRANSFORMERS, POWER, STEPDOWN, TF5S03ZZ AND TF5T03ZZ[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 23-APR-03 |
| | MIL-T-83721 NOT 2 | TRANSFORMERS, VARIABLE, POWER GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AT MC MI] | A | 5950 | | CC | 31-MAR-99 |
| | MIL-S-19500/248A(2) NOT 3 | TRANSISTOR, NPN, SILICON TYPES 2N2015, 2N2016[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/244B(6) NOT 2 | TRANSISTOR, PNP, GERMANIUM TYPE 2N2273[CUST: CR CC] [REVIEW: AR AV MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-S-19500/219A(6) NOT 3 | TRANSISTOR, PNP, GERMANIUM, POWER, SWITCHING, TYPES 2N1651, 2N1652, 2N1653[CUST: CR CC] [REVIEW: AR MI SM] | A | 5961 | | CC | 24-MAR-04 |
| | MIL-T-52877B NOT 1 | TRANSMISSION GROUP DATA: TRANSMITTER, DATA: T-1257/FSS-9(V) AND RECEIVER, DATA: R-1861/FSS-9(V)[CUST: CR4 99] [REVIEW: GS] | A | 6350 | | CR4 | 10-APR-97 |
| | MIL-T-7101/7 NOT 1 | TRANSMISSION, CONSTANT SPEED, HYDRAULIC 20 KVA, 5-2/EI AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 1650 | | AS | 07-AUG-96 |
| | MIL-T-5091/3 NOT 1 | TRANSMISSION, POWER, CONSTANT RATIO GEARBOX, ENGINE MOUNTED 47 HP[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 11-SEP-96 |
| | MIL-T-5091/2 NOT 2 | TRANSMISSION, POWER, CONSTANT RATIO SHAFT, FLEXIBLE DRIVE, 47 HP[CUST: AS] [REVIEW: GS] | A | 1680 | | AS | 28-AUG-96 |
| | QPL-5091-2 NOT 1 | TRANSMISSION, POWER, CONSTANT RATIO, GENERAL SPECIFICATION (AIRCRAFT USE) | A | 1680 | | AS | 23-APR-01 |
| | MIL-T-5091 NOT 1 | TRANSMISSION, POWER, CONSTANT RATIO, GENERAL SPECIFICATION (AIRCRAFT USE)[CUST: AV AS] [REVIEW: GS] | A | 1680 | | AS | 28-AUG-96 |
| | MS17333D NOT 2 | TRANSMISSION, POWER, CONSTANT SPEED 17 HP AND 21.7 HP[CUST: AS] [REVIEW: GS] | A | 6115 | | AS | 21-AUG-96 |
| | MS90301B NOT 2 | TRANSMISSION, POWER, CONSTANT SPEED 30 KW F-4 AIRCRAFT[CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 18-SEP-96 |
| | MIL-T-7101A NOT 1 | TRANSMISSION, POWER, CONSTANT SPEED, GENERAL SPECIFICATION (AIRCRAFT USE)[CUST: AV AS 99] [REVIEW: GS] | A | 1650 | | AS | 07-AUG-96 |
| | AN5786 REV 2 NOT 2 | TRANSMITTER - POSITION, 28 VOLT DC[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| | AN5787 REV 1 NOT 3 | TRANSMITTER - POSITION, GEARLESS[CUST: AV AS 99] [REVIEW: 11 GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MIL-T-55401 NOT 2 | TRANSMITTER GROUP, SIMULATED RADIAC OT-51( )/T[CUST: CR] [REVIEW: GS] | A | 6665 | | CR | 25-APR-97 |
| | MIL-T-55402 NOT 2 | TRANSMITTER GROUP, SIMULATED RADIAC, HOT SPOT OT-52()/T[CUST: CR] [REVIEW: GS] | A | 6665 | | CR | 25-APR-97 |
| | MS33587B NOT 1 | TRANSMITTER INSTALLATION CLEARANCE, FUEL AND OIL PRESSURE[CUST: AV AS 99] [REVIEW: GS] | A | 6685 | | 71 | 01-OCT-97 |
| | AND10341 REV 2 | TRANSMITTER INSTALLATION CLEARENCE FUEL AND OIL PRESSURE[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 24-APR-57 |
| | MIL-T-23645H NOT 1 | TRANSMITTER T-827( )/URT[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-T-70835A NOT 1 | TRANSMITTER, ASSEMBLY: 11784701[CUST: AR] | A | 5895 | | AR | 17-JUL-97 |
| | MIL-T-6368A NOT 2 | TRANSMITTER, FUEL FLOW, TOTALIZING, TYPE H-1A[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 04-FEB-05 |
| | MIL-T-26609C NOT 1 | TRANSMITTER, POSITION[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 01-JAN-96 |
| | MS24550D NOT 2 | TRANSMITTER, POSITION[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 21-APR-00 |
| | MIL-T-5583C(1) NOT 1 | TRANSMITTER, POSITION, 28 VOLTS DC[CUST: AV AS 99] [REVIEW: GS] | A | 6610 | | 71 | 01-APR-96 |
| | MS24539D NOT 2 | TRANSMITTER, PRESSURE - 24 VOLT DC 120 PSI[CUST: AT MC 99] [REVIEW: AV CR CR4 GS] | A | 6620 | | AT | 13-OCT-00 |
| | MS24538D NOT 2 | TRANSMITTER, PRESSURE - 24 VOLT DC 60 PSI[CUST: AT MC 99] [REVIEW: AV CR GS] | A | 6620 | | AT | 13-OCT-00 |
| | MIL-T-25624G NOT 2 | TRANSMITTER, PRESSURE TRU-80/A, OIL, ENGINE-MOUNTED, 0-100 PSI[CUST: AS 99] [REVIEW: GS] | A | 6620 | | 71 | 09-FEB-05 |
| | MIL-T-5396C(1) NOT 1 | TRANSMITTER, PRESSURE, FUEL, 0-1000 PSI[CUST: AV 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-T-25307D NOT 1 | TRANSMITTER, PRESSURE, HYDRAULIC, TYPE MJ-1[CUST: AV AS 99] [REVIEW: GS] | A | 6685 | | 71 | 19-MAY-98 |
| | MIL-T-5796D NOT 1 | TRANSMITTER, PRESSURE, OIL, 0-100 PSI[CUST: AV 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-T-58100 NOT 3 | TRANSMITTER, PRESSURE, OIL, HELICOPTER[CUST: AV] [REVIEW: GS] | A | 6620 | | AV | 24-MAR-05 |
| | MIL-DTL-5790G | TRANSMITTER, PRESSURE, OIL, SYNCHRO, 0-200 PSI 320-DEGREE MOVEMENT, 26V, SINGLE PHASE, 400 CYCLES[CUST: 99] [REVIEW: 71] | A | 6620 | | GS1 | 10-JAN-03 |
| A | MS28131G NOT 2 | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT 320 DEGREE MOVEMENT, HIGH TEMPERATURE (177 DEG C) GENERAL PURPOSE[CUST: AV AS 11] [REVIEW: 99 CG] | A | 6620 | | GS1 | 12-JAN-06 |
| | MIL-T-7748E(2) NOT 1 | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT 320 DEGREE MOVEMENT, HIGH TEMPERATURE (177 DEGREE C.), GENERAL PURPOSE[CUST: AV AS 99] [REVIEW: CG GS] | A | 6620 | | AS | 30-AUG-99 |
| | MS28130B NOT 2 | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT, 165 DEGREE MOVEMENT[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-96 |
| | MIL-T-28706F NOT 1 | TRANSMITTER, RADIO AN/URT-23(V)[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MIL-T-28885 NOT 1 | TRANSMITTER, RADIO, AN/FRT-83(B) 1000 WATTS PEAK ENVELOPE POWER & AVERAGE, HIGH FREQUENCY, INDEPENDENT SIDEBAND[CUST: EC] | A | 5820 | | EC | 30-APR-95 |
| | MS17394 NOT 1 | TRANSMITTER, RATE GYROSCOPE T-751/AJB-3A[CUST: AS] [REVIEW: GS] | A | 6615 | | AS | 29-JAN-97 |
| | MIL-T-27200C(4) NOT 1 | TRANSMITTER, RATE GYROSCOPE TRU-2A/A[CUST: 99] [REVIEW: GS] | A | 6615 | | 71 | 15-JAN-96 |
| | MIL-T-27305C(2) NOT 1 | TRANSMITTER, RATE OF FLOW[CUST: 99] [REVIEW: 11 GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-T-26298F NOT 1 | TRANSMITTER, RATE OF FLOW TRU-6/A, 0-5000 PPH[CUST: AS 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-T-38144D NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL[CUST: 99] [REVIEW: 11 GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-T-6598F NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL SYNCHRO STYLE, TYPE J-6A[CUST: AS 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-T-8275C NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL SYNCHRO STYLE, TYPE MA-1[CUST: AV AS 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-T-83027C(1) NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL TRU-98/A[CUST: AS 99] [REVIEW: GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-T-7477D NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL, SYNCHRO, TYPE J-7, INDIVIDUAL AND TOTALING[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-T-8249B(2) NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL, TYPE MB-2[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-T-21205B(2) NOT 2 | TRANSMITTER, RATE OF FLOW, FUEL; TRU-12/A (300 - 5000 - 15000 PPH)[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 31-OCT-00 |
| | MIL-T-22030(2) NOT 3 | TRANSMITTER, RATE OF FLOW, FUEL; TRU-26/A (300 TO 10,000 PPH)[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 31-OCT-00 |
| | MIL-T-5913D(1) NOT 1 | TRANSMITTER, RATE OF FLOW, SYNCHRO, TYPE J-5[CUST: 99] [REVIEW: 11 GS] | A | 6620 | | 71 | 15-MAR-96 |
| | MIL-T-27179B(4) NOT 1 | TRANSMITTER, RATE OF FLOW, TRU-27/A, ENGINE[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-T-25905C NOT 1 | TRANSMITTER, RATE OF FLOW, TRU-7/A FUEL, 0-15,000 PPH[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-NOV-96 |
| | MS90361 NOT 1 | TRANSMITTER, RATE OF FUEL FLOW, SYNCHRO TYPE[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-81187 NOT 1 | TRANSMITTER, RATE OF FUEL FLOW, SYNCHRO TYPE MS90361[CUST: AS] [REVIEW: GS] | A | 6620 | | AS | 16-OCT-96 |
| | MIL-T-25193B NOT 1 | TRANSMITTER, REMOTE COMPASS, TYPE C-2 (UNSTABILIZED)[CUST: AS] [REVIEW: 99 GS] | A | 6605 | | AS | 30-APR-97 |
| | MIL-T-25627C(2) NOT 1 | TRANSMITTER, SYNCHRO, ANGLE OF ATTACK OR SIDESLIP[CUST: 99] [REVIEW: GS] | A | 6610 | | 71 | 15-JAN-96 |
| | MS24537C NOT 3 | TRANSMITTER, TEMPERATURE ELECTRICAL RESISTANCE - 24 VOLT DC[CUST: AT 99] [REVIEW: 71 CR CR4 GL GS] | A | 6685 | | AT | 17-OCT-00 |
| | MIL-T-25446D NOT 1 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 24-NOV-97 |
| | MS28038A NOT 1 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE[CUST: AS 99] [REVIEW: GS] | A | 6685 | | 71 | 24-NOV-97 |
| | MIL-T-7990B(3) NOT 3 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, -70 DEG. TO +300 DEG. C[CUST: AV AS 99] [REVIEW: 71] | A | 6685 | | GS1 | 26-MAR-99 |
| A | MS24482A NOT 2 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, ARMORED, BAYONET LOCKING TYPE, (50 DEG. TO 300 DEG. C )[CUST: AV 99] [REVIEW: 71] | A | 6685 | | GS1 | 26-OCT-05 |
| | MIL-T-8598B NOT 1 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, FLUSH-MOUNTED, FREE AIR[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 24-NOV-97 |
| | MIL-T-7258B NOT 2 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, TYPE B-4[CUST: 99] [REVIEW: GS] | A | 6685 | | 71 | 24-NOV-97 |
| | MIL-T-25485C(2) NOT 2 | TRANSMITTER, THRUST, SINGLE SYNCHRO STYLE, PRESSURE RATIO, TYPE MK-2[CUST: 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-T-58097(3) NOT 4 | TRANSMITTERS, PRESSURE, HELICOPTER, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR[CUST: AV] [REVIEW: GS] | A | 6620 | | AV | 24-MAR-05 |
| | MS28005J NOT 1 | TRANSMITTERS, PRESSURE, SYNCHRO, AIRCRAFT[CUST: AV AS 99] [REVIEW: GS] | A | 6620 | | 71 | 15-JAN-96 |
| | MIL-T-16967D NOT 1 | TRANSMITTING SET, INFRARED AN/SAT-2[CUST: EC] | A | 5850 | | EC | 30-APR-95 |
| | MIL-T-23449A(1) NOT 1 | TRANSMITTING SET, RADIO AN/PRT-5(*)[CUST: AS] | A | 5820 | | AS | 29-JAN-97 |
| | MIL-T-81695A NOT 2 | TRANSMITTING SET, TELEMETRIC DATA, AN/AKT-22(V) (U)[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 30-AUG-99 |
| | MIL-T-85663(1) NOT 1 | TRANSMITTING SET, TELEMETRIC DATA, AN/AKT-22(V)6[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 15-SEP-99 |
| | MIL-T-24015B NOT 1 | TRANSMITTING SET, TELEMETRY DATA AN/AKT-21[CUST: AS] [REVIEW: GS] | A | 5821 | | AS | 16-JUL-97 |
| | MIL-T-49303(1) NOT 1 | TRANSPONDER SET AN/PPN-19 (V)[CUST: CR] | A | 5895 | | CR | 29-MAR-96 |
| | MIL-T-52735B NOT 3 | TRANSPORTER: M812 CHASSIS, FOR RIBBON FLOATING BRIDGE[CUST: AT] [REVIEW: CC] | A | 5420 | | AT | 22-MAY-98 |
| | MIL-T-53031A NOT 3 | TRANSPORTER: M945 CHASSIS, FOR RIBBON FLOATING BRIDGE[CUST: AT] [REVIEW: CC] | A | 5420 | | AT | 22-MAY-98 |
| | T-T-616B NOT 1 | TREATMENT MILDEW RESISTANT FOR ROPE AND CORD[CUST: GL AS 99 IS] [REVIEW: 71 MC MD MI] | A | 4020 | / | IS | 03-DEC-98 |
| | SAE-AMS2550 | TREATMENT OF SHEET METAL PARTS CORROSION RESISTANT STEEL[CUST: MR AS 11] | A | MFFP | | AS | MAR-94 |
| | MIL-T-152B(2) NOT 2 | TREATMENT, MOISTURE AND FUNGUS RESISTANT, OF COMMUNICATIONS, ELECTRONIC AND ASSOCIATED ELECTRICAL EQUIPMENT[CUST: CR AS 11 GS7] [REVIEW: AR EA EC MI MR] | A | MISC | | GS7 | 24-MAY-00 |
| | MIL-T-47063A NOT 1 | TRIETHYL CITRATE[CUST: MI] [REVIEW: GS] | A | 6810 | | MI | 22-JAN-96 |
| | MIL-T-13285B(2) NOT 1 | TRIPODS: M15 AND M17[CUST: AR] [REVIEW: GS] | A | 6650 | | AR | 22-APR-96 |
| | MIL-T-23752E NOT 1 | TRITIUM AIR MONITOR, PORTABLE OR FIXED[CUST: SH] [REVIEW: GS] | A | 6665 | | SH | 22-APR-98 |
| | MIL-T-62255C NOT 2 | TRUCK TRACTOR, YARD TYPE, 4 X 2, XM878[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-62276C NOT 1 | TRUCK TRACTOR: DIESEL ENGINE DRIVEN, 80,000 POUNDS GVW, 145,000 POUNDS GCW, 8X4, MODIFIED COMMERCIAL[CUST: AT YD 99] [REVIEW: 84] | A | 2320 | | AT | 30-OCT-95 |
| | MIL-T-62102F NOT 2 | TRUCK TRACTORS, SEMITRAILER SPOTTER, WITH HALF CAB, DIESEL AND GASOLINE ENGINE DRIVEN, 32,000 GVW, 55,000 GCW AND 44,000 GVW, 90,000 GCW, 4X2, MODIFIED COMMERCIAL[CUST: AT MC 99] [REVIEW: 84] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-46780D(3) NOT 2 | TRUCK, 2 1/2 TON, 6 X 6, MILITARY DESIGN, M44A2 MULTI-FUEL ENGINE SERIES[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-14382W NOT 1 | TRUCK, AMBULANCE: DIESEL OR GASOLINE ENGINE DRIVEN, 10,000 POUNDS GVW, 4X4, 4-LITER (COMMERCIAL, FIELD TYPE)[CUST: AT YD 99] [REVIEW: 84 MC MD] | A | 2310 | | AT | 30-OCT-95 |
| | MIL-T-45305C NOT 2 | TRUCK, BOOKMOBILE: DIESEL OR GASOLINE ENGINE DRIVEN, 16,000 POUNDS GVW, 4X2, MODIFIED COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-52896B NOT 1 | TRUCK, CONCRETE, MOBILE MIXER, 8 CUBIC YARD, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE)[CUST: AT] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-T-52951 NOT 3 | TRUCK, CONTAINER HANDLER, WITH TOP LIFT ATTACHMENTS, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, FOUR WHEEL DRIVEN, ARTICULATED FRAME STEER, ROUGH TERRAIN, 50,000 POUND CAPACITY AT 48 INCH LOAD CENTER[CUST: AT] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-3044E NOT 1 | TRUCK, DUMP, OFF ROAD, DIESEL ENGINE DRIVEN, 15 TO 50 TON PAYLOAD[CUST: AT YD] [REVIEW: CC CE] | A | 3805 | | AT | 09-MAR-98 |
| | MIL-T-62246B NOT 1 | TRUCK, DUMP, STREET MAINTENANCE, DIESEL AND GASOLINE ENGINE DRIVEN, 21,000 POUNDS GVW, 4X2, COMMERICAL[CUST: AT] | A | 2320 | | AT | 02-JAN-96 |
| | MIL-T-62126C NOT 2 | TRUCK, EQUIPMENT TRANSPORT, TILT PLATFORM, DIESEL AND GASOLINE ENGINE DRIVEN, 24,000 GVW, 4X2, AND 44,500 GVW, 6X4, COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-28571G NOT 1 | TRUCK, FIREFIGHTING, STRUCTURAL, 1,000 GPM, 4 BY 2[CUST: YD] [REVIEW: MC] | A | 4210 | | IS | 30-OCT-97 |
| | MIL-T-28690 NOT 1 | TRUCK, FIREFIGHTING, STRUCTURAL, 1,000 GPM, 4 BY 2 WITH 50 FOOT TELESCOPING BOOM ESCAPE LADDER AND WATER TOWER[CUST: YD] | A | 4210 | | IS | 08-JUL-97 |
| | MIL-T-28691 NOT 1 | TRUCK, FIREFIGHTING, STRUCTURAL, 1,000 GPM, 4 BY 2 WITH 65 FOOT TELESCOPINGBOOM ESCAPE LADDER AND WATER TOWER[CUST: YD] | A | 4210 | | IS | 16-OCT-97 |
| | MIL-T-19233J NOT 1 | TRUCK, FIREFIGHTING; BRUSH, GRASS, AND STRUCTURAL, 500 GPM, 4 BY 4, COMMERCIAL CHASSIS[CUST: YD] [REVIEW: MC] | A | 4210 | | IS | 30-OCT-97 |
| | MIL-T-53019(1) NOT 3 | TRUCK, FORKLIFT, ELECTRIC, FRONT/SIDE LOADING 6000/6000 POUND CAPACITY TYPE E COMMERCIAL[CUST: AT] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-9720F NOT 1 | TRUCK, LIFT, AERIAL STORES, 3000 POUNDS CAPACITY MJ-1A AND MJ-1B[CUST: 99] [REVIEW: GS] | A | 1730 | | 84 | 11-AUG-95 |
| | MIL-T-38646B NOT 1 | TRUCK, LIFT, AERIAL STORES, 7000 POUND CAPACITY MHU-83A/E[CUST: 11] [REVIEW: 84 99 GS] | A | 1730 | | 11 | 31-MAR-97 |
| | MIL-T-52864/6A NOT 3 | TRUCK, LIFT, FORK, DIESEL ENGINE DRIVEN, PNEUMATIC -TIRED, 10,000-POUND CAPACITY AT 48-INCH LOAD CENTER, 150-INCH LIFT[CUST: AT SA 99] [REVIEW: DP OS SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52864/7A NOT 3 | TRUCK, LIFT, FORK, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, 15,000-POUND CAPACITY AT 48-INCH LOAD CENTER, 210-INCH LIFT[CUST: AT SA 99] [REVIEW: DP OS SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52864/5A NOT 3 | TRUCK, LIFT, FORK, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, 20,000-POUND CAPACITY AT 24-INCH LOAD CENTER, 210-INCH LIFT[CUST: AT SA 99] [REVIEW: DP OS SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52864/2B NOT 3 | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC -TIRED, 15,000 POUND CAPACITY AT 24 INCH LOAD CENTER, 100 INCH LIFT[CUST: AT SA 99] [REVIEW: DP OS SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52864/1A NOT 3 | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC TIRED, 10,000 POUND CAPACITY AT 24 INCH LOAD CENTER, 168 INCH LIFT[CUST: AT SA 99] [REVIEW: DP OS SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52930B NOT 3 | TRUCK, LIFT, FORK, ELECTRIC, FRONT/ SIDE LOADING, SIT-DOWN, 4000/3000-POUND CAPACITY[CUST: AT SA] [REVIEW: CC MT SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52953/6A NOT 3 | TRUCK, LIFT, FORK, ELECTRIC, PNEUMATIC, 4000-POUND CAPACITY, 144-INCH LIFT[CUST: AT SA 99] [REVIEW: 84 DP MC MT SM] | A | 3930 | | AT | 18-SEP-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-52953/1B NOT 3 | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 2000-POUND CAPACITY, 144-INCH LIFT[CUST: AT SA 99] [REVIEW: 84 DP MC MT SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52953/5A NOT 3 | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 3000-POUND CAPACITY, 130-INCH LIFT[CUST: AT SA 99] [REVIEW: 84 DP MC MT SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52953/2B NOT 3 | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4000-POUND CAPACITY, 144-INCH LIFT[CUST: AT SA 99] [REVIEW: 84 DP MC MT SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52953/3B NOT 3 | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4000-POUND CAPACITY, 180-INCH LIFT[CUST: AT SA 99] [REVIEW: 84 DP MC MT SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52953/4B NOT 3 | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6000-POUND CAPACITY, 180-INCH LIFT[CUST: AT SA 99] [REVIEW: 84 DP MC MT SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52698A NOT 3 | TRUCK, LIFT, FORK, TIERING, WALKIE, STRADDLE TYPE, ELECTRIC, 2,000- AND 2,500 POUNDS[CUST: AT SA 99] [REVIEW: DP OS SH] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-53038(1) NOT 3 | TRUCK, LIFT, FORK, VARIABLE REACH, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, ROUGH TERRAIN, 6,000 POUND CAPACITY AT 24 INCH LOAD CENTER[CUST: AT] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52864/4A NOT 3 | TRUCK, LIFT, FORK: DIESEL-ENGINE-DRIVEN, PNEUMATIC TIRED, 20,000-POUND CAPACITY AT 24-INCH LOAD CENTER, 120-INCH LIFT[CUST: AT SA 99] [REVIEW: DP OS SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52864/3C NOT 3 | TRUCK, LIFT, FORK: DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 15,000-POUND CAPACITY AT 24-INCH LOAD CENTER, 210-INCH LIFT[CUST: AT SA 99] [REVIEW: DP OS SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-62674 NOT 2 | TRUCK, LIVING QUARTERS: SELF-CONTAINED, FORWARD CONTROL DIESEL OR GASOLINE DRIVEN, 14,500 TO 16,500 POUNDS GVW, 4X2, COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-62089E NOT 1 | TRUCK, MAINTENANCE, WITH ROTATING HYDRAULIC DERRICK, AIR TRANSPORTABLE, 39,500 POUNDS GVW, 6X4, COMMERCIAL[CUST: AT 99] [REVIEW: 84] | A | 2320 | | AT | 15-DEC-95 |
| | MIL-T-62501 NOT 3 | TRUCK, MAINTENANCE: WITH VERTICAL LIFT PLATFORM, GASOLINE ENGINE DRIVEN, 11,000 POUNDS GVW, 4X2, COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-11663K NOT 1 | TRUCK, MATERIALS HANDLING, CONTAINER HOISTING, REAR HOIST, 21,000 TO 32,000 POUNDS GVW, 4X2[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2320 | | AT | 22-JAN-96 |
| | MIL-T-62223B NOT 3 | TRUCK, MOBILE BLOOD DONOR AND COMPONENT LABORATORY, TILT CAB, DIESEL OR GASOLINE ENGINE DRIVEN, 24,000 POUNDS GVW, 4X2, COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-62299B NOT 3 | TRUCK, MOBILE BLOOD DONOR, WITH COMPONENT AND PROCESSING LABORATORY, 4-BED, DIESEL ENGINE DRIVEN, 33,000 POUNDS GVW, 4X2, COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-62097C NOT 1 | TRUCK, MOTOR HOME SHELL, FOR CUSTOMIZATION INTO MOBILE LABORATORY, ELECTRONICS VAN, WORK AREA, ETC., 14,000 POUNDS GVW, 4X2, MODIFIED COMMERCIAL[CUST: AT 99] [REVIEW: 84] | A | 2320 | | AT | 30-OCT-95 |
| | MIL-T-62318C NOT 1 | TRUCK, MULTISTOP DELIVERY: FORWARD CONTROL AND CHASSIS, TRUCK: FORWARD CONTROL, DIESEL AND GASOLINE ENGINE DRIVEN, 13,000 TO 21,000 POUNDS GVW, 4X2, COMMERCIAL[CUST: AT YD 99] | A | 2320 | | AT | 15-DEC-95 |
| | MIL-T-62079E NOT 1 | TRUCK, PANEL: POLICE PATROL CONVERSION, 8,000 POUNDS GVW, 4X2, COMMERCIAL[CUST: AT YD] [REVIEW: CR MC] | A | 2320 | | AT | 07-DEC-95 |
| | MIL-T-62498 NOT 2 | TRUCK, REFUSE COLLECTION: COMPACTION TYPE, ONE PERSON OPERATION, MANUAL SIDE-LOADING, 17, 29 AND 39 YARD, DUAL RIGHT AND LEFT HAND DRIVE, LOW ENTRY CAB, DIESEL ENGINE DRIVEN, 32,000, 35,000 AND 50,000 POUNDS GVW, 4X2 AND 6X4, COMMERCIAL[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2320 | | AT | 02-JAN-96 |
| | MIL-T-62497 NOT 2 | TRUCK, REFUSE COLLECTION: COMPACTION TYPE, ONE-PERSON OPERATION, AUTOMATED SIDE-LOADING, 20 YARD, DUAL RIGHT AND LEFT HAND DRIVE, DIESEL ENGINE DRIVEN, 32,000 POUNDS GVW, 4X2, WITH TILT CAB, COMMERCIAL[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2320 | | AT | 30-OCT-95 |
| | MIL-T-62316B NOT 2 | TRUCK, VAN, PANEL: CALIBRATION AND REPAIR: 3900 KILOGRAMS (8,600 POUNDS) GVW, 4X2, MODIFIED COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-62297A NOT 3 | TRUCK, VAN: FORWARD CONTROL, HIGH VOLUME, CRIME SCENE LABORATORY, GASOLINE ENGINE DRIVEN, 10,000 POUNDS GVW, 4X2, COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-46797B NOT 2 | TRUCK, WITH HIGH LIFT DUMP MECHANISM: DUMP, CARGO AND STAKE BODY TYPES, DIESEL AND GASOLINE ENGINE DRIVEN, 24,000 GVW, 4X2, COMMERCIAL[CUST: AT] | A | 2320 | | AT | 21-NOV-95 |
| | MIL-T-62087E NOT 2 | TRUCK: COMPACT FORWARD CONTROL VAN, RECRUITER, 5,400 POUNDS GVW, 4X2, COMMERCIAL[CUST: AT MC 99] [REVIEW: 84] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-STD-1320-218 NOT 2 | TRUCKLOADING AIRBOC IN PALLET CRATE, CNU-313/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 27-MAR-92 |
| | MIL-STD-1320-112A NOT 3 | TRUCKLOADING BOMB 500 LB. MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, MHU-122/E FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1320-267 NOT 1 | TRUCKLOADING BOMB, 2000 LB. BLU-109-A/B (THERMALLY PROTECTED) IN PALLET, BOMB, S/S, MHU-212/E (DWG # 3336AS100)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1320-104 NOT 2 | TRUCKLOADING BOMB, 500 LB. MK 82 MOD 2 (THERMALLY PROTECTED) ON BOMB PALLET MK 9 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1320-220 NOT 2 | TRUCKLOADING MINE UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 640 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 27-MAR-92 |
| | MIL-STD-1320-206A NOT 2 | TRUCKLOADING MINE UNDERWATER, MK 55 AND MODS CONFIGURATION B & C IN CRATE MK 55 MOD 1 WITH ADAPTERS MK 112 MOD 0 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 27-MAR-92 |
| | MIL-STD-1320-217 NOT 2 | TRUCKLOADING MINE, UNDERWATER MK 52 "CONFIGURATION A" IN CRATE MK 110 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 14-APR-92 |
| | MIL-STD-1320-187B NOT 2 | TRUCKLOADING MINE, UNDERWATER MK 52 AND MODS CONFIGURATION B, C AND D IN CRATE, UNDERWATER MINE MK 52 AND MODS DOMESTIC AND UNDERWAY REPLENISHMENT UNIT LOADS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1320-49A NOT 2 | TRUCKLOADING MINE, UNDERWATER MK 55 AND MODS IN CRATE UNDERWATER MINE MK 55 MOD 1 DOMESTIC UNIT LOAD WR-53/714[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 27-MAR-92 |
| | MIL-STD-1320-186A(1) NOT 3 | TRUCKLOADING MINE, UNDERWATER MK 57 MOD 0 "CONFIGURATION A" IN CRATE MK 109 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1320-183A(1) NOT 3 | TRUCKLOADING MINE, UNDERWATER MK 65 MOD 0 SERVICE AND EXERCISE AND TRAINING IN SKID MK 25 MOD 2[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1320-215(1) NOT 3 | TRUCKLOADING MINE, UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 258 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 27-MAR-92 |
| | MIL-STD-1320-216 NOT 1 | TRUCKLOADING MINE, UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 318 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 27-MAR-92 |
| | MIL-STD-1320-219 NOT 2 | TRUCKLOADING MINE, UNDERWATER MK 67, SERVICE OR EXERCISE AND TRAINING IN CONTAINER MK 704 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 27-MAR-92 |
| | MIL-STD-1320-269 NOT 1 | TRUCKLOADING MIXED TRUCKLOAD FOR GUIDED MISSILE, AGM-84-E AND ATM-84-E (SLAM) IN CONTAINER MK 724 MODS 0 & 1 OR WOOD BOX # SC1943AS0100-501MH AND GUIDED MISSILE, AGM-84-F AND ATM-84F-1C (BLOCK ID) IN CONTAINER CNU-495/E OR WOOD BOX #SC1657AS2100-501MH[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1320-75A NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING, 5 INCH /54 FLEET ISSUE UNIT LOAD[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1320-168(2) NOT 4 | TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 52 IN CRATE MK 52 MOD 0 "CONFIGURATION B" SUB ASSEMBLY WITH ASSOCIATED FLIGHT GEAR[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1320-167(2) NOT 4 | TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 55 AND MOD 0 IN CRATE MK 55 MOD 1 (CONFIGURATION B) SUB ASSEMBLY W/ASSOCIATED FLIGHT GEAR[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1320-166 NOT 3 | TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 56 MOD 0 IN CRATE MK 56 "CONFIGURATION B" SUB ASSEMBLY WITH ASSOCIATED FLIGHT GEAR[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 27-MAR-92 |
| | MIL-STD-1320-17A NOT 1 | TRUCKLOADING TERRIER MISSILE AND STANDARD(ER) MISSILE IN CONTAINER MK 199 MOD 0 AND 1[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1320-55 NOT 2 | TRUCKLOADING TRAILER-ON-FLAT-CAR (TOFC) OR CONTAINER-ON-FLAT-CAR (COFC) MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 MOD 0 DOMESTIC AND UNDERWAY REPLENISHMENT UNIT LOADS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 27-MAR-92 |
| | MIL-T-62735 NOT 1 | TRUCKS AND TRUCK TRACTORS: MODIFIED COMMERCIAL, GENERAL SPECIFICATION FOR[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2320 | | AT | 13-DEC-96 |
| | MIL-T-62319C NOT 1 | TRUCKS, CARGO: DIESEL OR GASOLINE ENGINE DRIVEN, 19,000 TO 24,000 POUNDS GVW, 4X2 AND 4X4, COMMERCIAL[CUST: AT YD 99] [REVIEW: 84] | A | 2320 | | AT | 13-DEC-96 |
| | MIL-T-62058E NOT 2 | TRUCKS, FLATBED: AND TRUCKS, MAINTENANCE: WITH TELESCOPIC BOOM MOUNTED AERIAL PLATFORM, 8.5 TO 18.3 METERS (28 TO 60 FOOT), MODIFIED COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-13300E NOT 2 | TRUCKS, HOPPER: COAL DELIVERY, CONVEYOR TYPE, DIESEL ENGINE DRIVEN, 24,000 GVW, 4X2 AND 39,500 GVW, 6X4, MODIFIED COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-52843C(1) NOT 3 | TRUCKS, LIFT, FORK, DIESEL-ENGINE-DRIVEN: PNEUMATIC TIRED, ROUGH TERRAIN; 10,000 POUND CAPACITY AT 48-INCH LOAD CENTER[CUST: AT SA 99] [REVIEW: 84 CC MT] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52941B NOT 3 | TRUCKS, LIFT, FORK, DIESEL-ENGINE-DRIVEN: PNEUMATIC-TIRED, ROUGH TERRAIN; 4,000 POUND CAPACITY AT 24-INCH LOAD CENTER[CUST: AT SA 99] [REVIEW: 84 DP OS] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52953C SUP 1 NOT 3 | TRUCKS, LIFT, FORK, ELECTRIC MOTOR DRIVEN, 2000-3000-4000-6000 POUND CAPACITY GENERAL SPECIFICATION FOR[CUST: AT SA 99] [REVIEW: 84 DP MC MT SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-52864D SUP 1 NOT 3 | TRUCKS, LIFT, FORK: DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 10,000, 15,000 AND 20,000 POUND CAPACITY; GENERAL SPECIFICATION FOR[CUST: AT SA 99] [REVIEW: DP OS SM] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-62518A NOT 1 | TRUCKS, MAINTENANCE: WITH 9 TO 37 METERS (30 TO 120 FOOT) MULTI-POSITION AERIAL PLATFORM, MODIFIED COMMERCIAL[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2320 | | AT | 07-DEC-95 |
| | MIL-T-45380E NOT 2 | TRUCKS, MAINTENANCE: EARTH AUGER, TURNTABLE BASE, DIESEL ENGINE DRIVEN, 28,000 POUNDS GVW, 4X4, MODIFIED COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-62110G NOT 1 | TRUCKS, MAINTENANCE: WITH ROTATING HYDRAULIC DERRICK, 32,000 TO 44,500 GVW, 4X2, 4X4, 6X4, AND 6X6, COMMERCIAL[CUST: AT YD 99] [REVIEW: 84] | A | 2320 | | AT | 30-OCT-95 |
| | MIL-T-62531 NOT 1 | TRUCKS, MILITARY, UP TO 5 METRIC TON PAYLOAD, GENERAL SPECIFICATION FOR[CUST: AT] | A | 2320 | | AT | 02-JAN-96 |
| | MIL-T-17760G NOT 3 | TRUCKS, PALLET, POWERED, ELECTRIC, NON-TIERING, INDUSTRIAL, WALKIE, WALKIE-RIDER, HAND GUIDED[CUST: AT SA 99] [REVIEW: DP] | A | 3930 | | AT | 18-SEP-98 |
| | MIL-T-62021E NOT 2 | TRUCKS, PIPE AND SEWER CLEANER: HIGH PRESSURE WATER JET TYPE, 5680 LITER (1,500 GALLON), 12 700 KILOGRAMS (28,000 POUNDS) GVW, 4X2, MODIFIED COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-46748H NOT 2 | TRUCKS, REFUSE COLLECTION: WITH FRONT CONTAINER HOIST; 20 200 TO 25 400 KILOGRAMS (44,500 TO 56,000 POUNDS) GVW, 6X4, WITH TILT CAB, MODIFIED COMMERCIAL[CUST: AT MC 99] [REVIEW: 84] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-T-2452J NOT 1 | TRUCKS, REFUSE COLLECTION: COMPACTION TYPE, REAR HOPPER LOADING, WITH TILT CAB, DIESEL AND GASOLINE ENGINE DRIVEN, 19,000 TO 44,500 POUNDS GVW, 4X2 AND 6X4, 10 TO 25 YARD, COMMERCIAL[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2320 | | AT | 30-OCT-95 |
| | MIL-T-62032H NOT 1 | TRUCKS, TANK: FUEL SERVICING AND AIRCRAFT FUEL SERVICING, 1,000 TO 4,000 GALLON, DIESEL AND GASOLINE ENGINE DRIVEN, 16,000 TO 50,000 POUNDS GVW, 4X2, 4X4, 6X4, AND 6X6, MODIFIED COMMERCIAL[CUST: AT YD 99] [REVIEW: 84 AV] | A | 2320 | | AT | 02-JAN-96 |
| | MIL-T-46765D NOT 2 | TRUCKS, TANK: SEWAGE AND WASTE, DUMP TYPE, 4550 AND 7570 LITER (1200 AND 2000 GALLON), MODIFIED COMMERCIAL[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-PRF-62321D | TRUCKS, TANK: POTABLE WATER, 1000 AND 2200 GALLON, DIESEL AND GASOLINE ENGINE DRIVEN, 19,000 AND 34,500 POUNDS GVW, 4X2, 4X4, AND 6X4, COMMERCIAL[CUST: AT MC 99] [REVIEW: 84] | A | 2320 | | AT | 20-MAR-97 |
| | MIL-T-62320C NOT 1 | TRUCKS, VAN: SHOP, DIESEL AND GASOLINE ENGINE DRIVEN, 19,000 POUNDS GVW, 4X2 AND 4X4, COMMERCIAL[CUST: AT 99] | A | 2320 | | AT | 13-DEC-96 |
| | MIL-T-62491C NOT 1 | TRUCKS, WRECKER: 4540 TO 40 820 KILOGRAMS (5-TON TO 45-TON) LIFTING CAPACITY, MODIFIED COMMERCIAL[CUST: AT YD 99] [REVIEW: 84] | A | 2320 | | AT | 13-DEC-96 |
| | MIL-T-62145E NOT 1 | TRUCKS: ELEVATING BODY, DIESEL AND GASOLINE ENGINE DRIVEN, 21,000 TO 39,500 POUNDS GVW, 4X2 AND 6X4, COMMERCIAL[CUST: AT YD 99] [REVIEW: 84 MC] | A | 2320 | | AT | 15-DEC-95 |
| | MIL-T-12407X NOT 1 | TRUCKS: PATIENT TRANSPORT, VAN CONVERSION, DIESEL OR GASOLINE ENGINE DRIVEN, 4X2 AND 4X4, MODIFIED COMMERCIAL[CUST: AT] | A | 2310 | | AT | 13-DEC-96 |
| | MIL-T-740G NOT 2 | TRUCKS; 5 TON, 6X6, MILITARY DESIGN, M39, M39A1, M39A2 AND M809 SERIES[CUST: AT YD 99] [REVIEW: 11 CG MC] | A | 2320 | | AT | 30-OCT-95 |
| | MS39323A NOT 1 | TUBE - REDUCER, 37-DEGREE FLARE (USE SAE-J514)[CUST: AT 99 CC] [REVIEW: 71 AR] | A | 4730 | | CC | 17-AUG-99 |
| | AN5816 REV 6 | TUBE PITOT STATIC, STRAIGHT, ELECTRICALLY HEATED[CUST: AV AS] [REVIEW: 11 GS] | A | 6610 | | AS | 17-SEP-53 |
| | MIL-T-50777A NOT 1 | TUBE, ALUMINUM ALLOY, 2024, SEAMLESS (FOR PROPELLANT ACTUATED DEVICES)[CUST: OS] | A | 1377 | | OS | 13-JUL-99 |
| | MIL-T-46515 NOT 3 | TUBE, BURSTER, FOR BURSTER, PROJECTILE, T46E3, INERT[CUST: AR] | A | 1315 | | AR | 12-FEB-97 |
| | MIL-T-48604(3) NOT 1 | TUBE, LASER, PLASMA, HELIUM NEON: 11746797[CUST: AR] | A | 1240 | | AR | 13-AUG-97 |
| | MIL-T-5421B(2) NOT 1 | TUBE, PITOT, ELECTRICALLY HEATED, AIRCRAFT[CUST: AV AS 11 GS1] | A | 6610 | | GS1 | 05-MAY-99 |
| | MIL-T-425J NOT 1 | TUBE, STEEL: PIPELINE SECTION; WITH GROOVED NIPPLE WELDED ON EACH END[CUST: AT YD 99] [REVIEW: 71 CC MC] | A | 4710 | | AT | 15-SEP-98 |
| | MS23005E NOT 1 | TUBE-OIL COOLER[CUST: AV AS 99] [REVIEW: 71 GS] | A | 2935 | | AS | 28-AUG-96 |
| | MIL-T-15089C(1) NOT 1 | TUBING, ALUMINUM ALLOY, ROUND, SEAMLESS (FOR ROCKET MOTORS)[CUST: OS] [REVIEW: CC] | A | 4710 | | OS | 13-JUL-99 |
| | SAE-AMS-T-5066 | TUBING, CARBON STEEL (1025), (AIRCRAFT QUALITY)[CUST: MR AS 11] | A | 4710 | | 11 | JUN-99 |
| | SAE-AMS-T-6736 | TUBING, CHROME-MOLYBDENUM (4130 OR 8630) STEEL, SEAMLESS AND WELDED[CUST: MR AS 11] | A | 4710 | | 11 | DEC-98 |
| | SAE-AMS-T-6735 | TUBING, CHROME-MOLYBDENUM, 4135 STEEL, SEAMLESS AIRCRAFT QUALITY[CUST: MR AS 11] | A | 4710 | | 11 | DEC-98 |
| | MIL-T-47051A NOT 1 | TUBING, HEAT SHRINKABLE[CUST: MI] [REVIEW: GS] | A | 5970 | | MI | 31-OCT-95 |
| | MIL-T-3595B NOT 1 | TUBING, PHOSPHOR BRONZE: (CDA NO. 510) ROUND, SEAMLESS[CUST: MR AS 11] [REVIEW: 99 CR4 EA OS] | A | 4710 | | AS | 01-APR-90 |
| | MIL-T-81914/2 NOT 2 | TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, POLYTETRAFLUOROETHYLENE CLOSE CONVOLUTION (FUTURE DESIGN SHOULD REFER TO SAE-AMS-T-81914/2)[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 03-JUN-04 |
| | MIL-T-81914 SUP 1 NOT 1 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, CONDUIT GENERAL SPECIFICATION FOR (USE SAE-AMS-T-81914)[CUST: AS] [REVIEW: GS MI] | A | 5975 | | AS | 18-DEC-98 |
| | MIL-T-81914/6 NOT 2 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, ETHYLENE-TETRAFLUOROETHYLENE, STANDARD CONVOLUTION (FUTURE DESIGN SHOULD REFER TO SAE-AMS-T-81914/6)[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 03-JUN-04 |
| | MIL-T-81914/7 NOT 4 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, FLUORINATED ETHYLENE PROPYLENE, INTEGRAL BRAID (FUTURE DESIGN SHOULD REFER TO SAE-AMS-T-81914/7)[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 03-JUN-04 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-T-81914/1 NOT 2 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, POLYTETRAFLUOROETHYLENE, STANDARD CONVOLUTIONS (FUTURE DESIGN SHOULD REFER TO SAE-AMS-T-81914/1)[CUST: MI AS] [REVIEW: GS] | A | 5975 | | AS | 03-JUN-04 |
| | MIL-T-81914/3 NOT 2 | TUBING, PLASTIC, FLEXIBLE, CONVOUTED, FLUORINATED ETHYLENE PROPYLENE, STANDARD CONVOLUTION (FUTURE DESIGN SHOULD REFER TO SAE-AMS-T-81914/3)[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 03-JUN-04 |
| | MIL-T-15119A NOT 1 | TUBING, ROUND, SEAMLESS ALLOY STEEL[CUST: OS] | A | 4710 | | OS | 22-APR-98 |
| | MIL-T-8808B NOT 5 | TUBING, STEEL, CORROSION-RESISTANT (18-8 STABILIZED), AIRCRAFT HYDRAULIC QUALITY (USE SAE-AMS5556 AND SAE-AMS5557)[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 07-AUG-00 |
| | MIL-T-8606C(2) NOT 4 | TUBING, STEEL, CORROSION-RESISTANT (18-8 STABLIZED AND EXTRA LOW CARBON) (USE SAE-AMS5560, SAE-AMS5563, SAE-AMS5564, SAE-AMS5565, SAE-AMS5566, SAE-AMS5567, SAE-AMS5569, SAE-AMS5570, SAE-AMS5571, SAE-AMS5639 AND SAE-AMS5668)[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 28-JUL-00 |
| | MIL-T-8504B NOT 3 | TUBING, STEEL, CORROSION-RESISTANT (304), AEROSPACE VEHICLE HYDRAULIC SYSTEMS, ANNEALED, SEAMLESS AND WELDED[CUST: MR AS 11] [REVIEW: 99] | A | 4710 | | 11 | 10-MAY-02 |
| | MIL-T-5695D NOT 4 | TUBING, STEEL, CORROSION-RESISTANT (304), COLD DRAWN[CUST: AS 11] [REVIEW: 71 99 EA] | A | 4710 | | 11 | 28-JUL-00 |
| | SAE-AMS-T-8506 | TUBING, STEEL, CORROSION-RESISTANT, (304), ANNEALED,, SEAMLESS AND WELDED[CUST: MR AS 11] | A | 4710 | | 11 | 05-FEB-99 |
| | MIL-T-48140(1) NOT 4 | TUNGSTEN POWDER (FOR PYROTECHNICS)[CUST: AR] | A | 1376 | | AR | 05-MAR-97 |
| | MIL-T-44237B NOT 1 | TURKEY SLICES WITH GRAVY, THERMOSTABILIZED, TRAY PACK[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 26-SEP-97 |
| | MS33591B NOT 2 | TURNBUCKLE, LOCK WIRING OF[CUST: AS] | A | 5340 | | AS | 15-SEP-94 |
| | MIL-T-63531 NOT 2 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2, UNIVERSAL BORESIGHT KIT FOR[CUST: AR] | A | 1005 | | AR | 19-AUG-97 |
| | MIL-T-63535 NOT 1 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20 MM, M97E1 AND M97E2, ELECTRIC DRIVE MOTOR FOR[CUST: AR] | A | 1005 | | AR | 16-DEC-95 |
| | MIL-T-63520 NOT 2 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2, GUN CONTROL ASSEMBLY FOR[CUST: AR] | A | 1005 | | AR | 19-AUG-97 |
| | MIL-T-63533 NOT 2 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2[CUST: AR] | A | 1005 | | AR | 20-AUG-97 |
| | MIL-T-63534 NOT 2 | TURRET SUBSYSTEM, UNIVERSAL (UTS), FOR ARAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2, TURRET CONTROL UNIT FOR[CUST: AR] | A | 1005 | | AR | 20-AUG-97 |
| | MIL-DTL-83196C NOT 1 | UNDERWEAR, DOUBLE-KNITTED, ANTI EXPOSURE CWU-22/P[CUST: 99] | A | 8475 | | 11 | 01-DEC-98 |
| | MIL-U-17293D NOT 2 | UNIT HEATER, AIR-CIRCULATING, STEAM (SHIPBOARD USE)[CUST: SH] [REVIEW: CC] | A | 4520 | | SH | 22-APR-98 |
| | MIL-STD-1322-811 NOT 2 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT BOMB, PRACTICE MK 106 MOD 5[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-88 NOT 1 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT EXPLOSIVE SECTION. DESTRUCTOR, MK 14 MOD 0. LOADED IN CONTAINER. SHIPPING & STORAGE. DL5468241[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-70 NOT 1 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT FIRING DEVICE KIT, MK 48 MOD 0 IN M2A1 CONTAINER[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-87 NOT 1 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT KIT. FIRING DEVICE. TRAINING ADAPTER. MK 122 MOD O IN M19 SERIES METAL BOX OVERPACKED IN WIREBOUND BOX[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-86 NOT 1 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT MK 24 MOD 2 FIRING DEVICE. DEMOLITION IN WOOD BOX[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-69 NOT 1 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT MK 42 MOD 6 FIRING MECHANISM IN SMALL ARMS AMMUNITION BOX MK 1 MOD O[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-82 NOT 1 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT STANDARD MISSILE SM-2 BLOCK II SAFETY & ARMING DEVICE, MK 51 MOD0 & MK 76 MOD 0 IN CONTAINER, MK 688 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-66 NOT 1 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT TARGET DETECTING DEVICE MK 58 MOD 0 IN CONTAINER DWG 3268734[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-60 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 2.75 INCH ROCKET MOTOR, MK 66 IN CONTAINER MK 1 MOD O[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-77 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 5 INCH G.P. WARHEAD MK 109 MOD 0 IN CONTAINER M548[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-52 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 5 INCH-54 PROJECTILES WITH WATERPROOF PROTECTING CAPS, MK 4 MOD 0 OR MK 10 MOD 1[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-65 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ADAPTER, TARGET DETECTING DEVICE MK 141 IN CONTAINER DWG. 5003172 FOR MK 67 UNDERWATER MINE[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1322-111 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT AMRAAM CONTROL SECTION IN CONTAINER, CNU-402/E OR AMRAAM WARHEAD SECTION IN CONTAINER, CNU-403/E[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-64 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ARMING DEVICES MK 2 MODS AND MK 36 MOD 0 IN MK 2 MOD 0 AMMUNITION COMPONENT BOX[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-75 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BATTERY MK 46 IN CONTAINER DWG 5167267[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-63 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BATTERY, MERCURY MK 131 OR BATTERY, MERCURY MK 132 IN CONTAINER DWG 3268750[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-89 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BATTERY, PRIMARY, ALKALINE, MK 141 MOD 0 IN CONTAINER, SHIPPING AND STORAGE DL5468249[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-51 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BOMB, PRACTICE BDU-48/B[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-59 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CARTRIDGE, 40 MM., MK 162 MOD 0 IN 40 MM. AMMUNITION BOX MK 1 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-54 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CARTRIDGE, CALIBER 9 MM: BALL, PARABELLUM IN AMMUNITION BOX M 2A1 OVERPACKED IN WIREBOUND WOODEN BOX[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-99 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CHARGES, SHAPED, LINEAR, FLEXIBLE, (FLSC) 20 GRAINS/FT THROUGH 600 GRAINS/FT IN PALLET ADAPTER, MK 144 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-848 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CRYPTOGRAPHIC EQUIPMENT DESTROYERS, INCENDIARY, M1A2 W/TH4[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-815 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CUTTER, POWDER ACTUATED MK 23 MOD 0 OR CUTTER, POWDER ACTUATED MK 24 MOD 0 IN AMMUNITION BOX M2A1[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1322-100 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLODER ASSEMBLY. MK 20 MOD 0 IN CONTAINER MK 569 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-68 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLODER MECHANISM, MK 19 MOD 15 IN CONTAINER, MK 4 MOD 2[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-STD-1322-106(1) NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLOSIVE SECTION, MK 15 MOD 0 IN CONTAINER, SHIPPING AND STORAGE, DL6209352[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-865 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FAIRING, UNDERWATER MINE, MK 19 TYPE WITH FINS AND HARDWARE, F/MINE MK 52[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1322-833 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FAIRING, UNDERWATER MINE, MK 20 TYPE FOR MINE MK 55[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-102 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FIREBOMB, MK 77 MOD 5 ASSEMBLY (WITH DRY FUEL GELLING MIX) IN WOODEN CRATE[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-105A NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FIRING DEVICE, MK 50 MOD 0 IN CONTAINER, SHIPMENT AND STORAGE, DL6209345[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-98 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FUZE, DISPENSER PROXIMITY FMU-140/B IN M592 CONTAINER[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-48 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MARKER, LOCATION, MARINE MK 25 MOD 3 IN CONTAINER LD615124[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-715B NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 AND MODS (LOADED)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1322-80 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 117 JATO ROCKET MOTOR IN WOOD BOX[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-47 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 309 MOD O IGNITER IN WOOD BOX[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-94 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PACK, PARACHUTE, UMN, MK 35 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 52 IN CONTAINER, SHIPPING, DL 5990531[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1322-93 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PACK, PARACHUTE, UMN, MK 36 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 55 IN CONTAINER, SHIPPING, DL 5990532[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1322-862 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROJECTILE, 5-INCH/54, MK 41, MK 48, MK 55, MK 61, MK 64, MK 65 AND MODS (EMPTY) AND FSN 1320-01-028-4929 EL-P (EXPL. LOADED) W/O FUSE IN PALLET ADAPTER MK 11 AND MODS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-53 NOT 3 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROPELLANT GRAIN MK 90 MOD 0 IN CONTAINER DWG 233AS171 PACKED IN PALLET CRATE MK 2 MOD 0[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-58 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROPELLANT, FOR MK 57 UNDERWATER MINE IN CONTAINER DL 5166866[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1322-107 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT RANGE AND AIRFRAME SEPARATION PROGRAMMER (RASP) MK 9 MOD O AND PAYLOAD CABLE ASSEMBLY 2541442, IN CONTAINER MK 589 MOD O[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-883A NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ROCKET MOTOR, JATO, MK 6 MOD 1 OR 2 OR ROCKET MOTOR, JATO, MK 128 MOD 0 OR 1[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-103A NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ROCKET MOTORS, JATO MK 128 MOD 1[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-79 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SAFETY ARMING DEVICE ASSEMBLY, MK 75 IN AMMUNITION BOX M2A1[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-44 NOT 3 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SAFETY DEVICE ARMING GROUP, MK 45 TYPE IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1322-62 NOT 3 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SLMM EXERCISE HEAD MK 91 MOD 0 IN CONTAINER MK 639 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1322-61 NOT 4 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SLMM EXPLOSIVE SECTION MK 13 MOD 0 IN CONTAINER MK 639 MOD 0[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1322-50 NOT 3 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT STANDARD MISSILE CONTROL SURFACES MK 26 MOD 0 AND MK 36 MOD 0 IN MK 492 MOD 1 CONTAINER[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-78 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT TAIL SECTION MK 7 TYPE IN CONTAINER DWG 5363565[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-FEB-93 |
| | MIL-STD-1322-90 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS MK 5, MK 10, MK 51, MK 90, MK 91, MK 115 AND MODS OR TELEMETERING INSERTS AN/DKT-26, AN/DKT-27, AN/DKT-42 AND MODS IN CONTAINER, MK 211 AND MODS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-49 NOT 2 | UNIT LOAD FOR DOMESTIC SHIPMENT ONLY CABLE ASSEMBLIES, ASROC-MK 10 MOD O, MK 21 MOD 0, AND MK 29 MOD 0 IN CONTAINER DWG. 1806337[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-806 NOT 3 | UNIT LOAD FOR DOMESTIC& OVERSEAS SHIPMENT C ARTRIDGE, SIGNAL, PRACTICE BOMB MK 4 MOD 3 OR CXU-3 A/B IN BOX, AMMUNITION M2A1[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-72 NOT 1 | UNIT LOAD FOR DOMESTICAND OVERSEAS SHIPMENT PROJECTILE 5-INCH/54, HI-FRAG (EMPTY) IN PALLET ADAPTER MK11 MOD 2[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1322-329 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AMRAAM, AIM-120A IN CONTAINER, CNU-415/E[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| | MIL-STD-1323-316 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FAIRING, UNDERWATER MINE, MK 19 TYPE WITH FINS AND HARDWARE, F/MINE MK 52[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1323-227 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FAIRING, UNDERWATER MINE, MK 20 TYPE FOR MINE MK 55[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1323-246 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 52 IN CONTAINER MK 585 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1323-245 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 55 IN CONTAINER MK 586 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1323-244 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 56 IN CONTAINER MK 587 MOD 0[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1323-208A NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 AND MODS[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1323-209 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATIONS "B", "C" AND "D" IN CRATE MK 55 MOD 1 WITH CRATE ADAPTERS MK 112 MOD 0 (LOADED)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1323-341 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PACK, PARACHUTE, UMN, MK 35 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 52 IN CONTAINER, SHIPPING, DL 5990531[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 15-OCT-92 |
| | MIL-STD-1322-113 NOT 1 | UNIT LOAD MK 165 MOD 0 ADAPTER SILL ASSY[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 13-JUL-99 |
| A | MIL-DTL-10866E | UREA, TECHNICAL (METRIC)[CUST: MD1 OS 11] [REVIEW: AS] | A | 6810 | | GS3 | 02-AUG-05 |
| | MS35688A NOT 2 | V - BEARING (SPRING, LOADED THROW OUT TYPE)[CUST: AR MC GS4] [REVIEW: AT] | A | 3120 | | GS4 | 14-JAN-03 |
| | MIL-V-82466(1) NOT 1 | VACUUM-AIR-NITROGEN DISTRIBUTION SYSTEM[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-STD-1656 NOT 1 | VALIDATION PLANS FOR NAVAL ORDNANCE OVERHAUL AND REPAIR ACTIVITIES, PREPARATION OF[Military Standard][CUST: OS] | A | MISC | | OS | 13-JUL-99 |
| | AN6287 REV 5 NOT 2 | VALVE - AIR HIGH PRESSURE 3/4 HEX[CUST: AV 99] | A | 4820 | | 71 | 03-FEB-04 |
| | MS29530D NOT 1 | VALVE - FUEL DRAIN, SELF-LOCKING, LINE MOUNTED[CUST: AV AS 99] [REVIEW: CC MC] | A | 4820 | | 71 | 02-OCT-96 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | AN6014 REV 2 NOT 2 | VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE A[CUST: AS 99] [REVIEW: 11] | A | 4820 | | AS | 31-JAN-96 |
| | AN6015 REV 6 NOT 2 | VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE B[CUST: AV AS 99 CC] [REVIEW: 11] | A | 4820 | | CC | 28-APR-99 |
| | AN6017 REV 2 NOT 1 | VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE D[CUST: AS] [REVIEW: 11] | A | 4820 | | AS | 31-JAN-96 |
| | MS28016B NOT 1 | VALVE - HYDRAULIC DUAL THERMAL EXPANSION RELIEF[CUST: AS 99] [REVIEW: CC] | A | 4820 | | AS | 05-MAR-97 |
| | AN6211 REV 3 NOT 3 | VALVE - IN LINE TYPE 6 GPM HYDRAULIC DIRECTIONAL CONTROL[CUST: 99] | A | 4820 | | 71 | 02-NOV-93 |
| | MS29593A NOT 2 | VALVE - OIL COOLER TEMPERATURE REGULATING WITH SURGE PROTECTION[CUST: 99] [REVIEW: GS] | A | 2935 | | 71 | 27-OCT-95 |
| | AN6213 REV 3 NOT 2 | VALVE - RADIAL TYPE 3-1/2 G.P.M. HYDRAULIC DIRECTIONAL CONTROL[CUST: 99] | A | 4820 | | 71 | 04-AUG-92 |
| | AN6214 REV 3 NOT 2 | VALVE - RADIAL TYPE 6 GPM HYDRAULIC DIRECTIONAL CONTROL[CUST: 99] | A | 4820 | | 71 | 15-MAY-92 |
| A | AN6207 REV 4 NOT 2 | VALVE AND 1500 PSI HYDRAULIC CHECK[CUST: AV AS] [REVIEW: MI] | A | 1650 | | GS1 | 19-SEP-05 |
| A | AN6280 REV 2 NOT 2 | VALVE AND 3000 PSI HYDRAULIC CHECK INTERNAL PARTS[CUST: AV AS] [REVIEW: MI] | A | 1650 | | GS1 | 19-SEP-05 |
| A | AN6245 REV 4 NOT 2 | VALVE AND HYDRAULIC THERMAL EXPANSION RELIEF[CUST: AV AS] [REVIEW: MI] | A | 1650 | | GS1 | 24-OCT-05 |
| | MIL-DTL-7560D(1) NOT 1 | VALVE ASSEMBLY, OXYGEN CYLINDER, BAILOUT[CUST: AV AS 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 22-JAN-99 |
| | MIL-DTL-7560/1A | VALVE ASSEMBLY, OXYGEN CYLINDER, BAILOUT[CUST: AV AS 99 GS] | A | 1660 | | 71 | 22-JAN-99 |
| | MIL-V-8965B NOT 1 | VALVE CORE, OXYGEN, HIGH PRESSURE[CUST: AS 11] [REVIEW: 71 GS] | A | 1660 | | AS | 23-JUL-97 |
| | MIL-V-82444A NOT 1 | VALVE FUEL TANK PRESSURIZATION[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | AN6278 REV 3 NOT 1 | VALVE HYDRAULIC-SHUTTLE, 3,000 PSI (UNIVERSAL AND INTERNAL THREAD FITTING OUTLET)[CUST: 99] | A | 4820 | | 71 | 15-MAR-91 |
| | MIL-V-23219 NOT 1 | VALVE MANIFOLDS, HIGH PRESSURE AIR REDUCING[CUST: SH] | A | 4730 | | SH | 22-APR-98 |
| | MS28892A NOT 1 | VALVE, 3,000 PSI HYDRAULIC CHECK, FLARELESS, TYPE II SYSTEMS[CUST: AS 99] [REVIEW: CC GS] | A | 1650 | | AS | 11-JUN-97 |
| A | AN6249 REV 2 NOT 2 | VALVE, 3000 PSI HYDRAULIC CHECK[CUST: AV AS] [REVIEW: MI] | A | 1650 | | GS1 | 19-SEP-05 |
| | AN6293 REV 3 NOT 4 | VALVE, 4-WAY ROTARY SELECTOR, 3,000 PSI, NON-INTERFLOW[CUST: 99] | A | 4820 | | 71 | 08-JAN-04 |
| | MS28889L NOT 2 | VALVE, AIR, HIGH PRESSURE CHARGING, 5000 PSI[CUST: AV AS 99] | A | 4820 | | 71 | 18-JUN-04 |
| | MS28886C NOT 2 | VALVE, AIRCRAFT HYDRAULIC FLOW REGULATOR[CUST: AS] [REVIEW: CC] | A | 4820 | | AS | 14-MAY-97 |
| | MIL-V-5525C(1) NOT 1 | VALVE, AIRCRAFT POWER BRAKE[CUST: AV AS] [REVIEW: 99 GS MI] | A | 1630 | | AS | 10-SEP-97 |
| | MIL-V-8813(2) NOT 1 | VALVE, AIRCRAFT, HYDRAULIC PRESSURE RELIEF, TYPE II SYSTEMS (ASG)[CUST: AV AS 99] [REVIEW: CC] | A | 4820 | | AS | 17-SEP-97 |
| | MS24350J NOT 2 | VALVE, AUTOMATIC PRESSURE REGULATING, ANTI-G SUIT[CUST: AS 11] [REVIEW: 99 GS] | A | 1660 | | AS | 27-AUG-97 |
| | MIL-V-24394(1) NOT 1 | VALVE, AUTOMATIC SHUT OFF, FOR GAS SERVICE (SIZES 1/4 TO 2 INCHES IPS) (FOR NEW DESIGN CONSIDERATION SHALL BE GIVEN TO ASTM-F1793)[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 22-JUN-99 |
| | MIL-V-9370D(2) NOT 1 | VALVE, AUTOMATIC, PRESSURE REGULATING, ANTI-G SUIT[CUST: AS 99] [REVIEW: 71 GS] | A | 1660 | | AS | 21-JUN-01 |
| | MIL-V-85033A NOT 1 | VALVE, CHARGING[CUST: AS] | A | 1055 | | AS | 15-SEP-95 |
| | MIL-V-7899C NOT 1 | VALVE, CHECK, AIRCRAFT FUEL SYSTEM[CUST: AV AS 99] [REVIEW: CC CR4 MI] | A | 4820 | | 71 | 11-MAR-96 |
| | MS21211B NOT 3 | VALVE, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS[CUST: AV AS 99] | A | 4820 | | 71 | 14-JAN-04 |
| | MS28768A NOT 3 | VALVE, CHECK, CONTROLLABLE, PLUNGER-TYPE, HYDRAULIC, 3,000 PSI, TYPE II SYSTEMS (ASG)[CUST: AS 99] [REVIEW: CC] | A | 4820 | | AS | 04-FEB-04 |
| | MS28764A NOT 1 | VALVE, CHECK, CONTROLLABLE, ROTARY-ACTION, HYDRAULIC, 3,000 PSI, TYPE II SYSTEMS (ASG)[CUST: AS 99] [REVIEW: CC] | A | 4820 | | AS | 30-APR-99 |
| | MIL-V-25513F NOT 2 | VALVE, CHECK, FOR 300 PSI LIQUID OXYGEN CONVERTER SYSTEMS, TYPE MH-1[CUST: 99] [REVIEW: 11 CC] | A | 4820 | | 71 | 06-SEP-99 |
| | MS21430A NOT 1 | VALVE, CHECK, FUEL AND AIR, POPPET TYPE, ZERO, LEAK[CUST: AV AS 99] [REVIEW: 71 CR4 MI] | A | 4820 | | CC | 15-OCT-98 |
| | MIL-V-5524B(2) NOT 2 | VALVE, CHECK, HYDRAULIC, AIRCRAFT, TYPE I SYSTEMS (ASG)[CUST: AS 99] [REVIEW: CC MI] | A | 4820 | | AS | 07-AUG-96 |
| | MIL-V-19069B(1) NOT 1 | VALVE, CHECK, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS[CUST: AS 99] | A | 4820 | | AS | 25-AUG-98 |
| | MS28771C NOT 1 | VALVE, CHECK, HYDRAULIC, FLARED, 3,000 PSI, TYPE II SYSTEMS[CUST: AS 99] [REVIEW: CC CR4 MI] | A | 1650 | | AS | 30-APR-99 |
| | MS28765C NOT 1 | VALVE, CHECK, HYDRAULIC, INTERNAL PORTS 3,000 PSI. TYPE II SYSTEMS[CUST: AS 99] [REVIEW: 11 CC MI] | A | 4820 | | AS | 30-APR-99 |
| | MS29599 NOT 2 | VALVE, CHECK, INLET, ONE-MAN LIFE RAFT, TYPE I[CUST: CR4 AS 99] | A | 4220 | | AS | 30-JUL-97 |
| | MIL-V-21701B(2) NOT 2 | VALVE, CHECK, OXYGEN MASK, INLET[CUST: AV AS] [REVIEW: GS] | A | 1660 | | AS | 21-AUG-96 |
| | MS22056B NOT 1 | VALVE, CHECK, OXYGEN MASK, INLET[CUST: AV AS] | A | 4820 | | AS | 31-JAN-96 |
| | MS22035B NOT 2 | VALVE, CHECK, OXYGEN, HIGH PRESSURE, FILLER CONNECTION[CUST: AV AS 99] [REVIEW: 71] | A | 4820 | | AS | 31-JAN-96 |
| | MS28052B NOT 1 | VALVE, CHECK, PRESSURE GAGE LINES BLEEDER AND FILLER (ASG)[CUST: AS 99 CC] [REVIEW: 11] | A | 4820 | | CC | 10-MAY-99 |
| | MIL-V-23254C(1) NOT 1 | VALVE, CONTROL[CUST: AS] [REVIEW: MI] | A | 1055 | | AS | 15-SEP-95 |
| | MIL-V-81552A(2) NOT 2 | VALVE, EXHALATION, OXYGEN MASK, PRESSURE COMPENSATING, WITH SAFETY RELIEF[CUST: AV AS] | A | 4820 | | AS | 15-APR-96 |
| | MS28884E NOT 1 | VALVE, FUEL CHECK, LOW PRESSURE, FLARED TUBE CONNECTION, TYPE A[CUST: AV AS 99] [REVIEW: 71 CR4 MI] | A | 4820 | | CC | 15-OCT-98 |
| | MS28882F NOT 1 | VALVE, FUEL CHECK, LOW PRESSURE, GASKET SEAL STRAIGHT THREAD CONNECTION[CUST: AV AS 99] [REVIEW: 71 CR4 MI] | A | 4820 | | CC | 15-OCT-98 |
| | MIL-V-25023B(2) NOT 1 | VALVE, FUEL DRAIN, SELF-LOCKING[CUST: AV AS 99] [REVIEW: MI] | A | 4820 | | 71 | 11-MAR-96 |
| | MIL-V-82440(3) NOT 1 | VALVE, FUEL INTERLOCK[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-V-5018B NOT 1 | VALVE, FUEL SELECTOR[CUST: AT AS 99] | A | 4530 | | AT | 03-MAR-98 |
| | MIL-V-82443(1) NOT 1 | VALVE, FUEL SHUT-OFF[CUST: OS] | A | 1355 | | OS | 22-APR-98 |
| | MIL-V-8610B NOT 1 | VALVE, FUEL SHUTOFF SOLENOID OPERATED, 28 VOLT, DC (ASG)[CUST: AT AS 99 CC] [REVIEW: 71 MC SA SH] | A | 4810 | | CC | 17-FEB-00 |
| | MS29527B NOT 1 | VALVE, FUEL SHUTOFF SOLENOID OPERATED, 28-VOLT DC 60-PSI OPERATING PRESSURE[CUST: AT AS 99 CC] [REVIEW: 71 MC SA SH] | A | 4810 | | CC | 17-FEB-00 |
| | MIL-V-8612A(2) NOT 2 | VALVE, HIGH PRESSURE OXYGEN LINE[CUST: AV AS 99] [REVIEW: 11 CC CR4] | A | 4820 | | AS | 13-AUG-97 |
| | AN6012 REV 3 NOT 1 | VALVE, HIGH PRESSURE OXYGEN LINE[CUST: AV AS 99] | A | 4820 | | AS | 31-JAN-96 |
| | MS28890B NOT 2 | VALVE, HYDRAULIC CHECK, 3,000 PSI, FLARELESS, TYPE I SYSTEMS[CUST: AS 99] [REVIEW: GS MI] | A | 1650 | | AS | 21-AUG-96 |
| | MS28893A NOT 1 | VALVE, HYDRAULIC RELIEF, CYLINDRICAL, TYPE II SYSTEMS (ASG)[CUST: AS 99] [REVIEW: CC GS] | A | 1650 | | AS | 11-JUN-97 |
| | MIL-V-81722A(2) NOT 1 | VALVE, INFLATION, LIFE RAFT, FLU-6/P[CUST: AS] | A | 4220 | | AS | 04-MAY-01 |
| | MS29600 NOT 2 | VALVE, INLET, 20 MAN LIFE RAFT, TYPE II[CUST: CR4 AS 99] | A | 4220 | | AS | 30-JUL-97 |
| | MIL-V-8883B(2) NOT 2 | VALVE, INLET, LIFE RAFT[CUST: MD AS 11] | A | 4220 | | AS | 30-JUL-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS22054A NOT 3 | VALVE, LIFE RAFTS FLUSH TYPE, TOPPING OFF (FOR MULTIPLACE LIFE RAFTS)[CUST: AS 99] [REVIEW: CC] | A | 4220 | | AS | 30-JUL-97 |
| | MIL-V-51195B(2) NOT 1 | VALVE, OUTLET, C19[CUST: EA] [REVIEW: GS] | A | 4240 | | EA | 28-JUL-00 |
| | MIL-V-27296C NOT 1 | VALVE, OXYGEN MASK, COMBINATION INHALATION AND EXHALATION[CUST: 99] [REVIEW: GS] | A | 1660 | | 11 | 26-FEB-99 |
| | MIL-V-8057F(3) NOT 2 | VALVE, OXYGEN, PRESSURE BUILDUP AND VENT[CUST: 99] [REVIEW: 11 CC] | A | 4820 | | 71 | 22-JUN-97 |
| | MS35881C NOT 1 | VALVE, PACKLESS, STOP, FLARE CONNECTION ENDS[CUST: GL SH 99 IS] [REVIEW: CR4 GS MC] | A | 4130 | | IS | 12-FEB-96 |
| | MS35883C NOT 1 | VALVE, PACKLESS, STOP,-THREE-WAY FLARE CONNECTION ENDS[CUST: GL SH 99 IS] [REVIEW: CR4 GS MC] | A | 4130 | | IS | 12-FEB-96 |
| | MIL-V-27166D NOT 1 | VALVE, PRESSURE EQUALIZING, GASEOUS PRODUCTS[CUST: MI AS 11] [REVIEW: 18 71 99 AR AV CC OS] | A | 4820 | | 11 | 25-NOV-97 |
| | MIL-V-2962B NOT 1 | VALVE, PRESSURE REGULATING, BOILER FUEL OIL[CUST: CR4 SH 99] [REVIEW: 11 AR CC] | A | 4820 | | SH | 22-APR-98 |
| | MIL-V-18318B(3) NOT 1 | VALVE, PRESSURE REGULATING, OXYGEN SYSTEM[CUST: AV AS 99] [REVIEW: 11] | A | 4820 | | AS | 13-AUG-97 |
| | MIL-V-6125D NOT 2 | VALVE, REGULATING, FLUID PRESSURE, TYPE C-1[CUST: 99 CC] [REVIEW: 71] | A | 4820 | | CC | 19-AUG-99 |
| | MS35670D NOT 1 | VALVE, SAFETY RELIEF[CUST: MI 99] [REVIEW: AR AV CC GL] | A | 4820 | | MI | 31-MAY-01 |
| | MIL-V-17462B(1) NOT 1 | VALVE, SAFETY: BOILER (SHIPBOARD USE)[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 12-MAR-90 |
| | MIL-V-19068A NOT 2 | VALVE, SHUTTLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS[CUST: AS 99] [REVIEW: CC] | A | 4820 | | AS | 25-AUG-98 |
| | MS28766A NOT 1 | VALVE, SHUTTLE, HYDRAULIC, DIRECT MOUNTING, 3,000 PSI, TYPE II SYSTEMS (ASG)[CUST: AS 99] [REVIEW: CC] | A | 4820 | | AS | 30-APR-99 |
| A | MS28767A NOT 4 | VALVE, SHUTTLE, HYDRAULIC, INTERNAL-THREAD, TUBE FITTING OUTLET, 3,000 PSI, TYPE II SYSTEMS (ASG)[CUST: AS 99] | A | 4820 | | AS | 19-SEP-05 |
| | MIL-V-62358 NOT 1 | VALVE, SOLENOID[CUST: AT] | A | 2520 | | AT | 03-MAR-98 |
| | MIL-V-38398A(2) NOT 1 | VALVE, STARTER CONTROL, PNEUMATIC, AIRCRAFT ENGINE GENERAL SPECIFICATION FOR[CUST: 99] [REVIEW: GS] | A | 2995 | | 71 | 27-OCT-97 |
| | MIL-V-6618C NOT 1 | VALVE, STOP CHECK, PURGE[CUST: AS 99] | A | 4820 | | 71 | 26-APR-96 |
| | MIL-V-46727C NOT 1 | VALVE, THREE POSITION, FOUR WAY, HYDRAULIC, MANUAL (USE MIL-PRF-46725C)[CUST: AT] [REVIEW: CC CR4 MI] | A | 2590 | | AT | 01-NOV-95 |
| | MS29528A NOT 2 | VALVE-FUEL DRAIN, SELF-LOCKING, POPPET[CUST: AV AS 99] [REVIEW: CC MC MI] | A | 4820 | | 71 | 02-OCT-96 |
| | AN6279 REV 6 NOT 1 | VALVE-HYDRAULIC PRESSURE RELIEF TWO PORT[CUST: AV AS 99] | A | 4820 | | 71 | 18-SEP-92 |
| | MIL-V-5530D NOT 1 | VALVES, AIRCRAFT HYDRAULIC SHUTTLE[CUST: AV AS 99] | A | 4820 | | 71 | 11-MAR-96 |
| | QPL-8813-13 NOT 1 | VALVES, AIRCRAFT, HYDRAULIC PRESSURE RELIEF, TYPE II SYSTEMS | A | 4820 | | AS | 31-MAY-01 |
| | MIL-V-5527A(1) NOT 2 | VALVES, AIRCRAFT, HYDRAULIC THERMAL EXPANSION RELIEF[CUST: AV AS 99 CC] [REVIEW: MC SA] | A | 4820 | | AS | 09-JUN-01 |
| | MS17243D | VALVES, ANGLE, SHUT-OFF, PACKED, RECEIVER, REFRIGERANT-12[CUST: GL SH 99 CC] [REVIEW: 71 AT CR4 MC SA YD] | A | 4820 | | CC | 18-NOV-04 |
| | DOD-V-24675 NOT 1 | VALVES, BOILER BLOW SERVICE, MONEL, SHIPBOARD USE[CUST: SH] | A | 4820 | | SH | 22-APR-98 |
| | MIL-V-19067A(1) NOT 2 | VALVES, CHECK, CONTROLLABLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS[CUST: AV AS 99] [REVIEW: CC MC SA] | A | 4820 | | AS | 21-MAR-01 |
| | MIL-V-24630/2A(1) NOT 1 | VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID[CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 13-JUL-99 |
| | MIL-V-5027D(2) NOT 2 | VALVES, CHECK, OXYGEN, HIGH PRESSURE[CUST: AV AS] [REVIEW: 11 GL] | A | 4820 | | AS | 15-APR-96 |
| A | MIL-DTL-23450D | VALVES, EXPANSION, THERMOSTATIC, REFRIGERANT-12 (R-12) AND REFRIGERANT-22 (R-22)[CUST: GL SH 99 CC] [REVIEW: 71 AT CR4 GS MC SA] | A | 4820 | | CC | 11-OCT-05 |
| A | MS17982D | VALVES, EXPANSION, THERMOSTATIC, REFRIGERANT-12 (R-12) AND REFRIGERANT-22 (R-22)[CUST: GL SH 99 CC] [REVIEW: 71 AT CR4 GS MC SA] | A | 4820 | | CC | 11-OCT-05 |
| | MIL-V-25469H NOT 1 | VALVES, FILLER, LIQUID OXYGEN, AIRCRAFT TYPE[CUST: AS 99] | A | 4820 | | 71 | 04-NOV-96 |
| | MIL-V-5529C NOT 1 | VALVES, HYDRAULIC DIRECTIONAL CONTROL, ROTARY SELECTOR[CUST: 99] | A | 4820 | | 71 | 05-APR-96 |
| | MIL-V-87255 NOT 1 | VALVES, PRESSURE, ANTI-G SUIT, HIGH FLOW[CUST: 11] [REVIEW: 71 99 GS] | A | 1660 | | 11 | 31-MAR-97 |
| | MIL-V-87223 NOT 1 | VALVES, PRESSURE, ANTI-G SUIT, MXU-804/A AND MXU-805/A[CUST: 11] [REVIEW: 71 99 GS] | A | 1660 | | 11 | 31-MAR-97 |
| | MIL-V-5519D(2) NOT 1 | VALVES, REGULATING FLUID PRESSURE[CUST: 99] [REVIEW: CC] | A | 4820 | | 71 | 05-APR-96 |
| | MS17841D | VALVES, SOLENOID, REFRIGERANT-12[CUST: GL SH 99 CC] [REVIEW: AT CE MC MD MI SA] | A | 4810 | | CC | 21-MAY-04 |
| | MIL-V-8566C NOT 1 | VALVES; AIRCRAFT HYDRAULIC FLOW REGULATOR[CUST: AV AS 99] [REVIEW: CC GS MI] | A | 1650 | | 71 | 01-APR-96 |
| | QPL-13811-13 NOT 1 | VARNISH, WATERPROOFING, ELECTRICAL IGNITION | A | 8010 | | AR | 21-JUN-01 |
| | MIL-V-13811D NOT 1 | VARNISH, WATERPROOFING, ELECTRICAL, IGNITION[CUST: AR YD 99] [REVIEW: AT EA IS MC SA SM] | A | 8010 | | AR | 14-MAR-97 |
| | MIL-STD-600006 NOT 2 | VECTOR PRODUCT FORMAT[Interface Standard][CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-V-62008B(1) NOT 2 | VEHICLE, COMBAT ENGINEER, FULL TRACKED, 165 MM GUN, M728[CUST: AT] | A | 2350 | | AT | 13-OCT-00 |
| | MIL-V-62347 NOT 2 | VEHICLE, COMBAT, ANTI TANK, IMPROVED TOW VEHICLE (ITV) (LESS TOW WEAPON), M901[CUST: AT] | A | 2320 | | AT | 17-OCT-00 |
| | MIL-V-62475 NOT 1 | VEHICLE, FIRE SUPPORT TEAM, M981 (FISTV)[CUST: AT] | A | 2350 | | AT | 13-DEC-96 |
| | MIL-V-48190(1) NOT 3 | VENT ASSEMBLY[CUST: AR] | A | 1190 | | AR | 21-JUN-95 |
| | MIL-V-29601 NOT 1 | VEST, SURVIVAL, CMU-30/P22P-15[CUST: AS] | A | 8415 | | AS | 27-AUG-97 |
| | MS35106B NOT 4 | VIAL, LEVEL CIRCULAR, TYPE CA[CUST: AR OS 99] [REVIEW: MC MI] | A | 1290 | | AR | 14-MAR-97 |
| | MS35102B NOT 4 | VIAL, LEVEL CYLINDRICAL, TYPE DA[CUST: AR OS] [REVIEW: MC MI] | A | 1290 | | AR | 14-MAR-97 |
| | MS35103B NOT 4 | VIAL, LEVEL CYLINDRICAL, TYPE DB[CUST: AR OS] [REVIEW: MC MI] | A | 1290 | | AR | 14-MAR-97 |
| | MS35104B NOT 4 | VIAL, LEVEL CYLINDRICAL, TYPE DC[CUST: AR OS] [REVIEW: MC MI] | A | 1290 | | AR | 14-MAR-97 |
| | MS35105B NOT 4 | VIAL, LEVEL CYLINDRICAL, TYPE DR[CUST: AR OS 99] [REVIEW: MC MI] | A | 1290 | | AR | 14-MAR-97 |
| | MIL-V-3144B NOT 2 | VIALS, LEVEL[CUST: AR OS 99] [REVIEW: 84 CR4 MC MI] | A | 1290 | | AR | 01-JUL-99 |
| | MIL-V-3083D NOT 1 | VIBRATOR, CONCRETE: PNEUMATIC[CUST: AT YD 99] [REVIEW: 84 CC MC] | A | 3895 | | AT | 09-MAR-98 |
| | MIL-V-50433 NOT 2 | VINYL ALCOHOL - ACETATE RESIN SOLUTION (VAAR) (FOR USE IN AMMUNITION)[CUST: AR] | A | 1376 | | AR | 15-JUL-96 |
| | MIL-V-29591 NOT 1 | VISOR ASSEMBLY, AVIATOR'S SEVEN WAVELENGTH LASER PROTECTIVE, GENERAL SPECIFICATION FOR[CUST: AS] | A | 8475 | | AS | 16-JUL-97 |
| | MIL-V-29591/1 NOT 1 | VISOR ASSEMBLY, AVIATOR'S, SEVEN WAVELENGTH LASER PROTECTIVE, EEU-8/P[CUST: AS] | A | 8475 | | AS | 16-JUL-97 |
| | MIL-V-29591/2 NOT 1 | VISOR ASSEMBLY, AVIATOR'S, SEVEN WAVELENGTH LASER PROTECTIVE, EEU-9/P[CUST: AS] | A | 8475 | | AS | 16-JUL-97 |
| | MIL-V-85374(1) NOT 1 | VISOR, SHATTER RESISTANT[CUST: AS] | A | 8475 | | AS | 18-SEP-96 |
| | MIL-V-22272D(2) NOT 2 | VISORS, NEODYMIUM LASER, PROTECTIVE FOR AIRCREWMAN'S HELMET[CUST: AS] | A | 8475 | | AS | 30-APR-01 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-V-5622A NOT 1 | VOLT-AMMETER, DUAL POINTER DIRECT CURRENT[CUST: AV AS 99] [REVIEW: MC MI] | A | 6625 | | AS | 28-AUG-96 |
| | MS18098 NOT 2 | VOLT-AMMETER, DUAL POINTER, DIRECT CURRENT[CUST: AV AS 99] [REVIEW: CC MC] | A | 6625 | | AS | 28-AUG-96 |
| | MIL-V-82568(2) NOT 1 | VOLTAGE REGULATOR ASSEMBLY DL 2540850 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1)[CUST: OS] | A | 4921 | | OS | 22-APR-98 |
| | MIL-V-6753A(2) NOT 1 | VOLTMETER, 0-150 VOLT, 330 TO 1,200 CYCLE, ALTERNATING CURRENT[CUST: AV AS 99] [REVIEW: MC] | A | 6625 | | AS | 28-AUG-96 |
| | MIL-V-63118A(1) NOT 1 | VULCANIZED RUBBER OBTURATOR[CUST: AR] | A | 1315 | | AR | 12-DEC-95 |
| | MIL-W-5050A NOT 1 | WALKWAY, COATING AND MATTING, NONSLIP, AIRCRAFT, APPLICATION OF (ASG)[CUST: AV AS 99] [REVIEW: MI] | A | 5610 | | AS | 30-JUL-98 |
| | MIL-W-48866A NOT 2 | WARHEAD SECTION, GM, PRACTICE LIGHTWEIGHT, M252 AND SHIPPING AND STORAGE CONTAINER, XM612, SPARE PARTS FOR[CUST: AR] | A | 1336 | | AR | 15-DEC-95 |
| | MIL-W-14743C(7) NOT 1 | WARHEAD SECTION, GUIDED MISSILE HE, M207 LESS S AND A DEVICE PARTS FOR[CUST: AR] | A | 1336 | | AR | 08-FEB-96 |
| | MIL-W-50577C(7) NOT 1 | WARHEAD, 155MM, M549A1 BONDING ASSEMBLY[CUST: AR] | A | 1320 | | AR | 08-FEB-96 |
| | MIL-W-50549A NOT 2 | WARHEAD, 2.75 INCH ROCKET, FLECHETTE, WDU-4A/A, WDU-13/A, PARTS FOR[CUST: AR] | A | 1340 | | AR | 12-DEC-95 |
| | MIL-W-50550A NOT 2 | WARHEAD, 2.75 INCH ROCKET, FLECHETTE, WITH FUZE WDU-4A/A, WDU-13/A LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 12-DEC-95 |
| | MIL-W-48299 NOT 1 | WARHEAD, 2.75 INCH ROCKET, FLECHETTE, XM255 WITH AND WITHOUT FUZE, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 03-OCT-91 |
| | MIL-W-50986A(1) NOT 1 | WARHEAD, 2.75 INCH ROCKET, HE DUAL PURPOSE M247 WITH OR WITHOUT FUZE, LOADING[CUST: AR] | A | 1340 | | AR | 12-DEC-95 |
| | MIL-W-50985A NOT 2 | WARHEAD, 2.75 INCH ROCKET, HE, DUAL PURPOSE, XM247, PARTS FOR[CUST: AR] | A | 1340 | | AR | 12-DEC-95 |
| | MIL-W-50987(1) NOT 2 | WARHEAD, 2.75 INCH ROCKET, HE, M151 WITH FUZE OR WITHOUT FUZE, LOADING, ASSEMBLING AND PACKING[CUST: AR] | A | 1340 | | AR | 16-JUL-96 |
| | MIL-W-60425 NOT 2 | WARHEAD, 2.75 INCH ROCKET, PRACTICE XM230, WITH OR WITHOUT FUZE LOADING, ASSEMBLING & PACKING[CUST: AR] | A | 1340 | | AR | 12-DEC-95 |
| | MIL-W-60306A(1) NOT 3 | WARHEAD, 2.75 INCH ROCKET, SMOKE, M156; WP FILLING[CUST: EA 99] [REVIEW: 70] | A | 1340 | | EA | 19-JUL-04 |
| | MIL-W-60307C(2) NOT 2 | WARHEAD, 2.75 INCH ROCKET, SMOKE, WP, M156 (METAL PARTS)[CUST: EA 99] [REVIEW: 84] | A | 1340 | | EA | 19-JUL-04 |
| | MIL-W-60305A(2) NOT 3 | WARHEAD, 2.75 INCH ROCKET, SMOKE, WP, M156 (WITH BURSTER & FUZE)[CUST: EA] | A | 1340 | | EA | 19-JUL-04 |
| | MIL-W-60002A NOT 2 | WARHEAD, HE, M18, PARTS FOR[CUST: AR] | A | 1340 | | AR | 12-DEC-95 |
| | AN975 REV 3 NOT 1 | WASHER & TAPER PIN[CUST: AS 99] [REVIEW: AV] | A | 5310 | | IS | 16-JUN-97 |
| | MIL-W-5521B(2) NOT 1 | WASHER, AIRCRAFT HYDRAULIC PACKING BACK-UP[CUST: AV 99 IS] [REVIEW: 71 AR] | A | 5330 | | IS | 20-NOV-01 |
| | MS35803A(1) NOT 2 | WASHER, AIRCRAFT HYDRAULIC PACKING BACKUP[CUST: AV AS 99 IS] [REVIEW: 71 AR AT CR4 MI] | A | 5330 | | IS | 11-DEC-02 |
| | MS51889 NOT 2 | WASHER, BACK-UP, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC (USE SAE-J514)[CUST: AR OS 99] [REVIEW: 71 AT GL MC MI] | A | 4730 | | CC | 17-AUG-99 |
| | DOD-W-63546/8(1) NOT 1 | WASHER, CONCAVE AND WASHER CONVEX (SPHERICAL SET), STEEL, METRIC[CUST: AR OS] [REVIEW: AT AV MC MI NS SH] | A | 5310 | | IS | 23-MAR-05 |
| | MS21206A NOT 1 | WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU[CUST: AS 11 IS] [REVIEW: 71] | A | 5310 | | IS | 18-NOV-99 |
| | MS9684A NOT 1 | WASHER, CUP, LOCK - CRES AMS 5510[CUST: AS 11 IS] [REVIEW: 99] | A | 5310 | | IS | 19-SEP-01 |
| | MS17186A(1) NOT 1 | WASHER, DRIVE (SYNCHRO)[CUST: AR 11 IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS27129C NOT 3 | WASHER, FINISHING-COUNTERSUNK[CUST: AR AS 99 IS] | A | 5310 | | IS | 03-FEB-00 |
| | AN960 REV 21 | WASHER, FLAT[CUST: AV AS 99 IS] [REVIEW: 71 EA] | A | 5310 | | IS | 06-AUG-92 |
| | MS51936B NOT 2 | WASHER, FLAT (BURR)[CUST: AR YD IS] [REVIEW: AT CR4 GL MC MI SA] | A | 5310 | | IS | 28-JAN-05 |
| | FF-W-92B(1) NOT 1 | WASHER, FLAT (PLAIN)[CUST: AR OS 99 IS] [REVIEW: 71 AS AT AV CE MC SH YD] | A | 5310 | / | IS | 16-MAY-03 |
| | MS21306B NOT 2 | WASHER, FLAT (ROUND)[CUST: CR 99 IS] [REVIEW: 71 84 AT] | A | 5310 | | IS | 03-FEB-00 |
| | MS17188B NOT 1 | WASHER, FLAT (ROUND), CRES[CUST: 99 IS] [REVIEW: CC CR4 MI] | A | 5310 | | IS | 01-OCT-97 |
| | MS27183J NOT 1 | WASHER, FLAT (ROUND, STEEL, CADMIUM PLATED) GENERAL PURPOSE[CUST: AR OS 99 IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS21307B(1) NOT 2 | WASHER, FLAT (SQUARE)[CUST: CR YD IS] | A | 5310 | | IS | 28-JAN-05 |
| | MS51412C NOT 1 | WASHER, FLAT - ROUND, STEEL, GENERAL PURPOSE[CUST: AR SH 99 IS] [REVIEW: 19 71 AV CR CR4 EA GL MC NS] | A | 5310 | | IS | 03-FEB-00 |
| | MS51859B(1) NOT 1 | WASHER, FLAT PLASTIC NYLON[CUST: AR 99 IS] | A | 5310 | | IS | 11-FEB-03 |
| | MS28777C(1) NOT 2 | WASHER, FLAT, AIRCRAFT HYDRAULIC BACKUP[CUST: AV AS 99 IS] [REVIEW: 71] | A | 5330 | | IS | 11-DEC-02 |
| | MS14226 NOT 1 | WASHER, FLAT, FOR OVERSIZE FASTENERS AND FASTENER SLEEVE[CUST: AV AS 11 IS] | A | 5310 | | IS | 01-OCT-97 |
| | MIL-W-70342 NOT 1 | WASHER, FLAT, METRIC GENERAL SPECIFICATION FOR[CUST: AR AS 99 IS] [REVIEW: CE CR GL MC MI SH YD] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-W-70342/3 NOT 2 | WASHER, FLAT, NARROW SERIES (TYPE II), CARBON STEEL, METRIC[CUST: AR AS 99 IS] [REVIEW: CE CR GL MC MI SH YD] | A | 5310 | | IS | 30-MAR-05 |
| | MIL-W-70342/1 NOT 2 | WASHER, FLAT, REGULAR SERIES (TYPE I), CARBON STEEL, METRIC[CUST: AR AS 99 IS] [REVIEW: CE CR GL MC MI SH YD] | A | 5310 | | IS | 30-MAR-05 |
| | MIL-W-70342/2 NOT 1 | WASHER, FLAT, REGULAR SERIES (TYPE I), CRES, METRIC[CUST: AR AS 99 IS] [REVIEW: CE CR GL MC MI SH YD] | A | 5310 | | IS | 03-FEB-00 |
| | MIL-W-70342/5 NOT 2 | WASHER, FLAT, WIDE SERIES (TYPE III), CARBON STEEL METRIC[CUST: AR AS 99 IS] [REVIEW: CE CR GL MC MI SH YD] | A | 5310 | | IS | 30-MAR-05 |
| | MIL-W-70342/4 NOT 2 | WASHER, FLAT, WIDE SERIES (TYPE III), HIGH STRENGTH, ALLOY STEEL, METRIC[CUST: AR AS 99 IS] [REVIEW: CE CR GL MC MI SH YD] | A | 5310 | | IS | 30-MAR-05 |
| | MS9768B NOT 2 | WASHER, FLAT-CRES AMS 5525 OR AMS 5737, COUNTERSUNK[CUST: AS 99 IS] | A | 5310 | | IS | 19-SEP-01 |
| | MS51496B(1) NOT 1 | WASHER, FLAT-NARROW SERIES[CUST: AR 99 IS] | A | 5310 | | IS | 15-OCT-01 |
| | DOD-W-63546/6 NOT 3 | WASHER, KEY, EXTERNAL, BRASS, METRIC[CUST: AR 11] | A | 5310 | | IS | 13-AUG-04 |
| | DOD-W-63546/5 NOT 3 | WASHER, KEY, EXTERNAL, STEEL, METRIC[CUST: AR 11] | A | 5310 | | IS | 13-AUG-04 |
| | MS27111A NOT 2 | WASHER, KEY, FLAT, GENERAL PURPOSE[CUST: AR AS 99 IS] [REVIEW: 71 AT CR4 MC MI OS] | A | 5310 | | IS | 03-FEB-00 |
| | DOD-W-63546/4 NOT 3 | WASHER, KEY, FLAT, LONG AND SHORT, BRASS, METRIC[CUST: AR 11] [REVIEW: AT AV CR4 EA MI SH] | A | 5310 | | IS | 13-AUG-04 |
| | DOD-W-63546/3 NOT 3 | WASHER, KEY, FLAT, LONG AND SHORT, STEEL, METRIC[CUST: AR 11] [REVIEW: AT AV CR4 EA MI SH] | A | 5310 | | IS | 13-AUG-04 |
| | DOD-W-63546/2 NOT 3 | WASHER, KEY, FLAT, LONG, BRASS, METRIC[CUST: AR 11] [REVIEW: AT AV CR4 EA MI SH] | A | 5310 | | IS | 31-AUG-04 |
| | DOD-W-63546/1 NOT 3 | WASHER, KEY, FLAT, LONG, STEEL, METRIC[CUST: AR 11] [REVIEW: AT AV CR4 EA MI SH] | A | 5310 | | IS | 31-AUG-04 |
| | DOD-W-63546/7 NOT 2 | WASHER, KEY, INTERNAL, STEEL, METRIC[CUST: AR 11] [REVIEW: AT AV CR4 EA MC SH] | A | 5310 | | IS | 13-AUG-04 |
| | DOD-W-63546A(1) SUP 1A NOT 1 | WASHER, KEY, METRIC GENERAL SPECIFICATION FOR[CUST: AR SH 99] [REVIEW: 71 AT AV CR4 MI] | A | 5310 | | IS | 12-APR-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MS9274B NOT 2 | WASHER, KEY-DOUBLE, BEARING RETAINING, AMS 5510[CUST: AS 11 IS] | A | 5310 | | IS | 19-SEP-01 |
| | MS9081B NOT 2 | WASHER, KEY-DOUBLE, BEARING RETAINING, AMS 6350[CUST: AS 11 IS] | A | 5310 | | IS | 19-SEP-01 |
| | FF-W-100C(1) NOT 1 | WASHER, LOCK (TOOTH)[CUST: AR AS 99 IS] [REVIEW: AT SH] | A | 5310 | / | IS | 21-NOV-00 |
| | MS35336D(1) NOT 2 | WASHER, LOCK COUNTERSUNK, 80 DEG. 82 DEG., EXTERNAL TOOTH (IN/MM)[CUST: AR 82 IS] [REVIEW: 71] | A | 5310 | | IS | 28-JAN-05 |
| | DOD-W-70336/3(1) NOT 1 | WASHER, LOCK FLAT, INTERNAL TOOTH (METRIC)[CUST: AT OS 99] [REVIEW: 71 AV CR CR4 MC NS SH] | A | 5310 | | IS | 08-APR-05 |
| | DOD-W-70336/1(1) NOT 1 | WASHER, LOCK SPRING, HELICAL, REGULAR SERIES, (METRIC)[CUST: AT OS 99] [REVIEW: 71 AV CR CR4 MC MI SH] | A | 5310 | | IS | 08-APR-05 |
| | MIL-W-70336/5 NOT 2 | WASHER, LOCK, EXTERNAL TOOTH (METRIC)[CUST: AR OS 99 IS] [REVIEW: 71 AT AV CR MC MI SH] | A | 5310 | | IS | 08-JAN-03 |
| | DOD-W-70336/4(1) NOT 1 | WASHER, LOCK, FLAT, EXTERNAL TOOTH (METRIC)[CUST: AT OS 99] [REVIEW: 71 AV CR CR4 MC NS SH] | A | 5310 | | IS | 08-APR-05 |
| | MS16213C NOT 3 | WASHER, LOCK, FLAT, EXTERNAL TOOTH, NONMAGNETIC[CUST: AR AS 99 IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS35334D(1) NOT 1 | WASHER, LOCK, FLAT, HEAVY, INTERNAL TOOTH[CUST: AR 82 IS] [REVIEW: 71] | A | 5310 | | IS | 03-FEB-00 |
| | MS51414A NOT 1 | WASHER, LOCK, FLAT-EXTERNAL TOOTH[CUST: AR SH 99 IS] [REVIEW: AV CR4 EA GL MC NS YD] | A | 5310 | | IS | 03-FEB-00 |
| | MS51413A NOT 1 | WASHER, LOCK, FLAT-INTERNAL TOOTH[CUST: AR SH 99 IS] [REVIEW: 19 71 AV CR4 EA GL MC NS YD] | A | 5310 | | IS | 03-FEB-00 |
| | MS45904B NOT 3 | WASHER, LOCK, INTERNAL AND EXTERNAL TOOTH[CUST: AR AS 99 IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS35790E(1) NOT 1 | WASHER, LOCK-COUNTERSUNK, 100 DEG., EXTERNAL TOOTH (IN./MM)[CUST: AR 99 IS] [REVIEW: 70 AT AV CR4 GL MC MI OS YD] | A | 5310 | | IS | 01-OCT-97 |
| | MS35340F(1) NOT 1 | WASHER, LOCK-HELICAL SPRING, EXTRA DUTY (EXTRA-HEAVY) SERIES[CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MI OS SH YD] | A | 5310 | | IS | 13-MAY-02 |
| | MS51416A NOT 1 | WASHER, LOCK-HELICAL SPRING, HEAVY DUTY[CUST: AR SH IS] [REVIEW: AV CR4 EA GL MC NS YD] | A | 5310 | | IS | 01-OCT-97 |
| | MS51848E NOT 3 | WASHER, LOCK-HELICAL SPRING, HI-COLLAR[CUST: AR AS 99 IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS51867A NOT 1 | WASHER, METAL, FLAT, PLAIN, RECTANGULAR[CUST: AR YD IS] [REVIEW: AT AV CR GL MC OS] | A | 5310 | | IS | 03-FEB-00 |
| | MS21308C(1) NOT 1 | WASHER, SADDLE SQUARE, CURVED (POLE LINE)[CUST: AR YD 99 IS] | A | 5310 | | IS | 03-FEB-00 |
| | MS3351 NOT 1 | WASHER, SPECIAL[CUST: AS] [REVIEW: GS] | A | 6615 | | AS | 29-JAN-97 |
| | MS91820 NOT 2 | WASHER, SPLIT, PART OF SERIES C CONNECTORS[CUST: CR SH 99 IS] [REVIEW: AR SA] | A | 5310 | | IS | 28-JUN-05 |
| | DOD-W-63474/2B NOT 2 | WASHER, SPRING TENSION, (BELLEVILLE SPRING), METRIC[CUST: AR OS IS] [REVIEW: 99 AS AT CR CR4 EC SH] | A | 5310 | | IS | 31-AUG-04 |
| | MIL-W-12133/5A NOT 2 | WASHER, SPRING TENSION, CURVED, SPRING STEEL[CUST: AR OS 99] [REVIEW: 71 AS AT CR4 MC MI YD] | A | 5310 | | IS | 28-JUN-05 |
| | DOD-W-63474/3 NOT 1 | WASHER, SPRING TENSION, SERRATED (RIBBED) (BELLEVILLE SPRING), METRIC[CUST: AR OS 99] [REVIEW: 11 71 AS AV CR MC SH YD] | A | 5310 | | IS | 01-OCT-99 |
| | MS90217A(1) NOT 2 | WASHER, SPRING, PART OF RF COAXIAL CONNECTORS[CUST: AR SH IS] [REVIEW: AV SA] | A | 5310 | | IS | 06-FEB-03 |
| | AN936 REV 7 | WASHER, TOOTH LOCK[CUST: AV AS 99] [REVIEW: AR MI] | A | 5310 | | IS | 28-SEP-70 |
| | DOD-W-70336(1) NOT 1 | WASHERS, (METRIC), GENERAL SPECIFICATION FOR[CUST: AR OS 99 IS] [REVIEW: 71 AT MC SH] | A | 5310 | | IS | 08-APR-05 |
| | MS16212B NOT 2 | WASHERS, FLAT, METAL, ROUND, MEDIUM SERIES, NONMAGNETIC[CUST: IS] | A | 5310 | | IS | 03-FEB-00 |
| | FF-W-84A(4) NOT 1 | WASHERS, LOCK (SPRING)[CUST: AR 99 IS] | A | 5310 | / | IS | 15-DEC-00 |
| | DOD-W-63474/1A NOT 3 | WASHERS, SPRING TENSION, CYLINDRICALLY CURVED AND WAVED, METRIC[CUST: AR SH] [REVIEW: AS AV CR4 MC] | A | 5310 | | IS | 31-AUG-04 |
| | DOD-W-63474B NOT 1 | WASHERS, SPRING TENSION, METRIC, GENERAL SPECIFICATION FOR[CUST: AR OS IS] [REVIEW: AT AV MC SH] | A | 5310 | | IS | 01-OCT-99 |
| | MIL-W-52125B NOT 1 | WASHING AND SCREENING UNIT, AGGREGATE, ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY[CUST: AT YD 99] [REVIEW: MC] | A | 3820 | | AT | 09-MAR-98 |
| | MIL-W-44167B(1) NOT 2 | WASHING MACHINE, LAUNDRY: OPEN END TYPE, TRAILER MOUNTED[CUST: GL] [REVIEW: AV] | A | 3510 | | GL | 15-NOV-00 |
| A | MIL-W-83779B NOT 3 | WATER INDICATING PASTE[CUST: EA SH 68 GS] [REVIEW: AS AT MC SA YD] | A | 6850 | | 68 | 21-OCT-05 |
| | MIL-W-53122 NOT 1 | WATER PURIFICATION UNIT REVERSE OSMOSIS, 3,000 GPH[CUST: AT] | A | 4610 | | AT | 30-SEP-98 |
| | MIL-W-52960A NOT 1 | WATER PURIFICATION UNIT, REVERSE OSMOSIS, 600 GPH[CUST: AT YD 99] [REVIEW: MD] | A | 4610 | | AT | 30-SEP-98 |
| | MIL-W-52875B(1) NOT 1 | WATER QUALITY ANALYSIS SET: PREVENTIVE MEDICINE[CUST: AT] | A | 6630 | | AT | 26-FEB-99 |
| | MIL-DTL-51502B | WATER TESTING KIT, CHEMICAL AGENTS, M272[CUST: EA] | X | 6665 | | EA | 09-JAN-03 |
| | MIL-W-3970/10B NOT 2 | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE E-PLANE MITERED CORNER[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5985 | | CC | 26-MAR-04 |
| | MIL-W-3970/16B NOT 2 | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE, H-PLANE, MITERED CORNER[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A | 5985 | | CC | 27-JUN-03 |
| | MIL-W-3970/22(1) NOT 1 | WAVEGUIDE ASSEMBLIES, RIGID, CAST, 90-DEGREE E-PLANE BEND, FULL CORRAL[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC MI OS] | A | 5985 | | CC | 25-FEB-04 |
| | MIL-W-3970/23(1) NOT 1 | WAVEGUIDE ASSEMBLIES, RIGID, CAST, 90-DEGREE E-PLANE BEND, MITER AND RADIUS-BACK MITER, FULL CORRAL[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC MI OS] | A | 5985 | | CC | 20-FEB-04 |
| | MIL-W-287/8 NOT 3 | WAVEGUIDE ASSEMBLY, MILLIMETER FLEXIBLE, NON-TWISTABLE, CLASS 8[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS] | A | 5985 | | CC | 27-JUN-03 |
| | MIL-W-23351/4B NOT 2 | WAVEGUIDE, DOUBLE RIDGED (BANDWIDTH RATIO 2.4.1)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5985 | | CC | 03-JUL-03 |
| | MIL-DTL-28839A(1) | WAVEGUIDES, ELLIPTICAL GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: MI OS SH] | A | 5985 | | CC | 12-FEB-04 |
| | MIL-W-28839/1 NOT 2 | WAVEGUIDES, ELLIPTICAL, SEMIRIGID[CUST: CR EC 11 CC] [REVIEW: 99 MI OS SH] | A | 5985 | | CC | 08-APR-03 |
| | MIL-DTL-23351B | WAVEGUIDES, SINGLE RIDGE AND DOUBLE RIDGE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5985 | | CC | 03-OCT-03 |
| | MIL-W-18418B NOT 1 | WAX, GASKET-SEALING[CUST: OS] [REVIEW: GS] | A | 9160 | | OS | 31-JUL-96 |
| | MIL-W-12062A NOT 3 | WAX, PETROLEUM (METRIC)[CUST: EA] [REVIEW: GS PS] | A | 9160 | | EA | 09-JUL-04 |
| | MIL-W-13855D(2) NOT 2 | WEAPON, SMALL ARMS AND AIRCRAFT ARMAMENT SUBSYSTEMS, GENERAL SPECIFICATION FOR[CUST: AR OS 99] [REVIEW: AS AV MC] | A | 1005 | | AR | 09-FEB-95 |
| | MIL-W-63150(3) NOT 1 | WEAPONS AND SUPPORT MATERIEL STANDARD QUALITY ASSURANCE PROVISIONS FOR[CUST: AR] | A | 10GP | | AR | 09-FEB-95 |
| | MIL-W-85057 NOT 2 | WEAPONS DELIVERY COMPUTER FOR THE BOMBING SET, ANGLE RATE AN/ASB-19(V)[CUST: AS] [REVIEW: GS] | A | 1280 | | AS | 11-SEP-96 |
| | MIL-W-38461C(1) NOT 3 | WEBBING, NYLON, AIRCRAFT ARRESTING[CUST: 99] | A | 1710 | | 84 | 22-JAN-98 |
| | MIL-W-3947B NOT 2 | WEIGHT AND BALANCE CONTROL SYSTEM FOR GUIDED MISSILES AND SPACE LAUNCH VEHICLES (USE SAWE-RP9)[CUST: MI AS 11] [REVIEW: 99] | A | 1410 | | AS | 27-NOV-97 |
| | MIL-W-20096D NOT 1 | WEIGHT, BALLAST[CUST: CR4 SH] [REVIEW: 99] | A | 2040 | | SH | 22-APR-98 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-DTL-3717C | WEIGHT, SOUNDING[CUST: SH GS1] | A | 6605 | | GS1 | 30-SEP-02 |
| | MIL-W-45992A NOT 2 | WELDING MACHINE, ARC, DIRECT CURRENT (DC), CONSTANT CURRENT (CC), CONSTANT VOLTAGE (CV), 350 AMPERE, DIESEL ENGINE DRIVEN (DED), BASE MOUNTED[CUST: AR] [REVIEW: GS] | A | 3431 | | AR | 17-JUL-98 |
| | MIL-W-47091A NOT 1 | WELDING, ARC AND GAS; FOR FABRICATING GROUND EQUIPMENT FOR ROCKETS AND GUIDED MISSILES[CUST: MI] | A | THJM | | MI | 28-MAY-96 |
| | MIL-W-6873C NOT 1 | WELDING; FLASH, CARBON AND ALLOY STEEL[CUST: MR AS 11] [REVIEW: AT CR4 EA GS MI] | A | 3432 | | 11 | 29-DEC-97 |
| | O-W-221C NOT 2 | WETTING AGENT, LIQUID, PHOTOGRAPHIC GRADE[CUST: CR AS 99 GS] [REVIEW: 70] | A | 6750 | / | AS | 19-APR-01 |
| | MIL-W-5013L NOT 1 | WHEEL AND BRAKE ASSEMBLIES, AIRCRAFT GENERAL SPECIFICATION FOR[CUST: AV AS 99] [REVIEW: GS] | A | 1630 | | AS | 30-AUG-99 |
| | MIL-W-85091(1) NOT 1 | WHEEL AND CARBON BRAKE ASSEMBLY, F-14A[CUST: AS] [REVIEW: GS] | A | 1630 | | AS | 18-SEP-96 |
| | MS53044C NOT 3 | WHEEL, PNEUMATIC TIRE-DISK TYPE, WITH RING, FOR TACTICAL WHEELED VEHICLES[CUST: AT MC 99] [REVIEW: CC] | A | 2530 | | AT | 09-APR-98 |
| | MIL-W-215D(2) NOT 2 | WHITE PHOSPHORUS (WP)[CUST: EA OS] [REVIEW: AR AS MC MD] | A | 1365 | | EA | 08-JUL-04 |
| | MIL-W-26217B(1) NOT 4 | WINCH, DRUM, POWER OPERATED AF/E24H-1, CARGO LOADING, 4,000 POUND CAPACITY, VARIABLE SPEED, 28V DC PORTABLE[CUST: 99] [REVIEW: CC] | A | 3950 | | 84 | 06-MAR-96 |
| | MS51353B NOT 1 | WINCH, DRUM, VEHICLE MOUNTING: BASIC, MECHANICALLY DRIVEN, 20,000 POUNDS CAPACITY[CUST: AT] [REVIEW: CR4 MI] | A | 2590 | | AT | 23-DEC-97 |
| | MS51354C NOT 1 | WINCH, DRUM, VEHICLE MOUNTING: BASIC, MECHANICALLY DRIVEN, 45,000 POUNDS CAPACITY[CUST: AT] [REVIEW: CR4] | A | 2590 | | AT | 23-DEC-97 |
| | MS51352A NOT 1 | WINCH, DRUM, VEHICLE, MOUNTING BASIC, MECHANICALLY DRIVEN, 10,000 LBS CAPACITY[CUST: AT] [REVIEW: CR4] | A | 2590 | | AT | 23-DEC-97 |
| | OO-W-2803 NOT 1 | WINCHES, DRUM, HAND-OPERATED, SAFETY TYPE, FOR PONTOON BARGES[CUST: YD CC] [REVIEW: SA] | A | 3950 | / | CC | 29-DEC-00 |
| | MIL-W-12404E NOT 1 | WIND MEASURING SET AN/GMQ-11 (UNITS OF)[CUST: CR 99] [REVIEW: GS] | A | 6660 | | CR | 29-MAR-96 |
| | MIL-W-17247B NOT 1 | WIND MEASURING SET AN/UMQ-5 (COMPOMENTS OF)[CUST: AS] [REVIEW: GS] | A | 6660 | | AS | 16-OCT-96 |
| | MIL-W-19623B NOT 1 | WINDLASS: ANCHOR, ELECTRIC-HYDRAULIC, VERTICAL AND NAVY TYPE, NAVAL SHIPBOARD[CUST: SH] | A | 3950 | | SH | 13-JUL-99 |
| | MIL-W-83970B NOT 1 | WING AND ROLLERON ASSEMBLY, AIM-9[CUST: 99] | A | 1420 | | 84 | 04-SEP-95 |
| | MIL-W-44464 NOT 1 | WINTERGREEN BAR, FOOD PACKET, SURVIVAL, GENERAL PURPOSE[CUST: GL 50] [REVIEW: MC MD QM SA SS] | A | 8940 | | GL | 26-SEP-97 |
| | P-W-2891A | WIPE SOLVENTS, EXEMPT AND NON-EXEMPT[CUST: AS 99] [REVIEW: 84] | A | 7930 | / | AS | 18-NOV-02 |
| | MIL-W-14846B(1) NOT 1 | WIPER ASSEMBLY. 10549760, 10538530 AND 10538600[CUST: AR] | A | 1240 | | AR | 08-AUG-97 |
| | MS9226A NOT 3 | WIRE - STEEL, CORROSION AND HEAT RESISTANT, SAFETY, 1800 DEG. F[CUST: AS 99 IS] [REVIEW: CR4 MI] | A | 9505 | | IS | 08-JAN-03 |
| | MIL-W-76D(1) NOT 1 | WIRE AND CABLE, HOOKUP, ELECTRICAL, INSULATED GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC] [REVIEW: CR4 EA MI OS] | A | 6145 | | CC | 06-FEB-03 |
| | MIL-W-19460C NOT 1 | WIRE ROPE ASSEMBLIES, SINGLE LEG, GRAPNEL AND BUOY TYPE[CUST: SH] [REVIEW: GS] | A | 4010 | | SH | 13-JUL-99 |
| | MIL-W-2902D NOT 2 | WIRE ROPE ASSEMBLIES, SINGLE LEG, OXYGEN BREATHING APPARATUS SAFETY LINE[CUST: SH GS5] | A | 4010 | | GS5 | 14-JAN-03 |
| | MIL-W-21993B NOT 1 | WIRE ROPE ASSEMBLY, MOORING, MARK 1 MOD 1[CUST: OS] | A | 1350 | | OS | 27-MAR-92 |
| | MIL-W-3903D NOT 2 | WIRE ROPE ASSEMBLY, SINGLE LEG[CUST: AT YD 99 GS5] [REVIEW: 11 19 MI OS SH] | A | 4010 | | GS5 | 14-JAN-03 |
| | MIL-W-6015A(2) NOT 3 | WIRE ROPE, 6 BY 19, HIGH-STRENGTH (FOR AIRCRAFT LAUNCHING AND ARRESTING)[CUST: AS 99] [REVIEW: GS IS] | A | 4010 | | AS | 30-JAN-98 |
| | MIL-W-21632(1) NOT 1 | WIRE ROPES, STEEL, BARE AND NYLON COVERED, CORROSION-RESISTING, FLEXIBLE, PREFORMED, OCEANOGRAPHIC AND BATHYTHERMOGRAPHIC[CUST: SH] [REVIEW: GS IS MI] | A | 4010 | | SH | 01-APR-91 |
| | MIL-W-12567C(1) NOT 2 | WIRE STRAND, STEEL (WIRES WS-3/U, WS-4/U, W-90, W-115, AND W-116)[CUST: CR YD 99 GS5] [REVIEW: AR GL MC] | A | 4010 | | GS5 | 21-FEB-03 |
| | SAE-AMS5115 | WIRE, CARBON STEEL 0.60 - 0.75C HARDENED AND TEMPERED[CUST: MR AS 11] | A | 9505 | | IS | 01-AUG-90 |
| | MIL-W-3318A NOT 1 | WIRE, COPPER, AND WIRE, STEEL, COPPERCLAD W-154 AND WS-24/U[CUST: CR YD 99 IS] [REVIEW: OS] | A | 9505 | | IS | 16-JUN-97 |
| | MIL-W-81044/8C(1) | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 DEG. C[CUST: AS 11 CC] | A | 6145 | | AS | 13-JUL-93 |
| | MIL-W-81044/5C(1) | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 DEG. C[CUST: AS 11 CC] | A | 6145 | | AS | 13-JUL-93 |
| | MIL-W-81381/20 NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT NICKEL COATED HIGH STRENGTH COPPER ALLOY, 600 VOLTS, NOMINAL 4.6 MIL WALL[CUST: AS IS] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/18 NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT, NICKEL COATED COPPER, 600 VOLTS NOMINAL 4.6 MIL WALL[CUST: AS IS] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/17 NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT, SILVER COATED COPPER, 600 VOLTS, NOMINAL 4.6 MIL WALL[CUST: AS IS] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/19 NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT, SILVER COATED HIGH STRENGTH COPPER ALLOY, 600 VOLTS, NOMINAL 4.6 MIL WALL[CUST: AS IS] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/8D NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL WALL[CUST: CR AS 11 IS] [REVIEW: AR AT AV EC MC MI OS SH] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/10E NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL WALL[CUST: CR AS 11 IS] [REVIEW: AR AT AV EC MC MI OS SH] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/7E NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL WALL[CUST: CR AS 11 IS] [REVIEW: AR AT AV EC MC MI OS SH] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/21A NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLTS, 150 DEGREES C, NOMINAL 5.8 MIL WALL[CUST: AS IS] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/14D NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, NICKEL COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 8.4 MIL WALL[CUST: CR AS 11 IS] [REVIEW: AR AT AV EC MC MI OS SH] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/12C NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, NICKEL COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 8.4 OR 15.4 MIL WALL[CUST: CR AS 11 IS] [REVIEW: AR AT EC MC MI OS SH] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/11C NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, SILVER COATED COPPER CONDUCTOR, 600 VOLTS, 200 DEG C, NOMINAL 8.4 OR 15.4 MIL WALL[CUST: CR AS 11 IS] [REVIEW: AR AT AV EC MC MI OS SH] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/9D NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, 200 DEGREES C, NOMINAL 5.8 MIL WALL[CUST: CR AS 11 IS] [REVIEW: AR AT AV EC MC MI OS SH] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-81381/13D NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYMIDE INSULATED, MEDIUM WEIGHT, SILVER COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 8.4 MIL WALL[CUST: CR AS 11 IS] [REVIEW: AR AT AV EC MC MI OS SH] | A | 6145 | | CC | 17-JAN-03 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| | MIL-W-81381/22 NOT 2 | WIRE, ELECTRIC, FLUOROCARBON/POLYMIDE INSULATED, MEDIUM WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLTS, 150 DEGREES C NOMINAL 8.4 OR 15.4 MIL WALL[CUST: AS IS] | A | 6145 | | CC | 17-JAN-03 |
| | MIL-W-5086/4B NOT 1 | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN COATED COPPER CONDUCTOR, 3000 VOLT, 105 DEG. C (SEE QPL 5086-27)[CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC MC MI OS SH] | A | 6145 | | AS | 30-SEP-99 |
| | MIL-W-5086/5C NOT 1 | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, POLYVINYLIDENE FLUORIDE JACKET, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 110 DEGREES C[CUST: CR AS 11 CC] [REVIEW: AR AT AV CR4 EC MC MI OS] | A | 6145 | | AS | 30-SEP-99 |
| | MIL-DTL-13169C | WIRE, ELECTRICAL (FOR INSTRUMENT TEST LEADS)[CUST: CR 11 CC] [REVIEW: DS MI] | A | 6145 | | CC | 27-OCT-00 |
| | MIL-DTL-13075A | WIRE, ELECTRICAL (W-124, W-125, W-128)[CUST: CR] | A | 6145 | | CC | 15-MAR-02 |
| | MS27110D | WIRE, ELECTRICAL - SILICONE INSULATED, COPPER, 600 VOLT, 200 DEG. C. FEP JACKET[CUST: AV AS 11 CC] | A | 6145 | | CC | 19-JUL-04 |
| | MIL-DTL-12995C | WIRE, ELECTRICAL, ANTENNA (WIRE, W-120)[CUST: CR] | A | 6145 | | CC | 27-OCT-00 |
| | MIL-DTL-13074B | WIRE, ELECTRICAL, ANTENNA, (WIRE W-27 AND WIRE WS-19( ) /U)[CUST: CR CC] | A | 6145 | | CC | 27-JUN-03 |
| | MIL-W-5845C(1) NOT 2 | WIRE, ELECTRICAL, IRON CONSTANTAN, THERMOCOUPLE[CUST: CR AS 11] [REVIEW: EC MI OS] | A | 6145 | | CC | 15-FEB-02 |
| | MIL-W-5086/6C NOT 1 | WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, POLYVINYLIDENE FLUORIDE JACKET, SILVER COATED COPPER ALLOY CONDUCTOR, 600 VOLT, 110 DEG. C[CUST: CR AS 11 GS2] [REVIEW: 99 AR AT AV CR4 EC IS MC MI OS SH] | A | 6145 | | AS | 28-SEP-99 |
| | MS25471E | WIRE, ELECTRICAL, SILICONE-INSULATED, COPPER, 600 VOLT, 200 DEG. C, POLYESTER JACKET[CUST: AV AS 11 CC] | A | 6145 | | CC | 06-DEC-04 |
| | MIL-DTL-8777D | WIRE, ELECTRICAL, SILICONE-INSULATED, COPPER, 600-VOLT, 200 DEG. C[CUST: AV AS 11 CC] [REVIEW: 19 CR4 MI] | A | 6145 | | CC | 05-JUL-02 |
| | MIL-W-81822/3A(1) NOT 1 | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYVINYIDENE FLUORIDE (PVDF) INSULATION, SILVER COATED SOLID CONDUCTOR (FUTURE DESIGN SHOULD REFER TO SAE-AS81822/3)[CUST: CR AS 11] [REVIEW: 99 CC EC IS MC SH] | A | 6145 | | AS | 30-SEP-98 |
| | MIL-W-81822/5A(1) NOT 1 | WIRE, ELECTRICAL, SOLDERLESS WRAP, FLUOROCARBON POLYIMIDE TAPE AND POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR (FUTURE DESIGN SHOULD REFER TO SAE-AS81822/5)[CUST: CR AS 11] [REVIEW: 99 CC EC IS MC SH] | A | 6145 | | AS | 30-SEP-98 |
| | MIL-W-81822/7A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYAMIDE JACKET OVER EXTRUDED POLYVINYL CHLORIDE (PVC) INSULATION, TIN COATED SOLID CONDUCTOR[CUST: CR AS 11] [REVIEW: 99 CC EC IS MC SH] | A | 6145 | | AS | 15-MAR-94 |
| | MIL-W-81822/1A(1) NOT 1 | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYETHYLENE TEREPHTHALATE - POLYESTER LAMINATED TAPE INSULATION, SILVER COATED SOLID CONDUCTOR (FUTURE DESIGN SHOULD REFER TO SAE-AS81822/1)[CUST: CR AS 11] [REVIEW: 99 CC EC IS MC SH] | A | 6145 | | AS | 30-SEP-98 |
| | MIL-DTL-13276B | WIRE, ELECTRICAL; ANTENNA, (WIRE W-28)[CUST: CR CC] | A | 6145 | | CC | 15-OCT-03 |
| | MIL-DTL-13241B | WIRE, ELECTRICAL; ANTENNA, (WIRE WS-12( )/U AND WIRE WS-13( )/U)[CUST: CR CC] | A | 6145 | | CC | 15-OCT-03 |
| | MIL-W-19150B NOT 2 | WIRE, INSULATED, HARD DRAWN COPPER[CUST: OS] [REVIEW: IS] | A | 6145 | | OS | 13-JUL-99 |
| | MIL-W-19487A NOT 1 | WIRE, NICKEL BASE ALLOY, AGE HARDENABLE[CUST: OS] [REVIEW: IS] | A | 9525 | | OS | 13-JUL-99 |
| | MIL-W-81235(3) NOT 1 | WIRE, SILVER-ALLOY[CUST: OS] | A | 9545 | | OS | 20-MAY-92 |
| | SAE-AMS6533 | WIRE, STEEL WELDING 2.0CR - 10NI - 14CO - 1.0MO - (0.13 - 0.17C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 20-DEC-91 |
| | SAE-AMS-QQ-W-428 | WIRE, STEEL, CARBON (HIGH CARBON, ROUND, FOR MECHANICAL SPRINGS, GENERAL PURPOSE)[CUST: MR OS] | A | 9505 | | IS | 16-NOV-99 |
| | MIL-W-8957A NOT 3 | WIRE, STEEL, CARBON HIGH STRENGTH[CUST: AR 11 IS] | A | 9505 | | IS | 16-JUN-97 |
| | MIL-W-21425B NOT 1 | WIRE, STEEL, HIGH CARBON, SQUARE, UNCOATED, FOR MECHANICAL SPRINGS (GENERAL PURPOSE)[CUST: MR OS 99 IS] [REVIEW: AR GL MI] | A | 9505 | | IS | 16-JUN-97 |
| | MS33741 NOT 2 | WIRING DIAGRAM - SENSITIVE INSTRUMENT SYSTEM WITH SEPARATE AMPLIFIER, 26 VOLTS, 400 CYCLES, SCHEMATIC[CUST: AS 11] [REVIEW: GS] | A | 6620 | | AS | 04-SEP-96 |
| | MS33632 NOT 1 | WIRING DIAGRAM TWO POLE TACHOMETER GENERATOR AND PERCENT RPM TACHOMETER INDICATOR[CUST: AV AS 99] [REVIEW: GS] | A | 6680 | | AS | 07-MAY-97 |
| | MIL-W-5088L(1) NOT 1 | WIRING, AEROSPACE VEHICLE (FUTURE DESIGN SHOULD REFER TO SAE-AS50881)[CUST: CR AS 11] [REVIEW: 19 99 AV CR4] | A | SESS | | AS | 30-SEP-98 |
| | MIL-W-89500 NOT 2 | WORLD MAGNETIC MODEL (WMM)[CUST: TI NO 09] [REVIEW: 33 99 AV CE2 CG CM DC2 DI MC NS US] | A | GINT | | MP | 31-MAR-04 |
| | MIL-W-48763 NOT 2 | WRENCH, FUZING, ANTI-PERSONNEL MINE, M25[CUST: AR] | A | 1345 | | AR | 11-JUL-96 |
| | MS90489B NOT 1 | WRENCH, PLUG, ELECTROLYTE ACCESS HOLE, CELL, AIRCRAFT ALKALINE STORAGE BATTERY[CUST: AS] [REVIEW: GS] | A | 6140 | | AS | 24-FEB-98 |
| | MIL-W-12307C NOT 2 | WRENCH, VALVE-REMOVING, M1 AND M2[CUST: EA] [REVIEW: GL GS] | A | 5120 | | EA | 09-JUL-04 |
| | MS33784 NOT 2 | WRENCHING FEATURES FOR CYLINDRICAL NUTS, DESIGN STANDARD FOR[CUST: AV AS 99 IS] [REVIEW: 11 AR CR MI] | A | 5310 | | IS | 09-MAR-98 |
| | MS14130B NOT 2 | WRITING DESK[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MS14131C NOT 2 | WRITING DESK COMPONENTS[CUST: AS] [REVIEW: GS] | A | 5975 | | AS | 25-SEP-96 |
| | MIL-Y-87125A(1) NOT 3 | YARN, GRAPHITE, 1000/3000 FILAMENTS[CUST: 11] | A | CMPS | | 11 | 15-DEC-97 |
| | MIL-Y-83370A NOT 2 | YARN, ROVING, AND CLOTH: HIGH MODULUS, ORGANIC FIBER[CUST: 11] | A | CMPS | | 11 | 15-DEC-97 |
| | MIL-Y-40628D NOT 1 | YOKE, TOWING AND LIFTING, FOR DRUMS, FABRIC, COLLAPSIBLE[CUST: AT MC 11] [REVIEW: 99 GL GS] | A | 8110 | | AT | 25-SEP-98 |
| | MIL-Z-12061B NOT 3 | ZINC CARBONATE, BASIC, TECHNICAL[CUST: EA] [REVIEW: GS MD] | A | 6810 | | EA | 09-JUL-04 |
| | MIL-Z-291G NOT 2 | ZINC OXIDE, TECHNICAL[CUST: EA OS] [REVIEW: AR GS MD] | A | 6810 | | EA | 08-JUL-04 |
| | DOD-Z-82674(1) NOT 1 | ZIRCONIUM CARBIDE, POWERED, TECHNICAL[CUST: OS] [REVIEW: GS] | A | 6810 | | OS | 10-JUL-99 |
| | MIL-Z-21353 | ZIRCONIUM HYDRIDE[CUST: AR OS] | A | 1375 | | AR | 15-JUN-89 |
| | MIL-Z-81572 NOT 2 | ZIRCONIUM OXIDE, LINE-STABILIZED, POWDER AND ROD, FOR FLAME SPRAYING[CUST: AS] [REVIEW: GS] | A | 6810 | | AS | 07-AUG-96 |
| | MIL-Z-11410B NOT 2 | ZIRCONIUM- NICKEL ALLOY, POWDERED[CUST: AR OS 99] [REVIEW: MD MR] | A | 9630 | | AR | 14-MAR-97 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | ASTM-D1468 | VOLATILE MATTER IN TRICRESYL PHOSPHATE, STANDARD TEST METHOD FOR (NO S/S DOCUMENT)[CUST: EA MC] [REVIEW: MD OS SH] | A | 6810 | | GS3 | 28-OCT-05 |
| A | ASTM-D1639 | ACID VALUE OF ORGANIC COATING MATERIALS, STANDARD TEST METHOD FOR (NO S/S DOCUMENT)[CUST: MR 99] [REVIEW: 84 AS CR4 GL OS SH YD] | A | 8010 | | MR | 28-NOV-05 |
| A | ASTM-D3067 | AEROSOL CONTAINERS, REPORTING LABORATORY RESULTS WHEN CHECKING (NO S/S DOCUMENT)[CUST: EA SH 68] [REVIEW: GL MD] | A | 6810 | | GS3 | 25-JAN-06 |
| A | ASTM-D3068 | AEROSOL CONTAINERS, SAFE FILL OF (NO S/S DOCUMENT)[CUST: EA SH 68 GS3] [REVIEW: GL MD] | A | 6810 | | GS3 | 26-JAN-06 |
| A | ASTM-D3066 | AEROSOL PACKAGES, LABELING (NO S/S DOCUMENT)[CUST: EA SH 68] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 25-JAN-06 |
| A | ASTM-D3077 | AEROSOL PRODUCTS, COMPARISON OF SPRAY PATTERNS OF (NO S/S DOCUMENT)[CUST: EA SH 68 GS3] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 26-JAN-06 |
| A | ASTM-D3092 | AEROSOL, SPACE-INSECTICIDE, PARTICLE-SIZE DISTRIBUTION OF (NO S/S DOCUMENT)[CUST: EA SH 68] | A | 6840 | | GS3 | 26-JAN-06 |
| A | ARI360 | AIR CONDITIONING EQUIPMENT, COMMERCIAL & INDUSTRIAL UNITARY, STANDARD FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: CE GL] | A | 4120 | | IS | 04-OCT-05 |
| A | ASTM-F872 | AIR CONDITIONING: VISCOUS-IMPINGEMENT TYPE, CLEANABLE FILTER UNITS (NO S/S DOCUMENT)[CUST: YD 99] [REVIEW: 84 CG CR4 MC SH] | A | 4130 | | IS | 20-SEP-05 |
| A | MIL-A-8591H(1) NOT 1 | AIRBORNE STORES, SUSPENSION EQUIPMENT AND AIRCRAFT-STORE INTERFACE (CARRIAGE PHASE); GENERAL DESIGN CRITERIA FOR (S/S BY MIL-STD-8591)[CUST: AV AS 11] | A | 15GP | | AS | 12-DEC-05 |
| A | SAE-AMS5530 | ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 58NI - 15.5CR - 16MO - 3.8W -5.5FE SOLUTION HEAT TREATED (NO S/S DOCUMENT)[CUST: MR AS 11 IS] | A | 9515 | | IS | 23-AUG-05 |
| A | ASTM-B151 | ALLOY, (NICKEL SILVER) COPPER-NICKEL-ZINC AND COPPER-NICKEL ROD AND BAR (NO S/S DOCUMENT)[CUST: MR SH IS] [REVIEW: CR CR4 EA GL MI] | A | 9530 | | IS | 15-JUL-05 |
| A | MIL-A-27861A(2) NOT 1 | ALTIMETER SET, ELECTRONIC AN/APN-133A (NO S/S DOCUMENT)[CUST: AS 99] | A | 5841 | | AS | 18-DEC-80 |
| A | MIL-A-27866(2) NOT 1 | ALTIMETER SET, ELECTRONIC, AN/APN-42A (NO S/S DOCUMENT)[CUST: AS 99] | A | 5841 | | AS | 26-DEC-78 |
| A | ASTM-B150 | ALUMINUM BRONZE ROD, BAR, AND SHAPES (NO S/S DOCUMENT)[CUST: MR SH 99] [REVIEW: AR AS CR CR4 EA GL MI] | A | 9530 | | IS | 16-SEP-05 |
| A | ASTM-B169M | ALUMINUM BRONZE SHEET, STRIP, AND ROLLED BAR (METRIC) (NO S/S DOCUMENT)[CUST: MR SH 99 IS] [REVIEW: AR CR CR4 EA GL MC OS SA] | A | 9535 | | IS | 15-JUL-05 |
| A | ASTM-B150M | ALUMINUM BRONZE, ROD, BAR, AND SHAPES (METRIC) (NO S/S DOCUMENT)[CUST: MR SH 99] [REVIEW: AR AS CR CR4 EA GL] | A | 9530 | | IS | 16-SEP-05 |
| A | AAMA1302.5 | ALUMINUM PRIME WINDOWS, FORCED-ENTRY RESISTANT (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5670 | | IS | 07-JUL-05 |
| A | AAMA601.1 | ALUMINUM, PAINTED, EXTRUSIONS AND CURTAIN WALL PANELS, VOLUNTARY GUIDE SPECIFICATION FOR CLEANING AND MAINTENANCE OF (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5670 | | IS | 07-JUL-05 |
| A | MIL-A-25899(2) | AMPLIFIER, ELECTRONIC CONTROL AM-1799/ARN-6[CUST: AS 99] | A | 5826 | | AS | 01-AUG-67 |
| A | MIL-A-38137B(7) | AMPLIFIER-INDICATOR GROUP, ALTITUDE-VERTICAL SPEED A/A24G-17[CUST: AS 99] | A | 6610 | | AS | 15-APR-70 |
| A | MIL-A-27130(4) | AMPLIFIER-POWER SUPPLY GROUP AN/GRA-62( )[CUST: 99] | A | 5895 | | CC | 08-APR-68 |
| A | MIL-A-27143(4) NOT 1 | AMPLIFIER-POWER SUPPLY GROUP AN/TKA-3( ) (NO S/S DOCUMENT)[CUST: 99] | A | 5895 | | CC | 03-MAY-78 |
| A | MIL-A-25761(1) NOT 1 | ANTENNA AT-722/APX (NO S/S DOCUMENT)[CUST: AS 99] | A | 5895 | | AS | 13-MAY-80 |
| A | MIL-A-27140A(1) NOT 1 | ANTENNA GROUP AN/TSA-17( ) (NO S/S DOCUMENT)[CUST: 99] | A | 5895 | | CC | 01-MAY-78 |
| A | MIL-A-44445 NOT 2 | APPLE BROWN BETTY, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-A-44255B NOT 2 | APPLE DESSERT, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 07-DEC-05 |
| A | AWI-QSGSQCP | ARCHITECTURAL WOODWORK QUALITY STANDARDS (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] | A | 5510 | | IS | 20-SEP-05 |
| A | ASTM-D371 | ASPHALT ROLL ROOFING (ORGANIC FELT) SURFACED WITH MINERAL GRANULES, WIDE SELVAGE (NO S/S DOCUMENT)[CUST: CR4 YD] [REVIEW: SM] | A | 5650 | | IS | 15-JUL-05 |
| A | MIL-STD-35-73(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ACTUATORS, ELECTROMECHANICAL, LINEAR (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-74 NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ACTUATORS, EXPLOSIVE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-53A NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ADAPTERS, ELECTRICAL (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-78A(1) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ADHESIVES (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-79A(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ATTENUATORS, FIXED AND VARIABLE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-110A(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BANDS, DECALS, MARKERS AND PLATES (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35E NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BASIC (NO S/S DOCUMENT)[Military Standard][CUST: MI SH 11] [REVIEW: AR AT CC CR EA IS TD TM] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-39A NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BATTERIES (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-24A(4) NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BEARINGS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-31A(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BOLTS AND STUDS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-99A(2) NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLE ASSEMBLIES (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-68A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, COAXIAL (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-119 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, FIBER OPTIC (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-141 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, SPECIAL PURPOSE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-98A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CAPACITORS, VARIABLE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-30A(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CIRCUIT BREAKERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-114 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CLAMPS, HARDWARE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-91A(4) NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTOR ACCESSORIES (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | DOD-STD-35-66A(1) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL PRINTED WIRING BOARD (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-134 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, COAXIAL (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-65A(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, CIRCULAR (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-135 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, POWER (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-107A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS-JACKS, PLUG AND TEST POINTS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-81A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONTAINERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-82A(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONVERTERS AND INVERTERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-67A(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CORD, ELECTRICAL (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-106 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM COUNTERS, RECIPROCATING AND ROTATING (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-38A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CRYSTAL UNITS (QUARTZ) (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-125(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM DISPLAYS, ELECTRO-OPTICAL (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-84A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM DUMMY LOADS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-121(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM EYELETS, FERRULES, AND GROMMETS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-85A(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FANS AND IMPELLERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-23A(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FASTENERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-25A(4) NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FILTERS, ELECTRONIC (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-41A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FILTERS, MECHANICAL, LIQUID, GAS/AIR (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-20C NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FITTINGS AND COUPLINGS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-11C NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FUSEHOLDERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-10C(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FUSES (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-93 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM GAGES - HYDRAULIC, PNEUMATIC, AND VACUUM (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-115 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM HEAT SINKS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-21A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM HOSE AND TUBING FLEXIBLE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-37A(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INDUCTORS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CE CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-111B(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATION, ELECTRICAL (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-118(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATION, THERMAL AND ACOUSTIC (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-122 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATORS, ELECTRICAL (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-88A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM KNOBS, DIALS, AND POINTERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-86A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LAMPHOLDERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-52A(4) NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LAMPS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-120(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LENSES, FILTERS, AND MIRRORS (OPTICAL) (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-112(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LUBRICANTS, OIL AND GREASE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-12A(4) NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM METERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-75(4) NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM MICROWAVE/WAVEGUIDE COMPONENTS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-89A(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM MOTORS, AC AND DC (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-35(2) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM NETWORKS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-22A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM NUTS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-94A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM OSCILLATORS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-90 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PAINT, VARNISH, LACQUER, AND ENAMEL (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-32B NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PINS AND KEYS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-116(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM POTTING COMPOUNDS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-50A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PULLEYS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-100A(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM REGULATORS AND NONPOWERED VALUES (HYDRAULIC, PNEUMATIC, AND VACUUM) (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-8B(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RELAYS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-STD-35-97B NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESISTER NETWORKS (NO S/S DOCUMENT)[Military Standard][CUST: MI] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-3E NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESISTORS, FIXED (NO S/SOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-45A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESOLVERS, ELECTRICAL (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-40A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RETAINING RINGS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-14A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RIVETS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-17A(4) NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SCREWS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-36B(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SEALS, GASKETS, AND PACKING (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-133(1) NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SHIELDING, RFI, EMI (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-27A(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SPRINGS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-71A(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES (THERMAL) (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-137 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, ILLUMINATED (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-117(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, PRESSURE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-6B(4) NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, ROTARY (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-138(4) NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, SENSITIVE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-70A(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, TOGGLE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-44A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SYNCHROS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-9C NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TERMINAL BOARDS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-19A(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TERMINALS AND TERMINAL STRIPS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-48A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSDUCERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-7C NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSFORMERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-108A NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSMITTERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-104A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM UNIVERSAL JOINTS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-46B NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM VALVES (POWERED) (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-5E NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM WASHERS, SPACERS, AND SHIMS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-42A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM WAVEGUIDES (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-72(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, ACTUATORS, ELECTRO-MECHANICAL, ROTARY (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-103(3) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, AMPLIFIERS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-43(2) NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, ANTENNAS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-80 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, BELTS, TRANSMISSION AND CONVEYOR (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-4C(1) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CAPACITORS, FIXED (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-28 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, COILS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-69A(1) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CONNECTORS, ELECTRICAL, RECTANGULAR (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-126(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CYLINDERS, ACTUATING, LINEAR (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-132(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, DELAY LINES, ELECTRONIC AND NETWORK PULSE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-87 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, HOLDERS, SUPPORTS, AND BRACKETS (CRYSTAL) (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-109(1) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, INDICATORS, POINTER (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-34A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, INSERTS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-130(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, METERS, FLOW (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-16C(1) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, MICROCIRCUIT DEVICES (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-15A NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, MICROCIRCUIT DEVICES, LINEAR (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV EL ME MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-83 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, MOTOR-GENERATOR SETS AND DYNAMOTORS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-18 NOT 6 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PIPE AND TUBING, RIGIS (NO S/S DOCUMENT)[Military Standard][CUST: MI] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-102 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PRINTED WIRING, FLEXIBLE (NO S/S DOCUMENT)[Military Standard][CUST: MI] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-95 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PUMPS - HYDRAULIC, PNEUMATIC, AND VACUUM (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR4 MR] | A | EGDS | | MI | 20-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-STD-35-96 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, REGULATORS, CURRENT AND VOLTAGE, AC AND DC (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-101 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RELAYS, SOLID STATE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-136 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RESISTORS, VARIABLE (NO S/S DOCUMENT)[Military Standard][CUST: MI] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-54A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SEMICONDUCTOR DEVICE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-56A NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SEMICONDUCTOR DEVICES, VOLTAGE VARIABLE CAPACITOR DIODES (SEE DOD STD 35-54A) (NO S/S DOCUMENT)[Military Standard][CUST: MI OS] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-123 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SOCKET, ELECTRICAL (NO S/S DOCUMENT)[Military Standard][CUST: MI] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-13A NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SOLENOIDS (NO S/S DOCUMENT)[Military Standard][CUST: MI] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-51(1) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SPROCKETS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-129 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, FLOW, AIR AND LIQUID (NO S/S DOCUMENT)[Military Standard][CUST: MI] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-128 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, REED (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-127 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, TRANSDUCER OR SOLID STATE (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-76A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, THERMISTORS (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | MIL-STD-35-105 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, THERMOCOUPLES (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: CR4] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-131(2) NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, TIMERS, INTERVAL, SEQUENTIAL, STOP (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | DOD-STD-35-139 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, WIRE, ELECTRICAL (NO S/S DOCUMENT)[Military Standard][CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A | EGDS | | MI | 20-JUL-05 |
| A | ASTM-C360 | BALL PENETRATION IN FRESHLY MIXED HYDRAULIC CEMENT CONCRETE (NO S/S DOCUMENT)[CUST: CR4 YD] [REVIEW: CE MC] | A | 5610 | | IS | 05-OCT-05 |
| A | MS3224A NOT 3 | BALLS, BEARING, AIRCRAFT QUALITY STEEL (S/S BY ASTM-F2215)[CUST: AT OS 99] | A | 3110 | | GS4 | 23-NOV-05 |
| A | MS19063C NOT 3 | BALLS, BEARING, BRONZE (S/S BY ASTM-F2215)[CUST: AT OS 99] [REVIEW: 84 MC SH] | A | 3110 | | GS4 | 23-NOV-05 |
| A | MS19061C NOT 3 | BALLS, BEARING, CARBON STEEL (S/S BY ASTM-F2215)[CUST: AT OS 99] [REVIEW: CR4 MC SH] | A | 3110 | | GS4 | 23-NOV-05 |
| A | MS19059C NOT 3 | BALLS, BEARING, CHROME ALLOY STEEL (S/S BY ASTM-F2215)[CUST: AT OS 99] [REVIEW: 11 84 AS AV MC MI SA] | A | 3110 | | GS4 | 23-NOV-05 |
| A | MS19060D NOT 3 | BALLS, BEARING, CORROSION RESISTANT STEEL (S/S BY ASTM-F2215)[CUST: AT OS 99] [REVIEW: 11 84 MI] | A | 3110 | | GS4 | 23-NOV-05 |
| A | MIL-B-1083D SUP 1 NOT 3 | BALLS, BEARING, FERROUS AND NON-FERROUS (FOR USE IN BEARINGS, VALVES AND BEARING APPLICATIONS) GENERAL SPECIFICATION FOR (S/S BY ASTM-F2215)[CUST: AT OS 99] [REVIEW: 84 AR EA MI SH] | A | 3110 | | GS4 | 23-NOV-05 |
| A | MS3226 NOT 3 | BALLS, BEARING, GRADE 10, AIRCRAFT- QUALITY STEEL (S/S BY ASTM-F2215)[CUST: AV OS 99] | A | 3110 | | GS4 | 23-NOV-05 |
| A | MS19064C NOT 3 | BALLS, BEARING, NICKEL-COPPER ALLOY (K-MONEL) (S/S BY ASTM-F2215)[CUST: AT OS 99] [REVIEW: 84 AV CR4 MC SH] | A | 3110 | | GS4 | 23-NOV-05 |
| A | MS19062B NOT 3 | BALLS, BEARING, NON-FERROUS, BRASS (S/S BY ASTM-F2215)[CUST: AT OS 99] | A | 3110 | | GS4 | 23-NOV-05 |
| A | MIL-B-44446 NOT 2 | BANANA-STRAWBERRY BREAKFAST DRINK, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | SAE-AMS6485 | BARS, STEEL, AND FORGINGS, 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) (NO S/S DOCUMENT)[CUST: MR AS 11 IS] | A | 9510 | | IS | 04-OCT-05 |
| A | ANSI-Z124.1 | BATHTUB UNITS, PLASTIC, AMERICAN NATIONAL STANDARD FOR (NO S/S DOCUMENT)[CUST: YD 99] [REVIEW: 84 MC] | A | 4510 | | IS | 04-OCT-05 |
| A | MIL-B-18/36D NOT 2 | BATTERY, DRY, BA-203/U (NO S/S DOCUMENT)[CUST: CR SH 99 GS2] [REVIEW: MC MI] | A | 6135 | | GS2 | 04-JAN-06 |
| A | MIL-B-27935A(1) NOT 1 | BEACON-TRANSPONDER SET, TACAN, AN/TRN-17( ) (NO S/S DOCUMENT)[CUST: 99] | A | 5825 | | CC | 06-FEB-79 |
| A | ASTM-C116 | BEAMS, BROKEN IN FLEXURE, COMPRESSIVE STRENGTH OF CONCRETE USING PORTIONS OF (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 20-DEC-05 |
| A | MIL-B-44478 NOT 2 | BEANS WITH RICE AND BACON, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 07-DEC-05 |
| A | MIL-B-44443 NOT 2 | BEANS, BAKED, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-B-43930B NOT 2 | BEANS, GREEN, DEHYDRATED, COMPRESSED (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8915 | | GL | 27-SEP-05 |
| A | FF-B-171/35(2) NOT 1 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, FILLING SLOT, VERTEX OF CONTACT ANGLES INSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 33 (S/S BY A-A-59639)[CUST: AT OS 99 GS4] [REVIEW: 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| A | FF-B-171/36(2) NOT 1 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 32 (S/S BY A-A-59640)[CUST: AT OS 99 GS4] [REVIEW: 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| A | FF-B-171/37(2) NOT 1 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 33 (S/S BY A-A-59641)[CUST: AT OS 99 GS4] [REVIEW: 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| A | FF-B-171/32(2) NOT 1 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, NON-FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 32 (S/S BY A-A-59636)[CUST: AT OS 99 GS4] [REVIEW: 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| A | FF-B-171/33(2) NOT 1 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, NON-FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 33 (S/S BY A-A-59637)[CUST: AT OS 99 GS4] [REVIEW: 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| A | FF-B-171/34(3) NOT 1 | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, NON-FILLING SLOT, VERTEX OF CONTACT ANGLES INSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 32 (S/S BY A-A-59638)[CUST: AT OS 99 GS4] [REVIEW: 84 AR EA GL SH] | A | 3110 | / | GS4 | 15-JAN-03 |
| A | QPL-22227-6 NOT 2 | BEARING, BALL, ANNULAR, GENERATOR AND MOTOR-GENERATOR (NO S/S DOCUMENT) | A | 3110 | | GS4 | 14-FEB-06 |
| M | MS500072C NOT 3 | BEARING, ROLLER, NEEDLE: ASSEMBLY (THICK OUTER RACE) (S/S BY ASTM-F2430)[CUST: AT OS GS4] | A | 3110 | | GS4 | 19-APR-06 |
| M | MS51961F NOT 3 | BEARING, ROLLER, NEEDLE: THICK OUTER RING W/ROLLERS AND CAGE (S/S BY ASTM-F2246)[CUST: AT OS 99] | A | 3110 | | GS4 | 19-APR-06 |
| A | MIL-B-44353A NOT 2 | BEEF PATTIES IN BROTH, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 07-DEC-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-B-44294A NOT 2 | BEEF STEW, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 07-DEC-05 |
| A | MIL-B-44228B NOT 2 | BEEF STRIPS WITH GREEN PEPPERS AND GRAVY, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 07-DEC-05 |
| A | MIL-B-43750H NOT 2 | BEEF WITH RICE, COOKED, DEHYDRATED (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 27-SEP-05 |
| A | MIL-B-44337A NOT 2 | BEEF, GROUND, CREAMED, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MD QM SS] | A | 8940 | | GL | 07-DEC-05 |
| A | MIL-B-44256C NOT 2 | BLUEBERRY DESSERT, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 07-DEC-05 |
| A | ASTM-C79/C79M | BOARD, GYPSUM SHEATHING BOARD (NO S/S DOCUMENT)[CUST: CR4 YD 99] | A | 5640 | | IS | 27-SEP-05 |
| A | MIL-B-51298A NOT 3 | BODY ASSEMBLY, M674 AND M675 CARTRIDGES (NO S/S DOCUMENT)[CUST: EA] | A | 1310 | | EA | 18-JUL-05 |
| A | ASME-BPVC4 | BOILERS, HEATING, RULES FOR CONSTRUCTION OF (NO S/S DOCUMENT)[CUST: CE YD] [REVIEW: MC] | A | 4520 | | IS | 04-OCT-05 |
| A | ANSI-B18.2.3.6M | BOLT, HEAVY HEX-METRIC (NO S/S DOCUMENT)[CUST: AR AS 99 IS] [REVIEW: AV CR CR4 MC MI NS] | A | 5305 | | IS | 16-SEP-05 |
| A | ANSI-B18.2.3.5M | BOLT, HEX - METRIC - W/ERRATA (NO S/S DOCUMENT)[CUST: AR AS 99 IS] | A | 5306 | | IS | 01-SEP-05 |
| A | SAE-MA3477 | BOLT, MACHINE - SPLINE DRIVE HD, CLOSE TOL FULL SHANK, AMS-5662, METRIC (NO S/S DOCUMENT)[CUST: AR AS 99] [REVIEW: AV SH] | A | 5306 | | IS | 01-SEP-05 |
| A | SAE-MA4187 | BOLT, MACHINE, SPLINE DRIVE, SPECIAL EXTENDED WASHER, REDUCED HEAD, PD SHANK, AMS 5662, METRIC (NO S/S DOCUMENT)[CUST: AR AS 99] [REVIEW: 82 AV] | A | 5306 | | IS | 01-SEP-05 |
| A | ANSI-B18.5.2.1M | BOLT, ROUND HEAD, SHORT SQUARE NECK - METRIC (NO S/S DOCUMENT)[CUST: AR SH 99 IS] [REVIEW: AT AV CR EA] | A | 5306 | | IS | 20-SEP-05 |
| A | SAE-MA4147 | BOLT, SPLINE DRIVE EXTENDED WASHER, REDUCED SHANK, AMS 5662, METRIC (NO S/S DOCUMENT)[CUST: AR AS 99] [REVIEW: 82 AV] | A | 5306 | | IS | 01-SEP-05 |
| A | ANSI-B18.2.3.7M | BOLT, STRUCTURAL, HEAVY HEX - METRIC (NO S/S DOCUMENT)[CUST: AR AS 99 IS] | A | 5306 | | IS | 20-SEP-05 |
| A | ANSI-B18.9 | BOLTS, PLOW (NO S/S DOCUMENT)[CUST: AR SH 99 IS] [REVIEW: AT] | A | 5306 | | IS | 20-SEP-05 |
| A | ASTM-A490M | BOLTS, STEEL, HIGH-STRENGTH, CLASSES 10.9 AND 10.9.3, FOR STRUCTURAL STEEL JOINTS (METRIC)1 (NO S/S DOCUMENT)[CUST: AR YD 99] [REVIEW: CE] | A | 5306 | | IS | 01-SEP-05 |
| A | ASTM-A325M | BOLTS, STRUCTURAL, STEEL, HEAT TREATED 830 MPA MINIMUM TENSILE STRENGTH (METRIC) (NO S/S DOCUMENT)[CUST: AR YD] [REVIEW: 99 CE] | A | 5306 | | IS | 01-SEP-05 |
| A | MIL-B-4899A | BOOT, FIREMAN, COLD WEATHER, TYPE MA-1 [REVIEW: CT] | A | 8430 | | 11 | 10-FEB-66 |
| A | MS33649C NOT 2 | BOSS, FLUID CONNECTION - INTERNALSTRAIGHT THREAD (S/S BY SAE-AS5202)[CUST: AV AS 99 CC] [REVIEW: 71 AT CG MC MI SA] | A | 4730 | | CC | 11-AUG-05 |
| A | SAE-J1473 | BRAKE PERFORMANCE - RUBBER-TIRED EARTHMOVING MACHINES (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 3805 | | IS | 04-OCT-05 |
| D | MIL-B-16392C(4) NOT 2 | BRAKE, MAGNET, NAVAL SHIPBOARD (NO S/S DOCUMENT)[CUST: SH] | A | 6110 | | SH | 26-JUN-03 |
| D | QPL-16392-41 NOT 1 | BRAKES, MAGNET, NAVAL SHIPBOARD | A | 6110 | | SH | 26-JUN-03 |
| A | ASTM-B134 | BRASS WIRE (NO S/S DOCUMENT)[CUST: MR SH IS] [REVIEW: AR AV CR CR4 EA GL MI] | A | 9525 | | IS | 15-JUL-05 |
| A | MIL-B-44430 NOT 2 | BREAD STUFFING, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 07-DEC-05 |
| A | SAE-J742 | BUCKET, LOADER, CAPACITY RATING (NO S/S DOCUMENT)[CUST: CR4 YD 99] | A | 3805 | | IS | 04-OCT-05 |
| A | ASTM-C236 | BUILDING ASSEMBLIES BY MEANS OF A GUARDED HOT BOX, STEADY-STATE THERMAL PERFORMANCE OF (NO S/S DOCUMENT)[CUST: CR4 YD] [REVIEW: CE OS SH] | A | 5640 | | IS | 27-SEP-05 |
| A | A-A-50724 NOT 1 | BUILDING, PORTABLE (NO S/S DOCUMENT)[CUST: 99] | A | 5410 | / | 84 | 20-OCT-05 |
| A | ANSI-A161.1 | CABINETS, KITCHEN AND VANITY, RECOMMENDED PERFORMANCE & CONSTRUCTION STANDARDS FOR (NO S/S DOCUMENT)[CUST: CR4 YD] [REVIEW: CE] | A | 7125 | | IS | 27-SEP-05 |
| M | MS24208E NOT 1 | CABLE AND PLUG ASSEMBLY, EXTERNAL POWER 115/200 VOLTS 3 PHASE, SINGLE POINT REFUELING (S/S BY SAE-AS24208)[CUST: AS 11 GS] | A | 6150 | | AS | 20-FEB-06 |
| M | MIL-C-7974D(1) SUP 1 NOT 1 | CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIRCRAFT, GENERAL SPECIFICATION FOR (S/S BY SAE-AS7974)[CUST: AV AS 11] [REVIEW: 99 AR CC CR GS MI SH YD] | A | 6150 | | AS | 20-FEB-06 |
| M | QPL-7974-40 NOT 1 | CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIRCRAFT, GENERAL SPECIFICATION FOR (S/S BY QPL-AS-7974) | A | 6150 | | AS | 20-FEB-06 |
| M | MS90347D NOT 1 | CABLE ASSEMBLY EXTERNAL ELECTRIC POWER, AIRCRAFT 28 VOLT DC OPERATING POWER (S/S BY SAE-AS90347)[CUST: CR AS 11 GS] [REVIEW: 99 CR4 SH] | A | 6150 | | AS | 20-FEB-06 |
| M | MS90328G NOT 1 | CABLE ASSEMBLY EXTERNAL ELECTRIC POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ (S/S BY SAE-AS90328)[CUST: CR AS 11 GS] [REVIEW: 99 CR4 SH] | A | 6150 | | AS | 20-FEB-06 |
| M | MIL-C-7974/4 NOT 1 | CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, SINGLE-JACKETED 115/200 VOLT, 400 HERTZ (S/S BY SAE-AS7974/4)[CUST: AV AS 11] [REVIEW: 99 CR4 GS SH YD] | A | 6150 | | AS | 20-FEB-06 |
| M | MIL-C-7974/2 NOT 2 | CABLE ASSEMBLY, EXTERNAL POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ POWER DISTRIBUTION FLIGHT LINE (FOR A/E 24A-166A) (S/S BY SAE-AS7974/2)[CUST: AV AS 11] [REVIEW: GS] | A | 6150 | | AS | 20-FEB-06 |
| A | J-C-175F NOT 2 | CABLE ASSEMBLY, POWER, ELECTRICAL, FOR 125 VOLT, 250 VOLT, AND 125/250 VOLT, 50-60 HZ, EQUIPMENT (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: CR SH 11 CC] [REVIEW: AS CG GS MC] | A | 6150 | / | CC | 12-SEP-05 |
| A | MIL-C-44442 NOT 2 | CAKE, BLUEBERRY UPSIDE-DOWN, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-C-44462 NOT 2 | CAKE, CHOCOLATE MOCHA, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-C-44235B NOT 2 | CAKES, CANNED, THERMOHYDROSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8920 | | GL | 19-JAN-06 |
| M | MIL-C-11135E NOT 2 | CALCIUM HYDRIDE CHARGES ML-304( )/TM AND ML-305( )/TM AND CHARGE, HYDROGEN GENERATOR ML-587( )/TM (NO S/S DOCUMENT)[CUST: CR 99] | A | 6660 | | GS1 | 20-APR-06 |
| A | A-A-50225B NOT 1 | CALCULATING MACHINE, HAND-HELD (PROGRAMMABLE) (NO S/S DOCUMENT)[CUST: CE3 YD] [REVIEW: CR] | A | 7420 | / | CE3 | 31-OCT-05 |
| A | QPL-18255-28 NOT 1 | CALKING COMPOUND, SYNTHETIC RUBBER BASE, WOODEN DECK SEAM APPLICATION (NO S/S DOCUMENT) | A | 8030 | | SH | 25-OCT-05 |
| A | MIL-C-18255E(1) NOT 1 | CALKING COMPOUND, SYNTHETIC RUBBER BASE, WOODEN DECK SEAM APPLICATION (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[CUST: SH 99] | A | 8030 | | SH | 25-OCT-05 |
| A | ANSI-PH3.615 | CAMERA OBJECTIVES, STILL-PICTURE, METHOD OF TESTING VEILING GLARE (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 70] | A | 6760 | | IS | 16-SEP-05 |
| A | MIL-C-27687A NOT 1 | CAMERA SYSTEM. STILL PICTURE. AIRCRAFT RECONNAISSANCE KS-67A (NO S/S DOCUMENT)[CUST: 99] [REVIEW: GS] | A | 6720 | | 99 | 02-SEP-80 |
| A | MIL-C-22359B NOT 1 | CAMERA, AERIAL, HAND HELD, 70MM (NO S/S DOCUMENT)[CUST: 99] [REVIEW: GS] | A | 6720 | | 99 | 29-MAR-78 |
| A | NAS819 | CAP - PROTECTIVE, FLANGED FITTING (NO S/S DOCUMENT)[CUST: AR AS 99] | A | 5340 | | IS | 01-SEP-05 |
| M | A-A-55567A NOT 1 | CAPACITOR, ALUMINUM ELECTROLYTIC (NO S/S DOCUMENT)[CUST: EC CC] | A | 5910 | / | CC | 10-MAR-06 |
| M | A-A-55567/1A NOT 1 | CAPACITOR, ALUMINUM ELECTROLYTIC, LARGE CAN, SCREW TERMINAL (NO SS DOCUMENT)[CUST: EC CC] | A | 5910 | / | CC | 10-MAR-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-C-11015/14D NOT 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (STAND-OFF), STYLE CK80 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 MC MI] | A | 5910 | | CC | 05-JAN-06 |
| A | MIL-C-11015/24F NOT 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK41, CK42, CK43, CK50, CK51, CK52, CK53, CK54 AND CK55 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5910 | | CC | 17-OCT-05 |
| A | MIL-PRF-39006/32(1) NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NON-SOLID ELECTROLYTE), TANTALUM, (NON-POLARIZED, SINTERED SLUG) 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR82 (NO S/S DOCUMENT)[CUST: CR EC 11 CC NA] [REVIEW: 19 AS MC OS] | A | 5910 | | CC | 24-FEB-06 |
| A | MIL-PRF-83500/1C NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM ANODE AND CATHODE, STYLES CRL01, CRL02, AND CRL03 (NO S/S DOCUMENT)[CUST: EC 11 CC] | A | 5910 | | CC | 09-JUN-05 |
| A | MIL-PRF-83500A NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM ANODE AND CATHODE, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: EC 11 CC] | A | 5910 | | CC | 09-JUN-05 |
| A | MIL-C-11272/17B NOT 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY83 AND CY84 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[CUST: CR EC 11 CC] [REVIEW: 99 IS MI] | A | 5910 | | CC | 01-SEP-05 |
| A | MIL-C-11272/18C(2) NOT 4 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY85, CY86, CY87, CY88, AND CY89 (SEE NOTICE 4 FOR REPLACEMENT INFORMATION)[CUST: CR EC 11 CC] [REVIEW: 99 IS MI] | A | 5910 | | CC | 01-SEP-05 |
| A | MIL-PRF-39022/7D NOT 1 | CAPACITORS, FIXED, PAPER, DIELECTRIC (METALLIZED PLASTIC FILM), ALTERNATING CURRENT (RMS) (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY, STYLE CHR49 (UNINSULATED) (S/S BY MIL-PRF-39022/12)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC OS SH] | A | 5910 | | CC | 06-JUL-05 |
| A | MIL-C-11272/16B NOT 1 | CAPACITORS, FIXED, PORCELAIN DIELECTRIC, STYLES CY81 AND CY82 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[CUST: CR EC 11 CC] [REVIEW: 99 IS MI] | A | 5910 | | CC | 01-SEP-05 |
| A | MIL-PRF-87217A NOT 2 | CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI NA OS SH] | A | 5910 | | CC | 25-OCT-05 |
| A | QPL-87217-8 NOT 1 | CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A | 5910 | | CC | 25-OCT-05 |
| A | MIL-PRF-87217/1A NOT 2 | CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, STYLES CHS01, CHS02, AND CHS03 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI NA OS SH] | A | 5910 | | CC | 25-OCT-05 |
| M | MIL-PRF-81/10C NOT 2 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC STYLE CV99 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5910 | | CC | 14-MAR-06 |
| M | MIL-PRF-81/8A NOT 2 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV42 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR MC MI] | A | 5910 | | CC | 14-MAR-06 |
| M | MIL-PRF-81/9C NOT 2 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV98 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99] | A | 5910 | | CC | 14-MAR-06 |
| M | MIL-PRF-81/12A NOT 2 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLES CV50 AND CV51 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR MC MI] | A | 5910 | | CC | 14-MAR-06 |
| A | ASTM-D3037 | CARBON BLACK-SURFACE AREA BY NITROGEN ADSORPTION (NO S/S DOCUMENT)[CUST: EA MC GS3] [REVIEW: CR4 GL MD SH] | A | 6810 | | GS3 | 26-JAN-06 |
| A | ASTM-D2579 | CARBON IN WATER, TOTAL ORGANIC, STANDARD TEST METHOD FOR (NO S/S DOCUMENT)[CUST: EA] [REVIEW: CR4 MD] | A | 6810 | | GS3 | 25-JAN-06 |
| A | MIL-C-44116 NOT 2 | CARROTS, DEHYDRATED, COMPRESSED, DICED OR SHREDDED (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8915 | | GL | 27-SEP-05 |
| A | MIL-C-44268A NOT 2 | CARROTS, GLAZED, THERMOSTABILIZED, TRAY PACK (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD SS] | A | 8940 | | GL | 27-SEP-05 |
| A | QIC-137 | CARTRIDGE FOR INFORMATION INTERCHANGE, UNRECORDED MAGNETIC TAPE, 0.25 INCH 6.35 MM) TAPE WIDTH, 900 OERSEDS (72,000 AMPERES/METER), FOR 5.25-INCH FORM FACTOR TAPE DRIVES, INTENDED FOR USE WITH QIC-1350-DC, QIC-2100-DC, OR QIC-5GB-DC RECORDING FORMATS (NO S/S DOCUMENTS) | A | 7045 | | IS | 30-SEP-05 |
| A | QIC-136 | CARTRIDGE FOR INFORMATION INTERCHANGE, UNRECORDED MAGNETIC TAPE, 025 INCH 6.35 MM) TAPE WIDTH 900 OERSTEDS (72000) AMPERES/METER) FOR 5.25-INCH FORM FACTOR TAPE DRIVES INTENDED FOR USE WITH THE FOLLOWING RECORDING FORMATS: QIC-1000-DC AND QIC-2GB-DC (NO S/S DOCUMENT) | A | 7045 | | IS | 30-SEP-05 |
| A | MIL-C-51297B NOT 2 | CARTRIDGE, 40MM, RED SMOKE, RS, XM675 (NO S/S DOCUMENT)[CUST: EA] | A | 1310 | | EA | 18-JUL-05 |
| A | A-A-52041B NOT 1 | CASE, COMPUTER SUPPLIES, CARRYING (NO S/S DOCUMENT)[CUST: CE3 YD IS] [REVIEW: CR] | A | 6675 | / | CE3 | 31-OCT-05 |
| A | MIL-C-44447 NOT 2 | CAULIFLOWER AND CHEESE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | ASTM-D1565 | CELLULAR MATERIALS, FLEXIBLE, VINYL CHLORIDE POLYMERS AND COPOLYMERS (OPEN-CELL FOAM) (NO S/S DOCUMENT)[CUST: MR SH IS] | A | 9320 | | IS | 14-JUL-05 |
| A | ACI116 | CEMENT & CONCRETE TERMINOLOGY(NO S/S DOCUMENT)[CUST: YD] | A | 5610 | | IS | 04-OCT-05 |
| A | ANSI-A118.1 | CEMENT MORTAR, DRY-SET PORTLAND, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 05-JUL-05 |
| A | ANSI-A118.4 | CEMENT MORTAR, LATEX-PORTLAND (NO S/S DOCUMENT)[CUST: EA YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 05-JUL-05 |
| A | ASTM-C150 | CEMENT, PORTLAND (NO S/S DOCUMENT)[CUST: CE YD 99] [REVIEW: SH] | A | 5610 | | IS | 20-DEC-05 |
| A | ANSI-A118.9 | CEMENTITIOUS BACKER UNITS, TEST METHODS AND SPECIFICATIONS (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 05-JUL-05 |
| A | ASTM-C595M | CEMENTS, BLENDED HYDRAULIC (METRIC) (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: CE SH] | A | 5610 | | IS | 05-OCT-05 |
| A | ANSI-A108.1C | CERAMIC TILE IN THE WET-SET METHOD WITH PORTLAND CEMENT MORTAR OR INSTALLATION OF CERAMIC TILE ON A CURED PORTLAND CEMENT MORTAR SETTING BED WITH DRY-SET OR LATEX PORTLAND CEMENT MORTAR, INSTALLATION OF, CONTRACTORS OPTION (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 05-JUL-05 |
| A | ANSI-A108.1A | CERAMIC TILE IN THE WET-SET METHOD, WITH PORTLAND CEMENT MORTAR, INSTALLATION OF (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 14-JUL-05 |
| A | ANSI-A108.1B | CERAMIC TILE ON A CURED PORTLAND CEMENT MORTAR SETTING BED WITH DRY-SET OR LATEX PORTLAND CEMENT MORTAR, INSTALLATION OF (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 05-JUL-05 |
| A | ANSI-A108.5 | CERAMIC TILE WITH (DRY-SET PORTLAND CEMENT MORTAR OR LATEX-PORTLAND CEMENT MORTAR), INSTALLATION OF (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 07-JUL-05 |
| A | ANSI-A108.6 | CERAMIC TILE WITH CHEMICAL RESISTANT, WATER CLEANABLE TILE-SETTING AND GROUTING EPOXY, INSTALLATION OF (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 07-JUL-05 |
| A | ANSI-A108.4 | CERAMIC TILE WITH ORGANIC ADHESIVES OF WATER CLEANABLE TILE SETTING EPOXY ADHESIVE, INSTALLATION OF (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 05-JUL-05 |
| A | ANSI-A136.1 | CERAMIC TILE, STANDARD FOR ORGANIC ADHESIVES FOR INSTALLATION OF (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5610 | | IS | 20-DEC-05 |
| A | EIA-RS244 | CHARACTER CODE FOR NUMERICAL MACHINE CONTROL PERFORATED TAPE (NO S/S DOCUMENT)[CUST: AR SH 99] | A | 34GP | | GS6 | 15-JUL-05 |
| M | MIL-C-595E(1) NOT 2 | CHEESE SPREAD, CHEDDAR (OPERATIONAL RATION COMPONENT) (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 14-APR-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-C-43274D NOT 2 | CHEESE, COTTAGE, DEHYDRATED (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8910 | | GL | 19-JAN-06 |
| A | MIL-C-44437 NOT 2 | CHEESECAKE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | ANSI-A118.3 | CHEMICAL RESISTANT, WATER CLEANABLE TIEL SETTING AND GROUTING EPOXY AND WATER CLEANABLE TIEL SETTING EPOXY ADHESIVE (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 05-JUL-05 |
| A | ANSI-PH4.8 | CHEMICALS, PHOTOGRAPHY, RESIDUAL THIOSULFATE AND OTHERS, IN FILMS, PLATES, AND PAPERS - DETERMINATION AND MEASUREMENT (S/S BY ISO18917)[CUST: CR AS 16 DH] [REVIEW: 13 19 AT CC EC MI SA SH TD] | A | EDRS | | GS4 | 28-OCT-05 |
| A | MIL-C-44269B NOT 2 | CHERRY DESSERT, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 19-JAN-06 |
| A | MIL-C-44137A NOT 2 | CHICKEN A LA KING, COOKED, DEHYDRATED (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-C-43135J NOT 2 | CHICKEN AND CHICKEN PRODUCTS, COOKED, DEHYDRATED (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8905 | | GL | 27-SEP-05 |
| A | MIL-C-44454 NOT 2 | CHICKEN BARBECUE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-C-44295A NOT 2 | CHICKEN BREAST MEAT IN GRAVY, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 19-JAN-06 |
| A | MIL-C-44467 NOT 2 | CHICKEN CHOW MEIN, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 19-JAN-06 |
| A | MIL-C-43287H NOT 2 | CHILI CON CARNE WITH BEANS, COOKED, DEHYDRATED (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 19-JAN-06 |
| A | MIL-C-44174A NOT 2 | CHILI CON CARNE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-C-44244B NOT 2 | CHILI CON CARNE, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 19-JAN-06 |
| A | NAS5573 | CLAMP ASSEMBLY - ELECTRONIC EQUIPMENT (NO S/S DOCUMENT)[CUST: AR AS 99] | A | 5340 | | IS | 01-SEP-05 |
| A | SAE-AS4149 | CLAMP, LOOP-CUSHIONED, INTEGRAL LOCK (NO S/S DOCUMENT)[CUST: AR AS 99] | A | 5340 | | IS | 01-SEP-05 |
| A | ANSI-B18.8.1 | CLEVIS PINS & COTTER PINS (NO S/S DOCUMENT)[CUST: AR OS 99 IS] [REVIEW: 82] | A | 5315 | | IS | 20-SEP-05 |
| M | MIL-DTL-40137F NOT 1 | CLEVISES, RIGGING, AIR DELIVERY TYPE: GENERAL SPECIFICATION FOR (S/S BY PIA-DTL-40137)[CUST: GL AS 11 GS1] [REVIEW: 71 99 AV MC] | A | 1670 | | GS1 | 22-FEB-06 |
| A | MIL-C-43626A NOT 3 | CLOTH, INTERLINING, ACETATE AND COTTON (S/S BY A-A-52908 THE CORRECT S/S DOCUMENT IS A-A-52098)[CUST: GL NU 11] [REVIEW: 82 MD] | A | 8305 | | CT | 19-JUL-05 |
| A | MIL-C-46168D(3) NOT 1 | COATING, ALIPHATIC POLYURETHANE, CHEMICAL AGENT RESISTANT (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[CUST: MR] [REVIEW: AR AT CR EA MD1 MI] | A | 8010 | | MR | 15-AUG-05 |
| A | QPL-46168-28 NOT 1 | COATING, ALIPHATIC POLYURETHANE, CHEMICAL AGENT RESISTANT, GENERAL SPECIFICATION FOR (SEE NOTICE 1 FOR REPLACEMENT INFORMATION) | A | 8010 | | MR | 17-AUG-05 |
| A | QPL-87104-4(1) NOT 1 | COAXIAL ASSEMBLIES GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A | 5985 | | CC | 13-DEC-05 |
| A | MIL-PRF-83446/1B NOT 4 | COILS, CHIP, RADIO FREQUENCY, FIXED (S/S BY MIL-PRF-83446/38)[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 06-SEP-05 |
| A | ANSI-A118.11 | COMENTITIOUS BACKER UNITS, INTERIOR INSTALLATION OF (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] | A | 5620 | | IS | 05-JUL-05 |
| A | ANSI-X3.205 | COMPUTER TAPE CARTRIDGE FOR INFORMATION INTERCHANGE (3.81-MM (0.150-IN) DATA/DAT RECORDED FORMAT) (NO S/S DOCUMENT) | A | 7045 | | IS | 30-SEP-05 |
| A | ANSI-X3.203 | COMPUTER TAPE CARTRIDGE, HELICAL - SCAN DIGITAL FOR INFORMATION INTERCHANGE (3.81 MM (0.150 - IN) DIGITAL DATA STORAGE (DDS) RECORDED FORMAT) (NO S/S DOCUMENT) | A | 7045 | | IS | 30-SEP-05 |
| A | ANSI-X3.206 | COMPUTER TAPE CARTRIDGE, UNRECORDED HELICAL-SCAN DIGITAL FOR INFORMATION INTERCHANGE - 3.81 MM (0.150 IN) (NO S/S DOCUMENT) | A | 7045 | | IS | 30-SEP-05 |
| A | MIL-C-22585A NOT 2 | COMPUTER, PRESSURE REDUCTION, METEOROLOGICAL CP-402/UM( ) (NO S/S DOCUMENT)[CUST: AS] | A | 6660 | | GS1 | 24-JAN-06 |
| A | MIL-C-7373B(1) | COMPUTER, TRUE AIRSPEED AND MACHNUMBER, TYPE C-2A[CUST: AS 99] | A | 6610 | | AS | 16-DEC-55 |
| A | ASTM-C496 | CONCRETE SPECIMENS, CYLINDRICAL, SPLITTING TENSILE STRENGTH OF (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5610 | | IS | 05-OCT-05 |
| A | ACI244 | CONCRETE STRUCTURES, CRACKING IN, CONTROL OF (NO S/S DOCUMENT)[CUST: YD IS] | A | 5610 | | IS | 07-JUL-05 |
| A | ACI201.2 | CONCRETE, DURABLE, GUIDE TO (NO S/S DOCUMENT)[CUST: YD IS] | A | 5610 | | IS | 07-JUL-05 |
| A | ASTM-C881 | CONCRETE, EPOXY-RESIN-BASE BONDING SYSTEMS (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: CE SH] | A | 5610 | | IS | 05-OCT-05 |
| A | ACI214 | CONCRETE, EVELUATION OF STRENGTH TEST RESULTS OF (NO S/S DOCUMENT)[CUST: YD IS] | A | 5610 | | IS | 07-JUL-05 |
| A | ACI211.3 | CONCRETE, NO SLUMP, SELECTING PROPORTIONS FOR (NO S/S DOCUMENT)[CUST: YD IS] | A | 5610 | | IS | 07-JUL-05 |
| A | ASTM-C637 | CONCRETE, RADIATION-SHIELDING, AGGREGATES FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 05-JUL-05 |
| A | ACI308 | CONCRETE, STANDARD PRACTICE FOR CURING (NO S/S DOCUMENT)[CUST: YD IS] | A | 5610 | | IS | 05-JUL-05 |
| A | ASTM-C234 | CONCRETES, COMPARING, ON THE BASIS OF THE BOND DEVELOPED WITH REINFORCING STEEL (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC SH] | A | 5610 | | IS | 20-SEP-05 |
| M | MS25488F NOT 3 | CONNECTOR PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC OPERATING POWER (S/S BY SAE-AS25488)[CUST: CR AS 11] [REVIEW: AT AV MC SH] | A | 5935 | | AS | 20-FEB-06 |
| M | MIL-C-7974/1A NOT 1 | CONNECTOR, PLUG, AIRCRAFT EXTERNAL POWER (S/S BY SAE-AS7974/1)[CUST: AV AS 11] | A | 5935 | | AS | 20-FEB-06 |
| M | MS25487G NOT 2 | CONNECTOR, PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING (S/S BY SAE-AS25487)[CUST: CR AS 11] [REVIEW: AT AV MC SH] | A | 5935 | | AS | 20-FEB-06 |
| M | MS25486H NOT 1 | CONNECTOR, PLUG, ATTACHABLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ (S/S/BY SAE-AS25486)[CUST: CR AS 11 CC] [REVIEW: AT AV MC SH] | A | 5935 | | AS | 20-FEB-06 |
| M | MIL-C-7974/3 NOT 1 | CONNECTOR, PLUG, ATTACHABLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, SINGLE-JACKETED CABLE ASSEMBLIES, 115/200 VOLT, 400 HERTZ (S/S BY SAE-AS7974/3)[CUST: AV AS 11] [REVIEW: 99 CC CR4 SH] | A | 5935 | | AS | 20-FEB-06 |
| A | SAE-AMS-STD-183 | CONTINUOUS IDENTIFICATION MARKING OF IRON AND STEEL PRODUCTS (S/S BY SAE-AMS2806 AND SAE-AMS2807)[CUST: MR SH 16 CC] [REVIEW: IS MC MI YD] | A | 4710 | | 16 | 01-AUG-05 |
| A | FED-STD-183C(1) NOT 3 | CONTINUOUS IDENTIFICATION MARKING OF IRON AND STEEL PRODUCTS (SEE NOTICE 3 FOR REPLACEMENT INFORMATION)[CUST: MR SH 16 CC] [REVIEW: IS MC MI YD] | A | 4710 | / | 16 | 01-AUG-05 |
| A | FED-STD-182B NOT 3 | CONTINUOUS IDENTIFICATION MARKING OF NICKEL AND NICKEL-BASE ALLOYS (SEE NOTICE 3 FOR REPLACEMENT INFORMATION)[CUST: MR AS 16 IS FSS] [REVIEW: 11 13 99 AR CR4 MI OS SH YD] | A | 95GP | / | 16 | 01-AUG-05 |
| A | MIL-STD-974 NOT 1 | CONTRACTOR INTEGRATED TECHNICAL INFORMATION SERVICE (CITIS) (NO S/S DOCUMENT)[Military Standard][CUST: CR OM 16] [REVIEW: 02 08 19 24 70 99 AM DC DOE IR NA NC NS SA] | A | IPSC | | SO | 14-AUG-04 |
| A | SAE-AMS3814/7 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 1000 LB (4450 N), 338 FT PER LB (225 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 04-OCT-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | SAE-AMS3814/8 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 1500 LB (6670 N), 200 FT PER LB (135 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 04-OCT-05 |
| A | SAE-AMS3814/9 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 2000 LB (8895 N), 135 FT PER LB (90 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 21-SEP-05 |
| A | SAE-AMS3814/13 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 250 LB (1110 N), 1800 FT PER LB (1210 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 04-OCT-05 |
| A | SAE-AMS3814/14 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 2750 LB (12 230 N), 100 FT PER LB (65 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 04-OCT-05 |
| A | SAE-AMS3814/15 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 300 LB (1335 N), 1500 FT PER LB (1005 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 04-OCT-05 |
| A | SAE-AMS3814/10 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 3500 LB (15 570 N), 67 FT PER LB (45 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 04-OCT-05 |
| A | SAE-AMS3814/4 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 400 LB (1780 N), 1080 FT PER LB (725 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 21-SEP-05 |
| A | SAE-AMS3814/16 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 4000 LB (17 790 N), 75 FT PER LB (50 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 04-OCT-05 |
| A | SAE-AMS3814/11 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 5000 LB (22 240 N), 58 FT PER LB (40 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 04-OCT-05 |
| A | SAE-AMS3814/5 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 600 LB (2670 N), 720 FT PER LB (485 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 21-SEP-05 |
| A | SAE-AMS3814/12 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 6500 LB (28 915 N), 50 FT PER LB (35 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 04-OCT-05 |
| A | SAE-AMS3814/6 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 750 LB (3335 N), 425 FT PER LB (285 M/KG) (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 04-OCT-05 |
| A | SAE-AMS3814 | CORD, CORELESS, PARA-ARAMID, INTERMEDIATE MODULUS (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 21-SEP-05 |
| A | SAE-AMS3814/2 | CORD, CORELESS, PARA-ARAMID, INTERMEDIATE MODULUS (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 21-SEP-05 |
| A | SAE-AMS3814/3 | CORD, CORELESS, PARA-ARAMID, INTERMEDIATE MODULUS (NO S/S DOCUMENT)[CUST: GL SH 99 IS] | A | 4020 | | IS | 21-SEP-05 |
| A | MIL-C-44438 NOT 4 | CORN AND POTATOES, CREAMED, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-C-44175A NOT 2 | CORN, BUTTERED, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-C-44253A NOT 2 | CORNED BEEF HASH, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 19-JAN-06 |
| A | ANSI-A161.2 | COUNTERTOPS, FABRICATED HIGH PRESSURE DECORATIVE LAMINATE, PERFORMANCE STANDARDS FOR (NO S/S DOCUMENT)[CUST: CR4 YD] [REVIEW: CE] | A | 7125 | | IS | 27-SEP-05 |
| A | AND10380 REV 4 NOT 2 | COUPLING INSTALLATIONS, STANDARD CONDUIT, ELECTRICAL (S/S BY SAE-AS10380)[CUST: CR1 AS 11] [REVIEW: GS] | A | 5975 | | AS | 24-JAN-06 |
| A | MIL-C-44112D NOT 2 | CRACKERS, FOR MEAL, READY-TO-EAT (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8920 | | GL | 19-JAN-06 |
| M | MIL-D-44414A NOT 2 | DAIRYSHAKE POWDER (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8910 | | GL | 14-APR-06 |
| A | ANSI-C78.1414 | DDM PROJECTION LAMP (NO S/S DOCUMENT)[CUST: 99] [REVIEW: AS CR4 MC SH] | A | 6240 | | IS | 05-JUL-05 |
| A | ASTM-C128 | DENSITY, RELATIVE DENSITY (SPECIFIC GRAVITY), AND ABSORPTION OF FINE AGGREGATE (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 5610 | | IS | 20-DEC-05 |
| A | JAN-D-169(3) | DESICCANTS (ACTIVATED) (S/S BY MIL-D-3464, MIL-D-3716)[CUST: 99] | A | 81GP | | 11 | 05-NOV-52 |
| A | AISC-S329 | DESIGN, STRESS, ALLOWABLE STRUCTURAL JOINTS USING ASTM-A325 OR ASTM-A490 BOLTS (NO S/S DOCUMENT)[CUST: AR YD 99] | A | 5306 | | IS | 01-SEP-05 |
| A | QPL-81956-2 NOT 1 | DETERGENT, EXTERNAL REMOVABLE FUEL TANKS (NO S/S DOCUMENT) | A | 7930 | | AS | 30-SEP-05 |
| A | MIL-D-81956A(2) NOT 1 | DETERGENT, EXTERNAL REMOVABLE FUEL TANKS (S/S BY MIL-PRF-85570)[CUST: AV AS] | A | 7930 | | AS | 30-SEP-05 |
| M | SD-11 NOT 3 | DIRECTORY OF DEPARTMENT OF DEFENSE PARTICIPATION ON NON-GOVERNMENT STANDARDS TECHNICAL COMMITTEES (TECHNICAL COMMITTEE PARTICIPATION DATABASE (FORMERLY KNOWN AS SD-11) WAS DISCONTINUED)[CUST: AM NM 01 DH SO] | A | SDMP | | SO | 05-APR-06 |
| A | MIL-HDBK-331F NOT 1 | DIRECTORY OF DOD ENGINEERING DATA REPOSITORIES (NO S/S DOCUMENT)[CUST: CR SA 16 LS] [REVIEW: 13 19 70 71 84 99 AR AS AT AV CC CG CR4 DC4 DS EA EC GL GS IS MC MI OM OS SH TD YD] | A | EDRS | | 16 | 15-JUN-04 |
| A | QIC-40-MC | DISK-CONTROLLER-FLEXIBLE-COMPATIBLE RECORDING FORMAT FOR INFORMATION INTERCHANGE 0.250 IN. (6.35 MM) TAPE 20 TRACKS, DATA DENSITY: 10,000 BPI (394 BPMM) MFM ENCODED FORMATTED CAPACITY: 40 MBYTES (WITH DC2000 OR EQUIVALENT MINICARTRIDGE) (NO S/S DOCUMENT)[CUST: IS] | A | 7045 | | IS | 05-JUL-05 |
| A | ASME-PTC9 | DISPLACEMENT COMPRESSORS, VACUUM PUMPS AND BLOWERS (NO S/S DOCUMENT)[CUST: AV AS 99] [REVIEW: 84 YD] | A | 4920 | | GS6 | 28-OCT-05 |
| A | SDI119 | DOOR FRAME AND FRAME ANCHOR, STEEL, PERFORMANCE TEST PROCEDURES FOR (NO S/S DOCUMENT)[CUST: CR4 YD] [REVIEW: CE] | A | 5670 | | IS | 15-JUL-05 |
| A | SDI111F | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED COMPLETED OPENING ANCHORS (N0 S/S DOCUMENT)[CUST: YD] [REVIEW: 99 CE] | A | 5670 | | IS | 15-JUL-05 |
| A | SDI111D | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED DOOR, FRAME AND HARDWARE SCHEDULE FOR (NO S/S DOCUMENT)[CUST: YD] [REVIEW: 99 CE] | A | 5670 | | IS | 02-AUG-05 |
| A | SDI111G | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED STANDARD PREPARATION FOR DOUBLE TYPE (INTERCONNECTED) LOCKS ON (NO S/S DOCUMENT)[CUST: YD] [REVIEW: 99 CE] | A | 5670 | | IS | 15-JUL-05 |
| A | SDI111E | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED WEATHERSTRIPPING FOR (NO S/S DOCUMENT)[CUST: YD] [REVIEW: 99 CE] | A | 5670 | | IS | 02-AUG-05 |
| A | SDI111B | DOORS, DUTCH, RECOMMENDED STANDARD (NO S/S DOCUMENT)[CUST: YD] [REVIEW: 99 CE] | A | 5670 | | IS | 02-AUG-05 |
| A | SDI111C | DOORS, STEEL, STANDARD, RECOMMENDED LOUVER DETAILS FOR (NO S/S DOCUMENT)[CUST: YD] [REVIEW: 99 CE] | A | 5670 | | IS | 02-AUG-05 |
| A | AAMA1503.1 | DOORS, WINDOWS, THERMAL, TRANSMITTANCE AND CONDENSATION RESISTANCE, OF GLAZED WALLED SECTIONS VOLUNTARY TEST METHOD FOR 1988 (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5670 | | IS | 14-JUL-05 |
| A | ANSI-A115.16 | DOUBLE TYPE LOCKS IN PREHUNG INSULATED STEEL DOORS AND STEEL FRAMES, PREPARATION FOR (NO S/S DOCUMENT)[CUST: CR YD 99] [REVIEW: 11 84 CR4 GS] | A | 5670 | | IS | 05-JUL-05 |
| A | ANSI-A115.17 | DOUBLE TYPE LOCKS IN STANDARD 1-3/8" AND 1-3/4" STEEL DOORS AND STEEL FRAMES, PREPARATION FOR, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR YD 99] [REVIEW: 11 84 CR4 GS] | A | 5670 | | IS | 05-JUL-05 |
| A | ASTM-C498 | DRAIN, PERFORATED CLAY TILE (NO S/S DOCUMENT)[CUST: YD 99] | A | 5630 | | IS | 05-JUL-05 |
| A | QPL-GGG-D-751-48 NOT 1 | DRILLS, TWIST (TAPER-SQUARE, STRAIGHT, AND TAPER-ROUND SHANKS) (NO S/S DOCUMENT) | A | 5133 | / | SH | 16-NOV-05 |
| A | ASC-C78.1411 | ELC PROJECTION LAMP (NO S/S DOCUMENT)[CUST: SH 99 IS] | A | 6240 | | IS | 02-AUG-05 |
| A | MIL-HDBK-1000/1A NOT 1 | ENGINEERING AND DESIGN CRITERIA AND DOCUMENTATION FOR NAVY FACILITIES (S/S BY MIL-STD-3007)[CUST: YD] | A | FACR | | YD | 14-SEP-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-E-51223 NOT 2 | ENTRANCE, PROTECTIVE, PRESSURIZED, MISSILE VAN, COLLAPSIBLE, M7 (NO S/S DOCUMENT)[CUST: EA] | A | 4240 | | EA | 03-OCT-05 |
| A | ACI503.1 | EPOSY RESIN STANDARDS (NO S/S DOCUMENT)[CUST: YD] | A | 5640 | | IS | 15-JUL-05 |
| A | SAE-AS6625 | EQUIPMENT, SPRAY, AIRCRAFT WINDSHIELD, ANTI-ICING (NO S/S DOCUMENT)[CUST: AV AS] [REVIEW: GS] | A | 6850 | | AS | 16-SEP-05 |
| A | MIL-E-44448 NOT 2 | ESCALLOPED POTATOES AND HAM, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-E-43749G NOT 2 | ESCALLOPED POTATOES WITH PORK, COOKED, DEHYDRATED (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 27-SEP-05 |
| A | SAE-J1193 | EXCAVATORS, HYDRAULIC, NOMENCLATURE AND DIMENSIONS FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 3805 | | IS | 04-OCT-05 |
| A | ANSI-Z358.1 | EYEWASH AND SHOWER EQUIPMENT, EMERGENCY (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 4510 | | IS | 20-SEP-05 |
| A | MIL-F-51228(1) NOT 2 | FAN, VANEAXIAL, 300 CFM, 400 CYCLE, 416 VOLTS, 0.7 H.P. (NO S/S DOCUMENT)[CUST: EA] | A | 4240 | | EA | 03-OCT-05 |
| A | MIL-F-44459 NOT 2 | FARINA WITH PEACHES AND CREAM, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-F-35081E NOT 2 | FAT, HYDROGENATED, VEGETABLE (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD MS] | A | 8945 | | GL | 27-SEP-05 |
| A | IEEE812 | FIBER OPTICS, IEEE STANDARD DEFINITIONS OF TERMS RELATING TO (NO S/S DOCUMENT)[CUST: CR AS 11] [REVIEW: 02 19 CC EC MC SH TE] | A | 60GP | | CR | 28-SEP-05 |
| A | QPL-GGG-F-325-31 NOT 1 | FILE, HAND, (AMERICAN PATTERN) AND RASP, HAND (NO S/S DOCUMENT) | A | 5110 | / | SH | 16-NOV-05 |
| A | QPL-GGG-F-331-28 NOT 1 | FILES, HAND, (SWISS PATTERN) (NO S/S DOCUMENT) | A | 5110 | / | SH | 02-DEC-05 |
| A | MIL-F-51481 NOT 3 | FILTER MATERIAL, LAMINATED PAPER, TEN PLY (NO S/S DOCUMENT)[CUST: EA] | A | 4240 | | EA | 03-OCT-05 |
| A | MIL-F-51318A NOT 2 | FILTER UNIT, GAS PARTICULATE, EMD, 300 CFM, M6A2[CUST: EA] | A | 4240 | | EA | 03-OCT-05 |
| A | MIL-F-51220A(1) NOT 2 | FILTER UNIT, GAS-PARTICULATE, MISSILE VAN, EMD, 300 CFM, M18 (NO S/S DOCUMENT)[CUST: EA] | X | 4240 | | EA | 03-OCT-05 |
| A | MIL-F-51451(1) NOT 2 | FILTER, GAS-PARTICULATE, 18 CFM, M41 (NO S/S DOCUMENT)[CUST: EA] | A | 4240 | | EA | 03-OCT-05 |
| A | MIL-F-51215C(4) NOT 2 | FILTERS, PARTICULATE, 600, 1200, 2500 AND 5000 CFM; C18R1, C19R1, C30R1 AND C20R1 (NO S/S DOCUMENT)[CUST: EA] | A | 4240 | | EA | 03-OCT-05 |
| A | NFPA1902 | FIRE APPARATUS, INITIAL ATTACK (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 4210 | | IS | 20-SEP-05 |
| A | NFPA72E | FIRE DETECTORS, AUTOMATIC, STANDARD ON (NO S/S DOCUMENT)[CUST: YD] | A | 6350 | | IS | 04-OCT-05 |
| A | AWPA-M20 | FIRE RETARDANT TREATED WOOD, STANDARD METHOD FOR DETERMINING THE EQUILIBRIUM MOISTURE CONTENT OF (NO S/S DOCUMENT)[CUST: CR4 SH 99] [REVIEW: 84 CE SM] | A | 5510 | | IS | 05-JUL-05 |
| A | MIL-F-43142G NOT 2 | FISH SQUARES, RAW, DEHYDRATED (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD SS] | A | 8905 | | GL | 27-SEP-05 |
| A | MS15006 NOT 4 | FITTINGS, LUBRICATION (HYDRAULIC) LEAKPROOF, 1/8 PIPE THREADS, STEEL, TYPE VI (S/S BY SAE-AS15006)[CUST: CR4 AS 99 CC] [REVIEW: 11 71 AR AV MC MI OS SA SH] | A | 4730 | | CC | 19-SEP-05 |
| A | MS15001A NOT 4 | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/4-28 TAPER THREADS, STEEL, TYPE I (S/S BY SAE-AS15001)[CUST: AT AS 99 CC] [REVIEW: 11 71 AR AV MC MI OS SA SH] | A | 4730 | | CC | 19-SEP-05 |
| A | MS15003 NOT 4 | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/8 PIPE THREADS, STEEL TYPE III (S/S BY SAE-AS15003)[CUST: AT AS 99 CC] [REVIEW: 11 71 AR AV MC MI OS SA SH] | A | 4730 | | CC | 19-SEP-05 |
| A | MS15002A NOT 4 | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, STRAIGHT THREADS, STEEL, TYPE II (S/S BY SAE-AS15002)[CUST: CR4 AS 99 CC] [REVIEW: 11 71 AR AV CG MC MI OS SA SH] | A | 4730 | | CC | 19-SEP-05 |
| A | MS15005E NOT 4 | FITTINGS, LUBRICATION, THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, NICKEL-COPPER ALLOY, TYPE V (S/S BY SAE-AS15005)[CUST: AR AS 99 CC] [REVIEW: 11 71 CG MC SA] | A | 4730 | | CC | 19-SEP-05 |
| A | ASME-A112.18.1M | FITTINGS, PLUMBING FIXTURE (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 4510 | | IS | 02-AUG-05 |
| A | ANSI-Z124.9 | FIXTURES, PLASTIC URINAL, AMERICAN NATIONAL STANDARD FOR (NO S/S DOCUMENT)[CUST: YD 99] [REVIEW: 84 CE CR4 MC] | A | 4510 | | IS | 04-OCT-05 |
| A | SAE-J590 | FLASHERS, TURN SIGNAL (NO S/S DOCUMENT)[CUST: AT IS] | A | 6220 | | IS | 05-JUL-05 |
| A | SAE-J945 | FLASHERS, VEHICULAR HAZARD WARNING (NO S/S DOCUMENT)[CUST: AT IS] | A | 6220 | | IS | 05-JUL-05 |
| A | ASME-A112.21.1M | FLOOR DRAINS (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 4510 | | IS | 20-SEP-05 |
| A | ASTM-F536 | FLOOR TILE, RESILIENT, BY DIAL GAGE METHOD, SIZE OF (NO S/S DOCUMENT)[CUST: GL YD 99] [REVIEW: 84 CE CG CR4 MC MD SH] | A | 7220 | | IS | 07-JUL-05 |
| A | SAE-AMS3416 | FLUX, ALUMINUM DIP BRAZING 1090 DEG. F (588 DEG. C) FUSION POINT (NO S/S DOCUMENT)[CUST: MR AS] [REVIEW: CR GS] | A | 3439 | | AS | 16-SEP-05 |
| A | MIL-F-43846C NOT 2 | FOOD PACKET, LONG RANGE PATROL, ASSEMBLY OF (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8970 | | GL | 07-DEC-05 |
| A | MIL-F-44297 NOT 2 | FRANKFURTERS IN BRINE, THERMOSTABILIZED, TRAY PACK (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD SS] | A | 8905 | | GL | 28-SEP-05 |
| A | A-A-50728 NOT 1 | FREQUENCY SELECTIVE LEVELMETER AND SPECTRUM DISPLAY (FSLSD) (NO S/S DOCUMENT)[CUST: 99] | A | 6625 | / | 84 | 06-SEP-05 |
| A | NFPA85D | FURNACE EXPLOSIONS IN FUEL OIL- FIRED MULTIPLE BURNER BOILER- FURNACES, PREVENTION OF (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 4430 | | IS | 04-OCT-05 |
| A | NFPA85B | FURNACE EXPLOSIONS IN NATURAL GAS- FIRED MULTIPLE BURNER BOILER- FURNACES, PREVENTION OF (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 4430 | | IS | 04-OCT-05 |
| A | NFPA85E | FURNACE, EXPLOSIONS, IN PULVERIZED COAL-FIRED MULTIPLE BURNER BOILER-FURNACES, PREVENTION OF (NO S/S DOCUMENT)[CUST: YD IS] [REVIEW: 82 CE MC] | A | 4430 | | IS | 02-AUG-05 |
| A | ANSI-Z21.64 | FURNACES, CENTRAL, DIRECT VENT, AMERICAN NATIONAL STANDARD FOR (NO S/S DOCUMENT)[CUST: YD] | A | 4520 | | IS | 20-SEP-05 |
| A | ANSI-Z83.9 | FURNACES, GAS-FIRED DUCT (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CE MC] | A | 4520 | | IS | 20-SEP-05 |
| A | SAE-ARP1257 | GAS TURBINE ENGINE TRANSIENT PERFORMANCE PRESENTATION FOR DIGITAL COMPUTER PROGRAMS (NO S/S DOCUMENT)[CUST: AV AS 11] [REVIEW: 71 99 GS] | A | 2840 | | 11 | 28-NOV-05 |
| A | ANSI-Z83.3 | GAS-UTILIZATION EQUIPMENT IN LARGE BOILERS (ALSO INCLUDES ADDENDA ANSI-Z83.3A AND ANSI-Z83.3B) (NO S/S DOCUMENT)[CUST: YD 99] [REVIEW: 84 CE MC] | A | 4430 | | IS | 04-OCT-05 |
| A | MS29524 NOT 3 | GASKET - ADAPTER LOCKING FLANGE, PRESSURE FUEL SERVICING (NO S/S DOCUMENT)[CUST: AR 99] | A | 5330 | | IS | 06-FEB-06 |
| A | AGMA390.03 | GEAR HANDBOOK - GEAR CLASSIFICATION, MATERIALS AND MEASURING METHODS FOR BEVEL, HYPOID,FINE PITCH WORMGEARING AND RACKS ONLY AS UNASSEMBLED GEARS (S/S BY AGMA2009 AND AGMA 2011)[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 15-JUL-05 |
| A | AGMA218.01 | GEAR TEETH, SPUR AND HELICAL INVOLUTE, AGMA STANDARD FOR RATING THE PITTING RESISTANCE AND BENDING STRENGTH OF (S/S BY AGMA2001 AND AGMA908)[CUST: AR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 15-JUL-05 |
| A | MIL-G-44439 NOT 2 | GINGERBREAD, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | ASTM-D4099 | GLASS DOORS, POLY(VINYL CHLORIDE) (PVC) PRIME WINDOWS/SLIDING (NO S/S DOCUMENT)[CUST: CR4 YD 99] | A | 5670 | | IS | 16-SEP-05 |
| A | ASTM-E167 | GONIOPHOTOMETRY OF OBJECTS AND MATERIALS (NO S/S DOCUMENT)[CUST: MR SH 11] [REVIEW: 99 AR AS AT AV CR CR4 MI YD] | A | 9330 | | IS | 06-SEP-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| M | MIL-G-83410 NOT 3 | GRAPHITE FIBER RESIN IMPREGNATED TAPE AND SHEET, FOR HAND LAYUP (NO S/S DOCUMENT)[CUST: 11] | A | 9330 | | 11 | 21-APR-06 |
| A | NAAMM-A202.1 | GRATING, METAL BAR MANUAL, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CE] | A | 5670 | | IS | 02-AUG-05 |
| M | QPL-18458-32 NOT 1 | GREASE, WIRE ROPE-EXPOSED GEAR (SEE NOTICE FOR REPLACEMENT INFORMATION) | A | 9150 | | SH | 03-APR-06 |
| A | MIL-G-44460 NOT 2 | GREEN BEAN CASSEROLE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | ANSI-A108.10 | GROUT IN TILEWORK, STANDARD SPECIFICATION FOR INSTALLATION OF (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84] | A | 5610 | | IS | 07-JUL-05 |
| A | SSPC-PA4 | GUIDE TO MAINTENANCE REPAINTING WITH OIL BASED OR ALKYD PAINTING SYSTEMS PAINT APPLICATION GUIDE NO. 4 (NO S/S DOCUMENT)[CUST: CR4 YD] [REVIEW: CC MC OS SH] | A | 8010 | | IS | 25-JUL-05 |
| A | SSPC-PA3 | GUIDE TO SAFETY IN PAINT APPLICATION PAINT APPLICATION GUIDE NO. 3 (NO S/S DOCUMENT)[CUST: CR4 YD] [REVIEW: CC MC OS SH] | A | 8010 | | IS | 15-JUL-05 |
| A | AWPA-M15 | GUIDE TO STANDARDS FORTESTING PLANT EFFLUENTS (NO S/S DOCUMENT)[CUST: CR4 SH 99] | A | 5510 | | IS | 05-JUL-05 |
| A | ASTM-C442/C442M | GYPSUM BACKING BOARD, GYPSUM COREBOARD, AND GYPSUM SHAFTLINER BOARD (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5640 | | IS | 27-SEP-05 |
| A | ASTM-C960/C960M | GYPSUM BOARD, PREDECORATED (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5640 | | IS | 27-SEP-05 |
| A | ASTM-C37/C37M | GYPSUM LATH (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: CE MC] | A | 5680 | | IS | 15-SEP-05 |
| A | ASTM-C931/C931M | GYPSUM SOFFIT BOARD, EXTERIOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] | A | 5640 | | IS | 27-SEP-05 |
| A | MIL-H-44455 NOT 2 | HAM AND CHEESE FONDUE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | MIL-H-44449 NOT 2 | HAM AND CHEESE SOUFFLE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| M | MIL-H-44298C NOT 2 | HAM SLICES, CHUNKED AND FORMED, SMOKE FLAVORING ADDED, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8905 | | GL | 14-APR-06 |
| A | MIL-H-1048G NOT 2 | HAMBURGER PATTIES WITH NATURAL JUICES, CANNED (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8905 | | GL | 27-SEP-05 |
| A | UL1025 | HEATER, ELECTRIC, AIR, STANDARD FOR (NO S/S DOCUMENT)[CUST: CR4 YD] | A | 4520 | | IS | 04-OCT-05 |
| A | ANSI-Z83.6 | HEATERS, GAS-FIRED INFRARED (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CE] | A | 4520 | | IS | 04-OCT-05 |
| A | A-A-877A NOT 3 | HERBICIDE, DIURON (NO S/S DOCUMENT)[CUST: FSS] | A | 6840 | / | GS3 | 02-AUG-05 |
| M | QPL-904-61 NOT 1 | HOISTS, CHAIN, HAND-OPERATED, HOOK AND TROLLEY SUSPENSION (REPLACED BY THE QUALIFIED PRODUCTS DATABASE (QPD) SEE NOTICE FOR ADDITIONAL INFORMATION) | A | 3950 | | SH | 21-APR-06 |
| A | MIL-H-44176A NOT 2 | HOMINY GRITS WITH CHEESE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 28-SEP-05 |
| A | AND10051 REV 3 NOT 2 | HUBS, CONDUIT CONNECTION, STANDARD DIMENSIONS (S/S BY SAE-AS10051)[CUST: AV AS 99] [REVIEW: GS] | A | 5975 | | AS | 24-JAN-06 |
| A | ASTM-D2935 | HYDROCARBONS, INDUSTRIAL AROMATIC, APPARENT DENSITY OF (NO S/S DOCUMENT)[CUST: EA MC 68 GS3] [REVIEW: CR4 GL MD SH] | A | 6810 | | GS3 | 24-JAN-06 |
| A | ASTM-E335 | HYDROXYL GROUPS BY PYROMELLITIC DIANHYDRIDE ESTERIFICATION (NO S/S DOCUMENT)[CUST: EA MC GS3] [REVIEW: CR4 MD SH] | A | 6810 | | GS3 | 26-JAN-06 |
| M | AND10140 REV 3 NOT 1 | I - SECTION - EXTRUDED (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[CUST: 11] | A | 9520 | | 11 | 03-MAR-06 |
| A | SAE-AMS-STD-182 | IDENTIFICATION MARKING OF NICKEL AND NICKEL BASE ALLOYS, CONTINUOUS (S/S BY SAE-AMS2806 AND SAE-AMS2807)[CUST: MR AS 16 IS FSS] [REVIEW: 11 13 99 AR CR4 MI OS SH YD] | A | 95GP | | 16 | 01-AUG-05 |
| A | ANSI-IT9.10 | IMAGING MATERIALS - PHOTOGRAPHIC FILM AND PAPER - DETERMINATION OF CURL (NO S/S DOCUMENT)[CUST: CR AS 16] [REVIEW: 19 AT CC IS MI SA SH TD] | A | EDRS | | GS4 | 25-OCT-05 |
| M | MIL-DTL-27686G NOT 2 | INHIBITOR, ICING, FUEL SYSTEM (SS BY MIL-DTL-85470)[CUST: AT AS 68] [REVIEW: 11 AV GS PS] | A | 6850 | | 68 | 15-MAR-06 |
| M | NA0166ANDNA0167 | INSERT, MOLDED-IN. CSK CLEARANCE HOLE, SANDWICH PANEL, AL ALLOY AND CRES, METRIC (NO S/S DOCUMENT)[CUST: AR 99] [REVIEW: 71 AV] | A | 5340 | | IS | 29-MAR-06 |
| A | MIL-STD-188-166 NOT 1 | INTEROPERABILITY AND PERFORMANCE STANDARD FOR SHF SATCOM LINK CONTROL (NO S/S DOCUMENT)[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 93 99 AC CG CM DC5 DI DMS IR MC MP NC OM PT SE US] | C | TCSS | | DC1 | 10-JAN-06 |
| A | ASTM-D1064 | IRON IN ROSIN TALL OIL FATTY ACIDS AND OTHER RELATED PRODUCTS (NO S/S DOCUMENT)[CUST: EA OS 68] [REVIEW: GL MD] | A | 6810 | | GS3 | 24-JAN-06 |
| A | AWPA-M14 | LABORATORY, CONTROLLEDVELOCITY, CORROSION TESTS, STANDARD METHOD OF (NO S/S DOCUMENT)[CUST: CR4 SH 99] [REVIEW: 84 CE SM] | A | 5510 | | IS | 05-JUN-05 |
| A | NFPA1904 | LADDER, AERIAL, AND ELEVATING PLATFORM FIRE APPARATUS (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 4210 | | IS | 20-SEP-05 |
| A | ANSI-C78.1408 | LAMP CBA PROJECTION (NO S/S DOCUMENT)[CUST: SH 99] | A | 6240 | | IS | 05-JUL-05 |
| A | ANSI-C78.1415 | LAMP, DED PROJECTION (NO S/S DOCUMENT)[CUST: SH 99] [REVIEW: AS CR4 MC OS] | A | 6240 | | IS | 05-JUL-05 |
| A | ASC-C78.1410 | LAMP, ELB PROJECTION (NO S/S DOCUMENT)[CUST: SH 99 IS] | A | 6240 | | IS | 02-AUG-05 |
| A | ANSI-C78.1376 | LAMPS, 1,000-WATT M47 METAL-HALIDE, FOR ELECTRIC LAMPS (NO S/S DOCUMENT)[CUST: CR4 SH 99 IS] | A | 6240 | | IS | 02-AUG-05 |
| A | ANSI-C78.390 | LAMPS, INCANDESCENT, MINIATURE AND SEALED BEAM, METHOD OF DESIGNATION (NO S/S DOCUMENT)[CUST: CR4 SH 99 IS] [REVIEW: 71 AS AT AV MI] | A | 6240 | | IS | 16-SEP-05 |
| M | MIL-L-44333A NOT 2 | LASAGNA, WITH MEAT SAUCE, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 14-APR-06 |
| A | ANSI-PH3.20 | LENSES, DISTANCE SCALES FOR FOCUSING CAMERA (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 70] | A | 6760 | | IS | 16-SEP-05 |
| A | ANSI-PH3.29 | LENSES, PHOTOGRAPHIC OBJECTIVES AND PROJECTION, METHODS OF DESIGNATING AND MEASURING APERTURES AND RELATED QUANTITIES PERTAINING TO (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 70] | A | 6760 | | IS | 16-SEP-05 |
| A | ANSI-PH3.607 | LENSES, PHOTOGRAPHIC, METHOD OF DETERMINING AND SPECIFYING THE COLOR CONTRIBUTION OF (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 70] | A | 6760 | | IS | 16-SEP-05 |
| A | ANSI-PH3.63 | LENSES, PHOTOGRAPHIC, METHOD OF DETERMINING THE PHOTOGRAPHIC RESOLVING POWER OF (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 70] | A | 6760 | | IS | 07-JUL-05 |
| A | ANSI-PH3.35 | LENSES, PHOTOGRAPHIC, METHODS OF DESIGNATING AND MEASURING FOCAL LENGTHS AND FOCAL DISTANCES OF (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 70] | A | 6760 | | IS | 16-SEP-05 |
| A | SAE-J1097 | LIFT, HYDRAULIC EXCAVATOR, CAPACITY CALCULATION AND TEST PROCEDURE (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 3805 | | IS | 04-OCT-05 |
| A | MIL-HDBK-5961A NOT 1 | LIST OF STANDARD SEMICONDUCTOR DEVICES (NO S/S DOCUMENT)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI OS SH SM] | A | 5961 | | CC | 06-DEC-05 |
| A | MIL-HDBK-1002/2A(1) NOT 2 | LOADS (S/S BY MIL-STD-3007)[CUST: YD] | A | FACR | | YD | 14-SEP-05 |
| A | AWPA-C10 | LODGEPOLE PINE POLES - PRESERVATIVE TREATMENT BY THE FULL-LENGTH THERMAL PROCESS (NO S/S DOCUMENT)[CUST: CR4 SH 99] [REVIEW: 84 CE] | A | 5510 | | IS | 20-SEP-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | AMCA500 | LOUVERS, DAMPERS AND SHUTTERS, TEST METHOD FOR (NO S/S DOCUMENT)[CUST: YD] | A | 4140 | | IS | 14-JUL-05 |
| A | PS20 | LUMBER STANDARD, AMERICAN SOFTWOOD (NO S/S DOCUMENT)[CUST: 99] [REVIEW: 84 AS AV CE MC SH SM] | A | 5510 | | IS | 20-SEP-05 |
| A | ANSI-B93.114M | MACHINERY, INDUSTRIAL, PNEUMATIC FLUID POWER - SYSTEM STANDARD FOR (NO S/S DOCUMENT)[CUST: MR SH 99] [REVIEW: 84] | A | 34GP | | GS6 | 15-JUL-05 |
| A | SAE-AMS4389 | MAGNESIUM ALLOY EXTRUSIONS 3.0TH - 1.5MN (HM31A-T5) PRECIPITATION HEAT TREATED (NO S/S DOCUMENT)[CUST: AS 11 IS] | A | 9530 | | IS | 12-OCT-05 |
| A | SAE-AMS2640 | MAGNETIC PARTICLE INSPECTION (NO S/S DOCUMENT)[CUST: MR AS 11 IS] | A | NDTI | | AS | 16-SEP-05 |
| A | IEEE1076 | MANUAL, VHDL LANGUAGE REFERENCE, IEEE STANDARD (NO S/S DOCUMENT)[CUST: AR NW 11 CC] | A | IPSC | | 11 | 14-NOV-05 |
| A | SAE-AS81531 | MARKING OF ELECTRICAL INSULATING MATERIALS (NO S/S DOCUMENT)[CUST: AS] | A | 6145 | | AS | 10-FEB-06 |
| A | MIL-M-81531 NOT 2 | MARKING OF ELECTRICAL INSULATING MATERIALS (NO S/S DOCUMENT) (SEE NOTICE 2 FOR FURTHER INFORMATION)[CUST: AS] | A | 6145 | | AS | 10-FEB-06 |
| A | ASTM-E447 | MASONRY PRISMS, COMPRESSIVE STRENGTH OF LABORATORY CONSTRUCTED (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: CE] | A | 5620 | | IS | 20-SEP-05 |
| A | ANSI-A208.1 | MAT-FORMED WOOD PARTICLE BOARD, STANDARD FOR (NO S/S DOCUMENT)[CUST: CR YD 99 IS] [REVIEW: 11 CE CR4 GS MC SH] | A | 5510 | | IS | 02-AUG-05 |
| A | ANSI-IT9.1 | MATERIALS, IMAGING - PROCESSED SILVER-GELATIN TYPE BLACK-AND-WHITE FILM - SPECIFICATIONS FOR STABILITY (NO S/S DOCUMENT)[CUST: CR AS 16] [REVIEW: 70 84 99 AT CC IS MI SA SH TD] | A | EDRS | | GS4 | 28-OCT-05 |
| A | ASTM-E812 | MATERIALS, METALLIC, CRACK STRENGTH OF SLOW-BEND PRECRACKED CHARPY SPECIMENS OF HIGH STRENGTH, STANDARD TEST METHOD FOR (NO S/S DOCUMENT)[CUST: MR SH 99] | A | 95GP | | MR | 05-OCT-05 |
| A | MIL-M-44458 NOT 2 | MEAL MODULE, 10-PATIENT, PACKAGING OF ORAL LIQUID FEEDING POWDERS INTO CANS AND ASSEMBLY OF (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8970 | | GL | 29-SEP-05 |
| M | MIL-M-44479 NOT 2 | MEATBALLS IN BROWN GRAVY, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 14-APR-06 |
| A | MIL-STD-188-167 NOT 1 | MESSAGE FORMAT FOR SHF SATCOM LINK CONTROL (NO S/S DOCUMENT)[Interface Standard][CUST: CR EC 02 NS] [REVIEW: 11 13 93 99 AC CG CM DC5 DI DMS IR MC MP NC OM PT SE US] | C | TCSS | | DC1 | 10-JAN-06 |
| A | ASTM-C669 | METAL SASH, GLAZING COMPOUNDS FOR BACK BEDDING AND FACE GLAZING OF (NO S/S DOCUMENT)[CUST: MR YD 99] [REVIEW: 84] | A | 8030 | | IS | 27-SEP-05 |
| M | MIL-HDBK-5J NOT 2 | METALLIC MATERIALS AND ELEMENTS FOR AEROSPACE VEHICLE STRUCTURES (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: AV AS 11] | A | 1560 | | 11 | 24-MAR-06 |
| A | ASTM-B656 | METALS FOR ENGINEERING USE, AUTOCATALYTIC (ELECTROLESS) NICKEL-PHOSPHORUS DEPOSITION ON (NO S/S DOCUMENT)[CUST: MR AS 11] [REVIEW: 99] | A | MFFP | | 11 | 23-NOV-05 |
| A | ANSI-B18.2.4.1M | METRIC HEX NUTS, STYLE 1 (W/ERRATA) (NO S/S DOCUMENT)[CUST: AR AS 99 IS] [REVIEW: AV CR MC MI NS] | A | 5310 | | IS | 20-SEP-05 |
| A | ANSI-PH5.9 | MICROFICHE (NO S/S DOCUMENT)[CUST: CR AS 16] [REVIEW: AT AV CR4 MC MI OS SA SH] | A | EDRS | | GS4 | 28-OCT-05 |
| A | QIC-156 | MINICARTRIDGE FOR INFORMATION INTERCHANGE, UNRECORDED MAGNETIC TAPE, 0.25 INCH (6.35 MM) TAPE WIDTH, 45,000 FTPI (1,772 FTPMM), 900 OERSTEDS (72,000 AMPERES/METER), INTENDED FOR USE WITH THE FOLLOWING QIC-3080-MC/QIC-152 RECORDING FORMAT (NO S/S DOCUMENT) | A | 7045 | | IS | 30-SEP-05 |
| A | QIC-143 | MINICARTRIDGE FOR INFORMATION INTERCHANGE, UNRECORDED MAGNETIC TAPE, 0.25 INCH (6.35 MM) TAPE WIDTH, 50,800 FTPI (2000 FTPMM), 900 OERSEDS (72,000 AMPERES/METER), FOR 3.5-INCH FORM FACTOR TAPE DRIVES, INTENDED FOR USE WITH QIC-3010-MC, QIC-3030-MC, QIC-3040-MC, OR QIC-3050-MC RECORDING FORMATS (NO S/S DOCUMENT) | A | 7045 | | IS | 30-SEP-05 |
| A | ASTM-D995 | MIXTURE, PAVING, STANDARD SPECIFICATION FOR MIXING PLANTS FOR HOT-MIXED, HOT-LAID BITUMINOUS PAVING MIXTURE (NO S/S DOCUMENT)[CUST: YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 05-JUL-05 |
| A | ASTM-C827 | MIXTURES, CYLINDRICAL SPECIMENS FROM CEMENTITIOUS, CHANGE IN HEIGHT AT EARLY AGES OF (NO S/S DOCUMENT)[CUST: CR4 YD IS] [REVIEW: CE MC] | A | 5610 | | IS | 05-JUL-05 |
| M | ASTM-D3057 | MOISTURE IN AEROSOL PRODUCTS (NO S/S DOCUMENT)[CUST: EA SH 68] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 25-JAN-06 |
| A | ANSI-B18.2.4.4M | NUT, FLANGE, HEX METRIC (NO S/S DOCUMENT)[CUST: AR AS 99 IS] [REVIEW: AT CR EA MC MI NS SH] | A | 5310 | | IS | 20-SEP-05 |
| A | ANSI-B18.2.4.6M | NUT, HEAVY HEX - METRIC- W/ERRATA (NO S/S DOCUMENT)[CUST: AR AS 99 IS] [REVIEW: AV CR MC MI NS] | A | 5310 | | IS | 20-SEP-05 |
| A | ANSI-B18.2.4.5M | NUT, JAM, HEX - METRIC - W/ERRATA (NO S/S DOCUMENT)[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI NS SH] | A | 5310 | | IS | 20-SEP-05 |
| A | SAE-AS3066 | NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251 (NO S/S DOCUMENT)[CUST: AR YD 99] | A | 5310 | | IS | 01-SEP-05 |
| A | ANSI-B18.2.4.3M | NUT, SLOTTED, HEX METRIC W/DOD EXCEPTIONS W/ERRATA (NO S/S DOCUMENT)[CUST: AR AS 99 IS] [REVIEW: AV CR MC MI NS] | A | 5310 | | IS | 20-SEP-05 |
| A | MIL-O-44450 NOT 2 | OATMEAL WITH MAPLE AND BROWN SUGAR, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| A | ASTM-C570 | OIL- AND RESIN-BASE CAULKING COMPOUND FOR BUILDING CONSTRUCTION (NO S/S DOCUMENT)[CUST: MR YD] [REVIEW: CE MC] | A | 8030 | | IS | 27-SEP-05 |
| A | MIL-O-44453 NOT 2 | OMELET, GREEN PEPPER AND HAM, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| A | ANSI-PH3.617 | OPTICAL ELEMENTS AND ASSEMBLIES, DEFINITIONS, METHODS OF TESTING, AND SPECIFICATIONS FOR APPEARANCE IMPERFECTIONS OF (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 70] | A | 6760 | | IS | 16-SEP-05 |
| A | ANSI-PH3.57 | OPTICAL TRANSFER FUNCTION MEASUREMENT AND REPORTING, GUIDE TO (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 70] | A | 6760 | | IS | 16-SEP-05 |
| A | ANSI-PH3.609 | OPTICAL, PHOTOGRAPHIC, DIMENSIONS FOR RESOLUTIONS TEST TARGET FOR (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 70] | A | 6760 | | IS | 16-SEP-05 |
| A | ARI590 | PACKAGES, RECIPROCATING WATER-CHILLING, STANDARD FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CE MC MS] | A | 4130 | | IS | 20-SEP-05 |
| A | MIL-P-44151A NOT 2 | PACKAGING INTO POUCHES AND MEAL ASSEMBLY OF ORAL LIQUID FEEDING POWDERS (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8970 | | GL | 29-SEP-05 |
| M | QPL-17578-14 NOT 1 | PACKING MATERIAL, PLASTIC (FOR DOGS FOR WATERTIGHT CLOSURES) (SYMBOL 1425) (SEE NOTICE FOR REPLACEMENT INFORMATION) | A | 5340 | | SH | 05-APR-06 |
| A | QPL-5510-17 NOT 2 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, TYPE I HYDRAULIC (-65 DEG. TO 160 DEG.F) (S/S BY QPL-AMS-P-5510) | A | 5330 | | 11 | 02-AUG-05 |
| A | A-A-55566 NOT 1 | PAD, MOUSE (NO S/S DOCUMENT)[CUST: EC] | A | 7045 | / | IS | 24-JAN-06 |
| A | QPL-TT-P-2118-3 NOT 1 | PAINT, TREE MARKING (NO S/S DOCUMENT) | A | 8010 | # | FSS | 20-OCT-05 |
| A | SSPC-PS4.01 | PAINTING SYSTEM SPECIFICATION NO. 4.02, FOUR-COAT VINYL PAINTING SYSTEM (FOR FRESH WATER, CHEMICAL, & CORROSIVE ATMOSPHERES) (NO S/S DOCUMENT)[CUST: CR4 YD 11 IS] [REVIEW: CE MC MD MR MS OS] | A | 8010 | | IS | 07-JUL-05 |
| A | APA-PS2 | PANELS, WOOD-BASED STRUCTURAL-USE (NO S/S DOCUMENT)[CUST: 99 CC] | A | 5530 | | IS | 05-OCT-05 |
| A | ASTM-D1704 | PARTICULATE MATTER IN THE ATMOSPHERE BY MEASUREMENT OF THE LIGHT ABSORBANCE OF A FILTER SAMPLE, DETERMINING THE (NO S/S DOCUMENT)[CUST: EA SH 68] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 25-JAN-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-P-7936A NOT 2 | PARTS AND EQUIPMENT, AERONAUTICAL PROCEDURES FOR PACKAGING OF (SEE NOTICE 2 FOR REPLACEMENT INFORMATION).[CUST: AV AS] [REVIEW: 43 67 71 SM] | A | PACK | | AS | 27-JAN-70 |
| A | MIL-P-44451 NOT 2 | PEA CASSEROLE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| A | ASTM-E358 | PHOSPHORIC ACID, ANALYSIS OF (NO S/S DOCUMENT)[CUST: EA SH 68 GS3] [REVIEW: CR4 GL MD] | A | 6810 | | GS3 | 26-JAN-06 |
| A | ANSI-PH3.22 | PHOTOGRAPHIC OBJECTIVE, ILLUMINANCE OVER THE FIELD OF A, METHOD FOR DETERMINING THE DISTRIBUTION OF (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 70] | A | 6760 | | IS | 16-SEP-05 |
| A | ANSI-PH1.29 | PHOTOGRAPHY (FILM) METHODS FOR DETERMINING CURL (NO S/S DOCUMENT)[CUST: CR AS 16 DH] [REVIEW: 13 19 AT CC EC MI SA SH TD] | A | EDRS | | GS4 | 28-OCT-05 |
| A | ANSI-IT1.10 | PHOTOGRAPHY (FILMS) - AERIAL FILMS/SPOOLS/CONTAINERS - DIMENSIONS (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 06] | A | 6760 | | IS | 30-SEP-05 |
| A | ANSI-PH2.19 | PHOTOGRAPHY (SENSITOMETRY) - DENSITY MEASUREMENTS - GEOMETRIC CONDITIONS FOR TRANSMISSION DENSITY (NO S/S DOCUMENT)[CUST: CR AS 16 DH] [REVIEW: 13 19 AR CC EC MI SA SH TD] | A | EDRS | | GS4 | 28-OCT-05 |
| A | ASTM-D563 | PHTHALIC ANHYDRIDE CONTENT OF ALKYD RESIN & RESIN SOLUTION STANDARD TEST METHOD FOR (NO S/S DOCUMENT)[CUST: MR SH 11] | A | 8010 | | MR | 14-NOV-05 |
| A | ANSI-A151.1 | PHYSICAL ENDURANCE FOR STEEL DOORS AND HARDWARE ENFORCINGS, PROCEDURE AND ACCEPTANCE CRITERIA FOR (NO S/S DOCUMENT)[CUST: CR YD 99] [REVIEW: 11 84 CR4] | A | 5670 | | IS | 02-AUG-05 |
| A | AWWA-M16 | PIPE, ASBESTOS CEMENT, WORK PRACTICES FOR - 1978 (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: MC] | A | 5630 | | IS | 05-JUL-05 |
| A | ACI346/346R | PIPE, CONCRETE, CAST-IN-PLACE NONREINFORCED, SPECIFICATION FOR, AND RECOMMANDATIONS FOR CAST-IN-PLACE NONREINFORCED CONCRETE PIPE (NO S/S DOCUMENT)[CUST: YD IS] | A | 5610 | | IS | 07-JUL-05 |
| A | ASTM-A106 | PIPE, SEAMLESS CARBON STEEL, FOR HIGH-TEMPERATURE SERVICE (NO S/S DOCUMENT)[CUST: CR4 YD 99 CC] [REVIEW: 50 71 AT CE CG EA MC SH] | A | 4710 | | CC | 28-JAN-06 |
| A | ANSI-Z124.3 | PLASTIC LAVATORY, STANDARD FOR (NO S/S DOCUMENT)[CUST: YD 99] [REVIEW: CE MC] | A | 4510 | | IS | 04-OCT-05 |
| A | ASTM-D671 | PLASTICS, FLEXURAL FATIGUE OF, BY CONSTANT-AMPLITUDE-OF-FORCE, STANDARD TEST METHODS FOR (NO S/S DOCUMENT)[CUST: MR SH 99 GS] [REVIEW: AR AS AV EC GL MC MD OS YD] | A | 9330 | | IS | 15-JUL-05 |
| A | ASTM-D3014 | PLASTICS, RIGID THERMOSET CELLULAR, IN A VERTICAL POSITION, FLAME HEIGHT, TIME OF BURNING, AND LOSS OF WEIGHT OF (NO S/S DOCUMENT)[CUST: MR SH 11] | A | 9330 | | IS | 02-AUG-05 |
| A | ASTM-D1898 | PLASTICS, SAMPLING OF (NO S/S DOCUMENT)[CUST: MR SH GS] [REVIEW: AR AS AT CR4 GL MI OS] | A | 9330 | | IS | 07-JUL-05 |
| A | SAE-AMS6522 | PLATE, STEEL 2.0CR - 10NI - 14CO - 1.0MO (0.13 - 0.17C) VACUUM MELTED, NORMALIZED, AND OVERAGED (NO S/S DOCUMENT)[CUST: MR AS 11] | A | 9515 | | IS | 04-OCT-05 |
| A | MS20913G NOT 2 | PLUG, PIPE (SEE NOTICE 2 FOR REPLACMENT INFORMATION)[CUST: AV AS 99 CC] [REVIEW: 71 MC MI SA] | A | 4730 | | CC | 12-JUL-05 |
| M | MS21378A NOT 1 | PLUGS AND CABLE ASSEMBLIES, EXTERNAL POWER, AIRCRAFT, 230/400 VOLT, 400 HERTZ (S/S BY SAE-AS21378)[CUST: AS 11 CC] [REVIEW: 99] | A | 5935 | | AS | 20-FEB-06 |
| A | AWPA-C12 | POLES, WESTERN LARCH, - FULL LENGTH - PRESERVATIVE TREATMENT BY THERMAL PROCESS (NO S/S DOCUMENT)[CUST: CR4 SH 99] [REVIEW: 84 CE] | A | 5510 | | IS | 20-SEP-05 |
| A | CI1302 | POLYESTER/POLYOLEFIN DUAL FIBER ROPE 3-STRAND CONSTRUCTION (NO S/S DOCUMENT)[CUST: GL SH 99] | A | 4020 | | IS | 30-SEP-05 |
| A | ANSI-A112.19.4M | PORCELAIN ENAMELED FORMED STEEL PLUMBING FIXTURES (NO S/S DOCUMENT)[CUST: CR YD 99] [REVIEW: 11 CC CR4 GS] | A | 4510 | | IS | 14-JUL-05 |
| M | MIL-P-44242C NOT 2 | PORK AND BEANS, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 14-APR-06 |
| A | MIL-P-44326A NOT 2 | PORK IN BARBECUE SAUCE, THERMOSTABILIZED, TRAY PACK (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 27-SEP-05 |
| M | MIL-P-44311B NOT 2 | PORK SAUSAGE LINKS IN BRINE, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8905 | | GL | 14-APR-06 |
| A | MIL-P-44456 NOT 2 | PORK, ORIENTAL AND VEGATABLES, WITH NOODLES, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| M | NA0165 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC (NO S/S DOCUMENT)[CUST: AR 99] [REVIEW: 71 AV] | A | 5340 | | IS | 29-MAR-06 |
| A | MIL-P-11970C NOT 2 | POTASSIUM PERMANGANATE, TECHNICAL (METRIC) (S/S BY A-A-59787)[CUST: CR4 68 GS] | A | 6810 | | 68 | 09-JAN-06 |
| M | MIL-P-44239B NOT 2 | POTATOES WITH BACON PIECES IN SAUCE, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 14-APR-06 |
| A | MIL-P-44440 NOT 2 | POTATOES, DELMONICO, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| A | MIL-P-44234A NOT 2 | POTATOES, DICED IN BUTTER SAUCE, THERMOSTABILIZED, TRAY PACK (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD MS SS] | A | 8940 | | GL | 27-SEP-05 |
| A | MIL-P-44461 NOT 2 | POTATOES, LYONNAISE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| A | MIL-P-44182A NOT 2 | POTATOES, MASHED, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| M | MIL-P-44241B NOT 2 | POTATOES, SWEET, GLAZED, THERMOSTABILIZED, TRAY PACK (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 14-APR-06 |
| A | MIL-P-45447 NOT 1 | POWDER, MOLDING, PBX 9010 (NO S/S DOCUMENT)[CUST: AR OS] | A | 1375 | | OS | 21-MAY-99 |
| M | MIL-P-87119A(1) NOT 4 | PREFORM, DENSIFICATION, HIGH PRESSURE, RIGIDIZED, GRAPHITE FIBER, 3-D FINE-WEAVE ORTHOGONAL, PROCESSING OF (NO S/S DOCUMENT)[CUST: 11] | E | 9390 | | 11 | 21-APR-06 |
| M | MIL-P-87116A NOT 4 | PREFORM, GRAPHITE FIBER, 3D ORTHOGONAL, 2-2-3, FINEWEAVE (NO S/S DOCUMENT)[CUST: 11] | E | 9390 | | 11 | 21-APR-06 |
| M | MIL-P-87118A(1) NOT 4 | PREFORM, RIGIDIZATION OF, GRAPHITE FIBER, 3D ORTHOGONAL, 2-2-3, FINEWEAVE, CVD PROCESSING OF (NO S/S DOCUMENT)[CUST: 11] | E | 9390 | | 11 | 21-APR-06 |
| M | MIL-P-87122A NOT 4 | PREFORM, RIGIDIZATION, GRAPHITE FIBER, 3D, FINE-WEAVE PIERCED FABRIC, PROCESSING OF (NO S/S DOCUMENT)[CUST: 11] | E | 9390 | | 11 | 21-APR-06 |
| M | MIL-P-87117A NOT 4 | PREFORM, RIGIDIZED, GRAPHITE FIBER, 3D ORTHOGONAL 2-2-3, FINEWEAVE, CVD INFILTRATED (NO S/S DOCUMENT)[CUST: 11] | E | 9390 | | 11 | 21-APR-06 |
| A | AWPA-C25 | PRESERVATIVE TREATMENT BY PRESSURE PROCESSES - 1985 (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CC CE MC] | A | 5510 | | IS | 05-JUL-05 |
| A | A-A-55565 NOT 1 | PRINTER, AUTOMATIC DATA PROCESSING, LASER, 12 PPM, 600 DPI (NO S/S DOCUMENT)[CUST: EC] | A | 7025 | / | IS | 24-JAN-06 |
| A | AWPA-F3 | PRODUCTS, ROUND FOREST, STANDARD VOLUMES OF (NO S/S DOCUMENT)[CUST: CR4 SH 99] [REVIEW: 84] | A | 5510 | | IS | 02-AUG-05 |
| A | MIL-P-27405(2) NOT 3 | PROPELLANT, FLUORINE (NO S/S DOCUMENT)[CUST: MI AS 68 PS] [REVIEW: 19] | A | 9135 | | 68 | 20-DEC-05 |
| A | MIL-P-87932 NOT 2 | PROPELLANT, LIQUID NEON (NO S/S DOCUMENT)[CUST: 68 PS] | A | 9135 | | 68 | 10-JAN-06 |
| A | MIL-P-44365 NOT 2 | PUDDING, CHOCOLATE, THERMOSTABILIZED, TRAY PACK (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD SS] | A | 8940 | | GL | 27-SEP-05 |
| A | ASTM-D617 | QUALITY PUNCHING OF PHENOLIC LAMINATED SHEETS (NO S/S DOCUMENT)[CUST: MR GS] [REVIEW: AR AS AT CR MC MD OS YD] | A | 9330 | | IS | 07-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | ASTM-E142 | RADIOGRAPHIC TESTING, CONTROLLING QUALITY OF (S/S BY ASTM-E94)[CUST: MR AS 11] [REVIEW: AT GL OS SH] | A | NDTI | | GS2 | 26-JAN-06 |
| A | MIL-R-44277A NOT 2 | RATION, COLD WEATHER, ASSEMBLY OF (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8970 | | GL | 07-DEC-05 |
| A | AWS-F2.1 | RECOMMENDED SAFE PRACTICE FOR ELECTRON BEAM WELDING AND CUTTING (NO S/S DOCUMENT)[CUST: SH 99] [REVIEW: 84] | A | 3438 | | GS6 | 24-JAN-06 |
| A | SSPC-PAINT1 | RED LEAD AND RAW LINSEED OIL PRIMER (NO S/S DOCUMENT)[CUST: YD] | A | 8010 | | IS | 04-OCT-05 |
| A | SSPC-PAINT2 | RED LEAD, IRON OXIDE, RAW LINSEED OIL AND ALKYD PRIMER (NO S/S DOCUMENT)[CUST: YD] | A | 8010 | | IS | 04-OCT-05 |
| A | SSPC-PAINT13 | RED OR BROWN ONE-COAT SHOP PAINT (NO S/S DOCUMENT)[CUST: YD] | A | 8010 | | IS | 04-OCT-05 |
| A | IEC1105 | REFERENCE TAPES FOR VIDEO TAPE RECORDER SYSTEMS (NO S/S DOCUMENT) | A | 5836 | | IS | 30-SEP-05 |
| A | MIL-PRF-25134C NOT 1 | REMOVER, PAINT AND LACQUER, SOLVENT TYPE (NO S/S DOCUMENT)[CUST: 99] | A | 8010 | | 84 | 25-OCT-05 |
| A | ASTM-D1306 | RESINS, ALKYD AND ESTERS CONTAINING OTHER DIBASIC ACIDS (GRAVIMETRIC), PHTHALIC ANHYDRIDE CONTENT OF (NO S/S DOCUMENT)[CUST: MR SH 11] | A | 8010 | | MR | 14-NOV-05 |
| A | ASTM-D1242 | RESISTANCE OF PLASTIC MATERIALS TO ABRASION (NO S/S DOCUMENT)[CUST: MR 11 GS] [REVIEW: AS AV CR GL MI OS SH YD] | A | 9330 | | IS | 20-SEP-05 |
| A | ASTM-D1559 | RESISTANCE TO PLASTIC FLOW OF BITUMINOUS MIXTURES USING MARSHALL APPARATUS (NO S/S DOCUMENT)[CUST: YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 05-JUL-05 |
| A | MIL-PRF-83401/16A(1) NOT 1 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ160, 6 PIN SIP (NO S/S DOCUMENT)[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 24-JUN-05 |
| A | MIL-PRF-83401/17A(1) NOT 1 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ170, 8 PIN SIP (NO S/S DOCUMENT)[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 24-JUN-05 |
| A | MIL-PRF-83401/20A(1) NOT 1 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ200, 10 PIN SIP (NO S/S DOCUMENT)[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS] | A | 5905 | | CC | 24-JUN-05 |
| A | MIL-PRF-39017/6 NOT 1 | RESISTOR, FIXED, FILM, (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLE RLR62 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[CUST: CR EC 11 NA] [REVIEW: 99 AR AS AT AV CG CR4 MC OS] | A | 5905 | | CR | 08-JUL-05 |
| A | MIL-PRF-55182/13B NOT 1 | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RN*77 (NO S/S DOCUMENT)[CUST: CR EC 11 NA] [REVIEW: 19 99 AR AS CC CG MC OS] | A | 5905 | | CR | 08-JUL-05 |
| A | MIL-R-93/16C NOT 1 | RESISTORS, FIXED, WIRE WOUND (ACCURATE), STYLE RB57 (S/S BY MIL-PRF-39005/7)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR CR4 MC MI] | A | 5905 | | CC | 24-JUN-05 |
| A | MIL-PRF-39005/10B(1) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR76 (NO S/S DOCUMENT)[CUST: 11 CC] [REVIEW: 19] | A | 5905 | | CC | 24-JUN-05 |
| M | A-A-55424A NOT 1 | RETAINER, CAPACITOR (NO S/S DOCUMENT)[CUST: CC] | A | 5910 | / | CC | 07-APR-06 |
| M | A-A-55425A NOT 1 | RETAINER, CAPACITOR (NO S/S DOCUMENT)[CUST: CC] | A | 5910 | / | CC | 07-APR-06 |
| A | MIL-R-44457 NOT 2 | RICE, FRIED, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| M | MS51962F NOT 3 | RING, BEARING, INNER: FOR NEEDLE ROLLER BEARING WITH THICK OUTER RING (S/S BY ASTM-F2431)[CUST: AT OS 99] [REVIEW: 84] | A | 3110 | | GS4 | 19-APR-06 |
| A | MS51997C(2) NOT 3 | RING, LOCK, SERRATED-HIGH STRENGTH (S/S BY SAE-AS51997)[CUST: AT AS 99 GS7] [REVIEW: 71 AV CR MC NS] | A | 5365 | | GS7 | 24-JAN-06 |
| A | ANSI-B18.1.2 | RIVET, LARGE (NO S/S DOCUMENT)[CUST: AR 99 IS] | A | 5320 | | IS | 20-SEP-05 |
| A | ANSI-B18.1.1 | RIVET, SMALL SOLID (NO S/S DOCUMENT)[CUST: AR 99 IS] | A | 5320 | | IS | 20-SEP-05 |
| A | ANSI-B18.7 | RIVETS, GENERAL PURPOSE SEMI TUBULAR RIVETS, FULL TUBULAR SPLIT AND RIVET CAP (NO S/S DOCUMENT)[CUST: AR SH 99 IS] [REVIEW: AT AV MI] | A | 5320 | | IS | 20-SEP-05 |
| A | ASTM-D448 | ROAD AND BRIDGE CONSTRUCTION, SIZES OF AGGREGATE FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: CE MC] | A | 5610 | | IS | 05-JUL-05 |
| A | ASTM-B151M | ROD AND BAR, COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER) AND COPPER-NICKEL (METRIC) (NO S/S DOCUMENT)[CUST: MR AS 11 IS] | A | 9530 | | IS | 15-JUL-05 |
| A | ASTM-B138M | ROD, BAR, AND SHAPES (METRIC), MANGANESE BRONZE (NO S/S DOCUMENT)[CUST: MR SH] [REVIEW: 99 AR AS CR CR4 EA GL] | A | 9530 | | IS | 16-SEP-05 |
| A | ASTM-B138 | ROD, MANGANESE BRONZE, BAR, AND SHAPES (NO S/S DOCUMENT)[CUST: MR SH 99] [REVIEW: AR AS CR CR4 EA GL] | A | 9530 | | IS | 16-SEP-05 |
| A | ASTM-B21M | ROD, NAVAL BRASS, BAR, AND SHAPES (METRIC), STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: MR SH IS] [REVIEW: AV CR CR4 EA GL] | A | 9530 | | IS | 22-JUL-05 |
| M | MS19065A NOT 3 | ROLLER, BEARING, FERROUS, SOLID, SPHERICAL END (S/S BY ASTM-F2443)[CUST: AT OS 99 GS4] [REVIEW: 84 MC] | A | 3110 | | GS4 | 19-APR-06 |
| A | MIL-HDBK-1001/5A NOT 1 | ROOFING AND WATERPROOFING (S/S BY MIL-STD-3007)[CUST: YD] | A | FACR | | YD | 14-SEP-05 |
| A | ARI445 | ROOM AIR-INDUCTION UNITS, STANDARD FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CE MC MS] | A | 4130 | | IS | 20-SEP-05 |
| A | SAE-AMS3252 | RUBBER AND CORK COMPOSITION, SYNTHETIC GENERAL PURPOSE, FIRM (NO S/S DOCUMENT)[CUST: MR AS 11] | A | 5330 | | IS | 01-SEP-05 |
| A | NHLA-RB | RULES FOR THE MEASUREMENT & INSPECTION OF HARDWOOD & CYPRESS (NO S/S DOCUMENT)[CUST: CR4 SH 99] [REVIEW: 84 CE YD] | A | 5510 | | IS | 05-JUL-05 |
| A | API-PUBL-2015 | SAFE ENTRY AND CLEANING OF PETROLEUM STORAGE TANKS (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5430 | | IS | 02-AUG-05 |
| A | MIL-S-51416 NOT 2 | SAFETY EQUIPMENT SET, RESPIRATORY, 2-MAN (NO S/S DOCUMENT)[CUST: EA] | A | 4240 | | EA | 03-OCT-05 |
| A | QPL-GGG-S-63-19 NOT 2 | SAW, CIRCULAR, PORTABLE, PNEUMATIC (NO S/S DOCUMENT) | A | 5130 | / | SH | 16-NOV-05 |
| M | ANSI-B18.2.3.2M | SCREW, CAP, FORMED HEX HEAD-METRIC (W/ERRATA) (NO S/S DOCUMENT)[CUST: AR AS 99] [REVIEW: AV CR MC MI NS] | A | 5305 | | IS | 29-MAR-06 |
| M | ANSI-B18.2.3.1M | SCREW, CAP, HEX HEAD - METRIC W/ERRATA (NO S/S DOCUMENT)[CUST: AR AS 99] | A | 5305 | | IS | 29-MAR-06 |
| A | NASM51474 | SCREW, CAP, HEX HEAD, FULLY THREADED -METRIC (NO S/S DOCUMENT)[CUST: AR IS] | A | 5305 | | IS | 06-SEP-05 |
| A | ANSI-B18.3.4M | SCREW, CAP, HEXAGON, SOCKET BUTTON HEAD - METRIC (NO S/S DOCUMENT)[CUST: AR AS 99 IS] [REVIEW: AV CR MC MI NS] | A | 5305 | | IS | 16-SEP-05 |
| A | ANSI-B18.2.3.3M | SCREW, HEAVY HEX HEAD - METRIC (NO S/S DOCUMENT)[CUST: AR AS 99 IS] | A | 5305 | | IS | 16-SEP-05 |
| A | ANSI-B18.2.3.8M | SCREW, LAG, HEX HEAD - METRIC (NO S/S DOCUMENT)[CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI NS SH] | A | 5306 | | IS | 30-SEP-05 |
| A | MS27039F NOT 2 | SCREW, MACHINE - PAN HEAD, STRUCTURAL, CROSS RECESSED (S/S BY NASM27039)[CUST: AR AS 99] | A | 5305 | | IS | 17-JAN-06 |
| A | SAE-MA4189 | SCREW, MACHINE, 100 DEG. CSK, FLAT HEAD, OFFSET CRUCIFORM RECESS, FULL SHANK, UNS S66286, MJ THREAD, METRIC (NO S/S DOCUMENT)[CUST: AR AS 99] [REVIEW: 82 AV] | A | 5306 | | IS | 01-SEP-05 |
| A | NAS560 | SCREW, MACHINE, NON-MAGNETIC HIGH TEMPERATURE, STRUCTURAL, 100 DEG. FLUSH HEAD (NO S/S DOCUMENT)[CUST: AV AS 11] [REVIEW: CR CR4] | A | 5305 | | IS | 16-SEP-05 |
| A | ANSI-B18.11 | SCREW, MINIATURE (NO S/S DOCUMENT)[CUST: AR SH 99 IS] [REVIEW: AT AV] | A | 5305 | | IS | 16-SEP-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| M | ASTM-F879M | SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, STAINLESS STEEL (METRIC) (NO S/S DOCUMENT)[CUST: AR YD 99] | A | 5305 | | IS | 29-MAR-06 |
| M | ASTM-F837M | SCREWS, CAP, SOCKET HEAD, STAINLESS STEEL (METRIC) (NO S/S DOCUMENT)[CUST: AR YD 99] | A | 5305 | | IS | 29-MAR-06 |
| A | ASTM-D1190 | SEALER, CONCRETE JOINT, HOT-APPLIED ELASTIC TYPE (NO S/S DOCUMENT)[CUST: YD] | A | 8030 | | IS | 27-SEP-05 |
| A | MIL-S-29574(1) NOT 1 | SEALING COMPOUND, POLYTHIOETHER, FOR AIRCRAFT STRUCTURES, FUEL AND HIGH TEMPERATURE RESISTANT, FAST CURING AT AMBIENT AND LOW TEMPERATURE (S/S BY SAE-AMS3277, SEE NOTICE 1 FOR ADDITIONAL INFORMATION)[CUST: MR AS] | A | 8030 | | AS | 07-SEP-05 |
| A | ANSI-Z124.5 | SEATS, TOILET, PLASTIC (WATER CLOSET) (NO S/S DOCUMENT)[CUST: YD 99] [REVIEW: 84] | A | 4510 | | IS | 02-AUG-05 |
| A | MIL-PRF-19500/635A NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRAFAST, TYPES 1N6710 THROUGH 1N6716 AND 1N6710R THROUGH 1N6716R JANTX, JANTXV, AND JANS AND POWER RECTIFIER, STANDARD RECOVERY, TYPES 1N6710B THROUGH 1N6716B AND 1N6710BR THROUGH 1N6716BR, JANTX, JANTXV AND JANS[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 14-OCT-05 |
| M | MIL-PRF-19500/625A NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N6683, 1N6684, 1N6685, IN6683US, 1N6684US, AND 1N6685US JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC (NO S/S DOCUMENT)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MC MI SM] | A | 5961 | | CC | 06-MAR-06 |
| A | MIL-PRF-19500/445D NOT 2 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N5712, 1N5712-1, AND 1N5712UR-1, JAN, JANTX, JANTXV, JANJ, JANS, JANHC AND JANKC (S/S BY MIL-PRF-19500/444)[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 15-FEB-06 |
| A | MIL-PRF-19500/654(1) NOT 1 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL SILICON TYPE 2N7430T1 JANTXVD, JANTXVR, JANSD, AND JANSR (NO S/S DOCUMENT)[CUST: CR EC 11 CC NA] | A | 5961 | | CC | 19-OCT-05 |
| A | MIL-PRF-19500/667 NOT 1 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL SILICON TYPES 2N7456U1, 2N7457U1, 2N7458U1, AND 2N7459U1 JANTXVD, JANTXVR, JANSD, AND JANSR (NO S/S DOCUMENT)[CUST: EC CC] | A | 5961 | | CC | 31-OCT-05 |
| A | MIL-PRF-19500/629C NOT 1 | SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, RECTIFIER, SCHOTTKY BARRIER, TYPES 1N6702 AND 1N6702US, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC (NO S/S DOCUMENT)[CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 21-NOV-05 |
| A | SAE-AMS4390 | SHEET AND PLATE, MAGNESIUM ALLOY 2.0TH - 0.78MN (HM21A-T8) SOLUTION HEAT TREATED, COLD WORKED, AND PRECIPITATION HEAT TREATED (NO S/S DOCUMENT)[CUST: MR AS 11 IS] | A | 9535 | | IS | 04-OCT-05 |
| A | SAE-AMS4383 | SHEET AND PLATE, MAGNESIUM ALLOY 2.0TH - 0.78MN (HM21A-T81) SOLUTION HEAT TREATED, COLD WORKED, AND PRECIPITATION HEAT TREATED (NO S/S DOCUMENT)[CUST: MR AS 11 IS] | A | 9535 | | IS | 04-OCT-05 |
| A | ASTM-D3293 | SHEET, RESIN MOLDED, PTFE (NO S/S DOCUMENT)[CUST: MR 11] [REVIEW: AR AT EC GL MC MD OS YD] | A | 9330 | | IS | 30-SEP-05 |
| A | MIL-S-24251/9A(2) NOT 3 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T11 (SPLIT SHELL) (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: AR AS CG MC MI] | A | 5960 | | CC | 15-FEB-06 |
| A | MIL-S-24251/13A(2) NOT 3 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE DIAMETER 1.65 INCHES) (SPLIT SHELL) (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI] | A | 5960 | | CC | 15-FEB-06 |
| M | SAE-AMS3726/1 | SHIMS, FILLED RESIN COMPOUND LIQUID (NO S/S DOCUMENT)[CUST: MR AS 11] | A | 9330 | | AS | 26-APR-06 |
| M | SAE-AMS3726/2 | SHIMS, FILLED RESIN COMPOUND, PRECATALYZED SHEET (NO S/S DOCUMENT)[CUST: MR AS 11] | A | 9330 | | AS | 26-APR-06 |
| A | ANSI-Z124.2 | SHOWER RECEPTORS AND SHOWER STALLS, PLASTIC, STANDARD FOR (NO S/S DOCUMENT)[CUST: YD 99] [REVIEW: 84 MC] | A | 4510 | | IS | 20-SEP-05 |
| A | ANSI-Z124.6 | SINKS, PLASTIC, AMERICN NATIONAL STANARD FOR (NO S/S DOCUMENT)[CUST: YD 99] [REVIEW: 84] | A | 4510 | | IS | 20-SEP-05 |
| M | SAE-AMS1725 | SKIN PROTECTIVE COMPOUND, CHEMICAL BARRIER (NO S/S DOCUMENT)[CUST: EA AS 68] | A | 6850 | | AS | 26-APR-06 |
| M | FF-S-2874 NOT 1 | SLINGS, MULTIPLE LEG, VEHICLE (SHIPBOARD LOADING) (S/S BY MIL-DTL-32108)[CUST: MT YD] [REVIEW: 84 99 IS MP SH] | A | 3940 | / | MT | 13-APR-06 |
| A | ASTM-F814 | SMOKE, SPECIFIC OPTICAL DENSITY OF, GENERATED BY SOLID MATERIALS FOR AEROSPACE APPLICATIONS (NO S/S DOCUMENT)[CUST: MR IS] [REVIEW: AV] | A | 9330 | | IS | 20-SEP-05 |
| A | QPL-83502-5(1) NOT 1 | SOCKETS, PLUG IN ELECTRONIC COMPONENTS, ROUND STYLE, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A | 5935 | | CC | 08-JUL-05 |
| A | ASTM-D1194 | SOIL, STATIC LOAD AND SPREAD FOOTINGS, BEARING CAPACITY OF (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84 MC] | A | 5610 | | IS | 05-JUL-05 |
| A | ASTM-D1632 | SOIL-CEMENT COMPRESSION AND FLEXURE TEST SPECIMENS IN THE LABORATORY, MAKING AND CURING, STANDARD PRACTICE FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] | A | 5610 | | IS | 18-OCT-05 |
| A | ASTM-D3668 | SOIL-LIME MIXTURES, LABORATORY COMPACTED, BEARING RATIO OF (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC] | A | 5610 | | IS | 05-JUL-05 |
| A | ASTM-D3432 | SOLUTIONS BY GAS CHROMATOGRAPHY, UNREACTED TOLUENE DIISOCYANTES IN URETHANE PREPOLYMERS AND COATING , STANDARD TEST METHOD FOR (NO S/S DOCUMENT)[CUST: MR SH 99] | A | 8010 | | MR | 28-NOV-05 |
| A | MIL-S-44170A NOT 2 | SPAGHETTI AND MEAT, WITH SAUCE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| A | A-A-50740 NOT 1 | SPECTRUM ANALYZER 10 HZ TO 50 KHZ (NO S/S DOCUMENT)[CUST: GL 99] | A | 6625 | / | 84 | 15-SEP-05 |
| A | ASTM-D1752 | SPONGE, PREFORMED, RUBBER CORK AND RECYCLED PVC EXPANSION, PREFORMED, JOINT FILLERS FOR CONCRETE PAVING AND STRUCTURAL CONSTRUCTION (NO S/S DOCUMENT)[CUST: YD IS] [REVIEW: CE] | A | 5610 | | IS | 05-JUL-05 |
| A | MIL-S-44441 NOT 2 | SQUASH, BUTTERED, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| A | ASME-A112.19.3M | STAINLESS STEEL PLUMBING FIXTURES (DESIGNED FOR RESIDENTIAL USE) AMERICAN NATIONAL STANDARD FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 MC] | A | 4510 | | IS | 02-AUG-05 |
| A | AWPA-C26 | STANDARD FOR THE PRESERVATIVE TREATMENT OF CROSSARMS BY NON-PRESSURE PROCESSES, DOUGLAS FIR, WESTERN LARCH & WESTERN HEMLOCK (NO S/S DOCUMENT)[CUST: CR4 SH 99] [REVIEW: 84 CE] | A | 5510 | | IS | 02-AUG-05 |
| A | MIL-STD-1320-209 NOT 3 | STANDARD MISSILE (MR)RIM-66A, TYPE 1; RIM -66C; RGM-66D-1, 2 OR ROCKET MOTOR MK 56 & MODS (DTRM) IN CONTAINERS MK 372 MODS 2, 3 OR 5 (S/S BY MIL-STD-1320-213)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| M | MIL-S-83030A NOT 4 | STEEL ALLOY, CARBURIZING, BARS AND BILLETS, STEEL NICKEL-CHROMIUM (3310, 3316, AND 9310), PREMIUM QUALITY (SEE NOTICE 4 FOR REPLACEMENT INFORMATION)[CUST: MR AS 11] [REVIEW: 99 AV MI] | A | 9510 | | 11 | 06-APR-06 |
| A | SAE-AMS6488 | STEEL BARS AND FORGINGS 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) (NO S/S DOCUMENT)[CUST: MR AS 11 IS] | A | 9510 | | IS | 15-JUL-05 |
| A | SAE-AMS6321 | STEEL BARS, FORGINGS, AND TUBING 0.42CR - 0.30NI - 0.12MO - 0.003B (0.38 - 0.43C) (81B40) (NO S/S DOCUMENT)[CUST: MR AS 11 IS] | A | 9510 | | IS | 07-JUL-05 |
| M | MIL-S-83135 NOT 5 | STEEL BARS, REFORGING STOCK, AND MECHANICAL TUBING, 4340M, HIGH QUALITY (S/S BY SAE-AMS6409 AND SAE-AMS6417)[CUST: 11] | A | 9510 | | 11 | 08-MAR-06 |
| A | SDI100 | STEEL DOOR & FRAME, RECOMMENDED SPECIFICATIONS STANDARD (NO S/S DOCUMENT)[CUST: CR4 YD] [REVIEW: 99 CE] | A | 5670 | | IS | 02-AUG-05 |
| A | ANSI-A115.4 | STEEL DOOR AND FRAME PREPARATION FOR LEVER EXTENSION FLUSH BOLTS STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR YD 99] [REVIEW: 11 84 CR4 GS] | A | 5670 | | IS | 14-JUL-05 |
| A | ANSI-A115.6 | STEEL DOOR AND FRAME PREPARATION FOR PREASSEMBLED DOOR LOCKS STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR YD 99] [REVIEW: 11 84 CR4 GS] | A | 5670 | | IS | 14-JUL-05 |
| A | ANSI-A115.2 | STEEL DOOR AND STEEL FRAME PREPARATION FOR BORED OR CYCLINDRICAL LOCKS FOR 1-3/8" AND 1-3/4" DOORS (NO S/S DOCUMENT)[CUST: CR YD 99] [REVIEW: 11 84 CR4 GS] | A | 5670 | | IS | 05-JUL-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | ANSI-A115.1 | STEEL DOOR AND STEEL FRAME PREPARATION FOR MORTISE LOCKS FOR 1-3/8" AND 1-3/4" DOORS STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR YD 99] [REVIEW: 11 84 CR4 GS] | A | 5670 | | IS | 14-JUL-05 |
| A | ANSI-A115.14 | STEEL DOORS FOR OPEN BACK STRIKES PREPARATION AMERICAN NATIONAL STANDARD SPECIFICATION (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5670 | | IS | 07-JUL-05 |
| A | ASTM-A579 | STEEL FORGINGS, SUPERSTRENGTH ALLOY (NO S/S DOCUMENT)[CUST: MR AS 99] | A | 9520 | | IS | 30-SEP-05 |
| A | ANSI-A115.15 | STEEL FRAME & STEEL DOOR PREPARATION FOR BORED OR CYLINDRICAL LOCKS INSTALLED IN PREHUNG INSULATED AMERICAN NATIONAL STANDARD SPECIFICATIONS FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5670 | | IS | 07-JUL-05 |
| A | ANSI-A115.7 | STEEL FRAME & STEEL DOOR PREPARATION FOR FLOOR CLOSERS, LIGHT DUTY, CENTER HUNG, SINGLE OR DOUBLE ACTING CENTER HUNG, SINGLE OR DOUBLE ACTING, OFFSET HUNG, SINGLE ACTING AMERICAN NATIONAL STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5670 | | IS | 14-JUL-05 |
| A | ANSI-A115.12 | STEEL FRAME & STEEL DOOR PREPARATION FOR OFFSET INTERMEDIATE PIVOT AMERICAN NATIONAL STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5670 | | IS | 14-JUL-05 |
| A | ANSI-A115.13 | STEEL FRAME & STEEL DOOR PREPARATION FOR TUBULAR DEADLOCKS AMERICAN NATIONAL STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5670 | | IS | 14-JUL-05 |
| A | ANSI-A115.5 | STEEL FRAME PREPARATION FOR 181 SERIES & 190 SERIES DEAD LOCK STRIKES, AMERICAN NATIONAL STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5670 | | IS | 14-JUL-05 |
| A | SAE-AMS6386 | STEEL SHEET AND PLATE LOW ALLOY, HEAT TREATED 90,000 PSI (621 MPA) AND 100,000 PSI (690 MPA) YIELD STRENGTH (NO S/S DOCUMENT)[CUST: MR AS 11 IS] | A | 9515 | | IS | 14-JUL-05 |
| A | SAE-AMS5546 | STEEL SHEET AND STRIP, CORROSION AND MODERATE HEAT RESISTANT 16.5CR - 4.5NI - 2.9MO - 0.10N COLD ROLLED, TEMPERED (NO S/S DOCUMENT)[CUST: MR AS 11 IS] | A | 9515 | | IS | 04-OCT-05 |
| A | SAE-AMS-S-8840 | STEEL SHEET AND STRIP, CORROSION-RESISTANT, PRECIPITATION HARDENING (AM350 AND AM355), PREMIUM QUALITY (NO S/S DOCUMENT)[CUST: MR AS 11] [REVIEW: IS] | A | 9515 | | AS | 16-SEP-05 |
| A | SAE-AMS5526 | STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 19.5CR - 9.5NI - 1.4MO - 1.4W - 0.42(CB+TA) - 0.22TI SOLUTION HEAT TREATED (NO S/S DOCUMENT)[CUST: MR AS 11] | A | 9515 | | IS | 04-OCT-05 |
| A | SAE-AMS5672 | STEEL WIRE, CORROSION RESISTANT 11.8CR - 8.5NI - 0.30(CB & TA) - 1.1TI - 2.0CU PRECIPITATION HARDENABLE, SPRING TEMPER (NO S/S DOCUMENT)[CUST: MR AS 11] | A | 9505 | | IS | 23-AUG-05 |
| A | ASTM-A535 | STEEL, BALL AND ROLLER BEARING, SPECIAL-QUALITY (NO S/S DOCUMENT)[CUST: MR OS 99] [REVIEW: 84 AR AS AT CR4 IS SH] | A | 9640 | | MR | 03-JAN-06 |
| A | SAE-AMS6478 | STEEL, BARS AND FORGINGS 3.1CR - 11.5NI - 13.5CO - 1.2MO(0.21 - 0.25C) VACUUM MELTED, ANNEALED HEAT TREATABLE TO 290 KSI (1999 MPA) TENSILE STRENGTH (NO S/S DOCUMENT)[CUST: MR AS 11] [REVIEW: 99] | A | 9510 | | 11 | 26-OCT-05 |
| A | ASTM-A295 | STEEL, BEARING, HIGH-CARBON ANTI-FRICTION STANDARD SPECIFICATION FOR (S/S BY ASTM-A295/A295M)[CUST: MR OS] | A | 9640 | | MR | 04-OCT-05 |
| A | ASTM-A622/A622M | STEEL, SHEET AND STRIP, CARBON, DRAWING QUALITY, SPECIAL KILLED, HOT-ROLLED (NO S/S DOCUMENT)[CUST: MR SH 11 IS] [REVIEW: 99 AR MI] | A | 9515 | | IS | 15-SEP-05 |
| A | ASTM-A621/A621M | STEEL, SHEET AND STRIP, CARBON, HOT-ROLLED, DRAWING QUALITY (NO S/S DOCUMENT)[CUST: MR SH 99 IS] [REVIEW: AR CR4] | A | 9515 | | IS | 15-SEP-05 |
| A | ASTM-A366/A366M | STEEL, SHEET, CARBON, COLD-ROLLED, COMMERCIAL QUALITY (NO S/S DOCUMENT)[CUST: MR SH 11 IS] [REVIEW: YD] | A | 9515 | | IS | 18-SEP-05 |
| A | MIL-S-44444 NOT 2 | STRAWBERRY SHORTCAKE POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| A | MIL-HDBK-1002/1 NOT 1 | STRUCTURAL ENGINEERING GENERAL REQUIREMENTS (S/S BY MIL-STD-3007)[CUST: YD] | A | FACR | | YD | 14-SEP-05 |
| A | APA-PRP108 | STRUCTURAL-USE PANELS (NO S/S DOCUMENT)[CUST: 99] [REVIEW: 84 CR4 GL MI YD] | A | 5530 | | IS | 02-AUG-05 |
| A | ANSI-A112.6.1M | SUPPORTS FOR OFF THE FLOOR PLUMBING FIXTURES FOR PUBLIC USE (NO S/S DOCUMENT)[CUST: CR4 YD 99] | A | 4510 | | IS | 02-AUG-05 |
| A | A-A-52009 NOT 1 | SURVEYOR'S TOOL POUCH (S/S BY A-A-52576)[CUST: CE3 YD 99] [REVIEW: GL] | A | 5210 | / | CE3 | 07-DEC-05 |
| A | MS90547D NOT 3 | SWITCH ROTARY 28/125 VOLTS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] | A | 5930 | | CC | 26-AUG-05 |
| M | MS27740B NOT 3 | SWITCH, MIL-DTL-3950 AND MIL-DTL-83731, MILITARY STANDARD PART NUMBERING (NO S/S DOCUMENT)[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI] | A | 5930 | | CC | 28-FEB-06 |
| A | MS21994E NOT 3 | SWITCH, ROTARY, AMMETER SELECTOR, 115/200 VOLTS FOR 1, 2, 4 GENERATOR SYSTEM (NO S/S DOCUMENT)[CUST: CR AS 11 CC] [REVIEW: 99 AV EC MC MI OS] | A | 5930 | | CC | 20-SEP-05 |
| A | MIL-S-8805/30B NOT 3 | SWITCH, SENSITIVE, SPDT, MOMENTARY, DOUBLE BREAK, DUSTTIGHT (NO S/S DOCUMENT)[CUST: CR EC 11 CC] | A | 5930 | | CC | 26-AUG-05 |
| A | MS18152J NOT 3 | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE (NO S/S DOCUMENT)[CUST: CR EC CC] | A | 5930 | | CC | 17-OCT-05 |
| A | MS75029K NOT 2 | SWITCH, TOGGLE, TWO POLE, UNSEALED (NO S/S DOCUMENT)[CUST: CR EC 11 CC] | A | 5930 | | CC | 26-AUG-05 |
| A | MIL-T-44452 NOT 2 | TACO GRANDE, POWDER (FOR ORAL LIQUID FEEDING) (NO S/S DOCUMENT)[CUST: GL SA 50] [REVIEW: MC MD QM SS] | A | 8940 | | GL | 29-SEP-05 |
| A | MIL-HDBK-6011 NOT 1 | TACTICAL DIGITAL INFORMATION LINK (TADIL) A/B MESSAGE STANDARD (NO S/S DOCUMENT)[CUST: CR OM 02] | A | INST | | DC2 | 08-FEB-06 |
| A | API-PUBL-2015A | TANK ENTRY & CLEANING, GUIDE FOR CONTROLLING THE LEAD HAZARD ASSOCIATED WITH (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 82 CE] | A | 5430 | | IS | 02-AUG-05 |
| A | ANSI-Z124.4 | TANK, AND PLASTIC WATER CLOSET BOWLS, STANDARD FOR (NO S/S DOCUMENT)[CUST: CR4 YD] [REVIEW: MC] | A | 4510 | | IS | 20-SEP-05 |
| A | API-PUBL-2015B | TANK, FLOATING-ROOF, CLEANING OPEN-TOP & COVERED (NO S/S DOCUMENT)[CUST: CR4 YD 99 IS] [REVIEW: 82 CE MC] | A | 5430 | | IS | 02-AUG-05 |
| A | ANSI-X3.127 | TAPE CARTRIDGE, UNRECORDED MAGNETIC, FOR INFORMATION INTERCHANGE - 0.250 INCH (630 MM), 6400-10 000 FTPI (252-394 FTPMM) (NO S/S DOCUMENT)[CUST: IS] | A | 7045 | | IS | 30-SEP-05 |
| A | A-A-50726 NOT 1 | TEST SET, TELEPHONE (NO S/S DOCUMENT)[CUST: 99] | A | 6625 | / | 84 | 06-SEP-05 |
| A | A-A-50725 NOT 1 | TEST SET, TELEPHONE SIGNAL (NO S/S DOCUMENT)[CUST: 99] | A | 6625 | / | 84 | 06-SEP-05 |
| A | ASTM-D1928 | TEST SHEETS AND TEST SPECIMENS, POLYETHYLENE, COMPRESSION-MOLDED, PREPARATION OF (NO S/S DOCUMENT)[CUST: MR 11] [REVIEW: AR AT CR4 EA GL] | A | 9330 | | IS | 20-SEP-05 |
| A | AWPA-E3 | THE CALCULATION OF THE "PERFORMANCE INDEX" OF PRESERVATIVES IN STAKE AND POST TESTS, STANDARD PROCEDURE FOR (NO S/S DOCUMENT)[CUST: CR4 SH 99] [REVIEW: 84 CE] | A | 5510 | | IS | 20-SEP-05 |
| A | ASTM-D4507 | THERMOPLASTIC POLYESTER (TPES) MATERIALS (NO S/S DOCUMENT)[CUST: MR SH 11] [REVIEW: AR AS CR4 GL MI] | A | 9330 | | IS | 20-SEP-05 |
| A | ANSI-B18.6.4 | THREAD FORMING AND THREAD CUTTING TAPPING SCREWS, AND METALLIC DRIVE SCREWS (INCH SERIES) (NO S/S DOCUMENT)[CUST: AR 99 IS] [REVIEW: AT AV CR CR4 EA MC SH] | A | 5305 | | IS | 16-SEP-05 |
| A | ANSI-A137.1 | TILE, CERAMIC (NO S/S DOCUMENT)[CUST: CR4 YD 99] | A | 5620 | | IS | 20-SEP-05 |
| A | MIL-HDBK-1002/5 NOT 1 | TIMBER STRUCTURES (S/S BY MIL-STD-3007)[CUST: YD] | A | FACR | | YD | 14-SEP-05 |
| A | A-A-50693B NOT 1 | TRUCK, AIRCRAFT CARGO LOADING-UNLOADING, WIDE BODY (NO S/S DOCUMENT)[CUST: 99] | A | 3930 | / | 84 | 20-OCT-05 |
| A | MIL-STD-1320-275 NOT 1 | TRUCKLOADING ADG-770/B ADAPTER GROUP IN CNU- 439A/E CONTAINER (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-277 NOT 1 | TRUCKLOADING BSU-84/B AIRFOIL GROUP IN CNU-373/E CONTAINER (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 19-JAN-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-STD-1320-222 NOT 5 | TRUCKLOADING GUIDED MISSILE BGM-109 (TOMAHAWK-CLS) IN SHIPPING SKID MK 30 MODS 0 AND 1 (SEE NOTICE 5 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-223B NOT 1 | TRUCKLOADING GUIDED MISSILE RGM-109 (TOMAHAWK) VLS CANISTER MK 14 MODS 0 AND 1 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-245 NOT 1 | TRUCKLOADING GUIDED MISSILE STANDARD MR AND (ASROC) IN VLS CANISTER MKS 13, 14 AND 15 AND MODS MIXED LOADS (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-207E NOT 1 | TRUCKLOADING GUIDED MISSILE U/RGM-109 (TOMAHAWK) IN SHIPPING AND STORAGE CONTAINER CNU-308/E (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-251 NOT 1 | TRUCKLOADING GUIDED MISSILE, AGM-84-E AND ATM-84-E (SLAM) IN CONTAINER MK 724 MOD 0 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-253B NOT 1 | TRUCKLOADING IN SHIPPING AND STORAGE CONTAINER CNU-415A/E OR CNU-415B/E OR AMRAAM, CATM-120 CAPTIVE AIR TRAINING, MISSILE IN SHIPPING AND STORAGE CONTAINER CNU-555/E (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-237B NOT 1 | TRUCKLOADING MK 50 TORPEDO (WARSHOT AND EXERCISE) IN SHIPPING AND STORAGE CONTAINER, MK 714 MOD 0 AND 1 FLEET ISSUE UNIT LOADS (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-152A NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 5 INCHES /54 IN PALLET ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-205B NOT 3 | TRUCKLOADING STANDARD MISSILE (MR) IN VLS CANISTER MK 13 MOD 0 (SEE NOTICE 3 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-113C NOT 4 | TRUCKLOADING TORPEDO, MK 48 MODS 1,3,4 IN CONTAINER MK 481 MODS 0,1 OR TORPEDO MK 48 ADCAP IN CONTAINER MK 746 MOD 0 (SEE NOTICE 4 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-248 NOT 1 | TRUCKLOADING VERTICAL LAUNCHED ASROC MISSILE IN VLS CANISTER MK 15 MOD 0 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-224 NOT 1 | TRUCKLOADING VERTICAL LAUNCHING SYSTEM MK 33 MOD 0 LOADER DOLLY CANISTER/MISSILE (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | MIL-STD-1320-264 NOT 1 | TRUCKLOADING VLS CANISTERS MKS 13, 14 & 15 AND ALL MODS AND MIXED LOADS "EMPTY AND W/O PHST" (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 19-JAN-06 |
| A | AN5812 REV 7 NOT 1 | TUBE, PITOT, ELECTRICALLY HEATED, L SHAPED (NO S/S DOCUMENT)[CUST: GS1] [REVIEW: 11] | A | 6610 | | GS1 | 03-JUN-96 |
| D | AN5811 REV 7 | TUBE, PITOT, ELECTRICALLY HEATED, L SHAPED, INVERTED | A | 6610 | | GS1 | 13-MAY-88 |
| A | A-A-54760/3 NOT 1 | TUBERCULIN, USP, OLD, DRIED (NO S/S DOCUMENT)[CUST: MD MS 03] | A | 6505 | / | MB | 15-DEC-05 |
| A | A-A-54760/2 NOT 1 | TUBERCULIN, USP, OLD, LIQUID (NO S/S DOCUMENT)[CUST: MD MS 03] | A | 6505 | / | MB | 15-DEC-05 |
| A | MIL-STD-1322-97 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS, MK 51 MODS 0 AND 1, MK 90 MOD 0, MK 115 MOD 0 AND TELEMETERING INSERTS, AN/DKT-26, AN/DKT-27, OR AN/DKT-42 IN MK 567 CONTAINER WARHEAD, MK 125 MOD 0 IN CONTAINER MK 753 MOD 0 (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[Military Standard][CUST: OS] [REVIEW: AS] | A | 8140 | | OS | 31-JAN-06 |
| A | MIL-STD-1323-351A NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT 2.75 INCH WARHEADS, M257, M261 OR M267 IN CONTAINER, PA 92 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-339 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT 2.75 INCHES ROCKET MOTOR, MK 66 MOD 2 IN CONTAINER, MK 706 MOD 0 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-384 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ADG-770/B PAVEWAY ADAPTER KIT IN S/S/C CNU-439A/E (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-405 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AIRFOIL GROUP, MKU-650/B (FOR MK 82 OR BLU-111/A/B BOMB) IN DRUM ON MK 3 MOD O PALLET (NO S/S DOCUMENT)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-360A NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AMRAAM, AIM-120A IN S/S/C, CNU-415A/E OR AMRAAM JAIM-120A CAPTIVE AIR TRAINING MISSILE (CATM) IN S/S/C CNU-555/E (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-412 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB FUZE, FMU-152/B IN CONTAINER M548 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-253A NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 2000 LB MK 84 MODS 3, 5, AND 6 (THERMALLY PROTECTED) IN UNIT LOAD ADAPTER, MK 79 MOD 0 WITH SADDLES (2642646) (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-285A NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, .50 CAL, LINKED, IN AMMUNITION BOX M2A1 IN WIRE BOUND CONTAINER 19200-7553346 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-394 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, .50 CAL, UNLINKED IN AMMUNITION BOX M2A1 IN WIREBOUND CONTAINER 19200-7553346 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-294 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20MM, M50 SERIES (LOOSE) IN CONTAINER M548 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-312 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25 MM, LOOSE IN CONTAINER CNU-405/E (SEE NOTICE 1 FOR REPLACEMENT INFORMATIOM)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-314 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25MM BELTED WITH MK 28 LINKS IN CONTAINERS CNU-405/E (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-380 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHAFF, RR-184/AL IN CONTAINER, M548 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-386 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, FLEXIBLE, 20 GRAM, MK 140 MOD 0 IN M2A1 AMMUNITION BOX OVERPACKED IN WIREBOUND BOX (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-307 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT COMPUTER CONTROL GROUP, MAU-169A/B, FOR LASER GUIDED BOMBS IN CONTAINER DNU-317/E (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-357(1) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT COVER, PLENUM CELL, MK 18 MOD 0 (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-332 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, BSU-33A/B IN ADAPTER, PALLET, ADU-426/E (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-310A NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, BSU-86/B IN PALLET ADAPTER ADU-535/E (SEE NOTIVE 2 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-283A NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, FOR 1000 LB G.P. BOMB MK 83 IN ADAPTER, PALLET, ADU-425/E (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | MIL-STD-1323-281 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, FOR 2000 POUND G.P. BOMB MK 84 IN ADAPTER, PALLET, ADU-415/E (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-252 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, AIRCRAFT, PARACHUTE, LUU-2 B/B (IN PLASTIC CONTAINER) (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-292 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY MK 46 MODS 0, 1, 1A AND 1C MK 50 MOD 0 OR MJU-8/B IN AMMUNITION BOX M2A1 (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-368 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY, MJU-22/B OR FLARE, SIMULATOR SM-875 (XN-1)/ALE IN CONTAINER, M548 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-333 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FUZE, BOMB FMU-139/B IN CONTAINER M548 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-389 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDANCE CONTROL UNIT; WGU-39/B, F/LASER GUIDED BOMBS IN CONTAINER, CNU-371/E (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-334A(1) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT HELLFIRE MISSILE, AGM 114 IN CONTAINER, SHIPPING AND STORAGE (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-363A NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 15 CANISTER PHST VLASROC (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-348 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 50 TORPEDO (WARSHOT AND EXERCISE) IN CONTAINER MK 714 MOD 0 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-372 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 50 TORPEDO (WARSHOT AND EXERCISE) IN CONTAINER MK 714 MOD 1 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-366 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 86 MOD 0 OR MK 88 MOD 0 EOD CHARGES IN AMMUNITION BOX M2A1 IN WIREBOUND CONTAINER 19200-7553346 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-362A NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK-13 CANISTER PHST SM-2 BLK 11 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-361A NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK-14 CANISTER PHST TOMAHAWK (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-271 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5 INCH/54, WITH PLASTIC ROTATING BAND IN PALLET ADAPTER MK 11 MOD 2 (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-382 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT RETARDER, INFLATABLE, AIR BSU-85/B IN SHIPPING AND STORAGE CONTAINER, FIN CNU-419 A/E, OR CNU-419 B/E (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-322 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT SIGNAL, SMOKE, MARINE MK 131 MOD 0 AND SIGNAL, FLARES, MK 132 MOD 0 IN AMMUNITION BOX M2A1 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-311 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT SOLID NOSE PLUG MXU-735/B, FOR MK 80 SERIES BOMBS IN CONTAINER MK 548 (SEE NOTICE 2 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-335 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, 2.75" ROCKET, SMOKE, MK 67 MOD 1 IN CONTAINER M548 (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | MIL-STD-1323-97B NOT 1 | UNIT LOAD FOR UNDERWAY REPLENSIHMENT DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) IN CONTAINER, CNU-319/E (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[Standard Practice][CUST: OS] [REVIEW: AS GS] | A | 8140 | | OS | 25-JAN-06 |
| A | SAE-AS39631 | UNIVERSAL JOINT, ANTIFRICTION BEARINGS (NO S/S DOCUMENT)[CUST: AS 99] [REVIEW: CC] | A | 3010 | | AS | 18-JUL-05 |
| A | MIL-V-16399A NOT 1 | VARNISH, MOISTUREPROOF (SEE NOTICE 1 FOR REPLACEMENT INFORMATION)[CUST: MI SH] [REVIEW: EA] | A | 8010 | | SH | 25-OCT-05 |
| A | IEC843-1 | VIDEO TAPE CASSETTE HELICAL-SCAN SYSTEM USING 8 MM MAGNETIC TAPE - 8 MM VIDEO PART 1 GENERAL SPECIFICATIONS (NO S/S DOCUMENT)[CUST: CC] | A | 5836 | | IS | 19-OCT-05 |
| A | IEC1077 | VIDEO TAPE CASSETTE SYSTEM HELICAL-SCAN USING 12,65 MM (0,5 IN) MAGNETIC TAPE ON TYPE VHS - COMPACT VHS VIDEO CASSETTE (NO S/S DOCUMENT) | A | 5836 | | IS | 30-SEP-05 |
| A | IEC843-3 | VIDEO TAPE CASSETTE SYSTEM, HELICAL-SCAN USING 8 MM MAGNETIC TAPE - 8 MM VIDEO PART 3 HIGH-BAND SPECIFICATIONS FOR HI 8 (NO S/S DOCUMENT) | A | 5836 | | IS | 30-SEP-05 |
| A | IEC774-1 | VIDEO TAPE CASSETTE SYSTEM, HELICAL-SCAN, USING 12,65 MM (0,5 IN) MAGNETIC TAPE ON TYPE VHS - PART 1 VHS AND COMPACT VHS VIDEO CASSETTE SYSTEM (NO S/S DOCUMENT) | A | 5836 | | IS | 30-SEP-05 |
| A | ASTM-D729 | VINYLIDENE CHLORIDE MOLDING COMPOUNDS (NO S/S DOCUMENT)[CUST: MR SH IS] [REVIEW: AR CR CR4 GL MD SM] | A | 9330 | | IS | 20-SEP-05 |
| A | ASTM-C36/C36M | WALLBOARD, GYPSUM (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 5640 | | IS | 27-SEP-05 |
| A | NAS1598 | WASHER SEALING ( W/DOD EXCEPTIONS) (NO S/S DOCUMENT)[CUST: AV AS 11 IS] | A | 5510 | | IS | 07-JUL-05 |
| A | ANSI-B18.22M | WASHER, FLAT, PLAIN - METRIC (W/ERRATA) (NO S/S DOCUMENT)[CUST: AR SH 99 IS] [REVIEW: AT CR CR4 EA MC MI NS YD] | A | 5310 | | IS | 20-SEP-05 |
| A | ANSI-Z245.3 | WASTE CONTAINERS - SAFETY REQUIREMENTS FOR REFUSE COLLECTION, PROCESSING, AND DISPOSAL EQUIPMENT (NO S/S DOCUMENT)[CUST: AT YD 99] | A | 4540 | | IS | 20-SEP-05 |
| A | ARI550 | WATER CHILLING PACKAGES USING THE VAPOR COMPRESSION CYCLE (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CE MC MS] | A | 4130 | | IS | 20-SEP-05 |
| A | NFPA1903 | WATER SUPPLY, MOBILE, FIRE APPARATUS (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84] | A | 4210 | | IS | 20-SEP-05 |
| A | CTI-ATC105 | WATER-COOLING TOWERS, ACCEPTANCE TEST CODE FOR (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CE GS] | A | 4130 | | IS | 14-JUL-05 |
| A | ASTM-C630/C630M | WATER-RESISTANT GYPSUM BACKING BOARD (NO S/S DOCUMENT)[CUST: YD 99] [REVIEW: 84] | A | 5640 | | IS | 27-SEP-05 |
| M | QPL-19088-18 NOT 1 | WATTMETERS, SWITCHBOARD TYPE, 4-1/2-INCH (REPLACED BY THE QUALIFIED PRODUCTS DATABASE (QPD) SEE NOTICE FOR ADDITIONAL INFORMATION) | A | 6625 | | SH | 13-APR-06 |
| A | MIL-W-25140B NOT 2 | WEIGHT AND BALANCE CONTROL SYSTEM (FOR AIRCRAFT AND ROTORCRAFT) (S/S BY SAWE-RP7)[CUST: AV AS 11] | A | 15GP | | AS | 18-JUL-05 |
| A | MIL-STD-1374A NOT 3 | WEIGHT AND BALANCE DATA REPORTING FORMS FOR AIRCRAFT (INCLUDING ROTORCRAFT) (S/S BY SAWE-RP8)[Military Standard][CUST: AV AS 11] | A | 15GP | | AS | 18-JUL-05 |
| A | MIL-STD-2137A NOT 2 | WEIGHT CONTROL TECHNICAL REQUIREMENTS FOR SURFACE SHIPS (S/S BY ASTM-F1808, SAWE-RP12 AND SAWE-RP13)[Military Standard][CUST: SH] | A | MISC | | SH | 13-SEP-05 |
| A | AWS-D10.9 | WELDING PROCEDURES AND WELDERS FOR PIPING AND TUBING (S/S BY AWS-B2.1)[CUST: SH 99] [REVIEW: 84 YD] | A | 3431 | | GS6 | 24-JAN-06 |
| A | MIL-STD-372 NOT 3 | WELDING, GAS METAL-ARC AND GAS TUNGSTEN-ARC, ALUMINUM ALLOYS, READILY WELDABLE FOR STRUCTURES, EXCLUDING ARMOR (SEE NOTICE 3 FOR REPLACEMENT INFORMATION)[Military Standard][CUST: AT] [REVIEW: MR] | A | THJM | | AT | 11-OCT-05 |

| Last Action | DOCUMENT NUMBER | DOCUMENT TITLE | Distribution | FSC/Area | MCA | Prep. Acty | Date |
|---|---|---|---|---|---|---|---|
| A | AWS-A5.27 | WELDING, OXYFUEL GAS, COPPER & COPPER ALLOY RODS FOR, SPECIFICATION FOR (S/S BY AWS-A5.7)[CUST: MR YD 11 GS6] | A | 3439 | | GS6 | 29-JUL-05 |
| A | AWPA-C8 | WESTERN RED CEDAR AND ALASKA YELLOW CEDAR POLES - PRESERVATIVE TREATMENT BY THE FULL-LENGTH THERMAL PROCESS (NO S/S DOCUMENT)[CUST: CR4 SH 99] [REVIEW: 84 CE YD] | A | 5510 | | IS | 20-SEP-05 |
| A | AWPA-C7 | WESTERN RED CEDAR, NORTHERN WHITE CEDAR AND ALASKA YELLOW CEDAR POLES - PRESERVATIVE TREATMENT OF INCISED POLE BUTTS BY THE THERMAL PROCESS (NO S/S DOCUMENT)[CUST: CR4 SH 99] [REVIEW: 84 CE YD] | A | 5510 | | IS | 20-SEP-05 |
| A | SWI-SW | WINDOW, STEEL - JUN 1989 (NO S/S DOCUMENT)[CUST: YD] [REVIEW: 84 CC] | A | 5670 | | IS | 15-JUL-05 |
| A | ASME-A39.1 | WINDOWING CLEANING, SAFETY REQUIREMENTS FOR - WITH ADDENDA A39.1B-89 (NO S/S DOCUMENT)[CUST: CR4 SH 99] [REVIEW: 84] | A | 5670 | | IS | 27-SEP-05 |
| A | QPL-81002-5 NOT 1 | WIRE ROPE, 1 3/8 INCH DIAMETER, 6 X 30, TYPE G, LANG LAY FLATTENED STRAND, FIBER CORE, HIGH STRENGTH (FOR AIRCRAFT ARRESTING) (NO S/S DOCUMENT) | A | 4010 | | AS | 01-SEP-05 |
| A | MIL-W-81002B(1) NOT 2 | WIRE ROPE, STEEL, 1-3/8 INCH DIAMETER, 6 BY 30, TYPE G, LANG LAY FLATTENED STRAND, FIBER CORE, HIGH-STRENGTH (FOR AIRCRAFT ARRESTING) (NO S/S DOCUMENT)[CUST: AS] [REVIEW: GS] | A | 4010 | | AS | 01-SEP-05 |
| A | SAE-AMS6473 | WIRE, STEEL WELDING 0.88CR - 1.8NI - 1.6CO - 0.42MO - 0.08V - (0.28 - 0.33C) (SAE 4330V) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING (NO S/S DOCUMENT)[CUST: MR AS 11 GS6] | A | 3439 | | GS6 | 29-JUL-05 |
| A | ASTM-B227 | WIRE, STEEL, HARD-DRAWN COPPER-CLAD (NO S/S DOCUMENT)[CUST: CR YD 11 CC] [REVIEW: AR AT AV CR4 MC MI SH] | A | 6145 | | CC | 07-SEP-05 |
| M | MS24122C NOT 3 | WIRING HARNESS-EXTERNAL POWER, 115 VOLT AC, SINGLE PHASE (S/S BY SAE-AS24122)[CUST: AS 11 GS] | A | 6150 | | AS | 20-FEB-06 |
| A | ANSI-B18.6.1 | WOOD SCREWS (INCH SERIES) (NO S/S DOCUMENT)[CUST: AR SH 99 IS] [REVIEW: AT AV CR CR4 EA MC] | A | 5305 | | IS | 16-SEP-05 |
| A | WWPA-WLGR | WWPA WESTERN LUMBER GRADING RULES (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 84 CE SH] | A | 5510 | | IS | 20-SEP-05 |